

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月1日	蚵殼站	0:00	22.79	51.82	34.12	8.35	6.27	2.66	22.98	
		3:00	22.64	51.78	34.09	8.34	5.87	2.65	24.5	
		6:00	22.32	51.64	34	8.32	5.72	2.67	24.1	
		9:00	22.33	51.7	34.05	8.27	5.96	3.81	9.69	
		12:00	22.57	51.68	34.03	8.34	5.94	2.57	22.1	
		15:00	22.67	51.73	34.07	8.38	5.79	2.97	26.92	
		18:00	22.63	51.92	34.22	8.35	6.01	2.78	38.12	
		21:00	23.13	52.21	34.41	8.34	6.06	3.65	26.72	
	日平均值		22.64	51.81	34.12	8.34	5.95	2.97	24.39	
	潮口站	0:00	23.68	50.05	33.68	8.34	5.95	3.69	8.14	
		3:00	23.06	49.93	33.61	8.31	7.5	2.65	14.89	
		6:00	24.53	50.42	33.91	8.34	6.3	5.67	3.95	
		9:00	24.93	50.61	34.02	8.34	5.94	2.74	2.54	
		12:00	25.06	50.59	34.01	8.35	6.07	2.66	2.58	
		15:00	25.5	50.13	33.74	8.36	6.07	2.63	2.54	
		18:00	25.46	50.62	34.03	8.34	5.98	3.1	2.57	
		21:00	24.6	50.33	33.85	8.34	5.68	2.66	4.35	
	日平均值		24.60	50.34	33.86	8.34	6.19	3.23	5.20	
	灣內站	0:00	22.52	51.1	33.67	7.68	5.83	3.55	6.55	
		3:00	22.54	51.21	33.73	7.58	5.85	3.66	7	
		6:00	22.28	51.4	33.83	7.63	6.9	3.67	28.87	
		9:00	22.34	51.11	33.66	7.77	6.92	3.75	29.01	
		12:00	22.51	50.4	33.19	7.88	5.58	3.63	1.6	
		15:00	22.6	50.63	33.33	7.94	5.68	3.71	3.32	
		18:00	22.69	51.17	33.69	7.84	5.65	3.69	2.36	
		21:00	22.52	51.39	33.83	7.92	5.59	3.69	1.7	
	日平均值		22.50	51.05	33.62	7.78	6.00	3.67	10.05	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月2日	蚵殼站	0:00	22.59	52.01	34.27	8.36	6.15	2.6	26.71	
		3:00	22.41	51.93	34.22	8.37	6.05	3.02	19.87	
		6:00	22.14	51.86	34.16	8.33	5.77	2.54	20.71	
		9:00	22.67	52.08	34.32	8.38	5.76	2.58	9.31	
		12:00	23.23	52.25	34.43	8.41	6.01	2.46	21.9	
		15:00	22.75	51.97	34.24	8.42	6.04	2.65	17.04	
		18:00	22.55	52	34.27	8.36	6.04	2.94	29.19	
		21:00	23.13	52.21	34.41	8.34	6.42	3.65	26.72	
	日平均值		22.68	52.04	34.29	8.37	6.03	2.81	21.43	
	潮口站	0:00	23.68	49.87	33.57	8.34	5.82	3.51	5.42	
		3:00	23.16	49.91	33.59	8.34	7.03	4.06	13.66	
		6:00	24.33	50.29	33.83	8.35	6.76	6.39	5.17	
		9:00	25.05	50.57	33.99	8.35	5.88	2.52	2.49	
		12:00	25.05	50.6	34.01	8.36	5.9	2.88	2.58	
		15:00	25	50.24	33.79	8.36	6.03	2.74	2.92	
		18:00	24.91	50.44	33.92	8.34	5.85	2.63	2.62	
		21:00	24.6	50.33	33.85	8.34	5.68	2.66	4.35	
	日平均值		24.47	50.28	33.82	8.35	6.12	3.42	4.90	
	灣內站	0:00	22.38	51.28	33.76	7.74	5.53	3.69	1.18	
		3:00	22.27	51.43	33.85	7.83	5.58	3.64	2.74	
		6:00	22.02	51.28	33.78	7.8	5.48	3.71	1.61	
		9:00	22.19	51.37	33.81	7.95	5.48	3.62	0.93	
		12:00	22.48	51.19	33.72	8.08	5.63	3.6	2.78	
		15:00	22.54	51.1	33.66	8.16	6.21	3.71	13.97	
		18:00	22.48	51.13	33.69	7.98	5.73	3.72	4.28	
		21:00	22.52	51.39	33.83	7.92	5.59	3.69	1.7	
	日平均值		22.36	51.27	33.76	7.93	5.65	3.67	3.65	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月3日	蚵殼站	0:00	22.62	52.04	34.29	8.35	6.12	3.02	18.25	
		3:00	21.96	51.71	34.04	8.36	6.14	2.85	16.96	
		6:00	21.61	51.57	33.95	8.36	5.87	2.47	16.56	
		9:00	22.39	51.83	34.14	8.39	5.82	2.56	8.33	
		12:00	23.01	51.98	34.25	8.45	5.99	2.83	18.25	
		15:00	23.74	52.18	34.37	8.46	5.99	2.44	12.73	
		18:00	23.69	52.4	34.51	8.4	5.99	2.55	17.54	
		21:00	23.35	52.31	34.45	8.34	6.39	2.41	16.8	
	日平均值			22.80	52.00	34.25	8.39	6.04	2.64	15.68
	潮口站	0:00	23.68	49.8	33.51	8.35	5.37	2.67	7.63	
		3:00	23.11	49.9	33.59	8.35	5.99	4.17	10.61	
		6:00	23.38	50.14	33.73	8.33	6.35	7.82	10.85	
		9:00	24.65	50.47	33.94	8.35	5.68	2.65	2.54	
		12:00	24.91	50.62	34.02	8.36	5.72	2.57	2.63	
		15:00	24.88	50.63	34.03	8.39	5.85	2.53	6.15	
		18:00	24.8	50.77	34.13	8.37	5.72	2.58	5.51	
		21:00	24.79	50.95	34.25	8.33	5.52	2.6	2.9	
	日平均值			24.28	50.41	33.90	8.35	5.78	3.45	6.10
	灣內站	0:00	22.17	51.36	33.81	7.9	5.52	3.57	1.81	
		3:00	22.17	51.4	33.83	7.81	5.6	3.65	3.5	
		6:00	21.98	51.38	33.82	7.86	5.74	3.75	6.87	
		9:00	22.23	51.42	33.85	8.02	5.77	3.54	6.64	
		12:00	22.89	51.34	33.8	8.11	5.91	3.73	6.65	
		15:00	22.7	51.25	33.75	8.22	5.87	3.64	6.6	
		18:00	22.48	51.1	33.67	8.03	5.53	3.82	0.8	
		21:00	22.32	51.29	33.77	7.93	5.97	3.77	10.31	
	日平均值			22.37	51.32	33.79	7.99	5.74	3.68	5.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月4日	蚵殼站	0:00	23.05	52.17	34.37	8.38	6.01	2.78	15.34	
		3:00	22.84	52.23	34.41	8.35	6.16	2.86	19.25	
		6:00	22.53	52.06	34.3	8.29	5.87	3.7	10.97	
		9:00	22.93	52.24	34.41	8.36	5.8	3.74	7.89	
		12:00	23.5	52.3	34.44	8.4	6.02	2.47	8.76	
		15:00	23.49	51.84	34.13	8.44	6.03	3.06	9.31	
		18:00	23.32	52.42	34.52	8.37	5.96	2.81	16.44	
		21:00	23.04	52.28	34.45	8.37	6.37	2.47	12.32	
	日平均值			23.09	52.19	34.38	8.37	6.03	2.99	12.54
	潮口站	0:00	23.9	50.42	33.92	8.35	5.27	2.68	8.53	
		3:00	23.3	50.34	33.86	8.38	5.23	5.29	9.55	
		6:00	23.13	50.12	33.74	8.35	6.21	6.29	16.86	
		9:00	24.64	50.55	33.97	8.36	5.27	2.64	2.64	
		12:00	24.8	50.63	34.04	8.37	5.56	2.62	4.12	
		15:00	24.5	50.78	34.14	8.39	6.21	2.66	9.64	
		18:00	24.82	51.32	34.49	8.39	6.11	2.62	6.27	
		21:00	24.85	51.58	34.66	8.35	5.7	2.59	2.56	
	日平均值			24.24	50.72	34.10	8.37	5.70	3.42	7.52
	灣內站	0:00	22.15	51.38	33.82	7.95	5.7	3.7	5.54	
		3:00	22.05	51.39	33.82	7.89	5.45	3.57	0.99	
		6:00	21.89	51.25	33.75	7.85	5.42	3.71	1.01	
		9:00	22.29	51.3	33.78	8.02	5.49	3.7	0.8	
		12:00	22.8	50.82	33.47	8.16	5.61	3.63	1.08	
		15:00	22.88	50.49	33.26	8.23	5.71	3.66	2.87	
		18:00	22.79	50.95	33.55	8	5.71	3.69	2.92	
		21:00	22.77	51.31	33.78	7.91	5.59	3.79	0.83	
	日平均值			22.45	51.11	33.65	8.00	5.59	3.68	2.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月5日	蚵殼站	0:00	22.84	51.78	34.11	8.44	6.24	2.61	14.01
		3:00	22.6	51.44	33.87	8.44	6.12	2.56	22.53
		6:00	22.5	51.8	34.13	8.36	5.91	2.48	20.32
		9:00	22.81	51.96	34.24	8.4	5.83	2.52	19.38
		12:00	23.25	52.03	34.28	8.46	5.99	2.7	17.79
		15:00	23.42	52.37	34.48	8.45	5.98	2.75	15.84
		18:00	23.39	52.35	34.47	8.4	5.82	2.6	18.18
		21:00	23.18	52.3	34.45	8.39	6.1	2.81	21.95
	日平均值	23.00	52.00	34.25	8.42	6.00	2.63	18.75	
	潮口站	0:00	24.27	51.13	34.37	8.38	5.98	2.67	6.41
		3:00	23.47	50.69	34.08	8.39	5.79	4.58	8.55
		6:00	23.17	50.64	34.05	8.37	5.14	5.01	15.1
		9:00	24.44	50.94	34.24	8.36	5.97	5.48	3.03
		12:00	24.98	50.83	34.18	8.38	6.07	2.7	2.64
		15:00	24.76	51.02	34.29	8.37	6.08	2.5	4.87
		18:00	24.77	50.95	34.24	8.39	5.96	2.52	4.97
		21:00	24.77	50.99	34.27	8.37	6.02	2.56	3.27
	日平均值	24.33	50.90	34.22	8.38	5.88	3.50	6.11	
	灣內站	0:00	22.66	51.34	33.8	7.9	5.74	3.63	4.26
		3:00	22.35	51.39	33.82	7.88	5.58	3.59	2.4
		6:00	21.91	50.77	33.44	7.89	5.47	3.62	1.76
9:00		22.05	50.39	33.2	8.01	5.49	3.75	1.64	
12:00		22.24	50.6	33.35	8.38	7.72	4.04	15.77	
15:00		22.38	51.03	33.59	8.38	7.46	3.24	10.42	
18:00		22.24	51.04	33.6	8.34	6.41	3.75	8.15	
21:00		22.15	51.17	33.68	8.26	5.53	13.04	4.58	
日平均值	22.25	50.97	33.56	8.13	6.18	4.83	6.12		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月6日	蚵殼站	0:00	23.19	52.29	34.44	8.38	5.93	2.35	19.58
		3:00	22.81	51.85	34.15	8.46	5.69	2.47	20.72
		6:00	22.6	51.73	34.07	8.4	5.82	2.88	21.76
		9:00	22.73	51.75	34.09	8.41	5.88	2.75	17.22
		12:00	23.16	52.04	34.29	8.44	6.08	2.5	13.08
		15:00	23.19	51.96	34.25	8.45	5.92	3.3	13.93
		18:00	23.14	52.03	34.29	8.35	5.95	3.54	16.6
		21:00	23.03	52.09	34.37	8.32	6	2.34	13.78
	日平均值	22.98	51.97	34.24	8.40	5.91	2.77	17.08	
	潮口站	0:00	24.49	50.91	34.22	8.37	5.85	2.65	4.55
		3:00	23.83	50.4	33.91	8.4	5.71	2.76	7.49
		6:00	23.49	50.36	33.88	8.34	5.45	8.71	4.54
		9:00	24.19	50.32	33.86	8.36	5.84	7.42	3.36
		12:00	24.93	50.59	34	8.38	5.88	2.57	2.5
		15:00	24.69	50.63	34.02	8.37	5.96	2.62	4.95
		18:00	24.16	50.65	34.05	8.35	5.77	2.61	6.25
		21:00	24.57	50.64	34.05	8.37	5.79	2.68	2.95
	日平均值	24.29	50.56	34.00	8.37	5.78	4.00	4.57	
	灣內站	0:00	22.07	51.24	33.74	8.24	5.21	3.31	8.95
		3:00	21.87	51.16	33.68	8.16	5.11	2.89	6.94
		6:00	21.73	50.78	33.44	8.17	5.22	3.03	11.28
9:00		21.84	50.41	33.19	8.22	5.35	2.64	10.97	
12:00		22.63	50.65	33.36	8.37	6.76	12.07	7.22	
15:00		22.71	50.82	33.47	8.39	7.09	18.87	10.2	
18:00		22.72	51.04	33.6	8.37	6.18	31.66	9.03	
21:00		22.67	51.1	33.66	8.29	6.1	49.25	6.31	
日平均值	22.28	50.90	33.52	8.28	5.88	15.47	8.86		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月7日	蚵殼站	0:00	22.9	51.93	34.22	8.4	6.11	2.45	14.8	
		3:00	22.72	51.79	34.12	8.45	5.95	2.7	15.83	
		6:00	22.7	51.8	34.13	8.38	5.96	2.81	16.6	
		9:00	22.65	51.81	34.13	8.34	6.02	7.22	10.82	
		12:00	22.46	50.42	33.19	8.38	6.39	4.15	15.56	
		15:00	22.34	50.33	33.13	8.35	6.39	4.06	15.85	
		18:00	22.25	50.35	33.15	8.38	6.33	2.7	15.47	
		21:00	22.16	50.43	33.19	8.39	6.01	2.99	13.16	
	日平均值			22.52	51.11	33.66	8.38	6.15	3.64	14.76
	潮口站	0:00	24.63	50.7	34.09	8.36	5.83	2.62	2.55	
		3:00	23.95	50.3	33.84	8.39	5.68	3.26	8.07	
		6:00	23.43	50.14	33.74	8.35	5.44	2.66	6.72	
		9:00	23.69	50.02	33.66	8.35	5.64	2.61	5.03	
		12:00	24.07	50.22	33.76	8.38	6.02	2.67	3.18	
		15:00	23	50.73	33.41	8.37	6.14	3.11	3.82	
		18:00	23	50.7	33.4	8.37	6.16	2	3.76	
		21:00	22.97	50.67	32.92	8.38	6.13	2.22	3.03	
	日平均值			23.59	50.44	33.60	8.37	5.88	2.64	4.52
	灣內站	0:00	22.48	51.3	33.81	8.29	5.4	15.39	3.36	
		3:00	22.3	50.63	33.36	8.27	5.35	3.24	7.49	
		6:00	22.25	50.9	33.51	8.2	7.1	2.61	6.95	
		9:00	22.25	50.25	33.1	8.22	5.1	10.11	2.68	
		12:00	22.3	50.97	33.55	8.29	5.17	12.73	16.54	
		15:00	22.24	50.3	33.13	8.29	5.34	2.51	7.46	
		18:00	22.15	50.33	33.16	8.27	5.21	2.52	41.41	
		21:00	22.11	50.86	33.51	8.26	5.79	2.61	8.61	
	日平均值			22.26	50.69	33.39	8.26	5.56	6.47	11.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月8日	蚵殼站	0:00	22.01	50.55	33.3	8.37	6.07	3.76	13.78	
		3:00	21.8	50.5	33.25	8.4	6.14	7.75	14.72	
		6:00	21.42	50.69	33.39	8.37	6.09	2.91	14.96	
		9:00	21.46	50.49	33.25	8.27	6.01	3.65	14.2	
		12:00	21.88	50.69	33.38	8.45	6.16	2.41	14.78	
		15:00	21.93	51.14	33.69	8.48	6.7	5.3	19.17	
		18:00	21.73	50.9	33.53	8.45	7.13	6.76	22.92	
		21:00	21.37	51.1	33.67	8.46	7.07	3.9	23.3	
	日平均值			21.70	50.76	33.43	8.41	6.42	4.56	17.23
	潮口站	0:00	22.92	50.62	33.32	8.38	6.09	1.62	3.01	
		3:00	22.92	50.62	33.32	8.38	6.1	1.87	2.91	
		6:00	22.92	50.62	33.32	8.38	6.1	1.74	2.94	
		9:00	22.91	50.71	33.39	8.38	6.12	1.77	3.05	
		12:00	22.82	51.12	33.65	8.38	6.19	2.11	3.35	
		15:00	22.54	51.93	34.2	8.37	6.37	2.79	6.62	
		18:00	21.57	51.69	34.04	8.35	6.42	2.75	10.38	
		21:00	20.84	51.72	34.06	8.32	6.17	4.4	9.25	
	日平均值			22.43	51.13	33.66	8.37	6.20	2.38	5.19
	灣內站	0:00	21.9	49.88	32.86	8.26	5.73	7.9	5.51	
		3:00	21.64	51.06	33.64	8.26	5.78	9.56	6.96	
		6:00	21.45	50.6	33.33	8.28	5.68	6.29	7.41	
		9:00	21.33	50.79	33.46	8.28	5.04	10.17	5.87	
		12:00	21.38	50.32	33.15	8.31	5.13	4.07	9.46	
		15:00	21.22	50.05	32.97	8.31	5.05	2.6	7.24	
		18:00	21.02	50.54	33.29	8.31	5.2	2.74	9.8	
		21:00	20.75	50.96	33.56	8.31	5.07	3.43	8.71	
	日平均值			21.34	50.53	33.28	8.29	5.34	5.85	7.62
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月9日	蚵殼站	0:00	21.21	51.23	33.73	8.39	7.01	12.02	23.17	
		3:00	20.97	50.91	33.53	8.31	6.92	2.55	22.78	
		6:00	20.45	50.75	33.42	8.3	6.92	4.24	23.3	
		9:00	20.56	50.17	33.03	8.29	6.83	5.16	22.74	
		12:00	21.06	50.87	33.5	8.35	7.01	3.39	22.68	
		15:00	21.29	51.18	33.71	8.32	7.07	2.67	23.24	
		18:00	21.23	50.89	33.53	8.4	6.56	2.9	19.05	
		21:00	20.82	50.53	33.28	8.44	6.2	2.71	16.93	
	日平均值			20.95	50.82	33.47	8.35	6.82	4.46	21.74
	潮口站	0:00	20.96	51.88	34.17	8.35	6.26	2.8	8.11	
		3:00	21.39	52.01	34.26	8.36	6.36	2.69	5.83	
		6:00	20.46	51.93	34.19	8.34	6.32	4.01	9.15	
		9:00	20.59	51.46	33.89	8.35	6.31	4.12	8.6	
		12:00	22.95	51.12	33.66	8.41	6.39	2.75	10.91	
		15:00	23.01	51.26	33.75	8.39	6.29	2.74	5.47	
		18:00	20.88	51.55	33.95	8.35	6.59	2.84	18.89	
		21:00	20.65	51.6	33.98	8.34	6.44	8.58	13	
	日平均值			21.36	51.60	33.98	8.36	6.37	3.82	10.00
	灣內站	0:00	20.63	51.06	33.64	8.29	5.72	2.62	6.82	
		3:00	20.53	50.48	33.26	8.26	5.8	2.45	5.9	
		6:00	20.33	50.97	33.57	8.27	5.94	2.5	6.86	
		9:00	20.38	50.36	33.17	8.27	5.14	2.51	3.38	
		12:00	20.64	49.63	32.69	8.35	5.91	2.62	4.18	
		15:00	20.63	49.6	32.66	8.34	5.98	5.07	7.27	
		18:00	20.42	50.03	32.97	8.28	5.03	2.78	7.3	
		21:00	20.32	50.23	33.08	8.25	6.17	2.48	4.81	
	日平均值			20.49	50.30	33.13	8.29	5.71	2.88	5.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月10日	蚵殼站	0:00	20.56	50.92	33.54	8.45	6.25	3.91	17.63	
		3:00	20.49	51.08	33.65	8.41	5.99	2.55	15.74	
		6:00	20.4	50.92	33.54	8.37	5.88	2.29	15	
		9:00	20.71	51.17	33.71	8.38	5.86	4.12	14.21	
		12:00	21.37	51.28	33.76	8.44	5.93	7.32	13.8	
		15:00	21.45	51.22	33.72	8.33	5.92	5.99	13.11	
		18:00	21.83	51.12	33.67	8.32	5.84	7.92	12.26	
		21:00	21.62	51.29	33.79	8.38	5.73	2.89	11.7	
	日平均值			21.05	51.13	33.67	8.39	5.93	4.62	14.18
	潮口站	0:00	20.26	51.72	34.06	8.36	6.41	2.66	11.64	
		3:00	21.97	51.53	33.93	8.4	6.33	2.81	4.28	
		6:00	20.88	51.66	34.03	8.35	6.31	2.75	11.26	
		9:00	20.82	51.77	34.1	8.37	6.53	6.17	5.94	
		12:00	22.81	50.96	33.55	8.4	6.4	2.91	3.36	
		15:00	22.96	51.06	33.62	8.39	6.26	2.63	4.15	
		18:00	20.44	51.42	33.86	8.37	6.64	3.25	22.67	
		21:00	20.3	51.45	33.88	8.36	6.62	2.93	18.28	
	日平均值			21.31	51.45	33.88	8.38	6.44	3.26	10.20
	灣內站	0:00	20.15	49.97	32.91	8.26	5.9	2.67	5.25	
		3:00	19.99	51.14	33.67	8.24	5.65	2.45	5.19	
		6:00	19.73	50.37	33.18	8.22	5.62	2.76	3.69	
		9:00	19.87	49.75	32.76	8.3	5.57	2.62	3.27	
		12:00	20.31	49.09	32.31	8.39	6.15	2.57	4.51	
		15:00	20.5	50.38	33.17	8.38	5.91	2.63	4.32	
		18:00	21	50.56	33.29	8.3	5.32	2.56	2.81	
		21:00	20.54	50.27	33.1	8.29	5.19	2.4	2.98	
	日平均值			20.26	50.19	33.05	8.30	5.66	2.58	4.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
1月11日	蚵殼站	0:00	21.3	50.87	33.51	8.35	5.56	10.65	10.49	
		3:00	21.13	51.14	33.69	8.32	5.42	10.27	9.27	
		6:00	21.1	51.33	33.8	8.24	5.22	3.94	8.11	
		9:00	21.17	51.28	33.75	8.28	5.16	2.5	7.11	
		12:00	21.69	51.34	33.8	8.41	5.4	4.99	8.77	
		15:00	21.77	51.43	33.87	8.38	5.1	2.76	4.25	
		18:00	21.67	51.09	33.65	8.35	5.18	8.53	4.23	
		21:00	21.35	51.49	33.92	8.48	5.25	2.64	7.97	
	日平均值			21.40	51.25	33.75	8.35	5.29	5.79	7.53
	潮口站	0:00	19.9	51.76	34.08	8.39	6.77	2.82	16.15	
		3:00	21.74	51.57	33.97	8.4	6.37	2.78	5.93	
		6:00	21.85	51.82	34.14	8.38	6.22	2.73	5.79	
		9:00	21.1	51.67	34.03	8.38	6.46	3.58	8.63	
		12:00	22.6	51.62	34	8.39	6.44	2.9	3.38	
		15:00	22.92	51.72	34.07	8.4	6.29	3.77	3.37	
		18:00	22	51.9	34.19	8.39	6.51	2.85	10.47	
		21:00	20.73	51.97	34.23	8.33	6.56	2.71	13.15	
	日平均值			21.61	51.75	34.09	8.38	6.45	3.02	8.36
	灣內站	0:00	20.27	49.38	32.54	8.29	5	2.47	2.5	
		3:00	20.26	48.94	32.22	8.25	5.78	2.66	2.17	
		6:00	20.04	49.28	32.46	8.23	5.06	2.55	2.58	
		9:00	20.17	48.88	32.2	8.34	5.35	2.55	1.95	
		12:00	20.82	48.83	32.16	8.4	6.24	3.94	4.87	
		15:00	20.74	49.03	32.29	8.39	5.9	2.51	5.47	
		18:00	20.52	49.27	32.47	8.39	6.01	2.83	7.63	
		21:00	20.19	49.84	32.8	8.39	6.08	3.2	10.79	
	日平均值			20.38	49.18	32.39	8.34	5.68	2.84	4.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
1月12日	蚵殼站	0:00	20.92	51.33	33.81	8.45	5.08	3.29	7.31	
		3:00	20.89	51.32	33.81	8.46	5.11	9.05	5	
		6:00	20.82	51.62	33.99	8.42	6.46	9.12	3.88	
		9:00	20.64	51.53	33.93	8.42	6.29	3.94	5.04	
		12:00	20.61	51.28	33.77	8.43	5.05	2.55	5.07	
		15:00	21.38	51.42	33.86	8.38	5.12	12.1	5.02	
		18:00	21.43	51.45	33.89	8.2	6.89	2.76	2.56	
		21:00	21.16	51.57	33.97	8.31	5.11	6.08	3.45	
	日平均值			20.98	51.44	33.88	8.38	5.64	6.11	4.67
	潮口站	0:00	20.09	51.97	34.23	8.4	6.65	3.06	14.96	
		3:00	20.7	51.93	34.2	8.41	6.55	8.07	9.59	
		6:00	21.89	51.93	34.19	8.41	6.27	8.87	3.14	
		9:00	21.66	52.06	34.29	8.39	6.26	2.85	3.55	
		12:00	21.65	52.09	34.31	8.4	6.51	3.21	3.39	
		15:00	22.06	51.96	34.22	8.4	6.54	2.97	3.43	
		18:00	21.48	51.98	34.23	8.39	6.54	9.31	7.8	
		21:00	19.72	51.96	34.22	8.36	6.92	2.78	18.49	
	日平均值			21.16	51.99	34.24	8.40	6.53	5.14	8.04
	灣內站	0:00	19.83	51.49	33.89	8.39	5.88	2.76	11.51	
		3:00	19.54	50.81	33.47	8.4	5.64	3.66	12	
		6:00	19.46	49.87	32.85	8.38	5.34	2.53	10.53	
		9:00	19.62	50.17	33.04	8.37	5.38	2.57	7.52	
		12:00	19.47	50.59	33.33	8.39	5.42	2.62	6.35	
		15:00	19.72	50.33	33.15	8.29	5.18	2.53	4.52	
		18:00	19.5	49.66	32.71	8.33	5.23	2.46	3.29	
		21:00	19.33	49.34	32.48	8.32	5.09	2.51	5.12	
	日平均值			19.56	50.28	33.12	8.36	5.40	2.71	7.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月13日	蚵殼站	0:00	20.76	51.03	33.62	8.39	5.06	6.54	6.58	
		3:00	20.6	51.54	33.94	8.41	5.08	6.26	7.62	
		6:00	20.42	51.55	33.96	8.28	5.03	9.25	7.16	
		9:00	20.5	51.46	33.9	8.26	5.11	8.27	8.26	
		12:00	20.93	51.28	33.78	8.36	5.1	4.82	6.88	
		15:00	20.72	51.5	33.93	8.43	5.14	3	5.16	
		18:00	21.55	51.52	33.94	8.38	5.23	5.55	7.72	
		21:00	21.96	51.52	33.93	8.33	5.36	2.62	7.96	
	日平均值		20.93	51.43	33.88	8.36	5.14	5.79	7.17	
	潮口站	0:00	19.52	52.09	34.3	8.37	6.62	4.04	13.87	
		3:00	19.72	51.93	34.2	8.41	6.64	2.89	12.03	
		6:00	21.62	51.76	34.08	8.41	6.37	2.82	3.3	
		9:00	21.59	51.87	34.17	8.38	6.32	2.69	3.82	
		12:00	22.22	51.67	34.02	8.41	6.49	2.87	3.15	
		15:00	22.48	51.93	34.19	8.41	6.49	3.85	3.3	
		18:00	22.06	52.01	34.26	8.41	6.49	2.86	5.69	
		21:00	20.41	51.89	34.17	8.4	6.89	2.91	12.65	
	日平均值		21.20	51.89	34.17	8.40	6.54	3.12	7.23	
	灣內站	0:00	18.95	49.52	32.62	8.34	5.17	2.57	4.65	
		3:00	19.25	50.04	32.95	8.32	5.07	2.8	4.88	
		6:00	19.13	50.62	33.28	8.26	5.42	2.59	2.37	
		9:00	19.29	50.53	33.28	8.33	5.17	2.46	2.2	
		12:00	19.75	48.77	32.11	8.43	5.86	2.54	3.37	
		15:00	19.95	48.93	32.24	8.44	6.67	2.62	7.49	
		18:00	20.75	49.43	32.56	8.38	6	2.67	4.49	
		21:00	20.44	50.36	33.16	8.37	5.25	2.67	2.22	
	日平均值		19.69	49.78	32.78	8.36	5.58	2.62	3.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月14日	蚵殼站	0:00	20.8	51.23	33.74	8.41	5.17	2.41	7.63	
		3:00	20.62	51.25	33.76	8.31	5.04	2.75	7.08	
		6:00	20.62	51.38	33.84	8.33	5.04	2.95	6.93	
		9:00	20.75	51.32	33.8	8.21	5.22	2.64	8.7	
		12:00	21.11	51.34	33.8	8.41	5.2	2.64	7.9	
		15:00	21.1	51.47	33.9	8.32	5.09	2.56	6.99	
		18:00	21.73	51.36	33.83	8.25	5.19	4.2	6.85	
		21:00	21.87	51.34	33.82	8.22	5.34	2.85	8.13	
	日平均值		21.08	51.34	33.81	8.31	5.16	2.88	7.53	
	潮口站	0:00	20.39	52.06	34.3	8.38	6.51	2.71	6.96	
		3:00	19.94	52.04	34.26	8.41	6.66	16.13	10.83	
		6:00	21.47	51.83	34.14	8.41	6.37	3.73	4.21	
		9:00	21.62	51.88	34.17	8.4	6.3	2.74	4.93	
		12:00	22.29	51.7	34.05	8.42	6.52	4.26	3.32	
		15:00	22.66	51.69	34.04	8.42	6.53	4.07	3.31	
		18:00	22.35	51.41	33.85	8.41	6.46	8.27	4.4	
		21:00	20.85	51.85	34.15	8.41	6.87	2.92	11.37	
	日平均值		21.45	51.81	34.12	8.41	6.53	5.60	6.17	
	灣內站	0:00	20.09	50.2	33.06	8.26	7.29	2.45	2.37	
		3:00	19.78	51.19	33.72	8.22	6.38	2.62	2.49	
		6:00	19.49	51.01	33.61	8.23	5.02	2.55	2.01	
		9:00	19.72	51.16	33.7	8.35	6	2.63	3.27	
		12:00	20.01	49.39	32.52	8.49	7.31	4.17	9.92	
		15:00	20.66	50.06	32.97	8.44	6.27	2.75	7.22	
		18:00	21.04	50.7	33.39	8.37	5.61	2.8	4.42	
		21:00	21.12	51.22	33.74	8.38	6.3	2.51	0.75	
	日平均值		20.24	50.62	33.34	8.34	6.27	2.81	4.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月15日	蚵殼站	0:00	21.42	51.54	33.96	8.32	5.17	7.71	7.08	
		3:00	21.04	51.21	33.73	8.39	5.08	2.58	6.18	
		6:00	21.03	51.5	33.92	8.33	5.12	5.78	6.06	
		9:00	21.24	51.51	33.92	8.19	5.04	7.19	6.07	
		12:00	21.77	51.18	33.72	8.29	5.07	3.56	5.95	
		15:00	21.8	51.33	33.81	8.34	5.1	4.51	6.05	
		18:00	21.54	51.25	33.77	8.18	5.4	4.3	5.36	
		21:00	22.28	51.52	33.93	8.25	5.8	6.28	5.25	
	日平均值			21.52	51.38	33.85	8.29	5.22	5.24	6.00
	潮口站	0:00	20.48	52.02	34.26	8.39	6.74	3.03	11.08	
		3:00	20	52.06	34.27	8.4	6.62	2.82	10.51	
		6:00	21.04	51.88	34.17	8.41	6.41	3.53	5.16	
		9:00	21.9	51.88	34.17	8.41	6.33	2.99	3.23	
		12:00	21.23	51.92	34.19	8.38	6.49	2.89	5.35	
		15:00	22.22	51.77	34.09	8.4	6.48	2.98	3.32	
		18:00	22.32	51.31	33.78	8.41	6.32	2.83	3.45	
		21:00	21.25	51.94	34.21	8.41	6.6	2.73	7.87	
	日平均值			21.31	51.85	34.14	8.40	6.50	2.98	6.25
	灣內站	0:00	20.58	50.14	33.01	8.33	5.42	2.44	1.8	
		3:00	20.3	49.32	32.5	8.34	5.17	2.62	2.23	
		6:00	20.24	49.54	32.62	8.33	5.86	2.68	1.88	
		9:00	20.14	50.06	32.97	8.41	5.41	2.47	2.03	
		12:00	20.59	51.15	33.67	8.48	6.81	2.53	7.61	
		15:00	20.88	50.2	33.06	8.46	6.98	2.69	9.16	
		18:00	21.07	50.52	33.27	8.39	5	2.55	3.37	
		21:00	21.05	50.79	33.45	8.38	6.3	2.62	2.71	
	日平均值			20.61	50.22	33.07	8.39	5.87	2.58	3.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月16日	蚵殼站	0:00	21.4	51.25	33.75	8.36	6.11	5.48	4.79	
		3:00	20.92	50.53	33.28	8.27	5.95	2.75	3.89	
		6:00	20.93	51.32	33.79	8.28	5.96	8.94	3.78	
		9:00	21.13	51.18	33.7	8.19	6.02	2.46	4.57	
		12:00	21.38	51.17	33.69	8.32	6.03	2.55	4.91	
		15:00	22.9	51.18	33.7	8.33	6.07	2.97	5.16	
		18:00	22.83	50.93	33.54	8.3	6.01	2.57	5.22	
		21:00	22.69	51.32	33.82	8.29	5.96	2.75	4.73	
	日平均值			21.77	51.11	33.66	8.29	6.01	3.81	4.63
	潮口站	0:00	20.92	52.04	34.26	8.38	6.43	2.67	6.3	
		3:00	20.67	52.06	34.29	8.37	6.19	5.99	6.78	
		6:00	20.81	51.98	34.23	8.39	6.32	3.88	5.36	
		9:00	21.4	51.88	34.16	8.4	6.38	3.07	3.61	
		12:00	21.28	51.56	33.96	8.39	6.58	3.12	5.26	
		15:00	21.75	51.19	33.7	8.37	6.42	3.25	3.24	
		18:00	21.83	52.02	34.25	8.4	6.45	5.69	3.34	
		21:00	21.43	51.88	34.17	8.4	6.5	2.87	5.18	
	日平均值			21.26	51.83	34.13	8.39	6.41	3.82	4.88
	灣內站	0:00	20.66	50.29	33.12	8.38	5.42	3.28	3.05	
		3:00	20.53	49.61	32.67	8.33	5.17	2.82	3.19	
		6:00	20.65	50.91	33.53	8.32	5.86	2.82	2.34	
		9:00	20.78	51.25	33.76	8.38	5.15	3.21	2.1	
		12:00	21.57	50.57	33.31	8.46	6.47	2.75	6.62	
		15:00	21.79	50.56	33.29	8.47	6.15	3.15	7.35	
		18:00	21.63	50.68	33.39	8.39	5.56	4.86	5.19	
		21:00	21.32	50.83	33.48	8.39	5.29	2.55	3.42	
	日平均值			21.12	50.59	33.32	8.39	5.63	3.18	4.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月17日	蚵殼站	0:00	22.68	51.34	33.82	8.31	6.18	2.73	4.42
		3:00	22.67	51.41	33.86	8.32	6.18	2.63	4.88
		6:00	22.63	51.43	33.87	8.28	6.07	3.52	4.66
		9:00	22.75	51.43	33.88	8.33	6.07	2.53	4.67
		12:00	23.24	51.57	33.98	8.36	6.06	2.79	4.81
		15:00	23.36	51.36	33.33	8.37	6.12	2.45	4.22
		18:00	23.42	51.37	33.84	8.31	6.01	3.92	5.08
	21:00	23.47	51.45	33.89	8.29	5.91	2.88	6.99	
	日平均值		23.03	51.42	33.81	8.32	6.08	2.93	4.97
	潮口站	0:00	20.92	51.66	34.02	8.39	6.61	2.84	7.46
		3:00	20.62	51.89	34.17	8.38	6.45	2.62	8.9
		6:00	20.57	51.81	34.11	8.4	6.46	4.03	9.9
		9:00	21.24	51.8	34.11	8.41	6.52	3.67	3.23
		12:00	21.37	51.82	34.13	8.41	6.53	2.66	5.32
		15:00	21.54	51.48	33.9	8.4	6.57	2.76	3.52
		18:00	21.48	51.75	34.08	8.4	6.51	2.97	3.33
	21:00	21.23	51.36	33.83	8.39	6.46	4.83	4.99	
	日平均值		21.12	51.70	34.04	8.40	6.51	3.30	5.83
	灣內站	0:00	21.31	50.77	33.44	8.33	5.42	2.59	5.58
		3:00	21.26	50.85	33.48	8.22	5.17	2.64	2.78
		6:00	21.07	50.7	33.38	8.37	5.86	2.57	3.25
9:00		21.17	50.86	33.5	8.39	5.19	3.36	2.63	
12:00		21.5	50.38	33.17	8.47	5.65	3	2.87	
15:00		21.48	50.97	33.55	8.45	6.82	3.27	8.26	
18:00		21.41	51.95	34.21	8.48	5.11	3.87	4.32	
21:00	21.11	52.03	34.26	8.47	5.11	4.8	5.02		
日平均值		21.29	51.06	33.62	8.40	5.54	3.26	4.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月18日	蚵殼站	0:00	23.35	51.32	33.81	8.3	6.05	2.78	5.46
		3:00	23.31	51.2	33.71	8.31	5.94	2.95	5.17
		6:00	23.18	51.57	33.97	8.31	5.81	2.69	5.23
		9:00	23.24	51.54	33.94	8.34	6.07	3.03	5.01
		12:00	23.64	51.59	33.99	8.4	6.07	2.85	4.8
		15:00	23.54	51.61	34.01	8.41	6.28	2.79	4.87
		18:00	23.59	51.6	34	8.35	6.12	2.81	6.17
	21:00	23.63	51.08	33.65	8.29	5.89	2.69	6.42	
	日平均值		23.44	51.44	33.89	8.34	6.03	2.82	5.39
	潮口站	0:00	20.59	49.97	32.9	8.38	6.68	2.74	8.95
		3:00	20.42	51.95	34.2	8.38	6.68	2.87	10.55
		6:00	20.28	51.87	34.16	8.4	6.57	2.93	9.61
		9:00	20.9	51.63	34.01	8.4	6.57	2.86	4.14
		12:00	21.02	51.63	34	8.38	6.56	2.86	4.37
		15:00	21.46	50.83	33.47	8.38	6.62	2.88	3.38
		18:00	21.43	51.12	33.67	8.38	6.51	4.03	3.12
	21:00	21.14	51.54	33.95	8.38	6.41	3.2	3.25	
	日平均值		20.91	51.32	33.80	8.39	6.58	3.05	5.92
	灣內站	0:00	21	51.89	34.16	8.39	5.42	3.34	3.14
		3:00	20.81	51.43	33.88	8.38	5.17	2.9	2.83
		6:00	20.62	51.25	33.76	8.36	5.86	3.46	3.2
9:00		20.59	51.32	33.81	8.43	5.14	4.03	2.52	
12:00		21.01	50.87	33.48	8.34	6.55	2.96	6.88	
15:00		21.23	50.14	33.02	8.34	6.32	3.12	7.02	
18:00		21.15	50.48	33.24	8.49	5.08	2.43	3.65	
21:00	21.02	50.29	33.11	8.43	6.3	2.44	1.99		
日平均值		20.93	50.96	33.56	8.40	5.73	3.09	3.90	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月19日	蚵殼站	0:00	23.53	51.45	33.89	8.33	6.07	2.47	5.87
		3:00	23.42	51.44	33.89	8.3	6.14	2.46	6.01
		6:00	23.36	51.38	33.86	8.24	5.77	2.54	5.85
		9:00	23.38	51.4	33.87	8.31	6.05	2.67	4.65
		12:00	23.5	51.47	33.9	8.35	6.13	3.01	3.1
		15:00	23.82	51.5	33.92	8.39	6.12	2.56	3.78
		18:00	23.83	51.43	33.88	8.32	6.06	2.72	1.35
	21:00	23.78	51.23	33.75	8.32	5.92	2.82	1.64	
	日平均值		23.58	51.41	33.87	8.32	6.03	2.66	4.03
	潮口站	0:00	20.62	51.71	34.07	8.37	6.55	3.01	7.29
		3:00	20.38	51.77	34.09	8.36	6.44	2.81	6.13
		6:00	20.17	51.76	34.09	8.36	6.31	4.67	6.81
		9:00	20.76	51.82	34.13	8.38	6.57	2.77	4.47
		12:00	21.4	51.74	34.07	8.39	6.57	2.86	3.27
		15:00	20.94	51.68	34.04	8.39	6.78	2.79	6.75
		18:00	21.2	51.36	33.82	8.38	6.62	2.98	3.8
	21:00	21.32	51.43	33.87	8.37	6.39	2.78	3.16	
	日平均值		20.85	51.66	34.02	8.38	6.53	3.08	5.21
	灣內站	0:00	20.91	51.39	33.84	8.41	5.42	2.73	3.66
		3:00	20.9	50.75	33.42	8.38	5.17	2.58	4.55
		6:00	20.89	49.8	32.8	8.37	5.86	2.69	4.34
9:00		21.06	50.09	32.99	8.39	5.13	2.68	3.53	
12:00		21.37	50.54	33.28	8.31	6.46	3.26	6.65	
15:00		21.39	50.26	33.1	8.33	6.58	4	9.33	
18:00		21.38	49.59	32.66	8.44	5.46	2.7	4.03	
21:00	21.32	49.24	32.43	8.45	5.08	2.54	4.17		
日平均值		21.15	50.21	33.07	8.39	5.65	2.90	5.03	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月20日	蚵殼站	0:00	23.78	51.52	33.95	8.39	6.07	2.57	1.63
		3:00	23.71	51.6	34	8.39	6.13	2.68	1.5
		6:00	23.56	51.53	33.95	8.31	6.49	2.98	1.69
		9:00	23.61	51.11	33.67	8.35	6.31	2.49	1.99
		12:00	23.7	51.19	33.73	8.41	6.12	2.64	2.84
		15:00	23.83	51.44	33.88	8.4	6.1	2.46	1.63
		18:00	23.75	51.37	33.82	8.35	6.57	1.08	0.66
	21:00	23.78	51.24	33.74	8.34	6.05	2.96	1.66	
	日平均值		23.72	51.38	33.84	8.37	6.23	2.48	1.70
	潮口站	0:00	20.78	51.63	34	8.38	6.57	6.73	8.27
		3:00	20.27	51.76	34.09	8.37	6.64	2.72	9.25
		6:00	20.2	51.64	34.01	8.35	6.27	3	5.6
		9:00	20.7	51.67	34.04	8.38	6.55	2.9	3.68
		12:00	21.51	51.55	33.94	8.4	6.63	2.78	3.17
		15:00	21.17	51.53	33.93	8.39	6.62	2.79	5.18
		18:00	21.13	51.46	33.89	8.37	6.56	5.5	4.71
	21:00	21.27	51.33	33.8	8.37	6.42	2.97	4.65	
	日平均值		20.88	51.57	33.96	8.38	6.53	3.67	5.56
	灣內站	0:00	21.02	49.45	32.57	8.42	5.14	2.87	4.07
		3:00	20.86	49.96	32.9	8.38	6.55	2.59	6.65
		6:00	20.68	50.46	33.23	8.34	6.32	2.55	3.93
9:00		20.72	50.46	33.23	8.42	5.08	2.67	2.77	
12:00		21.24	48.67	32.06	8.35	6.64	3.46	6.93	
15:00		21.63	48.87	32.19	8.36	6.91	3.16	8.77	
18:00		21.89	49.36	32.51	8.44	6.46	4.46	6.36	
21:00	21.6	50.28	33.11	8.41	6.58	3.65	6.24		
日平均值		21.21	49.69	32.73	8.39	6.21	3.18	5.72	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月21日	蚵殼站	0:00	23.82	51.29	33.77	8.33	6.17	2.76	0.79	
		3:00	23.7	50.96	33.56	8.41	6.27	2.9	0.37	
		6:00	23.55	51.55	33.96	8.35	6.46	2.33	0.2	
		9:00	23.63	50.55	33.3	8.36	6.29	2.58	0.16	
		12:00	21.8	51.15	33.67	8.46	6.56	4.71	16.65	
		15:00	21.81	51.16	33.68	8.48	6.43	4.75	27.22	
		18:00	22.13	50.91	33.52	8.49	6.27	4.22	20.3	
		21:00	22.31	51.3	33.8	8.33	6.57	4.41	16.21	
	日平均值		22.84	51.11	33.66	8.40	6.38	3.58	10.24	
	潮口站	0:00	20.8	51.48	33.9	8.39	6.57	3.39	10.86	
		3:00	20.52	51.47	33.89	8.38	6.63	2.73	12.66	
		6:00	20.28	50.95	33.55	8.42	6.99	2.93	12.49	
		9:00	20.63	51.31	33.79	8.41	6.81	2.88	6.77	
		12:00	21.88	51.12	33.66	8.4	6.62	2.88	3.3	
		15:00	21.81	51.25	33.75	8.4	6.6	2.82	5.85	
		18:00	21.06	51.43	33.87	8.41	7.07	2.81	12	
		21:00	20.95	51.56	33.96	8.38	6.55	2.68	7.73	
	日平均值		20.99	51.32	33.80	8.40	6.73	2.89	8.96	
	灣內站	0:00	21.67	51.57	33.96	8.36	5.42	2.63	8.11	
		3:00	21.61	51.48	33.9	8.33	5.17	2.59	4.9	
		6:00	21.52	51.19	33.71	8.26	5.86	2.54	3.9	
		9:00	21.68	51.33	33.8	8.31	5.14	2.64	3.36	
		12:00	22.01	51.92	34.19	8.34	6.55	4.21	3.74	
		15:00	22.5	50.26	33.1	8.49	7.64	3.69	7.34	
		18:00	22.4	49.68	32.72	8.44	5.82	2.53	1.73	
		21:00	22.32	49.85	32.83	8.35	5.6	2.67	1.64	
	日平均值		21.96	50.91	33.53	8.36	5.90	2.94	4.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月22日	蚵殼站	0:00	22.38	51.32	33.8	8.29	6.83	4.24	15.42	
		3:00	22.34	51.39	33.84	8.46	5.86	3.9	15.23	
		6:00	22.34	51.41	33.85	8.29	6.07	3.9	14.91	
		9:00	22.4	51.41	33.86	8.31	6.45	4.92	15.16	
		12:00	22.63	51.55	33.96	8.3	6.8	3.92	7.58	
		15:00	22.91	51.34	33.31	8.46	8.69	3.97	5.17	
		18:00	22.84	51.35	33.82	8.32	8.44	5.34	4.68	
		21:00	22.7	51.43	33.87	8.33	7.26	4.07	4.02	
	日平均值		22.57	51.40	33.79	8.35	7.05	4.28	10.27	
	潮口站	0:00	21.42	51.28	33.77	8.4	6.67	2.91	6.88	
		3:00	21.08	51.25	33.74	8.42	6.77	11.52	18.91	
		6:00	20.86	51.35	33.82	8.43	6.96	2.82	23.94	
		9:00	21.56	51.44	33.87	8.4	6.79	2.97	25.98	
		12:00	23.08	51.39	33.84	8.31	6.93	2.96	6.05	
		15:00	22.91	51.55	33.96	8.24	6.88	2.67	5.82	
		18:00	22.27	51.57	33.97	8.3	7.39	2.91	7.73	
		21:00	21.69	51.58	33.98	8.28	7.11	2.69	5.88	
	日平均值		21.86	51.43	33.87	8.35	6.94	3.93	12.65	
	灣內站	0:00	21.91	49.04	32.3	8.32	5.29	2.58	1.19	
		3:00	21.93	49.54	32.63	8.19	7.64	39.17	0.87	
		6:00	21.92	48.87	32.19	8.1	5.82	27.56	0.27	
		9:00	21.8	48.98	32.26	8.12	5.44	19.53	0.1	
		12:00	21.91	49.04	32.3	8.13	6.16	2.99	1.17	
		15:00	22.09	49.12	32.35	8.3	5.53	44.44	1.22	
		18:00	22.07	49.74	32.76	8.27	5.75	91.11	0.83	
		21:00	22	49.41	32.54	8.32	5.43	92.97	0.06	
	日平均值		21.95	49.22	32.42	8.22	5.88	40.04	0.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月23日	蚵殼站	0:00	22.69	51.3	33.79	8.22	6.27	3.35	3.58
		3:00	22.68	51.18	33.69	8.21	6.26	3.44	3.6
		6:00	22.64	51.55	33.95	8.17	6.24	3.69	4.62
		9:00	22.76	51.52	33.92	8.25	6.87	3.93	4.24
		12:00	23.25	51.57	33.97	8.41	8.44	5.01	4.18
		15:00	23.37	51.59	33.99	8.37	6.77	4.18	4.31
		18:00	23.43	51.58	33.98	8.23	6.45	3.48	3.25
		21:00	23.48	51.06	33.63	8.29	6.83	3.63	3.54
	日平均值		23.04	51.42	33.87	8.27	6.77	3.84	3.92
	潮口站	0:00	21.51	51.7	34.05	8.28	7.11	5.59	5.83
		3:00	21.76	51.69	34.04	8.24	6.92	2.68	5.9
		6:00	21.35	51.78	34.1	8.24	6.82	2.96	6.43
		9:00	21.8	51.84	34.14	8.29	7.21	3.86	6.56
		12:00	23.17	51.58	33.97	8.37	7	2.78	6.53
		15:00	23.05	51.44	33.89	8.35	6.82	2.7	6.72
		18:00	22.07	51.74	34.06	8.37	7.2	3.01	5.8
		21:00	22.05	51.75	34.07	8.37	7.23	2.97	7.49
	日平均值		22.10	51.69	34.04	8.31	7.04	3.32	6.41
	灣內站	0:00	22.09	50.32	33.14	8.08	6.64	92.79	0
		3:00	21.99	50.37	33.17	8.07	6.91	70.66	0.01
		6:00	21.95	49.16	32.38	8.07	6.46	54.62	0
		9:00	22.06	50.05	32.96	8.26	5.3	43.14	0.22
		12:00	22.62	49.19	32.4	8.44	5.87	20.03	2.88
		15:00	22.86	48.84	32.17	8.4	5.68	25.71	1.72
		18:00	22.9	48.57	31.99	8.23	5.82	70.57	0.35
		21:00	22.77	49.73	32.75	8.11	5.44	35.76	0.33
	日平均值		22.41	49.53	32.62	8.21	6.02	51.66	0.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月24日	蚵殼站	0:00	23.36	51.43	33.87	8.21	6.26	3.82	3.28
		3:00	23.32	51.42	33.87	8.23	5.7	3.86	3.14
		6:00	23.19	51.36	33.84	8.2	5.8	3.85	4.25
		9:00	23.25	51.38	33.85	8.23	6.44	3.96	4.05
		12:00	23.65	51.45	33.88	8.45	7.38	4.78	4.24
		15:00	23.55	51.48	33.9	8.31	6.29	3.97	4.51
		18:00	23.6	51.41	33.86	8.16	5.24	3.65	2.78
		21:00	23.64	51.21	33.73	8.11	5.55	3.55	2.61
	日平均值		23.45	51.39	33.85	8.24	6.08	3.93	3.61
	潮口站	0:00	22	51.69	34.04	8.33	6.77	7.67	12.87
		3:00	21.92	51.77	34.09	8.34	6.76	2.86	11.03
		6:00	21.85	51.89	34.17	8.3	6.67	2.87	2.3
		9:00	22.02	51.98	34.23	8.31	6.88	2.87	2.82
		12:00	23.16	51.7	34.04	8.36	7.01	3.01	2.15
		15:00	22.92	51.77	34.08	8.35	6.89	2.81	2.3
		18:00	22.7	51.8	34.1	8.36	6.95	3.94	4.69
		21:00	22.51	51.86	34.15	8.34	6.72	8.13	11.65
	日平均值		22.39	51.81	34.11	8.34	6.83	4.27	6.23
	灣內站	0:00	22.64	50.32	33.14	8.03	5.06	63.38	0.57
		3:00	22.63	51.47	33.89	8.16	5.08	52.04	0.55
		6:00	22.61	50.63	33.34	8.18	5.03	58.85	0.15
		9:00	22.81	51.38	33.83	8.24	5.11	38.75	0.11
		12:00	23.21	50.49	33.25	8.37	5.1	58.97	1.18
		15:00	23.28	49.57	32.65	8.29	5.14	13.47	0.49
		18:00	23.22	49.79	32.79	8.07	5.23	19.2	0.09
		21:00	23.04	50.05	32.96	8.03	5.36	2.56	0.21
	日平均值		22.93	50.46	33.23	8.17	5.14	38.40	0.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月25日	蚵殼站	0:00	23.54	51.5	33.93	8.21	5.73	4.12	2.72
		3:00	23.43	51.58	33.98	8.32	6.91	4.4	3.4
		6:00	23.37	51.51	33.93	8.18	5.25	3.64	4.48
		9:00	23.39	51.09	33.65	8.26	5.38	3.65	5.08
		12:00	23.51	51.17	33.71	8.31	5.36	3.88	4.35
		15:00	23.83	51.42	33.86	8.34	5.6	4.06	3.9
		18:00	23.84	51.35	33.8	8.32	5.45	3.65	2.84
	21:00	23.79	51.22	33.72	8.22	5.23	3.55	3.62	
	日平均值	23.59	51.36	33.82	8.27	5.61	3.87	3.80	
	潮口站	0:00	22.38	51.83	34.13	8.27	6.43	2.68	5.96
		3:00	22.18	51.94	34.2	8.3	6.56	2.81	9.83
		6:00	22.16	52.08	34.29	8.32	6.73	3.48	3.21
		9:00	22.35	52.08	34.3	8.33	6.82	4.15	3.93
		12:00	22.68	51.83	34.13	8.36	7.16	3.04	2.32
		15:00	22.55	51.67	34.02	8.37	7.05	3.57	2.31
		18:00	22.4	51.79	34.11	8.38	7.29	2.76	3.4
	21:00	22.39	51.69	34.03	8.39	7.3	2.75	10.37	
	日平均值	22.39	51.86	34.15	8.34	6.92	3.16	5.17	
	灣內站	0:00	23.14	49.45	32.57	7.8	5.17	25.13	0.3
		3:00	22.9	49.96	32.9	8.12	5.04	19.25	3.5
		6:00	22.85	50.46	33.23	7.84	5.04	110.51	2.43
9:00		22.8	50.46	33.23	8.04	5.22	35.87	1.14	
12:00		23.34	48.67	32.06	8.38	5.2	2.59	1.19	
15:00		23.53	48.87	32.19	8.41	5.09	2.55	0.58	
18:00		23.6	49.36	32.51	8.28	5.19	42.99	0.37	
21:00	23.44	50.28	33.11	8.38	5.34	40.42	4.13		
日平均值	23.20	49.69	32.73	8.16	5.16	34.91	1.71		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月26日	蚵殼站	0:00	23.79	51.27	33.75	8.42	7.38	3.72	3.09
		3:00	23.72	50.94	33.54	8.42	7.38	3.93	3.4
		6:00	23.57	51.53	33.94	8.25	5.41	3.71	4.6
		9:00	23.62	50.53	33.28	8.23	6.47	3.7	4.03
		12:00	23.71	50.34	33.16	8.38	7.31	4.76	3.76
		15:00	23.84	51.08	33.65	8.31	6.65	4.14	3.73
		18:00	23.76	51.12	33.67	8.15	6.95	3.62	3.71
	21:00	23.79	51.05	33.6	8.14	5.65	3.74	5.76	
	日平均值	23.73	50.98	33.57	8.29	6.65	3.92	4.01	
	潮口站	0:00	22.33	51.91	34.19	8.34	6.83	5.59	10.08
		3:00	22.15	52.03	34.26	8.34	6.81	3.77	9.51
		6:00	22.1	52.09	34.3	8.32	6.79	2.78	4.16
		9:00	22.23	52.09	34.3	8.34	6.96	2.94	2.23
		12:00	22.69	51.67	34.02	8.4	7.35	2.71	4.35
		15:00	22.71	51.53	33.93	8.39	7.23	2.88	2.32
		18:00	22.63	51.78	34.1	8.39	7.3	6.48	2.45
	21:00	22.51	51.74	34.07	8.43	7.59	3.36	6.87	
	日平均值	22.42	51.86	34.15	8.37	7.11	3.81	5.25	
	灣內站	0:00	22.9	50.12	33.01	7.82	5.17	13.7	10.06
		3:00	22.79	51.13	33.67	7.77	5.08	58.35	35.32
		6:00	22.68	50.96	33.56	7.58	5.12	51.4	12.67
9:00		22.82	51.1	33.65	7.57	5.04	11.47	4.34	
12:00		23.51	49.3	32.47	8.35	5.07	4.06	11.67	
15:00		23.63	49.99	32.92	8.37	5.1	3.04	10.33	
18:00		23.48	50.63	33.34	7.86	5.4	2.45	4.66	
21:00	23.44	51.16	33.69	7.83	5.8	16.27	5.42		
日平均值	23.16	50.55	33.29	7.89	5.22	20.09	11.81		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月27日	蚵殼站	0:00	23.83	51.2	33.71	8.35	6.08	3.77	5.35
		3:00	23.71	51.41	33.85	8.22	6.21	3.77	4.01
		6:00	23.56	51.19	33.71	8.29	6.1	3.89	4.09
		9:00	23.64	51.32	33.77	8.2	6.64	3.68	4.38
		12:00	23.85	51.5	33.9	8.44	8.07	3.99	4.09
		15:00	23.9	51.51	33.91	8.33	6.07	4.31	3.67
		18:00	23.89	51.4	33.83	8.24	6.15	3.82	3.05
		21:00	23.9	51.43	33.87	8.27	6.06	3.75	3.04
	日平均值		23.79	51.37	33.82	8.29	6.42	3.87	3.96
	潮口站	0:00	22.43	51.78	34.11	8.43	8.35	5.53	5.3
		3:00	22.34	52	34.25	8.43	7.43	2.72	5.78
		6:00	22.28	52.24	34.42	8.37	6.94	2.98	4.36
		9:00	22.33	52.23	34.41	8.39	7.35	2.69	2.61
		12:00	22.58	52.2	34.37	8.41	7.44	2.85	4.26
		15:00	22.68	51.82	34.12	8.42	7.58	2.7	2.24
		18:00	22.5	51.88	34.17	8.4	7.45	4.27	2.34
		21:00	22.43	51.93	34.21	8.44	7.69	2.59	4.18
	日平均值		22.45	52.01	34.26	8.41	7.53	3.29	3.88
	灣內站	0:00	23.34	50.05	32.96	7.74	6.11	34.98	7.76
		3:00	23.19	49.27	32.45	7.61	5.95	12.99	8.35
		6:00	23.02	49.45	32.57	7.7	5.96	7.88	5.76
		9:00	23.18	49.99	32.92	7.96	6.02	2.58	2.86
		12:00	23.77	51.05	33.62	8.43	6.03	7.45	4.13
		15:00	23.82	50.12	33.01	8.27	6.07	2.63	6.1
		18:00	23.6	50.44	33.22	7.59	6.01	2.65	7.88
		21:00	23.51	50.72	33.4	7.61	5.96	7.27	7.24
	日平均值		23.43	50.14	33.02	7.86	6.01	9.80	6.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月28日	蚵殼站	0:00	23.88	51.13	33.67	8.48	8.88	4.47	4.84
		3:00	23.8	51.6	34	8.44	7.71	4.36	3.94
		6:00	23.65	50.82	33.46	8.31	6.8	4.02	3.51
		9:00	23.74	50.73	33.43	8.34	8.58	4.54	4.33
		12:00	24.33	51.2	33.73	8.47	10.44	5.82	5.53
		15:00	24.6	51.52	33.95	8.43	9.01	4.91	4.18
		18:00	24.47	51.46	33.89	8.47	7.92	4.84	3.68
		21:00	24.29	51.76	34.09	8.25	6.78	4.33	2.27
	日平均值		24.10	51.28	33.78	8.40	8.27	4.66	4.04
	潮口站	0:00	22.33	51.91	34.19	8.43	8.03	2.99	6.46
		3:00	22.21	51.9	34.18	8.43	7.58	5	7.9
		6:00	22.57	52.12	34.32	8.41	7.04	2.81	8.9
		9:00	22.5	51.99	34.23	8.4	7.23	2.77	2.23
		12:00	23.01	51.82	34.12	8.43	7.37	2.91	4.32
		15:00	23.23	51.79	34.1	8.43	7.23	3.72	2.52
		18:00	23.1	51.7	34.06	8.4	7.07	3.72	2.33
		21:00	22.54	51.79	34.1	8.42	7.38	5.87	3.99
	日平均值		22.69	51.88	34.16	8.42	7.37	3.72	4.83
	灣內站	0:00	23.36	49.45	32.57	8.29	6.18	2.79	9.71
		3:00	23.17	49.96	32.9	8.07	6.18	2.63	4.47
		6:00	23	50.46	33.23	8.03	6.07	2.56	5.43
		9:00	23.1	50.46	33.23	7.6	6.07	3.06	4.18
		12:00	23.56	48.67	32.06	7.85	6.06	2.52	5.95
		15:00	23.86	48.87	32.19	7.93	6.12	2.45	10.24
		18:00	23.58	49.36	32.51	8.09	6.01	5.6	9.89
		21:00	23.38	50.28	33.11	8.2	5.91	8	15.22
	日平均值		23.38	49.69	32.73	8.01	6.08	3.70	8.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月29日	蚵殼站	0:00	23.91	51.65	34.01	8.26	7.47	6.92	2.26
		3:00	23.88	51.74	34.07	8.18	6.5	4.07	2.92
		6:00	23.71	51.77	34.09	8.13	5.82	3.92	3.14
		9:00	23.6	51.67	34.03	8.23	7.21	4.18	4.06
		12:00	23.92	51.17	33.7	8.45	10.4	5.7	5.19
		15:00	23.97	51.51	33.94	8.45	8.13	4.88	3.28
		18:00	23.88	51.08	33.63	8.2	6.25	4.28	2.46
		21:00	23.67	51.53	33.94	8.25	6.93	4.69	2.32
	日平均值	23.82	51.52	33.93	8.27	7.34	4.83	3.20	
	潮口站	0:00	21.78	51.79	34.1	8.43	8.26	4.9	7.95
		3:00	21.79	51.84	34.13	8.43	7.84	2.81	9.55
		6:00	22.58	51.92	34.19	8.42	6.96	3.77	8.61
		9:00	22.69	51.92	34.19	8.42	7.03	2.9	3.14
		12:00	22.94	51.74	34.09	8.42	7.17	2.75	3.37
		15:00	23.2	51.76	34.09	8.43	7.24	2.73	2.38
		18:00	23.14	51.82	34.13	8.4	6.93	3.78	2.12
		21:00	22.44	51.96	34.22	8.44	7.32	2.68	2.25
	日平均值	22.57	51.84	34.14	8.42	7.34	3.29	4.92	
	灣內站	0:00	23.33	50.37	33.17	8.13	6.05	4.24	13.58
		3:00	22.94	49.82	32.81	7.86	5.94	3.9	8.72
		6:00	22.69	50.23	33.08	7.77	5.81	3.9	12.07
9:00		22.8	50.37	33.17	7.99	6.07	4.92	6.7	
12:00		23.23	50.17	33.04	8.43	6.07	3.92	9.25	
15:00		23.28	50.54	33.28	8.43	6.28	3.97	9.23	
18:00		23.22	50.6	33.32	8.29	6.12	5.34	5.2	
21:00		23.1	49.62	32.68	8.18	5.89	4.07	2.74	
日平均值	23.07	50.22	33.07	8.14	6.03	4.28	8.44		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月30日	蚵殼站	0:00	23.45	50.93	33.53	8.35	8.09	4.73	3.09
		3:00	23.36	51.5	33.92	8.42	7.51	4.89	2.89
		6:00	23.19	51.42	33.87	8.39	6.87	4.84	2.82
		9:00	23.23	51.41	33.86	8.41	7.24	7.8	2.61
		12:00	23.56	51.54	33.96	8.49	10.04	5.61	4.17
		15:00	23.76	51.54	33.97	8.49	8.42	4.88	2.54
		18:00	23.81	51.51	33.93	8.38	5.17	4.33	2.48
		21:00	23.99	51.68	34.06	8.25	5.03	4.43	3.21
	日平均值	23.54	51.44	33.89	8.40	7.30	5.19	2.98	
	潮口站	0:00	22.02	52.06	34.28	8.43	7.41	2.79	6.29
		3:00	22.08	51.99	34.25	8.43	6.98	2.88	5.13
		6:00	22.39	51.92	34.19	8.4	6.93	2.9	5.81
		9:00	22.39	51.97	34.22	8.39	7.01	3.71	3.47
		12:00	22.41	51.97	34.22	8.41	7.21	2.76	2.27
		15:00	23.35	51.22	33.73	8.4	7.02	2.87	5.75
		18:00	23.35	51.3	33.8	8.38	6.81	6.02	2.8
		21:00	22.75	51.33	33.81	8.41	7.03	2.88	2.16
	日平均值	22.59	51.72	34.06	8.41	7.05	3.35	4.21	
	灣內站	0:00	22.87	50.26	33.1	8.28	6.07	3.35	4.92
		3:00	22.58	50.05	32.96	8.25	6.14	3.44	6.47
		6:00	22.43	49.5	32.6	8.12	5.77	3.69	6.26
9:00		22.59	49.94	32.89	8.27	6.05	3.93	4.54	
12:00		23.04	49.59	32.66	8.41	6.13	5.01	8.53	
15:00		23.17	49.83	32.82	8.45	6.12	4.18	6.28	
18:00		23	50.14	33.02	8.41	6.06	3.48	3.11	
21:00		22.89	50.14	33.02	8.26	5.92	3.63	3.05	
日平均值	22.82	49.93	32.88	8.31	6.03	3.84	5.40		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月31日	蚵殼站	0:00	23.75	50.89	33.52	8.27	5.29	4.44	2.16	
		3:00	23.5	51.15	33.68	8.37	6.21	4.85	2.4	
		6:00	23.3	51.24	33.73	8.35	6.14	4.78	2	
		9:00	23.52	50.97	33.58	8.33	6.06	4.66	2.23	
		12:00	23.91	50.3	33.13	8.41	8.64	5.86	3.35	
		15:00	23.79	50.56	33.35	8.43	7.77	5.55	2.68	
		18:00	23.7	51.36	33.83	8.32	6.94	4.77	2.89	
		21:00	23.71	51.51	33.94	8.29	7.08	4.71	3.27	
	日平均值			23.65	51.00	33.60	8.35	6.77	4.95	2.62
	潮口站	0:00	22.28	51.06	33.63	8.41	6.93	3.28	7.27	
		3:00	21.95	51.6	33.98	8.4	6.75	2.87	8.25	
		6:00	22.18	51.7	34.04	8.4	6.91	2.83	4.6	
		9:00	22.32	51.58	33.98	8.39	7.04	2.92	2.68	
		12:00	22.22	51.53	33.94	8.43	7.44	2.9	2.17	
		15:00	22.91	50.76	33.43	8.41	7.19	2.75	4.18	
		18:00	23.19	50.71	33.4	8.4	6.83	3.44	3.71	
		21:00	22.83	50.84	33.48	8.41	6.96	3.38	3.65	
	日平均值			22.49	51.22	33.74	8.41	7.01	3.05	4.56
	灣內站	0:00	22.64	50.08	32.98	8.32	6.07	3.82	3.39	
		3:00	22.4	50.06	32.97	8.27	6.13	3.86	4.82	
		6:00	22.3	49.85	32.83	8.21	6.49	3.85	5.36	
		9:00	22.47	50.08	32.98	8.37	6.31	3.96	5.87	
		12:00	23.11	50.2	33.06	8.48	6.12	4.78	7.29	
		15:00	23.16	50.41	33.2	8.48	6.1	3.97	6.83	
18:00		23.01	50.83	33.47	8.49	6.57	3.65	5.19		
21:00		22.9	50.7	33.39	8.36	6.05	3.55	6.47		
日平均值			22.75	50.28	33.11	8.37	6.23	3.93	5.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月1日	蚵殼站	0:00	23.41	47.56	31.32	8.27	6.67	6.25	4.27
		3:00	23.33	48.41	31.88	8.27	6.19	14.18	6.73
		6:00	23.1	47.74	31.44	8.29	6.3	77.18	4.91
		9:00	23.43	47.65	31.38	8.26	6.38	39.69	3.41
		12:00	23.85	48.26	31.78	8.48	8.83	10.25	4.44
		15:00	23.65	47.45	31.25	8.48	8.01	12.7	3.14
		18:00	23.68	48.28	31.79	8.3	5.42	6.35	3.23
		21:00	23.63	48.92	32.21	8.11	6.34	4.3	3.17
	日平均值		23.51	48.03	31.63	8.31	6.77	21.36	4.16
	潮口站	0:00	22.14	50.88	33.5	8.45	7.17	2.85	21.9
		3:00	21.85	51.02	33.6	8.4	6.69	3.32	26.17
		6:00	22.1	51.14	33.67	8.42	6.8	2.87	23.89
		9:00	22.7	50.84	33.48	8.39	6.88	2.84	24.71
		12:00	22.13	51.17	33.7	8.44	7.46	2.83	28.32
		15:00	22.64	51.07	33.63	8.45	7.45	2.7	29.3
		18:00	22.98	50.98	33.58	8.41	6.98	2.93	27.54
		21:00	22.72	51.05	33.61	8.36	6.84	2.91	27.25
	日平均值		22.41	51.02	33.60	8.42	7.03	2.91	26.14
	灣內站	0:00	22.84	47.96	31.6	8.34	5.54	3.35	9.29
		3:00	22.52	48.11	31.7	8.23	5.35	3.82	17.72
		6:00	22.41	48.22	31.77	8.11	5.82	3.37	20.73
		9:00	22.66	47.93	31.58	8.18	5.79	3.34	14.11
		12:00	23.24	48.26	31.8	8.5	5.93	3.33	7.76
		15:00	23.23	48.16	31.73	8.46	5.99	3.2	7.09
		18:00	22.9	48.08	31.68	8.32	5.89	3.43	5.58
		21:00	22.87	48.13	31.71	8.35	5.89	3.41	17.37
	日平均值		22.83	48.11	31.70	8.31	5.78	3.41	12.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月2日	蚵殼站	0:00	23.37	48.08	31.66	8.03	6.63	4.58	4.89
		3:00	22.98	48.15	31.71	8.42	6.38	5.61	3.56
		6:00	22.95	47.98	31.6	8.41	5.88	8.78	2.8
		9:00	23.11	48.67	32.05	8.23	5.08	4.93	3.77
		12:00	23.37	47.95	31.58	8.47	8.71	7.2	4.75
		15:00	23.68	47.69	31.41	8.47	7.38	8.86	2.28
		18:00	23.7	48.73	32.09	8.26	5.98	4.7	3.3
		21:00	23.63	48.92	32.21	8.11	6.34	4.3	10.17
	日平均值		23.35	48.27	31.79	8.30	6.55	6.12	4.44
	潮口站	0:00	22.21	50.9	33.52	8.42	7.13	3.23	24.96
		3:00	21.84	51.08	33.64	8.43	7.03	2.84	23.45
		6:00	21.85	51.31	33.8	8.41	6.71	7.25	18.65
		9:00	22.3	51.23	33.74	8.36	6.78	2.64	16.69
		12:00	22.09	51.16	33.7	8.4	7.41	2.75	17.27
		15:00	22.2	51.1	33.66	8.42	7.5	2.89	19.62
		18:00	22.65	50.95	33.55	8.41	7.19	3.24	19.4
		21:00	22.72	51.05	33.61	8.36	6.84	2.91	27.25
	日平均值		22.23	51.10	33.65	8.40	7.07	3.47	20.91
	灣內站	0:00	22.72	47.99	31.62	8.33	5.77	3.73	16.49
		3:00	22.51	48.17	31.74	8.21	5.36	3.34	22.93
		6:00	22.26	48.41	31.9	8.22	5.53	7.75	23.5
		9:00	22.41	48.32	31.84	8.21	5.67	3.14	18.4
		12:00	22.95	48.26	31.8	8.49	5.92	3.25	13.05
		15:00	23.25	48.2	31.76	8.46	6.12	3.39	17.37
		18:00	23	48.04	31.65	8.47	5.83	3.74	16.91
		21:00	22.87	48.13	31.71	8.35	6.03	3.41	17.37
	日平均值		22.75	48.19	31.75	8.34	5.78	3.97	18.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月3日	蚵殼站	0:00	23.4	48.72	32.08	7.8	6.6	4.34	7.1
		3:00	23.18	48.43	31.89	7.99	5.49	7.02	7.74
		6:00	23.03	48.23	31.76	8.15	6.29	4.38	5.87
		9:00	23.11	48.67	32.05	8.09	6.52	5.14	5.7
		12:00	23.38	48.37	31.85	8.29	5.91	5.35	5.74
		15:00	23.48	47.57	31.33	8.36	6.42	4.98	6.15
		18:00	23.45	48.64	32.03	8.18	5.63	4.68	11.34
	21:00	23.42	48.7	32.07	7.88	6.35	4.58	8.69	
	日平均值	23.31	48.42	31.88	8.09	6.15	5.06	7.29	
	潮口站	0:00	22.15	50.87	33.5	8.4	7.1	2.83	21.59
		3:00	21.83	50.7	33.4	8.39	6.95	4.17	20.07
		6:00	21.72	50.73	33.42	8.39	6.79	2.72	19.01
		9:00	22.49	50.65	33.35	8.38	7.02	2.87	20.33
		12:00	22.42	50.62	33.34	8.4	7.17	2.85	21.97
		15:00	22.06	50.83	33.47	8.4	7.27	2.71	19.59
		18:00	22.25	50.83	33.47	8.42	7.15	2.77	17.08
	21:00	22.5	50.95	33.55	8.38	6.85	4.29	18.54	
	日平均值	22.18	50.77	33.44	8.40	7.04	3.15	19.77	
	灣內站	0:00	22.73	47.96	31.6	8.32	5.91	3.33	32.97
		3:00	22.68	47.81	31.5	8.23	5.63	4.67	13.13
		6:00	22.52	47.84	31.52	8.16	5.52	3.22	23.64
9:00		22.56	47.74	31.45	8.22	5.69	3.37	16.62	
12:00		23.32	47.72	31.44	8.46	5.78	3.35	21.37	
15:00		23.57	47.92	31.57	8.4	6.21	3.21	19.76	
18:00		23.48	47.92	31.57	8.42	6.07	3.27	28.26	
21:00	23.31	48.04	31.65	8.32	6.11	4.79	19.13		
日平均值	23.02	47.87	31.54	8.32	5.87	3.65	21.86		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月4日	蚵殼站	0:00	23.32	48.52	31.95	7.8	6.51	4.66	7.24
		3:00	23.23	47.17	31.07	8.14	5.13	4.83	7.27
		6:00	23.2	46.99	30.95	8.25	5.61	5.57	5.87
		9:00	23.2	46.96	30.93	8.25	5.29	4.97	5.45
		12:00	23.41	45.98	30.29	8.37	6.36	5.77	5.68
		15:00	23.67	48.2	31.74	8.41	6.2	6.38	6.7
		18:00	23.57	48.41	31.88	8.22	6.6	8.71	8.33
	21:00	23.49	48.75	32.1	7.9	6.43	5.52	8.91	
	日平均值	23.39	47.62	31.36	8.17	6.02	5.80	6.93	
	潮口站	0:00	22.15	50.9	33.52	8.41	7.01	6.28	22.42
		3:00	21.79	50.85	33.51	8.38	6.85	2.74	23.08
		6:00	21.75	50.72	33.41	8.36	6.56	5.94	22.29
		9:00	22.25	50.64	33.35	8.38	6.9	2.95	17.28
		12:00	22.5	50.69	33.38	8.37	7.01	3.22	14.4
		15:00	22.33	50.72	33.4	8.38	7.17	2.59	13.31
		18:00	22.25	50.62	33.34	8.37	7.1	17.55	11.33
	21:00	22.25	50.53	33.27	8.38	6.93	8.31	10.94	
	日平均值	22.16	50.71	33.40	8.38	6.94	6.20	16.88	
	灣內站	0:00	23.2	47.99	31.62	8.24	6.1	3.33	17.17
		3:00	23.03	47.98	31.61	8.17	6.02	4.67	11.67
		6:00	22.9	47.83	31.51	8.16	5.4	3.22	10.25
9:00		22.97	47.74	31.45	8.19	6.99	3.37	13.86	
12:00		23.47	47.78	31.48	8.41	7.29	3.35	18.32	
15:00		23.61	47.81	31.5	8.46	6.37	3.21	20.31	
18:00		23.66	47.72	31.44	8.16	6.12	3.27	11.84	
21:00	23.51	47.62	31.37	8.29	6.21	4.79	9.51		
日平均值	23.29	47.81	31.50	8.26	6.31	3.65	14.12		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月5日	蚵殼站	0:00	23.59	48.46	31.91	8.01	6.39	9.8	6.62
		3:00	23.64	48.02	31.62	8.15	6.4	7.04	5.67
		6:00	23.4	48.18	31.73	8.24	5.09	8.99	5.4
		9:00	23.42	48.72	32.08	8.09	5.24	6.28	5.54
		12:00	23.53	48.54	31.96	8.19	6.46	6.96	5.67
		15:00	23.8	47.88	31.53	8.29	6.82	6.69	6.28
		18:00	23.72	48.21	31.75	8.05	6.79	6.17	10.17
		21:00	23.82	48.83	32.15	7.8	6.26	12.11	10.01
	日平均值	23.62	48.36	31.84	8.10	6.18	8.01	6.92	
	潮口站	0:00	22.28	50.6	33.33	8.36	6.89	2.84	13.12
		3:00	21.96	50.57	33.31	8.39	6.9	2.82	14.89
		6:00	21.78	50.55	33.29	8.36	6.68	2.83	16.51
		9:00	22.35	50.2	33.06	8.39	7.02	2.74	17.78
		12:00	23.04	49.98	32.89	8.39	6.96	2.96	20.76
		15:00	22.57	49.95	32.89	8.42	7.32	13.78	18.86
		18:00	22.49	49.93	32.88	8.43	7.29	25.47	17.56
		21:00	22.38	49.76	32.76	8.37	6.76	23.42	17.64
	日平均值	22.36	50.19	33.05	8.39	6.98	9.61	17.14	
	灣內站	0:00	23.18	47.71	31.43	8.16	6.33	6.78	7.36
		3:00	22.95	47.68	31.41	8.12	5.84	3.24	8.54
		6:00	22.89	47.65	31.39	8.09	5.22	6.44	11.34
9:00		22.9	47.3	31.16	8.12	5.9	3.45	10.66	
12:00		23.66	47.04	30.99	8.26	6.34	3.72	9.85	
15:00		24.03	47.04	30.99	8.43	6.4	3.09	17.1	
18:00		24.07	47.03	30.98	8.29	6.08	18.05	13.29	
21:00		23.83	46.85	30.86	8.17	5.96	8.81	6.54	
日平均值	23.44	47.29	31.15	8.21	6.01	6.70	10.59		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月6日	蚵殼站	0:00	23.87	48.7	32.07	7.99	6.49	8.02	5.7
		3:00	23.9	48.6	32	7.95	6.33	9.73	5.89
		6:00	23.83	47.72	31.43	8.17	5.97	6.96	5.5
		9:00	23.79	48.54	31.96	8.24	6.33	13.86	5.64
		12:00	24.08	48.81	32.14	8.18	5.66	14.17	5.82
		15:00	24.15	48.52	31.95	8.22	5.44	9.47	5.89
		18:00	23.9	48.6	32	8.11	6.69	7.53	9.62
		21:00	23.9	47.88	31.53	7.91	6.16	9.98	9.15
	日平均值	23.93	48.42	31.89	8.10	6.13	9.97	6.65	
	潮口站	0:00	22.43	49.53	32.62	8.41	6.99	7.68	18.89
		3:00	22.35	49.59	32.64	8.38	6.83	2.6	17.43
		6:00	21.99	49.85	32.82	8.34	6.47	4.68	19.21
		9:00	22.35	49.51	32.6	8.41	6.83	3.82	19.29
		12:00	22.74	49.19	32.4	8.39	7.03	2.8	20.55
		15:00	22.67	49.33	32.49	8.4	7.16	2.68	16.07
		18:00	22.51	49.38	32.52	8.43	7.19	6.71	17.46
		21:00	22.5	49.42	32.53	8.38	6.66	9.02	12.54
	日平均值	22.44	49.48	32.58	8.39	6.90	5.00	17.68	
	灣內站	0:00	23.42	46.64	30.72	8.2	6.18	3.34	7.96
		3:00	23.36	46.67	30.74	8.11	5.48	3.32	6.66
		6:00	23.15	46.94	30.92	8.06	5.33	3.33	12.89
9:00		23.22	46.61	30.7	8.14	5.54	3.24	11.53	
12:00		23.74	46.31	30.5	8.46	5.99	3.46	12.73	
15:00		24.07	46.44	30.59	8.41	6.33	3.33	11.32	
18:00		24.04	46.49	30.62	8.25	6.16	3.24	6.93	
21:00		23.79	46.5	30.63	8.12	6	3.46	2.69	
日平均值	23.60	46.58	30.68	8.22	5.88	3.34	9.09		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月7日	蚵殼站	0:00	24.08	48.35	31.84	7.99	5.72	8.1	6.62	
		3:00	24.03	47.83	31.5	7.95	6.05	11.15	5.67	
		6:00	23.81	48.38	31.86	8.14	6.1	12.81	5.4	
		9:00	23.91	47.74	31.44	8.13	6.18	8.3	5.54	
		12:00	24.1	48.51	31.94	8.2	6.68	8.9	5.67	
		15:00	24.18	48.29	31.8	8.32	6.67	8.66	6.28	
		18:00	24.12	48.09	31.67	8.07	6.6	9.94	10.17	
		21:00	24.12	46.96	30.93	8.11	6.45	9.36	10.01	
	日平均值		24.04	48.02	31.62	8.11	6.31	9.65	6.92	
	潮口站	0:00	22.38	49.42	32.52	8.37	6.22	22.16	10.71	
		3:00	22.36	49.36	32.48	8.35	6.55	2.88	7.17	
		6:00	22.25	49.44	32.54	8.33	6.6	3.26	4.43	
		9:00	22.37	49.36	32.48	8.38	6.68	2.72	5.86	
		12:00	22.81	48.82	32.15	8.41	7.18	2.8	4.12	
		15:00	22.8	48.48	31.94	8.41	7.17	2.85	3.5	
		18:00	22.68	48.22	31.76	8.42	7.1	18.49	2.09	
		21:00	22.58	48.06	31.66	8.4	6.95	4.8	2.57	
	日平均值		22.53	48.90	32.19	8.38	6.81	7.50	5.06	
	灣內站	0:00	23.5	46.49	30.62	8.09	6.05	3.45	4.95	
		3:00	23.37	46.43	30.58	7.94	5.13	3.72	8.86	
		6:00	23.21	46.52	30.64	7.9	5.32	3.09	9.95	
		9:00	23.3	46.43	30.58	7.98	5.4	18.05	9.19	
		12:00	23.87	45.93	30.25	8.26	5.84	8.81	8.36	
		15:00	23.97	45.62	30.04	8.25	5.97	7.67	6.15	
		18:00	24.08	45.35	29.86	8.12	5.94	9.19	10.51	
		21:00	24.03	45.2	29.76	8.03	5.85	10.16	14.57	
	日平均值		23.67	46.00	30.29	8.07	5.69	8.02	9.07	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月8日	蚵殼站	0:00	24.11	47.19	31.08	7.86	5.87	15.92	5.7	
		3:00	23.98	47.24	31.11	7.89	6.06	10.9	5.89	
		6:00	23.82	45.64	30.07	8.09	6.16	12.01	5.5	
		9:00	23.83	47.05	30.99	8.15	6.36	18.95	5.64	
		12:00	24.1	46.75	30.79	8.23	7.01	18.3	5.82	
		15:00	23.96	45.97	30.28	8.32	6.94	2.59	2.7	
		18:00	24.11	46.01	30.31	8.35	6.8	2.42	2.46	
		21:00	24.09	46.09	30.36	8.33	6.49	2.74	2.51	
	日平均值		24.00	46.49	30.62	8.15	6.46	10.48	4.53	
	潮口站	0:00	22.52	47.93	31.57	8.33	6.37	24.15	1.79	
		3:00	22.41	48.16	31.75	8.37	6.56	21.83	2.85	
		6:00	22.41	48.84	32.16	8.36	6.66	3.43	2.61	
		9:00	22.55	48.67	32.07	8.38	6.86	2.79	3.34	
		12:00	22.96	48.12	31.7	8.46	7.51	2.63	3.65	
		15:00	23.03	47.74	31.44	8.43	7.44	2.75	4.82	
		18:00	22.91	48.84	32.16	8.45	7.3	7.69	3.92	
		21:00	22.88	48.72	32.1	8.41	6.99	3.42	4.04	
	日平均值		22.71	48.38	31.87	8.40	6.96	8.59	3.38	
	灣內站	0:00	23.83	45.06	29.67	7.97	5.76	15.76	19.92	
		3:00	23.67	45.33	29.85	7.97	5.31	15.7	25.96	
		6:00	23.45	45.95	30.26	7.93	5.39	13.81	40.37	
		9:00	23.66	45.81	30.17	8.05	6.07	8.83	46.01	
		12:00	23.93	45.26	29.8	8.16	6.04	1.51	16.6	
		15:00	24.1	44.87	29.54	8.06	5.21	1.52	4.48	
		18:00	24.14	45.95	30.26	7.94	5.06	3.06	3.03	
		21:00	24.12	45.86	30.2	7.78	5.19	1.54	2.44	
	日平均值		23.86	45.51	29.97	7.98	5.50	7.72	19.85	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月9日	蚵殼站	0:00	24.07	46.09	30.36	8.3	5.94	2.44	2.57
		3:00	23.94	46.04	30.33	8.24	5.9	2.98	2.52
		6:00	23.82	46.12	30.38	8.32	6.22	2.38	2.5
		9:00	23.99	44.56	29.36	8.31	6.04	2.36	2.44
		12:00	24.29	46.26	30.46	8.29	6.43	4.45	2.87
		15:00	24.24	46.55	30.66	8.34	6.35	10.29	5.41
		18:00	24.24	46.57	30.67	8.37	6.21	18	4.8
	21:00	24.27	46.58	30.67	8.35	6.15	11.69	4.95	
	日平均值		24.11	46.10	30.36	8.32	6.16	6.82	3.51
	潮口站	0:00	22.69	48.65	32.04	8.34	6.44	4.66	1.99
		3:00	22.54	48.6	32.03	8.37	6.4	2.86	0.84
		6:00	22.5	48.6	32.02	8.4	6.72	2.81	0.78
		9:00	22.67	49.04	32.3	8.35	6.54	2.49	2.72
		12:00	22.9	49.35	32.5	8.39	6.93	2.43	4.14
		15:00	23.01	49.15	32.37	8.39	6.85	3.21	5.15
		18:00	22.78	49.4	32.52	8.42	6.71	3.85	13.63
	21:00	22.7	49.59	32.65	8.4	6.65	3.87	12.51	
	日平均值		22.72	49.05	32.30	8.38	6.66	3.27	5.22
	灣內站	0:00	24.04	45.86	30.2	7.8	5.03	1.58	2.54
		3:00	23.82	46.04	30.31	7.81	5.07	1.52	2.5
		6:00	23.68	46.2	30.42	7.72	5.07	1.54	2.22
9:00		23.84	46.3	30.49	7.67	5.11	1.8	2.17	
12:00		24.26	46.16	30.39	7.96	5.08	1.61	2.77	
15:00		24.1	46.02	30.3	8.1	5.71	1.63	3.83	
18:00		24.02	46.23	30.44	8.09	5.07	1.72	3.53	
21:00	23.99	46.5	30.61	7.83	5.08	1.46	3.88		
日平均值		23.97	46.16	30.40	7.87	5.15	1.61	2.93	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月10日	蚵殼站	0:00	24.28	46.66	30.73	8.25	5.51	6.89	4.76
		3:00	24.09	46.76	30.78	8.23	5.54	13.31	4.94
		6:00	23.92	46.77	30.77	8.23	5.8	13.06	5
		9:00	23.96	46.48	30.61	8.24	5.7	6.41	5.42
		12:00	24.28	44.95	29.6	8.17	6.16	5.78	5.84
		15:00	24.23	45.25	29.81	8.09	6.32	5.17	5.41
		18:00	24.13	46.8	30.8	8.05	6.13	6.17	5.36
	21:00	24.05	46.56	30.65	8.3	6.01	7.76	5.74	
	日平均值		24.12	46.28	30.47	8.20	5.90	8.07	5.31
	潮口站	0:00	22.68	49.7	32.72	8.41	6.01	3.72	10.66
		3:00	22.53	49.62	32.67	8.42	6.04	3.75	6.63
		6:00	22.42	49.65	32.69	8.44	6.3	3.8	5.3
		9:00	22.5	49.76	32.77	8.41	6.2	3.85	5.37
		12:00	22.73	49.47	32.57	8.44	6.66	4.67	4.86
		15:00	22.78	48.86	32.19	8.45	6.82	3.85	5.84
		18:00	22.69	48.61	32.03	8.44	6.63	3.77	7.06
	21:00	22.58	48.65	32.06	8.41	6.51	3.9	9.11	
	日平均值		22.61	49.29	32.46	8.43	6.40	3.91	6.85
	灣內站	0:00	23.83	46.62	30.69	7.8	5.07	1.62	3.57
		3:00	23.67	46.71	30.76	7.83	5.08	1.49	2.92
		6:00	23.46	46.82	30.83	7.74	5.07	1.62	2.21
9:00		23.61	46.94	30.91	7.65	5.06	1.59	2.36	
12:00		23.82	47.04	30.98	8.01	5.07	1.55	3	
15:00		23.8	47.02	30.95	8.1	5.43	1.53	2.68	
18:00		23.85	46.59	30.68	7.97	5.32	1.92	2.67	
21:00	23.76	46.53	30.65	7.94	5.07	1.66	2.85		
日平均值		23.73	46.78	30.81	7.88	5.15	1.62	2.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月11日	蚵殼站	0:00	24.21	46.41	30.55	8.27	5.54	11.28	6.31
		3:00	24.03	46.63	30.71	8.47	6.26	8.92	15.66
		6:00	23.71	46.52	30.63	8.47	6.28	5.28	10.08
		9:00	23.7	46.62	30.71	8.48	6.62	6.76	12.41
		12:00	24.26	46.63	30.72	8.48	7.34	6.21	7.84
		15:00	24.4	46.48	30.6	8.48	7.32	6.35	6.11
		18:00	24.25	46.76	30.78	8.49	6.46	5.88	5.46
	21:00	24.09	46.06	30.31	8.36	6.27	6.02	6.14	
	日平均值		24.08	46.51	30.63	8.44	6.51	7.09	8.75
	潮口站	0:00	22.5	47.81	31.5	8.38	6.04	3.76	12.59
		3:00	22.47	48.9	32.2	8.39	5.85	3.81	7.68
		6:00	22.31	48.77	32.13	8.43	6.32	3.84	4.96
		9:00	22.29	48.67	32.07	8.41	6.29	3.75	4.96
		12:00	22.69	48.66	32.06	8.43	6.43	3.76	5.46
		15:00	22.86	48.63	32.03	8.43	6.49	3.72	13.36
		18:00	22.62	49.22	32.41	8.41	6.39	4.21	14.64
	21:00	22.5	49.97	32.9	8.41	6.39	4.87	20.98	
	日平均值		22.53	48.83	32.16	8.41	6.28	3.97	10.58
	灣內站	0:00	23.75	46.64	30.71	7.78	5.06	1.69	2.89
		3:00	23.58	46.78	30.81	7.99	5.28	1.63	2.85
		6:00	23.34	46.9	30.89	7.99	6.33	1.52	3.54
9:00		23.28	46.97	30.92	8.02	7.14	1.96	4.18	
12:00		23.6	47	30.93	8.11	8.52	5.05	3.76	
15:00		23.76	47	30.95	8.19	8.96	2.12	4.55	
18:00		23.6	47	30.96	8.08	8.43	1.97	3.85	
21:00	23.43	46.99	30.95	8.1	7.21	1.46	3.24		
日平均值		23.54	46.91	30.89	8.03	7.12	2.18	3.61	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月12日	蚵殼站	0:00	24.04	45.81	30.19	8.31	5.99	5.41	5.47
		3:00	23.79	46.44	30.58	8.24	5.88	5.53	6.74
		6:00	23.55	46.27	30.47	8.27	5.97	6.33	5.20
		9:00	23.64	45.56	30.03	8.36	6.40	5.87	8.00
		12:00	24.43	45.98	30.28	8.39	7.29	5.69	6.51
		15:00	24.60	46.40	30.56	8.39	7.85	5.06	5.23
		18:00	24.38	44.32	30.21	8.32	6.17	5.18	6.41
	21:00	24.18	44.94	30.60	8.34	5.62	5.85	6.60	
	日平均值		24.08	45.72	30.37	8.33	6.40	5.62	6.27
	潮口站	0:00	22.38	49.97	32.9	8.39	6.27	3.75	29.67
		3:00	22.26	49.81	32.8	8.31	5.86	3.84	24.1
		6:00	22.1	49.81	32.8	8.35	6.03	3.84	12.08
		9:00	22.2	49.6	32.66	8.35	6.17	3.78	12.76
		12:00	22.4	49.71	32.73	8.36	6.42	3.79	25.2
		15:00	22.27	49.77	32.77	8.4	6.62	4.16	23.8
		18:00	22.09	49.97	32.9	8.38	6.33	3.86	20.39
	21:00	22.16	50.27	33.1	8.38	6.53	3.96	18.91	
	日平均值		22.23	49.86	32.83	8.37	6.28	3.87	20.86
	灣內站	0:00	23.49	46.96	30.92	7.93	6	1.47	4.89
		3:00	23.33	47	30.95	7.91	5.92	1.46	3.7
		6:00	23.15	47	30.97	7.83	6.54	3.69	4.59
9:00		23.21	47.04	30.98	7.87	6.8	1.68	4.72	
12:00		23.55	47.08	30.98	7.98	7.84	1.56	3.72	
15:00		23.99	47	30.96	8.12	8.81	2.07	3.36	
18:00		23.79	47	30.93	7.95	7.97	1.46	4.38	
21:00	23.56	47	30.94	7.96	8.46	1.82	4.59		
日平均值		23.51	47.01	30.95	7.94	7.29	1.90	4.24	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月13日	蚵殼站	0:00	23.96	46.02	30.30	8.35	6.57	6.03	4.97	
		3:00	23.81	46.47	30.59	8.23	6.00	5.94	5.23	
		6:00	23.76	46.39	30.56	8.18	5.66	6.64	5.58	
		9:00	23.74	45.15	29.74	8.30	5.90	6.15	5.81	
		12:00	23.90	45.61	30.04	8.39	7.39	6.34	5.97	
		15:00	23.95	46.05	30.35	8.39	6.75	6.10	5.42	
		18:00	23.96	46.16	30.39	8.32	5.68	5.67	6.75	
		21:00	23.91	46.45	30.58	8.34	5.49	5.03	6.29	
	日平均值			23.87	46.04	30.32	8.31	6.18	5.99	5.75
	潮口站	0:00	22.11	50.16	33.03	8.36	6.41	4.24	16.68	
		3:00	22.05	50.13	33.01	8.33	6.13	3.82	7.46	
		6:00	21.8	50.73	33.4	8.35	6.02	3.71	3.13	
		9:00	22.04	50.76	33.42	8.35	6.19	3.82	4.15	
		12:00	22.12	50.1	32.99	8.32	6.28	4.99	5.09	
		15:00	22.05	49.63	32.68	8.4	6.71	3.73	5.27	
		18:00	21.95	49.87	32.84	8.37	6.57	4.01	5.61	
		21:00	22.01	49.48	32.58	8.39	6.61	5.05	11.65	
	日平均值			22.02	50.11	32.99	8.36	6.37	4.17	7.38
	灣內站	0:00	23.54	47	30.94	7.86	6.66	1.64	3.8	
		3:00	23.4	46.95	30.91	7.79	7.15	1.57	3.82	
		6:00	23.4	46.9	30.86	7.77	7.15	1.47	3.11	
		9:00	23.47	46.9	30.86	7.94	8.32	1.71	5.33	
		12:00	23.55	46.79	30.81	8.23	9.85	2.75	6.55	
		15:00	23.6	46.7	30.77	8.08	9.21	1.53	6.27	
		18:00	23.52	46.7	30.75	7.87	7.84	1.61	5.58	
		21:00	23.43	46.45	30.59	7.78	7.91	1.62	4.99	
	日平均值			23.49	46.80	30.81	7.92	8.01	1.74	4.93
	甲類海域地面水體基準值				環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月14日	蚵殼站	0:00	23.95	46.40	30.55	8.49	5.92	5.84	6.74	
		3:00	23.83	45.99	30.30	8.35	6.26	6.57	4.42	
		6:00	23.58	45.93	30.24	8.26	5.62	5.22	5.74	
		9:00	23.82	45.78	30.14	8.32	6.02	6.06	5.92	
		12:00	24.17	44.64	29.40	8.39	8.20	6.16	26.21	
		15:00	24.09	46.50	30.61	8.39	7.78	5.77	40.00	
		18:00	24.01	46.66	30.73	8.32	6.15	5.52	23.87	
		21:00	23.90	46.51	30.62	8.34	6.50	5.76	30.84	
	日平均值			23.92	46.05	30.32	8.36	6.56	5.86	17.97
	潮口站	0:00	21.95	49.28	32.45	8.37	6.6	3.97	11.67	
		3:00	21.93	49.37	32.51	8.3	6.52	3.86	8.93	
		6:00	21.64	49.55	32.63	8.3	5.9	3.67	5.16	
		9:00	22	49.13	32.35	8.4	7.49	4.52	10.85	
		12:00	22.33	49.17	32.38	8.42	7.79	3.84	12.52	
		15:00	22.4	48.76	32.11	8.4	6.87	3.9	8.34	
		18:00	22.12	49.32	32.48	8.39	6.62	5.39	8.91	
		21:00	22.02	49	32.27	8.37	6.71	4.36	11.7	
	日平均值			22.05	49.20	32.40	8.37	6.81	4.19	9.76
	灣內站	0:00	23.46	46.13	30.39	7.7	8.11	1.63	4.64	
		3:00	23.44	46.1	30.35	7.75	7.23	1.6	4.55	
		6:00	23.31	46.17	30.4	7.85	6.12	1.65	4.42	
		9:00	23.61	46.04	30.32	7.87	8.04	1.93	4.78	
		12:00	24.15	45.98	30.27	8.25	9.64	2.46	5.81	
		15:00	24.2	46	30.29	8.31	9.39	2.39	4.96	
		18:00	23.97	46.05	30.33	8.22	8.79	1.72	4.26	
		21:00	23.64	46.22	30.44	8.1	8.17	1.71	3.78	
	日平均值			23.72	46.09	30.35	8.01	8.19	1.89	4.65
	甲類海域地面水體基準值				環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月15日	蚵殼站	0:00	23.91	46.52	30.63	8.26	6.33	5.81	19.41	
		3:00	23.90	45.60	30.04	8.22	6.09	5.98	27.78	
		6:00	23.62	46.31	30.48	8.24	5.66	5.69	30.57	
		9:00	23.78	46.06	30.34	8.33	5.79	6.47	29.30	
		12:00	24.38	45.62	30.06	8.39	7.12	6.50	33.94	
		15:00	24.21	45.84	30.19	8.39	7.79	5.20	27.06	
		18:00	24.08	46.57	30.62	8.32	6.13	6.09	28.71	
		21:00	23.89	45.66	30.09	8.34	6.10	6.19	18.85	
	日平均值			23.97	46.02	30.31	8.31	6.38	5.99	26.95
	潮口站	0:00	22.15	48.62	32.02	8.39	6.83	3.86	25.53	
		3:00	22.09	49.93	32.88	8.28	6.34	3.84	18.2	
		6:00	21.82	49.97	32.9	8.31	5.72	3.93	9.26	
		9:00	22.17	49.8	32.79	8.36	6.4	3.89	11.83	
		12:00	22.6	49.34	32.49	8.36	6.84	3.84	10.93	
		15:00	22.53	49.38	32.52	8.39	6.9	3.93	12.02	
		18:00	22.05	48.51	31.95	8.37	6.58	3.9	14.33	
		21:00	21.94	49	32.27	8.34	6.46	3.83	18.05	
	日平均值			22.17	49.32	32.48	8.35	6.51	3.88	15.02
	灣內站	0:00	23.51	46.42	30.56	7.98	6.92	1.51	4.27	
		3:00	23.4	46.38	30.53	7.94	6.27	1.83	5.03	
		6:00	23.31	46.45	30.59	7.85	5.69	1.5	4.81	
		9:00	23.43	46.33	30.5	7.94	6.85	1.52	6.17	
		12:00	24.43	46.13	30.38	8.13	7.88	1.55	6.73	
		15:00	24.37	45.98	30.28	8.27	8.58	1.61	5.32	
		18:00	24.21	45.94	30.26	8.13	7.4	1.64	4.45	
		21:00	24.08	46.01	30.3	8.1	7.47	1.63	6.64	
	日平均值			23.84	46.21	30.43	8.04	7.13	1.60	5.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月16日	蚵殼站	0:00	23.88	45.15	29.74	8.39	5.06	7.15	19.39	
		3:00	23.89	46.43	30.58	8.29	5.65	7.50	20.62	
		6:00	23.76	45.47	29.95	8.28	5.72	6.14	18.55	
		9:00	23.94	45.64	30.06	8.32	5.84	7.00	32.23	
		12:00	24.25	44.24	29.15	8.39	6.93	5.40	35.33	
		15:00	24.29	46.00	30.29	8.39	7.13	5.57	28.28	
		18:00	24.18	46.63	30.70	8.32	6.19	6.16	24.68	
		21:00	24.22	45.99	30.29	8.34	5.30	5.58	23.81	
	日平均值			24.05	45.69	30.10	8.34	5.98	6.31	25.36
	潮口站	0:00	22.03	49.58	32.65	8.38	6.68	3.76	19.2	
		3:00	22.08	49.81	32.8	8.3	5.98	3.78	16.89	
		6:00	21.78	49.74	32.75	8.33	5.83	3.75	16.3	
		9:00	21.94	49.93	32.88	8.3	6.04	3.86	14.53	
		12:00	22.42	49.17	32.38	8.3	6.49	4.14	16.77	
		15:00	22.57	48.82	32.15	8.35	6.83	3.68	10.27	
		18:00	22.08	49.28	32.45	8.41	6.66	3.67	14.57	
		21:00	22.04	48.9	32.2	8.39	6.5	4.11	18.57	
	日平均值			22.12	49.40	32.53	8.35	6.38	3.84	15.89
	灣內站	0:00	23.86	46.13	30.37	8.11	7.23	1.65	4.08	
		3:00	23.71	46.25	30.46	8.02	6.58	1.55	5.16	
		6:00	23.6	46.3	30.5	7.9	6.01	1.56	5.87	
		9:00	23.64	46.3	30.48	8.01	6.37	1.65	5.51	
		12:00	24.43	46.22	30.43	8.13	8.04	1.55	6.63	
		15:00	24.61	46.1	30.35	8.18	8.29	1.56	5.94	
		18:00	24.41	46.1	30.35	8.09	6.8	1.47	4.3	
		21:00	24.08	46.13	30.39	8.1	7.1	1.6	3.61	
	日平均值			24.04	46.19	30.42	8.07	7.05	1.57	5.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月17日	蚵殼站	0:00	24.39	46.18	30.41	8.34	5.58	5.96	26.68
		3:00	24.28	45.07	29.68	8.29	5.50	5.73	24.61
		6:00	24.13	45.74	30.13	8.25	5.76	5.59	23.96
		9:00	24.24	44.87	29.54	8.19	5.28	6.43	28.84
		12:00	24.45	45.68	30.10	8.39	5.93	6.04	28.69
		15:00	24.42	44.91	29.56	8.29	5.50	6.90	29.28
		18:00	24.34	44.03	29.05	8.28	5.63	6.76	17.25
	21:00	24.35	44.15	29.12	8.26	5.85	5.56	21.48	
	日平均值		24.33	45.08	29.70	8.29	5.63	6.12	25.10
	潮口站	0:00	22.29	48.7	32.07	8.39	6.55	4.37	20.38
		3:00	22.49	48.8	32.14	8.29	5.63	3.73	18.13
		6:00	22.09	48.87	32.18	8.34	5.82	3.85	20.19
		9:00	22.06	48.77	32.12	8.3	5.9	3.97	14.9
		12:00	22.5	50.01	32.93	8.32	6.34	4.01	22.83
		15:00	22.88	49.29	32.46	8.3	6.47	3.82	21.91
		18:00	22.35	49.86	32.83	8.35	6.44	3.88	15.4
	21:00	22.02	50.06	32.96	8.31	6.35	3.8	8.49	
	日平均值		22.34	49.30	32.46	8.33	6.19	3.93	17.78
	灣內站	0:00	23.95	46.13	30.38	7.97	7.08	1.49	4.58
		3:00	23.93	46.07	30.33	7.93	7.18	1.43	6.19
		6:00	23.59	45.93	30.25	8	7.06	1.62	7.69
9:00		23.62	45.68	30.08	8.05	7.76	1.41	7.25	
12:00		24.29	45.5	29.96	8.15	8	1.56	7.62	
15:00		24.49	45.36	29.87	7.94	7.4	2.56	5.01	
18:00		24.37	45.26	29.8	8.02	7.51	1.57	5.48	
21:00	24.05	45.37	29.87	8.09	7.54	1.58	4.37		
日平均值		24.04	45.66	30.07	8.02	7.44	1.65	6.02	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月18日	蚵殼站	0:00	24.12	44.53	29.33	8.23	5.76	5.71	27.15
		3:00	23.99	45.67	30.08	8.28	5.31	5.42	27.12
		6:00	23.92	45.73	30.13	8.26	5.39	7.07	26.67
		9:00	23.90	46.38	30.54	8.19	5.47	5.82	28.25
		12:00	24.16	46.58	30.65	8.34	5.51	11.26	3.35
		15:00	23.95	47.01	30.65	8.26	5.84	11.91	3.79
		18:00	24.17	47.81	31.48	8.24	5.31	13.29	3.48
	21:00	24.02	47.64	31.37	8.04	5.45	11.43	3.77	
	日平均值		24.03	46.42	30.53	8.23	5.51	8.99	15.45
	潮口站	0:00	22.19	49.89	32.85	8.32	6.26	3.84	28.47
		3:00	22.02	49.78	32.78	8.25	5.81	3.67	22.83
		6:00	21.8	50.13	33.01	8.31	5.89	3.77	9.04
		9:00	21.62	50.21	33.06	8.32	5.97	4.03	18.61
		12:00	21.95	50.06	32.96	8.32	6.29	4.14	12.23
		15:00	22.37	49.69	32.72	8.32	6.7	3.9	13.15
		18:00	22.05	50.01	32.93	8.31	6.26	4.58	20.46
	21:00	21.72	49.8	32.79	8.3	6.14	3.79	10.07	
	日平均值		21.97	49.95	32.89	8.31	6.17	3.97	16.86
	灣內站	0:00	23.86	45.51	29.97	8.04	7.43	1.51	3.87
		3:00	23.71	45.61	30.04	7.98	7.18	1.58	5.65
		6:00	23.5	45.67	30.06	7.99	6.47	1.37	5.24
9:00		23.48	45.69	30.08	8.03	6.88	1.59	5.31	
12:00		23.68	45.8	30.16	8.16	7.97	1.59	5.45	
15:00		24.05	45.8	30.65	8.19	7.32	2.53	3.33	
18:00		23.78	45.9	30.23	8.06	6.44	20.62	3.32	
21:00	23.57	45.96	30.27	7.91	6.02	25.82	3.31		
日平均值		23.70	45.74	30.18	8.05	6.96	7.08	4.44	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月19日	蚵殼站	0:00	23.85	47.66	31.39	8.39	5.47	12.75	3.80	
		3:00	23.72	46.87	30.86	8.39	5.44	10.31	3.71	
		6:00	23.65	46.91	30.84	8.32	5.35	10.80	3.87	
		9:00	23.70	45.91	30.22	8.34	5.47	11.41	3.71	
		12:00	23.88	48.26	31.80	8.24	6.08	12.62	4.04	
		15:00	23.97	48.45	31.92	8.25	5.91	16.32	4.02	
		18:00	23.84	47.95	31.60	8.27	5.71	13.16	3.73	
		21:00	23.81	48.68	32.08	8.26	5.69	17.42	3.69	
	日平均值			23.80	47.59	31.34	8.31	5.64	13.10	3.82
	潮口站	0:00	21.6	49.61	32.67	8.29	6.15	3.89	17.44	
		3:00	21.4	49.83	32.81	8.27	5.6	3.78	15.37	
		6:00	21.25	49.84	32.82	8.29	5.8	3.79	21.28	
		9:00	21.89	49.87	32.84	8.42	6.28	4.48	9.37	
		12:00	22.31	50.22	33.04	8.45	6.5	4.23	5.8	
		15:00	22.41	50.01	32.91	8.46	6.64	4.4	5.72	
		18:00	22.3	49.81	32.79	8.4	6.38	4.45	9.1	
		21:00	22.13	49.84	32.79	8.36	5.8	4.66	6.8	
	日平均值			21.91	49.88	32.83	8.37	6.14	4.21	11.36
	灣內站	0:00	23.36	46	30.3	8.05	6.13	3.87	3.31	
		3:00	23.25	46.08	30.35	8.07	6.19	5.16	3.31	
		6:00	23.08	46.21	30.43	8.09	6.38	2.45	3.32	
		9:00	23.01	46.31	30.5	8.18	6.73	2.55	3.32	
		12:00	23.59	46.4	30.55	8.41	8.51	3.3	3.35	
		15:00	23.67	46.44	30.59	8.43	8.6	2.52	3.37	
		18:00	23.55	46.5	30.62	8.1	7.05	2.65	3.34	
		21:00	23.43	46.5	30.63	8.19	6.48	2.57	3.31	
	日平均值			23.37	46.31	30.50	8.19	7.01	3.13	3.33
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月20日	蚵殼站	0:00	23.63	48.29	31.82	8.28	5.75	21.18	3.40	
		3:00	23.56	46.11	30.37	8.30	5.70	13.93	3.54	
		6:00	23.40	44.55	29.35	8.31	5.55	11.19	3.21	
		9:00	23.38	44.05	29.09	8.30	5.30	10.92	3.95	
		12:00	23.47	47.56	31.33	8.34	6.05	11.60	3.72	
		15:00	23.71	47.19	31.07	8.36	6.63	12.05	4.22	
		18:00	23.62	48.03	31.63	8.33	5.94	10.27	3.27	
		21:00	23.53	48.11	31.70	8.32	5.71	10.77	3.54	
	日平均值			23.54	46.74	30.80	8.32	5.83	12.74	3.61
	潮口站	0:00	21.92	49.88	32.83	8.38	5.91	4.92	7.1	
		3:00	21.75	49.83	32.79	8.37	5.89	4.58	7.74	
		6:00	21.66	49.89	32.84	8.36	5.55	4.58	5.87	
		9:00	21.96	50.08	32.97	8.43	6.27	4.56	5.7	
		12:00	22.26	50.25	33.07	8.45	6.56	4.57	5.74	
		15:00	22.18	49.86	32.8	8.48	6.94	6.22	6.15	
		18:00	22.17	49.68	32.69	8.45	6.83	8.81	11.34	
		21:00	22.04	49.56	32.64	8.39	6.18	8.05	8.69	
	日平均值			21.99	49.88	32.83	8.41	6.27	5.79	7.29
	灣內站	0:00	23.23	46.5	30.64	8.02	6.99	2.47	3.32	
		3:00	22.97	46.58	30.66	8.12	6.68	3.44	3.32	
		6:00	22.81	46.6	30.67	8.02	5.73	2.58	3.32	
		9:00	22.83	46.6	30.68	8.17	6.9	2.57	3.32	
		12:00	23.49	46.59	30.67	8.36	7.44	2.52	3.32	
		15:00	23.62	46.44	30.58	8.47	8.68	3.48	3.34	
		18:00	23.52	46.31	30.5	8.27	7.53	2.55	3.32	
		21:00	23.4	46.26	30.46	8.2	7.05	2.53	3.33	
	日平均值			23.23	46.49	30.61	8.20	7.13	2.77	3.32
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月21日	蚵殼站	0:00	23.43	45.65	30.04	8.32	5.76	14.43	3.71	
		3:00	23.36	46.48	30.61	8.32	5.76	13.43	3.69	
		6:00	23.06	45.81	30.19	8.33	6.09	21.59	3.56	
		9:00	23.20	46.98	30.96	8.31	5.86	13.14	3.58	
		12:00	23.21	46.82	30.84	8.35	6.38	15.38	3.88	
		15:00	23.44	46.14	30.37	8.37	6.67	20.15	3.63	
		18:00	23.68	45.64	30.05	8.38	6.70	17.33	3.61	
		21:00	23.77	47.50	31.29	8.36	6.83	14.13	4.02	
	日平均值			23.39	46.38	30.54	8.34	6.26	16.20	3.71
	潮口站	0:00	21.82	49.48	32.57	8.32	5.64	4.41	7.24	
		3:00	21.64	49.75	32.75	8.3	5.64	4.69	7.27	
		6:00	21.78	49.91	32.85	8.35	5.61	4.68	5.87	
		9:00	22.33	49.85	32.83	8.42	5.97	5	5.45	
		12:00	22.89	49.54	32.6	8.44	6.09	6.08	5.68	
		15:00	22.66	49.78	32.76	8.43	6.2	4.7	6.7	
		18:00	22.48	49.81	32.79	8.45	6.61	9.41	8.33	
		21:00	22.39	49.81	32.81	8.4	6.48	32.94	8.91	
	日平均值			22.25	49.74	32.75	8.39	6.03	8.99	6.93
	灣內站	0:00	23.23	46.3	30.48	8.15	6.91	2.64	3.33	
		3:00	22.98	46.33	30.51	8.08	7.14	2.96	3.31	
		6:00	22.79	46.28	30.47	8.05	6.02	2.56	3.32	
		9:00	22.81	45.82	30.17	8.11	6.48	2.49	3.32	
		12:00	23.44	45.39	29.89	8.32	7.33	4.47	3.33	
		15:00	23.77	45.04	29.65	8.4	8.47	2.57	3.33	
		18:00	23.55	44.97	29.62	8.24	7.62	2.55	3.33	
		21:00	23.31	45.2	29.76	8.08	6.56	2.52	3.33	
	日平均值			23.24	45.67	30.07	8.18	7.07	2.85	3.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月22日	蚵殼站	0:00	23.57	47.07	30.96	8.34	6.61	13.49	3.58	
		3:00	23.37	47.19	31.15	8.34	6.42	10.31	3.87	
		6:00	23.19	47.54	31.32	8.34	6.20	13.63	4.12	
		9:00	23.28	46.30	30.51	8.35	6.43	22.99	3.63	
		12:00	23.51	47.57	31.38	8.36	6.90	14.85	3.53	
		15:00	23.73	48.21	31.75	8.38	6.78	12.41	3.28	
		18:00	23.71	48.45	31.90	8.32	6.45	10.83	3.57	
		21:00	23.74	48.48	31.92	8.31	6.49	14.44	3.69	
	日平均值			23.51	47.60	31.36	8.34	6.54	14.12	3.66
	潮口站	0:00	22.23	49.78	32.76	8.37	5.91	6.52	6.62	
		3:00	22.24	49.76	32.77	8.37	5.59	4.88	5.67	
		6:00	22.34	49.76	32.75	8.36	5.49	4.7	5.4	
		9:00	22.62	49.66	32.68	8.4	5.93	5.11	5.54	
		12:00	23.17	49.48	32.57	8.42	6.1	4.89	5.67	
		15:00	23.19	49.85	32.82	8.43	6.2	10.36	6.28	
		18:00	22.8	49.89	32.85	8.47	6.63	4.93	10.17	
		21:00	22.78	49.88	32.85	8.45	6.41	31.87	10.01	
	日平均值			22.67	49.76	32.76	8.41	6.03	9.16	6.92
	灣內站	0:00	23.24	45.29	29.82	8.03	6.46	2.52	3.32	
		3:00	22.78	45.05	29.67	8	7.32	2.56	3.32	
		6:00	22.57	45.34	29.86	7.9	6.67	5.06	3.31	
		9:00	22.81	45.56	30.01	7.87	5.88	2.39	3.32	
		12:00	23.64	45.67	30.08	8.35	7.51	3.82	3.32	
		15:00	23.63	45.77	30.14	8.41	8.49	2.53	3.32	
		18:00	23.62	45.85	30.19	8.09	6.99	2.42	3.31	
		21:00	23.47	45.9	30.23	7.98	7.8	2.44	3.32	
	日平均值			23.22	45.55	30.00	8.08	7.14	2.97	3.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月23日	蚵殼站	0:00	23.72	48.46	31.90	8.29	6.04	19.68	3.68	
		3:00	23.87	47.36	31.18	8.29	6.71	14.88	3.66	
		6:00	23.73	46.66	30.72	8.23	6.39	30.11	3.70	
		9:00	23.67	46.49	30.59	8.15	5.73	14.82	3.72	
		12:00	23.82	46.41	30.56	8.18	6.12	32.55	3.38	
		15:00	24.01	47.77	30.56	8.21	6.35	15.23	3.53	
		18:00	23.62	48.03	31.63	8.33	5.94	3.49	3.65	
		21:00	23.53	48.11	31.70	8.32	5.71	3.70	3.21	
	日平均值			23.75	47.41	31.11	8.25	6.12	16.81	3.57
	潮口站	0:00	22.69	50.04	32.94	8.37	5.68	16.82	5.7	
		3:00	22.62	50.17	33.03	8.39	5.71	4.54	5.89	
		6:00	22.67	50.03	32.94	8.42	5.73	4.56	5.5	
		9:00	22.86	50.03	32.94	8.38	5.87	4.55	5.64	
		12:00	23.05	49.82	32.79	8.41	6.43	4.34	5.82	
		15:00	22.99	49.81	32.79	8.4	6.1	5.84	5.89	
		18:00	22.95	49.51	32.57	8.41	6.34	6.49	9.62	
		21:00	22.97	49.43	32.53	8.37	6.12	17.42	9.15	
	日平均值			22.85	49.86	32.82	8.39	6.00	8.07	6.65
	灣內站	0:00	23.36	45.92	30.23	8.11	6.92	3.32	3.31	
		3:00	23.21	45.9	30.24	8.12	6.97	3.6	3.32	
		6:00	23.23	46	30.27	8.06	6.71	2.49	3.31	
		9:00	23.31	46	30.29	8.1	7.09	2.55	3.3	
		12:00	23.78	45.96	30.26	8.36	7.77	2.77	3.33	
		15:00	23.75	46.64	30.72	8.27	8.28	2.61	3.33	
		18:00	23.69	46.56	30.67	8.15	6.15	2.75	3.31	
		21:00	23.63	46.5	30.63	7.97	5.21	2.45	3.31	
	日平均值			23.50	46.19	30.41	8.14	6.89	2.82	3.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月24日	蚵殼站	0:00	23.43	45.65	30.04	8.32	5.76	3.93	3.64	
		3:00	23.36	46.48	30.61	8.32	5.76	3.57	3.36	
		6:00	23.06	45.81	30.19	8.33	6.09	3.51	3.29	
		9:00	23.20	46.98	30.96	8.31	5.86	3.66	3.65	
		12:00	23.21	46.82	30.84	8.35	6.38	3.67	3.61	
		15:00	23.44	46.14	30.37	8.37	6.67	3.70	4.03	
		18:00	23.68	45.64	30.05	8.38	6.70	3.56	3.57	
		21:00	23.77	47.50	31.29	8.36	6.83	3.75	3.28	
	日平均值			23.39	46.38	30.54	8.34	6.26	3.67	3.55
	潮口站	0:00	22.97	49.51	32.57	8.32	5.7	4.69	7.26	
		3:00	22.76	49.7	32.71	8.34	5.76	4.66	5.58	
		6:00	22.68	49.72	32.72	8.38	5.82	5.47	5.93	
		9:00	22.92	49.51	32.59	8.38	5.75	4.67	8.9	
		12:00	23.13	49.21	32.41	8.42	6.5	4.33	11.22	
		15:00	23.07	48.39	31.86	8.42	6.28	5.05	10.79	
		18:00	23.09	49.21	32.40	8.42	6.33	5.84	24.12	
		21:00	23.18	50.00	32.90	8.41	6.11	4.72	15.89	
	日平均值			22.98	49.41	32.52	8.39	6.03	4.93	11.21
	灣內站	0:00	23.27	46.56	30.67	7.99	5.79	2.64	3.31	
		3:00	23.36	46.77	30.81	7.92	5.98	16.67	3.35	
		6:00	23.24	46.79	30.82	7.9	6.4	13.04	3.38	
		9:00	23.42	46.59	30.69	8.01	6.16	8.53	3.31	
		12:00	24.23	46.32	30.51	8.4	8.2	11.4	3.33	
		15:00	24.28	45.5	29.96	8.34	7.76	2.54	3.33	
		18:00	24.18	46.31	30.5	8.01	5.41	13.74	3.32	
		21:00	24.13	47.06	31	8.03	5.31	5.22	3.32	
	日平均值			23.76	46.49	30.62	8.08	6.38	9.22	3.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月25日	蚵殼站	0:00	23.57	47.07	30.96	8.32	6.61	3.79	3.65
		3:00	23.37	47.19	31.15	8.34	6.42	3.79	3.90
		6:00	23.19	47.54	31.32	8.34	6.20	3.80	3.85
		9:00	23.28	46.30	30.51	8.35	6.43	3.56	3.66
		12:00	23.51	47.57	31.38	8.36	6.90	3.79	3.84
		15:00	23.73	48.21	31.75	8.38	6.78	3.60	3.80
		18:00	23.71	48.45	31.90	8.32	6.45	3.60	3.79
		21:00	23.74	48.48	31.92	8.31	6.49	3.46	3.54
	日平均值		23.51	47.60	31.36	8.34	6.54	3.67	3.75
	潮口站	0:00	23.01	49.91	32.86	8.37	5.6	4.86	13.1
		3:00	22.81	49.91	32.86	8.38	5.7	4.88	13.93
		6:00	22.71	49.75	32.74	8.41	5.85	4.74	12.44
		9:00	23.08	49.46	32.55	8.36	5.56	5.07	16.79
		12:00	23.17	49.52	32.59	8.44	6.39	4.28	14.65
		15:00	23.08	49.33	32.48	8.43	6.32	4.65	14.97
		18:00	23.09	49.59	32.65	8.45	6.2	4.93	27.78
		21:00	23.19	49.65	32.68	8.47	6.27	4.35	20.74
	日平均值		23.02	49.64	32.68	8.41	5.99	4.72	16.80
	灣內站	0:00	23.94	47	30.96	8.04	5.7	2.63	3.33
		3:00	23.75	47	30.96	7.96	5.58	2.68	3.35
		6:00	23.6	46.82	30.84	7.96	5.61	2.89	3.34
		9:00	24.1	46.53	30.65	8.08	6.78	2.61	3.32
		12:00	24.46	46.59	30.69	8.48	9.24	3.78	3.37
		15:00	24.32	46.43	30.58	8.42	8.56	2.52	3.35
18:00		24.2	46.68	30.75	8.04	5.53	2.53	3.33	
21:00		24.13	46.73	30.78	8.06	5.46	2.6	3.32	
日平均值		24.06	46.72	30.78	8.13	6.56	2.78	3.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月26日	蚵殼站	0:00	23.72	48.46	31.90	8.29	6.04	3.48	3.51
		3:00	23.87	47.36	31.18	8.29	6.71	3.53	3.20
		6:00	23.73	46.66	30.72	8.23	6.39	3.81	3.65
		9:00	23.67	46.49	30.59	8.15	5.73	3.35	4.03
		12:00	23.82	46.41	30.56	8.39	6.12	3.46	3.54
		15:00	24.80	45.92	30.25	8.39	6.18	11.64	3.73
		18:00	24.86	45.85	30.18	8.32	5.33	9.44	3.50
		21:00	25.03	45.85	30.19	8.34	6.18	9.89	3.96
	日平均值		24.19	46.63	30.70	8.30	6.09	6.08	3.64
	潮口站	0:00	23.28	48.59	31.99	8.41	5.92	4.75	13.04
		3:00	22.95	49.61	32.65	8.43	5.6	5.45	16.76
		6:00	22.73	49.76	32.74	8.45	5.75	5.39	28.51
		9:00	23.43	49.24	32.42	8.42	5.61	4.51	29.06
		12:00	23.47	49.05	32.32	8.46	6.28	5.5	27.83
		15:00	23.23	49.08	32.33	8.49	6.49	4.48	11.77
		18:00	23.18	49.46	32.56	8.48	6.29	5.75	16.38
		21:00	23.61	48.83	32.18	8.47	6.32	4.49	23.77
	日平均值		23.24	49.20	32.40	8.45	6.03	5.04	20.89
	灣內站	0:00	24.25	45.69	30.09	7.77	5.56	2.46	3.33
		3:00	24.13	46.68	30.75	7.87	5.51	2.55	3.36
		6:00	23.96	46.82	30.84	7.98	6.22	5.43	3.35
		9:00	24.32	46.34	30.52	7.9	6.02	2.5	3.31
		12:00	24.93	46.19	30.42	8.37	8.83	5.82	3.36
		15:00	24.81	46.2	30.43	8.4	7.04	2.2	5.33
18:00		24.38	46.55	30.66	8.04	5.22	2	6.46	
21:00		24.27	45.98	30.28	7.93	5.87	2.59	7	
日平均值		24.38	46.31	30.50	8.03	6.28	3.19	4.44	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月27日	蚵殼站	0:00	25.15	45.80	30.16	8.32	5.93	8.59	4.13
		3:00	24.96	45.83	30.18	8.34	5.61	9.11	3.84
		6:00	24.89	45.88	30.22	8.34	5.57	11.06	4.49
		9:00	24.93	45.86	30.20	8.35	6.93	10.39	3.49
		12:00	25.04	45.91	30.23	8.36	8.05	11.15	15.27
		15:00	25.21	45.95	30.26	8.38	7.67	12.04	10.51
		18:00	25.20	45.88	30.21	8.32	5.73	9.40	7.04
	21:00	25.20	45.85	30.19	8.31	6.36	9.39	4.58	
	日平均值		25.07	45.87	30.21	8.34	6.48	10.14	6.67
	潮口站	0:00	23.79	48.88	32.19	8.44	6.19	4.93	16.44
		3:00	23.24	48.72	32.11	8.43	5.67	4.55	25.85
		6:00	22.74	49.21	32.41	8.46	5.66	4.65	17.52
		9:00	23.7	48.64	32.04	8.45	5.99	4.73	22.95
		12:00	23.94	48.43	31.89	8.45	6.35	4.61	26.14
		15:00	22.99	48.66	32.05	8.5	6.74	4.8	28.01
		18:00	23.01	48.95	32.24	8.49	6.51	4.42	18.69
	21:00	23.38	48.65	32.06	8.48	6.48	4.64	19.48	
	日平均值		23.35	48.77	32.12	8.46	6.20	4.67	21.89
	灣內站	0:00	24.6	45.99	30.29	7.85	5.07	1.56	5.57
		3:00	24.32	45.87	30.21	8.01	5.19	1.24	7.35
		6:00	24.16	46.32	30.51	8.05	5.73	13.2	4.63
9:00		24.49	45.77	30.14	8.06	6.3	1.85	4.17	
12:00		25.31	45.54	29.99	8.43	8.83	2.96	6.49	
15:00		25.31	45.78	30.15	8.43	8.85	2.94	6.73	
18:00		25.09	46.07	30.34	8.05	6.78	4.95	5.95	
21:00	25.01	45.8	30.16	8.01	5.47	3.12	4.4		
日平均值		24.79	45.89	30.22	8.11	6.53	3.98	5.66	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月28日	蚵殼站	0:00	25.15	45.85	30.20	8.20	6.46	9.42	4.43
		3:00	25.03	45.90	30.24	8.24	7.15	11.02	5.16
		6:00	24.92	45.82	30.18	8.21	7.35	9.97	4.23
		9:00	25.19	46.36	30.53	8.27	8.15	22.86	4.30
		12:00	25.14	45.90	30.22	8.25	7.83	11.16	3.41
		15:00	25.30	46.21	30.43	8.41	8.08	18.48	3.61
		18:00	25.29	46.18	30.40	8.32	8.02	16.87	4.89
	21:00	25.35	45.63	30.05	8.34	7.00	5.06	7.32	
	日平均值		25.17	45.98	30.28	8.28	7.51	13.11	4.67
	潮口站	0:00	23.85	48.61	32.02	8.47	6.34	4.68	31.61
		3:00	23.29	48.92	32.22	8.42	5.8	4.62	13.83
		6:00	22.61	49.07	32.33	8.45	5.88	4.73	19.75
		9:00	23.85	48.57	32.00	8.45	6.09	4.84	27.18
		12:00	24.41	47.91	31.56	8.46	6.43	4.87	20.1
		15:00	23.17	48.10	31.69	8.5	6.76	5.82	21.75
		18:00	22.73	48.93	32.22	8.5	6.77	5.43	8.87
	21:00	23.56	48.09	31.69	8.49	6.6	6.21	9.61	
	日平均值		23.43	48.53	31.97	8.47	6.33	5.15	19.09
	灣內站	0:00	25.01	45.74	30.12	7.94	5.14	2.36	4.27
		3:00	24.87	46.04	30.32	8.01	5.32	2.45	5.23
		6:00	24.65	46.2	30.43	8.06	5.71	7.78	4.54
9:00		24.99	45.71	30.1	8.07	6.38	4.61	3.55	
12:00		25.64	45.05	29.66	8.45	8.41	5.64	3.69	
15:00		25.7	45.24	29.79	8.44	8.59	5.54	0.83	
18:00		25.55	46.04	30.32	8.37	7.95	4.8	1.46	
21:00	25.16	45.24	29.79	7.99	5.82	12.67	2.86		
日平均值		25.20	45.66	30.07	8.17	6.67	5.73	3.30	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月1日	蚵殼站	0:00	25.52	46.48	30.6	8.25	6.87	3.54	5.7
		3:00	25.48	46.98	30.94	8.23	6.51	2.62	4.32
		6:00	25.33	47	30.95	8.25	7.3	3.17	3.94
		9:00	25.21	47	30.94	8.24	6.94	2.96	3.45
		12:00	25.06	46.96	30.92	8.22	7.76	2.8	4.21
		15:00	25.36	46.97	30.93	8.24	8.04	2.62	4.3
		18:00	25.69	47.01	30.95	8.25	7.87	2.44	4.44
	21:00	25.68	47.38	31.2	8.28	6.05	2.97	3.56	
	日平均值		25.42	46.97	30.93	8.25	7.17	2.89	4.24
	潮口站	0:00	24.27	47.97	31.59	8.29	6.62	8.14	17.62
		3:00	23.66	47.33	31.18	8.23	5.91	4.85	8.59
		6:00	22.59	49.24	32.42	8.24	5.68	5.43	7.3
		9:00	24.34	47.96	31.6	8.27	6.24	6.23	9.21
		12:00	25.14	47.52	31.31	8.27	6.56	4.89	9.46
		15:00	24.09	47.69	31.42	8.29	6.79	4.27	8.92
		18:00	23.12	48.28	31.81	8.33	7.04	4.33	14.3
	21:00	23.17	48.51	31.96	8.26	6.12	5.26	20.22	
	日平均值		23.80	48.06	31.66	8.27	6.37	5.43	11.95
	灣內站	0:00	25.18	50.23	31.99	8.22	5.46	4.17	5.83
		3:00	24.99	48.73	31.04	8.27	5.53	2.24	5.42
		6:00	24.49	49.05	31.24	8.38	5.98	2.38	3.18
9:00		24.84	50.22	31.98	8.21	7.07	3.07	2.71	
12:00		25.85	48.85	31.12	8.21	5.57	9.19	4.73	
15:00		25.96	50.01	31.85	8.23	6.14	27.01	5.45	
18:00		25.55	51.82	32.99	8.28	5.44	6.14	4.56	
21:00	25.21	51.17	32.58	8.06	5.54	6.4	3.71		
日平均值		25.26	50.01	31.85	8.23	5.84	7.58	4.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月2日	蚵殼站	0:00	25.64	47.16	31.06	8.25	6.99	2.97	3.71
		3:00	25.58	47.14	31.04	8.24	7.37	2.37	3.98
		6:00	25.38	47.12	31.03	8.24	7.28	2.66	3.45
		9:00	25.6	47.25	31.11	8.18	7.3	2.6	3.9
		12:00	25.83	47.25	31.12	8.19	7.72	2.55	3.1
		15:00	25.89	47.39	31.21	8.26	7.12	2.88	4.44
		18:00	25.77	47.4	31.22	8.28	6.01	2.88	5.3
	21:00	25.68	47.38	31.2	8.28	6.05	2.97	3.56	
	日平均值		25.67	47.26	31.12	8.24	6.98	2.74	3.93
	潮口站	0:00	24.19	48.25	31.78	8.29	6.53	9.2	17.23
		3:00	24.15	48.28	31.8	8.22	5.63	6.11	16.31
		6:00	22.76	48.68	32.08	8.25	5.82	5.35	10.99
		9:00	23.82	48.08	31.68	8.27	6.11	4.77	9.93
		12:00	24.57	47.86	31.52	8.29	6.56	4.73	14.3
		15:00	24.17	47.93	31.57	8.27	6.54	4.42	10.97
		18:00	22.92	48.61	32.03	8.27	6.42	4.83	13.18
	21:00	23.17	48.51	31.96	8.26	6.12	5.26	20.22	
	日平均值		23.72	48.28	31.80	8.27	6.22	5.58	14.14
	灣內站	0:00	25.29	51.74	32.94	8.04	5.56	4.56	5.11
		3:00	25.13	51.68	32.9	8.05	5.12	1.28	4.56
		6:00	24.64	51.68	32.9	8.15	5.63	1.19	2.64
9:00		25.07	51.49	32.78	8.34	5.98	5.25	3.2	
12:00		25.4	51.3	32.66	8.25	6.56	32.17	7.59	
15:00		25.67	50.12	31.92	8.24	5.53	25.58	5.86	
18:00		25.39	50.98	32.46	8.16	5.48	1.61	5.7	
21:00	25.21	51.17	32.58	8.06	5.54	6.4	3.71		
日平均值		25.23	51.27	32.64	8.16	5.68	9.76	4.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月3日	蚵殼站	0:00	25.51	47.37	31.2	8.28	6.22	2.9	4.63
		3:00	25.34	47.33	31.17	8.27	5.81	16.88	3.72
		6:00	25.18	47.36	31.19	8.27	5.93	2.28	3.68
		9:00	25.12	47.34	31.18	8.28	5.66	2.72	3.8
		12:00	24.98	47.35	31.18	8.26	6.57	2.6	4.21
		15:00	24.99	47.34	31.17	8.26	6.47	2.41	4.29
		18:00	24.92	47.36	31.18	8.26	6.17	2.75	3.92
		21:00	25.1	47.36	31.19	8.27	5.81	2.69	3.63
	日平均值		25.14	47.35	31.18	8.27	6.08	4.40	3.99
	潮口站	0:00	23.53	48.02	31.63	8.28	6.35	4.4	20.84
		3:00	23.56	47.79	31.48	8.22	5.64	4.56	25.78
		6:00	22.68	48.48	31.93	8.24	5.87	4.53	27.01
		9:00	23.23	48.19	31.75	8.26	5.85	6.65	35.47
		12:00	24.4	45.91	30.23	8.28	6.52	4.99	35.57
		15:00	24.2	46.21	30.13	8.26	6.45	4.47	31.31
		18:00	23.39	46.52	30.98	8.27	6.44	4.93	24.38
		21:00	23.02	46.46	30.28	8.25	6.16	4.52	27.61
	日平均值		23.50	47.20	31.05	8.26	6.16	4.88	28.50
	灣內站	0:00	25.18	51.33	32.68	8.08	5.34	1.85	4.33
		3:00	25.05	51.41	32.73	7.99	5.33	3.98	5.48
		6:00	24.81	51.39	32.72	8.11	5.68	1.59	4.87
		9:00	24.86	50.91	32.42	8.05	5.06	2	2.5
		12:00	25.64	50.6	32.22	8.37	5.77	4.98	8.69
		15:00	25.65	49.9	31.78	8.34	5.82	6.55	10.35
		18:00	25.28	51.31	32.67	8.13	5.82	2.8	6.71
		21:00	24.94	51.69	32.91	8.07	5.58	1.84	7.53
	日平均值		25.18	51.07	32.52	8.14	5.55	3.20	6.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月4日	蚵殼站	0:00	25.06	47.34	31.18	8.27	5.71	2.61	3.61
		3:00	25.11	47.36	31.18	8.26	5.82	2.27	4.81
		6:00	25.02	47.35	31.18	8.27	5.1	2.59	4.57
		9:00	25.07	47.36	31.19	8.28	5.52	2.25	3.55
		12:00	24.83	47.34	31.17	8.26	6.17	2.75	4.7
		15:00	25.05	47.34	31.17	8.26	6.41	2.81	3.85
		18:00	25.14	47.34	31.17	8.26	6.1	2.73	3.61
		21:00	25.22	47.35	31.18	8.28	5.64	2.55	3.77
	日平均值		25.06	47.35	31.18	8.27	5.81	2.57	4.06
	潮口站	0:00	23.36	46.11	30.39	8.28	6.28	4.94	31.67
		3:00	23.59	46.87	30.87	8.22	5.77	5.08	24.77
		6:00	23.01	46.96	30.92	8.25	6.06	4.56	22.19
		9:00	23.2	48.21	31.75	8.24	5.77	4.28	20.47
		12:00	24.31	47.25	31.12	8.27	6.36	4.82	26.79
		15:00	24.35	47.16	31.06	8.26	6.39	7.08	20.76
		18:00	23.93	47.29	31.14	8.22	6.1	5.5	27.48
		21:00	23.41	47.48	31.28	8.2	5.51	4.38	25.08
	日平均值		23.65	47.17	31.07	8.24	6.03	5.08	24.90
	灣內站	0:00	24.76	51.14	32.56	8.18	5.61	1.71	3.7
		3:00	24.57	51.55	32.82	8.21	5.82	18.11	2.91
		6:00	24.48	51.58	32.84	8.24	5.13	3.43	2.53
		9:00	24.47	51.64	32.88	8.25	5.67	3.8	3.23
		12:00	25.13	51.3	32.66	8.39	5.91	8.95	6.3
		15:00	25.46	50.71	32.29	8.43	5.54	11.27	8.15
		18:00	25.45	51.41	32.73	8.22	5.82	17.72	6.61
		21:00	25.07	51.63	32.87	8.34	5.06	9.1	6.99
	日平均值		24.92	51.37	32.71	8.28	5.57	9.26	5.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月5日	蚵殼站	0:00	25.29	47.35	31.18	8.27	5.39	2.87	3.25
		3:00	25.3	47.38	31.2	8.27	5.24	2.75	3.56
		6:00	25.21	47.35	31.19	8.27	6.07	2.65	3.45
		9:00	25.2	47.37	31.19	8.27	6.21	2.71	3.51
		12:00	25.05	47.5	31.28	8.28	6.55	3.47	3.43
		15:00	25.34	47.19	31.08	8.28	7.09	3.6	4.72
		18:00	25.34	47.18	31.07	8.29	7.05	3.32	7.29
		21:00	25.27	47.21	31.09	8.28	6.76	4.1	5
	日平均值		25.25	47.32	31.16	8.28	6.30	3.18	4.28
	潮口站	0:00	23.69	47.47	31.26	8.26	6.15	4.62	33
		3:00	23.84	47.59	31.34	8.16	5.12	4.73	38.65
		6:00	23.29	47.61	31.35	8.22	5.68	5.23	30.36
		9:00	23.27	47.87	31.54	8.22	5.61	4.5	26.16
		12:00	23.71	47.72	31.43	8.26	6.14	4.53	25.56
		15:00	24.25	47.43	31.24	8.25	6.05	4.53	24.35
		18:00	24.08	47.45	31.25	8.16	5.33	9.5	34.12
		21:00	23.94	47.54	31.31	8.14	5.33	4.7	26.24
	日平均值		23.76	47.59	31.34	8.21	5.68	5.29	29.81
	灣內站	0:00	25.07	51.71	32.92	8.17	5.31	1.91	5.25
		3:00	25.12	49.25	31.37	8.09	5.4	3.41	6.37
		6:00	24.78	48.76	31.06	8.35	5.97	1.72	4.66
		9:00	24.87	51.56	32.83	8.23	5.39	3.29	3.99
		12:00	25.32	50.36	32.07	8.25	5.67	2.93	4
		15:00	25.5	50.04	31.87	8.27	6.07	4.32	10.12
		18:00	25.31	48.93	31.17	8.2	5.72	3.73	5.46
		21:00	25.14	50.04	31.87	8.29	5.52	4.47	2.44
	日平均值		25.14	50.08	31.90	8.23	5.63	3.22	5.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月6日	蚵殼站	0:00	25.3	47.22	31.09	8.2	6.82	3.65	7.51
		3:00	25.21	47.28	31.13	8.18	6.71	3.33	7.1
		6:00	25.15	47.33	31.16	8.15	6.22	3.99	9.3
		9:00	25.13	47.38	31.19	8.13	5.98	3.59	7.81
		12:00	24.93	47.58	31.32	8.14	6.16	3.66	9.93
		15:00	25.33	47.21	31.08	8.19	6.79	3.63	11.13
		18:00	25.62	46.97	30.93	8.19	6.76	3.58	8.35
		21:00	25.85	46.78	30.8	8.23	6.95	3.66	8.19
	日平均值		25.32	47.22	31.09	8.18	6.55	3.64	8.67
	潮口站	0:00	23.85	47.66	31.38	8.18	5.28	6.92	19.26
		3:00	23.89	47.53	31.31	8.17	5.49	10.91	21.9
		6:00	23.47	47.62	31.37	8.19	5.48	4.38	27.65
		9:00	23.03	47.81	31.48	8.22	5.84	6.39	21.69
		12:00	23.41	47.47	31.26	8.21	5.71	4.65	19.12
		15:00	24.64	47.33	31.21	8.24	6.14	4.92	18.38
		18:00	24.76	46.17	30.41	8.26	6.43	10.82	21.71
		21:00	24.93	47.18	31.06	8.17	5.62	8.91	13.01
	日平均值		24.00	47.35	31.19	8.21	5.75	7.24	20.34
	灣內站	0:00	25.13	51.69	32.91	8.21	5.57	3.76	2.46
		3:00	25.08	51.12	32.55	8.14	5.6	4.71	3.06
		6:00	25.07	48.82	31.1	8.09	5.79	5.6	3.95
		9:00	25.07	48.44	30.86	8.13	6.03	3.53	4.58
		12:00	25.83	49.69	31.65	8.32	6.02	3.61	5.4
		15:00	26.48	49.73	31.67	8.4	6.3	3.42	12.12
		18:00	26.64	51.03	32.49	8.3	6.1	3.73	9.24
		21:00	25.75	51.55	32.82	8.32	5.89	3.35	4.82
	日平均值		25.63	50.26	32.01	8.24	5.91	3.96	5.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月7日	蚵殼站	0:00	25.74	46.85	30.86	8.21	6.41	3.77	11.56
		3:00	25.74	46.87	30.87	8.22	6.75	3.77	11.62
		6:00	25.73	46.9	30.88	8.21	6.48	3.34	9.12
		9:00	25.63	46.95	30.92	8.21	6.47	3.53	10.11
		12:00	25.62	46.96	30.92	8.18	6.56	3.45	11.62
		15:00	25.94	46.71	30.75	8.21	6.74	9.29	13.42
		18:00	26.15	46.53	30.65	8.25	6.87	4.04	10.3
	21:00	26.35	46.36	30.51	8.28	6.92	3.67	10.71	
	日平均值		25.86	46.77	30.80	8.22	6.65	4.36	11.06
	潮口站	0:00	24.52	47.29	31.14	8.15	5.2	4.84	12.25
		3:00	24.27	47.24	31.12	8.15	5.19	4.78	15.02
		6:00	23.75	47.41	31.22	8.19	5.33	4.47	12.99
		9:00	23.34	47.49	31.29	8.23	5.72	4.6	14.46
		12:00	23.84	47.62	31.37	8.25	5.98	4.53	15.74
		15:00	24.26	47.58	31.34	8.28	6.18	4.73	13.29
		18:00	24.69	47.19	31.07	8.28	6.36	4.71	13.47
	21:00	25.01	47.29	31.14	8.21	5.8	4.49	13.45	
	日平均值		24.21	47.39	31.21	8.22	5.72	4.64	13.83
	灣內站	0:00	25.71	50.22	31.98	8.25	5.81	3.65	3.54
		3:00	25.7	50.17	31.95	8.23	5.64	3.75	2.14
		6:00	25.7	49.08	31.26	8.08	5.74	3.3	3.89
9:00		25.73	48.79	31.08	8.21	6.01	3.53	4.16	
12:00		26.46	51.42	32.74	8.43	6.31	3.7	9.06	
15:00		26.48	51.22	32.61	8.39	5.58	1.98	6.6	
18:00		25.5	51.04	32.5	8.25	5.82	1.88	8.12	
21:00	25.8	51.85	33.01	8.29	5.82	1.73	4.44		
日平均值		25.89	50.47	32.14	8.27	5.84	2.94	5.24	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月8日	蚵殼站	0:00	26.38	46.31	30.49	8.26	6.71	3.29	13.39
		3:00	26.26	46.44	30.58	8.25	6.73	3.75	13.59
		6:00	26.06	46.59	30.69	8.23	6.62	6.54	15.02
		9:00	25.98	46.66	30.73	8.24	6.35	3.43	14.34
		12:00	25.9	46.71	30.76	8.21	6.47	3.36	13.43
		15:00	25.76	46.72	30.78	8.18	6.4	3.2	16.61
		18:00	25.89	46.52	30.64	8.29	6.78	2.82	20.08
	21:00	25.87	46.55	30.66	8.28	6.62	2.8	19.5	
	日平均值		26.01	46.56	30.67	8.24	6.59	3.65	15.75
	潮口站	0:00	24.83	47.15	31.07	8.18	5.27	4.89	17.56
		3:00	23.98	45.73	30.11	8.2	5.32	4.51	14.13
		6:00	23.45	47.56	31.33	8.2	5.31	5.32	8.54
		9:00	23.42	47.47	31.26	8.21	6.11	4.36	8.73
		12:00	23.72	47.15	31.06	8.3	6.2	3.77	5.64
		15:00	23.91	46.95	30.92	8.29	6.21	3.69	7.7
		18:00	24.26	46.84	30.84	8.28	6.18	3.86	5.81
	21:00	24.64	46.86	30.86	8.25	6	3.75	6.41	
	日平均值		24.03	46.96	30.93	8.24	5.83	4.27	9.32
	灣內站	0:00	26.04	50.63	32.24	8.21	5.34	2.7	7.22
		3:00	26.03	49.17	31.32	8.14	5.33	3.07	4.64
		6:00	26.04	48.89	31.14	8.09	5.68	2.55	3.51
9:00		26.04	49.27	31.38	8.13	5.06	2.51	3.63	
12:00		26.05	51.52	32.8	8.32	5.77	2.08	3.77	
15:00		26.1	51.26	32.64	8.31	6.09	2.33	13.65	
18:00		26.1	51.15	32.57	8.29	5.5	1.83	10.38	
21:00	26.13	50.01	31.85	8.24	5.97	2.22	14.45		
日平均值		26.07	50.24	31.99	8.22	5.59	2.41	7.66	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月9日	蚵殼站	0:00	25.68	46.74	30.77	8.23	6.43	2.98	20.28	
		3:00	25.51	46.89	30.87	8.21	6.13	2.78	21.75	
		6:00	25.38	46.94	30.94	8.26	6.08	2.78	16.27	
		9:00	25.44	46.92	30.91	8.3	6.51	2.93	17.54	
		12:00	25.42	46.98	30.94	8.29	6.48	2.71	17.5	
		15:00	25.56	46.84	30.84	8.21	6.73	2.75	18.52	
		18:00	25.6	46.83	30.83	8.2	6.57	2.94	16.59	
		21:00	25.72	46.71	30.76	8.23	6.63	2.62	13.3	
	日平均值			25.54	46.86	30.86	8.24	6.45	2.81	17.72
	潮口站	0:00	24.47	46.88	30.87	8.21	5.24	3.72	6.13	
		3:00	23.79	46.86	30.84	8.2	5.34	3.61	4.8	
		6:00	23.68	47.19	31.06	8.24	5.23	3.59	4.96	
		9:00	23.83	47.26	31.13	8.18	5.64	3.69	5.36	
		12:00	24.06	47.12	31.03	8.25	6.35	5.97	6.07	
		15:00	24.15	47.03	30.97	8.29	6.05	4.66	6.4	
		18:00	24.37	45.39	29.89	8.3	6.27	3.72	8.55	
		21:00	24.72	45.77	30.13	8.3	6.35	3.6	10.8	
	日平均值			24.13	46.69	30.74	8.25	5.81	4.07	6.63
	灣內站	0:00	25.94	51.64	32.88	8.26	5.8	1.8	5.67	
		3:00	25.72	51.07	32.52	8.15	5.52	1.99	4.97	
		6:00	25.59	48.78	31.07	8.2	5.17	1.99	7.18	
		9:00	25.75	48.4	30.83	8.28	5.91	1.79	11.33	
		12:00	26.39	49.65	31.62	8.43	6.61	3.01	29.3	
		15:00	26.47	49.68	31.64	8.39	6.68	1.95	28.75	
		18:00	26.37	50.98	32.46	8.32	5.11	11.4	13.14	
		21:00	26.22	51.5	32.79	8.27	5.79	32.39	12.53	
	日平均值			26.06	50.21	31.98	8.29	5.82	7.04	14.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月10日	蚵殼站	0:00	25.71	46.72	30.77	8.22	6.56	2.75	16.03	
		3:00	25.55	46.86	30.84	8.22	6.62	2.77	14.99	
		6:00	25.51	46.89	30.88	8.28	6.79	2.79	17.92	
		9:00	25.55	46.84	30.84	8.3	7.13	2.77	18.12	
		12:00	25.56	46.86	30.84	8.3	6.82	2.88	18.65	
		15:00	25.53	46.87	30.85	8.23	6.62	2.95	21.14	
		18:00	25.53	46.89	30.87	8.24	6.47	2.89	17.72	
		21:00	25.58	46.88	30.85	8.31	7	2.92	21.37	
	日平均值			25.57	46.85	30.84	8.26	6.75	2.84	18.24
	潮口站	0:00	24.83	46.84	30.83	8.14	5.39	3.94	10.58	
		3:00	24.09	46.74	30.77	8.15	5.56	3.76	10.81	
		6:00	23.99	46.31	30.48	8.26	5.6	4.31	14.01	
		9:00	24.29	46.84	30.84	8.19	5.51	6.13	12.1	
		12:00	24.03	46.08	30.32	8.26	6.11	4.06	12.02	
		15:00	24.01	45.9	30.21	8.25	5.81	3.75	4.89	
		18:00	24.1	45.44	29.91	8.29	6.11	4.03	6.44	
		21:00	24.2	45.14	29.72	8.29	6.17	3.88	7.79	
	日平均值			24.19	46.16	30.39	8.23	5.78	4.23	9.83
	灣內站	0:00	26.13	50.17	31.95	8.22	5.39	24.87	9.7	
		3:00	25.87	50.12	31.92	8.21	5.28	10.06	8.47	
		6:00	25.71	49.03	31.23	8.18	5.95	1.9	9.95	
		9:00	25.97	48.74	31.05	8.3	5.68	2.05	10.59	
		12:00	26.32	51.37	32.71	8.4	6.82	1.82	16.11	
		15:00	26.25	51.17	32.58	8.36	5.56	1.72	12.26	
		18:00	26.16	50.99	32.47	8.32	5.06	12.46	8.28	
		21:00	26.21	51.8	32.98	8.34	5.91	2.75	34.53	
	日平均值			26.08	50.42	32.11	8.29	5.71	7.20	13.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月11日	蚵殼站	0:00	25.51	46.88	30.87	8.18	6.45	2.93	21.97
		3:00	25.39	46.97	30.93	8.13	6.06	2.76	22.98
		6:00	25.31	47.04	30.98	8.14	6.25	2.55	13.63
		9:00	25.42	46.96	30.93	8.25	6.97	2.77	18.13
		12:00	25.57	46.83	30.84	8.3	7.29	3.1	18.06
		15:00	25.56	46.84	30.84	8.22	6.65	2.85	18.8
		18:00	25.6	46.84	30.84	8.19	6.39	2.9	17.27
	21:00	25.7	46.73	30.77	8.23	6.76	2.81	19.97	
	日平均值		25.51	46.89	30.88	8.21	6.60	2.83	18.85
	潮口站	0:00	24.4	46.52	30.61	8.22	5.92	3.88	10.29
		3:00	23.85	46.53	30.63	8.2	5.66	3.89	10.65
		6:00	23.69	46.58	30.66	8.24	5.65	3.72	10.2
		9:00	24.33	46.76	30.78	8.13	5.38	3.69	8.62
		12:00	24.19	46.15	30.38	8.2	6.04	3.67	7.73
		15:00	24.09	45.59	30.02	8.25	6.08	5.52	8.72
		18:00	24.12	44.69	29.43	8.27	6.13	3.63	10.95
	21:00	24.59	44.95	29.61	8.31	6.32	5.47	11.23	
	日平均值		24.16	45.97	30.27	8.23	5.90	4.18	9.80
	灣內站	0:00	26.04	50.58	32.21	8.28	5.7	1.97	35.4
		3:00	25.8	49.12	31.29	8.26	5.03	1.75	11.76
		6:00	25.69	48.84	31.11	8.23	5.22	1.79	9.09
9:00		25.89	49.22	31.35	8.26	5.12	1.97	14.98	
12:00		26.52	51.47	32.77	8.45	7.31	3.49	35.22	
15:00		26.51	51.22	32.61	8.46	6.95	2.36	29.91	
18:00		26.17	51.11	32.54	8.4	5.82	1.67	11	
21:00	25.96	49.96	31.82	8.25	5.94	1.68	12.33		
日平均值		26.07	50.19	31.96	8.32	5.89	2.09	19.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月12日	蚵殼站	0:00	25.88	46.53	30.65	8.23	6.94	3.48	20.02
		3:00	25.81	46.61	30.71	8.23	6.49	3.22	18.07
		6:00	25.68	46.73	30.77	8.2	6.77	2.76	21.01
		9:00	25.71	46.72	30.77	8.23	7.21	2.81	24.66
		12:00	25.65	46.76	30.79	8.22	7.14	2.79	22.59
		15:00	25.71	46.72	30.76	8.15	6.6	2.83	18.22
		18:00	25.81	46.62	30.7	8.17	6.29	2.79	24.53
	21:00	25.99	46.43	30.58	8.24	6.91	2.79	22.77	
	日平均值		25.78	46.64	30.72	8.21	6.79	2.93	21.48
	潮口站	0:00	24.84	46.16	30.39	8.23	6.14	3.8	10.73
		3:00	24.14	46.68	30.73	8.16	5.73	3.81	10.55
		6:00	23.67	46.65	30.71	8.17	5.52	8.94	10.75
		9:00	24.62	46.83	30.84	8.25	6.06	3.88	9.7
		12:00	24.74	46.74	30.77	8.23	6.38	11.06	11.03
		15:00	24.33	44.34	29.21	8.26	6.42	3.88	10.31
		18:00	24.16	45.12	29.73	8.25	6.19	5.41	9.68
	21:00	24.58	44.74	29.49	8.32	6.35	3.85	9.72	
	日平均值		24.39	45.91	30.23	8.23	6.10	5.58	10.31
	灣內站	0:00	25.88	49.38	31.45	8.28	5.43	1.83	8.55
		3:00	25.77	49.12	31.29	8.19	5.5	1.87	9.75
		6:00	25.76	49	31.21	8.21	5.52	1.7	8.91
9:00		25.85	49.87	31.76	8.23	5.01	2.05	16.82	
12:00		26.69	51.66	32.89	8.41	7.08	2.47	28.95	
15:00		26.64	51.37	32.71	8.39	6.77	2.6	23.79	
18:00		26.49	50.96	32.45	8.33	5.12	1.78	7.88	
21:00	26.53	51.41	32.73	8.3	5.54	2.01	7.22		
日平均值		26.20	50.35	32.06	8.29	5.75	2.04	13.98	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月13日	蚵殼站	0:00	26.18	46.22	30.47	8.3	7.35	2.56	18.67
		3:00	25.96	46.45	30.6	8.27	6.78	2.92	21.87
		6:00	25.85	46.57	30.68	8.28	6.96	2.53	16.44
		9:00	26.04	46.37	30.56	8.29	7.5	2.77	16.76
		12:00	25.96	46.48	30.62	8.28	7.35	2.87	19.56
		15:00	26.16	46.26	30.5	8.27	7.2	2.8	25.1
		18:00	26.06	46.36	30.55	8.19	6.42	2.92	29.13
		21:00	26.08	46.33	30.54	8.22	6.88	2.72	24.7
	日平均值		26.04	46.38	30.57	8.26	7.06	2.76	21.53
	潮口站	0:00	25.01	45.63	30.04	8.3	6.47	3.77	6.48
		3:00	24.39	46.33	30.51	8.18	5.9	3.9	6.16
		6:00	23.71	46.32	30.5	8.22	5.51	3.74	5.58
		9:00	24.88	45.91	30.23	8.29	6.17	4.61	5.7
		12:00	25.43	46.29	30.47	8.25	6.76	4.02	5.06
		15:00	24.54	46.27	30.47	8.23	6.46	3.83	5.7
		18:00	24.04	46.19	30.38	8.19	6.14	3.84	6.1
		21:00	24.77	45.29	29.82	8.31	6.49	3.78	8
	日平均值		24.60	46.03	30.30	8.25	6.24	3.94	6.10
	灣內站	0:00	26.28	51.31	32.67	8.24	5.13	1.98	12.14
		3:00	26.05	51.34	32.69	8.21	5.71	1.82	9.85
		6:00	26.11	49.96	31.82	8.29	5.98	1.9	9.23
9:00		26.21	50.91	32.42	8.26	5.47	2.08	12.56	
12:00		26.98	51.5	32.79	8.34	7.09	4.96	38.72	
15:00		27.13	51.03	32.49	8.38	6.78	4.8	28.63	
18:00		26.7	51.01	32.48	8.37	5.52	1.97	14.15	
21:00		26.54	51.25	32.63	8.32	5.81	1.85	7.52	
日平均值		26.50	51.04	32.50	8.30	5.94	2.67	16.60	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月14日	蚵殼站	0:00	26.08	46.32	30.53	8.28	7.2	2.76	23.5
		3:00	26.03	46.38	30.57	8.27	7.06	2.9	19.64
		6:00	25.94	46.5	30.63	8.27	6.95	2.97	18.75
		9:00	26.07	46.35	30.54	8.37	7.75	2.63	17.59
		12:00	26.12	46.31	30.51	8.37	8	3.03	22.05
		15:00	26.27	46.19	30.43	8.35	7.9	2.59	26.26
		18:00	26.13	46.28	30.5	8.26	7.17	2.82	21.44
		21:00	26.19	46.22	30.47	8.28	7.44	2.95	22.46
	日平均值		26.10	46.32	30.52	8.31	7.43	2.83	21.46
	潮口站	0:00	25.11	45.65	30.07	8.32	6.68	3.73	7.5
		3:00	24.68	45.91	30.23	8.2	6.1	4.35	7.01
		6:00	23.97	45.1	29.69	8.19	5.79	4.51	5.4
		9:00	24.96	46.14	30.37	8.3	6.46	4.02	6.26
		12:00	25.56	45.89	30.21	8.25	6.82	3.71	7.82
		15:00	24.92	45.81	30.15	8.23	6.64	4.22	7.86
		18:00	24.19	45.68	30.07	8.18	6.24	3.88	6.07
		21:00	24.71	45.38	29.88	8.27	6.53	3.8	7.51
	日平均值		24.76	45.70	30.08	8.24	6.41	4.03	6.93
	灣內站	0:00	26.52	51.63	32.87	8.18	5	1.97	8.98
		3:00	26.34	51.22	32.61	8.17	5.29	1.73	12.62
		6:00	26.12	50	31.84	8.2	5.36	1.84	12.49
9:00		26.53	50.52	32.17	8.29	5.36	3.7	25.36	
12:00		27.37	50.66	32.26	8.33	7.32	5.96	44.29	
15:00		27.35	50.2	31.97	8.37	6.8	4.11	25.44	
18:00		26.89	51.22	32.61	8.31	5.63	1.77	8.38	
21:00		26.74	51.56	32.83	8.24	5.32	1.97	6	
日平均值		26.73	50.88	32.40	8.26	5.76	2.88	17.95	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月15日	蚵殼站	0:00	26.21	46.2	30.46	8.33	7.55	3.81	18.94	
		3:00	26.07	46.34	30.54	8.32	7.08	3.72	17.94	
		6:00	25.98	46.42	30.59	8.31	7.17	2.8	14.52	
		9:00	26.23	46.22	30.44	8.37	7.97	3.09	17.65	
		12:00	26.13	46.28	30.5	8.37	7.93	2.99	17.27	
		15:00	26.13	46.29	30.5	8.28	7.1	2.81	20.84	
		18:00	26.11	46.3	30.52	8.23	6.39	2.83	25.39	
		21:00	26.18	46.22	30.47	8.26	6.5	2.78	23.36	
	日平均值		26.13	46.28	30.50	8.31	7.21	3.10	19.49	
	潮口站	0:00	25.04	44.91	29.59	8.31	6.73	4.61	8.56	
		3:00	24.88	45.59	30.03	8.18	6.15	3.85	9.28	
		6:00	24.03	45.67	30.04	8.11	5.49	4.02	7.81	
		9:00	24.91	45.72	30.09	8.24	6.27	3.89	9.66	
		12:00	25.59	45.77	30.13	8.33	6.82	3.76	11.45	
		15:00	25.41	45.54	29.98	8.32	6.77	3.78	11.57	
		18:00	24.46	44.96	29.63	8.16	5.94	3.86	6.04	
		21:00	24.73	45.15	29.75	8.29	6.21	4.11	10.21	
	日平均值		24.88	45.41	29.91	8.24	6.30	3.99	9.32	
	灣內站	0:00	26.68	51.37	32.71	8.25	5.02	1.69	7.59	
		3:00	26.27	51.04	32.5	8.11	5.1	1.73	6.08	
		6:00	26.07	48.78	31.07	8.09	5.07	2.03	8.33	
9:00		26.47	48.89	31.14	8.26	5.31	3.63	9.07		
12:00		27.28	51.07	32.52	8.31	7	4.98	21.35		
15:00		27.37	51.49	32.78	8.34	6.92	4.21	24.7		
18:00		27.19	51.37	32.71	8.35	5.82	2.31	10.53		
21:00		26.89	51.44	32.75	8.3	5.82	1.82	6		
日平均值		26.78	50.68	32.27	8.25	5.76	2.80	11.71		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月16日	蚵殼站	0:00	26.13	46.29	30.51	8.27	6.23	2.85	21.04	
		3:00	26	46.4	30.57	8.29	5.63	3.79	21.11	
		6:00	25.83	46.58	30.67	8.23	5.78	2.75	15.17	
		9:00	26.06	46.37	30.55	8.35	7.24	2.74	13.78	
		12:00	26.31	46.17	30.4	8.39	7.55	3.07	13.29	
		15:00	26.57	45.93	30.24	8.37	7.54	2.8	13.89	
		18:00	26.48	46.03	30.3	8.32	6.85	2.84	14.39	
		21:00	26.55	45.96	30.25	8.33	6.93	2.94	11.13	
	日平均值		26.24	46.22	30.44	8.32	6.72	2.97	15.48	
	潮口站	0:00	24.78	45.62	30.02	8.31	6.31	3.78	11.48	
		3:00	24.58	45.72	30.1	8.17	5.93	3.96	7.2	
		6:00	24.02	46.44	30.56	8.15	5.45	3.76	7.18	
		9:00	24.46	46.61	30.67	8.24	5.85	3.81	5.9	
		12:00	25.13	45.89	30.21	8.34	6.55	3.8	6.19	
		15:00	25.37	45.8	30.14	8.29	6.79	4.02	6.2	
		18:00	24.6	45.07	29.69	8.2	6.02	3.9	4.85	
		21:00	24.62	46.04	30.31	8.22	5.83	3.76	4.55	
	日平均值		24.70	45.90	30.21	8.24	6.09	3.85	6.69	
	灣內站	0:00	26.66	51.31	32.67	8.2	5.23	1.92	4.46	
		3:00	26.58	50.63	32.24	8.11	5.81	1.91	4.7	
		6:00	26.41	48.97	31.19	8.2	6.08	2.38	6.14	
9:00		26.61	49.41	31.47	8.25	5.57	4.93	9.09		
12:00		27.36	50.72	32.3	8.26	6.21	5.61	12.56		
15:00		27.61	50.99	32.47	8.31	5.93	6.87	19.48		
18:00		27.41	51.39	32.72	8.17	5.62	2.12	6.12		
21:00		27.1	51.42	32.74	8.1	5.91	1.76	15.47		
日平均值		26.97	50.61	32.23	8.20	5.80	3.44	9.75		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月17日	蚵殼站	0:00	26.59	45.91	30.23	8.24	7.15	2.78	9.96
		3:00	26.59	45.91	30.23	8.27	6.75	2.7	9.25
		6:00	26.47	46.04	30.3	8.28	6.91	2.81	8.36
		9:00	26.54	45.97	30.26	8.28	7.23	2.97	8.43
		12:00	26.11	46.32	30.5	8.21	6.94	2.88	8.88
		15:00	26.85	45.65	30.09	8.26	7.34	2.88	8.18
		18:00	27.02	45.54	29.99	8.26	6.97	2.9	7.79
		21:00	27.23	45.38	29.88	8.26	6.92	2.73	6.68
	日平均值	26.68	45.84	30.19	8.26	7.03	2.83	8.44	
	潮口站	0:00	25.23	45.32	29.87	8.35	6.31	5.1	4.91
		3:00	25.29	45.94	30.24	8.19	5.76	5.43	4.79
		6:00	24.17	46.58	30.68	8.18	5.47	4.04	4.9
		9:00	24.82	46.41	30.54	8.25	5.75	3.95	4.76
		12:00	26.38	45.76	30.14	8.39	6.58	4.75	4.83
		15:00	26.34	45.79	30.14	8.31	6.68	3.96	8.56
		18:00	25.39	46.07	30.33	8.19	5.9	3.78	10.98
		21:00	24.98	46.06	30.33	8.23	5.31	3.79	7.75
	日平均值	25.33	45.99	30.28	8.26	5.97	4.35	6.44	
	灣內站	0:00	26.86	51.58	32.84	8.26	5.1	1.88	6.96
		3:00	26.68	51.44	32.75	8.18	5.39	1.81	8.3
		6:00	26.61	51.15	32.57	8.2	5.46	3.19	5.9
9:00		26.84	49.98	31.83	8.24	5.46	5.49	4.54	
12:00		27.78	50.69	32.28	8.36	5.57	5.77	44.96	
15:00		28.04	49.47	31.51	8.4	5.51	6.13	56.23	
18:00		27.84	50.6	32.22	8.28	5.73	2.05	48.28	
21:00		26.84	50.72	32.3	8.18	5.42	2.33	38.73	
日平均值	27.19	50.70	32.29	8.26	5.46	3.58	26.74		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月18日	蚵殼站	0:00	27.32	45.28	29.82	8.27	6.6	2.76	6.29
		3:00	27.01	45.57	30	8.24	6.09	2.9	6.7
		6:00	26.89	45.6	30.05	8.24	5.96	2.64	5.05
		9:00	26.97	45.58	30.02	8.25	6.68	2.77	5.59
		12:00	26.6	45.91	30.23	8.24	5.92	2.78	5.58
		15:00	26.86	45.81	30.15	8.16	6.22	2.9	10.92
		18:00	27.03	45.57	30.03	8.17	6.22	2.71	14.94
		21:00	26.95	45.67	30.08	8.13	5.99	2.67	11.34
	日平均值	26.95	45.62	30.05	8.21	6.21	2.77	8.30	
	潮口站	0:00	25.98	45.86	30.56	8.33	6.17	4.05	11.37
		3:00	26.03	45.38	30.62	8.22	5.84	4.08	10.86
		6:00	24.76	45.99	30.28	8.21	5.61	5.07	12.35
		9:00	24.58	46.56	30.65	8.16	6.16	6.77	10.98
		12:00	25.29	46.23	30.44	8.24	6.45	3.84	4.86
		15:00	25.52	46.28	30.47	8.23	6.57	4.01	4.74
		18:00	25.19	46.34	30.22	8.19	6.13	3.94	4.75
		21:00	24.4	46.31	30.56	8.31	5.76	3.8	4.88
	日平均值	25.22	46.12	30.48	8.24	6.09	4.45	8.10	
	灣內站	0:00	26.76	50.95	32.44	8.16	5.67	1.87	33.57
		3:00	26.67	50.99	32.47	8.22	5.7	1.95	24.34
		6:00	26.54	50.46	32.13	8.16	5.89	3.08	37.71
9:00		26.88	49.06	31.25	8.25	6.13	5.26	21.84	
12:00		27.92	49.58	31.58	8.37	6.15	7.92	17	
15:00		27.89	49.31	31.41	8.42	6	5.21	13.63	
18:00		27.7	49.01	31.22	8.36	5.35	2.31	9.73	
21:00		27.66	49.76	31.69	8.23	5.99	1.95	3.86	
日平均值	27.25	49.89	31.77	8.27	5.86	3.69	20.21		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月19日	蚵殼站	0:00	26.98	45.64	30.06	8.13	5.79	2.63	6.63
		3:00	26.7	45.88	30.2	8.14	5.71	2.84	9.01
		6:00	26.87	45.74	30.13	8.14	5.67	2.69	5.92
		9:00	26.66	45.91	30.24	8.11	5.6	2.78	7.31
		12:00	26.37	46.13	30.39	8.14	5.91	2.73	7.54
		15:00	26.98	45.62	30.05	8.15	6.03	2.75	7.52
		18:00	27.04	45.56	30.02	8.12	5.81	2.98	9.49
	21:00	27.13	45.51	29.98	8.12	5.65	9.64	10.36	
	日平均值		26.84	45.75	30.13	8.13	5.77	3.63	7.97
	潮口站	0:00	24.8	45.63	30.04	8.32	5.71	3.07	4.97
		3:00	24.89	45.65	30.06	8.29	5.76	2.86	4.85
		6:00	24.38	45.35	29.87	8.31	5.67	4.96	4.75
		9:00	24.55	46.08	30.33	8.34	5.66	3.97	4.98
		12:00	25.59	45.74	30.11	8.35	6.26	3.84	4.88
		15:00	25.73	45.74	30.12	8.35	6.47	3.85	4.76
		18:00	25.5	45.35	29.87	8.3	5.74	3.92	4.88
	21:00	25.08	46.08	30.33	8.24	5.38	3.65	5.02	
	日平均值		25.07	45.70	30.09	8.31	5.83	3.77	4.89
	灣內站	0:00	27.57	49.65	31.62	8.21	5.91	2.54	4.46
		3:00	27.49	50.09	31.9	8.13	5.74	2.54	4.19
		6:00	27.25	49.95	31.81	8.11	5.84	4.07	5.24
9:00		27.18	50.09	31.9	8.12	6.11	6.52	9.07	
12:00		27.08	50.42	32.11	8.49	5.61	7.14	16.69	
15:00		27.1	50.46	32.13	8.45	5.53	6.57	18.63	
18:00		27.04	50.3	32.03	8.45	5.06	5.44	23.33	
21:00	26.78	50.39	32.09	8.47	5.92	4.04	25.16		
日平均值		27.19	50.17	31.95	8.30	5.72	4.86	13.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月20日	蚵殼站	0:00	27.02	45.59	30.04	8.09	5.42	6.85	8.68
		3:00	27.08	45.55	30	8.12	5.56	4.94	7.26
		6:00	26.94	45.66	30.07	8.11	5.38	2.75	6.21
		9:00	26.84	45.77	30.13	8.13	5.63	2.83	6.65
		12:00	26.69	45.87	30.2	8.12	5.79	2.78	6.67
		15:00	27.19	45.46	29.93	8.17	6.16	2.64	6.76
		18:00	27.37	45.35	29.85	8.17	6.08	5.03	6.58
	21:00	27.27	46.69	30.76	8.17	5.67	2.67	6.98	
	日平均值		27.05	45.74	30.12	8.14	5.71	3.81	6.97
	潮口站	0:00	24.99	45.73	30.12	8.24	5.27	4.14	4.79
		3:00	25.04	46.17	30.39	8.21	5.38	19.11	4.77
		6:00	24.76	46.86	30.91	8.26	5.5	3.74	5.03
		9:00	24.93	46.88	30.27	8.21	5.09	3.86	4.73
		12:00	25.27	46.89	30.28	8.24	6.01	3.7	4.77
		15:00	26.03	46.78	30.19	8.31	6.58	3.83	4.98
		18:00	26.04	45	30.63	8.19	5.94	3.81	4.89
	21:00	25.93	47.78	31.12	8.18	5.26	3.5	4.84	
	日平均值		25.37	46.51	30.49	8.23	5.63	5.71	4.85
	灣內站	0:00	26.4	50.41	32.1	8.49	5.44	4.24	19.26
		3:00	26.14	50.6	32.22	8.41	5.43	4.38	31.72
		6:00	26.13	50.8	32.35	8.39	5.78	5.2	16.75
9:00		26.36	50.79	32.34	8.39	5.16	6.72	16.14	
12:00		27.03	50.34	32.06	8.31	5.16	6.99	15.12	
15:00		27.3	51.34	32.69	8.25	5.63	6.01	19.71	
18:00		27.28	51.37	32.71	8.21	5.6	5.3	25.4	
21:00	26.87	51.39	32.72	8.13	6.07	5.53	21.43		
日平均值		26.69	50.88	32.40	8.32	5.53	5.55	20.69	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月21日	蚵殼站	0:00	27.17	46.93	30.94	8.18	5.44	2.99	5.68
		3:00	27.07	47.03	30.99	8.19	5.54	7.6	5.57
		6:00	26.75	47.35	31.17	8.18	5.31	2.94	5.34
		9:00	26.96	47.18	31.07	8.21	5.71	2.93	5.34
		12:00	27.24	46.92	30.91	8.24	6.23	3.08	5.7
		15:00	27.39	46.82	30.83	8.23	6.11	3.03	5.79
		18:00	27.37	46.83	30.84	8.21	5.94	2.98	5.64
		21:00	27.06	47.08	31.02	8.19	5.7	2.79	5.66
	日平均值		27.13	47.02	30.97	8.20	5.75	3.54	5.59
	潮口站	0:00	25.55	46.14	30.67	8.18	5.24	3.65	4.89
		3:00	25.37	46.78	30.19	8.15	5.26	3.86	4.83
		6:00	25.11	47.7	31.72	8.2	5.56	3.74	4.88
		9:00	25.41	47.66	31.7	8.2	5.72	3.8	4.93
		12:00	25.61	46.97	31.27	8.25	6.1	3.7	5.01
		15:00	25.91	46.78	30.19	8.32	6.49	3.78	4.87
		18:00	25.84	47.29	31.47	8.26	6.22	3.83	4.7
		21:00	25.63	46.65	30.72	8.17	5.09	3.85	4.78
	日平均值		25.55	47.00	30.99	8.22	5.71	3.78	4.86
	灣內站	0:00	26.71	51.07	32.52	8.15	5.9	5.35	19.61
		3:00	26.44	51.2	32.6	8.15	5.62	4.65	22.53
		6:00	26.33	51.01	32.48	8.2	5.27	5.78	21.3
9:00		26.36	50.8	32.35	8.19	6.01	6.51	21.07	
12:00		26.89	50.52	32.17	8.29	5.39	6.65	20.07	
15:00		27.06	50.55	32.19	8.26	6.78	6.8	24.96	
18:00		26.94	50.36	32.07	8.24	5.21	6.82	29.23	
21:00		26.61	50.46	32.13	8.26	5.89	6.98	28.5	
日平均值		26.67	50.75	32.31	8.22	5.76	6.19	23.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月22日	蚵殼站	0:00	26.8	47.32	31.16	8.19	5.64	2.93	4.98
		3:00	26.36	47.68	31.4	8.15	5.24	2.89	4.87
		6:00	25.94	48.02	31.62	8.14	5.14	2.7	4.77
		9:00	25.86	48.07	31.68	8.23	5.35	2.94	4.73
		12:00	26.02	47.98	31.57	8.25	5.78	2.86	5.15
		15:00	26.17	47.83	31.5	8.26	5.57	2.84	5.13
		18:00	26.01	47.99	31.59	8.26	5.48	2.91	5.03
		21:00	25.86	48.06	31.68	8.26	5.46	2.75	4.9
	日平均值		26.13	47.87	31.53	8.22	5.46	2.85	4.95
	潮口站	0:00	25.47	48.49	31.93	8.21	5.05	3.91	4.81
		3:00	25.07	48.33	31.83	8.21	5.28	3.77	4.89
		6:00	24.9	48.23	31.77	8.22	5.71	3.7	4.57
		9:00	25.02	48.24	31.76	8.25	6.02	3.79	4.82
		12:00	25.11	48.22	31.76	8.26	6.03	3.61	4.83
		15:00	24.96	48.81	32.16	8.28	6.47	3.75	4.89
		18:00	24.85	48.38	31.88	8.27	6.53	3.97	5.05
		21:00	24.7	47.99	31.62	8.16	6	3.79	5.01
	日平均值		25.01	48.34	31.84	8.23	5.89	3.79	4.86
	灣內站	0:00	26.29	50.49	32.15	8.24	5.49	7.8	25.98
		3:00	26.02	50.38	32.08	8.24	5.38	7.93	34.43
		6:00	25.72	50.49	32.15	8.26	6.05	9	23.18
9:00		25.62	50.49	32.15	8.22	5.78	7.85	22.61	
12:00		25.54	50.44	32.12	8.26	6.92	7.88	24.78	
15:00		25.5	50.44	32.12	8.27	5.11	7.55	21.82	
18:00		25.36	50.44	32.12	8.23	5.16	5.78	13.4	
21:00		25.17	50.65	32.25	8.16	6.01	9.34	13.86	
日平均值		25.65	50.48	32.14	8.24	5.74	7.89	22.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月23日	蚵殼站	0:00	25.69	48.22	31.77	8.22	5.99	2.78	5.08
		3:00	25.32	48.59	31.99	8.21	5.9	2.82	4.93
		6:00	25.12	48.74	32.11	8.21	5.92	2.86	4.8
		9:00	25.13	48.64	32.03	8.34	6.38	2.87	5.08
		12:00	25.49	48.29	31.79	8.44	7.21	2.73	4.92
		15:00	25.56	48.24	31.76	8.41	7.09	2.68	5.08
		18:00	25.41	48.36	31.85	8.32	6.39	2.62	4.94
		21:00	25.25	48.53	31.96	8.23	5.75	2.72	4.73
	日平均值	25.37	48.45	31.91	8.30	6.33	2.76	4.95	
	潮口站	0:00	24.63	48.45	31.92	8.18	6	3.71	4.74
		3:00	24.69	48.71	32.1	8.16	6.13	3.81	4.77
		6:00	24.73	48.46	31.93	8.17	6.17	3.77	4.85
		9:00	25.14	48.16	31.72	8.3	6.46	3.64	5.6
		12:00	25.66	47.94	31.57	8.33	6.19	3.58	5.72
		15:00	25.06	48.19	31.74	8.4	6.57	3.49	5.72
		18:00	24.72	47.37	31.23	8.39	6.59	3.33	5.53
		21:00	24.54	48.44	31.92	8.31	6.21	3.47	5.62
	日平均值	24.90	48.22	31.77	8.28	6.29	3.60	5.32	
	灣內站	0:00	25.03	50.46	32.13	8.18	5.8	5.57	11.72
		3:00	24.89	49.79	31.71	8.13	5.13	4.83	10.23
		6:00	24.68	49.49	31.52	8.16	5.32	6.12	10.15
9:00		24.64	50	31.84	8.25	5.07	6.5	9.55	
12:00		24.91	50.03	31.86	8.26	5.69	6.75	10.3	
15:00		25.17	50	31.84	8.4	6.54	5.58	10.56	
18:00		25.03	49.85	31.75	8.45	5.95	5.44	12.92	
21:00		24.93	49.05	31.24	8.42	5.55	4.86	12.47	
日平均值	24.91	49.83	31.74	8.28	5.63	5.71	10.99		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月24日	蚵殼站	0:00	25.13	48.58	31.99	8.26	5.85	2.66	4.98
		3:00	25.12	48.62	32.01	8.29	5.9	2.74	4.98
		6:00	25.02	48.68	32.05	8.3	6.01	2.99	5.16
		9:00	25.01	48.69	32.06	8.33	6.09	2.82	5.14
		12:00	25.02	48.68	32.05	8.38	6.39	2.85	5.4
		15:00	25.31	48.47	31.92	8.37	6.46	2.84	5.24
		18:00	25.22	48.49	31.94	8.35	6.36	2.74	5.62
		21:00	25.03	48.69	32.05	8.34	6.23	2.9	5.67
	日平均值	25.11	48.61	32.01	8.33	6.16	2.82	5.27	
	潮口站	0:00	24.76	48.31	31.81	8.32	6.14	3.26	5.66
		3:00	25.43	48.05	31.66	8.3	6.08	3.42	5.45
		6:00	25.31	48.17	31.73	8.23	5.76	3.23	5.55
		9:00	25.4	48.13	31.71	8.26	6.3	3.41	5.52
		12:00	25.46	48.17	31.73	8.27	6.07	3.46	5.59
		15:00	25.46	48.1	31.68	8.3	6.27	3.52	5.53
		18:00	24.84	48.27	31.8	8.36	6.57	3.46	5.59
		21:00	24.3	48.33	31.84	8.37	6.38	3.5	5.59
	日平均值	25.12	48.19	31.75	8.30	6.20	3.41	5.56	
	灣內站	0:00	24.81	48.9	31.15	8.39	5.5	5.06	11.78
		3:00	24.64	49.49	31.52	8.33	5.33	3.89	13.2
		6:00	24.53	50.55	32.19	8.28	5.21	4.96	9.76
9:00		24.49	50.41	32.1	8.25	5.3	5.56	9.54	
12:00		24.51	50.53	32.18	8.25	5.53	5.69	10.03	
15:00		24.47	50.39	32.09	8.3	5.62	6.34	10.89	
18:00		24.3	49.88	31.77	8.26	5.38	5.29	13.34	
21:00		24.02	49.85	31.75	8.19	6.04	4.71	11.44	
日平均值	24.47	50.00	31.84	8.28	5.49	5.19	11.25		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月25日	蚵殼站	0:00	24.9	48.8	32.12	8.32	6.03	2.79	5.77	
		3:00	24.73	48.95	32.25	8.32	5.98	3.7	6.06	
		6:00	24.67	49.04	32.31	8.29	5.79	2.88	6.28	
		9:00	24.88	48.78	32.13	8.31	5.91	2.78	6.6	
		12:00	24.72	48.95	32.24	8.34	6.21	2.99	5.88	
		15:00	24.63	49.02	32.29	8.34	6.38	2.73	5.1	
		18:00	25.34	48.39	31.88	8.39	6.54	2.75	5.22	
	21:00	25.29	48.42	31.89	8.39	6.54	2.91	5.27		
	日平均值		24.90	48.79	32.14	8.34	6.17	2.94	5.77	
	潮口站	0:00	24.33	48.48	31.94	8.26	5.87	3.46	5.41	
		3:00	24.97	48.31	31.82	8.26	6.22	3.56	5.63	
		6:00	24.64	48.26	31.79	8.19	5.12	3.32	5.57	
		9:00	24.84	48.24	31.78	8.22	5.72	3.71	5.58	
		12:00	25.79	47.94	31.58	8.27	6.46	3.34	5.57	
		15:00	25.88	47.99	31.61	8.28	6.23	3.4	5.46	
		18:00	24.55	48.08	31.67	8.37	6.69	3.32	5.72	
	21:00	24.51	48.09	31.69	8.33	6.59	3.51	5.59		
	日平均值		24.94	48.17	31.74	8.27	6.11	3.45	5.57	
	灣內站	0:00	23.92	50.33	32.05	8.3	5.53	5.15	14.01	
		3:00	24.02	50.36	32.07	8.37	5.6	4.45	15.72	
		6:00	23.9	50.15	31.94	8.33	5.01	5.28	9.03	
9:00		24.02	50.23	31.99	8.32	5.37	5.87	8.62		
12:00		24.7	49.84	31.74	8.25	6.44	7.25	8.69		
15:00		24.98	50.08	31.89	8.41	6.66	7.52	8.88		
18:00		24.94	49.9	31.78	8.38	6.25	5.38	12.96		
21:00	25	50.09	31.9	8.35	6.12	5.31	10.59			
日平均值		24.44	50.12	31.92	8.34	5.87	5.78	11.06		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月26日	蚵殼站	0:00	25.11	48.57	31.98	8.37	6.36	2.79	5.61	
		3:00	24.93	48.77	32.1	8.34	6.01	2.79	5.77	
		6:00	24.87	48.82	32.15	8.35	6.03	2.97	6.01	
		9:00	25.25	48.34	31.84	8.38	6.35	2.87	6.2	
		12:00	25.75	47.86	31.53	8.39	6.48	2.88	6.19	
		15:00	25.64	47.99	31.6	8.39	6.53	2.84	6.53	
		18:00	25.6	48.02	31.62	8.39	6.48	2.74	6.87	
	21:00	25.53	48.09	31.67	8.39	6.47	2.57	7.38		
	日平均值		25.34	48.31	31.81	8.38	6.34	2.81	6.32	
	潮口站	0:00	24.55	48.18	31.75	8.23	6.1	3.46	5.7	
		3:00	25.36	47.91	31.56	8.23	6.44	3.51	5.6	
		6:00	25.26	48.08	31.67	8.2	5.38	3.41	5.8	
		9:00	25.11	48.2	31.76	8.28	5.8	3.19	4.96	
		12:00	25.63	47.85	31.52	8.3	6.7	3.5	4.65	
		15:00	25.65	47.81	31.48	8.25	6.49	3.45	4.74	
		18:00	25.19	48.09	31.68	8.28	6.7	3.19	4.84	
	21:00	24.89	47.73	31.43	8.28	6.65	3.4	4.73		
	日平均值		25.21	47.98	31.61	8.26	6.28	3.39	5.13	
	灣內站	0:00	24.82	49.5	31.53	8.32	5.41	5.18	9.22	
		3:00	24.53	49.84	31.74	8.34	5.27	4.85	10.68	
		6:00	24.42	50.09	31.9	8.28	5.22	5.4	8.47	
9:00		24.46	50.39	32.09	8.22	5.68	6.14	6.38		
12:00		24.8	49.88	31.77	8.27	6.57	6.48	6.38		
15:00		24.76	49.9	31.78	8.36	6.56	6.33	6.43		
18:00		24.66	49.96	31.82	8.37	5.63	4.94	7.03		
21:00	24.69	49.76	31.69	8.31	5.57	4.5	6.57			
日平均值		24.64	49.92	31.79	8.31	5.74	5.48	7.65		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月27日	蚵殼站	0:00	25.46	48.16	31.71	8.35	6.26	2.74	7.7
		3:00	25.3	48.29	31.8	8.31	5.89	2.8	7.49
		6:00	25.27	48.27	31.8	8.31	5.87	2.65	7.54
		9:00	25.7	47.92	31.57	8.34	6.07	2.92	7.03
		12:00	25.73	47.89	31.54	8.4	6.38	2.79	7.56
		15:00	25.96	47.69	31.42	8.42	6.42	2.87	7.31
		18:00	26.51	47.19	31.1	8.4	6.37	2.75	7.73
		21:00	26.63	47.08	31.03	8.4	6.32	2.78	7.69
	日平均值		25.82	47.81	31.50	8.37	6.20	2.79	7.51
	潮口站	0:00	24.85	47.83	31.51	8.22	6.09	3.55	4.83
		3:00	25.26	47.53	31.31	8.25	6.44	3.43	4.77
		6:00	25.18	46.07	30.34	8.27	6.32	3.61	4.78
		9:00	25.01	47.01	30.96	8.22	6.4	3.47	4.68
		12:00	25.66	46.25	30.46	8.22	6.51	3.53	4.74
		15:00	25.85	46.25	30.46	8.22	6.84	3.56	4.63
		18:00	25.66	46.51	30.63	8.21	6.37	3.46	4.74
		21:00	25.32	45.96	30.25	8.27	6.88	3.52	4.91
	日平均值		25.35	46.68	30.74	8.24	6.48	3.52	4.76
	灣內站	0:00	24.84	49.87	31.76	8.28	5.17	4.3	7
		3:00	24.57	49.87	31.76	8.27	5.63	4.32	6.68
		6:00	24.46	49.62	31.6	8.25	5.11	4.57	5.82
9:00		24.81	49.39	31.46	8.26	5.63	5.89	6.12	
12:00		25.6	48.68	31.01	8.27	6.42	13.08	6.1	
15:00		26	48.82	31.1	8.39	6.66	5.41	6.28	
18:00		25.97	48.78	31.07	8.38	6.2	4.18	6.71	
21:00		26.01	48.74	31.05	8.31	6.55	4.16	6.66	
日平均值		25.28	49.22	31.35	8.30	5.92	5.74	6.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月28日	蚵殼站	0:00	26.6	47.11	31.04	8.37	6.2	3.08	7.85
		3:00	26.37	47.33	31.17	8.35	5.91	2.73	7.06
		6:00	26.22	47.5	31.26	8.34	5.78	2.67	8.12
		9:00	26.47	47.25	31.12	8.36	5.9	2.76	8.07
		12:00	26.91	46.87	30.87	8.4	5.98	2.74	9.7
		15:00	26.98	46.82	30.83	8.38	5.73	2.65	7.31
		18:00	26.99	46.81	30.82	8.35	5.64	2.85	7.73
		21:00	26.91	46.89	30.87	8.34	5.52	2.76	7.69
	日平均值		26.68	47.07	31.00	8.36	5.83	2.78	7.94
	潮口站	0:00	25.53	45.77	30.15	8.19	5.81	3.48	5.09
		3:00	25.43	46.62	30.71	8.18	6.16	3.51	4.79
		6:00	25.46	46.48	30.61	8.2	6.08	3.6	4.92
		9:00	25.51	45.97	30.27	8.23	6.54	3.34	4.83
		12:00	25.83	45.83	30.19	8.19	6.59	3.46	4.88
		15:00	25.9	45.4	29.91	8.15	6.66	3.43	5.04
		18:00	25.8	46.01	30.29	8.16	6.23	3.36	4.77
		21:00	25.76	45.96	30.26	8.18	6.72	3.57	4.88
	日平均值		25.65	46.01	30.30	8.19	6.35	3.47	4.90
	灣內站	0:00	25.93	48.87	31.13	8.26	5.58	4.09	6.45
		3:00	25.72	48.98	31.2	8.25	5.26	4.05	6.39
		6:00	25.63	49.05	31.24	8.27	5.63	4.35	6.15
9:00		25.91	48.95	31.18	8.26	5.54	5.96	6.2	
12:00		26.39	48.62	30.97	8.31	6.55	5.74	6.24	
15:00		26.31	48.65	30.99	8.39	6.62	5.13	6.27	
18:00		26.2	48.57	30.94	8.39	5.27	5.05	6.61	
21:00		26.12	48.4	30.83	8.33	5.14	4.38	6.33	
日平均值		26.03	48.76	31.06	8.31	5.70	4.84	6.33	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月29日	蚵殼站	0:00	26.9	46.9	30.88	8.33	5.42	2.69	7.12
		3:00	26.65	47.07	31.01	8.31	5.13	2.81	7.7
		6:00	26.43	47.28	31.13	8.27	5.94	2.74	7.49
		9:00	26.66	46.97	30.93	8.38	5.29	2.89	7.54
		12:00	26.91	46.72	30.77	8.44	5.41	2.64	5.02
		15:00	27.19	46.51	30.61	8.45	5.39	2.77	5.18
		18:00	27.21	46.5	30.6	8.46	5.35	2.65	5.04
	21:00	27.19	46.52	30.61	8.45	5.25	2.76	4.83	
	日平均值		26.89	46.81	30.82	8.39	5.40	2.74	6.24
	潮口站	0:00	25.78	45.01	29.65	8.15	6.19	3.25	4.9
		3:00	25.51	45.71	30.09	8.15	6.02	3.35	4.74
		6:00	25.41	45.57	30.01	8.14	5.89	3.2	4.9
		9:00	25.69	45.17	29.75	8.21	6.34	3.34	7.03
		12:00	26.06	44.44	29.27	8.21	5.52	3.49	8.25
		15:00	25.94	44.83	29.55	8.2	5.64	3.28	7.6
		18:00	25.81	44.77	29.49	8.18	5.18	3.55	7.48
	21:00	25.86	45.31	29.85	8.18	5.55	3.49	7.3	
	日平均值		25.76	45.10	29.71	8.18	5.79	3.37	6.53
	灣內站	0:00	26.17	48.43	30.85	8.16	5.58	4.34	6.26
		3:00	25.96	48.7	31.02	8.23	5.26	4.25	6.76
		6:00	25.79	48.76	31.06	8.31	5.14	4.81	6.06
9:00		26.16	48.97	31.19	8.29	5.35	5.96	5.72	
12:00		26.89	48.35	30.81	8.26	6.24	6.15	6.75	
15:00		27.09	48.22	30.72	8.35	5.64	5.66	6.86	
18:00		26.87	48.34	30.8	8.3	5.41	11.52	8.01	
21:00	26.7	48.19	30.72	8.31	5.68	4.01	7.33		
日平均值		26.45	48.50	30.90	8.28	5.54	5.84	6.72	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月30日	蚵殼站	0:00	27.19	46.52	30.61	8.43	5.17	2.82	5.08
		3:00	26.87	46.74	30.78	8.42	5.01	2.79	5.08
		6:00	26.78	46.84	30.84	8.43	4.98	2.68	5.26
		9:00	27.03	46.61	30.7	8.43	5.27	2.94	5.24
		12:00	27.49	46.25	30.45	8.44	5.41	2.66	5.5
		15:00	27.82	45.99	30.28	8.44	5.57	2.93	5.34
		18:00	27.56	46.19	30.41	8.43	5.54	2.95	5.72
	21:00	27.42	46.29	30.49	8.4	5.5	2.92	5.77	
	日平均值		27.27	46.43	30.57	8.43	5.31	2.84	5.37
	潮口站	0:00	26.11	44.17	29.1	8.21	5.37	3.23	7.79
		3:00	25.76	45.05	29.67	8.21	5.06	3.13	7.55
		6:00	25.56	45.28	29.82	8.2	5.01	3.31	7.86
		9:00	25.89	45.41	29.91	8.26	5.37	3.33	5.4
		12:00	26.47	44.29	29.17	8.29	5.71	3.58	4.71
		15:00	26.32	44.45	29.27	8.29	5.45	3.36	4.67
		18:00	25.73	45.11	29.72	8.3	5.07	3.3	4.64
	21:00	25.96	45.42	29.91	8.29	5.39	3.57	4.86	
	日平均值		25.98	44.90	29.57	8.26	5.30	3.35	5.94
	灣內站	0:00	26.68	48.19	30.71	8.2	5.85	3.91	7.29
		3:00	26.48	48.32	30.79	8.23	5.2	3.89	7.74
		6:00	26.25	48.24	30.75	8.23	5.48	4.11	6.3
9:00		26.62	48.27	30.75	8.31	6.8	5.88	6.02	
12:00		26.98	48.54	30.94	8.26	7.81	5.73	7.13	
15:00		26.95	48.41	30.86	8.35	7.66	5.54	7.63	
18:00		26.74	48.77	31.06	8.37	6.19	4.53	7.54	
21:00	26.7	48.63	30.97	8.28	5.46	4.53	6.95		
日平均值		26.68	48.42	30.85	8.28	6.31	4.77	7.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月31日	蚵殼站	0:00	27.62	46.19	30.4	8.4	5.48	2.81	5.87
		3:00	27.5	46.23	30.45	8.4	5.46	2.88	6.16
		6:00	27.33	46.37	30.53	8.4	5.45	2.67	6.38
		9:00	27.37	46.33	30.52	8.4	5.71	2.67	6.7
		12:00	27.6	47.01	30.95	8.43	6	2.8	6.46
		15:00	28.1	47.01	30.97	8.44	6.71	2.75	6.84
		18:00	27.78	47.32	31.17	8.33	6.58	2.78	7.02
		21:00	27.69	47.44	31.23	8.29	6.42	2.72	6.21
	日平均值		27.62	46.74	30.78	8.39	5.98	2.76	6.46
	潮口站	0:00	26.22	44.59	29.38	8.28	5.4	3.28	4.92
		3:00	25.98	45.05	29.66	8.27	5.39	3.44	4.74
		6:00	25.39	45.33	29.86	8.27	5.21	3.44	4.82
		9:00	25.95	45.32	29.86	8.24	5.08	3.58	4.7
		12:00	26.8	44.68	29.44	8.22	5.37	3.36	4.93
		15:00	26.88	44.48	29.32	8.2	5.54	3.48	4.85
		18:00	25.92	44.78	29.51	8.21	5.25	3.42	4.89
		21:00	25.87	44.96	29.63	8.22	5	3.36	4.71
	日平均值		26.13	44.90	29.58	8.24	5.28	3.42	4.82
	灣內站	0:00	26.69	47.46	30.25	8.2	5.41	5.17	7.05
		3:00	26.7	47.38	30.19	8.21	5.82	4.45	7.83
		6:00	26.62	47.49	30.27	8.17	5.61	5.96	5.94
9:00		26.84	48.37	30.82	8.17	5.72	6.25	6.36	
12:00		27.59	49.48	31.53	8.38	6.04	6.61	6.9	
15:00		27.95	50.17	31.34	8.39	6.44	5.03	8.58	
18:00		27.43	49.54	31.17	8.47	6.66	4.11	8.55	
21:00		27.17	49.7	31.3	8.4	5.61	3.6	8.54	
日平均值		27.12	48.70	30.86	8.30	5.91	5.15	7.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月1日	蚵殼站	0:00	27.91	47.2	31.09	8.33	6.53	2.77	5.35
		3:00	28.21	46.96	30.93	8.33	6.62	2.89	5.2
		6:00	28.06	47.06	31.01	8.33	6.5	2.85	5.04
		9:00	27.63	47.44	31.26	8.29	6.27	2.95	4.85
		12:00	27.61	47.46	31.25	8.36	6.38	2.92	4.93
		15:00	28.27	47.55	31.33	8.4	6.89	2.66	5.08
		18:00	28.34	47.6	31.36	8.36	6.84	2.9	5.16
	21:00	28.66	47.35	31.18	8.4	6.72	2.91	3.99	
	日平均值		28.09	47.33	31.18	8.35	6.59	2.86	4.95
	潮口站	0:00	26.56	45.43	29.92	8.23	5.07	3.56	5.09
		3:00	26.54	45.43	29.92	8.22	5.04	3.45	4.78
		6:00	25.29	45	29.65	8.2	5.04	3.25	4.91
		9:00	25.21	46.01	30.26	8.19	5.03	3.51	4.71
		12:00	27.55	49.22	31.1	8.3	5.67	3.43	4.77
		15:00	27.6	49.75	31.33	8.32	5.64	3.44	4.94
		18:00	27.1	50.21	31.61	8.24	5.46	3.51	4.84
	21:00	27.76	48.98	30.84	8.26	5.42	3.44	4.71	
	日平均值		26.70	47.50	30.58	8.25	5.30	3.45	4.84
	灣內站	0:00	26.77	49.76	31.33	8.32	5.61	3.96	8.28
		3:00	26.71	49.74	31.32	8.29	5.97	3.76	8.97
		6:00	26.37	49.78	31.34	8.3	5.74	4.05	9.29
9:00		26.8	49.56	31.21	8.38	5.89	4.82	8.33	
12:00		27.72	49.56	31.19	8.44	5.76	5.36	8.32	
15:00		28.08	49.81	31.35	8.46	5.57	5.48	8.37	
18:00		28.01	49.77	31.33	8.45	5.12	3.94	9.46	
21:00	27.78	48.79	30.72	8.4	5.35	4.41	7.09		
日平均值		27.28	49.60	31.22	8.38	5.63	4.47	8.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月2日	蚵殼站	0:00	28.46	47.54	31.29	8.38	7.05	2.64	4.23
		3:00	28.4	47.57	31.32	8.36	6.86	2.78	4.11
		6:00	28.32	47.6	31.36	8.36	6.72	2.94	4.16
		9:00	28.11	47.81	31.48	8.39	6.63	2.72	4.2
		12:00	27.76	48.09	31.68	8.4	6.41	2.89	4.3
		15:00	28.54	47.45	31.25	8.39	7.11	3.05	4.28
		18:00	28.79	47.21	31.11	8.39	7.07	2.85	4.13
	21:00	28.66	47.35	31.18	8.4	6.72	2.91	3.99	
	日平均值		28.38	47.58	31.33	8.38	6.82	2.85	4.18
	潮口站	0:00	27.06	50.03	31.49	8.17	5.25	3.53	4.88
		3:00	27.04	50.91	32.05	8.01	5.62	3.53	4.77
		6:00	26.06	50.97	32.09	8.12	5.34	3.41	4.96
		9:00	26.2	51.21	32.24	8.21	5.37	3.43	4.79
		12:00	27.33	50.32	31.68	8.37	5.62	3.62	4.94
		15:00	28.01	49.17	30.95	8.4	5.93	3.26	4.88
		18:00	27.76	48.98	30.84	8.26	5.42	3.44	4.71
	21:00	26.06	48.88	30.77	8.13	5.17	3.33	4.75	
	日平均值		26.94	50.06	31.51	8.21	5.47	3.44	4.84
	灣內站	0:00	27.13	49.98	31.48	8.4	5.15	6.44	7.5
		3:00	27.19	49.95	31.46	8.35	5.66	5.66	7.95
		6:00	26.91	49.47	31.13	8.26	5.49	8.07	7.88
9:00		27.29	49.4	31.09	8.36	5.59	5.38	7.33	
12:00		27.82	48.91	30.79	8.4	5.76	5.47	7.3	
15:00		27.91	48.9	30.79	8.46	5.96	5.36	7.32	
18:00		27.78	48.79	30.72	8.4	5.92	4.41	7.09	
21:00	27.56	48.77	30.7	8.44	5.08	7.16	7.32		
日平均值		27.45	49.27	31.02	8.38	5.58	5.99	7.46	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月3日	蚵殼站	0:00	28.53	47.48	31.26	8.36	6.59	2.77	3.96
		3:00	28.47	47.53	31.28	8.33	6.42	2.9	4.02
		6:00	28.34	47.6	31.36	8.33	6.29	2.85	3.96
		9:00	28.24	47.66	31.41	8.32	6.24	2.85	4.14
		12:00	27.95	47.9	31.56	8.4	6.34	2.84	3.95
		15:00	28.41	47.59	31.33	8.39	6.32	2.76	3.85
		18:00	28.44	47.54	31.3	8.32	6.08	2.85	3.91
	21:00	28.51	47.51	31.27	8.3	6.09	2.7	3.95	
	日平均值		28.36	47.60	31.35	8.34	6.30	2.82	3.97
	潮口站	0:00	26.47	49.56	31.21	8.1	5.18	3.35	4.82
		3:00	26.37	47.83	30.11	8.03	5.62	3.46	4.82
		6:00	25.71	47.42	29.85	8.13	5.15	3.37	4.75
		9:00	25.73	48.34	30.43	8.14	5.28	3.51	4.79
		12:00	26.61	48.12	30.29	8.23	5.45	3.3	4.75
		15:00	27.67	47.33	29.79	8.34	5.63	3.34	4.77
		18:00	28.07	46.63	29.36	8.21	5.46	3.24	4.77
	21:00	27.44	47.37	29.84	8.09	5.28	3.36	4.91	
	日平均值		26.76	47.83	30.11	8.16	5.38	3.37	4.80
	灣內站	0:00	27.46	48.82	30.73	8.38	5.32	9.4	7.05
		3:00	27.41	48.77	30.71	8.39	5.4	7.63	7.64
		6:00	27.25	48.85	30.76	8.36	5.4	5.49	7.06
9:00		27.29	48.85	30.75	8.36	5.49	6.33	7.34	
12:00		28.1	48.23	30.36	8.4	5.34	6.54	7.24	
15:00		28.3	47.84	30.12	8.45	5.84	5.44	7.52	
18:00		28.26	47.82	30.11	8.42	5.15	6.05	8.29	
21:00	27.78	47.94	30.18	8.37	5.73	8.59	7.95		
日平均值		27.73	48.39	30.47	8.39	5.46	6.93	7.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月4日	蚵殼站	0:00	28.64	47.37	31.2	8.37	6.05	2.86	3.93
		3:00	28.78	47.22	31.11	8.38	6.1	2.84	3.97
		6:00	28.53	47.48	31.26	8.37	5.83	2.94	3.85
		9:00	28.52	47.49	31.26	8.37	5.82	2.76	4.02
		12:00	27.95	47.93	31.57	8.39	5.7	2.87	3.95
		15:00	28.42	47.56	31.31	8.39	5.82	2.93	3.89
		18:00	28.53	47.48	31.25	8.35	5.86	2.68	3.85
	21:00	28.59	47.42	31.22	8.38	6.13	2.9	3.92	
	日平均值		28.50	47.49	31.27	8.38	5.91	2.85	3.92
	潮口站	0:00	26.34	47.57	29.94	8.18	5.62	3.11	4.75
		3:00	26.5	47.83	30.11	8.12	5.01	3.45	4.8
		6:00	26.08	47.42	29.85	8.13	5.12	3.35	4.68
		9:00	25.97	48.34	30.43	8.15	5.27	3.59	4.78
		12:00	26.13	48.12	30.29	8.23	5.37	3.49	4.79
		15:00	27.24	47.33	29.79	8.35	5.58	3.41	4.61
		18:00	27.57	46.63	29.36	8.34	5.45	3.34	4.86
	21:00	27.72	47.37	29.84	8.16	5.32	3.45	4.92	
	日平均值		26.69	47.58	29.95	8.21	5.34	3.40	4.77
	灣內站	0:00	27.58	47.66	30	8.36	5.14	10.1	7.75
		3:00	27.5	47.71	30.04	8.28	5.13	22.42	7.54
		6:00	27.07	47.39	29.84	8.22	5.25	32.42	7.03
9:00		27.29	47.41	29.86	8.33	5.6	10.87	6.76	
12:00		27.78	48.13	30.67	8.46	5.12	7.81	7.35	
15:00		28.05	47.72	30.41	8.45	5.62	8.69	7.99	
18:00		28.1	47.51	30.28	8.36	5.72	7.83	8.02	
21:00	28.09	47.55	30.33	8.26	5.85	10.35	7.88		
日平均值		27.68	47.64	30.18	8.34	5.43	13.81	7.54	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月5日	蚵殼站	0:00	28.39	47.58	31.32	8.4	5.71	2.59	3.93
		3:00	28.18	47.73	31.44	8.39	5.54	2.79	3.86
		6:00	28.02	47.89	31.52	8.36	5.4	2.73	3.96
		9:00	27.88	48	31.59	8.35	5.22	2.99	3.83
		12:00	28.07	47.84	31.5	8.4	5.44	2.62	4.01
		15:00	28.18	47.73	31.43	8.39	5.58	2.82	3.91
		18:00	28.29	47.62	31.37	8.39	5.8	2.78	4.04
		21:00	28.17	47.73	31.44	8.39	5.63	2.66	3.86
	日平均值		28.15	47.77	31.45	8.38	5.54	2.75	3.93
	潮口站	0:00	26.64	47.57	29.94	8.16	5.21	3.47	4.96
		3:00	26.39	47.75	30.06	8.19	5.27	3.52	4.8
		6:00	26.33	48.3	30.4	8.21	5.36	3.52	4.9
		9:00	26.18	48.28	30.39	8.19	5.4	3.53	4.73
		12:00	26.31	48.02	30.24	8.24	5.48	3.27	4.76
		15:00	26.69	47.66	30.01	8.3	5.52	3.45	4.8
		18:00	26.99	46.63	29.34	8.43	5.53	3.36	4.77
		21:00	27.07	45.33	28.54	8.26	5.32	3.47	4.86
	日平均值		26.58	47.44	29.87	8.25	5.39	3.45	4.82
	灣內站	0:00	27.82	47.66	30.38	8.23	5.59	8.37	7.32
		3:00	27.59	47.46	30.25	8.25	5.25	9.86	6.68
		6:00	27.35	47.43	30.23	8.31	5.08	10.35	6.45
9:00		27.28	47.31	30.16	8.36	5.04	10.51	7.03	
12:00		27.51	47.09	30.01	8.42	5.06	12.88	8.24	
15:00		27.53	47.93	30.92	8.36	5.48	7.87	7.96	
18:00		27.43	47.83	30.85	8.26	5.14	10.22	8.43	
21:00		27.07	47.57	30.71	8.29	5.69	9.74	8.6	
日平均值		27.45	47.54	30.44	8.31	5.29	9.98	7.59	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月6日	蚵殼站	0:00	27.98	47.92	31.55	8.38	5.98	2.67	3.98
		3:00	27.78	48.02	31.65	8.36	5.67	2.83	3.88
		6:00	27.7	48.11	31.7	8.35	5.7	2.87	3.91
		9:00	27.64	48.17	31.74	8.39	5.08	2.93	4.15
		12:00	27.46	48.35	31.83	8.3	5.14	2.71	4.1
		15:00	27.47	48.33	31.82	8.34	5.32	2.67	3.93
		18:00	27.4	48.37	31.85	8.37	5.29	2.93	3.98
		21:00	27.4	48.37	31.85	8.31	5.2	2.88	3.95
	日平均值		27.60	48.21	31.75	8.35	5.42	2.81	3.99
	潮口站	0:00	26.57	46.96	29.57	8.24	5.14	3.39	5.05
		3:00	26.19	46.51	29.28	8.21	5.2	3.41	10.78
		6:00	26.22	46.89	29.51	8.18	5.62	3.45	11.71
		9:00	26.14	48.37	30.46	8.3	5.68	3.43	14.43
		12:00	26.15	48.35	30.45	8.36	5.89	3.42	14.03
		15:00	26.25	48.98	30.84	8.45	5.85	3.46	10.37
		18:00	26.24	48.92	30.79	8.5	5.87	3.61	10.89
		21:00	26.43	47.57	29.93	8.45	6.1	3.41	7.22
	日平均值		26.27	47.82	30.10	8.34	5.67	3.45	10.56
	灣內站	0:00	26.99	47.58	30.71	8.24	5.21	11.9	7.29
		3:00	26.83	47.42	30.58	8.24	5.69	13.44	7.18
		6:00	26.71	47.65	30.75	8.23	5.99	12.79	6.62
9:00		26.66	47.76	30.82	8.4	5.04	6.66	8.14	
12:00		26.67	47.77	30.82	8.37	5.93	6.73	7.65	
15:00		26.64	47.84	30.86	8.34	5.23	6.81	7.91	
18:00		26.34	47.59	30.69	8.24	5	7.15	7.82	
21:00		26.13	46.8	30.21	8.09	5.43	15.28	10.27	
日平均值		26.62	47.55	30.68	8.27	5.44	10.10	7.86	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月7日	蚵殼站	0:00	27.34	48.38	31.88	8.34	5.87	2.76	3.99
		3:00	27.09	48.62	32.01	8.34	5.59	2.94	3.8
		6:00	27.06	48.65	32.03	8.29	5.63	2.74	3.94
		9:00	27.17	48.54	31.97	8.4	5.83	2.83	4.07
		12:00	27.01	48.64	32.04	8.39	5.21	2.76	4.03
		15:00	26.84	48.77	32.12	8.36	5.24	2.9	3.88
		18:00	26.89	48.72	32.1	8.3	5.08	2.77	4.06
		21:00	26.82	48.79	32.15	8.33	5.2	2.71	4.08
	日平均值		27.03	48.64	32.04	8.34	5.46	2.80	3.98
	潮口站	0:00	26.24	46.61	29.35	8.32	5.7	3.3	6.2
		3:00	25.79	48.3	30.41	8.31	5.76	3.54	6.5
		6:00	25.86	48.54	30.57	8.29	5.55	3.13	6.4
		9:00	25.97	49.18	30.96	8.27	5.53	3.3	5.75
		12:00	25.98	49.12	30.93	8.31	5.91	3.33	6.03
		15:00	25.99	49.28	31.02	8.42	5.9	3.44	5.21
		18:00	25.85	49.93	31.43	8.5	5.91	3.36	4.87
		21:00	25.77	49.01	30.86	8.46	5.9	3.43	4.7
	日平均值		25.93	48.75	30.69	8.36	5.77	3.35	5.71
	灣內站	0:00	26.03	46.78	30.17	8.08	5.33	19.94	13.27
		3:00	26	47.47	30.63	8.15	5.26	12	13.66
		6:00	25.99	47.18	30.44	8.2	5.69	6.07	7.84
		9:00	26.08	47.23	30.47	8.29	5.87	5.76	7.73
		12:00	25.99	47.53	30.67	8.32	5.36	5.22	7.1
		15:00	26.02	47.82	30.87	8.36	5.11	4.46	6.96
		18:00	25.97	47.74	30.81	8.28	5.92	5.78	7.17
		21:00	25.77	47.98	30.95	8.2	5.58	4.48	7.42
	日平均值		25.98	47.47	30.63	8.24	5.52	7.96	8.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月8日	蚵殼站	0:00	26.72	48.89	32.2	8.35	5	2.91	3.86
		3:00	26.56	49.06	32.3	8.29	5.83	2.65	3.83
		6:00	26.41	49.18	32.38	8.23	5.79	2.79	3.96
		9:00	26.68	48.93	32.23	8.32	5.25	2.94	3.96
		12:00	26.84	48.77	32.12	8.39	5.36	3.01	4.06
		15:00	26.84	48.79	32.15	8.32	5.19	2.69	3.96
		18:00	26.78	48.86	32.19	8.31	5.13	2.91	4.01
		21:00	26.72	48.9	32.2	8.3	5.16	2.73	4.06
	日平均值		26.69	48.92	32.22	8.31	5.34	2.83	3.96
	潮口站	0:00	25.84	49.08	30.91	8.31	5.68	3.31	5.12
		3:00	25.62	48.91	30.79	8.29	5.74	3.46	4.81
		6:00	25.62	48.22	30.36	8.31	5.68	3.28	4.99
		9:00	25.97	49.21	30.98	8.3	5.54	3.34	4.73
		12:00	26.17	49.64	31.26	8.3	5.87	3.39	4.93
		15:00	26.08	49.86	31.39	8.39	5.86	3.46	4.84
		18:00	26.02	48.72	30.68	8.42	5.84	3.52	4.69
		21:00	25.97	48.64	30.62	8.46	5.71	3.5	4.96
	日平均值		25.91	49.04	30.87	8.35	5.74	3.41	4.88
	灣內站	0:00	25.6	47.87	30.88	8.17	5.59	4.58	7.39
		3:00	25.52	47.85	30.88	8.2	5.65	10.16	9.29
		6:00	25.5	48	30.96	8.26	5.77	6.04	7.18
		9:00	25.79	48.56	31.3	8.37	5.9	5.89	8.21
		12:00	26.34	48.16	31.07	8.5	5.7	6.44	7.95
		15:00	26.21	48.05	30.99	8.5	5.26	6.78	8.11
		18:00	26.14	48.03	30.98	8.36	5.34	5.14	7.18
		21:00	26.05	47.96	30.93	8.28	5.19	5.01	7.43
	日平均值		25.89	48.06	31.00	8.33	5.55	6.26	7.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月9日	蚵殼站	0:00	26.7	48.91	32.21	8.33	5.12	2.83	3.88
		3:00	26.38	49.21	32.39	8.28	5.04	2.72	3.9
		6:00	26.17	49.33	32.49	8.25	5.04	2.83	3.9
		9:00	26.23	48.58	31.98	8.28	5.38	2.8	3.97
		12:00	26.46	48.34	31.84	8.4	5.78	2.81	4.01
		15:00	26.22	48.59	32	8.32	5.54	2.75	3.94
		18:00	26.2	48.6	31.99	8.29	5.28	2.85	4.04
		21:00	26.19	48.62	32.01	8.29	5.23	2.78	4.03
	日平均值		26.32	48.77	32.11	8.31	5.30	2.80	3.96
	潮口站	0:00	25.87	49.65	31.26	8.3	5.44	3.54	4.62
		3:00	25.69	50.32	31.68	8.32	5.68	3.54	4.95
		6:00	25.6	49.82	31.37	8.31	5.6	3.4	4.67
		9:00	25.69	50.37	31.7	8.34	5.6	3.3	4.71
		12:00	25.8	50.24	31.62	8.35	5.75	3.44	4.87
		15:00	25.77	49.96	31.46	8.32	5.95	3.69	5.06
		18:00	25.71	50.84	32.01	8.36	5.86	3.55	4.8
		21:00	25.58	50.36	31.7	8.41	5.74	3.33	4.99
	日平均值		25.71	50.20	31.60	8.34	5.70	3.47	4.83
	灣內站	0:00	25.8	47.94	30.92	8.14	5.11	5.68	7.44
		3:00	25.67	46.75	30.17	8.2	5.63	8.22	7.13
		6:00	25.59	45.57	29.43	8.38	5.68	9.16	7.72
		9:00	25.61	46.46	29.99	8.39	5.83	6.82	7.26
		12:00	25.83	46.68	30.15	8.5	5.16	5.26	7.42
		15:00	25.79	46.94	30.31	8.37	5.17	5.09	9.54
		18:00	25.68	47.91	30.91	8.26	5.87	5.26	8.2
		21:00	25.51	47.63	30.37	8.25	5.25	5.41	8.44
	日平均值		25.69	46.99	30.28	8.31	5.46	6.36	7.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月10日	蚵殼站	0:00	26.14	48.68	32.05	8.3	5.15	2.86	3.93
		3:00	25.78	49.02	32.28	8.32	5.14	3.06	4.07
		6:00	25.58	49.18	32.39	8.3	5.17	2.98	4.24
		9:00	25.94	48.87	32.18	8.36	5.51	3.05	4.33
		12:00	26.25	48.57	31.99	8.39	5.81	2.66	4.51
		15:00	26.33	48.48	31.94	8.39	5.94	2.87	4.3
		18:00	26.3	48.51	31.95	8.38	6.03	2.83	4.03
		21:00	26.21	48.6	32	8.35	6.18	2.76	3.91
	日平均值		26.07	48.74	32.10	8.35	5.62	2.88	4.17
	潮口站	0:00	25.5	50.12	31.54	8.37	5.69	3.39	4.91
		3:00	25.47	49.99	31.47	8.35	5.76	3.23	4.83
		6:00	25.4	49.43	31.13	8.32	5.8	3.39	4.89
		9:00	25.71	49.79	31.35	8.37	5.93	3.63	4.65
		12:00	25.83	50.34	31.69	8.36	5.9	3.26	4.82
		15:00	25.98	50.22	31.62	8.42	6.05	3.59	4.83
		18:00	25.89	50.66	31.89	8.44	5.99	3.32	4.88
		21:00	25.81	50.44	31.76	8.45	6.05	3.23	4.91
	日平均值		25.70	50.12	31.56	8.39	5.90	3.38	4.84
	灣內站	0:00	25.31	47.29	30.16	8.18	5.12	5.98	6.97
		3:00	25.14	47.17	30.07	8.16	5.29	6.52	7.7
		6:00	25.11	47.19	30.08	8.24	5.14	5.25	8.28
		9:00	25.3	47.79	30.84	8.41	5.84	5.02	7.88
		12:00	25.83	47.71	30.8	8.49	5.58	5.38	7.35
		15:00	25.88	47.43	30.61	8.49	5.21	5.9	8.89
		18:00	25.81	46.74	30.17	8.48	5	4.76	9.82
		21:00	25.8	46.61	30.08	8.22	5.64	6.89	10.12
	日平均值		25.52	47.24	30.35	8.33	5.35	5.71	8.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
4月11日	蚵殼站	0:00	26.11	48.68	32.05	8.36	6.23	2.67	4.02
		3:00	25.99	48.74	32.11	8.37	6.06	2.66	4.03
		6:00	25.89	48.84	32.16	8.37	5.97	2.83	3.92
		9:00	26.06	48.68	32.06	8.39	6.15	2.81	3.93
		12:00	26.44	48.34	31.83	8.39	6.92	2.92	3.89
		15:00	26.62	48.18	31.73	8.39	6.98	2.73	4.05
		18:00	26.63	48.18	31.73	8.39	6.79	2.89	3.99
		21:00	26.61	48.19	31.74	8.39	6.81	2.85	3.96
	日平均值		26.29	48.48	31.93	8.38	6.49	2.80	3.97
	潮口站	0:00	25.7	49.59	31.22	8.39	5.78	3.5	4.94
		3:00	25.55	49.32	31.06	8.38	5.71	3.6	4.95
		6:00	25.5	48.83	30.74	8.33	5.66	3.27	4.95
		9:00	25.86	48.51	30.54	8.38	6.02	3.32	4.96
		12:00	26.09	48.09	30.28	8.36	6.28	3.23	4.82
		15:00	26.24	48.4	30.48	8.37	6.24	3.33	4.77
		18:00	26.13	48.43	30.49	8.25	6	3.41	4.86
		21:00	26.06	48.92	30.79	8.45	6.32	3.3	4.98
	日平均值		25.89	48.76	30.70	8.36	6.00	3.37	4.90
	灣內站	0:00	25.7	46.53	30.06	8.09	5.24	4.64	7.58
		3:00	25.43	47.38	30.94	8.33	5.91	4.34	7.04
		6:00	25.3	47.05	30.72	8.33	5.48	5.1	10.17
9:00		25.54	47.12	30.78	8.43	5.33	5.07	9.95	
12:00		26.32	46.67	30.49	8.49	5.61	4.74	7.84	
15:00		26.47	46.31	30.25	8.49	5.43	4.77	9.9	
18:00		26.24	46.07	30.12	8.28	5.93	5.66	8.8	
21:00		26.21	45.57	29.8	8.05	5.13	6.84	6.98	
日平均值		25.90	46.59	30.40	8.31	5.51	5.15	8.53	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
4月12日	蚵殼站	0:00	26.42	48.41	31.87	8.39	6.52	2.81	3.91
		3:00	26.37	48.43	31.88	8.39	6.44	2.85	3.91
		6:00	26.27	48.56	31.96	8.39	6.21	2.75	4.02
		9:00	26.42	47.93	31.56	8.39	6.53	2.82	4.11
		12:00	27.07	47.31	31.16	8.39	6.84	2.78	4.22
		15:00	27.32	47.41	31.21	8.39	6.46	2.93	3.95
		18:00	27.22	47.69	31.38	8.39	6.21	2.75	5.19
		21:00	27.21	47.62	31.37	8.39	6.14	2.81	6.08
	日平均值		26.79	47.92	31.55	8.39	6.42	2.81	4.42
	潮口站	0:00	26	48.35	30.44	8.39	6	3.36	4.91
		3:00	25.83	49.01	30.87	8.38	5.94	3.66	4.82
		6:00	25.72	46.99	29.59	8.33	5.67	3.47	4.72
		9:00	25.99	47.98	30.22	8.43	6.15	3.46	4.74
		12:00	26.63	47.57	29.94	8.45	6.77	3.4	4.92
		15:00	26.57	48.84	30.76	8.39	6.59	3.48	4.91
		18:00	26.06	49.34	31.06	8.32	6.09	3.68	4.68
		21:00	26.23	49.91	31.42	8.31	6.46	3.19	4.73
	日平均值		26.13	48.50	30.54	8.38	6.21	3.46	4.80
	灣內站	0:00	26.12	46.45	30.35	7.96	5.01	6.58	7.16
		3:00	25.97	46.28	30.24	8.04	5.18	5.56	7.82
		6:00	25.8	46.07	30.13	8.23	5.3	7.21	8.79
9:00		26.02	46.58	30.43	8.36	5.26	6.34	9.6	
12:00		26.93	47.07	30.75	8.49	5.24	4.94	8.94	
15:00		27.23	46.49	30.01	8.49	5.7	5.48	12.92	
18:00		26.62	46.74	30.16	8.34	5.45	5.96	12.83	
21:00		26.51	46.6	30.09	8.03	5.03	6.53	9.79	
日平均值		26.40	46.54	30.27	8.24	5.27	6.08	9.73	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月13日	蚵殼站	0:00	27.02	47.78	31.46	8.39	6.08	2.94	4.63
		3:00	26.89	47.91	31.54	8.39	5.89	2.92	4.41
		6:00	26.83	47.97	31.58	8.39	5.61	2.7	6.55
		9:00	27.13	47.69	31.4	8.39	5.62	2.92	7.28
		12:00	27.47	47.43	31.22	8.39	6.06	2.69	5.39
		15:00	27.62	47.28	31.12	8.39	5.98	2.84	4.21
		18:00	27.54	47.35	31.18	8.39	5.77	2.77	4.12
		21:00	27.44	47.39	31.22	8.39	5.65	2.61	4.64
	日平均值		27.24	47.60	31.34	8.39	5.83	2.80	5.15
	潮口站	0:00	26.32	50.22	31.61	8.29	6.13	3.47	5
		3:00	25.97	50.02	31.48	8.28	5.9	3.44	4.89
		6:00	25.64	50.47	31.77	8.3	5.69	3.51	4.72
		9:00	26.58	51.22	32.23	8.34	6.29	3.36	4.96
		12:00	27.05	49.64	31.25	8.39	6.54	3.62	4.86
		15:00	26.84	49.27	31.02	8.35	6.57	3.39	4.95
		18:00	26.05	49.89	31.4	8.27	6.04	3.46	4.95
		21:00	26.28	50.21	31.61	8.27	6.28	3.28	4.86
	日平均值		26.34	50.12	31.55	8.31	6.18	3.44	4.90
	灣內站	0:00	26.45	46.63	30.11	8.07	5.33	6.46	10.79
		3:00	26.27	46.63	30.1	8.04	5.63	5.59	13.57
		6:00	26.2	46.5	30.04	8.13	5.5	6.02	14.13
9:00		26.42	47.11	30.4	8.32	5.41	5.67	12.95	
12:00		27.39	47.1	30.39	8.46	5.29	5.16	9.27	
15:00		27.67	47.06	30.37	8.48	5.4	5.55	7.48	
18:00		27.41	47.09	30.37	8.33	5.74	6.45	11.63	
21:00		27.04	47.13	30.41	8.04	5.93	6.77	10.91	
日平均值		26.86	46.91	30.27	8.23	5.53	5.96	11.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月14日	蚵殼站	0:00	27.96	47	30.95	8.39	5.82	2.83	4.05
		3:00	27.89	47.07	30.99	8.39	5.53	2.89	3.95
		6:00	27.59	47.32	31.15	8.39	5.57	2.83	3.96
		9:00	27.8	47.11	31.03	8.39	5.71	2.81	4.04
		12:00	27.88	47.07	31	8.39	5.85	2.76	3.96
		15:00	27.81	47.1	31.04	8.39	5.8	2.77	3.93
		18:00	27.78	47.14	31.05	8.39	5.61	2.79	4.03
		21:00	27.79	47.12	31.03	8.39	5.51	2.72	4.01
	日平均值		27.81	47.12	31.03	8.39	5.68	2.80	3.99
	潮口站	0:00	26.9	50.05	31.51	8.27	6.08	3.43	4.93
		3:00	26.33	50.86	32.02	8.29	5.87	3.46	4.79
		6:00	25.67	49.54	31.19	8.27	5.68	3.38	4.99
		9:00	26.64	51.48	32.4	8.3	6.08	3.35	5.04
		12:00	27.23	50.91	32.05	8.34	6.29	3.35	4.88
		15:00	27.22	50.61	31.86	8.34	6.35	3.13	4.86
		18:00	26.22	50.46	31.77	8.32	5.96	3.4	5.01
		21:00	26.32	50.03	31.48	8.27	5.81	3.38	5
	日平均值		26.57	50.49	31.79	8.30	6.02	3.36	4.94
	灣內站	0:00	26.89	47.14	30.42	8.07	5.28	6	10.17
		3:00	26.67	47.12	30.4	8.1	5.96	7.62	9.88
		6:00	26.61	46.99	30.33	8.07	5.48	8.81	9.52
9:00		26.97	47.26	30.49	8.18	5.29	15.27	10.47	
12:00		27.86	47.12	30.41	8.24	5.45	21.97	11.49	
15:00		28.06	47.09	30.39	8.21	5.69	20.64	9.29	
18:00		27.63	47.19	30.45	8.19	5.01	25.48	10.26	
21:00		27.42	47.31	30.53	8.15	5.2	23.98	9.97	
日平均值		27.26	47.15	30.43	8.15	5.42	16.22	10.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月15日	蚵殼站	0:00	28	46.92	30.92	8.39	5.6	2.82	3.84
		3:00	27.79	47.11	31.03	8.39	5.18	3.04	3.8
		6:00	27.42	47.41	31.24	8.34	5.15	3.04	3.99
		9:00	27.65	47.23	31.11	8.39	5.42	2.8	3.97
		12:00	27.98	46.99	30.94	8.39	5.55	2.87	4.11
		15:00	27.96	47.03	30.97	8.39	5.41	2.75	3.91
		18:00	27.92	47.01	30.97	8.39	5.22	2.82	3.81
		21:00	27.85	47.11	31.02	8.4	5.06	2.79	3.93
	日平均值		27.82	47.10	31.03	8.39	5.32	2.87	3.92
	潮口站	0:00	26.47	50.02	31.5	8.28	5.77	3.52	4.87
		3:00	26.21	51.11	32.17	8.3	5.67	3.39	4.86
		6:00	25.76	50.77	31.96	8.3	5.71	3.52	4.68
		9:00	25.88	50.11	31.56	8.28	5.73	3.27	4.77
		12:00	26.9	50.4	31.7	8.24	6.43	3.02	9.15
		15:00	27.19	50.46	31.76	8.27	6.44	3.55	4.19
		18:00	26.49	50.43	31.73	8.26	5.41	3.3	3.89
		21:00	26.23	50.5	31.78	8.26	5.09	3.21	4.13
	日平均值		26.39	50.48	31.77	8.27	5.78	3.35	5.07
	灣內站	0:00	27.32	47.37	30.56	8.13	5.04	24.19	9.29
		3:00	27.06	47.34	30.54	8.12	5.96	21.55	10.14
		6:00	26.83	47.14	30.43	8.12	5.07	22.49	10.41
9:00		26.98	47.12	30.4	8.11	5.23	22.47	10.57	
12:00		27.63	47	30.33	8.18	5.45	21.99	8.59	
15:00		27.78	46.99	30.32	8.23	5.36	21.01	8.36	
18:00		27.73	47.17	30.43	8.18	5.68	24.62	9.33	
21:00		27.37	47.2	30.47	8.12	5.95	23.95	10.14	
日平均值		27.34	47.17	30.44	8.15	5.47	22.78	9.60	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月16日	蚵殼站	0:00	27.78	47.16	31.08	8.4	5	2.79	3.95
		3:00	27.78	47.15	31.07	8.38	5.92	3	4.11
		6:00	27.54	47.38	31.2	8.34	5.91	2.82	3.89
		9:00	27.53	47.37	31.2	8.38	5.85	2.35	3.65
		12:00	27.67	47.47	31.27	8.3	5.4	3.86	4.02
		15:00	27.97	47.23	31.11	8.38	5.82	3.91	4.03
		18:00	27.9	47.32	31.17	8.35	5.66	41.68	3.91
		21:00	27.77	47.43	31.23	8.39	5.62	30.19	3.87
	日平均值		27.74	47.31	31.17	8.37	5.65	11.33	3.93
	潮口站	0:00	26.6	50.68	31.89	8.26	6.43	3.08	4.01
		3:00	26.39	50.65	31.87	8.25	6.44	3.21	4.49
		6:00	25.88	50.53	31.81	8.26	5.62	3.26	4.42
		9:00	26.12	50.68	31.91	8.25	5.87	3.16	4.33
		12:00	27.01	50.52	31.78	8.26	6.02	3.46	3.85
		15:00	27.42	50.41	31.73	8.27	6.12	3.35	3.71
		18:00	26.89	50.48	31.76	8.24	5.98	3.15	3.63
		21:00	26.21	50.52	31.8	8.21	5.73	3.57	3.62
	日平均值		26.57	50.56	31.82	8.25	6.03	3.28	4.01
	灣內站	0:00	27.22	47.21	30.47	8.1	5.12	20.91	9.98
		3:00	27.06	47.19	30.47	8.07	5.66	23.51	11.07
		6:00	26.91	47.21	30.47	8.06	5.7	21.33	9.9
9:00		27.1	47.22	30.48	8.09	5.38	26.54	8.71	
12:00		27.67	47.2	30.45	8.11	5.16	22.52	8.61	
15:00		27.89	48.65	31.29	8.37	5.56	7.67	7.76	
18:00		27.9	47.2	30.45	8.31	5.04	6.14	10.98	
21:00		27.53	48.65	31.29	8.27	5.2	5.61	10.25	
日平均值		27.41	47.57	30.67	8.17	5.35	16.78	9.66	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月17日	蚵殼站	0:00	27.81	47.41	31.21	8.38	5.55	3.4	4
		3:00	27.65	47.51	31.28	8.38	5.32	3.6	3.91
		6:00	27.57	47.56	31.33	8.38	5.37	3.98	3.89
		9:00	27.77	47.42	31.22	8.4	5.39	3.85	4.04
		12:00	27.74	47.43	31.23	8.41	5.5	3.78	3.91
		15:00	28.45	46.84	30.85	8.48	5.73	3.9	4
		18:00	28.64	46.68	30.75	8.48	5.62	32.17	3.9
	21:00	28.54	46.75	30.79	8.45	5.58	2.35	4.03	
	日平均值		28.02	47.20	31.08	8.42	5.51	7.13	3.96
	潮口站	0:00	26.62	50.51	31.8	8.23	5.78	3.26	3.53
		3:00	26.47	50.53	31.8	8.2	5.59	3.42	3.3
		6:00	25.92	50.56	31.82	8.21	5.79	3.24	3.29
		9:00	26.13	50.58	31.84	8.22	5.86	3.42	3.28
		12:00	27.08	50.51	31.79	8.25	5.96	3.24	3.25
		15:00	27.55	50.46	31.76	8.26	6.08	3.31	3.49
		18:00	27.49	50.24	31.63	8.22	5.92	3.32	3.36
	21:00	26.44	50.46	31.75	8.22	5.79	3.43	3.31	
	日平均值		26.71	50.48	31.77	8.23	5.85	3.33	3.35
	灣內站	0:00	27.4	47.24	31.1	8.21	5.11	5.56	10.38
		3:00	27.22	46.46	30.58	8.2	5.91	5.66	9.31
		6:00	27.1	46.66	30.71	8.22	5.23	13.85	8.35
9:00		27.26	46.39	30.53	8.25	5.1	6.97	7.45	
12:00		27.89	45.81	30.13	8.31	5.68	7.35	8.79	
15:00		28.41	45.59	29.99	8.34	5.14	8.75	8.45	
18:00		28.28	45.77	30.1	8.3	5.83	6.48	8.97	
21:00	27.91	45.72	30.06	8.25	5.56	7.61	8.32		
日平均值		27.68	46.21	30.40	8.26	5.45	7.78	8.75	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月18日	蚵殼站	0:00	28.25	46.97	30.96	8.43	5.42	4.47	4.06
		3:00	28.11	47.12	31.03	8.41	5.2	6.46	4.06
		6:00	27.95	47.26	31.12	8.39	5.12	3.77	3.94
		9:00	28.02	47.17	31.06	8.43	5.31	3.7	3.9
		12:00	28.04	47.14	31.06	8.44	5.53	3.88	3.84
		15:00	28.63	46.66	30.72	8.43	5.47	3.64	3.94
		18:00	28.55	46.75	30.77	8.44	5.42	33.14	4.03
	21:00	28.3	46.9	30.92	8.41	5.17	34.96	4.11	
	日平均值		28.23	47.00	30.96	8.42	5.33	11.75	3.99
	潮口站	0:00	26.61	50.61	31.86	8.21	5.58	3.22	3.19
		3:00	26.35	50.6	31.84	8.2	5.65	3.53	3.24
		6:00	25.83	50.53	31.82	8.22	5.8	3.24	3.22
		9:00	25.89	50.58	31.83	8.24	5.94	3.54	3.31
		12:00	26.83	50.41	31.72	8.26	6	3.42	3.37
		15:00	27.57	50.44	31.74	8.27	6.06	3.21	3.27
		18:00	27.41	50.42	31.73	8.24	5.93	3.33	3.33
	21:00	26.58	50.4	31.71	8.22	5.83	3.29	3.34	
	日平均值		26.63	50.50	31.78	8.23	5.85	3.35	3.28
	灣內站	0:00	27.61	45.63	30.02	8.2	5.5	10.24	7.55
		3:00	27.34	45.44	29.89	8.22	5.78	7.27	7.12
		6:00	27.06	45.58	30	8.21	5.64	7.35	6.06
9:00		27.07	46.54	30.97	8.26	5.34	8.22	6.87	
12:00		27.57	46.49	30.95	8.3	5.33	8.8	6.82	
15:00		27.82	46.33	30.86	8.32	5.8	8.68	6.75	
18:00		27.97	46.4	30.89	8.31	5.04	8.51	7.17	
21:00	27.56	46.43	30.92	8.27	5.46	9.57	7.48		
日平均值		27.50	46.11	30.56	8.26	5.49	8.58	6.98	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月19日	蚵殼站	0:00	28.18	47.04	30.99	8.4	5.09	50.75	4.1
		3:00	28.09	47.11	31.02	8.39	5.07	38.95	3.96
		6:00	27.86	47.31	31.16	8.38	5.04	4.02	3.97
		9:00	27.48	47.63	31.36	8.37	5.16	3.84	3.92
		12:00	27.41	47.69	31.4	8.41	5.28	3.71	4
		15:00	27.66	47.46	31.26	8.41	5.47	3.72	3.86
		18:00	27.7	47.41	31.22	8.41	5.04	54.43	4.05
		21:00	27.63	47.49	31.27	8.4	5.88	2.92	3.99
	日平均值		27.75	47.39	31.21	8.40	5.25	20.29	3.98
	潮口站	0:00	26.19	50.5	31.79	8.22	5.75	3.44	3.29
		3:00	26.27	50.62	31.86	8.21	5.72	3.25	3.28
		6:00	25.85	50.67	31.89	8.22	5.8	3.31	3.26
		9:00	25.91	50.61	31.84	8.36	5.88	3.44	3.26
		12:00	26.42	50.78	31.98	8.41	5.79	3.33	3.34
		15:00	27.04	50.76	31.96	8.44	5.77	3.13	3.23
		18:00	27.15	50.61	31.85	8.4	5.62	3.25	3.33
		21:00	26.76	50.56	31.83	8.37	5.62	3.24	3.26
	日平均值		26.45	50.64	31.88	8.33	5.74	3.30	3.28
	灣內站	0:00	27.26	46.37	30.88	8.24	5.85	7.77	7.61
		3:00	27.07	46.38	30.88	8.21	5.1	7.4	7.13
		6:00	26.98	46.23	30.82	8.23	5.51	8.05	5.98
		9:00	26.93	46.87	31.19	8.35	5.35	8.23	5.47
		12:00	27.36	46.75	31.11	8.38	5.01	8.07	7.11
		15:00	27.4	46.52	30.97	8.37	5.57	6.28	6.46
		18:00	27.19	47	31.3	8.36	5.43	9.62	6.93
		21:00	26.92	46.99	31.28	8.35	5.55	5.63	7.18
	日平均值		27.14	46.64	31.05	8.31	5.42	7.63	6.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月20日	蚵殼站	0:00	27.47	47.59	31.34	8.35	5.82	33.87	3.99
		3:00	27.37	47.63	31.4	8.35	5.64	31.68	3.86
		6:00	27.28	47.74	31.47	8.34	5.56	3.82	3.94
		9:00	27.29	47.73	31.45	8.37	5.69	3.74	3.87
		12:00	27.57	47.53	31.28	8.41	6.02	3.86	4
		15:00	27.68	47.42	31.21	8.36	5.51	3.63	3.99
		18:00	27.79	47.32	31.15	8.39	5.42	50.75	4.05
		21:00	27.77	47.32	31.14	8.37	5.33	2.35	4.1
	日平均值		27.53	47.54	31.31	8.37	5.62	16.71	3.98
	潮口站	0:00	26.2	50.45	31.74	8.36	5.63	3.54	3.29
		3:00	26.09	50.61	31.84	8.35	5.6	3.07	3.3
		6:00	26.16	50.34	31.68	8.38	5.77	3.44	3.35
		9:00	26.46	50.41	31.73	8.39	5.83	3.18	3.37
		12:00	26.63	50.54	31.81	8.4	5.84	3.39	3.35
		15:00	26.72	50.78	31.97	8.44	5.78	3.31	3.5
		18:00	26.83	50.82	32	8.43	5.65	3.37	3.73
		21:00	26.86	50.87	32.03	8.4	5.54	3.5	4.72
	日平均值		26.49	50.60	31.85	8.39	5.71	3.35	3.58
	灣內站	0:00	26.69	46.61	31.03	8.3	5.86	5.25	7.38
		3:00	26.54	46.47	30.95	8.27	5	5.52	6.69
		6:00	26.46	46.05	30.68	8.29	5.38	5.97	7.19
		9:00	26.49	45.86	30.54	8.33	5.77	6.97	7.31
		12:00	26.86	45.56	30.35	8.37	5.76	6.63	6.65
		15:00	26.8	45.37	30.23	8.34	5.38	12.81	8.12
		18:00	26.73	45.38	30.26	8.33	5.44	5.67	12.67
		21:00	26.7	45.41	30.59	8.3	5.23	13.57	11.28
	日平均值		26.66	45.84	30.58	8.32	5.48	7.80	8.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月21日	蚵殼站	0:00	27.67	47.36	31.21	8.34	5.08	3.88	3.98	
		3:00	27.59	47.41	31.23	8.35	5	3.65	3.92	
		6:00	27.49	47.52	31.28	8.34	5.03	3.83	4	
		9:00	27.24	47.66	31.4	8.33	5.22	3.79	3.98	
		12:00	27.29	47.63	31.38	8.36	5.88	3.9	3.95	
		15:00	27.84	47.17	31.06	8.4	6.11	3.85	3.97	
		18:00	27.98	47.03	30.99	8.41	6.07	52.51	4.03	
		21:00	27.91	47.1	31.03	8.39	5.84	50.75	4.07	
	日平均值			27.63	47.36	31.20	8.37	5.53	15.77	3.99
	潮口站	0:00	26.51	50.66	31.88	8.39	5.67	3.33	5.18	
		3:00	26.37	50.47	31.76	8.39	5.64	3.46	5.48	
		6:00	26.33	50.47	31.76	8.39	5.69	3.11	5.69	
		9:00	26.66	50.52	31.79	8.4	5.83	3.36	5.41	
		12:00	27.04	50.27	31.64	8.4	5.77	3.38	4.73	
		15:00	27.07	50.57	31.82	8.43	5.7	3.35	4.68	
		18:00	27.19	50.69	31.9	8.44	5.61	3.47	4.69	
		21:00	27.11	50.71	31.91	8.41	5.41	3.51	4.77	
	日平均值			26.79	50.55	31.81	8.41	5.67	3.37	5.08
	灣內站	0:00	26.54	45.18	30.43	8.31	5.36	35.7	11.86	
		3:00	26.35	44.98	30.33	8.29	5.24	7.32	11.9	
		6:00	26.31	44.55	30.01	8.26	5.85	10.3	10.01	
		9:00	26.62	44.56	30.02	8.3	5.39	12.3	7.06	
		12:00	27.15	44.83	30.22	8.39	5.02	24.36	4.62	
		15:00	27.33	44.8	30.19	8.38	5.56	20.67	4.72	
		18:00	27.12	44.82	30.21	8.38	5.56	7.73	4.97	
		21:00	27.07	44.81	30.2	8.31	5.75	7.13	5.02	
	日平均值			26.81	44.82	30.20	8.33	5.47	15.69	7.52
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月22日	蚵殼站	0:00	27.87	47.14	31.04	8.35	5.59	3.49	3.85	
		3:00	27.66	47.34	31.16	8.3	5.46	37.45	4.02	
		6:00	27.6	47.37	31.19	8.26	5.3	3.78	4.02	
		9:00	27.84	47.14	31.05	8.33	5.51	3.95	4.03	
		12:00	28.04	46.97	30.95	8.36	5.63	3.81	4.03	
		15:00	28.31	46.78	30.8	8.38	5.6	3.97	3.97	
		18:00	28.43	46.67	30.73	8.38	5.52	11.54	3.95	
		21:00	28.3	46.71	30.78	8.38	5.44	26.39	3.86	
	日平均值			28.01	47.02	30.96	8.34	5.51	11.80	3.97
	潮口站	0:00	26.96	50.5	31.78	8.4	5.6	3.51	5.04	
		3:00	26.73	50.44	31.75	8.39	5.65	3.18	5.6	
		6:00	26.73	50.36	31.69	8.4	5.58	3.29	5.41	
		9:00	26.97	50.14	31.57	8.4	5.65	3.54	5.8	
		12:00	27.17	50.27	31.63	8.41	5.77	3.34	5.29	
		15:00	27.35	50.24	31.62	8.41	5.7	3.29	5.12	
		18:00	27.36	50.47	31.77	8.44	5.64	3.38	4.55	
		21:00	27.58	50.31	31.66	8.42	5.4	3.49	4.9	
	日平均值			27.11	50.34	31.68	8.41	5.62	3.38	5.21
	灣內站	0:00	26.95	44.79	30.18	8.3	5.77	10.92	5.42	
		3:00	26.72	44.76	30.16	8.29	5.95	6.96	5.18	
		6:00	26.71	44.69	30.12	8.25	5.67	12.95	4.88	
		9:00	27.06	45.99	30.97	8.3	5.19	13.61	4.88	
		12:00	27.57	45.86	30.88	8.35	5.87	80	4.59	
		15:00	27.68	45.79	30.84	8.36	5.23	27.6	4.73	
		18:00	27.61	45.81	30.86	8.33	5.51	6.15	4.58	
		21:00	27.49	45.82	30.86	8.32	5.33	7.27	4.82	
	日平均值			27.22	45.44	30.61	8.31	5.57	20.68	4.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月23日	蚵殼站	0:00	28.18	46.81	30.84	8.32	5.37	42.29	4.01
		3:00	27.82	47.11	31.04	8.26	5.36	36.88	3.87
		6:00	27.8	47.22	31.07	8.26	5.35	3.47	4.04
		9:00	28.06	46.94	30.91	8.29	5.37	3.89	3.9
		12:00	28.23	46.84	30.85	8.33	5.44	3.9	3.94
		15:00	28.29	47.21	31.07	8.3	5.67	3.73	3.89
		18:00	28.35	47.11	31.03	8.28	5.6	3.48	4.09
	21:00	28.33	47.14	31.05	8.27	5.57	20.4	4	
	日平均值		28.13	47.05	30.98	8.29	5.47	14.76	3.97
	潮口站	0:00	27.19	50.37	31.71	8.4	5.51	3.47	4.79
		3:00	26.74	50.35	31.71	8.39	5.45	3.25	3.99
		6:00	26.87	50.48	31.79	8.39	5.31	3.17	4.21
		9:00	27.02	50.41	31.71	8.39	5.48	3.35	4.67
		12:00	27.03	50.38	31.69	8.41	5.7	3.29	4.33
		15:00	27.11	50.16	31.58	8.41	5.67	3.51	4.51
		18:00	27.37	50.36	31.68	8.46	5.64	3.3	4.22
	21:00	27.79	50.26	31.63	8.43	5.34	3.23	4.2	
	日平均值		27.14	50.35	31.69	8.41	5.51	3.32	4.37
	灣內站	0:00	27.26	45.73	30.79	8.27	5.12	8.17	5.22
		3:00	27.1	45.7	30.77	8.26	5.37	5.56	5.04
		6:00	26.98	45.54	30.68	8.25	5.82	8.68	4.81
9:00		27.18	45.5	30.64	8.29	5.4	6.39	4.86	
12:00		27.51	45.39	30.58	8.34	5.8	5.41	4.75	
15:00		27.71	45.82	30.84	8.36	5.6	5.28	4.23	
18:00		27.74	45.66	30.75	8.32	5.05	4.62	4.78	
21:00	27.65	45.38	30.57	8.33	5.52	10.54	6.39		
日平均值		27.39	45.59	30.70	8.30	5.46	6.83	5.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月24日	蚵殼站	0:00	28.14	47.27	31.13	8.27	5.56	11.42	3.98
		3:00	27.76	47.59	31.35	8.27	5.55	17.96	3.82
		6:00	27.83	47.51	31.3	8.24	5.54	3.77	3.97
		9:00	28.23	47.17	31.09	8.27	5.55	3.92	3.99
		12:00	28.61	47.09	31.01	8.33	5.71	3.81	4
		15:00	28.89	47.12	31.03	8.34	5.93	3.88	3.95
		18:00	28.8	47.2	31.07	8.32	5.67	5.24	3.95
	21:00	28.79	47.22	31.07	8.29	5.67	6.98	4.02	
	日平均值		28.38	47.27	31.13	8.29	5.65	7.12	3.96
	潮口站	0:00	27.38	50.07	31.53	8.39	5.39	3.26	4.58
		3:00	26.56	50.2	31.6	8.39	5.57	3.24	4.95
		6:00	26.99	50.24	31.62	8.4	5.44	3.44	5.27
		9:00	27.44	50.04	31.52	8.4	5.41	3.11	4.72
		12:00	27.39	50	31.5	8.42	5.78	3.49	4.03
		15:00	27.14	49.95	31.45	8.42	5.76	3.1	3.99
		18:00	27.65	50.15	31.56	8.5	5.73	3.23	5.04
	21:00	27.73	50.2	31.6	8.5	5.64	3.14	4.48	
	日平均值		27.29	50.11	31.55	8.43	5.59	3.25	4.63
	灣內站	0:00	27.59	45.2	30.45	8.3	5.83	7.54	5.26
		3:00	27.48	45.06	30.36	8.27	5.53	6.84	5.64
		6:00	27.35	44.93	30.28	8.23	5.25	4.77	4.83
9:00		27.6	45.44	30.95	8.25	5.97	6.35	4.72	
12:00		28.13	45.31	30.86	8.3	5.59	5.28	4.52	
15:00		28.24	45.54	31.02	8.26	5.78	7.78	4.94	
18:00		28.02	45.52	31.01	8.24	5.17	14.41	5.97	
21:00	28.05	45.4	30.93	8.22	5.36	16.73	6.08		
日平均值		27.81	45.30	30.73	8.26	5.56	8.71	5.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月25日	蚵殼站	0:00	28.63	47.31	31.16	8.29	6.07	19.55	3.92	
		3:00	28.34	47.58	31.32	8.26	5.66	14.98	4.1	
		6:00	28.28	47.62	31.36	8.22	5.65	3.98	3.85	
		9:00	28.41	47.51	31.29	8.27	5.66	3.71	4.04	
		12:00	28.28	47.61	31.35	8.25	5.85	4	3.98	
		15:00	27.76	48.01	31.62	8.24	6.06	3.72	3.96	
		18:00	27.74	48.02	31.63	8.18	6.04	5.78	4.11	
		21:00	28.02	47.79	31.48	8.19	5.82	3.88	4	
	日平均值			28.18	47.68	31.40	8.24	5.85	7.45	4.00
	潮口站	0:00	27.65	50.01	31.51	8.41	5.41	3.37	4.66	
		3:00	26.68	50.06	31.53	8.39	5.52	3.21	4.94	
		6:00	26.93	50.23	31.62	8.42	5.19	3.4	4.12	
		9:00	27.39	50.17	31.58	8.47	5.31	3.4	3.86	
		12:00	27.36	50.08	31.53	8.41	5.48	3.44	3.93	
		15:00	26.54	49.98	31.48	8.42	5.68	3.41	3.83	
		18:00	26.74	50.18	31.58	8.45	5.32	3.32	3.62	
		21:00	26.89	50.24	31.62	8.5	5.27	3.36	3.77	
	日平均值			27.02	50.12	31.56	8.43	5.40	3.36	4.09
	灣內站	0:00	27.87	45.38	30.93	8.21	5.2	69.98	6.65	
		3:00	27.62	45.36	30.91	8.19	5.16	80	6.78	
		6:00	27.57	45.28	30.84	8.2	5.02	45.16	5.21	
		9:00	27.61	45.29	30.84	8.19	5.61	66.48	5.1	
		12:00	27.6	45.23	30.81	8.21	5.26	29.76	5.66	
		15:00	27.45	45.2	30.8	8.18	5.47	17.88	5.97	
		18:00	27.36	45.29	30.85	8.19	5.82	54.51	7.07	
		21:00	27.18	45.29	30.84	8.15	5.71	28.35	6.24	
	日平均值			27.53	45.29	30.85	8.19	5.41	49.02	6.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月26日	蚵殼站	0:00	28.06	47.74	31.44	8.18	6.03	27.13	4	
		3:00	27.47	48.22	31.76	8.21	6.12	13.17	4.04	
		6:00	27.11	48.52	31.96	8.19	6	3.67	3.94	
		9:00	27.43	48.24	31.78	8.15	5.77	3.85	4	
		12:00	27.7	48.02	31.64	8.14	5.88	3.58	3.97	
		15:00	27.04	48.58	32	8.25	6.39	3.98	3.95	
		18:00	27.1	48.51	31.95	8.26	6.34	5.56	3.93	
		21:00	26.9	48.66	32.05	8.2	6.22	12.8	3.86	
	日平均值			27.35	48.31	31.82	8.20	6.09	9.22	3.96
	潮口站	0:00	27.1	50.07	31.54	8.47	5.06	3.41	3.41	
		3:00	26.21	49.84	31.39	8.48	5.52	3.4	3.4	
		6:00	26.28	50.03	31.52	8.45	5.26	3.41	3.57	
		9:00	26.61	50.28	31.63	8.49	5.15	3.32	3.45	
		12:00	26.7	50.08	31.54	8.44	5.26	3.46	3.4	
		15:00	26.23	49.98	31.48	8.44	5.6	3.48	3.28	
		18:00	26.22	49.9	31.41	8.41	5.35	3.38	3.13	
		21:00	26.29	50.06	31.53	8.44	5.07	3.48	3.5	
	日平均值			26.46	50.03	31.51	8.45	5.28	3.42	3.39
	灣內站	0:00	27.05	45.22	30.8	8.12	5.32	23.77	5.77	
		3:00	26.96	45.18	30.79	8.15	5.42	9.19	5.57	
		6:00	26.9	45.06	30.71	8.16	5.06	11.29	6.66	
		9:00	26.89	45.09	30.72	8.17	5.78	7.45	5.58	
		12:00	26.84	45.08	30.71	8.16	5.96	23.99	5.89	
		15:00	26.71	45.06	30.7	8.19	5.54	79.66	5.23	
		18:00	26.68	45.06	30.7	8.17	5.1	84.78	6.21	
		21:00	26.55	45.03	30.69	8.15	5.44	73.3	5.32	
	日平均值			26.82	45.10	30.73	8.16	5.45	39.18	5.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月27日	蚵殼站	0:00	27.01	48.54	31.97	8.13	6.55	9.67	4.06	
		3:00	26.22	49.21	32.4	8.26	6.36	12.35	4.02	
		6:00	26.39	49.04	32.3	8.23	6.22	3.78	4.03	
		9:00	26.68	48.83	32.15	8.16	6.13	3.85	3.92	
		12:00	27.26	48.36	31.84	8.09	5.91	3.82	4.06	
		15:00	27.36	48.24	31.76	8.04	6.61	3.89	3.96	
		18:00	27.09	48.5	31.92	8.21	6.57	10.14	3.95	
		21:00	27.24	48.36	31.85	8.18	6.22	21.49	3.92	
	日平均值		26.91	48.64	32.02	8.16	6.32	8.62	3.99	
	潮口站	0:00	26.3	50.03	31.52	8.4	5.26	3.51	3.57	
		3:00	26.11	49.91	31.43	8.41	5.46	3.45	3.78	
		6:00	26.12	50	31.5	8.38	5.29	3.59	4.14	
		9:00	26.3	50	31.5	8.45	5.13	3.22	3.95	
		12:00	27.13	49.97	31.47	8.42	5.39	3.21	4.46	
		15:00	26.63	49.99	31.49	8.41	5.47	3.26	4.19	
		18:00	26.51	49.98	31.48	8.39	5.22	3.53	4.25	
		21:00	26.59	49.99	31.49	8.4	5.31	3.43	5.03	
	日平均值		26.46	49.98	31.49	8.41	5.32	3.40	4.17	
	灣內站	0:00	26.34	45.01	30.67	8.15	5.61	4.82	6.66	
		3:00	26.26	45.01	30.67	8.16	5.24	5.36	6.62	
		6:00	26.2	44.64	30.43	8.16	5.76	5.48	9.32	
		9:00	26.26	44.89	30.59	8.15	5.06	3.94	5.69	
		12:00	26.84	44.81	30.53	8.21	5.8	4.41	5.02	
		15:00	26.97	44.87	30.58	8.26	5.96	7.54	5.5	
18:00		26.54	44.94	30.63	8.17	5.53	6.84	7.91		
21:00		26.37	44.9	30.6	8.16	5.33	4.77	7.58		
日平均值		26.47	44.88	30.59	8.18	5.54	5.40	6.79		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月28日	蚵殼站	0:00	27.53	48.08	31.68	8.16	6.09	22.8	4	
		3:00	27.01	48.52	31.96	8.2	5.92	50.75	4.07	
		6:00	26.7	48.74	32.1	8.2	5.79	3.73	3.99	
		9:00	27.24	48.34	31.84	8.2	5.74	3.81	4.02	
		12:00	27.19	48.39	31.87	8.22	5.84	3.85	4.01	
		15:00	27.46	48.15	31.71	8.24	5.82	3.52	4.04	
		18:00	27.31	48.28	31.8	8.27	5.58	3.82	4	
		21:00	27.31	48.23	31.78	8.25	5.59	11.99	3.92	
	日平均值		27.22	48.34	31.84	8.22	5.80	13.03	4.01	
	潮口站	0:00	26.67	50	31.5	8.36	5.26	3.42	4.91	
		3:00	26.38	49.92	31.44	8.36	5.36	3.17	5.14	
		6:00	26.29	49.89	31.41	8.35	5.15	3.28	5.43	
		9:00	26.82	49.97	31.47	8.42	5.12	3.29	5.11	
		12:00	27.63	49.74	31.31	8.43	5.2	3.45	3.97	
		15:00	27.24	49.77	31.33	8.38	5.62	3.23	3.17	
		18:00	26.63	49.89	31.42	8.4	5.33	3.31	3.19	
		21:00	26.8	49.89	31.43	8.38	5.17	3.31	3.06	
	日平均值		26.81	49.88	31.41	8.39	5.28	3.31	4.25	
	灣內站	0:00	26.38	44.92	30.62	8.16	5.4	5.28	5.83	
		3:00	26.1	44.91	30.61	8.17	5.93	6.35	7.13	
		6:00	25.99	44.82	30.54	8.19	5.37	7.54	5.11	
		9:00	26.23	44.79	30.53	8.17	5.71	6.84	5.47	
		12:00	27.57	45.04	30.69	8.31	5.77	15.99	4.76	
		15:00	27.87	45.26	30.83	8.4	5.86	16.21	4.57	
18:00		27.24	45.29	30.84	8.28	5.34	17.9	5.91		
21:00		26.24	45.28	30.84	8.12	5.05	17.91	6.85		
日平均值		26.70	45.04	30.69	8.23	5.55	11.75	5.70		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月29日	蚵殼站	0:00	27.94	47.76	31.45	8.26	6.37	3.75	4.02
		3:00	27.87	47.83	31.49	8.26	5.96	3.9	3.94
		6:00	27.53	48.08	31.67	8.25	5.95	3.74	3.99
		9:00	27.28	48.3	31.81	8.26	5.96	3.84	3.89
		12:00	27.59	48.02	31.64	8.33	6.15	3.74	3.89
		15:00	27.6	48	31.63	8.37	6.36	3.69	3.91
		18:00	27.37	48.24	31.76	8.38	6.34	3.81	3.96
		21:00	27.33	48.3	31.8	8.34	6.12	5.77	4.02
	日平均值	27.56	48.07	31.66	8.31	6.15	4.03	3.95	
	潮口站	0:00	27.06	49.9	31.41	8.37	5.26	3.51	3.17
		3:00	26.56	49.91	31.42	8.36	5.45	3.41	3.08
		6:00	26.39	49.91	31.41	8.34	5.27	3.22	3.17
		9:00	26.58	49.86	31.38	8.38	5.73	3.27	3.14
		12:00	26.91	49.68	31.28	8.43	5.98	3.21	3.2
		15:00	27.07	49.48	31.14	8.35	6.29	3.25	3.43
		18:00	26.38	49.62	31.22	8.3	6.04	3.33	3.41
		21:00	26.47	49.62	31.22	8.3	5.93	3.15	3.12
	日平均值	26.68	49.75	31.31	8.35	5.74	3.29	3.22	
	灣內站	0:00	26.13	45.27	30.83	8.12	5.82	17.78	5.63
		3:00	26.04	45.17	30.77	8.16	5.97	17.71	6.78
		6:00	26.06	45.13	30.76	8.16	5.16	14.51	5.13
9:00		25.8	45.56	31.04	8.28	5.07	17.52	5.9	
12:00		26.12	45.59	31.05	8.31	5.74	16.81	5.11	
15:00		26.18	45.6	31.05	8.37	5.68	16.19	4.82	
18:00		26.14	45.59	31.05	8.38	6.48	17.92	5.39	
21:00		26.06	45.56	31.03	8.36	5.21	17.82	6.16	
日平均值	26.07	45.43	30.95	8.27	5.64	17.03	5.62		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月30日	蚵殼站	0:00	27.2	48.4	31.86	8.25	6.33	5.08	3.95
		3:00	27.05	48.5	31.94	8.27	6.42	18.62	3.92
		6:00	26.83	48.67	32.05	8.31	6.3	3.92	3.91
		9:00	26.79	48.72	32.08	8.3	6.07	4.07	4.02
		12:00	26.98	48.54	31.98	8.33	6.18	4.09	3.83
		15:00	27.57	48.08	31.66	8.32	6.69	3.64	3.93
		18:00	27.67	47.98	31.59	8.33	6.64	3.81	4.01
		21:00	27.6	48	31.62	8.31	6.52	3.87	4.04
	日平均值	27.21	48.36	31.85	8.30	6.39	5.89	3.95	
	潮口站	0:00	26.58	49.59	31.19	8.3	5.88	3.01	3.2
		3:00	26.35	49.6	31.2	8.29	5.97	3.2	3.09
		6:00	26.14	49.48	31.14	8.28	5.92	3.37	3.01
		9:00	26.46	49.27	31.01	8.3	5.94	3.45	3.11
		12:00	27.01	48.67	30.64	8.38	6.27	3.45	3.15
		15:00	27.27	48.36	30.45	8.37	6.64	3.37	3.07
		18:00	26.98	48.54	30.55	8.29	6.37	3.34	3.07
		21:00	26.57	48.66	30.64	8.26	5.73	3.22	3.08
	日平均值	26.67	49.02	30.85	8.31	6.09	3.30	3.10	
	灣內站	0:00	25.99	45.5	31.01	8.32	5.97	17.39	6.02
		3:00	25.9	45.5	30.99	8.3	5.33	17.91	7.19
		6:00	25.84	45.42	30.96	8.31	5.2	17.08	5.11
9:00		25.99	45.43	30.96	8.31	5.24	13.18	4.38	
12:00		26.89	45.4	30.93	8.47	5.39	13.85	4.4	
15:00		27.51	45.39	30.91	8.49	5.28	15.93	4.15	
18:00		27.11	45.39	30.93	8.44	5.28	17.5	5.82	
21:00		26.63	45.4	30.94	8.34	5.49	17.58	5.45	
日平均值	26.48	45.43	30.95	8.37	5.40	16.30	5.32		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月1日	蚵殼站	0:00	27.68	47.94	31.57	8.39	6.85	3.90	3.98	
		3:00	27.64	47.97	31.57	8.41	6.66	3.99	3.88	
		6:00	27.51	48.07	31.65	8.41	6.52	3.73	3.96	
		9:00	27.14	48.37	31.85	8.32	6.43	3.81	3.96	
		12:00	26.99	48.51	31.93	8.27	6.21	3.83	4.08	
		15:00	27.39	48.12	31.70	8.37	6.91	3.90	4.00	
		18:00	27.51	48.03	31.63	8.37	6.87	3.77	3.95	
		21:00	27.83	47.74	31.45	8.35	6.52	3.76	3.89	
	日平均值			27.46	48.09	31.67	8.36	6.62	3.84	3.96
	潮口站	0:00	26.74	48.86	30.76	8.26	5.98	3.37	3.03	
		3:00	26.61	48.87	30.76	8.25	5.85	3.37	3.08	
		6:00	26.19	48.87	30.77	8.26	6.02	3.28	3.07	
		9:00	26.4	48.87	30.76	8.25	5.91	3.34	3.07	
		12:00	27.06	48.87	30.77	8.36	6.47	3.39	3.11	
		15:00	27.36	48.69	30.64	8.38	6.57	3.49	3.11	
		18:00	27.15	48.81	30.73	8.3	6.49	3.52	3.17	
		21:00	27.26	49.08	30.91	8.24	5.93	3.48	3.15	
	日平均值			26.85	48.87	30.76	8.29	6.15	3.41	3.10
	灣內站	0:00	26.46	45.40	30.93	8.31	5.52	17.52	5.06	
		3:00	26.47	45.37	30.91	8.33	5.53	17.68	5.28	
		6:00	26.18	45.35	30.89	8.29	5.90	14.94	4.37	
		9:00	26.31	45.30	30.86	8.28	5.38	12.01	4.85	
		12:00	27.06	45.36	30.90	8.44	5.85	14.40	4.48	
		15:00	27.12	45.14	30.76	8.46	5.60	16.32	5.16	
		18:00	26.80	45.14	30.75	8.41	5.46	15.43	5.18	
		21:00	27.09	44.76	30.16	8.34	5.17	22.78	5.40	
	日平均值			26.69	45.23	30.77	8.36	5.55	16.39	4.97
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月2日	蚵殼站	0:00	27.77	47.84	31.51	8.42	6.39	9.51	3.87	
		3:00	27.59	47.98	31.59	8.38	6.22	3.93	3.91	
		6:00	27.39	48.13	31.71	8.37	6.09	3.74	3.94	
		9:00	27.22	48.28	31.8	8.35	6.04	3.72	4.01	
		12:00	27.16	48.34	31.82	8.31	6.14	3.85	3.87	
		15:00	27.61	47.97	31.58	8.33	6.12	3.6	3.98	
		18:00	27.88	47.73	31.44	8.35	5.88	3.59	4.05	
		21:00	27.83	47.74	31.45	8.35	5.89	3.76	3.89	
	日平均值			27.56	48.00	31.61	8.36	6.10	4.46	3.94
	潮口站	0:00	26.6	49.45	31.13	8.23	5.43	3.19	3.14	
		3:00	26.61	49.18	30.95	8.22	5.69	3.23	3.1	
		6:00	26.29	49.24	31.01	8.26	6.14	3.44	3.18	
		9:00	26.41	48.76	30.68	8.23	6.09	4.11	3.13	
		12:00	27.03	49.13	30.93	8.3	6.48	3.48	3.1	
		15:00	27.56	48.86	30.77	8.35	6.74	3.42	3.11	
		18:00	27.62	48.78	30.7	8.3	6.55	3.27	3.11	
		21:00	27.26	49.08	30.91	8.24	5.93	3.48	3.15	
	日平均值			26.92	49.06	30.89	8.27	6.13	3.45	3.13
	灣內站	0:00	26.38	44.62	30.08	8.36	5.43	5.22	4.91	
		3:00	26.04	44.68	30.11	8.27	5.34	6.09	5.54	
		6:00	26.02	44.72	30.14	8.29	5.28	5.47	10.16	
		9:00	26.21	44.73	30.15	8.32	5.63	11.22	9.84	
		12:00	27.01	44.76	30.16	8.38	5.4	27.13	6.14	
		15:00	27.4	44.76	30.16	8.4	5.21	27.1	4.88	
		18:00	27.56	44.73	30.15	8.39	5.77	26.13	4.9	
		21:00	27.09	44.76	30.16	8.34	5.19	22.78	5.4	
	日平均值			26.71	44.72	30.14	8.34	5.41	16.39	6.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月3日	蚵殼站	0:00	27.77	47.82	31.49	8.36	6.04	3.89	3.88
		3:00	27.98	47.63	31.36	8.4	6.14	3.85	3.88
		6:00	27.77	47.76	31.46	8.36	6.12	3.81	3.9
		9:00	27.76	47.82	31.48	8.37	5.88	3.77	3.81
		12:00	27.48	47.33	30.66	8.27	5.03	3.74	8.82
		15:00	27.21	47.81	31.47	8.33	6.44	3.79	4.03
		18:00	27.3	47.7	31.4	8.28	6.14	3.64	4
	21:00	27.27	47.72	31.41	8.24	5.93	3.94	4	
	日平均值		27.57	47.70	31.34	8.33	5.97	3.80	4.54
	潮口站	0:00	26.9	49.06	30.88	8.21	5.26	5.02	3.15
		3:00	26.76	49	30.85	8.21	5.75	11.3	3.09
		6:00	26.56	48.79	30.72	8.21	6.04	10.02	3.13
		9:00	26.36	48.64	30.62	8.21	6.26	49.19	3.15
		12:00	27.04	49.03	30.87	8.21	6.2	32.02	3.12
		15:00	27.61	48.79	30.7	8.28	6.71	3.37	3.18
		18:00	27.4	48.58	30.59	8.26	6.31	3.5	3.08
	21:00	27.21	48.55	30.56	8.2	6.15	3.42	3.12	
	日平均值		26.98	48.81	30.72	8.22	6.09	14.73	3.13
	灣內站	0:00	26.78	44.76	30.16	8.36	5.1	23.82	5.11
		3:00	26.59	44.72	30.14	8.33	5.53	27.22	5.37
		6:00	26.42	44.7	30.13	8.32	5.01	19.85	4.59
9:00		25.42	44.26	29.85	8.26	5.96	18.02	8.29	
12:00		27.26	47.34	31.17	8.37	5.35	2.76	3.12	
15:00		27.2	47.58	31.34	8.4	5.38	2.88	3.12	
18:00		27.14	47.78	31.47	8.35	5.77	2.86	3.17	
21:00	26.96	47.87	31.53	8.35	5.15	2.89	3.14		
日平均值		26.72	46.13	30.72	8.34	5.41	12.54	4.49	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月4日	蚵殼站	0:00	27.13	47.79	31.49	8.28	6.28	3.88	3.96
		3:00	27.27	47.7	31.4	8.35	7.53	3.91	4
		6:00	27.33	47.67	31.37	8.36	7.76	4.08	3.98
		9:00	27.16	47.75	31.47	8.37	8.1	4.03	4
		12:00	27.58	47.56	31.3	8.35	6.99	3.8	3.89
		15:00	27.86	47.36	31.17	8.35	6.88	3.88	3.97
		18:00	28.07	47.16	31.05	8.34	6.63	3.83	3.98
	21:00	28.18	47.06	31.01	8.32	6.33	4	3.8	
	日平均值		27.57	47.51	31.28	8.34	7.06	3.93	3.95
	潮口站	0:00	26.54	49.02	30.86	8.19	6.13	3.11	3.12
		3:00	26.49	48.49	30.53	8.17	5.92	3.28	3.06
		6:00	26.52	48.38	30.47	8.17	5.97	3.44	3.08
		9:00	26.55	48.34	30.44	8.19	6.17	3.26	3.14
		12:00	27.21	48.93	31.4	8.3	6.39	3.36	4.23
		15:00	27.96	48.71	31.28	8.32	6.55	3.32	4.57
		18:00	27.9	48.79	31.3	8.33	6.54	3.14	4
	21:00	27.94	48.8	31.32	8.31	6.25	3.33	4.34	
	日平均值		27.14	48.68	30.95	8.25	6.24	3.28	3.69
	灣內站	0:00	26.84	48.09	31.67	8.29	5.58	2.81	3.09
		3:00	26.73	48.24	31.77	8.3	5.47	2.77	3
		6:00	26.57	48.28	31.79	8.26	5.78	2.84	3
9:00		26.94	48.29	31.78	8.3	5.49	2.78	3	
12:00		27.44	47.92	31.55	8.38	5.16	3.13	3.21	
15:00		26.99	47.89	31.54	8.36	5.23	3.08	3.21	
18:00		26.62	47.89	31.52	8.34	5.88	3.08	3.2	
21:00	26.48	47.88	31.52	8.32	5.07	2.99	3.4		
日平均值		26.83	48.06	31.64	8.32	5.46	2.94	3.14	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月5日	蚵殼站	0:00	28.04	47.16	31.07	8.31	6	3.93	3.98
		3:00	27.77	47.39	31.21	8.25	5.36	3.75	4.08
		6:00	27.66	47.48	31.28	8.23	5.12	4.02	4.01
		9:00	27.7	47.42	31.25	8.27	5.55	3.65	3.98
		12:00	27.81	47.39	31.18	8.32	6.63	3.76	4.06
		15:00	28.15	46.56	31.48	8.33	6.94	3.97	3.95
		18:00	28.54	47.16	31.05	8.35	7.09	3.7	4.03
		21:00	28.64	47.06	31.01	8.35	7.02	3.79	3.87
	日平均值		28.04	47.20	31.19	8.30	6.21	3.82	4.00
	潮口站	0:00	27.37	48.8	31.32	8.28	6.17	3.24	5.66
		3:00	27.13	48.76	31.3	8.27	5.23	3.18	5.35
		6:00	27.52	48.79	31.32	8.24	5.45	3.36	5.81
		9:00	27.62	48.79	31.31	8.26	5.99	3.36	7.73
		12:00	27.46	48.8	31.32	8.28	6.39	3.26	8.76
		15:00	28.08	48.8	31.32	8.3	6.57	3.29	8.25
		18:00	28.32	48.8	31.32	8.32	6.6	3.33	5.69
		21:00	28.48	48.8	31.32	8.3	6.41	3.33	4.35
	日平均值		27.75	48.79	31.32	8.28	6.10	3.29	6.45
	灣內站	0:00	26.53	47.87	31.52	8.33	5.65	2.67	3.06
		3:00	26.5	47.87	31.51	8.27	5.22	3.18	3.13
		6:00	26.57	47.83	31.5	8.27	5.04	2.73	3.13
		9:00	27.01	47.78	31.46	8.32	5.32	2.87	3.18
		12:00	28	46.82	30.84	8.36	5.62	2.69	3.19
		15:00	28.48	47.08	31.02	8.4	5.79	3.01	3.26
		18:00	28.5	47.12	31.03	8.39	5.73	2.75	3.19
		21:00	28.32	46.17	30.4	8.37	5.87	2.8	3.33
	日平均值		27.49	47.32	31.16	8.34	5.53	2.84	3.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月6日	蚵殼站	0:00	28.64	47.16	31.07	8.33	6.75	3.83	3.96
		3:00	28.67	47.39	31.21	8.31	6.41	3.85	4.04
		6:00	28.48	47.48	31.28	8.32	6.32	3.81	4.12
		9:00	28.27	47.84	31.32	8.3	6.25	3.73	3.82
		12:00	28.4	47.57	31.32	8.29	6.21	3.79	4.07
		15:00	28.88	46.88	31.22	8.29	6.25	3.82	4.07
		18:00	28.91	46.64	31.06	8.29	6.14	3.71	3.95
		21:00	28.97	46.19	31.11	8.29	6.07	3.79	3.92
	日平均值		28.65	47.14	31.20	8.30	6.30	3.79	3.99
	潮口站	0:00	27.76	48.73	31.28	8.28	6.23	3.25	3.88
		3:00	27.2	48.73	31.28	8.26	6.24	3.22	3.17
		6:00	27.78	48.78	31.3	8.26	6.05	3.17	3.38
		9:00	28.32	48.78	31.31	8.26	6.25	3.3	3.16
		12:00	27.51	48.79	31.32	8.29	6.71	3.37	3.09
		15:00	27.61	48.76	31.29	8.28	6.6	3.2	3.19
		18:00	28.26	48.7	31.26	8.31	6.66	3.18	3.14
		21:00	28.98	48.7	31.25	8.3	6.35	3.11	3.22
	日平均值		27.93	48.75	31.29	8.28	6.39	3.23	3.28
	灣內站	0:00	28.05	46.65	30.72	8.38	5.15	2.62	3.03
		3:00	27.71	46.9	30.89	8.32	5.76	3.05	3.07
		6:00	27.71	46.96	30.94	8.34	5.93	2.77	3.46
		9:00	28.05	47.33	31.17	8.4	5.44	2.78	3.08
		12:00	28.49	47.52	31.3	8.42	5.39	2.81	3.11
		15:00	28.74	47.25	31.11	8.41	5.94	2.85	3.24
		18:00	28.77	46.17	30.41	8.37	5.74	2.71	3.14
		21:00	28.84	46.72	30.76	8.34	5.83	2.8	3.31
	日平均值		28.30	46.94	30.91	8.37	5.65	2.80	3.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月7日	蚵殼站	0:00	28.99	46.73	31.79	8.29	5.82	4.06	4.08
		3:00	28.9	46.36	31.56	8.29	5.85	3.82	4.08
		6:00	28.92	46.13	31.42	8.3	5.81	3.99	3.96
		9:00	29.03	46.32	31.53	8.29	5.73	3.79	4.15
		12:00	28.89	46.03	31.36	8.28	5.61	3.85	3.87
		15:00	29.43	45.75	31.15	8.3	5.92	3.83	4
		18:00	29.8	45.61	31.05	8.31	5.97	3.69	3.85
		21:00	29.8	45.98	31.33	8.32	6.02	3.92	4.03
	日平均值		29.22	46.11	31.40	8.30	5.84	3.87	4.00
	潮口站	0:00	28.05	48.7	31.26	8.27	6.26	3.42	3.08
		3:00	26.82	48.76	31.3	8.25	5.96	3.16	3.17
		6:00	28.23	48.75	31.29	8.26	5.97	3.32	3.33
		9:00	29.2	48.72	31.27	8.27	6.07	3.34	3.57
		12:00	28.28	48.71	31.27	8.27	6.5	3.41	3.43
		15:00	27.74	48.71	31.26	8.27	6.71	3.35	3.25
		18:00	28.53	48.72	31.26	8.28	6.62	3.19	3.5
		21:00	29.08	48.73	31.27	8.29	6.4	22.59	3.42
	日平均值		28.24	48.73	31.27	8.27	6.31	5.72	3.34
	灣內站	0:00	28.76	47.01	30.96	8.38	5.55	2.7	3.42
		3:00	28.51	47.16	31.07	8.37	5.8	2.95	3.42
		6:00	28.14	47.22	31.08	8.34	5.74	2.73	3.22
		9:00	28.27	47.28	31.12	8.38	5.07	2.9	3.06
		12:00	29.42	47.31	31.16	8.44	5.21	2.9	3.18
		15:00	29.44	47.47	31.24	8.41	5.8	2.83	2.99
		18:00	29.4	47.09	31.01	8.39	5.4	2.91	3.4
		21:00	29.48	47.18	31.07	8.38	5.59	2.77	3.31
	日平均值		28.93	47.22	31.09	8.39	5.52	2.84	3.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月8日	蚵殼站	0:00	29.62	46.15	31.43	8.29	5.68	3.82	3.91
		3:00	29.4	45.88	31.27	8.26	5.06	3.99	3.92
		6:00	29.36	45.85	31.25	8.25	5.91	4	4
		9:00	28.72	45.81	31.21	8.2	5.5	3.87	3.89
		12:00	28.99	45.71	31.11	8.22	5.59	3.78	3.82
		15:00	30.21	45.8	31.21	8.25	5.77	3.9	3.97
		18:00	29.41	45.76	31.18	8.22	5.66	3.94	3.88
		21:00	29.87	46.37	31.9	8.23	5.38	3.69	4
	日平均值		29.45	45.92	31.32	8.24	5.57	3.87	3.92
	潮口站	0:00	28.62	48.78	31.3	8.25	6.23	3.42	3.49
		3:00	27.07	48.76	31.3	8.23	6.3	3.46	3.51
		6:00	28.2	48.7	31.26	8.24	5.87	15.37	3.61
		9:00	29.75	48.64	31.21	8.27	6.07	3.44	3.95
		12:00	29.41	48.64	31.22	8.24	6.3	3.29	3.82
		15:00	27.94	48.7	31.26	8.2	6.34	3.23	3.72
		18:00	29.42	48.72	31.27	8.21	6.16	3.29	3.61
		21:00	30.16	48.71	31.27	8.2	5.84	3.42	3.77
	日平均值		28.82	48.71	31.26	8.23	6.14	4.87	3.69
	灣內站	0:00	29.33	47.33	31.17	8.4	5.22	11.12	3.21
		3:00	29.03	47.47	31.26	8.4	5.61	2.71	3.23
		6:00	28.76	47.38	31.2	8.28	5.92	3.11	3.24
		9:00	29.02	46.71	30.76	8.31	5.86	3.01	3.28
		12:00	29.98	46.92	30.91	8.37	5.32	3.03	3.41
		15:00	30.06	47.07	31.01	8.38	5.7	2.91	3.16
		18:00	29.7	47.24	31.11	8.36	5.68	2.84	3.2
		21:00	29.9	47.33	31.17	8.38	5.07	2.84	3.2
	日平均值		29.47	47.18	31.07	8.36	5.55	3.95	3.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月9日	蚵殼站	0:00	29.92	45.8	31.55	8.23	5.2	3.9	4
		3:00	29.75	45.79	31.5	8.21	5.77	3.9	3.94
		6:00	29.28	45.79	31.5	8.14	5.12	3.77	4
		9:00	28.7	45.79	31.49	8.14	5.11	3.89	3.88
		12:00	29.34	45.77	31.48	8.19	5.28	3.88	3.91
		15:00	29.81	45.71	31.45	8.19	5.25	3.95	3.99
		18:00	29.87	45.68	31.43	8.19	5.2	3.81	3.96
		21:00	29.94	45.68	31.43	8.23	5.15	3.77	3.8
	日平均值		29.58	45.75	31.48	8.19	5.26	3.86	3.94
	潮口站	0:00	29.68	48.72	31.27	8.17	5.87	3.31	4.02
		3:00	27.43	48.76	31.29	8.14	5.94	3.38	4.42
		6:00	28.66	48.75	31.28	8.16	5.75	3.38	5.34
		9:00	30.21	48.63	31.21	8.16	5.95	3.39	5.7
		12:00	29.99	48.66	31.23	8.14	6.24	3.27	5.92
		15:00	28.25	48.67	31.23	8.11	6.47	3.17	5.47
		18:00	28.57	48.75	31.28	8.11	6.11	3.17	5.43
		21:00	28.96	48.74	31.27	8.08	6.01	9.24	4.4
	日平均值		28.97	48.71	31.26	8.13	6.04	4.04	5.09
	灣內站	0:00	29.52	47.41	31.22	8.36	5.55	2.86	3.23
		3:00	28.93	47.5	31.27	8.33	5.79	2.87	3.17
		6:00	28.86	47.53	31.3	8.32	5.91	2.96	3.24
		9:00	29.23	47.49	31.27	8.26	5.95	3.88	3.02
		12:00	29.99	47.37	31.2	8.37	5.48	2.91	3.23
		15:00	30	47.52	31.29	8.4	5.04	3.04	3.22
		18:00	29.77	47.6	31.35	8.35	5.94	3.11	3.04
		21:00	29.54	47.63	31.38	8.35	5.14	2.74	3.34
	日平均值		29.48	47.51	31.29	8.34	5.60	3.05	3.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月10日	蚵殼站	0:00	29.96	45.67	31.42	8.2	5.8	3.61	3.96
		3:00	29.64	45.68	31.43	8.17	5.26	3.91	3.81
		6:00	29.51	45.66	31.42	8.18	5.09	3.84	3.95
		9:00	29.63	45.68	31.43	8.19	5.08	3.98	4.12
		12:00	29.58	45.74	31.47	8.18	5.09	3.87	4.05
		15:00	30.27	45.6	31.38	8.22	5.2	3.77	3.95
		18:00	30.62	45.49	31.32	8.22	5.08	3.74	3.94
		21:00	30.12	45.43	31.28	8.19	5.86	3.79	4.08
	日平均值		29.92	45.62	31.39	8.19	5.31	3.81	3.98
	潮口站	0:00	28.77	48.77	31.29	8.07	5.79	3.37	4.79
		3:00	27.47	48.79	31.31	8.06	6.05	3.32	5.02
		6:00	27.82	48.72	31.26	8.05	5.67	3.29	5.43
		9:00	29.83	48.67	31.22	8.06	5.88	3.39	4.42
		12:00	30.3	48.64	31.21	8.05	5.98	3.42	4.95
		15:00	28.57	48.64	31.21	8.04	6.16	3.43	5.16
		18:00	28.39	48.72	31.25	8.02	5.65	6.8	5.48
		21:00	29.73	48.74	31.28	8.03	5.82	3.36	5.38
	日平均值		28.86	48.71	31.25	8.05	5.88	3.80	5.08
	灣內站	0:00	29.3	47.38	31.19	8.29	5.44	3.21	3.19
		3:00	28.99	47.57	31.32	8.3	5.7	3.1	3.11
		6:00	29.02	47.59	31.34	8.26	5.67	2.81	3.17
		9:00	29.39	47.65	31.38	8.3	5.64	3.2	3.11
		12:00	30.21	47.66	31.39	8.38	5.85	2.96	3.26
		15:00	30.61	47.66	31.39	8.36	5.02	3.06	3.17
		18:00	30.44	47.89	31.55	8.34	5.82	2.84	3.3
		21:00	30.06	48.14	31.7	8.32	5.02	3.6	2.9
	日平均值		29.75	47.69	31.41	8.32	5.52	3.10	3.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月11日	蚵殼站	0:00	30.44	45.4	31.26	8.22	5.72	3.8	3.91	
		3:00	30.43	45.38	31.25	8.21	5.42	3.78	4.02	
		6:00	29.91	45.38	31.25	8.16	5.09	3.83	3.98	
		9:00	28.69	45.8	31.56	8.26	5.03	3.73	3.99	
		12:00	29.18	45.83	31.55	8.35	5.47	3.88	4	
		15:00	30.58	45.8	31.55	8.42	5.63	3.91	3.9	
		18:00	30.98	45.8	31.54	8.41	5.34	3.85	3.99	
		21:00	30.82	45.77	31.49	8.4	5.18	3.83	4.07	
	日平均值			30.13	45.65	31.43	8.30	5.36	3.83	3.98
	潮口站	0:00	29.94	48.74	31.28	8.03	5.34	3.42	4.56	
		3:00	27.58	48.71	31.26	7.99	5.85	3.06	4.62	
		6:00	28.01	48.69	31.27	7.98	5.15	3.37	3.84	
		9:00	30.52	48.39	31.24	8.22	5.97	3.38	4.19	
		12:00	31.28	48.31	31.21	8.21	5.95	3.32	6.25	
		15:00	29.52	48.35	31.22	8.2	6.02	3.2	7.4	
		18:00	28.13	48.4	31.28	8.17	5.89	3.18	9.62	
		21:00	29.29	48.4	31.27	8.18	5.83	3.41	7.74	
	日平均值			29.28	48.50	31.25	8.12	5.75	3.29	6.03
	灣內站	0:00	29.31	48.18	31.72	8.33	5.02	8.48	2.93	
		3:00	28.81	48.03	31.63	8.27	5.76	12.27	3.2	
		6:00	28.65	47.95	31.57	8.27	5.47	2.95	3.23	
		9:00	29.13	48.07	31.64	8.32	5.78	3.06	3.13	
		12:00	30.67	48.13	31.7	8.36	5.8	3.26	3.1	
		15:00	31	47.56	31.32	8.4	5.01	3.4	3.21	
		18:00	30.57	47.59	31.34	8.39	5.82	2.91	3.26	
		21:00	30.08	47.66	31.4	8.37	5.1	2.89	2.92	
	日平均值			29.78	47.90	31.54	8.34	5.47	4.90	3.12
	甲類海域地面水體基準值				環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月12日	蚵殼站	0:00	30.67	45.76	31.48	8.41	5.07	3.82	3.99	
		3:00	30.34	45.8	31.5	8.39	5.9	3.69	3.97	
		6:00	29.87	45.8	31.5	8.34	5.71	3.77	4.06	
		9:00	28.63	46.23	31.82	8.2	5.36	3.78	4.11	
		12:00	28.95	46.21	31.8	8.27	5.44	3.63	4.04	
		15:00	30.02	46.22	31.81	8.34	5.49	3.77	3.98	
		18:00	29.91	46.2	31.8	8.28	5.36	3.9	3.92	
		21:00	30.33	46.19	31.79	8.36	5.4	3.97	3.78	
	日平均值			29.84	46.05	31.69	8.32	5.47	3.79	3.98
	潮口站	0:00	29.66	48.4	31.28	8.19	5.26	3.37	9.91	
		3:00	27.85	48.39	31.26	8.18	5.61	3.3	12.48	
		6:00	27.69	48.38	31.24	8.17	5.1	3.54	11.09	
		9:00	30.52	48.48	31.3	8.27	5.86	3.34	10.61	
		12:00	29.77	48.57	31.36	8.27	5.94	3.35	9.49	
		15:00	29.22	48.64	31.41	8.25	5.88	3.21	7.19	
		18:00	28.03	48.68	31.43	8.23	5.53	3.33	7.96	
		21:00	28.59	48.68	31.45	8.23	5.2	3.47	9.15	
	日平均值			28.92	48.53	31.34	8.22	5.55	3.36	9.74
	灣內站	0:00	29.99	47.71	31.42	8.25	5.17	2.96	3.23	
		3:00	29.58	47.77	31.45	8.25	5.36	4.12	3.09	
		6:00	28.6	47.79	31.48	8.25	5.82	3.15	2.97	
		9:00	29.42	47.79	31.48	8.23	5.08	3.25	2.97	
		12:00	30.22	47.82	31.5	8.23	5.05	3.27	2.95	
		15:00	30.23	47.93	31.57	8.22	5.85	3.97	3.18	
		18:00	29.92	48	31.62	8.23	5.95	3.55	2.67	
		21:00	29.62	48.06	31.64	8.22	5.83	3.28	2.97	
	日平均值			29.70	47.86	31.52	8.24	5.51	3.44	3.00
	甲類海域地面水體基準值				環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月13日	蚵殼站	0:00	30.36	46.18	31.79	8.36	5.34	3.83	3.96
		3:00	30.03	46.11	31.75	8.35	5.25	3.68	3.91
		6:00	29.9	46.12	31.75	8.34	5.22	3.74	3.94
		9:00	29.49	45.65	31.11	8.33	5.75	3.83	3.96
		12:00	29.41	45.69	31.13	8.33	5.82	3.76	3.94
		15:00	30.48	45.62	31.09	8.35	5.82	3.9	4
		18:00	30.91	45.6	31.08	8.37	5.82	3.81	4.05
		21:00	30.98	45.57	31.06	8.38	5.8	3.79	3.82
	日平均值		30.20	45.82	31.35	8.35	5.60	3.79	3.95
	潮口站	0:00	29.23	48.34	31.21	8.23	5.26	3.48	10.38
		3:00	27.93	48.6	31.38	8.23	5.05	3.27	8.68
		6:00	27.62	48.6	31.39	8.22	5.05	3.3	5.44
		9:00	30.08	48.57	31.36	8.25	5.35	3.36	5.62
		12:00	31.34	48.52	31.34	8.26	5.48	3.2	4.48
		15:00	31.31	48.5	31.33	8.26	5.65	3.15	4.07
		18:00	29.06	48.61	31.39	8.24	5.02	3.33	3.63
		21:00	29.81	48.5	31.31	8.23	5.26	3.38	4.07
	日平均值		29.55	48.53	31.34	8.24	5.27	3.31	5.80
	灣內站	0:00	29.84	48.09	31.66	8.23	5.95	3.41	3.12
		3:00	29.42	48.1	31.69	8.22	5.64	3.87	3.13
		6:00	29.11	48.18	31.72	8.23	5.89	3.52	3.19
9:00		29.36	48.17	31.72	8.21	5.14	3.49	3.08	
12:00		29.92	48.06	31.65	8.21	5.43	4.02	3.27	
15:00		30.09	47.77	31.46	8.21	5.33	4.36	2.93	
18:00		29.48	47.91	31.56	8.21	5.31	4.86	2.9	
21:00		29.39	47.95	31.58	8.22	5.15	4.27	3.02	
日平均值		29.58	48.03	31.63	8.22	5.48	3.98	3.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月14日	蚵殼站	0:00	30.2	45.65	31.11	8.33	5.74	3.69	4.06
		3:00	30.23	45.88	31.25	8.34	5.71	3.72	4
		6:00	30.17	45.9	31.26	8.31	5.69	3.82	4.02
		9:00	29.42	45.91	31.27	8.27	5.67	4.19	3.94
		12:00	29.77	46.39	31.57	8.31	5.03	3.83	4.02
		15:00	30.25	46.61	31.7	8.36	5.28	3.52	3.79
		18:00	30.34	46.71	31.77	8.38	5.27	5.68	3.78
		21:00	30.42	46.84	31.87	8.32	5.26	13.14	4.1
	日平均值		30.10	46.24	31.48	8.33	5.46	5.20	3.96
	潮口站	0:00	30.34	47.85	30.91	8.23	5.26	3.14	4.25
		3:00	28.46	47.63	30.77	8.21	5.13	3.28	3.75
		6:00	27.99	47.48	30.67	8.2	5.36	3.33	4.86
		9:00	30.35	47.75	30.85	8.23	5.03	3.2	4.27
		12:00	31.32	48.16	31.11	8.24	5.22	3.37	3.75
		15:00	31.21	48.4	31.25	8.23	5.18	3.23	3.87
		18:00	29.84	48.33	31.21	8.18	5.48	3.18	3.86
		21:00	29.71	48.36	31.23	8.17	5.65	3.23	3.97
	日平均值		29.90	48.00	31.00	8.21	5.29	3.25	4.07
	灣內站	0:00	28.37	47.98	31.6	8.22	5.35	4.07	2.9
		3:00	28.62	48.03	31.63	8.22	5.4	5.1	2.83
		6:00	28.32	48.03	31.64	8.21	5.53	4.29	3.18
9:00		28.42	48.13	31.68	8.22	5.83	4.3	3.14	
12:00		28.99	48.15	31.71	8.27	5.02	5.66	3.12	
15:00		28.59	48.16	31.71	8.31	5.2	5.25	3.06	
18:00		27.81	48.16	31.71	8.32	5.3	5.07	3.18	
21:00		28.14	48.19	31.73	8.32	5.72	3.9	2.99	
日平均值		28.41	48.10	31.68	8.26	5.42	4.71	3.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月15日	蚵殼站	0:00	30.14	47	32	8.3	5.92	3.82	3.89
		3:00	29.79	46.96	31.98	8.32	5.62	3.99	3.94
		6:00	29.6	46.76	31.83	8.33	5.29	4	4.02
		9:00	29.78	46.37	31.56	8.31	5.23	3.87	3.99
		12:00	30.06	46.18	31.45	8.3	5.67	3.78	4.01
		15:00	30.29	46.1	31.4	8.29	5.83	3.9	3.98
		18:00	30.41	46.04	31.37	8.29	5.54	3.94	3.95
		21:00	30.37	46.09	31.4	8.24	5.38	3.69	3.89
	日平均值		30.06	46.44	31.62	8.30	5.56	3.87	3.96
	潮口站	0:00	30.11	48.36	31.23	8.16	5.03	3.43	3.96
		3:00	29.03	48.18	31.1	8.15	5.04	30.48	4.53
		6:00	28.44	47.84	30.89	8.13	5.03	3.37	4.03
		9:00	29.34	48.14	31.08	8.13	5.03	3.16	4.12
		12:00	30.26	48.32	31.21	8.14	5.03	3.47	3.85
		15:00	30.77	48.28	31.17	8.13	6.44	3.3	4.41
		18:00	30.13	48.4	31.26	8.12	6.14	3.28	4.43
		21:00	29.25	48.95	31.59	8.11	5.93	3.47	4.77
	日平均值		29.67	48.31	31.19	8.13	5.46	6.75	4.26
	灣內站	0:00	28.33	48.23	31.75	8.31	5.45	3.91	3.14
		3:00	27.97	48.21	31.74	8.31	5.25	4.34	2.96
		6:00	27.84	48.11	31.68	8.31	5.07	4.76	3.01
9:00		28.22	48.17	31.72	8.32	5.99	5.4	2.91	
12:00		28.68	48.24	31.77	8.32	5.68	32.51	3.15	
15:00		28.66	48.28	31.77	8.31	5.83	43.21	2.89	
18:00		28.41	48.26	31.76	8.32	5.05	45.46	2.94	
21:00		28.18	48.24	31.76	8.32	5.73	42.11	3.1	
日平均值		28.29	48.22	31.74	8.32	5.51	22.71	3.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月16日	蚵殼站	0:00	30.05	46.06	31.38	8.23	5.27	3.9	3.89
		3:00	29.72	45.99	31.33	8.22	6.1	3.9	3.81
		6:00	29.52	45.99	31.33	8.22	5.91	3.77	3.96
		9:00	29.74	45.92	31.29	8.24	5.56	3.89	4.06
		12:00	30.13	45.9	31.28	8.25	5.64	3.88	3.87
		15:00	30.5	45.86	31.26	8.24	5.69	3.95	4.02
		18:00	30.62	45.85	31.25	8.24	5.56	3.81	3.99
		21:00	30.53	45.84	31.24	8.24	5.6	3.77	3.96
	日平均值		30.10	45.93	31.30	8.24	5.67	3.86	3.95
	潮口站	0:00	29.72	49.26	31.8	8.12	6.28	3.22	5.07
		3:00	28.99	49.19	31.75	8.12	7.53	3.4	5.51
		6:00	28.74	49.13	31.72	8.13	7.76	9.83	5.89
		9:00	29.17	49.24	31.79	8.15	8.1	3.37	5.29
		12:00	30.24	49.14	31.73	8.18	6.99	6.88	5.92
		15:00	30.69	49.04	31.67	8.17	6.88	3.31	4.99
		18:00	30.47	49.07	31.68	8.15	6.63	3.25	4.21
		21:00	29.47	49.03	31.66	8.13	6.33	3.31	4.96
	日平均值		29.69	49.14	31.73	8.14	7.06	4.57	5.23
	灣內站	0:00	27.99	48.27	31.77	8.31	5.34	44.27	2.99
		3:00	28.05	48.23	31.75	8.32	5.58	47.47	3.06
		6:00	28	48.23	31.76	8.31	5.7	49.74	3.07
9:00		28.35	48.2	31.75	8.31	5.33	42.16	2.93	
12:00		28.93	48.18	31.73	8.31	5.68	43.9	3.14	
15:00		29.39	48.12	31.69	8.32	5.23	46.35	3.01	
18:00		29.33	46.84	30.84	8.32	5.44	37.25	3.3	
21:00		28.99	45.92	30.25	8.31	5.14	35.97	3.18	
日平均值		28.63	47.75	31.44	8.31	5.43	43.39	3.09	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月17日	蚵殼站	0:00	30.53	45.87	31.26	8.24	5.54	3.61	3.88	
		3:00	30.47	45.9	31.28	8.23	5.45	3.91	4.01	
		6:00	30.47	45.95	31.31	8.2	5.42	3.84	3.92	
		9:00	30.11	46.8	31.87	8.28	5.95	3.98	3.94	
		12:00	29.86	46.8	31.83	8.33	6.02	3.87	4.05	
		15:00	30.76	46.8	31.82	8.31	6.02	3.77	4.03	
		18:00	30.98	46.8	31.82	8.34	6.02	3.74	3.97	
		21:00	31.01	46.8	31.82	8.35	6	3.79	4	
	日平均值			30.52	46.47	31.63	8.29	5.80	3.81	3.98
	潮口站	0:00	29.42	49.18	31.75	8.13	6	3.15	5.88	
		3:00	29.21	49.06	31.67	8.14	5.36	3.77	5.78	
		6:00	29.06	49.05	31.67	8.14	5.12	3.45	5.23	
		9:00	29.35	48.89	31.78	8.23	5.55	12.73	5.17	
		12:00	30.89	48.83	31.74	8.25	6.63	15.14	4.27	
		15:00	30.71	48.8	31.71	8.24	6.94	55.12	4.04	
		18:00	30.78	48.85	31.75	8.24	7.09	2.78	4.38	
		21:00	29.96	48.79	31.71	8.23	7.02	2.66	4.29	
	日平均值			29.92	48.93	31.72	8.20	6.21	12.35	4.88
	灣內站	0:00	29.05	46.4	30.56	8.32	5.96	13.35	3.08	
		3:00	28.71	46.78	30.81	8.31	5.93	6.47	3.15	
		6:00	28.44	46.89	30.89	8.31	5.74	5.23	3.26	
		9:00	28.79	47.51	31.28	8.28	5.97	12.6	3.25	
		12:00	29.62	47.68	31.4	8.28	5.22	5.65	3.11	
		15:00	30.17	47.67	31.4	8.29	5.48	7.43	3.15	
		18:00	30.09	47.68	31.39	8.28	5.38	5.93	3.1	
		21:00	29.77	47.82	31.49	8.28	5.05	6.16	3.13	
	日平均值			29.33	47.30	31.15	8.29	5.59	7.85	3.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月18日	蚵殼站	0:00	30.81	46.8	31.82	8.36	5.94	3.8	4.01	
		3:00	30.53	46.8	31.82	8.34	5.91	3.78	4.16	
		6:00	30.56	46.79	31.82	8.32	5.89	3.83	3.97	
		9:00	30.45	46.76	31.8	8.32	5.87	3.73	3.93	
		12:00	30.64	46.79	31.81	8.36	5.23	3.88	3.85	
		15:00	31.06	46.8	31.82	8.34	5.48	3.91	3.98	
		18:00	31.34	46.8	31.82	8.34	5.47	3.85	3.94	
		21:00	31.2	46.8	31.82	8.34	5.46	3.83	3.89	
	日平均值			30.82	46.79	31.82	8.34	5.66	3.83	3.97
	潮口站	0:00	29.06	48.85	31.74	8.21	6.75	2.67	3.34	
		3:00	28.93	48.81	31.72	8.2	6.41	2.83	4.36	
		6:00	29.01	48.81	31.73	8.18	6.32	2.87	4.57	
		9:00	29.25	48.81	31.72	8.16	6.25	2.93	5.31	
		12:00	30.56	48.83	31.74	8.18	6.21	2.71	5.15	
		15:00	31.12	48.79	31.71	8.17	6.25	2.67	5.53	
		18:00	31.36	48.77	31.71	8.16	6.14	2.93	6.04	
		21:00	30.76	48.74	31.69	8.16	6.07	2.88	6.32	
	日平均值			30.01	48.80	31.72	8.18	6.30	2.81	5.08
	灣內站	0:00	29.49	47.88	31.54	8.28	5.25	5.9	3.27	
		3:00	28.96	47.93	31.57	8.28	5.48	5.77	3.23	
		6:00	28.81	48.11	31.67	8.29	5.65	6.27	3.04	
		9:00	29.12	48.14	31.7	8.29	5.93	6.15	3.21	
		12:00	29.55	48.14	31.71	8.29	5.6	7.49	3.28	
		15:00	29.71	48.2	31.75	8.29	5.6	8	3.34	
		18:00	29.57	48.23	31.77	8.29	5.44	7.98	3.25	
		21:00	29.36	48.21	31.75	8.28	5.98	7.56	3.29	
	日平均值			29.32	48.11	31.68	8.29	5.62	6.89	3.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月19日	蚵殼站	0:00	30.78	46.78	31.81	8.35	5.69	3.84	4.03
		3:00	30.68	46.74	31.79	8.33	5.6	3.99	3.83
		6:00	30.58	46.71	31.76	8.33	5.57	3.71	3.96
		9:00	30.77	46.26	31.16	8.37	6.1	3.76	3.99
		12:00	31.03	46.42	31.27	8.4	6.17	19.8	4.08
		15:00	31.35	46.33	31.21	8.3	6.17	6.67	3.87
		18:00	31.23	46.3	31.18	8.23	6.17	4.24	3.99
	21:00	31.04	46.3	31.18	8.26	6.15	4.17	3.91	
	日平均值		30.93	46.48	31.42	8.32	5.95	6.27	3.96
	潮口站	0:00	29.03	48.79	31.72	8.14	5.82	2.76	6.59
		3:00	28.86	48.82	31.73	8.15	5.85	2.94	6.9
		6:00	29.07	48.72	31.69	8.14	5.81	2.74	5.52
		9:00	29.56	48.43	31.68	8.23	5.73	2.83	3.48
		12:00	30.05	48.43	31.67	8.22	5.61	2.76	3.29
		15:00	31.08	48.43	31.67	8.22	5.92	2.9	3.21
		18:00	30.71	48.45	31.68	8.21	5.97	2.77	3.37
	21:00	30.53	48.47	31.69	8.19	6.02	2.71	3.26	
	日平均值		29.86	48.57	31.69	8.19	5.84	2.80	4.45
	灣內站	0:00	28.74	48.38	31.86	8.29	5.58	8.01	3.43
		3:00	28.73	48.31	31.82	8.29	5.08	6.27	3.22
		6:00	28.33	48.47	31.91	8.28	5.57	6.5	3.1
9:00		28.74	48.11	31.69	8.28	5.48	6.71	3.21	
12:00		29.23	47.93	31.57	8.27	5.72	6.69	3.08	
15:00		29.2	47.84	31.51	8.28	5.31	7.8	3.27	
18:00		28.84	47.88	31.53	8.28	5.3	8.85	3.24	
21:00	28.62	47.81	31.48	8.27	5.39	9.65	3.14		
日平均值		28.80	48.09	31.67	8.28	5.43	7.56	3.21	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月20日	蚵殼站	0:00	30.84	46.3	31.18	8.24	6.09	3.95	4.06
		3:00	30.52	46.3	31.18	8.17	6.06	3.73	4.01
		6:00	30.34	46.3	31.18	8.14	6.04	3.84	3.93
		9:00	30.25	46.3	31.18	8.19	6.02	3.99	3.79
		12:00	30.27	47.8	31.47	8.3	7.97	3.71	4.03
		15:00	30.85	47.8	31.47	8.28	9.01	3.76	4
		18:00	31.26	47.8	31.48	8.25	7.42	3.72	4.02
	21:00	31.08	47.8	31.48	8.22	7.29	3.82	4.05	
	日平均值		30.68	47.05	31.33	8.22	6.99	3.82	3.99
	潮口站	0:00	29.69	48.01	31.42	8.17	5.68	2.91	3.33
		3:00	29.47	48.28	31.6	8.18	5.06	2.65	3.12
		6:00	29.51	48.31	31.61	8.19	5.03	2.79	3.21
		9:00	29.75	48.29	31.59	8.21	5.03	2.94	3.16
		12:00	30.07	48.34	31.61	8.23	5.05	3.01	3.31
		15:00	30.57	48.25	31.58	8.23	5.05	2.69	3.37
		18:00	30.93	48.24	31.56	8.22	5.05	2.91	3.26
	21:00	30.84	48.25	31.58	8.24	5.06	2.73	3.26	
	日平均值		30.10	48.25	31.57	8.21	5.13	2.83	3.25
	灣內站	0:00	28.57	47.75	31.44	8.28	5.84	11.99	3.33
		3:00	28.52	47.69	31.41	8.27	5.8	12.63	3.49
		6:00	28.58	47.54	31.31	8.27	6.96	9.65	3.16
9:00		29.01	47.68	31.4	8.28	7.59	8.49	3.52	
12:00		29.43	47.76	31.46	8.27	7.73	12.56	3.45	
15:00		30.25	47.66	31.36	8.28	7.57	2.99	3	
18:00		30.23	47.72	31.4	8.27	6.82	2.82	3.1	
21:00	30.02	47.73	31.43	8.19	6.48	2.91	3.05		
日平均值		29.33	47.69	31.40	8.26	6.85	8.01	3.26	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月21日	蚵殼站	0:00	30.96	47.8	31.48	8.22	7.16	3.86	3.91	
		3:00	30.86	47.8	31.48	8.24	6.81	3.76	4.09	
		6:00	30.84	47.8	31.46	8.27	6.77	3.99	4	
		9:00	30.85	47.8	31.47	8.28	9.01	3.76	4	
		12:00	30.41	48.12	31.7	8.27	6.96	4.25	4.18	
		15:00	30.68	48	31.6	8.33	7.45	3.89	4.04	
		18:00	30.86	47.95	31.58	8.35	8.03	3.87	4	
		21:00	30.87	47.94	31.57	8.33	7.69	3.89	3.93	
	日平均值			30.79	47.90	31.54	8.29	7.49	3.91	4.02
	潮口站	0:00	29.58	48.13	31.49	8.24	5.06	2.83	3.32	
		3:00	29.46	48.22	31.55	8.24	5.08	2.72	3.62	
		6:00	29.77	48.18	31.52	8.24	5.07	2.83	3.88	
		9:00	29.65	48.15	31.5	8.24	5.07	2.8	4	
		12:00	30.39	48.19	31.73	8.36	6.38	2.8	3.25	
		15:00	30.46	48.48	31.94	8.37	6.57	2.75	3.59	
		18:00	31.21	48.41	31.89	8.4	6.83	2.61	4.82	
		21:00	31.33	48.41	31.89	8.38	6.41	2.83	4.43	
	日平均值			30.23	48.27	31.69	8.31	5.81	2.77	3.86
	灣內站	0:00	29.83	47.84	31.49	8.18	6.35	3	2.89	
		3:00	29.64	47.83	31.47	8.17	6.67	2.92	2.88	
		6:00	29.58	47.91	31.54	8.15	6.95	2.82	2.75	
		9:00	29.93	47.85	31.5	8.26	7.28	2.7	2.6	
		12:00	30.47	47.93	31.56	8.35	7.4	2.99	3.07	
		15:00	30.66	47.86	31.5	8.36	6.6	3.04	2.89	
		18:00	30.57	47.86	31.52	8.35	6.3	3.12	2.91	
		21:00	30.36	47.84	31.51	8.31	5.99	2.95	2.74	
	日平均值			30.13	47.87	31.51	8.27	6.69	2.94	2.84
	甲類海域地面水體基準值				環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月22日	蚵殼站	0:00	30.66	47.94	31.57	8.32	6.71	3.92	3.99	
		3:00	30.52	47.96	31.58	8.34	5.89	3.91	4.02	
		6:00	30.64	47.95	31.57	8.37	6.37	3.87	4.04	
		9:00	30.82	47.95	31.57	8.39	7.19	3.99	4.07	
		12:00	31.03	47.96	31.58	8.4	7.01	3.8	3.93	
		15:00	31.24	47.95	31.58	8.38	6.81	3.79	3.93	
		18:00	31.31	47.95	31.58	8.35	6.51	3.84	3.85	
		21:00	31.3	47.94	31.57	8.33	6.3	4	3.89	
	日平均值			30.94	47.95	31.58	8.36	6.60	3.89	3.97
	潮口站	0:00	30.04	48.36	31.84	8.34	6.27	2.66	3.65	
		3:00	29.33	48.36	31.83	8.32	6.23	2.89	3.22	
		6:00	30.37	48.34	31.84	8.33	5.86	2.79	3.49	
		9:00	31.02	48.41	31.88	8.34	6.19	2.75	3.44	
		12:00	30.73	48.19	31.74	8.38	6.96	3.85	3.42	
		15:00	30.66	48.31	31.81	8.38	6.96	2.71	3.96	
		18:00	31.23	48.31	31.8	8.4	6.9	2.81	4.63	
		21:00	31.35	48.34	31.82	8.39	6.5	2.69	4.42	
	日平均值			30.59	48.33	31.82	8.36	6.48	2.89	3.78
	灣內站	0:00	30.17	47.9	31.56	8.29	5.87	2.72	2.87	
		3:00	30	47.9	31.56	8.27	6.18	2.9	2.73	
		6:00	30	47.9	31.57	8.26	6.48	2.66	2.89	
		9:00	30.36	47.9	31.56	8.3	6.79	2.9	2.97	
		12:00	30.67	47.9	31.55	8.33	6.92	3.03	2.91	
		15:00	30.81	47.89	31.54	8.31	6.61	3.12	2.95	
		18:00	30.54	47.86	31.53	8.3	6.29	3.19	2.92	
		21:00	30.38	47.87	31.53	8.29	6	3.09	3.03	
	日平均值			30.37	47.89	31.55	8.29	6.39	2.95	2.91
	甲類海域地面水體基準值				環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月23日	蚵殼站	0:00	31.21	47.95	31.57	8.32	5.62	3.65	4	
		3:00	31.18	47.96	31.58	8.34	5.43	3.73	3.98	
		6:00	31.16	47.96	31.57	8.37	5.4	3.92	4.01	
		9:00	30.96	47.96	31.57	8.39	5.3	3.8	3.98	
		12:00	31.03	47.96	31.58	8.4	5.38	3.83	3.83	
		15:00	31.29	47.94	31.57	8.38	5.41	3.76	3.98	
		18:00	31.34	47.96	31.58	8.35	5.53	3.85	4.03	
		21:00	31.4	47.97	31.58	8.32	5.44	3.85	4	
	日平均值			31.20	47.96	31.58	8.36	5.44	3.80	3.98
	潮口站	0:00	30.4	47.94	31.56	8.36	6.45	2.74	4.04	
		3:00	29.38	48.23	31.76	8.33	6.31	2.88	4.25	
		6:00	30.61	48.35	31.83	8.36	6.17	3.03	3.92	
		9:00	31.63	48.28	31.79	8.36	6.3	2.85	4	
		12:00	31.21	48.14	31.7	8.38	6.79	2.8	3.93	
		15:00	30.41	48.11	31.67	8.37	6.85	2.84	3.89	
		18:00	31.08	48.25	31.78	8.4	6.84	2.99	4.27	
		21:00	31.59	48.29	31.8	8.4	6.48	2.78	4.08	
	日平均值			30.79	48.20	31.74	8.37	6.52	2.86	4.05
	灣內站	0:00	30.28	47.9	31.55	8.27	5.89	2.72	2.58	
		3:00	30.13	47.9	31.56	8.24	6.18	2.9	2.8	
		6:00	30.14	47.91	31.55	8.25	6.48	2.81	2.93	
		9:00	30.7	47.9	31.55	8.3	6.79	2.68	2.84	
		12:00	31.18	47.9	31.53	8.33	6.92	3.01	2.85	
		15:00	31.23	47.84	31.51	8.32	6.61	2.84	2.77	
18:00		30.94	47.84	31.51	8.28	6.31	2.93	2.96		
21:00		30.88	47.82	31.5	8.27	6.02	2.85	2.7		
日平均值			30.69	47.88	31.53	8.28	6.40	2.84	2.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月24日	蚵殼站	0:00	31.23	47.96	31.57	8.32	5.07	3.91	3.95	
		3:00	30.92	47.95	31.57	8.34	5.62	3.85	3.95	
		6:00	30.97	47.94	31.58	8.37	5.76	3.75	3.9	
		9:00	31.13	47.81	31.49	8.37	5.13	3.85	4.02	
		12:00	31.31	47.81	31.48	8.4	5.41	3.81	3.86	
		15:00	31.69	47.88	31.52	8.44	5.75	3.82	3.91	
		18:00	31.75	47.9	31.54	8.44	5.8	3.69	3.87	
		21:00	31.58	47.82	31.49	8.36	5.53	3.68	3.93	
	日平均值			31.32	47.88	31.53	8.38	5.51	3.80	3.92
	潮口站	0:00	30.84	48.31	31.8	8.36	6.28	2.8	4.5	
		3:00	28.97	48.27	31.78	8.35	6.71	2.91	4.41	
		6:00	30.58	48.14	31.7	8.35	6.08	2.76	4.96	
		9:00	31.97	48.07	31.66	8.4	6.4	2.84	3.96	
		12:00	32.08	48.12	31.68	8.38	6.5	2.84	3.98	
		15:00	30.62	48.07	31.66	8.38	6.99	2.79	3.61	
		18:00	31.15	48.04	31.64	8.39	6.67	2.85	4.01	
		21:00	31.69	48.03	31.64	8.41	6.6	2.89	4.19	
	日平均值			30.99	48.13	31.70	8.38	6.53	2.84	4.20
	灣內站	0:00	30.73	47.88	31.53	8.25	5.9	2.93	3.02	
		3:00	30.46	47.84	31.51	8.24	6.18	2.92	2.9	
		6:00	30.4	47.66	31.38	8.22	6.47	3.06	2.93	
		9:00	30.78	47.62	31.37	8.27	6.42	2.98	2.93	
		12:00	31.49	47.61	31.34	8.31	6.41	2.93	2.6	
		15:00	31.72	47.63	31.37	8.33	5.87	2.81	2.91	
18:00		31.59	47.73	31.42	8.31	5.57	2.72	2.89		
21:00		31.32	47.71	31.4	8.29	5.23	2.92	2.99		
日平均值			31.06	47.71	31.42	8.28	6.01	2.91	2.90	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月25日	蚵殼站	0:00	31.29	47.79	31.46	8.32	5.02	3.99	3.93	
		3:00	31.09	47.79	31.47	8.35	5.7	3.75	3.9	
		6:00	30.88	47.79	31.46	8.37	5.21	3.76	3.96	
		9:00	30.62	47.67	31.39	8.28	5.65	3.79	4.1	
		12:00	31.21	47.73	31.42	8.32	5.64	3.83	3.93	
		15:00	31.48	47.8	31.48	8.35	5.82	3.91	4.13	
		18:00	31.56	47.86	31.52	8.36	5.75	3.64	3.88	
		21:00	31.72	47.84	31.51	8.33	5.56	3.75	3.99	
	日平均值			31.23	47.78	31.46	8.34	5.54	3.80	3.98
	潮口站	0:00	30.93	48.19	31.74	8.36	6.08	2.75	4.2	
		3:00	28.43	48.08	31.66	8.33	6.58	2.91	4.38	
		6:00	30.64	48.08	31.66	8.37	6.17	2.95	3.71	
		9:00	32.21	47.89	31.53	8.42	6.6	2.71	3.89	
		12:00	32.73	47.6	31.33	8.41	6.67	2.85	3.94	
		15:00	30.78	47.53	31.29	8.38	6.95	2.75	3.73	
		18:00	30.65	47.98	31.61	8.35	6.08	2.92	3.95	
		21:00	31.79	48.02	31.63	8.4	6.33	2.97	4.25	
	日平均值			31.02	47.92	31.56	8.38	6.43	2.85	4.01
	灣內站	0:00	31.04	47.76	31.45	8.29	5.09	2.82	2.81	
		3:00	30.71	47.8	31.48	8.29	5.35	2.9	2.97	
		6:00	30.45	47.85	31.51	8.28	5.63	3.04	2.88	
		9:00	30.76	47.88	31.53	8.3	6.06	2.92	2.98	
		12:00	31.76	47.75	31.44	8.34	6.27	3.26	3	
		15:00	31.72	47.81	31.5	8.32	5.98	3.2	2.88	
		18:00	31.39	47.84	31.51	8.31	5.63	2.9	2.96	
		21:00	30.85	47.79	31.48	8.3	5.27	3.01	2.81	
	日平均值			31.09	47.81	31.49	8.30	5.66	3.01	2.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月26日	蚵殼站	0:00	31.3	47.79	31.47	8.27	5.84	3.89	3.91	
		3:00	31.19	47.82	31.49	8.33	5.61	3.84	4.11	
		6:00	30.45	47.75	31.44	8.3	5.72	3.86	4.01	
		9:00	29.82	47.58	31.33	8.22	5.23	3.56	3.99	
		12:00	30.56	47.65	31.38	8.28	5.53	3.64	4.1	
		15:00	31.37	47.84	31.51	8.37	5.96	3.72	3.92	
		18:00	31.48	47.91	31.55	8.4	5.84	3.96	4	
		21:00	31.2	47.86	31.51	8.34	5.29	3.9	4.11	
	日平均值			30.92	47.78	31.46	8.31	5.63	3.80	4.02
	潮口站	0:00	31.5	48.16	31.72	8.36	5.71	2.8	4.07	
		3:00	28.28	48.2	31.74	8.33	6.58	2.97	3.46	
		6:00	29.89	48.01	31.62	8.35	6.25	2.59	3.62	
		9:00	32.17	47.77	31.44	8.42	6.59	3.13	3.92	
		12:00	33.13	47.78	31.45	8.44	6.71	2.77	4.11	
		15:00	31.67	47.74	31.43	8.4	6.82	3.04	3.74	
		18:00	30.29	47.91	31.55	8.34	6.16	2.88	3.61	
		21:00	31.24	47.82	31.49	8.39	6.27	2.82	3.95	
	日平均值			31.02	47.92	31.56	8.38	6.39	2.88	3.81
	灣內站	0:00	30.61	47.9	31.54	8.29	5.15	2.88	2.83	
		3:00	30.34	47.82	31.5	8.27	5.42	2.71	2.84	
		6:00	30.27	47.9	31.56	8.27	5.69	2.78	2.89	
		9:00	30.29	47.91	31.56	8.29	6	3.15	2.81	
		12:00	31.21	47.9	31.56	8.32	6.22	3.3	2.92	
		15:00	31.44	47.85	31.5	8.32	6.2	3.29	2.86	
		18:00	31.14	47.81	31.49	8.3	5.87	3.16	2.93	
		21:00	30.94	47.8	31.49	8.27	5.56	3.01	2.79	
	日平均值			30.78	47.86	31.53	8.29	5.76	3.04	2.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月27日	蚵殼站	0:00	31.18	47.83	31.5	8.31	5.92	4.02	3.88
		3:00	30.91	47.84	31.5	8.34	5.53	3.67	3.92
		6:00	30.54	47.83	31.49	8.37	5.22	3.89	4.13
		9:00	29.62	47.66	31.38	8.27	5.41	3.89	4.01
		12:00	30.76	47.73	31.43	8.33	5.53	3.92	4.08
		15:00	31.52	47.85	31.5	8.37	5.69	3.73	4.01
		18:00	31.06	47.82	31.48	8.32	5.55	3.68	3.91
		21:00	31.48	47.89	31.53	8.36	5.51	3.84	4.1
	日平均值		30.88	47.81	31.48	8.33	5.55	3.83	4.01
	潮口站	0:00	31.07	48.26	31.78	8.36	5.79	2.84	4.08
		3:00	29.03	48.29	31.8	8.35	6.64	2.79	4.08
		6:00	28.74	48.23	31.76	8.33	6.42	2.96	4.03
		9:00	31.14	47.97	31.59	8.4	6.45	3.02	3.98
		12:00	31.1	47.95	31.57	8.4	6.61	2.59	3.72
		15:00	31.18	48.08	31.66	8.37	6.53	2.79	3.66
		18:00	28.86	47.77	31.45	8.34	6.65	2.91	3.41
		21:00	29.05	48.17	31.72	8.35	6.01	2.96	3.43
	日平均值		30.02	48.09	31.67	8.36	6.39	2.86	3.80
	灣內站	0:00	30.69	47.79	31.48	8.29	5.44	2.97	2.91
		3:00	30.32	47.81	31.47	8.31	5.68	2.83	2.62
		6:00	30.13	47.79	31.46	8.29	5.97	3.13	2.96
9:00		30.27	47.8	31.46	8.33	6.3	3.39	2.76	
12:00		30.57	47.8	31.46	8.36	6.42	3.94	2.97	
15:00		30.62	47.88	31.53	8.37	6.15	4.42	2.86	
18:00		30.25	47.8	31.47	8.36	5.79	4.09	2.71	
21:00		30.15	47.8	31.48	8.31	5.5	3.63	2.81	
日平均值		30.38	47.81	31.48	8.33	5.91	3.55	2.83	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月28日	蚵殼站	0:00	31.23	47.83	31.5	8.31	5.4	3.92	3.89
		3:00	30.9	47.82	31.49	8.34	5.32	3.97	4.01
		6:00	30.52	47.83	31.49	8.36	5.31	3.99	3.87
		9:00	29.38	47.64	31.37	8.26	5.68	3.84	4.03
		12:00	30.1	47.67	31.38	8.28	5.66	3.85	4.01
		15:00	30.96	47.73	31.43	8.3	5.93	3.77	4.04
		18:00	31.24	47.82	31.48	8.32	5.06	3.86	3.93
		21:00	31.15	47.81	31.49	8.31	6.45	3.63	3.96
	日平均值		30.69	47.77	31.45	8.31	5.60	3.85	3.97
	潮口站	0:00	28.97	48.35	31.83	8.33	5.66	2.88	3.84
		3:00	27.57	48.36	31.83	8.33	6.44	2.89	3.52
		6:00	26.09	48.33	31.83	8.3	6.49	2.72	3.6
		9:00	29.61	48.33	31.82	8.37	6.17	2.77	3.64
		12:00	30.24	48.26	31.77	8.39	6.5	2.83	3.68
		15:00	30.44	48.18	31.74	8.38	6.43	2.84	3.98
		18:00	28.71	47.83	31.49	8.34	6.54	2.89	3.46
		21:00	27.13	48.3	31.8	8.31	6.14	2.69	3.21
	日平均值		28.60	48.24	31.76	8.34	6.30	2.81	3.62
	灣內站	0:00	30.01	47.81	31.51	8.29	5.36	3.53	2.81
		3:00	29.88	47.84	31.52	8.28	5.64	3.47	2.83
		6:00	29.75	47.81	31.51	8.27	5.94	3.96	3.01
9:00		30.04	47.84	31.52	8.32	6.24	4.92	2.98	
12:00		30.37	47.8	31.48	8.35	6.45	5.51	2.91	
15:00		30.65	47.8	31.48	8.34	6.15	8.49	2.87	
18:00		30.35	47.8	31.49	8.34	5.83	10.72	3.07	
21:00		30.12	47.81	31.5	8.33	5.48	8.46	2.89	
日平均值		30.15	47.81	31.50	8.32	5.89	6.13	2.92	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月29日	蚵殼站	0:00	31.19	47.84	31.5	8.31	5.77	3.7	4	
		3:00	31.09	47.84	31.5	8.34	5.58	3.92	3.91	
		6:00	30.32	47.82	31.48	8.34	5.55	3.83	3.94	
		9:00	29.26	47.67	31.38	8.28	5.45	3.93	3.99	
		12:00	29.42	47.6	31.35	8.24	5.53	3.69	3.92	
		15:00	30.86	47.73	31.43	8.3	5.56	3.77	3.89	
		18:00	31.02	47.76	31.45	8.29	5.68	3.92	3.87	
	21:00	30.69	47.74	31.44	8.26	5.59	3.66	4.11		
	日平均值		30.48	47.75	31.44	8.30	5.59	3.80	3.95	
	潮口站	0:00	28.69	48.48	31.92	8.32	5.65	3.06	3.67	
		3:00	27.81	48.55	31.97	8.32	6.28	2.97	3.66	
		6:00	26.07	48.57	31.99	8.3	6.57	2.9	3.68	
		9:00	29.15	48.38	31.87	8.35	5.99	2.76	3.68	
		12:00	30.95	48.23	31.76	8.4	6.02	2.8	3.67	
		15:00	30.3	48.34	31.83	8.36	5.77	2.92	3.89	
		18:00	29.53	48.41	31.88	8.33	5.56	2.89	3.72	
	21:00	26.74	48.35	31.83	8.3	5.73	2.64	3.41		
	日平均值		28.66	48.41	31.88	8.34	5.95	2.87	3.67	
	灣內站	0:00	29.86	47.8	31.51	8.29	5.37	6.54	2.74	
		3:00	29.58	47.8	31.49	8.28	5.63	7.6	2.73	
		6:00	29.53	47.8	31.48	8.25	5.91	11.83	2.61	
9:00		30.14	47.8	31.48	8.3	6.28	9.72	2.75		
12:00		31.01	47.8	31.46	8.35	6.46	10.85	2.78		
15:00		30.77	47.78	31.46	8.33	6.17	17.6	2.94		
18:00		29.82	47.78	31.44	8.29	5.75	17.72	2.92		
21:00	29.71	47.72	31.41	8.3	5.45	11.91	2.85			
日平均值		30.05	47.79	31.47	8.30	5.88	11.72	2.79		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月30日	蚵殼站	0:00	30.47	47.72	31.42	8.24	5.22	3.6	3.94	
		3:00	30.29	47.71	31.41	8.26	5.77	3.82	4.05	
		6:00	30.13	47.76	31.45	8.31	5.91	3.76	4.01	
		9:00	28.99	47.53	31.3	8.18	5.28	3.88	4.01	
		12:00	28.54	47.49	31.27	8.17	5.56	3.84	3.92	
		15:00	29.44	47.53	31.3	8.17	5.9	3.86	4	
		18:00	30.19	47.63	31.36	8.21	5.95	3.78	4.01	
	21:00	29.88	47.61	31.36	8.18	5.68	3.73	4.02		
	日平均值		29.74	47.62	31.36	8.22	5.66	3.78	4.00	
	潮口站	0:00	29.32	48.43	31.9	8.33	5.24	2.91	3.72	
		3:00	28.06	48.47	31.92	8.31	5.31	2.85	3.59	
		6:00	26.22	48.45	31.92	8.3	5.55	2.71	3.27	
		9:00	27.48	48.37	31.86	8.32	5.2	2.89	3.37	
		12:00	29.79	48.03	31.63	8.4	5.11	2.65	3.65	
		15:00	29.06	48.15	31.7	8.34	5.94	3.05	3.67	
		18:00	29.04	48.12	31.68	8.34	6.03	2.86	3.61	
	21:00	26.93	47.41	31.23	8.29	6.18	2.79	3.35		
	日平均值		28.24	48.18	31.73	8.33	5.57	2.84	3.53	
	灣內站	0:00	29.55	47.69	31.39	8.28	5.33	10.9	2.88	
		3:00	29.35	47.72	31.41	8.28	5.58	34.75	2.84	
		6:00	29.11	47.71	31.42	8.26	5.85	59.37	2.87	
9:00		28.22	47.66	31.38	8.25	6.09	57.79	2.86		
12:00		28.32	47.63	31.36	8.26	6.21	35.14	3		
15:00		29.23	47.65	31.37	8.29	5.99	43.49	2.82		
18:00		28.93	47.64	31.38	8.29	5.66	25.34	2.67		
21:00	28.41	47.66	31.38	8.27	5.31	26.41	2.86			
日平均值		28.89	47.67	31.39	8.27	5.75	36.65	2.85		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月31日	蚵殼站	0:00	29.48	47.58	31.34	8.15	5.17	3.78	3.93	
		3:00	29.21	47.57	31.31	8.16	5.85	3.82	3.94	
		6:00	28.61	47.48	31.27	8.14	5.36	3.81	3.97	
		9:00	29.13	47.63	31.37	8.35	5.8	3.71	3.91	
		12:00	28.03	47.43	31.23	8.23	5.79	3.79	3.96	
		15:00	28.21	47.39	31.2	8.17	5.97	6.25	4.02	
		18:00	29.62	47.56	31.31	8.26	5.9	3.7	4	
		21:00	29.69	47.58	31.34	8.25	5.71	3.71	3.99	
	日平均值			29.00	47.53	31.30	8.21	5.69	4.07	3.97
	潮口站	0:00	27.15	47.06	30.99	8.29	6.23	2.69	3.31	
		3:00	27.18	47.72	31.42	8.29	6.06	2.74	3.4	
		6:00	26.99	48.56	31.98	8.3	5.97	3.04	3.33	
		9:00	26.79	48.82	32.16	8.29	6.15	2.91	3.25	
		12:00	28.51	48.58	31.99	8.36	6.92	2.84	3.55	
		15:00	28.64	48.52	31.96	8.35	6.98	2.75	3.47	
		18:00	28.65	48.62	32.01	8.34	6.79	2.89	3.48	
		21:00	27.51	48.63	32.03	8.29	6.81	2.64	3.46	
	日平均值			27.68	48.31	31.82	8.31	6.49	2.81	3.41
	灣內站	0:00	28.49	47.67	31.38	8.26	5.19	18.86	2.82	
		3:00	28.65	47.61	31.34	8.25	5.5	28.55	2.74	
		6:00	28.38	47.53	31.3	8.27	5.79	28.63	2.76	
		9:00	27.27	47.56	31.33	8.2	5.98	17.52	2.8	
		12:00	27.92	47.54	31.32	8.23	6.16	10.78	2.8	
		15:00	29.08	47.49	31.27	8.35	5.98	6.04	2.86	
		18:00	29.22	47.39	31.19	8.36	5.72	8.55	2.71	
		21:00	29.14	47.35	31.18	8.35	5.39	8.63	2.75	
	日平均值			28.52	47.52	31.29	8.28	5.71	15.95	2.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月1日	蚵殼站	0:00	29.53	47.59	31.34	8.26	5.99	3.89	3.94	
		3:00	28.28	47.41	31.21	8.15	5.76	4.01	3.88	
		6:00	29.38	47.59	31.34	8.3	5.87	3.97	4.03	
		9:00	28.14	47.45	31.25	8.23	5.38	3.84	3.83	
		12:00	28.08	47.44	31.24	8.24	5.68	4.42	3.98	
		15:00	29.04	47.53	31.31	8.27	6.11	3.75	4.04	
		18:00	29.33	47.53	31.29	8.23	5.99	3.83	3.92	
		21:00	29.83	47.6	31.34	8.27	5.44	6.21	3.96	
	日平均值			28.95	47.52	31.29	8.24	5.78	4.24	3.95
	潮口站	0:00	26.86	48.89	32.2	8.27	6.52	2.78	3.34	
		3:00	28.32	48.5	31.94	8.3	6.44	2.65	3.44	
		6:00	27.59	48.65	32.05	8.3	6.21	2.7	3.45	
		9:00	27.09	48.83	32.16	8.27	6.53	2.59	3.38	
		12:00	28.38	48.45	31.91	8.34	6.84	2.86	3.34	
		15:00	29.28	48.34	31.83	8.39	6.46	2.74	3.64	
		18:00	29.69	48.36	31.85	8.4	6.21	2.9	6.2	
		21:00	29.93	48.41	31.88	8.38	6.14	2.92	4.79	
	日平均值			28.39	48.55	31.98	8.33	6.42	2.77	3.95
	灣內站	0:00	28.38	47.41	31.21	8.31	5.17	10.54	2.7	
		3:00	27.75	47.53	31.31	8.24	5.42	10.82	2.82	
		6:00	26.98	47.37	31.19	8.22	5.66	9.82	2.77	
		9:00	27.72	47.43	31.24	8.34	6.05	8.03	2.73	
		12:00	28.58	47.47	31.25	8.3	6.22	8.93	2.73	
		15:00	27.26	47.46	31.25	8.21	5.78	6.91	2.85	
		18:00	28.49	47.28	31.13	8.34	5.61	7.98	2.76	
		21:00	28.83	47.15	31.06	8.35	5.37	11.32	2.95	
	日平均值			28.00	47.39	31.21	8.29	5.66	9.29	2.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月2日	蚵殼站	0:00	29.47	47.58	31.34	8.25	6.07	38.18	3.91	
		3:00	28.29	47.41	31.22	8.16	5.68	7.51	4.08	
		6:00	28.38	47.42	31.23	8.19	5.37	3.87	3.96	
		9:00	28.53	47.5	31.27	8.26	5.56	3.71	4.04	
		12:00	28.29	47.48	31.26	8.26	5.68	3.91	3.94	
		15:00	29.02	47.57	31.32	8.3	5.84	3.89	3.96	
		18:00	29.72	47.61	31.35	8.29	5.7	6.58	3.87	
		21:00	29.83	47.6	31.34	8.27	5.66	6.21	3.96	
	日平均值			28.94	47.52	31.29	8.25	5.70	9.23	3.97
	潮口站	0:00	26.94	48.58	32	8.28	6.08	2.68	5.56	
		3:00	28.03	48.64	32.04	8.31	5.89	2.83	7.12	
		6:00	28.2	48.76	32.12	8.32	5.61	2.82	6.54	
		9:00	27.68	48.87	32.19	8.28	5.62	2.92	5.75	
		12:00	28.39	48.79	32.13	8.31	6.06	2.89	6.52	
		15:00	29.89	48.48	31.92	8.43	5.98	2.79	6.32	
		18:00	30.18	48.37	31.86	8.45	5.77	2.83	5.19	
		21:00	29.93	48.41	31.88	8.38	5.65	2.92	4.79	
	日平均值			28.66	48.61	32.02	8.35	5.83	2.84	5.97
	灣內站	0:00	28.25	47.26	31.12	8.3	5.21	8.19	2.89	
		3:00	27.85	47.31	31.16	8.25	5.44	8.64	3.01	
		6:00	27	47.41	31.21	8.17	5.66	7.08	3.04	
		9:00	27.9	47.33	31.17	8.3	6.05	7.32	2.83	
		12:00	28.78	47.25	31.12	8.38	6.23	7.68	2.68	
		15:00	28.66	47.27	31.14	8.31	5.93	7.45	2.92	
		18:00	28.86	47.21	31.08	8.34	5.65	9.79	2.98	
		21:00	28.83	47.15	31.06	8.35	5.37	11.32	2.95	
	日平均值			28.27	47.27	31.13	8.30	5.69	8.43	2.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月3日	蚵殼站	0:00	30.16	47.69	31.41	8.32	5.55	8.01	3.91	
		3:00	29.06	47.54	31.31	8.25	5.47	41.98	3.9	
		6:00	29.17	47.56	31.31	8.28	5.46	59.93	4.11	
		9:00	29.12	47.57	31.32	8.31	5.83	40.1	3.92	
		12:00	29.24	47.61	31.35	8.32	5.81	3.67	3.92	
		15:00	31.58	47.73	31.43	8.29	6.86	3.88	4.06	
		18:00	32.41	47.86	31.52	8.42	7.25	3.89	3.84	
		21:00	32.77	47.89	31.54	8.45	7.27	3.62	4.1	
	日平均值			30.44	47.68	31.40	8.33	6.19	20.64	3.97
	潮口站	0:00	27.92	48.56	31.98	8.32	6.92	2.85	5.5	
		3:00	28.4	48.6	32.01	8.32	5.57	2.74	5.42	
		6:00	29.36	48.59	32	8.38	5.74	2.97	5.45	
		9:00	28.86	48.69	32.07	8.32	5.85	2.87	5.8	
		12:00	28.67	48.73	32.11	8.32	5.14	2.68	4.99	
		15:00	29.58	48.57	31.98	8.38	5.32	2.7	5.28	
		18:00	29.22	48.49	31.94	8.38	5.29	2.83	4.1	
		21:00	29.73	48.46	31.91	8.37	5.2	2.68	3.68	
	日平均值			28.97	48.59	32.00	8.35	5.63	2.79	5.03
	灣內站	0:00	27.74	47.13	31.05	8.36	5.12	12.68	2.82	
		3:00	28.32	47.13	31.05	8.32	5.5	10.13	2.88	
		6:00	28.16	47.11	31.04	8.34	5.79	8.2	2.93	
		9:00	28.11	47.11	31.04	8.34	5.99	8	2.9	
		12:00	30.55	47.58	31.32	8.42	6.51	3.79	2.9	
		15:00	31.71	47.66	31.39	8.37	6.24	2.99	2.92	
		18:00	29.77	47.7	31.41	8.29	5.75	3.03	2.94	
		21:00	28.76	47.74	31.44	8.23	5.33	2.91	2.92	
	日平均值			29.14	47.40	31.22	8.33	5.78	6.47	2.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月4日	蚵殼站	0:00	32.85	47.94	31.57	8.45	7.18	3.58	3.87	
		3:00	32.44	47.88	31.53	8.34	6.79	3.87	3.92	
		6:00	32.46	47.89	31.52	8.33	6.76	3.87	4.06	
		9:00	32.64	47.64	31.37	8.36	7.01	3.77	3.96	
		12:00	33.02	47.72	31.43	8.35	7.16	4.04	4.16	
		15:00	33.2	47.87	31.52	8.46	7.24	4.03	4.05	
		18:00	33.1	47.82	31.49	8.47	7.2	3.54	3.95	
		21:00	32.93	47.73	31.43	8.42	7	4.02	3.97	
	日平均值			32.83	47.81	31.48	8.40	7.04	3.84	3.99
	潮口站	0:00	28.75	48.44	31.91	8.34	5.36	3.96	3.55	
		3:00	28.88	48.47	31.93	8.3	5.1	3.02	4.48	
		6:00	29.42	48.44	31.91	8.36	5.3	2.9	3.69	
		9:00	30.11	48.2	31.75	8.38	5.1	3.11	3.72	
		12:00	29.76	47.99	31.62	8.33	5.21	2.83	3.6	
		15:00	30.56	47.56	31.32	8.38	5.18	2.83	3.83	
		18:00	30.18	47.16	31.07	8.4	5.46	2.81	4.01	
		21:00	29.98	47.13	31.05	8.38	5.72	2.92	3.67	
	日平均值			29.71	47.92	31.57	8.36	5.30	3.05	3.82
	灣內站	0:00	28.79	47.72	31.44	8.24	5.26	2.67	2.77	
		3:00	29.71	47.67	31.41	8.29	5.61	2.75	2.96	
		6:00	29.99	47.69	31.42	8.25	5.96	2.94	2.85	
		9:00	30.59	47.7	31.42	8.31	6.31	2.8	2.98	
		12:00	30.88	47.7	31.41	8.32	6.47	2.94	2.87	
		15:00	30.64	47.71	31.43	8.31	6.13	3.04	2.63	
		18:00	30.19	47.78	31.45	8.29	5.79	2.86	3.07	
		21:00	30.45	47.71	31.41	8.29	5.5	2.87	2.97	
	日平均值			30.16	47.71	31.42	8.29	5.88	2.86	2.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月5日	蚵殼站	0:00	32.77	47.63	31.37	8.4	6.83	3.75	4.01
		3:00	32.89	47.69	31.41	8.41	6.73	3.94	3.78
		6:00	32.84	47.68	31.4	8.4	6.66	3.66	3.96
		9:00	32.56	47.1	31.02	8.4	6.58	3.95	3.8
		12:00	32.34	46.91	30.89	8.37	6.61	3.89	4
		15:00	32.52	46.97	30.93	8.35	6.71	3.79	4
		18:00	32.26	46.89	30.87	8.4	6.7	3.72	3.9
	21:00	32.18	46.81	30.82	8.35	6.56	4	4.01	
	日平均值		32.55	47.21	31.09	8.39	6.67	3.84	3.93
	潮口站	0:00	29.35	46.82	30.84	8.33	6.65	2.69	3.57
		3:00	28.98	46.71	30.76	8.29	8.58	2.73	3.4
		6:00	29.36	47.06	30.98	8.34	9.03	2.79	3.65
		9:00	29.35	46.99	30.94	8.31	9.67	2.86	3.83
		12:00	29.13	46.65	30.73	8.29	7.22	2.75	3.56
		15:00	28.71	46.26	30.47	8.31	7.24	2.91	3.49
		18:00	29.02	45.48	29.94	8.33	8.73	2.89	3.59
	21:00	28.83	45.37	29.88	8.32	7.34	2.87	3.53	
	日平均值		29.09	46.42	30.57	8.32	8.06	2.81	3.58
	灣內站	0:00	30.34	47.61	31.35	8.28	5.41	2.9	3.04
		3:00	30.42	47.67	31.38	8.29	5.7	2.79	2.81
		6:00	30.34	47.54	31.31	8.29	6.01	3.02	2.83
9:00		30.41	47.18	31.07	8.28	6.31	2.87	2.9	
12:00		30.44	47.17	31.06	8.27	6.4	2.89	2.63	
15:00		30.33	46.91	30.9	8.3	6.08	2.89	2.84	
18:00		30.37	47.02	30.98	8.23	5.79	3.02	2.97	
21:00	30.37	47.02	30.99	8.26	5.51	2.85	2.95		
日平均值		30.38	47.27	31.13	8.28	5.90	2.90	2.87	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月6日	蚵殼站	0:00	32.14	46.78	30.8	8.28	6.32	3.96	4.02
		3:00	31.84	46.64	30.72	8.3	6.34	5.74	3.88
		6:00	31.7	46.59	30.68	8.33	6.35	3.59	3.84
		9:00	31.3	46.42	30.56	8.32	6.33	3.96	3.99
		12:00	31.37	46.41	30.56	8.26	6.17	3.79	4.04
		15:00	31.08	46.31	30.49	8.31	6.28	3.72	3.94
		18:00	31.12	46.28	30.47	8.25	6.11	4	3.96
	21:00	31.01	45.79	30.15	8.27	6.11	4.01	3.99	
	日平均值		31.45	46.40	30.55	8.29	6.25	4.10	3.96
	潮口站	0:00	28.46	45.45	29.94	8.3	5	2.85	3.59
		3:00	28.3	44.75	29.48	8.3	5.02	2.67	3.48
		6:00	28.26	44.97	29.62	8.29	5.4	2.94	3.81
		9:00	27.83	44.14	29.07	8.29	5.25	2.89	3.79
		12:00	27.29	42.03	27.69	8.26	5.36	2.83	3.66
		15:00	27.49	41.76	27.51	8.26	5.19	2.9	3.53
		18:00	27.36	41.89	27.59	8.25	7.72	2.84	3.44
	21:00	27.28	42.99	28.31	8.24	7.18	2.92	3.5	
	日平均值		27.78	43.50	28.65	8.27	5.77	2.86	3.60
	灣內站	0:00	30.16	46.96	30.92	8.29	5.39	2.83	2.75
		3:00	29.84	46.92	30.92	8.28	5.63	2.68	2.73
		6:00	29.67	46.82	30.84	8.25	5.92	2.92	2.75
9:00		29.69	46.89	30.89	8.21	6.21	3	2.87	
12:00		29.09	46.33	30.51	8.23	6.28	3.02	2.76	
15:00		29.44	46.58	30.68	8.2	6	3.06	2.8	
18:00		29.04	46.26	30.47	8.21	5.64	3.44	2.91	
21:00	28.71	45.45	29.94	8.2	5.33	2.77	2.87		
日平均值		29.46	46.53	30.65	8.23	5.80	2.97	2.81	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月7日	蚵殼站	0:00	31.01	45.79	30.15	8.26	6.07	3.84	4.06
		3:00	31.14	45.84	30.18	8.23	5.86	7.98	4.01
		6:00	31.29	45.9	30.23	8.24	5.78	3.76	3.99
		9:00	31	45.25	29.79	8.26	5.99	3.85	3.94
		12:00	31.08	44.99	29.63	8.24	5.79	3.83	3.91
		15:00	31.12	45.08	29.69	8.23	5.82	3.61	3.91
		18:00	31.24	45.18	29.74	8.23	5.7	3.97	3.8
		21:00	31.16	45.13	29.72	8.21	5.6	3.79	3.98
	日平均值		31.13	45.40	29.89	8.24	5.83	4.33	3.95
	潮口站	0:00	27.15	41.89	27.6	8.22	5.81	2.77	3.82
		3:00	26.98	41.81	27.53	8.24	5.94	2.7	3.18
		6:00	27.32	42.96	28.3	8.25	6.03	3.01	3.38
		9:00	27.47	43.35	28.56	8.25	6.18	2.83	3.37
		12:00	29.41	43.47	28.63	8.26	6.73	2.78	4.12
		15:00	29.75	43.71	28.8	8.25	6.59	2.76	3.96
		18:00	29.68	43.97	28.96	8.25	6.16	2.82	3.69
		21:00	29.47	43.57	28.69	8.25	5.87	2.73	4.02
	日平均值		28.40	43.09	28.38	8.25	6.16	2.80	3.69
	灣內站	0:00	29.12	45.77	30.14	8.18	5.26	2.76	2.8
		3:00	29.2	45.93	30.25	8.16	5.56	2.96	2.8
		6:00	28.92	45.62	30.04	8.19	5.83	2.85	2.79
9:00		28.74	44.93	29.6	8.17	6.12	2.72	2.83	
12:00		28.84	45.05	29.68	8.16	6.23	2.76	2.92	
15:00		29.08	45.42	29.91	8.23	5.97	3.11	2.88	
18:00		29.17	45.5	29.97	8.25	5.68	3.62	2.89	
21:00		29.06	45.11	29.71	8.22	5.38	3.29	2.9	
日平均值		29.02	45.42	29.91	8.20	5.75	3.01	2.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月8日	蚵殼站	0:00	31.06	45.09	29.7	8.22	5.67	3.87	4.09
		3:00	31.25	45.16	29.74	8.2	5.49	3.96	3.89
		6:00	31.12	45.09	29.7	8.18	5.52	3.69	3.93
		9:00	30.93	45.01	29.64	8.18	5.8	3.64	3.88
		12:00	30.99	45.03	29.67	8.19	5.78	3.96	4.2
		15:00	31.08	45.09	29.69	8.19	5.75	3.79	3.93
		18:00	31.21	45.18	29.74	8.2	5.71	3.63	4.15
		21:00	31.17	45.12	29.71	8.16	5.63	3.56	3.92
	日平均值		31.10	45.10	29.70	8.19	5.67	3.76	4.00
	潮口站	0:00	29.77	44.14	29.07	8.25	5.78	2.82	4.23
		3:00	29.27	44	28.98	8.24	5.91	2.89	3.67
		6:00	29.63	44.18	29.11	8.25	6.23	2.79	3.51
		9:00	29.86	44.11	29.06	8.24	6.56	2.93	3.59
		12:00	30.21	43.93	28.93	8.24	6.78	2.87	3.62
		15:00	31.21	43.83	28.87	8.26	6.63	2.86	3.62
		18:00	31.28	43.64	28.74	8.26	6.36	2.84	3.87
		21:00	30.69	44.08	29.04	8.26	6.03	2.88	4.13
	日平均值		30.24	43.99	28.98	8.25	6.29	2.86	3.78
	灣內站	0:00	28.82	44.9	29.57	8.22	5.23	2.98	2.8
		3:00	29.32	45.46	29.94	8.24	5.59	3.45	2.69
		6:00	29.23	45.49	29.95	8.23	5.9	2.81	3
9:00		29.06	45.1	29.7	8.21	6.17	2.8	3	
12:00		29.13	45.14	29.72	8.2	6.26	3.51	2.68	
15:00		29.21	45.27	29.81	8.23	5.98	2.96	2.97	
18:00		29.37	45.51	29.96	8.23	5.69	2.78	2.77	
21:00		29.27	44.74	29.47	8.22	5.36	3.34	2.78	
日平均值		29.18	45.20	29.77	8.22	5.77	3.08	2.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月9日	蚵殼站	0:00	31.17	45.11	29.71	8.17	5.52	3.81	4.06
		3:00	31.31	45.17	29.75	8.14	5.36	3.65	4.12
		6:00	31.44	45.22	29.78	8.13	5.03	3.73	3.81
		9:00	31.45	45.3	29.83	8.28	5.33	3.84	4.05
		12:00	31.61	45.4	29.9	8.34	5.66	3.84	3.86
		15:00	32.57	45.84	30.87	8.34	6.34	1.43	4.46
		18:00	32.12	45.61	30.03	8.28	5.62	3.78	3.98
		21:00	31.84	45.47	29.95	8.26	5.42	3.79	3.98
	日平均值		31.69	45.39	29.98	8.24	5.54	3.48	4.04
	潮口站	0:00	30.43	44.31	29.19	8.25	5.78	2.9	3.88
		3:00	29.64	44.49	29.3	8.24	5.97	2.79	3.75
		6:00	30.01	44.04	29.01	8.24	6.27	2.8	3.6
		9:00	30.61	44.07	29.03	8.26	6.67	3.21	4.05
		12:00	31.03	44.36	29.22	8.26	6.81	2.89	3.94
		15:00	31.22	44.46	29.29	8.26	6.54	2.81	4
		18:00	30.83	44.3	29.18	8.26	6.23	2.86	4
		21:00	31.17	44.21	29.12	8.27	5.96	2.75	4.09
	日平均值		30.62	44.28	29.17	8.26	6.28	2.88	3.91
	灣內站	0:00	29.32	44.86	29.55	8.21	5.3	3.12	2.88
		3:00	29.46	45.21	29.77	8.19	5.61	3.65	2.88
		6:00	29.44	45.03	29.66	8.19	5.93	2.47	2.84
9:00		29.76	44.68	29.44	8.24	6.24	2.89	2.76	
12:00		30.68	44.46	29.29	8.27	6.43	3.13	2.91	
15:00		32.14	43.63	28.75	8.3	6.31	3.62	2.82	
18:00		30.88	44.87	29.54	8.27	5.83	3.44	2.92	
21:00		30.68	45.13	29.72	8.24	5.53	3.2	2.81	
日平均值		30.30	44.73	29.47	8.24	5.90	3.19	2.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月10日	蚵殼站	0:00	31.98	45.53	29.97	8.25	5.53	3.59	3.95
		3:00	31.63	45.34	29.86	8.22	5.07	3.66	3.97
		6:00	31.6	45.34	29.86	8.21	5.69	3.73	4.01
		9:00	31.53	45.31	29.84	8.22	7.37	3.65	3.95
		12:00	31.59	45.39	29.88	8.3	8.23	3.87	4
		15:00	32.54	45.85	30.19	8.39	6.46	3.68	3.92
		18:00	32.01	45.55	29.98	8.24	7.19	3.76	4.1
		21:00	32.12	45.64	30.05	8.33	6.64	3.86	3.96
	日平均值		31.88	45.49	29.95	8.27	6.52	3.73	3.98
	潮口站	0:00	31.16	44.15	29.08	8.27	5.8	2.78	4.13
		3:00	29.29	44.5	29.31	8.24	5.81	2.65	3.54
		6:00	30.03	44.11	29.05	8.25	6.18	2.89	3.64
		9:00	31.09	44.05	29.01	8.26	6.64	2.82	4.25
		12:00	33.07	43.07	28.37	8.28	7.27	2.78	6.71
		15:00	32.91	43.22	28.46	8.29	7.1	2.73	7.8
		18:00	32.02	43.95	28.94	8.27	6.48	2.96	5.5
		21:00	31.78	44.59	29.37	8.27	6.03	2.61	4.16
	日平均值		31.42	43.96	28.95	8.27	6.41	2.78	4.97
	灣內站	0:00	30.49	45.04	29.67	8.19	5.4	3.14	2.82
		3:00	30.38	45.19	29.76	8.17	5.7	3.07	3.04
		6:00	30.01	45.47	29.94	8.18	5.95	3.15	2.93
9:00		30.26	45.36	29.87	8.2	6.26	3.32	2.61	
12:00		30.32	45.29	29.83	8.29	6.38	4.05	2.72	
15:00		30.46	45.29	29.84	8.29	6.12	4.92	2.84	
18:00		30.86	45.09	29.7	8.35	5.87	3.97	2.6	
21:00		31.01	45.11	29.71	8.35	5.57	3.47	2.81	
日平均值		30.47	45.23	29.79	8.25	5.91	3.64	2.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月11日	蚵殼站	0:00	32.19	45.66	30.07	8.36	6	3.87	3.99	
		3:00	31.92	45.52	29.97	8.3	6.22	3.86	3.92	
		6:00	31.53	45.32	29.83	8.24	5.29	3.79	3.85	
		9:00	31.56	45.57	30	8.25	5.78	3.84	3.95	
		12:00	31.8	45.68	30.08	8.25	6.72	3.63	4.04	
		15:00	32.85	46.25	30.45	8.43	8.61	3.94	3.99	
		18:00	32.2	45.87	30.21	8.27	6.37	3.95	3.95	
		21:00	32.3	45.95	30.25	8.32	6.17	3.79	3.91	
	日平均值			32.04	45.73	30.11	8.30	6.40	3.83	3.95
	潮口站	0:00	31.3	44.7	29.44	8.26	5.81	2.73	4.1	
		3:00	30.28	44.88	29.56	8.25	5.96	2.84	4.23	
		6:00	30.25	44.82	29.52	8.24	6.29	2.8	4.35	
		9:00	31.61	44.86	29.55	8.25	6.97	2.9	7.17	
		12:00	33.89	44.78	29.49	8.28	7.34	2.83	9.81	
		15:00	34.25	44.9	29.56	8.3	6.94	2.74	10.04	
		18:00	32.26	45.17	29.75	8.27	6.1	2.8	5.23	
		21:00	32.35	45.15	29.74	8.27	5.76	2.98	4.94	
	日平均值			32.02	44.91	29.58	8.27	6.40	2.83	6.23
	灣內站	0:00	30.64	45.33	29.85	8.27	5.45	3.47	3.04	
		3:00	30.53	45.14	29.74	8.26	5.72	3.95	2.8	
		6:00	30.21	45.39	29.89	8.26	6	4.14	3.09	
		9:00	30.17	45.59	30.02	8.28	6.28	4.61	2.8	
		12:00	30.32	45.5	29.97	8.35	6.43	6.38	2.91	
		15:00	30.07	45.63	30.06	8.32	6.06	7.37	2.7	
		18:00	30.98	45.29	29.83	8.42	5.88	6.22	2.65	
		21:00	31.15	45.17	29.75	8.45	5.57	4.98	2.93	
	日平均值			30.51	45.38	29.89	8.33	5.92	5.14	2.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月12日	蚵殼站	0:00	32.3	45.97	30.27	8.35	5.84	5.02	3.78	
		3:00	32.11	45.81	30.18	8.25	5.3	3.75	3.96	
		6:00	31.6	45.59	30.03	8.27	5.8	3.69	3.94	
		9:00	31.61	45.63	30.05	8.33	5.86	3.68	3.82	
		12:00	31.62	45.67	30.08	8.42	5.04	3.97	3.91	
		15:00	32.44	46.07	30.34	8.47	5.82	3.8	3.95	
		18:00	32.82	46.26	30.46	8.45	5.97	3.93	3.83	
		21:00	32.83	46.21	30.43	8.38	5.56	3.73	3.85	
	日平均值			32.17	45.90	30.23	8.37	5.65	3.95	3.88
	潮口站	0:00	32.88	44.98	29.62	8.28	5.77	2.68	6.17	
		3:00	30.9	45.52	29.97	8.26	5.64	2.74	4.41	
		6:00	30.86	45.54	29.98	8.26	5.91	2.88	4.16	
		9:00	32.24	45.16	29.75	8.27	6.46	2.93	5.35	
		12:00	33.24	45.13	29.73	8.28	6.75	3.05	5.28	
		15:00	33.38	45.15	29.74	8.29	6.54	2.82	5.59	
		18:00	32.07	45.32	29.84	8.27	6.04	2.78	4.89	
		21:00	32.63	45.21	29.78	8.28	5.77	2.79	4.96	
	日平均值			32.28	45.25	29.80	8.27	6.11	2.83	5.10
	灣內站	0:00	30.33	45.48	29.96	8.33	5.4	6.15	2.92	
		3:00	30.47	45.51	29.98	8.33	5.72	5.81	2.68	
		6:00	30.27	45.59	30.03	8.29	6	5.05	2.89	
		9:00	30.16	45.52	29.98	8.29	6.28	5.84	2.81	
		12:00	31.28	45.25	29.8	8.48	6.51	7.88	2.88	
		15:00	30.89	45.5	29.97	8.43	6.17	8.56	2.68	
		18:00	30.59	45.55	30.01	8.41	5.85	10.2	2.85	
		21:00	30.64	45.47	29.96	8.38	5.55	8.1	2.85	
	日平均值			30.58	45.48	29.96	8.37	5.94	7.20	2.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月13日	蚵殼站	0:00	32.37	46	30.29	8.35	5.02	3.89	3.98	
		3:00	32.39	46.03	30.31	8.4	5.91	3.64	4.08	
		6:00	32.18	45.92	30.24	8.37	5.77	3.78	3.91	
		9:00	32.06	45.81	30.17	8.27	5.74	3.92	3.91	
		12:00	32.41	46.02	30.3	8.38	5.94	3.74	3.82	
		15:00	32.72	46.18	30.41	8.41	5.06	3.95	3.98	
		18:00	33.15	46.39	30.55	8.47	5.09	5.39	3.99	
		21:00	33.78	46.67	30.73	8.42	5.06	10.89	3.89	
	日平均值			32.63	46.13	30.38	8.38	5.45	4.90	3.95
	潮口站	0:00	32.16	45.32	29.84	8.27	5.52	3.07	4.57	
		3:00	30.97	45.53	29.98	8.26	5.65	2.7	4.28	
		6:00	30.79	45.58	30.01	8.26	5.91	2.84	4.01	
		9:00	31.84	45.37	29.87	8.27	6.35	2.94	4.38	
		12:00	32.21	45.4	29.89	8.27	6.58	2.71	4.47	
		15:00	33.37	45.29	29.84	8.28	6.4	2.85	4.29	
		18:00	31.99	45.04	29.66	8.26	5.95	2.99	4.34	
		21:00	31.25	45.13	29.72	8.27	5.55	2.78	4.12	
	日平均值			31.82	45.33	29.85	8.27	5.99	2.86	4.31
	灣內站	0:00	31.11	45.42	29.92	8.43	5.49	8.08	2.73	
		3:00	31.05	45.44	29.93	8.43	5.77	8.34	2.65	
		6:00	30.49	45.58	30.02	8.35	6.02	7.77	3.06	
		9:00	30.31	45.61	30.04	8.35	6.29	8.32	2.96	
		12:00	30.67	45.51	29.97	8.36	6.45	9.35	2.71	
		15:00	32.33	45.22	29.78	8.46	6.31	9.41	2.76	
		18:00	31.25	45.41	29.92	8.42	5.88	9.44	2.57	
		21:00	31.84	45.36	29.88	8.41	5.66	9.05	2.92	
	日平均值			31.13	45.44	29.93	8.40	5.98	8.72	2.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月14日	蚵殼站	0:00	32.93	46.29	30.48	8.41	5.88	7.42	4.11	
		3:00	32.67	46.18	30.41	8.45	5.83	7.58	4.05	
		6:00	32.29	45.96	30.26	8.35	5.73	12.89	3.98	
		9:00	31.96	45.81	30.16	8.33	5.67	21.54	4.04	
		12:00	33.12	46.42	30.57	8.49	5.84	37.72	3.97	
		15:00	33.77	46.73	30.78	8.49	5.91	34.66	4.08	
		18:00	33.67	46.68	30.74	8.49	5.89	33.39	3.93	
		21:00	33.6	46.63	30.7	8.49	5.84	40.62	4.02	
	日平均值			33.00	46.34	30.51	8.44	5.82	24.48	4.02
	潮口站	0:00	31.32	45.31	29.83	8.28	5.42	2.98	4.23	
		3:00	30.83	44.55	29.35	8.27	5.63	2.78	4.32	
		6:00	30.58	44.69	29.43	8.26	5.88	2.88	3.85	
		9:00	31.31	44.56	29.35	8.27	6.26	2.67	4.28	
		12:00	31.19	44.67	29.43	8.27	6.45	2.61	4.29	
		15:00	31.86	44.61	29.38	8.28	6.24	2.92	4.25	
		18:00	31.58	44.43	29.27	8.28	5.94	2.75	4.39	
		21:00	30.69	44.46	29.28	8.28	5.53	2.87	4.17	
	日平均值			31.17	44.66	29.42	8.27	5.92	2.81	4.22
	灣內站	0:00	32.35	45.17	29.76	8.45	5.62	8.91	2.87	
		3:00	31.59	45.3	29.84	8.39	5.82	8.59	2.86	
		6:00	30.53	45.33	29.85	8.34	6.04	8.34	2.97	
		9:00	31.66	45.09	29.7	8.42	6.44	8.79	2.67	
		12:00	32.62	44.89	29.57	8.47	6.67	8.86	3.03	
		15:00	32.62	44.75	29.48	8.45	6.36	7.86	2.88	
		18:00	32.41	44.89	29.56	8.43	6.04	8.09	2.76	
		21:00	32.45	44.86	29.55	8.43	5.74	8.08	2.81	
	日平均值			32.03	45.04	29.66	8.42	6.09	8.44	2.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月15日	蚵殼站	0:00	33.17	46.43	30.57	8.49	5.8	25.23	3.84	
		3:00	33.15	46.41	30.56	8.49	5.78	9.11	3.98	
		6:00	33.13	46.36	30.52	8.39	5.78	3.76	4.1	
		9:00	32.75	46.13	30.38	8.29	6.01	3.96	4.09	
		12:00	32.74	46.14	30.39	8.33	5.02	3.64	3.94	
		15:00	32.94	46.31	30.49	8.44	5.06	3.78	3.92	
		18:00	33.58	46.58	30.68	8.43	5.12	3.72	3.96	
		21:00	33.37	46.51	30.63	8.48	5.1	4.01	3.91	
	日平均值			33.10	46.36	30.53	8.42	5.46	7.15	3.97
	潮口站	0:00	30.88	44.43	29.26	8.28	5.36	2.89	4.3	
		3:00	30.62	44.57	29.36	8.28	5.57	2.8	3.97	
		6:00	30.2	44.76	29.49	8.27	5.85	2.77	4.03	
		9:00	31.29	44.81	29.51	8.28	6.29	2.82	4.47	
		12:00	33.04	44.9	29.56	8.3	6.64	2.67	4.3	
		15:00	31.96	45.17	29.74	8.3	6.27	2.87	4.33	
		18:00	32.1	45.66	30.07	8.3	5.97	2.75	4.39	
		21:00	30.31	45.95	30.26	8.27	5.48	2.82	4.25	
	日平均值			31.30	45.03	29.66	8.29	5.93	2.80	4.26
	灣內站	0:00	32.35	44.83	29.54	8.4	5.59	7.94	2.9	
		3:00	31.82	45.22	29.79	8.35	5.84	8.6	2.9	
		6:00	31.49	45.7	30.09	8.34	6.1	7.63	3.17	
		9:00	31.06	45.77	30.16	8.32	6.37	2.77	2.84	
		12:00	31.55	45.81	30.17	8.36	6.53	2.94	2.95	
		15:00	32.63	45.75	30.14	8.39	6.34	2.8	2.91	
		18:00	32.68	45.74	30.13	8.37	6.05	2.89	2.83	
		21:00	32.43	45.82	30.18	8.34	5.72	2.9	2.87	
	日平均值			32.00	45.58	30.03	8.36	6.07	4.81	2.92
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月16日	蚵殼站	0:00	32.8	46.22	30.43	8.38	5.03	3.92	4.05	
		3:00	32.98	46.28	30.48	8.41	5.05	3.82	3.97	
		6:00	32.72	46.19	30.42	8.45	5.03	3.78	4.03	
		9:00	32.61	45.82	30.18	8.49	5.01	4.01	3.94	
		12:00	32.12	45.59	30.02	8.49	5.96	3.87	3.89	
		15:00	32.31	45.68	30.08	8.49	5.01	3.9	3.95	
		18:00	32.4	45.71	29.61	8.49	5.85	3.52	4.77	
		21:00	31.94	45.5	29.96	8.49	5.95	3.83	3.96	
	日平均值			32.49	45.87	30.15	8.46	5.36	3.83	4.07
	潮口站	0:00	30.63	45.85	30.2	8.28	5.31	2.91	3.92	
		3:00	30.12	45.56	30.01	8.26	5.53	2.94	3.97	
		6:00	30.32	45.57	30.02	8.28	5.84	2.89	3.99	
		9:00	30.43	46.42	30.58	8.28	6.17	2.8	4.01	
		12:00	31.1	46.33	30.52	8.3	6.42	2.78	4.21	
		15:00	31.32	46.13	30.39	8.3	6.21	2.69	4.3	
		18:00	31.29	45.8	28.79	8.31	6.31	2.73	4.6	
		21:00	30.36	46.16	30.4	8.29	5.49	2.93	4.02	
	日平均值			30.70	45.98	30.11	8.29	5.91	2.83	4.13
	灣內站	0:00	32.11	45.71	30.1	8.37	5.58	3.05	2.85	
		3:00	31.84	45.57	30.02	8.38	5.87	2.72	2.69	
		6:00	31.58	45.57	30.02	8.36	6.13	2.88	2.65	
		9:00	31.23	45.61	30.03	8.36	6.39	3.14	2.77	
		12:00	31.04	45.61	30.03	8.35	6.47	3.12	2.83	
		15:00	31.3	45.58	30.01	8.36	6.21	2.75	3.09	
		18:00	31.11	45.57	30.03	8.34	5.08	3.04	2.63	
		21:00	31.07	45.42	29.92	8.34	5.58	2.79	2.76	
	日平均值			31.41	45.58	30.02	8.36	5.91	2.94	2.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月17日	蚵殼站	0:00	31.89	45.39	29.9	8.36	5.92	3.95	4.03
		3:00	31.72	45.32	29.85	8.35	5.89	3.82	4.05
		6:00	31.75	45.3	29.84	8.3	5.91	4.07	4.09
		9:00	32.02	45.46	29.93	8.36	5.93	3.79	3.99
		12:00	32.03	45.47	29.95	8.41	5.09	3.76	3.92
		15:00	31.68	45.08	29.68	8.35	5.79	3.01	2.76
		18:00	31.53	45.01	29.64	8.35	6.59	2.89	2.84
	21:00	31.42	44.97	29.62	8.36	7.12	2.83	2.85	
	日平均值		31.76	45.25	29.80	8.36	6.03	3.52	3.57
	潮口站	0:00	30.58	45.9	30.24	8.28	5.3	2.81	3.96
		3:00	30.64	45.8	30.16	8.29	5.61	3	3.96
		6:00	30	46.17	30.41	8.29	5.82	2.85	3.98
		9:00	30.32	46.16	30.41	8.29	6.18	2.57	4.29
		12:00	31.43	45.78	30.15	8.3	6.47	2.67	4.42
		15:00	31.98	45.8	30.15	8.32	6.25	2.98	4.4
		18:00	32.36	45.76	30.13	8.32	6	2.89	4.22
	21:00	30.92	45.96	30.26	8.3	5.54	2.72	3.98	
	日平均值		31.03	45.92	30.24	8.30	5.90	2.81	4.15
	灣內站	0:00	30.94	45.5	29.96	8.36	5.44	2.87	3.06
		3:00	30.9	45.53	29.97	8.35	5.73	2.87	2.7
		6:00	30.91	45.61	30.03	8.35	6.07	2.89	2.93
9:00		30.9	45.56	30	8.36	6.28	2.8	2.93	
12:00		31.04	45.1	29.7	8.3	6.37	2.84	2.84	
15:00		31.18	45.05	29.66	8.46	6.1	3.1	3.01	
18:00		31.24	44.93	29.6	8.48	5.77	2.93	3.02	
21:00	30.98	44.98	29.62	8.43	5.45	2.71	2.92		
日平均值		31.01	45.28	29.82	8.39	5.90	2.88	2.93	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月18日	蚵殼站	0:00	31.18	44.86	29.54	8.35	6.53	2.71	3.23
		3:00	30.99	44.79	29.49	8.36	6.94	2.69	3.71
		6:00	30.81	44.71	29.44	8.36	7.11	2.78	3.94
		9:00	30.82	44.6	29.37	8.36	7.6	5.99	3.02
		12:00	30.98	44.95	29.61	8.27	6.95	2.79	3.66
		15:00	31.38	44.64	29.4	8.38	6.95	2.73	3.63
		18:00	31.59	44.5	29.31	8.37	6.59	2.79	3
	21:00	31.59	44.67	29.41	8.37	5.36	2.69	3.44	
	日平均值		31.17	44.72	29.45	8.35	6.75	3.15	3.45
	潮口站	0:00	30.16	46.2	30.43	8.29	5.25	2.96	3.67
		3:00	31.44	45.8	30.16	8.3	5.66	2.91	3.88
		6:00	31.19	45.82	30.18	8.31	5.93	2.8	3.89
		9:00	30.46	46.03	30.33	8.3	6.08	2.98	3.98
		12:00	30.81	45.1	29.7	8.34	7.03	2.8	7.36
		15:00	31.38	45.07	29.18	8.35	6.93	2.61	17.6
		18:00	32.15	44.7	29.45	8.33	7.06	2.7	15.22
	21:00	31.19	44.98	29.64	8.32	6.23	2.73	8.43	
	日平均值		31.10	45.46	29.88	8.32	6.27	2.81	8.00
	灣內站	0:00	30.94	44.82	29.51	8.22	5.26	2.93	2.84
		3:00	30.86	44.79	29.5	8.37	5.5	2.83	3.04
		6:00	30.71	44.97	29.62	8.31	5.81	2.95	3.06
9:00		30.67	44.94	29.61	8.44	6.08	2.97	3.01	
12:00		30.81	44.55	29.35	8.42	5.83	3.04	3.01	
15:00		31.09	44.31	29.17	8.34	5.69	2.78	7.39	
18:00		31.06	44.06	29.02	8.32	5.35	3.02	8.67	
21:00	30.83	43.87	28.89	8.04	5.18	2.92	6.04		
日平均值		30.87	44.54	29.33	8.31	5.59	2.93	4.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月19日	蚵殼站	0:00	31.24	44.88	29.55	8.13	5.82	3.03	3.64	
		3:00	30.64	45.17	29.75	8	5.21	2.91	4	
		6:00	30.88	44.6	29.38	8.25	5.61	2.86	4.86	
		9:00	30.79	44.49	29.3	8.19	5.91	2.81	6.45	
		12:00	30.54	44.82	29.52	8.13	5.99	3.02	3.75	
		15:00	29.71	45.45	29.95	8.03	5.9	2.72	4.52	
		18:00	29.81	45.39	29.9	8.06	5.58	2.81	3.68	
		21:00	30.37	44.73	29.46	8.19	5.89	2.71	4.17	
	日平均值			30.50	44.94	29.60	8.12	5.74	2.86	4.38
	潮口站	0:00	29.57	45.31	29.84	8.32	6.08	2.76	5.27	
		3:00	31.79	44.46	29.29	8.33	6.66	2.78	12.59	
		6:00	31.71	44.51	29.32	8.33	6.6	2.89	12.88	
		9:00	31.32	44.63	29.38	8.33	6.51	2.73	7.53	
		12:00	31.16	44.51	29.31	8.32	6.67	2.93	7.48	
		15:00	31.6	44.38	29.23	8.33	7.13	2.79	16.46	
		18:00	31.72	44.43	29.26	8.32	7.09	2.83	20.02	
		21:00	30.83	44.64	29.33	8.28	6.41	2.7	8.99	
	日平均值			31.21	44.61	29.37	8.32	6.64	2.80	11.40
	灣內站	0:00	30.6	44.42	29.26	7.94	5.27	3.06	6.45	
		3:00	30.34	44.6	29.37	7.92	5.69	2.92	5.57	
		6:00	30.11	44.59	29.36	8.16	5.71	3.06	4.74	
		9:00	29.96	44.66	29.41	8.09	5.92	2.91	4.3	
		12:00	29.68	44.27	29.14	8.01	5.07	3.17	5.18	
		15:00	30.13	43.19	28.45	7.88	5.68	2.96	4.58	
		18:00	30.01	43.83	28.86	7.97	5.89	3.04	8.21	
		21:00	29.62	43.9	28.92	8.1	5.27	3.19	4.41	
	日平均值			30.06	44.18	29.10	8.01	5.56	3.04	5.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月20日	蚵殼站	0:00	30.06	44.71	29.44	8.04	5.54	2.95	3.27	
		3:00	29.36	45.11	29.7	8	5.33	2.85	4.61	
		6:00	29.98	43.87	28.89	8.08	5.83	2.8	4.78	
		9:00	29.62	43.96	28.94	8.11	6.11	2.99	5.5	
		12:00	29.29	44.91	29.58	7.93	5.31	2.88	5.03	
		15:00	29.53	44.88	29.56	7.99	5.24	2.62	4.2	
		18:00	29.51	44.88	29.56	7.96	5.83	2.71	5.04	
		21:00	29.59	44.47	29.3	8.02	5.05	2.86	3.82	
	日平均值			29.62	44.60	29.37	8.02	5.53	2.83	4.53
	潮口站	0:00	28.86	44.31	29.72	8.22	6.08	2.91	3.67	
		3:00	29.92	43.46	28.99	8.22	6.42	2.94	5.03	
		6:00	30.25	43.51	28.56	8.23	6.33	2.85	9.29	
		9:00	30.1	43.63	28.32	8.23	6.27	2.82	8.21	
		12:00	29.65	43.51	28.58	8.22	6.31	2.79	4.8	
		15:00	29.79	43.38	28.17	8.22	6.55	2.87	6.44	
		18:00	30.15	43.43	28.5	8.22	6.35	2.73	10.84	
		21:00	30	43.64	28.09	8.22	6.18	3.05	7.11	
	日平均值			29.84	43.61	28.62	8.22	6.31	2.87	6.92
	灣內站	0:00	29.46	44.2	29.13	8.02	5.71	3.02	6.27	
		3:00	29.52	44.33	29.2	8	5.46	3.01	5.14	
		6:00	29.17	44.04	29	7.98	5.68	3.07	4.46	
		9:00	28.64	43.03	28.35	8	5.76	3.1	4.17	
		12:00	28.59	43	28.32	8.16	5.52	3.25	4.05	
		15:00	28.6	42.53	28.01	8.14	5.43	3.11	4.13	
		18:00	28.57	41.39	27.27	7.91	5.55	2.96	4.93	
		21:00	28.5	39.72	26.16	7.73	5.88	3	5.29	
	日平均值			28.88	42.78	28.18	7.99	5.62	3.07	4.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月21日	蚵殼站	0:00	29.43	44.69	29.44	8	5.09	2.74	4.47	
		3:00	29.06	44.37	29.22	8.03	5.36	2.75	5.69	
		6:00	29.34	44.04	29	8	5.1	2.77	5.19	
		9:00	29.49	44.08	29.02	8.04	5.19	2.82	5.75	
		12:00	29.45	44.01	29	8.03	5.18	2.89	4.82	
		15:00	29.38	44.09	29.04	8.01	5.05	2.83	4.18	
		18:00	29.02	43.76	28.82	8.01	6.16	2.85	5.12	
		21:00	29.18	41.84	27.55	8.03	5.68	2.64	5.77	
	日平均值			29.29	43.86	28.89	8.02	5.35	2.79	5.12
	潮口站	0:00	28.79	42.51	28.02	8.22	6.06	2.87	4.3	
		3:00	28.76	42.63	27.98	8.23	6.01	2.89	4.26	
		6:00	29.47	42.51	28.09	8.22	6.09	2.88	7.51	
		9:00	29.6	42.38	27.03	8.22	6.34	2.77	7.72	
		12:00	29.54	42.43	27.95	8.17	6.33	2.84	5.67	
		15:00	29.48	42.64	28.01	8.14	6.31	2.81	5.05	
		18:00	29.76	40.38	26.61	8.08	6.53	2.79	11.87	
		21:00	30.02	39.36	25.94	8.05	6.53	2.94	9.53	
	日平均值			29.43	41.86	27.45	8.17	6.28	2.85	6.99
	灣內站	0:00	28.39	39.51	26.03	7.99	5.86	3.26	5.26	
		3:00	28.32	39.91	26.28	8.2	5.1	3.15	5.01	
		6:00	28.3	39.98	26.33	7.97	5.66	3.15	4.42	
		9:00	28.51	39.75	26.18	8.03	5.26	3.15	3.81	
		12:00	28.99	40.11	26.42	7.95	5.95	3	3.93	
		15:00	29.25	41.77	27.54	8	5.32	3.04	3.99	
		18:00	28.95	43.66	28.72	7.86	5.54	3.22	3.75	
		21:00	28.58	41.74	27.45	7.62	5.41	3.06	3.45	
	日平均值			28.66	40.80	26.87	7.95	5.51	3.13	4.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月22日	蚵殼站	0:00	29.09	43.4	28.59	7.98	5.09	2.8	4.13	
		3:00	29.31	44.32	29.16	7.96	5.93	2.84	3.17	
		6:00	28.64	44.32	29.2	7.99	5.61	2.86	2.49	
		9:00	28.85	41.41	27.27	7.98	5.5	2.75	3.65	
		12:00	29.03	39.52	26.06	7.99	5.54	2.81	3.67	
		15:00	28.86	42.69	28.11	7.96	5.45	2.65	4.39	
		18:00	28.81	40.15	26.45	7.96	5.04	2.76	3.69	
		21:00	28.96	41.21	27.14	7.96	5.77	2.69	3.99	
	日平均值			28.94	42.13	27.75	7.97	5.49	2.77	3.65
	潮口站	0:00	29.05	42.21	27.79	8.14	6.1	2.77	5.12	
		3:00	28.44	42.28	27.87	8.08	6.11	2.99	4.25	
		6:00	29	41.01	27	8.05	6.09	2.82	6.8	
		9:00	29.51	39.72	26.23	8.04	6.4	2.69	7.28	
		12:00	29.6	47.18	31.12	8.05	6.18	2.8	4.99	
		15:00	29.69	44.58	29.36	8.35	6.84	2.77	5.98	
		18:00	29.58	42.44	24.32	7.85	7.15	3.08	10.83	
		21:00	29.83	37.04	24.48	7.87	6.92	2.72	10.4	
	日平均值			29.34	42.06	27.27	8.05	6.47	2.83	6.96
	灣內站	0:00	28.57	43.3	28.49	7.61	5.66	3.09	4.14	
		3:00	28.21	44.22	29.06	7.83	5.95	2.93	4.68	
		6:00	28.23	44.22	29.1	7.64	5.37	3.12	4.51	
		9:00	28.44	41.31	27.17	7.88	5.27	3.12	3.76	
		12:00	29.22	39.42	25.96	7.98	5.78	3.72	3.25	
		15:00	29.35	42.59	28.01	7.81	5.03	4.81	3.4	
		18:00	28.91	40.05	26.35	7.66	5.84	5.04	3.56	
		21:00	28.83	41.11	27.04	7.64	5.78	3.62	3.79	
	日平均值			28.72	42.03	27.65	7.76	5.59	3.68	3.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月23日	蚵殼站	0:00	28.82	41.88	27.58	7.97	5.27	2.83	3.35	
		3:00	28.62	43.52	28.67	7.95	5	2.82	3.99	
		6:00	28.52	43.66	28.76	7.96	5.78	2.93	4.02	
		9:00	28.47	42.83	28.22	7.96	5.11	2.76	3.99	
		12:00	28.78	38.46	25.35	7.97	5.51	2.83	4	
		15:00	28.78	40.11	26.36	7.95	5.28	2.81	3.8	
		18:00	28.59	41.76	27.5	7.96	5.51	2.89	4.78	
		21:00	28.54	41.69	27.44	7.96	5.08	2.89	4.36	
	日平均值			28.64	41.74	27.49	7.96	5.32	2.85	4.04
	潮口站	0:00	28.94	45.37	29.89	8.35	6.24	2.62	5.42	
		3:00	28.46	47.29	31.19	8.42	6.1	2.85	3.71	
		6:00	28.72	45.91	30.22	8.37	6.12	2.62	4.93	
		9:00	29.15	37.49	23.92	8	6.27	2.72	6.84	
		12:00	29.65	40.68	23.28	8.09	6.46	2.91	6.86	
		15:00	29.53	46.04	30.29	8.24	6.31	2.57	4.87	
		18:00	29.51	45.14	29.71	8.27	6.43	2.94	6.1	
		21:00	29.78	42.83	28.15	8.25	6.39	2.76	6.83	
	日平均值			29.22	43.84	28.33	8.25	6.29	2.75	5.70
	灣內站	0:00	28.66	41.78	27.48	7.65	5.03	3.57	3.36	
		3:00	28.44	43.42	28.57	7.81	5.74	3.23	3.51	
		6:00	28.38	43.56	28.66	7.87	5.29	3.19	2.91	
		9:00	28.14	42.73	28.12	7.75	5.74	3.23	2.91	
		12:00	28.54	38.36	25.25	7.87	5.63	3.21	2.6	
		15:00	29.39	40.01	26.26	8.36	5.3	3.11	2.88	
		18:00	29.18	41.66	27.4	7.97	5.6	3.16	2.86	
		21:00	28.95	41.59	27.34	7.92	5.19	2.96	2.98	
	日平均值			28.71	41.64	27.39	7.90	5.44	3.21	3.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月24日	蚵殼站	0:00	28.73	40.04	25.06	7.97	5.06	2.62	3.36	
		3:00	28.57	43.08	28.37	7.92	5.59	2.81	3.98	
		6:00	28.49	43.85	28.89	7.93	5.16	2.87	4.36	
		9:00	28.46	42.74	28.16	7.92	5.18	2.59	4.64	
		12:00	28.59	40.9	26.93	7.95	5.97	2.89	4.07	
		15:00	28.58	40.29	26.54	7.96	5.78	2.9	4.92	
		18:00	28.63	40.83	26.89	7.96	5.67	2.81	4.74	
		21:00	28.63	41.35	26.99	7.93	6.61	2.89	4.19	
	日平均值			28.59	41.64	27.23	7.94	5.63	2.80	4.28
	潮口站	0:00	28.97	50.37	33.17	8.26	5.91	2.87	3.84	
		3:00	28.04	50.25	33.04	8.26	6.24	2.88	4.06	
		6:00	28.32	49.64	32.68	8.25	6.12	2.85	4	
		9:00	29.66	41.17	27.17	8.26	7.05	2.9	6.78	
		12:00	31.29	36.76	23.4	8.33	7.97	2.63	10.46	
		15:00	29.23	50.09	33	8.37	6.34	2.68	4.5	
		18:00	28.97	45.66	30.07	8.38	6.3	2.87	4.54	
		21:00	30.38	36.48	23.96	8.34	6.97	2.64	12.43	
	日平均值			29.36	45.05	29.56	8.31	6.61	2.79	6.33
	灣內站	0:00	28.58	39.94	24.96	7.88	5.85	3.3	2.87	
		3:00	28.43	42.98	28.27	7.78	5.66	3.03	3.06	
		6:00	28.46	43.75	28.79	7.82	5.44	3.01	3	
		9:00	28.88	42.64	28.06	7.72	5.04	2.82	2.72	
		12:00	30.36	40.8	26.83	8.07	5.74	2.79	2.71	
		15:00	31.03	40.19	26.44	8.49	5.54	3.23	2.89	
		18:00	30.51	40.73	26.79	7.97	5.58	2.96	2.99	
		21:00	29.35	41.25	26.89	7.71	5.52	2.97	2.81	
	日平均值			29.45	41.54	27.13	7.93	5.55	3.01	2.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月25日	蚵殼站	0:00	28.53	41.69	27.45	7.93	5.28	2.82	3.62
		3:00	28.49	42.63	28.09	7.93	5.4	3.08	4.07
		6:00	28.03	43.49	28.65	7.97	5.84	2.84	5.26
		9:00	28.02	43.21	28.45	7.97	5.87	2.92	5.88
		12:00	28.44	42.15	27.75	7.92	6.01	2.79	3.87
		15:00	28.69	41.88	27.59	7.88	6.22	2.75	2.36
		18:00	29.25	41.18	23.95	7.99	8.05	2.88	1.29
		21:00	28.55	39.82	26.23	7.95	5.53	2.84	2.69
	日平均值		28.50	42.01	27.27	7.94	6.03	2.87	3.63
	潮口站	0:00	29.36	46.34	29.61	8.33	6.23	2.82	4.03
		3:00	28.28	51.59	33.97	8.33	6.21	2.77	4.28
		6:00	28.12	50.19	33.03	8.33	6.18	2.8	4.05
		9:00	29.41	47.06	30.96	8.29	6.9	2.99	8.64
		12:00	31.26	38.92	25.64	8.46	7.87	2.9	14.97
		15:00	30.92	42.09	27.27	8.5	7.61	2.64	7.77
		18:00	30.59	38.66	25.35	8.46	6.85	2.88	13.46
		21:00	30.21	38.46	25.34	8.36	6.5	2.63	12.31
	日平均值		29.77	44.16	28.90	8.38	6.79	2.80	8.69
	灣內站	0:00	28.91	41.59	27.35	7.86	5.64	3.15	2.83
		3:00	28.67	42.53	27.99	7.75	5.54	2.86	2.83
		6:00	28.34	43.39	28.55	7.85	5.31	2.76	2.87
		9:00	29.08	43.11	28.35	7.98	5.51	2.99	2.82
		12:00	30.58	42.05	27.65	8.26	5.3	2.97	2.87
		15:00	29.41	41.78	27.49	8.26	5.7	2.75	2.74
18:00		29.26	41.08	23.85	8.12	5.05	3.06	2.81	
21:00		28.87	39.72	26.13	7.99	5.08	2.97	2.79	
日平均值		29.14	41.91	27.17	8.01	5.39	2.94	2.82	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月26日	蚵殼站	0:00	28.62	40.48	26.66	7.94	5.16	2.87	2.45
		3:00	28.53	42.26	27.8	7.88	5.11	2.83	2.74
		6:00	28.22	43.24	28.49	7.96	5.4	2.88	3.78
		9:00	28.15	43.16	28.43	7.95	5.62	2.8	4.43
		12:00	28.5	41.77	27.51	7.93	5.34	2.75	4.2
		15:00	29.13	38.62	24.65	7.9	6.32	2.65	2.06
		18:00	28.61	40.22	26.48	7.9	6.9	2.72	3.59
		21:00	28.63	39.64	26.13	7.9	5.28	2.98	5.5
	日平均值		28.55	41.17	27.02	7.92	5.64	2.81	3.59
	潮口站	0:00	29.71	42.88	28.23	8.25	6.1	2.93	5.37
		3:00	28.82	44.12	29.04	8.27	6.08	2.54	5.09
		6:00	28.24	48.95	32.23	8.31	6.04	3.06	4.05
		9:00	29.03	47.28	31.15	8.3	6.27	2.62	8.94
		12:00	30.59	39.56	24.89	8.33	7.58	2.7	15.65
		15:00	30.14	42.32	27.88	8.32	6.7	2.91	11.84
		18:00	29.32	47.05	30.99	8.33	6.16	2.81	5.11
		21:00	28.94	38.34	25.25	8.31	6.19	2.73	3.88
	日平均值		29.35	43.81	28.71	8.30	6.39	2.79	7.49
	灣內站	0:00	28.46	40.38	26.56	7.86	5.14	2.91	2.88
		3:00	28.45	42.16	27.7	7.87	5.39	2.92	2.85
		6:00	28.52	43.14	28.39	7.98	5.58	2.78	2.8
		9:00	28.68	43.06	28.33	7.97	5.52	3.07	3.22
		12:00	29.35	41.67	27.41	7.95	5.71	3.03	2.93
		15:00	29.66	38.52	24.55	8.43	5.06	2.94	3.38
18:00		30.12	40.12	26.38	8.49	5.01	2.89	3.29	
21:00		29.9	39.54	26.03	7.7	5.27	3.02	3.51	
日平均值		29.14	41.07	26.92	8.03	5.34	2.95	3.11	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月27日	蚵殼站	0:00	28.53	40.77	26.84	7.88	5.94	2.83	4.98
		3:00	28.56	41.06	27.04	7.87	5.37	2.83	5.24
		6:00	28.48	42.72	28.15	7.9	5.42	2.97	6.56
		9:00	28.47	43.26	28.5	7.91	5.36	2.76	6.55
		12:00	28.55	41.71	27.47	7.92	5.4	2.81	5.95
		15:00	28.78	39.82	25.24	7.93	5.97	2.62	3.17
		18:00	28.68	39.46	25.99	7.9	6.6	2.85	2.51
		21:00	28.53	41.16	27.11	7.87	5.27	2.91	4.32
	日平均值		28.57	41.25	27.04	7.90	5.67	2.82	4.91
	潮口站	0:00	29.72	41.36	27.09	8.26	6.43	3.05	3.94
		3:00	29.23	44.94	29.6	8.26	6.21	2.67	4.24
		6:00	28.46	48.65	32.03	8.25	6.14	2.91	4.02
		9:00	29.11	46.32	30.51	8.26	6.04	2.98	6.48
		12:00	29.47	44.85	29.53	8.33	6.36	2.81	12.08
		15:00	29.68	43.77	28.82	8.37	6.52	2.74	7.95
		18:00	29.79	39.66	26.1	8.38	6.52	2.91	7.54
		21:00	29.61	38.78	24.51	8.34	6.83	2.8	4.84
	日平均值		29.38	43.54	28.52	8.31	6.38	2.86	6.39
	灣內站	0:00	29.9	40.67	26.74	7.71	7.87	2.79	3.1
		3:00	29.45	40.96	26.94	7.88	5.04	2.68	3.18
		6:00	28.98	42.62	28.05	7.91	5.52	2.77	2.65
		9:00	28.74	43.16	28.4	7.86	5.24	2.86	2.87
		12:00	29.39	41.61	27.37	8.19	5.64	3.14	2.69
		15:00	28.81	39.72	25.14	8.45	5.03	2.92	2.88
		18:00	28.5	39.36	25.89	7.95	5.22	3.17	2.81
		21:00	29.12	41.06	27.01	7.66	5.6	3.01	3
	日平均值		29.11	41.15	26.94	7.95	5.65	2.92	2.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月28日	蚵殼站	0:00	28.57	41.41	27.29	7.85	5.53	2.8	3.7
		3:00	28.57	40.95	26.94	7.86	5.53	2.7	3.46
		6:00	28.35	42.01	27.65	7.9	5.47	2.89	4.34
		9:00	27.82	43.01	28.33	7.97	5.36	2.79	5.09
		12:00	27.84	43.17	28.43	7.94	5.13	2.93	5.15
		15:00	28.51	40.88	26.9	7.93	5.35	2.82	4.39
		18:00	28.58	39.53	26.05	7.91	6.73	2.84	4.37
		21:00	28.31	38.63	25.42	7.92	5.18	2.76	5.36
	日平均值		28.32	41.20	27.13	7.91	5.54	2.82	4.48
	潮口站	0:00	29.33	41.9	26.44	8.38	6.51	2.81	4.89
		3:00	28.84	43.24	28.48	8.26	6.28	2.91	4.22
		6:00	27.93	48.14	31.71	8.25	6.17	2.73	4.43
		9:00	28.08	48.49	31.93	8.26	6.12	2.89	5.24
		12:00	29.18	42.7	27.73	8.33	6.52	2.74	11.87
		15:00	29.56	40.11	23.88	8.14	7.01	2.79	9.53
		18:00	29.03	41.2	26.32	8.34	6.15	2.92	5.74
		21:00	28.9	39.31	24.86	8.18	6.17	2.69	7.4
	日平均值		28.86	43.14	27.67	8.27	6.37	2.81	6.67
	灣內站	0:00	29.13	41.31	27.19	7.68	5.03	6.18	2.05
		3:00	29.03	40.85	26.84	7.78	5.74	2.88	2.64
		6:00	28.72	41.91	27.55	7.88	5.29	3	2.06
		9:00	28.52	42.91	28.23	7.83	5.74	2.82	2.34
		12:00	28.56	43.07	28.33	7.8	5.63	3.57	2.24
		15:00	28.58	40.78	26.8	7.98	5.3	5.56	2.52
		18:00	28.35	39.43	25.95	7.9	5.6	6.73	3.29
		21:00	28.3	38.53	25.32	7.79	5.19	2.22	2.95
	日平均值		28.65	41.10	27.03	7.83	5.44	4.12	2.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月29日	蚵殼站	0:00	28.13	39.11	25.8	7.92	5.13	2.93	5.07
		3:00	28.26	39.79	26.2	7.92	5.43	2.95	5.08
		6:00	28.25	39.72	26.17	7.89	5.37	3	4.92
		9:00	27.84	39.73	26.16	7.96	5.55	2.83	5.08
		12:00	27.88	39.88	26.26	7.94	5.21	2.76	5.15
		15:00	28.17	39.31	25.88	7.93	5	2.8	4.35
		18:00	28.48	39.19	25.82	7.91	5.19	2.89	4.44
	21:00	28.21	39.28	25.86	7.92	5.6	2.83	5.13	
	日平均值		28.15	39.50	26.02	7.92	5.31	2.87	4.90
	潮口站	0:00	28.76	40.8	25.24	8.2	6.12	2.9	5.05
		3:00	28.18	44.44	29.25	8.26	5.99	2.94	3.8
		6:00	28.35	45.45	29.96	8.25	6.1	2.83	3.8
		9:00	28.18	48.46	31.93	8.26	6.09	2.71	3.79
		12:00	28.56	46.71	30.76	8.33	6.13	3.03	6.34
		15:00	30.36	38.98	22.41	8.08	7.66	2.95	9.95
		18:00	29.57	41.46	25.5	8.31	6.82	2.94	6.27
	21:00	28.89	41.12	27.06	8.4	6.54	2.94	4.49	
	日平均值		28.86	43.43	27.76	8.26	6.43	2.91	5.44
	灣內站	0:00	28.38	39.01	25.7	7.72	5.85	38.06	2.75
		3:00	28.37	39.69	26.1	7.68	5.66	2.78	2.54
		6:00	28.31	39.62	26.07	7.83	5.44	2.92	2.03
9:00		28.43	39.63	26.06	7.87	5.04	4.1	1.76	
12:00		28.87	39.78	26.16	7.8	5.74	3.47	2.35	
15:00		29.5	39.21	25.78	7.83	5.54	55.65	2.99	
18:00		28.97	39.09	25.72	7.75	5.58	30.97	3.02	
21:00	28.66	39.18	25.76	7.79	5.52	24.08	2.88		
日平均值		28.69	39.40	25.92	7.78	5.55	20.25	2.54	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月30日	蚵殼站	0:00	27.94	39.94	26.3	7.94	5.49	2.87	5.88
		3:00	28.04	39.98	26.32	7.94	5.45	2.89	5.04
		6:00	28.03	40.05	26.37	7.92	6.64	2.83	5.68
		9:00	27.9	40.42	26.61	7.93	5.54	2.71	5.39
		12:00	27.83	40.05	26.39	7.96	5.4	2.81	6.66
		15:00	28.15	39.49	26	8.02	5.46	2.61	5.62
		18:00	28.29	39.01	25.71	8.08	6.13	2.97	2.97
	21:00	28.07	39.07	25.73	8.1	5.64	2.88	5.16	
	日平均值		28.03	39.75	26.18	7.99	5.72	2.82	5.30
	潮口站	0:00	28.66	40.36	26.56	8.33	6.25	2.71	5.18
		3:00	28.49	44.93	29.58	8.33	5.78	2.87	4.28
		6:00	28.24	43.89	28.9	8.08	6.15	2.88	4.37
		9:00	28.21	45.15	29.74	8.46	6.18	2.73	3.55
		12:00	28.48	45.32	29.85	8.43	6.17	2.67	4.56
		15:00	29.18	44.74	29.46	8.36	6.41	2.98	7.81
		18:00	29.84	44.25	29.15	8.3	5.6	2.7	8.19
	21:00	30.19	43.9	28.91	8.31	5.05	2.92	4.88	
	日平均值		28.91	44.07	29.02	8.33	5.95	2.81	5.35
	灣內站	0:00	28.64	39.84	26.2	7.9	5.64	24.66	2.32
		3:00	28.31	39.88	26.22	7.77	5.54	21.49	1.68
		6:00	28.11	39.95	26.27	7.86	5.31	1.76	1.45
9:00		28.64	40.32	26.51	7.77	5.51	2.96	2.03	
12:00		30.64	39.95	26.29	7.95	5.3	2.95	3.24	
15:00		32.12	39.39	25.9	8.27	5.7	2.79	2.96	
18:00		31.72	38.91	25.61	8.23	5.05	3.15	3.43	
21:00	31.28	38.97	25.63	8.15	5.08	2.9	3.6		
日平均值		29.93	39.65	26.08	7.99	5.39	7.83	2.59	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月1日	蚵殼站	0:00	27.89	42.44	27.63	8.09	5.7	2.81	8.86
		3:00	27.91	42.8	27.9	8.12	5.9	2.66	8.72
		6:00	27.84	42.76	27.87	8.12	5.89	2.74	9.33
		9:00	27.86	43.29	28.27	8.12	5.88	2.91	9.21
		12:00	27.86	44.23	28.97	8.18	5.45	2.84	8.53
		15:00	28.1	45.44	29.88	8.32	5.23	2.85	6.48
		18:00	28.46	44.91	29.48	8.28	5.33	2.99	3.07
		21:00	29.88	43.3	28.28	8.49	7.64	0.77	1.82
	日平均值		28.23	43.65	28.54	8.22	5.88	2.57	7.00
	潮口站	0:00	29.14	44.25	29.11	8.23	5.98	2.77	4.06
		3:00	28.32	45.12	29.69	8.2	5.1	2.69	3.57
		6:00	28.54	45.16	29.71	8.23	5.31	2.81	3.6
		9:00	29.19	44.81	29.48	8.27	5.98	2.86	3.67
		12:00	29.38	45.39	28.81	8.22	6.39	4.52	6.52
		15:00	29.63	46.3	30.48	8.41	7.59	2.83	7.23
		18:00	30.88	45.27	29.78	8.44	6.95	9.76	7.34
		21:00	32.69	44.15	29.05	8.41	6.1	2.79	4.49
	日平均值		29.72	45.06	29.51	8.30	6.18	3.88	5.06
	灣內站	0:00	31.1	45.31	29.78	8.35	6	3.1	3.58
		3:00	30.9	45.54	29.95	8.09	6.15	3.04	3.53
		6:00	30.19	45.68	30.06	8.09	6.12	2.94	3.85
9:00		30.81	45.79	30.14	8.24	6.37	3.27	5.26	
12:00		31.69	45.9	30.22	8.35	7.42	3.07	5.33	
15:00		32.41	45.98	30.28	8.3	6.59	3.1	5.06	
18:00		32.34	45.67	30.05	8.28	5.42	3.04	4.5	
21:00		30.99	44.25	28.99	8.35	5.84	3.21	5.63	
日平均值		31.30	45.52	29.93	8.26	6.24	3.10	4.59	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月2日	蚵殼站	0:00	28.17	43.32	28.29	8.29	5.5	2.73	7.56
		3:00	28.29	44.41	29.11	8.25	5.63	3.04	8.25
		6:00	28.36	45.38	29.83	8.28	6.12	2.88	6.84
		9:00	28.21	45.78	30.13	8.27	5.37	2.99	8.74
		12:00	28.21	46.62	30.76	8.45	7.59	0.78	4.7
		15:00	28.36	46.48	30.66	8.47	8.73	0.86	3
		18:00	29.88	43.3	28.28	8.49	6.64	0.77	1.82
		21:00	30.32	43.68	28.56	8.41	5.17	1	1.91
	日平均值		28.73	44.87	29.45	8.36	6.34	1.88	5.35
	潮口站	0:00	29.98	45.26	29.78	8.35	5.56	2.79	4.49
		3:00	29.38	46.16	30.37	8.34	5.62	2.84	4.04
		6:00	29.65	46.19	30.39	8.37	5.19	2.82	4.29
		9:00	30.42	45.56	29.97	8.41	5.74	2.81	4.04
		12:00	30.53	46.58	30.65	8.49	5.91	2.75	3.94
		15:00	30.53	46.35	30.49	8.47	5.42	2.77	5.58
		18:00	31.6	45.31	29.81	8.41	5.17	2.93	6.34
		21:00	32.69	44.15	29.05	8.41	5.04	2.79	4.49
	日平均值		30.60	45.70	30.06	8.41	5.46	2.81	4.65
	灣內站	0:00	31.69	44.87	29.45	8.24	6.16	3.17	4.13
		3:00	31.41	45.83	30.17	8.16	6.44	3.11	4.77
		6:00	30.75	45.24	29.73	8.13	6.57	3.15	3.64
9:00		31.09	45.91	30.23	8.13	6.16	3.1	3.57	
12:00		31.93	47.14	31.15	8.15	6.44	3.15	3.68	
15:00		31.73	46.93	30.99	8.26	7.89	3.07	4.06	
18:00		31.49	45.64	30.03	8.32	6.24	3.02	5.51	
21:00		30.99	44.25	28.99	8.35	5.84	3.21	5.63	
日平均值		31.39	45.73	30.09	8.22	6.47	3.12	4.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月3日	蚵殼站	0:00	28.74	45.64	30.03	8.43	6.31	0.87	5.75	
		3:00	28.76	45.3	29.77	8.42	5.14	0.79	5.5	
		6:00	28.49	46.55	30.71	8.43	5.71	0.77	4.21	
		9:00	28.89	45.99	30.29	8.41	5.28	0.75	4.29	
		12:00	28.72	46.38	30.58	8.38	6.14	0.81	5.19	
		15:00	28.76	46.35	30.56	8.38	7.44	0.85	5.41	
		18:00	29.03	44.55	29.21	8.41	6.22	0.61	3.94	
		21:00	29.44	42.23	27.48	8.42	5.8	0.91	3.18	
	日平均值			28.85	45.37	29.83	8.41	6.01	0.80	4.68
	潮口站	0:00	31.33	44.51	29.29	8.43	5.68	2.89	5.05	
		3:00	30.23	45.38	29.86	8.38	5	2.82	5.24	
		6:00	29.95	46.12	30.35	8.38	5.59	2.84	4.86	
		9:00	30.5	45.9	30.2	8.37	5.14	2.83	4.94	
		12:00	31.34	45.48	29.92	8.43	5.82	2.85	4.93	
		15:00	33.25	44.51	29.28	8.41	6.25	2.84	5.81	
		18:00	33.89	43.72	28.77	8.41	5.7	2.84	5.99	
		21:00	32.53	44.26	29.12	8.46	5.43	2.86	5.22	
	日平均值			31.63	44.99	29.60	8.41	5.58	2.85	5.26
	灣內站	0:00	30.79	45.36	29.82	8.37	6.49	3.13	5.15	
		3:00	30.53	47.99	31.79	8.28	5.4	3.17	4.79	
		6:00	30.55	46.6	30.75	8.24	5.58	2.96	5.03	
		9:00	32.3	44.32	29.04	8.26	6.09	2.67	3.57	
		12:00	31.93	44.28	29.01	8.25	6.55	3.19	3.73	
		15:00	32.3	44.32	29.04	8.26	6.09	2.67	3.57	
		18:00	31.93	44.28	29.01	8.25	6.55	3.19	3.73	
		21:00	29.99	43.89	28.72	8.32	6.18	3.3	3.86	
	日平均值			31.29	45.13	29.65	8.28	6.12	3.04	4.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月4日	蚵殼站	0:00	28.92	42.78	27.89	8.37	5.86	0.95	4.31	
		3:00	28.91	43.14	28.16	8.34	6.18	0.6	5.2	
		6:00	29.29	43.34	28.31	8.36	5.7	0.61	4.57	
		9:00	28.88	44.75	29.36	8.36	5.77	0.62	3.58	
		12:00	29.67	45	29.55	8.39	6.29	0.69	2.7	
		15:00	29.35	45.19	29.69	8.4	6.81	0.76	2.83	
		18:00	30.13	43.57	28.48	8.41	6.83	0.86	3.55	
		21:00	29.62	44.69	29.32	8.36	5.44	0.92	3.09	
	日平均值			29.35	44.06	28.85	8.37	6.11	0.75	3.73
	潮口站	0:00	31.26	45.14	29.7	8.4	5.98	2.85	4.59	
		3:00	30.61	45.67	30.05	8.37	5.88	2.85	4.23	
		6:00	30.74	45.85	30.17	8.39	6.28	2.88	5.32	
		9:00	30.96	45.74	30.09	8.41	5.76	2.83	4.68	
		12:00	32.52	44.63	29.36	8.49	6.44	2.86	4.91	
		15:00	32.15	45.36	29.85	8.41	6.65	2.82	4.74	
		18:00	31.07	45.96	30.24	8.43	6.36	2.81	5.33	
		21:00	32.27	44.69	29.4	8.47	5.73	2.82	4.87	
	日平均值			31.45	45.38	29.86	8.42	6.14	2.84	4.83
	灣內站	0:00	29.4	44.49	29.17	8.33	5.57	3.1	3.77	
		3:00	29.12	48.93	32.49	8.32	5.57	3.14	3.64	
		6:00	29.32	45.48	29.91	8.3	6.43	2.98	3.67	
		9:00	29.43	44.72	29.34	8.29	5.75	3.37	3.78	
		12:00	30.09	44.83	29.42	8.28	5.93	3.36	3.79	
		15:00	30.72	45.32	29.79	8.3	8.71	3.06	3.7	
		18:00	30.66	45.51	29.93	8.31	7.14	3.34	3.91	
		21:00	30.36	44.88	29.46	8.3	5.64	3.34	3.98	
	日平均值			29.89	45.52	29.94	8.30	6.34	3.21	3.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月5日	蚵殼站	0:00	29.82	44.71	29.33	8.36	5.94	1	4.15
		3:00	29.56	44.56	29.22	8.35	5.2	0.82	5.16
		6:00	29.66	45.07	29.6	8.34	5.41	0.92	4.9
		9:00	29.89	44.37	29.08	8.36	5.93	0.78	2.68
		12:00	29.99	44.48	29.16	8.36	6.08	0.55	2.46
		15:00	30.17	44.16	28.92	8.37	6.73	0.76	2.01
		18:00	30.16	46.35	30.56	8.35	5.87	1.04	3.22
		21:00	30.68	44.45	29.14	8.34	5.88	1.07	2.47
	日平均值		29.99	44.77	29.38	8.35	5.88	0.87	3.38
	潮口站	0:00	31.37	45.11	29.68	8.41	5.96	2.81	4.83
		3:00	30.85	45.68	30.06	8.39	5.93	2.82	4.23
		6:00	31.22	45.49	29.93	8.41	7.2	2.81	5.12
		9:00	31.26	45.55	29.97	8.42	5.8	3.08	4.76
		12:00	30.97	45.76	30.11	8.41	6.31	2.84	4.21
		15:00	31.62	44.95	29.57	8.42	7.77	2.82	4.34
		18:00	31.99	44.78	29.46	8.45	5.25	2.83	4.7
		21:00	32.69	44.41	29.22	8.49	5.97	2.82	4.41
	日平均值		31.50	45.22	29.75	8.43	6.27	2.85	4.58
	灣內站	0:00	30.02	45.48	29.91	8.29	6.48	3.22	3.95
		3:00	29.61	47.54	31.45	8.33	5.68	3.11	3.58
		6:00	29.52	46.3	30.52	8.3	5.93	3.15	3.68
9:00		29.91	44.91	29.48	8.32	6.63	3.21	4.15	
12:00		30.47	45.11	29.63	8.37	7.7	3.21	4.28	
15:00		30.56	45.35	29.81	8.44	7.71	3.19	4.05	
18:00		30.4	45.5	29.92	8.36	5.84	3.31	4.17	
21:00		30.43	44.73	29.35	8.32	5.13	3.17	3.77	
日平均值		30.12	45.62	30.01	8.34	6.39	3.20	3.95	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月6日	蚵殼站	0:00	30.32	44.72	29.34	8.35	5.5	0.73	3.12
		3:00	29.93	45.43	29.87	8.33	5.35	0.8	5.17
		6:00	29.68	45.35	29.81	8.33	5.8	0.9	5.94
		9:00	30.31	44.49	29.17	8.35	5.47	0.89	3.86
		12:00	30.23	44.72	29.34	8.35	6.23	1.02	2.69
		15:00	30.69	43.97	28.78	8.37	7.17	1.02	3.23
		18:00	30.25	44.77	29.38	8.33	6.74	0.86	3.18
		21:00	30.17	44.88	29.46	8.32	6.59	0.76	3.86
	日平均值		30.20	44.79	29.39	8.34	6.11	0.87	3.88
	潮口站	0:00	31.19	45.23	29.76	8.39	5.13	2.84	4.05
		3:00	30.73	45.01	29.61	8.33	5.25	2.82	4.01
		6:00	30.98	45.01	29.61	8.36	5.99	2.82	4.77
		9:00	31.82	44.13	29.03	8.39	7.19	2.82	5.08
		12:00	32.47	44.07	28.99	8.45	7.6	2.83	4.42
		15:00	32.09	44.01	28.96	8.4	7.23	2.83	4.22
		18:00	33.02	43.8	28.82	8.48	7.5	2.91	5.36
		21:00	33.03	43.57	28.67	8.47	7.15	2.83	5.24
	日平均值		31.92	44.35	29.18	8.41	6.63	2.84	4.64
	灣內站	0:00	30.01	44.55	29.21	8.31	5.98	3.03	4.06
		3:00	29.28	46.86	30.94	8.33	6.03	3.04	3.53
		6:00	29.16	45.39	29.84	8.32	6.24	3.06	3.92
9:00		29.24	43.22	28.22	8.33	6.18	3.24	3.86	
12:00		29.78	43.14	28.16	8.44	6.14	3.08	4.22	
15:00		30.2	43.14	28.16	8.36	8.71	3.25	4.38	
18:00		32.28	43.85	28.69	8.32	6.84	3.11	4.14	
21:00		32.01	44.13	28.9	8.43	6.13	3.15	3.77	
日平均值		30.25	44.29	29.02	8.36	6.53	3.12	3.99	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月7日	蚵殼站	0:00	30.25	44.32	29.04	8.32	6.25	0.73	4.87
		3:00	30.32	43.91	28.73	8.29	5.63	0.93	5.25
		6:00	30.18	44.04	28.83	8.29	5.58	0.83	6.06
		9:00	30.37	43.52	28.44	8.31	5.88	0.99	6.23
		12:00	30.98	42.89	27.97	8.31	6.28	0.94	4.18
		15:00	31.73	42.54	27.71	8.3	6.09	0.69	3.19
		18:00	31.94	42.44	27.63	8.27	5.46	0.83	2.63
	21:00	31.87	42.6	27.75	8.25	5.82	0.69	2.3	
	日平均值		30.96	43.28	28.26	8.29	5.87	0.83	4.34
	潮口站	0:00	32.09	44.01	28.96	8.41	6.49	2.85	4.55
		3:00	31.05	44.6	29.34	8.34	6.19	2.87	4.08
		6:00	31.93	43.19	28.42	8.33	6.99	2.85	6.18
		9:00	32.04	43.32	28.5	8.35	7.59	2.84	7.69
		12:00	32.74	43.42	28.57	8.43	7.75	2.81	5.3
		15:00	32.2	43.49	28.62	8.38	7.31	2.79	4.61
		18:00	31.72	44.09	29.01	8.37	6.88	2.81	4.03
	21:00	32.17	44.06	28.99	8.42	6.48	2.82	3.78	
	日平均值		31.99	43.77	28.80	8.38	6.96	2.83	5.03
	灣內站	0:00	31.14	45.64	30.03	8.38	6.98	3.39	3.57
		3:00	30.38	49.33	32.79	8.4	7.03	3.13	3.49
		6:00	30.12	47.59	31.49	8.36	7.24	3.03	3.41
9:00		29.98	43.2	28.2	8.36	5.5	3.15	3.53	
12:00		31.13	43.72	28.59	8.44	7.12	3.26	3.96	
15:00		31.7	43.79	28.64	8.36	7.29	3.15	4.17	
18:00		31.71	42.72	27.84	8.44	5.47	3.2	3.83	
21:00	31.57	42.69	27.82	8.34	5.09	3.15	3.68		
日平均值		30.97	44.84	29.43	8.39	6.47	3.18	3.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月8日	蚵殼站	0:00	31.59	42.48	27.66	8.23	5.31	0.95	2.54
		3:00	31.2	42.49	27.67	8.23	5.02	0.88	3.95
		6:00	30.69	42.32	27.54	8.23	5.05	0.86	5
		9:00	30.93	42.27	27.51	8.23	5.76	0.69	5.71
		12:00	31.33	41.81	27.16	8.24	5.46	0.92	3.11
		15:00	31.42	41.65	27.04	8.25	5.87	0.92	2.17
		18:00	32.32	40.98	26.54	8.25	5.95	0.77	1.88
	21:00	32.46	39.8	25.66	8.25	5.65	0.89	1.98	
	日平均值		31.49	41.73	27.10	8.24	5.51	0.86	3.29
	潮口站	0:00	31.57	43.98	28.94	8.35	6.02	2.87	3.84
		3:00	30.57	45.2	29.74	8.33	6.5	2.81	3.77
		6:00	31.15	44.38	29.2	8.34	6.62	2.81	3.88
		9:00	31.86	44.31	29.15	8.4	7.46	2.85	4.9
		12:00	32.91	44.51	29.28	8.41	7.32	2.81	4.44
		15:00	32.21	43.88	28.87	8.41	7.18	2.83	4.42
		18:00	31.44	43.76	28.79	8.32	6.73	2.81	3.78
	21:00	32.37	44.65	29.38	8.47	6.36	2.77	3.94	
	日平均值		31.76	44.33	29.17	8.38	6.77	2.82	4.12
	灣內站	0:00	31.36	43.01	28.06	8.26	5.09	3.08	3.79
		3:00	31.07	43.92	28.74	8.28	5.08	3.1	3.8
		6:00	31.15	43.45	28.39	8.27	5.09	3.02	3.86
9:00		31.38	42.68	27.81	8.27	5.31	3.33	3.99	
12:00		32.14	42.41	27.61	8.39	5.54	2.96	4.27	
15:00		32.79	41.87	27.21	8.27	6.38	3.8	4.13	
18:00		32.68	41.75	27.12	8.4	5.61	4.1	4.04	
21:00	32.31	41.78	27.14	8.31	5.93	3.88	4.19		
日平均值		31.86	42.61	27.76	8.31	5.50	3.41	4.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月9日	蚵殼站	0:00	31.5	39.49	25.43	8.25	5.46	1.12	3.01
		3:00	31.34	38.64	24.79	8.24	5.6	0.87	4.39
		6:00	30.52	38.51	24.69	8.24	5.55	0.69	9.22
		9:00	30.92	37.81	24.17	8.26	5.55	0.74	8.11
		12:00	31.45	37.13	23.66	8.31	6.18	0.64	8.87
		15:00	31.76	37.2	23.71	8.31	6.4	0.79	2.91
		18:00	31.82	37.68	24.07	8.28	6.44	1.67	9.71
		21:00	32.29	38.57	24.74	8.25	5.27	2.46	3.96
	日平均值		31.45	38.13	24.41	8.27	5.81	1.12	6.27
	潮口站	0:00	31.9	44.89	29.54	8.44	6.12	2.8	4.02
		3:00	29.69	45.77	30.12	8.28	6.48	2.85	3.8
		6:00	31.19	44.62	29.36	8.36	6.25	2.81	3.75
		9:00	32.74	44.08	29	8.47	7.41	2.86	4.37
		12:00	33.13	44.63	29.37	8.41	7.41	2.78	4.76
		15:00	32.34	44.7	29.41	8.47	7.21	2.79	4.28
		18:00	31.25	44.73	29.43	8.37	6.75	2.81	4.13
		21:00	33.05	44.19	29.08	8.41	6.52	2.86	4.43
	日平均值		31.91	44.70	29.41	8.40	6.77	2.82	4.19
	灣內站	0:00	32.19	41.94	27.26	8.27	6.11	4.97	4.41
		3:00	31.95	42.76	27.87	8.29	6.37	5.09	4.69
		6:00	31.81	42.88	27.96	8.29	6.09	5.47	4.34
9:00		32.01	42.58	27.74	8.27	5.46	6.79	5.23	
12:00		32.73	42.32	27.54	8.36	5.55	9.88	9.07	
15:00		33.4	42.6	27.75	8.27	6.42	9.97	10.84	
18:00		33.22	42.61	27.76	8.48	5.3	7.52	10.13	
21:00		32.59	42.78	27.89	8.36	6.99	6.91	18.28	
日平均值		32.49	42.56	27.72	8.32	6.04	7.08	8.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月10日	蚵殼站	0:00	31.36	39.2	25.21	8.26	5.32	2.43	3.46
		3:00	31.14	38.92	25	8.25	5.31	2.5	4.62
		6:00	30.84	38.28	24.52	8.27	5.81	2.51	5.46
		9:00	30.74	38.49	24.68	8.29	5.43	1.76	6.21
		12:00	31.47	38.28	24.52	8.29	5.51	1.44	3.6
		15:00	31.76	37.88	24.22	8.3	6.53	1.62	3.55
		18:00	32.31	38.68	24.82	8.29	6.34	1.55	3.98
		21:00	31.62	38.48	24.67	8.28	5.76	1.44	3.29
	日平均值		31.41	38.53	24.71	8.28	5.75	1.91	4.27
	潮口站	0:00	32.38	44.36	29.18	8.46	5.74	2.79	4.17
		3:00	30.22	45.39	29.87	8.31	6.62	2.8	3.95
		6:00	31.07	44.86	29.51	8.36	5.95	2.85	3.77
		9:00	32.49	44.5	29.28	8.48	7.85	2.81	5.05
		12:00	33.38	44.49	29.27	8.41	7.69	2.75	5.06
		15:00	33.57	44.39	29.21	8.41	7.17	2.81	4.2
		18:00	31.65	44.96	29.58	8.42	6.14	2.8	3.89
		21:00	33.31	44.48	29.26	8.41	6.73	2.82	4.06
	日平均值		32.26	44.68	29.40	8.41	6.74	2.80	4.27
	灣內站	0:00	31.87	43.3	28.28	8.31	6.12	6.94	20.97
		3:00	31.36	43.71	28.58	8.38	6.19	7.25	15.97
		6:00	31.1	43.67	28.55	8.32	6.12	6.81	16.19
9:00		31.41	43.65	28.54	8.29	6.27	5.93	7.07	
12:00		32.26	43.14	28.16	8.4	6.16	6.15	7.65	
15:00		32.83	43.37	28.33	8.29	6.14	7.21	5.7	
18:00		32.82	42.96	28.02	8.48	5.88	5.67	6.45	
21:00		32.06	43.84	28.68	8.34	5.78	3.79	6.71	
日平均值		31.96	43.46	28.39	8.35	6.08	6.22	10.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月11日	蚵殼站	0:00	31.22	37.44	23.89	8.27	5.03	1.49	5.64	
		3:00	31.24	37.1	23.64	8.27	5.2	1.54	3.89	
		6:00	30.59	36.01	22.82	8.29	5.19	1.53	4.08	
		9:00	30.68	36.34	23.07	8.31	5.14	1.43	3.96	
		12:00	31.37	36.38	23.1	8.34	6.11	1.44	3.59	
		15:00	32.11	36.82	23.43	8.36	6.39	1.55	1.51	
		18:00	32.75	37.49	23.93	8.35	5.34	1.53	1.43	
		21:00	31.05	37.45	23.9	8.32	5.02	1.5	2.24	
	日平均值			31.38	36.88	23.47	8.31	5.43	1.50	3.29
	潮口站	0:00	31.95	44.93	29.56	8.45	5.67	2.86	3.81	
		3:00	30.88	45.57	29.98	8.39	6.1	2.8	3.75	
		6:00	31.07	45.44	29.9	8.4	5.82	2.78	3.71	
		9:00	32.4	44.93	29.56	8.41	7.06	2.79	4.15	
		12:00	32.47	45.09	29.67	8.47	7.49	2.8	5	
		15:00	34.01	44.58	29.33	8.37	6.58	2.85	4.65	
		18:00	31.64	45.17	29.72	8.44	5.99	7.27	5.3	
		21:00	32.58	44.83	29.5	8.41	5.09	2.8	4.62	
	日平均值			32.13	45.07	29.65	8.42	6.23	3.37	4.37
	灣內站	0:00	31.72	43.99	28.79	8.33	5.58	4.03	6.34	
		3:00	31.66	43.93	28.75	8.36	5.55	3.85	6.06	
		6:00	31.6	44.15	28.91	8.34	5.56	3.79	5.66	
		9:00	31.64	44.12	28.89	8.31	5.18	3.94	5.73	
		12:00	32.53	43.6	28.5	8.39	5.25	4.26	7.82	
		15:00	33.02	43.21	28.21	8.29	5.35	4.49	9.52	
		18:00	32.44	43.29	28.27	8.43	5.65	4.11	8.44	
		21:00	31.66	44.04	28.83	8.33	5.82	3.98	7.68	
	日平均值			32.03	43.79	28.64	8.35	5.49	4.06	7.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月12日	蚵殼站	0:00	31.37	37.28	23.77	8.31	5.03	1.42	3.06	
		3:00	31.41	36.96	23.53	8.3	5	1.49	1.65	
		6:00	30.83	36.1	22.89	8.32	5.05	1.6	12.56	
		9:00	30.77	36.29	23.03	8.34	5.18	1.47	2.92	
		12:00	31.21	34.98	22.05	8.34	5.94	1.39	1.88	
		15:00	31.57	36.92	23.5	8.36	6.58	1.61	1.93	
		18:00	32.01	37.4	23.86	8.35	5.91	1.42	4.19	
		21:00	31.56	37.2	23.71	8.32	5.18	1.44	21.59	
	日平均值			31.34	36.64	23.29	8.33	5.48	1.48	6.22
	潮口站	0:00	32.66	44.83	29.5	8.41	5.91	2.82	4.22	
		3:00	31.14	45.3	29.81	8.39	6.15	2.79	4.71	
		6:00	30.86	45.33	29.82	8.37	5.77	2.78	4.27	
		9:00	32.45	44.67	29.39	8.48	6.31	2.85	4	
		12:00	33.01	44.62	29.36	8.41	7.12	2.77	4.45	
		15:00	33.78	44.4	29.22	8.47	6.65	2.85	4.4	
		18:00	31.83	44.35	29.18	8.4	5.7	2.83	4.1	
		21:00	31.7	44.04	28.97	8.37	5.73	2.85	4.27	
	日平均值			32.18	44.69	29.41	8.41	6.17	2.82	4.30
	灣內站	0:00	31.47	44.12	28.89	8.3	5.86	3.86	9.13	
		3:00	31.07	44.2	28.95	8.32	5.91	3.91	7.04	
		6:00	30.97	44.25	28.99	8.31	5.18	3.92	9.8	
		9:00	31.06	44.27	29	8.29	5.42	3.92	8.76	
		12:00	31.81	44.08	28.86	8.31	5.32	3.9	6.52	
		15:00	32.44	44.09	28.87	8.47	5.38	3.91	9.29	
		18:00	32.71	43.57	28.48	8.39	5.26	3.98	8.09	
		21:00	32.12	44.19	28.94	8.28	5.42	3.89	8.23	
	日平均值			31.71	44.10	28.87	8.33	5.47	3.91	8.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月13日	蚵殼站	0:00	31.39	37.06	23.61	8.34	5	1.6	5.43	
		3:00	31.61	37.37	23.84	8.35	5	1.42	4.37	
		6:00	31.27	36.15	22.93	8.36	5.01	1.47	1.73	
		9:00	31.07	36.15	22.93	8.37	5	1.44	2.68	
		12:00	31.28	35.82	22.68	8.38	5.02	1.45	2.59	
		15:00	31.43	36.58	23.25	8.38	5.16	1.47	2.3	
		18:00	32.56	37.09	23.63	8.38	5.72	1.53	1.65	
		21:00	32.1	37.01	23.57	8.37	5.08	1.53	1.74	
	日平均值			31.59	36.65	23.31	8.37	5.12	1.49	2.81
	潮口站	0:00	32.39	44.05	28.98	8.44	5.14	2.75	4.44	
		3:00	31.26	44.15	29.05	8.33	6.12	2.79	4.5	
		6:00	30.64	44.29	29.14	8.28	6.38	2.85	4.11	
		9:00	31.93	43.73	28.77	8.37	5.95	2.88	4.21	
		12:00	32.96	43.47	28.6	8.46	7.4	2.79	5.17	
		15:00	33.16	43.57	28.66	8.48	7.2	2.84	5	
		18:00	32.27	43.91	28.89	8.42	6.23	2.8	4.24	
		21:00	31.06	44.1	29.02	8.31	5.21	2.8	3.97	
	日平均值			31.96	43.91	28.89	8.39	6.20	2.81	4.46
	灣內站	0:00	31.77	44.32	29.04	8.25	5.32	3.76	6.93	
		3:00	31.53	44.51	29.18	8.32	5.37	3.72	8.03	
		6:00	31.2	44.56	29.22	8.32	5.36	3.61	8.07	
		9:00	31.32	44.56	29.22	8.3	5.33	3.87	7.9	
		12:00	32.06	44.45	29.14	8.34	5.43	3.93	6.44	
		15:00	32.55	44.4	29.1	8.46	5.35	3.76	5.46	
		18:00	32.36	44.53	29.2	8.38	5.44	3.6	4.69	
		21:00	31.57	44.55	29.21	8.29	5.47	3.45	4.73	
	日平均值			31.80	44.49	29.16	8.33	5.38	3.71	6.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月14日	蚵殼站	0:00	31.73	36.97	23.54	8.38	5.52	1.55	1.48	
		3:00	31.78	36.45	23.15	8.38	5.56	1.52	1.95	
		6:00	31.53	36.26	23.01	8.38	5.68	1.51	2.74	
		9:00	31.54	36.34	23.07	8.38	5.65	1.63	2.98	
		12:00	31.23	36.97	23.54	8.41	6.55	1.55	2.51	
		15:00	31.77	36.01	22.82	8.4	7.31	1.36	1.69	
		18:00	31.86	37.76	24.13	8.41	6.72	1.47	1.69	
		21:00	31.6	37.72	24.1	8.41	6.08	1.46	1.46	
	日平均值			31.63	36.81	23.42	8.39	6.13	1.51	2.06
	潮口站	0:00	31.73	43.94	28.91	8.36	5.6	2.82	4.16	
		3:00	31.4	44.3	29.15	8.35	5.31	2.83	4.4	
		6:00	30.59	44.78	29.46	8.31	6.73	2.79	4.11	
		9:00	31.42	44.77	29.46	8.39	5.87	2.83	4.21	
		12:00	31.99	44.57	29.33	8.43	7.63	2.78	5.01	
		15:00	31.65	44.83	27.84	8.28	6.94	2.81	5.72	
		18:00	31.36	38.87	25.34	8.28	5.87	2.82	4.41	
		21:00	30.53	41.2	27.12	8.06	6.43	2.87	4.28	
	日平均值			31.33	43.41	28.33	8.31	6.30	2.82	4.54
	灣內站	0:00	31.15	44.56	29.22	8.28	5.37	3.44	4.47	
		3:00	30.87	44.56	29.22	8.27	5.29	3.44	5.22	
		6:00	30.75	44.64	29.28	8.28	5.35	3.54	3.89	
		9:00	30.82	44.71	29.33	8.27	5.46	3.55	4.05	
		12:00	31.18	44.77	29.38	8.44	5.34	3.67	3.99	
		15:00	31.16	42.93	28	8.49	5.4	3.61	3.52	
		18:00	31.01	36.3	23.04	8.4	5.8	3.48	3.78	
		21:00	31.06	40.27	26.01	8.32	5.81	3.44	3.5	
	日平均值			31.00	42.84	27.94	8.34	5.48	3.52	4.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月15日	蚵殼站	0:00	31.18	36.34	23.07	8.4	6.52	1.54	1.88	
		3:00	31.18	35.07	22.12	8.4	6.56	1.59	2.22	
		6:00	31.14	33.37	20.85	8.4	5.13	1.43	2.87	
		9:00	30.93	34.38	21.6	8.4	5.34	1.42	3.16	
		12:00	30.92	34.46	21.66	8.43	6.7	1.47	2.81	
		15:00	31.02	35.63	22.54	8.44	5.7	1.44	2.4	
		18:00	31.33	36.1	22.89	8.45	5.39	1.42	2.06	
	21:00	31.07	36.15	22.93	8.44	5.5	1.51	2.48		
	日平均值			31.10	35.19	22.21	8.42	5.86	1.48	2.49
	潮口站	0:00	31.26	40.07	26.36	8.06	5.79	2.86	4.35	
		3:00	31.31	39.04	25.69	8	5.64	2.75	4.29	
		6:00	30.51	38.51	25.33	7.88	5.94	2.79	4.36	
		9:00	30.41	40.63	26.73	8.01	5.06	2.83	4.46	
		12:00	31.88	40.43	26.61	8.15	6.52	2.77	4.27	
		15:00	32.03	40.43	26.6	8.16	7.09	2.87	4.92	
		18:00	31.55	39.12	25.75	8.03	6	2.77	4.62	
	21:00	30.36	40.87	26.9	8.03	6.54	2.78	4.46		
	日平均值			31.16	39.89	26.25	8.04	6.07	2.80	4.47
	灣內站	0:00	30.85	40.38	26.09	8.34	5.98	3.48	2.89	
		3:00	30.48	40.3	26.03	8.41	5.81	3.48	2.97	
		6:00	30.37	39.04	25.09	8.38	5.96	3.58	2.87	
9:00		30.43	38.56	24.73	8.28	5.9	3.44	2.63		
12:00		30.81	38.35	24.57	8.37	5.85	3.52	2.6		
15:00		30.97	38.27	24.51	8.45	5.87	3.29	2.53		
18:00		30.48	38.25	24.5	8.41	5.91	3.4	2.42		
21:00	30.23	38.53	24.71	8.29	5.96	3.41	2.3			
日平均值			30.58	38.96	25.03	8.37	5.91	3.45	2.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月16日	蚵殼站	0:00	30.89	37.52	23.95	8.43	5.44	1.55	2.49	
		3:00	30.89	34.59	21.76	8.43	5.51	1.58	3.28	
		6:00	30.81	32.4	20.12	8.43	5.57	1.6	3.99	
		9:00	30.6	32.52	20.21	8.43	5.58	1.4	4.16	
		12:00	30.7	33.36	20.84	8.44	5.72	1.45	3.96	
		15:00	31.22	33.94	21.27	8.44	5.79	1.47	2.28	
		18:00	31.27	35.97	22.79	8.43	5.77	1.34	2.84	
	21:00	31.12	36.01	22.82	8.43	5.44	1.57	2.14		
	日平均值			30.94	34.54	21.72	8.43	5.60	1.50	3.14
	潮口站	0:00	30.91	40.17	26.44	8.03	5.04	2.86	4.36	
		3:00	31	39.92	26.27	8.02	5.93	2.84	4.53	
		6:00	30.61	40.6	26.71	8.03	5.63	2.88	4.29	
		9:00	30.51	40.84	26.87	8.04	5.45	2.81	4.73	
		12:00	31.3	40.96	26.95	8.13	6.15	2.84	4.65	
		15:00	31.54	39.67	26.1	8.06	7.25	2.78	5.01	
		18:00	31.78	40.3	26.52	8.13	5.7	2.78	4.7	
	21:00	30.75	41.07	27.02	8.08	6.11	2.83	4.35		
	日平均值			31.05	40.44	26.61	8.07	5.91	2.83	4.58
	灣內站	0:00	30.11	38.61	24.77	8.34	5.88	3.48	2.37	
		3:00	29.94	38.67	24.81	8.31	5.78	3.51	2.4	
		6:00	29.74	38.71	24.84	8.38	5.85	3.49	2.09	
9:00		30.05	38.77	24.89	8.31	5.89	3.36	2.3		
12:00		30.81	38.68	24.82	8.4	5.85	3.33	2		
15:00		30.89	38.65	24.8	8.44	5.93	3.37	2.03		
18:00		30.55	38.73	24.86	8.44	5.84	3.51	1.76		
21:00	30.5	38.77	24.89	8.32	5.9	3.45	2.08			
日平均值			30.32	38.70	24.84	8.37	5.87	3.44	2.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月17日	蚵殼站	0:00	30.76	36.46	23.16	8.43	5.51	1.41	3.89
		3:00	30.59	34.51	21.7	8.42	5.46	1.44	2.56
		6:00	30.82	33.36	20.84	8.41	5.37	1.49	2.8
		9:00	30.98	33.51	20.95	8.41	5.5	1.52	2.64
		12:00	30.89	34.56	21.74	8.43	5.14	1.51	3.12
		15:00	31.56	33.76	21.14	8.42	6.42	1.45	3.09
		18:00	31.82	34.67	21.82	8.43	5.82	1.53	2.39
		21:00	31.88	34.75	21.88	8.42	5.64	1.54	1.45
	日平均值		31.16	34.45	21.65	8.42	5.61	1.49	2.74
	潮口站	0:00	30.91	40.37	26.57	8.05	5.48	2.82	4.07
		3:00	31.07	40.86	26.89	8.1	5.74	2.84	3.98
		6:00	31.01	41.34	27.2	8.12	5.38	2.86	3.95
		9:00	30.9	42.28	27.82	8.17	6.42	2.84	3.98
		12:00	31.59	42.25	27.8	8.24	5.99	2.8	4.16
		15:00	31.58	42.35	27.87	8.25	7.18	2.84	4.96
		18:00	32.05	41.46	27.28	8.23	6.76	3.15	4.29
		21:00	31.42	39.57	26.03	8.05	6.98	2.8	4.32
	日平均值		31.32	41.31	27.18	8.15	6.24	2.87	4.21
	灣內站	0:00	30.41	38.79	24.9	8.28	5.85	3.53	2.02
		3:00	30.22	38.92	25	8.34	5.91	3.44	2.06
		6:00	30.07	38.94	25.01	8.4	5.92	3.43	2.14
9:00		30.52	38.83	24.93	8.39	5.86	3.43	1.85	
12:00		31.1	35.59	22.51	8.45	5.93	3.56	1.86	
15:00		31.52	35.33	22.31	8.49	5.94	3.96	1.9	
18:00		31.83	36.65	23.3	8.47	5.87	3.92	2.08	
21:00		31.7	38.31	24.54	8.34	5.89	3.84	1.78	
日平均值		30.92	37.67	24.06	8.40	5.90	3.64	1.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月18日	蚵殼站	0:00	31.49	34.96	22.04	8.41	5.51	1.48	3.12
		3:00	31.58	33.51	20.95	8.41	5.51	1.41	3.09
		6:00	31.5	31.98	19.81	8.42	5.1	1.58	2.39
		9:00	31.33	32.69	20.34	8.41	5.4	1.61	3.12
		12:00	31.71	33.25	20.76	8.42	6.39	1.53	3.09
		15:00	31.97	32.95	20.53	8.43	6.91	1.5	2.39
		18:00	32.66	33.25	20.76	8.41	5.81	1.46	1.35
		21:00	32.58	34.27	21.52	8.41	5.53	1.54	1.44
	日平均值		31.85	33.36	20.84	8.42	5.77	1.51	2.50
	潮口站	0:00	31.81	38.98	25.65	8.05	6.31	2.75	4.78
		3:00	31.69	38.9	25.6	8.03	6.3	2.85	4.13
		6:00	31.66	38.7	25.46	8.01	6.53	2.81	4.12
		9:00	31.75	39.47	25.97	8.07	6.35	2.81	4.28
		12:00	31.93	40.88	26.89	8.18	6.29	2.8	4.21
		15:00	32.45	39.79	26.19	8.16	7.02	2.83	4.54
		18:00	32.56	39.39	25.92	8.15	6.78	2.85	5.3
		21:00	32.01	39.41	25.93	8.09	7.03	2.83	4.99
	日平均值		31.98	39.44	25.95	8.09	6.58	2.82	4.54
	灣內站	0:00	31.42	38.35	24.57	8.33	5.88	3.94	1.84
		3:00	31.05	38.39	24.6	8.39	5.86	3.95	1.86
		6:00	30.87	38.47	24.66	8.42	5.93	3.5	1.62
9:00		31.46	38.36	24.58	8.45	5.84	3.82	1.8	
12:00		31.89	38.23	24.48	8.49	6.01	3.85	1.91	
15:00		31.99	38.21	24.47	8.29	6.01	3.62	2.11	
18:00		32.23	38.13	24.41	8.47	5.88	3.78	2.24	
21:00		32.04	38.21	24.47	8.4	5.91	3.91	2.05	
日平均值		31.62	38.29	24.53	8.41	5.92	3.80	1.93	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月19日	蚵殼站	0:00	31.87	34.2	21.47	8.4	5.44	1.44	1.47	
		3:00	32.16	33.28	20.78	8.39	5.55	1.55	1.47	
		6:00	32.14	32.84	20.45	8.38	5.84	1.59	1.66	
		9:00	31.83	45.3	29.77	8.31	5.84	41.06	1.48	
		12:00	31.85	45.6	30	8.25	7.65	5.51	1.52	
		15:00	32.11	45.24	29.73	8.28	6.65	5.65	2.5	
		18:00	32.27	44.32	29.04	8.3	5.65	5.4	1.4	
	21:00	32.16	41.85	27.19	8.31	5.4	5.27	1.55		
	日平均值			32.05	40.33	26.05	8.33	6.00	8.43	1.63
	潮口站	0:00	32.35	37.12	24.4	7.98	6.4	2.84	5.3	
		3:00	32.28	36.87	24.27	7.95	6.05	2.81	5.94	
		6:00	32.16	36.64	24.11	7.93	7.28	2.82	7.01	
		9:00	32.44	36.78	24.2	7.96	6.33	2.82	5.36	
		12:00	32.06	37.69	24.78	7.98	6.27	3.38	4.68	
		15:00	32.09	39.13	25.74	8.08	6.3	2.84	5.36	
		18:00	32.31	39.45	25.95	8.13	5.97	2.76	5.36	
	21:00	31.99	38.96	25.63	8.06	6.04	2.81	4.51		
	日平均值			32.21	37.83	24.89	8.01	6.33	2.89	5.44
	灣內站	0:00	31.77	36.61	23.27	8.32	5.7	3.71	2.01	
		3:00	31.57	38.28	24.52	8.39	5.82	3.98	1.76	
		6:00	31.48	38.32	24.55	8.43	5.88	3.97	1.66	
9:00		31.68	38.31	24.54	8.39	5.83	3.99	1.81		
12:00		32.2	44.04	28.83	8.24	6.15	3.52	2.23		
15:00		31.95	44.45	29.14	8.34	6.38	3.16	2.07		
18:00		31.77	44.24	28.98	8.35	6.4	2.93	1.98		
21:00	31.7	42.52	27.69	8.28	6.56	2.47	1.31			
日平均值			31.77	40.85	26.44	8.34	6.09	3.47	1.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月20日	蚵殼站	0:00	31.94	42.41	27.61	8.28	5.85	3.99	1.31	
		3:00	31.45	41.02	26.57	8.29	6.05	3.91	2.28	
		6:00	31.58	41.81	27.16	8.29	5.94	3.79	2.19	
		9:00	31.78	41.69	27.07	8.29	7.17	3.83	1.55	
		12:00	31.93	41.51	26.94	8.3	8.69	3.87	1.72	
		15:00	31.91	40.52	26.2	8.31	9.41	3.77	2.1	
		18:00	31.63	43.44	28.38	8.29	7.15	3.72	1.67	
	21:00	31.48	41.99	27.3	8.3	6.25	3.67	1.57		
	日平均值			31.71	41.80	27.15	8.29	7.06	3.82	1.80
	潮口站	0:00	31.8	39.87	26.26	8.11	7.29	2.71	4.63	
		3:00	31.78	39.73	26.17	8.1	5.95	2.87	4.32	
		6:00	31.78	39.29	25.87	8.07	7.12	2.96	5.89	
		9:00	32.09	41.22	27.11	8.26	6.95	2.68	4.97	
		12:00	32.01	43.11	28.36	8.37	6.89	2.9	1.88	
		15:00	31.64	41.91	27.57	8.22	6.51	2.83	1.86	
		18:00	32.05	40.91	26.92	8.2	7.09	2.79	1.84	
	21:00	31.84	42	27.63	8.25	6.46	2.79	1.82		
	日平均值			31.87	41.01	26.99	8.20	6.78	2.82	3.40
	灣內站	0:00	31.7	42.65	27.79	8.13	6.74	2.37	1.21	
		3:00	31.7	42.41	27.61	8.1	6.71	2.4	1.44	
		6:00	31.58	42.32	27.54	8.19	6.8	2.56	1.55	
9:00		31.59	41.75	27.12	8.34	6.9	2.43	1.34		
12:00		31.92	41.79	27.15	8.3	5.75	2.59	1.44		
15:00		31.77	40.57	26.23	8.24	7.41	2.45	1.42		
18:00		31.51	39.8	25.66	8.18	7.35	2.56	1.21		
21:00	30.86	40.66	26.3	8.26	7.42	2.48	1.37			
日平均值			31.58	41.49	26.93	8.22	6.89	2.48	1.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月21日	蚵殼站	0:00	31.39	42.02	27.32	8.27	5.72	3.75	2.78	
		3:00	31.23	42.02	27.32	8.29	6.45	3.78	2.32	
		6:00	31.22	41.74	27.11	8.31	7.07	3.89	1.62	
		9:00	31.28	41.49	26.92	8.32	7.66	3.68	1.83	
		12:00	31.67	41.94	27.26	8.31	9.07	3.82	1.75	
		15:00	32.23	41.73	27.1	8.32	9.44	3.83	1.42	
		18:00	32.22	40.64	26.29	8.3	8.75	3.88	1.62	
		21:00	31.67	39.21	25.22	8.31	6.19	3.91	1.44	
	日平均值			31.61	41.35	26.82	8.30	7.54	3.82	1.85
	潮口站	0:00	31.63	43.41	28.56	8.32	7.75	2.77	1.77	
		3:00	31.62	42.66	28.06	8.27	7.1	2.86	1.81	
		6:00	31.19	40.72	26.79	8.1	7.47	2.85	1.86	
		9:00	31.52	39.75	26.16	8.07	8.08	2.81	1.92	
		12:00	32.29	40.25	26.49	8.18	7.41	3.22	1.82	
		15:00	32	40.05	25.41	8.05	6.99	2.77	1.9	
		18:00	31.75	42.16	27.74	8.29	6.49	2.81	1.84	
		21:00	32.43	41.3	27.18	8.22	6.95	2.81	2.37	
	日平均值			31.80	41.29	27.05	8.19	7.28	2.86	1.91
	灣內站	0:00	30.74	41.55	26.97	8.12	7.44	2.38	1.6	
		3:00	30.77	42.24	27.48	8.1	7.37	2.47	1.35	
		6:00	30.78	41.87	27.21	8.19	7.36	2.49	1.39	
		9:00	30.81	40.81	26.41	8.25	7.28	2.42	1.14	
		12:00	32.41	38.73	24.86	8.31	7.39	2.49	1.48	
		15:00	32.91	40.58	26.24	8.3	7.46	2.33	1.39	
18:00		32.69	39.04	25.09	8.2	7.38	2.42	1.37		
21:00		32.64	39.68	25.57	8.09	7.32	2.39	1.22		
日平均值			31.72	40.56	26.23	8.20	7.38	2.42	1.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月22日	蚵殼站	0:00	31.72	39.58	25.49	8.31	6.48	3.81	2.31	
		3:00	31.45	37.77	24.14	8.29	6.65	3.94	1.97	
		6:00	31.68	36.27	23.02	8.28	7.68	3.82	1.56	
		9:00	32.16	41.9	27.23	8.35	8.18	3.81	1.54	
		12:00	32.43	41.01	26.56	8.41	9.24	3.88	1.56	
		15:00	32.69	41.7	27.08	8.4	9.11	3.84	1.53	
		18:00	32.22	38.36	24.58	8.4	8.21	3.79	1.6	
		21:00	31.98	38.39	24.6	8.38	7.45	3.8	1.84	
	日平均值			32.04	39.37	25.34	8.35	7.88	3.84	1.74
	潮口站	0:00	31.02	44.13	29.04	8.11	7.2	2.76	1.84	
		3:00	30.69	44.25	29.12	8.07	7.12	2.81	1.81	
		6:00	31.43	42.67	28.08	8.17	7.47	2.81	1.85	
		9:00	31.83	42.82	28.17	8.25	7.82	2.87	1.86	
		12:00	32.43	42.75	28.12	8.28	7.53	2.84	1.77	
		15:00	31.21	43.86	28.86	8.1	6.91	2.88	1.78	
		18:00	30.64	44.22	29.09	8.01	6.53	2.78	1.8	
		21:00	31.14	44	28.95	8.1	6.07	2.82	1.79	
	日平均值			31.30	43.59	28.68	8.14	7.08	2.82	1.81
	灣內站	0:00	32.62	41.37	26.83	8.14	7.38	2.5	1.42	
		3:00	32.33	41.75	27.12	8.26	7.38	2.51	1.3	
		6:00	31.65	40.61	26.26	8.29	7.49	2.46	1.43	
		9:00	30.91	38.57	24.74	8.43	7.39	2.56	1.47	
		12:00	31.16	38.49	24.68	8.47	7.44	2.41	1.44	
		15:00	31.24	38.37	24.59	8.48	7.42	2.49	1.41	
18:00		31.3	39.27	25.26	8.43	6.36	2.56	1.42		
21:00		30.96	39.12	25.15	8.42	6.35	2.42	1.44		
日平均值			31.52	39.69	25.58	8.37	7.15	2.49	1.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月23日	蚵殼站	0:00	31.56	38.91	24.99	8.36	7.44	3.88	2.68	
		3:00	31.12	40.18	25.94	8.36	6.96	3.9	2.9	
		6:00	31.01	40.87	26.46	8.32	6.32	3.77	4.03	
		9:00	31.07	40.32	26.05	8.34	6.61	3.87	4.1	
		12:00	31.22	40.24	25.99	8.37	7.92	3.72	4.16	
		15:00	31.32	40.54	26.21	8.36	7.98	3.85	12.63	
		18:00	31.14	40.32	26.05	8.33	7.64	3.78	4.02	
	21:00	31.09	39.72	25.6	8.33	7.64	3.87	3.62		
	日平均值			31.19	40.14	25.91	8.35	7.31	3.83	4.77
	潮口站	0:00	30.24	44.54	29.3	8.22	7.01	2.83	1.8	
		3:00	28.85	44.29	29.14	8.11	7.33	2.82	1.72	
		6:00	29.6	43.73	28.77	8.16	7.1	2.83	1.75	
		9:00	31.15	42.19	27.76	8.36	7.68	2.83	46.36	
		12:00	31.32	42.28	27.81	8.32	7.07	2.83	6.75	
		15:00	30.38	41.93	27.6	8.21	6.95	2.76	1.89	
		18:00	27.39	42.1	27.7	8.06	7.18	2.86	18.54	
	21:00	29.53	41.51	27.31	8.45	6.2	2.82	33.63		
	日平均值			29.81	42.82	28.17	8.24	7.07	2.82	14.06
	灣內站	0:00	30.63	39.23	25.23	8.43	6.38	2.42	1.23	
		3:00	30.42	40.32	26.05	8.41	6.4	2.49	1.45	
		6:00	30.17	40.46	26.15	8.41	6.38	2.52	1.28	
9:00		30.33	40.51	26.19	8.42	6.45	2.4	1.38		
12:00		30.49	40.49	26.17	8.46	6.29	2.34	1.34		
15:00		30.56	40.22	25.97	8.47	6.42	2.46	1.35		
18:00		30.44	40.98	26.54	8.44	6.37	2.41	1.18		
21:00	30.17	41.13	26.65	8.43	5.76	2.42	1.51			
日平均值			30.40	40.42	26.12	8.43	6.31	2.43	1.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月24日	蚵殼站	0:00	30.81	39.29	25.28	8.32	7.25	3.8	2.05	
		3:00	30.23	39.76	25.63	8.3	6.98	3.91	3.43	
		6:00	30.2	39.72	25.6	8.3	6.48	3.77	4.52	
		9:00	30.25	39.23	25.23	8.32	7.01	3.72	4.8	
		12:00	30.32	38.91	24.99	8.32	7.49	3.73	6.28	
		15:00	30.52	38.53	24.71	8.32	7.48	3.84	4.87	
		18:00	30.68	38.47	24.66	8.28	7.08	3.82	4.37	
	21:00	30.47	38.29	24.53	8.26	6.85	3.87	4.6		
	日平均值			30.44	39.03	25.08	8.30	7.08	3.81	4.37
	潮口站	0:00	28.73	41.56	27.34	8.42	6.76	2.79	1.81	
		3:00	27.38	43.36	28.53	8.37	7.45	2.86	1.89	
		6:00	28.17	43.24	28.46	8.42	7.19	3.59	2.1	
		9:00	30.02	41.53	27.32	8.41	7.56	2.84	1.82	
		12:00	30.36	41.5	27.31	8.47	7.74	2.88	4.74	
		15:00	29.83	41.29	27.17	8.19	7.37	2.81	9.58	
		18:00	27.57	41.45	27.27	8.01	6.77	2.78	9.88	
	21:00	29.56	41.22	27.12	8.27	6.99	3.47	12.5		
	日平均值			28.95	41.89	27.57	8.32	7.23	3.00	5.54
	灣內站	0:00	30.02	40.31	26.04	8.41	5.75	2.44	1.47	
		3:00	29.72	40.67	26.31	8.38	5.35	2.39	1.22	
		6:00	29.53	40.78	26.39	8.36	5.41	2.49	1.36	
9:00		29.53	41.22	26.72	8.4	6.46	2.46	1.49		
12:00		29.75	40.7	26.33	8.43	8.85	2.48	1.37		
15:00		30.06	39.34	25.31	8.41	9.41	2.45	1.33		
18:00		30.08	39.07	25.11	8.37	7.12	2.4	1.53		
21:00	30.1	37.81	24.17	8.29	6.43	2.31	1.24			
日平均值			29.85	39.99	25.80	8.38	6.85	2.43	1.38	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月25日	蚵殼站	0:00	30.17	39.44	25.39	8.23	5.64	3.94	4.98
		3:00	29.97	39.44	25.39	8.23	5.35	3.82	5.64
		6:00	29.09	39.74	25.61	8.22	5.76	3.75	5.76
		9:00	28.49	39.64	25.54	8.22	5.49	3.79	6.13
		12:00	29.2	39.32	25.3	8.25	6.28	3.88	5.68
		15:00	29.28	39.03	25.08	8.27	6.88	3.83	5.85
		18:00	30.09	39.43	25.38	8.25	6.69	3.77	5.11
		21:00	29.24	39.2	25.21	8.26	6.68	3.8	5.84
	日平均值		29.44	39.41	25.36	8.24	6.10	3.82	5.62
	潮口站	0:00	30.17	39.97	26.3	8.26	6.95	2.82	9.51
		3:00	27.28	42.21	27.77	8.29	7.42	2.83	7.5
		6:00	28.13	40.96	26.95	8.26	7.13	2.81	3.97
		9:00	30.5	39.37	25.9	8.32	7.6	2.74	1.14
		12:00	30.61	39.81	26.19	8.36	7.94	2.94	1.95
		15:00	30.67	39.64	26.08	8.32	7.51	2.8	1.82
		18:00	28.11	39.27	25.84	8.24	7.04	2.83	1.82
		21:00	28.72	40.07	26.36	8.22	6.69	2.73	1.73
	日平均值		29.27	40.16	26.42	8.28	7.29	2.81	3.68
	灣內站	0:00	30.03	39.54	25.46	8.29	6.28	2.54	1.35
		3:00	29.79	42.54	27.71	8.28	6.39	2.35	1.36
		6:00	29.83	42.9	27.98	8.28	6.36	2.49	1.22
		9:00	29.81	42.36	27.57	8.29	6.39	2.39	1.42
		12:00	30.01	38.16	24.43	8.35	6.38	2.44	1.23
		15:00	30.41	37.72	24.1	8.44	8.33	2.49	1.44
		18:00	30.42	35.55	22.48	8.43	7.69	2.53	1.38
		21:00	30.36	34.03	21.34	8.35	6.32	2.59	1.5
	日平均值		30.08	39.10	25.13	8.34	6.77	2.48	1.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月26日	蚵殼站	0:00	29.81	39.54	25.46	8.24	6.1	3.78	3.98
		3:00	29.19	38.95	25.02	8.21	5.79	3.79	3.89
		6:00	28.32	34.22	21.48	8.22	6.48	1.32	7.57
		9:00	27.9	34.23	21.49	8.21	7.13	0.64	12.03
		12:00	28.67	33.73	21.12	8.21	7.26	0.56	9.99
		15:00	29.52	33.07	20.62	8.22	7.78	0.58	6.47
		18:00	30.57	34.47	21.67	8.21	7.88	0.36	2.89
		21:00	28.99	39.12	25.15	8.21	7.03	0.44	5.61
	日平均值		29.12	35.92	22.75	8.22	6.93	1.43	6.55
	潮口站	0:00	29.85	39.49	25.98	8.23	6.69	2.75	1.79
		3:00	27.7	39.01	25.67	8.27	7.39	2.79	1.77
		6:00	27.52	39.17	25.78	8.25	7.21	2.73	1.89
		9:00	28.46	39.58	26.04	8.3	7.57	2.81	1.86
		12:00	30.55	38.52	25.34	8.49	9.29	2.9	1.81
		15:00	30.43	38.88	25.58	8.42	8.59	2.79	1.79
		18:00	28.27	38.9	25.59	8.27	7.3	2.83	1.76
		21:00	28.97	38.05	25.04	8.31	7.7	2.75	1.81
	日平均值		28.97	38.95	25.63	8.32	7.72	2.79	1.81
	灣內站	0:00	29.98	35.66	22.56	8.42	6.39	2.36	1.46
		3:00	29.87	39.5	25.43	8.38	6.48	2.54	1.36
		6:00	29.62	39.35	25.32	8.3	6.44	2.48	1.41
		9:00	30.03	38.25	24.5	8.34	6.38	2.38	1.24
		12:00	30.97	35.96	22.78	8.4	6.4	2.57	1.24
		15:00	31.91	33.12	20.66	8.48	7.85	2.55	1.39
		18:00	31.81	28.99	17.57	8.46	7.26	2.48	1.41
		21:00	31.29	36.57	23.24	8.37	6.34	2.49	1.42
	日平均值		30.69	35.93	22.76	8.39	6.69	2.48	1.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月27日	蚵殼站	0:00	28.8	37.18	23.7	8.2	5.79	0.5	6.23	
		3:00	28.73	34.18	21.45	8.17	5.93	0.5	5.74	
		6:00	29.66	32.41	20.13	8.18	6.85	0.39	6.37	
		9:00	28.36	33.65	21.06	8.17	5.89	0.4	8.81	
		12:00	28.25	32.42	20.14	8.19	7.38	0.48	9.13	
		15:00	28.95	32.02	19.84	8.18	7.37	0.48	4.74	
		18:00	29.88	34.87	21.97	8.19	7.05	0.44	4.52	
		21:00	29.18	38.35	24.57	8.17	6.74	0.52	5.43	
	日平均值			28.98	34.39	21.61	8.18	6.63	0.46	6.37
	潮口站	0:00	31.36	36.65	24.11	8.36	8.05	2.81	1.81	
		3:00	28.33	36.5	23.9	8.27	7.47	2.73	1.87	
		6:00	27.56	39.2	25.79	8.29	7.54	2.82	1.81	
		9:00	30.2	36.8	24.21	8.42	8.74	3.01	1.82	
		12:00	30.01	36.98	24.33	8.42	9.67	2.81	1.89	
		15:00	30.58	36.88	24.27	8.46	9.11	2.8	1.8	
		18:00	29.67	36.8	24.22	8.34	8.04	2.77	1.85	
		21:00	31.93	35.81	23.18	8.46	9.05	2.85	1.79	
	日平均值			29.96	36.95	24.25	8.38	8.46	2.83	1.83
	灣內站	0:00	31.33	37.21	23.72	8.27	6.36	2.45	1.2	
		3:00	30.75	36.64	23.29	8.36	6.37	2.41	1.45	
		6:00	30.42	38.59	24.75	8.34	6.43	2.36	1.36	
		9:00	30.29	39.98	25.79	8.29	6.35	2.44	1.11	
		12:00	31.83	38.16	24.43	8.4	6.39	2.49	1.39	
		15:00	33.27	36.2	22.96	8.43	6.41	2.56	1.34	
		18:00	33.09	34.97	22.04	8.38	6.3	2.53	1.13	
		21:00	32.54	36.85	23.45	8.27	6.34	2.44	1.42	
	日平均值			31.69	37.33	23.80	8.34	6.37	2.46	1.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月28日	蚵殼站	0:00	28.21	39.11	25.14	8.15	5.95	0.55	7.73	
		3:00	28.42	38.91	24.99	8.15	5.43	0.49	7.22	
		6:00	29.11	38	24.31	8.14	6.1	0.51	8.85	
		9:00	27.87	39.13	25.16	8.14	5.37	0.42	11.14	
		12:00	28.73	38.55	24.72	8.12	5.55	0.57	10.07	
		15:00	28.12	38.72	24.85	8.12	5.14	0.47	8.44	
		18:00	29.19	38.08	24.37	8.11	5.45	0.46	7.65	
		21:00	28.57	38.29	24.53	8.1	5.49	0.57	9.01	
	日平均值			28.53	38.60	24.76	8.13	5.56	0.51	8.76
	潮口站	0:00	32.68	35.64	22.53	8.44	8.82	2.9	1.81	
		3:00	30.27	35.56	23.24	8.34	8.07	2.86	1.74	
		6:00	27.69	37.27	24.52	8.27	7.46	3	1.76	
		9:00	28.91	36.9	24.27	8.28	7.49	2.85	1.86	
		12:00	30.27	35.88	23.21	8.39	8.58	2.86	1.83	
		15:00	31.3	35.64	22.22	8.24	7	2.8	1.81	
		18:00	29.96	35.64	23.07	8.03	5.98	2.76	1.81	
		21:00	30.02	35.71	22.88	8.04	5.1	2.74	1.78	
	日平均值			30.14	36.03	23.24	8.25	7.31	2.85	1.80
	灣內站	0:00	32.02	37.29	23.78	8.21	6.42	2.48	1.16	
		3:00	31.32	37.51	23.94	8.26	6.32	2.48	1.4	
		6:00	30.66	38.64	24.79	8.33	6.42	2.52	1.26	
		9:00	30.44	38.85	24.95	8.32	6.43	2.49	1.31	
		12:00	30.28	38.55	24.72	8.35	6.36	2.39	1.46	
		15:00	30.3	38.05	24.35	8.32	6.38	2.46	1.39	
		18:00	30.14	38.2	24.46	8.34	6.35	2.49	1.46	
		21:00	30.08	38.17	24.44	8.31	6.48	2.51	1.34	
	日平均值			30.66	38.16	24.43	8.31	6.40	2.48	1.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月29日	蚵殼站	0:00	28.26	38.16	24.43	8.12	5.39	0.46	10.48
		3:00	28.41	38.84	24.94	8.11	5.59	0.41	8.3
		6:00	27.98	37.96	24.28	8.1	5.58	0.54	10.04
		9:00	27.92	37.88	24.22	8.1	5.9	0.44	12.86
		12:00	27.95	37.81	24.17	8.09	6.04	0.54	16.08
		15:00	27.92	37.54	23.97	8.12	5.93	0.43	11.51
		18:00	28.55	35.34	22.32	8.11	5.39	0.6	9.64
	21:00	28.2	31.96	19.79	8.09	5.44	0.41	10.32	
	日平均值		28.15	36.94	23.52	8.11	5.66	0.48	11.15
	潮口站	0:00	30.85	35.64	21.46	8.05	5.21	2.81	1.83
		3:00	30.31	35.52	21.76	7.99	5.71	2.84	1.8
		6:00	28.67	36.39	23.64	8	5.73	2.88	1.87
		9:00	28.65	36.02	23.39	7.99	5.71	2.81	1.8
		12:00	29.08	36.26	23.8	8.08	5.55	2.85	1.79
		15:00	29.73	35.52	23.17	8.16	6.33	2.88	1.82
		18:00	29.54	36.3	23.17	8.03	5.04	2.82	1.79
	21:00	29.53	36.55	22.33	8.04	5.21	2.81	1.8	
	日平均值		29.55	36.03	22.84	8.04	5.56	2.84	1.81
	灣內站	0:00	29.98	38.68	24.82	8.26	6.39	2.31	1.4
		3:00	29.61	38.24	24.49	8.23	6.41	2.41	1.26
		6:00	29.2	38.27	24.51	8.27	6.67	2.48	1.32
9:00		29.19	38.16	24.43	8.25	6.36	2.56	1.37	
12:00		29.19	38	24.31	8.24	6.3	2.39	1.2	
15:00		29.38	37.49	23.93	8.22	6.32	2.4	1.33	
18:00		29.61	33.82	21.18	8.17	6.47	2.45	1.28	
21:00	29.73	34.74	21.87	8.25	6.37	2.51	1.44		
日平均值		29.49	37.18	23.69	8.24	6.41	2.44	1.33	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月30日	蚵殼站	0:00	28.01	30.61	18.78	8.09	5.61	0.63	11.58
		3:00	28.23	30.7	18.85	8.08	5.48	0.55	11.89
		6:00	28.26	30.81	18.93	8.08	5.51	0.57	12.05
		9:00	28.36	31.12	19.16	8.09	5.83	0.5	12.88
		12:00	28.01	30.22	18.49	8.1	5.54	0.46	14.16
		15:00	28.17	29.7	18.1	8.11	5.58	0.45	14.45
		18:00	28.31	32.51	20.2	8.09	5.53	0.52	10.93
	21:00	28.42	32.53	20.22	8.08	5.39	0.52	10.75	
	日平均值		28.22	31.03	19.09	8.09	5.56	0.53	12.34
	潮口站	0:00	28.91	35.84	23.48	8.03	5.09	2.83	1.83
		3:00	29.81	35.64	20.93	7.99	5.87	2.85	1.85
		6:00	28.75	36.06	23.48	7.97	5.5	2.84	1.82
		9:00	28.25	36.81	24.15	7.98	5.6	2.79	1.78
		12:00	28.86	33	21.2	7.97	5.66	2.77	1.81
		15:00	29.41	27.75	17.49	7.96	5.89	2.85	1.81
		18:00	29.2	31.32	20.01	7.95	5.62	2.83	1.86
	21:00	28.79	31.43	20.09	7.94	5.49	2.81	1.84	
	日平均值		29.00	33.48	21.35	7.97	5.59	2.82	1.83
	灣內站	0:00	29.52	37.06	23.61	8.23	6.37	2.36	1.48
		3:00	29.48	36.22	22.98	8.19	6.5	2.48	1.43
		6:00	29.21	34.12	21.41	8.2	6.39	2.48	1.44
9:00		29.03	31.87	19.72	8.23	6.66	2.46	1.34	
12:00		28.85	31.87	19.72	8.22	6.28	2.54	1.2	
15:00		28.69	29.98	18.31	8.2	6.39	2.32	1.21	
18:00		28.56	25.83	15.2	8.15	6.48	2.43	1.17	
21:00	28.5	28.77	17.4	8.2	6.42	2.56	1.25		
日平均值		28.98	31.97	19.79	8.20	6.44	2.45	1.32	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月31日	蚵殼站	0:00	27.99	33.23	20.74	8.09	5.4	0.51	11.05	
		3:00	27.93	28.96	17.55	8.09	5.31	0.57	9.72	
		6:00	28.07	27.75	16.64	8.08	5.41	0.52	8.27	
		9:00	28.09	25.92	15.27	8.08	5.5	0.52	9.14	
		12:00	28.35	26.04	15.36	8.08	5.55	0.42	10.02	
		15:00	28.09	29.35	17.84	8.09	5.57	0.49	10.17	
		18:00	28.31	30.53	18.72	8.08	5.39	0.42	9.62	
		21:00	28.4	30.3	18.55	8.08	5.59	0.48	9.68	
	日平均值			28.15	29.01	17.58	8.08	5.47	0.49	9.71
	潮口站	0:00	28.46	32.99	21.19	7.96	5.64	2.71	1.85	
		3:00	29.03	32.93	21.15	7.96	5.55	2.81	1.83	
		6:00	28.83	27.41	17.25	7.93	5.67	2.84	1.83	
		9:00	28.45	28.22	17.82	7.95	5.67	2.88	1.87	
		12:00	28.31	31.6	20.21	8.03	5.86	2.9	1.71	
		15:00	28.46	22.14	13.52	7.96	5.84	2.99	1.8	
		18:00	28.69	25.89	16.17	7.98	5.58	2.83	1.87	
		21:00	28.24	29.1	18.44	8.19	5.63	2.92	1.74	
	日平均值			28.56	28.79	18.22	8.00	5.68	2.86	1.81
	灣內站	0:00	28.55	31.84	19.7	8.19	6.37	2.34	1.35	
		3:00	28.5	30.76	18.89	8.14	6.7	2.3	1.45	
		6:00	27.89	25.61	15.04	8.14	6.88	2.46	1.22	
		9:00	28.21	29.09	17.64	8.18	7.34	2.46	1.27	
		12:00	27.88	25.09	14.65	8.15	6.83	2.42	1.34	
		15:00	27.65	21.67	12.09	8.17	6.91	2.29	1.44	
		18:00	27.4	17.65	9.08	8.14	6.71	2.41	1.34	
		21:00	27.28	27.27	16.28	8.15	9.34	2.52	1.24	
	日平均值			27.92	26.12	15.42	8.16	7.14	2.40	1.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月1日	蚵殼站	0:00	28.34	29.28	17.79	8.06	5.72	0.43	9.44
		3:00	28.05	27.41	16.39	8.1	5.72	0.43	10.44
		6:00	28.13	26.84	15.96	8.09	5.1	0.6	10.79
		9:00	28.18	24.67	14.34	8.09	5.08	0.56	11.21
		12:00	28.24	25.45	14.92	8.11	5.98	0.53	11.98
		15:00	28.19	21.67	12.09	8.09	5.42	0.41	13.8
		18:00	28.08	19.34	10.35	8.11	5.01	0.54	12.89
		21:00	28.17	18.91	10.03	8.1	5.9	0.42	12.44
	日平均值		28.17	24.20	13.98	8.09	5.49	0.49	11.62
	潮口站	0:00	27.95	31.62	20.22	8.2	5.42	2.78	1.81
		3:00	28.16	30.46	19.4	8.2	5.49	2.94	1.83
		6:00	28.05	20.49	12.36	8.14	5.68	2.83	1.81
		9:00	28.47	27.13	17.05	8.16	5.17	2.86	1.8
		12:00	28.17	25.19	15.68	8.17	5.7	3.23	1.88
		15:00	28.59	20.07	12.06	8.15	5.97	3.58	1.82
		18:00	28.65	18.84	11.19	8.13	5.67	2.81	1.81
		21:00	28.28	22.23	13.59	8.16	5.74	4.44	1.81
	日平均值		28.29	24.50	15.19	8.16	5.61	3.18	1.82
	灣內站	0:00	27.33	31	19.07	8.13	7.12	2.46	1.31
		3:00	27.35	29.45	17.91	8.15	6.76	2.48	1.2
		6:00	26.98	26.28	15.54	8.13	8.12	2.43	1.32
		9:00	26.46	19.93	10.79	8.1	9.32	2.56	1.49
		12:00	26.56	20.12	10.93	8.07	6.92	2.41	1.43
		15:00	27.34	17.05	8.63	8.09	9.18	2.47	1.37
18:00		27.41	13.19	5.74	8.08	8.92	2.48	1.15	
21:00		27.33	17.17	8.72	8.07	6.85	2.52	1.22	
日平均值		27.10	21.77	12.17	8.10	7.90	2.48	1.31	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月2日	蚵殼站	0:00	28.08	18.97	10.07	8.1	5.59	0.51	12.93
		3:00	28.18	19.35	10.36	8.1	5.45	0.45	12.12
		6:00	27.87	17.7	9.12	8.11	6.08	0.57	13.2
		9:00	27.77	16.33	8.1	8.12	6.22	0.55	12.98
		12:00	27.83	15.12	7.19	8.11	5.8	0.53	13.48
		15:00	27.9	18.34	9.6	8.1	5.93	0.55	13.7
		18:00	27.88	12.95	5.57	8.1	5.83	0.63	13.56
		21:00	27.89	13.99	6.35	8.1	5.59	0.67	13.49
	日平均值		27.93	16.59	8.30	8.11	5.81	0.56	13.18
	潮口站	0:00	27.81	21.57	13.12	8.15	5.72	9.54	1.79
		3:00	28.41	17.95	10.56	8.12	5.64	2.83	1.87
		6:00	28.44	16.15	9.29	8.11	5.7	2.86	1.84
		9:00	28.26	12.65	6.82	8.09	5.76	3.36	1.79
		12:00	28.34	14.49	8.12	8.1	5.62	2.85	1.89
		15:00	28.36	14.66	8.24	8.1	5.69	2.81	1.85
		18:00	28.4	16.93	9.84	8.11	5.55	2.78	1.81
		21:00	28.29	15.53	8.85	8.09	5.46	2.75	1.82
	日平均值		28.29	16.24	9.36	8.11	5.64	3.72	1.83
	灣內站	0:00	27.19	15.23	7.27	8.07	7.29	2.49	1.44
		3:00	27.3	17.5	8.97	8.08	6.35	2.51	1.41
		6:00	27.13	15.39	7.39	8.09	6.53	2.49	1.31
		9:00	27.1	16.22	8.01	8.06	6.46	2.38	1.07
		12:00	27.1	16.43	8.17	8.07	6.55	2.52	1.28
		15:00	27.09	15.82	7.71	8.07	6.6	2.44	1.36
18:00		26.97	13.96	6.32	8.08	7.67	2.41	1.33	
21:00		26.93	13.93	6.3	8.1	6.62	2.52	1.45	
日平均值		27.10	15.56	7.52	8.08	6.76	2.47	1.33	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月3日	蚵殼站	0:00	27.93	16.65	8.34	8.09	5.46	0.43	13.46	
		3:00	27.92	15.77	7.68	8.11	5.44	0.42	12.96	
		6:00	27.88	14.49	6.72	8.11	5.41	0.45	12.54	
		9:00	27.89	12.7	5.38	8.11	5.52	0.41	12.33	
		12:00	27.88	12.4	5.16	8.11	5.51	0.39	12.76	
		15:00	27.96	16.12	7.94	8.1	5.38	0.57	12.02	
		18:00	27.96	16.07	7.9	8.09	5.53	0.58	11.28	
		21:00	29.62	12.06	4.9	8.08	6.6	2.81	1.83	
	日平均值			28.13	14.53	6.75	8.10	5.61	0.76	11.15
	潮口站	0:00	28.06	16.13	9.28	8.1	5.61	2.72	1.81	
		3:00	28.1	19.12	11.39	8.13	5.67	2.87	1.81	
		6:00	27.8	12.38	6.63	8.09	5.83	2.87	1.85	
		9:00	28.03	11	5.65	8.07	5.71	2.82	1.81	
		12:00	28.29	13.32	7.29	8.08	5.41	2.85	1.84	
		15:00	28.61	13.13	7.16	8.08	5.42	2.72	1.81	
		18:00	28.67	14.07	7.82	8.09	5.58	2.85	1.8	
		21:00	29.62	9.94	4.9	8.08	5.6	2.81	1.83	
	日平均值			28.40	13.64	7.52	8.09	5.60	2.81	1.82
	灣內站	0:00	26.97	15.28	7.31	8.06	6.36	2.38	1.24	
		3:00	27.08	16.46	8.19	8.09	6.48	2.51	1.11	
		6:00	26.79	14.2	6.5	8.09	8.48	2.56	1.35	
		9:00	26.78	12.12	4.94	8.12	8.52	2.51	1.32	
		12:00	27.46	11.05	4.14	8.09	8.96	2.46	1.4	
		15:00	28.58	10.54	3.76	8.06	9.33	2.57	1.27	
		18:00	28.9	12.01	4.86	8.05	7.93	2.44	1.16	
		21:00	28.64	15.48	7.46	8.05	5.79	2.51	1.17	
	日平均值			27.65	13.39	5.90	8.08	7.73	2.49	1.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月4日	蚵殼站	0:00	29.11	17.07	8.65	8.11	6.63	2.79	1.88	
		3:00	28.76	21.88	12.25	8.14	6.64	2.79	1.77	
		6:00	29.29	16.17	7.98	8.11	6.69	2.91	1.8	
		9:00	29.84	10.59	3.8	8.07	6.66	2.79	1.86	
		12:00	29.88	10.87	4.01	8.07	6.59	2.82	1.88	
		15:00	29.7	12.9	5.53	8.09	6.7	2.81	1.82	
		18:00	29.4	11.13	4.21	8.07	6.75	2.84	1.82	
		21:00	29.18	10.77	3.94	8.07	6.73	2.82	1.81	
	日平均值			29.40	13.92	6.30	8.09	6.67	2.82	1.83
	潮口站	0:00	29.11	15.24	8.65	8.11	5.63	2.79	1.88	
		3:00	28.76	20.34	12.25	8.14	5.64	2.79	1.77	
		6:00	29.29	14.29	7.98	8.11	5.69	2.91	1.8	
		9:00	29.84	8.38	3.8	8.07	5.66	2.79	1.86	
		12:00	29.88	8.68	4.01	8.07	5.59	2.82	1.88	
		15:00	29.7	10.83	5.53	8.09	5.7	2.81	1.82	
		18:00	29.4	8.96	4.21	8.07	5.75	2.84	1.82	
		21:00	29.18	8.58	3.94	8.07	5.73	2.82	1.81	
	日平均值			29.40	11.91	6.30	8.09	5.67	2.82	1.83
	灣內站	0:00	28.07	18.14	9.45	8.05	5.42	2.41	1.33	
		3:00	27.76	21.16	11.71	8.04	5.46	2.44	1.48	
		6:00	27.86	19.03	10.11	8.06	5.56	2.48	1.37	
		9:00	27.94	17.4	8.89	8.06	6.55	2.45	1.41	
		12:00	27.96	19.15	10.2	8.05	8.46	2.47	1.3	
		15:00	27.87	20.72	11.38	8.05	8.58	2.53	1.34	
		18:00	27.68	22.98	13.07	8.05	7.5	2.37	1.51	
		21:00	27.52	25.31	14.81	8.06	8.22	2.45	1.24	
	日平均值			27.83	20.49	11.20	8.05	6.97	2.45	1.37
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月5日	蚵殼站	0:00	29.09	14.24	6.53	8.09	6.69	2.81	1.84
		3:00	28.97	21.44	11.92	8.14	6.69	2.86	1.8
		6:00	28.77	19.17	10.22	8.13	6.8	2.9	1.91
		9:00	28.72	17.06	8.64	8.11	6.82	2.84	1.78
		12:00	28.59	18.12	9.44	8.12	6.71	2.87	1.78
		15:00	28.59	19.47	10.45	8.13	6.84	2.86	1.82
		18:00	28.25	14.54	6.76	8.09	6.83	2.82	1.8
	21:00	28.31	15.73	7.65	8.1	6.76	2.85	1.81	
	日平均值		28.66	17.47	8.95	8.11	6.77	2.85	1.82
	潮口站	0:00	29.09	12.24	6.53	8.09	5.69	2.81	1.84
		3:00	28.97	19.87	11.92	8.14	5.69	2.86	1.8
		6:00	28.77	17.46	10.22	8.13	5.8	2.9	1.91
		9:00	28.72	15.23	8.64	8.11	5.82	2.84	1.78
		12:00	28.59	16.36	9.44	8.12	5.71	2.87	1.78
		15:00	28.59	17.79	10.45	8.13	5.84	2.86	1.82
		18:00	28.25	12.57	6.76	8.09	5.83	2.82	1.8
	21:00	28.31	13.83	7.65	8.1	5.76	2.85	1.81	
	日平均值		28.66	15.67	8.95	8.11	5.77	2.85	1.82
	灣內站	0:00	27.4	28.79	17.42	8.06	8.23	2.39	1.16
		3:00	27.4	29.85	18.21	8.08	9.03	2.62	1.42
		6:00	27.42	29.19	17.72	8.06	7.47	2.36	1.48
9:00		27.37	28.35	17.09	8.12	9.2	2.39	1.3	
12:00		27.14	25.88	15.24	8.09	7.8	2.38	1.2	
15:00		27.16	25.99	15.32	8.08	5.8	2.55	1.46	
18:00		27.16	27.92	16.77	8.07	5.49	2.47	1.38	
21:00	27.11	25.92	15.27	8.08	6.1	2.44	1.32		
日平均值		27.27	27.74	16.63	8.08	7.39	2.45	1.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月6日	蚵殼站	0:00	28.46	18.55	9.76	8.12	6.77	2.99	1.85
		3:00	28.71	23.52	13.48	8.16	6.81	2.97	1.85
		6:00	28.38	18.79	9.94	8.12	6.83	2.82	1.85
		9:00	28.39	15.85	7.74	8.1	6.87	2.82	1.78
		12:00	28.56	17.44	8.93	8.11	6.77	2.89	1.84
		15:00	28.75	25.61	15.04	8.18	6.82	14.76	1.86
		18:00	28.5	18.97	10.07	8.13	6.83	2.83	1.8
	21:00	28.56	20.17	10.97	8.13	6.72	2.84	1.82	
	日平均值		28.54	19.86	10.74	8.13	6.80	4.37	1.83
	潮口站	0:00	28.46	16.81	9.76	8.12	5.77	2.99	1.85
		3:00	28.71	22.08	13.48	8.16	5.81	2.97	1.85
		6:00	28.38	17.07	9.94	8.12	5.83	2.82	1.85
		9:00	28.39	13.95	7.74	8.1	5.87	2.82	1.78
		12:00	28.56	15.64	8.93	8.11	5.77	2.89	1.84
		15:00	28.75	24.29	15.04	8.18	5.82	14.76	1.86
		18:00	28.5	17.25	10.07	8.13	5.83	2.83	1.8
	21:00	28.56	18.53	10.97	8.13	5.72	2.84	1.82	
	日平均值		28.54	18.20	10.74	8.13	5.80	4.37	1.83
	灣內站	0:00	27.03	24.68	14.34	8.07	6.76	2.53	1.47
		3:00	27.07	25.37	14.86	8.09	7.74	2.47	1.19
		6:00	27.12	29.66	18.07	8.1	7.61	2.49	1.51
9:00		27.29	30.2	18.47	8.11	8.19	2.47	1.3	
12:00		27.29	29.58	18.01	8.17	9.31	2.34	1.32	
15:00		27.11	26.27	15.53	8.15	8.77	2.36	1.19	
18:00		27.13	23.93	13.78	8.11	6.27	2.45	1.09	
21:00	27.09	20.36	11.11	8.12	6.95	2.59	1.17		
日平均值		27.14	26.26	15.52	8.12	7.70	2.46	1.28	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月7日	蚵殼站	0:00	28.62	22.99	13.08	8.16	6.93	5.76	1.8
		3:00	28.02	21.45	11.93	8.16	7.28	2.88	1.81
		6:00	28.2	21.23	11.76	8.1	7.11	28.11	1.81
		9:00	28.51	26.2	15.48	8.09	7.07	4.42	1.82
		12:00	28.45	21.47	11.94	8.1	7.07	2.83	1.86
		15:00	28.34	18.53	9.74	8.08	6.97	2.82	1.86
		18:00	28.24	20.12	10.93	8.07	6.93	2.94	1.82
		21:00	28.19	28.28	17.04	8.06	6.92	2.9	1.82
	日平均值		28.32	22.53	12.74	8.10	7.04	6.58	1.83
	潮口站	0:00	28.62	21.51	13.08	8.16	5.93	5.76	1.8
		3:00	28.02	19.89	11.93	8.16	6.28	2.88	1.81
		6:00	28.2	19.64	11.76	8.1	6.11	28.11	1.81
		9:00	28.51	24.91	15.48	8.09	6.07	4.42	1.82
		12:00	28.45	19.9	11.94	8.1	6.07	2.83	1.86
		15:00	28.34	16.79	9.74	8.08	5.97	2.82	1.86
		18:00	28.24	18.47	10.93	8.07	5.93	2.94	1.82
		21:00	28.19	27.12	17.04	8.06	5.92	2.9	1.82
	日平均值		28.32	21.03	12.74	8.10	6.04	6.58	1.83
	灣內站	0:00	27.06	18.28	9.55	8.13	7.49	2.44	1.32
		3:00	27.09	19.99	10.83	8.14	7.53	2.47	1.39
		6:00	27.1	20.42	11.15	8.14	7.5	2.44	1.29
		9:00	27.1	20.2	10.99	8.16	7.69	2.46	1.28
		12:00	26.99	16.99	8.59	8.18	8.06	2.47	1.28
		15:00	26.91	15.78	7.68	8.17	7.81	2.44	1.34
		18:00	26.9	16.18	7.98	8.12	7.37	2.42	1.34
		21:00	26.89	15.38	7.38	8.14	7.88	2.46	1.32
	日平均值		27.01	17.90	9.27	8.15	7.67	2.45	1.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月8日	蚵殼站	0:00	28.25	19.74	10.65	8.07	6.86	2.79	1.79
		3:00	27.73	24.55	14.25	8.07	6.93	18.52	1.84
		6:00	27.9	18.85	9.98	8.06	6.88	3.04	1.89
		9:00	27.97	13.26	5.8	8.05	6.89	2.82	1.81
		12:00	28.01	13.54	6.01	8.05	6.94	2.85	1.86
		15:00	28	15.57	7.53	8.05	6.91	2.82	1.86
		18:00	27.91	13.81	6.21	8.05	6.98	2.75	1.84
		21:00	27.86	13.45	5.94	8.04	6.92	2.8	1.82
	日平均值		27.95	16.60	8.30	8.06	6.91	4.80	1.84
	潮口站	0:00	28.25	18.07	10.65	8.07	5.86	2.79	1.79
		3:00	27.73	23.17	14.25	8.07	5.93	18.52	1.84
		6:00	27.9	17.13	9.98	8.06	5.88	3.04	1.89
		9:00	27.97	11.21	5.8	8.05	5.89	2.82	1.81
		12:00	28.01	11.51	6.01	8.05	5.94	2.85	1.86
		15:00	28	13.66	7.53	8.05	5.91	2.82	1.86
		18:00	27.91	11.79	6.21	8.05	5.98	2.75	1.84
		21:00	27.86	11.41	5.94	8.04	5.92	2.8	1.82
	日平均值		27.95	14.74	8.30	8.06	5.91	4.80	1.84
	灣內站	0:00	26.8	12.59	5.29	8.1	7.51	2.37	1.41
		3:00	27.09	19.99	10.83	8.14	7.53	2.47	1.39
		6:00	27.1	20.42	11.15	8.14	7.5	2.44	1.29
		9:00	27.1	20.2	10.99	8.16	7.69	2.46	1.28
		12:00	26.99	16.99	8.59	8.18	8.06	2.47	1.28
		15:00	26.91	15.78	7.68	8.17	7.81	2.44	1.34
		18:00	26.9	16.18	7.98	8.12	7.37	2.42	1.34
		21:00	26.89	15.38	7.38	8.14	7.88	2.46	1.32
	日平均值		26.97	17.19	8.74	8.14	7.67	2.44	1.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月9日	蚵殼站	0:00	27.81	16.91	8.53	8.04	6.89	2.76	1.85
		3:00	27.67	24.11	13.92	8.04	6.85	32.3	1.78
		6:00	27.52	21.84	12.22	8.05	6.8	12.41	1.78
		9:00	28.26	19.73	10.64	8.05	6.79	2.87	1.77
		12:00	28.94	20.8	11.44	8.05	6.8	2.86	1.85
		15:00	27.3	14.88	7.01	8.18	5.33	0.59	13.12
		18:00	27.2	16.25	8.04	8.18	5.51	0.44	14.63
		21:00	27.2	19.5	10.47	8.17	5.32	0.49	15.07
	日平均值		27.74	19.25	10.28	8.10	6.29	6.84	6.48
	潮口站	0:00	27.81	15.07	8.53	8.04	5.89	2.76	1.85
		3:00	27.67	22.7	13.92	8.04	5.85	32.3	1.78
		6:00	27.52	20.3	12.22	8.05	5.8	12.41	1.78
		9:00	28.26	18.06	10.64	8.05	5.79	2.87	1.77
		12:00	28.94	19.19	11.44	8.05	5.8	2.86	1.85
		15:00	28.86	20.62	12.45	8.05	5.73	3.33	1.8
		18:00	28.81	15.4	8.76	8.08	5.69	2.85	1.79
		21:00	28.84	16.66	9.65	8.08	5.72	2.82	1.81
	日平均值		28.34	18.50	10.95	8.06	5.78	7.78	1.80
	灣內站	0:00	26.8	12.59	5.29	8.1	7.51	2.37	1.41
		3:00	27.09	19.99	10.83	8.14	7.53	2.47	1.39
		6:00	27.1	20.42	11.15	8.14	7.5	2.44	1.29
		9:00	26.88	18.14	9.45	8	5.46	2.65	1.29
		12:00	27.49	14.19	6.49	8	6.75	2.44	1.31
		15:00	28.19	13.49	5.97	7.98	7.99	2.41	1.32
		18:00	28.04	14.11	6.43	7.96	6.32	2.51	1.33
		21:00	27.91	14.43	6.67	7.95	6.37	2.39	1.26
	日平均值		27.44	15.92	7.79	8.03	6.93	2.46	1.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月10日	蚵殼站	0:00	27.2	19.7	10.62	8.17	5.18	0.39	13.55
		3:00	27.22	21.56	12.01	8.15	5.49	0.52	15.36
		6:00	27.22	24.78	14.42	8.14	5.43	0.46	17.04
		9:00	27.38	25.58	15.02	8.12	5.45	0.47	17.8
		12:00	27.39	23.84	13.72	8.12	5.98	0.49	17.37
		15:00	27.63	22.15	12.45	8.13	5.64	0.42	16.12
		18:00	27.76	25.48	14.94	8.12	5.83	0.48	17.61
		21:00	27.83	27.11	16.16	8.12	5.79	0.49	15.87
	日平均值		27.45	23.78	13.67	8.13	5.60	0.47	16.34
	潮口站	0:00	28.9	19.64	11.76	8.08	5.68	2.88	1.82
		3:00	28.61	24.91	15.48	8.08	5.66	3.08	1.76
		6:00	28.25	19.9	11.94	8.09	5.63	5.7	1.81
		9:00	28.76	16.79	9.74	8.1	5.71	2.81	1.81
		12:00	30.15	18.47	10.93	8.1	5.85	2.77	1.8
		15:00	29.75	27.12	17.04	8.1	5.73	2.88	1.82
		18:00	28.87	20.08	12.07	8.11	5.84	3.45	1.8
		21:00	29.05	21.36	12.97	8.11	5.73	2.87	1.86
	日平均值		29.04	21.03	12.74	8.10	5.73	3.31	1.81
	灣內站	0:00	27.87	14.34	6.6	7.92	5.9	2.35	1.39
		3:00	27.51	16.46	8.19	7.92	5.59	2.36	1.48
		6:00	26.81	26.62	15.79	7.96	5.94	2.44	1.39
		9:00	26.95	30.66	18.82	8.01	5.93	2.53	1.33
		12:00	27.86	22.95	13.05	8.02	7.44	2.6	1.37
		15:00	28.37	20.13	10.94	8.01	7.76	2.41	1.24
		18:00	28.52	19.2	10.24	7.99	6.96	2.36	1.37
		21:00	28.27	19.97	10.82	7.99	6.4	2.49	1.22
	日平均值		27.77	21.29	11.81	7.98	6.49	2.44	1.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月11日	蚵殼站	0:00	27.8	28.09	16.9	8.11	5.48	0.57	14.95	
		3:00	27.8	27.29	16.3	8.11	5.56	0.44	16.14	
		6:00	27.8	30.21	18.48	8.11	5.6	0.49	16.3	
		9:00	27.79	31.02	19.09	8.1	5.81	0.34	15.63	
		12:00	27.8	32.37	20.1	8.11	5.68	0.49	14.22	
		15:00	27.88	30.21	18.48	8.11	6.25	0.39	12.51	
		18:00	27.86	32.09	19.89	8.11	6.01	0.45	13.44	
		21:00	27.8	32.64	20.3	8.11	5.53	0.42	14.6	
	日平均值			27.82	30.49	18.69	8.11	5.74	0.45	14.72
	潮口站	0:00	29.13	24.34	15.08	8.11	5.79	2.78	1.85	
		3:00	28.83	22.72	13.93	8.11	5.67	2.75	1.9	
		6:00	28.04	17.93	10.55	8.13	5.83	4.86	1.75	
		9:00	28.4	19.53	11.68	8.14	5.79	2.82	1.81	
		12:00	28.92	17.79	10.45	8.19	7	2.76	1.85	
		15:00	28.9	18.26	10.78	8.18	6.69	2.85	1.81	
		18:00	29.46	18.31	10.82	8.19	6.69	2.89	1.84	
		21:00	29.62	18	10.6	8.22	7.26	2.81	1.86	
	日平均值			28.91	19.61	11.74	8.16	6.34	3.07	1.83
	灣內站	0:00	27.79	24.77	14.41	8	5.52	2.43	1.28	
		3:00	27.8	23.62	13.55	7.99	5.89	2.52	1.46	
		6:00	27.24	33.12	20.66	8.01	6.13	2.56	1.35	
		9:00	27.1	39.04	25.09	8.04	6.25	2.48	1.31	
		12:00	28.59	28.5	17.2	8.08	9.01	2.42	1.38	
		15:00	31.43	17.97	9.32	8.32	9.35	2.58	1.37	
		18:00	29.97	24.92	14.52	8.26	9.48	2.48	1.47	
		21:00	28.43	30.69	18.84	8.07	8.9	2.39	1.38	
	日平均值			28.54	27.83	16.70	8.10	7.57	2.48	1.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月12日	蚵殼站	0:00	27.82	29.26	17.77	8.1	5.15	0.45	13.54	
		3:00	27.85	29.38	17.86	8.09	5.34	0.49	13.2	
		6:00	27.74	30.33	18.57	8.09	5.16	0.44	15.88	
		9:00	27.78	33.51	20.95	8.09	5.61	0.66	15.44	
		12:00	27.8	33.83	21.19	8.1	5.54	0.58	14.47	
		15:00	32.09	18.58	9.78	8.38	6.91	0.56	15.14	
		18:00	31.97	19.62	10.56	8.37	7.19	0.42	15.21	
		21:00	31	22.24	12.52	8.25	7.04	0.48	16.11	
	日平均值			29.26	27.09	16.15	8.18	5.99	0.51	14.87
	潮口站	0:00	29.69	17.54	10.27	8.21	7.17	2.87	1.87	
		3:00	29.09	19.69	11.79	8.2	6.75	2.79	1.82	
		6:00	28.64	21.82	13.3	8.19	6.35	5.69	1.83	
		9:00	28.68	27.5	17.31	8.26	7.02	2.82	1.93	
		12:00	28.95	36.18	23.29	8.41	8.8	2.81	1.8	
		15:00	29.52	35.86	21.06	8.36	8.19	27.44	1.83	
		18:00	29.7	35.72	21.03	8.36	8.08	1.01	2.28	
		21:00	29.39	35.98	21.78	8.37	8.11	1.8	1.81	
	日平均值			29.21	28.79	17.48	8.30	7.56	5.90	1.90
	灣內站	0:00	29.32	26.45	15.67	8.07	8.27	2.56	1.39	
		3:00	29.42	25.84	15.21	8.06	7.42	2.43	1.3	
		6:00	27.66	37.92	24.25	8.07	7.05	2.44	1.39	
		9:00	27.41	42.25	27.49	8.08	7.74	2.45	1.35	
		12:00	29.51	30.98	19.06	8.25	9.35	2.5	1.54	
		15:00	32.28	19.43	10.41	8.32	9.36	2.41	1.36	
		18:00	31.09	24.66	14.33	8.26	9.31	2.41	1.43	
		21:00	27.75	40.53	26.2	8.1	8.86	2.51	1.48	
	日平均值			29.31	31.01	19.08	8.15	8.42	2.46	1.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月13日	蚵殼站	0:00	31.53	17.62	9.06	8.18	7.11	0.59	16.25	
		3:00	30.94	17.94	9.3	8.23	6.93	0.55	15.75	
		6:00	30.24	25.52	14.97	8.09	6.96	0.49	16.53	
		9:00	28.89	32.56	20.24	8.07	7.23	0.56	14.88	
		12:00	29.23	30.94	19.03	8.06	7.48	0.44	18.94	
		15:00	30.24	23.94	13.79	8.19	7.42	0.41	14.87	
		18:00	30.01	24.13	13.93	8.17	7.02	0.6	13.91	
		21:00	29.26	34.24	21.5	8.06	7.06	0.46	14.07	
	日平均值			30.04	25.86	15.23	8.13	7.15	0.51	15.65
	潮口站	0:00	29.64	37.81	22.17	8.37	7.98	1.79	1.82	
		3:00	29.51	35.58	22.15	8.34	7.52	1.87	1.8	
		6:00	29.36	36.28	23.48	8.34	7.17	1.8	1.8	
		9:00	28.95	37.2	24.41	8.32	6.77	1.78	1.83	
		12:00	29.52	36.83	21.81	8.35	7.72	1.81	1.94	
		15:00	30.33	36.24	17.38	8.32	7.88	2.07	1.77	
		18:00	29.34	37.02	23.23	8.36	7.67	1.78	1.91	
		21:00	29.12	36.03	22.44	8.32	7.15	1.83	1.86	
	日平均值			29.47	36.62	22.13	8.34	7.48	1.84	1.84
	灣內站	0:00	28.96	33.55	20.98	8.16	7.03	2.38	1.3	
		3:00	29.84	27.59	16.52	8.16	6.19	2.58	1.46	
		6:00	28.58	35.93	22.76	8.12	9.02	2.4	1.35	
		9:00	28	41.14	26.66	8.15	8.27	2.47	1.15	
		12:00	28.96	35.93	22.76	8.21	8.27	2.47	1.15	
		15:00	29	23.14	13.19	8.49	7.62	0.46	2.29	
		18:00	29.21	19.6	10.54	8.25	8.34	0.47	3.91	
		21:00	28.22	32.29	20.04	8.26	6.18	0.45	1.34	
	日平均值			28.85	31.15	19.18	8.23	7.62	1.71	1.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月14日	蚵殼站	0:00	29.17	33.59	21.01	8.07	7.27	0.53	14.2	
		3:00	28.97	29.43	17.9	8.12	6.92	0.44	14.05	
		6:00	28.71	31.73	19.62	8.1	7.02	0.52	13.28	
		9:00	28.93	35.77	22.64	8.04	6.91	0.55	13.58	
		12:00	28.88	36.58	23.25	8.04	7.39	0.62	13.55	
		15:00	30.11	30.41	18.63	8.13	7.21	0.57	13.15	
		18:00	30.26	28.87	17.48	8.18	6.74	0.61	13.9	
		21:00	29.86	31.17	19.2	8.08	6.77	0.53	14.8	
	日平均值			29.36	32.19	19.97	8.10	7.03	0.55	13.81
	潮口站	0:00	29.15	36.66	22.15	8.3	6.7	1.87	1.83	
		3:00	29.27	36.89	20.39	8.26	6.2	1.77	1.87	
		6:00	28.94	37.1	23.41	8.27	5.95	1.82	1.83	
		9:00	28.69	38.61	24.79	8.31	6.43	1.84	1.79	
		12:00	28.78	36.48	23.96	8.37	7.83	1.82	1.74	
		15:00	29.29	38.05	22.9	8.37	8	1.79	1.82	
		18:00	29.62	35.6	21.24	8.35	7.91	1.83	1.85	
		21:00	28.7	37.46	24.46	8.33	6.87	1.87	1.79	
	日平均值			29.06	37.11	22.91	8.32	6.99	1.83	1.82
	灣內站	0:00	28.19	31.71	19.6	8.3	6.83	0.48	1.29	
		3:00	28.22	25.65	15.07	8.33	7.26	0.46	2.73	
		6:00	27.93	19.53	10.49	8.44	7.1	0.45	3.82	
		9:00	28.11	27.08	16.14	8.35	6.07	0.48	1.79	
		12:00	28.31	28.86	17.47	8.33	6.43	0.43	2.53	
		15:00	29.36	18.16	9.46	8.49	9.33	0.48	5.56	
		18:00	29.13	18.28	9.55	8.25	6.43	0.49	3.3	
		21:00	28.49	26.99	16.07	8.42	7.33	0.39	2.84	
	日平均值			28.47	24.53	14.23	8.36	7.10	0.46	2.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月15日	蚵殼站	0:00	28.78	37.26	23.76	8.03	7.05	0.48	14.48	
		3:00	29.01	29.35	17.84	8.07	6.76	0.56	14.09	
		6:00	28.74	27.87	16.73	8.14	6.63	0.65	15.12	
		9:00	29.34	31.46	19.42	8.05	6.8	0.45	15.87	
		12:00	29.62	34.35	21.58	8.04	6.65	0.44	15.4	
		15:00	31.05	30.67	18.83	8.09	6.59	0.49	14.45	
		18:00	32.1	28.91	17.51	8.09	6.46	0.52	14.8	
		21:00	30.57	33.19	20.71	8.05	6.38	0.33	14.82	
	日平均值			29.90	31.63	19.55	8.07	6.67	0.49	14.88
	潮口站	0:00	28.64	39	25.67	8.33	6.74	1.93	1.89	
		3:00	28.87	38.21	24.52	8.3	6.36	1.77	1.78	
		6:00	28.98	37.11	24.19	8.3	6.35	2.15	1.84	
		9:00	29.37	37.32	24.29	8.32	6.76	1.76	1.81	
		12:00	29.63	38.33	25.22	8.41	8.16	1.8	1.89	
		15:00	30.39	37.61	21.6	8.44	9.36	1.82	1.85	
		18:00	29.71	38.02	24.25	8.43	8.82	1.77	1.91	
		21:00	29.61	36.5	23.92	8.36	7.4	1.83	1.82	
	日平均值			29.40	37.76	24.21	8.36	7.49	1.85	1.85
	灣內站	0:00	28.38	30.49	18.69	8.33	6.37	0.48	2.11	
		3:00	28.12	19.05	10.13	8.42	7.11	0.47	3.56	
		6:00	28.02	17.32	8.83	8.44	7.77	0.43	3.01	
		9:00	28.43	20.87	11.49	8.35	6.82	0.48	2.81	
		12:00	30.55	19.29	10.31	8.33	8	0.46	4.39	
		15:00	31.84	16.29	8.06	8.49	9.4	0.43	7.39	
		18:00	32.38	14.98	7.08	8.25	9.41	0.45	6.83	
		21:00	29.89	29.27	17.78	7.97	8.75	0.51	4.02	
	日平均值			29.70	20.95	11.55	8.32	7.95	0.46	4.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月16日	蚵殼站	0:00	29.5	37.45	23.9	7.97	6.23	0.48	13.25	
		3:00	30.46	34.18	21.45	7.98	6.25	0.5	13.79	
		6:00	31.13	27.97	16.81	8.02	6.37	0.49	13.97	
		9:00	31.28	30.7	18.85	7.97	6.31	0.59	14.18	
		12:00	31.67	33.49	20.94	7.98	6.14	0.46	14.66	
		15:00	32.32	32.45	20.16	7.98	6.16	0.47	13.85	
		18:00	32.93	31.12	19.16	8.06	6.31	0.35	12.99	
		21:00	32.33	31.48	19.43	8.21	5.75	0.51	13.98	
	日平均值			31.45	32.36	20.09	8.02	6.19	0.48	13.83
	潮口站	0:00	29.55	40.32	26.53	8.44	8.51	1.82	1.82	
		3:00	29.84	36.55	23.9	8.4	8.28	1.81	1.78	
		6:00	29.78	37.3	23.99	8.39	8.09	1.83	1.85	
		9:00	29.79	37.52	24.69	8.4	8.16	1.86	1.83	
		12:00	31.14	37.22	23.93	8.32	6.39	1.82	1.83	
		15:00	31.18	37.4	23.49	8.41	8.28	1.84	1.76	
		18:00	31.05	36.8	23.19	8.37	7.46	1.88	1.77	
		21:00	31.58	36.42	20.68	8.29	6.4	1.78	1.85	
	日平均值			30.49	37.44	23.80	8.38	7.70	1.83	1.81
	灣內站	0:00	28.75	35.93	22.76	7.85	8.03	0.38	3.4	
		3:00	29.45	31.97	19.8	7.9	8.48	0.41	4.15	
		6:00	30.56	23.14	13.19	8.06	9.41	0.58	6.7	
		9:00	31.17	21.78	12.17	8.15	9.42	0.45	5.84	
		12:00	32.63	21.44	11.92	8.21	9.42	0.45	7.47	
		15:00	33.44	21.1	11.66	8.23	9.35	0.52	9.61	
		18:00	32.86	22.59	12.78	8.2	8.12	0.4	7.28	
		21:00	29.97	37.06	23.61	8	6.55	0.52	5.49	
	日平均值			31.10	26.88	15.99	8.08	8.60	0.46	6.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月17日	蚵殼站	0:00	30.31	36.8	23.41	8.18	5.85	0.48	13.81	
		3:00	30.51	36.34	23.07	8.18	5.72	0.53	14.26	
		6:00	31.43	31.62	19.54	8.21	5.68	0.47	14.81	
		9:00	32.03	30.95	19.04	8.22	5.85	0.45	13.77	
		12:00	32.73	32.92	20.51	8.2	5.96	0.47	13.4	
		15:00	32.93	34.22	21.48	8.2	5.66	0.47	14.07	
		18:00	33.52	32.53	20.22	8.18	5.71	0.6	12.76	
		21:00	32.07	34.84	21.95	8.16	5.36	0.45	12.83	
	日平均值			31.94	33.78	21.15	8.19	5.72	0.49	13.71
	潮口站	0:00	30.29	37.87	24.91	8.3	5.93	1.91	1.77	
		3:00	30.08	38.09	25.06	8.34	6.75	1.88	1.85	
		6:00	30.45	36.46	22.95	8.33	6.92	1.81	1.91	
		9:00	30.6	37.19	23.85	8.3	6.21	7.76	1.84	
		12:00	31.51	37.1	24.33	8.32	6.16	1.85	1.8	
		15:00	32.91	35.27	22.66	8.34	6.73	1.81	1.85	
		18:00	31.95	36.32	23.85	8.34	6.61	1.79	1.81	
		21:00	31.9	37.36	23.59	8.3	5.99	1.78	1.84	
	日平均值			31.21	36.96	23.90	8.32	6.41	2.57	1.83
	灣內站	0:00	30.37	34.85	21.95	8.02	6.56	0.48	6.72	
		3:00	29.46	37.36	23.83	7.93	5.86	0.49	4.14	
		6:00	30.3	31.47	19.42	8.03	6.57	0.43	5.34	
		9:00	31.57	24.93	14.53	8.28	6.98	0.45	3.6	
		12:00	32.97	23.72	13.62	8.31	7.15	0.47	4.63	
		15:00	33.29	25.04	14.61	8.3	7.17	0.37	6.1	
		18:00	32.83	26.63	15.8	8.28	7.14	0.39	4.15	
		21:00	31.61	33.06	20.61	8.21	6.92	0.43	3.02	
	日平均值			31.55	29.63	18.05	8.17	6.79	0.44	4.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月18日	蚵殼站	0:00	30.87	37.5	23.94	8.15	5.83	0.52	14.12	
		3:00	29.99	39.29	25.28	8.14	5.03	0.63	12.24	
		6:00	30.49	34.92	22.01	8.16	5.31	0.46	12.41	
		9:00	31.33	33.15	20.68	8.2	5.53	0.5	12.09	
		12:00	32.17	33.75	21.13	8.21	5.49	0.46	11.47	
		15:00	32.58	35.1	22.14	8.16	5.27	0.41	11.53	
		18:00	33.14	34.15	21.43	8.16	5.75	0.55	10.43	
		21:00	32.97	33.94	21.27	8.17	5.74	0.41	10.05	
	日平均值			31.69	35.23	22.24	8.17	5.49	0.49	11.79
	潮口站	0:00	30.13	36.07	22.66	8.25	5.48	1.81	1.86	
		3:00	30.22	39.4	25.92	8.32	6.16	1.86	1.82	
		6:00	31.15	39.05	20.74	8.33	7.31	1.81	1.87	
		9:00	31.75	35.23	19.96	8.32	7.14	18.74	1.8	
		12:00	30.98	37.34	24.57	8.35	6.89	9.29	1.81	
		15:00	31.65	36.71	23.61	8.33	6.57	1.95	1.81	
		18:00	31.5	36.79	24.18	8.35	6.94	1.89	1.82	
		21:00	31.22	38.33	24.45	8.31	6.06	1.88	1.84	
	日平均值			31.08	37.37	23.26	8.32	6.57	4.90	1.83
	灣內站	0:00	29.68	40.27	26.01	8.09	5.29	0.4	2.36	
		3:00	30.13	38.84	24.94	8.07	6.04	0.48	2.84	
		6:00	30.15	37.87	24.21	8.14	5.13	0.36	2.1	
		9:00	30.83	33.26	20.76	8.21	6.33	0.47	1.78	
		12:00	32.74	30.12	18.41	8.28	6.89	0.39	2.01	
		15:00	32.61	32.44	20.15	8.26	7.13	0.55	2.28	
		18:00	32.47	31.47	19.42	8.24	7	0.39	1.88	
		21:00	31.97	34.91	22	8.2	6.94	0.34	1.65	
	日平均值			31.32	34.90	21.99	8.19	6.34	0.42	2.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月19日	蚵殼站	0:00	31.13	37.18	23.7	8.18	5.59	0.47	10.72	
		3:00	30.72	37.84	24.19	8.14	5.75	0.42	12.9	
		6:00	30.96	37.24	23.74	8.15	5.86	0.52	35.02	
		9:00	32.09	33.63	21.04	8.19	6.03	0.57	15.06	
		12:00	33.29	34.07	21.37	8.2	6.17	0.37	12.27	
		15:00	33.39	35.43	22.39	8.19	6.21	0.61	11.15	
		18:00	33.74	34.1	21.39	8.19	5.74	0.43	11.52	
		21:00	33.36	33.39	20.86	8.2	5.8	0.54	9.52	
	日平均值			32.34	35.36	22.34	8.18	5.89	0.49	14.77
	潮口站	0:00	31.78	37.71	25.94	8.39	7.55	1.7	5.56	
		3:00	30.85	41.66	28.56	8.35	7.73	1.62	6.09	
		6:00	30.55	43.39	29.7	8.35	7.27	1.64	6.01	
		9:00	31.85	38.84	26.7	8.44	8	1.62	6.68	
		12:00	32.9	36.52	25.17	8.42	8.35	1.62	7.39	
		15:00	32.85	36.7	25.29	8.46	8.35	1.62	8.44	
		18:00	32.58	37.41	25.74	8.44	8.34	1.62	9.07	
		21:00	32.38	37.73	25.98	8.44	8.31	1.69	9.61	
	日平均值			31.97	38.75	26.64	8.41	7.99	1.64	7.36
	灣內站	0:00	30.26	40.59	26.25	8.16	6.05	0.5	1.63	
		3:00	29.41	42.76	27.87	8.13	5.59	0.35	2.09	
		6:00	29.91	41.54	26.96	8.16	6.21	0.45	1.81	
		9:00	31.78	35.77	22.64	8.21	6.47	0.35	1.27	
		12:00	33.74	30.77	18.9	8.25	6.51	0.56	1.48	
		15:00	33.58	31.83	19.69	8.26	6.78	0.44	3.01	
		18:00	32.85	35.25	22.25	8.21	6.65	0.41	2.41	
		21:00	32.79	35.46	22.41	8.18	6.44	0.57	1.92	
	日平均值			31.79	36.75	23.37	8.20	6.34	0.45	1.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月20日	蚵殼站	0:00	32.42	36.54	23.22	8.19	5.72	0.44	7.74	
		3:00	31.12	38.2	24.46	8.17	5.58	0.46	9.64	
		6:00	30.82	38.27	24.51	8.18	5.72	0.43	10.96	
		9:00	31.88	36.58	23.25	8.19	5.83	0.47	9.78	
		12:00	33.62	34.9	21.99	8.2	6.04	0.54	7.17	
		15:00	33.79	34.18	21.45	8.21	6.01	0.54	6.81	
		18:00	33.06	33.91	21.25	8.2	5.97	0.31	9.05	
		21:00	33.03	33.76	21.14	8.2	5.79	0.37	8.07	
	日平均值			32.47	35.79	22.66	8.19	5.83	0.45	8.65
	潮口站	0:00	31.55	39.89	27.46	8.41	7.46	1.67	4.38	
		3:00	30.75	41.33	29.24	8.38	6.97	1.63	4.61	
		6:00	30.59	42.02	29.68	8.38	7.57	1.64	4.72	
		9:00	32.36	38.48	25.02	8.43	7.81	1.66	4.3	
		12:00	33.46	36.71	22.83	8.42	7.87	1.62	3.89	
		15:00	33.53	36.79	23.23	8.49	8.16	1.66	5.02	
		18:00	33.19	35.75	24.22	8.45	8.12	1.63	5.91	
		21:00	32.03	36.74	25.31	8.37	7.76	1.62	5.25	
	日平均值			32.18	38.46	25.87	8.42	7.72	1.64	4.76
	灣內站	0:00	31.16	39.78	25.64	8.17	6.31	0.46	2.33	
		3:00	30.49	41.74	27.11	8.13	5.75	0.52	2.2	
		6:00	30.37	42.24	27.48	8.13	6.34	0.5	2.4	
		9:00	32.13	37.09	23.63	8.18	6.61	0.35	2.06	
		12:00	33.24	34.11	21.4	8.27	6.72	0.43	1.7	
		15:00	33.31	34.57	21.74	8.24	6.96	0.57	2.9	
		18:00	32.96	35.93	22.76	8.21	6.86	0.41	3.69	
		21:00	31.87	37.69	24.08	8.16	6.62	0.44	2.92	
	日平均值			31.94	37.89	24.23	8.19	6.52	0.46	2.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月21日	蚵殼站	0:00	32.67	33.81	21.18	8.2	5.77	0.6	7.44	
		3:00	31.75	36.55	23.23	8.16	5.6	0.61	9.75	
		6:00	30.82	37.54	23.97	8.14	5.6	0.53	10.56	
		9:00	32.08	36.9	23.49	8.17	5.79	0.43	10.46	
		12:00	33.38	34.99	22.06	8.25	5.93	0.59	7.28	
		15:00	33.45	34.6	21.77	8.28	5.84	0.49	10.92	
		18:00	32.94	35.02	22.08	8.25	5.88	0.58	11.96	
		21:00	31.96	34.6	21.77	8.22	5.85	0.41	9.48	
	日平均值			32.38	35.50	22.44	8.21	5.78	0.53	9.73
	潮口站	0:00	31.78	37.71	25.94	8.39	7.55	1.7	5.56	
		3:00	30.85	41.66	28.56	8.35	7.73	1.62	6.09	
		6:00	30.55	43.39	29.7	8.35	7.27	1.64	6.01	
		9:00	31.85	38.84	26.7	8.44	8	1.62	6.68	
		12:00	32.9	36.52	25.17	8.42	8.35	1.62	7.39	
		15:00	32.85	36.7	25.29	8.46	8.35	1.62	8.44	
		18:00	32.58	37.41	25.74	8.44	8.34	1.62	9.07	
		21:00	32.38	37.73	25.98	8.44	8.31	1.69	9.61	
	日平均值			31.97	38.75	26.64	8.41	7.99	1.64	7.36
	灣內站	0:00	31.64	38.59	24.75	8.18	6.37	0.53	3.41	
		3:00	30.71	42.13	27.4	8.14	6.48	0.37	3.66	
		6:00	30.42	43.57	28.48	8.14	6.05	0.36	3.94	
		9:00	31.72	39.59	25.5	8.23	6.76	0.35	4.28	
		12:00	32.81	37.55	23.97	8.29	7.14	0.43	5.25	
		15:00	32.74	37.67	24.06	8.25	7.16	0.46	6.07	
		18:00	32.45	38.35	24.57	8.23	7.15	0.36	6.75	
		21:00	32.19	38.63	24.78	8.23	7.21	0.44	7.46	
	日平均值			31.84	39.51	25.44	8.21	6.79	0.41	5.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月22日	蚵殼站	0:00	31.81	35.02	22.08	8.22	5.57	0.35	7.28	
		3:00	31.39	36.69	23.33	8.19	5.48	0.51	10.23	
		6:00	30.41	39.52	25.45	8.17	5.59	0.56	10.67	
		9:00	30.73	39.52	25.45	8.2	5.66	0.45	12.64	
		12:00	32.41	37.46	23.91	8.27	5.84	0.46	11.13	
		15:00	33.17	36.25	23	8.28	5.74	0.47	8.16	
		18:00	32.93	36.37	23.09	8.25	5.46	0.44	9.64	
		21:00	32.64	36.47	23.17	8.25	6.05	0.5	8.84	
	日平均值			31.94	37.16	23.69	8.23	5.67	0.47	9.82
	潮口站	0:00	32.1	37.91	26.08	8.4	8.13	1.66	8.93	
		3:00	30.88	41.46	28.41	8.36	7.92	1.65	7.5	
		6:00	29.61	45.76	31.24	8.3	6.83	1.69	6.59	
		9:00	30.9	43.06	29.45	8.37	6.98	1.65	6.03	
		12:00	32.62	37.83	26.03	8.49	8.32	1.68	7.05	
		15:00	32.87	37.82	26.02	8.47	8.33	1.65	7.23	
		18:00	32.52	37.48	25.79	8.42	8.33	1.67	6.63	
		21:00	32.66	35.77	24.2	8.41	8.15	1.67	6.33	
	日平均值			31.77	39.64	27.15	8.40	7.87	1.67	7.04
	灣內站	0:00	31.96	38.76	24.88	8.19	6.96	0.42	6.69	
		3:00	30.76	41.82	27.17	8.15	6.71	0.57	5.32	
		6:00	29.49	45.68	30.06	8.09	5.67	0.54	4.58	
		9:00	30.82	43.16	28.17	8.16	5.8	0.48	3.92	
		12:00	32.51	38.64	24.79	8.28	7.1	0.42	4.6	
		15:00	32.76	38.69	24.83	8.26	7.04	0.45	5	
		18:00	32.38	38.4	24.61	8.21	7.13	0.41	4.27	
		21:00	32.52	36.26	23.01	8.2	6.91	0.55	4.26	
	日平均值			31.65	40.18	25.94	8.19	6.67	0.48	4.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月23日	蚵殼站	0:00	32.26	35.91	22.75	8.27	6.12	0.43	7.84	
		3:00	31.98	37.08	23.62	8.24	6.2	0.49	8.96	
		6:00	30.52	39.37	25.34	8.19	6	0.47	11.78	
		9:00	30.4	39.6	25.51	8.2	6.39	0.47	11.68	
		12:00	32.78	38.53	24.71	8.26	6.4	0.58	12.02	
		15:00	33.58	37.64	24.04	8.31	6.59	0.6	7.79	
		18:00	33.36	37.88	24.22	8.3	6.29	0.54	9.5	
		21:00	33.18	37.73	24.11	8.29	6.15	0.44	10.38	
	日平均值			32.26	37.97	24.29	8.26	6.27	0.50	9.99
	潮口站	0:00	32.11	35.69	24.5	8.4	7.55	1.68	5.89	
		3:00	30.91	38.16	26.24	8.38	7.71	1.65	5.52	
		6:00	29.79	42.35	28.99	8.32	6.67	1.64	5.28	
		9:00	30.43	41.88	28.69	8.25	6.86	1.68	5.04	
		12:00	33.04	36.43	25.09	8.32	7.79	1.65	5.14	
		15:00	33.38	35.72	24.61	8.45	8.13	1.68	5.62	
		18:00	32.86	36.05	24.81	8.47	8.27	1.66	5.13	
		21:00	32.02	38.55	26.49	8.43	8.18	1.66	5.11	
	日平均值			31.82	38.10	26.18	8.38	7.65	1.66	5.34
	灣內站	0:00	31.97	36.7	23.34	8.19	6.28	0.38	3.54	
		3:00	30.76	39.08	25.12	8.17	6.46	0.45	3.32	
		6:00	29.69	42.61	27.76	8.12	5.37	0.52	3.39	
		9:00	30.34	42.18	27.44	8.04	5.67	0.58	2.99	
		12:00	32.95	37.44	23.89	8.11	6.52	0.46	3.02	
		15:00	33.25	36.8	23.41	8.25	6.9	0.47	3.46	
		18:00	32.75	36.93	23.51	8.26	7.15	0.41	2.93	
		21:00	31.9	39.3	25.28	8.22	6.95	0.49	2.76	
	日平均值			31.70	38.88	24.97	8.17	6.41	0.47	3.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月24日	蚵殼站	0:00	32.62	37.06	23.61	8.28	6.34	0.5	9.33	
		3:00	31.98	37.78	24.15	8.3	6.16	0.51	9.4	
		6:00	30.22	40.56	26.23	8.2	6.28	0.43	11.19	
		9:00	30.28	40.5	26.18	8.22	6.24	0.61	11.59	
		12:00	31.49	40.48	26.17	8.28	6.16	0.48	10.93	
		15:00	33.11	39.68	25.57	8.33	6.14	0.52	8.34	
		18:00	33.28	39.2	25.21	8.32	6.38	0.54	7.93	
		21:00	33.12	38.71	24.84	8.29	6.29	0.52	9.91	
	日平均值			32.01	39.25	25.25	8.28	6.25	0.51	9.83
	潮口站	0:00	32.37	37.88	26.06	8.43	8.02	1.71	4.79	
		3:00	31.92	38.83	26.68	8.44	7.95	1.68	4.7	
		6:00	30.12	42.78	29.3	8.36	6.26	1.65	4.78	
		9:00	29.84	44.44	30.36	8.35	6.37	1.69	4.77	
		12:00	32.27	41.79	28.64	8.41	6.46	1.69	4.81	
		15:00	32.83	42.25	28.95	8.4	6.24	1.71	4.72	
		18:00	32.02	42.89	29.37	8.4	7.36	1.68	4.51	
		21:00	32.01	42.23	28.92	8.41	7.21	1.67	4.39	
	日平均值			31.67	41.64	28.54	8.40	6.98	1.69	4.68
	灣內站	0:00	32.22	38.79	24.9	8.22	6.81	0.45	2.52	
		3:00	31.8	39.58	25.49	8.23	6.77	0.33	2.46	
		6:00	29.98	43.12	28.14	8.15	5.01	0.46	2.59	
		9:00	29.75	44.51	29.18	8.14	5.11	0.31	2.62	
		12:00	32.13	42.21	27.46	8.2	5.29	0.42	2.82	
		15:00	32.72	42.61	27.76	8.2	5.96	0.45	2.34	
		18:00	31.89	43.16	28.17	8.19	6.27	0.49	2.22	
		21:00	31.89	42.54	27.71	8.2	5.93	0.51	2.07	
	日平均值			31.55	42.07	27.35	8.19	5.89	0.43	2.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月25日	蚵殼站	0:00	32.69	38.89	24.98	8.26	6.21	0.42	8.82	
		3:00	32.09	38.75	24.87	8.26	6.25	0.56	7.04	
		6:00	31.29	40.88	26.47	8.23	6.29	0.4	11.77	
		9:00	30.63	41.86	27.2	8.24	6.04	0.63	16.09	
		12:00	31.54	41.3	26.78	8.28	6.12	0.37	14.29	
		15:00	32.72	40.9	26.48	8.3	6.33	0.67	12.18	
		18:00	32.81	40.67	26.31	8.26	5.99	0.49	13.4	
		21:00	31.96	41.19	26.7	8.21	6	0.47	12.87	
	日平均值			31.97	40.56	26.22	8.26	6.15	0.50	12.06
	潮口站	0:00	32.47	41.55	28.5	8.4	6.76	1.66	4.44	
		3:00	32.26	42.15	28.86	8.4	6.76	1.67	4.38	
		6:00	31.03	43.69	29.9	8.37	6.6	1.67	4.31	
		9:00	30.35	45.11	30.8	8.37	7.04	1.65	4.32	
		12:00	32.47	42.36	28.98	8.41	7.09	1.66	4.59	
		15:00	32.74	42.52	29.11	8.41	6.62	1.69	4.76	
		18:00	31.67	43.2	29.56	8.41	7.35	1.64	4.66	
		21:00	31.25	43.91	30.03	8.38	7.12	1.64	4.4	
	日平均值			31.78	43.06	29.47	8.39	6.92	1.66	4.48
	灣內站	0:00	32.32	41.95	27.27	8.19	5.63	0.43	2.08	
		3:00	32.14	42.52	27.69	8.19	5.49	0.49	2.04	
		6:00	30.93	43.84	28.68	8.16	5.45	0.63	2.02	
		9:00	30.26	45.11	29.63	8.16	5.85	0.53	2	
		12:00	32.34	42.68	27.81	8.2	5.85	0.48	2.29	
		15:00	32.64	42.77	27.88	8.2	5.44	0.47	2.64	
		18:00	31.51	43.4	28.35	8.2	6.17	0.48	2.39	
		21:00	31.12	44.03	28.82	8.17	5.89	0.53	2.24	
	日平均值			31.66	43.29	28.27	8.18	5.72	0.51	2.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月26日	蚵殼站	0:00	31.91	40.32	26.05	8.25	6.15	0.53	11.57	
		3:00	31.54	40.03	25.83	8.23	5.86	0.44	12.25	
		6:00	31.22	40.6	26.26	8.19	6.2	0.53	14.13	
		9:00	31.41	40.35	26.07	8.21	6.44	0.52	15.77	
		12:00	31.56	42.45	27.64	8.33	6.68	0.48	9.36	
		15:00	31.88	41.61	27.01	8.38	6.37	0.48	8.23	
		18:00	31.81	41.19	26.7	8.37	5.48	0.39	8.61	
		21:00	31.51	41.09	26.62	8.39	5.27	0.44	11.3	
	日平均值			31.61	40.96	26.52	8.29	6.06	0.48	11.40
	潮口站	0:00	31.88	40.72	26.89	8.27	5.6	2.21	1.1	
		3:00	30.58	42.69	28.19	8.24	5.92	1.88	1.09	
		6:00	29.8	44.2	29.19	8.26	5.3	1.84	1.13	
		9:00	30.64	42.3	27.93	8.28	5.84	1.86	1.17	
		12:00	31.23	42.44	27.98	8.33	6.64	1.81	1.01	
		15:00	31.28	42.63	28.05	8.37	7.63	1.84	1.88	
		18:00	30.27	41.68	27.42	8.27	5.83	1.95	1.82	
		21:00	30.37	41.66	27.41	8.24	5.32	1.87	1.84	
	日平均值			30.76	42.29	27.88	8.28	6.01	1.91	1.38
	灣內站	0:00	30.71	43.95	28.76	8.2	5.78	0.56	2.19	
		3:00	30.99	42.76	27.87	8.19	5.12	0.44	2.02	
		6:00	30.92	43.29	28.27	8.18	5.5	0.48	2.15	
		9:00	30.43	45.05	29.59	8.17	5.95	0.48	1.93	
		12:00	31.73	42.7	27.83	8.21	5.9	0.57	2.45	
		15:00	32.42	40.87	26.46	8.27	6.43	1.07	0.94	
		18:00	33.85	40.36	26.08	8.26	6.75	1.43	0.64	
		21:00	33.89	40.75	26.37	8.26	5.82	1.28	0.75	
	日平均值			31.87	42.47	27.65	8.22	5.91	0.79	1.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月27日	蚵殼站	0:00	31.28	41.11	26.64	8.39	5.4	0.33	12.39	
		3:00	30.87	41.02	26.57	8.38	5.57	0.49	13.87	
		6:00	30.59	41.19	26.7	8.38	5.45	0.48	14.85	
		9:00	30.56	41.86	27.2	8.36	6.15	0.47	14.29	
		12:00	31.58	42.13	27.4	8.38	5.52	0.47	12.49	
		15:00	32.03	41.94	27.26	8.39	6.13	0.37	10.46	
		18:00	31.92	41.93	27.25	8.35	6.29	0.42	12.04	
		21:00	31.91	41.85	27.19	8.33	6.26	0.46	12.27	
	日平均值			31.34	41.63	27.03	8.37	5.85	0.44	12.83
	潮口站	0:00	30.7	41.47	27.29	8.25	5.35	1.77	1.72	
		3:00	30.53	41.93	27.59	8.24	5.15	1.82	1.81	
		6:00	29.63	44.32	29.16	8.23	5.94	1.85	1.72	
		9:00	29.96	44.01	27.02	8.24	5.39	1.95	3.99	
		12:00	31.36	41.42	27.25	8.38	7.92	1.99	1.87	
		15:00	31.45	42.08	27.27	8.12	7.35	1.88	1.84	
		18:00	30.87	42.85	26.95	8.32	6.89	1.86	1.75	
		21:00	30.68	44.31	29.17	8.3	6.01	1.83	1.82	
	日平均值			30.65	42.80	27.71	8.26	6.25	1.87	2.07
	灣內站	0:00	33.93	40.62	26.27	8.26	5.96	1.53	0.94	
		3:00	33.74	40.59	26.25	8.25	5.87	1.4	0.95	
		6:00	33.63	41.17	26.68	8.22	5.78	1.41	0.88	
		9:00	34.05	41.54	26.96	8.03	5.98	1.51	0.89	
		12:00	34.48	41.67	27.06	8.09	5.54	1.37	0.68	
		15:00	32.42	40.87	26.46	8.27	6.43	1.07	0.94	
18:00		33.85	40.36	26.08	8.26	6.75	1.43	0.64		
21:00		33.89	40.75	26.37	8.26	5.82	1.28	0.75		
日平均值			33.75	40.95	26.52	8.21	6.02	1.38	0.83	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月28日	蚵殼站	0:00	31.66	41.82	27.17	8.28	6.32	0.53	11.85	
		3:00	31.49	41.73	27.1	8.24	6.33	0.54	12.38	
		6:00	31.35	41.37	26.83	8.27	6.14	0.51	13.44	
		9:00	30.88	42.57	27.73	8.24	6.21	0.52	13.46	
		12:00	31.43	42.41	27.61	8.25	6.39	0.53	13.46	
		15:00	32.47	41.73	27.1	8.28	6.31	0.51	12.54	
		18:00	32.23	41.73	27.1	8.27	6.27	0.54	12.55	
		21:00	31.97	41.9	27.23	8.23	6.09	0.57	13.82	
	日平均值			31.69	41.91	27.23	8.26	6.26	0.53	12.94
	潮口站	0:00	30.67	44.15	29.06	8.3	6.04	1.78	1.85	
		3:00	28.87	41.11	27.06	8.26	5.98	1.82	1.83	
		6:00	30.25	40.99	26.99	8.27	5.87	1.82	1.84	
		9:00	32.11	39.02	25.79	8.28	6.21	1.86	2.03	
		12:00	32.73	39.31	25.97	8.33	6.95	1.87	2.02	
		15:00	31.88	40.19	19.86	8.28	7.35	1.87	1.98	
		18:00	30.87	39.87	24.23	8.29	6.9	1.88	1.88	
		21:00	30.81	39.59	26.06	8.29	6.34	1.77	1.78	
	日平均值			31.02	40.53	25.63	8.29	6.46	1.83	1.90
	灣內站	0:00	33.93	40.62	26.27	8.26	5.96	1.53	0.94	
		3:00	33.74	40.59	26.25	8.25	5.87	1.4	0.95	
		6:00	33.63	41.17	26.68	8.22	5.78	1.41	0.88	
		9:00	34.05	41.54	26.96	8.03	5.98	1.51	0.89	
		12:00	34.48	41.67	27.06	8.09	5.54	1.37	0.68	
		15:00	34.59	41.9	27.23	8.08	5.6	1.41	0.86	
18:00		33.99	42.18	27.44	8.03	5.01	1.34	0.8		
21:00		33.21	42.58	27.74	8.13	6.19	1.38	0.84		
日平均值			33.95	41.53	26.95	8.14	5.74	1.42	0.86	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月29日	蚵殼站	0:00	31.01	42.07	27.36	8.24	5.69	0.38	13.04	
		3:00	31.16	41.89	27.22	8.25	6.01	0.52	13.44	
		6:00	31.58	41.62	27.02	8.26	5.87	0.4	14.03	
		9:00	31.54	41.81	27.16	8.25	5.96	0.53	12.83	
		12:00	31.54	42.3	27.53	8.26	5.78	0.63	11.24	
		15:00	32.56	41.93	27.25	8.28	5.76	0.41	10.89	
		18:00	32.6	41.69	27.07	8.29	5.72	0.65	12.26	
		21:00	32.52	41.7	27.08	8.28	5.88	0.57	12.67	
	日平均值			31.81	41.88	27.21	8.26	5.83	0.51	12.55
	潮口站	0:00	31.91	39.07	25.71	8.29	6.3	1.82	1.84	
		3:00	31.94	38.7	25.46	8.29	6.23	1.77	1.83	
		6:00	31.96	38.28	23.95	8.26	6.1	1.79	1.78	
		9:00	32.44	38.68	25.46	8.29	6.22	1.81	1.89	
		12:00	32.82	38.52	24.02	8.3	6.65	1.86	1.84	
		15:00	32.55	36.08	22.42	8.26	6.23	1.78	1.79	
		18:00	31.87	38.21	25.03	8.28	6.27	1.8	1.84	
		21:00	31	41.54	27.35	8.31	6.63	1.8	1.84	
	日平均值			32.06	38.64	24.93	8.29	6.33	1.80	1.83
	灣內站	0:00	33.14	42.45	27.64	8.28	6.57	1.37	0.86	
		3:00	33.14	42.4	27.6	8.27	6.45	1.56	0.8	
		6:00	33.21	42.32	27.54	8.29	6.74	1.36	0.67	
		9:00	33.64	42.34	27.56	8.43	8.21	1.43	0.84	
		12:00	33.92	42.49	27.67	8.34	9.27	1.39	0.54	
		15:00	34.08	42.6	27.75	8.35	9.32	1.41	0.73	
		18:00	34.22	42.41	27.61	8.34	9.12	1.41	0.77	
		21:00	34.06	42.41	27.61	8.29	9	1.38	0.85	
	日平均值			33.68	42.43	27.62	8.32	8.09	1.41	0.76
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月30日	蚵殼站	0:00	32.42	41.82	27.17	8.29	5.81	0.43	12.6	
		3:00	31.87	41.42	26.87	8.28	5.92	0.43	12.41	
		6:00	31.69	41.27	26.76	8.29	5.89	0.51	12.66	
		9:00	31.57	41.23	26.73	8.3	5.74	0.48	13.53	
		12:00	31.3	41.13	26.65	8.3	5.72	0.61	13.31	
		15:00	31.17	41.18	26.69	8.32	5.83	0.57	15.22	
		18:00	31.19	41.43	26.88	8.31	5.9	0.51	15.12	
		21:00	31.33	42.27	27.51	8.28	5.88	0.46	15.31	
	日平均值			31.57	41.47	26.91	8.30	5.84	0.50	13.77
	潮口站	0:00	31.72	39.61	26.07	8.28	5.95	1.78	1.81	
		3:00	31.93	39.26	25.84	8.29	6.29	1.85	1.77	
		6:00	31.72	39.14	25.76	8.28	6.15	1.84	1.85	
		9:00	31.47	39.32	25.88	8.27	5.98	1.85	1.78	
		12:00	31.3	39.39	25.94	8.27	5.94	1.8	1.79	
		15:00	31.41	39.26	25.85	8.27	5.89	1.8	1.82	
		18:00	30.74	42.32	27.86	8.28	5.91	1.78	1.78	
		21:00	30.4	43.09	28.37	8.3	6.24	1.87	1.78	
	日平均值			31.34	40.17	26.45	8.28	6.04	1.82	1.80
	灣內站	0:00	33.85	42.64	27.78	8.32	8.73	1.37	0.9	
		3:00	33.66	42.57	27.73	8.29	8.99	1.46	0.84	
		6:00	33.58	42.32	27.54	8.28	9.11	1.46	0.68	
		9:00	33.47	41.9	27.23	8.29	9.42	1.46	0.92	
		12:00	33.34	42.16	27.42	8.27	9.43	1.42	0.91	
		15:00	33.24	42.37	27.58	8.26	9.41	1.49	0.85	
		18:00	33.17	42.09	27.37	8.26	9.42	1.68	0.76	
		21:00	32.98	42.17	27.43	8.27	9.47	1.46	0.79	
	日平均值			33.41	42.28	27.51	8.28	9.25	1.48	0.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月31日	蚵殼站	0:00	31.3	42.07	27.36	8.26	5.85	0.42	15.03	
		3:00	30.61	41.59	27	8.26	5.48	0.6	15.22	
		6:00	30.51	41.47	26.91	8.28	6.12	0.49	16.87	
		9:00	30.64	41.54	26.96	8.3	5.96	0.51	16.79	
		12:00	30.77	41.59	27	8.29	5.89	0.43	15.82	
		15:00	30.88	41.93	27.25	8.27	5.8	0.5	15.03	
		18:00	30.99	41.74	27.11	8.29	5.86	0.36	15.16	
		21:00	30.89	41.97	27.28	8.26	5.76	0.47	15.1	
	日平均值			30.82	41.74	27.11	8.28	5.84	0.47	15.63
	潮口站	0:00	30.24	38.8	25.54	8.25	5.82	1.75	1.88	
		3:00	30.61	38.79	25.53	8.27	6.07	2.49	1.81	
		6:00	30.39	38.25	25.18	8.26	5.99	1.83	1.79	
		9:00	30.89	40.12	26.42	8.27	5.84	1.8	1.83	
		12:00	31.01	40.57	26.71	8.27	5.82	1.82	1.84	
		15:00	31.3	40.25	26.5	8.27	5.88	1.83	1.82	
		18:00	31.13	41.93	27.6	8.28	5.88	1.86	1.84	
		21:00	30.76	42.36	27.88	8.28	5.92	1.79	1.81	
	日平均值			30.79	40.13	26.42	8.27	5.90	1.90	1.83
	灣內站	0:00	32.83	41.93	27.25	8.26	9.26	1.27	0.72	
		3:00	32.97	41.7	27.08	8.26	8.7	1.44	0.92	
		6:00	33.21	41.46	26.9	8.27	9.24	1.48	0.76	
		9:00	33.46	41.31	26.79	8.26	9.31	1.39	0.82	
		12:00	33.58	41.37	26.83	8.27	9.36	1.46	0.88	
		15:00	34.04	40.83	26.43	8.34	9.37	1.4	0.8	
		18:00	34.03	40.85	26.44	8.35	9.48	1.37	0.75	
		21:00	33.9	40.87	26.46	8.34	9.31	1.59	0.73	
	日平均值			33.50	41.29	26.77	8.29	9.25	1.43	0.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月1日	蚵殼站	0:00	30.73	43.13	28.15	8.26	5.87	0.62	15.47	
		3:00	30.72	43.09	28.12	8.24	5.89	0.47	16.37	
		6:00	30.46	42.13	27.4	8.26	6.04	0.55	16.26	
		9:00	30.79	42.57	27.73	8.26	5.95	0.45	14.79	
		12:00	31.53	43.32	28.29	8.29	5.93	0.6	13.2	
		15:00	32.02	42.6	27.75	8.31	6.06	0.44	12.26	
		18:00	31.59	41.98	27.29	8.3	5.86	0.53	12.16	
		21:00	31.26	41.86	27.2	8.27	6.03	0.45	12.91	
	日平均值			31.14	42.59	27.74	8.27	5.95	0.51	14.18
	潮口站	0:00	30.79	41.21	27.12	8.27	5.74	1.81	1.8	
		3:00	31	39.03	25.7	8.27	5.99	1.8	1.82	
		6:00	31.06	38.97	25.65	8.26	5.96	1.87	1.81	
		9:00	31.56	40.06	26.37	8.27	5.84	1.8	1.84	
		12:00	31.75	41.09	25.74	8.29	6.37	1.8	1.81	
		15:00	31.62	41.93	25.98	8.29	6.31	1.77	1.87	
		18:00	31.21	41.13	27.08	8.29	6.08	1.85	1.83	
		21:00	31.25	41.71	27.46	8.28	5.86	1.79	1.85	
	日平均值			31.28	40.64	26.39	8.28	6.02	1.81	1.83
	灣內站	0:00	33.9	41.41	26.86	8.19	8.77	1.29	0.74	
		3:00	33.88	41.75	27.12	8.19	7.12	1.36	0.73	
		6:00	33.87	41.41	26.86	8.16	9.06	1.37	0.66	
		9:00	34.5	41.13	26.65	8.16	9.29	1.41	0.84	
		12:00	34.87	41.22	26.72	8.2	9.47	1.43	0.82	
		15:00	34.78	41.03	26.58	8.2	9.55	1.52	0.82	
		18:00	34.79	40.07	25.86	8.2	9.39	1.46	0.9	
		21:00	34.55	40.23	25.98	8.17	9.29	1.58	0.85	
	日平均值			34.39	41.03	26.58	8.18	8.99	1.43	0.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月2日	蚵殼站	0:00	31.21	42.38	27.59	8.27	5.97	0.59	13.37	
		3:00	31.1	42.78	27.89	8.26	5.74	0.49	13.74	
		6:00	31.18	42.46	27.65	8.27	5.82	0.51	13.59	
		9:00	31.59	42.18	27.44	8.28	6.01	0.65	13.33	
		12:00	32.09	42.17	27.43	8.31	6.08	0.62	12.22	
		15:00	31.96	41.81	27.16	8.32	5.9	0.6	12.51	
		18:00	32.13	41.51	26.94	8.32	5.76	0.49	13.13	
		21:00	31.94	41.55	26.97	8.32	5.87	0.64	14.23	
	日平均值			31.65	42.11	27.38	8.29	5.89	0.57	13.27
	潮口站	0:00	30.78	40.16	26.44	8.26	5.79	1.82	1.8	
		3:00	31.03	38.25	25.18	8.25	5.75	1.8	1.8	
		6:00	30.85	36.11	23.78	8.25	6.17	1.8	1.81	
		9:00	31.9	36.78	24.21	8.28	6.38	11.87	1.81	
		12:00	32	39.13	24.57	8.32	7.15	13.83	1.85	
		15:00	32.31	39.39	20.63	8.28	6.98	1.83	1.83	
		18:00	31.76	37.98	24.4	8.25	5.77	1.84	1.86	
		21:00	31.78	36.86	23.98	8.24	5.68	1.8	1.79	
	日平均值			31.55	38.08	24.15	8.27	6.21	4.57	1.82
	灣內站	0:00	34.58	40.79	26.4	8.2	8.18	1.61	0.83	
		3:00	34.51	40.77	26.38	8.19	7.43	1.36	0.93	
		6:00	34.59	40.83	26.43	8.18	7.9	1.5	0.91	
		9:00	34.9	39.71	25.59	8.17	9.54	1.53	0.66	
		12:00	34.01	40.47	26.16	8.21	9.47	1.42	0.9	
		15:00	33.96	39.52	25.45	8.27	9.36	1.34	0.71	
		18:00	34.13	39.96	25.78	8.26	9.45	1.47	0.73	
		21:00	33.94	40.22	25.97	8.26	9.42	1.34	0.87	
	日平均值			34.33	40.28	26.02	8.22	8.84	1.45	0.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月3日	蚵殼站	0:00	31.68	41.75	27.12	8.28	5.8	0.51	14.85	
		3:00	31.2	43.25	28.24	8.29	5.84	0.62	14.43	
		6:00	31.19	43.04	28.08	8.28	5.73	0.53	15.69	
		9:00	31.51	42.15	27.42	8.29	5.94	0.39	14.7	
		12:00	32.58	41.99	27.3	8.33	5.92	0.45	12.67	
		15:00	32.5	41.85	27.19	8.33	5.81	0.44	12.22	
		18:00	32.35	41.58	26.99	8.3	5.66	0.64	13.31	
		21:00	32.14	41.42	26.87	8.28	6.03	0.57	9.31	
	日平均值			31.89	42.13	27.40	8.30	5.84	0.52	13.40
	潮口站	0:00	31.06	39.84	26.23	8.26	5.64	1.84	1.82	
		3:00	30.88	37.95	25	8.24	5.65	1.75	1.86	
		6:00	31.44	35.42	23.33	8.25	6.12	1.84	1.83	
		9:00	32.19	35.8	23.53	8.28	6.51	10.44	1.79	
		12:00	32.44	37.97	24.94	8.38	8.19	12.7	1.81	
		15:00	31.74	38.75	22.53	8.27	6.52	1.82	1.85	
		18:00	31.79	36.31	23.03	8.23	5.67	1.84	1.84	
		21:00	31.87	36.62	23.77	8.24	5.66	1.86	1.86	
	日平均值			31.68	37.33	24.05	8.27	6.25	4.26	1.83
	灣內站	0:00	33.68	40.23	25.98	8.28	9.22	1.46	0.92	
		3:00	33.2	40.62	26.27	8.29	7.7	1.51	0.68	
		6:00	33.19	40.53	26.2	8.27	7.88	1.46	0.65	
		9:00	33.51	40.32	26.05	8.26	9.33	1.38	0.8	
		12:00	34.58	39.94	25.76	8.26	9.37	1.53	0.84	
		15:00	34.5	39	25.06	8.27	9.34	1.42	0.8	
		18:00	34.35	39.98	25.79	8.29	9.48	1.38	0.95	
		21:00	34.14	39.83	25.68	8.3	9.41	1.39	0.73	
	日平均值			33.89	40.06	25.85	8.28	8.97	1.44	0.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月4日	蚵殼站	0:00	31.56	41.59	27	8.27	5.92	0.52	1.52	
		3:00	31.27	43.34	28.31	8.23	5.98	0.46	1.3	
		6:00	30.97	43.45	28.39	8.24	5.89	0.44	1.53	
		9:00	31.7	42.8	27.9	8.25	5.9	0.5	1.46	
		12:00	32.35	42.22	27.47	8.29	5.98	0.52	1.48	
		15:00	32.08	41.83	27.18	8.31	6.04	0.51	1.52	
		18:00	31.97	42.07	27.36	8.29	6.01	0.52	1.48	
		21:00	31.88	41.39	26.85	8.26	6.03	0.51	1.38	
	日平均值			31.72	42.34	27.56	8.27	5.97	0.50	1.46
	潮口站	0:00	31.07	38.35	25.25	8.25	5.7	1.77	1.82	
		3:00	30.75	39.76	26.16	8.26	5.74	1.79	1.78	
		6:00	31.03	36.99	24.36	8.25	5.96	1.77	1.85	
		9:00	31.86	37.17	24.47	8.29	6.46	7	1.82	
		12:00	32.38	38.69	25.47	8.4	8.47	13.9	1.77	
		15:00	31.22	38.88	23.79	8.28	6.59	1.83	1.81	
		18:00	31.35	35.97	23.54	8.24	5.75	1.89	1.79	
		21:00	31.45	37.4	24.41	8.24	5.64	1.89	1.77	
	日平均值			31.39	37.90	24.68	8.28	6.29	3.98	1.80
	灣內站	0:00	33.56	39.79	25.65	8.32	9.27	1.55	1.03	
		3:00	33.27	40.35	26.07	8.29	8.21	1.39	0.71	
		6:00	32.97	40.82	26.42	8.28	6.98	1.47	0.79	
		9:00	33.7	39.47	25.41	8.29	9.09	1.39	0.82	
		12:00	34.35	39.26	25.25	8.27	9.43	1.54	0.85	
		15:00	34.08	37.28	23.77	8.26	9.49	1.49	0.77	
		18:00	33.97	39.86	25.7	8.26	8.18	1.51	0.66	
		21:00	33.88	39.19	25.2	8.27	7.74	1.34	0.94	
	日平均值			33.72	39.50	25.43	8.28	8.55	1.46	0.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月5日	蚵殼站	0:00	31.71	42.19	27.45	8.25	5.76	0.49	1.38	
		3:00	31.37	43.2	28.2	8.21	6.03	0.47	1.37	
		6:00	30.78	43.72	28.59	8.21	5.84	0.3	1.42	
		9:00	31.18	43.16	28.17	8.23	5.98	0.43	1.62	
		12:00	32.39	42.34	27.56	8.28	5.81	0.47	1.41	
		15:00	32.17	42.56	27.72	8.27	5.83	0.5	1.41	
		18:00	31.18	43.29	28.27	8.24	5.88	0.41	1.44	
	21:00	31.08	41.5	26.93	8.28	6.02	0.64	1.43		
	日平均值			31.48	42.75	27.86	8.25	5.89	0.46	1.44
	潮口站	0:00	30.82	40.84	27.23	8.25	5.64	1.74	1.8	
		3:00	30.36	38.95	26	8.26	5.79	1.83	1.82	
		6:00	30.92	36.42	24.33	8.24	5.79	1.84	1.85	
		9:00	31.86	36.8	24.53	8.26	6.16	1.79	1.8	
		12:00	32.13	38.97	25.94	8.38	8.38	8.89	1.83	
		15:00	31.18	39.75	23.53	8.28	6.57	6.24	1.86	
		18:00	31.44	37.31	24.03	8.25	6.12	1.8	1.87	
	21:00	31.58	37.62	24.77	8.23	5.69	1.8	1.8		
	日平均值			31.29	38.33	25.05	8.27	6.27	3.24	1.83
	灣內站	0:00	33.71	38.96	25.03	8.26	7.39	1.51	0.66	
		3:00	33.37	40.18	25.94	8.26	6.67	1.53	0.95	
		6:00	32.78	40.77	26.38	8.27	6.55	1.44	0.78	
9:00		33.18	38.96	25.03	8.26	7.89	1.39	0.72		
12:00		34.39	32.09	19.89	8.27	8.66	1.47	0.69		
15:00		34.17	35.77	22.64	8.34	9.46	1.43	0.93		
18:00		33.18	36.85	23.45	8.35	8.88	1.48	0.65		
21:00	33.08	37.52	23.95	8.34	7.9	1.44	0.74			
日平均值			33.48	37.64	24.04	8.29	7.93	1.46	0.77	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月6日	蚵殼站	0:00	30.98	41.89	27.22	8.25	5.99	0.51	1.45	
		3:00	31.09	43.54	28.46	8.22	5.76	0.45	1.48	
		6:00	30.67	44.32	29.04	8.22	6.06	0.42	1.6	
		9:00	30.92	43.87	28.7	8.24	5.97	0.56	1.52	
		12:00	31.8	43.01	28.06	8.27	5.74	0.55	1.43	
		15:00	32.34	42.42	27.62	8.29	5.69	0.57	1.34	
		18:00	32.27	42.34	27.56	8.28	5.93	0.52	1.56	
	21:00	31.81	41.9	27.23	8.24	6.07	0.52	1.4		
	日平均值			31.49	42.91	27.99	8.25	5.90	0.51	1.47
	潮口站	0:00	31.01	39.35	26.25	8.24	5.69	1.82	1.8	
		3:00	30.3	40.76	27.16	8.25	5.81	1.86	1.75	
		6:00	30.69	37.99	25.36	8.23	5.86	1.79	1.82	
		9:00	31.86	38.17	25.47	8.29	6.92	2.04	1.81	
		12:00	32.12	39.69	26.47	8.36	8.18	7.54	1.79	
		15:00	31.8	39.88	24.79	8.3	7.28	5.83	1.86	
		18:00	31.19	36.97	24.54	8.24	6.3	1.78	1.76	
	21:00	31.9	38.4	25.41	8.25	6.26	1.8	1.82		
	日平均值			31.36	38.90	25.68	8.27	6.54	3.06	1.80
	灣內站	0:00	32.98	38.27	24.51	8.37	7.32	1.46	1.02	
		3:00	33.09	39.18	25.19	8.31	6.64	1.44	0.71	
		6:00	32.67	41.55	26.97	8.26	6.37	1.38	0.87	
9:00		32.92	39.98	25.79	8.35	7.13	1.56	0.51		
12:00		33.8	37.91	24.24	8.28	8.97	1.51	0.68		
15:00		34.34	38.52	24.7	8.47	8.09	1.43	0.66		
18:00		34.27	38.91	24.99	8.35	7.02	1.42	0.74		
21:00	33.81	38.47	24.66	8.33	6.78	1.5	0.87			
日平均值			33.49	39.10	25.13	8.34	7.29	1.46	0.76	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月7日	蚵殼站	0:00	31.53	42.33	27.55	8.24	5.79	0.57	1.52	
		3:00	31.34	43.28	28.26	8.24	5.76	0.47	1.5	
		6:00	30.97	44.07	28.85	8.23	5.94	0.56	1.38	
		9:00	31.04	43.97	28.78	8.26	5.92	0.47	1.52	
		12:00	31.73	43.34	28.31	8.29	5.69	0.51	3.37	
		15:00	33.01	42.5	27.68	8.31	6.08	0.48	1.36	
		18:00	32.92	42.29	27.52	8.3	6	0.44	1.47	
		21:00	32.61	41.93	27.25	8.28	5.87	0.53	1.48	
	日平均值			31.89	42.96	28.03	8.27	5.88	0.50	1.70
	潮口站	0:00	31.64	41.34	27.73	8.22	5.66	1.78	1.88	
		3:00	30.58	39.45	26.5	8.23	5.83	1.85	1.81	
		6:00	30.94	36.92	24.83	8.23	6.02	1.79	1.89	
		9:00	32.36	37.3	25.03	8.29	7.41	1.78	1.82	
		12:00	32.25	39.47	26.44	8.33	7.8	28.51	1.82	
		15:00	32.55	40.25	24.03	8.3	7.68	1.9	1.82	
		18:00	31.63	37.81	24.53	8.23	6.2	1.85	1.75	
		21:00	32.54	38.12	25.27	8.25	6.75	1.86	1.81	
	日平均值			31.81	38.83	25.55	8.26	6.67	5.17	1.83
	灣內站	0:00	33.53	38.96	25.03	8.29	6.44	1.47	0.66	
		3:00	33.34	39.3	25.28	8.29	6.37	1.54	0.74	
		6:00	32.97	41.02	26.57	8.27	6.39	1.53	0.97	
		9:00	33.04	40.38	26.09	8.28	6.39	1.38	0.84	
		12:00	33.73	39.16	25.18	8.29	6.52	1.49	0.94	
		15:00	35.01	39.22	25.22	8.3	6.57	1.56	0.72	
18:00		34.92	39.31	25.29	8.29	6.41	1.43	0.55		
21:00		34.61	39.23	25.23	8.3	6.54	1.38	0.93		
日平均值			33.89	39.57	25.49	8.29	6.45	1.47	0.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月8日	蚵殼站	0:00	32.29	42.22	27.47	8.23	5.84	0.57	1.43	
		3:00	32.3	42.32	27.54	8.23	6.5	0.63	1.75	
		6:00	30.93	40.07	25.86	8.21	5.98	1.81	1.86	
		9:00	32.41	40.22	25.97	8.28	6.43	1.83	1.85	
		12:00	31.96	41.55	26.97	8.27	6.35	1.84	2.08	
		15:00	32.83	42.38	27.59	8.3	5.96	0.65	1.45	
		18:00	32.97	42.25	27.49	8.31	5.73	0.62	1.61	
		21:00	31.93	41.97	27.28	8.26	5.83	0.43	1.48	
	日平均值			32.20	41.62	27.02	8.26	6.08	1.05	1.69
	潮口站	0:00	32.7	39.85	26.75	8.21	6.02	1.8	1.85	
		3:00	30.92	41.26	27.66	8.21	5.91	1.85	1.82	
		6:00	30.93	38.49	25.86	8.21	5.98	1.81	1.86	
		9:00	32.41	38.67	25.97	8.28	6.43	1.83	1.85	
		12:00	31.96	40.19	26.97	8.27	6.35	1.84	2.08	
		15:00	32.08	40.54	26.7	8.46	7.5	1.37	1.52	
		18:00	31.26	40.95	26.98	8.38	6.23	1.61	1.46	
		21:00	31.75	41.56	27.38	8.38	6.71	1.42	1.43	
	日平均值			31.75	40.19	26.78	8.30	6.39	1.69	1.73
	灣內站	0:00	34.29	38.51	24.69	8.32	6.58	1.3	0.73	
		3:00	34.3	39.26	25.25	8.29	6.46	1.37	0.83	
		6:00	32.93	40	25.81	8.28	6.41	1.38	0.76	
		9:00	34.41	40.74	26.36	8.29	6.06	1.43	0.61	
		12:00	33.96	41.78	27.14	8.27	5.4	1.45	0.81	
		15:00	34.83	41.78	27.14	8.26	5.39	1.42	0.82	
18:00		34.97	41.77	27.13	8.26	5.36	1.44	0.77		
21:00		33.93	41.77	27.13	8.27	5.37	1.49	0.8		
日平均值			34.20	40.70	26.33	8.28	5.88	1.41	0.77	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月9日	蚵殼站	0:00	31.65	41.86	27.2	8.2	5.78	0.41	1.5
		3:00	31.75	41.71	27.09	8.26	5.98	0.6	1.41
		6:00	31.07	43.32	28.29	8.23	6.01	0.55	1.57
		9:00	31.02	43.85	28.69	8.21	6.04	0.33	1.38
		12:00	32.77	43.18	28.19	8.32	5.97	0.59	2.47
		15:00	32.86	43.26	28.25	8.43	5.41	0.53	2.36
		18:00	33.07	42.92	27.99	8.45	5.41	0.48	2.44
		21:00	32.89	42.73	27.85	8.35	5.59	0.39	2.43
	日平均值		32.14	42.85	27.94	8.31	5.77	0.49	1.95
	潮口站	0:00	32.34	40.79	26.88	8.31	7.52	1.56	1.47
		3:00	30.71	41.99	27.66	8.18	5.57	1.57	1.4
		6:00	30.11	42.33	27.87	8.14	5.7	1.57	1.64
		9:00	31.41	41.41	27.26	8.22	7.61	1.48	1.44
		12:00	31.89	41.94	27.62	8.22	8.05	1.41	1.47
		15:00	31.23	42.78	28.19	8.19	7.01	1.47	1.55
		18:00	30.74	42.45	27.96	8.21	7.24	1.48	1.47
		21:00	31.13	42.57	28.04	8.22	6.61	1.53	1.47
	日平均值		31.20	42.03	27.69	8.21	6.91	1.51	1.49
	灣內站	0:00	33.65	41.77	27.13	8.26	5.37	1.44	0.8
		3:00	33.75	41.78	27.14	8.26	5.39	1.49	0.84
		6:00	33.07	41.78	27.14	8.27	5.37	1.5	0.78
9:00		33.02	41.79	27.15	8.26	5.39	1.46	0.8	
12:00		34.77	41.78	27.14	8.27	5.39	1.44	0.87	
15:00		34.86	43.46	28.4	8.34	6.32	1.44	0.76	
18:00		35.07	43.52	28.44	8.35	6.17	1.46	0.9	
21:00		34.89	43.59	28.49	8.34	5.24	1.43	0.8	
日平均值		34.14	42.43	27.63	8.29	5.58	1.46	0.82	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月10日	蚵殼站	0:00	32.2	41.29	26.77	8.3	5.46	0.51	2.57
		3:00	32.41	41.58	26.99	8.28	5.38	0.5	2.51
		6:00	31.53	43.08	28.11	8.21	5.48	0.42	2.46
		9:00	31.37	44.11	28.88	8.19	5.48	0.47	2.54
		12:00	32.2	43.57	28.48	8.22	5.47	1.28	3.2
		15:00	32.43	43.88	28.71	8.32	5.48	2.06	6.25
		18:00	32.37	43.91	28.73	8.28	5.37	2.2	4.81
		21:00	32.46	43.85	28.69	8.22	5.52	2.43	5.5
	日平均值		32.12	43.16	28.17	8.25	5.46	1.23	3.73
	潮口站	0:00	32.21	42.3	27.83	8.3	7.7	1.52	1.43
		3:00	30.94	42.57	28.01	8.2	5.87	1.45	1.41
		6:00	30.11	42.66	28.07	8.18	5.96	1.44	1.41
		9:00	30.99	42.26	27.8	8.22	7.15	1.5	1.46
		12:00	31.79	42.03	27.65	8.26	7.69	1.5	1.46
		15:00	31.18	41.9	27.57	8.16	7.21	2.16	2.38
		18:00	31.01	41.54	27.33	8.17	7.15	2.52	2.54
		21:00	31.12	41.79	27.5	8.19	6.83	2.49	2.51
	日平均值		31.17	42.13	27.72	8.21	6.95	1.82	1.83
	灣內站	0:00	34.2	43.71	28.58	8.35	5.07	1.45	0.78
		3:00	34.41	43.34	28.31	8.35	5.26	1.48	0.87
		6:00	33.53	43.81	28.66	8.34	5.21	1.41	0.74
9:00		33.37	44.08	28.86	8.34	5.25	1.48	0.81	
12:00		34.2	43.84	28.68	8.35	6.32	1.45	0.85	
15:00		34.43	43.54	28.46	8.34	5.77	1.46	0.9	
18:00		34.37	41.78	27.14	8.27	5.38	1.46	0.85	
21:00		34.46	41.83	27.18	8.29	5.63	1.37	0.98	
日平均值		34.12	43.24	28.23	8.33	5.49	1.45	0.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月11日	蚵殼站	0:00	32.19	43.12	28.14	8.24	5.58	2.26	6.2	
		3:00	32.32	42.76	27.87	8.25	5.49	2.06	6.6	
		6:00	31.39	43.5	28.43	8.23	5.54	1.85	6.34	
		9:00	31.01	44.45	29.14	8.17	5.47	1.97	4.96	
		12:00	31.49	43.79	28.64	8.21	5.73	2.07	5.6	
		15:00	31.6	42.85	27.94	8.28	8.56	1.52	6.63	
		18:00	31.38	43.24	28.23	8.22	8.43	1.96	6.72	
		21:00	31.03	44.97	29.53	8.17	8.08	2.01	6.03	
	日平均值			31.55	43.59	28.49	8.22	6.61	1.96	6.14
	潮口站	0:00	31.94	41.5	27.3	8.27	7.65	2.56	2.56	
		3:00	31.65	41.44	27.27	8.2	6.32	2.57	2.61	
		6:00	30.41	41.63	27.39	8.15	6.17	2.55	2.59	
		9:00	30.56	41.47	27.28	8.14	6.4	2.61	2.6	
		12:00	31.61	41.1	27.04	8.2	7.34	2.5	2.55	
		15:00	31.29	41.17	27.09	8.14	6.99	2.58	2.57	
		18:00	30.55	41.3	27.18	8.13	6.48	2.55	2.53	
		21:00	30.58	41.16	27.08	8.13	6.78	2.5	2.53	
	日平均值			31.07	41.35	27.20	8.17	6.77	2.55	2.57
	灣內站	0:00	34.19	43.17	28.18	8.29	5.76	1.37	1.07	
		3:00	34.32	44.11	28.88	8.28	5.8	1.37	1.07	
		6:00	33.39	44.71	29.33	8.28	5.88	1.33	1.14	
		9:00	33.01	43.26	28.25	8.48	8.29	0.81	2.73	
		12:00	33.49	41.78	27.14	8.27	5.4	1.45	0.81	
		15:00	33.6	41.78	27.14	8.26	5.39	1.42	0.82	
		18:00	33.38	41.77	27.13	8.26	5.36	1.44	0.77	
		21:00	33.03	41.77	27.13	8.27	5.37	1.49	0.8	
	日平均值			33.55	42.79	27.90	8.30	5.91	1.34	1.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月12日	蚵殼站	0:00	31.09	43.34	28.31	8.2	8.47	1.64	6.38	
		3:00	30.63	43.12	28.14	8.31	8.37	2.23	5.95	
		6:00	30.36	44.35	29.06	8.29	8.35	1.85	5.58	
		9:00	30.31	45.43	29.87	8.26	8.49	1.58	6.33	
		12:00	30.41	45.01	29.56	8.28	8.44	2.42	5.51	
		15:00	30.5	44.51	29.18	8.3	8.45	2.62	5.65	
		18:00	30.45	44.08	28.86	8.28	8.48	2.02	6.01	
		21:00	30.44	44.32	29.04	8.22	8.46	2.04	5.66	
	日平均值			30.52	44.27	29.00	8.27	8.44	2.05	5.88
	潮口站	0:00	31.33	40.9	26.91	8.16	7.47	2.51	2.67	
		3:00	30.94	41	26.98	8.12	6.66	2.49	2.46	
		6:00	30.45	40.95	26.94	8.1	6.65	2.43	2.51	
		9:00	30.14	40.78	26.83	8.1	6.99	2.51	2.57	
		12:00	30.55	40.9	26.91	8.1	6.88	2.6	2.56	
		15:00	30.8	40.95	26.94	8.1	6.63	2.65	2.47	
		18:00	30.15	40.97	26.96	8.1	6.77	2.58	2.6	
		21:00	30	41.15	27.08	8.29	6.93	1.9	2.21	
	日平均值			30.55	40.95	26.94	8.13	6.87	2.46	2.51
	灣內站	0:00	33.09	41.77	27.13	8.26	5.37	1.44	0.8	
		3:00	32.63	41.78	27.14	8.26	5.39	1.49	0.84	
		6:00	32.36	41.78	27.14	8.27	5.37	1.5	0.78	
		9:00	32.31	41.79	27.15	8.26	5.39	1.46	0.8	
		12:00	32.41	41.78	27.14	8.27	5.39	1.44	0.87	
		15:00	32.5	41.77	27.13	8.27	5.38	1.47	0.84	
		18:00	32.45	41.78	27.14	8.27	5.38	1.46	0.85	
		21:00	31.44	41.83	27.18	8.29	5.63	1.37	0.98	
	日平均值			32.40	41.79	27.14	8.27	5.41	1.45	0.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月13日	蚵殼站	0:00	30.39	44.75	29.36	8.19	8.51	2.08	5.86
		3:00	30.07	42.92	27.99	8.22	8.49	1.28	5.22
		6:00	29.75	42.58	27.74	8.24	8.08	1.9	6.72
		9:00	30.24	43.68	28.56	8.25	6.47	1.91	5.56
		12:00	30.32	43.57	28.48	8.27	6.52	1.97	7.61
		15:00	30.23	44.24	28.98	8.21	6.51	2.03	6.65
		18:00	30.23	43.81	28.66	8.23	6.33	1.55	6.34
		21:00	30.14	44	28.8	8.2	6.16	2.34	6.15
	日平均值		30.17	43.69	28.57	8.23	7.13	1.88	6.26
	潮口站	0:00	30.53	40.95	26.95	8.45	7.19	1.48	1.86
		3:00	30.44	40.84	26.87	8.46	7.24	1.44	1.83
		6:00	30.45	40.9	26.91	8.42	6.89	1.87	1.78
		9:00	30.28	41.14	27.06	8.42	6.87	1.43	1.74
		12:00	30.68	40.89	26.91	8.44	7.14	1.47	1.81
		15:00	30.69	40.87	26.89	8.45	7.19	1.46	1.8
		18:00	30.28	40.96	26.95	8.44	7.14	1.42	1.82
		21:00	30.3	41.02	26.99	8.45	7.17	1.43	1.85
	日平均值		30.46	40.95	26.94	8.44	7.10	1.50	1.81
	灣內站	0:00	30.39	43.17	28.18	8.29	5.76	1.37	1.07
		3:00	30.07	44.11	28.88	8.28	5.8	1.37	1.07
		6:00	29.75	44.71	29.33	8.28	5.88	1.33	1.14
		9:00	30.24	43.26	28.25	8.48	7.29	0.81	2.73
		12:00	30.56	41.65	27.04	8.36	8.3	0.43	3.62
		15:00	30.57	39.79	25.65	8.24	6.91	0.84	3.58
		18:00	30.17	39.92	25.75	8.24	7.04	0.7	3.79
		21:00	30.21	39.99	25.8	8.24	6.97	0.67	3.79
	日平均值		30.25	42.08	27.36	8.30	6.74	0.94	2.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月14日	蚵殼站	0:00	30.22	44.64	29.28	8.16	6.25	2.26	5.84
		3:00	29.88	43.58	28.49	8.15	6.41	1.9	5.49
		6:00	29.67	43.36	28.32	8.17	6.4	1.88	10.13
		9:00	30.13	43.09	28.12	8.2	6.29	2.18	5.75
		12:00	30.69	43.88	28.71	8.21	6.26	2.09	6.5
		15:00	31	44.17	28.93	8.23	6.61	0.82	2.55
		18:00	30.89	44.04	28.83	8.22	6.44	0.45	2.5
		21:00	30.73	44.05	28.84	8.21	5.71	0.41	2.32
	日平均值		30.40	43.85	28.69	8.19	6.30	1.50	5.14
	潮口站	0:00	30.18	40.81	26.85	8.46	7.76	1.44	1.85
		3:00	30.1	40.61	26.72	8.42	7.84	1.5	1.79
		6:00	30.19	40.6	26.71	8.34	7.26	1.46	1.81
		9:00	30.35	40.66	26.75	8.1	6.68	1.44	1.77
		12:00	30.27	40.8	26.85	8.1	6.91	1.5	1.78
		15:00	30.76	40.74	26.8	8.39	6.85	1.46	1.86
		18:00	30.66	40.7	26.78	8.4	6.97	1.44	1.81
		21:00	30.05	40.54	26.68	8.4	7.01	1.45	1.84
	日平均值		30.32	40.68	26.77	8.33	7.16	1.46	1.81
	灣內站	0:00	30.09	39.86	25.7	8.3	7.6	0.72	3.79
		3:00	29.96	39.62	25.52	8.31	7.7	0.69	3.72
		6:00	30.11	39.55	25.47	8.13	7.11	0.68	3.57
		9:00	30.21	39.66	25.55	7.89	6.46	0.66	3.5
		12:00	30.17	39.86	25.7	7.89	6.77	0.54	3.59
		15:00	30.66	39.72	25.6	8.18	6.65	0.64	3.8
		18:00	30.54	39.67	25.56	8.19	6.79	0.57	3.55
		21:00	29.96	39.56	25.48	8.19	6.83	0.52	3.77
	日平均值		30.21	39.69	25.57	8.14	6.99	0.63	3.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月15日	蚵殼站	0:00	30.46	43.88	28.71	8.2	6.38	0.45	2.42	
		3:00	30.31	43.84	28.68	8.19	6.31	0.56	2.44	
		6:00	30.35	43.77	28.63	8.21	6.14	0.55	2.39	
		9:00	31.21	43.61	28.51	8.27	6.51	0.44	2.42	
		12:00	31.89	43.8	28.65	8.26	6.56	0.52	2.38	
		15:00	31.91	44.01	28.81	8.27	6.55	0.49	2.57	
		18:00	31.61	42.44	27.63	8.24	5.97	0.47	2.43	
		21:00	31.63	42.33	27.55	8.19	6.57	0.43	2.44	
	日平均值			31.17	43.46	28.40	8.23	6.37	0.49	2.44
	潮口站	0:00	30.33	40.54	26.68	8.4	6.92	1.44	1.82	
		3:00	30.48	40.47	26.63	8.41	7.3	1.47	1.74	
		6:00	30.58	40.41	26.59	8.42	7.33	1.45	1.86	
		9:00	30.92	40.42	26.6	8.43	7.66	2.27	1.84	
		12:00	31.52	40.17	26.43	8.41	7.29	1.43	1.87	
		15:00	30.58	40.46	26.62	8.4	7.06	1.49	1.88	
		18:00	30.84	40.44	26.61	8.38	6.67	1.43	1.84	
		21:00	29.98	40.55	26.68	8.39	6.72	1.46	1.77	
	日平均值			30.65	40.43	26.61	8.41	7.12	1.56	1.83
	灣內站	0:00	30.19	39.58	25.49	8.18	6.75	0.66	3.68	
		3:00	30.34	39.55	25.47	8.21	7.18	0.62	3.66	
		6:00	30.41	39.4	25.36	8.21	7.16	0.68	3.41	
		9:00	30.77	39.5	25.43	8.22	7.44	0.71	3.54	
		12:00	31.41	39.22	25.22	8.2	7.03	0.78	3.53	
		15:00	30.43	39.52	25.45	8.19	6.88	0.68	3.52	
		18:00	30.69	39.47	25.41	8.17	6.42	0.7	3.53	
		21:00	29.89	39.59	25.5	8.18	6.56	0.73	3.53	
	日平均值			30.52	39.48	25.42	8.20	6.93	0.70	3.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月16日	蚵殼站	0:00	31.58	44.04	28.83	8.19	6.46	0.36	2.41	
		3:00	31.22	44.12	28.89	8.2	6.61	0.57	6.59	
		6:00	31.09	43.61	28.51	8.22	6.57	0.49	2.48	
		9:00	31.98	43.12	28.14	8.28	6.43	0.54	2.51	
		12:00	32.48	43.72	28.59	8.3	6.62	0.52	2.6	
		15:00	32.89	43.54	28.46	8.28	6.57	0.59	2.53	
		18:00	32.56	43.84	28.68	8.23	6.56	0.54	2.45	
		21:00	32.18	44.19	28.94	8.23	6.61	0.62	2.41	
	日平均值			32.00	43.77	28.63	8.24	6.55	0.53	3.00
	潮口站	0:00	29.58	40.54	26.67	8.42	7.37	1.47	1.77	
		3:00	30.59	40.21	26.46	8.44	7.8	1.42	1.79	
		6:00	31.22	41.43	27.26	8.46	8.16	1.41	1.74	
		9:00	31.48	41.53	27.32	8.45	8.08	2.79	1.78	
		12:00	31.04	40.25	26.48	8.44	7.83	1.49	1.87	
		15:00	31.41	40.2	26.45	8.4	7.06	3.9	1.83	
		18:00	32.39	40.14	26.41	8.41	7.11	1.49	1.75	
		21:00	31.06	41.06	27.02	8.41	7.27	1.49	1.8	
	日平均值			31.10	40.67	26.76	8.43	7.59	1.93	1.79
	灣內站	0:00	29.48	39.5	25.43	8.21	6.17	0.74	3.69	
		3:00	30.53	39.3	25.28	8.23	6.61	0.77	3.33	
		6:00	31.07	40.32	26.05	8.24	6.96	0.62	3.98	
		9:00	31.35	40.49	26.17	8.25	6.84	0.79	3.5	
		12:00	30.94	39.36	25.33	8.24	6.72	0.59	3.63	
		15:00	31.26	39.27	25.26	8.19	5.9	0.58	3.33	
		18:00	32.25	39.08	25.12	8.2	5.9	0.64	3.66	
		21:00	30.97	39.98	25.79	8.2	6.08	0.56	3.61	
	日平均值			30.98	39.66	25.55	8.22	6.40	0.66	3.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月17日	蚵殼站	0:00	31.75	44.28	29.01	8.24	6.55	0.41	2.47	
		3:00	31.71	43.3	28.28	8.26	6.43	0.34	2.35	
		6:00	30.96	42.22	27.47	8.24	6.58	0.59	2.49	
		9:00	31.74	42.25	27.49	8.27	6.65	0.27	0.71	
		12:00	32.96	42.49	27.67	8.3	6.59	0	8.13	
		15:00	32.9	43.29	28.27	8.33	6.58	4.06	1.6	
		18:00	32.81	42.9	27.98	8.29	6.57	5.01	16.28	
		21:00	32.23	40.23	25.98	8.25	6.64	4.25	11.95	
	日平均值			32.13	42.62	27.77	8.27	6.57	1.87	5.75
	潮口站	0:00	30.73	40.77	26.83	8.41	7.28	1.45	1.76	
		3:00	30.73	41.19	27.1	8.4	7.05	1.44	1.82	
		6:00	31.52	41.06	27.02	8.44	7.83	1.42	1.87	
		9:00	32.17	41.31	27.18	8.46	8.26	1.66	1.82	
		12:00	31.47	41.56	27.34	8.47	8.31	1.62	1.8	
		15:00	31.39	41.59	27.37	8.42	7.33	1.46	1.79	
		18:00	31.91	41.82	27.52	8.43	7.62	1.48	1.81	
		21:00	32.25	41.57	27.35	8.4	7	1.4	1.9	
	日平均值			31.52	41.36	27.21	8.43	7.59	1.49	1.82
	灣內站	0:00	30.64	39.78	25.64	8.2	6.05	0.54	3.46	
		3:00	30.63	40.06	25.85	8.19	5.84	0.62	3.6	
		6:00	31.4	39.92	25.75	8.23	6.52	0.61	3.62	
		9:00	32.07	40.24	25.99	8.25	7.04	0.62	3.72	
		12:00	31.28	40.43	26.13	8.25	7.15	0.51	3.72	
		15:00	31.26	40.58	26.24	8.21	6.16	0.59	3.66	
18:00		31.72	40.69	26.32	8.22	6.33	0.64	3.52		
21:00		32.13	40.43	26.13	8.19	5.8	0.66	3.84		
日平均值			31.39	40.27	26.01	8.22	6.36	0.60	3.64	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月18日	蚵殼站	0:00	32.11	41.27	26.76	8.24	6.61	5.47	7.38	
		3:00	32.13	43.91	28.73	8.23	6.6	4.72	8.04	
		6:00	32.36	43.54	28.46	8.25	6.57	5.31	16.18	
		9:00	32.88	43.08	28.11	8.29	6.5	3.71	13.23	
		12:00	33.17	43.33	28.3	8.33	6.66	3.24	8.41	
		15:00	33.55	42.09	27.37	8.36	6.43	3.14	17.17	
		18:00	32.64	41.58	26.99	8.23	6.53	2.56	18	
		21:00	32.83	41.98	27.29	8.22	6.46	4.46	9.86	
	日平均值			32.71	42.60	27.75	8.27	6.55	4.08	12.28
	潮口站	0:00	31.42	40.68	26.76	8.42	7.36	1.49	1.84	
		3:00	31.01	40.34	26.54	8.41	7.14	1.46	1.84	
		6:00	31.65	39.94	26.28	8.46	8.12	1.48	1.85	
		9:00	32.3	40.02	26.33	8.46	8.86	1.57	1.81	
		12:00	32.49	40.15	26.42	8.47	8.34	1.45	1.74	
		15:00	31.59	40.07	26.36	8.42	7.37	1.43	1.81	
		18:00	31.53	40.4	26.58	8.42	7.33	1.44	1.79	
		21:00	31.99	40.42	26.59	8.42	7.48	1.44	1.84	
	日平均值			31.75	40.25	26.48	8.44	7.75	1.47	1.82
	灣內站	0:00	31.31	39.79	25.65	8.21	6.18	0.63	3.83	
		3:00	30.92	39.46	25.4	8.19	5.93	0.62	3.64	
		6:00	31.52	39.03	25.08	8.24	6.91	0.61	3.43	
		9:00	32.08	39.11	25.14	8.29	7.78	0.51	3.35	
		12:00	32.46	39.22	25.22	8.26	7.1	0.67	3.53	
		15:00	31.44	39.16	25.18	8.21	6.15	0.64	3.74	
18:00		31.37	39.44	25.39	8.21	6.19	0.77	3.62		
21:00		31.84	39.42	25.37	8.22	6.33	0.66	3.8		
日平均值			31.62	39.33	25.30	8.23	6.57	0.64	3.62	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月19日	蚵殼站	0:00	32.13	40.98	26.54	8.26	6.56	3.26	13.36
		3:00	31.89	42.13	27.4	8.24	6.61	4.66	15.03
		6:00	32.16	44.08	28.86	8.22	6.41	5.33	9.35
		9:00	32.73	43.76	28.62	8.23	6.46	4.75	12.91
		12:00	33.53	43.61	28.51	8.29	6.58	5.11	14.64
		15:00	33.63	43.34	28.31	8.31	6.45	4.2	8.57
		18:00	32.53	42.14	27.41	8.26	6.51	4.01	11.48
	21:00	32.23	40.76	26.38	8.22	6.52	4.22	13.65	
	日平均值		32.60	42.60	27.75	8.25	6.51	4.44	12.37
	潮口站	0:00	31.09	40.56	26.69	8.39	6.83	1.48	1.86
		3:00	30.36	40.71	26.79	8.39	6.79	1.47	1.88
		6:00	31.26	40.53	26.67	8.44	7.73	1.47	1.84
		9:00	31.94	40.5	26.65	8.48	8.65	1.46	1.78
		12:00	32.16	40.63	26.73	8.46	8.95	1.44	1.82
		15:00	31.52	40.57	26.69	8.42	7.39	1.45	1.79
		18:00	30.79	40.94	26.93	8.4	6.96	1.48	1.85
	21:00	32.4	40.83	26.86	8.43	7.64	1.45	1.82	
	日平均值		31.44	40.66	26.75	8.43	7.62	1.46	1.83
	灣內站	0:00	31	39.62	25.52	8.18	5.6	0.63	3.66
		3:00	30.26	39.72	25.6	8.18	5.61	0.54	3.74
		6:00	31.12	39.59	25.5	8.22	6.53	0.67	3.61
9:00		31.82	39.5	25.43	8.27	7.47	0.72	3.72	
12:00		32.06	39.63	25.53	8.29	7.88	0.54	3.7	
15:00		31.4	39.63	25.53	8.2	6.16	0.52	3.59	
18:00		30.6	39.87	25.71	8.19	5.69	0.69	3.51	
21:00	32.25	39.87	25.71	8.22	6.48	0.71	3.72		
日平均值		31.31	39.68	25.57	8.22	6.43	0.63	3.66	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月20日	蚵殼站	0:00	31.84	40.79	26.4	8.22	6.58	3.33	17.02
		3:00	32.13	43.41	28.36	8.21	6.58	4.27	19.73
		6:00	32.13	44.73	29.35	8.2	6.52	4.46	20.73
		9:00	32.74	42.96	28.02	8.2	6.5	3.56	19.45
		12:00	32.76	43.1	28.13	8.27	6.45	3.57	16.56
		15:00	32.99	43.62	28.52	8.27	6.4	3.64	15.45
		18:00	32.99	43.89	28.72	8.27	6.66	4.17	16.62
	21:00	32.42	42.84	27.93	8.22	6.64	3.4	15.04	
	日平均值		32.50	43.17	28.18	8.23	6.54	3.80	17.58
	潮口站	0:00	31.58	40.98	26.96	8.36	6.13	1.64	1.85
		3:00	30.4	41.2	27.11	8.4	6.93	1.43	1.8
		6:00	30.68	41.14	27.07	8.42	7.39	1.5	1.8
		9:00	32.28	40.92	26.92	8.47	8.45	2.72	1.86
		12:00	31.8	41.18	27.09	8.45	8	1.46	1.85
		15:00	31.42	41.17	27.09	8.42	7.33	1.51	1.84
		18:00	31.12	41.97	27.61	8.4	6.93	1.46	1.82
	21:00	32.8	42.34	27.86	8.44	7.81	1.48	1.78	
	日平均值		31.51	41.36	27.21	8.42	7.37	1.65	1.83
	灣內站	0:00	31.46	39.95	25.77	8.14	6.78	0.64	3.62
		3:00	30.26	40.18	25.94	8.19	5.78	0.58	3.78
		6:00	30.55	40.12	25.9	8.21	6.05	0.66	3.58
9:00		32.18	39.84	25.69	8.26	7.23	0.66	3.5	
12:00		31.71	40.11	25.89	8.24	6.77	0.68	3.72	
15:00		31.34	40.12	25.9	8.2	6.14	0.64	3.49	
18:00		30.94	40.79	26.4	8.18	5.72	0.66	3.56	
21:00	32.71	41.09	26.62	8.23	6.62	0.89	3.71		
日平均值		31.39	40.28	26.01	8.21	6.39	1.45	3.62	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月21日	蚵殼站	0:00	32.03	41.87	27.21	8.18	6.46	3.76	13.38	
		3:00	32.13	43.38	28.34	8.16	6.4	4.01	13.28	
		6:00	31.89	44.11	28.88	8.15	6.57	3.41	13.12	
		9:00	32.59	43.6	28.5	8.17	6.66	3.79	12.96	
		12:00	32.93	43.3	28.28	8.26	6.5	3.31	14.37	
		15:00	32.92	43.4	28.35	8.28	6.55	3.95	12.65	
		18:00	32.59	43.73	28.6	8.22	6.4	3.66	13.31	
		21:00	32.64	43.52	28.44	8.19	6.41	3.75	13.24	
	日平均值			32.47	43.36	28.33	8.20	6.49	3.71	13.29
	潮口站	0:00	32.07	42.54	27.99	8.37	6.32	1.5	1.82	
		3:00	30.61	42.76	28.14	8.39	6.79	1.49	1.82	
		6:00	30.81	43.47	28.61	8.4	7.02	1.68	1.86	
		9:00	33.05	43.28	28.48	8.49	8.78	1.43	1.79	
		12:00	32	43.52	28.63	8.45	8.06	2.33	1.85	
		15:00	31.17	43.63	28.7	8.43	7.51	1.41	1.81	
		18:00	30.86	43.73	28.77	8.39	6.87	1.41	1.8	
		21:00	32.01	44.01	28.96	8.45	7.97	1.45	1.76	
	日平均值			31.57	43.37	28.54	8.42	7.42	1.59	1.81
	灣內站	0:00	31.95	41.27	26.76	8.16	5.1	0.6	3.57	
		3:00	30.44	41.47	26.91	8.18	5.6	0.6	3.63	
		6:00	30.63	42.08	27.36	8.19	5.79	0.48	3.53	
		9:00	32.92	41.9	27.23	8.28	7.58	0.72	3.68	
		12:00	31.94	42.21	27.46	8.24	6.92	0.69	3.7	
		15:00	31.06	42.24	27.48	8.22	6.31	0.52	3.59	
		18:00	30.69	42.34	27.56	8.18	5.61	0.68	3.67	
		21:00	31.86	42.54	27.71	8.24	6.76	0.79	3.47	
	日平均值			31.44	42.01	27.31	8.21	6.21	0.64	3.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月22日	蚵殼站	0:00	32.44	43.22	28.22	8.21	6.55	3.81	12.37	
		3:00	31.91	43.25	28.24	8.22	6.5	3.76	14.08	
		6:00	31.22	44.17	28.93	8.2	6.5	4.01	12.11	
		9:00	31.13	44.03	28.82	8.17	6.51	3.65	13.01	
		12:00	32.13	43.69	28.57	8.23	6.62	4.17	12.06	
		15:00	32.57	41.71	27.09	8.24	6.61	4.01	14.73	
		18:00	31.68	41.5	26.93	8.22	6.62	4.48	11.42	
		21:00	31.51	42.15	27.42	8.21	6.47	4.18	13.54	
	日平均值			31.82	42.97	28.03	8.21	6.55	4.01	12.92
	潮口站	0:00	31.84	44.21	29.09	8.41	7.2	1.45	1.79	
		3:00	30.77	44.46	29.25	8.4	7.11	1.5	1.76	
		6:00	30.63	44.57	29.32	8.4	7.07	1.44	1.72	
		9:00	31.88	44.49	29.27	8.47	8.32	1.72	1.87	
		12:00	32.19	44.56	29.31	8.44	7.71	1.47	1.79	
		15:00	31.57	44.45	29.24	8.42	7.35	1.42	1.77	
		18:00	31.59	44.55	29.31	8.44	7.87	1.44	1.88	
		21:00	31.57	44.71	29.42	8.43	7.68	1.44	1.9	
	日平均值			31.51	44.50	29.28	8.43	7.54	1.49	1.81
	灣內站	0:00	31.72	42.78	27.89	8.2	5.97	0.68	3.46	
		3:00	30.62	43.08	28.11	8.2	5.91	0.71	3.49	
		6:00	30.52	43.1	28.13	8.19	5.87	0.68	3.75	
		9:00	31.72	42.98	28.04	8.26	7.11	0.65	3.48	
		12:00	32.08	43.09	28.12	8.23	6.56	0.66	3.68	
		15:00	31.48	43.04	28.08	8.2	6.15	0.54	3.4	
		18:00	31.42	43.04	28.08	8.23	6.65	0.34	3.7	
		21:00	31.42	43.32	28.29	8.22	6.46	0.64	3.52	
	日平均值			31.37	43.05	28.09	8.22	6.34	0.61	3.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月23日	蚵殼站	0:00	31.33	41.87	27.21	8.22	6.48	4.01	13.52	
		3:00	31.39	42.03	27.33	8.22	6.56	3.49	13.36	
		6:00	31.36	42.18	27.44	8.23	6.5	4	11.61	
		9:00	31.61	40.08	25.87	8.19	6.41	4.63	13.76	
		12:00	32.5	42.38	27.59	8.33	5.64	5.9	1	
		15:00	32.63	42.93	28	8.33	6.71	3.44	3.83	
		18:00	32.68	42.54	27.71	8.3	8.46	3.41	4.91	
		21:00	32.21	41.98	27.29	8.22	6.9	3.7	4.77	
	日平均值			31.96	42.00	27.31	8.26	6.71	4.07	8.35
	潮口站	0:00	31.71	44.69	29.41	8.41	7.25	1.47	1.85	
		3:00	31.12	44.9	29.54	8.4	6.95	2.95	1.79	
		6:00	30.77	45.03	29.63	8.39	6.88	1.45	1.86	
		9:00	32.06	45.77	30.14	8.45	8.07	1.46	1.78	
		12:00	32.03	45.63	30.04	8.44	7.82	1.48	1.84	
		15:00	31.35	45.76	30.13	8.44	7.83	1.46	1.83	
		18:00	30.82	44.43	28.41	8.42	7.33	1.43	1.8	
		21:00	31.44	45.32	29.86	8.43	7.52	1.47	1.79	
	日平均值			31.41	45.19	29.65	8.42	7.46	1.65	1.82
	灣內站	0:00	31.64	43.18	28.19	8.2	6.11	0.76	3.78	
		3:00	31.01	43.36	28.32	8.19	5.7	9.6	3.64	
		6:00	30.66	43.46	28.4	8.18	5.73	0.69	3.71	
		9:00	30.98	43.44	28.38	8.21	5.29	0.68	3.22	
		12:00	32.27	43.72	28.59	8.3	6.37	2.49	1.18	
		15:00	32.39	44.07	28.85	8.29	6.38	2.47	1.16	
18:00		32.36	42.13	27.4	7.83	6.37	2.48	1.21		
21:00		32	41.63	27.03	7.77	6.36	2.47	1.06		
日平均值			31.66	43.12	28.15	8.12	6.04	2.71	2.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月24日	蚵殼站	0:00	32.27	42.18	27.44	8.23	6.6	4.07	3.83	
		3:00	31.71	42.11	27.39	8.23	6.53	4	2.76	
		6:00	31.24	42.06	27.35	8.25	6.54	3.81	3.72	
		9:00	31.97	42.82	27.92	8.25	6.63	3.73	3.63	
		12:00	32.71	43.24	28.23	8.27	6.54	3.91	3.53	
		15:00	32.81	42.97	28.03	8.31	6.4	3.44	3.22	
		18:00	32.8	42.93	28	8.25	6.43	4.14	4.57	
		21:00	32.67	42.78	27.89	8.23	6.6	3.88	3.34	
	日平均值			32.27	42.64	27.78	8.25	6.53	3.87	3.58
	潮口站	0:00	31.83	44.65	29.39	8.43	7.69	1.45	1.85	
		3:00	31.43	45.27	29.8	8.4	6.92	1.48	1.81	
		6:00	30.73	45.78	30.15	8.38	6.7	1.43	1.85	
		9:00	31.09	45.77	30.14	8.45	8.09	1.48	1.98	
		12:00	31.54	45.35	29.87	8.3	6.71	1.64	2.02	
		15:00	31.2	45.69	30.1	8.27	6.41	1.67	1.81	
		18:00	30.67	45.07	29.69	8.25	6.01	1.51	1.83	
		21:00	31.35	44.82	29.52	8.27	6.06	1.57	1.8	
	日平均值			31.23	45.30	29.83	8.34	6.82	1.53	1.87
	灣內站	0:00	31.82	43	28.05	7.76	6.39	2.48	0.95	
		3:00	31.28	43.96	28.77	7.76	6.37	2.51	1	
		6:00	31.02	45.08	29.61	7.83	6.41	2.48	0.96	
		9:00	31.6	43.21	28.21	8.05	6.37	2.43	1.04	
		12:00	32.73	45.08	29.61	8.26	6.36	2.49	0.98	
		15:00	32.58	44.57	29.23	8.31	6.39	2.46	3.17	
18:00		32.41	45.08	29.61	7.84	6.36	2.47	1.66		
21:00		32.08	43.21	28.21	7.62	6.37	2.46	1.76		
日平均值			31.94	44.15	28.91	7.93	6.38	2.47	1.44	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月25日	蚵殼站	0:00	32.68	42.37	27.58	8.27	6.51	3.45	3.23
		3:00	32.38	42.45	27.64	8.28	6.47	4.13	3.21
		6:00	32.04	42.37	27.58	8.29	6.47	3.86	4.78
		9:00	31.63	43.57	28.48	8.25	6.48	3.86	2.91
		12:00	32.5	43.33	28.3	8.27	6.61	4.41	3.42
		15:00	32.85	43.26	28.25	8.24	6.42	3.78	3.99
		18:00	32.61	43.1	28.13	8.26	6.54	4.38	4.28
	21:00	32.29	42.44	27.63	8.29	6.6	3.16	3.41	
	日平均值		32.37	42.86	27.95	8.27	6.51	3.88	3.65
	潮口站	0:00	32.05	44.65	29.39	8.36	6.51	1.81	1.77
		3:00	31.52	45.27	29.8	8.31	6.22	1.64	1.77
		6:00	30.54	45.78	30.15	8.22	5.47	1.53	1.79
		9:00	30.89	45.77	30.14	8.26	6.14	1.57	1.87
		12:00	31.63	45.63	30.04	8.28	6.62	1.53	1.79
		15:00	31.19	45.76	30.13	8.26	6.28	1.53	1.81
		18:00	30.64	44.43	28.41	8.25	5.97	1.53	1.77
	21:00	31.02	45.32	29.86	8.25	5.96	1.52	1.83	
	日平均值		31.19	45.33	29.74	8.27	6.15	1.58	1.80
	灣內站	0:00	31.54	41.14	26.66	7.68	6.35	2.53	1.47
		3:00	31.08	42.33	27.55	7.8	6.41	2.5	1.28
		6:00	30.96	43.21	28.21	7.84	6.37	2.49	1.15
9:00		31.74	43.34	28.31	7.98	6.39	2.53	1.41	
12:00		32.27	42.16	27.42	8.3	6.37	2.49	1.18	
15:00		32.39	43.1	28.13	8.29	6.38	2.47	1.16	
18:00		32.36	43.54	28.46	7.83	6.37	2.48	1.21	
21:00	32	43.21	28.21	7.77	6.36	2.47	1.06		
日平均值		31.79	42.75	27.87	7.94	6.38	2.50	1.24	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月26日	蚵殼站	0:00	31.43	41.31	26.79	8.28	6.51	3.61	3.91
		3:00	30.93	40.78	26.39	8.29	6.58	3.85	3.04
		6:00	30.78	40.7	26.33	8.3	6.5	3.18	4.13
		9:00	31.87	42.46	27.65	8.28	6.46	3.84	3.71
		12:00	32.61	43.18	28.19	8.26	6.42	3.24	4.49
		15:00	33.3	42.8	27.9	8.3	6.61	3.54	4.05
		18:00	33.01	42.4	27.6	8.29	6.5	3	4.85
	21:00	32.88	41.78	27.14	8.28	6.65	4.72	3.01	
	日平均值		32.10	41.93	27.25	8.29	6.53	3.62	3.90
	潮口站	0:00	31.6	43.69	28.77	8.27	6.38	1.57	1.8
		3:00	31.36	44.11	29.05	8.26	6.13	1.59	1.79
		6:00	30.8	45.72	30.11	8.23	5.71	1.92	1.81
		9:00	31.02	45.71	30.11	8.27	6.38	1.52	1.83
		12:00	31.84	45.26	30.01	8.29	6.84	1.54	1.81
		15:00	31.52	45.15	29.94	8.27	6.46	1.47	1.84
		18:00	31.19	45.25	30.01	8.25	6.07	1.55	1.82
	21:00	31.3	45.41	30.12	8.25	5.95	1.59	1.81	
	日平均值		31.33	45.04	29.77	8.26	6.24	1.59	1.81
	灣內站	0:00	31.82	43.36	28.32	7.76	6.39	2.48	0.95
		3:00	31.28	43.83	28.67	7.76	6.37	2.51	1
		6:00	31.02	43.88	28.71	7.83	6.41	2.48	0.96
9:00		31.6	44.03	28.82	8.05	6.37	2.43	1.04	
12:00		32.73	43.77	28.63	8.26	6.36	2.49	0.98	
15:00		33.07	43.49	28.42	8.32	6.39	2.47	0.93	
18:00		32.75	43.32	28.29	7.86	6.37	2.49	0.97	
21:00	32.44	42.9	27.98	7.7	6.37	2.46	1.02		
日平均值		32.09	43.57	28.48	7.94	6.38	2.48	0.98	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月27日	蚵殼站	0:00	32.84	41.34	26.81	8.29	6.55	3.99	3.57
		3:00	32.48	41.07	26.61	8.3	6.5	3.91	4.86
		6:00	31.74	39.91	25.74	8.31	6.62	4.02	3.74
		9:00	32.57	41.07	26.61	8.31	6.62	3.47	3.82
		12:00	33.17	41.86	27.2	8.29	6.54	4.14	3.02
		15:00	33.53	41.86	27.2	8.31	6.54	4.53	3.34
		18:00	33.46	41.74	27.11	8.3	6.58	4.87	2.76
	21:00	32.93	41.45	26.89	8.31	6.56	3.37	3.33	
	日平均值		32.84	41.29	26.77	8.30	6.56	4.04	3.56
	潮口站	0:00	31.71	45.39	30.11	8.28	6.67	1.71	1.82
		3:00	32.2	45.6	30.24	8.28	6.42	1.61	1.83
		6:00	31.46	45.73	30.33	8.23	5.69	1.63	1.88
		9:00	31.09	46.47	30.84	8.27	6.31	1.51	1.81
		12:00	31.52	46.33	30.74	8.29	6.9	1.52	1.86
		15:00	31.53	46.46	30.83	8.27	6.45	1.59	1.78
		18:00	31.57	45.13	29.11	8.25	5.94	1.48	1.88
	21:00	31.85	46.02	30.56	8.23	5.61	1.58	1.85	
	日平均值		31.62	45.89	30.35	8.26	6.25	1.58	1.84
	灣內站	0:00	32.33	43.1	28.13	7.74	6.34	2.5	0.9
		3:00	31.19	43.41	28.36	7.65	6.37	2.46	0.95
		6:00	31.71	43.54	28.46	7.68	6.39	2.48	0.96
9:00		32.51	41.67	27.06	8.15	6.38	2.47	0.89	
12:00		32.77	40.75	26.37	8.38	6.38	2.51	0.94	
15:00		32.68	40.3	26.03	8.34	6.36	2.46	0.9	
18:00		32.47	41.37	26.83	7.9	6.36	2.47	0.96	
21:00	32.31	42.53	27.7	7.83	6.37	2.46	0.96		
日平均值		32.25	42.08	27.37	7.96	6.37	2.48	0.93	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月28日	蚵殼站	0:00	32.62	41.74	27.11	8.31	6.54	3.28	3.84
		3:00	32.44	41.62	27.02	8.33	6.41	3.61	3.32
		6:00	32.22	41.58	26.99	8.33	6.56	3.5	2.62
		9:00	32.73	41.25	26.74	8.34	6.46	3.6	4.02
		12:00	32.99	41.66	27.05	8.3	6.59	3.73	3.54
		15:00	33.38	41.66	27.05	8.32	6.73	3.93	4.5
		18:00	33.31	41.61	27.01	8.33	6.45	3.53	3.54
	21:00	33.11	41.46	26.9	8.34	6.58	4.33	3.66	
	日平均值		32.85	41.57	26.98	8.33	6.54	3.69	3.63
	潮口站	0:00	32.26	45.35	30.09	8.27	6.4	1.56	1.8
		3:00	32.28	45.97	30.5	8.27	6.44	1.65	1.8
		6:00	31.76	46.48	30.85	8.23	5.71	1.56	1.85
		9:00	31.28	46.47	30.84	8.26	6.15	2.02	1.84
		12:00	31.67	46.05	30.57	8.27	6.49	1.48	1.82
		15:00	31.91	46.39	30.8	8.25	6.08	1.5	1.81
		18:00	31.36	45.77	30.39	8.24	5.84	1.52	1.85
	21:00	31.83	45.52	30.22	8.24	5.86	1.46	1.81	
	日平均值		31.79	46.00	30.53	8.25	6.12	1.59	1.82
	灣內站	0:00	32.16	42.33	27.55	7.74	6.37	2.45	0.97
		3:00	31.74	42.33	27.55	7.62	6.39	2.46	0.91
		6:00	31.41	43.21	28.21	7.88	6.37	3.16	0.92
9:00		32.08	43.34	28.31	7.97	6.36	9.11	0.87	
12:00		32.76	42.16	27.42	8.21	6.37	10.45	0.95	
15:00		32.88	43.1	28.13	8.08	6.37	10.34	0.91	
18:00		32.89	43.54	28.46	7.68	6.36	10.53	0.96	
21:00	32.42	43.21	28.21	7.55	6.38	10.28	1.02		
日平均值		32.29	42.90	27.98	7.84	6.37	7.35	0.94	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月29日	蚵殼站	0:00	32.97	41.31	26.79	8.33	6.51	4	2.77
		3:00	32.6	41.25	26.74	8.34	6.57	3.61	3.59
		6:00	32.34	41.15	26.67	8.36	6.48	3.38	2.89
		9:00	32.79	41.11	26.64	8.36	6.48	4.94	4.66
		12:00	33.11	41.33	26.8	8.31	6.53	3.39	3.98
		15:00	33.44	41.57	26.98	8.32	6.56	4.53	3.78
		18:00	33.23	41.58	26.99	8.35	6.44	4.93	3.12
	21:00	33.11	41.79	27.15	8.35	6.55	3.44	4.43	
	日平均值		32.95	41.39	26.85	8.34	6.52	4.03	3.65
	潮口站	0:00	32.09	45.35	30.09	8.25	5.93	1.44	1.84
		3:00	32.19	45.97	30.5	8.28	6.63	1.51	1.74
		6:00	32.04	46.48	30.85	8.26	6.29	1.47	1.84
		9:00	31.54	46.47	30.84	8.25	5.92	1.46	1.83
		12:00	31.64	46.33	30.74	8.25	5.91	1.64	1.81
		15:00	31.87	46.46	30.83	8.24	5.88	1.55	1.85
		18:00	31.47	45.13	29.11	8.23	5.67	1.49	1.85
	21:00	31.41	46.02	30.56	8.23	5.6	1.47	1.81	
	日平均值		31.78	46.03	30.44	8.25	5.98	1.50	1.82
	灣內站	0:00	32.16	43.36	28.32	7.52	6.36	8.7	0.89
		3:00	31.83	43.83	28.67	8.21	6.37	3.58	0.93
		6:00	31.47	43.88	28.71	7.62	6.37	8.07	0.94
9:00		31.89	44.03	28.82	8.12	6.39	7.91	0.91	
12:00		32.34	43.77	28.63	8.26	6.35	10.57	0.88	
15:00		32.4	43.49	28.42	8.09	6.34	10.55	0.92	
18:00		32.55	43.32	28.29	7.69	6.37	10.4	0.93	
21:00	32.27	42.9	27.98	8.21	6.38	10.54	0.88		
日平均值		32.11	43.57	28.48	7.97	6.37	8.79	0.91	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月30日	蚵殼站	0:00	32.76	41.79	27.15	8.34	6.55	3.97	3.12
		3:00	32.46	41.66	27.05	8.35	6.53	3.94	3.51
		6:00	32.23	41.67	27.06	8.35	6.55	4.28	4.58
		9:00	32.77	41.62	27.02	8.31	6.55	3.61	3.05
		12:00	33.34	41.65	27.04	8.29	6.56	3.78	4.12
		15:00	33.44	41.7	27.08	8.3	6.62	4.9	2.28
		18:00	33.33	41.81	27.16	8.34	6.61	4.79	4.63
	21:00	32.85	41.67	27.06	8.35	6.54	3.69	3.55	
	日平均值		32.90	41.70	27.08	8.33	6.56	4.12	3.61
	潮口站	0:00	31.71	44.39	29.47	8.22	5.38	1.44	1.8
		3:00	32.1	44.81	29.75	8.27	6.32	1.53	1.76
		6:00	32.27	46.42	30.81	8.27	6.48	1.54	1.83
		9:00	31.98	46.41	30.81	8.25	6	1.55	1.87
		12:00	31.74	46.33	30.74	8.25	6.03	1.53	1.86
		15:00	31.78	46.46	30.83	8.24	5.88	1.55	1.86
		18:00	31.83	45.13	29.11	8.22	5.39	1.43	1.78
	21:00	31.62	46.02	30.56	8.21	5.28	1.53	1.76	
	日平均值		31.88	45.75	30.26	8.24	5.85	1.51	1.82
	灣內站	0:00	32.23	43.1	28.13	8.21	6.4	10.55	0.84
		3:00	31.93	43.41	28.36	8.08	6.37	10.31	0.95
		6:00	31.39	43.54	28.46	7.58	6.37	10.49	0.86
9:00		31.84	41.67	27.06	7.83	6.4	10.11	0.87	
12:00		32.33	40.75	26.37	8.05	6.39	10.55	0.99	
15:00		32.38	40.3	26.03	7.87	6.43	10.57	1.07	
18:00		32.2	41.37	26.83	7.6	6.39	10.57	0.96	
21:00	32.17	42.53	27.7	8.21	6.38	10.57	1.01		
日平均值		32.06	42.08	27.37	7.93	6.39	10.47	0.94	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月1日	蚵殼站	0:00	32.32	45.62	29.92	8.12	10.08	19.78	18.42	
		3:00	32.13	44.37	29.06	8.13	9.86	24.04	18.87	
		6:00	31.95	46.22	30.3	7.97	6.13	22.11	17.7	
		9:00	32.27	46.46	30.43	8.02	9.04	22.06	9.9	
		12:00	33.08	46.5	30.4	7.87	10.92	24.03	45.59	
		15:00	33.33	45.73	29.97	8.11	11.84	24.05	46.55	
		18:00	33.24	46.85	30.67	7.93	11.1	20.55	20.78	
		21:00	33.03	46.38	30.41	8.02	9.24	19.67	17.64	
	日平均值			32.67	46.02	30.15	8.02	9.78	22.04	24.43
	潮口站	0:00	32.65	46.05	30.19	8.27	6.62	5.28	5.16	
		3:00	32.74	44.87	29.38	8.22	6.06	2.58	2.98	
		6:00	32.55	46.67	30.59	8.24	5.75	3.49	17.20	
		9:00	32.48	46.92	30.69	8.34	8.67	10.48	8.92	
		12:00	32.81	46.95	30.71	8.29	7.90	2.13	9.72	
		15:00	33.11	46.25	30.27	8.17	6.97	10.18	3.23	
		18:00	32.96	47.26	30.99	8.22	7.27	11.89	5.29	
		21:00	32.84	47.14	30.87	8.23	7.03	10.74	3.62	
	日平均值			32.77	46.51	30.46	8.25	7.03	7.10	7.02
	灣內站	0:00	30.96	46.3	30.47	8.12	8.55	18.36	33.24	
		3:00	31.16	46.17	30.29	8.17	6.83	20.12	39.9	
		6:00	31.05	46.07	30.24	8.04	7.94	12.05	30.33	
		9:00	30.98	45.85	30.12	8.11	8.3	20.89	21.83	
		12:00	31.16	46.12	30.14	8.16	8.91	23.9	26.22	
		15:00	31.37	45.99	30.22	8.09	9.65	35.09	33.7	
		18:00	30.49	46.28	30.56	8.1	9.82	10.22	44.43	
		21:00	30.35	46.78	31.37	8.06	8.5	30.25	36.27	
	日平均值			30.94	46.20	30.43	8.11	8.56	21.36	33.24
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月2日	蚵殼站	0:00	32.88	46.58	30.53	8.07	7.5	19.15	13.07	
		3:00	32.87	46.39	30.39	8.02	6.8	22.25	21.75	
		6:00	32.62	46.58	30.55	8.02	6.34	34.79	14.81	
		9:00	32.99	46.14	30.24	8.13	7.19	21.06	15.44	
		12:00	33.55	46.6	30.5	8.03	7.5	23.83	8.12	
		15:00	33.49	46.48	30.46	8.06	9.22	26.1	16.11	
		18:00	33.02	46.28	30.28	8.23	11.61	24.31	27.26	
		21:00	33.03	44.92	29.5	8.22	8.55	25.43	17.01	
	日平均值			33.06	46.25	30.31	8.10	8.09	24.62	16.70
	潮口站	0:00	32.60	47.04	30.82	8.25	6.50	9.51	1.51	
		3:00	32.69	46.85	30.69	8.33	7.26	7.68	9.21	
		6:00	32.39	47.00	30.85	8.21	6.24	24.00	1.92	
		9:00	32.54	46.63	30.52	8.17	7.00	26.78	1.49	
		12:00	33.56	47.03	30.85	8.46	9.02	27.14	6.60	
		15:00	33.19	46.92	30.75	8.29	7.68	10.45	7.41	
		18:00	32.82	46.74	30.55	8.11	7.25	7.99	1.58	
		21:00	32.85	45.46	29.79	8.13	6.65	26.59	4.43	
	日平均值			32.83	46.71	30.60	8.24	7.20	17.52	4.27
	灣內站	0:00	31.34	47.41	31.15	8.06	7.65	64.86	31.99	
		3:00	31.06	46.65	30.54	8.03	6.9	47.98	23.36	
		6:00	30.71	46.31	30.22	8	6.42	63.13	20.77	
		9:00	30.95	45.97	30.21	8.23	9.54	32.85	37.03	
		12:00	31.43	45.29	29.83	8.31	10.54	29.22	37.13	
		15:00	31.58	45.18	29.77	8.34	12.94	23	38.48	
		18:00	31.51	45.49	29.96	8.29	11.6	13.4	38.61	
		21:00	31.36	46.3	30.29	8.09	9.33	7.44	37.05	
	日平均值			31.24	46.08	30.25	8.17	9.37	35.24	33.05
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月3日	蚵殼站	0:00	33.36	46.43	30.42	8.09	7.68	18.82	14.15	
		3:00	33.26	45.34	29.69	8.28	7.78	19.79	20.41	
		6:00	32.87	46.67	30.57	8.17	6.3	21.31	17.71	
		9:00	33.02	46.94	30.71	8.09	7.93	23.09	16.89	
		12:00	33.46	45.88	30.04	8.15	8.53	22.85	9.25	
		15:00	33.42	45.13	29.65	8.21	11.19	25.07	32.43	
		18:00	32.87	44.35	29.09	8.28	9.04	47.48	22.65	
		21:00	32.58	44.16	28.91	8.27	6.46	25.01	9.8	
	日平均值			33.11	45.61	29.89	8.19	8.11	25.43	17.91
	潮口站	0:00	32.62	46.86	30.70	8.36	7.26	8.92	11.48	
		3:00	32.49	45.83	30.01	8.37	7.82	2.65	8.43	
		6:00	32.45	47.05	30.84	8.24	6.28	8.03	3.37	
		9:00	32.48	47.34	31.03	8.22	6.88	23.86	1.46	
		12:00	32.35	47.18	30.81	8.16	9.02	6.77	1.17	
		15:00	32.32	49.50	32.35	8.17	8.52	6.54	5.45	
		18:00	32.34	49.13	32.09	8.09	7.61	7.80	8.52	
		21:00	31.51	47.13	30.71	8.14	7.53	21.28	1.28	
	日平均值			32.32	47.50	31.07	8.22	7.62	10.73	5.15
	灣內站	0:00	31.01	46.83	30.8	8.05	8.09	8.3	30.3	
		3:00	30.81	46.85	30.79	8.05	7.68	9.28	32.89	
		6:00	30.99	46.83	30.79	8	7.54	19.07	33.22	
		9:00	31.22	46.95	30.85	8.01	5.31	61.39	37.47	
		12:00	31.69	45.93	30.17	8.4	14.07	78.56	14.45	
		15:00	31.55	45.75	30.16	8.31	11.92	79.43	74.82	
		18:00	31.59	45.57	30	8.18	10.61	63.81	34.62	
		21:00	31.54	45.82	30.13	8.27	11.75	19.86	19.86	
	日平均值			31.30	46.32	30.46	8.16	9.62	42.46	34.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月4日	蚵殼站	0:00	32.32	44.22	28.93	8.26	7.93	25.85	13.66	
		3:00	32.47	44.07	28.88	8.27	9.06	38.83	23.65	
		6:00	32.54	46.47	30.49	8.22	9.42	20.51	20.12	
		9:00	33.03	47.85	31.27	8.23	7.49	24.13	16.49	
		12:00	33.23	47.98	31.38	8.09	7.13	23.87	8.99	
		15:00	33.16	47.38	31.01	8.14	10.82	28	14.05	
		18:00	32.99	47.63	31.15	8.06	12.77	23.76	34.25	
		21:00	32.21	47.49	31.1	8.27	9.98	22.78	13.89	
	日平均值			32.74	46.64	30.53	8.19	9.33	25.97	18.14
	潮口站	0:00	31.46	46.62	30.11	8.23	8.34	21.42	7.98	
		3:00	31.81	46.61	30.48	8.40	8.10	3.99	2.27	
		6:00	31.77	47.62	31.14	8.26	6.53	10.66	3.95	
		9:00	31.85	47.53	31.04	8.37	7.25	15.05	1.86	
		12:00	32.31	50.16	32.53	8.31	10.02	28.78	6.54	
		15:00	32.25	50.72	33.09	8.31	8.47	17.27	14.23	
		18:00	31.93	49.90	32.63	8.21	6.48	27.84	3.98	
		21:00	31.75	50.58	33.00	8.22	6.45	17.03	7.16	
	日平均值			31.89	48.72	31.75	8.29	7.71	17.76	6.00
	灣內站	0:00	31.35	46.7	30.67	8.06	8.62	9.98	26.24	
		3:00	31.38	46.54	30.65	8.06	7.81	24.51	9.98	
		6:00	31	46.14	30.26	8.14	7.53	15	24.51	
		9:00	31.28	46	30.22	8.27	12.54	13.18	50.64	
		12:00	31.54	45.77	30.16	8.35	11.23	39.65	60.73	
		15:00	31.61	45.53	29.91	8.46	10.96	11.17	13.18	
		18:00	31.57	44.96	29.57	8.3	12.89	13.27	9.56	
		21:00	31.23	44.92	29.59	8.32	11.43	21.02	39.65	
	日平均值			31.37	45.82	30.13	8.25	10.38	18.47	29.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月5日	蚵殼站	0:00	32.08	47.76	31.33	8.23	8.22	24.28	17.37	
		3:00	32.04	47.76	31.27	8.18	8.24	23.84	19.3	
		6:00	32.08	48.51	31.75	8.23	7.93	20.89	15.94	
		9:00	32.44	46.47	30.46	8.35	10.85	21.38	26.07	
		12:00	33.09	46.86	30.65	8.33	11.12	22.17	14.63	
		15:00	32.94	47.83	31.41	8.16	8.18	21.5	17.78	
		18:00	32.9	46.29	30.35	8.29	8.95	26.78	30.73	
		21:00	31.98	46.48	30.5	8.21	7.88	23.29	5.85	
	日平均值			32.44	47.25	30.97	8.25	8.92	23.02	18.46
	潮口站	0:00	31.55	51.89	33.95	8.24	9.47	31.84	8.83	
		3:00	31.13	49.44	32.34	8.42	9.86	26.92	7.56	
		6:00	30.95	48.35	31.62	8.40	8.24	20.96	3.72	
		9:00	31.51	49.60	32.36	8.31	7.13	18.64	3.85	
		12:00	31.74	50.54	33.08	8.22	8.92	37.80	7.84	
		15:00	31.60	45.50	29.79	8.22	8.21	15.28	6.48	
		18:00	31.73	49.17	32.19	8.20	6.73	16.19	4.85	
		21:00	31.50	48.20	31.51	8.30	7.02	8.56	1.29	
	日平均值			31.46	49.09	32.11	8.29	8.20	22.02	5.55
	灣內站	0:00	30.82	45.09	29.68	8.28	8.86	10.84	44.92	
		3:00	30.98	48.1	31.61	7.91	5.88	14.91	11.17	
		6:00	30.17	45.83	29.69	8.22	9.91	9.65	13.27	
		9:00	30.3	45.79	30.12	8.34	10.75	6.13	21.02	
		12:00	30.77	45.9	30.2	8.34	12.51	9.18	17.65	
		15:00	30.87	46.12	30.35	8.38	11.69	12.24	19.27	
		18:00	30.5	46.68	30.76	8.27	9.2	26.77	15.69	
		21:00	30.48	46.92	30.87	8.21	6.94	11.3	56.73	
	日平均值			30.61	46.30	30.41	8.24	9.47	12.63	24.97
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月6日	蚵殼站	0:00	32.38	47.06	30.87	7.94	5.31	28.41	4.38	
		3:00	32.05	47.8	31.35	8	6.35	20.92	8.04	
		6:00	31.47	49.05	32.09	8	6.45	22.99	6.59	
		9:00	32.09	48.33	31.66	8.19	10.06	36.42	9.75	
		12:00	32.63	46.79	30.68	8.21	7.82	26.98	5.99	
		15:00	32.39	47.09	30.81	8.14	9.84	21.17	3.08	
		18:00	32	47.68	31.28	8.16	9.34	20.92	7.3	
		21:00	31.98	47.68	31.22	8.13	8.24	21.33	25.85	
	日平均值			32.12	47.69	31.25	8.10	7.93	24.89	8.87
	潮口站	0:00	31.42	50.88	33.29	8.22	10.52	40.68	9.01	
		3:00	31.20	50.16	32.82	8.23	10.01	20.01	7.63	
		6:00	30.57	46.07	30.08	8.25	9.43	1.59	1.43	
		9:00	31.71	47.19	30.84	8.17	7.82	35.38	2.31	
		12:00	32.10	47.63	31.15	8.34	7.70	12.78	5.52	
		15:00	32.04	44.60	29.22	8.18	7.43	11.60	5.90	
		18:00	31.91	48.80	31.94	8.23	6.63	9.50	6.81	
		21:00	31.95	47.55	31.15	8.31	7.04	2.63	6.53	
	日平均值			31.61	47.86	31.31	8.24	8.32	16.77	5.64
	灣內站	0:00	30.61	47.56	31.25	8.15	6.31	7.32	36.73	
		3:00	30.83	47.97	31.55	7.99	6.44	4.45	35.15	
		6:00	30.89	47.96	31.52	7.96	5.38	5.96	20.64	
		9:00	31.04	47.18	31.05	8.08	8.51	9.21	30.35	
		12:00	31.59	45.99	30.26	8.33	12.7	14.2	26.39	
		15:00	31.49	46.81	30.75	8.21	10.74	14.89	45.8	
		18:00	31.41	47.03	30.94	8.13	8.41	55.22	13.18	
		21:00	31.48	46.89	30.8	8.01	8.43	23.52	9.56	
	日平均值			31.17	47.17	31.02	8.11	8.37	16.85	27.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月7日	蚵殼站	0:00	31.12	46.88	30.76	8.16	5.95	19.8	5.91	
		3:00	30.93	46.88	30.72	8.16	6.21	20.02	6.27	
		6:00	30.8	46.51	30.44	8.08	6.17	20.79	8.68	
		9:00	31.26	47.6	31.13	8.22	7.62	24.17	4.61	
		12:00	31.48	47.83	31.39	8.06	9.29	27.07	14.28	
		15:00	31.32	47.43	31.07	8.08	9.76	24.62	16.22	
		18:00	31.16	46.6	30.5	8.16	9.79	23.77	17.83	
		21:00	31.18	46.28	30.31	8.18	7.51	22.99	13.87	
	日平均值			31.16	47.00	30.79	8.14	7.79	22.90	10.96
	潮口站	0:00	31.72	49.49	32.35	8.23	7.46	19.30	5.41	
		3:00	31.69	50.59	33.07	8.20	8.45	22.60	2.22	
		6:00	31.48	46.28	30.27	8.32	9.04	3.55	3.03	
		9:00	32.53	46.01	30.13	8.43	7.68	4.73	4.16	
		12:00	32.92	47.33	30.70	8.35	7.23	9.10	4.52	
		15:00	32.33	44.62	29.18	8.19	7.36	6.78	1.30	
		18:00	32.23	48.00	31.39	8.27	6.52	9.41	17.34	
		21:00	32.18	46.04	29.82	8.29	6.87	3.00	1.33	
	日平均值			32.14	47.30	30.86	8.29	7.58	9.81	4.91
	灣內站	0:00	30.3	46.97	30.83	7.98	7.18	16.62	45.87	
		3:00	30.15	47.34	31.05	8.08	6.85	11.93	44.92	
		6:00	29.87	47.93	31.48	8.02	6.01	23.81	11.17	
		9:00	30.48	47.85	31.46	8.04	6.93	57.35	13.27	
		12:00	31.61	46.76	30.79	8.08	9.05	18.61	20.76	
		15:00	31.79	46.84	30.79	8.25	11.49	19.97	17.17	
		18:00	31.26	47.16	30.99	8.14	8.06	33.33	20.38	
		21:00	31.01	47.52	31.24	8.14	7.67	24.15	36.57	
	日平均值			30.81	47.30	31.08	8.09	7.91	25.72	26.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月8日	蚵殼站	0:00	31.12	46.75	30.55	8.12	8.05	21.11	4.86	
		3:00	30.93	46.29	30.28	8.19	6.26	21.65	18.53	
		6:00	30.8	45.98	30.09	8.16	8.34	22.41	10.95	
		9:00	30.75	47.68	31.29	8.04	6.16	24.58	7.09	
		12:00	31.15	47.38	31.06	8.16	8.39	34.55	8.43	
		15:00	31.59	46.87	30.75	8.25	11.56	26.27	39.25	
		18:00	31.54	46.32	30.35	8.04	7.61	22.84	5.93	
		21:00	31.13	45.37	29.68	8.06	7.96	22.45	6.77	
	日平均值			31.13	46.58	30.51	8.13	8.04	24.48	12.73
	潮口站	0:00	31.23	47.91	31.34	8.22	6.66	8.31	4.16	
		3:00	30.71	50.58	33.08	8.24	8.71	40.55	2.37	
		6:00	30.70	48.30	31.58	8.26	8.19	13.87	3.67	
		9:00	31.61	46.14	30.03	8.38	7.47	7.52	4.62	
		12:00	31.98	47.44	31.02	8.34	7.15	8.96	3.88	
		15:00	31.57	42.69	27.93	8.13	7.34	7.17	1.88	
		18:00	31.11	48.52	31.71	8.23	7.46	9.53	4.29	
		21:00	31.55	47.50	31.11	8.39	6.57	3.37	6.21	
	日平均值			31.31	47.39	30.98	8.27	7.44	12.41	3.89
	灣內站	0:00	29.93	47.49	31.14	8.06	6.9	12.93	40.46	
		3:00	29.65	47.62	31.29	8.07	6.35	6.22	68.65	
		6:00	29.38	48.25	31.76	8	7.86	5.37	54.61	
		9:00	29.79	47.95	31.56	7.96	7.19	11.53	43.67	
		12:00	31	46.61	30.71	8.19	11.52	15.26	29.23	
		15:00	31.22	46.5	30.63	8.24	10.68	32.62	71.62	
		18:00	30.77	46.84	30.84	8.23	9.86	13.23	54.86	
		21:00	30.7	47.41	31.19	8.07	11.98	7.61	51.98	
	日平均值			30.31	47.33	31.14	8.10	9.04	13.10	51.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月9日	蚵殼站	0:00	31.27	45.67	29.98	8.15	7.53	25.86	9.28	
		3:00	31.16	46.03	30.16	8.02	6.69	21.82	7.57	
		6:00	31.1	47.8	31.35	7.96	5.77	23.46	8.25	
		9:00	31.15	47.56	31.18	8.08	6.48	26.96	5.9	
		12:00	31.69	47.01	30.87	8.17	7.61	27.95	32.75	
		15:00	31.62	46.75	30.57	8.24	11.29	28.31	14.16	
		18:00	31.53	45.94	30.14	8.15	8.92	23.51	12.01	
		21:00	31.01	45.36	29.69	8.14	8.67	23.13	12.32	
	日平均值			31.32	46.52	30.49	8.11	7.87	25.13	12.78
	潮口站	0:00	31.29	46.98	30.21	8.30	6.15	3.51	8.74	
		3:00	30.77	50.06	32.70	8.18	7.54	32.75	3.98	
		6:00	30.84	48.62	31.80	8.28	8.84	17.12	7.73	
		9:00	31.89	45.85	30.95	8.38	8.57	7.39	1.29	
		12:00	32.40	46.02	30.85	8.20	6.61	9.62	32.24	
		15:00	31.64	41.58	30.36	8.24	7.37	8.98	1.10	
		18:00	31.21	45.73	30.90	8.30	6.62	7.53	11.53	
		21:00	31.57	44.42	31.07	8.38	6.01	3.40	2.01	
	日平均值			31.45	46.16	31.11	8.28	7.21	11.29	8.58
	灣內站	0:00	30.6	47.28	31.03	8.18	7.19	14.49	22.47	
		3:00	30.14	47.28	31.07	8.17	8.6	17.91	50.03	
		6:00	29.45	47.79	31.11	8	6.1	17.75	13.18	
		9:00	29.92	47.68	31.35	8	8.77	59.5	9.56	
		12:00	31.44	46.62	30.71	8.18	13.25	55.26	39.65	
		15:00	31.53	46.23	30.38	8.33	10.57	28.2	45.87	
		18:00	30.56	46.58	30.62	8.18	8.82	22.22	44.92	
		21:00	30.17	46.89	30.82	8.11	7.54	31.39	11.17	
	日平均值			30.48	47.04	30.89	8.14	8.86	30.84	29.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月10日	蚵殼站	0:00	31.14	44.41	29.04	8.23	9.12	22.21	32.56	
		3:00	31.08	44.67	29.25	8.19	5.79	19.43	40.12	
		6:00	30.93	45.07	29.49	8.06	6.91	16.81	8.92	
		9:00	31.02	45.24	29.67	8.12	5.84	17.01	5.92	
		12:00	31.6	44.78	29.3	7.99	7.68	8.99	3.2	
		15:00	32	44.69	29.27	7.91	11.81	12.96	5.96	
		18:00	31.99	44.61	29.22	7.83	8.74	17.55	14.78	
		21:00	32.01	44.94	29.37	7.85	6.85	10.35	9.79	
	日平均值			31.47	44.80	29.33	8.02	7.84	15.66	15.16
	潮口站	0:00	31.49	42.94	30.11	8.38	6.06	4.74	3.62	
		3:00	31.47	44.86	31.24	8.32	6.73	7.83	39.68	
		6:00	30.84	46.02	30.06	8.29	6.66	15.26	8.48	
		9:00	30.97	45.86	30.04	8.18	6.40	15.44	7.54	
		12:00	31.37	47.16	30.86	8.16	6.49	7.32	2.67	
		15:00	31.75	44.33	28.98	8.14	6.95	11.33	1.66	
		18:00	31.61	46.89	30.65	8.21	6.46	16.00	4.96	
		21:00	31.40	46.44	30.43	8.17	6.09	8.79	1.25	
	日平均值			31.36	45.56	30.30	8.23	6.48	10.84	8.73
	灣內站	0:00	30.4	46.78	30.74	8.07	10.12	9.22	28.58	
		3:00	30.59	46.52	30.61	8.15	5.85	6	14.88	
		6:00	30.3	47.07	30.7	8.05	6.39	3.48	8.56	
		9:00	30.36	47.74	30.79	8.2	5.96	6.16	12.9	
		12:00	30.57	49.69	30.51	8.03	7.86	6.02	9.24	
		15:00	30.71	47.35	30.46	8.03	11.87	12.78	2.93	
		18:00	30.86	47.9	30.38	7.88	8.82	9.17	5.67	
		21:00	30.69	47.41	30.61	7.94	6.9	4.4	22.76	
	日平均值			30.56	47.56	30.60	8.04	7.97	7.15	13.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
10月11日	蚵殼站	0:00	31.93	45.03	29.54	7.95	6.9	11.31	5.42	
		3:00	31.92	45.04	29.56	8.29	6.27	11.66	2.53	
		6:00	31.68	44.9	29.43	8.42	5.58	10.22	2.99	
		9:00	31.62	45.05	29.47	8.44	5.91	8.66	3.66	
		12:00	31.6	45.7	29.94	8.19	7.68	9.53	5.18	
		15:00	31.42	44.48	29.12	7.96	8.74	23.54	2.23	
		18:00	31.13	44.22	28.98	8.19	8.53	25.87	9.98	
	21:00	31.09	45.51	29.84	8.28	6.5	24.32	2.65		
	日平均值			31.55	44.99	29.49	8.22	7.01	15.64	4.33
	潮口站	0:00	31.32	47.79	31.32	8.14	5.65	9.77	3.71	
		3:00	31.15	47.58	31.19	8.19	5.85	10.00	5.36	
		6:00	30.69	45.11	29.53	8.35	7.53	8.67	4.78	
		9:00	31.04	45.94	30.08	8.20	6.50	7.04	7.85	
		12:00	31.84	46.25	30.25	8.19	6.46	7.96	4.61	
		15:00	30.82	44.83	29.32	8.14	7.67	22.69	1.77	
		18:00	30.72	44.93	29.38	8.22	7.15	23.79	4.31	
	21:00	31.30	47.62	31.23	8.35	8.18	6.78	7.24		
	日平均值			31.11	46.26	30.29	8.22	6.87	12.09	4.95
	灣內站	0:00	30.47	46.93	30.75	7.94	7	3.99	15.83	
		3:00	30.48	47.1	30.73	8.37	6.38	2.32	15.88	
		6:00	30.6	47.71	30.56	8.21	5.62	2.21	13.67	
9:00		30.38	47.85	30.69	8.33	6	3.9	8.19		
12:00		30.39	47.2	30.17	8.24	7.78	3.84	7.06		
15:00		31.09	45.21	29.77	8.39	8.89	19.12	14.44		
18:00		30.6	45.78	30.14	8.29	10.13	53.26	37.56		
21:00	30.55	46.59	30.66	8.12	10.62	22.11	39.82			
日平均值			30.57	46.80	30.43	8.24	7.80	13.84	19.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
10月12日	蚵殼站	0:00	30.97	45.7	29.94	8.2	5.72	27.81	41.94	
		3:00	30.58	46.34	30.38	8.04	6.32	30.15	3.6	
		6:00	30.38	45.86	30	8.26	7.1	25.04	3.41	
		9:00	30.18	45.52	29.81	8.24	6.18	27.72	2.6	
		12:00	30.04	44.97	29.47	8.27	7.5	27.55	4.06	
		15:00	30.03	45.89	30.1	8.12	9.88	28.81	3.85	
		18:00	30	44.57	29.17	8.42	6.42	27.27	4.58	
	21:00	29.98	44.56	29.13	8.4	5.66	24.31	14.27		
	日平均值			30.27	45.43	29.75	8.24	6.85	27.33	9.79
	潮口站	0:00	31.06	44.91	29.33	8.47	6.67	3.59	3.87	
		3:00	30.96	46.97	30.78	8.33	6.44	13.09	1.90	
		6:00	30.68	50.53	33.12	8.24	6.92	28.25	4.73	
		9:00	31.13	46.36	30.39	8.11	6.86	7.60	4.39	
		12:00	31.87	46.10	30.26	8.35	7.08	8.25	9.25	
		15:00	31.41	47.13	30.82	8.35	7.28	9.06	3.34	
		18:00	30.49	46.90	30.66	8.22	6.99	22.80	1.42	
	21:00	30.79	46.46	30.43	8.27	7.95	9.03	3.99		
	日平均值			31.05	46.92	30.72	8.29	7.02	12.71	4.11
	灣內站	0:00	30.49	46.1	30.35	8.16	8.89	24.73	36.47	
		3:00	30.03	45.24	29.84	8.26	9.01	9.76	47.11	
		6:00	30.07	46.03	30.26	8.12	10.24	16.25	38.17	
9:00		29.49	48.37	31.82	7.91	6.09	8.61	37.51		
12:00		29.95	47.24	31.05	8	9.07	13.13	31.06		
15:00		30.29	45.74	30.06	8.24	9.36	43.77	44.9		
18:00		29.74	48.24	31.72	8	5.34	16.09	51.79		
21:00	29.65	48.72	31.96	7.96	6.66	8.49	43.52			
日平均值			29.96	46.96	30.88	8.08	8.08	17.60	41.32	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月13日	蚵殼站	0:00	29.72	44.88	29.39	8.22	7.02	22.19	5.49	
		3:00	29.6	45.59	29.89	8.14	6.66	21.71	2.15	
		6:00	29.49	45.28	29.7	8.18	5.79	20.36	2.71	
		9:00	29.43	45.43	29.71	8.18	6.7	26.86	3.81	
		12:00	29.65	45.55	29.8	8.07	6.64	26.65	1.9	
		15:00	29.7	44.76	29.32	8.26	6.29	25.33	7.72	
		18:00	29.63	45.04	29.48	8.25	6.72	20.71	1.46	
		21:00	29.7	44.24	29.04	8.2	6.98	20.61	2.16	
	日平均值			29.62	45.10	29.54	8.19	6.60	23.05	3.43
	潮口站	0:00	30.94	45.75	29.97	8.36	6.79	3.61	4.42	
		3:00	30.75	45.18	29.60	8.46	6.47	3.25	1.21	
		6:00	30.68	48.22	31.57	8.18	6.88	24.86	5.13	
		9:00	31.05	46.62	30.55	8.32	7.52	14.67	3.32	
		12:00	31.36	45.95	30.08	8.39	6.81	14.76	9.60	
		15:00	31.51	45.93	30.07	8.34	6.12	10.40	6.91	
		18:00	30.79	45.91	30.06	8.17	6.54	15.39	36.51	
		21:00	30.78	47.52	31.11	8.25	6.78	9.94	1.39	
	日平均值			30.98	46.39	30.38	8.31	6.74	12.11	8.56
	灣內站	0:00	29.63	48.61	31.98	7.94	6.61	30.9	34.76	
		3:00	29.9	47.11	30.97	7.93	5.77	28.26	45.23	
		6:00	29.79	47.77	31.35	7.89	5.83	35.72	36.3	
		9:00	29.9	47.58	31.22	7.9	5.48	14.84	9.56	
		12:00	30.23	45.65	30.05	8.16	9.61	32.77	28.73	
		15:00	30.45	44.78	29.42	8.36	9.78	25.58	34.13	
		18:00	29.97	45.99	30.19	8.39	10.98	28.13	50.49	
		21:00	29.72	47.33	31.06	8.24	12.21	26.38	48.06	
	日平均值			29.95	46.85	30.78	8.10	8.28	27.82	35.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月14日	蚵殼站	0:00	29.67	44.6	29.27	8.22	7.59	21.56	2.55	
		3:00	29.43	45.12	29.54	8.33	5.8	21.5	1.2	
		6:00	28.66	44.61	29.17	8.31	6.22	22.66	0.11	
		9:00	28.56	43.89	28.71	8.45	9.21	26.39	5.76	
		12:00	28.98	44.44	29.04	8.2	9.74	24.92	4.72	
		15:00	29.31	44.64	29.29	8.21	6.32	24.15	2.3	
		18:00	29.53	44.45	29.15	8.36	6.21	22.02	2.25	
		21:00	29.64	43.51	28.54	8.36	8.14	20.71	6.54	
	日平均值			29.22	44.41	29.09	8.31	7.40	22.99	3.18
	潮口站	0:00	31.02	45.06	29.48	8.08	7.37	0.72	1.75	
		3:00	30.83	44.43	29.09	8.27	5.62	2.77	36.93	
		6:00	30.92	45.82	29.98	8.34	5.98	6.49	26.10	
		9:00	31.43	46.38	30.34	8.32	9.05	9.47	4.92	
		12:00	31.42	46.97	30.70	8.31	9.51	10.22	3.99	
		15:00	31.60	42.99	28.07	8.18	6.19	10.78	1.50	
		18:00	31.09	44.15	28.87	8.20	5.98	13.96	1.42	
		21:00	31.04	46.29	30.31	8.18	7.84	8.31	5.73	
	日平均值			31.17	45.26	29.61	8.24	7.19	7.84	10.29
	灣內站	0:00	29.41	48.49	31.85	8.06	8.93	22.58	42.41	
		3:00	29.54	48.45	31.83	7.97	7.43	41.26	41.26	
		6:00	28.14	47.95	31.26	7.95	7.52	10.84	34.48	
		9:00	28.53	47.61	31.24	8.1	7.19	14.91	36.55	
		12:00	29.47	45.81	30.17	8.32	12.96	9.65	31.49	
		15:00	29.6	45.31	29.82	8.42	14.14	6.13	45.11	
		18:00	29.13	45.52	29.95	8.29	11.21	9.18	44.56	
		21:00	28.85	46.43	30.51	8.16	10.15	12.24	45.77	
	日平均值			29.08	46.95	30.83	8.16	9.94	15.85	40.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月15日	蚵殼站	0:00	29.67	43.84	28.69	8.38	7.87	22.25	5.12	
		3:00	29.58	43.52	28.58	8.44	5.69	20.61	2.68	
		6:00	29.09	45.5	29.82	8.22	5.77	20.35	4.27	
		9:00	29.57	46.19	30.21	8.27	9.01	21.63	4.63	
		12:00	30.38	46.12	30.23	8.3	9.34	23.77	4.42	
		15:00	30.89	45.99	30.14	8.48	6.4	24.43	4.26	
		18:00	30.97	45.98	30.07	8.44	5.94	23.13	2.7	
		21:00	30.68	45.65	29.87	8.13	6.9	20.99	4.43	
	日平均值			30.10	45.35	29.70	8.33	7.12	22.15	4.06
	潮口站	0:00	31.05	44.40	29.05	8.30	7.68	0.99	4.39	
		3:00	31.41	44.72	29.24	8.31	10.40	1.21	1.85	
		6:00	31.27	44.81	29.31	8.42	5.57	6.95	15.54	
		9:00	31.40	46.43	30.39	8.24	8.82	4.78	3.81	
		12:00	31.97	45.79	29.99	8.29	9.16	9.50	3.69	
		15:00	31.90	44.98	29.40	8.32	6.22	9.48	3.48	
		18:00	31.19	45.78	29.98	8.18	5.79	20.02	1.84	
		21:00	30.75	46.24	30.24	8.20	6.73	25.49	3.65	
	日平均值			31.37	45.39	29.70	8.28	7.55	9.80	4.78
	灣內站	0:00	28.67	47.63	31.32	8.02	6.61	11.3	39.49	
		3:00	28.59	47.85	31.19	8.06	5.32	12.73	44.31	
		6:00	28.32	46.63	30.4	8.14	6.64	7.86	28.72	
		9:00	28.7	46.96	30.8	8.22	11.05	10.9	74.73	
		12:00	29.64	46.33	30.52	8.38	13.51	12.84	10.8	
		15:00	29.73	45.73	30.1	8.36	14.01	10.55	16.09	
		18:00	29.46	44.31	29.11	8.32	8.74	12.36	20.62	
		21:00	29.36	44.83	29.41	8.29	7.43	6.37	13.9	
	日平均值			29.06	46.28	30.36	8.22	9.16	10.61	31.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月16日	蚵殼站	0:00	30.55	47.2	30.89	8.25	6.72	21.17	4.28	
		3:00	30.47	46.27	30.31	8.05	5.89	20.06	2.51	
		6:00	30.22	46.64	30.55	8.4	6.41	21.51	2.47	
		9:00	30.63	47.39	31.04	8.25	7.39	23.61	4.39	
		12:00	31.38	46.9	29.64	8.25	12.31	26.45	21.91	
		15:00	31.61	46.59	30.54	8.37	13.38	33.2	8.05	
		18:00	31.45	46.32	30.38	8.38	12.95	16.54	8.7	
		21:00	31.27	46.53	30.5	8.43	12.07	6.04	18.72	
	日平均值			30.95	46.73	30.48	8.30	9.64	21.07	8.88
	潮口站	0:00	31.40	45.79	29.99	8.32	6.50	5.99	3.42	
		3:00	31.19	45.85	29.95	8.37	5.65	9.49	1.72	
		6:00	31.25	45.91	30.03	8.38	6.25	14.43	1.65	
		9:00	31.37	47.49	31.06	8.24	6.31	24.43	3.58	
		12:00	31.40	47.70	31.27	8.26	8.58	16.80	3.48	
		15:00	31.57	48.44	31.85	8.17	8.61	9.08	7.24	
		18:00	31.25	50.03	32.87	8.15	7.31	12.16	7.83	
		21:00	30.80	51.42	33.78	8.15	7.52	25.01	17.98	
	日平均值			31.28	47.83	31.35	8.26	7.09	14.67	5.86
	灣內站	0:00	29.32	45.11	29.71	8.27	12.1	10.98	36.29	
		3:00	29	45.14	29.7	8.32	8.14	13.79	45.89	
		6:00	28.84	45.08	29.72	8.18	9.11	28.01	43.31	
		9:00	27.94	46.64	28.83	8.27	11	17.02	10.8	
		12:00	29.81	42.84	28	8.48	11.85	13.21	16.09	
		15:00	29.83	42.06	27.63	8.42	13.68	11.24	20.62	
		18:00	29.38	42.33	27.82	8.34	12.77	5.84	13.9	
		21:00	29.1	43.29	28.51	8.34	12.26	4.95	62.55	
	日平均值			29.15	44.06	28.74	8.33	11.36	13.13	31.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月17日	蚵殼站	0:00	31.16	46.84	30.35	8.41	11.61	33.22	34.02	
		3:00	31.35	45.77	30.05	8.28	11.06	30.41	6.24	
		6:00	31.02	45.44	29.73	8.26	10.37	14.11	3.25	
		9:00	31.08	45.54	29.87	8.37	12.03	6.96	4.68	
		12:00	31.52	46.66	30.61	8.28	13.28	20.91	39.69	
		15:00	31.63	47	30.83	8.17	13.49	11.77	49.54	
		18:00	31.54	46.3	30.31	8.32	13.87	31.87	8.65	
	21:00	31.06	45.28	29.69	8.3	12.96	45.1	5.37		
	日平均值			31.30	46.10	30.18	8.30	12.33	24.29	18.93
	潮口站	0:00	30.93	49.66	32.59	8.26	7.91	27.37	31.13	
		3:00	31.26	48.45	31.84	8.37	9.30	16.69	35.70	
		6:00	31.23	48.21	31.66	8.13	10.53	6.94	25.09	
		9:00	31.54	48.31	31.70	8.44	9.54	9.96	23.44	
		12:00	31.54	49.25	32.30	8.22	7.77	29.96	33.32	
		15:00	31.81	48.69	31.96	8.28	9.04	43.19	48.79	
		18:00	32.00	48.99	32.14	8.33	10.05	38.45	7.83	
	21:00	31.20	50.23	33.00	8.23	7.89	16.45	4.59		
	日平均值			31.44	48.97	32.15	8.28	9.00	23.63	26.24
	灣內站	0:00	28.98	44.86	29.51	8.27	11.45	4.06	46.04	
		3:00	28.89	45.79	30.1	8.18	9.85	6.75	25.67	
		6:00	28.68	46.07	30.29	8.2	9.02	3.96	37.82	
9:00		28.61	46.19	30.46	8.35	11.19	6.08	51.72		
12:00		29.47	45.13	29.68	8.43	13.83	14.01	52.27		
15:00		29.6	45.27	29.8	8.44	13.21	12.04	60.58		
18:00		29.49	45.91	30.21	8.3	12.19	5.89	9.76		
21:00	29.01	47.15	30.97	8.26	11.18	4.72	66.4			
日平均值			29.09	45.80	30.13	8.30	11.49	7.19	43.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月18日	蚵殼站	0:00	30.78	46.75	30.48	8.43	13.16	13.93	36.99	
		3:00	30.29	46.74	30.7	8.38	13.23	6.85	10.12	
		6:00	30.08	46.24	30.3	8.47	12.9	8.49	3.1	
		9:00	30.24	45.01	29.33	8.29	13.28	3.92	5.98	
		12:00	30.89	47.17	30.94	8.34	11.95	3.91	11.53	
		15:00	31.11	46.81	30.65	8.41	12.79	43.57	14.14	
		18:00	31.09	45.52	29.8	8.16	12.89	3.26	2.31	
	21:00	30.49	44.81	29.36	8.45	11.94	4.75	7.17		
	日平均值			30.62	46.13	30.20	8.37	12.77	11.09	11.42
	潮口站	0:00	31.12	49.37	32.47	8.35	9.19	23.40	36.11	
		3:00	30.31	47.19	31.01	8.24	10.95	6.24	9.38	
		6:00	30.13	47.08	30.93	8.30	10.04	7.13	2.37	
		9:00	30.43	47.70	31.32	8.12	10.21	7.89	5.17	
		12:00	30.50	46.25	30.36	8.27	7.60	9.19	10.71	
		15:00	30.16	47.03	30.84	8.19	7.96	10.95	13.34	
		18:00	30.53	49.64	32.61	8.22	8.43	10.04	1.50	
	21:00	30.40	49.46	32.50	8.25	7.21	7.60	6.37		
	日平均值			30.45	47.97	31.51	8.24	8.95	10.31	10.62
	灣內站	0:00	28.88	47.25	30.88	8.27	11.26	2.12	33.45	
		3:00	28.78	48.14	31.7	8.1	8.14	6.91	36.7	
		6:00	28.88	48.53	31.98	8.05	5.82	22.95	28.89	
9:00		28.68	47.38	31.11	8.24	9.98	14.34	42.82		
12:00		29.27	46.34	30.46	8.28	9.15	13.88	34.2		
15:00		29.41	46.52	30.37	8.18	10.48	16.87	39.4		
18:00		29.09	47.28	30.86	8.33	11.84	9.12	22.13		
21:00	28.97	47.41	31.09	8.2	10.69	9.55	22.03			
日平均值			29.00	47.36	31.06	8.21	9.67	11.97	32.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月19日	蚵殼站	0:00	30.12	47.55	30.79	8.25	8.47	2.96	9.3	
		3:00	29.99	47.54	31.22	8.21	8.31	6.51	15.22	
		6:00	30.06	45.41	29.73	8.02	10.47	5.43	14.06	
		9:00	30.27	45.97	30.15	8.05	11.46	5.81	22.92	
		12:00	31.04	46.76	30.69	8.34	13.23	4.11	34.92	
		15:00	31.3	46.78	30.37	8.41	13.25	3.06	24.79	
		18:00	31.04	46.71	30.64	8.35	13.26	5.49	26.8	
	21:00	30.85	46.72	30.66	8.32	13.25	3.55	39.97		
	日平均值			30.58	46.68	30.53	8.24	11.46	4.62	23.50
	潮口站	0:00	30.82	49.78	32.58	8.24	7.24	8.43	8.59	
		3:00	30.81	46.02	30.23	8.20	10.02	7.21	10.96	
		6:00	30.88	45.82	30.08	8.20	11.30	10.02	12.99	
		9:00	30.47	46.95	30.90	8.15	10.60	6.24	35.50	
		12:00	30.50	44.14	28.98	8.24	7.92	7.13	15.41	
		15:00	30.13	45.31	29.33	8.22	7.96	7.89	27.31	
		18:00	30.44	48.89	32.14	8.27	8.22	9.19	10.94	
	21:00	29.90	46.46	30.56	8.22	7.64	10.95	19.88		
	日平均值			30.49	46.67	30.60	8.22	8.86	8.38	17.70
	灣內站	0:00	28.7	48.66	31.99	7.98	7.6	5.86	8.11	
		3:00	28.65	49.46	32.48	7.99	6.15	21.34	8.12	
		6:00	28.64	49.41	32.46	8.01	5.6	8.26	8.09	
9:00		28.92	48.19	31.77	8.22	10.14	9.65	8.03		
12:00		29.22	47.24	31.04	8.41	11.51	10.64	7.98		
15:00		29.02	47.14	30.95	8.37	13.24	7.89	7.93		
18:00		29.06	47.59	31.28	8.26	11.04	6.16	8		
21:00	28.93	48.47	31.67	8.27	10.92	5.08	73.57			
日平均值			28.89	48.27	31.71	8.19	9.53	9.36	16.23	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月20日	蚵殼站	0:00	30.64	45.65	29.96	8.21	8.91	5.69	16.62	
		3:00	29.98	46.06	30.19	8.23	8.02	5.22	33.28	
		6:00	30.19	45.92	30.09	8.35	9.17	3.52	33.19	
		9:00	30.73	45.42	29.81	8.36	13.25	3.18	17.68	
		12:00	31.58	46.24	30.1	8.34	13.86	4.23	35.25	
		15:00	31.62	46.6	30.57	8.48	13.62	5.99	23.61	
		18:00	31.23	45.46	29.8	8.34	13.36	3.55	13.28	
	21:00	30.71	44.89	29.39	8.43	12.06	4.92	38.56		
	日平均值			30.84	45.78	29.99	8.34	11.53	4.54	26.43
	潮口站	0:00	28.54	49.07	32.19	8.24	6.59	7.60	24.92	
		3:00	28.51	46.85	30.76	8.34	8.22	7.96	20.96	
		6:00	28.60	45.80	29.86	8.41	9.52	8.43	20.06	
		9:00	29.19	46.30	30.46	8.38	9.21	7.21	33.74	
		12:00	29.64	45.70	29.96	8.34	9.39	10.02	16.19	
		15:00	29.41	44.12	28.95	8.14	7.82	4.17	13.08	
		18:00	29.31	49.15	32.27	8.19	8.24	24.52	25.92	
	21:00	29.41	47.85	31.39	8.25	9.47	3.11	9.22		
	日平均值			29.08	46.86	30.73	8.29	8.56	9.13	20.51
	灣內站	0:00	28.69	48.51	31.91	8.11	7.98	8.54	69.1	
		3:00	28.63	48.66	32.06	8.07	7.24	9.45	72.33	
		6:00	28.62	48.81	32.06	8.07	6.27	6.41	76.92	
9:00		28.93	48.37	31.78	8.3	9.75	9.94	77.07		
12:00		29.56	47.69	31.36	8.4	9.81	8.56	16.06		
15:00		29.65	47.54	31.25	8.18	10.78	7.92	15.45		
18:00		28.78	47.52	31.3	8.2	11.03	8.99	13.73		
21:00	28.76	47.39	30.99	8.17	9.37	6.33	21.62			
日平均值			28.95	48.06	31.59	8.19	9.03	8.27	45.29	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月21日	蚵殼站	0:00	30.48	44.68	29.3	8.3	10.66	6.88	39.74	
		3:00	30.11	46.67	30.57	8.32	9.47	3.58	36.61	
		6:00	29.98	45.52	29.86	8.33	9.67	3.94	30.96	
		9:00	30.78	45.62	29.93	8.42	12.22	4.76	30.27	
		12:00	30.53	46.13	30.27	8.29	13.75	8.85	23.32	
		15:00	30.71	45.85	30.05	8.24	9.34	6.18	7.67	
		18:00	30.81	44.84	29.41	8.39	11.71	5.46	15.52	
		21:00	30.54	44.21	29.03	8.37	11.47	5.74	0.78	
	日平均值			30.49	45.44	29.80	8.33	11.04	5.67	23.11
	潮口站	0:00	28.80	50.48	33.16	8.23	6.95	5.04	35.18	
		3:00	28.68	49.12	32.30	8.25	8.13	8.60	25.07	
		6:00	29.03	46.44	30.45	8.21	11.35	2.15	0.27	
		9:00	29.54	46.59	30.61	8.25	12.35	2.94	37.27	
		12:00	29.65	45.52	29.83	8.36	9.80	9.80	15.60	
		15:00	29.07	42.50	27.74	8.17	7.47	8.18	14.92	
		18:00	29.13	49.43	32.40	8.25	8.18	10.93	11.67	
		21:00	29.26	47.18	30.95	8.40	11.41	3.96	38.92	
	日平均值			29.15	47.16	30.93	8.27	9.46	6.45	22.36
	灣內站	0:00	28.91	47.66	31.37	8.27	8.83	11.15	38.25	
		3:00	28.65	47.96	31.49	8.21	7.44	14.74	35.02	
		6:00	28.41	48.49	31.81	8.11	6.09	7.71	29.57	
		9:00	28.92	48.03	31.42	8.26	8.83	17.7	0.16	
		12:00	29.65	47.48	31.23	8.14	10.17	17.94	26.85	
		15:00	29.65	47.41	31.23	8.19	6.05	14.03	33.42	
		18:00	29.41	47.4	31.16	8.26	6.75	11.4	37.48	
		21:00	29.09	47.41	31.26	8.41	9.48	7.21	14.92	
	日平均值			29.09	47.73	31.37	8.23	7.96	12.74	26.96
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月22日	蚵殼站	0:00	29.99	44.72	28.53	8.36	10.47	5.23	38.19	
		3:00	29.67	46.35	30.36	8.28	9.78	13.98	17.03	
		6:00	29.51	46.71	30.62	8.24	9.95	6.98	9.44	
		9:00	28.8	46.77	30.41	8.36	13.2	5.85	14.13	
		12:00	30.21	46.29	30.33	8.31	13.36	47.46	26.32	
		15:00	30.38	46.04	30.22	8.24	12.03	6.04	9.65	
		18:00	30.27	44.95	29.21	8.17	12.51	7.17	29.96	
		21:00	29.75	44.48	28.88	8.17	11.92	10.42	19.04	
	日平均值			29.82	45.79	29.82	8.27	11.65	12.89	20.47
	潮口站	0:00	28.97	48.58	31.89	8.27	8.76	3.48	13.99	
		3:00	28.51	50.84	33.37	8.21	7.07	12.10	24.72	
		6:00	28.63	46.00	30.19	8.01	11.33	5.19	18.10	
		9:00	29.60	45.95	29.97	8.22	13.41	4.03	26.64	
		12:00	29.87	44.99	29.60	8.24	10.14	18.76	32.64	
		15:00	29.00	40.92	26.64	8.15	7.82	8.25	37.33	
		18:00	29.10	47.80	31.38	8.36	10.33	5.37	37.40	
		21:00	29.28	45.36	29.47	8.35	11.90	8.66	2.80	
	日平均值			29.12	46.31	30.31	8.23	10.10	8.23	24.20
	灣內站	0:00	29.12	47.38	31.03	8.24	13.6	7.12	8.9	
		3:00	28.92	47.43	31.31	8.19	12.83	7.04	12.21	
		6:00	28.7	48.58	31.98	8.11	10.6	10.4	8.77	
		9:00	29.24	48.47	31.88	8.11	7.03	23.01	24.97	
		12:00	29.98	47.37	31.18	8.45	11.44	19.69	21.91	
		15:00	29.87	47.39	31.18	8.28	10.49	19.28	10.65	
		18:00	29.61	48.04	31.56	8.24	9.45	14.99	37.17	
		21:00	29.17	48.55	31.93	8.32	13.56	10.19	31.53	
	日平均值			29.33	47.90	31.51	8.24	11.13	13.97	19.51
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月23日	蚵殼站	0:00	29.51	44.74	29.32	8.32	13.42	2.91	25.79	
		3:00	29.02	45.92	30.05	8.33	11.27	8.18	18.35	
		6:00	28.88	47.52	31.13	8.17	7.95	4.85	23.97	
		9:00	29.46	47.13	30.94	8.3	9.45	5.92	29.7	
		12:00	29.98	46.74	30.63	8.36	13.21	7.76	9	
		15:00	30.22	46.78	30.61	8.38	13.2	5.05	5.17	
		18:00	30.19	46.75	30.67	8.45	13.24	3.34	6.93	
		21:00	30.01	46.73	30.61	8.37	13.29	6.4	5.24	
	日平均值			29.66	46.54	30.50	8.34	11.88	5.55	15.52
	潮口站	0:00	28.97	47.05	30.95	8.30	9.36	5.52	0.69	
		3:00	28.48	50.93	33.42	8.24	7.22	6.40	22.65	
		6:00	28.72	46.94	30.88	8.35	10.01	3.03	4.52	
		9:00	29.58	46.25	30.40	8.32	12.73	4.18	13.73	
		12:00	29.85	47.50	31.18	8.20	12.21	5.98	8.28	
		15:00	29.13	43.30	28.45	8.24	8.64	3.26	4.31	
		18:00	28.89	49.01	32.19	8.27	9.32	3.87	6.16	
		21:00	29.19	46.99	30.91	8.44	11.70	4.59	4.41	
	日平均值			29.10	47.25	31.05	8.30	10.15	4.60	8.09
	灣內站	0:00	29.02	48.77	32.1	8.26	12.18	11.47	13.21	
		3:00	29.05	48.1	31.61	8.22	12.21	13.1	14.14	
		6:00	29.03	48.92	32.14	8.15	10.18	11.84	15.8	
		9:00	29.12	49.59	32.56	8.01	7.04	23.16	17.86	
		12:00	29.96	47.85	31.47	8.39	10.71	19.23	28.94	
		15:00	29.91	47.53	31.04	8.25	9.93	17.48	53.05	
		18:00	29.47	48.05	31.55	8.43	7.26	12.84	50.37	
		21:00	29.47	47.91	31.55	8.4	13.79	10.89	41.01	
	日平均值			29.38	48.34	31.75	8.26	10.41	15.00	29.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月24日	蚵殼站	0:00	29.56	46.47	30.4	8.24	12.6	7.65	8.67	
		3:00	28.8	46.26	30.32	8.37	11.87	4.35	7.28	
		6:00	28.77	47.01	30.82	8.29	9.19	14.37	32.76	
		9:00	29.16	47.25	31.04	8.25	10.14	10.59	9.63	
		12:00	30.08	46.63	30.57	8.25	12.84	4.04	13.48	
		15:00	30.46	45.8	30.05	8.37	9.42	12.37	14.58	
		18:00	30.33	46.63	30.6	8.34	10.24	18.77	5.17	
		21:00	29.99	46.44	30.45	8.41	11.52	11.76	6.17	
	日平均值			29.64	46.56	30.53	8.32	10.98	10.49	12.22
	潮口站	0:00	28.93	46.51	30.50	8.44	10.47	5.84	5.26	
		3:00	28.38	47.79	31.39	8.26	8.12	2.51	37.81	
		6:00	28.47	48.99	32.22	8.22	8.47	12.57	23.13	
		9:00	29.04	47.33	31.15	8.41	11.12	8.71	35.81	
		12:00	29.00	48.65	31.99	8.30	8.69	2.71	32.70	
		15:00	28.66	47.02	30.88	8.23	8.46	10.57	38.61	
		18:00	28.60	49.21	32.36	8.24	8.71	16.98	12.22	
		21:00	28.75	47.43	31.14	8.41	11.34	9.98	33.10	
	日平均值			28.73	47.87	31.45	8.31	9.42	8.73	27.33
	灣內站	0:00	29.43	48.03	31.61	8.31	12.8	15.72	79.54	
		3:00	28.81	48.06	31.54	8.18	11.71	17.51	23.08	
		6:00	28.07	48.71	32.01	8.11	10.8	10.18	31.72	
		9:00	28.41	48.42	31.82	8.32	10.72	13.55	9.51	
		12:00	28.71	48.07	31.6	8.4	12.9	15.28	40.32	
		15:00	28.7	47.87	31.49	8.48	12.04	15.55	51.22	
		18:00	28.59	48.02	31.32	8.31	10.38	17.57	41.8	
		21:00	28.3	48.44	31.89	8.23	13.39	10.44	25.8	
	日平均值			28.63	48.20	31.66	8.29	11.84	14.48	37.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月25日	蚵殼站	0:00	29.55	46.43	30.39	8.16	12.75	3.81	31.64
		3:00	29.04	46.49	30.13	8.36	10.84	3.04	37.94
		6:00	28.74	47.99	31.47	8.17	7.25	10.09	3.94
		9:00	29.12	47.94	31.2	8.22	9.35	6.12	24.43
		12:00	29.6	46.75	30.71	8.36	13.23	12.09	39.19
		15:00	29.59	46.74	30.67	8.39	13.27	11.49	39.51
		18:00	29.57	46.79	30.64	8.45	13.23	12.62	5.07
	21:00	29.46	46.79	30.61	8.42	13.29	13.26	1.35	
	日平均值		29.33	46.99	30.73	8.32	11.65	9.07	22.88
	潮口站	0:00	28.64	46.84	30.80	8.25	11.94	16.21	10.41
		3:00	28.43	49.93	32.79	8.31	8.00	7.94	15.18
		6:00	28.33	50.18	32.95	8.29	8.29	8.23	6.15
		9:00	29.30	46.88	30.78	8.23	12.84	4.32	19.63
		12:00	29.30	47.98	31.46	8.41	10.93	8.43	15.74
		15:00	29.01	44.98	29.55	8.28	8.93	7.21	22.76
		18:00	28.55	48.17	31.61	8.26	8.14	7.53	36.29
	21:00	28.79	48.75	32.02	8.27	9.26	7.82	39.36	
	日平均值		28.79	47.96	31.50	8.29	9.79	8.46	20.69
	灣內站	0:00	28.32	48.58	31.92	8.26	12.07	11.53	35.12
		3:00	28.19	48.89	32.15	8.11	10.83	12.62	36.01
		6:00	27.94	49.34	32.43	7.98	9.04	15.93	33.91
9:00		28.24	49.52	32.59	8.07	7.73	17.77	22.82	
12:00		29.28	48.39	31.83	8.19	11.25	24.09	18.55	
15:00		29.44	48.57	31.66	8.23	11.49	13.72	55.21	
18:00		28.96	48.68	32.02	8.4	13.03	10.97	62.05	
21:00	28.78	49.06	32.23	8.36	14.06	8.66	39.03		
日平均值		28.64	48.88	32.10	8.20	11.19	14.41	37.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月26日	蚵殼站	0:00	29.19	46.98	30.78	8.38	11.17	15.45	26.17
		3:00	28.72	46.76	30.7	8.44	11.47	15.07	22.69
		6:00	28.36	46.9	30.74	8.42	11.6	13.48	11.34
		9:00	28.63	46.95	30.76	8.32	11.39	11.53	33.81
		12:00	29.74	47.71	31.29	8.4	11.61	14.76	29.42
		15:00	30.27	47.82	31.38	8.33	11.08	14.14	2.44
		18:00	30.17	47.65	31.21	8.3	9.91	15.28	4.53
	21:00	30.05	46.97	30.69	8.16	8.6	11.21	11.92	
	日平均值		29.39	47.22	30.94	8.34	10.85	13.87	17.79
	潮口站	0:00	27.81	47.74	31.31	8.35	10.01	17.37	27.33
		3:00	27.47	49.56	32.52	8.26	7.75	11.72	38.37
		6:00	27.30	51.01	33.50	8.24	7.32	14.70	21.21
		9:00	27.90	48.41	31.81	8.42	11.71	23.01	34.36
		12:00	27.81	49.10	32.30	8.35	9.01	18.70	28.63
		15:00	27.71	46.32	30.37	8.31	8.30	25.25	1.61
		18:00	27.32	47.52	31.20	8.27	7.68	20.42	3.75
	21:00	27.31	49.08	32.24	8.21	7.34	25.87	11.17	
	日平均值		27.58	48.59	31.91	8.30	8.64	19.63	20.80
	灣內站	0:00	28.84	48.85	32.11	8.25	13.23	13.21	43.59
		3:00	28.51	48.96	31.9	8.15	11.89	7.27	30.11
		6:00	28.04	49.12	32.26	8.17	11.01	7.38	13.99
9:00		27.98	49.12	32.3	8.12	10.14	7.22	25.04	
12:00		28.8	47.18	31.05	8.28	13.91	14.66	24.8	
15:00		28.54	44.89	29.52	8.37	11.56	14.25	55.03	
18:00		28.2	46.34	30.42	8.27	13.55	6.16	42.61	
21:00	28.12	47.32	31.1	8.27	12.51	5.5	39.59		
日平均值		28.38	47.72	31.33	8.24	12.23	9.46	34.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月27日	蚵殼站	0:00	29.58	47.24	30.64	8.22	8.83	19.62	6.33	
		3:00	29.35	46.94	30.76	8.33	8.98	10.29	4.52	
		6:00	28.65	46.98	30.8	8.33	8.49	12	5.11	
		9:00	29.14	47.55	31.18	8.17	7.15	17.57	11.46	
		12:00	30.35	46.73	30.69	8.14	13.18	15.3	10.06	
		15:00	30.74	46.79	30.61	8.1	13.27	19.07	8.09	
		18:00	30.74	46.78	30.67	8.1	13.2	23.73	14.74	
		21:00	30.47	46.71	30.64	8.12	11.2	18.86	5.14	
	日平均值			29.88	46.97	30.75	8.19	10.54	17.06	8.18
	潮口站	0:00	27.23	48.60	31.97	8.27	7.80	21.31	5.51	
		3:00	27.48	48.91	32.12	8.27	7.43	26.19	3.78	
		6:00	27.11	51.29	33.67	8.16	6.78	29.27	4.36	
		9:00	27.73	49.18	32.30	8.35	10.71	15.70	10.69	
		12:00	28.06	48.75	31.96	8.40	12.18	13.50	9.29	
		15:00	27.74	45.62	29.95	8.35	9.30	17.21	7.20	
		18:00	27.07	46.40	30.44	8.23	7.86	4.43	13.94	
		21:00	27.30	48.89	32.15	8.25	8.58	17.05	4.31	
	日平均值			27.47	48.46	31.82	8.29	8.83	18.08	7.39
	灣內站	0:00	27.96	47.74	31.35	8.18	10.64	11.65	33.16	
		3:00	27.96	48.05	31.56	8.13	9	11.92	25.73	
		6:00	28.02	48.77	32.1	8.16	7.69	25.06	33.03	
		9:00	27.86	48.97	32.23	8.14	7.98	9.24	33.93	
		12:00	28.63	48.34	31.72	8.41	12	14.62	28.9	
		15:00	28.8	47.84	31.46	8.47	13.92	10.95	38.83	
		18:00	28.3	48.88	32.12	8.13	13.72	18.3	44.56	
		21:00	27.87	49.3	32.37	8.06	12.02	8.96	31.95	
	日平均值			28.18	48.49	31.86	8.21	10.87	13.84	33.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月28日	蚵殼站	0:00	30.16	46.76	30.68	8.24	9.41	20.85	12.23	
		3:00	29.57	46.71	30.69	8.33	13.3	23.76	10.58	
		6:00	29.03	46.78	30.67	8.37	12.36	25.16	7.4	
		9:00	29.59	47.4	31.14	8.34	9.52	21.95	26.75	
		12:00	30.57	47.48	31.11	8.37	11.15	25.8	27.24	
		15:00	30.9	47.67	31.03	8.29	9.57	26.6	6.62	
		18:00	30.69	47.6	31.22	8.39	10.51	23.16	3.06	
		21:00	30.29	47.99	31.5	8.25	8.81	22.04	8.77	
	日平均值			30.10	47.30	31.01	8.32	10.58	23.67	12.83
	潮口站	0:00	27.20	47.95	31.48	8.41	9.59	3.81	5.39	
		3:00	26.92	47.90	31.42	8.30	8.76	21.90	9.74	
		6:00	27.00	50.90	33.42	8.19	7.07	23.35	6.58	
		9:00	27.18	49.75	32.72	8.27	9.68	20.12	26.00	
		12:00	27.72	48.21	31.63	8.12	12.67	23.93	26.49	
		15:00	27.63	49.01	32.11	8.40	10.22	24.89	5.89	
		18:00	27.05	50.91	33.40	8.25	7.64	21.39	2.22	
		21:00	26.88	49.08	32.23	8.28	8.53	20.26	8.00	
	日平均值			27.20	49.21	32.30	8.28	9.27	19.96	11.29
	灣內站	0:00	27.78	49.33	32.42	8.13	9.6	9.3	27.11	
		3:00	27.58	49.52	32.6	8.08	7.94	8.35	33.99	
		6:00	27.26	49.57	32.65	8.06	7.74	8.44	23.53	
		9:00	27.49	49.58	32.52	8.26	10.16	15.49	31.32	
		12:00	28.02	49.03	32.17	8.32	12.15	16.49	31.2	
		15:00	28.05	48.98	32.14	8.34	13.38	13.59	36.47	
		18:00	27.72	49.41	32.47	8.25	13.46	7.34	38.79	
		21:00	27.39	49.63	32.62	8.25	11.27	5.1	32.85	
	日平均值			27.66	49.38	32.45	8.21	10.71	10.51	31.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月29日	蚵殼站	0:00	30.29	47.76	31.32	8.35	10.52	21.96	12.58	
		3:00	30	47.6	31.19	8.34	10.09	20.94	7.26	
		6:00	29.54	47.22	30.89	8.41	9.77	23.65	3.21	
		9:00	29.44	46.75	30.69	8.41	13.27	24.99	4.73	
		12:00	30.09	48.22	31.62	8.31	11.13	22.35	48.08	
		15:00	30.58	47.9	31.47	8.41	13.07	10.89	14.27	
		18:00	30.49	47.54	31.18	8.35	13.29	10.34	7.91	
		21:00	30.06	47.39	31.05	8.3	12.67	16.96	20.79	
	日平均值			30.06	47.55	31.18	8.36	11.73	19.01	14.85
	潮口站	0:00	26.87	49.00	32.16	8.47	10.72	20.15	11.79	
		3:00	26.56	48.71	32.02	8.41	9.93	19.19	6.48	
		6:00	26.75	50.20	32.94	8.30	7.98	21.86	2.40	
		9:00	26.99	50.90	33.43	8.18	7.82	23.17	3.96	
		12:00	27.27	49.23	32.32	8.38	10.83	6.48	47.23	
		15:00	27.41	48.50	31.74	8.45	10.84	9.01	13.49	
		18:00	26.78	48.06	31.33	8.25	7.70	8.56	7.12	
		21:00	26.92	50.05	32.88	8.26	7.65	22.44	1.96	
	日平均值			26.94	49.33	32.35	8.34	9.18	16.36	11.80
	灣內站	0:00	27.21	49.72	32.69	8.11	7.59	3.73	5.15	
		3:00	26.95	49.37	32.43	8.11	6.93	6.92	7.98	
		6:00	26.97	49.53	32.52	7.99	5.92	10.5	7.1	
		9:00	27.08	49.83	32.77	8.02	5.7	5.18	29.55	
		12:00	27.57	49.24	32.32	8.23	10.26	15.85	39.94	
		15:00	27.94	49.29	32.39	8.2	11.38	12.64	5.83	
		18:00	27.5	49.67	32.6	8.1	9.98	8.32	6.8	
		21:00	27.15	50.14	32.94	8.05	6.83	3.72	33.2	
	日平均值			27.30	49.60	32.58	8.10	8.07	8.36	16.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月30日	蚵殼站	0:00	29.87	47.87	31.37	8.33	10.6	13.31	37.7	
		3:00	29.61	47.69	31.26	8.31	13.4	20.05	7.29	
		6:00	29.44	47.87	31.37	8.42	10.84	18.54	2.63	
		9:00	29.68	47.7	31.29	8.3	12.89	16.53	11.68	
		12:00	30.19	48.25	31.63	8.38	11.53	8.48	15.57	
		15:00	30.4	48.16	31.56	8.4	11.73	9.12	45.34	
		18:00	30.3	47.93	31.41	8.41	10.72	10.33	5.08	
		21:00	30.27	47.95	31.45	8.39	11.19	16.7	20.47	
	日平均值			29.97	47.93	31.42	8.37	11.61	14.13	18.22
	潮口站	0:00	26.56	49.41	32.48	8.39	9.00	11.58	36.90	
		3:00	26.43	49.30	32.40	8.39	9.81	18.26	6.50	
		6:00	26.42	49.56	32.59	8.39	8.98	16.74	1.86	
		9:00	27.30	51.24	33.72	8.19	7.10	14.70	10.85	
		12:00	27.38	50.68	33.35	8.29	8.92	6.64	14.79	
		15:00	27.23	49.86	32.76	8.30	8.73	7.38	44.56	
		18:00	27.18	50.82	33.30	8.29	7.18	8.54	4.21	
		21:00	27.04	51.32	33.38	8.21	6.93	14.80	19.65	
	日平均值			26.94	50.27	33.00	8.31	8.33	12.33	17.42
	灣內站	0:00	26.84	50.14	33.01	8.2	7.65	1.6	10.75	
		3:00	26.67	50.24	33.03	8.1	5.81	2.07	1.22	
		6:00	26.63	50.34	32.81	8	5.22	4.18	8.34	
		9:00	26.8	50.22	33.07	8.12	8.93	2.67	4.03	
		12:00	27.12	50.22	33.03	8.2	11.85	7.47	15.73	
		15:00	27.48	50.29	33.06	8.2	10.51	11.72	4.46	
		18:00	27.39	50.25	33.01	8.16	7.91	8.56	12.17	
		21:00	27	50.23	33.08	8.18	8.49	6.05	24.41	
	日平均值			26.99	50.24	33.01	8.15	8.30	5.54	10.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月31日	蚵殼站	0:00	30.14	47.99	31.43	8.34	11.36	11.62	31.38	
		3:00	29.9	47.84	31.38	8.32	10.4	10.12	3.5	
		6:00	29.64	47.32	31.1	8.26	10.24	8.4	6.24	
		9:00	29.85	47.25	31	8.18	11.53	12.56	5.23	
		12:00	30.04	47.21	30.96	8.13	11.15	12.03	15	
		15:00	30.1	47.37	31.07	8.15	12.42	10.84	36.84	
		18:00	29.9	47.72	31.26	8.19	11.71	11.4	8.66	
		21:00	29.65	47.6	31.14	8.26	11.92	15.1	10.11	
	日平均值			29.90	47.54	31.17	8.23	11.34	11.51	14.62
	潮口站	0:00	26.61	50.09	32.89	8.29	8.16	9.88	23.54	
		3:00	26.53	49.47	32.47	8.40	9.93	8.36	2.61	
		6:00	26.47	49.40	32.45	8.41	9.83	6.61	5.42	
		9:00	26.78	50.85	33.39	8.24	7.16	10.77	4.50	
		12:00	26.69	50.62	33.27	8.20	7.37	10.22	14.25	
		15:00	26.39	49.54	32.52	8.34	8.10	9.04	36.04	
		18:00	26.61	50.54	33.02	8.27	7.18	9.55	7.89	
		21:00	26.68	50.95	32.49	8.20	6.72	13.26	9.32	
	日平均值			26.60	50.18	32.81	8.29	8.06	9.71	12.95
	灣內站	0:00	26.84	50.37	33.11	8.18	6.24	4.62	6.28	
		3:00	26.84	50.37	33.12	8.1	6.41	19.44	20.29	
		6:00	26.53	50.43	33.12	8.1	6.63	5.55	12.65	
		9:00	26.51	50.55	33.21	8.17	7.47	6.04	6.38	
		12:00	26.69	50.61	33.23	8.04	5.95	11.44	12.65	
		15:00	26.49	50.28	33.05	8.13	6.3	6.14	11.81	
		18:00	26.29	50.23	32.98	8.1	5.19	4.71	2	
		21:00	26.04	49.98	32.71	8.17	6.44	3.21	2.97	
	日平均值			26.53	50.35	33.07	8.12	6.33	7.64	9.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月1日	蚵殼站	0:00	29.66	46.75	30.66	8.44	13.29	2.22	1.01	
		3:00	29.56	46.76	30.6	8.41	13.29	3.18	20.93	
		6:00	29.4	47.19	30.91	8.35	11.2	1.75	12.5	
		9:00	29.7	47.99	30.98	8.36	9.85	5.79	60.59	
		12:00	30.27	48.21	30.38	8.36	11.2	3.37	22.09	
		15:00	30.36	48.08	31.04	8.35	12.26	5.98	33.99	
		18:00	30.03	48.19	31.34	8.39	12.01	2.2	14.74	
		21:00	29.83	47.75	30.57	8.35	12.59	1.95	14.27	
	日平均值			29.85	47.62	30.81	8.38	11.96	3.31	22.52
	潮口站	0:00	26.34	49.71	32.67	8.24	7.09	10.04	4.51	
		3:00	26.04	49.45	32.51	8.25	7.71	8.25	20.11	
		6:00	26.04	49.41	32.49	8.35	7.79	7.84	11.69	
		9:00	26.29	49.40	32.45	8.29	6.87	7.15	5.28	
		12:00	26.61	50.09	32.78	8.24	6.99	18.94	21.25	
		15:00	26.62	49.88	31.64	8.23	7.14	12.79	23.15	
		18:00	26.49	49.80	32.23	8.22	6.73	14.73	14.00	
		21:00	26.39	49.86	32.13	8.19	7.08	15.29	13.20	
	日平均值			26.35	49.70	32.36	8.25	7.18	11.88	14.15
	灣內站	0:00	26.31	50.38	33.17	7.93	6.23	11.66	19.03	
		3:00	26.07	50.26	33	7.92	5.03	9.94	28.35	
		6:00	25.87	50.11	32.88	7.99	5.41	7.01	6.43	
		9:00	25.89	49.92	32.81	8.11	6.96	7.24	8.67	
		12:00	26	50.14	32.01	8.18	8.33	3.17	33.88	
		15:00	26.12	50.32	31.87	8.2	6.94	3.1	15.7	
		18:00	26.01	50.38	32.8	8.25	10.62	5.13	14.9	
		21:00	25.96	50.38	32.64	8.16	9.96	4.36	15.23	
	日平均值			26.03	50.24	32.65	8.09	7.44	6.45	17.77
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月2日	蚵殼站	0:00	29.54	46.74	29.95	8.39	13.25	2.06	14.13	
		3:00	29.59	46.73	30.6	8.38	13.24	1.57	19.7	
		6:00	29.56	47.26	28.76	8.42	12.19	3.59	34.08	
		9:00	29.55	47.88	31.1	8.36	10.75	14.13	60.92	
		12:00	29.93	47.73	29.71	8.4	12.85	5.99	18.01	
		15:00	30.12	47.92	30.83	8.45	11.46	2.48	33.81	
		18:00	30.11	47.78	29.4	8.38	10.66	3.37	5.14	
		21:00	29.7	47.93	30.99	8.39	9.16	1.14	14.07	
	日平均值			29.76	47.50	30.17	8.40	11.70	4.29	24.98
	潮口站	0:00	26.44	49.83	32.01	8.14	7.12	16.12	13.31	
		3:00	25.99	49.47	31.63	8.24	7.19	11.28	18.89	
		6:00	25.90	49.26	31.18	8.20	6.40	16.01	13.22	
		9:00	26.02	49.26	30.84	8.18	6.16	15.13	7.65	
		12:00	26.44	49.84	32.28	8.13	7.38	17.28	17.21	
		15:00	26.39	48.46	31.05	8.18	7.40	24.22	20.57	
		18:00	26.00	49.18	30.74	8.14	7.26	29.15	4.34	
		21:00	26.26	49.49	32.10	8.16	6.94	6.98	7.13	
	日平均值			26.18	49.35	31.48	8.17	6.98	17.02	12.79
	灣內站	0:00	25.86	50.33	32.35	8.16	7.94	2.71	10.17	
		3:00	25.78	50.64	31.95	8.23	8.43	1.11	21.26	
		6:00	25.73	50.31	31.5	8.19	9	3.91	11.76	
		9:00	25.8	50.61	31.76	8.01	6.86	16.41	22.31	
		12:00	25.8	50	31.12	8.26	9.57	10.34	31.63	
		15:00	25.8	50.27	33.1	8.28	11.16	10.73	29.68	
		18:00	25.79	50.53	32.94	8.17	7.76	14.22	26.59	
		21:00	25.65	50.36	32.68	8.25	10.3	18.45	7.41	
	日平均值			25.78	50.38	32.18	8.19	8.88	9.74	20.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月3日	蚵殼站	0:00	29.39	47.54	29.14	8.23	8.31	1.37	10.87	
		3:00	29.45	48.49	30.23	8.14	6.89	1.64	3.89	
		6:00	29.54	46.52	29.99	8.25	8.8	1.77	6.24	
		9:00	29.61	48.54	31.25	8.34	11.89	12.05	5.68	
		12:00	30.06	48.56	31.26	8.35	9.52	2.14	6.83	
		15:00	30.14	45.66	30.26	8.32	11.26	1.22	23.52	
		18:00	29.79	46.59	30.04	8.29	9.98	2.09	8.03	
		21:00	29.69	45.36	28.91	8.16	7.08	2.6	3.49	
	日平均值			29.71	47.16	30.14	8.26	9.22	3.11	8.57
	潮口站	0:00	26.65	50.38	31.79	8.13	7.25	11.71	10.03	
		3:00	25.45	48.40	31.18	8.26	9.19	4.19	20.70	
		6:00	25.28	48.01	31.26	8.33	10.29	1.48	22.60	
		9:00	26.00	48.12	31.01	8.37	10.29	4.25	4.85	
		12:00	27.16	46.04	30.02	8.22	7.77	4.78	6.05	
		15:00	27.22	46.03	29.17	8.10	7.47	11.68	22.79	
		18:00	26.65	49.07	31.94	8.20	7.65	8.68	7.23	
		21:00	26.93	48.49	31.67	8.26	8.56	2.22	2.66	
	日平均值			26.42	48.07	31.01	8.23	8.56	6.12	12.11
	灣內站	0:00	25.96	50.97	31.32	8.08	6.85	18.94	23.42	
		3:00	26.14	51.32	32.14	7.92	6.2	16.75	19.75	
		6:00	26.11	51.2	33.38	7.97	5.78	6.94	4.88	
		9:00	26.18	50.81	32.94	8.18	10.73	2.77	3.76	
		12:00	26.91	50.31	32.87	8.47	13.73	15.72	35.38	
		15:00	27.14	50.41	31.56	8.34	10.54	13.93	12.94	
		18:00	27.11	49.98	31.33	8.14	8.8	7.14	7.65	
		21:00	27.05	50.31	32.73	8.24	8.23	12.7	36.19	
	日平均值			26.58	50.66	32.28	8.17	8.86	11.86	18.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月4日	蚵殼站	0:00	29.62	48.19	30.65	8.23	7.94	1.9	8.94	
		3:00	29.48	49.14	30.53	8.23	8.56	3.16	5.98	
		6:00	29.63	48.71	30.35	8.17	7.52	3.82	9.82	
		9:00	29.29	47.63	30.46	8.25	9.09	2.11	10.2	
		12:00	30.13	47.34	31.49	8.23	10.56	1.6	9.8	
		15:00	30.7	47.47	30.43	8.33	12.38	1.65	6.46	
		18:00	30.59	46.72	28.65	8.24	9.54	2.71	4.65	
		21:00	30.33	47.25	30.6	8.24	8.48	4.07	2.44	
	日平均值			29.97	47.81	30.40	8.24	9.26	2.63	7.29
	潮口站	0:00	26.81	49.61	32.43	8.17	7.03	8.91	8.18	
		3:00	26.55	48.49	30.21	8.19	8.07	8.53	7.12	
		6:00	26.48	46.92	29.98	8.26	9.38	6.05	9.08	
		9:00	27.04	47.28	29.61	8.27	10.89	3.68	6.08	
		12:00	27.47	44.87	29.55	8.23	8.45	5.35	3.10	
		15:00	27.57	46.60	29.86	8.12	7.59	4.03	5.33	
		18:00	27.14	48.21	31.63	8.19	8.05	4.20	8.97	
		21:00	27.27	46.81	30.54	8.25	8.85	1.06	1.67	
	日平均值			27.04	47.35	30.48	8.21	8.54	5.23	6.19
	灣內站	0:00	26.99	50.7	32.19	8.15	11.84	8.38	18.19	
		3:00	26.72	50.88	32.79	8.2	9.73	16.42	16.93	
		6:00	26.69	50.84	32.42	8.02	9.08	31.51	27.78	
		9:00	27.35	50.14	32.52	8.42	11.58	20.37	28.78	
		12:00	27.77	49.66	31.88	8.37	9.46	21.81	35.25	
		15:00	27.62	49.36	31.26	8.43	12.25	11.61	32.83	
		18:00	27.49	49.29	31.72	8.16	10.9	19.06	29.95	
		21:00	27.54	49.49	32.07	8.11	7.63	22.1	35.6	
	日平均值			27.27	50.05	32.11	8.23	10.31	18.91	28.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月5日	蚵殼站	0:00	30.15	47.65	31.06	8.25	9.02	3.26	3.74
		3:00	30.5	49.4	30.49	8.21	7.92	4.49	5.65
		6:00	30.42	49.58	30.21	8.2	7.42	3.45	7.02
		9:00	30.43	49.11	30.2	8.25	9.46	2.15	12.92
		12:00	30.88	49.3	30.38	8.26	10.83	3.07	3.76
		15:00	31.14	49.03	30.33	8.38	11.97	1.91	16.26
		18:00	30.49	48.16	30	8.27	10.94	3.14	8.86
	21:00	30.65	47.48	29.5	8.3	9.78	5.42	4.02	
	日平均值		30.58	48.71	30.27	8.27	9.67	3.36	7.78
	潮口站	0:00	27.05	48.08	31.61	8.17	7.59	9.04	2.02
		3:00	26.83	49.04	32.17	8.14	7.35	9.61	9.93
		6:00	26.75	45.93	30.11	8.38	10.54	3.20	24.68
		9:00	27.54	45.68	29.53	8.37	11.92	5.74	24.30
		12:00	27.86	44.51	30.02	8.27	10.03	9.09	2.96
		15:00	27.90	46.50	29.81	8.12	7.51	2.95	15.42
		18:00	27.32	46.69	30.21	8.16	8.12	4.29	5.80
	21:00	27.56	45.12	29.48	8.25	8.94	6.22	3.22	
	日平均值		27.35	46.44	30.37	8.23	9.00	6.27	11.04
	灣內站	0:00	27.43	49.8	32.44	7.98	11.26	29.33	35.29
		3:00	27.35	50.29	33.04	8.07	9.5	27.53	33.86
		6:00	27.24	50.34	32.84	7.93	6.77	53.18	31.25
9:00		27.64	50.12	32.55	8.22	9.96	18.45	34.94	
12:00		28.36	49.48	32.07	8.45	10.09	8.91	35.17	
15:00		28.49	49.52	32.29	8.38	11.28	12.88	35.71	
18:00		28.16	49.17	31.38	8.32	12.79	18.29	34.85	
21:00	28.2	48.99	31.51	8.28	13.55	16.04	35.4		
日平均值		27.86	49.71	32.27	8.20	10.65	23.08	34.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月6日	蚵殼站	0:00	30.41	46.74	30.86	8.28	9.65	2.79	7.67
		3:00	30.17	46.88	30.18	8.16	8.12	1.61	8.57
		6:00	30.05	46.61	30.03	8.25	8.18	4.96	21.78
		9:00	30.28	46.66	30.05	8.22	9.71	4.92	6.57
		12:00	30.95	47.33	30.49	8.29	10.57	1.86	7.8
		15:00	30.84	47.99	30.89	8.31	12.21	1.79	11.61
		18:00	30.85	46.89	30.28	8.27	10.74	3.75	7.73
	21:00	30.45	47.09	30.38	8.26	10.33	5.76	6.59	
	日平均值		30.50	47.02	30.40	8.26	9.94	3.43	9.79
	潮口站	0:00	27.38	50.87	32.52	8.25	9.18	3.69	7.62
		3:00	26.99	49.83	31.84	8.21	7.31	7.51	18.61
		6:00	26.76	49.51	31.73	8.30	9.55	7.17	21.00
		9:00	27.59	49.64	31.74	8.36	11.84	6.56	20.78
		12:00	27.91	50.20	32.14	8.31	9.93	4.71	6.91
		15:00	27.65	51.55	33.03	8.19	7.83	2.92	5.87
		18:00	27.45	50.40	32.30	8.17	7.69	5.81	11.96
	21:00	27.60	48.01	30.77	8.25	9.95	6.56	3.83	
	日平均值		27.42	50.00	32.01	8.26	9.16	5.62	12.07
	灣內站	0:00	28.23	48.75	31.15	8.11	10.56	20.4	38.6
		3:00	28.2	49.73	32.71	8.19	10.8	41.42	36
		6:00	27.78	50.47	31.9	8.04	8.44	26.58	34.63
9:00		28.12	50.24	33	8.11	7.98	15.98	35.15	
12:00		29.11	48.63	31.13	8.3	12.09	16.83	35.07	
15:00		28.77	47.75	30.89	8.35	12.5	16.57	39.05	
18:00		28.2	47.9	30.73	8.17	13.82	17.14	38.99	
21:00	28.33	47.85	31.12	8.25	12.67	15.62	36.84		
日平均值		28.34	48.92	31.58	8.19	11.11	21.32	36.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月7日	蚵殼站	0:00	30.48	48.53	30.49	8.3	9.85	2.55	6.6	
		3:00	30.39	47.33	30.46	8.3	9.87	2.39	4.43	
		6:00	30.32	46.57	30.03	8.21	7.82	3.54	4.77	
		9:00	30.46	46.46	29.94	8.29	9.78	3.82	7.46	
		12:00	31.04	48.07	31.01	8.26	10.78	2.95	8.98	
		15:00	31.15	46.43	29.93	8.42	12.61	4.93	10.72	
		18:00	30.72	47.34	30.55	8.24	9.86	8.86	9.24	
		21:00	30.82	47.11	30.29	8.29	10.66	7.46	7.54	
	日平均值			30.67	47.23	30.34	8.29	10.15	4.56	7.47
	潮口站	0:00	27.34	50.21	32.14	8.32	9.90	2.12	5.75	
		3:00	27.03	50.23	32.10	8.23	7.24	11.05	1.48	
		6:00	27.05	49.34	31.58	8.23	8.48	8.88	20.28	
		9:00	27.99	49.24	31.53	8.41	9.17	14.15	21.59	
		12:00	27.87	51.08	32.67	8.32	9.07	6.24	5.62	
		15:00	27.50	49.32	31.66	8.18	7.43	4.84	3.05	
		18:00	27.32	50.42	32.30	8.14	8.29	12.46	6.09	
		21:00	27.45	49.92	31.96	8.22	9.30	1.56	3.26	
	日平均值			27.44	49.97	31.99	8.26	8.61	7.66	8.39
	灣內站	0:00	28.27	47.55	31.08	8.14	9.51	19.42	35.84	
		3:00	28.04	48.15	31.66	8.07	6.68	50.14	36.04	
		6:00	27.68	49.01	31.95	7.99	6.81	41.86	35.79	
		9:00	28.13	49.19	32.3	8.09	7.76	7.75	36.09	
		12:00	29.03	48.39	31.66	8.45	12.76	16.39	35.65	
		15:00	28.76	48.73	31.86	8.24	13.05	11.67	35.72	
		18:00	28.38	48.84	31.76	8.36	13.94	10.4	35.63	
		21:00	28.14	48.94	31.59	8.26	12.77	12.62	37.51	
	日平均值			28.30	48.60	31.73	8.20	10.41	21.28	36.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月8日	蚵殼站	0:00	30.77	47.77	30.8	8.33	8.27	4.64	14.98	
		3:00	30.49	47.92	30.87	8.3	8.93	3.61	7.2	
		6:00	30.13	46.19	29.69	8.23	7.89	2.03	7.98	
		9:00	30.28	49.95	32.2	8.19	8.28	3.1	11.64	
		12:00	30.53	49.16	31.68	8.21	9.81	1.58	29.04	
		15:00	30.73	50.93	32.92	8.28	11.19	1.04	16.41	
		18:00	30.79	50.74	32.7	8.23	8.84	7.34	11.11	
		21:00	30.49	51.12	32.93	8.24	8.78	10.84	9.82	
	日平均值			30.53	49.22	31.72	8.25	9.00	4.27	13.52
	潮口站	0:00	27.36	50.74	32.45	8.36	9.97	1.09	16.49	
		3:00	27.04	50.91	32.62	8.22	7.42	9.67	3.40	
		6:00	26.93	49.02	31.47	8.21	7.90	16.92	14.36	
		9:00	28.09	53.23	34.11	8.32	13.54	8.73	25.58	
		12:00	28.15	50.58	32.38	8.45	10.55	7.84	25.77	
		15:00	27.50	51.62	33.07	8.21	7.98	5.52	29.13	
		18:00	27.16	51.40	32.93	8.11	7.77	8.91	9.29	
		21:00	27.31	51.07	32.70	8.21	8.11	2.56	17.23	
	日平均值			27.44	51.07	32.72	8.26	9.16	7.66	17.66
	灣內站	0:00	28.3	49.03	31.19	8.11	9.41	26.4	32.94	
		3:00	27.84	48.83	31.81	8.13	8.9	22.88	32.11	
		6:00	27.86	49.16	31.98	7.94	7.9	62.39	35.32	
		9:00	28.05	49.21	32.03	8.1	8.26	18.56	35.61	
		12:00	28.91	48.56	31.96	8.27	12.24	11.88	36.09	
		15:00	28.82	48.94	32.03	8.22	13.35	13.82	35.79	
		18:00	28.18	49.25	31.42	8.37	13.83	10.16	38.24	
		21:00	28.28	49.21	32.39	8.35	13.14	14.03	36.1	
	日平均值			28.28	49.02	31.85	8.19	10.88	22.52	35.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月9日	蚵殼站	0:00	30.36	50.71	32.7	8.21	8.7	4.61	8.87
		3:00	29.85	50.76	32.77	8.26	9.18	2.35	10.11
		6:00	29.46	50.47	32.54	8.33	9.57	1.6	10.9
		9:00	29.5	49.86	32.13	8.26	8.37	2.9	18.76
		12:00	29.76	50.06	32.31	8.36	11.02	2.5	31.17
		15:00	29.98	51.99	33.57	8.43	12.11	1.77	10.46
		18:00	29.65	50.75	32.79	8.24	9.75	5.03	27.18
		21:00	29.48	51.08	32.93	8.3	9.85	4.63	22.01
	日平均值		29.76	50.71	32.72	8.30	9.82	3.17	17.43
	潮口站	0:00	27.24	51.10	32.71	8.30	9.50	3.34	6.57
		3:00	27.04	51.01	32.68	8.23	8.13	4.48	2.94
		6:00	26.80	50.61	32.42	8.19	7.09	20.76	9.26
		9:00	27.65	50.11	32.09	8.40	12.07	4.36	12.97
		12:00	27.74	50.40	32.22	8.21	8.52	5.31	20.27
		15:00	27.26	51.94	33.23	8.27	8.60	4.61	9.65
		18:00	26.79	51.38	32.96	8.23	7.55	5.66	9.64
		21:00	27.25	51.15	32.72	8.26	9.48	1.54	23.46
	日平均值		27.22	50.96	32.63	8.26	8.87	6.26	11.85
	灣內站	0:00	28.13	49.29	31.82	8.2	9.6	47.3	38.53
		3:00	27.8	49.28	32.33	8.18	9.19	56.86	36.07
		6:00	27.41	49.48	32.53	7.92	7.71	53.94	36.09
		9:00	27.7	49.42	32.09	8.15	9.32	17.88	35.61
		12:00	28.35	49.26	32.11	8.33	12.16	13.43	35.86
		15:00	28.25	49.2	32.31	8.28	13.05	13.14	36.01
		18:00	28.06	49.58	32.57	8.25	9.2	15.57	36.06
		21:00	27.94	49.62	32.64	8.17	9.42	23.93	36.09
	日平均值		27.96	49.39	32.30	8.19	9.96	30.26	36.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月10日	蚵殼站	0:00	29.04	50.54	32.61	8.41	11.03	1.85	16.18
		3:00	28.89	51.54	33.28	8.35	9.28	3.53	17.58
		6:00	28.55	51.75	33.36	8.39	10.55	1.72	28.2
		9:00	28.57	49.66	32.07	8.23	7.54	2.15	43.71
		12:00	28.78	49.66	31.99	8.37	10.86	1.83	45.08
		15:00	29.09	51.39	33.23	8.41	12.66	1.75	45.05
		18:00	29.08	51.09	32.93	8.31	10.29	3.29	39.88
		21:00	28.77	50.46	32.57	8.31	10.84	1.85	37.03
	日平均值		28.85	50.76	32.76	8.35	10.38	2.25	34.09
	潮口站	0:00	27.23	50.65	32.39	8.35	10.31	2.29	29.98
		3:00	27.15	51.93	33.25	8.36	9.39	5.66	5.46
		6:00	26.52	51.94	33.29	8.19	7.27	17.51	10.62
		9:00	27.50	49.79	31.92	8.30	10.49	4.25	22.27
		12:00	27.63	49.81	31.96	8.35	11.68	11.44	21.26
		15:00	27.11	51.74	33.11	8.26	9.28	6.83	9.34
		18:00	26.45	51.14	32.79	8.20	7.60	6.94	21.42
		21:00	26.79	50.58	32.45	8.28	8.99	3.82	26.22
	日平均值		27.05	50.95	32.65	8.29	9.38	7.34	18.32
	灣內站	0:00	27.89	49.57	32.54	8.15	7.86	23.28	35.95
		3:00	27.55	49.47	32.45	8.06	5.54	21.31	35.92
		6:00	27.32	49.59	32.58	8.06	6.3	49.38	35.94
		9:00	27.26	49.48	32.47	8.12	8.95	25.08	34.65
		12:00	28.07	49.12	32.1	8.35	13.51	23.04	35.82
		15:00	28.01	49.46	32.46	8.23	13.51	14.4	36.06
		18:00	27.57	49.82	32.79	8.32	11.38	11.19	29.14
		21:00	27.42	50.13	33	8.02	7.07	18.16	26.54
	日平均值		27.64	49.58	32.55	8.16	9.27	23.23	33.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
11月11日	蚵殼站	0:00	28.45	50.16	32.33	8.42	10.17	1.13	31.99	
		3:00	27.86	51.13	32.99	8.38	10.14	3.69	40.57	
		6:00	27.61	51.16	33.03	8.37	7.86	3.02	45.01	
		9:00	27.82	49.82	32.12	8.17	7.46	1.91	44.96	
		12:00	28.38	49.44	31.91	8.2	8.73	2.19	44.4	
		15:00	28.82	51.2	32.98	8.35	11.93	2.62	44.93	
		18:00	28.84	50.99	32.83	8.4	11.58	1.97	36.74	
		21:00	28.46	50.87	32.82	8.45	10.98	4.56	33.73	
	日平均值			28.28	50.60	32.63	8.34	9.86	2.64	40.29
	潮口站	0:00	27.36	50.09	32.08	8.39	12.24	0.87	24.17	
		3:00	27.07	51.17	32.83	8.47	11.15	2.26	19.14	
		6:00	26.45	51.39	32.91	8.28	7.44	17.56	15.61	
		9:00	26.97	49.55	31.76	8.22	8.86	7.77	24.87	
		12:00	27.48	49.89	31.99	8.34	11.14	6.56	26.01	
		15:00	27.07	51.38	32.88	8.27	8.46	10.30	18.98	
		18:00	26.47	50.48	32.39	8.23	7.84	8.31	11.63	
		21:00	26.60	51.31	32.88	8.24	8.09	5.73	12.95	
	日平均值			26.93	50.66	32.47	8.31	9.40	7.42	19.17
	灣內站	0:00	27.43	50.18	32.99	8.06	7.8	18.48	28.26	
		3:00	27.21	50.04	32.88	8.07	7.27	13.61	28.78	
		6:00	27.05	50.28	33.04	7.9	5.59	11.32	34.68	
		9:00	27.07	50.21	33.09	8.04	7.58	4.76	31.57	
		12:00	28.06	49.35	32.44	8.42	10.8	18.35	36.03	
		15:00	28.02	49.24	32.37	8.43	12.83	21.03	36.04	
		18:00	27.68	49.38	32.41	8.38	10.86	13.95	34.92	
		21:00	27.54	49.73	32.68	8.24	9.7	12.73	23.8	
	日平均值			27.51	49.80	32.74	8.19	9.05	14.28	31.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
11月12日	蚵殼站	0:00	28.11	46.75	32.65	8.42	11.98	2.09	32.11	
		3:00	27.92	50.58	32.57	8.43	11.48	42.67	31.36	
		6:00	27.9	50.99	32.88	8.36	10.82	8.4	32.96	
		9:00	27.91	50.63	32.61	8.39	12.78	5.37	37.93	
		12:00	28.54	50.68	32.72	8.39	9.87	2.94	44.65	
		15:00	28.64	49.93	32.18	8.37	9.96	2.58	42.82	
		18:00	28.6	49.57	31.97	8.4	13.02	1.16	37.19	
		21:00	28.41	49.87	32.17	8.44	10.18	2.23	33.94	
	日平均值			28.25	49.88	32.47	8.40	11.26	8.43	36.62
	潮口站	0:00	26.87	50.81	32.54	8.37	10.24	0.38	17.48	
		3:00	26.89	51.09	32.71	8.43	10.28	9.44	9.27	
		6:00	26.56	51.55	33.04	8.29	7.94	14.74	10.97	
		9:00	26.52	51.12	32.76	8.16	7.95	17.46	6.41	
		12:00	27.35	51.43	32.97	8.33	11.26	11.32	26.11	
		15:00	26.92	50.29	32.27	8.35	10.16	9.03	21.59	
		18:00	26.40	50.11	32.11	8.23	7.59	12.46	11.36	
		21:00	26.36	50.41	32.25	8.12	7.71	12.44	15.38	
	日平均值			26.73	50.85	32.58	8.29	9.14	10.91	14.82
	灣內站	0:00	27.44	50.07	32.97	8.18	6.13	16.9	25.32	
		3:00	27.14	50.04	32.86	8	5.86	25.51	30.59	
		6:00	26.8	50.2	33.02	7.98	6.41	19.79	34.41	
		9:00	26.79	50.22	33.05	7.93	7.44	19.9	35.03	
		12:00	27.38	50.07	32.88	8.09	10.29	56.6	35.82	
		15:00	27.46	49.51	32.61	8.23	11.15	14.29	35.97	
		18:00	27.11	50.2	32.95	8.06	9.56	24.76	28.33	
		21:00	26.83	50.22	33.03	7.91	8.86	23.68	9.22	
	日平均值			27.12	50.07	32.92	8.05	8.21	25.18	29.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月13日	蚵殼站	0:00	28.2	50.11	32.29	8.35	10.21	1.07	34.09
		3:00	27.94	49.87	32.15	8.33	9.5	1.44	42.64
		6:00	27.82	51.16	32.96	8.32	7.45	3.51	44.55
		9:00	27.93	51.62	33.32	8.39	8.37	3.55	45.05
		12:00	28.41	50.05	32.31	8.21	8.56	2.83	45.06
		15:00	28.65	50	32.2	8.34	8.72	1.52	44.84
		18:00	28.57	50.98	32.88	8.3	8.61	2.79	42.51
		21:00	28.41	51.06	32.97	8.3	9.43	3.22	41.66
	日平均值		28.24	50.61	32.64	8.32	8.86	2.49	42.55
	潮口站	0:00	26.73	50.39	32.33	8.33	10.33	1.75	14.59
		3:00	26.54	50.20	32.13	8.45	12.15	4.79	5.14
		6:00	26.47	51.39	32.98	8.30	9.46	5.53	4.99
		9:00	26.46	51.81	33.19	8.19	7.21	9.16	4.66
		12:00	26.90	50.41	32.29	8.25	9.91	7.64	7.10
		15:00	27.03	50.41	32.25	8.32	9.47	6.80	21.21
		18:00	26.56	51.14	32.80	8.22	7.91	7.45	15.89
		21:00	26.45	51.84	33.18	8.17	7.30	8.35	10.60
	日平均值		26.64	50.95	32.64	8.28	9.22	6.43	10.52
	灣內站	0:00	26.66	50.35	33.08	7.96	7.77	56.27	7.29
		3:00	26.59	50.27	33.1	8.09	5.4	45.84	6.38
		6:00	26.44	50.33	33.06	7.93	5.37	22.47	7.17
		9:00	26.61	50.27	33.01	7.99	9.13	16.4	6.78
		12:00	27.3	49.88	32.8	8.35	10.39	37.15	16.89
		15:00	27.64	49.82	32.44	8.42	11.98	34.16	11.43
		18:00	27.22	50	32.67	8.4	12.22	15.3	14.35
		21:00	26.83	50.29	33.05	8.23	9.7	53.84	9.05
	日平均值		26.91	50.15	32.90	8.17	9.00	35.18	9.92
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月14日	蚵殼站	0:00	28.33	50.25	32.42	8.35	8.85	3.46	38.22
		3:00	27.91	50.25	32.39	8.37	9.56	2.67	41.06
		6:00	27.87	51.37	33.08	8.37	7.84	4.08	44.67
		9:00	28	51.68	33.35	8.39	8.56	4.48	45.03
		12:00	28.5	50.17	32.31	8.35	9.78	4.28	42.59
		15:00	28.6	50.29	32.45	8.41	10.09	4.02	45.04
		18:00	28.55	50.8	32.73	8.41	10.64	4.03	45.07
		21:00	28.46	51.19	33.03	8.26	8.36	3.87	45.03
	日平均值		28.28	50.75	32.72	8.36	9.21	3.86	43.34
	潮口站	0:00	26.45	50.55	32.36	8.21	8.17	1.97	9.11
		3:00	26.18	50.25	32.21	8.21	8.17	1.16	18.33
		6:00	26.10	51.26	32.82	8.19	7.69	3.63	7.32
		9:00	26.45	51.66	33.10	8.19	7.06	11.65	7.79
		12:00	26.98	50.16	32.12	8.16	7.66	5.53	21.80
		15:00	27.02	50.36	32.18	8.17	7.39	1.17	26.19
		18:00	26.69	50.99	32.67	8.13	7.49	3.79	9.16
		21:00	26.38	51.55	33.03	8.11	7.29	11.02	15.51
	日平均值		26.53	50.85	32.56	8.17	7.62	4.99	14.40
	灣內站	0:00	26.65	50.27	33.05	8.18	8.8	73.88	6.9
		3:00	26.48	50.19	33.06	8.06	8.27	28.74	6.18
		6:00	26.4	49.91	32.87	8	7.73	30.72	6.94
		9:00	26.36	49.98	32.89	7.99	6.55	78.79	7.74
		12:00	27.66	49.42	32.45	8.28	7.96	17.72	7.64
		15:00	27.66	49.63	32.66	8.36	8.93	11.82	8.38
		18:00	27.37	49.91	32.77	8.38	11.49	17.61	8.6
		21:00	27	50.11	32.95	8.19	7.91	60.53	7.75
	日平均值		26.95	49.93	32.84	8.18	8.46	39.98	7.52
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月15日	蚵殼站	0:00	28.43	50.53	32.56	8.29	9.06	1.56	45.04
		3:00	28.12	50.13	32.36	8.34	9.03	1.6	45.01
		6:00	27.96	50.14	32.39	8.33	8.17	7.33	45.04
		9:00	28	51.43	33.15	8.32	8.37	9.16	45.02
		12:00	28.5	49.97	32.24	8.31	8.73	4.47	45.07
		15:00	28.6	49.67	32.04	8.3	9.66	3.79	45.09
		18:00	28.55	50.54	32.62	8.36	9.03	6.61	45.02
	21:00	28.46	50.71	32.77	8.23	9.54	6.68	48.15	
	日平均值		28.33	50.39	32.52	8.31	8.95	5.15	45.43
	潮口站	0:00	26.53	50.62	32.43	8.11	6.58	7.04	19.11
		3:00	26.55	50.05	31.98	8.11	6.30	5.80	14.29
		6:00	26.16	50.40	32.27	8.21	8.47	1.83	3.66
		9:00	26.53	51.62	33.01	8.20	7.05	11.28	12.70
		12:00	26.74	50.28	32.22	8.16	7.46	14.62	14.87
		15:00	26.96	50.17	32.08	8.14	7.55	5.27	21.19
		18:00	26.87	50.64	32.37	8.11	6.91	8.60	13.09
	21:00	26.44	51.16	32.75	8.11	6.48	12.20	17.33	
	日平均值		26.60	50.62	32.39	8.14	7.10	8.33	14.53
	灣內站	0:00	26.79	50.22	33.01	8.26	5.42	36.21	5.53
		3:00	26.81	50.23	33.08	8.22	5.41	19.85	5.39
		6:00	26.51	49.98	32.84	8.24	10.7	54.97	5.43
9:00		26.87	50	32.88	8.33	11.88	39.18	5.58	
12:00		27.56	49.51	32.53	8.36	10.91	29.33	8.53	
15:00		27.71	49.49	32.48	8.41	9.92	31.36	13.02	
18:00		27.3	49.24	32.35	8.33	9.77	17.35	6.51	
21:00	27	49.43	32.47	8.05	9.41	56.51	5.24		
日平均值		27.07	49.76	32.71	8.28	9.18	35.60	6.90	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月16日	蚵殼站	0:00	27.81	50.3	32.45	8.41	8.88	10.59	44.57
		3:00	27.47	49.84	32.19	8.37	9.42	13.01	44.74
		6:00	27.30	49.73	32.12	8.33	9.33	12.36	44.97
		9:00	27.90	50.99	32.9	8.43	8.75	12.65	37.15
		12:00	27.81	51.13	32.99	8.25	8.38	13.81	35.74
		15:00	27.71	49.69	32.08	8.37	9.87	11.15	32.05
		18:00	27.32	49.22	31.74	8.27	8.72	11.47	37.21
	21:00	27.31	50.34	32.42	8.24	8.74	9.1	35.18	
	日平均值		27.58	50.16	32.36	8.33	9.01	11.77	38.95
	潮口站	0:00	26.30	50.74	32.45	8.13	7.36	5.45	5.52
		3:00	26.38	50.09	32.04	8.26	9.03	0.27	15.17
		6:00	26.51	49.72	31.81	8.26	10.00	0.79	29.84
		9:00	26.62	50.86	32.63	8.25	7.79	6.24	8.24
		12:00	26.65	50.59	32.42	8.14	7.01	9.58	12.30
		15:00	26.82	49.81	31.93	8.18	7.07	7.28	21.49
		18:00	26.76	49.59	31.75	8.07	5.96	9.58	5.92
	21:00	26.66	50.66	32.42	7.99	5.89	7.46	4.91	
	日平均值		26.59	50.26	32.18	8.16	7.51	5.83	12.92
	灣內站	0:00	26.86	50.16	33.01	8.05	7.85	17.69	4.91
		3:00	26.9	50.31	33.04	8.07	6.39	35.42	5.2
		6:00	26.64	49.79	32.76	8.07	7.09	30.2	7.22
9:00		26.94	50	32.92	8.14	9.14	16.58	5.16	
12:00		27.38	49.8	32.77	8.41	12.91	7.13	11.39	
15:00		27.42	49.77	32.75	8.31	12.84	17.5	9.27	
18:00		27.48	49.53	32.52	8.26	13	15.63	6.99	
21:00	27.43	49.56	32.63	8.27	11.8	12.69	6.46		
日平均值		27.13	49.87	32.80	8.20	10.13	19.11	7.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月17日	蚵殼站	0:00	27.23	49.92	32.19	8.19	6.49	11.65	33.2	
		3:00	27.48	49.87	32.23	8.16	6.37	10.47	33.59	
		6:00	27.11	49.61	32.01	8.21	6.94	13.09	39.74	
		9:00	27.73	50.19	32.45	8.21	7.45	20.88	34.95	
		12:00	28.06	50.44	32.59	8.3	9.16	13.03	27.59	
		15:00	27.74	48.98	31.6	8.28	8.65	14.37	24.4	
		18:00	27.07	48.58	31.28	8.11	6.16	17.43	23.75	
		21:00	27.30	50.2	32.33	8.14	7.19	15.24	25.82	
	日平均值			27.47	49.72	32.09	8.20	7.30	14.52	30.38
	潮口站	0:00	26.74	50.27	32.18	8.05	6.31	8.82	7.41	
		3:00	26.65	49.78	31.93	8.11	6.54	0.61	29.62	
		6:00	26.41	49.45	31.67	8.11	5.89	4.45	22.00	
		9:00	26.92	50.03	32.07	8.05	6.56	3.23	10.82	
		12:00	27.15	50.39	32.32	8.14	6.54	5.49	3.03	
		15:00	27.15	49.32	31.60	8.10	6.53	7.68	7.81	
		18:00	27.08	49.32	31.53	8.06	6.08	8.16	15.09	
		21:00	27.09	50.29	32.23	8.01	6.47	4.14	2.90	
	日平均值			26.90	49.86	31.94	8.08	6.37	5.32	12.34
	灣內站	0:00	27.11	49.9	32.8	8.13	6.13	23.64	6.07	
		3:00	27.02	50.23	33.09	7.96	6.81	49.71	6.71	
		6:00	26.92	50.02	32.91	8.02	5.98	31.08	7.18	
		9:00	27.1	49.77	32.78	8.16	10.75	50.93	7.95	
		12:00	27.72	49.41	32.35	8.39	13.63	13.67	10.31	
		15:00	27.76	49.46	32.47	8.27	12.01	58.09	8.33	
		18:00	27.62	49.75	32.69	8.16	8.54	50.7	7.27	
		21:00	27.5	49.67	32.7	8.11	9.54	26.76	8.75	
	日平均值			27.34	49.78	32.72	8.15	9.17	38.07	7.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月18日	蚵殼站	0:00	27.20	49.94	32.2	8.12	6.01	17.15	26.41	
		3:00	26.92	48.94	31.53	8.04	5.57	13.35	29.18	
		6:00	27.00	47.94	30.85	8.11	5.47	12.65	27.75	
		9:00	27.18	48.55	31.33	8.14	6.05	14.03	27.7	
		12:00	27.72	49.84	32.15	8.22	7.89	14.72	23.88	
		15:00	27.63	48.69	31.37	8.18	8.29	15.76	22.58	
		18:00	27.05	48.27	31.16	7.96	6.21	21.94	26.69	
		21:00	26.88	49.48	31.95	8.05	6.74	15.51	27.85	
	日平均值			27.20	48.96	31.57	8.10	6.53	15.64	26.51
	潮口站	0:00	26.58	50.21	32.13	7.97	5.44	5.06	3.87	
		3:00	26.58	48.99	31.42	8.05	6.14	0.70	8.18	
		6:00	26.67	47.81	30.66	8.11	5.93	5.97	19.56	
		9:00	27.34	48.70	31.23	8.04	7.00	2.48	9.56	
		12:00	27.32	49.83	31.95	8.09	5.28	4.41	3.89	
		15:00	27.18	49.66	31.79	8.00	5.36	5.99	10.61	
		18:00	27.24	48.55	31.11	8.03	5.26	5.07	14.81	
		21:00	27.46	49.72	31.90	8.00	5.23	2.77	2.07	
	日平均值			27.05	49.18	31.52	8.04	5.71	4.06	9.07
	灣內站	0:00	27.45	50.03	32.88	8	6.18	50.18	9.58	
		3:00	27.2	50.03	32.89	7.94	6.49	44.79	8.56	
		6:00	27.17	50.2	33.01	7.94	6.47	39.27	9.37	
		9:00	27.21	49.81	32.73	8.07	7.8	31.74	9.27	
		12:00	28.07	49.74	32.74	8.27	10.79	5.99	9.06	
		15:00	28.05	49.84	32.76	8.18	10	23.18	9.67	
		18:00	27.97	49.84	32.82	8.05	5.87	36.07	10.86	
		21:00	27.83	49.78	32.71	8.05	7.3	13.26	13.72	
	日平均值			27.62	49.91	32.82	8.06	7.61	30.56	10.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月19日	蚵殼站	0:00	26.87	50.98	32.89	8.14	6.97	13.64	28.08
		3:00	26.56	49.61	31.97	8.21	6.55	10.37	24.47
		6:00	26.75	46.76	31.9	8.14	6.49	10.26	22.39
		9:00	26.99	49.77	32.11	8.17	6.47	10.9	21.73
		12:00	27.27	50.18	32.4	8.17	6.44	12.41	20.85
		15:00	27.41	50.51	32.57	8.14	6.15	12.89	18.84
		18:00	26.78	49.84	32.16	8.1	5.79	13.33	18.74
		21:00	26.92	49.08	31.67	8.13	5.55	9.86	20.86
	日平均值	26.94	49.59	32.21	8.15	6.30	11.71	22.00	
	潮口站	0:00	26.77	49.72	31.87	8.08	6.82	6.91	4.69
		3:00	26.49	48.46	31.03	7.99	6.02	3.25	6.87
		6:00	26.86	47.20	30.29	8.11	6.70	0.48	13.29
		9:00	27.33	46.92	30.09	8.08	6.97	0.60	29.71
		12:00	27.13	48.78	31.31	8.05	5.85	6.63	19.12
		15:00	26.76	48.83	31.26	8.04	6.94	6.40	22.14
		18:00	27.45	49.61	31.80	8.03	7.30	5.52	31.99
		21:00	27.56	50.60	32.37	8.00	7.00	4.10	20.84
	日平均值	27.04	48.77	31.25	8.05	6.70	4.24	18.58	
	灣內站	0:00	27.56	49.89	32.8	8.09	6.57	4.3	14.5
		3:00	27.34	50.15	33.02	7.97	5.08	12.43	15.62
		6:00	27.22	50.02	32.88	8.03	5.94	3.68	17.84
9:00		27.45	49.89	32.82	8.04	5.86	1.81	20.1	
12:00		27.95	49.51	32.59	7.99	7.12	3.85	23.06	
15:00		28.24	49.26	32.33	8.11	8	5.24	20.52	
18:00		27.92	49.53	32.53	8	5.83	7.34	27.45	
21:00		27.42	50.03	32.9	7.87	5.55	1.31	33.14	
日平均值	27.64	49.79	32.73	8.01	6.24	5.00	21.53		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月20日	蚵殼站	0:00	26.56	46.73	32.23	8.08	5.84	10.58	20.31
		3:00	26.43	49.61	32.04	8.04	5.26	9.65	19.45
		6:00	26.42	48.88	31.48	8.03	5.25	10.93	19.18
		9:00	27.30	49.55	31.9	8.09	5.36	9.5	15.79
		12:00	27.38	46.66	31.7	8.11	7.01	21.88	15.64
		15:00	27.23	49.5	31.92	8.11	6.54	7.84	14.02
		18:00	27.18	49.25	31.74	8.11	6.7	10.48	15.44
		21:00	27.04	49.18	31.68	8.07	6.44	8.49	18.23
	日平均值	26.94	48.67	31.84	8.08	6.05	11.17	17.26	
	潮口站	0:00	27.09	49.72	31.82	8.05	6.33	8.85	19.41
		3:00	26.46	50.18	32.19	8.03	6.41	12.43	20.35
		6:00	26.84	50.17	32.13	8.09	6.78	1.37	28.81
		9:00	27.19	51.07	32.70	8.05	5.74	3.36	33.03
		12:00	26.78	50.77	32.52	7.97	6.65	6.27	33.45
		15:00	26.51	51.38	32.80	8.23	7.92	16.70	27.09
		18:00	26.77	54.13	34.53	8.15	7.40	10.85	22.59
		21:00	26.77	53.49	34.22	8.16	6.51	8.86	4.96
	日平均值	26.80	51.36	32.86	8.09	6.72	8.59	23.71	
	灣內站	0:00	27.3	50.07	32.96	7.9	6.39	4.63	34.98
		3:00	26.99	50.16	32.98	7.78	5.65	6.94	35.95
		6:00	26.9	50.19	32.95	7.84	5.06	6.16	36.05
9:00		26.11	49.11	32.25	7.89	5.95	16.93	32.84	
12:00		27.53	48.8	32.15	8.07	6.71	4.56	18.32	
15:00		27.54	49.06	32.3	8.02	6.81	7.2	22.34	
18:00		27.55	49.03	32.26	7.96	6.72	25.27	8.39	
21:00		27.44	48.44	31.94	7.96	6.8	7.67	32.66	
日平均值	27.17	49.36	32.47	7.93	6.26	9.92	27.69		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月21日	蚵殼站	0:00	26.61	49.35	31.83	8.07	5.6	6.64	16.9	
		3:00	26.53	49.36	31.84	7.96	5.23	11.03	16.26	
		6:00	26.47	49.14	31.73	8.02	5.4	9.01	15.26	
		9:00	26.78	49.09	31.68	8.09	5.75	7.3	14.11	
		12:00	26.69	48.55	31.32	8.06	7.11	8.53	13.27	
		15:00	26.39	48.25	31.08	8.08	7.91	13.05	10.39	
		18:00	26.61	49.37	31.87	8.04	7.31	13.27	12.05	
		21:00	26.68	49.43	31.88	8.12	6.97	10.23	13.75	
	日平均值			26.60	49.07	31.65	8.06	6.41	9.88	14.00
	潮口站	0:00	26.44	53.66	34.23	8.17	6.18	17.72	2.33	
		3:00	26.18	55.23	35.21	8.24	7.34	24.39	1.82	
		6:00	26.10	53.43	34.07	8.18	6.57	6.99	2.09	
		9:00	26.65	52.89	33.80	8.11	6.47	3.22	2.47	
		12:00	27.04	51.53	32.96	8.10	6.80	5.62	2.99	
		15:00	26.69	49.74	31.78	8.20	7.86	3.72	2.36	
		18:00	26.65	53.62	34.24	8.16	7.53	10.68	3.47	
		21:00	26.61	53.05	33.88	8.13	6.71	5.43	3.01	
	日平均值			26.55	52.89	33.77	8.16	6.93	9.72	2.57
	灣內站	0:00	27.37	48.78	32.21	7.96	5.44	12.62	17.27	
		3:00	27.12	48.94	32.22	7.94	5.28	7.4	30.54	
		6:00	26.91	49.08	32.44	7.96	6.19	17.01	17.87	
		9:00	27.21	49.1	32.36	7.98	6.33	19.85	15.89	
		12:00	27.86	48.97	32.22	8.05	7.91	5.86	39.45	
		15:00	27.88	49.12	32.34	8.06	7.86	7.56	59.19	
		18:00	27.68	48.95	32.26	8.03	6.02	9.43	61.53	
		21:00	27.58	49.03	32.28	7.94	5.13	9.26	55.16	
	日平均值			27.45	49.00	32.29	7.99	6.27	11.12	37.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月22日	蚵殼站	0:00	26.34	49.78	32.09	8.11	6.94	9.01	14.61	
		3:00	26.04	50.25	32.39	8.08	6.23	7.76	13.44	
		6:00	26.04	48.22	31.1	8.02	6.44	7.72	13.35	
		9:00	26.29	48.8	31.48	8.11	7.59	7.33	15.79	
		12:00	26.61	48.38	31.26	8.06	7.92	8.72	12.56	
		15:00	26.62	49.6	32.06	8.13	9.07	10.44	9.57	
		18:00	26.49	49.12	31.62	8.15	7.88	13.02	8.32	
		21:00	26.39	49.2	31.71	8.1	7.55	7.6	10.56	
	日平均值			26.35	49.17	31.71	8.10	7.45	8.95	12.28
	潮口站	0:00	26.46	53.09	33.89	8.19	6.63	12.98	2.45	
		3:00	26.24	54.93	35.12	8.21	7.18	24.37	1.43	
		6:00	26.10	54.06	34.54	8.11	6.77	10.91	2.28	
		9:00	26.64	53.03	33.85	8.12	7.26	5.82	4.58	
		12:00	26.88	52.54	33.55	8.16	8.00	7.74	6.24	
		15:00	26.38	52.70	33.68	8.28	7.82	5.04	3.25	
		18:00	26.30	53.92	34.39	8.22	7.53	10.91	3.10	
		21:00	26.40	53.40	34.09	8.16	7.24	22.39	4.17	
	日平均值			26.43	53.46	34.14	8.18	7.30	12.52	3.44
	灣內站	0:00	27.5	49.17	32.5	7.88	5.06	9.34	30.81	
		3:00	27.28	48.98	32.35	7.91	5.14	8.22	28.73	
		6:00	27.19	48.98	32.36	7.94	5.12	8.87	36.57	
		9:00	27.34	49.11	32.42	7.94	6.36	13.89	34.92	
		12:00	27.84	48.9	32.2	8.11	8.24	9.76	8.11	
		15:00	27.88	49.03	32.29	8.12	8.43	22.4	8.12	
		18:00	27.75	49.04	32.31	8.11	8.23	10.4	8.09	
		21:00	27.4	48.83	32.12	7.97	6.58	9.95	8.03	
	日平均值			27.52	49.01	32.32	8.00	6.65	11.60	20.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月23日	蚵殼站	0:00	26.44	49.2	31.75	8.07	7.66	8.66	9.32	
		3:00	25.99	50.27	32.41	8.12	7.43	6.52	11.56	
		6:00	25.90	50.35	32.46	8.08	7.22	7.2	11.82	
		9:00	26.02	48.97	31.59	8.08	8.07	6.54	13.91	
		12:00	26.44	48.91	31.55	8.1	8.3	7.64	14.61	
		15:00	26.39	48.92	31.53	8.15	10.01	8.51	13.89	
		18:00	26.00	48.64	31.31	8.18	9.16	8.94	12.44	
		21:00	26.26	48.96	31.56	8.13	8.94	9.11	12.87	
	日平均值			26.18	49.28	31.77	8.11	8.35	7.89	12.55
	潮口站	0:00	26.43	53.22	33.77	8.20	7.88	9.49	5.04	
		3:00	26.07	54.50	34.79	8.22	7.31	21.91	2.72	
		6:00	25.88	54.57	34.86	8.20	7.33	15.27	2.99	
		9:00	26.41	53.05	33.90	8.24	8.92	7.55	6.41	
		12:00	26.67	52.44	33.55	8.24	9.22	6.89	6.95	
		15:00	26.17	51.25	32.68	8.19	7.67	5.52	3.69	
		18:00	26.09	54.08	34.50	8.22	8.05	15.03	5.11	
		21:00	26.03	53.08	33.89	8.25	8.32	9.89	7.29	
	日平均值			26.22	53.27	33.99	8.22	8.09	11.44	5.03
	灣內站	0:00	26.85	48.47	31.93	7.88	5.92	11.75	7.93	
		3:00	26.82	48.9	32.23	7.9	5.5	7.54	8	
		6:00	26.77	48.88	32.21	7.9	7.03	11.05	58.42	
		9:00	26.73	48.7	32.03	7.89	7.32	13.93	55.22	
		12:00	27.03	47.96	31.37	8.14	9.74	19.16	78.21	
		15:00	27.28	48.23	31.79	8.09	10.83	10.45	7.98	
		18:00	26.95	48.19	31.76	8.03	7.59	9.29	8.13	
		21:00	26.7	48.61	31.98	7.98	5.87	10.8	8.35	
	日平均值			26.89	48.49	31.91	7.98	7.48	11.75	29.03
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月24日	蚵殼站	0:00	26.65	50.84	32.76	8.18	8.89	7.22	14.67	
		3:00	25.45	50.94	32.87	8.15	8.5	7.12	20.55	
		6:00	25.28	51.48	33.2	8.08	8.19	8.44	20.74	
		9:00	26.00	49.91	32.21	8.17	9.08	7.53	20.65	
		12:00	27.16	49.8	32.11	8.2	10.08	7.69	23.87	
		15:00	27.22	50.4	32.53	8.22	11.22	9.58	28.08	
		18:00	26.65	49.91	32.21	8.26	9.79	10.22	25.06	
		21:00	26.93	49.23	31.72	8.18	8.36	10.89	22.34	
	日平均值			26.42	50.31	32.45	8.18	9.26	8.59	22.00
	潮口站	0:00	25.94	53.00	33.87	8.35	8.73	7.06	7.50	
		3:00	25.89	54.01	34.50	8.29	7.30	20.71	4.40	
		6:00	25.89	54.87	34.97	8.19	7.22	24.64	3.72	
		9:00	26.05	52.99	33.59	8.33	10.01	6.45	7.69	
		12:00	26.39	52.82	33.72	8.37	11.29	6.93	10.91	
		15:00	26.19	50.77	32.45	8.28	8.03	4.37	5.19	
		18:00	26.08	52.84	33.74	8.24	7.89	5.99	4.18	
		21:00	26.05	53.17	34.02	8.28	8.66	6.24	9.28	
	日平均值			26.06	53.06	33.86	8.29	8.64	10.30	6.61
	灣內站	0:00	26.33	48.76	31.98	7.93	5.99	16.09	7.98	
		3:00	25.99	48.8	32.13	8	5.79	25.78	8.13	
		6:00	25.83	48.79	32.03	8	5.45	20.62	8.35	
		9:00	26.08	48.45	31.84	7.91	8.4	13.9	8.11	
		12:00	26.61	48.15	31.7	8.11	11.34	13.18	8.08	
		15:00	26.63	48.41	31.85	8.22	12.62	9.61	7.98	
		18:00	26.38	48.48	31.9	8.06	10.12	8.99	77.6	
		21:00	26.38	48.45	31.96	8.07	8.21	14.37	73.47	
	日平均值			26.28	48.54	31.92	8.04	8.49	15.32	24.96
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月25日	蚵殼站	0:00	26.81	48.78	31.46	8.2	9.95	9.06	19.99	
		3:00	26.55	48.57	31.28	8.19	8.31	8.56	24.02	
		6:00	26.48	49.24	31.76	8.12	9.17	7.59	22.64	
		9:00	27.04	48.45	31.28	8.17	9.63	9.39	24.35	
		12:00	27.47	46.85	30.18	8.23	10.27	8.36	28.37	
		15:00	27.57	48.27	31.08	8.28	11.8	10.97	37.41	
		18:00	27.14	48.3	31.14	8.28	11.92	11.01	37.66	
		21:00	27.27	47.93	30.91	8.19	9.4	15.91	33.34	
	日平均值		27.04	48.30	31.14	8.21	10.06	10.11	28.47	
	潮口站	0:00	25.90	52.91	33.85	8.29	8.32	10.31	9.09	
		3:00	25.88	53.56	34.25	8.26	7.82	12.37	8.51	
		6:00	25.88	54.93	35.09	8.30	6.94	18.33	4.70	
		9:00	26.16	53.32	34.04	8.29	9.09	11.05	17.38	
		12:00	26.27	52.80	33.76	8.46	12.80	10.25	38.75	
		15:00	26.00	51.29	32.74	8.34	9.20	5.78	25.85	
		18:00	25.84	53.16	34.03	8.22	7.27	5.60	7.76	
		21:00	25.73	53.20	34.00	8.27	7.98	5.10	11.28	
	日平均值		25.96	53.15	33.97	8.30	8.68	9.85	15.42	
	灣內站	0:00	26.27	48.6	32.03	8.08	7.55	9.56	8	
		3:00	26.14	48.65	31.99	8.02	6.33	27.23	8	
		6:00	26.07	48.71	32.06	8.01	6.25	19.91	8.38	
		9:00	26.08	48.63	32.07	8.05	8.02	12.6	54.48	
		12:00	26.67	47.92	31.56	8.3	13.04	13.25	35.71	
		15:00	26.53	46.29	30.49	8.28	14.05	13.41	26.46	
		18:00	26.26	47.05	31	8.24	12.98	16.67	27.97	
		21:00	26.15	48.13	31.51	8.11	10.26	32.35	30.34	
	日平均值		26.27	48.00	31.59	8.14	9.81	18.12	24.92	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月26日	蚵殼站	0:00	27.05	49.7	32.02	8.17	8.56	12.28	42.66	
		3:00	26.83	49.69	32.01	8.18	9.85	9.51	45.66	
		6:00	26.75	50.92	32.86	8.2	9.46	10.65	50.91	
		9:00	27.54	50.16	32.34	8.3	11.56	10.69	59.73	
		12:00	27.86	48.28	31.12	8.31	11.28	8.78	59.82	
		15:00	27.90	49.66	31.98	8.32	11.53	8.42	60.08	
		18:00	27.32	49.83	32.13	8.33	10.76	11.87	60.05	
		21:00	27.56	50.07	32.24	8.23	9.1	14.21	60	
	日平均值		27.35	49.79	32.09	8.26	10.26	10.80	54.86	
	潮口站	0:00	25.54	53.18	33.98	8.33	7.67	14.42	12.49	
		3:00	25.63	53.18	33.98	8.28	7.70	16.33	16.18	
		6:00	25.78	54.66	34.95	8.29	6.74	24.78	6.92	
		9:00	25.51	54.18	34.63	8.27	7.51	12.82	12.11	
		12:00	25.28	53.35	34.04	8.35	10.41	13.00	30.35	
		15:00	25.50	54.00	34.55	8.34	8.96	13.24	25.15	
		18:00	26.02	54.86	35.07	8.25	6.73	21.51	24.14	
		21:00	25.49	54.08	34.55	8.26	7.74	14.21	22.31	
	日平均值		25.59	53.94	34.47	8.30	7.93	16.29	18.71	
	灣內站	0:00	26.05	48.37	31.88	8.1	7.1	27.35	39.26	
		3:00	25.93	48.32	31.85	8.07	8.06	19.47	27.59	
		6:00	25.83	48.42	31.88	8.01	7.23	57.96	32.56	
		9:00	25.89	48.67	32.03	8.07	8.26	37.59	21.92	
		12:00	25.71	48.87	32.16	8.13	9.02	15.42	32.39	
		15:00	25.58	48.93	32.29	8.11	8.9	12.45	23.43	
		18:00	25.46	48.92	32.17	8.07	7.57	22.89	41.97	
		21:00	25.56	48.88	32.2	8.02	8.3	25.13	38.29	
	日平均值		25.75	48.67	32.06	8.07	8.06	27.28	32.18	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月27日	蚵殼站	0:00	27.38	49.13	31.65	8.28	10.06	7.2	46.5	
		3:00	26.99	49.25	31.72	8.31	9.15	7.02	40.29	
		6:00	26.76	49.38	31.82	8.22	8.13	6.77	57.19	
		9:00	27.59	49.86	32.18	8.36	10.38	7.75	60.06	
		12:00	27.91	48.94	31.52	8.25	9.63	8.17	60	
		15:00	27.65	48.45	31.2	8.32	10.97	9.06	60.08	
		18:00	27.45	48.96	31.61	8.34	10.36	8.85	56.92	
		21:00	27.60	49.28	31.86	8.25	8.93	11.45	44.61	
	日平均值			27.42	49.16	31.70	8.29	9.70	8.28	53.21
	潮口站	0:00	25.04	53.33	34.04	8.35	8.33	5.70	17.93	
		3:00	24.86	53.20	34.01	8.33	8.16	8.01	17.70	
		6:00	25.48	54.20	34.67	8.33	6.80	17.71	9.41	
		9:00	26.14	54.84	35.04	8.22	6.80	11.48	6.58	
		12:00	25.96	53.81	34.09	8.29	8.80	8.78	9.06	
		15:00	26.00	51.93	33.22	8.28	9.54	6.15	9.74	
		18:00	26.11	53.71	34.34	8.26	7.05	9.81	6.02	
		21:00	26.00	54.17	34.53	8.27	7.12	9.69	5.45	
	日平均值			25.70	53.65	34.24	8.29	7.83	9.67	10.24
	灣內站	0:00	25.49	48.93	32.17	8.1	7.65	21.38	36.84	
		3:00	25.22	48.92	32.17	7.97	5.7	19.92	28.94	
		6:00	25.18	48.9	32.17	7.94	5.72	58.7	49.77	
		9:00	25.26	48.85	32.13	8.01	7.16	32.25	30.92	
		12:00	25.81	48.04	31.68	8.25	12.21	29.29	27.77	
		15:00	26.1	48.05	31.68	8.34	13.46	34.64	45.27	
		18:00	25.91	48.73	32.05	8.25	12.36	20.17	21.47	
		21:00	25.84	48.77	32.16	8.15	11.2	44.28	36.44	
	日平均值			25.60	48.65	32.03	8.13	9.43	32.58	34.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月28日	蚵殼站	0:00	27.34	48.81	31.49	8.27	10.1	8.05	37.48	
		3:00	27.03	48.34	31.17	8.38	11.62	8.19	35.59	
		6:00	27.05	48.89	31.49	8.35	10.94	8.74	52.98	
		9:00	27.99	48.95	31.57	8.29	10.97	8.35	60.02	
		12:00	27.87	49.7	32.08	8.27	10.53	8.48	60.09	
		15:00	27.50	49.7	32.03	8.29	9.87	9.06	60	
		18:00	27.32	49.01	31.63	8.31	10.9	8.46	50.04	
		21:00	27.45	49.48	31.95	8.28	10.19	8.27	47.16	
	日平均值			27.44	49.11	31.68	8.31	10.64	8.45	50.42
	潮口站	0:00	25.37	53.00	33.86	8.42	9.49	4.51	10.30	
		3:00	25.43	52.83	33.79	8.37	8.98	8.78	10.69	
		6:00	25.35	53.27	34.03	8.31	8.69	11.25	10.96	
		9:00	26.23	54.77	34.97	8.27	6.85	16.19	6.87	
		12:00	26.11	54.14	34.55	8.30	8.02	10.06	8.10	
		15:00	25.96	53.25	34.01	8.32	8.86	6.67	9.35	
		18:00	26.10	54.04	34.47	8.30	6.77	12.78	5.92	
		21:00	25.83	54.75	34.98	8.24	6.62	13.04	5.12	
	日平均值			25.80	53.76	34.33	8.32	8.04	10.41	8.41
	灣內站	0:00	25.88	49.01	32.3	8.03	6.84	41.41	56.52	
		3:00	25.76	48.94	32.32	8.08	6.9	26.45	58.87	
		6:00	25.66	48.88	32.14	8.07	6.54	59.95	74.29	
		9:00	25.68	49	32.34	7.98	6.91	39.65	10.8	
		12:00	25.71	48.81	32.11	8.13	11.1	45.87	9.76	
		15:00	25.82	48.38	31.82	8.35	13.68	44.92	8.11	
		18:00	25.85	48.88	32.17	8.15	11.77	15.41	79.69	
		21:00	25.96	49.18	32.44	8.03	6.57	23.3	56.27	
	日平均值			25.79	48.89	32.21	8.10	8.79	37.12	44.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月29日	蚵殼站	0:00	27.36	49.49	31.93	8.18	8.77	8.63	42.11	
		3:00	27.04	49.56	31.94	8.4	11.72	7.55	33.53	
		6:00	26.93	49.87	32.11	8.32	10.49	8.66	41.12	
		9:00	28.09	49.56	31.95	8.32	11.41	8.35	37.53	
		12:00	28.15	49.64	32.04	8.27	10.15	10.43	37.64	
		15:00	27.50	49.48	31.95	8.29	10.54	13.11	42.54	
		18:00	27.16	49.63	32.02	8.24	10.24	11.22	35.23	
	21:00	27.31	49.59	31.95	8.28	9.69	11.64	28.85		
	日平均值			27.44	49.60	31.99	8.29	10.38	9.95	37.32
	潮口站	0:00	25.43	53.37	34.07	8.33	9.38	7.98	9.78	
		3:00	25.34	53.34	34.09	8.29	7.48	17.58	9.34	
		6:00	25.19	53.12	34.02	8.42	9.21	10.13	12.14	
		9:00	25.73	54.28	34.64	8.30	6.85	16.77	7.34	
		12:00	26.07	54.58	34.88	8.21	6.79	9.11	6.93	
		15:00	26.17	54.48	34.74	8.29	6.80	6.46	7.35	
		18:00	26.02	53.20	33.92	8.20	6.81	3.17	6.27	
	21:00	25.83	53.89	34.44	8.28	6.73	10.61	5.60		
	日平均值			25.72	53.78	34.35	8.29	7.51	10.23	8.09
	灣內站	0:00	25.85	49.27	32.53	7.97	6.58	22.01	62.51	
		3:00	25.71	49.19	32.42	8.02	6.43	10.12	58.8	
		6:00	25.46	48.59	32.03	7.98	6.82	7.22	66.29	
9:00		25.71	49.06	32.32	8.08	7.83	14.88	71.62		
12:00		25.98	47.84	31.58	8.22	12.54	10.61	33.95		
15:00		26.15	47.93	31.58	8.27	12.33	14.24	3.12		
18:00		26.04	48.93	32.25	8.18	11.89	22.95	1.92		
21:00	25.95	49.46	32.61	8.08	10.72	10.48	13.11			
日平均值			25.86	48.78	32.17	8.10	9.39	14.06	38.92	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月30日	蚵殼站	0:00	27.24	49.51	31.96	8.22	9.37	9.06	42.17	
		3:00	27.04	49.45	31.89	8.27	10.56	8.08	38.72	
		6:00	26.80	49.34	31.86	8.22	9.72	8.65	50.57	
		9:00	27.65	49.44	31.86	8.29	11.12	8.77	54.31	
		12:00	27.74	49.38	31.85	8.24	10.41	8.97	54.31	
		15:00	27.26	48.78	31.41	8.24	10.72	9.92	55.62	
		18:00	26.79	48.93	31.59	8.28	10.55	10.05	50.51	
	21:00	27.25	49.26	31.76	8.25	9.45	11.5	45.18		
	日平均值			27.22	49.26	31.77	8.25	10.24	9.38	48.92
	潮口站	0:00	25.83	53.28	34.02	8.31	8.76	8.12	12.65	
		3:00	25.77	53.10	33.96	8.33	8.14	12.66	13.47	
		6:00	25.69	53.87	34.40	8.36	7.91	15.97	9.83	
		9:00	26.23	54.52	34.79	8.24	6.98	14.38	8.24	
		12:00	26.51	53.97	34.37	8.31	8.47	10.24	13.66	
		15:00	26.60	53.41	34.13	8.32	8.55	8.11	12.98	
		18:00	26.39	53.97	34.39	8.23	6.83	11.84	10.55	
	21:00	26.29	54.24	34.58	8.22	7.05	11.84	9.69		
	日平均值			26.16	53.80	34.33	8.29	7.84	11.65	11.38
	灣內站	0:00	26.13	49.67	32.8	8.03	7.86	11.51	11.15	
		3:00	25.91	48.8	32.15	8.03	6.75	18.94	43.6	
		6:00	25.66	48.69	32.03	7.99	6.55	45.98	55.76	
9:00		25.88	48.86	32.25	8.07	7.55	31	52.36		
12:00		26.18	48.36	31.92	8.25	11.22	25.27	47.99		
15:00		26.36	48.36	31.84	8.24	12.17	26.59	39.46		
18:00		26.18	48.85	32.17	8.13	10.96	20.34	36.27		
21:00	26.18	49.13	32.31	8.04	9.18	25.78	36.06			
日平均值			26.06	48.84	32.18	8.10	9.03	25.68	40.33	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月1日	蚵殼站	0:00	28.16	48.74	31.62	8.14	10.71	22.43	14.57
		3:00	27.93	48.66	31.74	8.14	9.55	22.53	14.05
		6:00	27.68	48.79	31.72	8.12	9.59	20.04	16.18
		9:00	27.46	48.82	31.68	8.08	10.45	20.66	17.04
		12:00	27.15	49.27	31.69	8.15	11.26	21.58	12.69
		15:00	28	49.35	31.82	8.11	11.41	23.24	18.57
		18:00	27.83	49.08	31.8	8.13	10.65	26.31	8.14
		21:00	27.63	48.82	31.66	8.14	10.46	24.12	6.31
	日平均值		27.73	48.94	31.72	8.13	10.51	22.61	13.44
	潮口站	0:00	26.00	51.74	33.27	8.37	9.20	11.18	8.14
		3:00	25.91	52.22	33.58	8.29	8.07	17.56	7.71
		6:00	25.59	52.38	33.56	8.28	8.52	17.39	7.84
		9:00	26.00	51.70	33.30	8.41	10.21	12.57	8.73
		12:00	26.36	51.21	32.97	8.37	9.51	12.75	7.31
		15:00	26.00	50.32	32.44	8.24	8.02	8.93	6.39
		18:00	25.95	51.50	33.15	8.28	8.26	16.37	6.63
		21:00	26.10	51.37	33.18	8.40	9.31	18.17	8.34
	日平均值		25.99	51.56	33.18	8.33	8.89	14.37	7.64
	灣內站	0:00	26.78	49.44	32.64	8.18	9.29	34.4	19.73
		3:00	26.55	49.52	32.65	8.11	7.56	32.67	16.31
		6:00	26.47	49.49	32.61	8.07	7.86	43.02	20.34
		9:00	26.58	49.5	32.65	8.21	9.39	21.09	19.35
		12:00	27.13	49.32	32.48	8.34	12.89	19.58	27.58
		15:00	27.13	49.31	32.46	8.37	13.3	18.71	29.87
18:00		26.9	49.46	32.6	8.24	10.97	27.35	11.67	
21:00		26.87	49.38	32.56	8.19	9.19	30.66	10.61	
日平均值		26.80	49.43	32.58	8.21	10.06	28.44	19.43	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月2日	蚵殼站	0:00	27.77	48.8	31.65	8.12	10.12	21.95	9.02
		3:00	26.92	48.65	31.57	8.12	9.01	22.54	8.38
		6:00	27.32	48.82	31.66	8.01	9.02	20.28	9.16
		9:00	27.74	48.91	31.66	8.04	10.16	20.93	9.69
		12:00	27.86	48.81	31.62	8.15	11.31	21.2	12.8
		15:00	27.91	48.89	31.73	8.12	10.28	24.43	21.17
		18:00	27.82	48.66	31.51	8.12	10.16	27.18	8.54
		21:00	27.66	48.47	31.43	8.09	9.85	25.09	7.23
	日平均值		27.63	48.75	31.60	8.10	9.99	22.95	10.75
	潮口站	0:00	25.99	51.34	33.10	8.31	8.97	17.06	8.34
		3:00	25.89	51.64	33.27	8.29	8.08	24.51	7.84
		6:00	25.70	52.15	33.54	8.25	7.80	23.72	6.97
		9:00	26.01	51.42	33.11	8.36	9.44	19.02	7.89
		12:00	26.33	50.98	32.71	8.29	9.29	17.18	7.79
		15:00	26.11	49.61	31.92	8.30	7.78	15.01	7.29
		18:00	25.89	51.33	33.10	8.24	7.68	20.31	7.32
		21:00	25.96	51.24	33.02	8.33	8.59	24.66	9.32
	日平均值		25.99	51.21	32.97	8.30	8.45	20.18	7.85
	灣內站	0:00	26.73	49.36	32.55	8.14	9.04	29.66	12.47
		3:00	26.55	49.35	32.62	8.13	7.4	30.94	9.55
		6:00	26.45	49.37	32.6	8.11	7.5	39.06	12.47
		9:00	26.6	49.43	32.62	8.11	8.74	18.37	14.25
		12:00	27.08	49.17	32.36	8.35	13.08	20.78	28.25
		15:00	27.1	49.24	32.53	8.39	13.28	19.54	29.07
18:00		26.84	49.37	32.56	8.23	10.91	27.63	12.56	
21:00		26.78	49.4	32.51	8.18	8.82	27.35	12.1	
日平均值		26.77	49.34	32.54	8.21	9.85	26.67	16.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月3日	蚵殼站	0:00	27.38	48.59	31.45	8.11	9.09	20.87	9.38	
		3:00	26.94	48.51	31.38	8.04	8.02	21.55	9.29	
		6:00	26.86	48.59	31.52	8.05	8.02	19.71	9.61	
		9:00	26.98	48.51	31.31	8.06	9.51	20.96	9.97	
		12:00	27.16	48.45	31.4	8.26	13.19	18.84	47.6	
		15:00	27.13	48.65	31.81	8.25	12.91	19.53	46.63	
		18:00	27.38	48.32	31.89	8.24	12.36	22.14	42.25	
		21:00	26.86	48.17	31.62	8.24	12.34	18.15	40.88	
	日平均值			27.09	48.47	31.55	8.16	10.68	20.22	26.95
	潮口站	0:00	25.93	51.11	32.91	8.32	8.40	25.31	10.12	
		3:00	25.88	51.24	32.95	8.30	8.14	28.72	9.38	
		6:00	25.66	51.96	33.40	8.26	7.13	30.69	8.46	
		9:00	26.05	51.50	33.13	8.29	8.64	25.45	8.87	
		12:00	26.27	51.91	33.17	8.28	7.81	2.95	10.28	
		15:00	26.17	51.60	32.94	8.30	7.56	5.02	10.54	
		18:00	26.02	53.01	33.84	8.33	9.26	27.56	13.86	
		21:00	25.83	52.97	33.87	8.35	9.52	27.75	14.32	
	日平均值			25.98	51.91	33.28	8.30	8.31	21.68	10.73
	灣內站	0:00	26.61	49.36	32.6	8.16	8.97	31.87	13.19	
		3:00	26.55	49.36	32.36	8.14	6.96	38.08	10.7	
		6:00	26.42	49.43	32.62	8.12	7.37	40.86	12.07	
		9:00	26.55	49.44	32.66	8.16	8.29	26	14.53	
		12:00	26.86	49.53	32.69	8.37	13.95	11.17	9.76	
		15:00	26.89	49.52	32.64	8.35	12.77	13.27	8.11	
		18:00	26.6	49.33	32.48	8.2	9.63	17.87	54.84	
		21:00	26.66	49.25	32.5	8.16	6.23	15.84	58.73	
	日平均值			26.64	49.40	32.57	8.21	9.27	24.37	22.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月4日	蚵殼站	0:00	26.59	48.22	31.58	8.19	12.68	17.91	43.75	
		3:00	26.22	48.28	32.13	8.18	11.78	16.19	44.22	
		6:00	26.11	48.21	31.84	8.18	11.62	15.8	46.82	
		9:00	26.15	48.2	31.58	8.2	12.4	16.6	46.92	
		12:00	26.67	50.68	31.72	8.2	12.46	19.97	11.49	
		15:00	27.06	50.68	31.8	8.23	12.94	19.32	6.67	
		18:00	27.42	50.36	32.59	8.23	12.38	19.42	5.29	
		21:00	27.28	49.88	32.28	8.24	12.52	20.47	5.62	
	日平均值			26.69	49.31	31.94	8.21	12.35	18.21	26.35
	潮口站	0:00	25.80	53.28	34.05	8.34	8.84	9.67	12.33	
		3:00	25.79	54.03	34.48	8.25	7.64	11.99	10.72	
		6:00	25.37	53.07	33.34	8.35	10.05	6.31	12.54	
		9:00	25.68	52.91	33.83	8.45	11.12	4.52	13.40	
		12:00	25.96	53.05	34.08	8.29	9.03	11.12	6.75	
		15:00	25.93	52.41	33.74	8.31	8.30	2.04	3.82	
		18:00	26.12	52.00	33.44	8.29	9.50	8.41	4.83	
		21:00	25.99	51.86	33.37	8.40	11.81	3.67	5.49	
	日平均值			25.83	52.83	33.79	8.34	9.54	7.22	8.74
	灣內站	0:00	26.34	49.58	32.68	8.26	10.91	36.93	60.95	
		3:00	26.1	49.58	32.71	8.21	8.99	14.49	55.94	
		6:00	25.92	49.55	32.67	8.2	9.05	25.89	59.66	
		9:00	26.07	49.48	32.35	8.27	11.82	17.83	41.58	
		12:00	26.61	49.37	32.57	8.26	12.86	7.7	10.78	
		15:00	26.82	49.27	32.53	8.32	13.53	6.92	22.77	
		18:00	26.77	49.46	32.56	8.16	11.94	6.64	7.82	
		21:00	26.73	49.13	32.4	8.13	10.71	24.76	4.14	
	日平均值			26.42	49.43	32.56	8.23	11.23	17.65	32.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月5日	蚵殼站	0:00	26.95	49.22	31.93	8.2	11.98	22	7.03	
		3:00	26.74	49.29	31.99	8.1	11.26	19.37	6.4	
		6:00	26.33	49.59	32.17	8.15	10.8	18.79	8.22	
		9:00	26.36	49.77	32.23	8.18	11.44	18.39	7.35	
		12:00	26.78	49.91	32.31	8.19	11.02	21.34	8.3	
		15:00	27.3	49.94	32.37	8.12	11	22.92	8.93	
		18:00	27.37	49.66	32.24	8.08	10.54	25.56	9.06	
		21:00	26.96	49.44	32.15	8.11	10.8	21.97	7.61	
	日平均值			26.85	49.60	32.17	8.14	11.11	21.29	7.86
	潮口站	0:00	25.89	51.74	33.36	8.42	11.05	3.81	4.61	
		3:00	25.85	52.57	33.86	8.27	8.61	9.17	4.23	
		6:00	25.63	52.15	33.59	8.34	10.30	5.91	4.80	
		9:00	25.93	51.57	33.20	8.40	11.69	3.96	5.36	
		12:00	26.20	50.83	32.75	8.34	9.92	7.18	5.19	
		15:00	25.93	51.01	32.90	8.31	8.76	2.82	5.19	
		18:00	25.96	51.74	33.39	8.30	8.98	4.33	5.86	
		21:00	26.12	51.75	33.25	8.31	8.54	5.60	6.28	
	日平均值			25.94	51.67	33.29	8.34	9.73	5.35	5.19
	灣內站	0:00	26.63	49.11	32.36	8.11	9.49	20.65	5.15	
		3:00	26.38	49.37	32.61	8.04	8.19	4.62	3.93	
		6:00	26.21	49.36	32.52	8.01	6.48	19.26	12.33	
		9:00	26.48	49.42	32.53	8.08	9.37	9.85	13.1	
		12:00	26.83	49.11	32.4	8.35	13.8	7.51	51.72	
		15:00	26.97	49.48	32.59	8.31	13.27	3.94	22.49	
		18:00	26.84	49.67	32.74	8.22	10.52	9.62	8.06	
		21:00	26.84	49.52	32.67	8.1	7.99	8.85	6.83	
	日平均值			26.65	49.38	32.55	8.15	9.89	10.54	15.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月6日	蚵殼站	0:00	26.46	49.21	31.91	8.14	10.35	26.1	8.31	
		3:00	26.23	48.96	31.73	8.01	7.52	24	5.96	
		6:00	26.2	49.3	32.02	8.04	8.7	18.99	10.37	
		9:00	26.31	49.32	32.02	8.04	8.53	20.04	11.91	
		12:00	26.75	48.94	31.81	8.04	10.66	21.97	13.11	
		15:00	26.97	49.1	31.92	8.07	11.78	22.79	19.24	
		18:00	27.19	48.69	31.65	8.12	10.01	31.57	10.73	
		21:00	27.16	48.59	31.58	8.09	9.19	28.18	6.13	
	日平均值			26.66	49.01	31.83	8.07	9.59	24.21	10.72
	潮口站	0:00	25.99	51.66	33.23	8.34	8.92	5.60	6.05	
		3:00	25.80	52.09	33.55	8.28	8.08	11.76	5.89	
		6:00	25.74	52.17	33.57	8.31	8.39	8.60	6.07	
		9:00	26.29	51.04	32.91	8.46	11.16	2.60	6.94	
		12:00	26.57	49.92	32.13	8.36	10.31	4.81	6.71	
		15:00	26.19	49.82	32.05	8.24	8.33	2.79	6.51	
		18:00	25.94	51.08	32.90	8.30	8.27	2.61	6.57	
		21:00	26.16	51.12	32.98	8.40	8.64	5.79	8.23	
	日平均值			26.09	51.11	32.92	8.34	9.01	5.57	6.62
	灣內站	0:00	26.62	49.14	32.45	8.06	9.99	18.56	11.16	
		3:00	26.69	49.37	32.56	8.06	8.43	12.55	6.33	
		6:00	26.61	49.64	32.66	8.09	8.94	13.71	8.46	
		9:00	26.69	49.61	32.7	8.11	10.03	6.63	13.45	
		12:00	27.37	49.44	32.44	8.29	11.85	15.08	21.37	
		15:00	27.55	49.34	32.53	8.39	12.34	14.85	36.79	
		18:00	27.2	49.62	32.68	8.31	9.49	15.91	19.1	
		21:00	27.08	49.71	32.75	8.18	8.19	19.62	14.38	
	日平均值			26.98	49.48	32.60	8.19	9.91	14.61	16.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月7日	蚵殼站	0:00	26.88	48.65	31.58	8.01	9.2	23.87	5.89	
		3:00	26.53	48.38	31.38	8.08	8.73	28.96	5.54	
		6:00	26.41	48.42	31.4	8.01	8.37	23.3	6.66	
		9:00	26.5	48.35	31.32	8.04	11.03	22.48	9.11	
		12:00	26.55	48.38	31.33	8.06	11.57	22.03	9.77	
		15:00	26.95	48.53	31.46	8.11	10.55	26.47	21.18	
		18:00	26.85	48.21	31.28	8.12	10.51	26.69	8.58	
		21:00	27.02	47.83	31	8.07	9.66	28.21	4.87	
	日平均值			26.71	48.34	31.34	8.06	9.95	25.25	8.95
	潮口站	0:00	26.12	51.03	32.91	8.34	8.46	8.69	7.42	
		3:00	26.00	51.51	33.23	8.34	8.34	21.29	7.35	
		6:00	25.70	52.26	33.67	8.27	7.50	16.10	7.11	
		9:00	26.40	51.47	33.10	8.27	8.43	12.60	8.19	
		12:00	26.76	51.15	32.95	8.33	9.72	7.82	8.10	
		15:00	26.19	48.95	31.56	8.27	7.68	3.94	7.45	
		18:00	25.86	51.10	32.95	8.22	7.74	19.33	7.47	
		21:00	26.19	51.21	33.04	8.31	8.78	41.65	9.69	
	日平均值			26.15	51.09	32.93	8.29	8.33	16.43	7.85
	灣內站	0:00	26.99	49.77	32.82	8.14	7.55	8.62	11.55	
		3:00	26.96	49.46	32.59	8.13	6.77	43.34	8.94	
		6:00	26.95	49.64	32.7	8.15	7.06	18.77	12.31	
		9:00	27.03	49.72	32.72	8.1	7.29	12.79	10.35	
		12:00	27.54	49.46	32.61	8.39	13.22	49.23	13.66	
		15:00	27.45	49.4	32.63	8.34	13.32	58.4	23.66	
18:00		26.97	49.36	32.53	8.23	10.18	10.84	10.84		
21:00		27.09	49.31	32.54	8.18	8.96	14.91	14.91		
日平均值			27.12	49.52	32.64	8.21	9.29	27.11	13.28	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月8日	蚵殼站	0:00	26.94	48.41	31.18	8.11	9.47	22.47	7.84	
		3:00	26.48	48.41	31.45	8.12	8.55	24.54	8.05	
		6:00	26.52	48.44	31.4	8	8.29	23.03	8.64	
		9:00	26.8	48.41	31.23	8.11	8.81	25.58	9.58	
		12:00	27.01	48.47	31.38	8.06	10.78	22.75	20.47	
		15:00	26.94	48.7	31.6	8.1	10.89	24.86	36.65	
		18:00	26.8	48.31	31.38	8.15	9.96	28.8	6.92	
		21:00	26.59	48.24	31.32	8.08	10.1	22.16	7.42	
	日平均值			26.76	48.42	31.37	8.09	9.61	24.27	13.20
	潮口站	0:00	26.15	51.10	32.95	8.33	8.64	28.60	10.37	
		3:00	26.05	51.06	32.90	8.31	7.82	33.57	10.14	
		6:00	25.64	52.13	33.53	8.25	6.68	49.79	8.62	
		9:00	25.89	51.56	33.18	8.31	8.51	39.12	10.03	
		12:00	26.23	51.43	33.10	8.35	8.44	32.67	9.83	
		15:00	25.94	49.19	31.67	8.27	7.08	33.08	8.65	
		18:00	25.64	51.27	33.02	8.23	6.74	46.75	8.39	
		21:00	25.86	51.10	32.94	8.37	8.72	34.35	11.97	
	日平均值			25.93	51.11	32.91	8.30	7.83	37.24	9.75
	灣內站	0:00	27.07	49.52	32.68	8.18	8.63	6.13	9.65	
		3:00	26.81	49.6	32.63	8.06	5.66	9.18	6.13	
		6:00	26.55	49.35	32.54	8.16	7.86	12.24	9.18	
		9:00	26.71	49.51	32.61	8.14	8.53	26.77	18.59	
		12:00	27.08	48.97	32.26	8.4	12.83	18.1	40.02	
		15:00	26.99	48.97	32.35	8.4	13.91	9.46	43.47	
18:00		26.77	49.17	32.48	8.24	12.72	11.06	12.1		
21:00		26.42	49.19	32.41	8.22	9.83	7.18	13.08		
日平均值			26.80	49.29	32.50	8.23	10.00	12.52	19.03	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月9日	蚵殼站	0:00	26.06	48.48	31.41	8	9.8	15.59	16.14
		3:00	26.1	48.41	31.48	8	9.21	15.86	15.58
		6:00	26.1	48.5	31.45	8.06	8.87	17.18	12.03
		9:00	26.1	48.42	31.45	8.07	10.93	18.42	10.4
		12:00	26.49	48.42	31.37	8.17	12.52	18.21	12.36
		15:00	26.67	48.46	31.4	8.15	7.29	25.19	19.79
		18:00	26.37	48.16	31.04	8.1	9.96	23.47	7.51
		21:00	26.21	48.12	31.02	8.1	9.58	24.64	10.37
	日平均值		26.26	48.37	31.33	8.08	9.77	19.82	13.02
	潮口站	0:00	25.65	50.95	32.91	8.30	7.56	38.55	13.31
		3:00	25.70	51.00	32.89	8.26	7.62	46.95	11.46
		6:00	25.60	52.01	33.47	8.25	6.44	38.44	8.47
		9:00	25.76	51.63	33.20	8.23	7.42	37.09	8.70
		12:00	26.13	51.40	32.87	8.25	7.92	33.28	8.87
		15:00	26.17	49.15	31.44	8.19	7.23	32.67	8.60
		18:00	25.95	51.53	33.24	8.20	6.71	28.56	8.48
		21:00	25.71	51.06	32.71	8.35	8.01	36.11	10.79
	日平均值		25.83	51.09	32.84	8.25	7.36	36.46	9.84
	灣內站	0:00	26.34	49.18	32.49	8.23	9.83	13.45	24.77
		3:00	26.16	49.15	32.46	8.21	8.11	6.03	22.33
		6:00	26.04	49.19	32.44	8.15	7.31	5.55	19.7
		9:00	26.26	49.18	32.49	8.12	8.09	4.53	15.92
		12:00	26.77	48.95	32.27	8.39	13.66	13.9	14.32
		15:00	26.78	49.07	32.36	8.36	13.46	11.15	18.8
		18:00	26.65	49.18	32.48	8.3	11.79	8.4	12.58
		21:00	26.27	49.12	32.2	8.1	9.18	8.34	11.2
	日平均值		26.41	49.13	32.40	8.23	10.18	8.92	17.45
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月10日	蚵殼站	0:00	26.32	48.19	31.23	7.98	6.4	16.5	8.5
		3:00	26.53	48.17	30.92	8.04	6.28	14.63	11.33
		6:00	26.35	48.18	31.12	8.06	5.84	16.29	10.46
		9:00	26.49	48.12	30.55	8.08	8.3	18.43	8.59
		12:00	26.72	48.16	29.83	8.08	9.33	17.19	10.36
		15:00	26.87	48.47	31.14	8.05	6.17	24.75	17.05
		18:00	26.7	48.2	31.11	8.18	9.01	29.7	8.55
		21:00	26.44	47.77	30.37	8.15	9.12	23.98	10.93
	日平均值		26.55	48.16	30.78	8.08	7.56	20.18	10.72
	潮口站	0:00	25.60	50.82	32.58	8.39	8.62	45.26	13.69
		3:00	25.62	50.75	32.01	8.43	8.81	30.35	12.18
		6:00	25.59	51.40	32.75	8.25	6.49	40.57	11.99
		9:00	25.94	51.81	33.17	8.29	7.64	35.74	10.49
		12:00	26.16	51.11	32.99	8.41	10.16	38.63	11.52
		15:00	26.36	50.15	32.30	8.33	7.56	39.12	10.80
		18:00	26.06	50.41	32.05	8.20	6.68	35.31	9.57
		21:00	25.96	51.45	33.18	8.33	7.50	39.87	10.83
	日平均值		25.91	50.99	32.63	8.33	7.93	38.11	11.38
	灣內站	0:00	26.18	49.21	32.5	8.2	8.92	31.46	8.48
		3:00	25.9	49.12	31.53	8.12	6.15	40.17	9.6
		6:00	25.81	49.48	32.64	8.11	5.52	28.16	10.24
		9:00	26.04	49.22	32.49	8.05	7.54	48.28	14.63
		12:00	26.3	48.59	31.77	8.37	12.94	43.14	12.89
		15:00	26.42	48.41	31.35	8.38	13.23	27.7	7.98
		18:00	26.29	48.85	31.65	8.27	10.88	34.89	9.91
		21:00	26.24	49.02	31.69	8.16	7.52	68.64	11.21
	日平均值		26.15	48.99	31.95	8.21	9.09	40.31	10.62
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
12月11日	蚵殼站	0:00	26.19	47.72	30.54	8.09	5.88	23.65	9.92
		3:00	26.08	47.72	30.26	8.09	9.29	30.56	13.23
		6:00	26.1	47.61	29.72	8.05	5.63	30.24	11.73
		9:00	26.28	47.68	29.28	8	8.14	20.31	16.64
		12:00	26.98	47.83	30.97	8.09	7.06	19.42	17.69
		15:00	27.28	48.25	31.11	8.1	10	18.31	19.66
		18:00	27.24	48.34	31.38	8.1	10.05	22.43	17.24
		21:00	26.95	48.16	31.24	8.19	9.78	29.04	10.58
	日平均值		26.64	47.91	30.56	8.09	8.23	24.25	14.59
	潮口站	0:00	25.65	50.84	32.57	8.44	8.88	32.67	13.73
		3:00	25.77	50.58	32.68	8.45	9.85	44.89	15.70
		6:00	25.74	50.91	32.68	8.27	7.81	40.08	13.13
		9:00	26.17	52.04	33.48	8.30	6.55	36.68	13.20
		12:00	26.43	51.42	33.12	8.35	8.70	36.00	13.20
		15:00	26.60	50.33	32.16	8.24	7.31	36.05	12.19
		18:00	26.20	52.06	33.45	8.23	6.65	26.70	11.65
		21:00	25.96	51.90	33.41	8.31	6.90	37.36	11.98
	日平均值		26.07	51.26	32.94	8.32	7.83	36.30	13.10
	灣內站	0:00	25.92	49.08	32.27	8.25	8.68	50.78	13.96
		3:00	25.73	49.12	32.05	8.27	9.68	79.28	24.03
		6:00	25.65	49.13	32.42	8.23	9.56	69.16	29.96
9:00		26.13	49.11	31.67	8.3	12.3	68.41	24.89	
12:00		26.6	48.95	31.78	8.41	13.92	48.82	21.68	
15:00		26.73	47.85	31.55	8.39	13.69	14.18	51.82	
18:00		26.5	47.6	31.4	8.35	13.26	18.75	20.36	
21:00		26.28	47.97	31.62	8.32	11.16	11.46	15.73	
日平均值		26.19	48.60	31.85	8.32	11.53	45.11	25.30	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
12月12日	蚵殼站	0:00	26.71	47.86	30.97	8.02	10.84	21.9	7.36
		3:00	26.56	47.71	30.94	8.19	10.94	22.07	12.86
		6:00	26.51	47.59	30.77	8.06	10.45	29.58	17.02
		9:00	26.71	47.5	30.78	8.06	11.08	32.66	16.81
		12:00	26.94	47.76	30.95	8.09	11.84	16.99	15.41
		15:00	27.27	48.04	31.07	8.12	12.83	16.39	19.9
		18:00	27.09	48.06	31.17	8.1	12.45	17.33	16.43
		21:00	27.07	47.81	30.98	8.26	12.01	26.84	8.83
	日平均值		26.86	47.79	30.95	8.11	11.56	22.97	14.33
	潮口站	0:00	25.88	51.09	32.92	8.40	8.85	38.50	15.10
		3:00	25.79	50.89	32.84	8.45	9.85	38.35	17.36
		6:00	25.77	51.18	33.03	8.39	6.95	36.57	15.88
		9:00	25.94	51.79	33.32	8.28	6.28	30.70	14.47
		12:00	26.30	52.14	33.53	8.28	6.84	35.16	14.27
		15:00	26.13	49.69	31.98	8.22	6.80	41.77	14.18
		18:00	26.05	51.11	32.90	8.23	6.64	31.77	14.24
		21:00	25.88	52.13	33.54	8.26	6.44	46.37	14.51
	日平均值		25.97	51.25	33.01	8.31	7.33	37.40	15.00
	灣內站	0:00	26.09	48.27	31.81	8.35	10.93	7.48	15.15
		3:00	25.89	48.41	31.81	8.25	10.41	13.15	12.29
		6:00	25.88	48.97	32.28	8.24	8.3	11.5	10.53
9:00		26.1	49.02	32.36	8.3	11.01	12.04	11.32	
12:00		26.36	48.38	31.64	8.41	11.31	41.28	10.54	
15:00		26.36	48.4	31.86	8.42	12.93	21.05	11.79	
18:00		26.33	48.46	31.87	8.36	11.1	8.21	11.76	
21:00		26.11	48.94	32.29	8.24	6.75	34.99	10.44	
日平均值		26.14	48.61	31.99	8.32	10.34	18.71	11.73	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月13日	蚵殼站	0:00	26.96	47.66	30.84	8.14	11.73	26.58	8.3
		3:00	26.78	47.65	30.87	8.07	12.22	10.77	13.98
		6:00	26.55	47.53	30.76	8.17	7.31	15.76	16.61
		9:00	26.71	47.47	30.8	8.15	6.74	23.04	14.25
		12:00	26.94	47.7	30.89	8.12	7.89	14.27	13.05
		15:00	27.26	48.11	31.15	8.12	8.73	12.14	17.39
		18:00	27.16	48.1	31.22	8.17	9.88	23.85	13.81
		21:00	26.98	47.97	31.09	8.15	9.28	15.27	11.22
	日平均值	26.92	47.77	30.95	8.14	9.22	17.71	13.58	
	潮口站	0:00	25.43	51.02	32.92	8.40	8.01	36.18	17.47
		3:00	25.39	51.05	32.92	8.43	8.07	41.22	18.49
		6:00	25.22	51.35	33.10	8.30	6.86	38.70	18.02
		9:00	25.37	51.60	33.21	8.29	5.94	33.09	17.58
		12:00	25.96	52.18	33.55	8.30	6.56	34.40	17.30
		15:00	25.98	49.78	32.11	8.22	7.02	32.96	17.74
		18:00	25.82	49.30	31.79	8.22	6.80	35.80	17.99
		21:00	25.99	52.07	33.47	8.26	6.38	36.78	17.93
	日平均值	25.65	51.04	32.88	8.30	6.96	36.14	17.82	
	灣內站	0:00	25.83	49.11	32.43	8.32	8.11	26.77	12.24
		3:00	25.62	49.2	32.49	8.25	9.03	11.3	26.77
		6:00	25.54	49.32	32.57	8.15	7.77	11.65	11.3
9:00		25.62	48.99	32.38	8.25	10.11	62.39	11.96	
12:00		25.98	48.93	32.26	8.43	12.52	20.93	19.02	
15:00		26.03	48.83	32.1	8.37	14.09	11.36	30.8	
18:00		26.06	48.73	32.06	8.36	12.78	8.9	15.98	
21:00		25.87	49.27	32.49	8.27	10.01	10.74	8.11	
日平均值	25.82	49.05	32.35	8.30	10.55	20.51	17.02		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月14日	蚵殼站	0:00	26.81	47.63	30.83	8.21	8.59	20.04	9.51
		3:00	26.68	47.69	30.94	8.14	7.97	14.06	10.2
		6:00	26.44	47.69	30.58	8.12	7.68	15.61	12.23
		9:00	26.58	47.71	30.86	8.08	7.7	19.79	11.94
		12:00	26.87	47.6	30.85	7.98	7.46	18.29	14.86
		15:00	27.03	48.02	31.09	8.08	10.09	16.92	20.27
		18:00	26.81	48.05	31.06	8.07	9.06	22.08	15.64
		21:00	26.8	47.88	31.02	8.13	8.99	21.65	12.17
	日平均值	26.75	47.78	30.90	8.10	8.44	18.56	13.35	
	潮口站	0:00	25.30	51.62	33.20	8.29	6.86	34.39	20.27
		3:00	25.11	51.35	32.66	8.35	7.37	34.96	21.97
		6:00	25.14	51.37	33.05	8.38	7.83	43.32	23.96
		9:00	25.30	51.44	33.19	8.32	6.88	34.19	22.58
		12:00	26.12	52.11	33.59	8.29	6.51	33.16	21.11
		15:00	26.20	50.69	32.50	8.23	6.65	33.46	21.19
		18:00	25.77	49.12	31.61	8.22	6.50	35.63	22.36
		21:00	25.89	51.47	33.20	8.18	6.08	39.76	22.42
	日平均值	25.60	51.15	32.88	8.28	6.84	36.11	21.98	
	灣內站	0:00	25.56	49.23	32.31	8.29	8.33	3.44	15.85
		3:00	25.49	49.36	32.23	8.29	8.54	3.29	12.6
		6:00	25.29	49.25	32.5	8.22	8.18	3.97	9.85
9:00		25.31	49.13	32.45	8.22	9.07	8.56	6.14	
12:00		25.7	48.91	32.2	8.38	12.33	13.59	9.13	
15:00		25.84	49.07	32.3	8.41	12.86	13.2	19.42	
18:00		25.84	49.24	32.48	8.39	11.72	8.94	9.09	
21:00		25.74	49.16	32.5	8.33	9.79	17.96	23.56	
日平均值	25.60	49.17	32.37	8.32	10.10	9.12	13.21		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月15日	蚵殼站	0:00	26.79	47.6	30.85	8.14	8.98	17.47	10.22	
		3:00	26.62	47.47	30.74	8.15	9.56	15.76	10.39	
		6:00	26.48	47.38	30.62	8.15	8.96	14.49	7.16	
		9:00	26.6	47.55	30.4	8.13	8.43	24	14.98	
		12:00	26.92	47.74	30.88	8.06	8.58	17.27	15.23	
		15:00	27.08	48.13	31.11	8.13	10.38	15.99	19.27	
		18:00	26.96	48.16	31.18	8.11	10.38	21.4	15.84	
		21:00	26.81	47.99	31.07	8.17	10	23.12	10.77	
	日平均值			26.78	47.75	30.86	8.13	9.41	18.69	12.98
	潮口站	0:00	25.38	51.40	33.08	8.22	6.79	31.15	23.48	
		3:00	24.97	50.97	32.88	8.33	7.90	42.45	25.88	
		6:00	24.92	50.91	32.75	8.45	8.92	48.49	28.43	
		9:00	25.65	51.73	33.26	8.30	6.43	33.64	16.91	
		12:00	26.21	51.93	33.45	8.28	7.14	34.67	16.43	
		15:00	26.28	50.17	32.20	8.28	6.93	36.04	16.31	
		18:00	25.93	50.37	32.45	8.18	6.66	32.40	16.57	
		21:00	25.90	51.88	33.38	8.24	6.50	40.05	16.71	
	日平均值			25.66	51.17	32.93	8.29	7.16	37.36	20.09
	灣內站	0:00	25.6	49.46	32.58	8.21	7.9	20.93	20.29	
		3:00	25.44	49.47	32.58	8.21	6.64	7.21	17.38	
		6:00	25.32	49.52	32.62	8.18	7.68	7.66	11.47	
		9:00	25.79	49.05	32.16	8.23	10.62	37.81	13.52	
		12:00	26.15	48.81	31.97	8.38	12.51	31.18	15.03	
		15:00	26.25	48.48	31.98	8.4	13.41	14.91	28.5	
		18:00	26.15	48.5	31.94	8.43	12.2	11.27	14.2	
		21:00	25.99	48.81	32.23	8.27	9.38	18.74	14.43	
	日平均值			25.84	49.01	32.26	8.29	10.04	18.71	16.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月16日	蚵殼站	0:00	26.79	47.77	30.92	8.2	8.83	20.15	12.85	
		3:00	26.63	47.58	30.89	8.13	8.32	19.77	13.3	
		6:00	26.56	47.69	30.82	8.14	7.65	17.92	15.59	
		9:00	26.68	47.75	30.5	8.07	9.03	19.38	18.03	
		12:00	27.18	47.49	30.79	7.99	9.05	10.34	20.74	
		15:00	27.09	47.66	30.87	8.03	10.69	12.53	19.2	
		18:00	27.07	47.76	30.93	8.03	9.82	16.61	13.8	
		21:00	27.36	47.71	30.9	8	9.57	11.78	12.8	
	日平均值			26.92	47.68	30.83	8.07	9.12	16.06	15.79
	潮口站	0:00	25.40	51.35	33.11	8.25	6.91	25.01	21.48	
		3:00	24.99	51.03	32.82	8.30	7.44	30.73	23.24	
		6:00	24.74	50.54	32.53	8.42	8.33	31.48	26.29	
		9:00	25.02	50.96	32.76	8.31	7.49	30.09	23.51	
		12:00	26.30	50.77	32.68	8.28	6.77	2.82	37.27	
		15:00	26.17	50.43	32.48	8.26	6.77	35.87	37.94	
		18:00	25.71	50.72	32.72	8.32	6.89	37.07	37.80	
		21:00	25.67	50.66	32.66	8.26	6.13	30.31	39.27	
	日平均值			25.50	50.81	32.72	8.30	7.09	27.92	30.85
	灣內站	0:00	25.46	49.29	32.46	8.24	7.86	9.02	20.29	
		3:00	25.38	49.4	32.39	8.19	7.15	8.74	19.43	
		6:00	25.2	49.45	32.64	8.14	7.06	7.08	15.82	
		9:00	25.4	49.27	32.46	8.23	8.92	15.45	15.3	
		12:00	26.02	49.19	32.44	8.31	12.83	21.26	44.75	
		15:00	26.15	49.32	32.53	8.4	13.36	15.09	63.64	
		18:00	25.95	49.31	32.56	8.29	11.1	9.54	35.17	
		21:00	25.82	49.56	32.69	8.32	10.26	8.31	24.63	
	日平均值			25.67	49.35	32.52	8.27	9.82	11.81	29.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月17日	蚵殼站	0:00	27.23	47.82	30.98	8.18	8.18	11.29	13.06	
		3:00	27.05	47.69	30.89	8.06	7.05	10.93	15.37	
		6:00	26.84	47.98	31.11	8.19	6.14	10.28	21.19	
		9:00	26.89	48.07	29.86	8.07	10.71	14.96	17.05	
		12:00	27.08	47.94	30.9	8.13	9.77	35.48	16.82	
		15:00	27.13	48.01	31.1	8.09	10.83	22.36	19.33	
		18:00	27.09	48.11	31.13	8.24	9.22	28.85	18.86	
		21:00	26.98	48.16	31.18	8.26	8.74	51.35	16.21	
	日平均值			27.04	47.97	30.89	8.15	8.83	23.19	17.24
	潮口站	0:00	25.76	51.48	33.19	8.22	6.08	28.15	41.56	
		3:00	25.06	50.89	32.86	8.29	6.61	39.47	44.17	
		6:00	24.82	49.87	32.14	8.34	7.73	28.96	49.49	
		9:00	24.82	50.42	32.52	8.40	7.44	45.53	52.15	
		12:00	25.25	51.77	33.35	8.21	7.00	22.15	6.26	
		15:00	25.44	51.86	33.45	8.20	7.52	6.03	0.34	
		18:00	24.81	50.80	32.76	8.29	8.64	7.75	1.78	
		21:00	24.74	50.46	32.54	8.39	9.73	5.46	2.24	
	日平均值			25.09	50.94	32.85	8.29	7.59	22.94	24.75
	灣內站	0:00	25.6	49.49	32.59	8.25	7.46	5.07	20.6	
		3:00	25.51	49.58	32.3	8.18	6.42	8.54	23.49	
		6:00	25.26	49.56	32.61	8.13	6.94	10.29	24.59	
		9:00	25.3	49.52	32.34	8.2	8.19	9.12	25.47	
		12:00	25.38	49.53	32.68	8.19	9.79	10.18	28.97	
		15:00	25.57	49.09	32.41	8.35	12.48	12.13	30.39	
		18:00	25.48	49.21	32.44	8.24	11.51	10.53	26.52	
		21:00	25.23	49.23	32.54	8.19	9.8	6.81	19.56	
	日平均值			25.42	49.40	32.49	8.22	9.07	9.08	24.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月18日	蚵殼站	0:00	26.92	47.99	31.1	8.23	9.63	32.07	18.78	
		3:00	26.58	47.57	30.77	8.29	8.56	38.28	17.3	
		6:00	26.21	47.63	30.86	8.14	7.68	31.19	21.66	
		9:00	26.4	47.9	30.99	8.11	9.36	19.06	28.17	
		12:00	26.76	47.95	31.08	8.1	10.29	16.61	32.99	
		15:00	26.75	48.13	31.09	8.16	11.45	34.35	35.11	
		18:00	26.61	48.21	31.2	8.13	10.67	36.55	26.77	
		21:00	26.34	48.24	31.28	8.19	10.36	27.55	23.65	
	日平均值			26.57	47.95	31.05	8.17	9.75	29.46	25.55
	潮口站	0:00	24.97	51.03	32.91	8.28	7.73	6.14	0.85	
		3:00	24.67	50.85	32.77	8.30	7.93	5.98	1.29	
		6:00	24.03	49.94	32.21	8.39	8.97	5.20	3.38	
		9:00	24.37	50.04	32.20	8.39	9.29	7.04	2.57	
		12:00	25.04	50.98	32.85	8.32	7.82	8.96	1.38	
		15:00	25.25	50.15	32.29	8.23	7.67	5.87	0.82	
		18:00	24.75	50.01	32.26	8.39	8.78	7.65	2.64	
		21:00	24.44	49.91	31.97	8.37	9.33	5.58	3.28	
	日平均值			24.69	50.36	32.43	8.33	8.44	6.55	2.03
	灣內站	0:00	25.02	49.1	32.42	8.05	7.76	6.67	24.64	
		3:00	25	49.23	32.51	8.04	6.8	15.96	24.24	
		6:00	24.9	49.47	32.58	8.04	5.29	6.78	17.52	
		9:00	25.14	49.47	32.65	8.09	7.98	6.22	15.98	
		12:00	25.63	49.53	32.63	8.26	11.92	10.19	32.71	
		15:00	25.54	49.64	32.73	8.31	13.14	14.49	44.63	
		18:00	25.29	49.58	32.63	8.26	10.73	14.53	36.08	
		21:00	25.24	49.51	32.56	8.15	9.43	6.82	29.94	
	日平均值			25.22	49.44	32.59	8.15	9.13	10.21	28.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月19日	蚵殼站	0:00	26.18	48.29	31.06	8.11	10.27	17.68	25.64	
		3:00	26.09	48.04	31.08	8.08	9.69	34.23	30.91	
		6:00	25.94	48.17	31.18	8.16	9.52	25.06	52.39	
		9:00	26.04	47.99	31.1	8.06	10.15	26.9	10.15	
		12:00	26.21	48.08	31.09	8.12	11.45	19.44	11.45	
		15:00	26.42	48.28	31.29	8.17	10.59	26.05	10.59	
		18:00	26.38	48.24	31.18	8.23	10	52.62	10	
		21:00	26.29	48.06	31.08	8.15	11.73	41.41	71.93	
	日平均值			26.19	48.14	31.13	8.14	10.43	30.42	27.88
	潮口站	0:00	24.56	49.88	32.12	8.28	7.90	6.32	2.07	
		3:00	24.83	50.11	32.33	8.21	7.24	7.79	0.76	
		6:00	23.98	49.23	31.68	8.33	7.59	7.10	2.99	
		9:00	24.31	49.08	31.64	8.33	8.90	10.69	2.80	
		12:00	24.89	49.74	32.06	8.23	7.75	11.16	1.35	
		15:00	25.15	50.10	32.27	8.27	7.35	8.32	0.81	
		18:00	24.54	49.24	31.66	8.32	9.27	8.17	3.04	
		21:00	24.53	48.89	31.53	8.45	10.14	5.86	3.44	
	日平均值			24.60	49.53	31.91	8.30	8.27	8.18	2.16
	灣內站	0:00	24.88	49.52	32.62	8.19	8.36	6.86	33.78	
		3:00	24.67	49.6	32.66	8.08	7.37	4.96	43.11	
		6:00	24.61	49.55	32.64	8.01	6.31	5.33	28.77	
		9:00	24.69	49.58	32.7	8.12	7.34	7.56	22.7	
		12:00	25.19	49.51	32.68	8.34	11.65	18.24	26.83	
		15:00	25.36	49.51	32.62	8.36	12.62	11.61	48.09	
		18:00	25.21	49.56	32.67	8.24	9.55	6.08	26.88	
		21:00	25.04	49.51	32.71	8.15	9.65	9.41	25.31	
	日平均值			24.96	49.54	32.66	8.19	9.11	8.76	31.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月20日	蚵殼站	0:00	26.11	48.08	31.09	8.15	11.7	18.36	61.39	
		3:00	26.02	48.19	31.19	8.19	11.18	12.46	60	
		6:00	25.97	48.17	31.16	8.16	10.8	16.91	57.94	
		9:00	26.05	48.08	31.13	8.16	11.85	25.64	54.25	
		12:00	26.6	47.92	31.07	8.09	12.2	18.04	41.25	
		15:00	26.5	48.07	31.06	8.13	11.9	23.46	42.41	
		18:00	26.21	48.07	31.11	8.24	11.3	28.34	41.4	
		21:00	26.11	47.99	31.09	8.23	12.27	20.48	35.35	
	日平均值			26.20	48.07	31.11	8.17	11.65	20.46	49.25
	潮口站	0:00	24.51	48.68	31.40	8.29	8.42	8.74	2.75	
		3:00	24.84	49.48	31.87	8.18	7.24	8.55	0.97	
		6:00	24.12	49.26	31.73	8.25	7.39	10.30	2.48	
		9:00	24.18	48.81	31.43	8.26	7.93	14.54	3.28	
		12:00	24.74	49.04	31.58	8.27	8.05	8.12	2.12	
		15:00	25.06	48.90	31.46	8.22	7.70	5.26	1.15	
		18:00	24.59	48.39	31.20	8.40	8.90	5.88	2.22	
		21:00	24.40	48.19	31.04	8.40	9.05	8.51	2.52	
	日平均值			24.56	48.84	31.46	8.28	8.09	8.74	2.19
	灣內站	0:00	24.81	49.61	32.67	8.2	7.86	6.63	26.81	
		3:00	24.7	49.67	32.73	8.04	6.03	6.87	23.26	
		6:00	24.51	49.59	32.74	8.06	5.07	4.31	26.18	
		9:00	24.66	49.81	32.8	8.11	7.14	6.24	28.26	
		12:00	24.98	49.62	32.67	8.19	11.09	10.93	28.7	
		15:00	25.36	49.53	32.69	8.38	12.69	14.23	45.8	
		18:00	25.23	49.51	32.66	8.18	8.32	10.46	37.55	
		21:00	25.14	49.59	32.68	8.12	9.25	9.78	33.51	
	日平均值			24.92	49.62	32.71	8.16	8.43	8.68	31.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月21日	蚵殼站	0:00	26.01	48.1	31.15	8.18	11.45	15.2	35.94	
		3:00	25.83	47.96	31.06	8.23	10.72	19.82	33.13	
		6:00	25.82	48.13	31.08	8.24	10.54	17.99	34.01	
		9:00	25.79	47.94	31	8.16	11.41	20.87	37.2	
		12:00	25.8	47.92	31.03	8.21	11.57	26.71	32.14	
		15:00	26.08	48.15	31.16	8.16	10.6	46.39	31.33	
		18:00	26.48	48.12	31.17	8.2	10.77	41.11	25.92	
		21:00	27.06	48.14	31.13	8.19	11.23	20.79	26.01	
	日平均值			26.11	48.06	31.10	8.20	11.04	26.11	31.96
	潮口站	0:00	24.15	49.54	31.88	8.36	9.26	6.69	2.96	
		3:00	24.54	48.61	31.34	8.23	7.12	8.28	1.47	
		6:00	24.30	48.81	31.49	8.24	6.91	12.09	1.27	
		9:00	23.87	49.75	32.08	8.33	8.34	7.60	2.23	
		12:00	24.61	49.68	32.00	8.34	8.41	5.39	1.85	
		15:00	24.89	49.01	31.63	8.26	8.13	5.36	1.75	
		18:00	24.71	49.48	31.84	8.29	7.90	6.79	2.06	
		21:00	24.40	49.26	31.71	8.26	7.84	13.19	1.93	
	日平均值			24.43	49.27	31.75	8.29	7.99	8.17	1.94
	灣內站	0:00	24.77	49.94	32.94	8.13	7.41	10.9	33.88	
		3:00	24.64	50.34	33.15	8.06	5.39	9.03	29.3	
		6:00	24.45	49.94	32.88	8	6.41	7.56	32.78	
		9:00	24.22	49.77	32.85	8.11	9.46	12.5	35.23	
		12:00	24.47	49.63	32.68	8.25	11.95	16.84	39.82	
		15:00	24.8	49.75	32.81	8.29	11.65	9.75	44.69	
		18:00	24.85	49.92	32.88	8.2	7.58	5.85	29.14	
		21:00	24.77	49.75	32.75	8.19	10.7	6.71	29.71	
	日平均值			24.62	49.88	32.87	8.15	8.82	9.89	34.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月22日	蚵殼站	0:00	26.47	47.98	31.07	8.29	12.38	16.52	22.69	
		3:00	26.2	47.93	31.05	8.21	11.62	13.06	22.15	
		6:00	26.1	47.93	31.02	8.18	10.67	18.63	26.28	
		9:00	26.21	47.96	31.01	8.19	11.22	22.18	24.01	
		12:00	26.31	47.94	31.05	8.26	12.36	21.77	25.55	
		15:00	26.53	47.98	31.1	8.15	11.56	26.53	27.14	
		18:00	26.48	47.87	30.49	8.18	11.57	32.63	23.09	
		21:00	27.06	48.01	31.1	8.14	9.52	34.99	21.68	
	日平均值			26.42	47.95	30.99	8.20	11.36	23.29	24.07
	潮口站	0:00	24.29	49.04	31.58	8.33	8.07	8.80	2.67	
		3:00	24.49	49.36	31.85	8.18	6.70	18.59	1.89	
		6:00	24.66	48.29	31.16	8.18	6.84	9.25	1.75	
		9:00	24.17	49.21	31.66	8.29	7.10	10.81	2.92	
		12:00	24.64	48.73	31.42	8.31	7.71	6.27	3.06	
		15:00	24.89	48.59	31.31	8.27	8.31	5.59	2.11	
		18:00	24.73	48.83	31.47	8.27	8.19	5.94	2.31	
		21:00	24.64	49.81	32.09	8.38	8.55	10.15	3.02	
	日平均值			24.56	48.98	31.57	8.28	7.68	9.43	2.47
	灣內站	0:00	24.64	49.71	32.75	8.22	9.34	5.95	32.03	
		3:00	24.64	50.04	32.89	8.08	7.38	11.08	24.22	
		6:00	24.51	49.82	32.84	8.02	6.8	10.81	29.3	
		9:00	24.47	49.69	32.8	8.13	9.72	15.1	44.76	
		12:00	24.61	49.53	32.63	8.33	13.07	13.76	48.55	
		15:00	24.79	49.64	32.7	8.34	12.57	8.34	30.68	
		18:00	24.95	49.78	32.74	8.23	10.65	8.25	25.56	
		21:00	25.03	49.58	32.73	8.17	8.98	4.5	29.55	
	日平均值			24.71	49.72	32.76	8.19	9.81	9.72	33.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月23日	蚵殼站	0:00	26.47	47.88	30.81	8.21	9.72	30.13	23.33	
		3:00	26.2	47.65	30.56	8.18	9.38	35.17	26.05	
		6:00	26.8	47.63	30.83	8.16	9.37	19.04	25.16	
		9:00	26.62	47.68	30.84	8.11	10.8	19.44	31.44	
		12:00	26.85	47.75	30.95	8.14	11.72	21.53	32.92	
		15:00	27.13	48.13	31.17	8.15	11.25	24.6	36.07	
		18:00	27.09	47.98	31.05	8.1	9.25	26.31	24.65	
		21:00	27.13	47.91	31.06	8.09	8.7	29.01	23.17	
	日平均值			26.79	47.83	30.91	8.14	10.02	25.65	27.85
	潮口站	0:00	24.77	49.74	32.07	8.36	8.23	9.25	3.31	
		3:00	24.73	49.78	32.05	8.27	6.69	15.09	2.63	
		6:00	25.03	49.15	31.66	8.19	6.58	10.82	2.04	
		9:00	24.50	50.09	32.27	8.31	7.52	9.65	3.49	
		12:00	24.87	49.79	32.09	8.29	8.29	8.66	4.17	
		15:00	25.16	49.77	32.09	8.24	8.08	6.83	3.71	
		18:00	25.11	50.04	32.29	8.27	7.76	6.59	3.03	
		21:00	24.89	49.97	32.18	8.30	8.36	9.01	3.71	
	日平均值			24.88	49.79	32.09	8.28	7.69	9.49	3.26
	灣內站	0:00	24.91	49.33	32.59	8.05	6.96	5.84	28.95	
		3:00	24.92	49.47	32.59	8.04	6	3.83	27.5	
		6:00	24.99	49.67	32.79	8.07	7.08	4.65	27.2	
		9:00	24.89	49.9	32.89	8.15	8.19	12.08	29.77	
		12:00	25.41	49.54	32.46	8.34	11.61	10.29	30.84	
		15:00	25.38	49.42	32.54	8.35	13.82	9.96	40.86	
		18:00	25.16	49.58	32.44	8.23	10.49	8.13	19.73	
		21:00	25.22	49.51	32.64	8.12	8.87	5.65	31.46	
	日平均值			25.11	49.55	32.62	8.17	9.13	7.55	29.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月24日	蚵殼站	0:00	27.13	47.89	31.05	8.08	10.63	22.1	23.15	
		3:00	26.99	47.82	30.6	8.06	9.15	30.05	24.34	
		6:00	26.89	47.9	31.03	8.08	9.53	14.6	26.54	
		9:00	27.04	47.92	31.06	8.02	10.97	22.47	25.86	
		12:00	27.47	47.95	31.04	8.15	12.79	22.17	28.62	
		15:00	27.46	48.2	31.17	8.05	12.2	31.15	26.35	
		18:00	27.42	48.45	31.35	8.04	10.6	48.8	22.67	
		21:00	27.41	48.49	31.37	8.05	10.62	29.9	19.52	
	日平均值			27.23	48.08	31.08	8.07	10.81	27.66	24.63
	潮口站	0:00	25.48	51.66	33.28	8.25	7.25	18.44	3.34	
		3:00	25.42	51.92	33.44	8.28	7.29	45.98	3.70	
		6:00	25.18	50.30	32.42	8.25	7.09	21.32	2.65	
		9:00	24.74	50.78	32.74	8.18	6.66	12.18	4.27	
		12:00	25.20	50.20	32.32	8.28	7.60	10.24	6.10	
		15:00	25.13	50.78	32.76	8.24	7.49	7.21	4.77	
		18:00	25.17	50.79	32.77	8.27	7.40	7.30	3.72	
		21:00	24.89	50.37	32.45	8.39	9.46	5.85	5.82	
	日平均值			25.15	50.85	32.77	8.27	7.53	16.07	4.30
	灣內站	0:00	25.18	49.6	32.62	8.22	10.44	11.72	23.48	
		3:00	25.09	49.57	32.64	8.1	7.38	4.54	25.56	
		6:00	24.89	49.65	32.7	8.14	8.65	10.61	27.25	
		9:00	24.98	49.62	32.64	8.21	9.54	16.76	30.2	
		12:00	25.66	49.31	32.19	8.39	12.46	12.31	21.49	
		15:00	25.85	49.18	32.46	8.46	12.63	14.8	22.14	
		18:00	25.44	49.4	32.61	8.26	12.1	10.51	24.67	
		21:00	25.16	49.51	32.65	8.05	8.29	10.18	24.55	
	日平均值			25.28	49.48	32.56	8.23	10.19	11.43	24.92
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月25日	蚵殼站	0:00	27.15	47.94	31.1	8.15	13.29	15.79	20.66	
		3:00	26.86	48.01	30.75	8.22	12.68	22.3	21.65	
		6:00	26.74	48.12	30.55	8.13	11.89	23.76	23.01	
		9:00	26.8	48.34	30.98	8.22	11.15	17.06	19.03	
		12:00	26.86	49.25	31.78	8.09	10.46	25.68	17.83	
		15:00	27.01	49.14	31.47	8.09	11.66	40.9	15.05	
		18:00	26.88	49.02	31.69	8.02	10.97	54.02	12.55	
		21:00	26.69	49.09	31.69	8.04	10.34	64.43	11.17	
	日平均值			26.87	48.61	31.25	8.12	11.56	32.99	17.62
	潮口站	0:00	24.95	51.48	33.15	8.47	10.52	7.14	5.66	
		3:00	24.74	51.41	33.09	8.31	8.02	16.01	5.06	
		6:00	24.99	50.82	32.72	8.25	6.15	10.88	3.32	
		9:00	25.10	50.76	32.67	8.33	7.88	8.00	4.38	
		12:00	25.20	50.43	32.50	8.37	9.29	13.02	5.84	
		15:00	25.45	50.65	32.68	8.31	8.35	9.02	6.19	
		18:00	25.71	51.09	32.92	8.25	7.31	6.24	3.92	
		21:00	25.46	50.50	32.53	8.26	7.72	6.92	4.18	
	日平均值			25.20	50.89	32.78	8.32	8.16	9.65	4.82
	灣內站	0:00	25.08	49.58	32.5	8.22	10.15	10.36	26.86	
		3:00	24.8	49.54	32.05	8.1	7.09	9.11	33.71	
		6:00	24.72	49.53	32.68	7.95	6.77	6.87	28.43	
		9:00	24.74	49.62	32.38	8.1	8.27	5.68	25.14	
		12:00	25.46	49.2	30.97	8.38	12.89	11.62	24.87	
		15:00	25.61	49.28	31.69	8.44	13.89	11.44	14.04	
		18:00	25.42	49.74	31.61	8.23	11.58	13.44	18.98	
		21:00	25.28	50.27	32.83	8.09	8.41	8.55	22.53	
	日平均值			25.14	49.60	32.09	8.19	9.88	9.63	24.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月26日	蚵殼站	0:00	26.51	48.63	30.94	8.12	11.88	25.39	13.04	
		3:00	26.29	48.67	30.81	8.17	11.4	28	16.2	
		6:00	26.17	48.81	30.68	8.09	10.86	31.12	17.39	
		9:00	26.12	48.89	31.21	8.03	10.67	33.74	14.53	
		12:00	26.3	49.35	31.86	8.09	11.37	37.77	14.85	
		15:00	26.23	49.71	32.19	8.08	9.95	60.45	16.17	
		18:00	26.14	49.78	32.14	8	11.3	57.99	13.3	
		21:00	26.12	49.64	32.09	8.09	11.71	46.47	11.94	
	日平均值			26.24	49.19	31.49	8.08	11.14	40.12	14.68
	潮口站	0:00	25.17	51.18	32.94	8.36	9.15	8.98	5.14	
		3:00	25.06	50.70	32.61	8.31	7.90	9.70	5.12	
		6:00	25.16	50.65	32.68	8.28	6.29	20.13	4.60	
		9:00	25.45	50.63	32.66	8.20	7.01	8.92	4.81	
		12:00	25.58	50.70	32.71	8.29	7.94	16.68	6.94	
		15:00	25.73	50.39	32.47	8.32	7.73	10.68	7.46	
		18:00	25.62	50.33	32.40	8.23	7.10	5.72	6.19	
		21:00	25.53	50.63	32.55	8.30	7.19	5.59	6.12	
	日平均值			25.41	50.65	32.63	8.29	7.54	10.80	5.80
	灣內站	0:00	25.22	50.2	33.11	8.2	8.43	9.97	22.1	
		3:00	25.05	50.24	32.83	8.08	5.83	9.09	27.46	
		6:00	24.92	50.28	32.37	8.06	5.49	11.73	23.16	
		9:00	25.11	50.09	32.4	8	7.03	6.99	22.03	
		12:00	25.53	49.66	32.7	8.27	12.17	10.2	25.75	
		15:00	25.92	49.45	32.62	8.38	13.69	9.68	28.32	
		18:00	25.51	49.69	32.75	8.22	8.98	11.23	13.6	
		21:00	25.4	50.19	33.11	8.17	7.92	4.84	14.81	
	日平均值			25.33	49.98	32.74	8.17	8.69	9.22	22.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月27日	蚵殼站	0:00	26.01	49.6	32	8.14	12.21	41.24	12.13
		3:00	25.79	49.24	31.8	8.17	12.5	27.21	14.48
		6:00	25.63	49.52	31.97	8.14	11.47	29.37	17.99
		9:00	25.51	49.75	32.2	8.05	10.62	31.35	14.36
		12:00	25.68	49.71	32.1	8.13	11.33	34.9	14.31
		15:00	25.78	49.9	32.23	8.07	10.51	40.69	19.54
		18:00	25.69	50.02	32.39	8.05	9.72	41.31	14.58
		21:00	25.5	50.08	32.41	8.06	10.99	26.89	14.46
	日平均值	25.70	49.73	32.14	8.10	11.17	34.12	15.23	
	潮口站	0:00	25.39	51.14	33.02	8.25	6.70	13.51	6.40
		3:00	25.24	50.65	32.67	8.34	7.25	11.91	6.48
		6:00	25.13	50.66	32.67	8.21	6.75	19.21	6.71
		9:00	25.35	50.62	32.61	8.21	6.70	11.98	6.51
		12:00	25.64	50.71	32.70	8.30	7.62	12.62	9.05
		15:00	25.61	50.45	32.49	8.22	7.46	14.00	12.41
		18:00	25.84	50.35	32.43	8.29	7.02	6.58	12.32
		21:00	25.94	50.65	32.65	8.21	6.63	8.55	8.89
	日平均值	25.52	50.65	32.66	8.25	7.02	12.30	8.60	
	灣內站	0:00	25.44	49.82	32.83	8.19	9.65	5.58	22.8
		3:00	25.17	49.79	32.84	8.17	8.58	11.65	22.06
		6:00	25.04	49.85	32.85	8.08	6.56	9.93	20.93
9:00		25.22	49.89	32.87	8.11	8.24	12.14	13.57	
12:00		25.43	49.53	32.59	8.27	11.39	16.75	13.9	
15:00		25.64	49.25	32.44	8.24	11.62	11.09	16.63	
18:00		25.16	49.87	32.87	8.22	10.11	8.9	13.57	
21:00		25.11	50.3	33.22	8.17	8.58	8.48	10.97	
日平均值	25.28	49.79	32.81	8.18	9.34	10.57	16.80		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月28日	蚵殼站	0:00	25.41	50.07	32.42	8.09	10.16	26.53	14.4
		3:00	25.12	50.09	32.38	8.11	9.88	24.48	15.52
		6:00	24.98	49.75	32.11	8.14	9.41	23.79	17.93
		9:00	25.29	49.46	31.99	8.13	8.14	31.63	29.08
		12:00	25.52	49.8	32.18	8.11	11.24	27.17	35.45
		15:00	25.57	50.18	32.48	8.16	11.07	35.42	31.53
		18:00	25.43	50.32	32.51	8.14	10.05	36.11	32.6
		21:00	25.34	50.41	32.66	8.13	9.43	42.73	31.19
	日平均值	25.33	50.01	32.34	8.13	9.92	30.98	25.96	
	潮口站	0:00	25.27	51.89	33.43	8.26	7.47	10.58	7.28
		3:00	24.99	51.69	33.24	8.28	7.55	8.59	8.80
		6:00	24.90	51.62	33.19	8.23	6.42	18.81	10.45
		9:00	25.32	51.71	33.34	8.25	6.48	13.16	9.48
		12:00	25.56	51.68	33.26	8.26	7.10	9.77	9.67
		15:00	25.46	51.27	33.08	8.30	7.54	17.13	11.64
		18:00	25.37	51.12	32.95	8.22	6.77	12.06	12.71
		21:00	25.77	51.07	32.89	8.29	6.71	5.80	11.02
	日平均值	25.33	51.51	33.17	8.26	7.01	11.99	10.13	
	灣內站	0:00	24.94	50	32.96	8.03	6.1	9.8	23.44
		3:00	24.69	50.08	32.95	8.03	5.18	11.3	24.68
		6:00	24.44	49.88	32.83	8.02	5.11	7.93	28.27
9:00		24.7	49.92	32.92	8.06	6.76	5.76	23.23	
12:00		24.89	49.63	32.69	8.21	10.12	12.35	28.88	
15:00		25.05	49.59	32.65	8.31	11.24	9.47	27.01	
18:00		24.99	49.71	32.77	8.3	10.52	10.33	14.58	
21:00		24.93	50.06	33.04	8.18	8.1	9.54	8.6	
日平均值	24.83	49.86	32.85	8.14	7.89	9.56	22.34		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月29日	蚵殼站	0:00	25.28	50.38	32.56	8.1	9.29	38.53	22.84	
		3:00	25.15	50.09	32.43	8.14	9.42	26.83	22.79	
		6:00	24.93	50.11	32.38	8.09	8.7	44.32	25.25	
		9:00	25.26	50.21	32.47	8.07	8.8	47.07	23.83	
		12:00	25.81	50.14	32.43	8.05	10.23	36.36	27.72	
		15:00	25.53	50.18	32.49	8.08	10.23	38.99	45.66	
		18:00	25.31	50.2	32.47	8.17	9.37	49.22	43.51	
		21:00	25.21	50.31	32.56	8.09	8.92	33.48	40.5	
	日平均值			25.31	50.20	32.47	8.10	9.37	39.35	31.51
	潮口站	0:00	25.50	51.13	32.98	8.24	6.96	7.85	10.45	
		3:00	24.69	50.90	32.82	8.30	7.03	10.13	11.69	
		6:00	24.53	50.78	32.68	8.27	6.45	18.65	18.39	
		9:00	25.01	50.90	32.78	8.17	6.60	10.99	16.72	
		12:00	25.64	50.81	32.79	8.27	7.16	7.93	9.58	
		15:00	25.29	50.68	32.67	8.26	7.71	10.15	10.11	
		18:00	24.99	50.38	32.54	8.31	7.53	15.09	13.94	
		21:00	25.24	50.42	32.50	8.26	7.22	6.66	7.99	
	日平均值			25.11	50.75	32.72	8.26	7.08	10.93	12.36
	灣內站	0:00	24.58	50.18	33.12	8.16	7.01	5.87	14.66	
		3:00	24.47	50.26	33.13	8.1	6.3	9.74	11.98	
		6:00	24.11	50.24	33.14	8.05	5.47	14.05	22.14	
		9:00	24.29	50.3	33.17	8.12	6.31	18.56	20.97	
		12:00	24.53	50.11	33.07	8.21	9.11	12.84	10.92	
		15:00	24.5	49.97	32.98	8.25	9.89	8.72	7.83	
		18:00	24.34	50.02	32.98	8.27	9.63	11.06	9.18	
		21:00	24.18	50.42	33.25	8.19	8.18	8.07	9.04	
	日平均值			24.38	50.19	33.11	8.17	7.74	11.11	13.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月30日	蚵殼站	0:00	25.18	50.44	32.64	8.11	8.68	26.75	35.79	
		3:00	25.04	50.08	32.36	8.16	8.64	43.23	38.27	
		6:00	24.91	50.11	32.35	8.15	8.66	33.26	33.47	
		9:00	24.99	50.1	32.36	8.07	9.19	27.44	28.53	
		12:00	25.28	50.06	32.33	8.1	9.52	26.98	28.68	
		15:00	25.63	50.14	32.49	8.18	10.11	20.59	30.38	
		18:00	25.44	50.08	32.41	8.14	9.19	20.11	26.73	
		21:00	25.39	50.17	32.42	8.15	8.42	17.7	26.77	
	日平均值			25.23	50.15	32.42	8.13	9.05	27.01	31.08
	潮口站	0:00	25.20	51.97	33.51	8.25	7.18	8.82	4.50	
		3:00	24.63	52.02	33.56	8.27	7.40	14.80	4.81	
		6:00	23.90	51.82	33.37	8.23	6.94	18.80	5.63	
		9:00	24.33	51.87	33.46	8.25	6.27	10.45	4.44	
		12:00	25.44	51.92	33.44	8.17	6.63	7.53	4.99	
		15:00	25.06	51.80	33.37	8.28	7.06	12.26	6.14	
		18:00	24.53	51.45	33.13	8.26	7.06	18.70	8.13	
		21:00	24.49	51.23	33.04	8.23	6.58	16.30	5.86	
	日平均值			24.70	51.76	33.36	8.24	6.89	13.46	5.56
	灣內站	0:00	24	50.52	33.39	8.17	7.64	10.79	10.71	
		3:00	23.8	50.38	33.29	8.15	6.67	15.41	15.55	
		6:00	23.47	50.42	33.32	8.08	5.95	15.28	19.1	
		9:00	23.54	50.52	33.34	8.1	6.7	12.72	17.84	
		12:00	23.84	50.47	33.28	8.14	8.16	10.69	12.6	
		15:00	23.81	50.51	33.32	8.22	8	13.21	9.88	
		18:00	23.71	50.23	33.19	8.17	7.89	18.69	13.96	
		21:00	23.62	50.52	33.35	8.13	7.5	12.27	16.24	
	日平均值			23.72	50.45	33.31	8.15	7.31	13.63	14.49
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

110年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月31日	蚵殼站	0:00	25.26	50.44	32.6	8.09	8.64	22.79	26.66	
		3:00	25.09	50.44	32.68	8.09	8.2	26.46	26.12	
		6:00	24.9	50.45	32.64	8.14	7.89	22.31	30.62	
		9:00	24.96	50.26	32.49	8.05	7.68	24.35	34.49	
		12:00	25.27	50.14	32.37	8.09	7.65	19.8	41.81	
		15:00	25.9	50.46	32.61	8.11	7.62	21.01	40.07	
		18:00	25.84	50.45	32.61	8.08	8	15.56	30.69	
		21:00	25.09	50.31	32.53	8.15	8.69	14.13	33.12	
	日平均值			25.29	50.37	32.57	8.10	8.05	20.80	32.95
	潮口站	0:00	25.01	51.31	33.07	8.18	6.84	6.24	5.37	
		3:00	24.59	51.22	33.01	8.22	7.03	9.37	5.94	
		6:00	24.00	51.42	33.07	8.23	6.55	14.83	6.15	
		9:00	24.13	51.15	32.90	8.19	6.39	14.69	4.63	
		12:00	25.77	50.84	32.71	8.21	6.96	5.84	4.51	
		15:00	25.64	50.74	32.74	8.26	6.40	7.71	4.84	
		18:00	24.62	50.68	32.73	8.30	6.94	15.32	6.92	
		21:00	24.20	50.59	32.57	8.29	6.96	11.24	5.79	
	日平均值			24.75	50.99	32.85	8.24	6.76	10.66	5.52
	灣內站	0:00	23.57	50.57	33.31	8.11	6.72	13.23	11.22	
		3:00	23.38	50.58	33.34	8.12	6.42	24.15	12.04	
		6:00	23.21	50.41	33.34	8.14	5.97	22.04	14.54	
		9:00	23.12	50.45	33.3	8.13	6.21	20.92	17.61	
		12:00	23.4	50.44	33.03	8.05	7.13	21.6	18.45	
		15:00	23.54	50.55	33.14	8.04	6.81	8.01	19.86	
		18:00	23.41	50.02	32.93	8.13	7.04	10.52	24.1	
		21:00	23.25	50.02	32.95	8.03	6.68	9.82	27.16	
	日平均值			23.36	50.38	33.17	8.09	6.62	16.29	18.12
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		