

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月1日	蚵殼站	0:00	23.78	49.33	32.40	8.31	7.20	2.37	1.71
		3:00	23.61	49.21	32.32	8.30	6.76	2.22	1.45
		6:00	23.57	48.69	31.98	8.27	6.43	2.11	1.27
		9:00	23.77	49.52	32.53	8.29	6.52	2.24	1.12
		12:00	23.93	48.63	31.94	8.34	6.95	2.30	1.10
		15:00	23.96	48.93	32.14	8.29	6.12	2.46	1.26
		18:00	23.89	49.05	32.22	8.28	6.65	2.44	1.29
		21:00	23.75	48.92	32.13	8.31	6.01	2.38	1.42
	日平均值		23.78	49.04	32.21	8.30	6.58	2.32	1.33
	潮口站	0:00	24.55	55.52	33.58	8.25	7.59	1.49	0.87
		3:00	24.48	55.44	33.54	8.31	7.94	0.79	1.18
		6:00	24.44	55.58	33.61	8.25	7.73	1.75	0.32
		9:00	24.64	55.78	33.71	8.20	7.70	2.09	0.96
		12:00	24.94	56.11	33.87	8.20	7.03	1.47	1.12
		15:00	25.16	55.42	33.53	8.17	7.90	0.96	1.03
		18:00	24.87	54.36	33.01	8.15	7.70	0.70	1.35
		21:00	24.74	55.11	33.38	8.16	7.59	1.26	1.36
	日平均值		24.73	55.42	33.53	8.21	7.65	1.31	1.02
	灣內站	0:00	23.32	48.34	31.78	8.21	6.32	4.61	3.25
		3:00	23.21	48.02	31.57	8.12	6.32	4.83	3.33
		6:00	23.5	48.6	31.95	8.14	6.2	4.88	4.85
9:00		23.6	47.84	31.45	8.1	6.23	4.41	3.5	
12:00		23.67	48.52	31.9	8.11	6.54	4.04	2.76	
15:00		23.73	48.49	31.88	8.18	6.95	4.36	5.15	
18:00		23.84	48.02	31.57	8.17	6.56	4.73	6.42	
21:00		23.89	48.51	31.89	8.2	6.32	4.46	4.83	
日平均值		23.60	48.29	31.75	8.15	6.43	4.54	4.26	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月2日	蚵殼站	0:00	23.61	48.63	31.94	8.34	6.87	2.33	1.55
		3:00	23.57	48.67	31.97	8.34	6.44	2.36	1.56
		6:00	23.66	48.78	32.04	8.29	6.23	2.66	1.45
		9:00	23.95	48.95	32.15	8.25	6.22	3.01	1.54
		12:00	24.20	49.05	32.22	8.34	6.56	4.43	2.42
		15:00	23.92	49.35	32.29	8.26	6.33	2.63	2.10
		18:00	23.65	48.56	32.07	8.23	6.01	2.65	1.67
		21:00	23.60	49.20	32.21	8.22	5.83	2.52	1.28
	日平均值		23.77	48.90	32.11	8.28	6.31	2.82	1.70
	潮口站	0:00	24.61	55.88	33.76	8.17	7.48	1.82	1.13
		3:00	24.39	55.93	33.78	8.19	7.75	1.61	0.47
		6:00	24.30	55.01	33.33	8.18	7.46	2.59	0.49
		9:00	24.43	55.13	33.88	8.19	7.80	3.40	1.10
		12:00	25.11	54.46	33.06	8.19	7.81	1.80	0.46
		15:00	24.91	55.26	33.50	8.17	7.56	4.10	0.04
		18:00	24.93	55.57	33.71	8.18	6.80	1.31	0.61
		21:00	24.90	56.01	33.97	8.16	6.43	0.82	0.30
	日平均值		24.70	55.41	33.62	8.18	7.39	2.18	0.58
	灣內站	0:00	23.97	47.22	31.04	8.23	6.9	3.63	3.25
		3:00	23.89	47.43	31.18	8.22	6.89	4.82	2.51
		6:00	24.4	47.54	31.25	8.21	7.33	4.68	1.21
9:00		23.84	48.17	31.67	8.25	7.21	4.97	2.18	
12:00		23.55	48.34	31.78	8.22	7.73	4.29	0.78	
15:00		23.78	47.75	31.39	8.18	7.53	4.49	2.29	
18:00		23.67	48.29	31.75	8.14	7.32	4.35	2.25	
21:00		23.81	47.48	31.21	8.17	6.88	4.53	2.4	
日平均值		23.86	47.78	31.41	8.20	7.22	4.47	2.11	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月3日	蚵殼站	0:00	23.53	49.21	32.21	8.19	5.57	2.54	1.29	
		3:00	23.40	49.24	32.23	8.21	5.66	2.45	1.50	
		6:00	23.40	49.20	32.21	8.18	5.40	2.86	1.47	
		9:00	23.74	49.25	32.19	8.21	5.88	2.88	2.29	
		12:00	24.02	49.13	32.15	8.19	5.64	2.59	1.04	
		15:00	23.76	49.19	32.19	8.24	6.02	2.72	1.70	
		18:00	23.59	49.15	32.17	8.23	5.82	2.89	1.53	
		21:00	23.58	49.11	32.13	8.22	5.67	2.72	1.56	
	日平均值			23.63	49.19	32.19	8.21	5.71	2.71	1.55
	潮口站	0:00	24.48	55.83	33.87	8.19	7.04	1.59	0.39	
		3:00	24.22	55.74	33.80	8.21	7.31	2.17	1.12	
		6:00	24.14	55.74	33.80	8.18	7.00	2.31	0.74	
		9:00	24.34	55.99	32.83	8.15	6.63	4.33	1.02	
		12:00	24.97	56.30	34.16	8.40	6.45	3.51	0.91	
		15:00	25.02	56.21	33.43	8.34	6.65	3.02	1.01	
		18:00	24.65	56.15	34.04	8.35	7.14	4.83	0.69	
		21:00	24.70	55.97	33.95	8.26	6.55	2.22	1.38	
	日平均值			24.57	55.99	33.74	8.26	6.85	3.00	0.91
	灣內站	0:00	24.25	48.25	31.72	8.19	6.74	4.45	2.17	
		3:00	24.22	48.61	31.96	8.15	6.64	3.67	1.72	
		6:00	24.06	48.14	31.65	8.19	6.61	4.06	1.76	
		9:00	24.21	47.92	31.5	8.22	6.63	4.57	0.44	
		12:00	24.31	47.4	31.16	8.15	6.62	5.55	0.07	
		15:00	24.45	48.41	31.68	8.23	6.32	6.65	3.63	
18:00		24.32	48.37	31.66	8.21	6.52	6.86	3.26		
21:00		24.06	48.39	31.67	8.17	6.21	6.15	2.89		
日平均值			24.24	48.19	31.63	8.19	6.54	5.25	1.99	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月4日	蚵殼站	0:00	23.45	49.14	32.16	8.19	5.30	2.77	1.65	
		3:00	23.33	49.12	32.13	8.25	5.79	2.65	2.37	
		6:00	23.21	49.04	32.07	8.25	5.76	2.55	3.09	
		9:00	23.50	48.86	31.96	8.25	5.96	2.44	1.71	
		12:00	23.82	49.08	32.11	8.23	5.90	2.61	1.19	
		15:00	23.77	49.14	32.15	8.24	5.92	2.56	1.32	
		18:00	23.69	49.12	32.13	8.23	5.72	2.49	1.13	
		21:00	23.63	49.10	32.12	8.28	5.93	2.40	1.32	
	日平均值			23.55	49.08	32.10	8.24	5.79	2.56	1.72
	潮口站	0:00	24.70	56.27	34.14	8.22	6.40	1.33	0.04	
		3:00	24.13	55.89	33.91	8.24	6.98	1.99	0.10	
		6:00	23.99	55.78	33.83	8.24	7.18	1.67	1.42	
		9:00	24.20	55.95	33.94	8.18	6.67	2.72	1.49	
		12:00	24.96	56.17	34.08	8.14	6.60	2.33	0.93	
		15:00	25.06	55.13	33.45	8.13	6.62	1.56	0.33	
		18:00	24.62	55.82	33.87	8.20	7.36	2.51	1.14	
		21:00	24.39	55.46	33.65	8.15	6.95	1.13	0.72	
	日平均值			24.51	55.81	33.86	8.19	6.85	1.91	0.77
	灣內站	0:00	23.9	48.36	31.64	8.12	5.84	6.19	2.59	
		3:00	23.87	48.4	31.68	8.1	5.6	6.38	2.08	
		6:00	23.73	48.38	31.65	8.19	5.48	6.59	2.51	
		9:00	23.92	48.06	31.46	8.15	6.39	6.69	3.61	
		12:00	24.38	48.04	31.44	8.13	6.8	6.12	2.85	
		15:00	24.39	48.1	31.5	8.12	6.96	6.05	4.71	
18:00		24.3	48.21	31.55	8.2	6.71	6.18	4.82		
21:00		24.06	48.4	31.67	8.1	5.85	6.04	2.82		
日平均值			24.07	48.24	31.57	8.14	6.20	6.28	3.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月5日	蚵殼站	0:00	23.59	48.83	31.94	8.35	6.36	2.59	2.95
		3:00	23.51	48.90	31.98	8.33	6.18	2.45	2.10
		6:00	23.40	49.00	32.03	8.28	5.78	2.53	2.05
		9:00	23.66	48.88	31.98	8.30	6.08	2.42	1.23
		12:00	24.00	48.56	31.79	8.31	6.23	2.48	1.22
		15:00	23.87	48.67	31.85	8.27	5.92	2.69	1.41
		18:00	23.84	48.56	31.79	8.24	5.67	2.63	1.47
		21:00	23.77	48.51	31.76	8.27	5.86	2.40	1.32
	日平均值		23.71	48.74	31.89	8.29	6.01	2.52	1.72
	潮口站	0:00	24.71	55.93	33.92	8.15	6.48	2.40	0.66
		3:00	24.51	56.00	33.96	8.16	6.56	2.33	0.64
		6:00	24.24	55.84	33.86	8.17	7.11	2.24	1.30
		9:00	24.21	55.77	33.83	8.19	7.54	2.30	0.43
		12:00	24.87	56.30	34.16	8.08	6.74	3.94	1.40
		15:00	25.00	56.16	34.06	8.10	6.85	1.71	0.92
		18:00	24.51	55.83	33.87	8.18	8.13	2.13	0.78
		21:00	24.33	55.80	33.85	8.18	8.17	1.57	0.97
	日平均值		24.55	55.95	33.94	8.15	7.20	2.33	0.89
	灣內站	0:00	23.9	48.52	31.73	8.15	5.54	5.23	1.17
		3:00	23.75	48.27	31.59	8.12	5.59	5.78	2.74
		6:00	23.63	48.42	31.67	8.11	5.3	5.72	1.55
		9:00	23.88	48.59	31.78	8.12	5.39	5.69	1
		12:00	24.11	48.57	31.76	8.1	6.18	5.57	1.22
		15:00	24.17	48.48	31.72	8.11	6.24	5.84	2.34
18:00		24.19	48.49	31.73	8.08	5.93	6.17	1.85	
21:00		24.12	48.4	31.68	8.11	5.83	5.76	1.39	
日平均值		23.97	48.47	31.71	8.11	5.75	5.72	1.66	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月6日	蚵殼站	0:00	23.60	48.60	31.82	8.26	5.75	2.30	1.12
		3:00	23.56	48.57	31.79	8.23	5.40	2.41	1.07
		6:00	23.42	48.76	31.91	8.24	5.47	2.39	1.11
		9:00	23.75	48.58	31.80	8.25	5.63	2.30	1.05
		12:00	24.07	48.55	31.78	8.26	5.86	2.61	1.05
		15:00	23.88	48.53	31.77	8.27	6.01	2.47	1.15
		18:00	23.62	48.43	31.69	8.25	5.71	2.39	1.17
		21:00	23.60	48.50	31.75	8.27	5.83	2.37	1.40
	日平均值		23.69	48.57	31.79	8.25	5.71	2.41	1.14
	潮口站	0:00	24.40	55.84	33.88	8.14	7.38	2.07	0.29
		3:00	24.33	55.91	33.92	8.09	7.00	2.11	1.31
		6:00	24.22	55.77	33.82	8.08	7.10	2.18	1.03
		9:00	24.30	55.76	33.81	8.09	7.23	2.25	1.21
		12:00	24.98	55.50	33.67	8.04	7.09	3.21	1.00
		15:00	25.15	54.88	33.30	8.06	7.07	1.31	0.76
		18:00	24.81	55.54	33.68	8.11	7.45	2.18	0.73
		21:00	24.67	55.50	33.68	8.13	7.89	1.58	0.49
	日平均值		24.61	55.59	33.72	8.09	7.28	2.11	0.85
	灣內站	0:00	23.93	48.45	31.7	8.13	5.68	5.76	1.21
		3:00	23.84	48.4	31.68	8.15	5.48	6.03	1.07
		6:00	23.72	48.41	31.68	8.13	5.12	6.09	1.11
		9:00	23.86	48.41	31.69	8.09	5.4	6	1.33
		12:00	24.55	48.34	31.62	8.12	6.02	5.61	1.03
		15:00	24.48	48.33	31.63	8.1	6.15	5.45	1.14
18:00		24.4	48.4	31.68	8.17	5.75	5.76	1.17	
21:00		24.37	48.22	31.56	8.14	5.53	5.93	1.01	
日平均值		24.14	48.37	31.66	8.13	5.64	5.83	1.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月7日	蚵殼站	0:00	23.58	48.44	31.70	8.28	5.85	2.48	1.96
		3:00	23.46	48.32	31.60	8.28	5.85	2.59	2.12
		6:00	23.40	48.25	31.55	8.25	5.57	2.61	1.88
		9:00	23.57	48.14	31.48	8.28	5.88	2.50	1.23
		12:00	23.97	48.03	31.42	8.31	6.10	2.48	1.13
		15:00	24.06	47.79	31.27	8.31	6.05	2.53	1.50
		18:00	23.94	47.95	31.36	8.26	5.70	2.46	1.47
		21:00	23.90	48.05	31.44	8.25	5.58	2.53	1.23
	日平均值		23.74	48.12	31.48	8.28	5.82	2.52	1.57
	潮口站	0:00	24.50	55.45	33.65	8.13	7.56	1.51	0.26
		3:00	24.73	55.66	33.75	8.11	6.98	1.71	1.10
		6:00	24.38	55.37	33.58	8.14	7.06	2.04	1.01
		9:00	24.46	55.20	33.48	8.16	7.14	2.25	1.27
		12:00	25.12	55.27	33.52	8.13	7.01	3.12	1.20
		15:00	25.50	55.46	33.65	8.15	6.87	1.34	1.30
		18:00	25.07	55.14	33.45	8.19	7.38	2.49	1.02
		21:00	24.78	54.71	33.19	8.20	7.68	2.16	1.45
	日平均值		24.82	55.28	33.53	8.15	7.21	2.08	1.08
	灣內站	0:00	24.11	48.19	31.54	8.12	5.36	5.7	1.02
		3:00	23.97	48.26	31.58	8.19	5.28	5.64	1.06
		6:00	23.81	48.37	31.65	8.15	5.32	5.72	1.12
		9:00	23.99	48.42	31.69	8.19	5.25	6.14	1.23
		12:00	24.32	48.4	31.68	8.12	5.17	5.87	1.23
		15:00	24.26	48.4	31.68	8.1	5.44	5.59	1.02
18:00		24.16	48.41	31.68	8.12	5.23	6.14	1.23	
21:00		24.11	48.2	31.54	8.17	5.25	5.58	1.16	
日平均值		24.09	48.33	31.63	8.15	5.29	5.80	1.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月8日	蚵殼站	0:00	23.86	48.01	31.41	8.24	5.47	2.30	1.09
		3:00	23.63	48.07	31.45	8.21	5.26	2.44	1.12
		6:00	23.58	48.08	31.46	8.18	5.07	2.57	1.16
		9:00	23.88	48.02	31.54	8.23	5.43	2.38	1.33
		12:00	24.30	48.34	31.75	8.23	5.61	2.54	1.24
		15:00	24.01	48.55	31.89	8.23	5.61	2.57	1.29
		18:00	23.89	48.25	31.69	8.20	5.26	2.42	1.39
		21:00	23.90	48.40	31.79	8.21	5.33	2.28	1.55
	日平均值		23.88	48.22	31.62	8.22	5.38	2.44	1.27
	潮口站	0:00	24.63	54.49	33.05	8.22	8.00	1.32	1.08
		3:00	24.84	54.80	33.25	8.14	6.91	1.48	1.14
		6:00	24.70	54.61	33.11	8.16	7.07	1.44	0.71
		9:00	24.75	54.32	32.93	8.21	7.16	2.24	0.55
		12:00	25.44	54.24	32.65	8.17	7.19	1.44	0.87
		15:00	25.68	53.71	32.32	8.18	7.30	0.91	0.40
		18:00	25.27	54.25	32.66	8.24	7.39	2.00	0.98
		21:00	25.02	54.05	32.56	8.17	6.63	4.90	0.34
	日平均值		25.04	54.31	32.82	8.19	7.21	1.97	0.76
	灣內站	0:00	24.19	48.04	31.45	8.14	5	6.13	1.23
		3:00	24.03	48.1	31.48	8.13	5.32	6.2	1.06
		6:00	23.87	48.13	31.5	8.17	5.23	6.82	1.04
		9:00	24.03	48.01	31.42	8.18	5.33	6.5	1.23
		12:00	24.63	47.99	31.4	8.19	5.48	6.17	1.06
		15:00	24.66	47.98	31.39	8.21	5.54	5.96	1.91
18:00		24.59	47.96	31.37	8.19	5.26	6.37	1.54	
21:00		24.58	47.78	31.26	8.18	5.25	6.21	1.07	
日平均值		24.32	48.00	31.41	8.17	5.30	6.30	1.27	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月9日	蚵殼站	0:00	23.90	48.69	31.98	8.21	5.23	2.35	1.33
		3:00	23.86	48.77	32.03	8.16	5.02	2.61	1.15
		6:00	23.75	48.90	32.12	8.15	5.17	2.89	1.14
		9:00	23.82	48.77	32.03	8.18	5.33	2.83	1.23
		12:00	24.07	48.92	32.13	8.22	5.57	2.72	1.36
		15:00	24.07	49.21	32.32	8.19	5.32	2.86	1.03
		18:00	23.97	49.16	32.29	8.16	5.09	2.68	1.05
		21:00	23.80	49.37	32.43	8.18	5.22	2.27	1.04
	日平均值		23.91	48.97	32.17	8.18	5.24	2.65	1.17
	潮口站	0:00	24.81	53.56	32.49	8.19	6.81	1.99	0.43
		3:00	24.88	53.67	32.56	8.18	6.66	1.57	0.97
		6:00	25.02	53.82	32.64	8.17	6.73	1.46	0.23
		9:00	24.83	53.45	32.43	8.23	6.85	2.33	0.14
		12:00	25.53	53.57	32.50	8.23	7.34	1.51	1.21
		15:00	25.72	52.49	32.58	8.23	7.28	1.32	0.62
		18:00	25.50	52.57	32.62	8.19	7.09	1.40	0.83
		21:00	25.23	52.69	32.68	8.23	6.79	4.62	0.01
	日平均值		25.19	53.23	32.56	8.21	6.94	2.03	0.56
	灣內站	0:00	24.36	48.19	31.68	8.19	5.04	6.05	1.05
		3:00	24.1	48.16	31.66	8.12	5.12	5.74	1.01
		6:00	23.99	48.26	31.73	8.18	5.26	6.99	1.06
9:00		24.25	48.58	31.94	8.17	5.24	6.95	1	
12:00		24.8	48.66	31.99	8.14	5.45	6.44	1.21	
15:00		24.73	48.34	31.78	8.16	5.54	6.24	1.91	
18:00		24.53	48.4	31.82	8.12	5.27	6.14	1.04	
21:00		24.64	48.45	31.85	8.1	5.31	6.49	1.03	
日平均值		24.43	48.38	31.81	8.15	5.28	6.38	1.16	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月10日	蚵殼站	0:00	23.86	50.00	32.84	8.21	5.30	2.37	1.00
		3:00	23.68	49.90	32.78	8.18	5.14	2.41	1.07
		6:00	23.60	49.71	32.65	8.17	5.10	2.45	1.73
		9:00	23.68	49.45	32.48	8.19	5.06	3.64	2.29
		12:00	24.21	50.83	32.80	8.25	6.83	4.77	0.76
		15:00	24.12	50.44	33.21	8.30	6.77	3.56	1.20
		18:00	24.04	50.50	33.25	8.23	5.64	3.61	1.00
		21:00	24.09	50.45	33.23	8.25	5.78	3.19	0.89
	日平均值		23.91	50.16	32.91	8.22	5.70	3.25	1.24
	潮口站	0:00	24.99	51.85	32.76	8.28	6.85	2.01	0.13
		3:00	24.97	51.91	32.79	8.31	6.53	2.08	0.18
		6:00	25.14	50.97	32.82	8.26	6.50	2.13	1.00
		9:00	25.00	51.06	32.86	8.25	6.56	2.98	0.79
		12:00	25.43	51.36	33.01	8.33	7.17	3.84	0.47
		15:00	25.81	50.08	32.96	8.36	7.87	3.48	0.93
		18:00	25.52	50.14	33.00	8.21	7.85	3.04	0.73
		21:00	25.37	50.28	33.12	8.23	7.36	6.46	1.27
	日平均值		25.28	50.96	32.92	8.28	7.09	3.25	0.69
	灣內站	0:00	24.33	49.75	32.71	8.09	5.64	6.22	1.11
		3:00	24.17	50.14	32.97	8.12	5.54	6.07	1.01
		6:00	24.03	48.67	32	8.16	5.62	6.42	1.32
9:00		24.21	50.03	32.9	8.19	5.74	6.68	1.24	
12:00		24.85	49.47	32.53	8.2	5.91	7.16	1.81	
15:00		24.49	49.61	32.62	8.26	6.08	4.75	1.09	
18:00		24.63	50.29	33.11	8.21	5.86	5.17	1.11	
21:00		24.55	50.14	33.01	8.26	5.35	5.12	1.2	
日平均值		24.41	49.76	32.73	8.19	5.72	5.95	1.24	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月11日	蚵殼站	0:00	24.11	50.53	33.26	8.30	6.74	3.00	1.31
		3:00	24.03	50.41	33.20	8.28	6.43	2.98	1.65
		6:00	23.90	50.40	33.20	8.26	5.97	2.98	1.32
		9:00	24.14	50.33	33.13	8.28	6.49	3.01	1.76
		12:00	24.48	50.19	33.04	8.32	7.25	3.25	2.53
		15:00	24.16	50.39	33.19	8.27	6.41	3.20	1.13
		18:00	24.09	50.36	33.16	8.23	5.68	3.31	1.45
	21:00	24.07	50.33	33.13	8.21	5.27	3.19	0.92	
	日平均值		24.12	50.37	33.16	8.27	6.28	3.12	1.51
	潮口站	0:00	25.20	50.11	32.99	8.21	7.30	4.90	1.10
		3:00	25.12	50.09	32.96	8.28	7.06	4.03	0.24
		6:00	25.26	50.45	33.22	8.24	7.24	3.89	1.16
		9:00	25.11	50.15	33.01	8.30	7.02	4.97	0.42
		12:00	25.55	50.18	33.04	8.36	7.55	3.97	0.38
		15:00	25.77	49.71	32.72	8.32	8.12	3.55	0.73
		18:00	25.43	50.01	32.92	8.34	7.94	2.89	1.31
	21:00	25.27	49.99	32.91	8.33	7.58	5.10	0.69	
	日平均值		25.34	50.09	32.97	8.30	7.48	4.16	0.75
	灣內站	0:00	24.43	49.97	32.89	8.23	5.25	5.12	1.31
		3:00	24.13	50.29	33.1	8.21	5.31	5.12	1.11
		6:00	23.97	50.37	33.17	8.21	5.22	5.46	1.21
9:00		24.39	50.31	33.12	8.19	5.13	5.79	1.23	
12:00		24.8	50.41	33.2	8.29	5.74	5.14	1.21	
15:00		24.69	50.47	33.23	8.33	6	6.12	1.43	
18:00		24.54	50.54	33.28	8.27	5.5	5.63	2.14	
21:00	24.54	50.25	33.08	8.27	5.36	6.13	2.11		
日平均值		24.44	50.33	33.13	8.25	5.44	5.56	1.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月12日	蚵殼站	0:00	24.00	50.37	33.17	8.22	5.42	3.38	1.11
		3:00	23.87	50.36	33.16	8.22	5.45	3.73	1.05
		6:00	23.56	50.36	33.16	8.19	5.05	4.11	0.61
		9:00	23.73	50.31	33.12	8.21	5.50	4.08	0.61
		12:00	24.44	50.24	33.07	8.25	6.46	3.93	1.35
		15:00	24.59	50.20	33.05	8.28	6.92	3.63	2.57
		18:00	24.56	50.30	33.10	8.23	6.45	3.61	1.42
	21:00	24.39	50.38	33.17	8.19	5.76	3.83	1.16	
	日平均值		24.14	50.32	33.13	8.22	5.88	3.79	1.24
	潮口站	0:00	25.11	49.87	32.83	8.29	7.03	6.20	0.35
		3:00	25.00	49.75	32.75	8.26	6.93	4.46	0.83
		6:00	24.97	49.97	32.90	8.31	7.10	4.31	0.58
		9:00	25.10	50.01	32.92	8.34	7.35	3.72	0.65
		12:00	25.26	49.99	32.91	8.29	7.52	4.74	0.22
		15:00	25.56	49.95	32.89	8.26	7.95	3.07	1.18
		18:00	25.36	50.01	32.92	8.27	7.37	2.90	1.14
	21:00	25.16	49.88	32.84	8.22	7.49	3.95	1.12	
	日平均值		25.19	49.93	32.87	8.28	7.34	4.17	0.76
	灣內站	0:00	24.37	50.24	33.07	8.25	5.19	6.12	1.21
		3:00	24.21	50.39	33.18	8.22	5.22	6.17	1.23
		6:00	24.06	50.31	33.12	8.22	5.32	6.63	1.14
9:00		24.12	50.26	33.09	8.27	5.27	5.67	1.24	
12:00		24.4	50.16	33.03	8.31	5.76	6.13	2.16	
15:00		24.47	50.2	33.05	8.33	5.92	5.38	2.12	
18:00		24.43	50.08	32.97	8.28	5.48	5.16	2.1	
21:00	24.14	50.01	32.91	8.22	5.07	5.35	1.34		
日平均值		24.28	50.21	33.05	8.26	5.40	5.83	1.57	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月13日	蚵殼站	0:00	24.16	50.60	33.30	8.19	5.61	3.54	0.87
		3:00	23.94	50.60	33.30	8.19	5.56	3.66	0.94
		6:00	23.72	50.73	33.38	8.16	5.14	4.15	0.58
		9:00	23.78	50.52	33.26	8.21	5.87	3.70	0.52
		12:00	24.16	50.46	32.60	8.27	6.59	3.60	1.23
		15:00	24.04	50.66	33.37	8.27	6.60	3.26	1.25
		18:00	23.81	50.70	33.39	8.24	6.29	3.08	0.80
	21:00	23.59	50.70	33.40	8.23	6.04	3.21	0.71	
	日平均值		23.90	50.62	33.25	8.22	5.96	3.53	0.86
	潮口站	0:00	24.73	49.41	32.55	8.24	7.42	4.33	0.55
		3:00	24.43	49.26	32.46	8.21	7.39	3.66	0.25
		6:00	24.54	49.32	32.49	8.28	7.05	3.89	0.54
		9:00	24.68	49.30	32.31	8.29	7.26	4.69	0.77
		12:00	24.79	50.08	32.87	8.24	7.20	4.62	0.66
		15:00	25.37	49.30	32.47	8.26	7.13	2.33	1.19
		18:00	25.70	49.18	32.40	8.23	6.87	2.02	1.00
	21:00	25.17	49.31	32.49	8.19	6.87	2.71	1.22	
	日平均值		24.93	49.40	32.51	8.24	7.15	3.53	0.77
	灣內站	0:00	24	50.04	32.94	8.17	5.1	5.2	1.23
		3:00	23.8	50.06	32.95	8.18	5.21	5.13	1.34
		6:00	23.59	50	32.9	8.21	5.14	5.17	1.33
9:00		23.65	49.97	32.88	8.23	5.11	5.12	1.21	
12:00		23.8	49.85	32.81	8.28	5.59	5.55	1.76	
15:00		24.04	49.96	32.87	8.3	5.88	3.56	1.4	
18:00		23.97	50.01	32.91	8.29	5.54	3.93	1.35	
21:00	23.82	50.02	32.92	8.26	5.32	4.34	1.16		
日平均值		23.83	49.99	32.90	8.24	5.36	4.75	1.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月14日	蚵殼站	0:00	23.45	50.71	33.41	8.23	5.92	3.18	1.05
		3:00	23.32	50.68	33.38	8.21	5.56	3.43	1.03
		6:00	23.31	50.97	33.58	8.20	5.32	4.27	1.00
		9:00	23.26	51.07	33.63	8.20	5.46	4.00	0.61
		12:00	23.75	50.81	33.47	8.24	6.29	3.87	0.84
		15:00	24.02	51.01	33.60	8.24	6.56	4.13	1.53
		18:00	24.08	51.21	33.69	8.20	6.13	4.27	1.21
	21:00	24.01	51.21	33.71	8.18	5.71	4.23	1.04	
	日平均值		23.65	50.96	33.56	8.21	5.87	3.92	1.04
	潮口站	0:00	24.78	49.73	32.74	8.24	6.86	3.77	1.08
		3:00	24.45	49.66	32.70	8.27	6.67	2.98	1.27
		6:00	24.66	49.90	32.85	8.31	6.54	2.69	1.06
		9:00	25.38	49.95	32.89	8.33	6.68	2.75	1.00
		12:00	25.16	49.98	32.90	8.29	6.87	3.07	1.22
		15:00	25.37	49.92	32.87	8.24	6.99	2.64	1.29
		18:00	25.51	49.98	32.90	8.21	6.96	2.10	1.04
	21:00	25.38	50.07	32.95	8.24	6.79	2.11	1.03	
	日平均值		25.09	49.90	32.85	8.27	6.80	2.76	1.12
	灣內站	0:00	23.67	50.01	32.91	8.21	5.11	3.99	1.23
		3:00	23.35	50.04	32.94	8.17	5.08	3.64	0.57
		6:00	23.28	50.23	33.07	8.17	5.13	4.09	1.01
9:00		23.27	50.03	32.93	8.23	5.18	4.05	1.12	
12:00		23.55	50.01	32.91	8.26	5.38	3.44	1.01	
15:00		23.63	50	32.9	8.28	5.63	4.12	1.07	
18:00		23.32	49.9	32.84	8.26	5.48	3.89	1	
21:00	23.29	49.94	32.88	8.25	5.34	3.92	1.19		
日平均值		23.42	50.02	32.92	8.23	5.29	3.89	1.03	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月15日	蚵殼站	0:00	23.77	51.05	33.61	8.17	5.53	3.79	0.75
		3:00	23.16	50.51	33.26	8.21	5.79	3.32	0.98
		6:00	23.12	50.59	33.30	8.20	5.54	3.22	1.12
		9:00	23.34	50.63	33.34	8.22	6.09	3.28	0.88
		12:00	23.85	50.28	33.13	8.26	6.86	3.38	1.47
		15:00	23.41	50.56	33.31	8.23	6.23	3.34	1.48
		18:00	23.43	50.70	33.40	8.21	6.04	3.46	1.21
	21:00	23.63	50.71	33.40	8.19	5.84	3.78	1.07	
	日平均值		23.46	50.63	33.34	8.21	5.99	3.45	1.12
	潮口站	0:00	24.90	50.07	32.95	8.27	6.78	3.09	1.11
		3:00	24.55	50.09	32.96	8.23	6.70	3.30	1.25
		6:00	24.52	50.14	33.01	8.23	6.61	2.87	1.27
		9:00	25.51	50.38	33.17	8.22	6.66	2.50	1.01
		12:00	25.40	50.28	33.11	8.25	6.80	3.19	1.26
		15:00	25.01	50.23	33.09	8.23	6.92	3.33	1.73
		18:00	25.45	50.32	33.14	8.28	6.99	3.16	1.10
	21:00	25.49	50.19	33.05	8.24	6.85	2.03	1.00	
	日平均值		25.10	50.21	33.06	8.24	6.79	2.93	1.22
	灣內站	0:00	23.26	50.05	32.94	8.2	5.07	4.32	1.34
		3:00	23.05	49.98	32.89	8.15	5.32	3.8	1.09
		6:00	22.9	49.86	32.81	8.08	5.42	3.62	0.87
9:00		23.12	49.99	32.89	8.14	5.55	3.86	1.21	
12:00		23.93	50.05	32.94	8.27	5.78	3.38	1.74	
15:00		24.04	49.99	32.91	8.31	6.14	3.12	2.19	
18:00		23.87	50.09	32.98	8.28	5.65	2.9	1.7	
21:00	23.66	50.09	32.98	8.24	5.28	2.96	1.63		
日平均值		23.48	50.01	32.92	8.21	5.53	3.50	1.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月16日	蚵殼站	0:00	23.33	50.57	33.32	8.18	5.36	3.47	0.92
		3:00	22.95	50.25	33.11	8.20	5.64	3.30	1.02
		6:00	22.71	50.24	33.10	8.19	5.32	3.72	0.96
		9:00	23.06	50.30	33.15	8.22	6.09	3.31	0.75
		12:00	23.77	50.10	33.02	8.26	6.83	3.48	1.05
		15:00	23.29	50.17	33.05	8.26	6.74	3.41	1.69
		18:00	23.24	50.35	33.18	8.23	6.34	3.53	1.66
	21:00	23.35	50.45	33.23	8.21	6.07	3.91	1.24	
	日平均值		23.21	50.30	33.15	8.22	6.05	3.52	1.16
	潮口站	0:00	25.00	50.15	33.01	8.18	6.90	2.66	1.17
		3:00	24.49	50.12	32.98	8.17	6.81	2.80	1.39
		6:00	24.35	50.08	32.95	8.19	6.74	2.92	1.44
		9:00	25.36	50.16	33.02	8.21	6.80	3.01	1.01
		12:00	25.37	50.20	33.05	8.24	7.08	3.37	1.26
		15:00	24.99	50.10	32.96	8.26	7.29	3.12	2.03
		18:00	24.95	49.97	32.89	8.29	7.06	2.79	1.67
	21:00	25.37	49.95	32.88	8.23	6.91	2.01	1.01	
	日平均值		24.99	50.09	32.97	8.22	6.95	2.84	1.37
	灣內站	0:00	23.48	50.16	33.03	8.23	5.07	3.02	1.26
		3:00	23.31	50.17	33.04	8.19	5.12	3.35	0.98
		6:00	23.12	50.04	32.95	8.13	5.32	3.55	0.51
9:00		23.47	50.07	32.96	8.21	5.4	2.41	1.11	
12:00		24.13	49.98	32.89	8.3	6.1	3.2	1.71	
15:00		24.01	49.63	32.67	8.32	6.43	3.27	2.35	
18:00		23.72	49.8	32.79	8.3	5.95	3.42	2.02	
21:00	23.58	49.96	32.88	8.26	5.44	3.22	1.6		
日平均值		23.60	49.98	32.90	8.24	5.60	3.18	1.44	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月17日	蚵殼站	0:00	23.01	50.05	32.95	8.21	5.87	3.46	1.42	
		3:00	22.80	49.89	32.82	8.21	5.73	3.31	1.66	
		6:00	22.71	49.90	32.83	8.20	5.42	3.21	1.65	
		9:00	22.90	49.71	32.71	8.23	6.12	3.21	1.36	
		12:00	23.44	49.54	32.61	8.26	6.88	3.57	1.36	
		15:00	23.66	49.65	32.67	8.24	6.73	3.67	1.87	
		18:00	23.71	49.72	32.71	8.18	5.95	3.76	1.40	
		21:00	23.34	49.74	32.73	8.21	6.06	4.20	1.19	
	日平均值		23.20	49.78	32.75	8.22	6.10	3.55	1.49	
	潮口站	0:00	25.13	49.79	32.77	8.28	6.94	2.15	1.14	
		3:00	24.68	49.64	32.69	8.29	6.81	2.43	1.26	
		6:00	24.29	49.50	32.61	8.30	6.73	2.77	1.46	
		9:00	25.16	49.31	32.49	8.25	6.79	2.91	1.04	
		12:00	25.62	49.27	32.46	8.31	7.05	2.74	1.15	
		15:00	25.14	49.21	32.41	8.34	7.73	2.71	2.07	
		18:00	24.80	49.04	32.31	8.31	7.65	2.83	2.21	
		21:00	25.00	48.93	32.24	8.28	7.17	2.41	1.40	
	日平均值		24.98	49.34	32.50	8.30	7.11	2.62	1.47	
	灣內站	0:00	23.49	49.95	32.88	8.23	5.14	2.86	1.28	
		3:00	23.36	49.98	32.89	8.19	5.23	2.85	1.1	
		6:00	23.23	50.01	32.9	8.2	5.32	3.31	1.26	
		9:00	23.49	50.01	32.91	8.24	5.26	3.14	1.29	
		12:00	24.12	49.97	32.89	8.29	5.96	3.25	1.42	
		15:00	24.36	49.88	32.84	8.32	6.23	2.62	1.4	
18:00		23.82	49.73	32.74	8.29	5.86	2.88	1.56		
21:00		23.35	49.59	32.64	8.26	5.5	2.95	1.56		
日平均值		23.65	49.89	32.84	8.25	5.56	2.98	1.36		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月18日	蚵殼站	0:00	23.11	49.95	32.81	8.19	5.64	4.00	1.25	
		3:00	22.82	49.98	32.83	8.18	5.46	3.61	1.04	
		6:00	22.46	50.15	32.94	8.18	5.61	3.48	1.46	
		9:00	22.67	50.16	32.95	8.24	6.52	3.26	1.86	
		12:00	23.16	49.86	32.75	8.26	6.95	3.58	1.42	
		15:00	23.27	50.15	32.94	8.27	6.93	3.69	2.01	
		18:00	23.04	50.28	33.03	8.25	6.71	3.37	2.38	
		21:00	22.88	50.33	33.06	8.22	6.34	3.28	2.52	
	日平均值		22.93	50.11	32.91	8.22	6.27	3.53	1.74	
	潮口站	0:00	25.01	48.92	32.22	8.29	6.86	2.42	1.05	
		3:00	24.45	48.70	32.06	8.24	6.93	2.96	1.30	
		6:00	23.77	48.43	31.90	8.25	6.88	2.67	1.47	
		9:00	24.59	48.47	31.91	8.23	6.78	3.04	1.09	
		12:00	25.33	49.37	32.03	8.22	6.88	2.73	1.05	
		15:00	24.88	49.25	31.97	8.26	7.50	2.56	1.82	
		18:00	24.28	49.27	31.98	8.27	7.65	2.92	2.21	
		21:00	24.14	49.37	32.03	8.24	7.22	2.66	2.24	
	日平均值		24.56	48.97	32.01	8.25	7.09	2.75	1.53	
	灣內站	0:00	23.17	49.6	32.65	8.26	5.41	2.81	1.4	
		3:00	22.97	49.49	32.59	8.25	5.15	3.37	1.39	
		6:00	22.71	49.39	32.51	8.2	5.03	2.97	1.39	
		9:00	22.95	49.14	32.37	8.25	5.45	3.18	1.53	
		12:00	23.34	49.39	32.5	8.32	6.21	3.38	1.59	
		15:00	23.4	49.28	32.44	8.33	6.45	2.58	2.09	
18:00		23.3	48.91	32.21	8.3	6.35	3.3	3.02		
21:00		23.1	48.92	32.22	8.27	5.85	3.04	2.48		
日平均值		23.12	49.27	32.44	8.27	5.74	3.08	1.86		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月19日	蚵殼站	0:00	22.73	50.97	33.48	8.21	6.08	3.32	2.11
		3:00	22.66	50.98	33.49	8.19	5.67	3.50	1.56
		6:00	22.42	49.36	32.42	8.19	5.64	3.45	1.85
		9:00	22.80	51.11	33.57	8.24	6.48	3.66	1.53
		12:00	23.57	51.21	33.64	8.27	7.04	3.90	1.67
		15:00	23.70	51.35	33.73	8.27	7.19	3.85	2.03
		18:00	23.07	51.59	33.89	8.25	6.63	3.47	2.36
		21:00	22.65	51.33	33.72	8.23	6.21	3.38	2.60
	日平均值		22.95	50.99	33.49	8.23	6.37	3.57	1.96
	潮口站	0:00	24.70	49.51	32.10	8.27	6.95	2.07	1.13
		3:00	24.33	49.96	32.32	8.32	7.00	2.42	1.31
		6:00	23.77	50.16	32.42	8.33	6.76	3.18	1.53
		9:00	24.22	50.04	32.36	8.30	6.78	3.15	1.16
		12:00	25.40	49.98	32.33	8.28	6.94	2.86	1.04
		15:00	25.25	49.75	32.22	8.25	7.21	2.36	1.45
		18:00	24.46	49.67	32.18	8.32	7.44	2.93	1.96
		21:00	24.15	49.63	32.16	8.34	6.84	3.24	1.88
	日平均值		24.54	49.84	32.26	8.30	6.99	2.78	1.43
	灣內站	0:00	23.22	49.11	32.36	8.26	5.44	2.91	1.72
		3:00	23.04	48.97	32.27	8.23	5.07	2.23	1.75
		6:00	22.79	48.92	32.22	8.23	5.1	2.65	1.77
9:00		22.94	49.32	32.43	8.28	5.64	2.9	1.48	
12:00		23.38	49.04	32.24	8.33	6.38	2.53	1.65	
15:00		23.59	49.04	32.24	8.36	6.72	2.08	1.91	
18:00		23.52	49.16	32.32	8.34	6.52	1.98	1.99	
21:00		23.19	49.2	32.35	8.31	6.02	1.76	2.17	
日平均值		23.21	49.10	32.30	8.29	5.86	2.38	1.81	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月20日	蚵殼站	0:00	22.76	51.27	33.68	8.21	6.17	4.13	1.95
		3:00	22.74	51.44	33.79	8.18	5.67	4.12	1.09
		6:00	22.43	51.52	33.84	8.20	5.88	3.80	0.80
		9:00	22.46	51.62	33.91	8.28	7.21	3.42	0.77
		12:00	22.77	51.53	33.85	8.31	7.85	3.42	1.08
		15:00	22.71	51.59	33.89	8.30	7.53	3.38	1.66
		18:00	22.66	51.48	33.82	8.29	7.46	3.46	1.99
		21:00	22.83	51.70	33.96	8.27	6.87	3.56	1.42
	日平均值		22.67	51.52	33.84	8.26	6.83	3.66	1.35
	潮口站	0:00	24.25	49.51	32.10	8.29	7.06	2.25	1.57
		3:00	24.60	49.59	32.14	8.26	6.93	2.05	1.10
		6:00	23.95	51.14	32.90	8.24	6.77	3.20	1.53
		9:00	24.04	51.01	32.84	8.26	6.89	4.26	1.32
		12:00	25.69	50.55	32.61	8.25	6.97	7.47	1.02
		15:00	25.70	50.53	32.60	8.29	7.02	2.05	1.15
		18:00	24.37	50.45	32.56	8.31	8.01	2.83	2.20
		21:00	24.26	50.49	32.58	8.32	7.11	3.46	1.85
	日平均值		24.61	50.41	32.54	8.28	7.10	3.45	1.47
	灣內站	0:00	22.93	49.22	32.36	8.29	5.77	1.79	2.42
		3:00	22.77	49.25	32.38	8.26	5.23	1.36	1.84
		6:00	22.54	49.17	32.33	8.24	5.1	2.47	1.56
9:00		22.9	49.16	32.32	8.27	5.58	1.03	1.06	
12:00		23.43	49.22	32.36	8.36	6.86	1.56	1.84	
15:00		23.61	49.26	32.39	8.39	7.06	1.71	2.62	
18:00		23.6	49.32	32.43	8.36	6.73	1.22	2.7	
21:00		23.3	49.4	32.48	8.33	6.48	1.55	3.08	
日平均值		23.14	49.25	32.38	8.31	6.10	1.59	2.14	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月21日	蚵殼站	0:00	22.75	51.70	33.96	8.25	6.53	3.48	1.45	
		3:00	22.62	51.55	33.86	8.22	6.14	3.44	1.28	
		6:00	22.38	51.77	34.01	8.24	6.34	3.39	1.65	
		9:00	22.70	51.94	34.12	8.28	6.86	3.39	1.05	
		12:00	23.04	51.77	34.01	8.30	7.27	3.60	1.06	
		15:00	23.08	51.88	34.08	8.23	6.98	3.53	1.11	
		18:00	23.54	52.03	34.18	8.21	6.74	3.84	1.88	
		21:00	23.51	52.27	34.34	8.20	6.51	3.57	1.62	
	日平均值			22.95	51.86	34.07	8.24	6.67	3.53	1.39
	潮口站	0:00	24.18	51.08	32.87	8.28	7.32	2.29	1.99	
		3:00	25.06	51.12	32.89	8.25	6.86	2.00	1.03	
		6:00	24.49	51.20	32.93	8.28	7.05	2.24	1.61	
		9:00	24.37	51.40	33.03	8.31	7.43	2.78	1.61	
		12:00	25.64	51.69	33.17	8.27	7.14	3.35	2.87	
		15:00	25.90	51.44	33.88	8.30	7.04	1.63	0.04	
		18:00	24.67	51.46	33.90	8.37	7.76	2.54	1.11	
		21:00	24.61	51.49	33.92	8.32	6.91	4.36	0.77	
	日平均值			24.87	51.36	33.32	8.30	7.19	2.65	1.38
	灣內站	0:00	22.98	49.47	32.53	8.27	5.7	1.26	2	
		3:00	23.01	49.52	32.56	8.25	5.29	1.67	1.65	
		6:00	22.8	49.69	32.67	8.29	5.74	1.47	1.65	
		9:00	22.88	49.85	32.78	8.28	5.65	1.68	3.91	
		12:00	23.29	50.61	33.33	8.38	6.91	1.53	2.23	
		15:00	23.24	50.89	33.52	8.39	6.98	1.48	3.64	
		18:00	23.25	50.93	33.54	8.38	6.79	1.45	3.34	
		21:00	23.26	50.83	33.48	8.31	6.23	1.52	2.88	
	日平均值			23.09	50.22	33.05	8.32	6.16	1.51	2.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月22日	蚵殼站	0:00	23.07	52.05	34.19	8.28	7.08	3.38	1.84	
		3:00	22.63	52.14	34.25	8.27	7.30	3.41	1.55	
		6:00	22.62	51.44	33.79	8.25	6.68	3.60	1.88	
		9:00	22.65	51.70	33.96	8.28	7.13	3.81	1.44	
		12:00	23.31	51.30	33.76	8.31	7.37	3.51	0.38	
		15:00	23.47	51.74	34.08	8.27	6.76	4.84	0.49	
		18:00	23.69	51.69	34.03	8.26	6.48	4.66	0.03	
		21:00	23.48	51.60	33.96	8.28	6.59	3.93	0.15	
	日平均值			23.12	51.71	34.00	8.28	6.92	3.89	0.97
	潮口站	0:00	24.55	51.49	33.91	8.32	6.72	2.31	0.66	
		3:00	25.14	51.49	33.93	8.34	6.98	0.88	0.19	
		6:00	25.35	51.50	33.94	8.33	6.78	1.01	0.03	
		9:00	25.16	51.51	33.75	8.33	6.96	2.89	3.43	
		12:00	25.95	51.51	33.94	8.35	6.98	1.39	0.02	
		15:00	26.08	51.47	33.91	8.36	6.96	0.91	0.00	
		18:00	25.59	51.53	33.94	8.37	7.11	2.88	0.33	
		21:00	25.34	51.64	34.00	8.32	6.59	5.29	0.15	
	日平均值			25.40	51.52	33.92	8.34	6.89	2.20	0.60
	灣內站	0:00	22.88	50.73	33.41	8.28	5.88	1.38	2.88	
		3:00	22.94	51.22	33.71	8.24	5.3	1.31	2.17	
		6:00	22.91	51.5	33.91	8.22	5.09	1.98	1.88	
		9:00	23.17	51.24	33.73	8.27	5.9	2	1.3	
		12:00	23.66	50.56	33.3	8.39	6.92	1.57	2.02	
		15:00	23.6	50.84	33.47	8.37	6.52	3.4	3.12	
		18:00	23.43	51.02	33.59	8.32	5.99	3.06	3.13	
		21:00	23.61	50.91	33.54	8.3	5.67	2.59	2.22	
	日平均值			23.28	51.00	33.58	8.30	5.91	2.16	2.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月23日	蚵殼站	0:00	23.45	51.28	33.74	8.29	6.57	3.91	0.72
		3:00	23.32	51.30	33.75	8.27	6.18	3.69	0.31
		6:00	23.31	51.30	33.76	8.25	5.92	3.62	0.32
		9:00	23.26	51.11	33.65	8.27	6.49	3.90	0.09
		12:00	23.75	51.03	33.60	8.32	7.57	3.92	0.35
		15:00	24.02	51.30	33.75	8.29	7.10	4.27	0.20
		18:00	24.08	51.51	33.89	8.25	6.55	4.50	1.36
	21:00	24.01	51.54	33.93	8.19	5.77	4.82	0.76	
	日平均值		23.65	51.30	33.76	8.27	6.52	4.08	0.51
	潮口站	0:00	25.10	51.52	33.94	8.33	6.72	3.53	0.43
		3:00	25.33	51.54	33.95	8.35	6.79	2.66	0.22
		6:00	25.68	51.53	33.96	8.34	6.73	3.57	0.02
		9:00	25.41	51.53	33.94	8.35	7.01	2.35	0.40
		12:00	26.25	51.49	33.93	8.34	6.92	2.81	0.10
		15:00	26.19	51.47	33.92	8.35	6.86	5.10	0.01
		18:00	25.90	51.48	33.91	8.36	7.10	2.89	0.34
	21:00	25.83	51.50	33.93	8.34	6.79	5.42	0.31	
	日平均值		25.71	51.51	33.94	8.35	6.87	3.54	0.23
	灣內站	0:00	23.55	51.26	33.73	8.27	5.34	2.42	1.68
		3:00	23.62	51.34	33.81	8.2	5.21	2.48	1.54
		6:00	23.69	51.65	34.02	8.21	5.32	3.01	1.76
9:00		23.88	51.6	33.98	8.24	5.29	2.47	1.2	
12:00		24.69	51.08	33.63	8.29	5.88	1.85	0.97	
15:00		24.71	50.99	33.58	8.29	5.97	2.52	2	
18:00		24.16	51.31	33.77	8.28	5.56	3.45	1.99	
21:00	24.37	50.89	33.52	8.24	5.35	2.88	1.87		
日平均值		24.08	51.27	33.76	8.25	5.49	2.64	1.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月24日	蚵殼站	0:00	23.77	51.40	33.82	8.26	6.44	3.93	1.66
		3:00	23.16	51.60	33.95	8.25	6.28	3.91	1.39
		6:00	23.12	51.60	33.95	8.24	6.25	3.96	1.21
		9:00	23.34	51.47	33.87	8.25	6.38	3.89	0.75
		12:00	23.85	51.32	33.77	8.24	6.41	3.80	0.31
		15:00	23.41	51.34	33.78	8.24	6.44	4.29	0.76
		18:00	23.43	51.52	33.77	8.22	6.07	4.38	0.67
	21:00	23.63	51.39	33.74	8.23	6.09	4.07	0.42	
	日平均值		23.46	51.46	33.83	8.24	6.30	4.03	0.90
	潮口站	0:00	25.75	51.48	33.91	8.36	7.09	2.66	0.55
		3:00	25.69	51.50	33.92	8.34	6.81	2.47	0.35
		6:00	25.89	51.64	34.01	8.34	6.64	2.27	0.04
		9:00	26.08	51.60	33.98	8.35	6.89	3.17	0.15
		12:00	26.45	51.49	33.91	8.35	7.08	1.82	0.17
		15:00	26.27	51.45	33.89	8.35	7.00	1.44	0.09
		18:00	26.09	51.51	33.93	8.36	6.98	0.57	0.06
	21:00	25.94	51.49	33.92	8.34	6.72	3.63	0.22	
	日平均值		26.02	51.52	33.93	8.35	6.90	2.25	0.20
	灣內站	0:00	24	50.92	33.54	8.23	5.11	2.34	1.31
		3:00	23.66	50.97	33.57	8.22	5.07	2.2	1.15
		6:00	23.49	51.09	33.64	8.23	5.02	1.84	0.98
9:00		24.11	50.71	33.4	8.21	5.16	1.61	0.25	
12:00		24.67	50.75	33.42	8.27	5.59	1.69	0.43	
15:00		24.91	50.57	33.31	8.26	5.62	2.08	1.19	
18:00		25.08	50.84	33.48	8.24	5.36	2.2	0.82	
21:00	24.89	50.84	33.48	8.21	5.21	2.35	0.51		
日平均值		24.35	50.84	33.48	8.23	5.27	2.04	0.83	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月25日	蚵殼站	0:00	23.33	51.52	33.84	8.22	6.06	3.77	0.38
		3:00	22.95	51.44	33.79	8.21	6.03	4.02	0.41
		6:00	22.71	51.48	33.82	8.21	5.74	4.24	0.53
		9:00	23.06	51.35	33.73	8.21	5.75	4.29	0.46
		12:00	23.77	51.23	33.65	8.21	5.75	4.21	0.32
		15:00	23.29	51.30	33.77	8.19	5.75	4.23	0.37
		18:00	23.24	51.30	33.56	8.17	5.73	4.30	0.38
	21:00	23.35	51.30	33.43	8.18	5.36	3.84	0.51	
	日平均值		23.21	51.37	33.70	8.20	5.77	4.11	0.42
	潮口站	0:00	25.82	51.48	33.92	8.30	6.37	4.89	0.29
		3:00	25.57	51.51	33.94	8.33	6.57	2.45	0.40
		6:00	25.59	51.61	33.98	8.34	6.62	2.31	0.05
		9:00	25.59	51.51	33.92	8.34	6.69	3.17	0.12
		12:00	25.68	51.46	33.90	8.34	6.77	2.27	0.22
		15:00	25.70	51.47	33.89	8.35	7.07	1.19	0.16
		18:00	25.55	51.50	33.91	8.35	6.82	0.78	0.06
	21:00	25.47	51.45	33.88	8.33	6.69	2.55	0.09	
	日平均值		25.62	51.50	33.92	8.34	6.70	2.45	0.17
	灣內站	0:00	24.43	50.55	33.29	8.19	5	1.83	0.4
		3:00	24.25	50.51	33.26	8.17	5.05	2.15	0.34
		6:00	24.11	50.53	33.28	8.18	5.11	3.38	0.41
9:00		24.34	50.48	33.24	8.21	5.01	2.34	0.29	
12:00		24.54	50	32.92	8.24	5.53	2	1.32	
15:00		24.59	50.22	33.08	8.26	5.55	1.97	1.23	
18:00		24.66	50.4	33.2	8.21	5.11	1.81	0.39	
21:00	24.64	50.26	33.12	8.18	5.01	1.87	0.37		
日平均值		24.45	50.37	33.17	8.21	5.17	2.17	0.59	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月26日	蚵殼站	0:00	23.01	51.30	33.36	8.18	5.71	3.69	0.56
		3:00	22.80	51.30	33.34	8.18	5.57	3.73	0.53
		6:00	22.71	51.30	33.21	8.16	5.10	3.68	0.34
		9:00	22.90	51.30	33.27	8.14	5.07	3.63	0.44
		12:00	23.44	51.30	33.27	8.13	5.38	3.82	0.31
		15:00	23.66	51.01	33.20	8.17	5.69	3.94	0.69
		18:00	23.71	50.56	33.21	8.18	5.44	4.42	0.78
	21:00	23.34	50.56	33.21	8.15	5.16	4.33	0.76	
	日平均值		23.20	51.08	33.26	8.16	5.39	3.91	0.55
	潮口站	0:00	25.22	51.36	33.81	8.35	6.68	2.37	0.48
		3:00	25.18	51.31	33.78	8.35	6.56	1.87	0.52
		6:00	25.30	51.39	33.84	8.32	6.55	2.92	0.04
		9:00	25.42	51.30	33.76	8.33	6.63	3.49	0.03
		12:00	25.64	51.17	33.69	8.34	6.70	2.22	0.20
		15:00	25.72	51.22	33.73	8.35	6.89	2.28	0.18
		18:00	25.64	50.96	33.55	8.34	6.77	1.48	0.15
	21:00	25.32	50.91	33.50	8.34	6.71	2.71	0.15	
	日平均值		25.43	51.20	33.71	8.34	6.69	2.42	0.22
	灣內站	0:00	24.32	49.81	32.79	8.14	5.21	1.91	0.84
		3:00	24.36	50.02	32.94	8.13	5.32	1.95	0.46
		6:00	24.43	50.2	33.07	8.13	5.29	3.19	0.54
9:00		24.39	49.84	32.8	8.13	5.22	3	0.62	
12:00		24.74	49.69	32.72	8.15	5.15	2.22	0.47	
15:00		24.95	49.73	32.74	8.2	5.1	1.8	0.51	
18:00		24.77	49.6	32.66	8.2	5.09	2.4	0.71	
21:00	24.39	49.25	32.44	8.18	5.12	2.19	1.42		
日平均值		24.54	49.77	32.77	8.16	5.19	2.33	0.70	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月27日	蚵殼站	0:00	23.11	50.44	33.15	8.14	5.19	3.91	0.67
		3:00	22.82	50.13	33.01	8.11	5.21	3.89	0.07
		6:00	22.46	50.10	33.17	8.10	5.14	3.96	0.03
		9:00	22.67	50.10	33.07	8.10	5.43	4.30	0.12
		12:00	23.56	49.76	32.72	8.14	5.86	4.62	0.54
		15:00	23.27	49.50	32.57	8.19	6.00	4.55	1.40
		18:00	23.04	49.05	32.27	8.18	5.82	4.34	1.43
	21:00	23.01	48.99	32.18	8.15	5.49	4.27	1.23	
	日平均值		22.99	49.76	32.77	8.14	5.52	4.23	0.69
	潮口站	0:00	24.87	50.67	33.36	8.31	6.43	3.31	0.20
		3:00	24.75	50.48	33.23	8.33	6.46	1.66	0.68
		6:00	24.54	50.77	33.42	8.33	6.57	1.76	0.09
		9:00	24.78	50.81	33.45	8.33	6.73	1.64	0.04
		12:00	24.82	50.68	33.37	8.34	6.93	1.97	0.32
		15:00	24.76	50.86	33.47	8.34	6.83	1.44	0.16
		18:00	24.72	50.87	33.47	8.34	6.76	0.81	0.05
	21:00	24.54	50.81	33.44	8.34	6.75	1.62	0.11	
	日平均值		24.72	50.74	33.40	8.33	6.68	1.78	0.21
	灣內站	0:00	24.08	49.05	32.32	8.16	5.22	2.01	1.15
		3:00	23.86	49.02	32.31	8.14	5.32	2.8	0.74
		6:00	23.86	48.94	32.25	8.13	5.23	3.08	1.06
9:00		23.89	48.7	32.07	8.15	5.16	2.82	1.16	
12:00		23.87	49.52	32.56	8.16	5.12	2.79	1.2	
15:00		23.78	48.54	31.82	8.16	5.01	2.36	1.96	
18:00		23.76	48.4	31.72	8.15	5.02	1.73	1.95	
21:00	23.72	48.25	31.61	8.15	5.13	1.52	1.73		
日平均值		23.85	48.80	32.08	8.15	5.15	2.39	1.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月28日	蚵殼站	0:00	22.75	49.19	32.31	8.15	5.32	4.24	1.53
		3:00	22.82	49.10	32.25	8.13	5.23	4.47	1.34
		6:00	22.07	49.21	32.32	8.10	5.07	4.21	0.87
		9:00	22.07	49.16	32.29	8.09	5.46	3.82	0.68
		12:00	22.97	49.04	32.21	8.09	5.86	3.72	1.12
		15:00	22.80	49.01	32.19	8.09	5.86	3.42	2.12
		18:00	22.78	48.80	31.94	8.16	6.09	3.62	2.03
	21:00	22.61	48.80	32.01	8.19	5.73	3.53	1.98	
	日平均值		22.61	49.04	32.19	8.13	5.58	3.88	1.46
	潮口站	0:00	24.22	50.41	33.20	8.35	6.79	2.01	0.45
		3:00	24.11	50.16	33.02	8.36	6.81	1.27	0.99
		6:00	24.02	50.21	33.06	8.33	6.65	1.59	0.32
		9:00	23.97	50.17	33.03	8.33	6.69	1.30	0.12
		12:00	23.69	49.86	32.84	8.34	6.83	2.23	0.66
		15:00	23.68	49.93	32.88	8.34	6.82	3.86	0.28
		18:00	23.58	50.04	32.96	8.34	6.71	1.03	0.05
	21:00	23.69	50.13	33.01	8.34	6.72	1.35	0.06	
	日平均值		23.87	50.11	33.00	8.34	6.75	1.83	0.37
	灣內站	0:00	23.69	48.34	31.78	8.15	5.21	1.78	1.77
		3:00	23.45	49.07	32.26	8.13	5.13	2.21	1.41
		6:00	23.27	48.85	32.12	8.11	5.17	2.66	2.22
9:00		23.11	48.28	31.74	8.12	5.25	1.84	2.34	
12:00		23.04	49.53	32.57	8.12	5.32	2.41	1.63	
15:00		23.06	49.37	32.46	8.14	5.42	1.92	2.49	
18:00		22.97	49.2	32.35	8.13	5.44	1.52	2.4	
21:00	22.9	49.07	32.26	8.13	5.32	1.74	2.11		
日平均值		23.19	48.96	32.19	8.13	5.28	2.01	2.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月29日	蚵殼站	0:00	22.57	48.80	31.90	8.16	5.24	3.62	2.01	
		3:00	22.77	48.80	31.81	8.17	5.33	3.70	1.89	
		6:00	22.93	48.75	32.02	8.13	5.05	3.50	1.79	
		9:00	22.96	48.89	32.11	8.11	5.38	3.97	1.83	
		12:00	22.89	49.16	32.29	8.20	6.44	4.54	1.21	
		15:00	22.75	49.13	32.27	8.26	6.99	4.45	1.32	
		18:00	22.61	48.66	31.96	8.25	6.64	4.39	1.03	
		21:00	22.57	48.63	31.94	8.21	6.03	4.24	0.82	
	日平均值		22.76	48.85	32.04	8.19	5.89	4.05	1.49	
	潮口站	0:00	23.02	49.83	32.82	8.32	6.66	2.51	0.45	
		3:00	23.11	49.81	32.81	8.34	6.85	1.56	1.33	
		6:00	23.03	49.97	32.91	8.33	6.72	1.82	0.54	
		9:00	23.40	50.08	32.97	8.34	6.83	1.46	0.08	
		12:00	23.39	49.95	32.90	8.35	7.22	2.32	0.37	
		15:00	23.34	49.62	32.68	8.36	7.47	6.25	0.43	
		18:00	23.40	49.74	32.76	8.34	6.88	1.01	0.08	
		21:00	23.32	49.65	32.71	8.34	6.88	0.67	0.21	
	日平均值		23.25	49.83	32.82	8.34	6.94	2.20	0.44	
	灣內站	0:00	22.66	48.72	32.03	8.11	5.46	1.94	1.98	
		3:00	22.39	48.28	31.74	8.1	5.55	1.81	1.5	
		6:00	22.2	48.02	31.57	8.08	5.43	1.84	1.67	
		9:00	22.25	49.29	32.41	8.13	5.45	2.01	1.48	
		12:00	22.32	48.81	32.09	8.16	5.32	2.28	1.77	
		15:00	22.31	48.66	31.99	8.23	5.74	2.14	2.61	
18:00		22.17	48.25	31.72	8.25	5.9	1.55	3.1		
21:00		21.86	49.16	32.32	8.22	5.75	1.63	3.46		
日平均值		22.27	48.65	31.98	8.16	5.58	1.90	2.20		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月30日	蚵殼站	0:00	22.75	48.69	31.98	8.21	5.74	4.16	0.72	
		3:00	22.82	48.58	31.91	8.19	5.68	3.92	1.59	
		6:00	23.07	48.60	31.92	8.15	5.68	3.99	1.42	
		9:00	23.07	48.81	32.06	8.17	5.54	4.03	0.84	
		12:00	22.97	49.16	32.29	8.23	6.16	3.93	0.34	
		15:00	22.80	49.05	32.22	8.23	7.23	4.01	0.64	
		18:00	22.78	48.92	32.13	8.29	7.00	3.89	0.74	
		21:00	22.61	48.54	31.88	8.32	6.63	4.19	0.85	
	日平均值		22.86	48.79	32.05	8.22	6.21	4.02	0.89	
	潮口站	0:00	22.57	49.56	32.64	8.36	7.18	2.70	0.58	
		3:00	22.04	49.33	32.49	8.36	7.33	1.35	1.20	
		6:00	21.96	49.36	32.52	8.34	6.93	2.39	0.47	
		9:00	22.78	49.97	32.82	8.34	6.98	1.28	0.32	
		12:00	22.94	49.37	32.52	8.36	7.55	1.30	0.21	
		15:00	22.80	49.28	32.46	8.39	8.41	1.30	0.61	
		18:00	23.20	49.51	32.60	8.36	7.34	0.80	0.18	
		21:00	23.21	49.57	32.63	8.36	7.06	0.41	0.04	
	日平均值		22.69	49.49	32.59	8.36	7.35	1.44	0.45	
	灣內站	0:00	21.56	48.73	32.04	8.18	5.43	1.69	3.2	
		3:00	21.41	48.48	31.87	8.17	5.54	1.64	2.77	
		6:00	21.33	48.34	31.78	8.18	5.44	2.04	2.67	
		9:00	21.42	47.98	31.54	8.24	5.87	2.03	2.45	
		12:00	21.89	49.08	32.27	8.32	6.91	2.06	2.39	
		15:00	21.54	48.51	31.89	8.35	7.05	2.28	3	
18:00		21.15	48.19	31.68	8.32	7.03	2.2	3.64		
21:00		20.9	49.4	32.48	8.29	6.63	2.39	3.72		
日平均值		21.40	48.59	31.94	8.26	6.24	2.04	2.98		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月31日	蚵殼站	0:00	22.57	49.08	32.24	8.32	5.73	3.96	0.77	
		3:00	22.77	49.34	32.41	8.30	5.73	4.04	0.81	
		6:00	22.93	48.96	32.16	8.22	5.73	3.91	0.91	
		9:00	22.96	48.99	32.18	8.22	6.00	3.79	0.77	
		12:00	22.89	49.13	32.27	8.33	6.51	3.97	1.47	
		15:00	22.75	48.83	32.07	8.34	6.69	4.00	1.57	
		18:00	22.61	48.98	32.17	8.34	6.66	3.77	1.27	
		21:00	22.57	48.78	32.04	8.33	6.62	4.03	2.27	
	日平均值			22.76	49.01	32.19	8.30	6.21	3.93	1.23
	潮口站	0:00	22.59	49.51	32.59	8.37	7.31	1.26	0.27	
		3:00	21.23	49.10	32.29	8.41	7.94	1.20	1.25	
		6:00	21.27	49.08	32.29	8.39	7.54	0.95	0.92	
		9:00	23.14	49.03	32.26	8.35	7.02	2.62	0.03	
		12:00	22.67	48.70	32.07	8.40	8.14	0.99	0.58	
		15:00	22.05	48.55	31.98	8.46	9.40	0.75	1.10	
		18:00	23.01	48.74	32.10	8.40	8.10	0.54	0.50	
		21:00	23.72	48.61	32.02	8.36	7.25	0.20	0.07	
	日平均值			22.46	48.92	32.20	8.39	7.84	1.06	0.59
	灣內站	0:00	20.72	49.2	32.35	8.25	6.28	2.28	3.83	
		3:00	20.72	49.04	32.24	8.21	5.99	2.06	2.99	
		6:00	20.56	48.7	32.02	8.27	6.07	2.44	2.89	
		9:00	20.74	48.31	31.76	8.27	6.39	2.32	1.89	
		12:00	21.32	49.29	32.41	8.39	7.14	2.44	1.22	
		15:00	21.4	48.84	32.11	8.4	7.28	2.92	2.38	
		18:00	21.36	48.48	31.87	8.32	7.03	2.54	2.69	
		21:00	21.15	48.02	31.57	8.37	6.75	3.04	2.42	
	日平均值			21.00	48.74	32.04	8.31	6.62	2.51	2.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月1日	蚵殼站	0:00	23.36	51.76	33.76	8.29	6.49	2.12	2.69
		3:00	23.08	51.72	32.93	8.26	6.49	2.1	2.52
		6:00	23.17	51.66	33.42	8.32	6.2	2.56	2.41
		9:00	23.33	51.75	33.75	8.28	6.07	3.01	1.37
		12:00	23.46	51.88	33.7	8.31	6.4	2.97	1.32
		15:00	23.53	51.78	33.3	8.32	6.32	2.8	0.98
		18:00	23.25	51.79	33.39	8.33	5.93	2.78	1.6
		21:00	23.29	51.88	33.23	8.32	6.12	2.83	1.43
	日平均值		23.31	51.78	33.44	8.30	6.25	2.65	1.79
	潮口站	0:00	22.63	52.97	34.88	8.4	7.9	0.59	0.64
		3:00	21.74	53.06	34.94	8.45	8.68	0.73	1.07
		6:00	21.61	52.5	34.57	8.44	8.37	1.16	1.06
		9:00	23.87	52.48	34.56	8.37	7.28	2.49	0.06
		12:00	23.88	52.42	34.52	8.38	7.59	1.48	0.27
		15:00	22.4	52.33	34.46	8.47	9.14	1.46	0.93
		18:00	22.12	52.39	34.5	8.47	8.93	1.35	0.99
		21:00	22.52	52.36	34.48	8.44	8.41	1.15	0.8
	日平均值		22.60	52.56	34.61	8.43	8.29	1.30	0.73
	灣內站	0:00	20.9	51.76	34.09	8.32	6.35	2.8	2.18
		3:00	20.7	51.77	34.1	8.3	5.97	2.52	1.75
		6:00	20.55	51.76	34.09	8.28	5.67	2.01	1.43
		9:00	20.76	52.1	34.32	8.31	5.98	2.4	0.63
		12:00	21.32	51.7	34.05	8.33	6.26	1.42	0.33
		15:00	21.45	51.84	34.15	8.33	6.3	1.98	0.82
18:00		21.49	51.71	34.06	8.31	6.54	2.16	0.7	
21:00		21.24	52.14	34.35	8.29	6.19	2.13	1.04	
日平均值		21.05	51.85	34.15	8.31	6.16	2.18	1.11	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月2日	蚵殼站	0:00	23.39	51.91	33.25	8.34	5.87	3	1.06
		3:00	23.3	51.86	32.95	8.31	5.83	3.32	1.7
		6:00	23.23	52.23	33.4	8.29	5.78	3.75	1.55
		9:00	23.57	52.14	33.81	8.33	6.07	4.16	1.92
		12:00	24.2	52.32	33.93	8.26	5.78	4.21	1.43
		15:00	23.83	52.2	33.85	8.25	5.95	4.44	0.56
		18:00	23.61	52.03	33.74	8.26	5.87	4.27	1.18
		21:00	23.56	52.6	33.45	8.27	5.76	4.04	1.18
	日平均值		23.59	52.16	33.55	8.29	5.86	3.90	1.32
	潮口站	0:00	22.92	52.34	34.47	8.41	7.89	0.86	0.61
		3:00	21.78	52.25	34.41	8.44	8.42	1.01	0.88
		6:00	21.61	52.03	34.26	8.45	8.39	0.98	0.84
		9:00	23.36	51.95	34.21	8.38	7.54	1.07	0.18
		12:00	24.21	52.28	34.43	8.37	7.5	1.66	0.08
		15:00	22.91	52.95	34.87	8.42	8.32	1.68	0.74
		18:00	22.43	52.63	34.66	8.42	8.27	1.9	0.85
		21:00	22.35	52.63	34.66	8.43	8.12	1.05	0.55
	日平均值		22.70	52.38	34.50	8.42	8.06	1.28	0.59
	灣內站	0:00	20.99	52.11	34.33	8.27	5.84	2.2	1.39
		3:00	20.93	52.41	34.53	8.23	5.68	2.14	1.25
		6:00	20.84	52.1	34.32	8.24	5.42	2.72	0.91
		9:00	20.91	52.02	34.27	8.3	5.8	2.34	0.4
		12:00	21.46	52.26	34.43	8.32	6.01	2.22	0.21
		15:00	21.63	51.96	34.23	8.31	6.02	2.27	0.51
18:00		21.31	51.96	34.23	8.33	6.47	2.28	1.73	
21:00		21.3	51.8	34.12	8.31	6.23	2.77	1.38	
日平均值		21.17	52.08	34.31	8.29	5.93	2.37	0.97	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月3日	蚵殼站	0:00	23.02	52.2	33.18	8.27	5.61	4.05	1.18
		3:00	22.78	52.26	33.89	8.23	5.54	3.87	1.12
		6:00	22.59	52.29	33.91	8.23	5.62	3.86	1.09
		9:00	22.81	52.17	34.3	8.29	5.76	4.74	1.09
		12:00	23.51	52.51	33.39	8.18	5.82	4.71	1.09
		15:00	23.7	52.19	33.64	8.26	5.7	5.1	1.05
		18:00	23.65	52.72	33.53	8.23	5.92	4.35	0.63
	21:00	23.37	52.5	33.38	8.2	6.09	4.19	0.61	
	日平均值		23.18	52.36	33.65	8.24	5.76	4.36	0.98
	潮口站	0:00	22.81	52.54	34.6	8.41	7.8	0.73	0.37
		3:00	21.99	52.34	34.47	8.44	8.1	1.01	0.55
		6:00	21.7	52.22	34.39	8.45	8.14	2.51	0.46
		9:00	23.95	52.06	34.28	8.39	7.36	2.34	0.14
		12:00	25.38	52.16	34.35	8.37	7.14	1.34	0.16
		15:00	23.66	52.04	34.27	8.43	7.77	1.46	0.46
		18:00	22.67	52.01	34.25	8.42	7.86	1.87	0.54
	21:00	22.65	52.04	34.27	8.39	7.58	1.35	0.44	
	日平均值		23.10	52.18	34.36	8.41	7.72	1.58	0.39
	灣內站	0:00	21.38	51.7	34.05	8.23	5.44	2.49	0.56
		3:00	21.32	51.78	34.11	8.13	5.32	2.54	0.37
		6:00	21.1	51.95	34.22	8.16	5.21	2.08	0.26
9:00		21.3	51.78	34.11	8.21	5.22	1.92	0.02	
12:00		21.97	51.62	34	8.28	5.74	2.2	0.05	
15:00		21.9	51.78	34.11	8.31	5.93	2.03	0.39	
18:00		22.08	51.92	34.2	8.27	5.56	2.05	0.81	
21:00	22.01	51.98	34.24	8.18	5.21	2.13	0.42		
日平均值		21.63	51.81	34.13	8.22	5.45	2.18	0.36	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月4日	蚵殼站	0:00	23.2	52.56	34.09	8.29	6.13	4.23	0.54
		3:00	23.14	52.61	34.13	8.25	5.98	4.76	0.63
		6:00	22.9	52.4	33.31	8.21	6.11	4.45	0.45
		9:00	23.05	53.16	34.5	8.27	6.13	4.91	0.32
		12:00	23.38	52.59	34.25	8.28	5.99	4.22	0.34
		15:00	23.68	52.57	34.1	8.31	5.87	4.57	0.33
		18:00	23.7	52.48	34.04	8.34	6.21	3.69	0.23
	21:00	23.47	52.75	34.22	8.35	6.43	4.25	0.12	
	日平均值		23.32	52.64	34.08	8.29	6.11	4.39	0.37
	潮口站	0:00	23.78	51.95	34.21	8.41	7.19	0.51	0.16
		3:00	23.34	51.93	34.2	8.38	7.13	0.71	0.19
		6:00	22.76	52.37	34.49	8.39	7.17	1.05	0.43
		9:00	23.72	52.51	34.58	8.38	7.17	1.19	0.05
		12:00	25.18	52.74	34.73	8.37	7.14	2.24	0.17
		15:00	24.7	52.59	34.63	8.41	7.18	1.67	0.35
		18:00	23.47	52.8	34.77	8.39	7.27	2.82	0.3
	21:00	23.25	52.75	34.74	8.36	6.95	3.31	0.47	
	日平均值		23.78	52.46	34.54	8.39	7.15	1.69	0.27
	灣內站	0:00	21.83	51.96	34.23	8.16	5.55	2.25	0.21
		3:00	21.65	51.95	34.22	8.18	5.31	2.37	0.1
		6:00	21.52	52.02	34.27	8.16	5.22	1.8	0.05
9:00		21.79	52.02	34.27	8.21	5.08	1.85	0.01	
12:00		22.2	51.84	34.15	8.28	5.65	1.92	0.06	
15:00		22.22	51.9	34.19	8.28	5.58	2.17	0.18	
18:00		22.09	51.95	34.22	8.22	5.06	2.1	0.26	
21:00	22.09	51.9	34.19	8.18	5.01	1.9	0.05		
日平均值		21.92	51.94	34.22	8.21	5.31	2.05	0.12	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月5日	蚵殼站	0:00	23.33	52.29	33.91	8.34	6.66	3.45	0.23
		3:00	23.22	52.66	34.16	8.26	6.32	3.43	0.22
		6:00	22.98	52.87	34.3	8.28	6.32	3.89	0.13
		9:00	23.07	52.88	34.31	8.29	6.48	3.54	0.25
		12:00	23.94	52.45	34.02	8.3	6.76	3.21	0.03
		15:00	24.09	52.23	33.87	8.33	6.55	3.11	0.13
		18:00	24.33	52.57	34.1	8.33	6.45	2.98	0.09
		21:00	23.87	52.25	34.22	8.31	6.34	3.43	0.17
	日平均值		23.60	52.53	34.11	8.31	6.49	3.38	0.16
	潮口站	0:00	23.86	52.36	34.48	8.38	7.06	0.82	0.22
		3:00	25.11	52.18	34.36	8.37	6.81	0.36	0.13
		6:00	23.73	51.84	34.14	8.35	6.82	1.79	0.23
		9:00	24.56	51.81	34.12	8.36	6.85	2.84	0.32
		12:00	25.23	52.5	34.57	8.31	7.6	1.22	0.23
		15:00	25.38	51.36	34.58	8.33	6.96	1.81	0.33
		18:00	23.43	51.81	34.13	8.37	7.17	2.36	0.36
		21:00	23.4	51.92	34.19	8.35	6.79	3.25	0.27
	日平均值		24.34	51.97	34.32	8.35	7.01	1.81	0.26
	灣內站	0:00	21.73	52.02	34.27	8.21	5.32	1.97	0.14
		3:00	21.6	52.02	34.27	8.22	5.11	2.17	0.26
		6:00	21.62	52.04	34.28	8.11	5.21	1.84	0.12
		9:00	21.98	52.02	34.27	8.11	5.14	1.79	0.11
		12:00	22.38	51.68	34.04	8.24	5.29	1.78	0.04
		15:00	22.47	51.62	34	8.25	5.4	1.97	0.53
18:00		22.66	51.86	34.16	8.21	5.5	2	0.55	
21:00		22.42	51.77	34.1	8.21	5.54	1.91	0.92	
日平均值		22.11	51.88	34.17	8.20	5.31	1.93	0.33	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月6日	蚵殼站	0:00	23.45	51.98	33.7	8.28	6.32	4.21	0.66
		3:00	23.21	52.33	33.94	8.22	6.32	4.34	0.29
		6:00	23.02	52.41	33.99	8.26	6.2	3.98	0.55
		9:00	23.24	52.17	33.83	8.31	6.23	3.14	0.55
		12:00	23.94	52.12	33.8	8.32	6.54	3.04	0.28
		15:00	24.13	52.14	33.81	8.31	6.95	2.98	1.21
		18:00	24.08	52.03	33.74	8.33	6.56	2.32	1.15
		21:00	23.8	51.54	33.41	8.31	6.32	2.54	0.68
	日平均值		23.61	52.09	33.78	8.29	6.43	3.32	0.67
	潮口站	0:00	23.47	51.91	34.18	8.36	6.84	1.25	0.35
		3:00	24.97	51.96	34.21	8.33	6.83	0.93	0.04
		6:00	24.63	51.94	34.23	8.35	6.62	1.36	0.15
		9:00	24.52	51.98	34.22	8.36	6.79	2.55	0.35
		12:00	25.66	51.81	34.12	8.37	7	1.57	0.05
		15:00	25.68	51.82	34.13	8.36	6.94	0.78	0.07
		18:00	24.59	51.94	34.19	8.38	6.99	2.02	0.84
		21:00	24.02	51.95	34.21	8.35	6.56	4.31	0.54
	日平均值		24.69	51.91	34.19	8.36	6.82	1.85	0.30
	灣內站	0:00	22.3	51.89	34.18	8.13	5.34	1.99	0.15
		3:00	22.14	52.01	34.26	8.11	5.31	2.02	0.49
		6:00	22.02	51.95	34.22	8.17	5.54	1.86	0.68
		9:00	22.22	51.77	34.1	8.25	5.44	1.71	0.62
		12:00	22.52	51.61	33.99	8.25	6.19	2.1	1.6
		15:00	22.8	51.62	33.98	8.3	7.79	1.86	1.86
18:00		22.82	51.6	33.96	8.29	7.43	1.72	1.64	
21:00		22.8	51.6	33.96	8.25	6.51	1.59	0.83	
日平均值		22.45	51.76	34.08	8.22	6.19	1.86	0.98	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月7日	蚵殼站	0:00	23.63	51.23	33.2	8.28	6.4	2.45	0.57
		3:00	23.57	51.54	33.41	8.25	6.39	2.11	0.98
		6:00	23.33	52.15	33.82	8.21	6.83	3.12	0.87
		9:00	23.48	52.32	33.93	8.21	6.71	3.32	0.76
		12:00	23.81	51.89	33.64	8.28	7.23	2.76	0.89
		15:00	24.11	50.96	33.02	8.31	7.03	2.2	0.9
		18:00	24.13	51.66	33.49	8.36	6.82	2.78	0.93
	21:00	23.9	51.37	33.29	8.29	6.38	3.01	0.87	
	日平均值		23.75	51.64	33.48	8.27	6.72	2.72	0.85
	潮口站	0:00	23.79	52.02	34.25	8.34	6.57	2.58	0.21
		3:00	25.13	52.05	34.27	8.38	6.69	1.65	0.35
		6:00	25.42	52.06	34.29	8.39	6.61	1.73	0.03
		9:00	24.92	52.08	34.3	8.37	6.72	1.79	0.13
		12:00	25.94	52.09	34.29	8.38	6.81	1.81	0.05
		15:00	26.31	52.07	34.28	8.39	6.79	2.04	0.03
		18:00	25.6	52.09	34.3	8.36	6.99	2.17	0.84
	21:00	24.7	52.12	34.32	8.35	6.71	5.18	0.24	
	日平均值		25.23	52.07	34.29	8.37	6.74	2.37	0.24
	灣內站	0:00	22.57	51.86	34.16	8.21	5.68	2.2	0.66
		3:00	22.5	51.99	34.26	8.23	5.87	2.14	0.53
		6:00	22.35	52	34.27	8.23	5.85	2.72	0.52
9:00		22.6	52	34.26	8.24	6.14	2.34	0.22	
12:00		23.01	51.98	34.25	8.27	6.76	2.22	0.23	
15:00		23.1	51.95	34.22	8.28	7.05	2.27	0.97	
18:00		23.05	51.96	34.23	8.27	6.77	2.28	0.95	
21:00	23.18	52	34.27	8.24	6.1	2.77	0.48		
日平均值		22.80	51.97	34.24	8.25	6.28	2.37	0.57	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月8日	蚵殼站	0:00	23.78	51.96	33.69	8.28	6.24	3.22	1.03
		3:00	23.34	51.56	33.42	8.24	6.14	2.98	0.98
		6:00	23.76	52.23	33.87	8.23	6.11	2.56	1.37
		9:00	23.27	52.39	33.98	8.27	6.13	2.32	0.81
		12:00	24.18	52.02	33.73	8.3	6.12	2.54	0.63
		15:00	24.7	51.98	33.7	8.32	5.82	1.56	1.09
		18:00	23.47	51.59	33.44	8.3	6.02	1.88	1.5
	21:00	23.25	51.44	33.34	8.29	5.71	1.78	1.29	
	日平均值		23.72	51.90	33.65	8.28	6.04	2.36	1.09
	潮口站	0:00	24.18	51.99	34.23	8.38	6.99	2.24	0.41
		3:00	24.9	52.1	34.31	8.36	6.76	2.27	0.16
		6:00	25.38	52.13	34.32	8.37	6.64	1.52	0.35
		9:00	24.9	52.1	34.3	8.39	7	1.8	0.88
		12:00	25.67	52.09	34.33	8.43	7.05	1.87	0.85
		15:00	26.08	51.8	34.12	8.4	6.91	1.51	0.05
		18:00	25.58	51.96	34.2	8.41	7.16	1	0.91
	21:00	24.56	51.99	34.23	8.39	6.93	4.21	0.46	
	日平均值		25.16	52.02	34.26	8.39	6.93	2.05	0.51
	灣內站	0:00	23.02	52	34.27	8.22	5.78	2.49	0.6
		3:00	22.78	52	34.27	8.23	5.75	2.54	0.83
		6:00	22.59	52.02	34.28	8.22	5.66	2.08	0.88
9:00		22.81	52	34.27	8.24	6.24	1.92	0.83	
12:00		23.51	51.68	34.04	8.27	7.19	2.2	0.96	
15:00		23.7	51.65	34	8.31	7.79	2.03	1.83	
18:00		23.65	51.86	34.16	8.29	7.45	2.05	1.55	
21:00	23.37	51.77	34.1	8.28	7.11	2.13	1.83		
日平均值		23.18	51.87	34.17	8.26	6.62	2.18	1.16	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月9日	蚵殼站	0:00	23.86	51.25	33.21	8.34	5.84	2.32	1.06	
		3:00	25.11	51.75	33.55	8.26	5.6	2.22	0.98	
		6:00	23.73	51.99	33.71	8.28	5.48	3.01	1.01	
		9:00	24.56	51.59	33.44	8.29	6.39	3.45	0.87	
		12:00	25.23	51.6	33.45	8.3	6.8	3.43	0.81	
		15:00	25.38	51.78	33.57	8.33	6.96	3.33	1.03	
		18:00	23.83	51.57	33.43	8.33	6.71	3.56	1.11	
		21:00	23.95	51.23	33.2	8.31	5.85	3.22	1.06	
	日平均值		24.46	51.60	33.45	8.31	6.20	3.07	0.99	
	潮口站	0:00	24.27	52.01	34.24	8.37	7.05	2.52	0.75	
		3:00	24.56	52.04	34.26	8.39	6.88	2.15	0.91	
		6:00	25.29	52.14	34.31	8.38	6.67	1.85	0.06	
		9:00	25.02	52.13	34.33	8.39	6.99	2.28	0.53	
		12:00	25.05	51.99	34.23	8.4	7.38	2.32	0.91	
		15:00	25.96	51.55	33.95	8.39	7.04	2.06	0.23	
		18:00	25.88	52.09	34.31	8.4	6.95	1.23	0.11	
		21:00	25	51.99	34.23	8.41	7.17	3.94	0.89	
	日平均值		25.13	51.99	34.23	8.39	7.02	2.29	0.55	
	灣內站	0:00	23.2	51.91	34.18	8.2	5.43	2.25	0.86	
		3:00	23.14	51.99	34.26	8.22	5.45	2.37	0.6	
		6:00	22.9	51.93	34.22	8.2	5.41	1.8	1.28	
		9:00	23.05	51.78	34.1	8.23	6.37	1.85	2.52	
		12:00	23.38	51.63	33.99	8.34	8.61	1.92	2.62	
		15:00	23.68	51.89	34.19	8.33	8.19	2.17	1.63	
18:00		23.7	52	34.27	8.3	7.28	2	1.35		
21:00		23.47	51.83	34.13	8.31	7.41	1.9	1.31		
日平均值		23.32	51.87	34.17	8.27	6.77	2.03	1.52		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月10日	蚵殼站	0:00	24.55	51.35	32.94	8.28	5.54	3.11	0.98	
		3:00	24.41	51.44	33.34	8.22	5.59	3.32	0.97	
		6:00	24.36	52.32	33.93	8.26	5.3	3.54	1.1	
		9:00	24.55	52.01	33.72	8.31	5.39	3.76	1.19	
		12:00	25.08	51.92	33.66	8.32	6.18	3.63	1.4	
		15:00	25.19	51.71	33.52	8.31	6.24	3.55	1.75	
		18:00	24.96	51.8	33.58	8.33	5.93	3.32	1.21	
		21:00	25.14	51.41	33.32	8.31	5.83	3.48	0.95	
	日平均值		24.78	51.75	33.50	8.29	5.75	3.46	1.19	
	潮口站	0:00	24.6	52.07	34.29	8.39	6.97	3.73	0.42	
		3:00	24.63	52.1	34.31	8.4	7.04	1.48	0.91	
		6:00	25.48	52.2	34.36	8.38	6.63	1.38	0.06	
		9:00	25.14	52.12	34.32	8.4	7.12	1.65	0.35	
		12:00	25.17	52.08	34.29	8.43	7.69	2.22	0.62	
		15:00	26.17	52.02	34.25	8.41	7.07	1.7	0.93	
		18:00	26.15	52.15	34.34	8.4	6.73	2.27	0.05	
		21:00	25.37	51.97	34.23	8.42	7.22	3.09	0.72	
	日平均值		25.34	52.09	34.30	8.40	7.06	2.19	0.51	
	灣內站	0:00	23.33	51.95	34.22	8.24	6.01	1.97	1.42	
		3:00	23.22	51.99	34.26	8.2	5.17	2.17	0.62	
		6:00	22.98	51.89	34.18	8.24	5.82	1.84	1.83	
		9:00	23.07	51.69	34.05	8.3	7.45	1.79	2.19	
		12:00	23.94	51.05	33.59	8.36	8.78	1.78	0.51	
		15:00	24.09	51.14	33.67	8.38	8.89	1.97	1.47	
18:00		24.33	51.95	34.23	8.29	7.47	2	0.59		
21:00		23.87	51.84	34.15	8.3	7.47	1.91	0.59		
日平均值		23.60	51.69	34.04	8.29	7.13	1.93	1.15		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月11日	蚵殼站	0:00	25.04	51.2	33.18	8.28	5.68	3.44	1.43
		3:00	24.95	51.37	33.29	8.25	5.48	3.57	1.24
		6:00	24.9	51.66	33.49	8.21	5.12	3.43	1.48
		9:00	25.19	51.48	33.37	8.21	5.4	3.65	1.34
		12:00	25.67	51.57	33.43	8.28	6.02	3.87	1.22
		15:00	25.68	51.44	33.34	8.31	6.15	4.45	1.18
		18:00	25.46	51.41	33.32	8.3	5.75	3.87	1.21
	21:00	24.98	51.4	33.31	8.29	5.53	3.56	0.43	
	日平均值		25.23	51.44	33.34	8.27	5.64	3.73	1.19
	潮口站	0:00	25.01	52.23	34.38	8.4	6.97	4.02	0.32
		3:00	24.94	52.08	34.29	8.41	7.18	1.92	0.86
		6:00	25.88	52.1	34.31	8.38	6.51	1.72	0.14
		9:00	25.55	52.14	34.33	8.4	6.79	1.73	0.24
		12:00	25.19	52.18	34.35	8.41	7.14	2.18	0.43
		15:00	25.54	52.13	34.33	8.41	7.11	2.51	0.96
		18:00	25.92	52.15	34.34	8.4	6.62	3.09	0.16
	21:00	25.64	52.17	34.35	8.42	6.69	1.92	0.62	
	日平均值		25.46	52.15	34.34	8.40	6.88	2.39	0.47
	灣內站	0:00	23.36	51.67	34.02	8.31	7.48	1.99	1.2
		3:00	23.08	51.49	33.9	8.26	6.44	2.02	1.7
		6:00	23.17	51.64	34	8.29	6.98	1.86	2.19
9:00		23.33	51.77	34.09	8.31	7.53	1.71	1.74	
12:00		23.46	51.85	34.15	8.32	7.88	2.1	1.4	
15:00		23.53	51.65	34.02	8.35	8.59	1.86	1.23	
18:00		23.25	51.53	33.93	8.39	8.94	1.72	1.41	
21:00	23.29	51.63	33.99	8.36	8.53	1.59	0.87		
日平均值		23.31	51.65	34.01	8.32	7.80	1.86	1.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月12日	蚵殼站	0:00	25.32	51.96	33.69	8.30	5.27	3.45	0.45
		3:00	25.46	51.56	33.42	8.29	5.31	4.65	0.46
		6:00	25.69	52.23	33.87	8.31	5.25	3.43	0.13
		9:00	25.76	52.39	33.98	8.29	5.24	3.34	0.34
		12:00	26.08	52.02	33.73	8.30	5.44	3.76	0.56
		15:00	26.20	51.57	33.43	8.27	5.64	3.54	0.76
		18:00	26.02	51.44	33.34	8.29	5.32	3.45	0.74
	21:00	25.84	51.41	33.32	8.27	5.29	3.99	0.77	
	日平均值		25.80	51.82	33.60	8.29	5.35	3.70	0.53
	潮口站	0:00	25.07	52.24	34.39	8.39	6.81	3.03	0.48
		3:00	24.65	52.1	34.31	8.41	7.16	2.09	0.47
		6:00	25.51	52.15	34.33	8.38	6.49	2.87	0.18
		9:00	25.68	52.11	34.32	8.39	6.68	1.92	0.77
		12:00	26.05	52.14	34.33	8.4	7.07	2.98	0.51
		15:00	25.96	52.14	34.33	8.42	7.47	2.69	0.08
		18:00	25.98	52.32	34.44	8.41	6.75	2.93	0.15
	21:00	25.83	52.12	34.32	8.4	6.83	2.04	0.64	
	日平均值		25.59	52.17	34.35	8.40	6.91	2.57	0.41
	灣內站	0:00	23.39	51.7	34.05	8.29	7.13	1.89	0.93
		3:00	23.3	51.78	34.11	8.25	6.53	1.96	0.78
		6:00	23.23	51.95	34.22	8.21	6.98	2.18	1.62
9:00		23.57	51.8	34.11	8.27	6.65	2.26	0.83	
12:00		24.2	51.65	34	8.28	7.53	3.27	0.85	
15:00		23.83	51.79	34.11	8.31	7.49	3.49	1.38	
18:00		23.61	51.93	34.2	8.34	7.78	2.89	1.56	
21:00	23.56	51.97	34.24	8.35	7.69	2.35	1.27		
日平均值		23.59	51.82	34.13	8.29	7.22	2.54	1.15	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月13日	蚵殼站	0:00	25.86	51.37	33.29	8.27	5.18	3.65	0.81
		3:00	25.58	51.66	33.49	8.30	5.05	3.75	0.93
		6:00	25.67	51.48	33.37	8.28	5.21	3.65	0.45
		9:00	25.83	51.57	33.43	8.27	5.29	3.56	0.34
		12:00	25.96	51.25	33.21	8.29	5.39	3.76	0.32
		15:00	26.03	51.75	33.55	8.31	5.90	4.45	0.86
		18:00	25.75	51.99	33.71	8.30	5.38	3.68	0.43
	21:00	25.79	51.41	33.32	8.27	5.44	3.88	0.05	
	日平均值		25.81	51.56	33.42	8.29	5.36	3.80	0.52
	潮口站	0:00	25.41	52.09	34.29	8.41	6.91	3.81	0.38
		3:00	24.83	51.56	33.96	8.44	7.62	1.88	0.34
		6:00	25.42	51.82	34.13	8.4	6.76	2.22	0.25
		9:00	25.92	51.81	34.12	8.38	6.77	1.6	0.44
		12:00	26.23	51.59	33.98	8.41	7.29	3.1	0.81
		15:00	26.45	51.44	33.88	8.42	7.4	2.61	0.56
		18:00	26.19	51.51	33.93	8.39	6.85	1.48	0.96
	21:00	26.05	51.35	33.81	8.38	6.68	0.76	0.09	
	日平均值		25.81	51.65	34.01	8.40	7.04	2.18	0.48
	灣內站	0:00	23.66	51.95	34.23	8.34	7.22	1.9	0.66
		3:00	23.42	51.95	34.22	8.26	5.78	1.93	0.65
		6:00	23.52	51.99	34.27	8.28	6.04	2.05	0.73
9:00		23.88	52	34.27	8.29	6.56	2.96	0.54	
12:00		24.46	51.85	34.15	8.3	7.16	3.79	0.94	
15:00		24.78	51.92	34.19	8.33	7.48	3.63	1.21	
18:00		24.71	51.95	34.22	8.33	7.19	2.76	1.18	
21:00	24.63	51.92	34.19	8.31	6.68	2.52	0.88		
日平均值		24.13	51.94	34.22	8.31	6.76	2.69	0.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月14日	蚵殼站	0:00	25.78	52.17	33.83	8.26	5.23	3.74	0.09
		3:00	25.85	52.12	33.80	8.27	5.17	3.64	0.23
		6:00	25.57	52.14	33.81	8.25	5.11	3.61	0.12
		9:00	25.61	52.03	33.74	8.28	5.26	3.63	0.15
		12:00	25.86	51.54	33.41	8.28	5.86	3.62	0.34
		15:00	25.58	51.57	33.43	8.29	6.02	3.32	0.45
		18:00	25.67	51.44	33.34	8.30	6.20	3.52	0.44
	21:00	25.83	51.41	33.32	8.25	6.09	3.21	0.23	
	日平均值		25.72	51.80	33.59	8.27	5.62	3.54	0.26
	潮口站	0:00	25.9	51.4	33.85	8.39	6.76	2.38	0.52
		3:00	25.68	51.45	33.89	8.41	6.62	2.52	0.34
		6:00	25.71	51.75	34.08	8.4	6.56	1.69	0.53
		9:00	26.03	51.74	34.08	8.38	6.68	1.16	0.16
		12:00	26.34	51.48	34.37	8.39	7.15	3.73	0.25
		15:00	26.6	51.53	33.94	8.41	7.48	4.17	0.31
		18:00	26.52	51.4	33.85	8.4	7.17	2.08	0.49
	21:00	26.4	51.47	33.91	8.37	6.65	0.59	0.07	
	日平均值		26.15	51.53	34.00	8.39	6.88	2.29	0.33
	灣內站	0:00	24.55	51.93	34.2	8.28	6.2	2.6	0.66
		3:00	24.41	51.99	34.26	8.22	5.32	2.08	0.29
		6:00	24.36	51.97	34.24	8.26	5.44	2.31	0.55
9:00		24.55	51.91	34.2	8.31	6.61	2.16	0.55	
12:00		25.08	51.86	34.16	8.32	6.91	3.14	0.28	
15:00		25.19	51.64	34.01	8.31	6.37	3.31	1.21	
18:00		24.96	51.71	34.06	8.33	6.35	2.44	1.15	
21:00	25.04	51.77	34.1	8.31	5.89	2.29	0.68		
日平均值		24.77	51.85	34.15	8.29	6.14	2.54	0.67	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月15日	蚵殼站	0:00	25.58	51.40	33.31	8.25	5.68	4.01	0.43
		3:00	25.67	52.23	33.87	8.27	5.50	3.98	0.32
		6:00	25.83	52.39	33.98	8.28	5.31	4.13	0.38
		9:00	25.96	52.02	33.73	8.33	5.35	4.07	0.22
		12:00	25.69	51.57	33.43	8.29	5.72	4.16	0.02
		15:00	25.82	51.44	33.34	8.30	5.65	4.21	0.34
		18:00	25.89	52.12	33.80	8.31	5.43	4.12	0.12
	21:00	25.61	52.14	33.81	8.30	5.88	3.98	0.34	
	日平均值		25.76	51.91	33.66	8.29	5.57	4.08	0.27
	潮口站	0:00	26.39	51.41	33.86	8.38	6.66	1.56	0.11
		3:00	26.31	51.36	33.82	8.36	6.21	3.58	0.77
		6:00	26.2	51.31	33.77	8.38	6.35	2.36	0.32
		9:00	26.49	51.29	33.75	8.41	6.72	2.36	0.07
		12:00	27.05	51.01	33.59	8.4	7.05	2.2	0.89
		15:00	27.26	50.87	33.51	8.43	7.33	4.41	0.5
		18:00	27.16	50.78	33.45	8.44	7.29	3.5	0.62
	21:00	26.97	50.71	33.39	8.41	6.84	2.1	0.72	
	日平均值		26.73	51.09	33.64	8.40	6.81	2.76	0.50
	灣內站	0:00	25.04	51.75	34.09	8.28	5.22	2.07	0.53
		3:00	24.95	51.76	34.1	8.25	5.13	2.03	0.48
		6:00	24.9	52.1	34.32	8.21	5.43	2.07	0.87
9:00		25.19	51.93	34.21	8.21	5.49	2.08	0.31	
12:00		25.67	51.78	34.11	8.28	5.5	2.35	0.13	
15:00		25.68	52.13	34.34	8.31	6.03	2.46	0.59	
18:00		25.46	51.84	34.15	8.36	5.68	2.2	1	
21:00	25.5	51.96	34.23	8.29	5.44	2.09	0.79		
日平均值		25.30	51.91	34.19	8.27	5.49	2.17	0.59	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月16日	蚵殼站	0:00	25.85	51.48	33.37	8.26	5.25	3.65	0.19
		3:00	25.57	51.57	33.43	8.27	5.19	4.32	0.14
		6:00	25.61	51.44	33.34	8.25	5.06	3.65	0.03
		9:00	25.86	51.41	33.32	8.29	5.13	3.32	0.32
		12:00	24.96	51.44	33.34	8.31	5.74	2.98	0.04
		15:00	25.01	51.62	33.93	8.28	6.12	3.11	0.12
		18:00	25.34	52.01	33.72	8.30	5.72	3.01	0.15
	21:00	25.49	51.44	33.34	8.31	5.41	3.07	0.23	
	日平均值		25.46	51.55	33.47	8.28	5.45	3.39	0.15
	潮口站	0:00	26.71	50.75	33.42	8.4	6.53	1.87	0.93
		3:00	26.58	50.72	33.4	8.39	6.24	2.75	0.55
		6:00	26.59	50.83	33.48	8.37	6.23	2.1	0.32
		9:00	26.74	51.04	33.61	8.4	6.55	3.22	0.39
		12:00	26.98	50.87	33.49	8.39	6.68	1.86	0.08
		15:00	27.11	50.88	33.5	8.42	7.11	2.66	0.62
		18:00	26.95	50.71	33.39	8.44	7.28	2.22	0.82
	21:00	26.85	50.7	33.39	8.42	6.72	1.86	0.34	
	日平均值		26.81	50.81	33.46	8.40	6.67	2.32	0.51
	灣內站	0:00	25.5	52.11	34.33	8.28	5.27	1.89	0.56
		3:00	25.5	52.26	34.43	8.24	5.31	1.65	0.48
		6:00	25.5	52.01	34.26	8.23	5.25	1.66	0.51
9:00		25.76	52.05	34.29	8.27	5.24	2.01	0.37	
12:00		26.08	51.98	34.24	8.3	5.44	2.22	0.31	
15:00		26.2	51.9	34.19	8.32	5.64	2.01	0.53	
18:00		26.02	52.02	34.27	8.3	5.32	1.71	0.61	
21:00	25.84	52.31	34.46	8.29	5.29	1.74	0.56		
日平均值		25.80	52.08	34.31	8.28	5.35	1.86	0.49	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月17日	蚵殼站	0:00	25.59	52.29	33.91	8.30	5.56	2.98	0.34
		3:00	25.36	52.47	34.30	8.29	5.32	2.76	0.43
		6:00	25.06	51.51	33.39	8.31	5.22	2.89	0.41
		9:00	24.94	51.89	33.64	8.29	5.48	2.83	0.51
		12:00	25.39	51.72	33.53	8.30	5.46	2.54	0.24
		15:00	24.88	51.43	32.93	8.28	5.65	2.43	0.32
		18:00	24.80	51.56	33.42	8.29	5.73	1.98	0.12
		21:00	24.48	52.05	33.75	8.27	5.83	2.21	0.14
	日平均值		25.06	51.87	33.61	8.29	5.53	2.58	0.31
	潮口站	0:00	26.48	50.71	33.39	8.41	6.57	1.46	0.77
		3:00	26.21	50.73	33.41	8.4	6.43	1.42	0.21
		6:00	25.96	50.72	33.4	8.41	6.44	1.39	0.21
		9:00	24.52	50.64	33.85	8.39	6.62	3.42	0.84
		12:00	25.87	51.19	33.72	8.37	6.56	1.37	0.34
		15:00	25.77	51.28	33.78	8.39	6.73	1.3	0.54
		18:00	25.32	51.23	33.76	8.43	6.97	1.37	0.14
		21:00	25.08	51.23	33.76	8.44	7.17	1.43	0.21
	日平均值		25.65	50.97	33.63	8.41	6.69	1.65	0.41
	灣內站	0:00	25.59	51.77	34.1	8.29	5.18	1.59	0.48
		3:00	25.36	51.72	34.07	8.3	5.05	1.62	0.47
		6:00	25.06	51.75	34.09	8.29	5.21	1.66	0.6
		9:00	24.94	51.86	34.15	8.29	5.29	1.75	0.69
		12:00	23.93	52.1	34.32	8.26	5.39	2.54	0.9
		15:00	24.88	51.08	33.65	8.29	5.9	2.2	1.25
		18:00	24.8	51.1	33.66	8.26	5.38	1.85	0.71
		21:00	24.48	51.1	33.66	8.27	5.44	2.02	0.45
	日平均值		24.88	51.56	33.96	8.28	5.36	1.90	0.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月18日	蚵殼站	0:00	24.32	51.56	33.42	8.30	5.93	2.11	0.21
		3:00	24.22	52.23	33.87	8.31	5.84	2.09	0.33
		6:00	24.35	52.39	33.98	8.28	5.82	1.56	0.23
		9:00	24.56	52.02	33.73	8.27	5.69	1.34	0.26
		12:00	24.58	51.44	33.34	8.29	5.54	1.33	0.43
		15:00	24.49	51.41	33.32	8.31	5.56	1.23	1.01
		18:00	24.32	51.44	33.34	8.30	5.43	1.43	0.54
		21:00	24.22	51.56	33.42	8.27	5.32	1.44	0.61
	日平均值		24.38	51.76	33.55	8.29	5.64	1.57	0.45
	潮口站	0:00	24.97	51.23	33.76	8.42	6.57	1.37	0.43
		3:00	25.1	51.23	33.76	8.45	6.53	0.63	0.94
		6:00	24.79	51.26	33.77	8.42	6.33	1.6	0.75
		9:00	24.83	51.31	33.8	8.38	6.35	1.3	0.14
		12:00	25.85	51.3	33.79	8.39	6.65	0.89	0.34
		15:00	25.69	51.32	33.8	8.4	6.79	0.96	0.67
		18:00	24.87	51.34	33.82	8.42	6.72	2.4	0.32
		21:00	24.77	51.42	33.86	8.43	6.55	1.54	0.87
	日平均值		25.11	51.30	33.80	8.41	6.56	1.34	0.56
	灣內站	0:00	24.23	51.12	33.67	8.25	5.23	1.92	0.32
		3:00	23.98	51.14	33.68	8.24	5.17	1.96	0.06
		6:00	23.8	51.12	33.67	8.24	5.11	1.66	0.36
		9:00	23.66	51.06	33.63	8.24	5.26	1.54	0.28
		12:00	23.96	51.19	33.7	8.28	5.86	1.62	0.17
		15:00	24.05	51.16	33.69	8.28	6.02	1.64	0.18
		18:00	23.87	51.05	33.62	8.27	6.2	1.84	0.52
		21:00	23.56	50.87	33.5	8.25	6.09	2.3	0.58
	日平均值		23.89	51.09	33.65	8.26	5.62	1.81	0.31
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月19日	蚵殼站	0:00	24.54	52.39	33.98	8.26	5.18	1.91	0.53
		3:00	24.78	52.02	33.73	8.27	5.23	2.03	0.45
		6:00	24.65	51.57	33.43	8.28	5.14	1.99	0.84
		9:00	24.53	51.44	33.34	8.31	5.23	1.78	0.43
		12:00	24.42	52.39	33.98	8.28	5.15	1.32	0.56
		15:00	24.23	52.02	33.73	8.29	5.92	1.44	0.32
		18:00	24.13	51.44	33.34	8.30	5.82	1.45	0.11
	21:00	23.99	51.41	33.32	8.29	5.69	1.33	0.17	
	日平均值		24.41	51.84	33.61	8.29	5.42	1.66	0.43
	潮口站	0:00	24.56	51.44	33.88	8.4	6.45	1.5	0.82
		3:00	25.05	51.54	33.94	8.39	6.62	0.53	0.93
		6:00	24.94	51.61	33.98	8.41	6.58	0.75	0.95
		9:00	25.03	51.58	33.97	8.39	6.53	1.11	0.79
		12:00	26.21	51.34	33.82	8.4	6.75	0.96	0.13
		15:00	26.25	51.4	33.85	8.38	6.72	0.93	0.81
		18:00	24.98	51.51	33.92	8.39	6.7	3.55	0.81
	21:00	24.92	51.73	34.06	8.37	6.4	3.67	1.51	
	日平均值		25.24	51.52	33.93	8.39	6.59	1.63	0.84
	灣內站	0:00	23.4	51.09	33.65	8.24	5.68	1.84	0.18
		3:00	23.38	51.12	33.67	8.25	5.5	1.54	0.02
		6:00	23.24	51.22	33.71	8.23	5.31	1.6	0.23
9:00		23.4	51.18	33.69	8.22	5.35	1.66	0.04	
12:00		23.88	51.18	33.7	8.23	5.72	1.56	0.12	
15:00		23.91	51.37	33.82	8.25	5.65	1.75	0.09	
18:00		23.81	51.26	33.74	8.23	5.43	1.81	0.16	
21:00	23.48	51.06	33.64	8.22	5.88	1.69	0.02		
日平均值		23.56	51.19	33.70	8.23	5.57	1.68	0.11	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月20日	蚵殼站	0:00	23.85	51.44	33.34	8.25	5.58	1.23	0.21
		3:00	23.77	52.02	33.73	8.27	5.36	1.43	0.32
		6:00	23.62	51.44	33.34	8.28	5.38	1.33	0.12
		9:00	23.67	51.41	33.32	8.29	5.65	1.32	0.09
		12:00	24.13	51.44	33.34	8.32	6.09	1.54	0.11
		15:00	24.56	52.27	34.30	8.29	6.06	1.43	0.14
		18:00	24.48	51.51	33.39	8.31	6.03	1.32	0.18
	21:00	24.09	51.09	33.64	8.30	5.96	1.55	0.05	
	日平均值		24.02	51.58	33.55	8.29	5.76	1.39	0.15
	潮口站	0:00	24.6	51.62	33.99	8.4	6.28	1.98	1.37
		3:00	25.41	51.52	33.93	8.41	6.48	0.86	0.6
		6:00	25.54	51.54	33.96	8.38	6.56	0.86	0.87
		9:00	25.25	51.56	33.95	8.37	6.41	1.52	0.68
		12:00	26.14	51.41	33.86	8.39	6.77	0.77	0.04
		15:00	26.26	51.43	33.88	8.41	6.65	0.66	0.61
		18:00	25.38	51.5	33.92	8.4	6.74	1.62	1.94
	21:00	25	51.67	34.01	8.37	6.37	4.23	2.46	
	日平均值		25.45	51.53	33.94	8.39	6.53	1.56	1.07
	灣內站	0:00	23.41	51.16	33.69	8.19	5.25	1.54	0.12
		3:00	23.32	51.23	33.72	8.19	5.19	1.77	0.11
		6:00	23.2	51.15	33.68	8.18	5.06	1.74	0.09
9:00		23.33	51.19	33.7	8.17	5.13	1.67	0.15	
12:00		23.65	50.63	33.33	8.17	5.74	1.65	0.2	
15:00		23.77	51	33.6	8.21	6.12	1.79	0.22	
18:00		23.74	51.07	33.64	8.19	5.72	1.7	0.24	
21:00	23.69	50.83	33.47	8.16	5.41	1.64	0.1		
日平均值		23.51	51.03	33.60	8.18	5.45	1.69	0.15	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月21日	蚵殼站	0:00	23.81	51.66	33.58	8.26	5.79	1.67	0.02
		3:00	23.65	51.80	33.72	8.27	5.68	2.03	0.12
		6:00	23.60	51.84	33.64	8.30	5.54	2.21	0.07
		9:00	23.86	51.69	33.65	8.29	5.92	2.43	0.04
		12:00	24.30	51.61	33.61	8.28	6.08	2.34	0.11
		15:00	24.75	51.72	33.65	8.32	6.13	2.22	0.21
		18:00	24.62	51.80	33.67	8.30	6.11	2.43	0.25
	21:00	24.37	51.74	33.56	8.33	6.07	2.32	0.23	
	日平均值		24.12	51.73	33.64	8.29	5.92	2.21	0.13
	潮口站	0:00	24.76	51.51	33.92	8.36	6.26	2.02	2.96
		3:00	25.24	51.58	33.96	8.37	6.45	0.84	0.58
		6:00	25.6	51.6	33.98	8.38	6.45	0.63	0.11
		9:00	25.29	51.56	33.96	8.41	6.46	1.62	0.74
		12:00	26.01	51.4	33.86	8.38	6.85	1.03	0.22
		15:00	26.16	51.24	33.76	8.39	6.94	1.74	1.46
		18:00	25.71	51.23	33.77	8.4	7.05	1.48	1.57
	21:00	24.99	51.42	33.87	8.39	6.85	3.6	1.87	
	日平均值		25.47	51.44	33.89	8.39	6.66	1.62	1.19
	灣內站	0:00	23.51	50.99	33.58	8.17	5.41	1.88	0.07
		3:00	23.69	51.24	33.72	8.17	5.27	1.97	0.16
		6:00	23.35	51.09	33.64	8.1	5.23	1.91	0.1
9:00		23.45	51.09	33.65	8.09	5.25	1.89	0.01	
12:00		24.15	51.03	33.61	8.18	5.93	2.09	0.09	
15:00		24.22	51.09	33.65	8.23	6.63	2.27	0.32	
18:00		24.15	51.12	33.67	8.22	6.31	2.23	0.48	
21:00	24.11	50.95	33.56	8.22	6.4	2.32	0.32		
日平均值		23.83	51.08	33.64	8.17	5.80	2.07	0.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月22日	蚵殼站	0:00	24.01	51.50	33.47	8.27	6.01	2.53	0.34
		3:00	23.97	51.59	33.69	8.29	5.81	2.22	0.38
		6:00	24.21	51.74	33.67	8.31	5.81	2.56	0.43
		9:00	24.43	51.69	33.65	8.29	6.05	3.43	0.49
		12:00	24.79	51.50	33.31	8.30	6.51	3.12	0.53
		15:00	24.87	51.49	33.47	8.32	6.48	2.98	0.72
		18:00	24.90	51.49	33.53	8.28	6.36	2.43	0.65
	21:00	24.82	51.48	33.39	8.32	6.28	2.22	0.51	
	日平均值		24.50	51.56	33.52	8.30	6.16	2.69	0.51
	潮口站	0:00	24.9	51.5	33.92	8.35	6.37	3.14	1.32
		3:00	25.16	51.36	33.82	8.37	6.53	1.58	1.24
		6:00	25.59	51.24	33.76	8.38	6.55	1.38	0.61
		9:00	25.21	51.25	33.78	8.39	6.95	1.88	1.39
		12:00	25.71	51.24	33.76	8.42	7.26	1.71	1.26
		15:00	26.26	51.07	33.62	8.39	6.97	1.48	2.15
		18:00	25.89	51.12	33.66	8.41	7.24	0.96	2.35
	21:00	25.11	51.19	33.73	8.4	7.25	3.21	1.89	
	日平均值		25.48	51.25	33.76	8.39	6.89	1.92	1.53
	灣內站	0:00	23.89	50.83	33.47	8.16	5.56	2.71	0.36
		3:00	23.92	51.16	33.69	8.17	5.46	2.28	0.21
		6:00	23.79	51.11	33.67	8.16	5.32	2.21	1.16
9:00		23.95	51.08	33.65	8.15	5.4	2.14	0.07	
12:00		24.41	50.58	33.31	8.27	7.46	2.16	0.36	
15:00		24.5	50.83	33.47	8.29	7.55	2.28	0.76	
18:00		24.4	50.91	33.53	8.26	7.06	2.35	0.69	
21:00	24.31	50.73	33.39	8.26	6.94	2.42	0.63		
日平均值		24.15	50.90	33.52	8.22	6.34	2.32	0.53	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月23日	蚵殼站	0:00	24.76	51.59	33.38	8.32	6.17	2.54	0.58
		3:00	24.50	51.51	33.51	8.29	5.94	2.65	0.76
		6:00	24.41	51.39	33.53	8.25	5.85	2.32	0.72
		9:00	24.40	51.28	33.45	8.24	5.88	2.76	0.92
		12:00	24.47	51.16	33.25	8.28	6.63	2.89	1.09
		15:00	24.88	50.98	33.28	8.29	6.79	2.32	0.54
		18:00	24.97	51.14	33.33	8.30	6.49	1.98	0.43
	21:00	24.74	51.13	33.30	8.28	6.36	2.43	0.37	
	日平均值		24.64	51.27	33.38	8.28	6.26	2.49	0.68
	潮口站	0:00	25.07	51.18	33.73	8.36	6.51	3.23	2.25
		3:00	25.18	51.13	33.68	8.37	6.65	1.89	2.34
		6:00	25.77	51.2	33.74	8.4	6.51	1.37	1.06
		9:00	25.36	51.19	33.73	8.39	7.06	2.21	1.2
		12:00	25.32	51.15	33.69	8.38	7.21	2.22	1.13
		15:00	26.02	50.71	33.38	8.42	6.95	2.4	2.27
		18:00	25.89	50.75	33.41	8.4	7	1.39	3.03
	21:00	25.32	50.71	33.38	8.43	7.36	2.94	2.45	
	日平均值		25.49	51.00	33.59	8.39	6.91	2.21	1.97
	灣內站	0:00	24.14	50.71	33.38	8.23	6.61	2.35	0.66
		3:00	24.1	50.88	33.51	8.19	5.86	2.54	0.86
		6:00	24.01	50.91	33.53	8.16	5.5	2.26	1.37
9:00		23.99	50.79	33.45	8.19	6.16	2.24	0.95	
12:00		24.13	50.5	33.25	8.32	8.14	2.35	0.91	
15:00		24.2	50.55	33.28	8.32	8.09	2.53	1.48	
18:00		24.3	50.64	33.33	8.29	7.46	2.73	1.24	
21:00	24.22	50.58	33.3	8.25	6.85	2.45	0.88		
日平均值		24.14	50.70	33.38	8.24	6.83	2.43	1.04	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月24日	蚵殼站	0:00	24.74	51.15	33.26	8.30	6.18	2.89	0.52
		3:00	24.53	51.22	33.36	8.32	6.01	2.96	0.26
		6:00	24.63	51.04	33.40	8.34	5.98	3.18	0.56
		9:00	24.79	51.11	33.39	8.32	6.30	3.26	0.48
		12:00	24.65	50.72	33.25	8.33	7.37	4.27	0.37
		15:00	25.01	50.50	33.30	8.35	7.30	4.49	0.38
		18:00	25.17	50.55	33.29	8.31	6.90	3.89	0.72
	21:00	25.05	50.66	33.26	8.35	6.78	3.35	0.78	
	日平均值		24.82	50.87	33.31	8.33	6.60	3.54	0.51
	潮口站	0:00	25.13	50.73	33.39	8.37	6.84	2.87	1.7
		3:00	25.09	50.73	33.4	8.39	6.85	1.49	1.76
		6:00	25.6	50.83	33.45	8.41	6.58	1.19	1.41
		9:00	25.41	50.74	33.41	8.39	7.25	1.73	1.82
		12:00	25.49	50.70	33.37	8.4	7.85	2.36	1.16
		15:00	26.07	50.75	33.42	8.42	7.48	1.92	1.88
		18:00	25.93	50.78	33.44	8.38	7.11	0.86	2.42
	21:00	25.54	50.69	33.38	8.42	7.96	1.99	1.79	
	日平均值		25.53	50.74	33.41	8.40	7.24	1.80	1.74
	灣內站	0:00	23.98	50.5	33.26	8.23	6.65	2.46	0.97
		3:00	23.9	50.69	33.36	8.17	5.72	2.29	0.79
		6:00	23.82	50.74	33.4	8.21	6.18	2.53	1.36
9:00		24.18	50.74	33.39	8.24	6.86	2.51	0.69	
12:00		24.73	50.5	33.25	8.34	8.13	2.32	0.19	
15:00		24.82	50.58	33.3	8.35	8.13	2.89	0.53	
18:00		24.8	50.56	33.29	8.32	7.72	2.54	0.53	
21:00	24.82	50.51	33.26	8.29	7.15	2.47	0.19		
日平均值		24.38	50.60	33.31	8.27	7.07	2.50	0.66	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月25日	蚵殼站	0:00	24.97	51.05	33.22	8.32	6.70	2.90	0.52
		3:00	24.82	51.09	33.26	8.33	6.56	2.93	0.34
		6:00	24.92	50.97	33.21	8.36	6.26	3.05	0.53
		9:00	25.19	50.94	33.42	8.35	6.82	3.96	0.16
		12:00	25.31	50.54	33.38	8.34	7.67	4.79	0.25
		15:00	25.19	50.45	33.18	8.38	7.73	4.63	0.31
		18:00	25.89	50.48	33.38	8.36	7.25	3.76	0.49
	21:00	25.78	50.43	33.15	8.39	7.09	3.52	0.07	
	日平均值		25.26	50.74	33.28	8.35	7.01	3.69	0.33
	潮口站	0:00	25.41	50.66	33.36	8.38	7.13	3.09	1.22
		3:00	25.26	50.61	33.33	8.4	7.08	1.44	1.94
		6:00	25.64	50.58	33.31	8.37	6.57	1.2	1.69
		9:00	25.64	50.56	33.30	8.4	7.3	1.45	1.63
		12:00	25.59	50.44	33.22	8.45	8.27	2.43	1.35
		15:00	26.29	50.06	32.97	8.43	8.05	1.19	1.49
		18:00	26.19	49.87	32.84	8.41	7.44	0.38	1.54
	21:00	25.91	50.00	32.93	8.46	7.98	1.43	1.81	
	日平均值		25.74	50.35	33.16	8.41	7.48	1.58	1.58
	灣內站	0:00	24.6	50.45	33.22	8.33	7.56	2.89	0.32
		3:00	24.49	50.51	33.26	8.29	7.31	2.61	0.34
		6:00	24.58	50.6	33.31	8.24	6.69	2.51	1.44
9:00		24.79	50.66	33.35	8.3	7.44	2.55	0.33	
12:00		25.34	50.64	33.34	8.33	7.88	2.59	0.02	
15:00		25.7	50.39	33.18	8.35	8.01	2.64	0.19	
18:00		25.44	50.42	33.19	8.35	7.96	2.6	0.38	
21:00	25.45	50.44	33.2	8.34	7.68	2.38	0.16		
日平均值		25.05	50.51	33.26	8.32	7.57	2.60	0.40	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月26日	蚵殼站	0:00	25.78	51.14	33.38	8.38	6.84	3.60	0.11
		3:00	25.81	50.93	33.18	8.37	6.83	3.08	0.77
		6:00	25.73	51.19	33.27	8.39	6.67	3.31	0.32
		9:00	25.72	51.16	33.18	8.37	7.44	3.16	0.07
		12:00	25.83	51.07	33.27	8.38	7.35	4.14	0.89
		15:00	25.96	50.76	33.37	8.36	7.30	4.31	0.50
		18:00	25.91	50.96	33.17	8.37	7.04	3.44	0.62
	21:00	25.91	51.26	33.04	8.35	6.86	3.29	0.72	
	日平均值		25.83	51.06	33.23	8.37	7.04	3.54	0.50
	潮口站	0:00	25.82	49.88	32.85	8.41	7.32	2.85	1.28
		3:00	25.77	49.87	32.84	8.39	6.92	1.52	1.97
		6:00	25.8	50.23	33.08	8.4	6.6	0.77	2.03
		9:00	26.06	49.96	32.90	8.42	7.36	1.63	1.33
		12:00	26.27	49.85	32.83	8.46	8.27	2.73	1.56
		15:00	26.45	49.82	32.81	8.47	8.25	1.61	1.88
		18:00	26.41	49.70	32.73	8.43	7.31	0.63	1.57
	21:00	26.23	49.82	32.81	8.44	7.45	0.63	1.75	
	日平均值		26.10	49.89	32.86	8.43	7.44	1.55	1.67
	灣內站	0:00	25.33	50.32	33.13	8.35	7.75	2.5	0.05
		3:00	25.19	50.4	33.17	8.29	7.33	2.25	0.06
		6:00	25.14	50.55	33.28	8.31	7.5	2.5	0.28
9:00		25.39	50.49	33.25	8.3	7.48	2.35	0.01	
12:00		26.12	50.05	32.94	8.36	8.1	2.6	0.17	
15:00		26.56	50.06	32.94	8.36	8.02	2.98	0.52	
18:00		26.48	50.2	33.06	8.34	7.56	3.2	0.34	
21:00	26.17	50.18	33.04	8.34	7.31	2.91	0.22		
日平均值		25.80	50.28	33.10	8.33	7.63	2.66	0.21	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月27日	蚵殼站	0:00	26.01	51.35	33.13	8.35	6.85	3.07	0.93	
		3:00	25.94	51.18	33.23	8.34	6.64	3.03	0.55	
		6:00	26.00	51.17	32.93	8.36	6.42	3.07	0.32	
		9:00	26.17	51.07	32.78	8.34	6.43	3.08	0.39	
		12:00	26.13	51.01	33.12	8.35	6.61	3.35	0.08	
		15:00	26.15	50.99	33.01	8.32	6.37	3.46	0.62	
		18:00	26.07	51.00	33.07	8.34	6.13	3.20	0.82	
		21:00	26.00	50.85	33.09	8.32	5.94	3.09	0.34	
	日平均值			26.06	51.08	33.05	8.34	6.42	3.17	0.51
	潮口站	0:00	26.27	50.03	32.95	8.41	7.05	2.38	1.35	
		3:00	26.08	49.77	32.78	8.42	7.07	1.54	1.57	
		6:00	25.96	49.79	32.79	8.4	6.9	1.06	1.81	
		9:00	26.1	49.87	32.84	8.42	7.32	0.93	1.22	
		12:00	26.4	49.90	32.86	8.41	7.73	2.55	1.2	
		15:00	26.36	49.84	32.82	8.44	7.6	1.65	1.06	
		18:00	26.09	49.64	32.69	8.42	7.1	0.6	1.25	
		21:00	25.9	49.81	32.80	8.39	6.98	0.31	1.77	
	日平均值			26.15	49.83	32.82	8.41	7.22	1.38	1.40
	灣內站	0:00	26.08	50.19	33.05	8.31	6.99	2.83	0.04	
		3:00	25.96	50.2	33.06	8.26	6.66	2.56	0.16	
		6:00	25.75	50.36	33.14	8.27	6.81	2.67	0.22	
		9:00	25.96	50.32	33.12	8.3	7.12	2.62	0.02	
		12:00	26.23	50.32	33.12	8.29	7.06	2.94	0.03	
		15:00	26.22	50.29	33.11	8.27	6.77	3.3	0.01	
		18:00	26.15	50.28	33.1	8.22	6.27	2.7	0.09	
		21:00	26.01	50.4	33.17	8.19	5.82	2.58	0.02	
	日平均值			26.05	50.30	33.11	8.26	6.69	2.78	0.07
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月28日	蚵殼站	0:00	25.97	51.11	33.13	8.30	5.98	2.89	0.77	
		3:00	25.93	51.27	33.12	8.29	5.83	2.65	0.21	
		6:00	25.83	51.29	33.16	8.31	5.57	2.66	0.23	
		9:00	25.88	51.32	33.13	8.29	5.67	3.01	0.84	
		12:00	25.97	50.95	33.18	8.30	5.97	3.22	0.35	
		15:00	26.29	50.67	33.09	8.27	5.97	3.01	0.57	
		18:00	26.20	50.87	33.07	8.29	5.74	2.71	0.14	
		21:00	26.10	50.83	33.15	8.27	5.36	2.74	0.21	
	日平均值			26.02	51.04	33.13	8.29	5.76	2.86	0.42
	潮口站	0:00	25.91	49.70	32.73	8.41	7.15	1.24	1.64	
		3:00	25.9	49.84	32.82	8.36	6.67	1.21	1.86	
		6:00	25.81	49.77	32.78	8.39	6.44	1.02	0.35	
		9:00	25.98	49.77	32.78	8.38	6.96	0.32	0.03	
		12:00	26.29	49.76	32.77	8.34	6.72	3.1	1.68	
		15:00	26.36	49.79	32.79	8.36	7.19	2.29	1.41	
		18:00	26.42	49.50	32.60	8.37	7.09	0.68	1.07	
		21:00	26.27	49.67	32.71	8.36	6.9	0.36	0.08	
	日平均值			26.12	49.73	32.75	8.37	6.89	1.28	1.02
	灣內站	0:00	25.84	50.31	33.11	8.19	5.66	2.53	0.02	
		3:00	25.63	50.31	33.12	8.18	5.25	2.3	0.07	
		6:00	25.51	50.4	33.16	8.15	5.34	2.6	0.22	
		9:00	25.68	50.33	33.13	8.22	5.77	2.99	0.01	
		12:00	26.57	50.17	33.03	8.23	6.24	3.14	0.12	
		15:00	26.74	50.2	33.06	8.26	6.66	3.36	0.29	
		18:00	26.59	50.06	32.95	8.24	6.44	3.24	0.06	
		21:00	26.37	50.23	33.07	8.29	5.22	2.46	0.12	
	日平均值			26.12	50.25	33.08	8.22	5.82	2.83	0.11
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月29日	蚵殼站	0:00	26.25	50.81	32.68	8.27	5.43	2.59	0.43	
		3:00	26.40	50.59	33.18	8.30	5.55	2.62	0.94	
		6:00	26.32	50.33	33.09	8.28	5.39	2.66	0.75	
		9:00	26.36	50.33	32.99	8.27	5.51	2.75	0.14	
		12:00	26.42	50.31	33.09	8.29	5.69	3.54	0.34	
		15:00	26.50	50.05	33.19	8.31	5.41	3.20	0.67	
		18:00	26.43	50.16	33.14	8.30	5.36	2.85	0.32	
		21:00	26.54	50.50	33.09	8.27	5.31	3.02	0.27	
	日平均值			26.40	50.39	33.06	8.29	5.46	2.90	0.48
	潮口站	0:00	26.14	49.84	32.82	8.35	6.74	1.4	0.2	
		3:00	26.19	49.85	32.83	8.35	6.4	1.16	0.04	
		6:00	25.99	49.70	32.73	8.34	6.33	0.92	0.04	
		9:00	26.09	49.87	32.84	8.39	6.94	0.21	0.03	
		12:00	26.61	50.31	33.13	8.36	6.86	2.22	0.04	
		15:00	27.1	50.09	32.99	8.34	6.95	2.74	0.31	
		18:00	26.73	50.12	33.01	8.36	6.8	1.27	0.06	
		21:00	26.42	50.03	32.95	8.38	6.99	0.36	0.05	
	日平均值			26.41	49.98	32.91	8.36	6.75	1.29	0.10
	灣內站	0:00	26.18	50.2	33.06	8.25	5.26	2.58	0.23	
		3:00	26.08	50.23	33.07	8.23	5.16	2.6	0.31	
		6:00	25.81	50.32	33.12	8.18	5.12	2.68	0.26	
		9:00	26.09	50.36	33.15	8.16	5.22	3.18	0.29	
		12:00	26.91	50.25	33.08	8.22	5.9	2.93	0.37	
		15:00	27.06	50.2	33.06	8.26	6.6	3.45	0.4	
		18:00	26.85	50.2	33.05	8.25	6.21	3.92	0.33	
		21:00	26.54	50.19	33.05	8.26	5.29	3.44	0.08	
	日平均值			26.44	50.24	33.08	8.23	5.60	3.10	0.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月1日	蚵殼站	0:00	26.04	50.73	33.34	7.97	7.17	6.39	0.29
		3:00	25.89	50.79	33.38	7.99	7.20	6.95	0.32
		6:00	25.75	50.59	33.25	8.01	6.60	6.48	0.47
		9:00	25.90	50.94	33.48	7.99	7.56	5.74	0.54
		12:00	26.13	50.79	33.38	8.01	8.07	6.34	0.83
		15:00	26.29	50.53	33.21	8.02	7.71	7.21	0.98
		18:00	26.27	50.59	33.25	7.98	7.39	7.04	0.73
		21:00	26.15	50.56	33.23	8.02	6.95	6.62	1.43
	日平均值		26.05	50.69	33.32	8.00	7.33	6.60	0.70
	潮口站	0:00	26.49	51.94	34.21	8.36	6.81	1.09	0.71
		3:00	26.50	51.89	34.18	8.35	6.42	1.65	0.16
		6:00	26.35	52.11	34.32	8.34	6.35	1.18	0.35
		9:00	26.40	52.29	34.44	8.43	7.06	0.44	0.12
		12:00	26.67	52.08	34.30	8.41	7.28	1.04	0.85
		15:00	27.01	51.83	34.14	8.38	7.11	1.91	0.05
		18:00	26.98	51.71	34.06	8.39	7.23	1.74	0.43
		21:00	26.89	51.85	34.15	8.40	7.26	1.32	0.18
	日平均值		26.66	51.96	34.23	8.38	6.94	1.30	0.36
	灣內站	0:00	26.14	50.18	33.04	8.13	5.24	3.47	0.01
		3:00	25.98	50.2	33.06	8.07	5.11	3.56	1.75
		6:00	25.75	50.3	33.11	8.12	5.09	3.58	1.43
		9:00	26.04	50.33	33.12	8.21	5.73	3.7	0.63
		12:00	26.45	50.46	33.22	8.24	6.19	4.49	0.14
		15:00	26.6	50.71	33.37	8.24	6.22	4.82	0.48
18:00		26.5	50.76	33.41	8.19	5.74	4.43	0.19	
21:00		26.32	50.68	33.37	8.11	9.13	4.32	1.04	
日平均值		26.22	50.45	33.21	8.16	6.06	4.05	0.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月2日	蚵殼站	0:00	26.03	50.61	33.26	8.02	6.51	6.21	0.62
		3:00	25.92	50.65	33.29	7.99	6.08	6.55	0.45
		6:00	25.88	50.55	33.22	7.95	6.55	6.65	0.25
		9:00	25.83	50.41	33.13	7.94	6.79	5.86	0.45
		12:00	25.96	50.27	33.04	7.98	6.72	5.87	0.87
		15:00	26.19	50.50	33.19	7.99	6.96	6.67	1.29
		18:00	26.22	50.46	33.16	8.00	6.89	6.99	1.13
		21:00	26.20	50.41	33.13	7.98	6.71	7.21	1.01
	日平均值		26.03	50.48	33.18	7.98	6.65	6.50	0.76
	潮口站	0:00	26.54	51.99	34.24	8.39	7.14	0.91	1.56
		3:00	26.57	51.77	34.10	8.38	6.97	1.25	0.19
		6:00	26.48	51.67	34.03	8.36	6.66	1.35	0.06
		9:00	26.48	51.59	33.98	8.39	7.23	0.56	0.46
		12:00	26.72	51.48	33.91	8.40	7.71	0.57	2.04
		15:00	27.01	51.15	33.69	8.39	7.84	1.37	0.18
		18:00	26.98	51.14	33.68	8.37	7.23	1.69	0.42
		21:00	26.85	51.38	33.84	8.36	6.84	1.91	1.96
	日平均值		26.70	51.52	33.93	8.38	7.20	1.20	0.86
	灣內站	0:00	26.32	50.75	33.41	7.91	9.18	4.48	0.01
		3:00	26.13	50.77	33.43	7.84	8.59	4.82	1.25
		6:00	26	50.73	33.39	7.92	8.65	4.19	0.91
		9:00	26.3	50.74	33.41	8.12	5.63	4.75	0.4
		12:00	26.82	50.56	33.29	8.24	6.06	4.52	0.03
		15:00	26.95	50.47	33.23	8.24	6.16	4.15	0.31
18:00		27.07	50.38	33.15	8.2	5.8	4.72	0.29	
21:00		26.87	50.44	33.2	8.07	5.28	4.78	0.12	
日平均值		26.56	50.61	33.31	8.07	6.92	4.55	0.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月3日	蚵殼站	0:00	26.14	50.47	33.17	7.97	6.34	6.42	1.04
		3:00	25.92	50.46	33.16	7.99	5.80	6.58	1.07
		6:00	25.69	50.46	33.16	8.01	5.65	6.51	0.60
		9:00	25.65	50.40	33.12	7.99	5.37	5.81	0.49
		12:00	25.73	50.32	33.07	8.00	5.66	5.65	1.44
		15:00	25.98	50.29	33.05	8.02	5.50	7.69	1.63
		18:00	25.94	50.37	33.10	7.98	5.24	8.93	1.16
	21:00	25.98	50.47	33.17	8.02	5.48	7.47	0.87	
	日平均值		25.88	50.41	33.13	8.00	5.63	6.88	1.04
	潮口站	0:00	26.51	51.53	33.94	8.37	7.02	1.00	0.52
		3:00	26.40	51.53	33.94	8.33	6.87	1.28	0.34
		6:00	26.35	51.55	33.95	8.39	6.70	1.21	0.53
		9:00	26.41	51.30	33.79	8.38	7.26	0.51	0.16
		12:00	26.76	51.15	33.69	8.39	7.60	0.35	0.25
		15:00	26.96	51.06	33.63	8.41	7.72	2.39	0.31
		18:00	27.13	51.21	33.73	8.36	7.35	3.63	0.49
	21:00	27.10	51.33	33.81	8.38	7.04	2.17	0.07	
	日平均值		26.70	51.33	33.81	8.38	7.20	1.57	0.33
	灣內站	0:00	26.66	50.64	33.33	7.94	5.04	4.64	0.56
		3:00	26.43	50.72	33.38	8.06	5.02	5.25	0.37
		6:00	26.22	50.68	33.37	8.09	9.87	4.87	0.26
9:00		26.4	50.71	33.39	8.12	5.13	5.03	0.02	
12:00		26.96	50.41	33.17	8.23	5.88	4.86	0.08	
15:00		27.1	50.27	33.09	8.2	5.81	4.54	0.06	
18:00		27.1	50.2	33.06	7.99	5.55	5.11	0.11	
21:00	26.93	50.25	33.09	7.87	5.34	4.69	0.03		
日平均值		26.73	50.49	33.24	8.06	5.96	4.87	0.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月4日	蚵殼站	0:00	26.18	50.73	33.34	7.93	5.64	6.59	0.73
		3:00	26.07	50.65	33.29	7.94	6.03	6.45	0.52
		6:00	25.91	50.79	33.38	7.95	5.56	7.24	0.76
		9:00	26.08	50.61	33.26	7.96	6.28	6.21	1.02
		12:00	26.05	50.61	33.26	7.92	6.20	5.93	1.34
		15:00	26.04	50.78	33.37	7.91	6.43	6.89	1.34
		18:00	26.31	50.81	33.39	8.03	6.20	9.01	1.77
	21:00	26.21	50.82	33.40	8.01	6.05	7.45	1.55	
	日平均值		26.11	50.73	33.34	7.96	6.05	6.97	1.13
	潮口站	0:00	26.81	51.04	33.62	8.37	7.02	1.29	0.11
		3:00	26.62	51.01	33.60	8.36	6.80	1.15	0.77
		6:00	26.55	50.91	33.53	8.34	6.58	1.94	0.32
		9:00	26.65	50.91	33.53	8.36	6.92	0.91	0.07
		12:00	26.83	51.18	33.71	8.37	7.18	0.63	0.89
		15:00	26.86	51.26	33.76	8.34	7.36	1.59	0.50
		18:00	26.96	51.11	33.66	8.32	7.11	3.71	0.62
	21:00	26.86	50.97	33.57	8.33	6.91	3.00	0.72	
	日平均值		26.77	51.05	33.62	8.35	6.99	1.78	0.50
	灣內站	0:00	26.47	50.54	33.28	8.21	5.2	5.46	0.01
		3:00	26.5	50.69	33.36	8.19	5.11	5.41	0.1
		6:00	26.37	50.64	33.33	8.08	5.04	4.68	0.02
9:00		26.37	50.72	33.39	8.17	5.42	4.82	0.06	
12:00		26.65	50.69	33.36	8.27	6.36	4.91	0.16	
15:00		26.57	50.7	33.38	8.24	5.71	5.11	0.31	
18:00		26.53	50.71	33.37	8.14	5.77	5.38	0.18	
21:00	26.42	50.71	33.39	7.99	5.41	4.62	0.13		
日平均值		26.49	50.68	33.36	8.16	5.50	5.05	0.12	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月5日	蚵殼站	0:00	26.07	50.84	33.41	7.97	6.29	6.87	1.42
		3:00	25.85	50.79	33.38	7.98	6.12	6.43	1.19
		6:00	25.68	51.10	33.58	7.93	6.20	7.05	0.77
		9:00	25.64	51.17	33.63	7.94	5.56	6.65	2.28
		12:00	25.82	50.93	33.47	7.97	5.54	6.10	1.82
		15:00	25.89	51.13	33.60	8.09	5.64	6.24	1.09
		18:00	25.85	51.26	33.69	8.06	5.95	8.99	0.80
	21:00	25.76	51.29	33.71	8.05	5.96	7.54	1.63	
	日平均值		25.82	51.06	33.56	8.00	5.91	6.98	1.38
	潮口站	0:00	26.62	50.94	33.55	8.34	6.79	1.57	0.22
		3:00	26.36	50.95	33.56	8.36	6.79	1.13	0.13
		6:00	26.22	50.83	33.48	8.37	6.78	1.75	0.23
		9:00	26.38	50.76	33.43	8.39	6.82	1.35	0.32
		12:00	26.98	50.95	33.56	8.38	7.16	0.80	0.23
		15:00	26.98	51.03	33.61	8.41	7.09	0.94	0.33
		18:00	26.76	50.86	33.50	8.35	6.94	3.69	0.36
	21:00	26.65	50.60	33.33	8.33	7.27	2.24	0.27	
	日平均值		26.62	50.87	33.50	8.37	6.96	1.68	0.26
	灣內站	0:00	26.26	50.59	33.3	8.17	5.39	4.67	0.09
		3:00	26.03	50.68	33.37	7.93	5.12	4.83	0.02
		6:00	25.88	50.46	33.23	7.87	8.16	5.24	0.01
9:00		25.95	50.6	33.32	8.01	5.47	5.35	0.13	
12:00		26.24	50.89	33.51	8.19	6.75	4.53	10.96	
15:00		26.48	51.42	33.86	8.14	6.01	5.19	2.93	
18:00		26.48	51.2	33.72	8.15	6.19	5.16	11.63	
21:00	26.29	51.12	33.66	7.96	5.81	4.68	6.94		
日平均值		26.20	50.87	33.50	8.05	6.11	4.96	4.09	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月6日	蚵殼站	0:00	25.65	51.37	33.76	7.99	6.20	7.15	1.63
		3:00	25.43	51.54	33.87	7.93	6.20	6.13	0.87
		6:00	25.27	51.40	33.78	7.97	6.05	6.31	0.31
		9:00	25.53	51.41	33.79	7.89	5.56	8.47	0.23
		12:00	25.74	51.34	33.74	7.88	5.64	5.98	0.28
		15:00	26.32	51.44	33.81	7.91	5.41	6.20	1.21
		18:00	25.98	51.34	33.74	7.93	5.55	7.79	1.15
	21:00	25.33	50.84	33.41	7.89	5.71	9.89	0.68	
	日平均值		25.66	51.34	33.74	7.92	5.79	7.24	0.80
	潮口站	0:00	26.49	51.12	33.67	8.35	6.85	1.85	0.35
		3:00	26.39	51.08	33.64	8.38	6.79	0.83	0.04
		6:00	26.34	51.26	33.76	8.36	6.82	1.01	0.15
		9:00	26.26	51.33	33.81	8.35	7.00	3.17	12.10
		12:00	26.87	51.52	33.94	8.33	7.20	0.68	0.30
		15:00	26.96	51.44	33.88	8.34	7.24	0.90	0.23
		18:00	26.71	51.53	33.95	8.36	7.53	2.49	7.05
	21:00	26.74	51.59	33.99	8.28	6.92	4.59	1.64	
	日平均值		26.60	51.36	33.83	8.34	7.04	1.94	2.73
	灣內站	0:00	26.18	51.28	33.77	7.93	5.13	5.27	4.17
		3:00	26.01	51.3	33.78	7.94	5.26	5.49	0.61
		6:00	25.84	51.34	33.81	7.72	6.57	5.12	0.83
9:00		25.79	51.24	33.75	7.86	5.16	4.93	0.36	
12:00		26.48	51.18	33.71	8.22	7.4	5.49	9.38	
15:00		26.6	51.21	33.74	8.26	7.67	3.04	8.63	
18:00		26.53	51.22	33.75	8.03	6.26	2.74	2.71	
21:00	26.45	51.3	33.78	8.01	5.6	2.77	0.1		
日平均值		26.24	51.26	33.76	8.00	6.13	4.36	3.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月7日	蚵殼站	0:00	26.01	50.52	33.20	7.84	5.79	6.87	0.57
		3:00	25.78	50.84	33.41	7.88	6.03	6.43	0.98
		6:00	25.65	51.46	33.82	7.89	6.28	6.68	0.87
		9:00	25.84	51.63	33.93	7.86	6.03	7.64	0.76
		12:00	25.78	51.19	33.64	7.85	5.97	6.85	0.89
		15:00	26.11	50.24	33.02	7.87	5.55	5.77	0.90
		18:00	25.98	50.96	33.49	7.88	5.88	6.44	0.93
		21:00	25.54	50.65	33.29	7.86	5.86	6.41	0.87
	日平均值		25.84	50.94	33.48	7.87	5.92	6.64	0.85
	潮口站	0:00	26.53	51.50	33.94	8.30	7.00	1.57	3.19
		3:00	26.47	51.61	33.99	8.32	6.97	1.13	0.10
		6:00	26.40	51.64	34.00	8.38	7.00	1.38	0.14
		9:00	26.44	51.60	33.98	8.33	7.07	2.34	0.36
		12:00	26.79	51.52	33.94	8.34	7.14	1.55	0.12
		15:00	26.94	51.47	33.91	8.35	7.25	0.47	0.15
		18:00	26.98	51.43	33.88	8.34	7.25	1.14	0.28
		21:00	26.99	51.54	33.95	8.30	6.85	4.78	0.33
	日平均值		26.69	51.54	33.95	8.33	7.07	1.80	0.58
	灣內站	0:00	26.16	51.33	33.79	7.92	5.13	2.74	0.03
		3:00	25.92	51.41	33.84	7.87	5.11	2.57	0.11
		6:00	25.82	51.48	33.9	7.68	5.19	1.45	0.05
		9:00	26.02	51.42	33.86	8.02	5.24	1.31	0.31
		12:00	26.49	51.13	33.66	8.11	6.06	1.32	2.53
		15:00	26.96	51.11	33.65	8.26	7.41	1.5	2.25
18:00		27.02	51.1	33.64	8.18	6.57	1.86	0.35	
21:00		26.96	51.19	33.71	8.02	5.7	1.76	0.16	
日平均值		26.42	51.27	33.76	8.01	5.80	1.81	0.72	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月8日	蚵殼站	0:00	25.78	51.26	33.69	7.86	5.51	7.27	1.03
		3:00	26.04	50.85	33.42	7.87	5.57	6.83	0.98
		6:00	26.21	51.54	33.87	7.85	5.62	7.47	1.37
		9:00	25.84	51.70	33.98	7.89	5.71	6.83	0.81
		12:00	25.54	51.32	33.73	7.91	5.88	6.72	0.63
		15:00	25.62	51.28	33.70	7.88	5.55	7.32	1.09
		18:00	25.67	50.88	33.44	7.90	5.63	7.44	1.50
		21:00	25.98	50.73	33.34	7.91	5.54	7.36	1.29
	日平均值		25.84	51.20	33.65	7.88	5.63	7.16	1.09
	潮口站	0:00	26.97	51.45	33.89	8.33	7.14	1.58	0.64
		3:00	26.69	51.67	34.02	8.37	6.97	0.80	1.07
		6:00	26.63	51.68	34.04	8.34	6.99	1.16	1.06
		9:00	27.03	51.49	33.92	8.32	6.91	2.13	0.06
		12:00	27.40	51.21	33.73	8.33	7.11	1.32	0.27
		15:00	27.07	51.43	33.88	8.35	7.23	0.57	0.93
		18:00	27.16	51.45	33.89	8.37	7.28	0.62	0.57
		21:00	27.28	51.48	33.91	8.31	6.92	4.30	0.80
	日平均值		27.03	51.48	33.91	8.34	7.07	1.56	0.68
	灣內站	0:00	26.64	51.13	33.66	7.75	6.5	1.4	0.11
		3:00	26.33	51.23	33.74	7.97	5.39	1.83	0.94
		6:00	26.2	50.94	33.54	7.84	5.17	1.65	0.58
		9:00	26.42	51.04	33.61	8.02	6.54	1.82	2.84
		12:00	27.42	50.53	33.27	8.26	7.8	1.75	10.34
		15:00	27.61	50.9	33.54	8.25	7.53	1.59	4.1
18:00		27.3	51.04	33.61	8.1	6.05	1.63	0.45	
21:00		27.21	51.07	33.62	8.08	5.57	1.89	0.07	
日平均值		26.89	50.99	33.57	8.03	6.32	1.70	2.43	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月9日	蚵殼站	0:00	25.55	50.53	33.21	7.92	5.63	6.68	1.06
		3:00	25.87	51.05	33.55	8.01	5.55	6.47	0.98
		6:00	26.13	51.29	33.71	7.87	5.58	6.14	1.01
		9:00	26.06	50.88	33.44	8.03	5.95	6.67	0.87
		12:00	25.98	50.90	33.45	7.99	6.19	7.34	0.81
		15:00	25.78	51.08	33.57	7.89	6.27	7.13	1.03
		18:00	25.88	50.87	33.43	7.94	7.16	7.45	1.11
		21:00	25.78	50.52	33.20	8.05	6.76	7.76	1.06
	日平均值		25.88	50.89	33.45	7.96	6.14	6.96	0.99
	潮口站	0:00	27.50	51.49	33.93	8.30	6.82	3.14	0.61
		3:00	26.93	51.50	33.95	8.33	6.97	0.79	0.88
		6:00	26.77	51.49	33.93	8.34	6.97	1.15	0.84
		9:00	27.33	51.46	33.91	8.34	6.96	2.43	0.18
		12:00	27.72	51.42	33.87	8.32	7.01	2.62	0.08
		15:00	27.32	51.47	33.91	8.37	7.25	0.73	0.74
		18:00	27.14	51.44	33.89	8.33	7.23	0.56	0.85
		21:00	27.59	51.48	33.92	8.36	7.40	2.91	0.55
	日平均值		27.29	51.47	33.91	8.34	7.08	1.79	0.59
	灣內站	0:00	27.17	51.01	33.59	8.09	5.9	1.67	0.03
		3:00	26.82	51.14	33.67	8.12	5.57	1.54	0.05
		6:00	26.61	51.18	33.7	8.01	5.31	1.28	0.03
9:00		26.94	51.03	33.61	8.14	6.27	1.69	3.07	
12:00		27.48	50.95	33.56	8.21	6.83	2.21	3.38	
15:00		27.89	50.91	33.55	8.25	7.29	1.52	0.4	
18:00		27.73	51.03	33.6	8.19	6.59	1.63	1.52	
21:00		27.63	51	33.59	8.11	5.94	0.54	3.67	
日平均值		27.28	51.03	33.61	8.14	6.21	1.51	1.52	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月10日	蚵殼站	0:00	25.54	50.12	32.94	7.94	7.07	6.32	0.98
		3:00	25.32	50.73	33.34	7.98	6.99	7.22	0.97
		6:00	25.23	51.63	33.93	7.91	7.24	7.54	1.10
		9:00	24.78	51.31	33.72	7.95	9.52	7.81	1.19
		12:00	25.24	51.22	33.66	7.92	7.85	7.94	1.40
		15:00	24.99	51.00	33.52	7.97	8.21	8.09	1.75
		18:00	24.88	51.10	33.58	7.88	7.27	8.17	1.21
		21:00	25.42	50.70	33.32	7.94	6.36	8.31	0.95
	日平均值		25.18	50.98	33.50	7.94	7.56	7.68	1.19
	潮口站	0:00	27.68	51.49	33.92	8.34	7.09	3.90	3.71
		3:00	27.23	51.45	33.90	8.36	7.20	1.72	1.75
		6:00	26.90	51.44	33.88	8.35	6.98	1.29	0.10
		9:00	27.19	51.48	33.92	8.33	6.92	3.38	1.01
		12:00	27.47	51.28	33.76	8.34	7.12	3.10	9.97
		15:00	27.09	50.97	33.55	8.35	7.15	1.48	1.80
		18:00	26.75	51.38	33.83	8.36	7.00	0.66	0.13
		21:00	26.88	51.10	33.65	8.34	7.12	2.22	1.29
	日平均值		27.15	51.32	33.80	8.35	7.07	2.22	2.47
	灣內站	0:00	27.54	50.93	33.55	8.18	6.64	0.51	6.72
		3:00	27.2	51.09	33.64	7.87	6.18	0.36	1.21
		6:00	26.98	51.12	33.66	7.95	5.87	0.18	0.31
9:00		26.94	51.03	33.61	8.15	6.1	0.29	3.12	
12:00		27.06	50.92	33.55	8.18	6.4	0.23	4.18	
15:00		27.27	50.7	33.42	8.21	7.05	0.11	11.51	
18:00		27.07	50.9	33.54	8.17	6.35	0.11	2.47	
21:00		26.94	50.87	33.52	8.04	5.84	1	2.24	
日平均值		27.13	50.95	33.56	8.09	6.30	0.35	3.97	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月11日	蚵殼站	0:00	25.44	50.49	33.18	7.83	6.11	8.39	1.43
		3:00	25.40	50.65	33.29	7.92	5.94	8.42	1.24
		6:00	25.37	50.96	33.49	7.86	5.91	8.49	1.48
		9:00	25.35	50.78	33.37	7.91	5.97	7.57	1.34
		12:00	25.21	50.87	33.43	7.97	5.98	7.61	1.22
		15:00	25.20	50.73	33.34	7.94	5.96	7.66	1.18
		18:00	25.34	50.70	33.32	7.91	5.97	7.71	1.21
	21:00	25.40	50.68	33.31	7.92	5.94	7.67	0.43	
	日平均值		25.34	50.73	33.34	7.91	5.97	7.94	1.19
	潮口站	0:00	26.89	51.26	33.75	8.33	6.88	2.36	4.35
		3:00	26.73	51.31	33.79	8.36	6.79	1.16	4.17
		6:00	26.40	51.49	33.93	8.34	6.86	0.99	0.10
		9:00	26.49	51.44	33.88	8.31	6.93	1.78	0.56
		12:00	26.96	51.35	33.81	8.36	7.57	3.11	10.99
		15:00	26.81	51.19	33.70	8.37	7.58	1.63	8.29
		18:00	26.45	50.95	33.56	8.36	7.12	0.64	0.27
	21:00	26.41	51.06	33.61	8.37	7.12	1.08	0.29	
	日平均值		26.64	51.26	33.75	8.35	7.11	1.59	3.63
	灣內站	0:00	26.77	50.84	33.51	8.05	5.16	2.22	3.76
		3:00	26.57	50.91	33.55	8.06	5.26	2.75	1.85
		6:00	26.38	50.97	33.58	8.13	5.42	2.93	6.54
9:00		26.3	50.65	33.37	8.09	5.32	3	5.55	
12:00		26.61	50.71	33.42	8.24	6.89	3.79	1.4	
15:00		26.68	50.8	33.48	8.21	6.87	3.77	1.23	
18:00		26.52	50.98	33.58	8.16	6.27	3.25	9.2	
21:00	26.5	51.1	33.64	8.14	5.53	3.08	0.67		
日平均值		26.54	50.87	33.52	8.14	5.84	3.10	3.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月12日	蚵殼站	0:00	25.34	51.26	33.69	7.93	5.99	7.37	0.45
		3:00	25.48	50.85	33.42	7.84	6.02	7.71	0.46
		6:00	25.45	51.54	33.87	7.95	6.06	7.73	0.13
		9:00	25.12	51.70	33.98	7.86	6.60	7.68	0.34
		12:00	25.98	51.32	33.73	7.82	5.84	5.63	0.56
		15:00	26.19	50.87	33.43	7.91	6.96	3.47	0.76
		18:00	26.87	50.73	33.34	8.03	7.14	6.87	0.74
	21:00	26.65	50.70	33.32	8.01	7.07	6.98	0.77	
	日平均值		25.89	51.12	33.60	7.92	6.46	6.68	0.53
	潮口站	0:00	26.40	51.03	33.60	8.32	7.23	2.15	2.65
		3:00	26.45	51.15	33.67	8.38	7.53	1.62	8.83
		6:00	26.28	51.39	33.85	8.35	6.90	1.17	0.10
		9:00	26.45	51.29	33.78	8.36	7.27	1.94	1.52
		12:00	27.54	50.99	33.57	8.42	8.90	3.64	8.75
		15:00	27.76	50.85	33.47	8.44	9.34	2.56	13.30
		18:00	26.80	51.16	33.68	8.36	7.15	1.00	0.24
	21:00	26.73	51.25	33.75	8.41	7.24	1.06	0.99	
	日平均值		26.80	51.14	33.67	8.38	7.70	1.89	4.55
	灣內站	0:00	26.37	51.19	33.71	8.05	5.21	2.72	1.88
		3:00	26.16	51.1	33.64	8.07	5.18	2.48	1.76
		6:00	26.03	51.14	33.68	8.12	5.23	3.46	2.49
9:00		26.19	51.15	33.69	8.15	5.58	3.37	3.04	
12:00		27.03	50.79	33.44	8.26	7.55	2.87	12.42	
15:00		26.99	50.53	33.28	8.31	8.39	3.47	1.38	
18:00		26.64	50.88	33.52	8.22	7.03	3.02	15.47	
21:00	26.53	51.05	33.61	8.01	6.04	1.59	2.92		
日平均值		26.49	50.98	33.57	8.15	6.28	2.87	5.17	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月13日	蚵殼站	0:00	26.54	50.65	33.29	7.97	6.98	7.87	0.81
		3:00	26.87	50.96	33.49	7.88	6.27	7.56	0.93
		6:00	26.67	50.78	33.37	7.93	5.64	7.45	0.45
		9:00	26.59	50.87	33.43	7.94	5.22	6.36	5.45
		12:00	26.57	50.53	33.21	7.97	7.06	6.79	15.21
		15:00	27.15	50.50	33.25	8.09	7.76	6.26	1.86
		18:00	27.05	50.65	33.36	8.06	7.30	6.04	0.98
		21:00	26.99	50.65	33.36	8.05	6.93	8.39	0.43
	日平均值		26.80	50.70	33.35	7.99	6.65	7.09	3.27
	潮口站	0:00	27.10	50.97	33.56	8.38	7.99	2.68	4.81
		3:00	27.12	50.85	33.47	8.41	8.45	1.87	6.48
		6:00	26.41	51.12	33.66	8.34	6.93	1.67	0.10
		9:00	26.70	51.18	33.69	8.37	7.51	1.73	0.35
		12:00	27.22	50.93	33.52	8.39	8.39	3.17	1.22
		15:00	27.38	51.05	33.62	8.41	8.10	3.74	2.97
		18:00	26.99	50.84	33.47	8.33	7.41	1.56	0.59
		21:00	26.61	50.99	33.57	8.29	7.06	0.63	0.10
	日平均值		26.94	50.99	33.57	8.37	7.73	2.13	2.08
	灣內站	0:00	26.57	50.98	33.58	8.09	5.26	1.18	4.14
		3:00	26.18	51.08	33.63	8.15	5.62	1.16	1.55
		6:00	26	51.1	33.64	8.08	5.43	0.75	1.96
9:00		26.27	51.22	33.73	8.19	6.61	0.94	3.43	
12:00		26.87	51.15	33.68	8.28	7.64	2.2	9.32	
15:00		26.99	51.12	33.66	8.32	7.85	2.7	11.28	
18:00		26.92	51.1	33.64	8.07	6.66	1.13	4.21	
21:00		26.71	51.13	33.67	8.18	6.52	0.71	4.1	
日平均值		26.56	51.11	33.65	8.17	6.45	1.35	5.00	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月14日	蚵殼站	0:00	27.00	50.80	33.44	8.05	6.80	7.82	0.18
		3:00	26.99	50.79	33.43	7.99	6.93	6.76	0.30
		6:00	26.83	50.80	33.44	8.02	6.34	6.75	0.03
		9:00	26.79	50.80	33.44	8.03	6.49	6.54	0.16
		12:00	26.67	50.85	33.48	8.05	6.79	6.30	0.50
		15:00	26.69	50.83	33.46	8.04	6.73	6.37	0.12
		18:00	26.54	50.87	33.50	8.02	6.36	6.43	0.26
		21:00	26.26	50.87	33.51	7.99	6.00	7.86	0.19
	日平均值		26.72	50.83	33.46	8.02	6.56	6.85	0.22
	潮口站	0:00	26.88	50.72	33.43	8.34	7.27	1.14	0.37
		3:00	26.95	50.71	33.42	8.30	7.17	1.13	0.55
		6:00	26.39	50.73	33.41	8.26	6.85	1.14	0.46
		9:00	26.40	50.92	33.51	8.28	6.85	1.08	0.14
		12:00	26.43	50.89	33.49	8.25	6.74	3.38	0.16
		15:00	26.67	50.69	33.38	8.29	7.25	1.33	0.46
		18:00	26.44	50.70	33.39	8.27	6.86	2.02	0.54
		21:00	25.94	50.64	33.35	8.26	6.84	0.94	0.44
	日平均值		26.51	50.75	33.42	8.28	6.98	1.52	0.39
	灣內站	0:00	26.68	51.22	33.73	7.92	6.03	0.55	2.64
		3:00	26.6	51.16	33.69	8	5.49	0.92	2.06
		6:00	26.58	51.13	33.67	8.1	5.5	1.15	5.42
9:00		26.53	51.1	33.64	8.15	5.65	1.4	6.06	
12:00		26.3	51.09	33.64	8.18	5.9	1.23	5.14	
15:00		26.22	51.07	33.62	8.08	5.19	0.83	7.59	
18:00		26.08	50.98	33.57	8.02	5.04	0.71	7.82	
21:00		26.02	51.09	33.64	8.08	5.01	0.69	4.83	
日平均值		26.38	51.11	33.65	8.07	5.48	0.94	5.20	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月15日	蚵殼站	0:00	26.09	50.85	33.49	7.94	5.34	8.32	0.43
		3:00	25.79	50.80	33.45	7.95	5.43	6.94	0.01
		6:00	25.60	50.92	33.54	7.96	5.51	7.24	0.38
		9:00	25.58	51.00	33.58	7.99	6.05	7.76	0.22
		12:00	25.73	50.95	33.56	8.01	6.52	8.24	0.02
		15:00	25.88	51.02	33.59	7.99	6.25	7.91	0.34
		18:00	25.52	51.05	33.63	7.97	6.06	7.81	0.01
		21:00	25.43	50.94	33.56	7.98	5.90	8.78	0.34
	日平均值		25.70	50.94	33.55	7.97	5.88	7.88	0.22
	潮口站	0:00	25.93	50.53	33.28	8.27	6.80	1.42	0.16
		3:00	25.81	50.34	33.15	8.23	6.50	1.79	0.19
		6:00	25.72	50.54	33.28	8.24	6.66	1.64	0.43
		9:00	25.87	50.56	33.29	8.26	6.91	1.00	0.05
		12:00	26.15	50.55	33.30	8.25	7.05	1.53	0.17
		15:00	26.48	50.29	33.12	8.28	7.80	4.00	0.35
		18:00	26.32	50.23	33.07	8.34	8.42	3.63	0.30
		21:00	26.10	50.26	33.09	8.33	7.79	1.92	0.47
	日平均值		26.05	50.41	33.20	8.28	7.24	2.12	0.27
	灣內站	0:00	25.99	51.08	33.63	8.04	9.86	0.53	5.91
		3:00	25.59	50.99	33.58	8.07	9.45	0.64	5.8
		6:00	25.5	50.91	33.54	8.05	9.85	0.69	4.47
		9:00	25.52	50.96	33.56	8.08	5.24	1.01	3.82
		12:00	26.09	50.99	33.59	8.21	6.89	1.88	6.4
		15:00	26.28	50.88	33.52	8.2	6.48	2.51	6.65
		18:00	25.98	50.5	33.26	8.11	5.75	2.46	2.05
		21:00	25.8	50.66	33.37	8.05	5.65	1.58	3.19
	日平均值		25.84	50.87	33.51	8.10	7.40	1.41	4.79
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月16日	蚵殼站	0:00	25.32	50.86	33.49	7.98	6.06	7.87	0.19
		3:00	25.22	50.65	33.36	7.97	6.01	6.84	0.14
		6:00	25.20	50.85	33.49	7.98	6.14	7.34	0.03
		9:00	25.32	50.91	33.54	8.00	6.49	8.07	0.07
		12:00	25.34	51.01	33.61	8.01	6.82	8.15	0.04
		15:00	25.50	51.00	33.59	7.99	6.60	7.52	0.12
		18:00	25.43	50.94	33.56	7.98	6.22	8.07	0.01
		21:00	25.37	50.91	33.53	7.99	6.34	7.89	0.16
	日平均值		25.34	50.89	33.52	7.99	6.34	7.72	0.10
	潮口站	0:00	25.84	50.12	33.00	8.30	7.16	1.28	0.93
		3:00	25.70	50.10	32.98	8.32	7.18	1.93	0.55
		6:00	25.65	50.19	33.04	8.26	6.75	1.22	0.32
		9:00	26.06	50.21	32.97	8.28	6.98	0.76	0.39
		12:00	26.43	50.12	32.96	8.29	7.10	1.39	0.08
		15:00	26.30	50.16	32.83	8.31	7.60	2.08	0.62
		18:00	26.07	50.15	32.68	8.33	7.83	2.20	0.82
		21:00	25.93	50.09	32.79	8.27	7.48	2.46	0.34
	日平均值		26.00	50.14	32.91	8.30	7.26	1.67	0.51
	灣內站	0:00	25.59	50.99	33.58	8.02	5.07	1.32	5.16
		3:00	25.39	51.04	33.61	7.93	5.46	1.41	6.03
		6:00	25.31	51.1	33.64	8.04	9.44	2.31	4.2
		9:00	25.59	51.08	33.63	8.09	6.12	2.63	3.31
		12:00	26.1	51.12	33.66	8.29	7.64	3.05	4.52
		15:00	26.12	51.19	33.71	8.28	7.33	4.54	5.7
		18:00	25.99	51.1	33.64	8.1	5.62	3.92	2.16
		21:00	25.67	51	33.58	8.03	5.35	4.43	2.68
	日平均值		25.72	51.08	33.63	8.10	6.50	2.95	4.22
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月17日	蚵殼站	0:00	25.25	50.90	33.53	7.97	6.14	8.27	0.36
		3:00	25.12	50.85	33.48	7.92	6.17	8.83	0.43
		6:00	24.92	50.91	33.53	7.95	5.86	8.47	0.41
		9:00	24.88	51.03	33.61	7.96	6.10	7.83	0.51
		12:00	24.93	51.12	33.67	7.99	6.71	7.72	0.03
		15:00	25.30	51.00	33.59	8.01	7.20	7.32	0.03
		18:00	25.35	50.96	33.57	8.02	7.47	8.44	0.18
		21:00	25.30	50.96	33.57	8.03	7.64	7.36	0.05
	日平均值		25.13	50.97	33.57	7.98	6.66	8.03	0.25
	潮口站	0:00	25.85	50.07	32.98	8.33	7.21	1.23	0.77
		3:00	25.89	50.04	32.96	8.30	6.89	1.05	0.21
		6:00	25.88	49.92	32.88	8.29	6.81	1.09	0.21
		9:00	26.17	50.24	33.09	8.30	7.03	0.92	0.84
		12:00	26.60	50.26	33.10	8.32	7.06	1.03	0.34
		15:00	26.46	50.45	33.23	8.31	7.10	3.14	0.54
		18:00	26.30	50.42	33.21	8.27	7.33	4.77	0.14
		21:00	26.19	50.13	33.02	8.36	7.78	2.95	0.21
	日平均值		26.17	50.19	33.06	8.31	7.15	2.02	0.41
	灣內站	0:00	25.52	51.1	33.64	8.14	5.69	5.19	3.94
		3:00	25.35	51.05	33.61	8.06	5.15	5.03	5.64
		6:00	25.24	51.15	33.68	8.05	5.18	5.39	3.57
		9:00	25.42	51.1	33.64	8.11	5.53	5.93	1.16
		12:00	26.15	51.06	33.62	8.15	5.91	6.33	0.17
		15:00	26.31	50.94	33.55	8.21	6.83	6.72	0.21
18:00		26.12	51.1	33.64	8.16	6.27	6.76	0.48	
21:00		25.95	51.27	33.76	7.93	6.43	6.9	4.18	
日平均值		25.76	51.10	33.64	8.10	5.87	6.03	2.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月18日	蚵殼站	0:00	25.43	50.96	33.57	8.08	8.42	5.68	0.01
		3:00	25.26	50.89	33.52	8.06	8.18	5.70	0.33
		6:00	25.20	50.89	33.52	8.03	7.64	6.14	0.01
		9:00	25.19	50.90	33.53	8.10	8.13	6.77	0.26
		12:00	25.29	50.94	33.56	8.04	8.19	7.78	0.02
		15:00	25.44	51.00	33.58	8.01	7.37	8.41	0.01
		18:00	25.64	50.84	33.47	8.07	8.39	7.52	0.14
		21:00	25.95	50.73	33.41	8.06	8.10	5.96	0.27
	日平均值		25.43	50.89	33.52	8.06	8.05	6.75	0.13
	潮口站	0:00	26.10	50.27	33.11	8.29	7.37	1.86	0.43
		3:00	26.06	50.38	33.18	8.26	6.88	1.13	0.94
		6:00	25.93	50.27	33.11	8.29	6.80	1.67	0.75
		9:00	26.12	50.15	33.03	8.32	7.08	1.16	0.14
		12:00	26.50	50.73	33.41	8.31	7.17	1.05	0.34
		15:00	26.49	50.63	33.35	8.34	7.13	1.09	0.67
		18:00	26.49	50.82	33.47	8.32	7.23	3.57	0.32
		21:00	26.61	50.89	33.52	8.34	8.03	3.75	0.87
	日平均值		26.29	50.52	33.27	8.31	7.21	1.91	0.56
	灣內站	0:00	25.69	50.94	33.54	8.1	5.32	6.26	4.09
		3:00	25.48	51.1	33.64	8.07	5.16	6.45	4.45
		6:00	25.32	51.09	33.63	8.04	5.2	5.73	2.58
		9:00	25.6	51	33.57	8.11	5.55	5.75	2.5
		12:00	26.24	50.4	33.2	8.16	6.39	5.52	0.14
		15:00	26.59	50.26	33.09	8.14	6.34	5.69	0.44
18:00		26.37	50.68	33.37	7.96	5.18	5.82	3.61	
21:00		25.91	50.26	33.1	8.04	5.35	6.2	2.09	
日平均值		25.90	50.72	33.39	8.08	5.56	5.93	2.49	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月19日	蚵殼站	0:00	25.79	50.73	33.40	8.04	7.81	7.41	0.70
		3:00	25.58	50.81	33.45	8.03	7.64	7.30	0.81
		6:00	25.51	50.82	33.46	8.01	7.49	7.14	0.03
		9:00	25.71	50.60	33.33	8.06	7.65	6.93	0.43
		12:00	25.70	50.84	33.48	8.04	7.92	8.39	0.30
		15:00	25.90	50.81	33.45	7.99	6.99	7.71	0.16
		18:00	25.80	50.71	33.39	7.98	6.95	7.61	0.21
	21:00	25.72	50.80	33.41	8.02	7.32	8.60	0.04	
	日平均值		25.71	50.77	33.42	8.02	7.47	7.64	0.34
	潮口站	0:00	26.38	50.73	33.41	8.33	8.12	2.46	0.82
		3:00	26.11	50.89	33.52	8.27	6.99	1.09	0.93
		6:00	26.06	50.80	33.46	8.31	6.94	1.78	0.95
		9:00	26.20	50.70	33.39	8.30	7.06	1.99	0.06
		12:00	26.39	50.82	33.47	8.01	6.85	3.35	0.13
		15:00	26.60	50.70	33.20	8.32	7.50	1.46	0.19
		18:00	26.58	50.86	33.47	8.34	7.63	3.98	0.97
	21:00	26.51	50.94	33.52	8.31	7.25	5.69	1.57	
	日平均值		26.35	50.81	33.43	8.27	7.29	2.73	0.70
	灣內站	0:00	25.55	49.62	32.68	8.04	5.39	6.37	1.19
		3:00	25.35	50.36	33.17	7.93	7.44	5.5	5.75
		6:00	25.15	50.72	33.43	7.98	7.63	5.8	4.03
9:00		25.04	51.3	33.78	8.05	5.69	6.45	0.04	
12:00		26.27	50.85	33.51	8.25	7.34	5.65	0.12	
15:00		26.68	50.97	33.57	8.24	7.19	5.19	0.09	
18:00		26.39	51.1	33.64	8.23	6.83	6.04	0.16	
21:00	26.1	51.12	33.66	8.17	5.76	6.49	0.02		
日平均值		25.82	50.76	33.43	8.11	6.66	5.94	1.43	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月20日	蚵殼站	0:00	25.90	51.17	33.65	8.03	7.56	7.34	0.01
		3:00	25.89	50.66	33.32	8.01	7.43	6.98	0.38
		6:00	25.77	50.84	33.44	8.04	7.07	7.62	0.09
		9:00	25.84	51.14	33.63	8.02	7.28	8.36	0.06
		12:00	25.93	51.24	33.70	8.15	7.24	7.83	3.34
		15:00	26.25	50.93	33.50	8.09	7.38	8.23	2.20
		18:00	26.36	50.90	33.48	8.11	7.73	7.98	2.76
	21:00	26.43	50.97	33.52	8.12	7.87	7.96	3.07	
	日平均值		26.05	50.98	33.53	8.07	7.45	7.79	1.49
	潮口站	0:00	26.49	50.87	33.47	8.32	7.26	3.42	0.75
		3:00	26.09	50.95	33.53	8.29	7.18	2.11	0.10
		6:00	25.92	50.99	33.56	8.31	7.01	2.83	0.10
		9:00	26.21	50.97	33.55	8.26	7.03	3.60	0.11
		12:00	26.58	50.36	33.16	8.24	7.32	1.79	0.10
		15:00	26.55	50.25	33.08	8.33	7.41	2.11	0.17
		18:00	26.61	50.62	33.34	8.32	7.36	3.86	0.13
	21:00	26.80	50.69	33.38	8.27	6.91	6.76	0.77	
	日平均值		26.41	50.71	33.38	8.29	7.19	3.31	0.28
	灣內站	0:00	26.18	51.08	33.63	8.12	5.27	6.12	0.12
		3:00	26.12	51.1	33.65	8.11	5.18	5.87	0.11
		6:00	25.98	51.13	33.67	8.07	5.18	5.96	0.09
9:00		25.2	50.71	33.39	8.18	6.59	6.17	0.15	
12:00		26.68	49.22	32.4	8.42	6.81	5.62	1.44	
15:00		27.04	50.02	32.93	8.43	6.93	5.74	3.55	
18:00		26.88	50.08	32.96	8.4	6.33	5.43	0.49	
21:00	26.67	50.11	32.98	8.39	6.04	5.28	0.52		
日平均值		26.34	50.43	33.20	8.27	6.04	5.77	0.81	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月21日	蚵殼站	0:00	26.47	51.41	33.81	8.11	7.70	8.73	5.02
		3:00	26.32	51.14	33.63	8.09	7.30	7.93	6.18
		6:00	26.19	51.09	33.60	8.08	7.23	7.25	0.87
		9:00	26.16	51.18	33.66	8.07	6.89	7.93	1.80
		12:00	26.24	51.09	33.60	8.04	6.92	7.58	8.63
		15:00	26.77	50.63	33.30	8.08	7.54	8.19	2.18
		18:00	26.82	50.43	33.17	8.09	7.73	7.08	0.92
		21:00	26.87	50.64	33.31	8.11	8.06	7.29	0.26
	日平均值		26.48	50.95	33.51	8.08	7.42	7.75	3.23
	潮口站	0:00	26.61	50.49	33.25	8.26	6.77	4.54	2.65
		3:00	26.20	50.55	33.29	8.31	7.10	2.49	0.26
		6:00	26.09	50.79	33.43	8.32	7.10	3.03	0.10
		9:00	26.50	50.69	33.38	8.28	6.85	6.17	0.20
		12:00	26.71	50.73	33.40	8.33	7.31	4.13	0.18
		15:00	26.85	50.51	33.26	8.36	7.68	1.51	0.34
		18:00	26.78	50.59	33.31	8.35	7.56	1.97	0.34
		21:00	27.52	50.43	33.22	8.29	7.08	5.73	1.69
	日平均值		26.66	50.60	33.32	8.31	7.18	3.70	0.72
	灣內站	0:00	26.48	50.02	32.94	8.39	5.97	5.21	0.93
		3:00	26.33	50.2	33.04	8.33	5.37	5.17	0.55
		6:00	26.2	50.49	33.23	8.27	5.15	4.95	0.1
		9:00	26.51	50.24	33.08	8.3	5.82	5.1	0.01
		12:00	27.24	50.02	32.93	8.41	6.53	5.3	0.76
		15:00	27.56	49.94	32.87	8.4	6.5	5.24	2.45
18:00		27.54	49.95	32.89	8.34	5.62	5.05	0.73	
21:00		27.39	50.02	32.93	8.38	6.03	5.23	0.11	
日平均值		26.91	50.11	32.99	8.35	5.87	5.16	0.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月22日	蚵殼站	0:00	26.88	51.32	33.75	8.12	7.94	7.50	1.88
		3:00	26.84	51.35	33.77	8.09	7.47	6.65	2.03
		6:00	26.65	51.07	33.59	8.08	7.19	6.56	2.16
		9:00	26.98	51.00	33.54	8.09	7.46	5.96	2.72
		12:00	27.13	50.95	33.51	8.09	7.53	6.70	9.84
		15:00	27.17	51.01	33.55	8.05	6.89	8.38	6.75
		18:00	27.08	51.40	33.80	8.02	6.32	7.11	2.02
		21:00	26.98	51.24	33.70	8.01	6.12	7.75	2.11
	日平均值		26.96	51.17	33.65	8.07	7.12	7.08	3.69
	潮口站	0:00	27.58	50.30	33.12	8.31	7.17	3.83	4.78
		3:00	26.72	50.41	33.20	8.33	7.30	2.37	1.36
		6:00	26.39	50.58	33.29	8.32	7.24	2.90	0.14
		9:00	27.38	50.40	33.19	8.27	6.85	5.35	1.96
		12:00	27.29	50.26	33.10	8.31	7.30	3.59	1.65
		15:00	26.84	49.79	32.79	8.37	8.01	2.23	6.60
		18:00	26.78	50.05	32.96	8.36	7.71	2.11	4.37
		21:00	26.92	49.89	32.86	8.32	7.42	5.06	1.70
	日平均值		26.99	50.21	33.06	8.32	7.38	3.43	2.82
	灣內站	0:00	27.02	50.11	32.98	8.26	5.57	5.17	0.1
		3:00	26.61	50.24	33.07	8.34	5.38	4.71	0.18
		6:00	26.42	50.48	33.23	8.29	5.13	5.2	0.13
		9:00	26.8	50.31	33.11	8.33	5.73	5.27	0.14
		12:00	27.1	50.38	33.17	8.38	6.11	5.41	0.61
		15:00	27.1	50.41	33.18	8.39	6.08	5.42	3.61
18:00		27.01	50.38	33.17	8.3	5.42	5.15	3.29	
21:00		27.05	50.36	33.15	8.26	5.26	5.07	0.57	
日平均值		26.89	50.33	33.13	8.32	5.59	5.18	1.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月23日	蚵殼站	0:00	27.03	51.09	33.60	8.03	6.40	7.65	2.43	
		3:00	26.93	51.14	33.63	7.95	6.06	6.76	2.57	
		6:00	26.80	51.12	33.62	7.97	5.80	6.90	0.27	
		9:00	26.91	51.12	33.62	7.93	6.15	8.75	2.88	
		12:00	27.28	51.01	33.55	8.02	6.14	8.26	6.45	
		15:00	27.43	50.80	33.41	7.97	6.08	8.14	5.84	
		18:00	27.35	50.69	33.34	7.96	5.82	7.57	3.96	
	21:00	27.35	50.83	33.43	7.99	5.93	7.86	1.47		
	日平均值		27.14	50.98	33.53	7.98	6.05	7.74	3.23	
	潮口站	0:00	27.08	49.90	32.86	8.31	7.05	3.97	3.19	
		3:00	26.55	50.22	33.06	8.32	7.16	2.84	3.01	
		6:00	26.10	50.31	33.14	8.33	7.31	2.89	0.83	
		9:00	27.01	50.26	33.09	8.26	6.79	7.19	1.21	
		12:00	27.34	50.15	33.01	8.28	7.12	4.94	6.47	
		15:00	26.90	49.79	32.79	8.36	8.13	2.81	9.70	
		18:00	26.67	49.96	32.91	8.35	7.83	2.41	6.52	
	21:00	27.19	49.94	32.89	8.31	7.41	4.00	3.31		
	日平均值		26.86	50.07	32.97	8.32	7.35	3.88	4.28	
	灣內站	0:00	26.92	50.42	33.19	8.18	8.66	4.83	0.93	
		3:00	26.81	50.58	33.29	8.13	7.96	4.99	2.22	
		6:00	26.72	50.43	33.2	8.17	8.82	4.8	0.13	
9:00		27.18	50.19	33.02	8.35	5.52	4.83	0.21		
12:00		27.74	50.02	32.94	8.37	5.52	5.29	0.52		
15:00		27.68	50.16	33	8.39	6	5.18	5.62		
18:00		27.58	50.05	32.95	8.32	5.38	4.98	3.29		
21:00	27.62	50.12	32.98	8.33	5.24	4.87	1.98			
日平均值		27.28	50.25	33.07	8.28	6.64	4.97	1.86		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月24日	蚵殼站	0:00	27.20	51.09	33.60	8.01	5.81	7.53	28.91	
		3:00	27.09	50.87	33.46	8.02	5.67	7.53	44.00	
		6:00	26.93	50.72	33.36	8.00	5.66	7.41	0.48	
		9:00	27.18	50.80	33.41	8.03	6.09	7.08	0.39	
		12:00	27.48	50.69	33.34	8.03	6.36	6.57	6.27	
		15:00	27.30	50.73	33.37	8.04	6.13	7.61	7.02	
		18:00	27.24	50.78	33.40	8.05	5.91	7.72	5.92	
	21:00	27.32	51.00	33.54	8.03	5.93	8.17	0.57		
	日平均值		27.22	50.84	33.44	8.03	5.95	7.45	11.70	
	潮口站	0:00	27.60	49.89	32.85	8.27	6.90	4.21	4.80	
		3:00	26.84	49.83	32.82	8.30	7.14	3.22	3.33	
		6:00	26.20	50.02	32.95	8.34	7.44	2.72	4.18	
		9:00	27.41	49.90	32.86	8.31	6.94	5.78	2.58	
		12:00	27.81	49.69	32.73	8.26	7.01	7.28	6.99	
		15:00	26.85	49.61	32.67	8.34	7.97	3.15	11.00	
		18:00	26.41	49.65	32.71	8.35	7.68	2.05	3.67	
	21:00	27.17	49.64	32.70	8.30	7.46	4.61	4.49		
	日平均值		27.04	49.78	32.79	8.31	7.32	4.13	5.13	
	灣內站	0:00	27.62	50.1	32.98	8.23	5.19	4.59	0.61	
		3:00	27.48	50.13	33	8.07	6.71	4.17	0.21	
		6:00	27.3	50.21	33.03	8.13	7.73	3.92	0.1	
9:00		27.53	50.17	33.02	8.16	5.15	3.74	0.69		
12:00		28.14	50	32.93	8.35	5.59	3.77	1.48		
15:00		27.98	50.14	33.01	8.38	5.9	3.46	7.24		
18:00		27.7	50.05	32.95	8.19	5.18	2.86	0.65		
21:00	27.46	50.21	33.03	8.04	7.25	2.54	0.4			
日平均值		27.65	50.13	32.99	8.19	6.09	3.63	1.42		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月25日	蚵殼站	0:00	27.50	51.01	33.55	8.01	6.10	6.83	1.10
		3:00	27.36	50.90	33.48	8.02	5.88	6.19	3.44
		6:00	27.20	50.70	33.35	8.03	5.83	5.47	0.19
		9:00	27.28	50.64	33.31	8.08	6.15	5.32	0.48
		12:00	27.35	50.67	33.33	8.04	6.69	6.72	4.90
		15:00	27.68	50.41	33.16	8.05	7.05	8.81	10.24
		18:00	27.62	50.50	33.22	8.06	6.63	8.38	2.78
		21:00	27.65	50.80	33.41	8.05	6.73	6.18	0.32
	日平均值		27.46	50.70	33.35	8.04	6.38	6.74	2.93
	潮口站	0:00	27.91	49.61	32.67	8.25	6.87	3.79	5.78
		3:00	27.21	49.65	32.70	8.27	7.00	3.45	4.54
		6:00	26.57	49.76	32.77	8.33	7.48	3.01	2.84
		9:00	27.50	49.64	32.70	8.32	7.13	5.77	6.96
		12:00	28.35	49.52	32.60	8.34	7.47	5.77	10.45
		15:00	27.95	49.44	32.55	8.32	8.03	3.57	12.47
		18:00	27.13	49.33	32.49	8.36	8.13	2.54	9.38
		21:00	27.40	49.40	32.53	8.34	8.00	3.63	8.01
	日平均值		27.50	49.54	32.63	8.32	7.51	3.94	7.55
	灣內站	0:00	27.43	50.21	33.05	8.15	8.69	2.43	0.27
		3:00	27.36	50.13	32.99	8.14	9.38	2.24	0.13
		6:00	27.14	50.24	33.06	8.05	6.59	3.84	0.1
9:00		27.49	50.15	33.02	8.29	5.7	2.35	0.11	
12:00		28.19	50.09	32.98	8.39	6.36	2.67	0.82	
15:00		28.46	49.93	32.87	8.43	7.11	2.8	5.59	
18:00		28.25	50	32.93	8.35	6	2.66	1.53	
21:00		27.98	50.02	32.94	8.14	5.09	2.58	0.1	
日平均值		27.79	50.10	32.98	8.24	6.87	2.70	1.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月26日	蚵殼站	0:00	27.83	51.03	33.56	8.01	7.39	7.38	0.29
		3:00	27.77	50.78	33.40	8.02	7.22	7.19	1.52
		6:00	27.63	50.70	33.35	8.10	7.07	7.33	0.26
		9:00	27.86	50.63	33.30	8.04	7.42	6.81	1.14
		12:00	28.14	50.95	33.51	8.06	7.89	7.55	5.97
		15:00	28.46	50.81	33.42	8.03	8.04	8.90	10.07
		18:00	28.37	51.20	33.67	8.05	7.75	7.17	9.16
		21:00	28.42	51.09	33.60	8.06	7.40	7.60	6.24
	日平均值		28.06	50.90	33.48	8.05	7.52	7.49	4.33
	潮口站	0:00	28.21	49.35	32.50	8.27	7.33	4.26	7.43
		3:00	27.80	49.36	32.50	8.33	7.26	3.84	8.14
		6:00	26.92	49.58	32.64	8.31	7.42	3.28	2.67
		9:00	27.91	49.50	32.60	8.27	7.37	6.42	5.59
		12:00	29.11	49.23	32.41	8.26	7.81	7.79	10.80
		15:00	29.42	49.25	32.43	8.29	8.22	5.88	9.53
		18:00	27.99	49.24	32.43	8.30	7.81	3.32	7.87
		21:00	28.52	49.34	32.48	8.28	7.29	6.15	8.75
	日平均值		28.24	49.36	32.50	8.29	7.56	5.12	7.60
	灣內站	0:00	27.88	50.08	32.97	8.05	5.31	2.58	0.05
		3:00	27.78	50.11	32.98	8.11	5.21	2.75	0.06
		6:00	27.61	50.18	33.01	8.14	8.59	3.04	0.28
9:00		27.94	50.13	32.99	8.37	6.2	2.87	0.12	
12:00		28.35	50.02	32.94	8.34	6.74	2.53	4.51	
15:00		28.27	50.01	32.93	8.44	7.24	2.82	9.97	
18:00		27.93	50.06	32.96	8.48	6.95	3.26	0.34	
21:00		27.84	50.12	32.98	8.42	6.45	4.11	0.22	
日平均值		27.95	50.09	32.97	8.29	6.59	3.00	1.94	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月27日	蚵殼站	0:00	28.15	50.86	33.45	8.05	7.16	6.71	4.47
		3:00	28.10	50.93	33.50	8.04	6.99	5.69	1.03
		6:00	28.04	50.59	33.28	8.06	6.93	4.98	1.06
		9:00	28.13	50.56	33.26	8.04	7.40	6.73	0.57
		12:00	28.16	50.73	33.37	8.05	8.06	7.08	1.91
		15:00	28.57	50.41	33.16	8.03	8.33	8.36	10.15
		18:00	28.72	50.27	33.07	8.04	8.33	5.88	8.11
		21:00	28.91	50.24	33.05	8.02	8.18	5.96	1.17
	日平均值		28.35	50.57	33.27	8.04	7.67	6.42	3.56
	潮口站	0:00	28.44	49.41	32.54	8.27	7.24	5.73	8.73
		3:00	28.12	49.45	32.57	8.26	7.27	4.40	8.40
		6:00	27.64	49.57	32.65	8.24	7.09	4.62	3.02
		9:00	28.39	49.60	32.67	8.27	7.49	5.79	3.11
		12:00	29.64	49.77	32.78	8.23	8.12	7.07	8.52
		15:00	29.73	49.77	32.78	8.25	8.61	5.43	9.98
		18:00	28.32	49.75	32.77	8.17	7.47	3.14	3.25
		21:00	28.26	49.77	32.78	8.14	7.43	3.52	2.74
	日平均值		28.57	49.64	32.69	8.23	7.59	4.96	5.97
	灣內站	0:00	27.99	50.02	32.94	8.32	5.85	3.87	0.04
		3:00	27.88	50.05	32.95	8.18	5.15	4.75	0.16
		6:00	27.7	50.09	32.97	8.19	5.19	4.8	0.22
		9:00	28.05	50.08	32.96	8.27	6.02	4.88	0.02
		12:00	28.88	49.97	32.9	8.45	7.08	4.92	0.19
		15:00	29.1	49.95	32.89	8.47	7.46	4.46	3.16
18:00		28.81	50	32.93	8.46	7.17	4.37	3.7	
21:00		28.53	50.21	33.06	8.29	6.06	5.29	0.33	
日平均值		28.37	50.05	32.95	8.33	6.25	4.67	0.98	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月28日	蚵殼站	0:00	28.90	50.75	33.38	8.05	7.89	5.18	1.71
		3:00	28.81	50.75	33.38	8.06	7.65	5.19	2.24
		6:00	28.72	50.80	33.41	8.03	7.54	6.34	3.79
		9:00	28.72	50.73	33.37	8.02	7.59	6.44	0.96
		12:00	28.83	50.69	33.34	8.04	8.17	5.27	6.07
		15:00	28.91	50.56	33.26	8.06	8.10	7.78	10.18
		18:00	28.77	50.49	33.21	8.05	7.49	8.15	10.49
		21:00	28.56	50.38	33.14	8.02	7.06	7.33	9.19
	日平均值		28.78	50.64	33.31	8.04	7.69	6.46	5.58
	潮口站	0:00	29.02	49.91	32.87	8.19	8.06	3.60	5.88
		3:00	28.94	50.04	32.96	8.18	7.60	3.98	5.19
		6:00	27.80	50.03	32.95	8.13	7.16	4.56	1.15
		9:00	28.35	50.29	33.12	8.11	7.32	5.60	2.52
		12:00	29.48	50.45	33.23	8.14	8.01	8.69	8.32
		15:00	29.25	50.30	33.13	8.21	8.79	6.13	9.06
		18:00	28.27	50.42	33.21	8.15	7.69	4.20	6.16
		21:00	27.64	50.35	33.16	8.11	7.28	4.23	1.98
	日平均值		28.59	50.22	33.08	8.15	7.74	5.12	5.03
	灣內站	0:00	28.47	50	32.93	8.34	5.62	5.04	0.61
		3:00	28.22	50.01	32.94	8.37	5.32	4.63	0.75
		6:00	28.15	50.32	33.13	8.35	5.52	4.58	0.15
		9:00	28.12	50.02	32.93	8.27	5.25	4.29	0.1
		12:00	28.82	49.98	32.91	8.43	6.76	4.39	0.34
		15:00	29.15	49.38	32.51	8.46	6.89	4.87	9.36
18:00		28.74	49.76	32.77	8.44	6.63	5.49	0.91	
21:00		28.51	49.8	32.79	8.37	6.21	4.78	0.18	
日平均值		28.52	49.91	32.86	8.38	6.03	4.76	1.55	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月29日	蚵殼站	0:00	28.30	50.78	33.40	8.01	6.83	8.55	9.04
		3:00	28.10	50.64	33.31	8.02	6.78	6.87	2.41
		6:00	27.88	50.84	33.44	8.03	6.59	7.16	0.50
		9:00	28.17	50.95	33.51	8.06	7.56	6.07	0.35
		12:00	28.28	51.09	33.60	8.03	7.74	7.61	6.77
		15:00	28.53	50.89	33.47	8.04	8.13	7.47	4.95
		18:00	28.44	50.89	33.47	8.05	8.05	7.11	1.36
		21:00	28.38	50.92	33.49	8.06	7.72	7.29	0.92
	日平均值		28.26	50.88	33.46	8.04	7.43	7.27	3.29
	潮口站	0:00	28.21	50.33	33.15	8.18	7.64	4.69	8.51
		3:00	28.04	50.29	33.12	8.16	7.39	4.55	8.53
		6:00	27.00	50.24	33.09	8.15	7.12	4.66	0.76
		9:00	27.20	50.16	33.04	8.12	7.28	6.40	1.54
		12:00	28.22	50.29	33.12	8.15	8.04	6.72	10.38
		15:00	28.79	50.47	33.24	8.21	8.85	5.95	9.40
		18:00	28.31	50.62	33.34	8.19	8.13	4.93	9.28
		21:00	27.36	50.45	33.23	8.14	7.41	4.51	4.06
	日平均值		27.89	50.36	33.17	8.16	7.73	5.30	6.56
	灣內站	0:00	28.21	49.97	32.9	8.29	5.82	4.98	0.11
		3:00	27.84	49.56	32.63	8.28	5.08	5.24	0.14
		6:00	27.71	49.76	32.75	8.16	7.11	4.01	0.1
9:00		28	49.55	32.61	8.43	6.21	3.84	0.16	
12:00		28.61	49.42	32.53	8.45	7.6	3.88	2.49	
15:00		29.1	49.25	32.43	8.34	7.71	3.97	2.96	
18:00		28.82	49.5	32.6	8.42	6.93	3.77	0.49	
21:00		28.69	49.92	32.87	8.18	5.7	3.64	0.1	
日平均值		28.37	49.62	32.67	8.32	6.52	4.17	0.82	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月30日	蚵殼站	0:00	28.32	50.90	33.48	8.04	7.73	6.24	3.76
		3:00	28.19	50.86	33.45	8.02	7.68	6.98	0.80
		6:00	28.07	50.55	33.25	8.03	7.65	5.28	0.62
		9:00	28.03	50.78	33.40	8.04	7.52	6.14	0.17
		12:00	27.81	50.58	33.27	8.07	7.49	7.60	0.04
		15:00	28.53	50.59	33.28	8.04	7.63	6.88	0.73
		18:00	28.62	50.55	33.25	8.06	7.51	7.66	2.68
		21:00	28.69	50.53	33.24	8.05	7.57	6.47	0.28
	日平均值		28.28	50.67	33.33	8.04	7.60	6.66	1.14
	潮口站	0:00	27.60	50.57	33.31	8.15	7.43	5.66	6.17
		3:00	27.44	50.53	33.28	8.16	7.17	5.62	6.06
		6:00	27.02	50.48	33.25	8.14	7.19	5.10	2.61
		9:00	27.20	50.42	33.21	8.16	7.41	4.74	1.04
		12:00	29.24	50.45	33.23	8.14	7.80	6.67	6.16
		15:00	29.66	50.45	33.23	8.17	8.38	6.49	6.95
		18:00	29.31	50.30	33.13	8.21	8.42	4.42	4.86
		21:00	28.69	50.45	33.23	8.18	7.81	5.16	4.89
	日平均值		28.27	50.46	33.23	8.16	7.70	5.48	4.84
	灣內站	0:00	28.34	49.98	32.92	8.31	5.08	3.53	0.11
		3:00	28.2	50	32.93	8.22	5.84	3.62	0.14
		6:00	28.11	49.97	32.91	8.18	5.66	3.38	0.32
9:00		28.27	49.93	32.88	8.28	5.84	3.34	0.23	
12:00		28.93	49.61	32.67	8.43	6	3.47	0.32	
15:00		29.33	49.68	32.71	8.46	6.31	4.11	0.4	
18:00		29.3	49.52	32.62	8.45	6.63	4.5	0.23	
21:00		28.91	49.9	32.85	8.35	5.01	4.19	0.1	
日平均值		28.67	49.82	32.81	8.34	5.80	3.77	0.23	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月31日	蚵殼站	0:00	28.51	50.50	33.22	8.01	7.39	6.18	0.08
		3:00	28.31	50.41	33.16	8.02	7.26	6.08	0.14
		6:00	28.10	50.55	33.25	8.05	7.10	6.16	0.03
		9:00	28.30	50.53	33.24	8.04	6.88	7.57	0.03
		12:00	27.98	50.39	33.15	8.03	6.73	7.04	0.04
		15:00	28.58	50.32	33.10	8.07	6.96	7.46	0.06
		18:00	28.85	50.22	33.04	8.05	7.14	6.54	1.51
		21:00	28.74	50.24	33.05	8.08	6.93	7.04	0.23
	日平均值		28.42	50.40	33.15	8.04	7.05	6.76	0.27
	潮口站	0:00	28.03	50.47	33.24	8.17	7.46	5.30	2.91
		3:00	27.76	50.57	33.31	8.16	7.36	4.83	2.40
		6:00	27.05	50.50	33.26	8.15	7.32	4.44	1.50
		9:00	27.39	50.39	33.19	8.17	7.65	4.17	1.09
		12:00	28.48	50.47	33.24	8.13	7.87	6.00	2.53
		15:00	29.30	50.50	33.26	8.18	7.63	6.41	2.97
		18:00	29.29	50.39	33.19	8.19	7.68	5.20	2.04
		21:00	29.18	50.36	33.17	8.20	7.37	4.72	2.27
	日平均值		28.31	50.46	33.23	8.17	7.54	5.13	2.21
	灣內站	0:00	28.53	49.97	32.9	8.17	6.93	3.59	0.12
		3:00	28.23	49.99	32.93	8.11	7.11	3.36	0.13
		6:00	28.1	50	32.93	8.06	5.02	3.1	0.13
9:00		28.3	50.09	32.98	8.13	6.23	2.99	0.23	
12:00		29.09	49.81	32.78	8.41	5.4	3.1	0.32	
15:00		29.44	49.76	32.76	8.39	5.42	3.16	0.43	
18:00		29.45	49.64	32.68	8.41	5.94	3.22	0.12	
21:00		28.85	49.86	32.82	8.38	5.2	3.09	0.1	
日平均值		28.75	49.89	32.85	8.26	5.91	3.20	0.20	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月1日	蚵殼站	0:00	28.45	51.47	33.87	8.19	6.59	5.26	0.22
		3:00	28.13	51.33	33.78	8.21	6.25	7.27	0.04
		6:00	28.10	51.57	33.94	8.18	6.14	9.43	0.11
		9:00	28.30	51.47	33.87	8.21	6.08	9.37	0.04
		12:00	28.38	51.44	33.85	8.19	6.10	10.01	0.27
		15:00	28.40	51.15	33.66	8.24	6.16	10.73	0.81
		18:00	28.25	51.01	33.57	8.23	6.12	12.15	5.51
		21:00	28.19	50.98	33.55	8.22	5.82	12.65	2.78
	日平均值		28.28	51.30	33.76	8.21	6.16	9.61	1.22
	潮口站	0:00	28.29	51.00	33.59	8.32	7.46	5.33	2.91
		3:00	27.90	50.72	33.40	8.33	7.36	4.76	1.86
		6:00	27.32	50.82	33.47	8.36	7.42	4.50	2.37
		9:00	27.05	50.97	33.57	8.32	7.67	4.51	2.19
		12:00	27.17	50.85	33.49	8.34	8.21	4.46	3.59
		15:00	28.08	50.79	33.45	8.31	7.78	5.83	4.66
		18:00	28.60	51.02	33.60	8.26	7.05	6.28	7.49
		21:00	28.11	51.58	33.97	8.27	7.13	6.03	6.08
	日平均值		27.82	50.97	33.57	8.31	7.51	5.21	3.89
	灣內站	0:00	28.44	49.94	32.88	8.27	6.77	2.98	0.11
		3:00	28.23	49.95	32.89	8.28	6.76	2.87	0.15
		6:00	28.15	49.86	32.83	8.26	6.59	2.80	0.17
9:00		28.20	49.84	32.84	8.27	6.57	2.83	0.23	
12:00		28.43	49.96	32.90	8.28	6.65	2.97	0.10	
15:00		28.68	49.88	32.85	8.27	6.67	6.00	2.14	
18:00		28.48	49.68	32.72	8.29	6.82	4.89	5.60	
21:00		28.31	49.84	32.83	8.28	5.20	12.30	2.91	
日平均值		28.37	49.87	32.84	8.28	6.50	4.71	1.43	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月2日	蚵殼站	0:00	28.12	50.93	33.52	8.19	5.51	13.14	0.05
		3:00	28.02	50.95	33.53	8.25	5.38	12.48	0.06
		6:00	28.01	50.87	33.48	8.25	5.38	8.92	0.09
		9:00	27.78	50.72	33.38	8.25	5.54	6.88	1.00
		12:00	27.65	50.60	33.30	8.23	5.50	7.72	0.24
		15:00	27.44	50.66	33.34	8.24	5.78	10.45	0.92
		18:00	27.49	50.54	33.26	8.23	5.74	6.70	3.50
		21:00	27.47	50.61	33.31	8.28	5.57	6.32	0.16
	日平均值		27.75	50.74	33.39	8.24	5.55	9.08	0.75
	潮口站	0:00	27.61	51.31	33.79	8.27	7.20	5.78	4.67
		3:00	26.95	51.11	33.66	8.29	7.38	5.25	2.33
		6:00	26.80	51.11	33.66	8.31	7.33	5.72	2.28
		9:00	26.66	50.97	33.57	8.27	7.42	4.98	3.11
		12:00	26.67	51.20	33.72	8.31	7.49	5.09	1.98
		15:00	27.04	51.11	33.66	8.28	7.39	9.39	3.77
		18:00	27.94	50.75	33.42	8.26	7.23	7.55	8.51
		21:00	27.93	50.61	33.33	8.28	7.13	5.08	8.35
	日平均值		27.20	51.02	33.60	8.28	7.32	6.11	4.38
	灣內站	0:00	28.14	50.00	32.93	8.26	5.64	19.71	0.21
		3:00	28.08	50.01	32.92	8.22	5.84	17.99	0.37
		6:00	27.92	49.56	32.63	8.24	5.64	17.26	0.41
9:00		27.80	49.95	32.90	8.27	6.52	16.48	0.17	
12:00		27.79	50.01	32.93	8.26	6.49	13.39	0.10	
15:00		27.75	49.68	32.71	8.30	7.87	11.03	2.79	
18:00		27.64	49.78	32.78	8.26	7.15	10.90	0.34	
21:00		27.42	49.88	32.83	8.24	6.16	10.80	0.11	
日平均值		27.82	49.86	32.83	8.26	6.41	14.70	0.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月3日	蚵殼站	0:00	27.26	50.64	33.33	8.25	5.44	6.49	0.25
		3:00	27.11	50.57	33.28	8.33	5.32	7.23	0.32
		6:00	27.03	50.55	33.27	8.28	5.22	8.16	0.08
		9:00	27.05	50.57	33.28	8.30	5.30	13.21	0.10
		12:00	26.98	50.52	33.25	8.31	5.62	12.28	0.40
		15:00	27.26	50.29	33.10	8.27	5.75	7.61	1.48
		18:00	27.45	50.96	33.54	8.24	5.50	8.99	2.09
	21:00	27.32	50.98	33.55	8.27	5.25	7.84	0.93	
	日平均值		27.18	50.64	33.33	8.28	5.43	8.98	0.71
	潮口站	0:00	27.13	51.23	33.74	8.28	7.13	5.89	4.97
		3:00	26.60	51.17	33.70	8.29	7.30	5.71	2.15
		6:00	26.65	51.20	33.72	8.28	7.16	6.04	1.20
		9:00	26.79	51.16	33.69	8.29	7.44	5.69	0.56
		12:00	27.12	50.96	33.56	8.30	7.75	4.88	1.06
		15:00	27.31	50.87	33.50	8.31	8.02	5.21	2.51
		18:00	27.49	50.72	33.40	8.28	7.74	7.99	3.87
	21:00	27.83	50.44	33.22	8.22	6.96	8.36	4.80	
	日平均值		27.12	50.97	33.57	8.28	7.44	6.22	2.64
	灣內站	0:00	27.24	49.94	32.88	8.24	5.66	16.42	0.15
		3:00	27.06	49.94	32.88	8.20	5.23	8.42	0.13
		6:00	26.91	49.97	32.90	8.18	5.04	9.18	0.21
9:00		27.31	49.83	32.81	8.22	5.84	4.54	0.23	
12:00		27.89	49.74	32.76	8.30	7.84	3.87	0.18	
15:00		28.05	49.88	32.83	8.33	8.46	5.18	0.21	
18:00		27.91	49.94	32.88	8.30	7.69	16.50	0.13	
21:00	27.72	49.90	32.86	8.22	6.34	14.41	0.10		
日平均值		27.51	49.89	32.85	8.25	6.51	9.82	0.17	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月4日	蚵殼站	0:00	27.23	50.99	33.56	8.26	5.09	7.43	0.06
		3:00	27.05	51.15	33.66	8.23	5.04	7.69	0.04
		6:00	27.06	50.98	33.55	8.24	5.15	6.35	0.47
		9:00	27.13	50.77	33.41	8.25	5.45	5.98	0.81
		12:00	27.27	50.78	33.42	8.26	6.03	7.78	2.46
		15:00	27.43	50.67	33.35	8.27	6.01	11.36	0.70
		18:00	27.55	50.84	33.46	8.25	5.98	11.45	1.48
	21:00	27.58	50.81	33.44	8.27	6.37	6.76	14.15	
	日平均值		27.29	50.87	33.48	8.25	5.64	8.10	2.52
	潮口站	0:00	27.55	50.99	33.58	8.26	6.95	6.73	5.84
		3:00	27.03	50.93	33.54	8.29	7.45	5.97	2.54
		6:00	27.14	50.90	33.52	8.27	7.31	6.78	1.98
		9:00	27.35	50.79	33.45	8.28	7.30	7.05	1.95
		12:00	27.63	50.61	33.33	8.30	7.89	5.03	1.74
		15:00	27.56	50.56	33.30	8.32	7.78	4.74	2.05
		18:00	27.79	50.52	33.27	8.29	7.85	7.28	5.39
	21:00	28.09	50.78	33.44	8.24	7.29	8.36	6.61	
	日平均值		27.52	50.76	33.43	8.28	7.48	6.49	3.51
	灣內站	0:00	27.43	50.00	32.93	8.16	5.22	8.64	0.15
		3:00	27.26	49.95	32.89	8.16	5.35	4.49	0.10
		6:00	27.22	49.96	32.89	8.23	6.28	4.60	0.13
9:00		27.42	49.84	32.81	8.17	6.31	4.13	0.11	
12:00		27.91	49.89	32.85	8.33	8.43	5.38	0.25	
15:00		28.05	49.96	32.90	8.36	8.94	5.65	0.32	
18:00		28.21	49.93	32.87	8.20	7.05	8.75	0.37	
21:00	28.09	49.79	32.79	8.23	6.93	10.12	0.72		
日平均值		27.70	49.92	32.87	8.23	6.81	6.47	0.27	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月5日	蚵殼站	0:00	27.39	50.83	33.45	8.28	5.94	7.20	14.13
		3:00	27.02	50.89	33.49	8.28	5.62	12.78	5.51
		6:00	26.97	50.95	33.53	8.25	5.58	9.64	0.75
		9:00	27.14	51.34	33.79	8.28	6.13	7.97	5.68
		12:00	27.21	51.24	33.72	8.29	6.41	9.10	13.17
		15:00	27.24	51.34	33.79	8.31	6.14	11.21	2.61
		18:00	27.49	51.19	33.69	8.26	6.66	9.14	1.36
		21:00	27.45	51.01	33.57	8.25	6.48	7.68	2.64
	日平均值		27.24	51.10	33.63	8.28	6.12	9.34	5.73
	潮口站	0:00	27.81	50.79	33.45	8.25	7.12	7.51	8.47
		3:00	27.07	50.84	33.48	8.30	7.37	5.93	1.49
		6:00	27.13	50.82	33.47	8.29	7.27	6.91	1.48
		9:00	27.42	50.81	33.46	8.27	7.15	9.38	5.00
		12:00	27.64	51.20	33.72	8.28	7.46	6.31	3.53
		15:00	27.50	51.07	33.63	8.30	7.71	5.27	6.72
		18:00	27.48	51.10	33.65	8.27	7.58	7.60	5.90
		21:00	27.42	51.02	33.60	8.25	7.34	8.32	5.68
	日平均值		27.43	50.96	33.56	8.28	7.38	7.15	4.78
	灣內站	0:00	27.54	49.99	32.92	8.27	7.18	5.11	1.36
		3:00	27.26	50.00	32.93	8.14	5.23	5.23	0.16
		6:00	27.14	50.03	32.95	8.18	5.16	3.70	0.18
9:00		27.42	49.83	32.81	8.29	5.15	2.92	2.21	
12:00		27.85	49.89	32.83	8.42	5.49	2.62	6.73	
15:00		27.99	49.85	32.84	8.40	5.22	1.48	1.05	
18:00		27.84	49.95	32.89	8.32	7.49	3.77	0.39	
21:00		27.54	49.89	32.84	8.28	8.11	4.01	2.63	
日平均值		27.57	49.93	32.88	8.29	6.13	3.61	1.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月6日	蚵殼站	0:00	27.20	51.08	33.62	8.21	6.19	6.85	15.38
		3:00	27.16	50.96	33.54	8.19	5.86	9.94	5.33
		6:00	27.16	50.80	33.43	8.21	5.88	6.77	2.94
		9:00	26.99	51.42	33.84	8.19	6.06	7.16	2.49
		12:00	27.04	51.30	33.76	8.24	7.94	6.93	14.11
		15:00	26.97	51.02	33.59	8.25	7.59	5.90	15.73
		18:00	26.78	51.22	33.72	8.24	6.97	9.57	13.18
		21:00	26.63	51.19	33.70	8.26	6.53	7.40	15.65
	日平均值		26.99	51.12	33.65	8.22	6.63	7.57	10.60
	潮口站	0:00	27.42	50.97	33.57	8.28	7.42	7.57	9.57
		3:00	27.14	51.00	33.59	8.29	7.21	6.99	3.19
		6:00	27.09	51.28	33.77	8.25	7.14	8.01	4.55
		9:00	27.03	51.17	33.70	8.20	7.14	8.36	7.23
		12:00	27.01	51.19	33.71	8.22	7.04	7.51	7.44
		15:00	27.12	51.16	33.69	8.23	7.14	6.29	1.40
		18:00	27.06	51.25	33.75	8.21	7.22	7.93	4.76
		21:00	26.96	51.13	33.67	8.22	7.25	8.35	7.56
	日平均值		27.10	51.14	33.68	8.24	7.20	7.63	5.71
	灣內站	0:00	27.31	49.92	32.86	8.34	6.91	3.77	4.53
		3:00	27.18	50.00	32.93	8.28	5.77	3.68	0.43
		6:00	27.04	49.99	32.92	8.19	5.47	3.36	0.20
9:00		26.93	50.00	32.93	8.21	5.54	3.41	0.88	
12:00		26.94	50.41	33.20	8.26	7.57	3.87	5.45	
15:00		26.92	51.37	33.84	8.29	7.38	3.68	4.27	
18:00		26.80	51.40	33.86	8.23	5.74	2.12	2.21	
21:00		26.59	51.39	33.88	8.20	5.39	2.00	0.68	
日平均值		26.96	50.56	33.30	8.25	6.22	3.24	2.33	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月7日	蚵殼站	0:00	26.43	50.95	33.54	8.23	6.20	7.52	15.81	
		3:00	26.05	50.78	33.43	8.24	6.44	10.32	11.23	
		6:00	25.93	50.82	33.46	8.25	6.46	11.74	6.18	
		9:00	25.91	50.79	33.44	8.23	6.53	11.52	2.19	
		12:00	26.15	50.70	33.38	8.24	7.11	8.20	5.55	
		15:00	26.29	50.88	33.50	8.26	7.45	8.02	10.44	
		18:00	26.34	50.92	33.52	8.25	7.14	8.11	4.32	
		21:00	26.25	50.93	33.53	8.24	6.87	8.17	9.57	
	日平均值			26.17	50.85	33.48	8.24	6.78	9.20	8.16
	潮口站	0:00	26.98	51.34	33.81	8.23	7.16	7.01	10.65	
		3:00	26.76	51.17	33.70	8.19	6.97	6.47	2.04	
		6:00	26.72	51.22	33.73	8.16	6.92	8.70	1.03	
		9:00	25.37	51.29	33.78	8.18	6.26	8.53	16.50	
		12:00	26.85	50.79	33.45	8.29	7.07	9.38	15.76	
		15:00	27.16	50.72	33.40	8.30	6.89	7.09	0.41	
		18:00	27.04	50.86	33.48	8.33	6.96	6.30	2.16	
		21:00	26.95	51.45	33.88	8.32	7.06	9.15	8.99	
	日平均值			26.73	51.11	33.65	8.25	6.91	7.83	7.19
	灣內站	0:00	26.31	51.06	33.61	8.23	5.92	1.78	0.72	
		3:00	26.13	50.90	33.49	8.25	6.15	2.41	0.46	
		6:00	26.07	50.91	33.50	8.25	6.06	3.52	0.10	
		9:00	26.30	50.89	33.49	8.24	5.98	2.58	0.12	
		12:00	26.71	50.79	33.43	8.24	6.98	2.15	2.27	
		15:00	26.87	50.69	33.39	8.28	8.66	1.55	10.64	
		18:00	26.70	50.87	33.48	8.26	8.08	1.21	10.29	
		21:00	26.47	50.86	33.47	8.27	7.67	0.98	11.27	
	日平均值			26.45	50.87	33.48	8.25	6.94	2.02	4.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月8日	蚵殼站	0:00	26.09	50.93	33.53	8.24	6.76	11.67	16.34	
		3:00	25.91	50.95	33.54	8.22	6.50	13.32	7.03	
		6:00	25.81	50.82	33.46	8.21	6.44	10.89	3.56	
		9:00	25.77	50.78	33.43	8.22	6.81	8.01	11.99	
		12:00	26.12	50.90	33.51	8.25	7.45	8.45	15.03	
		15:00	26.20	50.88	33.50	8.26	7.69	9.62	15.59	
		18:00	26.10	50.85	33.48	8.24	7.45	9.71	16.97	
		21:00	26.06	50.61	33.32	8.23	7.73	7.79	12.61	
	日平均值			26.01	50.84	33.47	8.23	7.10	9.93	12.39
	潮口站	0:00	26.79	51.22	33.73	8.28	6.71	8.97	9.86	
		3:00	26.75	51.75	34.07	8.26	6.73	7.48	1.58	
		6:00	26.79	51.81	34.11	8.28	6.70	7.38	0.33	
		9:00	26.78	51.64	34.01	8.24	6.77	12.33	5.65	
		12:00	26.96	51.60	33.99	8.28	7.40	12.12	16.61	
		15:00	27.26	50.58	33.30	8.23	7.05	7.40	5.04	
		18:00	27.01	50.98	33.56	8.24	6.96	6.25	3.54	
		21:00	27.00	51.28	33.76	8.20	6.95	8.96	11.05	
	日平均值			26.92	51.36	33.82	8.25	6.91	8.86	6.71
	灣內站	0:00	26.26	50.87	33.48	8.19	5.68	1.49	2.76	
		3:00	26.05	50.89	33.48	8.21	5.96	1.27	1.23	
		6:00	25.97	50.78	33.43	8.19	5.90	1.13	0.93	
		9:00	26.22	50.65	33.34	8.28	8.11	1.50	4.35	
		12:00	26.69	50.20	33.03	8.33	10.11	2.09	12.72	
		15:00	26.89	50.52	33.26	8.39	10.88	1.67	11.19	
		18:00	26.72	50.89	33.48	8.35	9.61	1.27	12.89	
		21:00	26.63	50.90	33.49	8.31	8.77	1.23	3.14	
	日平均值			26.43	50.71	33.37	8.28	8.13	1.46	6.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月9日	蚵殼站	0:00	26.12	50.55	33.28	8.24	7.63	7.46	11.69
		3:00	26.08	50.50	33.25	8.22	7.40	7.42	6.92
		6:00	25.92	50.52	33.26	8.21	6.89	8.72	6.64
		9:00	25.96	50.52	33.26	8.23	7.14	8.81	4.98
		12:00	26.32	50.46	33.22	8.25	7.68	10.47	13.73
		15:00	26.71	50.26	33.09	8.26	7.93	10.34	15.74
		18:00	26.77	50.40	33.18	8.27	8.08	9.20	9.04
	21:00	26.53	50.20	33.05	8.25	7.93	7.48	16.03	
	日平均值		26.30	50.43	33.20	8.24	7.59	8.74	10.60
	潮口站	0:00	26.79	51.07	33.63	8.18	6.78	8.75	8.29
		3:00	26.83	51.58	33.96	8.19	6.77	7.89	2.56
		6:00	26.90	51.88	34.18	8.20	6.78	6.98	0.25
		9:00	26.92	51.54	33.94	8.17	6.94	12.96	6.12
		12:00	27.59	51.30	33.78	8.21	8.25	10.33	15.50
		15:00	27.57	51.01	33.59	8.22	7.87	8.10	15.23
		18:00	27.21	51.77	34.08	8.23	7.22	7.17	5.96
	21:00	27.09	51.53	33.92	8.19	7.51	7.58	13.03	
	日平均值		27.11	51.46	33.89	8.20	7.27	8.72	8.37
	灣內站	0:00	26.42	50.81	33.45	8.27	7.71	1.64	1.44
		3:00	26.39	50.89	33.49	8.15	6.07	1.19	0.82
		6:00	26.24	50.90	33.49	8.15	5.38	1.69	0.69
9:00		26.37	50.77	33.43	8.30	8.53	2.10	1.63	
12:00		27.39	50.47	33.23	8.37	10.39	2.27	6.13	
15:00		27.99	49.97	32.90	8.36	10.64	2.30	7.07	
18:00		27.55	50.18	33.03	8.37	10.35	2.05	8.36	
21:00	27.14	50.43	33.20	8.33	9.44	1.71	1.20		
日平均值		26.94	50.55	33.28	8.29	8.56	1.87	3.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月10日	蚵殼站	0:00	26.61	49.97	32.90	8.26	7.83	6.57	4.13
		3:00	26.41	49.69	32.73	8.24	7.55	6.20	3.13
		6:00	26.30	49.65	32.70	8.25	7.36	7.96	3.29
		9:00	26.39	50.34	33.14	8.21	6.50	16.41	3.20
		12:00	26.66	50.01	32.94	8.26	7.45	7.57	12.50
		15:00	26.99	49.67	32.72	8.29	7.77	6.81	14.56
		18:00	26.87	49.78	32.79	8.25	7.51	6.94	14.26
	21:00	26.88	49.82	32.82	8.24	7.36	6.68	9.99	
	日平均值		26.64	49.87	32.84	8.25	7.42	8.14	8.13
	潮口站	0:00	27.17	51.22	33.72	8.16	7.35	8.33	14.43
		3:00	27.03	51.59	33.97	8.16	7.10	8.28	6.51
		6:00	27.07	51.82	34.13	8.17	6.90	7.72	1.01
		9:00	27.53	51.48	33.89	8.18	7.46	8.38	4.03
		12:00	27.73	51.30	33.77	8.17	7.75	14.00	12.03
		15:00	27.90	51.04	33.62	8.22	8.20	9.94	14.87
		18:00	27.88	51.28	33.77	8.16	7.17	7.64	4.00
	21:00	27.65	51.59	33.97	8.18	7.20	7.40	5.21	
	日平均值		27.50	51.42	33.86	8.18	7.39	8.96	7.76
	灣內站	0:00	26.97	50.74	33.42	8.33	8.80	1.22	2.48
		3:00	26.52	50.86	33.47	8.29	8.27	0.80	1.54
		6:00	26.45	50.90	33.49	8.31	8.57	0.70	0.19
9:00		26.83	50.81	33.45	8.32	8.98	0.75	0.10	
12:00		27.47	50.70	33.40	8.36	9.86	0.97	0.92	
15:00		27.80	50.75	33.42	8.37	9.85	0.91	5.27	
18:00		27.42	50.73	33.41	8.37	9.65	0.50	4.83	
21:00	27.24	50.72	33.42	8.28	8.23	0.27	0.38		
日平均值		27.09	50.78	33.44	8.33	9.03	0.77	1.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
4月11日	蚵殼站	0:00	26.97	49.54	32.63	8.29	7.67	5.55	0.70
		3:00	26.83	49.53	32.62	8.27	7.37	5.65	1.47
		6:00	26.74	49.37	32.52	8.28	7.18	5.59	0.40
		9:00	26.66	49.58	32.64	8.30	6.98	8.74	0.54
		12:00	26.83	49.48	32.57	8.35	7.49	8.92	3.10
		15:00	27.09	49.40	32.53	8.37	7.75	7.70	10.72
		18:00	27.05	49.48	32.57	8.36	7.42	8.29	16.09
		21:00	26.84	49.35	32.51	8.37	7.09	8.67	7.98
	日平均值		26.88	49.47	32.57	8.32	7.37	7.39	5.13
	潮口站	0:00	27.51	51.35	33.81	8.17	7.20	8.31	8.67
		3:00	27.47	51.37	33.82	8.17	6.97	7.95	5.63
		6:00	27.50	51.49	33.90	8.16	6.85	8.30	1.33
		9:00	27.69	51.49	33.91	8.16	7.04	9.15	3.07
		12:00	28.19	51.26	33.75	8.15	7.62	11.60	7.72
		15:00	28.12	51.15	33.68	8.20	7.91	10.20	16.66
		18:00	28.09	51.23	33.73	8.21	7.18	8.92	6.96
		21:00	28.11	51.39	33.83	8.13	6.71	7.85	1.05
	日平均值		27.84	51.34	33.80	8.17	7.19	9.04	6.39
	灣內站	0:00	27.20	50.73	33.43	8.21	7.07	0.05	0.13
		3:00	27.02	50.72	33.41	8.15	6.09	0.01	0.12
		6:00	26.89	50.76	33.43	8.18	6.28	0.00	0.14
9:00		27.07	50.73	33.41	8.30	8.63	0.01	0.10	
12:00		27.61	50.67	33.37	8.36	9.65	0.05	1.10	
15:00		28.14	50.58	33.30	8.34	9.52	0.28	4.34	
18:00		27.75	50.68	33.38	8.33	9.18	0.08	3.86	
21:00		27.31	50.85	33.47	8.27	7.84	0.02	1.31	
日平均值		27.37	50.72	33.40	8.27	8.03	0.06	1.39	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
4月12日	蚵殼站	0:00	26.74	49.29	32.58	8.42	7.02	8.16	7.17
		3:00	26.54	49.39	32.52	8.39	6.66	11.71	4.65
		6:00	26.51	49.50	32.58	8.36	6.38	15.54	3.80
		9:00	26.54	49.50	32.58	8.39	6.60	13.67	8.95
		12:00	26.68	49.41	32.52	8.40	6.85	10.97	4.36
		15:00	27.00	49.39	32.51	8.43	7.44	8.43	8.01
		18:00	26.72	49.42	32.53	8.44	7.14	13.26	11.04
		21:00	26.38	49.50	32.58	8.40	6.77	14.08	6.53
	日平均值		26.64	49.43	32.55	8.40	6.86	11.98	6.81
	潮口站	0:00	27.72	51.20	33.72	8.15	6.98	9.16	5.43
		3:00	27.64	51.28	33.77	8.14	6.67	9.05	3.41
		6:00	27.70	51.66	34.02	8.15	6.40	7.90	0.16
		9:00	27.78	51.60	33.98	8.12	6.54	10.19	0.24
		12:00	27.59	51.33	33.81	8.11	6.80	13.62	4.66
		15:00	27.75	51.11	33.66	8.14	7.14	11.68	11.43
		18:00	27.57	50.93	33.55	8.18	7.11	7.60	13.49
		21:00	27.26	51.18	33.71	8.14	6.56	6.86	1.34
	日平均值		27.63	51.29	33.78	8.14	6.78	9.51	5.02
	灣內站	0:00	27.11	50.77	33.43	8.31	8.18	0.03	3.48
		3:00	26.84	50.79	33.44	8.30	7.74	0.01	4.95
		6:00	26.60	50.90	33.49	8.29	7.38	0.02	2.53
9:00		26.58	50.86	33.47	8.25	6.82	0.05	0.24	
12:00		26.79	50.83	33.46	8.29	7.52	0.75	0.46	
15:00		27.08	50.88	33.48	8.34	8.45	0.97	2.71	
18:00		26.54	50.82	33.46	8.33	8.01	0.96	7.18	
21:00		26.28	50.89	33.49	8.29	7.40	0.77	3.98	
日平均值		26.73	50.84	33.47	8.30	7.69	0.45	3.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月13日	蚵殼站	0:00	26.03	50.13	32.99	8.38	6.56	12.82	3.95	
		3:00	25.74	50.06	32.95	8.37	6.48	12.16	3.81	
		6:00	25.44	50.02	32.92	8.43	6.40	14.45	5.53	
		9:00	25.74	49.91	32.85	8.45	6.68	11.45	1.27	
		12:00	25.96	50.00	32.91	8.37	7.16	9.50	0.30	
		15:00	25.90	49.74	32.74	8.44	7.42	8.37	2.07	
		18:00	25.82	49.70	32.71	8.36	7.29	8.17	5.48	
		21:00	25.60	49.42	32.53	8.38	6.89	8.13	5.39	
	日平均值			25.78	49.87	32.83	8.40	6.86	10.63	3.48
	潮口站	0:00	27.01	51.07	33.62	8.15	6.56	6.59	1.27	
		3:00	26.74	51.02	33.59	8.14	6.38	6.22	0.66	
		6:00	26.33	51.04	33.61	8.13	6.51	5.75	0.15	
		9:00	27.15	51.17	33.69	8.16	6.57	5.86	0.23	
		12:00	27.22	50.94	33.55	8.15	6.73	9.07	0.31	
		15:00	27.40	50.68	33.37	8.17	6.91	12.25	5.04	
		18:00	27.22	50.60	33.33	8.16	6.86	9.07	10.34	
		21:00	26.88	50.59	33.32	8.19	6.78	7.22	8.14	
	日平均值			26.99	50.89	33.51	8.16	6.66	7.75	3.27
	灣內站	0:00	26.03	50.80	33.43	8.27	6.95	0.59	2.27	
		3:00	25.94	50.81	33.44	8.19	5.82	0.25	0.32	
		6:00	25.75	50.87	33.48	8.20	5.83	0.35	0.10	
		9:00	25.99	50.91	33.50	8.20	5.99	0.26	0.10	
		12:00	26.63	50.84	33.46	8.31	8.36	0.18	0.32	
		15:00	26.81	50.60	33.33	8.34	9.41	0.14	5.26	
		18:00	26.49	50.14	33.00	8.31	9.26	0.15	5.23	
		21:00	26.33	50.85	33.46	8.23	6.82	0.01	0.14	
	日平均值			26.25	50.73	33.39	8.26	7.31	0.24	1.72
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月14日	蚵殼站	0:00	25.39	49.56	32.62	8.36	6.75	8.93	4.35	
		3:00	25.26	49.93	32.86	8.42	6.74	8.34	2.70	
		6:00	25.20	49.82	32.79	8.44	6.79	7.53	1.38	
		9:00	25.20	49.93	32.86	8.43	7.11	7.53	0.79	
		12:00	25.53	49.74	32.74	8.41	7.41	7.93	0.10	
		15:00	25.76	49.76	32.75	8.37	7.59	7.80	1.58	
		18:00	25.84	50.32	33.12	8.36	7.51	7.17	0.43	
		21:00	25.60	50.11	32.98	8.35	7.35	6.79	1.65	
	日平均值			25.47	49.90	32.84	8.39	7.16	7.75	1.62
	潮口站	0:00	26.82	50.70	33.40	8.17	6.57	6.14	0.94	
		3:00	26.79	50.77	33.43	8.22	6.48	5.83	0.28	
		6:00	26.84	50.73	33.40	8.19	6.58	5.86	0.51	
		9:00	27.32	50.47	33.23	8.21	6.74	5.79	0.15	
		12:00	27.41	50.17	33.02	8.22	6.97	7.04	2.50	
		15:00	27.36	50.02	32.92	8.20	7.02	10.71	2.61	
		18:00	27.05	50.46	33.23	8.23	7.12	9.36	2.32	
		21:00	26.71	50.84	33.48	8.25	7.08	7.75	2.64	
	日平均值			27.04	50.52	33.26	8.21	6.82	7.31	1.49
	灣內站	0:00	25.92	50.89	33.49	8.21	5.75	0.94	0.10	
		3:00	25.59	50.87	33.47	8.17	5.32	2.32	0.15	
		6:00	25.42	50.86	33.48	8.11	5.46	2.62	0.21	
		9:00	25.66	50.91	33.50	8.17	5.56	2.82	0.11	
		12:00	26.33	50.91	33.50	8.29	7.56	2.70	0.16	
		15:00	26.49	50.89	33.49	8.34	9.16	2.25	0.82	
		18:00	26.42	51.99	33.45	8.31	9.21	2.35	0.63	
		21:00	26.09	51.65	33.23	8.29	7.23	2.20	0.12	
	日平均值			25.99	51.12	33.45	8.24	6.91	2.28	0.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月15日	蚵殼站	0:00	25.45	50.57	33.28	8.36	7.06	6.46	3.80
		3:00	25.39	50.52	33.25	8.34	6.90	6.03	6.27
		6:00	25.26	50.54	33.26	8.36	6.92	5.83	0.04
		9:00	25.32	50.46	33.21	8.34	7.33	6.06	3.82
		12:00	25.62	50.48	33.22	8.39	7.16	9.65	16.14
		15:00	25.90	50.28	33.09	8.40	7.10	12.75	5.74
		18:00	25.86	50.41	33.18	8.39	7.14	9.67	4.49
	21:00	25.69	50.22	33.05	8.41	6.97	8.38	1.95	
	日平均值		25.56	50.44	33.19	8.37	7.07	8.10	5.28
	潮口站	0:00	26.96	51.14	33.68	8.31	6.96	6.83	1.17
		3:00	27.04	50.79	33.45	8.27	6.78	6.60	1.39
		6:00	27.02	51.14	33.68	8.29	6.62	6.97	1.44
		9:00	27.47	51.28	33.77	8.26	7.04	6.94	1.01
		12:00	27.79	51.11	33.66	8.27	7.15	7.66	1.26
		15:00	27.40	51.11	33.66	8.30	7.13	9.63	2.03
		18:00	27.18	51.23	33.74	8.32	6.95	10.76	1.67
	21:00	26.89	51.20	33.72	8.26	6.75	9.93	1.01	
	日平均值		27.22	51.13	33.67	8.29	6.92	8.17	1.37
	灣內站	0:00	25.80	51.63	33.22	8.27	5.74	1.99	0.43
		3:00	25.56	51.96	33.43	8.15	5.85	1.87	0.97
		6:00	25.51	51.82	33.34	8.15	5.26	1.43	0.23
9:00		25.88	51.79	33.32	8.30	6.55	1.56	0.14	
12:00		26.00	51.94	33.42	8.37	8.26	1.62	1.21	
15:00		26.03	51.62	33.21	8.36	8.34	1.93	0.62	
18:00		26.00	51.63	33.22	8.37	7.40	1.76	0.83	
21:00	25.78	52.08	33.51	8.33	5.97	2.19	0.01		
日平均值		25.82	51.81	33.33	8.29	6.67	1.79	0.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月16日	蚵殼站	0:00	25.44	51.08	33.62	8.38	6.69	9.45	8.19
		3:00	25.18	50.96	33.54	8.39	6.51	8.97	3.84
		6:00	25.22	50.80	33.43	8.40	6.56	7.09	2.25
		9:00	25.32	51.12	33.64	8.38	6.91	7.80	0.85
		12:00	25.63	51.30	33.76	8.39	7.18	7.98	2.88
		15:00	25.98	51.04	33.59	8.41	7.44	7.00	5.97
		18:00	26.07	51.24	33.72	8.40	7.43	6.64	2.63
	21:00	25.99	51.21	33.70	8.39	7.35	6.06	1.82	
	日平均值		25.60	51.09	33.63	8.39	7.01	7.62	3.55
	潮口站	0:00	26.96	51.22	33.73	8.28	6.64	8.21	1.14
		3:00	27.00	51.19	33.71	8.29	6.47	7.93	1.26
		6:00	27.01	51.26	33.76	8.26	6.38	8.51	1.46
		9:00	27.06	51.32	33.80	8.32	6.78	8.42	1.04
		12:00	27.49	51.28	33.77	8.28	6.99	7.93	1.15
		15:00	27.34	51.44	33.88	8.26	7.08	9.82	2.07
		18:00	27.33	51.55	33.95	8.29	6.97	10.10	2.21
	21:00	27.30	51.54	33.94	8.31	6.72	9.94	1.40	
	日平均值		27.19	51.35	33.82	8.29	6.75	8.86	1.47
	灣內站	0:00	25.52	52.00	33.46	8.33	5.88	2.28	0.13
		3:00	25.43	52.16	33.56	8.29	5.11	2.01	0.18
		6:00	25.49	51.99	33.45	8.31	5.59	2.05	1.00
9:00		25.85	51.79	33.32	8.32	6.79	1.40	0.79	
12:00		26.28	51.96	33.43	8.36	8.04	1.11	0.47	
15:00		26.59	51.79	33.32	8.37	7.99	1.40	0.93	
18:00		26.87	51.63	33.22	8.37	7.79	1.75	0.73	
21:00	26.55	51.65	33.23	8.28	6.64	1.79	1.27		
日平均值		26.07	51.87	33.37	8.33	6.73	1.72	0.69	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月17日	蚵殼站	0:00	25.90	50.96	33.54	8.41	7.12	5.50	3.54	
		3:00	25.79	50.80	33.43	8.39	6.90	5.19	1.94	
		6:00	25.80	50.84	33.46	8.37	6.92	5.28	0.55	
		9:00	25.90	50.81	33.44	8.35	7.20	5.79	0.24	
		12:00	25.94	50.72	33.38	8.39	7.43	7.42	3.29	
		15:00	26.55	50.90	33.50	8.37	7.49	6.38	9.44	
		18:00	26.73	50.93	33.52	8.38	7.45	6.28	4.63	
		21:00	26.72	50.95	33.53	8.36	7.42	4.58	1.75	
	日平均值		26.17	50.86	33.48	8.38	7.24	5.80	3.17	
	潮口站	0:00	27.21	50.91	33.53	8.32	6.69	8.80	1.05	
		3:00	27.11	51.38	33.84	8.33	6.37	8.35	1.30	
		6:00	27.05	51.46	33.89	8.36	6.13	8.92	1.47	
		9:00	27.29	50.87	33.50	8.32	6.46	9.23	1.09	
		12:00	28.13	50.84	33.48	8.34	6.43	8.01	1.05	
		15:00	28.14	50.79	33.45	8.31	6.28	8.69	1.82	
		18:00	27.82	51.07	33.63	8.26	6.30	10.16	2.21	
		21:00	27.88	50.87	33.50	8.27	6.22	10.14	2.24	
	日平均值		27.58	51.02	33.60	8.31	6.36	9.04	1.53	
	灣內站	0:00	26.24	52.16	33.56	8.21	5.22	1.63	1.10	
		3:00	26.13	52.37	33.70	8.15	5.53	1.37	0.24	
		6:00	26.04	52.45	33.75	8.18	5.73	1.19	1.16	
9:00		26.55	52.26	33.63	8.30	5.96	1.05	0.42		
12:00		27.31	52.05	33.49	8.36	7.60	1.09	0.38		
15:00		27.68	52.11	33.53	8.34	8.05	1.40	0.73		
18:00		27.62	52.17	33.57	8.33	7.15	0.50	1.31		
21:00		27.47	52.28	33.64	8.27	6.29	0.66	0.69		
日平均值		26.88	52.23	33.61	8.27	6.44	1.11	0.75		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月18日	蚵殼站	0:00	26.80	50.61	33.31	8.35	7.30	4.58	1.29	
		3:00	26.75	50.89	33.49	8.35	7.07	4.38	1.50	
		6:00	26.55	50.77	33.41	8.32	6.96	4.95	1.47	
		9:00	26.60	50.51	33.24	8.33	7.11	5.47	2.29	
		12:00	26.96	50.35	33.14	8.34	7.10	7.52	1.04	
		15:00	27.29	50.58	33.29	8.35	7.12	10.23	1.70	
		18:00	27.43	50.43	33.19	8.34	7.08	7.07	1.53	
		21:00	27.26	50.67	33.35	8.34	7.00	6.70	1.56	
	日平均值		26.96	50.60	33.30	8.34	7.09	6.36	1.55	
	潮口站	0:00	27.81	51.07	33.63	8.27	6.18	9.60	1.13	
		3:00	27.66	51.57	33.96	8.29	5.84	8.99	1.31	
		6:00	27.58	51.90	34.18	8.31	5.83	9.54	1.53	
		9:00	27.68	51.54	33.94	8.27	5.92	10.46	1.16	
		12:00	28.42	51.29	33.78	8.31	6.39	9.43	1.04	
		15:00	28.33	51.00	33.59	8.28	6.44	9.38	1.45	
		18:00	28.60	51.75	34.08	8.26	6.48	11.87	1.96	
		21:00	28.78	51.51	33.92	8.28	6.28	12.91	1.88	
	日平均值		28.11	51.45	33.89	8.28	6.17	10.27	1.43	
	灣內站	0:00	27.22	51.96	33.43	8.31	5.32	1.32	0.35	
		3:00	26.93	52.03	33.48	8.30	5.43	1.12	0.83	
		6:00	26.79	52.00	33.46	8.29	5.69	1.11	0.58	
9:00		27.24	51.97	33.44	8.25	5.29	0.03	0.65		
12:00		28.01	51.85	33.36	8.29	7.54	0.13	0.22		
15:00		28.42	51.74	33.29	8.34	8.48	0.11	1.18		
18:00		27.59	51.69	33.26	8.33	7.18	0.01	1.14		
21:00		27.78	51.82	33.34	8.29	6.96	0.02	1.12		
日平均值		27.50	51.88	33.38	8.30	6.49	0.48	0.76		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月19日	蚵殼站	0:00	27.44	50.57	33.28	8.31	6.86	5.65	1.65
		3:00	27.63	50.55	33.27	8.33	6.68	4.72	2.37
		6:00	27.58	51.44	33.85	8.33	6.69	4.55	3.09
		9:00	27.50	51.13	33.65	8.33	6.63	7.87	1.71
		12:00	27.72	51.44	33.85	8.34	6.64	10.39	1.19
		15:00	27.96	51.50	33.89	8.34	7.00	6.75	1.32
		18:00	28.17	51.53	33.91	8.34	7.01	5.78	1.13
		21:00	28.31	51.50	33.89	8.34	6.96	5.26	1.32
	日平均值		27.79	51.21	33.70	8.33	6.81	6.37	1.72
	潮口站	0:00	28.83	51.20	33.72	8.28	6.10	11.30	1.57
		3:00	28.18	51.28	33.77	8.29	5.97	9.94	1.10
		6:00	28.35	51.66	34.02	8.28	5.67	10.80	1.53
		9:00	28.95	51.60	33.98	8.29	6.22	10.21	1.32
		12:00	28.91	51.34	33.81	8.30	6.82	10.26	1.02
		15:00	28.74	51.11	33.66	8.31	7.06	9.33	1.15
		18:00	28.92	50.94	33.55	8.28	6.84	10.36	2.20
		21:00	29.14	51.19	33.71	8.22	6.50	11.63	1.85
	日平均值		28.75	51.29	33.78	8.28	6.40	10.48	1.47
	灣內站	0:00	27.49	51.96	33.43	8.36	5.69	0.62	0.55
		3:00	27.08	51.97	33.44	8.33	5.14	0.55	0.25
		6:00	27.05	52.03	33.48	8.26	5.84	0.36	0.54
9:00		27.37	52.06	33.50	8.27	6.18	0.18	0.77	
12:00		28.21	52.00	33.46	8.21	6.30	0.07	0.66	
15:00		28.70	51.80	33.33	8.26	6.25	1.29	1.19	
18:00		28.70	51.29	33.00	8.25	6.46	0.97	1.00	
21:00		28.57	52.00	33.46	8.21	5.45	0.32	1.22	
日平均值		27.90	51.89	33.39	8.27	5.91	0.55	0.77	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月20日	蚵殼站	0:00	28.23	50.60	33.30	8.35	6.82	4.48	2.95
		3:00	28.10	50.81	33.44	8.36	6.63	4.56	2.10
		6:00	28.08	50.43	33.19	8.33	6.51	5.01	2.05
		9:00	28.26	50.55	33.27	8.33	6.92	4.89	1.23
		12:00	28.33	50.16	33.01	8.34	7.05	5.50	1.22
		15:00	28.75	50.08	32.96	8.34	7.08	6.48	1.41
		18:00	28.81	49.96	32.88	8.34	7.20	5.30	1.47
		21:00	28.82	49.88	32.83	8.34	7.12	5.41	1.32
	日平均值		28.42	50.31	33.11	8.34	6.92	5.20	1.72
	潮口站	0:00	29.03	51.10	33.65	8.26	6.46	10.60	2.19
		3:00	28.40	51.13	33.67	8.29	6.27	9.83	2.54
		6:00	28.58	51.10	33.65	8.27	6.19	10.68	1.96
		9:00	29.04	51.19	33.71	8.28	6.45	14.47	2.46
		12:00	29.47	50.93	33.54	8.30	6.93	15.00	2.50
		15:00	29.20	50.96	33.56	8.32	6.74	8.94	2.05
		18:00	29.00	51.31	33.79	8.29	6.53	9.36	2.83
		21:00	29.03	51.46	33.89	8.24	6.40	10.38	3.59
	日平均值		28.97	51.15	33.68	8.28	6.50	11.16	2.52
	灣內站	0:00	28.46	52.08	33.51	8.25	5.10	0.34	1.08
		3:00	28.30	52.03	33.48	8.37	5.68	0.27	1.27
		6:00	28.21	52.05	33.49	8.37	5.76	0.89	1.06
9:00		28.67	52.08	33.51	8.29	5.53	0.23	1.00	
12:00		29.11	50.94	33.54	8.36	7.05	0.36	1.22	
15:00		29.18	50.95	33.53	8.33	6.45	0.70	1.29	
18:00		29.12	51.00	33.59	8.26	5.10	1.09	1.04	
21:00		29.36	50.96	33.54	8.26	5.11	0.72	1.03	
日平均值		28.80	51.51	33.52	8.31	5.72	0.58	1.12	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月21日	蚵殼站	0:00	28.81	49.91	32.85	8.32	6.96	4.53	3.79
		3:00	28.62	49.96	32.88	8.34	6.78	4.68	4.78
		6:00	28.51	50.17	33.02	8.33	6.62	5.35	0.09
		9:00	28.66	50.22	33.05	8.34	7.04	5.29	0.03
		12:00	28.78	50.09	32.97	8.35	7.15	7.35	1.91
		15:00	28.95	49.96	32.88	8.36	7.13	8.73	5.81
		18:00	28.80	50.22	33.05	8.34	6.95	7.69	11.27
		21:00	28.72	49.99	32.90	8.34	6.75	6.78	3.95
	日平均值		28.73	50.07	32.95	8.34	6.92	6.30	3.95
	潮口站	0:00	29.22	51.60	33.98	8.25	6.36	11.55	2.13
		3:00	28.60	52.05	34.28	8.30	6.32	9.79	0.43
		6:00	28.53	51.92	34.19	8.29	6.39	11.11	0.28
		9:00	29.52	51.58	33.97	8.27	6.63	15.12	0.79
		12:00	29.64	51.48	33.90	8.28	7.14	8.69	6.78
		15:00	29.32	51.16	33.69	8.30	7.36	7.34	7.50
		18:00	29.03	51.14	33.68	8.27	7.17	13.78	6.49
		21:00	29.12	51.00	33.59	8.25	6.87	10.56	6.15
	日平均值		29.12	51.49	33.91	8.28	6.78	10.99	3.82
	灣內站	0:00	29.21	50.97	33.56	8.21	5.33	0.05	1.22
		3:00	28.78	51.14	33.70	8.26	6.61	0.01	1.22
		6:00	28.65	51.22	33.75	8.26	6.62	0.10	0.15
9:00		29.23	51.06	33.63	8.25	5.30	0.23	0.19	
12:00		29.73	50.90	33.49	8.37	6.49	0.01	0.13	
15:00		29.80	50.93	33.53	8.37	5.99	0.28	0.26	
18:00		29.73	50.99	33.57	8.26	6.22	0.24	0.10	
21:00		29.28	51.06	33.64	8.23	5.48	0.16	0.50	
日平均值		29.30	51.03	33.61	8.28	6.01	0.14	0.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月22日	蚵殼站	0:00	28.73	50.13	32.99	8.36	6.64	6.12	1.43
		3:00	28.54	50.40	33.17	8.36	6.47	6.04	0.31
		6:00	28.42	50.28	33.09	8.34	6.38	6.26	0.03
		9:00	28.76	50.02	32.92	8.34	6.78	5.21	0.04
		12:00	28.82	49.87	32.82	8.36	6.99	5.85	0.63
		15:00	29.09	50.09	32.97	8.39	7.08	7.76	2.26
		18:00	28.86	49.94	32.87	8.36	6.97	6.84	4.87
		21:00	28.81	50.19	33.03	8.36	6.72	6.85	0.11
	日平均值		28.75	50.12	32.98	8.36	6.75	6.37	1.21
	潮口站	0:00	28.90	50.91	33.53	8.24	6.85	8.67	3.63
		3:00	28.51	51.38	33.84	8.36	6.84	7.72	0.78
		6:00	28.33	51.46	33.89	8.22	6.80	8.57	0.25
		9:00	29.54	50.87	33.50	8.20	6.97	11.27	1.18
		12:00	29.68	50.84	33.48	8.25	7.25	10.79	4.45
		15:00	28.94	50.79	33.45	8.26	7.40	8.46	2.54
		18:00	28.51	51.07	33.63	8.24	7.31	8.45	0.49
		21:00	29.08	50.87	33.50	8.20	7.13	10.69	3.56
	日平均值		28.94	51.02	33.60	8.25	7.07	9.33	2.11
	灣內站	0:00	29.01	51.28	33.79	8.25	6.26	0.08	0.10
		3:00	28.75	51.23	33.75	8.19	6.36	0.12	0.15
		6:00	28.70	51.14	33.71	8.18	6.33	0.56	0.43
9:00		28.99	51.22	33.75	8.26	6.92	0.79	5.33	
12:00		29.68	51.02	33.61	8.36	6.09	1.05	0.97	
15:00		30.02	50.95	33.53	8.37	6.22	1.32	0.33	
18:00		29.84	50.99	33.58	8.25	6.07	1.36	0.11	
21:00		29.45	51.05	33.63	8.14	6.05	1.14	0.27	
日平均值		29.31	51.11	33.67	8.25	6.29	0.80	0.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月23日	蚵殼站	0:00	28.82	50.08	32.96	8.37	6.69	6.73	3.80
		3:00	28.60	50.06	32.95	8.41	6.37	8.19	6.27
		6:00	28.29	50.78	33.42	8.39	6.13	8.39	0.04
		9:00	28.25	50.48	33.22	8.35	6.46	7.92	3.82
		12:00	28.58	50.78	33.42	8.40	6.43	7.94	16.14
		15:00	28.44	50.84	33.46	8.46	6.28	8.01	5.74
		18:00	28.39	50.87	33.48	8.40	6.30	7.70	4.49
	21:00	28.42	50.84	33.46	8.36	6.22	7.36	1.95	
	日平均值		28.47	50.59	33.30	8.39	6.36	7.78	5.28
	潮口站	0:00	29.32	50.94	33.55	8.26	6.81	11.35	1.57
		3:00	28.33	50.96	33.56	8.28	6.77	10.82	0.43
		6:00	28.20	50.93	33.54	8.24	6.55	10.20	0.15
		9:00	28.76	50.97	33.57	8.28	6.97	13.77	1.11
		12:00	29.13	51.13	33.67	8.25	7.15	16.03	4.63
		15:00	28.76	51.19	33.71	8.21	7.34	11.62	3.16
		18:00	28.43	50.90	33.52	8.29	7.28	11.42	0.20
	21:00	28.49	50.53	33.28	8.23	6.96	12.80	0.50	
	日平均值		28.68	50.94	33.55	8.26	6.98	12.25	1.47
	灣內站	0:00	29.18	51.11	33.68	8.28	6.89	0.91	0.50
		3:00	28.88	51.33	33.82	8.20	6.92	0.77	0.10
		6:00	28.72	51.39	33.85	8.18	6.43	0.52	0.15
9:00		28.82	51.40	33.86	8.29	6.90	0.32	0.43	
12:00		28.21	51.45	33.10	8.27	6.74	3.05	5.33	
15:00		28.70	50.98	33.58	8.26	6.14	0.93	0.97	
18:00		28.56	51.10	33.66	8.21	6.18	0.36	0.54	
21:00	28.35	51.27	33.77	8.12	6.23	0.40	0.50		
日平均值		28.68	51.25	33.67	8.23	6.55	0.91	1.07	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月24日	蚵殼站	0:00	28.23	50.84	33.46	8.35	6.18	6.83	8.19
		3:00	28.05	50.77	33.41	8.37	5.84	6.77	3.84
		6:00	27.73	50.75	33.40	8.36	5.83	6.51	2.25
		9:00	27.85	50.73	33.39	8.36	5.92	7.41	0.85
		12:00	28.08	50.77	33.41	8.33	6.39	6.51	2.88
		15:00	27.96	50.83	33.45	8.34	6.44	6.63	5.97
		18:00	27.69	50.87	33.48	8.31	6.48	8.61	2.63
	21:00	27.62	50.84	33.46	8.35	6.28	8.22	1.82	
	日平均值		27.90	50.80	33.43	8.35	6.17	7.19	3.55
	潮口站	0:00	28.60	50.85	33.49	8.28	6.83	11.86	2.29
		3:00	28.35	51.11	33.66	8.23	6.71	12.17	0.43
		6:00	28.38	51.49	33.91	8.26	6.65	12.08	0.10
		9:00	28.46	50.04	32.96	8.38	6.95	10.50	1.17
		12:00	28.71	51.56	33.96	8.38	7.20	9.42	8.53
		15:00	28.59	51.43	33.88	8.45	7.29	7.95	4.54
		18:00	28.42	51.40	33.85	8.36	7.15	7.04	4.98
	21:00	28.33	51.43	33.88	8.35	6.80	7.59	4.48	
	日平均值		28.48	51.16	33.70	8.34	6.95	9.83	3.32
	灣內站	0:00	28.07	51.36	33.83	8.17	5.42	0.37	0.41
		3:00	27.99	51.36	33.84	8.11	5.44	0.39	0.45
		6:00	27.92	51.45	33.87	8.18	5.52	0.46	0.38
9:00		27.98	51.39	33.84	8.17	5.66	0.68	0.46	
12:00		28.01	51.48	33.89	8.21	6.51	0.88	2.57	
15:00		27.98	51.41	33.86	8.22	6.56	1.07	0.96	
18:00		27.81	51.45	33.88	8.23	5.84	0.67	0.63	
21:00	27.70	51.45	33.87	8.27	5.77	0.47	0.60		
日平均值		27.93	51.42	33.86	8.20	5.84	0.62	0.81	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月25日	蚵殼站	0:00	27.53	50.81	33.44	8.34	6.10	8.44	3.54
		3:00	27.31	50.86	33.47	8.39	5.97	9.44	1.94
		6:00	27.19	50.57	33.28	8.37	5.67	10.71	0.55
		9:00	27.55	50.72	33.38	8.38	6.22	8.43	0.24
		12:00	27.77	50.69	33.36	8.39	6.82	6.77	3.29
		15:00	27.89	50.75	33.40	8.41	7.06	7.33	9.44
		18:00	27.73	50.83	33.45	8.39	6.84	8.38	4.63
		21:00	27.61	50.75	33.40	8.40	6.50	7.95	1.75
	日平均值		27.57	50.75	33.40	8.38	6.40	8.43	3.17
	潮口站	0:00	28.17	51.47	33.92	8.39	7.20	8.58	5.48
		3:00	28.15	51.47	33.91	8.37	7.38	8.55	1.90
		6:00	28.29	51.51	33.93	8.29	7.33	8.29	2.69
		9:00	28.47	51.62	33.99	8.26	7.42	9.93	3.67
		12:00	28.88	51.65	34.01	8.30	7.49	12.80	3.10
		15:00	28.83	51.62	34.00	8.37	7.39	10.37	6.01
		18:00	28.60	51.48	33.92	8.35	7.23	8.38	9.26
		21:00	28.50	51.47	33.91	8.35	7.13	8.20	11.72
	日平均值		28.49	51.54	33.95	8.34	7.32	9.39	5.48
	灣內站	0:00	27.49	51.20	33.72	8.26	5.48	0.63	0.41
		3:00	27.31	51.19	33.73	8.24	6.12	0.52	0.41
		6:00	27.31	51.53	33.93	8.28	5.35	0.36	0.40
9:00		27.48	51.47	33.89	8.29	5.63	0.45	0.61	
12:00		28.42	51.17	33.71	8.34	7.67	1.09	6.84	
15:00		28.61	51.01	33.60	8.30	7.87	1.79	16.45	
18:00		28.21	51.19	33.71	8.28	6.86	0.67	2.04	
21:00		27.84	51.04	33.62	8.27	6.18	0.68	0.51	
日平均值		27.83	51.23	33.74	8.28	6.40	0.77	3.46	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月26日	蚵殼站	0:00	27.57	50.78	33.42	8.39	6.46	7.01	1.16
		3:00	27.49	50.75	33.40	8.38	6.27	6.45	0.31
		6:00	27.31	50.81	33.44	8.44	6.19	7.06	0.21
		9:00	27.63	50.70	33.37	8.43	6.45	8.38	1.00
		12:00	28.08	50.68	33.37	8.49	6.93	8.14	6.56
		15:00	28.10	50.20	33.06	8.46	6.74	10.08	14.33
		18:00	28.13	50.11	32.98	8.41	6.53	11.65	4.75
		21:00	28.10	49.88	32.85	8.49	6.40	9.44	1.27
	日平均值		27.80	50.49	33.24	8.44	6.50	8.53	3.70
	潮口站	0:00	28.36	51.46	33.90	8.35	7.13	8.44	15.26
		3:00	28.26	51.14	33.66	8.35	7.29	7.33	11.06
		6:00	28.30	50.96	33.54	8.32	7.16	7.31	10.84
		9:00	28.41	50.96	33.54	8.33	7.44	8.67	16.12
		12:00	28.71	51.23	33.74	8.34	7.75	11.72	29.20
		15:00	29.00	51.52	33.94	8.42	8.02	8.89	36.89
		18:00	28.77	51.13	33.66	8.38	7.74	7.44	27.03
		21:00	28.52	50.99	33.56	8.36	6.96	7.00	22.15
	日平均值		28.54	51.17	33.69	8.36	7.44	8.35	21.07
	灣內站	0:00	27.76	51.44	33.86	8.22	5.49	0.44	0.40
		3:00	27.54	51.57	33.97	8.22	5.54	0.42	0.38
		6:00	27.43	51.56	33.96	8.25	5.80	0.47	0.41
9:00		27.76	51.40	33.86	8.31	6.57	0.38	0.38	
12:00		28.18	51.30	33.80	8.35	7.56	1.58	0.86	
15:00		28.28	51.28	33.79	8.36	7.79	1.20	2.52	
18:00		28.06	51.27	33.78	8.34	7.28	0.54	0.79	
21:00		27.90	51.29	33.79	8.32	6.98	0.33	0.53	
日平均值		27.86	51.39	33.85	8.30	6.63	0.67	0.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月27日	蚵殼站	0:00	28.09	49.75	32.77	8.48	6.36	7.28	1.63
		3:00	27.95	50.09	32.96	8.47	6.32	7.22	2.17
		6:00	27.87	50.00	32.91	8.46	6.39	7.43	0.64
		9:00	28.00	50.02	32.92	8.46	6.63	7.07	0.47
		12:00	28.18	49.87	32.82	8.46	7.14	7.57	2.59
		15:00	28.29	49.94	32.87	8.47	7.36	7.30	8.34
		18:00	28.22	49.88	32.83	8.44	7.17	7.66	5.46
		21:00	28.16	49.76	32.75	8.44	6.87	7.55	0.50
	日平均值		28.10	49.91	32.85	8.46	6.78	7.39	2.73
	潮口站	0:00	28.60	51.00	33.57	8.37	6.95	8.05	23.54
		3:00	28.43	51.01	33.58	8.35	7.45	7.87	21.93
		6:00	28.20	51.09	33.64	8.30	7.31	7.73	20.52
		9:00	28.51	51.07	33.63	8.31	7.30	8.32	23.45
		12:00	28.85	51.57	33.96	8.31	7.89	10.40	29.00
		15:00	29.26	51.70	34.03	8.33	7.78	10.10	31.43
		18:00	28.97	51.58	33.96	8.33	7.85	7.90	27.24
		21:00	28.49	51.21	33.72	8.28	7.29	6.98	25.36
	日平均值		28.66	51.28	33.76	8.32	7.48	8.42	25.31
	灣內站	0:00	27.82	51.19	33.72	8.27	6.43	0.35	0.58
		3:00	27.81	51.08	33.66	8.28	6.37	0.49	0.49
		6:00	27.78	51.03	33.63	8.30	6.31	0.37	0.41
9:00		28.08	51.12	33.67	8.27	7.02	0.33	0.41	
12:00		28.80	50.81	33.45	8.32	8.99	0.55	3.58	
15:00		29.45	50.64	33.35	8.30	9.44	2.29	11.04	
18:00		29.20	50.73	33.42	8.18	6.99	1.36	8.21	
21:00		28.77	50.78	33.44	8.13	6.10	0.54	0.42	
日平均值		28.46	50.92	33.54	8.26	7.21	0.79	3.14	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月28日	蚵殼站	0:00	28.12	50.06	32.95	8.44	6.85	7.02	0.28
		3:00	28.17	49.90	32.84	8.44	6.84	5.46	0.08
		6:00	28.16	49.93	32.86	8.43	6.80	5.49	0.12
		9:00	28.20	49.91	32.85	8.43	6.97	5.63	0.03
		12:00	28.39	49.71	32.72	8.45	7.25	6.62	0.88
		15:00	28.55	49.77	32.76	8.47	7.40	7.40	6.49
		18:00	28.50	49.81	32.78	8.46	7.31	7.00	4.46
		21:00	28.42	49.76	32.75	8.46	7.13	6.56	1.16
	日平均值		28.31	49.86	32.81	8.45	7.07	6.40	1.69
	潮口站	0:00	28.60	51.15	33.68	8.27	6.96	7.66	28.24
		3:00	28.46	50.82	33.45	8.25	6.78	7.77	23.88
		6:00	28.20	51.16	33.68	8.29	6.61	8.31	19.16
		9:00	28.43	51.29	33.77	8.31	7.04	8.93	17.75
		12:00	28.90	51.12	33.66	8.28	7.15	9.88	22.68
		15:00	29.26	51.11	33.66	8.29	7.13	10.57	27.75
		18:00	29.25	51.25	33.74	8.25	6.95	10.51	28.29
		21:00	28.55	51.22	33.72	8.29	6.75	9.86	25.65
	日平均值		28.71	51.14	33.67	8.28	6.92	9.19	24.18
	灣內站	0:00	28.67	50.73	33.40	8.17	6.19	1.07	0.53
		3:00	28.40	50.76	33.42	8.08	5.35	0.36	0.39
		6:00	28.34	50.86	33.48	8.08	5.31	0.39	0.41
9:00		28.46	50.94	33.54	8.20	6.73	0.30	0.41	
12:00		28.90	50.83	33.46	8.25	8.48	0.47	1.89	
15:00		29.33	50.55	33.28	8.27	9.46	0.79	7.80	
18:00		29.16	50.66	33.36	8.24	8.86	0.58	5.19	
21:00		28.78	50.69	33.39	8.06	6.67	0.40	0.38	
日平均值		28.76	50.75	33.42	8.17	7.13	0.55	2.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月29日	蚵殼站	0:00	28.37	49.42	32.53	8.43	6.81	7.31	1.20	
		3:00	28.35	49.47	32.56	8.43	6.77	6.55	0.44	
		6:00	28.24	49.68	32.70	8.43	6.55	6.90	0.24	
		9:00	28.21	49.73	32.73	8.44	6.97	8.99	0.41	
		12:00	28.13	49.61	32.65	8.45	7.15	10.23	0.40	
		15:00	28.56	49.47	32.56	8.43	7.34	8.91	2.45	
		18:00	28.77	49.73	32.73	8.42	7.28	7.30	2.87	
		21:00	28.67	49.50	32.58	8.38	6.96	6.33	0.16	
	日平均值		28.41	49.58	32.63	8.43	6.98	7.82	1.02	
	潮口站	0:00	28.39	51.24	33.73	8.32	6.64	10.08	24.00	
		3:00	28.31	51.20	33.71	8.38	6.47	9.81	21.34	
		6:00	28.13	51.28	33.76	8.33	6.38	9.51	23.99	
		9:00	28.38	51.34	33.80	8.31	6.78	10.01	18.62	
		12:00	29.06	51.28	33.77	8.31	6.99	13.02	22.53	
		15:00	29.57	51.44	33.88	8.29	7.08	13.96	21.51	
		18:00	29.43	51.53	33.95	8.26	6.97	13.48	20.21	
		21:00	29.10	51.51	33.94	8.28	6.72	11.79	17.66	
	日平均值		28.80	51.35	33.82	8.31	6.75	11.46	21.23	
	灣內站	0:00	28.45	50.77	33.43	8.21	5.71	0.24	0.40	
		3:00	28.24	50.87	33.48	8.29	6.41	0.34	0.40	
		6:00	28.15	50.82	33.46	8.30	6.67	0.35	0.40	
		9:00	28.56	50.79	33.44	8.23	6.79	0.31	0.41	
		12:00	29.12	50.66	33.36	8.31	8.40	0.51	0.73	
		15:00	29.64	50.57	33.29	8.27	9.27	1.29	6.92	
		18:00	29.48	50.52	33.26	8.25	8.39	0.97	5.24	
		21:00	29.06	50.63	33.34	8.27	7.54	0.32	0.41	
	日平均值		28.84	50.70	33.38	8.27	7.40	0.54	1.86	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月30日	蚵殼站	0:00	28.56	50.40	33.17	8.37	6.83	6.33	0.12	
		3:00	28.42	50.46	33.21	8.37	6.71	6.24	0.03	
		6:00	28.39	50.31	33.11	8.36	6.65	5.96	0.09	
		9:00	28.39	50.16	33.01	8.36	6.95	6.25	0.09	
		12:00	28.45	50.43	33.19	8.41	7.20	10.24	0.45	
		15:00	28.91	50.34	33.13	8.46	7.29	7.15	0.23	
		18:00	28.93	50.41	33.18	8.41	7.15	6.40	0.33	
		21:00	28.84	50.34	33.13	8.35	6.80	5.93	1.77	
	日平均值		28.61	50.36	33.14	8.39	6.95	6.81	0.39	
	潮口站	0:00	28.60	51.49	33.93	8.32	6.85	12.46	16.13	
		3:00	28.56	51.50	33.93	8.31	6.84	13.52	16.19	
		6:00	28.46	51.51	33.94	8.29	6.80	12.40	16.12	
		9:00	28.60	51.50	33.92	8.25	6.97	10.74	16.40	
		12:00	28.96	51.46	33.90	8.27	7.25	10.25	17.03	
		15:00	29.58	51.48	33.92	8.25	7.40	9.77	14.29	
		18:00	29.75	51.47	33.91	8.26	7.31	9.85	13.53	
		21:00	29.74	51.28	33.77	8.27	7.13	7.88	15.29	
	日平均值		29.03	51.46	33.90	8.28	7.07	10.86	15.62	
	灣內站	0:00	28.79	50.68	33.38	8.32	6.73	0.34	0.41	
		3:00	28.53	50.73	33.41	8.14	5.74	0.27	0.38	
		6:00	28.44	49.95	32.90	8.10	5.23	0.89	0.39	
		9:00	28.95	50.84	33.47	8.17	6.80	0.23	0.37	
		12:00	29.44	50.68	33.37	8.18	7.97	0.36	0.40	
		15:00	29.77	50.67	33.37	8.15	8.39	0.70	2.26	
		18:00	29.88	50.58	33.29	8.14	8.30	1.09	4.14	
		21:00	29.56	50.50	33.25	8.15	6.24	0.72	0.96	
	日平均值		29.17	50.58	33.31	8.17	6.93	0.58	1.16	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月1日	蚵殼站	0:00	28.80	51.12	33.66	8.33	7.97	5.85	0.41	
		3:00	28.75	51.06	33.62	8.34	7.82	6.70	0.11	
		6:00	28.80	51.18	33.70	8.35	7.81	5.88	0.03	
		9:00	28.87	51.15	33.68	8.34	8.00	6.06	0.04	
		12:00	28.79	51.04	33.61	8.40	8.16	7.02	0.14	
		15:00	29.12	50.95	33.55	8.39	8.23	7.96	0.53	
		18:00	29.31	51.04	33.61	8.38	8.34	7.40	0.28	
	21:00	29.32	50.95	33.55	8.35	8.12	6.38	1.06		
	日平均值		28.97	51.06	33.62	8.36	8.06	6.66	0.33	
	潮口站	0:00	28.62	51.33	33.81	8.30	7.83	6.68	11.73	
		3:00	28.60	51.36	33.83	8.31	7.34	6.96	13.73	
		6:00	28.50	51.21	33.73	8.31	7.03	6.94	14.47	
		9:00	28.51	51.02	33.60	8.28	8.09	6.44	15.03	
		12:00	28.94	51.03	33.61	8.27	8.68	5.91	14.61	
		15:00	29.36	51.44	33.88	8.29	9.65	6.22	13.23	
		18:00	29.77	51.63	34.01	8.28	9.38	7.35	13.30	
	21:00	29.25	51.58	33.98	8.28	8.79	6.41	14.04		
	日平均值		28.94	51.33	33.81	8.29	8.35	6.61	13.77	
	灣內站	0:00	29.22	50.40	33.20	8.32	5.85	0.32	0.40	
		3:00	29.00	50.57	33.31	8.35	5.45	0.25	0.42	
		6:00	28.90	50.69	33.39	8.37	5.59	0.45	0.40	
9:00		29.21	50.65	33.35	8.35	6.78	0.24	0.39		
12:00		29.52	50.59	33.29	8.36	8.04	0.43	0.41		
15:00		29.62	50.57	33.29	8.34	7.54	0.37	0.40		
18:00		29.95	50.43	33.22	8.32	7.88	0.48	3.33		
21:00	29.76	50.42	33.21	8.33	6.91	0.40	1.87			
日平均值		29.40	50.54	33.28	8.34	6.76	0.37	0.95		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月2日	蚵殼站	0:00	29.33	50.86	33.49	8.31	7.91	5.36	1.84	
		3:00	29.22	50.97	33.56	8.34	7.85	5.53	4.22	
		6:00	29.18	51.00	33.58	8.35	7.73	6.06	0.04	
		9:00	29.11	51.15	33.68	8.34	7.78	6.93	0.12	
		12:00	29.15	51.27	33.76	8.36	8.06	7.41	0.03	
		15:00	29.37	51.09	33.64	8.35	8.20	8.81	0.13	
		18:00	29.73	51.00	33.58	8.36	8.12	5.86	0.07	
	21:00	29.81	51.03	33.60	8.34	7.92	5.18	0.03		
	日平均值		29.36	51.05	33.61	8.34	7.95	6.39	0.81	
	潮口站	0:00	28.72	51.53	33.94	8.27	8.21	5.47	14.77	
		3:00	28.54	51.39	33.85	8.29	7.85	5.23	12.91	
		6:00	28.91	50.99	33.58	8.31	7.57	5.03	13.98	
		9:00	28.96	51.36	33.83	8.29	7.93	4.32	13.39	
		12:00	29.14	51.27	33.77	8.27	9.20	4.03	12.88	
		15:00	30.07	51.12	33.67	8.30	9.37	5.15	14.73	
		18:00	30.94	51.39	33.85	8.34	9.86	4.30	12.79	
	21:00	31.16	51.15	33.69	8.32	9.56	3.81	14.46		
	日平均值		29.56	51.28	33.77	8.30	8.69	4.67	13.74	
	灣內站	0:00	29.56	50.40	33.19	8.32	5.94	0.31	0.40	
		3:00	29.39	50.42	33.21	8.39	5.76	0.07	0.40	
		6:00	29.19	50.46	33.23	8.32	5.10	0.17	0.41	
9:00		29.63	50.42	33.21	8.37	6.59	0.20	0.42		
12:00		30.28	50.37	33.17	8.33	7.42	0.47	0.43		
15:00		30.65	50.30	33.10	8.34	7.54	0.42	0.40		
18:00		30.60	50.31	33.11	8.36	5.90	0.18	0.43		
21:00	30.56	50.35	33.15	8.33	5.39	0.16	0.42			
日平均值		29.98	50.38	33.17	8.35	6.21	0.25	0.41		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月3日	蚵殼站	0:00	29.88	51.09	33.64	8.32	7.74	5.53	0.76	
		3:00	29.78	51.33	33.80	8.34	7.71	5.08	4.16	
		6:00	29.58	51.41	33.85	8.35	7.44	6.25	0.05	
		9:00	29.17	51.39	33.84	8.35	7.53	6.88	0.03	
		12:00	29.25	51.33	33.80	8.41	7.89	6.58	0.13	
		15:00	29.80	51.15	33.68	8.40	7.97	7.79	0.46	
		18:00	30.03	50.95	33.55	8.41	8.00	6.70	0.44	
		21:00	30.02	50.92	33.53	8.35	7.66	6.65	0.06	
	日平均值			29.69	51.20	33.71	8.37	7.74	6.43	0.76
	潮口站	0:00	29.91	51.44	33.88	8.32	8.59	3.35	13.59	
		3:00	29.36	51.41	33.86	8.31	8.29	3.41	13.51	
		6:00	30.38	51.18	33.71	8.27	8.39	3.59	15.34	
		9:00	30.67	50.91	33.53	8.27	8.29	3.06	14.60	
		12:00	29.60	50.81	33.46	8.24	8.86	2.48	12.12	
		15:00	29.82	51.08	33.64	8.25	9.01	2.48	13.34	
		18:00	30.27	51.08	33.64	8.29	9.32	2.90	12.17	
		21:00	30.48	51.27	33.77	8.31	8.58	3.16	11.55	
	日平均值			30.06	51.15	33.69	8.28	8.67	3.05	13.28
	灣內站	0:00	29.84	50.45	33.23	8.38	5.40	0.87	0.41	
		3:00	29.56	50.54	33.27	8.32	5.26	0.04	0.41	
		6:00	29.60	50.60	33.30	8.31	5.43	0.04	0.39	
		9:00	29.89	50.56	33.28	8.34	6.69	0.35	0.40	
		12:00	30.39	50.49	33.24	8.37	8.05	0.35	0.37	
		15:00	30.50	50.57	33.29	8.34	7.83	0.39	0.41	
		18:00	30.16	50.43	33.22	8.39	7.32	0.21	0.39	
		21:00	30.01	50.53	33.27	8.35	5.73	0.08	0.39	
	日平均值			29.99	50.52	33.26	8.35	6.46	0.29	0.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月4日	蚵殼站	0:00	29.95	50.94	33.54	8.31	7.34	5.78	1.89	
		3:00	29.72	50.97	33.56	8.33	7.20	5.36	1.70	
		6:00	29.75	51.18	33.70	8.35	7.21	6.64	0.03	
		9:00	30.12	50.94	33.54	8.40	7.50	6.55	0.04	
		12:00	30.33	50.91	33.52	8.40	7.72	6.92	0.22	
		15:00	30.46	50.91	33.52	8.37	7.87	7.32	0.31	
		18:00	30.57	50.80	33.45	8.35	7.69	6.08	0.05	
		21:00	30.58	50.82	33.46	8.33	7.41	6.13	0.03	
	日平均值			30.19	50.93	33.54	8.36	7.49	6.35	0.53
	潮口站	0:00	29.82	51.27	33.77	8.30	7.90	2.05	9.87	
		3:00	29.10	51.20	33.72	8.28	7.82	1.93	9.88	
		6:00	29.54	51.00	33.59	8.26	7.48	2.92	12.36	
		9:00	30.40	51.17	33.70	8.28	7.51	3.12	14.82	
		12:00	30.06	51.14	33.68	8.27	8.11	1.98	12.19	
		15:00	29.70	50.88	33.51	8.34	10.85	1.58	10.99	
		18:00	30.28	50.70	33.39	8.33	10.35	2.17	9.60	
		21:00	30.67	51.09	33.65	8.30	9.08	2.77	9.72	
	日平均值			29.95	51.06	33.63	8.30	8.64	2.32	11.18
	灣內站	0:00	29.96	50.52	33.26	8.35	5.50	0.08	0.38	
		3:00	29.79	50.61	33.31	8.36	5.68	0.13	0.40	
		6:00	29.70	50.60	33.30	8.41	5.21	0.06	0.45	
		9:00	30.01	50.48	33.24	8.33	6.41	0.24	0.44	
		12:00	30.48	50.39	33.19	8.34	6.88	0.41	0.39	
		15:00	30.94	50.34	33.14	8.31	5.61	0.08	0.40	
		18:00	30.97	50.34	33.14	8.35	5.56	0.23	0.41	
		21:00	30.91	50.38	33.18	8.34	6.31	0.21	0.57	
	日平均值			30.35	50.46	33.22	8.35	5.90	0.18	0.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月5日	蚵殼站	0:00	30.44	51.10	33.65	8.29	7.16	5.67	1.66
		3:00	30.14	50.97	33.56	8.29	7.17	6.12	2.33
		6:00	30.20	50.94	33.54	8.32	7.17	6.06	0.12
		9:00	30.36	50.77	33.43	8.34	7.32	7.27	0.07
		12:00	30.69	50.91	33.52	8.36	7.54	7.51	0.14
		15:00	31.23	51.27	33.76	8.38	7.70	7.28	0.09
		18:00	30.78	50.89	33.51	8.39	7.61	7.49	0.03
	21:00	30.79	51.10	33.65	8.42	7.48	6.79	0.07	
	日平均值		30.58	50.99	33.58	8.35	7.39	6.77	0.56
	潮口站	0:00	30.05	51.08	33.64	8.30	7.95	1.92	9.25
		3:00	28.61	51.32	33.80	8.29	7.50	1.60	8.28
		6:00	29.76	51.15	33.69	8.30	7.79	2.21	10.41
		9:00	31.38	50.94	33.55	8.29	7.94	2.32	11.05
		12:00	30.87	50.49	33.25	8.28	8.13	1.75	12.69
		15:00	29.38	50.30	33.12	8.26	8.53	1.28	13.06
		18:00	30.02	50.45	33.22	8.28	8.69	1.31	10.41
	21:00	30.53	50.87	33.50	8.26	8.10	2.49	10.62	
	日平均值		30.08	50.83	33.47	8.28	8.08	1.86	10.72
	灣內站	0:00	30.63	50.30	33.10	8.33	5.55	0.24	0.40
		3:00	30.35	50.33	33.13	8.42	5.45	0.07	0.39
		6:00	30.33	50.38	33.18	8.40	5.31	0.26	0.41
9:00		30.76	50.29	33.10	8.33	6.60	0.46	0.42	
12:00		31.44	50.09	32.97	8.44	7.33	1.06	0.84	
15:00		31.69	49.89	32.84	8.37	7.23	0.39	0.82	
18:00		31.40	50.15	33.00	8.38	6.79	0.45	1.48	
21:00	31.15	50.29	33.09	8.36	6.55	0.35	1.42		
日平均值		30.97	50.22	33.05	8.38	6.35	0.41	0.77	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月6日	蚵殼站	0:00	30.55	50.95	33.55	8.40	7.30	6.04	0.04
		3:00	30.00	50.94	33.54	8.37	7.73	8.06	0.04
		6:00	29.93	50.98	33.57	8.36	7.61	9.35	0.03
		9:00	30.32	51.13	33.67	8.42	7.75	7.17	0.25
		12:00	30.75	51.04	33.61	8.43	7.72	8.22	2.39
		15:00	30.87	51.06	33.62	8.40	7.80	9.09	1.00
		18:00	30.84	50.91	33.52	8.33	7.73	8.05	0.14
	21:00	30.79	50.98	33.57	8.34	7.59	7.83	0.03	
	日平均值		30.51	51.00	33.58	8.38	7.65	7.98	0.49
	潮口站	0:00	30.43	50.67	33.37	8.28	7.26	1.64	11.63
		3:00	29.12	50.81	33.46	8.26	7.22	1.04	8.76
		6:00	29.40	50.06	32.96	8.27	6.94	2.55	10.28
		9:00	30.36	50.52	33.27	8.25	7.18	3.72	10.49
		12:00	30.81	50.03	32.94	8.29	8.09	2.31	11.82
		15:00	29.58	50.06	32.96	8.25	7.76	1.23	8.00
		18:00	29.80	50.49	33.25	8.29	7.94	1.15	6.50
	21:00	30.66	50.69	33.38	8.28	7.86	1.44	7.62	
	日平均值		30.02	50.42	33.20	8.27	7.53	1.89	9.39
	灣內站	0:00	30.78	50.25	33.05	8.34	5.54	0.12	0.39
		3:00	30.28	50.28	33.08	8.34	5.47	0.06	0.39
		6:00	30.07	50.31	33.11	8.31	5.36	0.17	0.42
9:00		30.36	50.21	33.04	8.33	6.42	0.60	0.69	
12:00		30.71	50.20	33.05	8.34	7.06	0.99	0.77	
15:00		30.87	50.05	32.95	8.33	6.64	0.44	0.49	
18:00		30.90	50.04	32.94	8.23	5.33	0.12	0.42	
21:00	31.02	50.16	33.02	8.28	5.22	0.18	0.48		
日平均值		30.62	50.19	33.03	8.31	5.88	0.34	0.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月7日	蚵殼站	0:00	30.82	50.92	33.53	8.33	7.45	6.13	0.03	
		3:00	30.70	51.15	33.68	8.31	7.20	6.36	1.12	
		6:00	30.34	51.00	33.58	8.34	7.00	6.57	0.06	
		9:00	30.11	50.77	33.43	8.39	7.06	7.84	0.20	
		12:00	30.28	51.26	33.75	8.34	7.69	7.31	1.88	
		15:00	30.83	51.51	33.91	8.32	7.90	4.73	3.38	
		18:00	30.79	51.59	33.99	8.27	7.83	4.70	2.60	
	21:00	30.61	51.70	34.07	8.26	7.66	4.13	0.80		
	日平均值			30.56	51.24	33.74	8.32	7.47	5.97	1.26
	潮口站	0:00	30.86	50.51	33.26	8.31	6.76	1.57	8.83	
		3:00	28.90	50.41	33.19	8.26	6.63	1.45	5.05	
		6:00	29.29	50.49	33.25	8.24	6.47	1.34	7.23	
		9:00	31.42	50.26	33.09	8.26	7.08	1.82	7.46	
		12:00	31.42	50.11	32.99	8.29	7.49	4.22	5.34	
		15:00	29.81	50.30	33.12	8.28	7.00	2.18	4.91	
		18:00	29.14	50.63	33.34	8.29	7.09	1.34	3.29	
	21:00	30.53	50.45	33.22	8.26	7.22	1.84	4.48		
	日平均值			30.17	50.40	33.18	8.27	6.97	1.97	5.82
	灣內站	0:00	30.95	50.14	33.01	8.22	5.11	0.20	0.42	
		3:00	30.65	50.16	33.02	8.28	5.67	0.19	0.43	
		6:00	30.53	50.02	32.93	8.24	6.34	0.08	0.41	
9:00		30.84	50.43	33.20	8.29	6.75	0.49	0.73		
12:00		31.21	51.50	33.90	8.37	8.21	1.96	1.52		
15:00		31.51	51.45	33.87	8.34	8.47	0.80	1.72		
18:00		31.21	51.50	33.90	8.32	7.19	0.52	0.57		
21:00	31.08	51.52	33.92	8.33	6.26	0.15	0.41			
日平均值			31.00	50.84	33.47	8.30	6.75	0.55	0.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月8日	蚵殼站	0:00	30.86	51.73	34.09	8.27	7.76	3.21	1.08	
		3:00	30.42	51.75	34.10	8.24	7.58	3.35	1.35	
		6:00	30.09	51.62	34.00	8.22	7.49	4.56	6.07	
		9:00	29.37	51.48	33.89	8.28	7.71	5.15	8.07	
		12:00	29.55	51.48	33.89	8.33	8.01	6.19	7.83	
		15:00	30.73	51.49	33.90	8.34	8.14	4.52	5.07	
		18:00	30.93	51.49	33.90	8.35	8.09	4.09	3.72	
	21:00	29.61	51.44	33.86	8.35	8.13	4.63	0.91		
	日平均值			30.20	51.56	33.95	8.30	7.86	4.46	4.26
	潮口站	0:00	30.84	50.76	33.43	8.32	7.10	1.95	5.52	
		3:00	28.73	50.93	33.54	8.29	6.71	1.99	4.60	
		6:00	27.70	50.60	33.32	8.28	6.45	1.60	7.95	
		9:00	31.53	50.93	33.54	8.27	5.89	1.77	7.11	
		12:00	32.39	51.58	33.95	8.31	7.70	3.29	3.84	
		15:00	31.07	51.60	33.96	8.30	7.95	2.90	2.86	
		18:00	29.47	51.79	34.13	8.32	7.33	1.27	0.18	
	21:00	30.58	51.75	34.08	8.34	7.61	1.99	2.33		
	日平均值			30.29	51.24	33.74	8.30	7.09	2.10	4.30
	灣內站	0:00	31.19	51.49	33.89	8.28	5.72	0.41	0.67	
		3:00	30.93	51.52	33.92	8.28	5.28	0.10	0.74	
		6:00	30.71	51.60	34.00	8.33	5.10	0.11	0.41	
9:00		31.07	51.51	33.93	8.40	6.42	0.27	0.82		
12:00		32.22	51.20	33.70	8.37	8.30	0.82	6.64		
15:00		32.86	51.05	33.60	8.30	7.47	0.74	3.47		
18:00		31.83	51.23	33.72	8.27	6.66	0.25	0.54		
21:00	31.41	51.32	33.80	8.28	6.49	0.20	3.64			
日平均值			31.53	51.37	33.82	8.31	6.43	0.36	2.12	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月9日	蚵殼站	0:00	30.21	51.42	33.84	8.33	7.70	3.31	0.04	
		3:00	30.86	51.49	33.90	8.34	7.72	3.02	0.25	
		6:00	29.70	51.42	33.85	8.34	7.56	5.00	0.30	
		9:00	28.81	51.40	33.84	8.35	7.66	5.09	0.22	
		12:00	30.05	51.45	33.87	8.40	8.02	3.53	6.50	
		15:00	31.15	51.43	33.85	8.44	8.12	4.05	9.64	
		18:00	30.83	51.45	33.87	8.43	8.03	4.25	6.18	
		21:00	30.71	51.39	33.83	8.41	7.93	3.75	0.33	
	日平均值			30.29	51.43	33.86	8.38	7.84	4.00	2.93
	潮口站	0:00	31.88	51.73	34.07	8.36	7.51	1.98	2.53	
		3:00	29.30	51.66	34.03	8.33	7.01	1.78	0.28	
		6:00	28.40	51.82	34.14	8.32	6.93	1.54	0.10	
		9:00	30.31	51.83	34.13	8.31	7.18	3.39	1.38	
		12:00	30.65	51.89	34.17	8.32	7.53	3.98	1.99	
		15:00	30.86	51.88	34.16	8.33	7.74	2.95	2.34	
		18:00	29.91	51.69	34.03	8.32	7.09	1.71	0.93	
		21:00	29.88	51.86	34.16	8.30	6.91	1.83	0.47	
	日平均值			30.15	51.80	34.11	8.32	7.24	2.40	1.25
	灣內站	0:00	31.54	51.27	33.76	8.28	5.56	0.12	2.32	
		3:00	30.92	51.35	33.82	8.24	6.46	0.18	0.42	
		6:00	30.43	51.44	33.87	8.24	7.53	0.13	0.40	
		9:00	30.52	51.53	33.93	8.32	7.70	0.33	1.05	
		12:00	30.85	51.56	33.96	8.35	8.24	0.82	1.76	
		15:00	30.89	51.55	33.95	8.34	8.34	0.79	2.79	
18:00		30.74	51.62	34.00	8.33	7.36	0.18	0.50		
21:00		30.72	51.92	34.20	8.31	6.03	0.55	0.52		
日平均值			30.83	51.53	33.94	8.30	7.15	0.39	1.22	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月10日	蚵殼站	0:00	30.53	51.51	33.92	8.39	7.80	3.96	0.07	
		3:00	30.76	51.52	33.93	8.39	7.67	3.53	0.15	
		6:00	30.49	51.45	33.88	8.41	7.60	4.11	0.40	
		9:00	29.36	51.14	33.68	8.41	7.32	9.90	0.15	
		12:00	30.54	51.38	33.81	8.44	7.81	3.82	4.16	
		15:00	31.19	51.44	33.86	8.47	8.04	3.68	3.51	
		18:00	30.96	51.50	33.91	8.48	7.92	3.77	9.99	
		21:00	30.90	51.47	33.89	8.45	7.69	3.97	3.00	
	日平均值			30.59	51.43	33.86	8.43	7.73	4.59	2.68
	潮口站	0:00	30.14	51.84	34.15	8.31	6.80	1.88	0.73	
		3:00	29.51	51.85	34.15	8.30	6.32	1.80	0.30	
		6:00	28.50	51.96	34.22	8.30	6.43	1.74	0.62	
		9:00	29.46	51.93	34.20	8.32	6.67	2.13	1.37	
		12:00	30.69	51.87	34.18	8.33	6.96	4.97	1.50	
		15:00	31.37	51.80	34.13	8.35	7.37	3.34	2.55	
		18:00	30.17	51.77	34.10	8.35	6.73	2.20	1.88	
		21:00	29.37	51.83	34.13	8.32	6.25	2.15	1.34	
	日平均值			29.90	51.86	34.16	8.32	6.69	2.53	1.29
	灣內站	0:00	31.06	51.53	33.93	8.31	5.73	0.17	3.40	
		3:00	30.77	51.59	33.99	8.28	6.57	0.02	0.40	
		6:00	30.57	51.64	34.01	8.30	6.63	0.25	0.39	
		9:00	30.68	51.65	34.02	8.34	7.42	0.33	0.39	
		12:00	31.07	51.57	33.97	8.35	8.00	0.61	0.81	
		15:00	31.92	51.38	33.84	8.34	8.15	0.99	8.64	
18:00		31.55	51.41	33.86	8.33	7.65	0.85	7.21		
21:00		30.95	51.56	33.96	8.28	5.13	0.10	0.41		
日平均值			31.07	51.54	33.95	8.32	6.91	0.42	2.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月11日	蚵殼站	0:00	30.80	51.45	33.87	8.44	7.60	4.18	0.67	
		3:00	30.67	51.47	33.88	8.43	7.53	3.58	0.47	
		6:00	30.40	51.22	33.73	8.41	7.34	3.72	0.24	
		9:00	29.74	51.08	33.65	8.42	7.65	4.51	0.32	
		12:00	29.86	51.02	33.60	8.44	7.90	4.80	0.21	
		15:00	31.12	50.88	33.51	8.45	7.93	3.85	1.58	
		18:00	31.05	51.23	33.73	8.45	7.82	3.90	6.71	
	21:00	31.15	50.89	33.52	8.44	7.70	3.65	1.43		
	日平均值			30.60	51.16	33.69	8.44	7.68	4.02	1.45
	潮口站	0:00	29.80	51.76	34.08	8.33	6.13	2.00	1.23	
		3:00	29.27	51.48	33.89	8.32	5.98	1.94	1.28	
		6:00	28.74	51.66	34.01	8.31	6.16	2.10	2.02	
		9:00	28.98	51.63	33.98	8.31	6.18	2.60	2.45	
		12:00	31.17	51.42	33.86	8.32	6.52	4.53	1.47	
		15:00	31.23	51.53	33.92	8.31	7.01	3.63	2.05	
		18:00	31.07	51.44	33.87	8.33	6.70	2.60	4.44	
	21:00	29.65	51.03	33.61	8.33	6.17	1.60	4.73		
	日平均值			29.99	51.49	33.90	8.32	6.36	2.63	2.46
	灣內站	0:00	31.08	51.54	33.94	8.32	5.40	0.35	5.22	
		3:00	30.88	51.55	33.95	8.29	5.56	0.23	1.64	
		6:00	30.68	51.60	34.00	8.28	6.23	0.08	0.41	
9:00		30.87	51.58	33.98	8.31	6.29	0.15	0.56		
12:00		31.61	51.44	33.87	8.35	7.91	0.43	2.50		
15:00		32.25	51.22	33.72	8.33	8.79	0.57	9.67		
18:00		32.39	51.22	33.72	8.28	7.43	0.97	14.27		
21:00	32.01	51.26	33.76	8.26	5.06	0.20	0.55			
日平均值			31.47	51.43	33.87	8.30	6.58	0.37	4.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月12日	蚵殼站	0:00	31.01	50.87	33.51	8.45	7.68	3.32	0.75	
		3:00	30.90	50.83	33.48	8.44	7.52	3.23	0.47	
		6:00	30.70	50.97	33.56	8.44	7.41	2.90	0.13	
		9:00	29.85	51.04	33.61	8.43	7.61	3.27	0.22	
		12:00	30.82	51.38	33.83	8.45	7.69	3.77	3.43	
		15:00	31.31	51.36	33.82	8.46	7.70	4.79	11.60	
		18:00	31.33	51.26	33.75	8.46	7.63	5.16	10.85	
	21:00	31.11	51.07	33.63	8.44	7.43	4.63	2.23		
	日平均值			30.88	51.10	33.65	8.45	7.58	3.88	3.71
	潮口站	0:00	29.51	51.14	33.70	8.32	5.94	1.50	2.23	
		3:00	29.36	51.05	33.63	8.30	5.77	1.40	2.83	
		6:00	29.16	51.28	33.77	8.31	5.94	1.73	1.32	
		9:00	29.15	51.38	33.84	8.29	6.11	1.35	0.59	
		12:00	29.99	51.19	33.72	8.31	6.72	2.44	0.66	
		15:00	30.57	51.32	33.81	8.31	6.88	2.69	0.71	
		18:00	30.94	51.32	33.79	8.33	6.43	2.71	0.65	
	21:00	30.03	51.25	33.75	8.32	5.77	2.09	0.31		
	日平均值			29.84	51.24	33.75	8.31	6.20	1.99	1.16
	灣內站	0:00	31.66	51.43	33.86	8.27	5.67	0.38	2.06	
		3:00	31.38	51.51	33.91	8.28	5.86	0.16	1.45	
		6:00	31.17	51.52	33.92	8.30	5.99	0.38	3.36	
9:00		31.11	51.56	33.96	8.35	7.05	0.44	1.44		
12:00		31.30	51.54	33.94	8.35	7.36	0.81	2.18		
15:00		31.27	51.57	33.97	8.35	7.43	0.82	3.91		
18:00		31.01	51.58	33.98	8.30	5.90	0.15	0.77		
21:00	30.71	51.60	34.00	8.28	5.87	0.08	0.39			
日平均值			31.20	51.54	33.94	8.31	6.39	0.40	1.95	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月13日	蚵殼站	0:00	30.91	51.09	33.64	8.43	7.30	3.60	2.25
		3:00	30.78	51.07	33.63	8.43	7.24	3.35	1.98
		6:00	30.55	51.32	33.79	8.41	7.20	3.57	1.16
		9:00	30.13	51.20	33.71	8.41	7.61	4.07	0.19
		12:00	30.07	51.17	33.69	8.45	7.83	4.23	0.16
		15:00	30.64	51.15	33.68	8.48	7.77	4.08	1.36
		18:00	30.93	51.33	33.80	8.42	7.84	3.54	6.18
	21:00	30.78	51.50	33.91	8.43	7.64	3.43	3.26	
	日平均值		30.60	51.23	33.73	8.43	7.55	3.73	2.07
	潮口站	0:00	28.86	51.28	33.77	8.30	5.83	1.41	0.13
		3:00	28.66	51.26	33.75	8.28	5.65	1.47	0.15
		6:00	28.55	51.27	33.75	8.27	5.74	1.52	0.10
		9:00	28.66	51.46	33.88	8.28	5.96	1.52	0.12
		12:00	29.83	51.82	34.13	8.27	6.12	3.03	0.11
		15:00	30.95	51.78	34.11	8.29	6.61	3.86	0.12
		18:00	31.57	51.78	34.11	8.31	6.28	3.24	0.19
	21:00	30.80	51.49	33.91	8.26	5.84	2.20	0.19	
	日平均值		29.74	51.52	33.93	8.28	6.00	2.28	0.14
	灣內站	0:00	31.07	51.53	33.93	8.29	5.89	0.13	1.73
		3:00	30.72	51.61	33.99	8.30	5.97	0.11	0.46
		6:00	30.64	51.62	34.00	8.31	5.92	0.25	0.40
9:00		31.07	51.52	33.93	8.33	5.87	0.20	1.60	
12:00		31.64	51.33	33.80	8.35	7.43	0.38	4.66	
15:00		32.09	51.24	33.75	8.35	8.76	0.74	12.44	
18:00		31.81	51.34	33.81	8.35	7.93	0.67	12.78	
21:00	31.41	51.51	33.91	8.30	6.09	0.53	1.37		
日平均值		31.31	51.46	33.89	8.32	6.73	0.38	4.43	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月14日	蚵殼站	0:00	30.67	51.41	33.85	8.43	7.61	3.36	2.63
		3:00	30.79	51.21	33.72	8.44	7.66	3.63	1.61
		6:00	30.45	51.27	33.76	8.41	7.47	3.79	3.91
		9:00	29.82	51.32	33.79	8.44	7.65	5.44	0.55
		12:00	29.53	51.15	33.68	8.46	7.83	6.24	0.23
		15:00	30.69	51.21	33.72	8.44	8.06	4.31	1.95
		18:00	30.90	51.21	33.72	8.42	8.02	3.81	5.57
	21:00	30.90	51.04	33.61	8.45	7.91	3.37	3.65	
	日平均值		30.47	51.23	33.73	8.44	7.78	4.24	2.51
	潮口站	0:00	29.12	51.04	33.61	8.26	5.62	1.62	0.13
		3:00	28.95	51.51	33.92	8.24	5.36	1.57	0.09
		6:00	28.86	51.16	33.69	8.25	5.36	1.67	0.14
		9:00	28.85	51.38	33.84	8.27	5.60	1.57	0.08
		12:00	29.28	51.39	33.85	8.31	5.74	1.68	0.05
		15:00	30.02	51.30	33.78	8.28	6.08	4.30	0.10
		18:00	31.03	51.39	33.84	8.29	6.00	3.96	0.39
	21:00	30.99	51.61	33.97	8.27	5.59	2.97	0.30	
	日平均值		29.64	51.35	33.81	8.27	5.67	2.42	0.16
	灣內站	0:00	31.02	51.56	33.95	8.29	5.17	0.25	1.22
		3:00	30.72	51.60	34.00	8.30	6.32	0.15	0.67
		6:00	30.72	51.60	34.01	8.33	6.56	0.20	0.67
9:00		31.10	51.55	33.94	8.36	6.61	0.25	1.56	
12:00		31.51	51.50	33.90	8.38	7.93	0.37	1.80	
15:00		31.72	51.49	33.90	8.38	8.37	0.58	4.80	
18:00		31.88	51.48	33.89	8.34	6.74	0.29	3.90	
21:00	31.55	51.48	33.89	8.31	6.97	0.21	1.45		
日平均值		31.28	51.53	33.94	8.34	6.83	0.29	2.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月15日	蚵殼站	0:00	30.91	51.26	33.75	8.44	7.82	3.01	2.83
		3:00	30.89	51.35	33.81	8.45	7.78	3.21	2.75
		6:00	30.62	51.21	33.72	8.45	7.54	4.31	1.34
		9:00	30.39	51.32	33.79	8.45	7.56	4.60	1.71
		12:00	30.27	51.36	33.82	8.43	7.81	6.57	0.05
		15:00	30.75	51.33	33.80	8.45	7.88	5.36	0.40
		18:00	30.86	51.36	33.82	8.43	7.81	4.75	5.25
		21:00	30.97	51.12	33.66	8.42	7.66	4.46	3.41
	日平均值		30.71	51.29	33.77	8.44	7.73	4.53	2.22
	潮口站	0:00	29.15	51.71	34.05	8.25	5.46	1.80	0.12
		3:00	29.22	51.63	33.99	8.27	5.33	1.86	0.11
		6:00	30.10	51.49	33.90	8.26	5.14	2.41	0.35
		9:00	29.34	51.62	33.99	8.27	5.43	2.07	0.16
		12:00	29.69	51.76	34.09	8.28	5.57	1.70	0.10
		15:00	31.02	51.60	33.97	8.27	5.52	4.30	0.18
		18:00	31.65	51.62	33.98	8.28	5.75	4.15	0.34
		21:00	31.85	51.65	34.00	8.29	5.57	2.98	0.13
	日平均值		30.25	51.64	34.00	8.27	5.47	2.66	0.19
	灣內站	0:00	31.11	51.54	33.94	8.30	7.32	0.17	0.41
		3:00	30.80	51.59	33.99	8.31	7.12	0.20	0.42
		6:00	30.76	51.62	34.00	8.33	6.93	0.33	0.44
9:00		31.22	51.57	33.97	8.34	6.58	0.26	0.47	
12:00		31.52	51.52	33.91	8.37	8.00	1.72	5.37	
15:00		30.49	51.56	33.97	8.34	7.25	1.13	9.26	
18:00		29.79	51.51	33.93	8.31	5.95	1.47	7.36	
21:00		30.25	51.53	33.93	8.30	5.41	0.34	1.81	
日平均值		30.74	51.56	33.96	8.33	6.82	0.70	3.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月16日	蚵殼站	0:00	30.72	51.30	33.78	8.46	7.50	4.73	6.49
		3:00	30.48	51.32	33.79	8.46	7.18	4.81	3.03
		6:00	30.37	51.35	33.81	8.45	6.94	5.33	3.04
		9:00	30.34	51.17	33.69	8.44	7.15	6.49	3.71
		12:00	30.40	51.04	33.61	8.47	7.39	6.89	2.08
		15:00	30.41	51.00	33.58	8.45	7.40	8.76	1.35
		18:00	30.26	50.91	33.52	8.49	7.23	6.80	3.99
		21:00	30.17	51.04	33.61	8.48	7.17	5.63	4.21
	日平均值		30.39	51.14	33.67	8.46	7.25	6.18	3.49
	潮口站	0:00	30.26	51.72	34.06	8.27	5.30	2.50	0.09
		3:00	29.90	51.66	34.02	8.28	5.27	2.54	0.06
		6:00	30.81	51.41	33.86	8.26	5.03	3.59	0.11
		9:00	30.88	51.40	33.86	8.28	5.13	2.64	0.07
		12:00	30.20	51.54	33.94	8.31	5.30	2.74	0.10
		15:00	31.15	51.29	33.78	8.29	5.19	5.46	0.14
		18:00	31.00	51.74	34.09	8.28	5.41	4.31	0.13
		21:00	31.37	51.74	34.08	8.30	5.12	3.92	0.08
	日平均值		30.70	51.56	33.96	8.28	5.22	3.46	0.10
	灣內站	0:00	29.77	51.57	33.96	8.37	5.77	0.77	5.28
		3:00	29.53	51.62	34.01	8.32	5.73	0.60	2.86
		6:00	29.62	51.61	33.99	8.31	6.12	0.40	0.51
9:00		29.98	51.59	33.99	8.31	6.24	1.20	2.16	
12:00		30.13	51.66	34.03	8.28	6.89	1.49	3.53	
15:00		30.02	51.62	34.01	8.26	6.74	1.39	9.31	
18:00		29.79	51.65	34.03	8.29	5.94	0.85	11.01	
21:00		29.77	51.72	34.06	8.25	5.89	0.28	2.91	
日平均值		29.83	51.63	34.01	8.30	6.17	0.87	4.70	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月17日	蚵殼站	0:00	29.98	50.91	33.52	8.40	7.09	5.33	4.23
		3:00	29.82	51.30	33.78	8.43	6.80	5.18	3.20
		6:00	29.77	51.64	34.00	8.47	6.73	6.40	1.32
		9:00	29.82	51.45	33.88	8.42	6.82	7.32	4.44
		12:00	30.09	51.24	33.74	8.47	7.24	6.12	5.83
		15:00	30.15	51.33	33.80	8.46	7.12	5.80	9.85
		18:00	30.07	51.07	33.63	8.47	6.98	6.96	8.76
	21:00	30.05	50.85	33.48	8.44	6.88	5.19	5.16	
	日平均值		29.97	51.22	33.73	8.45	6.96	6.04	5.35
	潮口站	0:00	30.37	51.68	34.03	8.28	5.17	3.36	0.05
		3:00	29.72	51.32	33.80	8.29	5.23	3.07	0.04
		6:00	30.36	51.31	33.79	8.26	5.17	2.92	0.06
		9:00	30.57	51.28	33.77	8.28	5.17	3.72	0.09
		12:00	30.44	51.13	33.69	8.29	5.42	2.32	0.10
		15:00	30.55	51.34	33.82	8.29	5.48	2.59	0.07
		18:00	30.68	51.65	34.00	8.28	5.58	3.78	0.05
	21:00	31.08	51.41	33.86	8.30	5.53	3.07	0.10	
	日平均值		30.47	51.39	33.85	8.28	5.34	3.10	0.07
	灣內站	0:00	29.63	51.78	34.09	8.25	5.65	0.25	0.44
		3:00	29.60	51.77	34.09	8.26	5.53	0.29	1.03
		6:00	29.65	51.76	34.08	8.26	5.37	0.36	0.48
9:00		30.01	51.71	34.05	8.22	5.25	0.49	0.44	
12:00		30.41	51.72	34.07	8.21	6.55	0.87	0.91	
15:00		30.52	51.67	34.03	8.25	5.98	0.67	0.62	
18:00		30.42	51.77	34.09	8.23	5.78	0.62	0.54	
21:00	30.25	51.82	34.12	8.27	5.64	0.31	0.41		
日平均值		30.06	51.75	34.08	8.24	5.72	0.48	0.61	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月18日	蚵殼站	0:00	30.01	51.20	33.71	8.42	6.78	4.62	3.88
		3:00	29.88	51.13	33.67	8.44	6.78	4.43	1.68
		6:00	29.94	51.35	33.81	8.49	6.81	4.03	0.28
		9:00	30.04	51.18	33.70	8.46	7.08	4.83	2.18
		12:00	30.35	51.17	33.69	8.46	7.12	5.98	3.83
		15:00	30.80	51.30	33.78	8.47	7.24	5.42	3.34
		18:00	30.90	51.04	33.61	8.49	7.25	5.16	0.34
	21:00	30.78	51.13	33.67	8.48	7.14	4.92	1.32	
	日平均值		30.34	51.19	33.71	8.46	7.03	4.92	2.11
	潮口站	0:00	30.41	51.43	33.86	8.27	5.30	3.62	0.12
		3:00	29.46	51.21	33.73	8.29	5.59	2.72	0.11
		6:00	30.26	51.05	33.63	8.26	5.28	3.39	0.10
		9:00	30.99	51.19	33.72	8.27	5.30	3.31	0.11
		12:00	30.95	50.71	33.39	8.28	5.85	2.93	0.10
		15:00	30.67	50.54	33.28	8.30	6.74	3.19	0.12
		18:00	30.69	50.82	33.48	8.29	6.15	3.56	0.09
	21:00	30.91	50.63	33.34	8.28	5.88	3.74	0.11	
	日平均值		30.54	50.95	33.55	8.28	5.76	3.31	0.11
	灣內站	0:00	30.13	51.79	34.10	8.22	5.45	0.34	0.42
		3:00	30.04	51.70	34.05	8.28	5.65	0.35	0.39
		6:00	29.94	51.62	34.01	8.22	5.55	0.52	0.42
9:00		30.34	51.72	34.06	8.29	5.51	1.07	0.41	
12:00		30.72	51.60	34.00	8.23	5.92	0.89	0.40	
15:00		30.84	51.59	33.99	8.27	5.79	0.99	0.47	
18:00		30.71	51.60	34.00	8.28	5.07	0.46	0.39	
21:00	30.54	51.56	33.97	8.30	5.26	0.44	0.41		
日平均值		30.41	51.65	34.02	8.26	5.53	0.63	0.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月19日	蚵殼站	0:00	30.70	50.98	33.57	8.38	6.87	4.07	1.38
		3:00	30.49	51.27	33.76	8.40	6.62	4.18	0.74
		6:00	30.40	51.42	33.86	8.41	6.59	5.31	0.16
		9:00	30.40	51.17	33.69	8.39	6.67	5.95	0.14
		12:00	30.34	51.50	33.91	8.48	6.65	4.88	0.82
		15:00	30.17	51.23	33.73	8.41	6.72	5.01	0.15
		18:00	29.93	51.30	33.78	8.49	6.44	5.83	0.03
		21:00	29.85	51.17	33.69	8.24	5.95	3.94	0.21
	日平均值		30.29	51.26	33.75	8.40	6.56	4.90	0.45
	潮口站	0:00	30.61	50.54	33.28	8.29	5.73	3.15	0.09
		3:00	29.22	50.55	33.29	8.32	6.07	3.12	0.12
		6:00	29.82	50.54	33.28	8.28	5.99	3.09	0.10
		9:00	30.71	50.45	33.22	8.35	5.80	3.13	2.34
		12:00	30.56	51.37	33.84	8.35	7.38	2.90	1.33
		15:00	29.42	51.39	33.84	8.32	8.54	2.69	1.27
		18:00	29.77	51.36	33.83	8.34	8.01	3.06	0.37
		21:00	30.31	51.39	33.85	8.32	7.24	3.24	0.41
	日平均值		30.05	50.95	33.55	8.32	6.85	3.05	0.75
	灣內站	0:00	30.49	51.63	34.02	8.25	5.32	0.53	0.41
		3:00	30.34	51.80	34.10	8.30	6.21	0.72	0.39
		6:00	30.21	51.80	34.12	8.25	6.58	0.74	0.41
9:00		30.27	51.51	33.93	8.34	6.75	0.66	0.40	
12:00		30.23	51.49	33.93	8.26	7.09	0.68	0.42	
15:00		30.16	51.48	33.92	8.22	6.86	0.68	0.41	
18:00		30.03	51.60	33.98	8.26	6.51	0.65	0.40	
21:00		29.93	51.58	33.99	8.32	6.41	0.63	0.38	
日平均值		30.21	51.61	34.00	8.28	6.47	0.66	0.40	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月20日	蚵殼站	0:00	29.73	51.10	33.65	8.30	5.94	4.27	0.03
		3:00	29.52	51.13	33.67	8.28	5.87	4.71	0.14
		6:00	29.50	51.27	33.76	8.26	5.65	5.11	0.03
		9:00	29.58	51.35	33.81	8.30	5.74	5.10	0.05
		12:00	29.47	51.32	33.80	8.25	7.25	3.54	0.12
		15:00	29.40	51.12	33.66	8.26	7.30	3.03	0.32
		18:00	29.31	50.94	33.53	8.23	7.20	3.56	0.45
		21:00	29.25	51.00	33.58	8.25	7.13	4.06	0.07
	日平均值		29.47	51.15	33.68	8.27	6.51	4.17	0.15
	潮口站	0:00	29.95	51.37	33.84	8.28	7.35	2.45	0.50
		3:00	28.77	51.49	33.90	8.29	8.19	2.74	0.12
		6:00	29.19	51.39	33.84	8.28	7.70	2.48	0.10
		9:00	30.18	51.39	33.85	8.27	7.12	2.48	0.15
		12:00	30.20	51.21	33.72	8.25	7.20	2.87	0.10
		15:00	29.34	51.17	33.69	8.24	8.30	3.46	0.25
		18:00	29.28	51.10	33.65	8.24	8.03	4.30	0.33
		21:00	29.84	50.74	33.41	8.20	7.04	3.52	0.34
	日平均值		29.59	51.23	33.74	8.26	7.62	3.04	0.24
	灣內站	0:00	29.78	51.55	33.97	8.33	6.06	0.61	0.39
		3:00	29.65	51.53	33.94	8.31	6.25	0.64	0.40
		6:00	29.72	51.52	33.95	8.25	6.28	1.29	0.39
9:00		29.72	51.38	33.84	8.35	6.75	0.76	0.42	
12:00		29.57	50.65	33.34	8.28	6.97	0.91	0.49	
15:00		29.60	50.86	33.48	8.22	6.30	0.82	0.41	
18:00		29.49	50.86	33.48	8.27	7.25	0.81	0.39	
21:00		29.12	50.92	33.52	8.28	7.08	0.73	0.39	
日平均值		29.58	51.16	33.69	8.29	6.62	0.82	0.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月21日	蚵殼站	0:00	29.08	51.00	33.57	8.24	7.25	4.23	0.09	
		3:00	28.95	50.78	33.43	8.21	7.10	3.42	0.12	
		6:00	28.80	50.79	33.43	8.23	7.04	7.25	0.16	
		9:00	28.83	50.72	33.38	8.22	7.02	5.29	0.05	
		12:00	28.99	50.84	33.47	8.24	6.48	5.85	0.32	
		15:00	28.64	50.17	33.03	8.23	6.99	6.02	0.13	
		18:00	28.55	50.19	33.04	8.22	7.07	6.65	0.16	
		21:00	28.38	50.17	33.02	8.21	7.14	7.85	0.14	
	日平均值			28.78	50.58	33.30	8.23	7.01	5.82	0.15
	潮口站	0:00	29.68	50.64	33.36	8.20	6.83	2.59	0.44	
		3:00	28.84	50.94	33.54	8.17	8.39	3.58	0.91	
		6:00	28.95	50.24	33.08	8.12	7.83	3.57	1.02	
		9:00	29.40	49.53	32.62	8.11	6.96	4.26	0.15	
		12:00	29.53	48.98	32.26	8.13	6.84	4.92	0.17	
		15:00	29.12	49.82	32.81	8.12	7.39	5.18	0.12	
		18:00	28.96	49.03	32.28	8.10	7.80	4.59	0.14	
		21:00	28.97	46.58	30.67	8.10	7.38	2.75	0.11	
	日平均值			29.18	49.47	32.58	8.13	7.43	3.93	0.38
	灣內站	0:00	29.05	50.93	33.54	8.27	6.10	0.75	0.42	
		3:00	28.86	50.86	33.48	8.24	6.56	0.76	0.40	
		6:00	28.90	50.86	33.49	8.27	6.81	0.84	0.38	
		9:00	28.84	50.71	33.40	8.29	6.17	0.78	0.40	
		12:00	28.92	50.96	33.57	8.31	6.28	0.91	0.39	
		15:00	28.87	50.78	33.44	8.27	6.94	0.80	0.41	
		18:00	28.84	50.09	32.98	8.24	6.31	0.85	0.43	
		21:00	28.75	50.21	33.06	8.27	6.34	0.81	0.42	
	日平均值			28.88	50.68	33.37	8.27	6.44	0.81	0.41
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月22日	蚵殼站	0:00	28.32	50.00	32.91	8.22	7.17	7.58	0.17	
		3:00	28.49	50.35	33.12	8.22	6.99	5.91	0.13	
		6:00	28.44	49.41	32.52	8.21	7.04	5.43	0.18	
		9:00	28.50	49.32	32.46	8.26	6.82	4.37	0.21	
		12:00	28.18	47.34	31.17	8.33	6.97	5.80	0.12	
		15:00	28.02	46.42	30.57	8.43	7.24	5.46	0.04	
		18:00	27.86	44.24	29.14	8.43	7.04	9.42	0.25	
		21:00	27.87	44.67	29.43	8.42	6.98	8.61	0.04	
	日平均值			28.21	47.72	31.42	8.32	7.03	6.57	0.14
	潮口站	0:00	28.96	47.83	31.49	8.06	7.18	2.86	0.14	
		3:00	29.03	49.89	32.86	8.06	8.08	5.42	0.10	
		6:00	28.99	49.69	32.71	8.08	7.98	4.76	0.06	
		9:00	29.07	49.31	32.47	8.09	7.01	6.50	0.04	
		12:00	28.99	47.24	31.12	8.10	7.11	4.31	0.03	
		15:00	28.78	44.48	29.12	8.09	7.16	6.86	0.06	
		18:00	29.01	45.81	30.06	8.09	6.56	6.10	0.04	
		21:00	28.51	40.95	26.55	8.12	7.00	6.33	0.08	
	日平均值			28.92	46.90	30.80	8.09	7.26	5.39	0.07
	灣內站	0:00	28.84	50.20	33.05	8.28	6.07	0.86	0.41	
		3:00	28.18	47.30	31.10	8.26	7.23	1.20	0.44	
		6:00	27.97	46.37	30.48	8.25	7.31	1.25	0.42	
		9:00	27.73	43.57	28.60	8.25	7.66	1.83	1.42	
		12:00	27.71	43.82	28.77	8.27	7.66	1.69	0.70	
		15:00	27.37	38.63	25.29	8.22	7.93	3.83	2.45	
		18:00	27.43	40.93	26.83	8.25	7.60	1.80	1.00	
		21:00	27.08	34.89	22.78	8.27	7.67	6.27	3.31	
	日平均值			27.79	43.21	28.36	8.26	7.39	2.34	1.27
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月23日	蚵殼站	0:00	27.60	40.52	26.71	8.44	7.31	8.68	0.04
		3:00	27.62	40.44	26.65	8.45	7.19	8.06	0.09
		6:00	27.50	39.67	26.13	8.42	7.13	12.37	0.04
		9:00	27.37	38.34	25.26	8.41	7.20	10.56	0.43
		12:00	27.14	37.29	23.63	8.45	7.39	12.60	0.04
		15:00	26.94	35.50	21.64	8.42	7.57	14.20	0.14
		18:00	27.19	36.26	23.82	8.45	7.08	10.80	0.15
		21:00	27.39	37.98	25.01	8.41	6.77	9.34	0.43
	日平均值		27.34	38.25	24.86	8.43	7.21	10.83	0.17
	潮口站	0:00	28.67	42.03	27.66	8.10	6.76	4.76	0.10
		3:00	27.93	37.53	24.66	8.26	7.98	24.26	0.05
		6:00	28.00	39.30	25.51	8.45	7.68	18.02	0.09
		9:00	28.38	39.19	25.64	8.49	6.74	10.15	0.12
		12:00	28.11	36.22	22.71	8.48	6.94	10.03	0.05
		15:00	28.64	41.42	26.95	8.47	6.18	9.78	0.07
		18:00	28.46	41.66	27.39	8.48	7.37	17.57	0.10
		21:00	28.26	37.38	22.25	8.43	7.26	7.25	0.13
	日平均值		28.31	39.34	25.35	8.40	7.11	12.73	0.09
	灣內站	0:00	26.71	30.31	19.71	8.25	7.93	7.16	2.62
		3:00	26.87	33.67	21.96	8.23	7.57	2.22	0.41
		6:00	27.02	36.32	23.74	8.25	7.64	2.31	0.41
9:00		26.87	35.25	23.02	8.26	7.32	1.51	0.40	
12:00		27.11	28.61	18.57	8.21	7.52	4.29	2.81	
15:00		27.86	18.93	12.08	8.20	7.89	9.26	9.24	
18:00		27.22	29.77	19.35	8.22	7.45	3.67	0.90	
21:00		26.95	34.76	22.69	8.23	7.23	1.61	0.39	
日平均值		27.08	30.95	20.14	8.23	7.57	4.00	2.15	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月24日	蚵殼站	0:00	27.31	37.49	24.69	8.42	6.83	8.47	0.17
		3:00	27.51	38.53	25.38	8.36	6.21	7.43	0.13
		6:00	27.61	41.14	27.11	8.43	6.40	8.86	0.18
		9:00	27.68	41.85	27.56	8.40	6.25	8.57	0.21
		12:00	27.51	39.36	25.91	8.42	6.86	7.80	0.12
		15:00	27.50	37.93	24.98	8.39	6.83	7.08	0.04
		18:00	27.60	39.89	26.28	8.41	6.53	7.26	0.25
		21:00	27.56	40.26	26.52	8.39	6.66	6.80	0.04
	日平均值		27.54	39.56	26.05	8.40	6.57	7.78	0.14
	潮口站	0:00	28.57	41.53	27.21	8.39	6.77	6.26	0.02
		3:00	28.47	43.69	28.77	8.41	7.55	26.58	0.06
		6:00	28.03	41.82	27.43	8.45	7.94	26.23	0.07
		9:00	28.21	37.51	24.53	8.33	7.22	9.71	0.04
		12:00	28.59	37.37	24.21	8.37	6.20	8.38	0.08
		15:00	28.76	41.73	26.40	8.48	5.88	9.09	0.04
		18:00	29.03	39.50	26.02	8.32	7.44	15.70	0.06
		21:00	29.10	38.62	24.40	8.39	7.16	7.37	0.05
	日平均值		28.60	40.22	26.12	8.39	7.02	13.67	0.05
	灣內站	0:00	27.01	32.15	20.94	8.26	7.47	1.87	0.39
		3:00	27.03	32.28	21.03	8.21	7.25	1.58	0.40
		6:00	27.26	39.84	26.10	8.21	7.24	1.63	0.41
9:00		27.36	40.53	26.56	8.22	6.85	1.23	0.39	
12:00		27.50	33.91	22.12	8.23	7.09	1.43	0.40	
15:00		29.27	24.45	15.78	8.19	7.58	2.77	0.41	
18:00		27.87	32.50	21.18	8.21	7.09	1.53	0.41	
21:00		27.52	36.92	24.14	8.21	6.48	1.23	0.38	
日平均值		27.60	34.07	22.23	8.22	7.13	1.66	0.40	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月25日	蚵殼站	0:00	27.57	39.50	26.03	8.38	6.55	6.02	0.74
		3:00	27.64	40.73	26.83	8.32	6.40	6.14	0.16
		6:00	27.71	42.70	28.13	8.39	6.11	7.64	0.14
		9:00	27.74	42.54	28.02	8.35	5.96	7.79	0.82
		12:00	27.76	41.56	27.37	8.42	6.33	5.68	0.15
		15:00	27.74	39.97	26.32	8.47	7.03	6.72	0.03
		18:00	27.82	40.29	26.54	8.44	6.55	6.24	0.21
		21:00	27.79	41.59	27.40	8.35	6.49	7.12	0.23
	日平均值		27.72	41.11	27.08	8.39	6.43	6.67	0.31
	潮口站	0:00	28.79	41.41	27.28	8.33	6.79	7.18	0.07
		3:00	28.55	44.04	29.01	8.37	7.56	25.05	0.09
		6:00	28.44	43.53	28.67	8.42	7.92	25.80	0.12
		9:00	28.75	40.44	26.63	8.45	7.69	8.49	0.10
		12:00	28.88	40.39	26.61	8.48	7.00	6.38	0.13
		15:00	28.93	41.86	27.57	8.38	6.16	5.85	0.15
		18:00	28.91	43.56	28.69	8.41	6.68	11.88	0.12
		21:00	29.32	38.58	24.96	8.38	7.94	6.56	0.58
	日平均值		28.82	41.73	27.43	8.40	7.22	12.15	0.17
	灣內站	0:00	27.78	34.61	22.59	8.22	6.20	1.30	0.42
		3:00	27.73	35.66	23.30	8.22	6.03	3.51	0.42
		6:00	27.57	41.84	27.44	8.23	6.73	1.33	0.40
		9:00	27.66	44.18	29.01	8.24	7.27	1.65	0.43
		12:00	28.84	35.87	23.44	8.18	7.36	2.73	2.55
		15:00	31.63	21.72	13.95	8.20	9.62	4.31	26.73
18:00		31.09	23.82	15.36	8.24	9.18	3.91	23.88	
21:00		28.21	40.88	26.80	8.24	6.98	2.16	0.41	
日平均值		28.81	34.82	22.74	8.22	7.42	2.61	6.91	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月26日	蚵殼站	0:00	27.74	41.96	27.63	8.35	6.34	6.36	0.32
		3:00	27.76	41.27	27.19	8.36	6.35	6.22	0.23
		6:00	27.85	42.59	28.05	8.33	6.30	7.43	0.27
		9:00	27.76	42.70	28.12	8.36	6.79	9.88	0.19
		12:00	27.92	41.74	27.50	8.39	6.10	6.39	0.10
		15:00	27.93	42.15	27.76	8.37	5.92	5.43	0.04
		18:00	28.04	41.06	27.06	8.32	6.43	5.43	0.13
		21:00	27.82	42.89	28.25	8.28	6.27	6.28	0.04
	日平均值		27.85	42.05	27.70	8.35	6.31	6.68	0.17
	潮口站	0:00	28.98	41.73	27.49	8.41	6.85	5.26	0.12
		3:00	28.77	43.35	28.55	8.44	7.66	14.76	0.13
		6:00	28.18	44.50	29.31	8.42	8.16	24.21	0.17
		9:00	28.59	42.70	28.13	8.42	7.48	9.77	0.10
		12:00	28.90	41.70	27.46	8.49	6.92	6.77	0.23
		15:00	29.42	39.17	25.78	8.44	7.77	6.57	1.39
		18:00	29.14	42.01	27.68	8.46	7.47	9.19	0.49
		21:00	29.36	40.71	26.82	8.45	8.97	9.68	0.69
	日平均值		28.92	41.98	27.65	8.44	7.66	10.78	0.42
	灣內站	0:00	28.11	40.66	26.65	8.22	7.31	1.79	0.40
		3:00	28.30	39.83	26.09	8.20	6.83	1.58	1.15
		6:00	27.91	43.90	28.82	8.22	7.06	1.65	0.77
		9:00	27.90	44.72	29.37	8.21	6.55	1.46	0.41
		12:00	29.44	35.93	23.48	8.21	8.26	2.59	8.72
		15:00	31.81	26.82	17.37	8.25	9.97	4.58	28.25
18:00		31.54	29.37	19.08	8.27	9.20	3.88	15.22	
21:00		28.92	39.74	26.03	8.25	7.50	2.09	0.47	
日平均值		29.24	37.62	24.61	8.23	7.84	2.45	6.92	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月27日	蚵殼站	0:00	27.91	42.01	27.67	8.23	6.46	5.81	0.04
		3:00	27.94	42.57	28.05	8.16	6.72	6.77	0.75
		6:00	27.95	42.72	28.14	8.35	7.05	7.24	0.05
		9:00	27.94	42.57	28.04	8.34	6.86	7.59	0.39
		12:00	27.90	42.30	27.86	8.30	6.63	8.67	0.11
		15:00	27.99	41.31	27.21	8.27	5.90	6.21	2.83
		18:00	28.17	37.34	24.61	8.26	5.62	9.54	7.54
		21:00	28.01	40.75	26.85	8.26	5.55	7.46	0.11
	日平均值		27.98	41.45	27.30	8.27	6.35	7.41	1.48
	潮口站	0:00	29.25	41.03	27.02	8.43	7.83	4.82	0.14
		3:00	29.28	41.61	27.11	8.42	7.48	5.54	0.56
		6:00	28.53	42.81	28.20	8.39	7.88	10.54	0.11
		9:00	28.77	39.82	24.43	8.42	7.99	7.43	2.20
		12:00	28.72	42.17	27.78	8.36	6.85	7.46	0.10
		15:00	29.23	36.48	22.96	8.47	6.54	6.53	0.25
		18:00	29.04	39.93	26.03	8.43	5.90	5.64	0.19
		21:00	28.58	39.78	25.59	8.44	7.03	16.75	0.11
	日平均值		28.93	40.45	26.14	8.42	7.19	8.09	0.46
	灣內站	0:00	29.03	40.36	26.45	8.22	6.96	1.95	0.85
		3:00	28.43	42.14	27.64	8.22	7.09	2.06	0.55
		6:00	28.51	41.97	27.53	8.22	7.27	1.96	1.49
9:00		27.95	44.73	29.38	8.22	7.03	2.00	3.33	
12:00		28.02	34.68	22.64	8.19	6.94	2.62	28.83	
15:00		28.20	28.01	18.17	8.20	7.66	3.79	11.13	
18:00		28.31	22.38	14.39	8.22	8.69	5.89	9.80	
21:00		28.23	28.18	18.28	8.20	7.47	3.15	0.43	
日平均值		28.34	35.31	23.06	8.21	7.39	2.93	7.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月28日	蚵殼站	0:00	28.01	41.79	27.53	8.25	5.36	5.83	0.32
		3:00	28.05	39.98	26.35	8.22	5.22	5.98	0.13
		6:00	27.97	40.58	26.73	8.24	5.14	5.43	0.02
		9:00	27.78	41.11	27.08	8.21	6.02	6.41	0.09
		12:00	27.79	40.98	26.99	8.30	5.50	5.35	0.12
		15:00	27.81	40.62	26.75	8.36	5.94	5.87	0.32
		18:00	27.77	38.33	25.25	8.37	6.92	7.32	0.09
		21:00	27.78	39.26	25.85	8.31	6.25	6.60	0.04
	日平均值		27.87	40.33	26.57	8.28	5.79	6.10	0.14
	潮口站	0:00	28.40	38.73	25.34	8.47	7.60	7.91	0.10
		3:00	28.41	40.98	26.99	8.43	7.78	6.86	0.11
		6:00	28.40	41.69	27.46	8.42	7.92	12.78	0.13
		9:00	28.24	42.29	27.85	8.39	7.92	8.85	0.06
		12:00	28.72	39.24	25.88	8.47	6.86	6.27	0.07
		15:00	28.78	39.55	25.86	8.49	6.28	7.05	0.11
		18:00	28.91	39.38	25.87	8.42	5.59	5.15	0.07
		21:00	28.63	39.54	26.05	8.44	6.62	6.74	0.08
	日平均值		28.56	40.18	26.41	8.44	7.07	7.70	0.09
	灣內站	0:00	28.16	32.01	20.85	8.20	6.75	2.24	0.41
		3:00	28.15	31.03	20.19	8.20	6.26	1.97	6.74
		6:00	27.98	40.02	26.22	8.23	6.73	2.38	1.13
9:00		27.88	42.99	28.21	8.23	6.63	1.91	0.42	
12:00		28.09	43.27	28.40	8.22	6.15	1.94	2.10	
15:00		29.87	27.63	17.91	8.20	7.44	4.20	4.58	
18:00		31.42	17.64	11.21	8.18	8.41	6.02	10.83	
21:00		30.29	25.52	16.50	8.19	7.36	4.05	2.85	
日平均值		28.98	32.51	21.19	8.21	6.97	3.09	3.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月29日	蚵殼站	0:00	27.86	40.13	26.44	8.25	5.53	5.40	0.04
		3:00	27.76	39.44	25.98	8.32	5.75	5.13	0.04
		6:00	27.79	39.21	25.83	8.26	5.86	4.67	0.04
		9:00	27.61	40.49	26.67	8.22	6.16	5.62	0.04
		12:00	27.64	40.40	26.61	8.23	5.84	4.88	0.04
		15:00	27.76	40.47	26.65	8.33	5.82	4.45	0.04
		18:00	27.67	38.42	25.30	8.41	6.67	5.06	0.04
	21:00	27.73	37.41	24.64	8.37	6.40	4.39	0.04	
	日平均值		27.73	39.50	26.02	8.30	6.00	4.95	0.04
	潮口站	0:00	28.58	38.05	24.32	8.47	7.82	5.29	0.12
		3:00	28.44	41.01	27.01	8.43	7.93	4.71	0.06
		6:00	28.35	42.25	27.82	8.42	7.97	6.77	0.09
		9:00	28.07	42.04	27.68	8.37	8.00	5.94	0.10
		12:00	28.72	38.08	25.09	8.46	7.77	4.34	0.11
		15:00	28.80	37.32	24.45	8.33	6.72	5.41	0.10
		18:00	28.76	38.75	25.52	8.37	5.76	4.11	0.12
	21:00	28.42	39.88	26.26	8.49	6.37	4.80	0.10	
	日平均值		28.52	39.67	26.02	8.42	7.29	5.17	0.10
	灣內站	0:00	28.58	37.95	24.83	8.23	6.05	2.40	0.41
		3:00	28.43	36.86	24.10	8.23	6.22	2.09	1.12
		6:00	28.00	39.53	25.89	8.22	6.49	2.34	0.86
9:00		27.65	44.61	29.30	8.22	6.43	2.37	0.40	
12:00		27.71	45.80	30.10	8.21	6.27	2.25	0.39	
15:00		28.26	42.58	27.94	8.20	6.22	1.95	0.39	
18:00		30.07	30.80	20.04	8.17	7.11	3.26	2.04	
21:00	30.20	31.38	20.43	8.16	6.52	2.94	5.54		
日平均值		28.61	38.69	25.33	8.21	6.41	2.45	1.39	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月30日	蚵殼站	0:00	27.74	37.97	25.01	8.23	5.63	4.14	0.04
		3:00	27.59	38.47	25.33	8.18	5.98	3.83	0.04
		6:00	27.56	37.55	24.74	8.16	6.14	4.07	0.04
		9:00	27.69	37.80	24.89	8.09	5.50	3.79	0.04
		12:00	27.56	38.12	25.10	8.15	6.54	4.86	0.04
		15:00	27.45	37.43	24.65	8.41	7.87	7.05	0.12
		18:00	27.57	37.69	24.83	8.40	7.04	4.76	0.15
	21:00	27.66	37.40	24.63	8.36	6.58	3.89	0.12	
	日平均值		27.60	37.80	24.90	8.25	6.41	4.55	0.07
	潮口站	0:00	28.22	38.07	25.08	8.38	8.34	5.07	0.06
		3:00	28.29	38.50	25.36	8.39	8.03	3.80	0.07
		6:00	28.37	38.45	25.32	8.42	8.07	4.40	0.08
		9:00	28.22	39.58	26.07	8.44	8.56	5.36	0.06
		12:00	28.76	39.11	25.76	8.46	8.56	4.31	0.11
		15:00	28.83	38.08	25.03	8.42	7.97	4.08	0.09
		18:00	28.95	36.43	23.99	8.46	7.26	4.32	0.07
	21:00	28.82	36.78	24.22	8.42	6.94	3.94	0.10	
	日平均值		28.56	38.13	25.10	8.42	7.97	4.41	0.08
	灣內站	0:00	28.63	41.53	27.23	8.22	5.68	3.87	0.45
		3:00	28.16	44.22	29.04	8.24	5.66	2.58	0.42
		6:00	28.12	43.17	28.33	8.23	6.21	2.36	0.38
9:00		27.88	44.16	29.00	8.23	6.68	2.26	0.42	
12:00		27.84	45.07	29.61	8.22	6.87	2.19	0.41	
15:00		29.48	40.21	26.35	8.20	7.42	4.25	3.97	
18:00		32.52	23.11	14.88	8.24	9.53	4.54	19.44	
21:00	32.16	24.06	15.52	8.26	9.06	4.46	17.13		
日平均值		29.35	38.19	25.00	8.23	7.14	3.31	5.33	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月31日	蚵殼站	0:00	27.51	37.82	24.92	8.47	7.08	5.35	2.77	
		3:00	27.53	37.35	24.57	8.41	7.35	5.65	0.17	
		6:00	27.52	36.60	24.10	8.36	7.36	5.86	0.71	
		9:00	27.61	35.86	23.59	8.41	7.17	4.35	3.93	
		12:00	27.58	36.39	23.96	8.34	6.99	4.53	6.28	
		15:00	28.28	36.02	23.71	8.38	8.36	7.42	7.15	
		18:00	28.10	37.08	24.40	8.42	8.17	6.80	8.88	
		21:00	28.14	36.76	24.21	8.32	8.02	5.64	14.19	
	日平均值			27.78	36.74	24.18	8.39	7.56	5.70	5.51
	潮口站	0:00	28.49	37.78	23.26	8.44	8.24	4.36	0.12	
		3:00	28.44	36.59	23.96	8.46	7.97	4.02	0.09	
		6:00	28.40	37.67	24.82	8.37	7.14	4.33	0.08	
		9:00	28.64	38.18	25.16	8.38	8.21	4.44	0.09	
		12:00	29.39	37.61	24.78	8.41	9.51	4.16	0.11	
		15:00	29.73	36.09	23.50	8.43	10.61	4.17	0.06	
		18:00	30.60	35.21	21.91	8.46	10.53	5.15	0.10	
	21:00	29.41	36.19	23.43	8.47	7.94	5.30	0.12		
	日平均值			29.14	36.92	23.85	8.43	8.77	4.49	0.10
	灣內站	0:00	29.99	36.53	23.88	8.27	7.70	4.11	6.28	
		3:00	28.79	43.08	28.27	8.27	6.26	3.07	4.12	
		6:00	28.61	41.61	27.29	8.26	7.63	3.01	4.52	
		9:00	30.74	31.92	20.79	8.27	8.93	3.85	15.89	
		12:00	31.77	28.75	18.66	8.30	9.32	3.76	13.10	
		15:00	30.75	37.22	24.34	8.29	7.99	4.67	7.74	
		18:00	32.11	28.43	18.45	8.36	8.50	4.62	13.25	
	21:00	31.77	28.15	18.26	8.35	8.57	3.97	5.63		
	日平均值			30.57	34.46	22.49	8.30	8.11	3.88	8.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月1日	蚵殼站	0:00	27.99	36.08	23.77	8.22	7.72	5.50	9.73
		3:00	27.66	35.18	23.16	8.24	7.50	5.90	10.45
		6:00	27.74	34.27	22.56	8.28	7.79	5.84	4.58
		9:00	27.87	34.45	22.69	8.28	8.09	5.64	19.46
		12:00	27.59	35.91	23.65	8.30	7.85	5.73	15.62
		15:00	27.57	36.06	23.75	8.27	7.62	5.13	20.68
		18:00	27.93	35.51	23.37	8.33	8.65	5.36	39.93
		21:00	27.95	35.22	23.19	8.28	8.53	5.30	31.72
	日平均值		27.79	35.34	23.27	8.28	7.97	5.55	19.02
	潮口站	0:00	28.71	36.15	23.81	8.30	8.26	4.81	2.35
		3:00	28.64	36.37	23.96	8.35	7.78	4.00	2.03
		6:00	28.96	36.77	24.22	8.34	7.01	5.34	2.65
		9:00	28.68	37.64	24.81	8.27	6.84	4.57	2.03
		12:00	29.03	37.85	24.92	8.28	8.69	4.98	2.03
		15:00	29.50	36.74	24.18	8.37	9.77	4.96	2.07
		18:00	30.73	33.67	22.17	8.37	10.81	4.93	2.04
		21:00	29.75	35.38	23.31	8.34	9.48	5.54	2.03
	日平均值		29.25	36.32	23.92	8.33	8.58	4.89	2.15
	灣內站	0:00	29.96	40.86	26.90	8.26	7.93	4.10	0.87
		3:00	28.70	45.66	30.07	8.26	6.53	3.64	1.37
		6:00	29.07	43.81	28.85	8.23	7.02	3.48	5.70
9:00		30.31	40.13	26.43	8.25	7.97	4.01	7.14	
12:00		29.98	42.80	28.19	8.25	9.28	4.91	41.16	
15:00		30.74	41.21	27.14	8.27	8.96	5.63	44.10	
18:00		31.78	34.56	22.77	8.30	7.85	6.05	48.65	
21:00		31.12	37.04	24.41	8.30	8.04	5.19	24.89	
日平均值		30.21	40.76	26.85	8.27	7.95	4.63	21.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月2日	蚵殼站	0:00	27.97	34.93	23.00	8.23	8.40	5.24	23.51
		3:00	27.74	34.73	22.88	8.20	7.43	5.95	23.76
		6:00	27.79	33.51	22.06	8.21	7.42	6.17	17.52
		9:00	28.00	33.09	21.79	8.26	8.41	5.46	14.97
		12:00	27.95	33.03	21.74	8.30	8.83	5.75	46.67
		15:00	28.00	32.98	21.71	8.29	9.01	5.71	48.81
		18:00	28.34	33.23	21.89	8.27	8.63	7.55	22.02
		21:00	28.20	33.16	21.84	8.25	8.84	5.97	12.34
	日平均值		28.00	33.58	22.11	8.25	8.37	5.98	26.20
	潮口站	0:00	28.77	37.09	24.44	8.31	8.15	6.15	2.04
		3:00	28.63	36.60	24.10	8.34	7.26	5.30	2.03
		6:00	28.98	36.64	24.14	8.35	7.06	6.44	2.47
		9:00	29.14	36.55	24.08	8.28	7.26	6.33	2.35
		12:00	29.15	36.97	24.35	8.27	7.94	5.85	2.03
		15:00	29.97	36.58	24.10	8.32	8.73	4.43	2.65
		18:00	31.04	33.82	22.28	8.31	10.35	5.78	2.03
		21:00	30.25	35.33	23.27	8.33	8.76	4.98	2.04
	日平均值		29.49	36.20	23.85	8.31	8.19	5.66	2.21
	灣內站	0:00	30.46	39.52	26.04	8.29	8.22	4.32	1.13
		3:00	28.73	45.55	30.00	8.32	7.97	4.03	3.75
		6:00	28.50	44.84	29.53	8.28	7.21	4.36	1.64
9:00		29.63	42.51	28.00	8.31	7.71	4.76	2.78	
12:00		32.03	36.21	23.88	8.29	8.69	5.46	14.70	
15:00		30.02	44.18	29.11	8.33	8.98	5.33	38.57	
18:00		29.85	44.37	29.22	8.30	8.60	5.01	29.69	
21:00		31.83	37.84	24.94	8.29	7.28	5.78	4.63	
日平均值		30.13	41.88	27.59	8.30	8.08	4.88	12.11	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月3日	蚵殼站	0:00	28.50	32.79	21.59	8.25	8.58	6.31	8.87	
		3:00	28.46	32.94	21.69	8.29	8.46	6.83	9.29	
		6:00	28.53	32.39	21.34	8.34	8.87	6.21	8.34	
		9:00	28.50	30.68	20.21	8.31	8.82	5.66	8.06	
		12:00	29.05	30.01	19.78	8.47	8.95	6.09	28.08	
		15:00	29.59	29.33	19.33	8.42	8.92	7.18	12.87	
		18:00	29.50	30.92	20.38	8.45	8.65	7.24	11.36	
		21:00	30.10	28.94	19.07	8.47	8.58	6.93	16.30	
	日平均值			29.03	31.00	20.42	8.38	8.73	6.56	12.90
	潮口站	0:00	29.27	37.45	24.66	8.31	8.15	5.88	2.03	
		3:00	29.15	38.39	25.27	8.34	8.24	6.10	2.16	
		6:00	29.53	38.16	25.14	8.35	8.48	6.12	2.03	
		9:00	29.57	36.53	24.06	8.29	8.66	6.21	2.23	
		12:00	29.97	35.95	23.67	8.27	8.59	4.91	2.03	
		15:00	30.43	33.24	21.89	8.33	8.45	4.95	2.04	
		18:00	30.08	35.86	23.62	8.32	9.48	5.84	2.09	
		21:00	30.77	33.78	22.25	8.29	7.44	4.80	3.83	
	日平均值			29.85	36.17	23.82	8.31	8.44	5.60	2.31
	灣內站	0:00	30.36	42.92	28.27	8.28	7.34	4.29	0.40	
		3:00	29.37	45.53	29.98	8.32	8.41	4.41	0.48	
		6:00	30.21	41.85	27.56	8.33	7.98	4.32	3.23	
		9:00	31.25	40.32	26.56	8.29	7.86	4.43	7.34	
		12:00	32.72	35.91	23.66	8.30	9.06	4.65	11.96	
		15:00	32.42	37.74	24.87	8.31	8.72	4.45	10.10	
		18:00	32.09	38.21	25.16	8.32	8.38	4.25	11.90	
		21:00	31.75	37.66	24.81	8.34	7.11	3.86	2.49	
	日平均值			31.27	40.02	26.36	8.31	8.11	4.33	5.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月4日	蚵殼站	0:00	29.84	30.34	19.99	8.44	8.58	6.70	13.84	
		3:00	28.89	31.76	20.91	8.36	8.19	7.78	15.40	
		6:00	28.67	31.24	20.58	8.37	8.12	6.30	15.70	
		9:00	29.09	30.46	20.08	8.41	8.58	6.08	13.55	
		12:00	29.95	29.16	19.21	8.39	8.70	7.76	30.83	
		15:00	30.71	28.73	18.96	8.41	8.70	6.69	17.07	
		18:00	29.93	29.85	19.68	8.42	8.62	8.23	21.54	
		21:00	29.51	29.05	19.15	8.32	8.26	7.66	6.67	
	日平均值			29.57	30.07	19.82	8.39	8.47	7.15	16.83
	潮口站	0:00	29.69	36.60	24.12	8.31	7.02	5.57	2.03	
		3:00	28.71	37.55	24.73	8.28	7.24	6.02	2.24	
		6:00	29.63	35.48	23.37	8.29	7.32	4.93	2.03	
		9:00	30.67	33.99	22.39	8.28	8.89	5.43	2.07	
		12:00	30.11	36.97	24.36	8.27	8.88	6.22	1.37	
		15:00	30.24	40.35	26.58	8.20	8.67	4.48	5.53	
		18:00	30.10	41.06	27.06	8.24	8.87	3.94	10.11	
		21:00	31.30	39.72	26.17	8.25	9.57	3.61	15.46	
	日平均值			30.06	37.72	24.85	8.27	8.31	5.03	5.11
	灣內站	0:00	30.02	41.95	27.61	8.30	6.55	3.70	0.41	
		3:00	29.76	43.68	28.78	8.29	6.95	3.90	0.44	
		6:00	28.95	46.17	30.40	8.32	7.16	3.94	0.46	
		9:00	30.44	42.31	27.88	8.34	8.15	4.28	10.11	
		12:00	31.50	40.60	26.75	8.29	8.89	5.58	14.66	
		15:00	31.51	41.37	27.25	8.31	8.75	4.82	19.08	
		18:00	31.48	41.39	27.26	8.29	7.21	3.68	13.28	
		21:00	31.40	41.61	27.41	8.32	6.16	3.55	4.42	
	日平均值			30.63	42.39	27.92	8.31	7.48	4.18	7.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月5日	蚵殼站	0:00	29.47	29.28	19.31	8.27	8.12	7.26	6.09
		3:00	29.06	30.03	19.80	8.18	7.79	6.79	12.36
		6:00	28.73	30.12	19.85	8.23	7.56	6.90	9.93
		9:00	28.46	32.91	21.68	8.27	7.16	6.40	9.98
		12:00	28.23	36.45	24.00	8.22	6.27	5.76	22.64
		15:00	28.04	36.49	24.03	8.18	5.57	8.63	29.16
		18:00	28.34	36.08	23.77	8.24	6.36	7.46	17.63
		21:00	28.22	35.95	23.67	8.25	5.79	6.93	7.85
	日平均值		28.57	33.41	22.01	8.23	6.83	7.02	14.46
	潮口站	0:00	30.06	41.73	27.49	8.29	8.33	4.53	7.01
		3:00	28.71	43.82	28.86	8.23	8.02	5.48	0.48
		6:00	29.39	42.06	27.69	8.33	8.01	4.25	2.48
		9:00	30.56	40.55	26.72	8.31	8.66	5.65	5.81
		12:00	30.95	40.61	26.77	8.29	9.41	5.92	8.63
		15:00	29.56	41.52	27.36	8.23	7.33	5.13	4.00
		18:00	29.51	40.99	26.99	8.30	7.25	3.88	1.78
		21:00	31.43	38.90	25.62	8.38	8.39	3.52	4.55
	日平均值		30.02	41.27	27.19	8.30	8.18	4.80	4.34
	灣內站	0:00	30.94	43.11	28.39	8.28	6.27	3.80	0.44
		3:00	30.22	44.46	29.28	8.29	6.66	3.75	0.62
		6:00	29.46	46.30	30.48	8.27	6.24	4.66	0.42
9:00		30.72	44.16	29.08	8.29	7.25	4.75	3.87	
12:00		32.29	36.78	24.23	8.26	6.69	4.00	2.97	
15:00		32.18	35.33	23.27	8.25	7.55	3.50	2.64	
18:00		31.51	36.24	23.87	8.21	6.98	3.71	2.55	
21:00		30.58	37.94	24.98	8.18	5.76	4.14	2.53	
日平均值		30.99	40.54	26.70	8.25	6.68	4.04	2.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月6日	蚵殼站	0:00	28.11	35.87	23.63	8.25	5.53	6.11	3.34
		3:00	28.05	35.90	23.65	8.29	5.83	7.01	3.96
		6:00	28.23	35.79	23.59	8.38	6.23	8.99	12.07
		9:00	28.02	35.68	23.52	8.37	5.97	8.28	14.89
		12:00	28.08	35.37	23.31	8.39	6.00	6.19	13.95
		15:00	28.12	35.11	23.14	8.35	5.34	7.12	15.34
		18:00	28.19	34.84	22.94	8.37	6.20	8.06	14.42
		21:00	28.13	34.57	22.77	8.41	6.49	6.75	14.04
	日平均值		28.12	35.39	23.32	8.35	5.95	7.31	11.50
	潮口站	0:00	30.06	41.03	27.03	8.36	7.39	3.98	3.04
		3:00	28.76	42.59	28.05	8.33	7.09	5.90	0.14
		6:00	28.54	42.16	27.77	8.35	6.93	4.04	0.14
		9:00	30.60	40.27	26.53	8.36	7.81	3.70	1.80
		12:00	30.52	40.93	26.97	8.37	7.87	4.04	3.06
		15:00	30.08	41.29	27.21	8.36	7.38	5.35	1.29
		18:00	28.44	42.52	28.00	8.38	6.89	5.50	0.10
		21:00	29.91	40.67	26.78	8.35	6.95	3.60	0.88
	日平均值		29.61	41.43	27.29	8.36	7.29	4.51	1.31
	灣內站	0:00	30.70	37.65	24.81	8.16	5.66	4.67	2.52
		3:00	30.44	37.82	24.92	8.12	6.20	4.41	2.62
		6:00	28.88	39.34	25.92	8.12	5.77	3.41	2.74
9:00		29.02	39.44	25.98	8.15	6.08	3.62	2.65	
12:00		32.05	35.83	23.59	8.17	6.76	4.38	3.11	
15:00		32.18	35.18	23.17	8.16	7.01	2.37	3.31	
18:00		31.19	36.83	24.27	8.13	6.50	1.96	2.60	
21:00		30.23	38.42	25.31	8.11	6.13	2.25	2.62	
日平均值		30.59	37.56	24.75	8.14	6.26	3.38	2.77	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月7日	蚵殼站	0:00	28.03	34.53	22.75	8.36	6.12	5.58	3.83	
		3:00	27.87	34.66	22.82	8.34	5.18	6.83	10.81	
		6:00	27.91	34.38	22.64	8.36	6.16	7.88	22.87	
		9:00	27.53	34.34	22.62	8.35	6.52	9.87	25.84	
		12:00	27.87	34.00	22.39	8.42	6.76	5.91	38.72	
		15:00	27.71	33.88	22.32	8.34	6.46	7.13	22.20	
		18:00	28.19	33.42	22.02	8.35	6.70	5.63	43.84	
	21:00	28.02	33.26	21.92	8.36	6.81	7.57	41.20		
	日平均值			27.89	34.06	22.44	8.36	6.34	7.05	26.16
	潮口站	0:00	29.87	41.19	27.13	8.34	6.73	3.50	1.51	
		3:00	28.55	42.47	27.97	8.38	6.82	7.53	0.32	
		6:00	27.69	42.77	28.18	8.39	6.81	8.16	0.88	
		9:00	29.40	41.64	27.42	8.37	7.21	3.79	0.31	
		12:00	29.70	41.85	27.57	8.38	7.75	4.08	0.32	
		15:00	30.16	41.59	27.37	8.39	8.02	3.83	0.54	
		18:00	29.36	41.67	27.44	8.36	7.09	3.96	0.10	
	21:00	29.14	41.84	27.56	8.35	6.98	0.86	0.10		
	日平均值			29.23	41.88	27.58	8.37	7.18	4.46	0.51
	灣內站	0:00	29.40	39.46	26.00	8.09	5.52	2.65	2.60	
		3:00	29.75	39.02	25.71	8.05	5.82	2.11	2.94	
		6:00	28.79	40.00	26.34	8.07	5.48	2.16	2.87	
9:00		29.11	39.84	26.24	8.07	6.03	2.25	6.91		
12:00		31.05	36.48	24.04	8.09	7.20	1.91	7.48		
15:00		31.67	35.92	23.68	8.10	7.87	1.55	12.02		
18:00		31.08	37.10	24.45	8.06	7.46	1.09	6.39		
21:00	30.39	38.38	25.29	8.03	5.63	1.01	2.86			
日平均值			30.16	38.28	25.22	8.07	6.38	1.84	5.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月8日	蚵殼站	0:00	27.98	33.25	21.89	8.35	6.50	5.88	20.25	
		3:00	28.00	33.15	21.82	8.35	6.34	5.94	11.56	
		6:00	27.92	33.04	21.76	8.36	6.30	5.02	12.60	
		9:00	27.65	32.89	21.67	8.38	6.70	6.60	25.52	
		12:00	27.80	32.70	21.53	8.39	6.97	5.66	71.22	
		15:00	28.14	32.55	21.31	8.40	6.75	5.75	23.16	
		18:00	27.90	32.25	21.27	8.39	6.45	4.32	9.27	
	21:00	27.96	32.28	21.13	8.42	6.40	3.08	5.25		
	日平均值			27.92	32.76	21.55	8.38	6.55	5.28	22.35
	潮口站	0:00	29.40	41.69	27.46	8.38	6.99	2.24	0.17	
		3:00	29.75	41.37	27.25	8.36	7.08	2.48	1.54	
		6:00	28.79	41.94	27.63	8.37	7.03	2.49	0.10	
		9:00	29.11	41.18	27.13	8.39	6.93	2.42	0.14	
		12:00	31.05	41.87	27.58	8.43	7.43	2.37	2.04	
		15:00	31.67	41.84	27.56	8.40	8.02	2.38	2.03	
		18:00	31.08	41.37	27.25	8.41	7.46	2.37	2.09	
	21:00	30.39	41.85	27.57	8.39	6.61	2.66	2.05		
	日平均值			30.16	41.64	27.43	8.39	7.19	2.43	1.27
	灣內站	0:00	30.07	38.87	25.61	8.04	6.47	1.23	2.55	
		3:00	29.63	39.37	25.95	8.05	6.32	1.30	2.61	
		6:00	29.09	39.94	26.30	8.04	5.79	0.87	2.80	
9:00		28.79	40.17	26.46	8.04	5.64	0.82	3.05		
12:00		29.46	39.68	26.13	8.08	6.62	1.21	7.79		
15:00		29.71	38.75	25.53	8.09	7.42	1.05	6.03		
18:00		29.18	39.03	25.72	8.06	6.58	0.83	2.71		
21:00	28.92	39.02	25.72	8.04	5.52	0.66	2.53			
日平均值			29.36	39.35	25.93	8.06	6.30	1.00	3.76	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月9日	蚵殼站	0:00	28.11	31.61	21.02	8.39	6.41	3.27	2.26	
		3:00	28.10	31.60	21.01	8.38	6.17	2.18	2.25	
		6:00	27.92	31.72	20.83	8.37	6.44	2.76	2.07	
		9:00	27.69	31.78	20.95	8.42	6.22	6.42	21.33	
		12:00	27.65	31.90	21.02	8.38	6.42	6.56	55.62	
		15:00	27.64	31.88	21.01	8.37	6.20	7.07	53.46	
		18:00	27.68	31.89	21.02	8.36	5.45	6.81	36.48	
		21:00	27.71	31.82	20.98	8.40	5.68	6.90	23.93	
	日平均值			27.81	31.78	20.98	8.38	6.12	5.25	24.68
	潮口站	0:00	30.07	40.56	26.72	8.37	6.21	2.62	2.04	
		3:00	29.63	40.77	26.86	8.39	6.20	2.24	2.03	
		6:00	29.09	40.88	26.93	8.38	6.01	2.42	2.47	
		9:00	28.79	41.52	27.35	8.39	6.07	2.30	2.35	
		12:00	29.46	41.69	27.46	8.40	6.15	2.23	0.17	
		15:00	29.71	41.09	27.07	8.39	6.35	2.34	1.54	
		18:00	29.18	41.64	27.43	8.40	6.19	2.11	2.21	
		21:00	28.92	40.82	26.89	8.41	5.86	2.19	0.14	
	日平均值			29.36	41.12	27.09	8.39	6.13	2.31	1.62
	灣內站	0:00	28.90	39.04	25.72	8.04	5.39	0.75	2.53	
		3:00	28.81	39.38	25.96	8.05	6.11	0.94	2.56	
		6:00	28.80	39.40	25.98	8.04	6.25	0.87	2.56	
9:00		28.64	39.94	26.30	8.04	5.72	0.89	2.58		
12:00		28.88	39.89	26.27	8.07	5.88	1.08	4.21		
15:00		29.82	38.93	25.65	8.09	7.19	1.27	4.12		
18:00		29.78	38.75	25.53	8.07	6.75	1.15	2.56		
21:00		29.51	39.27	25.89	8.06	5.86	1.03	2.52		
日平均值			29.14	39.33	25.91	8.06	6.14	1.00	2.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月10日	蚵殼站	0:00	27.83	31.75	20.94	8.38	5.74	5.78	9.81	
		3:00	28.05	31.66	20.87	8.29	5.86	6.27	19.03	
		6:00	27.83	31.61	20.83	8.34	5.22	7.99	41.77	
		9:00	27.63	31.46	20.71	8.32	6.25	7.03	46.21	
		12:00	27.87	31.45	20.70	8.34	6.10	8.50	50.19	
		15:00	28.00	31.44	20.70	8.39	6.36	7.59	57.18	
		18:00	27.86	31.49	20.73	8.37	5.12	9.91	19.94	
		21:00	27.74	31.44	20.69	8.35	5.74	9.29	21.72	
	日平均值			27.85	31.54	20.77	8.35	5.80	7.80	33.23
	潮口站	0:00	28.90	41.59	27.40	8.39	5.72	2.37	0.31	
		3:00	28.81	41.96	27.64	8.40	5.52	2.42	0.32	
		6:00	28.80	41.49	27.33	8.38	5.42	2.50	0.54	
		9:00	28.64	41.26	27.18	8.40	5.41	2.31	1.54	
		12:00	28.88	40.74	26.84	8.43	5.59	2.39	0.10	
		15:00	29.82	41.53	27.36	8.41	5.77	2.28	0.14	
		18:00	29.78	41.50	27.34	8.40	5.84	2.13	2.47	
		21:00	29.51	41.52	27.35	8.42	5.48	2.10	2.35	
	日平均值			29.14	41.45	27.31	8.40	5.59	2.31	0.97
	灣內站	0:00	29.42	39.34	25.93	8.06	5.73	1.14	2.54	
		3:00	28.88	39.95	26.31	8.06	5.43	1.32	2.54	
		6:00	28.45	40.27	26.52	8.06	5.71	1.06	2.53	
9:00		28.86	40.10	26.40	8.07	6.51	1.09	2.53		
12:00		29.85	39.64	26.11	8.08	6.56	1.20	2.76		
15:00		31.09	39.16	25.81	8.09	7.12	1.36	3.17		
18:00		29.72	39.93	26.29	8.09	6.74	1.22	2.51		
21:00		29.16	40.16	26.44	8.08	6.77	1.22	2.52		
日平均值			29.43	39.82	26.23	8.07	6.32	1.20	2.64	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月11日	蚵殼站	0:00	27.92	31.21	20.56	8.39	6.80	7.95	16.08	
		3:00	28.36	30.82	20.32	8.36	6.83	7.24	20.61	
		6:00	27.84	31.15	20.52	8.37	5.10	9.93	26.00	
		9:00	27.84	31.12	20.51	8.33	5.17	7.41	42.76	
		12:00	28.44	30.93	20.38	8.39	6.88	9.81	33.02	
		15:00	28.64	30.78	20.30	8.40	7.21	11.27	23.45	
		18:00	28.30	30.87	20.35	8.38	6.25	11.69	30.07	
		21:00	28.42	30.75	20.28	8.37	5.59	10.86	14.39	
	日平均值			28.22	30.95	20.40	8.37	6.23	9.52	25.80
	潮口站	0:00	29.42	41.47	27.32	8.40	5.40	3.98	3.04	
		3:00	28.88	41.53	27.36	8.41	5.22	5.90	0.14	
		6:00	28.45	41.49	27.33	8.38	5.37	4.04	1.32	
		9:00	28.86	41.20	27.14	8.40	5.24	3.70	1.80	
		12:00	29.85	41.17	27.12	8.41	5.35	4.04	3.06	
		15:00	31.09	41.26	27.18	8.41	5.44	5.35	1.29	
		18:00	29.72	41.34	27.23	8.40	5.77	5.50	1.23	
		21:00	29.16	41.52	27.35	8.42	5.67	3.60	0.88	
	日平均值			29.43	41.37	27.25	8.40	5.43	4.51	1.60
	灣內站	0:00	29.54	40.03	26.35	8.08	6.53	1.26	2.53	
		3:00	29.41	40.13	26.42	8.07	5.86	1.15	2.54	
		6:00	29.46	40.17	26.45	8.07	6.24	1.20	2.52	
		9:00	29.64	40.11	26.41	8.06	6.72	1.32	2.54	
		12:00	30.52	39.66	26.13	8.08	6.38	1.45	2.78	
		15:00	31.80	39.23	25.86	8.11	7.09	1.43	2.65	
		18:00	31.84	39.28	25.89	8.11	6.47	1.39	2.53	
		21:00	30.07	40.03	26.36	8.11	6.64	1.48	2.53	
	日平均值			30.29	39.83	26.23	8.09	6.49	1.34	2.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月12日	蚵殼站	0:00	28.31	30.84	20.34	8.38	6.30	10.78	14.71	
		3:00	28.80	30.79	20.29	8.40	7.13	10.82	6.53	
		6:00	29.00	30.52	20.11	8.41	6.69	9.18	17.54	
		9:00	28.48	30.61	20.17	8.39	5.60	12.72	64.66	
		12:00	29.59	30.66	20.20	8.43	7.24	10.95	94.96	
		15:00	30.09	30.29	19.96	8.45	7.35	11.54	119.95	
		18:00	29.80	30.44	20.06	8.44	7.21	12.32	121.05	
		21:00	29.74	30.34	19.99	8.44	7.17	11.97	91.22	
	日平均值			29.23	30.56	20.14	8.42	6.84	11.29	66.33
	潮口站	0:00	29.54	41.61	27.41	8.39	5.54	0.32	2.88	
		3:00	29.41	41.40	27.27	8.41	5.64	2.32	7.39	
		6:00	29.46	41.52	27.35	8.38	5.65	1.98	4.45	
		9:00	29.92	41.69	27.46	8.37	5.41	0.08	3.51	
		12:00	30.62	41.10	27.07	8.44	8.00	4.16	20.27	
		15:00	31.16	40.97	26.98	8.48	7.83	7.01	21.37	
		18:00	31.01	40.95	26.98	8.46	7.36	8.24	15.10	
		21:00	30.44	41.34	27.24	8.39	6.39	5.78	7.24	
	日平均值			30.20	41.32	27.22	8.42	6.48	3.74	10.28
	灣內站	0:00	30.01	40.16	26.44	8.12	6.53	1.58	2.52	
		3:00	30.12	40.11	26.41	8.10	6.34	1.49	2.54	
		6:00	30.28	40.00	26.33	8.10	6.35	1.50	2.52	
		9:00	30.41	39.99	26.32	8.11	5.56	1.54	2.54	
		12:00	29.98	40.17	26.45	8.12	6.31	1.59	3.69	
		15:00	30.08	40.24	26.49	8.17	7.17	2.06	12.34	
		18:00	29.73	40.27	26.52	8.16	6.47	1.98	10.32	
		21:00	29.31	40.17	26.45	8.13	6.23	1.74	4.34	
	日平均值			29.99	40.14	26.43	8.13	6.37	1.69	5.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月13日	蚵殼站	0:00	29.52	30.64	20.19	8.43	6.92	9.89	88.05	
		3:00	29.28	30.57	20.14	8.42	6.85	10.31	102.09	
		6:00	29.31	30.58	20.15	8.41	6.75	14.16	133.64	
		9:00	29.53	30.38	20.02	8.42	6.86	17.08	166.18	
		12:00	29.92	30.47	20.08	8.45	7.03	20.10	168.13	
		15:00	30.14	30.37	20.01	8.43	7.05	18.12	159.75	
		18:00	30.11	31.29	20.62	8.42	7.03	22.75	174.04	
	21:00	29.81	31.19	20.55	8.41	6.93	27.15	123.11		
	日平均值			29.70	30.69	20.22	8.42	6.93	17.45	139.37
	潮口站	0:00	30.13	41.66	27.44	8.34	5.83	8.34	2.88	
		3:00	30.00	39.88	26.26	8.33	5.87	3.04	7.39	
		6:00	29.84	41.46	27.32	8.37	5.67	5.64	4.45	
		9:00	29.99	42.14	27.75	8.33	5.90	2.76	0.66	
		12:00	30.57	41.79	27.52	8.38	6.22	4.93	5.46	
		15:00	30.58	41.69	27.46	8.39	6.29	8.76	10.89	
		18:00	30.38	41.71	27.49	8.37	6.29	3.97	10.06	
	21:00	30.13	41.37	27.26	8.34	5.81	3.73	3.91		
	日平均值			30.20	41.46	27.31	8.36	5.99	5.15	5.71
	灣內站	0:00	29.07	40.25	26.50	8.09	5.89	1.73	4.18	
		3:00	29.51	40.30	26.54	8.12	6.83	1.73	3.51	
		6:00	29.45	40.30	26.54	8.15	6.87	1.79	5.12	
9:00		29.28	40.43	26.63	8.16	7.16	2.05	6.06		
12:00		29.64	40.37	26.59	8.18	7.47	1.80	8.66		
15:00		29.59	40.35	26.57	8.16	7.30	1.93	13.17		
18:00		29.49	40.37	26.60	8.18	7.34	1.86	20.37		
21:00	29.52	40.31	26.55	8.16	6.26	1.57	4.24			
日平均值			29.44	40.34	26.57	8.15	6.89	1.81	8.16	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月14日	蚵殼站	0:00	29.69	31.05	20.46	8.41	6.65	27.75	76.23	
		3:00	29.56	31.01	20.43	8.38	6.44	26.30	56.05	
		6:00	29.52	30.85	20.33	8.40	6.51	35.87	85.07	
		9:00	29.60	30.60	20.16	8.38	6.72	28.40	77.55	
		12:00	29.81	30.46	20.07	8.40	6.62	30.83	64.57	
		15:00	30.17	30.37	20.01	8.41	6.42	26.77	40.53	
		18:00	30.36	30.40	20.03	8.39	6.28	26.18	10.86	
	21:00	30.40	30.60	20.16	8.43	6.38	35.40	9.16		
	日平均值			29.89	30.67	20.21	8.40	6.50	29.69	52.50
	潮口站	0:00	29.88	41.99	27.66	8.36	5.57	7.86	2.05	
		3:00	29.73	41.87	27.57	8.32	5.42	6.53	4.33	
		6:00	29.60	41.45	27.30	8.31	5.23	4.33	5.84	
		9:00	29.82	41.82	27.55	8.30	5.31	17.51	2.26	
		12:00	30.38	42.07	27.71	8.29	5.60	3.92	2.20	
		15:00	30.92	41.12	27.08	8.32	6.27	4.35	12.00	
		18:00	30.88	41.61	26.47	8.36	6.63	2.30	15.92	
	21:00	30.94	41.88	27.59	8.37	5.91	0.12	10.76		
	日平均值			30.27	41.73	27.37	8.33	5.74	5.87	6.92
	灣內站	0:00	29.63	40.30	26.54	8.16	5.80	1.55	2.75	
		3:00	29.58	40.28	26.53	8.18	5.67	1.53	3.13	
		6:00	29.42	40.17	26.45	8.17	5.84	1.58	4.50	
9:00		29.80	40.19	26.46	8.20	6.57	1.83	5.39		
12:00		30.38	40.11	26.40	8.22	6.72	1.79	5.62		
15:00		30.63	40.09	26.39	8.24	7.02	1.66	3.87		
18:00		30.65	40.05	26.36	8.22	5.89	1.60	2.71		
21:00	30.38	39.98	26.32	8.21	6.34	1.53	1.94			
日平均值			30.06	40.15	26.43	8.20	6.23	1.63	3.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月15日	蚵殼站	0:00	30.40	31.51	20.76	8.40	6.43	30.44	16.68	
		3:00	30.30	31.48	20.74	8.38	6.23	23.99	14.31	
		6:00	30.20	31.80	20.95	8.34	5.39	26.57	9.43	
		9:00	30.20	31.75	20.92	8.35	5.39	26.70	10.65	
		12:00	30.28	31.70	20.89	8.36	6.19	29.75	22.33	
		15:00	30.37	31.48	20.74	8.36	6.60	35.79	46.14	
		18:00	30.97	31.29	20.62	8.37	6.97	30.05	32.13	
	21:00	30.94	31.67	20.87	8.36	5.60	23.22	8.57		
	日平均值			30.46	31.59	20.81	8.37	6.10	28.31	20.03
	潮口站	0:00	29.65	40.83	26.90	8.39	5.77	2.11	1.62	
		3:00	29.86	41.05	27.04	8.42	5.97	2.02	1.08	
		6:00	29.54	41.15	27.11	8.40	5.01	1.86	7.10	
		9:00	30.33	41.79	27.53	8.37	5.28	2.08	10.34	
		12:00	30.12	41.96	27.64	8.43	5.36	2.23	0.92	
		15:00	29.55	41.37	27.25	8.48	5.35	1.72	1.94	
		18:00	30.32	41.91	27.61	8.45	5.93	1.79	0.92	
	21:00	30.22	41.09	27.07	8.40	5.48	1.72	1.07		
	日平均值			29.95	41.39	27.27	8.42	5.52	1.94	3.12
	灣內站	0:00	30.21	39.92	26.29	8.18	5.91	1.59	2.04	
		3:00	30.01	40.20	26.47	8.18	5.35	1.48	1.71	
		6:00	30.01	40.20	26.47	8.20	5.57	1.56	2.00	
9:00		30.60	40.09	26.39	8.22	5.81	1.59	1.78		
12:00		31.57	39.85	26.22	8.18	6.49	1.57	2.66		
15:00		31.98	39.80	26.19	8.25	7.17	1.59	4.37		
18:00		31.83	39.89	26.26	8.21	6.19	1.47	4.76		
21:00	31.61	39.94	26.29	8.18	5.32	1.40	2.52			
日平均值			30.98	39.99	26.32	8.20	5.98	1.53	2.73	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月16日	蚵殼站	0:00	30.83	31.75	20.92	8.34	5.09	29.47	9.85	
		3:00	30.48	31.81	20.96	8.34	5.59	32.28	15.86	
		6:00	30.29	32.90	21.68	8.32	5.79	27.31	14.83	
		9:00	30.27	33.03	21.76	8.31	5.88	30.78	40.97	
		12:00	30.41	33.22	21.89	8.32	6.37	29.87	75.20	
		15:00	31.10	33.27	21.92	8.33	6.78	36.97	103.48	
		18:00	31.35	33.18	21.86	8.34	6.33	43.45	78.36	
	21:00	31.26	33.09	21.80	8.31	5.52	19.06	37.14		
	日平均值			30.75	32.78	21.60	8.33	5.92	31.15	46.96
	潮口站	0:00	29.66	41.75	27.50	8.38	5.35	1.76	0.76	
		3:00	29.54	41.81	27.54	8.39	5.84	1.82	0.67	
		6:00	29.87	41.76	27.51	8.41	5.31	1.93	3.16	
		9:00	30.32	41.47	27.32	8.38	5.68	2.14	3.45	
		12:00	30.56	41.44	27.30	8.39	5.51	2.34	0.63	
		15:00	30.32	41.53	27.36	8.44	5.03	2.09	2.45	
		18:00	30.38	41.61	27.41	8.46	5.84	1.72	0.56	
	21:00	30.43	41.79	27.53	8.41	5.12	1.86	0.50		
	日平均值			30.14	41.65	27.43	8.41	5.46	1.96	1.52
	灣內站	0:00	31.34	40.00	26.33	8.20	6.03	1.30	2.24	
		3:00	31.20	40.00	26.33	8.18	5.37	1.41	2.52	
		6:00	31.20	39.96	26.30	8.19	6.55	1.54	2.44	
9:00		31.22	39.58	26.09	8.20	6.43	1.58	3.21		
12:00		31.57	39.63	26.12	8.23	7.57	1.83	5.17		
15:00		31.79	39.79	26.19	8.24	7.72	1.76	6.93		
18:00		31.76	39.88	26.24	8.22	6.10	1.44	3.88		
21:00	31.51	39.86	26.23	8.18	7.32	1.45	2.61			
日平均值			31.45	39.84	26.23	8.21	6.64	1.54	3.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月17日	蚵殼站	0:00	31.19	33.39	22.00	8.26	5.17	10.90	22.34	
		3:00	30.98	33.47	22.05	8.29	5.62	22.25	18.52	
		6:00	30.08	33.56	22.11	8.30	6.25	28.65	14.75	
		9:00	30.09	33.62	22.15	8.29	5.37	20.86	29.36	
		12:00	30.40	34.21	22.54	8.31	6.52	20.63	37.51	
		15:00	31.20	34.35	22.63	8.32	6.80	18.01	43.70	
		18:00	31.73	34.58	22.78	8.33	6.92	19.23	38.27	
	21:00	31.59	34.88	22.98	8.31	6.01	20.53	30.11		
	日平均值			30.91	34.01	22.41	8.30	6.08	20.13	29.32
	潮口站	0:00	30.01	41.88	27.59	8.36	5.30	2.11	1.54	
		3:00	29.76	41.67	27.45	8.32	5.46	2.02	1.22	
		6:00	29.45	41.79	27.53	8.31	5.81	1.86	1.86	
		9:00	30.02	41.96	27.64	8.30	5.71	2.08	2.81	
		12:00	30.54	41.93	27.62	8.29	5.78	2.23	4.19	
		15:00	30.67	41.87	27.58	8.32	5.62	2.09	3.52	
		18:00	29.98	41.88	27.59	8.36	5.36	1.78	11.95	
	21:00	30.43	41.81	27.54	8.37	5.34	1.71	13.08		
	日平均值			30.11	41.85	27.57	8.33	5.55	1.99	5.02
	灣內站	0:00	31.29	39.55	26.04	8.19	6.31	1.47	2.47	
		3:00	31.20	39.61	26.08	8.19	6.53	1.46	3.14	
		6:00	31.11	39.97	26.31	8.21	5.43	1.53	2.55	
9:00		31.40	39.84	26.22	8.16	6.25	1.59	4.52		
12:00		31.83	39.83	26.21	8.21	7.38	2.68	5.61		
15:00		32.02	39.81	26.20	8.24	7.51	2.00	7.09		
18:00		31.97	39.90	26.26	8.21	6.16	1.46	4.36		
21:00	31.81	39.95	26.30	8.20	6.39	1.44	2.72			
日平均值			31.58	39.81	26.20	8.20	6.50	1.70	4.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月18日	蚵殼站	0:00	31.52	34.73	22.88	8.29	5.72	16.17	26.60	
		3:00	31.06	35.64	23.48	8.31	5.59	16.78	25.69	
		6:00	30.16	35.61	23.46	8.30	6.20	17.99	15.57	
		9:00	30.06	35.87	23.63	8.27	5.15	21.98	16.29	
		12:00	30.49	36.05	23.75	8.28	6.62	25.21	22.08	
		15:00	31.34	36.02	23.73	8.30	6.58	21.78	32.53	
		18:00	31.53	36.20	23.85	8.28	6.15	20.13	29.45	
	21:00	31.60	36.17	23.83	8.26	5.09	32.28	25.93		
	日平均值			30.97	35.79	23.58	8.29	5.89	21.54	24.27
	潮口站	0:00	30.56	41.87	27.58	8.41	5.37	3.21	13.14	
		3:00	30.76	42.23	27.82	8.37	5.41	3.94	13.08	
		6:00	30.98	41.76	27.51	8.43	5.38	7.16	11.98	
		9:00	31.45	42.93	28.28	8.39	5.35	5.43	9.40	
		12:00	31.35	45.16	29.75	8.41	6.52	4.28	13.45	
		15:00	30.15	42.26	27.84	8.35	5.59	3.21	6.95	
		18:00	30.37	45.56	30.01	8.38	5.95	3.94	15.77	
	21:00	30.75	45.18	29.76	8.41	6.25	7.16	12.19		
	日平均值			30.80	43.37	28.57	8.39	5.73	4.79	12.00
	灣內站	0:00	31.68	39.96	26.30	8.18	6.34	1.47	2.61	
		3:00	31.47	39.91	26.27	8.19	5.37	1.58	3.22	
		6:00	31.34	39.96	26.30	8.19	5.41	1.79	3.43	
9:00		31.68	39.89	26.25	8.21	6.40	1.62	5.32		
12:00		32.02	40.07	26.39	8.17	7.47	2.52	15.91		
15:00		32.02	40.10	26.41	8.16	7.42	2.16	15.28		
18:00		32.04	40.12	26.42	8.14	6.21	1.85	9.96		
21:00	31.88	40.16	26.45	8.18	6.05	1.59	3.90			
日平均值			31.77	40.02	26.35	8.18	6.33	1.82	7.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月19日	蚵殼站	0:00	31.57	36.22	23.86	8.30	5.71	28.40	25.42	
		3:00	30.99	36.32	23.93	8.29	5.47	21.82	19.99	
		6:00	29.97	36.19	23.84	8.33	6.46	22.73	19.44	
		9:00	29.90	36.32	23.93	8.23	5.51	24.60	17.53	
		12:00	30.30	36.31	23.92	8.31	6.58	25.08	22.16	
		15:00	31.40	36.67	24.16	8.30	6.60	23.90	25.64	
		18:00	31.57	36.60	24.11	8.22	5.56	30.32	20.16	
		21:00	31.47	36.55	24.08	8.19	5.51	21.63	16.82	
	日平均值			30.90	36.40	23.98	8.27	5.93	24.81	20.90
	潮口站	0:00	29.67	44.36	29.22	8.36	5.32	4.09	6.85	
		3:00	28.43	47.09	31.02	8.34	5.93	4.56	0.65	
		6:00	29.93	43.65	28.75	8.37	5.53	0.40	6.20	
		9:00	31.37	44.63	29.40	8.44	6.78	5.35	10.31	
		12:00	31.15	44.12	29.06	8.43	6.72	1.47	15.68	
		15:00	30.59	43.90	28.92	8.38	5.99	0.12	10.18	
		18:00	29.67	44.56	29.35	8.36	5.50	0.05	9.04	
		21:00	30.58	43.46	28.63	8.41	6.05	2.12	13.30	
	日平均值			30.17	44.47	29.29	8.39	5.98	2.27	9.03
	灣內站	0:00	31.75	40.21	26.48	8.12	6.29	1.76	3.57	
		3:00	31.64	40.21	26.48	8.18	5.86	1.82	3.14	
		6:00	31.54	40.18	26.46	8.15	5.84	1.93	2.98	
9:00		31.92	40.15	26.44	8.17	6.66	2.14	6.07		
12:00		32.26	40.12	26.42	8.18	7.35	2.34	11.78		
15:00		32.30	40.16	26.45	8.14	7.38	2.09	11.74		
18:00		32.22	40.13	26.43	8.11	5.99	1.72	6.47		
21:00		31.98	40.15	26.44	8.14	5.05	1.79	4.12		
日平均值			31.95	40.16	26.45	8.15	6.30	1.95	6.23	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月20日	蚵殼站	0:00	31.40	36.54	24.07	8.22	5.53	28.73	22.06	
		3:00	30.75	37.33	24.59	8.32	5.86	32.24	24.11	
		6:00	29.80	36.02	23.73	8.33	5.89	40.04	22.29	
		9:00	31.73	36.14	23.69	8.21	5.36	11.55	6.18	
		12:00	31.92	36.68	24.16	8.16	6.37	4.80	2.07	
		15:00	31.89	36.86	24.31	8.16	6.44	3.67	2.20	
		18:00	32.01	36.87	24.32	8.14	6.08	3.48	2.69	
		21:00	32.00	36.87	24.31	8.13	5.22	2.98	2.16	
	日平均值			31.44	36.66	24.15	8.21	5.84	15.94	10.47
	潮口站	0:00	30.04	44.92	29.59	8.37	5.40	1.55	10.76	
		3:00	28.72	46.05	30.33	8.34	5.12	0.53	2.31	
		6:00	29.80	45.12	29.72	8.37	5.33	4.95	6.13	
		9:00	31.65	45.26	29.81	8.43	5.98	3.24	9.89	
		12:00	30.90	45.27	29.82	8.41	6.08	0.01	13.46	
		15:00	30.46	45.39	29.90	8.38	5.80	2.94	10.88	
		18:00	28.67	45.41	29.91	8.34	5.15	0.01	5.92	
		21:00	30.04	45.16	29.75	8.37	5.43	0.11	10.08	
	日平均值			30.04	45.32	29.85	8.38	5.54	1.67	8.68
	灣內站	0:00	32.19	40.13	26.43	8.13	5.33	2.11	4.33	
		3:00	31.70	40.23	26.49	8.10	6.03	2.02	4.33	
		6:00	31.12	40.26	26.51	8.11	5.12	1.86	3.84	
9:00		31.88	40.21	26.48	8.12	6.41	2.08	4.78		
12:00		32.42	40.19	26.47	8.13	7.29	2.23	9.01		
15:00		32.47	40.15	26.44	8.14	7.27	2.09	11.99		
18:00		32.16	40.15	26.44	8.12	6.61	1.78	10.90		
21:00		31.95	40.21	26.48	8.14	5.41	1.71	3.16		
日平均值			31.99	40.19	26.47	8.12	6.18	1.99	6.54	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月21日	蚵殼站	0:00	31.97	36.80	24.26	8.12	5.48	2.60	8.19
		3:00	31.80	36.81	24.27	8.10	5.42	2.20	3.43
		6:00	31.58	36.95	24.35	8.16	5.38	3.17	2.03
		9:00	31.99	36.75	24.22	8.13	5.81	3.22	2.27
		12:00	31.86	36.82	24.27	8.14	6.25	4.46	3.52
		15:00	31.85	37.01	24.37	8.13	6.25	4.73	11.37
		18:00	31.69	37.09	24.42	8.11	6.03	4.71	5.53
	21:00	31.61	37.12	24.43	8.10	5.13	3.22	2.04	
	日平均值		31.79	36.92	24.32	8.12	5.72	3.54	4.80
	潮口站	0:00	30.03	44.92	29.59	8.36	5.05	2.11	7.93
		3:00	28.99	44.63	29.40	8.35	5.22	2.02	3.15
		6:00	29.33	44.74	29.47	8.36	5.12	1.86	4.30
		9:00	31.36	44.89	29.57	8.42	5.86	0.01	6.09
		12:00	30.56	44.77	29.49	8.40	5.81	4.09	11.22
		15:00	30.42	44.71	29.45	8.38	5.52	4.56	8.64
		18:00	28.80	44.94	29.60	8.35	5.00	0.40	4.38
	21:00	29.74	45.50	29.97	8.38	5.13	5.35	8.52	
	日平均值		29.90	44.89	29.57	8.38	5.34	2.55	6.78
	灣內站	0:00	32.05	40.16	26.45	8.15	5.52	1.90	3.81
		3:00	31.84	40.24	26.50	8.15	6.01	1.99	2.92
		6:00	31.14	40.26	26.51	8.12	5.11	1.95	2.86
9:00		31.48	40.21	26.48	8.15	6.07	2.04	4.79	
12:00		31.91	40.21	26.48	8.16	7.08	1.93	8.96	
15:00		32.16	40.16	26.45	8.18	6.90	2.05	9.40	
18:00		31.87	40.26	26.51	8.13	6.07	1.76	6.98	
21:00	31.81	40.29	26.53	8.12	5.54	1.81	4.08		
日平均值		31.78	40.22	26.49	8.15	6.04	1.93	5.48	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月22日	蚵殼站	0:00	31.58	37.09	24.41	8.09	5.47	3.06	3.01
		3:00	31.39	36.99	24.38	8.08	5.35	3.25	2.03
		6:00	30.62	37.33	24.58	8.06	5.33	3.00	2.04
		9:00	30.46	37.42	24.65	8.10	5.15	3.72	2.25
		12:00	31.22	37.26	24.55	8.11	6.00	4.02	2.57
		15:00	31.10	37.46	24.65	8.13	6.14	5.48	8.19
		18:00	31.07	37.54	24.71	8.14	6.11	5.27	3.43
	21:00	31.05	36.66	24.15	8.13	5.96	6.91	2.03	
	日平均值		31.06	37.22	24.51	8.11	5.69	4.34	3.19
	潮口站	0:00	29.97	45.23	29.79	8.37	5.88	1.63	8.19
		3:00	29.48	45.03	29.66	8.36	5.08	0.36	4.99
		6:00	29.31	45.03	29.66	8.36	5.86	2.43	3.46
		9:00	30.81	44.89	29.57	8.40	5.17	2.01	4.73
		12:00	30.24	45.12	29.72	8.38	5.14	0.01	9.66
		15:00	30.39	45.03	29.66	8.38	5.10	0.02	10.00
		18:00	29.80	44.66	29.42	8.35	5.68	0.12	5.20
	21:00	29.77	44.53	29.33	8.35	5.39	1.23	7.98	
	日平均值		29.97	44.94	29.60	8.37	5.41	0.98	6.78
	灣內站	0:00	31.82	40.26	26.51	8.13	5.81	2.15	4.43
		3:00	31.53	40.30	26.54	8.14	5.24	2.32	4.56
		6:00	31.02	40.41	26.61	8.12	5.54	2.24	2.88
9:00		31.55	40.33	26.56	8.12	5.86	2.11	5.39	
12:00		31.88	40.32	26.55	8.16	6.98	2.33	10.16	
15:00		32.01	40.32	26.55	8.17	7.21	2.50	13.58	
18:00		31.98	40.32	26.55	8.18	6.01	1.89	8.31	
21:00	31.83	40.33	26.56	8.14	5.24	1.93	4.15		
日平均值		31.70	40.32	26.55	8.15	5.99	2.18	6.68	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月23日	蚵殼站	0:00	30.99	36.74	24.21	8.13	6.01	5.10	2.07
		3:00	30.66	36.59	24.10	8.17	5.99	6.68	2.20
		6:00	30.13	35.89	23.64	8.13	5.70	9.27	2.69
		9:00	29.83	36.59	23.79	8.15	6.01	6.23	2.19
		12:00	30.12	36.63	24.13	8.16	6.21	6.12	3.56
		15:00	31.18	37.71	24.84	8.17	6.20	5.53	6.45
		18:00	31.13	36.98	24.36	8.18	6.05	5.49	4.40
	21:00	31.06	37.74	24.86	8.20	6.16	4.93	2.03	
	日平均值		30.64	36.86	24.24	8.16	6.04	6.17	3.20
	潮口站	0:00	29.92	45.15	29.74	8.34	5.18	1.86	8.49
		3:00	29.43	45.09	29.70	8.35	5.38	0.01	3.70
		6:00	29.13	45.12	29.72	8.36	5.42	4.09	2.33
		9:00	30.66	45.07	29.69	8.40	5.58	4.56	5.07
		12:00	30.65	44.88	29.56	8.39	5.72	0.06	12.41
		15:00	30.77	44.78	29.50	8.40	5.96	0.09	14.08
		18:00	30.10	44.63	29.40	8.33	5.38	0.46	6.41
	21:00	30.12	44.36	29.22	8.42	5.16	0.93	10.06	
	日平均值		30.10	44.89	29.57	8.37	5.47	1.51	7.82
	灣內站	0:00	31.70	40.33	26.56	8.16	5.11	2.10	4.43
		3:00	31.53	40.44	26.63	8.16	5.32	2.21	3.96
		6:00	31.04	40.57	26.72	8.13	5.06	2.00	2.93
9:00		30.85	40.47	26.65	8.16	5.77	2.04	4.60	
12:00		31.84	40.39	26.60	8.17	6.83	2.07	9.49	
15:00		31.90	40.39	26.60	8.19	7.12	2.12	14.18	
18:00		31.87	40.44	26.63	8.14	5.74	2.13	10.23	
21:00	31.80	40.41	26.61	8.13	5.53	2.15	4.95		
日平均值		31.57	40.43	26.63	8.16	5.81	2.10	6.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月24日	蚵殼站	0:00	30.39	37.48	24.69	8.24	6.13	5.98	2.23
		3:00	30.56	37.57	24.75	8.21	6.06	5.60	2.03
		6:00	30.32	37.72	24.85	8.19	5.41	8.93	2.04
		9:00	29.79	36.52	24.06	8.20	5.67	9.52	2.09
		12:00	30.19	37.89	24.96	8.18	6.00	7.28	3.83
		15:00	31.18	37.29	24.57	8.21	6.09	5.20	7.68
		18:00	31.30	37.26	24.55	8.22	5.90	5.06	4.75
	21:00	31.35	37.26	24.55	8.23	5.13	4.93	2.03	
	日平均值		30.64	37.37	24.62	8.21	5.80	6.56	3.34
	潮口站	0:00	30.40	44.91	29.58	8.36	5.77	1.90	10.00
		3:00	29.75	44.85	29.54	8.35	5.97	1.99	4.12
		6:00	28.60	44.82	29.52	8.36	5.01	1.95	0.79
		9:00	30.06	44.71	29.45	8.39	5.28	2.04	6.11
		12:00	30.40	44.53	29.33	8.40	5.36	1.93	14.96
		15:00	30.94	44.48	29.30	8.41	5.35	2.05	18.81
		18:00	30.43	44.44	29.27	8.38	5.93	1.76	9.90
	21:00	29.70	44.69	29.44	8.35	5.48	1.81	6.98	
	日平均值		30.04	44.68	29.43	8.38	5.52	1.93	8.96
	灣內站	0:00	31.80	40.39	26.60	8.11	5.91	2.34	5.60
		3:00	31.56	40.47	26.65	8.09	5.32	2.34	4.77
		6:00	31.15	40.50	26.67	8.11	5.25	2.34	4.57
9:00		31.13	40.47	26.65	8.09	5.68	2.17	7.32	
12:00		31.92	40.39	26.60	8.12	7.05	2.35	12.21	
15:00		32.25	40.39	26.60	8.13	7.10	2.44	19.13	
18:00		32.33	40.39	26.60	8.12	6.08	2.10	19.02	
21:00	32.09	40.39	26.60	8.14	5.34	2.14	5.05		
日平均值		31.78	40.42	26.62	8.11	5.97	2.28	9.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月25日	蚵殼站	0:00	31.28	37.23	24.53	8.22	5.73	5.37	2.04	
		3:00	31.06	37.39	24.63	8.21	5.83	5.61	2.03	
		6:00	30.50	37.54	24.73	8.19	5.09	6.74	2.03	
		9:00	29.72	37.99	25.03	8.18	5.12	10.18	2.26	
		12:00	29.75	37.87	24.95	8.17	5.11	5.93	2.20	
		15:00	30.30	37.63	24.79	8.18	5.22	5.84	2.06	
		18:00	29.57	37.45	24.67	8.14	5.48	9.18	2.03	
	21:00	30.42	37.55	24.74	8.15	5.65	5.84	2.03		
	日平均值		30.33	37.58	24.76	8.18	5.40	6.84	2.09	
	潮口站	0:00	30.46	44.71	29.45	8.37	5.35	0.76	12.23	
		3:00	29.83	44.75	29.48	8.35	5.84	0.01	4.82	
		6:00	29.03	44.74	29.47	8.36	5.31	0.02	1.10	
		9:00	29.62	44.72	29.46	8.39	5.68	0.06	4.54	
		12:00	30.94	45.12	29.72	8.46	5.51	0.09	23.05	
		15:00	31.50	44.98	29.63	8.43	5.03	0.46	24.28	
		18:00	31.28	45.01	29.65	8.43	5.84	12.57	16.84	
	21:00	29.83	44.94	29.60	8.37	5.12	3.15	4.94		
	日平均值		30.31	44.87	29.56	8.40	5.46	2.14	11.48	
	灣內站	0:00	31.86	40.38	26.59	8.11	5.19	2.24	4.46	
		3:00	31.69	40.39	26.60	8.12	5.57	2.28	4.19	
		6:00	31.59	40.39	26.60	8.13	5.33	2.11	3.95	
9:00		31.82	40.36	26.58	8.11	5.63	2.39	4.62		
12:00		32.66	40.30	26.54	8.12	6.59	2.20	13.26		
15:00		33.42	40.07	26.39	8.14	6.35	2.23	15.07		
18:00		33.66	39.98	26.33	8.13	5.18	2.19	14.09		
21:00	33.11	40.12	26.42	8.12	5.25	2.31	5.52			
日平均值		32.48	40.25	26.51	8.12	5.64	2.24	8.15		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月26日	蚵殼站	0:00	29.97	37.61	24.78	8.15	5.45	6.77	2.35	
		3:00	30.03	37.84	24.93	8.16	5.48	6.49	2.03	
		6:00	30.02	37.26	24.55	8.15	5.84	4.73	2.65	
		9:00	29.92	37.23	24.53	8.14	5.67	5.97	2.03	
		12:00	29.74	37.28	24.56	8.12	5.61	6.14	2.03	
		15:00	29.78	37.16	24.48	8.13	5.91	6.01	2.07	
		18:00	29.83	37.57	24.75	8.13	5.58	5.57	2.04	
	21:00	29.77	37.13	24.46	8.10	5.63	6.53	2.03		
	日平均值		29.88	37.39	24.63	8.14	5.65	6.03	2.15	
	潮口站	0:00	30.67	44.89	29.57	8.41	5.30	0.02	10.95	
		3:00	30.21	44.92	29.59	8.38	5.46	0.23	6.50	
		6:00	28.83	45.19	29.77	8.37	5.81	1.27	1.49	
		9:00	28.31	45.09	29.70	8.37	5.71	1.54	1.81	
		12:00	30.57	45.10	29.71	8.45	5.78	1.24	13.99	
		15:00	31.63	45.07	29.69	8.46	5.62	2.12	16.45	
		18:00	31.95	45.16	29.75	8.47	5.36	2.34	13.34	
	21:00	28.36	45.04	29.67	8.37	5.36	1.98	1.79		
	日平均值		30.07	45.06	29.68	8.41	5.55	1.34	8.29	
	灣內站	0:00	32.40	40.32	26.55	8.14	5.12	2.57	4.80	
		3:00	32.01	40.41	26.61	8.11	5.66	2.59	4.81	
		6:00	31.67	40.42	26.62	8.12	5.08	2.83	5.73	
9:00		31.79	40.39	26.60	8.13	5.58	2.35	6.19		
12:00		32.77	40.27	26.52	8.14	6.32	2.15	8.64		
15:00		33.28	40.19	26.47	8.15	6.44	2.15	18.70		
18:00		33.26	40.21	26.48	8.13	5.25	2.35	8.32		
21:00	32.58	40.33	26.56	8.15	5.30	2.47	4.54			
日平均值		32.47	40.32	26.55	8.13	5.59	2.43	7.72		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月27日	蚵殼站	0:00	29.58	37.11	24.45	8.10	5.37	5.21	2.04
		3:00	29.55	37.72	24.85	8.12	5.42	6.78	2.03
		6:00	29.62	36.92	24.35	8.11	5.23	5.59	2.47
		9:00	29.74	36.66	24.15	8.17	5.60	7.71	2.35
		12:00	29.52	36.54	24.07	8.14	5.67	11.90	2.03
		15:00	29.72	36.85	24.28	8.16	5.70	7.18	2.65
		18:00	29.95	37.04	24.40	8.18	5.94	6.61	2.03
		21:00	29.94	37.74	24.86	8.16	5.72	6.43	2.04
	日平均值		29.70	37.07	24.43	8.14	5.58	7.18	2.21
	潮口站	0:00	29.21	45.26	29.81	8.37	5.26	6.05	4.27
		3:00	31.47	45.09	29.70	8.43	5.35	0.66	7.38
		6:00	29.53	45.13	29.73	8.39	5.30	4.14	4.62
		9:00	28.99	45.21	29.78	8.38	5.20	7.33	3.61
		12:00	30.69	44.71	29.45	8.46	5.70	4.81	8.15
		15:00	31.99	44.63	29.40	8.45	6.29	0.36	12.28
		18:00	31.88	44.75	29.48	8.49	5.73	3.77	16.89
		21:00	30.13	45.36	29.88	8.41	5.88	7.92	8.54
	日平均值		30.49	45.02	29.65	8.42	5.59	4.38	8.22
	灣內站	0:00	32.26	40.36	26.58	8.16	5.98	2.44	4.54
		3:00	31.58	40.57	26.72	8.16	5.82	3.20	5.31
		6:00	31.07	40.64	26.76	8.13	5.18	2.86	15.10
9:00		30.49	40.73	26.82	8.16	5.39	2.48	9.71	
12:00		31.02	40.74	26.83	8.17	6.11	2.20	5.77	
15:00		31.47	40.74	26.83	8.19	5.95	2.19	5.59	
18:00		31.35	40.77	26.85	8.14	5.82	2.17	8.85	
21:00		30.46	40.79	26.86	8.11	6.53	2.37	8.33	
日平均值		31.21	40.67	26.78	8.15	5.85	2.49	7.90	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月28日	蚵殼站	0:00	30.25	37.49	24.70	8.18	5.30	6.48	2.03
		3:00	29.91	37.49	24.70	8.21	5.35	7.77	2.16
		6:00	30.24	36.54	24.07	8.19	5.45	6.15	2.03
		9:00	29.71	36.84	24.27	8.15	5.26	6.07	2.23
		12:00	29.95	37.20	24.51	8.17	5.12	5.42	2.03
		15:00	30.20	37.77	24.88	8.15	5.65	5.04	2.04
		18:00	30.31	37.52	24.72	8.17	5.14	5.08	2.09
		21:00	30.33	37.40	24.64	8.16	5.41	5.74	3.83
	日平均值		30.11	37.28	24.56	8.17	5.34	5.97	2.31
	潮口站	0:00	30.00	45.13	29.73	8.39	5.48	0.12	4.72
		3:00	30.66	45.65	30.07	8.42	5.47	1.21	7.23
		6:00	30.29	45.71	30.11	8.40	5.28	0.02	8.17
		9:00	30.03	45.56	30.01	8.37	5.34	1.22	2.86
		12:00	30.69	45.53	29.99	8.43	5.42	0.43	5.75
		15:00	31.60	44.48	29.30	8.48	5.62	0.32	9.36
		18:00	31.68	44.88	29.56	8.46	5.46	0.02	8.85
		21:00	30.85	45.18	29.76	8.40	5.53	0.31	5.68
	日平均值		30.73	45.27	29.82	8.42	5.45	0.46	6.58
	灣內站	0:00	29.88	40.85	26.90	8.13	5.54	2.24	3.29
		3:00	30.06	40.85	26.90	8.11	5.20	2.48	3.12
		6:00	30.03	40.85	26.90	8.13	5.04	2.49	2.31
9:00		30.52	40.79	26.86	8.11	5.64	2.42	2.03	
12:00		31.36	40.70	26.80	8.16	6.23	2.37	2.39	
15:00		31.95	40.70	26.80	8.17	6.36	2.38	3.46	
18:00		31.96	40.70	26.80	8.16	5.59	2.37	3.49	
21:00		31.42	40.65	26.77	8.14	6.14	2.66	7.95	
日平均值		30.90	40.76	26.84	8.14	5.72	2.43	3.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月29日	蚵殼站	0:00	30.85	36.69	24.17	8.20	5.47	4.44	2.03	
		3:00	30.67	37.22	24.52	8.19	5.22	6.49	2.24	
		6:00	30.65	37.83	24.92	8.18	5.05	4.70	2.03	
		9:00	30.35	37.69	24.83	8.16	5.37	9.25	2.07	
		12:00	30.31	37.60	24.77	8.14	5.31	5.66	2.04	
		15:00	30.40	37.52	24.72	8.16	5.17	6.21	2.03	
		18:00	31.00	37.22	24.52	8.18	5.36	5.42	2.09	
	21:00	31.39	37.78	24.89	8.17	5.42	4.23	2.05		
	日平均值			30.70	37.44	24.67	8.17	5.30	5.80	2.07
	潮口站	0:00	30.05	44.98	29.63	8.38	5.79	0.67	3.72	
		3:00	30.65	45.48	29.96	8.39	5.77	0.09	4.83	
		6:00	30.47	45.82	30.18	8.41	5.69	0.54	5.97	
		9:00	30.48	45.45	29.94	8.38	5.68	0.25	4.25	
		12:00	30.79	45.21	29.78	8.39	5.86	1.55	5.08	
		15:00	30.97	44.92	29.59	8.44	6.04	0.53	9.82	
		18:00	30.81	45.67	30.08	8.46	6.11	4.95	9.33	
	21:00	30.72	45.42	29.92	8.41	5.75	10.26	7.63		
	日平均值			30.62	45.37	29.89	8.41	5.84	2.36	6.33
	灣內站	0:00	30.22	40.77	26.85	8.13	6.11	2.62	9.59	
		3:00	30.00	40.85	26.90	8.11	5.29	2.24	4.28	
		6:00	30.01	40.85	26.90	8.13	5.87	2.42	2.40	
9:00		30.69	40.79	26.86	8.11	5.49	2.30	2.14		
12:00		31.40	40.71	26.81	8.16	5.94	2.23	2.16		
15:00		32.18	40.68	26.79	8.17	6.21	2.34	6.01		
18:00		32.32	40.70	26.80	8.16	5.87	2.11	4.54		
21:00	32.12	40.70	26.80	8.18	5.24	2.19	4.09			
日平均值			31.12	40.76	26.84	8.14	5.75	2.31	4.40	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月30日	蚵殼站	0:00	30.63	37.48	24.69	8.15	5.41	6.57	3.62	
		3:00	30.43	36.55	24.08	8.14	5.34	7.32	2.83	
		6:00	30.62	36.88	24.30	8.14	5.36	6.52	2.12	
		9:00	30.57	37.39	24.63	8.13	5.52	7.66	2.98	
		12:00	30.96	36.60	24.11	8.15	5.41	6.58	2.73	
		15:00	31.18	37.74	24.86	8.19	5.50	5.10	2.28	
		18:00	31.21	36.49	24.04	8.15	5.24	5.50	3.21	
	21:00	31.61	37.42	24.65	8.17	5.05	5.33	2.11		
	日平均值			30.90	37.07	24.42	8.15	5.35	6.32	2.74
	潮口站	0:00	30.37	45.12	29.72	8.37	5.67	6.05	3.13	
		3:00	30.15	45.50	29.97	8.39	5.49	0.66	2.20	
		6:00	30.82	45.74	30.13	8.42	5.64	4.14	4.18	
		9:00	31.11	45.38	29.89	8.41	5.51	7.33	4.83	
		12:00	30.73	45.19	29.77	8.40	5.62	4.81	6.03	
		15:00	31.01	44.97	29.62	8.43	5.71	0.36	9.44	
		18:00	31.45	45.19	29.77	8.48	6.04	3.77	9.92	
	21:00	31.42	45.50	29.97	8.41	5.60	7.92	4.60		
	日平均值			30.88	45.32	29.86	8.41	5.66	4.38	5.54
	灣內站	0:00	31.99	40.73	26.82	8.15	5.48	2.37	3.04	
		3:00	31.74	40.76	26.84	8.16	5.60	2.42	2.74	
		6:00	31.54	40.73	26.82	8.17	5.59	2.50	2.85	
9:00		31.67	40.76	26.84	8.15	6.00	2.31	4.09		
12:00		32.05	40.70	26.80	8.16	5.92	2.39	2.89		
15:00		32.02	40.68	26.79	8.18	6.28	2.28	5.54		
18:00		32.10	40.59	26.73	8.17	5.92	2.13	5.73		
21:00	31.83	40.64	26.76	8.16	5.78	2.10	3.37			
日平均值			31.87	40.70	26.80	8.16	5.82	2.31	3.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月1日	蚵殼站	0:00	30.75	39.25	25.85	8.23	7.69	10.79	3.74	
		3:00	30.7	39.33	25.9	8.23	7.75	6.93	3.12	
		6:00	30.69	39.42	25.96	8.21	7.26	6.71	2.45	
		9:00	30.69	39.47	25.99	8.23	7.44	8.78	2.41	
		12:00	30.87	39.28	25.87	8.27	7.48	10.01	2.39	
		15:00	31.52	39.41	25.95	8.25	7.81	7.39	3.04	
		18:00	31.18	39.39	25.94	8.25	7.66	11.18	3.09	
		21:00	31.11	39.41	25.95	8.2	7.67	10.79	2.12	
	日平均值			30.94	39.37	25.93	8.23	7.60	9.07	2.80
	潮口站	0:00	30.3	44.45	29.28	8.19	6.66	8.57	2.34	
		3:00	30.11	45.27	29.81	8.2	7.21	9.76	1.29	
		6:00	30.99	44.65	29.41	8.28	8	18.91	2.7	
		9:00	31.11	44.31	29.19	8.26	7.53	14.89	3.93	
		12:00	31.11	44.50	29.31	8.24	7.4	15	2.81	
		15:00	31.06	43.54	28.69	8.23	5.94	12.61	1.96	
		18:00	31.37	43.76	28.83	8.29	6.34	8.23	5.12	
		21:00	31.12	44.31	29.19	8.25	6.92	10.23	3.17	
	日平均值			30.90	44.35	29.21	8.24	7.00	12.28	2.92
	灣內站	0:00	31.46	41.47	27.31	8.11	5.62	2.04	1.96	
		3:00	31.39	41.86	27.57	8.09	5.63	1.99	1.56	
		6:00	31.25	41.71	27.47	8.16	5.66	2.15	2.36	
		9:00	31.43	41.81	27.54	8.28	6.1	2.3	5.11	
		12:00	31.9	41.71	27.47	8.26	6.1	2.63	5.88	
		15:00	31.72	41.71	27.47	8.25	5.98	2.35	3.97	
		18:00	31.49	41.78	27.52	8.31	5.72	2.02	2.47	
		21:00	31.34	42.31	27.87	8.3	5.66	2.095	2.15	
	日平均值			31.50	41.80	27.53	8.22	5.81	2.20	3.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月2日	蚵殼站	0:00	31.05	39.78	26.2	8.12	7.69	10.41	2.39	
		3:00	30.98	39.77	26.19	8.1	7.91	9.87	2.41	
		6:00	30.9	39.81	26.22	8.11	7.89	11.52	2.04	
		9:00	30.94	39.94	26.3	8.12	7.43	14.81	2.03	
		12:00	31.05	39.83	26.23	8.26	6.34	15.21	8.12	
		15:00	31.24	39.68	26.13	8.37	8.2	5.95	12.1	
		18:00	31.29	38.47	25.33	8.44	8.58	4.78	5.86	
		21:00	31.13	39.13	25.77	8.45	7.26	4.68	2.69	
	日平均值			31.07	39.55	26.05	8.25	7.66	9.65	4.71
	潮口站	0:00	30.87	44.36	29.22	8.21	5.83	15.24	1.22	
		3:00	30.8	45.27	29.81	8.21	6.02	16.32	0.82	
		6:00	30.9	44.67	29.42	8.25	7.61	12.69	0.85	
		9:00	30.7	43.67	28.77	8.2	7.98	16.54	1.68	
		12:00	31.19	44.68	29.43	8.29	7.21	6.92	2.1	
		15:00	30.81	45.1	29.72	8.2	6.24	10.57	0.12	
		18:00	31	44.56	29.36	8.24	6.77	6.89	0.57	
		21:00	30.94	44.17	29.1	8.3	6.87	4.8	0.76	
	日平均值			30.90	44.56	29.35	8.24	6.82	11.25	1.02
	灣內站	0:00	31.19	42.17	27.78	8.29	5.6	2.17	1.83	
		3:00	31.03	42.16	27.77	8.21	5.4	2.18	1.54	
		6:00	31.03	42.57	28.04	8.22	5.43	2.15	1.47	
		9:00	31.23	42.61	28.07	8.3	5.88	2.17	2.26	
		12:00	31.49	42.54	28.02	8.29	5.99	2.56	12.45	
		15:00	31.54	42.73	28.15	8.28	6.11	2.42	9.98	
		18:00	31.14	42.49	27.99	8.25	5.37	2.24	3.1	
		21:00	31.03	43.09	28.39	8.27	5.33	2.12	4.45	
	日平均值			31.21	42.55	28.03	8.26	5.64	2.25	4.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月3日	蚵殼站	0:00	30.97	39.56	26.05	8.43	6.73	3.94	3.04	
		3:00	30.91	39.63	26.1	8.27	6.55	4.27	3.09	
		6:00	30.7	39.72	26.16	8.24	5.83	9.51	2.12	
		9:00	30.41	39.77	26.19	8.27	6.15	11.68	3.74	
		12:00	31.66	39.59	26.07	8.26	6.64	4.86	3.12	
		15:00	31.5	39.71	26.15	8.24	7.01	6.29	2.45	
		18:00	31.72	39.69	26.14	8.25	7.63	4.32	2.41	
		21:00	31.7	39.71	26.15	8.22	7.37	4.18	2.39	
	日平均值			31.20	39.67	26.13	8.27	6.74	6.13	2.80
	潮口站	0:00	30.52	44.73	29.47	8.28	6.34	8.18	2.75	
		3:00	29.61	45.45	29.93	8.22	6.18	10.82	1.08	
		6:00	30.09	44.78	29.49	8.2	6.46	4.43	1.45	
		9:00	30.97	44.52	29.33	8.21	6.69	6.44	4.34	
		12:00	31.56	44.66	29.43	8.25	7.84	5.67	3.2	
		15:00	31.42	44.76	29.48	8.17	6.67	7.53	3.85	
		18:00	31.17	44.73	29.47	8.09	6.62	4.92	3.95	
		21:00	31.53	44.65	29.42	8.27	7.13	3.39	5.5	
	日平均值			30.86	44.79	29.50	8.21	6.74	6.42	3.27
	灣內站	0:00	30.92	43.03	28.35	8.27	5.35	2.22	1.67	
		3:00	30.78	43.18	28.45	8.29	5.41	2.17	1.37	
		6:00	30.76	43.53	28.68	8.3	5.54	2.13	1.42	
		9:00	31.16	43.67	28.77	8.26	6.02	2.79	5.59	
		12:00	31.73	43.45	28.63	8.08	6.01	3.83	3.15	
		15:00	32.25	43.42	28.61	7.87	5.85	3.13	11	
		18:00	31.99	43.44	28.62	7.68	5.29	2.5	4.05	
		21:00	31.91	43.54	28.69	7.95	5.1	2.63	3.92	
	日平均值			31.44	43.41	28.60	8.09	5.57	2.68	4.02
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月4日	蚵殼站	0:00	31.58	40.69	26.8	8.18	6.87	5.66	2.39	
		3:00	31.56	40.68	26.79	8.13	6.73	4.5	2.41	
		6:00	30.68	40.72	26.82	8.08	5.51	9.81	3.48	
		9:00	30.16	40.84	26.9	8.07	5.98	7.72	2.42	
		12:00	30.82	40.74	26.83	8.05	5.37	7.3	3.48	
		15:00	31.06	40.59	26.73	8.07	6.69	5.29	2.43	
		18:00	31.61	39.38	25.93	8.07	6.39	5.19	3.48	
		21:00	31.99	40.04	26.37	8.08	7.82	5.42	2.4	
	日平均值			31.18	40.46	26.65	8.09	6.42	6.36	2.81
	潮口站	0:00	30.9	44.75	29.48	8.24	6.29	5.17	2.93	
		3:00	28.88	45.58	30.01	8.23	6.05	8.84	2.85	
		6:00	29.86	44.96	29.61	8.22	6.57	3.74	2.99	
		9:00	31.77	44.59	29.39	8.29	7.23	3.75	1.84	
		12:00	32.38	44.8	29.51	8.27	8.17	4.08	1.96	
		15:00	31.69	43.86	28.89	8.09	7.09	3.78	2.53	
		18:00	30.58	44.06	29.03	8.15	6.4	3.38	1.49	
		21:00	31.67	44.59	29.39	8.25	7.64	2.37	2.2	
	日平均值			30.97	44.65	29.41	8.22	6.93	4.39	2.35
	灣內站	0:00	31.73	43.86	28.9	7.87	5.21	2.43	2.79	
		3:00	31.43	43.88	28.91	7.78	5.06	2.4	2.64	
		6:00	31.39	43.62	28.74	7.73	5.24	2.33	2.57	
		9:00	31.73	43.36	28.57	7.98	5.49	2.55	2.48	
		12:00	32.85	43.41	28.6	8.02	6.24	2.96	5.61	
		15:00	33.24	43.26	28.5	7.81	6.29	2.71	5.58	
		18:00	32.92	43.98	28.98	7.72	5.88	2.52	4.71	
		21:00	32.74	43.76	28.83	7.68	5.45	2.2	3.98	
	日平均值			32.25	43.64	28.75	7.82	5.61	2.51	3.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月5日	蚵殼站	0:00	31.21	41.15	27.1	8.05	5.59	7.3	2.4	
		3:00	31.51	41.34	27.23	8.06	6.58	5.4	2.38	
		6:00	30.23	41.68	27.45	8.02	5.37	6.22	3.84	
		9:00	30.3	41.68	27.45	8.02	5.22	5.68	7.8	
		12:00	30.38	41.65	27.43	8.02	5.75	5.95	2.98	
		15:00	30.63	41.65	27.43	8.02	5.44	5.74	3.22	
		18:00	30.76	41.65	27.43	8.01	5.44	6.51	2.45	
	21:00	30.78	41.55	27.37	8.01	6.25	6.8	3.48		
	日平均值			30.73	41.54	27.36	8.03	5.71	6.20	3.57
	潮口站	0:00	31.02	44.65	29.42	8.18	6.61	2.85	1.04	
		3:00	29.17	45.58	30.01	8.11	5.98	5.62	2.85	
		6:00	30.21	44.96	29.62	8.15	6.28	3.33	2.08	
		9:00	32	43.99	28.97	8.13	7.79	4.02	1.88	
		12:00	31.94	44.48	29.3	8.25	7.98	5.31	1.95	
		15:00	31.77	44.11	29.06	8.17	7.89	3.09	1.75	
		18:00	30.1	44.63	29.4	8.15	6.17	3.03	2.39	
	21:00	30.77	44.43	29.26	8.19	7.25	2.31	2.55		
	日平均值			30.87	44.60	29.38	8.17	6.99	3.70	2.06
	灣內站	0:00	32.37	44.13	29.08	7.75	5.51	2.46	3.34	
		3:00	31.92	44.24	29.15	7.77	5.67	2.35	2.43	
		6:00	31.8	44.3	29.19	7.77	5.44	2.35	2.93	
9:00		32.25	44.21	29.13	8.04	5.82	2.62	3.12		
12:00		33.42	44.27	29.17	7.94	6.35	2.83	4.76		
15:00		33.49	44.37	29.24	7.72	6.49	2.57	6.07		
18:00		33.05	44.3	29.19	7.67	6.41	2.16	4.53		
21:00	32.8	44.25	29.16	7.66	6.23	2.1	3.75			
日平均值			32.64	44.26	29.16	7.79	5.99	2.43	3.87	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月6日	蚵殼站	0:00	30.51	42.39	27.92	8.01	5.69	7.41	3.48	
		3:00	30.6	42.36	27.9	8.01	5.67	6.12	2.4	
		6:00	30.29	42.46	27.97	8	5.31	6.44	3.48	
		9:00	30.18	42.42	27.94	8.01	5.69	6.34	2.54	
		12:00	30.22	42.39	27.92	8.02	6.42	6.27	3.98	
		15:00	30.56	42.37	27.91	8.02	6.55	5.76	5.56	
		18:00	31.57	42.11	27.74	8.04	8.14	6.27	3.33	
	21:00	31.78	42.05	27.7	8.05	8.18	5.59	2.39		
	日平均值			30.71	42.32	27.88	8.02	6.46	6.28	3.40
	潮口站	0:00	31.02	44.12	29.06	8.15	7.3	2.23	1.71	
		3:00	29.33	45.11	29.73	8.16	5.95	4.91	2.51	
		6:00	29.98	44.95	29.61	8.19	6.18	3.3	1.54	
		9:00	31.23	44.11	29.05	8.12	7.72	4.82	1.97	
		12:00	31.48	44.36	29.22	8.2	7.96	6.71	1.28	
		15:00	31.85	44.11	29.06	8.21	8.26	2.64	1.6	
		18:00	30.86	43.25	28.49	8.14	6.51	1.95	2.63	
	21:00	30.6	44.35	29.22	8.15	6.49	2.42	2.22		
	日平均值			30.79	44.30	29.18	8.17	7.05	3.62	1.93
	灣內站	0:00	32.55	44.43	29.28	7.7	5.86	2.16	3.69	
		3:00	32.13	44.54	29.35	7.66	5.75	2.43	3.63	
		6:00	31.84	44.6	29.39	7.65	5.37	2.19	2.8	
9:00		31.49	44.51	29.33	7.78	5.87	2.63	3.52		
12:00		33.09	44.57	29.37	7.74	6.31	3.13	9.13		
15:00		33.39	44.67	29.44	7.61	6.63	2.59	19.39		
18:00		32.68	44.6	29.39	7.55	6.17	2.04	8.26		
21:00	32.37	44.55	29.36	7.54	5.44	2.09	3.72			
日平均值			32.44	44.56	29.36	7.65	5.93	2.41	6.77	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月7日	蚵殼站	0:00	31.49	42.05	27.7	8.05	7.69	5.15	2.4
		3:00	31.36	42.04	27.69	8.04	7.36	5.89	2.38
		6:00	30.6	42.3	27.86	8	6.02	7.29	2.44
		9:00	29.8	42.43	27.95	8.02	5.87	7.7	2.7
		12:00	30.17	42.39	27.92	8.01	5.78	6.03	2.54
		15:00	30.6	42.3	27.86	8.02	6.86	5.75	3.58
		18:00	30.35	42.42	27.94	7.99	6.32	6.1	3.9
		21:00	31.25	42.1	27.73	8.02	7.52	5.31	2.39
	日平均值		30.70	42.25	27.83	8.02	6.68	6.15	2.79
	潮口站	0:00	30.74	44.19	29.1	8.15	6.72	1.82	2.57
		3:00	29.47	45.01	29.66	8.14	5.93	3.85	1.62
		6:00	27.95	45.6	30.03	8.17	5.97	3.05	2.38
		9:00	30.83	44.3	29.18	8.24	7.69	2.27	2.73
		12:00	30.63	44.53	29.34	8.19	7.28	4.49	1.31
		15:00	31.59	44.25	29.14	8.28	8.35	2.5	2.53
		18:00	30.94	43.24	28.48	8.2	6.98	1.35	1.87
		21:00	30.79	43.87	28.9	8.18	6.75	1.38	1.73
	日平均值		30.37	44.37	29.23	8.19	6.96	2.59	2.09
	灣內站	0:00	32.3	44.52	29.34	7.57	6.02	2.24	4.19
		3:00	31.6	44.58	29.38	7.53	5.55	2.18	2.92
		6:00	31.3	44.64	29.42	7.52	5.58	2.18	2.61
		9:00	31.65	44.69	29.45	7.52	5.88	2.52	3.09
		12:00	32.65	44.73	29.48	7.53	6.26	2.46	5.78
		15:00	33.13	44.7	29.46	7.52	6.38	2.67	2.73
18:00		32.49	44.15	29.09	7.81	6.29	1.9	11.24	
21:00		32.27	44.07	29.04	7.52	5.57	1.75	3.31	
日平均值		32.17	44.51	29.33	7.57	5.94	2.24	4.48	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月8日	蚵殼站	0:00	31.21	42.02	27.68	8.04	7.23	4.68	2.4
		3:00	30.66	42.13	27.75	8.03	5.99	4.63	2.39
		6:00	30.08	42.36	27.9	8.02	5.28	5.07	3.48
		9:00	30.27	43.1	28.39	8.04	5.85	5.4	2.39
		12:00	30.38	43.08	28.38	8.04	6.36	4.91	2.4
		15:00	30.75	43.05	28.36	8.06	7.91	5.03	3.89
		18:00	31.67	42.72	28.14	8.09	8.8	4.9	3.62
		21:00	31.95	43.28	28.51	8.11	8.74	4.52	2.39
	日平均值		30.87	42.72	28.14	8.05	7.02	4.89	2.87
	潮口站	0:00	31.01	43.74	28.81	8.2	6.85	1.62	1.77
		3:00	30.18	44.46	29.29	8.17	6.16	2.02	1.9
		6:00	30.02	44.65	29.42	8.18	6.21	1.57	1.66
		9:00	30.57	44.23	29.14	8.22	7.22	1.76	1
		12:00	31.31	44.06	29.02	8.19	7.58	6.03	1.4
		15:00	31.23	44	28.98	8.28	8.21	2.28	1.41
		18:00	31.24	43.72	29.48	8.21	7.28	1.13	1.86
		21:00	30.29	44.35	29.56	8.17	6.21	1.31	1.85
	日平均值		30.73	44.15	29.21	8.20	6.97	2.22	1.61
	灣內站	0:00	32.27	44.49	29.32	7.52	5.78	2.08	3.68
		3:00	32.1	44.61	29.4	7.8	5.62	2.09	3.01
		6:00	31.83	44.63	29.41	7.51	5.17	1.91	2.67
		9:00	31.98	44.67	29.44	7.53	5.5	2.22	2.72
		12:00	32.76	44.64	29.42	7.54	6.02	2.25	5.04
		15:00	33.15	45.31	29.86	7.81	6.27	2.59	10.1
18:00		32.84	44.93	29.61	7.52	6.03	2.15	11.54	
21:00		32.56	44.89	29.58	7.53	5.29	1.69	3.78	
日平均值		32.44	44.77	29.51	7.60	5.71	2.12	5.32	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月9日	蚵殼站	0:00	31.17	43.58	28.71	8.08	6.4	6.14	2.39
		3:00	30.92	43.72	28.8	8.08	6.7	5.24	3.48
		6:00	30.94	43.69	28.78	8.08	6.67	4.89	2.41
		9:00	30.49	43.89	28.91	8.07	5.62	8.01	2.45
		12:00	30.7	43.81	28.86	8.1	6.33	5.95	3.48
		15:00	31.47	43.61	28.73	8.12	7.43	5.41	5.78
		18:00	30.83	43.75	28.82	8.09	5.39	5.78	4.24
		21:00	30.79	43.83	28.87	8.08	5.41	4.94	2.4
	日平均值		30.91	43.74	28.81	8.09	6.24	5.80	3.33
	潮口站	0:00	31.08	44.35	29.56	8.24	7.22	1.46	1.19
		3:00	30.64	44.65	29.76	8.02	6.33	1.44	1.36
		6:00	29.78	45.25	30.15	8.3	6.17	2.66	1.03
		9:00	30.29	44.82	29.86	8.28	6.94	1.3	1.9
		12:00	30.91	44.44	29.61	8.41	7.66	3.43	1.28
		15:00	31.73	44.33	29.54	8.38	8.46	2.47	1.29
		18:00	31.09	44.33	29.55	8.23	7.49	2.33	1.82
		21:00	29.26	44.11	29.39	8.26	6.17	1.77	1.95
	日平均值		30.60	44.54	29.68	8.27	7.06	2.11	1.48
	灣內站	0:00	32.6	45.13	29.74	7.56	5.13	2.06	3.62
		3:00	32.34	45.08	29.71	7.59	5.3	1.95	3.33
		6:00	32.06	45.2	29.79	7.62	5.2	1.94	4.01
9:00		32.17	45.29	29.85	7.6	5.61	2.06	7.43	
12:00		32.45	45.22	29.8	7.66	5.94	1.7	11.65	
15:00		33.27	45.07	29.7	7.72	5.93	2.19	18.16	
18:00		33.39	44.78	29.51	7.76	5.59	1.72	13.06	
21:00		33	44.79	29.52	7.75	5.38	1.53	7.37	
日平均值		32.66	45.07	29.70	7.66	5.51	1.89	8.58	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月10日	蚵殼站	0:00	30.9	44.54	29.34	8.11	6.64	5.27	2.39
		3:00	30.77	44.6	29.38	8.1	5.99	4.86	2.4
		6:00	30.67	44.66	29.42	8.08	5.33	4.81	3.48
		9:00	30.43	44.7	29.45	8.07	5.27	5.83	3.48
		12:00	30.5	44.75	29.48	8.08	5.59	5.91	2.43
		15:00	30.55	44.72	29.46	8.06	5.17	7.1	3.74
		18:00	31.82	44.16	29.09	8.11	7.56	5.48	4.71
		21:00	32.06	44.08	29.04	8.13	8.02	5.28	2.58
	日平均值		30.96	44.53	29.33	8.09	6.20	5.57	3.15
	潮口站	0:00	30.38	43.80	28.86	8.43	7.15	1.1	1.47
		3:00	30.33	44.84	29.53	8.22	6.8	1.22	1.57
		6:00	29.18	44.65	29.41	8.24	6.08	3.5	1.15
		9:00	29.53	43.79	28.85	8.31	6.56	3.24	1.39
		12:00	32.08	44.05	29.02	8.25	8.76	3.48	1.26
		15:00	31.78	43.80	28.86	8.22	8.65	2.61	1.62
		18:00	31.34	42.93	28.29	8.14	7.72	2.77	1.07
		21:00	29.04	44.05	29.02	8.11	6.35	1.21	1.58
	日平均值		30.46	43.99	28.98	8.24	7.26	2.39	1.39
	灣內站	0:00	32.53	45.73	30.14	7.68	5.28	1.59	5.75
		3:00	32.39	45.85	30.22	7.66	5.12	1.6	4.63
		6:00	32.19	45.99	30.31	7.71	5.17	1.56	5.55
9:00		32.32	45.41	29.93	7.68	5.34	1.72	5.96	
12:00		33.4	45.83	30.21	7.71	5.69	2.08	13.82	
15:00		33.82	45.56	30.03	7.81	6.04	1.88	22.33	
18:00		33.39	45.35	29.89	7.72	5.93	1.51	19.25	
21:00		32.94	45.5	29.99	7.73	5.5	1.33	13.22	
日平均值		32.87	45.65	30.09	7.71	5.51	1.66	11.31	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
7月11日	蚵殼站	0:00	31.24	44.35	29.22	8.11	6.69	6.87	2.42
		3:00	30.9	44.48	29.3	8.08	5.43	7.74	3.48
		6:00	30.94	44.49	29.31	8.08	5.11	6.24	3.48
		9:00	30.44	44.54	29.34	8.08	5.3	5.64	3.16
		12:00	30.59	44.51	29.32	8.08	5.89	5.73	4.26
		15:00	31.14	44.42	29.26	8.09	5.96	6.6	4.55
		18:00	32.16	44.04	29.01	8.11	6.02	7.09	4.42
		21:00	32.18	43.99	28.98	8.11	5.65	7.08	2.44
	日平均值		31.20	44.35	29.22	8.09	5.76	6.62	3.53
	潮口站	0:00	29.36	43.87	28.9	8.28	6.1	1.2	1.83
		3:00	30.24	44.73	29.46	8.19	5.92	0.87	1.72
		6:00	29.29	45.30	29.83	8.27	6.07	1.77	2.41
		9:00	28.53	43.99	28.98	8.33	6.32	1.86	1.82
		12:00	30.07	44.24	29.14	8.44	7.18	2.19	1.77
		15:00	30.9	43.93	28.94	8.35	7.66	2.27	1.52
		18:00	31.32	42.91	28.28	8.3	7.52	1.49	1.97
		21:00	29.21	43.56	28.7	8.33	6.34	1.27	1.72
	日平均值		29.87	44.07	29.03	8.31	6.64	1.62	1.85
	灣內站	0:00	32.66	45.97	30.3	7.71	5.27	1.68	7.56
		3:00	32.5	45.88	30.24	7.66	5.04	1.84	7.38
		6:00	32.14	45.89	30.25	7.67	5.16	1.57	9.04
9:00		32.4	45.86	30.23	7.66	5.43	1.63	11.15	
12:00		32.89	45.91	30.26	7.61	5.67	1.44	13.86	
15:00		33	45.88	30.24	7.66	5.71	1.64	17	
18:00		32.85	45.73	30.14	7.66	5.58	1.22	25.97	
21:00		32.7	45.46	29.96	7.72	5.25	0.98	14.19	
日平均值		32.64	45.82	30.20	7.67	5.39	1.50	13.27	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
7月12日	蚵殼站	0:00	31.3	44.99	29.64	8.1	5.81	7.11	2.49
		3:00	31.28	44.94	29.61	8.11	6.21	6.02	2.5
		6:00	31.21	45.07	29.69	8.08	5.16	6.23	3.34
		9:00	30.72	45.16	29.75	8.07	5.14	5.46	2.83
		12:00	30.91	45.08	29.7	8.11	6.61	5.35	3.99
		15:00	31.57	44.93	29.6	8.1	5.62	6.98	5.17
		18:00	32.23	44.64	29.41	8.11	5.54	6.9	3.92
		21:00	32.13	44.66	29.42	8.11	5.49	6.8	2.41
	日平均值		31.42	44.93	29.60	8.10	5.70	6.36	3.33
	潮口站	0:00	29.03	45.22	29.78	8.33	6.06	1.12	1.92
		3:00	31.51	46.04	30.31	8.22	6.98	0.83	2.37
		6:00	30.56	45.42	29.91	8.34	6.4	1.71	1.82
		9:00	28.86	45.08	29.69	8.32	6.51	1.34	1.67
		12:00	29.95	45.27	29.81	8.3	7.18	1.61	1.78
		15:00	30.72	44.31	29.19	8.31	7.54	2.41	1.65
		18:00	31.46	44.53	29.33	8.41	7.65	2.09	2.05
		21:00	29.82	45.08	29.69	8.33	6.56	1.18	2.42
	日平均值		30.24	45.12	29.71	8.32	6.86	1.54	1.96
	灣內站	0:00	32.73	45.77	30.17	7.77	5.19	1.39	9.47
		3:00	32.65	45.94	30.28	7.75	5.46	1.37	11.73
		6:00	32.47	46.24	30.48	7.76	5.7	1.41	10.62
9:00		32.74	46.23	30.47	7.74	5.74	1.38	15.18	
12:00		33.07	46.21	30.46	7.68	5.42	1.39	19.97	
15:00		33.04	45.89	30.25	7.73	5.53	1.38	21.62	
18:00		33	45.67	30.1	7.77	5.29	1.01	25.26	
21:00		32.9	45.7	30.12	7.87	5.28	1	17.93	
日平均值		32.83	45.96	30.29	7.76	5.45	1.29	16.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月13日	蚵殼站	0:00	31.46	45.55	30.01	8.12	6	8.19	2.42
		3:00	30.89	45.67	30.09	8.1	5.73	8.67	2.49
		6:00	30.75	45.81	30.18	8.06	6.06	10.06	5.11
		9:00	30.37	45.23	29.8	8.07	5.1	7.73	4.12
		12:00	30.84	45.66	30.08	8.08	5.43	7.14	3.34
		15:00	31.68	45.38	29.9	8.1	5.46	9.44	5.48
		18:00	32.23	45.17	29.76	8.11	5.68	16.3	3.63
	21:00	31.9	45.32	29.86	8.12	6.13	24.05	2.4	
	日平均值		31.27	45.47	29.96	8.10	5.70	11.45	3.62
	潮口站	0:00	28.84	45.13	29.72	8.2	6.19	0.92	2.18
		3:00	31.51	46.04	30.31	8.34	6.87	0.51	2.45
		6:00	31.49	45.44	29.92	8.22	6.75	0.81	1.95
		9:00	30.11	44.44	29.27	8.49	6.75	1.11	2.19
		12:00	30.24	44.94	29.6	8.25	7.18	1.19	2.18
		15:00	30.88	44.57	29.36	8.37	7.3	1.31	1.51
		18:00	31.56	45.10	29.7	8.22	6.91	1.05	1.64
	21:00	30.46	44.88	29.56	8.33	6.3	0.81	1.5	
	日平均值		30.64	45.07	29.68	8.30	6.78	0.96	1.95
	灣內站	0:00	32.79	45.91	30.26	7.83	5.46	1.24	6.5
		3:00	32.71	46.29	30.51	7.81	5.7	1.44	7.25
		6:00	32.54	46.3	30.52	7.83	5.74	1.33	11.75
9:00		32.65	46.24	30.48	7.77	5.13	1.55	13.05	
12:00		32.8	46.24	30.48	7.66	5.31	1.23	20.23	
15:00		32.74	45.8	30.19	7.62	5.23	0.86	19.55	
18:00		32.97	45.68	30.11	7.67	5.14	0.98	24.68	
21:00	32.91	46.14	30.41	7.72	5.61	1.34	9.19		
日平均值		32.76	46.08	30.37	7.74	5.42	1.25	14.03	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月14日	蚵殼站	0:00	31.91	45.79	30.17	8.13	6.51	19.86	3.48
		3:00	31.28	45.7	30.11	8.11	5.35	13.25	3.48
		6:00	31.41	45.72	30.12	8.09	5.07	36.52	4.78
		9:00	31.47	45.69	30.1	8.08	6.69	17.72	4.33
		12:00	30.92	45.73	30.13	8.08	5.43	15.12	3.99
		15:00	31.17	45.7	30.11	8.09	5.41	19.27	3.27
		18:00	31.51	45.55	30.01	8.1	5.58	14.36	3.05
	21:00	32.14	45.28	29.83	8.13	6.49	14.4	2.61	
	日平均值		31.48	45.65	30.07	8.10	5.82	18.81	3.62
	潮口站	0:00	29.8	45.21	29.77	8.2	6.41	0.37	2.83
		3:00	31.52	45.92	30.23	8.26	6.64	0.31	2.7
		6:00	31.81	45.24	29.79	8.45	6.71	0.6	2.05
		9:00	31.33	44.99	29.63	8.39	6.44	1.2	2.4
		12:00	31.09	45.14	29.73	8.43	7	0.87	2.35
		15:00	32.4	45.22	29.78	8.32	7.21	3.43	2.85
		18:00	32.24	45.21	29.77	8.35	7.07	2.94	2.65
	21:00	31.46	45.13	29.72	8.41	6.44	1.75	2.2	
	日平均值		31.46	45.26	29.80	8.35	6.74	1.43	2.50
	灣內站	0:00	32.73	45.56	30.03	7.73	5.16	1.28	6.9
		3:00	32.55	45.67	30.1	7.79	5.33	1.43	7.74
		6:00	32.33	45.94	30.28	7.83	5.23	1.3	9.74
9:00		32.42	46.18	30.44	7.84	5.64	1.22	10.98	
12:00		32.72	46.06	30.36	7.79	5.97	1.5	20.73	
15:00		32.8	45.82	30.2	7.77	5.96	1.46	30.26	
18:00		32.65	45.82	30.2	7.9	5.62	1.02	28.33	
21:00	31.98	45.99	30.31	7.92	5.41	1.22	10.18		
日平均值		32.52	45.88	30.24	7.82	5.54	1.30	15.61	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月15日	蚵殼站	0:00	31.96	45.23	29.8	8.13	5.85	8.74	2.41	
		3:00	31.13	45.69	30.1	8.07	5.77	17.86	3.48	
		6:00	31.02	45.82	30.19	8.08	5.29	3.47	4.64	
		9:00	31.1	45.9	30.24	8.1	5.35	2.18	3.48	
		12:00	31.52	45.28	29.83	8.12	5.51	8.25	4.94	
		15:00	31.48	45.32	29.86	8.12	5.76	22.22	2.46	
		18:00	31.15	45.78	30.16	8.08	6.69	7.76	2.6	
		21:00	31.36	45.66	30.08	8.08	5.43	52.62	2.39	
	日平均值		31.34	45.59	30.03	8.10	5.71	15.39	3.30	
	潮口站	0:00	30.7	44.73	29.46	8.28	6.43	0.73	2.93	
		3:00	30.96	45.25	29.8	8.3	5.96	1.22	2.14	
		6:00	31.4	45.41	29.9	8.39	5.99	2.34	2.95	
		9:00	31.36	45.13	29.72	8.35	6.16	1.91	2.7	
		12:00	31.29	45.10	29.7	8.43	5.83	1.96	2.64	
		15:00	31.25	45.01	29.64	8.25	6.17	1.72	2.67	
		18:00	31.44	44.74	29.47	8.35	6.76	2.2	2.4	
		21:00	31	44.93	29.59	8.29	6.14	1.57	2.67	
	日平均值		31.18	45.04	29.66	8.33	6.18	1.71	2.64	
	灣內站	0:00	31.96	46.05	30.35	7.91	5.31	0.99	8.01	
		3:00	31.78	46.09	30.38	7.93	5.15	1.18	7.34	
		6:00	31.62	46.17	30.43	7.97	5.2	1.06	21.28	
		9:00	31.45	46.14	30.41	7.98	5.37	0.97	21.93	
		12:00	31.41	46.29	30.51	7.94	5.72	1.09	15.67	
		15:00	31.57	46.77	30.83	7.88	6.07	1.32	15.73	
18:00		31.61	46.98	30.97	7.87	5.96	1.11	31.5		
21:00		31.46	47.05	31.02	7.87	5.53	1.12	11.06		
日平均值		31.61	46.44	30.61	7.92	5.54	1.11	16.57		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月16日	蚵殼站	0:00	31.45	45.73	30.13	8.1	5.12	4.3	2.39	
		3:00	31.08	46.11	30.38	8.06	7.6	20.1	2.42	
		6:00	31.12	46.13	30.39	8.06	6.07	58.09	4.52	
		9:00	31.23	46.06	30.35	8.06	6.69	47.34	5	
		12:00	31.05	46.06	30.35	8.04	7.48	13.64	5.35	
		15:00	31.61	45.63	30.06	8.07	7.53	6.97	3.48	
		18:00	31.8	45.5	29.98	8.07	7.19	26.77	2.45	
		21:00	31.3	45.96	30.28	8.05	7.53	14.26	3.48	
	日平均值		31.33	45.90	30.24	8.06	6.90	23.93	3.64	
	潮口站	0:00	29.72	45.85	30.19	8.17	5.63	1.24	2.49	
		3:00	29.97	46.08	30.34	8.22	5.97	0.55	2.89	
		6:00	30.58	46.41	30.55	8.33	6.32	0.64	2.16	
		9:00	31.07	46.32	30.49	8.22	6.93	2	2.11	
		12:00	31	46.12	30.36	8.19	6.22	3.27	2.54	
		15:00	30.59	46.02	30.3	8.2	6.69	2.62	2.43	
		18:00	30.98	45.88	30.21	8.29	6.72	1.68	2.48	
		21:00	31.13	45.65	30.06	8.18	6.65	1.56	2.97	
	日平均值		30.63	46.04	30.31	8.23	6.39	1.70	2.51	
	灣內站	0:00	31.56	47.07	31.03	7.89	5.3	1.38	10.41	
		3:00	31.59	47.1	31.05	7.88	5.07	1.57	8.2	
		6:00	31.47	47.49	31.31	7.85	5.19	1.31	14	
		9:00	31.83	47.54	31.34	7.86	5.46	1.51	16.01	
		12:00	32.33	47.48	31.3	7.81	5.7	1.29	30.81	
		15:00	32.29	47.08	31.04	7.75	5.74	1.07	39.21	
18:00		32.26	47.13	31.07	7.77	5.61	0.94	18.76		
21:00		32.31	47.13	31.07	7.8	5.28	1.02	9.19		
日平均值		31.96	47.25	31.15	7.83	5.42	1.26	18.32		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月17日	蚵殼站	0:00	31.41	45.6	30.04	8.09	8.08	19.06	2.41	
		3:00	31.09	45.76	30.15	8.08	8.05	25.83	2.39	
		6:00	30.69	46.06	30.35	8.05	8.01	35.5	5.15	
		9:00	30.9	46.05	30.34	8.04	8	13.66	5.11	
		12:00	30.92	46.03	30.33	8.01	7.99	2.57	5.89	
		15:00	31.57	45.72	30.12	8.02	7.75	18.24	6.96	
		18:00	31.84	45.49	29.97	8.02	8.03	20.47	4.86	
		21:00	31.83	45.52	29.99	7.99	8	10.82	2.46	
	日平均值			31.28	45.78	30.16	8.04	7.99	18.27	4.40
	潮口站	0:00	29.77	45.92	30.23	8.19	6.53	1	2.12	
		3:00	29.23	45.70	30.09	8.18	6.36	0.63	1.4	
		6:00	30.86	46.16	30.39	8.23	7.61	0.27	2.07	
		9:00	31.45	46.24	30.44	8.27	7.81	1.73	2.53	
		12:00	31.87	45.95	30.25	8.19	8.2	1.7	2.4	
		15:00	31.04	45.92	30.23	8.15	7.36	1.03	2.49	
		18:00	30.66	46.02	30.3	8.34	6.43	1.76	2.3	
		21:00	30.97	46.42	30.56	8.27	6.39	1.22	2.32	
	日平均值			30.73	46.04	30.31	8.23	7.09	1.17	2.20
	灣內站	0:00	32.06	47.16	31.09	7.82	5.23	1.02	9.17	
		3:00	31.89	47.04	31.01	7.85	5.64	0.96	9.26	
		6:00	31.76	47.42	31.26	7.91	5.97	1.1	13.06	
		9:00	31.93	47.37	31.23	7.98	5.96	1.25	28.15	
		12:00	32.23	47.51	31.32	7.88	5.09	1.52	30.85	
		15:00	32.28	47.16	31.09	7.82	5.07	1.4	41.62	
		18:00	32.1	47.07	31.03	7.8	5.03	1.12	51.5	
		21:00	32.05	46.99	30.98	7.86	5.61	0.91	32.17	
	日平均值			32.04	47.22	31.13	7.87	5.45	1.16	26.97
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月18日	蚵殼站	0:00	31.39	45.47	29.96	8.01	8.08	9.68	2.4	
		3:00	31.32	45.57	30.02	8.03	8.18	18.12	3.48	
		6:00	30.58	45.87	30.22	7.99	7.94	3.26	4.63	
		9:00	30.61	45.9	30.24	7.97	7.61	34.51	7.72	
		12:00	30.87	45.78	30.16	8.07	8.12	14.69	5.45	
		15:00	31.73	45.44	29.94	8.06	9.13	7.76	5.79	
		18:00	31.98	45.49	29.97	7.99	8.96	65.55	2.72	
		21:00	32.1	45.49	29.97	8.01	8.36	8.79	2.4	
	日平均值			31.32	45.63	30.06	8.02	8.30	20.30	4.32
	潮口站	0:00	29.85	45.36	29.87	8.2	6.6	1.16	1.97	
		3:00	29.18	45.13	29.72	8.14	6.38	0.63	1.53	
		6:00	30.75	45.42	29.91	8.23	6.51	0.69	1.21	
		9:00	31.84	45.59	30.02	8.32	7.26	1.62	1.05	
		12:00	31.62	45.38	29.88	8.24	7.08	2.97	1.24	
		15:00	31.5	45.18	29.75	8.18	6.99	0.79	1.35	
		18:00	30.92	45.02	29.65	8.17	6.64	1.19	2.6	
		21:00	31.71	45.11	29.71	8.25	6.38	1.62	2.62	
	日平均值			30.92	45.27	29.81	8.22	6.73	1.33	1.70
	灣內站	0:00	31.94	46.81	30.86	7.87	5.7	1.18	9.33	
		3:00	31.88	46.8	30.85	7.88	5.74	1.15	10.42	
		6:00	31.45	46.98	30.97	7.9	5.61	1.28	15.6	
		9:00	31.87	47.18	31.1	8.06	5.28	1.6	23.52	
		12:00	32.38	47.07	31.03	7.97	5.11	1.7	25.47	
		15:00	32.67	46.84	30.88	7.9	5.07	1.5	37.7	
		18:00	33.03	46.87	30.9	7.91	5.61	1.07	22.08	
		21:00	32.96	46.81	30.86	7.89	5.61	1.6	13.9	
	日平均值			32.27	46.92	30.93	7.92	5.47	1.39	19.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月19日	蚵殼站	0:00	31.61	45.38	29.9	8.06	7.48	5.94	2.39	
		3:00	31.4	45.49	29.97	8.13	7.53	15.47	3.48	
		6:00	30.67	45.76	30.15	8.14	7.19	16.94	2.54	
		9:00	30.45	46	30.31	8.01	7.56	37.8	3.28	
		12:00	30.9	45.88	30.23	8.03	7.53	19.65	2.53	
		15:00	31.43	45.64	30.07	8.11	8.01	24.02	2.78	
		18:00	31.48	45.64	30.07	8.02	8	13.16	2.39	
		21:00	31.32	45.81	30.18	8.06	7.99	3.63	3.48	
	日平均值			31.16	45.70	30.11	8.07	7.66	17.08	2.86
	潮口站	0:00	30.51	46.27	30.46	8.41	6.38	1.19	1.1	
		3:00	29.55	46.79	30.8	8.31	6.33	0.84	2.59	
		6:00	30.7	46.95	30.9	8.49	6.37	0.85	2.6	
		9:00	32.37	46.67	30.72	8.49	6.95	2.26	2.05	
		12:00	32.51	46.64	30.7	8.33	6.73	3.96	2.48	
		15:00	31.69	46.55	30.64	8.25	6.66	1.63	1.46	
		18:00	30.75	46.29	30.47	8.2	6.32	1.7	1.27	
		21:00	32.33	46.47	30.59	8.43	6.58	1.04	2.31	
	日平均值			31.30	46.58	30.66	8.36	6.54	1.68	1.98
	灣內站	0:00	32.54	46.8	30.85	7.92	5.61	1.11	9.99	
		3:00	32.18	46.83	30.87	7.9	6.17	1.13	12.97	
		6:00	31.79	46.81	30.86	7.9	6.42	1.09	8.63	
		9:00	32.55	47.3	31.18	8.12	6.99	1.31	15.29	
		12:00	33.56	47.1	31.05	8.08	7.04	2.02	15.47	
		15:00	34.03	46.87	30.9	8.08	7.06	1.31	57.75	
		18:00	33.71	46.8	30.85	8.02	6.61	0.78	28.12	
		21:00	33.05	46.86	30.89	7.96	6.02	0.81	7.2	
	日平均值			32.93	46.92	30.93	8.00	6.49	1.20	19.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月20日	蚵殼站	0:00	31.17	45.87	30.22	8.06	7.6	2.37	2.41	
		3:00	30.83	45.91	30.25	8.01	6.07	1.46	2.4	
		6:00	30.73	45.99	30.3	7.97	6.69	9.54	2.43	
		9:00	30.34	45.96	30.28	7.97	8	25.06	2.58	
		12:00	30.97	46.11	30.38	8.14	5.09	12.64	6.16	
		15:00	32.21	46.59	30.7	8.27	6.77	5.53	6.5	
		18:00	32.45	46.81	30.84	8.26	6.61	5.6	4.14	
		21:00	32.3	46.88	30.89	8.27	6.27	5.04	4.17	
	日平均值			31.38	46.27	30.48	8.12	6.64	8.41	3.85
	潮口站	0:00	31.17	45.04	29.66	8.4	6.16	0.94	1.47	
		3:00	29.31	44.76	29.48	8.27	6.03	1.22	2.34	
		6:00	30.32	44.68	29.43	8.44	6.06	0.76	1.11	
		9:00	32.15	44.81	29.51	8.46	6.39	1.86	2.6	
		12:00	32.66	45.68	30.08	8.27	7.59	5.78	1.2	
		15:00	31.91	45.73	30.1	8.26	7.85	2.1	1.26	
		18:00	31.13	46.04	30.31	8.27	7.78	0.76	1.22	
		21:00	31.96	45.65	30.05	8.26	7	2.48	1.26	
	日平均值			31.33	45.30	29.83	8.33	6.86	1.99	1.56
	灣內站	0:00	32.37	46.72	30.8	7.95	5.74	0.94	7.86	
		3:00	31.96	46.74	30.81	7.99	6.65	0.62	7.04	
		6:00	31.45	46.74	30.81	7.96	6.25	0.82	4.96	
		9:00	31.97	46.66	30.76	8.11	6.78	1.32	10.61	
		12:00	32.82	46.72	30.8	8.1	6.75	1.7	11.12	
		15:00	32.25	46.6	30.72	8.01	6.43	1.26	40.1	
		18:00	31.88	46.45	30.62	7.92	6.02	1.16	12.4	
		21:00	31.62	46.59	30.71	7.71	6.04	0.92	7.15	
	日平均值			32.04	46.65	30.75	7.97	6.33	1.09	12.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月21日	蚵殼站	0:00	31.99	46.9	30.9	8.27	5.99	4.71	4.07	
		3:00	31.83	46.93	30.92	8.26	5.97	4.77	4.09	
		6:00	31.13	47.32	31.18	8.27	5.07	4.13	4.23	
		9:00	31.17	47.37	31.21	8.24	5.96	5.14	6.63	
		12:00	31.37	47.31	31.17	8.2	6.55	4.72	13.87	
		15:00	32.5	46.91	30.91	8.3	6.63	6.2	5.77	
		18:00	32.6	46.96	30.94	8.33	6.94	6.95	3.32	
		21:00	32.47	46.96	30.94	8.3	6.55	6.34	5.84	
	日平均值			31.88	47.08	31.02	8.27	6.21	5.37	5.98
	潮口站	0:00	31.29	45.84	30.17	8.26	7.18	1.11	1.19	
		3:00	30.01	46.37	30.52	8.27	6.9	1.84	1.22	
		6:00	28.8	46.55	30.66	8.27	6.58	0.96	1.23	
		9:00	31.8	45.79	30.15	8.26	7.76	1.11	1.19	
		12:00	32.21	45.79	30.15	8.29	7.69	4.18	1.14	
		15:00	32	45.53	29.99	8.28	7.88	1.29	1.19	
		18:00	30.86	44.75	29.47	8.27	7.57	0.69	1.15	
		21:00	31.92	45.42	29.92	8.27	7.62	1.46	1.23	
	日平均值			31.11	45.76	30.13	8.27	7.40	1.58	1.19
	灣內站	0:00	32.54	46.92	30.93	7.92	6.22	1.11	9.99	
		3:00	32.18	46.93	30.94	7.9	5.06	1.13	12.97	
		6:00	31.79	46.93	30.94	7.9	5.05	1.09	8.63	
		9:00	32.55	46.86	30.89	8.12	5.33	1.31	15.29	
		12:00	32.64	46.78	30.84	8.08	7.16	1.75	12.66	
		15:00	33.46	45.99	30.31	8.27	6.11	2.09	15.08	
		18:00	33.33	46.05	30.35	8.27	5.39	1.29	11.07	
		21:00	32.58	46.32	30.53	8.27	5.21	1.48	9.1	
	日平均值			32.63	46.60	30.72	8.09	5.69	1.41	11.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月22日	蚵殼站	0:00	32.23	46.99	30.96	8.3	6.25	6.29	9.55	
		3:00	31.69	46.87	30.88	8.34	6.67	7.87	2.19	
		6:00	31.04	47.25	31.13	8.23	5.37	7.74	8.24	
		9:00	30.7	47.2	31.1	8.22	6.05	5.19	11.05	
		12:00	31.18	47.34	31.19	8.28	6.95	6.96	6.04	
		15:00	32.34	46.99	30.96	8.33	7.24	7.59	6.37	
		18:00	32.54	46.9	30.9	8.26	6.69	6.01	3.52	
		21:00	32.3	46.82	30.85	8.2	6.3	6.45	7.23	
	日平均值			31.75	47.05	31.00	8.27	6.44	6.76	6.77
	潮口站	0:00	31.72	45.32	29.85	8.27	7.51	0.93	1.08	
		3:00	28.51	46.55	30.65	8.28	6.76	1.7	1.22	
		6:00	28.01	46.77	30.79	8.27	6.6	0.68	1.21	
		9:00	31.64	45.81	30.16	8.32	7.71	1.22	1.17	
		12:00	31.55	45.86	30.19	8.32	7.85	3.37	1.25	
		15:00	31.85	45.17	29.74	8.28	7.88	0.95	1.16	
		18:00	31.68	45.26	29.81	8.27	7.64	0.55	1.24	
		21:00	31.57	45.57	30.01	8.2	7.55	0.6	1.23	
	日平均值			30.82	45.79	30.15	8.28	7.44	1.25	1.20
	灣內站	0:00	32.27	46.36	30.56	8.27	6.04	1.84	5.77	
		3:00	32.02	46.36	30.56	8.28	5.38	1.4	11.23	
		6:00	31.91	46.38	30.57	8.27	5.11	1.49	13.49	
		9:00	32.26	46.32	30.53	8.24	5.47	2.22	16.59	
		12:00	33.26	46.2	30.45	8.17	6.08	2.22	15.18	
		15:00	33.58	46.17	30.43	8.26	6.21	1.58	17.56	
		18:00	32.98	46.27	30.5	8.25	5.43	0.92	14.44	
		21:00	32.75	46.29	30.51	8.32	5.06	1.23	8.09	
	日平均值			32.63	46.29	30.51	8.26	5.60	1.61	12.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月23日	蚵殼站	0:00	31.67	46.64	30.73	8.22	5.47	6.35	6.03	
		3:00	32.07	46.62	30.72	8.22	5.56	6.43	6.97	
		6:00	31.29	46.81	30.84	8.26	5.11	7.19	5.55	
		9:00	31.11	47	30.97	8.22	5.85	6.58	9.45	
		12:00	31.52	46.9	30.9	8.25	6.69	6.09	12.68	
		15:00	32.41	46.67	30.75	8.22	6.86	6.4	6.99	
		18:00	32.41	46.7	30.77	8.25	7.01	6.43	7.7	
		21:00	32.53	46.64	30.73	8.22	6.56	5.89	7.63	
	日平均值			31.88	46.75	30.80	8.23	6.14	6.42	7.88
	潮口站	0:00	31.44	45.52	29.96	8.31	7.34	0.73	1.28	
		3:00	30.66	46.03	30.3	8.32	6.81	1.09	1.14	
		6:00	30.38	46.2	30.4	8.2	6.75	1.2	1.17	
		9:00	31.26	45.9	30.22	8.19	7.41	1.7	1.26	
		12:00	32.02	45.87	30.2	8.31	7.36	4.29	1.22	
		15:00	31.87	45.79	30.14	8.48	7.61	2.28	1.2	
		18:00	31.56	45.5	29.97	8.31	7.27	0.93	1.26	
		21:00	31.76	45.69	30.09	8.21	7.32	0.79	1.17	
	日平均值			31.37	45.81	30.16	8.29	7.23	1.63	1.21
	灣內站	0:00	32.41	45.99	30.31	8.29	5.22	1.88	12.14	
		3:00	32.21	46.38	30.57	8.42	5.06	2.13	7.91	
		6:00	31.9	46.23	30.47	8.43	5.05	1.04	9.31	
		9:00	31.9	46.33	30.54	8.28	5.33	1.53	9.64	
		12:00	32.85	46.23	30.47	8.27	6.28	1.26	11.05	
		15:00	33.82	45.92	30.27	8.29	5.8	1.85	15.17	
		18:00	33.51	46	30.32	8.28	5.21	3.21	14.47	
		21:00	32.82	46.23	30.47	8.27	5.07	0.8	7.49	
	日平均值			32.68	46.16	30.43	8.32	5.38	1.71	10.90
	甲類海域地面水體基準值				環評承諾日平均值需達標準		7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月24日	蚵殼站	0:00	32.46	46.62	30.72	8.25	6.49	7.13	3.69	
		3:00	32.31	46.66	30.74	8.26	5.57	5.96	4.62	
		6:00	32.03	46.64	30.73	8.31	5.71	6.05	2.02	
		9:00	31.46	47.12	31.05	8.26	5.68	6.22	12.64	
		12:00	31.8	46.93	30.92	8.32	6.55	6.12	12.77	
		15:00	32.53	46.7	30.77	8.32	6.93	5.82	8.87	
		18:00	32.66	46.62	30.72	8.3	6.78	5.91	11.62	
		21:00	32.47	46.69	30.76	8.33	6.83	6.36	13.79	
	日平均值			32.22	46.75	30.80	8.29	6.32	6.20	8.75
	潮口站	0:00	32	45.63	30.03	8.21	7.28	0.99	1.17	
		3:00	31.42	45.85	30.18	8.21	6.64	0.87	1.2	
		6:00	30.59	46.16	30.39	8.18	6.53	1.14	1.16	
		9:00	31.05	46.08	30.33	8.16	6.8	1.21	1.18	
		12:00	31.95	45.9	30.2	8.18	7.29	4.56	1.11	
		15:00	32.01	45.78	30.14	8.39	7.59	2.47	1.18	
		18:00	31.4	45.64	30.05	8.29	7.06	0.86	1.17	
		21:00	30.01	45.4	29.9	8.2	6.46	0.34	1.15	
	日平均值			31.30	45.81	30.15	8.23	6.96	1.56	1.17
	灣內站	0:00	32.21	46.39	30.58	8.25	5.06	1.06	7.16	
		3:00	31.9	46.38	30.57	8.27	5.06	0.8	7.82	
		6:00	31.84	46.33	30.54	8.26	5.06	2.8	5.66	
		9:00	32.14	46.38	30.57	8.25	5.19	3.5	5.98	
		12:00	32.85	46.3	30.52	8.4	6.38	2.62	8.13	
		15:00	33.51	46.2	30.45	8.42	6.11	3.39	11.57	
		18:00	33.75	45.95	30.29	8.25	5.08	1.68	13.08	
		21:00	33.06	46.26	30.49	8.39	5.26	1.34	12.91	
	日平均值			32.66	46.27	30.50	8.31	5.40	2.15	9.04
	甲類海域地面水體基準值				環評承諾日平均值需達標準		7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月25日	蚵殼站	0:00	32.11	46.55	30.67	8.31	6.47	6.04	13.3	
		3:00	31.85	46.56	30.68	8.32	6.14	5.9	12.83	
		6:00	31.81	46.56	30.68	8.33	5.12	5.35	10.71	
		9:00	31.65	46.49	30.63	8.31	5.38	5.66	13.12	
		12:00	31.25	46.55	30.67	8.32	5.63	5.14	12.5	
		15:00	31.84	46.43	30.59	8.32	6.22	5.27	8.77	
		18:00	31.93	46.28	30.49	8.29	6.16	5.37	9.73	
		21:00	32.18	46.41	30.58	8.32	6.3	5.22	13.25	
	日平均值			31.83	46.48	30.62	8.32	5.93	5.49	11.78
	潮口站	0:00	31.41	45.67	30.07	8.22	6.77	1.15	1.25	
		3:00	31.27	45.44	29.93	8.19	6.08	1.23	1.24	
		6:00	29.49	45.93	30.23	8.19	6.48	1.28	1.14	
		9:00	29.76	45.99	30.28	8.19	6.78	0.71	1.16	
		12:00	32.68	45.69	30.09	8.23	7.74	2.62	1.14	
		15:00	31.71	45.67	30.07	8.29	7.73	3.37	1.28	
		18:00	30.76	45.79	30.14	8.18	7.3	1.29	1.08	
		21:00	28.79	46.2	30.4	8.18	6.31	0.29	1.18	
	日平均值			30.73	45.80	30.15	8.21	6.90	1.49	1.18
	灣內站	0:00	32.44	46.5	30.65	8.43	6.09	1.26	12.3	
		3:00	31.76	46.65	30.75	8.39	5.53	1.11	14.07	
		6:00	31.78	46.54	30.68	8.28	5.05	0.7	11.11	
		9:00	31.76	46.68	30.77	8.27	5.06	0.7	12.85	
		12:00	32.54	46.47	30.63	8.26	5.69	1.22	11.23	
		15:00	32.85	46.44	30.61	8.25	6.35	1.15	12.97	
		18:00	32.67	46.45	30.62	8.4	5.3	0.68	11.03	
		21:00	32.24	46.56	30.69	8.27	5.12	0.95	10.39	
	日平均值			32.26	46.54	30.68	8.32	5.52	0.97	11.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月26日	蚵殼站	0:00	31.46	46.37	30.55	8.31	5.56	5.9	7.61	
		3:00	31.72	46.37	30.55	8.3	5.49	6.08	6.97	
		6:00	31.64	46.41	30.58	8.27	5.03	6	5.79	
		9:00	31.36	46.25	30.47	8.32	5.58	6.15	5.08	
		12:00	31.21	46.28	30.49	8.33	6.47	6.73	9.18	
		15:00	31.65	46.43	30.59	8.33	6.79	5.98	8.69	
		18:00	32.08	46.38	30.56	8.33	6.88	5.82	8.74	
		21:00	32.19	46.02	30.32	8.33	6.53	5.53	13.54	
	日平均值			31.66	46.31	30.51	8.32	6.04	6.02	8.20
	潮口站	0:00	31.31	45.67	30.07	8.19	6.93	1.05	1.24	
		3:00	31.84	45.43	29.92	8.17	6.86	1.02	1.18	
		6:00	30	45.72	30.11	8.17	6.51	0.76	1.28	
		9:00	29.38	45.91	30.22	8.27	6.88	0.54	1.08	
		12:00	31.51	45.69	30.08	8.32	7.61	1.96	1.19	
		15:00	31.33	45.49	29.95	8.3	7.73	1.83	1.27	
		18:00	31.74	45.3	29.85	8.24	7.66	1.13	1.2	
		21:00	30.52	45.41	29.91	8.23	7.07	0.48	1.19	
	日平均值			30.95	45.58	30.01	8.24	7.16	1.10	1.20
	灣內站	0:00	31.8	46.68	30.77	8.28	5.06	0.95	9.8	
		3:00	31.41	46.68	30.77	8.28	5.06	0.8	8.33	
		6:00	31.36	46.66	30.76	8.27	5.06	0.86	8.75	
		9:00	32.04	46.66	30.76	8.26	5.34	1.34	12.13	
		12:00	32.81	46.47	30.63	8.27	6.19	0.98	9.06	
		15:00	33	46.47	30.63	8.25	6.24	1.1	12.36	
		18:00	33.05	46.51	30.66	8.39	5.16	0.64	13.23	
		21:00	32.5	46.63	30.74	8.27	5.06	1.04	10.74	
	日平均值			32.25	46.60	30.72	8.28	5.40	0.96	10.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月27日	蚵殼站	0:00	31.86	45.81	30.18	8.32	6.68	7.21	13.2	
		3:00	31.99	46.28	30.49	8.32	6.35	11.36	8.69	
		6:00	31.7	46.26	30.48	8.33	5.63	5.95	3.51	
		9:00	31.71	46.25	30.47	8.32	6.18	6.25	4.34	
		12:00	31.57	46.4	30.57	8.28	6.65	6.89	6.71	
		15:00	31.09	45.96	30.28	8.21	7.34	2.34	5	
		18:00	31.08	46.43	30.59	8.47	6.94	5.41	1.6	
	21:00	31.13	46.41	30.58	8.45	6.73	20.36	1.95		
	日平均值			31.52	46.23	30.46	8.34	6.56	8.22	5.63
	潮口站	0:00	30.76	45.34	29.86	8.23	7	0.39	1.12	
		3:00	31.64	45.07	29.68	8.34	7.54	0.35	1.19	
		6:00	31.32	44.97	29.63	8.35	6.95	0.95	1.19	
		9:00	30.85	45.1	29.71	8.37	7.32	0.45	1.25	
		12:00	31.5	44.57	29.36	8.29	7.19	1.24	1.36	
		15:00	32.45	44.51	29.32	8.24	7.65	2.23	1.43	
		18:00	32.51	45.28	29.82	8.21	7.5	1.41	1.37	
	21:00	30.64	45.41	29.9	8.27	6.43	0.63	1.51		
	日平均值			31.46	45.03	29.66	8.29	7.20	0.96	1.30
	灣內站	0:00	32.11	46.69	30.78	8.28	5.06	0.64	13.22	
		3:00	31.74	46.74	30.81	8.27	5.05	0.61	12.24	
		6:00	31.61	46.66	30.76	8.27	5.06	0.86	9.61	
9:00		31.89	46.74	30.81	8.18	5.52	1.67	10.84		
12:00		32.39	46.23	30.47	8.22	5.61	0.5	4.97		
15:00		32.85	46.17	30.43	8.2	5.79	1.05	8.45		
18:00		32.76	46.08	30.37	8.23	5.71	1.21	8.27		
21:00	32.5	46.09	30.38	8.23	5.37	8.18	6.56			
日平均值			32.23	46.43	30.60	8.24	5.40	1.84	9.27	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月28日	蚵殼站	0:00	30.83	46.02	30.32	8.41	6.57	20.9	1.65	
		3:00	29.97	46.56	30.68	8.28	5.45	21.71	4.2	
		6:00	30.09	46.49	30.63	8.21	6.75	9.58	2.8	
		9:00	31.06	46.22	30.45	8.46	6.1	34.75	3.15	
		12:00	31.88	45.63	30.06	8.23	8.82	5.66	3.7	
		15:00	30.46	46.19	30.43	8.41	7.22	16.1	6.15	
		18:00	31.36	45.82	30.19	8.47	6.54	13.5	6.7	
	21:00	31.28	47	30.97	8.45	5.24	15.28	4.15		
	日平均值			30.87	46.24	30.47	8.37	6.59	17.19	4.06
	潮口站	0:00	30.45	45.41	29.9	8.33	6.16	0.68	1.44	
		3:00	31.62	45.71	30.1	8.36	6.78	0.96	1.41	
		6:00	31.63	46.32	30.49	8.32	6.28	1.4	1.42	
		9:00	31.09	45.87	30.2	8.41	6.37	1.16	1.42	
		12:00	30.76	45.48	29.95	8.43	6.87	0.68	1.41	
		15:00	31.66	45.38	29.88	8.48	7.31	2.25	1.41	
		18:00	32.1	45.39	29.89	8.36	7.55	1.7	1.45	
	21:00	29.76	45.14	29.73	8.43	6.43	1.36	1.35		
	日平均值			31.13	45.59	30.02	8.39	6.72	1.27	1.41
	灣內站	0:00	32.21	46.03	30.34	8.2	5.35	1.16	5.12	
		3:00	31.99	46.27	30.5	8.19	5.1	0.91	6.22	
		6:00	31.99	46.15	30.42	8.27	5.26	7.69	5.92	
9:00		32.28	46.03	30.34	8.24	5.63	3.12	6.02		
12:00		32.66	45.88	30.24	8.21	5.85	6.11	12.09		
15:00		32.69	46.06	30.36	8.2	5.77	5.31	14.67		
18:00		32.18	46.11	30.39	8.25	5.46	1.58	16.73		
21:00	31.59	46.15	30.42	8.22	5.39	2.2	9.71			
日平均值			32.20	46.09	30.38	8.22	5.48	3.51	9.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月29日	蚵殼站	0:00	30.91	45.97	30.29	8.41	9.44	28.08	1.25	
		3:00	30.12	46.56	30.68	8.28	7.08	4.96	3.15	
		6:00	29.98	46.78	30.82	8.23	6.51	41.47	5.1	
		9:00	30.91	45.93	30.26	8.33	8.94	25.66	3.4	
		12:00	32.13	46.62	30.72	8.23	7.97	11.92	7.96	
		15:00	31.15	46.82	30.85	8.48	9.18	11.96	12.97	
		18:00	30.6	47.05	31	8.4	7.24	7.36	12.65	
		21:00	31.39	47	30.97	8.23	8.51	14.02	7.85	
	日平均值			30.90	46.59	30.70	8.32	8.11	18.18	6.79
	潮口站	0:00	29.59	46.21	30.42	8.39	6.5	0.27	1.28	
		3:00	30.74	46.24	30.44	8.37	6.99	0.19	1.45	
		6:00	30.78	46.56	30.65	8.46	7.09	0.36	1.39	
		9:00	31.02	46.16	30.39	8.33	7.27	0.87	1.38	
		12:00	30.98	46.08	30.34	8.47	7.27	0.72	1.37	
		15:00	30.96	46.35	30.51	8.48	7.55	1.67	1.43	
		18:00	31.24	46.89	30.86	8.39	7.32	1.58	1.38	
		21:00	30.83	47.10	31	8.4	6.45	1.33	1.44	
	日平均值			30.77	46.45	30.58	8.41	7.06	0.87	1.39
	灣內站	0:00	31.41	46.08	30.37	8.23	5.21	1.06	6.61	
		3:00	31.32	46.29	30.51	8.22	7.31	1.02	5.36	
		6:00	31.15	46.24	30.48	8.31	7.55	3.62	6.63	
		9:00	31.25	46.18	30.44	8.3	7.7	9.36	7.19	
		12:00	32.16	45.89	30.25	8.27	7.09	1.39	10.75	
		15:00	32.3	46.05	30.35	8.25	7.09	2.47	15.51	
		18:00	32.16	46.09	30.38	8.28	5.89	1.27	7.27	
		21:00	31.85	46.06	30.36	8.31	6.43	2.47	4.54	
	日平均值			31.70	46.11	30.39	8.27	6.78	2.83	7.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月30日	蚵殼站	0:00	31.23	45.5	29.98	8.48	6.07	18.44	10.2	
		3:00	30.59	46.35	30.54	8.39	6.25	9.49	10.7	
		6:00	30.63	46.55	30.67	8.29	6.21	16.26	11.4	
		9:00	31.4	45.99	30.3	8.49	6.65	16.1	8.35	
		12:00	32.12	45.6	30.04	8.23	7.87	13.5	10.55	
		15:00	32.32	45.16	29.75	8.41	7.85	2.39	10.9	
		18:00	32.13	45.54	30	8.47	7.61	17.24	9.95	
		21:00	32.11	45.87	30.22	8.45	7.27	21.03	12	
	日平均值			31.57	45.82	30.19	8.40	6.97	14.31	10.51
	潮口站	0:00	29.85	46.32	30.49	8.18	6.57	1.31	1.69	
		3:00	29.18	46.07	30.33	8.15	6.9	2.13	1.07	
		6:00	30.75	45.27	29.81	8.13	7.3	3.16	1.31	
		9:00	31.1	46.96	30.91	8.23	6.54	2.94	1.39	
		12:00	30.92	46.75	30.77	8.39	6.45	2.68	1.41	
		15:00	30.4	46.55	30.64	8.38	6.67	1.01	1.4	
		18:00	30.92	46.39	30.54	8.18	7.26	1.69	3.55	
		21:00	31.71	46.49	30.6	8.21	7.87	1.07	1.51	
	日平均值			30.60	46.35	30.51	8.23	6.95	2.00	1.67
	灣內站	0:00	31.56	46.12	30.4	8.31	5.71	0.98	3.74	
		3:00	31.45	46.14	30.41	8.32	6.27	0.84	3.07	
		6:00	31.19	45.88	30.24	8.38	6.52	1.42	4.3	
		9:00	31.15	45.62	30.07	8.38	6.79	2.37	3.98	
		12:00	31.6	45.67	30.1	8.39	6.84	1.23	6.22	
		15:00	31.85	45.52	30	8.38	6.86	1.22	7.56	
		18:00	31.74	45.49	29.98	8.39	6.41	1.57	5.31	
		21:00	31.5	45.26	29.83	8.39	5.82	0.6	4.98	
	日平均值			31.51	45.71	30.13	8.37	6.40	1.28	4.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月31日	蚵殼站	0:00	31.93	45.37	29.89	8.48	7.89	6.16	9.25	
		3:00	31.57	45.4	29.91	8.45	5.17	9.98	7.55	
		6:00	30.34	47.46	31.27	8.28	7.35	12.73	10.9	
		9:00	31.46	46.34	30.53	8.38	8.33	7.68	7.05	
		12:00	31.27	46.47	30.62	8.14	5.69	2.97	10.94	
		15:00	31.75	47.35	31.2	8.1	6.76	3.2	9.07	
		18:00	31.94	46.85	30.87	8.08	6.62	3.41	7.96	
		21:00	31.71	46.96	30.94	8.01	6.54	2.82	12.96	
	日平均值			31.50	46.53	30.65	8.24	6.79	6.12	9.46
	潮口站	0:00	30.45	46.41	30.55	8.18	7	2.9	2.13	
		3:00	31.62	46.13	30.37	8.17	6.09	2.43	3.16	
		6:00	31.63	46.05	30.32	8.17	6.97	2	2.47	
		9:00	31.84	46.18	30.4	8.22	6.76	2.18	2.55	
		12:00	31.62	46.75	30.77	8.39	7.3	2.53	1.31	
		15:00	31.08	44.82	29.53	8.36	6.09	2.49	1.47	
		18:00	31.2	44.71	29.44	8.44	5.96	2.74	1.45	
		21:00	31.17	44.53	29.32	8.34	5.82	2.22	1.34	
	日平均值			31.33	45.70	30.09	8.28	6.50	2.44	1.99
	灣內站	0:00	31.56	45.64	30.08	8.39	5.54	0.89	3.92	
		3:00	31.48	45.74	30.15	8.39	6.45	1.57	3.91	
		6:00	31.25	45.8	30.19	8.39	6.05	3.01	3.93	
		9:00	31.05	45.71	30.13	8.39	6.58	2.07	6.83	
		12:00	31.19	45.77	30.17	8.36	6.55	3.32	6.6	
		15:00	31.25	45.88	30.24	8.25	6.23	5.71	5.82	
		18:00	31.24	45.8	30.19	8.25	6.82	0.39	4.49	
		21:00	31	45.76	30.16	8.25	6.84	0.53	4.23	
	日平均值			31.25	45.76	30.16	8.33	6.38	2.19	4.97
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月1日	蚵殼站	0:00	31.52	42.5	27.99	8.16	5.84	2.47	18.04	
		3:00	31.28	42.59	28.04	8.18	6.83	2.3	7.16	
		6:00	31.06	42.38	27.91	8.15	6.82	2.63	8.88	
		9:00	31.55	42.38	27.9	8.15	7.42	2.79	15.93	
		12:00	31.87	42.6	28.04	8.16	7.4	3.39	10.03	
		15:00	31.6	42.91	28.23	8.18	6.75	4.6	7.16	
		18:00	31.73	42.52	27.98	8.16	6.5	3.52	8.88	
		21:00	31.66	42.47	27.95	8.16	6.7	2.95	15.93	
	日平均值			31.53	42.54	28.01	8.16	6.78	3.08	11.50
	潮口站	0:00	30.64	44.53	29.33	8.36	5.55	2.19	11.38	
		3:00	30.84	44.16	29.09	8.3	6.15	1.4	12.38	
		6:00	30.84	44.36	29.23	8.41	5.78	0.91	11.36	
		9:00	31.12	44.58	29.38	8.3	5.45	4.81	11.33	
		12:00	31.84	44.5	29.3	8.35	6.19	2.1	11.41	
		15:00	31.24	44.63	29.41	8.37	5.42	5.2	11.5	
		18:00	31.3	44.46	29.28	8.43	5.25	4.14	11.6	
		21:00	31.05	44.5	29.31	8.42	5.23	5.49	13.4	
	日平均值			31.11	44.47	29.29	8.37	5.63	3.28	11.80
	灣內站	0:00	30.92	43.72	27.49	8.11	7.63	1.1	3.65	
		3:00	30.73	43.78	27.54	8.15	8.01	0.26	2.78	
		6:00	30.77	43.61	27.41	8.12	7.24	1.13	2.96	
		9:00	31.22	43.6	27.4	8.1	8.08	0.73	3.44	
		12:00	31.96	43.78	27.54	8.14	7.75	2.71	7.59	
		15:00	31.91	44.02	27.73	8.25	7.75	2.58	11.54	
		18:00	31.78	43.7	27.48	8.27	6.75	1.14	6.05	
		21:00	31.52	43.67	27.45	8.18	7.26	3	5.04	
	日平均值			31.35	43.74	27.51	8.17	7.56	1.58	5.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月2日	蚵殼站	0:00	31.6	42.43	27.93	8.16	6.9	2.38	18.39	
		3:00	31.55	42.54	28.01	8.16	6.48	2.31	15.52	
		6:00	31.54	42.71	28.11	8.21	7.14	2.92	11.45	
		9:00	31.55	42.38	27.9	8.15	7.42	2.79	17.02	
		12:00	31.87	42.6	28.04	8.16	7.4	3.39	8.41	
		15:00	31.6	42.91	28.23	8.18	6.75	4.6	13.61	
		18:00	31.73	42.52	27.98	8.16	6.5	3.52	17.72	
		21:00	31.66	42.47	27.95	8.16	6.7	2.95	19.97	
	日平均值			31.64	42.57	28.02	8.17	6.91	3.11	15.26
	潮口站	0:00	30.81	44.55	29.34	8.42	5.21	7.85	11.4	
		3:00	29.99	45.01	29.64	8.42	5.13	6.39	11.38	
		6:00	30.33	44.63	29.4	8.43	5.08	3.27	11.4	
		9:00	30.94	46.16	29.02	8.24	6.97	1.13	15.49	
		12:00	31.49	45.94	28.88	8.2	6.78	1.46	19.63	
		15:00	31.6	45.32	28.48	8.21	6.3	1.02	22.41	
		18:00	29.69	46.21	29.06	8.17	5.36	1.08	11.86	
		21:00	30.05	45.7	28.72	8.24	6.63	1	12.56	
	日平均值			30.61	45.44	29.07	8.29	5.93	2.90	14.52
	灣內站	0:00	31.26	43.64	27.43	8.15	7.78	4.87	4.03	
		3:00	31.19	43.74	27.51	8.18	7.38	1.24	3.89	
		6:00	31.14	43.87	27.61	8.16	7.96	0.62	3.42	
		9:00	31.21	43.6	27.4	8.16	7.96	0.84	6.16	
		12:00	31.16	43.78	27.54	8.2	7.66	4.39	17.78	
		15:00	31.06	44.02	27.73	8.25	7.3	1.71	13.92	
		18:00	30.95	43.7	27.48	8.22	7.87	1.63	6.4	
		21:00	30.7	43.67	27.45	8.18	7.8	1.07	10.43	
	日平均值			31.08	43.75	27.52	8.19	7.71	2.05	8.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月3日	蚵殼站	0:00	31.6	42.43	27.93	8.16	6.9	2.38	18.03
		3:00	31.55	42.54	28.01	8.16	6.48	2.31	18.22
		6:00	31.1	42.2	27.8	8.16	7.31	3.05	17.38
		9:00	30.95	41.91	27.6	8.15	6.94	3.31	13.13
		12:00	31.22	42.19	27.79	8.17	7.24	4.2	7.48
		15:00	31.21	42.36	27.88	8.16	6.25	3.25	8.33
		18:00	30.94	42.08	27.72	8.19	6.32	2.69	11.52
	21:00	30.72	41.56	27.38	8.23	7.19	2.88	16.15	
	日平均值		31.16	42.16	27.76	8.17	6.83	3.01	13.78
	潮口站	0:00	30.64	44.95	28.23	8.21	6.95	2.34	15.26
		3:00	30.18	45.34	28.48	8.19	6.47	1.59	14.94
		6:00	30.6	45.1	28.38	8.33	5.45	2.95	10.95
		9:00	30.61	45.08	28.38	8.35	5.17	1.72	11.39
		12:00	30.66	44.7	28.12	8.33	5.52	2.21	11.93
		15:00	30.37	43.76	28.51	8.32	5.2	1.61	11.43
		18:00	29.81	43.6	28.41	8.32	5.02	1.53	12.45
	21:00	29.89	43.65	28.43	8.47	5.45	1.5	11.37	
	日平均值		30.35	44.52	28.37	8.32	5.65	1.93	12.47
	灣內站	0:00	30.61	43.64	27.43	8.17	7.36	1.43	18.04
		3:00	30.59	43.74	27.51	8.18	7.71	0.84	10.51
		6:00	31.2	43.47	27.3	8.19	8.23	0.05	4.4
9:00		31.21	43.22	27.1	8.22	7.96	0.84	6.16	
12:00		31.16	43.46	27.29	8.23	7.66	4.39	17.78	
15:00		31.06	43.58	27.38	8.27	7.3	1.71	13.92	
18:00		30.95	43.37	27.22	8.23	7.87	1.63	6.4	
21:00	30.7	42.94	26.88	8.16	7.8	1.07	10.43		
日平均值		30.94	43.43	27.26	8.21	7.74	1.50	10.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月4日	蚵殼站	0:00	30.68	41.57	27.38	8.2	7.04	3.28	7.34
		3:00	30.43	41.3	27.21	8.14	6.24	3.03	15.93
		6:00	30.25	41.21	27.16	8.16	5.56	2.81	13.77
		9:00	30.21	41.07	27.07	8.25	7.19	3.22	7.09
		12:00	30.22	40.33	26.58	8.21	6.9	3.67	7.63
		15:00	30.4	41.12	27.09	8.18	5.92	2.71	9.43
		18:00	30.1	39.96	26.32	8.18	6.05	2.74	7.82
	21:00	30.13	40.64	26.77	8.15	6.3	2.32	7.8	
	日平均值		30.30	40.90	26.95	8.18	6.40	2.97	9.60
	潮口站	0:00	29.84	44.75	29.85	8.43	5.22	2.2	11.35
		3:00	30.41	45.84	29.23	8.28	5.66	1.76	12.15
		6:00	29.66	48.76	31.13	8.06	7.62	3.5	18.05
		9:00	29.01	50.03	31.98	7.98	6.66	3.36	12.6
		12:00	29.3	49.63	31.72	8.04	5.66	1.7	13.19
		15:00	29.5	49.07	31.35	8.07	6.76	1.55	16.05
		18:00	30.32	47.32	30.19	8.21	6.4	1.59	16.35
	21:00	28.92	50.78	32.46	8	8.17	1.5	17.88	
	日平均值		29.62	48.27	30.99	8.13	6.52	2.15	14.70
	灣內站	0:00	30.61	42.94	26.88	8.21	7.36	1.43	18.04
		3:00	30.59	42.72	26.71	8.21	7.71	0.84	10.51
		6:00	30.36	42.66	26.66	8.28	7.9	0.43	8.5
9:00		30.32	42.55	26.57	8.3	7.04	0.72	7.34	
12:00		30.27	41.92	26.08	8.29	7.85	1.47	6.59	
15:00		29.91	42.57	26.59	8.28	7.8	1.4	14.53	
18:00		30.17	41.59	25.82	8.27	6.66	1.67	6.27	
21:00	30.06	42.16	26.27	8.23	7.43	0.67	4.12		
日平均值		30.29	42.39	26.45	8.26	7.47	1.08	9.49	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月5日	蚵殼站	0:00	30.15	40.02	26.37	8.17	6.87	2.58	6.02	
		3:00	30.1	40.17	26.47	8.17	6.57	2.54	5.86	
		6:00	30.24	41.32	27.23	8.16	6.11	2.35	11.51	
		9:00	30.25	41.21	27.14	8.18	6.56	2.72	9.92	
		12:00	30.47	40.93	26.97	8.18	6.96	2.94	8.45	
		15:00	30.8	40.36	26.6	8.23	7.54	4.91	6.73	
		18:00	30.93	39.91	26.29	8.24	7.13	5.09	17.02	
		21:00	30.91	40.32	26.57	8.16	6.48	2.46	7.12	
	日平均值			30.48	40.53	26.71	8.19	6.78	3.20	9.08
	潮口站	0:00	29.52	48.26	30.83	8.13	7.23	1.05	15.4	
		3:00	29.91	46.22	29.48	8.27	7.04	0.53	15.6	
		6:00	29.68	46.89	29.9	8.12	6.1	1.69	15.05	
		9:00	29.55	50.1	32	7.95	5.62	2.79	17.65	
		12:00	29.67	50.56	32.3	7.94	5.81	1.27	27.31	
		15:00	30.09	49.41	31.54	8.02	5.84	0.79	24.05	
		18:00	30.9	47.4	30.26	8.15	7.33	0.84	12.22	
		21:00	29.1	50.92	32.55	7.94	6.21	0.5	14	
	日平均值			29.80	48.72	31.11	8.07	6.40	1.18	17.66
	灣內站	0:00	29.82	41.65	25.87	8.17	7.67	0.48	3.43	
		3:00	29.63	41.78	25.97	8.22	7.92	0.6	3.45	
		6:00	29.81	42.75	26.73	8.25	7.67	6.99	2.61	
		9:00	29.87	42.63	26.64	8.19	7.16	2.08	2.95	
		12:00	30.65	42.42	26.47	8.28	7.33	7.88	6.66	
		15:00	30.77	41.95	26.1	8.33	6.54	3.89	19.01	
18:00		30.34	41.55	25.79	8.35	6.49	3.01	10.12		
21:00		30.31	41.91	26.07	8.24	7.01	2.32	8.41		
日平均值			30.15	42.08	26.21	8.25	7.22	3.41	7.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月6日	蚵殼站	0:00	30.86	40.25	26.52	8.15	6.32	2.36	6.05	
		3:00	30.84	40.43	26.65	8.16	6.73	2.58	6.22	
		6:00	30.6	41.24	27.18	8.17	6.61	2.48	9.91	
		9:00	30.78	41.5	27.35	8.19	6.86	3.11	6.19	
		12:00	30.88	41.27	27.19	8.21	7.15	4.18	7.84	
		15:00	31.88	39.69	26.15	8.12	7.03	6.48	17.97	
		18:00	32.09	39.28	25.87	8.12	6.52	3.98	14.47	
		21:00	31.41	40.16	26.46	8.12	6.15	3.36	15.62	
	日平均值			31.17	40.48	26.67	8.16	6.67	3.57	10.53
	潮口站	0:00	29.06	49.91	31.89	7.96	6.89	0.95	12.95	
		3:00	29.63	47.43	30.26	8.19	6.4	0.58	14.88	
		6:00	29.48	47.14	30.06	8.14	5.92	1.14	9	
		9:00	29.52	47.31	30.18	8.06	8.13	8.53	7.4	
		12:00	29.56	48.15	30.71	8.04	6.34	1.49	7.62	
		15:00	29.73	48.11	30.7	8.05	6.21	0.8	7.45	
		18:00	30.34	47.32	30.19	8.1	6.3	2.02	11.1	
		21:00	29.83	49.21	31.43	7.97	6.06	0.5	7.55	
	日平均值			29.64	48.07	30.68	8.06	6.53	2.00	9.74
	灣內站	0:00	30.34	41.85	26.02	8.18	6.03	1.28	4.92	
		3:00	30.39	42.01	26.15	8.03	6.99	1.78	4.92	
		6:00	30.23	42.69	26.68	8.01	6.78	1.43	5.11	
		9:00	30.33	42.9	26.85	8.01	7.05	1.6	9.89	
		12:00	31.82	42.7	26.69	8.05	7.86	2.6	19.04	
		15:00	32.08	41.37	25.65	8.03	7.71	8.31	19.83	
18:00		31.71	41.02	25.37	7.95	6.38	1.14	15.13		
21:00		31.44	41.77	25.96	8.14	5.96	1.56	15.26		
日平均值			31.04	42.04	26.17	8.05	6.85	2.46	11.76	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月7日	蚵殼站	0:00	31.2	40.42	26.64	8.11	6.98	3.76	8.97	
		3:00	31.38	39.83	26.24	8.15	6.87	4.97	6.96	
		6:00	30.84	40.96	26.99	8.12	6.31	4.36	7.63	
		9:00	30.8	41.46	27.33	8.1	6.45	2.96	6.21	
		12:00	31.06	41.23	27.17	8.14	7.22	4.34	7.98	
		15:00	32.2	40.07	26.41	8.25	7.16	5.28	12.42	
		18:00	32.33	39.81	26.21	8.27	6.82	3.52	16.48	
	21:00	31.52	40.76	26.87	8.18	6.18	5.32	9.09		
	日平均值			31.42	40.57	26.73	8.17	6.75	4.31	9.47
	潮口站	0:00	29.2	51.1	32.7	7.89	6.23	1.05	17.9	
		3:00	29.31	49.69	31.75	7.94	6.72	0.67	10.77	
		6:00	29.65	49.09	31.37	7.96	6.44	0.63	12.19	
		9:00	30.07	48.14	30.75	7.94	5.64	0.96	19.65	
		12:00	30.09	47.47	30.31	7.92	7.83	0.52	19.39	
		15:00	29.81	49.41	31.58	8.05	8.22	0.58	15.67	
		18:00	30.89	49.08	31.34	8.29	9.01	0.5	13.91	
	21:00	30.61	48.68	31.07	8.25	9.71	0.5	12.86		
	日平均值			29.95	49.08	31.36	8.03	7.48	0.68	15.29
	灣內站	0:00	31.26	42	26.14	8.22	5.9	1.95	7.88	
		3:00	30.88	41.49	25.74	8.18	7.1	1.89	6.41	
		6:00	30.66	42.44	26.49	8.15	6.59	1.43	9.6	
9:00		30.9	42.88	26.83	8.16	7.54	2.13	13.48		
12:00		32.13	42.67	26.67	8.27	7.87	2.58	18.49		
15:00		32.4	41.71	25.91	8.15	7.49	1.39	18.47		
18:00		32.09	41.45	25.71	8.13	6.21	0.69	8.88		
21:00	31.65	42.29	26.37	8.03	7.36	0.92	11.08			
日平均值			31.50	42.12	26.23	8.16	7.01	1.62	11.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月8日	蚵殼站	0:00	31.35	40.65	26.79	8.15	6.8	3.94	5.6	
		3:00	31.74	40.08	26.4	8.18	6.86	3.47	5.5	
		6:00	31.3	40.68	26.8	8.16	6.64	4.17	5.47	
		9:00	31.05	41.38	27.28	8.16	6.92	3.24	4.87	
		12:00	31	41.76	27.49	8.2	7.29	5.36	6.13	
		15:00	31.96	40.82	26.9	8.25	7.1	4.87	9.95	
		18:00	31.82	40.09	26.41	8.22	6.51	4.46	5.77	
	21:00	31.79	39.68	26.14	8.18	6.65	2.8	19.13		
	日平均值			31.50	40.64	26.78	8.19	6.85	4.04	7.80
	潮口站	0:00	28.73	49.53	31.65	8.07	7.23	0.5	14.67	
		3:00	29.04	48.27	30.81	8.13	7.62	1.1	11.01	
		6:00	30.03	45.62	29.09	8.34	8.72	0.5	16.25	
		9:00	30.88	46.22	29.48	8.3	9.03	1.96	17.56	
		12:00	30.6	48.13	30.74	8.21	8.87	0.65	9.61	
		15:00	30.66	43.65	27.79	8.09	7.97	0.94	12.55	
		18:00	30.3	48.44	30.93	8.17	8.83	0.52	17.87	
	21:00	30.76	46.96	29.96	8.18	9.41	0.5	10.61		
	日平均值			30.13	47.10	30.06	8.19	8.46	0.83	13.77
	灣內站	0:00	31.49	42.19	26.29	8.16	6.69	1.62	9.58	
		3:00	31.38	41.69	25.9	8	6.83	1.69	4.67	
		6:00	31.08	42.2	26.3	8.06	6.78	1.31	5.5	
9:00		31.09	42.81	26.78	8.25	7.51	1.68	10.29		
12:00		32.08	43.08	26.99	8.35	7.84	1.79	9.21		
15:00		32.34	42.33	26.4	8.28	7.46	2.08	14.44		
18:00		31.9	41.71	25.91	8.11	6.89	0.86	9.78		
21:00	31.47	41.36	25.64	8.06	6.71	0.52	7.27			
日平均值			31.60	42.17	26.28	8.16	7.09	1.44	8.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月9日	蚵殼站	0:00	31.81	40.19	26.48	8.17	6.66	2.74	21.9	
		3:00	31.75	39.68	26.15	8.18	6.51	2.75	12.2	
		6:00	31.46	39.17	25.8	8.19	6.59	3.2	4.51	
		9:00	31.57	40.07	26.41	8.22	7.55	3.19	4.73	
		12:00	31.64	40.47	26.67	8.23	7.37	4.6	6.15	
		15:00	32.11	39.6	26.09	8.27	7.38	4.54	5.86	
		18:00	32.17	39.57	26.07	8.23	6.27	3.25	4.2	
		21:00	32.11	39.85	26.25	8.16	6.22	2.27	18.85	
	日平均值			31.83	39.83	26.24	8.21	6.82	3.32	9.80
	潮口站	0:00	29.21	50.59	32.34	8.08	7.23	0.65	16.19	
		3:00	28.68	51.19	32.72	8.04	6.88	0.5	17.64	
		6:00	29.3	50.45	32.45	8.22	7.6	0.5	18.49	
		9:00	29.13	50.1	32.2	8.02	7.45	1.38	12.55	
		12:00	31.09	48.96	31.38	7.99	6.35	0.72	15.18	
		15:00	32.23	49.18	31.54	8.12	6.15	0.5	18.97	
		18:00	31.86	49.26	31.6	8.19	7.07	0.5	15.68	
		21:00	29.78	49.61	31.85	8.07	6.51	0.5	17.8	
	日平均值			30.16	49.92	32.01	8.09	6.91	0.66	16.56
	灣內站	0:00	31.53	41.79	25.98	8.12	6.33	0.95	7.1	
		3:00	31.36	41.37	25.65	8.04	6.44	0.95	4.83	
		6:00	31.15	40.93	25.3	8.03	7.48	0.73	4.13	
		9:00	31.53	41.71	25.91	8	7.59	0.49	7.65	
		12:00	31.75	42.04	26.17	8.22	7.91	2.11	11.63	
		15:00	31.98	41.3	25.59	8.3	7.55	1.82	15.7	
		18:00	31.98	41.27	25.57	8.23	6.92	0.23	12.54	
		21:00	31.91	41.5	25.75	8.24	5.79	0.11	7.7	
	日平均值			31.65	41.49	25.74	8.15	7.00	0.92	8.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月10日	蚵殼站	0:00	32.1	40	26.36	8.21	7.07	2.53	18.39	
		3:00	31.99	39.84	26.25	8.21	6.82	2.41	15.52	
		6:00	31.89	39.8	26.2	8.28	6.73	2.57	11.45	
		9:00	31.96	39.83	26.23	8.3	7.39	3.48	17.02	
		12:00	31.79	40.32	26.56	8.29	7.44	4.13	8.41	
		15:00	31.6	40.4	26.6	8.28	7.49	4.17	13.61	
		18:00	31.49	40.41	26.61	8.27	7.43	4.86	17.72	
		21:00	31.21	40.19	26.48	8.23	6.73	4.98	19.97	
	日平均值			31.75	40.10	26.41	8.26	7.14	3.64	15.26
	潮口站	0:00	30.68	49.15	31.52	8.19	6.66	0.5	19.85	
		3:00	31.45	49.19	31.55	8.22	6.71	1.68	14.93	
		6:00	29.58	49.58	31.83	8.1	6.76	1.05	19.89	
		9:00	29.12	50.07	32.18	8.07	6.31	1.97	23	
		12:00	31.9	49.36	31.67	8.03	6.1	1.32	23.29	
		15:00	30.58	49.74	31.94	8.34	7.27	3.51	16.94	
		18:00	29.52	50	32.13	8.01	8.45	3.56	22.37	
		21:00	28.97	50.44	32.44	8.07	6.48	0.5	17.96	
	日平均值			30.23	49.69	31.91	8.13	6.84	1.76	19.78
	灣內站	0:00	31.82	41.64	25.86	8.13	7.32	0.16	8.37	
		3:00	31.6	41.5	25.75	8.09	6.27	0.01	5.02	
		6:00	31.49	41.44	25.7	8.06	7.55	0.11	5.11	
		9:00	31.4	41.48	25.73	8.04	7.62	0.39	12.06	
		12:00	31.43	41.9	26.06	8.11	6.9	2.15	14.18	
		15:00	31.02	41.95	26.1	8.17	5.71	2.13	12.79	
		18:00	30.36	41.96	26.11	8.03	5.82	3.83	14.18	
		21:00	30.07	41.79	25.98	8.02	6.04	2.22	10.83	
	日平均值			31.15	41.71	25.91	8.08	6.65	1.38	10.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppm)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
8月11日	蚵殼站	0:00	30.68	40.58	26.92	8.17	6.22	5.85	18.04	
		3:00	30.51	40.65	26.96	8.22	6.22	6.1	7.16	
		6:00	30.33	40.77	27.03	8.22	5.93	5.74	8.88	
		9:00	30.26	40.8	27.06	8.22	5.97	5.54	15.93	
		12:00	30.2	40.54	26.89	8.2	5.62	5.13	10.03	
		15:00	30.29	40.76	27.03	8.2	5.62	4.07	7.16	
		18:00	30.18	40.69	26.99	8.21	6.61	4.14	8.88	
	21:00	30.02	40.54	26.89	8.21	7.41	4.35	15.93		
	日平均值			30.31	40.67	26.97	8.21	6.20	5.12	11.50
	潮口站	0:00	30.53	49.57	31.82	8.04	6.63	0.58	19.03	
		3:00	30.71	49.26	31.6	7.95	6.68	0.52	19.22	
		6:00	28.14	50.6	32.56	8.04	8.25	1.09	18.38	
		9:00	29.12	50.23	32.29	8.06	7.13	0.65	14.13	
		12:00	31.89	49.28	31.61	8.04	8.18	0.65	8.48	
		15:00	30.36	49.75	31.95	8.12	7.24	0.88	9.33	
		18:00	29.7	48.68	31.18	8.04	6.36	2.93	12.52	
	21:00	29.98	45.51	28.91	8.15	6.95	0.5	17.15		
	日平均值			30.05	49.11	31.49	8.06	7.18	0.98	14.78
	灣內站	0:00	30	42.35	26.42	8.17	6.9	0.59	8.76	
		3:00	29.89	42.41	26.46	8.06	6.58	0.26	8.91	
		6:00	29.69	42.49	26.53	8.16	6.16	0.44	7.64	
9:00		29.59	42.53	26.56	8.17	6.46	1.46	7.28		
12:00		29.58	42.32	26.39	8.13	5.43	0.07	4.87		
15:00		29.61	42.49	26.53	8.2	5.92	0.03	3.25		
18:00		29.49	42.44	26.49	8.24	6.64	0.04	3.1		
21:00	29.41	42.32	26.39	8.14	7.56	0.15	4.43			
日平均值			29.66	42.42	26.47	8.16	6.46	0.38	6.03	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppm)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
8月12日	蚵殼站	0:00	29.94	41.47	27.85	8.18	6.19	3.04	16.04	
		3:00	29.86	41.7	28	8.22	6.55	3.3	5.16	
		6:00	29.81	41.76	28.03	8.21	6.79	2.74	6.88	
		9:00	30.12	41.79	28.04	8.22	7.47	3.08	13.93	
		12:00	30.42	41.96	28.17	8.22	7.55	3.73	8.03	
		15:00	30.61	41.93	28.13	8.22	7.45	5.47	5.16	
		18:00	30.91	41.92	28.14	8.19	6.97	5.57	20.67	
	21:00	30.84	41.98	28.18	8.17	6.73	4.09	17.35		
	日平均值			30.31	41.81	28.07	8.20	6.96	3.88	11.65
	潮口站	0:00	29.86	49.49	31.76	8.09	6.63	0.58	19.39	
		3:00	29.86	48.55	31.09	8.06	6.29	5.52	16.52	
		6:00	28.8	49.5	31.77	8.04	5.98	0.57	12.45	
		9:00	29.25	49.78	31.97	8.02	7.36	1.04	18.02	
		12:00	29.64	49.91	32.06	7.94	7.44	3.16	9.41	
		15:00	29.16	50.77	32.68	8.08	8.22	0.5	14.61	
		18:00	29.93	51.29	33.05	8.18	8.54	2.2	18.72	
	21:00	29.25	50.38	32.4	8.1	6.2	0.5	20.97		
	日平均值			29.47	49.96	32.10	8.06	7.08	1.76	16.26
	灣內站	0:00	29.3	43.54	27.35	8.15	6.57	0.02	3.92	
		3:00	29.18	43.73	27.5	8.13	6.26	0.02	2.86	
		6:00	29.15	43.77	27.53	8.1	6.64	0.02	2.41	
9:00		29.53	43.78	27.54	8.14	7.82	0.81	3.54		
12:00		30.03	43.95	27.67	8.2	7.84	1.26	2.82		
15:00		30.12	43.89	27.63	8.34	7.62	1.37	3.54		
18:00		29.89	43.91	27.64	8.29	6.25	1.41	3.25		
21:00	29.8	43.96	27.68	8.29	5.79	0.03	3.02			
日平均值			29.63	43.82	27.57	8.21	6.85	0.62	3.17	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月13日	蚵殼站	0:00	30.69	42	28.19	8.21	6.73	3.48	16.9
		3:00	30.5	42.05	28.22	8.2	6.15	3.33	9.77
		6:00	30.43	42.55	28.2	8.18	5.71	3.22	11.19
		9:00	30.74	42.43	28.24	8.17	6.3	2.71	18.65
		12:00	30.26	45.67	29.39	8.29	5.93	5.66	5.15
		15:00	30.5	46.04	30.32	8.27	6.07	4.82	4.81
		18:00	30.99	45.56	29.99	8.32	6.85	4.12	8.65
	21:00	30.81	46.17	30.4	8.31	6.4	5.75	7.37	
	日平均值		30.62	44.06	29.12	8.24	6.27	4.14	10.31
	潮口站	0:00	29.84	49.56	31.81	8.07	6.92	0.82	19.04
		3:00	29.87	49.26	31.6	8.14	6.98	1.15	8.16
		6:00	30.1	48.62	31.14	8.08	6.71	1.26	9.88
		9:00	29.36	49.05	31.45	8.19	7.27	4	16.93
		12:00	29.97	49.04	31.44	7.99	6.45	0.9	11.03
		15:00	30.69	48.65	31.16	8.06	6.78	1.87	8.16
		18:00	30.44	48.41	30.99	8.27	8.15	7.83	23.67
	21:00	29.68	49.1	31.48	8.12	6.89	0.5	30.35	
	日平均值		29.99	48.96	31.38	8.12	7.02	2.29	15.90
	灣內站	0:00	29.76	43.97	27.69	8.21	5.69	0.01	2.89
		3:00	29.79	44.01	27.72	8	5.6	0.02	3.02
		6:00	29.76	43.98	27.7	7.97	5.66	0.02	2.18
9:00		29.99	44.03	27.74	8.22	5.71	0.03	2.08	
12:00		29.76	45.5	28.89	8.2	7.66	4.39	17.78	
15:00		30	46.68	29.82	8.2	7.3	1.71	13.92	
18:00		30.49	46.26	29.49	8.21	7.87	1.63	6.4	
21:00	30.31	46.78	29.9	8.21	7.8	1.07	10.43		
日平均值		29.98	45.15	28.62	8.15	6.66	1.11	7.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月14日	蚵殼站	0:00	30.6	45.56	30.01	8.27	6.56	4.6	6.64
		3:00	30.64	46.91	30.9	8.26	5.55	5.11	6.55
		6:00	30.61	47.29	31.15	8.27	5.48	5.06	5.49
		9:00	30.78	47.09	31.01	8.32	6.18	3.94	5.75
		12:00	30.78	46.01	30.3	8.15	5.78	3.74	5.23
		15:00	30.87	45.83	29.93	8.28	6.53	3.78	7.14
		18:00	30.99	45.56	29.99	8.32	6.85	4.12	8.65
	21:00	30.81	46.17	30.4	8.31	6.4	5.75	7.37	
	日平均值		30.76	46.30	30.46	8.27	6.17	4.51	6.60
	潮口站	0:00	28.67	48.06	30.74	8.23	7.16	3.62	19.9
		3:00	29.9	50.33	32.15	8.3	6.19	1.43	12.77
		6:00	30.08	50.6	32.31	8.26	6.24	1.46	14.19
		9:00	30.93	50.39	32.18	8.23	5.67	4.96	21.65
		12:00	31.26	50.88	32.5	8.2	6.59	6.47	21.39
		15:00	31.48	48.74	31.09	8.17	6.49	0.69	17.67
		18:00	30.91	49.52	31.62	8.19	6.48	2.96	15.91
	21:00	30.76	50.44	32.21	8.2	6.24	0.5	14.86	
	日平均值		30.50	49.87	31.85	8.22	6.38	2.76	17.29
	灣內站	0:00	30.1	46.29	29.51	8.18	7.36	1.43	18.04
		3:00	30.14	47.42	30.4	8.22	7.71	0.84	10.51
		6:00	30.11	47.74	30.65	8.21	7.9	0.43	8.5
9:00		30.28	47.56	30.51	8.22	7.04	0.72	7.34	
12:00		30.28	46.66	29.8	8.22	7.85	1.47	6.59	
15:00		30.37	46.19	29.43	8.22	7.8	1.4	14.53	
18:00		30.49	46.26	29.49	8.19	6.66	1.67	6.27	
21:00	30.31	46.78	29.9	8.17	7.43	0.67	4.12		
日平均值		30.26	46.86	29.96	8.20	7.47	1.08	9.49	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月15日	蚵殼站	0:00	30.6	45.56	30.01	8.25	6.56	4.6	6.64
		3:00	30.64	46.91	30.9	8.23	5.55	5.11	6.55
		6:00	30.61	47.29	31.15	8.22	5.48	5.06	5.49
		9:00	30.78	47.09	31.01	8.32	6.18	3.94	5.75
		12:00	31.03	46.74	30.77	8.34	7.17	4.13	8.56
		15:00	31.51	45.92	30.24	8.38	7.54	5.12	15.73
		18:00	31.88	45.51	29.97	8.35	7.26	6.63	3.83
	21:00	31.34	46.21	30.44	8.3	6.35	6.13	9.16	
	日平均值		31.05	46.40	30.56	8.30	6.51	5.09	7.71
	潮口站	0:00	30.38	54.03	34.57	8.27	6.99	7.92	16.67
		3:00	30.24	51.87	33.15	8.23	6.61	1.22	13.01
		6:00	30.29	50.42	32.2	8.21	7.21	2.92	18.25
		9:00	31.16	49.27	31.45	8.18	7.03	3.29	19.56
		12:00	31.83	49.7	31.73	8.25	6.28	11.6	11.61
		15:00	31.7	47.06	29.99	8.22	5.62	0.81	14.55
		18:00	31.39	47.03	29.97	8.19	5.8	0.84	19.87
	21:00	31.3	49.36	31.5	8.21	6.16	0.5	12.61	
	日平均值		31.04	49.84	31.82	8.22	6.46	3.64	15.77
	灣內站	0:00	30.1	46.29	29.51	8.21	7.67	0.48	3.43
		3:00	30.14	47.42	30.4	8.2	7.92	0.6	3.45
		6:00	30.11	47.74	30.65	8.18	7.67	6.99	2.61
9:00		30.28	47.56	30.51	8.17	7.16	2.08	2.95	
12:00		30.53	47.25	30.27	8.29	7.33	7.88	6.66	
15:00		31.01	46.58	29.74	8.27	6.54	3.89	19.01	
18:00		31.38	46.24	29.47	8.32	6.49	3.01	10.12	
21:00	30.84	46.83	29.94	8.31	7.01	2.32	8.41		
日平均值		30.55	46.99	30.06	8.24	7.22	3.41	7.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月16日	蚵殼站	0:00	30.88	47.28	31.13	8.25	5.85	6	8.63
		3:00	30.84	47.67	31.39	8.23	5.33	6.46	8.93
		6:00	30.64	48.23	31.76	8.21	5.38	6.67	8.49
		9:00	30.81	47.88	31.54	8.2	6.84	5.03	12.33
		12:00	30.93	47.55	31.31	8.24	7.64	5.02	15.71
		15:00	31.21	47.17	31.06	8.29	7.4	5.6	8.69
		18:00	31.55	46.06	30.32	8.32	7.35	6.94	15.1
	21:00	31.09	47.28	31.13	8.28	6.61	7.39	17.26	
	日平均值		30.99	47.39	31.21	8.25	6.55	6.14	11.89
	潮口站	0:00	30.52	53.77	34.4	8.23	6.54	2.15	18.19
		3:00	30.39	52.42	33.51	8.18	6.73	3.71	19.64
		6:00	30.77	50.06	31.97	8.15	7.33	3.28	20.49
		9:00	31.52	49.75	31.77	8.27	7.33	1.37	14.55
		12:00	32	50.4	32.19	8.31	6.56	2.58	17.18
		15:00	31.46	50.53	30.66	8.32	5.14	0.61	20.97
		18:00	31.03	50.94	32.55	8.32	6.4	0.59	17.68
	21:00	31	50.18	32.05	8.31	6.35	0.5	19.8	
	日平均值		31.09	51.01	32.39	8.26	6.55	1.85	18.56
	灣內站	0:00	30.38	47.71	30.63	8.27	6.03	1.28	4.92
		3:00	30.34	48.04	30.89	8.26	6.99	1.78	4.92
		6:00	30.14	48.51	31.26	8.27	6.78	1.43	5.11
9:00		30.31	48.23	31.04	8.32	7.05	1.6	9.89	
12:00		30.43	47.94	30.81	8.15	7.86	2.6	19.04	
15:00		30.71	47.62	30.56	8.28	7.71	8.31	19.83	
18:00		31.05	46.68	29.82	8.32	6.38	1.14	15.13	
21:00	30.59	47.71	30.63	8.31	5.96	1.56	15.26		
日平均值		30.49	47.81	30.71	8.27	6.85	2.46	11.76	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月17日	蚵殼站	0:00	31.09	47.22	31.1	8.28	6.83	7.01	16.81	
		3:00	30.7	48.15	31.72	8.24	5.75	8.36	12.18	
		6:00	30.55	48.53	31.99	8.21	6.3	8.25	11.63	
		9:00	30.64	48.46	31.94	8.2	6.72	6.75	13.55	
		12:00	30.97	47.47	31.25	8.26	7.47	6.03	15.15	
		15:00	30.99	47.85	31.51	8.23	6.28	6.35	12.96	
		18:00	30.92	48.02	31.63	8.22	6.41	6.58	15.23	
		21:00	30.72	48.28	31.79	8.2	5.85	6.02	10.71	
	日平均值			30.82	48.00	31.62	8.23	6.45	6.92	13.53
	潮口站	0:00	30.41	52.97	33.87	8.29	5.75	1.61	21.85	
		3:00	30.19	54.04	34.57	8.32	5.87	1.06	16.93	
		6:00	30.77	49.73	31.74	8.29	7.15	4.64	21.89	
		9:00	31.26	49.62	31.68	8.27	7.17	2.84	25	
		12:00	31.77	49.43	31.54	8.24	6.79	2.09	25.29	
		15:00	30.85	52.69	33.7	8.24	5.78	0.52	18.94	
		18:00	31.01	51.89	33.16	8.24	6.69	0.56	24.37	
		21:00	31.3	50.06	31.98	8.23	6.68	0.03	19.96	
	日平均值			30.95	51.30	32.78	8.27	6.49	1.67	21.78
	灣內站	0:00	30.59	47.67	30.6	8.25	5.9	1.95	7.88	
		3:00	30.2	48.46	31.22	8.23	7.1	1.89	6.41	
		6:00	30.05	48.81	31.49	8.22	6.59	1.43	9.6	
		9:00	30.14	48.74	31.44	8.32	7.54	2.13	13.48	
		12:00	30.47	47.87	30.75	8.34	7.87	2.58	18.49	
		15:00	30.49	48.2	31.01	8.38	7.49	1.39	18.47	
		18:00	30.42	48.35	31.13	8.35	6.21	0.69	8.88	
		21:00	30.22	48.55	31.29	8.3	7.36	0.92	11.08	
	日平均值			30.32	48.33	31.12	8.30	7.01	1.62	11.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月18日	蚵殼站	0:00	30.76	48.16	31.72	8.21	6.3	5.05	9.66	
		3:00	30.46	48.65	32.06	8.2	6.34	7.01	10.52	
		6:00	30.32	48.69	32.09	8.2	6.72	7.88	9.68	
		9:00	30.46	48.69	32.09	8.19	6.83	6.77	9.7	
		12:00	30.63	48.37	31.87	8.22	7.63	4.95	11.73	
		15:00	31.22	47.81	31.49	8.21	7.63	5.19	10.46	
		18:00	31.3	47.64	31.38	8.12	6.96	6.59	9.39	
		21:00	30.88	48.29	31.81	8.17	6.84	6.64	8.77	
	日平均值			30.75	48.29	31.81	8.19	6.91	6.26	9.99
	潮口站	0:00	30.7	52.06	33.28	8.23	6.15	0.13	21.03	
		3:00	30.03	53.8	34.43	8.23	5.94	0.7	21.22	
		6:00	30.38	51.95	33.2	8.24	6.51	0.26	20.38	
		9:00	30.99	51.34	32.81	8.19	5.87	2	16.13	
		12:00	31.31	52.15	33.34	8.19	5.72	1.86	10.48	
		15:00	30.92	49.65	31.7	8.21	5.84	0.2	11.33	
		18:00	30.5	52.68	33.68	8.2	6.34	0.05	14.52	
		21:00	31.15	51.05	32.62	8.18	6.57	0.09	19.15	
	日平均值			30.75	51.84	33.13	8.21	6.12	0.66	16.78
	灣內站	0:00	30.26	48.46	31.22	8.25	6.69	1.62	9.58	
		3:00	29.96	48.9	31.56	8.23	6.83	1.69	4.67	
		6:00	29.82	48.93	31.59	8.21	6.78	1.31	5.5	
		9:00	29.96	48.93	31.59	8.2	7.51	1.68	10.29	
		12:00	30.13	48.65	31.37	8.24	7.84	1.79	9.21	
		15:00	30.72	48.17	30.99	8.23	7.46	2.08	14.44	
		18:00	30.8	48.03	30.88	8.22	6.89	0.86	9.78	
		21:00	30.38	48.58	31.31	8.2	6.71	0.52	7.27	
	日平均值			30.25	48.58	31.31	8.22	7.09	1.44	8.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月19日	蚵殼站	0:00	30.82	48.02	31.63	8.25	7.36	6.6	7.08	
		3:00	30.71	48.32	31.83	8.25	6.87	5.58	9.07	
		6:00	30.3	48.47	31.94	8.24	7.18	7.21	7.95	
		9:00	30.44	48.47	31.93	8.22	7.29	6.43	8.05	
		12:00	30.56	48.56	32	8.19	7.5	5.76	9	
		15:00	31.11	48.3	31.82	8.26	7.47	5.5	6.59	
		18:00	31.55	47.38	31.19	8.23	7.46	5.4	4.82	
		21:00	31.24	47.81	31.5	8.12	6.61	5.89	6.86	
	日平均值			30.84	48.17	31.73	8.22	7.22	6.05	7.43
	潮口站	0:00	30.79	51.99	33.25	8.18	6.53	0.08	21.39	
		3:00	30	53.85	34.46	8.18	6.93	0.55	18.52	
		6:00	30.32	52.8	33.75	8.19	6.58	0.03	14.45	
		9:00	31.33	51.35	32.82	8.2	6.91	1.19	20.02	
		12:00	31.95	51.31	32.78	8.2	6.17	2.29	11.41	
		15:00	31.26	47.07	30.7	8.21	6.22	0.77	16.61	
		18:00	30.9	47.01	29.96	8.2	6.36	0.29	20.72	
		21:00	31.24	51	32.59	8.18	6.42	0.34	22.97	
	日平均值			30.97	50.80	32.54	8.19	6.52	0.69	18.26
	灣內站	0:00	30.32	48.35	31.13	8.21	6.33	0.95	7.1	
		3:00	30.21	48.6	31.33	8.2	6.44	0.95	4.83	
		6:00	29.8	48.74	31.44	8.2	7.48	0.73	4.13	
		9:00	29.94	48.73	31.43	8.19	7.59	0.49	7.65	
		12:00	30.06	48.82	31.5	8.22	7.91	2.11	11.63	
		15:00	30.61	48.59	31.32	8.21	7.55	1.82	15.7	
		18:00	31.05	47.79	30.69	8.12	6.92	0.23	12.54	
		21:00	30.74	48.18	31	8.17	5.79	0.11	7.7	
	日平均值			30.34	48.48	31.23	8.19	7.00	0.92	8.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月20日	蚵殼站	0:00	31.61	47.28	31.14	8.18	6.93	4.17	5.12	
		3:00	31.15	48.11	31.7	8.16	6.31	4.31	5.61	
		6:00	30.38	48.39	31.88	8.2	6.71	5.92	4.57	
		9:00	30.54	48.39	31.88	8.26	7.28	4.41	4.44	
		12:00	30.86	48.42	31.9	8.3	7.54	4.15	9.79	
		15:00	31.8	47.78	31.46	8.28	7.72	3.99	9.12	
		18:00	31.65	47.6	31.35	8.17	7.54	4.91	4.71	
		21:00	31.05	46.73	30.78	8.14	7.41	5.5	7.16	
	日平均值			31.13	47.84	31.51	8.21	7.18	4.67	6.32
	潮口站	0:00	30.95	50.22	33.07	8.17	6.29	0.04	21.04	
		3:00	29.91	53.69	35.35	8.2	6.88	0.45	10.16	
		6:00	29.92	53.45	35.19	8.21	6.39	0.08	11.88	
		9:00	30.96	50.91	33.52	8.2	7.23	0.64	18.93	
		12:00	31.53	51.53	32.64	8.2	6.91	8.03	13.03	
		15:00	31.47	49.5	32.6	8.31	6.4	0.99	10.16	
		18:00	30.54	47.83	31.51	8.27	6.02	0.3	6.44	
		21:00	30.9	50.67	33.37	8.23	6.4	1.52	4.66	
	日平均值			30.77	50.98	33.41	8.22	6.57	1.51	12.04
	灣內站	0:00	31.11	47.73	30.64	8.25	7.32	0.16	8.37	
		3:00	30.65	48.44	31.2	8.25	6.27	0.01	5.02	
		6:00	29.88	48.67	31.38	8.24	7.55	0.11	5.11	
		9:00	30.04	48.67	31.38	8.22	7.62	0.39	12.06	
		12:00	31	48.15	31.72	8.31	6.69	4.5	13.04	
		15:00	31.28	47.33	29.76	8.33	7.74	16.9	41.96	
		18:00	31.26	48.78	32.11	8.3	7.21	1.76	14.31	
		21:00	31.06	48.73	32.07	8.37	5.99	1.33	11.23	
	日平均值			30.79	48.31	31.28	8.28	7.05	3.15	13.89
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月21日	蚵殼站	0:00	31.08	46.52	30.63	8.14	7.24	5.19	7.76	
		3:00	30.98	47.11	31.02	8.19	7.01	5.01	6.76	
		6:00	30.57	48.24	31.78	8.18	6.57	8.08	6.74	
		9:00	30.67	49.14	32.37	8.25	6.91	5.89	7	
		12:00	31.49	50.13	33.01	8.26	7.5	4.58	10.85	
		15:00	31.84	49.95	32.87	8.27	7.52	3.54	16.64	
		18:00	31.74	49.79	32.78	8.27	7.35	4.05	12.4	
		21:00	31.41	50.26	33.08	8.26	6.43	4.21	7.13	
	日平均值			31.22	48.89	32.19	8.23	7.07	5.07	9.41
	潮口站	0:00	31.01	50.04	32.95	8.24	5.8	0.13	16.03	
		3:00	30.06	51.92	34.2	8.22	6.06	0.55	16.22	
		6:00	29.51	52.53	34.61	8.21	6.13	0.17	15.38	
		9:00	30.94	50.16	33.02	8.24	6.97	0.13	11.13	
		12:00	31.49	49.94	32.88	8.2	6.78	0.46	5.48	
		15:00	31.6	49.32	32.48	8.21	6.3	0.68	6.33	
		18:00	29.69	50.21	33.06	8.17	5.36	0.8	9.52	
		21:00	30.05	49.7	32.72	8.24	6.63	1.2	14.15	
	日平均值			30.54	50.48	33.24	8.22	6.25	0.52	11.78
	灣內站	0:00	30.81	49.71	32.73	8.38	5.5	1.06	11.77	
		3:00	30.56	50.17	33.04	8.32	7.49	0.8	12.64	
		6:00	30.52	50.61	33.33	8.2	7.39	0.8	14.41	
		9:00	31.05	50.79	33.45	8.17	7.41	1.06	14.84	
		12:00	31.54	50.29	33.12	8.21	7.52	1.4	23.09	
		15:00	31.04	49.94	32.89	8.37	7.33	1.72	17.61	
		18:00	30.54	50.54	33.27	8.37	7.38	1.07	12.75	
		21:00	30.31	50.39	33.19	8.34	6.67	0.3	7.91	
	日平均值			30.80	50.31	33.13	8.30	7.09	1.03	14.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月22日	蚵殼站	0:00	31.24	49.52	32.6	8.27	6.75	4.19	4.4	
		3:00	30.89	49.1	32.34	8.27	6.36	4.26	7.74	
		6:00	30.77	49.87	32.83	8.28	6.56	4.54	11.28	
		9:00	30.4	50.68	33.37	8.3	5.77	5.08	6.85	
		12:00	30.86	50.36	33.15	8.31	6.72	4.6	11.96	
		15:00	30.91	49.85	32.81	8.31	6.98	4.63	12.31	
		18:00	30.71	48.58	32	8.31	6.47	3.72	8.52	
		21:00	30.89	49.61	32.66	8.3	5.89	3.75	4.3	
	日平均值			30.83	49.70	32.72	8.29	6.44	4.35	8.42
	潮口站	0:00	30.64	48.95	32.23	8.21	6.95	1	16.39	
		3:00	30.18	49.34	32.48	8.19	6.47	1.5	13.52	
		6:00	28.67	51.35	33.81	8.18	6.23	2.1	9.45	
		9:00	29.09	51.52	33.94	8.25	6.78	1.5	15.02	
		12:00	29.55	50.96	33.57	8.19	6.41	2.96	6.41	
		15:00	30	50.53	33.28	8.17	6.34	1.65	11.61	
		18:00	29.42	50.14	33.02	8.32	5.47	1.94	15.72	
		21:00	29.42	50.39	33.2	8.25	5.59	1.52	17.97	
	日平均值			29.62	50.40	33.19	8.22	6.28	1.77	13.26
	灣內站	0:00	30.21	50.34	33.14	8.29	7.19	0.63	9.2	
		3:00	30.04	50.97	33.54	8.3	5.76	0.55	8.86	
		6:00	29.98	51.54	33.95	8.2	6.16	0.13	7.12	
		9:00	29.72	51.64	34.01	8.13	7.66	0.49	7.35	
		12:00	29.55	51.74	34.09	7.94	7.85	1.27	9.08	
		15:00	29.55	50.85	33.5	7.99	7.27	2.91	26.94	
		18:00	29.51	50.76	33.42	8.16	6.52	0.88	11.38	
		21:00	29.62	50.99	33.57	8.2	6.26	0.42	6.17	
	日平均值			29.77	51.10	33.65	8.15	6.83	0.91	10.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月23日	蚵殼站	0:00	30.87	49.79	32.78	8.29	6.38	3.76	9.16	
		3:00	30.3	48.44	31.9	8.29	6.48	4.76	10.6	
		6:00	30.14	48.67	32.07	8.28	6.19	4.38	9.52	
		9:00	30.2	48.19	31.75	8.28	6.39	4.72	6.02	
		12:00	30.54	48.74	32.11	8.28	6.35	5.61	8.89	
		15:00	30.87	48.19	31.76	8.28	7.18	5.61	14.48	
		18:00	30.76	48.06	31.67	8.27	6.77	4.46	11.9	
	21:00	30.7	48.64	32.05	8.27	6.87	4.48	8.56		
	日平均值			30.55	48.59	32.01	8.28	6.58	4.72	9.89
	潮口站	0:00	29.88	49.06	32.3	8.28	6.02	1.2	16.04	
		3:00	30.01	49.19	32.39	8.28	5.22	1.65	5.16	
		6:00	28.7	51.34	33.81	8.37	5.88	1.5	6.88	
		9:00	28.49	51.09	33.65	8.44	5.61	2.5	13.93	
		12:00	30.12	50.09	32.98	8.45	6.9	2.38	8.03	
		15:00	30.12	49.84	32.83	8.42	5.62	1.72	5.16	
		18:00	29.29	50.16	33.03	8.34	5.75	1.8	20.67	
	21:00	28.79	50.56	33.3	8.42	5.37	1.2	27.35		
	日平均值			29.43	50.17	33.04	8.38	5.80	1.74	12.90
	灣內站	0:00	29.19	48.97	32.23	8.36	7.33	0.97	12.06	
		3:00	28.62	42.19	27.8	8.25	7.16	3.37	11.79	
		6:00	28.45	44.04	28.98	8.13	7.2	2.12	10.91	
9:00		28.84	48.32	31.81	8.13	7.4	0.83	7.59		
12:00		29.35	45.66	30.06	8.14	7.71	2.45	15.12		
15:00		29.68	38.77	25.53	8.15	7.84	4.5	23.01		
18:00		29.41	39.47	26	8.1	6.85	3.14	19.56		
21:00	29.34	45.23	29.79	8.04	6.44	1.31	10.65			
日平均值			29.11	44.08	29.03	8.16	7.24	2.34	13.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月24日	蚵殼站	0:00	30.68	49.17	32.38	8.26	6.42	3.83	5.61	
		3:00	30.74	49.43	32.55	8.25	6.11	3.99	5.31	
		6:00	30.57	47.97	31.6	8.25	6.62	4.22	9.87	
		9:00	30.36	49.45	32.55	8.25	6.84	5.25	9.58	
		12:00	30.55	49.16	32.38	8.24	6.68	3.84	5.69	
		15:00	30.77	48.1	31.69	8.25	7.24	4.25	8.88	
		18:00	30.77	47.49	31.28	8.25	7.19	7.08	13.1	
	21:00	30.28	49.28	32.45	8.25	5.83	5.05	6.86		
	日平均值			30.59	48.76	32.11	8.25	6.62	4.69	8.11
	潮口站	0:00	29.9	47.66	31.38	8.47	7	2.2	16.9	
		3:00	29.73	46.48	30.6	8.37	5.85	3.2	9.77	
		6:00	29.22	49.22	32.41	8.29	5.17	2.68	11.19	
		9:00	28.63	50.94	33.54	8.36	5.23	2.05	18.65	
		12:00	29.84	47.98	31.59	8.4	6.57	2.97	18.39	
		15:00	30.46	44.68	29.44	8.31	6.44	2.32	14.67	
		18:00	29.5	48.27	31.78	8.2	5.93	4.51	12.91	
	21:00	28.92	48.98	32.21	8.37	6	4.56	11.86		
	日平均值			29.53	48.03	31.62	8.35	6.02	3.06	14.29
	灣內站	0:00	29.43	48.9	32.2	8.26	6.33	1.45	6.17	
		3:00	28.59	44.93	23.97	8.13	5.85	4.31	10.98	
		6:00	28.48	42.55	24.08	8.2	5.97	3.09	11.59	
9:00		28.82	44.26	29.1	8.04	7.3	1.57	9.69		
12:00		29.42	42.26	27.2	8.26	7.16	2.49	10.61		
15:00		29.48	43.62	28.73	8.35	6.96	3.63	9.36		
18:00		29.34	41.56	27.37	8.27	7.53	2.46	8.16		
21:00	29.43	46.78	30.8	8	7.09	1.64	9.92			
日平均值			29.12	44.36	27.93	8.19	6.77	2.58	9.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月25日	蚵殼站	0:00	30.36	49.27	32.44	8.25	5.58	3.58	5.31	
		3:00	30.64	48.64	32.05	8.25	6.3	3.65	5.47	
		6:00	30.83	48.22	31.77	8.27	7.07	4.05	11.88	
		9:00	30.47	47.04	30.98	8.27	6.76	4.53	11.51	
		12:00	30.02	49.7	32.72	8.26	6.29	4.64	9.57	
		15:00	30.43	46.55	30.65	8.28	6.84	5.9	11.59	
		18:00	30.42	46.81	30.83	8.27	6.66	6.62	11.71	
		21:00	30.13	48.65	32.04	8.27	6.02	6.94	6.02	
	日平均值			30.41	48.11	31.69	8.27	6.44	4.99	9.13
	潮口站	0:00	29.1	49.53	32.61	8.4	5.48	1.55	13.67	
		3:00	29.82	48.29	31.79	8.32	6.1	1.58	10.01	
		6:00	29.73	49.19	32.4	8.21	5.54	1.52	15.25	
		9:00	29.19	51.08	33.64	8.25	6.51	2.09	16.56	
		12:00	30.06	48.91	32.21	8.41	6.82	1.65	8.61	
		15:00	30.04	48.66	32.04	8.27	5.85	1.65	11.55	
		18:00	29.79	45.59	30.02	8.29	6.08	1.88	16.87	
		21:00	28.63	49.72	32.73	8.33	5.33	3.93	9.61	
	日平均值			29.55	48.87	32.18	8.31	5.96	1.98	12.77
	灣內站	0:00	29.52	48.66	32.05	8.17	5.98	0.61	9.83	
		3:00	28.74	40.18	26.45	8.3	6.04	1.73	16.85	
		6:00	28.52	37.68	24.83	8.22	6.19	1.34	19.34	
		9:00	28.69	37.92	24.97	8.16	6.94	0.86	14.6	
		12:00	28.94	37.91	24.95	8.08	7.7	2.39	37.59	
		15:00	29.11	38.53	22.45	8.14	7.61	4.45	17.59	
		18:00	29.06	43.84	25.04	8.16	7.19	2.72	10.92	
		21:00	29.35	45.04	29.67	8.13	7.25	1.12	10.34	
	日平均值			28.99	41.22	26.30	8.17	6.86	1.90	17.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月26日	蚵殼站	0:00	29.98	49.32	32.48	8.27	5.64	4.15	4.8	
		3:00	29.9	47.34	31.17	8.26	5.87	3.79	6.86	
		6:00	29.36	39.67	26.13	8.28	6.81	5.79	10.67	
		9:00	29.74	45.14	29.72	8.26	6.88	4.83	6.76	
		12:00	29.74	46.15	30.39	8.25	5.91	4.57	5.15	
		15:00	29.25	41.12	27.08	8.26	7.45	7.08	7.71	
		18:00	29.24	41.67	27.44	8.26	6.56	5.48	4.56	
		21:00	29.74	46.2	30.42	8.25	6.75	3.81	4.08	
	日平均值			29.62	44.58	29.35	8.26	6.48	4.94	6.32
	潮口站	0:00	28.58	49.92	32.88	8.38	5.68	1.8	15.19	
		3:00	29.06	42.21	27.55	8.4	6.58	1.58	16.64	
		6:00	28.73	36.76	24.08	8.41	6.08	6.52	17.49	
		9:00	29.19	46.66	30.73	8.21	5.48	1.57	11.55	
		12:00	28.62	41.73	25.93	8.29	6.58	2.04	14.18	
		15:00	28.32	41.25	23.52	8.33	6.04	4.16	17.97	
		18:00	29.08	45.71	30.1	8.21	6.22	1.5	14.68	
		21:00	28.27	43.96	28.94	8.21	6.77	3.2	16.8	
	日平均值			28.73	43.53	27.97	8.31	6.18	2.80	15.56
	灣內站	0:00	29.37	46.52	30.62	8.05	6.36	0.78	10.61	
		3:00	28.91	46.02	30.31	8.29	5.54	0.8	9.42	
		6:00	28.35	45.08	27.33	8.22	5.84	3.39	12.51	
		9:00	27.41	34.3	20.09	8.09	6.5	7.97	14.76	
		12:00	27.61	36.92	22.15	8.15	6.24	2.44	9.96	
		15:00	27.46	36.31	21.67	8.17	6.34	3.85	9.4	
		18:00	26.71	29.6	16.4	8.3	6.35	7.42	10.32	
		21:00	26.79	30.3	16.95	8.15	6.24	6.01	7.84	
	日平均值			27.83	38.13	23.19	8.18	6.18	4.08	10.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月27日	蚵殼站	0:00	29.89	48.14	31.71	8.25	6.61	3.12	5.07
		3:00	29.78	46.88	30.88	8.24	6.92	3.27	6.47
		6:00	29.53	46.2	30.43	8.24	6.59	3.84	5.96
		9:00	28.49	41.43	23.81	8.25	6.9	7.33	6.17
		12:00	28.51	39.9	23.8	8.25	6.81	7.19	5.82
		15:00	28.59	39.8	25.78	8.25	6.91	11.03	4.69
		18:00	28.41	42.55	23.84	8.25	6.42	8.23	8.16
	21:00	28.34	41.06	22.93	8.25	6.44	7.04	5.51	
	日平均值	28.94	43.25	26.65	8.25	6.70	6.38	5.98	
	潮口站	0:00	28.06	43.48	28.62	8.22	6.91	1.52	18.85
		3:00	28.53	45.91	30.22	8.3	6.6	1.82	13.93
		6:00	28.23	43.96	24.62	8.31	6.1	2.15	18.89
		9:00	28.52	42.16	27.04	8.29	6.11	2.26	22
		12:00	28.06	37.21	23.82	8.25	6.96	5	22.29
		15:00	27.92	40.99	21.67	8.38	6.58	1.9	15.94
		18:00	27.64	39.8	18.05	8.29	6.8	2.87	21.37
	21:00	27.98	36.54	22.71	8.3	7.04	8.83	16.96	
	日平均值	28.12	41.26	24.59	8.29	6.64	3.29	18.78	
	灣內站	0:00	27.45	37.13	22.01	8.22	6.17	2.18	7.68
		3:00	26.7	28.89	15.84	8.1	5.79	2.88	6.09
		6:00	26.62	28.45	15.49	8.19	6.13	3.45	9.47
9:00		26.3	19.79	8.69	8.32	6.25	10.13	10.14	
12:00		26.65	21.92	10.36	8.1	6.37	7.27	5.76	
15:00		26.68	24.72	12.56	8.11	6.41	5.51	6.28	
18:00		26.72	27.5	14.75	8.06	6.39	3.48	9.31	
21:00	26.68	28.76	15.74	8.03	6.68	2.68	5.54		
日平均值	26.73	27.15	14.43	8.14	6.27	4.70	7.53		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月28日	蚵殼站	0:00	28.83	41.92	27.61	8.25	6.05	5.39	4.58
		3:00	28.83	42.67	28.11	8.25	5.7	5.55	7.95
		6:00	28.53	39.41	25.94	8.25	6.46	6.79	4.28
		9:00	28.18	35.52	22.48	8.25	7.53	7.35	4.23
		12:00	28.5	39.41	20.21	8.26	7.54	7.87	8.14
		15:00	28.8	38.49	24.29	8.26	6.45	8.6	8.16
		18:00	28.9	35.43	21.69	8.26	6.55	7.31	9.1
	21:00	29.11	37.33	24.07	8.26	6.51	8.32	3.79	
	日平均值	28.71	38.77	24.30	8.26	6.60	7.15	6.28	
	潮口站	0:00	28.35	40.62	26.76	8.22	6.87	9.91	18.03
		3:00	28.27	40.34	25.71	8.22	6.45	3.12	18.22
		6:00	28.18	37.98	23.95	8.36	5.42	0.93	17.38
		9:00	28.14	35.48	20	8.37	5.8	0.96	13.13
		12:00	29.03	39.28	25.42	8.3	6.41	4.46	7.48
		15:00	29.21	38.2	23.13	8.26	6.76	5.97	8.33
		18:00	29.09	36.73	21.73	8.23	5.79	0.19	11.52
	21:00	28.97	38	23.29	8.19	6	2.46	16.15	
	日平均值	28.66	38.33	23.75	8.27	6.19	3.50	13.78	
	灣內站	0:00	26.81	30.3	16.95	8.28	6.41	1.67	4.58
		3:00	26.79	30.98	17.48	8.29	5.45	1.13	3.29
		6:00	26.72	28.66	15.66	8.31	6.21	1.63	5.01
9:00		27.17	19.88	8.76	8.29	6.42	5.56	8.73	
12:00		28.04	16.25	5.91	8.12	6.29	8.18	9.4	
15:00		28.1	22.26	10.63	8.07	7.3	4.26	8.78	
18:00		27.95	25.81	13.42	8.1	7.18	2.83	4.08	
21:00	27.86	29.63	16.42	8.08	7.72	2.4	4.81		
日平均值	27.43	25.47	13.15	8.19	6.62	3.46	6.09		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月29日	蚵殼站	0:00	29.15	40.26	26.51	8.26	5.86	6.64	5.67	
		3:00	29.23	41.89	27.58	8.26	6.73	8.63	7.81	
		6:00	29.24	40.21	26.5	8.26	6.81	7.72	4.89	
		9:00	29.29	37.46	24.44	8.26	7.41	7.07	5.23	
		12:00	29.59	35.86	21.97	8.3	7.2	7.49	13.92	
		15:00	29.43	38.56	25.23	8.29	6.14	6.96	9.53	
		18:00	29.64	40.54	26.71	8.28	5.58	6.69	5.24	
		21:00	30.27	39.98	26.34	8.28	5.85	7.31	5.8	
	日平均值		29.48	39.35	25.66	8.27	6.45	7.31	7.26	
	潮口站	0:00	28.94	39.19	25.82	8.21	6.95	15.13	18.39	
		3:00	28.95	40.58	26.73	8.27	6.53	7.42	15.52	
		6:00	28.82	39.82	21.01	8.39	6.95	0.72	11.45	
		9:00	29.33	36.47	20.24	8.4	6.02	2.42	17.02	
		12:00	29.71	38.71	24.16	8.35	6.12	2.79	8.41	
		15:00	30.27	42.52	26.9	8.44	6.79	11.1	13.61	
		18:00	30.26	37.55	24.74	8.38	5.67	0.31	17.72	
		21:00	29.95	41.51	27.34	8.31	5.7	0.34	19.97	
	日平均值		29.53	39.54	24.62	8.34	6.34	5.03	15.26	
	灣內站	0:00	27.92	29.86	16.6	8.24	7.41	1.69	4.45	
		3:00	27.89	33.41	19.39	8.37	6.27	0.82	3.48	
		6:00	27.94	32.81	18.92	8.37	7.47	1.41	4.04	
		9:00	28.85	26.77	14.17	8.32	7.65	2.15	18.71	
		12:00	30.39	24.63	12.49	8.23	7.64	2.77	39.81	
		15:00	31.02	26.28	13.79	8.32	7.83	2.63	25.5	
		18:00	30.62	27.4	14.67	8.38	7.87	3.08	7.84	
		21:00	30.36	26.89	14.27	8.36	7.71	2.01	5.92	
	日平均值		29.37	28.51	15.54	8.32	7.48	2.07	13.72	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月30日	蚵殼站	0:00	29.87	42.95	28.28	8.28	5.85	7.15	4.68	
		3:00	29.84	43.66	28.76	8.28	6.64	7.16	5.21	
		6:00	29.84	43.32	28.53	8.29	6.6	7.15	4.84	
		9:00	29.99	41.68	27.45	8.29	7.21	6.18	9.76	
		12:00	30.73	38.86	23.93	8.33	7.4	9.76	8.04	
		15:00	30.72	37.61	24.5	8.34	7.02	13.23	7.53	
		18:00	30.1	40.05	26.39	8.34	6.24	8.8	9.22	
		21:00	30.3	38.25	24.65	8.2	6.27	6.38	8.42	
	日平均值		30.17	40.80	26.56	8.29	6.65	8.23	7.21	
	潮口站	0:00	29.61	41.85	27.56	8.41	6.35	5.79	18.04	
		3:00	29.61	42.47	27.98	8.29	5.29	1.65	7.16	
		6:00	29.6	42.97	28.3	8.26	6.59	3.21	8.88	
		9:00	30.07	37.16	24.26	8.29	6.13	2.78	15.93	
		12:00	29.58	41.39	27.27	8.24	5.59	0.87	10.03	
		15:00	29.38	41.2	26.64	8.17	6.34	2.08	7.16	
		18:00	29.68	40.52	24.01	8.17	6.06	0.11	8.88	
		21:00	29.53	41.5	27.33	8.15	5.68	0.09	15.93	
	日平均值		29.63	41.13	26.67	8.25	6.00	2.07	11.50	
	灣內站	0:00	29.48	35.7	19.36	8.33	7.16	1.45	5.64	
		3:00	28.79	38.33	25.23	8.38	6.41	1.04	5.31	
		6:00	28.77	37.72	24.72	8.39	7.21	1.37	6.66	
		9:00	30.31	33.79	19.69	8.39	7.8	2.94	34.91	
		12:00	30.86	27.8	14.98	8.31	7.6	5.24	31.15	
		15:00	29.88	23.44	11.56	8.34	7.29	9.96	32.73	
		18:00	30.17	34.27	20.07	8.38	7.75	3.84	13.92	
		21:00	29.83	32.02	18.3	8.34	7.54	3.12	12.93	
	日平均值		29.76	32.88	19.24	8.36	7.35	3.62	17.91	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月31日	蚵殼站	0:00	29.87	42.95	28.28	8.28	5.85	7.15	4.68
		3:00	29.84	43.66	28.76	8.28	6.64	7.16	5.21
		6:00	29.84	43.32	28.53	8.29	6.6	7.15	4.84
		9:00	29.99	41.68	27.45	8.29	7.21	6.18	9.76
		12:00	29.59	35.86	21.97	8.3	7.2	7.49	13.92
		15:00	29.43	38.56	25.23	8.29	6.14	6.96	9.53
		18:00	29.64	40.54	26.71	8.28	5.58	6.69	5.24
		21:00	30.27	39.98	26.34	8.28	5.85	7.31	5.8
	日平均值		29.81	40.82	26.66	8.29	6.38	7.01	7.37
	潮口站	0:00	29.32	44.81	29.51	8.18	6.59	1.59	18.39
		3:00	29.15	43.75	28.82	8.17	6.55	1.11	15.52
		6:00	29.36	41.93	27.64	8.24	6.93	0.56	11.45
		9:00	29.66	40.75	25.52	8.33	6.74	4.14	17.02
		12:00	30.24	40.15	23.61	8.25	6.29	2.34	8.41
		15:00	30.13	39.85	25.81	8.3	6.31	1.59	13.61
		18:00	29.9	42.87	28.24	8.17	5.3	0.02	17.72
		21:00	30.04	41.32	26.94	8.22	5.91	0.06	19.97
	日平均值		29.73	41.93	27.01	8.23	6.33	1.43	15.26
	灣內站	0:00	29.23	30.21	16.88	8.33	7.25	2.63	9.02
		3:00	29.33	38.45	23.6	8.34	6.34	1.21	5.33
		6:00	29.03	39.04	25.72	8.34	7.58	1.88	4.73
		9:00	29.59	35.65	16.18	8.37	7.44	5.4	6.97
		12:00	31.25	17.98	7.27	8.23	6.7	9.04	18.59
		15:00	31.91	23.23	11.39	8.39	7.74	6.88	34.21
		18:00	31.5	33.52	19.48	8.39	7.44	4.49	16.89
		21:00	30.8	30.9	17.42	8.39	7.59	2.39	8.62
	日平均值		30.33	31.12	17.24	8.35	7.26	4.24	13.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月1日	蚵殼站	0:00	30.11	43.22	28.46	8.18	6.08	3.54	6.51
		3:00	29.75	45.74	30.12	8.43	5.93	3.63	4.35
		6:00	29.83	45.98	30.28	8.44	7.06	4.21	4.97
		9:00	30.32	43.54	28.67	8.46	7.58	6.54	10.22
		12:00	31.62	35.98	22.74	8.45	7.21	8.43	3.78
		15:00	31.72	37.53	24.47	8.48	7.05	9.95	3.7
		18:00	31.36	40.01	26.35	8.47	6.69	8.87	5.51
	21:00	31.1	40.97	26.98	8.46	6.6	8.24	10.01	
	日平均值		30.73	41.62	27.26	8.42	6.78	6.68	6.13
	潮口站	0:00	29.61	44.79	29.49	8.19	6.8	0.06	5.16
		3:00	29.17	48.02	31.66	8.26	6.65	0.91	2.07
		6:00	29.55	44.61	29.39	8.27	6.76	0.06	2.53
		9:00	29.72	43.83	28.86	8.27	6.38	1.53	3.19
		12:00	30.48	41.13	27.09	8.36	7	1.66	3.21
		15:00	29.76	46.47	30.6	8.21	5.79	0.71	2.94
		18:00	29.35	45.58	30.02	8.4	6.03	0.01	3.83
	21:00	29.71	44.23	29.13	8.32	5.99	0.02	3.88	
	日平均值		29.67	44.83	29.53	8.29	6.43	0.62	3.35
	灣內站	0:00	30.45	42.22	27.96	8.37	7.3	4.65	9.26
		3:00	29.74	44.74	29.62	8.32	6.75	4.66	6.16
		6:00	29.32	44.98	29.78	8.33	7.06	5.49	7.13
9:00		30.41	42.54	28.17	8.39	7.84	3.56	20.15	
12:00		30.61	41.98	28.24	8.3	7.82	4.6	13.9	
15:00		30.73	41.53	28.97	8.32	7.8	4.76	19.17	
18:00		30.28	40.01	27.85	8.36	7.81	5.24	10.66	
21:00	30.2	39.97	26.48	8.36	7.28	3.21	17.81		
日平均值		30.22	42.25	28.38	8.34	7.46	4.52	13.03	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月2日	蚵殼站	0:00	30.83	41.92	27.61	8.44	6.51	7.61	14.51
		3:00	30.01	45.94	30.25	8.42	5.58	5.57	6.43
		6:00	29.85	47.47	31.27	8.4	6.63	4.31	5.35
		9:00	30.28	45.64	30.06	8.43	7.47	4.96	11.35
		12:00	30.65	44.22	29.12	8.43	7.32	5.34	18.11
		15:00	31.56	40.28	26.54	8.44	7.1	5.36	17.09
		18:00	31.49	41.88	27.58	8.43	6.56	5.11	13.95
	21:00	30.53	43.28	28.5	8.42	6.15	6.99	6.03	
	日平均值		30.65	43.83	28.87	8.43	6.67	5.66	11.60
	潮口站	0:00	30.07	42.87	28.23	8.24	5.94	0.03	3.92
		3:00	29.14	48.42	31.87	8.36	6.33	3.83	4.1
		6:00	29.1	46.49	30.62	8.22	5.74	0	4.69
		9:00	29.79	43.17	28.43	8.38	6.46	1.46	5.61
		12:00	29.89	44.59	29.38	8.23	5.37	1.15	5.72
		15:00	30.03	44.74	29.46	8.32	6.43	3.33	6.29
		18:00	29.23	43.83	28.87	8.38	5.31	0	8.1
	21:00	30.43	38.65	25.46	8.33	6.6	1.09	8.85	
	日平均值		29.71	44.10	29.04	8.31	6.02	1.36	5.91
	灣內站	0:00	30.12	40.92	27.11	8.36	6.74	3.56	10.46
		3:00	29.95	44.94	29.75	8.23	6.78	3.49	8.97
		6:00	29.57	46.47	30.77	8.14	6.34	3.92	10.66
9:00		30.73	44.64	29.56	8.04	5.68	3.92	12.71	
12:00		30.28	43.22	28.62	8.03	5.67	3.72	12.62	
15:00		30.93	39.28	26.04	8.16	6.62	3.91	11.7	
18:00		30.75	40.88	27.08	8.29	6.79	3.33	10.86	
21:00	30.5	42.28	28	8.4	6.66	3.32	9.55		
日平均值		30.35	42.83	28.37	8.21	6.41	3.65	10.94	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月3日	蚵殼站	0:00	30.83	42.29	27.85	8.42	5.65	3.34	4.7
		3:00	30.58	44.08	29.03	8.41	6.72	3.5	4.83
		6:00	30.1	47.25	31.11	8.39	6.72	3.1	4.75
		9:00	30.34	46.06	30.33	8.4	7.45	3.19	4.39
		12:00	31.29	41.58	28.76	8.34	7.5	4.24	17.4
		15:00	32.7	41.71	28.58	8.13	7.55	15.03	28.34
		18:00	32.52	41.94	28.99	8.12	7.55	5.5	24.77
	21:00	31.7	45.09	31.06	8.09	7.51	6.19	19.64	
	日平均值		31.26	43.75	29.46	8.29	7.08	5.51	13.60
	潮口站	0:00	30.32	42.81	28.19	8.34	5.78	0	10.17
		3:00	29.09	47.84	31.51	8.35	6.37	1.31	9.84
		6:00	29.04	45.33	29.86	8.42	5.88	0.62	10.22
		9:00	29.69	43.53	28.66	8.48	6.57	0.56	10.82
		12:00	29.98	44.49	29.29	8.35	5.93	2.78	11.04
		15:00	30.05	45.61	30.03	8.18	6.32	0.67	11.65
		18:00	29.44	42.71	28.12	8.35	6.4	0.5	13.84
	21:00	30.38	38.14	25.02	8.26	6.77	0.14	16.2	
	日平均值		29.75	43.81	28.84	8.34	6.25	0.82	11.72
	灣內站	0:00	29.73	41.29	27.35	8.24	6.05	3.6	10.41
		3:00	29.74	43.08	28.53	8.36	7.03	4.03	11.22
		6:00	29.72	46.25	30.61	8.4	6.78	3.32	11.47
9:00		30.17	45.06	29.83	8.38	7.6	3.94	13.9	
12:00		31.68	44.58	28.26	8.36	7.8	5.14	24.58	
15:00		32.49	42.71	28.08	8.29	7.77	5	17.86	
18:00		32.43	42.94	28.49	8.28	7.1	5.88	19.17	
21:00	31.71	44.09	29.04	8.28	6.49	5.43	8.94		
日平均值		30.96	43.75	28.77	8.32	7.08	4.54	14.69	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月4日	蚵殼站	0:00	31.43	42.96	29.8	8.09	7.21	6.53	27.24
		3:00	31.29	43.88	30.8	8.04	6.7	5.22	19.18
		6:00	31.1	44.32	29.2	8	7.14	4.6	7.4
		9:00	30.83	46.79	30.83	8.16	7.14	4.1	9.49
		12:00	32.02	44.98	29.64	8.23	7.47	5.51	27.12
		15:00	33.09	43.6	28.69	8.19	7.26	7.82	32.93
		18:00	32.26	45.43	29.92	8.24	7.35	5.62	29.1
	21:00	32.07	45.87	30.23	8.21	7.25	5.11	19.49	
	日平均值		31.76	44.73	29.89	8.15	7.19	5.56	21.49
	潮口站	0:00	30.14	42.68	28.11	8.17	6.01	3.85	15.95
		3:00	29.26	47.35	31.18	8.35	6.14	5.68	15.56
		6:00	28.94	47.88	31.51	8.48	6.25	0.48	15.5
		9:00	29.4	44.61	29.37	8.41	6.76	0.02	16.11
		12:00	30.33	46.91	30.89	8.29	7.44	1.57	12.72
		15:00	30.05	48.33	31.82	8.32	6.79	1.61	7.27
		18:00	29.69	49.59	32.66	8.39	7.42	1.84	1.82
	21:00	30.67	46.09	30.35	8.36	7.44	1.9	3.06	
	日平均值		29.81	46.68	30.74	8.35	6.78	2.12	11.00
	灣內站	0:00	31.05	43.11	28.4	8.3	6.89	3.8	8.1
		3:00	30.54	43.21	28.46	8.31	6.78	5.72	7.53
		6:00	30.87	47.18	31.07	8.29	6.24	4.65	9.61
9:00		31.02	48.29	31.8	8.21	7.26	4.66	8.82	
12:00		32.38	43.44	28.62	8.21	7.73	5.49	14.77	
15:00		32.86	44.14	29.09	8.26	7.33	4.04	13.21	
18:00		32.5	47.68	31.4	8.18	6.42	3.37	15.14	
21:00	31.92	50.96	33.55	8.16	6.03	4.08	11.83		
日平均值		31.64	46.00	30.30	8.24	6.84	4.48	11.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月5日	蚵殼站	0:00	32.05	42.6	28.04	8.21	7.17	4.37	28.35	
		3:00	31.59	43.34	28.54	8.16	6.64	3.58	27.81	
		6:00	30.97	47.71	31.43	8.13	7	4.05	13.61	
		9:00	30.63	48.21	31.75	8.12	7.28	4.14	21.9	
		12:00	31.41	47.05	31	8.12	7.4	4.56	22.29	
		15:00	32.26	45.72	30.14	8.13	7.27	9.94	40.79	
		18:00	31.89	46.37	30.56	8.12	7.33	4.48	27.88	
		21:00	30.94	47.59	31.35	8.09	7.19	5.13	16.87	
	日平均值			31.47	46.07	30.35	8.14	7.16	5.03	24.94
	潮口站	0:00	30.45	47.2	31.08	8.22	6.87	1.92	3.49	
		3:00	29.79	48.8	32.15	8.16	7.14	1.44	2.38	
		6:00	29.21	50.8	33.45	8.14	7.35	1.74	0.18	
		9:00	29.84	48.25	31.77	8.21	7.53	1.59	1.38	
		12:00	30.05	48.25	31.78	8.45	7.47	1.49	4	
		15:00	30.05	48.55	31.96	8.38	6.69	1.64	5.54	
		18:00	29.45	49.42	32.53	8.33	6.41	1.79	0.58	
		21:00	30.52	45.13	29.73	8.29	7.58	1.83	1.81	
	日平均值			29.92	48.30	31.81	8.27	7.13	1.68	2.42
	灣內站	0:00	31.74	50.26	33.1	8.16	7.33	4.14	5.16	
		3:00	30.99	48.33	31.81	8.24	7.45	3.54	5.31	
		6:00	31.01	50.44	32.53	8.21	6.7	3.6	14.9	
		9:00	30.52	50.96	32.86	8.18	6.84	4.03	12.69	
		12:00	31.72	46.61	28.01	8.22	7.6	3.32	19.78	
		15:00	31.8	47.32	28.47	8.26	7.77	3.94	12.92	
		18:00	31.71	47.65	28.69	8.23	7.14	3.61	14.12	
		21:00	30.49	51.62	32.63	8.21	6.88	3.65	6.72	
	日平均值			31.25	49.15	31.01	8.21	7.21	3.73	11.45
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月6日	蚵殼站	0:00	31.41	45.89	30.24	8.08	7.03	4.28	20.14	
		3:00	31	44.56	29.38	8.07	6.58	3.48	20.75	
		6:00	30.92	46.97	30.94	8.05	6.83	4.04	21.61	
		9:00	30.74	48.17	31.72	8.05	7.29	4.54	18.48	
		12:00	31.61	47.2	31.1	8.07	7.28	4.6	26.93	
		15:00	32.18	46.22	30.46	8.1	7.19	10.26	33.82	
		18:00	31.53	47.04	30.99	8.1	7.32	6.57	23.54	
		21:00	31.13	47.88	31.53	8.09	7.28	7.85	15.77	
	日平均值			31.32	46.74	30.80	8.08	7.10	5.70	22.63
	潮口站	0:00	30.46	44.97	29.63	8.3	7.06	1.25	2.92	
		3:00	29.97	48.25	31.77	8.24	6.51	1.92	2.18	
		6:00	29.2	51.39	33.85	8.28	7.29	1.22	0.46	
		9:00	29.79	48.79	32.14	8.25	7.6	1.38	0.89	
		12:00	30.53	48.1	31.69	8.21	7.78	1.41	3.72	
		15:00	30.58	48.45	31.91	8.19	6.47	1.76	3.07	
		18:00	29.5	50.72	33.4	8.17	5.97	1.86	0.31	
		21:00	29.34	49.34	32.49	8.14	7.23	1.5	0.28	
	日平均值			29.92	48.75	32.11	8.22	6.99	1.54	1.73
	灣內站	0:00	30.6	50.73	32.04	8.23	7.25	4.15	2.54	
		3:00	30.29	49.36	31.14	8.22	7.04	3.82	4.96	
		6:00	30.11	49.28	31.08	8.2	6.89	3.44	7.41	
		9:00	30.55	50.35	31.8	8.18	7.52	3.92	13.22	
		12:00	31.52	48.41	30.5	8.23	7.7	3.66	20.36	
		15:00	31.45	49.27	31.06	8.25	7.55	3.49	12.11	
		18:00	30.89	49.19	31.01	8.23	7.37	3.5	12.79	
		21:00	30.48	50.34	31.77	8.21	6.87	3.51	9.91	
	日平均值			30.74	49.62	31.30	8.22	7.27	3.69	10.41
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月7日	蚵殼站	0:00	30.97	47.32	31.17	8.07	7.24	5.02	9.24	
		3:00	29.95	46.19	30.44	8.08	7.12	5.02	13.03	
		6:00	29.46	46.4	30.57	8.08	7.17	3.76	13.09	
		9:00	30.35	48.9	32.2	8.02	6.94	3.9	15	
		12:00	31.2	48.46	31.91	8.06	7.07	4.75	15.84	
		15:00	32	47.7	31.42	8.05	6.88	4.04	14.68	
		18:00	31.78	47.72	31.43	8.06	6.89	12.84	17.76	
		21:00	31.26	47.38	31.21	8.07	7.03	4.46	14.72	
	日平均值			30.87	47.51	31.29	8.06	7.04	5.47	14.17
	潮口站	0:00	29.73	45.85	30.19	8.13	8.2	1.45	2.05	
		3:00	29.66	46.87	30.86	8.11	6.87	1.63	1.79	
		6:00	29.23	50.96	33.55	8.14	6.58	1.5	0.28	
		9:00	29.5	49.71	32.73	8.23	7.81	1.49	0.01	
		12:00	30.3	48.56	31.99	8.3	8.15	1.45	0.66	
		15:00	30.44	48.96	32.25	8.22	7.25	1.68	0.88	
		18:00	29.71	49.64	32.67	8.24	5.87	1.84	0.29	
		21:00	29.67	49.12	32.34	8.32	6.62	1.65	0.56	
	日平均值			29.78	48.71	32.07	8.21	7.17	1.59	0.82
	灣內站	0:00	30.38	49.33	32.43	8.23	6.68	3.88	16.29	
		3:00	29.62	48.76	32.06	8.25	7.12	3.35	8.34	
		6:00	29.08	48.56	31.92	8.22	7.7	3.38	4.76	
		9:00	29.66	49.28	32.39	8.21	7.52	3.45	4.61	
		12:00	30.61	48.18	31.69	8.24	7.71	3.48	7.68	
		15:00	31.09	47.72	31.39	8.26	7.62	4.11	6.41	
		18:00	30.81	48.27	31.73	8.26	7.64	3.33	5.86	
		21:00	30.52	51.03	33.55	8.23	7.23	3.49	2.35	
	日平均值			30.22	48.89	32.15	8.24	7.40	3.56	7.04
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月8日	蚵殼站	0:00	30.95	46.89	30.9	8.06	6.81	18.69	7.75	
		3:00	30.58	46.8	30.84	8.03	6.3	6.64	4.94	
		6:00	30.4	46.92	30.92	8.08	6.72	3.03	5.21	
		9:00	30.93	48.7	32.07	8.08	7.17	3.77	7.85	
		12:00	31.47	48.33	31.83	8.09	7.07	3.77	4.64	
		15:00	32.05	48.07	31.66	8.07	6.91	4.16	10.49	
		18:00	31.94	47.87	31.53	8.06	7.01	16.87	15.19	
		21:00	31.81	47.55	31.32	8.06	6.94	36.77	8.48	
	日平均值			31.27	47.64	31.38	8.07	6.87	11.71	8.07
	潮口站	0:00	30.13	46.44	30.57	8.26	7.42	2.08	0.81	
		3:00	29.82	46.42	30.56	8.3	7.2	1.13	0.75	
		6:00	29.64	50.41	33.19	8.26	7.43	1.75	0.32	
		9:00	29.81	50.14	33.02	8.29	7.52	2.02	0.04	
		12:00	30.61	48.05	31.66	8.25	8.09	1.47	0.77	
		15:00	30.64	48.79	32.13	8.25	7.22	1.25	1	
		18:00	29.97	49.66	32.69	8.26	6.06	1.51	0.72	
		21:00	29.75	49.78	32.78	8.31	6.73	1.38	0.52	
	日平均值			30.05	48.71	32.08	8.27	7.21	1.57	0.62
	灣內站	0:00	30.1	51.84	34.08	8.24	6.82	3.84	2.07	
		3:00	29.58	49.17	32.32	8.26	6.67	3.59	1.37	
		6:00	29.39	48.86	32.14	8.26	7.01	3.99	1.48	
		9:00	29.79	49.06	32.25	8.25	7.34	3.28	2.31	
		12:00	30.89	48.62	31.97	8.25	7.26	3.72	3.04	
		15:00	31.8	48.04	31.57	8.27	7.55	3.96	5.08	
		18:00	31.38	48.78	32.06	8.28	7.25	3.28	3.04	
		21:00	31.14	49.89	32.79	8.25	6.67	3.79	1.49	
	日平均值			30.51	49.28	32.40	8.26	7.07	3.68	2.49
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月9日	蚵殼站	0:00	31.51	46.76	30.81	8.04	6.7	39.42	5.04
		3:00	31.1	46.46	30.61	8.02	6.19	48.8	5.22
		6:00	30.51	45.92	30.26	8.04	6.42	3.61	10.16
		9:00	30.98	46.47	30.62	8.06	7.01	4.02	14.23
		12:00	31.75	46.95	30.93	8.08	7.01	5.6	20.18
		15:00	32.01	46.96	30.94	8.1	6.97	6.59	40.53
		18:00	32.1	47.35	31.2	8.1	6.93	16.06	13.72
	21:00	31.95	48.14	31.7	8.07	6.26	8.92	8.29	
	日平均值		31.49	46.88	30.88	8.06	6.69	16.63	14.67
	潮口站	0:00	30.25	47.86	31.52	8.26	7.75	1.33	0.73
		3:00	30.11	45.79	30.15	8.25	7.56	1.88	0.62
		6:00	30.14	48.44	31.89	8.24	7.21	1.84	0.86
		9:00	29.79	49.7	32.72	8.26	7.61	1.43	0.06
		12:00	30.09	50.19	33.04	8.21	7.69	1.67	0.3
		15:00	30.34	49.77	32.77	8.19	7.38	2.07	0.27
		18:00	29.76	50.04	32.95	8.25	6.43	1.55	0.22
	21:00	29.85	48.77	32.12	8.19	7.46	1.43	0.31	
	日平均值		30.04	48.82	32.15	8.23	7.39	1.65	0.42
	灣內站	0:00	30.98	49.41	32.48	8.27	6.8	3.55	2.67
		3:00	30.71	48.44	31.84	8.29	6.35	3.26	1.93
		6:00	30.38	48.52	31.91	8.29	7.43	4.05	1.22
9:00		30.82	48.91	32.16	8.29	7.79	3.62	2.37	
12:00		31.25	48.82	32.11	8.29	7.84	3.87	3.15	
15:00		31.64	48.09	31.61	8.3	7.66	4.01	4.48	
18:00		31.57	48.13	31.63	8.32	7.57	3.71	2.47	
21:00	31.65	49.36	32.46	8.28	6.77	4.14	1.31		
日平均值		31.13	48.71	32.03	8.29	7.28	3.78	2.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月10日	蚵殼站	0:00	32.12	47.92	31.57	8.07	6.29	3.52	11.54
		3:00	32.12	47.66	31.39	8.06	6.55	7.47	10.7
		6:00	31.93	47.34	31.18	8.04	6.38	3.37	19.07
		9:00	32.05	47.36	31.2	8.06	6.94	3.91	19.86
		12:00	32.04	48.2	31.75	8.08	7.2	4.99	15.06
		15:00	32.68	47.46	31.26	8.13	7.08	4.52	24.42
		18:00	32.7	47.15	31.06	8.15	7.04	80.77	17.18
	21:00	32.36	47.29	31.15	8.19	6.98	58.9	10.66	
	日平均值		32.25	47.55	31.32	8.10	6.81	20.93	16.06
	潮口站	0:00	30.88	46.63	30.7	8.23	7.76	1.8	0.53
		3:00	30.64	46.38	30.54	8.23	6.8	1.68	1.45
		6:00	30.53	47.58	31.33	8.26	6.32	1.76	1.65
		9:00	30.37	48.85	32.17	8.25	6.88	1.37	0.3
		12:00	30.85	48.54	31.97	8.21	7.46	1.92	0.5
		15:00	31.29	47.75	31.45	8.48	7.29	1.61	1.32
		18:00	30.89	48.47	31.92	8.32	6.23	1.71	1.69
	21:00	29.68	50.36	33.15	8.34	7.3	1.43	1.46	
	日平均值		30.64	48.07	31.65	8.29	7.01	1.66	1.11
	灣內站	0:00	31.16	49.88	32.79	8.29	6.64	3.88	1.65
		3:00	31.23	50.45	33.17	8.32	6.74	3.53	1.33
		6:00	31.07	49.79	32.73	8.34	7.1	3.47	1.74
9:00		31.65	48.72	32.03	8.34	7.55	3.51	2.85	
12:00		32.19	48.11	31.63	8.34	7.79	3.31	3.62	
15:00		32.31	47.94	31.51	8.38	7.58	3.75	2.46	
18:00		32.08	48.11	31.63	8.38	7.17	3.49	1.62	
21:00	31.61	50.61	33.28	8.38	7.63	3.34	1.24		
日平均值		31.66	49.20	32.35	8.35	7.28	3.54	2.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
9月11日	蚵殼站	0:00	31.78	48.68	32.05	8.3	6.32	5.39	5.58	
		3:00	31.48	47.56	31.33	8.33	6.67	4.09	9.72	
		6:00	31.15	47.24	31.12	8.31	6.67	3.22	8.34	
		9:00	31.84	47.54	31.32	8.25	6.83	3.73	13.64	
		12:00	32.16	48.28	31.79	8.23	6.84	3.55	8.07	
		15:00	32.34	47.99	31.61	8.25	6.87	3.41	13.98	
		18:00	32.25	47.85	31.52	8.26	6.39	49.03	16.38	
		21:00	32.02	47.84	31.51	8.25	6.35	35.29	8.3	
	日平均值			31.88	47.87	31.53	8.27	6.62	13.46	10.50
	潮口站	0:00	30.51	46.91	30.89	8.25	7.49	2.4	1.97	
		3:00	31.15	46.09	30.34	8.21	8.07	1.59	1.97	
		6:00	30.93	46.31	30.49	8.4	7.06	1.36	1.83	
		9:00	30.69	48.64	32.03	8.34	6.22	1.86	0.67	
		12:00	31.15	48.73	32.09	8.19	7.37	1.46	0.72	
		15:00	31.76	47.36	31.19	8.43	7.36	1.54	1.2	
		18:00	30.96	49.24	32.42	8.39	7.05	1.67	1.46	
		21:00	29.82	50.88	33.5	8.36	6.94	1.85	1.54	
	日平均值			30.87	48.02	31.62	8.32	7.20	1.72	1.42
	灣內站	0:00	31.24	51.7	32	8.36	6.44	3.01	1.8	
		3:00	30.89	52.08	32.24	8.37	6.71	4.22	1.2	
		6:00	30.66	51.09	31.59	8.38	7.42	3.87	1.34	
9:00		31.28	50.57	31.25	8.38	7.72	3.86	2.05		
12:00		31.88	50.74	31.37	8.38	7.55	4.09	2.63		
15:00		31.81	50.54	31.22	8.38	7.56	4.08	2.88		
18:00		31.61	50.47	31.17	8.38	6.71	3.41	3.37		
21:00		31.5	51.06	31.57	8.37	6.99	4.15	2.72		
日平均值			31.36	51.03	31.55	8.38	7.14	3.84	2.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
9月12日	蚵殼站	0:00	31.58	48.91	32.21	8.21	6.32	53.24	4.95	
		3:00	31.43	48.76	32.11	8.19	6.88	37.03	6.91	
		6:00	31.33	47.96	31.59	8.2	7.17	3.37	4.81	
		9:00	31.78	48.34	31.83	8.19	7.36	3.14	4.36	
		12:00	32.41	48.34	31.84	8.2	7.21	3.98	6.32	
		15:00	32.19	48.33	31.83	8.17	7.32	3.79	8.09	
		18:00	32.1	48.1	31.68	8.16	7.21	52.67	5.43	
		21:00	31.96	47.95	31.58	8.17	6.37	37.85	4.93	
	日平均值			31.85	48.34	31.83	8.19	6.98	24.38	5.73
	潮口站	0:00	30.1	49.07	32.31	8.33	7.6	1.53	0.32	
		3:00	30.74	47.63	31.37	8.35	7.16	1.72	1.52	
		6:00	30.89	47.39	31.21	8.32	6.25	1.62	1.43	
		9:00	31.18	47.88	31.54	8.4	6.84	1.91	0.54	
		12:00	30.46	50.56	33.29	8.32	7.56	1.98	0.09	
		15:00	30.7	49.11	32.34	8.19	7.03	1.74	0.02	
		18:00	31.06	48.47	31.93	8.49	6.99	2.09	0.16	
		21:00	30.24	50.43	33.2	8.36	7.52	1.95	0.12	
	日平均值			30.67	48.82	32.15	8.35	7.12	1.82	0.53
	灣內站	0:00	31.22	52.09	32.26	8.34	6.68	4.12	3.03	
		3:00	30.75	53.02	32.85	8.34	6.05	3.81	3.03	
		6:00	30.67	51.81	32.07	8.36	7.1	3.38	2.16	
9:00		31.65	50.93	31.49	8.36	7.17	3.83	2.14		
12:00		32.39	50.09	30.93	8.34	6.83	4.08	3.41		
15:00		31.78	50.81	31.42	8.34	7.24	3.33	3.88		
18:00		31.79	51.46	31.84	8.34	6.39	4.07	4.3		
21:00		31.42	51.88	32.13	8.35	6.47	3.64	3.05		
日平均值			31.46	51.51	31.87	8.35	6.74	3.78	3.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月13日	蚵殼站	0:00	31.6	48.09	31.67	8.16	6.36	27.87	4.38	
		3:00	31.59	48.98	32.25	8.13	6.56	35.28	8.97	
		6:00	31.44	48.12	31.69	8.16	7.56	3.07	4.33	
		9:00	31.89	48.6	32	8.11	7.27	3.2	4.62	
		12:00	32.49	49.12	32.34	8.09	7.01	4.17	6.37	
		15:00	32.3	48.96	32.24	8.13	7.29	5.31	14.19	
		18:00	31.87	48.29	31.8	8.08	6.71	71.2	7.7	
		21:00	31.94	47.75	31.45	8.1	6.84	47.13	6.12	
	日平均值			31.89	48.49	31.93	8.12	6.95	24.65	7.09
	潮口站	0:00	29.29	51.38	33.83	8.31	7.21	1.75	0	
		3:00	30.28	48.82	32.16	8.25	7.37	1.58	0.06	
		6:00	30.46	48.53	31.97	8.21	6.41	1.35	0.09	
		9:00	31.16	48.3	31.81	8.46	7.27	2.22	0.07	
		12:00	30.89	49.49	32.59	8.42	7.54	1.52	0.01	
		15:00	30.76	48.02	31.61	8.45	7.01	1.48	0.02	
		18:00	30.57	50.38	33.16	8.38	6.86	1.82	0.15	
		21:00	30.55	49.68	32.71	8.4	7.59	1.67	0.23	
	日平均值			30.50	49.33	32.48	8.36	7.16	1.67	0.08
	灣內站	0:00	31.13	50.41	32.46	8.34	6.2	4.04	3.35	
		3:00	30.95	50.54	32.54	8.34	6.28	3.53	5.12	
		6:00	30.79	50.6	32.58	8.34	6.68	3.72	5.1	
		9:00	31.58	49.74	32.02	8.35	7.45	3.91	5.37	
		12:00	32.78	48.47	31.19	8.35	7.3	3.33	8.01	
		15:00	32.22	49.88	32.13	8.36	7.05	3.19	9.2	
		18:00	32.04	50.15	32.28	8.38	5.64	4.07	13.24	
21:00		31.66	50.66	32.6	8.37	5.85	3.7	13.09		
日平均值			31.64	50.06	32.23	8.35	6.56	3.69	7.81	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月14日	蚵殼站	0:00	31.99	48.51	31.95	8.09	6.65	17.6	5.65	
		3:00	31.67	49.25	32.43	8.09	6.83	15.28	5.33	
		6:00	31.81	48.66	32.04	8.1	7.52	5.42	8.02	
		9:00	32.21	48.56	31.98	8.1	7.31	4.51	9.63	
		12:00	32.7	48.82	32.15	8.06	7.38	4.71	12.36	
		15:00	32.36	49.06	32.31	8.09	7.23	4.17	13.74	
		18:00	32.2	48.75	32.1	8.09	6.74	51.54	12.06	
		21:00	31.96	47.83	31.51	8.09	6.73	73.96	7.11	
	日平均值			32.11	48.68	32.06	8.09	7.05	22.15	9.24
	潮口站	0:00	29.66	51.29	33.76	8.41	7.98	1.33	0.02	
		3:00	29.88	50.26	33.1	8.43	7.88	1.52	0.01	
		6:00	30.83	48.45	31.92	8.41	7.85	1.83	0.03	
		9:00	31.33	48.52	31.97	8.48	7.19	1.23	0.18	
		12:00	31.46	48.83	32.16	8.38	7.27	1.24	0.09	
		15:00	30.76	46.85	30.86	8.3	7.05	1.72	0.06	
		18:00	30.69	49.88	32.84	8.34	6.89	1.98	0.09	
		21:00	31.36	48.92	32.22	8.46	6.83	2.15	0.14	
	日平均值			30.75	49.13	32.35	8.40	7.37	1.63	0.08
	灣內站	0:00	31.28	50.89	32.78	8.36	6.6	3.52	10.23	
		3:00	31.06	50.89	32.8	8.34	6.11	3.72	8.77	
		6:00	30.94	50.76	32.68	8.34	6.29	3.53	10.95	
		9:00	31.89	50.74	32.66	8.35	7.66	3.56	11.12	
		12:00	32.46	50.46	32.48	8.34	7.86	3.49	12.3	
		15:00	32.74	49.84	32.09	8.34	7.11	3.92	13.63	
		18:00	32.74	49.97	32.18	8.33	6.29	3.92	13.27	
21:00		32.45	50.32	32.39	8.34	5.74	3.81	12.65		
日平均值			31.95	50.48	32.51	8.34	6.71	3.68	11.62	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月15日	蚵殼站	0:00	31.88	48.45	31.91	8.06	6.21	3.98	7.41	
		3:00	31.65	49.29	32.45	8.07	7.07	4.28	7.26	
		6:00	31.89	49.11	32.34	8.08	7.58	5.08	9.24	
		9:00	32.54	48.95	32.23	8.07	7.47	3.92	13.5	
		12:00	32.7	49.06	32.31	8.07	7.48	4.74	14.76	
		15:00	32.62	49.2	32.4	8.1	7.5	4.85	17.59	
		18:00	32.5	48.86	32.18	8.11	7.17	4.86	11.79	
		21:00	32.15	48.39	31.86	8.11	6.5	4.2	6.39	
	日平均值			32.24	48.91	32.21	8.08	7.12	4.49	10.99
	潮口站	0:00	29.89	50.85	33.49	8.43	7.16	1.62	0.01	
		3:00	29.7	50.91	33.53	8.49	7.13	1.4	0.03	
		6:00	30.78	48.03	31.63	8.48	7.92	1.91	0.01	
		9:00	31.14	48.48	31.94	8.37	6.41	1.8	0.04	
		12:00	31.53	48.65	32.05	8.43	6.96	1.91	0.02	
		15:00	30.97	47.25	31.12	8.47	7.99	1.59	0.57	
		18:00	30.79	49.02	32.27	8.42	7.37	1.7	0.46	
		21:00	31.29	48.35	31.84	8.45	7.19	1.64	0.3	
	日平均值			30.76	48.94	32.23	8.44	7.27	1.70	0.18
	灣內站	0:00	31.96	50.44	32.46	8.31	7.18	4.02	12.58	
		3:00	31.62	50.65	32.59	8.3	6.12	3.72	11.9	
		6:00	31.53	50.97	32.84	8.3	6.98	2.99	11.23	
		9:00	32.16	50.91	32.81	8.31	7.06	3.42	11.85	
		12:00	32.62	50.95	32.82	8.3	7.85	3.86	12.54	
		15:00	32.55	50.75	32.68	8.29	7.45	3.46	13.93	
		18:00	32.46	50.79	32.73	8.28	6.47	3.97	14.63	
		21:00	32.36	50.81	32.74	8.29	6.14	3.41	15.36	
	日平均值			32.16	50.78	32.71	8.30	6.91	3.61	13.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月16日	蚵殼站	0:00	31.8	48.19	31.73	8.1	6.35	8.84	5.87	
		3:00	31.63	49.12	32.35	8.11	6.9	11.65	8.99	
		6:00	31.98	49.2	32.4	8.12	7.48	6.25	19.52	
		9:00	32.2	49.17	32.37	8.11	7.43	8.12	15.68	
		12:00	32.53	48.98	32.25	8.11	7.37	6.69	11.75	
		15:00	32.34	49.21	32.4	8.11	7.34	6.39	13.08	
		18:00	31.99	48.53	31.96	8.13	6.53	8.35	10.99	
		21:00	31.78	48.19	31.74	8.11	6	11.03	6.57	
	日平均值			32.03	48.82	32.15	8.11	6.93	8.42	11.56
	潮口站	0:00	30.22	50.32	33.14	8.4	6.64	1.63	0.27	
		3:00	29.43	51.29	33.78	8.29	6.73	2.18	0.04	
		6:00	30.58	48.86	32.18	8.31	8.13	1.28	0.01	
		9:00	31.58	48.2	31.74	8.32	7.85	1.68	0.32	
		12:00	31.49	48.55	31.99	8.35	6.86	1.33	2	
		15:00	30.97	43.75	28.82	8.3	5.84	1.49	1.53	
		18:00	30.36	49.56	32.63	8.26	6.7	1.47	2.3	
		21:00	31.3	48.3	31.82	8.23	7.78	1.36	5.74	
	日平均值			30.74	48.60	32.01	8.31	7.07	1.55	1.53
	灣內站	0:00	31.96	50.96	32.83	8.29	6.69	3.35	14.69	
		3:00	31.69	51.01	32.87	8.27	6.72	4.17	14.51	
		6:00	31.41	51.11	32.92	8.27	7.42	3.99	14.21	
		9:00	32.31	50.96	32.84	8.29	7.17	3.87	14.85	
		12:00	32.84	50.99	32.85	8.28	7.84	3.54	15.16	
		15:00	32.49	51	32.86	8.26	7.83	3.93	15.59	
		18:00	31.97	50.47	32.5	8.25	6.53	3.79	14.83	
		21:00	32.79	50.82	32.73	8.26	7.04	3.85	15.03	
	日平均值			32.18	50.92	32.80	8.27	7.16	3.81	14.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月17日	蚵殼站	0:00	31.29	47.7	31.42	8.1	6.61	23.17	4.42
		3:00	31.53	48.48	31.93	8.08	6.95	7.19	5.18
		6:00	31.72	49.26	32.43	8.06	7.52	6.76	6.98
		9:00	32.32	49.08	32.31	8.06	7.37	6.2	12.92
		12:00	32.55	48.77	32.12	8.3	7.65	6.85	13.39
		15:00	32.47	49.3	32.46	8.26	7.76	6.32	12.57
		18:00	32.37	49.06	32.3	8.2	7.75	6.24	7.83
		21:00	32.44	49.14	32.35	8.11	7.67	5.16	6.54
	日平均值		32.09	48.85	32.17	8.15	7.41	8.49	8.73
	潮口站	0:00	30.64	48.45	31.91	8.2	6.88	1.8	6.5
		3:00	29.12	50.78	33.44	8.28	7.6	2	5.37
		6:00	29.84	49.08	32.31	8.36	7.27	1.78	3.68
		9:00	31.5	47.66	31.39	8.35	8.05	1.34	3.84
		12:00	31.65	48.68	32.06	8.27	6.87	1.87	6.9
		15:00	30.56	46.95	30.92	8.26	6.04	1.16	8.25
		18:00	29.66	47.26	31.12	8.16	6.48	1.9	11.98
		21:00	30.94	47.9	31.56	8.48	7.59	2.1	11.08
	日平均值		30.49	48.35	31.84	8.30	7.10	1.74	7.20
	灣內站	0:00	32.42	50.77	32.7	8.26	6.03	3.64	15.16
		3:00	32.02	50.94	32.82	8.25	7.05	3.81	14.99
		6:00	32.02	51.31	33.04	8.24	7.16	3.85	14.85
		9:00	32.74	50.06	32.95	8.3	7.12	3.56	9.65
		12:00	32.88	49.57	32.62	8.27	7.72	4.32	6.92
		15:00	32.66	49.7	32.7	8.26	7.48	3.5	6.26
		18:00	32.51	49.7	32.7	8.23	6.73	3.35	2.48
		21:00	32.53	49.52	32.6	8.24	6.92	3.71	2.01
	日平均值		32.47	50.20	32.77	8.26	7.03	3.72	9.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月18日	蚵殼站	0:00	32.63	48.59	32	8.04	7.47	4.93	5.76
		3:00	31.93	48.91	32.21	8.02	6.78	5.68	11.62
		6:00	31.27	49.42	32.54	8.01	7.06	6.38	7.08
		9:00	31.32	49.47	32.57	8	7.79	6.43	15.12
		12:00	31.64	49.68	32.7	7.99	7.02	7.24	18.23
		15:00	31.64	49.74	32.74	7.99	7.26	7.34	24.59
		18:00	32.51	49.35	32.49	7.99	7.43	5.02	16.01
		21:00	32.06	49.48	32.58	7.95	7.32	4.57	11.91
	日平均值		31.88	49.33	32.48	8.00	7.27	5.95	13.79
	潮口站	0:00	30.55	47.59	31.34	8.28	6.67	1.79	9.65
		3:00	28.77	49.84	32.82	8.36	6.79	2.1	10.8
		6:00	28.9	50.28	33.09	8.44	7.24	2.03	6.6
		9:00	31.72	47.25	31.1	8.23	8.22	1.35	6.54
		12:00	32.59	47.67	31.39	8.48	7.37	1.9	7.49
		15:00	30.67	48.57	31.99	8.28	6	1.41	8.29
		18:00	29.5	49.33	32.48	8.22	6.75	1.46	9.39
		21:00	31.38	48.06	31.66	8.23	8.18	1.68	4.95
	日平均值		30.51	48.57	31.98	8.32	7.15	1.72	7.96
	灣內站	0:00	32.28	49.36	32.51	8.23	5.9	3.55	1.64
		3:00	31.99	49.6	32.64	8.22	7.65	3.02	1.81
		6:00	31.44	49.67	32.69	8.18	6.67	3.44	4.13
		9:00	31.98	49.7	32.71	8.21	7.87	4.29	5.83
		12:00	32.3	49.89	32.84	8.25	7.31	3.55	11.91
		15:00	32.14	49.38	32.52	8.29	6.02	3.54	14.12
		18:00	30.69	50.39	33.18	8.22	5.92	3.58	1.86
		21:00	30.87	50.14	33	8.2	6.67	3.52	1.48
	日平均值		31.71	49.77	32.76	8.23	6.75	3.56	5.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月19日	蚵殼站	0:00	31.41	49.38	32.51	7.94	7.59	5.25	13.32	
		3:00	31.06	49.33	32.48	7.91	6.63	3.93	12.86	
		6:00	30.87	49.8	32.78	7.91	6.65	4.64	10.52	
		9:00	30.85	49.95	32.88	7.92	7.36	5.39	9.93	
		12:00	31.12	50.07	32.96	7.92	7.14	6.59	13.76	
		15:00	31.33	50.09	32.97	7.92	7.24	6.96	16.74	
		18:00	31.44	49.72	32.73	7.92	7.14	5.18	11.55	
		21:00	31.53	49.66	32.69	7.91	7.37	6.65	8.52	
	日平均值			31.20	49.75	32.75	7.92	7.14	5.57	12.15
	潮口站	0:00	31.31	47.52	31.3	8.24	7.23	1.84	3.68	
		3:00	29.96	49.38	32.51	8.24	6.57	1.73	1.85	
		6:00	28.98	49.7	32.72	8.35	6.44	1.86	0.23	
		9:00	30.58	48.29	31.81	8.28	8.05	1.59	0.34	
		12:00	31.26	48.15	31.71	8.36	7.7	1.78	1.51	
		15:00	30.62	47.75	31.46	8.47	6.58	1.47	1.71	
		18:00	30.01	47.42	31.24	8.44	5.85	1.27	0.89	
		21:00	30.1	48.12	31.69	8.47	7.77	1.34	0.15	
	日平均值			30.35	48.29	31.81	8.36	7.02	1.61	1.30
	灣內站	0:00	30.74	50.12	33	8.23	6.26	3.87	2.01	
		3:00	30.35	50.1	32.99	8.23	7.18	3.54	2.42	
		6:00	30.18	50.11	33.01	8.17	7.56	3.42	3.04	
9:00		30.54	50.15	33.01	8.18	7.57	3.64	4.36		
12:00		31.33	49.91	32.86	8.25	7.25	3.98	5.93		
15:00		31.44	50.06	32.97	8.31	7.29	4.07	6.26		
18:00		31.2	50.15	33.02	8.24	7.21	4.07	2.94		
21:00		30.82	50.42	33.19	8.2	6.94	3.29	1.55		
日平均值			30.83	50.13	33.01	8.23	7.16	3.74	3.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月20日	蚵殼站	0:00	31.41	49.55	32.62	7.9	7.41	4.96	6.59	
		3:00	31.05	49.63	32.67	7.88	7.25	3.94	7.49	
		6:00	30.83	49.52	32.61	7.9	7.67	4.9	10.86	
		9:00	30.88	49.7	32.72	7.9	7.06	6.15	7.51	
		12:00	31.11	49.88	32.84	7.9	7.19	6.4	14.18	
		15:00	31.1	49.72	32.73	7.92	7.39	5.79	21.22	
		18:00	31.19	49.59	32.65	7.91	7.08	4.83	16.46	
		21:00	31.11	49.46	32.56	7.92	7.24	5.42	10.29	
	日平均值			31.09	49.63	32.68	7.90	7.29	5.30	11.83
	潮口站	0:00	30.24	47.95	31.58	8.42	6.96	2.27	0.22	
		3:00	30.16	48.63	32.04	8.39	7.25	1.82	0.01	
		6:00	29.82	49.26	32.43	8.31	7.79	1.76	0.04	
		9:00	30.39	48.59	32	8.38	7.87	1.69	0.04	
		12:00	30.48	48.54	31.98	8.49	7.09	1.96	0.37	
		15:00	30.51	48.42	31.89	8.49	7.37	1.74	0.57	
		18:00	29.84	48.98	32.26	8.41	7.18	1.45	0.01	
		21:00	30.24	48.01	31.62	8.4	7.74	1.95	0.03	
	日平均值			30.21	48.55	31.98	8.41	7.41	1.83	0.16
	灣內站	0:00	30.43	50.16	33.03	8.24	6.66	4.12	1.96	
		3:00	30.08	49.86	32.84	8.25	5.91	3.76	2.62	
		6:00	30.18	50.26	33.08	8.21	6.51	3.05	3.2	
9:00		30.6	50.15	33.01	8.2	7.34	3.84	3.33		
12:00		31.51	49.57	32.63	8.28	7.29	3.5	6.91		
15:00		31.38	48.45	31.91	8.24	7.36	4.31	5.32		
18:00		30.82	49.84	32.81	8.23	7.51	3.5	1.62		
21:00		30.21	50.37	33.16	8.23	6.62	3.75	1.86		
日平均值			30.65	49.83	32.81	8.24	6.90	3.73	3.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月21日	蚵殼站	0:00	30.96	48.98	32.25	7.9	7.16	5.1	11.49	
		3:00	30.23	48.09	31.67	7.87	7.4	4.79	13.44	
		6:00	30.31	48.35	31.84	7.87	7.3	4.96	19.69	
		9:00	30.84	49.85	32.82	7.97	7.05	4.17	15.04	
		12:00	31.06	50.03	32.93	8.07	7.44	4.69	11.14	
		15:00	31.65	49.54	32.61	8.38	6.71	6.25	17.02	
		18:00	31.77	49	32.26	8.45	6.52	6.15	17.48	
		21:00	30.99	48.24	31.76	8.33	6.24	6.03	17.17	
	日平均值			30.98	49.01	32.27	8.11	6.98	5.27	15.31
	潮口站	0:00	30.41	47	30.94	8.22	7.93	1.93	0.36	
		3:00	30.13	46.99	30.95	8.43	6.92	1.78	0.04	
		6:00	29.82	48.8	32.14	8.42	7.56	1.79	0.11	
		9:00	29.69	48.86	32.18	8.39	7.49	1.84	0.01	
		12:00	31.3	49.3	31.84	8.31	6.46	1.97	5.08	
		15:00	30.75	47.21	31.09	8.38	6.44	1.49	4.86	
		18:00	30.07	46.92	30.9	8.37	5.88	1.96	3.95	
		21:00	30.14	52.15	34.34	8.22	6.5	1.58	1.41	
	日平均值			30.29	48.40	31.80	8.34	6.90	1.79	1.98
	灣內站	0:00	30.21	50.12	32.99	8.25	6	3.65	1.47	
		3:00	29.89	49.36	32.51	8.26	6.08	3.2	1.54	
		6:00	29.96	49.62	32.68	8.25	6.91	4.04	2.49	
		9:00	30.28	49.54	32.62	8.24	7.48	3.75	2.74	
		12:00	31.62	48.48	31.94	8.28	7.36	3.55	3.13	
		15:00	32.08	48.46	31.92	8.3	7.39	4.19	11.82	
		18:00	31.4	48.34	31.85	8.27	7.21	3.3	5.97	
		21:00	30.94	49.66	32.69	8.23	6.38	4.16	2.7	
	日平均值			30.80	49.20	32.40	8.26	6.85	3.73	3.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月22日	蚵殼站	0:00	30.74	47.62	31.36	8.28	6.01	5.93	12.98	
		3:00	30.2	47.1	31.02	8.23	6.01	4.81	12.59	
		6:00	30.34	47.21	31.1	8.29	6.83	5.78	17.51	
		9:00	31.16	48.22	31.75	8.3	7	5.2	19.36	
		12:00	32.1	48.85	32.16	8.43	7.02	5.74	18.93	
		15:00	32.31	48.91	32.2	8.39	6.96	4.99	20.64	
		18:00	32.21	48.44	31.9	8.46	6.99	5.29	20.35	
		21:00	31.85	47.82	31.49	8.34	6.98	5.63	14.6	
	日平均值			31.36	48.02	31.62	8.34	6.73	5.42	17.12
	潮口站	0:00	30.08	50.53	33.25	8.1	7.92	1.76	1.41	
		3:00	30.08	49.78	32.77	8.1	7.16	1.98	1.8	
		6:00	30.13	52.23	34.4	8.1	7.31	1.54	1.48	
		9:00	30.27	52.52	34.59	8.1	7.57	1.27	1.01	
		12:00	31.23	50.23	33.07	8.11	7.69	2.06	1.74	
		15:00	31.92	49.08	32.31	8.13	6.54	1.94	3.92	
		18:00	30.47	44.06	27.78	8.13	5.75	2.23	2.71	
		21:00	30.27	48.55	31.95	8.13	6.45	1.31	1.16	
	日平均值			30.56	49.62	32.52	8.11	7.05	1.76	1.90
	灣內站	0:00	30.83	48.78	32.14	8.25	5.76	3.46	2.75	
		3:00	30.64	48.72	32.11	8.26	5.62	3.64	4.07	
		6:00	30.48	48.86	32.19	8.27	6.97	3.54	5.17	
		9:00	30.73	48.39	31.88	8.27	7.75	3.98	4.23	
		12:00	31.66	47.01	30.96	8.27	7.86	3.44	4.8	
		15:00	32.09	46.95	30.91	8.29	7.65	3.56	5.87	
		18:00	31.56	47.66	31.39	8.29	7.7	3.74	4.95	
		21:00	31.29	48.1	31.68	8.28	7.18	3.54	5.29	
	日平均值			31.16	48.06	31.66	8.27	7.06	3.61	4.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月23日	蚵殼站	0:00	31.27	47.33	31.17	8.29	6.93	6.16	14.9	
		3:00	31.11	47.13	31.04	8.26	6.88	10.19	11.41	
		6:00	30.93	47.08	31.01	8.25	6.83	4.4	17.62	
		9:00	31.42	47.63	31.37	8.34	7.02	5.55	18.71	
		12:00	32.17	48.04	31.64	8.43	6.92	6.16	22.47	
		15:00	32.55	47.82	31.49	8.43	6.87	5.19	29.43	
		18:00	32.38	47.61	31.36	8.31	6.87	3.16	22.62	
		21:00	32.06	48.04	31.64	8.32	6.93	4.11	19.57	
	日平均值			31.74	47.59	31.34	8.33	6.91	5.62	19.59
	潮口站	0:00	30.66	49.36	32.49	8.19	8.05	1.72	2.3	
		3:00	30.69	48.1	31.66	8.2	6.91	1.7	1.88	
		6:00	30.63	48.06	31.63	8.2	6.51	1.79	1.74	
		9:00	30.62	51.33	33.79	8.29	6.71	1.9	1.23	
		12:00	31.24	50.37	33.16	8.3	7.85	1.92	2.48	
		15:00	31.52	49.92	32.87	8.3	6.47	1.39	3	
		18:00	30.63	50.04	32.93	8.29	6.84	1.46	2.17	
		21:00	30.02	48.45	31.89	8.29	7.65	1.84	3.35	
	日平均值			30.75	49.45	32.55	8.26	7.12	1.72	2.27
	灣內站	0:00	31.12	48.03	31.63	8.28	7.16	3.95	5.69	
		3:00	30.75	47.29	31.15	8.29	6.63	3.05	10.06	
		6:00	30.79	47.35	31.17	8.26	6.07	4.01	17.51	
		9:00	31.12	46.96	30.92	8.28	7.44	3.84	13.08	
		12:00	31.76	46.45	30.59	8.29	7.63	3.73	4.27	
		15:00	32.03	46.21	30.42	8.28	7.73	3.54	5.94	
		18:00	31.73	46.24	30.44	8.29	7.23	3.92	14.16	
		21:00	31.22	47.62	31.35	8.27	6.75	3.43	3.46	
	日平均值			31.32	47.02	30.96	8.28	7.08	3.68	9.27
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月24日	蚵殼站	0:00	31.78	48	31.61	8.25	6.67	3.55	17.2	
		3:00	31.44	47.64	31.38	8.3	6.75	3.91	15.68	
		6:00	31	47.17	31.07	8.41	7.06	5.35	14.53	
		9:00	31.58	47.55	31.32	8.36	7.01	4.63	16.79	
		12:00	32.18	47.77	31.46	8.39	6.91	5.59	20.26	
		15:00	32.27	47.74	31.44	8.38	6.92	4.51	24.94	
		18:00	32.13	47.84	31.51	8.34	6.89	3.64	18.63	
		21:00	31.85	48.25	31.77	8.31	6.94	4.68	17.8	
	日平均值			31.78	47.75	31.45	8.34	6.89	4.48	18.23
	潮口站	0:00	30.63	48.82	32.13	8.28	7.47	1.88	2.67	
		3:00	31.06	48.8	32.11	8.19	7.24	1.83	5.15	
		6:00	30.64	47.96	31.59	8.19	6.19	1.65	2.97	
		9:00	30.97	48.7	32.06	8.19	6.19	1.47	6.32	
		12:00	30.97	50.89	33.51	8.16	6.8	1.46	4.83	
		15:00	31.93	48.61	32	8.16	7.79	11.29	4.97	
		18:00	31.5	49.23	32.42	8.14	6.48	1.9	7.13	
		21:00	29.88	52.14	34.34	8.15	7.04	1.52	5.15	
	日平均值			30.95	49.39	32.52	8.18	6.90	2.88	4.90
	灣內站	0:00	30.91	49.24	32.42	8.26	5.88	3.61	3.17	
		3:00	30.92	48.81	32.16	8.29	6.09	3.33	2.34	
		6:00	30.74	48.15	31.72	8.31	5.87	3.72	3.37	
		9:00	31.27	48.01	31.62	8.3	6.83	3.55	8	
		12:00	31.9	47.34	31.18	8.29	7.11	4.02	5.22	
		15:00	31.95	47.14	31.05	8.27	6.82	3.43	3.45	
		18:00	31.82	47.42	31.23	8.28	6.75	3.95	3.19	
		21:00	31.51	48.6	32.02	8.27	5.87	4.04	3.47	
	日平均值			31.38	48.09	31.68	8.28	6.40	3.71	4.03
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月25日	蚵殼站	0:00	31.53	48.2	31.74	8.28	6.95	6.84	14.78	
		3:00	31.22	47.82	31.5	8.23	6.63	3.38	11.28	
		6:00	31.02	47.86	31.52	8.26	6.68	3.75	18.82	
		9:00	31.49	47.87	31.52	8.27	6.76	3.85	12.85	
		12:00	32.11	47.93	31.57	8.33	6.84	5.39	13.45	
		15:00	32.17	48.09	31.67	8.26	6.83	4.29	18.49	
		18:00	31.94	47.98	31.59	8.24	6.75	5.03	14.08	
		21:00	31.8	47.91	31.55	8.2	6.7	4.12	11.57	
	日平均值			31.66	47.96	31.58	8.26	6.77	4.58	14.42
	潮口站	0:00	30.27	50.25	33.09	8.15	7.77	1.38	4.3	
		3:00	30.83	48.82	32.13	8.16	8.11	1.51	5.51	
		6:00	30.62	49.56	32.64	8.19	6.35	2.01	2.43	
		9:00	31.04	49.4	32.5	8.19	6.59	2.36	5.34	
		12:00	31	50.75	33.41	8.2	7.37	6.69	5.86	
		15:00	30.87	50.56	33.29	8.21	7.31	1.74	2.33	
		18:00	30.97	51.07	33.63	8.21	6.66	1.87	5.36	
		21:00	30.23	51.35	33.81	8.21	7.02	1.77	8.99	
	日平均值			30.73	50.22	33.06	8.19	7.15	2.42	5.02
	灣內站	0:00	30.68	49.85	32.81	8.25	5.85	3.2	4.54	
		3:00	30.56	49.31	32.48	8.27	6.65	3.78	3.95	
		6:00	30.39	48.89	32.21	8.3	6.4	3.74	3.34	
		9:00	30.82	48.7	32.08	8.31	7.52	3.53	3.57	
		12:00	31.51	48.77	32.14	8.32	7.93	3.39	5.16	
		15:00	31.65	48.61	32.03	8.29	7.8	3.99	4.67	
		18:00	31.5	48.53	31.98	8.29	7.2	3.76	2.71	
		21:00	31.28	48.8	32.15	8.27	6.01	3.72	3.12	
	日平均值			31.05	48.93	32.24	8.29	6.92	3.64	3.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月26日	蚵殼站	0:00	31.59	47.82	31.49	8.16	6.47	2.83	9.74	
		3:00	31.51	48.04	31.64	8.18	6.64	3.94	10.06	
		6:00	31.33	47.92	31.56	8.23	6.74	4.37	12.79	
		9:00	31.59	47.88	31.53	8.24	6.77	4.07	13.09	
		12:00	32.01	48.2	31.74	8.18	6.66	5.56	12.39	
		15:00	32.13	48.2	31.74	8.19	6.79	5.23	15.5	
		18:00	31.78	48.03	31.63	8.08	6.22	3.77	13.46	
		21:00	31.78	47.93	31.57	7.99	5.35	2.71	9.04	
	日平均值			31.72	48.00	31.61	8.16	6.46	4.06	12.01
	潮口站	0:00	29.67	51.73	34.05	8.23	7.78	1.7	7.29	
		3:00	30.32	49.3	32.46	8.17	8.28	1.72	9.99	
		6:00	30.47	49.79	32.77	8.11	7.14	1.74	4.76	
		9:00	31.02	49.85	32.8	8.1	6.61	2.06	7.51	
		12:00	31.23	48.26	31.79	8.1	6.24	15.6	9.55	
		15:00	30.53	50.02	32.94	8.11	6.15	1.59	8.35	
		18:00	30.79	51.21	33.72	8.1	7.22	1.64	11.94	
		21:00	30.79	50.98	33.57	8.1	7.34	3.88	7.25	
	日平均值			30.60	50.14	33.01	8.13	7.10	3.74	8.33
	灣內站	0:00	30.98	49.26	32.44	8.25	6.26	3.58	3.22	
		3:00	30.75	49.28	32.45	8.27	6	3.81	6.11	
		6:00	30.69	49.06	32.31	8.28	6	3.92	4.08	
		9:00	31.03	49.45	32.55	8.29	6.71	3.41	4.93	
		12:00	31.38	49.13	32.36	8.28	7.4	3.91	4.61	
		15:00	31.41	49.15	32.38	8.27	6.79	3.15	3.14	
		18:00	31.23	49.01	32.29	8.28	6.11	3.94	2.07	
		21:00	31.21	48.93	32.23	8.27	6.17	3.26	1.99	
	日平均值			31.09	49.16	32.38	8.27	6.43	3.62	3.77
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月27日	蚵殼站	0:00	31.92	48.06	31.62	8.06	5.78	2.79	9.45	
		3:00	31.6	48.03	31.6	8.04	6.06	2.78	9.46	
		6:00	31.4	47.89	31.5	8.12	6.46	3.67	12.43	
		9:00	31.63	47.71	31.39	8.21	6.99	4.45	13.16	
		12:00	32.36	47.92	31.53	8.22	6.97	5.69	15.76	
		15:00	32.29	48.07	31.63	8.23	7.11	5.29	21.4	
		18:00	31.74	47.75	31.42	8.14	6.93	4.39	17.49	
		21:00	31.34	47.22	31.06	8.03	5.63	3.38	11.72	
	日平均值		31.79	47.83	31.47	8.13	6.49	4.06	13.86	
	潮口站	0:00	30.79	50.41	33.16	8.09	7.03	2.12	7.25	
		3:00	30.71	48.58	31.96	8.08	7.29	2.11	7.58	
		6:00	30.73	48.54	31.94	8.12	7.59	2.61	10.36	
		9:00	31.25	48.84	32.13	8.16	7.12	3.29	9.56	
		12:00	31.74	48.99	32.23	8.19	7.03	3.31	11.77	
		15:00	31.45	46.21	30.4	8.19	7.45	3.2	11.62	
		18:00	31.1	50.02	32.91	8.17	6.77	2.61	11.66	
		21:00	30.96	49.66	32.67	8.16	6.17	2.09	12.95	
	日平均值		31.09	48.91	32.18	8.15	7.06	2.67	10.34	
	灣內站	0:00	31.34	49.39	32.49	8.26	6.28	3.69	2.47	
		3:00	31.1	49.47	32.55	8.25	6.12	3.71	2.33	
		6:00	30.89	49.33	32.46	8.27	6.38	3.75	2.3	
		9:00	31.48	49.49	32.56	8.27	7.01	3.75	3.96	
		12:00	31.99	49.04	32.27	8.26	7.95	3.83	2.89	
		15:00	32	49.13	32.32	8.24	7.76	3.84	1.88	
18:00		31.9	49.12	32.31	8.25	6.95	3.68	1.45		
21:00		31.8	49.12	32.31	8.27	6.14	3.71	1.48		
日平均值		31.56	49.26	32.41	8.26	6.82	3.75	2.35		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月28日	蚵殼站	0:00	31.2	47.3	31.12	8.04	6.09	4.71	9.65	
		3:00	31.21	47.63	31.33	8.04	6.11	3.04	11.74	
		6:00	30.79	47.29	31.11	8.17	7.2	3.55	14.69	
		9:00	31.32	47.29	31.11	8.23	7.6	3.79	16.27	
		12:00	31.94	47.55	31.29	8.31	7.62	6.14	20.86	
		15:00	31.91	47.85	31.49	8.36	7.54	6.08	23.93	
		18:00	31.33	47.14	31.03	8.19	6.96	4.42	20.64	
		21:00	31.19	46.58	30.67	8.08	6	3.41	9.11	
	日平均值		31.36	47.33	31.14	8.18	6.89	4.39	15.86	
	潮口站	0:00	30.2	50.86	33.46	8.15	7.26	2.62	10.01	
		3:00	30.1	50.33	33.11	8.18	7.21	2.16	12.85	
		6:00	30.63	48.72	32.06	8.24	8.03	2.5	14.32	
		9:00	31.22	48.78	32.09	8.26	8.05	2.8	15.03	
		12:00	31.54	47.97	31.56	8.3	6.84	3.1	16.76	
		15:00	31.04	44.49	29.27	8.33	6.54	3.64	18.32	
		18:00	30.83	48.34	31.8	8.27	6.76	2.6	17.71	
		21:00	30.83	48.61	31.98	8.23	6.76	2.22	12.37	
	日平均值		30.80	48.51	31.92	8.25	7.18	2.71	14.67	
	灣內站	0:00	31.4	49.28	32.42	8.27	5.4	3.64	1.94	
		3:00	31.19	49.45	32.53	8.25	5.62	3.67	5.38	
		6:00	30.93	49.3	32.43	8.25	6.97	3.69	3.22	
		9:00	31.57	49.21	32.37	8.23	7.63	3.73	3.55	
		12:00	31.98	49.03	32.26	8.15	7.86	3.63	4.48	
		15:00	31.95	49.39	32.5	8.13	7.4	3.59	2.46	
18:00		31.86	49.25	32.4	8.13	6.33	3.67	2.25		
21:00		31.37	49.25	32.4	8.13	5.83	3.72	1.65		
日平均值		31.53	49.27	32.41	8.19	6.63	3.67	3.12		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月29日	蚵殼站	0:00	30.94	46.65	30.74	8.16	6.34	2.92	7.65	
		3:00	30.95	47	30.96	8.12	6.21	4.53	13.39	
		6:00	31.25	47.26	31.13	8.28	6.82	5.44	17.53	
		9:00	31.34	46.93	30.92	8.28	7.02	4.5	19.01	
		12:00	32.24	47.33	31.18	8.28	6.96	4.25	20.65	
		15:00	32.28	47.4	31.22	8.34	7.13	5.41	21.73	
		18:00	32.14	47.4	31.22	8.32	7.04	4.52	20.91	
		21:00	31.88	47.05	30.99	8.26	6.84	4	17.29	
	日平均值			31.63	47.13	31.05	8.26	6.80	4.45	17.27
	潮口站	0:00	29.77	50.71	33.38	8.3	6.92	1.32	13.86	
		3:00	28.21	52.02	34.25	8.3	7.92	1.75	9.19	
		6:00	30.25	50.26	33.13	8.38	7.32	2.19	12.96	
		9:00	30.34	49.93	32.92	8.38	7.52	0.98	17.26	
		12:00	31.24	50.33	33.18	8.38	7.46	1.79	18.08	
		15:00	31.28	50.4	33.22	8.44	7.63	1.77	16.81	
		18:00	31.14	50.4	33.22	8.42	7.54	1.38	16.71	
		21:00	30.88	50.05	32.99	8.36	7.34	1.58	17.3	
	日平均值			30.39	50.51	33.29	8.37	7.46	1.60	15.27
	灣內站	0:00	30.97	49.19	32.39	8.15	5.47	3.94	1.43	
		3:00	30.71	48.96	32.25	8.14	5.57	3.22	2.22	
		6:00	30.63	48.8	32.15	8.14	5.64	3.58	1.23	
		9:00	30.91	48.29	31.81	8.16	6.08	3.32	1.2	
		12:00	31.65	47.81	31.49	8.15	7.29	4.32	1.53	
		15:00	31.85	47.93	31.58	8.15	7.42	4.04	1.45	
		18:00	31.7	48.41	31.9	8.15	6.73	3.59	1.7	
		21:00	31.41	48.62	32.03	8.14	6.28	3.98	1.91	
	日平均值			31.23	48.50	31.95	8.15	6.31	3.75	1.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月30日	蚵殼站	0:00	31.58	47.01	30.97	8.17	6.43	3.09	15.21	
		3:00	31.28	47.2	31.1	8.22	6.71	3.54	15.54	
		6:00	31.29	47.56	31.32	8.18	6.58	5.18	14.46	
		9:00	31.36	47.65	31.38	8.22	6.85	5.34	15.16	
		12:00	31.97	47.5	31.28	8.29	7.05	5.65	18.37	
		15:00	32.03	47.48	31.27	8.39	7.21	6.17	23.93	
		18:00	31.59	47.26	31.13	8.25	6.88	4.65	15.75	
		21:00	31.78	47.22	31.11	8.21	6.68	4.68	13.54	
	日平均值			31.61	47.36	31.20	8.24	6.80	4.79	16.50
	潮口站	0:00	30.58	50.01	32.97	8.27	6.93	1.66	18.74	
		3:00	30.28	50.2	33.1	8.32	7.21	1.39	15.4	
		6:00	30.29	50.56	33.32	8.28	7.08	1.73	16.28	
		9:00	30.36	50.65	33.38	8.32	7.35	1.52	14.09	
		12:00	30.97	50.5	33.28	8.39	7.55	1.68	16.21	
		15:00	31.03	50.48	33.27	8.49	7.71	1.3	15.74	
		18:00	30.59	50.26	33.13	8.35	7.38	1.74	15.59	
		21:00	30.78	50.22	33.11	8.31	7.18	1.92	12.24	
	日平均值			30.61	50.36	33.20	8.34	7.30	1.62	15.54
	灣內站	0:00	31.05	48.55	31.98	8.15	5.72	3.48	1.32	
		3:00	30.75	48.71	32.09	8.15	5.36	3.34	1.74	
		6:00	30.64	49.29	32.46	8.15	5.79	3.84	1.69	
		9:00	31.19	48.92	32.22	8.19	6.78	3.34	1.46	
		12:00	32.04	48.26	31.79	8.17	7.54	3.93	1.37	
		15:00	32.15	48.5	31.95	8.13	7.75	4.18	1.22	
		18:00	31.94	48.71	32.11	8.11	6.58	3.79	1.59	
		21:00	31.71	48.95	32.26	8.11	6.39	3.42	2.04	
	日平均值			31.43	48.74	32.11	8.15	6.49	3.67	1.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月1日	蚵殼站	0:00	31.75	47.16	31.04	8.15	6.44	3.25	11.71	
		3:00	31.37	47.18	31.06	8.09	6.05	3.31	10.95	
		6:00	31.12	47.34	31.16	8.17	6.54	5.13	13.31	
		9:00	31.09	47.46	31.24	8.2	6.84	5.13	15.85	
		12:00	31.41	47.64	31.36	8.23	6.78	4.57	18.04	
		15:00	31.35	47.51	31.27	8.33	7.03	5.81	23.27	
		18:00	31.08	47.05	30.97	8.19	6.67	4.73	18.47	
		21:00	31.35	47.51	31.27	8.33	7.03	5.81	23.27	
	日平均值			31.32	47.36	31.17	8.21	6.67	4.72	16.86
	潮口站	0:00	29.88	47.54	31.34	8.1	6.14	1.7	16.9	
		3:00	29.66	48.41	31.89	8.15	5.75	1.8	13.15	
		6:00	29.53	48.42	31.9	8.11	6.24	1.61	17.67	
		9:00	29.98	50.11	32.98	8.22	6.54	1.64	15.87	
		12:00	30.41	49.3	32.46	8.25	6.48	1.71	18.46	
		15:00	30.51	47.9	31.57	8.35	6.73	1.81	17.36	
		18:00	30.23	46.89	30.92	8.26	6.37	1.82	14.61	
		21:00	30.17	49.3	32.46	8.14	6.73	1.53	16.74	
	日平均值			30.05	48.48	31.94	8.20	6.37	1.70	16.35
	灣內站	0:00	31.19	49.04	32.26	8.03	5.69	3.58	3.36	
		3:00	30.75	49.08	32.29	8.01	5.92	3.74	3.02	
		6:00	30.49	49.27	32.42	7.97	5.81	3.59	2.14	
		9:00	30.67	49.53	32.59	7.99	6.42	3.75	2.29	
		12:00	31.11	49.46	32.54	8.06	7.75	3.68	1.9	
		15:00	30.95	49.22	32.39	8.03	7.76	3.74	1.68	
18:00		30.54	48.94	32.2	8.01	7.42	3.62	1.7		
21:00		30.95	49.22	32.39	8.03	7.76	3.74	1.68		
日平均值			30.83	49.22	32.39	8.02	6.82	3.68	2.22	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月2日	蚵殼站	0:00	30.39	46.04	30.31	8.11	6.15	5.26	11.6	
		3:00	30.35	45.8	30.15	8.16	6.09	4.04	11.73	
		6:00	30.68	47.11	31.01	8.12	5.95	4.65	14.26	
		9:00	30.88	47.33	31.16	8.23	6.6	5.59	12.7	
		12:00	31.48	47.43	31.22	8.26	6.81	5.17	16.69	
		15:00	31.32	47.25	31.1	8.36	7.1	5.82	21.41	
		18:00	31.23	46.91	30.88	8.27	6.8	4.27	18.96	
		21:00	30.52	46.23	30.43	8.15	6.45	6.08	14.34	
	日平均值			30.86	46.76	30.78	8.21	6.49	5.11	15.21
	潮口站	0:00	30.01	48.41	31.89	8.12	5.85	1.74	13.42	
		3:00	29.98	48.86	32.18	8.13	5.79	1.68	16.67	
		6:00	29.97	49.14	32.36	8.18	5.65	1.57	14.43	
		9:00	30.52	49.94	32.87	8.29	6.3	1.69	11.81	
		12:00	30.62	49.41	32.53	8.29	6.51	1.58	13.68	
		15:00	30.65	48.34	31.85	8.28	6.8	1.79	16.67	
		18:00	30.63	50.25	33.07	8.24	6.5	1.76	14.87	
		21:00	30.59	50.32	33.11	8.28	6.15	1.73	17.46	
	日平均值			30.37	49.33	32.48	8.23	6.19	1.69	14.88
	灣內站	0:00	30.36	49.36	32.47	8.06	5.38	3.51	1.97	
		3:00	30.12	49.19	32.37	8.03	5.97	3.83	2.27	
		6:00	29.84	49.12	32.32	8.09	5.74	3.66	2.18	
		9:00	30.27	48.9	32.17	8.14	6.79	3.57	2.09	
		12:00	30.88	48.78	32.1	8.16	7.79	3.78	1.93	
		15:00	31.02	48.95	32.21	8.28	7.72	3.63	2.2	
18:00		30.72	48.99	32.24	8.18	6.82	3.77	2.34		
21:00		30.48	48.97	32.22	8.13	5.74	3.63	3.39		
日平均值			30.46	49.03	32.26	8.13	6.49	3.67	2.30	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月3日	蚵殼站	0:00	30.41	45.56	29.99	8.13	6.21	5.68	11.94	
		3:00	30.28	46.18	30.38	8.14	5.99	3.57	11.49	
		6:00	30.12	45.79	30.13	8.19	6.44	4.35	15.74	
		9:00	30.55	45.99	30.26	8.3	7.09	4.93	19.75	
		12:00	31.34	46.28	30.45	8.3	7.18	5.45	27.91	
		15:00	31.18	46.46	30.57	8.29	7.34	6.29	30.4	
		18:00	31.17	47.03	30.94	8.25	7.1	6.86	25.02	
		21:00	31	47.07	30.97	8.29	7.03	4.9	20.94	
	日平均值			30.76	46.30	30.46	8.24	6.80	5.25	20.40
	潮口站	0:00	30.55	49.02	32.28	8.3	5.91	1.65	14.87	
		3:00	30.35	49.38	32.51	8.16	5.69	1.61	17.46	
		6:00	30.23	49.42	32.54	8.16	6.14	1.71	16.36	
		9:00	30.81	50.03	32.93	8.25	6.79	1.73	13.61	
		12:00	30.71	50.64	33.32	8.24	6.88	1.61	15.74	
		15:00	30.59	48.77	32.12	8.37	7.04	1.71	14.86	
		18:00	30.14	49.77	32.76	8.18	6.8	1.75	18.68	
		21:00	29.86	50.24	33.06	8.1	6.73	1.62	16.72	
	日平均值			30.41	49.66	32.69	8.22	6.50	1.67	16.04
	灣內站	0:00	30.5	49.12	32.31	8.29	5.61	3.66	3.91	
		3:00	30.32	49.09	32.3	8.37	6	3.72	4.74	
		6:00	30.07	49.15	32.33	8.36	5.7	3.64	6.35	
		9:00	30.46	48.67	32.02	8.38	6.43	3.72	4.46	
		12:00	30.97	48.43	31.86	8.32	7.45	3.86	7.1	
		15:00	31.01	48.84	32.13	8.3	7.89	3.62	7.92	
		18:00	30.61	49.2	32.37	8.29	6.52	3.69	3.85	
		21:00	30.65	48.95	32.21	8.3	5.83	3.62	3.22	
	日平均值			30.57	48.93	32.19	8.33	6.43	3.69	5.19
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月4日	蚵殼站	0:00	31.07	46.93	30.87	8.31	6.97	4.55	22.22	
		3:00	30.92	46.87	30.83	8.17	5.92	3.64	15.2	
		6:00	30.7	46.78	30.78	8.17	6.12	4.51	20.51	
		9:00	30.66	47.06	30.96	8.26	7.51	6.43	19.65	
		12:00	31.25	47.18	31.04	8.25	7.49	5.3	26.53	
		15:00	31.46	47.11	30.99	8.38	7.63	6.29	22.89	
		18:00	31.3	47.06	30.96	8.19	6.36	4.02	17.76	
		21:00	31.25	47.01	30.93	8.11	6.73	4.48	16.88	
	日平均值			31.08	47.00	30.92	8.23	6.84	4.90	20.21
	潮口站	0:00	30.02	49.24	32.42	8.14	6.67	1.74	14.15	
		3:00	29.84	49.14	32.36	8.03	5.62	1.59	16.55	
		6:00	29.95	49.33	32.48	8.09	5.82	1.55	18.73	
		9:00	30.5	49.45	32.56	8.17	7.21	1.63	17.56	
		12:00	30.59	49.92	32.86	8.16	7.19	1.71	17.99	
		15:00	30.5	48.26	31.8	8.45	7.33	1.71	17.18	
		18:00	30.24	48.47	31.93	8.42	6.06	1.61	17.06	
		21:00	30.02	49.39	32.52	8.44	6.43	1.87	18.92	
	日平均值			30.21	49.15	32.37	8.24	6.54	1.68	17.27
	灣內站	0:00	30.55	49.06	32.28	8.31	5.49	3.69	3.79	
		3:00	30.44	49.07	32.28	8.32	5.86	3.67	4.37	
		6:00	30.24	47.92	31.53	8.29	6.07	3.57	4.03	
		9:00	30.49	47.87	31.49	8.29	6.33	3.55	3.02	
		12:00	31.22	48.99	32.23	8.3	7.87	3.83	4.02	
		15:00	31.6	48.77	32.08	8.3	7.53	3.76	3.84	
		18:00	31.07	49.23	32.39	8.27	6.04	3.67	3.19	
		21:00	30.83	49.54	32.59	8.27	5.73	3.74	3.65	
	日平均值			30.81	48.81	32.11	8.29	6.37	3.69	3.74
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月5日	蚵殼站	0:00	31.2	46.99	30.92	8.15	6.77	4.04	13.21	
		3:00	31.03	46.78	30.78	8.04	5.44	3.71	8.91	
		6:00	30.84	46.77	30.77	8.1	5.78	3.84	16.01	
		9:00	30.71	47.22	31.07	8.18	7.04	6.03	11.97	
		12:00	30.85	47.23	29.93	8.17	7.41	5.35	16.05	
		15:00	31.66	47.87	31.51	8.46	5.83	27.37	25.37	
		18:00	31.63	47.7	31.4	8.43	6.87	5.36	6.08	
		21:00	31.61	47.7	31.4	8.45	6.86	4.31	4.99	
	日平均值			31.19	47.28	30.97	8.25	6.50	7.50	12.82
	潮口站	0:00	30.31	49.17	32.38	8.47	6.47	1.73	19.21	
		3:00	30.41	48.98	32.26	8.31	5.14	1.72	19.26	
		6:00	30.44	49.17	32.38	8.44	5.48	1.75	18.63	
		9:00	30.42	49.25	32.43	8.36	6.74	1.63	15.62	
		12:00	31.45	48.31	31.79	8.33	6.42	2.04	16.21	
		15:00	30.89	46.67	30.71	8.34	6.73	2.86	14.77	
		18:00	29.85	47.22	31.07	8.28	5.71	1.84	15.66	
		21:00	29.9	49.21	32.38	8.3	6.79	1.66	15.76	
	日平均值			30.46	48.50	31.93	8.35	6.19	1.90	16.89
	灣內站	0:00	30.71	49.55	32.6	8.28	5.46	3.67	3.61	
		3:00	30.36	49.57	32.61	8.29	5.89	3.54	3.95	
		6:00	30.12	49.6	32.64	8.24	6.32	3.65	3.33	
		9:00	30.58	49.35	32.46	8.24	7.5	3.54	2.78	
		12:00	31.64	49.11	32.31	8.28	7.65	3.65	2.96	
		15:00	31.39	47.65	31.35	8.28	6.82	3.77	2.82	
		18:00	30.95	47.86	31.49	8.26	5.88	3.65	2.99	
		21:00	30.77	48.01	31.58	8.26	5.35	3.69	3.42	
	日平均值			30.82	48.84	32.13	8.27	6.36	3.65	3.23
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月6日	蚵殼站	0:00	31.66	47.67	31.38	8.48	6.19	3.92	5.17	
		3:00	31.33	47.74	31.43	8.32	5.67	2.96	5.04	
		6:00	30.9	47.71	31.41	8.45	7.51	3.4	9.51	
		9:00	30.96	47.91	31.54	8.37	7.23	3.26	10.57	
		12:00	31.27	48.12	31.68	8.42	6.64	3.59	18.64	
		15:00	31.37	48.04	31.62	8.36	5.73	3.16	10.42	
		18:00	31.31	47.95	31.57	8.43	7.39	2.94	11.79	
		21:00	31.04	47.81	31.47	8.43	7.43	3.48	9.53	
	日平均值			31.23	47.87	31.51	8.41	6.72	3.34	10.08
	潮口站	0:00	30.02	48.52	31.93	8.38	6.61	1.63	14.56	
		3:00	30.08	49.14	32.33	8.36	6.17	1.65	16.03	
		6:00	29.75	51.82	34.09	8.34	7.24	1.8	14.72	
		9:00	30.55	50.54	33.25	8.35	7.27	2.23	15.62	
		12:00	30.12	50.15	33	8.4	6.84	1.88	16.21	
		15:00	30.47	47.35	31.15	8.38	6.07	1.7	14.77	
		18:00	29.61	48.6	31.97	8.39	5.77	1.62	15.66	
		21:00	29.76	50.17	33.01	8.4	6.76	1.49	15.76	
	日平均值			30.05	49.54	32.59	8.38	6.59	1.75	15.42
	灣內站	0:00	30.46	48.02	31.6	8.29	5.54	3.63	3.82	
		3:00	29.99	48.17	31.7	8.31	5.53	3.67	3.4	
		6:00	29.86	47.93	31.54	8.28	6.42	3.66	2.94	
		9:00	29.98	47.97	30.99	8.22	7.03	3.86	2.99	
		12:00	29.99	48.19	31.92	8.34	7.02	3.64	3.71	
		15:00	30.8	48.95	32.24	8.31	7.43	3.64	3.49	
		18:00	30.64	48.92	32.22	8.14	6.21	3.59	2.56	
		21:00	30.16	48.37	31.85	8.08	5.33	3.64	2.54	
	日平均值			30.24	48.32	31.76	8.25	6.31	3.67	3.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月7日	蚵殼站	0:00	30.78	47.61	31.33	8.24	6.7	2.85	7.12
		3:00	30.63	47.61	31.33	8.15	5.64	2.56	5.15
		6:00	30.33	47.59	31.32	8.38	7.21	3.08	10.67
		9:00	30.39	47.62	31.34	8.36	6.98	2.95	6.46
		12:00	30.75	47.76	31.44	8.41	7.29	3.1	9.42
		15:00	30.6	47.77	31.45	8.37	7.16	3.06	13.8
		18:00	30.4	47.74	31.43	8.37	7.14	3.37	6.56
		21:00	30.27	47.73	31.42	8.37	7	2.72	4.83
	日平均值		30.52	47.68	31.38	8.33	6.89	2.96	8.00
	潮口站	0:00	30.16	50.19	33.02	8.49	7.25	1.57	18.48
		3:00	29.93	49.89	32.83	8.46	6.26	1.76	16.4
		6:00	29.79	51.14	33.65	8.42	6.94	1.66	16.88
		9:00	30.05	50.88	33.48	8.42	7.09	1.76	15.1
		12:00	30.56	50.1	32.96	8.45	6.83	1.78	15.59
		15:00	29.9	48.75	32.07	8.44	6.86	1.62	12.26
		18:00	29.18	47.75	31.42	8.43	7.29	1.69	12.23
		21:00	29.37	50.1	32.96	8.4	6.93	1.66	11.83
	日平均值		29.87	49.85	32.80	8.44	6.93	1.69	14.85
	灣內站	0:00	30.3	49.01	32.27	8.13	5.59	3.79	2.87
		3:00	30.02	49.12	32.34	8.08	5.47	3.73	3.77
		6:00	29.82	48.97	32.25	8.25	7	3.67	5.71
		9:00	30	48.98	32.25	8.4	7.51	3.66	5.19
		12:00	30.17	48.89	32.19	8.26	7.59	3.69	5.59
		15:00	29.97	48.93	32.22	8.15	7.02	3.55	4.91
18:00		29.77	48.86	32.18	8.05	6.36	3.7	2.39	
21:00		29.72	48.93	32.22	8.05	5.2	3.75	1.99	
日平均值		29.97	48.96	32.24	8.17	6.47	3.69	4.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月8日	蚵殼站	0:00	30.12	47.65	31.36	8.39	7.01	2.55	4.38
		3:00	29.97	47.7	31.4	8.25	5.47	2.44	6.97
		6:00	29.75	47.64	31.36	8.3	5.93	2.49	5.03
		9:00	29.72	47.6	31.33	8.35	6.58	2.52	8.45
		12:00	29.96	47.7	31.4	8.44	7.12	3.06	5.34
		15:00	29.98	47.74	31.43	8.35	6.69	2.56	5.7
		18:00	29.84	47.74	31.43	8.25	5.68	2.28	13.37
		21:00	29.78	47.74	31.43	8.39	6.42	2.3	6.87
	日平均值		29.89	47.69	31.39	8.34	6.36	2.53	7.01
	潮口站	0:00	29.39	49.23	32.39	8.47	7.69	1.67	13.66
		3:00	29.43	49.67	32.68	8.49	6.42	1.7	15.62
		6:00	29.25	49.93	32.86	8.43	6.33	1.7	15.68
		9:00	29.47	50.71	33.37	8.4	7.12	1.88	15.02
		12:00	29.81	50.2	33.03	8.38	6.8	1.89	13.32
		15:00	29.6	49.16	32.35	8.38	6.95	2.3	15.16
		18:00	29.27	51.02	33.57	8.41	7.32	1.8	14.09
		21:00	29.08	51.08	33.61	8.39	6.92	1.65	15.83
	日平均值		29.41	50.13	32.98	8.42	6.94	1.82	14.80
	灣內站	0:00	29.58	49.11	32.34	8.26	5.34	3.76	2.16
		3:00	29.24	49.22	32.41	8.19	5.67	3.59	1.99
		6:00	29.12	49.02	32.28	8.25	6.85	3.56	2.53
		9:00	29.26	48.88	32.19	8.32	7.59	3.69	2.54
		12:00	29.61	48.85	32.17	8.1	7.61	3.68	3.44
		15:00	29.5	48.86	32.18	8.03	6.88	3.65	2.46
18:00		29.3	48.83	32.16	7.92	5.77	3.72	1.71	
21:00		29.1	48.83	32.16	7.86	5.63	3.57	1.73	
日平均值		29.34	48.95	32.24	8.12	6.42	3.65	2.32	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月9日	蚵殼站	0:00	29.69	47.74	31.43	8.42	7.03	2.39	4.26
		3:00	29.53	47.81	31.47	8.47	6.66	2.69	4.11
		6:00	29.5	47.83	31.48	8.42	6.21	2.59	6.17
		9:00	29.88	47.85	31.49	8.47	7.02	2.59	5.27
		12:00	30.1	48.1	31.66	8.42	7.21	3.16	5.25
		15:00	30.28	48.05	31.63	8.45	7.29	3.12	6.6
		18:00	30.21	48.06	31.64	8.25	5.44	2.63	9
		21:00	30.12	48.07	31.63	8.23	5.27	2.48	9.06
	日平均值	29.91	47.94	31.55	8.39	6.52	2.71	6.22	
	潮口站	0:00	29.01	49.82	32.78	8.44	7.43	1.58	17.27
		3:00	29.07	50.17	33.01	8.41	6.2	1.77	15.48
		6:00	29	50.21	33.04	8.37	6.88	1.71	10.54
		9:00	29.47	50.81	33.43	8.36	6.6	2.05	12.44
		12:00	29.73	51.4	33.82	8.36	6.99	2.05	16.14
		15:00	29.77	49.57	32.62	8.33	6.91	1.65	14.25
		18:00	29.5	50.55	33.26	8.32	7.11	1.58	10.54
		21:00	29.15	51.02	33.56	8.3	6.76	1.77	13.32
	日平均值	29.34	50.44	33.19	8.36	6.86	1.77	13.75	
	灣內站	0:00	28.84	48.89	32.2	7.93	6.38	3.66	1.74
		3:00	28.71	49.11	32.34	7.89	6.28	3.74	2.05
		6:00	28.52	48.93	32.21	8.17	7.65	3.65	2.1
9:00		29.28	48.73	32.08	8.25	7.39	3.55	1.97	
12:00		29.79	48.81	32.14	8.48	7.72	3.64	2.6	
15:00		29.7	48.77	32.11	8.32	7.28	3.64	2.57	
18:00		29.59	48.84	32.16	7.99	5.25	3.69	5.76	
21:00		29.45	49.09	32.31	7.93	5.45	3.68	3.68	
日平均值	29.24	48.90	32.19	8.12	6.68	3.66	2.81		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月10日	蚵殼站	0:00	29.88	48.07	31.63	8.38	6.42	2.44	6.62
		3:00	29.78	48.08	31.63	8.31	5.79	2.7	5.24
		6:00	29.71	48.08	31.63	8.3	6	2.56	5.7
		9:00	30.18	48.06	31.62	8.4	6.96	3.41	6.08
		12:00	30.26	48.07	31.62	8.42	7.24	6.48	5.58
		15:00	30.4	47.17	31.03	8.41	7.36	3.69	6.27
		18:00	30.29	47.53	31.27	8.26	5.61	18.3	6.58
		21:00	30.12	47.9	31.52	8.26	5.28	25.74	10.9
	日平均值	30.08	47.87	31.49	8.34	6.33	8.17	6.62	
	潮口站	0:00	29.25	50.04	32.92	8.31	6.97	1.67	8.23
		3:00	29.26	49.94	32.86	8.35	7.09	1.63	17.23
		6:00	29.14	50.14	32.98	8.29	6.01	1.86	10.96
		9:00	29.55	50.25	33.06	8.29	6.66	1.9	10.54
		12:00	29.9	50.7	33.36	8.27	7.19	1.8	9.46
		15:00	30.04	49.1	32.3	8.24	6.94	1.65	16.94
		18:00	29.57	49.29	32.43	8.22	6.79	1.59	17.44
		21:00	29.06	50.18	33.02	8.24	7.3	1.58	14.36
	日平均值	29.47	49.96	32.87	8.28	6.87	1.71	13.15	
	灣內站	0:00	29.24	49.29	32.43	7.82	5.61	3.68	5.94
		3:00	28.9	49.31	32.45	8.05	5.8	3.58	8.49
		6:00	28.77	49.47	32.55	8.25	7.47	3.5	9.74
9:00		29.47	49.15	32.34	8.42	7.53	3.83	13.75	
12:00		29.69	49.43	32.52	8.35	7.71	3.68	21.91	
15:00		29.82	49.27	32.41	8.28	7.18	3.56	24.4	
18:00		29.71	49.43	32.52	8.13	5.88	3.6	19.02	
21:00		29.44	49.41	32.51	8.18	6.25	3.72	14.94	
日平均值	29.38	49.35	32.47	8.19	6.68	3.64	14.77		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月11日	蚵殼站	0:00	30	47.85	31.48	8.41	6.17	22.67	5.22	
		3:00	29.81	47.78	31.44	8.38	6.2	2.7	4.87	
		6:00	29.75	47.77	31.43	8.41	6.8	24.1	6.65	
		9:00	30.18	47.77	31.43	8.48	7.2	24.8	4.93	
		12:00	30.4	47.82	31.46	8.46	7.53	21.74	8.12	
		15:00	30.44	48.05	31.61	8.4	7.21	6.28	7.27	
		18:00	30.34	47.92	31.52	8.1	5.53	7.44	4.56	
		21:00	30.24	47.76	31.42	8.05	5.62	6.02	11.09	
	日平均值			30.15	47.84	31.47	8.34	6.53	14.47	6.59
	潮口站	0:00	29.12	49.97	32.88	8.23	6.91	1.7	14.03	
		3:00	29.06	49.8	32.76	8.28	7.62	1.68	9.38	
		6:00	29.11	49.98	32.88	8.28	7.64	1.74	13.32	
		9:00	29.57	50.04	32.93	8.24	6.32	1.88	15.26	
		12:00	30.01	48.91	32.18	8.21	7.15	1.58	18.05	
		15:00	29.87	48.88	32.16	8.2	6.36	1.63	16.7	
		18:00	29.7	50.55	33.26	8.18	6.14	1.67	6.66	
		21:00	29.35	50.7	33.36	8.22	7.07	1.65	13.24	
	日平均值			29.47	49.85	32.80	8.23	6.90	1.69	13.33
	灣內站	0:00	29.28	49.57	32.61	8.05	5.96	3.84	16.22	
		3:00	29.15	49.59	32.63	8.03	5.77	3.65	9.2	
		6:00	29.02	49.74	32.72	8.19	7.57	3.77	14.51	
		9:00	29.77	49.54	32.59	8.29	7.35	3.47	13.65	
		12:00	29.71	49.81	32.77	8.27	7.87	3.63	20.53	
		15:00	29.69	49.78	32.75	8.19	7.24	3.48	16.89	
		18:00	29.77	49.79	32.76	7.92	5.69	3.63	11.76	
		21:00	29.76	49.8	32.76	7.84	5.85	3.7	10.88	
	日平均值			29.52	49.70	32.70	8.10	6.66	3.65	14.21
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月12日	蚵殼站	0:00	30.19	47.77	31.43	8.03	5.24	6.58	22.06	
		3:00	29.97	47.76	31.42	8.16	6.26	8.07	5.63	
		6:00	29.84	47.66	31.36	8.1	5.57	7.42	7.01	
		9:00	30.29	47.64	31.34	8.24	6.66	6.11	6.4	
		12:00	30.72	47.71	31.41	8.35	7.45	4.86	16.31	
		15:00	30.82	47.74	31.43	8.34	7.4	3.81	21.12	
		18:00	30.54	47.68	31.38	8.06	5.93	3.1	8.23	
		21:00	30.48	47.61	31.33	8.06	5.19	3.08	7.01	
	日平均值			30.36	47.70	31.39	8.17	6.21	5.38	11.72
	潮口站	0:00	28.96	49.85	32.8	8.23	6.87	1.65	9.7	
		3:00	29.52	49.75	32.73	8.43	7.61	1.62	17.07	
		6:00	29.42	49.44	32.53	8.45	7.6	1.81	15.81	
		9:00	29.89	49.21	32.37	8.42	6.98	2	15.08	
		12:00	30.1	47.59	31.31	8.45	6.13	1.64	10	
		15:00	29.85	48.05	31.62	8.46	6.02	1.89	17.37	
		18:00	29.85	49.92	32.85	8.4	5.51	1.66	16.11	
		21:00	29.8	49.86	32.81	8.39	6.58	1.62	15.38	
	日平均值			29.67	49.21	32.38	8.40	6.66	1.74	14.57
	灣內站	0:00	29.57	49.81	32.77	7.94	5.33	3.55	10.21	
		3:00	29.43	49.83	32.78	8.31	6.77	3.64	5.91	
		6:00	29.33	49.83	32.79	8.47	7.42	3.61	13.01	
		9:00	29.87	49.77	32.74	8.49	7.9	3.58	8.97	
		12:00	30.12	49.29	32.45	8.34	7.85	3.75	13.05	
		15:00	30.12	49.07	32.31	8.35	7.2	3.75	22.37	
		18:00	29.82	48.92	32.21	7.98	5.15	3.76	3.08	
		21:00	29.84	49.05	32.3	8	5.3	3.65	1.99	
	日平均值			29.76	49.45	32.54	8.24	6.62	3.66	9.82
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月13日	蚵殼站	0:00	30.32	47.61	31.33	8.03	5.05	4.08	7.22	
		3:00	30.29	47.73	31.42	8.24	5.87	3.01	9.66	
		6:00	30.28	47.71	31.4	8.46	7.12	4.13	21.9	
		9:00	30.83	47.61	31.33	8.43	7.55	4.09	16.31	
		12:00	30.93	47.95	31.56	8.46	7.66	4.79	22.34	
		15:00	30.96	48.04	31.62	8.4	7.63	4.04	20.38	
		18:00	30.94	47.74	31.43	8.32	7.6	4.61	15.73	
	21:00	30.9	48.02	31.61	8.21	6.7	2.92	8.43		
	日平均值			30.68	47.80	31.46	8.32	6.90	3.96	15.25
	潮口站	0:00	29.01	50.14	32.99	8.4	7.53	1.71	8.53	
		3:00	29.35	49.98	32.88	8.38	7.19	1.73	17.53	
		6:00	29.69	49.26	32.41	8.42	7.78	1.79	11.26	
		9:00	30.37	49	32.24	8.41	7.38	1.76	10.84	
		12:00	30.13	49.15	32.34	8.36	5.92	1.74	9.76	
		15:00	29.68	48.4	31.84	8.32	5.88	1.73	17.24	
		18:00	29.65	49.23	32.39	8.3	6.99	1.62	17.74	
	21:00	29.86	49.24	32.4	8.32	7.11	1.81	14.66		
	日平均值			29.72	49.30	32.44	8.36	6.97	1.74	13.45
	灣內站	0:00	29.75	49.39	32.51	8.15	6.4	3.64	2.17	
		3:00	29.69	49.42	32.53	8.12	5.52	3.65	2.04	
		6:00	29.71	49.54	32.6	8.48	7.53	3.62	6.51	
9:00		30.24	49.48	32.56	8.46	7.89	3.66	7.57		
12:00		30.43	49.35	32.49	8.36	7.74	3.67	15.64		
15:00		30.43	49.21	32.4	8.18	6.86	3.73	7.42		
18:00		30.49	49.26	32.43	7.91	5.4	3.64	8.79		
21:00	30.55	49.1	32.33	7.92	6.27	3.61	6.53			
日平均值			30.16	49.34	32.48	8.20	6.70	3.65	7.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月14日	蚵殼站	0:00	30.86	48.02	31.61	8.16	5.62	3.48	5.32	
		3:00	30.66	48.06	31.64	8.19	6.58	4.13	7.78	
		6:00	30.54	48.13	31.68	8.3	7.22	4.97	14.63	
		9:00	31.12	47.68	31.38	8.35	7.45	4.05	13.13	
		12:00	31.02	47.77	31.44	8.38	7.62	4.56	25.51	
		15:00	30.9	48.15	31.69	8.36	7.53	3.16	17.62	
		18:00	30.45	47.98	31.57	8.26	7.15	4.7	10.25	
	21:00	30.17	47.73	31.42	8.07	5.56	3.01	4.09		
	日平均值			30.72	47.94	31.55	8.26	6.84	4.01	12.29
	潮口站	0:00	29.19	50.4	33.16	8.31	6.73	1.65	14.33	
		3:00	28.95	50.34	33.12	8.3	6.6	1.6	9.68	
		6:00	29.86	48.63	32	8.39	7.7	1.67	13.62	
		9:00	30.55	48.42	31.86	8.4	7.54	1.86	15.56	
		12:00	30.25	47.77	31.43	8.32	6.1	1.91	18.35	
		15:00	29.58	46.87	30.84	8.33	5.85	1.66	17	
		18:00	29.74	48.27	31.76	8.42	6.73	1.64	6.96	
	21:00	29.83	48.66	32.02	8.19	6	1.65	13.54		
	日平均值			29.74	48.67	32.02	8.33	6.66	1.71	13.63
	灣內站	0:00	30.28	49.29	32.45	7.9	5.65	3.6	4.12	
		3:00	29.91	49.66	32.68	8.13	6.13	3.73	2.15	
		6:00	29.86	49.8	32.78	8.43	7.49	3.62	7.67	
9:00		30.57	49.45	32.55	8.43	7.7	3.71	3.46		
12:00		30.72	49.26	32.43	8.38	7.83	3.72	6.42		
15:00		30.51	49.02	32.28	8.13	6.78	3.66	10.8		
18:00		30.04	49.33	32.47	8.13	6.41	3.65	3.56		
21:00	30.18	49.39	32.51	8.19	6.21	3.64	1.83			
日平均值			30.26	49.40	32.52	8.22	6.78	3.67	5.00	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月15日	蚵殼站	0:00	30.33	47.89	31.52	8.2	5.7	3.5	5.3
		3:00	30.15	47.76	31.44	8.09	5.23	3.75	6.91
		6:00	30.26	47.77	31.44	8.19	6.26	5.18	15.07
		9:00	30.81	47.87	31.51	8.3	7.15	3.54	17.62
		12:00	30.9	48.1	31.66	8.41	7.62	5.58	25.96
		15:00	30.81	48.21	31.73	8.36	7.66	5.42	24.72
		18:00	30.55	48.08	31.65	8.31	7.47	14.4	12.42
	21:00	30.33	47.97	31.58	8.2	6.72	10.62	5.07	
	日平均值		30.52	47.96	31.57	8.26	6.73	6.50	14.13
	潮口站	0:00	29.31	49.39	32.5	8.47	6.84	1.68	10
		3:00	28.42	50.1	32.97	8.42	7.08	1.75	17.37
		6:00	29.3	48.37	32.02	8.43	7.72	1.82	16.11
		9:00	30.24	47.98	31.77	8.46	7.79	1.64	15.38
		12:00	30.39	47.94	31.74	8.41	6.42	1.89	15.56
		15:00	29.55	46.69	30.92	8.39	5.8	1.71	18.35
		18:00	29.46	48.28	31.97	8.37	7	1.61	17
	21:00	29.64	48.04	31.81	8.4	7.08	1.67	16.11	
	日平均值		29.54	48.35	31.96	8.42	6.97	1.72	15.74
	灣內站	0:00	29.92	49.51	32.59	8.03	6.63	3.68	1.38
		3:00	29.7	49.78	32.75	8.08	6.74	3.59	3.97
		6:00	29.71	49.78	32.76	8.25	7.65	3.65	2.03
9:00		30.29	49.79	32.76	8.3	7.64	3.61	5.45	
12:00		30.62	49.2	32.39	8.36	7.88	3.63	2.34	
15:00		30.35	48.9	32.2	8.15	6.67	3.73	2.7	
18:00		30.08	49.36	32.49	8.06	5.94	3.61	10.37	
21:00	30.18	49.11	32.33	8.13	7.09	3.59	3.87		
日平均值		30.11	49.43	32.53	8.17	7.03	3.64	4.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月16日	蚵殼站	0:00	30.59	48.06	31.64	8.13	6.05	6.06	6.41
		3:00	30.42	47.95	31.56	8.1	5.81	5.81	6.4
		6:00	30.16	48.08	31.65	8.26	7.14	5.68	10.4
		9:00	30.45	48.12	31.67	8.34	7.53	5.07	20.79
		12:00	30.67	48.21	31.73	8.31	7.61	3.53	18.57
		15:00	30.52	48.26	31.76	8.37	7.6	4.57	22.26
		18:00	30.13	48.12	31.67	8.2	6.85	7.91	11.14
	21:00	29.75	47.97	31.57	8.04	6.15	7.16	9.11	
	日平均值		30.34	48.10	31.66	8.22	6.84	5.72	13.14
	潮口站	0:00	29.39	48.35	32.02	8.37	6.55	1.61	9.06
		3:00	28.72	49.46	32.74	8.36	6.58	1.69	14.58
		6:00	29.16	48.46	32.08	8.35	7.13	1.71	13.14
		9:00	30.01	47.56	31.49	8.41	7.74	1.91	6.79
		12:00	30.64	49.35	32.49	8.38	6.56	2.1	14.29
		15:00	30.31	49.17	32.38	8.34	7.3	1.74	14.64
		18:00	30.41	48.44	31.91	8.05	6.55	1.94	13.02
	21:00	30.44	48.17	31.74	8.18	5.85	2.13	11.79	
	日平均值		29.89	48.62	32.11	8.31	6.78	1.85	12.16
	灣內站	0:00	29.96	48.99	32.26	8.03	5.71	3.7	1.26
		3:00	29.7	49.71	32.71	8.03	6.2	3.64	1.11
		6:00	29.43	49.86	32.83	8.04	6.66	3.66	3.17
9:00		29.98	49.83	32.8	8.25	7.52	3.72	2.27	
12:00		30.32	48.89	32.18	8.3	7.86	3.68	2.25	
15:00		30.04	48.46	31.9	8.02	6.96	3.75	3.6	
18:00		29.42	48.7	32.06	7.8	5.33	3.63	6	
21:00	29.99	48.92	32.19	7.97	6.26	3.72	6.06		
日平均值		29.86	49.17	32.37	8.06	6.56	3.69	3.22	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月17日	蚵殼站	0:00	29.6	47.94	31.54	8.05	5.78	8.1	11.31
		3:00	29.97	47.78	31.44	8.2	6.48	5.42	6.14
		6:00	29.74	48.1	31.64	8.24	7.03	5.11	8.24
		9:00	29.89	48.14	31.67	8.26	7.29	3.86	16.14
		12:00	29.93	48.12	31.65	8.24	7.14	3.57	16.74
		15:00	29.72	48.22	31.73	8.35	7.56	14.46	28.87
		18:00	29.52	48.13	31.66	8.06	5.83	21.91	6.61
	21:00	29.43	47.76	31.42	8.19	6.5	9.39	10.18	
	日平均值		29.73	48.02	31.59	8.20	6.70	8.98	13.03
	潮口站	0:00	29.67	49.39	32.52	8.13	5.48	1.7	13.05
		3:00	29.45	49.09	32.33	8.02	6.18	1.73	20.51
		6:00	29.32	50.38	33.15	8.19	6.73	1.73	19.58
		9:00	29.77	50.11	32.98	8.33	6.99	1.91	14.49
		12:00	30.2	49.3	32.46	8.32	6.84	1.92	13.99
		15:00	30.3	47.9	31.57	8.3	7.26	2.33	14.74
		18:00	30.02	46.89	30.92	8.14	5.53	1.83	14.6
	21:00	29.96	49.3	32.46	8.13	6.2	1.68	13.92	
	日平均值		29.84	49.05	32.30	8.20	6.40	1.85	15.61
	灣內站	0:00	29.66	48.74	32.08	7.9	5.7	3.54	3.62
		3:00	29.28	49.68	32.69	7.99	6.24	3.72	2.24
		6:00	29.01	49.98	32.89	8.01	7.11	3.62	2.7
9:00		29.27	49.67	32.67	8.18	7.68	3.51	3.08	
12:00		29.3	49.62	32.64	8.3	7.5	3.72	2.58	
15:00		29.25	49.2	32.37	8.26	6.38	3.77	3.27	
18:00		29.14	49.69	32.69	8.03	6.16	3.68	3.58	
21:00	28.97	49.84	32.79	8.04	6.81	3.57	7.9		
日平均值		29.24	49.55	32.60	8.09	6.70	3.64	3.62	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月18日	蚵殼站	0:00	29.5	47.89	31.5	8.14	6.07	3.38	8.59
		3:00	29.3	48.08	31.63	8.03	5.23	5	6.69
		6:00	29.11	48.09	31.63	8.2	6.36	6.63	6.49
		9:00	29.38	48.09	31.64	8.34	7.35	3.52	9.86
		12:00	29.77	48.22	31.72	8.33	7.58	4.89	11.48
		15:00	29.56	48.38	31.83	8.31	7.64	10.22	18.67
		18:00	29.67	48.1	31.64	8.15	6.68	25.39	9
	21:00	29.36	47.98	31.56	8.14	6.22	5.21	13.81	
	日平均值		29.46	48.10	31.64	8.21	6.64	8.03	10.57
	潮口站	0:00	29.8	48.41	31.89	8.18	5.77	1.61	13.13
		3:00	29.77	48.86	32.18	8.07	5.2	1.8	14.65
		6:00	29.76	49.14	32.36	8.19	6.06	1.74	16.66
		9:00	30.31	49.94	32.87	8.27	7.05	2.08	15.7
		12:00	30.41	49.41	32.53	8.23	7.28	2.08	13.83
		15:00	30.44	48.34	31.85	8.29	7.34	1.68	12.92
		18:00	30.42	50.25	33.07	8.21	6.38	1.61	16.45
	21:00	30.38	50.32	33.11	8.14	5.92	1.8	18.2	
	日平均值		30.16	49.33	32.48	8.20	6.38	1.80	15.19
	灣內站	0:00	28.69	49.9	32.83	8.02	5.71	3.59	2.22
		3:00	28.58	49.98	32.88	7.91	5.11	3.76	1.87
		6:00	28.46	49.97	32.88	7.88	5.57	3.79	3.65
9:00		28.9	49.58	32.62	8.11	7.08	3.71	1.93	
12:00		29.49	48.89	32.17	8.33	7.72	3.53	5.12	
15:00		29.58	48.42	31.86	8.26	6.63	3.74	4.27	
18:00		28.97	48.59	31.96	8.15	5.36	3.82	1.56	
21:00	28.87	49.46	32.54	8.02	6.19	3.61	8.09		
日平均值		28.94	49.35	32.47	8.09	6.17	3.69	3.59	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月19日	蚵殼站	0:00	29.31	47.91	31.52	8.19	6.23	6.82	4.57	
		3:00	29.3	47.87	31.49	8.08	5.73	16.08	6.27	
		6:00	28.93	47.85	31.48	8.2	6.63	8.57	5.62	
		9:00	29.16	48.03	31.6	8.28	7.31	16.5	5.21	
		12:00	29.71	48.24	31.75	8.24	7.19	6.58	6.39	
		15:00	29.91	48.27	31.77	8.3	7.32	4.19	12.33	
		18:00	29.82	48.21	31.73	8.22	6.66	35.15	16.65	
	21:00	29.67	48.06	31.64	8.15	6.66	11.95	24.48		
	日平均值		29.48	48.06	31.62	8.21	6.72	13.23	10.19	
	潮口站	0:00	30.34	49.02	32.28	8.1	5.93	1.7	18.81	
		3:00	30.14	49.38	32.51	8.2	5.43	1.66	19.13	
		6:00	30.02	49.42	32.54	8.17	6.33	1.89	18	
		9:00	30.6	50.03	32.93	8.33	7.01	1.93	17.91	
		12:00	30.5	50.64	33.32	8.3	6.89	1.83	19.96	
		15:00	30.38	48.77	32.12	8.33	7.02	1.68	18.96	
		18:00	29.93	49.77	32.76	8.26	6.36	1.62	18.63	
	21:00	29.65	50.24	33.06	8.26	6.36	1.61	15.38		
	日平均值		30.20	49.66	32.69	8.24	6.42	1.74	18.35	
	灣內站	0:00	28.64	49.45	32.53	8.25	6.85	3.54	19.06	
		3:00	28.46	49.28	32.42	8.44	5.16	3.53	2.63	
		6:00	28.32	49.65	32.67	8.47	5.6	3.88	4.01	
9:00		28.91	49.59	32.62	8.45	7.2	3.74	3.4		
12:00		29.28	48.86	32.17	8.44	7.23	3.71	13.31		
15:00		29.4	48.74	32.08	8.43	5.73	3.59	18.12		
18:00		29.13	49.35	32.49	8.45	5.9	3.65	5.23		
21:00	28.74	49.43	32.54	8.18	5.52	3.61	4.01			
日平均值		28.86	49.29	32.44	8.39	6.15	3.66	8.72		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月20日	蚵殼站	0:00	29.6	48.06	31.64	8.11	6	12.53	14.54	
		3:00	29.38	48.06	31.64	8.21	6.28	8.61	5.52	
		6:00	29.2	48.08	31.65	8.18	6.17	2.9	5.05	
		9:00	29.29	48.1	31.66	8.34	7.14	4.12	7.98	
		12:00	29.58	48.25	31.76	8.31	7.32	10.85	6.55	
		15:00	29.7	48.35	31.83	8.34	7.45	15.49	10.29	
		18:00	29.63	48.22	31.73	8.27	7	25.49	8.53	
	21:00	29.43	48.09	31.64	8.27	7.11	27.23	5.29		
	日平均值		29.48	48.15	31.69	8.25	6.81	13.40	7.97	
	潮口站	0:00	29.81	49.24	32.42	8.29	5.7	1.73	9.42	
		3:00	29.63	49.14	32.36	8.19	5.98	1.71	13.76	
		6:00	29.74	49.33	32.48	8.23	5.87	1.77	17.79	
		9:00	30.29	49.45	32.56	8.29	6.84	1.91	11.75	
		12:00	30.38	49.92	32.86	8.24	7.02	1.61	17.68	
		15:00	30.29	48.26	31.8	8.26	7.15	1.66	11.55	
		18:00	30.03	48.47	31.93	8.18	6.7	1.7	5.69	
	21:00	29.81	49.39	32.52	8.17	6.81	1.68	6.64		
	日平均值		30.00	49.15	32.37	8.23	6.51	1.72	11.79	
	灣內站	0:00	28.56	49.42	32.53	8.09	5.51	3.65	4.22	
		3:00	28.44	49.52	32.59	7.86	5.31	3.57	6.66	
		6:00	28.26	49.55	32.61	7.77	5.42	3.73	18.9	
9:00		28.55	49.53	32.6	7.8	6.36	3.71	13.31		
12:00		29.14	49.12	32.35	8.23	7.44	3.74	19.34		
15:00		29.28	48.46	31.9	8.44	6.29	3.66	17.38		
18:00		28.94	49.09	32.29	8.49	6.42	3.77	12.73		
21:00	28.61	49.34	32.46	8.08	5.38	3.55	5.43			
日平均值		28.72	49.25	32.42	8.10	6.02	3.67	12.25		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月21日	蚵殼站	0:00	29.33	48.01	31.58	8.3	7.15	25.79	4.49
		3:00	29.3	47.9	31.51	8.2	6.36	13.39	4.7
		6:00	29.14	47.99	31.57	8.24	6.58	5.02	6.37
		9:00	29.25	48.04	31.6	8.3	6.98	3.56	6
		12:00	29.3	48.19	31.7	8.25	6.97	13.3	5.65
		15:00	29.14	48.07	31.64	8.27	7.11	20.4	5.89
		18:00	29.13	48.13	31.68	8.19	6.32	25.02	18.32
		21:00	29.12	48.11	31.67	8.18	6.33	14.33	12.7
	日平均值		29.21	48.06	31.62	8.24	6.73	15.10	8.02
	潮口站	0:00	30.07	49.17	32.38	8.19	6.85	1.68	16.63
		3:00	29.9	48.98	32.26	8.2	6.06	1.65	15.9
		6:00	29.64	49.17	32.38	8.21	6.28	1.84	16.37
		9:00	29.93	49.25	32.43	8.23	6.68	2.03	10.63
		12:00	30.15	48.08	31.68	8.23	6.67	1.67	12.27
		15:00	30	48.05	31.66	8.32	6.81	1.92	17.66
		18:00	29.61	49.77	32.76	8.32	6.02	1.69	11.83
		21:00	29.23	49.92	32.86	8.2	6.03	1.65	5.33
	日平均值		29.82	49.05	32.30	8.24	6.43	1.77	13.33
	灣內站	0:00	28.59	49.55	32.6	8.12	5.64	3.69	2.32
		3:00	28.44	49.36	32.47	8.07	5.23	3.65	4.78
		6:00	28.25	49.64	32.65	8.04	5.12	3.57	11.63
		9:00	28.61	49.69	32.69	8.11	6.02	3.66	10.13
		12:00	28.75	49.44	32.52	8.41	6.46	3.78	22.51
		15:00	28.78	49.14	32.35	8.26	6	3.71	14.62
		18:00	28.61	49.27	32.44	8.16	5.91	3.66	7.25
		21:00	28.54	50.08	32.97	7.9	6.71	3.64	1.09
	日平均值		28.57	49.52	32.59	8.13	5.89	3.67	9.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月22日	蚵殼站	0:00	29.07	48	31.59	8.2	6.32	14.35	5.18
		3:00	28.91	47.86	31.5	8.21	6.55	5.88	4.71
		6:00	28.83	48.02	31.61	8.22	6.38	3.29	5.23
		9:00	29.01	48.06	31.64	8.24	6.78	4.03	5.1
		12:00	29.09	48.14	31.69	8.24	6.98	3.48	5.35
		15:00	29.45	48.15	31.69	8.33	7.36	12.82	8.11
		18:00	29.36	48.22	31.74	8.33	7.39	18.12	5.29
		21:00	29.28	48.33	31.82	8.21	6.77	5.89	9.07
	日平均值		29.13	48.10	31.66	8.25	6.82	8.48	6.01
	潮口站	0:00	29.63	49.05	32.3	8.29	6.02	1.73	2.96
		3:00	29.74	48.94	32.23	8.19	6.25	1.71	19.11
		6:00	30.29	48.62	32.03	8.23	6.08	1.77	18.6
		9:00	30.38	48.37	31.87	8.29	6.48	1.91	15.04
		12:00	29.61	46.71	30.81	8.24	6.68	1.61	8.93
		15:00	30.73	48.69	32.06	8.19	7.03	2.09	12.98
		18:00	30.64	48.69	32.07	8.49	6.4	1.13	10.51
		21:00	30.22	48.98	32.26	8.48	5.99	2.09	6
	日平均值		30.16	48.51	31.95	8.30	6.37	1.76	11.77
	灣內站	0:00	28.35	50.32	33.13	8.16	5.48	3.65	2.3
		3:00	28.21	50.28	33.1	8.24	5.03	3.64	3.91
		6:00	28.21	50.19	33.04	8.4	5.01	3.7	12.07
		9:00	28.43	50.28	33.1	8.18	5.63	3.76	14.62
		12:00	28.87	49.3	31.63	8.41	7.74	3.49	22.96
		15:00	29.54	48.5	31.94	8.39	7.76	3.41	21.72
		18:00	28.89	49.12	32.36	7.97	6.3	3.51	9.42
		21:00	28.63	49.1	32.36	8.2	5.65	3.42	2.07
	日平均值		28.64	49.64	32.58	8.24	6.08	3.57	11.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月23日	蚵殼站	0:00	28.96	48.3	31.79	8.16	6.19	5.72	24.38
		3:00	28.67	48.22	31.73	8.2	6.39	3.8	9.66
		6:00	28.52	48.08	31.65	8.27	6.74	9.04	5.3
		9:00	28.6	48.04	31.63	8.3	7.07	4.51	6.41
		12:00	28.61	49.4	32.5	8.41	7.3	3.92	42.27
		15:00	28.47	49.42	32.52	8.21	7.37	3.35	21.62
		18:00	28.4	49.51	32.6	8.04	6.28	2.66	13.45
	21:00	28.33	49.59	32.65	8.11	5.95	2.27	12.87	
	日平均值		28.57	48.82	32.13	8.21	6.66	4.41	17.00
	潮口站	0:00	30.17	49.69	32.71	8.19	6.82	1.79	8.06
		3:00	30.12	48.75	32.11	8.42	7.46	1.63	13.58
		6:00	30.18	48.06	31.67	8.42	6.49	1.69	12.14
		9:00	30.17	49.2	32.4	8.45	6.75	1.95	5.79
		12:00	30.12	49.92	32.86	8.42	6.95	1.94	13.29
		15:00	30.07	49.05	32.3	8.47	6.71	1.42	13.64
		18:00	30.11	49.49	32.58	8.45	6.99	2.35	12.02
	21:00	30.35	49.85	32.81	8.4	6.62	1.44	10.79	
	日平均值		30.16	49.25	32.43	8.40	6.85	1.78	11.16
	灣內站	0:00	28.25	48.89	32.19	8	5.44	3.51	3.41
		3:00	28.02	48.79	32.12	8.18	5.48	3.41	3.4
		6:00	27.77	48.57	31.98	7.99	5.93	3.46	7.4
9:00		27.96	48.96	32.25	7.93	7.1	3.47	17.79	
12:00		28.15	48.84	32.17	8.13	7.74	3.38	15.57	
15:00		28.07	47.4	31.21	8.27	6.88	3.27	19.26	
18:00		28	48	31.61	7.88	5.36	3.6	8.14	
21:00	28.11	49.18	32.4	7.81	5.34	3.7	6.11		
日平均值		28.04	48.58	31.99	8.02	6.16	3.48	10.14	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月24日	蚵殼站	0:00	28.18	49.67	32.69	8.12	5.73	2.36	14.38
		3:00	27.97	49.52	32.61	8.22	5.58	4	11.35
		6:00	27.59	49.56	32.65	8.35	6.55	3.47	13.6
		9:00	27.98	49.41	32.51	8.36	7.15	3.29	18.04
		12:00	28.38	49.61	32.66	8.33	7.15	3.26	19.5
		15:00	28.62	49.91	32.85	8.2	6.62	3.06	15.78
		18:00	28.55	49.99	32.89	8.06	5.45	3.13	14.88
	21:00	28.3	49.82	32.81	8.08	5.58	2.35	16.61	
	日平均值		28.20	49.69	32.71	8.22	6.23	3.12	15.52
	潮口站	0:00	29.96	50.9	33.48	8.39	6.86	1.47	12.05
		3:00	29.65	50.05	32.94	8.42	7.26	1.96	19.51
		6:00	29.61	49.94	32.87	8.4	6.29	1.52	18.58
		9:00	29.79	50.1	32.97	8.33	6.54	1.82	13.49
		12:00	30.34	51.13	33.63	8.24	7.06	1.77	12.99
		15:00	30.54	48.89	32.2	8.25	6.95	1.59	13.74
		18:00	30.39	49.2	32.4	8.19	7.06	2.1	13.6
	21:00	30.37	50.58	33.28	8.14	7.15	1.76	12.92	
	日平均值		30.08	50.10	32.97	8.30	6.90	1.75	14.61
	灣內站	0:00	27.72	49.06	32.31	7.8	5.32	3.37	8.31
		3:00	27.67	49.07	32.33	8.09	5.72	3.65	3.14
		6:00	27.15	48.57	31.98	8.29	7.32	3.6	5.24
9:00		27.7	48.87	32.19	8.26	6.5	3.45	13.14	
12:00		27.97	49.07	32.31	8.42	7.56	3.7	13.74	
15:00		28.13	49.26	32.46	8.43	6.07	3.2	25.87	
18:00		28.01	47.78	31.46	8.29	5.92	3.47	3.61	
21:00	27.78	49.15	32.38	8.3	6.73	3.24	7.18		
日平均值		27.77	48.85	32.18	8.24	6.39	3.46	10.03	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月25日	蚵殼站	0:00	28.2	49.85	32.81	8.07	5.35	3.35	15.44
		3:00	28.11	49.95	32.87	8.1	5.66	2.32	14.32
		6:00	28.1	49.72	32.73	8.1	6.03	2.4	17.6
		9:00	28.67	49.69	32.7	8.15	6.72	3.18	18.44
		12:00	29.09	49.74	32.74	8.16	7.1	4.3	22.4
		15:00	28.51	50.04	32.95	8.2	7.25	3.1	26.61
		18:00	28.69	49.98	32.89	8.03	5.69	2.18	20.64
	21:00	28.63	49.9	32.85	8.07	5.73	5.03	21.21	
	日平均值	28.50	49.86	32.82	8.11	6.19	3.23	19.58	
	潮口站	0:00	30.2	51.05	33.58	8.06	6.3	1.53	12.13
		3:00	29.54	50.02	32.92	8.34	7.71	1.45	13.65
		6:00	29.62	50	32.91	8.31	7.88	1.99	15.66
		9:00	30.15	49.94	32.87	8.25	7.05	1.6	14.7
		12:00	30.69	49.88	32.83	8.22	6.67	1.82	12.83
		15:00	30.93	48.75	32.11	8.14	6.28	1.84	11.92
		18:00	30.52	50.27	33.08	8.03	6.01	1.77	15.45
	21:00	30.4	49.8	32.78	7.96	6.33	1.85	17.2	
	日平均值	30.26	49.96	32.89	8.16	6.78	1.73	14.19	
	灣內站	0:00	27.64	48	31.61	8.22	5.51	3.5	5.59
		3:00	27.49	48.63	32.03	8.15	5.05	3.38	3.69
		6:00	27.52	49.16	32.38	8.11	5.08	3.44	3.49
9:00		28.51	49.97	32.87	8.14	7.39	3.34	6.86	
12:00		28.89	49.92	32.84	8.23	7.6	3.61	8.48	
15:00		28.8	49.5	32.57	8.07	5.85	3.16	15.67	
18:00		28.63	49.99	32.89	7.99	5.73	3.65	6	
21:00	28.35	50.14	32.99	8.01	6.05	3.44	10.81		
日平均值	28.23	49.41	32.52	8.12	6.03	3.44	7.57		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月26日	蚵殼站	0:00	28.44	49.72	32.72	8	5.28	2.66	19.86
		3:00	28.2	49.73	32.74	7.98	5.26	3.47	15.43
		6:00	28.53	49.73	32.73	8.13	6.26	2.41	18.09
		9:00	29.03	49.64	32.67	8.26	7.06	4.32	21.88
		12:00	29.51	49.77	32.75	8.24	7.35	3.35	27.61
		15:00	29.32	49.98	32.89	8.27	7.46	3.53	39.24
		18:00	29.19	49.68	32.71	8.09	6.36	2.54	23.92
	21:00	29.11	49.47	32.57	8.14	6.36	2.55	20.21	
	日平均值	28.92	49.72	32.72	8.14	6.42	3.10	23.28	
	潮口站	0:00	30.49	50.3	33.1	8.12	6.62	1.82	17.81
		3:00	30.08	50	32.91	8.08	7.28	1.65	18.13
		6:00	29.98	49.72	32.73	8.18	7.85	1.22	17
		9:00	30.42	49.6	32.65	8.14	7.24	1.66	16.91
		12:00	31	49.05	32.3	8.11	6.11	1.53	18.96
		15:00	31.34	45.71	30.17	8.04	5.72	1.36	17.96
		18:00	30.76	49.8	32.78	7.97	6.71	1.67	17.63
	21:00	30.61	48.84	32.17	7.88	7.11	1.8	14.38	
	日平均值	30.59	49.13	32.35	8.07	6.83	1.59	17.35	
	灣內站	0:00	28.12	50.2	33.03	8.05	5.4	3.5	1.57
		3:00	27.97	50.28	33.08	8.18	5.39	3.44	3.27
		6:00	27.97	50.27	33.08	8.2	5.01	3.58	2.62
9:00		28.38	49.88	32.82	8.29	7.16	3.51	2.21	
12:00		28.93	49.19	32.37	8.4	7.87	3.36	3.39	
15:00		29	48.72	32.06	8.26	6.75	3.32	9.33	
18:00		28.68	48.89	32.16	8.17	5.7	3.39	13.65	
21:00	28.5	49.76	32.74	8.18	6.46	3.11	21.48		
日平均值	28.44	49.65	32.67	8.22	6.22	3.40	7.19		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月27日	蚵殼站	0:00	29	49.5	32.6	8.19	6.45	2.42	22.23	
		3:00	28.87	49.45	32.55	8.1	6.38	2.71	22.13	
		6:00	28.73	49.38	32.49	8.14	6.59	2.73	28.98	
		9:00	29.23	49.35	32.48	8.26	7.33	5.14	34.55	
		12:00	29.7	49.58	32.63	8.26	7.56	3.85	42.82	
		15:00	29.79	49.7	32.7	8.22	7.46	2.92	45.06	
		18:00	29.61	49.47	32.57	8.12	7.05	2.58	25.49	
		21:00	29.38	49.09	32.35	8.05	6.55	2.44	20.93	
	日平均值			29.29	49.44	32.55	8.17	6.92	3.10	30.27
	潮口站	0:00	30.39	48.92	32.22	8.14	7.22	2.08	8.42	
		3:00	30.44	51.19	33.67	7.94	7.17	1.75	12.76	
		6:00	30.29	50.44	33.19	8.24	7.76	1.46	16.79	
		9:00	30.79	50.19	33.03	8.14	7.18	2.39	10.75	
		12:00	31.33	48.91	32.21	8.07	6.21	1.73	16.68	
		15:00	31.32	47.53	31.33	8.02	5.73	1.85	10.55	
		18:00	30.99	50.68	33.34	7.95	6.99	1.34	4.69	
		21:00	30.87	50.25	33.07	8.12	6.66	1.98	5.64	
	日平均值			30.80	49.76	32.76	8.08	6.87	1.82	10.79
	灣內站	0:00	28.55	49.75	32.73	8.16	6.6	3.13	11.54	
		3:00	28.64	49.58	32.62	8.17	5.34	3.44	2.52	
		6:00	28.51	49.95	32.87	8.39	6.72	3.21	2.05	
		9:00	28.91	49.89	32.82	8.45	7.75	3.3	4.98	
		12:00	29.18	49.16	32.37	8.48	7.71	3.93	3.55	
		15:00	29.18	49.04	32.28	8.41	7.09	3.28	7.29	
		18:00	28.8	49.65	32.69	8.38	5.21	3.61	5.53	
		21:00	29.04	49.73	32.74	8.39	5.09	3.53	2.29	
	日平均值			28.85	49.59	32.64	8.35	6.44	3.43	4.97
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月28日	蚵殼站	0:00	29.3	49.29	32.44	7.93	5.52	2.32	20.49	
		3:00	29.22	49.38	32.49	7.9	5.39	2.24	20.2	
		6:00	29	49.26	32.42	8.03	6.21	2.52	38.02	
		9:00	29.54	49.28	32.44	8.24	7.31	2.75	33.06	
		12:00	29.86	49.46	32.56	8.18	7.56	4.77	45.2	
		15:00	29.72	49.48	32.58	8.19	7.51	4.11	40.39	
		18:00	29.53	49.34	32.48	7.99	6.42	2.4	27.82	
		21:00	29.49	49.4	32.5	8.01	6.22	3.07	15.56	
	日平均值			29.46	49.36	32.49	8.06	6.52	3.02	30.09
	潮口站	0:00	30.64	50.9	33.48	8.02	6.54	1.4	15.63	
		3:00	30.5	51.43	33.82	7.89	6.29	1.73	14.9	
		6:00	30.56	49.88	32.83	8.17	7.46	1.32	15.37	
		9:00	31.07	49.78	32.77	8.18	7.64	2.48	9.63	
		12:00	31.34	48.88	32.19	8.1	6.21	2.03	11.27	
		15:00	30.93	47.03	31.01	8.04	5.83	2.08	16.66	
		18:00	30.92	49.67	32.7	8.06	6.87	1.98	10.83	
		21:00	31.03	49.66	32.69	8.11	6.86	1.52	4.33	
	日平均值			30.87	49.65	32.69	8.07	6.71	1.82	12.33
	灣內站	0:00	28.86	49.72	32.73	8.4	5.84	3.6	3.57	
		3:00	28.67	49.82	32.79	8.47	7.04	3.07	5.27	
		6:00	28.64	49.85	32.81	8.46	5.89	3.97	4.62	
		9:00	28.9	49.83	32.8	8.45	7.03	3.9	4.21	
		12:00	29.22	49.42	32.55	8.45	7.73	3.41	5.39	
		15:00	29.42	48.76	32.1	8.42	6.82	3.57	11.33	
		18:00	28.72	49.39	32.49	8.36	5.48	3.18	15.65	
		21:00	28.64	49.64	32.66	8.39	6.22	3.25	23.48	
	日平均值			28.88	49.55	32.62	8.43	6.51	3.49	9.19
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月29日	蚵殼站	0:00	29.31	49.4	32.5	8.08	6.77	2.96	8.36
		3:00	29.25	49.4	32.5	8.04	5.92	2.45	9.1
		6:00	29.21	49.4	32.5	8.03	6.34	2.4	31.48
		9:00	29.69	49.42	32.52	8.13	7.13	3.81	32.41
		12:00	29.85	49.56	32.63	8.14	7.42	3.77	42.16
		15:00	29.75	49.54	32.64	8.15	7.46	3.43	43.42
		18:00	29.7	49.5	32.6	8.04	6.58	2.88	28.08
	21:00	29.66	49.5	32.6	8.06	6.72	2.29	21.72	
	日平均值		29.55	49.47	32.56	8.08	6.79	3.00	27.09
	潮口站	0:00	30.74	49.55	32.62	8.06	6.19	2.6	1.96
		3:00	30.4	50.72	33.37	8.01	5.67	1.81	18.11
		6:00	30.63	48.97	32.25	8.06	7.51	1.69	17.6
		9:00	31.14	46.92	30.94	8.11	7.23	2.03	14.04
		12:00	31.38	46.92	30.94	8.08	6.64	1.58	7.93
		15:00	30.75	48.59	32.01	8.06	5.73	4.75	18.94
		18:00	30.73	49.55	32.62	8.1	6.47	1.4	15.97
	21:00	31.02	49.02	32.28	8.2	7.65	1.75	19.09	
	日平均值		30.85	48.78	32.13	8.09	6.64	2.20	14.21
	灣內站	0:00	28.76	49.85	32.8	8.49	7.36	3.52	13.54
		3:00	28.73	49.66	32.67	8.4	5.66	3.45	4.52
		6:00	28.63	49.94	32.85	8.42	5.42	3.45	4.05
9:00		29.1	49.99	32.89	8.45	7.28	3.6	6.98	
12:00		29.29	49.74	32.72	8.45	7.2	3.38	5.55	
15:00		29.2	49.44	32.55	8.44	5.84	3.14	9.29	
18:00		29.28	49.57	32.64	8.38	5.06	3.57	7.53	
21:00	29.2	50.38	33.17	8.39	5.52	3.53	4.29		
日平均值		29.02	49.82	32.79	8.43	6.17	3.46	6.97	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月30日	蚵殼站	0:00	29.61	49.53	32.61	8.07	6.57	2.5	17.51
		3:00	29.46	49.6	32.65	7.99	5.39	2.58	18.6
		6:00	29.34	49.48	32.58	8.13	6.56	2.41	26.59
		9:00	29.74	49.34	32.47	8.3	7.47	3.89	28.43
		12:00	29.88	49.37	32.51	8.3	7.6	5.77	28.6
		15:00	29.54	49.57	32.62	8.26	7.54	4.37	41.52
		18:00	29.38	49.69	32.7	8.04	5.93	2.39	27.98
	21:00	29.24	49.61	32.65	8.05	5.6	2.41	14.63	
	日平均值		29.52	49.52	32.60	8.14	6.58	3.29	25.48
	潮口站	0:00	30.89	49.05	32.3	8.19	6.3	1.71	16.11
		3:00	30.4	50.02	32.92	8.2	6.15	2.17	14.67
		6:00	30.47	49.33	32.48	8.25	7.02	2.56	15.81
		9:00	30.96	48.67	32.06	8.33	7.72	1.52	18.33
		12:00	31.24	48.62	32.03	8.33	6.63	1.56	16.69
		15:00	30.46	48.22	31.77	8.29	5.6	1.33	16.28
		18:00	30.39	48.33	31.84	8.04	6.41	4.67	16.08
	21:00	30.45	48.62	32.03	8.11	7.63	1.91	17.68	
	日平均值		30.66	48.86	32.18	8.22	6.68	2.18	16.46
	灣內站	0:00	28.92	50.62	33.33	8.48	5.22	3.72	16.22
		3:00	28.75	50.58	33.3	8.43	5.46	3.18	9.2
		6:00	28.75	50.49	33.24	8.4	5.47	3.45	14.51
9:00		28.98	50.58	33.3	8.49	6.94	3.46	13.65	
12:00		29.17	49.6	31.83	8.45	7.18	3.47	20.53	
15:00		29.07	48.8	32.14	8.48	6.95	3.63	16.89	
18:00		28.91	49.42	32.56	8.48	5.86	3.47	11.76	
21:00	28.62	49.4	32.56	8.45	6.01	3.47	10.88		
日平均值		28.90	49.94	32.78	8.46	6.14	3.48	14.21	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月31日	蚵殼站	0:00	29.05	49.58	32.64	8.11	6.08	2.67	21.37	
		3:00	28.68	49.43	32.53	8.06	5.74	2.41	16.78	
		6:00	28.57	49.44	32.55	8.03	5.27	3.64	31.58	
		9:00	28.77	49.53	32.61	8.14	6.49	2.9	36.95	
		12:00	28.88	49.52	32.59	8.17	7.08	3.38	41.34	
		15:00	28.83	49.66	32.67	8.33	7.55	3.61	41.79	
		18:00	28.72	49.7	32.7	8.12	6.25	2.36	27.49	
		21:00	28.57	49.71	32.71	8.09	6.21	2.22	18.78	
	日平均值			28.76	49.57	32.63	8.13	6.33	2.90	29.51
	潮口站	0:00	30.43	49.89	32.84	8.03	6.94	1.4	15.4	
		3:00	30.21	50.71	33.36	7.87	6.3	1.82	12.79	
		6:00	30.07	50.52	33.24	7.94	6.64	1.34	12.87	
		9:00	30.16	49.49	32.58	8.08	7.59	1.89	17.31	
		12:00	30.37	49.35	32.49	8	6.85	2.49	15.23	
		15:00	30.13	48.33	31.84	8.02	6.08	5.51	12.63	
		18:00	30.05	48.94	32.23	7.97	6.34	3.05	11.84	
		21:00	29.92	49.64	32.68	8.12	7.71	1.32	11.23	
	日平均值			30.17	49.61	32.66	8.00	6.81	2.35	13.66
	灣內站	0:00	28.19	49.19	32.39	8.45	5.5	3.39	10.21	
		3:00	28.14	49.09	32.32	8.45	5.4	3.59	5.91	
		6:00	28.01	48.87	32.18	8.45	5.46	3.39	13.01	
		9:00	28.08	49.26	32.45	8.46	5.33	3.48	8.97	
		12:00	28.15	49.14	32.37	8.42	6.86	3.35	13.05	
		15:00	28.05	47.7	31.41	8.36	5.63	3.65	22.37	
		18:00	27.95	48.3	31.81	8.3	5.25	3.48	3.08	
		21:00	27.83	49.48	32.6	8.45	5	3.3	1.99	
	日平均值			28.05	48.88	32.19	8.42	5.55	3.45	9.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月1日	蚵殼站	0:00	28.57	49.71	32.71	8.02	6.25	2.6	19.79
		3:00	28.24	49.59	32.63	8	6.08	2.54	18.12
		6:00	27.93	49.48	32.58	7.99	6	2.47	40.24
		9:00	28.32	49.53	32.62	8.14	7.02	3.31	42.28
		12:00	28.7	49.73	32.73	8.11	7.3	3.23	43.75
		15:00	28.7	49.89	32.83	8.01	6.83	3.15	45.15
		18:00	28.52	49.79	32.76	7.96	6.03	2.58	23.99
	21:00	28.16	49.69	32.69	7.86	5.21	2.34	22.9	
	日平均值	28.39	49.68	32.69	8.01	6.34	2.78	32.03	
	潮口站	0:00	29.73	49.34	32.49	8.17	6.79	1.9	9.97
		3:00	29.87	49.96	32.9	8.09	7.44	1.53	7.99
		6:00	29.86	50.33	33.14	8.14	6.5	2.34	8.96
		9:00	29.82	49.48	32.58	8.23	7.76	1.69	8.07
		12:00	30.26	49.27	32.44	8.24	7.13	1.61	7.6
		15:00	30.11	47.32	31.16	8.24	6.45	2.98	6.11
		18:00	29.91	48.29	31.8	7.98	6.2	2.18	7.69
	21:00	29.9	48.89	32.19	8.02	7.34	1.81	9.72	
	日平均值	29.93	49.11	32.34	8.14	6.95	2.01	8.26	
	灣內站	0:00	27.5	49.05	32.31	8.33	5.17	3.38	4.42
		3:00	27.24	49.14	32.37	8.4	5.38	3.45	7.33
		6:00	27.27	49.4	32.54	8.42	5.41	3.64	8.73
9:00		27.73	49.44	32.56	8.47	6.42	3.39	33.41	
12:00		28.04	49.42	32.55	8.43	7.62	3.61	32.17	
15:00		28.03	49.38	32.53	8.48	6.66	3.7	28.02	
18:00		27.71	49.17	32.38	8.43	5.43	3.44	9.1	
21:00	27.6	48.93	32.22	8.38	5.11	3.15	2.74		
日平均值	27.64	49.24	32.43	8.42	5.90	3.47	15.74		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月2日	蚵殼站	0:00	28.14	49.51	32.61	7.91	5.44	2.34	17.32
		3:00	27.93	49.52	32.61	7.95	5.47	2.55	9.81
		6:00	27.78	49.52	32.61	7.97	5.69	2.52	40.03
		9:00	28.01	49.5	32.6	7.99	6.14	2.87	36.45
		12:00	28.48	49.6	32.65	8.11	7.36	3.7	37.09
		15:00	28.56	49.71	32.71	8.01	7	3.6	34.12
		18:00	28.41	49.7	32.7	7.85	5.08	2.39	23.5
	21:00	28.16	49.69	32.69	7.86	5.21	2.34	22.9	
	日平均值	28.18	49.59	32.65	7.96	5.92	2.79	27.65	
	潮口站	0:00	29.73	49.1	32.33	8.16	6.65	1.79	6.41
		3:00	29.82	49.51	32.6	8.05	6.55	1.75	3.73
		6:00	29.8	50.13	33.01	8.12	5.95	1.83	5.18
		9:00	29.74	49.25	32.43	8.14	7.27	1.86	7.28
		12:00	30.12	49.05	32.3	8.1	6.65	1.96	7.9
		15:00	30.05	47.63	31.36	8.1	6.11	1.77	10.5
		18:00	29.8	47.76	31.45	7.86	5.66	1.59	11.01
	21:00	29.9	48.89	32.19	8.02	7.34	1.81	9.72	
	日平均值	29.87	48.92	32.21	8.07	6.52	1.80	7.72	
	灣內站	0:00	27.42	49.26	32.46	8.33	5.4	3.5	1.76
		3:00	27.1	47.49	31.28	8.33	5.72	3.67	2.33
		6:00	27.04	48.75	32.11	8.34	5.72	3.44	3.34
9:00		27.64	49.38	32.53	8.37	6.85	3.72	15.65	
12:00		27.99	49.29	32.48	8.41	6.99	3.21	33.94	
15:00		27.9	48.88	32.18	8.42	6.36	3.3	21.27	
18:00		27.72	49.12	32.37	8.44	5.31	3.53	3.57	
21:00	27.6	48.93	32.22	8.48	5.11	3.15	2.74		
日平均值	27.55	48.89	32.20	8.39	5.93	3.44	10.58		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月3日	蚵殼站	0:00	28.1	49.69	32.7	7.9	5.26	2.42	22.56
		3:00	28.1	49.66	32.68	7.94	5.29	2.46	21.35
		6:00	28.03	49.63	32.66	8.01	5.54	2.67	39.06
		9:00	28.29	49.46	32.56	8.14	6.44	3.8	33.43
		12:00	28.63	49.53	32.61	8.21	7.44	3.76	28.84
		15:00	28.57	49.68	32.69	8.08	6.86	2.87	30.11
		18:00	28.5	49.63	32.66	8.06	6.49	2.41	19.08
	21:00	28.47	49.55	32.62	8.17	7.05	2.5	19.9	
	日平均值	28.34	49.60	32.65	8.06	6.30	2.86	26.79	
	潮口站	0:00	29.67	48.57	31.98	8.08	6.59	2.05	11.87
		3:00	29.65	48.69	32.06	7.92	5.81	1.54	12.62
		6:00	29.63	49.57	32.64	7.63	6.04	1.84	8.37
		9:00	29.7	49.02	32.28	8.14	6.18	1.81	5.43
		12:00	30.01	48.67	32.05	8.05	7.04	2.02	5.87
		15:00	29.99	47.1	31.01	8.04	6.41	4.3	7.06
		18:00	29.62	47.89	31.53	7.87	5.77	1.74	6.48
	21:00	29.6	48.52	31.95	8.02	7.35	1.8	9.14	
	日平均值	29.73	48.50	31.94	7.97	6.40	2.14	8.36	
	灣內站	0:00	27.68	49.02	32.31	8.42	5.03	3.44	4.06
		3:00	27.42	47.27	31.14	8.43	5.03	3.52	20.02
		6:00	27.42	49.2	32.42	8.47	5.06	3.8	15.52
9:00		27.53	49.15	32.39	8.49	5.57	3.52	22.39	
12:00		28.08	49.16	32.4	8.48	7.47	3.5	35.38	
15:00		28.38	49.02	32.3	8.42	6.27	3.64	23.43	
18:00		28.13	48.87	32.19	8.41	5.41	3.3	11	
21:00	27.87	48.82	32.15	8.4	5.18	3.31	6.8		
日平均值	27.81	48.81	32.16	8.44	5.63	3.50	17.33		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月4日	蚵殼站	0:00	28.4	49.68	32.69	8.1	6.67	2.39	16.77
		3:00	28.34	49.52	32.61	8.09	6.13	2.6	16.98
		6:00	28.15	49.47	32.57	8.1	5.84	2.81	20.96
		9:00	28.44	49.46	32.56	8.25	6.82	4.04	16.73
		12:00	28.42	49.58	32.64	8.29	7.58	3.61	18.76
		15:00	28.46	49.7	32.7	8.17	7.1	3.3	19.58
		18:00	28.41	49.69	32.7	8.06	6.01	2.54	17.92
	21:00	28.16	48.02	31.63	8.09	5.98	2.5	18.55	
	日平均值	28.35	49.39	32.51	8.14	6.52	2.97	18.28	
	潮口站	0:00	29.57	48.42	31.88	8.11	7.52	2.38	10.23
		3:00	29.59	48.4	31.87	8.12	6.23	2.17	9.79
		6:00	29.57	49.33	32.48	8.08	6.77	1.97	8.73
		9:00	29.74	48.98	32.25	8.09	5.85	1.92	10.58
		12:00	29.88	48.58	31.99	8.13	7.07	4.8	12.06
		15:00	29.97	47.57	31.32	8.11	7.44	1.82	10.72
		18:00	29.54	47.11	31.02	8.04	7.29	1.77	8.88
	21:00	29.68	48.42	31.88	7.98	6.91	1.59	8.84	
	日平均值	29.69	48.35	31.84	8.08	6.89	2.30	9.98	
	灣內站	0:00	27.68	48.97	32.27	8.49	5	3.58	13.06
		3:00	27.4	48.65	32.01	8.5	5.01	3.59	15.62
		6:00	27.3	49	32.29	8.43	5.04	3.46	25.89
9:00		27.68	48.86	32.17	8.4	6.6	3.84	33.71	
12:00		27.76	48.9	32.21	8.44	7.44	3.55	22.09	
15:00		27.65	49.03	32.31	8.42	6.29	3.45	20.69	
18:00		27.66	49.01	32.3	8.42	5.56	3.18	16.07	
21:00	27.63	48.86	32.16	8.41	5.44	3.27	13.34		
日平均值	27.60	48.91	32.22	8.44	5.80	3.49	20.06		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月5日	蚵殼站	0:00	27.92	49.44	32.54	8.08	5.87	2.53	18.18
		3:00	28.05	49.5	32.6	8.17	5.9	3.14	19.82
		6:00	27.92	49.5	32.6	8.22	6.54	3.96	20.12
		9:00	28.42	49.44	32.54	8.21	7.17	3.58	22.42
		12:00	28.53	49.49	32.59	8.32	7.6	4.4	23.61
		15:00	28.55	49.98	32.89	8.43	7.84	4.6	12.42
		18:00	28.16	50.07	32.97	8.3	6.89	3.38	6.74
		21:00	28.3	49.82	32.81	8.44	7.6	2.8	5.59
	日平均值		28.23	49.66	32.69	8.27	6.93	3.55	16.11
	潮口站	0:00	29.52	48.13	31.69	8.18	7.7	2.6	7.69
		3:00	29.48	48.01	31.61	7.99	6.36	1.81	6.08
		6:00	29.46	48.78	32.12	8.01	6.27	1.69	5.66
		9:00	29.65	48.89	32.19	8.04	5.68	2.03	6.75
		12:00	29.83	48.17	31.72	8.08	6	1.58	9.6
		15:00	29.89	47.84	31.5	8.01	7.1	4.75	9.31
		18:00	29.52	47.34	31.17	7.98	7	1.4	5.87
		21:00	29.55	48.17	31.72	7.82	6.09	1.75	4.75
	日平均值		29.61	48.17	31.72	8.01	6.53	2.20	6.96
	灣內站	0:00	27.5	48.88	32.17	8.43	5.11	3.73	15.13
		3:00	27.19	49.05	32.3	8.44	5.05	3.55	13.83
		6:00	26.96	48.72	32.09	8.47	5.71	3.55	31.35
		9:00	27.48	48.95	32.24	8.43	5.93	2.89	53.87
		12:00	29.68	50.16	33.02	8.44	8.16	4.02	16.75
		15:00	29.63	51.41	33.85	8.45	6.57	4.3	23.44
		18:00	29.51	51.8	34.1	8.42	5.54	4.02	11.1
		21:00	29.34	51.64	34.02	8.43	5.62	3.77	12.52
	日平均值		28.41	50.08	32.97	8.44	5.96	3.73	22.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月6日	蚵殼站	0:00	28.31	49.82	32.81	8.47	5.32	2.94	8.51
		3:00	28.13	49.85	32.83	8.46	7.46	4.84	9.7
		6:00	27.92	50	32.9	8.43	7.84	5.51	15.08
		9:00	27.76	49.96	32.88	8.47	7.96	6.68	10.92
		12:00	27.74	50	32.9	8.43	7.67	7.42	9.65
		15:00	27.72	49.8	32.78	8.48	6.59	4.68	7.87
		18:00	27.59	48.6	32.02	8.48	6.49	3.64	7.91
		21:00	27.51	48.65	32.06	8.45	6.67	3.94	5.96
	日平均值		27.84	49.59	32.65	8.46	7.00	4.96	9.45
	潮口站	0:00	29.37	48.07	31.65	8.13	7.64	1.71	5.97
		3:00	29.29	48.01	31.61	8.07	6.61	2.17	6.62
		6:00	29.3	48.23	31.76	7.92	5.54	2.56	6.35
		9:00	29.37	48.95	32.23	8.03	5.56	1.52	7.31
		12:00	29.34	48.52	31.95	8.03	5.6	1.56	11.24
		15:00	29.2	48.42	31.88	7.94	5.6	1.33	7.39
		18:00	29.35	48.93	32.22	7.92	6.18	4.67	4.71
		21:00	29.09	48.49	31.93	8.06	5.84	1.91	4.13
	日平均值		29.29	48.45	31.90	8.01	6.07	2.18	6.72
	灣內站	0:00	29.23	51.45	33.88	8.42	5.76	3.88	4.27
		3:00	29	51.59	33.98	8.42	5.72	3.95	15.58
		6:00	28.85	51.56	33.97	8.43	5.3	4.14	22.27
		9:00	28.82	51.57	33.97	8.42	5.38	3.89	22.89
		12:00	28.88	51.63	34.02	8.42	5.37	4.11	18.18
		15:00	28.82	51.4	33.86	8.36	5.26	4.2	11.12
		18:00	28.61	50.95	33.55	8.35	5.04	3.94	8.34
		21:00	28.52	50.84	33.47	8.33	5.07	3.65	12.19
	日平均值		28.84	51.37	33.84	8.39	5.36	3.97	14.36
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月7日	蚵殼站	0:00	27.4	49.18	32.38	8.47	6.82	5.6	7.09
		3:00	27.37	49.26	32.45	8.43	6.95	6.34	8.42
		6:00	27.36	49.05	32.32	8.46	6.62	8.12	11.55
		9:00	27.48	48.99	32.28	8.42	6.14	7.96	10.83
		12:00	27.66	48.98	32.28	8.44	6.78	6.82	11.16
		15:00	27.71	49	32.3	8.32	6.93	6	13.51
		18:00	27.8	48.95	32.25	8.26	6.48	5.28	10.04
		21:00	27.7	48.9	32.2	8.12	5.44	3.36	4.77
	日平均值	27.56	49.04	32.31	8.37	6.52	6.19	9.67	
	潮口站	0:00	28.85	47.7	31.41	8.06	6.75	1.4	7.69
		3:00	28.64	47.25	31.11	8.05	6.59	1.82	7.95
		6:00	28.57	47.16	31.05	8.03	5.91	1.34	10.25
		9:00	28.76	47.28	31.13	7.95	5.5	1.89	11.02
		12:00	29.16	47.37	31.19	7.94	5.52	2.49	12.2
		15:00	29.25	47.14	31.04	7.87	5.53	5.51	13.07
		18:00	29.26	47.98	31.59	7.74	5.75	3.05	6.27
		21:00	29.26	48.46	31.91	7.93	5.61	1.32	4.42
	日平均值	28.97	47.54	31.30	7.95	5.90	2.35	9.11	
	灣內站	0:00	28.25	49.8	32.78	8.31	6.67	4	23.04
		3:00	28.06	50	32.93	8.21	6.13	4.17	24.98
		6:00	27.9	51.48	33.9	8.28	5.84	3.94	12.64
9:00		28.02	51.16	33.68	8.34	5.31	4.22	12.74	
12:00		28.25	51.14	33.68	8.35	5.55	3.71	11.57	
15:00		28.37	50.89	33.5	8.28	5.24	3.8	9.37	
18:00		28.4	50.83	33.47	8.21	5.13	4.03	4.22	
21:00		28.29	50.9	33.5	8.15	5.98	3.65	3.74	
日平均值	28.19	50.78	33.43	8.27	5.73	3.94	12.79		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月8日	蚵殼站	0:00	27.66	48.97	32.27	8.07	6.09	3.3	5.12
		3:00	27.56	48.97	32.28	8.17	5.7	3.35	7.17
		6:00	27.43	49.08	32.33	8.37	5.71	6.85	11.36
		9:00	27.69	48.96	32.25	8.44	6.67	6.48	14.31
		12:00	28.35	48.96	32.26	8.46	7.98	6.94	11.87
		15:00	27.88	48.94	32.26	8.41	7.16	5.53	10.25
		18:00	27.79	49.01	32.3	8.21	6.32	4.11	6.15
		21:00	27.67	48.95	32.25	8.2	5.32	4.14	4.06
	日平均值	27.75	48.98	32.28	8.29	6.37	5.09	8.79	
	潮口站	0:00	28.88	47.22	31.09	8.03	6.3	1.53	3.54
		3:00	28.82	47.16	31.05	8.04	7.39	1.45	5.67
		6:00	28.88	47.16	31.05	7.92	6.02	1.99	6.89
		9:00	29.16	47.4	31.21	7.72	5.5	1.6	7.61
		12:00	29.79	48.37	31.85	7.84	5.62	1.82	3.71
		15:00	30.11	46.2	30.42	7.97	5.54	1.84	3.57
		18:00	29.78	47.52	31.29	7.75	5.5	1.77	3.55
		21:00	29.52	48.52	31.95	8.04	5.5	1.85	1.77
	日平均值	29.37	47.44	31.24	7.91	5.92	1.73	4.54	
	灣內站	0:00	28.23	50.75	33.42	8.08	5.87	3.94	4.3
		3:00	28.2	50.72	33.41	8.06	5.9	4.02	6.35
		6:00	28.05	50.88	33.49	8.19	6.54	4.3	7.14
9:00		28.29	50.89	33.5	8.32	6.21	4.02	12.58	
12:00		28.92	51.02	33.61	8.44	6.84	4	13.94	
15:00		28.95	50.93	33.54	8.32	6.22	4.14	13.12	
18:00		28.81	50.88	33.5	8.2	5.36	3.8	6.69	
21:00		28.66	50.75	33.43	8.11	6.67	3.81	3.29	
日平均值	28.51	50.85	33.49	8.22	6.20	4.00	8.43		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月9日	蚵殼站	0:00	27.47	48.98	32.27	8.14	5.8	4.46	4.29	
		3:00	27.42	49.1	32.35	8.16	5.74	4.37	5.04	
		6:00	27.38	48.96	32.26	8.32	5.85	5.24	8.67	
		9:00	27.79	48.95	32.25	8.28	6.3	4.67	6.38	
		12:00	28.03	48.83	32.16	8.3	7.21	5.43	5.89	
		15:00	27.74	49.02	32.31	8.21	6.17	3.98	6.82	
		18:00	27.65	49.08	32.34	8.1	6.45	3.78	5.48	
		21:00	27.4	49.17	32.38	8.1	6.1	4.25	3.78	
	日平均值			27.61	49.01	32.29	8.20	6.20	4.52	5.79
	潮口站	0:00	29.16	48.11	31.68	7.75	5.62	1.82	1.62	
		3:00	28.77	47.22	31.09	7.98	7.07	1.65	1.85	
		6:00	28.66	47.08	31	8	6.94	1.22	3.37	
		9:00	28.86	47.07	30.99	7.99	5.64	1.66	6.4	
		12:00	28.54	49.36	32.5	8	5.86	1.48	2.15	
		15:00	28.5	48.61	32.01	8.06	6.41	2.41	4.98	
		18:00	28.14	48.02	31.62	7.99	6.15	1.73	9.2	
		21:00	28.5	48.92	32.21	8.07	5.52	1.43	9.07	
	日平均值			28.64	48.05	31.64	7.98	6.15	1.68	4.83
	灣內站	0:00	28.44	50.7	33.4	8.14	6.82	4.08	3.22	
		3:00	28.28	50.68	33.38	8.19	6.95	4.09	3.54	
		6:00	27.93	50.21	33.06	8.21	6.62	3.96	12.01	
		9:00	28.49	50.18	33.04	8.32	6.31	4.34	9.86	
		12:00	28.97	50.45	33.21	8.4	7.79	4.05	16.35	
		15:00	28.85	50.74	33.4	8.44	5.93	3.95	9.47	
		18:00	28.73	50.6	33.3	8.42	6.12	3.68	7.11	
		21:00	28.4	50.6	33.3	8.42	5.5	3.77	2.32	
	日平均值			28.51	50.52	33.26	8.32	6.51	3.99	7.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月10日	蚵殼站	0:00	27.2	49	32.3	8.17	5.86	3.95	3.01	
		3:00	27.12	48.98	32.28	8.23	5.64	3.38	3.84	
		6:00	26.93	48.65	32.04	8.32	5.31	3.93	6.08	
		9:00	27.23	48.53	31.96	8.42	5.86	3.94	4.5	
		12:00	27.7	48.76	32.1	8.44	6.67	4.04	3.88	
		15:00	27.49	49.17	32.38	8.32	6.3	3.76	3.29	
		18:00	27.36	49.2	32.4	8.19	6.75	3.17	4.16	
		21:00	27.24	49.03	32.3	8.28	6.68	3.41	4.96	
	日平均值			27.28	48.92	32.22	8.30	6.13	3.70	4.22
	潮口站	0:00	28.37	49.25	32.43	7.95	5.58	1.72	10.5	
		3:00	27.48	47.95	31.57	8.06	7.44	1.54	12.66	
		6:00	27.45	47.93	31.56	8.04	7.15	1.83	13.57	
		9:00	27.75	47.87	31.52	7.91	5.66	1.92	15.54	
		12:00	28.52	49.19	32.39	7.85	5.5	1.34	17.42	
		15:00	28.65	49.13	32.35	7.85	5.54	1.13	18.49	
		18:00	28.33	48.93	32.22	8.04	5.8	1.57	17.35	
		21:00	28.38	48.77	32.11	7.94	5.5	1.74	14.53	
	日平均值			28.12	48.63	32.02	7.96	6.02	1.60	15.01
	灣內站	0:00	28.19	50.55	33.28	8.41	5.69	3.22	5.25	
		3:00	27.92	50.21	33.06	8.43	5.59	3.41	5.66	
		6:00	27.78	50.26	33.1	8.44	5.25	3.51	11.03	
		9:00	28.1	50.51	33.25	8.47	7.13	3.48	28.31	
		12:00	28.59	50.52	33.26	8.43	8.1	3.55	20.67	
		15:00	28.54	50.45	33.21	8.44	7.34	4.16	10.45	
		18:00	28.56	50.42	33.2	8.45	6.45	3.82	7.94	
		21:00	28.24	50.33	33.13	8.42	5.8	3.94	4.49	
	日平均值			28.24	50.41	33.19	8.44	6.42	3.64	11.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
11月11日	蚵殼站	0:00	27.1	49.09	32.35	8.22	6.62	5.04	3.15
		3:00	26.97	48.19	31.73	8.21	5.57	4.85	2.89
		6:00	26.85	48.98	32.26	8.38	5.45	3.63	6.03
		9:00	27.36	48.57	31.99	8.43	6.37	3.4	5.61
		12:00	27.87	49.43	32.55	8.48	6.75	4.26	5.01
		15:00	27.9	49.87	32.82	8.45	6.95	3.5	7.34
		18:00	27.89	50.02	32.91	8.17	5.38	3.08	3.71
	21:00	27.73	49.52	32.6	8.3	5.59	3.63	3.03	
	日平均值		27.46	49.21	32.40	8.33	6.09	3.92	4.60
	潮口站	0:00	28.5	49.45	32.56	7.85	5.57	1.64	9.7
		3:00	27.71	48.69	32.06	7.78	6.67	1.48	16.84
		6:00	27.31	48.16	31.71	7.66	7.71	1.8	16.97
		9:00	27.77	48.04	31.63	7.6	6.6	14.4	11.57
		12:00	28.76	48.1	31.67	7.85	6.01	1.65	11.11
		15:00	28.84	47.9	31.54	7.66	5.98	2.02	18.04
		18:00	28.53	48.84	32.16	7.52	7.55	1.93	18.81
	21:00	28.22	48.57	31.98	7.78	6.44	1.57	16.43	
	日平均值		28.21	48.47	31.91	7.71	6.57	3.31	14.93
	灣內站	0:00	27.95	50.47	33.24	8.42	5.44	3.59	5.87
		3:00	27.78	50.49	33.25	8.42	5.55	3.86	3.48
		6:00	27.63	50.28	33.1	8.3	5.16	3.73	9
9:00		28.26	50.28	33.1	8.44	7.13	5.29	14.96	
12:00		28.57	50.26	33.1	8.42	7.95	5.97	17.23	
15:00		28.9	50.61	33.31	8.42	7.03	9.31	17.28	
18:00		28.84	50.5	33.25	8.41	6.29	3.53	18.78	
21:00	28.51	50.26	33.09	8.41	5.75	3.82	4.7		
日平均值		28.31	50.39	33.18	8.41	6.29	4.89	11.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
11月12日	蚵殼站	0:00	27.47	49.36	32.51	8.23	7.28	3.41	3.51
		3:00	27.27	49.49	32.59	8.34	6.01	3.81	2.83
		6:00	27.68	49.78	32.78	8.39	5.48	3.79	5.72
		9:00	27.74	49.1	32.35	8.49	6.65	4.22	6.5
		12:00	28	49.47	32.56	8.49	7.2	4.22	6.82
		15:00	27.93	49.97	32.89	8.46	7.17	3.82	4.15
		18:00	27.88	50.06	32.94	8.25	5.88	3.32	3.65
	21:00	27.71	49.68	32.71	8.4	5.6	3.41	3.91	
	日平均值		27.71	49.61	32.67	8.38	6.41	3.75	4.64
	潮口站	0:00	28.47	49.31	32.47	7.76	6.04	1.76	7.58
		3:00	28.21	49.27	32.44	7.79	6.78	1.65	9.67
		6:00	27.6	48.25	31.77	7.59	7.73	5.82	9.58
		9:00	27.95	47.92	31.55	7.66	7.01	2.38	14.79
		12:00	28.46	48.26	31.78	7.78	6.27	1.41	16.94
		15:00	28.54	48.6	32	8	6.11	1.96	17.56
		18:00	28.34	48.58	31.99	8.22	7.76	1.7	17.24
	21:00	28.25	48.29	31.8	8.22	6.74	1.7	18.61	
	日平均值		28.23	48.56	31.98	7.88	6.81	2.30	14.00
	灣內站	0:00	28.35	50.73	33.4	8.44	5.21	3.87	5.46
		3:00	28.22	50.73	33.42	8.47	6.93	4.16	4.27
		6:00	27.97	50.69	33.38	8.43	5.47	4.07	7.47
9:00		28.41	50.57	33.28	8.44	6.8	3.87	9.52	
12:00		28.75	50.76	33.42	8.45	7.45	3.82	19.81	
15:00		28.61	50.76	33.43	8.42	6.82	3.89	8.78	
18:00		28.79	50.78	33.44	8.43	5.59	3.31	2.24	
21:00	28.59	50.59	33.31	8.19	5.47	4.82	2.13		
日平均值		28.46	50.70	33.39	8.41	6.22	3.98	7.46	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月13日	蚵殼站	0:00	27.63	49.32	32.48	8.41	5.31	3.22	5.12
		3:00	27.58	49.51	32.6	8.34	7.28	3.53	5.4
		6:00	27.68	50.03	32.93	8.41	6.01	3.65	6.38
		9:00	27.78	49.56	32.63	8.49	5.46	3.72	7.9
		12:00	28.22	49.54	32.62	8.46	6.1	3.62	4.77
		15:00	28.01	49.99	32.91	8.46	6.78	3.99	3.89
		18:00	27.96	50.38	33.18	8.33	6.45	3.7	4.43
	21:00	27.9	49.81	32.78	8.35	5.14	3.05	5.32	
	日平均值		27.85	49.77	32.77	8.41	6.07	3.56	5.40
	潮口站	0:00	28.36	48.72	32.08	8.05	6.03	1.98	13.95
		3:00	28.45	49.33	32.48	7.99	6.78	1.56	10.47
		6:00	27.68	47.96	31.58	8.28	7.66	1.57	5.18
		9:00	27.95	47.96	31.58	8.14	6.74	2.03	6.86
		12:00	28.45	48.46	31.91	8.18	6.37	1.62	4.15
		15:00	28.51	48.87	32.18	8.27	7.09	2.03	4.48
		18:00	28.36	48.45	31.9	8.41	7.11	4.38	10.23
	21:00	28.25	47.92	31.55	7.88	6.57	1.5	13.64	
	日平均值		28.25	48.46	31.91	8.15	6.79	2.08	8.62
	灣內站	0:00	28.5	50.83	33.46	8.2	5.13	5.16	9.15
		3:00	28.34	50.97	33.57	8.22	6.48	4.57	3.91
		6:00	28.38	51.18	33.71	8.12	5.44	3.85	5.37
9:00		28.53	51.18	33.72	8.25	5.76	3.3	6.29	
12:00		29.13	51.09	33.65	8.4	7.27	3.93	7.59	
15:00		28.95	51.08	33.64	8.46	7.22	3.92	8.51	
18:00		28.87	51.12	33.67	8.26	5.58	3.52	14.92	
21:00	28.78	51.09	33.66	8.19	5.32	3.68	10.57		
日平均值		28.69	51.07	33.64	8.26	6.03	3.99	8.29	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月14日	蚵殼站	0:00	27.71	49.73	32.74	8.26	6.62	3.14	4.27
		3:00	27.47	49.67	32.71	8.25	5.57	3.34	3.46
		6:00	27.81	50.63	33.33	8.23	5.77	3.55	5.28
		9:00	27.81	50.12	32.99	8.38	5.58	3.4	4.06
		12:00	28.07	49.76	32.75	8.41	6.38	3.97	4.22
		15:00	28.1	50.53	33.27	8.44	7.19	3.89	4.53
		18:00	28.02	50.98	33.57	8.18	5.63	3.19	3.93
	21:00	27.93	50.45	33.2	8.31	6.03	3.01	4.52	
	日平均值		27.87	50.23	33.07	8.31	6.10	3.44	4.28
	潮口站	0:00	28.31	48.17	31.72	8.28	5.84	2.14	4.54
		3:00	28.44	49.01	32.27	8.14	6.09	1.69	5.35
		6:00	28.09	48.45	31.9	8.19	7.18	5.3	3.99
		9:00	28.15	47.99	31.6	8.28	7.2	2.42	4.12
		12:00	28.36	48.14	31.7	8	6.48	1.46	14.44
		15:00	28.52	47.72	31.42	8.22	7.42	1.3	12.46
		18:00	28.48	48.29	31.8	8.1	7.12	1.27	7.02
	21:00	28.38	48.29	31.8	7.93	7.62	2.41	13.55	
	日平均值		28.34	48.26	31.78	8.14	6.87	2.25	8.18
	灣內站	0:00	28.55	51.21	33.72	8.13	5.8	3.81	9.67
		3:00	28.49	51.26	33.77	8.07	5.74	7.11	7.02
		6:00	28.38	51.06	33.64	8.12	5.85	3.84	9.76
9:00		28.53	50.9	33.5	8.23	6.3	3.4	7.65	
12:00		28.8	50.88	33.51	8.41	7.09	3.27	14.86	
15:00		28.82	51.08	33.66	8.36	6.29	3.86	13.68	
18:00		28.83	51.17	33.7	8.22	5.23	4.34	3.57	
21:00	28.81	50.97	33.57	8.24	5.22	3.36	2.25		
日平均值		28.65	51.07	33.63	8.22	5.94	4.12	8.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月15日	蚵殼站	0:00	27.83	49.91	32.86	8.32	6.51	3.51	5.61
		3:00	27.75	49.92	32.86	8.26	5.4	3	4.22
		6:00	27.75	50.32	33.13	8.31	6.45	3.45	5.08
		9:00	27.94	50.5	33.24	8.35	5.57	3.38	5.76
		12:00	28.25	50.45	33.2	8.43	6.38	3.76	7.89
		15:00	28.1	50.88	33.5	8.43	6.48	3.6	6.5
		18:00	28.02	50.42	33.19	8.2	6.2	3.12	5.27
		21:00	27.94	50.6	33.3	8.17	6.45	2.98	5.48
	日平均值		27.95	50.38	33.16	8.31	6.18	3.35	5.73
	潮口站	0:00	28.38	48.05	31.64	8.21	6.44	2.11	7.38
		3:00	28.43	48.73	32.09	8.41	7.28	1.5	9.3
		6:00	28.3	48.66	32.04	8.43	7.23	1.84	16.51
		9:00	28.21	47.9	31.54	8.4	7.27	1.81	15.83
		12:00	28.56	47.6	31.34	8.43	6.72	2.28	15.09
		15:00	28.58	45.9	30.22	8.44	7.26	2.46	18.32
		18:00	28.52	47.51	31.28	8.38	6.83	13.34	16.7
		21:00	28.38	47.98	31.59	8.37	7.61	2.02	16.91
	日平均值		28.42	47.79	31.47	8.38	7.08	3.42	14.51
	灣內站	0:00	28.73	50.94	33.54	8.16	5.07	3.87	2.02
		3:00	28.51	51.2	33.72	8.16	6.17	3.87	4.02
		6:00	28.56	51.26	33.77	8.16	6.45	3.75	4.5
		9:00	28.78	51.11	33.65	8.29	6.42	4.16	5.57
		12:00	28.88	51	33.59	8.39	6.89	10.73	16.92
		15:00	28.92	51.18	33.7	8.39	6.47	3.96	22.26
		18:00	28.78	51.27	33.77	8.18	5.01	3.63	6.07
		21:00	28.7	50.92	33.53	8.21	6.68	3.62	1.63
	日平均值		28.73	51.11	33.66	8.24	6.15	4.70	7.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月16日	蚵殼站	0:00	27.78	50.31	33.13	8.27	5.37	3.22	5.13
		3:00	27.41	49.68	32.7	8.31	6.3	3.87	5.86
		6:00	27.39	49.4	32.53	8.19	6.45	3.56	5.42
		9:00	27.82	49.95	32.88	8.33	6.17	3.5	6.5
		12:00	28.37	50.34	33.15	8.39	6.43	4.55	7.02
		15:00	28.3	50.7	33.38	8.42	6.64	4.12	8.93
		18:00	28.29	49.86	32.82	8.23	6.69	3.4	6.62
		21:00	28.1	49.86	32.83	8.19	6.45	3.13	8.48
	日平均值		27.93	50.01	32.93	8.29	6.31	3.67	6.75
	潮口站	0:00	28.31	47.69	31.4	8.38	6.4	2.11	16.97
		3:00	28.52	48.28	31.79	8.36	7.26	1.61	14.69
		6:00	28.6	48.7	32.07	8.4	6.81	1.83	17.59
		9:00	28.29	47.72	31.42	8.39	7.61	3.88	18.01
		12:00	28.71	47.41	31.22	8.34	6.76	2.34	17.12
		15:00	28.99	45.18	29.75	8.3	6.5	1.78	17.57
		18:00	28.88	47.37	31.19	8.28	6.57	1.98	16.56
		21:00	28.57	47.51	31.28	8.3	7.72	1.6	17.45
	日平均值		28.61	47.48	31.27	8.34	6.95	2.14	17.00
	灣內站	0:00	28.39	50.29	33.11	8.14	6.62	4.28	0.58
		3:00	28.22	50.49	33.24	8.07	5.57	3.68	2.47
		6:00	28.37	50.98	33.57	8.15	5.45	5.09	2.07
		9:00	28.8	50.83	33.46	8.28	6.68	3.5	6.03
		12:00	29.22	50.89	33.5	8.45	7.57	11.22	18.88
		15:00	29.25	50.9	33.51	8.48	7.47	7.77	23.19
		18:00	28.95	50.64	33.33	8.34	5.8	3.89	5.27
		21:00	29.14	50.83	33.47	8.28	6.34	4	1.32
	日平均值		28.79	50.73	33.40	8.27	6.44	5.43	7.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月17日	蚵殼站	0:00	27.96	49.88	32.84	8.2	6.69	3.21	6.76	
		3:00	27.85	49.86	32.81	8.29	5.67	3.73	6.92	
		6:00	27.76	49.75	32.75	8.28	5.12	3.26	6.78	
		9:00	27.9	49.72	32.73	8.29	5.73	3.09	7.65	
		12:00	28.52	49.57	32.65	8.41	6.8	3.88	8.06	
		15:00	28.34	50.36	33.16	8.47	7.32	4.36	7.1	
		18:00	28.41	50.17	33.02	8.3	5.67	2.92	6.78	
		21:00	28.31	50.35	33.15	8.2	5.43	2.81	6.94	
	日平均值			28.13	49.96	32.89	8.31	6.05	3.41	7.12
	潮口站	0:00	28.52	47.43	31.23	8.29	6.7	2.14	15.92	
		3:00	28.55	47.79	31.47	8.28	6.29	4.1	17.76	
		6:00	28.81	48.87	32.18	8.37	6.41	6.9	18.86	
		9:00	28.67	48.11	31.68	8.38	7.4	4.53	17.28	
		12:00	28.8	47.63	31.36	8.3	6.74	1.64	17.3	
		15:00	29.12	46.23	30.44	8.31	6.55	2.3	18.13	
		18:00	28.98	47.02	30.96	8.4	6.12	1.54	18.2	
		21:00	28.76	47.6	31.34	8.17	7.48	1.82	14.09	
	日平均值			28.78	47.59	31.33	8.31	6.71	3.12	17.19
	灣內站	0:00	28.95	50.62	33.34	8.31	6.14	3.65	2.44	
		3:00	28.79	49.95	32.89	8.19	5.3	3.9	1.89	
		6:00	28.67	50.54	33.28	8.26	5.3	3.88	11.19	
		9:00	29.08	50.72	33.39	8.31	6.12	3.71	6.44	
		12:00	29.68	50.33	33.13	8.42	8.31	30.42	19.98	
		15:00	29.61	50.42	33.19	8.41	7.87	5.15	21.93	
		18:00	29.37	50.62	33.33	8.41	6.37	4.42	5.22	
		21:00	29.39	50.68	33.38	8.43	5.99	3.64	1.13	
	日平均值			29.19	50.49	33.24	8.34	6.43	7.35	8.78
	甲類海域地面水體基準值				環評承諾日平均值需達標準		7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月18日	蚵殼站	0:00	28.25	49.87	32.84	8.26	6.45	3.15	7.28	
		3:00	28.03	49.78	32.78	8.35	5.52	3.3	6.26	
		6:00	27.92	49.67	32.69	8.44	6.38	3.87	5.59	
		9:00	28.22	49.44	32.55	8.35	6.2	3.18	6.53	
		12:00	28.56	49.76	32.77	8.42	7.04	3.88	6.11	
		15:00	28.63	50.15	33.25	8.44	7.19	3.18	6.11	
		18:00	29.95	50.38	33.17	8.43	7.06	3.73	2.4	
		21:00	29.86	50.49	33.25	8.47	7.13	3.71	1.85	
	日平均值			28.68	49.94	32.91	8.40	6.62	3.50	5.27
	潮口站	0:00	28.6	47.79	31.47	8.45	7.64	1.48	17.77	
		3:00	28.59	47.64	31.37	8.4	6.73	3.61	18.93	
		6:00	28.79	48.78	32.12	8.41	6.2	2	16.43	
		9:00	28.86	48.69	32.06	8.44	6.96	1.5	13.8	
		12:00	28.99	47.75	31.44	8.39	6.86	1.72	8.16	
		15:00	29.18	47.02	30.96	8.37	6.87	2.2	11.73	
		18:00	28.92	47.25	31.11	8.35	6.19	1.71	17.77	
		21:00	28.85	48.04	31.63	8.38	6.98	2.83	17.61	
	日平均值			28.85	47.87	31.52	8.40	6.80	2.13	15.28
	灣內站	0:00	29.4	50.62	33.32	8.47	5.53	3.96	1.47	
		3:00	29.05	49.82	32.81	8.21	5.77	3.7	2.32	
		6:00	28.9	50.52	33.25	8.26	5.17	4.51	1.91	
		9:00	29.33	50.82	33.45	8.3	5.75	3.49	1.54	
		12:00	29.96	50.52	33.26	8.41	7.79	10.32	22.06	
		15:00	30.04	50.41	33.18	8.43	7.61	20.45	25.42	
		18:00	29.71	50.62	33.33	8.44	5.93	3.41	4.47	
		21:00	29.73	50.7	33.39	8.47	6.2	3.54	1.27	
	日平均值			29.52	50.50	33.25	8.37	6.22	6.67	7.56
	甲類海域地面水體基準值				環評承諾日平均值需達標準		7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月19日	蚵殼站	0:00	29.79	51.01	33.6	8.25	7.15	3.81	1.09
		3:00	29.89	50.17	33.03	8.46	7.89	3.5	4.18
		6:00	29.75	49.99	32.9	8.46	8.31	3.64	5.08
		9:00	29.8	50.04	32.95	8.43	7.76	3.66	2.97
		12:00	29.79	50.6	33.6	8.41	6.6	3.18	8.43
		15:00	29.99	50.52	33.25	8.43	6.76	3.63	7.74
		18:00	29.95	50.38	33.17	8.43	6.66	3.73	2.4
		21:00	29.86	50.49	33.25	8.47	6.73	3.71	1.85
	日平均值		29.85	50.40	33.22	8.42	7.23	3.61	4.22
	潮口站	0:00	28.8	47.72	31.42	8.35	7.79	1.45	13.92
		3:00	28.83	47.69	31.4	8.34	7.15	1.88	9.95
		6:00	28.8	48.1	31.67	8.33	6.41	1.58	16.31
		9:00	28.86	49.22	32.41	8.39	6.84	1.74	17.05
		12:00	29.22	48.29	31.8	8.21	6.85	1.12	17.09
		15:00	29.35	48.01	31.61	8.3	6.68	2.13	17.27
		18:00	28.98	48.99	32.26	8.3	7	1.78	18.46
		21:00	28.98	48.84	32.16	8.18	6.9	1.7	18.11
	日平均值		28.98	48.36	31.84	8.30	6.95	1.67	16.02
	灣內站	0:00	29.52	50.49	33.23	8.39	6.51	3.59	0.45
		3:00	29.27	50.29	33.12	8.04	5.01	3.7	0.93
		6:00	28.91	50.48	33.23	8.25	5.28	3.73	3.23
		9:00	29.21	50.63	31.58	8.32	5.5	7.8	3.01
		12:00	29.77	51	33.59	8.44	6.75	3.94	13.46
		15:00	30.1	51.33	33.81	8.47	6.95	3.93	11.75
		18:00	29.9	51.42	33.86	8.43	5.38	3.34	6.03
		21:00	29.6	51.49	33.9	8.44	5.59	4.1	2.71
	日平均值		29.54	50.89	33.29	8.35	5.87	4.27	5.20
甲類海域地面水體基準值				環評承諾日平均值需達標準		7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月20日	蚵殼站	0:00	29.79	51.01	33.6	8.25	7.15	3.81	1.09
		3:00	29.89	50.17	33.03	8.46	7.89	3.5	4.18
		6:00	29.75	49.99	32.9	8.43	8.31	3.64	5.08
		9:00	29.8	50.04	32.95	8.46	7.76	3.66	2.97
		12:00	29.94	50.92	33.52	8.44	6.98	3.89	5.7
		15:00	30.38	50.65	33.34	8.43	8.48	3.4	4.44
		18:00	30.42	50.57	33.28	8.47	7.69	3.43	0.92
		21:00	30.02	51.18	33.72	8.38	6.05	3.91	0.61
	日平均值		30.00	50.57	33.29	8.42	7.54	3.66	3.12
	潮口站	0:00	29.18	48.02	31.62	8.27	7.75	7.92	16.41
		3:00	29.22	48.14	31.7	8.17	7.66	1.42	10.71
		6:00	29.19	48.19	31.73	8.21	6.12	2.9	5.07
		9:00	29.03	48.9	32.2	8.27	6.68	1.66	17.28
		12:00	29.4	50.76	33.43	8.44	7.77	2.02	1.31
		15:00	29.32	50.87	33.5	8.42	5.78	5.81	2.01
		18:00	28.89	50.51	33.26	8.46	5.55	2.49	1.58
		21:00	28.53	51.28	33.78	8.44	5.73	2.78	3.01
	日平均值		29.10	49.58	32.65	8.34	6.63	3.38	7.17
	灣內站	0:00	29.67	51.46	33.88	8.42	7.28	3.84	3.04
		3:00	29.22	51.4	33.85	8.43	6.01	16.49	9.24
		6:00	28.83	51.24	33.75	8.42	5.48	3.84	8.95
		9:00	29.55	51.7	34.05	8.42	6.65	3.66	4.35
		12:00	30.28	51.46	33.9	8.43	7.2	4.39	10.2
		15:00	30.62	51.52	33.93	8.44	7.17	2.74	7.32
		18:00	30.34	51.31	33.8	8.45	5.88	16.82	4.38
		21:00	30.18	51.59	33.97	8.42	5.6	9.5	1.95
	日平均值		29.84	51.46	33.89	8.43	6.41	7.66	6.18
甲類海域地面水體基準值				環評承諾日平均值需達標準		7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月21日	蚵殼站	0:00	29.97	51.19	33.72	8.31	5.49	3.5	0.72
		3:00	30.03	50.67	33.37	8.4	6.19	3.97	1.59
		6:00	30.01	50.64	33.35	8.42	6.74	3.94	2.43
		9:00	30.03	50.81	33.46	8.41	7	3.85	2.42
		12:00	30.28	50.68	33.39	8.46	6.85	3.7	4.08
		15:00	30.26	50.78	33.45	8.49	7.27	3.44	4.42
		18:00	30.15	50.77	33.45	8.44	5.54	3.62	1.61
	21:00	30.01	50.66	33.36	8.41	6.21	3.46	1.66	
	日平均值		30.09	50.78	33.44	8.42	6.41	3.69	2.37
	潮口站	0:00	29.12	50.17	33.04	8.42	7.85	2.47	3.34
		3:00	29.27	49.91	32.86	8.46	7.56	2.71	3.56
		6:00	29.45	49.52	32.61	8.42	7.14	2.81	1.92
		9:00	29	50.32	33.13	8.44	5.68	2.76	2.73
		12:00	28.81	50.24	33.07	8.4	5.59	2.79	2.63
		15:00	28.93	50.13	33	8.39	5.34	2.78	2.89
		18:00	28.66	50.24	33.07	7.97	5.84	2.61	2.18
	21:00	28.31	50.99	33.59	8.35	6.16	2.58	3.66	
	日平均值		28.94	50.19	33.05	8.36	6.40	2.69	2.86
	灣內站	0:00	30	51.62	34	8.42	5.31	4.39	4.93
		3:00	29.87	51.34	33.81	8.42	7.28	35.11	8.23
		6:00	29.7	50.38	33.16	8.37	6.01	65.94	11.35
9:00		29.91	50.83	33.47	8.46	5.46	33.32	7.25	
12:00		29.98	51.21	33.72	8.45	6.1	28.89	12.59	
15:00		29.77	51.43	33.87	8.42	6.78	26.47	10.9	
18:00		29.66	51.11	33.66	8.43	6.45	78.86	2.54	
21:00	29.59	51.29	33.77	8.42	5.14	88.96	0.78		
日平均值		29.81	51.15	33.68	8.42	6.07	45.24	7.32	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月22日	蚵殼站	0:00	30.01	50.63	33.33	8.42	5.78	4.01	0.88
		3:00	29.99	50.43	33.22	8.45	5.21	3.71	2.4
		6:00	29.89	50	32.9	8.42	6.07	3.4	5.31
		9:00	29.93	50	32.92	8.49	7.06	3.67	3.86
		12:00	30.1	50.46	33.23	8.45	7.29	3.86	3.17
		15:00	30.13	50.69	33.39	8.47	7.35	3.55	4.32
		18:00	30.16	50.66	33.37	8.47	6.39	3.93	1.45
	21:00	30.15	50.6	33.32	8.39	5.93	3.41	0.92	
	日平均值		30.05	50.43	33.21	8.45	6.39	3.69	2.79
	潮口站	0:00	28.63	50.57	33.3	8.46	6.37	2.68	2.66
		3:00	28.96	49.91	32.86	8.48	7.41	2.73	2.48
		6:00	29.02	49.77	32.78	8.31	7.07	2.53	2.64
		9:00	28.86	50.27	33.11	8.04	6.25	2.54	2.83
		12:00	28.65	51.17	33.71	7.88	6.67	2.86	6.87
		15:00	28.78	51.23	33.75	7.65	5.75	2.51	7.73
		18:00	28.83	50.77	33.43	8.34	6.02	2.81	3.17
	21:00	28.39	51.32	33.81	8.31	6.06	2.77	6.76	
	日平均值		28.77	50.63	33.34	8.18	6.45	2.68	4.39
	灣內站	0:00	29.53	51.64	34	8.39	6.82	70.97	1
		3:00	29.44	51.63	33.99	8.4	5.77	73.4	2.95
		6:00	29.29	51.83	34.14	8.34	5.97	79.2	6.3
9:00		29.7	51.71	34.06	8.4	5.78	26.41	7.87	
12:00		30.35	51.4	33.86	8.43	6.58	23.59	8.11	
15:00		30.5	51.52	33.93	8.42	7.39	4.38	11.1	
18:00		30.34	51.33	33.8	8.42	5.83	24.38	5.47	
21:00	30.07	51.6	33.98	8.39	6.23	53.99	4.36		
日平均值		29.90	51.58	33.97	8.40	6.30	44.54	5.90	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月23日	蚵殼站	0:00	29.82	51.07	33.63	8.24	5.94	3.55	0.98
		3:00	29.93	51.07	33.65	8.27	5.44	4.01	4
		6:00	29.91	50.3	33.12	8.38	6.34	3.8	4.38
		9:00	30.02	50.45	33.23	8.43	7.02	3.68	2.96
		12:00	30.19	50.79	33.46	8.43	6.9	3.56	5.71
		15:00	30.23	50.95	33.56	8.47	7.03	3.65	5.24
		18:00	30.18	50.83	33.49	8.49	6.37	3.63	3.58
	21:00	30.07	50.75	33.43	8.49	6.37	3.58	2.49	
	日平均值		30.04	50.78	33.45	8.40	6.43	3.68	3.67
	潮口站	0:00	28.53	50.84	33.48	8.12	6.32	2.87	4.76
		3:00	29.18	49.62	32.68	8.01	7.91	2.66	2.41
		6:00	29.09	49.78	32.78	8.07	7.82	2.7	2.02
		9:00	29.22	49.83	32.81	8.15	6.27	2.71	4.18
		12:00	28.89	49.78	32.78	8.14	6.48	2.5	6.02
		15:00	28.88	48.94	32.24	8.43	5.93	2.89	2.97
		18:00	28.9	50.51	33.24	8.4	5.16	2.44	3.1
	21:00	28.69	50.81	33.46	8.42	5.17	2.37	4.1	
	日平均值		28.92	50.01	32.93	8.22	6.38	2.64	3.70
	灣內站	0:00	29.97	51.75	34.09	8.35	6.71	72.98	3.3
		3:00	29.69	51.8	34.12	8.24	5.6	58.76	3.84
		6:00	29.32	51.79	34.1	8.18	6.65	42.05	8.22
9:00		29.73	51.67	34.02	8.35	5.77	25.61	13.7	
12:00		29.79	51.8	34.12	8.42	6.58	6.21	11.45	
15:00		29.85	51.94	34.22	8.49	6.68	12.12	14.41	
18:00		29.78	51.85	34.15	8.37	6.4	35.29	8.17	
21:00	29.6	51.74	34.08	8.28	6.65	3.65	1.57		
日平均值		29.72	51.79	34.11	8.34	6.38	32.08	8.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月24日	蚵殼站	0:00	29.93	50.71	33.4	8.48	5.71	3.69	2.84
		3:00	29.87	50.64	33.34	8.47	5.99	3.85	3.74
		6:00	29.85	50.65	33.35	8.37	5.88	3.49	7.23
		9:00	29.99	50.73	33.42	8.33	6.85	3.67	4.82
		12:00	30.13	50.83	33.48	8.4	7.03	3.59	5.33
		15:00	30.16	50.92	33.55	8.48	7.16	3.54	4.21
		18:00	29.9	50.83	33.49	8.43	6.71	3.71	3.43
	21:00	29.77	50.67	33.37	8.42	6.82	3.59	5.11	
	日平均值		29.95	50.75	33.43	8.42	6.52	3.64	4.59
	潮口站	0:00	28.21	51.46	33.88	8.45	5.17	2.6	5.61
		3:00	28.42	50.6	33.32	8.29	5.51	2.4	3.13
		6:00	28.6	50.01	32.92	8.42	5.72	2.78	5.1
		9:00	28.87	50.03	32.93	8.34	5.8	2.77	2.92
		12:00	28.86	49.28	32.46	8.31	5.8	2.55	5.76
		15:00	28.8	48.78	32.14	8.32	5.82	2.28	9.76
		18:00	28.93	50.13	33	8.26	5.93	2.61	9.85
	21:00	28.86	50.13	33	8.28	5.52	2.55	2.98	
	日平均值		28.69	50.05	32.96	8.33	5.66	2.57	5.64
	灣內站	0:00	29.4	51.6	34	8.3	5.57	3.88	2.27
		3:00	29.13	51.67	34.04	8.29	6.5	3.71	2.25
		6:00	28.95	51.73	34.07	8.41	6.65	30.42	3.42
9:00		29.26	51.07	33.63	8.4	6.37	5.15	4.14	
12:00		29.65	51.5	33.92	8.46	6.63	4.42	9.45	
15:00		29.7	51.53	33.93	8.45	6.84	70.3	6.94	
18:00		29.67	51.5	33.91	8.33	6.89	85.32	4.33	
21:00	29.46	51.43	33.87	8.21	6.65	45.93	2.46		
日平均值		29.40	51.50	33.92	8.36	6.51	31.14	4.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月25日	蚵殼站	0:00	29.85	50.62	33.32	8.39	6.86	3.81	5.74
		3:00	29.59	50.6	33.3	8.41	6.07	3.75	5.87
		6:00	29.69	50.35	33.17	8.41	6.29	3.5	9.4
		9:00	30.03	50.57	33.28	8.38	6.69	3.61	10
		12:00	29.98	50.79	33.45	8.38	6.68	3.79	11.96
		15:00	29.96	50.73	33.43	8.46	6.82	3.51	11.35
		18:00	30	50.8	33.47	8.46	6.03	3.71	11.35
		21:00	29.9	50.69	33.39	8.43	6.04	3.65	10.63
	日平均值		29.88	50.64	33.35	8.42	6.44	3.67	9.54
	潮口站	0:00	28.4	50.94	33.55	8.36	5.54	2.81	7.17
		3:00	28.38	50.77	33.42	8.34	5.4	2.46	2.88
		6:00	28.48	50.08	32.97	8.32	6.34	2.91	2.94
		9:00	28.86	49.94	32.89	8.33	6.19	2.92	3.21
		12:00	28.83	50.15	33.02	8.38	6.21	3.11	3.32
		15:00	28.73	49.77	32.77	8.36	5.9	2.94	6.6
		18:00	28.78	50.31	33.11	8.37	5.82	2.59	5.89
		21:00	28.86	50.13	33.01	8.38	6.08	2.65	5.05
	日平均值		28.67	50.26	33.09	8.36	5.94	2.80	4.63
	灣內站	0:00	29.33	51.23	33.74	8.25	6.89	15.85	1.91
		3:00	29.1	51.36	33.82	8.25	5.87	43.27	2.07
		6:00	28.99	51.89	34.18	8.22	5.32	61.04	2.86
		9:00	29.39	51.95	34.22	8.35	5.93	57.85	3.24
		12:00	29.7	52.06	34.28	8.4	7	33.49	5.15
		15:00	29.75	52.09	34.3	8.35	7.52	3.54	5.86
		18:00	29.64	51.88	34.17	8.35	5.87	3.59	2.6
		21:00	29.47	51.64	34.02	8.22	5.63	3.7	0.92
	日平均值		29.42	51.76	34.09	8.30	6.25	27.79	3.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月26日	蚵殼站	0:00	29.64	50.7	33.4	8.41	6.03	3.77	7.76
		3:00	29.42	50.68	33.38	8.41	6.26	3.47	10.15
		6:00	29.4	50.61	33.31	8.38	6.09	3.69	11.19
		9:00	29.61	50.74	33.43	8.44	6.49	3.19	12.69
		12:00	29.98	50.79	33.46	8.44	6.69	3.6	15.16
		15:00	29.7	50.97	33.58	8.45	7.04	3.32	16.4
		18:00	29.69	50.95	33.57	8.44	6.41	3.55	16.52
		21:00	29.6	50.97	33.59	8.4	6	3.78	17.35
	日平均值		29.63	50.80	33.47	8.42	6.38	3.55	13.40
	潮口站	0:00	28.58	50.87	33.49	8.47	5.59	2.65	9.19
		3:00	28.34	51.36	33.82	8.44	5.16	3.14	6.7
		6:00	28.34	50.61	33.32	8.4	5.8	2.74	3.4
		9:00	28.65	50.34	33.13	8.4	5.88	2.77	2.28
		12:00	28.75	50.7	33.37	8.43	5.99	2.64	2.87
		15:00	28.65	49.83	32.82	8.42	5.94	3.32	6.8
		18:00	28.61	50.37	33.17	8.41	6.02	5.07	8.92
		21:00	28.53	50.36	33.14	8.38	6.32	3.05	3.27
	日平均值		28.56	50.56	33.28	8.42	5.84	3.17	5.43
	灣內站	0:00	29.17	51.68	34.03	8.3	6.65	3.73	1.03
		3:00	28.92	51.56	33.96	8.24	5.72	7.8	1.32
		6:00	28.84	51.9	34.19	8.21	6.58	3.94	1.95
		9:00	29.12	51.9	34.2	8.21	6.4	3.93	2.09
		12:00	29.47	51.79	34.1	8.37	7.24	3.34	6.56
		15:00	29.5	51.8	34.1	8.4	7.39	50.77	6.9
		18:00	29.52	51.76	34.08	8.23	7.26	42.34	3.4
		21:00	29.21	51.53	33.93	8.22	7.33	61.34	2.15
	日平均值		29.22	51.74	34.07	8.27	6.82	22.15	3.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月27日	蚵殼站	0:00	29.51	51	33.6	8.37	6.83	3.75	19.11	
		3:00	29.4	50.83	33.48	8.36	7.47	3.89	14.14	
		6:00	29.23	50.67	33.37	8.34	6.5	3.62	14.67	
		9:00	29.41	50.72	33.41	8.37	6.76	3.66	15.26	
		12:00	29.72	50.76	33.44	8.39	6.96	4.12	15.02	
		15:00	29.65	51.12	33.66	8.3	6.72	3.61	15.73	
		18:00	29.56	51	33.6	8.33	7	3.6	16.65	
		21:00	29.43	51	33.6	8.38	6.63	3.66	12.61	
	日平均值		29.49	50.89	33.52	8.36	6.86	3.74	15.40	
	潮口站	0:00	28.45	50.59	33.31	8.45	5.53	2.47	7.6	
		3:00	28.3	51.13	33.68	8.47	5.46	2.55	9.95	
		6:00	28.22	50.71	33.39	8.41	6.73	3.85	11.88	
		9:00	28.56	50.38	33.16	8.38	6.23	2.41	3.14	
		12:00	28.6	50.52	33.26	8.36	5.97	3.61	5.81	
		15:00	28.52	49.3	32.47	8.36	5.88	2.6	6.21	
		18:00	28.5	50.29	33.12	8.39	5.06	2.56	2.84	
		21:00	28.35	50.04	32.94	8.37	5.3	2.73	3.54	
	日平均值		28.44	50.37	33.17	8.40	5.77	2.85	6.37	
	灣內站	0:00	29.02	51.57	33.97	8.22	7.35	42.71	1.99	
		3:00	28.88	51.64	34.02	8.19	8.09	28.59	2.08	
		6:00	28.72	51.78	34.09	8.23	8.51	27.77	1.81	
		9:00	28.87	51.87	34.17	8.32	7.96	43.77	1.2	
		12:00	29.31	51.99	34.25	8.36	6.8	86.4	3.79	
		15:00	29.12	51.8	34.12	8.47	6.96	64.77	9.82	
		18:00	29.07	51.81	34.12	8.37	6.86	10.87	5.59	
		21:00	28.93	51.74	34.07	8.27	6.93	9.78	4.54	
	日平均值		28.99	51.78	34.10	8.30	7.43	39.33	3.85	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月28日	蚵殼站	0:00	29.37	50.92	33.54	8.29	6.87	3.73	12.58	
		3:00	29.13	50.7	33.4	8.23	7.27	3.72	21.08	
		6:00	28.94	50.75	33.43	8.18	6.3	3.77	15.94	
		9:00	29.1	50.72	33.42	8.27	6.55	3.79	11.19	
		12:00	29.2	50.92	33.54	8.23	7.07	3.33	8.62	
		15:00	29.14	51.17	33.68	8.26	6.96	3.58	8.38	
		18:00	29	51.01	33.6	8.19	7.07	3.53	12.55	
		21:00	28.98	50.92	33.55	8.27	7.16	3.7	14.46	
	日平均值		29.11	50.89	33.52	8.24	6.91	3.64	13.10	
	潮口站	0:00	28.3	49.8	32.78	8.42	6.14	2.77	5.74	
		3:00	28.12	50.68	33.37	8.39	5.42	2.44	9.36	
		6:00	27.92	50.5	33.25	8.35	6.23	2.68	12.04	
		9:00	28.22	50.12	33	8.34	5.73	2.63	16.03	
		12:00	28.35	50.09	33	8.34	5.64	2.68	19.5	
		15:00	28.11	49.43	32.56	8.31	5.95	3.1	17.86	
		18:00	28.09	49.53	32.62	8.3	5.14	2.73	8.88	
		21:00	28	50.03	32.93	8.28	5.37	2.76	5.58	
	日平均值		28.14	50.02	32.94	8.34	5.70	2.72	11.87	
	灣內站	0:00	28.77	51.85	34.14	8.2	7.35	10.07	3	
		3:00	28.55	51.87	34.17	8.1	8.09	9.55	3.5	
		6:00	28.4	51.9	34.2	8.16	8.51	11.04	2.77	
		9:00	28.48	51.65	34.01	8.32	7.96	13.05	4.5	
		12:00	28.88	51.28	33.76	8.35	7.18	12.65	13.71	
		15:00	28.79	51.27	33.77	8.34	8.68	6.9	10.84	
		18:00	28.63	51.18	33.7	8.26	7.89	6.89	8.62	
		21:00	28.52	51.35	33.82	8.24	6.25	5.02	4.17	
	日平均值		28.63	51.54	33.95	8.25	7.74	9.40	6.39	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月29日	蚵殼站	0:00	28.97	50.98	33.58	8.33	6.31	3.85	14.39	
		3:00	28.75	50.88	33.52	8.26	7.72	3.99	13.37	
		6:00	28.43	50.85	33.49	8.26	7.89	3.8	12.44	
		9:00	28.54	50.72	33.42	8.3	7.06	3.56	13.85	
		12:00	28.74	50.77	33.45	8.3	6.68	3.86	11.3	
		15:00	28.54	50.93	33.56	8.35	6.29	3.31	10.32	
		18:00	28.52	51	33.6	8.31	6.02	3.52	13.9	
		21:00	28.52	50.8	33.47	8.3	6.34	3.65	13.45	
	日平均值			28.63	50.87	33.51	8.30	6.79	3.69	12.88
	潮口站	0:00	28.09	49.95	32.88	8.29	5.42	3.08	8.35	
		3:00	27.79	50.72	33.4	8.33	5.28	2.25	4.03	
		6:00	27.73	50.88	33.51	8.27	6.23	2.74	6.65	
		9:00	27.8	50.33	33.13	8.27	5.73	2.73	4.4	
		12:00	28.04	50.75	33.41	8.25	5.47	2.71	3.47	
		15:00	27.86	49.6	32.66	8.22	6.27	3.14	3.8	
		18:00	27.83	50.02	32.93	8.2	5.39	2.58	5.89	
		21:00	27.71	50.02	32.93	8.22	5.34	2.62	4.82	
	日平均值			27.86	50.28	33.11	8.26	5.64	2.73	5.18
	灣內站	0:00	28.21	51.6	33.99	8.15	5.69	4.68	4.08	
		3:00	27.97	51.69	34.03	8.11	6.39	3.68	5.04	
		6:00	27.77	51.55	33.94	8.19	6.94	4.03	10.02	
		9:00	27.93	51.22	33.74	8.26	7.2	5.5	4.4	
		12:00	28.19	50.87	33.5	8.3	7.05	11.73	9.21	
		15:00	28.09	50.99	33.58	8.29	7.47	5.95	10.38	
		18:00	28	51.21	33.73	8.19	5.74	4.18	4.73	
		21:00	27.84	51.44	33.87	8.13	6.41	4.98	3.32	
	日平均值			28.00	51.32	33.80	8.20	6.61	5.59	6.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月30日	蚵殼站	0:00	28.39	50.87	33.51	8.21	6.63	3.62	16.95	
		3:00	28.25	50.68	33.38	8.25	7.29	3.74	17.81	
		6:00	28.01	50.68	33.38	8.27	7.86	3.7	23.59	
		9:00	27.9	50.71	33.41	8.24	7.25	3.98	23.87	
		12:00	28.27	50.91	33.55	8.33	6.12	3.68	18.02	
		15:00	28.3	50.97	33.58	8.29	5.73	3.85	18.16	
		18:00	28.21	50.85	33.5	8.23	6.72	3.57	23.46	
		21:00	28.1	50.92	33.55	8.24	7.12	3.53	22.92	
	日平均值			28.18	50.82	33.48	8.26	6.84	3.71	20.60
	潮口站	0:00	27.8	49.88	32.84	8.21	5.73	5.79	1.9	
		3:00	27.68	50.29	33.12	8.26	5.23	2.7	3.31	
		6:00	27.62	50.76	33.43	8.26	6.23	2.38	7.42	
		9:00	27.43	50	32.93	8.22	5.73	3.01	11.49	
		12:00	27.78	50.74	32.6	8.42	5.99	2.61	3.17	
		15:00	27.76	50.38	33.17	8.44	6.93	2.78	3.79	
		18:00	27.71	50.97	33.56	8.42	6.19	2.77	3.56	
		21:00	27.51	50.84	33.48	8.46	5.95	2.57	4.05	
	日平均值			27.66	50.48	33.14	8.34	6.00	3.08	4.84
	灣內站	0:00	27.64	51.58	33.98	8.07	5.98	4.65	3.79	
		3:00	27.45	51.55	33.96	8.06	5.41	3.81	5.95	
		6:00	27.3	51.33	33.81	8.12	6.27	4.81	10.46	
		9:00	27.46	51.24	33.75	8.18	7.26	4.43	4.3	
		12:00	28.19	50.87	33.5	8.3	7.49	11.73	9.21	
		15:00	28.09	50.99	33.58	8.29	7.55	5.95	10.38	
		18:00	28	51.21	33.73	8.19	6.59	4.18	4.73	
		21:00	27.84	51.44	33.87	8.13	6.13	4.98	3.32	
	日平均值			27.75	51.28	33.77	8.17	6.59	5.57	6.52
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月1日	蚵殼站	0:00	28.1	50.7	33.4	8.36	6.92	3.8	18.04
		3:00	27.94	50.67	33.37	8.31	7.26	4.2	18.18
		6:00	27.78	50.61	33.31	8.35	7.21	3.5	23.13
		9:00	27.91	50.65	33.35	8.38	7.16	3.79	22.16
		12:00	28.03	50.73	33.42	8.42	5.85	3.74	21.48
		15:00	28.03	50.96	33.56	8.37	5.98	3.73	18.86
		18:00	28.08	51.03	33.61	8.34	6.48	3.66	19.56
	21:00	27.83	50.95	33.57	8.38	5.87	3.74	32.41	
	日平均值		27.96	50.79	33.45	8.36	6.59	3.77	21.73
	潮口站	0:00	27.39	50.67	33.37	8.44	5.58	2.62	3.75
		3:00	27.38	50.53	33.26	8.31	5.27	3.08	3.29
		6:00	27.6	51.17	33.68	8.32	5.22	2.53	3.72
		9:00	27.54	50.68	33.38	8.3	5.79	2.61	3.92
		12:00	27.78	50.53	33.27	8.28	5.08	2.61	3.33
		15:00	27.71	49.37	32.51	8.46	6.25	2.43	3.62
		18:00	27.61	50.07	32.97	8.38	5.65	2.67	3.78
	21:00	27.35	50.39	33.17	8.39	5.4	2.55	4.06	
	日平均值		27.55	50.43	33.20	8.36	5.53	2.64	3.68
	灣內站	0:00	28	49.7	32.4	7.86	5.67	3.7	4.6
		3:00	27.84	49.67	32.37	7.81	5.54	4.1	4.36
		6:00	27.68	49.61	32.31	7.85	5.84	3.4	4.13
9:00		27.81	49.65	32.35	7.88	6.2	3.69	3.11	
12:00		27.93	49.73	32.42	7.92	6.62	3.64	9.39	
15:00		27.93	49.96	32.56	7.87	6.77	3.63	16.61	
18:00		27.98	50.03	32.61	7.84	5.35	3.56	4.9	
21:00	27.73	49.95	32.57	7.88	5.35	3.64	3.59		
日平均值		27.86	49.79	32.45	7.86	5.92	3.67	6.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月2日	蚵殼站	0:00	28.04	50.65	33.35	8.41	6.43	3.44	23.17
		3:00	27.78	50.63	33.33	8.39	7.39	3.51	25.39
		6:00	27.66	50.66	33.37	8.37	6.83	3.78	29.51
		9:00	27.77	50.68	33.38	8.42	5.25	3.93	34.12
		12:00	28.01	50.72	33.42	8.49	7.89	3.96	33.7
		15:00	27.8	50.98	33.59	8.43	7.42	3.94	30.16
		18:00	27.8	50.88	33.52	8.39	5.92	3.72	32.81
	21:00	27.83	50.95	33.57	8.38	5.48	3.74	32.41	
	日平均值		27.84	50.77	33.44	8.41	6.58	3.75	30.16
	潮口站	0:00	27.32	50.55	33.3	8.41	5.22	2.79	3.63
		3:00	27.2	50.45	33.22	8.3	5.32	2.81	3.79
		6:00	27.37	51.48	33.88	8.33	6.26	2.79	3.85
		9:00	27.45	51.23	33.72	8.27	6.64	2.5	3.9
		12:00	27.63	50.94	33.54	8.29	5.17	2.96	3.43
		15:00	27.63	50.68	33.37	8.45	5.76	2.36	3.75
		18:00	27.51	50.65	33.36	8.44	5.75	2.33	4.65
	21:00	27.35	50.39	33.17	8.39	5.4	2.55	4.06	
	日平均值		27.43	50.80	33.45	8.36	5.69	2.64	3.88
	灣內站	0:00	27.94	49.65	32.35	7.91	5.47	3.34	2.94
		3:00	27.68	49.63	32.33	7.89	5.88	3.41	3.27
		6:00	27.56	49.66	32.37	7.87	5.35	3.68	3.59
9:00		27.67	49.68	32.38	7.92	6.13	3.83	5.77	
12:00		27.91	49.72	32.42	7.99	6.49	3.86	9.74	
15:00		27.7	49.98	32.59	7.93	6.39	3.84	14.54	
18:00		27.7	49.88	32.52	7.89	6.17	3.62	3.03	
21:00	27.73	49.95	32.57	7.88	6.02	3.64	6.35		
日平均值		27.74	49.77	32.44	7.91	5.99	3.65	6.15	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月3日	蚵殼站	0:00	27.77	50.95	33.57	8.39	5.26	3.75	31.4
		3:00	27.6	50.7	33.4	8.4	7.25	3.97	33.72
		6:00	27.53	50.7	33.4	8.36	7.27	3.55	36.8
		9:00	27.5	50.73	33.42	8.38	6.61	3.49	39.2
		12:00	27.7	50.83	33.47	8.43	6.6	4.02	35.89
		15:00	27.6	50.7	33.4	8.43	7.23	3.61	35.55
		18:00	27.53	50.79	33.44	8.43	6.91	3.63	33.88
	21:00	27.45	50.71	33.42	8.43	6.07	3.64	28.92	
	日平均值	27.59	50.76	33.44	8.41	6.65	3.71	34.42	
	潮口站	0:00	27.18	50.01	32.92	8.41	5.28	2.92	4.81
		3:00	27.07	50.08	32.97	8.32	5.44	2.61	3.86
		6:00	27.15	50.98	33.57	8.28	5.32	2.5	3.97
		9:00	27.3	51.2	33.71	8.25	6.26	2.35	4.1
		12:00	27.26	50.88	33.51	8.27	6.64	2.69	3.97
		15:00	27.69	51.27	33.75	8.39	5.19	2.64	3.96
		18:00	27.63	51.42	33.85	8.37	5.79	2.53	3.78
	21:00	27.4	51.34	33.8	8.33	5.34	2.82	3.81	
	日平均值	27.34	50.90	33.51	8.33	5.66	2.63	4.03	
	灣內站	0:00	27.67	49.95	32.57	7.89	5.91	3.65	2.92
		3:00	27.5	49.7	32.4	7.9	6.29	3.87	4.33
		6:00	27.43	49.7	32.4	7.86	6.21	3.45	3.46
9:00		27.4	49.73	32.42	7.88	6.16	3.39	5.35	
12:00		27.6	49.83	32.47	7.93	6.42	3.92	5.64	
15:00		27.5	49.7	32.4	7.93	6.47	3.51	8.19	
18:00		27.43	49.79	32.44	7.93	6.31	3.53	6.43	
21:00	27.35	49.71	32.42	7.93	6.14	3.54	6.57		
日平均值	27.49	49.76	32.44	7.91	6.24	3.61	5.36		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月4日	蚵殼站	0:00	27.25	50.67	33.37	8.44	6.88	3.67	30.06
		3:00	27.3	50.65	33.35	8.39	6.58	3.88	34.38
		6:00	27.12	50.65	33.35	8.38	7.11	3.24	34.11
		9:00	26.95	50.7	33.4	8.44	7.29	3.74	33.98
		12:00	26.42	50.29	33.13	8.36	7.23	6.76	21.08
		15:00	26.39	49.89	32.86	8.38	7.5	8.73	21.47
		18:00	26.26	51.23	33.73	8.43	5.87	8.09	6.38
	21:00	26.24	49.75	32.76	8.42	5.21	10.98	4.25	
	日平均值	26.74	50.48	33.24	8.41	6.71	6.14	23.21	
	潮口站	0:00	26.89	50.87	33.5	8.44	6.52	2.74	15.98
		3:00	26.72	50.69	33.38	8.38	6.19	2.68	12.12
		6:00	26.96	51.19	33.7	8.27	5.1	2.73	4.37
		9:00	27.3	51.52	33.93	8.22	5.79	2.73	3.82
		12:00	27.19	51.19	33.7	8.39	6.22	2.56	3.68
		15:00	27.02	50.82	33.46	8.43	6.22	2.68	3.66
		18:00	27.01	50.77	33.42	8.46	6.65	2.54	3.79
	21:00	26.85	50.79	33.44	8.45	6.09	2.74	3.85	
	日平均值	26.99	50.98	33.57	8.38	6.10	2.68	6.41	
	灣內站	0:00	27.15	49.67	32.37	7.94	6.12	3.57	2.67
		3:00	27.2	49.65	32.35	7.89	6.38	3.78	1.33
		6:00	27.02	49.65	32.35	7.88	6.31	3.14	1.73
9:00		26.85	49.7	32.4	7.94	6.43	3.64	2.17	
12:00		26.32	49.29	32.13	7.86	6.62	6.66	9.25	
15:00		26.29	48.89	31.86	7.88	6.56	8.63	17.08	
18:00		26.16	50.23	32.73	7.93	6.5	7.99	5.57	
21:00	26.14	48.75	31.76	7.92	6.36	10.88	4.54		
日平均值	26.64	49.48	32.24	7.91	6.41	6.04	5.54		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月5日	蚵殼站	0:00	25.84	50.78	33.44	8.44	5.49	4.66	4.57
		3:00	25.73	49.34	32.49	8.45	5.84	12.1	12.53
		6:00	25.62	51.21	33.71	8.39	5.66	5.57	9.86
		9:00	25.75	50.02	32.95	8.46	5.75	7.65	7.9
		12:00	26.08	50.22	33.07	8.36	7.69	4.21	10.52
		15:00	26.2	50.77	33.42	8.38	7.67	6	8.02
		18:00	26.2	51.26	33.76	8.46	6.24	9.24	3.55
		21:00	26.28	50.45	33.23	8.4	6.26	9.12	3.16
	日平均值		25.96	50.51	33.26	8.42	6.33	7.32	7.51
	潮口站	0:00	26.38	50.43	33.2	8.45	7.56	2.56	5.41
		3:00	26.1	50.19	33.04	8.42	7.88	2.78	5.75
		6:00	26.12	50.07	32.95	8.34	6.12	2.49	3.57
		9:00	26.84	50.32	33.13	8.3	5.2	2.75	3.69
		12:00	27.14	50.08	32.97	8.34	5.32	2.67	3.78
		15:00	27.26	49.25	32.43	8.4	6.26	2.34	3.91
		18:00	27.03	49.14	32.36	8.45	6.64	2.35	3.61
		21:00	27.03	49.92	32.87	8.4	5.68	2.46	3.75
	日平均值		26.74	49.93	32.87	8.39	6.33	2.55	4.18
	灣內站	0:00	25.74	49.78	32.44	7.94	6.44	4.56	1.73
		3:00	25.63	48.34	31.49	7.95	6.34	12	2.78
		6:00	25.52	50.21	32.71	7.89	6.23	5.47	3.2
		9:00	25.65	49.02	31.95	7.96	6.26	7.55	4.13
		12:00	25.98	49.22	32.07	7.86	6.6	4.11	13.93
		15:00	26.1	49.77	32.42	7.88	6.5	5.9	11.45
		18:00	26.1	50.26	32.76	7.96	6.17	9.14	1.98
		21:00	26.18	49.45	32.23	7.9	6.18	9.02	1.43
	日平均值		25.86	49.51	32.26	7.92	6.34	7.22	5.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月6日	蚵殼站	0:00	26.3	50.99	33.58	8.4	6.92	3.09	4
		3:00	26.15	51.09	33.65	8.45	7.26	3	5.26
		6:00	25.9	51.11	33.65	8.4	7.21	3.17	8.62
		9:00	25.97	49.94	32.88	8.46	7.16	5.62	8.87
		12:00	26.16	50.81	33.45	8.39	7.32	3.19	9.27
		15:00	26.11	51.19	33.7	8.41	7.57	6.73	6
		18:00	26.01	51.18	33.7	8.48	6.48	14.23	3.29
		21:00	26.02	51.08	33.65	8.46	5.87	9.64	2.84
	日平均值		26.08	50.92	33.53	8.43	6.97	6.08	6.02
	潮口站	0:00	26.53	49.99	32.9	8.37	7.01	2.75	3.74
		3:00	26.31	50.03	32.92	8.39	6.72	3.02	3.9
		6:00	26.24	49.65	32.67	8.38	5.48	2.65	4.14
		9:00	26.75	49.99	32.9	8.39	5.37	2.63	3.67
		12:00	27.01	50.09	32.97	8.39	5.26	2.9	3.57
		15:00	27.1	49.28	32.45	8.4	5.79	2.91	3.73
		18:00	27.02	49.69	32.71	8.38	6.13	2.34	3.67
		21:00	27.02	50.03	32.93	8.39	6.04	2.82	3.61
	日平均值		26.75	49.84	32.81	8.39	5.98	2.75	3.75
	灣內站	0:00	26.2	49.99	32.58	7.9	6.44	2.99	1.84
		3:00	26.05	50.09	32.65	7.95	6.37	2.9	1.73
		6:00	25.8	50.11	32.65	7.9	6.23	3.07	4.79
		9:00	25.87	48.94	31.88	7.96	6.32	5.52	4.25
		12:00	26.06	49.81	32.45	7.89	6.62	3.09	3.77
		15:00	26.01	50.19	32.7	7.91	6.68	6.63	4.68
		18:00	25.91	50.18	32.7	7.98	6.65	14.13	1.3
		21:00	25.92	50.08	32.65	7.96	6.43	9.54	1.11
	日平均值		25.98	49.92	32.53	7.93	6.47	5.98	2.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月7日	蚵殼站	0:00	26.14	51.11	33.67	8.48	6.43	6.65	3.04	
		3:00	25.81	50.61	33.34	8.45	7.39	5.14	3.27	
		6:00	25.62	50.7	33.4	8.4	6.83	10.06	8.49	
		9:00	25.7	50.7	33.4	8.46	6.92	6.25	8.6	
		12:00	25.93	50.72	33.41	8.39	7.8	3.76	8.1	
		15:00	26.1	50.98	33.58	8.46	7.52	9.9	6.39	
		18:00	26.09	49.34	32.5	8.45	5.92	11.9	4.23	
		21:00	25.92	51.01	33.6	8.42	5.48	10.86	2.63	
	日平均值			25.91	50.65	33.36	8.44	6.79	8.07	5.59
	潮口站	0:00	26.71	50.09	32.97	8.38	6.27	2.58	3.86	
		3:00	26.4	49.95	32.88	8.38	5.99	2.58	4.07	
		6:00	26.37	49.76	32.73	8.38	5.79	2.79	3.31	
		9:00	26.7	50.16	33.02	8.35	5.5	2.39	4.07	
		12:00	27.23	50.3	33.12	8.35	5.4	2.95	3.81	
		15:00	27.29	50.3	33.12	8.35	5.16	2.71	3.98	
		18:00	27.15	50.05	32.95	8.34	5.69	2.8	3.64	
		21:00	27.08	50.3	33.11	8.34	5.79	2.63	3.91	
	日平均值			26.87	50.11	32.99	8.36	5.70	2.68	3.83
	灣內站	0:00	26.04	50.11	32.67	7.98	6.54	6.55	4.29	
		3:00	25.71	49.61	32.34	7.95	6.45	5.04	2.96	
		6:00	25.52	49.7	32.4	7.9	6.45	9.96	2.85	
		9:00	25.6	49.7	32.4	7.96	6.78	6.15	4.07	
		12:00	25.83	49.72	32.41	7.89	6.9	3.66	7.3	
		15:00	26	49.98	32.58	7.96	6.98	9.8	12.07	
		18:00	25.99	48.34	31.5	7.95	6.94	11.8	2.76	
		21:00	25.82	50.01	32.6	7.92	6.71	10.76	2.06	
	日平均值			25.81	49.65	32.36	7.94	6.72	7.97	4.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月8日	蚵殼站	0:00	25.83	51.15	33.67	8.44	5.26	10.04	3.94	
		3:00	25.91	49.38	32.53	8.45	7.25	2.93	3.45	
		6:00	25.78	50.57	33.31	8.39	7.27	7.03	4.7	
		9:00	25.89	50.9	33.53	8.46	6.61	3.1	5.31	
		12:00	26.03	50.99	33.59	8.36	6.6	4.58	6.54	
		15:00	26.22	51.17	33.69	8.38	7.23	11.01	5.11	
		18:00	26.08	51.12	33.66	8.46	6.91	4.03	4.87	
		21:00	25.84	51.24	33.74	8.4	6.07	6.97	3.97	
	日平均值			25.95	50.82	33.47	8.42	6.65	6.21	4.74
	潮口站	0:00	26.92	50.3	33.11	8.35	5.72	2.67	3.87	
		3:00	26.63	50.28	33.09	8.36	6.15	2.72	3.87	
		6:00	26.54	50.12	32.99	8.38	6.03	2.76	3.86	
		9:00	26.63	50.33	33.13	8.32	5.68	2.43	3.8	
		12:00	27.03	50.62	33.34	8.34	5.64	2.49	3.79	
		15:00	27.06	50.44	33.23	8.34	5.5	2.84	3.48	
		18:00	26.8	50.36	33.15	8.33	5.84	2.62	3.93	
		21:00	26.84	50.46	33.23	8.34	5.98	2.37	4.15	
	日平均值			26.81	50.36	33.16	8.35	5.82	2.61	3.84
	灣內站	0:00	25.73	50.15	32.67	7.94	6.74	9.94	0.74	
		3:00	25.81	48.38	31.53	7.95	6.63	2.83	1.1	
		6:00	25.68	49.57	32.31	7.89	6.46	6.93	2.24	
		9:00	25.79	49.9	32.53	7.96	6.44	3	1.8	
		12:00	25.93	49.99	32.59	7.86	6.87	4.48	4.62	
		15:00	26.12	50.17	32.69	7.88	6.78	10.91	7.38	
		18:00	25.98	50.12	32.66	7.96	6.82	3.93	5.48	
		21:00	25.74	50.24	32.74	7.9	6.84	6.87	6.16	
	日平均值			25.85	49.82	32.47	7.92	6.70	6.11	3.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月9日	蚵殼站	0:00	25.99	51.44	33.87	8.37	6.88	6.89	2.88
		3:00	25.74	51.17	33.69	8.41	6.58	8.54	3.17
		6:00	25.72	51.05	33.62	8.39	7.11	3.11	5.15
		9:00	25.77	51.01	33.6	8.39	7.29	6.95	5.13
		12:00	25.91	51.21	33.72	8.42	6.88	5.4	4.97
		15:00	26.01	51.3	33.79	8.42	6.78	13.81	3.42
		18:00	26.06	51.19	33.7	8.4	7	3.17	3.9
		21:00	25.82	50.37	33.18	8.46	7	3.64	4.53
	日平均值		25.88	51.09	33.65	8.41	6.94	6.44	4.14
	潮口站	0:00	26.76	50.6	33.33	8.34	5.31	2.59	3.76
		3:00	26.35	50.3	33.12	8.38	6.29	2.77	3.96
		6:00	26.11	50.05	32.95	8.43	6.34	2.43	3.66
		9:00	26.28	49.87	32.83	8.37	6.08	3.73	4.01
		12:00	26.73	50.2	33.04	8.38	6.67	3.17	3.84
		15:00	26.77	50.12	33	8.37	5.57	2.33	4.06
		18:00	26.54	50.16	33.03	8.37	5.92	2.59	3.63
		21:00	26.48	50.17	33.03	8.35	5.91	2.62	3.48
	日平均值		26.50	50.18	33.04	8.37	6.01	2.78	3.80
	灣內站	0:00	25.89	50.44	32.87	7.87	6.81	6.79	2.58
		3:00	25.64	50.17	32.69	7.91	6.73	8.44	2.14
		6:00	25.62	50.05	32.62	7.89	6.6	3.01	3.12
		9:00	25.67	50.01	32.6	7.89	6.71	6.85	3.54
		12:00	25.81	50.21	32.72	7.92	6.74	5.3	4.03
		15:00	25.91	50.3	32.79	7.92	6.69	13.71	4.1
18:00		25.96	50.19	32.7	7.9	6.64	3.07	1.58	
21:00		25.72	49.37	32.18	7.96	6.6	3.54	1.25	
日平均值		25.78	50.09	32.65	7.91	6.69	6.34	2.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月10日	蚵殼站	0:00	25.79	49.26	32.42	8.4	6.51	2.96	4.92
		3:00	25.72	50.79	33.46	8.46	6.23	10.65	5.6
		6:00	25.65	51.01	33.61	8.44	6.54	9.81	4.94
		9:00	25.73	51.08	33.64	8.4	6.65	4.36	3.02
		12:00	26.11	51.28	33.78	8.38	6.9	8.41	3
		15:00	26.26	51.3	33.8	8.4	6.66	9.09	3.68
		18:00	26.23	49.34	32.49	8.48	7.13	5.21	3.36
		21:00	26.24	51.15	33.7	8.41	6.26	5.75	3.15
	日平均值		25.97	50.65	33.36	8.42	6.61	7.03	3.96
	潮口站	0:00	26.69	50.15	33.03	8.35	5.61	2.58	3.76
		3:00	26.43	50.13	33	8.36	6.12	2.61	4.11
		6:00	25.83	50.02	32.92	8.34	7.87	2.59	3.89
		9:00	25.96	49.92	32.86	8.32	8.13	2.72	5.42
		12:00	26.92	50.77	33.43	8.36	6.77	2.63	3.54
		15:00	26.96	50.27	33.08	8.36	6.23	2.28	4.16
		18:00	26.65	50.19	33.05	8.36	7.37	2.53	3.91
		21:00	26.68	50.2	33.05	8.3	6.02	2.49	4.5
	日平均值		26.52	50.21	33.05	8.34	6.77	2.55	4.16
	灣內站	0:00	25.69	48.26	31.42	7.9	6.85	2.86	0.84
		3:00	25.62	49.79	32.46	7.96	6.83	10.55	1.9
		6:00	25.55	50.01	32.61	7.94	6.76	9.71	3.1
		9:00	25.63	50.08	32.64	7.9	6.69	4.26	2.89
		12:00	26.01	50.28	32.78	7.88	6.74	8.31	2.77
		15:00	26.16	50.3	32.8	7.9	6.66	8.99	5.97
18:00		26.13	48.34	31.49	7.98	6.79	5.11	1.01	
21:00		26.14	50.15	32.7	7.91	6.72	5.65	0.9	
日平均值		25.87	49.65	32.36	7.92	6.76	6.93	2.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
12月11日	蚵殼站	0:00	26.4	51.29	33.8	8.37	5.74	8.23	3.6
		3:00	26.35	51.3	33.79	8.41	6.07	6.44	4.03
		6:00	26.23	51.22	33.74	8.39	6.27	5.19	3.59
		9:00	26.25	51.07	33.63	8.39	7.4	10.6	4.16
		12:00	26.46	51.19	33.72	8.42	7.22	5.49	3.7
		15:00	26.51	51.44	33.87	8.42	6.92	5.56	3.57
		18:00	26.51	51.32	33.8	8.4	6.77	7.19	4.44
	21:00	26.42	50.14	33.02	8.46	5.61	5.56	5.19	
	日平均值		26.39	51.12	33.67	8.41	6.50	6.78	4.04
	潮口站	0:00	26.75	50.28	33.1	8.32	6.13	2.95	4.31
		3:00	26.74	50.04	32.94	8.33	5.58	2.55	3.24
		6:00	26.28	49.93	32.87	8.32	7.41	2.54	4.1
		9:00	26.37	49.82	32.79	8.33	7.9	2.59	4.57
		12:00	26.96	49.63	32.68	8.35	7.18	2.68	4.05
		15:00	27.12	49.14	32.36	8.36	6.61	3.02	3.84
		18:00	26.87	49.7	32.72	8.37	7.18	2.54	3.82
	21:00	26.88	49.71	32.72	8.33	6.26	2.33	4.02	
	日平均值		26.75	49.78	32.77	8.34	6.78	2.65	3.99
	灣內站	0:00	26.3	50.29	32.8	7.87	6.69	8.13	0.56
		3:00	26.25	50.3	32.79	7.91	6.55	6.34	0.69
		6:00	26.13	50.22	32.74	7.89	6.29	5.09	1.18
9:00		26.15	50.07	32.63	7.89	6.17	10.5	2.38	
12:00		26.36	50.19	32.72	7.92	6.64	5.39	7.7	
15:00		26.41	50.44	32.87	7.92	6.64	5.46	6.57	
18:00		26.41	50.32	32.8	7.9	6.41	7.09	1.07	
21:00	26.32	49.14	32.02	7.96	6.44	5.46	0.95		
日平均值		26.29	50.12	32.67	7.91	6.48	6.68	2.64	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
12月12日	蚵殼站	0:00	26.4	51.19	33.71	8.46	5.85	3.21	4.06
		3:00	26.31	51.26	33.76	8.44	5.24	7.83	5.3
		6:00	26.28	51.01	33.59	8.4	6.63	6.9	5.06
		9:00	26.53	51.07	33.63	8.38	7.15	4.47	4.82
		12:00	26.91	50.5	33.26	8.4	7.18	4.03	5.43
		15:00	27.01	50.65	33.36	8.48	6.48	5.99	5.29
		18:00	27.07	50.58	33.32	8.41	6.02	3.26	6.02
	21:00	27.01	50.65	33.37	8.45	6.21	5.29	5.62	
	日平均值		26.69	50.86	33.50	8.43	6.35	5.12	5.20
	潮口站	0:00	26.82	49.92	32.85	8.32	6.21	2.8	3.39
		3:00	26.82	50.15	33	8.31	6.07	2.5	3.7
		6:00	26.67	49.81	32.77	8.29	6.32	3.07	3.45
		9:00	26.58	49.96	32.88	8.26	8.09	2.57	4.13
		12:00	27.04	48	31.6	8.3	7.55	3.01	7.79
		15:00	27.08	48.21	31.76	8.31	8.36	2.64	17.89
		18:00	26.95	49.38	32.5	8.33	7.29	2.72	4.76
	21:00	26.85	49.69	32.7	8.31	7.42	2.69	7.37	
	日平均值		26.85	49.39	32.51	8.30	7.16	2.75	6.56
	灣內站	0:00	26.3	50.19	32.71	7.96	6.27	3.11	0.51
		3:00	26.21	50.26	32.76	7.94	6.09	7.73	0.7
		6:00	26.18	50.01	32.59	7.9	6	6.8	1.07
9:00		26.43	50.07	32.63	7.88	6.22	4.37	3.19	
12:00		26.81	49.5	32.26	7.9	6.58	3.93	5.61	
15:00		26.91	49.65	32.36	7.98	6.48	5.89	3.06	
18:00		26.97	49.58	32.32	7.91	6.55	3.16	1.35	
21:00	26.91	49.65	32.37	7.95	6.39	5.19	0.64		
日平均值		26.59	49.86	32.50	7.93	6.32	5.02	2.02	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月13日	蚵殼站	0:00	26.99	50.14	33.04	8.38	5.67	5.37	7.93	
		3:00	26.8	50.99	33.59	8.4	6.52	15.84	6.86	
		6:00	26.68	50.1	32.99	8.47	6.04	7.36	5.96	
		9:00	26.77	49.72	32.76	8.4	6.61	7.91	6.09	
		12:00	26.96	50.77	33.44	8.38	6.54	8.81	5.47	
		15:00	27.14	50.88	33.51	8.4	7.11	6.26	5.96	
		18:00	27.1	51.08	33.64	8.4	5.85	6.58	5.28	
		21:00	26.95	51.04	33.62	8.45	5.82	12.04	5.59	
	日平均值		26.92	50.59	33.32	8.41	6.27	8.77	6.14	
	潮口站	0:00	26.78	49.43	32.54	8.28	5.97	2.5	5.36	
		3:00	26.7	49.89	32.84	8.27	6.35	2.32	3.71	
		6:00	26.63	49.59	32.65	8.26	6.07	2.7	3.75	
		9:00	26.75	49.44	32.54	8.26	6.88	2.46	3.73	
		12:00	26.89	49.53	32.61	8.3	7.61	3.19	5.14	
		15:00	26.79	50.02	32.92	8.31	7.66	2.72	4.08	
		18:00	26.77	49.88	32.82	8.35	7.1	2.84	4.29	
		21:00	26.75	49.8	32.77	8.39	8.29	2.6	6.37	
	日平均值		26.76	49.70	32.71	8.30	6.99	2.67	4.55	
	灣內站	0:00	26.89	49.14	32.04	7.88	6.34	5.27	0.64	
		3:00	26.7	49.99	32.59	7.9	6.31	15.74	0.57	
		6:00	26.58	49.1	31.99	7.97	6.29	7.26	1.34	
		9:00	26.67	48.72	31.76	7.9	6.5	7.81	3.39	
		12:00	26.86	49.77	32.44	7.88	6.66	8.71	6.44	
		15:00	27.04	49.88	32.51	7.9	6.59	6.16	3.72	
		18:00	27	50.08	32.64	7.9	6.24	6.48	3.86	
		21:00	26.85	50.04	32.62	7.95	6.23	11.94	0.97	
	日平均值		26.82	49.59	32.32	7.91	6.40	8.67	2.62	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月14日	蚵殼站	0:00	26.9	50.02	32.95	8.4	6.25	7.5	5.07	
		3:00	26.73	50.7	33.4	8.46	5.85	7.91	5.66	
		6:00	26.39	50.67	33.37	8.46	5.81	8.48	5.53	
		9:00	26.5	49.58	32.65	8.46	6	3.17	4.82	
		12:00	26.79	51.2	33.71	8.49	6.41	7.84	5.14	
		15:00	26.8	51.25	33.75	8.4	7.29	13.16	4.77	
		18:00	26.78	51.05	33.63	8.45	6.12	9.31	5.64	
		21:00	26.57	49.08	32.33	8.41	6.78	5.43	5.82	
	日平均值		26.68	50.44	33.22	8.44	6.31	7.85	5.31	
	潮口站	0:00	26.73	49.68	32.69	8.35	8.05	2.88	8.09	
		3:00	26.59	50.2	33.03	8.31	6.73	2.47	4.04	
		6:00	26.49	50.12	32.99	8.31	6.08	2.66	3.52	
		9:00	26.62	49.61	32.66	8.31	6.27	2.34	3.79	
		12:00	26.83	49.69	32.71	8.31	6.76	2.75	5.13	
		15:00	26.7	50.14	33.01	8.33	7.55	2.49	3.66	
		18:00	26.67	49.89	32.85	8.33	6.49	2.41	3.97	
		21:00	26.52	49.89	32.84	8.36	7.62	3.02	5.07	
	日平均值		26.64	49.90	32.85	8.33	6.94	2.63	4.66	
	灣內站	0:00	26.8	49.02	31.95	7.9	6.35	7.4	0.51	
		3:00	26.63	49.7	32.4	7.96	6.4	7.81	1.51	
		6:00	26.29	49.67	32.37	7.96	5.95	8.38	1.88	
		9:00	26.4	48.58	31.65	7.96	5.63	3.07	3.67	
		12:00	26.69	50.2	32.71	7.99	6.58	7.74	6.25	
		15:00	26.7	50.25	32.75	7.9	6.48	13.06	2.38	
		18:00	26.68	50.05	32.63	7.95	6.55	9.21	3.68	
		21:00	26.47	48.08	31.33	7.91	6.39	5.33	5.88	
	日平均值		26.58	49.44	32.22	7.94	6.29	7.75	3.22	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月15日	蚵殼站	0:00	26.45	51.02	33.61	8.4	6.84	3.7	5.79
		3:00	26.25	51.17	33.69	8.48	6.54	10.23	5.63
		6:00	25.81	51.25	33.76	8.4	6.77	6.89	5.26
		9:00	26.08	51.23	33.73	8.38	6.54	9.71	5.13
		12:00	26.33	51.27	33.77	8.38	6.73	10.71	5.39
		15:00	26.31	51.34	33.82	8.45	7.35	7.03	5.16
		18:00	26.28	50.38	33.18	8.43	6.83	9.64	4.73
		21:00	26.14	50.93	33.55	8.4	6.54	6.36	4.93
	日平均值	26.21	51.07	33.64	8.42	6.77	8.03	5.25	
	潮口站	0:00	26.45	49.62	32.66	8.36	8.45	2.62	6.75
		3:00	26.27	50.16	33.01	8.32	7.09	2.32	5.71
		6:00	26.12	50.3	33.12	8.3	6.13	3.11	4.07
		9:00	26.18	50.19	33.04	8.31	6.54	2.64	4.02
		12:00	26.43	49.77	32.76	8.34	6.75	2.65	5.56
		15:00	26.37	50.33	33.14	8.34	7.37	2.74	3.82
		18:00	26.31	50.17	33.02	8.36	6.81	2.64	3.77
		21:00	26.15	50.23	33.07	8.33	7.76	2.78	5.75
	日平均值	26.29	50.10	32.98	8.33	7.11	2.69	4.93	
	灣內站	0:00	26.35	50.02	32.61	7.9	6.88	3.6	5.33
		3:00	26.15	50.17	32.69	7.98	6.58	10.13	5.7
		6:00	25.71	50.25	32.76	7.9	7.11	6.79	4.28
9:00		25.98	50.23	32.73	7.88	7.29	9.61	2.04	
12:00		26.23	50.27	32.77	7.88	7.23	10.61	4.42	
15:00		26.21	50.34	32.82	7.95	7.5	6.93	4.58	
18:00		26.18	49.38	32.18	7.93	5.87	9.54	4.06	
21:00		26.04	49.93	32.55	7.9	5.21	6.26	4.88	
日平均值	26.11	50.07	32.64	7.92	6.71	7.93	4.41		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月16日	蚵殼站	0:00	25.92	51.17	33.69	8.4	6.62	5.41	5.06
		3:00	25.73	51.21	33.71	8.48	5.95	3.25	5.31
		6:00	25.61	51.19	33.7	8.4	5.91	9.2	5.23
		9:00	25.71	50.97	33.57	8.45	6.01	4.56	4.97
		12:00	25.83	51.3	33.79	8.4	6.27	5.33	5.52
		15:00	25.88	51.24	33.74	8.46	6.32	4.72	5.67
		18:00	25.75	51.6	33.96	8.39	5.73	4.67	6.35
		21:00	25.73	51.43	33.87	8.41	5.19	7.55	5.62
	日平均值	25.77	51.26	33.75	8.42	6.00	5.59	5.47	
	潮口站	0:00	26.07	49.83	32.79	8.29	8.78	2.66	12.33
		3:00	25.94	49.83	32.8	8.28	7.17	2.46	6.92
		6:00	25.98	50.38	33.18	8.33	5.98	2.64	3.65
		9:00	26.02	50.16	33.03	8.3	6	2.41	3.55
		12:00	26.07	49.98	32.9	8.36	6.11	3.1	4.37
		15:00	26.19	49.87	32.82	8.36	7.4	2.51	3.92
		18:00	26.2	50.12	32.99	8.36	6.81	2.81	3.44
		21:00	25.95	49.78	32.78	8.36	6.67	2.73	4.04
	日平均值	26.05	49.99	32.91	8.33	6.87	2.67	5.28	
	灣內站	0:00	25.82	50.17	32.69	7.9	5.49	5.31	1.13
		3:00	25.63	50.21	32.71	7.98	5.84	3.15	1.36
		6:00	25.51	50.19	32.7	7.9	5.66	9.1	1.87
9:00		25.61	49.97	32.57	7.95	5.75	4.46	2.23	
12:00		25.73	50.3	32.79	7.9	7.69	5.23	10.71	
15:00		25.78	50.24	32.74	7.96	7.67	4.62	12.06	
18:00		25.65	50.6	32.96	7.89	6.24	4.57	1.67	
21:00		25.63	50.43	32.87	7.91	6.26	7.45	0.57	
日平均值	25.67	50.26	32.75	7.92	6.33	5.49	3.95		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月17日	蚵殼站	0:00	25.53	50.69	33.38	8.44	5.67	9.47	6.83
		3:00	25.34	51.16	33.69	8.41	5.54	3.19	6.39
		6:00	25.17	51.17	33.7	8.42	5.84	9.37	5.57
		9:00	25.23	51.14	33.69	8.49	6.2	3.03	5.11
		12:00	25.46	51.05	33.63	8.4	6.62	9.33	5.84
		15:00	25.5	51.27	33.77	8.38	6.77	8.7	6.46
		18:00	25.37	51.4	33.85	8.35	5.35	3.17	6.52
		21:00	25.23	50.27	33.11	8.37	5.35	8.24	6.18
	日平均值		25.35	51.02	33.60	8.41	5.92	6.81	6.11
	潮口站	0:00	25.63	49.97	32.89	8.34	6.66	2.45	5.53
		3:00	25.6	49.82	32.78	8.31	5.82	2.77	5.53
		6:00	25.66	50.15	33.01	8.32	5.73	2.6	3.41
		9:00	26	50.19	33.05	8.32	5.41	2.92	3.73
		12:00	26.76	51.25	33.35	8.31	6.24	2.68	2.9
		15:00	26.36	50.92	33.54	8.36	6.41	2.58	2.59
		18:00	26.29	51.36	33.83	8.34	6.35	2.6	2.02
		21:00	26.03	51.23	33.73	8.35	6.21	2.52	2.84
	日平均值		26.04	50.61	33.27	8.33	6.10	2.64	3.57
	灣內站	0:00	25.43	49.69	32.38	7.94	6.69	9.37	0.8
		3:00	25.24	50.16	32.69	7.91	6.55	3.09	0.91
		6:00	25.07	50.17	32.7	7.92	6.29	9.27	1.38
		9:00	25.13	50.14	32.69	7.99	6.17	2.93	1.52
		12:00	25.36	50.05	32.63	7.9	6.64	9.23	7.83
		15:00	25.83	48.42	31.9	7.92	8.43	3.55	12.82
		18:00	25.85	49.16	32.37	7.99	9.1	3.72	7.58
		21:00	25.75	49.49	32.59	7.9	7.18	3.76	4.52
	日平均值		25.46	49.66	32.49	7.93	7.13	5.62	4.67
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月18日	蚵殼站	0:00	25.3	51.29	33.79	8.41	5.47	4.52	5.64
		3:00	25.22	51.27	33.77	8.47	5.88	5.36	5.36
		6:00	25.11	51.25	33.75	8.41	5.35	6.55	5.32
		9:00	25.12	51.3	31.67	8.4	6.13	3.13	9.57
		12:00	25.36	51.5	33.92	8.42	6.49	2.57	10.79
		15:00	25.4	50.35	33.15	8.41	6.39	2.46	11.68
		18:00	25.49	51.95	34.23	8.38	6.17	2.84	12.52
		21:00	25.19	51.74	34.08	8.37	6.02	2.68	9.61
	日平均值		25.27	51.33	33.55	8.41	5.99	3.76	8.81
	潮口站	0:00	25.74	50.81	33.46	8.37	6.11	2.65	4.16
		3:00	25.63	50.7	33.39	8.31	7	3.46	7.84
		6:00	25.55	50.86	33.49	8.34	6.67	8.5	4.26
		9:00	25.96	51.17	33.71	8.33	6.13	2.74	2.04
		12:00	26.17	51.29	33.78	8.33	6.36	2.66	3.75
		15:00	26.28	50.96	33.56	8.35	6.42	2.7	3.96
		18:00	26.2	50.74	33.41	8.36	6.38	2.6	2.73
		21:00	26.01	50.91	33.52	8.35	6.25	2.62	3.06
	日平均值		25.94	50.93	33.54	8.34	6.42	3.49	3.98
	灣內站	0:00	25.51	49.44	32.54	7.94	5.67	3.74	4.31
		3:00	25.42	49.46	32.56	7.86	5.4	3.6	4.43
		6:00	25.3	49.48	32.58	7.82	5.19	3.63	4.5
		9:00	25.51	49.5	32.58	7.89	6.52	3.78	4.47
		12:00	25.79	49.39	32.52	7.8	7.43	3.73	4.84
		15:00	25.8	49.61	32.66	7.82	6.52	3.57	7.17
		18:00	25.73	50.85	33.5	7.89	6.18	3.64	0.85
		21:00	25.64	51.34	33.8	7.8	6.15	3.67	0.47
	日平均值		25.59	49.88	32.84	7.85	6.13	3.67	3.88
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月19日	蚵殼站	0:00	25.02	51.78	34.09	8.37	5.91	2.63	11.82
		3:00	25.05	51.76	34.08	8.41	6.29	2.94	9.06
		6:00	25	51.54	33.93	8.39	6.21	2.91	8.72
		9:00	25.05	51.92	34.21	8.39	6.16	2.78	7.03
		12:00	25.58	51.67	34.04	8.42	6.42	2.51	8.94
		15:00	25.3	51.64	34.02	8.42	6.47	2.49	11.94
		18:00	25.19	51.78	34.12	8.4	6.31	2.42	11.66
		21:00	25.07	51.92	34.2	8.38	6.14	2.72	7.67
	日平均值		25.16	51.75	34.09	8.40	6.24	2.68	9.61
	潮口站	0:00	25.67	50.78	33.44	8.35	6.21	2.65	3.77
		3:00	25.45	50.68	33.38	8.37	6.57	4.89	6.84
		6:00	25.31	50.38	33.18	8.36	7.16	6.88	6.51
		9:00	25.84	50.74	33.41	8.37	6.1	2.64	2.64
		12:00	26.15	50.71	33.4	8.37	6.25	2.69	2.67
		15:00	26.19	50.54	33.26	8.38	6.39	2.58	3.9
		18:00	26.15	50.46	33.22	8.36	6.19	2.68	2.53
		21:00	25.97	50.67	33.37	8.37	6.18	2.68	2.51
	日平均值		25.84	50.62	33.33	8.37	6.38	3.46	3.92
	灣內站	0:00	25.5	51.38	33.82	7.86	6.11	3.67	0.37
		3:00	25.39	51.21	33.73	7.81	6.1	3.7	0.59
		6:00	25.18	50.98	33.59	7.85	6.07	3.55	0.68
		9:00	25.25	50.86	33.47	7.88	6.1	3.63	1.09
		12:00	25.55	50.75	33.41	7.92	6.25	3.64	2.98
		15:00	25.5	50.45	33.24	7.87	6.94	3.63	16.78
		18:00	25.5	50.71	33.39	7.84	6.24	12.43	3.08
		21:00	25.35	51.12	33.67	7.88	6.16	7.64	1.92
	日平均值		25.40	50.93	33.54	7.86	6.25	5.24	3.44
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月20日	蚵殼站	0:00	24.88	51.43	33.88	8.37	6.12	2.56	8.48
		3:00	24.62	51.59	33.97	8.41	6.38	2.65	9.75
		6:00	24.52	51.13	33.67	8.39	6.31	2.34	9.17
		9:00	24.59	51.66	34.01	8.41	6.43	2.44	7.22
		12:00	24.84	51.5	33.92	8.43	6.62	2.78	9.27
		15:00	24.91	51.81	34.13	8.42	6.56	2.32	7.31
		18:00	24.8	51.64	34.02	8.42	6.5	2.68	9.51
		21:00	24.72	51.4	33.86	8.4	6.36	2.72	7.6
	日平均值		24.74	51.52	33.93	8.41	6.41	2.56	8.54
	潮口站	0:00	25.52	50.41	33.18	8.36	6.18	2.61	4.48
		3:00	25.3	50.6	33.32	8.36	6.19	3.95	6.71
		6:00	25.09	50.37	33.16	8.36	7.02	7.82	9.56
		9:00	25.5	50.67	33.37	8.33	6.11	2.61	2.55
		12:00	25.9	51.01	33.6	8.33	6.22	2.61	2.53
		15:00	25.87	50.77	33.42	8.33	6.28	2.61	2.64
		18:00	25.78	50.38	33.16	8.32	6.23	2.67	2.55
		21:00	25.75	50.89	33.51	8.32	6.16	2.59	2.58
	日平均值		25.59	50.64	33.34	8.34	6.30	3.43	4.20
	灣內站	0:00	25.18	51.11	33.68	7.86	6.15	6.44	2.3
		3:00	24.91	51.05	33.63	7.79	6.05	3.65	1.38
		6:00	24.51	49.19	32.41	7.75	5.98	3.6	1.54
		9:00	24.6	50.57	33.3	7.83	5.98	3.69	1.37
		12:00	25.06	50.53	33.28	7.95	6.23	3.73	4.42
		15:00	25.01	50.42	33.22	7.96	6.27	3.62	5.62
		18:00	25.01	50.65	33.36	7.83	6.07	7.5	1.5
		21:00	25	51.21	33.73	7.81	6.05	3.56	1
	日平均值		24.91	50.59	33.33	7.85	6.10	4.47	2.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月21日	蚵殼站	0:00	24.58	51.77	34.1	8.4	6.44	2.4	9.63	
		3:00	24.34	51.78	34.09	8.39	6.34	2.71	9.69	
		6:00	24.24	51.59	33.98	8.38	6.23	2.64	9.34	
		9:00	24.21	51.4	33.85	8.38	6.26	2.97	7.21	
		12:00	24.3	51.46	33.9	8.41	6.6	2.49	9.38	
		15:00	24.23	51.46	33.89	8.39	6.5	3.48	9.51	
		18:00	24.17	51.42	33.86	8.36	6.17	2.77	11.73	
		21:00	24.15	51.69	34.04	8.37	6.18	2.67	11.38	
	日平均值		24.28	51.57	33.96	8.39	6.34	2.77	9.73	
	潮口站	0:00	25.48	50.6	33.32	8.33	6.16	2.59	3.33	
		3:00	25.18	50.37	33.17	8.34	6.07	2.6	3.77	
		6:00	24.78	50.23	33.07	8.36	6.5	7.54	11.54	
		9:00	25.02	50.42	33.19	8.3	6	2.64	3.25	
		12:00	25.55	50.72	33.41	8.32	6.2	2.7	2.49	
		15:00	25.43	50.6	33.33	8.32	6.29	2.69	4.55	
		18:00	25.41	50.79	33.45	8.31	6.03	2.54	3.47	
		21:00	25.61	50.98	33.58	8.32	5.83	2.67	2.52	
	日平均值		25.31	50.59	33.32	8.33	6.14	3.25	4.37	
	灣內站	0:00	24.81	51.4	33.83	7.75	6.08	3.64	2.5	
		3:00	24.74	51.43	33.86	7.66	6.08	3.73	2.65	
		6:00	24.42	50.45	33.22	7.65	6	3.76	2.49	
		9:00	24.23	48.97	32.23	7.7	5.98	3.69	2.81	
		12:00	24.4	51	33.6	7.84	5.96	3.64	1.66	
		15:00	24.41	51.1	33.67	7.82	5.91	3.67	0.63	
		18:00	24.4	51.12	33.68	7.74	5.9	3.61	0.56	
		21:00	24.41	51.21	33.71	7.59	5.92	3.68	0.93	
	日平均值		24.48	50.84	33.48	7.72	5.98	3.68	1.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月22日	蚵殼站	0:00	23.96	51.43	33.87	8.38	6.44	2.35	11.16	
		3:00	23.94	51.59	33.98	8.38	6.37	2.48	11.42	
		6:00	23.9	51.45	33.88	8.37	6.23	2.96	10.72	
		9:00	23.95	51.68	34.02	8.38	6.32	2.77	7.47	
		12:00	24.19	51.61	34	8.41	6.62	2.43	7.94	
		15:00	24.33	51.83	34.2	8.42	6.68	2.67	10.02	
		18:00	24.3	51.87	34.17	8.41	6.65	2.82	12.62	
		21:00	24.3	51.67	34.04	8.38	6.43	2.7	11.21	
	日平均值		24.11	51.64	34.02	8.39	6.47	2.65	10.32	
	潮口站	0:00	25.24	50.69	33.38	8.32	6.03	2.71	4.9	
		3:00	24.54	49.99	32.91	8.36	6.51	2.71	15.8	
		6:00	24.12	49.52	32.59	8.41	6.87	2.85	19.78	
		9:00	24.56	49.85	32.81	8.35	6.45	2.63	10.29	
		12:00	25.67	50.49	33.24	8.36	6.34	2.57	4.94	
		15:00	25.58	50.42	33.19	8.35	6.46	2.7	8.19	
		18:00	25.04	50.16	33.03	8.35	6.53	2.61	11.01	
		21:00	25.42	50.13	32.99	8.33	6.18	2.71	3.13	
	日平均值		25.02	50.16	33.02	8.35	6.42	2.69	9.76	
	灣內站	0:00	24.4	51.14	33.67	7.53	5.98	3.57	2.07	
		3:00	24.35	51.37	33.82	7.55	5.98	3.65	2.26	
		6:00	24.11	51.4	33.83	7.61	6	3.69	3.62	
		9:00	24.24	51.31	33.78	7.58	6.01	3.68	3.43	
		12:00	24.49	51.17	33.71	7.7	6.48	3.61	11.83	
		15:00	24.42	50.95	33.55	7.88	6.11	3.65	4.5	
		18:00	24.41	50.98	33.57	7.87	6.25	3.67	7.33	
		21:00	24.46	51.08	33.65	7.76	5.94	5.26	1.11	
	日平均值		24.36	51.18	33.70	7.69	6.09	3.85	4.52	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月23日	蚵殼站	0:00	24.2	51.82	34.14	8.39	6.54	3.32	15.08
		3:00	24.1	51.5	33.92	8.38	6.45	2.9	12.11
		6:00	24.03	51.58	33.96	8.37	6.45	2.7	11.63
		9:00	24.13	51.56	33.94	8.4	6.78	2.67	11.53
		12:00	24.43	51.28	33.77	8.44	6.9	3.15	6.94
		15:00	24.65	51.51	33.91	8.46	6.98	2.87	9.18
		18:00	24.4	51.74	34.08	8.43	6.94	2.4	9.49
		21:00	24.37	51.77	34.11	8.4	6.71	2.45	8.97
	日平均值		24.29	51.60	33.98	8.41	6.72	2.81	10.62
	潮口站	0:00	25.57	50.3	33.1	8.33	6.05	2.6	2.45
		3:00	25.16	50.12	33.01	8.34	6.15	2.59	5
		6:00	24.77	49.71	32.72	8.32	6.03	2.55	6.63
		9:00	24.74	49.42	32.53	8.3	6.05	2.59	6.68
		12:00	25.73	49.95	32.89	8.34	6.25	2.65	2.53
		15:00	25.69	50	32.93	8.34	6.41	2.66	5.34
		18:00	25.3	49.83	32.81	8.34	6.71	2.69	15.49
		21:00	25.24	49.63	32.67	8.28	6.17	2.68	10.54
	日平均值		25.28	49.87	32.83	8.32	6.23	2.63	6.83
	灣內站	0:00	24.4	51.27	33.76	7.7	6.02	3.75	2.87
		3:00	24.34	51.05	33.61	7.6	6.42	3.64	11.08
		6:00	24.19	51.41	33.83	7.73	6.56	3.68	14.45
		9:00	24.23	51.32	33.79	7.79	6.56	3.68	14.46
		12:00	24.61	51.24	33.74	7.82	6.56	4.76	12.74
		15:00	24.8	49.78	32.78	7.9	6.08	3.99	2.57
		18:00	24.52	49.24	32.41	7.85	5.99	3.6	1.79
		21:00	24.41	50.98	33.58	7.65	5.91	3.65	0.65
	日平均值		24.44	50.79	33.44	7.76	6.26	3.84	7.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月24日	蚵殼站	0:00	24.46	51.93	34.21	8.42	6.74	2.61	9.2
		3:00	24.35	51.86	34.16	8.4	6.63	2.59	7.04
		6:00	24.29	51.51	33.94	8.38	6.46	2.66	6.71
		9:00	24.46	51.82	34.13	8.38	6.44	4.23	7.17
		12:00	24.78	51.68	34.05	8.45	6.87	2.6	7.05
		15:00	24.77	52.07	34.3	8.43	6.78	3.64	6.91
		18:00	25.03	52	34.26	8.45	6.82	3.11	11.93
		21:00	25.02	51.6	33.98	8.45	6.84	2.88	8.62
	日平均值		24.65	51.81	34.13	8.42	6.70	3.04	8.08
	潮口站	0:00	25.31	49.84	32.81	8.3	6.17	2.62	5.42
		3:00	25.2	49.94	32.87	8.31	6.15	2.63	4.88
		6:00	24.8	49.3	32.46	8.3	6.08	2.65	9.6
		9:00	24.93	49.18	32.38	8.31	6.34	2.58	10.26
		12:00	25.77	49.48	32.57	8.33	6.35	2.65	2.76
		15:00	26.07	49.41	32.52	8.34	6.28	2.62	2.52
		18:00	25.6	49.69	32.7	8.35	6.43	2.7	12.69
		21:00	25.31	49.7	32.71	8.31	6.23	2.69	22.8
	日平均值		25.37	49.57	32.63	8.32	6.25	2.64	8.87
	灣內站	0:00	24.3	51.22	33.73	7.65	5.93	3.67	1.42
		3:00	24.16	50.76	33.4	7.77	5.97	5.87	2.89
		6:00	24.25	50.13	33	7.76	5.9	3.59	1.05
		9:00	24.48	51.13	33.69	7.75	6.04	3.72	2.92
		12:00	25.21	50.74	33.4	7.98	6.32	3.71	5.52
		15:00	25.3	50.82	33.46	8.02	6.52	3.61	9.39
		18:00	25.25	50.19	33.04	7.92	6.29	3.64	4.83
		21:00	24.88	51.04	33.61	7.84	6.05	3.66	1.6
	日平均值		24.73	50.75	33.42	7.84	6.13	3.93	3.70
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月25日	蚵殼站	0:00	24.84	51.69	34.05	8.43	6.81	2.74	8.93
		3:00	24.72	51.32	33.8	8.42	6.73	2.57	11.17
		6:00	24.6	51.7	34.05	8.4	6.6	3.24	6.11
		9:00	24.63	51.78	34.11	8.42	6.71	3.9	5.09
		12:00	24.87	51.65	34.03	8.42	6.74	2.46	4.9
		15:00	24.96	51.74	34.1	8.42	6.69	2.57	6.32
		18:00	24.8	51.74	34.1	8.41	6.64	2.91	17.34
		21:00	24.74	51.76	34.1	8.41	6.6	2.6	12.68
	日平均值		24.77	51.67	34.04	8.42	6.69	2.87	9.07
	潮口站	0:00	25.32	49.46	32.55	8.3	6.14	2.64	11.13
		3:00	25.31	49.31	32.45	8.29	6.06	2.7	4.77
		6:00	25.09	48.88	32.2	8.27	5.96	2.72	9.31
		9:00	25.04	48.71	32.1	8.24	5.99	4.28	12.34
		12:00	25.56	48.19	31.74	8.28	6.14	2.72	3.75
		15:00	25.9	47.5	31.29	8.29	6.25	2.68	2.52
		18:00	25.59	48.55	31.98	8.31	6.36	2.56	12.66
		21:00	25.3	48.47	31.93	8.29	6.32	2.75	14.21
	日平均值		25.39	48.63	32.03	8.28	6.15	2.88	8.84
	灣內站	0:00	24.58	51.15	33.7	7.77	6.29	4.05	7.6
		3:00	24.47	51.07	33.64	7.85	5.95	3.77	1.13
		6:00	24.4	51.1	33.67	7.9	5.94	7.72	1.35
		9:00	24.48	51.05	33.63	8	5.97	3.68	1.63
		12:00	24.68	51	33.6	8.07	6.22	4.05	5.86
		15:00	24.77	50.67	33.35	8.07	6.24	3.59	5.75
		18:00	24.77	51.01	33.6	7.98	6.13	3.5	3.64
		21:00	24.64	50.92	33.53	7.89	6	3.62	1.61
	日平均值		24.60	51.00	33.59	7.94	6.09	4.25	3.57
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月26日	蚵殼站	0:00	24.46	51.43	33.88	8.44	6.85	3.23	11.47
		3:00	24.3	51.55	33.95	8.43	6.83	2.7	11.49
		6:00	24.18	51.6	33.98	8.41	6.76	2.77	7.35
		9:00	24.28	51.69	34.05	8.4	6.69	3.37	7.22
		12:00	24.55	51.8	34.11	8.43	6.74	2.57	6.75
		15:00	24.76	51.55	33.97	8.42	6.66	2.63	16.72
		18:00	24.69	51.66	34.02	8.44	6.79	2.13	19.55
		21:00	24.57	51.75	34.08	8.42	6.72	2.72	16.49
	日平均值		24.47	51.63	34.01	8.42	6.76	2.77	12.13
	潮口站	0:00	25.13	48.6	32.02	8.26	6.12	2.68	11.69
		3:00	25.22	48.67	32.06	8.25	5.92	2.72	5.28
		6:00	25.06	48.48	31.94	8.24	5.98	2.6	4.87
		9:00	25.15	48.22	31.76	8.24	6.01	2.75	4.87
		12:00	25.66	48.3	31.82	8.28	6.23	2.59	2.85
		15:00	25.74	48.45	31.92	8.29	6.23	2.66	2.48
		18:00	25.25	48.34	31.85	8.33	6.63	2.74	17.4
		21:00	25.03	47.83	31.51	8.37	6.92	2.6	26.98
	日平均值		25.28	48.36	31.86	8.28	6.26	2.67	9.55
	灣內站	0:00	24.45	50.87	33.49	7.9	5.96	3.59	1.51
		3:00	24.54	51.03	33.62	7.86	5.98	3.57	1.54
		6:00	24.56	50.37	33.18	7.76	5.99	3.58	1.64
		9:00	24.53	51.23	33.74	7.86	5.98	3.69	1.52
		12:00	24.76	50.91	33.52	8.04	6.18	3.69	4.65
		15:00	24.86	50.95	33.55	8	6.32	3.58	6.87
		18:00	24.75	50.03	32.94	7.87	6.19	3.62	4.83
		21:00	24.57	51.23	33.74	7.85	6.91	3.63	20.03
	日平均值		24.63	50.83	33.47	7.89	6.19	3.62	5.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月27日	蚵殼站	0:00	24.32	51.7	34.06	8.41	6.69	2.77	15.07
		3:00	24.25	51.73	34.07	8.39	6.55	2.54	13.69
		6:00	24.17	51.89	34.19	8.37	6.29	4.31	7.48
		9:00	24.1	51.81	34.11	8.36	6.17	2.65	6.32
		12:00	24.46	51.89	34.19	8.42	6.64	2.72	7.09
		15:00	24.64	51.93	34.2	8.42	6.64	3.21	21.39
		18:00	24.6	51.97	34.24	8.39	6.41	2.68	24.42
	21:00	24.56	52.03	34.29	8.4	6.44	2.92	20.79	
	日平均值	24.39	51.87	34.17	8.40	6.48	2.98	14.53	
	潮口站	0:00	24.85	47.84	31.52	8.33	6.89	2.58	27.29
		3:00	25.13	48.03	31.63	8.29	6.15	2.67	7.63
		6:00	25.05	47.73	31.44	8.29	6.21	2.63	6.13
		9:00	24.85	47.45	31.26	8.29	6.48	2.7	10.74
		12:00	25.39	47.62	31.36	8.29	6.28	2.65	3.44
		15:00	25.83	47.6	31.35	8.31	6.24	2.64	2.52
		18:00	25.58	47.58	31.33	8.31	6.29	5.13	7.47
	21:00	24.93	47.19	31.08	8.34	6.55	2.66	21.68	
	日平均值	25.20	47.63	31.37	8.31	6.39	2.96	10.86	
	灣內站	0:00	24.42	51.29	33.77	7.8	6.89	8.49	20.14
		3:00	24.23	50.4	33.18	7.79	6.85	3.67	20.2
		6:00	24.1	49.62	32.65	7.76	6.84	6.65	20.43
9:00		24.15	51.09	33.63	7.85	6.86	3.63	20.78	
12:00		24.4	51.32	33.79	7.96	6.9	3.69	20.55	
15:00		24.41	51.35	33.8	7.86	6.92	3.65	20.78	
18:00		24.36	51.2	33.72	7.87	6.92	3.71	20.99	
21:00	24.41	50.76	33.44	7.77	6.12	3.56	4.79		
日平均值	24.31	50.88	33.50	7.83	6.79	4.63	18.58		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月28日	蚵殼站	0:00	24.52	52.14	34.36	8.38	6.27	2.81	24.54
		3:00	24.45	52.08	34.32	8.37	6.09	2.48	20.29
		6:00	24.46	52.25	34.41	8.35	6	2.48	14.04
		9:00	24.3	51.89	34.19	8.35	6.22	3.14	5.22
		12:00	24.61	51.88	34.18	8.39	6.58	2.88	6.32
		15:00	24.74	51.76	34.1	8.39	6.48	2.38	8.79
		18:00	24.78	51.75	34.1	8.41	6.55	3.91	23.95
	21:00	24.91	51.96	34.24	8.39	6.39	2.64	20.1	
	日平均值	24.60	51.96	34.24	8.38	6.32	2.84	15.41	
	潮口站	0:00	24.76	47.13	31.03	8.34	6.73	3.4	23.52
		3:00	25	47.25	31.11	8.3	6.2	2.71	9.77
		6:00	25.18	47.29	31.14	8.28	6.06	2.7	3.26
		9:00	25.34	47.2	31.09	8.29	5.98	2.57	2.8
		12:00	25.95	46.58	30.68	8.32	6.19	2.59	2.45
		15:00	26.05	46.01	30.29	8.32	6.33	2.7	3.52
		18:00	25.69	46.78	30.8	8.34	6.34	2.64	5.53
	21:00	25.35	46.6	30.7	8.31	6.01	6.77	11.59	
	日平均值	25.42	46.86	30.86	8.31	6.23	3.26	7.81	
	灣內站	0:00	24.31	51.29	33.77	7.58	6.03	8.44	3.44
		3:00	24.1	50.34	33.13	7.56	5.98	5.46	3.36
		6:00	24.04	51.24	33.75	7.59	5.97	3.75	3.4
9:00		24.43	51.18	33.71	7.75	6.05	3.71	3.33	
12:00		24.87	50.85	33.49	7.92	6.08	6.41	2.15	
15:00		25.12	51.07	33.64	7.91	6.19	3.71	3.45	
18:00		25.16	51.1	33.67	7.83	6.08	3.67	0.92	
21:00	25.11	51.08	33.66	7.76	6.04	3.58	0.43		
日平均值	24.64	51.02	33.60	7.74	6.05	4.84	2.56		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月29日	蚵殼站	0:00	24.85	51.9	34.18	8.38	6.34	2.17	23.79
		3:00	24.71	51.71	34.05	8.37	6.31	2.53	24.1
		6:00	24.6	51.8	34.1	8.36	6.29	2.84	23.17
		9:00	24.72	51.68	34.03	8.39	6.5	2.64	11.19
		12:00	25.1	51.71	34.05	8.42	6.66	2.57	19.7
		15:00	25.26	51.81	34.11	8.42	6.59	2.62	26.49
		18:00	25.25	51.78	34.1	8.36	6.24	2.57	17.81
		21:00	25.36	51.79	34.1	8.37	6.23	2.71	19
	日平均值		24.98	51.77	34.09	8.38	6.40	2.58	20.66
	潮口站	0:00	25.43	46.57	30.67	8.27	5.56	7.72	7.24
		3:00	25.33	46.66	30.71	8.26	5.69	3.76	7.54
		6:00	25.52	46.82	30.83	8.31	5.9	8.28	2.5
		9:00	25.48	46.53	30.64	8.28	6	2.53	3.21
		12:00	25.95	46.47	30.59	8.34	6.3	2.77	3.49
		15:00	25.91	46.13	30.37	8.34	6.33	3.7	3.07
		18:00	25.71	46.82	30.83	8.34	6.18	3.09	3.65
		21:00	25.66	46.23	30.42	8.34	6.13	2.7	9.04
	日平均值		25.62	46.53	30.63	8.31	6.01	4.32	4.97
	灣內站	0:00	25.01	51.08	33.65	7.75	6.02	5.08	0.44
		3:00	24.85	50.69	33.38	7.63	5.98	4.23	0.35
		6:00	24.8	51.16	33.67	7.78	5.98	3.65	0.44
		9:00	25.02	50.25	33.09	7.84	6.06	3.52	1.23
		12:00	25.63	51.32	33.79	8.01	6.68	3.67	11.17
		15:00	25.7	51.25	33.75	7.96	6.35	3.65	4.09
18:00		25.56	51.4	33.83	7.95	6.15	3.66	0.82	
21:00		25.61	51.11	33.66	7.93	6.15	3.63	0.65	
日平均值		25.27	51.03	33.60	7.86	6.17	3.89	2.40	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月30日	蚵殼站	0:00	25.15	51.8	34.1	8.38	6.35	2.63	24.21
		3:00	25.02	51.82	34.12	8.38	6.4	2.76	22.53
		6:00	25	52.07	34.31	8.32	5.95	2.53	24.26
		9:00	24.93	51.99	34.26	8.3	5.63	2.72	19.22
		12:00	24.76	52.2	34.4	8.31	6.58	2.8	18.5
		15:00	24.68	52.11	34.33	8.35	6.48	2.77	24.14
		18:00	24.57	52.15	34.36	8.36	6.55	2.99	20.13
		21:00	24.22	51.9	34.19	8.36	6.39	2.82	21.94
	日平均值		24.79	52.01	34.26	8.35	6.29	2.75	21.87
	潮口站	0:00	25.43	46.06	30.31	8.32	5.91	5.8	13.98
		3:00	25.19	46.06	30.32	8.29	6.28	4.94	16.3
		6:00	25.37	46.28	30.46	8.3	5.79	5.83	2.8
		9:00	25.26	46.32	30.49	8.3	5.86	2.67	2.56
		12:00	25.14	46.13	30.37	8.29	5.88	2.65	2.58
		15:00	25.34	46.26	30.44	8.34	6.2	2.72	2.48
		18:00	25.41	46.65	30.71	8.32	6.01	2.64	2.5
		21:00	24.76	46.04	30.3	8.33	6.01	2.72	4.69
	日平均值		25.24	46.23	30.43	8.31	5.99	3.75	5.99
	灣內站	0:00	25.41	50.66	33.36	7.81	6.14	3.56	1.16
		3:00	25.3	51.01	33.59	7.85	6.26	3.65	4.05
		6:00	25.25	51.1	33.67	7.91	6.13	3.69	1.71
		9:00	25.11	51.1	33.67	7.94	6.18	3.7	3.18
		12:00	24.9	50.5	33.26	7.92	6.13	8.83	3.03
		15:00	24.9	51.01	33.6	7.77	6.12	3.68	2.93
18:00		24.62	50.75	33.43	7.77	5.96	3.56	0.72	
21:00		24.44	51.02	33.6	7.77	5.91	5.8	0.62	
日平均值		24.99	50.89	33.52	7.84	6.10	4.56	2.18	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

109年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月31日	蚵殼站	0:00	23.97	51.78	34.09	8.37	6.69	2.69	26.96	
		3:00	23.58	51.76	34.08	8.35	6.55	3.97	35.04	
		6:00	23.27	51.77	34.09	8.34	6.29	2.67	17.78	
		9:00	22.96	51.77	34.1	8.32	6.17	2.82	11.46	
		12:00	23.17	51.65	34.02	8.32	6.64	2.79	15.34	
		15:00	23.33	51.72	34.06	8.34	6.64	2.46	24.75	
		18:00	23.07	51.85	34.15	8.35	6.41	2.55	24.44	
		21:00	22.96	51.81	34.11	8.35	6.44	2.53	15.99	
	日平均值			23.29	51.76	34.09	8.34	6.48	2.81	21.47
	潮口站	0:00	24.23	45.72	30.1	8.35	6.38	6.09	23.41	
		3:00	23.91	45.41	29.91	8.29	8.1	4.83	19.87	
		6:00	24.41	45.71	30.09	8.32	5.85	2.63	3.91	
		9:00	24.55	45.76	30.13	8.31	5.86	2.69	2.51	
		12:00	24.42	45.88	30.19	8.33	6.03	2.58	2.63	
		15:00	24.98	45.85	30.18	8.37	6.26	2.6	2.39	
		18:00	25.28	45.93	30.22	8.34	6.09	2.62	2.45	
		21:00	24.46	45.62	30.03	8.34	6.05	2.64	2.81	
	日平均值			24.53	45.74	30.11	8.33	6.33	3.34	7.50
	灣內站	0:00	23.91	51.09	33.66	7.73	5.82	3.65	0.83	
		3:00	23.47	51.25	33.74	7.7	5.73	3.58	0.73	
		6:00	23.34	51.23	33.74	7.69	6.22	3.64	11.16	
		9:00	23.22	51.11	33.67	7.7	6.38	3.57	14.81	
		12:00	22.98	50.83	33.48	7.78	6.16	3.56	11.5	
		15:00	22.92	50.94	33.54	7.82	6.34	3.68	15.38	
18:00		22.82	51.21	33.72	7.71	5.66	3.66	2.13		
21:00		22.78	51.23	33.74	7.63	5.86	3.59	6.19		
日平均值			23.18	51.11	33.66	7.72	6.02	3.62	7.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			