

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月1日	蚵殼站	0:00	22.9	52.01	33.34	8.14	9.02	16.08	36.58
		3:00	22.99	51.75	33.66	8.13	8.59	16.38	36.47
		6:00	22.74	52.04	33.42	8.13	8.31	25.06	38.09
		9:00	22.69	52.02	33.57	8.13	8.71	21.13	41.64
		12:00	22.93	52.19	34.1	8.14	8.88	15.51	47.75
		15:00	23.51	52.03	33.54	8.13	9.16	22.76	47.3
		18:00	23.2	52.01	33.41	8.13	7.89	17.87	36.29
	21:00	22.96	51.91	34.02	8.15	8.67	15.89	37.66	
	日平均值		22.99	52.00	33.63	8.14	8.65	18.84	40.22
	潮口站	0:00	24.76	50.45	33.28	8.29	6.71	7.2	4.65
		3:00	25.2	50.5	33.3	8.28	6.64	6.98	4.15
		6:00	24.26	50.5	33.3	8.31	6.79	12.78	5.67
		9:00	25.09	50.5	33.3	8.25	6.14	15.82	5.02
		12:00	25.44	50.52	33.17	8.31	6.91	6.35	5.16
		15:00	25.58	49.99	32.92	8.3	6.62	6.39	4.02
		18:00	24.58	50.21	33.1	8.33	6.92	13.43	6.41
	21:00	24.47	50.34	33.19	8.31	6.61	12.63	5.58	
	日平均值		24.92	50.38	33.20	8.30	6.67	10.20	5.08
	灣內站	0:00	23.03	50.45	33.28	8.12	6.31	10.93	25.41
		3:00	22.9	50.5	33.3	8.08	5.74	5.45	22.89
		6:00	22.8	50.5	33.3	8.08	5.68	10.98	22.11
9:00		22.86	50.5	33.3	8.03	5.32	11.56	20.63	
12:00		23.09	50.52	33.17	8.07	5.65	7.17	15.31	
15:00		23.16	49.99	32.92	8.13	7.81	9.1	16.22	
18:00		23.2	50.21	33.1	8.1	6.68	12.38	21.89	
21:00	23.06	50.34	33.19	8.11	6.33	9.89	21.88		
日平均值		23.01	50.38	33.20	8.09	6.19	9.68	20.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月2日	蚵殼站	0:00	22.73	52.06	33.34	8.17	9.45	13.91	39.04
		3:00	22.66	51.9	33.66	8.14	9	21.97	45.17
		6:00	22.77	52.2	34.02	8.15	7.99	20.99	51.78
		9:00	22.76	52.16	34.02	8.11	7.45	21.68	51.83
		12:00	23.07	52	34	8.1	7.82	23.49	51.78
		15:00	23.5	52.03	34.06	8.13	8.51	20.06	44.94
		18:00	23.38	52.01	34.07	8.17	10.5	19.21	36.28
	21:00	23.32	51.91	33.95	8.18	11.08	17.11	48.62	
	日平均值		23.02	52.03	33.89	8.14	8.98	19.80	46.18
	潮口站	0:00	25.35	50.46	33.28	8.28	6.29	11.82	4.74
		3:00	25.03	50.5	33.3	8.27	6.68	7.13	5.31
		6:00	24.48	50.5	33.3	8.29	6.83	12.1	7.21
		9:00	25.14	50.5	33.3	8.28	6.61	15.76	9.27
		12:00	25.3	50.46	33.09	8.29	7.14	6.96	7.23
		15:00	25.65	50.2	33.08	8.29	6.9	9.01	7
		18:00	25.83	50.48	32.53	8.32	7.33	21.76	8.7
	21:00	24.39	50.49	32.96	8.3	6.65	15.79	9.51	
	日平均值		25.15	50.45	33.11	8.29	6.80	12.54	7.37
	灣內站	0:00	22.92	50.46	33.28	8.12	5.98	7.4	21.87
		3:00	22.89	50.5	33.3	8.02	5	5.92	20.01
		6:00	22.85	50.5	33.3	7.99	5.34	7.46	24.82
9:00		22.92	50.5	33.3	7.99	5.93	10.7	26.91	
12:00		23.03	50.46	33.09	8.11	6.37	13.11	20.8	
15:00		23.23	50.2	33.08	8.12	7.35	8.11	24.07	
18:00		23.08	50.48	32.53	8.03	5.82	7.61	19.37	
21:00	23.08	50.49	32.96	8.04	5.53	10.37	21.71		
日平均值		23.00	50.45	33.11	8.05	5.92	8.84	22.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月3日	蚵殼站	0:00	22.88	52.06	34.17	8.17	10.8	17.26	48.77
		3:00	22.8	51.9	34.04	8.18	10.5	13.92	51.13
		6:00	22.85	51.91	34	8.17	10.33	13.58	49.9
		9:00	22.86	51.9	33.87	8.15	11.65	19.78	48.62
		12:00	23.23	51.85	33.95	8.13	12.65	22.21	48.77
		15:00	23.88	51.96	34.1	8.08	10.41	17.25	46.92
		18:00	23.62	51.96	34.09	8.09	11.5	26.53	37.22
		21:00	23.35	51.79	33.94	8.09	11.26	24.38	43.16
	日平均值		23.18	51.92	34.02	8.13	11.14	19.36	46.81
	潮口站	0:00	25.31	50.47	32.72	8.28	6.07	16.35	8.16
		3:00	25.05	50.5	32.64	8.32	6.61	6.61	7.3
		6:00	24.94	50.48	33.29	8.29	6.56	10.68	8.5
		9:00	24.37	50.16	32.5	8.29	6.66	21.88	11.59
		12:00	25.13	50.08	32.81	8.31	7.01	9.19	10.46
		15:00	25.78	50.15	32.53	8.31	6.87	6.72	9.55
		18:00	25.09	50.22	32.49	8.31	7.23	25.13	11.48
		21:00	24.76	50.36	32.92	8.28	6.54	26.53	12.41
	日平均值		25.05	50.30	32.74	8.30	6.69	15.39	9.93
	灣內站	0:00	23.02	50.47	32.72	8.01	5.36	9.5	25.53
		3:00	22.99	50.5	32.64	7.96	5.16	8.81	22.18
		6:00	22.89	50.48	33.29	8.04	5.72	9.65	27.43
9:00		23.01	50.16	32.5	8.14	7.77	11.11	33.05	
12:00		23.63	50.08	32.81	8.24	11.03	12.56	28.17	
15:00		23.72	50.15	32.53	8.33	12.7	11.93	33.62	
18:00		23.73	50.22	32.49	8.22	10.52	11.07	27.99	
21:00		23.72	50.36	32.92	8.08	8.21	9.22	28.17	
日平均值		23.34	50.30	32.74	8.13	8.31	10.48	28.27	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月4日	蚵殼站	0:00	23.02	52.14	34.12	8.12	13.32	23.14	38.69
		3:00	22.94	51.93	33.77	8.08	12.66	17.45	37.43
		6:00	22.95	51.87	33.82	8.09	12.28	17.38	37.22
		9:00	23.14	51.67	33.74	8.12	13.26	24.78	37.22
		12:00	23.54	51.8	33.81	8.16	10.96	26.24	16.36
		15:00	23.93	52.03	33.88	8.17	12.24	23.2	14.58
		18:00	23.87	51.91	33.85	8.25	12.93	25.93	13.56
		21:00	23.8	51.67	33.84	8.22	13.01	23.36	13.78
	日平均值		23.40	51.88	33.85	8.15	12.58	22.69	26.11
	潮口站	0:00	25.01	50.47	32.54	8.26	6.26	26.12	11.48
		3:00	25.1	50.8	32.69	8.29	6.76	7.4	10.31
		6:00	25.37	50.55	32.99	8.28	7.1	9.1	9.02
		9:00	25	51.12	33.2	8.28	7.72	18.18	12.62
		12:00	25.31	51.42	33.4	8.26	7.05	9	8.16
		15:00	25.62	50.74	33	8.3	7.75	7.57	7.3
		18:00	25.21	50.54	32.55	8.32	7.89	11.56	8.5
		21:00	24.71	51.02	32.87	8.29	7.29	20.26	1.57
	日平均值		25.17	50.83	32.91	8.29	7.23	13.65	8.62
	灣內站	0:00	23.83	50.47	32.54	8.08	6.65	7.75	28.31
		3:00	24.1	50.8	32.69	8.07	5.72	6.69	29.03
		6:00	23.56	50.55	32.99	8.05	5.93	7.07	24.08
9:00		23.31	51.12	33.2	8.07	8.18	11.5	29.69	
12:00		24.16	51.42	33.4	8.32	13.44	10.35	24.29	
15:00		24.4	51.05	33.45	8.32	12.95	10.2	24.82	
18:00		24.43	51.21	33.58	8.15	9.89	12.93	25.45	
21:00		24.46	51.16	33.6	8.15	9.76	10.36	26.33	
日平均值		24.03	50.97	33.18	8.15	9.07	9.61	26.50	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月5日	蚵殼站	0:00	23.72	51.73	34.1	8.26	13.63	19.95	16.4
		3:00	23.6	51.56	33.75	8.24	13.24	22.3	16.04
		6:00	23.45	51.55	33.68	8.24	12.79	21.14	16.36
		9:00	23.79	51.62	33.48	8.26	12.12	26.97	13.56
		12:00	24.33	52.17	33.6	8.19	11.81	23.6	13.78
		15:00	24.58	52.32	33.93	8.17	12.09	21.86	13.1
		18:00	24.67	51.95	33.66	8.24	12.14	20.62	8.9
		21:00	25.03	51.99	33.74	8.16	10.84	21.46	10.19
	日平均值		24.15	51.86	33.74	8.22	12.33	22.24	13.54
	潮口站	0:00	25.41	50.89	32.85	8.31	7.48	16.58	2.08
		3:00	24.49	50.79	33.28	8.34	7.8	13.39	1.58
		6:00	25.17	51.23	32.94	8.32	7.39	14.36	0.3
		9:00	25.09	51.03	33.27	8.35	8	12.76	0.82
		12:00	25.42	50.94	33	8.35	8.03	11.09	1.02
		15:00	25.64	50.84	33.13	8.34	7.76	7.2	0.43
		18:00	25.43	50.76	32.67	8.35	8.03	10.79	0.8
		21:00	25.34	50.6	32.77	8.34	8.1	18.19	1.56
	日平均值		25.25	50.89	32.99	8.34	7.82	13.05	1.07
	灣內站	0:00	24.41	51.11	33.25	8.18	10.09	6.95	19.04
		3:00	24.37	51.01	33.54	8.11	8.11	9.3	25.53
		6:00	24.02	51.23	33.21	8.12	10.02	8.14	22.18
9:00		24.13	51.14	32.4	8.17	9.83	13.97	27.43	
12:00		24.36	50.74	32.64	8.4	10.65	10.6	33.05	
15:00		24.31	50.88	32.58	8.38	13.12	8.86	21.99	
18:00		24.39	51.06	32.87	8.21	8.64	7.62	25.45	
21:00		24.4	51.1	32.78	8.2	10.37	8.46	26.33	
日平均值		24.30	51.03	32.91	8.22	10.10	9.24	25.13	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月6日	蚵殼站	0:00	24.61	51.41	33.31	8.29	13.89	21	11.48
		3:00	24.52	51.1	33.14	8.27	13.31	20.81	11.03
		6:00	24.68	51.97	33.27	8.14	11.34	19.83	9.76
		9:00	24.71	51.97	33.36	8.19	12.13	20.03	8.9
		12:00	24.9	51.95	33.68	8.22	13.21	22.17	9.5
		15:00	24.78	52.18	33.88	8.11	11.12	22.12	8.73
		18:00	24.92	52.28	33.09	8.18	9.76	21.34	7.96
		21:00	25.17	52.16	33.2	8.17	10.23	22.78	9.76
	日平均值		24.79	51.88	33.37	8.20	11.87	21.26	9.64
	潮口站	0:00	25.12	50.33	32.79	8.38	8.79	23.66	2.81
		3:00	25.06	50.4	32.68	8.39	8.53	17.9	2.11
		6:00	25.29	50.92	33.36	8.33	7.41	13.6	0.53
		9:00	25.21	50.77	32.92	8.37	8.29	13.61	2.23
		12:00	25.46	50.56	33.12	8.41	9.11	12.12	2.87
		15:00	25.63	50.22	32.62	8.34	7.96	6.73	1.01
		18:00	25.42	50.31	32.58	8.34	7.9	7.59	0.98
		21:00	25.12	50.4	33.01	8.33	7.72	13.75	2.62
	日平均值		25.29	50.49	32.89	8.36	8.21	13.62	1.90
	灣內站	0:00	24.43	51.14	32.73	8.22	10.97	8	25.53
		3:00	24.32	50.85	32.93	8.15	9.15	7.81	22.18
		6:00	24.28	50.72	32.88	8.26	11.78	6.83	27.43
9:00		24.32	50.9	32.95	8.3	12.69	7.03	33.05	
12:00		24.96	50.22	32.38	8.41	13.83	9.17	28.17	
15:00		25.27	50.26	32.63	8.44	13.7	9.12	33.62	
18:00		25.16	51.01	33.37	8.34	12.08	8.34	27.99	
21:00		24.9	51.14	33.43	8.27	11.07	9.78	15.19	
日平均值		24.71	50.78	32.91	8.30	11.91	8.26	26.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月7日	蚵殼站	0:00	24.96	52.01	33.32	8.25	12.88	21.56	11.57
		3:00	24.69	51.75	33.92	8.25	12.8	20.24	8.7
		6:00	24.62	52.04	33.53	8.18	11.54	20.68	8.22
		9:00	24.47	52.02	33.2	8.26	12.29	24.35	7.91
		12:00	25.29	52.19	34.19	8.19	11.63	20.9	7.6
		15:00	25.34	52.03	33.54	8.14	9.73	20.89	4.87
		18:00	25.27	52.01	34.1	8.17	9.3	21.01	4.15
		21:00	25.4	51.91	34.02	8.19	9.27	20.06	4.45
	日平均值		25.01	52.00	33.73	8.20	11.18	21.21	7.18
	潮口站	0:00	25.01	50.36	32.49	8.31	7.21	18.14	1.69
		3:00	24.87	50.26	32.93	8.33	7.08	28.3	1.83
		6:00	25.14	50.81	33.17	8.34	7.31	14.68	0.71
		9:00	25.13	50.64	32.99	8.38	8.32	15.51	1.92
		12:00	25.2	50.2	32.9	8.33	7.59	25.55	2.01
		15:00	25.51	49.71	32.59	8.34	7.91	10.48	1.9
		18:00	25.39	49.97	32.76	8.35	7.96	6.01	1.66
		21:00	25.27	50.07	32.83	8.35	7.98	13.36	2.2
	日平均值		25.19	50.25	32.83	8.34	7.67	16.50	1.74
	灣內站	0:00	24.77	50.71	32.45	8.28	11.91	8.56	20.68
		3:00	24.5	50.65	32.59	8.28	10.1	7.24	16.66
		6:00	24.47	50.92	32.75	8.23	9.04	7.68	15.19
9:00		24.47	50.8	32.8	8.25	10.41	11.35	20.7	
12:00		25.29	50.11	32.81	8.38	10.93	7.9	16.66	
15:00		25.39	50.38	33	8.26	10.36	7.89	19.65	
18:00		25.45	51.07	33.38	8.22	9.57	8.01	16.32	
21:00		25.22	51.07	33.39	8.14	8.35	7.06	17.27	
日平均值		24.95	50.71	32.90	8.26	10.08	8.21	17.89	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月8日	蚵殼站	0:00	25.34	52.06	33.34	8.18	9.84	27.35	4.19
		3:00	25.3	51.9	33.66	8.13	9.77	22.29	3.93
		6:00	25.28	52.2	34.2	8.19	11.52	20.88	7.5
		9:00	25.39	52.16	34.17	8.1	9.17	21.45	4.18
		12:00	25.05	52	34.1	8.13	10.29	21.17	4.57
		15:00	24.91	52.03	33.54	8.14	9.73	20.89	4.87
		18:00	24.86	52.01	34.1	8.15	9.3	21.01	4.15
		21:00	24.75	51.91	34.02	8.16	9.27	20.06	4.45
	日平均值		25.11	52.03	33.89	8.15	9.86	21.89	4.73
	潮口站	0:00	25.05	50.01	32.8	8.31	7.21	24.2	2.49
		3:00	24.94	49.93	32.74	8.37	7.45	17.62	3.03
		6:00	25.1	50.51	33.1	8.4	8.28	10.28	2.75
		9:00	25.16	50.54	33.11	8.35	7.7	16.19	1.51
		12:00	25.2	50.2	32.9	8.33	7.59	25.55	2.01
		15:00	25.51	49.71	32.59	8.34	7.91	10.48	1.9
		18:00	25.39	49.97	32.76	8.35	7.96	6.01	1.66
		21:00	25.27	50.07	32.83	8.35	7.98	13.36	2.2
	日平均值		25.20	50.12	32.85	8.35	7.76	15.46	2.19
	灣內站	0:00	25.09	50.95	33.33	8.15	6.72	14.35	14.63
		3:00	24.81	50.91	32.97	8.15	7.44	9.29	19.1
		6:00	25.28	50.13	32.82	8.38	9.1	7.88	16.38
9:00		24.7	50.98	33.34	8.23	9.23	8.45	18.82	
12:00		25.23	50.26	32.92	8.27	10.93	8.17	16.72	
15:00		25.39	50.38	33	8.26	10.36	7.89	19.65	
18:00		25.45	51.07	33.38	8.22	9.57	8.01	11.32	
21:00		25.22	51.07	33.39	8.14	8.35	7.06	17.27	
日平均值		25.15	50.72	33.14	8.23	8.96	8.89	16.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月9日	蚵殼站	0:00	24.7	52.06	33.34	8.15	9.84	27.35	8.38
		3:00	24.61	51.9	33.66	8.14	9.77	22.29	3.93
		6:00	24.48	51.91	34.02	8.11	9.3	21.36	3.92
		9:00	24.68	51.9	34.02	8.17	9.62	19.79	3.35
		12:00	24.92	51.85	34	8.16	10.4	22.19	5.06
		15:00	24.8	51.96	34.06	8.14	10.06	21.97	6.97
		18:00	24.78	51.96	34.07	8.17	9.44	25.59	6.63
		21:00	24.76	51.79	33.95	8.19	9.45	20.03	6.26
	日平均值		24.72	51.92	33.89	8.15	9.74	22.57	5.56
	潮口站	0:00	25.05	50.01	32.8	8.31	7.21	24.2	2.49
		3:00	24.94	49.93	32.74	8.37	7.45	17.62	3.03
		6:00	25.49	50.53	33.12	8.35	7.38	17.34	2.57
		9:00	25.44	50.21	32.91	8.37	7.71	16.13	4.07
		12:00	25.45	49.79	32.65	8.34	7.74	35.52	4.54
		15:00	25.63	49.51	32.47	8.36	8.07	21.53	4.79
		18:00	25.67	49.46	32.42	8.36	8.03	5.87	4.41
		21:00	25.59	49.79	32.66	8.37	8.12	10.09	4.6
	日平均值		25.41	49.90	32.72	8.35	7.71	18.54	3.81
	灣內站	0:00	25.09	50.95	33.33	8.15	6.72	14.35	14.63
		3:00	24.81	50.91	32.97	8.15	7.44	9.29	9.1
		6:00	24.61	51.07	33.39	8.15	7.38	8.36	10.02
		9:00	24.76	50.98	33.34	8.14	6.93	6.79	9.99
		12:00	25.28	50.07	32.8	8.19	9.73	9.19	11.14
		15:00	25.42	50.07	32.8	8.21	9.99	8.97	22.74
18:00		25.46	50.79	33.24	8.2	8.7	12.59	21.99	
21:00		25.41	51.02	33.37	8.2	7.06	7.03	14.37	
日平均值		25.11	50.73	33.16	8.17	7.99	9.57	14.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月10日	蚵殼站	0:00	24.86	52.14	34.17	8.18	9.25	22.55	6.33
		3:00	24.86	51.93	34.04	8.13	9.06	24.11	6.01
		6:00	24.8	51.87	34	8.09	8.67	23.81	6.19
		9:00	24.77	51.67	33.87	8.22	8.59	23.64	6.12
		12:00	24.94	51.8	33.95	8.15	10.38	24.36	8.55
		15:00	25	52	34.1	8.11	9.61	24.12	8.63
		18:00	24.94	51.99	34.09	8.2	8.01	22.99	7.31
		21:00	25.2	51.8	33.94	8.19	9.87	22.35	7.85
	日平均值		24.92	51.90	34.02	8.16	9.18	23.49	7.12
	潮口站	0:00	25.42	49.73	32.62	8.32	7.44	24.25	5.37
		3:00	25.6	51.1	33.5	8.37	7.9	31.27	4.23
		6:00	25.18	50.9	33.36	8.37	7.75	20.94	3.89
		9:00	25.44	50.21	32.91	8.37	7.71	16.13	4.07
		12:00	25.45	49.79	32.65	8.34	7.74	35.52	4.54
		15:00	25.63	49.51	32.47	8.36	8.07	21.53	4.79
		18:00	25.67	49.46	32.42	8.36	8.03	5.87	4.41
		21:00	25.59	49.79	32.66	8.37	8.12	10.09	4.6
	日平均值		25.50	50.06	32.82	8.36	7.85	20.70	4.49
	灣內站	0:00	25.31	50.92	33.31	8.12	5.73	9.55	8.55
		3:00	25.17	51.01	33.36	8.14	7.2	11.11	16.82
		6:00	25.1	51.09	33.39	8.11	6.13	10.81	9.23
		9:00	25.26	50.97	33.34	8.1	7.09	10.64	8.17
		12:00	25.63	50.25	32.91	8.21	10.54	11.36	12.96
		15:00	25.81	50.16	32.86	8.25	11.42	11.12	27.19
18:00		25.4	50.59	33.12	8.22	7.02	9.99	20.43	
21:00		25.29	50.9	33.3	8.12	7.3	9.35	17.14	
日平均值		25.37	50.74	33.20	8.16	7.80	10.49	15.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月11日	蚵殼站	0:00	25.2	52.06	34.12	8.18	10.78	24.2	8.22
		3:00	24.95	51.54	33.77	8.13	9.81	28.35	10.36
		6:00	24.81	51.62	33.82	8.09	9.24	22.45	10.54
		9:00	24.95	51.47	33.74	8.17	10.07	20.64	10.87
		12:00	25.17	51.59	33.81	8.18	11.66	24.67	11.58
		15:00	25.2	51.69	33.88	8.15	11.14	24.76	11.59
		18:00	25.22	51.66	33.85	8.14	10.17	22.5	11.12
		21:00	25.17	51.65	33.84	8.16	10.37	19.86	10.54
	日平均值		25.08	51.66	33.85	8.15	10.41	23.43	10.60
	潮口站	0:00	25.42	49.73	32.62	8.32	7.44	24.25	5.37
		3:00	25.33	49.67	32.57	8.36	7.95	19.42	7.35
		6:00	25.29	49.85	32.68	8.37	7.31	30.47	6.99
		9:00	25.74	50.23	32.92	8.38	7.66	14.53	7.05
		12:00	25.83	49.88	32.71	8.37	8.25	23.63	8.17
		15:00	26.14	49.73	32.6	8.44	9.6	19.05	9.42
		18:00	25.82	49.03	32.14	8.36	8	9.71	5.61
		21:00	25.67	49.57	32.5	8.37	7.76	13.14	4.31
	日平均值		25.66	49.71	32.59	8.37	8.00	19.28	6.78
	灣內站	0:00	25.37	50.74	33.21	8.13	5.84	11.2	11.01
		3:00	25.25	50.36	32.99	8.07	5.41	15.35	16.4
		6:00	25.11	50.9	33.3	8.11	6.44	9.45	13.89
9:00		25.3	50.9	33.3	8.18	7.75	7.64	18.05	
12:00		26.07	50.09	32.81	8.32	12.57	11.67	17.82	
15:00		26.24	50.14	32.84	8.36	13.87	11.76	27.11	
18:00		26	50.23	32.92	8.3	12.2	9.5	19.59	
21:00		25.86	50.67	33.17	8.24	8.58	6.86	14.97	
日平均值		25.65	50.50	33.07	8.21	9.08	10.43	17.36	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
1月12日	蚵殼站	0:00	25.22	52.02	34.1	8.18	11.23	23.54	10.87
		3:00	25.34	51.83	33.75	8.2	11.23	23.52	10.93
		6:00	25.27	51.71	33.88	8.19	10.86	25.55	11.1
		9:00	25.4	51.64	33.52	8.17	11.35	24.72	9.72
		12:00	25.39	51.79	33.94	8.15	11.83	14.43	10.72
		15:00	25.34	51.91	34.01	8.12	10.53	18.48	12.57
		18:00	25.33	51.79	33.94	8.07	8.15	18.65	11.37
		21:00	25.35	51.52	33.76	8.13	10.47	15.69	11.16
	日平均值		25.33	51.78	33.86	8.15	10.71	20.57	11.06
	潮口站	0:00	25.53	49.57	32.49	8.35	7.71	16.89	5.58
		3:00	25.51	49.39	32.38	8.4	8.82	15.55	8.04
		6:00	25.4	49.63	32.54	8.4	7.39	35.37	8.02
		9:00	25.72	50.01	32.78	8.39	7.47	27.66	6.82
		12:00	25.81	49.89	32.71	8.37	7.77	29.13	6.65
		15:00	25.92	49.63	32.22	8.44	9.32	29.08	7.06
		18:00	25.89	49.24	32.27	8.37	8.02	13.22	5.78
		21:00	25.78	49.4	32.38	8.37	7.56	15.45	4.93
	日平均值		25.70	49.60	32.47	8.39	8.01	22.79	6.61
	灣內站	0:00	25.87	50.5	33.07	8.24	9.14	10.54	10.17
		3:00	25.6	50.2	32.9	8.17	9.51	10.52	15.25
		6:00	25.41	50.17	32.87	8.13	7.85	12.55	16.05
9:00		25.47	50.11	32.82	8.15	8.63	11.72	27.87	
12:00		26.11	50.13	32.6	8.36	9.91	14.7	18.08	
15:00		26.25	50.12	32.58	8.44	10.67	14.68	20.44	
18:00		25.85	50.01	32.49	8.29	11.43	8.52	25.74	
21:00		25.7	50.07	32.79	8.2	10.5	12.23	24.06	
日平均值		25.78	50.16	32.77	8.25	9.71	11.93	19.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月13日	蚵殼站	0:00	25.41	51.71	33.89	8.2	11.26	15.32	14.37
		3:00	25.3	51.52	33.76	8.14	10.08	15.24	15.81
		6:00	25.14	51.69	33.87	8.12	9.75	15.33	16.09
		9:00	25.23	51.64	33.83	8.16	10.74	17.61	13.3
		12:00	25.34	51.54	33.77	8.18	11.54	19.17	13.63
		15:00	25.35	51.67	33.87	8.16	11.06	19.45	16.96
		18:00	25.27	51.55	33.77	8.11	9.96	20.32	13.34
		21:00	25.21	51.38	33.68	8.12	9.62	17.99	12.79
	日平均值		25.28	51.59	33.81	8.15	10.50	17.55	14.54
	潮口站	0:00	25.57	49.45	32.42	8.38	8.12	34.84	5.58
		3:00	25.32	49.07	32.17	8.41	8.71	7.57	8.09
		6:00	25.25	49.2	32.25	8.4	9.46	10.34	8.03
		9:00	25.52	49.98	32.77	8.38	7.34	15.52	4.87
		12:00	25.81	49.93	32.73	8.38	7.63	12.37	3.62
		15:00	25.8	49.63	32.55	8.42	9.01	28.84	4.68
		18:00	25.66	49.48	32.44	8.42	8.35	30.94	3.94
		21:00	25.5	49.34	32.34	8.37	7.16	18.52	2.64
	日平均值		25.55	49.51	32.46	8.40	8.22	19.87	5.18
	灣內站	0:00	25.6	50.19	32.89	8.18	6.78	8.56	32.64
		3:00	25.46	50.23	32.92	8.12	6.93	10.45	26.77
		6:00	25.4	50.87	33.28	8.07	5.38	11.05	29.12
9:00		25.5	50.89	33.3	8.19	8.14	12.03	32.21	
12:00		26.07	50.89	33.29	8.31	11.89	8.95	34.02	
15:00		25.97	50.81	33.25	8.35	12.9	11.44	33.06	
18:00		26.17	50.9	33.3	8.27	11.91	10.32	31.1	
21:00		25.98	50.99	33.34	8.17	10.31	12.06	30.28	
日平均值		25.77	50.72	33.20	8.21	9.28	10.61	31.15	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月14日	蚵殼站	0:00	25.16	52.06	33.83	8.13	9.83	18.6	14.34
		3:00	25.18	51.88	33.99	8.12	9.6	18.31	15.21
		6:00	25.1	51.98	34.06	8.15	10.32	17.75	15.22
		9:00	25.18	51.88	34	8.18	9.99	17.52	10.07
		12:00	25.74	51.63	33.86	8.24	11.7	16.8	10.94
		15:00	25.85	51.55	33.82	8.23	11.58	16.22	14.62
		18:00	25.74	51.48	33.47	8.2	10.02	16.09	13.37
		21:00	25.7	51.15	33.54	8.17	8.25	16.21	12.86
	日平均值		25.46	51.70	33.82	8.18	10.16	17.19	13.33
	潮口站	0:00	25.37	49.71	32.6	8.39	7.84	23.43	3.29
		3:00	25.07	49.48	32.45	8.41	8.48	11.11	4.68
		6:00	24.93	49.5	32.46	8.42	8.19	13.98	4.1
		9:00	25.23	49.97	32.37	8.36	7.71	23.66	1.06
		12:00	26.24	50.13	32.87	8.4	8.23	6.01	0.3
		15:00	26.13	49.95	32.75	8.41	8.8	9.21	1.64
		18:00	25.81	49.68	32.57	8.46	9.55	8.49	2.74
		21:00	25.83	49.64	32.29	8.41	8.31	7.72	1.23
	日平均值		25.58	49.76	32.55	8.41	8.39	12.95	2.38
	灣內站	0:00	25.68	50.91	33.3	8.16	6.8	12.27	33.95
		3:00	25.53	50.84	33.26	8.06	6.27	10.43	31.19
		6:00	25.41	51	33.35	8.08	5.76	7.88	31.43
9:00		25.5	51.05	33.38	8.07	6.66	11.57	32.09	
12:00		25.97	50.89	33.29	8.31	11.76	14.92	23.68	
15:00		26.05	50.89	33.3	8.36	13.32	16.57	18.49	
18:00		25.93	51.05	33.37	8.33	11.82	11.63	16.62	
21:00		25.85	50.99	33.35	8.23	8.38	10.06	16.68	
日平均值		25.74	50.95	33.33	8.20	8.85	11.92	25.52	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月15日	蚵殼站	0:00	25.61	51.73	33.92	8.17	8.82	15.71	11.37
		3:00	25.6	51.56	33.83	8.2	10.05	15.71	9.35
		6:00	25.55	51.56	33.82	8.21	10.15	15.7	9.38
		9:00	25.59	51.5	33.78	8.24	9.89	15.93	7.9
		12:00	25.72	51.25	33.63	8.23	10.53	16.03	11.5
		15:00	25.69	51.61	33.86	8.19	10.27	16.62	11.77
		18:00	25.62	51.5	33.79	8.2	9.42	16.72	10.39
	21:00	25.53	51.22	33.61	8.18	8.36	16.39	8.34	
	日平均值		25.61	51.49	33.78	8.20	9.69	16.10	10.00
	潮口站	0:00	25.92	49.78	32.64	8.4	8.1	5.85	0.48
		3:00	25.49	49.77	32.64	8.39	8.29	10.05	1.86
		6:00	25.4	49.86	32.7	8.41	8.51	9.66	2.6
		9:00	25.5	49.96	32.77	8.4	7.91	10.23	1.28
		12:00	26.02	50.15	32.87	8.4	8.23	6.2	0.73
		15:00	25.86	50.03	32.79	8.41	8.8	7.2	1.89
		18:00	25.55	49.8	32.65	8.47	9.9	5.98	2.91
	21:00	25.59	49.74	32.62	8.45	9.08	7.65	2.27	
	日平均值		25.67	49.89	32.71	8.42	8.60	7.85	1.75
	灣內站	0:00	25.76	51.07	33.39	8.23	7.36	10.13	16.77
		3:00	25.55	51.06	33.38	8.17	6.8	9.88	16.9
		6:00	25.4	51.2	33.5	8.09	5.76	8.5	17.39
9:00		25.44	51.13	33.44	8.12	6.34	8.4	14.66	
12:00		25.76	51.02	33.37	8.31	11.88	17.6	15.27	
15:00		25.65	50.9	33.3	8.32	12.28	12.74	16.36	
18:00		25.52	51	33.35	8.26	9.68	15.85	19.9	
21:00	25.42	50.61	33.13	8.17	7.47	18.08	15.98		
日平均值		25.56	51.00	33.36	8.21	8.45	12.65	16.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月16日	蚵殼站	0:00	25.46	51.82	33.98	8.15	8.44	16.08	8.69
		3:00	25.37	51.51	33.79	8.16	8.32	16.38	8.79
		6:00	25.3	51.31	33.67	8.13	7.98	25.06	10.16
		9:00	25.35	51.37	33.69	8.13	8.37	21.13	8.35
		12:00	25.41	51.22	33.6	8.18	9.09	15.51	9.9
		15:00	25.33	51.15	33.55	8.18	8.78	22.76	13.17
		18:00	25.21	51.19	33.59	8.15	8.63	17.87	13.26
	21:00	25.16	51.2	33.6	8.15	8.25	15.89	11.05	
	日平均值		25.32	51.35	33.68	8.15	8.48	18.84	10.42
	潮口站	0:00	25.6	49.82	32.67	8.4	7.79	6.32	1.29
		3:00	25.44	49.92	32.74	8.4	8.16	10.35	1.64
		6:00	25.03	49.78	32.65	8.38	7.7	9.44	2.4
		9:00	25.15	49.89	32.71	8.39	7.6	10.39	1.75
		12:00	25.66	50.21	32.91	8.39	8.1	8.2	0.92
		15:00	25.64	50.19	32.89	8.4	8.37	6.77	1.3
		18:00	25.07	49.93	32.74	8.36	7.9	18.34	2.32
	21:00	25.02	49.7	32.6	8.45	8.89	9.94	2.97	
	日平均值		25.33	49.93	32.74	8.40	8.06	9.97	1.82
	灣內站	0:00	25.38	51.09	33.42	8.18	7.19	15.36	19.9
		3:00	25.28	51.15	33.45	8.11	5.7	16.81	22.81
		6:00	25.18	51.17	33.47	8.07	5.32	19.33	24.33
9:00		25.14	51.19	33.49	8.1	5.92	16.99	26.99	
12:00		25.19	51.16	33.46	8.13	6.48	15.66	25.66	
15:00		25.17	51.04	33.37	8.12	5.7	15.85	25.85	
18:00		25.08	51.16	33.46	8.09	5.72	16.67	26.67	
21:00	24.88	51.11	33.42	8.04	5.16	15.24	25.24		
日平均值		25.16	51.13	33.44	8.11	5.90	16.49	24.68	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月17日	蚵殼站	0:00	25.04	51.7	33.9	8.11	7.59	13.91	8.76	
		3:00	24.87	51.41	33.72	8.1	6.84	21.97	6.74	
		6:00	24.68	51.5	33.77	8.06	6.7	20.99	5.52	
		9:00	24.67	51.56	33.82	8.09	7.56	21.68	5.7	
		12:00	25.19	51.67	33.9	8.19	9.13	23.49	5.64	
		15:00	25.62	51.72	33.92	8.24	9.82	20.06	6.32	
		18:00	25.3	51.75	33.95	8.17	8.97	19.21	6	
	21:00	25.07	51.68	33.64	8.14	8.68	17.11	5.89		
	日平均值		25.06	51.62	33.83	8.14	8.16	19.80	6.32	
	潮口站	0:00	24.99	50.01	32.79	8.42	8.16	6.4	1.63	
		3:00	24.97	50.13	32.86	8.41	8.06	6.24	1.14	
		6:00	24.48	49.98	32.77	8.38	7.81	12.66	1.87	
		9:00	24.81	50.01	32.8	8.39	7.73	9.77	1.88	
		12:00	25.61	50.19	32.89	8.39	8.35	5.98	1.36	
		15:00	25.72	50.13	32.87	8.41	8.72	5.95	1.69	
		18:00	25.13	50.11	32.85	8.4	8.44	11.15	2.04	
	21:00	24.74	49.81	32.66	8.4	8.23	10.25	2.39		
	日平均值		25.06	50.05	32.81	8.40	8.19	8.55	1.75	
	灣內站	0:00	24.7	51.07	33.38	8.09	6.08	15.69	25.69	
		3:00	24.59	51.14	33.44	8.06	5.65	15.36	25.36	
		6:00	24.3	51.03	33.37	8.01	5.83	13.84	23.84	
9:00		24.41	51.05	33.37	8.08	6.01	11.91	21.91		
12:00		24.74	51.09	33.4	8.12	6.06	18.08	28.08		
15:00		25	50.99	33.34	8.18	8.51	15.69	25.69		
18:00		24.68	50.65	33.16	8.14	7.36	16.96	26.96		
21:00	24.51	51.01	33.37	8.15	8.06	7.93	12.25			
日平均值		24.62	51.00	33.35	8.10	6.70	14.43	23.72		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月18日	蚵殼站	0:00	24.62	51.82	33.98	8.13	8.5	16.24	4.97	
		3:00	24.59	51.85	34.01	8.14	8.24	17.69	4.4	
		6:00	24.09	51.49	33.77	8.1	6.87	17.28	3.71	
		9:00	24.22	51.4	33.71	8.11	8.01	16.68	5.28	
		12:00	24.58	51.43	33.74	8.14	9.25	17.77	6.73	
		15:00	24.76	51.55	33.82	8.19	9.57	17.88	8.03	
		18:00	24.58	51.42	33.72	8.18	8.45	20.53	8.27	
	21:00	24.43	51.24	33.62	8.16	8.28	18.6	9.5		
	日平均值		24.48	51.53	33.80	8.14	8.40	17.83	6.36	
	潮口站	0:00	24.63	49.81	32.66	8.41	7.73	7.97	1.6	
		3:00	24.87	49.9	32.71	8.42	8.26	6.46	1.22	
		6:00	24.65	50.02	32.79	8.39	8.26	6.8	1.57	
		9:00	24.64	50.09	32.84	8.39	8.26	11.22	1.75	
		12:00	25.68	50	32.78	8.39	8.58	6.17	1.41	
		15:00	25.8	49.88	32.7	8.41	8.69	7.59	1.57	
		18:00	25.02	49.81	32.65	8.41	8.64	10.92	2.35	
	21:00	24.88	49.92	32.73	8.39	8.27	13.4	2.01		
	日平均值		25.02	49.93	32.73	8.40	8.34	8.82	1.69	
	灣內站	0:00	24.27	51.12	33.43	8.13	6.9	9.15	11.47	
		3:00	24.02	51.17	33.47	8.11	5.86	11.61	17.33	
		6:00	23.86	51.01	33.36	8.08	5.42	15.63	17.91	
9:00		23.9	51.08	33.39	8.1	6.1	12.95	11.43		
12:00		24.32	51.11	33.44	8.19	9.24	14.32	29.34		
15:00		24.44	51.36	33.67	8.21	8.96	15.9	25.41		
18:00		24.31	51.18	33.48	8.17	7.67	10.69	11.98		
21:00	24.19	51.03	33.37	8.14	7.8	11.26	11.67			
日平均值		24.16	51.13	33.45	8.14	7.24	12.69	17.07		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月19日	蚵殼站	0:00	24.37	51.75	33.74	8.14	8.51	16.91	8.06
		3:00	24.27	51.7	33.9	8.1	7.31	21.48	6.62
		6:00	24.06	51.6	33.84	8.09	7.21	18.37	5.05
		9:00	24.05	51.08	33.52	8.09	7.19	19.32	7.48
		12:00	24.31	51.35	33.68	8.16	8.85	18.56	7.84
		15:00	24.42	51.43	33.73	8.19	9.21	18.84	9.04
		18:00	24.9	51.67	33.89	8.16	8.63	22.64	5.88
	21:00	24.41	51.53	33.79	8.12	8.19	19.56	5.39	
	日平均值		24.35	51.51	33.76	8.13	8.14	19.46	6.92
	潮口站	0:00	24.89	49.94	32.74	8.39	8.11	15.55	1.67
		3:00	25.31	49.94	32.74	8.4	8.11	6.5	1.35
		6:00	25.13	50	32.77	8.38	8.13	6.87	1.37
		9:00	24.92	49.93	32.74	8.38	8.04	11.6	1.82
		12:00	25.77	50.8	33.36	8.37	7.89	8.01	1.65
		15:00	26.3	50.65	33.25	8.38	7.92	5.87	1.26
		18:00	25.65	50.73	33.31	8.38	8.12	12.19	1.94
	21:00	25.03	50.74	33.32	8.35	7.6	18.03	1.86	
	日平均值		25.38	50.34	33.03	8.38	7.99	10.58	1.62
	灣內站	0:00	24.24	51.22	33.53	8.14	6.53	16.4	18.01
		3:00	24.21	51.4	33.7	8.1	5.79	18.93	16.36
		6:00	24.04	51.4	33.7	8.08	7.32	15.36	17.39
9:00		23.69	51.31	33.48	8.06	8.85	10.89	15.89	
12:00		24.14	50.84	33.26	8.42	10.96	11.4	10.85	
15:00		24.33	50.88	33.29	8.36	12.57	13.25	22.57	
18:00		24.29	50.69	33.18	8.23	11.56	17.37	12.2	
21:00	24.02	50.98	33.34	8.36	9.68	18.36	21.18		
日平均值		24.12	51.09	33.44	8.22	9.16	15.25	16.81	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月20日	蚵殼站	0:00	24.12	51.88	34.01	8.09	7.34	20.09	7.39
		3:00	24.07	51.71	33.92	8.1	7.62	20.57	6.6
		6:00	24.14	51.42	33.73	8.1	8.28	17.52	7.53
		9:00	24.18	51.38	33.7	8.1	8.74	18.13	10.73
		12:00	24.21	51.16	33.57	8.17	11.07	21.05	15.39
		15:00	25.4	51.95	34.03	8.2	10.24	27.5	11.75
		18:00	25.42	52.01	34.05	8.1	7.03	27.66	4.53
	21:00	25.44	51.92	34.02	8.13	8.46	26.3	5.11	
	日平均值		24.62	51.68	33.88	8.12	8.60	22.35	8.63
	潮口站	0:00	24.88	50.69	33.29	8.36	7.42	17.35	2.17
		3:00	25.7	50.72	33.31	8.37	7.56	10.59	1.71
		6:00	25.77	50.81	33.36	8.37	7.73	10.9	1.76
		9:00	25.22	50.76	33.12	8.37	7.8	12.97	2.82
		12:00	25.56	50.68	33.27	8.37	7.76	12.92	2.66
		15:00	26.1	50.56	33.18	8.38	7.91	9.85	2.27
		18:00	25.88	50.53	33.17	8.38	8	8.74	2.55
	21:00	25.39	50.65	33.26	8.35	7.7	15.92	2.72	
	日平均值		25.56	50.68	33.25	8.37	7.74	12.41	2.33
	灣內站	0:00	23.98	51.14	33.45	8.3	8.32	11.47	14.1
		3:00	23.82	50.96	33.34	8.25	8.39	14.98	18.49
		6:00	23.7	50.95	33.33	8.33	7.47	16.81	10.3
9:00		23.74	51.05	33.39	8.33	7.57	18.64	16.91	
12:00		23.92	51.15	33.46	8.4	10.08	12.91	17.82	
15:00		24.06	51.18	33.48	8.39	11.34	12.86	15.7	
18:00		23.94	51.08	33.41	8.26	7.98	7.63	11.59	
21:00	23.85	50.86	33.16	8.32	9.6	9.33	10.16		
日平均值		23.88	51.05	33.38	8.32	8.84	13.08	14.38	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月21日	蚵殼站	0:00	24.83	52	34.07	8.14	9.5	24.91	6.76
		3:00	24.85	51.95	34.03	8.11	8.65	29.13	7.91
		6:00	24.91	52.12	34.12	8.06	7.68	32.81	6.45
		9:00	24.82	52.09	34.1	8.06	7.91	29.16	6.04
		12:00	24.93	51.89	33.81	8.13	9.69	28.59	7.24
		15:00	24.68	51.45	33.74	8.24	11.65	20.66	7.26
		18:00	25.16	51.86	33.98	8.15	9.18	27.73	7.88
	21:00	25.07	51.85	33.99	8.14	9.04	28.8	6.49	
	日平均值		24.91	51.90	33.98	8.13	9.16	27.72	7.00
	潮口站	0:00	24.89	50.59	33.21	8.36	7.56	20.59	3.45
		3:00	25.16	50.5	33.15	8.36	7.5	25.28	2.48
		6:00	25.48	50.63	33.23	8.37	7.8	8.47	2.05
		9:00	25.15	50.61	33.22	8.37	7.99	12.43	3.41
		12:00	25.18	50.44	33.12	8.37	7.87	17.74	4.02
		15:00	25.87	50.15	32.95	8.37	8.04	10.72	3.33
		18:00	25.74	50.18	32.97	8.38	8.05	9.36	2.57
	21:00	25.05	50.23	33	8.37	7.98	14.12	2.79	
	日平均值		25.32	50.42	33.11	8.37	7.85	14.84	3.01
	灣內站	0:00	23.74	50.54	33.1	8.32	8.09	12.38	9.52
		3:00	23.78	50.98	33.34	8.28	7.57	9.21	11.78
		6:00	23.62	51.1	33.4	8.28	6.32	11	11.94
9:00		23.6	51.12	33.43	8.3	7.41	19.33	14.04	
12:00		23.71	50.96	33.33	8.3	7.17	12.48	14.15	
15:00		23.83	51.04	33.38	8.33	8.69	11.25	10.87	
18:00		23.73	51.02	33.36	8.34	8.31	6.71	8.62	
21:00	23.55	51.11	33.41	8.33	7.43	7.05	10		
日平均值		23.70	50.98	33.34	8.31	7.62	11.18	11.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月22日	蚵殼站	0:00	24.79	52.29	34.05	8.11	8.42	20.3	10.57
		3:00	24.51	52.04	34.07	8.08	8.07	17.84	14.65
		6:00	24.44	52.25	34.21	8.07	7.69	22.31	11.81
		9:00	24.42	52.05	34.11	8.12	9.1	23.44	9.71
		12:00	24.4	51.64	33.88	8.26	12.43	22.17	13.46
		15:00	24.79	51.84	33.97	8.24	11.48	23.16	15.53
		18:00	25.1	52.1	34.1	8.14	8.56	35.98	16.05
	21:00	24.95	52.06	34.08	8.13	8.62	37.58	9.43	
	日平均值		24.68	52.03	34.06	8.14	9.30	25.35	12.65
	潮口站	0:00	24.57	50.22	32.8	8.36	7.76	16.34	2.33
		3:00	24.57	50.03	32.87	8.37	7.76	22.6	1.1
		6:00	25.21	50.24	33	8.38	7.87	8.76	0.67
		9:00	25.05	50.35	33.07	8.38	8.07	10.1	1.46
		12:00	25.03	50.17	32.97	8.38	8.14	13.78	2.46
		15:00	25.7	50.01	32.86	8.38	7.93	9.44	2.06
		18:00	25.74	49.97	32.81	8.39	7.84	7.81	1.41
	21:00	25.02	50.14	32.94	8.39	8.09	10.57	1.92	
	日平均值		25.11	50.14	32.92	8.38	7.93	12.43	1.68
	灣內站	0:00	23.3	51.17	33.46	8.29	7.66	10.46	14.15
		3:00	23.05	51.07	33.4	8.31	8.34	19.47	17.07
		6:00	22.86	50.96	33.33	8.29	7.57	16.99	10.77
9:00		23.01	50.97	33.33	8.3	8.1	15.66	9.95	
12:00		23.46	50.96	32.95	8.37	10.31	17.16	12.46	
15:00		23.52	51.1	33.41	8.41	11.08	14.54	13.08	
18:00		23.24	51.1	33.4	8.35	7.59	10.36	8.96	
21:00	23.08	51.08	33.4	8.36	7.44	9.78	10.07		
日平均值		23.19	51.05	33.34	8.34	8.51	14.30	12.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月23日	蚵殼站	0:00	24.54	52.42	34.33	8.12	8.37	23.2	10.25	
		3:00	24.21	52.07	34.1	8.09	7.94	21.4	10.27	
		6:00	24.11	52.28	34.24	8.09	7.79	33.54	10.51	
		9:00	23.58	51.6	33.83	8.12	8.97	27.69	6.64	
		12:00	24.82	51.9	34.01	8.12	8.95	21.89	7.3	
		15:00	24.37	51.8	33.72	8.17	10.35	20.3	14.23	
		18:00	24.35	51.81	33.99	8.12	9.03	22.89	11.29	
		21:00	24.38	51.74	33.94	8.11	8.11	29.52	6.5	
	日平均值			24.30	51.95	34.02	8.12	8.69	25.05	9.62
	潮口站	0:00	24.32	50.01	32.86	8.37	7.89	14.11	2.22	
		3:00	23.97	49.84	32.74	8.38	7.96	16.61	2.11	
		6:00	25.15	50.02	32.55	8.38	7.76	10.08	1.06	
		9:00	24.99	49.93	32.57	8.38	8.05	8.55	1.64	
		12:00	24.38	49.77	32.67	8.41	8.75	10.78	3.52	
		15:00	24.76	49.63	32.54	8.4	8.52	10.97	3.75	
		18:00	25.6	49.28	32.29	8.39	7.84	6.98	2.22	
		21:00	25.13	49.21	32.24	8.4	8.13	9.29	2.53	
	日平均值			24.79	49.71	32.56	8.39	8.11	10.92	2.38
	灣內站	0:00	22.72	51.1	33.41	8.35	8.81	15.71	11.3	
		3:00	22.56	50.96	33.33	8.28	6.67	15.04	6.87	
		6:00	22.35	50.85	33.38	8.21	6.1	8.69	5.3	
		9:00	22.49	50.8	33.24	8.21	6.93	10.11	5.98	
		12:00	22.82	50.36	32.89	8.44	11.31	18.28	6.31	
		15:00	22.87	50.36	32.72	8.46	9.83	15.85	8.58	
		18:00	23.12	50.42	33.02	8.28	8.36	16.67	3.78	
		21:00	22.96	50.84	33.27	8.26	7.51	9.42	8.38	
	日平均值			22.74	50.71	33.16	8.31	8.19	13.72	7.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月24日	蚵殼站	0:00	24.18	52.17	33.97	8.14	8.66	25.75	7.67	
		3:00	23.76	51.86	34.01	8.15	9.1	19.39	11.57	
		6:00	23.74	51.9	34.03	8.12	7.99	25.42	9.1	
		9:00	24.07	51.86	34	8.13	8.98	26.97	6.35	
		12:00	24.8	51.84	33.98	8.18	10.78	24.44	8.32	
		15:00	24.57	51.72	33.92	8.2	11.16	21.99	18.21	
		18:00	24.31	51.7	33.9	8.12	9.63	22.37	17.43	
		21:00	24.47	51.7	33.9	8.1	8.45	26.62	9.47	
	日平均值			24.24	51.84	33.96	8.14	9.34	24.12	11.02
	潮口站	0:00	24.09	49.14	32.21	8.38	8.05	12.28	3.64	
		3:00	23.72	49.08	32.17	8.39	8	17.1	3.89	
		6:00	24.75	49.17	33.23	8.38	7.79	16.68	3.56	
		9:00	24.94	49.06	33.22	8.39	8.12	10.36	3.54	
		12:00	24.75	50.19	33.12	8.42	9	8.57	5.54	
		15:00	24.44	50.13	32.95	8.42	8.97	13.43	4.98	
		18:00	25.67	50.11	32.97	8.38	7.85	7.83	5.32	
		21:00	25.33	49.81	33	8.39	7.98	8.85	4.98	
	日平均值			24.71	49.59	32.86	8.39	8.22	11.89	4.43
	灣內站	0:00	22.87	50.89	33.3	8.37	8.15	9.23	8.51	
		3:00	22.56	50.9	33.3	8.29	7.39	16.36	12.55	
		6:00	22.41	50.9	33.3	8.21	7.65	7.85	5.77	
		9:00	22.69	50.91	33.3	8.31	7.91	11.85	7.5	
		12:00	23.35	50.44	33.03	8.42	11.47	15.01	4.81	
		15:00	23.4	50.55	32.91	8.5	11.53	15.24	14.1	
		18:00	23.55	50.76	33.21	8.44	11.6	11.96	5.22	
		21:00	23.52	50.77	33.23	8.3	10.19	5.71	4.38	
	日平均值			23.04	50.77	33.20	8.36	9.49	11.65	7.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月25日	蚵殼站	0:00	24.27	51.93	33.86	8.12	8.65	25.06	7.88
		3:00	24.09	51.75	33.95	8.13	8.78	27.61	7.68
		6:00	23.91	51.77	33.62	8.13	8.49	23.53	7.78
		9:00	24.28	51.78	33.97	8.14	9.27	27.89	7.88
		12:00	24.66	51.65	33.71	8.18	10.75	25.94	11.87
		15:00	24.08	51.42	33.47	8.22	11.29	21.58	23.1
		18:00	24.03	51.46	33.51	8.19	10.13	27.08	17.71
	21:00	24.19	51.51	33.46	8.14	8.39	38.47	12.32	
	日平均值		24.19	51.66	33.69	8.16	9.47	27.15	12.03
	潮口站	0:00	24.18	49.81	32.8	8.4	8.26	10.69	3.64
		3:00	23.75	49.9	32.87	8.4	8.15	12.88	3.89
		6:00	24.39	50.02	33	8.38	7.82	22.9	3.56
		9:00	25.29	50.09	33.07	8.38	7.9	11.76	3.54
		12:00	24.79	50	33.27	8.42	9.16	8.02	3.26
		15:00	24.34	49.88	33.18	8.44	9.31	14.37	2.27
		18:00	25.12	49.81	33.17	8.4	8.15	13.79	2.55
	21:00	25.09	49.92	33.26	8.39	7.84	13.49	2.72	
	日平均值		24.62	49.93	33.08	8.40	8.32	13.49	3.18
	灣內站	0:00	23.29	50.93	33.31	8.36	8.4	8.95	7.42
		3:00	23.06	50.92	33.31	8.36	7.04	9.74	4.88
		6:00	22.99	51.11	33.43	8.35	6.4	13.84	4.28
9:00		23.09	51.14	33.44	8.41	10.04	11.91	6.34	
12:00		23.46	50.87	33.28	8.42	12.52	18.08	11.75	
15:00		23.46	50.8	33.04	8.46	13.8	15.69	13.27	
18:00		23.45	51.06	33.39	8.5	11.93	16.96	15.07	
21:00	23.4	51.16	33.46	8.41	7.99	7.93	9.98		
日平均值		23.28	51.00	33.33	8.41	9.77	12.89	9.12	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月26日	蚵殼站	0:00	23.99	51.73	33.93	8.15	8.85	32.22	9.38
		3:00	23.4	51.14	33.2	8.17	9.14	24	7.26
		6:00	23.33	51.25	33.61	8.15	8.68	24.4	12.75
		9:00	24.06	51.57	33.83	8.14	8.6	31.78	13.91
		12:00	24.47	51.38	33.71	8.17	9.89	29.82	15.22
		15:00	24.45	51.16	33.56	8.17	9.94	30.42	14.34
		18:00	23.71	50.83	33.33	8.22	10.45	27.05	16.36
	21:00	24.04	50.79	33.32	8.17	8.77	32.5	14.34	
	日平均值		23.93	51.23	33.56	8.17	9.29	29.02	12.95
	潮口站	0:00	24.26	49.94	33.21	8.41	8.57	7.81	3.45
		3:00	24.06	49.94	33.15	8.4	8.24	9.35	2.48
		6:00	24.02	50	33.23	8.39	7.91	19.97	2.05
		9:00	24.83	49.93	33.22	8.38	7.86	11.82	3.41
		12:00	24.71	50.8	33.12	8.41	8.64	8.01	4.02
		15:00	24.32	50.65	32.95	8.45	9.57	7.19	3.33
		18:00	24.4	50.73	32.97	8.41	8.67	9.99	2.57
	21:00	24.93	50.74	33	8.39	7.83	11.88	2.79	
	日平均值		24.44	50.34	33.11	8.41	8.41	10.75	3.01
	灣內站	0:00	23.17	51.15	33.27	8.42	9.04	9.15	9.86
		3:00	22.99	51.12	33.42	8.41	7.79	11.61	8.18
		6:00	22.78	51.15	33.46	8.4	7.99	15.63	7.48
9:00		22.83	51.18	33.48	8.41	8.54	12.95	8.09	
12:00		23.32	51.16	33.47	8.48	11.16	14.32	8.82	
15:00		23.28	50.9	33.29	8.49	11.23	15.9	9.19	
18:00		23.13	50.89	33.31	8.5	10.88	10.69	11.57	
21:00	23.17	51.27	33.57	8.45	6.7	11.26	10.44		
日平均值		23.08	51.10	33.41	8.45	9.17	12.69	9.20	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月27日	蚵殼站	0:00	23.75	51.29	33.64	8.19	9.38	32.17	12.56
		3:00	23.13	50.65	33.21	8.23	10.18	28.48	9.07
		6:00	22.81	50.57	33.16	8.22	9.69	29.61	17.44
		9:00	23.11	50.57	33.16	8.21	9.7	32.08	14.42
		12:00	23.44	51.89	33.08	8.25	11.37	29.33	10.09
		15:00	23.39	51.45	33.92	8.28	11.94	28.53	16.37
		18:00	22.92	51.86	33.9	8.22	10.09	30.77	13.46
		21:00	22.8	51.85	33.9	8.19	9.39	32.73	11.92
	日平均值		23.17	51.27	33.50	8.22	10.22	30.46	13.17
	潮口站	0:00	24.34	50.69	32.8	8.4	8.19	7	2.33
		3:00	23.76	50.72	32.87	8.4	8.36	9	1.1
		6:00	23.63	50.81	33	8.4	7.99	19.56	0.67
		9:00	24.66	50.76	33.07	8.38	7.95	10.03	1.46
		12:00	24.59	50.68	32.97	8.41	8.54	8.05	2.46
		15:00	24.02	50.56	32.86	8.44	9.22	9.32	2.06
		18:00	23.71	50.53	32.81	8.45	9.23	9.37	1.41
		21:00	24.76	50.65	32.94	8.4	8.12	5.56	1.92
	日平均值		24.18	50.68	32.92	8.41	8.45	9.74	1.68
	灣內站	0:00	23.03	51.4	33.7	8.43	8.76	16.4	10.98
		3:00	22.83	51.38	33.68	8.42	8.71	18.93	11.42
		6:00	22.65	51.37	33.67	8.38	7.21	15.36	12.58
9:00		22.75	51.3	33.6	8.31	8.89	10.89	10.81	
12:00		22.91	51.18	33.48	8.49	10.95	11.4	12.71	
15:00		23.01	51.22	33.52	8.44	12.76	13.25	14.86	
18:00		23.01	51.19	33.5	8.42	8.89	17.37	7.18	
21:00		23.19	51.15	33.45	8.32	9.49	18.36	8.96	
日平均值		22.92	51.27	33.58	8.40	9.46	15.25	11.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月28日	蚵殼站	0:00	22.66	52.29	33.86	8.22	9.89	33.6	9.99
		3:00	22.64	52.04	33.95	8.22	9.8	35.08	10.91
		6:00	22.5	52.25	33.62	8.23	9.95	32.82	12.45
		9:00	22.69	52.05	33.97	8.21	9.16	34.98	13.99
		12:00	22.94	51.64	33.71	8.26	11.63	34.45	14.96
		15:00	23.15	51.84	33.47	8.3	11.48	33.29	21.92
		18:00	23.08	52.1	33.51	8.27	9.93	35.46	19.49
		21:00	23.19	52.06	33.46	8.28	10.5	35.25	16.91
	日平均值		22.86	52.03	33.69	8.25	10.29	34.37	15.08
	潮口站	0:00	24.51	50.59	32.86	8.4	8.09	6.77	2.22
		3:00	23.51	50.5	32.74	8.41	8.32	6.92	2.11
		6:00	23.23	50.63	32.55	8.43	8.45	18.43	1.06
		9:00	24.63	50.61	32.57	8.39	8.11	8.96	1.64
		12:00	25.11	50.44	32.67	8.4	8.22	10.16	3.52
		15:00	24.02	50.15	32.54	8.46	9.66	9.3	3.75
		18:00	23.84	50.18	32.29	8.46	9.65	14.03	2.22
		21:00	23.85	50.23	32.24	8.45	9.3	14.34	2.53
	日平均值		24.09	50.42	32.56	8.43	8.73	11.11	2.38
	灣內站	0:00	22.9	51.24	33.54	8.41	8.9	11.47	7.83
		3:00	22.76	51.38	33.68	8.39	5.27	14.98	10.25
		6:00	22.59	51.4	33.7	8.41	5.21	13.33	14
9:00		22.64	51.4	33.7	8.34	8.67	9.69	10.32	
12:00		23.33	51.29	33.59	8.49	11.25	11.19	9.56	
15:00		23.48	51.22	33.52	8.43	12.26	11.26	12.04	
18:00		23.32	51.14	33.44	8.41	7.45	6.93	6.32	
21:00		23.37	51.13	33.44	8.32	8.91	11.05	7.34	
日平均值		23.05	51.28	33.58	8.40	8.49	11.24	9.71	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月29日	蚵殼站	0:00	22.89	52.42	33.93	8.29	11.04	31.46	11.76
		3:00	22.73	52.07	33.2	8.29	10.77	15.84	14.62
		6:00	22.6	52.28	33.61	8.29	10.92	17.01	23.31
		9:00	22.8	51.6	33.83	8.31	10.32	16.84	19.99
		12:00	23.28	51.75	34.02	8.37	10.8	11.3	20.22
		15:00	23.49	51.42	34.01	8.35	11.01	11.49	21.86
		18:00	23.4	51.36	33.96	8.34	10.45	11.51	22.58
		21:00	23.34	51.3	33.69	8.35	10.45	11.43	26.15
	日平均值		23.07	51.78	33.78	8.32	10.72	15.86	20.06
	潮口站	0:00	24.88	50.22	32.21	8.4	8.12	5.99	3.64
		3:00	23.88	50.03	32.17	8.44	8.8	6.26	3.89
		6:00	23.25	50.24	31.92	8.45	8.82	16.58	3.56
		9:00	24.66	50.35	32.15	8.41	8.33	8.8	3.54
		12:00	25.58	50.83	32.43	8.4	8.11	8.39	5.54
		15:00	25.04	50.62	33.54	8.43	8.84	13.83	6.52
		18:00	23.97	50.5	33.47	8.46	9.49	12.99	2.02
		21:00	23.93	50.55	33.49	8.42	8.88	14.07	1.44
	日平均值		24.40	50.42	32.67	8.43	8.67	10.86	3.77
	灣內站	0:00	23.42	51.36	33.66	8.41	6.92	16.43	9.55
		3:00	23.26	51.56	33.78	8.38	6.23	16.53	9.87
		6:00	23.11	51.61	33.49	8.38	5.99	16.07	10.3
9:00		23.19	51.59	33.8	8.35	9.1	14.17	16.65	
12:00		23.63	51.4	33.7	8.4	10.75	8.96	15.26	
15:00		23.77	51.39	33.69	8.38	11.74	9.26	15.25	
18:00		23.62	51.24	33.54	8.32	9.75	7.59	11.21	
21:00		23.44	51.23	33.38	8.26	7.99	7.46	7.13	
日平均值		23.43	51.42	33.63	8.36	8.56	12.06	11.90	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
1月30日	蚵殼站	0:00	23.14	51.64	34.12	8.36	10.39	11.43	18.8
		3:00	22.92	51.41	33.99	8.35	10.04	11.62	19.78
		6:00	22.82	51.56	34.08	8.35	10.17	11.4	22.75
		9:00	23.2	51.52	34.06	8.36	10.27	13.36	21.52
		12:00	23.53	51.36	33.96	8.39	11.76	12.06	21.02
		15:00	23.48	51.36	33.96	8.4	11.39	11.48	26.36
		18:00	23.6	51.05	33.74	8.36	9.11	11.67	23.62
		21:00	23.6	50.63	33.44	8.33	8.57	11.8	21.64
	日平均值		23.29	51.32	33.92	8.36	10.21	11.85	21.94
	潮口站	0:00	24.56	50.34	33.37	8.43	8.57	13.58	1.82
		3:00	24.66	50.28	33.34	8.41	8.09	11.47	1.52
		6:00	23.45	50.45	33.12	8.47	9.22	13	1.73
		9:00	24.32	50.39	33.39	8.44	8.73	17.89	1.94
		12:00	25.64	50.23	33.32	8.4	8.04	12.73	1.51
		15:00	25.44	50.19	32.99	8.41	8.39	12.34	1.06
		18:00	24.29	50.18	33.28	8.44	8.68	17.83	1.54
		21:00	24.41	50.27	32.93	8.39	7.94	15.67	1.99
	日平均值		24.60	50.29	33.22	8.42	8.46	14.31	1.64
	灣內站	0:00	23.61	51.34	33.64	8.29	6.61	9.05	9.11
		3:00	23.39	51.44	33.39	8.29	6.81	8.31	8.9
		6:00	23.13	51.67	33.87	8.28	7.01	10.6	9.77
9:00		23.33	51.5	33.76	8.27	7.9	14.63	9.52	
12:00		23.71	51.39	33.5	8.48	11.83	12.51	24.05	
15:00		23.75	51.38	33.68	8.5	10.72	9.51	22.31	
18:00		23.84	51.41	33.7	8.31	6.96	9.49	20.08	
21:00		23.67	51.26	33.56	8.33	9.2	7.73	11.59	
日平均值		23.55	51.42	33.64	8.34	8.38	10.23	14.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月31日	蚵殼站	0:00	23.75	50.84	33.39	8.31	8.62	11.66	17.89	
		3:00	23.45	50.38	33.28	8.32	8.68	11.4	21.28	
		6:00	23.35	50.93	33.64	8.39	8.83	11.38	26.49	
		9:00	23.51	50.98	33.68	8.38	9.29	11.42	31.53	
		12:00	23.71	51.14	33.81	8.3	9.79	11.87	31.53	
		15:00	23.97	51.28	33.89	8.3	9.35	12.72	32.03	
		18:00	24.1	51.12	33.81	8.37	8.87	12.35	28.93	
		21:00	24.01	51.01	33.71	8.35	7.97	12.44	28.24	
	日平均值			23.73	50.96	33.65	8.34	8.93	11.91	27.24
	潮口站	0:00	24.31	50.17	33.27	8.44	8.46	19.43	1.06	
		3:00	25.06	50.15	33.26	8.41	7.84	12.56	1.6	
		6:00	24.67	50.25	33.02	8.41	7.89	12.24	1.81	
		9:00	24.41	50.21	33.3	8.42	8.24	17.03	1.06	
		12:00	25.5	49.72	32.94	8.41	7.94	11.44	1.78	
		15:00	25.62	49.06	32.44	8.4	7.82	12.5	1.78	
		18:00	24.87	49.88	33.08	8.42	8.11	19.22	1.4	
		21:00	24.51	49.63	32.88	8.41	8.01	19.1	1.54	
	日平均值			24.87	49.88	33.02	8.42	8.04	15.44	1.50
	灣內站	0:00	23.68	51.27	33.57	8.25	5.38	7.44	12.21	
		3:00	23.77	51.4	33.69	8.32	5.32	7.76	17.53	
		6:00	23.77	51.6	33.8	8.33	5.26	17.77	11.29	
		9:00	23.88	51.61	33.82	8.36	7.8	10.89	13.59	
		12:00	24.07	51.64	33.66	8.42	9.66	16.44	26.8	
		15:00	24.16	51.62	33.83	8.44	10.06	17.08	28.47	
		18:00	24.03	51.68	33.88	8.4	7.28	6.56	29.19	
		21:00	23.9	51.65	33.63	8.34	5.33	5.27	18.52	
	日平均值			23.91	51.56	33.74	8.36	7.01	11.15	19.70
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月1日	蚵殼站	0:00	24.04	51.34	33.75	8.24	8.44	11.44	26.43
		3:00	24.03	51.32	33.57	8.21	7.34	12.16	24.3
		6:00	23.95	51.32	33.93	8.18	6.55	13.24	24.64
		9:00	24.33	51.13	33.81	8.19	7.14	13.18	21.6
		12:00	24.67	51.01	33.71	8.21	7.96	12.38	27.59
		15:00	24.43	51.98	33.44	8.21	7.88	12.35	27.38
		18:00	24.6	51.64	33.45	8.21	7.11	13.49	27.18
		21:00	24	51.7	33.44	8.19	7.16	12.55	24.45
	日平均值		24.26	51.43	33.64	8.21	7.45	12.60	25.45
	潮口站	0:00	24.83	51.63	33.83	8.43	8.24	3.79	1.56
		3:00	24.97	51.6	33.81	8.4	7.83	1.35	0.84
		6:00	24.86	51.57	33.78	8.4	7.66	5.14	0.81
		9:00	24.59	51.42	33.51	8.42	8.12	4.37	1.47
		12:00	24.68	51.41	33.71	8.4	7.85	3.23	1.55
		15:00	24.95	51.42	33.71	8.4	7.97	1.38	1.5
		18:00	24.95	51.47	33.73	8.42	7.85	8.8	2.45
		21:00	24.94	51.4	33.68	8.4	8.63	14.82	2.25
	日平均值		24.85	51.49	33.72	8.41	8.02	5.36	1.55
	灣內站	0:00	24.3	51.63	33.83	8.35	9.56	9.46	17.67
		3:00	24.67	51.6	33.81	8.34	6.07	10.5	15.03
		6:00	24.48	51.57	33.78	8.33	5.29	7.82	11.74
9:00		24.6	51.42	33.51	8.35	6.89	12.19	11.66	
12:00		24.02	51.41	33.71	8.43	9.43	10.27	13.4	
15:00		24.33	51.42	33.71	8.4	9.73	7.88	12.83	
18:00		24.4	51.47	33.73	8.28	8.38	7.42	8.55	
21:00		24.2	51.4	33.68	8.29	8.1	7.76	8.1	
日平均值		24.38	51.49	33.72	8.35	7.93	9.16	12.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月2日	蚵殼站	0:00	24.67	51.89	33.43	8.18	7.19	12.05	21.83
		3:00	24.49	51.98	33.34	8.18	7.19	12.76	23.76
		6:00	24.36	51.93	33.32	8.16	5.87	19.34	23.32
		9:00	24.42	51.9	33.53	8.17	7.08	11.87	25.29
		12:00	25.05	52.84	33.87	8.2	8.73	12.14	38.46
		15:00	25.26	52.07	33.62	8.22	8.63	14.41	52.38
		18:00	24.9	53.57	33.34	8.2	6.64	16.72	39.09
		21:00	25.25	52.66	33.4	8.16	6.22	19.11	28.69
	日平均值		24.80	52.36	33.48	8.18	7.19	14.80	31.60
	潮口站	0:00	24.83	51.33	33.63	8.38	7.42	20.84	2.04
		3:00	24.97	51.38	33.68	8.4	7.52	4.82	1.54
		6:00	24.94	51.47	33.73	8.39	7.54	4.51	1.62
		9:00	24.68	51.39	33.69	8.4	7.51	8.24	2.04
		12:00	24.48	51.02	33.37	8.4	7.67	3.88	2.23
		15:00	24.6	51.35	33.64	8.38	7.58	1.81	2.14
		18:00	24.52	51.46	33.73	8.39	7.89	5.6	2.83
		21:00	24.53	51.43	33.7	8.37	7.36	12.52	3.08
	日平均值		24.69	51.35	33.65	8.39	7.56	7.78	2.19
	灣內站	0:00	23.99	51.33	33.63	8.27	7.83	4.1	7.6
		3:00	24	51.38	33.68	8.25	5.36	6.57	7.25
		6:00	24	51.47	33.73	8.23	5.73	4.28	8.21
9:00		24.08	51.39	33.69	8.24	6.68	9.75	11.33	
12:00		24.7	51.02	33.37	8.41	11.65	17.36	17.67	
15:00		24.98	51.35	33.64	8.45	11.12	15.44	37.36	
18:00		24.81	51.46	33.73	8.3	6.81	6.9	43.6	
21:00		24.61	51.43	33.7	8.28	6.59	16.2	33.18	
日平均值		24.40	51.35	33.65	8.30	7.72	10.08	20.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月3日	蚵殼站	0:00	24.87	52.49	33.84	8.2	7.65	13.66	25.08
		3:00	24.73	52.6	33.72	8.21	7.41	12.44	26.27
		6:00	24.64	52.95	33.94	8.2	7.27	12.31	33.05
		9:00	24.78	52.85	33.88	8.19	8.15	12.85	40.96
		12:00	25.21	52.12	33.41	8.22	8.99	16.99	61.28
		15:00	25.46	52.17	33.44	8.23	8.88	21.3	65.56
		18:00	25.55	52.79	33.84	8.15	6.95	15.13	45.82
	21:00	25.51	53.04	34	8.14	6.1	20.41	38.84	
	日平均值		25.09	52.63	33.76	8.19	7.68	15.64	42.11
	潮口站	0:00	24.53	51.41	33.71	8.36	7.17	13.39	2.73
		3:00	24.81	51.4	33.7	8.38	7.18	4.8	2.38
		6:00	25.17	51.34	33.64	8.38	7.31	2.81	2.5
		9:00	25.53	51.41	33.71	8.39	7.52	7.92	3.31
		12:00	25.62	51.11	33.44	8.37	7.48	6.08	3.81
		15:00	25.82	51.37	33.67	8.39	7.64	3.08	3.74
		18:00	25.66	51.33	33.73	8.39	7.67	4.33	3
	21:00	25.7	51.35	33.85	8.37	7.44	11.62	2.86	
	日平均值		25.36	51.34	33.68	8.38	7.43	6.75	3.04
	灣內站	0:00	24.53	51.41	33.71	8.28	6.2	11.18	31.44
		3:00	24.38	51.4	33.7	8.25	5.88	4.46	24.6
		6:00	24.26	51.34	33.64	8.22	5.4	6.67	19.77
9:00		24.46	51.41	33.71	8.29	7.09	11.07	18.27	
12:00		24.79	51.11	33.44	8.36	8.26	17.88	31.19	
15:00		24.79	51.37	33.67	8.37	7.56	11.4	35.17	
18:00		24.72	51.33	33.63	8.32	6.5	18.16	25.43	
21:00	24.8	51.35	33.65	8.22	5.38	7.22	16.4		
日平均值		24.59	51.34	33.64	8.29	6.53	11.01	25.28	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月4日	蚵殼站	0:00	25.52	52.51	33.66	8.17	7.45	12.4	39.64
		3:00	25.45	52.18	33.45	8.18	7.54	11.76	43.44
		6:00	25.42	52.31	33.53	8.12	6.04	25	43.1
		9:00	25.32	52.45	33.62	8.13	7.13	17.8	36.9
		12:00	25.64	52.04	33.36	8.13	6.66	18.65	58.59
		15:00	25.9	52.06	33.37	8.15	7.95	25.38	94.66
		18:00	26	52.54	33.68	8.1	6.96	39.46	73.59
	21:00	25.91	52.96	33.95	8.05	6.51	38.29	71.42	
	日平均值		25.65	52.38	33.58	8.13	7.03	23.59	57.67
	潮口站	0:00	25.41	51.4	33.8	8.39	7.51	12.82	3.2
		3:00	25.39	51.4	33.87	8.38	7.02	16.38	2.27
		6:00	25.53	51.41	33.88	8.37	6.93	13.29	2.22
		9:00	25.32	51.23	33.94	8.39	7.74	13.1	3.58
		12:00	25.48	52.04	33.93	8.38	7.48	24.04	3.28
		15:00	25.91	52.06	34.08	8.41	7.6	2.49	3
		18:00	25.75	52.54	34.52	8.4	7.4	2.91	3.23
	21:00	25.48	52.06	34.33	8.38	7.47	9.8	3.53	
	日平均值		25.53	51.77	34.04	8.39	7.39	11.85	3.04
	灣內站	0:00	24.78	51.4	33.7	8.2	5.55	17.21	11.91
		3:00	24.59	51.4	33.7	8.27	5.17	16.39	9.52
		6:00	24.5	51.41	33.7	8.25	10	16.12	8.55
9:00		24.58	51.23	33.54	8.22	6.19	11.92	10.47	
12:00		24.87	50.9	33.3	8.29	7.03	12.17	11.26	
15:00		24.9	51.28	33.59	8.35	7.82	13.21	23.3	
18:00		24.65	51.45	33.72	8.3	6.85	18.33	18.69	
21:00	24.67	51.4	33.7	8.28	7.01	13.27	13.85		
日平均值		24.69	51.31	33.62	8.27	6.95	14.83	13.44	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月5日	蚵殼站	0:00	25.61	52.65	33.75	8.14	7.14	24.68	90.96	
		3:00	25.56	52.26	33.5	8.13	6.21	28.35	63.42	
		6:00	25.53	52.34	33.55	8.13	6.68	26.97	60.25	
		9:00	25.64	52.99	33.97	8.16	7.09	28.22	52.68	
		12:00	25.96	53.18	34.09	8.18	7.91	31.34	56.92	
		15:00	26.07	53.16	34.08	8.19	7.83	36.7	73.56	
		18:00	26.03	53.18	34.09	8.16	7.13	43.17	77.66	
		21:00	26.01	52.92	33.92	8.16	7.03	37.5	68.68	
	日平均值			25.80	52.84	33.87	8.16	7.13	32.12	68.02
	潮口站	0:00	25.35	52.65	34.28	8.35	6.73	23.01	2.84	
		3:00	25.27	52.26	34.37	8.37	6.86	23.5	2.15	
		6:00	25.45	52.34	34.55	8.36	6.67	11.73	1.82	
		9:00	25.32	52.79	34.39	8.39	7.51	9.56	2.4	
		12:00	25.49	52.88	34.41	8.37	7.36	17.41	2.79	
		15:00	25.74	52.76	34.34	8.39	7.4	10.63	2.79	
		18:00	25.62	52.68	34.51	8.38	7.26	4.27	3.23	
		21:00	25.4	52.62	34.41	8.39	7.7	6.72	3.24	
	日平均值			25.46	52.62	34.41	8.38	7.19	13.35	2.66
	灣內站	0:00	24.61	51.46	33.73	8.26	6.06	11.18	8.67	
		3:00	24.5	51.52	33.76	8.25	5.58	4.46	7.15	
		6:00	24.46	51.64	33.84	8.27	5.9	6.67	9.66	
		9:00	24.48	51.63	33.83	8.28	5.94	11.07	13.04	
		12:00	24.83	51.51	33.76	8.31	8.11	17.88	14.82	
		15:00	24.89	51.44	33.72	8.32	8.56	11.4	18.34	
		18:00	24.75	51.58	33.79	8.29	6.85	18.16	11.37	
		21:00	24.64	51.61	33.82	8.3	7.01	7.22	12.95	
	日平均值			24.65	51.55	33.78	8.29	6.75	11.01	12.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月6日	蚵殼站	0:00	25.87	52.56	33.69	8.17	6.47	34.06	76.38	
		3:00	25.61	52.53	33.67	8.15	6.19	31.86	62.12	
		6:00	25.41	52.6	33.72	8.1	5.57	43.29	45.28	
		9:00	25.55	52.56	33.69	8.1	6.59	28.65	35.88	
		12:00	25.77	52.26	33.5	8.16	9.1	23.97	47.81	
		15:00	26.09	52.56	33.69	8.24	9.76	26.93	68.46	
		18:00	25.86	52.82	33.86	8.14	7.02	30.34	49.71	
		21:00	25.6	53.02	33.99	8.07	7.36	30.91	33.63	
	日平均值			25.72	52.61	33.73	8.14	7.26	31.25	52.41
	潮口站	0:00	24.93	52.56	34.24	8.37	7.08	8.77	3.97	
		3:00	24.79	52.53	33.97	8.36	6.43	17.08	3.33	
		6:00	25.16	52.6	34.58	8.37	6.48	7.17	2.88	
		9:00	25.58	52.56	34.36	8.38	7.09	2.86	2.9	
		12:00	25.72	52.26	34.29	8.38	7.54	9.79	3.19	
		15:00	25.79	52.56	34.44	8.39	7.43	4.93	3.17	
		18:00	25.64	52.82	34.48	8.35	6.94	2.92	3.17	
		21:00	25.45	53.02	34.5	8.38	7.25	6.25	3.61	
	日平均值			25.38	52.61	34.36	8.37	7.03	7.47	3.28
	灣內站	0:00	24.42	51.69	33.89	8.27	6.57	17.21	11.25	
		3:00	24.3	51.65	33.85	8.26	6.71	16.39	11.74	
		6:00	24.25	51.64	33.85	8.18	5.85	21.36	7.06	
		9:00	24.25	51.43	33.72	8.18	5.92	26.11	6.5	
		12:00	25.02	51.3	33.59	8.38	11.55	18.68	17.15	
		15:00	25.77	51.45	33.72	8.44	10.47	16.16	24.24	
		18:00	25.46	51.65	33.86	8.35	5.2	12.87	17.26	
		21:00	25.2	51.58	33.8	8.24	5.7	5.67	11.59	
	日平均值			24.83	51.55	33.79	8.29	7.25	16.81	13.35
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月7日	蚵殼站	0:00	25.65	53.46	33.27	8.15	7.75	27.3	39.93
		3:00	25.47	52.88	33.9	8.19	8.55	21.45	49.47
		6:00	25.33	52.54	33.68	8.19	7.89	22.52	47.3
		9:00	25.34	52.21	33.47	8.2	8.3	26.86	46.19
		12:00	25.74	52.04	33.36	8.24	9.7	29.77	51.55
		15:00	25.98	51.89	33.56	8.26	9.91	28.32	61.05
		18:00	25.75	52.21	33.47	8.2	7.4	33.63	50.96
		21:00	25.77	53.1	33.04	8.16	6.93	33.84	47.72
	日平均值		25.63	52.54	33.47	8.20	8.30	27.96	49.27
	潮口站	0:00	25.23	52.46	34.35	8.37	7.11	9.16	3.91
		3:00	24.93	52.88	34.23	8.34	6.47	40.07	3.39
		6:00	25.02	52.54	34.51	8.34	6	19.41	3.4
		9:00	25.16	52.21	34.46	8.37	6.93	9.08	3.75
		12:00	25.52	52.04	34.43	8.38	7.53	14.65	3.93
		15:00	25.62	51.89	34.45	8.38	7.67	6.15	4.68
		18:00	25.46	52.21	34.39	8.37	7.11	1.31	5.35
		21:00	25.36	52.1	34.42	8.39	7.3	4.76	5.56
	日平均值		25.29	52.29	34.41	8.37	7.02	13.07	4.25
	灣內站	0:00	25.21	51.56	33.78	8.27	8.9	13.29	10.1
		3:00	25.03	51.67	33.88	8.31	6.71	8.96	10.43
		6:00	24.84	51.7	33.26	8.26	5.85	11.27	12.6
9:00		24.97	51.72	33.91	8.31	7.03	24.93	16.71	
12:00		25.39	51.71	33.71	8.39	9.37	28.91	19.07	
15:00		25.46	51.67	33.88	8.45	11.3	21.47	39.59	
18:00		25.4	51.7	33.9	8.38	7.97	18.79	27.33	
21:00		25.37	51.7	33.9	8.26	6.74	24.58	14.9	
日平均值		25.21	51.68	33.78	8.33	7.98	19.03	18.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月8日	蚵殼站	0:00	25.64	53.79	33.48	8.19	8.16	28.81	51.89
		3:00	25.62	53.87	33.43	8.16	7.09	35.89	50.82
		6:00	25.45	53.45	33.26	8.13	6.83	43.28	45.19
		9:00	25.73	53.29	33.16	8.08	6.88	29.74	41.25
		12:00	25.94	53.4	33.23	8.17	9.62	21.34	50.36
		15:00	25.95	53.21	33.11	8.21	9.54	20.86	51.56
		18:00	25.66	53.26	33.14	8.18	8.2	23.28	40.61
		21:00	25.49	53.4	33.23	8.2	7.32	26.91	35.79
	日平均值		25.69	53.46	33.26	8.17	7.96	28.76	45.93
	潮口站	0:00	24.98	52.79	34.44	8.39	7.21	7.89	5.93
		3:00	24.88	52.87	34.4	8.38	7.28	27.56	6.66
		6:00	24.81	52.45	34.52	8.36	6.58	19.62	6.56
		9:00	25.09	52.29	34.43	8.37	7.21	4.94	7.4
		12:00	25.35	52.4	34.55	8.41	8.36	16.31	9.66
		15:00	25.54	52.21	34.52	8.4	7.82	14.41	10.08
		18:00	25.65	52.26	34.54	8.37	7.3	3.63	9.66
		21:00	25.45	52.4	34.44	8.36	7.22	3.62	9.41
	日平均值		25.22	52.46	34.48	8.38	7.37	12.25	8.17
	灣內站	0:00	25.08	51.6	33.82	8.28	6.06	15.42	16.9
		3:00	24.9	51.63	33.83	8.28	5.58	10.05	15.69
		6:00	24.74	51.53	33.77	8.19	5.9	6.02	13.65
9:00		24.86	51.55	33.78	8.24	6.82	7.14	17.02	
12:00		25.6	51.2	33.5	8.46	11.95	19.25	15.85	
15:00		25.8	51.21	33.51	8.49	13.1	25.01	34.51	
18:00		25.58	51.37	33.66	8.42	12.2	20.93	31.07	
21:00		25.36	51.52	33.76	8.32	7.45	24.53	24.06	
日平均值		25.24	51.45	33.70	8.34	8.63	16.04	21.09	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月9日	蚵殼站	0:00	25.34	53.55	33.33	8.17	6.87	26.55	32.99
		3:00	25.3	53.59	33.35	8.17	6.57	36.65	30.45
		6:00	25.1	53.66	33.4	8.12	6.19	27.99	29.79
		9:00	25.45	53.43	33.25	8.18	7.34	29.13	28.87
		12:00	25.61	53.18	33.09	8.24	9.92	24.99	33.17
		15:00	25.69	53.06	33.01	8.24	9.36	23.97	40.39
		18:00	25.75	52.98	33.96	8.16	7.78	29.04	30.85
	21:00	25.55	52.82	33.86	8.25	8.66	26.35	27.92	
	日平均值		25.47	53.28	33.41	8.19	7.84	28.08	31.80
	潮口站	0:00	24.88	52.55	34.28	8.4	7.5	7.06	10.49
		3:00	24.82	52.59	34.37	8.39	7.41	13.2	11.24
		6:00	24.78	52.66	34.55	8.36	6.08	16.58	10.64
		9:00	25.24	52.43	34.39	8.37	6.87	4.91	10.86
		12:00	25.4	52.18	34.41	8.4	8.45	7.67	12.4
		15:00	25.47	52.06	34.34	8.39	8.4	14.57	14.02
		18:00	25.44	52.98	34.51	8.38	7.41	6.74	14.07
	21:00	25.35	52.82	34.41	8.36	6.98	5.58	14	
	日平均值		25.17	52.53	34.41	8.38	7.39	9.54	12.22
	灣內站	0:00	25.18	51.6	33.81	8.28	7.36	13.83	21.13
		3:00	25.02	51.58	33.46	8.2	5.63	20.72	18.73
		6:00	24.81	51.38	33.67	8.22	7.51	26.64	17.92
9:00		24.93	51.51	33.76	8.27	7.87	11.66	19.43	
12:00		25.56	51.46	33.73	8.43	11.61	21.14	22.1	
15:00		25.68	51.4	33.7	8.46	11.81	37.82	32.76	
18:00		25.51	51.46	33.72	8.31	6.22	26.38	24.14	
21:00	25.39	51.48	33.74	8.33	5.14	14.79	20.25		
日平均值		25.26	51.48	33.70	8.31	7.89	21.62	22.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月10日	蚵殼站	0:00	25.45	52.65	33.75	8.24	8.21	28.89	32.52
		3:00	25.34	52.43	33.61	8.22	7.22	26.32	32.51
		6:00	25.26	52.21	33.47	8.22	7.68	25.74	32.41
		9:00	25.4	52.6	33.72	8.21	6.74	27.47	40.34
		12:00	25.76	52.67	33.76	8.22	7.95	27.51	49.26
		15:00	25.51	52.59	33.71	8.24	8.8	26.69	55.56
		18:00	25.45	52.76	33.82	8.12	5.69	32.67	42.92
	21:00	25.83	53.06	34.01	8.12	7.57	30.56	38.96	
	日平均值		25.50	52.62	33.73	8.20	7.48	28.23	40.56
	潮口站	0:00	24.9	52.65	34.24	8.42	7.79	5.86	15.14
		3:00	24.78	52.43	33.97	8.4	7.42	14.95	14.15
		6:00	24.61	52.21	34.58	8.34	6.2	32.58	15.27
		9:00	25.13	52.6	34.36	8.35	6.78	10.09	15.87
		12:00	25.56	52.67	34.29	8.38	7.79	7.76	17.24
		15:00	25.49	52.59	34.44	8.38	7.75	16.38	19.3
		18:00	25.41	52.76	34.48	8.39	7.1	10.38	20.49
	21:00	25.44	53.06	34.5	8.36	6.71	7.81	21.15	
	日平均值		25.17	52.62	34.36	8.38	7.19	13.23	17.33
	灣內站	0:00	25.14	51.61	33.82	8.31	8.9	12.89	16.94
		3:00	25	51.58	33.47	8.22	7.51	8.93	14.37
		6:00	24.82	51.56	33.78	8.22	7.87	8.38	14.85
9:00		24.94	51.58	33.79	8.25	7.88	10.45	17.83	
12:00		25.61	51.2	33.52	8.38	8.75	41.18	14.28	
15:00		25.8	50.92	33.31	8.38	9.54	67.69	18.63	
18:00		25.42	51.27	33.59	8.3	6.22	58.66	15.54	
21:00	25.3	51.44	33.72	8.27	6.17	53.67	14.78		
日平均值		25.25	51.40	33.63	8.29	7.86	32.73	15.90	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月11日	蚵殼站	0:00	25.88	52.76	33.82	8.19	7.42	24.76	25.23
		3:00	25.59	52.62	33.73	8.21	7.69	24.4	28.8
		6:00	25.42	52.84	33.87	8.23	7.57	24.56	31.08
		9:00	25.54	52.95	33.94	8.18	6.52	28.04	31.19
		12:00	25.87	52.6	33.72	8.21	8.08	27.7	43.07
		15:00	25.63	52.65	33.75	8.21	7.72	25.6	57.73
		18:00	25.59	52.68	33.77	8.19	7.49	25.63	58.87
	21:00	25.46	52.96	33.95	8.14	5.82	26.78	46.99	
	日平均值		25.62	52.76	33.82	8.20	7.29	25.93	40.37
	潮口站	0:00	25.14	52.76	34.35	8.43	7.27	6.56	21.31
		3:00	25.04	52.62	34.23	8.43	7.23	9.37	24.07
		6:00	24.94	52.84	34.51	8.38	6.7	23.27	24.71
		9:00	25.23	52.95	34.46	8.34	6.72	12.3	25.25
		12:00	25.58	52.6	34.43	8.4	7.55	7.33	25.71
		15:00	25.74	52.65	34.45	8.46	8.67	10.34	26.68
		18:00	25.53	52.68	34.39	8.4	7.62	16.54	28.91
	21:00	25.37	52.96	34.42	8.35	7.12	9.31	29.22	
	日平均值		25.32	52.76	34.41	8.40	7.36	11.88	25.73
	灣內站	0:00	25.05	51.61	33.81	8.28	6.08	61.53	13.24
		3:00	24.92	51.58	33.79	8.28	5.19	45.11	13.29
		6:00	24.74	51.63	33.82	8.27	10	75.64	13.73
9:00		24.91	51.57	33.79	8.28	7.38	92.2	14.28	
12:00		25.51	51.54	33.77	8.4	10.37	87.24	17.61	
15:00		25.76	51.38	33.68	8.44	10.52	69.73	18.15	
18:00		25.57	51.21	33.32	8.38	8.89	105.63	20.66	
21:00	25.54	51.58	33.81	8.27	6.57	178.26	17.54		
日平均值		25.25	51.51	33.72	8.33	8.13	89.42	16.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月12日	蚵殼站	0:00	25.56	52.65	33.75	8.15	6.17	25.59	44.03
		3:00	25.43	52.9	33.91	8.19	6.85	25.39	47.56
		6:00	25.34	52.49	33.65	8.17	6.1	37.15	52.11
		9:00	25.48	52.81	33.85	8.09	5.35	47.48	42.8
		12:00	25.57	52.67	33.76	8.14	6.62	36.79	53.56
		15:00	25.46	52.6	33.72	8.11	5.88	37.84	63.8
		18:00	25.55	52.65	33.75	8.11	6.86	45.6	61.07
	21:00	25.69	52.9	33.91	8.16	6.85	32.06	57.91	
	日平均值		25.51	52.71	33.79	8.14	6.34	35.99	52.86
	潮口站	0:00	25.09	52.65	34.44	8.39	7.28	9.76	31.88
		3:00	24.91	52.9	34.4	8.41	7.36	12.12	33.51
		6:00	24.73	52.49	34.52	8.35	6.53	18.4	37.17
		9:00	24.96	52.81	34.54	8.32	6.79	14.08	38.84
		12:00	25.3	52.67	34.22	8.36	7.7	5.79	42.09
		15:00	25.23	52.6	34.4	8.42	8.27	8.88	46.13
		18:00	25.14	52.65	34.33	8.38	7.97	11.23	49.29
	21:00	25.04	52.9	34.48	8.36	7.37	14.43	50.84	
	日平均值		25.05	52.71	34.42	8.37	7.41	11.84	41.22
	灣內站	0:00	25.38	51.69	33.89	8.22	10.52	164.54	13.96
		3:00	25.14	51.68	33.88	8.2	8.89	154.24	12.37
		6:00	24.97	51.68	33.88	8.19	6.57	144.12	11.72
9:00		25.22	51.62	33.61	8.2	8.23	141.13	12.22	
12:00		25.62	51.15	33.46	8.43	10.44	140.8	34.19	
15:00		25.6	51.12	33.43	8.35	7.42	132.37	32.03	
18:00		25.63	51.51	33.76	8.2	8.89	125.65	23.78	
21:00	25.33	51.64	33.84	8.21	6.57	120.99	21.74		
日平均值		25.36	51.51	33.72	8.25	8.44	140.48	20.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月13日	蚵殼站	0:00	25.59	52.73	33.8	8.17	6.31	31.8	56.88
		3:00	25.46	52.49	33.65	8.15	6.05	36.62	23.9
		6:00	25.35	52.46	33.63	8.17	6.12	29.74	17.4
		9:00	25.52	52.71	33.79	8.12	5.91	34.62	13.3
		12:00	25.68	51.4	33.95	8.19	7.44	32.14	15.9
		15:00	25.92	52.59	33.71	8.12	6.16	34.04	25.1
		18:00	25.95	52.49	33.65	8.12	6.32	32.97	29.5
	21:00	25.91	52.51	33.66	8.12	5.96	32.08	16.4	
	日平均值		25.67	52.42	33.73	8.15	6.28	33.00	24.80
	潮口站	0:00	24.98	52.73	34.48	8.33	7.59	6.45	51.02
		3:00	24.82	52.49	34.45	8.4	7.7	8.88	51.05
		6:00	24.67	52.46	34.53	8.33	6.66	14.75	51.2
		9:00	25.27	52.71	34.53	8.32	6.88	12.94	52.76
		12:00	25.62	52.4	34.48	8.36	8.07	7.97	53.14
		15:00	25.59	52.59	34.47	8.42	8.71	9.88	49.54
		18:00	25.69	52.49	34.43	8.42	8.34	16.34	29.11
	21:00	25.44	52.51	34.45	8.36	7.52	17.91	25.71	
	日平均值		25.26	52.55	34.48	8.37	7.68	11.89	45.44
	灣內站	0:00	25.05	51.64	33.84	8.2	10.52	114.26	18.01
		3:00	25	51.41	33.71	8.17	8.89	127.69	16.38
		6:00	24.93	51.58	33.8	8.17	6.57	167.56	15.17
9:00		25.23	51.65	33.85	8.15	8.23	129.42	17.04	
12:00		25.91	51.53	33.77	8.37	7.77	109.11	24.47	
15:00		26.32	51.29	33.59	8.4	7.99	110.99	24.13	
18:00		26.06	51.08	33.4	8.39	8.09	84.53	23.16	
21:00	25.88	51.22	33.53	8.26	8.76	145.67	17.67		
日平均值		25.55	51.43	33.69	8.26	8.35	123.65	19.50	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月14日	蚵殼站	0:00	26.05	52.43	33.61	8.14	6.65	31.22	20.4
		3:00	26	52.67	33.76	8.06	5.58	33.94	9.8
		6:00	25.82	52.24	33.49	8.07	5.24	29.76	7.3
		9:00	26.03	52.21	33.47	8.03	5.76	23.13	12.4
		12:00	25.83	52.34	33.55	8.13	6.99	30.01	8.89
		15:00	26.29	52.6	33.72	8.42	8.41	13.71	5.91
		18:00	25.45	52.51	33.66	8.15	9.83	12.98	19.3
	21:00	25.83	52.17	33.44	8.18	9.54	13.45	13.7	
	日平均值		25.91	52.40	33.59	8.15	7.25	23.53	12.21
	潮口站	0:00	25.59	52.43	34.47	8.32	7.54	6.96	24.46
		3:00	25.45	52.67	34.49	8.33	7.54	10.1	26.03
		6:00	25.07	52.24	34.46	8.31	6.96	15.07	27.27
		9:00	25.81	52.3	34.54	8.33	7.6	23.26	9.87
		12:00	25.98	52.45	34.48	8.35	8.94	1.97	0.36
		15:00	25.99	52.29	34.4	8.36	9.11	4.4	0.78
		18:00	25.47	52.54	34.54	8.41	8.28	5.93	1.22
	21:00	25.84	52.37	34.44	8.41	8.36	11.69	2.16	
	日平均值		25.65	52.41	34.48	8.35	8.04	9.92	11.52
	灣內站	0:00	25.67	51.45	33.73	8.27	6.72	183.2	19.68
		3:00	25.55	51.55	33.78	8.18	5.86	158.74	17.1
		6:00	25.41	51.46	33.73	8.16	11.45	161.7	16.28
9:00		25.69	51.37	33.66	8.24	9.35	135.43	17.24	
12:00		26.16	51.24	33.54	8.44	11.01	105.63	21.02	
15:00		26.33	51.28	33.58	8.46	11.45	115.84	28.34	
18:00		25.54	51.55	33.79	8.49	7.22	34.16	21.31	
21:00	25.15	51.65	33.86	8.46	6.25	26.78	14.61		
日平均值		25.69	51.44	33.71	8.34	8.66	115.19	19.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月15日	蚵殼站	0:00	25.88	52.31	33.53	8.16	9.71	11.36	15.9
		3:00	25.59	52.35	33.56	8.09	9.58	10.82	16.1
		6:00	25.42	52.32	33.54	8.1	9.08	11.54	12.3
		9:00	25.54	52.17	33.44	7.98	7.66	12.38	8.4
		12:00	25.87	52.21	33.47	7.94	8.6	12.97	17.7
		15:00	25.63	52.15	33.43	8.1	9.84	12.52	18
		18:00	25.59	52.23	33.48	8.17	9.79	11	18.8
	21:00	25.46	52.37	33.57	8.1	8.1	11.46	16.9	
	日平均值		25.62	52.26	33.50	8.08	9.05	11.76	15.51
	潮口站	0:00	25.98	52.09	34.28	8.43	8.14	14.63	2.9
		3:00	25.59	52.26	34.37	8.43	7.59	23.05	1.69
		6:00	25.44	52.57	34.55	8.42	7.85	10.25	2.3
		9:00	26.18	52.28	34.39	8.44	8.17	14.25	2.9
		12:00	26.44	52.32	34.41	8.44	8.23	11.62	3.65
		15:00	25.96	52.21	34.34	8.42	8.15	8.63	3.3
		18:00	25.65	52.51	34.51	8.42	8.04	6.49	2.78
	21:00	26.22	52.32	34.41	8.41	8.17	6.81	2.87	
	日平均值		25.93	52.32	34.41	8.43	8.04	11.97	2.80
	灣內站	0:00	25.1	51.46	33.73	8.39	5.16	15.78	8.99
		3:00	25.18	51.4	33.7	8.34	5.74	8.43	6.52
		6:00	25.28	51.61	33.83	8.38	5.82	16.16	7.18
9:00		25.72	51.48	33.72	8.4	6.87	23.04	6.38	
12:00		26.54	51.19	33.32	8.48	8.67	8.81	9.51	
15:00		26.78	51.19	33.49	8.3	9.51	15.33	14.28	
18:00		26.38	51.37	33.67	8.47	8.82	12.53	10.21	
21:00	26.14	51.41	33.5	8.42	7.19	11.87	7.36		
日平均值		25.89	51.39	33.62	8.40	7.22	13.99	8.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月16日	蚵殼站	0:00	25.56	52.43	33.61	8.05	7.36	17.67	9.5
		3:00	25.43	52.38	33.58	8.06	7.26	12.37	13.8
		6:00	25.34	52.32	33.54	8.25	8.4	10.4	5.7
		9:00	25.48	52.21	33.47	8.26	7.32	11.72	10.7
		12:00	25.57	52.62	33.73	8.23	7.9	13.09	9
		15:00	25.46	52.57	33.7	8.12	8.51	14.2	6.8
		18:00	25.55	52.46	33.63	8.13	7.04	12	21.7
	21:00	25.69	52.37	33.57	8.26	7.7	10.73	17.8	
	日平均值		25.51	52.42	33.60	8.17	7.69	12.77	11.88
	潮口站	0:00	26.6	52.04	34.24	8.44	8.64	8.59	3.04
		3:00	25.95	52.16	33.97	8.46	7.36	21.75	2.24
		6:00	25.35	52.61	34.58	8.47	7.15	23.35	2.08
		9:00	26.55	52.22	34.36	8.42	7.86	12.53	2.92
		12:00	27.12	52.1	34.29	8.45	8.61	10.3	3.72
		15:00	26.27	52.39	34.44	8.44	8.08	16.36	3.55
		18:00	25.35	52.46	34.48	8.45	7.5	19.04	3.05
	21:00	26	52.49	34.5	8.41	8.08	5.92	3	
	日平均值		26.15	52.31	34.36	8.44	7.91	14.73	2.95
	灣內站	0:00	26.26	51.4	33.69	8.39	5.89	19.46	8.66
		3:00	25.98	51.42	33.71	8.39	6	17.48	6.44
		6:00	25.8	51.56	33.78	8.41	6.72	10.82	7.12
9:00		26.27	51.45	33.71	8.43	8.08	9.45	7.52	
12:00		27.16	51.02	33.36	8.33	10.5	11.59	26.74	
15:00		27.45	51.07	33.39	8.34	9.52	30.91	34.46	
18:00		26.91	51.2	33.51	8.32	6.59	15.58	29.66	
21:00	26.53	51.36	33.66	8.49	7.12	15.57	11.51		
日平均值		26.55	51.31	33.60	8.39	7.55	16.36	16.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月17日	蚵殼站	0:00	25.59	52.29	33.52	8.38	7.09	10.71	22.1
		3:00	25.46	52.37	33.57	8.35	7.72	16.17	4.2
		6:00	25.35	52.21	33.47	8.33	7.68	10.45	7.3
		9:00	25.52	52.04	33.36	8.34	8.95	11	3.4
		12:00	25.68	52.01	33.34	8.29	9.44	10.84	8.4
		15:00	25.92	52.32	33.54	8.34	9.2	11.01	13.9
		18:00	25.95	52.38	33.58	8.3	8.61	14.26	8.8
	21:00	25.91	52.21	33.47	8.36	8.23	12.51	11.4	
	日平均值		25.67	52.23	33.48	8.34	8.37	12.12	9.94
	潮口站	0:00	26.69	52.21	34.35	8.41	8.07	9.33	3.35
		3:00	26.27	52.04	34.23	8.46	7.51	19.09	3.58
		6:00	25.17	52.49	34.51	8.45	6.91	22.29	3.55
		9:00	26.26	52.4	34.46	8.38	7.04	13.13	4.13
		12:00	26.84	52.35	34.43	8.38	7.47	16.18	4.92
		15:00	26.31	52.39	34.45	8.44	7.88	13.79	5.19
		18:00	25.52	52.29	34.39	8.43	7.45	17.83	4.09
	21:00	25.74	52.35	34.42	8.41	7.69	9.74	4.16	
	日平均值		26.10	52.32	34.41	8.42	7.50	15.17	4.12
	灣內站	0:00	26.24	51.46	33.73	8.43	6.36	12.34	5.15
		3:00	26.08	51.49	33.75	8.41	6.27	9.94	4.53
		6:00	25.99	51.59	33.8	8.39	6.95	10.99	6.2
9:00		26.19	51.43	33.71	8.48	7.82	19.2	9.05	
12:00		26.44	51.49	33.75	8.46	7.87	25.84	13.94	
15:00		26.42	51.54	33.78	8.47	8.05	29.17	16.45	
18:00		26.38	51.41	33.7	8.45	6.21	24.16	16.69	
21:00	26.2	51.4	33.7	8.4	6.88	10.79	13.11		
日平均值		26.24	51.48	33.74	8.44	7.05	17.80	10.64	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月18日	蚵殼站	0:00	26.05	52.51	33.66	8.4	8.61	10.59	17.4
		3:00	26	52.35	33.56	8.44	8.21	10.59	7.3
		6:00	25.82	52.23	33.48	8.33	7.66	15.57	2.8
		9:00	26.35	51.66	33.76	8.37	7.95	13.61	6.36
		12:00	26.11	50.64	33.93	8.28	7.75	13	14.9
		15:00	26.12	51.35	33.42	8.3	7.68	14.65	16.14
		18:00	26.18	51.87	33.75	8.28	7.13	18.25	13.35
	21:00	26.06	51.8	33.7	8.27	6.7	15.53	13.45	
	日平均值		26.09	51.80	33.66	8.33	7.71	13.97	11.46
	潮口站	0:00	26.08	52.39	34.44	8.39	7.53	9.19	4.96
		3:00	26.11	52.29	34.4	8.39	6.6	20.29	5.02
		6:00	25.22	52.51	34.52	8.43	6.74	28.52	5.61
		9:00	25.77	52.36	34.43	8.38	8.82	9.34	1.4
		12:00	25.65	52.56	34.55	8.41	8.44	8.11	1.33
		15:00	25.66	52.52	34.52	8.41	8.58	2.49	1.18
		18:00	25.47	52.54	34.54	8.41	8.28	5.93	1.22
	21:00	25.84	52.37	34.44	8.41	8.36	11.69	2.16	
	日平均值		25.73	52.44	34.48	8.40	7.92	11.95	2.86
	灣內站	0:00	26.03	51.5	33.56	8.38	5.76	38.48	8.54
		3:00	25.93	51.54	33.77	8.38	5.67	37.38	6.44
		6:00	25.76	51.6	33.81	8.38	5.9	42.26	6.7
9:00		25.96	51.61	33.82	8.39	6.79	18.83	5.43	
12:00		26.33	51.13	33.06	8.37	10.74	12.29	9.77	
15:00		26.24	51.13	33.43	8.38	10.01	19.91	20.17	
18:00		25.54	51.55	33.79	8.49	7.22	34.16	21.31	
21:00	25.15	51.65	33.86	8.46	6.25	26.78	14.61		
日平均值		25.87	51.46	33.64	8.40	7.29	28.76	11.62	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月19日	蚵殼站	0:00	26.3	51.76	33.3	8.22	6.33	15.34	10.82
		3:00	26.19	51.34	33.39	8.18	5.76	14.86	7.36
		6:00	26.22	51.1	33.25	8.15	5.46	14.25	8.24
		9:00	26.24	50.66	33.95	8.17	5.8	13.88	7.23
		12:00	26.53	51.32	33.4	8.26	7.33	15.16	7.9
		15:00	26.96	51.94	33.81	8.28	7.91	16.31	7.97
		18:00	27.09	52.11	33.93	8.25	7.18	15.8	5.75
	21:00	27.07	52	33.85	8.23	7.59	14.69	5.54	
	日平均值		26.58	51.53	33.61	8.22	6.67	15.04	7.60
	潮口站	0:00	25.98	52.09	34.28	8.43	8.14	14.63	2.9
		3:00	25.59	52.26	34.37	8.43	7.59	23.05	1.69
		6:00	25.44	52.57	34.55	8.42	7.85	10.25	2.3
		9:00	26.18	52.28	34.39	8.44	8.17	14.25	2.9
		12:00	26.44	52.32	34.41	8.44	8.23	11.62	3.65
		15:00	25.96	52.21	34.34	8.42	8.15	8.63	3.3
		18:00	25.65	52.51	34.51	8.42	8.04	6.49	2.78
	21:00	26.22	52.32	34.41	8.41	8.17	6.81	2.87	
	日平均值		25.93	52.32	34.41	8.43	8.04	11.97	2.80
	灣內站	0:00	25.1	51.46	33.73	8.39	5.16	15.78	8.99
		3:00	25.18	51.4	33.7	8.34	5.74	8.43	6.52
		6:00	25.28	51.61	33.83	8.38	5.82	16.16	7.18
9:00		25.72	51.48	33.72	8.4	6.87	23.04	6.38	
12:00		26.54	51.19	33.32	8.48	8.67	8.81	9.51	
15:00		26.78	51.19	33.49	8.3	9.51	15.33	14.28	
18:00		26.38	51.37	33.67	8.47	8.82	12.53	10.21	
21:00	26.14	51.41	33.5	8.42	7.19	11.87	7.36		
日平均值		25.89	51.39	33.62	8.40	7.22	13.99	8.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月20日	蚵殼站	0:00	26.93	51.86	33.74	8.21	7.64	13.93	7.32
		3:00	26.74	51.41	33.45	8.19	7.07	12.82	7.25
		6:00	26.48	51.01	33.18	8.16	6.06	13.9	6.99
		9:00	26.74	52.09	33.89	8.2	6.89	15.46	8.26
		12:00	26.99	52.08	33.91	8.26	7.16	15.55	10.82
		15:00	27.06	52.67	34.3	8.27	7.57	18.07	12.73
		18:00	27.15	54.37	34.39	8.27	7.19	18.57	9.1
	21:00	27.04	53.29	33.64	8.26	7.18	17.24	7.62	
	日平均值		26.89	52.35	33.81	8.23	7.10	15.69	8.76
	潮口站	0:00	26.6	52.04	34.24	8.44	8.64	8.59	3.04
		3:00	25.95	52.16	33.97	8.46	7.36	21.75	2.24
		6:00	25.35	52.61	34.58	8.47	7.15	23.35	2.08
		9:00	26.55	52.22	34.36	8.42	7.86	12.53	2.92
		12:00	27.12	52.1	34.29	8.45	8.61	10.3	3.72
		15:00	26.27	52.39	34.44	8.44	8.08	16.36	3.55
		18:00	25.35	52.46	34.48	8.45	7.5	19.04	3.05
	21:00	26	52.49	34.5	8.41	8.08	5.92	3	
	日平均值		26.15	52.31	34.36	8.44	7.91	14.73	2.95
	灣內站	0:00	26.26	51.4	33.69	8.39	5.89	19.46	8.66
		3:00	25.98	51.42	33.71	8.39	6	17.48	6.44
		6:00	25.8	51.56	33.78	8.41	6.72	10.82	7.12
9:00		26.27	51.45	33.71	8.43	8.08	9.45	7.52	
12:00		27.16	51.02	33.36	8.33	10.5	11.59	26.74	
15:00		27.45	51.07	33.39	8.34	9.52	30.91	34.46	
18:00		26.91	51.2	33.51	8.32	6.59	15.58	29.66	
21:00	26.53	51.36	33.66	8.49	7.12	15.57	11.51		
日平均值		26.55	51.31	33.60	8.39	7.55	16.36	16.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月21日	蚵殼站	0:00	27.04	53.14	33.53	8.27	7.62	13.87	7.98	
		3:00	26.97	52.86	34.38	8.18	5.92	15.89	6.93	
		6:00	26.89	52.35	34.09	8.19	6.14	13.71	7.93	
		9:00	26.88	52.41	34.13	8.23	7.38	13.5	9.38	
		12:00	27.03	52.73	34.31	8.26	7.64	16.56	13.75	
		15:00	27.19	53.1	34.5	8.3	7.46	19.17	13.26	
		18:00	27.07	52.63	34.25	8.28	6.57	20.36	8.61	
	21:00	26.97	52.36	34.1	8.24	6.33	23.62	6.86		
	日平均值			27.01	52.70	34.16	8.24	6.88	17.09	9.34
	潮口站	0:00	26.69	52.21	34.35	8.41	8.07	9.33	3.35	
		3:00	26.27	52.04	34.23	8.46	7.51	19.09	3.58	
		6:00	25.17	52.49	34.51	8.45	6.91	22.29	3.55	
		9:00	26.26	52.4	34.46	8.38	7.04	13.13	4.13	
		12:00	26.84	52.35	34.43	8.38	7.47	16.18	4.92	
		15:00	26.31	52.39	34.45	8.44	7.88	13.79	5.19	
		18:00	25.52	52.29	34.39	8.43	7.45	17.83	4.09	
	21:00	25.74	52.35	34.42	8.41	7.69	9.74	4.16		
	日平均值			26.10	52.32	34.41	8.42	7.50	15.17	4.12
	灣內站	0:00	26.24	51.46	33.73	8.43	6.36	12.34	5.15	
		3:00	26.08	51.49	33.75	8.41	6.27	9.94	4.53	
		6:00	25.99	51.59	33.8	8.39	6.95	10.99	6.2	
9:00		26.19	51.43	33.71	8.48	7.82	19.2	9.05		
12:00		26.44	51.49	33.75	8.46	7.87	19.46	13.94		
15:00		26.42	51.54	33.78	8.47	8.05	17.48	16.45		
18:00		26.38	51.41	33.7	8.45	6.21	24.16	16.69		
21:00	26.2	51.4	33.7	8.4	6.88	10.79	13.11			
日平均值			26.24	51.48	33.74	8.44	7.05	15.55	10.64	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月22日	蚵殼站	0:00	26.96	52.26	34.04	8.22	5.93	19.67	5.76	
		3:00	26.79	52.2	34	8.23	6.06	13.51	7.39	
		6:00	26.46	52.08	33.91	8.21	5.45	18.74	7.36	
		9:00	26.93	52.46	34.16	8.26	6.32	17.61	5.83	
		12:00	27.1	52.71	34.3	8.3	7.86	15.92	15.28	
		15:00	27.09	52.72	34.31	8.26	7.08	11.88	20.64	
		18:00	26.74	52.24	34.02	8.24	6.67	12.37	21.54	
	21:00	26.52	52.2	34	8.25	6.61	19.31	18.25		
	日平均值			26.82	52.36	34.09	8.25	6.50	16.13	12.76
	潮口站	0:00	26.08	52.39	34.44	8.39	7.53	9.19	4.96	
		3:00	26.11	52.29	34.4	8.39	6.6	20.29	5.02	
		6:00	25.22	52.51	34.52	8.43	6.74	28.52	5.61	
		9:00	25.6	52.54	34.54	8.39	7.56	13.38	6.71	
		12:00	26.2	52.44	34.22	8.4	8.25	14.43	8.29	
		15:00	26.13	52.31	34.4	8.45	8.45	14.03	9.31	
		18:00	25.23	52.19	34.33	8.43	7.5	14.77	7.47	
	21:00	24.89	52.46	34.48	8.43	7.52	9.73	6.92		
	日平均值			25.68	52.39	34.42	8.41	7.52	15.54	6.79
	灣內站	0:00	26.03	51.5	33.56	8.38	5.76	38.48	8.54	
		3:00	25.93	51.54	33.77	8.38	5.67	37.38	6.44	
		6:00	25.76	51.6	33.81	8.38	5.9	42.26	6.7	
9:00		25.96	51.61	33.82	8.39	6.79	18.83	5.43		
12:00		26.3	51.47	33.74	8.31	9.55	15.48	27.31		
15:00		26.24	51.49	33.74	8.33	9.36	27.29	36.11		
18:00		26.09	51.5	33.75	8.31	8.31	20.96	37.71		
21:00	25.89	51.54	33.77	8.47	6.8	8.3	32.19			
日平均值			26.03	51.53	33.75	8.37	7.27	26.12	20.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月23日	蚵殼站	0:00	26.46	52.2	34	8.19	6.16	16.33	14.63
		3:00	26.25	52.54	34.22	8.19	6.2	14.43	20.57
		6:00	26.09	51.8	33.7	8.16	5.6	16.91	18.8
		9:00	26.37	52.13	33.94	8.18	6.27	19.96	15.95
		12:00	26.45	52.21	33.99	8.23	7.49	14.56	16.77
		15:00	26.16	51.98	33.83	8.21	7.19	15.05	16.95
		18:00	26.08	51.94	33.8	8.17	6.98	16.31	15.4
	21:00	26.02	51.95	33.81	8.18	6.62	22.68	15.01	
	日平均值		26.24	52.09	33.91	8.19	6.56	17.03	16.76
	潮口站	0:00	25.38	52.46	34.48	8.39	7.57	9.28	6.76
		3:00	25.62	52.4	34.45	8.38	7.06	14.35	8.17
		6:00	25.14	52.53	34.53	8.4	6.57	22.34	8.24
		9:00	25.33	52.53	34.53	8.41	7.28	13.26	9.51
		12:00	25.72	52.46	34.48	8.41	8.28	12.89	11.92
		15:00	25.68	52.45	34.47	8.42	8.01	22.6	14.24
		18:00	25.31	52.36	34.43	8.4	6.99	16.68	14.03
	21:00	25.14	52.4	34.45	8.4	6.91	11.59	12.57	
	日平均值		25.42	52.45	34.48	8.40	7.33	15.37	10.68
	灣內站	0:00	25.74	51.45	33.72	8.42	6.77	10.51	19.98
		3:00	25.52	51.54	33.77	8.44	7	10.35	16.54
		6:00	25.51	51.5	33.75	8.44	7.42	11.2	15.49
9:00		25.68	51.5	33.75	8.43	8.06	13.66	14.6	
12:00		25.97	51.53	33.77	8.32	8.85	24.53	33.28	
15:00		25.91	51.41	33.7	8.31	8.91	18.58	37.41	
18:00		25.86	51.4	33.7	8.43	6.23	19.44	24.89	
21:00	25.75	51.4	33.7	8.39	6.02	8.62	17.71		
日平均值		25.74	51.47	33.73	8.40	7.41	14.61	22.49	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月24日	蚵殼站	0:00	25.93	51.85	33.74	8.2	6.48	19.29	13.38
		3:00	25.88	51.34	33.41	8.17	5.61	14.38	12.68
		6:00	25.72	51	33.2	8.12	6.35	18.99	13.63
		9:00	25.88	51.33	33.41	8.2	7.08	18.96	13.4
		12:00	26.22	51.96	33.82	8.28	8.35	15.94	13.01
		15:00	26.24	52.11	33.93	8.33	9.28	12.83	15.22
		18:00	26.07	51.71	33.64	8.26	7.84	18.88	14.66
	21:00	26.01	50.76	33.82	8.24	6.93	27.24	13.61	
	日平均值		25.99	51.51	33.62	8.23	7.24	18.31	13.70
	潮口站	0:00	24.94	52.44	34.47	8.39	7.57	9.44	10.67
		3:00	24.94	52.48	34.49	8.38	7.09	11.32	7.85
		6:00	25.13	52.39	34.46	8.35	6.97	13.98	7.49
		9:00	25.6	52.15	34.54	8.39	7.56	10.3	8.67
		12:00	26.2	51.95	34.22	8.4	8.25	13.74	9.94
		15:00	26.13	51.99	34.4	8.45	8.45	22	9.14
		18:00	25.23	51.98	34.33	8.43	7.5	22.45	7.26
	21:00	24.89	51.95	34.48	8.43	7.52	23.17	6.03	
	日平均值		25.38	52.17	34.42	8.40	7.61	15.80	8.38
	灣內站	0:00	25.55	51.46	33.56	8.41	5.64	7.16	17.36
		3:00	25.35	51.49	33.77	8.39	5.36	6.69	16.35
		6:00	25.2	51.59	33.81	8.39	7.49	8.53	14.08
9:00		25.22	51.43	33.82	8.38	7.4	7.15	12.86	
12:00		25.94	51.49	33.74	8.33	10.22	10.18	19.04	
15:00		26.02	51.54	33.74	8.37	10.6	9.37	26.37	
18:00		26.07	51.41	33.75	8.32	9.1	17.9	26.18	
21:00	25.82	51.4	33.77	8.49	8.65	22.31	28.53		
日平均值		25.65	51.48	33.75	8.39	8.06	11.16	20.10	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月25日	蚵殼站	0:00	25.86	50.6	33.9	8.24	6.73	23.72	11.33
		3:00	25.57	50.6	33.9	8.23	6.72	13.28	11.86
		6:00	25.4	50.6	33.9	8.2	5.69	23.75	11.25
		9:00	25.65	51.36	33.42	8.19	5.98	22.37	10.46
		12:00	26.27	52.2	34	8.2	6.96	15.58	10.5
		15:00	26.2	52.2	34	8.19	7.21	16.42	13.8
		18:00	26.04	51.83	33.73	8.21	7.81	12.06	13.69
	21:00	25.87	51.8	33.7	8.21	7.15	13.44	12.55	
	日平均值	25.86	51.40	33.82	8.21	6.78	17.58	11.93	
	潮口站	0:00	25.38	51.81	34.48	8.39	7.57	13.15	7.82
		3:00	25.62	51.9	34.45	8.38	7.06	14.98	8.41
		6:00	25.35	52.3	34.47	8.33	7.85	16.69	10.25
		9:00	24.72	52.12	34.28	8.32	6.41	11.6	10.43
		12:00	25.13	52.17	34.33	8.35	7.54	9.4	10.6
		15:00	25.71	51.97	34.19	8.34	7.68	12.29	12.08
		18:00	25.34	52	34.21	8.33	7.04	17.78	14.07
	21:00	25.07	52.01	34.21	8.32	6.77	10.49	12.77	
	日平均值	25.29	52.04	34.33	8.35	7.24	13.30	10.80	
	灣內站	0:00	25.7	51.5	33.72	8.29	8.08	10.99	18.37
		3:00	25.7	51.54	33.77	8.29	8.1	18.16	16.1
		6:00	25.5	51.6	33.75	8.32	7.58	13.25	15.63
9:00		25.1	51.61	33.75	8.37	6.82	14.39	15.98	
12:00		25.65	51.13	33.77	8.46	8.78	12.82	13.41	
15:00		26.22	51.13	33.7	8.34	10.44	10.35	16.55	
18:00		26.28	51.55	33.7	8.3	9.54	25.26	19.18	
21:00	26.04	51.65	33.7	8.49	8.96	11.68	18.07		
日平均值	25.77	51.46	33.73	8.36	8.54	14.61	16.66		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
2月26日	蚵殼站	0:00	25.55	51.67	33.44	8.2	6.24	16.49	11.58
		3:00	25.5	51.39	33.44	8.19	6.26	16.85	10.62
		6:00	25.42	51.03	33.21	8.2	6.36	12.86	11.3
		9:00	25.87	51.56	33.55	8.22	6.6	18.52	10.48
		12:00	26.08	51.8	33.7	8.26	8.69	11.96	11.86
		15:00	26.02	51.8	33.7	8.28	8.58	12.27	11.96
		18:00	26	51.8	33.7	8.23	7.94	13.07	10.6
	21:00	25.95	51.79	33.7	8.2	7.92	12.37	10.71	
	日平均值	25.80	51.61	33.56	8.22	7.32	14.30	11.14	
	潮口站	0:00	24.96	52.04	34.24	8.33	7.08	12.05	10.55
		3:00	24.73	52.02	34.23	8.34	7.15	17.92	12.39
		6:00	24.58	52.02	34.23	8.32	6.62	17.36	14.56
		9:00	24.93	52.15	34.32	8.36	7.03	12.07	15.85
		12:00	25.31	51.95	34.18	8.38	7.66	9.01	18.01
		15:00	25.32	51.99	34.2	8.38	7.94	14.53	24.48
		18:00	25.15	51.98	34.19	8.38	7.81	11.83	29.53
	21:00	25.09	51.95	34.18	8.36	7.14	14.45	36.61	
	日平均值	25.01	52.01	34.22	8.36	7.30	13.65	20.25	
	灣內站	0:00	25.55	51.46	33.69	8.45	6.82	8.67	15.35
		3:00	25.4	51.49	33.71	8.4	5.1	8.6	12.89
		6:00	25.2	51.59	33.78	8.39	7.49	8.53	14.08
9:00		25.22	51.43	33.71	8.38	7.4	7.15	12.86	
12:00		25.94	51.49	33.36	8.33	10.22	10.18	19.04	
15:00		26.02	51.54	33.39	8.37	10.6	9.37	26.37	
18:00		26.07	51.41	33.51	8.32	9.1	17.9	26.18	
21:00	25.82	51.4	33.66	8.49	8.65	22.31	28.53		
日平均值	25.65	51.48	33.60	8.39	8.17	11.59	19.41		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月27日	蚵殼站	0:00	25.76	51.36	33.43	8.22	7.29	13.51	10.43	
		3:00	25.51	51	33.2	8.22	6.93	16.73	9.07	
		6:00	25.37	50.65	33.94	8.22	6.72	18.83	9.66	
		9:00	25.75	51.25	33.34	8.22	6.71	20.14	9.23	
		12:00	26.21	52.11	33.93	8.21	7.45	19.16	11.84	
		15:00	26.11	51.82	33.72	8.23	8.27	17.53	11.63	
		18:00	26.13	51.74	33.66	8.2	6.96	15.28	9.77	
		21:00	26.15	51.51	33.52	8.17	6.99	15	9.28	
	日平均值			25.87	51.43	33.59	8.21	7.17	17.02	10.11
	潮口站	0:00	25.11	51.81	34.1	8.36	7.41	9.27	47.05	
		3:00	24.95	51.9	34.14	8.35	7.44	13.54	56.23	
		6:00	24.76	51.86	34.11	8.34	6.95	17.22	54.34	
		9:00	25.24	51.89	34.14	8.37	7.35	8.76	53.62	
		12:00	25.64	51.52	33.9	8.38	7.77	18.42	56.04	
		15:00	25.54	51.61	33.96	8.38	7.94	14.53	64.47	
		18:00	25.55	51.73	34.03	8.37	7.68	11.83	67.92	
		21:00	25.56	51.7	34.02	8.33	6.66	14.45	62.96	
	日平均值			25.29	51.75	34.05	8.36	7.40	13.50	57.83
	灣內站	0:00	25.52	51.5	33.73	8.44	5.85	13.97	18.29	
		3:00	25.35	51.54	33.75	8.39	10	27.75	14.25	
		6:00	25.19	51.6	33.8	8.38	5.47	7.47	13.35	
		9:00	25.23	51.61	33.71	8.35	6.48	18.3	15.5	
		12:00	25.96	51.47	33.75	8.49	9.03	5.77	16.68	
		15:00	26.19	51.49	33.78	8.3	8.73	12.02	20.11	
		18:00	26.21	51.5	33.7	8.4	9.19	12.38	27.65	
		21:00	26.23	51.54	33.7	8.34	8.32	18.65	23.94	
	日平均值			25.74	51.53	33.74	8.39	7.88	14.54	18.72
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月28日	蚵殼站	0:00	26.16	50.98	33.18	8.23	7.74	11.67	8.21	
		3:00	25.98	50.72	33.99	8.21	7.16	12.9	7.84	
		6:00	25.9	50.6	33.9	8.22	7.13	14.74	7.82	
		9:00	26.2	51.28	33.37	8.21	6.5	13.24	6.55	
		12:00	26.92	51.93	33.8	8.26	7.78	12.28	6.63	
		15:00	26.78	51.8	33.7	8.27	8.27	12.9	7.13	
		18:00	26.61	51.8	33.7	8.27	7.86	13.26	6.63	
		21:00	26.37	51.8	33.7	8.26	7.76	11.61	7.51	
	日平均值			26.37	51.36	33.67	8.24	7.53	12.83	7.29
	潮口站	0:00	25.4	51.63	33.96	8.33	6.42	9.27	64.24	
		3:00	25.4	51.53	33.92	8.33	6.55	13.54	66.85	
		6:00	25.28	51.86	34.11	8.34	6.68	17.36	63.5	
		9:00	25.54	51.8	34.09	8.36	6.77	12.07	51.43	
		12:00	25.83	51.57	33.93	8.38	7.57	9.01	44.86	
		15:00	25.89	51.51	33.89	8.38	7.87	14.53	46.43	
		18:00	25.8	51.64	33.97	8.37	7.78	11.83	45.42	
		21:00	25.89	51.52	33.91	8.33	6.65	14.45	47.06	
	日平均值			25.63	51.63	33.97	8.35	7.04	12.76	53.72
	灣內站	0:00	26.03	51.45	33.73	8.37	6.67	10.14	15.83	
		3:00	25.67	51.54	33.75	8.4	5.89	5.12	14.73	
		6:00	25.51	51.5	33.8	8.37	6.44	9.24	16.01	
		9:00	25.23	51.5	33.71	8.35	6.48	18.3	15.5	
		12:00	25.96	51.53	33.75	8.49	9.03	5.77	16.68	
		15:00	26.19	51.41	33.78	8.31	8.73	12.02	20.11	
		18:00	26.21	51.4	33.7	8.4	9.19	12.38	27.65	
		21:00	26.23	51.4	33.7	8.34	8.32	18.65	23.94	
	日平均值			25.88	51.47	33.74	8.38	7.59	11.45	18.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月1日	蚵殼站	0:00	26.44	51.28	33.58	8.25	5.33	12.19	6.87
		3:00	26.2	51	33.11	8.19	5.42	16.54	6.46
		6:00	26.27	50.93	33.4	8.22	5.26	23.52	7.72
		9:00	26.63	51.4	33.43	8.27	5.39	12.98	8.08
		12:00	26.78	51.5	33.7	8.29	5.54	13.37	7.95
		15:00	26.75	51.54	33.11	8.29	5.02	19.43	8.76
		18:00	26.77	51.21	33.4	8.26	5.02	15.16	9.06
	21:00	26.75	51.56	33.67	8.29	5.02	19.43	8.76	
	日平均值		26.57	51.30	33.43	8.26	5.25	16.58	7.96
	潮口站	0:00	25.69	51.54	33.92	8.31	5.8	12.19	12.66
		3:00	25.35	51.62	33.97	8.35	6.31	16.54	12.47
		6:00	25.2	51.86	34.12	8.34	6.26	23.52	13.12
		9:00	25.5	51.68	34	8.33	6.44	12.98	13.54
		12:00	25.77	51.5	33.9	8.37	7.53	13.37	13.57
		15:00	25.9	51.5	33.9	8.38	7.8	19.43	14.1
		18:00	25.84	51.53	33.92	8.37	7.86	15.16	14.62
	21:00	25.76	51.54	33.92	8.34	6.99	19.43	13.61	
	日平均值		25.63	51.60	33.96	8.35	6.87	16.58	13.46
	灣內站	0:00	25.7	50.33	33.35	8.29	8.09	4.54	22.66
		3:00	26.43	50.41	33.5	8.35	6.45	15.68	22.47
		6:00	26.16	50.33	33.5	8.32	6.92	15.58	23.12
9:00		26.33	50.33	33.29	8.33	9.38	21.3	23.54	
12:00		26.6	50.31	33.43	8.41	10.61	13.7	23.57	
15:00		26.52	50.32	32.49	8.35	8.71	15.39	24.1	
18:00		26.37	50.31	33.39	8.32	6.49	11.91	24.62	
21:00	26.2	50.31	33.49	8.33	6.16	5.48	23.61		
日平均值		26.29	50.33	33.31	8.34	7.85	12.95	23.46	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月2日	蚵殼站	0:00	26.58	51.36	33.85	8.24	5.12	15.52	9.64
		3:00	26.18	50.97	33.52	8.17	5.47	20.84	8.63
		6:00	26.21	50.91	33.93	8.26	5.58	16.26	10.04
		9:00	26.61	51	33.95	8.3	5.1	13.37	10.55
		12:00	26.82	51.5	33.92	8.33	5.32	15.96	9.55
		15:00	26.81	51.54	33.95	8.33	5.48	15.58	12.04
		18:00	26.62	51.21	33.97	8.32	5.47	16.53	11.63
	21:00	26.8	51.56	33.82	8.31	5.58	16.22	11.19	
	日平均值		26.58	51.26	33.86	8.28	5.39	16.29	10.41
	潮口站	0:00	25.68	51.55	33.92	8.32	6.11	15.52	12.3
		3:00	25.47	51.53	33.91	8.35	6.8	20.84	11.4
		6:00	25.39	51.77	34.06	8.34	6.93	16.26	11.29
		9:00	25.62	51.82	34.1	8.33	6.27	13.37	11.25
		12:00	25.93	51.6	33.71	8.37	7.32	15.96	11.26
		15:00	25.89	51.6	33.95	8.39	7.4	15.58	12.13
		18:00	26.02	51.54	33.92	8.36	7.74	16.53	12.76
	21:00	26.25	51.55	33.92	8.37	7.87	16.22	13.39	
	日平均值		25.78	51.62	33.94	8.35	7.06	16.29	11.97
	灣內站	0:00	26.13	50.38	33.13	8.41	5.58	5.79	22.3
		3:00	25.96	50.3	33.5	8.48	6.63	4.39	21.4
		6:00	25.73	50.3	33.48	8.34	7.7	6.61	21.29
9:00		26.05	50.1	33.32	8.41	9.26	12.51	21.25	
12:00		26.75	50.25	32.86	8.47	9.05	14.52	21.26	
15:00		26.36	50.24	32.85	8.48	11.42	12.86	22.13	
18:00		26.85	50.23	33.16	8.42	9.42	13.73	22.76	
21:00	26.3	50.29	33.25	8.44	9.12	5.66	23.39		
日平均值		26.27	50.26	33.19	8.43	8.52	9.51	21.97	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月3日	蚵殼站	0:00	26.79	51.03	33.72	8.28	5.42	16.1	11.51
		3:00	26.43	50.7	33.98	8.23	6.82	19.71	10.91
		6:00	26.16	50.67	33.66	8.17	6.86	19.16	11.97
		9:00	26.33	50.8	33.92	8.19	6.88	45.44	12.11
		12:00	26.6	51.21	33.93	8.25	5.19	45.84	12.89
		15:00	26.52	51.54	33.88	8.22	5.28	59.89	13.14
		18:00	26.37	51.37	33.85	8.25	5.5	66.46	11.46
	21:00	26.2	51.2	33.94	8.2	5.13	57.87	10.64	
	日平均值		26.43	51.07	33.86	8.22	5.89	41.31	11.83
	潮口站	0:00	26.23	51.49	33.87	8.41	8.02	16.1	12.66
		3:00	25.61	51.65	33.98	8.37	7.09	19.71	11.4
		6:00	25.51	51.91	34.16	8.36	7.31	19.16	11.81
		9:00	26.02	51.55	33.92	8.35	8.57	35.44	11.9
		12:00	25.89	51.56	33.93	8.4	7.9	45.84	11.94
		15:00	25.84	51.48	33.88	8.39	7.76	59.89	12.06
		18:00	25.73	51.45	33.85	8.39	8.26	66.46	12.78
	21:00	25.83	51.57	33.94	8.41	8.09	57.87	11.87	
	日平均值		25.83	51.58	33.94	8.39	7.88	40.06	12.05
	灣內站	0:00	26	50.31	32.96	8.41	7.97	6.26	22.66
		3:00	25.61	50.3	33.34	8.35	6.45	15.68	21.4
		6:00	25.62	50.29	33.06	8.32	6.92	15.58	21.81
9:00		26.08	50.14	33.64	8.33	9.38	21.3	21.9	
12:00		26.3	50.26	32.65	8.47	10.61	13.7	21.94	
15:00		26.21	50.26	33.49	8.48	8.71	15.39	22.06	
18:00		26	50.3	33.5	8.42	6.49	11.91	22.78	
21:00	25.87	50.34	33.5	8.44	6.16	5.48	21.87		
日平均值		25.96	50.28	33.27	8.40	7.84	13.16	22.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月4日	蚵殼站	0:00	26.13	51.2	33.91	8.2	5.4	46.1	10.75
		3:00	25.96	51.32	33.98	8.2	5.68	60.53	10.74
		6:00	25.93	51.2	34.16	8.22	5.25	52.75	11.62
		9:00	26.24	51.47	34.04	8.33	6.92	19.49	12.63
		12:00	26.59	51.02	33.93	8.33	7.8	22.52	14.64
		15:00	26.65	51.1	33.82	8.32	6.82	21.24	15.25
		18:00	26.58	51.78	33.85	8.28	6.86	16.52	13.25
	21:00	26.55	51.62	33.89	8.31	6.88	17.2	12.3	
	日平均值		26.33	51.34	33.95	8.27	6.45	32.04	12.65
	潮口站	0:00	25.92	51.51	33.91	8.42	7.57	46.1	10.35
		3:00	25.36	51.65	33.98	8.39	6.5	60.53	10.38
		6:00	25.14	51.89	34.16	8.37	7.02	52.75	10.45
		9:00	25.56	51.74	34.04	8.37	7.56	19.49	10.39
		12:00	25.74	51.56	33.93	8.37	7.62	22.52	10.86
		15:00	25.64	51.41	33.82	8.39	7.65	21.24	11.63
		18:00	25.53	51.45	33.85	8.37	7.76	16.52	12.09
	21:00	25.64	51.49	33.89	8.38	7.7	17.2	11.11	
	日平均值		25.57	51.59	33.95	8.38	7.42	32.04	10.91
	灣內站	0:00	25.66	50.53	33.51	8.45	5.58	5.79	20.35
		3:00	25.48	50.65	33.56	8.48	6.63	4.39	20.38
		6:00	25.46	50.53	33.52	8.42	7.79	6.25	20.45
9:00		25.87	50.55	33.52	8.38	11.58	12.1	20.39	
12:00		26.38	50.34	33.35	8.45	13.42	9.78	20.86	
15:00		26.33	50.37	32.97	8.43	11.35	11.58	21.63	
18:00		26.22	50.39	33.51	8.42	9.4	20.42	22.09	
21:00	26.21	50.27	33.17	8.44	8.81	6.07	21.11		
日平均值		25.95	50.45	33.39	8.43	9.32	9.55	20.91	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月5日	蚵殼站	0:00	26.34	51	33.85	8.32	8.34	20.44	10.88
		3:00	26.15	50.7	33.52	8.28	7.13	30.42	10.63
		6:00	26.09	50.7	33.93	8.2	5.08	40.3	13.74
		9:00	26.32	50.75	33.95	8.31	7.44	39.32	22.95
		12:00	26.26	51.09	33.92	8.33	8.52	34	24.64
		15:00	26.32	50.69	33.95	8.36	8.84	49.9	35.25
		18:00	26.27	50.7	33.97	8.35	7.89	76.73	33.25
		21:00	26.23	51.16	33.82	8.33	7.47	50.57	32.3
	日平均值		26.25	50.85	33.86	8.31	7.59	42.71	22.96
	潮口站	0:00	25.66	51.45	33.85	8.4	7.45	20.44	10.5
		3:00	25.43	51.46	33.52	8.39	6.37	30.42	10.54
		6:00	25.11	51.56	33.93	8.38	6.7	40.3	10.63
		9:00	25.51	51.58	33.95	8.39	7.7	39.32	10.53
		12:00	25.81	51.55	33.92	8.38	7.73	34	10.58
		15:00	25.5	51.6	33.95	8.42	8.13	49.9	13.59
		18:00	25.51	51.64	33.97	8.42	7.96	76.73	12.76
		21:00	25.73	51.4	33.82	8.41	7.76	50.57	11.93
	日平均值		25.53	51.53	33.86	8.40	7.48	42.71	11.38
	灣內站	0:00	26.08	50.19	33.64	8.45	8.25	12.28	20.5
		3:00	25.93	50.2	33.61	8.48	6.25	6.78	20.54
		6:00	25.79	50.07	33.58	8.43	6.5	10.05	20.63
9:00		26.02	50.14	33.7	8.49	9.01	8.06	20.53	
12:00		26.19	50.2	33.55	8.38	9	40.37	20.58	
15:00		26.02	50.18	33.55	8.45	8.87	70.2	23.59	
18:00		25.71	50.46	33.6	8.43	7.17	51.83	22.76	
21:00		25.52	50.4	33.67	8.42	6.66	39.31	21.93	
日平均值		25.91	50.23	33.61	8.44	7.71	29.86	21.38	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月6日	蚵殼站	0:00	26.25	51	33.86	8.27	7.33	37.32	35.81
		3:00	26.13	50.7	33.79	8.26	7.2	33.36	39.13
		6:00	26.11	50.7	33.91	8.25	6.74	55.98	34.89
		9:00	26.28	50.74	33.92	8.29	6.76	51.46	31.67
		12:00	26.46	51.09	33.73	8.34	8.46	37.15	38.98
		15:00	26.36	50.69	33.25	8.31	7.15	78.98	47.62
		18:00	26.28	50.7	33.55	8.27	6.21	137.41	42.13
		21:00	26.16	50.7	33.56	8.28	6.86	112.16	32.69
	日平均值		26.25	50.79	33.70	8.28	7.09	67.98	37.87
	潮口站	0:00	25.59	51.45	33.86	8.41	6.98	37.32	12.3
		3:00	25.36	51.36	33.79	8.39	6.38	33.36	11.4
		6:00	25.11	51.54	33.91	8.38	6.63	55.98	11.29
		9:00	25.43	51.55	33.92	8.4	7.83	51.46	11.25
		12:00	25.84	51.27	33.73	8.41	7.59	37.15	11.26
		15:00	25.71	50.48	33.25	8.4	7.83	78.98	12.13
		18:00	25.36	50.94	33.55	8.39	7.56	137.41	12.76
		21:00	25.41	50.95	33.56	8.41	7.86	112.16	13.39
	日平均值		25.48	51.19	33.70	8.40	7.33	67.98	11.97
	灣內站	0:00	25.4	50.23	33.64	8.49	6.66	33.58	22.3
		3:00	25.31	50.14	33.61	8.46	5.91	32.52	21.4
		6:00	25.3	50.21	33.58	8.49	5.75	17.72	21.29
9:00		25.57	50.19	33.55	8.38	7.46	25.37	21.25	
12:00		26.09	50.18	33.44	8.45	10.29	19.29	21.26	
15:00		26.02	50.2	33.28	8.43	10.44	25.02	22.13	
18:00		25.93	50.2	33.25	8.42	7.49	21.72	22.76	
21:00		25.76	50.2	33.2	8.44	7.55	21.81	23.39	
日平均值		25.67	50.19	33.44	8.45	7.69	24.63	21.97	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月7日	蚵殼站	0:00	26.17	51.2	33.61	8.24	6.86	75.09	27.14
		3:00	26.09	50.54	33.61	8.24	6.67	74.07	22.6
		6:00	26.01	50.57	33.74	8.2	6.51	106.64	21.84
		9:00	26.07	51	33.68	8.23	6.16	72.35	21.83
		12:00	26.11	51.38	33.62	8.27	6.9	48.16	27.16
		15:00	26	51.8	33.6	8.28	7.39	66	30.5
		18:00	25.71	51.35	33.64	8.24	6.51	126.65	36.18
	21:00	25.55	51.2	33.61	8.21	6.23	81.14	32.56	
	日平均值		25.96	51.13	33.64	8.24	6.65	81.26	27.48
	潮口站	0:00	25.38	51.02	33.61	8.41	7.44	75.09	10.42
		3:00	25.33	51.03	33.61	8.39	5.92	74.07	10.46
		6:00	25	51.26	33.74	8.38	6.34	106.64	10.5
		9:00	25.23	51.16	33.68	8.38	6.9	72.35	10.58
		12:00	25.45	51.04	33.62	8.38	6.79	48.16	11.42
		15:00	25.21	51	33.6	8.39	6.84	66	13.03
		18:00	24.89	51.07	33.64	8.38	6.45	126.65	12.19
	21:00	24.82	51.03	33.61	8.4	7.47	81.14	11.06	
	日平均值		25.16	51.08	33.64	8.39	6.77	81.26	11.21
	灣內站	0:00	25.64	50.22	33.35	8.47	6.81	15.21	20.42
		3:00	25.55	50.14	33.5	8.49	6.83	17.52	20.46
		6:00	25.5	50.2	33.5	8.43	7.21	15.3	20.5
9:00		25.39	49.92	33.29	8.38	5.77	45.19	20.58	
12:00		25.25	49.95	33.43	8.45	6.26	49.33	21.42	
15:00		25.05	49.9	32.49	8.43	6.41	33.5	23.03	
18:00		24.87	49.9	33.39	8.42	5.82	40.94	22.19	
21:00	25	49.89	33.49	8.44	5.74	26.84	21.06		
日平均值		25.28	50.02	33.31	8.44	6.36	30.48	21.21	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月8日	蚵殼站	0:00	25.39	51.2	33.58	8.24	6.45	69.45	32.44
		3:00	25.25	51.32	33.51	8.22	6.11	91.59	29.25
		6:00	25.05	51.2	33.5	8.21	5.51	93.05	28.09
		9:00	24.87	51.47	33.55	8.21	5.19	110.03	33.97
		12:00	25	51.02	33.2	8.27	6.49	61.67	39.69
		15:00	25.46	51.1	33.14	8.3	6	81.97	37.07
		18:00	25.34	51.78	33.25	8.23	7.53	51.11	35.21
	21:00	25.22	51.62	33.17	8.25	5.52	39.7	34.26	
	日平均值		25.20	51.34	33.36	8.24	6.10	74.82	33.75
	潮口站	0:00	24.7	50.98	33.58	8.39	6.59	69.45	11.42
		3:00	24.66	50.89	33.51	8.37	5.59	91.59	11.73
		6:00	24.99	50.83	33.5	8.36	7.02	93.05	12.19
		9:00	24.87	50.93	33.55	8.38	5.19	110.03	11.06
		12:00	25	50.43	33.2	8.38	6.49	61.67	11.22
		15:00	25.46	50.33	33.14	8.37	6.59	81.97	12.73
		18:00	25.34	50.5	33.25	8.38	5.59	51.11	12.77
	21:00	25.22	50.34	33.17	8.4	5.52	39.7	11.96	
	日平均值		25.03	50.65	33.36	8.38	6.07	74.82	11.89
	灣內站	0:00	25.34	49.9	33.13	8.29	8.09	32.79	21.42
		3:00	25.22	49.9	33.5	8.29	8.1	29.66	21.73
		6:00	25.35	49.89	33.48	8.33	8.1	18	22.19
9:00		24.6	49.92	33.32	8.38	5.77	45.19	21.06	
12:00		24.63	49.95	32.86	8.45	6.26	49.33	21.22	
15:00		24.84	49.9	32.85	8.43	6.41	33.5	22.73	
18:00		24.75	49.9	33.16	8.42	5.82	40.94	22.77	
21:00	24.65	49.89	33.25	8.44	5.74	26.84	21.96		
日平均值		24.92	49.91	33.19	8.38	6.79	34.53	21.89	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月9日	蚵殼站	0:00	25.09	51	33.03	8.21	6.59	47.36	32.9
		3:00	24.99	50.7	33.51	8.21	5.94	56.64	32.4
		6:00	24.93	50.67	33.2	8.19	5.27	59.37	33.97
		9:00	25.12	50.8	33.56	8.23	6	67.76	35.6
		12:00	25.32	51.21	33.58	8.26	7.53	32.37	41.31
		15:00	25.4	51.54	33.56	8.29	7.64	29.36	61.51
		18:00	25.48	51.37	33.52	8.28	7.27	38.8	64.73
		21:00	25.45	51.2	33.49	8.25	5.96	52.27	56.92
	日平均值		25.22	51.06	33.43	8.24	6.53	47.99	44.92
	潮口站	0:00	25.09	50.13	33.03	8.38	6.59	47.36	11.42
		3:00	24.99	50	33.51	8.4	5.94	56.64	11.73
		6:00	25.42	51.01	33.2	8.35	7.87	59.37	12.19
		9:00	24.76	50.96	33.56	8.38	6.9	67.76	12.1
		12:00	25.18	50.98	33.58	8.37	6.98	32.37	12.14
		15:00	25.37	50.96	33.56	8.37	6.64	29.36	13.17
		18:00	24.91	50.92	33.52	8.4	6.73	38.8	13.44
		21:00	24.91	50.88	33.49	8.4	6.95	52.27	13.87
	日平均值		25.08	50.73	33.43	8.38	6.83	47.99	12.51
	灣內站	0:00	24.5	49.71	32.96	8.41	8.1	20.59	21.42
		3:00	24.4	49.77	33.34	8.4	6.47	28.73	21.73
		6:00	24.33	49.8	33.06	8.38	5.81	29.97	22.19
		9:00	24.39	49.9	33.64	8.38	6.13	27.69	22.1
		12:00	24.76	49.94	32.65	8.48	7.36	39.36	22.14
		15:00	24.73	49.9	33.49	8.39	6.26	60.96	23.17
18:00		24.62	49.89	33.5	8.41	6.18	77.03	23.44	
21:00		24.63	49.86	33.5	8.4	5.51	86.81	23.87	
日平均值		24.55	49.85	33.27	8.41	6.48	46.39	22.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月10日	蚵殼站	0:00	25.43	51.15	33.4	8.27	7.26	45.67	48.63
		3:00	25.33	50.94	33.27	8.27	7.08	46.51	49.49
		6:00	25.3	50.7	33.37	8.22	6.37	97.38	53.19
		9:00	25.32	50.83	33.55	8.21	5.98	110.21	52.29
		12:00	25.43	51.14	33.2	8.25	7.33	106.26	68.03
		15:00	25.54	51.2	33.14	8.24	7.37	111.53	71.18
		18:00	25.42	51.19	33.25	8.27	7.24	138.35	78.22
		21:00	25.29	50.94	33.17	8.25	5.76	127.07	70.74
	日平均值		25.38	51.01	33.29	8.25	6.80	97.87	61.47
	潮口站	0:00	24.91	50.73	33.4	8.38	6.83	45.67	10.72
		3:00	24.88	50.53	33.27	8.38	6.38	46.51	10.84
		6:00	24.8	50.68	33.37	8.38	5.78	97.38	10
		9:00	24.8	50.93	33.55	8.38	7.02	110.21	11.01
		12:00	24.97	50.43	33.2	8.41	7.69	106.26	11.28
		15:00	24.93	50.33	33.14	8.41	7.05	151.53	11.36
		18:00	24.84	50.5	33.25	8.38	5.85	158.35	10.77
		21:00	24.71	50.34	33.17	8.36	6.05	157.07	10.43
	日平均值		24.86	50.56	33.29	8.39	6.58	109.12	10.80
	灣內站	0:00	24.6	49.76	33.51	8.38	5.31	57.81	20.72
		3:00	24.52	49.7	33.56	8.42	6.47	78.13	20.84
		6:00	24.4	49.81	33.52	8.43	5.81	46.17	20
		9:00	24.38	49.71	33.52	8.4	7.02	65.51	21.01
		12:00	24.7	49.74	33.35	8.47	7.84	81.39	21.28
		15:00	24.75	49.71	32.97	8.41	6.68	88.74	21.36
18:00		24.48	49.67	33.51	8.41	6.14	105.67	20.77	
21:00		24.37	49.65	33.17	8.4	6.03	78.88	20.43	
日平均值		24.53	49.72	33.39	8.42	6.41	75.29	20.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月11日	蚵殼站	0:00	25.23	51	33.03	8.2	5.1	104.98	67.28
		3:00	24.95	50.7	33.2	8.19	5.87	89.9	60.05
		6:00	24.98	50.7	33.51	8.2	5.7	112.55	72.41
		9:00	24.97	50.75	33.25	8.2	5.48	88.47	76.6
		12:00	25.13	51.09	33.17	8.27	8.13	54.58	52.32
		15:00	25.01	51.35	33.6	8.29	8.81	49.73	44.69
		18:00	24.93	51.14	33.33	8.24	8.39	32.62	42.47
		21:00	24.88	51.07	33.28	8.27	9.34	26.87	42.2
	日平均值		25.01	50.98	33.30	8.23	7.10	69.96	57.25
	潮口站	0:00	24.43	50.13	33.03	8.37	6.97	104.98	11.42
		3:00	24.26	50	33.2	8.33	5.88	89.9	11.73
		6:00	24.92	50.1	33.51	8.35	6.83	112.55	12.19
		9:00	25.67	50.07	33.25	8.33	8.19	49.26	11.06
		12:00	24.49	51.54	33.17	8.39	7.65	27.79	11.22
		15:00	24.55	51.18	33.34	8.37	7.59	59.91	10.88
		18:00	24.58	51.39	33.2	8.38	7.78	45.21	10.61
		21:00	24.58	51.28	33.37	8.39	7.88	38.1	10.55
	日平均值		24.69	50.71	33.26	8.36	7.35	65.96	11.21
	灣內站	0:00	24.28	49.61	33.11	8.36	5	57.81	21.42
		3:00	24.22	49.65	33.11	8.38	5.5	33.21	21.73
		6:00	24.24	49.61	33.06	8.38	5.05	41.97	22.19
		9:00	24.46	49.6	33.7	8.36	6.11	55	21.06
		12:00	24.54	49.61	33.55	8.4	7.19	72.57	21.22
		15:00	24.51	49.65	33.55	8.39	7.22	76.23	20.88
18:00		24.45	49.53	33.6	8.35	5.62	36.25	20.61	
21:00		24.33	49.61	33.67	8.36	5.24	29.2	20.55	
日平均值		24.38	49.61	33.42	8.37	5.87	50.28	21.21	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月12日	蚵殼站	0:00	25.3	51	33.58	8.28	10.58	28.18	49.6
		3:00	25.23	50.7	33.4	8.27	9.82	28.28	48.71
		6:00	24.68	50.67	33.51	8.24	8.77	26.5	41.55
		9:00	24.62	50.8	33.25	8.24	9.1	26.09	41.66
		12:00	25.07	51.21	33.71	8.31	9.28	26.81	41.78
		15:00	25.36	51.54	33.95	8.3	8.62	27.19	41.68
		18:00	25.31	51.37	33.83	8.28	8.3	26.67	42.2
		21:00	25.15	51.2	33.28	8.28	8.34	26.05	42.48
	日平均值		25.09	51.06	33.56	8.28	9.10	26.97	43.71
	潮口站	0:00	24.24	51.24	33.37	8.35	7.43	68.77	10.72
		3:00	24	51.3	33.4	8.33	7	126.44	10.84
		6:00	24.39	51.35	33.1	8.35	7.54	54.38	10
		9:00	24.86	51.52	33.52	8.38	7.9	73.55	11.01
		12:00	25.04	51.36	33.43	8.38	8.35	24.53	11.28
		15:00	25.31	51.3	33.4	8.38	8.58	33.17	11.36
		18:00	24.82	51.28	33.43	8.34	7.99	27.05	10.77
		21:00	24.84	50.98	33.34	8.36	7.98	20	10.43
	日平均值		24.69	51.29	33.37	8.36	7.85	53.49	10.80
	灣內站	0:00	24.19	49.63	33.64	8.36	5.21	33.56	20.72
		3:00	24.59	49.62	33.61	8.31	5.62	24.48	20.84
		6:00	24.41	49.8	33.58	8.3	5.93	36.58	20
		9:00	24.53	49.91	33.64	8.36	8.06	37.03	21.01
		12:00	24.84	50.35	33.61	8.4	12.23	15.66	21.28
		15:00	25.21	49.89	33.84	8.39	11.17	10.51	21.36
18:00		25.11	49.95	33.88	8.35	10.99	8.61	20.77	
21:00		24.89	50.54	33.92	8.36	10.89	10.9	20.43	
日平均值		24.72	49.96	33.72	8.35	8.76	22.17	20.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月13日	蚵殼站	0:00	25.09	51.15	33.58	8.32	9.44	26	39.6	
		3:00	25.01	50.94	33.4	8.27	8.45	26.58	38.71	
		6:00	24.97	50.7	33.51	8.25	8.29	26.26	38.3	
		9:00	25.11	50.83	33.48	8.3	10.13	26.34	41.4	
		12:00	25.24	51.14	33.11	8.32	9.94	26.55	40.91	
		15:00	25.3	51.2	33.7	8.32	9.14	26.19	38.92	
		18:00	25.29	51.19	33.11	8.34	10.09	26.16	40.27	
		21:00	25.19	50.94	33.54	8.36	9.56	26.66	38.59	
	日平均值			25.15	51.01	33.43	8.31	9.38	26.34	39.59
	潮口站	0:00	24.24	50.86	33.26	8.37	8.06	22.95	10.42	
		3:00	23.83	50.43	33.32	8.37	7.92	41.14	10.46	
		6:00	24.31	51.66	33.99	8.36	7.67	38.42	10.5	
		9:00	24.93	52.5	34.07	8.39	7.93	52.09	10.58	
		12:00	24.96	52.22	34.09	8.4	8.41	64.23	11.42	
		15:00	24.9	51.77	34.28	8.43	9.42	68.53	13.03	
		18:00	24.79	51.88	34.26	8.39	8.52	99.45	12.19	
		21:00	24.68	51.89	34.32	8.38	7.99	44.7	11.06	
	日平均值			24.58	51.65	33.95	8.39	8.24	53.94	11.21
	灣內站	0:00	24.78	50.61	34.18	8.49	8.67	44.75	20.42	
		3:00	24.59	50.59	33.95	8.34	6.6	83.97	20.46	
		6:00	24.58	50.71	33.31	8.49	7.39	38.57	20.5	
		9:00	24.65	50.79	33.7	8.47	9.11	18.93	20.58	
		12:00	25.09	50.59	34.29	8.44	13.9	18.66	21.42	
		15:00	25.06	50.5	34.2	8.4	13.14	24.2	23.03	
		18:00	24.96	50.42	33.8	8.37	10.62	30.21	22.19	
		21:00	24.85	50.5	33.73	8.38	7.62	49.12	21.06	
	日平均值			24.82	50.59	33.90	8.42	9.63	38.55	21.21
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月14日	蚵殼站	0:00	25.3	51	33.58	8.38	10.58	28.18	39.6	
		3:00	25.23	50.7	33.11	8.37	9.82	28.28	38.71	
		6:00	25.11	50.7	33.4	8.36	9.32	29.93	38.3	
		9:00	25.18	50.75	33.43	8.37	10.58	26.21	36.76	
		12:00	25.32	51.09	33.7	8.37	10.38	26.94	32.39	
		15:00	25.48	50.69	33.11	8.4	11.08	27.3	35.33	
		18:00	25.43	50.7	33.4	8.41	11.41	27.51	32.85	
		21:00	25.36	51.16	33.67	8.36	10.7	28.78	39.35	
	日平均值			25.30	50.85	33.43	8.38	10.48	27.89	36.66
	潮口站	0:00	24.65	51.97	34.2	8.37	7.94	93.4	11.42	
		3:00	24.48	51.95	34.18	8.38	8.02	150.11	11.73	
		6:00	24.33	52.15	34.3	8.38	8.06	78.82	12.19	
		9:00	24.72	52.56	34.56	8.37	7.92	56.82	11.06	
		12:00	24.85	52.54	34.54	8.38	8.01	63.69	11.22	
		15:00	24.9	52	34.21	8.44	9.66	92.8	12.73	
		18:00	24.75	51.93	34.16	8.42	9.25	145.62	12.77	
		21:00	24.65	51.64	33.98	8.4	8.63	115.17	11.96	
	日平均值			24.67	52.09	34.27	8.39	8.44	99.55	11.89
	灣內站	0:00	24.68	50.63	34.33	8.39	6.18	7.38	21.42	
		3:00	24.62	50.77	34.44	8.39	6.49	6.73	21.73	
		6:00	24.99	50.68	34.38	8.34	7.91	13.75	22.19	
		9:00	24.69	50.59	34.29	8.3	10.65	36.93	21.06	
		12:00	24.84	50.68	34.38	8.46	11.76	15.74	21.22	
		15:00	24.97	50.7	34.4	8.37	11.84	10.04	22.73	
		18:00	24.99	50.7	34.4	8.38	10.51	14.01	22.77	
		21:00	24.96	50.68	34.38	8.4	6.13	76.22	21.96	
	日平均值			24.84	50.68	34.38	8.38	8.93	22.60	21.89
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月15日	蚵殼站	0:00	25.3	51	33.58	8.38	10.58	28.18	29.6
		3:00	25.23	50.7	33.4	8.37	9.82	28.28	28.71
		6:00	25.11	50.7	33.11	8.36	9.32	29.93	28.3
		9:00	25.21	50.74	33.42	8.36	10.29	30.33	31.4
		12:00	25.41	51.09	33.63	8.38	11.45	29.46	30.91
		15:00	25.29	50.69	33.39	8.35	10.53	28.12	28.92
		18:00	25.29	50.7	33.4	8.39	11.14	26.89	30.27
	21:00	25.3	50.7	33.11	8.38	10.84	26.5	28.59	
	日平均值		25.27	50.79	33.38	8.37	10.50	28.46	29.59
	潮口站	0:00	24.65	51.97	34.2	8.37	7.94	93.4	11.42
		3:00	24.48	51.95	34.18	8.38	8.02	150.11	11.73
		6:00	24.33	52.15	34.3	8.38	8.06	78.82	12.19
		9:00	24.65	52.55	34.55	8.36	7.85	84.57	12.1
		12:00	24.9	52.59	34.58	8.36	7.94	96.68	12.14
		15:00	24.84	52.42	34.47	8.39	8.73	107.19	13.17
		18:00	24.86	52.32	34.41	8.36	8.29	113.9	13.44
	21:00	24.62	52.04	34.24	8.36	8.25	126.64	13.87	
	日平均值		24.67	52.25	34.37	8.37	8.14	106.41	12.51
	灣內站	0:00	24.69	50.63	34.33	8.35	6.18	7.38	21.42
		3:00	24.52	50.77	34.44	8.31	6.49	6.73	21.73
		6:00	24.4	50.68	34.38	8.3	7.91	13.75	22.19
9:00		24.51	50.78	34.44	8.32	8.69	37.04	22.1	
12:00		25.04	50.71	34.4	8.44	11.21	39.99	22.14	
15:00		25.13	50.71	34.39	8.37	11.4	104.23	23.17	
18:00		25.13	50.65	34.35	8.38	9.87	67.82	23.44	
21:00	24.94	50.5	34.2	8.48	8.91	101.47	23.87		
日平均值		24.80	50.68	34.37	8.37	8.83	47.30	22.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月16日	蚵殼站	0:00	25.2	50.76	33.19	8.35	9.47	26.38	26.98
		3:00	25.09	50.85	33.07	8.33	9.85	26.23	30.4
		6:00	24.94	50.9	33.11	8.33	9.84	26.28	30.28
		9:00	25.16	50.83	33.1	8.35	11.01	26.79	29.91
		12:00	25.26	50.81	33.46	8.36	11.24	26.87	31.12
		15:00	25.61	51.2	33.39	8.42	12.52	27	32.65
		18:00	25.51	51.2	33.4	8.42	12.19	26.57	31.46
	21:00	25.56	51.2	33.11	8.44	11.93	26.22	33.07	
	日平均值		25.29	50.97	33.23	8.38	11.01	26.54	30.73
	潮口站	0:00	24.6	52.16	34.32	8.35	7.97	98.22	13.5
		3:00	24.59	52.14	34.32	8.34	7.8	163.54	13.38
		6:00	24.58	52.25	34.38	8.36	7.98	112.61	14.23
		9:00	24.7	52.3	34.4	8.38	8.2	66.78	14.71
		12:00	24.7	52.3	34.4	8.38	8.2	83.44	15.06
		15:00	25.61	51.2	33.7	8.42	11.52	37	22.65
		18:00	25.51	51.2	34.05	8.42	11.19	98.22	21.46
	21:00	25.56	51.2	33.97	8.44	11.93	163.54	23.07	
	日平均值		24.98	51.84	34.19	8.39	9.35	102.92	17.26
	灣內站	0:00	24.74	50.5	34.2	8.47	9.02	107.86	23.5
		3:00	24.75	50.5	34.2	8.31	9.85	92.69	23.38
		6:00	24.66	50.52	34.22	8.3	7.21	80.67	24.23
9:00		24.51	50.66	33.59	8.32	10.77	121.82	24.71	
12:00		25.04	50.52	33.55	8.44	13.37	29.49	25.06	
15:00		25.13	50.53	33.47	8.37	13.78	30.51	32.65	
18:00		25.13	50.49	33.45	8.38	8.04	27.84	31.46	
21:00	24.94	50.48	33.52	8.48	7.13	25.1	33.07		
日平均值		24.86	50.53	33.78	8.38	9.90	64.50	27.26	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月17日	蚵殼站	0:00	25.47	51.2	33.09	8.38	10.87	26.42	31.85
		3:00	25.45	50.54	33.28	8.35	10.08	26.24	29.39
		6:00	25.35	50.57	33.3	8.35	10.03	26.23	35.99
		9:00	25.52	51	33.58	8.38	11.68	26.27	36.37
		12:00	25.77	51.38	33.84	8.44	13.05	26.98	34.35
		15:00	26.09	51.8	34.12	8.44	12.96	27.24	36.6
		18:00	26.01	51.35	33.82	8.4	12.7	26.73	37.11
	21:00	26.01	51.2	33.7	8.46	13.5	26.43	38.16	
	日平均值		25.71	51.13	33.59	8.40	11.86	26.57	34.98
	潮口站	0:00	25.47	51.2	33.7	8.38	10.87	119.65	21.85
		3:00	25.45	50.54	33.28	8.35	10.08	112.61	19.39
		6:00	24.74	52.14	34.29	8.38	8.33	126.33	16.14
		9:00	25.12	51.54	33.92	8.39	8.97	119.65	16.52
		12:00	25.46	51.95	34.18	8.37	8.21	71.16	15.75
		15:00	25.77	51.33	33.79	8.36	8.32	97.41	16.2
		18:00	25.54	51.74	34.05	8.39	8.59	97.56	18.28
	21:00	25.65	51.61	33.97	8.38	8.35	146.43	18.71	
	日平均值		25.40	51.51	33.90	8.38	8.97	111.35	17.86
	灣內站	0:00	24.74	50.5	33.47	8.38	6.29	62.32	31.85
		3:00	24.75	50.56	33.49	8.42	8.78	124.59	29.39
		6:00	24.47	50.73	33.75	8.43	7.77	85.38	26.14
9:00		25.11	50.66	33.68	8.4	11.66	61.63	26.52	
12:00		25.09	50.52	33.61	8.47	13.85	10.33	25.75	
15:00		24.99	50.53	33.62	8.41	12.96	25.37	26.2	
18:00		24.93	50.49	33.59	8.41	7.83	18	28.28	
21:00	25.12	50.48	33.58	8.4	8.36	32.71	28.71		
日平均值		24.90	50.56	33.60	8.42	9.69	52.54	27.86	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月18日	蚵殼站	0:00	25.96	51.2	34.1	8.45	13.41	20	37.2
		3:00	25.66	51.32	33.95	8.42	12.31	22	34.58
		6:00	25.6	51.28	33.81	8.45	12.39	23.4	36.24
		9:00	26.06	51.47	33.9	8.48	13.31	26.42	34.32
		12:00	26.4	52.02	34.25	8.45	13.82	26.31	18.35
		15:00	26.39	52.1	34.3	8.42	13.59	26.61	23.18
		18:00	26.11	51.78	34.11	8.47	13.09	26.49	30.01
	21:00	26.12	51.62	34.01	8.44	13.22	27.05	33.46	
	日平均值		26.04	51.60	34.05	8.45	13.14	24.79	30.92
	潮口站	0:00	25.47	51.51	33.9	8.38	8.49	112.61	19.06
		3:00	25.07	51.72	34.02	8.36	7.89	163.54	19.3
		6:00	24.98	51.77	34.05	8.35	8	161.63	20.98
		9:00	25.42	51.63	33.97	8.4	8.99	112.61	22.64
		12:00	25.48	51.43	33.85	8.38	8.56	82.41	23.54
		15:00	25.54	51.37	33.81	8.37	8.34	89.33	24.88
		18:00	25.56	51.44	33.84	8.4	8.78	129.94	27.95
	21:00	25.65	51.39	33.82	8.38	8.23	178.28	20.16	
	日平均值		25.40	51.53	33.91	8.38	8.41	128.79	22.31
	灣內站	0:00	25.09	50.5	33.6	8.36	6.29	30.53	29.06
		3:00	24.99	50.56	33.63	8.38	6.72	36.76	29.3
		6:00	24.93	50.5	33.6	8.38	7.65	36.31	30.98
9:00		25.12	50.49	33.59	8.36	10.77	92.43	32.64	
12:00		25.32	50.45	33.55	8.4	13.37	22.04	33.54	
15:00		25.4	50.37	33.47	8.39	13.78	7.02	34.88	
18:00		25.48	50.35	33.45	8.35	8.04	14.73	37.95	
21:00	25.45	50.42	33.52	8.36	7.13	15.54	30.16		
日平均值		25.22	50.46	33.55	8.37	9.22	31.92	32.31	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月19日	蚵殼站	0:00	26.22	51.78	34.1	8.49	13.29	26.78	29.14
		3:00	26.13	51.54	33.95	8.39	11.71	33.17	18.25
		6:00	26.11	51.34	33.81	8.4	12.25	27.16	19.73
		9:00	26.33	51.8	34.12	8.48	12.96	26.27	24.97
		12:00	26.69	52.1	34.3	8.45	13.66	26.77	27.26
		15:00	26.97	52.53	34.59	8.42	13.64	26.74	24.41
		18:00	26.5	52.01	34.25	8.41	10.82	27	22.36
	21:00	26.59	51.9	34.18	8.34	9.57	26.37	17.36	
	日平均值		26.44	51.88	34.16	8.42	12.24	27.53	22.94
	潮口站	0:00	25.56	51.4	33.82	8.36	8.01	112.61	22.9
		3:00	25.01	51.72	34.03	8.36	7.92	138.01	25.42
		6:00	25.03	51.77	33.56	8.34	7.95	161.63	29
		9:00	25.85	51.43	33.84	8.42	9.57	180.87	33.27
		12:00	26.12	51.2	33.64	8.37	9.01	84.1	39.29
		15:00	25.64	50.8	33.44	8.37	8.47	85.76	33.3
		18:00	25.59	51.34	33.79	8.42	9.48	139.02	33.61
	21:00	25.97	51.25	33.73	8.45	9.48	144.83	34.95	
	日平均值		25.60	51.36	33.73	8.39	8.74	130.85	31.47
	灣內站	0:00	25.43	50.37	33.47	8.36	6.29	6.9	32.9
		3:00	25.33	50.39	33.49	8.31	8.78	10.62	35.42
		6:00	25.3	50.03	33.22	8.3	10.74	6.6	39
9:00		25.32	50.01	33.22	8.36	10.92	6.42	33.27	
12:00		25.43	50.45	32.94	8.4	13.82	8.43	39.29	
15:00		25.54	50.37	33.02	8.39	13.28	8.5	33.3	
18:00		25.42	50.35	33.13	8.35	12.45	7.31	33.61	
21:00	25.29	50.42	33.1	8.36	9.38	4.75	34.95		
日平均值		25.38	50.30	33.20	8.35	10.71	7.44	35.22	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月20日	蚵殼站	0:00	26.98	51.99	34.24	8.43	11.53	26.91	19.66
		3:00	27.28	52.09	34.31	8.38	10.48	45.59	23.85
		6:00	26.8	51.54	33.95	8.31	9.99	28.67	20.38
		9:00	26.75	51.9	34.18	8.38	10.41	26.97	27.64
		12:00	27.23	52.64	34.66	8.46	11.77	27.34	32.02
		15:00	27.13	51.54	34.8	8.48	11.63	28.35	37.22
		18:00	27.28	51.32	34.9	8.49	11.56	26.63	30.68
	21:00	27.1	51.2	34.83	8.46	11.07	26.36	28.01	
	日平均值		27.07	51.78	34.48	8.42	11.06	29.60	27.43
	潮口站	0:00	26.19	51.05	33.63	8.44	9.59	134.1	36.08
		3:00	26.35	51.46	33.87	8.37	8.22	125.76	35.33
		6:00	26.03	51.83	34.1	8.38	8.14	114.83	32.86
		9:00	26.75	51.9	34.18	8.38	10.41	180.87	37.64
		12:00	26.23	52.64	34.66	8.46	11.77	84.1	32.02
		15:00	26.13	52.85	34.8	8.46	11.63	85.76	37.22
		18:00	26.28	52.38	34.9	8.48	11.56	139.02	30.68
	21:00	26.1	51.9	34.83	8.46	11.07	144.83	28.01	
	日平均值		26.26	52.00	34.37	8.43	10.30	126.16	33.73
	灣內站	0:00	25.34	50.37	33.11	8.49	8.78	21.62	36.08
		3:00	25.25	50.39	33.11	8.34	10.74	4.66	35.33
		6:00	25.66	50.03	33.06	8.49	10.73	14.13	32.86
9:00		25.51	50.66	33.7	8.47	8.26	5.85	37.64	
12:00		25.04	50.43	33.55	8.44	10.46	5.53	32.02	
15:00		25.13	50.4	33.55	8.4	9.56	11.42	37.22	
18:00		25.13	50.49	33.6	8.37	9.27	13.44	30.68	
21:00	24.94	50.65	33.67	8.38	9.51	10.41	28.01		
日平均值		25.25	50.43	33.42	8.42	9.66	10.88	33.73	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月21日	蚵殼站	0:00	26.91	51.58	34.39	8.42	10.09	26.28	25.9
		3:00	27.27	51.6	34.9	8.47	10.26	26.26	24.01
		6:00	27.08	51.28	34.51	8.46	10.15	27.02	23.94
		9:00	27.06	51.2	34.88	8.41	9.63	28.43	22.96
		12:00	27.13	51.28	34.78	8.43	9.94	26.74	24.54
		15:00	27.13	52.44	34.8	8.46	11.63	28.35	37.22
		18:00	27.28	52.04	34.9	8.48	11.56	26.63	30.68
		21:00	27.1	51.73	34.83	8.46	11.07	26.36	28.01
	日平均值		27.12	51.64	34.75	8.45	10.54	27.01	27.16
	潮口站	0:00	26.91	52.24	34.39	8.42	10.09	93.4	25.9
		3:00	26.27	52.23	34.9	8.47	10.26	150.11	24.01
		6:00	26.03	52.13	34.3	8.39	8.28	78.82	34.1
		9:00	26.86	51.22	33.72	8.49	9.84	56.82	32.32
		12:00	26.63	51.06	33.63	8.47	9.82	63.69	33.55
		15:00	26.15	52.44	34.53	8.42	8.55	92.8	28.97
		18:00	26.98	52.04	34.27	8.39	8.38	145.62	21.13
		21:00	26.76	51.73	34.08	8.38	7.86	115.17	17.23
	日平均值		26.57	51.89	34.23	8.43	9.14	99.55	27.15
	灣內站	0:00	25.09	50.58	33.64	8.39	9.34	29.44	25.9
		3:00	24.99	50.53	33.61	8.39	6.99	3.51	24.01
		6:00	24.93	50.46	33.58	8.34	7.47	4.22	34.1
		9:00	25.12	50.4	33.55	8.3	8.49	8.01	32.32
		12:00	25.32	50.3	33.44	8.46	11.61	7.45	33.55
		15:00	25.4	50.12	33.28	8.37	13.64	7	28.97
		18:00	25.48	50.08	33.25	8.38	11.09	6.32	21.13
		21:00	25.45	50.27	33.2	8.4	8.83	6.22	17.23
	日平均值		25.22	50.34	33.44	8.38	9.68	9.02	27.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月22日	蚵殼站	0:00	26.91	51.58	34.39	8.42	10.09	26.28	25.9
		3:00	27.27	51.6	34.9	8.47	10.26	26.26	24.01
		6:00	27.08	51.28	34.51	8.46	10.15	27.02	23.94
		9:00	27.06	51.2	34.88	8.41	9.63	28.43	22.96
		12:00	27.13	51.28	34.78	8.43	9.94	26.74	24.54
		15:00	26.98	51.54	34.1	8.45	10.01	29.49	39.85
		18:00	26.76	51.32	33.95	8.38	9.12	33.26	23.68
		21:00	26.5	51.2	33.81	8.39	8.86	27.35	18.21
	日平均值		26.96	51.38	34.42	8.43	9.76	28.10	25.39
	潮口站	0:00	26.57	51.58	33.99	8.37	7.57	93.4	18.07
		3:00	26.59	51.6	34	8.31	6.77	150.11	17.39
		6:00	25.94	52.26	34.37	8.38	8.02	78.82	14
		9:00	26.48	51.85	33.89	8.39	7.78	84.57	15.88
		12:00	26.7	51.6	34.2	8.45	10.06	96.68	28.41
		15:00	26.78	51.49	34.07	8.45	10.01	107.19	29.85
		18:00	26.75	51.5	34.26	8.38	9.12	113.9	23.68
		21:00	26.75	51.55	34.15	8.39	8.86	126.64	18.21
	日平均值		26.57	51.68	34.12	8.39	8.52	106.41	20.69
	灣內站	0:00	25.43	50.57	32.96	8.35	7.55	5.74	18.07
		3:00	25.33	50.66	33.34	8.31	6.32	5.48	17.39
		6:00	25.3	50.68	33.06	8.3	6.83	8.66	14
		9:00	25.32	50.58	33.64	8.32	10.97	4.35	15.88
		12:00	25.43	50.38	32.65	8.44	11.41	5.67	28.41
		15:00	25.54	50.29	33.49	8.37	12.44	4.4	29.85
		18:00	25.42	50.3	33.5	8.38	11.45	3.14	23.68
		21:00	25.29	50.3	33.5	8.48	10.93	3.53	18.21
	日平均值		25.38	50.47	33.27	8.37	9.74	5.12	20.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月23日	蚵殼站	0:00	26.59	51.58	34.9	8.42	9.37	26.3	14.92
		3:00	27.41	51.6	34.55	8.41	8.94	26.45	12.64
		6:00	27.27	51.28	33.7	8.39	8.34	26.3	12.03
		9:00	27.29	51.2	33.76	8.41	8.73	26.28	14.97
		12:00	27.34	51.28	33.96	8.48	8.66	26.26	26.35
		15:00	27.15	52.44	34.53	8.42	8.55	26.29	28.97
		18:00	27.28	52.04	34.27	8.39	8.38	26.26	21.13
		21:00	27.56	51.73	34.08	8.38	7.86	26.34	17.23
	日平均值		27.24	51.64	34.22	8.41	8.60	26.31	18.53
	潮口站	0:00	26.57	51.5	34.9	8.42	9.37	98.22	14.92
		3:00	26.41	51.52	34.55	8.41	8.94	163.54	12.64
		6:00	26.27	51.89	34.9	8.39	8.34	112.61	12.03
		9:00	26.29	51.17	34.27	8.41	8.73	66.78	14.97
		12:00	26.34	51.46	34.08	8.46	8.66	83.44	26.35
		15:00	26.15	52.44	34.53	8.42	8.55	37	28.97
		18:00	26.98	52.04	34.27	8.39	8.38	98.22	21.13
		21:00	26.76	51.73	34.08	8.38	7.86	163.54	17.23
	日平均值		26.47	51.72	34.45	8.41	8.60	102.92	18.53
	灣內站	0:00	25.23	50.33	33.51	8.45	9.9	5.74	14.92
		3:00	24.95	50.41	33.56	8.4	8.63	5.48	12.64
		6:00	24.98	50.33	33.52	8.38	7.54	8.66	12.03
		9:00	24.97	50.33	33.52	8.47	11.05	4.35	14.97
		12:00	25.13	50.31	33.35	8.37	12.49	5.67	26.35
		15:00	25.01	50.32	32.97	8.38	11.37	4.4	28.97
18:00		24.93	50.31	33.51	8.49	9.63	3.14	21.13	
21:00		24.88	50.31	33.17	8.46	9.07	3.53	17.23	
日平均值		25.01	50.33	33.39	8.43	9.96	5.12	18.53	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月24日	蚵殼站	0:00	27.57	51.58	33.99	8.37	7.57	26.22	18.07
		3:00	27.59	51.6	34	8.31	6.77	26.23	17.39
		6:00	27.34	51.28	33.76	8.32	5.83	27.87	12
		9:00	27.15	51.2	33.7	8.36	7.36	31.16	10.13
		12:00	27.12	51.28	33.76	8.34	7.57	28.64	11.39
		15:00	27.18	51.54	33.96	8.39	8.98	26.28	12.44
		18:00	27.13	51.32	33.79	8.32	7.42	26.46	7.78
		21:00	27.06	51.2	33.7	8.32	8.31	26.34	6.75
	日平均值		27.27	51.38	33.83	8.34	7.48	27.40	11.99
	潮口站	0:00	26.57	51.58	33.99	8.37	7.57	93.4	18.07
		3:00	26.59	51.6	34	8.31	6.77	150.11	17.39
		6:00	25.94	52.26	34.37	8.38	8.02	78.82	14
		9:00	26.48	51.85	33.89	8.39	7.78	56.82	15.88
		12:00	26.44	51.6	33.95	8.35	7.28	63.69	17.66
		15:00	26.53	51.49	33.89	8.37	7.42	92.8	19.87
		18:00	26.51	51.5	33.9	8.38	7.62	145.62	19.86
		21:00	26.47	51.55	33.92	8.39	7.67	115.17	18.48
	日平均值		26.44	51.68	33.99	8.37	7.52	99.55	17.65
	灣內站	0:00	25.43	50.38	33.35	8.45	9.32	5.6	18.07
		3:00	25.33	50.3	33.5	8.42	7.42	5.8	17.39
		6:00	25.3	50.3	33.5	8.36	6.87	18.4	14
		9:00	25.32	50.1	33.29	8.49	10.73	2.96	15.88
		12:00	25.43	50.25	33.43	8.43	10.87	4.24	17.66
		15:00	25.54	50.24	32.49	8.37	11.71	6.93	19.87
18:00		25.42	50.23	33.39	8.36	10.76	3.49	19.86	
21:00		25.29	50.29	33.49	8.47	10.11	3.41	18.48	
日平均值		25.38	50.26	33.31	8.42	9.72	6.35	17.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月25日	蚵殼站	0:00	27	51.2	33.7	8.31	7.87	26.67	7.56
		3:00	27.76	51	33.58	8.3	7.62	26.66	7.13
		6:00	27.57	50.72	33.61	8.31	7.29	26.24	7.03
		9:00	27.94	51.17	33.68	8.31	8	26.5	5.79
		12:00	27.28	51.46	33.89	8.35	8.73	26.23	6.09
		15:00	27.16	51.51	33.93	8.38	8.94	26.21	8.22
		18:00	27.16	51.6	34	8.35	8.35	27.74	8.28
		21:00	27.06	51.48	33.91	8.3	7.84	27.63	7.63
	日平均值		27.37	51.27	33.79	8.33	8.08	26.74	7.22
	潮口站	0:00	25.93	51.5	33.9	8.41	7.82	98.22	19.03
		3:00	25.57	51.52	33.91	8.41	7.56	163.54	20.07
		6:00	26.95	51.89	33.81	8.38	7.71	112.61	17.55
		9:00	26.54	51.17	33.68	8.31	8	66.78	15.79
		12:00	26.28	51.46	33.89	8.35	8.73	83.44	16.09
		15:00	26.16	51.51	33.93	8.38	8.94	87	18.22
		18:00	26.16	51.6	34	8.35	8.35	98.22	18.28
		21:00	26.06	51.48	33.91	8.3	7.84	83.54	17.63
	日平均值		26.21	51.52	33.88	8.36	8.12	99.17	17.83
	灣內站	0:00	25.09	50.31	33.13	8.43	9.26	4	19.03
		3:00	24.99	50.3	33.5	8.37	7.77	7.3	20.07
		6:00	24.93	50.29	33.48	8.36	7.86	5.3	17.55
		9:00	25.12	50.14	33.32	8.44	10.33	4.12	15.79
		12:00	25.32	50.26	32.86	8.4	12.47	6.7	16.09
		15:00	25.4	50.26	32.85	8.37	12.37	6.61	18.22
		18:00	25.48	50.3	33.16	8.38	8.26	6.1	18.28
		21:00	25.45	50.34	33.25	8.47	10.46	6.91	17.63
	日平均值		25.22	50.28	33.19	8.40	9.85	5.88	17.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
3月26日	蚵殼站	0:00	27.06	51.21	34.1	8.33	7.07	26.55	6.13
		3:00	27	51.2	33.95	8.37	7.3	26.22	6.62
		6:00	27	51.2	33.81	8.35	7.42	26.22	6.54
		9:00	27.13	51.31	33.78	8.37	8.14	26.23	8.29
		12:00	27.12	51.42	33.86	8.29	8.3	26.24	12.2
		15:00	27.57	52.07	34.28	8.32	8.51	28.25	15.74
		18:00	27.59	52.1	34.3	8.34	8.92	26.7	16.75
		21:00	27.42	51.81	34.12	8.35	7.59	26.28	9.59
	日平均值		27.24	51.54	34.03	8.34	7.91	26.59	10.23
	潮口站	0:00	26.06	51.21	33.7	8.41	7.07	76.55	16.13
		3:00	26	51.2	33.73	8.41	7.3	76.22	16.62
		6:00	26	51.2	33.7	8.38	7.42	76.42	16.54
		9:00	26.13	51.31	33.78	8.31	8.14	76.23	18.29
		12:00	25.51	51.45	34.11	8.36	7.87	76.48	15.95
		15:00	26.25	50.94	33.94	8.35	8.05	80.64	11.09
		18:00	26.01	50.94	33.94	8.37	7.53	85.84	11
		21:00	25.74	50.89	33.9	8.38	7.81	89.99	10.47
	日平均值		25.96	51.14	33.85	8.37	7.65	79.80	14.51
	灣內站	0:00	25.23	50.58	33.64	8.39	9.34	6.72	16.13
		3:00	25.95	50.53	33.61	8.39	6.99	3.47	16.62
		6:00	25.98	50.46	33.58	8.34	7.47	5.79	16.54
		9:00	25.52	50.66	33.7	8.47	8.26	5.77	18.29
		12:00	26.47	50.43	33.55	8.44	10.46	4.41	15.95
		15:00	27.02	50.4	33.55	8.4	9.56	7.49	21.09
		18:00	26.96	50.49	33.6	8.37	9.27	7.72	21
		21:00	26.5	50.65	33.67	8.38	9.51	5.04	20.47
	日平均值		26.20	50.53	33.61	8.40	8.86	5.80	18.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月27日	蚵殼站	0:00	27.49	51.62	34.01	8.36	9.31	26.22	9.97	
		3:00	27.57	51.83	34.13	8.37	9.49	26.21	9.09	
		6:00	27.5	51.71	34.07	8.36	9.1	26.19	7.89	
		9:00	27.6	51.97	34.22	8.35	8.24	26.22	6.59	
		12:00	27.5	51.03	34.26	8.33	8.7	27.52	7.95	
		15:00	27.88	51.1	34.13	8.37	9.71	30.32	21.64	
		18:00	27.59	51.1	34.3	8.35	8.94	29.07	23.12	
	21:00	27.67	51.17	34.13	8.37	9.28	27.39	14.75		
	日平均值			27.60	51.44	34.16	8.36	9.10	27.39	12.63
	潮口站	0:00	25.65	50.9	33.9	8.39	7.8	89.64	10.35	
		3:00	25.5	50.9	33.9	8.39	7.25	86.28	10.38	
		6:00	25.51	50.99	33.97	8.37	7.32	95.45	10.45	
		9:00	25.86	51.21	34.12	8.4	7.88	80.74	10.39	
		12:00	26.24	51.04	34	8.39	8.08	75	10.86	
		15:00	27.21	50.98	33.97	8.35	8.64	70.87	11.63	
		18:00	26.82	50.99	33.7	8.38	9.04	72.34	12.09	
	21:00	26.62	50.94	33.72	8.37	8.51	64.27	11.11		
	日平均值			26.18	50.99	33.91	8.38	8.07	79.32	10.91
	灣內站	0:00	26.11	50.58	33.64	8.39	9.34	6.42	20.81	
		3:00	26.02	50.53	33.61	8.39	6.99	5.53	18.44	
		6:00	25.86	50.46	33.58	8.34	7.47	3.2	21.63	
9:00		26.04	50.4	33.55	8.3	8.49	4.69	22.54		
12:00		26.71	50.3	33.44	8.46	11.61	10.26	21.46		
15:00		27.38	50.12	33.28	8.37	13.64	9.28	24.61		
18:00		26.98	50.08	33.25	8.38	11.09	8.14	30.06		
21:00	26.29	50.27	33.2	8.4	8.83	6.89	26			
日平均值			26.42	50.34	33.44	8.38	9.68	6.80	23.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月28日	蚵殼站	0:00	27.31	51.61	34.45	8.41	10.11	26.23	10.45	
		3:00	27.08	51.1	34.3	8.39	9.73	26.22	8.93	
		6:00	26.95	51.1	33.97	8.38	9.51	26.69	10.45	
		9:00	27.05	51.33	33.98	8.34	9.51	26.36	8.43	
		12:00	27.04	51.48	33.54	8.38	9.49	26.13	11.53	
		15:00	27.01	51.48	34.56	8.39	10.09	26.28	21.28	
		18:00	27.41	51.05	34.36	8.41	10.77	26.17	23.14	
	21:00	27.68	51.5	34.07	8.43	10.61	26.21	11.53		
	日平均值			27.19	51.33	34.15	8.39	9.98	26.29	13.22
	潮口站	0:00	26.13	50.91	33.39	8.37	7.98	42.2	10.5	
		3:00	26.17	50.83	33.52	8.37	7.78	36.89	10.54	
		6:00	26.14	50.86	33.51	8.37	7.86	48.2	10.63	
		9:00	26.17	50.83	33.82	8.36	7.76	72.89	10.53	
		12:00	26.75	50.87	33.78	8.37	8.25	42.46	10.58	
		15:00	27.2	50.88	33.6	8.39	9.03	40.67	13.59	
		18:00	26.68	50.92	33.16	8.38	8.42	46.51	12.76	
	21:00	27.17	50.94	33.61	8.39	8.73	61.4	11.93		
	日平均值			26.55	50.88	33.55	8.38	8.23	48.90	11.38
	灣內站	0:00	26.02	50.57	32.96	8.35	7.55	6.53	19.03	
		3:00	25.81	50.66	33.34	8.31	6.32	27.31	28.49	
		6:00	25.8	50.68	33.06	8.3	6.83	16.08	26.95	
9:00		26.2	50.58	33.64	8.32	10.97	13.84	19.98		
12:00		27.28	50.38	32.65	8.44	11.41	8.04	19.92		
15:00		27.6	50.29	33.49	8.37	12.44	9.34	19.88		
18:00		27.6	50.3	33.5	8.38	11.45	4.93	19.04		
21:00	27.36	50.3	33.5	8.48	10.93	10.71	17.79			
日平均值			26.71	50.47	33.27	8.37	9.74	12.10	21.39	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月29日	蚵殼站	0:00	27.6	51.5	33.99	8.4	10.53	26.39	10.45	
		3:00	27.55	51.39	34	8.37	9.75	26.25	8.45	
		6:00	27.22	51.39	33.76	8.38	9.52	26.25	10.23	
		9:00	27.59	51.02	33.7	8.4	10.47	26.25	11.53	
		12:00	27.63	51.41	33.76	8.44	10.81	26.25	13.9	
		15:00	27.88	51.7	33.96	8.46	11.43	27.03	21.1	
		18:00	28.08	51.5	33.79	8.4	12.38	26.16	24.24	
		21:00	28.1	51.39	33.7	8.37	12.1	26.56	25.1	
	日平均值			27.71	51.41	33.83	8.40	10.87	26.39	15.63
	潮口站	0:00	26.26	51.21	33.09	8.35	8.09	43.09	12.3	
		3:00	26.03	51.2	33.17	8.36	7.77	41.11	11.4	
		6:00	26.24	51.2	33.1	8.37	7.73	39.15	11.29	
		9:00	26.13	51.31	33.16	8.37	7.99	53.47	11.25	
		12:00	26.34	51.45	33.08	8.38	8.42	37.93	11.26	
		15:00	26.58	50.94	33.04	8.4	9.06	34.35	12.13	
		18:00	26.83	50.94	33.11	8.44	9.87	31.26	12.76	
		21:00	26.91	50.89	33.05	8.42	9.54	56.28	13.39	
	日平均值			26.42	51.14	33.10	8.39	8.56	42.08	11.97
	灣內站	0:00	27.12	50.33	33.51	8.45	9.9	6.82	16.35	
		3:00	27.05	50.41	33.56	8.4	8.63	3.37	20.06	
		6:00	26.9	50.33	33.52	8.38	7.54	3.49	23.18	
		9:00	27.22	50.33	33.52	8.47	11.05	5.1	19.51	
		12:00	27.7	50.31	33.35	8.37	12.49	6.62	16.17	
		15:00	27.77	50.32	32.97	8.38	11.37	8.91	13.51	
		18:00	27.77	50.31	33.51	8.49	9.63	14.52	14.12	
		21:00	27.79	50.31	33.17	8.46	9.07	7.38	14.25	
	日平均值			27.42	50.33	33.39	8.43	9.96	7.03	17.14
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月30日	蚵殼站	0:00	27.97	51.9	33.7	8.48	11.09	26.69	22.47	
		3:00	27.75	51.63	33.58	8.44	10.08	26.34	22.58	
		6:00	27.61	51.44	33.61	8.4	9.5	26.33	16.64	
		9:00	27.97	51.84	33.68	8.43	10.87	26.77	18.61	
		12:00	27.96	51.89	33.89	8.42	10.65	27.6	29.78	
		15:00	28.06	51.69	33.93	8.44	11.09	26.96	25.84	
		18:00	27.99	51.7	34	8.43	10.89	26.51	19	
		21:00	27.83	51.89	33.91	8.38	10.27	27.3	20.76	
	日平均值			27.89	51.75	33.79	8.43	10.56	26.81	21.96
	潮口站	0:00	26.26	50.9	33.09	8.37	8.14	60.73	12.66	
		3:00	25.7	50.92	33.17	8.37	7.96	60.94	11.4	
		6:00	25.98	50.99	33.23	8.37	8.03	42.66	11.81	
		9:00	26.29	51.21	33.16	8.37	8.04	40.58	11.9	
		12:00	25.92	51.04	33.26	8.37	8.19	41.23	11.94	
		15:00	26.25	50.98	33.23	8.38	8.52	41.63	12.06	
		18:00	27.29	50.99	33.11	8.42	9.4	36.38	12.78	
		21:00	27.33	50.94	33.05	8.47	10	40.33	12.87	
	日平均值			26.38	51.00	33.16	8.39	8.54	45.56	12.18
	灣內站	0:00	27.52	50.38	33.35	8.45	9.32	7.4	14.36	
		3:00	27.22	50.3	33.5	8.42	7.42	6.92	14.42	
		6:00	27.13	50.3	33.5	8.36	6.87	9.35	15.62	
		9:00	27.56	50.1	33.29	8.49	10.73	5.25	15.46	
		12:00	27.84	50.25	33.43	8.38	10.87	10.17	17.49	
		15:00	28.03	50.24	32.49	8.49	11.71	18.92	19.63	
		18:00	27.97	50.23	33.39	8.46	10.76	12.99	20.94	
		21:00	27.74	50.29	33.49	8.47	10.11	9.93	15.58	
	日平均值			27.63	50.26	33.31	8.44	9.72	10.12	16.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月31日	蚵殼站	0:00	27.74	51.9	34.1	8.37	9.98	26.63	13.46	
		3:00	27.61	51.59	33.95	8.33	9.14	26.34	10.5	
		6:00	27.71	51.59	33.81	8.39	9.11	29.85	15.86	
		9:00	27.82	51.78	33.78	8.42	10.66	26.57	24.47	
		12:00	27.92	51.89	33.86	8.41	10.09	27.4	22.47	
		15:00	27.92	51.69	34.28	8.4	9.61	28.11	24.26	
		18:00	27.94	51.7	34.3	8.38	9.32	27.25	20.82	
		21:00	27.82	51.89	34.12	8.41	9.55	26.61	22.47	
	日平均值			27.81	51.75	34.03	8.39	9.68	27.35	19.29
	潮口站	0:00	26.93	50.91	33.09	8.45	9.02	41.61	12.66	
		3:00	25.91	50.83	33.22	8.39	8	67.8	12.47	
		6:00	26.35	50.76	33.16	8.38	8.2	44.67	13.12	
		9:00	26.94	50.73	33.11	8.41	8.77	39.28	13.54	
		12:00	26.57	50.77	33.11	8.37	8.31	35.5	13.57	
		15:00	26.53	50.38	33.05	8.36	8.3	41.83	14.1	
		18:00	26.64	50.42	33.03	8.39	8.38	41.02	14.62	
		21:00	26.88	50.4	33.15	8.37	7.91	53.96	14.61	
	日平均值			26.59	50.65	33.12	8.39	8.36	45.71	13.59
	灣內站	0:00	27.47	50.31	33.13	8.43	9.26	7.58	14.82	
		3:00	27.23	50.3	33.5	8.37	7.77	8.53	15.88	
		6:00	27.13	50.29	33.48	8.36	7.86	5.78	16.89	
9:00		27.55	50.14	33.32	8.44	10.33	14.48	17.63		
12:00		27.94	50.26	32.86	8.37	12.47	8.56	17.49		
15:00		27.87	50.26	32.85	8.38	12.37	11.98	19.63		
18:00		27.68	50.3	33.16	8.48	8.26	11.85	20.94		
21:00		27.57	50.34	33.25	8.47	10.46	9.99	15.58		
日平均值			27.56	50.28	33.19	8.41	9.85	9.84	17.36	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月1日	蚵殼站	00:00	27.8	50.9	32.89	8.46	10.01	6.22	15.19	
		03:00	27.59	50.59	33.27	8.43	9.07	6.29	14	
		06:00	27.64	50.73	33.02	8.44	8.99	6.25	16.85	
		09:00	27.92	50.86	33.19	8.43	9.33	6.55	22.52	
		12:00	27.94	50.89	33.49	8.45	10.12	6.55	27.87	
		15:00	27.78	50.85	33.46	8.44	10.12	6.86	27.48	
		18:00	27.82	50.91	33.5	8.46	10.31	6.42	24.48	
		21:00	27.7	50.77	33.4	8.43	9.71	6.54	22.35	
	日平均值			27.77	50.81	33.28	8.44	9.71	6.46	21.34
	潮口站	00:00	26.72	49.66	32.94	8.39	8.05	48.59	55	
		03:00	26.06	49.77	32.86	8.37	7.78	34.76	5.54	
		06:00	26.07	49.72	33.16	8.36	7.65	25.54	55.29	
		09:00	26.71	49.57	33.24	8.36	7.53	17.17	18.7	
		12:00	26.52	49.62	33.09	8.37	7.84	20.93	12.41	
		15:00	26.19	49.55	33.05	8.37	8	41.11	48.81	
		18:00	26.43	49.66	33.13	8.39	8.36	12.11	19.42	
		21:00	26.58	49.71	33.16	8.42	8.64	23.22	27.29	
	日平均值			26.41	49.66	33.08	8.38	7.98	27.93	30.31
	灣內站	00:00	27.24	50.42	33.56	8.45	7.36	6.25	34.08	
		03:00	27	50.58	33.64	8.41	6.87	6.36	37.1	
		06:00	26.9	50.58	33.64	8.39	9.39	9.73	46.66	
		09:00	27.14	50.47	33.58	8.38	10.93	7.86	35.7	
		12:00	27.72	50.3	33.5	8.49	9.03	6.2	21.48	
		15:00	27.6	50.38	33.54	8.47	7.56	3.98	55.64	
		18:00	27.59	50.41	33.55	8.43	10.92	7.5	41.12	
		21:00	27.37	50.38	33.54	8.4	11	6.3	36.24	
	日平均值			27.32	50.44	33.57	8.43	9.13	6.77	38.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月2日	蚵殼站	00:00	27.58	50.62	33.29	8.39	9.11	6.66	20.21	
		03:00	27.38	50.45	33.16	8.37	8.23	6.28	14.44	
		06:00	27.33	50	32.9	8.34	7.69	6.94	15.78	
		09:00	27.59	50.44	33.17	8.46	9.53	6.31	31.09	
		12:00	27.74	50.86	33.47	8.4	9.3	9.18	29.75	
		15:00	27.71	50.9	33.5	8.4	9.25	8.85	29.02	
		18:00	27.71	50.9	33.5	8.4	9.27	7.47	25.11	
		21:00	27.64	50.9	33.5	8.41	9.03	7.1	18.05	
	日平均值			27.59	50.63	33.31	8.40	8.93	7.35	22.93
	潮口站	00:00	26.73	49.76	33.19	8.45	8.91	34.32	24	
		03:00	25.85	50.03	33.37	8.38	7.74	25.1	39.13	
		06:00	26.09	49.96	33.32	8.39	8.12	11.82	46.23	
		09:00	26.94	49.66	33.13	8.45	9.02	5.94	6.31	
		12:00	26.84	49.75	33.18	8.41	8.38	18.71	14.97	
		15:00	26.31	49.88	33.28	8.37	8	33.74	2.55	
		18:00	26.43	49.91	33.3	8.4	8.43	9.53	24.68	
		21:00	26.76	49.97	33.33	8.42	8.46	5.74	13.94	
	日平均值			26.49	49.87	33.26	8.41	8.38	18.11	21.48
	灣內站	00:00	27.15	50.35	33.53	8.36	7.02	5.09	58.38	
		03:00	26.86	50.61	33.65	8.37	8.18	4.6	24.74	
		06:00	26.72	50.6	33.65	8.37	6.86	4.79	29.9	
		09:00	27.11	51.16	33.98	8.4	7.9	6.71	44.37	
		12:00	27.56	51.05	33.9	8.48	8.65	8.21	40.02	
		15:00	27.61	51.11	33.95	8.4	7.12	5.74	50.65	
		18:00	27.64	51.25	34.05	8.45	7.22	6.59	38.14	
		21:00	27.58	51.09	33.92	8.42	9.46	6.12	37.11	
	日平均值			27.28	50.90	33.83	8.41	7.80	5.98	40.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月3日	蚵殼站	00:00	27.57	50.9	33.5	8.39	8.74	6.66	13.63
		03:00	27.56	50.89	33.49	8.38	9.1	6.28	15.13
		06:00	27.51	50.88	33.22	8.39	9.01	6.51	12.14
		09:00	27.71	50.88	33.48	8.46	10.06	6.62	15.19
		12:00	28.05	51.45	33.85	8.42	9.89	8.72	15.76
		15:00	28.3	51.8	34.1	8.44	10.09	7.54	13.52
		18:00	28.18	51.76	34.07	8.41	9.61	7.39	9.56
		21:00	28.07	51.4	33.8	8.41	9.36	7.37	10.33
	日平均值		27.87	51.25	33.69	8.41	9.48	7.14	13.16
	潮口站	00:00	26.81	50.08	33.4	8.41	8.14	18.19	30.49
		03:00	26.14	50.1	33.42	8.38	7.74	26.53	59.83
		06:00	26.21	50.11	33.43	8.37	7.78	20.59	25.58
		09:00	26.94	50.1	33.42	8.4	7.79	11.82	20.56
		12:00	26.49	50.02	33.37	8.38	8.08	13.68	38.88
		15:00	26.4	50.16	33.47	8.37	7.95	19.19	27.66
		18:00	26.57	50.18	33.47	8.38	8.18	6.71	40.66
		21:00	26.78	50.24	33.5	8.4	8.27	7.14	4.38
	日平均值		26.54	50.12	33.44	8.39	7.99	15.48	31.01
	灣內站	00:00	27.37	51.22	34.03	8.4	9.22	3.66	46.1
		03:00	27.02	51.24	34.04	8.41	7.29	4.11	49.76
		06:00	26.91	51.4	33.88	8.42	8.63	3.61	56.52
09:00		27.18	51.32	34.11	8.43	8.56	4.62	21.31	
12:00		28.08	51.22	34.03	8.48	9.71	4.9	29.98	
15:00		28.06	51.19	33.99	8.4	8.98	3.2	38.03	
18:00		27.85	51.27	34.07	8.47	9.81	4.13	23.82	
21:00		27.79	51.37	34.17	8.44	8.5	4.45	40.94	
日平均值		27.53	51.28	34.04	8.43	8.84	4.09	38.31	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月4日	蚵殼站	00:00	27.95	51.16	33.46	8.46	10.08	6.3	9.56
		03:00	27.8	51.07	33.6	8.41	9.29	6.37	7.41
		06:00	27.72	50.89	33.49	8.42	9.09	6.29	11.49
		09:00	27.88	50.98	33.55	8.42	9.27	6.85	13.47
		12:00	28.13	51.39	33.8	8.4	9.34	10.56	14.13
		15:00	28.07	51.54	33.91	8.39	9.6	10.23	16.01
		18:00	28.21	51.71	34.03	8.47	10.66	6.32	10.02
		21:00	28.05	51.46	33.85	8.45	9.99	6.41	9.67
	日平均值		27.98	51.28	33.71	8.43	9.67	7.42	11.47
	潮口站	00:00	26.99	50.33	33.38	8.44	9	11.03	29.03
		03:00	26.23	50.35	33.57	8.4	7.85	34.96	11.41
		06:00	26.99	50.41	33.61	8.35	7.61	20.35	32.28
		09:00	27.21	50.31	33.55	8.43	8.7	5.54	11.39
		12:00	27.11	50.3	33.45	8.44	9.23	12.94	31.71
		15:00	26.72	50.24	33.65	8.39	8.15	26.06	22.11
		18:00	26.38	50.36	33.58	8.38	7.9	17.53	39.42
		21:00	26.65	50.32	33.56	8.39	8.02	5.06	19.85
	日平均值		26.79	50.33	33.54	8.40	8.31	16.68	24.65
	灣內站	00:00	27.44	51.39	34.19	8.42	9.32	4.27	56.97
		03:00	27.16	51.4	34.2	8.4	10.8	3.41	47.78
		06:00	27.06	51.35	34.15	8.37	9.22	2.96	44.33
09:00		27.44	51.22	34.03	8.45	10.79	6.39	27.74	
12:00		28.1	51.13	33.95	8.49	7.83	4.65	58.44	
15:00		28.23	51.08	33.93	8.48	7.09	6.68	28.38	
18:00		27.9	51.25	34.05	8.49	9.62	7.25	53.78	
21:00		27.73	51.38	34.18	8.47	10.42	4.06	46.23	
日平均值		27.63	51.28	34.09	8.45	9.39	4.96	45.46	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月5日	蚵殼站	00:00	27.89	51.25	33.71	8.4	8.93	6.3	9.74
		03:00	27.72	51.12	33.63	8.4	8.75	6.41	6.58
		06:00	27.6	50.87	33.48	8.41	8.69	8.3	6.2
		09:00	27.95	51.33	33.76	8.42	9.26	6.43	6.53
		12:00	28.06	51.81	34.08	8.4	8.93	9.24	11.82
		15:00	28.07	52.27	34.38	8.38	8.49	11.04	12.63
		18:00	28.02	52.08	34.27	8.39	8.81	12.47	10.13
		21:00	28.16	52.01	34.22	8.38	8.48	8.72	9.98
	日平均值		27.93	51.59	33.94	8.40	8.79	8.61	9.20
	潮口站	00:00	26.85	50.41	33.61	8.39	7.71	15.65	54.68
		03:00	26.24	50.45	33.64	8.37	7.42	26.74	41.29
		06:00	25.94	50.46	33.74	8.36	7.47	19.12	10.77
		09:00	26.82	50.5	33.68	8.35	7.44	8.14	50.06
		12:00	27.26	50.57	33.72	8.38	8.34	14.21	34.27
		15:00	26.9	50.42	33.63	8.37	8.16	10.5	50.71
		18:00	26.28	50.4	33.86	8.38	7.94	5.34	49.8
		21:00	26.74	50.43	33.43	8.41	8.13	5.89	26.44
	日平均值		26.63	50.46	33.66	8.38	7.83	13.20	39.75
	灣內站	00:00	27.54	51.4	34	8.39	8.59	3.9	56.16
		03:00	27.28	51.4	34.2	8.38	7.27	3.99	35.03
		06:00	27.1	51.42	34.31	8.37	6.99	4.76	53.46
		09:00	27.34	51.41	34.21	8.45	10.33	3.91	56.72
		12:00	27.8	51.41	34.2	8.49	6.28	6.48	20.06
		15:00	27.78	51.39	34.19	8.4	10.09	6.25	34.1
		18:00	27.47	51.39	33.92	8.46	9.73	8.41	20.53
		21:00	27.5	51.4	34.2	8.37	6.53	3.56	52.76
	日平均值		27.48	51.40	34.15	8.41	8.23	5.16	41.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月6日	蚵殼站	00:00	28.06	51.8	34.1	8.38	8.42	7.81	10.1
		03:00	27.89	51.8	34.1	8.36	8.12	7.76	11.22
		06:00	27.76	51.78	34.09	8.39	8.66	7.84	12.77
		09:00	28.1	51.85	34.13	8.44	9.94	7.97	21.41
		12:00	28.12	51.85	34.13	8.43	9.93	11.46	30.43
		15:00	28.07	51.85	34.13	8.41	9.68	12.05	32.51
		18:00	28.08	52.01	34.23	8.45	10.62	8.26	21.82
		21:00	28.16	52.09	34.28	8.48	10.78	6.32	15.16
	日平均值		28.03	51.88	34.15	8.42	9.52	8.68	19.43
	潮口站	00:00	27.08	50.62	33.76	8.42	8.06	10.27	41.66
		03:00	26.53	50.52	33.69	8.38	7.47	26.8	8.46
		06:00	25.89	50.5	33.89	8.36	7.33	30.66	43.35
		09:00	27.27	50.55	33.72	8.4	8.24	5.23	8.88
		12:00	27.57	50.39	33.59	8.39	8.57	15.49	18.28
		15:00	27.33	50.45	33.64	8.4	9.57	23.71	43.59
		18:00	26.45	50.52	33.43	8.37	10.31	14.11	18.9
		21:00	26.55	50.56	33.72	8.4	9.71	5.34	13.83
	日平均值		26.83	50.51	33.68	8.39	8.66	16.45	24.62
	灣內站	00:00	27.67	51.39	34.19	8.33	11.67	3.4	29.47
		03:00	27.43	51.38	33.84	8.29	9.3	5.06	37.59
		06:00	27.2	51.44	34.22	8.32	11.12	3.28	38.97
		09:00	27.47	51.39	34.19	8.34	9.37	6.32	23.36
		12:00	28.28	51.34	34.24	8.43	9.11	3.32	36.03
		15:00	28.41	51.35	34.15	8.46	10.7	4.86	24.05
		18:00	28.03	51.4	34.2	8.47	9.17	5.85	25.83
		21:00	27.76	51.4	34.4	8.45	11.23	5.9	29.83
	日平均值		27.78	51.39	34.18	8.39	10.21	4.75	30.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月7日	蚵殼站	00:00	27.96	51.78	34.08	8.4	8.82	7.2	12.48
		03:00	27.98	51.78	34.09	8.43	9.67	6.41	10.83
		06:00	27.94	51.75	34.06	8.42	9.32	5.48	13.8
		09:00	28.06	51.78	33.84	8.46	10.22	6.6	20.8
		12:00	28.05	51.76	34.06	8.45	9.78	10.09	22.98
		15:00	28.29	53.25	35.02	8.4	9.05	10.82	25.89
		18:00	27.9	51.84	34.12	8.39	8.63	14.74	16.94
	21:00	28.34	52.73	34.69	8.38	8.51	8.98	23.13	
	日平均值		28.07	52.08	34.25	8.42	9.25	8.79	18.36
	潮口站	00:00	26.99	50.65	33.77	8.41	9.11	11.73	5.12
		03:00	26.68	50.61	33.76	8.38	8.23	38.98	43.63
		06:00	26.99	50.48	33.66	8.36	7.69	28.22	27.1
		09:00	27.05	50.6	33.75	8.4	9.53	5.62	5.04
		12:00	27.6	50.51	33.69	8.42	9.3	16.33	43.3
		15:00	27.35	50.46	33.65	8.44	9.25	21.95	35.99
		18:00	26.24	50.66	33.78	8.38	9.27	16.27	1.49
	21:00	26.4	50.65	33.88	8.39	9.03	5	38.21	
	日平均值		26.91	50.58	33.74	8.40	8.93	18.01	24.99
	灣內站	00:00	27.81	51.4	34.52	8.34	9.28	3	54.46
		03:00	27.55	51.41	34.33	8.36	7.48	3.08	54.83
		06:00	27.38	51.4	34.2	8.37	8.49	2.95	41.28
09:00		27.6	51.48	34.24	8.39	10.94	4.35	26.86	
12:00		28.02	51.54	34.27	8.46	7.79	3.98	50.46	
15:00		27.95	51.49	34.25	8.4	7.48	5.39	23.33	
18:00		27.71	51.46	34.23	8.4	7.01	7.71	32.85	
21:00	27.67	51.52	34.26	8.43	7.95	4.31	44.05		
日平均值		27.71	51.46	34.29	8.39	8.30	4.35	41.02	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月8日	蚵殼站	00:00	28.37	52.4	34.47	8.37	8.32	8.7	24.58
		03:00	28.12	51.87	34.13	8.39	8.34	8.09	23.33
		06:00	28.02	51.78	34.09	8.35	7.77	8.65	16.6
		09:00	27.89	51.76	34.07	8.38	8.4	16.46	30.51
		12:00	27.98	52.14	34.31	8.39	8.93	13.97	39.23
		15:00	28.51	52.58	34.59	8.39	10.01	11.49	39.39
		18:00	28.6	52.76	34.72	8.43	11.35	10.52	25.35
	21:00	28.68	52.95	34.83	8.42	10.01	6.78	20.53	
	日平均值		28.27	52.28	34.40	8.39	9.14	10.58	27.44
	潮口站	00:00	27.19	50.59	33.74	8.42	8.74	13.59	55.57
		03:00	26.84	50.61	33.54	8.4	9.1	28.35	52.57
		06:00	26.81	50.46	33.66	8.38	9.01	37.43	38.47
		09:00	27.14	50.57	33.73	8.39	10.06	9.97	5.25
		12:00	27.39	50.42	33.62	8.4	9.89	8.23	11.74
		15:00	27.29	50.38	33.59	8.44	10.09	18.52	38.44
		18:00	26.56	50.51	33.68	8.41	9.61	50.91	19.36
	21:00	26.71	50.53	33.71	8.4	9.36	28.24	46.11	
	日平均值		26.99	50.51	33.66	8.41	9.48	24.41	33.44
	灣內站	00:00	27.73	51.45	34.22	8.36	11.69	7.51	29.57
		03:00	27.57	51.46	34.33	8.35	8.19	5.75	28.48
		06:00	27.38	51.45	34.23	8.32	8.83	3.9	33.59
09:00		27.68	51.51	34.26	8.39	9.53	4.44	30.96	
12:00		28.62	51.26	34.07	8.45	7.5	4.5	30.03	
15:00		29.23	51.1	33.94	8.42	10.74	7.47	50.53	
18:00		28.68	51.14	33.96	8.39	11.25	4.25	32.05	
21:00	27.98	51.37	34.17	8.39	9.07	3.21	34.7		
日平均值		28.11	51.34	34.15	8.38	9.60	5.13	33.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月9日	蚵殼站	00:00	28.5	52.89	34.79	8.47	10.63	6.94	24.64	
		03:00	28.47	52.51	34.55	8.46	10.11	6.52	26.4	
		06:00	28.4	51.47	33.86	8.4	9.29	6.9	32.48	
		09:00	28.19	52.38	34.46	8.39	9.75	8.59	30.18	
		12:00	27.98	52.28	34.4	8.39	9.47	8.85	37.33	
		15:00	28.59	53.1	34.95	8.48	11.84	7.93	39.2	
		18:00	28.94	53.46	35.13	8.4	11.92	6.39	29.62	
		21:00	28.97	53.52	34.88	8.44	10.8	6.57	30.18	
	日平均值			28.51	52.70	34.63	8.43	10.48	7.34	31.25
	潮口站	00:00	27.8	50.42	33.63	8.48	10.08	6.97	51.12	
		03:00	27.41	50.48	33.65	8.46	9.29	16.86	22.26	
		06:00	27.44	50.66	33.77	8.4	9.09	39.66	11.22	
		09:00	27.62	50.87	33.9	8.39	9.27	12.18	22.05	
		12:00	27.73	51.43	34.27	8.43	9.34	12.34	15.4	
		15:00	27.64	51.45	33.82	8.44	9.6	17.99	12.24	
		18:00	27.36	51.84	34.02	8.42	10.66	40.92	2.73	
		21:00	26.67	51.97	33.66	8.38	9.99	24.16	19.87	
	日平均值			27.46	51.14	33.84	8.43	9.67	21.39	19.61
	灣內站	00:00	27.7	51.45	34.23	8.42	7.62	2.96	50.88	
		03:00	27.4	51.4	34.42	8.4	11.95	3.25	53.99	
		06:00	27.38	51.4	34.2	8.41	8.6	3.25	24.68	
		09:00	27.63	51.5	34.25	8.42	8.7	3.43	22.9	
		12:00	28.62	51.39	34.19	8.48	7.97	5.27	29.8	
		15:00	28.87	51.33	33.83	8.47	11.85	11.58	51.27	
		18:00	28.48	51.31	34.11	8.46	9.17	6.43	20.21	
		21:00	28.1	51.39	33.8	8.44	8.43	4.38	23.86	
	日平均值			28.02	51.40	34.13	8.44	9.29	5.07	34.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月10日	蚵殼站	00:00	28.84	53.37	35.13	8.42	10.26	8.19	23.14	
		03:00	28.64	52.94	34.1	8.42	10.07	8.1	26.4	
		06:00	28.5	50.92	33.14	8.42	9.78	6.98	16.77	
		09:00	28.67	52.78	34.47	8.45	10.81	7.15	22.03	
		12:00	28.87	52.39	34.33	8.46	10.76	8.69	26.86	
		15:00	29.28	52.6	34.38	8.48	10.99	7.2	30.38	
		18:00	29.12	52.58	34.48	8.46	9.84	8.13	26.34	
		21:00	29.05	52.59	33.19	8.45	10.56	8.83	22.44	
	日平均值			28.87	52.52	34.15	8.45	10.38	7.91	24.30
	潮口站	00:00	27.29	51.79	33.8	8.4	8.93	13.91	29.84	
		03:00	27.06	51.8	34.5	8.41	8.75	11.42	55.62	
		06:00	26.54	52.07	33.37	8.37	8.69	47.37	26.64	
		09:00	26.59	52.09	33.82	8.35	9.26	30.8	17.74	
		12:00	27.55	51.9	34.08	8.4	8.93	10.48	43.22	
		15:00	27.1	51.78	33.79	8.43	8.49	6.68	30.67	
		18:00	27.67	51.81	33.39	8.4	8.81	26.31	23.15	
		21:00	26.62	51.83	34.3	8.38	8.48	14.8	37.92	
	日平均值			27.05	51.88	33.88	8.39	8.79	20.22	33.10
	灣內站	00:00	27.87	51.42	34.22	8.4	7.74	3.59	58.92	
		03:00	27.64	51.54	34.23	8.37	11.98	6.26	24.45	
		06:00	27.7	51.54	34.23	8.35	10.65	4.22	36.41	
		09:00	27.98	51.52	34.26	8.44	10.46	3.94	39.29	
		12:00	28.35	51.47	34.07	8.4	11.88	3.31	50.5	
		15:00	28.51	51.42	33.94	8.4	11.14	3.58	58.58	
		18:00	28.32	51.48	33.96	8.4	7.11	5.23	24.12	
		21:00	28.14	51.55	34.17	8.46	11.81	3.74	30.12	
	日平均值			28.06	51.49	34.14	8.40	10.35	4.23	40.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
4月11日	蚵殼站	00:00	28.91	52.51	33.99	8.45	10.29	8.19	17.93
		03:00	28.82	52.57	34.16	8.41	9.84	8.36	26.98
		06:00	28.71	52.77	33.23	8.38	9.29	7.74	24.95
		09:00	28.85	52.65	32.03	8.39	9.51	7.74	26.89
		12:00	28.76	52.9	32.17	8.43	10.59	6.74	28.34
		15:00	29.09	51	33.1	8.43	11.19	8.67	43.99
		18:00	28.77	50.6	32.96	8.4	10.29	10.78	39.63
		21:00	28.6	50.31	32.27	8.39	9.97	11.89	31.94
	日平均值	28.81	51.91	32.99	8.41	10.12	8.76	30.08	
	潮口站	00:00	26.91	51.88	34.39	8.37	8.42	11.64	13.14
		03:00	27.19	51.83	33.09	8.36	8.12	10.09	31.76
		06:00	26.41	51.97	33.96	8.35	8.31	25.57	21.39
		09:00	26.28	52.09	33.66	8.32	8.72	47.55	58.54
		12:00	27.93	52.45	34.16	8.4	9.7	8.46	28.71
		15:00	28.09	52.23	33.69	8.44	10.65	17.08	6.87
		18:00	28.06	52.22	33.82	8.45	10.26	17.11	41.51
		21:00	27.17	52.35	33.44	8.38	9.24	18.19	25.54
	日平均值	27.26	52.13	33.78	8.38	9.18	19.46	28.43	
	灣內站	00:00	28.1	51.47	33.53	8.45	10	2.98	44.76
		03:00	27.96	51.42	33.65	8.39	11.18	3.21	55
		06:00	27.93	51.45	33.65	8.36	11.29	3.47	53.12
09:00		28.18	51.51	33.98	8.39	8.19	3.74	45.98	
12:00		29.18	51.41	33.9	8.44	10.57	7.35	54.8	
15:00		29.66	51.11	33.95	8.41	9.81	5.75	48.84	
18:00		29.29	51.1	34.05	8.46	7.5	3.81	56.19	
21:00		28.8	51.1	33.92	8.42	9.41	3.05	23.06	
日平均值	28.64	51.32	33.83	8.42	9.74	4.17	47.72		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
4月12日	蚵殼站	00:00	28.7	50.17	32.49	8.37	9.52	9.99	21.87
		03:00	28.74	50.29	32.02	8.41	9.59	10.4	19.82
		06:00	28.77	50.01	32.16	8.38	9.14	10.48	18.6
		09:00	28.81	50.48	32.34	8.39	9.25	11.01	17.53
		12:00	28.91	50.54	32.13	8.38	9.21	13.9	20.78
		15:00	29.11	50.6	30.86	8.4	9.58	13.76	33.18
		18:00	29.1	50.6	32.1	8.38	9.41	15.13	31.23
		21:00	28.96	50.6	31.85	8.37	8.98	15.15	23.43
	日平均值	28.89	50.41	31.99	8.39	9.34	12.48	23.31	
	潮口站	00:00	26.5	52.43	33.26	8.35	8.63	12.74	53.9
		03:00	26.83	52.44	33.38	8.37	8.58	9.19	57.56
		06:00	26.33	52.47	33.45	8.34	8.28	26.64	25.78
		09:00	26.38	52.45	33.96	8.36	8.81	10.82	19.95
		12:00	26.75	52.53	34.21	8.37	9.18	4.28	47.07
		15:00	27.63	52.63	33.93	8.41	9.63	5.13	51.77
		18:00	27.95	52.41	34.12	8.41	9.31	7.44	57.81
		21:00	27.42	52.45	34.43	8.37	8.43	14.51	56.01
	日平均值	26.97	52.48	33.84	8.37	8.86	11.34	46.23	
	灣內站	00:00	28.6	51.02	34.52	8.36	7.61	3.52	34.58
		03:00	28.24	50.85	34.33	8.33	11.72	4.46	45.64
		06:00	28	51.26	34.2	8.32	10.27	4.56	26.27
09:00		28.16	51.13	34.24	8.43	9.06	5.32	42.01	
12:00		28.44	52.15	34.27	8.47	10.38	6.92	26.63	
15:00		28.46	52.15	34.25	8.48	10.74	9.64	59.52	
18:00		28.51	52.11	34.23	8.4	7.71	10.3	52.79	
21:00		28.59	52.1	34.26	8.35	10.86	10.9	50.63	
日平均值	28.38	51.60	34.29	8.39	9.79	6.95	42.26		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月13日	蚵殼站	00:00	28.72	49.95	31.69	8.35	8.36	13.54	22.72	
		03:00	28.57	49.46	32.13	8.33	7.87	14.28	22.13	
		06:00	28.5	49.4	31.18	8.32	7.64	17.74	21.95	
		09:00	28.72	49.65	31.11	8.35	9.01	15.73	22.84	
		12:00	28.73	49.7	31.08	8.41	10.17	13.15	27.57	
		15:00	28.63	49.85	32.06	8.43	10.53	12.65	31.42	
		18:00	28.73	49.79	32.03	8.42	9.99	14.52	27.16	
		21:00	28.72	49.41	31.28	8.38	9.72	13.91	22.53	
	日平均值			28.67	49.65	31.57	8.37	9.16	14.44	24.79
	潮口站	00:00	26.52	52.57	33.91	8.35	8.5	10.87	17.93	
		03:00	26.91	52.72	34.56	8.35	8.2	10.11	9.48	
		06:00	26.79	52.68	33.91	8.33	7.9	10.54	11.73	
		09:00	26.74	52.52	33.73	8.35	8.64	14.88	19.31	
		12:00	26.57	52.6	33.49	8.36	9.04	10.81	41.49	
		15:00	27.16	52.62	34.22	8.37	9.31	6.27	29.53	
		18:00	27.88	52.55	33.15	8.34	8.59	16.7	34.29	
		21:00	27.85	52.43	33.78	8.34	8.2	28.76	41.79	
	日平均值			27.05	52.59	33.84	8.35	8.55	13.62	25.69
	灣內站	00:00	28.33	52.1	34.19	8.29	10.49	8.91	46.57	
		03:00	28.03	52.09	33.84	8.33	10	7.93	52.17	
		06:00	27.81	51.74	34.22	8.3	8.96	5.19	55.75	
		09:00	28.05	51.96	34.19	8.3	11.82	5.39	44.51	
		12:00	28.65	51.97	34.24	8.4	8.38	5.36	25.01	
		15:00	28.79	51.66	34.15	8.46	9.61	10.91	21.06	
		18:00	28.71	51.68	34.2	8.41	9.78	9.59	22.24	
		21:00	28.52	52.08	34.4	8.35	12.24	5.89	43.05	
	日平均值			28.36	51.91	34.18	8.36	10.16	7.40	38.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月14日	蚵殼站	00:00	28.64	49.4	31.56	8.38	9.3	13.02	23.35	
		03:00	28.53	49.35	30.48	8.38	9.02	13.7	27.17	
		06:00	28.55	49.29	30.49	8.37	8.79	14.32	23.91	
		09:00	28.78	49.4	31.64	8.41	9.99	14.35	22.11	
		12:00	28.5	49.4	32.1	8.4	10	14.06	18.8	
		15:00	28.47	49.4	32.1	8.39	9.55	13.29	19.66	
		18:00	28.45	49.4	31.83	8.35	9.21	13.43	18.29	
		21:00	28.42	49.4	32.1	8.34	8.76	13.86	19.29	
	日平均值			28.54	49.38	31.54	8.38	9.33	13.75	21.57
	潮口站	00:00	26.81	52.47	33.47	8.35	8.37	34.48	37.15	
		03:00	26.72	52.58	33.47	8.34	8.18	21.03	20.36	
		06:00	27.05	52.65	33.54	8.34	7.77	17.2	59.38	
		09:00	26.97	52.71	33.36	8.35	8.36	17.56	1.11	
		12:00	26.99	52.74	33.32	8.36	8.79	31.87	9.23	
		15:00	27.2	52.73	34.57	8.38	9.13	7.04	25.31	
		18:00	27.63	52.61	33.95	8.34	8.44	18.49	20.32	
		21:00	27.91	52.42	34.41	8.35	7.96	13.24	36.62	
	日平均值			27.16	52.61	33.76	8.35	8.38	20.11	26.19
	灣內站	00:00	28.33	51.97	34.25	8.31	10.89	4.6	49.04	
		03:00	28.22	51.96	34.23	8.26	9.98	6.55	38.26	
		06:00	28	51.95	33.9	8.23	9.37	4.26	19.03	
		09:00	28.2	52.06	33.95	8.31	8.43	3.6	49	
		12:00	28.55	51.86	34.05	8.39	12.79	4.88	40.84	
		15:00	28.51	51.56	33.92	8.44	9.5	5.35	29.58	
		18:00	28.47	51.8	34.22	8.38	12.02	7.99	28.05	
		21:00	28.49	52.1	34.19	8.32	12.02	7.78	30.09	
	日平均值			28.35	51.91	34.09	8.33	10.63	5.63	35.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月15日	蚵殼站	00:00	28.42	49.4	32.1	8.37	8.53	12.2	22.72
		03:00	28.21	49.19	31.94	8.33	7.99	14.81	22.13
		06:00	28.26	49.04	31.83	8.32	7.8	13.75	21.95
		09:00	28.63	49.4	31.88	8.41	9.54	11.62	22.84
		12:00	28.49	49.4	32.1	8.36	8.7	17.16	27.57
		15:00	28.45	49.78	32.33	8.32	7.98	20.99	31.42
		18:00	28.51	50.18	32.59	8.38	8.87	16.69	27.16
		21:00	28.5	49.81	32.1	8.37	8.67	17.68	22.53
	日平均值		28.43	49.53	32.11	8.36	8.51	15.61	24.79
	潮口站	00:00	27.18	52.5	34.45	8.35	8.1	22.79	41.07
		03:00	26.91	52.46	34.21	8.35	8.22	29.16	23.44
		06:00	27.24	52.51	34.13	8.36	7.99	7.88	49.91
		09:00	27.41	52.61	34.51	8.34	7.68	15.07	18.71
		12:00	27.21	52.01	33.87	8.33	8.2	7.66	0.67
		15:00	27.24	52.1	34.18	8.33	8.36	10.81	38.62
		18:00	27.45	52.45	34.42	8.31	7.74	16.46	39.37
		21:00	27.25	52.31	34.1	8.31	7.6	12.78	48.59
	日平均值		27.24	52.37	34.23	8.34	7.99	15.33	32.55
	灣內站	00:00	28.12	52.1	34.5	8.33	10.21	3.5	53.46
		03:00	27.97	52.1	34.35	8.25	8.84	7.82	34.47
		06:00	27.75	52.1	34.65	8.2	9.46	3.97	32.03
09:00		28.07	52	34.2	8.32	11.73	4.89	53.52	
12:00		28.07	52.09	34.49	8.38	8.53	3.6	27.31	
15:00		28.07	52.09	34.39	8.38	12.16	4.11	52.69	
18:00		28.03	52.02	34.46	8.33	11.77	5.46	24.54	
21:00		28.26	52.19	34.59	8.28	11	12.53	31.03	
日平均值		28.04	52.09	34.45	8.31	10.46	5.74	38.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月16日	蚵殼站	00:00	28.42	49.52	32.16	8.28	7.21	21.17	34.04
		03:00	28.34	49.4	31.78	8.2	6	23.1	39.81
		06:00	28.17	49.34	32.05	8.27	6.79	18.51	25.94
		09:00	28.14	50.46	32.8	8.32	7.12	20.9	49.1
		12:00	27.99	50.62	32.87	8.3	7.65	12.24	40.07
		15:00	27.78	50.39	32.74	8.25	7.18	20.38	41.94
		18:00	27.7	50.64	32.92	8.23	6.87	22.13	49.41
		21:00	27.84	52.56	33.9	8.23	5.86	11.98	35.89
	日平均值		28.05	50.37	32.65	8.26	6.84	18.80	39.53
	潮口站	00:00	27.06	52.1	34.18	8.33	7.89	14.91	7.43
		03:00	26.91	52.37	34.38	8.33	8.04	30.49	30.7
		06:00	26.99	52.39	34.39	8.33	7.64	12.82	28.94
		09:00	27.23	52.55	34.47	8.36	7.66	22.14	22.54
		12:00	27.11	52.5	34.45	8.33	7.77	56.02	19.03
		15:00	26.94	52.44	34.42	8.33	8.07	21.54	6.49
		18:00	26.93	52.63	34.52	8.32	7.8	16.53	50.01
		21:00	26.94	52.53	34.22	8.31	7.23	16.09	14.13
	日平均值		27.01	52.44	34.38	8.33	7.76	23.82	22.41
	灣內站	00:00	27.99	52.14	34.54	8.18	13	6.99	28.02
		03:00	27.84	51.83	34.35	8.17	11.18	3.86	19.69
		06:00	27.64	52.09	34.17	8.24	12.79	4.55	18.87
09:00		27.54	52.1	34.26	8.29	12.35	19.91	40.21	
12:00		27.6	52.1	34.5	8.29	8.83	11.29	27.09	
15:00		27.52	52.12	34.42	8.28	10.6	6.29	16.59	
18:00		27.41	52.12	34.52	8.3	8.93	4.75	30.58	
21:00		27.35	52.13	34.33	8.28	11.94	3.71	21.29	
日平均值		27.61	52.08	34.39	8.25	11.20	7.67	25.29	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月17日	蚵殼站	00:00	27.55	52.8	34.34	8.22	6.18	10.45	32.43
		03:00	27.26	48.82	31.67	8.26	6.79	13.47	33.7
		06:00	27.27	48.76	31.62	8.25	6.25	20.89	35.59
		09:00	27.7	48.91	31.73	8.21	5.9	15.89	24.26
		12:00	28.08	49.4	32.1	8.25	7.1	13.85	25.22
		15:00	28.02	49.4	32.1	8.27	7.68	19.66	35.89
		18:00	27.89	48.57	31.49	8.23	6.88	19.14	36.32
		21:00	27.91	48.6	31.5	8.23	6.8	13.26	17.68
	日平均值		27.71	49.41	32.07	8.24	6.70	15.83	30.14
	潮口站	00:00	26.88	52.43	34.41	8.32	7.19	29.34	40.54
		03:00	26.55	52.42	34.32	8.31	7.62	23.43	37.12
		06:00	26.47	52.45	34.43	8.32	7.72	12.87	34.38
		09:00	27.17	52.57	34.49	8.31	7.4	10.43	9.06
		12:00	27.36	52.17	33.97	8.3	7.54	14.84	22.44
		15:00	27.26	52.36	33.91	8.31	8.28	6.59	13.91
		18:00	27.13	52.12	34.2	8.32	8.09	12.49	29.88
		21:00	27.29	52.15	34.22	8.3	7.38	17.61	1.47
	日平均值		27.01	52.33	34.24	8.31	7.65	15.95	23.60
	灣內站	00:00	27.19	52.18	34.58	8.29	8.51	4.34	54.7
		03:00	27.08	52.27	34.67	8.29	10.52	4.56	16.85
		06:00	26.98	52.23	34.63	8.25	9.39	9.23	43.86
09:00		27.14	52.26	34.66	8.23	8.66	16.45	48.53	
12:00		27.72	52.32	34.68	8.3	12.01	6.08	27.72	
15:00		27.81	52.51	34.81	8.31	8.07	6.69	34.02	
18:00		27.84	52.46	34.78	8.25	8.75	7.23	48.85	
21:00		27.67	52.2	34.59	8.22	9.59	4.43	47.6	
日平均值		27.43	52.30	34.68	8.27	9.44	7.38	40.27	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月18日	蚵殼站	00:00	27.88	48.63	31.52	8.25	6.82	12.65	18.86
		03:00	27.74	48.6	31.5	8.23	6.56	13.93	22.28
		06:00	27.73	48.5	31.43	8.21	5.91	19.69	27.82
		09:00	27.98	48.54	31.46	8.21	6.47	15.73	20.95
		12:00	28.48	49.13	31.66	8.26	7.83	16.12	19.4
		15:00	28.57	49.4	32.1	8.28	7.97	14.42	28.74
		18:00	28.52	48.89	31.72	8.23	6.99	14.23	26.93
		21:00	28.2	48.36	30.97	8.2	5.72	12.01	19.52
	日平均值		28.14	48.76	31.55	8.23	6.78	14.85	23.06
	潮口站	00:00	27.24	52.23	34.27	8.29	6.97	19.2	7.5
		03:00	26.63	52.36	34.36	8.32	7.74	44.23	30.71
		06:00	26.69	52.35	34.36	8.31	7.58	26.76	29.81
		09:00	27.65	52.23	34.26	8.25	6.9	17.07	11.59
		12:00	27.85	51.83	34.02	8.29	7.53	18.33	33.99
		15:00	27.58	51.46	33.82	8.29	8.23	5.16	21.44
		18:00	27.32	51.5	33.61	8.32	8.29	15.61	21.71
		21:00	27.53	51.87	34.04	8.31	7.84	14.5	24.81
	日平均值		27.31	51.98	34.09	8.30	7.64	20.11	22.70
	灣內站	00:00	27.91	52.34	34.72	8.18	8.51	3.2	53.66
		03:00	27.49	52.18	34.58	8.18	12.72	3.08	28.19
		06:00	27.4	51.8	34.33	8.12	9.1	7.19	39.04
09:00		27.9	52.01	34.22	8.2	11.43	7.26	33.83	
12:00		28.69	52.07	34.48	8.26	11.83	4.34	41.92	
15:00		28.84	52.11	34.51	8.27	8.01	7.1	23.77	
18:00		28.65	52.03	34.46	8.22	9.41	3.25	22.44	
21:00		28.69	51.42	34.11	8.16	12.81	5.07	53.32	
日平均值		28.20	52.00	34.43	8.20	10.48	5.06	37.02	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月19日	蚵殼站	00:00	28.36	48.54	31.46	8.15	5.64	10.09	14.45
		03:00	28.08	48.33	31.32	8.22	6.26	13.32	14.15
		06:00	27.92	48.29	31.3	8.22	5.89	14.08	17.3
		09:00	28.04	48.33	31.32	8.2	5.8	13.81	20.16
		12:00	28.42	48.6	31.5	8.21	6.49	12.84	16.91
		15:00	28.1	48.45	31.4	8.24	6.96	14.53	24.63
		18:00	28.31	48.79	31.64	8.23	6.45	13.92	22.07
		21:00	28.2	49.15	31.6	8.23	6.56	10.11	18.92
	日平均值		28.18	48.56	31.44	8.21	6.26	12.84	18.57
	潮口站	00:00	27.47	51.77	33.77	8.28	7.12	28.51	24.12
		03:00	26.83	52.11	34.2	8.31	7.67	18.93	17.87
		06:00	26.77	52.07	34.18	8.32	7.52	27.04	3.87
		09:00	27.3	51.67	33.91	8.25	6.67	16.18	18.58
		12:00	28.26	51.66	33.89	8.25	6.58	24.93	43.73
		15:00	27.23	51.94	34.09	8.32	7.25	30.85	12.47
		18:00	26.81	52.03	34.14	8.33	7.42	26.19	19.41
		21:00	27.08	51.91	34.06	8.31	7.18	7.45	0.96
	日平均值		27.22	51.90	34.03	8.30	7.18	22.51	17.63
	灣內站	00:00	28.2	51.79	34.32	8.15	10.33	3.62	25.64
		03:00	28	51.69	34.26	8.24	8.44	3.67	48.02
		06:00	27.92	51.45	33.81	8.25	10.94	3.03	25.72
09:00		27.94	51.4	33.86	8.22	8.7	8.75	36.21	
12:00		28.67	51.32	34.02	8.23	10.25	9.3	32.33	
15:00		28.5	51.29	34	8.26	10.23	7.23	17.93	
18:00		27.91	51.37	34.07	8.26	8.7	3.78	38.83	
21:00		27.71	51.4	34.1	8.24	11.71	5.08	37.28	
日平均值		28.11	51.46	34.06	8.23	9.91	5.56	32.75	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月20日	蚵殼站	00:00	28.08	51.05	33.19	8.18	5.81	9.2	15.34
		03:00	27.86	50.84	33.03	8.21	5.9	9.4	13.11
		06:00	27.67	49.93	32.41	8.2	5.8	8.41	14.6
		09:00	28.13	50.25	32.65	8.21	6.31	8.46	12.78
		12:00	28.68	50.83	33.03	8.22	7.34	10.66	12.11
		15:00	28.62	50.69	32.94	8.24	7.99	23.24	26.91
		18:00	28.65	51.01	33.12	8.2	7.13	24.74	24.28
		21:00	28.94	51.36	33.36	8.22	7.9	11.2	31.23
	日平均值		28.33	50.75	32.97	8.21	6.77	13.16	18.80
	潮口站	00:00	27.16	51.7	33.91	8.25	6.18	14.66	47.01
		03:00	26.75	51.98	34.1	8.3	6.52	42.91	8.64
		06:00	26.6	52.03	34.14	8.32	6.66	61.67	8.58
		09:00	27.13	51.91	34.06	8.28	6.28	18.63	28.35
		12:00	28.12	51.35	33.72	8.33	7.11	24.15	3.86
		15:00	27.92	50.77	33.81	8.31	7.1	18.98	55.23
		18:00	27.39	50.76	33.54	8.3	6.74	11.06	53.19
		21:00	27.63	51.05	33.51	8.36	7.52	4.39	27.06
	日平均值		27.34	51.44	33.85	8.31	6.76	24.56	28.99
	灣內站	00:00	27.59	51.39	34.09	8.21	8.93	3.06	31.98
		03:00	27.41	51.27	34	8.22	12.29	3.11	29.43
		06:00	27.3	51.27	33.88	8.21	10.86	10.06	46.82
09:00		27.51	51.27	33.99	8.21	8.81	5.9	17.33	
12:00		28.38	51.29	33.62	8.31	8.67	6.81	36	
15:00		28.67	51.27	33.99	8.38	10.14	7.73	16.11	
18:00		28.48	51.09	33.87	8.32	11.39	18.37	53.31	
21:00		28.68	51.07	33.86	8.28	12.22	6.43	35.1	
日平均值		28.00	51.24	33.91	8.27	10.41	7.68	33.26	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月21日	蚵殼站	00:00	28.79	50.84	33.02	8.18	7.19	9.59	25.02
		03:00	28.73	50.57	32.88	8.08	6.08	8.36	16.42
		06:00	28.63	50.75	32.97	8.13	5.41	9.13	15.41
		09:00	28.74	50.77	32.99	8.28	7.38	9.86	30.05
		12:00	28.98	50.89	32.83	8.36	10.04	10.28	39.81
		15:00	28.65	50.9	33.05	8.31	8.87	19.55	44.99
		18:00	28.3	50.6	32.86	8.34	8.77	21.68	30.61
		21:00	28.04	49.04	31.83	8.29	8.12	16.99	21.13
	日平均值		28.61	50.55	32.80	8.25	7.73	13.18	27.93
	潮口站	00:00	27.81	50.98	33.47	8.34	6.98	25.37	16.98
		03:00	27.1	51.3	33.67	8.31	6.29	55.73	35.04
		06:00	26.66	51.69	33.9	8.32	6.05	95.41	49.84
		09:00	27.3	50.97	33.46	8.31	6.5	12.48	46.72
		12:00	27.75	50.82	33.36	8.33	6.99	17.63	7.73
		15:00	27.65	50.98	33.63	8.37	8.33	19.18	11.92
		18:00	26.67	50.18	32.94	8.31	6.27	24.72	40.62
		21:00	26.82	50.82	33.36	8.33	6.55	20.3	18.11
	日平均值		27.22	50.97	33.47	8.33	6.75	33.85	28.37
	灣內站	00:00	28.58	51.07	33.87	8.25	9.23	6.34	44.77
		03:00	28	51.05	33.85	8.25	11.19	4.64	39.93
		06:00	27.7	50.81	33.63	8.23	11.7	5.54	41.45
09:00		27.73	51.15	33.92	8.29	10.87	7.67	20.87	
12:00		27.86	51.21	33.96	8.34	12.93	8.91	34.25	
15:00		28.2	50.67	33.58	8.4	9.76	8.34	38.18	
18:00		27.92	50.4	33.4	8.48	11.1	9.74	46.09	
21:00		27.8	50.4	33.14	8.44	12.25	7.53	42.7	
日平均值		27.97	50.85	33.67	8.34	11.13	7.34	38.53	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月22日	蚵殼站	00:00	28.13	48.9	31.73	8.26	8.09	8.04	24.12
		03:00	28.2	48.67	31.55	8.24	7.45	24.14	31.28
		06:00	28.43	48.93	31.75	8.23	5.79	17.37	27.16
		09:00	28.16	48.64	31.53	8.26	7.34	11.33	18.82
		12:00	28.56	49.26	31.99	8.35	10.04	8.9	24.14
		15:00	29.05	49.24	31.98	8.42	11.76	12.3	30.94
		18:00	29	49.28	32	8.44	11.7	9.63	24
		21:00	28.87	49.79	32.12	8.44	10.98	8.5	24.14
	日平均值		28.55	49.09	31.83	8.33	9.14	12.53	25.58
	潮口站	00:00	26.94	50.5	33.15	8.34	6.53	11.33	40.01
		03:00	26.68	50.85	33.38	8.31	6.05	20.99	56.52
		06:00	26.47	51.27	33.34	8.31	5.94	42.48	59.18
		09:00	27.41	50.83	33.37	8.34	6.71	17.16	57.92
		12:00	28.08	50.59	33.22	8.48	6.36	16.58	14.78
		15:00	27.98	50.74	32.75	8.43	6.71	16.71	8.27
		18:00	27.27	51.01	33.48	8.35	7.05	20.33	17.81
		21:00	27.11	51.33	33.48	8.33	6.2	16.66	8.65
	日平均值		27.24	50.89	33.27	8.36	6.44	20.28	32.89
	灣內站	00:00	27.65	50.55	33.29	8.4	10.97	9.77	26.86
		03:00	27.53	50.96	33.77	8.37	8.73	10.3	30.38
		06:00	27.49	51.08	33.88	8.33	11.68	7.26	26.34
09:00		27.83	51	33.8	8.36	11.93	10.73	22.44	
12:00		29.08	50.44	33.24	8.4	8.58	11.12	39.35	
15:00		29.55	49.89	33.06	8.34	9.66	9.42	25.66	
18:00		29.44	50.31	33.34	8.54	10.25	9.23	20.65	
21:00		28.81	50.59	33.52	8.46	7.95	7.01	37.22	
日平均值		28.42	50.60	33.49	8.40	9.97	9.36	28.61	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月23日	蚵殼站	00:00	29	50.39	32.74	8.4	10.06	7.95	26.86	
		03:00	29.09	50.5	32.82	8.42	10.25	7.98	30.38	
		06:00	28.91	50.24	32.62	8.38	8.56	8.7	26.34	
		09:00	28.27	49.42	32.07	8.25	6.47	8.12	22.44	
		12:00	28.32	49.53	31.92	8.29	8.03	7.92	39.35	
		15:00	29.25	50.62	32.9	8.43	10.46	7.94	25.66	
		18:00	29.32	49.5	31.2	8.43	10.13	9.34	20.65	
		21:00	29.46	49.4	31.48	8.46	10.39	8.55	37.22	
	日平均值			28.95	49.95	32.22	8.38	9.29	8.31	28.61
	潮口站	00:00	27.39	50.97	33.46	8.4	7.54	8.23	15.77	
		03:00	27.39	50.96	33.46	8.38	6.76	18.84	43.8	
		06:00	26.78	51.3	33.69	8.32	5.79	74.51	26.9	
		09:00	27.57	51.22	33.62	8.4	7.27	24.03	22.85	
		12:00	28.28	50.84	33.39	8.48	8.68	11.17	23.7	
		15:00	27.84	50.96	33.25	8.41	6.89	16.64	39.6	
		18:00	27.64	50.87	33.16	8.39	6.98	13.99	40.35	
		21:00	27.2	51.18	32.96	8.33	7.11	25.15	38.23	
	日平均值			27.51	51.04	33.37	8.39	7.13	24.07	31.40
	灣內站	00:00	28.77	50.41	33.41	8.4	11.06	5.09	17.93	
		03:00	28.81	50.34	33.37	8.48	10.97	8.32	26.98	
		06:00	28.52	50.76	33.32	8.42	10.78	9.08	24.95	
		09:00	28.18	51.06	33.87	8.43	10.15	8.81	26.89	
		12:00	29.41	50.81	33.64	8.4	8.83	7.84	28.34	
		15:00	29.61	50.49	33.45	8.34	11.59	9.53	43.99	
		18:00	29.32	50.47	32.86	8.54	8.76	8.92	39.63	
		21:00	28.96	50.42	32.78	8.46	10.53	5.11	31.94	
	日平均值			28.95	50.60	33.34	8.43	10.33	7.84	30.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月24日	蚵殼站	00:00	29.85	49.4	31.38	8.43	9.81	8.81	17.93	
		03:00	29.61	49.7	31.93	8.34	7.88	8.93	26.98	
		06:00	29.45	49.85	32.33	8.35	6.48	7.94	24.95	
		09:00	28.82	49.39	32.06	8.28	6.5	8.01	26.89	
		12:00	28.71	49.59	31.96	8.29	7.91	7.96	28.34	
		15:00	29.43	50.59	32.88	8.36	8.87	9.04	43.99	
		18:00	29.69	50.76	32.44	8.39	9.17	11.09	39.63	
		21:00	29.82	50.71	32.95	8.37	8.67	12.22	31.94	
	日平均值			29.42	50.00	32.24	8.35	8.16	9.25	30.08
	潮口站	00:00	27.53	51.02	32.75	8.36	7.71	7.64	34.93	
		03:00	27.85	50.78	32.68	8.38	7.42	7.78	19.12	
		06:00	26.96	51.33	33.71	8.3	7.47	40.21	7.95	
		09:00	27.35	51.47	33.54	8.33	7.44	20.36	54.82	
		12:00	28.11	51.13	33.08	8.41	8.34	8.13	26.63	
		15:00	28.5	50.97	33.18	8.43	8.16	7.06	56.24	
		18:00	28.33	50.95	33.38	8.41	7.94	16.85	1.27	
		21:00	27.54	51.21	33.42	8.32	8.13	22.8	23.24	
	日平均值			27.77	51.11	33.22	8.37	7.83	16.35	28.03
	灣內站	00:00	28.89	50.51	32.34	8.48	7.5	4.2	21.87	
		03:00	28.85	50.55	33.48	8.42	10.05	4.4	19.82	
		06:00	28.63	50.7	33.56	8.4	8.8	3.41	18.6	
		09:00	28.8	50.75	32.46	8.42	8.86	3.46	17.53	
		12:00	29.42	50.59	33.25	8.4	10.81	5.66	20.78	
		15:00	29.57	50.63	33.22	8.34	11.71	18.24	33.18	
		18:00	29.28	51	33.25	8.54	10.84	19.74	31.23	
		21:00	28.99	51.02	33.82	8.46	11.9	6.2	23.43	
	日平均值			29.05	50.72	33.17	8.43	10.06	8.16	23.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月25日	蚵殼站	00:00	29.72	50.6	32.9	8.31	6.58	9.95	21.87
		03:00	29.67	50.6	32.9	8.32	5.57	9.48	19.82
		06:00	29.72	50.74	32.97	8.37	6.86	9.44	18.6
		09:00	29.81	50.79	33	8.35	7.36	12.82	17.53
		12:00	29.58	50.69	32.71	8.31	7.44	10.07	20.78
		15:00	30.08	51.21	33.26	8.34	8.26	11.87	33.18
		18:00	30.16	51.8	33.7	8.34	7.97	12.53	31.23
		21:00	30.06	51.76	33.39	8.3	7.39	13.14	23.43
	日平均值		29.85	51.02	33.10	8.33	7.18	11.16	23.31
	潮口站	00:00	27.54	51.23	33.26	8.32	8.06	10.07	41.32
		03:00	27.77	50.81	33.36	8.35	7.47	5.89	31.91
		06:00	27.3	51.31	33.68	8.31	7.33	27	15.55
		09:00	27.19	51.79	33.98	8.31	8.24	29.61	56.27
		12:00	27.87	51.57	33.84	8.34	8.57	7.52	14.47
		15:00	28.61	51.3	33.68	8.4	9.57	4.21	54.85
		18:00	28.83	51.09	33.42	8.41	9.31	15.27	27.93
		21:00	28.11	51.31	33.45	8.35	9.23	28.71	28.3
	日平均值		27.90	51.30	33.58	8.35	8.47	16.04	33.83
	灣內站	00:00	29.17	51.04	33.84	8.45	9.15	4.59	22.72
		03:00	28.98	50.71	33.6	8.23	9.31	3.36	22.13
		06:00	28.86	50.92	33.77	8.43	9.24	4.13	21.95
09:00		28.92	50.93	33.39	8.41	8.61	4.86	22.84	
12:00		29.22	51.11	33.71	8.46	11.59	5.28	27.57	
15:00		29.28	51.17	33.93	8.47	10.77	14.55	31.42	
18:00		29.08	51.24	33.45	8.48	10.21	16.68	27.16	
21:00		28.93	51.14	33.92	8.46	9.29	11.99	22.53	
日平均值		29.06	51.03	33.70	8.42	9.77	8.18	24.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月26日	蚵殼站	00:00	29.88	51.38	33.38	8.29	6.42	14.73	17.93
		03:00	29.7	51.03	33.12	8.27	5.52	13.1	26.98
		06:00	29.58	51	33.1	8.28	5.76	16.37	24.95
		09:00	29.52	51.14	33.7	8.25	6.42	17.07	26.89
		12:00	29.38	52.37	33.58	8.38	9.52	16.67	28.34
		15:00	30.13	52.8	34	8.44	9.68	15.7	43.99
		18:00	30.24	52.8	33.39	8.46	9.56	16.02	39.63
		21:00	30.2	52.8	32.96	8.47	9.49	17.9	31.94
	日平均值		29.83	51.92	33.40	8.36	7.80	15.95	30.08
	潮口站	00:00	27.42	51.76	33.76	8.31	8.16	20.77	51.18
		03:00	27.98	51.22	33.29	8.35	8.09	9.8	50.02
		06:00	27.36	51.59	33.55	8.32	8.32	13.25	38.42
		09:00	27.18	51.93	34.07	8.31	8.21	20.26	33.86
		12:00	28.13	51.84	33.51	8.33	9.28	18.62	46.16
		15:00	29.29	51.44	33.37	8.4	9.94	6.9	29.87
		18:00	29.52	51.26	33.65	8.41	9.65	12.76	35.93
		21:00	29.3	51.26	33.24	8.4	9.13	6.8	53.25
	日平均值		28.27	51.54	33.56	8.35	8.85	13.65	42.34
	灣內站	00:00	28.93	51.06	33.48	8.41	11.08	3.04	23.35
		03:00	28.97	51	33.47	8.39	7.92	19.14	27.17
		06:00	28.84	51.08	33.56	8.39	8.95	12.37	23.91
09:00		28.74	51.02	33.6	8.38	8.59	6.33	22.11	
12:00		29.78	50.8	33.64	8.47	9.47	3.9	18.8	
15:00		30.08	50.69	32.69	8.56	9.67	7.3	19.66	
18:00		30.18	50.45	33.15	8.4	9.82	4.63	18.29	
21:00		30.02	50.25	33.11	8.35	9.39	3.5	19.29	
日平均值		29.44	50.79	33.34	8.42	9.36	7.53	21.57	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月27日	蚵殼站	00:00	30.22	52.8	33.61	8.47	9.24	18.17	19.52	
		03:00	30.08	52.8	33.67	8.45	8.85	21.1	19.66	
		06:00	29.99	52.68	32.99	8.44	8.64	18.51	20.17	
		09:00	29.94	52.51	33.36	8.45	8.52	17.9	22.94	
		12:00	29.94	52.63	33.42	8.45	9.16	15.24	21.66	
		15:00	29.85	52.64	33.92	8.44	9.48	20.38	26.61	
		18:00	29.9	52.79	33.7	8.45	9.21	22.13	31.21	
		21:00	29.89	52.58	33.04	8.46	9	11.98	21.73	
	日平均值		29.98	52.68	33.46	8.45	9.01	18.18	22.94	
	潮口站	00:00	27.93	51.8	33.42	8.31	8.16	6.82	45.45	
		03:00	28.17	51.84	33.66	8.33	8.09	4.62	43.58	
		06:00	28.48	51.66	33.88	8.37	8.32	4.38	25.46	
		09:00	27.6	52.06	34.17	8.3	7.93	16.73	17.68	
		12:00	27.89	52.12	33.81	8.31	8.21	6.24	40.45	
		15:00	29.12	51.51	33.8	8.38	9.12	4.48	59.76	
		18:00	29.1	51.56	33.01	8.35	8.46	8.39	5.16	
		21:00	29.31	51.43	33.41	8.27	7.09	20.61	2.97	
	日平均值		28.45	51.75	33.65	8.33	8.17	9.03	30.06	
	灣內站	00:00	29.64	50.43	33.23	8.44	8.41	2.95	15	
		03:00	29.41	50.57	33.49	8.42	7.58	2.98	19.37	
		06:00	29.11	50.61	33.51	8.38	7.83	3.7	18.49	
		09:00	29.15	50.6	32.47	8.39	8.68	3.12	24	
		12:00	29.49	50.59	33.5	8.44	9.42	2.92	23.73	
		15:00	29.58	50.64	33.28	8.46	9.52	2.94	26.58	
18:00		29.57	50.56	32.71	8.42	7.34	4.34	23.06		
21:00		29.52	50.21	33.01	8.36	6.61	3.55	23.35		
日平均值		29.43	50.53	33.15	8.41	8.17	3.31	21.70		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月28日	蚵殼站	00:00	29.68	52.18	33.06	8.44	8.72	9.45	23.35	
		03:00	29.55	51.92	33.11	8.44	8.23	12.47	27.17	
		06:00	29.61	51.98	33.49	8.4	7.82	19.89	23.91	
		09:00	29.93	52.23	33.67	8.38	7.83	14.89	22.11	
		12:00	30.09	52.66	33.43	8.38	8.37	12.85	18.8	
		15:00	30.31	52.8	33.44	8.41	8.85	18.66	19.66	
		18:00	30.31	52.8	34	8.42	8.65	18.14	18.29	
		21:00	30.27	52.75	33.69	8.43	8.19	12.26	19.29	
	日平均值		29.97	52.42	33.49	8.41	8.33	14.83	21.57	
	潮口站	00:00	27.99	51.78	33.8	8.31	7.37	26.75	0.2	
		03:00	27.81	51.87	33.7	8.28	7.54	17.74	14.65	
		06:00	28.7	50.92	33.43	8.32	7.38	5.71	18.15	
		09:00	28.32	51.44	33.76	8.31	8.01	17.53	56.54	
		12:00	27.91	52.02	34.13	8.29	8.22	13.11	24.36	
		15:00	28.13	52	34.11	8.31	8.61	5.53	36.34	
		18:00	28.98	51.4	33.74	8.34	8.61	6.38	6.13	
		21:00	29.12	51.06	33.53	8.36	8.5	5.21	16.74	
	日平均值		28.37	51.56	33.78	8.32	8.03	12.25	21.64	
	灣內站	00:00	29.16	49.76	32.77	8.33	6.39	3.81	22.45	
		03:00	29.12	50.09	32.87	8.31	7.3	3.93	19.65	
		06:00	28.93	50.61	33.52	8.38	8.5	2.94	23.27	
		09:00	29.17	50.37	33.38	8.39	8.36	3.01	26.13	
		12:00	29.54	50.31	33.35	8.41	8.84	2.96	21.82	
		15:00	29.63	50.39	33.13	8.44	8.65	4.04	23.13	
18:00		29.98	50.3	33.1	8.39	8.16	6.09	23.23		
21:00		29.87	50.16	33.25	8.35	7.67	7.22	23.27		
日平均值		29.43	50.25	33.17	8.38	7.98	4.25	22.87		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月29日	蚵殼站	00:00	30.13	52.43	33.81	8.42	7.93	10.65	22.45
		03:00	29.87	52.04	33.53	8.39	7.91	11.93	19.65
		06:00	29.84	52	33.5	8.39	7.5	17.69	23.27
		09:00	30.05	52.26	33.7	8.38	7.19	13.73	26.13
		12:00	30.18	52.66	33.93	8.42	8.9	14.12	21.82
		15:00	30.27	52.79	33.99	8.42	9.47	12.42	23.13
		18:00	30.37	52.8	34	8.43	9.67	12.23	23.23
		21:00	30.31	52.8	34	8.43	9.65	10.01	23.27
	日平均值		30.13	52.47	33.81	8.41	8.53	12.85	22.87
	潮口站	00:00	28.34	51.52	33.62	8.31	7.9	20.65	13
		03:00	27.88	51.8	33.99	8.29	8.05	22.7	43.91
		06:00	28.58	51.28	33.66	8.31	7.62	5.76	2.82
		09:00	28.99	51.09	33.35	8.32	7.79	7.04	20.82
		12:00	28.9	51.22	33.62	8.31	8.93	12.69	57.16
		15:00	29.15	51.26	33.23	8.34	9.79	8.14	24.9
		18:00	30.03	50.96	33.45	8.38	9.41	8.4	32.59
		21:00	30.35	51	33.2	8.34	8.1	13.17	18.53
	日平均值		29.03	51.27	33.52	8.33	8.45	12.32	26.72
	灣內站	00:00	29.63	50.17	33.27	8.36	8.12	4.95	19.52
		03:00	29.35	50.27	33.33	8.37	6.76	4.48	19.66
		06:00	29.28	50.31	33.34	8.34	6.96	4.44	20.17
09:00		29.62	50.09	33.2	8.42	8.53	7.82	22.94	
12:00		30.26	50.14	33.24	8.45	10.16	5.07	21.66	
15:00		30.86	50.03	32.88	8.48	11.67	5.87	26.61	
18:00		30.71	49.93	33.1	8.48	10.89	3.53	31.21	
21:00		30.11	50.16	33.25	8.42	8.61	3.14	21.73	
日平均值		29.98	50.14	33.20	8.42	8.96	4.91	22.94	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月30日	蚵殼站	00:00	30.24	52.83	34.03	8.43	9.35	10.45	15
		03:00	30.54	52.94	34.1	8.44	9.02	13.47	19.37
		06:00	30.49	52.8	34	8.44	8.68	20.89	18.49
		09:00	30.3	52.86	34.05	8.4	8.65	15.89	24
		12:00	30.71	53.33	34.39	8.4	9.4	13.85	23.73
		15:00	31.12	53.86	34.73	8.43	9.84	19.66	26.58
		18:00	31.01	53.76	34.68	8.43	9.85	19.14	23.06
		21:00	30.96	53.59	34.59	8.42	9.32	13.26	23.35
	日平均值		30.67	53.25	34.32	8.42	9.26	15.83	21.70
	潮口站	00:00	29.61	51.18	33.6	8.33	8.1	5.87	2.39
		03:00	28.91	51.44	33.77	8.3	7.95	17.75	18.97
		06:00	29.6	51.24	33.31	8.3	7.03	10.6	22.14
		09:00	30.12	51.11	33.55	8.33	7.53	14.27	40.28
		12:00	30.18	50.56	33.21	8.31	8.01	9.52	5.83
		15:00	29.89	50.67	33.28	8.3	9.79	8.22	48.91
		18:00	29.38	51.33	33.71	8.31	9.41	9.31	59.85
		21:00	29.63	51.23	33.64	8.34	8.1	5.47	42.22
	日平均值		29.67	51.10	33.51	8.32	8.24	10.13	30.07
	灣內站	00:00	29.39	50.42	33.41	8.32	7.44	3.73	33.94
		03:00	28.78	50.48	33.44	8.27	7.6	3.1	35.99
		06:00	29.21	50.27	33.33	8.33	8.64	6.07	42.43
09:00		29.97	50.28	33.11	8.46	9.91	13.07	32.25	
12:00		30.63	50.23	33.32	8.46	10.8	6.67	44.06	
15:00		30.85	50.34	33.37	8.43	9.7	5.7	33.9	
18:00		30.55	50.38	33.39	8.42	8.76	3.02	20.92	
21:00		30.33	50.24	33.31	8.39	6.96	2.9	18.05	
日平均值		29.96	50.33	33.34	8.39	8.73	5.53	32.69	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月1日	蚵殼站	00:00	30.9	52.3	34.37	8.44	9.26	13.51	3.24
		03:00	30.59	51.8	34	8.41	8.53	13.25	3.19
		06:00	30.44	51.76	33.98	8.4	8.25	13.71	3.33
		09:00	30.45	51.31	33.7	8.43	9.13	15.55	6.76
		12:00	30.19	50.77	33.33	8.47	8.86	14.9	9.95
		15:00	30.21	50.82	33.36	8.43	8.7	13.87	6.69
		18:00	30.18	50.48	33.14	8.41	8.54	13.94	5.85
		21:00	29.86	48.87	32.1	8.38	7.68	14.92	6.03
	日平均值		30.35	51.01	33.50	8.42	8.62	14.21	5.63
	潮口站	00:00	29.56	51.22	32.61	8.33	8.65	15.52	1.68
		03:00	29.06	51.13	32.56	8.39	9.47	8.21	1.06
		06:00	29.05	50.84	32.38	8.34	9.83	9.06	1.21
		09:00	29.34	50.61	33.23	8.3	8.32	8.13	1.87
		12:00	29.1	50.55	32.2	8.3	8.37	10.52	2.15
		15:00	28.37	51.48	32.78	8.3	7.59	10.16	1.29
		18:00	28.98	49.95	32.81	8.33	7.28	4.83	2.19
		21:00	28.75	48.435	31.8	8.35	8.46	8.555	2.52
	日平均值		29.03	50.53	32.55	8.33	8.50	9.37	1.75
	灣內站	00:00	30.15	49.12	32.22	8.36	7.18	3.14	3.42
		03:00	29.75	49.08	32.19	8.35	7.86	3.16	5.02
		06:00	29.57	49.15	32.25	8.34	7.37	3.45	18.37
09:00		29.63	49.14	32.15	8.34	6.84	3.56	15.81	
12:00		29.65	49.09	32.2	8.36	8.34	3.54	12.34	
15:00		29.48	48.83	31.94	8.33	8.49	3.49	11.97	
18:00		29.39	48.51	31.89	8.34	8.4	3.64	32.15	
21:00		29.35	48.61	31.98	8.28	7.3	5.87	31.42	
日平均值		29.62	48.94	32.10	8.34	7.72	3.73	16.31	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月2日	蚵殼站	00:00	29.53	47.25	31.05	8.33	6.81	15.9	6.21
		03:00	29.33	47.29	31.07	8.37	7.23	15.2	4.84
		06:00	29.82	49.36	32.4	8.35	7.07	15.36	7.62
		09:00	29.63	48.86	32.08	8.33	6.59	15.9	13.16
		12:00	29.54	47.38	31.16	8.35	8.17	17.08	16.41
		15:00	29.63	47.22	31.06	8.39	8.43	15.41	12.2
		18:00	29.71	47.91	31.49	8.38	7.8	14.63	7.99
		21:00	28.83	44.89	29.47	8.42	8.84	14.87	6.82
	日平均值		29.50	47.52	31.22	8.37	7.62	15.54	9.41
	潮口站	00:00	28.52	46.92	31.79	8.37	8.7	12.28	2.85
		03:00	28.27	51.55	32.33	8.3	8.32	31.19	1.41
		06:00	27.68	47.22	31.7	8.34	9.06	5.6	2.15
		09:00	27.75	47.23	31.33	8.36	8.48	9.09	5.73
		12:00	28.3	47.75	31.31	8.34	9.7	4.5	4.11
		15:00	27.81	49.94	32.48	8.3	9.68	14.11	2.36
		18:00	28.02	49.56	32.52	8.33	9.24	12.65	1.94
		21:00	28.1	47.77	31.33	8.39	8.82	6.11	1.88
	日平均值		28.06	48.49	31.85	8.34	9.00	11.94	2.80
	灣內站	00:00	29.3	48.7	31.93	8.22	6.2	8.09	10.69
		03:00	29.03	48.58	32.21	8.26	7.02	5.37	9.86
		06:00	28.94	48.48	32.14	8.26	6.25	3.74	17.01
09:00		29.01	49.48	32.14	8.28	6.98	5.66	9.2	
12:00		28.79	48.07	32.2	8.4	10.36	8.78	67.28	
15:00		28.8	48.86	32.04	8.46	10.09	8.81	47.99	
18:00		28.76	48.83	32.16	8.39	8.76	8.15	41.2	
21:00		28.74	48.2	32.29	8.36	7.29	7.03	73.12	
日平均值		28.92	48.65	32.14	8.33	7.87	6.95	34.54	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月3日	蚵殼站	00:00	28.67	45.06	29.41	8.39	8.04	15.34	6.48
		03:00	28.78	46.76	30.71	8.34	7.14	14.37	5.25
		06:00	29.18	49.02	32.19	8.31	6.27	14.36	4.04
		09:00	29.42	49.3	32.35	8.31	6.24	14.12	6.33
		12:00	29.7	49.08	32.21	8.38	8.52	15.24	19.92
		15:00	29.23	46.31	30.42	8.45	10.52	15.92	17.64
		18:00	28.85	48.53	31.85	8.33	7.42	14.52	13.39
		21:00	28.85	48.44	31.8	8.32	7.61	13.66	11.6
	日平均值		29.09	47.81	31.37	8.35	7.72	14.69	10.58
	潮口站	00:00	28.03	47.93	31.45	8.35	7.21	7.89	1.68
		03:00	27.66	51.1	32.55	8.31	8.16	45.26	1.19
		06:00	27.73	48.19	31.63	8.32	8.29	23.7	1.76
		09:00	27.83	47.86	31.1	8.36	7.27	2.3	2.55
		12:00	28.36	47.96	31.45	8.32	7.96	9.9	3.46
		15:00	27.74	50.13	32.91	8.3	9.92	15.44	2.97
		18:00	27.85	47.87	31.41	8.38	7.42	20.08	2.61
		21:00	27.88	47.24	31.35	8.43	7.12	3.28	2.55
	日平均值		27.89	48.54	31.73	8.35	7.92	15.98	2.35
	灣內站	00:00	28.79	48.25	32.32	8.29	7.44	4.86	85.74
		03:00	28.81	48.45	32.47	8.25	6.7	5.79	36.75
		06:00	28.78	49.51	32.15	8.22	5.57	2.97	54.62
09:00		28.94	49.44	32.12	8.25	8.22	4.56	33.11	
12:00		29.14	48.42	32.11	8.44	12.28	8.54	49.54	
15:00		28.81	48.51	32.49	8.38	10.04	7.98	50.56	
18:00		28.6	49.48	32.77	8.2	7.34	7.57	67.4	
21:00		28.57	49.51	32.78	8.21	6.84	4.34	42.14	
日平均值		28.81	48.95	32.40	8.28	8.05	5.83	52.48	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月4日	蚵殼站	00:00	28.85	47.77	31.37	8.33	7.55	12.9	7.48
		03:00	28.35	45.1	29.6	8.42	8.89	12.33	8.53
		06:00	28.89	49.3	32.35	8.27	6.19	13.8	15.41
		09:00	29.19	49.44	32.43	8.31	6.85	14.57	20.28
		12:00	29.86	50.33	33.05	8.26	6.8	14.77	21.82
		15:00	28.98	47.31	31.09	8.48	12.05	14.63	18.34
		18:00	28.77	47.72	31.35	8.45	9.86	13.78	10.58
		21:00	28.55	48.94	32.16	8.32	7.67	14.94	8.33
	日平均值		28.93	48.24	31.68	8.36	8.23	13.97	13.85
	潮口站	00:00	27.69	46.87	32.76	8.41	10.65	5.6	2.76
		03:00	27.36	50.98	33.47	8.33	10.58	42.5	1.76
		06:00	27.33	50.35	33.03	8.32	10.62	38.23	2.38
		09:00	27.56	47.7	31.28	8.37	10.44	5.96	2.97
		12:00	28.02	48.3	31.67	8.36	10.33	14.37	5.61
		15:00	27.75	50.12	32.89	8.34	10.97	29.28	5
		18:00	27.71	50.04	32.84	8.37	8.31	33.27	4.06
		21:00	27.82	48.39	31.7	8.41	9.7	2	3.74
	日平均值		27.66	49.09	32.46	8.36	10.20	21.40	3.54
	灣內站	00:00	28.44	48.01	32.22	8.26	9.81	3.89	19.17
		03:00	28.67	49.21	32.61	8.17	6.53	6.69	22.05
		06:00	28.77	49.55	32.82	8.32	7.45	5.45	55.44
09:00		28.83	49.72	32.94	8.12	7.18	3.44	37.29	
12:00		28.75	48.57	32.37	8.35	11.1	5.41	36.54	
15:00		28.68	48.4	32.42	8.44	12.82	6.61	36.88	
18:00		28.86	49.05	32.51	8.29	11.7	8.55	72.16	
21:00		28.68	49.64	32.89	8.21	6.76	10.27	45.64	
日平均值		28.71	49.02	32.60	8.27	9.17	6.29	40.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月5日	蚵殼站	00:00	28.53	46.06	30.24	8.38	8.3	13.25	7.66
		03:00	28.53	48.63	31.92	8.33	8.32	14.99	7.22
		06:00	28.53	49.19	32.28	8.29	6.53	15.3	6.89
		09:00	28.52	49.09	32.23	8.36	8.41	16.17	23.9
		12:00	28.64	48.44	31.83	8.33	12.02	15.24	26.61
		15:00	28.57	47.94	31.52	8.42	13.22	15.89	29.77
		18:00	28.47	47.42	31.18	8.27	13	13.92	23.59
		21:00	28.31	47.61	31.26	8.44	9.97	14.94	15.51
	日平均值		28.51	48.05	31.56	8.35	9.97	14.96	17.64
	潮口站	00:00	27.54	47.8	31.36	8.37	9.23	5.41	3.67
		03:00	27.78	50.22	32.99	8.36	8.38	32.4	3.03
		06:00	27.59	49.93	32.78	8.35	10.7	41.39	3.18
		09:00	27.73	48.02	31.48	8.43	9.28	11.47	3.96
		12:00	27.96	48.35	31.7	8.4	10.42	16.89	5.76
		15:00	27.79	47.02	30.84	8.37	9.69	18.95	5.7
		18:00	27.51	48.68	31.9	8.33	9.38	16.78	3.34
		21:00	27.63	47.9	31.42	8.42	10.6	7.71	4.49
	日平均值		27.69	48.49	31.81	8.38	9.71	18.88	4.14
	灣內站	00:00	28.62	49.82	33.01	8.14	6.15	7.06	49.94
		03:00	28.45	49.01	33.14	8.42	6.36	13.49	47.67
		06:00	28.13	49.87	33.04	8.36	5.49	5.15	48.86
		09:00	28.57	49.96	33.11	8.12	8.7	4.95	56.8
		12:00	28.31	48.82	32.89	8.36	12.41	5.45	55.5
		15:00	28.37	48.83	32.38	8.33	12.79	7.08	63.96
		18:00	28.39	49.76	32.97	8.25	7.09	5.03	99.72
		21:00	27.87	48.87	32.44	8.31	13.03	3.26	79.77
	日平均值		28.34	49.37	32.87	8.29	9.00	6.43	62.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月6日	蚵殼站	00:00	28.39	48.03	31.54	8.41	9.26	13.6	13.41
		03:00	28.1	46.51	30.54	8.46	10.65	13.72	12.6
		06:00	28.34	48.73	32.02	8.27	6.15	15.35	10.49
		09:00	28.37	48.5	31.84	8.32	7.02	15.32	18.2
		12:00	28.12	46.35	30.48	8.33	12.78	16.68	43.11
		15:00	28.08	46.52	30.57	8.42	13.31	14.64	41.09
		18:00	27.82	45.79	30.07	8.27	11.17	14.08	19.66
		21:00	28.06	47.49	31.19	8.4	8.49	14.87	13.49
	日平均值		28.16	47.24	31.03	8.36	9.85	14.78	21.51
	潮口站	00:00	27.44	47.16	30.95	8.45	10.67	4.2	4.36
		03:00	27.4	49.09	32.15	8.35	9.39	45.59	3.69
		06:00	27.14	49.32	32.31	8.35	10.79	47.19	3.17
		09:00	27.29	47.9	31.41	8.41	11.99	11.64	5.32
		12:00	27.43	48.09	31.53	8.37	9.6	12.69	7.31
		15:00	27.43	47.85	31.38	8.4	10.06	18.95	6.45
		18:00	27.34	48.73	31.93	8.33	11.27	28.53	7.85
		21:00	27.74	46.21	31.34	8.4	11.29	5.67	7.09
	日平均值		27.40	48.04	31.63	8.38	10.63	21.81	5.66
	灣內站	00:00	27.79	49.43	32.76	8.34	9.12	5.53	87.16
		03:00	27.87	49.98	33.13	8.21	7.66	14.53	44.69
		06:00	27.7	49.29	32.65	8.18	8.34	12.3	64.33
		09:00	27.94	49.66	32.88	8.21	7.34	5.33	45.03
		12:00	27.8	49.41	32.77	8.27	11.31	8.12	54.6
		15:00	27.6	48.67	32.28	8.36	12	9.66	47.21
		18:00	27.56	48.93	32.46	8.42	13.33	4.91	63.64
		21:00	27.66	48.94	32.44	8.34	8.84	3.62	65.05
	日平均值		27.74	49.29	32.67	8.29	9.74	8.00	58.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月7日	蚵殼站	00:00	28.33	48.12	31.62	8.36	7.94	14.1	11.69
		03:00	28.12	47.14	30.99	8.43	8.99	15.21	11.81
		06:00	27.99	47.99	31.52	8.32	7.52	15.34	9.2
		09:00	28.29	48.87	32.1	8.21	5.58	14.96	8.2
		12:00	28.24	48.28	31.71	8.35	8.17	16.31	14.4
		15:00	28.29	46.01	30.22	8.37	13.01	15.05	31.78
		18:00	28.24	47.89	31.46	8.38	8.53	15.79	16.66
		21:00	27.84	46.1	30.28	8.27	11.37	17.6	12.41
	日平均值		28.17	47.55	31.24	8.34	8.89	15.55	14.52
	潮口站	00:00	27.58	47.05	31.57	8.41	10.99	5.21	5.81
		03:00	27.1	47.91	31.42	8.35	11.9	29.19	4.08
		06:00	27.03	49.09	32.18	8.32	9.16	52.72	3.33
		09:00	27.1	47.36	31.06	8.38	9.58	11.22	7.31
		12:00	27.4	47.21	30.97	8.38	10.93	16.87	5.67
		15:00	27.64	46.93	30.79	8.39	10.94	8.7	7.89
		18:00	27.09	47.6	31.22	8.35	11.7	10.3	5.46
		21:00	27.01	47.45	31.13	8.34	11.95	12.02	5.44
	日平均值		27.24	47.58	31.29	8.37	10.89	18.28	5.62
	灣內站	00:00	27.69	49.26	32.65	8.26	8.15	8.02	43.09
		03:00	27.86	49.96	33.11	8.13	7.32	12.94	40.6
		06:00	27.75	49.8	32.98	8.05	6.11	10.08	51.13
		09:00	27.83	49.28	32.34	8.24	11.34	5.31	35.8
		12:00	27.77	49.47	32.79	8.17	10.08	13.45	40.69
		15:00	27.8	48.13	32.25	8.4	12	17.05	63.05
		18:00	27.62	48.91	32.48	8.14	13.33	12.31	85.85
		21:00	27.76	49.62	32.88	8.25	14	14.48	97.51
	日平均值		27.76	49.30	32.69	8.21	10.29	11.71	57.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月8日	蚵殼站	00:00	28	47.76	31.42	8.32	7.15	16.41	11.91
		03:00	27.76	46.73	30.71	8.36	7.71	15.12	19.66
		06:00	27.73	47.47	31.23	8.3	7.11	16.57	16.73
		09:00	27.7	47.46	31.22	8.35	7.43	16.07	11.13
		12:00	27.73	47.68	31.17	8.37	8.21	17.07	22.83
		15:00	28.02	47.3	31.1	8.44	9.47	16.4	30.38
		18:00	28.33	46.57	30.6	8.3	12.74	15.48	12.65
		21:00	28.27	47.13	30.98	8.47	9.39	15.64	12.62
	日平均值		27.94	47.26	31.05	8.36	8.65	16.10	17.24
	潮口站	00:00	26.93	45.95	31.36	8.43	11.18	4.15	5.83
		03:00	26.99	47.34	32.99	8.36	11.45	22.56	5.49
		06:00	27.02	48.5	32.78	8.34	11.24	55.66	6.03
		09:00	27.08	47.64	31.48	8.37	10.08	24.38	6.07
		12:00	27.59	46.1	31.7	8.44	12.81	14.17	7.06
		15:00	27.4	47.6	30.84	8.38	12.38	23.42	6.85
		18:00	27.35	46.94	31.9	8.32	12.39	12.79	5.1
		21:00	27.25	47.09	31.42	8.33	12.1	7.96	4.6
	日平均值		27.20	47.15	31.81	8.37	11.70	20.64	5.88
	灣內站	00:00	27.84	49	32.47	8.36	11.97	14.84	93.31
		03:00	27.98	49.51	32.81	8.19	7.64	9.71	95.79
		06:00	27.64	48.92	32.4	8.15	6.5	4.73	84.64
		09:00	27.51	50.01	32.14	8.14	6.21	3.53	77.19
		12:00	27.78	48.38	32.07	8.41	8.19	9.78	65.65
		15:00	28.5	48.7	32.05	8.18	12	7.7	92.88
		18:00	27.92	47.86	32.3	8.21	13.33	9.43	97.32
		21:00	27.48	48.58	32.54	8.27	12.4	6.31	99.95
	日平均值		27.83	48.87	32.35	8.24	9.78	8.25	88.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月9日	蚵殼站	00:00	28.1	47.93	31.51	8.31	6.22	15.39	12.17	
		03:00	28.15	47.08	30.95	8.42	8.88	15.38	14.53	
		06:00	28.17	47.73	31.38	8.32	7.52	17.13	15.9	
		09:00	28.1	48.6	31.9	8.22	5.8	17.68	22.14	
		12:00	28.22	49.21	30.66	8.35	7.8	16.01	42.58	
		15:00	28.67	50.24	32.96	8.36	9.7	16.03	64.35	
		18:00	28.98	49.81	32.71	8.43	7.6	17.52	34.62	
		21:00	28.85	49.27	32.36	8.32	13.9	17.24	26.53	
	日平均值		28.41	48.73	31.80	8.34	8.43	16.55	29.10	
	潮口站	00:00	27.38	47.8	30.95	8.31	12.95	7.06	5.2	
		03:00	27.32	46.81	31.9	8.37	10.22	26.53	4.94	
		06:00	27.26	48.4	31.7	8.33	10.59	41.49	4.48	
		09:00	27.65	48.53	32.34	8.31	12.59	52.27	3.85	
		12:00	27.78	50.77	33.33	8.38	12.36	14.99	1.49	
		15:00	28	50.81	33.36	8.4	10.69	18.29	3.17	
		18:00	27.9	49.08	32.23	8.36	10.48	9.52	3.77	
		21:00	27.43	50.61	33.22	8.31	11.11	12.57	1.83	
	日平均值		27.59	49.10	32.38	8.35	11.37	22.84	3.59	
	灣內站	00:00	27.4	48.7	32.15	8.33	5.5	5.7	94.13	
		03:00	27.52	48.68	32.28	8.33	6.53	4.88	93.81	
		06:00	27.38	48.89	32.44	8.29	8.18	3.05	90.39	
09:00		27.48	49.37	32.69	8.26	6.91	4.11	94.03		
12:00		27.88	48.97	32.45	8.37	9.98	8.89	78.51		
15:00		29.26	47.45	31.98	8.18	8.3	7.46	51.37		
18:00		28.88	47.64	31.93	8.21	10.12	7.15	48.06		
21:00		28.67	48.63	31.92	8.27	11.82	7.23	40.87		
日平均值		28.06	48.54	32.23	8.28	8.42	6.06	73.90		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月10日	蚵殼站	00:00	28.9	48.72	31.99	8.3	12.37	16.01	32.16	
		03:00	28.89	48.78	32.03	8.47	11.52	16.61	33.77	
		06:00	28.55	49.26	32.35	8.43	9.2	16.19	46.96	
		09:00	28.1	50.26	32.98	8.21	5.66	15.89	17.14	
		12:00	28.24	50.2	32.93	8.27	6.36	17.71	51.91	
		15:00	28.8	50.11	32.89	8.48	10.11	17.85	47.96	
		18:00	29	49.74	32.66	8.35	12.98	17.18	17.14	
		21:00	28.82	49.02	32.21	8.36	11.9	17.31	13.34	
	日平均值		28.66	49.51	32.51	8.36	10.01	16.84	32.55	
	潮口站	00:00	27.66	50.06	32.85	8.44	12.07	4.26	2.59	
		03:00	27.59	50.19	32.92	8.43	10.29	6.66	3.04	
		06:00	27.28	52.17	34.22	8.32	12.84	39.17	2.85	
		09:00	27.27	51.9	34.05	8.37	11.43	15.85	2.48	
		12:00	27.74	50.99	33.47	8.44	10.23	7.58	6.87	
		15:00	27.61	51.56	33.83	8.3	11.61	15.63	4.43	
		18:00	27.84	51.06	33.51	8.35	12.28	12.23	7.99	
		21:00	27.45	51.64	33.87	8.32	10.29	13.05	8.67	
	日平均值		27.56	51.20	33.59	8.37	11.38	14.30	4.87	
	灣內站	00:00	28.18	48.56	32.57	8.29	13.36	6.93	62.45	
		03:00	28.3	47.84	31.92	8.45	12.05	5.06	29.81	
		06:00	27.99	48.19	31.99	8.33	11.62	7.2	53.98	
09:00		27.82	48.84	32.36	8.26	10.59	11.67	26.7		
12:00		28.06	49.12	32.53	8.37	9.09	9.9	22.17		
15:00		28.54	48.14	31.9	8.48	10.38	7.05	36.27		
18:00		28.7	47.91	32.22	8.39	9.97	7.12	46.68		
21:00		28.6	47.99	32.21	8.36	9.71	5.53	28.13		
日平均值		28.27	48.32	32.21	8.37	10.85	7.56	38.27		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月11日	蚵殼站	00:00	28.79	48.99	32.19	8.38	10.97	16.65	23.7	
		03:00	28.64	48.88	32.12	8.4	9.76	16.08	38.73	
		06:00	28.78	48.68	31.97	8.39	9.25	17.12	43.43	
		09:00	28.51	49.79	32.69	8.42	8.57	17.55	39.22	
		12:00	28.55	50.3	33	8.4	8.42	15.35	85.39	
		15:00	29.47	50.3	33	8.36	12.4	15.9	87.11	
		18:00	29.88	49.62	32.58	8.42	13.51	17.12	35.4	
		21:00	29.81	49.79	32.7	8.44	12.54	17.76	47.5	
	日平均值			29.05	49.54	32.53	8.40	10.68	16.69	50.06
	潮口站	00:00	27.44	50.73	33.28	8.34	10.1	11.8	11.87	
		03:00	27.92	49.32	32.35	8.31	10.63	5.67	9.52	
		06:00	27.4	51.01	33.47	8.34	11.09	16.55	9.94	
		09:00	27.38	52.22	34.22	8.33	12.28	16.64	6.94	
		12:00	27.95	51.45	33.76	8.4	12.13	8.78	5.48	
		15:00	27.91	51.34	33.7	8.39	11.48	13.32	5.98	
		18:00	28.59	50.46	33.16	8.44	11.36	10.35	4.67	
		21:00	28.17	50.71	33.31	8.38	11.74	15.26	7.93	
	日平均值			27.85	50.91	33.41	8.37	11.35	12.30	7.79
	灣內站	00:00	28.28	48.24	31.96	8.43	8.44	5.5	16.89	
		03:00	28.02	49.12	32.56	8.38	7.87	3.19	13.89	
		06:00	27.93	49.38	32.69	8.29	8.05	3.16	26.76	
		09:00	28.07	49.37	32.68	8.31	8.3	3.5	21.16	
		12:00	29.22	48.33	32.01	8.21	10.12	5.41	11.62	
		15:00	29.4	48.26	31.96	8.27	11.82	3.66	13.08	
		18:00	29.81	47.75	31.87	8.48	9.81	4.19	20.42	
		21:00	29.68	47.95	31.97	8.47	7.98	3.38	28.63	
	日平均值			28.80	48.55	32.21	8.36	9.05	4.00	19.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月12日	蚵殼站	00:00	29.93	49.74	32.66	8.4	11.45	17.68	52.05	
		03:00	29.8	49.73	32.65	8.39	10.43	14.67	65.88	
		06:00	29.57	49.8	32.65	8.44	11.12	16.55	57.84	
		09:00	29.32	49.8	32.7	8.39	11.91	15.77	37.28	
		12:00	29.2	50.28	32.99	8.43	12.45	16.48	50.35	
		15:00	30.07	50.49	33.14	8.38	13.29	14.35	67.24	
		18:00	30.62	50.6	33.23	8.41	12.71	17.02	22.68	
		21:00	30.63	50.3	33	8.39	11.36	15.97	16.36	
	日平均值			29.89	50.09	32.88	8.40	11.84	16.06	46.21
	潮口站	00:00	28.29	51.83	33.99	8.33	12.3	21.59	9.5	
		03:00	28.44	49.5	32.47	8.31	10.59	2.63	8.74	
		06:00	28.25	49.79	32.66	8.45	10.69	4.78	5.9	
		09:00	28.37	51.93	34.06	8.33	11.58	22.63	4.12	
		12:00	28.21	51.39	33.73	8.4	12.64	11.29	4	
		15:00	28.64	50.95	33.45	8.42	12.79	10.12	4.71	
		18:00	28.88	50.66	33.27	8.41	11.33	14.86	4.06	
		21:00	28.18	50.11	32.88	8.4	12.9	8.92	3.96	
	日平均值			28.41	50.77	33.31	8.38	11.85	12.10	5.62
	灣內站	00:00	29.19	48.32	32.01	8.38	9.26	3.9	6.81	
		03:00	28.72	48.89	32.45	8.36	8.7	3.49	7.29	
		06:00	28.84	48.85	32.42	8.35	7.22	3.9	5.21	
		09:00	29.01	48.92	32.46	8.38	7.59	3.9	4.51	
		12:00	29.86	48.63	32.24	8.21	9.11	3.01	7.22	
		15:00	30.72	48.06	31.83	8.27	9.88	3.69	8.76	
		18:00	30.48	48.27	31.97	8.48	9.49	2.94	6.05	
		21:00	30.32	48.2	31.93	8.47	6.62	2.79	4.17	
	日平均值			29.64	48.52	32.16	8.36	8.48	3.45	6.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月13日	蚵殼站	00:00	30.54	50.29	32.99	8.39	10.2	18.39	17.39	
		03:00	30.42	50.3	33	8.43	9.64	15.24	21.51	
		06:00	30.11	50.3	33.13	8.46	9.98	17.75	18.84	
		09:00	30.07	50.31	33.01	8.4	10.94	18.03	12.71	
		12:00	29.95	50.88	33.38	8.45	11.21	14.38	10.63	
		15:00	30.81	51.1	33.5	8.31	11.68	14.31	14.88	
		18:00	30.75	51.03	33.46	8.43	11.07	14.28	12.39	
		21:00	30.88	50.9	33.34	8.43	10.52	16.63	9.44	
	日平均值			30.44	50.64	33.23	8.41	10.66	16.13	14.72
	潮口站	00:00	28.74	51.53	33.8	8.35	11.36	21.37	3.46	
		03:00	28.65	49.91	32.76	8.45	12.28	7.13	3.57	
		06:00	28.21	48.7	31.98	8.31	10.27	6.71	3.24	
		09:00	28.37	50.69	33.28	8.39	11.24	10.11	2.42	
		12:00	28.65	48.8	32.04	8.35	11.67	9.44	2.15	
		15:00	28.28	51.07	33.52	8.4	10.34	14.19	4.62	
		18:00	28.3	50.57	33.22	8.41	11	11.61	3.36	
		21:00	28.41	50.1	32.9	8.44	11.51	11.82	2.75	
	日平均值			28.45	50.17	32.94	8.39	11.21	11.55	3.20
	灣內站	00:00	29.99	48.28	31.98	8.38	7.79	3.91	3.73	
		03:00	29.29	48.7	32.3	8.28	9.21	3.34	6.11	
		06:00	29.41	48.77	32.37	8.38	6.21	2.97	5.77	
		09:00	30.01	48.72	32.31	8.45	9.68	4.68	6.63	
		12:00	30.7	48.53	32.13	8.35	12.02	4.41	13	
		15:00	30.56	48.67	32.27	8.37	10.99	5.92	17.7	
		18:00	30.5	48.69	32.29	8.43	10.03	9.1	18.36	
		21:00	30.31	48.6	32.2	8.48	8.3	4.21	13.4	
	日平均值			30.10	48.62	32.23	8.39	9.28	4.82	10.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月14日	蚵殼站	00:00	30.73	50.6	33.23	8.42	8.36	16.61	6.61	
		03:00	30.54	50.3	33	8.38	8.35	15.05	8.97	
		06:00	30.75	50.45	33.11	8.41	9.4	14.3	12.41	
		09:00	31.02	50.86	33.38	8.4	11.34	18.57	10.66	
		12:00	30.88	51.1	33.5	8.44	11.59	17.75	13.47	
		15:00	31.08	51.14	33.53	8.39	12.21	14.04	20.41	
		18:00	31.08	51.1	33.35	8.4	11.04	16.35	15.22	
		21:00	31.05	51.1	33.5	8.44	10.32	16.05	9.74	
	日平均值			30.89	50.83	33.33	8.41	10.33	16.09	12.19
	潮口站	00:00	28.63	51.3	33.67	8.35	11.85	21.13	2.28	
		03:00	28.96	50.84	33.37	8.4	10.69	14.22	2.51	
		06:00	29.23	48.83	32.07	8.31	11.09	3.2	3.68	
		09:00	29.04	48.87	32.09	8.38	10.45	4.34	3.45	
		12:00	28.77	47.78	31.36	8.35	11.57	9.76	2.89	
		15:00	28.78	48.74	31.99	8.38	9.99	12.44	4.61	
		18:00	29.64	49.55	32.49	8.44	10.09	5.33	5.27	
		21:00	29.42	49.24	32.3	8.4	9.59	7.69	4.16	
	日平均值			29.06	49.39	32.42	8.38	10.67	9.76	3.61
	灣內站	00:00	30.18	48.68	32.3	8.46	6.66	3.49	10.6	
		03:00	29.84	48.79	32.33	8.41	7.66	3.01	14.11	
		06:00	29.3	49.39	32.71	8.34	7.9	3.39	18.52	
		09:00	29.92	49.08	32.54	8.44	11.29	4.78	13.23	
		12:00	30.57	48.8	32.4	8.39	12.47	5.93	16.17	
		15:00	30.59	48.81	32.64	8.49	11.7	8.21	19.57	
		18:00	30.73	48.9	32.45	8.4	9.01	6.09	17.33	
		21:00	31.06	48.74	32.34	8.43	9.42	6.96	15.27	
	日平均值			30.27	48.90	32.46	8.42	9.51	5.23	15.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月15日	蚵殼站	00:00	30.97	51.1	33.45	8.35	8.1	16.67	5.44
		03:00	30.72	50.83	33.35	8.4	7.87	17.96	7.33
		06:00	30.7	50.85	33.38	8.46	8.19	17.72	13.68
		09:00	30.61	50.75	33.1	8.47	9.14	16.69	14.49
		12:00	30.94	50.99	33.44	8.4	10.93	14.13	10.58
		15:00	30.68	50.88	33.38	8.43	11.34	14	8.55
		18:00	30.74	51.02	33.46	8.47	11.31	18.58	6.19
		21:00	30.89	51.1	33.5	8.44	11.02	15.92	4.6
	日平均值		30.78	50.94	33.38	8.43	9.74	16.46	8.86
	潮口站	00:00	28.82	50.32	33.04	8.38	10.24	26.95	2.95
		03:00	28.48	50.93	33.43	8.34	9.67	24.69	2.22
		06:00	29.65	47.87	31.44	8.36	11.18	7.07	3.88
		09:00	29.27	47.95	31.53	8.31	10.93	6.65	3.83
		12:00	28.78	49.4	32.46	8.45	9.63	13.41	3.5
		15:00	28.7	50.5	33.18	8.36	9.65	20.03	3.27
		18:00	29.47	49.19	32.29	8.4	9.98	9.41	4.37
		21:00	29.28	48.66	31.96	8.31	10.58	7.48	3.71
	日平均值		29.06	49.35	32.42	8.36	10.23	14.46	3.47
	灣內站	00:00	30.67	48.59	32.19	8.44	9.64	2.92	14.04
		03:00	30.2	48.68	32.28	8.39	9.58	3.04	10.79
		06:00	29.54	48.79	32.39	8.35	8.8	2.91	8.29
09:00		29.99	48.8	32.4	8.43	9.77	3.43	9.62	
12:00		30.41	48.83	32.24	8.41	10.17	5.97	10.63	
15:00		30.87	48.72	32.51	8.33	11.23	3.75	6.85	
18:00		30.88	48.8	32.74	8.41	9.36	3.42	7.41	
21:00		30.83	48.89	32.42	8.42	9.19	3.8	8.34	
日平均值		30.42	48.76	32.40	8.40	9.72	3.66	9.50	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月16日	蚵殼站	00:00	30.68	50.87	33.78	8.37	10.64	18.5	3.36
		03:00	30.58	50.7	33.3	8.3	9.7	15.06	4.13
		06:00	30.51	50.69	32.98	8.34	9.54	17.63	4.92
		09:00	30.34	50.81	33.12	8.36	9.11	17.36	5.6
		12:00	30.45	51.2	33.09	8.44	8.64	16.58	7.37
		15:00	30.76	51.45	33.76	8.47	8.74	14.69	10.19
		18:00	30.62	51.37	33.86	8.46	8.23	18.3	8.6
		21:00	30.91	51.36	33.7	8.35	8.31	14.17	7.37
	日平均值		30.61	51.06	33.45	8.39	9.11	16.54	6.44
	潮口站	00:00	28.61	49.34	32.4	8.41	10.44	20.56	3.1
		03:00	28.16	50.35	33.09	8.34	11.44	27.58	2.3
		06:00	28.82	48.95	32.14	8.41	9.83	5.81	2.71
		09:00	29.01	49.05	32.19	8.43	10.83	8.58	4.07
		12:00	28.68	48.96	31.91	8.36	10.92	8.66	2.71
		15:00	28.99	48.28	31.72	8.33	9.58	11.22	4.96
		18:00	28.24	48.78	32.04	8.34	10.56	13.86	5.32
		21:00	28.43	48.65	31.96	8.32	9.5	13.69	4.01
	日平均值		28.62	49.05	32.18	8.37	10.39	13.75	3.65
	灣內站	00:00	30.59	48.61	32.14	8.49	8.26	4.75	6.07
		03:00	30.24	48.82	32.84	8.47	9.46	4.19	7.13
		06:00	29.99	48.99	32.44	8.48	8.68	3.82	9.7
09:00		30.09	49.17	32.58	8.47	10.16	3.67	21.19	
12:00		30.16	49.36	32.68	8.37	9.57	8.11	35.05	
15:00		30.3	49.41	32.71	8.48	8.69	17.36	36.33	
18:00		30.21	49.54	32.97	8.46	8.9	7.79	27.47	
21:00		30.14	49.76	32.7	8.43	7.17	8.75	18.26	
日平均值		30.22	49.21	32.63	8.46	8.86	7.31	20.15	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月17日	蚵殼站	00:00	30.78	51.1	33.5		7.72	14.53	4.87	
		03:00	30.51	51.1	33.25	8.45	6.75	14.43	3.9	
		06:00	30.02	51.1	33.5	8.35	5.72	16.83	8.05	
		09:00	30.14	50.95	33.42	8.37	7.18	15.5	8.45	
		12:00	30.9	51.62	33.89	8.43	8.26	16.96	6.66	
		15:00	30.75	51.81	34.03	8.43	8.61	15.24	11.17	
		18:00	30.9	51.52	33.54	8.44	8.49	18.55	6.29	
		21:00	30.75	51.52	33.81	8.45	8.06	14.9	4.66	
	日平均值			30.59	51.34	33.62	8.42	7.60	15.87	6.76
	潮口站	00:00	28.28	49.01	32.17	8.33	8.49	16.93	3.43	
		03:00	28.69	50	32.8	8.33	10.36	38.94	2.99	
		06:00	28.44	48.71	31.98	8.39	9.75	10.5	3.21	
		09:00	29.52	47.89	31.47	8.44	8.76	6.26	3.48	
		12:00	29.41	48.13	31.63	8.39	10.51	12.11	4.26	
		15:00	28.96	48.9	32.1	8.32	9	25.23	3.65	
		18:00	28.85	49.08	32.2	8.33	8.92	17.95	2.84	
		21:00	28.9	48.1	31.62	8.39	8.73	5.04	2.55	
	日平均值			28.88	48.73	32.00	8.37	9.32	16.62	3.30
	灣內站	00:00	29.98	49.4	32.81	8.37	5.76	9.32	12.66	
		03:00	29.72	49.61	32.64	8.29	6.61	5.51	18.5	
		06:00	29.23	49.44	32.74	8.22	6.42	3.81	16.72	
		09:00	30.07	49.32	32.66	8.41	8.19	3.98	16.42	
		12:00	30.54	49.41	32.59	8.49	9.68	3.13	17.89	
		15:00	30.59	49.52	32.72	8.48	9.46	5.33	23.72	
		18:00	30.33	49.69	32.88	8.46	8.91	4.57	19.58	
		21:00	30.36	49.46	32.7	8.41	7.92	5.29	18.93	
	日平均值			30.10	49.48	32.72	8.39	7.87	5.12	18.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月18日	蚵殼站	00:00	30.89	51.49	33.79	8.44	7.65	18.76	6.37	
		03:00	30.51	51.1	33.51	8.39	6.59	18.71	4.15	
		06:00	30.37	51.08	33.49	8.39	5.98	15.13	6.84	
		09:00	29.95	49.13	32.25	8.4	8.05	14.58	9.68	
		12:00	30.82	49.91	32.77	8.43	9	15.27	4.8	
		15:00	31.61	50.66	33.27	8.45	9.33	17.28	5.21	
		18:00	31.44	50.54	33.18	8.44	8.65	15.4	3.91	
		21:00	30.83	50.05	32.85	8.43	9.11	14.39	3.26	
	日平均值			30.80	50.50	33.14	8.42	8.05	16.19	5.53
	潮口站	00:00	28.91	48.03	31.56	8.35	8.58	11.77	2.5	
		03:00	29.18	49.35	32.37	8.33	10.54	31.68	2.39	
		06:00	29.08	48.72	31.98	8.35	10.13	21.09	2.43	
		09:00	29.39	47.65	31.26	8.41	9.97	3.77	4.41	
		12:00	29.52	48.03	31.56	8.34	8.53	14.76	6.01	
		15:00	28.64	47.35	31.09	8.3	9.76	26.09	5.03	
		18:00	29.06	48.42	31.82	8.31	10.8	35.32	4.5	
		21:00	29.44	47.68	31.3	8.38	8.59	9.23	4.25	
	日平均值			29.15	48.15	31.62	8.35	9.61	19.21	3.94
	灣內站	00:00	30.23	49.44	32.54	8.4	7.53	3.6	20.84	
		03:00	29.99	49.42	32.72	8.33	7.87	4.15	20.52	
		06:00	29.44	49.55	32.8	8.26	7.49	3.08	14.17	
		09:00	30.25	49.33	32.69	8.41	9.37	3.71	11.84	
		12:00	30.98	48.99	32.49	8.49	10.45	2.99	10.69	
		15:00	31.39	49.1	32.55	8.49	10.78	4.12	11.19	
		18:00	31.25	49.29	32.64	8.46	10.22	3.52	9.35	
		21:00	31.17	49.24	32.62	8.47	9.34	3.9	9.84	
	日平均值			30.59	49.30	32.63	8.41	9.13	3.63	13.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月19日	蚵殼站	00:00	30.87	49.95	32.79	8.43	8.33	16.83	3.44
		03:00	30.94	49.92	32.67	8.41	7.11	15.3	5.4
		06:00	30.04	49.1	32.25	8.33	5.91	14.37	7.99
		09:00	30.64	49.65	32.61	8.41	7.59	14.98	5.91
		12:00	30.58	49.74	32.49	8.42	9.32	15.09	5.52
		15:00	31.18	50.54	33.17	8.45	9.96	17.81	8.18
		18:00	31.51	50.73	33.31	8.47	9.03	18.73	8.73
		21:00	31.52	50.44	33.1	8.48	8.79	17.39	7.34
	日平均值		30.91	50.01	32.80	8.43	8.26	16.31	6.56
	潮口站	00:00	29.43	47.63	31.26	8.37	11.63	8.18	4
		03:00	29.32	48.2	31.66	8.31	9.16	42.79	3.85
		06:00	29.7	47.19	30.67	8.27	11.28	60.39	3.98
		09:00	29.49	47.11	30.91	8.38	11.9	14.55	5.95
		12:00	29.22	47.56	31.22	8.33	9.94	20.05	10.66
		15:00	28.59	46.81	30.07	8.3	11.91	47.61	10.54
		18:00	29.15	46.66	30.31	8.27	9.89	83.29	8.17
		21:00	28.96	46.98	30.82	8.32	10.51	22.72	8.19
	日平均值		29.23	47.27	30.87	8.32	10.78	37.45	6.92
	灣內站	00:00	31.05	49.16	32.58	8.47	9.45	3.6	12.58
		03:00	30.54	49.43	32.73	8.4	9.36	15.95	10.73
		06:00	29.58	49.58	32.72	8.27	8.3	14.1	20.45
09:00		30.15	49.53	32.8	8.33	9.51	11.01	14.01	
12:00		31.25	49.37	32.69	8.49	10.51	11.43	22.9	
15:00		31.34	49.37	32.7	8.48	10.25	5.01	41.91	
18:00		30.51	49.15	32.57	8.43	10.13	6.59	50.8	
21:00		30.5	49.39	32.69	8.43	8.98	5.9	36.84	
日平均值		30.62	49.37	32.69	8.41	9.56	9.20	26.28	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月20日	蚵殼站	00:00	31.29	50.3	33	8.47	8.32	18.75	6.35
		03:00	31.14	50.02	32.83	8.46	7.64	18.42	4.24
		06:00	30.93	49.82	32.7	8.43	7.3	18.39	4.16
		09:00	30.83	49.83	32.72	8.43	7.79	19.15	4.8
		12:00	30.57	49.51	32.51	8.41	8.47	19.07	4.24
		15:00	30.68	49.34	32.39	8.41	8.42	17.31	6.86
		18:00	30.45	48.29	31.74	8.43	7.69	16.65	6.69
		21:00	30.27	48.17	31.67	8.38	6.75	15.77	7.88
	日平均值		30.77	49.41	32.45	8.43	7.80	17.94	5.65
	潮口站	00:00	29.09	46.89	30.63	8.38	9.25	6.76	7.09
		03:00	28.94	47.04	30.86	8.3	11.94	80.65	6.4
		06:00	29.05	47.44	31.12	8.29	11.49	69.38	7.95
		09:00	29.22	46.33	30.41	8.4	9.73	13.12	13.23
		12:00	28.73	46.71	30.65	8.36	9.37	29.6	14.03
		15:00	28.52	47.13	30.93	8.37	11.29	22.82	12.43
		18:00	27.68	48.87	32.08	8.31	9.57	77.34	11.69
		21:00	27.65	47.64	31.26	8.32	9.1	21.64	13.57
	日平均值		28.61	47.26	30.99	8.34	10.22	40.16	10.80
	灣內站	00:00	30.49	49.38	32.69	8.39	8.16	5.05	17.57
		03:00	30.28	49.34	32.67	8.35	7.22	4.77	14.4
		06:00	29.49	49.43	32.75	8.24	5.86	5.84	14.61
09:00		29.94	49.37	32.68	8.23	7.16	5.5	15.29	
12:00		30.79	49.34	32.67	8.43	9.44	2.94	19.79	
15:00		30.61	49.13	32.55	8.44	9.44	3.82	26.9	
18:00		30.08	48.77	32.47	8.39	7.97	5.33	22.97	
21:00		30.07	48.76	32.37	8.34	7.05	4.65	19	
日平均值		30.22	49.19	32.61	8.35	7.79	4.74	18.82	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月21日	蚵殼站	00:00	30.46	48.04	31.56	8.4	6.86	16.32	7.05
		03:00	30.41	47.8	31.4	8.39	6.21	17.37	7.77
		06:00	29.14	46.66	30.68	8.34	6.38	17.42	12.06
		09:00	29.2	45.58	30.32	8.32	6.88	16.81	20.37
		12:00	29.47	47.1	30.98	8.4	8.07	17	27.45
		15:00	29.76	47.46	30.97	8.4	7.96	19.64	19.78
		18:00	29.43	47.05	30.93	8.39	7.78	18.48	6.85
		21:00	29.12	46.95	30.87	8.37	6.79	19.47	4.52
	日平均值		29.62	47.08	30.96	8.38	7.12	17.81	13.23
	潮口站	00:00	28.26	46.8	30.71	8.33	10.79	11.89	10.73
		03:00	27.17	46.64	30.61	8.31	9.81	74.59	4.14
		06:00	27.22	47.6	31.24	8.31	11.87	83.82	8.95
		09:00	28.01	46.53	30.5	8.36	11.28	20.22	10.08
		12:00	28.52	48.32	31.75	8.36	11.14	21.48	6.15
		15:00	28.61	48.08	31.59	8.39	11.27	27.09	4.42
		18:00	27.77	50.01	32.83	8.33	9.35	70.51	5
		21:00	27.95	47.02	30.87	8.33	9.33	52.36	1.91
	日平均值		27.94	47.63	31.26	8.34	10.61	45.25	6.42
	灣內站	00:00	29.63	48.84	32.42	8.31	7.33	3.3	14.53
		03:00	29.32	48.84	32.49	8.24	6.89	2.95	13.48
		06:00	28.95	48.79	32.39	8.22	7.07	3.05	11.74
09:00		29.41	48.81	32.18	8.28	6.55	2.98	12.31	
12:00		29.66	48.94	32.47	8.25	6	4.81	19.85	
15:00		29.64	47.87	32.74	8.31	7.91	4.03	32.44	
18:00		29	48.2	32.69	8.33	8.26	3.41	19.96	
21:00		28.35	48.68	32.3	8.29	7.67	3.69	14.78	
日平均值		29.25	48.62	32.46	8.28	7.21	3.53	17.39	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月22日	蚵殼站	00:00	29.02	46.25	30.42	8.4	6.14	17.9	4.45
		03:00	29.01	46.18	30.38	8.39	5.56	18.98	4.15
		06:00	28.78	46.31	30.47	8.44	5.52	16.21	4
		09:00	27.98	45.6	29.95	8.39	6.46	16.79	5.16
		12:00	28.03	45.77	30.07	8.43	7.33	17.89	5.69
		15:00	28.59	46.37	30.5	8.38	7.94	16.28	4.85
		18:00	28.68	46.26	30.44	8.41	7.58	15.69	3.89
		21:00	29.1	45.72	30.05	8.39	7.26	18.17	6.86
	日平均值		28.65	46.06	30.29	8.40	6.72	17.24	4.88
	潮口站	00:00	28.22	47.3	31.03	8.4	9.65	19.92	1.88
		03:00	27.26	48.76	32.01	8.36	9.48	51.34	1.05
		06:00	27.37	50.05	32.85	8.33	10.15	75.65	1.25
		09:00	27.47	49	32.18	8.36	9.67	26.72	2.1
		12:00	27.64	49.55	32.49	8.36	9.61	29.16	3.18
		15:00	27.84	49.68	32.57	8.38	10.94	29.57	3.2
		18:00	27.27	46.82	31.44	8.35	11.68	20.29	2.23
		21:00	27.74	47.42	31.5	8.34	10.02	22.77	2.96
	日平均值		27.60	48.57	32.01	8.36	10.15	34.43	2.23
	灣內站	00:00	27.98	48.79	32.39	8.22	6.97	2.96	15.03
		03:00	28.2	48.66	32.28	8.2	6.26	3.76	14.78
		06:00	28.19	48.65	32.16	8.21	5.65	3.56	12.85
09:00		28.42	48.66	32.26	8.21	6.08	3.14	13.27	
12:00		28.82	48.07	31.88	8.27	7.19	4.72	13.8	
15:00		29.2	46.96	32.14	8.37	9.31	2.95	27.29	
18:00		28.8	47.39	32.25	8.36	9.42	3.22	32.12	
21:00		28.41	48.42	32.09	8.3	8.13	2.59	23.28	
日平均值		28.50	48.20	32.18	8.27	7.38	3.36	19.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月23日	蚵殼站	00:00	28.22	45.29	29.78	8.34	7.31	19.89	3.76	
		03:00	28.27	45.21	30.38	8.33	7.03	15.4	3.41	
		06:00	28.82	46.44	30.53	8.28	5.49	19.57	6.11	
		09:00	28.72	46.98	30.88	8.31	6.63	15.34	5.62	
		12:00	28.81	46.82	30.79	8.35	7.74	15.15	8.49	
		15:00	29.31	46.09	30.32	8.47	10.32	16.46	25.33	
		18:00	29.66	45.55	29.95	8.33	11.96	15.71	26	
		21:00	29.42	44.68	30	8.39	12.67	18.66	25.2	
	日平均值			28.90	45.88	30.33	8.35	8.64	17.02	12.99
	潮口站	00:00	27.38	47.79	31.37	8.36	9.94	16.99	1.61	
		03:00	27.57	49.14	32.27	8.35	10.45	19.89	2.24	
		06:00	27.9	51.38	33.72	8.34	9.46	76.07	1.55	
		09:00	27.84	49.95	32.78	8.36	9.37	29.21	3.24	
		12:00	27.98	48.84	32.06	8.38	9.45	22.5	4.33	
		15:00	28.61	47.79	31.38	8.39	9.07	23.63	5.86	
		18:00	28.37	48.86	32.09	8.43	9.59	26.51	6.56	
		21:00	27.92	50.32	33.04	8.37	9.18	34.03	2.77	
	日平均值			27.95	49.26	32.34	8.37	9.56	31.10	3.52
	灣內站	00:00	28.46	48.16	31.91	8.3	8.16	2.98	21.44	
		03:00	28.65	48.15	31.89	8.29	7.45	3.03	18.93	
		06:00	28.57	48.27	31.97	8.26	7.26	10.84	15.46	
		09:00	28.34	48.61	32.23	8.24	6.54	3.48	15.31	
		12:00	28.56	48.19	31.96	8.26	8.66	7.7	31.57	
		15:00	28.73	47.13	31.64	8.34	11.85	9.67	66.48	
		18:00	28.3	47.51	31.75	8.36	8.39	6.75	61.02	
		21:00	28.27	48.4	32.07	8.3	9.83	4.51	39.36	
	日平均值			28.49	48.05	31.93	8.29	8.52	6.12	33.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月24日	蚵殼站	00:00	28.86	46.11	30.34	8.34	7.22	18.01	18.76	
		03:00	28.94	46.2	30.49	8.36	7.58	19.64	20.64	
		06:00	28.86	46.41	30.54	8.33	7.28	18.75	19.79	
		09:00	28.67	46.94	30.87	8.34	7.77	15.44	12.81	
		12:00	29.36	47.08	30.96	8.46	11	18.24	14.94	
		15:00	30.22	46.74	30.73	8.3	13.68	18.44	17.87	
		18:00	30.4	46.06	30.29	8.38	13.79	19.83	18.99	
		21:00	30.1	45.4	29.81	8.43	12.98	16.33	16.78	
	日平均值			29.43	46.37	30.50	8.37	10.16	18.09	17.57
	潮口站	00:00	28.31	47.73	31.33	8.4	11.16	13.39	6.75	
		03:00	28.18	49.12	32.25	8.41	11.71	20.74	5.29	
		06:00	28.36	51.05	33.51	8.36	10.28	57.32	2	
		09:00	28.63	50.3	33.01	8.38	10.2	37.97	4.23	
		12:00	28.64	49.69	32.59	8.42	10.71	14.85	8.31	
		15:00	28.8	49.9	32.73	8.43	11.38	24.69	8.9	
		18:00	29.17	48.64	31.94	8.31	10.29	18.86	8.21	
		21:00	28.52	50.9	33.41	8.39	11.3	39.24	4.59	
	日平均值			28.58	49.67	32.60	8.39	10.88	28.38	6.04
	灣內站	00:00	28.54	48.23	31.95	8.3	10.67	3.55	41.74	
		03:00	28.29	48.3	31.98	8.28	10.01	3.4	50.18	
		06:00	27.97	48.57	32.18	8.23	10.13	3.49	42.88	
		09:00	27.79	49.16	32.56	8.19	8.48	3.87	38.6	
		12:00	28.4	48.72	32.31	8.25	10.95	10.14	55.84	
		15:00	29.05	47.88	31.76	8.46	13.09	15.79	76.31	
		18:00	29.51	46.87	31.87	8.34	13.45	8.99	51.99	
		21:00	28.81	47.3	31.93	8.44	12.11	7.23	48.43	
	日平均值			28.55	48.13	32.07	8.31	11.11	7.06	50.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月25日	蚵殼站	00:00	29.68	45.62	29.96	8.41	10.53	16.5	14.77	
		03:00	29.08	46.26	30.43	8.39	8.67	17.43	14.45	
		06:00	29.32	46.18	30.36	8.43	9.34	15.58	16.01	
		09:00	29.1	47.74	31.37	8.34	8.09	15.3	11.93	
		12:00	29.78	47.79	31.39	8.45	10.68	15.55	9.54	
		15:00	30.76	47.53	31.26	8.34	12.63	17.38	11.59	
		18:00	30.79	46.29	30.43	8.37	12.1	15.95	12.66	
		21:00	30.68	46.14	30.34	8.41	10.98	17.17	9.43	
	日平均值			29.90	46.69	30.69	8.39	10.38	16.36	12.55
	潮口站	00:00	28.49	49.33	32.4	8.4	11.92	27.84	5.16	
		03:00	28.49	48.43	31.81	8.31	12.07	13.79	5.67	
		06:00	28.38	50.77	33.33	8.39	11.52	53.61	4.75	
		09:00	28.67	50.49	33.14	8.36	12.92	47.18	5.08	
		12:00	28.91	50.18	32.96	8.41	11.84	23.25	6.71	
		15:00	29.23	50.04	32.84	8.45	10.68	19.98	7.94	
		18:00	29.74	48.59	31.9	8.31	12.92	15.08	9.13	
		21:00	29.04	49.99	32.82	8.44	11.26	33.79	6.68	
	日平均值			28.87	49.73	32.65	8.38	11.89	29.32	6.39
	灣內站	00:00	28.85	47.65	31.58	8.35	11.41	7.84	36.62	
		03:00	28.48	48.66	32.26	8.28	9.49	9.6	46.7	
		06:00	28	49.12	32.56	8.17	7.75	17.4	65.64	
		09:00	28.92	48.34	32.03	8.27	11.9	11.01	56.96	
		12:00	29.74	46.91	31.97	8.47	12.17	6.09	46.02	
		15:00	29.97	46.86	31.83	8.48	11.95	4.29	44.32	
		18:00	29.67	47.4	31.73	8.49	11.13	6.06	43.44	
		21:00	29.72	47.64	31.59	8.46	11.21	4.77	43.2	
	日平均值			29.17	47.82	31.94	8.37	10.88	8.38	47.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月26日	蚵殼站	00:00	30.38	46.93	30.86	8.47	9.78	16.09	9.06	
		03:00	30.2	47.17	31.03	8.42	8.56	18.41	7.1	
		06:00	30.14	46.82	30.79	8.44	9.2	17.77	7.99	
		09:00	29.8	47.18	31.02	8.42	9.5	18.75	10.64	
		12:00	29.73	47.72	31.36	8.42	9.61	15.87	7.79	
		15:00	30.14	47.68	31.4	8.33	11.79	19.61	8.94	
		18:00	30.41	47.8	31.54	8.42	11.96	19.97	9.57	
		21:00	30	47.74	31.37	8.49	10.89	18.84	11.13	
	日平均值			30.10	47.38	31.17	8.43	10.16	18.16	9.03
	潮口站	00:00	28.43	49.54	32.53	8.37	11.15	35.24	5.63	
		03:00	28.93	47.76	31.36	8.41	11.72	16.91	6.26	
		06:00	28.6	49.22	32.33	8.43	11.25	38.91	6.13	
		09:00	28.48	51.12	33.55	8.38	11.95	77.11	6.06	
		12:00	29.38	48.79	32.06	8.41	12.13	37.29	7.82	
		15:00	30.19	48.01	31.52	8.45	12.66	38.5	7.53	
		18:00	30.06	47.46	31.15	8.31	11.9	39.93	7.36	
		21:00	29.45	48.77	32	8.42	12.55	20.69	7.42	
	日平均值			29.19	48.83	32.06	8.40	11.91	38.07	6.78
	灣內站	00:00	29.6	47.8	31.68	8.42	10.02	4.34	38.67	
		03:00	29.28	48.26	31.96	8.37	10.58	5.93	30.83	
		06:00	29.2	48.53	32.15	8.36	10.44	3.12	27.21	
		09:00	29.14	48.73	32.33	8.37	10.81	3.29	25.45	
		12:00	29.51	48.61	32.23	8.39	10.88	6.09	29.38	
		15:00	29.84	48.32	32.05	8.43	11.12	7.61	38.99	
		18:00	29.57	48.44	32.1	8.41	10.73	6.8	38.39	
		21:00	28.86	49.21	32.6	8.33	9.41	3.5	33.62	
	日平均值			29.38	48.49	32.14	8.39	10.50	5.09	32.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月27日	蚵殼站	00:00	29.69	47.4	31.2	8.45	9.42	18.62	8.98
		03:00	29.67	46.9	30.85	8.44	8.81	19.02	7.8
		06:00	29.61	47.18	31.03	8.43	8.46	18.77	9.29
		09:00	29.7	47.01	30.91	8.47	9.15	16.55	7.58
		12:00	29.58	47.26	31.09	8.43	8.68	19.86	8.72
		15:00	29.77	47.44	31.21	8.45	9.15	18.95	14.96
		18:00	29.81	47.64	31.02	8.44	9.21	16.18	9.45
		21:00	29.92	47.01	30.91	8.49	9.42	19.81	5.79
	日平均值		29.72	47.23	31.03	8.45	9.04	18.47	9.07
	潮口站	00:00	28.36	49.45	33.12	8.39	12.79	41.89	6.2
		03:00	28.9	48.22	31.66	8.43	11.84	40.95	5.3
		06:00	29.14	47.85	31.44	8.31	12.56	31.9	5.4
		09:00	28.54	50.05	32.88	8.4	11.82	57.33	4.28
		12:00	28.88	49.34	32.42	8.45	12.04	51.92	5.36
		15:00	29.43	48.14	31.63	8.31	11.67	30.07	8.02
		18:00	28.97	49.38	32.4	8.43	12.15	69.88	8.25
	21:00	28.95	49.31	32.35	8.43	11.75	41.63	7.05	
	日平均值		28.90	48.97	32.24	8.39	12.08	45.70	6.23
	灣內站	00:00	28.8	48.83	32.38	8.35	7.43	3.46	39.15
		03:00	28.31	49.96	32.11	8.22	6.46	6.14	40.9
		06:00	28.28	49.83	32.01	8.23	5.79	4.18	40.01
09:00		28.57	49.3	32.65	8.29	6.78	5.93	30.63	
12:00		28.72	48.99	32.48	8.3	7.96	11.53	31.78	
15:00		28.83	49.1	32.55	8.33	7.55	6.15	33.68	
18:00		29.21	48.42	32.09	8.34	8.21	4.97	18.89	
21:00		29.11	48.32	32.01	8.47	8.56	3.63	21.06	
日平均值		28.73	49.09	32.29	8.32	7.34	5.75	32.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
5月28日	蚵殼站	00:00	29.89	46.85	30.81	8.45	8.06	19.72	6.92
		03:00	29.76	46.7	30.73	8.35	8.38	19.79	9.22
		06:00	29.68	46.02	30.26	8.35	10.11	18.21	8.54
		09:00	29.88	46.79	30.77	8.41	9.15	17.81	12.05
		12:00	30.13	47.27	31.09	8.37	10.84	19.76	12.56
		15:00	30.44	47.36	31.14	8.4	11.73	17.74	12.11
		18:00	30.65	47	30.9	8.33	12.58	19.6	15.2
		21:00	30.56	47	30.9	8.4	10.51	18.02	13.63
	日平均值		30.12	46.87	30.83	8.38	10.17	18.83	11.28
	潮口站	00:00	28.86	48.18	31.64	8.38	12.25	47.05	6.45
		03:00	28.62	47.08	30.91	8.4	11.15	34.38	6.9
		06:00	28.55	48.3	31.73	8.39	10.86	37.85	7.22
		09:00	28.62	49.24	32.31	8.35	12.22	44.24	7.22
		12:00	28.79	47.42	31.11	8.35	11.43	63.54	6.47
		15:00	28.9	49.98	32.8	8.36	12.44	44.87	7.87
		18:00	29.61	47.68	31.3	8.42	11.87	35.48	9.04
	21:00	29.7	47.79	31.39	8.44	11.19	46.7	10.81	
	日平均值		28.96	48.21	31.65	8.39	11.68	44.26	7.75
	灣內站	00:00	29.1	48.38	32.04	8.4	7.96	2.98	16.79
		03:00	28.94	48.7	31.94	8.37	7.39	3.55	18.26
		06:00	28.9	48.79	32.36	8.33	7.24	3.3	19.41
09:00		29.09	48.39	32.06	8.48	7.8	3.1	19.35	
12:00		29.49	47.99	31.8	8.4	8.9	5.62	33.49	
15:00		29.62	48.09	31.86	8.39	8.83	6.43	47.86	
18:00		29.72	48.23	31.94	8.34	7.32	4.18	22.37	
21:00		29.6	48.23	31.84	8.32	6.76	4.02	19.11	
日平均值		29.31	48.35	31.98	8.38	7.78	4.15	24.58	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月29日	蚵殼站	00:00	30.39	47.05	30.94	8.42	10.76	17.11	11.84	
		03:00	30.23	46.67	30.7	8.49	9.09	17.36	8.04	
		06:00	30.15	46.66	30.69	8.47	9.29	17.65	14.85	
		09:00	30.37	47.25	31.06	8.48	9.88	18.16	14.06	
		12:00	30.37	47.75	31.38	8.44	9.85	17.42	8.44	
		15:00	30.83	47.31	31.11	8.4	12.91	17.73	13.7	
		18:00	31.15	47.09	30.72	8.36	13.71	19.46	18.07	
		21:00	31.44	47.43	31.21	8.31	13.37	17.55	12.95	
	日平均值			30.62	47.15	30.98	8.42	11.11	17.81	12.74
	潮口站	00:00	29.32	48.11	31.58	8.39	12.82	49.49	8.69	
		03:00	29.23	47.75	31.35	8.37	10.81	51.46	9.02	
		06:00	28.86	47.24	30.98	8.44	10.99	28.67	13.6	
		09:00	29.24	47.74	31.32	8.4	11.97	29.12	16.08	
		12:00	29.33	46.24	30.36	8.39	11.74	38.29	13.64	
		15:00	29.04	46.57	30.29	8.36	11.96	59.59	12.89	
		18:00	29.84	48	31.01	8.44	12.78	49.94	16	
		21:00	30.07	47.17	30.94	8.43	11.4	38.61	13.72	
	日平均值			29.37	47.35	30.98	8.40	11.81	43.15	12.96
	灣內站	00:00	29.39	48.09	31.85	8.49	7.52	4.5	23.13	
		03:00	29.32	48.25	31.96	8.44	6.51	3.98	23.46	
		06:00	29.28	48.9	32.45	8.37	7.08	5.54	22.27	
09:00		29.53	48.73	32.34	8.41	7.58	4.42	21.76		
12:00		30.45	47.81	31.53	8.49	10.16	6.54	27.54		
15:00		30.31	46.97	31.83	8.47	10.24	9.48	27.86		
18:00		30.58	47.03	32.26	8.48	7.64	11.6	31.34		
21:00		30.82	47.57	31.87	8.44	6.89	10.17	33.84		
日平均值			29.96	47.92	32.01	8.45	7.95	7.03	26.40	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月30日	蚵殼站	00:00	30.91	46.26	30.41	8.44	11.95	18.36	11.96	
		03:00	30.73	47.03	30.93	8.43	9.38	19.95	11	
		06:00	30.73	47.25	31.09	8.32	8.84	18.5	10.75	
		09:00	30.76	47.37	31.16	8.37	10.97	19.23	9.9	
		12:00	30.46	46.86	30.83	8.44	13.33	18.83	13.49	
		15:00	31.25	47.66	31.33	8.3	13.52	17.84	16.46	
		18:00	30.98	46.26	30.23	8.35	10.8	17.49	18.78	
		21:00	31.27	46.45	30.55	8.32	11.6	17.28	18.98	
	日平均值			30.89	46.89	30.82	8.37	11.30	18.44	13.92
	潮口站	00:00	29.75	48.93	31.03	8.4	11.67	57.89	10.67	
		03:00	29.13	47.69	31.6	8.39	13.42	65.71	8.69	
		06:00	28.65	45.31	30.963	8.44	11.83	45.02	9.02	
		09:00	29.83	47.07	30.88	8.39	11.76	55.95	12	
		12:00	29.75	46.65	30.4	8.43	11.37	57.74	13.72	
		15:00	29.49	45.97	30.24	8.38	11.96	63.75	12.89	
		18:00	29.63	48.73	30.81	8.41	13.05	61.27	16	
		21:00	30.02	47.81	30.4	8.39	12.8	75.65	9.04	
	日平均值			29.53	47.27	30.79	8.40	12.23	60.37	11.50
	灣內站	00:00	30.6	48.12	31.94	8.47	7.92	4.56	25.07	
		03:00	30.33	48.32	31.84	8.46	8.19	4.47	20.17	
		06:00	30.13	48.93	31.76	8.44	6.58	5.39	28.84	
09:00		30.47	49	31.81	8.3	7.4	8.42	21.29		
12:00		31.63	47.73	31.98	8.28	9.92	7.53	26.45		
15:00		31.45	47.43	31.31	8.23	10.29	9.27	40.69		
18:00		31.31	47.12	31.83	8.19	8.38	9.22	38.57		
21:00		31.3	47.9	31.8	8.25	5.85	9.18	38.98		
日平均值			30.90	48.07	31.78	8.33	8.07	7.26	30.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月31日	蚵殼站	00:00	30.96	46.61	30.45	8.34	11.19	17.49	12.82	
		03:00	30.81	46.68	30.71	8.46	8.99	19.16	14.38	
		06:00	30.95	47.01	30.91	8.48	8.98	18.42	21.55	
		09:00	30.96	47.42	31.02	8.33	10	17.17	15.3	
		12:00	31.19	47.47	31.21	8.4	12.48	19.7	14.54	
		15:00	31.55	47.8	31.4	8.39	12.86	17.27	16.89	
		18:00	31.92	47.74	31.37	8.44	13.65	19.75	16.98	
		21:00	32.01	47.25	31.09	8.38	13.31	18.24	20.55	
	日平均值			31.29	47.25	31.02	8.40	11.43	18.40	16.63
	潮口站	00:00	29.44	47.32	30.99	8.42	12.95	47.08	12.89	
		03:00	29.15	48.62	30.9	8.38	13.73	52.35	16	
		06:00	29.44	46.63	30.59	8.41	13.08	52.92	13.72	
		09:00	30.07	46.46	30.5	8.4	12.46	30.79	6.47	
		12:00	30.1	46.86	30.76	8.44	13.82	51.67	7.87	
		15:00	29.64	44.85	30.45	8.39	11.84	62.39	9.04	
		18:00	30.19	46.78	30.69	8.4	11.39	70.87	6.13	
		21:00	30.02	46.23	30.36	8.44	12.71	41.23	6.06	
	日平均值			29.76	46.72	30.66	8.41	12.75	51.16	9.77
	灣內站	00:00	31.12	47.27	31.53	8.23	5.84	6.48	26.15	
		03:00	30.36	47.88	31.42	8.49	6.09	9.38	23.47	
		06:00	30.67	48.79	31.9	8.39	5.11	18.23	22.32	
		09:00	30.48	48.41	31.76	8.47	5.68	5.76	21.62	
		12:00	31.98	47.67	31.24	8.33	6.48	6.41	23.47	
		15:00	31.1	47.06	31.89	8.48	7.23	7.12	29.4	
		18:00	31.25	47.81	31.37	8.46	5.67	11.37	22.58	
		21:00	31.1	47.61	31.21	8.41	5.68	8.52	20.28	
	日平均值			31.01	47.81	31.54	8.41	5.97	9.16	23.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月1日	蚵殼站	00:00	31.81	46.94	30.86	8.36	11.6	19.51	16.06	
		03:00	30.67	47.38	31.16	8.39	8.26	14.52	12.92	
		06:00	30.27	47.67	31.34	8.34	7.4	14.61	11.47	
		09:00	30.66	47.81	31.4	8.39	8.49	13.73	12.2	
		12:00	31.24	48.15	31.62	8.44	10.95	16.05	10.08	
		15:00	31.84	48.52	31.86	8.39	11.71	16.64	13.62	
		18:00	31.97	48.04	31.56	8.4	11.4	11.62	13.39	
		21:00	31.55	46.7	30.68	8.48	10.1	17.89	12.77	
	日平均值			31.25	47.65	31.31	8.40	9.99	15.57	12.81
	潮口站	00:00	29.21	48.97	32.16	8.37	8.72	37.86	5.51	
		03:00	28.12	50.96	33.46	8.35	8.8	22.03	6.55	
		06:00	29.9	46.74	30.67	8.41	10.31	35.36	6.8	
		09:00	30.9	46.98	30.82	8.42	9.87	36.15	7.37	
		12:00	31.12	47.38	31.1	8.4	10.55	14.29	9.16	
		15:00	29.91	45.92	30.13	8.38	7.61	29.77	11.63	
		18:00	30.02	47.17	30.98	8.37	8.48	18.86	4.58	
		21:00	29.92	47.75	31.35	8.39	7.61	32.53	6.74	
	日平均值			29.89	47.73	31.33	8.39	8.99	28.36	7.29
	灣內站	00:00	30.85	45.95	30.46	8.45	11.58	5.98	20.83	
		03:00	30.72	46.44	30.8	8.35	11.29	5.72	22.98	
		06:00	29.58	47.83	31.71	8.41	10.84	4.91	29.91	
		09:00	30.18	48.02	31.81	8.33	19.78	5.81	23.42	
		12:00	32.51	46.74	30.97	8.38	17.91	7.61	28.61	
		15:00	32.88	46.46	30.83	8.31	11.04	7.27	30.18	
		18:00	32.49	46.62	30.91	8.34	16.17	7.56	24.1	
		21:00	32.19	46.66	30.93	8.37	11.49	5.94	24.22	
	日平均值			31.43	46.84	31.05	8.37	13.76	6.35	25.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月2日	蚵殼站	00:00	31.12	45.36	29.79	8.45	8.79	18.71	12.14	
		03:00	31.07	47.03	30.92	8.41	8.05	15.78	17.51	
		06:00	30.62	48.01	31.56	8.36	8	16.36	12.88	
		09:00	30.94	47.35	31.13	8.46	9.31	10.55	27.04	
		12:00	31.33	47.86	31.44	8.38	10.77	15.98	24.84	
		15:00	32.07	47.44	31.22	8.43	11.88	10.95	24.77	
		18:00	31.98	48.18	31.65	8.35	10.3	15.64	16.69	
		21:00	32.13	48.56	31.88	8.49	9.69	18.31	16.43	
	日平均值			31.41	47.47	31.20	8.42	9.60	15.29	19.04
	潮口站	00:00	29.81	48.32	31.72	8.37	9	26.09	6.98	
		03:00	28.13	49.7	32.65	8.35	7.28	32.18	11.8	
		06:00	29.47	46.59	30.57	8.38	9.57	38.91	11.58	
		09:00	29.88	48.12	31.58	8.36	10.89	11.68	10.38	
		12:00	29.74	48.79	32.01	8.33	7.26	10.91	9.1	
		15:00	29.85	45.9	30.15	8.34	9.94	16.89	8.35	
		18:00	28.84	47.65	31.29	8.35	8.67	25.23	4.99	
		21:00	29.7	47.97	31.29	8.33	9.48	12.58	8.19	
	日平均值			29.43	47.88	31.41	8.35	9.01	21.81	8.92
	灣內站	00:00	31.9	46.71	30.96	8.31	13.1	4.32	24.34	
		03:00	31.45	47.13	31.22	8.48	18.23	6.77	21.31	
		06:00	30.16	48.49	32.14	8.31	16.45	5.9	40.07	
		09:00	31.18	47.92	31.79	8.44	17.51	6.44	38.36	
		12:00	32.33	47.61	31.6	8.38	17.56	6.45	50.77	
		15:00	32.52	47.71	31.66	8.35	13.66	6.83	62.13	
		18:00	32.06	47.88	31.74	8.37	16.26	6.93	60.78	
		21:00	32.05	47.98	31.79	8.41	13.34	9.31	49.42	
	日平均值			31.71	47.68	31.61	8.38	15.76	6.62	43.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月3日	蚵殼站	00:00	32.07	47.9	31.47	8.37	9.35	17.57	16.64	
		03:00	31.54	47.79	31.08	8.32	7.84	11.96	11.46	
		06:00	30.45	47.79	31.09	8.33	7.28	10.48	16.59	
		09:00	30.43	47.91	31.48	8.38	8.74	17.2	18.35	
		12:00	31.44	48.54	31.87	8.48	10.15	17.7	19.19	
		15:00	31.9	49.2	32.07	8.43	10.35	10.96	22.1	
		18:00	31.82	48.74	31.86	8.33	10.01	13.77	22.57	
		21:00	31.8	48.62	31.91	8.44	9.53	13.59	25.61	
	日平均值		31.43	48.31	31.60	8.39	9.16	14.15	19.06	
	潮口站	00:00	29.97	47.81	31.38	8.34	8.95	35.66	10.84	
		03:00	28.57	49.9	32.74	8.35	7.35	39.49	9.64	
		06:00	28.48	48.99	32.17	8.37	8.13	23.31	8.68	
		09:00	29.74	47.74	31.35	8.38	10.33	11.2	7.11	
		12:00	29.58	48.5	31.39	8.33	8.28	26.08	6.62	
		15:00	29.85	45.63	29.97	8.34	7.36	10.44	9.89	
		18:00	28.73	46.65	30.19	8.33	9.46	14.34	4.46	
		21:00	29.24	47.41	31.09	8.3	7.53	36.44	4.62	
	日平均值		29.27	47.83	31.29	8.34	8.42	24.62	7.73	
	灣內站	00:00	31.51	47.75	31.68	8.38	13.48	5.38	45.48	
		03:00	30.58	48.29	31.67	8.4	10.2	4.85	34.61	
		06:00	29.3	48.38	32.04	8.29	13.81	5.43	31.48	
09:00		31	47.93	31.78	8.45	13.09	7.2	35.29		
12:00		32.1	47.72	31.66	8.39	14.06	8.52	44.67		
15:00		32	47.89	31.76	8.37	15.5	8.75	57.87		
18:00		31.11	48.29	31.99	8.35	15.9	5.82	57.81		
21:00		30.95	48.07	31.84	8.49	10.73	7.72	44.9		
日平均值		31.07	48.04	31.80	8.39	13.35	6.71	44.01		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月4日	蚵殼站	00:00	31.71	48.11	31.6	8.38	8.87	18.85	22.33	
		03:00	31	46.86	30.8	8.4	7.74	13.14	11.15	
		06:00	30.62	48.32	31.45	8.31	6.22	12.05	12.95	
		09:00	30.73	47.8	31.4	8.36	7.46	10.64	19.88	
		12:00	31.18	47.47	31.22	8.33	9.55	10.92	27.78	
		15:00	31.18	47.07	30.95	8.34	10.43	13.64	37.66	
		18:00	31.02	47.75	31.13	8.49	8.96	14.15	28.83	
		21:00	30.71	47.79	31.39	8.42	7.67	12.49	27.55	
	日平均值		31.02	47.65	31.24	8.38	8.36	13.24	23.52	
	潮口站	00:00	29.64	47.21	30.97	8.32	9.7	33.11	7.63	
		03:00	28.63	49.68	32.59	8.35	11.35	25.07	11.81	
		06:00	28.54	48.32	31.69	8.34	8.57	46.23	10.86	
		09:00	29.95	45.7	29.58	8.39	8.7	14.51	13.48	
		12:00	29.63	46.78	30.7	8.33	10.16	38.95	9.04	
		15:00	29.34	46.94	30.57	8.35	9.73	11.27	12.29	
		18:00	27.41	48.69	31.8	8.34	11.06	46.6	11.11	
		21:00	29.51	46.27	30.39	8.33	9.32	37.12	9.13	
	日平均值		29.08	47.45	31.04	8.34	9.82	31.61	10.67	
	灣內站	00:00	30.35	47.4	31.4	8.43	17.09	7.98	39.04	
		03:00	30.32	48.19	31.91	8.4	11.93	5.75	37.28	
		06:00	29.43	48.56	32.19	8.32	19.56	9.03	36.97	
09:00		29.66	48.51	32.14	8.3	15.68	7.38	38.21		
12:00		30.17	48.57	32.21	8.34	17.34	8.68	43.96		
15:00		30.4	48.28	31.98	8.42	14.45	7.73	53.96		
18:00		30.09	48.24	31.94	8.4	13.64	6.97	48.04		
21:00		30	48.29	31.99	8.35	15.59	7.1	48.7		
日平均值		30.05	48.26	31.97	8.37	15.66	7.58	43.27		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月5日	蚵殼站	00:00	30.5	47.52	31.24	8.4	6.44	19.36	15.73	
		03:00	30.18	46.99	30.73	8.33	6.55	13.43	13.97	
		06:00	28.55	46.95	30.87	8.25	5.58	19.78	11.48	
		09:00	28.7	47.07	30.96	8.3	6.17	11.54	9.83	
		12:00	29.76	47.89	31.46	8.36	7.62	10.35	10.42	
		15:00	30.97	48.78	32.04	8.43	10	13.6	9.86	
		18:00	30.85	48.67	31.95	8.41	9.17	15.66	10	
		21:00	30.17	48.18	31.64	8.37	7.83	16.64	9.15	
	日平均值			29.96	47.76	31.36	8.36	7.42	15.05	11.31
	潮口站	00:00	29.26	46.48	30.51	8.32	11.06	47.07	5.48	
		03:00	27	48.42	31.79	8.35	10.64	17.84	11.39	
		06:00	26.97	49.34	32.36	8.34	10.2	16.5	14.3	
		09:00	28.46	47.44	31.12	8.36	11.8	35.78	8.91	
		12:00	29.17	47.26	31.01	8.34	9.03	26.27	8.45	
		15:00	29.37	46.81	30.72	8.35	8.79	19.12	5.94	
		18:00	28.51	46.35	30.43	8.36	8.88	57.87	13.22	
		21:00	28.72	45.52	29.88	8.33	10.82	37.49	9.39	
	日平均值			28.43	47.20	30.98	8.34	10.15	32.24	9.64
	灣內站	00:00	29.94	48.36	32.04	8.35	14.59	6.48	43.46	
		03:00	29.19	49	32.48	8.26	19.74	12.46	38.53	
		06:00	28.51	49.43	32.77	8.34	17.05	15.39	40.45	
		09:00	28	49.92	33.08	8.3	15.05	7.59	33.91	
		12:00	29.56	48.94	32.43	8.33	12.38	7.1	38.96	
		15:00	31.14	48.29	31.99	8.48	14.05	13.56	53.42	
		18:00	30.12	48.83	32.4	8.45	15.78	8.46	46.84	
		21:00	29.31	49.32	32.67	8.37	16.36	15.16	42.27	
	日平均值			29.47	49.01	32.48	8.36	15.63	10.78	42.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月6日	蚵殼站	00:00	30.46	48.2	31.66	8.4	7.96	14.71	18.76	
		03:00	30.19	47.78	31.39	8.38	8.47	16.16	19.13	
		06:00	29.02	47.32	31.12	8.34	7.67	17.12	12.18	
		09:00	29.24	47.78	31.39	8.37	8.39	15.59	7.93	
		12:00	29.61	48.21	31.44	8.39	9.05	16.96	8.44	
		15:00	30.21	48.6	31.9	8.42	10.04	10.73	10.01	
		18:00	30.69	49	32.18	8.48	10.79	10.18	18.03	
		21:00	30.76	48.92	32.14	8.47	10.51	13.64	17.03	
	日平均值			30.02	48.23	31.65	8.41	9.11	14.39	13.94
	潮口站	00:00	29.65	46.95	30.19	8.32	9.06	19.41	6.83	
		03:00	27.98	48.66	31.3	8.35	8.17	38.08	10.73	
		06:00	27.62	48.81	31.41	8.34	10.2	27.09	12.61	
		09:00	28.93	48.03	30.87	8.37	10.28	25.59	10.33	
		12:00	29.77	47.45	30.49	8.4	10.5	35.27	6.28	
		15:00	30.31	47.13	30.05	8.38	10.39	45.4	5.81	
		18:00	29.36	47.04	30.24	8.36	11.01	20.7	6.12	
		21:00	29.3	47.12	30.26	8.33	11.45	55.96	5.84	
	日平均值			29.12	47.65	30.60	8.36	10.13	33.44	8.07
	灣內站	00:00	28.65	49.45	32.75	8.31	13.15	12.18	33.72	
		03:00	29.05	49.27	32.63	8.33	10.64	4.89	33.11	
		06:00	28.74	49.51	32.79	8.34	15.11	5.41	38.77	
		09:00	28.79	49.75	32.95	8.35	19.48	9.26	46.99	
		12:00	29.09	50.08	33.01	8.38	11.69	11.42	66.11	
		15:00	29.91	49.8	32.96	8.42	12.7	19.77	74.08	
		18:00	29.62	49.82	33	8.41	15.32	13.75	64.7	
		21:00	29.07	50.1	33.2	8.38	18.35	7.51	71.8	
	日平均值			29.12	49.72	32.91	8.37	14.56	10.52	53.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月7日	蚵殼站	00:00	30.35	48.55	31.87	8.42	9.37	17.33	8.76	
		03:00	30.11	48.02	31.56	8.4	8.3	11.73	6.3	
		06:00	30.15	47.82	31.42	8.42	8.63	19.45	5.48	
		09:00	29.72	48.06	31.58	8.38	8.29	10.13	6.3	
		12:00	30.29	48.66	31.96	8.43	10.05	13.29	9.11	
		15:00	30.87	49.55	32.55	8.45	10.64	12.21	8.72	
		18:00	31.01	49.07	32.23	8.46	10.77	13.52	6.55	
		21:00	31.09	48.84	32.07	8.47	10.39	12.92	5.22	
	日平均值			30.45	48.57	31.91	8.43	9.56	13.82	7.06
	潮口站	00:00	30.34	47.57	30.94	8.38	8.92	19.52	9.26	
		03:00	29.41	48.16	31.32	8.35	10.37	57.69	14.89	
		06:00	28.18	49.12	31.91	8.33	9.45	47.95	14.83	
		09:00	29.4	48.42	31.48	8.34	11.32	50.83	9.57	
		12:00	30.65	47.39	30.79	8.38	10.2	13.54	11.48	
		15:00	30.72	47.28	30.69	8.39	11.84	55.19	6.81	
		18:00	30.28	45.11	30.29	8.37	10.65	22.58	8.7	
		21:00	28.53	45.46	30	8.33	9.89	45.94	6.09	
	日平均值			29.69	47.31	30.93	8.36	10.33	39.16	10.20
	灣內站	00:00	29.11	49.95	32.92	8.39	19.01	5.4	56.09	
		03:00	29.1	49.93	33.09	8.33	12.32	5.84	62	
		06:00	29.02	49.82	33.01	8.34	15.91	4.45	48.29	
09:00		29.39	49.78	32.98	8.37	13.46	6.01	42.52		
12:00		30.46	49.68	32.89	8.45	17.67	9.93	42.44		
15:00		31.06	49.72	32.92	8.47	11.74	11.82	45.45		
18:00		31.27	49.55	32.81	8.49	16.06	10.61	40.35		
21:00		30.76	49.46	32.75	8.33	12.34	9.46	37.68		
日平均值			30.02	49.74	32.92	8.40	14.81	7.94	46.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月8日	蚵殼站	00:00	30.81	48.89	32.11	8.43	9.24	16.86	3.19	
		03:00	30.53	47.79	31.4	8.41	9.17	19.4	1.8	
		06:00	30.72	48.19	31.66	8.42	9.17	11.31	2.25	
		09:00	30.09	48.4	31.8	8.41	9.33	11.14	4.91	
		12:00	30.54	48.94	32.14	8.47	10.81	19.5	12.29	
		15:00	31.64	49.98	32.58	8.37	12.04	16.38	17.27	
		18:00	31.46	49.21	32.33	8.33	11.02	11.83	12.83	
		21:00	31.44	49.09	32.13	8.43	10.32	10.31	7.76	
	日平均值			30.90	48.81	32.02	8.41	10.14	14.59	7.79
	潮口站	00:00	28.39	47.07	30.93	8.42	11.33	15.12	13.03	
		03:00	28.19	48.29	31.75	8.33	11.33	13.69	12.04	
		06:00	27.48	49.21	32.34	8.34	9.86	31.87	8.39	
		09:00	27.65	49.62	31.6	8.3	9.5	12.68	9.79	
		12:00	28.23	46.75	30.73	8.34	11.9	37.55	14.53	
		15:00	28.84	46.97	30.87	8.33	9.06	38.38	6.91	
		18:00	29.31	47.02	30.92	8.34	8.11	21.11	7.93	
		21:00	27.83	45.81	30.09	8.35	11.96	39.23	8.61	
	日平均值			28.24	47.59	31.15	8.34	10.38	26.20	10.15
	灣內站	00:00	30.49	49.42	32.54	8.38	11.99	21.97	35.8	
		03:00	30.47	49.68	32.89	8.41	19	7.72	37.1	
		06:00	30.37	49.75	32.88	8.35	12.15	5.03	35.92	
09:00		30.73	49.64	32.87	8.46	19.33	15.33	35.2		
12:00		31.15	49.39	32.9	8.49	19.17	8.08	40.78		
15:00		31.42	49.02	32.5	8.31	14.26	13.66	73.84		
18:00		31.22	48.98	32.11	8.31	18.39	10.14	42.44		
21:00		31.11	49.43	32.75	8.3	16.31	8.84	62.51		
日平均值			30.87	49.41	32.68	8.38	16.33	11.35	45.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月9日	蚵殼站	00:00	31.35	49.27	32.37	8.35	9.64	18.24	4.25
		03:00	31.18	48.93	32.14	8.39	9.24	13.27	6.14
		06:00	31.02	48.85	32.09	8.37	9.14	17.84	5.15
		09:00	31.11	49.01	32.21	8.39	9.35	11.96	9.27
		12:00	31.04	49.19	32.31	8.39	9.75	14.66	12.39
		15:00	31.67	49.8	32.13	8.43	10.43	16.84	18.76
		18:00	31.46	49.15	32.02	8.35	10.14	11.35	19.13
		21:00	31.32	48.84	32.08	8.49	9.4	10.41	12.18
	日平均值		31.27	49.13	32.17	8.40	9.64	14.32	10.91
	潮口站	00:00	27.97	46.67	30.02	8.31	8.46	44.84	9.06
		03:00	27.83	48.16	30.99	8.33	10.77	11.03	8.28
		06:00	27.79	49.07	31.59	8.37	8.8	24.62	10.21
		09:00	27.69	50.24	32.36	8.35	8.53	35.5	9.99
		12:00	27.84	49.95	31.56	8.33	11.47	33.32	9.99
		15:00	29.25	49.33	31.66	8.31	8.04	18.29	6.52
		18:00	29.77	48.88	30.48	8.32	9.09	44.95	8.04
		21:00	28.37	49.3	31.34	8.33	8.36	11.18	7.84
	日平均值		28.31	48.95	31.25	8.33	9.19	27.97	8.74
	灣內站	00:00	30.67	49.63	32.87	8.34	15.36	6.04	43.08
		03:00	30.53	49.78	32.81	8.36	14.93	7.45	36.92
		06:00	30.11	49.58	32.84	8.32	14.69	6.13	39.31
09:00		30.36	49.68	32.89	8.41	14.4	8.53	41.75	
12:00		30.58	49.56	32.83	8.31	13.19	9.24	40.23	
15:00		30.6	49.26	32.55	8.3	15.01	9.32	37.41	
18:00		30.43	49.71	32.53	8.31	15.68	19.01	34.47	
21:00		30.29	49.5	32.78	8.32	11.61	17.99	32.37	
日平均值		30.45	49.59	32.76	8.33	14.36	10.46	38.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月10日	蚵殼站	00:00	31.09	48.92	31.45	8.48	8.69	18.29	6.04
		03:00	31.04	48.94	30.87	8.3	8.18	18.21	6.19
		06:00	30.84	49.33	32.4	8.34	8.68	10.43	3.65
		09:00	31	49.72	32.65	8.32	8.98	12.54	3.34
		12:00	30.96	49.95	32.79	8.39	8.78	18.5	4.81
		15:00	31.16	49.97	32.8	8.3	9.82	12.12	8.69
		18:00	31.35	49.99	32.82	8.44	9.37	18.04	7.39
		21:00	31.16	49.63	32.59	8.38	9.06	18.48	5.28
	日平均值		31.08	49.56	32.30	8.37	8.95	15.83	5.67
	潮口站	00:00	27.99	49.51	31.51	8.32	10.94	31.13	5.5
		03:00	29.73	48.2	30.14	8.33	14.11	18.67	6.63
		06:00	29.06	48.08	30.95	8.35	10.48	36.72	8.55
		09:00	28.02	48.86	31.41	8.36	14.79	34.6	6.66
		12:00	28.57	48.99	31.53	8.33	9.99	19.18	7.82
		15:00	30.2	48.18	31	8.37	9.51	25.9	10.16
		18:00	30.29	47.59	30.63	8.33	8.74	49.08	5.17
		21:00	29.4	46.96	30.21	8.34	12.43	29.61	5.95
	日平均值		29.16	48.30	30.92	8.34	11.37	30.61	7.06
	灣內站	00:00	30.21	49.5	32.52	8.33	13.71	10.2	31.66
		03:00	30.26	49.49	32.79	8.35	16.22	7.71	32.78
		06:00	30.13	49.31	32.77	8.31	11.47	5.37	42.1
09:00		30.49	49.47	32.77	8.32	14.06	8.02	37.72	
12:00		30.98	49.24	32.74	8.32	15.75	8.09	37	
15:00		30.92	49.47	32.75	8.33	18.83	6.24	40.81	
18:00		30.75	49.06	32.54	8.3	16.71	8.26	39.8	
21:00		30.35	49.13	32.52	8.37	11.58	7.33	34.93	
日平均值		30.51	49.33	32.68	8.33	14.79	7.65	37.10	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
6月11日	蚵殼站	00:00	30.62	49.18	32.31	8.47	8.15	11.16	6.04	
		03:00	30.3	48.75	32.02	8.43	7.65	10.52	6.19	
		06:00	30.42	48.23	31.69	8.45	7.42	14.57	9.03	
		09:00	30.26	48.46	31.83	8.43	7.38	15.34	13.07	
		12:00	29.99	48.58	31.89	8.41	7.78	16.18	15.67	
		15:00	30.45	48.6	31.9	8.44	9.63	18.57	15.77	
		18:00	30.46	48.53	31.61	8.37	9.73	16.94	12.39	
		21:00	30.43	48.37	31.57	8.49	9.07	15.64	18.76	
	日平均值			30.37	48.59	31.85	8.44	8.35	14.87	12.12
	潮口站	00:00	28.24	48.04	30.92	8.31	7.47	22.09	11.31	
		03:00	29.19	46.38	29.82	8.34	14.03	42.63	6.61	
		06:00	29.51	45.74	29.41	8.37	12.04	23.99	6.59	
		09:00	28.52	47.2	30.37	8.33	9.59	35.35	11.28	
		12:00	28.51	47.99	30.88	8.31	12.38	47.35	11.01	
		15:00	29.62	47.98	30.88	8.32	8.38	31.31	10.16	
		18:00	29.26	47.51	30.57	8.33	7.88	40.81	9.26	
	21:00	28.9	44.83	28.81	8.34	14.38	15.62	6.36		
	日平均值			28.97	46.96	30.21	8.33	10.77	32.39	9.07
	灣內站	00:00	30.17	48.92	32.46	8.35	19.45	4.04	36.35	
		03:00	28.46	49.79	33.13	8.34	11.56	7.28	39.22	
		06:00	28.57	49.98	33.12	8.35	12.36	7.87	38.01	
09:00		29.24	49.38	32.71	8.41	12.28	4.32	38.98		
12:00		29.12	49.45	32.74	8.4	19.05	3.81	40.18		
15:00		29.06	49.2	32.74	8.3	11.58	6.46	42.91		
18:00		29.46	48.8	32.4	8.47	11.69	3.84	38.08		
21:00		29.44	48.48	32.4	8.44	10.57	3.34	36.19		
日平均值			29.19	49.25	32.71	8.38	13.57	5.12	38.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
6月12日	蚵殼站	00:00	30.23	48.55	31.69	8.43	7.28	15.19	5.78	
		03:00	29.99	48.21	31.35	8.46	8.07	16.13	7.83	
		06:00	29.4	45.58	29.96	8.4	7.58	14.33	8.08	
		09:00	29.11	44.21	28.87	8.36	7.33	16.45	5.74	
		12:00	29.54	46.15	30.32	8.4	7.87	13.24	11.88	
		15:00	29.72	47.59	31.28	8.41	8.48	16.63	16.81	
		18:00	30.16	47.17	31.02	8.4	11.77	11.77	14.87	
		21:00	30.09	46.03	30.27	8.31	11.59	18.4	12.73	
	日平均值			29.78	46.69	30.60	8.40	8.75	15.27	10.47
	潮口站	00:00	28.72	46.15	29.91	8.32	9.07	18.52	11.52	
		03:00	28.51	45.89	29.84	8.31	10.79	30.56	11.13	
		06:00	28.73	45.54	29.62	8.32	14.86	32.42	9.61	
		09:00	28.54	46	29.93	8.33	12.93	35.65	6.03	
		12:00	28.8	47.51	30.89	8.31	13.12	38.81	6.38	
		15:00	29.27	45.98	29.9	8.3	11.92	19.96	10.45	
		18:00	29.54	45.84	29.81	8.34	10.77	11.7	7.22	
	21:00	28.48	45.05	29.27	8.35	12.18	39.44	9.46		
	日平均值			28.82	46.00	29.90	8.32	11.96	28.38	8.98
	灣內站	00:00	29.36	48.86	32.42	8.34	14.59	3.53	41.6	
		03:00	29.03	48.06	31.52	8.41	15.17	5.92	42	
		06:00	29.29	48.15	31.92	8.37	17.81	7.3	55.68	
09:00		29.12	48.34	32.05	8.39	19.78	5.64	49.28		
12:00		29.01	48.46	32.11	8.41	15.83	6	53.47		
15:00		29.6	47.9	31.74	8.45	13.95	7.07	75.36		
18:00		29.16	48.73	32.32	8.37	17.21	5.61	72.86		
21:00		29.28	48.34	32.01	8.42	17.49	5.21	55.64		
日平均值			29.23	48.36	32.01	8.40	16.48	5.79	55.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月13日	蚵殼站	00:00	29.86	45.9	30.18	8.46	9.7	15.65	12.88	
		03:00	29.17	46.21	30.37	8.32	7.39	17.14	11.68	
		06:00	29.41	45.55	29.92	8.36	7.02	19.61	9.48	
		09:00	29.59	45.9	30.18	8.38	8.18	15.46	8.94	
		12:00	29.88	46.52	30.6	8.49	9.94	18.06	24.46	
		15:00	29.96	47.18	31.02	8.48	10.1	17.26	29.97	
		18:00	30.55	45.89	30.15	8.44	11.99	10.02	17.67	
		21:00	30.86	43.98	28.87	8.39	13.4	15.86	11.25	
	日平均值		29.91	45.89	30.16	8.42	9.72	16.13	15.79	
	潮口站	00:00	28.82	46.48	28.21	8.32	11.91	32.44	6.5	
		03:00	28.7	46.54	31.13	8.31	14.75	32.71	10.1	
		06:00	28.39	47.27	30.57	8.33	14.33	12.73	11.43	
		09:00	28.95	47	29.78	8.34	10.32	10.48	10.98	
		12:00	28.9	47.7	29.89	8.31	11.61	25.45	7.53	
		15:00	29.49	46.58	30.95	8.33	12.36	27.47	5.89	
		18:00	29.08	45.52	30.26	8.39	13.15	27.12	7.19	
		21:00	28.44	45.49	31.09	8.38	9.29	34.5	8.96	
	日平均值		28.85	46.57	30.24	8.34	12.22	25.36	8.57	
	灣內站	00:00	29.23	48.41	31.9	8.37	10.01	4.38	62.43	
		03:00	29.27	48.34	32.02	8.36	11.57	3.12	63.12	
		06:00	29.42	48.23	31.93	8.35	19.13	3.87	60.06	
		09:00	29.98	47.75	31.64	8.43	18.2	7.84	55.48	
		12:00	30.01	47.58	31.56	8.36	11.71	6.71	74.31	
		15:00	29.88	48.04	31.86	8.48	10.2	8.15	66.45	
		18:00	29.53	48.67	32.29	8.41	12.57	8.17	56.96	
		21:00	29.91	48.02	31.82	8.44	17.54	3.86	51.67	
	日平均值		29.65	48.13	31.88	8.40	13.87	5.76	61.31	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月14日	蚵殼站	00:00	30.55	43.44	28.53	8.4	11.79	17.8	11.99	
		03:00	30.04	42.57	27.96	8.49	9.56	12.96	17.49	
		06:00	28.92	39.86	26.18	8.36	8.13	13.5	12.32	
		09:00	29.03	39.58	25.99	8.38	8.31	18.32	10.59	
		12:00	29.48	41.5	27.24	8.43	9.1	17.61	22.07	
		15:00	29.63	41.63	27.35	8.35	11.58	19	44.7	
		18:00	29.88	41.98	27.58	8.34	11.76	18.9	18.52	
		21:00	29.92	42.54	27.95	8.39	11.66	18.72	11.99	
	日平均值		29.68	41.64	27.35	8.39	10.24	17.10	18.71	
	潮口站	00:00	28.23	46.97	29.52	8.33	13.46	18.21	8.62	
		03:00	27.66	45.73	29.72	8.3	10.53	11.18	8.43	
		06:00	28.31	46.3	31.61	8.31	8.67	17.82	7.02	
		09:00	28.41	48.55	30.42	8.33	8.43	17.59	10.1	
		12:00	28.63	45.4	30.81	8.34	8.01	22.21	5.03	
		15:00	28.17	45.31	28.77	8.32	11.11	37.86	7.19	
		18:00	29.14	46.71	31.39	8.33	12.84	30.15	5.77	
		21:00	29.3	47.91	31.75	8.35	9.99	28.4	10.63	
	日平均值		28.48	46.61	30.50	8.33	10.38	22.93	7.85	
	灣內站	00:00	29.72	47.89	31.75	8.47	19.42	4.25	57.28	
		03:00	29.71	47.19	31.3	8.39	19.21	7	61.76	
		06:00	29.47	46.15	30.6	8.35	10.19	11.54	58.75	
		09:00	28.6	44.26	29.36	8.43	13.18	12.33	59.44	
		12:00	28.71	44.22	29.32	8.46	15.52	11.13	62.98	
		15:00	28.85	44.72	29.65	8.32	18.63	7.4	68.17	
		18:00	28.9	45.1	29.92	8.43	11.16	15.12	60.62	
		21:00	28.91	44.76	29.69	8.45	13.23	8.63	57.24	
	日平均值		29.11	45.54	30.20	8.41	15.07	9.68	60.78	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月15日	蚵殼站	00:00	29.75	42.09	27.65	8.43	10.23	13.16	11.58	
		03:00	29.7	42.93	28.18	8.4	8.06	10.63	16.35	
		06:00	29.09	42.17	27.7	8.35	7.87	18.09	11.35	
		09:00	29.99	39.64	26.03	8.44	11.95	15.69	31.64	
		12:00	30.63	39.46	25.92	8.37	10.23	11.42	33.1	
		15:00	31.02	40.61	26.7	8.44	13.65	18.81	39.96	
		18:00	30.37	42.35	27.82	8.38	13.78	16.03	32.33	
		21:00	30.89	41.61	27.08	8.34	13.19	16.27	31.24	
	日平均值			30.18	41.36	27.14	8.39	11.12	15.01	25.94
	潮口站	00:00	28.22	46.91	32.65	8.32	9.98	39.98	8.94	
		03:00	28.04	45.89	33.04	8.31	9.93	22.87	5.63	
		06:00	27.44	48.84	32.22	8.38	8.61	39.78	11.87	
		09:00	28.48	48.01	32.76	8.35	12.9	37.49	10.03	
		12:00	29.29	45.25	32.35	8.37	10.69	34.91	10.97	
		15:00	28.53	46.58	29.51	8.3	9.25	18.21	8.44	
		18:00	29.13	46.03	30.42	8.34	11.06	19.58	11.38	
		21:00	30.26	49.07	32.41	8.47	11.2	21.45	9.3	
	日平均值			28.67	47.07	31.92	8.36	10.45	29.28	9.57
	灣內站	00:00	29.02	44.47	29.47	8.44	10.43	9.42	61.46	
		03:00	29.06	44.98	29.84	8.34	18.38	8.41	71.75	
		06:00	29.08	44.88	29.76	8.4	14.19	7.9	65.08	
		09:00	29.2	43.49	28.83	8.35	19.71	9.71	62.06	
		12:00	31.1	43.22	28.98	8.34	16.89	16.52	65.18	
		15:00	29.89	42.89	28.42	8.41	17.51	13.12	79.14	
		18:00	29.13	44.79	29.69	8.45	10.96	9.53	63.95	
		21:00	29.72	43.65	28.99	8.42	11.11	12.01	41.02	
	日平均值			29.53	44.05	29.25	8.39	14.90	10.83	63.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月16日	蚵殼站	00:00	30.58	42.79	28.09	8.39	12.32	13.58	41.89	
		03:00	29.89	43.73	28.72	8.41	9.37	17.51	18.31	
		06:00	30.11	43.2	28.34	8.46	10.12	10.59	23.79	
		09:00	30.05	43.2	28.37	8.38	11.28	16.7	28.46	
		12:00	30.52	43.55	28.6	8.4	12.48	11.02	40.04	
		15:00	30.67	42.78	28.11	8.37	13.93	10.39	59.08	
		18:00	30.38	42.15	27.68	8.44	6.3	19.42	58.9	
		21:00	30.63	41.49	27.26	8.35	13.79	11.54	34.68	
	日平均值			30.35	42.86	28.15	8.40	11.20	13.84	38.14
	潮口站	00:00	28.7	48.5	32.16	8.36	10.58	21.14	5.18	
		03:00	27.36	48.29	33.09	8.3	10.06	36.26	6.82	
		06:00	27.95	48.53	29.36	8.29	9.93	33.16	8.57	
		09:00	29.16	49.1	31.97	8.41	11.27	32.36	5.14	
		12:00	30.15	46.72	29.84	8.48	9.99	26.66	5.4	
		15:00	29.26	47.95	30.09	8.4	11.75	33.62	9.81	
		18:00	29.35	46.91	32.99	8.39	9.56	34.05	6.88	
		21:00	30.09	46.67	32.09	8.45	12.71	21.33	5.75	
	日平均值			29.00	47.83	31.45	8.39	10.73	29.82	6.69
	灣內站	00:00	29.55	43.8	29.03	8.44	12.78	12.45	59.34	
		03:00	28.79	45.44	30.11	8.37	19	10.97	74.17	
		06:00	28.81	45.52	30.16	8.34	11.94	10.36	52.58	
		09:00	29.59	43.84	29.07	8.49	12.13	14.86	53.08	
		12:00	30.43	42.29	28.02	8.32	16.81	15.48	56.78	
		15:00	30.47	42.74	28.32	8.37	14.04	14.25	46.98	
		18:00	30.43	43.06	28.54	8.3	19.01	21.05	63.03	
		21:00	29.73	44.07	29.21	8.36	11.7	18.12	58.57	
	日平均值			29.73	43.85	29.06	8.37	14.68	14.69	58.07
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月17日	蚵殼站	00:00	30.84	40.37	26.51	8.31	13.1	14.42	29.6	
		03:00	30.3	43.85	28.8	8.34	10.57	13.16	20.87	
		06:00	30.04	44.72	29.38	8.39	7.05	17.33	25.09	
		09:00	29.82	44.89	29.5	8.4	8.33	10.33	28.92	
		12:00	30.93	45.37	29.83	8.42	12.77	18.24	29.93	
		15:00	32.05	45.9	30.17	8.41	13.93	16.05	39.36	
		18:00	31.67	44.68	29.33	8.44	12.3	11.86	21.17	
		21:00	31.53	43.45	28.53	8.36	11.81	13.08	14.89	
	日平均值			30.90	44.15	29.01	8.38	11.23	14.31	26.23
	潮口站	00:00	28.79	49.51	30.77	8.37	11.64	20.69	8.38	
		03:00	28.01	49.98	33.46	8.27	12.25	36.78	9.07	
		06:00	28.34	45.91	33.59	8.33	11.36	10.03	10.72	
		09:00	29.37	45.01	31.09	8.41	11.96	33.71	5.63	
		12:00	31.13	47.59	31.8	8.48	12.42	11.24	10.68	
		15:00	30.31	48.4	32.32	8.46	12.21	22.38	5.4	
		18:00	28.76	47.67	31.92	8.31	9.53	27.1	4.22	
		21:00	29.99	49.19	30.05	8.37	12.59	29.08	6.52	
	日平均值			29.34	47.91	31.88	8.38	11.75	23.88	7.58
	灣內站	00:00	29.73	43.32	28.71	8.4	12.7	9.76	49.62	
		03:00	29.82	43.67	28.96	8.47	14.78	13.42	63.44	
		06:00	29.56	45.19	29.97	8.36	10.34	13.09	78.29	
		09:00	29.72	44.71	29.65	8.41	15.84	12.24	58.59	
		12:00	31.32	41.89	27.74	8.31	11.88	12.9	72.7	
		15:00	31.39	41.97	27.81	8.37	18.4	14.38	41.45	
		18:00	30.82	43.8	29.02	8.31	12.4	12.93	79.63	
		21:00	30.44	44.38	29.41	8.49	10.93	11.36	50.61	
	日平均值			30.35	43.62	28.91	8.39	13.41	12.51	61.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月18日	蚵殼站	00:00	31.6	42.37	27.83	8.34	10.87	13.57	14.73	
		03:00	30.98	44.16	28.99	8.49	9.12	14.12	9.84	
		06:00	29.74	45.11	29.63	8.29	6.95	19.81	9.93	
		09:00	29.75	45.48	29.87	8.38	8.06	19.15	17.08	
		12:00	30.89	45.3	29.77	8.41	12.32	17.6	8.62	
		15:00	32.43	46.01	30.26	8.38	13.11	17.08	16.43	
		18:00	32.35	46.17	30.38	8.4	13.44	17.27	18.26	
		21:00	32.8	45.52	29.91	8.35	12.37	15.2	12.52	
	日平均值			31.32	45.02	29.58	8.38	10.78	16.73	13.43
	潮口站	00:00	29.95	46.86	32.67	8.4	11.3	13.74	8.12	
		03:00	27.85	49.9	33.68	8.32	10.85	23.62	10.49	
		06:00	27.54	47.36	34.39	8.35	11.31	13.59	4.62	
		09:00	30.8	45.96	33.23	8.48	7.4	34.24	8.1	
		12:00	30.38	47.35	34.56	8.42	7.5	38.56	6.99	
		15:00	30.98	45.26	31.52	8.32	11	35.52	7.63	
		18:00	28.74	45.66	33.38	8.28	7.21	36.03	8.98	
		21:00	28.76	45.56	30.28	8.3	10.78	15.53	6.55	
	日平均值			29.38	46.74	32.96	8.36	9.67	26.35	7.69
	灣內站	00:00	30.49	44.18	29.28	8.45	16.46	7.87	38.19	
		03:00	30.43	44.63	29.59	8.47	12.52	8.26	53.6	
		06:00	29.59	46.67	30.94	8.32	13.61	9.81	56.72	
		09:00	29.55	47	31.16	8.34	16.88	8.23	53.71	
		12:00	31.74	44.83	29.72	8.4	17.65	9.17	48.74	
		15:00	32.83	43.98	29.17	8.38	13.82	8.83	47.32	
		18:00	32.49	44.26	29.36	8.33	16.48	15.86	38.94	
		21:00	31.9	44.91	29.78	8.36	17.27	13.93	57.53	
	日平均值			31.13	45.06	29.88	8.38	15.59	10.25	49.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月19日	蚵殼站	00:00	32.58	45.32	29.78	8.32	9.97	13.36	12.19	
		03:00	31.38	46.7	30.71	8.4	11.02	15.05	15.81	
		06:00	29.77	46.23	30.41	8.35	8.58	11.77	9.93	
		09:00	29.42	46.58	30.63	8.36	8.19	10.6	9.19	
		12:00	30.7	49.48	30.85	8.34	9.05	11.96	16.18	
		15:00	32.22	48.04	31.58	8.37	8.42	12.3	20.7	
		18:00	32.5	47.8	31.4	8.37	12.12	11.71	17.5	
		21:00	32.24	47.72	31.35	8.3	8.2	16.07	14.24	
	日平均值			31.35	47.23	30.84	8.35	9.44	12.85	14.47
	潮口站	00:00	29.29	49.1	31.93	8.31	9.76	28.35	4.51	
		03:00	28.27	48.31	32.1	8.38	6.69	16.3	7.11	
		06:00	27.77	47.43	33.37	8.3	6.42	38.62	6.04	
		09:00	29.31	46.71	34.32	8.36	6.11	31.21	6.27	
		12:00	29.39	48.78	30.46	8.32	8.85	34.83	4.59	
		15:00	29.05	48.02	30.52	8.38	6.22	24.43	7.71	
		18:00	28.8	47.81	32.58	8.31	7.12	22.76	6.89	
		21:00	28.49	46.05	31.06	8.25	7.17	22.52	10.98	
	日平均值			28.80	47.78	32.04	8.33	7.29	27.38	6.76
	灣內站	00:00	31.85	45.06	29.89	8.49	15.01	7.55	42.1	
		03:00	31.55	45.81	30.37	8.43	12.99	12.85	38.25	
		06:00	29.16	47.76	31.66	8.34	16.93	6.82	43.95	
		09:00	29.12	48.08	30.63	8.43	9.26	11.87	42.52	
		12:00	32.82	45.49	30.28	8.35	12.33	6.81	46.63	
		15:00	32.69	45.18	30.1	8.37	13.49	8.07	31.26	
		18:00	31.7	45.63	30.42	8.43	11.83	7.48	51.05	
		21:00	31.44	45.8	30.51	8.32	10.75	8.55	56.66	
	日平均值			31.29	46.10	30.48	8.40	12.82	8.75	44.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月20日	蚵殼站	00:00	32.05	47.2	31.04	8.38	8.01	12.87	8.03	
		03:00	31.11	45.32	29.79	8.48	10.69	17	5.81	
		06:00	30.54	46.55	30.62	8.38	10.84	11.1	11.31	
		09:00	30.18	47.29	31.12	8.4	9.92	14.53	18.9	
		12:00	31.23	47.38	31.15	8.36	12.3	18.02	22.38	
		15:00	32.03	47.8	31.4	8.43	8.7	13.08	29.62	
		18:00	32.13	47.8	31.4	8.3	8.94	17.66	26.33	
		21:00	31.8	47.8	31.4	8.44	12.78	14.83	17.14	
	日平均值			31.38	47.14	30.99	8.40	10.27	14.89	17.44
	潮口站	00:00	29.17	46.18	31.13	8.2	8.37	15.24	10.56	
		03:00	28.25	49.68	33.48	8.28	7.51	53.68	6.13	
		06:00	27.69	49.62	33.47	8.3	7.67	59.37	9.09	
		09:00	29.17	46.52	31.36	8.36	9.42	19.04	7.6	
		12:00	29.2	48.66	32.82	8.38	9.35	22.46	9.12	
		15:00	29.66	48.58	32.76	8.35	9.97	25.14	6.08	
		18:00	28.73	46	31.01	8.32	8.04	21.38	7.71	
		21:00	28.29	46.44	31.31	8.29	7.88	23.43	5.26	
	日平均值			28.77	47.71	32.17	8.31	8.53	29.97	7.69
	灣內站	00:00	31.66	45.57	30.39	8.39	11.18	8.26	44.95	
		03:00	30.75	45.9	30.58	8.32	13.67	11.53	44.05	
		06:00	29.48	46.47	30.98	8.36	17.51	7.45	34.88	
		09:00	30.21	46.43	30.95	8.49	16.04	6.72	68.97	
		12:00	31.28	45.9	30.6	8.37	15.25	9.02	55.19	
		15:00	31.49	45.76	30.49	8.41	18.38	12.02	51	
		18:00	31.22	45.45	30.32	8.4	16.81	10.39	38.49	
		21:00	31.13	45.54	30.37	8.36	12.31	10.15	69.11	
	日平均值			30.90	45.88	30.59	8.39	15.14	9.44	50.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月21日	蚵殼站	00:00	31.7	47.42	31.2	8.44	10.63	11.2	13.09	
		03:00	31.59	46.88	30.83	8.34	10.88	11.36	14.19	
		06:00	31.43	46.54	30.61	8.43	9.92	19.97	11.84	
		09:00	30.61	47.05	30.94	8.37	9.33	13.21	17.28	
		12:00	31.37	47.56	31.26	8.39	12.94	11.64	26.47	
		15:00	32.19	47.95	31.51	8.41	9.94	10.82	31.54	
		18:00	32.09	47.78	31.39	8.38	8.97	16.4	25.56	
		21:00	32.06	47.8	31.4	8.32	9.81	16.69	19.35	
	日平均值			31.63	47.37	31.14	8.39	10.30	13.91	19.92
	潮口站	00:00	29.63	46.69	31.49	8.28	9.05	13.75	8.32	
		03:00	29.35	48.09	32.41	8.25	8.32	25.24	4.34	
		06:00	27.87	51.07	34.44	8.32	7.67	74.48	9.89	
		09:00	30.02	47.49	32.01	8.39	11.65	16	10.37	
		12:00	29.37	48.78	32.88	8.38	9.56	23.32	6.1	
		15:00	29.58	48.85	32.94	8.33	8.98	23.87	10.21	
		18:00	29.46	47.01	31.71	8.35	8.11	20.28	6.61	
		21:00	27.83	49.26	33.22	8.29	7.59	26.39	6.92	
	日平均值			29.14	48.41	32.64	8.32	8.87	27.92	7.85
	灣內站	00:00	31.02	45.76	30.48	8.31	15.43	10.73	50.54	
		03:00	30.9	45.95	30.61	8.4	10.96	10.87	50.66	
		06:00	30.26	46.57	31.06	8.33	13.2	10.63	59.37	
09:00		30.76	46.48	31	8.3	11.22	9.41	54.89		
12:00		31.28	46.29	30.89	8.3	10.95	8.74	43.66		
15:00		31.33	46.09	30.71	8.3	18.95	12.16	55.16		
18:00		31.09	45.92	30.61	8.37	17.71	11.68	66.37		
21:00		30.93	46	30.66	8.41	18.56	6.47	60.44		
日平均值			30.95	46.13	30.75	8.34	14.62	10.09	55.14	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月22日	蚵殼站	00:00	31.81	47.84	31.42	8.32	10.24	15.93	20.83	
		03:00	31.63	47.43	31.22	8.44	8.49	14.65	16.56	
		06:00	31.49	47.36	31.17	8.34	9.45	15.96	15.32	
		09:00	31.59	47.55	31.27	8.39	11.94	12.56	18.75	
		12:00	31.51	47.8	31.4	8.32	10.2	19.1	22.92	
		15:00	32	47.82	31.41	8.42	10.89	15.38	40.37	
		18:00	31.86	47.8	31.4	8.34	8.25	13.19	45.8	
		21:00	31.63	47.8	31.4	8.4	12.14	11.82	19.74	
	日平均值			31.69	47.68	31.34	8.37	10.20	14.82	25.04
	潮口站	00:00	29.55	46.82	31.55	8.29	8.75	12.99	7.36	
		03:00	29.42	47.07	31.74	8.3	7.96	12.37	7.73	
		06:00	27.59	50.87	34.29	8.33	7.68	49.01	9.01	
		09:00	29.6	48.1	32.42	8.37	10.06	14.76	8.18	
		12:00	29.92	48.09	32.42	8.4	9.73	22.94	6.98	
		15:00	29.36	48.96	33.02	8.36	8.33	19.52	10.79	
		18:00	29.35	47.14	31.79	8.32	8.55	14.2	8.82	
		21:00	27.82	47.37	31.95	8.34	7.47	26.59	6.5	
	日平均值			29.08	48.05	32.40	8.34	8.57	21.55	8.17
	灣內站	00:00	30.88	46.26	30.84	8.39	16.34	19.97	46.85	
		03:00	30.78	46.12	30.72	8.41	19.36	7.87	55.94	
		06:00	30.56	46.13	30.74	8.35	11.87	8.26	39.18	
09:00		30.71	46.43	30.96	8.39	11.46	9.81	44.41		
12:00		31.01	46.46	30.98	8.3	17.91	8.23	39.44		
15:00		31.19	46.36	30.67	8.36	10.12	9.17	59.72		
18:00		31.11	46.36	30.93	8.41	12.14	8.83	31.6		
21:00		30.91	46.5	31.02	8.4	19.05	15.86	50.5		
日平均值			30.89	46.33	30.86	8.38	14.78	11.00	45.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月23日	蚵殼站	00:00	31.52	47.8	31.4	8.3	8.94	13.55	11.25	
		03:00	31.41	47.52	31.23	8.39	12.3	18.42	14	
		06:00	31.2	47.09	30.97	8.43	8.07	18.66	17.36	
		09:00	31.24	47.67	31.33	8.34	9.65	15.58	23.39	
		12:00	31.38	47.62	31.31	8.38	8.07	10.51	30.18	
		15:00	31.45	47.36	31.17	8.44	9.14	10.29	34.62	
		18:00	31.15	47	30.9	8.39	8.88	15.3	35.57	
		21:00	30.88	47.16	31.02	8.37	12.96	15.22	8.13	
	日平均值			31.28	47.40	31.17	8.38	9.75	14.69	21.81
	潮口站	00:00	28.84	48.63	32.79	8.31	8.25	15.44	8.42	
		03:00	30.05	47.4	32	8.34	8.62	9.43	6.2	
		06:00	28.14	49.14	33.13	8.33	7.74	34.2	4.78	
		09:00	28.94	49.02	33.06	8.34	8.94	19.05	4.32	
		12:00	30.24	47.42	32.01	8.42	10.7	15.56	4.9	
		15:00	30.14	47.52	32.06	8.4	9.43	27.13	2.31	
		18:00	29.73	47.93	32.32	8.39	8.99	16.29	5.82	
		21:00	27.99	50.14	33.8	8.33	7.47	32.56	5.01	
	日平均值			29.26	48.40	32.65	8.36	8.77	21.21	5.22
	灣內站	00:00	30.88	46.21	30.69	8.38	10.81	15.13	44.08	
		03:00	30.76	46.38	30.95	8.4	15.21	13.51	43.24	
		06:00	30.43	46.72	31.16	8.37	12.68	10.4	31.07	
09:00		29.41	47.07	31.12	8.35	16.9	5.74	59.95		
12:00		30.12	46.82	31.21	8.38	13.82	6.4	48.72		
15:00		30.43	46.78	31.19	8.38	11.86	5.49	49.25		
18:00		30.16	46.81	31.2	8.3	10.47	3.81	34.84		
21:00		30.1	46.8	31.2	8.37	11.01	3.5	50.79		
日平均值			30.29	46.70	31.09	8.37	12.85	8.00	45.24	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月24日	蚵殼站	00:00	30.59	47	30.9	8.37	11.84	15.39	30.84	
		03:00	30.52	47.02	30.91	8.3	9.21	16.41	32.8	
		06:00	30.36	46.98	30.68	8.38	10.14	12.57	33.02	
		09:00	29.83	46.94	30.65	8.38	12.77	13.85	12.56	
		12:00	29.51	46.98	30.89	8.36	8.52	16.67	29.05	
		15:00	29.78	47	30.9	8.44	10.33	11.31	37.98	
		18:00	30.77	46.75	30.74	8.36	8.34	19.82	11.8	
		21:00	30.73	46.35	30.1	8.36	10.7	17.75	15.99	
	日平均值			30.26	46.88	30.72	8.37	10.23	15.47	25.51
	潮口站	00:00	28.4	49.35	33.29	8.32	8.72	27.39	2.51	
		03:00	29.46	47.42	32.01	8.42	9.74	8.57	9.82	
		06:00	28.61	48.64	32.79	8.39	8.29	21.99	3.76	
		09:00	27.97	50.15	33.81	8.36	8.13	30.49	9.56	
		12:00	29.3	48.27	32.31	8.4	10.12	15.43	7.45	
		15:00	29.86	48.07	32.13	8.44	10.26	30.94	3.53	
		18:00	29.78	47.98	32.31	8.41	10.29	18.59	9.92	
		21:00	28.54	49.62	33.21	8.35	8.3	37.86	7.73	
	日平均值			28.99	48.69	32.73	8.39	9.23	23.91	6.79
	灣內站	00:00	30	46.66	31.13	8.31	15.74	3.26	55.91	
		03:00	29.68	46.8	31.2	8.48	12.33	4.4	66.43	
		06:00	28.68	48.21	32.16	8.38	15.05	3.45	37.29	
09:00		29.21	47.35	31.2	8.37	12.55	3.02	32.87		
12:00		29	47.56	31.72	8.38	18.95	2.95	50.2		
15:00		29.73	47.36	31.29	8.45	19.26	4.5	40.12		
18:00		29.35	47.86	31.91	8.44	13.22	3.16	38.38		
21:00		29.3	47.7	31.51	8.41	19.68	3.12	64.82		
日平均值			29.37	47.44	31.52	8.40	15.85	3.48	48.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月25日	蚵殼站	00:00	29.96	46.95	30.52	8.4	10.6	16.88	34.09
		03:00	29.43	47.15	30.44	8.28	11.89	14.22	37.04
		06:00	30.21	46.08	30.01	8.4	12.77	16.1	13.5
		09:00	29.15	47.28	30.68	8.31	10.67	17.33	18.35
		12:00	29.79	46.63	30.23	8.49	9.07	18.26	38.4
		15:00	29.62	46.99	30.19	8.35	9.58	10.22	19.16
		18:00	30.02	46.29	30.45	8.36	8.86	14.93	24.17
		21:00	30	46.22	29.63	8.35	10.16	10.94	18.51
	日平均值		29.77	46.70	30.27	8.37	10.45	14.86	25.40
	潮口站	00:00	28.72	49.36	32.68	8.29	8.87	35.03	5.55
		03:00	29.57	47.34	31.29	8.42	11.36	9.28	7.89
		06:00	29.19	48.13	31.83	8.41	9.49	15.13	7.3
		09:00	28.42	49.67	32.77	8.31	8.27	36.6	2.48
		12:00	28.52	48.4	31.66	8.32	8.53	29.88	6.99
		15:00	29.3	48.12	31.9	8.37	9.77	34.69	3.17
		18:00	29.46	48.17	32.44	8.34	9.88	25.95	4.68
		21:00	28.9	49.13	33.13	8.35	8.77	21.65	9.36
	日平均值		29.01	48.54	32.21	8.35	9.37	26.03	5.93
	灣內站	00:00	29.17	47.71	31.28	8.39	11.39	3.11	60.54
		03:00	29.09	47.83	31.9	8.38	13.56	3.68	57.57
		06:00	28.35	48.78	32.21	8.33	11.36	4.54	55.54
		09:00	29.29	47.35	31.3	8.41	11.21	2.95	41.88
		12:00	28.99	48.01	31.73	8.37	12.22	4.56	35.53
		15:00	29.51	47.42	30.83	8.34	12.5	7.1	55.69
		18:00	29.49	47.52	30.93	8.34	14.03	5.31	42.86
		21:00	29.15	47.67	31.79	8.32	11.67	3.86	36.43
	日平均值		29.13	47.79	31.50	8.36	12.24	4.39	48.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月26日	蚵殼站	00:00	29.81	46.7	30.02	8.42	9.44	12.96	16.42
		03:00	29.63	47.02	30.92	8.34	8.48	14.66	22.84
		06:00	29.31	47.55	30.87	8.33	9.4	12.93	29.54
		09:00	29.55	46.22	29.37	8.45	10.15	17.16	31.78
		12:00	29.65	46.54	30.16	8.44	10.5	16.98	25.22
		15:00	29.9	46.11	29.47	8.38	8.44	15.2	37.1
		18:00	29.74	46.44	30.04	8.46	12.65	10.78	37.58
		21:00	29.62	46.32	29.7	8.43	10.2	11.86	36.22
	日平均值		29.65	46.61	30.07	8.41	9.91	14.07	29.59
	潮口站	00:00	28.53	50.14	32.56	8.29	8.11	46.26	5.32
		03:00	28.9	48.2	31.5	8.35	9.69	14.23	2.4
		06:00	28.88	47.87	31.96	8.39	9.69	10.06	4.23
		09:00	28.61	47.72	31.49	8.37	8.25	27.45	5.79
		12:00	28.62	47.8	31.23	8.29	8.35	31.03	3.45
		15:00	29.02	48.13	32.28	8.36	9.96	31.12	2.97
		18:00	29.1	48.1	31.5	8.39	10.68	16.58	6.53
		21:00	28.71	46.98	30.47	8.38	8.98	16.18	2.29
	日平均值		28.80	48.12	31.62	8.35	9.21	24.11	4.12
	灣內站	00:00	29.08	47.71	31.1	8.3	18.38	2.95	50.61
		03:00	28.67	48.07	31.71	8.32	19.66	9.99	42.55
		06:00	28.81	47.67	31.48	8.47	19.02	3.24	64.66
		09:00	28.49	48.58	31.21	8.34	18.72	4.72	49.34
		12:00	28.83	48.04	31.17	8.39	11.34	4.81	67.53
		15:00	28.92	47.84	31.63	8.45	14.21	3.45	50.83
		18:00	28.94	47.73	31.15	8.38	18.53	3.14	66.24
		21:00	28.84	47.76	31.44	8.36	13.02	3.23	54.11
	日平均值		28.82	47.93	31.36	8.38	16.61	4.44	55.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月27日	蚵殼站	00:00	29.64	46.2	30.4	8.44	9.35	17.64	31.88
		03:00	29.48	45.6	29.98	8.49	9.91	10.36	35.95
		06:00	29.02	43.4	27.75	8.42	10.87	15.42	38.42
		09:00	29.25	44.2	28.84	8.42	10.22	14.53	31.59
		12:00	29.63	45.8	30.1	8.44	11.96	12.06	30.87
		15:00	29.66	46.38	30.11	8.46	11.57	11.53	24.64
		18:00	29.63	45.63	29.23	8.49	12.79	12.43	20.01
		21:00	29.61	44.84	29.45	8.41	10.64	12.06	27.09
	日平均值		29.49	45.26	29.48	8.45	10.91	13.25	30.06
	潮口站	00:00	28.24	45.1	29.9	8.34	8.12	38.93	4.35
		03:00	28.51	47.86	31.26	8.28	8.17	32.41	2
		06:00	28.08	45.17	29.06	8.34	7.76	19.16	6.85
		09:00	28.47	47.74	30.83	8.29	7.23	21.25	4.22
		12:00	28.56	48.18	31.05	8.28	7.93	25.89	2.07
		15:00	28.86	46.35	30.53	8.32	10.78	19.33	2.98
		18:00	28.19	44.83	29.84	8.37	12.21	17.12	6.42
		21:00	28.05	46.44	31.32	8.33	10.2	17.37	3.93
	日平均值		28.37	46.46	30.47	8.32	9.05	23.93	4.10
	灣內站	00:00	28.7	47.71	31.45	8.47	13.2	3.67	62.65
		03:00	28.65	47.62	31.76	8.32	16.87	3.14	50.26
		06:00	28.64	47.62	30.56	8.4	15.84	2.93	49.01
09:00		28.4	47.45	30.84	8.41	15.31	5.15	43.88	
12:00		28.79	47.28	30.84	8.39	13.53	5.18	40.32	
15:00		28.81	47.12	30.9	8.35	15.1	6.05	57.65	
18:00		28.64	46.97	31.06	8.38	18.07	4.87	31.84	
21:00		28.79	47.29	31.14	8.48	19.36	4.7	34.67	
日平均值		28.68	47.38	31.07	8.40	15.91	4.46	46.29	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
6月28日	蚵殼站	00:00	29.62	44.99	28.89	8.49	9.65	13.18	27.6
		03:00	29.55	45.3	29.47	8.4	11.66	15.1	27.2
		06:00	29.63	45.33	29.77	8.43	11.31	12.24	24.49
		09:00	29.82	45.4	28.77	8.33	12.71	14.48	10
		12:00	30.06	45.52	29.67	8.44	10.05	11.53	30.98
		15:00	30.34	46.2	29.69	8.41	12.87	12.23	26.55
		18:00	30.92	46.2	29.89	8.42	11.97	12.6	34.29
		21:00	31.14	46.14	29.57	8.33	14	11.77	28.53
	日平均值		30.14	45.64	29.47	8.41	11.78	12.89	26.21
	潮口站	00:00	27.93	47.21	31.82	8.29	7.69	30.62	5.58
		03:00	28.49	46.22	30.89	8.26	7.82	32.61	2.45
		06:00	28.5	46.82	31.56	8.29	7.97	31.76	2.73
		09:00	28.87	46.95	30.86	8.27	10.2	24.1	6.13
		12:00	29.13	48.77	32.41	8.29	8.42	44.49	6.3
		15:00	29.67	46.82	30.68	8.33	10.22	33.4	3.18
		18:00	29.3	45.03	30.15	8.4	9.36	22.32	6.8
		21:00	29.58	46.23	31.17	8.38	10.83	27.35	3.89
	日平均值		28.93	46.76	31.19	8.31	9.06	30.83	4.63
	灣內站	00:00	28.72	47.13	31.23	8.45	15.73	3.05	68.62
		03:00	28.5	47.55	30.89	8.38	16.3	3.77	38.61
		06:00	28.68	47.17	31.43	8.36	19.61	3.26	37.26
09:00		29.21	46.4	30.28	8.46	13.96	5.33	63.81	
12:00		29.49	46.6	30.15	8.34	14.97	5.53	30.28	
15:00		29.18	47.53	31.5	8.41	12.14	3.99	51.67	
18:00		29.95	47.04	31.18	8.47	11.71	5.16	48.54	
21:00		29.76	47.28	30.95	8.36	18.67	3.48	54.93	
日平均值		29.19	47.09	30.95	8.40	15.39	4.20	49.22	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月29日	蚵殼站	00:00	30.85	46.12	29.96	8.31	12.22	12.04	35.03	
		03:00	29.9	46.94	30.55	8.37	12.67	12.1	30.27	
		06:00	29.96	46.92	29.93	8.34	12.66	12.06	30.53	
		09:00	30.1	46.9	30.63	8.38	9.49	11.57	12.33	
		12:00	30.87	46.48	30.58	8.34	14.22	11.91	22.37	
		15:00	30.89	47.05	30.94	8.41	12.92	14.35	28.31	
		18:00	30.7	47.12	30.99	8.34	11.63	13.19	21.44	
		21:00	30.57	47.44	30.2	8.42	13.87	11.56	15.18	
	日平均值			30.48	46.87	30.47	8.36	12.46	12.35	24.43
	潮口站	00:00	28.98	49.58	32.71	8.25	8.18	65.66	5.5	
		03:00	29.34	48.65	32.79	8.26	9.16	55.65	2.72	
		06:00	30.17	45.96	30.68	8.45	12.68	21.78	3.69	
		09:00	30.28	45.67	30.16	8.4	11.47	33.93	3.82	
		12:00	30.19	47.02	31.01	8.36	9.71	39.22	5.03	
		15:00	29.42	48.09	32.41	8.3	9.02	53.21	6.71	
		18:00	29.17	46	31.01	8.38	12.73	17.41	6.7	
		21:00	29.31	45.44	30.03	8.4	12.43	14.82	6	
	日平均值			29.61	47.05	31.35	8.35	10.67	37.71	5.02
	灣內站	00:00	29.32	47.43	30.89	8.38	10.82	3.26	57.38	
		03:00	29.05	47.8	30.69	8.33	12.8	3.41	35.22	
		06:00	29.12	48.06	32.02	8.4	17.24	3.57	49.16	
09:00		29.51	47.09	31.39	8.46	15.41	5.13	50.22		
12:00		29.4	47.98	31.77	8.4	11.95	6.02	47.23		
15:00		29.89	47.45	31.61	8.48	14.3	5.38	50.21		
18:00		30.03	47.4	31.33	8.49	19.89	6.12	36.8		
21:00		30.05	47.39	31.19	8.36	10.2	4.66	35.42		
日平均值			29.55	47.58	31.36	8.41	14.08	4.69	45.21	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月30日	蚵殼站	00:00	30.61	46.91	30.68	8.49	11.53	11.6	25.18	
		03:00	30.38	47.32	30.83	8.42	11.23	13.85	23.34	
		06:00	30.46	47.51	31.26	8.38	12.76	13.1	25.37	
		09:00	30.76	48.17	31.21	8.35	9.32	12.16	11.32	
		12:00	31.09	48.59	31.66	8.39	12.07	11.71	25.4	
		15:00	31.54	48.81	32.06	8.41	11.08	11.61	34.33	
		18:00	31.64	48.88	31.85	8.4	13.38	14.72	20.9	
		21:00	31.18	48.6	31.29	8.41	11.2	12.03	17.59	
	日平均值			30.96	48.10	31.36	8.41	11.57	12.60	22.93
	潮口站	00:00	29.75	48.46	31.94	8.3	7.99	50.76	3.09	
		03:00	29.71	48.55	32.74	8.21	8	68.14	2.7	
		06:00	30.03	46.84	31.56	8.35	9.39	28.58	6.71	
		09:00	30.3	46.97	30.75	8.34	9.8	41.1	4.9	
		12:00	30.78	46.99	31.34	8.26	9.49	26.76	4.07	
		15:00	30.35	48.79	32.44	8.23	8.16	63.22	5.96	
		18:00	29.52	48.13	31.87	8.36	9.08	28.25	6.34	
		21:00	29.09	46.69	31.05	8.35	9.03	20.26	4.92	
	日平均值			29.94	47.68	31.71	8.30	8.87	40.88	4.84
	灣內站	00:00	29.49	48.35	31.87	8.33	12.9	6.92	44.31	
		03:00	29.07	48.66	31.19	8.35	18.46	9.52	47.6	
		06:00	28.79	48.8	32.24	8.34	17.62	3.94	34.99	
09:00		29.55	48.74	32.07	8.37	19.9	3.72	50.21		
12:00		30.22	48.86	32.34	8.36	15.91	5.01	37.39		
15:00		30.57	48.79	32.55	8.34	13.52	5.4	42.97		
18:00		30.7	48.49	31.86	8.34	11.66	5.24	37.12		
21:00		30.62	48.41	31.87	8.35	16.34	4.19	58.87		
日平均值			29.88	48.64	32.00	8.35	15.79	5.49	44.18	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月1日	蚵殼站	0:00	30.96	48.17	31.08	8.37	6.05	12.35	15.1
		3:00	30.94	47.93	30.2	8.35	6.54	14.93	18.2
		6:00	30.85	48.49	31.24	8.27	5.8	12.98	18
		9:00	30.99	48.6	30.98	8.33	5.84	11.74	10.9
		12:00	31.2	48.97	31.94	8.34	5.88	12.29	19.9
		15:00	30.88	48.09	30.32	8.27	6.7	18.24	16.2
		18:00	30.99	47.14	30.72	8.28	6.37	22.87	19.9
	21:00	31.15	47.71	30.8	8.27	6.15	26.94	9.2	
	日平均值		31.00	48.14	30.91	8.31	6.17	16.54	15.93
	潮口站	0:00	30.1	48.76	32.77	8.07	7.96	71.7	21.39
		3:00	29.63	49.6	31.69	7.99	7.57	55.06	16.58
		6:00	30.04	48.27	32.16	8.07	8.06	53.06	18.38
		9:00	30.68	47.97	31.85	8.32	8.71	34.16	21.1
		12:00	30.7	48.12	32.19	8.23	8.22	30.26	19.55
		15:00	30.19	43.51	28.87	8.11	7.46	34.9	22.66
		18:00	30.06	47.25	30.61	8.09	6.37	42.5	4.05
	21:00	30.03	47.47	31.18	8.12	7.49	33.81	9.75	
	日平均值		30.18	47.62	31.42	8.13	7.73	44.43	16.68
	灣內站	0:00	30.32	48.49	32.16	8.36	7.69	16.17	9.65
		3:00	29.98	48.62	32.46	8.26	7.75	25.47	10.35
		6:00	30.05	48.5	32.44	8.18	7.26	19.32	9.1
9:00		30.51	48.51	32.4	8.33	7.44	35.11	7.45	
12:00		31.06	48.64	32.23	8.4	7.48	18.92	12.2	
15:00		30.79	48.53	31.62	8.41	7.81	24.87	11.5	
18:00		30.63	47.93	31.97	8.36	7.66	16.73	16.8	
21:00	30.6	47.76	31.41	8.33	7.67	20.37	9.2		
日平均值		30.49	48.37	32.09	8.33	7.60	22.12	10.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月2日	蚵殼站	0:00	31.32	48.29	30.88	8.26	5.93	31.01	15
		3:00	30.96	47.87	31.15	8.27	6.1	35.46	9.7
		6:00	30.65	47.58	30.79	8.27	5.82	47.04	11.1
		9:00	30.66	48.16	30.76	8.3	6.15	62.92	10.8
		12:00	30.62	49.92	32.03	8.33	5.99	20.19	11.3
		15:00	30.51	49.53	31.32	8.34	6.92	18.89	13.8
		18:00	30.43	48.68	30.9	8.28	6.25	14.31	12.8
	21:00	30.32	49.26	31.34	8.27	6.04	16.31	14.5	
	日平均值		30.68	48.66	31.15	8.29	6.15	30.77	12.38
	潮口站	0:00	29.81	45.7	29.75	8.17	6.62	23.13	5.45
		3:00	29.19	47.75	31.87	8.18	7.55	45.35	4.45
		6:00	29.14	47.93	30.75	8.16	7.23	41.53	6.43
		9:00	29.48	46.54	30.3	8.2	7.08	41.07	4.65
		12:00	29.81	47.41	30.84	8.2	7.3	37.54	6.05
		15:00	29.66	50.31	32.71	8.17	7.38	46.77	6.9
		18:00	29.4	50.18	31.45	8.16	7.39	45.52	4.75
	21:00	29.31	48.85	31.7	8.18	7.4	26.28	5.05	
	日平均值		29.48	48.08	31.17	8.18	7.24	38.40	5.47
	灣內站	0:00	30.57	47.6	30.86	8.31	7.69	26.02	11.7
		3:00	30.2	47.68	31.13	8.3	7.91	25.63	5.4
		6:00	30	48.07	30.51	8.26	7.89	29	8.8
9:00		29.47	49.22	30.92	8.25	7.43	26.46	9.95	
12:00		29.94	50.09	32.2	8.26	6.34	27.55	9.35	
15:00		29.77	50.08	32.16	8.23	6.13	16.56	10.3	
18:00		29.63	49.7	32.43	8.23	6.31	17.45	9.6	
21:00	29.28	48.83	31.37	8.21	5.82	23.17	12.35		
日平均值		29.86	48.91	31.45	8.26	6.94	23.98	9.68	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月3日	蚵殼站	0:00	30.19	48.45	31.71	8.26	6	16.26	19.8	
		3:00	29.92	47.22	30.91	8.23	6.08	13.56	17	
		6:00	29.81	47.51	29.27	8.23	6.67	6.13	12.6	
		9:00	29.98	47.02	30.21	8.25	5.91	12.96	15.5	
		12:00	30.29	47.75	30.39	8.3	6.22	16.16	19.4	
		15:00	30.17	44.69	28.82	8.29	6.51	18.76	14.5	
		18:00	30.08	45.18	29.88	8.29	6.35	18.61	21.6	
		21:00	29.75	42.75	28.26	8.24	6.45	15.41	18.3	
	日平均值			30.02	46.32	29.93	8.26	6.27	14.73	17.34
	潮口站	0:00	29.23	49.11	31.16	8.18	7.26	41.39	2.2	
		3:00	29.45	50.36	33	8.15	7.85	37.54	2.45	
		6:00	29.3	49.68	32.26	8.13	7.7	46.77	3.4	
		9:00	29.19	47.04	29.99	8.23	7.72	41.42	5.1	
		12:00	29.39	46.3	29.47	8.26	7.81	47.48	5.15	
		15:00	29.51	45.11	29.35	8.21	7.59	50.81	17.45	
		18:00	29.35	45.69	29.66	8.18	7.48	62.72	1.55	
		21:00	29	42.75	27.53	8.21	7.89	20.24	3.8	
	日平均值			29.30	47.01	30.30	8.19	7.66	43.55	5.14
	灣內站	0:00	29.09	49.32	32.28	8.23	6.07	25.87	9.7	
		3:00	29.1	48.98	30.59	8.23	6.25	27.5	11.2	
		6:00	29.01	48.88	31.2	8.21	6.21	30.89	7.15	
		9:00	29.1	49.34	32	8.23	6.65	35.23	11.1	
		12:00	29.41	48.03	30.88	8.27	7.87	40.8	10.1	
		15:00	29.4	48.16	31.07	8.25	7.85	36.44	9.1	
		18:00	29.24	47.74	30.96	8.25	7.61	26.28	7.75	
		21:00	29.25	47.24	30.45	8.2	7.27	27.97	8.65	
	日平均值			29.20	48.46	31.18	8.23	6.97	31.37	9.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月4日	蚵殼站	0:00	29.84	44.18	28.06	8.2	6.08	19.1	14.4	
		3:00	29.91	44.3	29.53	8.22	6.4	18.82	13	
		6:00	29.94	48.45	31.09	8.26	5.81	12.55	13.9	
		9:00	29.01	47.75	30.24	8.27	5.82	11.77	12.9	
		12:00	28.56	47.51	29.41	8.27	5.56	17.27	16	
		15:00	29.54	47.02	30.79	8.3	6.4	19.73	13.5	
		18:00	29.72	47.75	30.76	8.33	6.2	17.22	14.7	
		21:00	29.53	49.92	32.03	8.34	5.93	11.99	14.9	
	日平均值			29.51	47.11	30.24	8.27	6.03	16.06	14.16
	潮口站	0:00	28.98	44.55	29.05	8.18	7.23	22.44	2.75	
		3:00	28.69	50.53	33.13	8.17	7.36	47.48	1.08	
		6:00	27.47	48.85	31.73	8.17	7.43	79.81	1.45	
		9:00	28.87	44.68	29.07	8.22	7.82	42.67	4.34	
		12:00	29.57	46.88	29.65	8.26	8.19	60.49	3.2	
		15:00	30.15	45.89	29.57	8.27	10.65	53.4	3.85	
		18:00	27.89	50.17	32.63	8.19	7.66	86.53	3.95	
		21:00	29.2	45.44	29.03	8.21	9.86	30.17	5.5	
	日平均值			28.85	47.12	30.48	8.21	8.28	52.87	3.27
	灣內站	0:00	29.16	46.7	30.33	8.16	6.68	50.8	8.3	
		3:00	29.19	47.11	30.98	8.13	5.88	46.44	6.9	
		6:00	29.3	48.15	31.36	8.14	5.94	36.28	10.25	
		9:00	29.37	48.44	31.66	8.18	7.93	26.13	7.9	
		12:00	29.76	47.18	30.78	8.38	11.13	26.56	6.4	
		15:00	30.72	44.21	28.31	8.47	13.5	29.82	9.3	
		18:00	30.8	44.87	29.03	8.47	6.21	30.43	10.45	
		21:00	30.46	46.09	29.33	8.4	13.56	30.72	9.35	
	日平均值			29.85	46.59	30.22	8.29	8.85	34.65	8.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月5日	蚵殼站	0:00	29.95	45.96	30.43	8.26	9.57	14.4	13.5
		3:00	30.55	46.82	30.35	8.33	9.36	16.5	14.6
		6:00	30.09	47.67	30.27	8.16	9.39	17.2	18
		9:00	30.17	47.54	31.18	8.22	7.28	10	11.7
		12:00	30.27	44.27	29.25	8.37	6.4	38.4	17.6
		15:00	30.42	37.61	24.87	8.18	6.25	17.3	69.07
		18:00	30.45	41.58	27.49	8.32	6.49	16.5	46.55
	21:00	30.42	46.24	30.59	8.21	5.63	16.8	38.33	
	日平均值		30.29	44.71	29.30	8.26	7.55	18.39	28.67
	潮口站	0:00	30.15	44.22	28.01	8.22	11.09	22.49	6.3
		3:00	29	48.43	30.48	8.19	7.65	60.48	4.4
		6:00	27.79	46.57	29.09	8.19	7.52	47.48	17.93
		9:00	28.73	46.36	30.17	8.19	7.64	44.85	8
		12:00	29.06	45.83	29.83	8.23	8.39	39.74	7.81
		15:00	29.4	43.88	28.77	8.29	10.37	47.98	14.2
		18:00	28.38	50.74	33.27	8.18	7	73.22	3.15
	21:00	28.34	47.03	30.84	8.18	8.84	45.48	9.25	
	日平均值		28.86	46.63	30.06	8.21	8.56	47.72	8.88
	灣內站	0:00	29.67	47.82	31.28	8.27	11.2	20.77	8.45
		3:00	29.58	48.03	30.95	8.24	9.4	16.45	9.85
		6:00	29.67	47.74	30.18	8.3	10.92	36.13	8.9
9:00		29.63	48.37	31.11	8.21	8.06	36.56	9.15	
12:00		30.12	46.45	30.1	8.34	11.41	39.82	11.95	
15:00		30.05	41.11	27.04	8.18	13.63	18.98	10.75	
18:00		29.82	40.47	26.62	8.38	11.13	19.09	7.1	
21:00	29.9	45.71	29.77	8.35	13.26	17.04	9.55		
日平均值		29.81	45.71	29.63	8.28	11.13	25.61	9.46	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月6日	蚵殼站	0:00	30.43	47.12	31.13	8.16	5.75	15.2	36.5
		3:00	30.53	46.3	30.63	8.21	6.01	14.4	31.05
		6:00	30.09	47.61	31.46	8.14	5.13	14.8	30.08
		9:00	29.61	48.32	31.96	8.15	5.07	15.7	26.76
		12:00	29.66	48.12	31.82	8.25	5.53	15.7	30.02
		15:00	31.38	42.65	28.19	8.18	6.03	5.79	52.81
		18:00	31.25	43.13	28.52	8.32	6.97	16.7	55.54
	21:00	29.81	47.57	31.43	8.33	6	20.4	34.25	
	日平均值		30.35	46.35	30.64	8.22	5.81	14.84	37.13
	潮口站	0:00	29.37	44.24	29	8.19	9.77	26.38	12.55
		3:00	28.51	48.31	31.67	8.17	7.52	52.98	4.28
		6:00	26.74	51.94	34.05	8.17	7.18	95.49	1.43
		9:00	28.06	46.16	29.84	8.27	9.61	52.78	8.48
		12:00	28.68	47.99	31.47	8.32	9.58	39.3	9.32
		15:00	29.08	48.48	31.78	8.3	9.74	39.36	11.1
		18:00	28.62	49.66	32.56	8.24	8.1	51.39	5.39
	21:00	28.42	46.11	30.05	8.23	8.93	41.29	6.04	
	日平均值		28.44	47.86	31.30	8.24	8.80	49.87	7.32
	灣內站	0:00	29.53	48.29	31.75	8.2	10.5	36.13	12.1
		3:00	29.7	48.2	31.67	8.19	7.61	36.56	9.85
		6:00	29.37	48.54	31.9	8.18	6.51	39.82	12
9:00		28.44	49.6	32.4	8.22	6.78	18.19	9.05	
12:00		29.44	47.15	31.01	8.3	8.09	23.9	17.24	
15:00		31.22	39.57	26.03	8.38	11.13	24.21	27.97	
18:00		29.94	46.04	30.28	8.48	13.26	34.54	23.97	
21:00	29.24	48.21	31.7	8.34	13.52	31.17	19.14		
日平均值		29.61	46.95	30.84	8.29	9.68	30.57	16.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月7日	蚵殼站	0:00	30.13	47.1	31.15	8.3	5.23	13.13	34.17
		3:00	30.13	46.73	30.92	8.24	5.54	11.64	37.91
		6:00	29.92	48.6	32.12	8.16	6.11	11	56.26
		9:00	29.04	48.51	32.1	8.18	6.02	15	54.18
		12:00	29.36	48.06	31.76	8.32	6	16.79	30.57
		15:00	30.93	46.67	30.84	8.48	6.01	15.96	27.86
		18:00	31.59	42.58	28.14	8.29	9.77	10.77	28.46
	21:00	29.98	47.29	31.28	8.4	7.25	7.19	28.84	
	日平均值		30.14	46.94	31.04	8.30	6.49	12.69	37.28
	潮口站	0:00	28.97	43.82	28.72	8.23	8.92	28.95	8.83
		3:00	28.63	47.24	30.97	8.22	7.29	33.64	6.34
		6:00	27.62	50.95	33.4	8.22	6.87	79.82	2.38
		9:00	27.67	49.74	32.61	8.23	7.86	55.11	3.78
		12:00	29.28	46.85	30.72	8.34	11.53	32.78	10.11
		15:00	29.29	47.59	31.19	8.35	10.62	54.29	8.8
		18:00	29.04	48.25	31.63	8.29	8.56	36.3	7.96
	21:00	28.39	50.38	33.04	8.2	6.47	46.51	3.48	
	日平均值		28.61	48.10	31.54	8.26	8.52	45.93	6.46
	灣內站	0:00	28.76	48.66	31.95	8.31	11.58	20.79	11.12
		3:00	28.98	47.8	31.11	8.33	10.06	21.46	4.95
		6:00	29.25	47.92	31.51	8.31	9.1	17.42	13.99
9:00		28.28	49.42	32.49	8.26	8.34	19.43	14.64	
12:00		28.42	49.46	32.53	8.26	7.77	22.19	12.95	
15:00		29.96	46.22	30.39	8.44	7.6	20.24	11.83	
18:00		29.48	46.68	30.69	8.41	8.04	19.53	9.45	
21:00	29.58	47.03	30.91	8.37	8	30.71	8.85		
日平均值		29.09	47.90	31.45	8.34	8.81	21.47	10.97	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月8日	蚵殼站	0:00	29.37	48.74	32.23	8.28	5.52	19.8	23.85
		3:00	30.08	48.41	31.7	8.29	6.61	16.7	32.97
		6:00	30.6	50.6	33.5	8.32	6.61	10.8	5.6
		9:00	30.48	48.06	31.96	8.48	6.76	8.3	16.5
		12:00	30.04	48.22	31.82	8.26	6.36	18.3	12.1
		15:00	30.28	45.07	28.19	8.18	7	29.1	12.3
		18:00	30.21	44.05	28.52	8.11	7.32	16.9	13
	21:00	30.25	47.1	31.43	8.17	10.2	13	16.2	
	日平均值		30.16	47.53	31.17	8.26	7.05	16.61	16.57
	潮口站	0:00	29.66	43.88	28.76	8.31	9.2	24.65	6.68
		3:00	29.26	45.51	29.82	8.32	7.63	47.48	5.95
		6:00	28.42	50.47	33.08	8.2	5.85	53.73	3.07
		9:00	28.13	50.42	32.83	8.19	6.5	55.03	2.44
		12:00	28.7	45.51	29.84	8.31	8.27	37.91	7.77
		15:00	29.17	39.67	26.01	8.48	10.96	40.76	20.65
		18:00	28.83	46.82	30.68	8.31	6.18	34.13	10.93
	21:00	28.54	50.75	33.26	8.21	5.62	45.4	3.52	
	日平均值		28.84	46.63	30.54	8.29	7.53	42.39	7.63
	灣內站	0:00	28.97	48.09	31.63	8.35	8.08	26.15	8.3
		3:00	28.61	48.53	31.91	8.33	8.05	28.43	7.88
		6:00	29.19	47.6	31.3	8.28	8.01	30.02	8.89
9:00		28.37	49	32	8.23	8	34.97	4.95	
12:00		28.07	49.61	32.62	8.24	7.99	34.24	6.82	
15:00		28.54	48.65	31.97	8.26	7.75	35.38	7.36	
18:00		29.15	45.83	30.12	8.4	8.03	25.56	5.05	
21:00	28.7	47.8	31.43	8.34	8	26.06	4.66		
日平均值		28.70	48.14	31.62	8.30	7.99	30.10	6.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月9日	蚵殼站	0:00	30.86	46.67	30.92	8.31	7.44	10.19	10.4
		3:00	30.88	48.6	32.12	8.25	6.15	9.02	9.7
		6:00	30.51	48.51	32.1	8.3	5.76	10.11	12.3
		9:00	29.84	48.06	31.76	8.29	7.62	16.67	9.5
		12:00	29.63	48.97	30.84	8.3	11.37	19.67	8.5
		15:00	29.42	48.92	32.34	8.23	7.57	23.15	14
		18:00	29.66	47.24	30.73	8.27	8.6	19.22	20.6
	21:00	29.62	47.2	31.2	8.23	8.68	16.42	15.03	
	日平均值		30.05	48.02	31.50	8.27	7.90	15.56	12.50
	潮口站	0:00	28.49	47.81	31.35	8.21	6.23	33.72	4.54
		3:00	28.69	47.52	31.17	8.21	5.72	30.91	6.28
		6:00	28.53	48.29	31.66	8.18	5.56	34.73	6.73
		9:00	28.76	50.11	32.85	8.16	6.48	70.42	3.28
		12:00	28.85	48.75	31.95	8.18	7.69	52.69	6.59
		15:00	29.09	41.71	27.36	8.39	11.2	33.32	25.21
		18:00	28.89	43.62	28.6	8.29	6.49	37.84	18.67
	21:00	28.53	48.88	32.05	8.2	5.78	54.93	10.71	
	日平均值		28.73	47.09	30.87	8.23	6.89	43.57	10.25
	灣內站	0:00	28.26	49.07	32.08	8.27	8.08	25.74	4.54
		3:00	28.35	49.12	32.28	8.22	8.18	25.46	4.63
		6:00	28.65	48.39	31.81	8.21	7.94	25.09	6.57
9:00		28.49	48.75	31.8	8.27	7.61	25.53	6.2	
12:00		28.49	49.03	32.21	8.31	8.12	24.59	5.58	
15:00		28.58	48.14	31.63	8.31	9.13	15.46	7.55	
18:00		28.7	46.03	30.25	8.29	8.96	16.65	12.1	
21:00	28.51	48.23	31.71	8.27	8.36	16.02	10.73		
日平均值		28.50	48.35	31.72	8.27	8.30	21.82	7.24	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月10日	蚵殼站	0:00	29.41	49.47	32.67	8.18	7.17	14	10.25
		3:00	29.37	49.33	32.56	8.22	7.5	13.99	10.65
		6:00	29.51	48.06	31.77	8.19	7.14	14.19	21.27
		9:00	29.55	48.92	32.32	8.19	7.21	20.92	27.73
		12:00	29.93	48.22	31.85	8.29	8.88	33.37	19.66
		15:00	30.26	46.49	30.71	8.26	8.73	72.01	17.49
		18:00	30.62	45.07	29.8	8.29	9.68	79.86	16.01
	21:00	30.53	44.05	29.13	8.44	10.6	106.23	23.45	
	日平均值		29.90	47.45	31.35	8.26	8.36	44.32	18.31
	潮口站	0:00	28.45	50.22	32.92	8.16	6.03	49.26	6.44
		3:00	28.56	48.76	31.95	8.15	5.86	35.67	7.6
		6:00	28.66	47.59	31.19	8.15	5.71	27.94	11.37
		9:00	29	47.69	31.26	8.15	5.88	59.96	7.22
		12:00	29.2	46.34	30.38	8.15	5.94	55.1	5.32
		15:00	29.12	48.94	32.08	8.16	6.54	47.29	9.12
		18:00	30.5	43.23	28.34	8.34	11.63	35.2	17
	21:00	29.07	43.55	28.55	8.25	6.47	57.81	7.36	
	日平均值		29.07	47.04	30.83	8.19	6.76	46.03	8.93
	灣內站	0:00	28.44	48.93	32.13	8.26	7.48	13.7	9.29
		3:00	28.51	48.93	32.11	8.26	7.53	13.78	7.94
		6:00	28.64	47.83	31.44	8.28	7.19	12.93	9.98
9:00		28.56	48.3	31.75	8.2	7.56	12.95	10.48	
12:00		28.58	48.37	31.79	8.19	10.02	13.21	13.39	
15:00		29.13	46.31	30.43	8.37	10.99	15.88	19.54	
18:00		29.15	46.53	30.58	8.38	12.28	16.53	21.9	
21:00	29.26	45.64	30.02	8.25	10.2	18.44	20.12		
日平均值		28.78	47.61	31.28	8.27	9.16	14.68	14.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
7月11日	蚵殼站	0:00	30.3	46.96	31.05	8.4	8.85	57.16	20.49
		3:00	29.53	48.38	31.95	8.18	7.36	6.1	13.22
		6:00	29.79	42.66	28.19	8.31	8.85	20.56	20.76
		9:00	29.89	42.32	27.98	8.33	8.62	32.16	27.42
		12:00	29.76	41.28	27	8.33	8.19	11.26	26.28
		15:00	29.51	43.63	27.73	8.26	7.8	16.11	35.51
		18:00	29.55	38.7	25.18	8.33	8.78	100.81	16.34
		21:00	29.4	40.57	23.41	8.33	8.46	53.76	23.34
	日平均值		29.72	43.06	27.81	8.31	8.36	37.24	22.92
	潮口站	0:00	28.62	45.58	29.88	8.17	5.62	80.4	3.28
		3:00	29.01	43.71	28.65	8.22	6.37	46.19	8.28
		6:00	29.05	38.57	24.56	8.33	5.93	35.05	15.73
		9:00	28.83	43.11	27.85	8.22	5.25	46.53	9.63
		12:00	28.32	44.7	29.09	8.19	5.89	64.54	3.15
		15:00	28.53	42.61	27.17	8.2	6.16	48.96	9.4
		18:00	28.8	42.7	21.98	8.29	7.19	43.95	20.48
		21:00	28.64	42.8	26.47	8.18	5.41	40.73	5.9
	日平均值		28.73	42.97	26.96	8.23	5.98	50.79	9.48
	灣內站	0:00	29.52	44.06	28.97	8.26	10.99	10.41	27.59
		3:00	29.23	45.6	29.99	8.16	8.42	14.8	27.85
		6:00	29.11	45.98	30.25	8.15	7.99	25.76	26.25
		9:00	29.36	43.09	28.33	8.31	9.66	7.68	20.54
		12:00	29.42	41.92	26.16	8.36	9.18	7.32	8.6
		15:00	29.41	42.76	27.95	8.33	10.43	8.67	7.75
18:00		28.76	45.04	29.25	8.26	9.83	14.12	32.48	
21:00		28.89	42.13	27.19	8.3	9.71	22	39.16	
日平均值		29.21	43.82	28.51	8.27	9.53	13.85	23.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
7月12日	蚵殼站	0:00	29.46	44.27	28.3	8.18	6.68	57.96	38.82
		3:00	29.51	44.63	28.95	8.11	6.53	57.66	25.4
		6:00	29.62	43.68	28.61	8.17	6.58	44.01	37.88
		9:00	29.64	40.8	26.38	8.26	8.37	88.11	30.68
		12:00	29.69	40.35	26.12	8.31	10.26	51.56	28.84
		15:00	29.89	44.3	28.55	8.25	8.63	25.51	33.9
		18:00	30.39	43.54	28.34	8.3	11.37	6.45	34.92
		21:00	30.69	41.51	26.4	8.29	11.91	47.91	15.29
	日平均值		29.86	42.89	27.71	8.23	8.79	47.40	30.72
	潮口站	0:00	28.16	44.5	29.01	8.19	5.34	50.54	6.02
		3:00	28.15	44.75	29.34	8.18	5.59	47.51	5.55
		6:00	28.42	40.51	25.25	8.23	5.49	43.16	11.69
		9:00	28.72	40.36	25.5	8.27	6.09	34.49	14.42
		12:00	29.31	45.39	29.76	8.19	5.93	48.93	8.71
		15:00	30.52	43.71	28.18	8.15	6.23	41.88	6.3
		18:00	30.63	39.48	25.45	8.34	11.28	40.48	21.23
		21:00	29.83	42.51	27.4	8.27	7.88	39.03	7.9
	日平均值		29.22	42.65	27.49	8.23	6.73	43.25	10.22
	灣內站	0:00	28.88	42.7	27.76	8.24	7.6	23.78	33.96
		3:00	28.77	45.67	30.01	8.16	6.07	25.79	30.57
		6:00	28.21	44.35	28.89	8.18	6.69	35.68	22.92
		9:00	28.59	42.46	27.72	8.3	10.03	14.06	32.34
		12:00	28.86	43.83	27.96	8.28	10.99	6.72	20.89
		15:00	29.13	43.68	28.13	8.31	13.22	6.94	11.62
18:00		29.3	43.2	27.75	8.27	13.98	14.18	7.05	
21:00		29.42	42.51	27.63	8.23	13.52	19.9	7.4	
日平均值		28.90	43.55	28.23	8.25	10.26	18.38	20.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月13日	蚵殼站	0:00	30.55	42.33	28	8.16	8.86	5.35	25.9	
		3:00	30.21	42.83	27.15	8.18	8.42	27.11	36.59	
		6:00	30.13	43.36	28.65	8.22	7.71	58.66	22.72	
		9:00	30.48	39.77	25.72	8.35	11.33	14.3	22.39	
		12:00	31.79	38.05	24.08	8.18	12	10.3	14.4	
		15:00	32.21	39.07	24.55	8.11	14	82.9	26.32	
		18:00	31.99	39.11	25.77	8.17	13.02	44.35	28.57	
		21:00	31.57	40.37	26.04	8.38	12.3	22.96	27.84	
	日平均值			31.12	40.61	26.25	8.22	10.96	33.24	25.59
	潮口站	0:00	29.1	38.85	24.2	8.2	6.41	44.38	7.22	
		3:00	28.92	41.06	25.85	8.14	5.53	53.66	5.25	
		6:00	29.7	36.97	22.36	8.23	7.06	44.57	10.45	
		9:00	30.68	36.12	21.22	8.32	9.77	51.22	7.55	
		12:00	29.88	39.03	24.77	8.24	6.64	50.2	14.5	
		15:00	29.84	37.77	23.51	8.18	5.95	49.8	6.8	
		18:00	30.07	39.89	25.59	8.17	7.92	42.11	5.65	
		21:00	30.66	38.35	24.2	8.25	9.66	37.39	5.5	
	日平均值			29.86	38.51	23.96	8.22	7.37	46.67	7.87
	灣內站	0:00	29.08	43.7	28.49	8.24	11.79	18.07	5.85	
		3:00	29.19	42.51	26.91	8.22	10.88	20.8	7.05	
		6:00	29	43.07	28.05	8.24	7.45	38.14	6.9	
		9:00	29.98	39.19	24.74	8.3	10.96	12.94	6.1	
		12:00	31.32	36.02	23.3	8.28	9.83	16.78	7.1	
		15:00	31.43	35.38	22.02	8.31	7.78	18.64	9	
18:00		31.51	36.6	23.05	8.27	6.99	23.95	5.6		
21:00		31.05	37.2	23.53	8.23	13.06	25.63	5.95		
日平均值			30.32	39.21	25.01	8.26	9.84	21.87	6.69	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月14日	蚵殼站	0:00	31.19	40.79	26.22	8.17	10.9	57.16	29.59	
		3:00	30.14	44.15	28.06	8.1	5.91	6.1	17.97	
		6:00	30.29	44.2	29.23	8.11	5.86	20.56	15.92	
		9:00	30.75	42.77	27.67	8.2	9.07	32.16	28.32	
		12:00	32.08	40.77	26.54	8.45	13.12	11.26	29.36	
		15:00	32.51	41.02	26	8.34	13.82	16.11	41.38	
		18:00	32.04	42.1	27.58	8.46	12.22	100.81	17.68	
		21:00	32.26	41.9	26.81	8.46	11.44	53.76	40.28	
	日平均值			31.41	42.21	27.26	8.29	10.29	37.24	27.56
	潮口站	0:00	28.99	44.04	27.61	8.18	6.66	42.89	9.2	
		3:00	28.7	42.72	26.31	8.19	7.21	47.35	3.65	
		6:00	29.97	37.98	24.64	8.3	8	42.61	3.8	
		9:00	30.05	40.36	25.96	8.31	7.53	50.93	17.18	
		12:00	30.17	41.42	26.94	8.24	7.4	42	12.72	
		15:00	29.58	38.33	22.98	8.2	5.94	50.58	10.86	
		18:00	29.63	39.89	26.14	8.14	6.34	44.94	8.91	
		21:00	30.53	38.65	25.02	8.18	6.92	37.86	10.6	
	日平均值			29.70	40.42	25.70	8.22	7.00	44.90	9.62
	灣內站	0:00	30.19	38.85	24.98	8.49	9.83	51	5.65	
		3:00	29.16	43.1	27.75	8.29	7.78	47.95	8.2	
		6:00	29.19	43.84	28.81	8.23	6.99	31.46	6.8	
		9:00	30.72	38.44	24.38	8.3	8.29	13.75	7.15	
		12:00	31.15	36.02	23.3	8.28	7.47	14.82	7.7	
		15:00	31.53	37.7	24.68	8.31	7.4	14.65	10.15	
18:00		31.09	38.05	24.65	8.27	7.54	11.13	10.7		
21:00		31.66	39.31	25.38	8.23	7.59	14.95	8.15		
日平均值			30.59	39.41	25.49	8.30	7.86	24.96	8.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月15日	蚵殼站	0:00	31.8	42.19	27.11	8.3	9.52	57.96	32.58	
		3:00	30.67	43.59	28.25	8.17	7.57	57.66	30.36	
		6:00	30.38	45.98	29.82	8.11	6.06	44.01	25.73	
		9:00	30.83	45.99	30.19	8.16	7.65	88.11	16.89	
		12:00	31.66	45.18	29.45	8.31	10.84	51.56	39.74	
		15:00	32.46	39.54	25.87	8.42	12.77	25.51	37.59	
		18:00	31.99	40.79	26.48	8.34	10.26	6.45	26.4	
		21:00	31.99	40.51	26.33	8.3	9.75	47.91	23.66	
	日平均值			31.47	42.97	27.94	8.26	9.30	47.40	29.12
	潮口站	0:00	29.44	43.02	27.48	8.17	5.83	40.56	6.31	
		3:00	28.31	42.49	27.06	8.17	6.02	41.46	8.55	
		6:00	30.3	44.47	28.62	8.29	7.61	33.43	9.45	
		9:00	30.52	45.48	29.42	8.47	9.42	23.35	13.55	
		12:00	29.96	43.35	27.74	8.46	9.37	12.82	3.62	
		15:00	29.9	44.7	28.80	8.33	8.1	10.69	13.54	
		18:00	28.44	46	29.83	8.21	7.7	12.28	2.44	
		21:00	30.48	45.09	29.11	8.46	9.65	2.46	3.25	
	日平均值			29.67	44.33	28.51	8.32	7.96	22.13	7.59
	灣內站	0:00	30.56	41.23	26.99	8.46	7.65	33.49	5.25	
		3:00	29.97	43.82	28.54	8.35	8.86	32.13	7.15	
		6:00	29.45	45.6	29.98	8.26	9.83	27.74	9.1	
9:00		30.77	42.09	26.87	8.31	7.42	17.67	7.4		
12:00		31.14	39.02	24.9	8.27	8.13	9.38	17.96		
15:00		31.08	40.35	25.42	8.23	13.6	9.87	22.97		
18:00		31.73	39.12	25.34	8.27	13.47	16.04	22.65		
21:00		31.01	41.38	26.95	8.39	10.28	18.16	15.85		
日平均值			30.71	41.58	26.87	8.32	9.91	20.56	13.54	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月16日	蚵殼站	0:00	31.66	40.46	26.68	8.16	9.25	5.35	15.18	
		3:00	31.02	42.31	27.31	8.16	7.16	27.11	13.25	
		6:00	30.41	43.1	27.97	8.13	6.38	58.66	32.19	
		9:00	30.89	42.39	27.54	8.19	8.73	14.3	17.39	
		12:00	31.74	41.83	26.95	8.27	9.83	10.3	22.43	
		15:00	32.54	40.83	26.69	8.44	12.66	82.9	12.62	
		18:00	31.66	42.52	27.52	8.39	9.7	44.35	19.52	
		21:00	31.75	42.22	27.66	8.3	9.22	22.96	27.78	
	日平均值			31.46	41.96	27.29	8.26	9.12	33.24	20.05
	潮口站	0:00	30.02	43.57	27.91	8.41	8.8	3.35	3.3	
		3:00	27.99	42.96	27.43	8.31	7.74	13.25	4.45	
		6:00	29.33	44.05	28.29	8.49	8.61	3.52	4.25	
		9:00	30.28	45.75	29.63	8.49	9.31	10.79	5.4	
		12:00	29.5	43.94	28.20	8.33	7.85	9.43	6.65	
		15:00	29.32	44.44	28.60	8.25	7.17	6.28	3.65	
		18:00	28.47	46	29.83	8.2	7.49	9.66	5.85	
		21:00	30.12	45.43	29.38	8.43	8.82	2.43	4.85	
	日平均值			29.38	44.52	28.66	8.36	8.22	7.34	4.80
	灣內站	0:00	30.84	42.26	27.46	8.35	9.21	20.34	14.36	
		3:00	30.01	43.5	28.29	8.28	7.61	21.14	12.36	
		6:00	29.37	45.71	29.2	8.21	6.45	35.01	9.42	
9:00		30.58	43.92	28.07	8.32	10.25	11.7	14.35		
12:00		31.94	41.05	26.59	8.23	13.6	11.71	16.55		
15:00		31.62	39.11	25.06	8.3	12.88	9.75	16.9		
18:00		31.62	38.91	25.37	8.28	12.39	12.65	25.26		
21:00		31.26	39.96	25.61	8.31	10.87	22.45	23.49		
日平均值			30.91	41.80	26.96	8.29	10.41	18.09	16.59	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月17日	蚵殼站	0:00	31.61	41.69	27.32	8.31	9.22	37.71	17.17	
		3:00	30.69	42.72	28.15	8.15	6.42	6	13.24	
		6:00	30.26	43.41	27.54	8.12	5.45	67.1	13.59	
		9:00	30.01	43.47	28.65	8.15	6.32	77.91	21.15	
		12:00	30.91	43.12	27.8	8.29	10.43	32.95	36.64	
		15:00	32.42	43.3	28.29	8.44	14	13.21	21.83	
		18:00	31.68	43.7	27.15	8.38	9.45	14.45	25.89	
		21:00	30.91	43.81	28.73	8.23	9.2	9.32	7.97	
	日平均值			31.06	43.15	27.95	8.26	8.81	32.33	19.69
	潮口站	0:00	29.87	44.01	28.26	8.4	8.3	3.83	1.69	
		3:00	27.76	43.42	27.79	8.27	7.45	56.49	1.07	
		6:00	28.64	43.81	28.10	8.44	8.57	40.22	1.31	
		9:00	29.95	45.93	29.77	8.46	8.77	10.21	2.13	
		12:00	29.53	44.57	28.70	8.39	8.74	8.12	3.16	
		15:00	29.77	44.27	28.46	8.36	8.24	7	2.47	
		18:00	28.16	46.02	29.84	8.25	7.39	12.23	7.55	
		21:00	30.8	45.78	29.65	8.4	12.07	5.17	1.51	
	日平均值			29.31	44.73	28.82	8.37	8.69	17.91	2.61
	灣內站	0:00	30.02	42.33	27.2	8.38	10.34	25.78	15.25	
		3:00	29.8	43.37	27.4	8.26	8.21	48.77	13.55	
		6:00	29.18	46.26	29.99	8.21	6.19	27.72	16.9	
9:00		29.8	45.6	28.92	8.32	8.57	16.57	13.05		
12:00		31.07	42.74	27.3	8.21	10.25	21.89	12.85		
15:00		31.39	41.97	26.65	8.32	13.6	8.72	17.05		
18:00		31.77	42.72	26.18	8.23	12.88	10.71	14.6		
21:00		30.14	45.39	29.29	8.37	12.15	36.23	16.75		
日平均值			30.40	43.80	27.87	8.29	10.27	24.55	15.00	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月18日	蚵殼站	0:00	31.47	43.63	28.28	8.29	10.34	7.75	7.03	
		3:00	31	43.84	28.35	8.25	8.44	30.6	32.6	
		6:00	29.64	44.58	29.12	8.09	5.1	10.4	23.34	
		9:00	29.61	44.62	29.2	8.16	5.96	59.06	19.62	
		12:00	30.04	44.04	28.17	8.22	9.1	23.33	11.42	
		15:00	30.57	44.2	28.91	8.3	11.01	52.44	23.42	
		18:00	30.43	44.34	29.02	8.34	10.1	26.12	26.74	
		21:00	30.12	44.65	28.86	8.28	8.48	8.85	21.3	
	日平均值			30.36	44.24	28.74	8.24	8.57	27.32	20.68
	潮口站	0:00	30.67	44.31	28.49	8.31	10.76	2.47	8.3	
		3:00	28.24	43.85	28.13	8.3	7.91	34.03	13.1	
		6:00	28.72	43.85	28.13	8.4	8.95	37.14	10.65	
		9:00	30.27	45.56	29.48	8.46	11.27	6.08	2.36	
		12:00	29.68	45.03	29.06	8.4	7.65	19.94	2.16	
		15:00	30.73	44	28.25	8.25	11.46	8.56	4.9	
		18:00	29.08	45.93	29.77	8.33	7.74	24.62	1.91	
		21:00	30.15	45.94	29.78	8.33	9.77	11.37	7.55	
	日平均值			29.69	44.81	28.89	8.35	9.44	18.03	6.37
	灣內站	0:00	29.36	46.33	29.37	8.29	10.19	33.08	13.35	
		3:00	29.39	46.41	29.89	8.23	9.49	60.98	8.5	
		6:00	28.92	47.24	30.77	8.23	7.46	71.74	36.15	
9:00		28.72	47.72	30.5	8.27	6.56	40.26	35.6		
12:00		30.25	44.94	28.44	8.27	11.52	63.89	9.25		
15:00		30.1	45.6	29.97	8.46	9.75	117.13	15.4		
18:00		28.58	48.53	30.98	8.24	6.04	64.7	15.85		
21:00		29.03	46.78	30.73	8.29	7.67	55.31	16.1		
日平均值			29.29	46.69	30.08	8.29	8.59	63.39	18.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月19日	蚵殼站	0:00	30.21	44.04	28.39	8.27	8.04	44.1	23.91
		3:00	30.29	42.08	27.18	8.31	8.09	78.9	25.74
		6:00	29.88	44.57	27.64	8.16	6.46	3.95	11.95
		9:00	30.08	43.79	28.89	8.22	7.13	28.06	15.49
		12:00	30.22	39.57	25.32	8.32	10.19	84.26	33.7
		15:00	29.72	36.45	22.99	8.39	10.38	25.21	19.21
		18:00	29.07	37.78	21.63	8.4	7.98	88.81	10.81
	21:00	29.15	37.24	21.92	8.32	6.99	56.4	8.79	
	日平均值		29.83	40.69	25.50	8.30	8.16	51.21	18.70
	潮口站	0:00	30.09	44.46	28.61	8.25	9.12	7.72	11.85
		3:00	29.31	43.87	28.15	8.32	7.67	37.14	12.4
		6:00	29.23	43.84	28.12	8.28	7.73	40.22	6.05
		9:00	29.36	45.37	29.33	8.33	7.6	32.03	11.9
		12:00	29.36	44.96	29.01	8.35	7.9	28.51	8.2
		15:00	29	43.52	27.87	8.25	9.19	17.04	12.5
		18:00	28.51	44.91	28.97	8.38	7.26	30.87	8.75
	21:00	27.68	46.07	29.88	8.25	7.87	16.91	8.45	
	日平均值		29.07	44.63	28.74	8.30	8.04	26.31	10.01
	灣內站	0:00	29.25	45.58	29.78	8.4	7.69	40.13	10.45
		3:00	28.96	46.92	30.53	8.36	6.87	35.99	9.35
		6:00	29.08	45.14	29.38	8.42	7.5	31.13	9.65
9:00		29.07	44.51	28.84	8.27	7.97	40.24	14.25	
12:00		29.24	43.19	28.36	8.42	9.45	25.45	17.65	
15:00		28.92	41.33	26.96	8.42	8.47	42.38	13.05	
18:00		28.44	38.97	25.33	8.49	8.07	38.1	10.35	
21:00	28.62	44.38	28.58	8.29	7.36	36.72	11.95		
日平均值		28.95	43.75	28.47	8.38	7.92	36.27	12.09	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
7月20日	蚵殼站	0:00	28.61	35.1	18.41	8.29	6.72	60.6	14.69
		3:00	28.93	35.24	20.91	8.32	6.65	10.05	38.59
		6:00	29.37	39.13	24.38	8.2	5.58	8.3	11.52
		9:00	28.84	37.72	24.13	8.16	6.19	56.6	10.08
		12:00	29	36.99	23.91	8.17	5.62	5.54	34.93
		15:00	28.61	35.81	18.29	8.22	6.55	35.05	15.16
		18:00	28.56	35.62	19.87	8.12	6.32	20.06	24.2
	21:00	28.87	36.07	23.4	8.08	5.64	52.85	26.72	
	日平均值		28.85	36.46	21.66	8.20	6.16	31.13	21.99
	潮口站	0:00	27.92	42.83	27.33	8.44	7	12.1	8
		3:00	28.14	40.37	25.39	8.28	6.09	14.73	8.3
		6:00	27.46	38.61	24.00	8.27	6.97	35.97	11
		9:00	27.51	40.74	25.68	8.37	6.76	11.39	9.05
		12:00	27.63	41.68	26.42	8.41	7.3	17.59	9.9
		15:00	27.86	37.03	22.75	8.37	6.57	19.27	12.3
		18:00	27.99	39.09	24.38	8.31	6.9	11.62	10.55
	21:00	28	45.7	29.59	8.32	7.3	10.41	12.3	
	日平均值		27.81	40.76	25.69	8.35	6.86	16.64	10.18
	灣內站	0:00	28.13	37.29	24.23	8.42	6.77	49.17	10.95
		3:00	28	36.01	23.02	8.46	6.71	19.15	8.85
		6:00	28.52	42.62	27.59	8.28	6.04	23.31	7.95
9:00		28.74	46.15	30.34	8.2	5.38	28.68	9.3	
12:00		28.35	40.43	25.8	8.3	5.82	36.56	9.4	
15:00		27.66	35.62	24.23	8.38	7.64	25.78	11.1	
18:00		28.02	37.32	23.18	8.24	7.54	47.42	16.69	
21:00	28.47	42.88	28.18	8.23	6.02	62.84	10		
日平均值		28.24	39.79	25.82	8.31	6.49	36.61	10.53	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月21日	蚵殼站	0:00	28.75	35.64	21.9	8.14	5.22	9.23	11.14	
		3:00	28.83	35.35	22.16	8.19	5.47	69.1	31.72	
		6:00	28.96	38.6	24.7	8.07	5.34	39.65	39.51	
		9:00	28.89	38.17	24.56	8.1	6.08	81.76	14.85	
		12:00	28.81	36.59	23.77	8.14	5.6	7.7	25.52	
		15:00	28.9	35.81	17.73	8.12	6.67	18.99	25.05	
		18:00	28.88	35.62	18.57	8.09	6.66	7.75	33.09	
		21:00	29	36.25	23.54	8.01	5.64	13.14	23.17	
	日平均值			28.88	36.50	22.12	8.11	5.84	30.92	25.51
	潮口站	0:00	27.9	39.61	24.79	8.33	6.4	7.03	10.71	
		3:00	28.34	35.3	21.39	8.2	5.44	8.39	9.43	
		6:00	27.69	34.72	20.93	8.25	6.69	31.35	10	
		9:00	27.6	36.02	21.96	8.28	6.82	11.97	7.92	
		12:00	27.92	40.31	25.34	8.41	6.98	11.55	8.76	
		15:00	28.4	36.15	22.06	8.38	7.54	18.91	5.91	
		18:00	28.43	36.11	22.03	8.23	6.03	15.7	2.29	
		21:00	28.4	44.42	28.58	8.26	6.99	10.13	10.02	
	日平均值			28.09	37.83	23.39	8.29	6.61	14.38	8.13
	灣內站	0:00	28.24	41.57	27.17	8.21	5.15	56.54	11.55	
		3:00	28.13	37.81	24.61	8.14	5.58	50.81	15.15	
		6:00	28.51	43.33	28.49	8.09	8.47	32.34	13.32	
		9:00	28.58	46.12	30.3	8.14	8.07	22.43	12.45	
		12:00	28.45	42.81	28.12	8.17	5.82	43.77	13.8	
		15:00	28.45	40.7	26.74	8.16	7.38	25.65	15.7	
		18:00	28.42	39.7	26.08	8.16	6.78	23.34	11.75	
		21:00	28.44	41.37	27.17	8.13	5.52	19.82	9.65	
	日平均值			28.40	41.68	27.34	8.15	6.60	34.34	12.92
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月22日	蚵殼站	0:00	28.99	35.68	21.89	8.06	5.21	20.36	12.33	
		3:00	29	35.35	22.29	8.08	5.44	22.2	17.96	
		6:00	29.03	39.57	25.78	8.09	5.34	14.05	13.87	
		9:00	28.93	40.8	26.88	8.12	6.31	22.27	23.54	
		12:00	29.08	38.21	25.18	8.15	7.27	19.6	11.03	
		15:00	29.59	37.14	24.13	8.14	8.45	11.35	21.7	
		18:00	29.79	36.02	23.56	8.19	9.32	27.95	14.4	
		21:00	29.6	38.98	25.69	8.13	7.27	20.01	32.61	
	日平均值			29.25	37.72	24.43	8.12	6.83	19.72	18.43
	潮口站	0:00	28.46	41.54	26.31	8.28	6.68	8.31	6.76	
		3:00	28.3	35.71	21.71	8.19	5.4	5.65	7.84	
		6:00	27.91	35.14	21.26	8.27	6.92	9.52	3.95	
		9:00	27.87	35.72	21.72	8.33	8	12.34	2.28	
		12:00	28.58	40.22	25.27	8.44	9.41	13.57	2.99	
		15:00	28.88	37.72	23.30	8.35	7.96	25.5	2.9	
		18:00	28.84	35.82	21.80	8.3	6.83	12.88	2.43	
		21:00	28.82	40.64	25.60	8.33	7.4	12.38	2	
	日平均值			28.46	37.81	23.37	8.31	7.33	12.52	3.89
	灣內站	0:00	28.61	44.49	29.22	8.12	7.5	21.57	12	
		3:00	28.38	42.69	28.04	8.16	9.45	16.53	11.8	
		6:00	28.48	45.68	30.01	8.11	5.05	9.79	15.25	
		9:00	28.4	46.06	30.26	8.15	6.64	6.42	9.81	
		12:00	28.69	44.1	28.99	8.21	7.67	33.45	19.17	
		15:00	28.94	41.04	26.97	8.39	9.91	15.55	26.8	
		18:00	28.93	41.82	27.48	8.37	9.28	8.95	16.6	
		21:00	28.79	43.18	28.37	8.29	8.22	23.74	10.78	
	日平均值			28.65	43.63	28.67	8.23	7.97	17.00	15.28
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月23日	蚵殼站	0:00	29.55	38.95	25.67	8.01	6.63	30.3	15.65	
		3:00	29.44	38.61	25.46	8.05	6.39	8	19.5	
		6:00	29.61	40.55	26.75	8.01	6.6	5.05	26.72	
		9:00	29.6	42.67	27.3	8.06	6.05	6.25	25.72	
		12:00	29.99	44.56	27.02	8.14	8.85	6.75	15.72	
		15:00	31.29	43.76	28.44	8.22	13.6	15.5	27.96	
		18:00	31.24	43.66	28.39	8.23	10.3	9.05	12.45	
		21:00	30.69	44.55	29.2	8.19	9.52	12	10.04	
	日平均值			30.18	42.16	27.28	8.11	8.49	11.61	19.22
	潮口站	0:00	28.55	41.73	26.46	8.43	7.78	7.47	2.18	
		3:00	28.69	36.12	22.04	8.22	6.1	7.54	2.53	
		6:00	28.6	35.53	21.57	8.24	6.13	19.82	8.65	
		9:00	28.97	35.81	21.79	8.31	8.52	18.66	2.8	
		12:00	29.85	39.61	24.79	8.25	13.29	21.29	5.68	
		15:00	30.64	39.18	24.45	8.22	13.03	29.88	6.62	
		18:00	29.21	36.18	22.08	8.14	6.12	26.8	4.04	
		21:00	28.96	36.67	22.47	8.11	7.06	25.91	2.32	
	日平均值			29.18	37.60	23.21	8.24	8.50	19.67	4.35
	灣內站	0:00	28.79	45.48	29.9	8.14	6.47	32.19	13.05	
		3:00	28.47	43	28.25	8.29	8.17	16.05	11.1	
		6:00	28.59	43.35	28.47	8.22	7.8	11.83	18.15	
		9:00	28.77	46.87	30.82	8.16	8.61	22.22	13.75	
		12:00	29.3	46.62	30.44	8.19	7.46	25.31	12.35	
		15:00	29.88	46.33	30.46	8.22	6.81	26.56	15.2	
18:00		30.19	45	29.59	8.24	7.37	38.63	17.6		
21:00		30.16	45.08	29.63	8.22	7.12	25.13	15.35		
日平均值			29.27	45.22	29.70	8.21	7.48	24.74	14.57	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月24日	蚵殼站	0:00	30.67	44.56	29.04	8.17	8.82	2.6	9.06	
		3:00	30.61	44.61	29.23	8.14	8.23	4.55	7.76	
		6:00	30.48	44.78	29.39	8.06	7.07	20.3	10.36	
		9:00	30.44	45.77	29.97	8.08	7.18	12.42	7.69	
		12:00	30.61	46.14	30.23	8.11	7.93	8.09	6.38	
		15:00	31.56	45.66	29.73	8.22	11.75	92.16	8.81	
		18:00	33.17	45.09	29.55	8.38	10.3	46.49	9.72	
		21:00	32.61	44.64	29.25	8.35	10.8	103.76	10	
	日平均值			31.27	45.16	29.55	8.19	9.01	36.30	8.72
	潮口站	0:00	29.35	40.06	25.14	8.17	7.78	14.72	2.44	
		3:00	29.45	36.59	22.41	8.11	7.01	12.13	3.75	
		6:00	29.1	35.66	21.67	8.09	5.71	15.91	1.83	
		9:00	29.44	35.8	21.78	8.24	7.61	14.7	1.54	
		12:00	29.93	38.8	24.15	8.34	9.73	16.28	3.93	
		15:00	30.11	40.83	25.75	8.38	11.04	28.26	5.77	
		18:00	30	36.76	22.54	8.32	9.88	14.88	4.97	
		21:00	29.71	36.07	22.00	8.19	7.8	28.17	2.53	
	日平均值			29.64	37.57	23.18	8.23	8.32	18.13	3.35
	灣內站	0:00	29.74	46.54	30.58	8.15	5.55	30.86	14.4	
		3:00	30.11	44.93	29.52	8.16	6.92	47.35	10.45	
		6:00	30.2	44.55	29.26	8.21	7.62	59.27	11.9	
		9:00	29.94	45.99	30.09	8.17	6.94	72.96	9.85	
		12:00	29.9	46.85	30.81	8.26	8.33	33.84	12.15	
		15:00	31.83	43.27	28.43	8.29	11.76	19.88	13.65	
18:00		32.69	41.09	26.99	8.22	9.45	32.77	15.35		
21:00		32.27	42.39	27.85	8.16	12.62	54.95	12.8		
日平均值			30.84	44.45	29.19	8.20	8.65	43.99	12.57	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月25日	蚵殼站	0:00	31.01	44.21	28.82	8.24	10.89	76.56	8.81	
		3:00	31.05	44.04	28.85	8.15	9.75	5.35	6.67	
		6:00	31.49	43.61	28.6	8.14	11.3	31.8	7.97	
		9:00	30.91	45.75	29.99	8.19	9.39	23.6	10.78	
		12:00	31.23	46	29.92	8.29	10.95	65.81	9.26	
		15:00	32.75	44.83	29.41	8.37	13.1	93.01	7.79	
		18:00	33.37	46.1	30.19	8.45	10.3	91.01	9.61	
	21:00	32.84	46.58	30.52	8.44	13.21	12.5	9.52		
	日平均值			31.83	45.14	29.54	8.28	11.11	49.96	8.80
	潮口站	0:00	29.99	36.57	22.39	8.21	8.34	27.57	1.82	
		3:00	30.26	36.62	22.43	8.35	10.45	15	3.74	
		6:00	30.1	35.82	21.80	8.3	8.55	24.19	5.61	
		9:00	30.15	35.9	21.86	8.28	8.6	18.98	3.88	
		12:00	30.4	38.19	23.67	8.26	9.4	22.65	2.17	
		15:00	30.32	42.66	27.19	8.34	10.91	24.82	5.32	
		18:00	30.54	37.98	23.50	8.43	11.77	16.41	5.2	
	21:00	30.32	36.29	22.17	8.3	9.29	16.5	2.5		
	日平均值			30.26	37.50	23.13	8.31	9.66	20.77	3.78
	灣內站	0:00	31.08	44.97	29.55	8.37	11.12	71.17	10.5	
		3:00	30.27	45.65	30.04	8.26	10.02	92.64	11.1	
		6:00	30.35	45.38	29.83	8.23	9.32	146.64	9.2	
9:00		31.57	44.06	28.95	8.45	11.02	133.92	11.85		
12:00		32.35	42.07	27.64	8.29	13.95	136.52	12.05		
15:00		32.72	39.71	26.11	8.22	10.17	110.96	12.15		
18:00		32.41	40.05	26.31	8.16	11.94	110.68	14.4		
21:00	31.78	41.71	27.43	8.21	12.34	177.76	11.9			
日平均值			31.57	42.95	28.23	8.27	11.24	122.54	11.64	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月26日	蚵殼站	0:00	31.9	44.74	29.34	8.34	12.91	30.85	9.99	
		3:00	31.91	44.92	29.47	8.3	12.34	17.2	8.67	
		6:00	31.95	44.6	29.26	8.29	11.49	23.35	8.63	
		9:00	31.84	44.99	29.47	8.26	11.65	18.6	13.15	
		12:00	31.94	45.7	29.94	8.35	12.85	7.85	25.77	
		15:00	32.59	44.93	29.46	8.43	13.5	9.25	31.2	
		18:00	32.86	44.09	28.87	8.34	13.8	7.55	27.2	
	21:00	32.52	44.29	29.02	8.3	11.59	18.35	23.88		
	日平均值			32.19	44.78	29.35	8.33	12.52	16.63	18.56
	潮口站	0:00	30.59	36.2	22.10	8.33	9.64	26.79	1.64	
		3:00	31.3	36.7	22.49	8.22	13.11	13.1	3.8	
		6:00	31.33	36.21	22.11	8.34	13.1	15.55	5.38	
		9:00	30.33	36.05	21.98	8.32	8	22.5	3.93	
		12:00	30.94	37.67	23.26	8.3	8.38	20.27	1.19	
		15:00	30.87	43.85	28.13	8.31	9.69	20.49	2.54	
		18:00	30.97	40.22	25.27	8.41	10.94	17.91	2.44	
	21:00	30.53	36.82	22.59	8.33	9.17	17.02	1.2		
	日平均值			30.86	37.97	23.49	8.32	10.25	19.20	2.77
	灣內站	0:00	30.72	44.09	28.98	8.49	13.39	157.63	9.3	
		3:00	30.23	45.05	29.6	8.36	11.21	113.23	5.6	
		6:00	30.51	44.74	29.4	8.33	10.36	155.92	7.55	
9:00		31.36	42.87	28.18	8.37	11.41	181.9	13.2		
12:00		31.97	41.61	27.19	8.26	13.77	110.66	12		
15:00		31.89	41.58	27.32	8.23	9.91	65.94	10.7		
18:00		31.82	41.09	27	8.45	13.94	104.04	7.05		
21:00	31.66	41.28	27.09	8.21	13.83	149.63	7.4			
日平均值			31.27	42.79	28.10	8.34	12.23	129.87	9.10	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月27日	蚵殼站	0:00	32	45.03	29.54	8.43	10.61	18.61	19.64	
		3:00	31.89	45.93	29.78	8.35	8.95	3.1	17.28	
		6:00	31.69	45.74	29.98	8.3	8.43	7	31.67	
		9:00	31.88	44.73	29.3	8.28	10.45	30.25	63.6	
		12:00	31.88	44.95	29.45	8.38	11.78	81.96	69.14	
		15:00	31.99	44.02	28.87	8.48	12.81	54.55	55.32	
		18:00	31.96	44.64	29.26	8.41	11.21	76.01	48.89	
		21:00	32.03	43.42	28.44	8.34	12.03	44.5	33.94	
	日平均值			31.92	44.81	29.33	8.37	10.78	39.50	42.44
	潮口站	0:00	29.7	36.37	22.23	8.2	7.62	27.86	0.41	
		3:00	30.9	36.95	22.69	8.34	10.75	14.9	1.17	
		6:00	31.1	37.82	23.38	8.22	10.81	15.84	1.92	
		9:00	30.99	36.49	22.33	8.49	9.2	24.05	1.7	
		12:00	30.27	37.3	22.97	8.25	6.7	23.23	1.07	
		15:00	30.7	44.66	28.77	8.37	9.5	22.12	1.09	
		18:00	31.23	42.95	27.42	8.22	11.3	23.82	2.17	
		21:00	30.56	37.6	23.20	8.33	7.7	26.48	0.91	
	日平均值			30.68	38.77	24.12	8.30	9.20	22.29	1.31
	灣內站	0:00	31.14	43.06	28.31	8.23	13.44	169.16	5.85	
		3:00	30.4	45.45	29.87	8.41	11.87	175.86	7.05	
		6:00	30.73	44.92	29.51	8.43	10.18	134.72	6.9	
9:00		31.12	43.08	28.3	8.41	10.17	110.43	6.1		
12:00		31.33	42.43	27.86	8.28	11.94	96.23	7.1		
15:00		31.09	43.31	28.45	8.21	12.34	122.34	9		
18:00		31.08	43.39	28.5	8.47	11.94	145.41	5.6		
21:00		31.13	43.13	28.37	8.45	11.73	160.36	5.95		
日平均值			31.00	43.60	28.65	8.36	11.70	139.31	6.69	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月28日	蚵殼站	0:00	31.62	45.31	29.67	8.31	8.69	43.15	30.39	
		3:00	31.07	46.8	30.69	8.22	6.89	79.4	26.88	
		6:00	31.23	45.73	29.97	8.19	6.94	16.45	21.39	
		9:00	31.3	45.97	30.12	8.23	10.47	65.1	21.74	
		12:00	31.94	46.69	30.62	8.31	13.11	30.3	34.52	
		15:00	32.53	45.76	29.98	8.46	13.75	56.71	65.24	
		18:00	32.3	44.7	29.25	8.34	13.46	108.76	52.83	
		21:00	32.03	44.02	28.87	8.3	12.38	77.76	34.26	
	日平均值			31.75	45.62	29.90	8.30	10.71	59.70	35.91
	潮口站	0:00	29.57	36.84	22.60	8.2	6.95	42.44	0.26	
		3:00	30.08	37.04	22.76	8.44	8.97	23.07	0.48	
		6:00	30.51	40.73	25.67	8.22	9.14	25.06	1.62	
		9:00	30.98	38.38	23.82	8.42	8.36	34.76	1.7	
		12:00	30.87	37.42	23.06	8.35	7.68	30.82	1.13	
		15:00	30.91	44.55	28.68	8.31	8.57	31.6	0.73	
		18:00	31.36	44.99	29.03	8.22	11.19	27.32	0.92	
		21:00	30.76	38.89	24.22	8.35	8	31.65	0.72	
	日平均值			30.63	39.86	24.98	8.31	8.61	30.84	0.95
	灣內站	0:00	30.83	44.51	29.22	8.41	11.57	160.9	5.65	
		3:00	29.97	46.67	30.68	8.28	10.45	161.71	8.2	
		6:00	30.09	46.62	30.63	8.21	6.75	149.58	6.8	
9:00		31.06	44.84	29.45	8.46	11.1	174.75	7.15		
12:00		31.88	42.73	28.06	8.23	13.82	102.65	7.7		
15:00		30.46	46.3	30.43	8.41	7.22	113.02	10.15		
18:00		31.36	44.46	29.19	8.47	11.54	110.9	10.7		
21:00		31.28	44.11	28.97	8.45	10.24	155.28	8.15		
日平均值			30.87	45.03	29.58	8.37	10.34	141.10	8.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月29日	蚵殼站	0:00	31.6	45.22	29.65	8.42	9.7	58.46	26.3	
		3:00	31.23	47.56	31.13	8.24	7.02	80.86	21.96	
		6:00	31.27	47.59	31.14	8.23	7.15	71.91	20.36	
		9:00	31.48	47.64	31.17	8.2	10.01	99.66	19.08	
		12:00	32.28	47.53	31.13	8.29	13.82	96.86	49.15	
		15:00	32.19	46.92	30.74	8.49	13.04	94.96	66.73	
		18:00	32.41	46.33	30.18	8.34	12.29	10.2	49.13	
	21:00	32.46	46.1	29.91	8.47	11.02	10.95	30.08		
	日平均值			31.87	46.86	30.63	8.34	10.51	65.48	35.35
	潮口站	0:00	29.53	37.61	23.21	8.2	6.53	47.18	0.39	
		3:00	29.78	37.19	22.88	8.26	7.29	40.11	0.2	
		6:00	30.39	42.34	26.94	8.45	9.11	29.82	0.59	
		9:00	30.98	41.54	26.31	8.39	7.54	47.32	0.82	
		12:00	31.44	38.01	23.53	8.43	9.43	34.85	1.57	
		15:00	30.99	43.75	28.05	8.32	8.8	40.69	0.8	
		18:00	30.99	45.84	29.70	8.35	8.94	37.21	1.22	
	21:00	31.35	40.72	25.66	8.41	9.04	38.46	0.31		
	日平均值			30.68	40.88	25.79	8.35	8.34	39.46	0.74
	灣內站	0:00	30.91	44.57	29.29	8.41	9.44	168.08	5.25	
		3:00	30.12	46.74	30.68	8.28	7.08	124.96	7.15	
		6:00	29.98	46.92	30.82	8.23	10.51	61.47	9.1	
9:00		30.91	46.05	30.26	8.33	8.94	45.66	7.4		
12:00		32.13	43.73	28.72	8.23	12.97	31.92	17.96		
15:00		31.15	45.43	29.85	8.48	9.18	31.96	22.97		
18:00		30.6	46.93	30.86	8.4	7.24	47.36	22.65		
21:00	31.39	45.57	29.97	8.23	10.51	54.02	15.85			
日平均值			30.90	45.74	30.06	8.32	9.48	70.68	13.54	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月30日	蚵殼站	0:00	32.19	47.32	31.02	8.38	10.65	11.56	26.87	
		3:00	31.85	48.39	31.69	8.36	9.16	12.51	25.07	
		6:00	31.82	47.63	30.94	8.33	8.57	11.86	20.76	
		9:00	31.86	47.93	31.43	8.29	11.27	13.91	25.39	
		12:00	32.44	48.13	31.54	8.36	13.71	14.46	43.6	
		15:00	32.9	47.05	30.84	8.48	13.89	14.56	71.39	
		18:00	32.55	44.87	29.41	8.47	12.17	17.82	61.65	
	21:00	32.27	44.88	29.39	8.39	10.87	16.96	38.91		
	日平均值			32.24	47.03	30.78	8.38	11.29	14.21	39.21
	潮口站	0:00	30.19	38.55	23.95	8.28	7.42	42.35	0.39	
		3:00	30.1	37.67	23.26	8.3	7.33	46.77	0.3	
		6:00	30.53	42.25	26.87	8.39	7.75	37.91	0.27	
		9:00	30.76	43.72	28.03	8.35	7.73	58.5	0.76	
		12:00	31.23	39.16	24.43	8.43	9.56	46.92	0.54	
		15:00	31.37	42.58	27.13	8.25	7.47	56.06	0.58	
		18:00	30.86	45.83	29.69	8.35	8.41	58.65	0.62	
	21:00	30.74	43.06	27.51	8.29	7.03	45.59	0.64		
	日平均值			30.72	41.60	26.36	8.33	7.84	49.09	0.51
	灣內站	0:00	31.23	45.57	29.98	8.48	9.94	38.44	16.2	
		3:00	30.59	46.47	30.54	8.39	8.34	29.49	16.7	
		6:00	30.63	47.1	30.67	8.29	5.44	36.26	17.4	
9:00		31.4	46.11	30.3	8.49	11.16	36.1	14.35		
12:00		32.12	44.95	29.54	8.23	13.58	33.5	16.55		
15:00		32.32	44.55	29.25	8.41	13.75	42.39	16.9		
18:00		32.13	44.89	29.5	8.47	12.62	57.24	15.95		
21:00	32.11	45.2	29.72	8.45	11.32	61.03	18			
日平均值			31.57	45.61	29.94	8.40	10.77	41.81	16.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月31日	蚵殼站	0:00	32.21	45.81	29.85	8.36	10.48	22.67	31.34	
		3:00	31.94	47.33	30.7	8.28	9.02	27.49	34.19	
		6:00	31.61	48.34	31.65	8.25	7.3	25.39	21.91	
		9:00	31.69	48.15	31.55	8.22	10.14	24.94	36.5	
		12:00	32.91	48.61	31.8	8.3	13.24	25.64	10.21	
		15:00	32.86	48.57	31.54	8.42	13.3	25.34	22.61	
		18:00	32.57	48.58	31.79	8.45	10.69	24.87	35.93	
		21:00	31.79	48.63	31.83	8.4	8.7	21.66	28.34	
	日平均值			32.20	48.00	31.34	8.34	10.36	24.75	27.63
	潮口站	0:00	30.39	38.62	24.01	8.23	5.91	75.88	0.39	
		3:00	29.9	37.75	23.32	8.2	5.56	40.22	0.3	
		6:00	30.37	42.33	26.93	8.32	6.99	63.52	0.53	
		9:00	31.04	43.8	28.09	8.38	7.59	54.62	0.87	
		12:00	31.83	39.23	24.49	8.43	7.87	59.47	1.56	
		15:00	31.26	42.66	27.19	8.35	6.59	60.48	1.12	
		18:00	31.33	45.9	29.75	8.38	6.38	62.2	2.34	
		21:00	32.06	43.14	27.57	8.22	7.44	53.95	4.55	
	日平均值			31.02	41.68	26.42	8.31	6.79	58.79	1.46
	灣內站	0:00	31.93	45.47	29.89	8.48	10.89	66.16	15.25	
		3:00	31.57	45.54	29.91	8.45	10.17	69.98	13.55	
		6:00	30.34	47.56	31.27	8.28	7.35	72.73	16.9	
		9:00	31.46	46.42	30.53	8.38	8.33	87.68	13.05	
		12:00	32.9	44.76	29.42	8.48	11.57	74.76	12.85	
		15:00	31.85	46.14	30.33	8.46	11.12	45.14	17.05	
		18:00	31.14	47.04	30.93	8.43	9.87	35.44	14.6	
		21:00	31.06	46.78	30.75	8.44	8.97	40.91	16.75	
	日平均值			31.53	46.21	30.38	8.43	9.78	61.60	15.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月1日	蚵殼站	0:00	31.67	48.48	31.56	8.29	9.17	11.27	12.54	
		3:00	31.81	48.17	31.55	8.31	8.25	9.69	18.35	
		6:00	31.31	49.2	32.25	8.22	6.09	15.78	16.27	
		9:00	31.23	48.87	32.01	8.22	5.77	8.59	19.43	
		12:00	31.59	48.65	31.66	8.22	8.09	9.74	14.73	
		15:00	31.71	49.23	32.27	8.23	8.2	7.72	16.78	
		18:00	31.6	48.59	31.83	8.37	10.43	6.36	13.11	
		21:00	31.2	48.76	31.94	8.34	8.73	6.52	13.93	
	日平均值			31.52	48.74	31.88	8.28	8.09	9.46	15.64
	潮口站	0:00	31.33	48.65	31.86	8.39	8.48	64.82	8.43	
		3:00	30.16	48.64	31.85	8.23	5.83	153.64	7.56	
		6:00	30.34	49.52	32.55	8.27	7.52	110.34	6.46	
		9:00	30.98	49.22	32.31	8.44	8.21	65.28	7.67	
		12:00	30.99	48.78	31.96	8.39	6.04	80.49	7.69	
		15:00	30.67	49.54	32.57	8.29	5.95	111.78	10.4	
		18:00	30.17	48.99	32.13	8.21	6.06	109.2	8.76	
		21:00	30.23	49.13	32.24	8.28	6.02	88.02	8.08	
	日平均值			30.61	49.06	32.18	8.31	6.76	97.95	8.13
	灣內站	0:00	30.81	47.32	31.09	8.37	6.13	16.85	26.31	
		3:00	30.77	47.12	30.98	8.34	6.57	15.58	30.89	
		6:00	30.74	47.14	30.99	8.29	6.03	17.04	26.84	
		9:00	30.62	47.18	31.01	8.25	5.96	14.82	23.34	
		12:00	30.81	46.93	30.69	8.27	6.81	16.94	25.79	
		15:00	31.08	46.62	30.55	8.41	9.59	18.17	20.65	
18:00		30.5	47.73	31.38	8.29	8.15	17.46	17.75		
21:00		30.32	47.53	31.08	8.28	7.1	16.8	15.3		
日平均值			30.71	47.20	30.97	8.31	7.04	16.71	23.36	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月2日	蚵殼站	0:00	30.95	48.94	32.06	8.32	7.03	6.69	13.16	
		3:00	30.85	48.4	31.7	8.23	7.06	6.5	12.18	
		6:00	30.85	49.63	32.14	8.16	5.59	18.13	12.34	
		9:00	31.04	49.66	32.53	8.15	6.33	9.34	14.99	
		12:00	30.89	49.52	32.45	8.23	8.33	11.06	19.81	
		15:00	31.06	49.64	32.33	8.27	8.2	6.19	18.25	
		18:00	31.07	49.25	32.29	8.3	8.58	5.27	11.24	
		21:00	30.79	48.34	31.69	8.24	7.31	15.42	9.81	
	日平均值			30.94	49.17	32.15	8.24	7.30	9.83	13.97
	潮口站	0:00	30.3	49.15	32.26	8.36	5.66	66.84	8.3	
		3:00	29.85	48.7	31.9	8.2	7.18	161.47	7.4	
		6:00	29.53	49.25	32.34	8.19	6.62	137.55	8.95	
		9:00	30.47	49.74	32.73	8.37	8.17	66.66	6.95	
		12:00	30.87	49.64	32.65	8.34	6.24	82.8	10.9	
		15:00	30.51	49.49	32.53	8.28	5.96	90.65	7.45	
		18:00	29.85	49.44	32.49	8.2	7.31	116.38	5.55	
		21:00	29.86	48.69	31.89	8.19	6.66	90.16	10	
	日平均值			30.16	49.26	32.35	8.27	6.73	101.56	8.19
	灣內站	0:00	30.14	47.34	30.78	8.28	6.05	17.23	20.2	
		3:00	30.1	48.11	31.62	8.16	5.36	14.39	32.06	
		6:00	30.09	47.64	31.3	8.21	5.63	14.32	37.8	
		9:00	30.17	48.04	31.58	8.17	5.96	14.45	30.03	
		12:00	30.75	47.43	31.17	8.34	8.61	13.97	33.72	
		15:00	30.6	47.46	31.2	8.28	7.49	15.79	41.55	
18:00		30.07	48.13	31.63	8.16	5.86	15.45	51.37		
21:00		30.02	47.72	31.36	8.14	5.91	14.62	60.12		
日平均值			30.24	47.73	31.33	8.22	6.36	15.03	38.36	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月3日	蚵殼站	0:00	30.55	47.81	31.36	8.25	7.34	11.66	8.79	
		3:00	30.24	47.34	31.02	8.23	7.04	15.53	8.47	
		6:00	30.65	48.71	31.91	8.2	6.4	12.45	10.59	
		9:00	30.88	49.59	32.47	8.17	5.56	8.04	9.52	
		12:00	30.83	49.73	32.38	8.24	7.92	6.93	5	
		15:00	31.27	49.72	32.56	8.28	9.46	6.58	13.7	
		18:00	31.34	49.46	32.42	8.3	9.53	5.92	12.65	
	21:00	31.18	49.36	32.37	8.23	8.39	8.48	11.15		
	日平均值			30.87	48.97	32.06	8.24	7.71	9.45	9.98
	潮口站	0:00	29.98	48.27	31.56	8.21	6.74	72.39	7.05	
		3:00	29.65	47.85	31.22	8.18	5.66	111.67	7.1	
		6:00	28.62	48.96	32.11	8.17	7.62	143.33	7.85	
		9:00	30.1	49.67	32.67	8.26	6.66	75.93	7.05	
		12:00	30.45	49.55	32.58	8.29	5.66	85.35	7.5	
		15:00	30.21	49.78	32.76	8.24	6.76	89.9	17.85	
		18:00	29.66	49.6	32.62	8.19	6.4	101.82	18.96	
	21:00	29.79	49.54	32.57	8.18	8.17	82.78	6.3		
	日平均值			29.81	49.15	32.26	8.22	6.71	95.40	9.96
	灣內站	0:00	30.06	47.6	31.29	8.17	5.23	13.62	63.74	
		3:00	29.86	47.67	31.33	8.15	5.1	14.03	59.6	
		6:00	29.63	47.76	31.39	8.15	11.29	14.2	68.32	
9:00		29.91	47.98	31.54	8.18	5.93	14.11	63.4		
12:00		30.72	47.7	31.21	8.38	10.03	14.59	50		
15:00		30.95	47.7	31.36	8.4	10.62	14.8	68.18		
18:00		30.75	47.8	31.44	8.37	9.28	13.8	65.75		
21:00	30.37	48.04	31.57	8.26	7.36	13.5	63.34			
日平均值			30.28	47.78	31.39	8.26	8.11	14.08	62.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月4日	蚵殼站	0:00	31.1	49.24	32.29	8.26	7.83	6.42	11.19	
		3:00	30.82	48.86	32	8.22	7.09	5.82	10.22	
		6:00	30.58	48.79	31.96	8.26	7.08	8.18	9.73	
		9:00	30.41	49.69	32.54	8.24	6.15	10.95	8.87	
		12:00	30.93	49.97	32.73	8.3	8.24	6.54	10.58	
		15:00	31.58	50.2	32.9	8.37	10.19	6.6	11.16	
		18:00	31.5	50.18	32.89	8.35	9.65	6.8	11.42	
	21:00	31.5	49.92	32.69	8.31	9.04	8.27	11.72		
	日平均值			31.05	49.61	32.50	8.29	8.16	7.45	10.61
	潮口站	0:00	29.93	49.32	32.39	8.22	7.23	64.36	11.2	
		3:00	29.73	48.95	32.1	8.19	7.04	85.89	5.15	
		6:00	28.74	48.9	32.06	8.18	6.1	130.85	11.05	
		9:00	29.66	49.63	32.64	8.22	5.62	76.89	5.6	
		12:00	30.04	49.87	32.83	8.27	5.81	80.8	6.19	
		15:00	30.37	50.08	33	8.29	5.84	77.52	9.05	
		18:00	29.77	50.07	32.99	8.2	7.33	84.24	9.35	
	21:00	29.82	49.82	32.79	8.2	6.21	83.13	10.88		
	日平均值			29.76	49.58	32.60	8.22	6.40	85.46	8.56
	灣內站	0:00	30.4	48.06	31.43	8.19	6.8	14.4	50	
		3:00	30.31	47.79	31.42	8.15	5.86	14.3	71.37	
		6:00	30.15	47.96	31.51	8.16	5.91	14.1	67.03	
9:00		30.11	48.15	31.65	8.22	6.78	16.4	62.86		
12:00		30.84	47.88	31.48	8.44	11.29	14.6	62.8		
15:00		31.2	47.79	31.43	8.38	13.5	17	60.9		
18:00		31.1	47.65	31.32	8.44	11.73	14.8	62.73		
21:00	30.91	47.73	31.38	8.31	9.82	14	62.23			
日平均值			30.63	47.88	31.45	8.29	8.96	14.95	62.49	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月5日	蚵殼站	0:00	31.56	49.8	32.6	8.42	10.83	5.76	11.22	
		3:00	31.37	49.8	32.6	8.37	8.83	6.08	11.23	
		6:00	31.15	49.38	32.34	8.32	8.51	7.82	10.72	
		9:00	30.75	49.67	32.52	8.3	7.22	15.47	9.53	
		12:00	31.02	49.84	32.63	8.35	8.97	7.5	11.49	
		15:00	31.76	50.11	32.83	8.46	12.74	8.36	10.78	
		18:00	31.87	49.45	32.4	8.37	12.3	7.47	7.39	
		21:00	31.35	49.54	32.47	8.39	9.22	12.57	6.42	
	日平均值			31.35	49.70	32.55	8.37	9.83	8.88	9.85
	潮口站	0:00	30.02	49.7	32.7	8.2	6.89	66.12	8.4	
		3:00	30.07	49.7	32.7	8.25	6.4	67	8.6	
		6:00	29.37	49.38	32.44	8.21	5.92	131.53	8.05	
		9:00	29.6	49.6	32.62	8.22	8.13	85.6	10.65	
		12:00	30.03	49.74	32.73	8.28	6.34	73.29	20.31	
		15:00	30.72	49.99	32.93	8.29	6.21	84.85	17.05	
		18:00	29.85	49.45	32.5	8.26	6.3	78.96	5.22	
		21:00	29.85	49.54	32.57	8.24	6.06	70.02	7	
	日平均值			29.94	49.64	32.65	8.24	6.53	82.17	10.66
	灣內站	0:00	30.84	47.85	31.47	8.25	9.19	16.9	61.36	
		3:00	30.88	47.65	31.32	8.24	8.29	16	70.09	
		6:00	30.57	47.69	31.33	8.19	8.11	18.6	56.68	
		9:00	30.21	47.93	31.5	8.22	7.53	15.9	49.47	
		12:00	31.27	47.71	31.38	8.38	10.19	15.4	51.1	
		15:00	31.34	47.48	31.2	8.41	6.41	15.5	52.92	
		18:00	30.32	48.14	31.65	8.24	8.32	14.3	47.63	
		21:00	30.41	48.03	31.57	8.22	7.89	13	49.33	
	日平均值			30.73	47.81	31.43	8.27	8.24	15.70	54.82
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月6日	蚵殼站	0:00	31.13	49.75	32.58	8.32	7.76	11.3	5.35	
		3:00	31.26	49.28	32.3	8.37	8.66	6.92	4.49	
		6:00	30.97	49.01	32.1	8.38	9.55	6.63	6.5	
		9:00	31.12	49.59	32.49	8.38	9.42	6.5	4.9	
		12:00	30.95	50	32.75	8.32	8.21	6.68	7.77	
		15:00	31.24	47.68	31.07	8.46	10.1	8.09	9.85	
		18:00	31	46.69	30.59	8.41	8.63	10.4	7.47	
		21:00	30.88	45.82	30.02	8.38	7.06	14.29	6.3	
	日平均值			31.07	48.48	31.74	8.38	8.67	8.85	6.58
	潮口站	0:00	30.25	49.55	32.58	8.36	6.23	56.35	15.95	
		3:00	30.24	49.2	32.3	8.41	6.72	54.48	17.88	
		6:00	29.74	48.95	32.1	8.28	6.44	95.22	7	
		9:00	29.25	49.44	32.49	8.22	5.64	92.69	5.4	
		12:00	29.96	49.77	32.75	8.27	7.83	65.16	5.62	
		15:00	30.1	47.66	31.07	8.31	8.22	70.36	5.45	
		18:00	29.66	47.06	30.59	8.35	9.01	107.37	9.1	
		21:00	28.89	46.34	30.02	8.23	9.71	136.92	5.55	
	日平均值			29.76	48.50	31.74	8.30	7.48	84.82	8.99
	灣內站	0:00	30.24	48.06	31.6	8.17	7.89	13.9	42.68	
		3:00	30.11	47.7	31.34	8.17	6.15	13.5	38.35	
		6:00	30.03	48.01	31.55	8.18	7	13.9	30.02	
		9:00	30.41	47.95	31.51	8.24	9.1	13.8	25.99	
		12:00	30.88	47.83	31.45	8.46	10.02	16.4	24.08	
		15:00	30.62	47.28	31.07	8.42	7.81	14.4	26.73	
		18:00	30.34	47.53	31.25	8.38	7.93	14.3	24.15	
		21:00	30.41	46.65	30.64	8.28	6.47	25.3	73.35	
	日平均值			30.38	47.63	31.30	8.29	7.80	15.69	35.67
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月7日	蚵殼站	0:00	30.99	48.64	31.69	8.29	6.23	12.21	5.55	
		3:00	30.88	47.19	30.9	8.35	6.7	5.88	5.03	
		6:00	30.81	45.04	29.51	8.3	5.91	8.63	6.43	
		9:00	31.02	47.45	29.71	8.28	6.58	9.06	7.44	
		12:00	30.64	49.11	31.77	8.3	10.14	13.21	8.47	
		15:00	30.64	47.42	31.01	8.36	10.5	14.95	17.74	
		18:00	30.97	46.47	30.4	8.39	10.56	19.25	13.38	
	21:00	30.5	47.46	31.02	8.33	8.69	16.15	9.67		
	日平均值			30.81	47.35	30.75	8.33	8.16	12.42	9.21
	潮口站	0:00	29.38	48.44	31.69	8.28	7.23	149.88	18.89	
		3:00	29.44	47.45	30.9	8.32	7.62	144.63	6.19	
		6:00	29.54	45.7	29.51	8.27	8.72	123.34	18.82	
		9:00	29.63	45.95	29.71	8.23	9.03	124.44	9.83	
		12:00	30.42	48.54	31.77	8.32	11.22	68.07	14.36	
		15:00	31.15	47.59	31.01	8.4	11.77	34.01	20.65	
		18:00	30.8	46.82	30.4	8.34	9.87	31.56	15.5	
	21:00	29.44	47.6	31.02	8.17	7.57	36.41	6.4		
	日平均值			29.98	47.26	30.75	8.29	9.13	89.04	13.83
	灣內站	0:00	30.35	46.45	30.55	8.25	5.36	15.6	68.07	
		3:00	30.33	46.52	30.57	8.21	5.1	15.6	66.24	
		6:00	30.26	46.06	30.28	8.19	5.79	14.5	65.37	
9:00		29.85	46.92	24.63	8.31	7.92	11.46	46.27		
12:00		30.44	49.27	32.07	8.28	8.32	14.77	17		
15:00		30.46	49.28	32.11	8.27	7.89	18.92	18.6		
18:00		30.43	48.03	31.4	8.32	9.55	15.61	13.4		
21:00	30.45	47.76	31.23	8.34	9.25	14.49	4.3			
日平均值			30.32	47.54	30.36	8.27	7.40	15.12	37.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月8日	蚵殼站	0:00	30.22	47.94	31.38	8.29	7.43	18.07	6.48	
		3:00	30.47	47.78	31.04	8.24	6.33	16.49	7.97	
		6:00	30.53	47.79	31.25	8.21	7.33	14.76	9.64	
		9:00	30.63	47.71	31.19	8.28	7.92	14.46	8.59	
		12:00	30.52	48.13	31.49	8.3	8.41	12.74	9.94	
		15:00	30.67	48.01	31.39	8.34	9.59	13.22	14.65	
		18:00	31.88	43.69	28.58	8.48	8.63	20.91	20.2	
	21:00	30.86	46.7	30.54	8.35	10.17	17.72	12.91		
	日平均值			30.72	47.22	30.86	8.31	8.23	16.05	11.30
	潮口站	0:00	29.76	48.05	31.38	8.16	8.05	31.93	15.13	
		3:00	30.01	47.87	31.24	8.22	7.96	23.71	15.58	
		6:00	29.95	47.89	31.25	8.16	7.75	25.96	17.68	
		9:00	29.91	47.81	31.19	8.1	7.02	30.72	8.62	
		12:00	30.57	48.19	31.49	8.17	8.39	28.71	10.82	
		15:00	30.45	48.06	31.39	8.27	9.87	30.4	12.81	
		18:00	30.4	44.54	28.58	8.27	9.48	24.93	10.44	
	21:00	29.7	47	30.54	8.17	7.07	28.99	8.86		
	日平均值			30.09	47.43	30.88	8.19	8.20	28.17	12.49
	灣內站	0:00	30.4	49.05	32.07	8.27	7.89	13.34	4.4	
		3:00	30.27	49.27	32.22	8.24	6.15	13.43	8	
		6:00	30.41	47.84	31.3	8.24	6.47	13.58	10	
9:00		30.47	47.48	31.05	8.25	7.19	18.05	8.06		
12:00		30.45	48.45	31.53	8.25	7.22	18.95	10.11		
15:00		31.18	44.72	29.25	8.43	11.31	17.76	23.56		
18:00		31.81	41.6	26.92	8.47	11.31	14.45	32.01		
21:00	30.71	47.43	31.03	8.18	7.49	14.71	34.62			
日平均值			30.71	46.98	30.67	8.29	8.13	15.53	16.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月9日	蚵殼站	0:00	30.53	47.5	30.89	8.29	8.56	13.11	11.84	
		3:00	30.64	43.85	28.68	8.44	10.7	14.83	12.66	
		6:00	30.38	43.42	28.24	8.46	9.37	14.64	16.19	
		9:00	30.45	45.17	29.39	8.47	9.15	16.04	13.75	
		12:00	30.3	44.96	29.41	8.17	9.56	18.51	17.06	
		15:00	30.37	43.23	27.99	8.24	10.13	18.32	21.37	
		18:00	30.29	42.9	28.04	8.27	9.33	19.72	18.24	
		21:00	30.05	47.49	30.88	8.37	7.44	17.25	11.82	
	日平均值			30.38	44.82	29.19	8.34	9.28	16.55	15.37
	潮口站	0:00	29.82	47.81	31.19	8.18	7.85	22.9	9	
		3:00	29.74	45.04	28.98	8.18	7.5	21.04	10.25	
		6:00	29.56	44.49	28.54	8.16	6.29	26.44	10.44	
		9:00	29.62	45.93	29.69	8.11	5.9	27.97	12.49	
		12:00	29.51	45.95	29.71	8.15	6.95	29.38	15.17	
		15:00	29.53	44.17	28.29	8.13	6.69	33.51	16.95	
		18:00	29.93	44.24	28.34	8.28	8.23	24.41	16.79	
		21:00	29.21	47.8	31.18	8.21	7.79	51.87	14.53	
	日平均值			29.62	45.68	29.49	8.18	7.15	29.69	13.20
	灣內站	0:00	30.81	47.1	30.64	8.1	6.46	11.41	36.27	
		3:00	30.68	43.23	27.8	8.4	10.27	9.26	11.7	
		6:00	30.39	41.27	26.85	8.25	9.7	8.29	15.3	
		9:00	30.25	39.39	25.77	8.21	10.25	15.99	37.47	
		12:00	30.2	40.34	26.38	8.19	10.11	17.77	38.4	
		15:00	30.19	40.92	26.77	8.31	9.83	22.1	50.82	
18:00		30.06	43.72	28.44	8.45	8.41	22.51	53.51		
21:00		29.94	41.4	27.09	8.47	8.03	16.87	41.54		
日平均值			30.32	42.17	27.47	8.30	9.13	15.53	35.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月10日	蚵殼站	0:00	29.9	46.23	30.24	8.35	6.92	14.3	10.95	
		3:00	29.7	44.95	29.24	8.34	6.72	15.78	11.53	
		6:00	29.37	44	28.78	8.34	7	20.23	10.82	
		9:00	29.55	44.61	29.19	8.35	7.34	17.01	10.19	
		12:00	29.79	44.53	29.01	8.37	8.36	16.07	11.14	
		15:00	29.78	44.29	28.96	8.41	9.1	16.27	14.92	
		18:00	29.74	43.48	28.29	8.42	9.21	15.77	13.99	
		21:00	29.72	43.38	28.22	8.39	9.03	14.68	11.62	
	日平均值			29.69	44.43	28.99	8.37	7.96	16.26	11.90
	潮口站	0:00	28.49	46.74	30.34	8.14	7.85	122.09	10.44	
		3:00	28.65	45.49	29.34	8.09	6.85	65.99	14.7	
		6:00	29.32	44.91	28.88	8.11	5.88	45.14	16.27	
		9:00	29.61	45.43	29.29	8.2	7.17	33.12	17.35	
		12:00	29.51	45.2	29.11	8.17	7.19	54.8	26.38	
		15:00	29	45.14	29.06	8.14	7.39	124.64	16.52	
		18:00	29.36	44.3	28.39	8.15	6.8	49.65	28.04	
		21:00	28.82	44.21	28.32	8.11	7.15	77.98	19.31	
	日平均值			29.10	45.18	29.09	8.14	7.04	71.68	18.63
	灣內站	0:00	29.71	43.11	28.22	8.42	7.61	9.79	41.62	
		3:00	29.55	42.77	27.97	8.39	6.81	19.83	50.66	
		6:00	29.43	41	26.82	8.38	6.45	14.71	58.54	
		9:00	29.43	40.33	26.23	8.37	7.25	23.91	11.7	
		12:00	29.59	40.04	25.9	8.41	8.56	21.7	17.1	
		15:00	29.71	40.36	26.39	8.46	9.8	23.88	77.14	
18:00		29.69	40.04	26.18	8.48	9.87	17.41	48.42		
21:00		29.51	40.68	26.47	8.46	8.8	11.57	53.64		
日平均值			29.58	41.04	26.77	8.42	8.14	17.85	44.85	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月11日	蚵殼站	0:00	29.67	44.2	28.93	8.36	8.09	14.66	10.37	
		3:00	29.51	44.18	28.89	8.3	7.22	13.97	8.07	
		6:00	29.42	43.41	28.39	8.3	7.62	15.44	11.07	
		9:00	29.7	43.22	28.28	8.35	9.03	14.29	11.62	
		12:00	30.13	43.53	28.47	8.41	9.84	14.26	7.22	
		15:00	30.26	43.02	28.17	8.43	11.42	15.78	9.67	
		18:00	30.23	42.82	27.9	8.43	11.39	14.84	8.07	
		21:00	30.31	42.45	27.78	8.36	10.73	14.62	8.59	
	日平均值			29.90	43.35	28.35	8.37	9.42	14.73	9.34
	潮口站	0:00	27.93	45.48	29.33	8.04	7.77	54.8	29.9	
		3:00	27.92	45.43	29.29	8.04	7.71	149.72	37.54	
		6:00	28.76	44.8	28.79	8.15	7.2	65.19	43	
		9:00	28.95	44.66	28.68	8.17	7.55	69.35	31.4	
		12:00	29.38	44.9	28.87	8.17	7.77	82.23	38.43	
		15:00	28.59	44.53	28.57	8.08	7.55	157.75	52.25	
		18:00	28.68	44.19	28.3	8.08	7.66	98.42	62.36	
		21:00	28.93	44.04	28.18	8.17	7.69	76.37	44.59	
	日平均值			28.64	44.75	28.75	8.11	7.61	94.23	42.43
	灣內站	0:00	29.32	41.7	27.3	8.47	8.5	14.36	62.11	
		3:00	29.3	43.67	28.41	8.45	8.29	14.97	63.41	
		6:00	29.31	43.03	28.15	8.42	7.57	21.62	51.7	
		9:00	29.17	39.74	26	8.43	8.48	21.77	21.05	
		12:00	30.14	40.58	26.55	8.25	10.12	21.31	28.68	
		15:00	30.83	42.38	27.57	8.21	12.06	22.7	27.3	
		18:00	30.75	42.27	27.51	8.19	12.53	17.18	20	
		21:00	30.3	43.35	28.37	8.31	11.28	16.73	23.67	
	日平均值			29.89	42.09	27.48	8.34	9.85	18.83	37.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月12日	蚵殼站	0:00	29.75	42.54	27.85	8.31	9.5	14.2	6.05	
		3:00	29.52	42.2	27.62	8.29	8.43	15.21	5.12	
		6:00	29.13	40.75	26.65	8.33	8.53	20.07	7.45	
		9:00	29.22	38.82	25.4	8.45	10.33	17.94	9.79	
		12:00	30.5	39.26	25.68	8.25	12.74	18.62	20.15	
		15:00	30.43	40.21	26.29	8.17	13.29	17.82	19.74	
		18:00	30.41	40.9	26.8	8.12	13.76	17.05	14.98	
		21:00	30.31	39.19	25.49	8.26	12.51	13.59	13.54	
	日平均值			29.91	40.48	26.47	8.27	11.14	16.81	12.10
	潮口站	0:00	27.72	44.12	28.25	8.07	7.42	193.2	49.39	
		3:00	27.21	43.84	28.02	8.05	7.46	54.8	62.19	
		6:00	28.74	42.62	27.05	8.16	7.72	69.39	49.78	
		9:00	29.1	41.05	25.8	8.23	8.89	36.38	51.82	
		12:00	29.74	41.4	26.08	8.33	11.46	48.07	75.34	
		15:00	28.72	42.17	26.69	8.16	7.7	107.97	29	
		18:00	29.14	42.81	27.2	8.23	9.55	56.62	34.5	
		21:00	29.45	41.16	25.89	8.29	8.8	41.4	9.5	
	日平均值			28.73	42.40	26.87	8.19	8.63	75.98	45.19
	灣內站	0:00	30.11	43.2	28.11	8.24	10.76	13.61	23.47	
		3:00	29.61	43.87	28.69	8.44	9.29	11.75	23.73	
		6:00	29.41	44.26	28.95	8.37	7.18	10.18	22.37	
		9:00	29.54	43.61	28.51	8.41	9.19	14.45	20	
		12:00	30.41	42.85	28.03	8.25	12.06	18.88	20.94	
		15:00	30.73	42.24	27.64	8.21	13.52	22.72	24.42	
		18:00	30.5	42.34	27.69	8.19	9.34	21.63	22.9	
		21:00	30.19	42.98	28.11	8.31	9.48	20.49	22.7	
	日平均值			30.06	43.17	28.22	8.30	10.10	16.71	22.57
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月13日	蚵殼站	0:00	30.05	38.66	25.14	8.47	10.64	15.33	10.17
		3:00	29.59	41.2	26.88	8.4	8.63	20.59	10.09
		6:00	29.33	41.4	23.76	8.32	8.26	19.83	9.91
		9:00	29.13	39.66	22.21	8.37	7.73	17.33	12.69
		12:00	28.85	28.38	18.17	8.44	8.49	37.4	29.52
		15:00	29.23	30.22	19.41	8.37	8.63	31.6	32.57
		18:00	29.23	29.52	18.94	8.39	8.24	43.23	29.52
		21:00	29.29	38.99	21.12	8.31	6.55	57.58	24.27
	日平均值		29.34	36.00	21.95	8.38	8.40	30.36	19.84
	潮口站	0:00	28.94	40.73	25.54	8.32	8.26	47.97	9.6
		3:00	28.46	42.91	27.28	8.3	7.24	64.78	18
		6:00	28.82	38.99	24.16	8.46	7.59	31	25.7
		9:00	28.46	37.05	22.61	8.4	6.82	43.31	7.4
		12:00	28.88	31.98	18.57	8.31	7.02	47.16	20.15
		15:00	28.75	33.54	19.81	8.16	6.14	67.36	37
		18:00	28.96	32.95	19.34	8.28	7.28	42.58	29.9
		21:00	29.18	35.68	21.52	8.31	7.16	37.84	16
	日平均值		28.81	36.73	22.35	8.32	7.19	47.75	20.47
	灣內站	0:00	29.59	43.96	28.44	8.37	7.37	16.83	22.78
		3:00	29.71	43.77	28.47	8.37	6.2	15.6	22.76
		6:00	29.44	44.14	28.88	8.24	7.41	14.68	22.34
		9:00	29.51	41.83	27.37	8.31	5.91	15.71	21.55
		12:00	28.97	37.8	22.75	8.43	9.26	18.04	21.56
		15:00	28.79	36.5	20.22	8.24	10.85	6.31	21.01
18:00		29.15	38.76	22.85	8.33	9.37	12.39	23.6	
21:00		29.33	40.18	26.3	8.06	12.06	19.29	23.25	
日平均值		29.31	40.87	25.66	8.29	8.55	14.86	22.36	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月14日	蚵殼站	0:00	29.44	36.37	22.02	8.33	7.26	29.28	28.76
		3:00	29.4	41.43	25.27	8.24	6.3	24.8	16.67
		6:00	29.63	41.22	26.93	8.19	5.1	13.55	12.59
		9:00	29.51	37.17	23.93	8.28	5.64	13.44	15.36
		12:00	29.34	35.86	19.45	8.4	9	19.75	37.62
		15:00	29.43	29.58	18.98	8.35	9.44	23.78	46.81
		18:00	29.47	35.88	22.14	8.28	5.88	28.41	44.36
		21:00	29.46	36.69	22.73	8.18	6.23	33.77	22.58
	日平均值		29.46	36.78	22.68	8.28	6.86	23.35	28.09
	潮口站	0:00	28.7	36.44	22.12	8.21	5.75	46.75	17.6
		3:00	27.64	40.51	25.37	8.14	5.48	84.4	28.05
		6:00	27.41	42.59	27.03	8.1	5.65	71.43	16
		9:00	28.63	38.83	24.03	8.22	5.45	47.49	14.1
		12:00	28.97	33.21	19.55	8.25	6.33	46.34	25
		15:00	29.12	32.62	19.08	8.22	6.72	52.82	28.1
		18:00	29.33	36.59	22.24	8.4	9.27	38.17	11.95
		21:00	29.6	37.33	22.83	8.39	9.2	36.91	39.2
	日平均值		28.68	37.27	22.78	8.24	6.73	53.04	22.50
	灣內站	0:00	29.17	37.56	24.02	8.21	6.78	10.09	23.19
		3:00	29.39	42.78	27.98	8.17	10	4.36	23.44
		6:00	29.35	44.25	28.94	8.09	9.19	5.7	25.05
		9:00	29.25	39.45	25.81	8.16	6.28	27.19	30.39
		12:00	29.1	35.13	20.44	8.38	8.56	25.24	27.03
		15:00	29.49	37.3	20.03	8.49	6.85	32.44	24.78
18:00		29.34	39.52	25.57	8.19	5.41	32.14	29.3	
21:00		29.32	40.91	26.78	8.15	5.05	31.02	17.24	
日平均值		29.30	39.61	24.95	8.23	7.27	21.02	25.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月15日	蚵殼站	0:00	29.57	36.56	23.05	8.2	5.03	15.23	19.49	
		3:00	29.55	39.89	25.92	8.2	5.98	13.12	19.05	
		6:00	28.13	37.17	24.3	8.3	6.83	69.77	15.06	
		9:00	28.52	35.76	22.81	8.32	6.88	43.81	17.55	
		12:00	29.26	35.4	21.85	8.38	8.99	18.87	8.9	
		15:00	30.26	31.29	20.13	8.35	12.47	21.03	8.3	
		18:00	29.98	37.26	21.65	8.28	10.53	22.59	13.8	
		21:00	29.69	36.79	22.33	8.43	9.3	19.26	36.3	
	日平均值			29.37	36.27	22.76	8.31	8.25	27.96	17.31
	潮口站	0:00	28.5	37.85	23.25	8.19	7.23	55.6	18.7	
		3:00	27.68	41.45	26.12	8.13	6.88	92	18.1	
		6:00	27.68	39.42	24.5	8.1	7.6	113.81	13.4	
		9:00	28.55	37.55	23.01	8.13	7.45	56.27	23.5	
		12:00	29.8	36.35	22.05	8.25	6.35	53.73	16.86	
		15:00	29.01	34.19	20.33	8.19	6.15	72.1	22.37	
		18:00	27.48	36.1	21.85	8.13	7.07	104.06	16.59	
		21:00	28.7	36.95	22.53	8.25	6.51	47.91	18.58	
	日平均值			28.43	37.48	22.96	8.17	6.91	74.44	18.51
	灣內站	0:00	29.64	35.68	21.72	8.31	8.23	31.37	10.67	
		3:00	29.33	42.66	25.1	8.18	7.44	31.61	8.74	
		6:00	29.15	44.32	28.99	8.02	12.06	33.75	6.95	
		9:00	29.16	39.71	24.64	8.19	6.99	44.99	9.01	
		12:00	29.75	37.01	16.1	8.49	11.76	39.11	10.12	
		15:00	30.59	37.2	18.1	8.19	12.95	37.59	17.04	
		18:00	29.82	38.74	21.81	8.48	10.43	35.02	16.91	
		21:00	29.87	37.82	18	8.49	9.16	39.71	36.3	
	日平均值			29.66	39.14	21.81	8.29	9.88	36.64	14.47
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月16日	蚵殼站	0:00	29.85	27.92	17.86	8.19	9.81	20.32	13.7	
		3:00	29.13	33.44	21.58	8.46	7.85	23.16	6.6	
		6:00	27.89	33.1	21.35	8.37	7.24	74.48	13.8	
		9:00	27.8	32.31	20.82	8.34	7.57	51.58	12.3	
		12:00	29.05	24.52	15.57	8.3	10.53	27.52	21.8	
		15:00	28.94	26.36	16.81	8.49	9.19	31.24	7.8	
		18:00	28.83	29.03	18.61	8.2	8.63	36.91	7.3	
		21:00	28.59	32.31	20.82	8.34	6.53	53.13	15.5	
	日平均值			28.76	29.87	19.18	8.34	8.42	39.79	12.35
	潮口站	0:00	28.03	31.34	18.06	8.14	6.66	64.24	15.45	
		3:00	27.14	36.01	21.78	8.09	6.71	54.8	16.15	
		6:00	26.75	35.72	21.55	8.06	6.76	120.85	23.45	
		9:00	28.13	35.06	21.02	8.27	6.31	61.57	25.15	
		12:00	28.76	28.47	15.77	8.47	6.1	48.82	15.65	
		15:00	28.44	30.03	17.01	8.39	7.27	60.67	20.1	
		18:00	27.39	32.29	18.81	8.2	8.45	108.19	23.67	
		21:00	28.35	35.06	21.02	8.4	6.48	51.38	30.35	
	日平均值			27.87	33.00	19.38	8.25	6.84	71.32	21.25
	灣內站	0:00	29.62	37.01	16.68	8.31	10	37.96	19.94	
		3:00	29.34	37.2	17.64	8.18	9.19	35.2	18.58	
		6:00	28.72	39.68	25.19	8.28	6.63	26.66	15.63	
		9:00	28.39	37.56	24.14	8.27	7.24	27.46	14.6	
		12:00	28.73	38.08	21.71	8.36	8.05	27.27	21.8	
		15:00	29.11	36.5	19.03	8.19	9.66	28.99	6.07	
		18:00	28.9	35.41	22.75	8.39	5.67	31.82	8.77	
		21:00	28.68	36.31	23.64	8.31	5.33	35.99	10.39	
	日平均值			28.94	37.22	21.35	8.29	7.72	31.42	14.47
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月17日	蚵殼站	0:00	28.86	28.81	18.46	8.36	8.11	28.99	11	
		3:00	28.74	29.98	19.25	8.36	6.9	25.25	12.3	
		6:00	28.24	32.83	21.17	8.31	6.53	28.17	15.9	
		9:00	27.7	31.7	20.41	8.29	6.69	38.54	9.4	
		12:00	28	27.44	17.54	8.39	7.63	21.31	13.4	
		15:00	28.01	23.94	15.18	8.39	8.39	27.47	5.3	
		18:00	28.06	25.6	16.3	8.35	8.5	26	7.4	
	21:00	28.05	27.47	17.56	8.35	7	26.26	5.7		
	日平均值			28.21	28.47	18.23	8.35	7.47	27.75	10.05
	潮口站	0:00	28.03	32.1	18.66	8.29	6.63	70.65	19.9	
		3:00	26.99	33.09	19.45	8.11	6.68	151.44	10.2	
		6:00	26.41	35.5	21.37	8.11	8.25	123.74	28.6	
		9:00	27.47	34.54	20.61	8.25	7.13	56.77	30.05	
		12:00	27.85	30.94	17.74	8.49	8.18	45.17	21.64	
		15:00	27.92	27.98	15.38	8.32	7.24	65.51	18.89	
		18:00	27.63	29.39	16.5	8.28	6.36	60.54	28.5	
	21:00	27.44	30.97	17.76	8.33	6.95	42.38	31.55		
	日平均值			27.47	31.81	18.43	8.27	7.18	77.03	23.67
	灣內站	0:00	28.82	35.66	22.91	8.34	5.67	38.52	13.17	
		3:00	28.59	35.58	22.81	8.3	5.47	32.93	16.73	
		6:00	27.59	38.04	24.88	8.14	5.97	31.73	24.83	
9:00		27.69	37.75	24.69	8.15	5.89	32.33	49.97		
12:00		28.41	35.7	22.26	8.25	6.44	33.83	58.7		
15:00		28.46	36.5	18.03	8.34	7.67	37.14	14.29		
18:00		28.4	35.62	22.42	8.27	6.4	40.56	14.58		
21:00	27.88	36.24	23.26	8.2	5.79	41.27	17.22			
日平均值			28.23	36.39	22.66	8.25	6.16	36.04	26.19	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月18日	蚵殼站	0:00	28.05	26.12	16.65	8.33	7.34	24.09	9	
		3:00	28.01	26.76	17.08	8.28	6.62	17.8	5.3	
		6:00	27.55	31.45	20.24	8.24	6.26	34.65	7.9	
		9:00	27.48	31.81	20.48	8.22	6.07	35.51	8.8	
		12:00	27.39	21.77	13.72	8.24	7.06	23.37	9.8	
		15:00	27.19	18.19	11.31	8.23	7.13	27.8	8.7	
		18:00	27.45	21.56	13.58	8.23	7.31	24.34	7.3	
	21:00	27.58	26.83	17.13	8.17	5.46	21.93	11.9		
	日平均值			27.59	25.56	16.27	8.24	6.66	26.19	8.59
	潮口站	0:00	27.58	30.2	17.15	8.21	6.63	41.54	15.3	
		3:00	26.71	30.74	17.58	8.15	6.29	84.72	7.25	
		6:00	26.48	34.71	20.74	8.15	5.98	80.96	14.45	
		9:00	26.89	35.01	20.98	8.18	7.36	64.91	18.05	
		12:00	26.97	26.53	14.22	8.3	7.44	46.32	8.1	
		15:00	27.31	23.51	11.81	8.21	8.22	52.59	7.5	
		18:00	27.02	26.35	14.08	8.18	8.54	42.48	12.95	
	21:00	26.88	30.81	17.63	8.16	6.2	47.57	35.45		
	日平均值			26.98	29.73	16.77	8.19	7.08	57.64	14.88
	灣內站	0:00	28.13	36.5	19.29	8.25	6.22	39.58	22.7	
		3:00	28.25	35	21.43	8.1	5.89	37.4	36.36	
		6:00	28.04	36.79	23.77	8.04	5.02	31.27	43.57	
9:00		27.84	37.64	23.39	8.05	9.66	32.9	60.3		
12:00		27.9	36.5	19.27	8.07	5.26	33.76	62.96		
15:00		27.59	35.4	17.17	8.12	5.71	35.4	63.88		
18:00		27.6	36.2	19.33	8.26	5.73	34.12	56.7		
21:00	27.55	35	22.05	8.21	5.56	33.83	52.61			
日平均值			27.86	36.13	20.71	8.14	6.13	34.78	49.89	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月19日	蚵殼站	0:00	27.45	23.05	14.58	8.26	6.42	21.65	12.4
		3:00	27.43	22.89	14.47	8.2	6.1	28.77	4
		6:00	27.55	30.62	19.68	8.11	5.41	24.76	6.8
		9:00	27.41	32.6	21.01	8.09	5.72	46.34	9
		12:00	27.44	27.89	17.84	8.14	6.07	27.08	14.9
		15:00	27.4	19.83	12.41	8.23	8.2	24.35	11.6
		18:00	27.45	26.52	16.92	8.18	6.03	23.37	11.2
	21:00	27.61	30.07	19.31	8.12	5.36	27.77	14.2	
	日平均值		27.47	26.68	17.03	8.17	6.16	28.01	10.51
	潮口站	0:00	27.33	27.61	15.08	8.13	6.92	43.09	12.9
		3:00	27.13	27.47	14.97	8.12	6.98	48.2	5.8
		6:00	26.56	34	20.18	8.16	6.71	75.78	12.95
		9:00	26.35	35.67	21.51	8.14	7.27	70.44	11.45
		12:00	26.81	31.7	18.34	8.12	6.45	68.37	21
		15:00	27	24.89	12.91	8.02	6.78	58.49	7
		18:00	27	30.54	17.42	8.07	8.15	48.4	6.5
	21:00	26.88	33.54	19.81	8.12	6.89	63.27	14.65	
	日平均值		26.88	30.68	17.53	8.11	7.02	59.51	11.53
	灣內站	0:00	27.43	36.5	18.54	8.11	5.8	33	41.91
		3:00	27.41	36.2	18.27	8.17	5.47	30.08	30.53
		6:00	27.6	37.14	24.02	8.22	5.17	31.73	29.38
9:00		27.69	38.63	25.27	8.17	9.66	31.56	30.55	
12:00		27.65	37.42	24.2	8.04	5.15	31.42	28.49	
15:00		27.55	35.68	21.39	8.13	6.27	31.81	24.53	
18:00		27.55	35.09	21.46	8.1	6.37	29.08	18.09	
21:00	27.68	36.3	23.55	8.12	7.26	29.37	18.14		
日平均值		27.57	36.62	22.09	8.13	6.39	31.01	27.70	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月20日	蚵殼站	0:00	27.72	30.47	19.58	8.09	7.31	22.5	13.8
		3:00	27.72	27.96	17.89	8.1	5.46	17.54	10.2
		6:00	27.56	32.49	20.94	8.1	5.18	24.2	7.6
		9:00	27.55	36.07	23.35	8.09	5.13	27.42	7.1
		12:00	27.58	34.32	22.17	8.11	5.25	17.77	11.3
		15:00	27.62	25.57	16.28	8.23	8.22	20.91	15.6
		18:00	27.58	28.04	17.94	8.23	8.29	21.72	11.7
	21:00	27.53	36.19	23.43	8.13	5.23	19.62	13.1	
	日平均值		27.61	31.39	20.20	8.14	6.26	21.46	11.30
	潮口站	0:00	27.15	34.5	20.58	8.13	7.16	47.5	10.2
		3:00	27.33	32.39	18.89	8.05	6.49	38.35	11.45
		6:00	26.9	36.21	21.94	8.11	6.78	70.75	15.1
		9:00	26.96	39.23	24.35	8.15	6.4	71.11	8.55
		12:00	27.39	37.75	23.17	8.23	8.56	69.27	12.6
		15:00	27.49	30.37	17.28	8.26	5.85	56.89	4.45
		18:00	27.38	32.45	18.94	8.2	7.28	59.18	6.6
	21:00	27.22	39.33	24.43	8.14	6.8	75.26	4.9	
	日平均值		27.23	35.28	21.20	8.16	6.92	61.04	9.23
	灣內站	0:00	27.63	35.18	22.08	8.13	6.69	33.59	24.67
		3:00	27.56	35.35	20.76	8.08	6.72	29.26	29.08
		6:00	27.62	37.77	24.7	8.12	6.58	28.85	39.72
9:00		27.43	41.38	27.07	8.12	6.64	29.79	51	
12:00		27.51	40.71	26.64	7.98	6.84	29.27	68.82	
15:00		27.53	39.42	25.79	7.97	7.25	29.11	81.57	
18:00		27.52	38.28	25.04	8.02	6.97	28.98	11.7	
21:00	27.67	39.33	25.72	8.02	6.86	28.05	13.1		
日平均值		27.56	38.43	24.73	8.06	6.82	29.61	39.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月21日	蚵殼站	0:00	27.61	34.72	22.44	8.14	5.21	13.63	8.1	
		3:00	27.28	28.97	18.57	8.14	5.58	15.42	13.5	
		6:00	27.46	36.79	22.71	8.08	5.16	15.68	10.5	
		9:00	27.54	37.37	24.38	8.09	7.52	19.75	7.1	
		12:00	27.49	37.21	23.22	8.11	6.29	25.38	19.4	
		15:00	27.54	35.96	22.81	8.13	7.04	22.85	14.3	
		18:00	27.62	37.2	22.19	8.14	7.52	25.66	16.3	
		21:00	27.59	38.77	25.5	8.11	5.63	22.64	12.7	
	日平均值			27.52	35.87	22.73	8.12	6.24	20.13	12.74
	潮口站	0:00	27.06	38.09	23.44	8.26	6.83	45.1	22.25	
		3:00	27.11	33.24	19.57	8.11	6.53	41.38	28.5	
		6:00	27.22	38.43	23.71	8.1	6.26	66.73	20.4	
		9:00	27.09	45.35	24.71	8.12	7.58	68.17	10.65	
		12:00	27.48	41.57	24.49	8.22	8.49	56.43	22.45	
		15:00	27.93	37.46	21.99	8.35	10.71	66.45	30.66	
		18:00	28.02	44.73	29.18	8.24	8.88	66.29	19.37	
		21:00	28.27	42.01	23.86	8.4	10.84	47.58	30.14	
	日平均值			27.52	40.11	23.87	8.23	8.27	57.27	23.05
	灣內站	0:00	27.62	41.83	27.37	7.87	7.26	29.56	8.1	
		3:00	27.31	41.33	27.03	7.97	5.28	29.11	13.5	
		6:00	27.25	38.75	25.35	7.95	5.92	36.69	10.5	
		9:00	27.42	44.1	28.84	7.92	6.47	31.45	7.1	
		12:00	27.47	40.13	26.26	8	6.17	28.59	65.29	
		15:00	27.39	37.48	24.51	8.09	6.84	24.26	14.96	
		18:00	27.46	37.24	23.99	8.1	7.26	23.85	21.16	
		21:00	27.39	40.03	26.1	8.08	6.91	24.79	15.76	
	日平均值			27.41	40.11	26.18	8.00	6.51	28.54	19.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月22日	蚵殼站	0:00	27.57	35.69	23.01	8.13	6.54	33.4	12.26	
		3:00	27.6	36.82	23.79	8.1	5.74	24.43	16.9	
		6:00	27.64	35.66	23.03	8.06	5.94	25.85	19.39	
		9:00	27.77	38.28	25.16	8.05	5.37	28.86	12.4	
		12:00	27.93	40.03	25.06	8.07	7.23	27.93	24.46	
		15:00	28.42	35.73	22.68	8.2	10.99	27.17	43.41	
		18:00	30.46	35.4	22.5	8.43	12.89	31.28	19.4	
		21:00	28.23	40.39	26.17	8.24	6.01	48.02	21.27	
	日平均值			28.20	37.25	23.93	8.16	7.59	30.87	21.19
	潮口站	0:00	28.12	38.77	23.3	8.47	11.43	39.6	34.34	
		3:00	27.81	47.87	31.39	8.18	6.6	40.16	13.36	
		6:00	27.85	46.97	30.8	8.17	7.1	41.5	10.55	
		9:00	28.14	47.84	31.36	8.21	8.57	74.51	8.29	
		12:00	28.24	41.84	27.46	8.36	11.43	58.5	21.16	
		15:00	28.07	46.33	30.39	8.28	8.33	50.52	18.01	
		18:00	28.02	51.08	33.51	8.17	6.73	42.51	6.63	
		21:00	28.37	47.43	31.1	8.21	8.36	34.52	7.22	
	日平均值			28.08	46.02	29.91	8.26	8.57	47.73	14.95
	灣內站	0:00	27.37	42.21	27.62	8	5.27	24.27	10.53	
		3:00	27.4	38.32	25.04	8.05	5.92	24.11	13.77	
		6:00	27.37	38.13	24.95	8.09	6.47	23.98	16.89	
		9:00	27.42	42.26	27.66	7.97	6.91	23.05	3.45	
		12:00	27.49	43.85	28.69	8.04	5.92	24.56	1.25	
		15:00	28.94	37.75	22.99	8.08	10.29	24.11	11.2	
		18:00	30.37	37.76	20.29	8.12	8.49	31.69	22.7	
		21:00	27.86	41.79	27.36	8.1	6.99	26.45	15.4	
	日平均值			28.03	40.26	25.58	8.06	7.03	25.28	11.90
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月23日	蚵殼站	0:00	28.12	40.34	26.51	8.13	6.72	51.23	13.49
		3:00	28.32	39.57	26.02	8.13	6.84	54.31	14.38
		6:00	28.76	36.64	23.84	8.18	7.68	23.29	19.78
		9:00	28.4	39.82	26.07	8.21	7.62	18.38	21.14
		12:00	29.15	38.15	25.07	8.25	10.41	27.89	21.31
		15:00	30.23	35.92	23.49	8.37	13.21	30.75	10.88
		18:00	30.76	35.59	22.92	8.45	13	27.07	11.22
	21:00	29.64	38.96	25.59	8.36	10.39	45.23	12.24	
	日平均值		29.17	38.12	24.94	8.26	9.48	34.77	15.56
	潮口站	0:00	28.43	47.63	31.06	8.2	7.97	33.86	7.78
		3:00	28.83	41.6	27.29	8.33	10.25	30.6	15.02
		6:00	28.24	49.03	32.17	8.21	7.04	34.33	11.21
		9:00	28.83	51.58	33.85	8.24	7.95	41.75	6.24
		12:00	28.97	50.22	32.94	8.29	10.22	48.56	11.3
		15:00	29.31	47.65	30.7	8.41	13.15	43.63	7.78
		18:00	28.93	49.97	32.78	8.28	9.06	47.03	15.15
	21:00	28.71	50.39	33.05	8.21	8.34	26.2	12.04	
	日平均值		28.78	48.51	31.73	8.27	9.25	38.25	10.82
	灣內站	0:00	27.55	45.1	29.51	8.03	10.08	25.56	12.8
		3:00	27.8	43.22	28.27	7.97	5.93	25.11	10.2
		6:00	28.33	39.85	25.83	8.12	6.24	32.69	9.4
9:00		29.26	37.15	24.09	8.35	9.23	27.45	10.4	
12:00		30.92	36.27	21.5	8.04	13.09	26.35	10.8	
15:00		31.65	35.7	20.9	8.16	10.29	28.41	10.6	
18:00		30.95	37.34	22.99	8.17	12.65	27.43	13.2	
21:00	28.95	41.77	27.32	8.27	9.29	20.52	10.3		
日平均值		29.43	39.55	25.05	8.14	9.60	26.69	10.96	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
8月24日	蚵殼站	0:00	28.88	41.61	27.32	8.26	8.35	30.75	13.44
		3:00	28.66	42.64	27.98	8.21	7.43	33.89	12.66
		6:00	29.56	39.2	25.77	8.26	9.75	27.24	12.39
		9:00	29.59	39.28	25.83	8.29	8.86	41.78	14.39
		12:00	29.07	40.78	26.78	8.22	6.52	21.19	18.39
		15:00	28.88	41.8	25.11	8.31	7.59	16.81	17.05
		18:00	28.75	36.75	24.13	8.45	7.2	20.12	21.69
	21:00	28.47	37.92	24.93	8.45	7.06	25.41	17.27	
	日平均值		28.98	40.00	25.98	8.31	7.85	27.15	15.91
	潮口站	0:00	29.45	47.29	31.02	8.33	9.73	25.71	12.89
		3:00	28.95	50.76	33.3	8.22	7.59	29.52	8.09
		6:00	29.52	47.19	30.96	8.28	8.5	30.29	9.14
		9:00	28.95	49.8	32.67	8.19	6.49	29.17	7.86
		12:00	28.75	51.58	33.84	8.25	7.62	32.85	7.44
		15:00	28.47	52.93	34.5	8.16	6.41	50.94	6.56
		18:00	28.51	40.72	26.63	8.13	6.42	170	6.31
	21:00	28.05	39.24	24.9	8.16	6.97	132.5	7.58	
	日平均值		28.83	47.44	30.98	8.22	7.47	62.62	8.23
	灣內站	0:00	28.12	44.96	29.2	8.04	5.49	19.74	10.3
		3:00	28.82	42.97	28.12	8.16	6.42	22.22	10.2
		6:00	29.02	41.65	27.26	8.17	6.1	19.64	6.9
9:00		28.94	42.35	27.72	8.01	12.65	24.27	7	
12:00		29.27	41.45	26.07	8.24	9.97	21.72	8.6	
15:00		29.52	35.34	21.76	8.16	10.08	23.99	8.94	
18:00		28.01	41.85	27.15	8.19	5.93	26.46	32.66	
21:00	27.61	45.66	29.88	8.08	5.87	23.54	29.42		
日平均值		28.66	42.03	27.15	8.13	7.81	22.70	14.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月25日	蚵殼站	0:00	28.14	38.62	25.39	8.36	6.76	31.65	18.9	
		3:00	27.96	37.98	24.83	8.34	6.92	20.32	22.22	
		6:00	27.86	37.92	24.93	8.33	7.04	19	25.86	
		9:00	27.8	37.61	24.43	8.31	7.03	19.46	28.36	
		12:00	28.4	40.66	26.6	8.13	6.84	24.23	40.33	
		15:00	28.31	40.58	26.55	8.24	7.25	26.46	46.34	
		18:00	28.15	39.04	25.54	8.1	6.97	24.97	47.87	
	21:00	28.11	38.41	25.12	8.13	6.86	25.71	55.73		
	日平均值			28.09	38.85	25.42	8.24	6.96	23.98	35.70
	潮口站	0:00	27.86	44.28	29.02	8.17	7.35	96.5	8.31	
		3:00	27.94	42.6	27.93	8.23	7.24	63.73	8.33	
		6:00	27.61	39.3	23.83	8.2	7.1	67.72	8.03	
		9:00	27.44	35.3	22.16	8.23	7.09	53.58	8.62	
		12:00	27.7	35.63	22.37	8.21	7.41	48.37	8.93	
		15:00	27.95	37.61	21.83	8.2	7.62	48.86	9	
		18:00	27.92	37.91	20.49	8.12	7	45.23	7.88	
	21:00	27.79	39.58	23.19	8.06	6.73	44.46	7.44		
	日平均值			27.78	39.03	23.85	8.18	7.19	58.56	8.32
	灣內站	0:00	27.8	42.06	27.39	8.2	6.69	24.86	5.9	
		3:00	27.62	42.29	27.69	8.16	6.72	23.83	32.79	
		6:00	27.48	41.42	27.13	8.13	6.58	26.27	36.15	
9:00		27.48	41.05	26.73	8.04	6.64	24.92	37.14		
12:00		27.53	40.66	26.6	8.16	6.84	24.23	40.33		
15:00		27.76	40.58	26.55	8.17	7.25	26.46	46.34		
18:00		27.71	39.04	25.54	8.27	6.97	24.97	47.87		
21:00	27.65	38.41	25.12	8.13	6.86	25.71	55.73			
日平均值			27.63	40.69	26.59	8.16	6.82	25.16	37.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月26日	蚵殼站	0:00	29.4	39.06	25.57	8.13	6.86	22.1	56.28	
		3:00	29.31	38.72	25.35	8.23	6.78	21.6	39.83	
		6:00	29.15	38.76	25.24	8.15	6.72	23.4	14.71	
		9:00	29.11	37.98	24.81	8.17	7.67	22.77	18.14	
		12:00	29.84	37.21	24.35	8.24	9.27	24.7	16.69	
		15:00	30.2	37.52	24.55	8.27	9.79	24.34	14.71	
		18:00	30.1	36.94	24.18	8.37	9.6	22.28	18.13	
	21:00	29.91	36.56	23.76	8.27	8.91	32.18	20.14		
	日平均值			29.63	37.84	24.73	8.23	8.20	24.17	24.83
	潮口站	0:00	27.67	39.28	24.59	8.06	7.29	73.67	7.08	
		3:00	27.63	38.58	25.12	8.14	7.13	41.05	6.97	
		6:00	27.57	36.7	22.91	8.11	6.63	45.93	7.26	
		9:00	28	38.54	24.91	8.14	7.07	52.51	7.23	
		12:00	28.67	43.21	28.35	8.13	6.86	57.42	6.71	
		15:00	29.32	41.86	27.32	8.12	7.39	72.44	6.14	
		18:00	29.28	42.71	28.04	8.12	7.19	50.34	6.38	
	21:00	28.71	45.53	29.84	8.12	6.54	41.47	6.15		
	日平均值			28.36	40.80	26.39	8.12	7.01	54.35	6.74
	灣內站	0:00	27.5	39.06	25.57	8.25	6.86	22.1	56.28	
		3:00	27.49	38.72	25.35	8.09	6.78	21.6	39.83	
		6:00	27.49	38.76	25.24	8.15	6.72	23.4	8.6	
9:00		27.74	37.98	24.81	8.17	7.67	22.77	18.14		
12:00		28.84	37.21	24.35	8.24	9.27	24.7	16.69		
15:00		29.1	37.52	24.55	7.98	9.79	24.34	14.71		
18:00		29.29	36.94	24.18	7.99	9.6	22.28	18.13		
21:00	29.22	36.56	23.76	8.08	8.91	32.18	20.14			
日平均值			28.33	37.84	24.73	8.12	8.20	24.17	24.07	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月27日	蚵殼站	0:00	30.84	36.93	24.17	8.25	9.02	25.61	21.58	
		3:00	30.88	39.93	26.12	8.09	5.94	21.88	24.94	
		6:00	30.57	40.44	26.47	8.07	5.55	21.3	20.13	
		9:00	30.21	37.16	23.31	8.36	11.22	25.76	14.75	
		12:00	31.27	32.79	21.14	8.39	12.46	27.15	11.89	
		15:00	31.34	35.7	22.06	8.2	13.71	31.06	12	
		18:00	30.32	37.36	24.43	8.2	9.14	31.44	13.01	
		21:00	30.41	37.85	24.75	8.11	7.08	30.94	14.86	
	日平均值			30.73	37.27	24.06	8.21	9.27	26.89	16.65
	潮口站	0:00	28.72	50.09	32.87	8.06	6.88	76.64	5.94	
		3:00	28.66	45.17	29.64	8.1	7.09	46.33	5.8	
		6:00	28.95	42.16	26.02	8.17	7.66	32.56	6.19	
		9:00	29.94	40.12	25.41	8.14	8.16	42.01	6.86	
		12:00	29.44	44.12	28.93	8.13	7.31	55.02	6.81	
		15:00	29.64	41.48	27.2	8.05	7.26	49.68	6.07	
		18:00	29.97	42.74	28.03	8.21	9.23	35.87	10.14	
		21:00	30.07	42.67	27.99	8.29	9.92	36.81	13.79	
	日平均值			29.42	43.57	28.26	8.14	7.94	46.87	7.70
	灣內站	0:00	28.97	36.93	24.17	8.25	9.02	25.61	21.58	
		3:00	28.79	39.93	26.12	8.09	5.94	21.88	24.94	
		6:00	28.5	40.44	26.47	8.07	5.55	21.3	20.13	
		9:00	29.41	37.16	23.31	8.36	11.22	25.76	14.75	
		12:00	30.87	35.34	18.14	8.39	12.46	27.15	11.89	
		15:00	30.91	35.7	20.06	8.04	13.71	31.06	12	
		18:00	29.54	37.36	24.43	8.2	9.14	31.44	13.01	
		21:00	29.33	37.85	24.75	8.11	7.08	30.94	14.86	
	日平均值			29.54	37.59	23.43	8.19	9.27	26.89	16.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月28日	蚵殼站	0:00	30.24	38.68	25.32	8.05	6.75	28.74	20.68	
		3:00	30.11	40.75	26.67	7.98	5.32	25.98	17.37	
		6:00	30.03	42.36	27.71	7.99	5.53	26.77	15.15	
		9:00	30.41	38.38	24.88	8.08	6.83	27.94	14.65	
		12:00	30.88	35.28	22.82	8.39	13.71	43.91	14.87	
		15:00	30.62	36	23.3	8.2	9.14	44.83	13.99	
		18:00	30.34	37.45	24.19	8.42	10.94	42.18	12.17	
		21:00	30.41	37.24	24.22	8.29	9.37	41.5	11.84	
	日平均值			30.38	38.27	24.89	8.18	8.45	35.23	15.09
	潮口站	0:00	29.02	48.84	32.02	8.17	8.3	67.31	7.9	
		3:00	28.41	46.06	30.22	8.02	6.86	69.38	6.03	
		6:00	29.32	43.82	28.77	8.1	8.14	38.65	11.13	
		9:00	30.28	41.68	27.34	8.26	9.6	55.2	11.89	
		12:00	29.81	46.23	30.33	8.26	9.79	58.85	13.81	
		15:00	29.95	46.17	30.29	8.17	8.27	58.3	8.52	
		18:00	29.81	46.3	30.37	8.26	10.71	45.99	12.11	
		21:00	29.88	46.21	30.29	8.26	10	44.64	14.52	
	日平均值			29.56	45.66	29.95	8.19	8.96	54.79	10.74
	灣內站	0:00	29.06	38.68	25.32	8.05	6.75	18.78	20.68	
		3:00	28.62	40.75	26.67	7.98	5.32	17.74	17.37	
		6:00	28.36	42.36	27.71	7.99	5.53	26.45	15.15	
		9:00	29.29	38.38	24.88	8.08	6.83	21.23	14.65	
		12:00	32.23	35.1	20.82	8.1	12.46	29.95	14.87	
		15:00	32.39	35.34	21.3	8.31	13.71	17.79	13.99	
		18:00	30.63	37.45	24.19	8.42	10.94	24.3	12.17	
		21:00	30.48	37.24	24.22	8.29	9.37	21.33	11.84	
	日平均值			30.13	38.16	24.39	8.15	8.86	22.20	15.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月29日	蚵殼站	0:00	30.14	40.03	26.2	8.04	5.49	33.06	11.87	
		3:00	30.1	43.05	28.17	7.98	5.33	27.38	14.52	
		6:00	30.09	44.63	29.2	8.05	6.14	31.32	23.13	
		9:00	30.17	42.07	27.54	7.97	7.79	27.23	11.73	
		12:00	30.75	40.18	26.29	8.1	8.58	35.71	10	
		15:00	30.6	40.57	26.54	8.31	8.18	39.35	15.49	
		18:00	30.07	42.41	27.76	8.08	6.63	39.05	12.57	
		21:00	30.02	42.64	27.9	8.02	6.11	39.14	12.11	
	日平均值			30.24	41.95	27.45	8.07	6.78	34.03	13.93
	潮口站	0:00	29.31	51.53	32.79	8.18	8.24	61.4	7.21	
		3:00	28.64	50.75	32.3	8.09	7.25	82.14	1.73	
		6:00	29.45	47.74	30.31	8.22	9.1	52.74	11.02	
		9:00	29.67	46.86	29.74	8.32	9.33	67.03	8.7	
		12:00	30.85	42.26	28.7	8.23	9.98	64.94	13.41	
		15:00	29.29	48.81	33.02	8.17	7.91	64.1	5.19	
		18:00	29.99	47.01	31.83	8.32	10.4	60.85	13.19	
		21:00	30.43	43.18	33.33	8.49	10.32	53.82	18.75	
	日平均值			29.70	47.27	31.50	8.25	9.07	63.38	9.90
	灣內站	0:00	29.38	40.03	26.2	8.04	5.49	16.58	11.87	
		3:00	28.61	43.05	28.17	7.98	5.33	16.14	14.52	
		6:00	28.75	44.63	29.2	8.05	6.14	17.22	23.13	
		9:00	28.87	42.07	27.54	7.97	6.09	16.71	11.73	
		12:00	29.63	40.18	26.29	8.1	8.58	15.8	31.8	
		15:00	29.78	40.57	26.54	8.31	8.18	15.17	15.49	
18:00		29.23	42.41	27.76	8.08	6.63	15.52	12.57		
21:00		29.23	42.64	27.9	8.02	6.11	16.61	12.11		
日平均值			29.19	41.95	27.45	8.07	6.57	16.22	16.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月30日	蚵殼站	0:00	29.67	39.56	26.01	8.21	8.08	32.38	18.19	
		3:00	29.32	42.47	27.87	8.13	6.64	69.22	18.23	
		6:00	28.86	44.14	28.96	8.16	6.56	88.85	31.93	
		9:00	29.02	43.8	28.74	8.19	7.79	58.87	16.8	
		12:00	29.78	41.23	27.07	8.34	10.97	30.12	14.57	
		15:00	30.24	37.92	24.92	8.31	11.84	30.36	16.75	
		18:00	29.26	43.9	28.84	8.41	7.83	33.56	16.25	
		21:00	29.22	44.07	28.93	8.25	7.92	38.41	16.09	
	日平均值			29.42	42.14	27.67	8.25	8.45	47.72	18.60
	潮口站	0:00	29.11	53.26	34.94	8.18	7.15	68.97	7.07	
		3:00	28.52	56.12	36.8	8.1	7.3	118.53	2.62	
		6:00	29.05	52.2	34.25	8.2	8.14	67.08	11.68	
		9:00	29.23	51.2	33.59	8.31	9.2	68.41	11.39	
		12:00	29.3	51.73	33.95	8.29	9.38	69.87	13.62	
		15:00	28.74	54.24	36.01	8.17	7.97	96.03	9.98	
		18:00	28.48	52.51	35.63	8.18	9.02	64.67	8.92	
		21:00	29.04	48.17	31.58	8.4	10.45	48.15	13.52	
	日平均值			28.93	52.43	34.59	8.23	8.58	75.21	9.85
	灣內站	0:00	29.6	41.21	26.96	7.97	6.93	13.04	11.92	
		3:00	28.97	43.53	28.49	8.06	6.91	16.86	12.05	
		6:00	28.69	45.92	30.06	8.06	5.41	13.03	18.22	
		9:00	28.83	45.28	29.64	8.05	6.09	10.92	11.26	
		12:00	30.55	39.57	25.88	8.06	9.38	10.94	12.84	
		15:00	29.8	42	27.49	8.4	10.96	12.19	14.13	
18:00		29.19	43.84	28.7	8.22	9.48	14.76	12.03		
21:00		28.75	46.34	30.34	8.02	5.14	11.19	11.85		
日平均值			29.30	43.46	28.45	8.11	7.54	12.87	13.04	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月31日	蚵殼站	0:00	29.56	42.35	27.77	8.26	9.63	27.15	16.06	
		3:00	29.12	43.98	28.9	8.24	7.86	57.09	16.14	
		6:00	28.72	47.05	30.94	8.14	5.56	72.85	10.31	
		9:00	28.77	47	30.91	8.13	6.57	48.49	10.1	
		12:00	29.49	45.89	30.19	8.22	11.49	29.49	10.1	
		15:00	30.87	45.12	29.64	8.28	7.79	24.79	11.83	
		18:00	29.68	46.25	30.4	8.28	9.02	47.91	17.35	
		21:00	29.23	47.04	30.95	8.21	9.41	60.8	15.74	
	日平均值			29.43	45.59	29.96	8.22	8.42	46.07	13.45
	潮口站	0:00	28.81	50.93	33.41	8.22	7.77	47	9.79	
		3:00	27.78	57.95	37.39	8.09	7.15	124.25	4.45	
		6:00	28.19	56.12	36.8	8.12	7.75	73.57	5.86	
		9:00	28.66	53.8	35.3	8.28	9.25	69.88	10.13	
		12:00	28.67	55.76	36.58	8.31	9.76	75.08	11.56	
		15:00	29	56.34	36.95	8.17	8.9	123.04	10.48	
		18:00	28.27	53.56	35.13	8.1	7.5	128.47	6.82	
		21:00	28.87	53.91	35.37	8.19	9.64	69.07	7.62	
	日平均值			28.53	54.80	35.87	8.19	8.47	88.80	8.34
	灣內站	0:00	28.96	45.35	29.67	8.06	6.14	9.39	11.82	
		3:00	28.98	45.24	29.63	8.01	6.91	9.42	12.17	
		6:00	28.36	48.76	31.92	7.99	5.41	18.39	20.2	
		9:00	28.43	48.7	31.9	8.05	6.09	12.37	27.5	
		12:00	30.12	44.24	28.94	8.4	10.53	18.17	19.3	
		15:00	31.63	40.62	26.58	8.06	6.09	19.99	19.6	
		18:00	30.05	45.35	29.67	8.48	10.77	15.66	13.04	
		21:00	28.92	47.95	31.38	8.19	7.49	23.13	11.87	
	日平均值			29.43	45.78	29.96	8.16	7.43	15.82	16.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月1日	蚵殼站	0:00	30.41	44.4	29.15	8.29	9.69	45.24	10.6
		3:00	29.7	44.95	29.53	8.25	9.64	46.01	16.2
		6:00	28.8	47.22	31.06	8.18	7.11	61.84	6.1
		9:00	28.58	47.4	31.19	8.2	6.9	64.93	7.5
		12:00	29.16	47.2	31.05	8.24	11.39	40.59	5.7
		15:00	30.51	46.99	30.9	8.25	9.69	28.18	4.8
		18:00	30.08	47.17	31.03	8.29	12.94	40.94	8.7
		21:00	30.14	46.58	30.62	8.29	12.5	41.54	11.2
	日平均值		29.67	46.49	30.57	8.25	9.98	46.16	8.85
	潮口站	0:00	29.05	51.11	32.52	8.24	9.8	54.14	6.93
		3:00	28.25	56.31	36.25	8.12	7.64	105.04	4.79
		6:00	27.99	55.98	36.17	8.06	7.19	103.22	3.89
		9:00	29.01	51.81	33.3	8.23	9.92	71.17	7.35
		12:00	29.3	53.04	34.11	8.29	10.23	88.75	9.33
		15:00	29.5	53.27	34.25	8.26	10.26	78.64	10.9
		18:00	28.7	53.11	34.14	8.15	7.53	66.56	5.38
		21:00	29.02	52.84	33.97	8.21	9.92	59.23	5.68
	日平均值		28.85	53.43	34.34	8.20	9.06	78.34	6.78
	灣內站	0:00	29.79	45.55	29.81	8.2	7.58	63.43	10.8
		3:00	29.28	47.23	30.9	8.06	5.05	59.31	16.4
		6:00	28.38	48.69	31.85	8.09	5.7	52.52	6.3
9:00		28.41	49.02	32.07	8.14	6.72	56.77	7.7	
12:00		29.25	47.96	31.38	8.36	11.71	61.01	14.69	
15:00		29.66	47.2	30.87	8.4	12.58	59.84	5	
18:00		29.61	47.49	31.07	8.32	9.96	57.68	8.9	
21:00		29.42	47.85	31.31	8.2	7.7	59.9	8.2	
日平均值		29.23	47.62	31.16	8.22	8.38	58.81	9.75	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月2日	蚵殼站	0:00	30.2	45.99	30.22	8.3	12.07	42.15	4.0
		3:00	30.05	44.62	29.31	8.31	10.69	37.32	6.0
		6:00	28.83	47.93	31.55	8.2	7.1	83.66	8.2
		9:00	28.71	48.22	31.74	8.18	7.46	65.87	9.6
		12:00	29.1	48.3	31.8	8.25	10.99	55.98	18.6
		15:00	30.27	48.54	31.93	8.39	13.04	25.33	3.5
		18:00	30.42	48.25	31.76	8.44	13.7	30.7	3.3
		21:00	30.14	47.42	31.21	8.48	11.39	41	3.1
	日平均值		29.72	47.41	31.19	8.32	10.81	47.75	7.03
	潮口站	0:00	29.34	52.57	33.8	8.28	9.86	51.91	5.98
		3:00	28.95	53.36	34.51	8.17	8.22	72.54	4.27
		6:00	28	57.32	37.06	8.09	7.19	92.19	2.76
		9:00	28.79	54.6	35.1	8.16	8.76	64.83	4.16
		12:00	29.02	54.92	35.3	8.31	10.59	75.61	5.69
		15:00	29.25	54.21	34.84	8.22	10.32	64.14	6.29
		18:00	28.83	49.52	31.8	8.06	7.41	81.47	2.72
		21:00	29.04	53.27	34.24	8.09	8.33	73.74	2.22
	日平均值		28.90	53.72	34.58	8.17	8.84	72.05	4.26
	灣內站	0:00	29.24	48.21	31.56	8.08	5.45	62.13	4.2
		3:00	28.99	48.49	31.72	8.07	7.25	52.04	6.2
		6:00	28.94	48.62	31.81	8.11	8.58	51.03	8.4
9:00		28.58	49.24	32.22	8.16	8.47	53.63	9.8	
12:00		29.29	48.42	31.67	8.29	9.98	56.01	2.06	
15:00		31.2	45.17	29.55	8.36	8.58	61.53	4.5	
18:00		30.35	47.06	30.78	8.4	13.56	59.52	4.3	
21:00		29.7	47.87	31.3	8.33	10.07	62.82	4.1	
日平均值		29.54	47.89	31.33	8.23	8.99	57.34	5.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月3日	蚵殼站	0:00	29.9	46.89	30.85	8.42	10.47	39.51	3.7
		3:00	30.17	45.68	30.04	8.41	11.62	37.8	7.0
		6:00	29.72	46.81	30.8	8.3	9.62	37.78	11.5
		9:00	29.08	48.27	31.78	8.31	8.76	37.06	4.2
		12:00	29.52	48.31	31.81	8.3	11.12	36.91	6.2
		15:00	30.54	47.15	31.02	8.38	13.48	30.89	7.3
		18:00	30.21	46.95	30.88	8.44	11.88	39.63	13.5
		21:00	28.96	49.07	32.23	8.29	7.83	61.95	8.8
	日平均值		29.76	47.39	31.18	8.36	10.60	40.19	7.78
	潮口站	0:00	29.52	50.48	33.45	8.32	10.07	49.33	4.15
		3:00	29.42	51.08	33.85	8.19	8.76	58.37	4.2
		6:00	28.08	57.68	34.2	8.08	7.07	100.2	2.54
		9:00	29.14	53.9	35.67	8.14	8.64	60.97	3.14
		12:00	29.32	53.84	35.62	8.23	10.52	65.21	5.29
		15:00	30.29	51.91	34.36	8.22	9.82	76.19	6.26
		18:00	28.46	56.54	34.42	8.12	7.59	88.52	2.66
		21:00	28.66	52.81	34.95	8.1	8.09	56.36	3.49
	日平均值		29.11	53.53	34.57	8.18	8.82	69.39	3.97
	灣內站	0:00	30.1	47.51	31.06	8.41	11.45	59.82	5.3
		3:00	29.48	47.87	31.31	8.32	10.02	58	4.9
		6:00	29.3	48.18	31.54	8.26	8.49	57.47	4.8
		9:00	29.08	48.79	31.94	8.25	7.84	58.38	4.9
		12:00	29.96	47.79	31.28	8.39	11.79	58.72	9.8
		15:00	29.61	48.29	31.59	8.3	8.58	63.01	2.06
18:00		29.43	48.62	31.82	8.32	10.78	58.07	4.5	
21:00		29.05	49.16	32.18	8.2	7.95	53.95	4.7	
日平均值		29.50	48.28	31.59	8.31	9.61	58.43	5.12	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月4日	蚵殼站	0:00	29.42	48.12	31.62	8.31	9.35	48.16	7.6
		3:00	29.6	45.62	29.97	8.38	10.12	45.32	5.8
		6:00	29.25	46.97	30.89	8.28	8.55	46.66	3.5
		9:00	29.41	46.48	30.58	8.31	8.23	47.39	4.6
		12:00	29.25	46.85	30.82	8.29	7.19	45.64	4.1
		15:00	29.26	46.39	30.51	8.27	8.12	45.23	6.7
		18:00	29.2	45.4	29.84	8.31	9.85	47.62	9.4
		21:00	28.87	46.41	30.52	8.38	7.87	54.43	10.9
	日平均值		29.28	46.53	30.59	8.32	8.66	47.56	6.58
	潮口站	0:00	29.8	50.64	33.55	8.31	10.29	48.76	5.04
		3:00	29.41	51.65	34.2	8.17	7.69	57.23	3.96
		6:00	28.42	53.43	35.36	8.06	7.19	82.24	2.51
		9:00	27.99	48.62	32.21	8.07	7.54	89.46	1.83
		12:00	28.63	50.2	33.25	8.16	8.72	65.01	5.01
		15:00	28.92	51.32	33.99	8.17	9.25	66.1	7.89
		18:00	28.37	54.12	35.8	8.07	7.56	123.23	4.8
		21:00	28.31	52.97	35.06	8.06	7.49	94.84	2.85
	日平均值		28.73	51.62	34.18	8.13	8.22	78.36	4.24
	灣內站	0:00	28.87	49.62	32.49	8.23	9.84	51.34	4.7
		3:00	29.04	48.5	31.75	8.28	9.05	50.13	4.6
		6:00	28.94	46.73	30.58	8.36	8.95	48.52	9.8
		9:00	28.83	47.11	30.83	8.21	7.67	51.43	2.06
		12:00	28.92	48.15	31.51	8.13	6.18	53.45	4.5
		15:00	29.1	45.25	29.6	8.42	11.32	52.61	5.1
18:00		28.94	45.61	29.86	8.3	8.78	57.8	7	
21:00		28.82	47.68	31.17	8.14	6.79	48.21	6.3	
日平均值		28.93	47.33	30.97	8.26	8.57	51.69	5.51	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月5日	蚵殼站	0:00	28.73	47.27	31.09	8.27	7.28	49.5	8.0	
		3:00	28.72	46.62	30.67	8.24	7.28	48.33	5.5	
		6:00	28.93	45.68	30.04	8.25	7.12	37.58	8.9	
		9:00	28.84	46.46	30.56	8.28	9.58	35.69	4.7	
		12:00	29.15	47.31	31.12	8.35	10.24	31.95	8.1	
		15:00	29.66	46.44	30.53	8.45	13.07	28.71	14.3	
		18:00	29.82	45.8	30.12	8.47	12.79	35.02	12.5	
		21:00	29.48	46.75	30.75	8.39	9.79	43.64	6.7	
	日平均值			29.17	46.54	30.61	8.34	9.64	38.80	8.59
	潮口站	0:00	28.23	50.11	33.2	8.15	8.4	62.91	2.73	
		3:00	28.01	47.22	31.28	8.27	9.16	51.76	2.7	
		6:00	28.28	51.84	34.31	8.12	7.33	97.2	3.43	
		9:00	28.19	54.89	36.31	8.04	7.21	111.14	2.79	
		12:00	28.72	53.87	35.64	8.1	8.06	85.31	3.7	
		15:00	28.92	54.03	35.73	8.11	7.93	65.27	5.3	
		18:00	28.5	52.6	34.8	8.07	7.15	87.45	3.59	
		21:00	28.4	50.14	33.22	8.03	7.33	103.92	2.67	
	日平均值			28.41	51.84	34.31	8.11	7.82	83.12	3.36
	灣內站	0:00	28.57	48.42	31.68	8.04	5.82	46.98	7.3	
		3:00	28.7	48.28	31.6	7.95	8.58	41.9	6.7	
		6:00	28.66	47.87	31.3	8.12	6.19	38.26	6.4	
		9:00	28.97	47.67	31.19	8.32	9.03	45.62	5.5	
		12:00	29.53	44.47	29.09	8.38	9.91	47.88	5.7	
		15:00	30.1	43.97	28.78	8.36	8.58	48.88	9.8	
		18:00	29.94	43.95	28.76	8.4	12.95	46.35	2.06	
		21:00	29.23	47.28	30.91	8.21	7.91	56.99	4.5	
	日平均值			29.21	46.49	30.41	8.22	8.62	46.61	6.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月6日	蚵殼站	0:00	29.02	46.42	30.25	8.37	8.98	41.11	9.2	
		3:00	29.02	45.05	29.58	8.39	9.31	29.86	8.8	
		6:00	28.98	44.36	29.12	8.37	9.58	33.09	6.5	
		9:00	29.09	44.29	29.09	8.36	9.14	36.4	8.6	
		12:00	29.22	46.48	30.57	8.32	10.43	39.88	13.1	
		15:00	29.54	46.64	30.68	8.38	11.65	39.47	6.1	
		18:00	29.83	45.45	29.87	8.47	13.18	41.7	11.6	
		21:00	29.66	45.38	29.83	8.39	10.66	45.06	9.2	
	日平均值			29.30	45.51	29.87	8.38	10.37	38.32	9.14
	潮口站	0:00	28.69	53.21	34.92	8.03	7.22	78.95	2.4	
		3:00	28.64	54.06	35.48	8.07	6.96	67.46	3.85	
		6:00	28.9	53.4	35.04	8.01	6.45	69.09	6.77	
		9:00	29.27	53.03	34.81	8.03	7.09	74.67	6.28	
		12:00	29.9	51.46	33.77	8.17	10.27	65.07	10.74	
		15:00	30.44	49.69	32.6	8.33	12.14	70.11	28.55	
		18:00	29.75	51.66	33.9	8.21	10.03	67.32	21.47	
		21:00	28.65	52.08	34.17	8.11	7.28	89.68	10.77	
	日平均值			29.28	52.32	34.34	8.12	8.43	72.79	11.35
	灣內站	0:00	29.27	47.42	31.02	8.21	8.28	56.02	7	
		3:00	29.44	45.54	29.8	8.38	11.28	52.32	7.6	
		6:00	29.15	45.75	29.92	8.43	11.34	51.22	7.5	
		9:00	29.07	45.79	29.94	8.41	11.28	49.26	6.7	
		12:00	29.42	45.82	29.97	8.43	11.84	51.08	4.9	
		15:00	29.59	45.66	29.88	8.41	11.53	53.22	4.8	
		18:00	29.47	46.32	30.3	8.42	10.76	56.06	13.7	
		21:00	29.01	48.16	31.51	8.23	8.25	57.06	2.7	
	日平均值			29.30	46.31	30.29	8.37	10.57	53.28	6.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月7日	蚵殼站	0:00	29.45	44.14	28.71	8.47	10.74	24.88	11.6	
		3:00	29.14	43.76	28.73	8.43	9.04	22.33	11.5	
		6:00	29.21	43.56	28.6	8.38	8.49	25.56	11.9	
		9:00	29.21	42.86	28.13	8.41	9.62	39.42	6.0	
		12:00	29.1	43.09	28.27	8.4	9.51	30.58	11.1	
		15:00	29.61	43.36	28.47	8.49	12.87	24.06	12.1	
		18:00	29.75	42.59	27.94	8.49	11.68	24.51	24.4	
		21:00	29.75	43.96	28.85	8.39	11.23	31.56	15.6	
	日平均值			29.40	43.42	28.46	8.43	10.40	27.86	13.03
	潮口站	0:00	29.09	48.17	31.6	8.25	8.92	73.35	8.31	
		3:00	28.82	44.57	29.23	8.33	8.63	75.74	9.89	
		6:00	29.05	45.17	29.64	8.19	7.22	77.78	20.64	
		9:00	29.4	48.85	32.03	8.15	6.75	81.86	10.06	
		12:00	29.19	54.2	35.57	8.01	5.99	111.08	7.8	
		15:00	29.67	53.19	34.89	8.02	6.62	92.99	8.3	
		18:00	29.62	51.7	33.95	8.1	7.51	72.27	8.26	
		21:00	29.19	52.03	34.15	8.06	6.81	74.09	7.05	
	日平均值			29.25	49.74	32.63	8.14	7.31	82.40	10.04
	灣內站	0:00	28.96	48.14	31.5	8.14	7.07	57.32	4.7	
		3:00	29.05	46.85	30.4	8.23	7.89	58.79	5.9	
		6:00	28.96	46.64	30.5	8.16	6.79	58.14	3.3	
		9:00	28.96	44.47	29.1	8.38	8.82	57.04	2.14	
		12:00	30.11	41.58	27.21	8.36	8.58	64.07	1.97	
		15:00	30.13	41.52	27.19	8.4	14	65.61	29.91	
		18:00	29.66	43.39	28.4	8.44	10.48	64.44	50.34	
		21:00	29.23	45.7	29.9	8.21	7.73	61.7	49.54	
	日平均值			29.38	44.79	29.28	8.29	8.92	60.89	18.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月8日	蚵殼站	0:00	29.54	45.22	29.7	8.42	7.96	32.76	21.4	
		3:00	29.48	45.67	30.04	8.36	7.2	28.99	8.3	
		6:00	29.63	44.62	29.31	8.41	9.02	26.97	11.5	
		9:00	29.73	43.98	28.87	8.4	11.21	29.14	13.1	
		12:00	30.23	44.8	29.4	8.48	13.6	30.28	11.1	
		15:00	30.58	44.74	29.37	8.38	13.85	31.89	17.8	
		18:00	30.78	44.72	29.35	8.47	13.32	35.64	10.0	
		21:00	30.76	45.1	29.63	8.39	9.69	38.51	10.0	
	日平均值			30.09	44.86	29.46	8.41	10.73	31.77	12.90
	潮口站	0:00	28.99	50.32	33.02	8.08	7.34	77.77	6.56	
		3:00	29.06	50.41	32.64	8.11	6.8	78.73	4.27	
		6:00	29.45	45.09	29.6	8.39	8.48	70.86	10.2	
		9:00	30.02	47.62	31.23	8.3	8.41	75.77	11.74	
		12:00	29.74	51.94	34.08	8.12	6.41	96.63	9.88	
		15:00	30.32	47.55	31.21	8.03	5.6	92.68	7.45	
		18:00	30.36	46.45	30.45	8.03	6.61	81.63	7.89	
		21:00	29.96	50.21	32.94	8.05	6.12	81.24	9.07	
	日平均值			29.74	48.70	31.90	8.14	6.97	81.91	8.38
	灣內站	0:00	29.21	46.42	30.38	8.11	7.18	59.65	22.44	
		3:00	29.26	46.31	30.31	8.12	5.47	60.92	10.45	
		6:00	29.16	45.72	29.9	8.17	6.13	60.72	11.28	
		9:00	29.94	44.46	29.09	8.14	9.02	62.85	2	
		12:00	31.3	40.99	26.83	8.23	8.58	61.9	2	
		15:00	31.22	41.8	27.36	8.16	9.71	65.57	3.1	
		18:00	30.04	44.47	29.09	8.36	8.43	64.5	9.8	
		21:00	30.6	42.78	28	8.36	11.92	63.33	4.6	
	日平均值			30.09	44.12	28.87	8.21	8.31	62.43	8.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月9日	蚵殼站	0:00	30.41	45.22	29.71	8.48	9.29	37.99	12.8	
		3:00	30.08	44.92	29.51	8.39	10.36	40.57	8.2	
		6:00	30.28	43.02	28.23	8.38	9.74	39.92	9.5	
		9:00	30.29	42.21	27.69	8.47	10.63	35.67	10.1	
		12:00	30.3	43.47	28.54	8.42	10.71	35.98	8.6	
		15:00	30.32	44.24	29.05	8.43	11.91	36.25	14.4	
		18:00	30.21	45.09	29.61	8.35	9.27	37.12	10.2	
	21:00	30.35	44.19	29.01	8.39	11.32	35.43	8.3		
	日平均值			30.28	44.05	28.92	8.41	10.40	37.37	10.26
	潮口站	0:00	29.62	48.74	31.98	8.14	6.04	72.34	8.94	
		3:00	29.21	47.41	31.1	8.05	5.52	80.63	7.91	
		6:00	29.81	45.38	29.78	8.22	5.93	75.9	11.64	
		9:00	30.17	44.28	29.08	8.3	9.28	80.01	21.66	
		12:00	30.06	48.47	31.8	8.19	7.37	98.98	16.69	
		15:00	29.79	49.43	32.42	8.08	9.86	92.52	11.34	
		18:00	30.02	46.77	30.65	8.04	8.22	76.52	11.25	
	21:00	29.91	47.88	31.38	8.02	7.19	72.02	10.04		
	日平均值			29.82	47.30	31.02	8.13	7.43	81.12	12.43
	灣內站	0:00	29.74	45.12	29.51	8.27	7.25	61.78	4.3	
		3:00	29.44	46.32	30.33	8.12	6.3	62.66	2	
		6:00	29.91	44.63	29.2	8.2	7.14	62.17	2	
9:00		29.82	43.51	28.45	8.4	6.45	60.38	3.93		
12:00		30.08	43.16	28.25	8.36	8.91	65.25	2		
15:00		30.08	43.55	28.5	8.44	6.22	63.46	59.78		
18:00		29.92	45.46	29.76	8.26	5.94	65.2	17.39		
21:00	29.94	45.51	29.81	8.19	7.64	63.37	8.19			
日平均值			29.87	44.66	29.23	8.28	6.98	63.03	12.45	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月10日	蚵殼站	0:00	30.12	44.68	29.35	8.46	10.3	28.47	13.7	
		3:00	29.74	46.88	30.84	8.29	5.23	27.63	6.2	
		6:00	29.95	44.9	29.5	8.34	8.76	27.34	8.0	
		9:00	29.89	43.55	28.59	8.43	11.37	28.58	10.0	
		12:00	30.05	43.98	28.88	8.47	11.78	26.91	6.6	
		15:00	30.1	43.8	28.75	8.48	12.82	26.21	14.0	
		18:00	29.87	42.95	28.18	8.39	10.58	25.71	33.3	
	21:00	29.79	43.25	28.38	8.44	8.15	29.25	9.5		
	日平均值			29.94	44.25	29.06	8.41	9.87	27.51	12.66
	潮口站	0:00	29.33	51.4	33.73	8.02	6.41	73.41	9.67	
		3:00	29.29	49.96	32.78	8.07	5.05	70.69	9.85	
		6:00	29.95	47.74	31.3	8.12	8.63	72.57	16.83	
		9:00	29.88	49.88	32.72	8.09	7.22	88.66	16.4	
		12:00	29.75	49.66	32.58	8.04	6.75	89.2	15.75	
		15:00	28.98	47.13	30.9	7.97	5.99	79.06	11.5	
		18:00	29.09	47.02	30.82	8	6.62	75.4	11.87	
	21:00	29.46	47.51	31.14	8.14	7.51	72.21	15.26		
	日平均值			29.47	48.79	32.00	8.06	6.77	77.65	13.39
	灣內站	0:00	29.92	45.1	29.51	8.14	5.3	64.48	5.45	
		3:00	29.7	45.81	29.97	8.08	8.58	60.62	5.38	
		6:00	29.41	47.64	31.18	8.11	6.06	56.87	7.46	
9:00		29.86	43.85	28.5	8.2	10.3	62.85	15.45		
12:00		29.96	42.58	27.86	8.4	8.58	66.11	2		
15:00		29.94	42.69	27.92	8.36	12.42	65.5	86.04		
18:00		29.84	43.48	28.44	8.4	10.06	62.14	45.44		
21:00	29.71	44.36	29.05	8.23	8.58	60.76	37.85			
日平均值			29.79	44.44	29.05	8.24	8.74	62.42	25.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月11日	蚵殼站	0:00	29.7	44.07	28.93	8.4	9.58	24.88	9.3	
		3:00	29.62	46.93	30.87	8.25	6.2	22.33	5.2	
		6:00	29.53	47.48	31.24	8.18	5.26	25.56	13.5	
		9:00	29.8	45.54	29.94	8.19	8.85	39.42	7.2	
		12:00	30.23	45.8	30.12	8.3	11.65	30.58	12.1	
		15:00	30.95	46.8	30.79	8.36	13.1	24.06	16.4	
		18:00	31.17	45.61	29.99	8.43	12.58	24.51	23.9	
		21:00	31.22	45.24	29.72	8.35	12.13	31.56	15.2	
	日平均值			30.28	45.93	30.20	8.31	9.92	27.86	12.85
	潮口站	0:00	28.94	52.28	34.29	8.06	7.22	82.59	12.15	
		3:00	28.56	53.07	34.8	8.02	6.96	78.3	12.11	
		6:00	28.72	46.72	30.61	8.26	6.45	62.73	15.71	
		9:00	29.57	47.31	31.01	8.31	7.09	67.58	14.99	
		12:00	30.11	49.37	32.38	8.17	10.27	71.91	15.99	
		15:00	29.85	47.45	31.14	8.07	12.14	60.85	12.72	
		18:00	29.36	49.05	32.17	7.98	10.03	61.68	13.94	
		21:00	30.09	48.07	31.29	8.13	7.28	52.75	15.37	
	日平均值			29.40	49.17	32.21	8.13	8.43	67.30	14.12
	灣內站	0:00	29.71	45.39	29.53	8.24	5.3	57.36	76.11	
		3:00	29.61	46.39	30.36	8.05	5.94	58.22	94.73	
		6:00	29.33	47.11	30.82	8.04	7.64	58.42	19.55	
		9:00	29.67	46.67	30.52	8.19	9.34	63.69	1.96	
		12:00	31.43	42.57	27.87	8.2	5.94	68.1	2	
		15:00	31.8	41.52	27.18	8.4	7.64	60.16	11.56	
		18:00	30.92	42.78	28	8.36	9.48	60.6	87.31	
		21:00	30.61	44.01	28.68	8.35	7.33	56.61	74.65	
	日平均值			30.39	44.56	29.12	8.23	7.33	60.40	45.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月12日	蚵殼站	0:00	30.51	46.87	30.83	8.47	11.1	22.5	8.6	
		3:00	29.81	47.8	31.46	8.3	7.19	22.55	6.1	
		6:00	29.66	48.53	31.91	8.24	6.97	23.97	6.0	
		9:00	29.94	47.65	31.35	8.24	10	22.93	4.6	
		12:00	30.48	47.82	31.42	8.31	13.23	21.65	35.1	
		15:00	31.82	48.81	32.01	8.37	9.69	37.12	35.5	
		18:00	31.89	48.14	31.59	8.43	13.46	25.68	38.5	
		21:00	31.19	45.24	29.71	8.35	12.27	44	13.9	
	日平均值			30.66	47.61	31.29	8.34	10.49	27.55	18.54
	潮口站	0:00	29.62	49.55	32.5	8.09	5.93	53.6	15.02	
		3:00	28.64	54.75	35.93	7.99	9.28	82.59	14.53	
		6:00	29.5	47.29	31.01	8.15	7.37	46.44	17.41	
		9:00	30.18	47.21	30.84	8.28	11.24	38.65	21.22	
		12:00	31.06	48.76	32.32	8.39	11.97	16.23	3.03	
		15:00	30.26	48.31	32.03	8.17	8.95	11.27	2.39	
		18:00	29.41	49.21	32.62	8.08	7.73	14.65	1.4	
		21:00	30.51	48.82	32.37	8.44	12.95	8.54	4.43	
	日平均值			29.90	49.24	32.45	8.20	9.43	34.00	9.93
	灣內站	0:00	30.4	44.77	29.29	8.35	6.78	54.19	34.99	
		3:00	29.71	46.75	30.56	8.19	6.47	53.16	23.34	
		6:00	29.24	48.43	31.69	8.04	9.48	54.53	8.2	
		9:00	29.83	47.61	31.16	8.18	7.66	59.66	2	
		12:00	32.81	44.5	28.94	8.46	8.53	68.12	2	
		15:00	32.72	48.9	31.83	8.2	5.94	37.86	39.14	
		18:00	32.17	48.22	31.4	8.4	7.64	22.68	40.16	
		21:00	32.16	49.76	32.4	8.36	9.48	23.94	29.31	
	日平均值			31.13	47.37	30.91	8.27	7.75	46.77	22.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月13日	蚵殼站	0:00	30.87	45.92	30.15	8.39	11.21	21.31	16.4	
		3:00	30.24	48.36	31.74	8.26	7.78	21.29	22.4	
		6:00	29.68	49.5	32.48	8.19	5.53	22.08	26.8	
		9:00	29.78	48.98	31.78	8.24	8.88	21.56	36.2	
		12:00	30.62	49.39	32.4	8.36	12.97	24.84	50.4	
		15:00	32.09	49.39	32.4	8.35	13.66	27.19	30.6	
		18:00	32.08	48.62	31.9	8.43	10.1	24.94	29.1	
	21:00	32.17	48.6	31.88	8.39	7.32	29.94	41.2		
	日平均值			30.94	48.60	31.84	8.33	9.68	24.14	31.64
	潮口站	0:00	30.64	48.33	32.04	8.43	11.64	9.44	2.54	
		3:00	28.59	51.59	33.56	8.1	7.12	33.97	0.73	
		6:00	29.35	50.22	32.86	8.28	9.21	7.43	4.27	
		9:00	30.34	46.64	30.92	8.39	10.85	15.7	3.95	
		12:00	30.26	49.13	32.56	8.33	10.82	16.42	4.86	
		15:00	30.16	44.77	29.33	8.19	9.05	14.17	4.44	
		18:00	29.49	48.23	31.97	8.16	8.62	13.3	2.58	
	21:00	31.12	46.3	30.7	8.46	13.01	7.77	5.2		
	日平均值			29.99	48.15	31.74	8.29	10.04	14.78	3.57
	灣內站	0:00	31.73	50.14	33.32	8.36	13.58	23.65	13.65	
		3:00	30.29	51.78	34.37	8.28	12.22	18.85	13.24	
		6:00	29.13	49.23	33.64	8.15	9.72	18.6	17.4	
9:00		29.72	50.59	33.21	8.18	8.78	19.46	6.6		
12:00		32.68	50.18	33.34	8.4	12.54	22.72	7.2		
15:00		32.63	49.82	33.09	8.28	5.94	23.27	22		
18:00		31.79	50.02	33.22	8.15	7.64	29.12	10.9		
21:00	31.71	50.27	33.39	8.46	13.83	24.56	8.8			
日平均值			31.21	50.25	33.45	8.28	10.53	22.53	12.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月14日	蚵殼站	0:00	31.84	48.54	31.84	8.27	9.33	21.2	17.0	
		3:00	31.01	48.66	31.93	8.29	8.57	20.72	32.7	
		6:00	29.81	50.18	32.92	8.23	5.27	19.74	41.0	
		9:00	30.31	49.56	32.52	8.3	7.22	22.5	64.5	
		12:00	30.92	49.86	32.7	8.33	8.87	22.55	43.5	
		15:00	31.27	49.81	32.68	8.4	12.76	23.97	31.0	
		18:00	30.29	50.56	33.17	8.35	9.25	22.93	51.0	
	21:00	30.23	49.87	32.71	8.36	9.34	21.65	44.5		
	日平均值			30.71	49.63	32.56	8.32	8.83	21.91	40.65
	潮口站	0:00	30.54	47.28	31.35	8.32	10.16	33.88	5.96	
		3:00	28.79	52.04	34.52	8.11	7.24	31.3	3.73	
		6:00	29.11	49.63	32.91	8.17	7.88	8.69	5.14	
		9:00	30.24	46.72	30.98	8.28	9.75	11.13	11.73	
		12:00	31.22	44.6	29.56	8.38	10.55	20.3	6.82	
		15:00	30.28	48.22	31.97	8.31	9.19	13.51	7.49	
		18:00	29.65	49.3	32.69	8.25	9.13	6.43	3.47	
	21:00	31.44	45.97	30.47	8.21	13.26	7.2	5.66		
	日平均值			30.16	47.97	31.81	8.25	9.65	16.56	6.25
	灣內站	0:00	31.66	50.08	33.9	8.39	13.01	20.53	10.5	
		3:00	30.51	51.5	34.84	8.26	11.92	35.4	11.9	
		6:00	29.65	52.38	32.73	8.05	9.52	17.81	9	
9:00		29.48	52.89	33.05	8.09	7.5	17.13	9.9		
12:00		31.09	50.16	31.25	8.32	9.64	19.92	17.5		
15:00		30.56	50.04	32.51	8.24	10.04	20.07	27		
18:00		30.48	51	33.14	8.05	6.05	23.37	6.1		
21:00	30.11	51.1	33.19	8.1	5.9	23.49	4.1			
日平均值			30.44	51.14	33.08	8.19	9.20	22.22	12.00	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月15日	蚵殼站	0:00	30.74	47.96	31.48	8.33	10.38	18.82	31.0	
		3:00	30.48	47.73	31.32	8.4	9.02	18.6	27.1	
		6:00	29.61	51.04	33.48	8.28	5.37	28.36	35.7	
		9:00	29.73	51.39	33.71	8.23	5.59	21.04	74.1	
		12:00	30.02	51.46	33.75	8.3	8.09	20.96	65.5	
		15:00	30.55	50.63	33.2	8.46	11.71	21.76	52.8	
		18:00	30.38	49.52	32.49	8.35	10.45	18.61	47.7	
	21:00	29.96	49.45	32.25	8.49	8.4	17.94	61.6		
	日平均值			30.18	49.90	32.71	8.36	8.63	20.76	49.44
	潮口站	0:00	30.74	46.78	31.02	8.44	10.54	10.59	4.36	
		3:00	28.77	51.6	34.19	8.12	6.69	38.82	4.04	
		6:00	28.67	51.32	34.04	8.16	6.89	17.44	3.57	
		9:00	29.8	48.78	32.09	8.31	9.08	29.08	28.8	
		12:00	29.61	50.03	33.17	8.17	7.4	15.36	33.27	
		15:00	29.66	45.87	30.04	8.13	7.62	11.65	27.66	
		18:00	29.15	48.07	31.86	8.11	7.51	7.33	2.8	
	21:00	29.58	47.48	31.48	8.28	8.72	6.72	3.02		
	日平均值			29.50	48.74	32.24	8.22	8.06	17.12	13.44
	灣內站	0:00	29.77	52.11	33.19	8.25	5.55	18.4	14.4	
		3:00	29.85	50.89	32.45	8.33	7.21	16.32	16.2	
		6:00	29.44	52.08	33.18	8.06	6.77	19.93	10.3	
9:00		29.14	53.79	34.31	7.99	5.12	17.14	4		
12:00		30.46	50.67	32.28	8.36	11.11	22.44	4.8		
15:00		30.72	50.25	31.98	8.06	13.44	19.8	19.5		
18:00		29.92	51.68	32.93	8.31	9.6	19.51	22		
21:00	29.61	51.81	33.01	8.26	7.5	22.81	19.1			
日平均值			29.86	51.66	32.92	8.20	8.29	19.54	13.79	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月16日	蚵殼站	0:00	29.85	48.78	32	8.43	7.49	21.36	70.0	
		3:00	29.68	48.45	31.79	8.4	6.38	23.05	46.7	
		6:00	29.7	49.77	32.65	8.31	6.01	21.38	38.6	
		9:00	29.7	51.1	33.5	8.32	5.92	19.15	68.7	
		12:00	30	50.43	33.08	8.31	8.2	25.01	57.6	
		15:00	30.41	49.84	32.69	8.35	11.68	22.15	49.5	
		18:00	30.22	50.23	32.95	8.41	9.57	21.86	53.3	
	21:00	29.65	49.89	32.73	8.3	7.41	22.54	73.9		
	日平均值			29.90	49.81	32.67	8.35	7.83	22.06	57.29
	潮口站	0:00	28.96	44.4	29.43	8.15	7.38	8.42	2.61	
		3:00	29.08	49.91	33.11	8.12	6.87	30.13	2.23	
		6:00	28.81	51.01	33.84	8.1	6.57	22.25	2.51	
		9:00	29.31	48.21	31.96	8.22	8.11	18.52	9.92	
		12:00	29.87	48.21	31.95	8.32	9.49	29.26	12.8	
		15:00	29.85	48.03	31.83	8.3	9.93	24.23	21.54	
		18:00	29	46.54	30.86	8.11	7.1	10.95	20.46	
	21:00	29.21	47.11	31.23	8.16	7.61	9.94	5.48		
	日平均值			29.26	47.93	31.78	8.19	7.88	19.21	9.69
	灣內站	0:00	29.67	50.71	32.31	8.3	6.73	17.78	20.1	
		3:00	29.48	50.84	32.39	8.25	6.08	14.9	13.4	
		6:00	29.48	50.99	32.47	8.16	6.21	15.25	21.3	
9:00		29.61	52.22	33.25	8.08	9.48	18.4	6.6		
12:00		29.91	51.2	32.6	8.22	11.49	19.36	3.3		
15:00		30.11	51.14	32.54	8.33	8.77	23.38	12.7		
18:00		29.98	51.46	32.78	8.28	8.72	18.31	48.14		
21:00	29.84	51.44	32.75	8.36	8.43	15.94	45.21			
日平均值			29.76	51.25	32.64	8.25	8.24	17.92	21.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月17日	蚵殼站	0:00	29.86	49.06	31.97	8.31	8.6	22.75	54.9	
		3:00	29.82	46.92	30.8	8.48	11.01	18.25	30.6	
		6:00	29.5	50.12	32.87	8.31	5.75	21.54	42.2	
		9:00	29.57	51.08	33.49	8.28	5.38	18.06	53.3	
		12:00	29.88	50.44	33.08	8.33	8.47	19.25	57.6	
		15:00	30.7	50.39	33.05	8.41	12.5	21.56	57.2	
		18:00	30.85	49.61	32.54	8.45	10.92	22.12	45.0	
		21:00	30.85	48.79	32	8.46	11.27	22.57	52.5	
	日平均值			30.13	49.55	32.48	8.38	9.24	20.76	49.16
	潮口站	0:00	29.5	45.27	30.01	8.34	10.53	5.1	6.27	
		3:00	29.14	47.43	31.44	8.18	7.21	14.26	5.02	
		6:00	28.99	51.28	33.63	8.11	6.65	51.2	4.63	
		9:00	29.31	47.71	31.64	8.25	9.34	22.88	8.17	
		12:00	29.44	48.95	32.43	8.22	9.32	23.26	10.94	
		15:00	29.59	47.22	31.29	8.12	7.3	14.07	10.24	
		18:00	29.29	42.55	27.2	8.03	6.85	12.18	10.74	
		21:00	29.54	45.21	29.97	8.19	8.67	8.94	9.44	
	日平均值			29.35	46.95	30.95	8.18	8.23	18.99	8.18
	灣內站	0:00	29.91	51.61	32.88	8.18	7.25	16.83	33.85	
		3:00	29.9	51.6	32.87	8.15	5.95	17.05	21.69	
		6:00	29.71	51.57	32.86	8.17	6.83	16.49	14.72	
		9:00	29.87	51.88	33.07	8.21	7.56	21.4	1.92	
		12:00	30.74	49.2	31.29	8.48	9.11	25.93	2	
		15:00	31.04	47.7	30.32	8.06	9.48	25.41	5.76	
		18:00	30.57	48.33	30.73	8.46	9.96	25.24	83.52	
		21:00	30.09	49.9	31.76	8.18	8.6	21.75	52.34	
	日平均值			30.23	50.22	31.97	8.24	8.09	21.26	26.98
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月18日	蚵殼站	0:00	30.74	48.34	31.45	8.28	12.19	20.98	55.4	
		3:00	30.29	46.24	30.36	8.3	11.46	20.07	45.1	
		6:00	29.96	48.88	32.08	8.35	8.51	22.15	31.2	
		9:00	29.73	50.17	32.91	8.25	5.79	21.47	41.2	
		12:00	30.03	50.39	33.05	8.27	9.33	22.72	48.1	
		15:00	30.62	49.61	32.54	8.38	12.11	22.85	50.1	
		18:00	30.25	49.87	32.72	8.32	9.8	26.54	32.8	
		21:00	30.45	49.17	32.26	8.38	8.61	24.67	30.4	
	日平均值			30.26	49.08	32.17	8.32	9.73	22.68	41.79
	潮口站	0:00	29.51	44.3	29.38	8.25	9.53	4.74	5.1	
		3:00	29.29	46.06	30.54	8.16	7.39	15.93	2.9	
		6:00	28.93	50.84	33.71	8.11	6.48	43.56	17.2	
		9:00	29.44	46.24	30.65	8.31	9.73	19.9	8.9	
		12:00	29.75	46.57	30.87	8.26	9.22	23.16	9.7	
		15:00	30.13	46.73	30.97	8.35	10.62	20.15	3.2	
		18:00	29.42	46.13	30.59	8.11	6.94	18.18	5.2	
		21:00	29.66	47.18	31.28	8.13	7.06	12.64	3.6	
	日平均值			29.52	46.76	31.00	8.21	8.37	19.78	6.98
	灣內站	0:00	30.05	49.67	31.61	8.11	5.74	21.02	53.7	
		3:00	29.95	50.04	31.86	8.17	6.89	20.28	76.38	
		6:00	29.87	50.76	32.32	8.2	6.62	19.76	21.01	
		9:00	30.07	52.42	34.58	8.22	7.04	20.63	22.28	
		12:00	30.68	48.12	31.58	8.41	10.55	31.15	58.25	
		15:00	31	47.59	31.23	8.06	10.65	32.02	90.37	
		18:00	29.52	50.13	32.92	8.16	9.48	25.69	87.3	
		21:00	29.75	49.93	32.79	8.17	8.17	21.74	79	
	日平均值			30.11	49.83	32.36	8.19	8.14	24.04	61.04
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月19日	蚵殼站	0:00	30.32	48.65	31.92	8.42	8.32	21.21	52.9	
		3:00	30.17	49.8	32.67	8.28	9.28	19.88	44.8	
		6:00	30.13	48.66	31.93	8.3	8.9	24.39	26.8	
		9:00	29.94	50.47	33.1	8.22	6.48	23.56	16.5	
		12:00	29.95	50.85	33.35	8.28	9.11	23.73	30.0	
		15:00	30.4	49.7	32.6	8.36	11.08	25.5	38.1	
		18:00	30.5	49.72	32.62	8.33	8.89	25.24	15.1	
		21:00	30.3	50.28	32.97	8.24	6.71	23	17.4	
	日平均值			30.21	49.77	32.65	8.30	8.60	23.31	30.20
	潮口站	0:00	29.75	46.25	30.66	8.25	9.22	9.76	1.5	
		3:00	29.67	44.8	29.7	8.42	11.21	8.17	9.2	
		6:00	29.38	49.79	33.02	8.12	6.41	44.1	1.9	
		9:00	29.43	47.4	31.42	8.31	9.67	18.46	1.4	
		12:00	29.82	47.13	31.25	8.34	10.54	22.32	6.5	
		15:00	29.96	46.57	30.87	8.29	10.04	29.83	7.4	
		18:00	29.38	46.62	30.91	8.08	6.39	26.34	1.5	
		21:00	29.27	46.49	30.83	8.12	6.98	17.38	4.4	
	日平均值			29.58	46.88	31.08	8.24	8.81	22.05	4.23
	灣內站	0:00	30.27	48.82	32.04	8.23	7.08	20.55	38.82	
		3:00	30.14	48.21	32.08	8.24	5.76	21.85	24.51	
		6:00	29.7	49.79	32.7	8.09	7.04	21.38	33.34	
		9:00	29.81	49.67	32.61	8.12	10.55	20.75	54.04	
		12:00	30.56	48.93	32.11	8.34	8.85	31.86	83.25	
		15:00	30.93	47.12	30.96	8.06	9.48	30.56	61.3	
		18:00	30.42	48.38	31.76	8.43	10.26	25.84	76.67	
		21:00	29.67	50.18	32.95	8.04	5.94	25.29	56.63	
	日平均值			30.19	48.89	32.15	8.19	8.12	24.76	53.57
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月20日	蚵殼站	0:00	30.2	48.48	31.82	8.41	9.38	23.43	44.8	
		3:00	29.93	47.97	31.32	8.41	7.16	22.72	33.9	
		6:00	29.77	48.31	31.7	8.38	10.16	24.08	20.1	
		9:00	29.79	49.42	32.42	8.24	7.01	27.92	16.1	
		12:00	30.21	50.76	33.29	8.25	9.15	27.35	31.3	
		15:00	30.7	48.74	31.8	8.36	9.69	30.39	32.5	
		18:00	30.21	47.9	31.45	8.33	12.98	29.77	26.3	
		21:00	30	49.05	32.18	8.24	10.49	29.04	21.8	
	日平均值			30.10	48.83	32.00	8.33	9.50	26.84	28.35
	潮口站	0:00	29.48	46.15	30.6	8.28	9.27	9.29	11.4	
		3:00	29.33	45.69	30.27	8.36	9.54	9.59	8.4	
		6:00	29.42	48.34	32.05	8.15	6.15	37.38	3.3	
		9:00	29.79	48.47	32.13	8.23	8.01	25.64	1.4	
		12:00	30.05	47.01	30.99	8.39	11.61	34.34	1.1	
		15:00	30.16	47.01	31.16	8.39	10.14	21.55	5.4	
		18:00	29.47	49.61	32.91	8.14	6.49	42.64	8.5	
		21:00	29.07	50.19	33.29	8.1	5.71	35.18	1.2	
	日平均值			29.60	47.81	31.68	8.26	8.37	26.95	5.09
	灣內站	0:00	30.05	49.82	32.7	8.06	7.02	26.28	23.91	
		3:00	30.19	48.47	31.84	8.09	6.12	25.37	30.32	
		6:00	30.2	49.01	32.14	8.18	5.57	24.23	52.49	
		9:00	30.14	49.46	32.48	8.11	5.6	22.56	27.24	
		12:00	30.29	49.3	32.33	8.24	6.92	27.49	77.6	
		15:00	30.45	49.3	32.34	8.4	12.88	26.03	63.4	
		18:00	30.32	48.93	32.1	8.06	11.91	26.85	73.8	
		21:00	29.74	49.12	32.23	8.49	12.1	23.7	52.13	
	日平均值			30.17	49.18	32.27	8.20	8.52	25.31	50.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月21日	蚵殼站	0:00	30.01	50.02	32.82	8.41	9.6	26.85	23.7
		3:00	29.28	48	31.34	8.32	10.62	25.29	17.0
		6:00	28.82	48.17	31.45	8.24	9.86	26.27	23.6
		9:00	28.73	48.79	32.01	8.33	8.71	32.62	9.9
		12:00	28.87	49.32	32.36	8.42	8.61	34.99	18.9
		15:00	28.84	48.67	31.92	8.38	9.49	30.25	28.2
		18:00	28.7	48.59	31.88	8.41	8.83	28.04	16.2
		21:00	28.62	48.8	32.02	8.38	8.6	26.98	12.0
	日平均值		28.98	48.80	31.98	8.36	9.29	28.91	18.69
	潮口站	0:00	29.04	47.47	31.47	8.32	7.35	10.24	7.9
		3:00	28.82	46.78	31.02	8.36	7.33	8.5	2.2
		6:00	28.71	47.05	31.2	8.29	6.22	12.53	3.9
		9:00	28.83	49.24	32.65	8.14	5.45	18.68	1.8
		12:00	29.1	49.25	32.63	8.14	5.88	15.9	6.5
		15:00	29.12	48.84	32.19	8.14	5.94	17.91	14.2
		18:00	28.91	49.67	32.93	8.1	5.11	22.59	3.9
		21:00	28.56	50.46	33.48	8.09	6.49	23.64	7.1
	日平均值		28.89	48.60	32.20	8.20	6.22	16.25	5.94
	灣內站	0:00	29.77	49.54	32.53	8.39	10.9	24.15	58.1
		3:00	29.41	50.11	32.89	8.29	6.94	31.12	46.58
		6:00	28.97	48.82	32.05	8.37	7.41	31.92	50.61
		9:00	28.84	48.69	31.95	8.45	9.07	39.66	26.29
		12:00	28.85	49.32	32.39	8.06	10.66	37.97	57.42
		15:00	28.82	49.31	32.38	8.49	10.46	41.54	81.88
		18:00	28.78	48.8	32.01	8.48	9.49	38.37	39
		21:00	28.82	49.58	32.53	8.41	8.01	28.96	41.03
	日平均值		29.03	49.27	32.34	8.37	9.12	34.21	50.11
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
9月22日	蚵殼站	0:00	28.86	50.24	32.96	8.39	6.65	28.47	10.5
		3:00	29.06	51.13	33.54	8.25	9.69	27.63	35.5
		6:00	28.63	48.87	32.06	8.27	5.63	27.34	34.3
		9:00	27.77	46.21	30.34	8.35	8.13	28.58	11.7
		12:00	28.21	47.72	31.32	8.46	8.87	26.91	7.0
		15:00	28.76	49.15	32.24	8.41	8.09	26.21	17.3
		18:00	28.78	49.13	32.24	8.37	9.3	25.71	17.7
		21:00	28.36	48.4	31.76	8.4	8.69	29.25	9.9
	日平均值		28.55	48.86	32.06	8.36	8.13	27.51	17.99
	潮口站	0:00	28.26	48.76	32.34	8.18	5.78	11.2	8.8
		3:00	27.91	46.45	30.79	8.41	5.97	5.51	7.5
		6:00	27.72	45.87	30.4	8.39	5.45	6.86	3.7
		9:00	28.19	47.14	31.25	8.24	5.17	19.46	3.8
		12:00	28.36	47.85	31.73	8.22	5.47	14.84	7.8
		15:00	28.5	46.89	31.1	8.36	6.7	14.41	6.4
		18:00	28.46	46.98	31.16	8.32	5.92	14.92	4.8
		21:00	28.53	50.07	33.19	8.1	5.97	37.08	1.2
	日平均值		28.24	47.50	31.50	8.28	5.80	15.54	5.50
	灣內站	0:00	28.73	50.04	32.85	8.32	8.17	25.41	52.04
		3:00	28.79	50.65	33.25	8.22	6.29	24.77	15.81
		6:00	28.74	50.72	33.29	8.19	5.63	25.72	31.85
		9:00	28.48	49.99	32.82	8.39	8.74	29.78	44.68
		12:00	28.59	49.88	32.76	8.4	9.7	29.48	72.46
		15:00	28.7	49.94	32.78	8.3	9.54	31.98	97.22
		18:00	28.92	51.12	33.51	8.05	8.74	33.57	50.66
		21:00	28.78	50.47	33.12	8.08	6.84	30.94	72.88
	日平均值		28.72	50.35	33.05	8.24	7.96	28.96	54.70
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月23日	蚵殼站	0:00	28.71	50.53	33.14	8.26	5.2	24.88	6.9	
		3:00	28.91	51.15	33.54	8.24	5.36	22.33	31.3	
		6:00	28.75	50.05	32.83	8.25	6.14	25.56	28.9	
		9:00	28.26	47.65	31.27	8.21	5.45	39.42	28.4	
		12:00	28.99	48.78	32	8.22	7.79	30.58	2.5	
		15:00	29.27	48.61	31.89	8.26	7.83	24.06	10.5	
		18:00	29.17	50.24	32.95	8.35	9.42	24.51	12.5	
		21:00	29.05	49.7	32.61	8.25	8.1	31.56	5.2	
	日平均值			28.89	49.59	32.53	8.26	6.91	27.86	15.78
	潮口站	0:00	28.28	49.28	32.69	8.17	5.21	22.51	9	
		3:00	27.67	45.94	30.46	8.4	5.76	5.63	7.6	
		6:00	27.8	46.35	30.72	8.32	5.43	10.94	1.4	
		9:00	28.15	46.44	30.79	8.31	5.41	25.81	2.3	
		12:00	29.01	48.32	32.03	8.16	5.88	24.51	5.5	
		15:00	29.24	48.74	32.31	8.12	5.94	21.81	5.9	
		18:00	29.04	48.78	32.33	8.1	5.11	28.7	6.8	
		21:00	28.77	48.83	32.38	8.08	6.49	35.99	6.5	
	日平均值			28.50	47.84	31.71	8.21	5.65	21.99	5.63
	灣內站	0:00	28.28	49.73	32.63	8.23	6.43	28.4	64.82	
		3:00	28.55	50.02	32.84	8.15	5.99	26.35	46.54	
		6:00	28.72	50.7	33.27	8.07	8.74	29.53	38.13	
		9:00	28.78	50.48	33.14	8.2	9.67	27.75	42.4	
		12:00	28.97	48.93	32.11	8.22	12.37	30.2	43.4	
		15:00	29.5	48.46	31.82	8.19	8.74	32.97	38.2	
		18:00	29.26	48.8	32	8.39	13.28	27.24	46.1	
		21:00	28.99	49.17	32.26	8.45	7.1	25.89	45.3	
	日平均值			28.88	49.54	32.51	8.24	9.04	28.54	45.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月24日	蚵殼站	0:00	28.97	50.16	32.91	8.32	8.3	32.76	4.6	
		3:00	28.85	49.91	32.73	8.24	6.01	28.99	18.6	
		6:00	28.77	48.88	32.05	8.33	8.45	26.97	17.9	
		9:00	29.19	49.57	32.34	8.42	11.78	29.14	19.2	
		12:00	29.82	51.07	33.48	8.38	13.12	30.28	2.5	
		15:00	30	50.97	33.42	8.41	13.36	31.89	3.6	
		18:00	29.86	49.48	32.46	8.38	10.49	35.64	16.9	
		21:00	29.79	48.2	31.64	8.31	8.93	38.51	1.4	
	日平均值			29.41	49.78	32.63	8.35	10.06	31.77	10.59
	潮口站	0:00	28.72	46.85	31.06	8.09	7.8	19.09	5.4	
		3:00	28.42	44.9	29.76	8.16	5.38	8.45	2.2	
		6:00	28.31	45.08	29.72	8.15	5.07	13.4	3	
		9:00	29.04	45.6	30.22	8.15	5.35	24.1	4.1	
		12:00	29.67	45.37	30.08	8.1	5.05	20.3	4.5	
		15:00	29.39	46.02	30.23	8.1	6.49	17.28	1.2	
		18:00	29.34	47.85	31.73	8.24	5.7	15.93	17.3	
		21:00	29.28	47.63	31.57	8.23	5.85	17.16	1.3	
	日平均值			29.02	46.16	30.55	8.15	5.84	16.96	4.88
	灣內站	0:00	28.89	50.16	32.93	8.31	8.8	27.88	40.93	
		3:00	28.92	50.93	33.42	8.08	6.28	25.38	44.42	
		6:00	28.75	49.75	32.67	8.22	6.49	24.28	55.29	
		9:00	29.06	49.43	32.46	8.43	9.98	27.16	62.11	
		12:00	30.19	48.64	31.92	8.07	8.74	28.75	33.75	
		15:00	30.03	48.4	31.77	8.2	13.8	30.39	55.42	
		18:00	29.98	48.07	31.54	8.46	11.46	32.67	24.89	
		21:00	30.09	48.88	32.04	8.44	10.53	29.82	23.06	
	日平均值			29.49	49.28	32.34	8.28	9.51	28.29	42.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月25日	蚵殼站	0:00	29.7	50.38	33.04	8.3	10.53	36.48	1.1	
		3:00	29.62	51.04	33.47	8.29	8.58	33.12	8.8	
		6:00	29.61	50.44	33.08	8.31	9.57	34.14	10.5	
		9:00	29.86	50.71	33.26	8.3	12.62	36.46	8.2	
		12:00	30.11	51.45	33.75	8.38	13.18	35.63	8.3	
		15:00	30.3	51.65	33.69	8.38	13.16	36.6	15.9	
		18:00	29.75	49.74	32.62	8.34	9.27	38.62	20.7	
		21:00	29.65	48.83	32.03	8.22	6.98	41.23	11.3	
	日平均值			29.83	50.53	33.12	8.32	10.49	36.54	10.60
	潮口站	0:00	28.61	49.18	32.62	8.12	7.8	29.07	4.1	
		3:00	28.83	46.53	30.86	8.19	5.17	13.35	2.3	
		6:00	29.12	45.64	30.25	8.24	5.07	21.57	3.6	
		9:00	29.58	45.09	29.9	8.33	5.81	20.74	4.6	
		12:00	29.73	43.12	28.59	8.16	5.61	24.85	3.8	
		15:00	29.2	40.8	27.05	8.03	9.37	26.37	1.8	
		18:00	29.14	47.61	31.56	8.14	11.59	21.01	4.2	
		21:00	29.7	46.74	31.01	8.28	5.31	17.04	6.2	
	日平均值			29.24	45.59	30.23	8.19	6.97	21.75	3.83
	灣內站	0:00	29.79	49.65	32.57	8.3	7.01	32.66	20.45	
		3:00	29.18	51.2	33.48	8.1	5.57	28.55	19.96	
		6:00	29.23	51.06	33.48	8.14	6.06	31.25	42.68	
		9:00	30.21	49.92	32.76	8.39	9.25	34.56	37.44	
		12:00	30.82	48.4	31.76	8.07	8.74	40.25	37.64	
		15:00	30.36	46.7	30.65	8.2	13.43	38.63	32.83	
		18:00	30.16	46.3	30.4	8.48	12.4	43.19	46.6	
		21:00	30.25	46.63	30.58	8.41	9.27	38.4	19.85	
	日平均值			30.00	48.73	31.96	8.26	8.97	35.94	32.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月26日	蚵殼站	0:00	29.98	49.95	32.76	8.19	9.31	38.6	5.0	
		3:00	29.87	51.02	33.45	8.23	8.12	39.96	10.3	
		6:00	29.81	50.06	32.84	8.26	8.28	37.67	8.5	
		9:00	30.02	50.74	33.28	8.27	11.51	36.23	14.7	
		12:00	30.3	51.12	33.51	8.31	12.17	38.31	10.8	
		15:00	30.52	51.18	33.57	8.35	13.19	40.85	8.4	
		18:00	30.59	51.03	33.46	8.42	13.08	38.54	15.2	
		21:00	29.98	48.19	31.62	8.35	10.23	41.05	17.2	
	日平均值			30.13	50.41	33.06	8.30	10.74	38.90	11.26
	潮口站	0:00	28.43	48.69	32.27	8.12	5.05	27.07	8.7	
		3:00	28.22	46.84	31.05	8.12	6.49	21.34	3.9	
		6:00	28.76	44.59	29.56	8.28	5.7	14.74	7.7	
		9:00	29.64	45.44	30.12	8.33	5.29	23.33	1.2	
		12:00	29.7	44.21	29.31	8.17	5.13	26.15	12.2	
		15:00	29.19	39.48	26.17	8.04	8.88	23.94	1.1	
		18:00	29.1	46.98	31.14	8.15	7.16	23.89	11.5	
		21:00	29.38	45.7	30.31	8.19	7.27	20.25	2	
	日平均值			29.05	45.24	29.99	8.18	6.37	22.59	6.04
	灣內站	0:00	30.09	47.51	31.19	8.42	10.31	31.08	18.76	
		3:00	29.34	49.1	32.22	8.23	7.11	31.11	15.96	
		6:00	28.87	49.88	32.76	8.21	7.27	35.45	20.2	
		9:00	29.82	49.42	32.42	8.44	9.25	37.02	33.84	
		12:00	30.64	46.94	30.8	8.07	8.74	40.71	27.42	
		15:00	30.66	45.69	29.97	8.2	13.72	41.37	21.05	
		18:00	30.38	45.95	30.13	8.49	11.85	41.12	27.79	
		21:00	30.2	46.27	30.36	8.41	10.74	35.41	21.08	
	日平均值			30.00	47.60	31.23	8.31	9.87	36.66	23.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月27日	蚵殼站	0:00	29.53	47.63	31.27	8.24	9.12	40.5	9.9	
		3:00	29.91	49.25	32.31	8.25	7.97	41.01	9.3	
		6:00	29.82	48.4	31.76	8.23	6.87	44.4	17.2	
		9:00	29.88	46.72	28.96	8.23	10.06	51.44	12.9	
		12:00	30.07	49.75	31.59	8.36	11.57	41.6	12.4	
		15:00	30.06	48.31	30.97	8.26	9.69	21.31	3.3	
		18:00	29.99	47.79	30.64	8.27	12.39	19.29	3.3	
		21:00	29.93	47.41	30.41	8.31	12.69	13.84	10.4	
	日平均值			29.90	48.16	30.99	8.27	10.05	34.17	9.84
	潮口站	0:00	28.6	47.93	31.78	8.11	8.73	44.54	3.6	
		3:00	28.09	49.24	32.65	8.09	7.17	45.65	9.6	
		6:00	28.88	45.59	30.23	8.25	7.64	18.84	8.4	
		9:00	29.8	46.81	28.6	8.34	12.37	25.01	7.5	
		12:00	29.75	52.87	34.36	8.22	9.96	21.85	7.7	
		15:00	28.62	50.87	32.82	8.16	7.83	9.53	9.27	
		18:00	28.83	49.15	33.71	8.23	8.54	11.61	6.44	
		21:00	29.26	53.68	34.98	8.37	11.41	8.7	7.58	
	日平均值			28.98	49.52	32.39	8.22	9.21	23.22	7.51
	灣內站	0:00	30.02	46.88	30.77	8.37	7.86	34.53	15.59	
		3:00	29.8	48.03	31.53	8.3	6.94	31.39	21.08	
		6:00	29.66	49.56	32.54	8.17	6.38	33.2	13.95	
		9:00	30.09	49.78	32.66	8.25	10.3	39.86	16.81	
		12:00	30.72	48.66	29.78	8.43	11.72	47.3	21.15	
		15:00	30.51	47.14	30.44	8.49	7.27	15.3	13.92	
		18:00	30.18	47.17	30.47	8.42	9.25	16.99	15.92	
		21:00	30.13	48.02	30.99	8.2	10.75	10.45	14.9	
	日平均值			30.14	48.16	31.15	8.33	8.81	28.63	16.67
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月28日	蚵殼站	0:00	29.24	46.95	30.15	8.32	9.82	13.35	5.8	
		3:00	29.06	48.64	31.21	8.39	9.06	14.54	1.9	
		6:00	28.94	50.66	32.53	8.35	6.85	18.06	14.0	
		9:00	29.07	50.94	32.71	8.42	9.98	16.8	5.6	
		12:00	29.53	51.5	33.08	8.46	12.06	17.88	20.4	
		15:00	30.28	50.73	32.56	8.32	12.79	16.12	20.8	
		18:00	29.94	49.91	32.03	8.39	10.96	15.53	7.4	
		21:00	29.17	48.55	31.12	8.4	8.3	16.08	38.2	
	日平均值			29.40	49.74	31.92	8.38	9.98	16.05	14.26
	潮口站	0:00	28.82	51.31	33.13	8.26	8.9	10.88	6.21	
		3:00	28.08	54.71	34.29	8.19	7.29	19.18	5.25	
		6:00	28.53	52.69	33.99	8.3	9.37	9.45	6.02	
		9:00	29.55	51.21	33.03	8.41	11.59	11.24	6.89	
		12:00	30.08	51.3	33.11	8.33	10.27	18.71	7.18	
		15:00	29.31	49.04	32.82	8.11	7.67	7.71	6.54	
		18:00	28.8	51.59	33.3	8.18	7.85	9.14	6.7	
		21:00	29.2	51.8	33.44	8.25	8.96	7.56	7.3	
	日平均值			29.05	51.71	33.39	8.25	8.99	11.73	6.51
	灣內站	0:00	29.99	48.3	31.17	8.18	8.97	10.42	17.4	
		3:00	29.24	50.43	32.54	8	5.3	11.48	22.37	
		6:00	29.13	50.95	32.86	8.03	8.74	12.59	18.06	
		9:00	29.36	51.17	33	8.08	11.04	16.3	16.13	
		12:00	30.8	49.65	32.05	8.46	13.7	11.93	26.26	
		15:00	30.74	49.24	31.76	8.46	12.92	11.06	23.88	
		18:00	30.21	48.82	31.51	8.31	11.62	13.91	15.79	
		21:00	30.4	49.5	31.93	8.09	11.41	10.75	14.17	
	日平均值			29.98	49.76	32.10	8.20	10.46	12.31	19.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月29日	蚵殼站	0:00	29.05	49.13	31.51	8.35	7.69	13.95	14.8	
		3:00	28.96	49.46	31.73	8.43	7.99	12.59	13.2	
		6:00	28.89	52	33.39	8.32	6.35	17.23	43.7	
		9:00	28.92	51.47	33.05	8.39	8.35	17.6	5.3	
		12:00	29.74	52	33.4	8.47	11.59	17.81	6.3	
		15:00	29.71	51.31	32.95	8.32	12.26	16.42	4.8	
		18:00	29.51	50.64	32.5	8.39	10.81	15.91	14.4	
		21:00	29.39	50.79	32.61	8.46	9.3	15.83	11.6	
	日平均值		29.27	50.85	32.64	8.39	9.29	15.92	14.26	
	潮口站	0:00	29.12	50.18	32.4	8.24	8.73	10.4	7.53	
		3:00	27.81	54.35	35.59	8.17	7.17	40.82	6.61	
		6:00	27.93	53.17	34.98	8.18	7.64	22.48	2.14	
		9:00	29.68	50.81	32.8	8.35	11.35	6.37	4.7	
		12:00	29.76	52.03	33.59	8.32	10.62	15.33	7.02	
		15:00	29.21	48.57	31.38	8.19	8.55	11.6	4.63	
		18:00	28.77	50.62	32.68	8.17	8	8.13	2.28	
		21:00	28.81	51.57	33.3	8.22	8.34	6.86	2.84	
	日平均值		28.89	51.41	33.34	8.23	8.80	15.25	4.72	
	灣內站	0:00	30.29	49.25	31.77	7.96	9.22	11.09	14.5	
		3:00	29.82	49.91	32.22	8.06	10.12	10.05	15.23	
		6:00	29.12	50.95	32.86	8.03	7.7	10.8	15.11	
		9:00	29.54	51.51	33.01	7.91	8.07	10.63	21.41	
		12:00	31.14	49.66	32.04	7.82	12.18	11.51	21.04	
		15:00	30.76	48.99	31.63	8.09	12.84	10.26	25.38	
18:00		30.12	49.49	31.95	8.12	12.18	9.48	28.28		
21:00		29.99	49.97	32.29	8.13	11.37	9.24	25.4		
日平均值		30.10	49.97	32.22	8.02	10.46	10.38	20.79		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月30日	蚵殼站	0:00	29.36	51.07	32.78	8.46	9.17	13.27	11.3	
		3:00	29.51	50.74	32.57	8.48	9.49	11.66	21.6	
		6:00	28.91	51.34	32.57	8.4	7.19	17.56	15.0	
		9:00	28.89	51.56	33.14	8.4	7.86	15.6	10.2	
		12:00	29.51	51.85	33.31	8.43	8.72	14.71	43.5	
		15:00	29.74	51.94	33.37	8.46	11.28	15.25	14.2	
		18:00	29.27	51.8	33.28	8.32	9.84	14.53	31.5	
		21:00	29.25	51.5	33.1	8.39	11.58	14.24	15.0	
	日平均值		29.31	51.48	33.02	8.42	9.39	14.60	20.29	
	潮口站	0:00	29.23	50.82	32.8	8.24	8.88	5.79	3.61	
		3:00	28.38	54.24	35.04	8.16	7.16	37.11	3.69	
		6:00	28.04	54.16	35.29	8.16	7.27	59.72	3.63	
		9:00	28.9	52.53	33.92	8.23	8.76	13.81	4.85	
		12:00	29.34	52.11	33.64	8.25	10.19	24.22	6.14	
		15:00	29.02	53.36	34.44	8.26	9.71	28.06	5.65	
		18:00	28.43	54.4	35.08	8.19	7.58	40.3	3.83	
		21:00	28.62	53.55	34.59	8.24	8.5	14.24	4.54	
	日平均值		28.75	53.15	34.35	8.22	8.51	27.91	4.49	
	灣內站	0:00	30.12	50.01	32.31	7.98	8.16	9.55	25.3	
		3:00	29.68	50.42	32.54	8.02	8.22	9.6	26.7	
		6:00	29.26	50.86	32.57	8.02	7.63	9.79	21.7	
		9:00	29.33	51.03	32.67	8.06	7.33	9.54	24.3	
		12:00	29.74	50.84	32.79	8.02	8.28	10.46	28	
		15:00	29.68	51.13	32.98	8.02	9.07	10.75	29	
18:00		28.66	51.92	33.51	8.14	7.31	9.28	25.6		
21:00		29.11	51.13	32.98	8.27	9.68	8.22	21.2		
日平均值		29.45	50.92	32.79	8.07	8.21	9.65	25.23		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月1日	蚵殼站	0:00	28.93	51.32	32.96	8.35	9.83	13.85	12.3	
		3:00	28.48	51.26	32.92	8.31	8.12	15.22	12.99	
		6:00	28.3	51.49	33.09	8.24	7.51	15.32	14.24	
		9:00	28.39	51.96	33.38	8.21	8.54	18.16	16.09	
		12:00	28.65	52.28	33.55	8.25	10.18	19.99	11.38	
		15:00	28.8	52.88	33.89	8.25	11.47	22.11	19.24	
		18:00	28.61	51.61	33.14	8.2	9.62	18.16	11.16	
		21:00	28.58	51.07	32.79	8.27	9.06	17.83	13.51	
	日平均值		28.59	51.73	33.22	8.26	9.29	17.58	13.86	
	潮口站	0:00	28.29	50.52	33.9	8.13	6.16	17.05	6.84	
		3:00	28.09	50.62	33.94	8.12	6.45	27.69	4.1	
		6:00	27.95	51.57	34.33	8.15	7.02	26.99	3.25	
		9:00	28.08	51.15	34.16	8.18	7.62	21.6	4.06	
		12:00	28.56	50.69	33.97	8.19	8.61	20.25	5.89	
		15:00	28.41	46.59	32.28	8.12	7.91	11.32	5.15	
		18:00	27.88	47.34	32.59	8.11	7.2	8.4	4.54	
		21:00	28.05	48.8	33.19	8.13	7.09	11.04	4.99	
	日平均值		28.16	49.66	33.55	8.14	7.26	18.04	4.85	
	灣內站	0:00	28.99	50.73	32.71	8.29	9.45	8.49	30.66	
		3:00	28.62	51.06	32.93	8.29	9.04	8.81	13.94	
		6:00	28.3	51.4	33.13	8.26	8.34	10.65	26.24	
		9:00	28.44	51.25	33.04	8.24	8.58	11.39	11.4	
		12:00	28.73	51.11	32.96	8.27	9.59	12.26	28.78	
		15:00	28.79	51.19	33.01	8.25	10.14	12.08	36.48	
		18:00	28.57	51.14	32.98	8.23	9.69	10.86	47.82	
		21:00	28.48	51.13	32.97	8.21	8.93	11.51	36.48	
	日平均值		28.62	51.13	32.97	8.26	9.22	10.76	28.98	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月2日	蚵殼站	0:00	28.55	50.54	32.44	8.22	8.51	17.51	13.87	
		3:00	28.6	50.39	32.34	8.23	8.15	18.04	19.15	
		6:00	28.46	50.11	32.15	8.25	7.92	19.61	16.97	
		9:00	28.49	50.9	32.67	8.29	8.02	18.65	17.52	
		12:00	28.72	51.12	32.81	8.34	9.23	16.36	12.33	
		15:00	29.14	51.6	33.16	8.28	10.71	17.85	16.58	
		18:00	29.23	50.99	32.74	8.21	11.86	19.94	16.11	
		21:00	29.51	50.86	32.65	8.34	12.72	20.78	13.4	
	日平均值		28.84	50.81	32.62	8.27	9.64	18.59	15.74	
	潮口站	0:00	28.22	50.28	33.8	8.15	6.98	13.68	5.45	
		3:00	28.14	49.77	33.59	8.08	6.74	16.59	5.45	
		6:00	28.1	53.24	35.02	8.1	6.82	29.45	5.39	
		9:00	28.6	51.59	34.34	8.16	8.29	16.07	7.23	
		12:00	29.01	49.53	33.49	8.25	11.13	18.9	11.12	
		15:00	29.03	45.64	31.89	8.14	8.97	12.84	7.87	
		18:00	28.58	42.53	30.61	8.09	7.39	13.3	5.59	
		21:00	28.71	48.75	33.17	8.11	8.07	12.62	6.04	
	日平均值		28.55	48.92	33.24	8.14	8.05	16.68	6.77	
	灣內站	0:00	28.39	51.12	32.96	8.2	8.18	12.17	26.24	
		3:00	28.39	51.04	32.92	8.16	7.64	9.62	40.83	
		6:00	28.3	51.13	32.97	8.18	7.2	9.19	35.1	
		9:00	28.5	51.02	32.7	8.27	9.56	9.81	27.07	
		12:00	29.45	50.2	32.4	8.42	10.14	12.41	49.01	
		15:00	29.87	49.42	31.88	8.4	9.69	12.59	39.61	
		18:00	29.4	49.16	31.73	8.35	13.77	11.06	26.59	
		21:00	29.22	49.44	31.91	8.25	10.72	31.73	15.52	
	日平均值		28.94	50.32	32.43	8.28	9.61	13.57	32.50	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月3日	蚵殼站	0:00	29.5	50.45	32.38	8.38	13.15	21.68	17.7
		3:00	29.27	50.07	32.15	8.41	12.91	19.02	17.21
		6:00	28.91	48.74	31.26	8.44	11.56	18.81	10.8
		9:00	29.13	50.11	32.15	8.42	11.29	19.65	11.12
		12:00	29.41	51.09	32.8	8.44	12.57	20.03	12.55
		15:00	29.38	49.67	31.88	8.35	13.16	22.02	19.3
		18:00	29.36	49.72	31.89	8.31	12	22.2	14.69
		21:00	29.37	50.22	32.22	8.31	10.34	22.83	18.79
	日平均值		29.29	50.01	32.09	8.38	12.12	20.78	15.27
	潮口站	0:00	28.63	47.63	32.71	8.22	8.91	8.63	7.5
		3:00	28.56	47.1	32.49	8.21	9.22	11.13	7.45
		6:00	28.43	50.64	33.95	8.13	7.8	19.02	6.19
		9:00	28.55	52.63	34.77	8.17	8.38	16.78	7.04
		12:00	28.89	49.96	33.67	8.27	11.06	18.99	12.58
		15:00	28.76	49.28	33.39	8.25	10.05	17.67	12.85
		18:00	28.38	52.39	34.67	8.14	7.92	17.82	8.81
		21:00	28.46	50.28	33.8	8.17	8.51	9.81	9.05
	日平均值		28.58	49.99	33.68	8.20	8.98	14.98	8.93
	灣內站	0:00	29.46	49.44	31.88	8.3	9.57	45.25	59.61
		3:00	29.37	49.15	31.52	8.3	11.04	10.35	46.59
		6:00	29.24	49.37	31.83	8.33	11.3	10.12	35.52
9:00		29.54	49.3	31.8	8.46	13	10.66	30.07	
12:00		29.75	49.66	32.07	8	10.51	13.18	66.18	
15:00		29.62	47.46	30.63	8.01	13.86	15.51	75.24	
18:00		29.43	47.48	30.66	8	12.01	11.35	49.4	
21:00		29.33	48.84	31.51	8	9.5	10.98	44.26	
日平均值		29.47	48.84	31.49	8.18	11.35	15.93	50.86	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月4日	蚵殼站	0:00	29.31	50.46	32.09	8.3	8.59	21.93	20.52
		3:00	28.87	50.26	32.7	8.34	11.03	20.15	14.57
		6:00	28.8	50.24	32.69	8.35	10.31	20.42	16.63
		9:00	29.1	50.01	32.5	8.34	12.52	22.11	14.77
		12:00	29.36	51.14	33.43	8.26	11.39	22.78	17.45
		15:00	29.54	50.96	33.28	8.23	11.9	23.95	17.73
		18:00	29.46	51.03	33.34	8.28	11.85	22.75	16.21
		21:00	29.5	50.84	33.18	8.38	11.92	21.95	19.68
	日平均值		29.24	50.62	32.90	8.31	11.19	22.01	17.20
	潮口站	0:00	28.45	48.92	33.24	8.36	11.24	10.41	8.74
		3:00	28.39	50.3	33.81	8.38	10.83	9.21	8.26
		6:00	28.62	51.88	34.46	8.27	9.14	18.25	7.16
		9:00	28.56	51.88	34.46	8.18	8.08	20.05	5.28
		12:00	28.76	52.42	34.68	8.18	8.75	21.41	5.34
		15:00	28.78	49.06	33.3	8.17	8.42	26.17	5.9
		18:00	28.43	49.6	33.52	8.14	7.68	28.74	5.98
		21:00	28.14	52.83	34.85	8.13	7.44	20.45	6.19
	日平均值		28.52	50.86	34.04	8.23	8.95	19.34	6.61
	灣內站	0:00	29.25	49.73	31.92	8.41	10.51	12.28	34.26
		3:00	29.13	50.29	32.44	8.37	7.82	9.79	47.06
		6:00	29.11	50.24	32.42	8.35	6.11	10.67	30.85
9:00		29.47	49.8	31.95	8.38	11.43	11.5	22.22	
12:00		29.61	48.68	31.42	8.01	10.14	12.18	15.52	
15:00		29.72	48.8	31.5	8	9.69	12.67	10.07	
18:00		29.68	48.42	31.23	8	13.63	11.87	46.18	
21:00		29.28	49.21	31.76	8.42	10.63	11.31	55.24	
日平均值		29.41	49.40	31.83	8.24	10.00	11.53	32.68	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月5日	蚵殼站	0:00	29.33	51.22	33.5	8.42	9.8	23.48	16.11
		3:00	29.57	51.2	33.48	8.39	10.54	20.62	17.3
		6:00	29.43	50.23	32.68	8.33	11.53	20.66	21.81
		9:00	29.42	50.34	32.77	8.33	11.81	21.47	14.58
		12:00	29.44	51.07	33.37	8.28	12.6	21.59	14.44
		15:00	29.53	51.2	33.48	8.33	13.41	22.2	16.08
		18:00	29.5	50.67	33.04	8.46	13.13	21.23	12.82
		21:00	29.45	49.41	32	8.42	10.22	20.15	20.98
	日平均值		29.46	50.67	33.04	8.37	11.63	21.43	16.77
	潮口站	0:00	28.68	47.37	32.6	8.32	10.52	14.3	7.33
		3:00	28.75	45.33	31.76	8.43	11.42	14.52	8.68
		6:00	28.79	46.61	32.29	8.38	10.65	16.86	7.5
		9:00	28.86	49.16	33.34	8.22	7.81	26.39	6.79
		12:00	28.75	51.23	34.19	8.18	8.44	32	8.15
		15:00	29.05	48.43	33.04	8.18	9.16	31.16	10.93
		18:00	28.76	50.38	33.84	8.09	7.95	34.76	9.44
		21:00	28.04	48.48	33.06	8.06	7.43	19.83	7.93
	日平均值		28.71	48.37	33.02	8.23	9.17	23.73	8.34
	灣內站	0:00	29.19	50	32.26	8.33	6.68	16.07	44.61
		3:00	29.1	50.51	32.56	8.24	6.62	12.01	31.59
		6:00	29.05	50	32.28	8.27	7.33	13.87	20.52
		9:00	29.36	50.02	32.31	8.36	11.56	12.08	15.07
		12:00	29.59	49.61	32.03	8.46	13.36	10.29	51.18
		15:00	29.61	49.8	32.15	8.42	12.85	10.33	60.24
		18:00	29.5	49.92	32.25	8.4	9.5	10.2	34.4
		21:00	29.35	50.18	32.37	8.31	9	10.93	29.26
	日平均值		29.34	50.01	32.28	8.35	9.61	11.97	35.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月6日	蚵殼站	0:00	29.3	50.84	33.18	8.38	8.91	19.46	17.62
		3:00	29.41	50.92	33.25	8.38	7.49	19.35	21.64
		6:00	29.52	50.61	32.99	8.34	10.21	19.46	21.63
		9:00	29.62	50.27	32.71	8.42	12.07	22.75	24.46
		12:00	28.98	51.21	33.49	8.48	7.48	18.76	18.89
		15:00	29.22	50.34	32.77	8.33	10.92	19.85	23.96
		18:00	29.23	49.02	31.68	8.37	8.27	21.35	17.79
		21:00	28.83	48.93	31.6	8.47	9.16	20.46	22.47
	日平均值		29.26	50.27	32.71	8.40	9.31	20.18	21.06
	潮口站	0:00	28.54	48.63	33.12	8.08	8.8	15.55	7.01
		3:00	28.76	46.73	32.34	8.17	8.93	19.63	8.35
		6:00	28.31	43.36	30.95	8.21	8.58	23.99	9.58
		9:00	28.83	46.32	32.17	8.2	9.03	33.65	6.94
		12:00	28.92	50.98	34.09	8.16	8.4	23.05	8.23
		15:00	29.02	43.55	31.03	8.13	8.62	20.09	4.5
		18:00	28.85	50.67	33.96	8.1	7.42	34.74	11.11
		21:00	28.45	52.25	34.61	8.1	7.64	35.58	8.31
	日平均值		28.71	47.81	32.78	8.14	8.43	25.79	8.00
	灣內站	0:00	29.26	50.68	32.68	8.21	10.51	10	19.26
		3:00	29.3	50.38	32.49	8.27	5.78	10.33	32.06
		6:00	29.3	49.99	32.3	8.26	8.56	10.33	15.85
		9:00	29.33	50.16	32.39	8.27	9.34	15.14	20.52
		12:00	29.71	49.28	32.81	8.43	12.37	11.22	23.63
		15:00	29.74	48.12	32.04	8.41	10.51	8.21	31.06
		18:00	29.45	48.47	32.27	8.37	13.83	10.32	29.34
		21:00	29.33	49.14	32.69	8.35	13.51	10.57	24.85
	日平均值		29.43	49.53	32.46	8.32	10.55	10.77	24.57
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月9日	蚵殼站									
	日平均值									
	潮口站	0:00	28.44	52.73	34.68	8.14	7.34	19.7	5.44	
		3:00	28.78	49.39	32.5	8.22	9.38	19.78	7.18	
		6:00	29.04	47.79	31.44	8.37	11.99	22.31	8.8	
		9:00	29.84	47.34	31.13	8.45	12.83	27.05	8.2	
		12:00	29.91	47.12	30.99	8.27	10.5	24.85	7.83	
		15:00	28.96	45.83	30.13	8.08	7.45	28.68	5.93	
		18:00	29.15	47.88	31.49	8.14	8.45	28.77	6.35	
	21:00	29.76	47.35	31.14	8.29	11.1	16.44	6.09		
	日平均值		29.24	48.18	31.69	8.25	9.88	23.45	6.98	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月10日	蚵殼站								
	日平均值								
	潮口站	0:00	28.6	51.6	33.92	8.15	7.83	25.97	5.72
		3:00	28.45	50.66	33.3	8.15	7.93	29.47	5.67
		6:00	28.87	46.53	30.59	8.3	9.62	23.18	6.27
		9:00	29.67	48.28	31.74	8.3	9.92	32.79	6.79
		12:00	29.9	49.15	32.31	8.26	9.21	21.93	6.76
		15:00	29.41	44.63	29.34	8.09	8.06	26.61	6.6
		18:00	29.47	48.63	31.98	8.22	9.74	33.85	6.12
	21:00	29.84	48.54	31.91	8.3	9.98	27.55	5.87	
	日平均值		29.28	48.50	31.89	8.22	9.04	27.67	6.23
	灣內站								
日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
10月11日	蚵殼站								
		日平均值							
	潮口站	0:00	29.09	49	32.22	8.2	8.28	23.13	6.13
		3:00	28.2	49.47	32.53	8.09	7.16	23.53	5.57
		6:00	28.75	47.85	31.46	8.17	8.02	21.95	5.7
		9:00	29.34	47.2	31.04	8.22	9.06	22.29	6.91
		12:00	29.58	49.27	32.41	8.21	9.57	20.61	8.38
		15:00	29.07	45.58	29.98	8.07	7.56	28.58	7.15
		18:00	29	48.31	31.77	8.17	8.85	21.37	7.36
	21:00	29.51	48.2	31.7	8.29	10.95	30.94	8.5	
		日平均值	29.07	48.11	31.64	8.18	8.68	24.05	6.96
	灣內站								
	日平均值								
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
10月12日	蚵殼站								
		日平均值							
	潮口站	0:00	29.12	49.58	32.59	8.19	8.93	25.73	7.95
		3:00	28.01	52.76	34.67	8.09	6.84	29.21	6.48
		6:00	28.77	48.84	32.09	8.23	9.57	22.89	7.49
		9:00	29.92	47.37	31.14	8.41	13	27.67	9.11
		12:00	30.39	46.98	30.88	8.39	10.74	24.59	10.39
		15:00	28.68	49.17	32.34	8.16	8.31	33.43	8.95
		18:00	28.44	50.24	33.05	8.14	8.1	33.92	8.11
	21:00	29.16	48.32	31.77	8.27	9.82	26.37	9.29	
		日平均值	29.06	49.16	32.32	8.24	9.41	27.98	8.47
	灣內站								
	日平均值								
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月13日	蚵殼站								
		日平均值							
	潮口站	0:00	28.98	48.35	31.8	8.2	8.35	19.71	9.02
		3:00	27.92	52.4	34.47	8.11	7.05	33.22	7.7
		6:00	28.38	50.62	33.31	8.19	8.06	30.59	7.23
		9:00	30.01	48.13	31.68	8.45	12.38	20.45	9.46
		12:00	30.36	47.66	31.33	8.33	10.99	29.13	10
		15:00	29.4	41.95	27.58	8.12	8.38	18.2	10.25
		18:00	28.3	49.08	32.27	8.1	7.37	19.74	9.21
	21:00	29.16	48.81	32.1	8.26	10.07	28.08	11.5	
		日平均值	29.06	48.38	31.82	8.22	9.08	24.89	9.30
	灣內站								
	日平均值								
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月14日	蚵殼站								
		18:00	29.47	49.45	32.03	8.25	13.15	14.52	24.16
	21:00	29.57	49.68	32.22	8.21	11.74	13.01	19.21	
		日平均值	29.52	49.57	32.13	8.23	12.45	13.77	21.69
	潮口站	0:00	29.88	48.17	31.68	8.33	10.41	28.55	14.12
		3:00	28.37	51.45	33.81	8.14	7.25	20.25	14.83
		6:00	28.3	51.22	33.67	8.14	7.32	25.7	10.21
		9:00	29.01	49.64	32.61	8.23	8.76	23.96	18.71
		12:00	28.8	51.32	33.77	8.13	6.34	20.71	15.43
		15:00	28.54	48.97	32.2	8.14	7.13	25.77	17.2
		18:00	28.26	51.36	33.79	8.15	7.3	20.47	13.23
	21:00	29.14	49.53	32.55	8.31	9.43	27.09	13.4	
		日平均值	28.79	50.21	33.01	8.20	7.99	24.06	14.64
	灣內站								
15:00		30.1	51.04	33.5	8.22	13.21	8.85	24.14	
18:00		29.89	51.73	33.94	8.08	10.29	18.65	28.55	
21:00	29.22	52.76	34.65	8.03	7.86	8.72	28.32		
	日平均值	29.74	51.84	34.03	8.11	10.45	12.07	27.00	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月15日	蚵殼站	0:00	29.15	50.01	32.5	8.25	10.43	12.58	17.74	
		3:00	28.98	49.99	32.48	8.27	9.6	12.56	24.26	
		6:00	28.67	49.82	32.34	8.29	9.17	14.69	20.56	
		9:00	28.89	51.38	33.63	8.24	7.09	13.84	21.32	
		12:00	29.33	51.95	34.1	8.22	10.99	14.86	19.24	
		15:00	29.57	52.22	34.32	8.21	12.61	15.48	24.77	
		18:00	29.5	51.95	34.1	8.25	13.02	13.52	17.69	
		21:00	29.07	51.14	33.43	8.23	11.03	13.36	22.14	
	日平均值		29.15	51.06	33.36	8.25	10.49	13.86	20.97	
	潮口站	0:00	29.05	49.07	32.28	8.28	8.03	25.92	12.41	
		3:00	28.48	50.77	33.39	8.2	6.93	25.1	13.24	
		6:00	28.12	51.64	33.92	8.14	6.33	30.74	9.51	
		9:00	29.25	48.94	32.18	8.34	9.54	26.31	11.84	
		12:00	29.52	49.71	32.69	8.27	8.78	27.6	14.25	
		15:00	28.95	44.77	29.12	8.1	7.05	18.4	10.05	
		18:00	28.31	48.93	32.17	8.11	6.44	22.58	10.12	
		21:00	28.56	49.86	32.8	8.17	7.05	23.35	10.02	
	日平均值		28.78	49.21	32.32	8.20	7.52	25.00	11.43	
	灣內站	0:00	29.46	52.34	34.31	8.03	7.75	8.79	25.19	
		3:00	29.17	52.67	34.59	8.25	7.72	29.53	20.14	
		6:00	28.87	52.76	34.66	8.01	8.78	14.18	33.78	
		9:00	28.99	52.89	34.73	8.03	9.12	8.32	44.17	
		12:00	30.02	52.13	34.21	8.25	13.05	12.43	22.4	
		15:00	30.23	52.18	34.23	8.31	10.51	14.48	17.6	
18:00		29.81	52.45	34.38	8.25	13.11	8.37	21.03		
21:00		29.48	52.45	34.38	8.17	12.49	16.25	20.3		
日平均值		29.50	52.48	34.44	8.16	10.32	14.04	25.58		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月16日	蚵殼站	0:00	28.96	50.74	33.1	8.37	10.93	12.63	17.27	
		3:00	29.04	51.26	33.53	8.47	11.7	11.94	19.06	
		6:00	28.42	50.8	33.15	8.22	8.57	14.71	22.47	
		9:00	28.55	51.95	34.1	8.25	9.35	17.09	18.06	
		12:00	28.89	52.16	34.27	8.37	12.08	16.91	19.82	
		15:00	29.33	52.16	34.27	8.48	13.89	17.62	19.19	
		18:00	29.28	51.5	33.73	8.44	11.38	21.45	15	
		21:00	29.14	50.87	33.21	8.35	11.1	18.7	17.46	
	日平均值		28.95	51.43	33.67	8.37	11.13	16.38	18.54	
	潮口站	0:00	28.59	48.88	32.12	8.22	7.23	17.04	11.63	
		3:00	28.43	49.93	32.82	8.15	6.15	25	11.88	
		6:00	28.26	51.31	33.8	8.11	5.95	24.89	11.52	
		9:00	28.94	48.63	31.97	8.29	9.2	19.01	9.22	
		12:00	29.15	49.2	32.33	8.27	8.64	18.93	10.89	
		15:00	28.95	45.06	29.63	8.13	7	28.76	10.53	
		18:00	28.43	48.14	31.65	8.1	6.24	18.78	10.16	
		21:00	28.74	49.09	32	8.21	7.84	18.72	8.93	
	日平均值		28.69	48.78	32.04	8.19	7.28	21.39	10.60	
	灣內站	0:00	29.31	52.78	34.68	8.02	10.78	8.25	18.61	
		3:00	29.03	52.79	34.68	8.02	8.47	10.11	26.83	
		6:00	28.88	52.77	34.67	8.06	9.36	8.08	15.09	
		9:00	29.06	52.76	34.65	8.23	8.81	12.11	14.13	
		12:00	29.87	52.69	34.59	8.27	10.51	20.16	32.93	
		15:00	29.86	52.67	34.57	8.2	13.11	8.12	9.82	
18:00		29.65	52.7	34.6	8.17	11.16	10.35	10.91		
21:00		29.42	52.78	34.67	8.17	10.32	8.03	15.81		
日平均值		29.39	52.74	34.64	8.14	10.32	10.65	18.02		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月17日	蚵殼站	0:00	28.97	51.09	33.39	8.35	11.52	14.01	24.7
		3:00	28.66	50.63	33.01	8.35	10.79	13.48	23.1
		6:00	28.43	50.62	33	8.28	10.68	13.41	17.95
		9:00	28.69	51.91	34.07	8.36	9.32	14.22	15.28
		12:00	29.12	52.52	34.57	8.41	11.77	16.04	20.68
		15:00	29.44	52.68	34.7	8.2	12.91	16.6	22.19
		18:00	29.4	52.2	34.31	8.2	13.67	16.72	17.91
		21:00	29.33	52.01	34.15	8.23	13.68	16.16	16.19
	日平均值		29.01	51.71	33.90	8.30	11.79	15.08	19.75
	潮口站	0:00	28.63	48.41	32.81	8.24	7.71	30.81	10.5
		3:00	28.5	48.8	33.09	8.2	6.6	28.83	10.18
		6:00	28.32	51.28	34.77	8.1	5.35	15.57	9.38
		9:00	29	48.56	32.93	8.27	8.66	19.81	9.71
		12:00	29.42	48.46	32.39	8.31	9.82	21.79	9.5
		15:00	29.27	44.27	30.1	8.18	7.74	19.06	10.1
		18:00	28.66	43.23	29.43	8.06	5.74	19.65	10.06
		21:00	28.71	49.4	33.46	8.12	6.22	24.52	10.5
	日平均值		28.81	47.80	32.37	8.19	7.23	22.51	9.99
	灣內站	0:00	29.3	52.86	34.54	8.07	11.32	7.94	19.83
		3:00	29.09	52.87	34.73	8.07	9.57	17.91	29.28
		6:00	28.76	52.82	34.71	8.15	9.48	13.82	19.05
		9:00	29.04	52.84	34.72	8.2	12.43	7.85	23.01
		12:00	29.8	52.33	34.33	8.28	12.4	8.11	39.28
		15:00	30.09	52.32	34.31	8.2	10.51	10.08	19.21
		18:00	29.63	51.98	33.88	8.2	13.73	8.12	17.72
		21:00	29.49	51.7	33.91	8.12	12.18	7.08	10.28
	日平均值		29.40	52.47	34.39	8.16	11.45	10.11	22.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月18日	蚵殼站	0:00	28.94	50.27	32.71	8.21	12.28	15.13	22.82
		3:00	28.6	49.82	32.34	8.24	11.06	14.01	21.6
		6:00	28.64	50.44	32.85	8.25	10.71	15.89	19.14
		9:00	29.13	52.3	34.39	8.32	10.07	16.72	16.71
		12:00	29.49	52.43	34.5	8.27	12.26	17.36	20.15
		15:00	29.62	51.93	34.08	8.27	11.06	18.98	16.64
		18:00	29.45	51.07	33.37	8.22	13.54	17.13	22.1
		21:00	29.15	50.53	32.93	8.24	13.31	16.92	22.48
	日平均值		29.13	51.10	33.40	8.25	11.79	16.52	20.21
	潮口站	0:00	28.68	48.07	33.61	8.19	6.59	29.16	10.75
		3:00	28.34	46.94	32.86	8.17	6.48	23.47	10.2
		6:00	28.43	50.3	35.09	8.07	5.29	20.24	11.28
		9:00	28.72	49.11	34.3	8.16	6.86	29.78	13.92
		12:00	28.89	48.58	33.95	8.23	7.75	30.88	15.51
		15:00	28.9	45.01	31.6	8.13	6.43	18.6	16.23
		18:00	28.27	43.66	30.71	8.08	5.72	16.95	11.52
		21:00	28.47	48.43	33.83	8.14	6.32	29.43	9.22
	日平均值		28.59	47.51	33.24	8.15	6.43	24.81	12.33
	灣內站	0:00	29.32	52.39	34.35	8.05	9.53	8.03	9.24
		3:00	28.9	51.73	33.94	8.05	8.68	9.03	7.07
		6:00	28.9	52.33	34.33	8.16	9.47	15.08	6.98
		9:00	28.9	51.62	33.88	8.27	11.71	17.06	7.28
		12:00	29.33	51.16	33.56	8.3	10.32	10.88	8.93
		15:00	29.45	51.46	33.78	8.29	12.4	8.03	9.21
		18:00	29.3	51.52	33.81	8.23	10.51	12.01	11.28
		21:00	29.25	51.79	33.95	8.23	13.73	8.02	12.44
	日平均值		29.17	51.75	33.95	8.20	10.79	11.02	9.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月19日	蚵殼站	0:00	28.89	51.48	33.71	8.24	13.15	16.03	23.79	
		3:00	28.8	51.38	33.63	8.28	13.53	15.55	19.23	
		6:00	28.58	51.14	33.43	8.29	12.92	16.01	19.88	
		9:00	28.67	51.6	33.81	8.31	12.32	16.75	17.28	
		12:00	28.95	52.1	34.22	8.25	12.55	19.07	22.28	
		15:00	29.25	51.93	34.08	8.25	12.26	20.8	15.74	
		18:00	29.2	51.53	33.75	8.37	12.84	19.13	17.38	
		21:00	29.06	52.64	34.67	8.39	8.43	17.13	20.01	
	日平均值			28.93	51.73	33.91	8.30	12.25	17.56	19.45
	潮口站	0:00	28.46	46.54	32.59	8.27	7.4	15.06	9.02	
		3:00	28.25	46.3	32.45	8.24	7.06	25.89	7.7	
		6:00	28.26	48.29	33.74	8.14	5.79	15	7.23	
		9:00	28.6	49.16	34.31	8.14	6.54	20.72	9.46	
		12:00	28.78	48.08	33.59	8.24	8.34	21.67	10	
		15:00	28.9	47.43	33.18	8.18	7.72	15.41	10.25	
		18:00	28.29	47.77	33.41	8.06	5.67	27.41	9.21	
		21:00	28.23	48.84	34.12	8.1	6.02	26.16	11.5	
	日平均值			28.47	47.80	33.42	8.17	6.82	20.92	9.30
	灣內站	0:00	29.13	52.01	34.1	8.17	13.38	16.1	15.98	
		3:00	28.85	51.64	33.88	8.16	12.24	9.1	11.73	
		6:00	28.58	51.5	33.8	8.23	11.35	8.2	17.64	
		9:00	28.69	51.57	33.84	8.35	12.5	8	18.24	
		12:00	29.59	51.16	33.56	8.38	10.74	18.03	19.67	
		15:00	29.75	51.11	33.51	8.33	8.43	8.04	18.36	
		18:00	29.53	51.35	33.72	8.11	6.85	17.95	21.43	
		21:00	29.1	52.07	34.18	8.07	10.32	7.89	19.5	
	日平均值			29.15	51.55	33.82	8.23	10.73	11.66	17.82
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月20日	蚵殼站	0:00	28.9	50.73	33.09	8.28	10.24	16.81	18.07	
		3:00	28.73	50.11	32.58	8.22	12.83	16.16	22.92	
		6:00	28.52	50.01	32.5	8.33	13.44	17.09	22.05	
		9:00	28.63	50.74	33.1	8.38	12.9	20.6	22.77	
		12:00	28.97	52.05	34.18	8.22	12.68	19.67	17.53	
		15:00	29.35	52.17	34.28	8.25	13.29	19.81	17.77	
		18:00	29.29	51.07	33.37	8.21	11.06	17.1	24.82	
		21:00	29.16	51.1	33.4	8.22	12.49	15.56	18.57	
	日平均值			28.94	51.00	33.31	8.26	12.37	17.85	20.56
	潮口站	0:00	28.6	46.71	32.71	8.4	8.25	21.02	10.5	
		3:00	28.5	46.58	32.61	8.39	9.2	24.05	10.18	
		6:00	28.41	46.89	32.82	8.33	7.07	30.46	9.38	
		9:00	28.59	49	34.22	8.16	6.05	22.44	12.81	
		12:00	28.96	48.52	33.88	8.21	6.75	17.79	11.19	
		15:00	29.04	47.49	33.23	8.18	6.58	21.94	10.44	
		18:00	28.57	46.3	32.44	8.15	6.28	17.44	10.57	
		21:00	28.22	48.35	33.78	8.14	6.3	19.74	10.93	
	日平均值			28.61	47.48	33.21	8.25	7.06	21.86	10.75
	灣內站	0:00	28.91	52.99	34.59	8.35	13.19	19.9	24.8	
		3:00	28.99	52.6	34.52	8.29	10.74	7.93	10.26	
		6:00	28.81	52.59	34.51	8.21	8.43	14.93	11.73	
		9:00	28.94	52.39	34.39	8.11	6.85	21.34	17.64	
		12:00	29.74	50.93	33.41	8.02	11.65	15.94	18.24	
		15:00	29.67	50.57	33.21	8.35	13.19	37.57	19.67	
		18:00	29.47	50.52	33.19	8.29	11.02	23.02	13.82	
		21:00	29.2	51.9	34.04	8.21	10.32	18.18	29.64	
	日平均值			29.22	51.81	33.98	8.23	10.67	19.85	18.23
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月21日	蚵殼站	0:00	29.03	52.64	34.67	8.27	11.08	15.13	24.55	
		3:00	28.66	51.65	33.85	8.29	12.44	14.94	16.56	
		6:00	28.62	51.59	33.8	8.24	11.18	16.88	24.7	
		9:00	28.78	51.94	34.09	8.22	11.99	19.33	16.87	
		12:00	29.87	51.19	33.47	8.21	12.77	27.34	15.72	
		15:00	29.68	51.09	33.39	8.25	12.84	23.78	15.61	
		18:00	29.47	51.38	33.63	8.23	10.46	13.6	15.94	
		21:00	29.07	51.9	34.06	8.22	8.53	9.58	17.12	
	日平均值			29.15	51.67	33.87	8.24	11.41	17.57	18.38
	潮口站	0:00	28.4	47.03	32.92	8.26	7.43	28.45	11.13	
		3:00	28.4	46.12	32.33	8.37	7.37	18.23	10.74	
		6:00	28.32	45.82	32.13	8.42	7.48	30.68	10.5	
		9:00	28.68	47.19	33.04	8.27	6.65	28.41	8.89	
		12:00	29.31	47.72	33.37	8.22	6.8	16.13	7.86	
		15:00	29.37	47.34	33.12	8.21	7.17	27	8.18	
		18:00	28.71	46.95	32.62	8.15	6.31	29.42	8.75	
		21:00	28.21	47.94	33.52	8.13	6.02	26.62	9.47	
	日平均值			28.68	47.01	32.88	8.25	6.90	25.62	9.44
	灣內站	0:00	29.13	52.43	34.41	8.02	8.07	23.11	18.87	
		3:00	29.02	52.62	34.55	8.09	11.65	29.21	18.82	
		6:00	28.95	52.97	34.79	8.26	13.19	26.95	22.23	
		9:00	29.08	52.76	34.63	8.28	9.8	28.72	23.42	
		12:00	29.87	51	33.47	8.2	12.77	27.34	25.79	
		15:00	29.98	50.88	33.39	8.1	12.84	23.78	22.53	
		18:00	29.47	51.24	33.63	8.07	10.46	13.6	23.7	
		21:00	29.07	51.91	34.06	8.16	8.53	9.58	17.5	
	日平均值			29.32	51.98	34.12	8.15	10.91	22.79	21.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月22日	蚵殼站	0:00	28.69	52.86	34.85	8.23	6.58	9.65	19.75	
		3:00	28.6	52.17	34.28	8.26	11.06	13.34	19.77	
		6:00	28.71	53.03	34.99	8.26	5.02	21.51	15.24	
		9:00	28.89	52.52	34.57	8.22	7.97	8.69	18.2	
		12:00	29.46	52.31	34.4	8.24	13.48	10.41	16.63	
		15:00	29.5	52.02	34.16	8.28	13.83	13.16	15.4	
		18:00	29.3	52.33	34.41	8.29	11.06	15.18	23.06	
		21:00	29.07	52.66	34.69	8.31	8.14	16.03	23.74	
	日平均值			29.03	52.49	34.54	8.26	9.64	13.50	18.97
	潮口站	0:00	28.32	47.05	32.92	8.24	7.48	24.96	10.87	
		3:00	28.57	45.39	31.84	8.41	7.73	26.31	13.56	
		6:00	28.52	45.1	31.62	8.41	7.45	25.01	16.55	
		9:00	28.71	45.62	31.99	8.29	6.78	23.7	15.29	
		12:00	28.67	46.86	32.82	8.18	6.2	24.19	14.82	
		15:00	28.83	44.7	31.39	8.13	6.23	19.43	15.19	
		18:00	28.73	46.53	32.58	8.11	10.81	23.58	18.58	
		21:00	28.28	47.02	32.92	8.12	9.38	27.63	17.96	
	日平均值			28.58	46.03	32.26	8.24	7.76	24.35	15.35
	灣內站	0:00	28.69	53.05	34.85	8.11	6.58	9.65	24.27	
		3:00	28.6	53.7	34.28	8.02	12.77	13.34	18.21	
		6:00	28.71	53.27	34.99	8.39	5.02	21.51	19.74	
		9:00	28.89	52.67	34.57	8.07	7.97	8.69	20.65	
		12:00	29.46	52.5	34.4	8.16	13.48	10.41	19.55	
		15:00	29.5	52.5	34.16	8.16	13.83	13.16	20.45	
		18:00	29.3	52.51	34.41	8.11	11.06	15.18	21.62	
		21:00	29.07	52.79	34.69	8.02	8.14	16.03	27.9	
	日平均值			29.03	52.87	34.54	8.13	9.86	13.50	21.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月23日	蚵殼站	0:00	28.89	52	34.14	8.25	5.26	17.54	23.29
		3:00	28.51	52.86	34.85	8.37	9.63	16.64	19.28
		6:00	28.72	52.62	34.65	8.39	13.02	22.86	19.09
		9:00	28.87	52.06	34.19	8.36	5.97	27.9	24.7
		12:00	29.57	51.79	33.97	8.28	11.99	20.01	17.35
		15:00	29.52	51.9	34.06	8.22	11.31	18.4	23.73
		18:00	29.19	51.94	34.09	8.33	7.37	12.1	23.18
		21:00	29.17	51.95	34.1	8.38	7.78	15.11	16.21
	日平均值		29.06	52.14	34.26	8.32	9.04	18.82	20.85
	潮口站	0:00	28.03	50.47	33.88	8.1	7.72	17.35	18.2
		3:00	28.33	46.47	32.23	8.29	6.51	22.21	19.48
		6:00	28.53	46.2	32.12	8.3	10.28	13.15	17.03
		9:00	28.97	45.4	31.79	8.29	9.28	22.92	16.24
		12:00	28.99	41.3	30.1	8.11	9.93	23.86	15.88
		15:00	28.67	40.66	29.84	8.06	9.38	19.91	12.92
		18:00	28.85	45.35	31.77	8.11	9.91	17.69	15.98
		21:00	28.59	45.11	31.67	8.1	9	15.37	15.92
	日平均值		28.62	45.12	31.68	8.17	9.00	19.06	16.46
	灣內站	0:00	28.89	52.5	34.14	8.03	11.65	17.54	19.53
		3:00	28.51	53.6	34.85	8.06	13.19	16.64	12.07
		6:00	28.72	53.29	34.65	8.06	12.77	22.86	13.95
		9:00	28.87	52.54	34.19	8.02	5.97	27.9	16.89
		12:00	29.57	52.27	33.97	8.04	11.99	20.01	22.81
		15:00	29.52	52.36	34.06	8.08	11.31	18.4	18.59
18:00		29.19	52.39	34.09	8.09	7.37	12.1	21.56	
21:00		29.17	52.4	34.1	8.36	7.78	15.11	25.61	
日平均值		29.06	52.67	34.26	8.09	10.25	18.82	18.88	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月24日	蚵殼站	0:00	29.05	51.97	34.12	8.25	6.96	14.22	23.44
		3:00	28.82	52.46	34.52	8.21	6.89	10.68	19.22
		6:00	28.81	52.42	34.49	8.22	5.09	8.57	19.1
		9:00	28.88	52.33	34.41	8.25	5.26	10.28	16.85
		12:00	29.25	51.9	34.06	8.27	9.63	10.72	16.06
		15:00	29.26	51.96	34.11	8.29	13.02	8.76	19.38
		18:00	29.05	51.95	34.1	8.24	13.52	12.86	16.66
		21:00	28.88	52.01	34.15	8.22	9.54	8.23	19.93
	日平均值		29.00	52.13	34.25	8.24	8.74	10.54	18.83
	潮口站	0:00	27.82	49.23	33.37	8.11	8.43	13.93	10.61
		3:00	28.16	45.69	31.91	8.17	7.11	21.92	11.91
		6:00	28.33	44.38	31.37	8.21	8.38	24.59	10.68
		9:00	28.82	44.21	31.3	8.22	6.01	20.71	11.14
		12:00	28.33	44.96	31.61	8.14	10.82	16.52	11.25
		15:00	27.92	41.17	30.05	8.09	6.98	26.66	13.32
		18:00	28.26	44.82	31.55	8.13	10.07	13.04	15.55
		21:00	28.43	44.06	31.24	8.12	7.57	12.21	18.72
	日平均值		28.26	44.82	31.55	8.15	8.17	18.70	12.90
	灣內站	0:00	29.05	52.44	34.12	8.34	6.96	14.22	30.66
		3:00	28.82	53.05	34.52	8.28	6.89	10.68	13.94
		6:00	28.81	52.98	34.49	8.29	5.09	8.57	26.24
		9:00	28.88	52.89	34.41	8.32	5.26	10.28	11.4
		12:00	29.25	52.4	34.06	8.47	9.63	10.72	28.78
		15:00	29.26	52.43	34.11	8.06	13.02	8.76	16.48
18:00		29.05	52.4	34.1	8.06	13.52	18.86	17.82	
21:00		28.88	52.5	34.15	8.02	9.54	8.23	26.48	
日平均值		29.00	52.64	34.25	8.23	8.74	11.29	21.48	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月25日	蚵殼站	0:00	28.82	52.14	34.26	8.25	8.55	8.56	22.31
		3:00	28.71	52.43	34.5	8.23	9.54	12	19.43
		6:00	28.61	52.8	34.8	8.2	9.11	16.92	18.71
		9:00	28.99	52.34	34.42	8.39	9.72	16.31	16.38
		12:00	29.39	51.97	34.12	8.24	12.39	24.62	22.73
		15:00	29.27	51.31	33.57	8.28	12.66	20.77	22.65
		18:00	28.77	51.68	33.88	8.29	9.11	14.01	21.77
		21:00	28.76	51.99	34.13	8.31	7.87	10.34	21.53
	日平均值		28.92	52.08	34.21	8.27	9.87	15.44	20.69
	潮口站	0:00	27.83	48.53	33.08	8.11	9.25	14.04	17.69
		3:00	27.68	47.63	32.71	8.13	10.14	10.33	13.56
		6:00	27.87	43.36	30.95	8.25	9.82	13.31	13.83
		9:00	28.51	43.94	31.19	8.19	7.83	10.98	11.78
		12:00	28.66	42.1	30.43	8.17	9.6	13.81	11.04
		15:00	28.16	39.77	29.47	8.13	6.29	11.79	12.85
		18:00	28.14	42.75	30.7	8.14	9.03	11.85	14.01
		21:00	28.27	41.81	30.31	8.11	9.25	10.46	13.8
	日平均值		28.14	43.74	31.11	8.15	8.90	12.07	13.57
	灣內站	0:00	28.82	52.68	34.26	8.08	8.55	8.56	12.3
		3:00	28.71	53.02	34.5	8.09	13.19	12	12.99
		6:00	28.61	53.52	34.8	8.11	12.77	16.92	14.24
9:00		28.99	52.89	34.42	8.39	9.72	16.31	16.09	
12:00		29.39	52.46	34.12	8.04	12.39	24.62	11.38	
15:00		29.27	51.68	33.57	8.08	12.66	20.77	19.24	
18:00		28.77	52.13	33.88	8.09	9.11	14.01	11.16	
21:00		28.76	52.46	34.13	8.11	7.87	10.34	13.51	
日平均值		28.92	52.61	34.21	8.12	10.78	15.44	13.86	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月26日	蚵殼站	0:00	28.62	52.35	34.43	8.25	8.43	8.41	22.18
		3:00	28.62	52.46	34.52	8.37	7.47	10.19	20.9
		6:00	28.4	52.53	34.58	8.39	6.42	8.08	20.08
		9:00	28.71	52.47	34.53	8.36	8.43	13.03	15.75
		12:00	29.27	51.87	34.03	8.28	13.76	8.03	19.27
		15:00	29.3	51.47	33.7	8.22	9.54	7.98	23.47
		18:00	28.92	51.38	33.63	8.33	12.5	10.93	24.36
		21:00	28.66	51.44	33.68	8.38	10	11.45	21.59
	日平均值		28.81	52.00	34.14	8.32	9.57	9.76	20.95
	潮口站	0:00	27.89	44.55	31.44	8.1	10.28	12.89	14.03
		3:00	27.7	45.35	31.77	8.15	8.46	10.84	11.35
		6:00	27.83	43.04	30.82	8.19	8.52	12.58	11.31
		9:00	28.33	42.07	30.42	8.19	8.19	11.26	10.89
		12:00	28.61	41.9	30.35	8.17	9.53	12.92	13.26
		15:00	28.21	38.75	29.05	8.28	7.23	11.27	13.53
		18:00	28.15	42.51	30.6	8.27	6.6	11.29	11.93
		21:00	28.31	41.98	30.38	8.28	10.23	13.73	13.46
	日平均值		28.13	42.52	30.60	8.20	8.63	12.10	12.47
	灣內站	0:00	28.62	52.9	34.43	8.05	8.43	8.41	13.87
		3:00	28.62	53.03	34.52	8.33	7.47	12.19	19.15
		6:00	28.4	53.16	34.58	8.3	6.42	8.08	16.97
9:00		28.71	53.05	34.53	8.44	8.43	8.03	17.52	
12:00		29.27	52.32	34.03	8.09	13.76	18.03	12.33	
15:00		29.3	51.81	33.7	8.11	10.02	17.98	16.58	
18:00		28.92	51.73	33.63	8.05	12.5	7.93	16.11	
21:00		28.66	51.78	33.68	8.05	10	11.45	13.4	
日平均值		28.81	52.47	34.14	8.18	9.63	11.51	15.74	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月27日	蚵殼站	0:00	28.95	52.98	33.78	8.25	10.64	15.96	15.22	
		3:00	28.82	53.34	34.04	8.21	9.54	8.19	22.56	
		6:00	28.57	53.46	34.14	8.22	8.61	11.44	19.84	
		9:00	29.16	52	34.27	8.25	10.65	8.23	19.71	
		12:00	29.68	53.03	33.82	8.27	13.06	18.68	24.86	
		15:00	29.59	52.04	33.13	8.29	9.54	10.07	17.72	
		18:00	29.35	50.85	32.37	8.24	13.72	8.36	16.42	
		21:00	29.25	50.81	32.36	8.22	11.86	9.93	19.03	
	日平均值		29.17	52.31	33.49	8.24	10.95	11.36	19.42	
	潮口站	0:00	28.23	42.05	30.41	8.23	7.03	12.23	13.79	
		3:00	27.83	43.12	30.85	8.26	7.94	10.95	13.08	
		6:00	27.83	41.93	30.36	8.28	5.47	10.51	10.48	
		9:00	28.86	40.42	29.74	8.33	6.34	10.66	12.01	
		12:00	29.14	38.7	29.03	8.27	6.96	13.16	12.66	
		15:00	28.24	38.31	28.87	8.22	5.49	10.73	13.53	
		18:00	28.04	40.01	29.57	8.23	5.57	12.26	13.89	
		21:00	28.15	39.52	29.37	8.24	6.03	12.5	14.41	
	日平均值		28.29	40.51	29.78	8.26	6.35	11.63	12.98	
	灣內站	0:00	28.95	51.98	33.78	8.47	10.64	15.96	17.7	
		3:00	28.82	52.34	34.04	8.45	9.54	8.19	17.21	
		6:00	28.57	52.46	34.14	8.4	8.61	11.44	10.8	
		9:00	29.16	52.68	34.27	8.05	10.65	8.23	11.12	
		12:00	29.98	52.03	33.82	8.17	13.06	10.68	12.55	
		15:00	29.89	51.04	33.13	8.19	10.02	10.07	19.3	
		18:00	29.35	49.85	32.37	8.16	13.72	8.36	14.69	
		21:00	29.25	49.81	32.36	8.08	11.86	9.93	18.79	
	日平均值		29.25	51.52	33.49	8.25	11.01	10.36	15.27	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月28日	蚵殼站	0:00	29.17	50.37	33.08	8.25	11.01	22.96	20.34	
		3:00	28.91	50.82	33.36	8.23	8.36	8.09	20.88	
		6:00	28.61	51.58	33.84	8.46	6.2	10.02	16.14	
		9:00	28.53	51.9	34.02	8.49	8.2	17.9	23.5	
		12:00	29.33	50.94	33.42	8.33	10.06	23.89	22	
		15:00	29.51	49.87	32.76	8.38	13.13	16.95	23.21	
		18:00	28.6	50.71	33.29	8.22	10.21	15.82	20.06	
		21:00	28.74	50.9	33.4	8.25	11.77	17.8	19.61	
	日平均值		28.93	50.89	33.40	8.33	9.87	16.68	20.72	
	潮口站	0:00	28.15	42.1	30.43	8.24	6.24	13.27	11.59	
		3:00	27.69	42.75	30.7	8.19	5.08	10.05	12.76	
		6:00	27.71	42.83	30.73	8.22	5.36	11.29	10.25	
		9:00	28.43	42.53	30.61	8.32	7.18	11.16	13.64	
		12:00	28.84	41.68	30.26	8.28	7.12	13.27	12.64	
		15:00	28.1	41.56	30.21	8.23	5.81	11.47	14.7	
		18:00	27.8	44.99	31.62	8.25	5.85	14.82	10.4	
		21:00	27.79	44.04	31.23	8.27	5.91	14.35	14.89	
	日平均值		28.06	42.81	30.72	8.25	6.07	12.46	12.61	
	灣內站	0:00	29.17	50.37	33.08	8.13	11.01	22.96	17.62	
		3:00	28.91	50.82	33.36	8.18	8.36	8.09	21.64	
		6:00	28.61	51.58	33.84	8.02	6.2	8.02	21.63	
		9:00	28.53	51.9	34.02	8.05	8.2	7.9	24.46	
		12:00	29.33	50.94	33.42	8.13	10.06	23.89	18.89	
		15:00	29.51	49.87	32.76	8.18	13.13	7.95	23.96	
		18:00	28.6	50.71	33.29	8.02	10.21	17.82	17.79	
		21:00	28.74	50.9	33.4	8.05	11.77	7.8	22.47	
	日平均值		28.93	50.89	33.40	8.10	9.87	13.05	21.06	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月29日	蚵殼站	0:00	28.5	50.9	33.4	8.22	10.02	8.19	17.27
		3:00	28.39	50.9	33.4	8.25	7.4	11.44	19.73
		6:00	28.17	51.15	33.56	8.27	5.71	8.23	24.12
		9:00	28.33	51.13	33.55	8.29	8.33	17.73	18.62
		12:00	28.45	51.7	34.14	8.24	10.62	25.66	15.83
		15:00	28.46	51.2	33.88	8.22	12.79	19.91	10.66
		18:00	28.5	51.1	33.8	8.21	13.31	15.95	10.61
		21:00	28.5	51.09	33.8	8.25	12.96	14.08	11.43
	日平均值		28.41	51.15	33.69	8.24	10.14	15.15	16.03
	潮口站	0:00	28.25	43.6	31.05	8.33	7.27	14.67	10.3
		3:00	27.72	43.51	31.01	8.22	5.48	14.36	12.15
		6:00	27.52	44.52	31.43	8.23	5.38	14.94	11.25
		9:00	28.91	41.2	30.06	8.29	9.14	12.79	14.01
		12:00	28.55	45.57	31.86	8.38	12.13	11.55	13.16
		15:00	27.91	43.89	31.17	8.17	9.14	29.15	8.42
		18:00	27.6	47.46	32.64	8.17	7.93	17.99	7.37
		21:00	27.85	46.39	32.2	8.26	9.57	14.84	8.73
	日平均值		28.04	44.52	31.43	8.26	8.26	16.29	10.67
	灣內站	0:00	28.5	50.9	33.4	8.01	10.02	10.8	14.44
		3:00	28.39	50.9	33.4	8.02	7.4	7.75	16.08
		6:00	28.17	51.15	33.56	8.48	5.71	19.72	12.82
9:00		28.33	51.13	33.55	8.02	8.33	7.73	20.98	
日平均值		28.35	51.02	33.48	8.13	7.87	11.50	16.08	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月30日	蚵殼站	0:00	28.36	50.65	33.53	8.29	13.02	13.22	19.38
		3:00	28.17	50.01	33.11	8.24	11.82	13.59	23.88
		6:00	27.97	49.7	32.9	8.22	11.47	12.35	17.97
		9:00	27.96	50.94	33.7	8.21	8.2	16.86	11.29
		12:00	28.33	51.24	33.9	8.25	11.08	17.33	14.03
		15:00	28.61	51.72	34.23	8.23	12.76	18.15	14.45
		18:00	28.5	51.39	33.62	8.25	12.61	17.24	17.15
		21:00	28.41	51.13	33.82	8.23	10.42	18.58	16.81
	日平均值		28.29	50.85	33.60	8.24	11.42	15.92	16.87
	潮口站	0:00	28.01	44.06	31.24	8.27	10.11	4.55	8.75
		3:00	27.87	44.62	31.47	8.26	9.54	20.06	8.37
		6:00	27.42	46.78	32.36	8.19	7.48	34.88	7.39
		9:00	28.36	44.96	31.61	8.36	10.94	11.45	8.35
		12:00	28.61	44.18	31.29	8.4	11.54	6.27	11.41
		15:00	28.08	42.1	30.43	8.24	9.59	9.82	8.67
		18:00	27.51	44.06	31.24	8.21	7.99	8.76	7.41
		21:00	27.74	44.72	31.51	8.29	8.98	3.68	8.09
	日平均值		27.95	44.44	31.39	8.28	9.52	12.43	8.56
	灣內站								
日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
10月31日	蚵殼站	0:00	28.52	51.1	33.8	8.23	11.37	14.12	20.85
		3:00	28.15	50.23	33.24	8.46	10.72	14.66	18.52
		6:00	27.97	49.7	32.9	8.41	9.48	15.4	19.16
		9:00	27.87	50.84	33.63	8.3	8.5	17.42	21.34
		12:00	28.29	51.56	34.12	8.4	11.02	18.62	19.81
		15:00	28.46	51.71	34.22	8.45	11.87	18.42	24.57
		18:00	28.39	51.42	34.04	8.42	11.03	16.98	20.53
		21:00	28.46	51.25	33.91	8.49	11.29	17.35	21.57
	日平均值		28.26	50.98	33.73	8.40	10.66	16.62	20.79
	潮口站	0:00	28.11	41.78	30.3	8.34	10.85	6.01	8.47
		3:00	28.22	41.71	30.27	8.33	10.77	9.14	8.63
		6:00	27.57	44.26	31.32	8.21	7.66	22.67	7.87
		9:00	28.04	43.68	31.08	8.25	8.64	7.29	8.22
		12:00	28.16	43	30.8	8.27	9.28	9.09	9.31
		15:00	27.96	42.44	30.57	8.21	8.13	18.86	8.95
		18:00	27.61	39.09	29.19	8.2	7.82	4.93	7.46
	21:00	27.68	42.39	30.55	8.26	7.98	11.22	7.59	
	日平均值		27.92	42.29	30.51	8.26	8.89	11.15	8.31
	灣內站								
日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月1日	蚵殼站	0:00	28.42	51.17	33.85	8.48	10.81	16.76	6.94	
		3:00	28.38	51.1	33.8	8.43	11.92	15.37	6.91	
		6:00	28.34	50.62	33.51	8.4	11.05	17.77	6.54	
		9:00	28.13	50.79	33.62	8.41	10.81	17.26	11.55	
		12:00	28.18	51.13	33.82	8.35	10.21	21.34	9.35	
		15:00	28.32	51.3	33.95	8.47	10.89	19.68	4.46	
		18:00	28.32	51.14	33.84	8.41	11.11	17.26	4.77	
		21:00	28.37	51.12	33.82	8.4	11.27	17.1	7.97	
	日平均值		28.31	51.05	33.78	8.42	11.01	17.82	7.31	
	潮口站	0:00	27.81	52.74	33.93	8.25	8.62	2.23	1.41	
		3:00	28.07	52.63	33.83	8.23	9.5	11.24	1.79	
		6:00	27.76	53.35	34.33	8.23	7.57	20.46	1.1	
		9:00	27.89	54.04	34.81	8.22	7.95	15.83	0.66	
		12:00	28.38	53.36	34.34	8.23	9.27	3.6	1.38	
		15:00	28.26	53.17	34.22	8.22	9	4.81	2	
		18:00	27.56	52.88	34.02	8.2	7.96	2.87	0.7	
		21:00	27.75	52.86	34.01	8.25	8.6	4.08	1.45	
	日平均值		27.94	53.13	34.19	8.23	8.56	8.14	1.31	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月2日	蚵殼站	0:00	28.43	51.1	33.8	8.41	11.43	16.94	5.85	
		3:00	28.4	50.96	33.71	8.41	10.96	17.13	6.98	
		6:00	28.23	50.6	33.08	8.46	10.13	17.51	9.17	
		9:00	28.25	50.67	33.54	8.48	11.05	19.98	5.76	
		12:00	28.3	51.37	34	8.43	11.06	20.73	7.14	
		15:00	28.51	51.96	34.38	8.46	11.78	20.57	8.28	
		18:00	28.51	51.89	34.34	8.47	11.45	19.55	9.06	
		21:00	28.5	51.5	34.1	8.49	11.62	19.21	4.31	
	日平均值		28.39	51.26	33.87	8.45	11.19	18.95	7.07	
	潮口站	0:00	27.94	52.84	34	8.21	9.25	5.3	2.2	
		3:00	28.13	52.64	33.84	8.29	10.66	1.3	2.57	
		6:00	27.96	52.77	33.94	8.21	8.76	18.03	2.22	
		9:00	27.77	53.92	34.72	8.2	7.21	16	0.72	
		12:00	28.17	54.03	34.81	8.23	7.89	6.53	0.74	
		15:00	28.26	53.22	34.25	8.2	7.82	2.21	1.01	
		18:00	27.87	51.53	34.29	8.2	7.77	9.18	0.77	
		21:00	27.74	52.73	33.92	8.23	7.58	12.19	0.44	
	日平均值		27.98	52.96	34.22	8.22	8.37	8.84	1.33	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月3日	蚵殼站	0:00	28.45	51.43	34.04	8.46	11.35	18.31	6.28	
		3:00	28.29	51.11	33.8	8.47	10.78	18.08	4.88	
		6:00	28.16	51.1	33.8	8.41	10.82	16.57	4.47	
		9:00	28.46	51.26	33.92	8.4	12.67	20.28	10.89	
		12:00	28.43	51.6	34.14	8.35	10.92	20.41	7.93	
		15:00	28.47	51.99	33.93	8.45	11.41	20.88	9.15	
		18:00	28.51	51.63	34.18	8.47	11.54	20.78	9.5	
		21:00	28.43	51.5	34.1	8.49	11.64	19.33	10.14	
	日平均值		28.40	51.45	33.99	8.44	11.39	19.33	7.91	
	潮口站	0:00	27.92	52.81	33.98	8.19	8.09	5.67	1.57	
		3:00	27.94	52.72	33.92	8.27	9.31	6.53	2.14	
		6:00	27.99	52.59	33.8	8.28	9.22	19.63	2.6	
		9:00	27.9	53.49	34.42	8.17	7.46	15.63	1.12	
		12:00	28.04	54.01	34.79	8.21	7.95	4.74	0.71	
		15:00	28.17	53.85	34.67	8.26	8.22	3.58	0.66	
		18:00	28	50.17	34.29	8.18	8.05	47.67	0.48	
	21:00	27.7	51.39	34.29	8.2	7.79	3.39	0.22		
	日平均值		27.96	52.63	34.27	8.22	8.26	13.36	1.19	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月4日	蚵殼站	0:00	28.14	51.05	33.78	8.42	10.19	19.36	11.85	
		3:00	28.04	50.6	33.5	8.35	10.19	18.79	6.86	
		6:00	28.1	51.07	33.78	8.46	10.58	18.39	8.2	
		9:00	28.29	51.43	34.05	8.41	11.62	20.88	18.86	
		12:00	28.16	51.25	33.91	8.37	11.43	20.9	7.14	
		15:00	28.12	51.22	33.89	8.4	11.2	20.06	13.45	
		18:00	28.28	51.8	34.28	8.4	8.89	18.81	10.42	
		21:00	27.97	51.13	33.82	8.42	9.68	16.98	4.36	
	日平均值		28.14	51.19	33.88	8.40	10.47	19.27	10.14	
	潮口站	0:00	27.69	52.92	34.03	8.17	7.66	18.33	0.54	
		3:00	27.71	52.6	33.81	8.19	8.1	6.53	1.99	
		6:00	27.86	52.6	33.8	8.24	8.54	13.9	2.55	
		9:00	27.81	52.74	33.91	8.22	7.6	15.95	2.06	
		12:00	27.6	54.12	34.86	8.16	7.23	25.83	0.48	
		15:00	27.73	53.25	34.26	8.24	8.45	8.47	1.09	
		18:00	27.58	52.76	33.93	8.27	8.64	2.25	1.1	
	21:00	27.35	53.5	34.43	8.19	7.24	17.94	0.3		
	日平均值		27.67	53.06	34.13	8.21	7.93	13.65	1.26	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月5日	蚵殼站	0:00	27.68	50.84	33.65	8.4	9.8	16.17	10.47
		3:00	27.58	50.84	33.64	8.38	8.98	15.9	4.45
		6:00	27.49	50.66	33.53	8.25	8.76	16.57	8.09
		9:00	27.74	50.88	33.67	8.44	10.11	19.76	9.69
		12:00	27.91	51.19	33.87	8.49	11.74	21.97	8.28
		15:00	28.11	51.53	34.12	8.41	10.72	23.5	6.78
		18:00	27.93	51.27	33.93	8.39	10.15	22.83	11.29
		21:00	27.85	51.1	33.8	8.35	10.06	19.32	2.96
	日平均值		27.79	51.04	33.78	8.39	10.04	19.50	7.75
	潮口站	0:00	27.26	53.46	34.42	8.26	7.84	19.28	0.98
		3:00	27.24	52.69	33.89	8.31	8.9	8.47	3.4
		6:00	27.47	52.78	33.97	8.28	9.35	2.25	3.23
		9:00	27.74	52.66	33.86	8.32	9.35	4.76	2.74
		12:00	27.73	53.64	34.51	8.18	7.69	15.46	1.26
		15:00	28.09	52.8	33.96	8.14	7.89	9.52	0.9
		18:00	27.85	53.12	33.99	8.2	7.74	5.32	0.99
		21:00	27.74	51.99	33.42	8.15	7.35	4.55	0.61
	日平均值		27.64	52.89	34.00	8.23	8.26	8.70	1.76
	灣內站								
日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月6日	蚵殼站	0:00	27.77	50.75	33.57	8.49	11.31	18.76	4.88
		3:00	27.58	49.71	32.91	8.35	11.26	18.52	4.19
		6:00	27.38	49.7	33.1	8.47	10.68	18.08	4.94
		9:00	27.73	50.37	33.35	8.49	11.41	20.9	8.02
		12:00	27.96	51.34	33.98	8.38	9.62	21.35	3.94
		15:00	27.91	51.11	33.5	8.48	12.08	22.66	11.58
		18:00	27.88	51.1	33.8	8.46	11.33	23.78	7.95
		21:00	27.71	50.85	33.65	8.45	10.57	19.79	6.53
	日平均值		27.74	50.62	33.48	8.45	11.03	20.48	6.50
	潮口站	0:00	27.5	53.1	34.17	8.2	7.32	10.24	0.26
		3:00	27.19	52.4	33.7	8.23	7.44	9.62	1.31
		6:00	27.17	52.24	33.61	8.27	8.14	0.6	2.31
		9:00	27.54	52.22	33.58	8.31	9.6	4.23	2.5
		12:00	27.75	53.47	34.41	8.17	7.65	14.06	0.99
		15:00	27.8	53.22	34.25	8.16	7.46	18.53	0.61
		18:00	27.73	53.2	34.23	8.16	7.22	5.83	1.15
		21:00	27.63	52.85	34	8.19	6.84	8	0.65
	日平均值		27.54	52.84	33.99	8.21	7.71	8.89	1.22
	灣內站								
日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月7日	蚵殼站	0:00	27.48	50.09	33.16	8.42	9.83	18.8	6.15	
		3:00	27.27	49.7	32.9	8.4	9.34	18.1	3.73	
		6:00	27.07	49.67	32.78	8.38	9.04	18.22	6.01	
		9:00	27.34	49.7	32.9	8.42	10.31	21.47	4.5	
		12:00	27.46	50.46	33.41	8.47	10.92	22.46	7.7	
		15:00	27.43	50.89	33.68	8.4	10.4	21.32	8.93	
		18:00	27.28	50.54	33.45	8.38	10.1	21.66	8.73	
		21:00	27.13	49.7	32.9	8.4	10.19	18.85	11.88	
	日平均值		27.31	50.09	33.15	8.41	10.02	20.11	7.20	
	潮口站	0:00	27.55	53.72	34.56	8.18	7.05	19.89	0.23	
		3:00	27.21	53.24	34.26	8.22	7.22	20.86	0.93	
		6:00	27.18	52.73	33.92	8.26	8.15	5.32	2.84	
		9:00	27.32	52.59	33.8	8.35	9.36	6.18	2.86	
		12:00	27.41	53.18	34.21	8.24	7.83	22.99	1.42	
		15:00	27.5	53.86	34.66	8.19	7.32	23.88	0.45	
		18:00	27.32	53.27	34.28	8.21	7.56	5.47	0.61	
		21:00	27.04	52.8	33.96	8.29	7.98	3.05	0.57	
	日平均值		27.32	53.17	34.21	8.24	7.81	13.46	1.24	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月8日	蚵殼站	0:00	27	49.7	33.1	8.4	9.83	17.12	4.05	
		3:00	26.91	49.7	33.2	8.37	9.04	16.83	2.12	
		6:00	26.75	49.7	32.9	8.25	8.92	16.06	8.41	
		9:00	27.03	49.88	33.02	8.43	10.66	18.09	8.39	
		12:00	27.51	51.23	33.9	8.37	9.31	17.95	3.31	
		15:00	27.73	51.33	33.97	8.35	9.68	19.21	3.07	
		18:00	27.55	51.17	33.85	8.25	9.42	18.88	6.71	
		21:00	27.38	50.87	33.48	8.35	9.27	18.46	6.24	
	日平均值		27.23	50.45	33.43	8.35	9.52	17.83	5.29	
	潮口站	0:00	27.3	53.45	34.39	8.2	7	17.53	0.42	
		3:00	27.3	53.75	34.58	8.19	6.98	22.59	0.16	
		6:00	26.85	53.06	34.14	8.22	7.1	1.72	1.63	
		9:00	27.26	52.89	34.04	8.26	7.95	3.79	2.55	
		12:00	27.62	53.08	34.16	8.21	7.74	17.31	1.42	
		15:00	27.82	53.14	34.2	8.13	7.36	14.01	0.45	
		18:00	27.45	53.45	34.42	8.15	7.16	4.45	1.15	
		21:00	27.29	53	34.11	8.18	7.31	5.32	1.77	
	日平均值		27.36	53.23	34.26	8.19	7.33	10.84	1.19	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月9日	蚵殼站	0:00	27.06	50.26	33.28	8.36	9.16	16.38	18.12	
		3:00	26.95	50.17	33.12	8.35	8.85	15.68	5.63	
		6:00	26.79	49.7	32.9	8.25	8.8	15.13	5.41	
		9:00	26.85	50.07	33.14	8.33	8.62	17.07	6.89	
		12:00	27.61	51.65	34.27	8.3	8.56	16.9	13.88	
		15:00	27.78	52	34.4	8.31	9.04	17.25	4.04	
		18:00	27.55	51.67	34.2	8.36	10.06	17.95	18.85	
		21:00	27.28	51.1	33.8	8.41	10.8	15.33	11.37	
	日平均值		27.23	50.83	33.64	8.33	9.24	16.46	10.52	
	潮口站	0:00	27.28	53.22	34.24	8.14	6.4	10.39	0.88	
		3:00	27.34	53.75	34.59	8.14	6.8	20.6	0.18	
		6:00	26.81	53.16	34.21	8.22	7.39	7.19	1.01	
		9:00	26.96	52.63	33.83	8.31	8.81	4.2	2.41	
		12:00	27.51	52.81	33.98	8.21	7.85	6.34	1.56	
		15:00	27.71	53.01	34.11	8.14	7.45	16.21	0.69	
		18:00	27.41	53.24	34.26	8.18	7.45	12.42	1.03	
		21:00	27.17	53.05	34.13	8.17	6.94	4.57	0.9	
	日平均值		27.27	53.11	34.17	8.19	7.39	10.24	1.08	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月10日	蚵殼站	0:00	27.13	51.1	33.9	8.39	10.16	14.28	11.98	
		3:00	27	51.1	33.8	8.36	9.4	14.11	7.5	
		6:00	26.89	50.72	33.57	8.25	8.96	15.38	10.41	
		9:00	26.88	50.66	33.53	8.35	9.37	16.49	5.49	
		12:00	27.26	51.23	33.9	8.25	9.69	16.43	8.63	
		15:00	27.44	51.45	34.07	8.32	9.16	19.39	5.4	
		18:00	27.26	51.12	33.81	8.33	9.79	20.68	11.04	
		21:00	27.07	51.1	33.28	8.34	9.62	16.74	11.11	
	日平均值		27.12	51.06	33.73	8.32	9.52	16.69	8.95	
	潮口站	0:00	27.05	53.19	34.2	8.15	6.59	6.04	0.97	
		3:00	27.17	53.67	34.54	8.14	6.89	22.76	0.3	
		6:00	26.87	53.48	34.41	8.15	6.71	11.38	0.52	
		9:00	26.99	52.96	34.08	8.21	7.62	5.86	1.64	
		12:00	27.54	51.45	33.61	8.17	7.86	4.25	1.55	
		15:00	27.6	50.21	33.91	8.14	7.92	6.43	1.62	
		18:00	27.38	52.62	33.84	8.16	7.52	9.86	1.02	
		21:00	27.17	52.65	33.85	8.14	7.02	7.3	1.47	
	日平均值		27.22	52.53	34.06	8.16	7.27	9.24	1.14	
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
11月11日	蚵殼站	0:00	26.88	50.28	33.28	8.3	9.17	16.35	4.33
		3:00	26.68	49.67	32.88	8.25	8.96	15.54	11.37
		6:00	26.6	49.57	32.82	8.31	9.19	15.84	9.83
		9:00	26.83	50.1	33.16	8.25	10.33	20	9.53
		12:00	27.14	50.84	33.65	8.35	10.3	20.43	8.25
		15:00	27.16	51.1	33.8	8.33	10.12	22.8	4.29
		18:00	27.13	50.92	33.69	8.37	10.81	21.93	5.79
		21:00	27.02	50.41	33.37	8.31	9.69	24.19	6.36
	日平均值		26.93	50.36	33.33	8.31	9.82	19.64	7.47
	潮口站	0:00	27	52.59	34.3	8.13	6.6	5.67	1.1
		3:00	27.11	53.54	34.6	8.14	6.67	32.63	0.54
		6:00	26.85	53.19	34.72	8.15	6.55	21.13	0.68
		9:00	27.01	52.5	34.06	8.18	7.59	9.1	1.81
		12:00	27.49	52.5	34.27	8.19	8.26	12.65	1.99
		15:00	27.55	50.16	33.91	8.12	7.36	5.86	1.28
		18:00	27.29	51.34	33.52	8.15	7.34	4.74	0.93
		21:00	27.11	52.3	34.14	8.16	7.31	9.87	1.56
	日平均值		27.18	52.27	34.19	8.15	7.21	12.71	1.24
	灣內站								
日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
11月12日	蚵殼站	0:00	26.88	50.54	33.46	8.31	9.48	18.86	11.71
		3:00	26.67	49.76	32.94	8.3	9.01	20.61	5.31
		6:00	26.56	49.6	32.84	8.25	9	16.55	6.07
		9:00	26.68	49.62	32.85	8.35	10.26	18.34	5.68
		12:00	26.98	50.85	33.65	8.36	10.74	18.8	5.29
		15:00	27.09	51.1	33.8	8.34	10.33	20.56	10.07
		18:00	26.99	50.78	33.61	8.4	11.56	21.98	5.9
		21:00	26.95	50.6	33.5	8.25	11.46	20.68	4.32
	日平均值		26.85	50.36	33.33	8.32	10.23	19.55	6.79
	潮口站	0:00	26.96	52.15	34.05	8.19	7.82	2.85	1.71
		3:00	26.97	53.22	34.75	8.13	6.53	24.44	0.62
		6:00	26.91	53.36	34.84	8.13	6.52	17.66	0.78
		9:00	27	52.3	34.14	8.27	8.48	4.45	2.56
		12:00	27.45	52.24	34.1	8.3	9.84	6.45	2.9
		15:00	27.22	50.25	32.83	8.13	6.91	6.32	1.19
		18:00	27.03	51.05	33.33	8.15	7.02	6.94	0.94
		21:00	27.01	52.01	33.92	8.21	7.91	18.91	2.21
	日平均值		27.07	52.07	34.00	8.19	7.63	11.00	1.61
	灣內站								
日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月13日	蚵殼站	0:00	26.9	50.6	33.5	8.48	12.6	15.72	8.34	
		3:00	26.72	50.25	33.27	8.35	12.37	14.04	10.83	
		6:00	26.54	49.59	32.65	8.44	11.32	15.26	3.02	
		9:00	26.75	50.28	33.29	8.4	13.28	18.54	5.18	
		12:00	27	50.83	33.64	8.43	12.1	22.39	4.86	
		15:00	27	51.6	33.9	8.39	13.05	20.86	9.85	
		18:00	27	51.1	33.8	8.42	13.47	20.21	6.82	
	21:00	26.92	50.82	33.45	8.4	12.82	17.62	8.23		
	日平均值		26.85	50.63	33.44	8.41	12.63	18.08	7.14	
	潮口站	0:00	26.85	51.79	33.61	8.15	6.81	10.04	1.65	
		3:00	26.88	52.46	34.25	8.14	6.22	13.02	0.83	
		6:00	26.86	53.11	34.66	8.14	6.17	3.94	0.6	
		9:00	26.82	51.89	33.37	8.24	7.98	17.47	1.84	
		12:00	27.13	51.93	33.88	8.3	10.71	12	3.21	
		15:00	27.06	51.98	33.9	8.18	8.05	12.05	1.1	
		18:00	26.93	52.99	34.35	8.22	8.01	10.9	0.78	
	21:00	26.75	52.33	33.94	8.21	9	7.6	1.72		
	日平均值		26.91	52.31	34.00	8.20	7.87	10.88	1.47	
	灣內站									
18:00		26.9	50.9	33.6	8.42	7.94	6.8	19.3		
21:00	26.82	50.62	33.25	8.45	8.01	6.4	15.3			
日平均值		26.86	50.76	33.43	8.44	7.98	6.60	17.30		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

註:10月份及11月份即時監測系統及儀器數次遭受人為破壞,導致後續無監測資料,當下已向警局備案處理,緊急搶修下全數已在11月中旬完成修復,但在10月份及11月份有資料缺失情況產生。

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月14日	蚵殼站	0:00	26.75	50.6	33.5	8.41	12.46	16.84	6.08
		3:00	26.62	50.12	33.17	8.35	11.16	16.03	6.6
		6:00	26.56	50.1	33.16	8.34	10.9	16.17	18.27
		9:00	26.67	50.59	33.49	8.41	12.55	19.62	16.7
		12:00	26.86	50.78	33.61	8.45	12.53	21.73	5.11
		15:00	26.91	51.1	33.8	8.34	12.03	24.9	18.73
		18:00	26.9	51.1	33.8	8.41	12.89	24.47	4.8
	21:00	26.8	51.02	33.75	8.35	12.47	23.17	8.5	
	日平均值		26.76	50.68	33.54	8.38	12.12	20.37	10.60
	潮口站	0:00	26.75	52.21	34.06	8.22	9.51	6.89	2.44
		3:00	26.67	52.58	34.29	8.2	8.41	15.29	1.22
		6:00	26.47	52.39	33.97	8.15	7.47	9.41	0.29
		9:00	26.83	52.41	34.16	8.24	9.29	11.28	1.28
		12:00	27.29	52.16	34.03	8.31	11.53	12.53	2.09
		15:00	26.99	51.95	33.86	8.17	8.56	14.21	0.73
		18:00	26.67	51.6	33.65	8.18	7.87	11.63	0.21
	21:00	26.64	52.06	33.96	8.18	7.92	14.66	0.77	
	日平均值		26.79	52.17	34.00	8.21	8.82	11.99	1.13
	灣內站	0:00	26.65	50.4	33.3	8.48	8.16	5.5	26.6
		3:00	26.52	49.92	32.97	8.42	6.92	9.1	11
		6:00	26.46	49.9	32.96	8.46	6.93	7.9	9.7
9:00		26.57	50.39	33.29	8.45	7.48	7.6	22.1	
12:00		26.76	50.58	33.41	8.42	7.97	9.3	32.3	
15:00		26.81	50.9	33.6	8.38	7.38	8.9	19.5	
18:00		26.8	50.9	33.6	8.43	7.38	6.2	13.4	
21:00	26.7	50.82	33.55	8.39	7.73	6.6	19.5		
日平均值		26.66	50.48	33.34	8.43	7.49	7.64	19.26	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月15日	蚵殼站	0:00	26.6	50.55	33.47	8.42	12.26	20.49	4.84
		3:00	26.52	49.84	33	8.41	11.9	19.71	10.08
		6:00	26.35	49.7	32.9	8.39	11.22	23.41	12.91
		9:00	26.52	50.02	33.11	8.43	12.32	24.11	4.74
		12:00	26.69	50.73	33.58	8.42	12.38	23.85	7.13
		15:00	26.66	50.83	33.64	8.37	11.94	27.55	18.31
		18:00	26.77	51.04	33.76	8.42	12.19	24.62	8.36
		21:00	26.74	50.72	33.57	8.4	11.68	21.67	13.24
	日平均值		26.61	50.43	33.38	8.41	11.99	23.18	9.95
	潮口站	0:00	26.52	51.93	33.85	8.18	7.9	19.43	0.84
		3:00	26.54	52.08	33.96	8.2	8.51	19.13	1.06
		6:00	26.5	52.97	34.14	8.13	7.25	21.53	0.16
		9:00	26.69	52.44	34.18	8.18	8.18	14.48	0.59
		12:00	27.06	51.84	33.78	8.28	11.05	12.49	2.25
		15:00	26.93	51.15	33.37	8.14	8.44	12.61	0.79
		18:00	26.67	52.5	34.2	8.16	7.52	20.69	0.12
		21:00	26.58	51.75	33.74	8.3	9.46	6.63	1.49
	日平均值		26.69	52.08	33.90	8.20	8.54	15.87	0.91
	灣內站	0:00	26.5	50.45	33.37	8.44	7.56	8.1	23.4
		3:00	26.42	49.74	32.9	8.44	6.93	7	15.2
		6:00	26.25	49.6	32.8	8.43	6.58	10.2	13.1
9:00		26.42	49.92	33.01	8.4	6.72	7.3	10.4	
12:00		26.59	50.63	33.48	8.35	7.1	10.4	25.3	
15:00		26.56	50.73	33.54	8.32	6.94	10	15.2	
18:00		26.67	50.94	33.66	8.35	7.09	6.9	20.8	
21:00		26.64	50.62	33.47	8.34	6.86	5.3	10.8	
日平均值		26.51	50.33	33.28	8.38	6.97	8.15	16.78	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月16日	蚵殼站	0:00	26.59	49.87	33.01	8.46	12.42	19.4	11.45
		3:00	26.36	49.45	32.57	8.42	11.2	18.66	7.7
		6:00	26.17	49.09	32.52	8.38	10.32	19.42	9.52
		9:00	26.23	49.25	32.63	8.4	11.05	21.3	5.92
		12:00	26.48	50.32	33.31	8.34	9.91	21.6	11.24
		15:00	26.69	50.73	33.58	8.31	10.35	23.13	6.26
		18:00	26.6	50.43	33.2	8.32	10.16	18.65	9.63
		21:00	26.57	49.73	32.92	8.31	9.74	24.21	9.02
	日平均值		26.46	49.86	32.97	8.37	10.64	20.80	8.84
	潮口站	0:00	26.58	51.41	33.56	8.28	9.42	7.5	2.45
		3:00	26.4	51.21	33.41	8.3	9.33	7.43	2.47
		6:00	26.49	52.31	34.1	8.15	7.38	25.54	0.47
		9:00	26.75	52.12	33.97	8.21	7.99	14.02	0.36
		12:00	27.33	51.17	33.36	8.35	10.92	10.42	0.51
		15:00	27.01	49.26	33.41	8.2	9.07	7.88	0.54
		18:00	26.63	49	33.41	8.14	7.68	8.86	0.13
		21:00	26.65	51.21	33.27	8.24	8.54	8.2	0.54
	日平均值		26.73	50.96	33.56	8.23	8.79	11.23	0.93
	灣內站	0:00	26.49	49.77	32.91	8.39	7.08	8.9	12.2
		3:00	26.26	49.35	32.47	8.41	7.02	7.6	25.3
		6:00	26.07	48.99	32.42	8.41	6.66	16.7	17.9
9:00		26.13	49.15	32.53	8.39	6.79	8.3	4.9	
12:00		26.38	50.22	33.21	8.26	6.77	8.3	20	
15:00		26.59	50.63	33.48	8.3	7.05	7.4	29.5	
18:00		26.5	50.33	33.1	8.36	7.07	8.1	8.5	
21:00		26.47	49.63	32.82	8.34	6.99	7.5	2.2	
日平均值		26.36	49.76	32.87	8.36	6.93	9.10	15.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月17日	蚵殼站	0:00	26.45	49.22	32.61	8.25	9.48	23.75	10.9
		3:00	26.27	49.2	32.6	8.27	9.33	24.38	4.13
		6:00	26.09	49.02	32.46	8.25	9.11	21.31	3.76
		9:00	26.24	49.39	32.71	8.3	10.22	23.03	8.69
		12:00	26.56	49.73	32.73	8.33	11.32	25.9	3.61
		15:00	26.59	50.67	33.54	8.35	9.22	23.72	11.55
		18:00	26.52	50.29	33.29	8.27	9.43	24.97	11.07
		21:00	26.41	49.53	32.8	8.31	9.59	21.89	7.69
	日平均值		26.39	49.63	32.84	8.29	9.71	23.62	7.68
	潮口站	0:00	26.53	51.33	33.51	8.24	8.19	15.32	0.86
		3:00	26.4	51.28	33.45	8.24	8.31	8.61	0.9
		6:00	26.4	51.78	33.77	8.2	7.31	20.49	0.6
		9:00	26.71	52.85	34.46	8.19	7.31	16.23	0.25
		12:00	27.11	52.17	34.03	8.2	8.26	10.37	0.47
		15:00	27.05	52.08	33.95	8.18	7.91	5.82	0.5
		18:00	26.77	52.73	34.37	8.2	7.65	18.59	0.13
		21:00	26.63	52.72	34.19	8.23	7.84	9.35	0.17
	日平均值		26.70	52.12	33.97	8.21	7.85	13.10	0.49
	灣內站	0:00	26.35	49.57	32.96	8.31	6.87	7.9	17.1
		3:00	26.17	49.55	32.95	8.34	6.5	13.7	16.1
		6:00	25.99	49.37	32.81	8.47	6.87	10.3	40.4
9:00		26.14	49.74	33.06	8.46	6.74	9.5	6.9	
12:00		26.46	50.08	33.08	8.36	6.5	10.2	26	
15:00		26.49	51.02	33.89	8.42	7.22	9.9	26.3	
18:00		26.42	50.64	33.64	8.44	6.75	6.4	4.2	
21:00		26.31	49.88	33.15	8.46	6.95	4.3	2	
日平均值		26.29	49.98	33.19	8.41	6.80	9.03	17.38	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月18日	蚵殼站	0:00	26.4	49.46	32.75	8.28	9.23	19.17	11.21
		3:00	26.21	49.18	32.59	8.3	9.37	18.63	11.08
		6:00	26.1	48.98	32.44	8.28	9	20.52	9.83
		9:00	26.21	49.24	32.61	8.29	9.61	23.97	8.4
		12:00	26.51	49.7	32.9	8.37	11.72	24.66	5.61
		15:00	26.66	50.42	33.38	8.34	11.16	27.5	11.55
		18:00	26.63	50.09	33.16	8.25	10.16	19.92	6.09
		21:00	26.57	49.7	32.9	8.36	11.31	20.09	11.5
	日平均值		26.41	49.60	32.84	8.31	10.20	21.81	9.41
	潮口站	0:00	26.51	51.83	33.8	8.29	8.67	4.54	0.88
		3:00	26.5	51.52	33.61	8.35	9.32	3.72	1.4
		6:00	26.32	51.45	33.56	8.29	8.1	13.66	1.25
		9:00	26.57	52.73	34.38	8.21	7.5	18.46	0.38
		12:00	27.13	52.77	34.4	8.19	8.17	11.09	0.25
		15:00	27.53	52.21	34.05	8.17	8.22	8.47	0.24
		18:00	27.09	52.09	33.97	8.18	7.93	17.65	0.11
		21:00	26.75	52.98	34.34	8.23	7.86	16.34	0.13
	日平均值		26.80	52.20	34.01	8.24	8.22	11.74	0.58
	灣內站	0:00	26.5	49.81	33.1	8.48	6.87	3.8	10.7
		3:00	26.31	49.53	32.94	8.41	6.6	6.7	15.2
		6:00	26.2	49.33	32.79	8.41	6.27	7.8	9.7
9:00		26.31	49.59	32.96	8.45	6.66	10.4	7.2	
12:00		26.61	50.05	33.25	8.45	6.88	5.3	2.5	
15:00		26.76	50.77	33.73	8.39	7.04	8.4	7	
18:00		26.73	50.44	33.51	8.44	6.55	5.4	10.6	
21:00		26.67	50.05	33.25	8.45	6.7	2.2	1.9	
日平均值		26.51	49.95	33.19	8.44	6.70	6.25	8.10	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月19日	蚵殼站	0:00	26.47	49.66	32.87	8.36	11	21.06	7.97
		3:00	26.34	49.27	32.64	8.35	10.6	22.02	6.83
		6:00	26.25	49.1	32.34	8.25	10.74	25.81	9.89
		9:00	26.24	48.98	32.44	8.34	10.38	20.45	9.72
		12:00	26.44	49.61	32.86	8.34	11.15	33.56	11.53
		15:00	26.63	50.81	33.25	8.31	11.15	21.23	11.07
		18:00	26.44	50.03	33.12	8.25	10.51	21.45	9.3
		21:00	26.33	49.7	32.72	8.31	10.13	24.72	6.84
	日平均值		26.39	49.65	32.78	8.31	10.71	23.79	9.14
	潮口站	0:00	26.93	51.6	33.65	8.34	9.7	8.33	0.76
		3:00	26.81	52.02	33.92	8.2	7.34	13.9	0.61
		6:00	26.55	51.71	33.73	8.3	8.55	8.11	1.01
		9:00	26.54	52.56	34.27	8.23	7.45	22.82	0.33
		12:00	26.73	53.04	34.57	8.19	7.27	17.2	0.11
		15:00	26.87	52.98	34.54	8.19	7.48	12.58	0.1
		18:00	26.7	52.21	34.05	8.23	8.29	10.66	0.12
		21:00	26.68	52.98	34.53	8.22	7.71	19.52	0.13
	日平均值		26.73	52.39	34.16	8.24	7.97	14.14	0.40
	灣內站	0:00	26.57	50.01	33.22	8.42	6.64	17.42	6.5
		3:00	26.44	49.62	32.99	8.43	7.27	2.5	25.1
		6:00	26.35	49.45	32.69	8.35	6.05	7.9	20.2
		9:00	26.34	49.33	32.79	8.45	6.66	9.3	19
		12:00	26.54	49.96	33.21	8.39	6.71	7.2	17.7
		15:00	26.73	51.16	33.6	8.36	6.69	6.2	31.8
		18:00	26.54	50.38	33.47	8.35	6.67	4.7	30.4
		21:00	26.43	50.05	33.07	8.4	6.76	2.2	4.2
	日平均值		26.49	50.00	33.13	8.39	6.68	7.18	19.36
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月20日	蚵殼站	0:00	26.24	49.76	32.94	8.28	8.83	22.33	5.1
		3:00	26.05	49.24	32.44	8.25	8.83	29.81	6.67
		6:00	25.78	48.79	32.03	8.27	9.15	19.51	9.68
		9:00	26.14	49.24	32.61	8.29	9.85	18.92	11.47
		12:00	26.58	51.04	33.28	8.25	10.2	21.95	9.95
		15:00	26.59	51.12	33.82	8.27	10.57	14.48	8.63
		18:00	26.42	50.85	33.65	8.3	10.69	15.31	6.08
		21:00	26.36	50.36	33.34	8.32	11.04	16.54	8.88
	日平均值		26.27	50.05	33.01	8.28	9.90	19.86	8.31
	潮口站	0:00	26.35	52.51	34.23	8.26	8.04	9.46	0.41
		3:00	26.11	51.98	33.88	8.31	8.67	5.47	1.22
		6:00	26.02	51.83	33.79	8.33	9.06	6.2	1.39
		9:00	26.4	52.06	33.94	8.28	8.13	18.29	0.54
		12:00	26.78	52.87	33.72	8.22	7.97	15.75	0.11
		15:00	26.96	52.88	33.8	8.21	8.32	16.02	0.92
		18:00	26.71	52.47	33.03	8.21	8.06	11.7	1.39
		21:00	26.71	52.53	33.89	8.21	7.94	20.92	0.12
	日平均值		26.51	52.39	33.79	8.25	8.27	12.98	0.76
	灣內站	0:00	26.34	49.59	32.77	8.41	6.71	2.2	6.1
		3:00	26.15	49.07	32.27	8.45	8.08	6.3	45.3
		6:00	25.88	48.62	32.86	8.48	8.13	8.7	48.2
		9:00	26.24	49.07	32.44	8.4	7.3	9.7	33.4
		12:00	26.68	50.87	33.11	8.37	7.04	6.1	16.4
		15:00	26.69	50.95	33.65	8.38	6.87	2.7	5.6
		18:00	26.52	50.68	33.48	8.4	7.75	4.8	12.8
		21:00	26.46	50.19	33.17	8.38	6.63	2.7	6.5
	日平均值		26.37	49.88	32.97	8.41	7.31	5.40	21.79
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月21日	蚵殼站	0:00	26.24	49.7	32.62	8.3	10.35	16.45	9.12
		3:00	25.97	49.51	32.78	8.3	10.1	18.05	11.6
		6:00	25.8	49	32.04	8.29	9.96	13.99	6.33
		9:00	26.05	49.3	32.65	8.3	10.69	22.95	7.36
		12:00	26.58	50.94	33.71	8.27	10.45	19.59	7.42
		15:00	26.68	51.35	33.56	8.24	9.96	17.8	10.11
		18:00	26.57	51.19	33.86	8.27	10.17	16.89	5.19
		21:00	26.48	51.09	31.65	8.24	9.39	15.25	6.5
	日平均值		26.30	50.26	32.86	8.28	10.13	17.62	7.95
	潮口站	0:00	26.54	52.99	34.24	8.23	7.85	25	0.11
		3:00	25.98	52.45	34.18	8.31	8.86	11.02	0.92
		6:00	26	52.47	34.18	8.32	9.02	10.8	1.39
		9:00	26.21	52.42	32.95	8.32	8.87	24.16	0.83
		12:00	27.02	52	33.55	8.18	7.76	19.53	0.27
		15:00	27.03	51.39	33.25	8.16	7.78	18.77	0.19
		18:00	26.67	52.5	33.43	8.25	8.43	24.24	0.63
		21:00	26.7	52.55	33.46	8.21	7.74	24.69	0.18
	日平均值		26.52	52.35	33.66	8.25	8.29	19.78	0.57
	灣內站	0:00	26.34	49.53	32.45	8.36	6.67	3.8	1.9
		3:00	26.07	49.34	32.61	8.41	11.03	6.2	32.3
		6:00	25.9	48.83	32.87	8.42	11.02	3.5	38.2
		9:00	26.15	49.13	32.48	8.36	10.53	7.3	26
		12:00	26.68	50.77	33.54	8.39	7.07	3.4	5
		15:00	26.78	51.18	33.39	8.3	7.09	4.4	2.6
		18:00	26.67	51.02	33.69	8.45	9.14	7.4	22.7
		21:00	26.58	50.92	33.1	8.43	9.06	6.7	13.9
	日平均值		26.40	50.09	33.02	8.39	8.95	5.34	17.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月22日	蚵殼站	0:00	26.28	50.69	32.15	8.22	8.88	16.08	11.57
		3:00	26.04	50.16	31.94	8.25	8.65	25.89	12.52
		6:00	25.91	49.7	32.45	8.29	9.65	22.02	10.37
		9:00	26.22	49.7	31.7	8.34	11.02	23.21	10.1
		12:00	26.4	50.16	32.32	8.37	11.84	11.88	12.65
		15:00	26.57	50.94	33.26	8.36	12.15	13.26	9.02
		18:00	26.57	50.61	32.59	8.39	12.51	15.35	7.86
		21:00	26.53	50.54	33.46	8.36	11.92	19.82	7.36
	日平均值		26.32	50.31	32.48	8.32	10.83	18.44	10.18
	潮口站	0:00	26.65	53.1	34.02	8.2	7.44	10.18	0.19
		3:00	26.4	52.94	33.77	8.21	7.47	3.69	0.13
		6:00	26.1	52.58	33.4	8.2	6.98	16.2	1.57
		9:00	26.54	52.41	32.98	8.25	8.23	17.8	0.83
		12:00	27.11	51.96	33.71	8.17	7.53	14.8	0.5
		15:00	27.18	51.68	32.3	8.15	7.31	9.35	0.83
		18:00	26.92	52.13	33.56	8.25	9.08	15.56	0.4
		21:00	26.88	52.15	32.85	8.19	7.82	23.27	0.83
	日平均值		26.72	52.37	33.32	8.20	7.73	13.86	0.66
	灣內站	0:00	26.08	51.19	32.65	8.33	6.96	3.3	2.6
		3:00	25.84	50.66	32.44	8.43	8.83	4.1	12.8
		6:00	25.71	50.2	32.95	8.3	9.33	7.5	13
		9:00	26.02	50.2	32.2	8.33	9.88	6.6	11.6
		12:00	26.2	50.66	32.82	8.31	7.45	4.1	8.3
		15:00	26.37	51.44	33.76	8.28	7.65	4.4	21.1
		18:00	26.37	51.11	33.09	8.32	7.67	8.4	20.8
		21:00	26.33	51.04	33.96	8.2	11.05	8.8	33.4
	日平均值		26.12	50.81	32.98	8.31	8.60	5.90	15.45
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月23日	蚵殼站	0:00	26.44	49.75	32.65	8.34	11.36	16.05	13.23
		3:00	26.32	49.78	31.76	8.33	10.75	18.94	9.25
		6:00	26.22	49.7	32.46	8.29	9.73	19.17	11.09
		9:00	26.4	50.16	32.79	8.28	9.86	8.94	11.01
		12:00	26.59	50.63	33.52	8.32	11.01	4.25	12.1
		15:00	26.59	50.6	30.64	8.31	10.49	2.77	8.63
		18:00	26.6	50.72	32.02	8.3	10.13	2.25	7.33
		21:00	26.53	50.62	32.85	8.3	9.66	13.21	8.49
	日平均值		26.46	50.25	32.34	8.31	10.37	10.70	10.14
	潮口站	0:00	26.7	52.55	33.99	8.21	7.51	22.34	0.14
		3:00	26.57	52.7	34.36	8.22	7.56	13.44	0.1
		6:00	26.38	51.86	32.71	8.29	9.19	11.74	1.22
		9:00	26.85	51.94	33.22	8.27	9.15	15.95	1.28
		12:00	26.84	52.21	33.03	8.21	7.98	16.46	0.83
		15:00	26.8	51.05	32.62	8.2	8.05	7.19	0.61
		18:00	26.76	51.82	33.12	8.2	7.84	15.76	0.16
		21:00	26.63	51.91	33.84	8.19	7.53	25.43	0.2
	日平均值		26.69	52.01	33.36	8.22	8.10	16.04	0.57
	灣內站	0:00	26.24	50.25	33.15	8.32	7.42	5.8	26.3
		3:00	26.12	50.28	32.26	8.37	7.13	6.2	8.7
		6:00	26.02	50.2	32.96	8.23	9.11	8.7	46.9
		9:00	26.2	50.66	33.29	8.41	7.83	12.3	38.2
		12:00	26.39	51.13	34.02	8.31	7.11	5.7	7.2
		15:00	26.39	51.1	33	8.31	7.11	6.5	10.2
		18:00	26.4	51.22	32.52	8.32	6.8	7.8	13.1
		21:00	26.33	51.12	33.35	8.35	6.51	8.2	8.3
	日平均值		26.26	50.75	33.07	8.33	7.38	7.65	19.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月24日	蚵殼站	0:00	26.43	50.03	31.83	8.26	8.81	8.6	9.31
		3:00	26.18	49.52	32.37	8.22	7.59	9.05	2.47
		6:00	26.34	50.02	31.83	8.31	8.4	10.82	3.74
		9:00	26.64	50.53	32.78	8.26	9.98	17.98	11.75
		12:00	26.95	50.89	32.76	8.24	9.75	7.61	2.56
		15:00	26.96	51.08	33.27	8.26	9.87	6.92	11.04
		18:00	26.76	50.58	33.49	8.24	8.77	6.93	7.17
		21:00	26.67	50.4	32.7	8.23	8.85	7.47	5.72
	日平均值		26.62	50.38	32.63	8.25	9.00	9.42	6.72
	潮口站	0:00	26.56	52	33.62	8.22	7.03	15.5	0.1
		3:00	26.5	52.49	33.39	8.2	6.82	15.04	0.16
		6:00	26.27	51.94	33.11	8.23	7.54	6.97	0.2
		9:00	26.6	51.56	32.64	8.32	8.62	7.44	0.39
		12:00	26.89	50.34	32.46	8.2	7.36	16.76	0.26
		15:00	26.67	51.78	33.35	8.21	7.22	12.35	0.11
		18:00	26.66	51.37	33.18	8.21	7.43	15.8	0.16
		21:00	26.65	51.15	32.81	8.19	7.13	26.54	0.2
	日平均值		26.60	51.58	33.07	8.22	7.39	14.55	0.20
	灣內站	0:00	26.23	50.33	32.13	8.34	6.02	8.2	30.1
		3:00	25.98	49.82	32.67	8.41	6.68	3.2	23.2
		6:00	26.14	50.32	32.13	8.4	6.25	6.5	34.9
		9:00	26.44	50.83	33.08	8.35	6	5.4	25.3
		12:00	26.75	51.19	33.06	8.4	6.88	8.7	28
		15:00	26.76	51.38	33.57	8.41	7.15	6.8	30.3
		18:00	26.56	50.88	33.79	8.41	7.16	4.5	30
		21:00	26.47	50.7	33	8.45	7.6	5.1	38.5
	日平均值		26.42	50.68	32.93	8.40	6.72	6.05	30.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月25日	蚵殼站	0:00	26.6	49.9	32.16	8.2	8.2	5.27	7.71
		3:00	26.53	49.71	32.12	8.21	8.06	1.65	11.75
		6:00	26.54	49.66	32.46	8.23	8.33	3.61	10.27
		9:00	26.72	50.08	33.16	8.25	9.39	1.53	2.83
		12:00	26.97	50.79	33.19	8.26	10.68	8.09	2.74
		15:00	27.02	50.95	33.71	8.29	11.35	9.7	2.78
		18:00	26.97	50.6	32.42	8.32	11.79	7.64	11.4
		21:00	26.9	50.6	33	8.32	11.58	6.8	10.36
	日平均值		26.78	50.29	32.78	8.26	9.92	5.54	7.48
	潮口站	0:00	26.68	51.09	33.04	8.22	7.18	27.08	0.16
		3:00	26.53	51.8	33.75	8.21	6.56	25.53	0.2
		6:00	26.44	51.34	33.05	8.22	6.8	12.78	0.81
		9:00	26.95	50.38	32.03	8.27	9.06	10.15	1.07
		12:00	27.19	50.84	32.35	8.2	8.73	15.43	0.48
		15:00	26.66	50.79	33	8.24	8.27	12.29	0.57
		18:00	26.68	51.31	33.2	8.31	8.98	11.88	0.63
		21:00	26.7	51.1	32.85	8.3	8.85	6.46	0.81
	日平均值		26.73	51.08	32.91	8.25	8.05	15.20	0.59
	灣內站	0:00	26.4	50.2	32.46	8.47	7.47	6.9	32.9
		3:00	26.33	50.01	32.42	8.43	7.01	18.78	30.4
		6:00	26.34	49.96	32.76	8.42	6.97	11.61	19.5
9:00		26.52	50.38	33.46	8.1	9.1	18.6	39.7	
12:00		26.77	51.09	33.49	8.14	8.96	16.7	35.7	
15:00		26.82	51.25	34.01	8.37	7.81	5.9	26.4	
18:00		26.77	50.9	32.72	8.35	7.52	2.5	27.9	
21:00		26.7	50.9	33.3	8.48	8.55	16.2	30.3	
日平均值		26.58	50.59	33.08	8.35	7.92	12.15	30.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月26日	蚵殼站	0:00	26.83	50.6	32.41	8.29	10.92	7.23	8.34
		3:00	26.68	50.35	32.47	8.26	10.31	6.53	8.23
		6:00	26.62	49.82	31.74	8.24	9.57	6.24	2.38
		9:00	26.86	50.64	33.52	8.3	11.21	7.63	4.84
		12:00	27.04	50.95	33.25	8.28	10.92	9.45	3.16
		15:00	27.01	50.88	32.69	8.33	12.4	10.53	6.86
		18:00	27	50.6	33.02	8.32	11.86	10.19	7.17
		21:00	26.91	50.6	33.5	8.3	11.15	7.97	7.95
	日平均值		26.87	50.56	32.83	8.29	11.04	8.22	6.12
	潮口站	0:00	26.68	50.99	33.33	8.2	7.83	7.8	0.81
		3:00	26.39	51.17	33.8	8.22	7.39	3.98	0.73
		6:00	26.3	51.21	32.95	8.23	7.35	17.27	0.81
		9:00	26.94	50.45	32.84	8.25	8.68	17.35	0.58
		12:00	26.97	49.25	32.64	8.23	9.14	18.59	0.81
		15:00	26.43	50.5	33.53	8.23	7.67	16.58	0.43
		18:00	26.37	50.98	34.09	8.22	7.76	8.98	0.46
		21:00	26.55	50.28	33.2	8.26	8.78	17.47	0.81
	日平均值		26.58	50.60	33.30	8.23	8.08	13.50	0.68
	灣內站	0:00	26.63	50.74	32.55	8.43	7.66	15.8	21.1
		3:00	26.48	50.49	32.61	8.44	7.31	6.1	27.5
		6:00	26.42	49.96	32.88	8.46	7.07	3.53	22.8
9:00		26.66	50.78	33.66	8.36	9.19	10.7	36.6	
12:00		26.84	51.09	33.39	8.36	7.92	10.6	29.4	
15:00		26.81	51.02	32.83	8.28	7.09	11.15	23.4	
18:00		26.8	50.74	33.16	8.36	7.96	7.3	24.3	
21:00		26.71	50.74	33.64	8.37	7.15	6.8	21.9	
日平均值		26.67	50.70	33.09	8.38	7.67	9.00	25.88	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月27日	蚵殼站	0:00	26.95	49.95	32.26	8.36	11.88	6.49	3.87	
		3:00	26.82	49.7	32.51	8.32	10.85	6.07	8.75	
		6:00	26.68	49.7	32.47	8.3	10.53	5.68	8.7	
		9:00	26.83	49.7	32.9	8.35	11.79	8.66	6.97	
		12:00	26.99	50.05	33.13	8.35	11.95	11.4	3.42	
		15:00	27.17	50.84	33.15	8.34	12	11.75	7.36	
		18:00	27.02	50.71	33.07	8.35	11.98	9.42	6.44	
		21:00	26.88	51	33.52	8.3	10.52	9.54	2.81	
	日平均值		26.92	50.21	32.88	8.33	11.44	8.63	6.04	
	潮口站	0:00	26.68	51.01	32.71	8.26	9.32	14.34	0.16	
		3:00	26.42	51.19	33.21	8.23	8.02	16.93	0.2	
		6:00	26.22	51.43	33.77	8.24	7.66	6.47	0.4	
		9:00	26.95	50.24	33.99	8.35	10.89	15.44	0.93	
		12:00	27.23	50.26	33.08	8.31	10.9	18.16	0.81	
		15:00	26.61	50.59	33.53	8.25	8.14	6.96	0.69	
		18:00	26.41	51	33.69	8.27	7.87	11.84	0.2	
		21:00	26.57	49.93	33.61	8.3	9.26	18.02	0.4	
	日平均值		26.64	50.71	33.45	8.28	9.01	13.52	0.47	
	灣內站	0:00	26.75	50.09	33.1	8.43	6.46	9	33.9	
		3:00	26.62	49.84	32.65	8.41	6.49	5.5	29.9	
		6:00	26.48	49.84	32.61	8.48	6.92	2.9	28.2	
		9:00	26.63	49.84	33.04	8.47	6.79	3.9	26.3	
		12:00	26.79	50.19	33.27	8.48	7.23	8.4	27.9	
		15:00	26.97	50.98	33.29	8.43	6.97	46.88	18	
		18:00	26.82	50.85	33.21	8.44	7.11	3.4	21.1	
		21:00	26.68	51.14	33.66	8.42	7.01	7.7	27.8	
	日平均值		26.72	50.35	33.10	8.45	6.87	10.96	26.64	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月28日	蚵殼站	0:00	26.83	50.99	32.75	8.34	11.67	6.43	8.39	
		3:00	26.82	50.7	33.51	8.32	10.85	6.07	8.98	
		6:00	26.68	50.7	33.47	8.3	10.53	5.68	2.09	
		9:00	26.65	50.03	33.47	8.36	11.94	6.42	4.28	
		12:00	26.83	50.27	33.64	8.34	11.09	8.1	3.21	
		15:00	26.87	50.49	33.77	8.28	10.84	9.93	4.62	
		18:00	26.71	50.13	33.55	8.3	11.01	8.92	7.82	
		21:00	26.61	49.83	33.33	8.33	11.17	7.46	7.95	
	日平均值		26.75	50.39	33.44	8.32	11.14	7.38	5.92	
	潮口站	0:00	26.48	51.53	33.87	8.27	8.29	10.17	0.77	
		3:00	26.42	51.19	33.22	8.23	8.02	16.93	0.69	
		6:00	26.22	51.43	34.01	8.24	7.66	6.47	0.2	
		9:00	26.55	50.42	33.15	8.25	8.19	6.87	0.45	
		12:00	26.95	48.89	33.79	8.23	9.18	5.68	0.23	
		15:00	26.55	50.02	33.22	8.24	8.26	4.85	0.44	
		18:00	26.25	51.22	34.01	8.25	7.84	11.7	0.2	
		21:00	26.24	50.72	33.68	8.3	9.22	1.31	0.4	
	日平均值		26.46	50.68	33.62	8.25	8.33	8.00	0.42	
	灣內站	0:00	26.63	51.13	32.89	8.48	7.3	7.7	31.7	
		3:00	26.62	50.84	33.65	8.45	6.62	3.6	11.7	
		6:00	26.48	50.84	33.61	8.47	7.04	12.15	17.9	
		9:00	26.45	50.17	33.61	8.41	6.91	14.24	17.3	
		12:00	26.63	50.41	33.78	8.16	7.31	2.7	6.9	
		15:00	26.67	50.63	33.91	8.34	6.48	3.1	23.6	
		18:00	26.51	50.27	33.69	8.38	6.76	8.6	18.2	
		21:00	26.41	49.97	33.47	8.36	6.42	6.4	17.1	
	日平均值		26.55	50.53	33.58	8.38	6.86	7.31	18.05	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月29日	蚵殼站	0:00	26.36	50.58	33.82	8.35	11.14	6.91	2.69
		3:00	26.22	50.7	33.9	8.33	10.81	7.66	5.85
		6:00	25.97	50.24	33.62	8.32	10.42	8.96	3.63
		9:00	26.21	50.54	33.8	8.35	11.78	2.79	10.83
		12:00	26.32	50.85	34.01	8.26	9.1	10.07	3.85
		15:00	26.38	50.83	33.99	8.24	9.34	12.41	9.46
		18:00	26.21	50.19	33.6	8.35	11.44	10.76	4.21
		21:00	26.09	49.8	33.31	8.33	11.07	11.97	9.82
	日平均值		26.22	50.47	33.76	8.32	10.64	8.94	6.29
	潮口站	0:00	26.12	51.27	33.39	8.29	8.76	4.72	0.85
		3:00	26.02	50.87	33.09	8.3	8.84	7.95	0.51
		6:00	26.03	51.54	33.57	8.26	7.57	13.43	0.69
		9:00	26.23	51.49	33.53	8.26	7.93	2.6	0.2
		12:00	26.41	50.81	33.07	8.25	8.64	4	0.4
		15:00	26.41	50.51	32.88	8.22	8.22	4.43	0.69
		18:00	26.1	50.76	33.02	8.26	7.94	12.28	0.2
		21:00	25.97	50.62	33.95	8.28	8.47	5.86	0.4
	日平均值		26.16	50.98	33.31	8.27	8.30	6.91	0.49
	灣內站	0:00	26.56	50.72	33.96	8.34	6.09	2.6	15.5
		3:00	26.42	50.84	34.04	8.23	6.33	3.3	14
		6:00	26.17	50.38	33.76	8.27	6.75	2.8	18.5
9:00		26.41	50.68	33.94	8.31	5.75	6	19.1	
12:00		26.52	50.99	34.15	8.42	7.54	4.1	16.4	
15:00		26.58	50.97	34.13	8.45	7.93	2.6	3.1	
18:00		26.41	50.33	33.74	8.42	7.39	2.7	1.9	
21:00		26.29	49.94	33.78	8.4	7.49	4.6	13.1	
日平均值		26.42	50.61	33.94	8.36	6.91	3.59	12.70	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月30日	蚵殼站	0:00	25.92	50.3	34	8.39	11.49	11.88	9.77
		3:00	25.61	49.93	33.78	8.35	10.51	13.26	9.27
		6:00	25.42	49.68	33.62	8.32	10.08	15.35	3.69
		9:00	25.67	49.86	33.73	8.32	10.63	9.82	7.84
		12:00	25.87	50.03	33.84	8.36	11.59	13.69	7.75
		15:00	25.79	50.87	33.08	8.29	10.14	6.05	9.26
		18:00	25.68	50.1	32.9	8.3	10.34	8.94	4.72
		21:00	25.53	49.67	33.64	8.27	9.94	9.17	6.14
	日平均值		25.69	50.06	33.57	8.33	10.59	11.02	7.31
	潮口站	0:00	25.78	50.34	33.07	8.28	8.29	8.05	0.42
		3:00	25.68	49.88	33.88	8.33	9.26	5.04	0.46
		6:00	25.7	50.19	34.02	8.28	7.75	20.64	0.52
		9:00	25.93	49.95	32.95	8.27	7.69	8.87	0.4
		12:00	26.22	51.11	33.61	8.24	8.06	2.11	0.2
		15:00	26.04	51.07	33.58	8.23	8.05	3.62	0.45
		18:00	25.97	50.73	33.4	8.25	7.97	12.96	0.23
		21:00	25.76	50.52	33.27	8.26	7.89	6.89	0.4
	日平均值		25.89	50.47	33.47	8.27	8.12	8.52	0.39
	灣內站	0:00	26.12	50.44	34.01	8.42	7.28	11.5	11.1
		3:00	25.81	50.07	33.92	8.28	6.22	4.3	10.6
		6:00	25.62	49.82	33.76	8.32	6.18	4.7	11.7
9:00		25.87	50	33.87	8.34	6.65	2.5	10.4	
12:00		26.07	50.17	33.98	8.29	6.52	3.9	13.5	
15:00		25.99	51.01	33.72	8.47	9.3	9.2	19.1	
18:00		25.88	50.24	33.98	8.32	6.54	2.9	16	
21:00		25.73	49.81	33.78	8.43	8.07	16.8	14.9	
日平均值		25.89	50.20	33.88	8.36	7.10	6.98	13.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月1日	蚵殼站	0:00	25.45	51.71	33.81	8.31	9.71	17.41	6.61
		3:00	25.27	51.68	33.78	8.3	9.2	17.52	6.08
		6:00	25.1	51.57	33.69	8.27	8.76	14.95	11.1
		9:00	25.4	51.63	33.73	8.29	10.17	15.55	13.2
		12:00	25.53	51.51	33.68	8.31	10.96	16.54	2.18
		15:00	25.69	51.62	33.73	8.32	12.07	18.24	2.34
		18:00	25.79	51.79	33.68	8.36	12.5	21.32	1.24
		21:00	25.625	51.49	33.65	8.34	11.84	19.14	2.82
	日平均值		25.48	51.63	33.72	8.31	10.65	17.58	5.70
	潮口站	0:00	25.45	50.01	32.73	8.34	8.81	11	5.1
		3:00	25.47	49.6	32.46	8.35	9.31	9.2	2.7
		6:00	25.32	50.3	32.92	8.34	8.09	8.8	12.2
		9:00	25.61	50.38	32.97	8.27	7.45	8.1	5.8
		12:00	26.03	50.52	33.06	8.23	7.66	19.9	1.8
		15:00	26.18	50.41	32.99	8.23	8	13.7	3.7
		18:00	25.94	50.46	33.02	8.24	7.92	15.7	4.5
		21:00	25.72	50.04	32.75	8.24	8.08	16.2	13.7
	日平均值		25.72	50.22	32.86	8.28	8.17	12.83	6.19
	灣內站	0:00	25.1	51.33	33.67	8.15	7.92	23.35	12.17
		3:00	24.92	51.41	33.74	8.11	5.59	21.58	12.4
		6:00	24.75	51.45	33.85	8.1	5.51	32.03	12.66
9:00		25.05	51.39	33.71	8.16	6.56	12.99	12.9	
12:00		25.18	50.42	33.13	8.34	11.81	11.5	11.05	
15:00		25.34	50.71	33.34	8.35	11.71	10.65	9.94	
18:00		25.44	50.95	33.48	8.24	10.36	19.26	9.74	
21:00		25.27	51.11	33.56	8.16	10.01	22.55	9.87	
日平均值		25.13	51.10	33.56	8.20	8.68	19.24	11.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月2日	蚵殼站	0:00	25.46	51.48	33.64	8.33	11.19	16.93	4.4
		3:00	25.24	51.9	33.78	8.32	10.5	17.46	11.26
		6:00	25.02	51.91	34	8.29	9.97	15.19	13.84
		9:00	25.24	51.45	33.65	8.32	11.16	15.91	10.49
		12:00	25.61	51.16	33.06	8.33	12.14	16.21	4.86
		15:00	25.4	51.27	33.09	8.34	11.63	19.39	10.72
		18:00	25.4	51.39	33.59	8.36	11.61	22.13	18.66
		21:00	25.32	51.4	33.4	8.34	11	19.98	20.4
	日平均值		25.34	51.50	33.53	8.33	11.15	17.90	11.83
	潮口站	0:00	25.5	49.65	32.49	8.25	8.25	17.1	3.9
		3:00	25.53	49.45	32.36	8.28	9.52	12.2	9.4
		6:00	25.4	48.93	32.02	8.3	9.33	17	3.8
		9:00	25.42	50.4	32.98	8.27	7.88	16.1	8.2
		12:00	25.79	49.69	32.52	8.23	7.62	18.2	7.8
		15:00	25.75	49.62	32.47	8.25	7.64	25.2	2.1
		18:00	25.53	49.85	32.62	8.26	7.79	30.1	4.9
		21:00	25.31	48.91	32.01	8.24	7.69	7.85	7.7
	日平均值		25.53	49.56	32.43	8.26	8.22	17.97	5.98
	灣內站	0:00	25.11	51.28	33.64	8.15	9.66	21.64	10.01
		3:00	24.89	51.23	33.61	8.1	7.76	22.9	10.43
		6:00	24.67	51.49	33.88	8.1	5.36	30.98	11.71
9:00		24.89	51.43	33.79	8.13	7.28	10.32	12.65	
12:00		25.26	50.54	33.22	8.34	12.95	12.72	11.93	
15:00		25.05	50.65	33.12	8.36	12.72	11.48	10.79	
18:00		25.05	51.3	33.69	8.25	10.19	19.63	10.8	
21:00		24.97	51.37	33.48	8.17	9.33	19.27	10.8	
日平均值		24.99	51.16	33.55	8.20	9.41	18.62	11.14	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月3日	蚵殼站	0:00	24.93	51.54	33.49	8.31	10.08	15.84	21.35	
		3:00	24.74	51.82	33.92	8.32	9.88	16.53	12.26	
		6:00	24.47	51.83	33.3	8.32	9.71	14.69	12.4	
		9:00	24.58	51.63	33.54	8.27	10.07	15.93	19.02	
		12:00	24.84	51.26	33.26	8.32	11.63	13.8	13.28	
		15:00	24.77	51.33	33.56	8.29	10.59	14.53	17.53	
		18:00	24.65	51.36	33.58	8.23	9.72	17.13	7.14	
		21:00	24.43	51.4	33.6	8.27	10.29	13.14	9.3	
	日平均值			24.68	51.52	33.53	8.29	10.25	15.20	14.04
	潮口站	0:00	24.9	50.17	32.83	8.25	7.96	12.66	10.6	
		3:00	24.75	49.6	32.46	8.27	8.81	5.12	2.2	
		6:00	24.75	50.81	33.25	8.27	8.48	2.39	3.2	
		9:00	24.73	50.44	33.01	8.31	7.93	5.21	5.4	
		12:00	25.42	51.45	33.67	8.26	8.09	5.74	6.6	
		15:00	25.57	51.27	33.55	8.22	8.06	12.62	3.3	
		18:00	25.45	51.22	33.52	8.24	7.9	9.56	7.8	
		21:00	25.35	51.11	33.45	8.25	7.75	3.15	3.2	
	日平均值			25.12	50.76	33.22	8.26	8.12	7.06	5.29
	灣內站	0:00	24.58	51.49	33.87	8.18	7.38	26.81	11.42	
		3:00	24.39	51.45	33.81	8.11	7.07	33.01	13.1	
		6:00	24.12	51.33	33.67	8.12	7.84	35.78	12.37	
		9:00	24.23	51.28	33.37	8.12	8.91	20.99	11.39	
		12:00	24.49	51.06	33.53	8.34	11.63	6.12	11.43	
		15:00	24.42	51.06	33.53	8.34	11.5	8.17	11.58	
		18:00	24.3	51.39	33.74	8.17	9.78	12.84	11.46	
		21:00	24.08	51.71	34	8.15	8.44	10.79	11.21	
	日平均值			24.33	51.35	33.69	8.19	9.07	19.31	11.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月4日	蚵殼站	0:00	24.21	51.52	33.66	8.28	10.12	12.91	7.29	
		3:00	24.05	51.58	33.7	8.26	9.43	11.05	7.56	
		6:00	23.9	51.88	33.98	8.27	9.34	10.84	7.43	
		9:00	23.88	51.74	33.84	8.23	9.35	11.52	9.27	
		12:00	23.96	51.19	33.49	8.23	9.61	14.88	11.26	
		15:00	23.77	51.19	33.27	8.3	10.14	14.32	10.83	
		18:00	23.68	51.39	33.02	8.27	9.04	14.35	8.6	
		21:00	23.58	51.43	33.62	8.26	8.92	15.38	7.7	
	日平均值			23.88	51.49	33.57	8.26	9.49	13.16	8.74
	潮口站	0:00	24.91	50.53	33.07	8.25	7.88	9.92	8.7	
		3:00	24.55	51.11	33.45	8.27	8.41	9.52	7.7	
		6:00	24.35	50.72	33.19	8.29	8.93	7.03	9.6	
		9:00	24.36	51.05	33.41	8.31	8.23	4.56	6.6	
		12:00	25	50.88	33.3	8.23	7.68	6.25	3.7	
		15:00	25.08	50.61	33.12	8.14	7.74	4.97	5.9	
		18:00	24.86	50.7	33.18	8.21	7.69	5.12	9.5	
		21:00	24.86	50.67	33.16	8.22	7.48	1.95	2.2	
	日平均值			24.75	50.78	33.24	8.24	8.01	6.17	6.74
	灣內站	0:00	23.86	52.02	34.16	8.25	7.52	31.94	12.51	
		3:00	23.7	52.1	34.2	8.22	5.78	9.37	12.88	
		6:00	23.55	51.97	34.13	8.18	6.63	20.78	12.72	
		9:00	23.53	51.62	33.96	8.27	8.8	12.82	11.19	
		12:00	23.61	51.5	33.9	8.31	10.78	2.72	10.96	
		15:00	23.42	51.5	33.66	8.32	10.03	1.92	17.75	
		18:00	23.33	51.78	34.04	8.18	7.95	1.56	11.69	
		21:00	23.23	51.68	33.99	8.11	7.2	19.66	10.94	
	日平均值			23.53	51.77	34.01	8.23	8.09	12.60	12.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月5日	蚵殼站	0:00	23.58	51.36	33.39	8.25	8.64	16.94	9.27
		3:00	23.35	51.76	33.88	8.22	8.16	14.29	6.59
		6:00	23.26	51.9	34	8.23	8.07	13.73	5.55
		9:00	23.3	51.9	34	8.24	8.48	13.29	5.58
		12:00	23.4	51.75	33.63	8.26	9.44	16.25	7.68
		15:00	23.32	51.59	33.7	8.27	9.59	17.92	9.39
		18:00	23.19	51.62	33.72	8.26	9.03	20.48	7.63
		21:00	23.1	51.88	33.98	8.26	8.84	16.93	6.96
	日平均值		23.31	51.72	33.79	8.25	8.78	16.23	7.33
	潮口站	0:00	24.79	50.56	33.09	8.23	7.74	10.04	2.6
		3:00	24.4	50.53	33.07	8.25	7.76	10.55	10.5
		6:00	24.05	50.03	32.74	8.31	8.01	4.07	5.2
		9:00	23.98	49.78	32.58	8.33	7.91	6.66	4.9
		12:00	24.74	50.07	32.77	8.28	7.71	10.04	3.5
		15:00	25	49.6	32.46	8.24	7.81	3.86	16
		18:00	24.18	49.77	32.57	8.3	8.38	5.16	6.4
		21:00	24.37	49.71	32.53	8.28	8.04	7.19	3.8
	日平均值		24.44	50.01	32.73	8.28	7.92	7.20	6.61
	灣內站	0:00	23.23	51.58	33.94	8.07	6.87	15.59	11.98
		3:00	23	51.78	34.04	8.06	6.27	10.43	12.25
		6:00	22.91	52	34.15	8	6.46	10.24	13.18
		9:00	22.95	52.04	33.97	8.13	7.22	7.66	14.44
		12:00	23.05	51.99	34.15	8.34	7.45	5.61	14.1
		15:00	22.97	52.05	33.94	8.33	8.1	5.61	13.81
		18:00	22.84	52.08	33.99	8.23	8.22	8.18	14.43
		21:00	22.75	52.03	34.16	8.11	7.87	3.83	14.69
	日平均值		22.96	51.94	34.04	8.16	7.31	8.39	13.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月6日	蚵殼站	0:00	23.07	51.76	33.87	8.26	8.67	20.98	5.94
		3:00	22.82	51.87	33.97	8.22	7.94	18.9	7.02
		6:00	22.71	51.9	33.81	8.23	8.01	13.91	7.98
		9:00	22.56	51.9	34	8.19	7.91	15.03	9.64
		12:00	22.66	51.84	33.94	8.25	8.94	16.93	10.74
		15:00	22.88	51.85	33.95	8.27	9.28	17.72	11.95
		18:00	22.59	51.92	33.76	8.29	9.15	26.47	11.41
		21:00	22.48	51.93	34.01	8.29	8.96	23.1	10.63
	日平均值		22.72	51.87	33.91	8.25	8.61	19.13	9.41
	潮口站	0:00	24.53	49.83	32.61	8.23	7.55	4.61	8.17
		3:00	24.27	49.6	32.46	8.21	7.75	8.52	9.2
		6:00	23.27	49.69	32.52	8.3	7.41	8.11	2.5
		9:00	23.18	48.91	32.01	8.33	7.4	7.54	2.3
		12:00	24.22	50.33	32.94	8.26	7.63	5.69	7.5
		15:00	24.84	49.56	32.43	8.2	7.65	3.89	6.4
		18:00	23.96	49.23	32.22	8.25	7.93	6.82	12.5
		21:00	23.6	50.58	33.1	8.26	7.65	7.54	4.4
	日平均值		23.98	49.72	32.54	8.26	7.62	6.59	6.62
	灣內站	0:00	22.72	52.1	34.2	8.05	7.44	13.47	14.26
		3:00	22.47	52.1	34.2	8.06	7.12	7.46	14.29
		6:00	22.36	52.07	34.19	8.06	7.05	8.7	14.67
		9:00	22.21	52.03	34.17	8.12	7.31	1.6	15.11
		12:00	22.31	52.1	34.2	8.3	8.11	9.95	16.86
		15:00	22.53	52.1	34.2	8.36	8.05	9.76	16.12
		18:00	22.24	52	33.69	8.26	7.89	10.86	16.52
		21:00	22.13	52.08	34.19	8.16	7.27	14.59	18.15
	日平均值		22.37	52.07	34.13	8.17	7.53	9.55	15.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月7日	蚵殼站	0:00	22.45	51.74	33.86	8.27	8.69	18.81	9.98
		3:00	22.29	51.9	33.78	8.26	8.58	23.87	10.6
		6:00	21.83	52.08	34.09	8.2	7.98	18.31	11.42
		9:00	21.83	52.08	34.09	8.18	7.9	17.36	11.32
		12:00	22.13	51.9	33.81	8.16	8.41	17	19.23
		15:00	22.34	51.94	34.02	8.26	10.16	21.41	15.93
		18:00	22.19	51.96	34.03	8.29	9.83	21.55	19.09
		21:00	22.1	52.01	34.06	8.27	9.31	23.16	16.56
	日平均值		22.15	51.95	33.97	8.24	8.86	20.18	14.27
	潮口站	0:00	24.09	50.58	33.1	8.24	7.63	3.13	6.3
		3:00	24.13	50.46	33.02	8.22	7.71	12.01	2
		6:00	23.09	49.89	32.65	8.29	7.43	9.84	2.8
		9:00	22.61	50.12	32.8	8.34	7.59	15.14	2.1
		12:00	24.21	50.09	32.78	8.25	7.6	7.19	6.2
		15:00	24.85	49.91	32.66	8.19	7.6	5.78	3.6
		18:00	23.71	49.72	32.54	8.24	8.32	13.36	6.6
		21:00	23.13	49.66	32.5	8.28	8.16	2.52	3.8
	日平均值		23.73	50.05	32.76	8.26	7.76	8.62	4.18
	灣內站	0:00	22.1	52.07	33.89	8.15	6.43	3.57	19.22
		3:00	21.94	51.75	33.53	8.09	6.49	38.28	19.5
		6:00	21.48	52.19	33.95	8.12	6.45	13.73	23.18
9:00		21.48	52.09	33.89	8.14	7.48	7.74	28.56	
12:00		21.78	52.14	33.72	8.37	7.37	24.21	27.91	
15:00		21.99	52.01	33.68	8.36	9.86	13.27	25.88	
18:00		21.84	52.07	33.69	8.24	9.09	28.37	26.29	
21:00		21.75	52.12	33.71	8.19	8.93	27.52	27.85	
日平均值		21.80	52.06	33.76	8.21	7.76	19.59	24.80	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月8日	蚵殼站	0:00	22.07	52.04	34.07	8.26	8.82	17.41	18.55
		3:00	22.31	52.03	34.07	8.25	8.48	19.47	20.09
		6:00	21.67	51.92	34.01	8.22	8.49	17.95	28.89
		9:00	21.5	52.02	34.06	8.21	9.18	20.54	18.49
		12:00	21.88	52.09	34.1	8.27	10.82	17.65	20.43
		15:00	22.09	51.38	33.37	8.3	10.63	19.83	21.22
		18:00	22.71	51.68	33.8	8.27	9.7	23.74	23.19
		21:00	22.95	51.9	34	8.21	8.5	17.11	19.11
	日平均值		22.15	51.88	33.94	8.25	9.33	19.21	21.25
	潮口站	0:00	23.43	49.45	32.36	8.28	7.93	2.01	17
		3:00	24.06	48.84	31.96	8.21	7.75	10.64	3.9
		6:00	23.01	49.05	32.1	8.3	7.92	17.93	14.9
		9:00	23.03	50.29	32.91	8.31	8.16	9.68	6.1
		12:00	24.24	50.27	32.9	8.26	7.88	8.81	6.26
		15:00	24.95	49.02	32.08	8.19	7.6	6.53	9.72
		18:00	23.41	50.04	32.75	8.29	8.21	9.93	9.8
		21:00	23.26	49.62	32.47	8.31	8.35	3.45	7.8
	日平均值		23.67	49.57	32.44	8.27	7.98	8.62	9.44
	灣內站	0:00	21.72	52.11	34.01	8.22	7.78	22.19	27.01
		3:00	21.96	52.1	34.2	8.1	6.79	23.2	26.34
		6:00	21.32	52.11	34.2	8.16	7.25	32.78	25.68
9:00		21.15	52.02	34.16	8.16	8.38	12.94	23.81	
12:00		21.53	51.71	34.01	8.37	12.42	13.09	20.15	
15:00		21.74	51.92	34.11	8.4	13.42	4.35	14.33	
18:00		22.36	52.11	34.21	8.28	10.68	5.96	13.99	
21:00		22.6	51.95	34.13	8.24	9.14	2.14	15.37	
日平均值		21.80	52.00	34.13	8.24	9.48	14.58	20.84	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月9日	蚵殼站	0:00	22.19	51.9	34.6	8.29	10.24	10.51	24.59	
		3:00	22.05	51.9	34	8.26	9.63	10.79	22.64	
		6:00	21.75	51.92	34.01	8.27	9.84	12.05	23.71	
		9:00	21.77	51.92	34.1	8.31	11.66	13.35	25.59	
		12:00	22.41	51.54	33.5	8.34	11.7	13.21	21.95	
		15:00	22.36	50.64	32.79	8.34	11.43	20.08	24.62	
		18:00	22.21	50.14	32.48	8.32	11.33	18.39	21.91	
		21:00	22.1	50	32.4	8.35	11.8	19.59	23.16	
	日平均值			22.11	51.25	33.49	8.31	10.95	14.75	23.52
	潮口站	0:00	23.24	49.48	32.38	8.27	8	4.26	7.1	
		3:00	24.2	49.94	32.68	8.22	7.61	5.39	3.5	
		6:00	23.73	49.85	32.62	8.23	7.75	21.73	9.8	
		9:00	22.98	51.14	33.47	8.33	8.61	5.33	3.5	
		12:00	23.98	52.03	34.05	8.31	8.54	6.32	2.8	
		15:00	24.82	51.75	33.87	8.24	7.89	5.61	10.2	
		18:00	23.9	51.42	33.65	8.33	8.7	6.63	10.2	
		21:00	23.23	51.89	33.96	8.36	9	12.5	4	
	日平均值			23.76	50.94	33.34	8.29	8.26	8.47	6.39
	灣內站	0:00	21.84	52.22	34.26	8.25	9.09	8.39	16.37	
		3:00	21.7	52.15	34.23	8.17	8.23	0.95	16.31	
		6:00	21.4	52.19	34.25	8.15	7.59	0.53	16.07	
		9:00	21.42	51.8	33.83	8.11	11.72	2.95	15.18	
		12:00	22.06	52.2	33.46	8.34	8.38	5.46	17.75	
		15:00	22.01	51.98	33.53	8.35	13.6	4.75	12.01	
		18:00	21.86	52.02	33.55	8.26	13.19	3.42	11.34	
		21:00	21.75	51.57	33.61	8.13	13.43	3.28	11.07	
	日平均值			21.76	52.02	33.84	8.22	10.65	3.72	14.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月10日	蚵殼站	0:00	22.02	50.2	32.57	8.36	11.68	11.51	23.7	
		3:00	21.89	50.16	32.4	8.28	9.7	9.62	19.12	
		6:00	21.8	50	32.34	8.28	9.41	11.21	20.33	
		9:00	21.61	49.46	32.05	8.32	10.27	13.36	20.66	
		12:00	22.06	50.32	32.6	8.34	11.04	12.12	21.12	
		15:00	22.81	51.1	33.1	8.34	11.46	19.67	26.2	
		18:00	22.85	51.19	32.68	8.33	10.76	24.55	19.12	
		21:00	22.83	51.23	33.18	8.31	10.07	18.88	23.02	
	日平均值			22.23	50.46	32.62	8.32	10.55	15.12	21.66
	潮口站	0:00	23.1	51.94	33.99	8.34	8.51	10.67	7.92	
		3:00	24.06	52.12	34.11	8.25	7.87	17.09	6.18	
		6:00	24.04	52.39	34.29	8.25	7.87	13.71	6.03	
		9:00	23.48	52.39	34.29	8.36	8.45	17.95	6.91	
		12:00	23.82	51.94	33.99	8.34	8.36	19.92	6.72	
		15:00	24.75	52.58	34.41	8.27	7.84	15.68	5.83	
		18:00	24.27	52.72	34.5	8.31	8.38	12.64	6.38	
		21:00	23.84	52.78	34.54	8.29	8.44	14.06	6.55	
	日平均值			23.92	52.36	34.27	8.30	8.22	15.22	6.57
	灣內站	0:00	21.67	52.12	33.6	8.21	11.73	26.44	11.08	
		3:00	21.54	52.13	33.61	8.14	10.66	35.14	11.51	
		6:00	21.45	52.19	33.65	8.09	10.53	23.14	11.38	
		9:00	21.26	52.08	33.59	8.06	11.7	33.17	11.35	
		12:00	21.71	52.02	33.56	8.35	12.1	28.05	11.41	
		15:00	22.46	52.05	33.58	8.39	12.3	12.62	11.65	
		18:00	22.5	51.91	33.5	8.26	12.25	19.75	12.25	
		21:00	22.48	51.91	33.5	8.2	12.07	33.56	12.46	
	日平均值			21.88	52.05	33.57	8.21	11.67	26.48	11.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
12月11日	蚵殼站	0:00	22.06	50.19	32.51	8.33	10.57	18.57	22.58	
		3:00	22.21	50.56	32.75	8.29	9.4	25.48	20.81	
		6:00	22.09	50.49	32.71	8.25	8.85	25.17	17.83	
		9:00	21.74	49.57	32.11	8.31	10.72	15.34	19.62	
		12:00	22.91	51.26	33.2	8.34	11.07	14.4	18.05	
		15:00	23.08	51.6	33.4	8.27	10.05	13.29	18.9	
		18:00	23.14	51.12	33.11	8.22	8.2	17.41	16.85	
		21:00	22.95	50.92	32.98	8.21	8.04	23.96	18.12	
	日平均值			22.52	50.71	32.85	8.28	9.61	19.20	19.10
	潮口站	0:00	22.7	52.53	34.38	8.43	9.34	15.88	8.07	
		3:00	23.49	52.76	34.53	8.3	8.05	17.8	6.21	
		6:00	24	52.85	34.59	8.25	7.66	14.08	5.77	
		9:00	23.36	52.85	34.59	8.36	8.34	17.61	6.46	
		12:00	23.89	51.62	33.78	8.32	8.35	12.82	6.53	
		15:00	24.5	51.04	33.4	8.25	7.77	13.74	5.94	
		18:00	24.18	52.41	34.3	8.29	8.08	12.65	6.27	
		21:00	23.01	52.85	34.59	8.42	9.24	17.07	7.52	
	日平均值			23.64	52.36	34.27	8.33	8.35	15.21	6.60
	灣內站	0:00	21.71	52.06	33.58	8.26	10.77	25.74	13.06	
		3:00	21.86	52.1	33.6	8.26	10.43	34.2	13.73	
		6:00	21.74	52.02	33.55	8.24	10.23	24.08	13.43	
9:00		21.39	51.59	33.74	8.32	12.11	33.41	14.38		
12:00		22.56	51.35	33.58	8.41	14	23.83	15.15		
15:00		22.73	51.69	33.82	8.42	12.58	9.1	15.04		
18:00		22.79	51.69	33.84	8.39	10.6	13.68	15.84		
21:00		22.6	51.54	33.37	8.31	11.38	6.42	16.38		
日平均值			22.17	51.76	33.64	8.33	11.51	21.31	14.63	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
12月12日	蚵殼站	0:00	22.91	51.04	33.06	8.19	7.88	16.78	14.47	
		3:00	22.67	50.42	32.66	8.19	8.03	16.96	14.9	
		6:00	22.46	50.11	32.47	8.21	7.97	24.49	17.59	
		9:00	22.72	50.5	32.7	8.16	7.37	27.6	17.84	
		12:00	22.86	50.76	32.88	8.23	9.86	11.89	21.14	
		15:00	22.76	51.05	33.07	8.29	10.11	11.27	22.24	
		18:00	23.02	51.07	33.08	8.18	7.34	12.32	15.75	
		21:00	23.43	51.39	33.27	8.15	6.64	21.78	12.37	
	日平均值			22.85	50.79	32.90	8.20	8.15	17.89	17.04
	潮口站	0:00	22.76	53.36	34.47	8.44	9.28	12.83	7.42	
		3:00	22.97	53.65	34.65	8.37	8.54	25.56	6.74	
		6:00	24.06	53.93	34.86	8.23	7.48	20.79	6	
		9:00	23.89	53.76	34.44	8.28	8.34	13.26	6.57	
		12:00	23.93	53.78	34.76	8.31	8.55	14.71	7.18	
		15:00	24.64	52.05	33.63	8.19	7.86	15.16	6.46	
		18:00	24.38	53	34.23	8.23	7.73	15.13	6.33	
		21:00	23.51	53.58	34.07	8.34	8.75	10.98	7.68	
	日平均值			23.77	53.39	34.39	8.30	8.32	16.05	6.80
	灣內站	0:00	22.56	51.4	33.6	8.31	9.96	2.4	16.84	
		3:00	22.32	51.4	33.6	8.29	10.78	8.06	17.04	
		6:00	22.11	51.46	33.63	8.2	10.24	6.35	17.25	
9:00		22.37	51.36	33.58	8.28	10.32	6.98	17.3		
12:00		22.51	50.83	33.16	8.42	12.95	26.18	16.01		
15:00		22.41	51.05	33.42	8.41	13.15	15.99	13.45		
18:00		22.67	51.51	33.66	8.36	9.99	3.23	12.93		
21:00		23.08	51.41	33.63	8.26	11.08	29.92	14.49		
日平均值			22.50	51.30	33.54	8.32	11.06	12.39	15.66	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月13日	蚵殼站	0:00	23.31	51.16	33.16	8.22	7.87	21.45	9.47
		3:00	23.05	51.1	33.1	8.21	7.85	5.67	7.91
		6:00	22.85	51.03	32.68	8.2	7.63	10.69	8.21
		9:00	22.93	51	33.04	8.23	8.56	17.96	8.93
		12:00	23.27	51.5	33.1	8.25	9.18	9.16	10.91
		15:00	23.39	51.21	33.21	8.28	9.9	7.09	13.19
		18:00	24.21	51.1	32.18	8.17	7.59	18.79	14.9
		21:00	24.1	51.31	33.21	8.16	7.23	10.18	17.59
	日平均值		23.39	51.18	32.96	8.22	8.23	12.62	11.39
	潮口站	0:00	23.21	53.54	34.57	8.34	8.31	8.66	7.43
		3:00	23.13	53.61	34.62	8.34	8.26	5.72	7.1
		6:00	23.91	53.96	34.88	8.24	7.54	6.45	6.67
		9:00	23.8	53.85	34.82	8.32	8.1	10.11	7.21
		12:00	23.95	53.87	34.82	8.33	8.32	8.55	7.68
		15:00	24.56	54.06	34.94	8.27	7.74	7.79	7.16
		18:00	24.18	51.31	33.71	8.32	8.93	8.41	9.88
		21:00	24.07	51.51	33.8	8.26	7.96	9.29	9.69
	日平均值		23.85	53.21	34.52	8.30	8.15	8.12	7.85
	灣內站	0:00	22.96	51.39	33.59	8.28	10.76	24.2	15.33
		3:00	22.7	51.46	33.63	8.26	9.56	14.08	15.18
		6:00	22.5	51.45	33.37	8.19	10.15	23.41	14.32
9:00		22.58	51.37	33.59	8.24	10	13.83	13.19	
12:00		22.92	51.25	33.15	8.43	11.66	15.9	13.24	
15:00		23.04	51.23	33.27	8.4	11.95	6.3	17.75	
18:00		23.86	51.37	33.58	8.39	9.56	3.84	13.48	
21:00		23.75	51.35	33.58	8.32	8.16	5.7	14.17	
日平均值		23.04	51.36	33.47	8.31	10.23	13.41	14.58	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月14日	蚵殼站	0:00	24.09	51.1	33.1	8.18	8.23	15.01	14.52
		3:00	24.07	50.8	32.28	8.22	8.91	8.96	14
		6:00	24.01	51.6	33.19	8.21	8.68	10.64	16.07
		9:00	24.28	51.1	33.1	8.21	7.96	14.66	16.95
		12:00	24.5	51.83	33.55	8.27	9.92	13.15	12.55
		15:00	24.44	52.48	33.49	8.24	9.1	11.9	18.46
		18:00	24.44	52.42	33.43	8.14	5.97	16.95	8.06
		21:00	24.48	51.92	33.61	8.18	7.66	16.58	6.27
	日平均值		24.29	51.66	33.22	8.21	8.30	13.48	13.36
	潮口站	0:00	23.83	52.18	34.23	8.23	7.31	12.87	10.67
		3:00	23.79	51.66	33.48	8.28	8.02	2.1	7.9
		6:00	23.99	51.33	33.71	8.34	9.08	4.55	8.14
		9:00	24.09	51.23	33.63	8.33	8.55	12.62	7.97
		12:00	24.4	51.21	33.61	8.19	7.53	6.5	7.89
		15:00	24.63	50.82	33.38	8.18	7.2	2.05	6.58
		18:00	24.4	51.26	33.66	8.26	9.1	4.66	6.36
		21:00	24.21	51.12	33.56	8.29	8.35	12.04	6.9
	日平均值		24.17	51.35	33.66	8.26	8.14	7.17	7.80
	灣內站	0:00	23.74	51.33	33.38	8.29	5.79	4.66	16.66
		3:00	23.72	51.39	33.17	8.27	8.08	4.41	17.75
		6:00	23.66	51.39	33.31	8.23	7.82	5.32	20.06
9:00		23.93	51.4	33.6	8.25	9.58	3.49	20.98	
12:00		24.15	51.4	33.37	8.37	10.83	8.47	18.8	
15:00		24.09	51.4	33.6	8.39	11.32	8.17	14.51	
18:00		24.09	51.4	33.6	8.36	9.67	3.92	13.81	
21:00		24.13	51.44	33.62	8.28	8.82	12.89	15.23	
日平均值		23.94	51.39	33.46	8.31	8.99	6.42	17.23	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月15日	蚵殼站	0:00	24.46	51.8	33.53	8.28	9.34	12.35	9.01
		3:00	24.34	51.57	32.53	8.27	9.51	10.74	8.26
		6:00	24.22	51.16	32.71	8.21	8.11	9.36	9.12
		9:00	24.42	51.9	33.2	8.27	9.52	18.89	9.63
		12:00	24.85	52.7	34.1	8.29	10.15	12.15	12.72
		15:00	23.37	51.02	32.36	8.24	9.01	10.89	21.08
		18:00	23.3	50.84	32.93	8.21	7.83	16.37	8.52
		21:00	23.22	50.5	32.7	8.24	8.66	18.13	7.22
	日平均值		24.02	51.44	33.01	8.25	9.02	13.61	10.70
	潮口站	0:00	24.17	51.42	33.74	8.21	7.19	8.04	8.08
		3:00	23.99	51.58	33.82	8.22	7.14	6.7	7.67
		6:00	23.95	51.17	33.2	8.28	7.92	2.79	4.2
		9:00	24.34	50.75	33.32	8.31	8.08	12.2	5.36
		12:00	24.34	51	33.48	8.21	7.47	15.57	6.68
		15:00	24.71	52.78	34.6	8.23	8.32	6.15	6.23
		18:00	24.39	52.96	34.71	8.26	8.36	9.63	6.63
		21:00	24.1	53.2	34.87	8.28	8.2	13.09	6.85
	日平均值		24.25	51.86	33.97	8.25	7.84	9.27	6.46
	灣內站	0:00	24.11	51.55	33.67	8.21	9.32	15.93	16.8
		3:00	23.99	51.43	33.61	8.18	8.3	2.15	17.3
		6:00	23.87	51.42	33.61	8.19	7.22	2.55	16.69
		9:00	24.07	51.4	33.6	8.27	9.37	32.79	14.98
		12:00	24.5	51.34	33.57	8.41	11.62	26.1	15.11
		15:00	23.02	51.28	33.54	8.41	8.57	9.89	15.3
18:00		22.95	51.22	33.51	8.38	8.04	6.17	15.59	
21:00		22.87	51.29	33.55	8.29	9.61	13.73	16.28	
日平均值		23.67	51.37	33.58	8.29	9.01	13.66	16.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月16日	蚵殼站	0:00	23.23	50.4	32.64	8.2	8.13	15.15	8.31
		3:00	23.15	50.05	32.43	8.19	7.77	14.7	5.92
		6:00	23.04	50	32.4	8.19	7.32	12.83	10.29
		9:00	23.4	50	32.4	8.26	9.5	14.37	11.87
		12:00	23.83	50.45	32.67	8.28	10.15	5.33	13.1
		15:00	23.77	51.05	33.07	8.26	9.39	7.48	19.15
		18:00	23.83	51.08	32.66	8.22	8.9	11.55	10.72
		21:00	23.82	51.06	33.08	8.19	7.26	6.74	6.05
	日平均值		23.51	50.51	32.67	8.22	8.55	11.02	10.68
	潮口站	0:00	23.74	52.97	34.73	8.32	8.27	6.39	7.44
		3:00	23.63	52.79	34.59	8.31	8.19	1.24	7.71
		6:00	23.63	52.91	34.67	8.3	7.68	1.7	4.93
		9:00	24.25	53.46	35.02	8.28	8	7.21	4.54
		12:00	24.63	53.34	34.95	8.26	8.51	10.51	5.11
		15:00	24.72	53.03	34.75	8.26	8.74	8.24	6.21
		18:00	24.47	53.33	34.95	8.28	8.5	10.48	6.21
		21:00	24.24	53.2	34.87	8.28	8.17	8.38	4.47
	日平均值		24.16	53.13	34.82	8.29	8.26	6.77	5.83
	灣內站	0:00	22.88	51.1	33.45	8.2	7.73	3.99	16.75
		3:00	22.8	51.21	33.5	8.17	7.82	3.68	16.92
		6:00	22.69	51.31	33.56	8.15	7.55	2.08	17.6
		9:00	23.05	51.19	33.49	8.2	9.97	10.4	18.1
		12:00	23.48	51.1	33.45	8.35	12.73	16.15	17.22
		15:00	23.42	51.01	33.4	8.39	11.77	10.01	14.83
18:00		23.48	51.18	33.49	8.31	10.44	4.53	14.07	
21:00		23.47	51.02	33.17	8.29	7.98	3.31	15.77	
日平均值		23.16	51.14	33.44	8.26	9.50	6.77	16.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月17日	蚵殼站	0:00	23.82	50.85	32.64	8.23	8.21	6.24	5.82	
		3:00	23.67	50.51	32.32	8.22	8.18	5.94	5.46	
		6:00	23.52	50.28	32.57	8.25	8.34	5.23	6.59	
		9:00	23.81	50.7	32.84	8.21	8.01	9.94	9.13	
		12:00	24.14	51.08	33.09	8.28	10.23	30.39	9.68	
		15:00	24.18	51.1	33.1	8.25	9.68	17.25	21.1	
		18:00	24.21	51.21	32.18	8.17	7.59	23.75	8.47	
		21:00	24.1	51.1	33.21	8.16	7.23	36.29	4.75	
	日平均值			23.93	50.85	32.74	8.22	8.43	16.88	8.88
	潮口站	0:00	23.72	52.71	34.22	8.34	8.67	9.78	8.00	
		3:00	23.61	52.22	34.25	8.38	9.55	1.6	4.68	
		6:00	23.6	52.11	33.76	8.37	8.5	5.4	5.05	
		9:00	24.21	53.08	34.78	8.28	7.91	4.23	4.38	
		12:00	24.66	52.94	34.69	8.26	8.42	6.42	4.77	
		15:00	24.93	52.6	34.1	8.22	8.27	8.64	4.75	
		18:00	24.59	53.11	34.81	8.23	8.24	9.13	4.74	
		21:00	24.5	53.27	34.5	8.24	8.13	5.08	4.42	
	日平均值			24.23	52.76	34.39	8.29	8.46	6.29	5.10
	灣內站	0:00	23.47	50.97	33.18	8.22	6.62	4.5	17.75	
		3:00	23.32	50.94	32.87	8.16	8.86	3.51	17.73	
		6:00	23.17	51.22	33.5	8.15	7.95	5.18	18.12	
		9:00	23.46	51.32	33.56	8.18	8.25	4.11	18.62	
		12:00	23.79	51.02	33.19	8.22	11.13	5.14	16.99	
		15:00	23.83	51.05	33.41	8.32	11.71	7.14	15.51	
		18:00	23.86	51.21	33.02	8.27	10.85	5.5	16.55	
		21:00	23.75	51.12	33.41	8.17	6.97	1.84	16.69	
	日平均值			23.58	51.11	33.27	8.21	9.04	4.62	17.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月18日	蚵殼站	0:00	24.09	51.27	33.1	8.18	8.23	26.98	7.81	
		3:00	24.07	51.34	32.28	8.22	8.91	33.17	8	
		6:00	24.01	51.1	33.1	8.21	8.68	26.09	8.55	
		9:00	24.28	51.1	33.14	8.21	7.96	13.97	9.5	
		12:00	24.5	51.83	33.55	8.27	9.92	11.6	20.36	
		15:00	24.44	52.48	33.49	8.24	9.1	29.31	16.6	
		18:00	24.44	52.42	33.43	8.14	5.97	31.51	6.93	
		21:00	24.48	51.92	33.61	8.18	7.66	22.48	7.4	
	日平均值			24.29	51.68	33.21	8.21	8.30	24.39	10.64
	潮口站	0:00	23.98	52.5	34.13	8.31	8.68	6.03	4.40	
		3:00	24.15	51.96	33.26	8.35	9.89	1.65	6.52	
		6:00	24.04	51.72	33.47	8.37	9.46	6.85	7.34	
		9:00	24.31	52.41	34.04	8.29	8.23	3.43	10.10	
		12:00	24.77	52.81	34.62	8.24	8.11	5.35	7.12	
		15:00	24.89	52.05	33.76	8.22	8.16	6.9	7.79	
		18:00	24.67	52.07	33.68	8.21	7.83	6.02	8.07	
		21:00	24.27	52.96	34.47	8.23	7.79	3.72	8.05	
	日平均值			24.39	52.31	33.93	8.28	8.52	4.99	7.42
	灣內站	0:00	23.74	51.01	33.21	8.08	6.23	1.59	18.24	
		3:00	23.72	51.13	33.25	8.05	8.38	10.85	18.79	
		6:00	23.66	51.03	33.41	8.04	6.86	1.7	19.89	
		9:00	23.93	51.34	33.36	8.1	10.42	1.21	20.75	
		12:00	24.15	51.38	33.59	8.3	13	5.06	17.65	
		15:00	24.09	51.36	33.58	8.35	12.23	9.39	14.27	
		18:00	24.09	51.37	33.58	8.24	9.56	9.54	13.48	
		21:00	24.13	51.35	33.58	8.17	8.16	1.83	14.17	
	日平均值			23.94	51.25	33.45	8.17	9.36	5.15	17.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月19日	蚵殼站	0:00	24.46	51.8	33.53	8.28	9.34	12.55	16.13
		3:00	24.34	51.57	32.53	8.27	9.51	29.2	15.5
		6:00	24.22	51.16	32.71	8.21	8.11	20.04	12.02
		9:00	24.42	51.9	33.2	8.27	9.52	21.79	10.35
		12:00	24.85	52.7	34.4	8.29	10.15	14.35	12.29
		15:00	24.71	52.95	34.1	8.33	10.47	20.96	19.71
		18:00	24.62	52.7	33.5	8.28	9.36	27.62	7.51
		21:00	24.52	52.64	33.44	8.25	9.03	36.42	10.33
	日平均值		24.52	52.18	33.43	8.27	9.44	22.87	12.98
	潮口站	0:00	24.25	52.23	33.95	8.27	8.46	7.9	5.20
		3:00	24.34	51.63	33.84	8.33	9.72	4.22	10.75
		6:00	24.24	51.59	33.82	8.34	9.55	1.38	11.35
		9:00	24.4	51.91	34.02	8.28	8.39	1.5	11.03
		12:00	24.25	52.72	34.52	8.26	7.63	7.57	11.01
		15:00	24.4	52.58	34.44	8.24	7.9	7.31	12.65
		18:00	24.27	51.83	33.93	8.23	7.91	6.52	12.62
		21:00	24.06	52.44	34.35	8.18	7.43	5.14	7.24
	日平均值		24.28	52.12	34.11	8.27	8.37	5.19	10.23
	灣內站	0:00	24.11	51.33	33.38	8.16	5.79	1.82	16.66
		3:00	23.99	51.39	33.17	8.09	8.08	5.61	17.75
		6:00	23.87	51.39	33.31	8.06	7.82	0.29	20.06
9:00		24.07	51.4	33.6	8.13	9.58	2.47	20.98	
12:00		24.5	51.4	33.37	8.33	10.83	13.17	18.8	
15:00		24.36	51.4	33.6	8.35	11.32	6.56	14.51	
18:00		24.27	51.4	33.6	8.22	9.67	0.97	13.81	
21:00		24.17	51.44	33.62	8.17	8.82	4.44	15.23	
日平均值		24.17	51.39	33.46	8.19	8.99	4.42	17.23	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月20日	蚵殼站	0:00	24.31	52.29	33.84	8.26	8.6	13.3	8.53
		3:00	24.25	51.63	33.42	8.27	8.46	7.36	11.27
		6:00	24.14	51.55	33.37	8.26	8.55	11.91	10.4
		9:00	24.32	52.21	33.79	8.23	8.85	20.62	8.48
		12:00	24.57	52.7	34.1	8.24	8.86	12.97	10.27
		15:00	24.56	52.46	34.36	8.22	7.19	18.37	17.03
		18:00	24.44	52.77	34.1	8.27	9.45	23.25	8.5
		21:00	24.28	52.34	33.87	8.27	9.17	15.36	10.9
	日平均值		24.36	52.24	33.86	8.25	8.64	15.39	10.67
	潮口站	0:00	23.92	52.66	34.49	8.24	7.3	9.84	5.99
		3:00	24.04	51.97	34.04	8.25	7.96	13.4	6.48
		6:00	24.1	51.58	33.81	8.29	8.59	2.3	7.48
		9:00	24.09	51.42	33.55	8.28	7.68	4.28	8.32
		12:00	23.97	52.09	34.14	8.24	7.5	7.18	8.92
		15:00	24.15	51.85	33.39	8.23	7.27	17.57	7.34
		18:00	24.18	51.31	33.71	8.32	8.93	11.83	9.88
		21:00	24.07	51.51	33.8	8.26	7.96	9.82	9.69
	日平均值		24.07	51.80	33.87	8.26	7.90	9.53	8.01
	灣內站	0:00	23.96	51.55	33.67	8.16	9.32	1.59	16.8
		3:00	23.9	51.43	33.61	8.07	8.3	1.75	17.3
		6:00	23.79	51.42	33.61	8.04	7.22	5.61	16.69
9:00		23.97	51.4	33.6	8.1	9.37	1.17	14.98	
12:00		24.22	51.34	33.57	8.23	11.62	5.87	15.11	
15:00		24.21	51.28	33.54	8.34	8.57	9.19	15.3	
18:00		24.09	51.22	33.51	8.15	8.04	5.4	15.59	
21:00		23.93	51.29	33.55	8.16	9.61	4.74	16.28	
日平均值		24.01	51.37	33.58	8.16	9.01	4.42	16.01	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月21日	蚵殼站	0:00	24.19	51.55	33.37	8.21	6.95	10.11	9.85	
		3:00	24.09	51.24	33.18	8.24	8.2	14.75	13.2	
		6:00	24.03	51.15	32.69	8.25	8.53	12.94	11.67	
		9:00	24.32	52.02	33.65	8.23	8.79	15.81	16.56	
		12:00	24.57	52.7	34.1	8.26	9.49	21.66	17.64	
		15:00	24.55	52.69	34.1	8.3	10.16	31.34	19.6	
		18:00	24.54	52.49	34.1	8.19	7.66	36.1	17.23	
		21:00	24.55	52.68	34.09	8.23	7.73	15.67	10.52	
	日平均值		24.36	52.07	33.66	8.24	8.44	19.80	14.53	
	潮口站	0:00	23.83	52.18	34.23	8.23	7.31	18.65	10.67	
		3:00	23.79	51.66	33.48	8.28	8.02	25.26	2.42	
		6:00	23.99	51.33	33.71	8.34	9.08	7.94	8.14	
		9:00	24.09	51.23	33.63	8.33	8.55	4.19	7.97	
		12:00	24.4	51.21	33.61	8.19	7.53	6.62	7.89	
		15:00	24.63	50.82	33.38	8.18	7.2	4.72	6.58	
		18:00	24.4	51.26	33.66	8.26	9.1	11.57	6.36	
		21:00	24.21	51.12	33.56	8.29	8.35	6.35	6.9	
	日平均值		24.17	51.35	33.66	8.26	8.14	10.66	7.12	
	灣內站	0:00	23.84	51.1	33.45	8.1	7.73	5.85	16.75	
		3:00	23.74	51.21	33.5	8.03	7.82	4	16.92	
		6:00	23.68	51.31	33.56	7.96	7.55	2.51	17.6	
9:00		23.97	51.19	33.49	8.11	9.97	7.39	18.1		
12:00		24.22	51.1	33.45	8.29	12.73	11.75	17.22		
15:00		24.2	51.29	33.55	8.32	11.04	4.68	16.07		
18:00		24.19	51.39	33.38	8.2	7.84	0.8	16.64		
21:00		24.2	51.41	33.6	8.18	7.86	1.65	16.99		
日平均值		24.01	51.25	33.50	8.15	9.07	4.83	17.04		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月22日	蚵殼站	0:00	24.4	51.86	33.56	8.3	9.32	11.5	7.31	
		3:00	24.21	51.6	33.4	8.3	8.88	7.96	12.82	
		6:00	24.17	51.73	33.48	8.28	8.29	13.61	16.97	
		9:00	24.4	52.38	33.89	8.28	8.91	17.05	16.78	
		12:00	24.76	52.73	34.12	8.3	9.33	16.66	15.36	
		15:00	24.67	53.17	34.48	8.28	8.64	21.45	19.77	
		18:00	24.64	53.06	34.39	8.24	7.96	27.55	16.43	
		21:00	24.53	52.77	34.15	8.15	6.38	29.85	8.83	
	日平均值		24.47	52.41	33.93	8.27	8.46	18.20	14.28	
	潮口站	0:00	24.17	51.42	33.74	8.21	7.19	13.87	8.08	
		3:00	23.99	51.58	33.82	8.22	7.14	25.26	7.67	
		6:00	23.95	51.17	33.2	8.28	7.92	11.88	2.84	
		9:00	24.34	50.75	33.32	8.31	8.08	6.83	5.36	
		12:00	24.34	51	33.48	8.21	7.47	8.67	6.68	
		15:00	24.5	50.3	33.02	8.18	7.2	5.99	6.69	
		18:00	24.47	50.89	33.43	8.22	9.1	11.85	6.28	
		21:00	24.28	50.82	33.41	8.29	6.55	23.31	5.73	
	日平均值		24.26	50.99	33.43	8.24	7.58	13.46	6.17	
	灣內站	0:00	24.05	51.48	33.66	8.2	8.72	0.87	17.13	
		3:00	23.86	51.64	33.31	8.12	7.45	5.99	17.16	
		6:00	23.82	51.79	33.9	8.06	6.43	5.78	17.44	
9:00		24.05	51.79	33.89	8.11	7.3	9.96	17.58		
12:00		24.41	51.69	33.59	8.34	10.29	8.74	17.58		
15:00		24.32	51.46	33.4	8.33	11.26	3.32	17.48		
18:00		24.29	51.51	33.66	8.22	9.78	3.22	17.68		
21:00		24.18	51.46	33.41	8.18	7.16	2.95	17.62		
日平均值		24.12	51.60	33.60	8.20	8.55	5.10	17.46		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月23日	蚵殼站	0:00	24.41	52.42	33.92	8.13	5.95	25.12	6.48
		3:00	24.16	51.24	33.18	8.19	6.82	30.11	7.32
		6:00	24.11	51.54	33.36	8.15	6.21	14	6.27
		9:00	24.41	52.68	34.09	8.16	7.2	14.35	5.37
		12:00	24.71	52.85	34.22	8.24	8.75	16.45	4.82
		15:00	24.66	53.18	34.48	8.19	7.72	19.6	4.92
		18:00	24.6	52.73	34.12	8.14	6.55	21.31	4.36
		21:00	24.6	52.6	34.1	8.23	8.61	24.03	3.64
	日平均值		24.46	52.41	33.93	8.18	7.23	20.62	5.40
	潮口站	0:00	24.16	50.91	33.46	8.29	6.3	10.38	5.41
		3:00	24.04	51.41	33.76	8.32	6.96	22.9	6.15
		6:00	23.9	50.91	33.45	8.31	7.59	16.23	5.48
		9:00	24.25	50.64	33.26	8.32	6.68	8.52	5.43
		12:00	24.42	50.7	33.3	8.3	6.5	7.81	6.12
		15:00	24.5	50.45	33.13	8.31	6.27	6.52	6.72
		18:00	24.42	50.54	33.17	8.35	7.93	15.96	6.85
	21:00	24.48	50.64	33.25	8.3	6.96	10.76	7.37	
	日平均值		24.27	50.78	33.35	8.31	6.90	12.39	6.19
	灣內站	0:00	24.06	51.71	33.81	8.04	5.65	0.76	17.69
		3:00	23.81	51.68	33.78	8	7.56	5.61	17.34
		6:00	23.76	51.57	33.69	8.09	6.5	2.95	17.27
9:00		24.06	51.63	33.73	8.16	7.7	6.96	17.22	
12:00		24.36	51.51	33.68	8.32	11.6	5.18	17.12	
15:00		24.31	51.62	33.73	8.36	10.52	4.92	16.75	
18:00		24.25	51.79	33.68	8.23	8.93	3.09	17.75	
21:00		24.25	51.49	33.65	8.15	9.61	0.6	17.28	
日平均值		24.11	51.63	33.72	8.17	8.51	3.76	17.30	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月24日	蚵殼站	0:00	24.52	52.78	34.26	8.3	9.07	17.08	3.56
		3:00	24.34	52.41	34.1	8.28	8.28	25.04	3.53
		6:00	24.21	52.7	34.3	8.19	6.51	9.58	3.54
		9:00	24.46	52.7	34.1	8.21	6.88	17.42	3.62
		12:00	24.7	52.92	34.27	8.24	8.9	17.07	3.72
		15:00	24.61	53.2	33.42	8.22	7.42	26.13	4.92
		18:00	24.64	52.92	33.8	8.17	5.42	23.74	4.36
		21:00	24.68	53	34.33	8.22	7.47	24.83	3.22
	日平均值		24.52	52.83	34.07	8.23	7.49	20.11	3.81
	潮口站	0:00	24.42	50.5	32.64	8.3	6.31	7.99	8.12
		3:00	24.06	50.9	33.43	8.32	7.02	21.73	8.02
		6:00	23.97	50.9	33.44	8.31	8.08	25.59	8.83
		9:00	24.4	50.55	33.19	8.33	7.55	7.4	9.47
		12:00	24.6	50.15	32.6	8.3	6.53	7.93	10.31
		15:00	24.41	50.23	32.28	8.33	6.2	5.28	10.04
		18:00	24.42	50.33	32.4	8.36	8.1	6.93	9.39
	21:00	24.51	50.4	32.73	8.32	9.35	7.18	10.29	
	日平均值		24.35	50.50	32.84	8.32	7.39	11.25	9.31
	灣內站	0:00	24.17	51.48	33.64	8.23	8.69	6.73	16.21
		3:00	23.99	51.9	33.78	8.12	7.27	4.74	17.75
		6:00	23.86	51.91	34	8.16	5.04	5.6	15.71
9:00		24.11	51.45	33.65	8.18	9.33	11.7	15.46	
12:00		24.35	51.16	33.06	8.34	11.43	7.32	14.82	
15:00		24.26	51.27	33.09	8.42	11.7	9.79	14.88	
18:00		24.29	51.39	33.59	8.23	7.06	5.46	14.91	
21:00		24.33	51.4	33.4	8.02	7.71	5.14	14.7	
日平均值		24.17	51.50	33.53	8.21	8.53	7.06	15.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月25日	蚵殼站	0:00	24.84	53.18	34.48	8.27	8.68	10.69	3.55
		3:00	24.68	52.74	34.14	8.27	8.24	17.18	3.59
		6:00	24.6	52.7	33.68	8.26	7.4	18.65	3.58
		9:00	24.73	52.86	33.43	8.21	6.57	11.97	6.27
		12:00	24.83	53.13	34.44	8.26	9.01	20.61	3.78
		15:00	24.83	53.2	34.05	8.21	7.7	35.84	8.83
		18:00	24.78	53.3	34.5	8.2	6.9	29.02	3.66
	21:00	24.73	52.89	34.25	8.15	6.38	39.43	3.51	
	日平均值		24.75	53.00	34.12	8.23	7.61	22.92	4.60
	潮口站	0:00	24.6	50.39	31.73	8.33	8.75	11.29	9.55
		3:00	24.26	50.52	33.18	8.31	10.02	13.32	9.14
		6:00	24.08	50.65	32.89	8.34	9.83	19.28	5.19
		9:00	24.52	50.02	32.52	8.33	8.38	11.95	17.92
		12:00	24.58	50.05	32.85	8.33	8.12	11.22	9.29
		15:00	24.44	49.43	32.46	8.32	8.14	6.71	6.43
		18:00	24.32	49.39	32.43	8.34	8.29	6.62	8.25
	21:00	24.45	49.68	32.59	8.33	8.19	5.98	11.75	
	日平均值		24.41	50.02	32.58	8.33	8.72	10.80	9.69
	灣內站	0:00	24.49	51.54	33.49	8.2	6.66	5.27	14.88
		3:00	24.33	51.82	33.92	8.09	6.61	4.07	15
		6:00	24.25	51.83	33.3	7.99	6.15	1.79	17.75
9:00		24.38	51.63	33.54	8.1	7.7	0.64	15.63	
12:00		24.48	51.26	33.26	8.41	11.99	6.57	15.23	
15:00		24.48	51.33	33.56	8.4	10.72	6.38	14.87	
18:00		24.43	51.36	33.58	8.19	8.18	8.44	14.46	
21:00	24.38	51.4	33.6	8.13	6.44	3.51	14.54		
日平均值		24.40	51.52	33.53	8.19	8.06	4.58	15.30	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月26日	蚵殼站	0:00	24.68	52.76	34.15	8.21	7.99	20.34	3.59
		3:00	24.52	52.59	34.2	8.28	8.51	22.87	4.03
		6:00	24.34	52.67	34	8.22	7.77	26.12	4.01
		9:00	24.54	52.7	34.1	8.13	5.37	28.67	3.89
		12:00	24.78	52.87	34.23	8.21	7.91	32.68	3.97
		15:00	24.64	52.93	34.29	8.19	7.59	35.42	3.85
		18:00	24.6	53.1	34.42	8.16	6.77	32.9	3.79
	21:00	24.57	52.97	33.6	8.15	7.16	31.41	8.83	
	日平均值		24.58	52.82	34.12	8.19	7.38	28.80	4.50
	潮口站	0:00	24.45	49.68	32.32	8.29	8.46	15.37	13.02
		3:00	24.28	49.67	31.74	8.29	9.31	17.29	16.65
		6:00	24.04	50.19	32.56	8.31	8.98	25.65	7.52
		9:00	24.46	49.54	32.53	8.32	8.43	13.83	12.69
		12:00	24.49	49.76	32.67	8.32	8.59	13.97	30.90
		15:00	24.14	50.32	32.71	8.36	8.56	14.2	25.70
		18:00	24.16	50.27	33.01	8.37	8.4	22.54	24.66
	21:00	24.6	49.47	32.48	8.44	8.25	15.15	22.93	
	日平均值		24.33	49.86	32.50	8.34	8.62	17.25	19.26
	灣內站	0:00	24.33	51.52	33.66	8.15	5.85	4.86	14.68
		3:00	24.17	51.58	33.7	8.04	6.95	3.96	14.92
		6:00	23.99	51.88	33.98	8.03	6.49	6.72	15.21
9:00		24.19	51.74	33.84	8.02	6.12	1.88	15.37	
12:00		24.43	51.19	33.49	8.31	11.98	5.07	15.13	
15:00		24.29	51.19	33.27	8.39	11.22	4.56	13.29	
18:00		24.25	51.39	33.02	8.19	7.45	6.16	17.75	
21:00	24.22	51.43	33.62	8.14	7.34	6.33	12.78		
日平均值		24.23	51.49	33.57	8.16	7.93	4.94	14.89	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月27日	蚵殼站	0:00	24.58	52.7	33.31	8.24	8.5	36.2	6.27	
		3:00	24.49	52.59	34.1	8.22	7.99	22.19	3.49	
		6:00	24.32	52.67	34.21	8.23	7.82	24.26	3.61	
		9:00	24.3	52.49	34.19	8.19	7.05	26.32	3.51	
		12:00	24.31	52.81	34.27	8.13	5.3	29.89	3.7	
		15:00	24.19	52.7	34.1	8.16	6.99	35.62	3.68	
		18:00	24.13	52.75	34.14	8.16	7.03	36.29	3.47	
	21:00	24.01	52.8	34.35	8.16	6.69	21.84	3.46		
	日平均值		24.29	52.69	34.08	8.19	7.17	29.08	3.90	
	潮口站	0:00	24.69	49.39	31.99	8.36	8.38	6.56	18.54	
		3:00	24.6	49.19	32.3	8.36	8.91	9	18.26	
		6:00	24.11	49.7	32.25	8.3	9.43	18.68	9.98	
		9:00	24.27	49.14	32.27	8.37	8.73	12.42	7.10	
		12:00	24.21	49.28	32.36	8.37	8.18	9.7	9.63	
		15:00	23.88	50.17	32.9	8.35	8.24	7.06	10.30	
		18:00	23.73	50.3	32.64	8.36	8.19	10.77	6.60	
	21:00	23.85	49.5	32.5	8.38	7.98	10.61	5.98		
	日平均值		24.17	49.58	32.40	8.36	8.51	10.60	10.80	
	灣內站	0:00	24.23	51.36	33.39	8.2	7.32	0.48	11.99	
		3:00	24.14	51.76	33.88	8.17	6.31	6.55	11.89	
		6:00	23.97	51.9	34	8.08	5.95	4.93	11.96	
9:00		23.95	51.9	34	8.13	6.62	7.1	12.28		
12:00		23.96	51.75	33.63	8.23	7.25	11.65	12.21		
15:00		23.84	51.59	33.7	8.26	7.94	6.04	12.4		
18:00		23.78	51.62	33.72	8.24	6.36	3.77	12.89		
21:00	23.66	51.88	33.98	8.15	6.18	3.38	14.01			
日平均值		23.94	51.72	33.79	8.18	6.74	5.49	12.45		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月28日	蚵殼站	0:00	23.96	52.61	34.04	8.17	6.98	21.5	3.48	
		3:00	23.81	51.93	33.62	8.11	6.52	19.39	3.57	
		6:00	23.71	51.59	33.4	8.07	5.1	18.69	3.9	
		9:00	23.73	51.59	33.39	8.11	6.01	26.61	5.02	
		12:00	23.94	51.93	33.61	8.17	7.64	22.06	4.77	
		15:00	23.81	52.37	33.89	8.17	7.21	30.43	4.7	
		18:00	23.7	52.28	33.83	8.11	5.94	31.05	4.39	
	21:00	23.6	51.1	33.1	8.11	5.49	37.72	4.09		
	日平均值		23.78	51.93	33.61	8.13	6.36	25.93	4.24	
	潮口站	0:00	23.81	49.19	32.3	8.41	9.01	5.49	9.27	
		3:00	23.71	49.02	32.21	8.34	8.96	9.68	9.92	
		6:00	23.57	49.51	32.5	8.3	8.24	12.15	7.38	
		9:00	23.57	49.2	32.31	8.31	8.8	17.08	6.42	
		12:00	23.73	49.28	32.06	8.3	9.02	11.03	7.02	
		15:00	23.78	48.9	32.13	8.33	8.44	7.59	9.04	
		18:00	23.6	49.17	31.94	8.37	9.63	13.71	7.78	
	21:00	23.58	49.24	32.33	8.33	8.66	13.98	8.04		
	日平均值		23.67	49.19	32.22	8.34	8.85	11.34	8.11	
	灣內站	0:00	23.61	51.76	33.87	8.06	6	4.74	14.55	
		3:00	23.46	51.87	33.97	8.01	6.01	6.33	14.93	
		6:00	23.36	51.9	33.81	8.01	5.28	2.9	14.95	
9:00		23.38	51.9	34	8.09	5.41	0.7	15.68		
12:00		23.59	51.84	33.94	8.21	9.62	7.28	14.47		
15:00		23.46	51.85	33.95	8.26	10.11	4.41	17.15		
18:00		23.35	51.92	33.76	8.26	7.04	5.32	15.37		
21:00	23.25	51.93	34.01	8.18	7.4	4.5	14.93			
日平均值		23.43	51.87	33.91	8.14	7.11	4.52	15.25		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月29日	蚵殼站	0:00	23.52	51.18	33.06	8.17	6.93	33.52	3.84
		3:00	23.43	51.21	33.1	8.17	6.64	21.77	3.82
		6:00	23.36	51.31	33.18	8.13	6.31	39.32	3.82
		9:00	23.45	51.1	33.1	8.13	7.93	32	3.78
		12:00	23.63	51.31	33.23	8.23	8.11	31.3	3.83
		15:00	23.81	51.73	33	8.19	6.5	33.89	3.67
		18:00	23.76	51.38	32.67	8.18	6.28	24.2	3.9
		21:00	23.6	51.12	33.11	8.16	6.32	28.38	3.77
	日平均值		23.57	51.29	33.06	8.17	6.88	30.55	3.80
	潮口站	0:00	23.36	49.02	32.21	8.36	8.01	8.89	9.45
		3:00	23.37	48.77	32.04	8.33	8.72	18.53	8.73
		6:00	23.34	48.99	32.18	8.32	9.78	11.05	8.03
		9:00	23.46	49.01	32.18	8.3	9.25	17.71	7.84
		12:00	23.59	48.89	32.09	8.33	8.23	10.11	8.75
		15:00	23.67	49.4	32.43	8.36	7.9	7.36	11.07
		18:00	23.45	49.27	32.35	8.38	9.8	4.12	10.34
		21:00	23.52	49	32.19	8.35	9.05	11.61	6.15
	日平均值		23.47	49.04	32.21	8.34	8.84	11.17	8.80
	灣內站	0:00	23.17	51.74	33.86	8.14	6.7	0.81	15.92
		3:00	23.08	51.9	33.78	8.1	6.72	4.66	15.54
		6:00	23.01	52.08	34.09	8.07	6.37	8.97	15.74
		9:00	23.1	52.08	34.09	8.11	7.11	13.53	17.2
		12:00	23.28	51.9	33.81	8.22	9.52	7.75	18.38
		15:00	23.46	51.94	34.02	8.26	9.17	3.69	18.89
		18:00	23.41	51.96	34.03	8.25	9.53	5.97	19.2
		21:00	23.25	52.01	34.06	8.21	7.86	3.03	19.54
	日平均值		23.22	51.95	33.97	8.17	7.87	6.05	17.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月30日	蚵殼站	0:00	23.46	51.08	32.8	8.2	7.71	21.71	3.74
		3:00	23.36	51.17	32.68	8.2	8.39	38.2	3.84
		6:00	23.3	51.34	33.1	8.19	7.62	28.24	3.83
		9:00	23.43	51.61	33.18	8.19	8.06	22.42	4.56
		12:00	23.61	51.1	33.01	8.19	6.73	21.86	5.64
		15:00	23.64	51.17	33.1	8.22	8.11	15.46	4.82
		18:00	23.62	51.83	33.56	8.2	8.52	15.1	4.4
		21:00	23.71	52.03	33.06	8.21	7.86	12.56	4.59
	日平均值		23.52	51.42	33.06	8.20	7.88	21.94	4.43
	潮口站	0:00	23.49	48.87	31.81	8.45	7.89	9.0775	9.46
		3:00	23.41	48.53	31.91	8.44	7.84	13.625	13.74
		6:00	23.41	48.42	31.42	8.32	8.62	16.8825	8.91
		9:00	23.52	48.49	31.88	8.29	8.78	15.26	8.19
		12:00	23.69	48.62	31.31	8.32	8.17	11.2025	16.65
		15:00	23.75	48.98	32.16	8.36	9.02	9.0525	9.9
		18:00	23.57	48.39	31.8	8.37	9.06	12.785	9.5
		21:00	23.47	48.62	31.95	8.36	8.9	12.8375	10.45
	日平均值		23.54	48.62	31.78	8.36	8.54	12.59	10.85
	灣內站	0:00	23.11	52.04	34.07	8.14	5.6	5.69	19.64
		3:00	23.01	52.03	34.07	8.11	6.68	10.43	18.48
		6:00	22.95	51.92	34.01	8.1	7.05	10.24	16.66
		9:00	23.08	52.02	34.06	8.13	6.81	7.66	17.51
		12:00	23.26	52.09	34.1	8.19	10.42	5.61	17.75
		15:00	23.29	51.38	33.37	8.19	13.8	8.18	16.65
		18:00	23.27	51.68	33.8	8.15	9.68	13.63	17.54
		21:00	23.36	51.9	34	8.17	9.32	7.24	19.38
	日平均值		23.17	51.88	33.94	8.15	8.67	8.59	17.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

108年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月31日	蚵殼站	0:00	23.7	51.22	33.17	8.26	8.53	17.78	4.04	
		3:00	23.52	50.94	32.99	8.22	9.07	21.46	3.94	
		6:00	23.37	50.55	32.73	8.16	5.14	17.29	4.08	
		9:00	23.45	51.1	33.1	8.13	7.93	19.29	3.78	
		12:00	23.63	51.31	33.23	8.23	8.11	14.73	3.83	
		15:00	23.81	51.73	33	8.19	6.5	15.96	3.67	
		18:00	23.76	51.38	32.67	8.18	6.28	10.49	3.9	
		21:00	23.6	51.12	33.11	8.16	6.32	9.11	3.77	
	日平均值			23.61	51.17	33.00	8.19	7.24	15.76	3.88
	潮口站	0:00	23.52	48.43	31.82	8.4	8.97	3.17	10.93	
		3:00	23.59	48.14	31.62	8.45	8.89	6.56	10.24	
		6:00	23.5	47.8	31.42	8.42	8.38	18.46	9.53	
		9:00	23.53	48.09	31.6	8.36	8.7	5.21	10.34	
		12:00	23.68	48.33	31.75	8.35	9.21	12.42	9.02	
		15:00	23.78	48.9	32.13	8.33	9.44	7.8	9.04	
		18:00	23.6	49.17	31.94	8.38	9.2	7.91	7.78	
		21:00	23.58	49.24	32.33	8.33	8.87	4.75	8.04	
	日平均值			23.60	48.51	31.83	8.38	8.96	8.29	9.37
	灣內站	0:00	23.35	51.9	34	8.14	9.65	8.21	18.25	
		3:00	23.17	51.9	34	8.12	8.75	19.06	19.11	
		6:00	23.02	51.92	34.01	8.12	5.88	16.98	19.77	
		9:00	23.1	51.92	34.01	8.12	8.09	15.93	19.93	
		12:00	23.28	51.54	33.5	8.07	11.85	16.5	17.74	
		15:00	23.46	51.52	33.66	8.04	12.47	2.95	16.87	
		18:00	23.41	51.43	33.41	8.1	10.58	5.46	17.75	
		21:00	23.25	51.68	33.8	8.08	11.9	4.75	19.87	
	日平均值			23.26	51.73	33.80	8.10	9.90	11.23	18.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		