

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月1日	蚵殼站	0:00	22.48	51.23	32.84	8.29	9.36	6.3	5.1	
		3:00	22.29	51.09	32.75	8.26	7.45	9.1	17.5	
		6:00	22.15	51.07	32.74	8.28	7.23	9.0	12.9	
		9:00	22.23	51.04	32.72	8.34	7.03	7.6	8.3	
		12:00	22.76	50.90	32.63	8.31	7.10	7.2	10.7	
		15:00	22.95	51.39	32.94	8.28	7.52	8.2	22.5	
		18:00	22.92	51.11	32.76	8.25	7.44	7.8	13.7	
		21:00	22.72	50.89	32.62	8.28	7.36	6.4	12.7	
	日平均值			22.56	51.09	32.75	8.29	7.56	7.71	12.93
	潮口站	0:00	22.50	51.21	32.83	8.09	7.01	9.7	3.2	
		3:00	21.81	51.01	32.70	8.06	7.00	7.8	4.5	
		6:00	21.94	51.39	32.94	8.13	6.78	5.7	3.2	
		9:00	22.03	51.57	33.06	8.12	6.81	5.3	3.7	
		12:00	23.08	51.42	32.96	8.12	7.16	7.4	2.8	
		15:00	23.09	51.26	32.86	8.09	7.43	7.5	4.2	
		18:00	22.82	51.73	33.16	8.14	6.99	2.5	2.7	
		21:00	22.68	51.67	33.12	8.13	7.00	5.0	4.3	
	日平均值			22.49	51.41	32.95	8.11	7.02	6.36	3.58
	灣內站	0:00	21.89	50.31	32.25	8.28	6.60	4.0	8.7	
		3:00	21.57	50.26	32.22	8.29	6.69	3.3	7.7	
		6:00	21.48	50.26	32.22	8.29	6.33	3.1	6.4	
		9:00	21.79	50.59	32.43	8.26	6.39	4.9	5.9	
		12:00	21.73	50.72	32.51	8.22	7.89	6.0	7.0	
		15:00	22.21	50.14	32.14	8.15	8.26	3.6	11.6	
		18:00	22.17	50.70	32.50	8.15	8.37	2.1	10.4	
		21:00	22.01	50.72	32.51	8.19	7.66	2.3	7.9	
	日平均值			21.86	50.46	32.35	8.23	7.27	3.66	8.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月2日	蚵殼站	0:00	22.52	50.65	32.47	8.32	7.29	4.9	11.8	
		3:00	22.31	51.26	32.86	8.28	7.35	7.8	9.3	
		6:00	22.20	50.81	32.57	8.27	10.44	28.5	25.8	
		9:00	22.32	50.48	32.36	8.30	8.21	7.1	26.6	
		12:00	22.78	50.93	32.65	8.27	7.98	25.1	18.0	
		15:00	22.96	51.20	32.82	8.22	7.08	16.0	19.7	
		18:00	22.88	51.07	32.74	8.19	7.09	5.1	7.6	
		21:00	22.75	50.92	32.64	8.24	7.01	5.7	4.6	
	日平均值			22.59	50.92	32.64	8.26	7.81	12.54	15.43
	潮口站	0:00	22.64	51.62	33.09	8.12	7.01	7.6	5.9	
		3:00	22.35	51.31	32.89	8.15	7.00	7.1	1.3	
		6:00	21.82	51.28	32.87	8.08	6.95	9.4	15.9	
		9:00	22.07	51.70	33.14	8.13	6.99	3.9	5.6	
		12:00	22.81	51.54	33.04	7.96	7.08	9.7	9.0	
		15:00	22.88	51.48	33.00	8.20	7.29	8.0	5.3	
		18:00	21.99	51.53	33.03	8.16	6.89	3.5	6.1	
		21:00	22.05	51.67	33.12	8.21	6.85	3.5	8.1	
	日平均值			22.33	51.52	33.02	8.13	7.01	6.59	7.15
	灣內站	0:00	21.81	50.75	32.53	8.21	6.89	2.5	5.7	
		3:00	21.68	50.28	32.23	8.23	7.28	8.2	7.1	
		6:00	21.83	50.47	32.35	8.22	6.42	2.9	7.0	
		9:00	21.67	50.92	32.64	8.22	6.63	2.2	7.7	
		12:00	21.64	50.68	32.49	8.16	6.69	4.2	13.5	
		15:00	21.92	50.61	32.44	8.13	6.84	7.3	5.3	
		18:00	21.96	50.67	32.48	8.11	6.36	2.6	9.9	
		21:00	21.82	50.81	32.57	8.12	7.61	2.3	7.0	
	日平均值			21.79	50.65	32.47	8.18	6.84	4.03	7.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月3日	蚵殼站	0:00	22.58	51.26	32.86	8.31	7.23	5.5	10.8	
		3:00	22.33	51.15	32.79	8.22	7.23	9.2	10.0	
		6:00	22.12	50.73	32.52	8.18	7.33	10.2	12.3	
		9:00	22.32	50.79	32.56	8.25	7.24	8.9	20.9	
		12:00	22.76	50.70	32.50	8.29	7.36	6.0	8.4	
		15:00	22.98	51.17	32.80	8.20	7.45	10.0	11.4	
		18:00	23.14	50.98	32.68	8.15	8.74	5.6	15.9	
		21:00	23.41	50.42	32.32	8.13	7.53	6.3	13.2	
	日平均值			22.71	50.90	32.63	8.22	7.51	7.71	12.86
	潮口站	0:00	21.70	51.57	33.06	8.14	7.09	9.4	3.6	
		3:00	21.43	50.92	32.64	8.00	7.01	7.7	12.0	
		6:00	21.36	50.59	32.43	8.11	7.19	8.6	6.2	
		9:00	21.41	51.60	33.08	8.11	6.99	5.5	3.6	
		12:00	21.37	51.67	33.12	8.20	7.19	7.8	8.8	
		15:00	23.11	51.31	32.89	8.15	7.68	6.4	4.9	
		18:00	23.00	51.20	32.82	8.12	7.21	4.9	7.1	
		21:00	21.73	51.40	32.95	8.04	7.12	3.2	11.3	
	日平均值			21.89	51.28	32.87	8.11	7.19	6.69	7.19
	灣內站	0:00	21.83	50.72	32.51	8.14	7.17	4.5	7.1	
		3:00	21.98	50.36	32.28	8.19	5.97	3.1	9.7	
		6:00	21.32	50.25	32.21	8.23	6.12	10.2	4.2	
		9:00	21.53	50.86	32.60	8.20	6.83	14.7	5.1	
		12:00	21.82	50.78	32.55	8.15	7.52	12.4	7.1	
		15:00	21.82	50.26	32.22	8.13	9.15	7.7	4.4	
		18:00	21.86	50.28	32.23	8.15	7.71	2.4	4.4	
		21:00	21.92	50.61	32.44	8.19	7.09	3.4	2.6	
	日平均值			21.76	50.52	32.38	8.17	7.20	7.30	5.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月4日	蚵殼站	0:00	22.80	50.92	32.64	8.24	7.39	4.9	4.3	
		3:00	22.70	50.62	32.45	8.21	7.52	13.0	15.0	
		6:00	22.60	50.68	32.49	8.20	7.27	8.9	9.4	
		9:00	22.68	50.47	32.35	8.22	7.59	10.0	8.8	
		12:00	22.80	50.42	32.32	8.24	7.33	5.5	10.9	
		15:00	22.88	51.01	32.70	8.22	7.65	9.1	7.6	
		18:00	22.86	51.12	32.77	8.17	8.07	8.4	9.1	
		21:00	22.82	50.81	32.57	8.22	7.89	6.5	13.9	
	日平均值			22.77	50.76	32.54	8.22	7.59	8.29	9.88
	潮口站	0:00	21.83	51.34	32.91	8.03	7.15	6.1	8.2	
		3:00	21.79	51.18	32.81	8.16	7.06	8.3	5.4	
		6:00	21.64	50.86	32.60	8.04	7.84	10.6	4.6	
		9:00	21.50	51.46	32.99	8.14	7.17	4.9	6.9	
		12:00	22.49	51.56	33.05	8.15	7.17	5.2	3.9	
		15:00	22.87	51.00	32.69	8.19	7.65	8.0	4.7	
		18:00	22.80	51.01	32.70	8.15	7.77	5.9	1.6	
		21:00	22.18	51.14	32.78	8.03	7.13	3.6	1.6	
	日平均值			22.14	51.19	32.82	8.11	7.37	6.58	4.61
	灣內站	0:00	21.95	50.72	32.51	8.19	6.55	2.4	5.3	
		3:00	21.40	50.37	32.29	8.24	6.63	2.1	2.6	
		6:00	21.42	49.81	31.93	8.22	6.74	2.1	4.8	
		9:00	21.38	50.62	32.45	8.24	6.99	4.1	4.3	
		12:00	21.29	50.64	32.46	8.22	6.96	3.4	2.7	
		15:00	21.55	50.28	32.23	8.23	7.93	5.2	15.3	
		18:00	21.69	50.34	32.27	8.19	8.50	5.2	18.6	
		21:00	21.48	50.37	32.29	8.18	7.11	3.0	16.8	
	日平均值			21.52	50.39	32.30	8.21	7.18	3.44	8.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月5日	蚵殼站	0:00	22.68	50.70	32.50	8.21	7.29	5.3	5.6	
		3:00	22.58	50.51	32.38	8.17	7.50	5.5	8.5	
		6:00	22.39	51.03	32.71	8.18	7.44	7.9	7.7	
		9:00	22.44	50.84	32.59	8.14	7.29	9.1	9.8	
		12:00	22.73	51.59	33.07	8.13	7.16	5.0	5.2	
		15:00	22.88	50.68	32.49	8.14	7.29	5.8	4.0	
		18:00	22.91	51.54	33.04	8.18	8.04	8.1	11.2	
		21:00	23.17	52.34	33.55	8.11	7.91	9.2	7.8	
	日平均值			22.72	51.15	32.79	8.16	7.49	6.99	7.48
	潮口站	0:00	21.68	51.42	32.96	8.18	6.96	4.1	9.8	
		3:00	21.50	51.21	32.83	8.11	7.17	5.3	5.0	
		6:00	21.85	51.31	32.89	8.00	6.90	6.2	3.6	
		9:00	21.32	51.40	32.95	7.99	6.97	4.7	8.3	
		12:00	21.99	51.46	32.99	7.97	7.19	3.1	3.0	
		15:00	22.28	51.28	32.87	8.07	7.59	8.2	4.3	
		18:00	22.06	51.04	32.72	7.92	7.74	8.3	5.6	
		21:00	21.11	51.20	32.82	8.02	7.66	5.5	11.8	
	日平均值			21.72	51.29	32.88	8.03	7.27	5.68	6.43
	灣內站	0:00	21.28	50.68	32.49	8.21	7.31	15.5	11.7	
		3:00	21.52	50.67	32.48	8.22	7.68	6.7	15.8	
		6:00	21.17	50.48	32.36	8.22	7.64	5.1	17.2	
		9:00	21.28	51.01	32.70	8.25	7.66	9.8	10.3	
		12:00	21.38	50.76	32.54	8.19	7.26	9.0	14.8	
		15:00	21.23	50.43	32.33	8.15	7.48	15.0	12.9	
		18:00	21.05	50.26	32.22	8.13	7.32	19.7	7.7	
		21:00	21.03	50.22	32.19	8.19	7.16	15.4	1.6	
	日平均值			21.24	50.56	32.41	8.20	7.44	12.03	11.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月6日	蚵殼站	0:00	23.12	52.07	33.38	8.05	7.28	17.8	9.4	
		3:00	22.54	51.64	33.10	8.13	7.13	4.4	1.3	
		6:00	22.57	51.45	32.98	8.12	7.58	7.1	6.8	
		9:00	22.69	51.56	33.05	8.10	7.49	7.9	13.1	
		12:00	23.11	52.38	33.58	8.11	7.10	4.1	2.6	
		15:00	23.30	51.78	33.19	8.07	7.31	3.1	5.5	
		18:00	23.23	52.37	33.57	8.07	8.10	7.4	10.8	
		21:00	23.01	51.95	33.30	8.01	7.74	10.7	9.1	
	日平均值			22.95	51.90	33.27	8.08	7.47	7.81	7.33
	潮口站	0:00	20.67	51.40	32.95	8.08	6.89	3.9	11.9	
		3:00	20.61	51.03	32.71	8.01	7.41	4.9	9.2	
		6:00	22.42	51.14	32.78	7.98	6.91	9.4	7.1	
		9:00	21.58	51.45	32.98	8.08	7.06	4.6	5.4	
		12:00	22.92	51.76	33.18	7.96	7.04	5.9	4.3	
		15:00	23.40	51.46	32.99	8.19	7.10	3.6	7.3	
		18:00	23.18	51.25	32.85	7.99	7.66	10.1	1.3	
		21:00	22.39	50.86	32.60	8.13	7.33	8.7	4.7	
	日平均值			22.15	51.29	32.88	8.05	7.18	6.39	6.40
	灣內站	0:00	21.08	50.54	32.40	8.20	7.04	14.9	5.9	
		3:00	21.11	50.22	32.19	8.25	7.02	5.2	10.8	
		6:00	21.09	50.42	32.32	8.23	6.87	11.7	16.0	
		9:00	20.51	50.48	32.36	8.25	7.17	5.3	11.9	
		12:00	21.02	50.61	32.44	8.16	6.80	16.1	4.4	
		15:00	21.14	50.76	32.54	8.15	7.57	13.6	11.0	
		18:00	21.09	50.20	32.18	8.14	8.47	11.5	18.0	
		21:00	20.97	50.28	32.23	8.15	8.29	9.0	30.5	
	日平均值			21.00	50.44	32.33	8.19	7.40	10.91	13.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月7日	蚵殼站	0:00	22.91	52.01	33.34	8.03	7.76	7.0	11.8	
		3:00	22.72	51.75	33.17	8.04	7.10	4.1	4.8	
		6:00	22.54	51.67	33.12	8.07	7.54	8.1	12.4	
		9:00	22.76	51.92	33.28	8.08	7.25	7.6	9.9	
		12:00	23.06	52.06	33.37	8.14	7.01	4.7	9.5	
		15:00	23.44	52.46	33.63	8.15	7.16	5.0	17.6	
		18:00	23.35	52.26	33.50	8.11	7.30	4.2	8.7	
		21:00	23.23	52.04	33.36	8.13	7.48	10.0	13.5	
	日平均值			23.00	52.02	33.35	8.09	7.33	6.34	11.03
	潮口站	0:00	21.68	51.31	32.89	8.07	6.88	2.2	5.6	
		3:00	21.50	51.46	32.99	8.05	6.96	2.4	6.8	
		6:00	22.47	51.17	32.80	7.99	7.25	4.5	3.2	
		9:00	22.64	51.04	32.72	8.05	6.84	7.0	1.2	
		12:00	22.77	51.45	32.98	8.08	6.79	7.9	2.7	
		15:00	23.20	51.28	32.87	8.18	7.10	2.4	6.2	
		18:00	23.18	51.06	32.73	8.11	7.57	8.5	5.3	
		21:00	22.42	50.84	32.59	8.02	6.78	10.2	4.3	
	日平均值			22.48	51.20	32.82	8.07	7.02	5.64	4.41
	灣內站	0:00	21.07	50.37	32.29	8.15	7.59	8.6	29.5	
		3:00	21.02	50.54	32.40	8.17	7.60	6.0	24.4	
		6:00	20.60	50.40	32.31	8.22	6.91	10.6	12.8	
		9:00	21.03	50.28	32.23	8.22	6.85	9.2	13.7	
		12:00	20.95	50.58	32.42	8.13	7.91	18.8	26.8	
		15:00	21.11	50.56	32.41	8.11	9.80	19.4	37.1	
		18:00	21.34	50.28	32.23	8.10	6.70	20.6	29.3	
		21:00	21.45	50.22	32.19	8.07	7.13	7.4	17.2	
	日平均值			21.07	50.40	32.31	8.15	7.56	12.58	23.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月8日	蚵殼站	0:00	23.22	51.48	33.00	8.10	6.92	12.1	18.0	
		3:00	23.06	51.48	33.00	8.06	7.07	5.0	8.6	
		6:00	23.03	51.82	33.22	8.07	7.02	3.6	26.4	
		9:00	23.33	51.90	33.27	8.10	7.07	7.0	13.7	
		12:00	23.62	52.17	33.44	8.17	7.09	8.7	10.5	
		15:00	24.00	52.37	33.57	8.25	6.91	5.7	5.9	
		18:00	23.94	52.38	33.58	8.27	7.26	3.6	3.3	
		21:00	23.90	52.35	33.56	8.20	7.13	10.6	12.7	
	日平均值			23.51	51.99	33.33	8.15	7.06	7.04	12.39
	潮口站	0:00	22.01	50.95	32.66	8.02	6.75	11.2	4.7	
		3:00	21.68	51.37	32.93	8.03	6.76	2.7	6.5	
		6:00	22.46	51.53	33.03	8.18	6.71	6.2	6.8	
		9:00	22.50	51.11	32.76	8.02	6.99	6.0	1.5	
		12:00	23.04	51.45	32.98	8.22	6.82	3.9	3.8	
		15:00	23.43	51.51	33.02	8.19	7.05	3.9	1.1	
		18:00	23.25	51.14	32.78	8.20	7.08	9.2	2.7	
		21:00	22.88	51.04	32.72	8.18	6.84	10.6	2.5	
	日平均值			22.66	51.26	32.86	8.13	6.88	6.71	3.70
	灣內站	0:00	20.93	50.20	32.18	8.12	8.21	15.0	47.8	
		3:00	20.71	50.59	32.43	8.19	7.94	11.9	33.3	
		6:00	20.46	50.64	32.46	8.22	7.68	12.2	38.0	
		9:00	20.93	50.26	32.22	8.22	7.27	13.1	28.6	
		12:00	20.80	50.56	32.41	8.16	8.62	3.5	35.7	
		15:00	21.42	50.68	32.49	8.16	7.69	19.0	23.5	
		18:00	21.29	50.59	32.43	8.12	8.07	6.7	18.4	
		21:00	21.91	50.33	32.26	8.14	8.12	6.8	21.1	
	日平均值			21.06	50.48	32.36	8.17	7.95	11.03	30.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月9日	蚵殼站	0:00	23.77	51.99	33.33	8.17	7.14	9.7	12.7	
		3:00	23.57	51.64	33.10	8.17	7.23	8.2	16.5	
		6:00	23.45	51.95	33.30	8.12	6.91	6.1	2.2	
		9:00	23.25	52.17	33.44	8.11	7.04	6.8	6.9	
		12:00	23.18	52.07	33.38	8.14	7.02	9.7	14.1	
		15:00	22.99	52.32	33.54	8.08	6.95	11.3	8.7	
		18:00	22.76	52.18	33.45	8.09	7.17	3.5	11.4	
		21:00	22.62	52.56	33.69	8.09	7.15	9.1	13.3	
	日平均值			23.20	52.11	33.40	8.12	7.08	8.05	10.73
	潮口站	0:00	22.42	50.39	32.30	8.01	7.46	3.8	7.7	
		3:00	21.68	51.40	32.95	8.23	6.87	2.9	10.6	
		6:00	22.34	51.36	32.92	8.05	6.85	2.7	5.5	
		9:00	21.90	51.14	32.78	8.02	6.78	8.2	5.3	
		12:00	22.64	51.32	32.90	8.14	6.82	8.3	4.8	
		15:00	23.24	51.46	32.99	7.98	6.78	3.1	8.2	
		18:00	23.24	51.37	32.93	8.03	7.18	3.6	7.3	
		21:00	22.70	51.28	32.87	8.08	6.85	7.4	8.7	
	日平均值			22.52	51.22	32.83	8.07	6.95	5.00	7.26
	灣內站	0:00	21.38	49.64	31.82	8.22	7.86	12.6	11.6	
		3:00	21.49	50.40	32.31	8.19	7.90	7.7	29.6	
		6:00	21.68	50.43	32.33	8.23	8.20	5.7	20.3	
		9:00	21.71	50.36	32.28	8.23	7.77	3.5	15.2	
		12:00	21.82	50.43	32.33	8.22	7.58	13.6	40.7	
		15:00	21.86	50.89	32.62	8.21	7.88	7.8	34.2	
		18:00	21.85	50.78	32.55	8.24	8.30	8.0	37.3	
		21:00	21.89	50.62	32.45	8.27	7.05	10.9	29.6	
	日平均值			21.71	50.44	32.34	8.23	7.82	8.73	27.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月10日	蚵殼站	0:00	22.35	52.18	33.45	8.14	6.89	10.1	14.3	
		3:00	22.34	52.12	33.41	8.14	7.15	12.8	8.5	
		6:00	22.28	51.90	33.27	8.16	7.22	5.9	6.9	
		9:00	22.32	52.15	33.43	8.18	6.86	4.7	4.9	
		12:00	22.39	52.26	33.50	8.21	7.28	8.7	8.3	
		15:00	22.42	52.28	33.51	8.20	6.94	6.6	6.7	
		18:00	22.44	52.29	33.52	8.17	7.27	5.1	15.6	
		21:00	22.57	52.32	33.54	8.16	7.24	4.3	9.0	
	日平均值			22.39	52.19	33.45	8.17	7.11	7.28	9.28
	潮口站	0:00	22.61	50.40	32.31	8.01	7.06	6.5	7.4	
		3:00	22.26	51.42	32.96	7.97	6.72	8.9	9.4	
		6:00	22.82	51.43	32.97	8.21	6.63	3.9	6.9	
		9:00	22.78	51.29	32.88	8.08	6.84	6.8	3.9	
		12:00	22.40	51.31	32.89	8.22	6.88	5.3	9.7	
		15:00	23.18	51.46	32.99	8.02	6.77	16.2	7.5	
		18:00	23.12	51.64	33.10	7.96	7.21	2.6	10.6	
		21:00	22.83	51.59	33.07	8.18	6.83	7.8	6.8	
	日平均值			22.75	51.32	32.90	8.08	6.87	7.24	7.78
	灣內站	0:00	21.78	49.80	31.92	8.10	7.60	9.4	32.2	
		3:00	21.83	50.56	32.41	8.28	8.87	9.6	27.0	
		6:00	21.41	50.58	32.42	8.28	7.66	8.4	17.9	
		9:00	21.86	50.68	32.49	8.29	7.32	14.6	48.0	
		12:00	21.93	50.39	32.30	8.26	7.62	16.0	31.9	
		15:00	22.07	50.67	32.48	8.21	7.67	21.0	23.8	
		18:00	21.98	50.79	32.56	8.20	7.54	18.4	41.9	
		21:00	22.11	50.92	32.64	8.21	8.27	15.9	35.7	
	日平均值			21.87	50.55	32.40	8.23	7.82	14.16	32.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月11日	蚵殼站	0:00	22.16	52.12	33.41	8.16	7.20	9.7	7.6	
		3:00	22.32	52.07	33.38	8.16	7.26	10.9	13.8	
		6:00	22.53	52.15	33.43	8.16	7.15	6.0	7.9	
		9:00	22.44	52.15	33.43	8.15	7.16	6.3	6.1	
		12:00	22.55	52.01	33.34	8.16	7.56	7.6	4.5	
		15:00	22.74	52.06	33.37	8.17	7.22	5.5	9.5	
		18:00	22.37	52.29	33.52	8.16	7.26	4.5	7.8	
		21:00	22.26	52.46	33.63	8.15	7.60	3.3	11.3	
	日平均值			22.42	52.16	33.44	8.16	7.30	6.73	8.56
	潮口站	0:00	22.76	51.26	32.86	8.05	6.96	6.8	7.5	
		3:00	22.22	51.37	32.93	8.11	6.90	7.7	12.4	
		6:00	22.74	51.56	33.05	8.06	6.88	3.9	3.9	
		9:00	22.77	51.60	33.08	8.17	7.06	7.2	1.2	
		12:00	22.40	51.48	33.00	8.05	7.23	7.9	14.2	
		15:00	22.92	51.48	33.00	8.06	6.78	4.1	9.5	
		18:00	22.81	51.68	33.13	8.01	7.64	92.0	6.3	
		21:00	22.49	51.65	33.11	8.02	7.32	9.2	12.3	
	日平均值			22.64	51.51	33.02	8.07	7.10	17.35	8.41
	灣內站	0:00	22.08	50.43	32.33	8.28	6.89	14.5	37.1	
		3:00	22.10	50.53	32.39	8.27	6.35	6.8	17.4	
		6:00	22.15	50.92	32.64	8.26	8.70	16.6	17.6	
		9:00	21.88	50.89	32.62	8.28	7.78	8.7	31.1	
		12:00	22.03	50.53	32.39	8.23	7.50	19.2	18.0	
		15:00	22.13	50.92	32.64	8.18	8.21	17.7	17.8	
		18:00	22.18	50.97	32.67	8.22	6.94	35.6	33.0	
		21:00	22.14	50.87	32.61	8.21	6.52	41.9	23.8	
	日平均值			22.09	50.76	32.54	8.24	7.36	20.13	24.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月12日	蚵殼站	0:00	22.48	51.89	33.26	8.14	7.49	10.3	9.7	
		3:00	22.65	52.07	33.38	8.18	7.74	26.6	20.8	
		6:00	22.54	52.63	33.74	8.17	7.42	9.4	5.8	
		9:00	22.48	52.35	33.56	8.19	7.29	7.0	6.5	
		12:00	22.78	52.43	33.61	8.19	7.60	7.8	13.7	
		15:00	22.58	52.96	33.95	8.18	7.96	11.0	10.5	
		18:00	22.74	52.49	33.65	8.15	7.15	6.2	3.8	
		21:00	22.72	52.35	33.56	8.18	7.37	4.6	7.6	
	日平均值			22.62	52.40	33.59	8.17	7.50	10.36	9.80
	潮口站	0:00	22.17	51.54	33.04	8.07	7.27	8.7	19.1	
		3:00	21.95	51.21	32.83	8.21	7.25	7.4	16.9	
		6:00	22.24	51.57	33.06	8.17	7.15	6.4	6.6	
		9:00	22.50	51.62	33.09	8.15	7.29	6.6	1.1	
		12:00	21.94	51.51	33.02	8.01	7.78	6.7	6.4	
		15:00	22.20	51.21	32.83	7.99	7.00	4.8	6.3	
		18:00	22.85	51.29	32.88	8.14	7.06	3.7	3.2	
		21:00	22.71	51.28	32.87	8.07	7.81	5.4	3.0	
	日平均值			22.32	51.40	32.95	8.10	7.33	6.21	7.83
	灣內站	0:00	22.17	50.79	32.56	8.23	7.67	37.0	24.2	
		3:00	21.92	50.40	32.31	8.29	7.45	22.0	24.8	
		6:00	22.09	50.67	32.48	8.25	6.92	30.8	33.2	
		9:00	22.18	50.75	32.53	8.24	5.52	35.5	27.8	
		12:00	22.02	50.50	32.37	8.22	6.65	33.2	17.0	
		15:00	22.11	50.29	32.24	8.17	6.09	138.1	26.8	
		18:00	22.02	50.22	32.19	8.12	7.67	33.3	26.1	
		21:00	22.42	50.36	32.28	8.15	5.90	65.3	26.1	
	日平均值			22.12	50.50	32.37	8.21	6.73	49.40	25.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月13日	蚵殼站	0:00	22.79	52.68	33.77	8.21	7.98	8.9	16.5	
		3:00	22.79	53.04	34.00	8.16	7.58	14.2	10.0	
		6:00	22.76	53.06	34.01	8.10	8.27	10.2	15.9	
		9:00	22.64	52.84	33.87	8.20	7.26	8.6	10.1	
		12:00	22.82	52.88	33.90	8.19	7.54	9.4	8.2	
		15:00	22.95	52.54	33.68	8.18	7.47	13.0	7.6	
		18:00	22.92	52.74	33.81	8.16	6.79	6.9	2.7	
		21:00	22.96	52.95	33.94	8.20	6.69	3.8	3.0	
	日平均值			22.83	52.84	33.87	8.18	7.45	9.38	9.25
	潮口站	0:00	22.02	51.14	32.78	8.18	7.29	11.2	12.9	
		3:00	21.45	50.67	32.48	8.08	8.49	4.6	20.4	
		6:00	22.48	51.48	33.00	8.14	6.87	6.0	4.4	
		9:00	22.66	51.50	33.01	8.22	7.07	7.8	4.0	
		12:00	22.62	51.14	32.78	8.24	7.13	12.3	4.9	
		15:00	22.42	51.23	32.84	8.19	6.92	7.4	9.1	
		18:00	22.95	51.62	33.09	8.21	6.49	3.2	5.9	
		21:00	22.76	51.62	33.09	8.08	6.67	5.1	3.6	
	日平均值			22.42	51.30	32.88	8.17	7.12	7.20	8.15
	灣內站	0:00	22.29	50.39	32.30	8.17	6.00	74.8	24.2	
		3:00	22.41	49.72	31.87	8.13	9.19	29.6	7.3	
		6:00	22.56	50.59	32.43	8.22	8.70	27.4	42.4	
		9:00	22.53	50.54	32.40	8.23	7.64	25.0	14.8	
		12:00	22.22	50.25	32.21	8.20	7.10	21.4	18.4	
		15:00	22.72	50.34	32.27	8.15	5.80	23.1	16.0	
		18:00	22.57	50.68	32.49	8.20	8.38	21.9	25.9	
		21:00	22.50	50.95	32.66	8.23	8.67	26.2	20.8	
	日平均值			22.48	50.43	32.33	8.19	7.69	31.18	21.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月14日	蚵殼站	0:00	23.00	52.98	33.96	8.13	6.87	10.2	10.9	
		3:00	23.01	53.02	33.99	8.14	8.15	9.0	25.8	
		6:00	22.96	53.10	34.04	8.13	7.96	10.0	24.4	
		9:00	23.06	52.85	33.88	8.18	6.75	6.2	7.5	
		12:00	23.18	52.95	33.94	8.17	6.91	11.3	7.6	
		15:00	23.22	53.07	34.02	8.15	7.77	10.1	18.1	
		18:00	23.18	52.37	33.57	8.12	7.01	9.2	11.9	
		21:00	23.18	52.46	33.63	8.15	7.01	4.4	10.7	
	日平均值			23.10	52.85	33.88	8.15	7.30	8.80	14.61
	潮口站	0:00	22.33	51.60	33.08	8.12	6.60	10.9	3.3	
		3:00	21.90	50.59	32.43	8.10	8.02	8.1	10.8	
		6:00	21.87	51.59	33.07	8.17	6.46	4.8	6.8	
		9:00	22.76	51.62	33.09	8.03	6.63	2.6	1.9	
		12:00	22.95	51.07	32.74	8.06	7.44	8.6	3.4	
		15:00	22.61	50.95	32.66	8.18	7.57	7.1	6.9	
		18:00	23.13	50.62	32.45	8.24	6.73	2.6	5.8	
		21:00	22.95	51.59	33.07	8.14	6.72	3.2	5.3	
	日平均值			22.56	51.20	32.82	8.13	7.02	5.99	5.53
	灣內站	0:00	22.65	50.70	32.50	8.16	9.52	26.7	26.1	
		3:00	22.62	49.55	31.76	7.96	5.73	19.8	21.0	
		6:00	22.62	50.58	32.42	8.18	8.74	18.6	18.9	
		9:00	22.63	50.68	32.49	8.16	5.54	27.8	14.7	
		12:00	22.73	50.12	32.13	8.15	6.55	49.1	15.7	
		15:00	22.80	50.11	32.12	8.19	6.66	26.9	13.8	
		18:00	22.76	49.84	31.95	8.19	10.08	33.6	23.5	
		21:00	22.82	50.75	32.53	8.21	6.55	46.2	27.5	
	日平均值			22.70	50.29	32.24	8.15	7.42	31.09	20.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月15日	蚵殼站	0:00	23.17	53.07	34.02	8.18	6.96	5.0	4.4	
		3:00	23.21	53.02	33.99	8.17	6.74	13.8	8.3	
		6:00	22.96	53.13	34.06	8.14	7.52	9.4	16.0	
		9:00	22.57	53.16	34.08	8.19	6.64	4.0	3.1	
		12:00	22.58	52.79	33.84	8.21	7.03	10.2	3.9	
		15:00	22.69	53.01	33.98	8.18	7.79	7.8	11.8	
		18:00	22.61	52.90	33.91	8.14	8.25	11.1	16.4	
		21:00	22.41	53.01	33.98	8.15	7.00	5.1	6.4	
	日平均值			22.78	53.01	33.98	8.17	7.24	8.30	8.79
	潮口站	0:00	22.92	50.92	32.64	8.16	7.37	8.1	3.2	
		3:00	22.52	50.97	32.67	8.05	7.19	8.4	6.1	
		6:00	22.61	51.03	32.71	7.98	6.52	4.2	7.4	
		9:00	22.93	51.37	32.93	8.10	6.79	3.2	6.0	
		12:00	23.42	51.20	32.82	8.21	7.14	9.4	5.8	
		15:00	23.42	50.76	32.54	8.05	8.02	12.4	9.0	
		18:00	23.48	50.92	32.64	8.15	6.61	6.7	3.8	
		21:00	23.96	51.18	32.81	8.19	6.91	2.6	1.6	
	日平均值			23.16	51.04	32.72	8.11	7.07	6.88	5.36
	灣內站	0:00	22.74	50.06	32.09	8.18	7.55	52.5	19.1	
		3:00	22.76	50.00	32.05	8.19	7.49	55.9	20.8	
		6:00	22.70	50.08	32.10	8.27	8.10	82.1	13.8	
		9:00	22.77	50.47	32.35	8.26	6.72	104.8	9.9	
		12:00	22.86	50.31	32.25	8.24	7.12	6.0	14.4	
		15:00	22.87	49.94	32.01	8.26	6.18	6.2	19.7	
		18:00	22.91	49.76	31.90	8.16	9.94	74.2	39.2	
		21:00	23.26	50.31	32.25	8.23	9.22	99.9	9.5	
	日平均值			22.86	50.12	32.13	8.22	7.79	60.20	18.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月16日	蚵殼站	0:00	22.26	52.37	33.57	8.18	7.08	4.9	7.9	
		3:00	22.13	52.40	33.59	8.16	7.06	30.3	8.9	
		6:00	21.90	52.45	33.62	8.15	7.34	8.2	14.5	
		9:00	21.70	52.88	33.90	8.18	6.60	4.2	26.3	
		12:00	21.60	52.87	33.89	8.16	9.94	49.2	25.5	
		15:00	22.09	52.65	33.75	8.13	7.44	52.6	26.9	
		18:00	21.86	51.90	33.27	8.12	8.23	27.4	22.1	
		21:00	21.69	51.99	33.33	8.15	5.80	30.2	22.0	
	日平均值			21.90	52.44	33.62	8.15	7.44	25.86	19.26
	潮口站	0:00	23.38	50.79	32.56	8.10	7.21	9.1	9.8	
		3:00	22.91	50.84	32.59	8.01	7.13	5.9	4.6	
		6:00	22.72	50.78	32.55	8.05	6.94	7.0	9.6	
		9:00	23.13	51.32	32.90	7.98	6.74	3.5	4.2	
		12:00	23.07	50.11	32.12	8.05	8.51	15.0	9.2	
		15:00	22.62	53.90	34.55	7.98	8.02	9.0	6.9	
		18:00	22.36	54.04	34.64	8.07	7.08	16.8	15.8	
		21:00	22.33	54.55	34.97	8.04	7.21	17.5	7.0	
	日平均值			22.82	52.04	33.36	8.04	7.36	10.47	8.39
	灣內站	0:00	23.69	49.89	31.98	8.25	8.26	11.1	27.3	
		3:00	23.56	50.09	32.11	8.29	7.97	67.7	32.8	
		6:00	23.16	49.90	31.99	8.18	7.55	37.2	9.3	
		9:00	23.02	50.43	32.33	8.27	7.37	22.9	6.7	
		12:00	22.80	53.24	34.13	8.03	7.25	29.0	14.3	
		15:00	22.68	53.32	34.18	8.02	6.82	43.4	16.4	
		18:00	22.54	53.07	34.02	7.92	7.14	29.2	20.1	
		21:00	22.41	53.82	34.50	7.95	7.07	23.6	18.0	
	日平均值			22.98	51.72	33.16	8.11	7.43	33.01	18.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月17日	蚵殼站	0:00	21.27	52.38	33.58	8.13	7.51	5.8	19.3	
		3:00	20.76	52.38	33.58	8.16	7.55	24.7	17.9	
		6:00	20.80	52.18	33.45	8.16	7.69	11.5	24.0	
		9:00	21.31	52.01	33.34	8.17	7.29	6.3	20.5	
		12:00	21.62	52.01	33.34	8.18	7.47	5.3	19.2	
		15:00	21.76	52.70	33.78	8.16	8.76	3.2	26.2	
		18:00	21.99	52.46	33.63	8.14	8.14	37.9	2.5	
		21:00	21.92	52.15	33.43	8.16	7.81	7.7	4.4	
	日平均值			21.43	52.28	33.52	8.16	7.78	12.79	16.75
	潮口站	0:00	22.55	54.38	34.86	8.10	7.29	3.1	9.6	
		3:00	22.20	54.21	34.75	8.12	7.47	4.0	2.7	
		6:00	21.73	54.07	34.66	7.96	7.46	38.9	3.3	
		9:00	22.25	54.71	35.07	8.06	7.08	5.9	2.8	
		12:00	22.73	54.62	35.01	8.21	7.25	20.1	3.7	
		15:00	22.69	54.26	34.78	7.96	7.90	5.5	4.6	
		18:00	22.62	54.19	34.74	8.02	7.97	4.4	4.4	
		21:00	22.28	54.66	35.04	8.08	7.18	2.8	12.2	
	日平均值			22.38	54.39	34.86	8.06	7.45	10.59	5.41
	灣內站	0:00	22.31	53.77	34.47	7.91	6.92	21.0	11.8	
		3:00	22.10	53.52	34.31	7.93	6.74	17.7	16.9	
		6:00	22.04	53.38	34.22	7.97	6.27	14.2	8.0	
		9:00	22.24	53.94	34.58	7.93	6.15	11.2	4.7	
		12:00	22.21	53.84	34.51	7.98	6.98	10.7	14.9	
		15:00	22.30	52.73	33.80	8.14	7.40	16.8	16.4	
		18:00	22.26	52.79	33.84	8.14	5.86	21.0	18.2	
		21:00	22.27	52.74	33.81	8.06	6.14	9.4	15.9	
	日平均值			22.22	53.34	34.19	8.01	6.56	15.25	13.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月18日	蚵殼站	0:00	21.50	52.15	33.43	8.20	7.45	3.6	1.4	
		3:00	21.85	52.21	33.47	8.14	7.50	6.2	17.8	
		6:00	22.03	52.34	33.55	8.09	7.26	4.5	10.7	
		9:00	21.85	52.49	33.65	8.18	7.42	22.8	4.7	
		12:00	22.11	52.35	33.56	8.18	7.60	12.4	11.0	
		15:00	22.27	52.06	33.37	8.16	8.48	12.6	16.4	
		18:00	22.31	52.26	33.50	8.15	7.78	14.4	20.8	
		21:00	22.13	52.03	33.35	8.18	9.15	21.2	19.8	
	日平均值			22.01	52.24	33.49	8.16	7.83	12.21	12.83
	潮口站	0:00	22.33	54.60	35.00	8.08	7.24	3.2	3.7	
		3:00	22.48	54.51	34.94	8.12	7.40	13.6	3.6	
		6:00	22.09	54.13	34.70	8.08	7.62	9.4	4.0	
		9:00	22.18	54.80	35.13	8.13	7.11	11.0	1.1	
		12:00	22.84	54.76	35.10	8.15	7.11	3.9	1.6	
		15:00	23.14	54.21	34.75	8.10	7.92	3.8	16.2	
		18:00	22.80	54.24	34.77	8.07	7.89	7.8	10.3	
		21:00	22.42	54.54	34.96	8.08	7.40	2.4	8.8	
	日平均值			22.54	54.47	34.92	8.10	7.46	6.89	6.16
	灣內站	0:00	21.99	52.99	33.97	8.08	6.41	17.8	13.4	
		3:00	22.05	52.77	33.83	8.17	6.43	20.9	14.7	
		6:00	22.18	52.93	33.93	8.22	5.57	23.3	11.6	
		9:00	22.09	52.92	33.92	8.24	5.65	12.4	4.4	
		12:00	22.16	52.98	33.96	8.03	5.82	9.0	12.4	
		15:00	22.30	52.81	33.85	8.06	6.74	5.6	16.2	
		18:00	22.32	53.10	34.04	8.14	6.82	6.6	24.7	
		21:00	22.19	53.52	34.31	7.99	6.70	10.1	11.1	
	日平均值			22.16	53.00	33.98	8.12	6.27	13.21	13.56
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月19日	蚵殼站	0:00	22.53	52.10	33.40	8.12	8.35	14.8	12.5	
		3:00	22.34	52.06	33.37	8.12	8.65	11.1	14.1	
		6:00	22.30	51.90	33.27	8.12	8.48	12.9	14.1	
		9:00	22.33	52.03	33.35	8.16	8.32	12.3	14.5	
		12:00	22.74	51.98	33.32	8.16	8.09	3.7	8.6	
		15:00	22.79	51.96	33.31	8.13	7.57	4.1	20.3	
		18:00	22.74	52.10	33.40	8.11	7.87	6.1	10.7	
		21:00	22.63	52.09	33.39	8.13	7.84	3.2	14.6	
	日平均值			22.55	52.03	33.35	8.13	8.15	8.52	13.68
	潮口站	0:00	22.32	54.76	35.10	8.03	7.26	6.2	19.3	
		3:00	22.74	54.35	34.84	8.06	7.74	2.2	5.7	
		6:00	21.94	54.32	34.82	8.07	7.84	10.4	20.0	
		9:00	22.56	54.62	35.01	8.14	7.23	14.0	19.3	
		12:00	22.97	54.69	35.06	8.14	7.15	6.7	4.8	
		15:00	23.15	54.33	34.83	8.11	7.74	9.2	25.1	
		18:00	23.26	54.16	34.72	8.07	7.94	10.8	8.7	
		21:00	22.78	54.33	34.83	8.08	7.75	25.2	6.3	
	日平均值			22.72	54.45	34.90	8.09	7.58	10.59	13.65
	灣內站	0:00	22.09	53.46	34.27	7.97	6.43	2.1	13.5	
		3:00	22.06	53.34	34.19	7.99	5.60	13.2	5.5	
		6:00	22.01	53.34	34.19	8.26	6.40	2.5	5.1	
		9:00	22.15	53.46	34.27	7.99	6.52	8.1	6.4	
		12:00	22.60	53.46	34.27	8.03	6.10	15.3	7.8	
		15:00	22.67	53.37	34.21	8.05	6.39	3.1	9.6	
		18:00	23.16	53.43	34.25	7.96	6.47	5.2	14.1	
		21:00	23.00	53.74	34.45	8.01	5.78	5.0	13.3	
	日平均值			22.47	53.45	34.26	8.03	6.21	6.81	9.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月20日	蚵殼站	0:00	22.64	52.34	33.55	8.17	7.74	3.0	18.5	
		3:00	22.61	52.81	33.85	8.15	7.62	4.5	11.2	
		6:00	22.45	52.04	33.36	8.13	7.28	5.3	18.4	
		9:00	22.76	51.82	33.22	8.17	7.42	6.8	11.7	
		12:00	23.11	52.26	33.50	8.20	8.05	5.0	10.0	
		15:00	23.11	51.96	33.31	8.16	8.31	3.7	15.6	
		18:00	23.05	52.40	33.59	8.13	7.68	6.6	12.7	
		21:00	22.92	51.82	33.22	8.13	8.12	4.1	10.7	
	日平均值			22.83	52.18	33.45	8.16	7.78	4.87	13.60
	潮口站	0:00	22.40	54.52	34.95	8.04	7.41	6.4	10.7	
		3:00	22.85	54.19	34.74	8.04	7.72	10.1	16.5	
		6:00	22.42	54.12	34.69	8.07	7.80	11.8	7.5	
		9:00	22.34	54.57	34.98	8.17	7.32	2.8	6.3	
		12:00	23.15	54.63	35.02	8.15	7.15	4.5	1.5	
		15:00	23.35	54.55	34.97	8.13	7.17	19.8	5.0	
		18:00	23.19	54.05	34.65	8.10	7.63	20.4	9.2	
		21:00	22.89	54.32	34.82	8.10	7.44	8.1	9.7	
	日平均值			22.82	54.37	34.85	8.10	7.46	10.49	8.30
	灣內站	0:00	22.76	53.82	34.50	8.04	6.67	4.8	19.2	
		3:00	22.71	53.80	34.49	8.13	6.93	3.1	14.7	
		6:00	22.64	53.74	34.45	8.01	5.88	3.6	29.1	
		9:00	22.49	53.71	34.43	8.16	6.74	9.6	8.6	
		12:00	23.01	53.49	34.29	8.05	7.56	8.6	11.8	
		15:00	22.93	53.04	34.00	8.02	5.81	10.0	15.5	
		18:00	23.06	53.71	34.43	7.97	6.60	4.5	22.1	
		21:00	22.97	53.10	34.04	7.94	6.25	3.7	29.8	
	日平均值			22.82	53.55	34.33	8.04	6.56	5.99	18.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月21日	蚵殼站	0:00	23.20	51.20	32.82	8.17	8.10	6.9	6.8	
		3:00	23.08	51.89	33.26	8.16	8.72	3.3	12.0	
		6:00	23.01	51.70	33.14	8.16	8.28	5.4	11.2	
		9:00	23.07	51.89	33.26	8.17	7.96	7.1	10.0	
		12:00	23.39	51.64	33.10	8.20	8.04	6.8	9.8	
		15:00	23.35	51.40	32.95	8.17	8.26	4.5	10.5	
		18:00	23.20	52.56	33.69	8.15	7.12	4.2	9.3	
		21:00	23.24	52.51	33.66	8.14	7.72	3.1	16.2	
	日平均值			23.19	51.85	33.24	8.17	8.03	5.16	10.73
	潮口站	0:00	22.56	54.07	34.66	8.08	7.45	59.2	23.0	
		3:00	22.88	54.16	34.72	8.09	7.34	22.9	11.3	
		6:00	22.71	54.07	34.66	8.10	7.52	12.3	8.3	
		9:00	22.50	54.19	34.74	8.15	7.29	2.6	9.5	
		12:00	23.10	54.54	34.96	8.15	7.00	3.1	11.3	
		15:00	23.25	54.49	34.93	8.16	7.15	7.0	17.8	
		18:00	23.10	53.96	34.59	8.14	7.60	9.7	8.8	
		21:00	22.91	54.32	34.82	8.12	7.25	3.2	12.2	
	日平均值			22.88	54.23	34.76	8.12	7.33	15.00	12.78
	灣內站	0:00	22.78	53.54	34.32	8.07	5.87	5.2	20.4	
		3:00	22.69	53.48	34.28	8.13	7.19	4.7	14.8	
		6:00	22.45	53.41	34.24	7.98	6.87	3.0	8.8	
		9:00	22.31	53.26	34.14	7.98	6.82	5.9	30.2	
		12:00	23.01	53.37	34.21	7.93	5.85	7.0	17.9	
		15:00	23.01	52.81	33.85	8.10	6.35	5.9	10.2	
		18:00	22.81	53.23	34.12	8.05	6.25	5.4	15.3	
		21:00	22.72	53.73	34.44	8.01	8.13	6.4	30.8	
	日平均值			22.72	53.35	34.20	8.03	6.67	5.44	18.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月22日	蚵殼站	0:00	23.19	51.28	32.87	8.17	8.47	6.5	8.1	
		3:00	23.10	51.07	32.74	8.17	7.93	5.8	8.3	
		6:00	23.03	51.26	32.86	8.16	7.85	8.1	7.6	
		9:00	23.25	51.18	32.81	8.19	7.91	8.3	10.6	
		12:00	23.54	51.01	32.70	8.20	8.01	6.5	7.0	
		15:00	23.40	51.45	32.98	8.16	7.89	3.6	7.3	
		18:00	23.26	52.48	33.64	8.13	7.36	5.8	9.6	
		21:00	23.26	51.92	33.28	8.13	8.05	5.9	7.1	
	日平均值			23.25	51.46	32.99	8.16	7.93	6.30	8.20
	潮口站	0:00	22.66	54.26	34.78	8.12	7.54	4.3	13.0	
		3:00	22.69	54.35	34.84	8.12	6.90	2.4	6.4	
		6:00	22.66	54.33	34.83	8.13	6.72	2.6	3.6	
		9:00	22.44	53.59	34.35	8.19	7.94	3.6	6.5	
		12:00	23.10	54.37	34.85	8.20	6.90	6.0	30.7	
		15:00	23.46	54.52	34.95	8.17	7.09	6.9	8.6	
		18:00	23.31	54.26	34.78	8.13	7.52	7.1	7.0	
		21:00	23.05	54.29	34.80	8.11	6.76	3.8	10.0	
	日平均值			22.92	54.25	34.77	8.15	7.17	4.59	10.73
	灣內站	0:00	22.65	53.71	34.43	7.95	7.86	6.9	13.5	
		3:00	22.35	53.94	34.58	8.00	5.60	2.3	12.2	
		6:00	22.22	53.84	34.51	7.97	5.65	2.2	25.2	
		9:00	22.49	53.79	34.48	7.93	6.95	6.4	5.6	
		12:00	22.41	53.62	34.37	8.16	6.20	4.4	13.3	
		15:00	22.75	52.95	33.94	8.01	5.88	5.6	15.2	
		18:00	22.79	53.12	34.05	8.02	5.83	11.8	24.2	
		21:00	22.72	53.41	34.24	8.02	6.32	3.8	21.1	
	日平均值			22.55	53.55	34.33	8.01	6.29	5.43	16.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月23日	蚵殼站	0:00	23.47	50.84	32.59	8.16	8.99	6.4	4.6	
		3:00	23.46	51.06	32.73	8.16	8.65	3.7	7.1	
		6:00	23.32	50.86	32.60	8.14	8.50	3.6	4.5	
		9:00	23.44	50.86	32.60	8.18	8.18	4.3	4.6	
		12:00	23.74	50.81	32.57	8.18	7.97	5.3	14.3	
		15:00	23.83	50.82	32.58	8.17	7.68	7.9	23.4	
		18:00	23.62	51.65	33.11	8.15	7.06	7.5	22.1	
		21:00	23.36	51.28	32.87	8.12	8.08	4.5	16.9	
	日平均值			23.53	51.02	32.71	8.16	8.14	5.39	12.19
	潮口站	0:00	22.92	54.43	34.89	8.11	7.03	7.2	17.7	
		3:00	22.81	54.23	34.76	8.16	6.82	4.2	26.7	
		6:00	22.66	54.38	34.86	8.16	6.62	2.7	46.8	
		9:00	22.53	54.29	34.80	8.19	6.83	4.3	12.8	
		12:00	22.71	54.44	34.90	8.21	7.07	3.2	10.4	
		15:00	22.98	54.04	34.64	8.23	7.10	9.2	49.9	
		18:00	22.81	54.29	34.80	8.18	7.34	3.9	15.5	
		21:00	22.64	54.13	34.70	8.14	6.80	2.6	10.9	
	日平均值			22.76	54.28	34.79	8.17	6.95	4.66	23.84
	灣內站	0:00	22.67	53.43	34.25	8.16	6.45	2.2	10.4	
		3:00	22.53	53.26	34.14	8.07	6.86	14.3	37.0	
		6:00	22.26	53.31	34.17	8.08	7.03	2.1	18.4	
		9:00	22.04	52.99	33.97	8.10	6.99	3.3	15.4	
		12:00	22.19	52.84	33.87	8.14	6.73	4.0	13.9	
		15:00	22.29	53.04	34.00	8.00	6.62	7.5	19.0	
		18:00	22.43	53.20	34.10	8.20	6.27	5.9	25.5	
		21:00	22.49	53.12	34.05	8.01	8.70	14.7	16.3	
	日平均值			22.36	53.15	34.07	8.10	6.96	6.75	19.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月24日	蚵殼站	0:00	23.39	50.90	32.63	8.15	7.96	4.5	11.9	
		3:00	23.30	50.67	32.48	8.16	7.94	5.0	11.4	
		6:00	23.17	51.14	32.78	8.14	7.92	6.7	12.0	
		9:00	23.26	50.47	32.35	8.17	7.56	4.8	11.3	
		12:00	23.50	50.79	32.56	8.18	6.84	5.5	5.6	
		15:00	23.52	52.03	33.35	8.16	6.99	7.0	12.4	
		18:00	23.51	51.42	32.96	8.11	7.61	11.0	11.0	
		21:00	23.48	51.42	32.96	8.10	7.42	3.1	12.3	
	日平均值			23.39	51.11	32.76	8.15	7.53	5.94	10.99
	潮口站	0:00	22.32	54.37	34.85	8.16	6.18	5.3	17.8	
		3:00	21.95	54.21	34.75	8.22	6.43	3.7	12.8	
		6:00	22.99	54.48	34.92	8.22	6.63	4.9	12.4	
		9:00	22.99	54.30	34.81	8.19	6.55	5.0	52.5	
		12:00	22.36	54.37	34.85	8.20	6.99	2.4	10.2	
		15:00	23.51	54.09	34.67	8.23	6.70	3.0	5.9	
		18:00	23.49	54.51	34.94	8.21	7.23	3.7	73.0	
		21:00	23.28	54.15	34.71	8.16	6.84	3.8	7.2	
	日平均值			22.86	54.31	34.81	8.20	6.69	3.98	23.98
	灣內站	0:00	22.13	53.07	34.02	8.00	6.32	4.8	23.6	
		3:00	21.74	53.09	34.03	7.98	6.58	2.1	6.1	
		6:00	21.86	52.82	33.86	8.03	6.29	2.3	8.8	
		9:00	22.12	52.73	33.80	8.24	5.57	5.6	10.3	
		12:00	21.92	52.60	33.72	8.01	6.85	2.7	19.8	
		15:00	22.57	52.40	33.59	8.03	7.75	18.4	15.9	
		18:00	22.47	53.16	34.08	8.19	7.68	2.6	14.9	
		21:00	22.41	53.26	34.14	8.19	6.83	3.4	18.1	
	日平均值			22.15	52.89	33.91	8.08	6.73	5.24	14.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月25日	蚵殼站	0:00	23.35	51.25	32.85	8.11	6.95	4.1	7.7	
		3:00	23.24	50.78	32.55	8.13	7.70	3.7	5.6	
		6:00	23.11	51.15	32.79	8.13	7.34	8.5	16.1	
		9:00	23.22	51.29	32.88	8.16	6.62	5.4	5.2	
		12:00	23.29	51.40	32.95	8.14	6.62	4.5	11.0	
		15:00	23.31	51.57	33.06	8.15	7.26	4.5	7.0	
		18:00	23.30	51.43	32.97	8.15	6.80	4.1	11.6	
		21:00	23.23	51.95	33.30	8.16	6.78	4.1	12.2	
	日平均值			23.26	51.35	32.92	8.14	7.01	4.85	9.55
	潮口站	0:00	22.79	54.09	34.67	8.15	6.45	3.2	6.7	
		3:00	22.41	53.93	34.57	8.18	6.29	7.0	14.9	
		6:00	22.96	54.48	34.92	8.18	6.71	4.7	4.2	
		9:00	23.02	54.48	34.92	8.18	6.78	3.3	4.6	
		12:00	22.83	54.48	34.92	8.18	6.74	3.6	5.8	
		15:00	23.61	54.15	34.71	8.21	6.60	3.5	9.4	
		18:00	23.90	54.54	34.96	8.23	7.02	4.1	8.8	
		21:00	23.40	54.38	34.86	8.20	6.59	5.6	10.3	
	日平均值			23.12	54.32	34.82	8.19	6.65	4.38	8.09
	灣內站	0:00	22.40	52.32	33.54	7.97	7.00	2.7	18.6	
		3:00	22.02	52.35	33.56	8.05	6.31	3.9	11.9	
		6:00	21.85	52.65	33.75	7.94	6.32	2.2	7.3	
		9:00	21.82	52.38	33.58	7.91	6.42	3.3	14.3	
		12:00	22.04	52.35	33.56	7.91	7.21	31.0	17.3	
		15:00	22.08	52.28	33.51	7.92	7.99	3.4	16.5	
		18:00	22.19	52.40	33.59	8.08	7.63	9.0	17.2	
		21:00	22.12	52.42	33.60	8.09	5.88	13.1	16.9	
	日平均值			22.07	52.39	33.59	7.98	6.85	8.58	15.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月26日	蚵殼站	0:00	23.16	51.59	33.07	8.16	6.98	6.7	20.7	
		3:00	23.05	51.62	33.09	8.16	7.13	4.4	19.7	
		6:00	22.89	51.40	32.95	8.15	6.81	5.2	14.2	
		9:00	23.03	51.53	33.03	8.17	6.95	7.0	11.4	
		12:00	23.31	51.57	33.06	8.20	6.46	4.2	9.0	
		15:00	23.18	52.03	33.35	8.18	7.97	4.0	10.3	
		18:00	23.03	51.67	33.12	8.17	7.43	3.9	7.4	
		21:00	22.99	51.42	32.96	8.15	7.16	6.2	16.9	
	日平均值			23.08	51.60	33.08	8.17	7.11	5.19	13.70
	潮口站	0:00	22.63	54.35	34.84	8.15	6.44	5.6	17.3	
		3:00	22.33	54.13	34.70	8.15	6.03	14.4	31.6	
		6:00	23.20	54.38	34.86	8.21	6.60	2.7	6.5	
		9:00	23.25	54.38	34.86	8.20	6.74	9.5	8.6	
		12:00	22.67	54.26	34.78	8.19	6.83	4.4	12.4	
		15:00	22.94	53.96	34.59	8.21	6.59	5.3	23.4	
		18:00	23.99	54.23	34.76	8.21	6.51	2.8	7.6	
		21:00	23.71	54.09	34.67	8.20	6.49	7.2	9.4	
	日平均值			23.09	54.22	34.76	8.19	6.53	6.49	14.60
	灣內站	0:00	22.10	52.40	33.59	8.10	6.01	8.5	15.7	
		3:00	21.66	52.38	33.58	8.12	5.71	2.4	6.4	
		6:00	21.61	52.48	33.64	8.20	5.60	3.3	11.3	
		9:00	21.54	52.31	33.53	8.28	5.75	3.8	10.7	
		12:00	21.56	52.17	33.44	8.17	6.83	3.1	12.6	
		15:00	21.83	52.03	33.35	7.93	7.89	2.6	13.9	
		18:00	21.92	52.60	33.72	7.95	7.86	8.0	27.2	
		21:00	22.13	52.56	33.69	8.04	6.70	7.2	17.5	
日平均值			21.79	52.37	33.57	8.10	6.54	4.86	14.41	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月27日	蚵殼站	0:00	22.85	51.67	33.12	8.14	6.77	5.4	17.4	
		3:00	22.78	51.40	32.95	8.14	6.79	4.0	17.7	
		6:00	22.76	51.01	32.70	8.16	6.75	3.2	12.9	
		9:00	22.99	51.21	32.83	8.18	6.28	4.0	14.7	
		12:00	23.19	51.46	32.99	8.21	6.72	4.0	18.8	
		15:00	23.12	51.28	32.87	8.20	7.35	3.2	14.5	
		18:00	23.08	51.09	32.75	8.17	7.38	5.5	16.5	
		21:00	23.05	50.89	32.62	8.16	7.67	8.9	12.6	
	日平均值			22.98	51.25	32.85	8.17	6.96	4.77	15.64
	潮口站	0:00	22.83	54.27	34.79	8.16	6.52	2.1	11.2	
		3:00	22.25	54.01	34.62	8.17	6.35	2.6	10.7	
		6:00	23.29	54.48	34.92	8.18	6.32	2.6	1.2	
		9:00	23.49	54.49	34.93	8.19	6.56	3.3	7.2	
		12:00	23.39	54.24	34.77	8.19	6.88	43.8	5.1	
		15:00	23.18	53.34	34.19	8.19	6.58	5.4	16.2	
		18:00	24.12	54.19	34.74	8.19	6.54	2.2	3.0	
		21:00	23.97	54.16	34.72	8.16	6.48	5.2	10.7	
	日平均值			23.32	54.15	34.71	8.18	6.53	8.40	8.16
	灣內站	0:00	21.94	52.23	33.48	8.14	6.54	4.7	18.4	
		3:00	21.71	52.20	33.46	8.04	6.03	3.7	13.3	
		6:00	21.55	52.48	33.64	8.03	5.68	3.7	13.7	
		9:00	21.48	52.14	33.42	8.01	5.87	4.9	8.1	
		12:00	21.82	51.95	33.30	8.11	6.34	5.0	17.3	
		15:00	22.56	51.37	32.93	8.03	7.32	3.4	24.5	
		18:00	22.71	52.10	33.40	8.07	7.52	3.5	17.1	
		21:00	22.53	52.73	33.80	7.94	6.95	5.5	15.2	
	日平均值			22.04	52.15	33.43	8.05	6.53	4.30	15.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月28日	蚵殼站	0:00	22.92	50.59	32.43	8.16	7.05	3.2	17.3	
		3:00	22.73	50.59	32.43	8.16	7.60	3.3	21.2	
		6:00	22.61	50.61	32.44	8.16	7.37	4.6	14.2	
		9:00	22.55	50.59	32.43	8.15	6.88	3.2	13.0	
		12:00	22.76	50.81	32.57	8.16	7.14	4.7	12.2	
		15:00	22.90	50.92	32.64	8.17	7.55	4.3	18.8	
		18:00	22.67	50.78	32.55	8.16	7.56	3.0	17.7	
		21:00	22.70	51.03	32.71	8.15	8.03	5.1	12.4	
	日平均值			22.73	50.74	32.53	8.16	7.40	3.92	15.85
	潮口站	0:00	23.01	54.05	34.65	8.18	6.32	3.6	2.6	
		3:00	22.82	54.04	34.64	8.15	6.37	2.3	4.7	
		6:00	22.48	54.46	34.91	8.17	6.42	3.1	9.7	
		9:00	23.55	54.35	34.84	8.18	6.77	4.2	5.7	
		12:00	23.68	54.33	34.83	8.18	6.98	12.0	9.0	
		15:00	22.98	51.07	32.74	8.17	6.58	3.5	16.4	
		18:00	23.97	53.96	34.59	8.15	6.83	5.4	17.1	
		21:00	23.82	54.10	34.68	8.12	6.86	2.6	4.4	
	日平均值			23.29	53.80	34.49	8.16	6.64	4.59	8.70
	灣內站	0:00	22.21	52.24	33.49	8.01	5.91	8.7	17.9	
		3:00	22.25	52.14	33.42	7.93	6.25	4.4	14.7	
		6:00	22.02	52.60	33.72	7.96	5.73	6.1	9.9	
		9:00	22.11	52.62	33.73	7.99	7.91	6.0	25.6	
		12:00	23.07	52.12	33.41	8.01	6.60	4.1	17.8	
		15:00	23.32	51.90	33.27	8.09	6.92	4.7	11.4	
		18:00	23.56	52.46	33.63	7.92	7.27	2.8	10.7	
		21:00	22.66	52.60	33.72	8.11	6.74	3.6	23.2	
	日平均值			22.65	52.34	33.55	8.00	6.67	5.05	16.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
1月29日	蚵殼站	0:00	22.64	50.89	32.62	8.15	7.40	3.3	14.8	
		3:00	22.55	50.45	32.34	8.13	8.25	4.0	17.6	
		6:00	22.39	50.89	32.62	8.12	7.87	4.6	14.3	
		9:00	22.23	50.65	32.47	8.12	7.14	4.8	15.5	
		12:00	22.20	50.79	32.56	8.11	7.92	3.6	15.4	
		15:00	22.32	50.65	32.47	8.09	7.41	10.3	24.3	
		18:00	22.40	50.82	32.58	8.06	9.58	3.0	15.0	
		21:00	22.34	50.64	32.46	8.05	7.23	7.8	13.8	
	日平均值			22.38	50.72	32.52	8.10	7.85	5.17	16.34
	潮口站	0:00	23.65	53.90	34.55	8.21	6.50	3.6	9.4	
		3:00	22.93	53.62	34.37	8.14	6.80	3.9	9.6	
		6:00	22.73	54.16	34.72	8.16	6.36	3.4	5.3	
		9:00	23.43	54.46	34.91	8.20	6.62	31.8	7.3	
		12:00	23.54	53.98	34.60	8.16	7.04	4.1	4.9	
		15:00	23.54	53.23	34.12	8.15	6.55	6.6	11.2	
		18:00	23.45	53.55	34.33	8.16	6.43	3.9	8.0	
		21:00	23.54	53.88	34.54	8.17	6.48	5.8	7.3	
	日平均值			23.35	53.85	34.52	8.17	6.60	7.89	7.88
	灣內站	0:00	22.62	52.57	33.70	7.91	6.52	4.3	13.9	
		3:00	22.56	52.53	33.67	8.09	5.77	8.4	9.3	
		6:00	22.48	52.57	33.70	7.98	7.71	4.3	6.8	
		9:00	22.22	52.59	33.71	8.06	6.56	3.7	8.2	
		12:00	22.36	52.51	33.66	8.10	5.59	3.6	21.1	
		15:00	23.23	51.57	33.06	8.06	7.12	17.1	30.5	
		18:00	23.20	51.89	33.26	8.05	6.79	2.4	27.9	
		21:00	23.09	52.34	33.55	7.93	6.26	2.9	8.5	
	日平均值			22.72	52.32	33.54	8.02	6.54	5.84	15.78
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月30日	蚵殼站	0:00	22.20	50.75	32.53	8.05	6.71	4.8	13.1	
		3:00	22.18	50.89	32.62	8.02	6.88	3.0	14.0	
		6:00	21.79	50.65	32.47	8.04	6.90	4.4	11.6	
		9:00	21.63	50.72	32.51	8.06	6.21	3.5	12.8	
		12:00	22.07	50.61	32.44	8.06	6.76	2.9	13.7	
		15:00	22.17	50.75	32.53	8.08	6.86	4.1	8.7	
		18:00	22.02	50.93	32.65	8.06	7.75	6.3	17.2	
		21:00	21.79	50.93	32.65	8.07	8.11	11.3	12.6	
	日平均值			21.98	50.78	32.55	8.06	7.02	5.03	12.96
	潮口站	0:00	23.40	53.46	34.27	8.20	6.34	8.1	2.8	
		3:00	23.11	53.43	34.25	8.15	6.78	5.9	5.1	
		6:00	22.62	53.99	34.61	8.16	6.31	3.8	4.9	
		9:00	22.96	54.15	34.71	8.20	6.23	7.6	5.4	
		12:00	23.28	53.91	34.56	8.19	6.70	9.1	4.1	
		15:00	23.16	53.59	34.35	8.16	7.23	2.8	3.4	
		18:00	23.38	53.34	34.19	8.16	6.41	6.7	8.1	
		21:00	23.20	53.63	34.38	8.13	6.40	2.2	9.2	
	日平均值			23.14	53.69	34.42	8.17	6.55	5.78	5.38
	灣內站	0:00	22.94	52.53	33.67	8.07	5.97	6.4	26.4	
		3:00	22.98	52.31	33.53	8.01	5.76	3.2	19.0	
		6:00	22.68	52.48	33.64	7.99	5.57	4.6	27.4	
		9:00	22.27	52.49	33.65	7.94	6.04	12.1	8.9	
		12:00	22.80	52.12	33.41	8.16	6.61	6.6	11.0	
		15:00	23.26	51.64	33.10	7.98	6.34	2.1	11.7	
		18:00	23.21	51.90	33.27	8.03	6.73	2.2	12.2	
		21:00	22.69	51.75	33.17	8.13	5.86	2.1	8.3	
	日平均值			22.85	52.15	33.43	8.04	6.11	4.91	15.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月31日	蚵殼站	0:00	21.66	51.12	32.77	8.05	7.81	7.4	8.4	
		3:00	21.50	50.89	32.62	8.04	7.79	15.5	4.9	
		6:00	21.40	50.92	32.64	8.03	7.92	27.2	7.3	
		9:00	21.43	51.09	32.75	8.03	7.65	4.4	7.7	
		12:00	21.91	50.73	32.52	8.09	6.54	8.6	8.3	
		15:00	22.27	50.95	32.66	8.09	8.10	4.6	16.9	
		18:00	22.29	50.68	32.49	8.05	7.65	14.3	7.8	
		21:00	21.98	50.84	32.59	8.03	7.61	3.0	11.1	
	日平均值			21.81	50.90	32.63	8.05	7.63	10.62	9.05
	潮口站	0:00	23.11	53.27	34.15	8.16	6.83	3.3	4.6	
		3:00	22.77	53.35	34.20	8.17	6.71	2.6	7.8	
		6:00	22.47	53.59	34.35	8.21	6.19	5.7	10.3	
		9:00	22.71	54.27	34.79	8.20	6.34	2.3	8.8	
		12:00	23.24	53.85	34.52	8.17	6.61	10.6	8.1	
		15:00	23.20	53.51	34.30	8.20	7.21	3.8	7.0	
		18:00	23.06	53.27	34.15	8.16	6.37	8.9	13.0	
		21:00	22.74	54.02	34.63	8.13	6.36	2.4	10.8	
	日平均值			22.91	53.64	34.39	8.18	6.58	4.95	8.80
	灣內站	0:00	22.58	51.36	32.92	8.02	6.82	2.1	26.7	
		3:00	22.37	51.46	32.99	8.13	6.55	4.0	8.0	
		6:00	22.22	52.65	33.75	7.90	6.29	3.1	12.8	
		9:00	22.34	51.01	32.70	7.90	6.12	3.8	12.8	
		12:00	22.55	51.12	32.77	7.97	5.57	8.3	13.0	
		15:00	22.94	50.26	32.22	8.07	6.05	10.4	23.4	
		18:00	22.86	50.62	32.45	7.91	6.67	2.7	7.7	
		21:00	22.32	50.79	32.56	8.22	5.96	3.7	16.4	
	日平均值			22.52	51.16	32.80	8.02	6.25	4.76	15.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月1日	蚵殼站	0:00	21.67	51.87	33.25	8.05	8.22	1.8	9.8	
		3:00	21.58	52.68	33.77	8.04	8.27	1.3	8.4	
		6:00	21.33	52.56	33.69	8.04	8.18	0.3	6.0	
		9:00	21.26	52.70	33.78	8.04	8.41	0.1	8.4	
		12:00	21.48	52.42	33.60	8.06	8.79	0.4	9.1	
		15:00	21.46	52.63	33.74	8.06	8.81	0.7	5.5	
		18:00	21.52	53.18	34.09	8.02	8.15	0.6	13.5	
		21:00	21.28	53.04	34.00	8.01	7.93	1.3	10.5	
	日平均值			21.45	52.64	33.74	8.04	8.35	0.82	8.90
	潮口站	0:00	22.49	52.40	33.59	8.15	7.76	18.1	9.4	
		3:00	22.54	52.38	33.58	8.14	7.60	32.3	11.0	
		6:00	22.94	52.85	33.88	8.13	7.49	31.1	6.6	
		9:00	22.66	52.74	33.81	8.15	7.79	27.3	5.2	
		12:00	22.61	52.62	33.73	8.15	7.76	27.6	7.8	
		15:00	22.91	52.65	33.75	8.14	7.85	20.2	7.5	
		18:00	22.95	52.71	33.79	8.14	7.69	17.9	9.9	
		21:00	22.51	52.56	33.69	8.14	7.58	18.1	11.6	
	日平均值			22.70	52.61	33.73	8.14	7.69	24.08	8.63
	灣內站	0:00	22.50	51.67	33.12	8.00	6.19	2.50	11.50	
		3:00	22.34	51.73	33.16	8.02	5.75	1.57	19.60	
		6:00	22.07	51.79	33.20	8.08	6.38	0.48	11.40	
		9:00	21.90	51.64	33.10	8.04	6.34	1.09	5.10	
		12:00	22.18	51.17	32.80	8.10	8.00	0.10	3.90	
		15:00	22.10	50.79	32.56	8.17	8.17	1.59	9.70	
		18:00	22.07	51.53	33.03	8.10	7.35	1.76	7.80	
		21:00	21.91	51.42	32.96	8.07	6.47	1.40	12.90	
	日平均值			22.13	51.47	32.99	8.07	6.83	1.31	10.24
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月2日	蚵殼站	0:00	21.05	52.90	33.91	7.99	7.72	2.0	7.6	
		3:00	20.73	52.45	33.62	7.96	7.35	0.9	13.2	
		6:00	20.53	52.35	33.56	7.96	7.34	0.5	7.4	
		9:00	20.70	52.31	33.53	8.00	7.91	0.2	10.6	
		12:00	21.11	52.84	33.87	8.02	8.64	1.0	9.2	
		15:00	21.13	53.07	34.02	8.02	8.47	5.5	12.4	
		18:00	21.50	53.57	34.34	7.99	8.04	1.9	16.1	
		21:00	21.44	53.66	34.40	7.98	7.57	1.7	18.8	
	日平均值			21.02	52.89	33.91	7.99	7.88	1.70	11.91
	潮口站	0:00	22.04	52.38	33.58	8.14	7.47	18.3	13.2	
		3:00	21.92	52.20	33.46	8.14	7.46	20.1	3.0	
		6:00	22.15	52.63	33.74	8.14	7.55	28.2	7.1	
		9:00	22.29	52.59	33.71	8.17	7.97	18.3	5.0	
		12:00	22.54	52.43	33.61	8.16	8.05	32.9	1.6	
		15:00	22.82	52.40	33.59	8.15	7.95	28.1	9.2	
		18:00	22.87	52.56	33.69	8.15	7.75	19.7	9.0	
		21:00	22.56	52.67	33.76	8.15	7.84	11.9	6.7	
	日平均值			22.40	52.48	33.64	8.15	7.76	22.18	6.85
	灣內站	0:00	21.72	51.29	32.88	8.03	5.59	0.97	18.10	
		3:00	21.56	51.42	32.96	8.02	5.79	0.65	13.80	
		6:00	21.46	51.57	33.06	8.06	5.46	1.01	7.70	
		9:00	21.50	51.36	32.92	8.05	6.82	0.17	5.50	
		12:00	21.84	50.26	32.22	8.14	9.53	0.37	19.90	
		15:00	21.93	50.28	32.23	8.15	9.33	2.06	15.40	
		18:00	21.83	51.37	32.93	8.15	7.78	0.74	11.90	
		21:00	21.63	51.46	32.99	8.12	5.14	0.10	13.30	
	日平均值			21.68	51.13	32.77	8.09	6.93	0.76	13.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月3日	蚵殼站	0:00	20.74	52.79	33.84	7.98	7.60	1.0	12.9	
		3:00	20.50	52.60	33.72	7.97	7.48	0.6	11.3	
		6:00	20.36	52.95	33.94	7.98	7.46	1.7	14.3	
		9:00	20.43	52.85	33.88	7.99	7.90	0.8	12.4	
		12:00	20.39	52.12	33.41	8.01	8.39	0.6	8.3	
		15:00	20.40	52.17	33.44	8.05	9.20	0.5	31.3	
		18:00	20.54	52.79	33.84	8.03	8.54	1.0	31.0	
		21:00	20.54	53.04	34.00	8.00	7.97	0.9	21.9	
	日平均值			20.49	52.66	33.76	8.00	8.07	0.89	17.93
	潮口站	0:00	21.76	52.31	33.53	8.12	7.47	20.5	13.0	
		3:00	21.54	51.99	33.33	8.13	7.39	24.0	7.2	
		6:00	22.14	52.65	33.75	8.15	7.60	23.5	6.0	
		9:00	22.57	52.84	33.87	8.17	7.83	26.6	4.2	
		12:00	22.07	52.45	33.62	8.14	7.87	21.5	4.1	
		15:00	22.07	52.48	33.64	8.14	7.80	25.8	2.0	
		18:00	22.41	52.73	33.80	8.16	7.87	24.5	3.4	
		21:00	22.44	52.70	33.78	8.16	7.88	15.0	4.8	
	日平均值			22.13	52.52	33.67	8.15	7.71	22.67	5.59
	灣內站	0:00	21.36	51.31	32.89	8.07	6.42	2.60	16.60	
		3:00	21.17	51.07	32.74	8.05	6.61	0.14	10.90	
		6:00	21.12	51.28	32.87	8.08	6.56	0.10	11.10	
		9:00	21.25	51.14	32.78	8.14	6.80	0.51	13.40	
		12:00	21.28	50.89	32.62	8.16	6.63	0.17	8.80	
		15:00	21.19	50.70	32.50	8.15	8.37	0.37	6.60	
		18:00	21.18	51.01	32.70	8.11	6.73	0.10	19.00	
		21:00	21.04	51.04	32.72	8.11	6.46	0.10	7.10	
	日平均值			21.20	51.06	32.73	8.11	6.82	0.51	11.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月4日	蚵殼站	0:00	19.99	52.51	33.66	7.99	7.87	0.4	24.8	
		3:00	19.70	52.18	33.45	7.99	7.72	0.5	25.6	
		6:00	19.50	52.31	33.53	7.98	7.47	0.2	21.1	
		9:00	19.47	52.45	33.62	7.99	7.43	0.2	21.4	
		12:00	19.59	52.04	33.36	8.01	8.25	0.6	21.7	
		15:00	19.49	52.06	33.37	8.02	8.48	0.6	23.1	
		18:00	19.56	52.54	33.68	8.04	8.68	0.6	28.3	
		21:00	19.59	52.96	33.95	8.02	8.12	0.4	22.5	
	日平均值			19.61	52.38	33.58	8.01	8.00	0.43	23.56
	潮口站	0:00	21.43	52.26	33.50	8.15	7.83	11.2	13.1	
		3:00	20.84	51.79	33.20	8.15	7.66	8.9	3.8	
		6:00	21.46	52.26	33.50	8.14	7.63	26.9	4.3	
		9:00	22.21	52.49	33.65	8.16	7.81	23.9	9.3	
		12:00	21.64	52.20	33.46	8.16	8.02	17.2	3.3	
		15:00	21.28	52.06	33.37	8.15	7.93	20.5	4.3	
		18:00	21.91	52.31	33.53	8.16	7.95	23.5	11.2	
		21:00	22.30	52.54	33.68	8.16	7.88	14.1	10.7	
	日平均值			21.63	52.24	33.49	8.15	7.84	18.26	7.50
	灣內站	0:00	20.82	51.01	32.70	8.09	6.45	1.46	12.70	
		3:00	20.55	50.92	32.64	8.07	6.65	1.19	14.20	
		6:00	20.26	51.01	32.70	8.06	6.02	0.13	8.00	
		9:00	20.13	50.67	32.48	8.07	6.59	0.63	5.50	
		12:00	20.11	50.23	32.20	8.10	7.85	0.10	12.50	
		15:00	19.95	50.23	32.20	8.05	7.28	0.15	8.60	
		18:00	19.92	50.51	32.38	8.07	6.91	0.10	13.10	
		21:00	19.83	50.75	32.53	8.08	6.30	0.10	10.30	
	日平均值			20.20	50.67	32.48	8.07	6.76	0.48	10.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月5日	蚵殼站	0:00	19.13	52.65	33.75	8.00	7.95	0.4	21.9	
		3:00	18.68	52.26	33.50	7.99	7.90	0.3	15.3	
		6:00	18.47	52.34	33.55	7.99	7.75	0.3	10.4	
		9:00	18.69	52.99	33.97	8.00	7.76	0.9	13.4	
		12:00	18.91	53.18	34.09	8.01	7.95	2.6	17.5	
		15:00	18.67	53.16	34.08	8.03	8.20	1.7	25.9	
		18:00	18.53	53.18	34.09	8.01	7.92	1.0	24.3	
		21:00	18.33	52.92	33.92	8.00	7.70	1.0	22.4	
	日平均值			18.68	52.84	33.87	8.00	7.89	1.03	18.89
	潮口站	0:00	21.34	52.14	33.42	8.15	7.89	13.1	4.8	
		3:00	20.35	51.73	33.16	8.14	7.78	10.5	6.4	
		6:00	20.58	51.92	33.28	8.15	7.77	18.4	5.4	
		9:00	21.58	52.21	33.47	8.17	7.98	15.9	7.5	
		12:00	21.22	52.12	33.41	8.17	8.09	15.6	5.5	
		15:00	20.41	52.03	33.35	8.15	7.99	17.4	4.9	
		18:00	21.13	52.09	33.39	8.16	7.95	13.9	6.6	
		21:00	22.02	52.17	33.44	8.16	7.87	7.6	9.7	
	日平均值			21.08	52.05	33.37	8.16	7.92	14.03	6.35
	灣內站	0:00	19.59	50.01	32.06	8.05	6.31	0.10	7.50	
		3:00	19.12	50.29	32.24	8.00	6.40	0.63	9.60	
		6:00	18.90	50.68	32.49	8.02	6.56	0.18	6.00	
		9:00	18.99	50.51	32.38	8.06	6.80	1.04	5.80	
		12:00	19.36	50.61	32.44	8.09	7.02	0.93	7.80	
		15:00	19.12	50.23	32.20	8.10	7.66	1.93	9.50	
		18:00	18.96	48.78	31.27	8.11	7.45	0.18	13.40	
		21:00	18.92	48.44	31.05	8.10	6.95	1.06	9.30	
	日平均值			19.12	49.94	32.02	8.07	6.89	0.76	8.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月6日	蚵殼站	0:00	18.03	52.56	33.69	8.00	7.57	0.7	26.8	
		3:00	17.74	52.53	33.67	7.98	7.47	0.2	21.5	
		6:00	17.56	52.60	33.72	7.98	7.32	0.5	16.5	
		9:00	17.51	52.56	33.69	8.01	7.71	0.3	21.6	
		12:00	17.76	52.26	33.50	8.06	8.90	0.3	25.3	
		15:00	18.26	52.56	33.69	8.08	9.42	0.7	28.4	
		18:00	17.99	52.82	33.86	8.06	9.03	0.5	24.9	
		21:00	18.19	53.02	33.99	8.05	8.67	0.3	19.7	
	日平均值			17.88	52.61	33.73	8.03	8.26	0.43	23.09
	潮口站	0:00	21.08	51.98	33.32	8.15	7.87	10.0	3.7	
		3:00	19.16	51.28	32.87	8.13	7.68	10.3	7.6	
		6:00	19.53	51.56	33.05	8.14	7.69	13.6	6.6	
		9:00	21.83	51.93	33.29	8.18	7.92	15.0	2.1	
		12:00	21.60	51.79	33.20	8.18	8.12	13.6	4.0	
		15:00	19.85	51.39	32.94	8.17	8.45	15.7	8.7	
		18:00	20.15	51.59	33.07	8.18	8.41	10.6	6.4	
		21:00	22.17	51.98	33.32	8.17	7.96	7.3	15.5	
	日平均值			20.67	51.69	33.13	8.16	8.01	12.01	6.83
	灣內站	0:00	18.58	49.62	31.81	8.06	5.94	0.10	13.90	
		3:00	17.83	50.26	32.22	8.00	5.97	0.10	11.30	
		6:00	17.70	50.11	32.12	8.02	6.18	0.90	15.40	
		9:00	17.88	51.31	32.89	8.02	6.34	2.22	22.60	
		12:00	18.87	50.92	32.64	8.14	8.15	0.10	26.30	
		15:00	18.78	50.73	32.52	8.16	8.93	0.73	29.40	
		18:00	18.66	50.06	32.09	8.13	7.50	0.10	25.90	
		21:00	18.52	49.25	31.57	8.12	6.90	0.10	20.70	
	日平均值			18.35	50.28	32.23	8.08	6.99	0.54	20.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月7日	蚵殼站	0:00	18.27	53.46	34.27	8.02	7.92	0.8	23.5	
		3:00	17.53	52.88	33.90	8.02	7.79	0.2	21.9	
		6:00	17.22	52.54	33.68	8.02	8.34	0.1	17.8	
		9:00	17.02	52.21	33.47	8.02	8.08	0.1	13.7	
		12:00	17.09	52.04	33.36	8.03	8.79	0.4	16.0	
		15:00	16.95	51.89	33.26	8.07	9.73	0.2	19.4	
		18:00	17.00	52.21	33.47	8.06	9.11	0.1	26.6	
		21:00	17.70	53.10	34.04	8.04	8.40	0.4	17.8	
	日平均值			17.35	52.54	33.68	8.04	8.52	0.31	19.59
	潮口站	0:00	21.59	51.95	33.30	8.16	7.94	7.4	12.2	
		3:00	20.43	51.79	33.20	8.17	8.18	4.9	11.9	
		6:00	19.71	51.64	33.10	8.15	7.88	13.2	2.1	
		9:00	21.81	52.06	33.37	8.17	7.96	12.0	5.4	
		12:00	22.13	51.95	33.30	8.16	7.82	12.4	10.7	
		15:00	20.25	51.56	33.05	8.15	8.07	15.5	2.6	
		18:00	19.69	51.37	32.93	8.15	7.97	19.2	3.7	
		21:00	20.37	51.51	33.02	8.15	7.85	18.9	1.8	
	日平均值			20.75	51.73	33.16	8.16	7.96	12.94	6.30
	灣內站	0:00	18.50	49.94	32.01	8.11	6.80	0.10	24.50	
		3:00	18.42	49.98	32.04	8.07	5.27	0.10	22.90	
		6:00	18.51	50.45	32.34	8.04	5.62	0.10	18.80	
		9:00	18.42	50.62	32.45	8.07	5.99	0.10	14.70	
		12:00	18.47	50.93	32.65	8.10	4.52	1.70	17.00	
		15:00	18.40	51.32	32.90	8.15	7.02	0.10	20.40	
		18:00	18.30	51.04	32.72	8.13	8.02	0.10	27.60	
		21:00	18.31	50.97	32.67	8.12	6.56	0.10	18.80	
	日平均值			18.42	50.66	32.47	8.10	6.23	0.30	20.59
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月8日	蚵殼站	0:00	18.17	53.79	34.48	8.01	7.89	1.4	17.2	
		3:00	18.08	53.87	34.53	7.99	7.55	1.3	18.9	
		6:00	18.06	53.45	34.26	7.99	7.31	1.4	10.4	
		9:00	18.10	53.29	34.16	8.02	6.50	1.9	16.0	
		12:00	18.12	53.40	34.23	8.06	7.68	1.9	17.0	
		15:00	17.94	53.21	34.11	8.09	9.45	2.0	10.5	
		18:00	18.03	53.26	34.14	8.07	9.31	1.1	9.7	
		21:00	17.90	53.40	34.23	8.07	8.93	0.9	8.8	
	日平均值			18.05	53.46	34.27	8.04	8.08	1.49	13.56
	潮口站	0:00	21.64	51.82	33.22	8.16	7.82	6.6	8.7	
		3:00	19.86	51.59	33.07	8.15	7.97	10.5	4.2	
		6:00	19.42	51.42	32.96	8.15	7.80	12.0	4.7	
		9:00	22.02	52.03	33.35	8.18	7.90	8.8	8.2	
		12:00	22.84	52.01	33.34	8.17	7.73	16.4	4.6	
		15:00	20.76	51.34	32.91	8.16	8.27	11.8	2.8	
		18:00	19.68	51.09	32.75	8.16	8.44	13.9	6.2	
		21:00	19.87	51.09	32.75	8.15	8.14	9.3	8.3	
	日平均值			20.76	51.55	33.04	8.16	8.01	11.17	5.96
	灣內站	0:00	18.27	51.32	32.90	8.10	4.58	0.38	18.20	
		3:00	17.84	51.23	32.84	8.07	6.21	0.10	19.90	
		6:00	17.91	50.93	32.65	8.05	5.17	0.10	11.40	
		9:00	18.29	50.81	32.57	8.12	7.37	3.80	17.00	
		12:00	18.36	50.81	32.57	8.29	6.67	20.87	18.00	
		15:00	18.49	50.86	32.60	8.31	9.66	8.44	11.50	
		18:00	18.55	50.90	32.63	8.23	7.27	2.15	10.70	
		21:00	18.42	51.15	32.79	8.21	7.88	0.99	9.80	
	日平均值			18.27	51.00	32.69	8.17	6.85	4.60	14.56
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月9日	蚵殼站	0:00	17.97	53.55	34.33	8.05	8.37	1.3	13.1	
		3:00	18.00	53.59	34.35	8.01	8.14	1.3	18.8	
		6:00	17.99	53.66	34.40	8.00	7.88	4.8	13.7	
		9:00	17.95	53.43	34.25	8.06	8.56	2.0	12.3	
		12:00	18.22	53.18	34.09	8.10	8.82	1.8	13.2	
		15:00	18.82	53.06	34.01	8.10	9.61	4.2	15.2	
		18:00	18.75	52.98	33.96	8.07	9.22	1.9	21.2	
		21:00	18.73	52.82	33.86	8.06	9.20	0.9	11.6	
	日平均值			18.30	53.28	34.16	8.06	8.73	2.29	14.89
	潮口站	0:00	22.73	51.71	33.15	8.17	7.77	1.8	4.5	
		3:00	21.21	51.21	32.83	8.15	7.80	6.1	10.9	
		6:00	20.40	51.14	32.78	8.15	7.83	6.5	6.6	
		9:00	21.98	51.54	33.04	8.18	7.94	4.5	11.7	
		12:00	23.28	51.53	33.03	8.17	7.80	6.8	9.0	
		15:00	21.97	51.07	32.74	8.18	8.46	7.7	6.2	
		18:00	19.91	50.56	32.41	8.20	9.10	10.9	73.1	
		21:00	20.37	50.84	32.59	8.16	8.33	11.5	3.4	
	日平均值			21.48	51.20	32.82	8.17	8.13	6.96	15.68
	灣內站	0:00	18.35	51.25	32.85	8.26	5.49	1.55	14.10	
		3:00	18.30	51.18	32.81	8.23	7.99	2.01	19.80	
		6:00	18.30	51.62	33.09	8.30	6.82	2.45	14.70	
		9:00	18.44	51.00	32.69	8.22	8.62	2.68	13.30	
		12:00	18.67	51.40	32.95	8.32	9.95	5.14	14.20	
		15:00	19.73	51.14	32.78	8.32	9.91	4.98	16.20	
		18:00	19.93	51.06	32.73	8.42	2.61	21.91	64.10	
		21:00	19.95	51.11	32.76	8.44	1.89	20.89	64.50	
	日平均值			18.96	51.22	32.83	8.31	6.66	7.70	27.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月10日	蚵殼站	0:00	18.66	52.65	33.75	8.05	9.09	0.5	16.2	
		3:00	18.40	52.43	33.61	8.05	9.14	0.4	16.9	
		6:00	18.31	52.21	33.47	8.06	9.28	0.4	14.7	
		9:00	18.87	52.60	33.72	8.08	9.41	0.5	12.7	
		12:00	19.68	52.67	33.76	8.09	9.74	0.4	12.6	
		15:00	19.80	52.59	33.71	8.11	9.88	1.2	29.1	
		18:00	19.43	52.76	33.82	8.11	10.16	0.4	31.0	
		21:00	19.34	53.06	34.01	8.10	10.06	0.7	19.5	
	日平均值			19.06	52.62	33.73	8.08	9.60	0.57	19.09
	潮口站	0:00	22.00	50.93	32.65	8.16	7.94	4.9	11.4	
		3:00	22.90	51.42	32.96	8.15	7.59	4.1	36.7	
		6:00	21.32	51.00	32.69	8.15	7.84	8.5	10.2	
		9:00	22.09	50.86	32.60	8.17	7.96	6.9	1.4	
		12:00	23.40	51.15	32.79	8.16	7.84	7.6	6.9	
		15:00	23.39	51.26	32.86	8.16	7.92	6.4	1.6	
		18:00	21.77	50.93	32.65	8.16	8.29	11.9	4.3	
		21:00	21.75	51.00	32.69	8.15	8.00	12.9	5.4	
	日平均值			22.33	51.07	32.74	8.16	7.92	7.90	9.74
	灣內站	0:00	19.82	50.95	32.66	8.31	3.43	11.34	70.50	
		3:00	19.69	51.01	32.70	8.28	5.31	19.82	66.60	
		6:00	19.70	50.98	32.68	8.23	6.96	6.28	73.90	
		9:00	20.00	50.62	32.45	8.19	7.01	3.70	46.00	
		12:00	20.72	50.43	32.33	8.26	8.60	11.89	62.90	
		15:00	21.12	50.68	32.49	8.28	9.81	6.15	51.10	
		18:00	20.93	50.29	32.24	8.33	10.36	4.93	75.90	
		21:00	20.93	50.48	32.36	8.29	8.30	4.69	53.50	
	日平均值			20.36	50.68	32.49	8.27	7.47	8.60	62.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月11日	蚵殼站	0:00	19.42	52.76	33.82	8.08	9.59	0.4	21.9	
		3:00	19.40	52.62	33.73	8.09	9.34	0.5	19.7	
		6:00	19.25	52.84	33.87	8.07	8.91	3.0	11.3	
		9:00	19.37	52.95	33.94	8.04	8.21	5.3	5.8	
		12:00	19.55	52.60	33.72	8.07	8.61	2.4	18.6	
		15:00	19.80	52.65	33.75	8.09	9.28	4.4	20.4	
		18:00	19.61	52.68	33.77	8.09	9.19	3.3	26.9	
		21:00	18.87	52.96	33.95	8.17	10.29	3.8	10.1	
	日平均值			19.41	52.76	33.82	8.09	9.18	2.89	16.84
	潮口站	0:00	21.76	50.36	32.28	8.14	7.76	10.8	4.8	
		3:00	22.79	50.81	32.57	8.14	7.61	7.7	6.5	
		6:00	22.45	50.95	32.66	8.14	7.44	8.1	14.1	
		9:00	22.04	50.67	32.48	8.14	7.51	10.3	5.6	
		12:00	22.78	50.67	32.48	8.16	7.76	10.0	1.8	
		15:00	23.09	51.15	32.79	8.15	7.75	7.3	17.1	
		18:00	21.97	50.72	32.51	8.16	8.22	11.2	11.0	
		21:00	21.57	50.65	32.47	8.14	7.75	12.9	8.8	
	日平均值			22.31	50.75	32.53	8.15	7.73	9.78	8.71
	灣內站	0:00	20.80	50.45	32.34	8.25	9.83	5.54	65.90	
		3:00	20.72	50.75	32.53	8.23	8.62	3.32	64.60	
		6:00	20.56	50.72	32.51	8.21	9.16	11.51	75.00	
		9:00	20.58	50.73	32.52	8.25	8.52	7.74	58.00	
		12:00	20.68	50.51	32.38	8.33	9.37	7.62	67.30	
		15:00	20.82	50.43	32.33	8.34	9.19	6.81	84.20	
		18:00	20.76	50.53	32.39	8.34	6.50	8.47	62.70	
		21:00	20.71	50.54	32.40	8.22	6.39	7.09	62.70	
	日平均值			20.70	50.58	32.43	8.27	8.45	7.26	67.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月12日	蚵殼站	0:00	18.61	52.65	33.75	8.17	10.09	2.1	14.9	
		3:00	18.76	52.90	33.91	8.10	9.03	1.7	14.2	
		6:00	18.61	52.49	33.65	8.11	7.58	0.6	13.9	
		9:00	18.80	52.81	33.85	8.10	9.19	0.5	4.0	
		12:00	19.15	52.67	33.76	8.13	10.25	2.6	9.2	
		15:00	19.19	52.60	33.72	8.14	9.40	2.6	20.7	
		18:00	19.17	52.65	33.75	8.15	9.66	6.3	21.6	
		21:00	18.82	52.90	33.91	8.20	10.52	3.3	8.4	
	日平均值			18.89	52.71	33.79	8.14	9.47	2.45	13.36
	潮口站	0:00	21.21	50.08	32.10	8.15	7.59	12.3	5.6	
		3:00	22.10	50.01	32.06	8.16	7.65	10.8	14.8	
		6:00	22.49	50.90	32.63	8.16	7.59	11.6	5.5	
		9:00	22.32	50.84	32.59	8.17	7.89	10.6	6.2	
		12:00	23.10	50.65	32.47	8.17	8.03	7.1	9.5	
		15:00	23.46	50.15	32.15	8.16	7.72	4.4	20.3	
		18:00	22.14	49.95	32.02	8.18	8.34	10.2	9.5	
		21:00	21.99	50.06	32.09	8.14	7.80	13.8	7.2	
	日平均值			22.35	50.33	32.26	8.16	7.83	10.10	9.83
	灣內站	0:00	20.57	50.51	32.38	8.13	6.14	5.91	67.50	
		3:00	20.37	50.47	32.35	8.19	7.43	3.82	56.40	
		6:00	20.13	50.39	32.30	8.30	6.65	4.90	71.80	
		9:00	20.37	50.11	32.12	8.31	9.95	3.73	64.60	
		12:00	20.95	50.04	32.08	8.35	9.72	6.70	60.30	
		15:00	21.28	50.08	32.10	8.39	9.00	5.64	63.30	
		18:00	21.24	50.12	32.13	8.42	6.02	16.72	71.90	
		21:00	21.15	50.26	32.22	8.41	4.93	21.11	72.60	
	日平均值			20.76	50.25	32.21	8.31	7.48	8.57	66.05
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
2月13日	蚵殼站	0:00	18.68	52.73	33.80	8.20	10.54	2.7	10.4
		3:00	18.56	52.49	33.65	8.16	9.81	0.8	23.9
		6:00	18.38	52.46	33.63	8.15	9.58	0.8	17.4
		9:00	18.63	52.71	33.79	8.15	9.39	0.6	13.3
		12:00	19.24	51.40	32.95	8.17	10.01	2.6	15.9
		15:00	19.39	52.59	33.71	8.13	9.12	3.1	25.1
		18:00	19.29	52.49	33.65	8.15	8.65	2.0	29.5
		21:00	19.23	52.51	33.66	8.18	10.35	1.6	16.4
	日平均值		18.93	52.42	33.61	8.16	9.68	1.77	18.99
	潮口站	0:00	21.62	49.76	31.90	8.14	7.36	16.5	18.9
		3:00	22.29	49.20	31.54	8.17	7.67	8.4	10.6
		6:00	22.82	50.29	32.24	8.16	7.63	7.0	2.6
		9:00	22.43	50.01	32.06	8.19	8.14	8.1	1.6
		12:00	23.09	49.90	31.99	8.18	8.07	6.5	14.9
		15:00	23.48	49.03	31.43	8.15	7.88	3.1	9.9
		18:00	22.54	49.28	31.59	8.16	7.99	10.2	13.8
		21:00	22.13	49.28	31.59	8.16	7.88	14.5	3.8
	日平均值		22.55	49.59	31.79	8.16	7.83	9.28	9.51
	灣內站	0:00	20.96	50.37	32.29	8.31	5.58	20.69	59.90
		3:00	20.82	50.19	32.17	8.25	4.86	10.88	74.40
		6:00	20.80	49.97	32.03	8.29	4.23	15.53	71.30
		9:00	21.04	50.00	32.05	8.30	5.18	12.61	67.20
		12:00	21.58	49.67	31.84	8.28	10.31	11.82	41.90
		15:00	21.58	49.59	31.79	8.33	9.73	8.20	53.60
		18:00	21.74	49.73	31.88	8.36	5.37	19.98	79.60
		21:00	21.64	49.23	31.56	8.34	1.64	38.38	66.80
	日平均值		21.27	49.84	31.95	8.31	5.86	17.26	64.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月14日	蚵殼站	0:00	19.23	52.43	33.61	8.17	9.89	1.6	20.4	
		3:00	19.14	52.67	33.76	8.09	9.17	2.6	9.8	
		6:00	18.88	52.24	33.49	8.04	7.53	1.5	7.3	
		9:00	19.07	52.21	33.47	8.08	7.93	3.1	12.4	
		12:00	19.57	52.34	33.55	8.09	9.89	3.9	11.1	
		15:00	19.94	52.60	33.72	8.09	9.70	5.6	6.2	
		18:00	20.39	52.51	33.66	8.15	9.83	3.0	19.3	
		21:00	20.11	52.17	33.44	8.18	9.54	3.5	13.7	
	日平均值			19.54	52.40	33.59	8.11	9.19	3.09	12.53
	潮口站	0:00	21.77	49.08	31.46	8.16	7.36	14.4	3.3	
		3:00	22.09	49.51	31.74	8.17	7.67	8.5	6.2	
		6:00	22.96	49.72	31.87	8.17	7.49	4.8	11.4	
		9:00	22.61	49.69	31.85	8.19	8.02	10.7	11.4	
		12:00	23.53	49.28	31.59	8.18	7.94	5.4	5.4	
		15:00	24.24	48.98	31.40	8.18	7.63	5.0	2.0	
		18:00	23.75	49.00	31.41	8.18	7.95	7.4	7.1	
		21:00	22.99	48.69	31.21	8.16	8.25	13.3	8.9	
	日平均值			22.99	49.24	31.57	8.17	7.79	8.69	6.96
	灣內站	0:00	21.48	49.20	31.54	8.23	2.68	9.80	78.00	
		3:00	21.41	49.69	31.85	8.24	4.69	31.76	54.40	
		6:00	21.26	49.53	31.75	8.38	4.59	59.42	55.70	
		9:00	21.40	49.37	31.65	8.29	8.88	29.55	42.40	
		12:00	21.99	49.58	31.78	8.32	10.02	11.69	53.80	
		15:00	22.20	49.37	31.65	8.34	7.13	12.40	62.00	
		18:00	22.07	49.41	31.67	8.39	4.96	5.86	33.40	
		21:00	22.31	49.67	31.84	8.38	3.54	3.95	37.60	
	日平均值			21.77	49.48	31.72	8.32	5.81	20.55	52.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月15日	蚵殼站	0:00	19.84	52.31	33.53	8.16	9.71	1.4	15.9	
		3:00	19.59	52.35	33.56	8.09	9.58	0.8	16.1	
		6:00	19.57	52.32	33.54	8.10	9.08	1.5	12.3	
		9:00	20.06	52.17	33.44	7.98	7.66	2.4	8.4	
		12:00	20.63	52.21	33.47	7.94	8.60	3.0	17.7	
		15:00	19.85	52.15	33.43	8.10	9.84	2.5	18.0	
		18:00	19.87	52.23	33.48	8.17	9.79	1.0	18.8	
		21:00	21.25	52.37	33.57	8.10	8.10	1.5	16.9	
	日平均值			20.08	52.26	33.50	8.08	9.05	1.76	15.51
	潮口站	0:00	22.88	48.48	31.08	8.18	8.11	12.4	1.1	
		3:00	23.15	48.59	31.15	8.18	7.72	8.6	4.3	
		6:00	24.02	48.77	31.26	8.17	7.21	8.0	11.9	
		9:00	23.50	48.55	31.12	8.19	7.89	15.0	3.6	
		12:00	24.23	48.39	31.02	8.19	8.10	10.3	4.7	
		15:00	25.33	48.77	31.26	8.18	7.57	3.5	2.2	
		18:00	25.03	48.91	31.35	8.17	7.50	7.0	5.3	
		21:00	23.64	48.81	31.29	8.20	8.64	12.0	13.8	
	日平均值			23.97	48.66	31.19	8.18	7.84	9.59	5.86
	灣內站	0:00	21.95	49.51	31.74	8.28	7.52	3.75	32.20	
		3:00	21.52	49.62	31.81	8.23	6.20	4.99	30.80	
		6:00	21.55	49.70	31.86	8.29	5.12	39.92	29.30	
		9:00	22.00	49.55	31.76	8.34	9.54	79.34	25.60	
		12:00	22.96	48.59	31.15	8.31	8.35	42.34	23.60	
		15:00	23.67	48.64	31.18	8.31	10.43	20.70	22.00	
		18:00	23.70	48.78	31.27	8.35	9.72	12.38	29.10	
		21:00	23.92	48.95	31.38	8.34	7.94	1.63	24.10	
	日平均值			22.66	49.17	31.52	8.31	8.10	25.63	27.09
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月16日	蚵殼站	0:00	21.19	52.43	33.61	8.05	7.36	7.7	9.5	
		3:00	20.85	52.38	33.58	8.06	7.26	2.4	13.8	
		6:00	20.75	52.32	33.54	8.25	8.40	0.4	5.7	
		9:00	20.68	52.21	33.47	8.26	7.32	1.7	10.7	
		12:00	20.67	52.62	33.73	8.23	7.90	3.1	9.0	
		15:00	20.95	52.57	33.70	8.12	8.51	4.2	6.8	
		18:00	20.91	52.46	33.63	8.13	7.04	2.0	21.7	
		21:00	20.77	52.37	33.57	8.26	7.70	0.7	17.8	
	日平均值			20.85	52.42	33.60	8.17	7.69	2.77	11.88
	潮口站	0:00	23.83	48.63	31.17	8.17	7.84	15.0	6.3	
		3:00	24.15	48.22	30.91	8.16	7.00	10.5	3.1	
		6:00	24.53	48.64	31.18	8.15	6.98	16.8	4.7	
		9:00	24.21	48.86	31.32	8.17	7.54	16.5	6.6	
		12:00	24.07	48.77	31.26	8.16	7.21	18.3	2.8	
		15:00	24.22	48.73	31.24	8.18	7.48	10.7	5.6	
		18:00	24.39	48.83	31.30	8.16	7.26	6.9	12.0	
		21:00	23.48	48.91	31.35	8.16	7.40	12.9	14.5	
	日平均值			24.11	48.70	31.22	8.16	7.34	13.44	6.95
	灣內站	0:00	23.74	49.26	31.58	8.35	7.79	14.16	16.50	
		3:00	23.31	49.44	31.69	8.31	8.47	19.42	21.50	
		6:00	22.99	49.41	31.67	8.30	8.11	31.63	24.80	
		9:00	23.17	49.26	31.58	8.35	5.74	9.81	37.80	
		12:00	23.48	48.50	31.09	8.31	6.70	3.35	34.00	
		15:00	23.55	48.41	31.03	8.29	8.44	1.88	28.00	
		18:00	23.75	49.02	31.42	8.34	9.28	10.42	35.50	
		21:00	23.76	48.97	31.39	8.36	4.91	21.74	27.60	
	日平均值			23.47	49.03	31.43	8.33	7.43	14.05	28.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月17日	蚵殼站	0:00	20.64	52.29	33.52	8.38	7.09	0.7	22.1	
		3:00	20.32	52.37	33.57	8.35	7.72	6.2	4.2	
		6:00	20.13	52.21	33.47	8.33	7.68	0.5	7.3	
		9:00	20.30	52.04	33.36	8.34	8.95	1.0	3.4	
		12:00	20.67	52.01	33.34	8.29	9.44	0.8	8.4	
		15:00	20.74	52.32	33.54	8.34	9.20	1.0	13.9	
		18:00	20.56	52.38	33.58	8.30	8.61	4.3	8.8	
		21:00	20.41	52.21	33.47	8.36	8.23	2.5	11.4	
	日平均值			20.47	52.23	33.48	8.34	8.37	2.12	9.94
	潮口站	0:00	23.52	49.00	31.41	8.11	6.49	17.3	10.7	
		3:00	23.56	48.72	31.23	8.13	6.70	12.0	6.9	
		6:00	23.98	48.92	31.36	8.11	6.64	16.5	7.0	
		9:00	23.84	49.02	31.42	8.16	7.37	13.6	3.7	
		12:00	23.91	48.91	31.35	8.18	8.27	12.4	2.9	
		15:00	24.29	48.38	31.01	8.17	7.80	8.9	4.8	
		18:00	23.96	49.14	31.50	8.17	7.31	8.3	6.8	
		21:00	23.68	48.89	31.34	8.16	7.45	9.4	5.1	
	日平均值			23.84	48.87	31.33	8.15	7.25	12.31	5.99
	灣內站	0:00	23.64	49.16	31.51	8.37	4.85	14.16	25.70	
		3:00	23.35	49.19	31.53	8.31	5.90	27.81	22.20	
		6:00	23.40	49.19	31.53	8.27	5.30	17.30	17.70	
		9:00	23.44	49.20	31.54	8.26	8.10	6.18	12.00	
		12:00	23.97	48.31	30.97	8.24	9.41	3.24	12.80	
		15:00	24.30	48.00	30.77	8.24	9.30	4.23	24.30	
		18:00	24.13	47.75	30.61	8.26	7.92	4.09	21.70	
		21:00	23.93	47.75	30.61	8.31	6.42	2.64	18.70	
	日平均值			23.77	48.57	31.13	8.28	7.15	9.96	19.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月18日	蚵殼站	0:00	20.32	52.51	33.66	8.40	8.61	0.6	17.4	
		3:00	20.26	52.35	33.56	8.44	8.21	0.6	7.3	
		6:00	20.06	52.23	33.48	8.33	7.66	5.6	2.8	
		9:00	20.10	52.32	33.54	8.41	7.40	4.2	6.2	
		12:00	20.29	52.14	33.42	8.28	8.64	5.3	13.3	
		15:00	20.43	52.57	33.70	8.35	8.88	3.2	12.6	
		18:00	20.31	52.38	33.58	8.23	8.30	1.2	14.6	
		21:00	20.33	52.21	33.47	8.33	8.26	0.8	11.5	
	日平均值			20.26	52.34	33.55	8.35	8.25	2.67	10.71
	潮口站	0:00	23.37	48.69	31.21	8.12	6.93	16.1	16.5	
		3:00	23.14	48.97	31.39	8.11	6.69	16.9	5.8	
		6:00	23.35	49.47	31.71	8.16	7.15	14.3	8.2	
		9:00	23.41	49.48	31.72	8.16	7.47	12.1	6.6	
		12:00	23.65	49.41	31.67	8.16	7.65	14.2	9.2	
		15:00	23.70	48.77	31.26	8.17	7.76	11.6	6.9	
		18:00	23.57	49.06	31.45	8.16	7.63	6.0	7.1	
		21:00	23.46	49.17	31.52	8.17	7.59	6.0	7.1	
	日平均值			23.46	49.13	31.49	8.15	7.36	12.14	8.43
	灣內站	0:00	23.77	48.28	30.95	8.16	7.27	3.73	14.20	
		3:00	23.63	48.27	30.94	8.12	6.48	3.40	16.60	
		6:00	23.47	48.25	30.93	8.17	5.71	28.16	12.40	
		9:00	23.46	48.33	30.98	8.22	6.56	12.44	17.30	
		12:00	23.72	48.14	30.86	8.22	8.76	10.73	15.20	
		15:00	24.02	47.46	30.42	8.26	10.03	9.83	14.20	
		18:00	24.00	47.78	30.63	8.32	9.74	3.71	22.70	
		21:00	23.72	47.83	30.66	8.35	4.88	12.45	21.00	
	日平均值			23.72	48.04	30.80	8.23	7.43	10.56	16.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月19日	蚵殼站	0:00	20.31	52.54	33.68	8.49	8.82	1.1	10.8	
		3:00	20.12	52.24	33.49	8.37	8.14	2.0	9.2	
		6:00	20.01	52.09	33.39	8.39	8.58	0.4	5.5	
		9:00	20.20	52.26	33.50	8.38	8.64	0.4	5.7	
		12:00	20.57	52.23	33.48	8.28	9.82	0.7	10.4	
		15:00	20.58	52.23	33.48	8.38	9.13	1.7	17.7	
		18:00	20.54	52.51	33.66	8.33	6.76	0.8	9.9	
		21:00	20.43	52.09	33.39	8.37	6.26	0.7	14.3	
	日平均值			20.35	52.27	33.51	8.37	8.27	0.97	10.44
	潮口站	0:00	23.41	48.84	31.31	8.18	8.04	9.0	2.8	
		3:00	23.36	48.98	31.40	8.18	8.10	9.0	13.3	
		6:00	23.40	49.12	31.49	8.14	7.39	12.5	9.2	
		9:00	23.77	49.19	31.53	8.17	7.89	9.8	10.4	
		12:00	24.27	49.00	31.41	8.20	8.73	13.7	6.4	
		15:00	24.39	48.83	31.30	8.18	8.75	10.4	9.6	
		18:00	24.14	48.84	31.31	8.14	7.79	8.3	9.0	
		21:00	23.80	49.06	31.45	8.17	7.81	5.6	10.9	
	日平均值			23.82	48.98	31.40	8.17	8.06	9.79	8.95
	灣內站	0:00	23.62	47.78	30.63	8.33	1.57	8.11	12.70	
		3:00	23.44	48.00	30.77	8.24	3.53	9.94	13.30	
		6:00	23.28	48.66	31.19	8.20	6.10	19.07	17.70	
		9:00	23.56	48.39	31.02	8.18	6.48	41.42	13.30	
		12:00	24.62	48.39	31.02	8.18	7.87	12.07	19.00	
		15:00	25.05	48.02	30.78	8.18	8.78	10.57	21.30	
		18:00	24.71	48.41	31.03	8.26	9.02	6.92	23.20	
		21:00	24.48	48.67	31.20	8.32	4.94	10.47	19.90	
	日平均值			24.10	48.29	30.96	8.24	6.04	14.82	17.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月20日	蚵殼站	0:00	20.41	52.06	33.37	8.41	8.78	0.4	12.0	
		3:00	20.46	51.92	33.28	8.41	9.00	0.6	13.0	
		6:00	20.32	52.06	33.37	8.35	8.44	0.4	4.9	
		9:00	20.45	51.99	33.33	8.41	8.56	0.5	6.7	
		12:00	20.71	52.21	33.47	8.32	9.98	0.9	4.2	
		15:00	20.80	52.42	33.60	8.23	9.70	0.6	6.9	
		18:00	20.72	52.35	33.56	8.36	7.14	1.5	13.5	
		21:00	20.81	52.28	33.51	8.34	5.34	1.0	3.1	
	日平均值			20.59	52.16	33.44	8.35	8.37	0.74	8.04
	潮口站	0:00	23.78	49.42	31.68	8.16	7.55	10.5	7.2	
		3:00	23.73	48.06	30.81	8.12	7.42	10.1	2.4	
		6:00	23.43	48.67	31.20	8.11	7.07	12.9	3.6	
		9:00	23.53	49.34	31.63	8.10	7.74	9.3	5.5	
		12:00	24.60	49.61	31.80	8.17	8.37	12.4	13.9	
		15:00	24.54	49.47	31.71	8.15	8.91	13.0	5.8	
		18:00	23.97	49.03	31.43	8.14	8.03	6.3	6.3	
		21:00	23.54	49.34	31.63	8.09	7.71	5.4	11.4	
	日平均值			23.89	49.12	31.49	8.13	7.85	9.98	7.01
	灣內站	0:00	24.41	48.36	31.00	8.27	4.50	5.59	7.70	
		3:00	24.25	48.61	31.16	8.19	7.73	2.04	17.10	
		6:00	23.98	48.47	31.07	8.17	7.50	11.92	15.40	
		9:00	24.17	48.48	31.08	8.22	6.39	33.83	32.80	
		12:00	24.94	48.61	31.16	8.24	9.06	4.77	28.60	
		15:00	25.16	48.47	31.07	8.25	9.87	8.57	9.80	
		18:00	25.28	48.66	31.19	8.23	9.29	3.96	13.90	
		21:00	24.89	48.22	30.91	8.30	7.31	5.31	12.40	
	日平均值			24.64	48.49	31.08	8.23	7.71	9.50	17.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月21日	蚵殼站	0:00	20.93	52.18	33.45	8.34	7.46	0.5	3.4	
		3:00	21.00	52.42	33.60	8.24	9.48	0.4	1.9	
		6:00	20.98	52.24	33.49	8.25	7.74	0.5	5.9	
		9:00	21.11	52.20	33.46	8.36	8.43	0.4	3.3	
		12:00	21.22	52.09	33.39	8.30	9.24	1.6	3.2	
		15:00	21.46	52.12	33.41	8.32	9.49	0.6	5.8	
		18:00	21.21	52.26	33.50	8.19	8.69	0.4	10.2	
		21:00	21.20	51.87	33.25	8.18	8.46	0.4	6.9	
	日平均值			21.14	52.17	33.44	8.27	8.62	0.60	5.08
	潮口站	0:00	23.97	47.81	31.65	8.17	7.81	8.5	7.6	
		3:00	24.26	47.95	31.74	8.15	8.14	5.6	9.5	
		6:00	23.65	48.00	31.77	8.11	7.52	9.4	8.1	
		9:00	23.36	47.99	31.76	8.10	8.09	7.1	5.9	
		12:00	24.14	47.81	31.65	8.22	9.08	7.5	8.8	
		15:00	24.68	48.02	31.78	8.22	9.30	9.5	5.8	
		18:00	24.02	47.94	31.73	8.17	8.42	10.2	2.7	
		21:00	23.60	48.20	31.90	8.11	8.16	10.1	11.4	
	日平均值			23.96	47.97	31.75	8.16	8.32	8.47	7.48
	灣內站	0:00	25.19	48.59	31.15	8.26	2.24	5.61	11.10	
		3:00	24.95	48.83	31.30	8.13	6.13	23.99	8.40	
		6:00	24.53	48.59	31.15	8.22	7.17	37.32	14.50	
		9:00	24.95	48.50	31.09	8.24	6.44	10.39	15.80	
		12:00	25.45	48.48	31.08	8.25	9.52	9.18	19.10	
		15:00	25.89	48.14	30.86	8.28	10.75	10.08	16.00	
		18:00	25.50	48.13	30.85	8.24	9.73	6.41	15.10	
		21:00	25.30	48.24	30.92	8.26	8.70	4.52	16.90	
	日平均值			25.22	48.44	31.05	8.24	7.59	13.44	14.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月22日	蚵殼站	0:00	21.20	51.89	33.26	8.27	8.54	0.4	6.6	
		3:00	21.19	51.79	33.20	8.26	8.49	0.4	10.7	
		6:00	21.18	51.81	33.21	8.20	7.74	0.4	20.5	
		9:00	21.28	51.76	33.18	8.01	8.04	0.4	3.6	
		12:00	21.21	51.50	33.01	8.01	8.69	0.4	12.0	
		15:00	21.09	51.85	33.24	8.00	8.20	0.7	12.9	
		18:00	20.96	51.96	33.31	7.96	6.70	3.0	12.4	
		21:00	20.71	51.78	33.19	8.01	6.93	2.7	8.8	
	日平均值			21.10	51.79	33.20	8.09	7.92	1.04	10.94
	潮口站	0:00	23.59	47.27	32.30	8.14	8.18	7.5	10.8	
		3:00	23.90	46.86	32.04	8.11	7.68	7.5	5.1	
		6:00	23.66	46.80	32.00	8.11	7.43	10.5	11.8	
		9:00	23.54	46.68	31.92	8.12	7.89	9.0	6.9	
		12:00	23.75	46.96	31.10	8.16	8.39	8.4	14.0	
		15:00	23.98	51.70	33.14	8.23	8.57	13.6	6.3	
		18:00	23.92	53.04	33.00	8.24	8.33	24.6	8.2	
		21:00	23.66	53.37	33.21	8.20	7.89	16.4	4.0	
	日平均值			23.75	49.09	32.34	8.16	8.05	12.19	8.39
	灣內站	0:00	24.89	46.83	30.02	8.26	7.16	4.92	19.70	
		3:00	24.67	46.96	30.10	8.22	7.57	4.04	10.20	
		6:00	24.54	47.07	30.17	8.18	6.28	0.63	3.60	
		9:00	24.70	47.70	30.58	8.23	6.06	0.85	9.70	
		12:00	24.96	51.39	32.94	8.14	7.36	5.66	14.40	
		15:00	24.95	51.40	32.95	8.20	7.70	9.47	4.60	
		18:00	24.69	51.50	33.01	8.22	7.74	10.65	13.80	
		21:00	24.48	51.48	33.00	8.24	7.01	4.20	17.10	
	日平均值			24.74	49.29	31.60	8.21	7.11	5.05	11.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月23日	蚵殼站	0:00	20.66	51.85	33.24	8.08	6.38	2.4	6.6	
		3:00	20.62	51.81	33.21	8.06	6.62	0.8	13.2	
		6:00	20.51	51.76	33.18	8.13	6.79	0.4	8.2	
		9:00	20.65	51.64	33.10	8.16	6.52	0.4	8.1	
		12:00	20.80	51.67	33.12	8.15	7.52	0.5	10.3	
		15:00	20.81	51.84	33.23	8.14	7.60	1.6	8.7	
		18:00	20.75	51.82	33.22	8.12	6.92	1.5	12.4	
		21:00	20.81	51.76	33.18	8.14	4.65	1.5	11.7	
	日平均值			20.70	51.77	33.19	8.12	6.63	1.13	9.90
	潮口站	0:00	23.49	53.51	33.30	8.20	7.60	12.8	17.6	
		3:00	23.37	53.31	33.17	8.14	7.05	17.3	11.5	
		6:00	23.36	53.27	33.15	8.18	7.48	18.8	7.8	
		9:00	23.85	53.90	33.55	8.20	7.69	16.2	8.1	
		12:00	24.15	53.93	33.57	8.22	7.99	13.2	12.2	
		15:00	24.40	53.63	33.38	8.22	8.64	17.7	10.1	
		18:00	24.29	53.60	33.36	8.24	8.39	37.9	4.1	
		21:00	24.06	53.63	33.38	8.22	7.97	13.1	11.6	
	日平均值			23.87	53.60	33.36	8.20	7.85	18.36	10.38
	灣內站	0:00	24.28	51.37	32.93	8.30	2.73	7.27	11.50	
		3:00	24.15	51.23	32.84	8.20	5.70	2.72	9.80	
		6:00	23.91	51.14	32.78	8.18	5.12	5.37	10.60	
		9:00	24.10	51.31	32.89	8.25	4.23	2.15	13.40	
		12:00	24.73	51.34	32.91	8.27	7.43	5.56	18.90	
		15:00	25.02	51.36	32.92	8.30	8.98	8.31	24.80	
		18:00	24.96	51.36	32.92	8.32	7.46	5.83	19.70	
		21:00	24.73	51.26	32.86	8.38	1.83	10.64	15.40	
	日平均值			24.49	51.30	32.88	8.28	5.44	5.98	15.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月24日	蚵殼站	0:00	20.80	51.65	33.11	8.16	7.09	0.5	11.0	
		3:00	20.74	51.68	33.13	8.17	7.70	0.4	15.6	
		6:00	20.69	51.62	33.09	8.20	7.03	0.4	6.8	
		9:00	20.71	51.68	33.13	8.20	8.09	0.4	11.9	
		12:00	20.70	51.67	33.12	8.19	8.12	0.4	8.8	
		15:00	20.76	51.64	33.10	8.22	8.45	0.4	8.1	
		18:00	20.79	51.65	33.11	8.19	8.09	0.4	6.1	
		21:00	20.72	51.64	33.10	8.20	7.66	0.7	10.6	
	日平均值			20.74	51.65	33.11	8.19	7.78	0.46	9.86
	潮口站	0:00	23.81	53.94	33.58	8.21	7.70	11.6	6.3	
		3:00	23.71	53.62	33.37	8.21	7.74	11.7	16.8	
		6:00	23.58	53.57	33.34	8.21	7.37	19.2	3.9	
		9:00	23.79	53.84	33.51	8.20	7.56	13.7	6.6	
		12:00	23.90	54.04	33.64	8.21	7.88	14.1	6.6	
		15:00	23.90	54.01	33.62	8.19	8.13	20.9	14.8	
		18:00	23.79	53.59	33.35	8.23	9.21	9.5	11.4	
		21:00	23.63	53.35	33.20	8.24	8.67	13.5	6.2	
	日平均值			23.76	53.75	33.45	8.21	8.03	14.28	9.08
	灣內站	0:00	24.55	51.43	32.97	8.30	5.25	5.14	17.30	
		3:00	24.32	51.46	32.99	8.13	5.41	6.44	10.00	
		6:00	24.10	51.36	32.92	8.13	5.57	0.73	14.00	
		9:00	24.04	51.37	32.93	8.16	5.72	1.10	14.10	
		12:00	24.10	51.40	32.95	8.21	5.46	1.08	10.30	
		15:00	24.14	51.51	33.02	8.23	5.50	2.02	14.70	
		18:00	24.12	51.00	32.69	8.28	6.67	4.50	19.20	
		21:00	24.00	50.73	32.52	8.31	7.40	2.89	23.80	
	日平均值			24.17	51.28	32.87	8.22	5.87	2.99	15.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月25日	蚵殼站	0:00	20.44	51.40	32.95	8.19	8.75	0.4	5.0	
		3:00	20.46	51.28	32.87	8.21	8.70	0.4	7.2	
		6:00	20.44	51.25	32.85	8.22	6.87	0.4	5.7	
		9:00	20.57	51.59	33.07	8.18	6.82	0.4	4.7	
		12:00	20.76	51.78	33.19	8.23	8.40	0.4	9.7	
		15:00	21.20	51.90	33.27	8.19	9.01	0.6	6.2	
		18:00	21.29	51.89	33.26	8.19	8.87	1.3	7.2	
		21:00	21.15	51.79	33.20	8.20	8.67	0.4	12.7	
	日平均值			20.79	51.61	33.08	8.20	8.26	0.55	7.30
	潮口站	0:00	24.04	53.70	33.42	8.22	7.65	8.8	12.2	
		3:00	24.31	53.93	33.57	8.27	7.39	5.0	8.6	
		6:00	23.81	53.70	33.42	8.29	7.70	9.9	9.9	
		9:00	24.30	53.60	33.36	8.22	7.74	5.0	5.8	
		12:00	24.74	53.70	33.42	8.19	7.72	8.3	8.1	
		15:00	24.72	53.70	33.42	8.21	7.90	13.0	11.2	
		18:00	24.41	53.80	33.49	8.16	7.54	27.6	8.6	
		21:00	24.30	53.77	33.47	8.16	7.49	46.5	13.3	
	日平均值			24.33	53.74	33.45	8.22	7.64	15.50	9.71
	灣內站	0:00	24.04	50.87	32.61	8.24	6.82	3.90	8.70	
		3:00	23.81	51.00	32.69	8.16	6.29	3.27	6.60	
		6:00	23.62	51.21	32.83	8.19	5.76	1.57	2.60	
		9:00	23.91	51.23	32.84	8.15	5.23	2.66	10.00	
		12:00	24.56	51.11	32.76	8.31	6.68	4.05	9.00	
		15:00	24.77	51.14	32.78	8.42	6.41	5.62	10.90	
		18:00	24.72	51.23	32.84	8.33	7.90	10.30	12.10	
		21:00	24.36	51.37	32.93	8.20	7.06	4.37	5.00	
	日平均值			24.22	51.15	32.79	8.25	6.52	4.47	8.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月26日	蚵殼站	0:00	21.02	51.92	33.28	8.14	8.10	7.5	4.4	
		3:00	20.78	51.78	33.19	8.19	8.45	5.8	4.9	
		6:00	20.71	51.60	33.08	8.23	8.92	0.4	6.2	
		9:00	20.99	51.43	32.97	8.34	9.20	1.5	4.5	
		12:00	21.03	51.48	33.00	8.33	9.11	0.9	5.4	
		15:00	21.12	51.68	33.13	8.25	7.79	1.1	8.5	
		18:00	21.00	51.78	33.19	8.22	8.69	2.8	4.6	
		21:00	20.88	51.68	33.13	8.23	8.95	1.0	7.5	
	日平均值			20.94	51.67	33.12	8.24	8.65	2.61	5.75
	潮口站	0:00	24.14	53.65	33.39	8.19	7.56	21.0	10.4	
		3:00	24.28	54.04	33.64	8.19	7.29	16.8	10.0	
		6:00	24.09	53.90	33.55	8.21	7.33	21.4	5.9	
		9:00	24.16	53.85	33.52	8.20	7.36	20.2	7.7	
		12:00	24.69	54.05	33.65	8.19	7.64	12.2	5.4	
		15:00	24.74	54.02	33.63	8.20	7.52	15.8	8.8	
		18:00	24.50	54.23	33.76	8.18	7.67	16.8	5.6	
		21:00	24.50	54.29	33.80	8.12	7.10	29.0	6.2	
	日平均值			24.39	54.00	33.62	8.19	7.43	19.15	7.50
	灣內站	0:00	24.11	51.36	32.92	8.17	7.00	7.45	8.70	
		3:00	24.00	51.45	32.98	8.23	7.23	5.26	6.50	
		6:00	23.87	51.26	32.86	8.08	5.33	10.15	5.40	
		9:00	24.19	51.29	32.88	8.16	6.28	9.68	5.00	
		12:00	25.02	50.86	32.60	8.46	10.00	17.38	7.90	
		15:00	25.06	50.90	32.63	8.48	3.76	9.71	4.80	
		18:00	24.95	51.12	32.77	8.43	8.95	15.68	8.20	
		21:00	24.79	51.17	32.80	8.39	8.23	12.52	5.00	
	日平均值			24.50	51.18	32.81	8.30	7.10	10.98	6.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
2月27日	蚵殼站	0:00	20.83	51.59	33.07	8.30	9.66	0.4	4.2	
		3:00	20.69	51.39	32.94	8.26	9.59	0.4	4.7	
		6:00	20.70	51.39	32.94	8.25	9.77	0.4	2.6	
		9:00	20.97	51.43	32.97	8.32	10.37	0.4	8.5	
		12:00	21.39	51.37	32.93	8.32	10.25	0.5	8.3	
		15:00	21.32	51.64	33.10	8.26	9.32	1.2	6.8	
		18:00	21.10	51.57	33.06	8.27	8.06	1.0	8.1	
		21:00	21.08	51.39	32.94	8.28	9.90	2.1	6.3	
	日平均值			21.01	51.47	32.99	8.28	9.62	0.79	6.19
	潮口站	0:00	24.23	54.04	33.64	8.16	7.11	37.3	6.7	
		3:00	24.16	54.18	33.73	8.18	7.18	22.4	3.0	
		6:00	23.99	54.19	33.74	8.19	7.34	21.3	4.9	
		9:00	24.08	54.16	33.72	8.20	7.34	21.1	2.4	
		12:00	24.36	54.23	33.76	8.18	7.52	19.3	8.8	
		15:00	24.45	54.13	33.70	8.20	7.67	12.7	11.0	
		18:00	24.46	54.26	33.78	8.17	7.69	17.0	10.6	
		21:00	24.44	54.30	33.81	8.14	7.34	23.9	12.9	
	日平均值			24.27	54.19	33.74	8.18	7.40	21.86	7.54
	灣內站	0:00	24.45	51.34	32.91	8.31	7.97	9.75	9.00	
		3:00	24.12	51.37	32.93	8.28	6.25	9.33	3.90	
		6:00	24.01	51.40	32.95	8.19	5.95	22.17	5.70	
		9:00	24.24	51.57	33.06	8.26	7.48	2.93	4.90	
		12:00	24.81	51.37	32.93	8.33	10.21	16.29	7.00	
		15:00	25.12	51.25	32.85	8.36	10.27	10.79	4.00	
		18:00	24.87	51.50	33.01	8.39	2.15	7.61	6.80	
		21:00	24.83	51.60	33.08	8.34	5.18	7.76	4.10	
	日平均值			24.56	51.43	32.97	8.31	6.93	10.83	5.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
2月28日	蚵殼站	0:00	22.21	51.04	32.72	8.39	8.94	2.7	8.0	
		3:00	21.93	51.00	32.69	8.28	8.64	1.6	8.3	
		6:00	21.72	50.62	32.45	8.42	8.92	1.9	8.4	
		9:00	21.71	50.59	32.43	8.37	8.47	2.2	8.3	
		12:00	21.89	50.47	32.35	8.30	8.88	3.0	8.3	
		15:00	21.80	50.90	32.63	8.29	9.00	2.2	7.4	
		18:00	21.92	50.84	32.59	8.39	9.05	1.6	7.2	
		21:00	21.81	50.68	32.49	8.31	8.94	2.1	5.8	
	日平均值			21.87	50.77	32.54	8.34	8.86	2.16	7.71
	潮口站	0:00	24.72	53.71	33.43	8.20	7.87	13.0	7.1	
		3:00	24.57	53.31	33.17	8.18	8.17	13.2	4.0	
		6:00	24.54	53.37	33.21	8.11	7.50	6.2	1.7	
		9:00	24.58	53.79	33.48	8.26	7.83	12.5	2.7	
		12:00	24.98	53.80	33.49	8.12	8.50	16.7	12.3	
		15:00	24.91	53.66	33.40	8.19	8.88	12.9	7.9	
		18:00	24.75	53.62	33.37	8.32	7.87	9.8	7.5	
		21:00	24.65	53.46	33.27	8.24	8.11	5.9	3.8	
	日平均值			24.71	53.59	33.35	8.20	8.09	11.28	5.88
	灣內站	0:00	24.64	51.67	33.12	8.15	7.49	4.90	7.90	
		3:00	24.67	51.60	33.08	8.11	6.91	4.70	5.40	
		6:00	24.49	51.82	33.22	8.13	7.08	3.50	3.50	
		9:00	24.65	51.64	33.10	8.06	6.30	4.10	5.60	
		12:00	24.89	51.51	33.02	8.16	7.79	2.30	9.80	
		15:00	25.37	51.54	33.04	8.16	7.70	2.50	1.10	
		18:00	25.39	51.40	32.95	8.10	6.51	4.40	2.20	
		21:00	25.22	51.54	33.04	8.17	6.61	2.70	6.30	
	日平均值			24.92	51.59	33.07	8.13	7.05	3.64	5.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月1日	蚵殼站	0:00	21.42	51.45	32.98	8.23	8.01	0.4	8.8	
		3:00	21.33	51.50	33.01	8.22	8.12	0.8	3.2	
		6:00	21.35	51.56	33.05	8.24	8.28	1.3	6.2	
		9:00	21.39	51.34	32.91	8.27	8.39	1.5	3.8	
		12:00	21.75	51.50	33.01	8.22	8.53	2.6	5.4	
		15:00	21.95	51.67	33.12	8.21	8.82	8.8	8.5	
		18:00	21.74	51.68	33.13	8.22	7.69	7.2	7.3	
		21:00	21.60	51.45	32.98	8.21	8.03	4.1	8.8	
	日平均值			21.57	51.52	33.02	8.23	8.23	3.34	6.50
	潮口站	0:00	24.85	54.43	34.89	8.23	7.88	8.9	9.4	
		3:00	24.90	54.24	34.77	8.19	7.97	2.6	6.3	
		6:00	24.77	54.27	34.79	8.20	8.23	12.1	7.0	
		9:00	24.82	53.73	34.44	8.26	8.53	21.1	1.1	
		12:00	25.00	53.80	34.49	8.22	8.10	19.2	6.2	
		15:00	24.54	54.23	34.76	8.20	7.83	17.7	8.5	
		18:00	24.12	53.63	34.38	8.19	7.65	10.9	11.0	
		21:00	24.58	53.40	34.23	8.21	8.12	11.2	9.6	
	日平均值			24.70	53.97	34.59	8.21	8.04	12.96	7.39
	灣內站	0:00	25.22	52.66	33.08	8.22	7.77	6.5	1.2	
		3:00	25.06	52.81	33.19	8.25	7.52	7.1	3.7	
		6:00	24.97	52.54	33.01	8.23	7.01	10.3	7.1	
		9:00	24.94	52.71	33.14	8.27	6.90	14.7	5.7	
		12:00	25.73	52.23	32.84	8.26	9.00	5.5	5.9	
		15:00	25.93	52.24	32.84	8.26	8.77	3.9	4.1	
		18:00	25.85	52.36	32.93	8.24	6.97	0.6	6.3	
		21:00	25.77	52.27	32.87	8.25	6.90	3.1	5.0	
	日平均值			25.43	52.48	32.99	8.25	7.61	6.45	4.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月2日	蚵殼站	0:00	22.03	51.23	32.84	8.19	8.38	0.9	10.3	
		3:00	21.91	51.12	32.77	8.19	7.59	0.7	18.7	
		6:00	21.80	51.17	32.80	8.22	7.27	0.4	17.7	
		9:00	22.04	51.37	32.93	8.16	7.49	0.5	18.3	
		12:00	22.28	51.57	33.06	8.11	7.70	0.7	13.4	
		15:00	22.35	51.70	33.14	8.15	8.02	2.5	17.2	
		18:00	22.09	51.70	33.14	8.18	6.29	0.7	15.7	
		21:00	22.33	51.67	33.12	8.15	7.94	0.4	13.1	
	日平均值			22.10	51.44	32.98	8.17	7.59	0.85	15.55
	潮口站	0:00	25.04	53.77	34.47	8.24	8.43	12.3	8.1	
		3:00	24.28	54.12	34.69	8.19	7.50	20.2	7.3	
		6:00	23.51	54.37	34.85	8.20	7.31	13.3	5.7	
		9:00	24.50	53.90	34.55	8.22	7.69	15.6	7.5	
		12:00	25.52	53.45	34.26	8.24	8.28	17.9	2.9	
		15:00	24.67	54.09	34.67	8.20	7.98	16.0	5.8	
		18:00	24.11	53.98	34.60	8.20	7.66	12.5	5.7	
		21:00	24.80	54.15	34.71	8.17	7.62	14.2	5.7	
	日平均值			24.55	53.98	34.60	8.21	7.81	15.24	6.09
	灣內站	0:00	25.71	52.18	32.81	8.26	6.88	6.7	3.7	
		3:00	25.27	52.39	32.94	8.23	5.11	0.9	7.4	
		6:00	24.96	52.74	33.15	8.20	5.48	0.4	3.1	
		9:00	25.55	52.52	33.02	8.20	7.63	2.2	3.4	
		12:00	26.14	52.30	32.88	8.19	8.31	4.7	4.5	
		15:00	26.31	52.24	32.84	8.20	8.42	2.8	4.0	
		18:00	26.25	52.48	32.98	8.20	6.43	2.6	4.5	
		21:00	26.07	52.52	33.00	8.23	5.85	0.4	3.4	
	日平均值			25.78	52.42	32.95	8.21	6.76	2.59	4.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月3日	蚵殼站	0:00	22.37	51.40	32.95	8.14	7.95	0.6	17.4	
		3:00	22.23	51.43	32.97	8.18	7.44	0.4	15.9	
		6:00	22.13	51.57	33.06	8.21	6.42	0.4	17.5	
		9:00	22.03	51.76	33.18	8.16	6.80	0.4	17.8	
		12:00	22.35	52.04	33.36	8.08	7.16	0.5	26.9	
		15:00	22.35	52.23	33.48	8.06	7.06	3.8	22.1	
		18:00	22.37	51.95	33.30	8.12	6.43	1.7	15.4	
		21:00	22.76	51.79	33.20	8.13	7.67	0.4	21.5	
	日平均值			22.32	51.77	33.19	8.14	7.12	1.02	19.31
	潮口站	0:00	25.43	53.82	34.50	8.19	7.86	13.1	5.1	
		3:00	24.75	53.82	34.50	8.18	7.29	14.3	5.8	
		6:00	23.83	54.18	34.73	8.19	7.28	10.8	4.0	
		9:00	25.71	53.57	34.34	8.19	7.89	13.9	1.2	
		12:00	25.69	53.63	34.38	8.20	8.06	27.7	8.1	
		15:00	25.24	53.96	34.59	8.20	8.10	15.0	1.4	
		18:00	24.16	53.96	34.59	8.22	7.77	8.5	6.2	
		21:00	24.80	54.05	34.65	8.18	7.53	11.0	10.1	
	日平均值			24.95	53.87	34.54	8.19	7.72	14.29	5.24
	灣內站	0:00	25.96	52.24	32.84	8.23	6.01	0.4	5.8	
		3:00	25.54	52.39	32.94	8.16	5.58	2.4	1.6	
		6:00	25.06	52.75	33.15	8.13	5.70	0.3	3.4	
		9:00	25.83	52.51	32.99	8.14	6.31	0.6	4.5	
		12:00	26.65	52.32	32.89	8.14	7.86	3.1	3.0	
		15:00	26.83	52.70	33.11	8.16	8.46	4.8	4.3	
		18:00	26.40	52.76	33.16	8.18	6.93	4.9	6.1	
		21:00	26.07	52.67	33.09	8.19	5.16	0.3	3.5	
	日平均值			26.04	52.54	33.02	8.17	6.50	2.09	4.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月4日	蚵殼站	0:00	22.47	51.85	33.24	8.10	7.18	0.5	18.6	
		3:00	22.19	51.89	33.26	8.13	6.03	0.4	23.6	
		6:00	22.16	51.87	33.25	8.14	5.62	0.8	24.5	
		9:00	22.59	51.60	33.08	8.16	7.05	0.5	18.5	
		12:00	22.48	51.90	33.27	8.17	7.06	0.7	26.2	
		15:00	23.01	51.99	33.33	8.21	8.12	5.2	23.7	
		18:00	23.44	51.90	33.27	8.28	7.79	1.3	19.4	
		21:00	23.25	51.92	33.28	8.22	7.67	1.6	24.7	
	日平均值			22.70	51.87	33.25	8.18	7.07	1.36	22.40
	潮口站	0:00	25.94	53.77	34.47	8.15	7.57	10.1	20.1	
		3:00	25.63	53.74	34.45	8.17	7.13	16.3	2.3	
		6:00	24.75	54.27	34.79	8.22	7.17	12.1	4.2	
		9:00	26.17	53.85	34.52	8.16	7.47	15.2	3.1	
		12:00	27.18	53.62	34.37	8.15	7.64	50.6	7.0	
		15:00	26.97	53.65	34.39	8.18	8.18	24.5	2.5	
		18:00	25.25	54.18	34.73	8.21	7.47	10.0	1.6	
		21:00	26.01	53.98	34.60	8.19	7.53	12.1	4.8	
	日平均值			25.99	53.88	34.54	8.18	7.52	18.87	5.70
	灣內站	0:00	26.33	52.29	32.86	8.14	6.79	3.2	3.5	
		3:00	26.10	52.47	32.98	8.08	6.49	1.3	4.5	
		6:00	25.99	52.56	33.04	8.09	6.27	1.1	2.2	
		9:00	25.75	52.79	33.19	8.12	6.06	0.5	4.4	
		12:00	27.03	52.67	33.09	8.11	7.37	2.5	1.9	
		15:00	27.66	52.66	33.09	8.09	7.39	13.1	4.0	
		18:00	26.71	52.55	33.02	8.11	5.48	0.4	6.3	
		21:00	26.55	52.47	32.98	8.15	6.31	0.3	4.7	
	日平均值			26.52	52.56	33.03	8.11	6.52	2.80	3.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月5日	蚵殼站	0:00	22.98	51.99	33.33	8.15	7.57	0.4	26.2	
		3:00	22.71	52.06	33.37	8.15	6.54	1.5	21.5	
		6:00	22.86	51.96	33.31	8.12	6.54	0.6	20.1	
		9:00	23.18	51.82	33.22	8.20	6.58	1.3	23.8	
		12:00	23.27	51.93	33.29	8.17	8.12	2.1	18.8	
		15:00	22.99	52.09	33.39	8.10	7.98	6.4	28.5	
		18:00	23.36	52.10	33.40	8.08	7.08	14.4	18.1	
		21:00	23.64	51.96	33.31	8.15	7.02	8.1	21.8	
	日平均值			23.12	51.99	33.33	8.14	7.18	4.35	22.35
	潮口站	0:00	27.04	53.88	34.54	8.10	7.08	49.7	9.1	
		3:00	26.58	53.77	34.47	8.15	7.35	31.2	14.6	
		6:00	25.55	54.05	34.65	8.19	7.15	10.4	6.0	
		9:00	26.59	53.87	34.53	8.19	7.57	17.5	25.5	
		12:00	27.44	53.84	34.51	8.15	7.87	33.2	3.8	
		15:00	27.13	53.93	34.57	8.20	8.44	23.6	5.0	
		18:00	25.97	53.74	34.45	8.20	7.64	16.1	11.2	
		21:00	25.73	53.87	34.53	8.24	7.41	11.4	17.9	
	日平均值			26.50	53.87	34.53	8.18	7.56	24.14	11.64
	灣內站	0:00	26.52	52.62	33.08	8.12	7.58	3.7	27.2	
		3:00	26.36	52.72	33.13	8.12	7.29	1.2	2.7	
		6:00	26.13	52.69	33.11	8.07	5.30	0.4	3.2	
		9:00	26.25	52.79	33.19	8.12	5.65	0.3	5.9	
		12:00	27.49	52.76	33.16	8.14	7.98	3.2	6.8	
		15:00	27.62	52.83	33.21	8.16	9.04	12.2	3.2	
		18:00	27.27	52.93	33.27	8.15	7.93	6.9	2.1	
		21:00	26.98	52.86	33.23	8.15	6.86	1.1	5.6	
	日平均值			26.83	52.78	33.17	8.13	7.20	3.62	7.09
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月6日	蚵殼站	0:00	23.44	51.89	33.26	8.15	7.29	1.1	17.7	
		3:00	23.41	51.93	33.29	8.12	7.04	0.5	16.0	
		6:00	23.18	51.78	33.19	8.15	5.88	1.0	19.1	
		9:00	23.27	52.07	33.38	8.11	7.33	0.5	16.6	
		12:00	23.33	52.26	33.50	8.10	7.78	1.1	15.3	
		15:00	23.31	52.14	33.42	8.08	7.13	1.8	21.7	
		18:00	23.26	52.03	33.35	8.07	6.18	2.9	16.6	
		21:00	23.12	52.14	33.42	8.05	6.12	1.9	17.8	
	日平均值			23.29	52.03	33.35	8.10	6.84	1.35	17.60
	潮口站	0:00	26.23	53.99	34.61	8.15	7.32	23.2	10.6	
		3:00	26.41	53.99	34.61	8.16	7.19	21.5	1.7	
		6:00	25.51	54.01	34.62	8.16	7.08	39.4	2.8	
		9:00	25.60	54.02	34.63	8.22	7.66	16.8	20.9	
		12:00	26.03	54.05	34.65	8.20	8.06	22.8	20.2	
		15:00	26.26	53.99	34.61	8.21	8.35	30.6	6.7	
		18:00	25.55	53.74	34.45	8.18	7.52	23.7	3.7	
		21:00	25.24	53.51	34.30	8.23	7.27	9.7	11.0	
	日平均值			25.85	53.91	34.56	8.19	7.56	23.47	9.70
	灣內站	0:00	27.00	52.81	33.21	8.13	5.81	3.7	18.7	
		3:00	26.96	52.81	33.21	8.06	6.40	3.9	2.8	
		6:00	26.81	52.79	33.19	8.10	5.27	0.3	2.2	
		9:00	26.90	52.86	33.23	8.09	6.34	1.0	5.0	
		12:00	27.17	53.04	33.34	8.03	6.78	14.9	16.3	
		15:00	27.41	52.90	33.25	7.94	5.95	31.9	3.0	
		18:00	27.02	52.84	33.21	7.96	5.69	18.1	6.4	
		21:00	26.79	52.70	33.12	7.99	5.62	6.8	1.2	
	日平均值			27.01	52.84	33.22	8.04	5.98	10.07	6.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月7日	蚵殼站	0:00	23.01	52.09	33.39	8.10	6.46	0.8	14.2	
		3:00	22.98	52.04	33.36	8.09	6.05	3.4	7.8	
		6:00	22.90	52.01	33.34	8.12	5.41	1.6	17.3	
		9:00	23.04	52.03	33.35	8.10	6.03	3.9	10.8	
		12:00	23.10	52.18	33.45	8.04	6.23	11.2	5.3	
		15:00	23.09	52.09	33.39	8.09	5.82	13.2	10.7	
		18:00	22.94	52.07	33.38	8.03	6.43	9.1	5.8	
		21:00	22.78	52.06	33.37	8.02	6.09	11.5	6.3	
	日平均值			22.98	52.07	33.38	8.07	6.07	6.83	9.78
	潮口站	0:00	25.47	53.76	34.46	8.19	7.28	19.2	10.6	
		3:00	25.59	53.96	34.59	8.19	7.02	25.2	4.6	
		6:00	25.05	54.01	34.62	8.16	6.77	23.0	1.7	
		9:00	25.14	54.05	34.65	8.21	7.52	19.9	5.9	
		12:00	25.49	54.16	34.72	8.19	7.69	23.1	4.5	
		15:00	25.98	54.07	34.66	8.22	8.34	33.2	3.7	
		18:00	25.74	54.01	34.62	8.21	7.75	28.0	6.4	
		21:00	25.19	54.02	34.63	8.20	7.45	14.7	4.1	
	日平均值			25.46	54.01	34.62	8.20	7.48	23.29	5.19
	灣內站	0:00	26.66	52.56	33.03	8.05	5.00	9.7	2.3	
		3:00	26.45	52.53	33.02	7.98	5.00	0.4	2.6	
		6:00	26.32	52.35	32.93	8.03	5.10	2.7	2.6	
		9:00	26.52	52.45	32.98	8.08	5.72	4.5	6.2	
		12:00	26.82	52.71	33.13	8.14	7.51	10.4	1.3	
		15:00	27.08	52.80	33.20	7.99	6.50	16.9	11.7	
		18:00	26.86	52.80	33.20	8.01	6.74	31.3	6.8	
		21:00	26.60	52.87	33.23	8.05	6.22	13.9	1.2	
	日平均值			26.66	52.63	33.09	8.04	5.97	11.22	4.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月8日	蚵殼站	0:00	22.60	52.01	33.34	8.07	5.50	9.3	3.8	
		3:00	22.50	52.06	33.37	8.00	5.47	4.5	5.2	
		6:00	22.40	51.89	33.26	7.99	5.40	5.4	4.0	
		9:00	22.48	52.06	33.37	8.03	5.83	1.7	7.7	
		12:00	22.47	52.12	33.41	8.00	6.40	5.6	2.9	
		15:00	22.34	52.20	33.46	7.99	6.23	9.8	3.9	
		18:00	21.95	52.09	33.39	7.99	6.21	12.7	5.5	
		21:00	21.51	52.03	33.35	8.04	6.70	13.6	5.4	
	日平均值			22.28	52.06	33.37	8.01	5.97	7.81	4.80
	潮口站	0:00	24.97	54.05	34.65	8.22	7.43	25.6	2.6	
		3:00	25.04	54.10	34.68	8.20	7.29	32.4	5.5	
		6:00	24.93	54.09	34.67	8.20	7.08	21.0	1.2	
		9:00	24.99	54.12	34.69	8.23	7.68	17.6	1.2	
		12:00	24.89	54.18	34.73	8.22	7.84	24.8	5.7	
		15:00	24.96	54.27	34.79	8.15	7.37	42.2	2.6	
		18:00	24.90	54.12	34.69	8.20	7.72	44.8	5.5	
		21:00	24.69	53.94	34.58	8.18	7.38	45.5	1.7	
	日平均值			24.92	54.11	34.69	8.20	7.47	31.75	3.25
	灣內站	0:00	26.34	52.82	33.21	8.03	5.33	6.5	2.2	
		3:00	26.19	52.82	33.21	7.94	5.20	1.4	1.9	
		6:00	26.10	52.81	33.21	7.97	5.05	1.5	4.0	
		9:00	26.14	52.86	33.23	8.06	5.73	6.2	5.0	
		12:00	26.11	53.04	33.34	8.08	6.27	16.4	2.4	
		15:00	25.95	53.03	33.33	8.07	6.58	35.4	5.1	
		18:00	25.65	52.87	33.25	8.05	6.52	36.2	4.7	
		21:00	25.36	52.75	33.15	8.02	6.09	19.4	7.5	
	日平均值			25.98	52.88	33.24	8.03	5.85	15.38	4.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月9日	蚵殼站	0:00	21.15	51.85	33.24	8.09	7.10	17.5	1.6	
		3:00	20.94	51.75	33.17	8.02	6.36	9.6	1.6	
		6:00	20.88	51.64	33.10	7.95	5.64	2.4	3.8	
		9:00	20.90	51.65	33.11	8.03	5.72	1.2	1.8	
		12:00	20.96	51.59	33.07	8.07	5.68	1.1	1.5	
		15:00	20.99	51.64	33.10	8.09	5.83	3.3	3.5	
		18:00	20.80	51.65	33.11	7.98	6.17	3.3	4.0	
		21:00	20.54	51.54	33.04	7.98	6.31	5.2	6.6	
	日平均值			20.90	51.66	33.12	8.03	6.10	5.43	3.05
	潮口站	0:00	24.39	53.74	34.45	8.22	7.35	35.9	4.5	
		3:00	24.11	53.66	34.40	8.21	7.34	33.7	6.9	
		6:00	23.92	53.60	34.36	8.19	7.03	31.9	5.6	
		9:00	24.60	54.05	34.65	8.21	7.37	22.0	8.9	
		12:00	24.43	54.04	34.64	8.23	7.44	23.2	4.6	
		15:00	24.17	53.94	34.58	8.19	7.54	22.2	8.6	
		18:00	23.97	53.79	34.48	8.15	7.27	26.2	2.8	
		21:00	23.78	53.79	34.48	8.14	6.99	26.1	3.9	
	日平均值			24.17	53.83	34.51	8.19	7.29	27.64	5.73
	灣內站	0:00	25.14	52.76	33.16	8.00	5.59	13.7	1.2	
		3:00	24.91	52.72	33.12	7.97	5.33	7.1	1.6	
		6:00	24.67	52.68	33.10	7.94	5.13	17.4	3.7	
		9:00	24.43	52.50	33.00	7.98	5.20	7.2	2.8	
		12:00	24.40	52.41	32.96	8.01	5.27	8.8	2.2	
		15:00	24.36	52.19	32.81	8.03	5.35	6.8	1.2	
		18:00	23.98	51.89	32.60	7.91	5.42	11.4	1.6	
		21:00	23.89	51.99	32.68	7.83	5.30	18.6	2.0	
	日平均值			24.47	52.39	32.93	7.96	5.32	11.38	2.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月10日	蚵殼站	0:00	20.34	51.50	33.01	7.95	6.18	5.0	2.1	
		3:00	20.30	51.64	33.10	7.96	6.09	13.2	4.8	
		6:00	20.20	51.59	33.07	7.97	5.93	11.9	4.9	
		9:00	20.30	51.59	33.07	7.99	5.67	8.7	2.0	
		12:00	20.46	51.71	33.15	7.99	6.34	12.0	4.7	
		15:00	20.57	51.84	33.23	7.99	6.16	16.9	3.5	
		18:00	20.50	51.70	33.14	7.97	5.88	11.5	6.1	
		21:00	20.48	51.71	33.15	7.98	5.98	7.6	2.0	
	日平均值			20.39	51.66	33.12	7.98	6.03	10.86	3.76
	潮口站	0:00	24.20	54.12	34.69	8.20	7.34	18.6	6.4	
		3:00	24.08	54.05	34.65	8.21	7.29	14.3	5.4	
		6:00	23.54	53.87	34.53	8.17	6.83	18.7	1.1	
		9:00	24.70	54.30	34.81	8.20	7.41	16.7	5.4	
		12:00	25.09	54.24	34.77	8.22	7.61	15.5	5.0	
		15:00	24.66	54.21	34.75	8.19	7.55	20.1	3.2	
		18:00	24.14	54.16	34.72	8.16	7.42	41.1	5.1	
		21:00	23.99	54.12	34.69	8.15	7.23	36.4	4.0	
	日平均值			24.30	54.13	34.70	8.19	7.34	22.67	4.45
	灣內站	0:00	23.97	52.48	32.99	7.93	5.19	23.2	3.1	
		3:00	23.68	52.50	33.00	7.88	5.35	6.2	3.2	
		6:00	23.53	52.49	33.00	7.85	5.51	7.2	5.9	
		9:00	23.90	52.55	33.03	7.99	5.91	14.4	2.4	
		12:00	24.31	52.60	33.05	8.06	6.78	13.8	5.7	
		15:00	24.41	52.72	33.13	8.05	7.03	13.8	2.0	
		18:00	24.39	52.61	33.06	7.97	6.39	7.3	1.2	
		21:00	24.26	52.57	33.04	7.89	5.69	4.5	3.1	
	日平均值			24.06	52.57	33.04	7.95	5.98	11.30	3.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月11日	蚵殼站	0:00	20.42	51.81	33.21	8.01	6.03	9.7	5.2	
		3:00	20.23	51.79	33.20	7.94	6.01	11.8	2.1	
		6:00	20.12	51.70	33.14	7.94	5.85	13.5	4.9	
		9:00	20.51	51.73	33.16	7.96	5.99	7.1	4.9	
		12:00	20.63	51.90	33.27	8.01	7.06	13.6	1.3	
		15:00	20.49	52.07	33.38	8.02	7.29	11.5	3.7	
		18:00	20.40	51.89	33.26	8.00	6.59	8.6	3.7	
		21:00	20.40	51.68	33.13	8.02	6.67	5.8	2.6	
	日平均值			20.40	51.82	33.22	7.99	6.44	10.19	3.55
	潮口站	0:00	24.07	54.01	34.62	8.17	7.22	18.5	1.9	
		3:00	24.34	54.02	34.63	8.20	7.37	12.6	1.1	
		6:00	24.01	53.85	34.52	8.17	7.12	13.6	3.9	
		9:00	24.41	54.18	34.73	8.19	7.28	14.8	2.6	
		12:00	24.96	54.09	34.67	8.19	7.59	13.0	3.2	
		15:00	24.75	53.91	34.56	8.17	7.51	14.2	2.7	
		18:00	24.11	54.10	34.68	8.14	7.34	46.1	2.7	
		21:00	24.11	54.29	34.80	8.10	7.05	56.5	1.5	
	日平均值			24.35	54.06	34.65	8.17	7.31	23.66	2.45
	灣內站	0:00	24.08	52.48	32.99	7.85	5.37	1.7	6.2	
		3:00	23.92	52.57	33.04	7.95	5.61	3.6	3.1	
		6:00	23.76	52.56	33.03	7.95	5.55	6.2	5.9	
		9:00	23.96	52.55	33.02	8.01	6.43	9.0	4.3	
		12:00	24.49	52.62	33.06	8.13	8.44	15.9	4.3	
		15:00	24.36	52.71	33.12	8.13	9.20	37.9	1.6	
		18:00	24.20	52.72	33.12	8.01	6.77	11.4	5.1	
		21:00	24.15	52.69	33.10	7.86	6.33	7.2	1.8	
	日平均值			24.12	52.61	33.06	7.99	6.71	11.62	4.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月12日	蚵殼站	0:00	20.31	51.65	33.11	7.99	6.53	2.4	1.6	
		3:00	20.10	51.53	33.03	7.92	6.27	3.2	1.8	
		6:00	19.97	51.25	32.85	7.95	6.77	0.9	4.7	
		9:00	20.30	51.36	32.92	8.00	6.50	0.7	1.3	
		12:00	20.52	51.60	33.08	7.98	6.83	5.1	3.6	
		15:00	20.54	51.75	33.17	8.02	7.47	11.6	5.6	
		18:00	20.50	51.78	33.19	8.01	7.00	6.1	2.1	
		21:00	20.53	51.59	33.07	8.10	6.86	1.5	2.4	
	日平均值			20.35	51.56	33.05	8.00	6.78	3.92	2.89
	潮口站	0:00	23.95	53.98	34.60	8.12	7.10	27.8	2.7	
		3:00	24.39	54.05	34.65	8.18	7.49	12.3	4.9	
		6:00	24.30	53.99	34.61	8.15	7.35	8.0	3.7	
		9:00	24.51	54.10	34.68	8.17	7.45	11.1	5.5	
		12:00	25.04	54.01	34.62	8.18	7.87	15.0	2.6	
		15:00	25.16	53.93	34.57	8.16	7.86	14.1	3.8	
		18:00	24.20	53.96	34.59	8.12	7.16	36.3	1.8	
		21:00	24.30	54.18	34.73	8.11	7.10	44.9	1.4	
	日平均值			24.48	54.03	34.63	8.15	7.42	21.19	3.30
	灣內站	0:00	24.10	52.77	33.17	7.79	5.50	1.5	2.6	
		3:00	23.94	52.74	33.14	7.84	5.70	3.8	7.0	
		6:00	23.73	52.75	33.15	7.82	5.70	1.6	5.7	
		9:00	24.01	52.80	33.20	7.84	5.81	1.9	6.8	
		12:00	24.62	52.73	33.14	8.11	8.42	11.4	4.6	
		15:00	24.63	52.72	33.13	8.16	10.19	15.2	1.3	
		18:00	24.74	52.75	33.15	8.01	7.98	7.3	3.7	
		21:00	24.81	52.47	32.97	7.97	6.18	6.3	5.7	
	日平均值			24.32	52.72	33.13	7.94	6.94	6.12	4.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月13日	蚵殼站	0:00	20.49	51.32	32.90	8.04	7.43	1.8	3.2	
		3:00	20.22	50.84	32.59	8.04	6.97	0.6	3.3	
		6:00	20.25	51.15	32.79	7.95	7.16	0.5	1.8	
		9:00	20.33	50.97	32.67	8.06	7.12	0.4	1.8	
		12:00	20.63	51.45	32.98	8.05	7.60	1.7	2.8	
		15:00	20.73	51.65	33.11	8.08	6.83	2.1	1.2	
		18:00	20.87	51.54	33.04	8.15	6.85	2.2	2.1	
		21:00	21.08	51.32	32.90	8.18	7.93	1.4	2.0	
	日平均值			20.58	51.28	32.87	8.07	7.24	1.33	2.28
	潮口站	0:00	23.95	53.91	34.56	8.10	7.19	36.8	2.6	
		3:00	24.57	54.05	34.65	8.16	7.47	9.0	2.6	
		6:00	24.45	53.99	34.61	8.15	7.41	14.3	2.4	
		9:00	23.85	53.60	34.36	8.12	7.58	13.8	2.2	
		12:00	25.00	54.04	34.64	8.17	7.80	15.2	7.1	
		15:00	25.16	54.02	34.63	8.15	7.85	14.3	5.0	
		18:00	24.36	53.85	34.52	8.14	7.45	24.5	5.6	
		21:00	24.57	54.21	34.75	8.12	7.12	40.4	3.5	
	日平均值			24.49	53.96	34.59	8.14	7.48	21.03	3.88
	灣內站	0:00	24.54	52.51	33.00	7.95	6.96	7.8	3.0	
		3:00	24.43	52.82	33.21	7.89	5.31	1.5	3.7	
		6:00	24.19	52.82	33.20	7.75	5.46	0.7	1.4	
		9:00	24.74	52.94	33.28	7.87	6.02	2.0	4.2	
		12:00	25.02	51.81	32.57	8.06	9.06	7.4	3.8	
		15:00	25.08	52.17	32.80	8.09	9.35	7.2	5.1	
		18:00	24.70	52.30	32.89	8.10	6.89	0.5	1.2	
		21:00	24.75	52.27	32.87	7.81	5.50	0.3	2.5	
	日平均值			24.68	52.46	32.98	7.94	6.82	3.42	3.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月14日	蚵殼站	0:00	20.79	51.00	32.69	8.13	9.37	0.4	1.5	
		3:00	20.64	51.04	32.72	8.00	8.59	0.4	5.8	
		6:00	20.50	51.18	32.81	8.04	7.96	0.4	1.3	
		9:00	20.77	51.34	32.91	8.11	7.93	0.4	1.9	
		12:00	21.14	51.60	33.08	8.09	8.29	2.1	2.1	
		15:00	21.24	51.64	33.10	8.20	8.26	0.7	2.1	
		18:00	21.21	51.64	33.10	8.23	7.88	4.5	1.8	
		21:00	21.20	51.50	33.01	8.26	9.46	1.5	3.3	
	日平均值			20.94	51.37	32.93	8.13	8.47	1.30	2.48
	潮口站	0:00	24.27	53.94	34.58	8.11	7.08	35.4	2.3	
		3:00	24.63	54.02	34.63	8.17	7.42	7.9	4.8	
		6:00	24.64	54.05	34.65	8.17	7.34	13.6	2.0	
		9:00	24.51	54.05	34.65	8.16	7.46	13.3	1.2	
		12:00	25.12	54.10	34.68	8.19	7.87	12.1	4.4	
		15:00	25.56	54.05	34.65	8.19	7.73	15.1	4.4	
		18:00	25.03	53.94	34.58	8.19	7.85	19.2	3.9	
		21:00	25.01	54.24	34.77	8.15	7.34	37.9	3.9	
	日平均值			24.85	54.05	34.65	8.17	7.51	19.30	3.36
	灣內站	0:00	24.50	52.50	33.00	7.71	5.79	0.3	1.3	
		3:00	24.25	52.72	33.14	7.75	6.50	0.3	4.1	
		6:00	24.11	52.81	33.20	7.68	5.10	0.3	3.0	
		9:00	24.22	52.50	33.00	7.90	6.90	0.5	2.9	
		12:00	24.87	52.12	32.76	8.10	9.74	1.5	4.3	
		15:00	25.13	52.52	33.00	8.13	10.90	1.1	1.7	
		18:00	25.11	52.61	33.06	8.06	7.73	0.3	2.8	
		21:00	24.90	52.42	32.96	7.99	6.13	0.3	3.1	
	日平均值			24.64	52.53	33.02	7.92	7.35	0.59	2.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月15日	蚵殼站	0:00	21.19	51.32	32.90	8.19	9.85	0.4	2.4	
		3:00	21.03	51.43	32.97	8.03	9.62	0.4	1.1	
		6:00	20.96	51.37	32.93	8.17	8.49	0.4	2.1	
		9:00	21.19	51.45	32.98	8.15	9.58	0.4	2.5	
		12:00	21.52	51.62	33.09	8.16	9.35	24.2	1.3	
		15:00	21.69	51.21	32.83	8.19	10.13	0.4	2.8	
		18:00	21.48	51.21	32.83	8.18	9.47	0.5	4.6	
		21:00	21.37	51.01	32.70	8.16	9.08	0.4	3.9	
	日平均值			21.30	51.33	32.90	8.15	9.45	3.40	2.59
	潮口站	0:00	24.90	54.27	34.79	8.13	6.98	44.9	4.8	
		3:00	24.89	54.21	34.75	8.17	7.27	18.0	1.1	
		6:00	25.15	54.41	34.88	8.17	7.34	14.0	1.1	
		9:00	25.01	54.30	34.81	8.18	7.85	27.0	1.4	
		12:00	25.42	54.32	34.82	8.19	8.09	20.8	5.9	
		15:00	26.03	54.29	34.80	8.19	7.64	19.0	2.3	
		18:00	25.97	54.41	34.88	8.18	7.52	18.1	6.0	
		21:00	25.68	53.71	34.43	8.19	7.44	14.3	5.3	
	日平均值			25.38	54.24	34.77	8.18	7.52	22.00	3.49
	灣內站	0:00	24.68	52.34	32.92	7.75	8.04	0.3	3.3	
		3:00	24.55	52.75	33.16	7.85	7.51	0.3	1.7	
		6:00	24.50	52.80	33.20	7.85	5.07	0.3	1.3	
		9:00	24.58	52.69	33.10	7.85	5.48	0.3	4.8	
		12:00	25.14	52.82	33.20	7.87	5.71	3.5	4.1	
		15:00	26.00	53.70	33.75	7.87	6.37	3.6	2.3	
		18:00	25.87	53.38	33.55	7.75	7.52	3.5	2.7	
		21:00	25.75	53.09	33.37	7.81	5.77	15.3	1.1	
	日平均值			25.13	52.95	33.28	7.83	6.43	3.39	2.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月16日	蚵殼站	0:00	21.28	50.67	32.48	8.16	8.97	0.4	3.7	
		3:00	21.14	50.58	32.42	8.13	7.82	0.4	2.4	
		6:00	21.09	50.39	32.30	8.09	7.58	0.4	6.5	
		9:00	21.25	50.51	32.38	8.13	8.72	0.4	1.8	
		12:00	21.70	50.53	32.39	8.20	10.28	0.4	3.2	
		15:00	22.10	50.98	32.68	8.17	9.40	2.8	13.6	
		18:00	22.05	50.93	32.65	8.16	8.83	2.6	5.4	
		21:00	21.97	50.73	32.52	8.13	8.13	0.7	2.1	
	日平均值			21.57	50.67	32.48	8.15	8.72	1.00	4.84
	潮口站	0:00	25.71	52.74	33.81	8.17	7.36	10.2	3.4	
		3:00	25.33	52.10	33.40	8.18	7.31	2.7	3.4	
		6:00	25.26	52.24	33.49	8.16	7.22	8.9	5.7	
		9:00	25.10	49.98	32.04	8.16	7.42	15.9	8.6	
		12:00	25.29	51.29	32.88	8.18	7.83	14.1	8.1	
		15:00	25.73	50.92	32.64	8.20	7.98	5.0	6.1	
		18:00	25.61	51.04	32.72	8.19	8.08	7.6	11.9	
		21:00	25.44	49.95	32.02	8.14	7.54	16.6	2.9	
	日平均值			25.43	51.28	32.88	8.17	7.59	10.13	6.26
	灣內站	0:00	25.62	53.86	33.85	7.69	5.93	7.2	2.9	
		3:00	25.11	53.96	33.91	7.88	5.95	2.4	1.3	
		6:00	24.66	54.05	33.97	7.89	6.55	8.9	1.9	
		9:00	25.04	53.84	33.84	7.88	5.72	7.1	1.9	
		12:00	25.53	53.43	33.58	7.82	6.18	4.5	1.6	
		15:00	25.96	53.78	33.80	7.80	6.07	8.1	14.1	
		18:00	25.87	53.80	33.81	7.81	6.14	7.0	10.0	
		21:00	25.85	53.88	33.86	7.80	5.99	11.6	10.7	
	日平均值			25.46	53.82	33.83	7.82	6.07	7.10	5.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月17日	蚵殼站	0:00	21.72	50.59	32.43	8.15	8.28	0.5	3.4	
		3:00	21.50	50.40	32.31	8.18	9.09	0.4	2.0	
		6:00	21.49	50.34	32.27	8.17	8.33	0.4	3.4	
		9:00	21.66	50.34	32.27	8.21	9.60	0.4	3.9	
		12:00	22.00	50.47	32.35	8.22	10.19	0.4	9.3	
		15:00	22.15	50.67	32.48	8.18	9.46	0.8	3.0	
		18:00	22.03	50.51	32.38	8.16	7.98	1.1	1.6	
		21:00	22.04	50.17	32.16	8.18	8.92	0.5	3.1	
	日平均值			21.82	50.44	32.33	8.18	8.98	0.55	3.71
	潮口站	0:00	25.22	50.52	32.33	8.13	7.22	16.4	6.9	
		3:00	25.11	50.76	32.48	8.15	7.17	9.2	4.9	
		6:00	25.10	51.31	32.89	8.19	7.45	7.8	2.9	
		9:00	25.36	51.23	32.84	8.15	7.55	12.5	3.6	
		12:00	25.71	51.64	33.10	8.18	8.15	14.9	6.8	
		15:00	25.77	52.43	33.61	8.19	7.97	5.1	2.5	
		18:00	25.27	52.18	33.45	8.18	7.63	2.3	5.6	
		21:00	25.39	53.43	34.25	8.18	7.91	12.0	5.0	
	日平均值			25.37	51.69	33.12	8.17	7.63	10.03	4.78
	灣內站	0:00	25.08	53.96	33.91	7.84	5.51	8.5	13.2	
		3:00	24.51	53.91	33.88	7.86	6.40	5.5	11.0	
		6:00	24.54	53.92	33.89	7.86	6.31	6.2	8.8	
		9:00	24.76	53.84	33.84	7.85	6.41	6.5	8.0	
		12:00	25.48	53.80	33.81	7.78	6.26	8.3	9.8	
		15:00	25.64	53.60	33.69	7.79	5.63	6.1	10.4	
		18:00	25.63	53.76	33.79	7.78	5.85	14.7	7.8	
		21:00	25.43	53.91	33.88	7.83	5.73	10.4	5.5	
	日平均值			25.13	53.84	33.84	7.82	6.01	8.28	9.31
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月18日	蚵殼站	0:00	21.99	50.19	32.17	8.20	9.63	0.4	2.3	
		3:00	21.84	50.11	32.12	8.19	9.33	0.4	3.6	
		6:00	21.71	50.06	32.09	8.18	8.16	0.4	3.8	
		9:00	22.02	49.83	31.94	8.23	9.23	0.4	4.0	
		12:00	22.31	50.00	32.05	8.24	10.15	0.4	3.5	
		15:00	22.39	50.06	32.09	8.22	10.02	0.4	5.7	
		18:00	22.12	50.08	32.10	8.18	7.89	1.2	4.8	
		21:00	22.12	50.04	32.08	8.21	8.37	0.6	5.4	
	日平均值			22.06	50.05	32.08	8.21	9.10	0.52	4.14
	潮口站	0:00	25.22	53.35	34.20	8.14	7.15	15.9	6.6	
		3:00	25.11	53.62	34.37	8.16	7.00	9.1	4.6	
		6:00	25.20	54.09	34.67	8.19	7.41	5.9	2.3	
		9:00	25.40	53.55	34.33	8.15	7.48	13.0	2.8	
		12:00	25.82	53.51	34.30	8.21	8.55	17.7	3.3	
		15:00	25.87	53.55	34.33	8.23	8.64	8.8	7.4	
		18:00	25.40	52.77	33.83	8.20	7.77	2.5	4.2	
		21:00	25.41	53.35	34.20	8.20	7.91	9.9	7.3	
	日平均值			25.43	53.47	34.28	8.19	7.74	10.35	4.81
	灣內站	0:00	24.75	53.83	33.83	7.89	6.00	9.8	10.3	
		3:00	24.61	53.88	33.86	7.89	6.63	6.1	10.7	
		6:00	24.51	53.92	33.89	7.85	5.53	6.4	8.8	
		9:00	24.41	53.86	33.85	7.76	5.58	15.6	8.0	
		12:00	24.83	53.78	33.80	7.87	5.62	12.8	4.8	
		15:00	25.36	53.84	33.84	7.86	5.89	6.9	7.3	
		18:00	25.34	53.83	33.83	7.81	6.27	5.2	7.8	
		21:00	25.01	53.65	33.72	7.82	6.31	6.8	12.4	
	日平均值			24.85	53.82	33.83	7.84	5.98	8.70	8.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月19日	蚵殼站	0:00	22.35	49.76	31.90	8.23	9.78	0.4	4.0	
		3:00	22.24	49.50	31.73	8.20	9.30	0.4	3.5	
		6:00	22.10	49.37	31.65	8.20	7.71	0.7	2.6	
		9:00	22.22	49.31	31.61	8.25	8.68	1.1	2.8	
		12:00	22.53	49.36	31.64	8.24	10.05	0.4	6.5	
		15:00	22.56	49.58	31.78	8.19	8.96	0.5	17.1	
		18:00	22.64	49.34	31.63	8.23	8.33	0.5	13.1	
		21:00	22.55	49.34	31.63	8.22	7.54	2.1	20.0	
	日平均值			22.40	49.45	31.70	8.22	8.79	0.77	8.70
	潮口站	0:00	25.53	53.51	34.30	8.18	7.93	11.2	8.7	
		3:00	25.36	53.55	34.33	8.18	7.66	9.6	2.9	
		6:00	25.01	54.09	34.67	8.20	7.48	8.9	3.8	
		9:00	25.70	53.62	34.37	8.20	8.01	10.6	6.8	
		12:00	26.53	53.38	34.22	8.18	8.17	16.4	7.0	
		15:00	26.59	53.45	34.26	8.22	8.62	11.0	9.2	
		18:00	25.74	53.99	34.61	8.20	7.66	4.6	6.0	
		21:00	25.86	53.80	34.49	8.22	7.99	6.7	6.0	
	日平均值			25.79	53.67	34.41	8.20	7.94	9.89	6.30
	灣內站	0:00	25.31	53.70	33.75	7.86	5.80	6.8	4.8	
		3:00	25.10	53.65	33.72	7.83	5.74	8.4	10.6	
		6:00	25.11	53.72	33.76	7.83	5.66	10.5	3.7	
		9:00	25.20	53.65	33.72	7.89	6.00	7.5	9.7	
		12:00	25.57	53.41	33.57	7.82	6.40	7.4	8.5	
		15:00	25.74	53.09	33.37	7.89	7.11	8.9	12.2	
		18:00	25.83	53.44	33.59	7.89	7.42	6.5	15.6	
		21:00	26.03	53.38	33.55	7.75	7.89	6.3	22.4	
	日平均值			25.49	53.50	33.63	7.85	6.50	7.79	10.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月20日	蚵殼站	0:00	22.51	49.30	31.60	8.23	9.34	0.4	12.2	
		3:00	22.37	49.30	31.60	8.20	8.30	0.4	20.5	
		6:00	22.29	49.30	31.60	8.18	8.29	0.4	12.5	
		9:00	22.47	49.30	31.60	8.19	8.84	0.4	8.5	
		12:00	22.65	49.51	31.74	8.14	8.24	1.0	12.1	
		15:00	22.82	49.76	31.90	8.11	7.76	0.6	18.2	
		18:00	22.50	50.23	32.20	8.10	7.29	4.0	11.4	
		21:00	22.32	50.50	32.37	8.13	7.38	5.5	13.0	
	日平均值			22.49	49.65	31.83	8.16	8.18	1.58	13.55
	潮口站	0:00	26.30	53.38	34.22	8.21	8.27	8.2	16.4	
		3:00	26.11	53.18	34.09	8.24	8.46	4.7	5.5	
		6:00	25.57	53.98	34.60	8.19	7.37	9.0	5.9	
		9:00	26.18	53.41	34.24	8.24	8.54	8.8	15.6	
		12:00	26.70	53.43	34.25	8.23	8.75	16.1	9.0	
		15:00	26.30	53.52	34.31	8.23	8.35	15.1	6.6	
		18:00	25.90	53.82	34.50	8.19	7.25	6.0	7.4	
		21:00	25.75	53.79	34.48	8.20	7.31	7.3	13.3	
	日平均值			26.10	53.56	34.34	8.22	8.04	9.40	9.96
	灣內站	0:00	25.54	53.41	33.57	7.81	7.84	5.2	17.6	
		3:00	25.29	53.39	33.56	7.78	7.39	10.4	19.3	
		6:00	25.24	53.89	33.87	7.82	6.04	10.5	11.2	
		9:00	25.55	53.47	33.61	7.73	6.68	5.8	22.3	
		12:00	26.36	53.07	33.36	7.71	7.27	9.0	13.1	
		15:00	26.54	53.11	33.38	7.71	7.08	6.8	24.6	
		18:00	26.47	53.57	33.67	7.61	6.97	8.2	25.2	
		21:00	26.32	53.33	33.52	7.57	6.88	5.8	24.3	
	日平均值			25.91	53.41	33.57	7.72	7.02	7.71	19.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月21日	蚵殼站	0:00	22.09	50.47	32.35	8.11	7.10	5.2	15.7	
		3:00	21.87	50.43	32.33	8.10	6.89	1.5	10.7	
		6:00	21.64	50.54	32.40	8.10	6.89	10.5	11.7	
		9:00	21.96	50.43	32.33	8.11	7.14	10.6	11.1	
		12:00	22.33	50.53	32.39	8.15	8.01	4.2	5.8	
		15:00	22.46	50.54	32.40	8.18	8.44	2.7	15.8	
		18:00	22.20	50.59	32.43	8.16	7.99	5.2	10.8	
		21:00	22.09	50.65	32.47	8.16	7.85	8.5	13.0	
	日平均值			22.08	50.52	32.39	8.13	7.54	6.06	11.83
	潮口站	0:00	25.49	53.66	34.40	8.16	7.07	17.8	21.6	
		3:00	25.41	53.60	34.36	8.17	7.01	14.1	4.5	
		6:00	25.16	54.05	34.65	8.18	7.18	8.7	6.3	
		9:00	25.16	54.04	34.64	8.20	7.53	8.9	10.0	
		12:00	25.63	53.91	34.56	8.16	7.54	21.3	11.8	
		15:00	26.04	53.74	34.45	8.21	8.29	17.7	5.8	
		18:00	25.50	54.01	34.62	8.20	7.71	8.4	1.9	
		21:00	25.19	53.91	34.56	8.23	7.60	6.3	7.2	
	日平均值			25.45	53.87	34.53	8.19	7.49	12.89	8.64
	灣內站	0:00	26.24	53.49	33.62	7.89	6.92	4.4	14.9	
		3:00	26.32	53.56	33.66	7.70	5.80	3.7	18.2	
		6:00	26.22	53.83	33.83	7.77	5.61	4.3	21.5	
		9:00	25.53	53.12	33.39	8.20	6.42	28.7	19.3	
		12:00	25.95	53.01	33.29	8.16	6.85	12.2	22.8	
		15:00	25.97	52.00	31.76	8.16	6.99	12.8	19.8	
		18:00	25.77	51.77	31.05	8.15	6.79	19.5	13.0	
		21:00	25.69	52.02	31.10	8.17	6.85	24.5	7.9	
	日平均值			25.96	52.85	32.71	8.03	6.53	13.75	17.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月22日	蚵殼站	0:00	21.92	50.59	32.43	8.15	7.38	8.1	9.1	
		3:00	21.62	50.56	32.41	8.13	6.95	3.4	7.0	
		6:00	21.25	50.54	32.40	8.14	7.03	2.4	8.0	
		9:00	21.63	50.34	32.27	8.13	6.50	8.1	4.4	
		12:00	21.81	50.37	32.29	8.15	7.28	4.6	3.7	
		15:00	21.82	50.50	32.37	8.16	7.28	1.9	10.3	
		18:00	21.64	50.48	32.36	8.15	5.72	6.6	5.8	
		21:00	21.45	50.50	32.37	8.14	7.17	1.4	4.4	
	日平均值			21.64	50.49	32.36	8.14	6.91	4.54	6.59
	潮口站	0:00	24.83	53.90	34.55	8.21	7.53	13.8	16.8	
		3:00	24.75	53.87	34.53	8.19	7.03	14.6	8.4	
		6:00	24.69	53.87	34.53	8.20	7.10	8.7	5.4	
		9:00	24.96	53.90	34.55	8.23	7.69	6.5	5.7	
		12:00	25.29	54.01	34.62	8.21	7.88	12.9	12.4	
		15:00	25.29	53.98	34.60	8.17	7.38	20.0	8.7	
		18:00	24.99	53.60	34.36	8.19	7.39	8.6	6.4	
		21:00	24.92	53.80	34.49	8.21	7.78	2.3	7.3	
	日平均值			24.97	53.87	34.53	8.20	7.47	10.91	8.89
	灣內站	0:00	25.49	51.98	31.10	8.15	6.29	21.2	15.1	
		3:00	25.23	51.51	31.00	8.13	5.85	25.5	15.7	
		6:00	25.10	52.11	31.12	8.14	5.67	33.5	18.5	
		9:00	25.14	51.96	31.09	8.14	5.59	30.6	9.0	
		12:00	25.66	51.94	31.09	8.17	6.61	17.6	14.9	
		15:00	25.96	51.79	31.06	8.10	6.07	12.0	13.6	
		18:00	25.75	51.15	30.93	8.06	5.74	24.2	12.2	
		21:00	25.65	51.75	31.05	8.15	6.47	18.3	10.6	
	日平均值			25.50	51.77	31.06	8.13	6.04	22.85	13.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月23日	蚵殼站	0:00	21.30	50.47	32.35	8.14	7.04	2.0	3.6	
		3:00	21.19	50.31	32.25	8.12	6.43	4.2	5.9	
		6:00	21.06	50.17	32.16	8.13	6.84	1.8	5.0	
		9:00	21.40	50.09	32.11	8.15	6.66	2.3	9.8	
		12:00	21.72	50.08	32.10	8.13	6.98	1.5	15.6	
		15:00	21.60	50.09	32.11	8.09	6.51	0.5	6.2	
		18:00	21.46	50.09	32.11	8.07	6.02	1.3	1.7	
		21:00	21.36	50.12	32.13	8.07	6.39	1.3	3.0	
	日平均值			21.39	50.18	32.17	8.11	6.61	1.86	6.35
	潮口站	0:00	24.60	53.63	34.38	8.20	7.28	11.0	7.6	
		3:00	24.40	53.60	34.36	8.19	6.75	20.8	1.7	
		6:00	24.56	53.90	34.55	8.18	6.57	12.0	4.1	
		9:00	25.05	54.09	34.67	8.24	7.22	12.0	7.4	
		12:00	25.22	54.01	34.62	8.22	7.68	10.8	8.5	
		15:00	25.18	54.02	34.63	8.20	7.43	19.7	5.0	
		18:00	24.92	53.91	34.56	8.18	6.85	18.9	3.3	
		21:00	24.87	52.88	33.90	8.20	7.33	4.7	3.1	
	日平均值			24.85	53.76	34.46	8.20	7.14	13.75	5.09
	灣內站	0:00	25.16	51.21	30.94	8.15	6.16	9.0	8.1	
		3:00	24.94	51.51	31.00	8.16	5.62	10.2	8.4	
		6:00	24.81	51.76	31.05	8.11	5.17	26.9	11.5	
		9:00	25.06	52.13	31.13	8.17	6.45	18.8	10.3	
		12:00	25.47	51.99	31.10	8.22	7.30	11.0	16.1	
		15:00	25.64	51.99	31.10	8.21	7.30	9.3	16.1	
		18:00	25.63	52.05	31.11	8.10	5.72	17.7	8.3	
		21:00	25.32	52.07	31.11	8.14	6.08	19.7	16.3	
	日平均值			25.25	51.84	31.07	8.16	6.23	15.33	11.89
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月24日	蚵殼站	0:00	21.24	50.14	32.14	8.08	6.46	4.7	4.8	
		3:00	21.08	50.08	32.10	8.09	6.55	3.8	2.1	
		6:00	21.00	50.00	32.05	8.10	6.60	4.2	2.0	
		9:00	21.16	50.03	32.07	8.11	5.93	8.8	1.3	
		12:00	21.41	50.03	32.07	8.13	6.77	5.7	1.2	
		15:00	21.39	50.08	32.10	8.09	6.35	3.9	8.5	
		18:00	21.28	50.08	32.10	8.10	6.34	0.5	1.8	
		21:00	21.19	50.08	32.10	8.12	6.41	1.5	3.3	
	日平均值			21.22	50.07	32.09	8.10	6.43	4.13	3.13
	潮口站	0:00	24.59	53.13	34.06	8.20	7.10	12.1	2.0	
		3:00	24.24	53.40	34.23	8.20	6.83	16.8	1.8	
		6:00	24.31	53.54	34.32	8.17	6.59	15.3	3.5	
		9:00	24.92	54.05	34.65	8.23	7.53	11.7	4.3	
		12:00	25.13	54.02	34.63	8.24	8.06	8.2	3.4	
		15:00	25.20	54.01	34.62	8.21	8.02	14.9	6.7	
		18:00	25.01	54.09	34.67	8.21	7.56	20.2	3.2	
		21:00	24.75	54.01	34.62	8.19	7.25	10.5	2.3	
	日平均值			24.77	53.78	34.48	8.21	7.37	13.70	3.40
	灣內站	0:00	25.01	52.46	31.19	8.16	5.39	19.1	17.2	
		3:00	24.85	51.94	31.09	8.15	5.34	17.9	9.5	
		6:00	24.69	52.07	31.11	8.15	5.21	25.3	10.8	
		9:00	24.78	52.76	31.25	8.15	5.57	16.0	8.3	
		12:00	25.39	52.13	31.13	8.23	7.23	12.9	15.3	
		15:00	25.57	52.00	31.10	8.24	7.77	12.7	12.9	
		18:00	25.61	52.00	31.10	8.13	5.99	15.1	17.0	
		21:00	25.34	51.85	31.07	8.15	5.78	11.8	16.4	
	日平均值			25.16	52.15	31.13	8.17	6.04	16.35	13.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月25日	蚵殼站	0:00	21.08	49.86	31.96	8.12	6.74	5.0	2.7	
		3:00	21.00	49.92	32.00	8.13	6.96	2.4	2.7	
		6:00	21.01	49.94	32.01	8.14	7.01	5.4	5.0	
		9:00	21.21	49.80	31.92	8.18	6.48	6.4	1.6	
		12:00	21.35	49.86	31.96	8.17	7.75	3.1	3.2	
		15:00	21.23	49.92	32.00	8.11	7.21	2.2	2.3	
		18:00	21.21	50.06	32.09	8.13	7.26	0.6	2.2	
		21:00	21.30	50.08	32.10	8.18	7.02	4.0	1.5	
	日平均值			21.17	49.93	32.01	8.15	7.05	3.64	2.65
	潮口站	0:00	24.93	54.02	34.63	8.28	7.99	6.9	3.2	
		3:00	24.74	53.77	34.47	8.29	7.62	12.5	4.7	
		6:00	24.59	53.70	34.42	8.23	7.06	13.9	2.4	
		9:00	25.10	53.98	34.60	8.25	7.88	7.0	5.4	
		12:00	25.42	53.82	34.50	8.26	8.26	7.2	3.2	
		15:00	25.13	54.01	34.62	8.24	8.42	12.6	3.2	
		18:00	24.90	54.19	34.74	8.22	7.95	18.2	4.0	
		21:00	24.84	54.10	34.68	8.19	7.24	16.8	5.9	
	日平均值			24.96	53.95	34.58	8.25	7.80	11.88	4.00
	灣內站	0:00	25.11	52.02	31.11	8.20	5.62	14.1	7.9	
		3:00	24.84	52.00	31.10	8.15	5.11	20.7	12.6	
		6:00	24.69	52.04	31.11	8.15	5.06	16.0	8.7	
		9:00	24.71	52.26	31.15	8.16	5.13	12.0	11.9	
		12:00	25.20	51.91	31.08	8.21	6.19	7.7	7.8	
		15:00	25.37	51.67	31.03	8.22	6.57	7.0	5.3	
		18:00	25.18	51.93	31.09	8.12	5.37	13.3	11.5	
		21:00	25.05	51.61	31.02	8.08	5.00	9.2	9.3	
	日平均值			25.02	51.93	31.09	8.16	5.51	12.49	9.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月26日	蚵殼站	0:00	21.26	49.92	32.00	8.16	7.17	2.4	7.2	
		3:00	21.14	49.67	31.84	8.12	6.86	1.4	2.1	
		6:00	21.11	49.87	31.97	8.13	6.85	0.5	2.0	
		9:00	21.27	50.01	32.06	8.21	8.01	6.0	1.1	
		12:00	21.31	49.97	32.03	8.22	7.25	8.5	1.3	
		15:00	21.52	49.94	32.01	8.24	6.65	5.1	4.4	
		18:00	21.60	49.84	31.95	8.28	7.62	1.9	9.7	
		21:00	21.55	49.84	31.95	8.24	7.75	1.6	5.8	
	日平均值			21.35	49.88	31.98	8.20	7.27	3.43	4.20
	潮口站	0:00	24.98	54.16	34.72	8.22	7.37	6.8	2.7	
		3:00	25.00	53.91	34.56	8.28	7.31	12.0	3.2	
		6:00	24.74	53.82	34.50	8.25	6.90	18.5	2.3	
		9:00	25.12	53.96	34.59	8.22	7.26	8.7	3.0	
		12:00	25.47	53.98	34.60	8.23	7.71	9.5	2.1	
		15:00	25.48	53.99	34.61	8.23	7.87	11.6	3.6	
		18:00	25.59	54.29	34.80	8.18	7.46	24.7	3.2	
		21:00	25.20	54.23	34.76	8.19	7.51	16.8	1.2	
	日平均值			25.20	54.04	34.64	8.23	7.42	13.58	2.66
	灣內站	0:00	24.89	51.72	31.04	8.18	5.04	5.9	7.7	
		3:00	24.70	52.00	31.10	8.15	5.11	4.4	5.7	
		6:00	24.64	51.96	31.09	8.11	5.08	7.8	10.0	
		9:00	25.06	51.89	31.08	8.19	5.03	8.4	4.1	
		12:00	25.50	51.54	31.01	8.25	6.72	4.5	4.0	
		15:00	25.67	51.75	31.05	8.33	7.04	8.2	8.8	
		18:00	25.85	51.97	31.09	8.26	6.08	7.0	10.2	
		21:00	25.63	51.83	31.07	8.15	5.43	18.4	9.7	
	日平均值			25.24	51.83	31.07	8.20	5.69	8.09	7.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月27日	蚵殼站	0:00	21.43	49.75	31.89	8.20	6.59	2.2	6.6	
		3:00	21.33	49.65	31.83	8.19	6.51	0.7	4.5	
		6:00	21.31	49.55	31.76	8.17	6.65	3.0	2.0	
		9:00	21.54	49.69	31.85	8.19	7.59	0.7	2.1	
		12:00	21.73	49.58	31.78	8.24	9.02	3.6	1.7	
		15:00	21.84	49.58	31.78	8.23	7.44	5.5	1.1	
		18:00	21.79	49.51	31.74	8.24	7.72	1.5	4.2	
		21:00	21.71	49.59	31.79	8.22	7.21	2.1	3.9	
	日平均值			21.59	49.61	31.80	8.21	7.34	2.41	3.26
	潮口站	0:00	25.06	54.19	34.74	8.21	7.19	12.4	2.9	
		3:00	25.14	54.09	34.67	8.24	7.18	14.0	6.0	
		6:00	24.87	54.01	34.62	8.25	7.26	22.3	3.5	
		9:00	25.01	53.99	34.61	8.24	7.39	15.4	1.9	
		12:00	25.53	53.94	34.58	8.24	7.93	7.0	8.6	
		15:00	25.57	53.88	34.54	8.25	7.94	7.7	2.2	
		18:00	25.59	54.10	34.68	8.21	7.42	18.5	2.9	
		21:00	25.42	54.18	34.73	8.18	7.03	25.0	4.2	
	日平均值			25.27	54.05	34.65	8.23	7.42	15.28	4.03
	灣內站	0:00	25.42	51.95	31.09	8.15	5.16	9.4	5.2	
		3:00	25.27	51.56	31.01	8.15	5.05	8.2	9.0	
		6:00	25.14	51.52	31.00	8.10	5.07	5.4	11.0	
		9:00	25.49	51.50	31.00	8.12	5.20	4.7	12.0	
		12:00	25.98	51.25	30.95	8.19	6.45	5.0	12.2	
		15:00	25.99	51.38	30.98	8.28	7.36	7.5	16.4	
		18:00	26.08	51.67	31.03	8.19	6.31	11.6	14.7	
		21:00	25.74	51.57	31.02	8.19	6.14	16.2	8.8	
	日平均值			25.64	51.55	31.01	8.17	5.84	8.49	11.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
3月28日	蚵殼站	0:00	21.63	49.55	31.76	8.19	6.61	2.3	1.5	
		3:00	21.39	49.44	31.69	8.18	8.37	0.7	3.7	
		6:00	21.33	49.33	31.62	8.16	7.67	0.6	5.2	
		9:00	21.69	49.36	31.64	8.22	8.53	2.4	1.2	
		12:00	22.29	49.39	31.66	8.22	9.14	2.6	3.6	
		15:00	22.48	49.58	31.78	8.19	8.23	3.5	3.4	
		18:00	22.19	49.51	31.74	8.21	7.45	6.5	1.5	
		21:00	22.10	49.48	31.72	8.21	7.39	2.9	8.1	
	日平均值			21.89	49.46	31.70	8.20	7.92	2.68	3.53
	潮口站	0:00	25.19	54.02	34.63	8.20	6.62	21.1	5.2	
		3:00	25.14	54.13	34.70	8.22	6.41	23.1	3.9	
		6:00	25.01	54.09	34.67	8.24	6.62	22.8	1.2	
		9:00	25.23	54.02	34.63	8.24	6.90	20.5	1.3	
		12:00	25.55	54.02	34.63	8.23	7.11	12.1	2.8	
		15:00	25.64	53.99	34.61	8.26	7.18	10.5	4.2	
		18:00	25.64	54.05	34.65	8.23	7.13	16.4	5.5	
		21:00	25.73	54.21	34.75	8.19	6.45	19.8	1.5	
	日平均值			25.39	54.07	34.66	8.23	6.80	18.29	3.20
	灣內站	0:00	25.54	51.67	31.04	8.23	5.58	12.4	12.0	
		3:00	25.46	51.62	31.02	8.19	5.42	18.7	11.2	
		6:00	25.39	51.70	31.04	8.15	5.10	15.6	7.7	
		9:00	25.85	51.56	31.01	8.18	5.62	6.8	15.1	
		12:00	26.36	51.36	30.97	8.23	6.90	6.0	10.8	
		15:00	26.59	51.06	30.91	8.28	7.44	10.1	17.1	
		18:00	26.60	51.14	30.93	8.20	6.34	8.9	20.1	
		21:00	26.40	51.43	30.99	8.16	5.87	2.7	10.2	
	日平均值			26.02	51.44	30.99	8.20	6.03	10.15	13.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月29日	蚵殼站	0:00	22.07	49.71	31.62	8.20	8.16	2.6	8.2	
		3:00	21.93	49.67	31.60	8.20	8.30	0.4	7.0	
		6:00	21.86	49.63	31.60	8.18	7.99	0.4	9.0	
		9:00	22.29	49.49	31.59	8.23	9.33	0.4	3.2	
		12:00	22.46	49.68	31.65	8.22	9.31	0.5	3.8	
		15:00	22.36	49.95	31.75	8.20	8.34	2.4	6.0	
		18:00	22.22	49.89	31.70	8.21	8.20	2.3	10.3	
		21:00	22.20	49.90	31.70	8.21	7.66	0.6	18.2	
	日平均值			22.17	49.74	31.65	8.21	8.41	1.20	8.21
	潮口站	0:00	25.65	54.21	34.72	8.18	5.85	25.0	4.0	
		3:00	25.30	54.30	34.79	8.22	6.00	21.5	4.1	
		6:00	25.25	54.27	34.78	8.23	6.12	20.4	3.9	
		9:00	25.87	54.27	34.77	8.15	5.64	22.9	5.7	
		12:00	26.06	54.02	34.59	8.17	6.10	15.0	2.8	
		15:00	25.73	53.88	34.50	8.23	6.71	17.5	11.0	
		18:00	25.71	54.11	34.66	8.23	6.62	16.1	7.7	
		21:00	25.78	54.18	34.71	8.18	6.20	16.9	7.0	
	日平均值			25.67	54.16	34.69	8.20	6.16	19.39	5.78
	灣內站	0:00	26.16	51.12	30.93	8.14	5.35	4.5	8.8	
		3:00	25.85	51.40	30.98	8.19	5.28	1.5	5.8	
		6:00	25.81	51.45	30.99	8.17	5.25	2.1	7.0	
		9:00	26.28	51.23	30.95	8.16	5.45	1.1	7.7	
		12:00	26.66	50.92	30.88	8.21	5.87	1.3	8.7	
		15:00	26.74	50.62	30.82	8.24	5.90	7.3	23.6	
		18:00	26.65	50.91	30.88	8.23	5.28	10.9	27.1	
		21:00	26.45	51.00	30.90	8.25	5.26	6.2	27.7	
	日平均值			26.33	51.08	30.92	8.20	5.46	4.37	14.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月30日	蚵殼站	0:00	22.17	49.91	31.71	8.21	7.16	4.3	20.9	
		3:00	22.06	49.74	31.62	8.18	8.02	1.2	18.3	
		6:00	22.05	49.63	31.60	8.17	7.10	2.0	13.5	
		9:00	22.48	49.46	31.57	8.24	9.63	0.9	8.3	
		12:00	22.69	49.52	31.57	8.25	9.90	0.7	8.1	
		15:00	22.71	49.91	31.72	8.17	8.08	4.2	9.5	
		18:00	22.37	49.83	31.67	8.18	7.72	2.1	16.2	
		21:00	22.49	49.85	31.68	8.18	7.47	3.2	19.6	
	日平均值			22.38	49.73	31.64	8.20	8.14	2.31	14.30
	潮口站	0:00	25.72	54.18	34.69	8.19	5.92	23.4	1.9	
		3:00	25.37	54.32	34.81	8.20	5.56	18.2	5.3	
		6:00	25.31	54.37	34.83	8.20	5.65	20.8	3.8	
		9:00	25.97	54.32	34.80	8.14	5.54	20.6	3.2	
		12:00	26.39	54.18	34.70	8.18	5.82	21.3	6.9	
		15:00	25.81	54.04	34.62	8.20	5.85	23.0	5.2	
		18:00	25.71	54.28	34.78	8.21	5.77	19.2	9.9	
		21:00	25.82	54.33	34.81	8.18	5.80	16.1	9.5	
	日平均值			25.76	54.25	34.76	8.19	5.74	20.32	5.71
	灣內站	0:00	26.30	50.88	30.87	8.26	5.24	5.5	20.2	
		3:00	26.01	51.00	30.90	8.17	5.20	5.7	24.4	
		6:00	25.91	50.95	30.89	8.15	5.15	6.4	20.0	
		9:00	26.31	50.76	30.85	8.14	5.10	2.3	18.2	
		12:00	27.06	50.36	30.77	8.16	5.51	4.0	20.5	
		15:00	27.28	50.29	30.76	8.16	5.58	8.7	35.8	
		18:00	26.78	50.50	30.80	8.23	6.09	27.8	41.0	
		21:00	26.45	50.50	30.80	8.22	5.94	14.1	25.4	
	日平均值			26.51	50.66	30.83	8.19	5.48	9.29	25.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
3月31日	蚵殼站	0:00	22.52	49.90	31.70	8.15	6.48	3.0	22.9	
		3:00	22.32	49.86	31.68	8.12	5.69	1.7	19.1	
		6:00	22.22	49.85	31.67	8.12	5.21	2.1	12.2	
		9:00	22.49	49.83	31.67	8.14	6.74	1.4	8.0	
		12:00	22.71	50.01	31.79	8.15	7.77	2.6	9.6	
		15:00	22.78	50.22	31.92	8.14	7.63	4.5	9.9	
		18:00	22.61	50.21	31.91	8.07	6.11	3.3	11.3	
		21:00	22.65	50.22	31.93	8.11	6.66	0.7	9.3	
	日平均值			22.54	50.01	31.78	8.13	6.54	2.43	12.79
	潮口站	0:00	25.94	54.26	34.76	8.18	5.62	17.6	5.7	
		3:00	25.44	54.43	34.86	8.18	5.45	19.7	5.6	
		6:00	25.37	54.51	34.90	8.19	5.32	21.9	9.0	
		9:00	25.87	54.39	34.85	8.19	5.90	14.9	3.4	
		12:00	26.58	54.41	34.85	8.18	5.87	18.5	6.3	
		15:00	25.99	54.37	34.83	8.18	5.75	26.7	4.5	
		18:00	25.70	54.50	34.90	8.19	5.80	18.9	3.7	
		21:00	25.78	54.49	34.89	8.18	5.84	20.1	8.7	
	日平均值			25.83	54.42	34.86	8.18	5.69	19.78	5.86
	灣內站	0:00	26.48	50.56	30.81	8.17	5.12	6.9	27.7	
		3:00	26.18	50.99	30.90	8.16	5.03	6.8	18.9	
		6:00	26.12	50.99	30.90	8.18	5.77	5.1	12.6	
		9:00	26.42	50.71	30.84	8.23	6.41	1.9	12.7	
		12:00	26.99	50.40	30.78	8.18	5.72	3.4	23.2	
		15:00	27.50	49.83	30.64	8.13	5.27	11.0	21.3	
		18:00	27.07	48.74	30.36	8.18	5.13	15.6	23.1	
		21:00	26.81	50.35	30.77	8.23	5.28	15.9	18.0	
	日平均值			26.70	50.32	30.75	8.18	5.47	8.31	19.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月1日	蚵殼站	0:00	22.69	48.87	31.91	8.16	7.18	0.4	9.3	
		3:00	22.62	48.67	31.78	8.16	7.04	0.4	8.3	
		6:00	22.56	48.61	31.74	8.13	6.32	4.4	3.4	
		9:00	22.70	48.62	31.75	8.19	7.87	0.5	5.3	
		12:00	22.89	48.73	31.82	8.15	7.56	0.5	5.5	
		15:00	22.90	48.71	31.81	8.12	6.81	2.2	3.5	
		18:00	22.87	48.76	31.84	8.13	7.13	5.8	6.5	
		21:00	22.81	48.84	31.89	8.18	7.47	3.8	5.9	
	日平均值			22.76	48.73	31.82	8.15	7.17	2.24	5.96
	潮口站	0:00	25.92	54.92	34.86	8.19	5.75	23.2	4.4	
		3:00	25.62	55.11	34.96	8.18	5.49	26.7	4.2	
		6:00	25.50	55.20	35.01	8.19	5.59	31.4	5.6	
		9:00	25.83	55.03	34.92	8.14	5.44	27.9	4.4	
		12:00	26.30	55.07	34.94	8.16	5.76	33.1	4.0	
		15:00	25.95	54.94	34.87	8.18	5.82	28.1	2.2	
		18:00	25.70	55.00	34.90	8.20	5.99	32.1	6.2	
		21:00	25.85	55.00	34.90	8.18	5.85	28.2	5.8	
	日平均值			25.83	55.03	34.92	8.18	5.71	28.84	4.60
	灣內站	0:00	26.68	50.49	30.80	8.14	7.71	8.1	13.1	
		3:00	26.37	50.49	30.80	8.16	7.13	6.8	10.7	
		6:00	26.20	50.49	30.80	8.14	5.92	9.1	16.9	
		9:00	26.39	50.61	30.83	8.22	5.72	3.5	13.7	
		12:00	26.80	50.45	30.79	8.31	8.51	5.0	14.4	
		15:00	26.81	50.22	30.73	8.33	10.08	24.8	15.4	
		18:00	26.70	50.49	30.80	8.28	10.00	35.8	14.9	
		21:00	26.67	50.49	30.80	8.21	8.76	23.5	18.1	
	日平均值			26.58	50.47	30.79	8.22	7.98	14.58	14.65
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月2日	蚵殼站	0:00	22.75	48.93	31.95	8.23	7.68	1.8	5.4	
		3:00	22.63	48.78	31.85	8.21	6.15	1.1	1.5	
		6:00	22.52	48.68	31.79	8.19	5.97	0.6	4.5	
		9:00	22.82	48.71	31.81	8.19	7.33	1.0	3.7	
		12:00	22.84	48.84	31.89	8.17	7.72	5.1	4.9	
		15:00	22.92	49.14	32.09	8.14	7.26	9.2	5.1	
		18:00	22.76	49.08	32.05	8.11	6.25	12.4	7.4	
		21:00	22.77	48.96	31.97	8.13	5.51	4.8	4.0	
	日平均值			22.75	48.89	31.93	8.17	6.73	4.49	4.56
	潮口站	0:00	25.89	55.00	34.90	8.17	5.66	26.3	5.5	
		3:00	25.68	55.09	34.95	8.17	5.28	24.6	3.7	
		6:00	25.52	55.29	35.06	8.19	5.37	27.1	4.3	
		9:00	26.12	55.18	35.00	8.16	5.64	22.3	5.4	
		12:00	26.66	55.05	34.93	8.16	5.57	40.3	3.9	
		15:00	26.42	54.98	34.89	8.18	5.83	27.6	3.6	
		18:00	26.00	54.88	34.84	8.18	5.72	25.2	8.7	
		21:00	26.00	54.90	34.85	8.17	5.84	32.8	3.6	
	日平均值			26.04	55.05	34.93	8.17	5.61	28.28	4.84
	灣內站	0:00	26.54	50.49	30.80	8.14	7.51	11.1	21.3	
		3:00	26.39	50.41	30.78	8.16	7.58	10.0	23.8	
		6:00	26.30	50.49	30.80	8.16	7.32	7.5	32.6	
		9:00	26.48	50.49	30.80	8.16	7.99	7.1	30.3	
		12:00	27.42	49.98	30.67	8.15	6.42	6.9	18.0	
		15:00	27.74	49.59	30.57	8.15	9.18	13.2	22.8	
		18:00	27.31	49.28	30.49	8.20	9.63	28.0	34.7	
		21:00	26.92	49.98	30.67	8.23	7.08	14.6	34.9	
	日平均值			26.89	50.09	30.70	8.17	7.84	12.30	27.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月3日	蚵殼站	0:00	22.94	49.14	32.09	8.21	6.97	2.6	2.7	
		3:00	22.96	49.03	32.02	8.20	6.24	4.0	2.2	
		6:00	22.93	48.99	31.99	8.17	5.68	0.7	4.2	
		9:00	22.99	49.02	32.01	8.23	7.58	2.6	1.1	
		12:00	23.03	49.11	32.07	8.25	8.75	10.6	1.8	
		15:00	23.11	49.15	32.10	8.17	7.92	4.6	4.0	
		18:00	23.03	49.09	32.06	8.12	6.58	4.0	4.4	
		21:00	23.10	49.05	32.03	8.13	6.34	1.7	3.7	
	日平均值			23.01	49.07	32.05	8.19	7.01	3.85	3.01
	潮口站	0:00	26.03	55.05	34.93	8.16	5.66	28.9	10.7	
		3:00	25.94	55.05	34.93	8.16	5.41	34.1	6.1	
		6:00	25.62	55.18	35.00	8.18	5.41	27.2	2.0	
		9:00	26.13	55.27	35.05	8.16	5.60	24.6	5.9	
		12:00	26.70	55.20	35.01	8.15	5.59	38.8	5.2	
		15:00	26.70	55.11	34.96	8.18	5.92	33.4	1.5	
		18:00	26.15	55.14	34.98	8.17	5.72	48.5	9.6	
		21:00	26.12	55.25	35.04	8.18	5.81	18.5	8.4	
	日平均值			26.17	55.16	34.99	8.17	5.64	31.75	6.18
	灣內站	0:00	27.01	50.10	30.70	8.11	6.39	9.6	22.2	
		3:00	26.74	50.10	30.70	8.15	6.17	8.5	23.0	
		6:00	26.53	50.22	30.73	8.15	5.73	7.9	23.1	
		9:00	26.79	50.14	30.71	8.19	6.94	9.2	16.8	
		12:00	27.57	49.09	30.44	8.24	9.28	5.5	21.5	
		15:00	27.91	48.43	30.27	8.19	8.25	9.9	27.8	
		18:00	27.64	48.86	30.38	8.29	8.74	20.2	28.8	
		21:00	27.28	49.98	30.67	8.22	8.15	16.4	30.5	
	日平均值			27.18	49.61	30.58	8.19	7.46	10.89	24.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月4日	蚵殼站	0:00	23.10	49.08	32.05	8.18	7.20	1.5	4.8
		3:00	23.16	49.05	32.03	8.20	7.41	4.3	1.9
		6:00	23.16	49.03	32.02	8.20	6.41	0.8	1.8
		9:00	23.29	48.82	31.88	8.24	7.47	1.6	5.2
		12:00	23.25	48.88	31.92	8.24	8.76	6.6	4.0
		15:00	23.45	48.94	31.96	8.20	8.28	4.8	4.4
		18:00	23.31	48.91	31.94	8.21	7.12	4.4	5.3
		21:00	23.62	48.74	31.83	8.32	10.11	0.9	2.6
	日平均值		23.29	48.93	31.95	8.22	7.85	3.12	3.75
	潮口站	0:00	26.16	55.25	35.04	8.15	5.47	13.4	15.8
		3:00	26.19	55.33	35.08	8.16	5.46	3.4	8.9
		6:00	26.05	55.37	35.10	8.17	5.47	5.6	1.3
		9:00	26.42	55.40	35.12	8.17	5.62	18.5	9.7
		12:00	27.21	55.24	35.03	8.15	5.24	15.3	9.4
		15:00	27.14	55.12	34.97	8.19	5.99	4.3	6.7
		18:00	26.73	55.03	34.92	8.17	5.47	4.7	2.0
		21:00	26.46	55.11	34.96	8.16	5.44	9.3	10.6
	日平均值		26.55	55.23	35.03	8.17	5.52	9.31	8.05
	灣內站	0:00	27.15	50.14	30.71	8.20	8.07	7.7	31.1
		3:00	27.05	50.02	30.68	8.16	5.99	7.4	24.2
		6:00	26.84	49.91	30.65	8.14	5.55	2.7	23.2
		9:00	27.12	49.67	30.59	8.19	6.02	1.7	28.2
		12:00	27.72	49.40	30.52	8.28	6.94	5.4	27.1
		15:00	28.07	49.40	30.52	8.19	9.43	11.3	35.4
		18:00	27.77	49.13	30.45	8.27	9.55	18.7	38.5
		21:00	27.45	49.63	30.58	8.25	5.97	14.1	31.6
	日平均值		27.40	49.66	30.59	8.21	7.19	8.64	29.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月5日	蚵殼站	0:00	23.51	48.74	31.83	8.30	8.74	2.1	5.6	
		3:00	23.29	48.82	31.88	8.27	7.60	1.5	3.1	
		6:00	23.26	48.76	31.84	8.25	7.53	4.1	1.1	
		9:00	23.45	48.65	31.77	8.26	7.97	5.4	2.6	
		12:00	23.62	48.65	31.77	8.27	9.62	6.3	1.7	
		15:00	23.50	48.78	31.85	8.26	9.52	7.0	1.2	
		18:00	23.37	48.91	31.94	8.26	9.20	13.9	2.6	
		21:00	23.53	48.94	31.96	8.27	8.61	21.9	2.5	
	日平均值			23.44	48.78	31.86	8.27	8.60	7.77	2.55
	潮口站	0:00	26.59	55.20	35.01	8.16	5.44	9.8	13.2	
		3:00	26.41	55.27	35.05	8.16	5.38	3.3	3.7	
		6:00	26.35	55.40	35.12	8.17	5.54	5.0	5.2	
		9:00	26.55	55.37	35.10	8.19	5.75	11.8	13.9	
		12:00	27.44	55.31	35.07	8.15	5.55	13.3	13.9	
		15:00	27.88	55.16	34.99	8.20	6.41	5.7	10.5	
		18:00	27.25	55.16	34.99	8.20	5.93	3.6	11.7	
		21:00	26.80	55.37	35.10	8.18	5.53	9.7	11.6	
	日平均值			26.91	55.28	35.05	8.18	5.69	7.78	10.46
	灣內站	0:00	27.15	49.83	30.63	8.19	6.74	7.8	34.8	
		3:00	27.04	49.52	30.55	8.10	6.03	3.6	31.5	
		6:00	26.92	49.24	30.48	8.11	6.74	3.1	25.2	
		9:00	27.22	49.28	30.49	8.17	7.45	1.1	26.6	
		12:00	27.94	49.13	30.45	8.29	6.10	4.5	24.3	
		15:00	28.17	48.39	30.26	8.20	6.57	12.9	22.7	
		18:00	27.64	48.35	30.25	8.26	7.14	13.9	24.4	
		21:00	27.52	48.86	30.38	8.25	5.98	15.3	25.9	
	日平均值			27.45	49.07	30.44	8.20	6.59	7.77	26.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月6日	蚵殼站	0:00	23.87	48.62	31.75	8.15	7.22	11.4	1.9	
		3:00	23.52	48.87	31.91	8.24	7.51	9.5	3.3	
		6:00	23.43	48.76	31.84	8.23	6.96	5.2	2.1	
		9:00	23.69	48.76	31.84	8.27	9.31	7.3	6.2	
		12:00	23.66	48.85	31.90	8.26	9.02	12.0	2.9	
		15:00	23.70	48.90	31.93	8.27	8.91	5.5	8.0	
		18:00	23.59	48.97	31.98	8.25	8.51	4.4	7.2	
		21:00	23.38	48.84	31.89	8.22	7.94	5.2	4.5	
	日平均值			23.61	48.82	31.88	8.24	8.17	7.56	4.51
	潮口站	0:00	27.08	55.48	35.16	8.16	5.17	9.6	12.1	
		3:00	26.95	55.38	35.11	8.16	5.08	5.1	8.6	
		6:00	26.57	55.44	35.14	8.16	5.00	2.6	2.6	
		9:00	26.59	55.48	35.16	8.18	5.22	12.7	19.7	
		12:00	26.93	55.51	35.18	8.18	5.17	20.3	14.6	
		15:00	27.00	55.40	35.12	8.21	5.10	3.7	2.8	
		18:00	26.99	55.27	35.05	8.19	5.09	4.3	8.7	
		21:00	26.66	55.18	35.00	8.17	5.07	9.1	10.7	
	日平均值			26.85	55.39	35.12	8.18	5.11	8.43	9.98
	灣內站	0:00	27.34	49.28	30.49	8.18	5.56	10.5	30.3	
		3:00	27.03	49.24	30.48	8.18	5.90	13.7	25.1	
		6:00	26.98	49.44	30.53	8.19	5.86	7.5	26.9	
		9:00	27.36	49.24	30.48	8.21	5.92	5.5	21.4	
		12:00	27.48	49.63	30.58	8.26	5.72	11.8	27.8	
		15:00	27.35	49.24	30.48	8.21	5.79	21.6	25.6	
		18:00	27.21	49.52	30.55	8.16	5.74	17.5	20.0	
		21:00	26.98	49.67	30.59	8.15	7.43	14.1	25.7	
	日平均值			27.22	49.41	30.52	8.19	5.99	12.76	25.35
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月7日	蚵殼站	0:00	23.00	48.73	31.82	8.13	6.50	5.9	3.3	
		3:00	22.71	48.91	31.94	8.14	6.45	11.9	2.2	
		6:00	22.33	48.91	31.94	8.12	6.10	16.3	3.4	
		9:00	22.35	48.93	31.95	8.14	6.40	29.4	2.6	
		12:00	22.36	48.93	31.95	8.17	6.27	23.9	5.5	
		15:00	22.32	48.97	31.98	8.18	6.88	13.1	4.7	
		18:00	22.22	48.97	31.98	8.14	6.29	15.9	2.4	
		21:00	22.06	48.94	31.96	8.12	6.24	10.8	3.8	
	日平均值			22.42	48.91	31.94	8.14	6.39	15.89	3.49
	潮口站	0:00	26.33	55.22	35.02	8.17	5.06	10.4	11.6	
		3:00	26.19	55.22	35.02	8.17	5.00	4.3	12.8	
		6:00	25.85	55.18	35.00	8.16	5.16	3.6	4.0	
		9:00	25.70	55.40	35.12	8.18	5.11	9.3	9.8	
		12:00	25.66	55.27	35.05	8.17	5.21	10.8	23.5	
		15:00	25.60	55.29	35.06	8.22	5.43	13.4	13.7	
		18:00	25.57	55.22	35.02	8.24	5.45	3.6	3.6	
		21:00	25.34	55.25	35.04	8.19	5.13	8.4	10.6	
	日平均值			25.78	55.26	35.04	8.19	5.19	7.98	11.20
	灣內站	0:00	26.74	49.09	30.44	8.16	6.19	10.6	22.0	
		3:00	26.47	50.06	30.69	8.16	5.58	17.0	24.8	
		6:00	26.28	49.71	30.60	8.11	5.83	22.9	22.0	
		9:00	26.13	49.21	30.47	8.11	5.71	16.5	17.7	
		12:00	26.14	49.98	30.67	8.16	7.78	18.0	23.5	
		15:00	25.99	49.79	30.62	8.12	5.75	14.6	20.2	
		18:00	25.62	49.40	30.52	8.09	5.76	16.1	23.7	
		21:00	25.53	49.01	30.42	8.06	9.92	9.5	28.2	
	日平均值			26.11	49.53	30.55	8.12	6.57	15.66	22.76
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月8日	蚵殼站	0:00	21.86	48.94	31.96	8.12	6.41	9.4	3.4	
		3:00	21.62	48.93	31.95	8.13	6.42	11.2	5.1	
		6:00	21.47	48.82	31.88	8.11	5.70	11.1	3.9	
		9:00	21.75	48.76	31.84	8.18	7.33	8.8	3.7	
		12:00	22.09	48.85	31.90	8.27	8.43	10.7	2.8	
		15:00	22.00	48.85	31.90	8.13	6.52	6.8	3.1	
		18:00	22.00	48.85	31.90	8.16	7.04	5.3	1.7	
		21:00	21.94	48.90	31.93	8.19	7.04	3.1	5.0	
	日平均值			21.84	48.86	31.91	8.16	6.86	8.29	3.59
	潮口站	0:00	25.21	55.24	35.03	8.17	6.47	9.9	15.3	
		3:00	25.14	55.38	35.11	8.16	7.24	8.5	7.3	
		6:00	25.13	55.49	35.17	8.16	7.16	5.3	2.1	
		9:00	25.59	55.37	35.10	8.19	7.36	7.4	5.1	
		12:00	25.73	55.49	35.17	8.20	6.45	19.2	7.2	
		15:00	25.59	55.48	35.16	8.21	7.23	21.0	9.6	
		18:00	25.43	55.42	35.13	8.19	7.39	4.9	3.6	
		21:00	25.29	55.46	35.15	8.18	7.49	4.3	6.7	
	日平均值			25.39	55.42	35.13	8.18	7.10	10.06	7.11
	灣內站	0:00	25.44	49.79	30.62	8.04	6.10	11.7	26.0	
		3:00	25.29	49.87	30.64	8.02	5.59	14.6	22.3	
		6:00	25.22	50.02	30.68	8.03	6.61	13.2	22.5	
		9:00	25.57	49.48	30.54	8.15	10.38	13.7	19.8	
		12:00	26.02	49.79	30.62	8.23	5.55	15.8	18.4	
		15:00	26.17	49.48	30.54	8.23	5.68	13.3	12.7	
		18:00	25.95	49.98	30.67	8.08	7.16	9.2	9.5	
		21:00	25.76	49.79	30.62	8.11	9.81	10.0	14.1	
	日平均值			25.68	49.77	30.62	8.11	7.11	12.68	18.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月9日	蚵殼站	0:00	21.75	48.88	31.92	8.18	7.32	0.8	4.8	
		3:00	21.55	48.71	31.81	8.16	6.39	7.2	2.4	
		6:00	21.53	48.71	31.81	8.18	6.70	10.2	4.1	
		9:00	21.74	48.67	31.78	8.21	6.56	18.4	11.5	
		12:00	21.86	48.68	31.79	8.23	7.38	14.6	3.5	
		15:00	21.99	48.82	31.88	8.22	8.05	6.6	3.8	
		18:00	22.03	48.85	31.90	8.25	8.03	3.0	3.9	
		21:00	22.03	48.84	31.89	8.25	6.81	1.8	7.0	
	日平均值			21.81	48.77	31.85	8.21	7.16	7.82	5.13
	潮口站	0:00	25.39	55.22	35.02	8.18	6.49	11.5	4.2	
		3:00	25.24	55.11	34.96	8.17	7.09	15.9	7.9	
		6:00	25.16	55.25	35.04	8.16	7.39	6.8	4.3	
		9:00	25.75	55.38	35.11	8.18	7.52	2.9	6.7	
		12:00	26.20	55.55	35.20	8.19	6.86	23.0	9.5	
		15:00	25.66	55.48	35.16	8.20	7.69	16.7	15.3	
		18:00	25.56	55.49	35.17	8.19	7.26	6.6	5.4	
		21:00	25.47	55.44	35.14	8.19	7.64	3.6	6.1	
	日平均值			25.55	55.37	35.10	8.18	7.24	10.88	7.43
	灣內站	0:00	25.75	49.59	30.57	8.14	7.69	8.5	20.1	
		3:00	25.53	50.14	30.71	8.15	9.45	10.8	21.9	
		6:00	25.40	50.10	30.70	8.16	7.49	12.4	20.8	
		9:00	25.59	50.10	30.70	8.20	8.18	11.1	20.8	
		12:00	26.25	49.56	30.56	8.26	7.97	10.5	17.7	
		15:00	26.30	49.59	30.57	8.30	7.76	14.1	14.5	
		18:00	26.28	49.98	30.67	8.22	8.50	10.3	21.0	
		21:00	26.09	50.02	30.68	8.11	6.99	5.4	20.7	
	日平均值			25.90	49.89	30.65	8.19	8.00	10.39	19.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月10日	蚵殼站	0:00	21.85	48.70	31.80	8.19	7.94	2.2	18.2	
		3:00	21.71	48.34	31.56	8.14	7.70	6.5	21.3	
		6:00	21.61	48.34	31.56	8.07	6.24	10.2	8.3	
		9:00	21.79	48.73	31.82	8.10	5.70	12.4	7.1	
		12:00	21.87	48.73	31.82	8.21	7.13	11.1	3.0	
		15:00	22.00	48.82	31.88	8.22	7.73	6.6	1.7	
		18:00	22.25	48.81	31.87	8.28	8.53	9.9	9.6	
		21:00	22.31	48.84	31.89	8.25	8.05	5.2	10.5	
	日平均值			21.92	48.66	31.78	8.18	7.38	7.99	9.96
	潮口站	0:00	25.51	55.42	35.13	8.18	7.49	9.7	10.7	
		3:00	25.58	55.48	35.16	8.18	7.48	6.4	9.6	
		6:00	25.48	55.51	35.18	8.17	7.40	4.7	1.8	
		9:00	25.61	55.57	35.21	8.17	7.72	4.4	1.1	
		12:00	26.07	55.66	35.26	8.18	5.54	7.8	2.0	
		15:00	26.11	55.70	35.28	8.18	6.89	23.7	8.5	
		18:00	26.07	55.81	35.34	8.15	8.50	8.8	18.0	
		21:00	26.02	55.79	35.33	8.13	7.60	3.4	54.4	
	日平均值			25.81	55.62	35.24	8.17	7.33	8.61	13.26
	灣內站	0:00	25.94	49.95	30.66	8.16	5.73	5.1	18.1	
		3:00	25.64	50.06	30.69	8.12	5.93	9.3	15.8	
		6:00	25.53	49.98	30.67	8.01	5.83	10.9	16.4	
		9:00	25.72	49.83	30.63	8.09	5.74	2.2	13.0	
		12:00	26.12	49.52	30.55	8.25	5.95	3.1	10.4	
		15:00	26.49	49.24	30.48	8.38	10.72	7.3	13.1	
		18:00	26.43	49.05	30.43	8.34	11.24	5.6	11.9	
		21:00	26.30	49.17	30.46	8.27	9.60	4.1	11.4	
	日平均值			26.02	49.60	30.57	8.20	7.59	5.94	13.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月11日	蚵殼站	0:00	22.31	48.84	31.89	8.23	9.21	2.5	7.1	
		3:00	22.21	48.82	31.88	8.14	6.51	1.8	7.4	
		6:00	22.26	48.85	31.90	8.15	7.11	0.7	4.4	
		9:00	22.50	48.81	31.87	8.16	6.33	2.2	6.4	
		12:00	22.53	48.81	31.87	8.24	8.75	1.0	4.2	
		15:00	22.83	48.93	31.95	8.24	9.01	4.1	5.6	
		18:00	23.21	48.87	31.91	8.25	7.81	1.9	2.9	
		21:00	23.30	48.88	31.92	8.31	8.46	1.2	2.7	
	日平均值			22.64	48.85	31.90	8.22	7.90	1.92	5.09
	潮口站	0:00	25.72	55.42	35.13	8.18	7.05	5.1	3.4	
		3:00	25.82	55.57	35.21	8.17	7.18	7.8	10.1	
		6:00	25.71	55.55	35.20	8.18	6.79	4.3	6.0	
		9:00	26.03	55.53	35.19	8.20	6.97	3.6	8.0	
		12:00	26.60	55.53	35.19	8.19	7.25	113.5	6.3	
		15:00	26.69	55.53	35.19	8.19	7.48	7.1	8.7	
		18:00	26.33	55.49	35.17	8.21	7.64	4.4	4.8	
		21:00	26.77	55.48	35.16	8.19	7.19	3.4	8.3	
	日平均值			26.21	55.51	35.18	8.19	7.19	18.65	6.95
	灣內站	0:00	26.01	49.56	30.56	8.18	5.56	9.6	16.8	
		3:00	25.86	49.59	30.57	8.20	7.05	10.4	14.1	
		6:00	25.80	49.56	30.56	8.19	7.01	0.8	16.3	
		9:00	26.09	49.05	30.43	8.19	8.21	0.3	9.9	
		12:00	27.32	48.51	30.29	8.15	8.72	8.2	11.7	
		15:00	27.74	48.54	30.30	8.04	8.06	4.5	10.2	
		18:00	27.80	48.54	30.30	8.03	7.62	3.3	11.7	
		21:00	27.54	48.54	30.30	8.05	5.81	5.5	7.4	
	日平均值			26.77	48.99	30.41	8.13	7.26	5.32	12.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月12日	蚵殼站	0:00	23.07	49.00	32.00	8.26	8.32	0.7	1.3	
		3:00	23.13	48.96	31.97	8.19	7.53	1.7	2.3	
		6:00	23.22	48.91	31.94	8.14	6.01	2.2	3.9	
		9:00	23.32	48.85	31.90	8.22	5.90	1.4	5.5	
		12:00	23.56	48.88	31.92	8.23	7.51	3.0	5.0	
		15:00	24.18	48.73	31.82	8.22	8.04	1.2	9.6	
		18:00	24.39	48.62	31.75	8.17	6.52	1.5	3.5	
		21:00	24.41	48.52	31.68	8.26	6.59	3.1	2.4	
	日平均值			23.66	48.81	31.87	8.21	7.05	1.83	4.19
	潮口站	0:00	26.60	55.46	35.15	8.18	7.21	14.5	8.2	
		3:00	26.45	55.53	35.19	8.16	6.99	82.2	1.3	
		6:00	26.59	55.57	35.21	8.16	7.06	88.9	2.2	
		9:00	27.23	55.57	35.21	8.16	6.80	2.2	1.6	
		12:00	27.44	55.35	35.09	8.18	7.59	122.0	4.0	
		15:00	27.13	55.44	35.14	8.17	7.06	18.7	17.8	
		18:00	27.27	55.35	35.09	8.18	7.45	21.1	9.9	
		21:00	28.07	55.31	35.07	8.16	7.09	3.3	7.3	
	日平均值			27.10	55.45	35.14	8.17	7.16	44.11	6.54
	灣內站	0:00	26.91	48.62	30.32	8.01	6.72	2.9	11.8	
		3:00	26.61	48.54	30.30	7.94	5.92	3.2	11.3	
		6:00	26.64	48.54	30.30	8.08	7.12	0.5	9.3	
		9:00	27.16	48.51	30.29	8.08	5.95	1.2	10.2	
		12:00	28.42	48.19	30.21	8.08	6.64	2.2	16.2	
		15:00	28.80	48.47	30.28	8.10	9.27	5.4	31.5	
		18:00	28.68	48.43	30.27	8.18	9.89	7.3	12.5	
		21:00	28.74	48.23	30.22	8.13	9.25	3.9	8.6	
	日平均值			27.75	48.44	30.27	8.08	7.60	3.33	13.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月13日	蚵殼站	0:00	24.15	48.64	31.76	8.23	7.69	1.4	5.3	
		3:00	24.02	48.67	31.78	8.19	6.89	1.6	3.0	
		6:00	24.07	48.59	31.73	8.18	6.18	1.0	1.7	
		9:00	24.26	48.53	31.69	8.19	6.87	1.3	4.9	
		12:00	24.47	48.64	31.76	8.21	8.77	1.6	6.0	
		15:00	24.63	48.67	31.78	8.20	8.82	7.3	1.1	
		18:00	24.51	48.78	31.85	8.20	8.44	7.3	7.2	
		21:00	24.39	48.84	31.89	8.18	7.73	6.2	10.9	
	日平均值			24.31	48.67	31.78	8.20	7.67	3.47	5.01
	潮口站	0:00	27.89	55.37	35.10	8.16	7.77	18.2	7.2	
		3:00	26.93	55.18	35.00	8.15	6.84	77.0	26.4	
		6:00	27.17	55.40	35.12	8.17	6.79	24.6	6.9	
		9:00	28.08	55.38	35.11	8.16	7.79	26.7	15.2	
		12:00	28.08	55.22	35.02	8.18	8.16	4.6	7.3	
		15:00	27.39	55.25	35.04	8.18	8.49	72.4	9.7	
		18:00	27.62	55.33	35.08	8.17	8.27	8.6	11.6	
		21:00	28.14	55.42	35.13	8.13	7.83	10.4	10.4	
	日平均值			27.66	55.32	35.08	8.16	7.74	30.31	11.84
	灣內站	0:00	28.19	48.23	30.22	8.09	6.78	4.2	11.1	
		3:00	27.35	48.43	30.27	8.01	6.96	2.5	13.8	
		6:00	27.58	48.23	30.22	8.02	7.31	1.9	6.5	
		9:00	28.14	48.16	30.20	8.07	7.43	2.1	12.3	
		12:00	28.95	48.19	30.21	8.16	7.17	0.9	10.1	
		15:00	29.03	48.08	30.18	8.19	8.35	2.6	14.1	
		18:00	28.42	48.16	30.20	8.15	8.15	6.5	16.0	
		21:00	27.57	48.19	30.21	8.14	8.12	6.5	12.1	
	日平均值			28.15	48.21	30.21	8.10	7.53	3.40	12.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月14日	蚵殼站	0:00	24.31	48.94	31.96	8.17	7.38	1.7	13.5	
		3:00	24.40	48.91	31.94	8.13	6.67	3.1	6.9	
		6:00	24.52	48.82	31.88	8.08	6.16	1.8	5.8	
		9:00	24.71	48.68	31.79	8.12	6.28	2.7	5.5	
		12:00	24.90	48.73	31.82	8.15	7.10	2.9	2.8	
		15:00	25.22	48.82	31.88	8.13	6.97	3.6	4.7	
		18:00	25.19	48.79	31.86	8.12	6.28	2.4	17.1	
		21:00	25.12	48.78	31.85	8.12	6.26	1.3	17.1	
	日平均值			24.80	48.81	31.87	8.13	6.64	2.44	9.18
	潮口站	0:00	28.14	55.42	35.13	8.12	7.50	18.1	3.4	
		3:00	27.40	55.33	35.08	8.17	7.12	16.2	9.3	
		6:00	27.53	55.35	35.09	8.15	7.25	24.9	4.1	
		9:00	28.45	55.37	35.10	8.14	7.52	17.4	7.2	
		12:00	29.02	55.18	35.00	8.16	6.98	9.6	6.1	
		15:00	27.67	55.12	34.97	8.18	7.87	14.2	5.1	
		18:00	28.07	55.18	35.00	8.16	8.65	5.5	8.8	
		21:00	28.91	55.38	35.11	8.14	7.49	9.4	8.5	
	日平均值			28.15	55.29	35.06	8.15	7.55	14.41	6.56
	灣內站	0:00	27.51	48.16	30.20	8.13	6.90	2.7	9.2	
		3:00	27.30	48.16	30.20	8.09	5.84	4.3	13.0	
		6:00	27.49	48.16	30.20	8.06	5.92	4.3	8.4	
		9:00	27.95	48.12	30.19	8.05	6.60	2.5	7.3	
		12:00	28.82	48.12	30.19	8.13	6.34	4.6	11.2	
		15:00	29.05	48.08	30.18	8.14	6.94	5.3	14.5	
		18:00	28.97	48.04	30.17	8.09	7.50	2.6	14.6	
		21:00	28.90	48.12	30.19	8.06	7.24	3.4	12.5	
	日平均值			28.25	48.12	30.19	8.09	6.66	3.71	11.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月15日	蚵殼站	0:00	25.01	48.81	31.87	8.12	6.35	1.9	9.0	
		3:00	24.93	48.81	31.87	8.10	6.42	2.6	4.3	
		6:00	24.78	48.73	31.82	8.10	6.42	5.1	2.7	
		9:00	25.02	48.85	31.90	8.09	5.72	3.3	5.7	
		12:00	25.11	48.88	31.92	8.10	6.18	4.4	5.1	
		15:00	24.85	48.85	31.90	8.18	6.10	10.5	15.5	
		18:00	24.87	48.88	31.92	8.11	5.26	10.5	17.0	
		21:00	24.71	48.84	31.89	8.13	5.57	10.4	14.7	
	日平均值			24.91	48.83	31.89	8.12	6.00	6.09	9.25
	潮口站	0:00	28.63	55.31	35.07	8.08	7.20	3.6	11.5	
		3:00	27.60	54.90	34.85	8.14	7.30	3.5	5.3	
		6:00	27.39	55.07	34.94	8.16	7.16	9.1	3.8	
		9:00	28.12	55.29	35.06	8.10	8.29	12.7	10.7	
		12:00	28.64	55.16	34.99	8.10	7.58	4.9	1.7	
		15:00	27.46	54.74	34.76	8.16	7.95	5.5	9.5	
		18:00	27.47	54.94	34.87	8.16	7.20	11.0	7.9	
		21:00	27.83	55.05	34.93	8.12	7.55	11.3	13.6	
	日平均值			27.89	55.06	34.93	8.13	7.53	7.70	8.00
	灣內站	0:00	28.80	48.12	30.19	8.02	5.60	3.9	7.9	
		3:00	28.49	48.16	30.20	8.06	6.00	1.0	9.6	
		6:00	28.32	48.16	30.20	8.03	6.06	6.6	9.4	
		9:00	28.61	48.16	30.20	8.05	6.57	1.8	6.6	
		12:00	29.20	47.92	30.14	8.03	6.33	4.2	6.6	
		15:00	29.42	47.57	30.05	7.99	8.45	7.1	10.8	
		18:00	29.10	47.96	30.15	8.00	7.98	4.7	16.7	
		21:00	28.93	48.16	30.20	7.99	6.42	5.2	15.3	
	日平均值			28.86	48.02	30.17	8.02	6.68	4.31	10.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月16日	蚵殼站	0:00	24.65	48.91	31.94	8.11	5.08	11.3	10.0	
		3:00	24.24	48.90	31.93	8.11	5.16	13.5	13.4	
		6:00	24.07	48.91	31.94	8.11	5.02	7.7	7.8	
		9:00	24.64	48.99	31.99	8.09	5.09	8.9	10.2	
		12:00	24.72	49.06	32.04	8.14	5.65	8.3	11.2	
		15:00	25.59	49.12	32.08	8.15	6.00	9.0	15.6	
		18:00	25.36	49.08	32.05	8.13	5.61	12.6	8.8	
		21:00	25.40	49.12	32.08	8.12	5.65	16.3	10.5	
	日平均值			24.83	49.01	32.01	8.12	5.41	10.94	10.94
	潮口站	0:00	27.84	55.05	34.93	8.10	7.31	5.3	10.1	
		3:00	26.91	55.01	34.91	8.14	7.20	4.4	6.7	
		6:00	26.76	55.01	34.91	8.16	7.07	2.8	2.1	
		9:00	27.63	55.09	34.95	8.09	7.18	4.2	9.3	
		12:00	28.32	55.00	34.90	8.08	7.45	2.4	6.7	
		15:00	27.45	54.53	34.65	8.14	8.07	2.5	5.6	
		18:00	27.02	54.88	34.84	8.16	7.62	18.3	12.7	
		21:00	27.34	54.70	34.74	8.13	7.80	15.9	8.7	
	日平均值			27.41	54.91	34.85	8.13	7.46	6.98	7.74
	灣內站	0:00	28.77	48.04	30.17	8.00	6.38	4.6	13.3	
		3:00	28.58	47.88	30.13	8.01	5.77	9.7	14.6	
		6:00	28.44	47.96	30.15	7.97	7.26	15.3	14.1	
		9:00	28.71	47.96	30.15	7.99	8.19	10.6	14.6	
		12:00	29.30	47.69	30.08	7.95	8.81	32.9	17.6	
		15:00	29.42	47.49	30.03	7.97	9.17	16.9	16.2	
		18:00	29.01	48.04	30.17	7.99	8.95	18.8	14.8	
		21:00	28.74	48.00	30.16	7.94	7.86	18.6	15.0	
	日平均值			28.87	47.88	30.13	7.98	7.80	15.92	15.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月17日	蚵殼站	0:00	25.31	49.17	32.11	8.12	5.69	11.1	2.9	
		3:00	25.82	49.15	32.10	8.15	5.64	13.5	5.8	
		6:00	26.75	49.20	32.13	8.15	5.55	13.2	5.6	
		9:00	26.91	49.20	32.13	8.14	5.59	10.3	5.0	
		12:00	27.05	49.47	32.31	8.13	5.58	18.6	8.6	
		15:00	27.84	50.71	33.13	8.27	7.09	13.6	3.2	
		18:00	27.70	50.44	32.95	8.31	6.90	2.9	8.5	
		21:00	27.70	50.51	33.00	8.24	6.10	0.7	2.1	
	日平均值			26.89	49.73	32.48	8.19	6.02	10.49	5.21
	潮口站	0:00	27.84	55.00	34.90	8.09	7.25	6.1	2.7	
		3:00	26.97	54.96	34.88	8.13	6.57	3.7	4.1	
		6:00	26.60	54.57	34.67	8.15	7.08	2.6	13.3	
		9:00	26.50	54.16	34.45	8.11	7.54	3.8	7.3	
		12:00	27.86	53.85	34.28	8.14	7.23	14.1	11.3	
		15:00	27.45	53.57	34.13	8.22	7.54	7.3	7.9	
		18:00	26.81	53.00	33.82	8.27	7.46	5.0	12.3	
		21:00	27.06	52.78	33.70	8.24	7.61	17.8	14.6	
	日平均值			27.14	53.99	34.35	8.17	7.29	7.55	9.19
	灣內站	0:00	28.49	47.96	30.15	7.92	8.23	17.1	10.3	
		3:00	28.18	48.16	30.20	7.91	8.32	21.9	8.7	
		6:00	28.04	48.16	30.20	7.94	6.65	35.7	10.6	
		9:00	28.00	48.16	30.20	7.94	8.26	28.7	8.1	
		12:00	28.00	48.16	30.20	7.94	8.63	21.6	7.6	
		15:00	27.83	48.66	30.33	8.01	8.18	13.7	7.8	
		18:00	28.38	49.07	30.44	8.21	7.73	17.3	7.3	
		21:00	28.38	49.11	30.45	8.12	7.56	31.9	6.3	
	日平均值			28.16	48.43	30.27	8.00	7.95	23.48	8.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月18日	蚵殼站	0:00	27.58	50.80	33.19	8.27	6.37	0.3	5.8	
		3:00	27.41	50.96	33.30	8.28	6.48	0.3	12.2	
		6:00	27.15	51.07	33.37	8.30	6.52	3.5	7.1	
		9:00	27.43	51.07	33.37	8.29	6.56	1.5	1.3	
		12:00	27.74	50.99	33.32	8.27	6.49	0.9	3.1	
		15:00	27.54	51.24	33.48	8.31	6.98	1.1	3.2	
		18:00	27.25	51.28	33.51	8.34	7.24	3.7	4.4	
		21:00	27.12	51.25	33.49	8.32	6.91	5.3	5.7	
	日平均值			27.40	51.08	33.38	8.30	6.69	2.08	5.35
	潮口站	0:00	26.92	52.81	33.72	8.22	7.04	17.2	6.4	
		3:00	26.65	52.79	33.71	8.22	6.88	42.9	6.5	
		6:00	26.38	52.81	33.72	8.28	7.39	29.6	2.1	
		9:00	26.87	52.87	33.75	8.27	7.30	19.0	3.7	
		12:00	27.68	52.90	33.77	8.18	6.96	19.3	10.7	
		15:00	27.52	52.83	33.73	8.19	6.88	38.6	12.8	
		18:00	26.73	52.79	33.71	8.26	7.47	20.1	9.3	
		21:00	26.78	52.85	33.74	8.25	7.40	12.2	3.5	
	日平均值			26.94	52.83	33.73	8.23	7.17	24.86	6.88
	灣內站	0:00	28.06	49.16	30.46	8.12	7.15	35.2	6.6	
		3:00	27.77	49.07	30.43	8.17	6.19	26.9	7.0	
		6:00	27.63	49.16	30.46	8.16	6.09	187.8	8.3	
		9:00	27.92	49.16	30.46	8.18	6.48	117.4	8.8	
		12:00	28.56	49.26	30.49	8.15	6.91	112.7	5.8	
		15:00	28.93	49.39	30.52	8.09	8.19	146.1	8.1	
		18:00	28.48	49.36	30.51	8.17	7.83	139.4	7.2	
		21:00	28.23	49.41	30.52	8.18	7.21	119.4	5.2	
	日平均值			28.20	49.25	30.48	8.15	7.01	110.61	7.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月19日	蚵殼站	0:00	27.33	51.28	33.51	8.27	6.52	1.1	6.2	
		3:00	27.25	51.18	33.44	8.27	6.43	0.3	2.4	
		6:00	27.25	51.13	33.41	8.28	6.65	0.4	7.8	
		9:00	27.46	51.02	33.34	8.29	7.00	0.9	2.9	
		12:00	27.67	50.36	32.90	8.28	6.95	1.3	1.2	
		15:00	27.75	50.07	32.71	8.29	7.21	2.9	1.2	
		18:00	27.81	49.50	32.33	8.30	7.71	1.8	2.5	
		21:00	27.65	49.15	32.10	8.29	7.53	1.1	3.0	
	日平均值			27.52	50.46	32.97	8.28	7.00	1.24	3.40
	潮口站	0:00	26.67	52.83	33.73	8.23	7.22	23.9	6.0	
		3:00	26.54	52.70	33.66	8.22	6.91	18.9	6.6	
		6:00	26.34	52.63	33.62	8.28	7.34	14.9	5.3	
		9:00	26.73	52.68	33.65	8.28	7.46	19.5	6.6	
		12:00	27.55	52.74	33.68	8.21	7.13	52.2	8.8	
		15:00	27.69	52.61	33.61	8.20	7.17	40.3	13.4	
		18:00	27.04	52.42	33.51	8.24	7.29	14.4	6.0	
		21:00	26.84	52.33	33.46	8.26	7.47	8.7	7.2	
	日平均值			26.93	52.62	33.62	8.24	7.25	24.10	7.49
	灣內站	0:00	28.11	49.42	30.52	8.15	6.55	69.6	5.1	
		3:00	27.72	49.38	30.51	8.17	5.96	78.3	6.1	
		6:00	27.48	49.23	30.48	8.18	5.90	96.3	6.8	
		9:00	27.56	49.27	30.49	8.21	6.25	155.0	6.6	
		12:00	28.24	49.44	30.53	8.24	5.86	141.2	4.6	
		15:00	29.08	49.16	30.46	8.18	7.20	147.8	6.4	
		18:00	28.60	49.37	30.51	8.23	7.30	117.9	6.2	
		21:00	28.30	49.41	30.52	8.20	6.84	100.3	6.3	
	日平均值			28.14	49.33	30.50	8.20	6.48	113.30	6.01
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
4月20日	蚵殼站	0:00	27.60	48.83	31.89	8.27	7.26	0.4	2.8
		3:00	27.54	48.84	31.89	8.27	7.02	0.5	3.0
		6:00	27.41	48.81	31.88	8.28	6.89	0.5	9.6
		9:00	27.65	48.80	31.87	8.31	7.60	0.3	1.9
		12:00	27.77	48.79	31.86	8.32	7.84	0.3	3.2
		15:00	27.70	48.79	31.86	8.34	8.20	0.5	1.7
		18:00	27.64	48.74	31.83	8.31	7.74	0.4	3.6
		21:00	27.52	48.70	31.80	8.30	7.37	0.4	1.3
	日平均值		27.60	48.79	31.86	8.30	7.49	0.40	3.39
	潮口站	0:00	26.97	52.31	33.45	8.21	7.09	11.8	7.0
		3:00	26.77	52.50	33.55	8.22	6.90	14.6	3.2
		6:00	26.41	52.44	33.52	8.28	7.32	19.6	1.6
		9:00	26.75	52.44	33.52	8.29	7.48	17.1	7.9
		12:00	27.36	52.31	33.45	8.24	7.37	20.3	7.5
		15:00	27.89	52.42	33.51	8.20	7.59	38.9	11.1
		18:00	27.21	52.02	33.29	8.22	7.37	18.6	6.3
		21:00	26.70	51.59	33.06	8.26	7.43	16.7	2.4
	日平均值		27.01	52.25	33.42	8.24	7.32	19.70	5.88
	灣內站	0:00	28.03	49.35	30.51	8.17	5.78	120.2	9.4
		3:00	27.86	49.20	30.47	8.18	6.58	103.6	7.0
		6:00	27.70	49.19	30.47	8.17	5.96	78.3	5.8
		9:00	27.87	49.17	30.46	8.18	7.04	2.9	7.7
		12:00	28.37	49.16	30.46	8.23	6.20	3.0	5.6
		15:00	28.92	48.90	30.39	8.21	6.04	3.0	6.3
		18:00	28.69	48.97	30.41	8.18	6.14	22.7	2.4
		21:00	28.34	49.08	30.44	8.18	6.39	3.0	6.1
	日平均值		28.22	49.13	30.45	8.19	6.27	42.10	6.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月21日	蚵殼站	0:00	27.44	48.69	31.80	8.30	7.16	0.7	6.5	
		3:00	27.36	48.67	31.78	8.29	6.88	0.8	12.2	
		6:00	27.37	48.66	31.77	8.29	7.04	1.0	1.2	
		9:00	27.61	48.60	31.74	8.34	8.40	0.3	3.1	
		12:00	27.55	48.36	31.57	8.31	8.12	0.3	4.9	
		15:00	27.53	48.29	31.53	8.32	8.24	0.3	6.8	
		18:00	27.63	48.18	31.46	8.31	8.93	5.4	4.8	
		21:00	27.86	48.19	31.47	8.32	9.18	6.7	3.0	
	日平均值			27.54	48.46	31.64	8.31	7.99	1.93	5.31
	潮口站	0:00	26.70	52.09	33.33	8.25	7.45	8.1	11.6	
		3:00	26.67	51.70	33.12	8.23	7.18	8.5	4.2	
		6:00	26.45	51.41	32.96	8.26	7.13	16.7	8.4	
		9:00	26.56	51.92	33.24	8.30	7.56	9.0	17.4	
		12:00	27.38	51.74	33.14	8.27	7.89	16.5	12.4	
		15:00	27.73	51.44	32.98	8.24	8.08	30.5	12.9	
		18:00	27.76	51.57	33.05	8.22	8.31	14.5	11.6	
		21:00	27.07	51.44	32.98	8.22	7.70	4.5	5.3	
	日平均值			27.04	51.66	33.10	8.25	7.66	13.54	10.48
	灣內站	0:00	28.17	49.07	30.43	8.17	6.10	3.0	2.0	
		3:00	27.89	48.72	30.35	8.19	6.24	2.2	2.6	
		6:00	27.70	48.49	30.29	8.19	5.85	38.6	3.2	
		9:00	27.73	48.45	30.28	8.21	5.76	70.1	4.4	
		12:00	28.45	48.40	30.26	8.27	6.00	128.7	3.5	
		15:00	28.67	48.38	30.26	8.32	6.35	140.4	5.6	
		18:00	28.76	48.38	30.26	8.24	6.47	123.6	4.5	
		21:00	28.48	48.13	30.19	8.24	6.13	126.4	1.1	
	日平均值			28.23	48.50	30.29	8.23	6.11	79.13	3.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月22日	蚵殼站	0:00	27.78	47.82	31.22	8.38	8.83	19.8	3.9	
		3:00	27.68	47.79	31.20	8.32	8.19	82.8	4.2	
		6:00	27.63	47.66	31.11	8.34	8.38	73.0	2.2	
		9:00	27.79	47.57	31.05	8.36	8.55	59.3	2.9	
		12:00	27.45	47.89	31.27	8.33	8.29	25.3	4.3	
		15:00	28.00	47.80	31.20	8.37	8.71	22.8	8.5	
		18:00	27.96	47.72	31.15	8.34	8.35	20.0	8.3	
		21:00	28.88	47.59	31.06	8.38	8.78	17.2	3.0	
	日平均值			27.90	47.73	31.16	8.35	8.51	40.02	4.66
	潮口站	0:00	26.81	51.15	32.82	8.22	7.49	9.7	16.2	
		3:00	26.84	51.11	32.80	8.20	7.29	4.8	10.8	
		6:00	26.55	51.07	32.78	8.26	7.07	4.8	6.9	
		9:00	26.64	51.31	32.91	8.30	7.49	5.3	4.5	
		12:00	27.06	51.26	32.88	8.32	7.77	8.3	7.6	
		15:00	28.37	51.13	32.81	8.34	9.97	15.2	23.4	
		18:00	28.13	52.57	33.59	8.34	10.28	42.9	11.7	
		21:00	27.83	52.46	33.53	8.23	8.46	19.8	10.5	
	日平均值			27.28	51.51	33.02	8.28	8.23	13.85	11.45
	灣內站	0:00	28.50	49.61	30.58	8.16	5.57	137.5	2.5	
		3:00	28.23	50.39	30.78	8.17	5.87	130.6	5.9	
		6:00	27.83	50.37	30.77	8.24	5.68	128.3	34.7	
		9:00	28.01	50.82	30.89	8.30	5.95	150.0	5.7	
		12:00	29.15	50.04	30.69	8.41	5.99	145.3	4.5	
		15:00	29.46	49.61	30.58	8.46	6.49	138.2	3.4	
		18:00	29.24	49.79	30.62	8.36	6.22	134.4	4.6	
		21:00	28.86	49.71	30.60	8.27	6.26	125.1	2.6	
	日平均值			28.66	50.04	30.69	8.30	6.00	136.16	7.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月23日	蚵殼站	0:00	28.73	48.40	31.60	8.38	8.81	15.2	5.6	
		3:00	28.52	48.39	31.59	8.37	8.72	14.0	8.9	
		6:00	28.35	48.38	31.59	8.35	8.51	13.5	6.3	
		9:00	28.41	48.38	31.59	8.38	8.83	12.9	3.9	
		12:00	28.66	48.37	31.59	8.35	8.50	11.4	4.5	
		15:00	28.80	48.37	31.58	8.37	8.68	14.6	18.1	
		18:00	28.73	48.36	31.57	8.37	8.68	15.4	12.8	
		21:00	28.67	48.34	31.56	8.30	7.98	15.8	10.2	
	日平均值			28.61	48.37	31.58	8.36	8.59	14.11	8.79
	潮口站	0:00	26.92	52.44	33.52	8.18	7.22	6.0	24.4	
		3:00	26.97	52.20	33.39	8.17	7.41	4.0	10.7	
		6:00	27.40	51.81	33.18	8.29	9.04	3.6	6.7	
		9:00	27.10	51.52	33.02	8.26	7.48	5.9	14.5	
		12:00	27.43	53.07	33.86	8.26	7.62	7.9	19.8	
		15:00	28.83	52.78	33.70	8.32	9.19	22.4	20.3	
		18:00	28.83	52.41	33.50	8.30	8.51	50.7	11.3	
		21:00	28.71	51.98	33.27	8.24	8.66	22.4	15.3	
	日平均值			27.77	52.28	33.43	8.25	8.14	15.36	15.38
	灣內站	0:00	28.14	49.79	30.62	8.22	5.78	138.1	2.4	
		3:00	28.11	49.79	30.62	8.22	5.73	105.2	4.0	
		6:00	28.17	49.69	30.60	8.26	5.65	50.9	2.7	
		9:00	28.58	51.00	30.93	8.33	6.13	27.5	2.6	
		12:00	28.70	49.40	30.52	8.35	6.28	3.0	2.4	
		15:00	28.53	50.70	30.86	8.36	6.29	2.9	4.3	
		18:00	28.36	50.80	30.88	8.33	6.63	2.0	3.5	
		21:00	28.35	50.68	30.85	8.28	6.59	2.0	4.1	
	日平均值			28.37	50.23	30.73	8.29	6.14	41.45	3.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月24日	蚵殼站	0:00	28.54	48.34	31.56	8.34	8.36	16.8	11.8	
		3:00	28.45	48.33	31.55	8.34	8.44	29.8	13.1	
		6:00	28.52	48.32	31.55	8.35	8.48	15.6	11.1	
		9:00	28.71	48.32	31.55	8.36	8.60	15.4	8.9	
		12:00	27.10	47.94	31.30	8.35	8.49	14.4	14.6	
		15:00	28.82	47.87	31.25	8.37	8.73	14.6	8.4	
		18:00	29.03	47.85	31.24	8.35	8.46	16.0	11.5	
		21:00	28.64	47.93	31.29	8.34	8.41	31.8	17.9	
	日平均值			28.48	48.11	31.41	8.35	8.49	19.29	12.16
	潮口站	0:00	27.53	52.42	33.51	8.15	7.34	12.5	27.9	
		3:00	27.33	52.25	33.42	8.10	7.00	24.7	17.4	
		6:00	28.01	52.06	33.32	8.19	7.37	5.8	9.8	
		9:00	27.60	51.64	33.09	8.20	7.19	6.4	14.6	
		12:00	27.01	51.39	32.95	8.20	7.30	4.7	25.6	
		15:00	27.52	51.04	32.76	8.27	8.23	11.4	23.0	
		18:00	27.79	50.88	32.68	8.19	7.53	34.0	18.4	
		21:00	28.11	50.67	32.56	8.12	7.40	24.2	16.5	
	日平均值			27.61	51.54	33.04	8.18	7.42	15.46	19.15
	灣內站	0:00	28.39	50.68	30.85	8.30	6.82	2.0	2.9	
		3:00	28.44	50.65	30.84	8.27	6.67	2.9	2.5	
		6:00	28.41	50.86	30.90	8.24	6.39	2.4	1.6	
		9:00	28.64	51.37	31.03	8.27	5.96	3.0	4.1	
		12:00	28.70	51.03	30.94	8.28	7.04	3.0	3.8	
		15:00	28.78	50.78	30.88	8.29	6.97	3.0	1.9	
		18:00	28.66	50.82	30.89	8.25	7.15	3.0	2.7	
		21:00	28.57	50.45	30.79	8.21	6.50	3.0	1.5	
	日平均值			28.57	50.83	30.89	8.26	6.69	2.79	2.63
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月25日	蚵殼站	0:00	27.82	47.94	31.30	8.30	8.71	13.8	14.4	
		3:00	28.70	47.82	31.22	8.28	7.95	12.9	9.7	
		6:00	28.44	47.81	31.21	8.29	8.52	13.1	6.9	
		9:00	27.51	47.96	31.31	8.29	8.32	19.6	7.5	
		12:00	28.94	47.79	31.20	8.29	8.60	60.8	8.9	
		15:00	29.32	47.78	31.19	8.29	8.75	41.9	8.4	
		18:00	29.45	47.78	31.19	8.27	8.10	74.8	7.0	
		21:00	29.34	47.84	31.23	8.29	8.42	46.0	7.0	
	日平均值			28.69	47.84	31.23	8.29	8.42	35.35	8.73
	潮口站	0:00	27.24	51.89	33.22	8.07	6.73	7.6	15.7	
		3:00	26.96	51.43	32.97	8.02	6.51	4.9	15.3	
		6:00	27.42	52.13	33.35	8.12	6.66	5.3	3.5	
		9:00	27.53	52.49	33.55	8.12	6.39	10.3	7.8	
		12:00	26.91	52.02	33.29	8.22	7.11	3.9	27.0	
		15:00	26.95	51.56	33.05	8.21	7.31	7.1	63.9	
		18:00	27.43	51.18	32.84	8.25	7.60	24.2	38.9	
		21:00	27.76	50.81	32.64	8.13	6.66	33.7	1.5	
	日平均值			27.28	51.69	33.11	8.14	6.87	12.13	21.70
	灣內站	0:00	28.49	50.28	30.75	8.20	6.65	3.0	2.2	
		3:00	28.40	50.16	30.72	8.17	6.28	3.0	5.8	
		6:00	28.35	51.00	30.93	8.18	5.86	2.6	1.4	
		9:00	28.31	50.26	30.74	8.18	6.21	2.2	6.0	
		12:00	28.58	50.47	30.80	8.21	6.38	3.0	5.3	
		15:00	28.66	50.51	30.81	8.21	5.82	3.0	6.2	
		18:00	28.55	50.68	30.85	8.18	6.28	3.0	8.6	
		21:00	28.55	50.00	30.68	8.13	6.05	3.0	8.9	
	日平均值			28.49	50.42	30.78	8.18	6.19	2.85	5.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月26日	蚵殼站	0:00	29.26	47.84	31.23	8.27	7.51	97.9	11.4	
		3:00	29.44	47.76	31.18	8.27	7.44	27.6	7.1	
		6:00	28.80	47.78	31.19	8.26	7.33	11.8	4.5	
		9:00	28.91	47.84	31.23	8.27	7.98	8.0	4.9	
		12:00	29.07	47.76	31.18	8.26	8.09	6.8	11.4	
		15:00	28.76	47.84	31.23	8.26	8.24	6.0	6.1	
		18:00	28.69	47.82	31.22	8.24	7.32	5.7	3.9	
		21:00	29.09	47.82	31.22	8.23	6.80	5.9	10.2	
	日平均值			29.00	47.81	31.21	8.26	7.59	21.22	7.44
	潮口站	0:00	27.22	52.78	33.70	8.12	6.28	9.3	35.1	
		3:00	26.90	51.63	33.08	8.10	6.25	8.2	8.0	
		6:00	27.06	53.00	33.82	8.13	6.00	9.6	6.9	
		9:00	27.41	52.29	33.44	8.08	5.48	23.6	12.5	
		12:00	27.29	51.68	33.11	8.20	6.13	10.0	12.6	
		15:00	27.32	53.05	33.85	8.17	6.54	7.2	16.5	
		18:00	27.50	52.56	33.59	8.19	6.49	40.1	9.3	
		21:00	27.67	52.05	33.31	8.16	5.59	50.2	2.9	
	日平均值			27.30	52.38	33.49	8.14	6.10	19.78	12.98
	灣內站	0:00	28.46	50.28	30.75	8.10	6.25	3.0	2.1	
		3:00	28.16	49.98	30.67	8.13	5.93	2.3	5.5	
		6:00	28.32	50.26	30.74	8.11	5.78	2.5	6.0	
		9:00	28.16	50.39	30.78	8.16	6.01	2.2	4.5	
		12:00	28.39	49.79	30.62	8.21	6.89	2.7	3.1	
		15:00	28.57	49.15	30.46	8.21	6.05	3.0	5.9	
		18:00	28.38	48.84	30.38	8.19	6.19	3.0	2.5	
		21:00	28.30	48.84	30.38	8.15	5.97	2.7	4.3	
	日平均值			28.34	49.69	30.59	8.16	6.13	2.66	4.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
4月27日	蚵殼站	0:00	28.90	47.82	31.22	8.28	6.48	96.8	8.0	
		3:00	28.60	47.84	31.23	8.25	5.98	30.3	8.3	
		6:00	28.24	47.82	31.22	8.28	6.19	15.6	4.4	
		9:00	28.41	47.82	31.22	8.32	6.35	6.1	8.1	
		12:00	29.36	47.81	31.21	8.33	6.14	5.4	10.3	
		15:00	28.89	47.78	31.19	8.26	5.72	5.3	3.7	
		18:00	29.43	47.85	31.24	8.25	5.25	4.6	9.0	
		21:00	29.02	47.82	31.22	8.27	5.42	4.6	8.4	
	日平均值			28.86	47.82	31.22	8.28	5.94	21.08	7.53
	潮口站	0:00	27.42	51.70	33.12	8.25	5.35	17.4	7.4	
		3:00	26.93	51.57	33.05	8.24	5.44	7.9	3.3	
		6:00	27.08	52.31	33.45	8.28	5.51	16.6	7.3	
		9:00	27.53	52.39	33.49	8.23	5.33	36.9	2.8	
		12:00	27.79	52.17	33.37	8.33	5.65	39.6	11.5	
		15:00	27.36	52.24	33.41	8.35	6.39	49.5	9.4	
		18:00	27.38	52.11	33.34	8.27	5.95	25.6	21.9	
		21:00	27.55	52.26	33.42	8.23	5.34	44.9	7.4	
	日平均值			27.38	52.09	33.33	8.27	5.62	29.80	8.88
	灣內站	0:00	28.24	49.09	30.44	8.12	5.85	2.1	2.4	
		3:00	28.10	48.76	30.36	8.14	5.72	2.0	5.9	
		6:00	28.04	48.80	30.37	8.12	5.82	2.0	5.4	
		9:00	28.34	49.09	30.44	8.15	5.81	2.5	3.7	
		12:00	28.78	49.58	30.57	8.19	5.64	3.0	2.9	
		15:00	28.67	49.03	30.43	8.19	6.11	3.0	2.4	
		18:00	28.51	48.21	30.22	8.17	5.93	3.0	4.7	
		21:00	28.74	48.89	30.39	8.10	5.74	3.0	7.1	
	日平均值			28.43	48.93	30.40	8.15	5.83	2.57	4.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月28日	蚵殼站	0:00	28.58	47.81	31.21	8.26	5.27	4.9	5.6	
		3:00	28.17	47.84	31.23	8.24	5.01	4.6	14.9	
		6:00	28.20	47.79	31.20	8.25	5.12	5.6	15.9	
		9:00	27.78	47.87	31.25	8.28	5.14	6.0	7.7	
		12:00	27.61	47.88	31.26	8.31	5.14	25.4	8.9	
		15:00	28.80	47.76	31.18	8.29	5.01	32.6	15.4	
		18:00	27.77	47.79	31.20	8.27	5.05	31.2	10.3	
		21:00	27.68	47.78	31.19	8.27	5.10	25.2	11.1	
	日平均值			28.07	47.82	31.22	8.27	5.11	16.93	11.23
	潮口站	0:00	27.31	52.33	33.46	8.20	5.14	40.7	6.8	
		3:00	26.59	52.13	33.35	8.32	5.31	18.3	4.4	
		6:00	26.91	52.33	33.46	8.27	5.38	22.6	7.7	
		9:00	27.81	52.37	33.48	8.20	5.00	67.4	5.9	
		12:00	28.01	52.17	33.37	8.20	5.33	64.0	13.3	
		15:00	27.08	52.05	33.31	8.24	5.75	21.0	19.3	
		18:00	27.09	52.05	33.31	8.24	5.87	18.3	15.3	
		21:00	27.65	52.05	33.31	8.26	5.44	27.4	10.6	
	日平均值			27.31	52.19	33.38	8.24	5.40	34.96	10.41
	灣內站	0:00	28.53	49.21	30.47	8.06	5.90	3.0	1.8	
		3:00	28.27	49.07	30.44	8.08	6.31	2.6	3.9	
		6:00	28.14	48.97	30.41	8.08	5.83	2.0	3.0	
		9:00	28.71	49.58	30.57	8.12	6.16	3.0	1.2	
		12:00	29.46	49.42	30.53	8.11	5.76	3.0	3.2	
		15:00	29.41	49.24	30.48	8.10	5.95	3.0	5.2	
		18:00	28.98	48.62	30.32	8.11	7.33	3.0	3.1	
		21:00	28.86	48.49	30.29	8.09	6.78	3.0	2.0	
	日平均值			28.80	49.07	30.44	8.09	6.25	2.82	2.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月29日	蚵殼站	0:00	27.66	47.90	31.27	8.26	5.03	8.0	10.9	
		3:00	27.65	47.93	31.29	8.24	5.07	7.2	5.6	
		6:00	27.27	47.88	31.26	8.25	5.12	7.5	4.1	
		9:00	27.64	47.88	31.26	8.26	5.17	8.0	5.1	
		12:00	27.99	47.88	31.26	8.26	5.22	14.2	6.7	
		15:00	27.68	47.88	31.26	8.27	5.26	98.1	7.9	
		18:00	29.34	47.94	31.30	8.25	5.35	20.0	3.9	
		21:00	29.30	47.91	31.28	8.25	5.18	32.4	5.1	
	日平均值			28.07	47.90	31.27	8.26	5.18	24.40	6.16
	潮口站	0:00	27.78	52.24	33.41	8.19	5.03	15.4	9.7	
		3:00	26.56	52.05	33.31	8.27	5.34	22.3	5.7	
		6:00	26.81	52.17	33.37	8.24	5.41	22.2	4.9	
		9:00	27.99	52.31	33.45	8.22	5.04	30.3	5.6	
		12:00	28.49	52.24	33.41	8.12	5.27	55.1	1.8	
		15:00	27.18	52.00	33.28	8.22	5.49	21.8	13.8	
		18:00	26.85	52.07	33.32	8.18	5.66	10.0	14.8	
		21:00	27.85	52.04	33.30	8.24	5.42	16.9	10.9	
	日平均值			27.44	52.14	33.36	8.21	5.33	24.25	8.40
	灣內站	0:00	28.83	50.02	30.68	8.03	7.15	3.0	1.4	
		3:00	28.60	49.96	30.67	8.05	6.94	2.7	23.1	
		6:00	28.45	49.93	30.66	8.05	6.39	2.4	4.6	
		9:00	28.75	51.02	30.94	8.03	5.54	2.9	2.1	
		12:00	29.61	50.10	30.70	8.03	6.48	3.0	8.4	
		15:00	29.58	50.16	30.72	8.01	7.23	3.0	4.0	
		18:00	29.13	49.03	30.43	8.03	8.72	3.0	4.5	
		21:00	29.08	49.93	30.66	8.00	7.98	3.0	3.9	
	日平均值			29.00	50.02	30.68	8.03	7.05	2.88	6.50
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
4月30日	蚵殼站	0:00	29.16	47.90	31.27	8.22	5.23	14.0	3.3	
		3:00	29.13	47.90	31.27	8.18	5.17	11.4	8.1	
		6:00	29.08	47.85	31.24	8.17	5.30	9.8	11.4	
		9:00	28.83	47.88	31.26	8.23	5.21	10.7	8.1	
		12:00	28.03	47.85	31.24	8.25	5.08	13.4	10.8	
		15:00	27.89	47.88	31.26	8.25	5.65	19.3	17.3	
		18:00	28.47	47.85	31.24	8.23	5.82	19.6	11.0	
		21:00	29.87	47.85	31.24	8.24	5.66	10.5	3.5	
	日平均值			28.81	47.87	31.25	8.22	5.39	13.59	9.19
	潮口站	0:00	28.23	52.22	33.40	8.12	5.32	12.9	6.3	
		3:00	26.66	52.24	33.41	8.28	5.23	15.3	7.2	
		6:00	26.69	51.98	33.27	8.31	5.55	16.9	13.4	
		9:00	28.37	52.17	33.37	8.29	5.37	52.6	6.7	
		12:00	28.92	52.28	33.43	8.26	6.34	94.6	6.9	
		15:00	27.99	52.20	33.39	8.27	6.07	40.7	7.0	
		18:00	27.14	52.18	33.38	8.24	5.68	15.5	12.3	
		21:00	28.17	52.11	33.34	8.29	6.09	28.6	10.2	
	日平均值			27.77	52.17	33.37	8.26	5.71	34.64	8.75
	灣內站	0:00	28.74	50.00	30.68	8.00	6.99	3.0	2.4	
		3:00	28.37	50.55	30.82	8.03	6.63	2.8	2.1	
		6:00	28.38	50.24	30.74	8.03	6.97	3.0	1.4	
		9:00	28.59	51.37	31.03	8.00	5.94	3.0	3.0	
		12:00	29.72	51.00	30.93	7.99	7.04	3.2	1.2	
		15:00	29.73	49.81	30.63	7.98	7.48	4.0	3.8	
		18:00	29.75	49.89	30.65	8.04	8.38	3.3	4.0	
		21:00	29.45	49.11	30.45	8.02	8.58	3.0	3.8	
	日平均值			29.09	50.24	30.74	8.01	7.25	3.15	2.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月1日	蚵殼站	0:00	28.87	47.55	31.06	8.24	5.15	10.2	4.4	
		3:00	28.90	48.37	31.60	8.16	7.00	9.9	7.0	
		6:00	28.65	47.13	30.78	8.15	7.25	9.6	3.8	
		9:00	28.54	47.17	30.81	8.23	5.41	9.3	6.5	
		12:00	28.63	48.77	31.86	8.31	5.91	9.9	8.9	
		15:00	28.57	47.55	31.06	8.31	6.64	14.4	3.1	
		18:00	28.62	47.99	31.35	8.34	6.55	9.1	9.4	
		21:00	28.57	47.43	30.98	8.31	5.92	8.8	7.4	
	日平均值			28.67	47.75	31.19	8.26	6.23	10.15	6.31
	潮口站	0:00	28.86	51.74	33.97	8.33	5.90	31.1	11.7	
		3:00	27.28	51.71	33.95	8.37	5.15	25.6	4.9	
		6:00	26.96	50.69	33.27	8.35	5.44	8.7	11.1	
		9:00	29.06	50.95	33.44	8.35	6.29	24.4	9.8	
		12:00	29.54	50.87	33.39	8.33	7.14	72.8	6.3	
		15:00	28.94	50.41	33.08	8.33	6.92	104.2	7.4	
		18:00	27.96	50.60	33.21	8.35	5.99	23.1	9.9	
		21:00	28.21	51.08	33.53	8.33	5.82	22.1	9.2	
	日平均值			28.35	51.01	33.48	8.34	6.08	39.00	8.79
	灣內站	0:00	29.11	48.79	32.24	7.98	8.06	17.0	10.1	
		3:00	28.79	48.65	32.14	7.99	6.44	17.0	5.2	
		6:00	28.50	48.53	32.06	8.04	6.87	17.0	10.0	
		9:00	28.83	48.13	31.79	8.05	6.45	17.0	8.7	
		12:00	29.57	47.81	31.57	8.05	7.18	15.0	13.2	
		15:00	30.32	47.75	31.53	8.06	7.99	18.0	5.3	
		18:00	29.79	47.65	31.46	8.04	8.00	18.0	10.6	
		21:00	29.41	47.65	31.46	8.02	7.58	15.0	7.4	
	日平均值			29.29	48.12	31.78	8.03	7.32	16.75	8.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月2日	蚵殼站	0:00	28.53	46.98	30.68	8.28	5.30	8.6	6.3	
		3:00	28.61	47.89	31.28	8.31	7.20	8.4	4.1	
		6:00	28.55	47.14	30.79	8.21	5.09	10.6	3.6	
		9:00	28.59	47.43	30.98	8.28	5.54	7.8	3.4	
		12:00	28.76	47.55	31.06	8.35	5.97	7.8	7.7	
		15:00	28.92	47.37	30.94	8.43	6.15	7.8	7.0	
		18:00	28.75	48.01	31.36	8.40	5.70	7.6	13.1	
		21:00	28.99	48.15	31.45	8.33	5.46	9.0	14.0	
	日平均值			28.71	47.57	31.07	8.32	5.80	8.45	7.40
	潮口站	0:00	28.38	51.44	33.77	8.30	5.65	21.2	8.4	
		3:00	27.85	51.61	33.88	8.33	5.35	14.4	5.3	
		6:00	27.24	49.72	32.62	8.35	5.01	10.7	10.2	
		9:00	28.90	51.40	33.74	8.34	6.47	31.1	5.0	
		12:00	29.68	51.43	33.76	8.33	6.57	86.7	5.9	
		15:00	28.98	49.33	32.36	8.33	6.81	53.3	5.2	
		18:00	28.18	49.58	32.53	8.30	5.38	14.2	4.4	
		21:00	28.00	49.13	32.23	8.31	5.43	10.2	3.8	
	日平均值			28.40	50.46	33.11	8.32	5.83	30.23	6.03
	灣內站	0:00	29.00	47.66	31.47	7.98	7.21	12.2	4.2	
		3:00	28.63	48.19	31.83	8.02	6.57	12.0	3.4	
		6:00	28.34	48.56	32.08	8.03	6.04	12.0	8.8	
		9:00	28.66	48.28	31.89	8.04	5.81	12.0	6.4	
		12:00	29.84	48.09	31.76	8.06	6.81	12.8	3.0	
		15:00	30.90	48.16	31.81	8.10	6.70	14.0	7.3	
		18:00	29.96	47.47	31.34	8.11	6.85	13.0	9.6	
		21:00	29.80	48.10	31.77	8.05	6.81	13.0	7.9	
	日平均值			29.39	48.07	31.74	8.05	6.60	12.63	6.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月3日	蚵殼站	0:00	29.42	47.36	30.93	8.34	5.46	14.4	3.3	
		3:00	29.24	47.81	31.23	8.25	5.23	17.4	7.1	
		6:00	29.12	47.23	30.85	8.16	5.08	9.7	5.5	
		9:00	29.07	48.31	31.56	8.26	5.19	7.4	2.7	
		12:00	29.07	47.48	31.01	8.37	6.61	28.1	5.1	
		15:00	29.52	49.83	32.56	8.42	5.08	19.7	6.2	
		18:00	29.66	49.16	32.12	8.38	7.33	22.3	18.9	
		21:00	29.61	48.80	31.88	8.32	7.76	10.6	26.3	
	日平均值			29.34	48.25	31.52	8.31	5.97	16.20	9.39
	潮口站	0:00	28.78	51.96	34.12	8.33	5.95	17.4	4.6	
		3:00	28.12	52.01	34.15	8.33	5.36	15.1	6.3	
		6:00	26.92	49.16	32.25	8.33	5.65	14.3	6.7	
		9:00	28.10	51.26	33.65	8.34	5.94	30.6	7.1	
		12:00	29.07	51.62	33.89	8.39	6.71	75.8	2.7	
		15:00	28.99	51.08	33.53	8.36	6.18	103.1	14.8	
		18:00	28.29	51.58	33.86	8.33	5.33	39.8	15.5	
		21:00	27.83	51.17	33.59	8.34	5.04	15.4	14.8	
	日平均值			28.26	51.23	33.63	8.34	5.77	38.94	9.06
	灣內站	0:00	30.02	47.55	31.39	8.04	6.05	13.0	5.8	
		3:00	29.31	48.04	31.73	8.01	5.75	12.3	4.0	
		6:00	28.80	48.27	31.88	8.02	5.59	12.0	8.9	
		9:00	28.87	48.40	31.97	8.03	6.41	12.0	9.6	
		12:00	30.13	47.96	31.67	8.17	6.41	13.0	8.5	
		15:00	30.65	49.99	33.05	8.12	6.55	13.6	5.3	
		18:00	30.32	49.88	32.98	8.07	7.18	13.3	13.9	
		21:00	29.88	49.65	32.82	8.08	6.42	13.0	30.6	
	日平均值			29.75	48.72	32.19	8.07	6.30	12.79	10.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月4日	蚵殼站	0:00	29.43	48.94	31.97	8.28	7.73	23.5	17.7	
		3:00	29.20	49.50	32.34	8.20	6.00	10.2	16.3	
		6:00	29.10	49.74	32.50	8.15	6.07	8.2	14.6	
		9:00	28.89	48.80	31.88	8.17	6.42	5.3	15.8	
		12:00	29.04	48.48	31.67	8.30	6.47	5.1	18.3	
		15:00	29.46	48.45	31.65	8.41	7.13	4.9	15.4	
		18:00	29.47	49.24	32.17	8.38	7.41	5.5	27.9	
		21:00	29.38	47.39	30.95	8.33	8.61	4.5	22.8	
	日平均值			29.25	48.82	31.89	8.28	6.98	8.40	18.60
	潮口站	0:00	28.21	51.74	33.97	8.33	5.20	23.0	14.2	
		3:00	27.82	51.75	33.98	8.36	5.14	32.1	13.6	
		6:00	27.18	49.52	32.49	8.36	5.07	15.3	17.6	
		9:00	27.43	49.75	32.64	8.36	5.77	15.5	19.3	
		12:00	28.53	51.53	33.83	8.39	6.87	46.9	17.6	
		15:00	28.49	51.84	34.04	8.36	6.33	81.3	15.9	
		18:00	28.27	51.28	33.66	8.33	5.35	83.3	17.9	
		21:00	27.50	50.60	33.21	8.34	5.84	40.5	17.3	
	日平均值			27.93	51.00	33.48	8.35	5.70	42.24	16.68
	灣內站	0:00	29.79	49.78	32.91	8.09	6.88	13.0	7.9	
		3:00	29.53	50.01	33.07	8.08	6.17	13.0	14.4	
		6:00	29.49	50.09	33.12	8.10	6.08	13.0	11.8	
		9:00	29.67	49.99	33.05	8.18	6.15	13.0	12.6	
		12:00	29.98	49.38	32.64	8.26	5.87	13.0	24.0	
		15:00	29.94	49.91	33.00	8.24	7.58	13.0	23.2	
		18:00	29.73	49.75	32.89	8.16	7.46	13.0	19.2	
		21:00	29.54	49.85	32.96	8.10	7.04	13.0	6.4	
	日平均值			29.71	49.85	32.96	8.15	6.65	13.00	14.94
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月5日	蚵殼站	0:00	29.27	47.72	31.17	8.29	6.75	4.3	20.4	
		3:00	29.00	47.46	31.00	8.27	7.52	4.1	25.9	
		6:00	28.99	49.53	32.36	8.15	6.60	3.9	15.7	
		9:00	28.99	47.89	31.28	8.19	6.28	3.8	20.9	
		12:00	29.05	48.27	31.53	8.25	6.84	3.7	17.8	
		15:00	29.27	48.81	31.89	8.32	7.40	3.7	26.8	
		18:00	28.94	48.07	31.40	8.37	9.27	3.7	18.4	
		21:00	29.46	48.89	31.94	8.34	8.07	3.7	20.7	
	日平均值			29.12	48.33	31.57	8.27	7.34	3.86	20.83
	潮口站	0:00	27.75	51.22	33.62	8.36	6.41	38.7	15.7	
		3:00	27.63	51.63	33.90	8.35	5.62	95.9	15.2	
		6:00	27.19	49.28	32.33	8.36	5.98	26.8	17.3	
		9:00	27.56	49.81	32.68	8.34	5.17	19.0	18.1	
		12:00	29.09	50.75	33.31	8.37	5.75	57.8	14.9	
		15:00	29.44	51.32	33.69	8.39	6.60	107.0	14.5	
		18:00	29.15	51.46	33.78	8.38	5.96	75.9	19.2	
		21:00	28.31	51.11	33.55	8.33	5.06	27.7	19.3	
	日平均值			28.27	50.82	33.36	8.36	5.82	56.10	16.78
	灣內站	0:00	29.44	49.94	33.02	8.07	6.48	13.0	3.7	
		3:00	29.19	49.74	32.88	8.05	7.10	12.5	3.1	
		6:00	29.11	50.00	33.06	8.05	5.91	12.1	11.8	
		9:00	29.42	49.97	33.04	8.03	7.19	12.9	16.4	
		12:00	30.33	49.94	33.02	8.09	7.91	13.2	10.8	
		15:00	31.04	49.78	32.91	8.11	7.64	14.0	18.5	
		18:00	30.51	49.60	32.79	8.05	9.14	13.2	18.4	
		21:00	29.96	49.66	32.83	8.02	7.02	13.0	7.9	
	日平均值			29.88	49.83	32.94	8.06	7.30	12.99	11.33
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月6日	蚵殼站	0:00	29.42	49.73	32.49	8.27	6.46	3.7	16.2	
		3:00	29.16	48.65	31.78	8.20	6.51	3.5	20.1	
		6:00	29.07	48.98	32.00	8.15	7.12	3.4	26.5	
		9:00	29.29	49.22	32.16	8.22	7.31	3.4	20.6	
		12:00	29.47	49.39	32.27	8.26	6.32	3.5	17.8	
		15:00	29.68	49.15	32.11	8.27	9.92	3.4	22.7	
		18:00	29.67	48.98	32.00	8.25	8.28	3.3	26.3	
		21:00	29.65	48.80	31.88	8.19	9.77	3.3	26.4	
	日平均值			29.43	49.11	32.09	8.23	7.71	3.44	22.08
	潮口站	0:00	28.30	50.21	32.95	8.31	6.98	18.0	20.9	
		3:00	28.25	51.16	33.58	8.31	5.85	20.7	20.3	
		6:00	27.73	50.72	33.29	8.35	6.14	13.0	18.2	
		9:00	27.82	50.27	32.99	8.36	6.04	26.2	16.4	
		12:00	29.57	50.30	33.01	8.34	6.78	103.9	15.9	
		15:00	29.97	50.60	33.21	8.36	7.86	140.7	16.0	
		18:00	29.78	50.83	33.36	8.35	6.43	116.0	17.9	
		21:00	29.23	50.62	33.22	8.33	7.78	71.5	15.3	
	日平均值			28.83	50.59	33.20	8.34	6.73	63.75	17.61
	灣內站	0:00	29.25	49.35	32.62	8.06	6.71	12.6	7.5	
		3:00	28.93	49.68	32.84	8.03	6.45	12.0	19.3	
		6:00	29.01	48.94	32.34	8.06	6.71	12.0	3.2	
		9:00	29.46	48.78	32.23	8.07	6.47	12.5	8.5	
		12:00	29.86	51.21	33.88	8.05	6.85	13.0	12.9	
		15:00	29.73	48.85	32.28	8.09	6.73	13.0	26.5	
		18:00	29.87	49.13	32.47	8.04	6.47	13.0	19.2	
		21:00	29.76	49.43	32.67	8.00	9.77	13.0	14.0	
	日平均值			29.48	49.42	32.67	8.05	7.02	12.65	13.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月7日	蚵殼站	0:00	29.60	48.65	31.78	8.18	7.00	3.1	21.5	
		3:00	29.51	48.98	32.00	8.16	5.62	3.0	12.4	
		6:00	29.52	48.84	31.91	8.15	8.83	3.0	14.3	
		9:00	29.56	48.71	31.82	8.13	6.15	3.0	11.9	
		12:00	29.54	47.78	31.21	8.17	8.21	2.9	19.8	
		15:00	29.97	47.87	31.27	8.16	8.55	2.9	25.8	
		18:00	30.10	47.33	30.91	8.17	9.34	14.7	28.7	
		21:00	30.00	47.34	30.92	8.17	8.39	29.2	24.5	
	日平均值			29.73	48.19	31.48	8.16	7.76	7.73	19.86
	潮口站	0:00	28.19	50.60	33.21	8.32	7.36	50.6	16.4	
		3:00	28.26	50.56	33.18	8.32	5.73	31.5	14.8	
		6:00	27.82	51.43	33.76	8.35	5.69	22.3	18.7	
		9:00	28.04	50.32	33.02	8.35	6.86	14.8	15.5	
		12:00	28.97	50.71	33.28	8.34	7.78	56.7	11.6	
		15:00	30.10	50.20	32.94	8.36	7.10	108.8	13.6	
		18:00	29.99	51.26	33.65	8.36	7.41	103.3	18.1	
		21:00	29.92	50.80	33.34	8.33	7.03	57.9	14.7	
	日平均值			28.91	50.74	33.30	8.34	6.87	55.74	15.43
	灣內站	0:00	29.75	49.49	32.71	8.02	8.42	13.0	29.8	
		3:00	29.64	49.51	32.73	8.05	8.33	13.0	7.1	
		6:00	29.62	49.38	32.64	8.10	8.67	13.1	6.8	
		9:00	29.80	49.54	32.75	8.08	9.09	13.1	23.2	
		12:00	30.39	49.28	32.57	8.07	8.41	13.8	18.2	
		15:00	30.89	49.31	32.59	8.07	8.48	14.0	36.4	
		18:00	31.08	49.21	32.52	8.05	9.28	14.0	14.9	
		21:00	30.74	49.22	32.53	8.06	8.18	14.0	9.8	
	日平均值			30.24	49.37	32.63	8.06	8.61	13.50	18.28
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月8日	蚵殼站	0:00	29.85	46.64	30.46	8.16	8.91	7.2	23.1	
		3:00	29.70	46.87	30.61	8.15	7.48	3.3	26.1	
		6:00	29.55	46.37	30.28	8.15	7.73	3.2	25.2	
		9:00	29.44	46.81	30.57	8.14	7.94	2.4	22.5	
		12:00	29.54	47.96	31.33	8.14	6.95	2.3	13.8	
		15:00	29.57	48.21	31.49	8.14	7.30	2.3	15.5	
		18:00	29.57	48.04	31.38	8.16	7.52	2.3	15.7	
		21:00	29.46	47.61	31.10	8.13	7.63	21.5	25.8	
	日平均值			29.59	47.31	30.90	8.15	7.68	5.56	20.96
	潮口站	0:00	28.33	50.78	33.33	8.35	7.56	25.1	13.3	
		3:00	28.10	49.78	32.66	8.34	6.31	22.1	15.9	
		6:00	28.09	51.28	33.66	8.35	6.21	53.9	13.6	
		9:00	27.91	50.39	33.07	8.36	7.03	34.4	15.7	
		12:00	28.02	50.51	33.15	8.35	6.88	27.9	14.0	
		15:00	29.15	50.71	33.28	8.33	6.00	68.5	21.0	
		18:00	29.28	51.19	33.60	8.33	7.21	99.7	21.0	
		21:00	29.07	50.75	33.31	8.33	6.68	110.3	19.3	
	日平均值			28.49	50.67	33.26	8.34	6.74	55.24	16.73
	灣內站	0:00	30.28	49.03	32.40	8.04	6.69	13.1	20.0	
		3:00	30.07	49.46	32.69	8.00	7.21	13.0	6.7	
		6:00	29.85	49.02	32.39	8.12	5.91	13.0	5.0	
		9:00	29.69	49.49	32.71	8.14	7.87	13.0	20.4	
		12:00	29.78	46.90	30.95	8.16	6.93	13.0	17.9	
		15:00	29.97	47.44	31.32	8.15	9.05	13.0	10.7	
		18:00	29.93	47.59	31.42	8.12	8.47	13.0	13.3	
		21:00	29.83	47.78	31.55	8.10	7.77	13.0	7.3	
	日平均值			29.93	48.34	31.93	8.10	7.49	13.01	12.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月9日	蚵殼站	0:00	29.28	48.16	31.46	8.13	6.26	25.6	17.8	
		3:00	29.12	46.99	30.69	8.11	6.94	17.2	11.9	
		6:00	28.90	48.19	31.48	8.14	6.59	3.0	13.3	
		9:00	28.89	47.26	30.87	8.13	7.15	75.1	11.6	
		12:00	29.01	48.71	31.82	8.12	6.52	113.2	20.4	
		15:00	28.87	49.13	32.10	8.14	6.59	109.8	20.0	
		18:00	28.80	49.03	32.03	8.17	6.86	28.2	19.6	
		21:00	28.81	50.18	32.79	8.13	7.00	30.7	10.4	
	日平均值			28.96	48.46	31.66	8.13	6.74	50.35	15.63
	潮口站	0:00	27.49	50.56	33.18	8.37	6.42	48.0	16.8	
		3:00	27.13	51.10	33.54	8.38	6.18	26.9	17.2	
		6:00	27.16	51.16	33.58	8.38	6.48	50.5	21.3	
		9:00	27.24	50.41	33.08	8.36	6.47	46.1	19.7	
		12:00	27.25	50.33	33.03	8.36	7.06	34.9	17.0	
		15:00	27.79	50.44	33.10	8.37	7.29	38.6	19.4	
		18:00	28.42	51.08	33.53	8.33	7.23	93.0	20.2	
		21:00	28.46	50.75	33.31	8.31	6.51	60.7	22.9	
	日平均值			27.62	50.73	33.29	8.36	6.71	49.84	19.31
	灣內站	0:00	29.72	48.47	32.02	8.17	6.16	13.0	11.0	
		3:00	29.41	48.52	32.05	8.09	6.04	12.3	8.0	
		6:00	29.05	48.35	31.94	8.14	6.42	12.0	6.3	
		9:00	29.01	48.62	32.12	8.13	6.85	12.0	7.7	
		12:00	29.37	48.41	31.98	8.15	6.46	12.4	18.0	
		15:00	29.44	47.71	31.50	8.16	7.70	12.3	13.1	
		18:00	29.34	47.99	31.69	8.14	6.99	12.0	7.7	
		21:00	29.18	48.32	31.92	8.13	6.89	12.0	6.4	
	日平均值			29.32	48.30	31.90	8.14	6.69	12.26	9.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月10日	蚵殼站	0:00	28.75	49.35	32.24	8.11	6.40	33.2	15.9	
		3:00	28.70	49.09	32.07	8.09	6.53	18.7	17.0	
		6:00	28.54	48.98	32.00	8.10	6.67	6.0	14.2	
		9:00	28.63	49.06	32.05	8.10	5.71	17.3	6.9	
		12:00	28.61	49.73	32.49	8.09	6.36	20.6	7.5	
		15:00	28.36	50.50	33.00	8.11	6.52	58.6	11.8	
		18:00	28.27	49.57	32.39	8.13	6.82	60.1	21.4	
		21:00	28.24	49.67	32.45	8.12	7.06	72.0	16.4	
	日平均值			28.51	49.49	32.34	8.11	6.51	35.81	13.89
	潮口站	0:00	27.18	50.62	33.22	8.36	6.39	23.4	15.9	
		3:00	26.72	51.10	33.54	8.38	7.25	12.4	15.2	
		6:00	27.79	51.28	33.66	8.32	6.63	28.4	13.3	
		9:00	27.84	50.41	33.08	8.31	6.46	33.0	9.3	
		12:00	27.21	50.47	33.12	8.37	6.71	27.0	16.4	
		15:00	27.25	50.47	33.12	8.36	7.56	40.7	20.5	
		18:00	27.48	51.10	33.54	8.33	7.01	76.0	15.1	
		21:00	27.60	50.95	33.44	8.32	6.33	64.6	17.6	
	日平均值			27.38	50.80	33.34	8.34	6.79	38.19	15.41
	灣內站	0:00	28.96	48.47	32.02	8.14	6.18	12.0	6.8	
		3:00	28.88	48.54	32.07	8.09	6.00	12.0	14.3	
		6:00	28.89	48.66	32.15	8.07	5.99	12.0	3.1	
		9:00	29.03	48.81	32.25	8.09	6.58	12.2	8.9	
		12:00	29.04	49.00	32.38	8.09	7.83	12.2	14.2	
		15:00	28.93	48.79	32.24	8.07	6.80	12.0	43.2	
		18:00	28.68	48.15	31.80	8.05	7.10	12.0	33.7	
		21:00	28.47	48.53	32.06	8.05	7.59	12.0	25.7	
	日平均值			28.86	48.62	32.12	8.08	6.76	12.05	18.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月11日	蚵殼站	0:00	28.04	49.59	32.40	8.09	6.62	49.1	13.8	
		3:00	27.95	49.54	32.37	8.08	6.61	8.1	17.2	
		6:00	27.96	48.92	31.96	8.09	6.11	15.6	11.2	
		9:00	28.15	49.68	32.46	8.10	5.61	8.3	7.9	
		12:00	27.59	50.44	32.96	8.11	7.90	13.5	11.1	
		15:00	28.35	51.15	33.43	8.21	7.47	44.3	21.6	
		18:00	28.37	50.99	33.32	8.20	7.13	45.4	20.6	
		21:00	28.31	50.97	33.31	8.20	6.86	52.7	15.3	
	日平均值			28.09	50.16	32.78	8.14	6.79	29.63	14.84
	潮口站	0:00	27.02	50.51	33.15	8.34	6.34	30.1	19.7	
		3:00	26.42	51.20	33.61	8.36	6.21	17.4	16.3	
		6:00	27.09	51.17	33.59	8.32	5.96	27.2	13.3	
		9:00	27.68	50.78	33.33	8.29	6.09	22.5	11.1	
		12:00	27.52	50.68	33.26	8.35	6.64	24.9	14.3	
		15:00	26.56	52.10	34.19	8.38	7.80	26.2	17.6	
		18:00	27.81	52.37	34.38	8.33	6.86	6.4	21.4	
		21:00	27.96	52.22	34.26	8.33	6.61	2.2	20.9	
	日平均值			27.26	51.38	33.72	8.34	6.56	19.61	16.83
	灣內站	0:00	28.27	48.41	31.98	8.08	7.22	12.0	13.1	
		3:00	28.11	48.74	32.20	8.10	6.83	12.0	14.6	
		6:00	28.02	48.81	32.25	8.10	6.01	12.0	6.5	
		9:00	28.00	48.71	32.18	8.08	6.35	12.8	12.0	
		12:00	28.80	51.35	33.98	8.11	6.32	17.4	18.9	
		15:00	29.03	51.31	33.92	8.09	5.38	17.6	33.2	
		18:00	28.87	50.80	33.58	8.07	5.45	17.6	11.7	
		21:00	28.72	51.07	33.76	8.04	5.15	17.4	10.2	
	日平均值			28.48	49.90	32.98	8.08	6.09	14.87	15.03
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月12日	蚵殼站	0:00	28.12	50.93	33.28	8.19	6.69	51.5	18.1	
		3:00	27.91	50.71	33.14	8.16	6.24	51.7	13.1	
		6:00	27.90	50.80	33.20	8.17	6.53	54.0	15.6	
		9:00	28.28	50.91	33.27	8.21	7.32	45.3	9.5	
		12:00	28.26	51.21	33.47	8.22	6.97	43.5	11.9	
		15:00	28.33	51.58	33.71	8.22	7.30	41.2	17.2	
		18:00	28.10	49.77	32.52	8.27	8.26	52.8	16.9	
		21:00	28.09	49.83	32.56	8.27	8.10	45.7	16.2	
	日平均值			28.12	50.72	33.14	8.21	7.18	48.21	14.81
	潮口站	0:00	27.51	52.26	34.29	8.35	6.75	5.7	16.2	
		3:00	26.96	52.52	34.46	8.39	7.21	7.3	15.6	
		6:00	27.45	52.42	34.39	8.35	6.65	2.6	17.8	
		9:00	28.17	52.39	34.37	8.33	6.48	3.2	19.7	
		12:00	28.27	51.11	33.55	8.37	7.24	12.1	17.6	
		15:00	28.05	51.05	33.51	8.38	7.45	5.0	22.1	
		18:00	27.86	52.29	34.31	8.37	6.85	8.7	22.1	
		21:00	27.90	51.10	33.53	8.36	7.20	9.0	16.1	
	日平均值			27.77	51.89	34.05	8.36	6.98	6.70	18.40
	灣內站	0:00	28.54	51.73	34.19	8.08	5.45	17.4	17.0	
		3:00	28.33	51.14	33.81	8.10	5.24	17.4	32.4	
		6:00	28.23	50.67	33.49	8.13	5.90	17.4	22.8	
		9:00	28.65	51.88	34.29	8.18	7.26	17.5	28.7	
		12:00	29.14	51.56	34.08	8.24	9.07	17.7	76.1	
		15:00	29.09	51.63	34.12	8.30	10.43	17.7	50.2	
		18:00	28.68	51.70	34.16	8.26	9.07	17.4	42.8	
		21:00	28.49	50.86	33.62	8.25	8.45	17.4	37.0	
	日平均值			28.64	51.40	33.97	8.19	7.61	17.47	38.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月13日	蚵殼站	0:00	27.94	50.08	32.72	8.26	7.99	45.3	12.3	
		3:00	27.83	49.98	32.66	8.25	7.64	43.7	12.1	
		6:00	27.99	50.26	32.84	8.24	7.98	44.2	17.1	
		9:00	28.65	50.62	33.08	8.30	9.43	43.2	15.4	
		12:00	28.80	50.64	33.09	8.29	9.04	54.8	11.8	
		15:00	28.79	50.52	33.01	8.41	11.35	49.0	19.2	
		18:00	28.47	49.34	32.24	8.35	10.15	46.5	16.2	
		21:00	28.57	48.98	32.00	8.33	8.57	46.6	16.5	
	日平均值			28.38	50.05	32.71	8.30	9.02	46.66	15.08
	潮口站	0:00	27.56	52.15	34.22	8.37	6.87	10.2	21.8	
		3:00	26.64	52.79	34.64	8.39	7.03	7.4	20.6	
		6:00	27.23	51.83	34.01	8.37	7.14	5.8	14.1	
		9:00	28.33	51.81	33.99	8.37	7.72	4.2	19.7	
		12:00	28.73	51.32	33.69	8.38	6.89	11.4	15.7	
		15:00	28.36	50.75	33.31	8.37	7.50	8.7	16.3	
		18:00	27.65	51.07	33.51	8.39	7.01	9.3	14.2	
		21:00	28.41	51.27	33.64	8.40	7.31	4.1	20.2	
	日平均值			27.86	51.62	33.88	8.38	7.18	7.64	17.83
	灣內站	0:00	28.58	51.60	34.11	8.22	7.46	17.4	64.7	
		3:00	28.54	51.42	33.98	8.25	7.85	17.4	56.5	
		6:00	28.43	51.21	33.86	8.20	7.00	17.4	10.1	
		9:00	29.01	51.31	33.91	8.26	9.18	17.6	38.2	
		12:00	29.99	50.49	33.37	8.42	12.68	18.1	70.7	
		15:00	29.91	50.49	33.37	8.42	13.21	18.0	47.9	
		18:00	29.35	50.60	33.45	8.43	11.68	17.8	51.6	
		21:00	29.30	50.57	33.43	8.37	10.16	17.8	41.5	
	日平均值			29.14	50.96	33.69	8.32	9.90	17.68	47.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月14日	蚵殼站	0:00	28.29	48.98	32.00	8.32	9.10	38.7	15.3	
		3:00	28.40	49.49	32.33	8.33	9.30	39.4	22.2	
		6:00	28.20	49.33	32.23	8.33	9.13	50.4	13.2	
		9:00	28.44	49.36	32.25	8.36	9.50	35.2	10.0	
		12:00	29.70	49.59	32.40	8.47	9.47	49.1	15.9	
		15:00	30.41	49.06	32.05	8.47	8.98	47.7	18.1	
		18:00	30.03	49.41	32.28	8.49	8.79	36.1	14.9	
		21:00	30.10	49.34	32.23	8.49	8.35	38.1	14.4	
	日平均值			29.20	49.32	32.22	8.41	9.08	41.84	15.50
	潮口站	0:00	27.91	51.16	33.56	8.39	7.88	7.7	16.1	
		3:00	26.44	52.89	34.71	8.40	7.14	10.1	15.6	
		6:00	27.17	51.71	33.93	8.40	7.76	6.8	12.8	
		9:00	29.22	51.26	33.63	8.43	7.67	7.6	13.3	
		12:00	29.93	51.53	33.81	8.44	7.52	18.1	12.8	
		15:00	27.80	52.25	34.28	8.44	7.40	12.7	21.1	
		18:00	28.01	52.34	34.34	8.44	7.00	12.9	16.7	
		21:00	29.95	51.21	33.60	8.47	7.89	6.8	20.4	
	日平均值			28.30	51.79	33.98	8.43	7.53	10.34	16.10
	灣內站	0:00	29.42	50.49	33.37	8.31	9.47	17.8	41.1	
		3:00	29.45	50.52	33.39	8.31	9.04	17.8	25.0	
		6:00	29.17	50.91	33.65	8.28	8.60	17.7	11.4	
		9:00	29.68	50.52	33.39	8.33	10.04	18.0	10.8	
		12:00	30.98	49.78	32.90	8.47	13.54	18.8	59.2	
		15:00	31.43	49.42	32.66	8.46	13.48	19.1	28.8	
		18:00	31.30	49.42	32.66	8.45	13.42	19.0	30.3	
		21:00	31.11	49.52	32.72	8.45	13.28	18.9	58.5	
	日平均值			30.32	50.07	33.09	8.38	11.36	18.38	33.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月15日	蚵殼站	0:00	29.62	49.43	32.30	8.46	8.60	34.3	8.4	
		3:00	29.79	49.24	32.16	8.46	8.08	45.2	11.6	
		6:00	28.17	49.64	32.44	8.29	8.11	36.8	15.2	
		9:00	28.73	49.79	32.53	8.40	10.58	36.6	9.5	
		12:00	28.73	50.11	32.74	8.38	10.02	40.3	13.0	
		15:00	29.32	50.04	32.70	8.42	10.84	39.0	12.9	
		18:00	29.70	49.83	32.56	8.44	10.92	28.9	16.4	
		21:00	29.66	49.65	32.44	8.44	10.75	40.7	14.1	
	日平均值			29.22	49.72	32.48	8.41	9.74	37.73	12.64
	潮口站	0:00	29.47	51.34	33.69	8.45	7.81	7.4	18.8	
		3:00	26.91	52.41	34.39	8.42	7.91	6.0	11.0	
		6:00	28.04	52.11	34.19	8.44	7.36	6.7	21.8	
		9:00	30.10	51.57	33.84	8.46	7.71	8.5	14.9	
		12:00	30.42	51.60	33.86	8.47	7.62	9.5	12.9	
		15:00	28.79	51.94	34.08	8.45	7.08	11.5	15.2	
		18:00	28.57	52.11	34.19	8.45	6.84	11.0	12.7	
		21:00	29.82	51.66	33.89	8.46	6.97	9.7	13.0	
	日平均值			29.02	51.84	34.02	8.45	7.41	8.79	15.04
	灣內站	0:00	30.45	50.44	33.34	8.33	11.61	18.5	59.5	
		3:00	28.54	50.34	33.27	8.26	8.96	17.5	44.3	
		6:00	29.13	50.50	33.38	8.34	9.76	17.6	17.2	
		9:00	29.83	50.50	33.37	8.42	11.79	18.0	13.7	
		12:00	30.89	49.85	32.94	8.46	12.93	18.6	31.0	
		15:00	31.07	49.54	32.74	8.44	12.47	18.7	33.3	
		18:00	30.15	50.48	33.37	8.38	11.17	18.2	33.4	
		21:00	30.00	50.49	33.37	8.37	10.78	18.1	25.1	
	日平均值			30.01	50.27	33.22	8.38	11.18	18.15	32.19
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月16日	蚵殼站	0:00	29.48	49.67	32.45	8.44	10.47	32.9	20.5	
		3:00	29.44	49.71	32.48	8.44	10.58	42.9	20.6	
		6:00	28.97	49.85	32.57	8.36	8.71	34.3	18.7	
		9:00	29.02	50.03	32.69	8.38	9.51	30.4	19.5	
		12:00	29.16	50.34	32.89	8.39	9.70	41.8	19.7	
		15:00	29.68	50.14	32.76	8.42	10.41	38.5	20.4	
		18:00	29.76	50.06	32.71	8.42	10.31	37.1	20.3	
		21:00	29.53	50.24	32.83	8.41	9.82	46.3	19.8	
	日平均值			29.38	50.01	32.67	8.41	9.94	38.03	19.94
	潮口站	0:00	29.86	51.43	33.74	8.44	7.08	7.8	11.4	
		3:00	27.11	52.21	34.25	8.42	7.95	11.9	12.4	
		6:00	27.76	51.97	34.09	8.43	7.28	4.5	9.5	
		9:00	30.23	51.39	33.72	8.45	7.25	6.6	12.6	
		12:00	30.15	51.28	33.64	8.46	7.69	7.8	7.0	
		15:00	29.92	51.24	33.62	8.46	7.69	21.8	14.9	
		18:00	28.74	51.51	33.80	8.43	7.35	12.3	17.9	
		21:00	29.85	51.26	33.63	8.44	6.72	8.4	11.3	
	日平均值			29.20	51.54	33.81	8.44	7.38	10.14	12.13
	灣內站	0:00	30.08	50.55	33.41	8.35	8.64	18.1	55.2	
		3:00	29.13	50.97	33.68	8.40	8.79	17.7	27.3	
		6:00	29.36	50.78	33.55	8.38	7.94	17.7	12.2	
		9:00	29.60	50.73	33.53	8.40	9.81	17.9	21.3	
		12:00	30.68	50.42	33.32	8.36	9.74	18.5	27.9	
		15:00	31.09	50.15	33.15	8.41	10.72	18.7	75.9	
		18:00	30.35	50.47	33.36	8.35	9.39	18.3	29.4	
		21:00	29.66	50.49	33.37	8.35	8.77	18.0	20.3	
	日平均值			29.99	50.57	33.42	8.38	9.23	18.11	33.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月17日	蚵殼站	0:00	29.34	50.42	32.95	8.40	9.34	43.2	19.3	
		3:00	29.33	50.39	32.93	8.39	8.89	48.6	18.9	
		6:00	29.31	50.04	32.69	8.38	8.54	40.0	18.5	
		9:00	29.22	49.95	32.64	8.39	8.93	49.5	18.9	
		12:00	29.59	50.16	32.77	8.39	9.16	49.7	19.2	
		15:00	29.82	50.36	32.91	8.41	9.52	38.9	19.5	
		18:00	29.91	50.23	32.83	8.42	9.42	41.5	19.4	
		21:00	30.01	49.72	32.49	8.41	8.87	52.2	18.9	
	日平均值			29.57	50.16	32.78	8.40	9.08	45.45	19.08
	潮口站	0:00	29.97	51.22	33.61	8.42	7.56	5.3	11.9	
		3:00	28.12	51.55	33.82	8.42	7.78	8.5	11.9	
		6:00	27.45	51.68	33.91	8.42	7.66	7.8	6.8	
		9:00	30.12	51.19	33.58	8.43	7.90	4.8	9.4	
		12:00	30.49	51.25	33.62	8.44	6.90	14.8	7.1	
		15:00	29.91	50.46	33.11	8.45	7.36	10.7	6.3	
		18:00	28.74	50.38	33.05	8.43	7.00	11.2	7.4	
		21:00	28.39	50.93	33.42	8.42	7.89	12.4	6.8	
	日平均值			29.15	51.08	33.52	8.43	7.51	9.44	8.45
	灣內站	0:00	29.13	51.54	34.06	8.35	8.65	17.6	59.6	
		3:00	29.11	51.60	34.10	8.28	6.74	17.7	72.9	
		6:00	29.20	51.54	34.07	8.32	5.63	17.7	17.2	
		9:00	29.54	50.84	33.60	8.34	6.70	17.8	8.2	
		12:00	30.59	50.76	33.54	8.33	8.71	18.4	28.8	
		15:00	31.00	50.75	33.54	8.35	9.45	18.6	23.5	
		18:00	30.86	50.49	33.37	8.36	8.89	18.6	32.7	
		21:00	30.63	50.49	33.37	8.34	6.99	18.4	30.8	
	日平均值			30.01	51.00	33.71	8.33	7.72	18.11	34.21
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月18日	蚵殼站	0:00	30.19	49.76	32.51	8.40	8.54	40.4	18.5	
		3:00	30.07	49.81	32.55	8.40	8.61	42.6	18.6	
		6:00	29.87	49.58	32.40	8.40	8.35	43.4	18.4	
		9:00	29.32	49.56	32.39	8.37	8.64	42.8	18.6	
		12:00	29.62	49.86	32.58	8.38	9.05	45.3	19.1	
		15:00	29.85	49.97	32.65	8.39	9.22	38.9	19.2	
		18:00	29.72	50.16	32.77	8.37	8.64	45.5	18.6	
		21:00	29.91	49.93	32.62	8.39	8.69	46.6	18.7	
	日平均值			29.82	49.83	32.56	8.39	8.72	43.19	18.72
	潮口站	0:00	29.17	50.36	33.04	8.43	7.87	9.7	10.5	
		3:00	28.22	50.74	33.29	8.41	7.22	5.3	5.4	
		6:00	27.48	51.02	33.47	8.41	7.33	3.0	7.2	
		9:00	29.37	50.59	33.19	8.43	6.81	3.1	7.3	
		12:00	30.09	50.53	33.15	8.43	7.40	8.1	11.5	
		15:00	29.57	50.32	33.01	8.44	7.76	3.0	9.7	
		18:00	28.75	49.99	32.79	8.42	7.02	6.2	8.3	
		21:00	27.17	50.15	32.90	8.40	7.15	25.0	8.2	
	日平均值			28.73	50.46	33.11	8.42	7.32	7.93	8.51
	灣內站	0:00	30.51	50.49	33.37	8.33	6.37	18.4	13.6	
		3:00	30.14	50.49	33.37	8.34	5.78	18.2	6.5	
		6:00	30.07	50.49	33.37	8.35	7.24	18.1	10.5	
		9:00	30.26	50.33	33.27	8.37	7.58	18.2	13.8	
		12:00	31.23	49.75	32.88	8.43	10.49	18.9	10.4	
		15:00	31.43	49.84	32.94	8.44	10.42	19.0	43.6	
		18:00	31.07	49.72	32.87	8.43	9.92	18.8	8.7	
		21:00	30.77	49.89	32.97	8.36	7.71	18.6	31.0	
	日平均值			30.69	50.13	33.13	8.38	8.19	18.53	17.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月19日	蚵殼站	0:00	30.40	49.79	32.53	8.40	8.46	42.8	18.5	
		3:00	30.27	49.73	32.49	8.38	8.26	48.4	18.3	
		6:00	30.08	49.70	32.48	8.37	7.95	45.5	18.0	
		9:00	29.50	49.69	32.47	8.38	8.61	41.3	18.6	
		12:00	29.75	49.87	32.59	8.37	8.96	48.4	19.0	
		15:00	30.13	49.90	32.60	8.41	9.72	36.0	19.7	
		18:00	30.59	49.66	32.45	8.46	10.17	39.1	20.2	
		21:00	30.64	49.55	32.37	8.48	10.38	56.0	20.4	
	日平均值			30.17	49.74	32.50	8.41	9.06	44.69	19.06
	潮口站	0:00	28.54	49.91	32.74	8.41	7.47	2.9	8.5	
		3:00	27.85	49.87	32.71	8.40	7.10	2.4	11.4	
		6:00	27.44	50.17	32.92	8.41	7.38	8.0	7.2	
		9:00	28.55	50.12	32.88	8.42	7.72	5.8	12.1	
		12:00	30.12	49.94	32.76	8.43	7.58	4.1	7.8	
		15:00	29.96	49.77	32.65	8.44	7.96	5.0	5.6	
		18:00	29.55	49.51	32.48	8.43	7.89	6.3	11.2	
		21:00	27.42	49.36	32.38	8.40	7.53	4.1	11.9	
	日平均值			28.68	49.83	32.69	8.42	7.58	4.83	9.46
	灣內站	0:00	30.72	49.74	32.87	8.33	6.49	18.6	18.9	
		3:00	30.38	50.15	33.14	8.33	5.66	18.4	6.6	
		6:00	30.05	50.32	33.26	8.33	5.35	18.1	6.5	
		9:00	30.29	50.30	33.24	8.36	6.54	18.4	22.9	
		12:00	31.34	49.42	32.66	8.43	10.02	19.0	21.3	
		15:00	31.82	49.42	32.66	8.44	10.76	19.3	10.8	
		18:00	31.51	49.42	32.66	8.44	9.30	19.1	3.6	
		21:00	31.06	49.42	32.66	8.43	7.13	18.9	7.4	
	日平均值			30.90	49.77	32.89	8.39	7.66	18.72	12.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月20日	蚵殼站	0:00	30.66	49.51	32.35	8.45	10.04	45.2	20.0	
		3:00	30.35	49.58	32.39	8.40	8.85	49.2	18.9	
		6:00	30.21	49.56	32.38	8.41	8.93	46.0	18.9	
		9:00	30.01	49.57	32.39	8.39	8.79	34.9	18.8	
		12:00	29.73	49.72	32.49	8.42	10.04	34.6	20.0	
		15:00	31.02	49.38	32.26	8.45	10.89	30.4	20.9	
		18:00	31.14	49.17	32.12	8.46	10.49	46.2	20.5	
		21:00	30.98	49.09	32.07	8.46	9.44	43.3	19.4	
	日平均值			30.51	49.45	32.31	8.43	9.68	41.23	19.68
	潮口站	0:00	28.80	49.47	32.45	8.42	7.84	4.4	13.8	
		3:00	27.84	49.73	32.62	8.40	7.19	5.3	5.8	
		6:00	27.59	49.81	32.67	8.41	7.46	5.2	8.8	
		9:00	26.95	49.85	32.70	8.41	7.55	3.8	9.3	
		12:00	28.91	49.47	32.45	8.43	8.02	2.8	7.2	
		15:00	29.23	49.51	32.48	8.43	7.67	3.7	6.8	
		18:00	30.11	49.34	32.37	8.44	7.64	4.6	11.3	
		21:00	28.11	48.92	32.09	8.40	7.32	4.8	8.8	
	日平均值			28.44	49.51	32.48	8.42	7.59	4.33	8.98
	灣內站	0:00	30.81	49.41	32.66	8.38	5.67	18.6	9.7	
		3:00	30.37	49.34	32.61	8.37	5.74	18.3	5.1	
		6:00	30.19	49.40	32.65	8.36	7.27	18.3	5.6	
		9:00	30.00	49.41	32.66	8.38	7.04	18.1	40.5	
		12:00	31.04	49.41	32.66	8.47	10.26	18.7	26.4	
		15:00	31.27	49.41	32.66	8.46	10.93	18.9	36.2	
		18:00	31.86	47.81	31.57	8.44	9.78	19.3	14.0	
		21:00	31.45	47.43	31.31	8.40	6.42	19.0	35.1	
	日平均值			30.87	48.95	32.35	8.41	7.89	18.64	21.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月21日	蚵殼站	0:00	30.81	49.15	32.11	8.45	9.99	49.4	20.0	
		3:00	30.48	49.23	32.16	8.42	9.13	18.4	19.1	
		6:00	30.12	49.23	32.16	8.40	8.59	24.2	18.6	
		9:00	30.40	49.23	32.16	8.44	9.93	18.0	19.9	
		12:00	30.15	49.34	32.23	8.41	9.40	47.1	19.4	
		15:00	30.68	49.39	32.27	8.43	10.14	28.3	20.1	
		18:00	30.92	49.25	32.18	8.43	9.81	38.3	19.8	
		21:00	30.80	49.27	32.19	8.44	9.80	18.8	19.8	
	日平均值			30.55	49.26	32.18	8.43	9.60	30.31	19.60
	潮口站	0:00	27.48	48.39	32.24	8.39	6.77	5.2	8.1	
		3:00	28.44	48.37	32.53	8.40	7.02	6.8	4.4	
		6:00	27.74	49.12	32.22	8.39	7.05	8.7	2.5	
		9:00	27.60	49.31	32.35	8.40	7.52	7.9	5.3	
		12:00	28.57	49.24	32.30	8.42	7.42	7.2	7.8	
		15:00	28.95	49.28	32.32	8.42	7.49	10.0	10.1	
		18:00	29.94	49.21	32.28	8.42	7.84	11.1	5.3	
		21:00	28.77	49.14	32.23	8.40	7.13	17.1	4.5	
	日平均值			28.44	49.01	32.31	8.41	7.28	9.25	6.00
	灣內站	0:00	31.16	47.72	31.51	8.41	6.04	18.7	36.0	
		3:00	30.87	48.21	31.84	8.36	6.77	18.6	22.1	
		6:00	30.72	49.38	32.64	8.34	6.20	18.6	15.0	
		9:00	30.72	49.24	32.54	8.43	9.29	18.5	28.6	
		12:00	31.36	49.41	32.66	8.46	12.05	19.0	37.3	
		15:00	31.37	49.38	32.64	8.45	11.47	19.0	23.3	
		18:00	31.36	47.87	31.61	8.42	8.90	19.0	21.2	
		21:00	31.29	47.72	31.51	8.36	7.52	18.8	23.0	
	日平均值			31.11	48.62	32.12	8.40	8.53	18.78	25.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月22日	蚵殼站	0:00	30.60	49.25	32.17	8.42	8.73	36.2	18.7	
		3:00	30.29	49.23	32.16	8.41	8.55	52.0	18.6	
		6:00	30.25	49.23	32.16	8.42	8.86	54.2	18.9	
		9:00	30.45	49.22	32.15	8.44	9.15	41.3	19.2	
		12:00	30.17	49.25	32.17	8.43	9.54	40.1	19.5	
		15:00	30.93	49.12	32.09	8.46	10.47	27.3	20.5	
		18:00	30.99	49.07	32.06	8.45	9.87	35.2	19.9	
		21:00	30.87	49.03	32.03	8.46	9.35	28.9	19.4	
	日平均值			30.57	49.18	32.12	8.44	9.32	39.40	19.32
	潮口站	0:00	27.20	49.33	32.36	8.39	6.91	11.8	6.3	
		3:00	28.96	49.15	32.24	8.40	6.61	11.6	6.4	
		6:00	29.01	49.00	32.14	8.39	6.03	15.6	5.3	
		9:00	27.89	49.28	32.33	8.39	7.29	16.1	7.2	
		12:00	28.27	49.28	32.33	8.40	7.77	14.5	8.5	
		15:00	29.10	49.48	32.46	8.42	7.64	17.3	11.4	
		18:00	30.19	49.72	32.62	8.42	7.77	15.9	9.9	
		21:00	29.32	50.11	32.88	8.41	7.10	16.8	8.4	
	日平均值			28.74	49.42	32.42	8.40	7.14	14.95	7.93
	灣內站	0:00	30.89	48.77	32.22	8.40	8.35	18.6	41.5	
		3:00	30.66	49.32	32.60	8.33	6.21	18.6	15.4	
		6:00	30.48	47.97	31.68	8.29	5.49	18.4	13.5	
		9:00	30.69	48.97	32.36	8.40	7.99	18.5	29.0	
		12:00	31.05	48.69	32.17	8.46	9.63	18.7	41.5	
		15:00	31.32	48.85	32.28	8.45	9.69	19.0	38.1	
		18:00	31.68	48.56	32.08	8.43	9.09	19.2	37.6	
		21:00	31.52	48.47	32.02	8.42	8.19	19.1	15.8	
	日平均值			31.04	48.70	32.18	8.40	8.08	18.74	29.05
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月23日	蚵殼站	0:00	30.73	48.92	31.96	8.44	8.03	18.5	18.0	
		3:00	30.47	48.96	31.99	8.42	8.33	45.6	18.3	
		6:00	30.19	48.89	31.94	8.44	9.25	68.8	19.3	
		9:00	30.37	49.10	32.08	8.42	9.01	16.3	19.0	
		12:00	30.06	49.23	32.16	8.38	8.50	42.6	18.5	
		15:00	30.65	49.01	32.02	8.45	10.05	47.8	20.1	
		18:00	30.44	49.21	32.15	8.44	9.65	37.8	19.7	
		21:00	30.50	49.12	32.09	8.47	9.70	17.2	19.7	
	日平均值			30.43	49.06	32.05	8.43	9.07	36.83	19.07
	潮口站	0:00	27.97	50.62	33.22	8.38	6.89	16.7	10.6	
		3:00	28.37	51.10	33.54	8.39	6.69	16.6	6.0	
		6:00	29.24	51.28	33.66	8.41	6.75	15.0	5.9	
		9:00	28.62	50.41	33.08	8.40	7.15	15.7	5.2	
		12:00	28.29	50.47	33.12	8.40	7.60	15.0	9.2	
		15:00	28.90	50.47	33.12	8.41	7.48	16.1	8.3	
		18:00	29.66	51.10	33.54	8.43	7.82	14.4	7.9	
		21:00	29.79	50.95	33.44	8.40	6.77	17.5	7.5	
	日平均值			28.86	50.80	33.34	8.40	7.14	15.88	7.58
	灣內站	0:00	31.29	48.52	32.05	8.33	7.29	19.0	53.2	
		3:00	30.85	49.06	32.42	8.42	6.39	18.6	19.9	
		6:00	30.67	49.22	32.53	8.41	6.22	18.5	17.0	
		9:00	30.85	49.22	32.53	8.42	8.31	18.6	20.6	
		12:00	30.74	49.22	32.53	8.45	10.70	18.6	37.1	
		15:00	30.90	49.22	32.53	8.45	10.46	18.6	37.2	
		18:00	30.98	49.22	32.53	8.46	9.49	18.6	53.6	
		21:00	31.19	48.75	32.21	8.40	7.79	18.8	35.3	
	日平均值			30.93	49.05	32.42	8.42	8.33	18.66	34.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月24日	蚵殼站	0:00	30.46	49.06	32.05	8.45	9.10	28.5	19.1	
		3:00	30.30	48.92	31.96	8.42	8.21	41.8	18.2	
		6:00	30.33	48.89	31.94	8.39	8.15	21.4	18.2	
		9:00	30.51	48.90	31.95	8.43	9.13	17.3	19.1	
		12:00	30.74	48.89	31.94	8.44	10.49	41.5	20.5	
		15:00	31.05	48.63	31.77	8.46	11.17	45.2	21.2	
		18:00	31.00	48.63	31.77	8.47	11.01	32.9	21.0	
		21:00	31.09	48.55	31.72	8.46	10.62	32.0	20.6	
	日平均值			30.69	48.81	31.89	8.44	9.74	32.58	19.74
	潮口站	0:00	27.66	50.51	33.15	8.38	6.70	21.4	7.8	
		3:00	27.84	51.20	33.61	8.39	6.38	17.3	7.2	
		6:00	29.39	51.17	33.59	8.42	6.67	15.8	5.9	
		9:00	29.70	50.78	33.33	8.42	6.82	17.9	6.2	
		12:00	28.35	50.68	33.26	8.41	7.27	15.9	8.7	
		15:00	29.05	50.30	33.01	8.42	7.39	44.6	9.5	
		18:00	30.59	51.23	33.63	8.42	6.97	14.4	10.2	
		21:00	30.86	51.25	33.64	8.40	5.98	16.7	5.6	
	日平均值			29.18	50.89	33.40	8.41	6.77	20.50	7.64
	灣內站	0:00	30.86	49.22	32.53	8.39	7.11	18.5	33.2	
		3:00	30.59	48.78	32.23	8.37	6.24	18.4	27.6	
		6:00	30.68	48.68	32.16	8.33	5.37	18.5	11.3	
		9:00	31.17	49.22	32.53	8.43	8.16	19.7	25.8	
		12:00	31.71	48.66	32.15	8.45	9.53	23.0	38.6	
		15:00	32.16	48.16	31.81	8.47	8.83	44.3	58.9	
		18:00	32.17	48.16	31.81	8.45	9.74	27.2	35.8	
		21:00	31.91	48.16	31.81	8.44	8.69	24.6	24.7	
	日平均值			31.41	48.63	32.13	8.42	7.96	24.28	31.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月25日	蚵殼站	0:00	31.08	48.57	31.74	8.46	10.61	11.1	20.6	
		3:00	30.87	49.05	31.10	8.43	9.82	22.4	19.8	
		6:00	30.67	49.68	32.46	8.40	9.11	33.7	19.1	
		9:00	30.73	49.28	32.20	8.38	9.37	28.9	19.4	
		12:00	31.08	49.15	32.11	8.44	11.17	23.0	21.2	
		15:00	31.46	48.88	31.93	8.44	11.07	28.4	21.1	
		18:00	31.37	48.89	31.94	8.47	10.86	17.6	20.9	
		21:00	31.28	48.89	31.94	8.47	9.90	19.0	19.9	
	日平均值			31.07	49.05	31.93	8.44	10.24	23.01	20.24
	潮口站	0:00	28.37	50.21	32.95	8.39	6.05	17.2	3.0	
		3:00	27.76	50.05	32.84	8.39	5.93	16.8	5.1	
		6:00	30.16	50.96	33.45	8.47	7.39	15.6	4.6	
		9:00	30.90	50.68	33.26	8.46	7.13	18.0	6.5	
		12:00	29.31	50.03	32.83	8.42	6.44	16.2	12.6	
		15:00	28.84	50.06	32.85	8.42	6.27	17.0	11.2	
		18:00	30.79	51.08	33.53	8.44	5.97	15.5	6.4	
		21:00	31.03	50.72	33.29	8.42	5.31	15.8	8.0	
	日平均值			29.65	50.47	33.13	8.43	6.31	16.51	7.18
	灣內站	0:00	31.59	48.62	32.12	8.38	5.69	25.2	5.4	
		3:00	31.24	48.16	31.81	8.37	5.22	35.1	5.2	
		6:00	30.55	48.34	31.93	8.36	5.20	34.0	10.0	
		9:00	31.53	48.90	32.31	8.43	8.41	23.0	21.7	
		12:00	32.04	48.16	31.81	8.44	9.17	22.3	34.2	
		15:00	32.35	48.16	31.81	8.46	9.11	22.3	37.9	
		18:00	32.28	48.16	31.81	8.44	7.52	21.9	36.4	
		21:00	32.15	48.16	31.81	8.43	7.03	22.0	18.2	
	日平均值			31.72	48.33	31.93	8.41	7.17	25.74	21.13
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月26日	蚵殼站	0:00	31.01	48.89	31.94	8.44	8.32	23.0	18.3	
		3:00	30.84	48.91	31.95	8.44	9.67	12.3	19.7	
		6:00	30.71	48.96	31.99	8.44	9.87	11.1	19.9	
		9:00	30.40	49.18	32.13	8.44	9.40	11.0	19.4	
		12:00	30.01	49.35	32.24	8.39	8.75	20.7	18.8	
		15:00	30.25	49.31	32.22	8.38	8.30	15.0	18.3	
		18:00	30.38	49.30	32.21	8.39	8.12	14.2	18.1	
		21:00	30.73	49.27	32.19	8.38	7.92	11.6	17.9	
	日平均值			30.54	49.15	32.11	8.41	8.79	14.86	18.79
	潮口站	0:00	29.28	50.00	32.81	8.41	5.29	16.3	4.6	
		3:00	27.24	50.29	33.00	8.39	5.15	16.9	7.4	
		6:00	30.23	50.99	33.47	8.44	5.74	17.6	5.0	
		9:00	30.28	50.63	33.23	8.43	6.12	18.7	6.8	
		12:00	29.70	49.58	32.53	8.43	7.86	16.5	4.6	
		15:00	28.07	50.11	32.88	8.40	7.38	14.2	8.9	
		18:00	28.78	50.71	33.28	8.42	6.89	14.0	5.4	
		21:00	29.36	50.62	33.22	8.43	6.34	13.6	8.0	
	日平均值			29.12	50.37	33.05	8.42	6.35	15.98	6.34
	灣內站	0:00	31.84	48.22	31.85	8.39	5.48	21.2	29.0	
		3:00	31.22	48.16	31.81	8.34	5.57	20.2	27.5	
		6:00	30.54	48.19	31.83	8.34	5.67	19.8	24.7	
		9:00	31.00	48.38	31.96	8.42	9.38	19.9	11.6	
		12:00	31.02	48.43	31.99	8.46	10.08	19.9	28.1	
		15:00	30.78	49.02	32.39	8.45	10.22	19.6	38.6	
		18:00	30.71	49.22	32.53	8.46	8.95	19.3	39.9	
		21:00	30.76	49.02	32.39	8.33	6.12	19.0	29.0	
	日平均值			30.98	48.58	32.09	8.40	7.68	19.86	28.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月27日	蚵殼站	0:00	30.40	49.23	32.16	8.39	7.80	11.3	17.8	
		3:00	30.19	49.23	32.16	8.37	7.51	12.6	17.5	
		6:00	30.14	49.23	32.16	8.37	7.52	11.8	17.5	
		9:00	30.47	49.25	32.17	8.41	8.02	10.8	18.0	
		12:00	30.28	49.35	32.24	8.41	8.38	12.8	18.4	
		15:00	30.36	49.40	32.28	8.42	8.87	13.5	18.9	
		18:00	30.54	49.36	32.26	8.40	8.23	12.0	18.2	
		21:00	30.59	49.27	32.19	8.39	7.78	13.8	17.8	
	日平均值			30.37	49.29	32.20	8.40	8.01	12.33	18.01
	潮口站	0:00	28.56	50.72	33.29	8.41	6.06	12.8	4.3	
		3:00	26.99	50.33	33.03	8.39	7.03	12.2	5.4	
		6:00	28.53	51.38	33.73	8.40	6.64	10.7	1.8	
		9:00	30.15	51.65	33.91	8.42	6.48	10.7	4.9	
		12:00	30.34	49.87	32.72	8.43	7.61	10.7	5.4	
		15:00	28.61	50.36	33.05	8.41	7.91	10.1	2.9	
		18:00	28.56	50.06	32.85	8.41	8.00	11.6	7.2	
		21:00	29.48	50.48	33.13	8.43	6.59	5.8	9.8	
	日平均值			28.90	50.61	33.21	8.41	7.04	10.58	5.21
	灣內站	0:00	30.53	49.22	32.53	8.35	5.42	18.8	22.1	
		3:00	30.32	49.04	32.41	8.35	5.08	19.8	28.6	
		6:00	30.25	48.87	32.29	8.29	5.49	19.1	11.8	
		9:00	30.67	49.22	32.53	8.30	6.90	19.3	9.5	
		12:00	31.20	49.22	32.53	8.38	8.31	19.5	12.1	
		15:00	31.30	49.22	32.53	8.42	8.98	19.5	11.9	
		18:00	31.08	49.22	32.53	8.46	8.52	19.4	13.8	
		21:00	30.96	49.22	32.53	8.39	6.59	19.4	27.0	
	日平均值			30.79	49.15	32.49	8.37	6.91	19.34	17.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月28日	蚵殼站	0:00	30.50	49.22	32.15	8.35	6.68	11.6	16.7	
		3:00	30.49	49.18	32.13	8.34	6.15	12.9	16.2	
		6:00	30.52	49.13	32.10	8.36	7.00	12.5	17.0	
		9:00	30.67	49.11	32.08	8.38	7.56	16.2	17.6	
		12:00	31.07	48.95	31.98	8.40	8.64	15.5	18.6	
		15:00	31.14	48.97	31.99	8.43	9.12	13.8	19.1	
		18:00	31.37	48.89	31.94	8.45	8.37	11.4	18.4	
		21:00	31.38	48.89	31.94	8.43	8.11	12.9	18.1	
	日平均值			30.89	49.04	32.04	8.39	7.70	13.35	17.70
	潮口站	0:00	28.85	49.94	32.77	8.41	6.15	12.6	6.2	
		3:00	26.64	50.30	33.01	8.39	6.17	10.8	6.2	
		6:00	28.49	50.86	33.38	8.40	6.30	12.0	5.5	
		9:00	30.75	51.55	33.84	8.42	6.25	19.4	5.4	
		12:00	31.32	50.21	32.95	8.42	6.22	15.1	11.0	
		15:00	30.01	50.02	32.82	8.41	6.86	29.5	10.3	
		18:00	28.31	49.97	32.79	8.39	6.62	11.7	18.9	
		21:00	30.25	50.21	32.95	8.42	5.85	19.1	9.8	
	日平均值			29.33	50.38	33.06	8.41	6.30	16.28	9.16
	灣內站	0:00	30.94	49.22	32.53	8.32	7.16	19.3	7.3	
		3:00	30.71	49.22	32.53	8.35	7.19	19.2	4.9	
		6:00	30.58	49.22	32.53	8.35	7.01	19.1	7.8	
		9:00	31.14	49.34	32.61	8.33	7.26	19.5	6.1	
		12:00	32.36	49.22	32.53	8.43	9.50	20.2	3.7	
		15:00	32.61	49.22	32.53	8.44	9.83	20.4	17.2	
		18:00	32.23	49.22	32.53	8.42	8.06	20.1	21.2	
		21:00	32.14	49.22	32.53	8.37	6.91	20.5	31.2	
	日平均值			31.59	49.24	32.54	8.38	7.87	19.78	12.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月29日	蚵殼站	0:00	31.24	48.85	31.91	8.41	8.21	11.4	18.2	
		3:00	30.87	48.87	31.93	8.40	7.81	11.7	17.8	
		6:00	30.62	48.80	31.88	8.36	6.90	14.1	16.9	
		9:00	30.33	48.65	31.78	8.38	8.29	14.7	18.3	
		12:00	31.33	48.38	31.60	8.43	9.77	21.4	19.8	
		15:00	31.93	47.75	31.19	8.46	10.44	17.3	20.4	
		18:00	31.93	47.62	31.10	8.46	10.11	15.6	20.1	
		21:00	31.77	47.55	31.05	8.46	9.83	34.2	19.8	
	日平均值			31.25	48.31	31.56	8.42	8.92	17.55	18.92
	潮口站	0:00	29.93	51.23	33.63	8.40	6.23	47.7	3.5	
		3:00	27.46	50.24	32.97	8.39	6.69	29.3	4.8	
		6:00	28.39	51.14	33.57	8.40	6.22	41.4	7.4	
		9:00	31.27	50.56	33.18	8.41	6.16	2.7	7.5	
		12:00	32.30	50.92	33.42	8.39	6.54	28.8	8.4	
		15:00	31.19	51.04	33.50	8.40	6.10	17.4	14.5	
		18:00	28.06	50.17	32.92	8.38	7.76	5.7	16.6	
		21:00	30.96	50.44	33.10	8.40	7.78	2.1	6.6	
	日平均值			29.95	50.72	33.29	8.40	6.69	21.89	8.66
	灣內站	0:00	31.93	49.34	32.61	8.36	6.83	20.1	5.7	
		3:00	31.42	49.35	32.62	8.32	5.73	19.8	18.1	
		6:00	30.87	49.25	32.55	8.30	5.68	19.6	25.7	
		9:00	31.41	49.91	33.00	8.35	6.71	20.1	17.5	
		12:00	32.79	50.13	33.15	8.38	9.11	20.9	31.2	
		15:00	33.36	49.22	32.53	8.46	10.64	21.2	37.7	
		18:00	33.16	49.78	32.91	8.42	8.38	21.1	40.4	
		21:00	32.99	49.29	32.58	8.40	7.82	20.9	59.3	
	日平均值			32.24	49.54	32.74	8.37	7.61	20.48	29.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
5月30日	蚵殼站	0:00	31.24	47.53	31.04	8.45	9.35	18.3	19.4	
		3:00	30.93	47.53	31.04	8.42	8.28	25.9	18.3	
		6:00	30.65	47.48	31.01	8.35	6.37	20.7	16.4	
		9:00	29.95	47.51	31.03	8.36	7.59	11.2	17.6	
		12:00	29.77	47.80	31.23	8.41	9.18	22.6	19.2	
		15:00	30.72	47.65	31.12	8.46	10.24	62.5	20.2	
		18:00	31.10	47.52	31.03	8.45	9.72	54.1	19.7	
		21:00	31.26	47.38	30.95	8.45	9.22	36.8	19.2	
	日平均值			30.70	47.55	31.06	8.42	8.74	31.51	18.74
	潮口站	0:00	30.41	50.84	33.37	8.39	6.23	4.2	8.7	
		3:00	27.69	50.60	33.21	8.37	6.98	17.0	9.5	
		6:00	27.94	50.65	33.24	8.37	6.63	3.5	6.8	
		9:00	31.84	50.57	33.19	8.39	6.53	2.1	4.1	
		12:00	32.19	50.96	33.45	8.38	6.13	28.7	15.7	
		15:00	31.93	51.20	33.61	8.39	7.21	49.3	15.6	
		18:00	28.62	50.53	33.16	8.38	7.33	4.4	12.3	
		21:00	30.72	50.51	33.15	8.40	7.48	3.2	6.5	
	日平均值			30.17	50.73	33.30	8.38	6.82	14.05	9.90
	灣內站	0:00	32.33	49.22	32.53	8.32	6.13	20.4	33.3	
		3:00	31.32	49.22	32.53	8.31	6.22	24.3	23.5	
		6:00	30.51	49.22	32.53	8.31	6.24	20.0	43.7	
		9:00	31.09	49.22	32.53	8.36	7.61	19.5	37.1	
		12:00	31.93	49.22	32.53	8.40	9.63	20.0	30.8	
		15:00	32.28	49.22	32.53	8.42	9.81	20.1	56.2	
		18:00	31.91	49.22	32.53	8.39	7.36	19.9	50.1	
		21:00	31.08	49.22	32.53	8.32	6.42	19.4	54.7	
	日平均值			31.56	49.22	32.53	8.35	7.43	20.45	41.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
5月31日	蚵殼站	0:00	30.78	47.46	31.00	8.43	8.37	12.2	18.4	
		3:00	30.52	47.35	30.93	8.41	7.92	19.6	17.9	
		6:00	30.35	47.27	30.87	8.38	6.63	27.7	16.6	
		9:00	29.98	47.31	30.90	8.40	7.44	36.9	17.4	
		12:00	30.37	47.52	31.04	8.42	9.11	97.8	19.1	
		15:00	31.34	47.21	30.83	8.46	9.77	15.4	19.8	
		18:00	31.18	47.22	30.84	8.46	9.51	89.2	19.5	
		21:00	31.49	46.88	30.63	8.45	9.05	103.8	19.1	
	日平均值			30.75	47.28	30.88	8.43	8.48	50.33	18.48
	潮口站	0:00	31.32	50.77	33.32	8.39	6.02	4.1	6.3	
		3:00	28.66	50.39	33.07	8.38	6.34	8.9	12.3	
		6:00	27.78	50.72	33.29	8.37	6.46	8.0	15.0	
		9:00	31.53	50.87	33.39	8.38	6.02	17.0	11.9	
		12:00	29.82	50.65	33.24	8.37	5.84	34.9	19.9	
		15:00	30.85	50.44	33.10	8.38	6.09	24.8	13.4	
		18:00	29.49	50.81	33.35	8.37	6.63	45.7	2.1	
		21:00	29.33	51.26	33.65	8.35	7.59	4.4	8.3	
	日平均值			29.85	50.74	33.30	8.37	6.37	18.48	11.15
	灣內站	0:00	30.82	49.18	32.50	8.27	6.88	19.1	36.7	
		3:00	30.19	49.22	32.53	8.21	6.45	18.9	25.5	
		6:00	30.01	49.19	32.51	8.23	6.05	18.7	39.9	
		9:00	30.38	49.19	32.51	8.32	7.29	19.0	31.2	
		12:00	31.90	49.22	32.53	8.46	10.31	20.1	41.7	
		15:00	32.48	49.16	32.49	8.46	11.61	20.4	32.0	
		18:00	32.41	49.06	32.42	8.46	10.92	20.5	32.7	
		21:00	32.05	49.22	32.53	8.45	8.42	20.4	39.1	
	日平均值			31.28	49.18	32.50	8.36	8.49	19.62	34.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月1日	蚵殼站	0:00	31.32	46.82	30.61	8.37	7.85	28.2	6.8	
		3:00	31.08	47.19	30.82	8.38	7.98	28.6	2.7	
		6:00	30.87	46.97	30.73	8.35	6.53	20.8	8.5	
		9:00	30.11	46.73	30.54	8.36	8.18	20.9	11.8	
		12:00	30.52	47.10	30.78	8.42	9.86	23.5	14.9	
		15:00	31.47	46.48	30.36	8.44	9.62	25.6	18.9	
		18:00	31.89	45.77	29.88	8.43	9.38	10.8	6.6	
		21:00	31.71	45.84	29.93	8.42	9.13	18.5	10.8	
	日平均值			31.12	46.61	30.46	8.40	8.57	22.13	10.13
	潮口站	0:00	29.94	50.34	33.11	8.40	5.60	5.0	10.6	
		3:00	28.83	48.99	32.20	8.38	6.40	10.9	7.9	
		6:00	27.67	51.86	34.13	8.40	6.90	26.0	7.9	
		9:00	30.75	52.01	34.23	8.44	7.80	24.1	11.2	
		12:00	29.52	51.63	33.98	8.44	7.20	23.9	14.3	
		15:00	30.46	50.62	33.30	8.43	5.80	20.8	18.3	
		18:00	30.08	52.36	34.47	8.39	6.00	18.2	15.0	
		21:00	30.22	51.78	34.08	8.40	6.20	22.8	14.7	
	日平均值			29.68	51.20	33.69	8.41	6.49	18.96	12.46
	灣內站	0:00	31.95	48.47	32.03	8.36	6.45	20.2	41.2	
		3:00	31.59	47.72	31.53	8.37	6.16	20.1	39.2	
		6:00	31.40	46.96	31.03	8.38	5.84	19.8	41.6	
		9:00	31.65	46.21	30.53	8.43	7.78	20.1	49.0	
		12:00	32.39	46.21	30.53	8.47	10.38	20.6	35.6	
		15:00	32.67	46.08	30.44	8.45	8.89	20.8	34.8	
		18:00	32.04	45.85	30.28	8.42	7.56	20.3	25.2	
		21:00	31.58	46.07	30.40	8.41	7.14	20.5	36.7	
	日平均值			31.91	46.70	30.85	8.41	7.53	20.31	37.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月2日	蚵殼站	0:00	31.50	45.91	29.98	8.42	8.69	26.2	15.0	
		3:00	31.19	45.86	29.94	8.38	7.61	41.8	12.2	
		6:00	31.05	45.83	29.92	8.37	6.35	39.4	11.5	
		9:00	30.40	45.84	29.93	8.34	7.32	25.1	21.3	
		12:00	30.88	45.88	29.96	8.42	9.24	12.8	4.1	
		15:00	30.97	45.88	29.95	8.47	10.05	13.4	4.8	
		18:00	31.10	45.67	29.82	8.45	9.30	18.4	9.4	
		21:00	31.00	45.82	29.92	8.43	8.65	20.2	9.7	
	日平均值			31.01	45.84	29.93	8.41	8.40	24.67	11.00
	潮口站	0:00	30.36	51.19	33.68	8.41	6.40	27.3	14.4	
		3:00	28.44	50.79	33.41	8.38	6.40	11.2	11.6	
		6:00	27.74	48.20	31.67	8.37	7.20	53.0	14.3	
		9:00	29.57	48.05	31.57	8.41	7.10	20.1	20.7	
		12:00	29.91	48.27	31.72	8.44	6.80	36.9	8.0	
		15:00	29.99	48.51	31.88	8.37	6.90	26.9	9.9	
		18:00	29.45	48.75	32.04	8.36	6.90	5.9	14.7	
		21:00	28.02	49.77	32.73	8.34	5.90	6.1	12.6	
	日平均值			29.19	49.19	32.34	8.39	6.70	23.43	13.24
	灣內站	0:00	31.12	46.20	30.53	8.40	6.72	21.8	48.2	
		3:00	30.76	46.19	30.52	8.34	6.34	24.8	34.1	
		6:00	30.88	46.13	30.48	8.32	5.16	24.2	40.1	
		9:00	31.21	46.14	30.48	8.37	8.25	25.0	45.2	
		12:00	31.93	46.21	30.53	8.47	10.46	26.8	32.3	
		15:00	32.10	46.21	30.53	8.47	10.47	26.8	25.8	
		18:00	32.23	46.21	30.53	8.45	8.22	30.4	26.3	
		21:00	31.97	46.21	30.53	8.40	5.98	29.4	30.7	
	日平均值			31.53	46.19	30.52	8.40	7.70	26.14	35.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月3日	蚵殼站	0:00	30.86	45.97	30.02	8.41	8.37	16.6	5.5	
		3:00	30.74	46.01	30.05	8.38	6.92	13.9	8.3	
		6:00	30.72	46.06	30.08	8.38	5.56	17.1	10.8	
		9:00	29.97	46.01	30.05	8.36	6.98	28.8	8.7	
		12:00	30.20	46.11	30.11	8.40	7.87	18.6	36.1	
		15:00	30.90	45.99	30.03	8.43	8.57	20.1	33.3	
		18:00	30.87	46.03	30.06	8.44	8.47	16.9	19.9	
		21:00	30.72	46.07	30.09	8.43	7.49	20.8	38.0	
	日平均值			30.62	46.03	30.06	8.40	7.53	19.09	20.08
	潮口站	0:00	28.29	49.86	32.79	8.37	5.70	9.1	4.9	
		3:00	27.72	49.43	32.50	8.36	5.90	5.5	7.7	
		6:00	27.76	49.51	32.55	8.37	6.00	7.7	10.2	
		9:00	28.32	49.63	32.63	8.40	6.80	13.7	9.2	
		12:00	29.98	49.69	32.67	8.37	6.30	18.7	15.5	
		15:00	29.61	49.82	32.76	8.37	6.60	18.2	15.9	
		18:00	29.61	50.95	33.52	8.35	6.90	32.5	15.3	
		21:00	29.07	50.06	32.92	8.35	7.00	22.6	17.4	
	日平均值			28.80	49.87	32.79	8.37	6.40	16.00	11.99
	灣內站	0:00	31.73	46.21	30.53	8.38	6.81	29.3	32.6	
		3:00	31.36	46.21	30.53	8.40	5.43	31.8	26.0	
		6:00	31.26	46.21	30.53	8.36	6.48	33.5	4.7	
		9:00	31.24	46.22	30.53	8.41	7.53	34.8	7.7	
		12:00	31.76	46.24	30.55	8.48	10.08	35.9	10.2	
		15:00	32.03	46.21	30.53	8.35	10.97	37.6	39.0	
		18:00	32.50	46.21	30.53	8.46	9.21	38.1	36.7	
		21:00	32.04	46.21	30.53	8.43	6.40	37.7	36.9	
	日平均值			31.74	46.22	30.53	8.41	7.86	34.85	24.23
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月4日	蚵殼站	0:00	30.80	46.00	30.04	8.44	7.93	19.6	25.8	
		3:00	30.74	46.03	30.06	8.41	7.09	25.4	22.8	
		6:00	30.67	46.05	30.07	8.40	5.55	20.9	28.1	
		9:00	30.16	46.00	30.04	8.37	5.89	27.6	29.8	
		12:00	30.02	45.85	29.93	8.38	6.45	17.9	12.1	
		15:00	30.84	45.67	29.81	8.47	8.84	20.0	12.6	
		18:00	31.17	43.90	28.65	8.49	9.14	23.8	11.0	
		21:00	31.56	43.31	28.27	8.45	7.08	16.6	15.2	
	日平均值			30.75	45.35	29.61	8.43	7.25	21.47	19.68
	潮口站	0:00	29.19	49.85	32.78	8.35	6.30	6.0	12.3	
		3:00	28.80	49.95	32.85	8.34	6.30	9.2	12.2	
		6:00	28.34	49.97	32.86	8.33	6.70	5.1	9.5	
		9:00	28.47	49.61	32.62	8.33	6.40	7.7	9.2	
		12:00	30.81	49.55	32.58	8.35	6.20	12.0	11.4	
		15:00	31.03	50.40	33.15	8.34	7.10	4.2	8.3	
		18:00	30.85	50.88	33.47	8.34	7.10	4.1	6.1	
		21:00	29.65	50.16	32.99	8.33	7.60	3.1	11.0	
	日平均值			29.64	50.05	32.91	8.34	6.71	6.43	9.99
	灣內站	0:00	31.62	46.04	30.41	8.36	5.11	41.3	29.2	
		3:00	31.26	45.82	30.26	8.32	5.20	45.1	23.8	
		6:00	30.99	47.18	31.18	8.26	5.29	51.1	23.8	
		9:00	31.05	46.73	30.87	8.40	6.55	54.6	32.4	
		12:00	32.05	46.73	30.87	8.46	6.89	61.0	28.9	
		15:00	32.66	46.21	30.53	8.46	10.63	51.6	28.8	
		18:00	32.47	46.21	30.53	8.47	9.15	46.8	25.0	
		21:00	31.52	46.21	30.53	8.32	6.73	42.1	32.6	
	日平均值			31.70	46.39	30.65	8.38	6.94	49.19	28.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月5日	蚵殼站	0:00	31.33	44.25	28.89	8.44	6.56	24.6	8.6	
		3:00	31.06	44.85	29.28	8.43	6.25	29.1	13.2	
		6:00	31.00	45.22	29.52	8.44	5.94	19.2	8.0	
		9:00	30.91	45.29	29.57	8.43	5.97	16.5	6.6	
		12:00	30.20	48.00	31.50	8.35	10.13	28.9	7.6	
		15:00	31.27	51.40	33.82	8.46	12.36	13.9	7.8	
		18:00	31.48	51.23	33.71	8.49	11.49	16.5	15.2	
		21:00	31.50	51.23	33.71	8.45	9.99	18.7	11.5	
	日平均值			31.09	47.68	31.25	8.44	8.59	20.90	9.81
	潮口站	0:00	29.51	49.33	32.43	8.32	7.50	14.3	8.9	
		3:00	29.79	51.49	33.88	8.33	6.20	6.0	8.6	
		6:00	29.20	52.07	34.27	8.30	6.30	4.0	3.8	
		9:00	29.21	48.99	32.20	8.31	7.10	5.7	5.1	
		12:00	30.86	49.70	32.68	8.29	7.30	7.1	4.8	
		15:00	31.68	51.25	34.00	8.32	7.45	10.7	12.0	
		18:00	31.41	51.03	33.85	8.35	7.44	21.8	11.4	
		21:00	30.85	50.44	33.47	8.31	7.41	34.4	5.6	
	日平均值			30.31	50.54	33.35	8.32	7.09	13.00	7.49
	灣內站	0:00	31.34	46.21	30.53	8.34	6.21	40.9	19.3	
		3:00	31.11	46.21	30.53	8.34	5.67	41.0	10.2	
		6:00	30.88	46.21	30.53	8.34	5.16	42.1	9.7	
		9:00	31.24	46.21	30.53	8.43	6.81	53.7	21.1	
		12:00	31.84	49.24	32.33	8.46	8.77	46.9	35.6	
		15:00	32.50	51.78	33.85	8.48	10.29	55.2	25.6	
		18:00	32.38	51.74	33.83	8.43	9.92	65.1	7.8	
		21:00	32.09	51.69	33.79	8.45	5.92	67.5	13.5	
	日平均值			31.67	48.66	31.99	8.41	7.34	51.54	17.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月6日	蚵殼站	0:00	31.51	51.10	33.62	8.42	9.10	18.0	10.9	
		3:00	31.34	51.24	33.72	8.40	8.84	18.2	8.2	
		6:00	31.27	51.19	33.69	8.42	8.72	20.5	8.6	
		9:00	31.29	51.15	33.66	8.48	10.60	17.2	9.3	
		12:00	31.46	51.05	33.59	8.46	11.64	32.3	10.3	
		15:00	31.80	50.66	33.33	8.47	12.64	14.3	15.8	
		18:00	31.69	50.32	33.11	8.45	11.43	16.4	12.7	
		21:00	31.48	50.44	33.19	8.43	9.66	14.3	12.7	
	日平均值			31.48	50.89	33.49	8.44	10.33	18.90	11.06
	潮口站	0:00	30.12	50.12	32.96	8.30	7.45	48.7	8.0	
		3:00	29.93	49.66	32.65	8.30	7.57	31.1	5.5	
		6:00	29.94	49.71	32.69	8.29	7.53	39.9	9.8	
		9:00	29.76	49.74	32.71	8.30	7.47	91.2	4.7	
		12:00	30.41	49.76	32.72	8.28	7.47	43.4	6.0	
		15:00	30.96	49.18	32.33	8.31	7.58	22.4	12.5	
		18:00	31.03	49.05	32.24	8.31	7.59	27.8	10.9	
		21:00	30.79	48.76	32.05	8.29	7.58	41.2	9.1	
	日平均值			30.37	49.50	32.54	8.30	7.53	43.21	8.28
	灣內站	0:00	31.77	51.58	33.73	8.41	5.71	65.8	26.0	
		3:00	31.27	51.61	33.74	8.37	5.30	64.9	31.3	
		6:00	31.31	51.68	33.79	8.38	5.18	66.6	15.4	
		9:00	31.67	51.78	33.85	8.46	6.89	64.6	25.7	
		12:00	32.18	51.79	33.86	8.46	8.07	64.9	32.9	
		15:00	32.48	51.79	33.86	8.45	9.02	62.8	20.6	
		18:00	32.33	51.81	33.87	8.47	6.90	58.5	32.8	
		21:00	31.85	51.86	33.91	8.39	7.72	56.2	32.9	
	日平均值			31.86	51.74	33.83	8.42	6.85	63.05	27.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月7日	蚵殼站	0:00	31.35	50.52	33.24	8.41	8.05	15.9	11.3	
		3:00	31.20	50.71	33.37	8.38	8.32	18.2	11.5	
		6:00	31.18	50.72	33.37	8.39	8.42	19.7	12.4	
		9:00	31.47	50.47	33.21	8.46	9.96	19.7	11.3	
		12:00	31.59	50.41	33.17	8.47	10.23	20.5	11.4	
		15:00	31.49	50.43	33.18	8.47	10.60	16.8	12.5	
		18:00	31.50	50.10	32.96	8.45	10.06	16.9	19.4	
		21:00	31.46	50.09	32.95	8.41	8.21	17.9	14.1	
	日平均值			31.41	50.43	33.18	8.43	9.23	18.19	12.99
	潮口站	0:00	29.23	49.80	32.75	8.27	7.58	99.7	7.7	
		3:00	29.97	49.31	32.42	8.28	7.59	41.7	4.9	
		6:00	30.77	50.31	33.09	8.26	7.58	24.6	3.8	
		9:00	30.02	50.50	33.22	8.29	7.70	40.1	11.2	
		12:00	30.05	49.22	32.36	8.29	7.85	44.7	5.0	
		15:00	30.65	49.52	32.56	8.29	8.06	17.1	7.2	
		18:00	31.01	49.48	32.53	8.29	8.12	7.2	10.4	
		21:00	30.85	50.01	32.89	8.27	8.10	38.6	6.0	
	日平均值			30.32	49.77	32.73	8.28	7.82	39.22	6.99
	灣內站	0:00	31.67	51.82	33.88	8.35	6.95	56.7	22.9	
		3:00	31.54	51.80	33.86	8.34	6.66	56.3	23.4	
		6:00	31.51	51.79	33.86	8.34	6.43	56.5	28.8	
		9:00	31.83	51.84	33.89	8.41	6.70	57.4	27.9	
		12:00	32.36	51.80	33.86	8.48	8.42	62.1	33.7	
		15:00	32.32	51.80	33.87	8.49	9.10	65.0	39.6	
		18:00	32.31	51.80	33.87	8.44	6.86	66.9	30.5	
		21:00	32.21	51.79	33.86	8.40	6.59	55.6	9.5	
	日平均值			31.97	51.81	33.87	8.41	7.21	59.54	27.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月8日	蚵殼站	0:00	31.23	50.13	32.98	8.40	8.07	17.8	12.5	
		3:00	31.02	50.12	32.97	8.38	7.47	22.1	9.9	
		6:00	31.16	50.15	32.99	8.40	7.90	17.5	8.6	
		9:00	31.55	49.84	32.79	8.42	8.85	14.8	11.8	
		12:00	30.98	50.10	32.96	8.40	8.97	18.0	39.7	
		15:00	30.99	50.09	32.95	8.36	7.15	21.5	20.7	
		18:00	31.22	50.09	32.95	8.36	6.84	17.2	17.3	
		21:00	31.41	50.04	32.92	8.39	6.85	18.2	15.1	
	日平均值			31.20	50.07	32.94	8.39	7.76	18.38	16.95
	潮口站	0:00	28.75	49.89	32.81	8.25	7.98	65.7	4.8	
		3:00	28.79	49.74	32.71	8.26	7.78	48.6	5.0	
		6:00	30.62	50.38	33.14	8.24	7.51	29.0	10.4	
		9:00	30.28	51.02	33.57	8.26	7.53	29.6	9.5	
		12:00	29.53	50.76	33.39	8.27	7.56	59.9	7.5	
		15:00	29.86	50.44	33.18	8.27	7.74	44.4	7.1	
		18:00	30.50	51.14	33.65	8.29	7.91	9.8	7.7	
		21:00	30.54	50.67	33.33	8.28	7.80	37.2	7.2	
	日平均值			29.86	50.51	33.22	8.27	7.73	40.53	7.39
	灣內站	0:00	32.03	51.93	33.96	8.37	6.21	53.7	17.1	
		3:00	31.72	51.82	33.88	8.36	6.58	43.0	13.1	
		6:00	31.53	51.80	33.87	8.30	6.12	45.4	5.9	
		9:00	31.92	51.97	33.98	8.36	6.50	34.9	8.0	
		12:00	31.95	51.93	33.96	8.41	7.51	33.9	13.5	
		15:00	31.98	51.68	33.79	8.44	7.82	45.7	17.5	
		18:00	31.74	51.91	33.94	8.43	6.97	34.5	21.8	
		21:00	31.58	52.07	34.05	8.38	6.62	38.3	4.4	
	日平均值			31.81	51.89	33.93	8.38	6.79	41.18	12.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月9日	蚵殼站	0:00	31.25	49.95	32.86	8.36	6.00	16.8	13.4	
		3:00	31.06	50.03	32.91	8.36	5.94	12.8	12.1	
		6:00	31.08	50.03	32.91	8.35	5.83	17.9	11.4	
		9:00	31.36	49.78	32.75	8.38	6.55	19.0	13.3	
		12:00	31.08	49.97	32.87	8.36	6.71	20.4	12.5	
		15:00	31.39	49.66	32.67	8.35	6.45	20.7	13.6	
		18:00	31.52	49.27	32.41	8.38	6.80	25.9	17.2	
		21:00	31.51	49.12	32.31	8.38	5.88	17.8	15.1	
	日平均值			31.28	49.73	32.71	8.37	6.27	18.92	13.58
	潮口站	0:00	29.34	51.16	33.66	8.23	7.52	66.4	8.8	
		3:00	28.86	50.91	33.49	8.21	7.56	64.9	8.1	
		6:00	30.27	52.99	34.89	8.23	7.65	31.9	11.0	
		9:00	30.96	52.93	34.85	8.22	8.04	39.4	5.0	
		12:00	30.15	51.29	33.75	8.24	8.40	39.8	8.3	
		15:00	30.08	51.92	34.17	8.24	8.51	30.4	6.2	
		18:00	30.60	51.62	33.97	8.24	8.50	15.1	8.0	
		21:00	30.74	50.44	33.18	8.24	8.01	26.1	8.6	
	日平均值			30.13	51.66	34.00	8.23	8.02	39.23	7.98
	灣內站	0:00	31.53	52.04	34.03	8.37	6.15	42.9	7.4	
		3:00	31.39	51.97	33.98	8.35	6.63	37.8	13.6	
		6:00	31.33	51.95	33.97	8.29	6.01	48.0	5.8	
		9:00	31.67	52.15	34.10	8.36	5.99	44.4	6.3	
		12:00	31.85	52.17	34.11	8.41	6.79	41.0	19.7	
		15:00	31.97	52.10	34.07	8.44	5.67	47.2	10.6	
		18:00	32.00	52.10	34.07	8.44	5.33	48.1	13.8	
		21:00	32.12	52.10	34.07	8.40	5.33	48.8	10.5	
	日平均值			31.73	52.07	34.05	8.38	5.99	44.78	10.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月10日	蚵殼站	0:00	31.43	49.03	32.25	8.36	5.50	17.7	15.5	
		3:00	31.25	48.92	32.18	8.32	5.15	13.5	16.6	
		6:00	31.26	49.23	32.38	8.36	5.83	13.2	14.6	
		9:00	31.67	47.86	31.48	8.39	6.97	15.2	15.2	
		12:00	31.84	47.58	31.29	8.42	7.54	14.6	16.1	
		15:00	32.19	46.85	30.81	8.45	8.84	13.0	13.7	
		18:00	32.15	46.91	30.84	8.45	8.87	15.5	17.3	
		21:00	31.74	47.35	31.14	8.44	8.05	16.4	14.7	
	日平均值			31.69	47.97	31.55	8.40	7.09	14.88	15.46
	潮口站	0:00	29.76	51.47	33.87	8.23	7.99	99.4	9.1	
		3:00	29.34	51.49	33.88	8.23	7.62	67.0	8.3	
		6:00	30.30	52.87	34.81	8.22	8.27	10.7	5.0	
		9:00	31.26	52.74	34.72	8.20	8.34	18.7	7.5	
		12:00	30.95	50.43	33.17	8.21	8.38	30.1	4.8	
		15:00	30.36	51.14	33.65	8.21	8.49	37.6	8.6	
		18:00	31.75	50.79	33.41	8.21	8.80	16.6	10.0	
		21:00	31.99	50.49	33.21	8.17	8.55	24.1	6.3	
	日平均值			30.71	51.43	33.84	8.21	8.31	38.02	7.43
	灣內站	0:00	31.81	52.10	34.07	8.35	6.41	47.6	12.8	
		3:00	31.67	52.10	34.07	8.30	6.47	51.7	20.2	
		6:00	31.61	52.10	34.07	8.34	5.90	48.2	15.4	
		9:00	32.13	52.10	34.07	8.42	5.61	45.7	8.2	
		12:00	32.75	52.04	34.03	8.42	5.95	45.0	22.6	
		15:00	32.96	52.10	34.07	8.42	7.40	45.3	19.0	
		18:00	33.00	52.10	34.07	8.44	7.45	46.5	20.0	
		21:00	33.00	52.10	34.07	8.44	7.33	46.5	11.4	
	日平均值			32.37	52.09	34.07	8.39	6.57	47.05	16.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月11日	蚵殼站	0:00	31.60	47.34	31.13	8.43	7.36	13.1	17.9	
		3:00	31.48	46.83	30.80	8.42	6.41	20.7	15.2	
		6:00	31.51	47.00	30.91	8.42	6.38	15.0	15.9	
		9:00	31.45	47.20	31.03	8.40	6.40	21.3	24.3	
		12:00	30.58	50.43	32.48	8.33	8.57	15.3	19.0	
		15:00	31.47	52.20	34.97	8.41	9.39	20.6	16.5	
		18:00	31.44	52.87	35.42	8.41	7.12	18.4	21.2	
		21:00	31.40	53.38	35.76	8.41	6.23	17.1	21.6	
	日平均值			31.37	49.66	32.81	8.40	7.23	17.69	18.95
	潮口站	0:00	30.62	51.35	33.79	8.19	8.48	41.0	9.5	
		3:00	29.41	50.59	33.28	8.18	8.54	62.2	7.3	
		6:00	30.43	51.59	33.95	8.22	8.71	17.8	6.2	
		9:00	30.80	51.58	33.94	8.23	8.57	22.3	17.3	
		12:00	30.57	51.14	33.65	8.20	8.20	55.6	9.7	
		15:00	29.28	51.46	33.86	8.34	8.53	24.8	21.5	
		18:00	30.20	51.84	34.12	8.32	8.08	8.2	14.7	
		21:00	30.64	52.05	34.26	8.20	7.53	3.5	15.6	
	日平均值			30.24	51.45	33.86	8.24	8.33	29.41	12.71
	灣內站	0:00	32.75	52.02	34.02	8.42	6.72	46.2	14.3	
		3:00	31.89	51.35	33.64	8.38	9.87	44.2	19.9	
		6:00	32.00	51.17	33.56	8.43	9.91	42.8	7.0	
		9:00	31.91	51.15	33.51	8.40	8.74	41.5	10.5	
		12:00	30.58	50.49	33.07	8.37	6.46	11.4	31.0	
		15:00	30.38	52.56	34.42	8.47	7.08	30.4	28.4	
		18:00	30.82	53.10	34.77	8.30	7.78	16.7	27.4	
		21:00	31.02	53.46	35.01	8.26	7.49	12.5	17.3	
	日平均值			31.42	51.91	34.00	8.38	8.01	30.71	19.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月12日	蚵殼站	0:00	31.23	54.09	36.23	8.41	5.87	18.0	18.3	
		3:00	31.12	54.53	36.53	8.36	5.66	16.2	16.9	
		6:00	31.02	54.54	36.53	8.36	5.41	18.0	17.5	
		9:00	31.22	53.90	36.11	8.37	5.72	19.8	17.8	
		12:00	31.44	52.84	35.40	8.42	7.45	18.4	17.0	
		15:00	31.67	51.87	34.74	8.42	9.44	13.7	18.9	
		18:00	31.65	51.69	34.62	8.43	11.01	18.5	15.6	
		21:00	31.45	52.27	35.01	8.44	10.80	15.6	19.0	
	日平均值			31.35	53.22	35.65	8.40	7.67	17.26	17.63
	潮口站	0:00	29.80	51.71	34.03	8.28	8.17	11.5	15.9	
		3:00	28.30	50.00	32.88	8.32	8.60	7.2	8.1	
		6:00	29.04	51.14	33.65	8.27	8.11	5.7	8.3	
		9:00	30.13	51.77	34.07	8.28	8.34	5.7	17.1	
		12:00	30.83	52.04	34.25	8.28	8.58	6.2	6.1	
		15:00	29.86	50.91	33.49	8.28	8.76	8.1	21.5	
		18:00	29.44	52.50	34.56	8.30	8.39	8.9	21.6	
		21:00	30.39	51.95	34.19	8.26	8.10	4.3	18.1	
	日平均值			29.72	51.50	33.89	8.28	8.38	7.20	14.56
	灣內站	0:00	30.52	53.65	35.13	8.49	7.07	24.9	10.3	
		3:00	29.71	53.00	34.71	8.31	7.18	23.0	26.8	
		6:00	30.03	53.59	35.09	8.42	6.39	19.8	12.8	
		9:00	30.68	53.59	35.09	8.43	6.63	7.4	9.8	
		12:00	31.14	53.19	34.83	8.39	6.37	15.4	31.0	
		15:00	30.77	52.10	34.12	8.40	6.25	19.2	31.7	
		18:00	30.55	52.82	34.59	8.39	6.26	16.9	31.1	
		21:00	30.92	52.84	34.60	8.38	6.02	21.3	31.2	
	日平均值			30.54	53.10	34.77	8.40	6.52	18.49	23.09
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月13日	蚵殼站	0:00	31.19	52.71	35.31	8.46	9.95	21.0	15.4	
		3:00	30.88	52.25	35.00	8.46	9.00	20.9	15.3	
		6:00	30.92	52.59	35.23	8.45	8.27	18.6	12.6	
		9:00	31.13	52.40	35.10	8.42	7.10	16.2	13.9	
		12:00	31.35	51.83	34.26	8.46	9.48	19.7	15.1	
		15:00	31.33	51.41	33.63	8.46	12.14	18.3	15.6	
		18:00	30.23	49.25	32.44	8.33	7.65	13.1	14.6	
		21:00	30.82	50.18	33.14	8.37	7.66	12.1	15.7	
	日平均值			30.98	51.58	34.26	8.43	8.91	17.48	14.78
	潮口站	0:00	29.91	52.08	34.28	8.27	8.48	9.8	20.5	
		3:00	27.71	53.38	35.15	8.25	8.60	44.6	15.7	
		6:00	29.34	52.59	34.62	8.20	7.70	11.4	15.9	
		9:00	31.05	52.83	34.78	8.25	8.61	3.2	12.2	
		12:00	31.22	52.38	34.48	8.31	7.93	7.1	13.1	
		15:00	30.17	48.93	32.16	8.21	6.51	7.4	7.8	
		18:00	29.17	49.54	32.57	8.16	5.28	6.4	10.5	
		21:00	30.45	51.35	33.79	8.28	6.79	4.4	17.3	
	日平均值			29.88	51.64	33.98	8.24	7.49	11.79	14.09
	灣內站	0:00	30.55	53.14	34.80	8.36	5.79	17.7	36.1	
		3:00	29.30	53.57	35.08	8.40	6.13	15.0	34.8	
		6:00	30.13	53.34	34.93	8.48	6.53	15.0	29.1	
		9:00	31.61	51.57	33.60	8.46	9.19	20.1	19.2	
		12:00	31.73	51.81	33.76	8.44	11.00	20.0	38.7	
		15:00	31.56	50.52	32.93	8.49	11.98	18.8	39.0	
		18:00	31.28	49.56	32.30	8.49	10.02	19.9	35.8	
		21:00	31.19	49.83	32.48	8.46	8.53	19.7	33.8	
	日平均值			30.92	51.67	33.74	8.45	8.65	18.27	33.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月14日	蚵殼站	0:00	30.49	50.42	33.32	8.33	7.79	13.1	11.5	
		3:00	29.47	51.48	34.11	8.28	6.58	20.4	14.4	
		6:00	29.39	51.11	33.83	8.30	6.03	17.5	14.1	
		9:00	29.52	50.54	33.41	8.30	5.57	12.7	8.4	
		12:00	29.50	49.67	32.76	8.30	5.79	15.9	10.3	
		15:00	28.82	49.98	32.99	8.28	5.80	22.2	12.7	
		18:00	28.45	49.74	32.81	8.26	5.85	26.7	17.3	
		21:00	28.43	49.31	32.49	8.26	5.70	18.5	14.8	
	日平均值			29.26	50.28	33.22	8.29	6.14	18.36	12.94
	潮口站	0:00	29.91	51.25	33.72	8.21	5.77	6.2	16.6	
		3:00	28.47	52.27	34.41	8.16	5.11	18.7	14.0	
		6:00	28.66	51.46	33.86	8.18	5.23	14.3	11.0	
		9:00	29.45	50.55	33.25	8.23	5.36	9.0	10.6	
		12:00	29.60	49.86	32.79	8.24	5.47	11.6	14.5	
		15:00	29.32	49.54	32.57	8.24	5.28	19.8	16.3	
		18:00	28.55	49.19	32.34	8.15	5.10	27.0	18.7	
		21:00	28.48	48.75	32.04	8.16	5.06	13.7	18.5	
	日平均值			29.06	50.36	33.12	8.20	5.30	15.03	15.01
	灣內站	0:00	31.06	50.51	32.92	8.44	9.81	19.9	27.2	
		3:00	30.46	51.86	33.80	8.39	8.04	22.0	34.4	
		6:00	30.11	51.84	33.79	8.42	6.83	20.6	36.3	
		9:00	29.59	51.51	33.56	8.36	5.78	16.4	20.9	
		12:00	29.39	50.20	32.72	8.35	6.11	20.2	25.1	
		15:00	28.32	51.27	33.41	8.32	6.32	24.7	38.3	
		18:00	28.35	51.04	33.27	8.37	6.59	26.5	32.3	
		21:00	28.38	50.53	32.93	8.36	6.33	23.2	36.6	
	日平均值			29.46	51.10	33.30	8.38	6.98	21.69	31.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月15日	蚵殼站	0:00	28.36	49.01	32.26	8.26	6.20	13.6	12.0	
		3:00	28.19	48.83	32.13	8.23	5.51	29.0	8.4	
		6:00	28.09	48.43	31.83	8.23	5.47	31.7	8.8	
		9:00	27.91	46.50	30.39	8.21	5.44	16.1	10.3	
		12:00	27.79	43.29	27.99	8.19	6.06	14.2	22.4	
		15:00	27.88	39.51	25.16	8.17	6.24	14.2	22.3	
		18:00	27.86	39.61	25.24	8.18	6.21	15.9	13.4	
		21:00	27.77	38.96	24.75	8.17	6.16	12.7	11.8	
	日平均值			27.98	44.27	28.72	8.21	5.91	18.42	13.68
	潮口站	0:00	28.47	48.76	32.05	8.18	6.30	9.2	11.5	
		3:00	28.41	49.51	32.55	8.15	5.02	43.0	9.1	
		6:00	28.39	48.91	32.15	8.15	5.05	47.3	9.6	
		9:00	28.28	48.27	31.72	8.16	5.03	15.1	13.8	
		12:00	28.27	44.31	29.06	8.13	6.20	13.0	16.6	
		15:00	28.31	35.27	22.98	8.07	6.50	15.6	17.7	
		18:00	28.17	35.46	23.11	8.08	6.60	13.1	10.2	
		21:00	27.99	34.10	22.20	8.07	6.60	9.8	19.0	
	日平均值			28.29	43.07	28.23	8.12	5.91	20.77	13.42
	灣內站	0:00	28.24	49.80	32.46	8.34	6.10	17.9	27.8	
		3:00	27.96	48.62	31.70	8.31	5.99	15.0	31.5	
		6:00	27.78	48.32	31.50	8.30	5.88	16.0	30.2	
		9:00	27.53	44.54	29.05	8.26	5.84	17.1	28.1	
		12:00	27.31	41.23	26.91	8.24	5.91	15.4	26.2	
		15:00	27.44	41.90	27.34	8.26	5.98	12.8	34.7	
		18:00	27.54	41.92	27.36	8.27	5.82	18.7	28.6	
		21:00	27.54	41.84	27.30	8.26	5.71	15.6	32.5	
	日平均值			27.67	44.77	29.20	8.28	5.90	16.06	29.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月16日	蚵殼站	0:00	27.69	39.03	24.80	8.15	5.72	11.8	15.0	
		3:00	27.70	43.45	28.11	8.17	5.97	19.1	16.2	
		6:00	27.71	45.05	29.30	8.16	5.77	13.7	10.3	
		9:00	27.96	41.71	26.81	8.18	5.61	14.2	11.6	
		12:00	28.66	43.21	27.93	8.22	5.84	14.3	10.8	
		15:00	28.71	41.75	26.84	8.21	5.88	16.5	10.7	
		18:00	28.19	42.18	27.16	8.17	5.90	19.4	10.4	
		21:00	28.01	42.61	27.48	8.20	6.38	16.4	10.5	
	日平均值			28.08	42.37	27.30	8.18	5.88	15.68	11.94
	潮口站	0:00	27.89	33.93	22.08	8.04	6.00	9.1	11.9	
		3:00	28.05	44.89	29.45	8.10	6.30	11.0	22.2	
		6:00	27.70	43.61	28.59	8.11	6.10	11.6	10.6	
		9:00	27.97	36.26	23.65	8.09	6.00	8.3	11.1	
		12:00	28.72	39.06	25.53	8.17	5.59	10.2	12.9	
		15:00	28.97	38.05	24.85	8.16	5.82	14.7	15.8	
		18:00	28.31	37.14	24.24	8.09	6.40	18.5	12.7	
		21:00	28.08	39.63	25.91	8.10	6.90	15.9	10.4	
	日平均值			28.21	39.07	25.54	8.11	6.14	12.39	13.43
	灣內站	0:00	27.49	42.17	27.52	8.25	5.44	14.6	29.9	
		3:00	27.35	41.01	26.77	8.24	5.64	27.2	24.5	
		6:00	27.72	46.01	30.00	8.21	5.43	15.7	26.9	
		9:00	27.94	45.93	29.96	8.26	5.21	20.1	26.4	
		12:00	28.59	46.50	30.33	8.27	6.09	18.5	23.1	
		15:00	28.45	44.18	28.82	8.25	5.94	18.3	17.6	
		18:00	28.06	46.13	30.08	8.25	5.39	20.4	28.1	
		21:00	27.94	44.51	29.04	8.29	5.86	16.9	28.0	
	日平均值			27.94	44.56	29.07	8.25	5.63	18.96	25.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月17日	蚵殼站	0:00	28.17	44.24	28.70	8.22	5.86	12.2	14.5	
		3:00	27.90	45.03	29.29	8.20	6.01	12.5	17.9	
		6:00	27.72	48.08	31.57	8.20	5.70	18.6	22.4	
		9:00	27.77	46.84	30.64	8.21	5.84	14.6	12.1	
		12:00	27.84	45.75	29.83	8.21	5.67	12.8	19.2	
		15:00	27.66	44.14	28.62	8.19	6.51	13.8	19.5	
		18:00	27.51	44.31	28.75	8.17	6.61	13.3	15.9	
		21:00	27.32	43.85	28.41	8.18	6.41	14.0	12.4	
	日平均值			27.74	45.28	29.48	8.20	6.08	13.97	16.74
	潮口站	0:00	28.31	43.66	28.62	8.14	6.10	9.2	10.4	
		3:00	27.92	46.16	30.30	8.12	6.30	8.8	16.6	
		6:00	27.61	50.34	33.11	8.13	6.20	18.3	9.3	
		9:00	27.81	46.55	30.56	8.15	6.50	11.2	14.0	
		12:00	27.97	44.24	29.01	8.16	6.20	10.8	6.7	
		15:00	27.78	42.57	27.89	8.13	7.70	11.7	9.2	
		18:00	27.65	43.08	28.23	8.10	8.00	11.1	7.9	
		21:00	27.39	40.83	26.72	8.07	7.20	9.7	13.3	
	日平均值			27.81	44.68	29.31	8.13	6.78	11.34	10.91
	灣內站	0:00	28.02	44.11	28.78	8.29	5.61	15.2	22.8	
		3:00	27.88	43.33	28.27	8.28	5.72	16.2	22.5	
		6:00	27.83	46.05	30.03	8.26	5.20	19.0	31.5	
		9:00	27.73	47.11	30.72	8.27	5.18	18.0	29.6	
		12:00	27.71	46.99	30.64	8.25	5.13	14.7	24.3	
		15:00	27.53	45.01	29.35	8.24	5.31	15.9	19.0	
		18:00	27.36	44.87	29.26	8.23	5.22	15.5	43.7	
		21:00	27.25	46.14	30.09	8.28	5.62	18.2	33.4	
	日平均值			27.66	45.45	29.64	8.26	5.37	16.59	28.35
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月18日	蚵殼站	0:00	27.25	43.27	27.97	8.18	5.93	14.1	12.6	
		3:00	27.00	41.35	26.54	8.13	5.72	12.6	11.9	
		6:00	27.36	45.91	29.95	8.17	5.85	26.8	16.7	
		9:00	27.52	45.87	29.92	8.19	5.86	25.4	34.2	
		12:00	27.68	45.10	29.34	8.20	7.13	17.2	13.4	
		15:00	27.78	44.46	28.86	8.21	6.13	16.1	9.2	
		18:00	27.65	42.50	27.40	8.18	6.78	18.6	8.8	
		21:00	27.57	42.96	27.74	8.19	7.21	15.4	15.0	
	日平均值			27.48	43.93	28.47	8.18	6.33	18.27	15.23
	潮口站	0:00	27.40	41.50	27.17	8.09	6.40	6.8	4.5	
		3:00	26.85	35.91	23.41	7.99	6.20	7.5	15.9	
		6:00	27.58	46.07	30.24	8.09	6.40	32.5	8.0	
		9:00	27.82	45.18	29.64	8.12	6.50	27.5	19.7	
		12:00	27.70	42.59	27.90	8.12	8.70	13.1	10.5	
		15:00	27.91	42.33	27.73	8.14	6.70	11.1	8.2	
		18:00	27.75	37.80	24.68	8.06	7.90	15.7	10.7	
		21:00	27.72	40.68	26.62	8.07	8.30	14.8	14.0	
	日平均值			27.59	41.51	27.17	8.09	7.14	16.12	11.41
	灣內站	0:00	27.10	44.08	28.76	8.26	5.45	21.3	27.4	
		3:00	27.15	45.49	29.67	8.26	5.24	17.8	25.4	
		6:00	27.14	45.47	29.66	8.25	5.29	21.1	29.1	
		9:00	27.21	46.30	30.19	8.26	5.21	23.2	26.8	
		12:00	27.66	47.20	30.77	8.27	5.55	21.2	47.8	
		15:00	27.65	45.97	29.98	8.28	5.56	21.1	31.3	
		18:00	27.55	46.18	30.11	8.29	5.65	21.6	37.4	
		21:00	27.41	44.23	28.85	8.31	6.11	16.0	42.2	
	日平均值			27.36	45.62	29.75	8.27	5.51	20.41	33.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月19日	蚵殼站	0:00	27.42	41.66	26.77	8.18	6.21	14.1	10.9	
		3:00	27.43	42.97	27.75	8.18	5.97	13.6	12.4	
		6:00	27.48	44.39	28.81	8.18	5.97	15.4	11.7	
		9:00	27.44	43.83	28.39	8.19	6.34	18.7	10.6	
		12:00	27.34	42.13	27.12	8.17	6.13	15.2	13.8	
		15:00	27.15	40.55	25.94	8.16	6.27	13.1	12.8	
		18:00	26.70	37.70	23.81	8.15	5.90	14.1	11.1	
		21:00	26.59	36.96	23.26	8.14	5.94	16.2	20.2	
	日平均值			27.19	41.27	26.48	8.17	6.09	15.04	12.94
	潮口站	0:00	27.60	39.74	25.99	8.07	6.90	6.9	9.3	
		3:00	27.60	41.20	26.97	8.06	6.60	6.2	14.9	
		6:00	27.70	43.93	28.80	8.07	6.70	13.6	10.9	
		9:00	27.78	44.95	29.49	8.11	7.30	18.4	12.3	
		12:00	27.61	41.65	27.27	8.07	7.10	9.9	15.1	
		15:00	27.41	40.12	26.24	8.06	7.40	7.8	14.7	
		18:00	26.59	33.11	21.53	8.02	6.70	10.2	9.3	
		21:00	26.44	33.14	21.55	8.01	6.80	12.5	15.9	
	日平均值			27.34	39.73	25.98	8.06	6.94	10.70	12.76
	灣內站	0:00	27.23	42.21	27.54	8.28	5.51	21.2	28.7	
		3:00	27.25	43.73	28.52	8.29	5.33	20.9	16.1	
		6:00	27.25	44.18	28.82	8.28	5.24	17.2	33.8	
		9:00	27.09	41.80	27.28	8.26	5.37	19.0	42.3	
		12:00	27.06	41.31	26.96	8.27	5.16	20.6	34.3	
		15:00	26.88	39.27	25.64	8.26	5.13	18.4	39.2	
		18:00	26.81	39.96	26.08	8.28	5.10	18.0	23.7	
		21:00	26.73	38.27	24.97	8.26	5.07	19.8	31.7	
	日平均值			27.04	41.34	26.98	8.27	5.24	19.39	31.23
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月20日	蚵殼站	0:00	26.45	37.37	23.56	8.12	6.11	15.0	18.1	
		3:00	26.33	36.00	22.54	8.11	6.40	15.3	13.9	
		6:00	26.16	34.16	21.16	8.10	6.60	15.7	10.4	
		9:00	26.30	35.17	21.92	8.10	7.07	18.1	13.0	
		12:00	26.63	37.82	23.90	8.12	6.56	17.9	12.3	
		15:00	26.24	37.03	23.31	8.01	6.46	17.0	13.7	
		18:00	26.01	35.76	22.36	7.95	6.78	14.9	10.9	
		21:00	26.22	34.50	21.42	7.99	7.02	14.0	11.5	
	日平均值			26.29	35.98	22.52	8.06	6.63	15.97	12.98
	潮口站	0:00	26.13	32.29	20.98	7.98	6.40	11.5	17.1	
		3:00	26.14	33.00	21.46	7.96	6.60	11.3	9.9	
		6:00	26.25	33.70	21.93	7.96	6.70	11.0	6.4	
		9:00	26.30	33.38	21.71	8.00	8.03	12.4	12.0	
		12:00	26.68	35.73	23.29	8.03	6.70	11.0	9.4	
		15:00	25.99	34.76	22.64	7.83	6.60	12.0	11.5	
		18:00	26.01	33.79	21.99	7.82	7.20	11.6	7.3	
		21:00	26.22	32.84	21.35	7.88	7.10	11.7	4.5	
	日平均值			26.22	33.69	21.92	7.93	6.92	11.55	9.73
	灣內站	0:00	26.77	40.07	26.14	8.26	5.81	18.5	29.0	
		3:00	26.52	36.01	23.61	8.25	6.19	19.2	29.0	
		6:00	26.07	31.08	20.39	8.23	6.49	20.5	17.1	
		9:00	26.30	33.74	22.13	8.20	6.10	23.7	20.7	
		12:00	26.58	37.39	24.51	8.20	6.42	24.7	24.3	
		15:00	26.48	36.56	23.97	8.18	6.32	21.9	20.7	
		18:00	26.01	34.66	22.73	8.07	6.35	18.3	43.4	
		21:00	26.22	32.75	21.48	8.10	6.94	16.3	23.0	
	日平均值			26.37	35.28	23.12	8.19	6.33	20.39	25.90
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月21日	蚵殼站	0:00	26.25	34.74	21.60	8.00	6.67	16.0	15.0	
		3:00	26.18	34.86	21.69	8.00	6.55	13.8	7.9	
		6:00	26.06	33.78	20.88	7.90	6.61	14.7	12.3	
		9:00	26.25	33.41	20.60	7.96	6.44	20.2	10.4	
		12:00	26.99	36.16	22.66	8.01	6.41	14.4	10.5	
		15:00	27.05	35.89	22.46	7.95	6.20	11.5	9.3	
		18:00	27.76	35.87	22.44	7.91	6.37	11.6	10.8	
		21:00	27.45	35.83	22.41	7.89	6.33	12.8	9.2	
	日平均值			26.75	35.07	21.84	7.95	6.45	14.39	10.68
	潮口站	0:00	26.43	35.24	22.96	7.95	6.60	10.5	9.0	
		3:00	26.18	35.55	23.17	7.87	6.70	9.6	5.7	
		6:00	26.06	33.20	21.59	7.81	6.80	10.4	2.8	
		9:00	26.33	32.44	21.08	7.83	6.90	9.2	8.5	
		12:00	27.80	38.46	25.13	7.94	6.60	11.9	5.5	
		15:00	27.86	36.63	23.90	7.87	6.50	9.0	6.7	
		18:00	27.76	35.61	23.21	7.77	6.60	8.6	4.4	
		21:00	27.45	34.57	22.51	7.75	6.60	10.8	7.3	
	日平均值			26.98	35.21	22.94	7.85	6.66	9.98	6.21
	灣內站	0:00	26.07	30.85	20.24	8.04	6.74	21.5	17.5	
		3:00	26.18	30.79	20.20	8.13	6.39	18.1	25.1	
		6:00	26.06	30.73	20.16	7.99	6.42	19.1	35.5	
		9:00	26.17	30.65	20.11	8.09	5.98	31.2	22.1	
		12:00	26.17	30.76	20.18	8.08	6.21	17.0	19.6	
		15:00	26.23	32.04	21.02	8.02	5.90	14.0	16.8	
		18:00	26.16	33.02	21.66	8.04	6.13	14.6	16.0	
		21:00	25.85	34.00	22.30	8.02	6.06	14.8	15.9	
	日平均值			26.11	31.61	20.73	8.05	6.23	18.79	21.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月22日	蚵殼站	0:00	26.89	35.80	22.39	7.99	6.09	12.1	8.3	
		3:00	26.86	37.42	23.60	8.03	6.27	19.5	7.3	
		6:00	26.86	34.04	21.07	7.94	6.22	17.5	9.4	
		9:00	27.36	33.21	20.45	7.91	6.04	18.4	7.0	
		12:00	27.34	39.21	24.94	8.01	7.27	14.2	6.8	
		15:00	27.61	46.46	30.36	8.22	7.11	14.2	6.4	
		18:00	28.58	37.34	23.54	8.23	7.79	13.0	9.0	
		21:00	29.14	37.58	23.72	8.26	8.40	13.0	11.0	
	日平均值			27.58	37.63	23.76	8.07	6.90	15.26	8.15
	潮口站	0:00	27.37	33.57	21.84	7.88	6.30	10.5	2.9	
		3:00	27.27	38.20	24.95	7.91	6.70	10.8	4.5	
		6:00	27.27	32.19	20.91	7.74	6.60	8.5	4.5	
		9:00	28.23	31.46	20.42	7.77	6.50	9.5	3.7	
		12:00	28.86	41.11	26.91	7.98	7.50	12.7	4.6	
		15:00	28.62	48.45	31.84	8.17	7.41	12.5	5.5	
		18:00	29.85	35.13	22.89	8.15	7.66	12.8	5.8	
		21:00	29.04	41.19	26.96	8.20	7.13	12.0	5.8	
	日平均值			28.31	37.66	24.59	7.98	6.98	11.15	4.63
	灣內站	0:00	26.41	34.97	22.93	8.09	5.88	13.7	11.4	
		3:00	26.44	33.93	22.25	8.14	5.84	28.3	21.0	
		6:00	26.44	32.36	21.23	8.13	5.84	26.5	15.0	
		9:00	26.49	31.20	20.47	8.04	5.57	27.3	10.8	
		12:00	26.74	36.87	22.96	8.03	7.03	15.7	8.7	
		15:00	27.19	45.14	28.88	8.27	6.80	16.0	14.1	
		18:00	28.16	39.35	24.18	8.30	7.92	13.3	13.4	
		21:00	28.85	31.20	20.47	8.32	9.67	14.1	6.6	
	日平均值			27.09	35.63	22.92	8.17	6.82	19.36	12.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月23日	蚵殼站	0:00	28.12	41.45	26.61	8.23	7.59	16.0	9.0	
		3:00	27.90	47.57	31.19	8.23	7.05	12.5	8.0	
		6:00	27.90	39.75	25.34	8.28	7.18	17.5	7.7	
		9:00	27.99	44.18	28.65	8.23	8.16	17.5	8.6	
		12:00	28.82	43.01	27.78	8.23	9.16	16.3	7.3	
		15:00	29.18	42.76	27.59	8.23	7.47	15.1	8.7	
		18:00	29.70	39.16	24.90	8.26	6.48	16.4	9.5	
		21:00	29.70	37.23	23.46	8.26	6.46	17.3	8.5	
	日平均值			28.66	41.89	26.94	8.24	7.44	16.07	8.41
	潮口站	0:00	28.25	41.86	27.41	8.15	7.00	14.5	5.0	
		3:00	27.81	51.50	33.89	8.11	7.44	11.0	4.1	
		6:00	28.63	38.05	24.85	8.16	7.82	11.9	3.5	
		9:00	28.26	45.98	30.18	8.07	7.06	12.3	4.5	
		12:00	29.13	45.56	29.90	8.12	7.45	15.7	5.7	
		15:00	29.29	47.36	31.11	8.09	7.22	15.4	6.9	
		18:00	29.35	39.63	25.91	8.17	6.82	18.2	7.0	
		21:00	29.61	35.00	22.80	8.20	6.48	19.9	10.1	
	日平均值			28.79	43.12	28.26	8.13	7.16	14.85	5.81
	灣內站	0:00	27.90	39.38	25.81	8.31	8.17	17.5	9.5	
		3:00	27.53	43.46	28.48	8.35	6.65	14.1	7.8	
		6:00	27.68	39.39	25.82	8.39	6.53	23.1	7.4	
		9:00	28.38	41.38	27.12	8.39	9.26	22.8	6.1	
		12:00	28.91	39.15	25.66	8.33	10.87	16.9	11.0	
		15:00	29.62	36.70	24.06	8.37	7.72	14.7	15.2	
		18:00	29.69	36.42	23.88	8.34	6.14	14.6	7.6	
		21:00	30.32	36.79	24.12	8.32	6.44	14.6	11.4	
	日平均值			28.75	39.08	25.62	8.35	7.72	17.29	9.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月24日	蚵殼站	0:00	29.70	40.50	25.90	8.40	5.79	6.7	7.8	
		3:00	29.47	40.40	25.83	8.38	7.30	12.3	16.9	
		6:00	28.76	40.82	26.14	8.37	8.46	18.5	14.9	
		9:00	29.41	41.75	26.84	8.44	5.93	17.6	8.6	
		12:00	29.83	42.41	27.33	8.36	6.12	11.5	6.5	
		15:00	30.37	41.79	26.87	8.35	5.78	8.0	8.8	
		18:00	30.17	41.57	26.70	8.27	6.00	5.2	13.0	
		21:00	30.62	41.33	26.52	8.34	6.55	7.0	5.7	
	日平均值			29.79	41.32	26.52	8.36	6.49	10.82	10.28
	潮口站	0:00	28.70	46.62	28.90	8.12	10.2	22.5	5.6	
		3:00	28.21	47.82	30.81	8.05	8.9	22.2	7.4	
		6:00	28.57	53.70	34.72	8.12	8.8	22.8	5.1	
		9:00	30.17	41.65	24.80	8.27	11.3	29.7	6.6	
		12:00	29.41	47.45	30.66	8.02	9.0	29.4	5.2	
		15:00	30.05	42.16	27.04	7.95	8.9	31.1	5.2	
		18:00	30.24	40.12	24.68	8.02	10.7	33.4	6.7	
		21:00	30.58	38.58	21.54	8.06	10.2	33.5	9.0	
	日平均值			29.49	44.76	27.89	8.08	9.77	28.06	6.33
	灣內站	0:00	29.01	38.83	25.60	8.35	5.65	5.2	6.6	
		3:00	28.26	38.72	25.53	8.16	6.57	3.6	5.9	
		6:00	28.30	39.21	25.84	8.14	7.70	22.4	8.6	
		9:00	29.12	40.30	26.54	8.34	5.81	17.3	11.5	
		12:00	29.09	41.06	27.03	8.28	7.11	9.6	9.0	
		15:00	29.35	40.35	26.57	8.48	5.90	6.4	17.0	
		18:00	29.25	40.08	26.40	8.30	5.85	5.7	13.8	
		21:00	28.86	39.80	26.22	8.29	7.44	6.3	5.7	
	日平均值			28.91	39.79	26.22	8.29	6.50	9.54	9.76
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月25日	蚵殼站	0:00	30.14	42.17	27.15	8.44	6.25	9.1	6.8	
		3:00	29.13	42.14	27.13	8.48	5.90	9.6	10.8	
		6:00	28.81	42.88	27.68	8.47	6.74	8.8	9.3	
		9:00	29.61	42.33	27.27	8.42	5.63	27.4	6.0	
		12:00	30.96	43.81	28.38	8.33	6.25	6.9	4.4	
		15:00	31.20	43.72	28.31	8.37	5.83	7.1	7.2	
		18:00	31.20	43.29	27.99	8.39	7.10	6.0	9.3	
		21:00	28.71	43.15	27.88	8.34	5.94	5.7	9.9	
	日平均值			29.97	42.94	27.72	8.41	6.21	10.06	7.96
	潮口站	0:00	29.94	37.15	23.20	8.02	10.1	27.2	7.1	
		3:00	28.49	47.33	30.58	7.95	9.0	28.9	8.7	
		6:00	28.39	51.27	33.00	7.89	7.4	29.1	11.2	
		9:00	31.05	46.79	30.14	8.09	11.7	31.8	4.8	
		12:00	30.59	42.38	27.33	7.94	10.5	34.3	3.8	
		15:00	30.16	41.99	26.49	7.85	8.1	36.8	6.1	
		18:00	29.73	43.38	27.94	7.81	9.5	39.8	15.6	
		21:00	28.93	45.91	30.13	8.13	6.70	36.0	8.9	
	日平均值			29.66	44.53	28.60	7.96	9.13	32.98	8.24
	灣內站	0:00	29.11	40.78	26.85	8.37	6.62	7.0	9.5	
		3:00	29.10	40.75	26.83	8.42	5.90	9.3	8.9	
		6:00	29.05	41.61	27.38	8.42	6.34	7.6	9.1	
		9:00	29.03	40.97	26.97	8.33	6.99	27.1	9.4	
		12:00	28.90	42.70	28.08	8.23	6.82	6.7	12.9	
		15:00	29.03	42.60	28.01	8.30	5.60	7.4	14.9	
		18:00	29.05	42.10	27.69	8.30	9.36	5.6	25.3	
		21:00	28.81	41.92	27.58	8.35	6.57	5.4	8.9	
	日平均值			29.01	41.68	27.42	8.34	6.78	9.50	12.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
6月26日	蚵殼站	0:00	28.67	43.92	28.46	8.43	6.47	7.6	8.9	
		3:00	28.66	43.48	28.13	8.42	6.70	5.4	7.2	
		6:00	28.66	43.55	28.18	8.46	7.01	4.6	8.1	
		9:00	28.66	43.65	28.26	8.45	6.23	9.8	7.8	
		12:00	28.61	43.80	28.37	8.36	6.34	6.2	5.1	
		15:00	28.75	43.44	28.10	8.34	6.48	4.2	8.5	
		18:00	28.80	43.56	28.19	8.33	8.45	4.2	8.6	
		21:00	29.00	43.27	27.97	8.40	6.31	4.5	9.1	
	日平均值			28.73	43.58	28.21	8.40	6.75	5.80	7.91
	潮口站	0:00	28.74	44.37	29.10	8.08	5.90	37.5	4.0	
		3:00	28.75	45.15	29.62	8.05	7.70	14.5	4.9	
		6:00	28.88	44.89	29.45	8.10	8.10	9.8	8.2	
		9:00	28.72	45.16	29.63	8.01	5.90	28.0	6.4	
		12:00	28.94	45.71	30.00	8.02	6.70	25.9	4.2	
		15:00	29.88	42.32	27.72	8.49	7.80	9.8	10.0	
		18:00	29.87	42.33	27.73	8.44	6.80	11.7	8.7	
		21:00	29.52	45.16	29.63	8.32	7.20	50.7	10.6	
	日平均值			29.16	44.39	29.11	8.19	7.01	23.49	7.09
	灣內站	0:00	29.09	46.42	30.46	8.34	5.94	7.1	5.9	
		3:00	28.94	46.44	30.47	8.30	6.86	5.1	5.6	
		6:00	28.99	46.44	30.47	8.33	6.96	3.4	11.3	
		9:00	28.91	46.67	30.62	8.29	6.95	8.2	5.3	
		12:00	28.92	46.80	30.70	8.23	7.83	4.0	4.3	
		15:00	29.05	46.41	30.45	8.49	5.97	5.1	22.4	
		18:00	30.17	45.33	29.76	8.44	8.70	4.6	20.7	
		21:00	29.88	45.48	29.86	8.41	8.57	5.4	13.1	
	日平均值			29.24	46.25	30.35	8.35	7.22	5.36	11.08
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月27日	蚵殼站	0:00	28.97	44.03	28.54	8.44	6.68	6.6	9.2	
		3:00	29.04	44.14	28.62	8.46	6.87	6.0	6.0	
		6:00	28.61	43.88	28.43	8.47	7.09	5.1	8.1	
		9:00	28.65	44.34	28.77	8.35	6.68	6.1	5.0	
		12:00	28.74	43.88	28.43	8.39	7.14	6.1	8.2	
		15:00	28.86	44.32	28.76	8.44	6.99	41.4	9.2	
		18:00	29.43	43.99	28.51	8.33	8.59	42.7	11.7	
		21:00	29.37	44.23	28.69	8.34	8.65	54.3	12.6	
	日平均值			28.96	44.10	28.59	8.40	7.34	21.03	8.75
	潮口站	0:00	29.49	43.24	28.34	8.35	7.10	17.8	11.7	
		3:00	29.32	45.04	29.55	8.30	7.40	11.7	11.1	
		6:00	28.93	45.06	29.56	8.16	7.40	12.8	7.9	
		9:00	29.05	44.51	29.19	8.15	7.10	8.9	6.9	
		12:00	29.43	45.71	30.00	8.16	7.10	24.3	9.8	
		15:00	30.29	42.45	27.81	8.29	8.20	6.4	10.5	
		18:00	30.80	42.57	27.89	8.40	8.90	11.2	11.4	
		21:00	29.96	44.57	29.23	8.33	7.20	17.5	11.5	
	日平均值			29.66	44.14	28.95	8.27	7.55	13.83	10.08
	灣內站	0:00	29.43	46.41	30.45	8.42	6.62	7.0	11.6	
		3:00	29.31	46.42	30.46	8.46	6.18	5.3	17.5	
		6:00	29.04	46.05	30.22	8.48	6.22	4.8	12.1	
		9:00	29.16	46.62	30.59	8.33	6.02	5.8	7.5	
		12:00	29.14	46.14	30.28	8.41	6.62	5.8	8.3	
		15:00	29.83	45.95	30.16	8.43	7.62	3.5	19.2	
		18:00	30.26	45.59	29.93	8.43	8.75	39.5	23.9	
		21:00	29.89	45.94	30.15	8.47	8.95	53.0	12.4	
	日平均值			29.51	46.14	30.28	8.43	7.12	15.57	14.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月28日	蚵殼站	0:00	29.34	44.19	28.66	8.31	7.37	7.1	12.9	
		3:00	29.21	44.96	29.24	8.37	6.24	9.2	8.4	
		6:00	28.97	44.44	28.85	8.42	6.68	12.5	10.5	
		9:00	29.13	44.16	28.64	8.30	7.37	86.5	10.9	
		12:00	28.68	44.44	28.85	8.16	7.82	8.9	15.6	
		15:00	28.95	44.64	29.00	8.28	7.34	9.4	13.7	
		18:00	29.65	45.61	29.72	8.18	9.09	10.2	10.1	
		21:00	29.78	45.23	29.44	8.21	7.74	8.0	9.2	
	日平均值			29.21	44.71	29.05	8.28	7.46	18.94	11.41
	潮口站	0:00	29.61	45.35	29.76	8.26	7.40	38.7	11.6	
		3:00	29.84	44.57	29.23	8.29	6.90	5.9	8.7	
		6:00	29.64	44.40	29.12	8.27	6.70	9.1	8.5	
		9:00	29.47	45.59	29.92	8.12	6.50	10.2	12.2	
		12:00	29.24	47.35	31.10	8.26	6.50	13.5	13.8	
		15:00	29.75	46.66	30.64	8.09	6.50	6.4	14.0	
		18:00	30.45	44.49	29.18	8.15	8.60	8.5	14.9	
		21:00	30.28	45.47	29.84	8.27	8.20	18.6	16.6	
	日平均值			29.79	45.49	29.85	8.21	7.16	13.86	12.53
	灣內站	0:00	29.79	46.02	30.20	8.42	7.22	3.9	8.5	
		3:00	29.66	46.47	30.49	8.43	6.03	6.1	11.9	
		6:00	29.53	46.34	30.41	8.41	6.33	12.2	12.0	
		9:00	29.28	46.28	30.37	8.30	7.78	3.9	19.5	
		12:00	29.85	46.02	30.20	8.36	8.44	8.6	6.1	
		15:00	30.01	45.72	30.01	8.48	8.18	9.1	11.5	
		18:00	30.15	46.48	30.50	8.43	8.73	7.0	23.7	
		21:00	30.10	46.37	30.43	8.43	7.14	6.3	24.3	
	日平均值			29.80	46.21	30.33	8.41	7.48	7.12	14.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
6月29日	蚵殼站	0:00	29.72	44.98	29.25	8.10	7.72	10.7	16.0	
		3:00	29.24	45.31	29.50	8.06	6.51	19.7	10.7	
		6:00	29.53	41.46	26.62	8.33	6.28	9.2	21.6	
		9:00	29.46	44.15	28.63	8.19	5.86	7.9	21.7	
		12:00	29.13	43.28	27.98	8.25	6.59	7.3	26.0	
		15:00	29.36	44.06	28.56	8.34	6.50	6.2	22.5	
		18:00	29.82	44.04	28.55	8.27	6.77	10.3	19.5	
		21:00	30.25	43.59	28.21	8.27	6.67	39.7	13.6	
	日平均值			29.56	43.86	28.41	8.23	6.61	13.83	18.95
	潮口站	0:00	29.39	47.44	31.16	8.27	7.30	10.4	24.2	
		3:00	29.99	41.80	27.37	8.25	7.10	9.5	14.6	
		6:00	29.89	41.95	27.47	8.36	6.70	19.0	16.1	
		9:00	29.90	41.10	26.90	8.30	6.30	44.8	15.5	
		12:00	29.16	44.88	29.44	8.27	5.90	90.8	18.4	
		15:00	29.34	45.85	30.09	8.27	6.40	66.0	22.0	
		18:00	30.04	43.67	28.63	8.43	7.40	11.7	24.0	
		21:00	30.52	43.12	28.26	8.36	7.60	11.4	18.7	
	日平均值			29.78	43.73	28.67	8.31	6.84	32.95	19.18
	灣內站	0:00	30.22	46.20	30.32	8.25	7.38	6.1	20.0	
		3:00	29.94	46.62	30.59	8.18	6.08	17.5	16.5	
		6:00	29.53	44.49	29.22	8.24	6.84	8.8	15.9	
		9:00	29.46	46.00	30.19	8.33	6.29	6.4	13.7	
		12:00	30.03	45.30	29.74	8.31	6.17	7.0	13.5	
		15:00	30.11	45.67	29.98	8.37	6.30	5.8	6.3	
		18:00	30.78	44.83	29.44	8.35	7.02	7.7	16.8	
		21:00	30.63	44.78	29.41	8.26	6.20	38.1	15.7	
	日平均值			30.09	45.49	29.86	8.29	6.54	12.16	14.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
6月30日	蚵殼站	0:00	30.03	43.55	28.18	8.23	6.48	35.8	10.8
		3:00	29.38	43.91	28.45	8.17	6.15	8.6	12.2
		6:00	29.51	44.11	28.60	8.20	6.09	7.0	19.7
		9:00	29.10	44.04	28.55	8.16	5.91	21.0	19.0
		12:00	29.91	43.28	27.98	8.29	6.36	6.5	16.3
		15:00	29.50	42.84	27.65	8.43	6.77	6.7	18.3
		18:00	29.91	43.03	27.79	8.35	6.91	12.3	18.4
		21:00	30.40	43.88	28.43	8.31	6.92	12.1	19.5
	日平均值		29.72	43.58	28.20	8.27	6.45	13.73	16.78
	潮口站	0:00	29.90	45.19	29.65	8.15	7.20	38.7	12.6
		3:00	29.26	45.32	29.74	8.24	6.90	26.6	14.2
		6:00	29.57	43.72	28.66	8.38	6.90	16.7	23.9
		9:00	29.34	43.63	28.60	8.33	5.90	25.3	21.0
		12:00	30.32	43.26	28.35	8.22	6.60	11.9	21.0
		15:00	29.56	46.31	30.40	8.22	6.30	69.6	21.3
		18:00	30.35	43.88	28.77	8.27	7.10	21.3	23.4
		21:00	30.61	43.44	28.47	8.13	7.30	10.2	15.5
	日平均值		29.86	44.34	29.08	8.24	6.78	27.54	19.10
	灣內站	0:00	30.19	42.86	28.18	8.21	5.69	37.5	7.8
		3:00	29.84	43.28	28.45	8.23	6.94	8.2	12.5
		6:00	29.45	43.52	28.60	8.32	6.65	6.3	12.2
		9:00	29.60	43.44	28.55	8.30	6.05	5.3	12.0
		12:00	29.65	42.55	27.98	8.18	6.85	5.7	12.9
		15:00	30.57	42.03	27.65	8.39	6.97	7.0	9.8
		18:00	30.12	42.25	27.79	8.40	6.37	8.4	14.2
		21:00	29.97	43.25	28.43	8.08	7.30	11.4	13.4
	日平均值		29.92	42.90	28.20	8.26	6.60	11.22	11.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月1日	蚵殼站	0:00	29.96	49.06	32.28	8.38	6.05	20.6	19.8	
		3:00	29.95	49.30	32.46	8.28	6.54	20.5	17.0	
		6:00	29.64	49.57	32.67	8.30	5.80	20.6	12.6	
		9:00	29.79	49.75	32.81	8.27	5.84	20.5	15.5	
		12:00	30.22	47.70	31.24	8.27	5.88	20.7	19.4	
		15:00	30.63	46.05	29.97	8.34	6.70	20.8	14.5	
		18:00	30.19	48.87	32.13	8.29	6.37	20.7	21.6	
		21:00	29.82	48.40	31.77	8.33	6.15	20.8	18.3	
	日平均值			30.03	48.59	31.92	8.31	6.17	20.65	17.34
	潮口站	0:00	29.11	50.81	33.29	8.26	6.61	17.4	10.5	
		3:00	28.18	51.66	33.86	8.29	6.63	27.6	11.2	
		6:00	28.25	50.93	33.37	8.16	6.54	2.7	8.2	
		9:00	28.82	51.63	33.84	8.24	6.64	23.1	11.4	
		12:00	29.14	49.18	32.21	8.37	6.78	6.4	13.1	
		15:00	29.25	47.21	30.90	8.30	6.67	5.2	8.8	
		18:00	28.98	50.58	33.14	8.13	6.48	3.6	11.9	
		21:00	29.46	50.18	32.87	8.14	6.23	5.9	12.8	
	日平均值			28.90	50.27	32.94	8.24	6.57	11.47	10.97
	灣內站	0:00	30.59	47.53	31.27	8.41	6.63	11.1	15.5	
		3:00	29.61	48.35	31.81	8.18	6.71	12.0	11.1	
		6:00	29.69	47.65	31.35	8.21	6.04	5.1	9.8	
		9:00	30.29	48.32	31.79	8.21	5.82	4.7	13.1	
		12:00	30.62	45.99	30.26	8.25	6.19	7.6	14.4	
		15:00	30.74	44.11	29.03	8.27	6.49	70.0	11.9	
		18:00	30.45	47.31	31.13	8.25	5.77	17.0	17.9	
		21:00	30.96	46.94	30.88	8.26	5.21	8.6	13.8	
	日平均值			30.37	47.03	30.94	8.26	6.11	17.02	13.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月2日	蚵殼站	0:00	29.51	48.79	32.07	8.37	5.93	20.9	15.1	
		3:00	28.44	48.51	31.86	8.22	6.10	20.7	18.2	
		6:00	28.05	47.33	30.95	8.25	5.82	20.5	18.0	
		9:00	27.98	47.94	31.42	8.13	6.15	20.6	10.9	
		12:00	28.22	48.07	31.52	8.21	5.99	20.5	19.9	
		15:00	28.49	46.59	30.38	8.37	6.92	20.5	16.2	
		18:00	28.28	43.15	27.74	8.27	6.25	20.9	19.9	
		21:00	28.73	46.36	30.20	8.24	6.04	21.2	9.2	
	日平均值			28.46	47.09	30.77	8.26	6.15	20.72	15.93
	潮口站	0:00	28.18	50.84	33.31	8.14	6.03	8.2	13.7	
		3:00	28.11	49.56	32.46	8.10	6.04	5.6	13.6	
		6:00	27.74	49.69	32.55	8.16	6.45	4.1	15.8	
		9:00	27.67	50.67	33.20	8.26	6.52	5.2	7.7	
		12:00	27.90	49.02	32.10	8.26	6.91	8.6	12.9	
		15:00	27.36	47.86	31.33	8.13	5.98	9.2	11.0	
		18:00	26.89	43.77	28.61	8.14	6.13	12.8	9.1	
		21:00	27.19	47.59	31.15	8.23	6.74	11.4	7.0	
	日平均值			27.63	48.63	31.84	8.18	6.35	8.12	11.34
	灣內站	0:00	29.61	47.56	31.29	8.27	6.08	5.0	9.7	
		3:00	29.54	46.34	30.49	8.20	6.01	17.9	10.4	
		6:00	29.15	46.48	30.58	8.19	6.05	5.2	9.1	
		9:00	29.08	47.41	31.19	8.16	6.10	6.0	7.5	
		12:00	29.32	45.82	30.15	8.21	5.94	4.2	12.2	
		15:00	28.75	44.73	29.43	8.29	6.87	5.1	11.5	
		18:00	28.26	40.83	26.87	8.24	6.06	5.3	16.8	
		21:00	28.57	44.46	29.26	8.21	6.20	4.1	9.2	
	日平均值			29.04	45.45	29.91	8.22	6.16	6.59	10.78
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月3日	蚵殼站	0:00	28.14	48.39	31.76	8.21	6.00	21.2	15.0	
		3:00	28.72	43.64	28.12	8.41	6.08	21.5	9.7	
		6:00	27.89	45.42	29.48	8.12	6.67	20.4	11.1	
		9:00	27.94	48.73	32.02	8.05	5.91	20.7	10.8	
		12:00	28.06	47.03	30.72	7.89	6.22	20.7	11.3	
		15:00	28.74	38.92	24.49	8.28	6.51	20.4	13.8	
		18:00	28.54	34.42	21.04	8.07	6.35	20.9	12.8	
		21:00	28.07	36.27	22.46	8.02	6.45	21.4	14.5	
	日平均值			28.26	42.85	27.51	8.13	6.27	20.90	12.38
	潮口站	0:00	27.32	50.00	32.75	8.23	6.13	11.4	10.7	
		3:00	26.58	44.36	29.00	8.18	5.90	68.5	9.8	
		6:00	26.79	46.46	30.40	8.21	5.71	9.9	8.4	
		9:00	27.02	50.42	33.03	8.24	6.25	9.1	6.0	
		12:00	26.76	48.39	31.68	8.21	6.88	7.3	7.0	
		15:00	26.30	38.73	25.26	8.34	6.83	10.6	10.6	
		18:00	26.01	33.38	21.70	8.08	6.56	9.4	9.3	
		21:00	26.00	35.57	23.16	8.28	7.00	13.8	9.0	
	日平均值			26.60	43.41	28.37	8.22	6.41	17.48	8.84
	灣內站	0:00	28.71	46.77	30.77	8.18	5.95	15.5	11.7	
		3:00	27.93	41.38	27.24	8.28	6.03	2.9	5.4	
		6:00	28.15	43.40	28.56	8.14	5.89	6.1	8.8	
		9:00	28.39	47.15	31.02	8.09	5.97	6.5	10.0	
		12:00	28.12	45.23	29.76	8.04	6.29	10.4	9.4	
		15:00	27.64	36.03	23.73	8.27	6.42	4.1	10.3	
		18:00	27.33	30.92	20.38	8.18	5.79	6.1	9.6	
		21:00	27.32	33.02	21.76	8.14	5.98	8.7	12.4	
	日平均值			27.95	40.49	26.65	8.17	6.04	7.51	9.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月4日	蚵殼站	0:00	27.67	38.62	24.26	8.06	6.08	21.4	14.4	
		3:00	27.44	36.70	22.79	8.09	6.40	20.9	13.0	
		6:00	27.46	39.90	25.25	8.17	5.81	20.5	13.9	
		9:00	27.26	42.65	27.36	8.07	5.82	20.9	12.9	
		12:00	27.59	43.26	27.82	8.10	5.56	20.7	16.0	
		15:00	28.54	32.66	19.68	8.10	6.40	20.6	13.5	
		18:00	28.32	31.19	18.56	8.27	6.20	20.8	14.7	
		21:00	27.68	29.63	17.36	8.10	5.93	21.3	14.9	
	日平均值			27.75	36.83	22.89	8.12	6.03	20.89	14.16
	潮口站	0:00	26.09	38.37	25.02	8.32	6.82	13.3	10.4	
		3:00	26.04	36.09	23.50	8.21	6.00	6.8	8.1	
		6:00	26.14	39.91	26.04	8.21	6.09	9.3	12.7	
		9:00	26.35	43.17	28.21	8.26	6.36	9.7	7.9	
		12:00	26.38	43.89	28.69	8.14	6.50	9.0	12.7	
		15:00	25.96	31.27	20.30	8.23	6.54	8.6	10.9	
		18:00	26.03	32.49	21.11	8.27	6.87	7.1	13.1	
		21:00	25.98	30.67	19.90	8.23	6.32	7.4	11.8	
	日平均值			26.12	36.98	24.10	8.23	6.44	8.88	10.91
	灣內站	0:00	27.42	35.69	23.50	8.14	6.10	9.6	9.7	
		3:00	27.36	33.51	22.07	8.15	6.17	5.6	11.2	
		6:00	27.47	37.14	24.46	8.20	5.76	4.0	7.2	
		9:00	27.69	40.26	26.50	8.11	5.77	12.9	11.1	
		12:00	27.72	40.95	26.95	8.15	6.43	8.1	10.1	
		15:00	27.28	28.92	19.07	8.23	6.28	4.0	9.1	
		18:00	27.35	27.22	17.95	8.32	5.99	17.4	7.8	
		21:00	27.30	25.49	16.82	8.20	6.15	7.3	8.7	
	日平均值			27.45	33.65	22.17	8.19	6.08	8.59	9.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月5日	蚵殼站	0:00	27.72	40.12	25.41	8.22	6.65	20.7	11.4	
		3:00	27.66	36.21	22.42	8.17	7.36	20.9	13.2	
		6:00	27.37	40.14	25.43	8.06	8.09	20.9	16.8	
		9:00	27.34	43.75	28.20	8.10	8.79	21.0	11.0	
		12:00	27.35	41.43	26.42	8.12	7.52	20.9	7.3	
		15:00	26.34	31.61	18.88	8.14	6.25	20.9	12.1	
		18:00	26.80	32.26	19.38	7.97	6.49	21.3	19.2	
		21:00	26.82	32.98	19.93	8.04	5.63	21.0	15.8	
	日平均值			27.18	37.31	23.26	8.10	7.10	20.95	13.35
	潮口站	0:00	25.89	41.66	27.21	8.14	6.23	9.1	8.9	
		3:00	25.72	38.52	25.12	8.15	5.75	10.4	11.3	
		6:00	25.66	43.18	28.22	8.15	6.16	12.7	13.6	
		9:00	26.82	47.48	31.08	8.16	5.16	9.4	8.9	
		12:00	27.00	52.67	34.53	8.29	5.83	15.0	6.2	
		15:00	27.24	51.83	33.97	8.31	6.73	10.0	8.4	
		18:00	27.37	52.12	34.16	8.25	6.49	10.3	15.2	
		21:00	27.29	51.83	33.97	8.29	6.45	6.8	12.6	
	日平均值			26.62	47.41	31.03	8.22	6.10	10.43	10.62
	灣內站	0:00	27.21	37.38	24.62	8.14	6.18	37.7	8.3	
		3:00	27.03	32.96	21.72	8.17	5.96	3.8	6.9	
		6:00	26.96	37.41	24.63	8.13	5.82	4.8	10.3	
		9:00	27.27	41.51	27.32	8.15	5.86	13.1	7.9	
		12:00	27.35	38.88	25.59	8.18	6.28	12.7	6.4	
		15:00	27.23	27.74	18.29	8.25	5.95	4.5	9.3	
		18:00	27.25	28.51	18.80	8.24	5.73	10.1	10.5	
		21:00	27.32	29.29	19.31	8.27	5.79	12.1	9.4	
	日平均值			27.20	34.21	22.53	8.19	5.95	12.34	8.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月6日	蚵殼站	0:00	27.40	39.44	24.89	8.14	5.75	21.1	13.5	
		3:00	27.28	38.18	23.93	8.16	6.01	21.1	14.6	
		6:00	27.40	34.02	20.73	8.07	5.13	20.9	18.0	
		9:00	27.44	36.29	22.47	8.10	5.07	20.8	11.7	
		12:00	27.65	38.80	24.40	8.17	5.53	20.9	17.6	
		15:00	27.63	41.31	26.33	8.16	6.03	20.9	14.7	
		18:00	28.13	38.65	24.29	8.12	6.97	20.6	7.8	
		21:00	27.80	35.98	22.24	8.12	6.00	20.7	10.9	
	日平均值			27.59	37.83	23.66	8.13	5.81	20.86	13.60
	潮口站	0:00	26.89	51.75	33.92	8.30	7.31	6.6	10.6	
		3:00	27.14	52.96	34.72	8.26	6.35	8.7	13.9	
		6:00	27.35	52.93	34.70	8.26	5.32	10.1	15.3	
		9:00	27.20	51.57	33.80	8.14	6.84	7.5	9.7	
		12:00	27.30	47.63	31.18	8.26	6.81	10.9	10.9	
		15:00	27.76	46.97	30.74	8.28	6.57	12.7	8.8	
		18:00	28.07	46.01	30.10	8.25	8.55	13.9	8.2	
		21:00	27.77	46.18	30.21	8.27	7.20	14.0	8.7	
	日平均值			27.44	49.50	32.42	8.25	6.87	10.54	10.73
	灣內站	0:00	27.26	36.62	24.12	8.23	5.86	4.5	8.5	
		3:00	27.23	35.19	23.18	8.24	5.62	16.5	9.9	
		6:00	27.30	30.48	20.09	8.22	6.05	7.9	8.9	
		9:00	27.42	33.04	21.77	8.00	6.21	7.3	9.2	
		12:00	27.58	35.89	23.64	8.16	6.14	4.6	12.0	
		15:00	27.71	38.74	25.51	8.24	6.24	5.6	10.8	
		18:00	27.91	35.71	23.52	8.25	6.73	4.0	7.1	
		21:00	28.12	32.69	21.54	8.26	5.97	4.5	9.6	
	日平均值			27.57	34.80	22.92	8.20	6.10	6.86	9.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月7日	蚵殼站	0:00	27.59	45.19	29.31	8.15	5.23	21.0	11.6	
		3:00	27.50	40.48	25.69	8.19	5.54	20.9	10.1	
		6:00	27.50	42.12	26.95	8.18	6.11	21.0	11.5	
		9:00	27.71	41.66	26.60	8.16	6.02	20.6	10.1	
		12:00	27.70	47.13	30.79	8.16	6.00	20.7	12.4	
		15:00	27.73	38.70	24.33	8.17	6.01	20.6	11.3	
		18:00	28.38	33.24	20.14	8.45	9.77	20.3	11.2	
		21:00	28.03	30.97	18.39	8.19	7.25	21.0	11.7	
	日平均值			27.77	39.94	25.28	8.21	6.49	20.78	11.24
	潮口站	0:00	27.46	46.26	30.27	8.31	7.86	6.8	8.0	
		3:00	27.41	46.67	30.54	8.21	6.51	6.4	8.3	
		6:00	27.77	47.09	30.82	8.20	6.06	14.0	11.0	
		9:00	27.64	47.51	31.10	8.20	6.56	8.1	9.1	
		12:00	27.89	46.75	30.59	8.21	9.06	8.4	9.9	
		15:00	27.85	47.45	31.06	8.29	7.45	9.1	12.3	
		18:00	28.26	46.70	30.56	8.26	7.49	11.3	10.6	
		21:00	27.74	46.69	30.55	8.19	7.19	13.5	12.3	
	日平均值			27.75	46.89	30.69	8.23	7.27	9.68	10.18
	灣內站	0:00	27.59	43.14	28.39	8.22	5.88	4.5	10.0	
		3:00	27.80	37.80	24.89	8.25	5.75	7.4	9.8	
		6:00	27.81	39.66	26.11	8.20	5.61	2.6	6.5	
		9:00	27.79	39.14	25.77	8.15	6.07	6.0	8.0	
		12:00	27.67	45.34	29.83	8.15	5.87	3.8	8.6	
		15:00	28.14	35.78	23.57	8.14	5.96	10.7	5.8	
		18:00	28.45	29.59	19.51	8.21	5.98	4.6	6.2	
		21:00	28.49	27.01	17.81	8.15	5.86	8.4	6.2	
	日平均值			27.97	37.18	24.49	8.18	5.87	5.97	7.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月8日	蚵殼站	0:00	27.75	45.48	29.53	8.17	5.52	20.5	15.7	
		3:00	27.70	47.51	31.09	8.17	6.61	20.9	12.9	
		6:00	27.70	46.41	30.24	8.16	6.61	21.1	7.1	
		9:00	27.72	40.96	26.06	8.20	6.76	20.5	12.8	
		12:00	27.75	45.32	29.41	8.25	6.36	21.3	10.2	
		15:00	28.14	49.09	32.30	8.29	7.00	21.2	14.9	
		18:00	28.48	41.83	26.72	8.38	7.32	21.8	10.7	
		21:00	28.99	40.88	26.00	8.34	10.20	25.1	8.6	
	日平均值			28.03	44.69	28.92	8.25	7.05	21.53	11.61
	潮口站	0:00	27.38	46.51	30.43	8.26	8.57	8.8	11.9	
		3:00	27.42	46.22	30.24	8.21	7.39	9.4	12.4	
		6:00	27.87	45.51	29.77	8.18	5.84	9.9	6.1	
		9:00	27.68	46.26	30.27	8.19	5.96	11.4	11.9	
		12:00	28.87	46.05	30.13	8.21	10.29	12.0	8.2	
		15:00	29.73	46.37	30.34	8.27	10.51	11.7	12.5	
		18:00	28.85	46.35	30.33	8.19	6.72	11.3	8.8	
		21:00	28.73	46.08	30.15	8.15	7.32	8.5	8.5	
	日平均值			28.32	46.17	30.21	8.21	7.83	10.34	10.01
	灣內站	0:00	28.12	43.47	28.61	8.10	6.03	3.6	4.5	
		3:00	27.56	45.77	30.12	8.14	6.00	37.3	5.0	
		6:00	27.73	44.52	29.30	8.13	5.98	20.6	5.1	
		9:00	28.29	38.34	25.25	8.11	5.78	15.7	7.1	
		12:00	28.23	43.29	28.49	8.14	5.97	7.3	6.6	
		15:00	28.23	47.57	31.29	8.21	6.15	6.8	7.2	
		18:00	29.10	39.32	25.89	8.08	6.01	4.3	6.3	
		21:00	29.29	38.26	25.19	8.12	5.98	3.0	5.4	
	日平均值			28.32	42.57	28.02	8.13	5.99	12.31	5.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
7月9日	蚵殼站	0:00	28.49	46.66	30.43	8.33	7.44	23.8	8.0
		3:00	28.03	49.29	32.46	8.22	6.15	21.2	5.8
		6:00	28.39	48.77	32.06	8.29	5.76	23.4	11.1
		9:00	28.58	39.01	24.57	8.35	7.62	23.1	11.6
		12:00	29.65	33.78	20.55	8.42	11.37	21.8	6.7
		15:00	29.89	33.25	20.14	8.35	10.73	23.6	4.1
		18:00	29.45	37.74	23.59	8.36	8.32	23.1	6.1
		21:00	29.98	45.11	29.24	8.36	8.41	23.9	6.9
	日平均值		29.06	41.70	26.63	8.34	8.23	22.99	7.54
	潮口站	0:00	28.31	46.11	30.17	8.18	7.62	10.1	7.0
		3:00	28.20	46.72	30.57	8.19	7.18	7.6	7.0
		6:00	28.71	46.79	30.62	8.19	7.95	7.0	11.0
		9:00	28.43	47.05	30.79	8.16	7.05	30.8	13.1
		12:00	28.96	46.84	30.65	8.16	7.44	22.9	5.8
		15:00	28.77	47.09	30.82	8.25	7.23	16.0	5.2
		18:00	29.85	46.97	30.74	7.88	11.21	13.2	5.1
		21:00	29.83	47.02	30.77	8.42	10.44	24.3	5.9
	日平均值		28.88	46.82	30.64	8.18	8.27	16.47	7.51
	灣內站	0:00	28.56	44.80	29.48	8.03	6.03	7.5	5.6
		3:00	28.31	47.80	31.45	8.10	5.87	4.0	5.5
		6:00	28.29	47.20	31.06	8.16	5.96	4.1	6.3
		9:00	29.56	36.14	23.80	8.11	5.96	27.7	5.0
		12:00	31.18	30.20	19.90	8.16	6.41	2.7	4.9
		15:00	31.60	29.60	19.51	8.29	5.58	21.3	4.4
		18:00	31.09	34.69	22.85	8.08	5.95	17.4	6.9
		21:00	29.74	43.05	28.33	7.96	7.79	5.1	5.3
	日平均值		29.79	39.19	25.80	8.11	6.19	11.21	5.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月10日	蚵殼站	0:00	29.37	46.00	29.93	8.37	6.50	21.8	5.6	
		3:00	29.20	47.45	31.04	8.31	5.61	23.2	4.5	
		6:00	29.44	43.20	27.78	8.37	5.90	21.3	5.2	
		9:00	29.90	38.90	24.48	8.31	7.80	21.7	4.9	
		12:00	30.83	40.59	25.77	8.46	10.61	14.0	7.7	
		15:00	30.62	46.30	30.16	8.29	9.77	4.5	4.9	
		18:00	30.52	45.75	29.74	8.26	8.56	8.8	7.0	
		21:00	30.35	45.46	29.51	8.27	7.26	2.6	3.7	
	日平均值			30.03	44.21	28.55	8.33	7.75	14.72	5.44
	潮口站	0:00	28.23	47.08	30.81	8.37	7.18	16.0	4.8	
		3:00	27.94	47.06	30.80	8.38	7.12	7.9	3.7	
		6:00	28.78	47.66	31.20	8.09	6.81	7.8	4.4	
		9:00	29.15	47.41	31.03	8.14	9.75	15.7	4.1	
		12:00	28.86	47.69	31.22	8.27	7.32	9.2	6.9	
		15:00	28.99	47.69	31.22	8.11	7.68	11.1	4.1	
		18:00	29.38	47.47	31.07	8.11	8.62	18.4	6.2	
		21:00	29.60	48.70	31.89	8.08	7.91	28.3	4.5	
	日平均值			28.87	47.60	31.16	8.19	7.80	14.29	4.84
	灣內站	0:00	29.55	44.06	29.00	8.07	7.84	5.3	6.3	
		3:00	29.24	45.70	30.07	8.24	6.91	23.2	4.1	
		6:00	29.85	40.89	26.91	8.07	7.68	14.2	5.9	
		9:00	30.10	36.00	23.71	8.36	7.04	13.5	5.6	
		12:00	30.68	37.92	24.97	8.34	7.26	18.3	8.4	
		15:00	30.98	44.40	29.22	8.26	5.90	24.8	5.6	
		18:00	30.78	43.77	28.81	8.23	7.84	16.6	3.6	
		21:00	30.48	43.45	28.59	8.03	7.53	29.6	4.4	
	日平均值			30.21	42.02	27.66	8.20	7.25	18.18	5.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月11日	蚵殼站	0:00	29.94	45.63	29.65	8.30	6.35	3.8	6.8	
		3:00	29.01	48.23	31.64	7.87	5.50	4.3	5.9	
		6:00	28.56	49.31	32.47	7.89	6.04	4.9	4.6	
		9:00	29.54	43.49	28.00	8.01	6.58	4.1	5.5	
		12:00	30.80	41.46	26.45	8.38	7.40	4.0	6.9	
		15:00	30.63	42.05	26.90	8.23	8.37	9.9	4.6	
		18:00	30.61	48.87	32.13	8.14	6.26	4.8	7.2	
		21:00	30.66	45.81	29.78	8.24	5.76	3.5	5.4	
	日平均值			29.97	45.61	29.63	8.13	6.53	4.91	5.86
	潮口站	0:00	27.86	48.75	31.92	8.26	6.39	3.3	6.0	
		3:00	27.67	48.72	31.90	7.99	6.73	76.6	5.1	
		6:00	28.77	48.34	31.65	7.93	6.65	21.6	3.9	
		9:00	29.01	48.76	31.93	8.25	6.88	8.6	4.8	
		12:00	30.54	47.81	31.30	8.15	9.38	2.7	4.4	
		15:00	29.52	47.68	31.21	8.18	7.18	7.1	7.8	
		18:00	30.26	46.51	30.43	8.28	9.03	8.9	10.5	
		21:00	30.51	48.75	31.92	8.15	8.67	23.3	20.2	
	日平均值			29.27	48.17	31.53	8.15	7.61	19.01	7.80
	灣內站	0:00	29.92	43.64	28.72	7.96	7.02	13.3	7.5	
		3:00	29.83	46.59	30.65	8.11	6.07	77.8	6.6	
		6:00	29.70	47.81	31.45	8.05	8.21	26.8	5.4	
		9:00	29.93	41.22	27.13	8.21	6.38	12.5	6.3	
		12:00	31.34	38.91	25.62	8.28	5.71	57.8	7.6	
		15:00	31.92	39.58	26.06	8.37	5.78	72.0	5.3	
		18:00	30.88	47.31	31.13	8.41	6.46	79.9	7.9	
		21:00	30.20	47.13	31.01	8.10	9.60	106.2	15.3	
	日平均值			30.47	44.02	28.97	8.19	6.90	55.78	7.72
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月12日	蚵殼站	0:00	30.32	46.70	30.47	8.37	5.75	5.4	5.1	
		3:00	30.84	46.96	30.67	8.39	5.80	3.8	6.2	
		6:00	30.69	47.56	31.13	8.37	6.47	4.0	6.9	
		9:00	30.65	47.95	31.43	8.27	7.47	5.8	8.0	
		12:00	30.86	48.66	31.97	8.33	5.94	6.4	7.9	
		15:00	31.12	47.71	31.24	8.38	6.26	16.7	7.9	
		18:00	31.06	47.28	30.91	8.42	6.26	8.1	5.6	
		21:00	30.74	47.41	31.01	8.44	6.21	8.0	5.6	
	日平均值			30.79	47.53	31.10	8.37	6.27	7.27	6.65
	潮口站	0:00	29.13	48.70	31.89	8.24	6.83	8.7	4.8	
		3:00	27.49	47.69	31.22	8.31	7.05	11.5	4.5	
		6:00	28.49	46.34	30.32	8.27	6.66	19.3	8.0	
		9:00	28.68	48.75	31.92	8.22	6.98	30.9	5.7	
		12:00	29.82	48.61	31.83	8.23	9.07	10.0	4.3	
		15:00	28.71	48.75	31.92	8.33	7.74	12.2	13.0	
		18:00	28.97	47.03	30.78	8.32	9.11	8.5	21.7	
		21:00	29.25	46.20	30.23	8.32	9.39	9.0	21.4	
	日平均值			28.82	47.76	31.26	8.28	7.85	13.75	10.38
	灣內站	0:00	31.26	46.55	30.63	8.36	6.25	57.2	5.8	
		3:00	30.94	46.92	30.87	8.38	6.69	6.1	7.0	
		6:00	30.79	46.83	30.81	8.37	6.76	20.6	4.5	
		9:00	30.75	46.74	30.75	8.25	7.29	32.2	8.7	
		12:00	30.96	47.09	30.98	8.32	6.21	11.3	8.6	
		15:00	31.16	46.46	30.57	8.31	6.06	16.1	7.8	
		18:00	31.15	45.67	30.05	8.37	5.99	100.8	4.8	
		21:00	30.98	45.61	30.01	8.36	5.74	53.8	5.5	
	日平均值			31.00	46.48	30.58	8.34	6.37	37.24	6.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月13日	蚵殼站	0:00	30.42	47.29	30.92	8.38	6.07	9.1	9.0	
		3:00	30.30	47.52	31.10	8.20	6.06	6.7	5.3	
		6:00	30.27	47.38	30.99	8.14	6.00	5.1	6.6	
		9:00	30.21	46.59	30.38	8.01	6.14	7.0	12.2	
		12:00	30.46	47.69	31.23	8.07	6.07	6.5	11.0	
		15:00	30.61	47.25	30.89	8.24	6.18	12.1	10.4	
		18:00	30.36	47.07	30.75	8.37	6.20	9.8	8.6	
		21:00	30.44	47.36	30.97	8.28	6.13	7.3	5.2	
	日平均值			30.38	47.27	30.90	8.21	6.11	7.95	8.54
	潮口站	0:00	28.20	45.95	30.06	8.25	6.57	66.8	12.7	
		3:00	27.70	43.68	28.55	8.22	6.63	3.6	16.5	
		6:00	28.04	42.02	27.45	8.26	7.16	98.0	8.8	
		9:00	28.41	46.37	30.34	8.15	8.25	43.6	15.3	
		12:00	29.71	51.68	33.87	7.88	9.61	6.1	18.0	
		15:00	29.19	52.48	34.40	8.19	8.42	8.1	19.5	
		18:00	29.09	51.92	34.03	8.21	7.82	7.5	14.8	
		21:00	29.21	48.96	32.06	8.23	7.86	6.2	16.0	
	日平均值			28.69	47.88	31.35	8.17	7.79	29.95	15.18
	灣內站	0:00	30.82	45.79	30.13	8.40	6.27	58.0	9.3	
		3:00	30.08	46.43	30.55	8.22	5.86	57.7	5.6	
		6:00	29.79	48.37	31.82	8.40	6.15	44.0	7.6	
		9:00	29.36	47.84	31.47	8.36	5.94	88.1	13.2	
		12:00	29.61	48.52	31.92	8.20	5.87	51.6	12.0	
		15:00	29.86	46.11	30.34	8.22	5.77	25.5	10.7	
		18:00	30.07	46.16	30.37	8.20	5.86	6.5	7.1	
		21:00	30.32	46.25	30.43	8.27	5.93	47.9	7.4	
	日平均值			29.99	46.93	30.88	8.28	5.96	47.40	9.10
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月14日	蚵殼站	0:00	30.20	47.07	30.75	8.26	6.11	6.1	2.9	
		3:00	30.00	47.08	30.76	8.21	6.06	9.1	6.0	
		6:00	29.87	46.26	30.13	8.19	5.96	9.9	6.0	
		9:00	30.01	46.90	30.62	8.11	6.10	13.4	4.2	
		12:00	30.19	46.56	30.36	8.15	6.26	5.5	5.8	
		15:00	30.84	47.11	30.78	8.15	5.95	5.4	8.3	
		18:00	30.20	46.86	30.59	8.14	6.47	8.6	2.0	
		21:00	30.11	46.83	30.57	8.15	6.43	7.2	5.2	
	日平均值			30.18	46.83	30.57	8.17	6.17	8.15	5.05
	潮口站	0:00	28.96	50.34	32.98	8.18	7.21	3.6	4.9	
		3:00	28.33	50.57	33.13	8.18	7.02	19.9	13.0	
		6:00	28.43	50.48	33.07	8.21	7.03	13.4	32.4	
		9:00	28.55	50.48	33.07	8.24	6.77	17.9	28.8	
		12:00	28.50	50.43	33.04	8.20	6.81	8.9	26.6	
		15:00	28.50	46.42	30.37	8.17	6.40	81.9	24.6	
		18:00	28.50	50.22	32.90	8.18	7.41	44.2	42.4	
		21:00	28.50	50.23	32.91	8.23	7.61	12.5	19.7	
	日平均值			28.53	49.90	32.68	8.20	7.03	25.26	24.02
	灣內站	0:00	30.18	46.28	30.45	8.24	5.91	5.4	5.9	
		3:00	29.63	46.25	30.43	8.20	5.66	27.1	7.1	
		6:00	29.34	45.88	30.19	8.27	5.56	58.7	6.9	
		9:00	29.17	46.14	30.36	8.10	5.90	14.3	6.1	
		12:00	29.14	45.67	30.05	8.13	6.06	10.3	7.1	
		15:00	29.20	45.88	30.19	8.14	5.90	82.9	9.0	
		18:00	29.14	45.84	30.16	8.12	5.86	44.4	5.6	
		21:00	29.15	45.64	30.03	8.13	5.77	23.0	6.0	
	日平均值			29.37	45.95	30.23	8.17	5.83	33.24	6.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月15日	蚵殼站	0:00	30.03	46.76	30.51	8.20	6.19	19.8	4.3	
		3:00	30.00	47.11	30.78	8.22	6.12	16.7	7.8	
		6:00	29.56	45.30	29.39	8.15	6.12	10.8	3.2	
		9:00	29.68	45.36	29.44	8.24	6.25	8.3	3.5	
		12:00	30.11	46.44	30.27	8.32	6.20	18.3	6.7	
		15:00	30.43	46.16	30.05	8.25	6.33	29.1	7.1	
		18:00	30.69	45.91	29.86	8.05	6.94	16.9	9.8	
		21:00	30.55	46.23	30.11	8.10	6.91	13.0	7.0	
	日平均值			30.13	46.16	30.05	8.19	6.38	16.61	6.18
	潮口站	0:00	28.50	49.98	32.74	8.15	6.47	12.8	17.3	
		3:00	28.50	49.87	32.67	8.11	6.32	10.8	20.4	
		6:00	28.50	49.48	32.41	8.17	6.83	69.4	27.0	
		9:00	29.58	49.50	32.42	7.90	6.45	76.9	2.5	
		12:00	30.01	49.78	32.61	8.17	6.40	23.3	5.7	
		15:00	30.33	49.69	32.55	8.30	6.53	15.1	6.1	
		18:00	29.46	49.47	32.40	8.17	7.45	26.4	19.7	
		21:00	30.45	49.29	32.28	8.17	7.11	13.4	6.0	
	日平均值			29.42	49.63	32.51	8.14	6.70	31.00	13.06
	灣內站	0:00	29.14	45.68	30.06	8.19	5.99	37.7	5.7	
		3:00	29.03	45.75	30.10	8.20	5.92	6.0	8.2	
		6:00	28.92	44.65	29.38	8.13	5.92	67.1	6.8	
		9:00	28.96	43.24	28.46	8.22	6.05	77.9	7.2	
		12:00	28.85	47.10	30.99	7.84	6.00	33.0	7.7	
		15:00	29.29	44.18	29.07	8.06	6.13	13.2	10.2	
		18:00	29.34	43.93	28.91	8.04	6.38	14.5	10.7	
		21:00	29.31	44.11	29.03	8.09	6.19	9.3	8.2	
	日平均值			29.11	44.83	29.50	8.10	6.07	32.33	8.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月16日	蚵殼站	0:00	30.48	45.84	29.81	8.29	6.91	14.4	8.5	
		3:00	30.36	45.26	29.36	8.31	6.79	16.5	7.1	
		6:00	30.14	45.25	29.35	8.11	6.53	17.2	5.9	
		9:00	30.28	45.91	29.86	8.30	6.50	10.0	3.3	
		12:00	30.27	47.07	30.75	8.02	6.20	38.4	8.7	
		15:00	30.56	46.83	30.57	7.81	8.41	17.3	9.7	
		18:00	30.79	46.73	30.49	8.16	7.78	16.5	14.8	
		21:00	30.77	46.47	30.29	8.20	7.55	16.8	10.1	
	日平均值			30.46	46.17	30.06	8.15	7.08	18.39	8.51
	潮口站	0:00	28.90	49.42	32.37	8.33	6.96	11.4	18.6	
		3:00	28.55	49.57	32.47	8.26	6.67	35.7	41.4	
		6:00	29.07	49.35	32.32	8.23	6.96	15.4	21.1	
		9:00	29.61	49.39	32.35	8.36	6.94	14.5	19.6	
		12:00	30.53	52.88	34.67	8.09	7.77	23.3	22.7	
		15:00	29.67	49.35	32.32	8.07	7.31	44.8	22.4	
		18:00	30.69	49.83	32.64	8.21	7.98	16.0	13.8	
		21:00	29.82	49.81	32.63	8.33	7.71	14.4	22.0	
	日平均值			29.61	49.95	32.72	8.24	7.29	21.92	22.69
	灣內站	0:00	29.24	43.63	28.71	8.11	6.04	7.8	5.3	
		3:00	29.29	44.05	28.99	8.16	6.13	30.6	7.2	
		6:00	29.07	43.35	28.53	8.10	5.91	10.4	9.1	
		9:00	29.15	43.90	28.89	8.03	6.16	59.1	7.4	
		12:00	29.23	47.56	31.29	7.81	6.92	23.3	18.0	
		15:00	29.36	48.83	32.12	8.09	6.27	52.4	23.0	
		18:00	29.49	47.03	30.94	8.27	7.94	26.1	22.7	
		21:00	29.66	47.27	31.10	8.19	7.79	8.9	15.9	
	日平均值			29.31	45.70	30.07	8.10	6.65	27.32	13.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月17日	蚵殼站	0:00	30.33	45.18	29.30	8.33	6.85	15.2	5.6	
		3:00	30.35	44.48	28.76	8.32	7.16	14.4	16.5	
		6:00	30.35	45.81	29.78	8.37	6.58	14.8	12.1	
		9:00	30.23	45.91	29.86	8.23	6.66	15.7	12.3	
		12:00	29.72	48.31	31.70	8.45	6.33	15.7	13.0	
		15:00	30.51	47.32	30.94	8.23	6.53	5.8	16.2	
		18:00	30.68	47.21	30.86	8.20	7.56	16.7	18.3	
		21:00	30.32	47.29	30.92	8.40	6.85	20.4	17.4	
	日平均值			30.31	46.44	30.27	8.32	6.82	14.84	13.93
	潮口站	0:00	29.38	49.84	32.65	8.33	6.98	48.6	22.3	
		3:00	28.97	49.95	32.72	8.33	7.23	83.6	22.5	
		6:00	29.23	49.81	32.63	8.13	6.99	8.8	30.2	
		9:00	29.74	49.11	32.16	8.43	7.80	67.9	37.3	
		12:00	29.38	49.81	32.63	8.30	6.52	58.1	33.8	
		15:00	29.87	47.45	31.06	8.30	7.01	97.8	33.9	
		18:00	29.61	48.54	31.78	8.25	7.97	87.8	33.1	
		21:00	29.29	48.73	31.91	8.03	6.85	62.5	34.5	
	日平均值			29.43	49.16	32.19	8.26	7.17	64.37	30.91
	灣內站	0:00	29.55	46.62	30.67	8.31	7.27	44.1	16.2	
		3:00	29.36	46.28	30.45	8.30	6.64	78.9	16.7	
		6:00	29.48	46.86	30.83	8.36	7.32	4.0	17.4	
		9:00	29.24	47.07	30.97	8.22	6.23	28.1	14.4	
		12:00	29.46	48.40	31.84	8.43	6.65	84.3	16.6	
		15:00	29.51	47.91	31.52	8.21	6.48	25.2	16.9	
		18:00	29.14	47.90	31.51	8.18	6.61	88.8	16.0	
		21:00	30.07	47.61	31.32	8.46	6.73	56.4	18.0	
	日平均值			29.48	47.33	31.14	8.31	6.74	51.21	16.51
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月18日	蚵殼站	0:00	30.24	47.17	30.83	8.27	6.35	20.1	10.4	
		3:00	29.72	47.42	31.02	8.38	6.22	18.2	9.7	
		6:00	29.53	48.06	31.51	8.43	6.47	16.3	12.3	
		9:00	29.23	48.28	31.68	8.35	7.13	16.9	9.5	
		12:00	29.71	49.82	32.86	8.37	7.10	11.9	8.5	
		15:00	30.75	49.05	32.27	8.34	10.64	18.1	14.0	
		18:00	30.80	49.15	32.35	8.37	6.06	18.2	6.3	
		21:00	30.76	47.98	31.45	8.27	13.20	17.0	10.5	
	日平均值			30.09	48.37	31.75	8.35	7.90	17.08	10.15
	潮口站	0:00	29.21	49.14	32.18	8.06	6.26	66.9	22.9	
		3:00	28.61	48.94	32.05	8.32	6.40	22.7	8.7	
		6:00	28.73	48.94	32.05	8.32	6.47	13.9	7.8	
		9:00	29.18	51.27	33.60	8.41	7.61	62.0	16.6	
		12:00	29.67	52.81	34.62	8.44	10.99	21.8	7.5	
		15:00	29.33	53.45	35.05	8.35	9.03	39.2	22.5	
		18:00	29.44	53.11	34.82	8.33	8.92	15.4	5.3	
		21:00	29.19	54.42	35.69	8.35	8.46	55.6	16.9	
	日平均值			29.17	51.51	33.76	8.32	8.02	37.18	13.50
	灣內站	0:00	29.42	47.42	31.20	8.25	6.61	60.6	15.3	
		3:00	29.45	47.42	31.20	8.47	8.88	10.1	13.6	
		6:00	28.94	47.88	31.50	8.42	6.30	8.3	16.9	
		9:00	28.68	47.85	31.48	8.33	7.10	56.6	13.1	
		12:00	29.05	47.71	31.39	8.35	7.10	5.5	12.9	
		15:00	31.43	49.50	32.56	8.27	5.86	35.1	17.1	
		18:00	31.34	49.25	32.40	8.24	12.30	20.1	14.6	
		21:00	30.81	49.45	32.53	8.21	12.39	52.9	16.8	
	日平均值			29.89	48.31	31.78	8.32	8.32	31.13	15.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月19日	蚵殼站	0:00	30.66	46.65	30.43	8.25	12.40	13.1	9.3	
		3:00	30.71	47.11	30.78	8.26	10.87	11.6	6.8	
		6:00	30.55	48.18	31.60	8.26	10.54	11.0	7.3	
		9:00	30.07	49.74	32.80	8.17	10.68	15.0	5.4	
		12:00	29.84	50.23	33.18	8.22	12.55	16.8	4.7	
		15:00	30.88	49.28	32.45	8.35	13.38	16.0	13.1	
		18:00	31.21	48.98	32.22	8.39	13.37	10.8	13.3	
		21:00	30.75	48.88	32.14	8.37	12.13	7.2	8.5	
	日平均值			30.58	48.63	31.95	8.28	11.99	12.69	8.55
	潮口站	0:00	29.20	54.88	36.00	8.37	8.70	31.0	8.3	
		3:00	29.62	52.46	34.39	8.29	8.77	72.2	13.1	
		6:00	29.23	53.63	35.17	8.35	7.89	40.9	10.7	
		9:00	29.08	54.67	35.86	8.34	8.18	81.6	6.2	
		12:00	29.47	54.07	35.46	8.31	8.93	8.6	7.2	
		15:00	29.68	53.62	35.16	8.02	9.19	15.9	12.1	
		18:00	29.88	53.18	34.87	8.34	8.70	13.0	7.6	
		21:00	29.23	53.39	35.01	8.33	7.96	29.9	3.9	
	日平均值			29.42	53.74	35.24	8.29	8.54	36.62	8.61
	灣內站	0:00	30.15	50.08	32.94	8.16	12.58	9.2	13.4	
		3:00	30.14	50.09	32.95	8.12	11.46	69.1	8.5	
		6:00	29.97	50.11	32.96	8.10	10.92	39.7	10.6	
		9:00	30.02	50.09	32.95	8.16	11.94	81.8	11.4	
		12:00	31.39	49.62	32.64	8.27	13.57	7.7	9.3	
		15:00	31.50	49.44	32.52	8.28	13.31	19.0	15.4	
		18:00	30.81	50.08	32.94	8.18	11.84	7.8	15.9	
		21:00	30.41	50.52	33.23	8.14	10.26	13.1	16.1	
	日平均值			30.55	50.00	32.89	8.18	11.99	30.92	12.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月20日	蚵殼站	0:00	30.48	49.06	32.28	8.33	11.23	7.9	6.7	
		3:00	30.04	49.40	32.54	8.22	9.38	6.4	5.3	
		6:00	30.28	48.67	31.98	8.30	10.44	6.5	5.9	
		9:00	30.21	48.96	32.20	8.28	11.01	14.1	9.5	
		12:00	30.25	49.02	32.25	8.29	11.22	15.4	8.1	
		15:00	30.86	49.61	32.70	8.34	13.32	18.1	8.1	
		18:00	30.88	49.27	32.44	8.39	13.11	13.1	6.0	
		21:00	30.51	49.44	32.57	8.28	11.26	12.8	7.8	
	日平均值			30.44	49.18	32.37	8.30	11.37	11.77	7.18
	潮口站	0:00	29.39	52.16	34.19	8.43	7.37	28.1	3.3	
		3:00	29.80	50.57	33.13	8.35	8.23	32.5	4.5	
		6:00	29.73	50.54	33.11	8.33	8.48	10.8	4.3	
		9:00	29.66	50.91	33.36	8.21	8.19	18.6	5.4	
		12:00	29.73	50.05	32.79	8.27	8.01	17.6	6.7	
		15:00	29.74	51.17	33.53	8.38	8.69	8.7	3.7	
		18:00	29.90	50.87	33.33	8.02	9.08	21.9	5.9	
		21:00	29.51	50.01	32.76	7.93	8.06	22.3	4.9	
	日平均值			29.68	50.79	33.28	8.24	8.26	20.07	4.80
	灣內站	0:00	30.47	49.89	32.82	8.18	9.75	20.4	10.5	
		3:00	30.36	50.12	32.97	8.12	9.38	22.2	9.4	
		6:00	30.31	50.66	33.32	8.10	9.88	14.1	9.7	
		9:00	30.04	50.23	33.04	8.13	10.99	22.3	14.3	
		12:00	30.69	49.97	32.87	8.28	13.44	19.6	17.7	
		15:00	31.16	50.12	32.97	8.28	13.00	11.4	13.1	
		18:00	31.12	49.67	32.67	8.28	12.62	28.0	10.4	
		21:00	30.81	49.74	32.72	8.25	11.19	20.0	12.0	
	日平均值			30.62	50.05	32.92	8.20	11.28	19.72	12.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月21日	蚵殼站	0:00	30.50	49.30	32.46	8.29	11.14	10.2	6.3	
		3:00	30.53	49.23	32.41	8.30	11.04	9.0	3.7	
		6:00	30.60	49.30	32.46	8.30	10.63	10.1	3.8	
		9:00	30.59	49.27	32.44	8.29	10.64	16.7	5.9	
		12:00	30.73	49.60	32.69	8.31	12.01	19.7	11.9	
		15:00	31.20	48.79	32.07	8.45	13.42	23.2	9.1	
		18:00	31.30	48.16	31.59	8.32	13.15	19.2	12.5	
		21:00	31.20	47.78	31.30	8.46	12.86	16.4	13.9	
	日平均值			30.83	48.93	32.18	8.34	11.86	15.56	8.39
	潮口站	0:00	29.70	50.52	33.10	8.32	8.60	21.5	7.9	
		3:00	29.68	50.40	33.02	8.28	7.92	15.5	4.6	
		6:00	29.71	50.07	32.80	8.28	7.82	8.9	5.9	
		9:00	29.75	50.46	33.06	8.24	8.27	9.0	6.4	
		12:00	29.81	51.00	33.42	8.31	8.29	8.7	10.9	
		15:00	29.87	50.97	33.40	8.43	8.92	16.6	9.5	
		18:00	30.05	50.79	33.28	8.33	9.71	10.7	9.6	
		21:00	29.79	50.55	33.12	8.14	8.38	16.2	13.2	
	日平均值			29.80	50.60	33.15	8.29	8.49	13.36	8.48
	灣內站	0:00	30.59	49.97	32.87	8.19	9.80	30.3	11.0	
		3:00	30.30	50.21	33.03	8.11	7.52	8.0	8.9	
		6:00	30.32	49.95	32.86	8.14	9.19	5.1	8.0	
		9:00	30.60	49.41	32.50	8.27	12.30	6.3	9.3	
		12:00	31.09	48.38	31.83	8.37	12.41	6.8	9.4	
		15:00	31.14	48.19	31.70	8.38	12.35	15.5	11.1	
		18:00	31.14	47.79	31.44	8.37	13.93	9.1	12.4	
		21:00	30.94	48.14	31.67	8.30	13.77	12.0	13.5	
	日平均值			30.77	49.01	32.24	8.27	11.41	11.61	10.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月22日	蚵殼站	0:00	30.89	48.38	31.76	8.37	12.65	13.8	8.4	
		3:00	30.88	48.74	32.03	8.34	12.46	12.6	10.2	
		6:00	30.90	49.00	32.23	8.34	13.01	11.8	9.2	
		9:00	30.90	49.00	32.23	8.34	13.01	17.3	6.6	
		12:00	30.90	49.00	32.23	8.34	13.01	19.7	20.2	
		15:00	30.86	48.12	31.56	8.48	13.01	17.2	19.8	
		18:00	30.40	47.04	30.73	8.32	13.10	12.0	18.9	
		21:00	30.10	46.52	30.33	8.46	11.73	11.6	18.9	
	日平均值			30.73	48.23	31.64	8.37	12.75	14.49	14.03
	潮口站	0:00	29.70	50.52	33.10	8.03	8.60	11.4	5.2	
		3:00	29.85	50.61	33.16	8.36	8.47	9.3	9.8	
		6:00	29.93	50.14	32.85	8.28	9.12	24.0	9.4	
		9:00	29.81	50.32	32.97	7.99	9.02	27.5	15.6	
		12:00	29.74	51.05	33.45	8.27	7.97	16.3	13.5	
		15:00	29.85	50.40	33.02	8.08	8.52	9.5	14.1	
		18:00	29.92	50.23	32.91	8.21	9.34	44.9	20.0	
		21:00	29.88	50.69	33.21	7.85	8.31	22.7	4.5	
	日平均值			29.84	50.50	33.08	8.13	8.67	20.68	11.49
	灣內站	0:00	30.72	48.48	31.89	8.27	13.14	2.6	12.0	
		3:00	30.35	49.16	32.34	8.10	10.49	4.6	11.8	
		6:00	30.23	49.19	32.36	8.07	7.59	20.3	15.3	
		9:00	30.23	49.15	32.33	8.14	9.63	12.4	9.8	
		12:00	30.98	48.46	31.88	8.40	13.78	8.1	19.2	
		15:00	30.90	48.96	32.21	8.27	12.37	92.2	26.8	
		18:00	30.65	47.56	31.29	8.37	13.32	46.5	16.6	
		21:00	30.52	46.84	30.82	8.36	12.25	103.8	10.8	
	日平均值			30.57	48.48	31.89	8.25	11.57	36.30	15.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月23日	蚵殼站	0:00	30.36	48.16	31.59	8.34	10.60	12.4	10.8	
		3:00	30.27	49.79	32.84	8.13	7.92	11.4	12.0	
		6:00	30.19	50.35	33.27	8.00	6.50	10.2	8.7	
		9:00	30.40	50.00	33.00	8.16	8.53	15.7	5.4	
		12:00	31.45	47.88	31.37	8.46	12.00	23.7	4.7	
		15:00	32.20	46.34	30.19	8.36	11.79	20.7	13.7	
		18:00	31.77	45.88	29.84	8.45	11.57	21.4	9.5	
		21:00	31.38	46.77	30.52	8.31	12.45	20.5	6.6	
	日平均值			31.00	48.15	31.58	8.28	10.17	16.99	8.93
	潮口站	0:00	29.70	50.52	33.10	8.28	8.60	11.9	8.6	
		3:00	29.59	51.45	33.72	8.22	7.83	10.7	9.5	
		6:00	29.56	49.39	32.35	8.34	8.56	35.5	8.1	
		9:00	30.11	49.51	32.43	8.33	8.88	26.8	7.8	
		12:00	30.13	46.76	30.60	8.18	7.32	14.6	5.3	
		15:00	30.06	45.53	29.78	8.11	8.52	16.6	10.6	
		18:00	30.79	47.15	30.86	8.25	10.92	18.9	6.2	
		21:00	31.09	47.35	30.99	8.26	10.58	18.7	5.7	
	日平均值			30.13	48.46	31.73	8.25	8.90	19.19	7.69
	灣內站	0:00	30.79	47.51	31.26	8.31	11.34	76.6	13.1	
		3:00	30.23	48.38	31.83	7.97	7.09	5.4	11.1	
		6:00	29.93	49.59	32.62	7.87	7.69	31.8	18.2	
		9:00	30.28	47.23	31.07	8.14	8.27	23.6	13.8	
		12:00	31.02	43.34	28.52	8.42	9.16	65.8	12.4	
		15:00	31.35	44.57	29.33	8.42	11.02	93.0	15.2	
		18:00	31.25	44.46	29.26	8.39	13.92	91.0	17.6	
		21:00	31.21	44.24	29.11	8.35	13.08	12.5	15.4	
	日平均值			30.76	46.17	30.38	8.23	10.20	49.96	14.57
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月24日	蚵殼站	0:00	31.19	46.82	30.56	8.23	11.19	22.3	9.2	
		3:00	31.05	47.78	31.30	8.21	10.09	19.4	6.3	
		6:00	30.63	49.44	32.57	8.13	8.22	17.9	5.7	
		9:00	31.15	47.50	31.08	8.25	10.88	18.0	7.4	
		12:00	31.43	46.48	30.30	8.41	13.25	21.0	5.9	
		15:00	31.31	47.46	31.05	8.36	8.73	20.9	8.5	
		18:00	31.30	46.53	30.34	8.36	11.59	19.3	7.6	
		21:00	31.07	45.62	29.64	8.32	11.76	18.0	10.3	
	日平均值			31.14	47.20	30.86	8.28	10.71	19.59	7.61
	潮口站	0:00	29.32	45.72	29.91	8.02	7.4	14.2	9.2	
		3:00	28.88	47.36	31.00	8.00	7.1	12.6	3.7	
		6:00	29.73	41.84	27.33	8.19	8.3	24.8	3.8	
		9:00	29.96	39.14	25.53	8.29	10.8	23.5	6.3	
		12:00	30.45	45.29	29.62	8.25	10.3	13.2	6.8	
		15:00	30.13	45.29	29.62	8.11	8.5	12.4	5.7	
		18:00	30.26	42.29	27.63	8.20	10.2	12.4	5.5	
		21:00	30.31	45.66	29.87	8.16	8.6	25.6	6.5	
	日平均值			29.88	44.07	28.81	8.15	8.88	17.30	5.93
	灣內站	0:00	30.94	45.01	29.62	8.24	12.35	30.9	14.4	
		3:00	30.81	46.62	30.67	8.02	9.83	17.2	10.5	
		6:00	30.91	46.54	30.62	8.02	7.77	23.4	11.9	
		9:00	31.11	45.50	29.94	8.10	9.31	18.6	9.9	
		12:00	31.41	43.28	28.48	8.28	12.50	7.9	12.2	
		15:00	30.86	46.84	30.82	8.02	9.79	9.3	13.7	
		18:00	30.82	46.74	30.75	8.02	9.78	7.6	15.4	
		21:00	31.10	46.34	30.49	8.07	11.79	18.4	12.8	
	日平均值			31.00	45.86	30.17	8.10	10.39	16.63	12.57
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月25日	蚵殼站	0:00	30.97	48.20	31.62	8.20	9.72	17.1	4.6	
		3:00	30.19	49.45	32.58	8.05	7.60	15.3	5.4	
		6:00	29.83	50.75	33.58	7.93	5.31	14.5	5.3	
		9:00	30.53	49.62	32.71	8.11	8.93	24.2	7.9	
		12:00	31.55	48.38	31.76	8.41	13.60	22.0	7.8	
		15:00	31.38	46.73	30.49	8.41	9.26	20.1	9.8	
		18:00	30.62	48.08	31.53	8.29	11.10	23.2	9.0	
		21:00	30.55	47.07	30.75	8.25	10.50	22.4	6.5	
	日平均值			30.70	48.54	31.88	8.21	9.50	19.85	7.04
	潮口站	0:00	29.30	48.08	31.48	8.09	7.5	13.6	1.9	
		3:00	28.70	49.23	32.24	8.08	7.5	11.1	4.4	
		6:00	29.35	46.43	30.38	8.13	7.8	9.7	3.9	
		9:00	30.13	46.42	30.37	8.22	9.7	32.4	3.8	
		12:00	30.57	46.94	30.72	8.29	11.0	16.1	6.9	
		15:00	29.80	47.18	30.88	8.05	7.0	11.8	10.5	
		18:00	30.13	45.08	29.48	8.21	9.0	12.3	7.6	
		21:00	30.46	44.69	29.22	8.29	9.54	16.7	4.6	
	日平均值			29.81	46.76	30.60	8.17	8.63	15.44	5.44
	灣內站	0:00	31.02	46.48	30.58	8.07	7.32	18.6	10.5	
		3:00	30.17	48.81	32.11	7.96	6.89	3.1	11.1	
		6:00	29.92	49.34	32.46	7.91	5.93	7.0	9.2	
		9:00	30.89	47.82	31.46	8.00	9.62	30.3	11.9	
		12:00	32.35	43.15	28.40	8.41	8.45	142.0	12.1	
		15:00	30.76	48.83	32.12	7.84	7.28	54.6	12.2	
		18:00	30.64	48.99	32.23	7.91	8.55	76.0	14.4	
		21:00	30.89	46.55	30.63	8.10	9.45	44.5	11.9	
	日平均值			30.83	47.50	31.25	8.03	7.94	47.00	11.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月26日	蚵殼站	0:00	30.53	47.98	31.45	8.20	10.19	18.2	8.6	
		3:00	29.96	50.05	33.04	8.00	6.55	14.9	8.5	
		6:00	29.40	50.43	33.33	8.03	5.93	16.8	7.8	
		9:00	29.41	50.00	33.00	8.11	8.91	18.0	10.5	
		12:00	30.36	49.17	32.36	8.35	12.07	20.4	9.4	
		15:00	31.59	47.26	30.90	8.44	12.09	23.5	11.8	
		18:00	30.81	48.07	31.52	8.27	12.18	22.6	12.7	
		21:00	30.68	48.64	31.96	8.22	11.08	19.2	11.6	
	日平均值			30.34	48.95	32.20	8.20	9.88	19.19	10.11
	潮口站	0:00	29.38	48.84	31.98	8.08	6.64	18.7	7.6	
		3:00	28.50	50.97	33.40	8.00	6.54	11.8	7.6	
		6:00	29.04	47.83	31.31	8.12	7.15	10.5	5.0	
		9:00	29.94	46.69	30.55	8.23	8.57	20.8	1.4	
		12:00	30.18	48.58	31.81	8.23	10.16	20.1	2.9	
		15:00	30.05	47.17	30.87	8.09	7.80	11.2	7.2	
		18:00	29.49	47.02	30.77	8.02	6.72	12.5	7.9	
		21:00	30.49	44.72	29.24	8.23	9.38	14.3	6.2	
	日平均值			29.63	47.73	31.24	8.13	7.87	14.95	5.70
	灣內站	0:00	30.93	47.64	31.34	8.07	7.85	43.2	14.3	
		3:00	30.20	48.86	32.14	7.94	7.35	79.4	10.9	
		6:00	29.91	48.98	32.22	7.89	6.84	16.5	11.5	
		9:00	30.07	49.10	32.30	7.83	6.91	65.1	14.9	
		12:00	32.21	42.30	27.84	8.34	10.63	30.3	14.2	
		15:00	32.03	43.09	28.36	8.31	10.46	56.7	15.0	
		18:00	30.87	47.93	31.53	7.97	7.07	108.8	18.0	
		21:00	30.68	48.14	31.67	8.02	9.34	77.8	13.9	
	日平均值			30.86	47.01	30.93	8.05	8.31	59.70	14.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月27日	蚵殼站	0:00	30.69	48.36	31.74	8.19	10.56	18.4	7.6	
		3:00	30.15	49.32	32.48	8.13	9.33	16.2	6.7	
		6:00	29.74	50.95	33.73	7.96	5.77	14.5	5.3	
		9:00	29.94	50.77	33.59	8.06	7.43	16.3	6.8	
		12:00	30.85	49.57	32.67	8.30	12.93	19.9	7.1	
		15:00	31.29	47.84	31.34	8.41	13.60	21.8	7.5	
		18:00	31.16	46.35	30.20	8.44	13.14	19.8	14.0	
		21:00	30.86	46.90	30.62	8.39	12.00	17.6	8.4	
	日平均值			30.59	48.76	32.05	8.24	10.60	18.07	7.93
	潮口站	0:00	29.75	48.70	31.89	8.08	7.32	14.7	3.1	
		3:00	28.75	50.39	33.01	8.00	6.28	68.1	6.3	
		6:00	28.90	48.87	32.00	8.05	6.63	10.1	11.5	
		9:00	29.96	47.00	30.76	8.19	8.43	11.6	8.3	
		12:00	30.43	47.65	31.19	8.24	10.73	15.8	4.8	
		15:00	30.17	47.17	30.87	8.16	9.14	11.0	3.2	
		18:00	29.38	41.57	27.15	7.98	6.88	11.3	9.4	
		21:00	29.73	46.23	30.25	8.13	7.65	14.2	5.9	
	日平均值			29.63	47.20	30.89	8.10	7.88	19.58	6.54
	灣內站	0:00	30.64	48.17	31.69	7.97	9.58	58.5	11.5	
		3:00	29.89	50.18	33.01	7.80	8.22	80.9	9.2	
		6:00	30.12	49.42	32.51	7.82	8.76	71.9	11.3	
		9:00	30.51	48.49	31.90	7.89	9.22	99.7	11.3	
		12:00	31.97	45.07	29.66	8.27	10.50	96.9	11.4	
		15:00	31.46	46.72	30.74	8.02	11.42	95.0	11.1	
		18:00	30.79	48.77	32.08	7.85	6.30	10.2	29.9	
		21:00	31.25	46.39	30.52	8.08	10.29	11.0	23.9	
	日平均值			30.83	47.90	31.51	7.96	9.29	65.48	14.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月28日	蚵殼站	0:00	30.89	47.07	30.75	8.33	11.72	17.1	9.6	
		3:00	30.61	49.15	32.35	8.19	10.48	15.0	7.9	
		6:00	29.57	50.92	33.71	8.02	6.64	18.4	7.8	
		9:00	29.11	50.95	33.73	8.08	6.91	17.9	10.1	
		12:00	30.91	49.65	32.73	8.29	12.37	18.5	11.9	
		15:00	32.32	49.96	32.97	8.32	11.65	22.8	9.6	
		18:00	30.70	49.80	32.85	8.27	11.07	20.1	16.3	
		21:00	30.59	49.44	32.57	8.20	10.38	19.6	11.1	
	日平均值			30.59	49.62	32.71	8.21	10.15	18.67	10.54
	潮口站	0:00	29.65	46.46	30.40	8.07	6.32	9.1	2.7	
		3:00	28.51	52.16	34.19	8.01	5.95	9.2	4.4	
		6:00	28.56	49.62	32.50	8.09	6.43	28.7	8.8	
		9:00	29.76	46.34	30.32	8.24	8.85	9.7	6.6	
		12:00	29.88	49.33	32.31	8.12	7.27	11.4	6.3	
		15:00	29.72	49.66	32.53	8.09	6.94	10.3	4.4	
		18:00	29.09	49.92	32.70	8.10	6.92	20.5	17.9	
		21:00	31.03	45.27	29.61	8.41	10.97	11.0	8.0	
	日平均值			29.53	48.60	31.82	8.14	7.46	13.72	7.37
	灣內站	0:00	31.42	46.16	30.37	8.01	5.83	11.6	18.7	
		3:00	30.72	47.30	31.12	7.92	5.64	12.5	19.1	
		6:00	29.70	47.97	31.56	7.85	6.01	11.9	16.5	
		9:00	29.80	48.81	32.11	7.79	7.45	13.9	17.9	
		12:00	31.80	44.46	29.26	8.21	8.27	14.5	20.8	
		15:00	32.19	43.08	28.35	8.38	13.58	14.6	20.9	
		18:00	31.01	46.62	30.67	8.17	9.69	17.8	21.6	
		21:00	30.09	48.84	32.13	7.95	5.11	17.0	20.0	
	日平均值			30.84	46.66	30.70	8.04	7.70	14.21	19.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月29日	蚵殼站	0:00	31.55	47.50	31.08	8.33	13.00	17.2	7.1	
		3:00	30.57	48.57	31.90	8.21	9.51	15.6	7.2	
		6:00	29.64	51.34	34.03	8.02	6.65	13.4	7.8	
		9:00	29.43	52.11	34.62	7.99	5.77	12.6	7.2	
		12:00	30.34	50.44	33.34	8.18	9.72	16.3	7.9	
		15:00	31.36	48.48	31.83	8.34	12.74	18.3	17.5	
		18:00	31.35	49.20	32.39	8.32	12.35	17.0	7.9	
		21:00	31.33	49.10	32.31	8.32	11.77	16.1	9.7	
	日平均值			30.70	49.59	32.69	8.21	10.19	15.81	9.04
	潮口站	0:00	29.88	48.70	31.89	8.12	6.59	8.5	3.2	
		3:00	28.60	51.33	33.64	8.03	5.70	10.2	3.9	
		6:00	28.49	51.48	33.74	8.03	5.69	11.7	4.0	
		9:00	29.59	49.41	32.36	8.11	6.21	12.8	3.6	
		12:00	29.29	51.11	33.49	8.03	5.47	12.5	8.8	
		15:00	29.45	49.41	32.36	8.03	5.58	93.9	16.2	
		18:00	28.99	45.96	30.07	7.99	5.53	89.3	4.1	
		21:00	29.57	48.49	31.75	8.11	6.16	12.9	9.8	
	日平均值			29.23	49.49	32.41	8.06	5.87	31.44	6.68
	灣內站	0:00	30.27	48.41	31.85	7.99	7.43	14.6	18.3	
		3:00	30.33	47.76	31.42	8.00	7.18	11.3	19.9	
		6:00	29.85	48.57	31.95	7.95	6.32	15.3	17.5	
		9:00	29.54	49.02	32.25	7.84	6.41	13.6	14.1	
		12:00	31.58	44.46	29.26	8.31	12.82	16.8	16.6	
		15:00	31.83	44.95	29.58	8.31	13.58	14.4	21.1	
		18:00	31.65	45.61	30.01	8.32	13.40	14.3	13.9	
		21:00	31.55	46.29	30.46	8.25	11.82	16.3	18.3	
	日平均值			30.83	46.88	30.85	8.12	9.87	14.56	17.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
7月30日	蚵殼站	0:00	31.11	47.38	30.99	8.38	11.28	15.2	8.0	
		3:00	30.65	48.87	32.13	8.20	8.56	16.6	8.7	
		6:00	30.08	51.11	33.85	8.03	6.72	16.2	7.9	
		9:00	29.84	51.21	33.93	8.06	7.51	14.2	9.7	
		12:00	30.93	50.32	33.25	8.23	10.94	16.8	8.8	
		15:00	32.07	48.74	32.03	8.39	13.73	21.0	11.7	
		18:00	31.69	49.04	32.26	8.38	12.58	18.7	7.4	
		21:00	31.48	49.17	32.36	8.35	12.19	17.7	8.1	
	日平均值			30.98	49.48	32.60	8.25	10.44	17.04	8.79
	潮口站	0:00	30.18	47.92	31.37	8.17	6.31	12.5	5.5	
		3:00	29.13	51.38	33.67	8.04	5.20	104.9	4.5	
		6:00	28.76	52.31	34.29	8.03	5.17	20.9	6.4	
		9:00	29.67	48.73	31.91	8.21	6.67	10.9	4.7	
		12:00	29.79	49.98	32.74	8.15	6.21	13.5	6.1	
		15:00	29.92	49.75	32.59	8.10	5.60	80.2	6.9	
		18:00	29.44	45.00	29.43	7.97	5.09	61.1	4.8	
		21:00	29.33	47.03	30.78	8.02	5.26	52.2	5.1	
	日平均值			29.53	49.01	32.10	8.09	5.69	44.50	5.47
	灣內站	0:00	30.95	47.21	31.06	8.13	8.35	16.3	11.6	
		3:00	30.34	48.19	31.70	8.00	5.62	13.6	15.2	
		6:00	30.09	48.14	31.67	7.98	5.98	6.1	13.3	
		9:00	29.92	49.16	32.34	7.91	6.36	13.0	12.5	
		12:00	31.98	46.20	30.40	8.35	10.79	16.2	13.8	
		15:00	32.33	46.25	30.43	8.42	12.21	18.8	15.7	
		18:00	31.91	46.98	30.91	8.35	13.71	18.6	11.8	
		21:00	31.43	47.61	31.32	8.29	12.56	15.4	9.7	
	日平均值			31.12	47.47	31.23	8.18	9.45	14.73	12.92
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
7月31日	蚵殼站	0:00	31.39	48.67	31.98	8.31	11.21	16.34	8.30	
		3:00	30.79	48.98	32.22	8.18	8.83	15.00	7.60	
		6:00	30.46	49.93	32.95	8.08	7.05	17.0	7.9	
		9:00	30.00	50.99	33.76	8.10	7.55	15.3	5.3	
		12:00	30.93	50.39	33.30	8.23	10.49	17.8	9.4	
		15:00	31.81	49.32	32.48	8.33	12.77	21.0	18.8	
		18:00	31.80	49.30	32.46	8.34	12.85	20.8	6.6	
		21:00	31.80	49.30	32.46	8.34	12.85	19.1	4.5	
	日平均值			31.12	49.61	32.70	8.24	10.45	17.80	8.55
	潮口站	0:00	30.32	47.53	31.11	8.24	6.04	57.80	2.20	
		3:00	29.75	49.71	32.56	8.14	5.67	9.00	2.45	
		6:00	28.40	52.52	34.43	8.02	5.07	82.1	3.4	
		9:00	30.24	47.78	31.28	8.35	6.28	13.3	5.1	
		12:00	29.85	49.87	32.67	8.18	5.88	11.9	5.2	
		15:00	29.63	50.61	33.16	8.10	6.03	9.9	17.5	
		18:00	29.77	49.63	32.51	8.10	6.54	87.6	1.6	
		21:00	29.76	49.98	32.74	8.11	7.24	9.9	3.8	
	日平均值			29.72	49.70	32.56	8.16	6.09	35.17	5.14
	灣內站	0:00	31.37	47.44	31.21	8.27	9.09	19.66	15.60	
		3:00	30.95	47.42	31.20	8.20	5.05	11.76	10.65	
		6:00	30.35	48.05	31.61	8.07	5.19	10.3	9.8	
		9:00	30.14	49.22	32.38	8.01	8.85	12.4	11.3	
		12:00	31.78	47.27	31.10	8.29	13.76	14.5	11.3	
		15:00	31.65	47.87	31.49	8.27	13.60	11.9	7.3	
		18:00	31.45	48.16	31.68	8.26	12.56	17.6	12.6	
		21:00	31.43	48.16	31.68	8.25	10.51	11.3	10.0	
	日平均值			31.14	47.95	31.54	8.20	9.83	13.65	11.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月1日	蚵殼站	0:00	31.22	48.65	32.15	8.32	8.16	16.9	4.8	
		3:00	31.03	48.62	32.13	8.38	7.58	15.6	7.6	
		6:00	30.85	48.53	32.07	7.93	9.74	17.0	8.1	
		9:00	30.77	48.59	32.11	8.15	9.58	14.8	4.4	
		12:00	30.79	48.48	32.04	8.22	10.70	16.9	2.2	
		15:00	30.69	48.21	31.86	8.31	8.56	18.2	5.6	
		18:00	30.70	47.48	31.38	8.34	9.16	17.5	8.5	
		21:00	30.52	47.85	31.62	8.27	9.74	16.8	4.9	
	日平均值			30.82	48.30	31.92	8.24	9.15	16.71	5.76
	潮口站	0:00	29.98	49.49	32.60	8.16	5.07	10.2	3.6	
		3:00	30.14	48.78	32.14	8.19	5.23	13.6	14.3	
		6:00	28.13	52.86	34.82	8.00	6.16	17.4	8.0	
		9:00	29.65	49.66	32.72	8.23	6.26	10.0	5.8	
		12:00	29.65	50.21	33.08	8.16	6.10	12.7	6.2	
		15:00	29.57	50.83	33.49	8.05	6.28	14.5	5.5	
		18:00	29.37	47.33	31.20	8.00	6.26	10.8	4.6	
		21:00	29.47	48.54	32.08	8.07	7.39	15.6	5.1	
	日平均值			29.50	49.71	32.77	8.11	6.09	13.08	6.61
	灣內站	0:00	31.38	48.11	31.66	8.24	9.33	11.4	9.3	
		3:00	30.83	48.25	31.75	8.18	7.60	11.8	8.1	
		6:00	30.46	48.64	32.01	8.05	6.75	12.4	13.7	
		9:00	30.60	48.75	32.08	8.09	9.53	12.4	11.3	
		12:00	31.26	48.63	32.00	8.22	11.42	15.8	8.8	
		15:00	31.49	48.72	32.06	8.24	11.74	11.5	9.1	
		18:00	31.09	49.18	32.36	8.20	10.91	11.5	10.2	
		21:00	31.11	49.15	32.34	8.17	8.97	13.2	11.3	
	日平均值			31.03	48.68	32.03	8.17	9.53	12.50	10.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月2日	蚵殼站	0:00	30.34	48.37	31.97	8.22	8.01	17.2	3.0	
		3:00	30.16	48.01	31.73	8.24	7.58	14.4	6.4	
		6:00	29.95	48.62	32.13	8.22	8.36	14.3	7.0	
		9:00	29.99	48.25	31.89	8.01	7.68	14.5	4.9	
		12:00	29.87	47.53	31.41	8.07	8.08	14.0	7.3	
		15:00	29.81	47.07	31.11	8.31	12.20	15.8	6.1	
		18:00	29.97	46.86	30.97	8.22	8.34	15.5	8.1	
		21:00	29.96	46.80	30.93	8.47	9.74	14.6	8.4	
	日平均值			30.01	47.69	31.52	8.22	8.75	15.03	6.40
	潮口站	0:00	29.65	47.26	31.16	8.05	8.48	21.2	5.3	
		3:00	30.33	48.01	31.63	8.21	5.83	12.3	4.4	
		6:00	28.49	52.19	34.38	8.01	7.52	25.1	6.0	
		9:00	29.21	49.93	32.90	8.14	8.21	10.6	4.0	
		12:00	29.95	48.63	32.05	8.24	6.04	9.4	7.9	
		15:00	30.03	49.32	32.50	8.16	5.95	10.3	4.5	
		18:00	29.35	47.94	31.60	8.07	6.06	14.8	2.6	
		21:00	28.35	49.56	32.65	7.96	6.02	13.4	7.0	
	日平均值			29.42	49.11	32.36	8.11	6.76	14.61	5.19
	灣內站	0:00	31.08	49.15	32.34	8.19	7.85	14.1	9.8	
		3:00	30.98	49.09	32.30	8.16	8.88	12.8	10.9	
		6:00	30.59	49.21	32.38	8.07	7.60	16.6	8.0	
		9:00	30.22	49.18	32.36	8.02	6.32	12.6	5.9	
		12:00	30.41	48.97	32.22	8.07	7.33	19.2	8.3	
		15:00	30.93	48.46	31.89	8.24	11.35	11.5	7.1	
		18:00	30.72	49.00	32.24	8.22	10.78	10.8	9.1	
		21:00	30.52	49.13	32.33	8.18	9.41	14.7	9.4	
	日平均值			30.68	49.02	32.26	8.14	8.69	14.04	8.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月3日	蚵殼站	0:00	29.93	46.88	30.98	8.37	7.92	13.6	7.4	
		3:00	29.93	46.86	30.97	8.15	7.90	14.0	3.7	
		6:00	29.87	46.97	31.04	8.24	11.58	14.2	5.7	
		9:00	29.76	47.07	31.11	7.90	13.50	14.1	5.7	
		12:00	29.86	47.19	31.19	7.86	8.48	14.6	4.5	
		15:00	29.97	49.15	32.48	8.00	7.92	14.8	5.1	
		18:00	30.52	49.65	32.81	7.97	9.22	13.8	19.0	
		21:00	30.57	48.53	32.07	8.20	7.28	13.5	4.2	
	日平均值			30.05	47.79	31.58	8.09	9.23	14.08	6.91
	潮口站	0:00	29.30	46.73	30.81	8.19	5.66	9.3	4.1	
		3:00	29.38	46.09	30.38	8.24	7.18	14.1	4.1	
		6:00	28.84	50.10	33.00	8.04	6.62	22.7	4.9	
		9:00	29.12	50.43	33.23	8.08	8.17	14.6	4.1	
		12:00	30.11	48.02	31.65	8.25	6.24	16.7	4.5	
		15:00	29.75	49.50	32.66	8.18	5.96	13.4	14.9	
		18:00	29.71	49.54	32.70	8.16	7.31	45.3	16.0	
		21:00	29.26	49.44	32.63	8.09	6.66	27.0	3.3	
	日平均值			29.43	48.73	32.13	8.15	6.73	20.36	6.96
	灣內站	0:00	30.24	49.59	32.63	8.07	7.68	10.5	6.9	
		3:00	30.26	49.27	32.42	8.09	7.54	13.5	4.7	
		6:00	30.36	48.98	32.23	8.11	7.51	13.9	6.7	
		9:00	30.09	49.61	32.64	8.04	6.43	15.9	6.7	
		12:00	30.37	49.67	32.68	8.03	7.32	20.8	5.5	
		15:00	31.72	47.45	31.23	8.31	13.53	14.6	15.5	
		18:00	31.48	47.97	31.57	8.25	12.31	16.5	7.6	
		21:00	31.10	48.35	31.82	8.20	10.56	20.2	4.8	
	日平均值			30.70	48.86	32.15	8.14	9.11	15.74	7.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月4日	蚵殼站	0:00	30.57	48.06	31.76	8.18	9.62	14.4	9.1	
		3:00	30.54	47.80	31.59	7.86	7.54	14.3	3.1	
		6:00	30.41	47.80	31.59	7.79	11.18	14.1	9.0	
		9:00	29.86	47.66	31.50	7.77	13.62	16.4	2.6	
		12:00	30.10	48.56	32.09	7.80	7.32	14.6	8.4	
		15:00	30.17	47.38	31.31	8.16	9.52	17.0	7.0	
		18:00	30.78	48.47	32.03	7.82	10.64	14.8	7.3	
		21:00	30.98	48.37	31.97	7.81	10.90	14.0	14.1	
	日平均值			30.43	48.01	31.73	7.90	10.04	14.95	7.58
	潮口站	0:00	29.91	47.15	31.10	8.21	6.74	9.5	8.2	
		3:00	30.41	45.84	30.23	8.28	5.66	22.0	2.2	
		6:00	29.66	48.76	32.13	8.06	7.62	14.3	8.1	
		9:00	29.01	50.03	32.98	7.98	6.66	25.7	2.6	
		12:00	29.30	49.63	32.72	8.04	5.66	14.4	3.2	
		15:00	29.50	49.07	32.35	8.07	6.76	14.8	6.1	
		18:00	30.32	47.32	31.19	8.21	6.40	22.5	6.4	
		21:00	28.92	50.78	33.46	8.00	8.17	37.0	7.9	
	日平均值			29.63	48.57	32.02	8.11	6.71	20.00	5.56
	灣內站	0:00	29.93	50.07	32.94	8.01	6.10	10.8	9.7	
		3:00	29.76	50.14	32.99	7.96	7.20	22.9	3.7	
		6:00	30.06	49.35	32.47	7.99	7.62	9.0	9.6	
		9:00	30.25	49.35	32.47	8.04	8.81	26.9	3.2	
		12:00	31.59	47.85	31.49	8.28	12.05	15.6	13.6	
		15:00	31.26	48.19	31.71	8.10	9.34	16.0	7.6	
		18:00	30.65	49.38	32.49	7.96	8.26	20.6	7.9	
		21:00	30.79	48.72	32.06	8.07	7.63	17.2	13.9	
	日平均值			30.54	49.13	32.33	8.05	8.38	17.38	8.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月5日	蚵殼站	0:00	31.16	46.89	30.99	7.98	10.46	16.9	6.3	
		3:00	31.02	46.88	30.98	8.20	10.08	16.0	6.5	
		6:00	30.13	48.53	32.07	8.11	16.30	18.6	4.3	
		9:00	29.92	48.45	32.02	7.84	7.70	15.9	8.6	
		12:00	29.98	48.37	31.97	8.11	7.62	15.4	2.8	
		15:00	30.22	48.16	31.83	7.75	7.68	15.5	5.6	
		18:00	30.89	49.71	32.85	8.22	11.80	14.3	21.4	
		21:00	31.22	47.81	31.60	7.94	8.42	13.0	4.9	
	日平均值			30.57	48.10	31.79	8.02	10.01	15.70	7.55
	潮口站	0:00	29.52	48.26	31.83	8.13	7.23	11.7	5.4	
		3:00	29.91	46.22	30.48	8.27	7.04	10.3	5.6	
		6:00	29.68	46.89	30.90	8.12	6.10	20.4	5.1	
		9:00	29.55	50.10	33.00	7.95	5.62	15.4	7.7	
		12:00	29.67	50.56	33.30	7.94	5.81	18.0	17.3	
		15:00	30.09	49.41	32.54	8.02	5.84	9.7	14.1	
		18:00	30.90	47.40	31.26	8.15	7.33	12.0	2.2	
		21:00	29.10	50.92	33.55	7.94	6.21	53.6	4.0	
	日平均值			29.80	48.72	32.11	8.07	6.40	18.86	7.66
	灣內站	0:00	30.49	48.92	32.19	8.01	9.05	12.9	6.9	
		3:00	29.65	50.45	33.19	7.81	6.69	11.6	7.1	
		6:00	30.03	49.41	32.51	7.91	8.08	16.6	4.9	
		9:00	30.50	48.46	31.89	8.08	7.95	21.6	9.2	
		12:00	31.73	46.89	30.86	8.32	13.23	19.2	3.4	
		15:00	30.93	49.21	32.38	7.96	11.39	11.0	5.7	
		18:00	31.06	47.79	31.45	8.10	5.05	12.1	4.7	
		21:00	30.40	49.35	32.47	7.94	6.82	14.9	5.5	
	日平均值			30.60	48.81	32.12	8.02	8.53	14.99	5.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月6日	蚵殼站	0:00	31.52	47.65	31.49	8.15	9.78	13.9	18.5	
		3:00	31.40	46.97	31.04	8.01	8.80	13.5	10.9	
		6:00	30.92	48.10	31.79	8.21	7.84	13.9	4.9	
		9:00	30.16	48.65	32.15	7.98	12.48	13.8	3.3	
		12:00	30.85	48.07	31.77	8.21	8.68	16.4	1.2	
		15:00	31.22	48.12	31.80	7.92	8.42	14.4	3.4	
		18:00	31.43	47.91	31.66	7.92	8.60	14.3	7.0	
		21:00	31.28	47.81	31.60	7.98	8.12	25.3	3.5	
	日平均值			31.10	47.91	31.66	8.05	9.09	15.69	6.59
	潮口站	0:00	29.06	49.91	32.89	7.96	6.89	8.8	13.0	
		3:00	29.63	47.43	31.26	8.19	6.40	9.4	14.9	
		6:00	29.48	47.14	31.06	8.14	5.92	36.9	4.0	
		9:00	29.52	47.31	31.18	8.06	8.13	61.7	2.4	
		12:00	29.56	48.15	31.71	8.04	6.34	18.7	2.6	
		15:00	29.73	48.11	31.70	8.05	6.21	19.6	2.5	
		18:00	30.34	47.32	31.19	8.10	6.30	17.4	6.1	
		21:00	29.83	49.21	32.43	7.97	6.06	33.1	2.6	
	日平均值			29.64	48.07	31.68	8.06	6.53	25.66	5.99
	灣內站	0:00	30.16	49.84	32.79	7.87	6.54	10.0	4.2	
		3:00	29.77	50.55	33.26	7.75	6.05	10.6	16.6	
		6:00	29.92	50.11	32.97	7.87	7.75	18.1	5.5	
		9:00	30.54	49.03	32.26	7.90	5.29	13.0	3.9	
		12:00	31.64	46.60	30.67	8.29	11.02	19.9	1.8	
		15:00	31.48	47.64	31.35	8.21	11.86	20.8	4.0	
		18:00	30.36	49.85	32.80	8.03	7.81	18.6	7.6	
		21:00	30.54	49.30	32.44	8.11	8.45	14.3	4.1	
	日平均值			30.55	49.12	32.32	8.00	8.10	15.66	5.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月7日	蚵殼站	0:00	31.10	47.59	31.45	7.98	8.46	15.6	8.2	
		3:00	30.95	47.10	31.13	8.41	9.58	15.6	2.5	
		6:00	30.80	47.57	31.44	8.28	10.38	14.5	2.1	
		9:00	30.26	50.99	33.70	8.01	8.54	11.5	2.5	
		12:00	30.88	50.30	33.24	8.31	11.64	14.8	17.0	
		15:00	31.51	49.68	32.83	8.27	11.31	18.9	18.6	
		18:00	31.28	48.78	32.24	8.17	10.00	15.6	13.4	
		21:00	31.36	48.28	31.91	8.21	10.29	14.5	4.3	
	日平均值			31.02	48.79	32.24	8.21	10.03	15.12	8.58
	潮口站	0:00	29.20	51.10	33.70	7.89	6.23	16.8	15.9	
		3:00	29.31	49.69	32.75	7.94	6.72	23.2	3.2	
		6:00	29.65	49.09	32.37	7.96	6.44	21.4	15.8	
		9:00	30.07	48.14	31.75	7.94	5.64	77.6	6.8	
		12:00	30.09	47.47	31.31	7.92	7.83	28.1	11.4	
		15:00	29.81	49.41	32.58	8.05	8.22	13.9	17.7	
		18:00	30.89	49.08	32.34	8.29	9.01	9.3	12.5	
		21:00	30.61	48.68	32.07	8.25	9.71	27.9	3.4	
	日平均值			29.95	49.08	32.36	8.03	7.48	27.25	10.83
	灣內站	0:00	30.40	49.47	32.55	8.08	6.38	18.0	15.7	
		3:00	29.39	51.04	33.58	7.92	6.91	12.7	3.1	
		6:00	29.36	51.17	33.66	7.88	6.54	22.6	2.7	
		9:00	30.80	48.89	32.17	8.09	9.72	18.9	1.6	
		12:00	31.96	47.26	31.10	8.31	13.36	15.5	7.1	
		15:00	32.18	47.45	31.23	8.32	12.83	11.0	19.2	
		18:00	32.27	46.58	30.66	8.32	13.14	11.1	12.7	
		21:00	31.19	49.33	32.46	8.03	8.67	13.0	4.9	
	日平均值			30.94	48.90	32.18	8.12	9.69	15.34	8.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月8日	蚵殼站	0:00	30.57	50.11	33.12	8.12	7.63	13.3	4.4	
		3:00	29.87	51.19	33.83	8.03	6.13	13.4	8.0	
		6:00	30.17	50.33	33.26	8.08	6.41	13.6	10.0	
		9:00	31.08	49.46	32.69	8.27	10.51	18.1	4.1	
		12:00	31.20	49.63	32.80	8.31	11.74	19.0	5.2	
		15:00	31.40	49.36	32.62	8.35	12.40	17.8	46.9	
		18:00	31.68	48.87	32.30	8.33	11.77	14.5	33.8	
		21:00	31.35	49.19	32.51	8.22	10.13	14.7	8.1	
	日平均值			30.92	49.77	32.89	8.21	9.59	15.53	15.06
	潮口站	0:00	28.73	49.53	32.65	8.07	7.23	15.3	20.7	
		3:00	29.04	48.27	31.81	8.13	7.62	18.3	7.1	
		6:00	30.03	45.62	30.09	8.34	8.72	11.3	9.1	
		9:00	30.88	46.22	30.48	8.30	9.03	29.6	3.2	
		12:00	30.60	48.13	31.74	8.21	8.87	24.1	4.3	
		15:00	30.66	43.65	28.79	8.09	7.97	11.2	46.1	
		18:00	30.30	48.44	31.93	8.17	8.83	12.6	33.0	
		21:00	30.76	46.96	30.96	8.18	9.41	28.4	16.0	
	日平均值			30.13	47.10	31.06	8.19	8.46	18.82	17.42
	灣內站	0:00	30.82	49.53	32.59	7.98	8.69	16.7	4.8	
		3:00	30.28	49.76	32.74	7.93	6.59	13.7	8.6	
		6:00	29.85	49.64	32.66	7.96	7.35	15.5	10.6	
		9:00	30.29	49.82	32.78	8.00	9.36	14.7	4.7	
		12:00	32.26	47.80	31.46	8.24	13.50	9.3	5.8	
		15:00	31.94	48.46	31.89	8.23	12.73	10.6	47.1	
		18:00	31.59	48.83	32.13	8.15	11.72	11.7	34.0	
		21:00	31.52	48.74	32.07	8.13	11.28	11.0	8.7	
	日平均值			31.07	49.07	32.29	8.08	10.15	12.90	15.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月9日	蚵殼站	0:00	31.30	48.57	32.10	8.29	9.71	11.4	10.4	
		3:00	30.42	50.64	33.47	8.10	6.92	9.3	11.7	
		6:00	30.02	51.27	33.88	8.09	7.17	8.3	15.3	
		9:00	30.96	49.07	32.43	8.30	10.54	16.0	9.0	
		12:00	31.10	48.42	32.00	8.36	11.40	17.8	23.3	
		15:00	31.63	48.90	32.32	8.35	12.34	22.1	16.3	
		18:00	31.91	48.22	31.87	8.31	12.19	22.5	19.7	
		21:00	31.63	48.45	32.02	8.24	9.61	16.9	10.8	
	日平均值			31.12	49.19	32.51	8.26	9.99	15.53	14.56
	潮口站	0:00	29.21	50.59	33.34	8.08	7.23	28.6	22.3	
		3:00	28.68	51.19	33.72	8.04	6.88	23.6	28.5	
		6:00	29.30	50.45	33.45	8.22	7.60	8.7	20.4	
		9:00	29.13	50.10	33.20	8.02	7.45	19.0	10.7	
		12:00	31.09	48.96	32.38	7.99	6.35	28.7	22.5	
		15:00	32.23	49.18	32.54	8.12	6.15	16.4	29.0	
		18:00	31.86	49.26	32.60	8.19	7.07	20.9	34.5	
		21:00	29.78	49.61	32.85	8.07	6.51	24.6	9.5	
	日平均值			30.16	49.92	33.01	8.09	6.91	21.29	22.16
	灣內站	0:00	31.19	49.41	32.51	8.04	9.21	10.7	11.0	
		3:00	30.58	49.67	32.68	7.93	7.36	26.4	12.3	
		6:00	30.00	49.56	32.61	7.84	5.12	16.3	15.9	
		9:00	30.62	49.41	32.51	7.90	7.36	10.1	9.6	
		12:00	31.96	47.76	31.43	8.22	13.17	8.0	23.5	
		15:00	32.22	47.91	31.53	8.21	13.45	7.7	16.9	
		18:00	31.99	48.02	31.60	8.15	12.50	11.0	20.3	
		21:00	32.18	48.17	31.70	8.12	12.12	10.8	11.4	
	日平均值			31.34	48.74	32.07	8.05	10.04	12.59	15.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月10日	蚵殼站	0:00	31.50	49.00	32.38	8.22	8.35	9.8	12.8	
		3:00	30.40	49.89	32.97	8.12	6.56	19.8	15.9	
		6:00	29.87	50.72	33.52	8.08	5.87	14.7	15.4	
		9:00	30.14	50.31	33.25	8.15	8.30	23.9	10.7	
		12:00	30.92	49.40	32.65	8.35	12.59	21.7	17.1	
		15:00	31.87	46.77	30.91	8.46	11.83	23.9	31.5	
		18:00	31.89	43.70	28.88	8.45	12.27	17.4	16.1	
		21:00	31.53	41.01	27.10	8.36	11.48	11.6	11.0	
	日平均值			31.02	47.60	31.46	8.27	9.66	17.85	16.31
	潮口站	0:00	30.68	49.15	32.52	8.19	6.66	14.4	9.6	
		3:00	31.45	49.19	32.55	8.22	6.71	11.9	18.0	
		6:00	29.58	49.58	32.83	8.10	6.76	7.8	25.7	
		9:00	29.12	50.07	33.18	8.07	6.31	8.4	7.4	
		12:00	31.90	49.36	32.67	8.03	6.10	13.4	20.2	
		15:00	30.58	49.74	32.94	8.34	7.27	15.3	37.0	
		18:00	29.52	50.00	33.13	8.01	8.45	13.5	29.9	
		21:00	28.97	50.44	33.44	8.07	6.48	17.8	16.0	
	日平均值			30.23	49.69	32.91	8.13	6.84	12.78	20.47
	灣內站	0:00	32.09	48.25	31.75	8.12	11.35	7.7	13.4	
		3:00	30.73	49.12	32.32	7.96	7.31	8.4	16.5	
		6:00	29.36	49.70	32.70	7.91	6.69	13.1	16.0	
		9:00	30.81	49.15	32.34	8.01	9.15	8.0	11.3	
		12:00	33.08	47.00	30.93	8.28	8.53	12.0	17.7	
		15:00	32.89	47.30	31.13	8.33	7.67	11.6	29.8	
		18:00	31.24	48.77	32.09	8.03	9.90	17.8	16.7	
		21:00	30.80	48.17	31.70	8.01	10.25	16.4	11.6	
	日平均值			31.38	48.43	31.87	8.08	8.86	11.88	16.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月11日	蚵殼站	0:00	30.72	44.83	29.63	8.25	8.54	14.4	10.4	
		3:00	30.35	47.30	31.26	8.17	7.34	15.0	7.2	
		6:00	30.05	49.57	32.76	8.08	5.63	21.6	9.9	
		9:00	29.79	50.13	33.13	8.11	6.62	21.8	6.7	
		12:00	30.74	49.10	32.45	8.35	12.94	21.3	17.9	
		15:00	30.05	47.32	31.27	8.26	13.84	22.7	23.7	
		18:00	30.99	47.16	31.17	8.23	6.82	17.2	14.1	
		21:00	30.99	47.18	31.18	8.23	7.03	16.7	13.2	
	日平均值			30.46	47.82	31.61	8.21	8.60	18.83	12.89
	潮口站	0:00	30.53	49.57	32.82	8.04	6.63	18.2	17.6	
		3:00	30.71	49.26	32.60	7.95	6.68	23.2	28.1	
		6:00	28.14	50.60	33.56	8.04	8.25	9.6	16.0	
		9:00	29.12	50.23	33.29	8.06	7.13	6.0	14.1	
		12:00	31.89	49.28	32.61	8.04	8.18	9.5	25.0	
		15:00	30.36	49.75	32.95	8.12	7.24	15.9	28.1	
		18:00	29.70	48.68	32.18	8.04	6.36	11.4	12.0	
		21:00	29.98	45.51	29.91	8.15	6.95	18.4	39.2	
	日平均值			30.05	49.11	32.49	8.06	7.18	14.01	22.50
	灣內站	0:00	31.20	47.65	31.36	8.05	9.81	13.5	11.0	
		3:00	30.43	48.63	32.00	7.89	6.79	11.8	7.8	
		6:00	29.67	49.15	32.34	7.81	5.15	7.0	10.5	
		9:00	29.80	49.06	32.28	7.88	7.41	11.0	7.3	
		12:00	32.13	45.68	30.07	8.33	13.58	16.0	18.5	
		15:00	32.12	47.30	31.13	8.28	13.30	15.0	25.8	
		18:00	30.76	48.94	32.20	8.07	11.63	13.9	14.7	
		21:00	30.41	49.18	32.36	8.00	9.26	11.3	13.8	
	日平均值			30.82	48.20	31.72	8.04	9.62	12.45	13.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月12日	蚵殼站	0:00	31.06	47.21	31.20	8.08	6.94	13.6	10.7	
		3:00	31.20	47.15	31.16	7.83	6.49	11.8	11.9	
		6:00	30.02	47.15	31.16	8.23	6.09	10.2	8.4	
		9:00	30.28	47.18	31.18	8.01	8.02	14.5	9.6	
		12:00	29.29	47.18	31.18	8.20	9.14	18.9	24.9	
		15:00	29.68	47.16	31.17	7.85	8.44	22.7	21.8	
		18:00	29.19	47.16	31.17	8.08	7.96	21.6	20.1	
		21:00	29.26	47.18	31.18	8.04	6.53	20.5	16.5	
	日平均值			30.00	47.17	31.18	8.04	7.45	16.71	15.49
	潮口站	0:00	29.86	49.49	32.76	8.09	6.63	40.9	18.7	
		3:00	29.86	48.55	32.09	8.06	6.29	21.5	18.1	
		6:00	28.80	49.50	32.77	8.04	5.98	10.7	13.4	
		9:00	29.25	49.78	32.97	8.02	7.36	9.2	23.5	
		12:00	29.64	49.91	33.06	7.94	7.44	18.6	16.9	
		15:00	29.16	50.77	33.68	8.08	8.22	33.0	22.4	
		18:00	29.93	51.29	34.05	8.18	8.54	40.2	16.6	
		21:00	29.25	50.38	33.40	8.10	6.20	30.1	18.6	
	日平均值			29.47	49.96	33.10	8.06	7.08	25.51	18.51
	灣內站	0:00	30.64	48.87	32.16	8.02	9.71	10.4	11.3	
		3:00	30.26	48.87	32.16	8.02	9.52	9.1	12.5	
		6:00	29.71	49.58	32.62	7.85	5.90	7.4	9.0	
		9:00	29.58	49.87	32.81	7.79	6.68	9.2	10.2	
		12:00	31.34	47.99	31.58	8.20	12.18	17.5	18.4	
		15:00	31.73	47.45	31.23	8.27	13.48	20.4	7.8	
		18:00	31.20	48.72	32.06	8.20	13.10	16.6	12.0	
		21:00	30.33	49.12	32.32	8.05	10.21	16.0	30.9	
	日平均值			30.60	48.81	32.12	8.05	10.10	13.31	14.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月13日	蚵殼站	0:00	29.94	47.21	31.20	8.30	7.12	16.8	16.3	
		3:00	29.81	47.15	31.16	8.21	7.25	15.6	16.2	
		6:00	29.93	47.15	31.16	7.88	6.86	14.7	13.6	
		9:00	29.99	47.18	31.18	8.20	7.10	15.7	21.2	
		12:00	30.26	47.18	31.18	8.06	6.58	18.0	14.5	
		15:00	30.56	47.13	31.15	7.89	7.10	6.3	12.7	
		18:00	30.54	47.06	31.10	8.36	8.35	12.4	35.2	
		21:00	29.78	47.06	31.10	8.12	7.09	19.3	31.2	
	日平均值			30.10	47.14	31.15	8.13	7.18	14.86	20.11
	潮口站	0:00	29.84	49.56	32.81	8.07	6.92	27.9	15.5	
		3:00	29.87	49.26	32.60	8.14	6.98	25.8	16.2	
		6:00	30.10	48.62	32.14	8.08	6.71	14.6	23.5	
		9:00	29.36	49.05	32.45	8.19	7.27	12.0	25.2	
		12:00	29.97	49.04	32.44	7.99	6.45	9.3	15.7	
		15:00	30.69	48.65	32.16	8.06	6.78	15.8	20.1	
		18:00	30.44	48.41	31.99	8.27	8.15	17.1	23.7	
		21:00	29.68	49.10	32.48	8.12	6.89	10.1	30.4	
	日平均值			29.99	48.96	32.38	8.12	7.02	16.54	21.25
	灣內站	0:00	30.77	48.28	31.77	8.13	10.22	11.9	16.5	
		3:00	30.38	48.55	31.95	8.04	8.44	12.1	16.8	
		6:00	29.70	49.21	32.38	7.95	7.31	10.6	14.2	
		9:00	29.60	49.12	32.32	7.92	6.13	13.3	6.6	
		12:00	29.73	47.93	31.54	8.01	7.86	11.8	15.1	
		15:00	29.49	47.41	31.20	7.96	7.26	11.9	13.3	
		18:00	29.41	49.56	32.61	7.87	6.17	13.4	18.6	
		21:00	29.18	49.42	32.52	7.85	6.38	7.8	31.4	
	日平均值			29.78	48.69	32.04	7.97	7.47	11.59	16.56
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月14日	蚵殼站	0:00	29.98	47.06	31.10	8.21	7.36	10.1	20.7	
		3:00	29.85	47.06	31.10	8.18	6.69	4.4	11.0	
		6:00	29.58	47.06	31.10	8.02	6.98	5.7	29.4	
		9:00	29.95	49.60	32.78	8.18	10.02	27.2	20.5	
		12:00	28.78	51.01	33.71	8.11	8.46	25.2	26.8	
		15:00	29.31	49.30	32.58	8.31	12.70	32.4	11.5	
		18:00	29.11	49.28	32.57	8.26	11.07	32.1	29.3	
		21:00	29.01	49.25	32.55	8.23	10.30	31.0	32.4	
	日平均值			29.45	48.70	32.19	8.19	9.20	21.02	22.70
	潮口站	0:00	28.67	48.06	31.74	8.23	7.16	13.9	19.9	
		3:00	28.27	48.38	31.97	8.02	6.49	23.6	10.2	
		6:00	28.44	47.98	31.68	8.22	6.78	22.6	28.6	
		9:00	28.87	48.12	31.78	8.07	6.40	18.4	30.1	
		12:00	28.45	48.28	31.82	7.92	8.56	29.5	21.6	
		15:00	29.45	44.97	29.65	7.96	5.85	23.9	18.9	
		18:00	28.15	46.12	30.42	7.87	7.28	16.8	28.5	
		21:00	28.19	45.64	30.08	7.87	6.80	13.4	31.6	
	日平均值			28.56	47.19	31.14	8.02	6.92	20.23	23.67
	灣內站	0:00	29.22	49.52	32.58	7.82	5.46	7.3	20.9	
		3:00	28.70	49.71	32.71	7.79	5.53	7.7	11.2	
		6:00	28.68	48.97	32.22	7.82	5.48	7.9	29.6	
		9:00	28.46	49.94	32.86	7.79	6.23	11.9	20.8	
		12:00	29.25	48.86	32.15	8.10	10.19	8.8	23.5	
		15:00	29.33	49.00	32.24	8.12	10.85	9.4	12.1	
		18:00	28.88	49.52	32.58	8.03	9.46	8.6	18.1	
		21:00	28.89	49.41	32.51	8.03	8.46	10.8	32.6	
	日平均值			28.93	49.37	32.48	7.94	7.71	9.04	21.10
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月15日	蚵殼站	0:00	28.87	50.11	33.12	8.17	8.99	31.4	16.1	
		3:00	28.76	49.30	32.58	8.16	8.98	31.6	8.1	
		6:00	28.68	47.74	31.55	8.17	8.20	33.8	15.3	
		9:00	28.19	48.72	32.20	8.09	7.41	45.0	18.9	
		12:00	28.27	47.95	31.69	8.10	7.84	39.1	8.9	
		15:00	28.42	46.38	30.65	8.13	8.40	37.6	8.3	
		18:00	28.40	46.33	30.62	8.16	8.93	35.0	13.8	
		21:00	28.42	48.90	32.32	8.12	6.97	39.7	36.3	
	日平均值			28.50	48.18	31.84	8.14	8.22	36.64	15.71
	潮口站	0:00	28.50	42.52	28.04	7.91	6.83	16.7	15.3	
		3:00	28.42	43.92	28.97	7.87	6.53	39.4	7.3	
		6:00	27.47	43.53	28.71	7.90	6.26	30.0	14.5	
		9:00	27.49	42.98	28.35	7.93	6.17	17.1	18.1	
		12:00	28.21	40.16	26.50	7.99	6.45	20.5	8.1	
		15:00	28.22	41.73	27.54	7.94	6.39	23.4	7.5	
		18:00	28.01	46.64	30.75	7.92	6.73	13.2	13.0	
		21:00	27.65	43.82	28.91	7.94	6.88	20.5	35.5	
	日平均值			28.00	43.16	28.47	7.93	6.53	22.56	14.88
	灣內站	0:00	28.68	49.09	32.30	8.01	8.07	14.3	16.3	
		3:00	28.64	47.55	31.29	7.95	6.98	8.9	8.3	
		6:00	28.43	47.33	31.15	7.95	6.76	10.7	15.5	
		9:00	28.34	48.11	31.66	7.96	6.76	11.4	19.1	
		12:00	28.39	47.70	31.39	7.99	7.64	14.3	9.1	
		15:00	28.47	46.09	30.34	8.06	8.65	22.3	8.5	
		18:00	28.41	47.18	31.05	7.97	7.35	15.5	14.0	
		21:00	28.17	47.88	31.51	7.95	5.93	20.1	36.5	
	日平均值			28.44	47.62	31.34	7.98	7.27	14.68	15.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月16日	蚵殼站	0:00	28.20	49.12	32.46	8.09	7.30	38.0	13.7	
		3:00	28.31	48.04	31.75	8.09	7.19	35.2	6.6	
		6:00	28.28	46.94	31.02	8.07	7.01	26.7	13.8	
		9:00	28.42	49.72	32.86	8.06	7.09	27.5	12.3	
		12:00	28.55	51.01	33.71	8.07	7.28	27.3	21.8	
		15:00	28.68	49.60	32.78	8.20	11.21	29.0	7.8	
		18:00	28.97	47.09	31.12	8.31	12.61	31.8	7.3	
		21:00	29.22	46.57	30.78	8.33	12.56	36.0	15.5	
	日平均值			28.58	48.51	32.06	8.15	9.03	31.42	12.35
	潮口站	0:00	27.84	37.32	24.65	7.97	6.67	15.1	12.9	
		3:00	28.11	42.35	27.94	7.93	6.31	29.7	5.8	
		6:00	27.50	46.96	30.95	7.93	6.65	13.0	13.0	
		9:00	27.69	44.72	29.48	7.93	6.44	15.3	11.5	
		12:00	28.93	41.48	27.36	7.97	7.78	12.1	21.0	
		15:00	28.64	43.68	28.80	7.91	6.57	20.8	7.0	
		18:00	28.12	39.58	25.55	7.91	6.52	37.8	6.5	
		21:00	28.12	40.96	27.03	7.91	7.25	9.7	14.7	
	日平均值			28.12	42.13	27.72	7.93	6.77	19.16	11.53
	灣內站	0:00	28.13	48.14	31.68	7.91	5.78	18.5	13.9	
		3:00	28.24	46.98	30.92	7.95	6.78	11.4	6.8	
		6:00	28.30	46.32	30.49	7.87	5.89	7.6	14.0	
		9:00	28.15	49.18	32.36	7.88	5.96	8.9	12.5	
		12:00	28.22	49.45	32.54	7.95	7.65	11.0	25.7	
		15:00	29.55	40.73	26.83	8.34	12.67	14.7	7.1	
		18:00	29.07	45.22	29.77	8.14	7.21	12.2	7.5	
		21:00	28.54	48.86	32.15	7.98	9.07	13.3	15.7	
	日平均值			28.53	46.86	30.84	8.00	7.63	12.20	12.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月17日	蚵殼站	0:00	28.71	47.94	31.68	8.23	10.47	38.5	11.0	
		3:00	29.18	44.97	29.72	8.26	11.26	32.9	12.3	
		6:00	29.15	44.29	29.27	8.26	10.96	31.7	15.9	
		9:00	28.69	48.57	32.10	8.17	10.07	32.3	9.4	
		12:00	28.66	49.78	32.90	8.16	9.84	33.8	13.4	
		15:00	29.04	46.54	30.76	8.28	12.66	37.1	5.3	
		18:00	29.26	45.65	30.17	8.30	12.12	40.6	7.4	
		21:00	28.77	48.77	32.23	8.26	9.87	41.3	5.7	
	日平均值			28.93	47.06	31.10	8.24	10.91	36.04	10.05
	潮口站	0:00	28.59	38.65	24.50	7.95	6.33	17.0	10.2	
		3:00	28.52	37.01	21.63	8.03	6.41	27.4	11.5	
		6:00	28.23	41.53	27.39	7.93	6.30	6.6	15.1	
		9:00	27.93	42.31	27.91	7.98	6.29	21.3	8.6	
		12:00	28.92	39.38	26.00	8.00	7.00	18.4	12.6	
		15:00	28.97	39.42	26.01	8.01	6.10	17.5	4.5	
		18:00	28.65	40.98	27.05	7.95	6.23	23.9	6.6	
		21:00	28.11	41.29	27.23	7.92	6.74	9.9	4.9	
	日平均值			28.49	40.07	25.97	7.97	6.43	17.74	9.23
	灣內站	0:00	28.17	48.34	31.81	7.99	7.98	26.2	11.2	
		3:00	28.36	46.89	30.86	7.99	8.23	17.7	12.5	
		6:00	28.55	44.77	29.47	8.05	9.08	13.0	16.1	
		9:00	28.62	45.16	29.73	8.06	9.57	18.6	9.6	
		12:00	28.40	49.10	32.31	7.93	7.15	19.7	13.6	
		15:00	29.67	41.54	27.36	8.40	9.65	22.3	5.5	
		18:00	29.36	44.22	29.11	8.19	8.61	23.8	7.6	
		21:00	28.39	49.00	32.24	7.93	7.16	14.8	5.9	
	日平均值			28.69	46.13	30.36	8.07	8.43	19.50	10.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月18日	蚵殼站	0:00	28.55	50.28	33.23	8.20	8.60	39.6	9.0	
		3:00	28.94	48.90	32.32	8.18	10.37	37.4	5.3	
		6:00	29.08	47.78	31.58	8.25	12.07	31.3	7.9	
		9:00	28.96	48.50	32.05	8.25	12.15	32.9	8.8	
		12:00	29.17	47.80	31.59	8.31	10.82	33.8	9.8	
		15:00	29.14	48.06	31.76	8.26	12.39	35.4	8.7	
		18:00	29.32	45.92	30.35	8.42	12.92	34.1	7.3	
		21:00	29.15	47.27	31.24	8.34	10.31	33.8	11.9	
	日平均值			29.04	48.06	31.77	8.28	11.20	34.78	8.59
	潮口站	0:00	28.93	38.36	24.99	8.00	6.62	10.8	8.2	
		3:00	28.67	39.30	25.50	7.99	6.32	13.5	4.5	
		6:00	28.64	39.90	26.33	7.95	6.31	15.2	7.1	
		9:00	28.30	42.09	27.77	7.93	7.09	10.1	8.0	
		12:00	28.26	38.60	25.48	7.93	6.80	23.2	9.0	
		15:00	29.43	36.36	23.47	8.03	6.67	15.0	7.9	
		18:00	28.80	39.69	26.20	7.97	6.33	30.2	6.5	
		21:00	28.13	39.64	26.16	7.94	7.42	13.1	11.1	
	日平均值			28.65	39.24	25.74	7.97	6.70	16.37	7.77
	灣內站	0:00	28.31	48.57	31.96	7.90	8.38	16.0	9.2	
		3:00	28.38	47.91	31.53	7.99	7.81	17.9	5.5	
		6:00	29.20	44.90	29.56	8.17	11.56	17.1	8.1	
		9:00	29.44	43.62	28.72	8.27	10.66	22.1	9.0	
		12:00	28.77	48.00	31.59	7.95	6.38	19.2	10.0	
		15:00	28.83	47.13	31.02	8.06	7.92	16.0	8.9	
		18:00	29.71	40.67	26.79	8.39	12.86	19.6	7.5	
		21:00	28.92	46.72	30.75	8.04	7.61	22.0	12.1	
	日平均值			28.95	45.94	30.24	8.10	9.15	18.74	8.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月19日	蚵殼站	0:00	28.77	49.00	32.38	8.20	9.50	33.0	12.4	
		3:00	28.78	48.72	32.20	8.18	9.74	30.1	4.0	
		6:00	28.84	45.98	30.39	8.21	10.44	31.7	6.8	
		9:00	28.98	46.44	30.69	8.30	12.68	31.6	9.0	
		12:00	29.03	46.95	31.03	8.35	12.77	31.4	14.9	
		15:00	29.21	46.68	30.85	8.40	13.61	31.8	11.6	
		18:00	29.25	46.74	30.89	8.37	13.34	29.1	11.2	
		21:00	29.14	46.70	30.86	8.37	12.84	29.4	14.2	
	日平均值			29.00	47.15	31.16	8.30	11.87	31.01	10.51
	潮口站	0:00	28.39	38.01	25.11	7.95	7.41	7.9	11.6	
		3:00	28.54	39.59	24.79	8.00	6.89	13.1	3.2	
		6:00	28.65	36.71	22.02	8.16	7.00	13.5	6.0	
		9:00	28.88	37.09	23.91	8.06	7.10	13.6	8.2	
		12:00	29.26	35.28	22.33	8.18	6.93	19.6	14.1	
		15:00	29.41	34.62	22.12	8.20	6.97	19.3	13.7	
		18:00	29.25	36.09	22.97	8.18	6.96	19.7	5.3	
		21:00	28.53	39.55	26.10	8.00	7.51	7.0	11.3	
	日平均值			28.86	37.12	23.67	8.09	7.10	14.19	9.14
	灣內站	0:00	28.59	48.39	31.84	7.89	6.18	12.8	12.6	
		3:00	28.61	46.67	30.72	7.92	6.70	8.9	4.2	
		6:00	28.54	46.87	30.85	7.95	6.69	9.1	7.0	
		9:00	29.02	46.09	30.34	8.10	9.27	9.7	9.2	
		12:00	29.20	46.54	30.63	8.16	10.29	12.9	15.1	
		15:00	29.22	46.74	30.76	8.22	11.82	13.7	12.2	
		18:00	29.28	45.97	30.26	8.22	10.94	13.0	11.8	
		21:00	28.98	45.48	29.94	8.27	10.46	10.0	14.8	
	日平均值			28.93	46.59	30.67	8.09	9.04	11.26	10.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月20日	蚵殼站	0:00	28.83	49.78	32.90	8.19	9.20	33.6	13.8	
		3:00	28.74	50.18	33.16	8.08	7.58	29.3	10.2	
		6:00	29.02	48.00	31.72	8.20	9.53	28.9	7.6	
		9:00	29.22	48.50	32.05	8.36	12.72	29.8	7.1	
		12:00	30.03	47.03	31.08	8.46	12.63	29.3	11.3	
		15:00	30.20	47.19	31.19	8.42	11.98	29.1	15.6	
		18:00	30.50	46.47	30.71	8.40	13.52	29.0	11.7	
		21:00	30.17	47.68	31.51	8.36	13.14	28.1	13.1	
	日平均值			29.59	48.10	31.79	8.31	11.29	29.61	11.30
	潮口站	0:00	28.54	38.85	25.65	7.99	7.94	9.6	13.1	
		3:00	28.67	37.21	24.54	8.06	7.16	14.0	5.0	
		6:00	28.82	35.82	22.71	8.13	6.50	15.7	6.2	
		9:00	29.43	35.91	22.87	8.11	6.99	17.9	5.1	
		12:00	29.69	37.15	24.53	8.04	7.08	18.9	8.4	
		15:00	30.41	37.45	22.68	8.03	7.28	13.5	17.0	
		18:00	30.11	36.04	23.72	8.04	6.58	30.1	8.0	
		21:00	29.37	37.19	24.38	8.02	6.65	27.2	10.0	
	日平均值			29.38	36.95	23.89	8.05	7.02	18.35	9.07
	灣內站	0:00	28.88	47.24	31.09	8.08	7.47	17.0	14.4	
		3:00	28.53	49.38	32.49	7.83	7.15	15.4	10.8	
		6:00	28.79	47.65	31.36	7.94	6.59	12.0	8.2	
		9:00	29.25	44.67	29.41	8.27	10.46	9.6	7.7	
		12:00	29.32	46.42	30.55	8.22	10.53	10.2	11.9	
		15:00	29.52	47.24	31.09	8.21	10.67	11.7	16.2	
		18:00	29.59	47.15	31.03	8.18	11.03	12.5	12.3	
		21:00	29.87	45.59	30.01	8.23	9.21	7.8	13.7	
	日平均值			29.22	46.92	30.88	8.12	9.14	12.02	11.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月21日	蚵殼站	0:00	29.96	48.04	31.75	8.27	12.50	29.6	8.1	
		3:00	29.93	47.88	31.64	8.32	12.59	29.1	13.5	
		6:00	29.87	47.63	31.48	8.32	12.01	36.7	10.5	
		9:00	29.83	47.32	31.27	8.32	11.51	31.5	7.1	
		12:00	30.56	45.79	30.26	8.41	12.23	51.8	19.4	
		15:00	30.05	46.30	30.60	8.35	11.93	11.8	14.3	
		18:00	30.21	45.61	30.14	8.39	12.52	10.1	16.3	
		21:00	30.20	45.79	30.26	8.47	12.66	13.3	12.7	
	日平均值			30.08	46.80	30.93	8.36	12.24	26.73	12.74
	潮口站	0:00	28.49	35.69	22.40	7.98	7.15	10.4	7.5	
		3:00	28.98	36.43	23.80	8.01	6.88	15.3	10.9	
		6:00	29.80	35.55	23.45	8.08	6.66	14.7	9.4	
		9:00	29.90	33.27	21.15	8.14	6.91	20.5	8.6	
		12:00	30.54	45.66	22.80	8.10	6.98	14.6	7.0	
		15:00	30.24	45.09	29.81	8.12	6.65	9.9	12.6	
		18:00	30.80	40.48	26.76	8.28	6.31	16.7	6.4	
		21:00	30.56	41.11	27.19	8.29	6.15	14.5	6.9	
	日平均值			29.91	39.16	24.67	8.13	6.71	14.56	8.63
	灣內站	0:00	29.40	47.97	31.57	8.02	7.30	15.9	8.7	
		3:00	29.54	47.51	31.27	7.90	7.58	14.2	14.1	
		6:00	29.63	46.26	30.45	8.01	6.31	14.1	11.1	
		9:00	29.74	45.25	29.79	8.44	10.12	20.3	7.7	
		12:00	29.83	44.95	29.59	8.42	9.93	7.6	20.1	
		15:00	30.51	45.47	29.93	8.45	9.70	10.4	15.0	
		18:00	29.87	46.49	30.60	8.40	8.50	9.8	17.1	
		21:00	29.27	47.62	31.34	8.27	6.78	6.7	13.5	
	日平均值			29.72	46.44	30.57	8.24	8.28	12.37	13.41
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月22日	蚵殼站	0:00	29.81	46.57	30.78	8.40	10.77	7.9	12.5	
		3:00	29.44	47.06	31.10	8.31	8.76	8.2	12.3	
		6:00	29.03	48.74	32.21	8.18	7.65	11.7	11.2	
		9:00	29.04	47.83	31.61	8.26	8.77	11.0	10.7	
		12:00	28.99	48.75	32.22	8.21	8.56	11.3	14.3	
		15:00	29.12	47.98	31.71	8.30	9.80	12.3	11.2	
		18:00	28.99	48.36	31.96	8.22	8.10	16.6	22.7	
		21:00	28.88	48.24	31.88	8.21	7.62	12.3	15.4	
	日平均值			29.16	47.94	31.68	8.26	8.75	11.41	13.79
	潮口站	0:00	29.03	48.59	32.11	8.14	7.19	10.0	6.0	
		3:00	29.10	45.62	30.14	8.15	7.63	7.5	10.0	
		6:00	29.38	43.06	28.46	8.29	8.74	10.0	10.6	
		9:00	29.26	43.72	28.89	8.28	8.89	14.8	3.0	
		12:00	29.23	44.00	29.07	8.25	8.15	16.6	6.8	
		15:00	29.21	47.91	31.65	8.12	7.20	37.8	8.5	
		18:00	29.19	44.54	29.42	8.18	7.93	19.9	5.6	
		21:00	28.89	43.05	28.45	8.18	7.27	18.1	7.2	
	日平均值			29.16	45.06	29.77	8.20	7.88	16.82	7.18
	灣內站	0:00	29.00	48.11	31.66	8.22	5.85	6.6	13.2	
		3:00	28.66	49.39	32.50	8.08	5.21	9.7	13.0	
		6:00	28.58	49.36	32.48	8.07	5.71	7.0	11.9	
		9:00	28.58	49.23	32.39	8.02	5.84	11.4	11.5	
		12:00	28.59	49.65	32.67	7.96	6.15	7.3	15.0	
		15:00	28.74	49.47	32.55	8.13	5.90	5.9	12.0	
		18:00	28.58	49.24	32.40	8.05	5.60	7.3	23.4	
		21:00	28.52	49.04	32.27	8.02	7.91	6.7	16.1	
	日平均值			28.66	49.19	32.37	8.07	6.02	7.74	14.51
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月23日	蚵殼站	0:00	27.91	47.54	31.42	8.23	7.77	14.0	12.8	
		3:00	27.81	48.09	31.78	8.13	6.87	14.3	10.2	
		6:00	27.71	48.09	31.78	8.14	7.06	14.5	9.4	
		9:00	27.29	47.92	31.67	8.39	6.93	19.6	10.4	
		12:00	26.97	44.21	29.22	8.21	7.22	10.8	10.8	
		15:00	26.95	42.73	28.24	7.95	8.94	14.6	10.6	
		18:00	27.03	42.93	28.37	8.22	8.11	22.9	13.2	
		21:00	26.77	41.96	27.73	8.23	5.99	27.5	10.3	
	日平均值			27.31	45.43	30.03	8.19	7.36	17.27	10.96
	潮口站	0:00	28.76	46.79	30.91	8.10	6.68	29.7	6.3	
		3:00	28.80	49.08	32.40	8.09	7.62	56.2	5.0	
		6:00	28.55	47.70	31.52	8.10	7.35	23.2	6.5	
		9:00	28.26	45.97	30.38	8.10	6.93	21.1	11.5	
		12:00	28.03	45.11	29.81	8.07	6.46	21.7	7.3	
		15:00	27.83	39.30	25.98	8.07	7.02	40.8	5.7	
		18:00	27.58	42.01	27.76	8.06	6.20	16.4	9.2	
		21:00	26.75	37.92	23.50	8.07	6.54	19.3	6.8	
	日平均值			28.07	44.24	29.03	8.08	6.85	28.54	7.26
	灣內站	0:00	28.39	48.26	31.76	8.00	5.86	36.0	13.6	
		3:00	28.29	48.55	31.95	8.05	7.11	23.4	11.0	
		6:00	28.19	48.35	31.82	8.07	5.70	27.0	10.2	
		9:00	27.76	45.87	30.19	7.93	6.41	26.4	11.1	
		12:00	27.43	42.99	28.31	7.82	7.17	31.2	11.6	
		15:00	27.41	41.54	27.36	8.42	8.89	54.6	11.3	
		18:00	27.50	41.73	27.48	8.19	8.18	46.2	14.0	
		21:00	27.23	40.78	26.86	8.07	5.94	29.4	11.1	
	日平均值			27.78	44.76	29.47	8.07	6.91	34.28	11.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月24日	蚵殼站	0:00	26.95	42.50	28.09	7.98	7.62	15.8	10.3	
		3:00	26.96	41.87	27.67	7.85	6.41	20.0	10.2	
		6:00	27.07	40.93	27.05	8.31	6.50	8.8	6.9	
		9:00	26.49	41.52	27.44	8.23	5.78	14.4	7.0	
		12:00	26.46	42.32	27.97	8.45	5.71	13.0	8.6	
		15:00	26.39	42.78	28.27	8.40	6.08	13.3	7.7	
		18:00	26.54	42.02	27.77	8.17	6.59	12.4	10.0	
		21:00	26.40	41.85	27.66	8.05	7.01	17.5	9.1	
	日平均值			26.66	41.97	27.74	8.18	6.46	14.39	8.73
	潮口站	0:00	26.76	40.63	23.97	8.06	6.70	56.1	5.8	
		3:00	27.24	39.23	25.95	8.07	7.22	130.2	6.1	
		6:00	27.12	40.64	26.30	8.07	6.50	37.3	6.8	
		9:00	26.40	36.89	23.15	8.05	6.59	18.3	6.3	
		12:00	26.65	37.72	23.74	8.04	6.35	17.8	10.8	
		15:00	27.20	38.44	25.05	8.05	5.69	25.0	6.1	
		18:00	26.98	36.96	23.48	8.06	6.48	30.6	5.0	
		21:00	27.00	35.84	23.43	8.07	5.92	13.3	5.2	
	日平均值			26.92	38.29	24.38	8.06	6.43	41.09	6.49
	灣內站	0:00	27.41	41.31	27.21	8.03	5.56	33.0	11.1	
		3:00	27.42	40.70	26.81	8.35	6.36	31.8	10.9	
		6:00	27.54	39.77	26.20	8.30	6.39	32.4	7.5	
		9:00	26.95	40.35	26.58	8.22	5.62	100.2	7.7	
		12:00	26.92	41.15	27.10	8.20	6.18	68.4	9.3	
		15:00	26.84	41.59	27.39	8.45	5.84	49.8	8.5	
		18:00	27.00	40.84	26.90	8.18	6.54	57.6	10.8	
		21:00	26.86	40.69	26.80	8.02	6.71	34.8	9.8	
	日平均值			27.12	40.80	26.87	8.22	6.15	51.00	9.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月25日	蚵殼站	0:00	26.15	42.81	28.29	8.36	6.28	9.8	5.9	
		3:00	26.06	42.41	28.03	8.15	6.37	6.8	7.4	
		6:00	26.14	41.94	27.72	7.74	6.38	7.2	6.5	
		9:00	25.95	42.17	27.87	7.99	5.72	9.3	4.3	
		12:00	25.95	41.91	27.70	7.99	6.50	10.0	6.9	
		15:00	26.39	42.16	27.86	8.03	8.25	15.2	18.0	
		18:00	26.65	41.38	27.35	8.16	8.19	11.2	14.4	
		21:00	26.09	42.59	28.15	8.10	6.02	11.4	7.1	
	日平均值			26.17	42.17	27.87	8.07	6.71	10.12	8.81
	潮口站	0:00	27.14	38.22	25.27	8.07	5.79	34.9	4.4	
		3:00	26.42	36.27	22.45	8.09	7.20	172.7	9.5	
		6:00	26.53	38.14	23.62	8.07	6.68	63.8	3.6	
		9:00	26.27	44.22	28.99	8.05	6.52	14.6	5.3	
		12:00	27.37	40.62	26.41	8.05	5.98	13.5	4.6	
		15:00	27.46	40.38	26.24	8.05	6.24	16.5	5.0	
		18:00	27.51	43.66	28.59	8.05	5.93	19.3	4.2	
		21:00	27.52	41.51	27.05	8.05	6.04	29.9	4.8	
	日平均值			27.03	40.38	26.08	8.06	6.30	45.64	5.16
	灣內站	0:00	26.60	41.62	27.41	7.98	6.23	45.0	6.7	
		3:00	26.51	41.22	27.15	8.07	6.03	45.0	8.2	
		6:00	26.59	40.76	26.85	8.06	6.10	30.6	7.3	
		9:00	26.40	40.99	27.00	8.28	5.67	58.8	5.0	
		12:00	26.40	40.73	26.83	8.19	6.45	58.2	7.6	
		15:00	26.85	40.98	26.99	8.30	8.20	53.4	18.8	
		18:00	27.11	40.23	26.50	8.29	8.14	35.4	15.2	
		21:00	26.54	41.41	27.27	8.15	8.48	39.6	7.8	
	日平均值			26.63	40.99	27.00	8.17	6.91	45.75	9.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月26日	蚵殼站	0:00	26.09	42.73	28.24	8.20	6.55	9.5	7.0	
		3:00	25.91	42.05	27.79	8.26	6.14	9.0	4.3	
		6:00	25.98	42.44	28.05	8.17	6.30	8.3	8.6	
		9:00	26.08	42.67	28.20	8.26	6.23	9.8	6.1	
		12:00	26.19	42.81	28.29	8.42	6.47	13.1	9.3	
		15:00	26.33	43.26	28.59	8.47	6.65	11.6	10.1	
		18:00	26.26	42.97	28.40	8.29	6.35	7.6	10.7	
		21:00	26.30	41.84	27.65	8.22	6.00	8.9	10.3	
	日平均值			26.14	42.60	28.15	8.29	6.34	9.72	8.30
	潮口站	0:00	27.51	41.33	26.92	8.05	6.03	8.4	3.1	
		3:00	27.39	40.45	26.29	8.03	6.20	16.8	6.3	
		6:00	27.41	42.12	27.49	8.18	5.81	14.3	4.5	
		9:00	27.49	45.88	30.18	8.38	6.45	28.2	3.7	
		12:00	27.51	43.02	28.13	7.85	6.76	11.8	4.1	
		15:00	27.58	43.16	28.23	7.99	7.35	14.0	10.2	
		18:00	27.48	38.81	25.12	8.05	5.74	12.8	5.4	
		21:00	27.75	37.53	24.20	8.35	6.05	14.5	5.9	
	日平均值			27.52	41.54	27.07	8.11	6.30	15.07	5.39
	灣內站	0:00	26.54	41.54	27.36	8.26	6.50	38.4	7.7	
		3:00	26.36	40.87	26.92	8.47	6.09	31.8	5.0	
		6:00	26.43	41.25	27.17	8.21	5.84	33.0	9.4	
		9:00	26.53	41.48	27.32	8.03	6.18	45.6	6.8	
		12:00	26.64	41.62	27.41	8.35	6.42	26.4	10.1	
		15:00	26.78	42.06	27.70	8.42	6.60	46.8	10.9	
		18:00	26.71	41.77	27.51	7.94	5.60	29.4	11.5	
		21:00	26.75	40.67	26.79	8.17	5.95	34.8	11.1	
	日平均值			26.59	41.41	27.27	8.23	6.15	35.78	9.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
8月27日	蚵殼站	0:00	26.48	39.08	25.83	8.03	6.88	9.4	12.5	
		3:00	26.53	38.87	25.69	8.22	7.37	9.4	10.7	
		6:00	26.69	38.39	25.37	8.02	7.54	18.4	11.9	
		9:00	26.64	38.64	25.54	7.93	7.22	12.4	14.3	
		12:00	26.88	38.48	25.43	7.57	5.83	18.2	17.2	
		15:00	26.75	38.28	25.30	8.04	7.09	20.0	8.8	
		18:00	26.96	40.10	26.50	8.20	7.75	15.7	14.4	
		21:00	26.69	39.16	25.88	7.85	6.85	23.1	6.3	
	日平均值			26.70	38.88	25.69	7.98	7.07	15.82	12.01
	潮口站	0:00	27.60	42.05	27.44	8.10	6.19	9.8	7.0	
		3:00	27.52	40.59	26.39	8.45	6.20	10.7	7.6	
		6:00	27.58	40.08	26.03	7.72	5.89	10.7	5.3	
		9:00	27.55	35.63	22.84	8.14	6.43	16.8	7.4	
		12:00	27.76	42.50	27.76	7.86	6.09	28.6	9.6	
		15:00	27.82	41.27	26.88	7.82	6.52	10.0	17.9	
		18:00	27.93	42.25	27.58	7.75	6.48	26.1	13.1	
		21:00	27.72	43.05	28.15	7.80	6.54	13.4	21.7	
	日平均值			27.69	40.93	26.63	7.96	6.29	15.74	11.19
	灣內站	0:00	26.94	37.97	25.02	8.42	6.83	46.2	13.3	
		3:00	26.99	37.77	24.89	8.03	7.32	34.2	11.5	
		6:00	27.15	37.30	24.58	8.02	7.49	32.4	12.7	
		9:00	27.10	37.54	24.74	7.90	7.17	28.2	15.1	
		12:00	27.34	37.39	24.64	8.30	5.92	115.2	12.7	
		15:00	27.21	37.19	24.51	7.90	6.74	114.3	1.7	
		18:00	27.42	38.96	25.67	8.09	6.46	121.5	23.5	
		21:00	27.15	38.05	25.07	7.75	7.23	83.0	11.7	
	日平均值			27.16	37.77	24.89	8.05	6.90	71.88	12.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月28日	蚵殼站	0:00	26.43	38.83	25.66	8.24	6.17	19.0	13.0	
		3:00	26.40	37.83	25.00	8.46	6.34	19.0	12.4	
		6:00	26.39	37.30	24.65	8.34	5.96	16.1	15.5	
		9:00	26.45	37.45	24.75	8.02	5.74	19.3	14.2	
		12:00	26.66	36.95	24.42	8.36	6.15	17.3	12.6	
		15:00	26.43	36.94	24.41	8.03	6.22	21.7	13.1	
		18:00	26.80	36.25	23.96	8.03	6.64	14.7	17.4	
		21:00	26.96	35.97	23.77	8.00	6.41	15.9	13.5	
	日平均值			26.57	37.19	24.58	8.19	6.20	17.86	13.96
	潮口站	0:00	27.60	41.78	27.24	7.98	6.41	10.6	9.3	
		3:00	27.59	40.34	26.21	8.30	5.96	7.8	9.4	
		6:00	27.33	39.54	25.64	8.46	6.66	15.2	12.6	
		9:00	27.34	39.43	25.56	8.15	6.53	21.9	9.7	
		12:00	27.53	40.04	26.00	7.63	6.56	17.0	9.7	
		15:00	27.72	39.74	25.78	7.51	7.34	12.4	12.6	
		18:00	27.76	40.56	26.37	7.51	6.90	17.9	13.5	
		21:00	27.76	41.44	27.00	7.71	6.86	19.5	13.3	
	日平均值			27.58	40.36	26.23	7.91	6.65	15.28	11.23
	灣內站	0:00	26.89	37.72	24.86	8.09	6.12	34.2	13.8	
		3:00	26.86	36.75	24.22	8.10	6.29	31.8	13.2	
		6:00	26.85	36.23	23.88	8.35	5.91	60.6	16.3	
		9:00	26.91	36.38	23.98	8.18	5.69	54.0	14.9	
		12:00	27.12	35.89	23.66	8.35	6.10	52.8	13.3	
		15:00	26.89	35.88	23.65	7.95	7.27	29.4	13.9	
		18:00	27.26	35.20	23.21	8.39	6.59	29.4	18.2	
		21:00	27.42	34.93	23.03	8.43	6.36	25.2	14.3	
	日平均值			27.03	36.12	23.81	8.23	6.29	39.68	14.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月29日	蚵殼站	0:00	26.51	36.95	24.42	8.09	6.33	18.8	12.2	
		3:00	26.52	37.18	24.57	8.27	5.73	17.7	14.4	
		6:00	26.11	36.41	24.06	7.72	7.22	26.5	9.9	
		9:00	26.97	40.52	26.78	7.60	7.32	61.2	18.3	
		12:00	26.93	40.51	26.77	7.90	8.09	30.0	21.8	
		15:00	25.98	33.23	21.96	7.79	6.32	17.8	13.9	
		18:00	26.07	34.38	22.72	7.91	6.02	24.3	14.8	
		21:00	26.00	35.65	23.56	8.20	8.01	21.3	7.6	
	日平均值			26.39	36.85	24.36	7.94	6.88	27.20	14.11
	潮口站	0:00	27.67	42.50	27.76	7.81	6.66	10.5	10.2	
		3:00	27.69	36.34	23.35	8.22	6.69	11.8	15.9	
		6:00	27.71	42.77	27.95	7.51	6.04	13.1	9.2	
		9:00	27.71	46.02	30.28	8.40	7.16	12.3	8.2	
		12:00	27.80	47.67	31.46	8.31	5.55	18.3	16.1	
		15:00	27.88	39.75	25.79	8.46	6.42	11.3	13.3	
		18:00	27.86	40.77	26.52	8.07	6.12	11.1	14.1	
		21:00	27.74	41.89	27.32	8.00	6.28	9.9	7.0	
	日平均值			27.76	42.21	27.55	8.10	6.37	12.25	11.74
	灣內站	0:00	26.97	35.89	23.66	8.34	6.28	24.6	12.9	
		3:00	26.98	36.11	23.80	7.95	6.39	22.8	15.1	
		6:00	26.56	35.36	23.31	7.61	7.42	84.6	10.2	
		9:00	27.44	39.37	25.94	7.90	5.82	79.0	26.5	
		12:00	27.39	39.36	25.93	8.23	6.98	75.0	10.5	
		15:00	26.43	32.24	21.27	7.90	6.12	73.8	14.3	
		18:00	26.52	33.37	22.01	7.97	5.82	72.6	15.1	
		21:00	26.45	34.61	22.82	8.03	6.42	65.4	8.0	
	日平均值			26.84	35.79	23.59	7.99	6.41	62.23	14.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月30日	蚵殼站	0:00	25.81	34.56	22.84	8.01	6.97	16.6	14.0	
		3:00	25.69	34.27	22.65	8.45	7.89	16.1	9.6	
		6:00	25.76	34.38	22.72	7.74	6.80	17.2	9.7	
		9:00	26.01	39.13	25.86	8.21	6.65	16.7	6.8	
		12:00	26.28	37.65	24.88	7.71	6.84	15.8	8.0	
		15:00	26.19	38.52	25.46	7.84	6.72	15.2	6.7	
		18:00	26.28	38.12	25.19	8.23	7.63	15.5	10.8	
		21:00	26.16	39.40	26.04	8.16	6.43	16.6	7.0	
	日平均值			26.02	37.00	24.46	8.04	6.99	16.22	9.08
	潮口站	0:00	27.77	40.92	26.63	7.70	5.68	8.2	13.4	
		3:00	27.86	38.21	24.69	7.56	7.26	10.7	9.0	
		6:00	27.69	40.77	26.52	8.41	5.66	9.8	9.1	
		9:00	27.76	45.00	29.55	7.53	6.00	10.7	6.1	
		12:00	28.03	43.68	28.60	8.29	5.63	13.4	7.4	
		15:00	27.94	38.39	24.82	8.00	6.79	9.9	6.0	
		18:00	28.03	37.95	24.50	8.21	5.94	9.8	10.2	
		21:00	27.91	45.25	29.73	7.63	6.69	12.0	6.3	
	日平均值			27.87	41.27	26.88	7.92	6.21	10.54	8.41
	灣內站	0:00	26.26	33.56	22.13	8.00	5.98	55.2	14.4	
		3:00	26.13	33.27	21.94	7.90	6.53	70.2	10.0	
		6:00	26.20	33.37	22.01	7.52	8.33	64.8	10.1	
		9:00	26.46	38.01	25.05	8.14	6.29	45.6	10.8	
		12:00	26.73	36.56	24.10	7.83	7.64	49.8	9.6	
		15:00	26.64	37.42	24.66	7.77	9.49	40.8	7.0	
		18:00	26.73	37.02	24.40	7.87	5.57	46.8	14.2	
		21:00	26.61	38.29	25.23	7.72	10.20	52.8	5.7	
	日平均值			26.47	35.94	23.69	7.84	7.50	53.25	10.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
8月31日	蚵殼站	0:00	26.57	37.21	24.59	7.91	6.93	13.04	8.50	
		3:00	26.06	39.42	26.05	7.87	6.48	16.86	7.50	
		6:00	25.99	39.57	26.15	8.00	7.09	13.0	10.2	
		9:00	26.90	42.08	27.81	7.99	9.58	10.9	17.5	
		12:00	26.19	39.73	26.26	8.18	6.57	10.9	9.3	
		15:00	26.12	40.28	26.62	8.23	6.83	12.2	9.6	
		18:00	26.44	38.74	25.60	7.95	6.66	14.8	14.6	
		21:00	26.63	38.22	25.26	7.84	6.60	11.2	13.0	
	日平均值			26.36	39.41	26.04	8.00	7.09	12.87	11.28
	潮口站	0:00	28.33	43.28	28.32	7.64	7.15	9.95	7.85	
		3:00	27.81	45.27	29.74	7.98	6.31	17.25	6.85	
		6:00	27.74	45.39	29.83	7.90	7.72	7.6	9.6	
		9:00	27.77	48.76	32.24	8.43	8.81	28.5	10.3	
		12:00	27.94	45.55	29.94	8.25	6.36	9.3	8.7	
		15:00	27.87	46.04	30.29	7.63	7.99	18.0	9.0	
		18:00	28.20	44.65	29.30	7.87	6.76	13.5	14.0	
		21:00	28.39	44.19	28.97	7.59	6.70	11.7	12.4	
	日平均值			28.01	45.39	29.83	7.91	7.23	14.46	9.80
	灣內站	0:00	27.03	36.14	23.82	8.15	7.82	55.20	15.60	
		3:00	26.51	38.31	25.24	7.99	5.73	19.80	4.80	
		6:00	26.44	38.44	25.33	7.86	6.69	13.8	10.2	
		9:00	27.36	40.90	26.94	7.74	7.01	76.8	17.0	
		12:00	26.64	38.61	25.44	7.88	9.99	37.8	13.2	
		15:00	26.57	39.15	25.79	8.14	8.26	14.4	12.2	
		18:00	26.90	37.63	24.80	7.73	6.80	42.0	17.2	
		21:00	27.09	37.13	24.47	7.69	7.31	14.4	15.9	
	日平均值			26.82	38.29	25.23	7.90	7.45	34.28	13.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月1日	蚵殼站	0:00	26.11	39.52	25.98	8.35	7.05	10.3	10.6	
		3:00	26.60	39.84	26.20	7.52	6.52	8.9	16.2	
		6:00	26.09	42.12	27.77	7.53	7.18	12.5	6.1	
		9:00	26.01	42.59	28.09	8.14	7.07	12.3	7.5	
		12:00	26.46	42.24	27.85	8.27	5.68	13.7	5.7	
		15:00	26.48	41.00	27.00	7.92	6.81	15.3	4.8	
		18:00	27.26	41.56	27.38	7.66	6.80	16.3	8.7	
		21:00	27.22	41.89	27.61	7.78	6.22	15.2	11.2	
	日平均值			26.53	41.35	27.24	7.90	6.67	13.06	8.85
	潮口站	0:00	28.65	40.95	26.58	7.96	6.85	10.2	9.8	
		3:00	28.58	42.83	27.94	8.49	6.32	7.2	15.4	
		6:00	28.37	42.60	27.77	7.77	6.98	13.1	5.3	
		9:00	28.23	35.92	22.94	8.15	6.87	13.1	6.7	
		12:00	28.34	35.24	22.45	8.45	5.96	44.0	14.8	
		15:00	28.46	34.33	21.79	7.89	6.61	10.9	4.0	
		18:00	28.49	40.19	26.03	8.06	6.60	33.9	7.9	
		21:00	28.31	37.00	23.72	8.13	6.47	20.1	6.4	
	日平均值			28.43	38.63	24.90	8.11	6.58	19.07	8.79
	灣內站	0:00	28.23	39.02	25.60	8.35	6.41	7.5	10.8	
		3:00	28.41	39.14	25.68	8.29	5.56	3.6	16.4	
		6:00	28.23	39.75	26.09	8.16	5.60	6.3	6.3	
		9:00	28.08	39.83	26.14	8.12	9.24	6.2	7.7	
		12:00	28.61	37.30	24.45	7.60	8.18	15.6	14.7	
		15:00	30.51	38.29	25.11	8.25	7.55	4.8	5.0	
		18:00	28.69	38.75	25.42	7.89	7.02	8.2	8.9	
		21:00	28.49	38.02	24.93	8.11	6.81	7.9	8.2	
	日平均值			28.66	38.76	25.43	8.10	7.05	7.51	9.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月2日	蚵殼站	0:00	27.57	40.68	26.78	7.51	6.54	13.4	4.0	
		3:00	27.10	39.87	26.22	8.27	6.76	15.1	6.0	
		6:00	26.41	41.26	27.18	8.41	6.73	13.2	8.2	
		9:00	26.66	41.75	27.51	7.65	6.59	16.4	9.6	
		12:00	27.39	42.40	27.96	8.31	6.03	21.0	18.6	
		15:00	27.52	41.21	27.14	8.02	5.67	38.1	3.5	
		18:00	27.74	41.18	27.12	8.05	6.48	41.6	3.3	
		21:00	27.97	40.90	26.93	8.00	6.66	17.2	3.1	
	日平均值			27.30	41.16	27.11	8.03	6.43	22.00	7.03
	潮口站	0:00	28.05	39.20	25.31	8.21	6.34	14.2	3.2	
		3:00	28.16	34.41	21.85	8.35	6.56	74.1	5.2	
		6:00	28.06	40.10	25.96	8.11	6.53	11.3	7.4	
		9:00	27.99	40.04	25.92	7.98	6.39	11.3	8.8	
		12:00	28.10	39.45	25.49	8.17	6.15	47.6	17.0	
		15:00	28.56	38.34	24.69	8.07	9.93	12.6	7.3	
		18:00	28.54	45.01	29.51	8.10	6.28	11.6	9.3	
		21:00	28.11	41.45	26.94	8.05	6.46	13.5	6.1	
	日平均值			28.20	39.75	25.71	8.13	6.83	24.52	8.04
	灣內站	0:00	28.25	40.13	26.34	8.05	5.70	2.2	4.2	
		3:00	28.36	41.29	27.12	8.07	7.99	2.5	6.2	
		6:00	28.26	36.49	23.91	8.02	8.31	5.4	8.4	
		9:00	28.19	37.57	24.63	8.20	5.58	14.6	9.8	
		12:00	28.30	36.92	24.20	7.60	10.44	11.9	2.1	
		15:00	28.76	36.78	24.10	7.97	9.24	13.9	4.5	
		18:00	28.74	39.42	25.87	8.00	9.86	6.0	4.3	
		21:00	28.31	37.97	24.90	7.95	6.19	3.8	4.1	
	日平均值			28.40	38.32	25.13	7.98	7.91	7.54	5.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月3日	蚵殼站	0:00	27.81	41.40	27.27	8.10	6.04	12.5	3.7	
		3:00	27.86	40.46	26.63	8.19	5.72	19.6	7.0	
		6:00	28.00	41.60	27.41	8.24	6.87	31.5	11.5	
		9:00	28.04	42.53	28.05	8.32	6.28	25.2	4.2	
		12:00	28.03	42.42	27.97	8.28	10.25	25.6	6.2	
		15:00	28.03	41.85	27.58	8.09	6.10	34.5	7.3	
		18:00	28.09	42.34	27.92	8.15	6.20	37.7	13.5	
		21:00	28.10	42.72	28.18	8.30	7.39	22.3	8.8	
	日平均值			28.00	41.92	27.63	8.21	6.86	26.11	7.78
	潮口站	0:00	28.25	37.55	24.12	8.15	5.84	8.9	6.5	
		3:00	28.31	34.29	21.76	8.24	5.52	10.9	4.9	
		6:00	28.17	46.36	30.49	8.29	6.67	12.2	6.9	
		9:00	28.17	48.16	31.79	8.37	6.08	8.3	6.0	
		12:00	28.32	44.01	28.79	8.33	6.02	4.2	2.6	
		15:00	28.68	40.15	26.00	8.14	6.21	9.0	5.1	
		18:00	28.55	46.04	30.26	8.20	5.67	8.1	2.9	
		21:00	28.25	42.85	27.95	8.35	7.19	8.1	7.0	
	日平均值			28.34	42.43	27.65	8.26	6.15	8.71	5.24
	灣內站	0:00	28.45	38.24	25.08	8.05	5.59	3.5	5.3	
		3:00	28.51	37.40	24.52	8.14	7.07	7.3	4.9	
		6:00	28.37	39.35	25.82	8.19	6.12	4.4	4.8	
		9:00	28.37	37.09	24.31	8.27	6.85	7.6	4.9	
		12:00	28.52	36.88	24.17	8.23	5.91	16.6	4.6	
		15:00	28.88	40.37	26.50	8.04	6.65	11.7	4.6	
		18:00	28.75	33.51	21.92	8.10	7.49	13.2	4.6	
		21:00	28.45	38.23	25.07	8.25	9.39	20.8	4.7	
	日平均值			28.54	37.63	24.67	8.16	6.88	10.64	4.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月4日	蚵殼站	0:00	28.54	43.67	28.83	8.35	7.87	11.6	7.6	
		3:00	28.50	43.20	28.51	8.22	6.40	13.6	5.8	
		6:00	28.34	43.58	28.77	8.39	6.81	22.4	3.5	
		9:00	28.32	44.10	29.13	8.31	6.31	22.8	4.6	
		12:00	28.31	44.92	29.69	8.25	5.54	21.0	4.1	
		15:00	28.46	45.30	29.95	8.24	8.63	20.3	6.7	
		18:00	28.51	45.14	29.84	8.28	5.79	18.7	9.4	
		21:00	28.50	44.92	29.69	8.23	9.07	15.9	10.9	
	日平均值			28.44	44.35	29.30	8.28	7.05	18.30	6.58
	潮口站	0:00	28.42	46.00	30.23	8.40	7.67	9.2	16.1	
		3:00	28.55	39.18	25.30	8.27	6.03	7.3	8.4	
		6:00	28.69	39.81	25.75	8.44	6.61	9.5	10.2	
		9:00	28.57	51.24	34.02	8.36	6.11	7.9	2.1	
		12:00	28.62	43.17	28.18	8.30	8.58	10.3	16.8	
		15:00	28.83	42.31	27.56	8.29	6.78	8.0	9.3	
		18:00	28.60	48.44	31.99	8.33	5.64	8.3	5.3	
		21:00	28.72	44.60	29.22	8.28	5.68	9.1	8.0	
	日平均值			28.63	44.34	29.03	8.33	6.64	8.70	9.53
	灣內站	0:00	28.62	37.42	24.53	8.30	7.19	2.3	4.7	
		3:00	28.75	42.06	27.63	8.17	8.12	5.1	4.6	
		6:00	28.89	41.62	27.34	8.34	5.82	5.1	4.9	
		9:00	28.77	33.56	21.95	8.26	10.15	2.6	4.7	
		12:00	28.82	35.61	23.32	8.20	8.99	3.6	4.1	
		15:00	29.03	40.56	26.63	8.19	8.25	12.2	5.1	
		18:00	29.42	30.04	19.60	8.23	6.77	10.8	7.0	
		21:00	28.70	36.07	23.63	8.18	6.89	19.2	6.3	
	日平均值			28.88	37.12	24.33	8.23	7.77	7.61	5.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月5日	蚵殼站	0:00	28.40	45.69	30.22	8.29	7.65	9.9	8.0	
		3:00	28.50	45.15	29.85	8.31	5.56	8.0	5.5	
		6:00	28.40	45.75	30.26	8.39	6.25	17.4	8.9	
		9:00	28.36	46.48	30.76	8.39	6.37	9.5	4.7	
		12:00	28.40	46.65	30.88	8.29	7.22	6.1	8.1	
		15:00	28.42	45.60	30.16	8.25	9.73	37.7	14.3	
		18:00	28.38	46.35	30.67	8.18	14.79	8.9	12.5	
		21:00	28.42	46.23	30.59	8.25	7.02	4.5	6.7	
	日平均值			28.41	45.99	30.42	8.29	8.07	12.74	8.59
	潮口站	0:00	28.98	46.82	30.82	8.34	8.66	8.8	16.2	
		3:00	29.78	45.19	29.64	8.36	7.46	9.3	10.5	
		6:00	28.47	42.09	27.40	8.44	5.75	11.4	4.7	
		9:00	28.64	51.38	34.12	8.44	6.17	9.2	8.3	
		12:00	29.22	44.16	28.90	8.34	7.02	12.1	11.9	
		15:00	28.97	41.92	27.28	8.30	7.30	15.9	11.1	
		18:00	28.82	48.81	32.26	8.23	6.73	18.8	9.2	
		21:00	28.65	44.49	29.14	8.30	6.82	12.5	9.4	
	日平均值			28.94	45.61	29.95	8.34	6.99	12.25	10.16
	灣內站	0:00	28.79	35.13	23.00	8.24	7.13	5.7	7.3	
		3:00	28.89	41.37	27.17	8.26	7.73	6.7	6.7	
		6:00	28.82	40.23	26.41	8.34	6.82	17.1	6.4	
		9:00	29.28	34.35	22.48	8.34	6.80	9.2	5.5	
		12:00	29.51	39.11	25.66	8.24	5.96	5.8	5.7	
		15:00	29.88	40.22	26.40	8.20	6.85	37.4	5.8	
		18:00	30.62	39.69	26.05	8.13	6.68	8.6	5.9	
		21:00	29.55	36.72	24.06	8.20	6.78	4.2	5.9	
	日平均值			29.42	38.35	25.15	8.24	6.84	11.84	6.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月6日	蚵殼站	0:00	28.42	44.79	29.60	8.25	7.20	9.8	9.2	
		3:00	28.61	45.50	30.09	8.33	5.74	7.1	8.8	
		6:00	28.48	45.20	29.88	8.34	7.41	10.0	6.5	
		9:00	28.57	46.77	30.96	8.44	6.07	23.8	8.6	
		12:00	28.43	47.03	31.14	8.21	6.17	13.8	13.1	
		15:00	28.55	46.83	31.00	8.31	6.37	13.7	6.1	
		18:00	28.46	46.30	30.64	8.19	5.67	3.1	11.6	
		21:00	28.51	46.67	30.89	8.34	7.35	12.7	9.2	
	日平均值			28.50	46.14	30.53	8.30	6.50	11.74	9.14
	潮口站	0:00	30.01	47.86	31.57	8.30	7.55	13.0	15.0	
		3:00	30.16	43.55	28.46	8.38	7.40	12.6	9.1	
		6:00	29.30	43.12	28.15	8.39	6.82	14.4	9.9	
		9:00	28.69	50.57	33.53	8.49	6.99	15.0	3.8	
		12:00	29.48	45.35	29.76	8.26	6.19	13.2	10.3	
		15:00	29.29	44.65	29.25	8.36	7.13	13.8	11.8	
		18:00	28.54	48.81	32.26	8.19	6.80	17.3	24.5	
		21:00	29.02	40.30	26.11	8.37	6.75	16.9	14.7	
	日平均值			29.31	45.53	29.89	8.34	6.95	14.53	12.39
	灣內站	0:00	29.06	39.48	25.91	8.20	7.50	9.5	7.0	
		3:00	29.33	40.90	26.86	8.28	5.51	6.8	7.6	
		6:00	29.25	41.43	27.21	8.29	6.60	2.2	7.5	
		9:00	29.42	39.75	26.09	8.39	6.83	23.5	6.7	
		12:00	29.69	38.45	25.22	8.16	6.69	13.5	4.9	
		15:00	29.34	38.73	25.41	8.26	7.04	13.4	4.8	
		18:00	30.64	38.82	25.47	8.14	7.25	2.8	13.7	
		21:00	29.02	38.73	25.41	8.29	6.85	12.4	2.7	
	日平均值			29.47	39.54	25.95	8.25	6.78	10.51	6.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月7日	蚵殼站	0:00	28.53	44.99	29.74	8.33	7.64	9.7	11.6	
		3:00	28.60	44.57	29.45	8.42	6.18	8.0	11.5	
		6:00	28.49	44.38	29.32	8.33	5.98	10.8	11.9	
		9:00	30.40	46.13	30.52	8.43	6.17	17.6	6.0	
		12:00	30.35	40.18	28.19	8.28	9.17	15.5	11.1	
		15:00	29.76	44.95	28.45	8.31	6.31	23.8	12.1	
		18:00	29.60	44.91	28.34	8.18	5.64	21.5	24.4	
		21:00	29.71	43.79	28.19	8.10	5.21	7.4	15.6	
	日平均值			29.43	44.24	29.03	8.30	6.54	14.27	13.03
	潮口站	0:00	29.77	47.09	31.02	8.46	9.79	10.5	21.6	
		3:00	29.83	45.19	29.64	8.34	7.52	11.5	26.8	
		6:00	29.87	44.27	28.98	8.38	6.38	13.7	16.0	
		9:00	29.02	45.82	30.10	8.48	6.37	12.9	23.5	
		12:00	29.04	47.43	31.34	8.17	7.92	14.4	24.4	
		15:00	29.34	41.57	27.48	8.16	7.71	12.3	25.4	
		18:00	29.71	38.63	25.55	8.13	9.72	10.5	35.1	
		21:00	29.62	41.88	27.68	8.17	10.12	10.9	27.6	
	日平均值			29.53	43.99	28.97	8.29	8.19	12.08	25.05
	灣內站	0:00	29.22	38.45	25.22	8.28	6.70	9.4	4.7	
		3:00	29.13	38.32	25.13	8.38	7.10	7.7	5.9	
		6:00	29.52	38.90	25.52	8.28	7.24	10.5	3.3	
		9:00	29.02	43.67	26.84	8.31	6.72	14.9	2.1	
		12:00	29.39	40.18	26.41	8.48	7.51	17.1	2.0	
		15:00	29.56	40.00	26.30	8.44	13.59	18.5	29.9	
		18:00	29.26	41.28	27.12	8.30	11.41	25.5	50.3	
		21:00	29.91	37.49	24.66	8.37	12.27	30.0	49.5	
	日平均值			29.38	39.79	25.90	8.36	9.07	16.71	18.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月8日	蚵殼站	0:00	29.65	44.03	29.07	8.03	6.43	4.5	21.4	
		3:00	28.89	48.80	32.22	8.01	6.42	1.2	8.3	
		6:00	28.78	47.84	31.57	8.06	6.54	6.3	11.5	
		9:00	29.14	46.70	30.83	8.17	5.88	12.4	13.1	
		12:00	30.32	43.13	28.46	8.44	5.34	14.7	11.1	
		15:00	30.62	43.29	28.57	8.28	6.10	4.4	17.8	
		18:00	30.81	43.71	28.86	8.36	6.97	6.0	10.0	
		21:00	30.63	43.65	28.82	8.28	6.30	13.8	10.0	
	日平均值			29.86	45.14	29.80	8.20	6.25	7.90	12.90
	潮口站	0:00	28.69	44.75	29.57	8.18	7.47	7.9	19.8	
		3:00	28.57	46.08	30.45	8.21	7.79	5.0	29.9	
		6:00	28.86	43.85	28.98	8.19	8.08	7.6	33.1	
		9:00	29.65	40.12	26.51	8.27	10.48	15.0	16.9	
		12:00	30.51	38.95	24.92	8.27	12.31	17.3	15.9	
		15:00	29.61	45.05	29.54	8.31	8.53	18.0	14.6	
		18:00	29.27	45.71	30.02	7.95	6.11	13.6	19.2	
		21:00	28.59	49.22	32.56	8.10	6.76	8.6	15.9	
	日平均值			29.22	44.22	29.07	8.19	8.44	11.63	20.66
	灣內站	0:00	29.40	40.47	26.61	8.27	12.17	58.3	22.4	
		3:00	28.76	43.65	28.68	8.08	9.87	20.4	10.5	
		6:00	28.45	45.41	29.86	8.08	7.78	22.5	11.3	
		9:00	29.45	42.45	27.90	8.35	9.56	26.1	2.0	
		12:00	30.10	40.78	26.80	8.42	12.76	19.2	2.0	
		15:00	30.69	40.40	26.52	8.35	7.40	14.1	3.1	
		18:00	30.57	41.04	26.95	8.42	7.14	12.1	9.8	
		21:00	30.33	41.25	27.09	8.27	6.07	12.5	4.6	
	日平均值			29.72	41.93	27.55	8.28	9.09	23.15	8.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月9日	蚵殼站	0:00	30.50	42.90	29.97	8.46	5.70	21.6	12.8	
		3:00	30.50	42.90	30.01	8.34	5.70	21.6	8.2	
		6:00	29.96	45.53	30.11	8.34	6.65	5.8	9.5	
		9:00	29.20	47.48	29.83	8.22	5.70	9.2	10.1	
		12:00	30.45	42.44	30.48	8.41	5.01	10.6	8.6	
		15:00	30.98	41.52	30.54	8.38	6.40	9.9	14.4	
		18:00	30.45	45.41	30.03	8.17	8.54	7.1	10.2	
		21:00	29.73	45.63	30.18	8.21	5.64	16.8	8.3	
	日平均值			30.22	44.23	30.14	8.32	6.17	12.82	10.26
	潮口站	0:00	28.73	50.23	33.29	8.35	6.83	8.9	24.4	
		3:00	29.65	45.64	29.97	8.34	6.76	7.4	27.8	
		6:00	29.11	48.16	31.79	8.25	7.69	9.5	23.0	
		9:00	29.14	41.47	27.41	8.24	10.08	10.4	19.1	
		12:00	29.60	41.60	27.50	8.25	11.55	10.5	29.3	
		15:00	28.66	45.67	30.18	8.24	8.66	13.0	24.1	
		18:00	29.21	39.82	25.90	8.23	10.24	9.0	28.0	
		21:00	30.06	35.66	23.17	8.34	11.38	9.2	27.1	
	日平均值			29.27	43.53	28.65	8.28	9.15	9.74	25.35
	灣內站	0:00	29.91	41.25	27.63	8.33	6.60	12.8	4.3	
		3:00	29.80	42.60	28.00	8.42	13.10	20.0	2.0	
		6:00	29.80	42.60	28.00	8.42	13.10	20.0	2.0	
		9:00	29.68	42.96	28.24	8.23	8.56	25.1	3.9	
		12:00	31.33	36.61	22.58	8.39	11.80	17.3	2.0	
		15:00	29.65	42.43	27.53	8.33	12.31	11.8	59.8	
		18:00	28.61	46.32	30.44	8.19	10.49	9.0	17.4	
		21:00	28.94	44.40	29.16	8.23	9.12	25.5	8.2	
	日平均值			29.72	42.40	27.70	8.32	10.64	17.69	12.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月10日	蚵殼站	0:00	30.08	45.20	29.88	8.29	6.25	9.6	13.7	
		3:00	30.04	46.20	30.57	8.40	6.78	10.8	6.2	
		6:00	30.07	45.57	30.14	8.44	6.82	2.9	8.0	
		9:00	30.00	45.78	30.28	8.46	6.82	7.7	10.0	
		12:00	30.94	46.42	30.72	8.42	10.00	9.3	6.6	
		15:00	31.01	46.33	30.66	8.40	7.19	20.1	14.0	
		18:00	30.40	45.92	30.38	8.47	8.29	5.9	33.3	
		21:00	29.92	46.80	30.98	8.32	6.00	6.9	9.5	
	日平均值			30.31	46.03	30.45	8.40	7.27	9.14	12.66
	潮口站	0:00	29.55	38.97	23.06	8.33	9.47	5.9	26.5	
		3:00	27.91	45.90	30.32	8.26	6.99	22.2	29.4	
		6:00	28.02	41.09	27.16	8.22	7.42	16.8	34.2	
		9:00	28.66	40.71	26.91	8.24	8.42	10.2	25.1	
		12:00	29.43	37.74	24.01	8.31	11.28	15.1	20.2	
		15:00	28.61	43.01	28.44	8.27	8.42	17.7	37.2	
		18:00	28.36	39.49	26.11	8.24	8.77	9.8	39.2	
		21:00	28.45	38.80	25.45	8.23	8.21	11.6	29.6	
	日平均值			28.62	40.71	26.43	8.26	8.62	13.65	30.18
	灣內站	0:00	29.18	42.65	28.02	8.23	9.55	22.7	5.5	
		3:00	28.93	44.45	29.22	8.17	8.77	30.3	5.4	
		6:00	28.67	45.80	30.08	8.06	7.55	27.9	7.5	
		9:00	28.81	43.77	28.75	8.14	8.92	25.8	15.5	
		12:00	29.31	41.87	27.52	8.32	10.69	21.6	2.0	
		15:00	28.95	43.35	28.49	8.28	9.86	15.2	86.0	
		18:00	28.44	44.14	29.00	8.14	7.96	5.4	45.4	
		21:00	28.50	44.68	29.41	8.14	7.44	11.9	37.9	
	日平均值			28.85	43.84	28.81	8.19	8.84	20.10	25.63
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月11日	蚵殼站	0:00	30.22	47.25	31.29	8.49	7.05	5.0	9.3	
		3:00	30.08	47.16	31.23	8.28	7.13	2.8	5.2	
		6:00	30.19	46.43	30.73	8.39	7.11	2.8	13.5	
		9:00	30.26	47.48	31.45	8.34	7.15	12.1	7.2	
		12:00	30.13	47.42	31.41	8.36	6.74	13.0	12.1	
		15:00	30.34	46.74	30.94	8.43	7.62	12.4	16.4	
		18:00	30.58	45.17	29.86	8.46	7.53	13.5	23.9	
		21:00	29.78	46.78	30.97	8.44	7.28	13.4	15.2	
	日平均值			30.20	46.80	30.99	8.40	7.20	9.35	12.85
	潮口站	0:00	28.59	39.08	24.64	8.26	8.57	9.6	37.6	
		3:00	28.06	45.31	29.94	8.23	6.50	36.1	29.3	
		6:00	27.60	43.28	28.60	8.22	6.64	60.9	34.3	
		9:00	28.30	40.65	26.24	8.20	8.69	12.8	23.4	
		12:00	29.98	36.39	23.42	8.33	12.44	18.0	31.5	
		15:00	29.73	40.69	25.42	8.33	9.72	18.1	34.7	
		18:00	28.53	43.61	28.81	8.28	7.30	14.3	29.4	
		21:00	29.08	38.69	25.59	8.28	8.79	10.0	24.3	
	日平均值			28.73	40.96	26.58	8.27	8.58	22.45	30.56
	灣內站	0:00	28.66	43.13	28.34	8.19	8.59	20.3	76.1	
		3:00	28.50	44.29	29.09	8.16	7.94	8.1	94.7	
		6:00	28.39	46.83	30.77	8.06	5.96	34.1	19.6	
		9:00	27.94	47.10	30.94	8.15	8.14	21.3	2.0	
		12:00	28.70	45.17	29.70	8.35	12.66	12.8	2.0	
		15:00	28.91	46.48	30.54	8.22	9.46	18.6	11.6	
		18:00	29.22	45.05	29.60	8.29	10.13	27.8	87.3	
		21:00	29.23	44.56	29.31	8.27	9.87	27.7	74.7	
	日平均值			28.69	45.33	29.79	8.21	9.09	21.33	45.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月12日	蚵殼站	0:00	29.42	46.49	30.77	8.38	8.08	12.8	8.6	
		3:00	29.24	47.69	31.59	8.27	7.34	34.4	6.1	
		6:00	29.41	47.53	31.48	8.45	8.03	6.2	6.0	
		9:00	29.43	46.89	31.04	8.47	6.44	3.7	4.6	
		12:00	29.20	47.74	31.63	8.48	6.59	9.6	75.1	
		15:00	29.32	46.65	30.88	8.47	6.98	7.0	75.5	
		18:00	29.51	46.30	30.64	8.37	7.87	16.6	78.5	
		21:00	29.17	47.51	31.47	8.38	5.56	4.7	53.9	
	日平均值			29.34	47.10	31.19	8.41	7.11	11.87	38.54
	潮口站	0:00	29.29	39.55	26.15	8.30	9.35	8.4	31.1	
		3:00	29.34	37.44	24.76	8.29	8.50	4.2	36.9	
		6:00	29.30	41.17	26.74	8.27	8.69	9.9	21.0	
		9:00	29.41	40.86	27.02	8.21	9.97	10.3	25.3	
		12:00	29.32	42.07	27.82	8.26	11.16	10.6	19.4	
		15:00	28.82	43.16	28.52	8.23	8.23	13.3	26.1	
		18:00	28.33	44.69	29.53	8.19	6.35	29.9	27.5	
		21:00	29.64	39.86	26.37	8.18	9.39	12.3	26.9	
	日平均值			29.18	41.10	27.11	8.24	8.96	12.37	26.78
	灣內站	0:00	29.13	45.21	29.70	8.21	8.00	34.5	35.0	
		3:00	29.20	45.10	29.70	8.26	8.78	4.3	23.3	
		6:00	29.03	46.90	30.87	8.24	8.74	5.9	8.2	
		9:00	28.66	47.41	31.12	8.22	9.03	6.6	2.0	
		12:00	30.08	43.79	28.79	8.48	11.28	5.5	2.0	
		15:00	30.61	42.64	28.04	8.36	10.18	3.3	39.1	
		18:00	29.84	44.98	29.58	8.42	12.74	5.1	40.2	
		21:00	28.59	47.99	31.54	8.18	8.10	2.1	29.3	
	日平均值			29.39	45.50	29.92	8.30	9.61	8.41	22.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月13日	蚵殼站	0:00	29.22	46.10	30.50	8.44	5.99	5.5	36.4	
		3:00	29.10	47.22	31.27	8.35	6.80	2.6	42.4	
		6:00	29.44	46.90	31.05	8.33	6.77	11.1	46.8	
		9:00	29.10	46.97	31.10	8.41	6.90	12.4	56.2	
		12:00	29.22	47.44	31.42	8.41	6.12	5.9	70.4	
		15:00	29.65	46.73	30.93	8.43	7.63	3.3	50.6	
		18:00	30.42	45.98	30.42	8.34	8.11	11.1	49.1	
		21:00	29.98	46.97	31.10	8.28	7.73	9.1	61.2	
	日平均值			29.52	46.79	30.97	8.37	7.01	7.63	51.64
	潮口站	0:00	29.59	37.14	24.54	8.28	9.96	6.6	18.8	
		3:00	29.30	38.85	25.69	8.27	8.07	45.0	20.7	
		6:00	29.28	42.10	27.41	8.38	6.95	3.6	22.4	
		9:00	29.88	45.45	29.83	8.36	6.79	94.9	23.3	
		12:00	30.22	46.22	30.39	8.36	8.97	90.1	22.0	
		15:00	29.82	46.98	30.94	8.34	9.85	73.2	24.9	
		18:00	29.49	37.27	23.92	8.29	10.04	93.8	21.9	
		21:00	30.18	48.49	32.03	8.34	7.29	30.2	19.4	
	日平均值			29.72	42.81	28.09	8.33	8.49	54.68	21.68
	灣內站	0:00	28.99	47.20	30.99	8.13	7.42	31.0	13.7	
		3:00	29.13	46.71	30.71	8.15	8.03	23.8	13.2	
		6:00	29.48	47.05	30.97	8.25	7.00	14.6	17.4	
		9:00	30.08	47.59	31.33	8.15	6.94	11.8	6.6	
		12:00	30.42	46.93	30.89	8.28	7.29	5.3	7.2	
		15:00	30.02	46.35	30.50	8.13	6.98	12.0	22.0	
		18:00	29.69	47.23	31.09	8.26	6.18	10.5	10.9	
		21:00	30.38	47.41	31.21	8.27	6.83	10.6	8.8	
	日平均值			29.77	47.06	30.96	8.20	7.08	14.96	12.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月14日	蚵殼站	0:00	30.07	43.83	28.94	8.37	7.57	43.2	77.5	
		3:00	29.60	43.90	28.99	8.47	6.55	1.8	37.0	
		6:00	29.51	44.03	29.08	8.49	6.61	11.7	52.7	
		9:00	29.76	44.70	29.54	8.47	6.15	14.6	61.0	
		12:00	29.42	44.47	29.38	8.31	5.67	7.2	84.5	
		15:00	30.40	43.78	28.91	8.38	8.53	4.6	63.5	
		18:00	30.76	44.22	29.21	8.48	9.04	10.9	51.0	
		21:00	29.60	44.63	29.49	8.32	6.29	5.1	71.7	
	日平均值			29.89	44.20	29.19	8.41	7.05	12.39	62.36
	潮口站	0:00	30.24	45.55	29.90	8.31	6.26	2.9	19.8	
		3:00	28.72	47.08	31.01	8.37	6.71	3.3	20.3	
		6:00	28.94	50.86	33.74	8.43	7.41	11.3	23.1	
		9:00	29.50	44.78	29.35	8.45	8.86	4.6	13.7	
		12:00	30.51	46.14	30.33	8.36	9.16	2.9	19.5	
		15:00	30.08	47.32	31.18	8.38	9.65	2.8	15.4	
		18:00	29.69	45.32	29.74	8.25	9.43	5.0	15.0	
		21:00	30.09	48.70	32.18	8.36	8.10	2.8	18.6	
	日平均值			29.72	46.97	30.93	8.36	8.20	4.45	18.18
	灣內站	0:00	30.44	46.63	30.69	8.39	6.73	11.0	10.5	
		3:00	28.92	44.99	29.59	8.21	6.73	10.9	11.9	
		6:00	29.14	43.73	28.75	7.99	6.71	20.4	9.0	
		9:00	29.70	48.43	31.89	7.92	6.89	14.0	9.9	
		12:00	30.71	48.22	31.75	8.12	7.53	6.6	17.5	
		15:00	30.28	46.81	30.81	8.35	6.97	4.0	27.0	
		18:00	29.89	46.32	30.48	8.38	6.91	10.3	6.1	
		21:00	30.29	48.26	31.78	8.33	7.61	4.5	4.1	
	日平均值			29.92	46.67	30.72	8.21	7.01	10.21	12.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月15日	蚵殼站	0:00	30.87	42.63	28.12	8.42	8.00	5.0	74.2	
		3:00	29.92	41.48	27.33	8.41	7.98	10.3	27.1	
		6:00	29.76	43.64	28.81	8.44	6.89	21.1	35.7	
		9:00	29.91	43.62	28.80	8.41	7.36	16.7	74.1	
		12:00	30.28	42.84	28.26	8.39	6.40	4.4	65.5	
		15:00	30.61	42.71	28.17	8.42	7.97	24.4	52.8	
		18:00	31.09	43.39	28.64	8.40	8.75	6.8	47.7	
		21:00	30.24	39.66	26.08	8.47	8.41	33.8	61.6	
	日平均值			30.34	42.50	28.03	8.42	7.72	15.30	54.84
	潮口站	0:00	29.97	47.86	31.57	8.34	6.52	2.6	16.0	
		3:00	28.72	44.20	28.93	8.38	6.66	5.3	17.8	
		6:00	28.94	51.29	34.05	8.39	6.90	9.8	10.0	
		9:00	29.94	48.75	32.22	8.33	8.84	5.0	17.0	
		12:00	31.60	47.72	31.47	8.28	9.22	7.8	11.2	
		15:00	29.91	47.50	31.31	8.27	10.61	5.2	14.0	
		18:00	29.96	34.67	22.04	8.28	9.76	2.1	18.7	
		21:00	29.89	48.16	31.79	8.29	7.38	2.6	17.6	
	日平均值			29.87	46.27	30.42	8.32	8.24	5.05	15.29
	灣內站	0:00	30.17	47.26	31.11	8.05	7.21	4.4	14.4	
		3:00	28.92	46.16	30.37	8.44	6.51	9.7	16.2	
		6:00	29.14	45.72	30.08	8.45	6.62	20.5	10.3	
		9:00	30.14	47.88	31.52	8.46	8.04	25.3	4.0	
		12:00	31.80	48.85	32.17	8.42	8.79	3.8	4.8	
		15:00	30.11	47.59	31.33	8.25	6.60	23.8	19.5	
		18:00	30.16	46.65	30.70	8.12	7.00	6.2	22.0	
		21:00	30.09	48.37	31.85	8.24	7.53	42.7	19.1	
	日平均值			30.07	47.31	31.14	8.30	7.29	17.06	13.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月16日	蚵殼站	0:00	30.58	42.74	28.19	8.41	7.85	36.1	70.0	
		3:00	30.55	41.41	27.28	8.41	8.11	10.3	46.7	
		6:00	30.19	43.23	28.53	8.34	7.07	16.5	38.6	
		9:00	29.97	43.16	28.48	8.44	6.12	26.7	68.7	
		12:00	30.02	43.57	28.76	8.43	7.12	14.0	57.6	
		15:00	30.61	42.74	28.19	8.49	8.38	16.2	49.5	
		18:00	30.35	43.08	28.43	8.36	7.17	14.5	53.3	
		21:00	30.27	41.70	27.48	8.49	6.81	7.3	73.9	
	日平均值			30.32	42.70	28.17	8.42	7.33	17.70	57.29
	潮口站	0:00	30.93	47.51	31.32	8.48	7.17	4.6	18.6	
		3:00	28.95	46.65	30.70	8.49	6.55	3.7	10.6	
		6:00	29.04	51.71	34.36	8.39	9.48	2.9	9.5	
		9:00	30.19	51.65	34.31	8.49	9.51	9.9	8.3	
		12:00	29.76	46.76	30.78	8.48	9.03	4.8	12.3	
		15:00	29.63	48.37	31.94	8.48	8.77	6.4	18.6	
		18:00	30.11	50.64	33.58	8.41	9.62	5.9	11.4	
		21:00	31.05	51.60	34.28	8.45	7.36	2.3	8.9	
	日平均值			29.96	49.36	32.66	8.46	8.44	5.06	12.28
	灣內站	0:00	31.13	47.40	31.20	8.29	8.41	43.6	20.1	
		3:00	29.15	47.31	31.14	8.42	6.37	9.7	13.4	
		6:00	29.24	46.65	30.70	8.20	6.57	15.9	21.3	
		9:00	30.39	47.77	31.45	8.16	8.54	11.2	6.6	
		12:00	29.96	48.67	32.05	8.09	6.71	13.4	3.3	
		15:00	29.83	48.25	31.77	8.02	7.00	15.6	12.7	
		18:00	28.17	46.05	30.28	8.03	6.84	13.9	48.1	
		21:00	28.14	46.29	30.44	8.06	6.09	6.7	45.2	
	日平均值			29.50	47.30	31.13	8.16	7.07	16.25	21.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月17日	蚵殼站	0:00	30.50	41.16	27.11	8.32	7.39	3.8	54.9	
		3:00	31.02	41.38	27.26	8.49	6.40	8.3	30.6	
		6:00	29.97	43.46	28.69	8.47	5.54	5.8	42.2	
		9:00	29.83	43.25	28.54	8.45	6.22	38.5	53.3	
		12:00	29.71	43.70	28.85	8.43	6.05	13.7	57.6	
		15:00	30.18	42.82	28.25	8.26	7.02	5.5	57.2	
		18:00	29.88	42.14	27.78	8.30	5.81	6.5	45.0	
		21:00	31.46	41.31	27.21	8.27	8.21	21.4	52.5	
	日平均值			30.32	42.40	27.96	8.37	6.58	12.94	49.16
	潮口站	0:00	29.89	47.59	31.38	8.37	6.50	2.3	8.9	
		3:00	28.79	45.97	30.21	8.23	6.09	2.4	2.7	
		6:00	29.08	50.12	33.21	8.38	9.12	2.7	7.9	
		9:00	29.48	50.72	33.64	8.41	9.67	5.1	8.4	
		12:00	29.86	47.73	31.48	8.48	10.47	7.7	8.9	
		15:00	30.61	48.93	32.35	8.31	9.56	5.8	12.3	
		18:00	30.20	46.14	30.33	8.46	9.59	10.2	9.9	
		21:00	29.98	45.25	29.69	8.49	6.52	3.2	10.1	
	日平均值			29.74	47.81	31.54	8.39	8.44	4.93	8.64
	灣內站	0:00	28.00	45.97	30.20	8.08	5.83	3.2	33.9	
		3:00	27.98	45.94	30.17	8.09	5.50	7.7	21.7	
		6:00	27.84	45.64	29.99	8.11	6.80	5.2	14.7	
		9:00	28.04	45.06	29.66	8.21	9.18	16.5	1.9	
		12:00	28.83	44.64	29.36	8.42	12.20	13.1	2.0	
		15:00	29.24	43.96	28.91	8.43	13.23	4.9	5.8	
		18:00	28.56	44.77	29.42	8.29	5.93	5.9	83.5	
		21:00	28.47	45.14	29.70	8.17	7.78	12.8	52.3	
	日平均值			28.37	45.14	29.68	8.23	8.31	8.66	26.98
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月18日	蚵殼站	0:00	30.26	43.29	28.57	8.33	6.34	4.6	55.4	
		3:00	30.75	44.32	29.28	8.45	6.81	4.1	45.1	
		6:00	29.69	42.47	28.01	8.42	6.21	5.4	31.2	
		9:00	29.80	41.79	27.54	8.43	7.39	12.0	41.2	
		12:00	29.47	41.35	27.29	8.35	9.00	40.7	48.1	
		15:00	29.77	40.81	26.92	8.37	7.91	32.8	50.1	
		18:00	30.10	39.72	26.23	8.40	7.10	29.5	32.8	
		21:00	29.99	38.79	25.40	8.38	8.09	27.5	30.4	
	日平均值			29.98	41.57	27.41	8.39	7.36	19.57	41.79
	潮口站	0:00	29.90	44.80	29.36	8.38	7.47	3.1	10.6	
		3:00	29.62	42.43	27.65	8.06	6.36	26.9	6.9	
		6:00	29.66	39.29	25.38	8.47	6.42	5.6	8.1	
		9:00	29.77	37.56	24.13	8.48	7.19	3.3	12.5	
		12:00	29.10	44.98	24.97	8.02	7.04	5.5	13.5	
		15:00	29.28	43.74	28.58	8.16	8.95	2.3	14.5	
		18:00	28.83	44.58	29.15	8.25	10.94	3.9	11.2	
		21:00	28.38	44.12	28.57	8.13	7.64	2.7	7.4	
	日平均值			29.32	42.69	27.22	8.24	7.75	6.66	10.59
	灣內站	0:00	28.77	44.68	29.35	8.22	8.59	4.0	53.7	
		3:00	28.93	44.68	29.34	8.17	5.81	3.5	76.4	
		6:00	28.88	44.72	29.38	8.16	8.39	4.8	21.0	
		9:00	29.18	43.45	28.56	8.28	8.73	42.7	22.3	
		12:00	30.18	41.21	27.09	8.41	7.39	17.5	58.3	
		15:00	30.58	39.15	25.75	8.45	6.79	24.5	90.4	
		18:00	30.47	39.19	25.78	8.37	6.74	22.7	87.3	
		21:00	30.27	40.24	26.46	8.44	14.00	14.4	79.0	
	日平均值			29.66	42.17	27.71	8.31	8.31	16.76	61.04
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月19日	蚵殼站	0:00	29.64	38.55	25.44	8.28	13.43	25.3	52.9	
		3:00	29.50	38.37	25.32	8.21	12.79	22.4	44.8	
		6:00	29.14	39.21	25.90	8.17	11.77	22.9	26.8	
		9:00	29.54	38.13	25.16	8.26	12.58	23.4	16.5	
		12:00	30.35	36.85	24.13	8.35	14.00	28.9	30.0	
		15:00	30.38	38.64	25.14	8.40	13.85	30.2	38.1	
		18:00	30.42	37.13	24.51	8.35	13.91	26.3	15.1	
		21:00	30.53	36.19	23.88	8.34	13.75	23.5	17.4	
	日平均值			29.94	37.88	24.94	8.30	13.26	25.36	30.20
	潮口站	0:00	28.32	45.94	30.03	8.15	7.41	2.5	11.1	
		3:00	28.75	45.10	29.46	8.43	11.21	3.4	9.7	
		6:00	29.20	43.50	28.43	8.36	12.89	0.9	6.0	
		9:00	29.76	43.78	28.41	8.33	12.90	6.3	6.9	
		12:00	29.76	42.95	28.05	8.36	10.31	4.0	11.2	
		15:00	29.36	43.23	28.24	8.20	8.22	3.2	15.8	
		18:00	29.23	45.76	29.91	8.47	11.24	10.9	10.7	
		21:00	29.24	44.62	29.11	8.45	10.78	9.8	6.3	
	日平均值			29.20	44.36	28.96	8.34	10.62	5.13	9.71
	灣內站	0:00	30.03	39.53	26.01	8.35	13.51	12.0	38.8	
		3:00	30.01	39.83	26.19	8.29	12.79	13.1	24.5	
		6:00	30.06	40.39	26.50	8.24	11.35	16.5	33.3	
		9:00	30.44	38.65	25.42	8.40	13.35	11.1	54.0	
		12:00	31.03	39.57	26.03	8.48	13.66	15.5	83.3	
		15:00	31.14	37.52	24.69	8.31	13.86	18.1	61.3	
		18:00	30.87	36.85	24.25	8.42	12.69	14.8	76.7	
		21:00	30.62	36.83	24.24	8.41	11.92	16.3	56.6	
	日平均值			30.53	38.65	25.42	8.36	12.89	14.68	53.57
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月20日	蚵殼站	0:00	30.09	36.85	24.30	8.23	13.10	22.1	44.8	
		3:00	29.80	37.57	24.29	8.25	12.79	22.8	33.9	
		6:00	29.96	37.60	24.80	8.30	12.97	22.1	20.1	
		9:00	30.64	37.73	24.92	8.42	12.83	23.5	16.1	
		12:00	30.66	37.37	24.66	8.33	13.78	29.4	31.3	
		15:00	30.87	36.32	23.98	8.35	13.57	28.1	32.5	
		18:00	30.88	35.69	23.53	8.33	13.87	22.9	26.3	
		21:00	30.90	35.41	23.16	8.29	13.75	21.0	21.8	
	日平均值			30.48	36.82	24.21	8.31	13.33	23.97	28.35
	潮口站	0:00	28.32	44.89	29.33	8.17	7.04	2.2	19.7	
		3:00	28.63	44.93	29.35	8.26	8.05	5.6	13.2	
		6:00	28.95	42.98	28.08	8.42	10.78	14.2	4.1	
		9:00	29.92	43.50	28.22	8.47	11.20	13.6	8.0	
		12:00	29.74	44.16	28.85	8.42	9.49	80.5	8.3	
		15:00	28.76	43.91	26.59	8.16	7.30	5.4	10.5	
		18:00	29.58	45.00	29.40	8.33	12.72	16.1	6.5	
		21:00	30.02	44.26	28.93	8.42	13.27	24.2	4.7	
	日平均值			29.24	44.20	28.59	8.33	9.98	20.23	9.38
	灣內站	0:00	30.40	37.71	24.79	8.27	13.01	10.8	23.9	
		3:00	29.79	38.12	25.08	8.22	12.67	10.1	30.3	
		6:00	29.58	38.92	25.61	8.19	10.68	10.3	52.5	
		9:00	30.46	38.47	25.32	8.32	12.01	9.5	27.2	
		12:00	31.20	40.79	26.81	8.45	13.26	10.4	77.6	
		15:00	31.02	41.18	27.06	8.44	12.89	11.3	63.4	
		18:00	30.32	39.78	26.15	8.36	13.13	12.0	73.8	
		21:00	29.84	39.24	25.79	8.25	11.28	13.3	52.1	
	日平均值			30.33	39.28	25.83	8.31	12.37	10.96	50.11
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
9月21日	蚵殼站	0:00	30.55	35.68	23.40	8.24	11.99	21.0	23.7	
		3:00	30.43	35.88	23.67	8.24	11.61	21.0	17.0	
		6:00	29.94	36.11	23.60	8.23	10.87	24.2	23.6	
		9:00	30.42	35.66	23.52	8.34	13.17	24.5	9.9	
		12:00	30.69	35.21	23.09	8.32	13.16	28.8	18.9	
		15:00	30.83	35.01	22.91	8.33	13.31	27.6	28.2	
		18:00	30.90	34.45	22.50	8.36	13.43	20.1	16.2	
		21:00	30.98	34.25	22.36	8.39	13.99	19.9	12.0	
	日平均值			30.59	35.28	23.13	8.31	12.69	23.40	18.69
	潮口站	0:00	28.26	48.70	31.80	8.30	7.99	2.8	17.9	
		3:00	28.49	45.82	29.92	8.38	8.86	4.2	13.1	
		6:00	29.48	43.17	28.17	8.29	11.78	22.6	10.8	
		9:00	30.34	43.49	28.40	8.45	13.03	27.1	4.6	
		12:00	30.19	44.64	29.16	8.48	10.56	5.9	10.4	
		15:00	29.05	39.59	23.99	8.17	7.35	23.9	8.7	
		18:00	29.39	45.21	29.56	8.35	9.28	30.8	19.7	
		21:00	30.00	43.68	28.54	8.49	10.93	35.8	14.3	
	日平均值			29.40	44.29	28.69	8.36	9.97	19.14	12.44
	灣內站	0:00	30.12	39.89	26.25	8.26	11.34	9.0	58.1	
		3:00	29.96	41.57	27.31	8.21	10.66	18.1	46.6	
		6:00	29.45	43.12	28.32	8.08	7.13	25.2	50.6	
		9:00	30.52	42.26	27.76	8.29	7.62	9.6	26.3	
		12:00	31.09	40.51	26.62	8.43	11.75	18.8	57.4	
		15:00	31.10	38.96	25.62	8.44	13.61	8.9	81.9	
		18:00	31.04	38.64	25.41	8.35	12.17	19.9	39.0	
		21:00	31.27	38.40	25.26	8.36	11.88	15.9	41.0	
	日平均值			30.57	40.42	26.57	8.30	10.77	15.66	50.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月22日	蚵殼站	0:00	30.58	33.85	22.09	8.33	12.69	23.8	10.5	
		3:00	30.26	35.70	23.08	8.18	9.89	20.6	35.5	
		6:00	29.68	36.78	24.03	8.07	6.99	21.7	34.3	
		9:00	30.34	36.04	23.76	8.24	11.37	28.4	11.7	
		12:00	30.65	35.67	23.23	8.30	13.76	32.8	7.0	
		15:00	30.72	34.48	22.52	8.31	13.51	41.8	17.3	
		18:00	30.57	33.68	21.97	8.31	13.36	25.8	17.7	
		21:00	30.60	33.49	21.84	8.31	11.82	23.2	9.9	
	日平均值			30.43	34.96	22.82	8.26	11.67	27.28	17.99
	潮口站	0:00	29.08	47.08	30.76	8.32	8.04	67.1	6.8	
		3:00	27.94	48.61	31.75	8.26	7.18	37.7	3.0	
		6:00	29.66	42.49	27.77	8.38	11.26	68.5	6.1	
		9:00	30.98	43.17	27.99	8.45	13.35	18.5	19.5	
		12:00	30.48	44.71	29.21	8.49	11.49	89.2	9.9	
		15:00	29.13	41.44	22.24	8.24	8.46	61.4	5.2	
		18:00	29.41	42.41	27.27	8.37	9.48	23.5	5.1	
		21:00	29.59	42.24	27.59	8.46	10.03	32.8	8.7	
	日平均值			29.53	44.02	28.07	8.37	9.91	49.84	8.04
	灣內站	0:00	31.01	38.78	25.50	8.31	10.77	24.5	52.0	
		3:00	30.56	40.04	26.33	8.21	8.03	34.7	15.8	
		6:00	29.47	42.50	27.92	8.09	6.36	25.7	31.9	
		9:00	30.81	41.14	27.04	8.28	8.99	10.7	44.7	
		12:00	31.52	37.90	24.94	8.47	12.29	13.6	72.5	
		15:00	31.16	38.97	25.65	8.44	13.85	12.6	97.2	
		18:00	30.80	38.93	25.59	8.42	12.34	13.3	50.7	
		21:00	30.73	39.05	25.69	8.37	11.38	12.6	72.9	
	日平均值			30.76	39.66	26.08	8.32	10.50	18.44	54.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月23日	蚵殼站	0:00	30.28	33.53	21.87	8.26	10.50	26.7	6.9	
		3:00	30.00	35.42	22.75	8.13	8.84	24.6	31.3	
		6:00	29.81	35.82	23.62	8.08	7.66	26.2	28.9	
		9:00	30.16	35.41	23.25	8.21	10.84	25.8	28.4	
		12:00	30.37	34.36	22.44	8.37	13.90	36.1	2.5	
		15:00	30.69	33.18	21.63	8.45	14.00	29.6	10.5	
		18:00	30.70	33.11	21.58	8.40	13.07	26.8	12.5	
		21:00	30.72	32.59	21.22	8.41	13.59	25.0	5.2	
	日平均值			30.34	34.18	22.30	8.29	11.55	27.59	15.78
	潮口站	0:00	29.08	45.79	29.91	8.35	8.24	22.2	4.3	
		3:00	28.04	46.75	30.55	8.24	7.01	12.8	2.2	
		6:00	28.41	40.25	26.29	8.30	7.79	12.6	5.8	
		9:00	29.26	43.89	28.49	8.36	8.97	93.0	7.8	
		12:00	30.08	44.08	28.80	8.27	11.99	46.2	1.6	
		15:00	29.14	42.12	26.78	8.30	8.86	13.6	4.4	
		18:00	28.94	41.79	27.30	8.29	8.66	8.6	1.8	
		21:00	29.45	41.21	26.90	8.34	11.37	48.3	13.0	
	日平均值			29.05	43.24	28.13	8.31	9.11	32.16	5.11
	灣內站	0:00	30.28	39.94	26.27	8.28	8.44	14.1	64.8	
		3:00	29.94	42.18	27.72	8.18	7.27	14.5	46.5	
		6:00	29.31	44.13	28.99	8.06	6.89	66.5	38.1	
		9:00	30.38	42.02	27.62	8.31	7.65	20.3	42.4	
		12:00	31.24	39.98	26.28	8.48	11.94	14.2	43.4	
		15:00	30.86	39.32	25.89	8.45	12.66	11.5	38.2	
		18:00	30.59	40.30	26.51	8.35	12.48	17.3	46.1	
		21:00	30.43	40.19	26.41	8.26	8.72	11.4	45.3	
	日平均值			30.38	41.01	26.96	8.30	9.51	21.22	45.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月24日	蚵殼站	0:00	31.19	32.27	21.00	8.38	11.60	26.0	4.6	
		3:00	29.79	34.14	22.29	8.17	9.61	27.2	18.6	
		6:00	29.62	35.54	23.11	8.12	8.73	29.7	17.9	
		9:00	29.62	35.70	23.54	8.16	9.26	24.7	19.2	
		12:00	30.25	35.46	23.00	8.34	12.32	28.8	2.5	
		15:00	31.13	35.00	22.01	8.41	12.91	29.4	3.6	
		18:00	29.50	35.73	23.41	8.16	11.23	26.2	16.9	
		21:00	30.02	34.48	22.52	8.20	10.97	23.0	1.4	
	日平均值			30.14	34.79	22.61	8.24	10.83	26.87	10.59
	潮口站	0:00	29.12	45.05	29.42	8.39	8.57	31.2	7.7	
		3:00	28.15	50.50	33.00	8.26	6.88	31.0	2.7	
		6:00	29.09	42.94	28.05	8.34	10.40	16.1	9.6	
		9:00	29.83	42.84	27.80	8.27	12.23	85.3	8.3	
		12:00	30.08	44.87	29.32	8.27	12.55	17.0	3.2	
		15:00	29.50	46.23	30.20	8.39	8.83	11.0	7.1	
		18:00	29.23	45.84	29.96	8.40	8.73	62.7	8.5	
		21:00	30.54	42.83	27.98	8.43	13.87	3.1	13.2	
	日平均值			29.44	45.14	29.47	8.34	10.26	32.18	7.54
	灣內站	0:00	30.46	40.38	26.51	8.23	6.59	18.0	40.9	
		3:00	30.20	41.46	27.26	8.21	7.04	40.2	44.4	
		6:00	29.17	44.61	29.34	7.91	5.44	17.5	55.3	
		9:00	29.75	43.67	28.72	8.08	9.24	16.8	62.1	
		12:00	31.52	41.03	26.99	8.48	13.66	16.6	33.8	
		15:00	31.56	41.29	27.16	8.47	12.96	35.6	55.4	
		18:00	29.58	44.18	29.05	8.22	9.94	31.9	24.9	
		21:00	29.24	45.17	29.73	8.10	5.67	51.5	23.1	
	日平均值			30.19	42.72	28.10	8.21	8.82	28.50	42.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月25日	蚵殼站	0:00	30.30	35.22	22.48	8.25	10.44	23.7	1.1	
		3:00	29.70	36.33	23.21	8.17	9.38	28.8	8.8	
		6:00	28.73	37.47	24.71	7.96	5.64	36.2	10.5	
		9:00	28.91	36.87	24.17	8.13	8.19	30.2	8.2	
		12:00	29.54	36.30	23.95	8.22	10.36	36.8	8.3	
		15:00	29.71	36.04	23.78	8.24	12.20	30.6	15.9	
		18:00	29.75	35.98	23.62	8.22	12.11	23.8	20.7	
		21:00	29.05	37.59	24.56	8.01	6.39	25.5	11.3	
	日平均值			29.46	36.48	23.81	8.15	9.34	29.44	10.60
	潮口站	0:00	28.87	44.76	29.25	8.22	10.90	5.4	9.2	
		3:00	29.07	51.05	33.35	8.27	6.66	38.4	7.2	
		6:00	29.34	47.74	31.19	8.43	9.25	17.5	9.0	
		9:00	29.62	44.65	29.17	8.23	11.28	5.5	7.6	
		12:00	30.11	46.48	30.14	8.17	10.49	10.2	4.0	
		15:00	30.84	49.48	32.06	8.14	8.04	16.9	8.1	
		18:00	29.76	46.16	30.16	8.18	9.35	14.8	11.5	
		21:00	30.45	44.20	28.90	8.25	12.15	3.9	10.3	
	日平均值			29.76	46.82	30.53	8.24	9.77	14.06	8.36
	灣內站	0:00	30.02	44.36	29.15	8.08	5.95	21.6	20.5	
		3:00	29.62	44.68	29.36	8.06	5.68	34.6	20.0	
		6:00	28.85	45.56	29.94	8.03	5.63	43.6	42.7	
		9:00	29.13	46.02	30.27	7.99	6.65	21.3	37.4	
		12:00	30.96	43.39	28.51	8.33	12.83	22.6	37.6	
		15:00	30.74	43.89	28.83	8.39	10.02	28.4	32.8	
		18:00	28.50	47.60	31.28	8.13	5.61	54.4	46.6	
		21:00	28.78	47.16	30.97	8.05	5.62	29.6	19.9	
	日平均值			29.58	45.33	29.79	8.13	7.25	32.01	32.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月26日	蚵殼站	0:00	29.77	35.84	23.37	8.22	9.41	23.5	5.0	
		3:00	29.53	36.81	23.48	8.21	9.04	23.1	10.3	
		6:00	28.70	38.11	25.17	7.95	5.88	28.3	8.5	
		9:00	28.52	38.55	25.44	7.94	5.21	24.6	14.7	
		12:00	29.44	37.89	24.81	8.17	7.59	30.1	10.8	
		15:00	30.45	36.26	23.93	8.31	12.64	32.9	8.4	
		18:00	28.74	38.03	25.09	8.08	8.29	22.7	15.2	
		21:00	28.64	38.01	25.09	8.12	8.61	24.1	17.2	
	日平均值			29.22	37.44	24.55	8.13	8.33	26.16	11.26
	潮口站	0:00	29.11	45.52	29.74	8.24	8.24	8.3	12.2	
		3:00	29.31	50.73	33.14	8.23	6.29	58.6	17.5	
		6:00	29.59	50.87	33.22	8.33	7.02	63.8	29.1	
		9:00	29.89	47.97	31.35	8.21	9.52	10.4	8.9	
		12:00	30.29	49.53	32.34	8.21	8.71	21.4	18.8	
		15:00	30.40	49.76	32.50	8.15	8.22	20.8	30.4	
		18:00	29.72	49.87	32.57	8.14	7.26	31.7	23.9	
		21:00	30.28	47.59	31.09	8.32	9.90	7.3	7.8	
	日平均值			29.82	48.98	31.99	8.23	8.15	27.79	18.58
	灣內站	0:00	29.34	45.78	30.07	8.09	5.90	16.0	18.8	
		3:00	29.41	44.88	29.48	8.15	6.91	12.7	16.0	
		6:00	28.70	46.56	30.59	8.07	6.02	34.8	20.2	
		9:00	28.80	47.50	31.20	7.96	5.76	9.0	33.8	
		12:00	30.47	44.32	29.14	8.34	9.70	28.6	27.4	
		15:00	30.91	43.73	28.76	8.47	10.92	50.5	21.1	
		18:00	28.38	47.93	31.49	8.24	6.01	29.4	27.8	
		21:00	28.22	48.15	31.63	8.13	5.96	23.1	21.1	
	日平均值			29.28	46.11	30.30	8.18	7.15	25.52	23.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月27日	蚵殼站	0:00	28.88	36.82	24.28	8.19	8.68	25.0	9.9	
		3:00	28.68	36.33	23.99	8.15	7.13	27.8	9.3	
		6:00	28.56	37.93	25.06	8.02	6.23	35.9	17.2	
		9:00	28.44	38.19	25.20	7.93	5.33	29.4	12.9	
		12:00	28.88	37.84	24.95	8.09	7.93	31.6	12.4	
		15:00	29.68	37.27	24.56	8.19	9.01	27.1	3.3	
		18:00	29.25	37.45	24.71	8.13	6.08	22.1	3.3	
		21:00	28.83	37.90	24.55	8.05	5.74	19.9	10.4	
	日平均值			28.90	37.47	24.66	8.09	7.02	27.36	9.84
	潮口站	0:00	29.30	47.94	30.64	8.24	9.75	20.7	2.6	
		3:00	29.42	48.27	30.97	8.25	7.70	67.6	16.9	
		6:00	29.64	45.56	28.26	8.40	7.09	88.6	36.5	
		9:00	29.89	45.77	28.47	8.32	8.71	42.8	37.1	
		12:00	30.22	46.84	29.54	8.24	8.55	35.1	14.9	
		15:00	29.54	47.69	30.39	8.16	8.41	48.6	3.2	
		18:00	29.62	46.89	29.59	8.17	7.79	47.9	26.3	
		21:00	29.75	46.55	29.25	8.17	9.39	8.0	2.9	
	日平均值			29.67	46.94	29.64	8.24	8.42	44.91	17.55
	灣內站	0:00	28.42	47.66	31.30	8.08	5.87	16.0	15.6	
		3:00	28.45	47.71	31.32	8.06	7.09	13.1	21.1	
		6:00	28.35	47.83	31.42	8.04	7.97	24.7	14.0	
		9:00	28.54	47.00	30.66	8.00	7.31	89.1	16.8	
		12:00	29.65	46.12	30.29	8.32	11.73	38.9	21.2	
		15:00	30.15	45.92	30.16	8.33	11.39	24.5	13.9	
		18:00	29.67	46.25	28.92	8.29	10.61	11.9	15.9	
		21:00	28.65	47.54	31.20	8.21	7.17	19.6	14.9	
	日平均值			28.99	47.00	30.66	8.17	8.64	29.73	16.67
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月28日	蚵殼站	0:00	29.13	36.92	24.36	8.15	9.11	28.4	5.8	
		3:00	29.27	36.07	23.79	8.35	12.14	27.3	1.9	
		6:00	28.77	37.17	24.53	8.13	7.88	26.1	14.0	
		9:00	28.66	37.88	24.68	8.03	6.76	23.9	5.6	
		12:00	28.79	37.79	24.77	8.18	10.34	28.9	20.4	
		15:00	29.60	37.21	24.52	8.25	10.22	29.1	20.8	
		18:00	29.45	37.37	24.64	8.20	8.19	23.4	7.4	
		21:00	28.91	37.59	24.82	8.16	8.45	21.5	38.2	
	日平均值			29.07	37.25	24.51	8.18	9.14	26.07	14.26
	潮口站	0:00	30.08	46.43	29.13	8.31	7.32	4.7	5.5	
		3:00	29.07	47.97	30.67	8.20	6.76	3.4	11.0	
		6:00	29.45	46.81	29.51	8.25	6.93	9.9	33.0	
		9:00	29.53	46.71	29.41	8.28	6.99	5.2	15.6	
		12:00	29.77	46.74	29.44	8.26	7.17	7.4	19.6	
		15:00	29.13	48.21	30.91	8.11	6.60	4.3	3.9	
		18:00	29.13	48.45	31.15	8.13	6.64	6.8	6.1	
		21:00	29.32	47.25	29.95	8.30	7.26	4.2	4.1	
	日平均值			29.44	47.32	30.02	8.23	6.96	5.74	12.35
	灣內站	0:00	28.83	47.62	31.26	8.10	6.13	14.6	17.4	
		3:00	28.86	47.43	31.13	8.07	6.27	22.9	22.4	
		6:00	28.71	47.65	30.98	8.06	6.96	29.2	18.1	
		9:00	28.94	47.40	31.12	8.05	7.78	40.5	16.1	
		12:00	29.61	46.27	30.42	8.36	12.16	86.0	26.3	
		15:00	29.95	46.20	30.33	8.42	11.27	99.2	23.9	
		18:00	29.05	46.93	30.85	8.36	9.66	38.5	15.8	
		21:00	28.37	48.10	31.60	8.22	8.15	72.6	14.2	
	日平均值			29.04	47.20	30.96	8.21	8.55	50.45	19.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月29日	蚵殼站	0:00	29.03	36.34	23.98	8.37	12.34	23.4	14.8	
		3:00	28.62	36.72	24.23	8.32	10.88	21.1	13.2	
		6:00	28.60	39.10	25.77	8.23	8.90	22.8	93.7	
		9:00	29.40	42.90	28.30	8.34	7.85	26.8	5.3	
		12:00	29.69	43.26	28.66	8.01	8.80	24.0	6.3	
		15:00	29.45	44.52	29.03	8.01	10.83	23.9	4.8	
		18:00	29.51	44.04	28.82	8.01	10.38	24.7	14.4	
		21:00	29.49	43.27	29.00	7.94	9.71	21.8	11.6	
	日平均值			29.22	41.27	27.22	8.15	9.96	23.56	20.51
	潮口站	0:00	29.36	46.72	29.42	8.44	7.93	4.5	5.7	
		3:00	28.74	48.00	30.70	8.26	6.73	6.6	4.6	
		6:00	28.61	48.19	30.89	8.29	6.76	8.8	12.9	
		9:00	29.07	46.64	29.34	8.44	7.71	6.3	12.7	
		12:00	29.32	46.56	29.26	8.46	8.40	15.1	6.3	
		15:00	28.86	47.82	30.52	8.20	6.81	6.1	7.2	
		18:00	28.84	47.34	30.04	8.17	6.83	7.9	11.4	
		21:00	29.19	46.57	29.27	8.47	8.84	3.9	7.8	
	日平均值			29.00	47.23	29.93	8.34	7.50	7.40	8.58
	灣內站	0:00	28.87	47.59	31.10	8.11	7.74	40.4	14.5	
		3:00	28.86	46.61	30.66	8.20	8.00	44.7	15.2	
		6:00	28.37	46.62	30.63	8.28	6.34	147.8	15.1	
		9:00	28.19	47.41	31.12	8.27	7.42	103.7	21.4	
		12:00	28.51	47.10	30.93	8.31	10.62	78.2	21.0	
		15:00	29.08	46.37	30.52	8.38	11.61	34.2	25.4	
		18:00	28.77	47.24	31.02	8.30	8.35	18.1	28.3	
		21:00	28.15	47.11	30.11	7.95	7.13	5.7	25.4	
	日平均值			28.60	47.01	30.76	8.23	8.40	59.09	20.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
9月30日	蚵殼站	0:00	29.50	42.89	28.82	8.01	7.43	14.3	11.3	
		3:00	29.52	44.38	28.22	8.08	5.53	16.5	21.6	
		6:00	29.35	42.03	28.41	8.09	7.20	13.9	15.0	
		9:00	29.13	43.58	28.60	8.12	6.43	15.2	10.2	
		12:00	29.18	43.11	27.49	8.44	9.59	13.5	43.5	
		15:00	29.57	43.72	27.83	8.42	8.99	30.9	14.2	
		18:00	29.35	40.43	28.56	8.09	6.11	22.4	31.5	
		21:00	29.16	43.61	27.74	8.43	9.56	14.0	15.0	
	日平均值			29.35	42.97	28.21	8.21	7.61	17.58	20.29
	潮口站	0:00	28.95	46.19	28.89	8.10	8.86	8.9	11.3	
		3:00	28.67	47.68	30.38	8.26	6.94	4.6	3.7	
		6:00	28.26	45.33	28.03	8.22	6.97	7.9	9.0	
		9:00	28.58	46.88	29.58	8.25	6.66	8.0	7.0	
		12:00	28.93	46.41	29.11	8.40	8.37	5.1	5.8	
		15:00	29.00	47.02	29.72	8.22	6.42	6.8	9.3	
		18:00	28.77	43.73	26.43	8.18	6.54	4.6	4.6	
		21:00	28.94	46.91	29.61	8.24	6.61	11.7	24.1	
	日平均值			28.76	46.27	28.97	8.23	7.17	7.20	9.35
	灣內站	0:00	28.41	46.96	29.96	8.11	6.71	8.7	25.3	
		3:00	28.61	46.80	29.80	8.24	7.51	7.1	26.7	
		6:00	27.77	48.38	31.38	7.99	5.73	4.4	21.7	
		9:00	27.90	47.78	30.78	7.95	8.17	7.4	24.3	
		12:00	28.08	47.77	30.77	8.04	5.93	3.5	28.0	
		15:00	28.58	47.61	30.61	8.28	8.55	9.4	29.0	
		18:00	28.95	47.09	30.09	8.33	9.29	13.4	25.6	
		21:00	29.89	46.01	29.01	8.37	8.33	13.2	21.2	
	日平均值			28.52	47.30	30.30	8.16	7.53	8.40	25.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月1日	蚵殼站	0:00	29.50	45.57	29.83	8.16	10.02	19.7	18.4	
		3:00	29.97	44.36	29.04	8.20	9.81	24.0	18.8	
		6:00	29.25	46.20	30.24	8.01	6.13	22.1	17.7	
		9:00	29.35	46.37	30.35	8.11	9.00	22.0	9.9	
		12:00	29.28	46.40	30.37	7.93	10.86	24.0	45.5	
		15:00	29.76	45.71	29.92	8.18	11.83	24.0	46.5	
		18:00	29.25	46.77	30.61	7.99	11.01	20.5	20.7	
		21:00	29.34	46.34	30.33	8.12	9.21	19.6	17.6	
	日平均值			29.46	45.97	30.09	8.09	9.73	21.99	24.39
	潮口站	0:00	28.59	46.05	30.13	8.27	6.60	5.2	5.1	
		3:00	28.64	44.87	29.34	8.23	5.97	2.5	2.9	
		6:00	28.51	46.66	30.54	8.25	5.72	3.4	17.2	
		9:00	28.39	46.83	30.65	8.39	8.58	10.4	8.9	
		12:00	28.80	46.86	30.67	8.33	7.85	2.1	9.7	
		15:00	29.11	46.18	30.22	8.17	6.91	10.1	3.2	
		18:00	28.92	47.21	30.91	8.22	7.20	11.8	5.2	
		21:00	28.76	47.11	30.84	8.24	6.98	10.7	3.6	
	日平均值			28.72	46.47	30.41	8.26	6.98	7.03	6.98
	灣內站	0:00	27.95	46.21	30.40	8.14	8.47	18.3	33.2	
		3:00	28.12	46.12	30.26	8.18	6.82	20.1	39.9	
		6:00	27.98	45.98	30.19	8.12	7.92	12.0	30.3	
		9:00	27.88	45.82	30.09	8.13	8.23	20.8	21.8	
		12:00	28.12	46.11	30.07	8.20	8.90	23.8	26.2	
		15:00	28.30	45.97	30.18	8.18	9.59	35.0	33.7	
		18:00	28.39	46.27	30.47	8.18	9.73	10.2	44.4	
		21:00	28.31	46.77	31.28	8.12	8.49	30.2	36.2	
	日平均值			28.13	46.16	30.37	8.16	8.52	21.29	33.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月2日	蚵殼站	0:00	29.45	46.54	30.46	8.11	7.49	19.1	13.0	
		3:00	29.55	46.34	30.33	8.12	6.79	22.2	21.7	
		6:00	29.42	46.54	30.46	8.10	6.32	34.7	14.8	
		9:00	29.61	46.09	30.17	8.19	7.12	21.0	15.4	
		12:00	29.58	46.54	30.46	8.12	7.44	23.8	8.1	
		15:00	29.62	46.45	30.40	8.07	9.16	26.0	16.1	
		18:00	29.93	46.22	30.25	8.23	11.53	24.3	27.2	
		21:00	30.49	44.91	29.40	8.28	8.53	25.4	17.0	
	日平均值			29.71	46.20	30.24	8.15	8.05	24.55	16.66
	潮口站	0:00	28.59	46.99	30.76	8.27	6.50	9.5	1.5	
		3:00	28.62	46.80	30.63	8.35	7.23	7.6	9.2	
		6:00	28.35	46.99	30.76	8.26	6.22	185.7	1.9	
		9:00	28.51	46.56	30.47	8.23	6.99	26.7	1.4	
		12:00	29.48	46.99	30.76	8.47	9.02	27.1	6.5	
		15:00	29.16	46.90	30.70	8.30	7.66	10.4	7.4	
		18:00	28.76	46.68	30.55	8.19	7.18	7.9	1.5	
		21:00	28.83	45.41	29.70	8.23	6.56	26.5	4.4	
	日平均值			28.79	46.67	30.54	8.29	7.17	37.68	4.23
	灣內站	0:00	28.25	47.37	31.10	8.06	7.59	64.8	31.9	
		3:00	27.99	46.62	30.50	8.04	6.89	47.9	23.3	
		6:00	27.65	46.22	30.19	8.07	6.42	63.1	20.7	
		9:00	27.90	45.95	30.16	8.29	9.46	32.8	37.0	
		12:00	28.38	45.26	29.78	8.40	10.54	29.2	37.1	
		15:00	28.53	45.09	29.69	8.36	12.92	22.9	38.4	
		18:00	28.43	45.42	29.86	8.30	11.60	13.4	38.6	
		21:00	28.31	46.27	30.29	8.18	9.31	7.4	37.0	
	日平均值			28.18	46.03	30.20	8.21	9.34	35.17	33.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月3日	蚵殼站	0:00	29.94	46.40	30.37	8.14	7.59	18.8	14.1	
		3:00	29.96	45.29	29.65	8.33	7.71	19.7	20.4	
		6:00	29.58	46.59	30.49	8.25	6.25	21.3	17.7	
		9:00	29.40	46.86	30.67	8.18	7.90	23.0	16.8	
		12:00	28.50	45.86	30.02	8.19	8.52	22.8	9.2	
		15:00	28.54	45.12	29.57	8.28	11.10	25.0	32.4	
		18:00	28.60	44.28	29.01	8.30	8.99	47.4	22.6	
		21:00	28.50	44.08	28.88	8.30	6.44	25.0	9.8	
	日平均值			29.13	45.56	29.83	8.25	8.06	25.37	17.88
	潮口站	0:00	28.58	46.86	30.67	8.38	7.17	8.9	11.4	
		3:00	28.40	45.78	29.95	8.42	7.77	2.6	8.4	
		6:00	28.44	47.04	30.79	8.26	6.27	8.0	3.3	
		9:00	28.38	47.30	30.97	8.27	6.87	23.8	1.4	
		12:00	28.35	47.09	30.76	8.24	8.92	6.7	1.1	
		15:00	28.25	49.44	32.28	8.20	8.51	6.5	5.4	
		18:00	28.31	49.04	32.03	8.15	7.54	7.7	8.5	
		21:00	27.44	47.12	30.67	8.23	7.45	21.2	1.2	
	日平均值			28.27	47.46	31.02	8.27	7.56	10.67	5.09
	灣內站	0:00	27.99	46.78	30.74	8.11	7.99	8.2	30.2	
		3:00	27.77	46.81	30.76	8.06	7.61	9.2	32.8	
		6:00	27.94	46.78	30.74	8.07	7.47	19.0	33.2	
		9:00	28.16	46.86	30.78	8.07	5.27	61.3	37.4	
		12:00	28.65	45.84	30.12	8.43	14.08	78.5	14.4	
		15:00	28.55	45.75	30.07	8.38	11.89	79.4	74.8	
		18:00	28.57	45.52	29.92	8.28	10.60	63.8	34.6	
		21:00	28.49	45.81	30.10	8.30	11.70	100.1	19.8	
	日平均值			28.27	46.27	30.40	8.21	9.58	52.45	34.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月4日	蚵殼站	0:00	28.39	44.15	28.92	8.29	7.89	25.8	13.6	
		3:00	27.97	43.97	28.80	8.30	9.04	38.8	23.6	
		6:00	27.15	46.43	30.42	8.26	9.32	20.5	20.1	
		9:00	27.10	47.79	31.27	8.27	7.41	24.1	16.4	
		12:00	27.11	47.93	31.36	8.13	7.09	23.8	8.9	
		15:00	27.13	47.33	30.97	8.19	10.80	28.0	14.0	
		18:00	27.43	47.54	31.11	8.14	12.72	23.7	34.2	
		21:00	27.48	47.43	31.04	8.29	9.92	22.7	13.8	
	日平均值			27.47	46.57	30.49	8.23	9.27	25.91	18.08
	潮口站	0:00	27.41	46.55	30.07	8.24	8.31	21.4	7.9	
		3:00	27.76	46.57	30.43	8.41	8.05	3.9	2.2	
		6:00	27.72	47.58	31.08	8.34	6.47	10.6	3.9	
		9:00	27.83	47.52	31.04	8.44	7.22	15.0	1.8	
		12:00	28.21	50.07	32.49	8.31	10.00	28.7	6.5	
		15:00	28.23	50.64	33.09	8.33	8.43	17.2	14.2	
		18:00	27.89	49.85	32.55	8.28	6.43	27.8	3.9	
		21:00	27.71	50.49	32.98	8.24	6.44	17.0	7.1	
	日平均值			27.85	48.66	31.72	8.32	7.67	17.69	5.94
	灣內站	0:00	28.35	46.65	30.66	8.13	8.57	123.3	26.2	
		3:00	28.37	46.52	30.58	8.08	7.79	85.2	9.9	
		6:00	27.96	46.07	30.23	8.23	7.47	101.1	24.5	
		9:00	28.20	45.96	30.18	8.35	12.47	74.9	50.6	
		12:00	28.46	45.77	30.07	8.41	11.19	84.7	60.7	
		15:00	28.59	45.45	29.88	8.46	10.90	113.1	86.3	
		18:00	28.47	44.87	29.49	8.38	12.84	30.4	61.6	
		21:00	28.14	44.91	29.51	8.37	11.41	82.7	36.8	
	日平均值			28.32	45.78	30.08	8.30	10.33	86.93	44.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月5日	蚵殼站	0:00	27.14	47.73	31.23	8.25	8.17	24.2	17.3	
		3:00	27.42	47.73	31.23	8.25	8.19	23.8	19.2	
		6:00	27.61	48.48	31.72	8.28	7.92	20.8	15.9	
		9:00	27.38	46.45	30.42	8.35	10.79	21.3	26.0	
		12:00	27.74	46.80	30.65	8.33	11.10	22.1	14.6	
		15:00	27.88	47.80	31.32	8.17	8.09	21.4	17.7	
		18:00	27.66	46.20	30.26	8.37	8.88	26.7	30.7	
		21:00	27.60	46.43	30.41	8.23	7.81	23.2	5.8	
	日平均值			27.55	47.20	30.91	8.28	8.87	22.94	18.40
	潮口站	0:00	27.47	51.85	33.86	8.25	9.46	31.8	8.8	
		3:00	27.13	49.41	32.28	8.44	9.78	26.9	7.5	
		6:00	26.90	48.33	31.60	8.44	8.17	20.9	3.7	
		9:00	27.47	49.53	32.36	8.34	7.08	83.5	3.8	
		12:00	27.72	50.51	32.99	8.31	8.84	37.8	7.8	
		15:00	27.60	45.49	29.72	8.22	8.13	15.2	6.4	
		18:00	27.71	49.10	32.09	8.28	6.65	16.1	4.8	
		21:00	27.46	48.11	31.43	8.30	7.02	8.5	1.2	
	日平均值			27.43	49.04	32.04	8.32	8.14	30.07	5.50
	灣內站	0:00	27.76	45.04	29.63	8.32	8.82	19.5	66.8	
		3:00	27.93	48.05	31.56	7.95	5.83	123.8	49.4	
		6:00	27.12	45.80	29.65	8.24	9.84	107.6	64.4	
		9:00	27.27	45.76	30.05	8.34	10.73	81.4	21.0	
		12:00	27.68	45.82	30.11	8.41	12.49	47.6	17.6	
		15:00	27.79	46.11	30.29	8.40	11.59	32.9	19.2	
		18:00	27.48	46.66	30.67	8.32	9.20	10.9	15.6	
		21:00	27.47	46.86	30.79	8.29	6.94	10.5	56.7	
	日平均值			27.56	46.26	30.34	8.28	9.43	54.28	38.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月6日	蚵殼站	0:00	27.47	46.99	30.78	8.03	5.31	28.4	4.3	
		3:00	27.79	47.78	31.31	8.03	6.29	20.9	8.0	
		6:00	27.87	48.96	32.08	8.09	6.44	22.9	6.5	
		9:00	28.12	48.28	31.59	8.26	9.97	36.4	9.7	
		12:00	27.78	46.79	30.62	8.28	7.77	26.9	5.9	
		15:00	27.87	47.02	30.77	8.21	9.83	21.1	3.0	
		18:00	28.04	47.68	31.20	8.25	9.32	20.9	7.3	
		21:00	27.83	47.65	31.18	8.22	8.19	21.3	25.8	
	日平均值			27.85	47.64	31.19	8.17	7.89	24.85	8.81
	潮口站	0:00	27.38	50.85	33.23	8.25	10.47	40.6	9.0	
		3:00	27.18	50.10	32.75	8.30	9.99	20.0	7.6	
		6:00	26.55	45.99	30.07	8.31	9.41	1.5	1.4	
		9:00	27.70	47.10	30.78	8.21	7.81	35.3	2.3	
		12:00	28.09	47.58	31.09	8.38	7.63	12.7	5.5	
		15:00	27.97	44.59	29.14	8.24	7.38	11.5	5.9	
		18:00	27.87	48.74	31.86	8.31	6.60	9.4	6.8	
		21:00	27.87	47.51	31.06	8.33	6.95	2.6	6.5	
	日平均值			27.58	47.81	31.25	8.29	8.28	16.69	5.63
	灣內站	0:00	27.53	47.47	31.16	8.18	6.23	7.3	36.7	
		3:00	27.76	47.92	31.48	8.08	6.39	4.4	35.1	
		6:00	27.85	47.90	31.46	7.99	5.34	5.9	20.6	
		9:00	28.01	47.15	30.98	8.17	8.42	9.2	30.3	
		12:00	28.56	45.90	30.20	8.36	12.65	14.1	26.3	
		15:00	28.43	46.71	30.71	8.30	10.70	14.8	45.7	
		18:00	28.36	46.94	30.84	8.16	8.38	55.2	90.1	
		21:00	28.38	46.83	30.77	8.08	8.35	23.5	22.4	
	日平均值			28.11	47.10	30.95	8.17	8.31	16.80	38.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月7日	蚵殼站	0:00	27.66	46.85	30.66	8.25	5.87	19.8	5.9	
		3:00	27.30	46.86	30.67	8.20	6.17	20.0	6.2	
		6:00	27.06	46.46	30.41	8.13	6.08	20.7	8.6	
		9:00	27.34	47.56	31.12	8.24	7.53	24.1	4.6	
		12:00	27.33	47.83	31.30	8.06	9.22	27.0	14.2	
		15:00	27.08	47.39	31.01	8.15	9.75	24.6	16.2	
		18:00	27.86	46.53	30.45	8.21	9.75	23.7	17.8	
		21:00	28.11	46.25	30.27	8.23	7.41	22.9	13.8	
	日平均值			27.47	46.97	30.74	8.18	7.72	22.86	10.91
	潮口站	0:00	27.71	49.44	32.31	8.26	7.37	19.2	5.4	
		3:00	27.60	50.56	33.03	8.26	8.41	22.5	2.2	
		6:00	27.43	46.23	30.22	8.38	8.98	3.5	3.0	
		9:00	28.48	45.92	30.03	8.44	7.58	4.7	4.1	
		12:00	28.86	47.28	30.67	8.40	7.17	9.0	4.5	
		15:00	28.29	44.57	29.14	8.24	7.30	6.7	1.2	
		18:00	28.20	47.97	31.36	8.28	6.51	9.4	17.3	
		21:00	28.15	45.94	29.73	8.34	6.79	2.9	1.3	
	日平均值			28.09	47.24	30.81	8.33	7.51	9.74	4.88
	灣內站	0:00	28.30	46.90	30.80	8.07	7.15	16.6	11.1	
		3:00	28.12	47.28	31.05	8.09	6.80	11.9	14.8	
		6:00	27.86	47.91	31.48	8.02	5.98	23.8	13.0	
		9:00	28.41	47.81	31.40	8.05	6.84	57.3	11.0	
		12:00	29.57	46.76	30.74	8.15	9.03	18.6	20.7	
		15:00	29.75	46.78	30.74	8.25	11.40	19.9	17.1	
		18:00	29.24	47.11	30.94	8.20	8.00	33.3	20.3	
		21:00	28.97	47.46	31.15	8.16	7.62	24.1	36.5	
	日平均值			28.78	47.25	31.04	8.12	7.85	25.69	18.07
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月8日	蚵殼站	0:00	27.80	46.66	30.54	8.13	7.95	21.1	4.8	
		3:00	27.80	46.25	30.27	8.23	6.22	21.6	18.5	
		6:00	27.96	45.93	30.06	8.18	8.30	22.4	10.9	
		9:00	28.21	47.68	31.25	8.09	6.15	24.5	7.0	
		12:00	28.88	47.35	31.02	8.22	8.36	34.5	8.4	
		15:00	29.30	46.85	30.68	8.29	11.56	26.2	39.2	
		18:00	28.68	46.23	30.28	8.12	7.53	22.8	5.9	
		21:00	28.55	45.29	29.68	8.08	7.93	22.4	6.7	
	日平均值			28.40	46.53	30.47	8.17	8.00	24.43	12.68
	潮口站	0:00	28.16	47.88	31.29	8.31	6.60	8.3	4.1	
		3:00	27.63	50.49	32.99	8.27	8.66	40.5	2.3	
		6:00	27.64	48.29	31.56	8.33	8.10	13.8	3.6	
		9:00	28.54	46.13	29.99	8.39	7.42	7.5	4.6	
		12:00	28.89	47.42	30.98	8.40	7.09	8.9	3.8	
		15:00	28.54	42.63	27.84	8.22	7.24	7.1	1.8	
		18:00	28.03	48.49	31.69	8.28	7.43	9.5	4.2	
		21:00	28.46	47.49	31.04	8.40	6.53	3.3	6.2	
	日平均值			28.24	47.35	30.92	8.33	7.38	12.34	3.83
	灣內站	0:00	28.87	47.42	31.12	8.15	6.82	12.9	40.4	
		3:00	28.65	47.54	31.21	8.13	6.25	6.2	68.6	
		6:00	28.30	48.18	31.67	8.03	7.80	5.3	54.6	
		9:00	28.76	47.91	31.48	8.04	7.11	11.5	43.6	
		12:00	29.99	46.51	30.61	8.27	11.51	15.2	29.2	
		15:00	30.15	46.41	30.56	8.34	10.62	32.6	71.6	
		18:00	29.73	46.81	30.77	8.28	9.84	13.2	54.8	
		21:00	29.65	47.39	31.10	8.15	11.98	7.6	51.9	
	日平均值			29.26	47.27	31.07	8.17	8.99	13.05	51.84
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月9日	蚵殼站	0:00	28.80	45.64	29.90	8.16	7.50	25.8	9.2	
		3:00	28.49	46.01	30.14	8.08	6.62	21.8	7.5	
		6:00	28.11	47.72	31.27	8.06	5.72	23.4	8.2	
		9:00	28.28	47.49	31.12	8.11	6.44	26.9	5.9	
		12:00	28.76	46.98	30.78	8.24	7.55	27.9	32.7	
		15:00	29.13	46.67	30.56	8.29	11.21	28.3	14.1	
		18:00	28.93	45.87	30.05	8.18	8.84	23.5	12.0	
		21:00	28.88	45.28	29.67	8.16	8.63	23.1	12.3	
	日平均值			28.67	46.46	30.44	8.16	7.81	25.08	12.74
	潮口站	0:00	28.27	46.95	30.17	8.35	6.09	3.5	8.7	
		3:00	27.72	50.04	32.67	8.27	7.51	32.7	3.9	
		6:00	27.76	48.58	31.73	8.29	8.74	17.1	7.7	
		9:00	28.80	45.78	30.92	8.43	8.57	7.3	1.2	
		12:00	29.35	46.02	30.84	8.21	6.56	9.6	32.2	
		15:00	28.58	41.52	30.31	8.24	7.31	8.9	1.1	
		18:00	28.21	45.73	30.88	8.31	6.61	7.5	11.5	
		21:00	28.47	44.35	30.98	8.42	5.98	3.3	2.0	
	日平均值			28.40	46.12	31.06	8.32	7.17	11.24	8.54
	灣內站	0:00	29.58	47.19	30.99	8.23	7.18	14.4	22.4	
		3:00	29.07	47.28	31.04	8.19	8.60	17.9	50.0	
		6:00	28.41	47.73	31.04	8.04	6.07	17.7	86.7	
		9:00	28.83	47.65	31.27	8.03	8.72	59.5	91.1	
		12:00	30.39	46.55	30.63	8.27	13.19	55.2	64.2	
		15:00	30.52	46.19	30.35	8.36	10.57	28.2	8.1	
		18:00	29.46	46.57	30.61	8.26	8.80	22.2	14.2	
		21:00	29.09	46.88	30.81	8.20	7.48	31.3	16.5	
	日平均值			29.42	47.01	30.84	8.20	8.83	30.81	44.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月10日	蚵殼站	0:00	29.00	44.32	29.03	8.24	9.06	22.2	32.5	
		3:00	29.18	44.62	29.22	8.26	5.71	19.4	40.1	
		6:00	28.10	45.05	29.49	8.09	6.82	16.8	8.9	
		9:00	28.17	45.19	29.58	8.19	5.83	17.0	5.9	
		12:00	28.40	44.73	29.28	8.06	7.66	8.9	3.1	
		15:00	28.53	44.68	29.25	8.00	11.74	12.9	5.9	
		18:00	28.68	44.51	29.14	7.87	8.69	17.5	14.7	
		21:00	28.59	44.85	29.36	7.94	6.79	10.3	9.7	
	日平均值			28.58	44.74	29.29	8.08	7.79	15.62	15.10
	潮口站	0:00	28.40	42.92	30.04	8.40	6.04	4.7	3.6	
		3:00	28.44	44.76	31.23	8.34	6.65	7.8	39.6	
		6:00	27.80	45.92	30.04	8.34	6.62	15.2	8.4	
		9:00	27.95	45.83	29.98	8.27	6.40	15.4	7.5	
		12:00	28.35	47.08	30.82	8.22	6.42	7.3	2.6	
		15:00	28.73	44.26	28.93	8.21	6.85	11.3	1.6	
		18:00	28.57	46.81	30.64	8.27	6.42	15.9	4.9	
		21:00	28.34	46.39	30.36	8.17	6.05	8.7	1.2	
	日平均值			28.32	45.50	30.26	8.28	6.43	10.78	8.68
	灣內站	0:00	29.31	46.76	30.72	8.16	10.08	9.2	28.5	
		3:00	29.49	46.48	30.59	8.18	5.81	5.9	14.8	
		6:00	29.20	47.06	30.69	8.12	6.32	3.4	8.5	
		9:00	29.27	47.73	30.78	8.22	5.93	6.1	12.9	
		12:00	29.50	49.66	30.48	8.09	7.76	6.0	9.2	
		15:00	29.63	47.26	30.45	8.03	11.84	12.7	2.9	
		18:00	29.78	47.86	30.34	7.90	8.79	9.1	5.6	
		21:00	29.69	47.41	30.56	7.97	6.89	4.4	22.7	
	日平均值			29.48	47.53	30.58	8.08	7.93	7.10	13.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月11日	蚵殼站	0:00	28.32	45.02	29.47	7.96	6.87	11.3	5.4	
		3:00	28.32	45.03	29.48	8.38	6.20	11.6	2.5	
		6:00	28.42	44.80	29.33	8.49	5.51	10.2	2.9	
		9:00	28.26	44.96	29.43	8.49	5.84	8.6	3.6	
		12:00	28.26	45.69	29.91	8.22	7.66	9.5	5.1	
		15:00	28.75	44.43	29.09	7.99	8.71	23.5	2.2	
		18:00	29.01	44.14	28.90	8.22	8.50	25.8	9.9	
		21:00	29.56	45.46	29.76	8.34	6.49	24.3	2.6	
	日平均值			28.61	44.94	29.42	8.26	6.97	15.60	4.28
	潮口站	0:00	28.23	47.77	31.28	8.18	5.61	9.7	3.7	
		3:00	28.14	47.50	31.10	8.21	5.84	10.0	5.3	
		6:00	27.64	45.08	29.48	8.41	7.49	8.6	4.7	
		9:00	28.04	45.90	30.03	8.22	6.46	7.0	7.8	
		12:00	28.81	46.18	30.22	8.23	6.41	7.9	4.6	
		15:00	27.76	44.74	29.25	8.18	7.60	22.6	1.7	
		18:00	27.68	44.85	29.33	8.23	7.15	23.7	4.3	
		21:00	28.27	47.57	31.15	8.40	8.15	6.7	7.2	
	日平均值			28.07	46.20	30.23	8.26	6.84	12.02	4.91
	灣內站	0:00	29.42	46.85	30.67	7.99	6.97	3.9	15.8	
		3:00	29.42	47.03	30.68	8.41	6.30	2.3	15.8	
		6:00	29.52	47.66	30.53	8.27	5.61	2.2	13.6	
		9:00	29.36	47.78	30.63	8.42	5.94	3.8	8.1	
		12:00	29.36	47.13	30.11	8.25	7.76	3.8	7.0	
		15:00	30.00	45.13	29.71	8.43	8.81	19.1	14.4	
		18:00	29.59	45.78	30.10	8.33	10.09	53.2	37.5	
		21:00	29.52	46.57	30.61	8.21	10.55	22.1	39.8	
	日平均值			29.52	46.74	30.38	8.29	7.75	13.79	19.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月12日	蚵殼站	0:00	29.42	45.65	29.88	8.27	5.62	27.8	41.9	
		3:00	28.73	46.28	30.29	8.08	6.24	30.1	3.5	
		6:00	29.21	45.77	29.96	8.28	7.07	25.0	3.4	
		9:00	29.17	45.51	29.79	8.33	6.12	27.7	2.5	
		12:00	29.37	44.94	29.42	8.27	7.46	27.5	4.0	
		15:00	29.27	45.86	30.02	8.22	9.86	28.8	3.8	
		18:00	29.72	44.50	29.13	8.44	6.33	27.2	4.5	
		21:00	29.59	44.46	29.11	8.47	5.58	24.3	14.2	
	日平均值			29.31	45.37	29.70	8.30	6.79	27.29	9.73
	潮口站	0:00	28.03	44.85	29.33	8.47	6.60	3.5	3.8	
		3:00	27.88	46.90	30.70	8.36	6.40	13.0	1.8	
		6:00	27.63	50.47	33.09	8.25	6.87	28.2	4.7	
		9:00	28.13	46.30	30.30	8.20	6.83	7.6	4.3	
		12:00	28.78	46.09	30.16	8.42	7.00	8.2	9.2	
		15:00	28.36	47.07	30.81	8.37	7.28	9.0	3.3	
		18:00	27.42	46.81	30.64	8.25	6.94	22.8	1.4	
		21:00	27.70	46.38	30.35	8.30	7.87	9.0	3.9	
	日平均值			27.99	46.86	30.67	8.33	6.97	12.64	4.05
	灣內站	0:00	29.44	46.06	30.27	8.25	8.86	24.7	36.4	
		3:00	29.03	45.22	29.76	8.26	8.94	9.7	47.1	
		6:00	29.00	46.01	30.20	8.21	10.19	16.2	38.1	
		9:00	28.47	48.36	31.76	7.99	6.03	8.6	37.5	
		12:00	28.86	47.14	30.96	8.09	8.98	13.1	31.0	
		15:00	29.20	45.69	30.02	8.33	9.29	43.7	44.9	
		18:00	28.73	48.19	31.66	8.04	5.25	16.0	51.7	
		21:00	28.55	48.64	31.94	8.01	6.64	8.4	43.5	
	日平均值			28.91	46.91	30.82	8.15	8.02	17.54	41.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月13日	蚵殼站	0:00	29.27	44.80	29.33	8.29	6.96	22.1	5.4	
		3:00	28.68	45.56	29.82	8.22	6.66	21.7	2.1	
		6:00	28.92	45.25	29.62	8.22	5.71	20.3	2.7	
		9:00	29.09	45.34	29.68	8.24	6.65	26.8	3.8	
		12:00	28.94	45.45	29.75	8.14	6.54	26.6	1.9	
		15:00	29.36	44.74	29.29	8.28	6.22	25.3	7.7	
		18:00	28.97	45.03	29.48	8.26	6.68	20.7	1.4	
		21:00	29.64	44.23	28.96	8.23	6.91	20.6	2.1	
	日平均值			29.11	45.05	29.49	8.24	6.54	23.02	3.39
	潮口站	0:00	27.93	45.71	29.90	8.41	6.76	3.6	4.4	
		3:00	27.70	45.15	29.53	8.48	6.46	3.2	1.2	
		6:00	27.66	48.13	31.52	8.28	6.83	24.8	5.1	
		9:00	27.96	46.62	30.51	8.40	7.50	14.6	3.3	
		12:00	28.35	45.87	30.01	8.41	6.79	14.7	9.6	
		15:00	28.46	45.84	29.99	8.40	6.02	10.3	6.9	
		18:00	27.76	45.84	29.99	8.26	6.48	15.3	36.5	
		21:00	27.75	47.48	31.09	8.25	6.71	9.9	1.3	
	日平均值			27.95	46.33	30.32	8.36	6.69	12.05	8.54
	灣內站	0:00	28.61	48.61	31.91	7.95	6.54	30.9	34.7	
		3:00	28.84	47.10	30.95	8.01	5.70	28.2	45.2	
		6:00	28.77	47.70	31.31	7.95	5.82	35.7	36.3	
		9:00	28.82	47.52	31.19	7.98	5.47	14.8	9.5	
		12:00	29.17	45.63	29.99	8.23	9.61	32.7	28.7	
		15:00	29.36	44.68	29.35	8.46	9.72	25.5	34.1	
		18:00	28.94	45.92	30.16	8.42	10.90	28.1	50.4	
		21:00	28.68	47.24	31.03	8.26	12.18	26.3	48.0	
	日平均值			28.90	46.80	30.74	8.16	8.24	27.78	35.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月14日	蚵殼站	0:00	29.10	44.59	29.19	8.29	7.53	21.5	2.5	
		3:00	29.01	45.10	29.52	8.43	5.72	21.5	1.1	
		6:00	28.78	44.54	29.16	8.34	6.16	22.6	0.1	
		9:00	28.77	43.80	28.68	8.46	9.16	26.3	5.7	
		12:00	29.03	44.36	29.04	8.30	9.66	24.9	4.7	
		15:00	28.81	44.62	29.21	8.23	6.31	24.1	2.3	
		18:00	29.35	44.37	29.05	8.42	6.17	22.0	2.2	
		21:00	29.10	43.46	28.46	8.43	8.04	20.7	6.5	
	日平均值			28.99	44.36	29.04	8.36	7.34	22.94	3.14
	潮口站	0:00	27.98	44.99	29.42	8.18	7.33	0.7	1.7	
		3:00	27.81	44.42	29.04	8.28	5.52	2.7	36.9	
		6:00	27.89	45.72	29.91	8.40	5.96	6.4	26.0	
		9:00	28.36	46.35	30.33	8.33	8.96	9.4	4.9	
		12:00	28.39	46.87	30.68	8.37	9.46	10.2	3.9	
		15:00	28.58	42.90	28.02	8.28	6.11	10.7	1.5	
		18:00	28.04	44.06	28.80	8.25	5.97	13.9	1.4	
		21:00	28.00	46.24	30.26	8.26	7.84	8.3	5.7	
	日平均值			28.13	45.19	29.56	8.29	7.14	7.76	10.24
	灣內站	0:00	28.33	48.45	31.82	8.11	8.90	22.5	42.4	
		3:00	28.46	48.38	31.79	8.00	7.38	83.2	41.2	
		6:00	28.09	47.91	31.17	7.96	7.44	51.1	34.4	
		9:00	28.49	47.51	31.19	8.14	7.15	52.1	36.5	
		12:00	29.43	45.80	30.09	8.41	12.94	17.7	31.4	
		15:00	29.53	45.26	29.78	8.43	14.00	13.5	45.1	
		18:00	29.04	45.42	29.88	8.35	11.17	11.7	44.5	
		21:00	28.79	46.33	30.48	8.24	10.06	16.1	45.7	
	日平均值			28.77	46.88	30.78	8.21	9.88	33.49	40.15
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月15日	蚵殼站	0:00	29.17	43.76	28.65	8.42	7.81	22.2	5.1	
		3:00	29.15	43.50	28.48	8.46	5.67	20.6	2.6	
		6:00	28.98	45.49	29.78	8.29	5.76	20.3	4.2	
		9:00	28.95	46.09	30.17	8.34	8.96	21.6	4.6	
		12:00	28.97	46.09	30.17	8.34	9.28	23.7	4.4	
		15:00	29.06	45.99	30.10	8.48	6.35	24.4	4.2	
		18:00	29.45	45.88	30.03	8.45	5.93	23.1	2.6	
		21:00	29.93	45.59	29.84	8.14	6.86	20.9	4.4	
	日平均值			29.21	45.30	29.65	8.37	7.08	22.08	4.01
	潮口站	0:00	27.99	44.32	28.97	8.39	7.61	0.9	4.3	
		3:00	28.36	44.63	29.18	8.36	10.31	1.2	1.8	
		6:00	28.20	44.74	29.25	8.45	5.56	6.9	15.5	
		9:00	28.31	46.38	30.35	8.30	8.76	4.7	3.8	
		12:00	28.90	45.71	29.90	8.31	9.08	9.4	3.6	
		15:00	28.80	44.96	29.40	8.37	6.15	9.4	3.4	
		18:00	28.13	45.69	29.89	8.27	5.73	20.0	1.8	
		21:00	27.71	46.17	30.21	8.26	6.66	25.4	3.6	
	日平均值			28.30	45.33	29.64	8.34	7.48	9.72	4.72
	灣內站	0:00	28.62	47.57	31.24	8.11	6.61	25.3	39.4	
		3:00	28.55	47.83	31.10	8.06	5.29	12.7	44.3	
		6:00	28.23	46.61	30.37	8.18	6.57	7.8	28.7	
		9:00	28.63	46.87	30.79	8.30	11.01	10.9	74.7	
		12:00	29.57	46.26	30.43	8.42	13.51	12.8	83.5	
		15:00	29.66	45.72	30.06	8.46	13.98	10.5	39.0	
		18:00	29.41	44.23	29.07	8.41	8.65	12.3	28.5	
		21:00	29.31	44.74	29.38	8.35	7.34	6.3	28.7	
	日平均值			29.00	46.23	30.31	8.29	9.12	12.33	45.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月16日	蚵殼站	0:00	29.84	47.19	30.88	8.27	6.67	21.1	4.2	
		3:00	29.22	46.19	30.23	8.13	5.80	20.0	2.5	
		6:00	29.02	46.63	30.52	8.44	6.41	21.5	2.4	
		9:00	28.90	47.34	30.98	8.26	7.34	23.6	4.3	
		12:00	29.05	46.88	29.59	8.35	12.21	26.4	21.9	
		15:00	29.37	46.49	30.45	8.47	13.35	33.2	8.0	
		18:00	29.16	46.28	30.31	8.48	12.91	16.5	8.6	
		21:00	28.97	46.49	30.45	8.48	12.04	6.0	18.7	
	日平均值			29.19	46.69	30.43	8.36	9.59	21.05	8.82
	潮口站	0:00	28.33	45.71	29.90	8.38	6.47	5.9	3.4	
		3:00	28.14	45.77	29.94	8.40	5.60	9.4	1.7	
		6:00	28.15	45.86	30.00	8.42	6.21	14.4	1.6	
		9:00	28.32	47.39	31.03	8.27	6.23	24.4	3.5	
		12:00	28.38	47.66	31.21	8.29	8.50	16.8	3.4	
		15:00	28.54	48.40	31.78	8.26	8.58	9.0	7.2	
		18:00	28.22	49.99	32.82	8.24	7.29	12.1	7.8	
		21:00	27.79	51.34	33.70	8.24	7.45	25.0	17.9	
	日平均值			28.23	47.77	31.30	8.31	7.04	14.62	5.82
	灣內站	0:00	29.30	45.04	29.64	8.34	12.05	10.9	36.2	
		3:00	28.96	45.08	29.68	8.32	8.06	13.7	45.8	
		6:00	28.81	45.08	29.68	8.22	9.02	28.0	43.3	
		9:00	27.84	46.58	28.73	8.30	10.96	17.0	80.5	
		12:00	29.79	42.76	27.91	8.49	11.82	13.2	11.0	
		15:00	29.73	42.00	27.58	8.46	13.58	11.2	31.5	
		18:00	29.29	42.32	27.82	8.40	12.75	5.8	60.6	
		21:00	29.08	43.23	28.42	8.39	12.17	4.9	62.5	
	日平均值			29.10	44.01	28.68	8.37	11.30	13.06	46.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月17日	蚵殼站	0:00	28.83	46.76	30.29	8.47	11.58	33.2	34.0	
		3:00	28.66	45.74	29.98	8.30	10.99	30.4	6.2	
		6:00	28.36	45.36	29.73	8.35	10.36	14.1	3.2	
		9:00	28.55	45.46	29.79	8.37	11.95	6.9	4.6	
		12:00	28.89	46.66	30.56	8.33	13.19	20.9	39.6	
		15:00	29.16	46.93	30.74	8.25	13.44	11.7	49.5	
		18:00	29.14	46.27	30.29	8.38	13.81	31.8	8.6	
		21:00	29.01	45.26	29.66	8.35	12.92	45.0	5.3	
	日平均值			28.83	46.06	30.13	8.35	12.28	24.24	18.88
	潮口站	0:00	27.90	49.57	32.55	8.32	7.83	27.3	31.1	
		3:00	28.18	48.40	31.80	8.44	9.27	16.6	35.6	
		6:00	28.19	48.17	31.65	8.21	10.44	6.9	25.0	
		9:00	28.50	48.26	31.69	8.48	9.45	9.9	23.4	
		12:00	28.50	49.16	32.27	8.30	7.75	29.9	33.3	
		15:00	28.79	48.60	31.91	8.34	9.01	43.1	48.7	
		18:00	28.95	48.89	32.09	8.40	9.95	38.4	7.8	
		21:00	28.11	50.23	32.98	8.28	7.86	70.4	4.5	
	日平均值			28.39	48.91	32.12	8.35	8.95	30.31	26.18
	灣內站	0:00	28.93	44.79	29.44	8.32	11.44	4.0	46.0	
		3:00	28.80	45.75	30.06	8.28	9.76	6.7	25.6	
		6:00	28.59	46.00	30.21	8.28	9.00	3.9	37.8	
		9:00	28.54	46.16	30.36	8.36	11.12	6.0	51.7	
		12:00	29.43	45.11	29.64	8.49	13.83	14.0	52.2	
		15:00	29.57	45.27	29.76	8.46	13.20	12.0	60.5	
		18:00	29.40	45.88	30.13	8.35	12.15	5.8	94.4	
		21:00	28.99	47.07	30.89	8.32	11.13	4.7	66.4	
	日平均值			29.03	45.75	30.06	8.36	11.45	7.14	54.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月18日	蚵殼站	0:00	29.38	46.66	30.40	8.46	13.14	13.9	36.9	
		3:00	29.40	46.70	30.60	8.46	13.20	6.8	10.1	
		6:00	29.15	46.18	30.26	8.49	12.83	8.4	3.1	
		9:00	28.66	45.00	29.28	8.36	13.21	3.9	5.9	
		12:00	29.02	47.12	30.87	8.43	11.86	3.9	11.5	
		15:00	29.17	46.78	30.64	8.47	12.74	43.5	14.1	
		18:00	28.97	45.46	29.78	8.22	12.88	3.2	2.3	
		21:00	28.77	44.77	29.33	8.49	11.91	4.7	7.1	
	日平均值			29.07	46.08	30.15	8.42	12.72	11.03	11.38
	潮口站	0:00	28.09	49.30	32.37	8.41	9.18	98.0	36.1	
		3:00	28.27	47.09	30.92	8.26	10.86	71.9	9.3	
		6:00	28.04	47.05	30.89	8.33	10.01	72.4	2.3	
		9:00	28.36	47.61	31.26	8.19	10.19	68.2	5.1	
		12:00	28.49	46.21	30.33	8.27	7.57	72.7	10.7	
		15:00	28.09	46.96	30.83	8.25	7.91	100.4	13.3	
		18:00	28.43	49.57	32.55	8.30	8.40	134.0	1.5	
		21:00	28.35	49.45	32.45	8.27	7.17	161.2	6.3	
	日平均值			28.27	47.91	31.45	8.29	8.91	97.34	10.58
	灣內站	0:00	28.84	47.16	30.79	8.31	11.23	2.1	33.4	
		3:00	28.73	48.14	31.64	8.17	8.10	6.9	36.7	
		6:00	28.80	48.52	31.90	8.06	5.78	22.9	28.8	
		9:00	28.64	47.32	31.09	8.33	9.92	14.3	42.8	
		12:00	29.18	46.30	30.45	8.32	9.07	13.8	34.2	
		15:00	29.31	46.46	30.32	8.22	10.47	16.8	39.4	
		18:00	29.08	47.22	30.78	8.38	11.77	9.1	22.1	
		21:00	28.95	47.32	31.04	8.29	10.66	9.5	22.0	
	日平均值			28.94	47.31	31.00	8.26	9.63	11.93	32.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月19日	蚵殼站	0:00	28.81	47.49	30.76	8.27	8.46	2.9	9.3	
		3:00	28.73	47.52	31.13	8.26	8.30	6.5	15.2	
		6:00	28.55	45.35	29.72	8.04	10.41	5.4	14.0	
		9:00	28.74	45.90	30.07	8.12	11.39	5.8	22.9	
		12:00	29.39	46.70	30.60	8.42	13.16	4.1	34.9	
		15:00	29.66	46.70	30.35	8.44	13.20	3.0	24.7	
		18:00	29.71	46.70	30.60	8.37	13.20	5.4	26.7	
		21:00	29.31	46.70	30.60	8.34	13.20	3.5	39.9	
	日平均值			29.11	46.63	30.48	8.28	11.42	4.58	23.42
	潮口站	0:00	27.73	49.76	32.49	8.28	7.22	42.0	8.5	
		3:00	27.73	45.92	30.15	8.21	10.01	124.9	10.9	
		6:00	27.84	45.80	30.07	8.22	11.21	124.3	12.9	
		9:00	28.41	46.94	30.82	8.23	10.52	192.1	35.4	
		12:00	28.48	44.09	28.94	8.32	7.84	169.7	15.4	
		15:00	28.10	45.23	29.30	8.23	7.89	191.2	27.3	
		18:00	28.39	48.88	32.09	8.30	8.17	130.3	10.9	
		21:00	27.89	46.40	30.47	8.30	7.60	130.2	19.8	
	日平均值			28.07	46.63	30.54	8.26	8.81	138.09	17.65
	灣內站	0:00	28.68	48.66	31.98	8.08	7.51	5.8	99.9	
		3:00	28.61	49.42	32.46	7.99	6.13	21.3	91.9	
		6:00	28.62	49.32	32.39	8.03	5.54	8.2	75.4	
		9:00	28.87	48.17	31.68	8.31	10.09	9.6	70.9	
		12:00	29.16	47.15	30.94	8.49	11.51	10.6	21.5	
		15:00	28.98	47.05	30.87	8.44	13.21	7.8	20.7	
		18:00	28.99	47.53	31.27	8.35	11.01	6.1	71.0	
		21:00	28.88	48.42	31.59	8.28	10.87	5.0	73.5	
	日平均值			28.85	48.22	31.65	8.25	9.48	9.30	65.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月20日	蚵殼站	0:00	28.44	45.62	29.89	8.29	8.84	5.6	16.6	
		3:00	28.48	45.97	30.11	8.28	7.98	5.2	33.2	
		6:00	28.21	45.88	30.05	8.37	9.10	3.5	33.1	
		9:00	28.60	45.37	29.75	8.44	13.22	3.1	17.6	
		12:00	28.99	46.21	30.05	8.41	13.76	4.2	35.2	
		15:00	29.09	46.55	30.49	8.49	13.55	5.9	23.6	
		18:00	28.92	45.44	29.78	8.43	13.33	3.5	13.2	
		21:00	28.75	44.85	29.38	8.45	12.01	4.9	38.5	
	日平均值			28.69	45.74	29.94	8.40	11.47	4.49	26.38
	潮口站	0:00	27.46	49.03	32.19	8.25	6.55	129.0	24.9	
		3:00	27.46	46.82	30.73	8.36	8.21	130.9	20.9	
		6:00	27.54	45.79	29.79	8.47	9.48	134.6	20.0	
		9:00	28.14	46.30	30.39	8.39	9.14	127.7	33.7	
		12:00	28.57	45.62	29.94	8.36	9.37	2.4	16.1	
		15:00	28.35	44.03	28.90	8.23	7.79	4.1	13.0	
		18:00	28.25	49.10	32.23	8.28	8.21	24.5	25.9	
		21:00	28.40	47.78	31.35	8.33	9.42	3.1	9.2	
	日平均值			28.02	46.81	30.69	8.33	8.52	69.54	20.45
	灣內站	0:00	28.66	48.47	31.87	8.18	7.95	8.5	69.0	
		3:00	28.53	48.59	31.97	8.08	7.17	9.4	72.3	
		6:00	28.52	48.73	32.06	8.09	6.25	6.4	76.9	
		9:00	28.87	48.31	31.75	8.31	9.71	9.9	77.0	
		12:00	29.53	47.67	31.33	8.46	9.79	8.5	16.0	
		15:00	29.58	47.51	31.25	8.21	10.71	7.9	15.4	
		18:00	28.78	47.50	31.25	8.29	11.01	8.9	13.7	
		21:00	28.72	47.37	30.89	8.27	9.37	6.3	21.6	
	日平均值			28.90	48.02	31.55	8.24	9.00	8.24	45.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月21日	蚵殼站	0:00	28.30	44.60	29.22	8.40	10.61	6.8	39.7	
		3:00	28.39	46.66	30.56	8.33	9.45	3.5	36.6	
		6:00	28.24	45.50	29.80	8.36	9.60	3.9	30.9	
		9:00	28.62	45.59	29.87	8.45	12.19	4.7	30.2	
		12:00	28.84	46.09	30.19	8.31	13.67	8.8	23.3	
		15:00	29.03	45.83	30.02	8.26	9.33	6.1	7.6	
		18:00	28.71	44.77	29.33	8.47	11.63	5.4	15.5	
		21:00	28.41	44.17	28.94	8.40	11.42	5.7	0.7	
	日平均值			28.57	45.40	29.74	8.37	10.99	5.62	23.05
	潮口站	0:00	27.77	50.44	33.14	8.27	6.90	5.0	35.1	
		3:00	27.60	49.09	32.23	8.34	8.12	8.5	25.0	
		6:00	27.98	46.39	30.45	8.24	11.33	2.1	0.2	
		9:00	28.52	46.51	30.54	8.27	12.27	2.9	37.2	
		12:00	28.61	45.43	29.82	8.41	9.75	130.5	15.6	
		15:00	28.02	42.47	27.68	8.22	7.45	8.0	14.9	
		18:00	28.07	49.38	32.36	8.29	8.16	142.9	11.6	
		21:00	28.22	47.15	30.94	8.47	11.40	3.9	38.9	
	日平均值			28.10	47.11	30.90	8.31	9.42	37.98	22.31
	灣內站	0:00	28.88	47.66	31.33	8.27	8.75	11.1	38.2	
		3:00	28.59	47.87	31.45	8.23	7.41	14.7	35.0	
		6:00	28.41	48.40	31.81	8.11	6.04	7.7	29.5	
		9:00	28.87	47.99	31.34	8.29	8.78	17.6	0.1	
		12:00	29.64	47.40	31.20	8.17	10.12	17.9	26.8	
		15:00	29.60	47.39	31.18	8.24	5.95	14.0	33.4	
		18:00	29.38	47.36	31.13	8.32	6.67	11.3	37.4	
		21:00	29.08	47.40	31.20	8.44	9.40	7.2	14.9	
	日平均值			29.06	47.68	31.33	8.26	7.89	12.70	26.92
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月22日	蚵殼站	0:00	28.38	44.67	28.46	8.39	10.46	5.2	38.1	
		3:00	28.57	46.29	30.33	8.32	9.69	13.9	17.0	
		6:00	28.78	46.63	30.55	8.34	9.92	6.9	9.4	
		9:00	29.40	46.70	30.39	8.46	13.20	5.8	14.1	
		12:00	28.97	46.21	30.27	8.34	13.30	47.4	26.3	
		15:00	28.90	46.01	30.14	8.33	12.02	6.0	9.6	
		18:00	28.90	44.91	29.18	8.26	12.42	7.1	29.9	
		21:00	28.92	44.43	28.87	8.23	11.91	10.4	19.0	
	日平均值			28.85	45.73	29.77	8.33	11.62	12.84	20.42
	潮口站	0:00	27.90	48.50	31.83	8.36	8.66	3.4	13.9	
		3:00	27.41	50.82	33.36	8.27	7.03	12.1	24.7	
		6:00	27.59	45.96	30.18	8.11	11.31	5.1	18.0	
		9:00	28.54	45.85	29.90	8.23	13.35	4.0	26.6	
		12:00	28.82	44.97	29.53	8.34	10.08	18.7	32.6	
		15:00	27.95	40.84	26.59	8.23	7.72	8.2	37.3	
		18:00	28.07	47.79	31.37	8.41	10.27	5.3	37.4	
		21:00	28.21	45.30	29.44	8.41	11.80	8.6	2.8	
	日平均值			28.06	46.25	30.28	8.30	10.03	8.17	24.15
	灣內站	0:00	29.11	47.36	30.95	8.26	13.58	7.1	8.8	
		3:00	28.87	47.42	31.21	8.24	12.81	7.0	12.2	
		6:00	28.66	48.56	31.90	8.11	10.59	10.4	8.7	
		9:00	29.15	48.38	31.79	8.13	6.94	23.0	24.9	
		12:00	29.89	47.37	31.12	8.48	11.37	19.6	21.9	
		15:00	29.86	47.34	31.09	8.33	10.46	19.2	10.6	
		18:00	29.54	47.95	31.50	8.34	9.44	14.9	37.1	
		21:00	29.14	48.47	31.87	8.33	13.51	10.1	31.5	
	日平均值			29.28	47.86	31.43	8.28	11.09	13.91	19.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月23日	蚵殼站	0:00	28.89	44.65	29.27	8.33	13.38	2.9	25.7	
		3:00	28.70	45.85	30.04	8.43	11.26	8.1	18.3	
		6:00	28.36	47.49	31.11	8.22	7.93	4.8	23.9	
		9:00	28.56	47.11	30.86	8.33	9.36	5.9	29.6	
		12:00	28.94	46.70	30.60	8.46	13.20	7.7	9.0	
		15:00	29.12	46.70	30.60	8.46	13.20	5.0	5.1	
		18:00	29.33	46.70	30.60	8.46	13.20	3.3	6.9	
		21:00	29.02	46.70	30.60	8.46	13.20	6.3	5.2	
	日平均值			28.87	46.49	30.46	8.39	11.84	5.50	15.46
	潮口站	0:00	27.97	47.03	30.89	8.40	9.30	5.5	0.6	
		3:00	27.40	50.89	33.41	8.28	7.13	6.3	22.6	
		6:00	27.64	46.90	30.79	8.44	9.92	3.0	4.5	
		9:00	28.57	46.22	30.33	8.35	12.72	4.1	13.7	
		12:00	28.80	47.47	31.14	8.22	12.12	5.9	8.2	
		15:00	28.07	43.21	28.37	8.30	8.63	3.2	4.3	
		18:00	27.81	48.97	32.14	8.31	9.24	3.8	6.1	
		21:00	28.17	46.98	30.85	8.47	11.62	4.5	4.4	
	日平均值			28.05	47.21	30.99	8.35	10.09	4.54	8.05
	灣內站	0:00	28.98	48.68	32.02	8.27	12.17	11.4	13.2	
		3:00	28.97	48.08	31.58	8.23	12.12	13.1	14.1	
		6:00	29.01	48.83	32.11	8.17	10.09	11.8	15.7	
		9:00	29.06	49.53	32.56	8.10	7.00	23.1	17.8	
		12:00	29.90	47.80	31.43	8.49	10.63	19.2	28.9	
		15:00	29.90	47.50	31.00	8.26	9.92	17.4	53.0	
		18:00	29.44	47.96	31.54	8.46	7.18	12.8	50.3	
		21:00	29.43	47.90	31.46	8.44	13.77	10.8	41.0	
	日平均值			29.34	48.29	31.71	8.30	10.36	14.95	29.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月24日	蚵殼站	0:00	28.56	46.38	30.37	8.26	12.53	7.6	8.6	
		3:00	28.18	46.24	30.27	8.46	11.79	4.3	7.2	
		6:00	28.08	46.94	30.76	8.31	9.10	14.3	32.7	
		9:00	27.83	47.25	30.95	8.32	10.10	10.5	9.6	
		12:00	28.26	46.58	30.51	8.25	12.80	4.0	13.4	
		15:00	28.40	45.71	29.95	8.40	9.38	12.3	14.5	
		18:00	28.33	46.60	30.53	8.41	10.24	18.7	5.1	
		21:00	28.25	46.37	30.38	8.47	11.51	11.7	6.1	
	日平均值			28.24	46.51	30.47	8.36	10.93	10.42	12.14
	潮口站	0:00	27.89	46.44	30.49	8.46	10.37	5.8	5.2	
		3:00	27.33	47.71	31.33	8.31	8.05	2.5	37.8	
		6:00	27.45	48.96	32.15	8.30	8.43	12.5	23.1	
		9:00	28.00	47.31	31.07	8.49	11.13	8.7	35.8	
		12:00	27.95	48.63	31.94	8.35	8.63	2.7	32.7	
		15:00	27.63	47.00	30.86	8.32	8.36	10.5	38.6	
		18:00	27.53	49.18	32.30	8.29	8.71	16.9	12.2	
		21:00	27.73	47.40	31.12	8.48	11.34	9.9	33.1	
	日平均值			27.69	47.83	31.41	8.38	9.38	8.69	27.29
	灣內站	0:00	29.41	48.03	31.53	8.38	12.78	15.7	79.5	
		3:00	28.76	48.04	31.54	8.26	11.70	17.5	23.0	
		6:00	28.03	48.65	31.99	8.19	10.80	10.1	31.7	
		9:00	28.41	48.33	31.74	8.35	10.65	13.5	9.5	
		12:00	28.62	48.00	31.50	8.49	12.81	15.2	40.3	
		15:00	28.68	47.87	31.44	8.49	11.96	15.5	51.2	
		18:00	28.49	47.98	31.26	8.34	10.29	17.5	41.8	
		21:00	28.24	48.41	31.83	8.31	13.38	10.4	25.7	
	日平均值			28.58	48.16	31.60	8.35	11.80	14.42	37.84
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月25日	蚵殼站	0:00	28.12	46.41	30.38	8.23	12.67	3.8	31.6	
		3:00	27.93	46.40	30.07	8.45	10.75	3.0	37.9	
		6:00	27.74	47.98	31.43	8.22	7.23	10.0	3.9	
		9:00	27.69	47.90	31.18	8.31	9.30	6.1	24.4	
		12:00	28.35	46.74	30.62	8.46	13.15	12.0	39.1	
		15:00	28.61	46.70	30.60	8.46	13.20	11.4	39.5	
		18:00	28.44	46.70	30.60	8.46	13.20	12.6	5.0	
		21:00	28.12	46.70	30.60	8.46	13.20	13.2	1.3	
	日平均值			28.13	46.94	30.69	8.38	11.59	9.01	22.83
	潮口站	0:00	27.63	46.76	30.71	8.33	11.89	16.2	10.4	
		3:00	27.35	49.90	32.75	8.34	7.88	7.9	15.1	
		6:00	27.28	50.14	32.92	8.30	8.16	8.2	6.1	
		9:00	28.24	46.86	30.77	8.29	12.81	4.3	19.6	
		12:00	28.27	47.90	31.45	8.48	10.91	133.9	15.7	
		15:00	27.96	44.97	29.53	8.32	8.93	9.6	22.7	
		18:00	27.48	48.09	31.56	8.28	8.12	7.5	36.2	
		21:00	27.74	48.71	31.99	8.37	9.20	7.8	39.3	
	日平均值			27.74	47.92	31.46	8.34	9.74	24.43	20.62
	灣內站	0:00	28.25	48.52	31.91	8.31	11.99	11.5	35.1	
		3:00	28.12	48.83	32.10	8.18	10.76	12.6	36.0	
		6:00	27.89	49.28	32.36	8.05	8.99	15.9	33.9	
		9:00	28.20	49.51	32.55	8.10	7.68	17.7	22.8	
		12:00	29.26	48.36	31.80	8.21	11.21	24.0	18.5	
		15:00	29.38	48.49	31.63	8.29	11.46	13.7	55.2	
		18:00	28.91	48.58	31.96	8.45	12.96	10.9	62.0	
		21:00	28.75	49.04	32.22	8.38	14.00	8.6	39.0	
	日平均值			28.60	48.83	32.07	8.25	11.13	14.34	37.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月26日	蚵殼站	0:00	28.07	46.89	30.72	8.40	11.08	15.4	26.1	
		3:00	27.91	46.73	30.61	8.44	11.44	15.0	22.6	
		6:00	27.75	46.81	30.67	8.46	11.52	13.4	11.3	
		9:00	27.75	46.92	30.72	8.41	11.39	11.5	33.8	
		12:00	28.07	47.64	31.22	8.42	11.59	14.7	29.4	
		15:00	27.98	47.81	31.32	8.38	11.00	14.1	2.4	
		18:00	28.04	47.57	31.17	8.34	9.89	15.2	4.5	
		21:00	27.60	46.87	30.69	8.26	8.57	11.2	11.9	
	日平均值			27.90	47.16	30.89	8.39	10.81	13.81	17.74
	潮口站	0:00	27.72	47.65	31.27	8.43	9.97	17.3	27.3	
		3:00	27.40	49.50	32.48	8.33	7.69	11.7	38.3	
		6:00	27.24	50.95	33.44	8.27	7.23	14.7	21.2	
		9:00	27.86	48.31	31.73	8.48	11.67	23.0	34.3	
		12:00	27.77	49.09	32.21	8.37	9.00	18.7	28.6	
		15:00	27.64	46.22	30.34	8.32	8.29	25.2	1.6	
		18:00	27.23	47.47	31.16	8.28	7.61	20.4	3.7	
		21:00	27.28	49.06	32.17	8.28	7.27	25.8	11.1	
	日平均值			27.52	48.53	31.85	8.35	8.59	19.60	20.77
	灣內站	0:00	28.77	48.78	32.09	8.29	13.15	13.2	43.5	
		3:00	28.48	48.87	31.81	8.23	11.88	7.2	30.1	
		6:00	27.97	49.08	32.24	8.22	10.93	7.3	13.9	
		9:00	27.91	49.12	32.26	8.17	10.13	7.2	25.0	
		12:00	28.70	47.18	31.00	8.28	13.83	14.6	24.8	
		15:00	28.45	44.83	29.46	8.44	11.53	14.2	55.0	
		18:00	28.13	46.25	30.39	8.29	13.53	6.1	42.6	
		21:00	28.08	47.30	31.08	8.29	12.48	5.4	39.5	
	日平均值			28.31	47.68	31.29	8.28	12.18	9.39	34.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月27日	蚵殼站	0:00	27.63	47.19	30.57	8.29	8.75	19.6	6.3	
		3:00	27.65	46.89	30.71	8.36	8.93	10.2	4.5	
		6:00	27.57	46.89	30.71	8.40	8.43	11.9	5.1	
		9:00	27.58	47.54	31.15	8.22	7.08	17.5	11.4	
		12:00	28.19	46.71	30.60	8.21	13.16	15.3	10.0	
		15:00	28.44	46.70	30.60	8.11	13.20	19.0	8.0	
		18:00	28.34	46.70	30.60	8.12	13.10	23.7	14.7	
		21:00	28.02	46.70	30.60	8.21	11.20	18.8	5.1	
	日平均值			27.93	46.92	30.69	8.24	10.48	17.00	8.14
	潮口站	0:00	27.22	48.57	31.89	8.30	7.76	21.3	5.5	
		3:00	27.38	48.85	32.08	8.28	7.38	26.1	3.7	
		6:00	27.07	51.23	33.63	8.20	6.75	29.2	4.3	
		9:00	27.72	49.09	32.23	8.40	10.64	15.7	10.6	
		12:00	28.01	48.66	31.93	8.49	12.13	13.5	9.2	
		15:00	27.69	45.55	29.88	8.35	9.29	17.2	7.2	
		18:00	27.05	46.31	30.40	8.30	7.82	4.4	13.9	
		21:00	27.23	48.83	32.08	8.33	8.53	17.0	4.3	
	日平均值			27.42	48.39	31.77	8.33	8.79	18.05	7.34
	灣內站	0:00	27.90	47.64	31.32	8.26	10.55	11.6	33.1	
		3:00	27.95	48.04	31.54	8.23	8.99	11.9	25.7	
		6:00	27.97	48.75	32.07	8.19	7.69	25.0	33.0	
		9:00	27.86	48.90	32.15	8.21	7.95	9.2	33.9	
		12:00	28.55	48.26	31.70	8.41	11.90	14.6	28.8	
		15:00	28.73	47.81	31.41	8.49	13.88	10.9	38.8	
		18:00	28.21	48.79	32.08	8.22	13.72	18.2	44.5	
		21:00	27.86	49.29	32.36	8.13	11.97	8.9	31.9	
	日平均值			28.13	48.44	31.83	8.27	10.83	13.79	33.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月28日	蚵殼站	0:00	27.62	46.70	30.60	8.32	9.36	20.8	12.2	
		3:00	27.33	46.70	30.60	8.39	13.20	23.7	10.5	
		6:00	27.41	46.76	30.64	8.39	12.31	25.1	7.3	
		9:00	27.52	47.39	31.05	8.35	9.45	21.9	26.7	
		12:00	27.72	47.39	31.05	8.44	11.10	25.7	27.2	
		15:00	27.73	47.67	30.98	8.36	9.53	26.6	6.6	
		18:00	27.51	47.58	31.18	8.40	10.49	23.1	3.0	
		21:00	27.29	47.92	31.40	8.33	8.76	22.0	8.7	
	日平均值			27.52	47.26	30.94	8.37	10.53	23.61	12.77
	潮口站	0:00	27.15	47.91	31.43	8.41	9.51	3.8	5.3	
		3:00	26.87	47.86	31.41	8.38	8.73	21.9	9.7	
		6:00	26.99	50.88	33.39	8.25	7.03	23.3	6.5	
		9:00	27.17	49.67	32.62	8.35	9.59	20.1	25.9	
		12:00	27.63	48.14	31.61	8.21	12.62	23.9	26.4	
		15:00	27.55	48.91	32.11	8.45	10.15	24.8	5.8	
		18:00	26.98	50.86	33.38	8.31	7.59	21.3	2.2	
		21:00	26.88	49.01	32.18	8.31	8.50	20.2	7.9	
	日平均值			27.15	49.16	32.27	8.33	9.22	19.91	11.21
	灣內站	0:00	27.77	49.32	32.36	8.19	9.54	9.2	27.1	
		3:00	27.51	49.50	32.50	8.16	7.92	8.3	33.9	
		6:00	27.25	49.56	32.56	8.09	7.67	8.4	23.5	
		9:00	27.41	49.49	32.51	8.26	10.12	15.4	31.3	
		12:00	27.96	48.94	32.16	8.42	12.15	16.4	31.2	
		15:00	28.03	48.88	32.13	8.35	13.33	13.5	36.4	
		18:00	27.65	49.34	32.39	8.34	13.44	7.3	38.7	
		21:00	27.29	49.60	32.60	8.28	11.19	5.0	32.8	
	日平均值			27.61	49.33	32.40	8.26	10.67	10.43	31.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月29日	蚵殼站	0:00	26.99	47.67	31.23	8.43	10.44	21.9	12.5	
		3:00	26.87	47.56	31.17	8.42	10.01	20.9	7.2	
		6:00	27.65	47.12	30.88	8.43	9.77	23.6	3.2	
		9:00	27.31	46.70	30.60	8.46	13.20	24.9	4.7	
		12:00	27.10	48.22	31.59	8.39	11.09	22.3	48.0	
		15:00	27.32	47.88	31.38	8.48	12.98	10.8	14.2	
		18:00	27.04	47.52	31.14	8.35	13.20	10.3	7.9	
		21:00	26.87	47.29	30.98	8.31	12.65	16.9	20.7	
	日平均值			27.14	47.50	31.12	8.41	11.67	18.95	14.80
	潮口站	0:00	26.83	48.90	32.07	8.48	10.69	20.1	11.7	
		3:00	26.49	48.71	31.96	8.46	9.90	19.1	6.4	
		6:00	26.71	50.18	32.93	8.34	7.94	21.8	2.4	
		9:00	26.98	50.80	33.34	8.26	7.77	23.1	3.9	
		12:00	27.23	49.18	32.31	8.43	10.77	80.5	47.2	
		15:00	27.34	48.41	31.71	8.46	10.81	9.0	13.4	
		18:00	26.77	48.04	31.31	8.32	7.61	8.5	7.1	
		21:00	26.86	50.04	32.85	8.31	7.63	22.4	1.9	
	日平均值			26.90	49.28	32.31	8.38	9.14	25.57	11.75
	灣內站	0:00	27.17	49.62	32.62	8.13	7.49	3.7	5.1	
		3:00	26.89	49.30	32.35	8.16	6.83	6.9	7.9	
		6:00	26.93	49.48	32.48	8.03	5.85	10.4	7.1	
		9:00	27.07	49.74	32.69	8.08	5.60	5.1	29.5	
		12:00	27.49	49.23	32.32	8.26	10.16	15.8	39.9	
		15:00	27.89	49.19	32.30	8.29	11.37	12.6	5.8	
		18:00	27.45	49.58	32.55	8.20	9.95	8.3	6.8	
		21:00	27.13	50.09	32.93	8.13	6.80	3.7	33.1	
	日平均值			27.25	49.53	32.53	8.16	8.01	8.31	16.90
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
10月30日	蚵殼站	0:00	26.78	47.82	31.34	8.38	10.50	13.3	37.7	
		3:00	26.57	47.61	31.21	8.35	13.37	20.0	7.2	
		6:00	26.51	47.79	31.31	8.47	10.83	18.5	2.6	
		9:00	26.65	47.62	31.21	8.33	12.81	16.5	11.6	
		12:00	27.05	48.24	31.61	8.42	11.45	8.4	15.5	
		15:00	27.09	48.08	31.50	8.42	11.69	9.1	45.3	
		18:00	26.95	47.88	31.38	8.46	10.64	10.3	5.0	
		21:00	26.88	47.89	31.39	8.47	11.16	16.6	20.4	
	日平均值			26.81	47.87	31.37	8.41	11.56	14.09	18.16
	潮口站	0:00	26.53	49.35	32.42	8.40	8.98	11.5	36.9	
		3:00	26.36	49.24	32.37	8.44	9.75	18.2	6.4	
		6:00	26.38	49.55	32.56	8.42	8.96	16.7	1.8	
		9:00	27.22	51.21	33.62	8.27	7.08	14.7	10.8	
		12:00	27.34	50.67	33.27	8.30	8.82	6.6	14.7	
		15:00	27.17	49.85	32.75	8.33	8.64	7.3	44.5	
		18:00	27.11	50.73	33.29	8.29	7.18	8.5	4.2	
		21:00	26.98	51.25	33.31	8.26	6.90	14.8	19.6	
	日平均值			26.89	50.23	32.95	8.34	8.29	12.29	17.36
	灣內站	0:00	26.82	50.08	32.92	8.21	7.60	1.5	10.7	
		3:00	26.63	50.14	32.96	8.16	5.80	2.0	1.2	
		6:00	26.57	50.30	32.74	8.04	5.20	4.1	8.3	
		9:00	26.73	50.20	32.99	8.19	8.84	2.6	4.0	
		12:00	27.08	50.20	33.00	8.30	11.82	7.4	15.7	
		15:00	27.41	50.20	33.00	8.26	10.48	11.7	4.4	
		18:00	27.30	50.20	33.00	8.19	7.87	8.5	12.1	
		21:00	26.91	50.20	33.00	8.22	8.44	6.0	24.4	
	日平均值			26.93	50.19	32.95	8.20	8.26	5.47	10.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月31日	蚵殼站	0:00	26.79	47.90	31.39	8.42	11.32	11.60	31.28	
		3:00	26.66	47.79	31.32	8.41	10.31	10.10	3.40	
		6:00	27.46	47.31	31.00	8.30	10.15	8.4	6.2	
		9:00	26.66	47.19	30.92	8.26	11.52	12.5	5.2	
		12:00	27.06	47.14	30.89	8.21	11.06	12.0	15.0	
		15:00	27.10	47.31	31.00	8.18	12.34	10.8	36.8	
		18:00	26.96	47.64	31.21	8.26	11.62	11.3	8.6	
		21:00	26.89	47.58	31.12	8.27	11.89	15.0	10.1	
	日平均值			26.95	47.48	31.11	8.29	11.28	11.46	14.57
	潮口站	0:00	26.59	50.03	32.83	8.33	8.14	9.80	23.53	
		3:00	26.47	49.40	32.45	8.45	9.91	8.30	2.60	
		6:00	26.40	49.33	32.41	8.47	9.77	6.6	5.4	
		9:00	26.71	50.80	33.34	8.31	7.15	10.7	4.4	
		12:00	26.67	50.60	33.21	8.29	7.33	10.2	14.2	
		15:00	26.34	49.53	32.52	8.35	8.06	9.0	36.0	
		18:00	26.53	50.46	32.97	8.32	7.15	9.5	7.8	
		21:00	26.66	50.93	32.48	8.25	6.66	13.2	9.3	
	日平均值			26.55	50.14	32.78	8.35	8.02	9.66	12.90
	灣內站	0:00	26.81	50.27	33.03	8.25	6.17	4.61	6.20	
		3:00	26.78	50.31	33.06	8.19	6.40	19.39	20.20	
		6:00	26.51	50.40	33.10	8.16	6.59	5.5	12.6	
		9:00	26.48	50.48	33.14	8.19	7.44	6.0	6.3	
		12:00	26.60	50.52	33.16	8.07	5.89	11.4	12.6	
		15:00	26.44	50.27	33.04	8.16	6.25	6.1	11.8	
		18:00	26.27	50.20	32.95	8.15	5.18	4.7	2.0	
		21:00	26.03	49.92	32.66	8.21	6.35	3.2	2.9	
	日平均值			26.49	50.30	33.02	8.17	6.28	7.59	9.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月1日	蚵殼站	0:00	26.41	46.70	30.60	8.46	13.20	2.2	1.0	
		3:00	25.43	46.70	30.60	8.46	13.20	3.1	20.9	
		6:00	25.21	47.12	30.88	8.41	11.19	1.7	12.4	
		9:00	25.97	47.94	30.97	8.38	9.82	5.7	60.5	
		12:00	26.11	48.15	30.32	8.42	11.17	3.3	22.0	
		15:00	26.45	48.08	30.98	8.44	12.21	5.9	33.9	
		18:00	26.31	48.09	31.25	8.42	11.91	2.1	14.7	
		21:00	26.01	47.73	30.55	8.44	12.55	1.9	14.2	
	日平均值			25.99	47.56	30.77	8.43	11.91	3.25	22.45
	潮口站	0:00	26.30	49.67	32.61	8.25	7.00	10.0	4.5	
		3:00	25.97	49.40	32.45	8.34	7.67	8.2	20.1	
		6:00	26.04	49.31	32.40	8.35	7.72	7.8	11.6	
		9:00	26.21	49.33	32.41	8.31	6.81	7.1	5.2	
		12:00	26.58	50.04	32.70	8.24	6.98	18.9	21.2	
		15:00	26.60	49.84	31.62	8.26	7.12	12.7	23.1	
		18:00	26.39	49.76	32.13	8.25	6.73	14.7	13.9	
		21:00	26.37	49.77	32.07	8.23	7.06	15.2	13.1	
	日平均值			26.31	49.64	32.30	8.28	7.14	11.83	14.09
	灣內站	0:00	26.30	50.36	33.08	8.02	6.19	11.6	19.0	
		3:00	26.00	50.22	33.00	8.01	5.00	9.9	28.3	
		6:00	25.78	50.03	32.88	8.05	5.34	7.0	6.4	
		9:00	25.82	49.86	32.78	8.13	6.87	7.2	8.6	
		12:00	25.99	50.12	32.01	8.20	8.25	3.1	33.8	
		15:00	26.06	50.23	31.80	8.20	6.89	3.1	15.6	
		18:00	26.00	50.30	32.78	8.28	10.62	5.1	14.9	
		21:00	25.91	50.31	32.54	8.25	9.87	4.3	15.2	
	日平均值			25.98	50.18	32.61	8.14	7.38	6.40	17.73
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月2日	蚵殼站	0:00	25.47	46.70	29.90	8.46	13.20	2.0	14.1	
		3:00	25.32	46.70	30.60	8.46	13.20	1.5	19.6	
		6:00	25.40	47.21	28.68	8.44	12.16	3.5	34.0	
		9:00	25.45	47.80	31.09	8.40	10.70	14.1	60.9	
		12:00	25.88	47.67	29.68	8.46	12.85	5.9	18.0	
		15:00	25.90	47.83	30.83	8.48	11.38	2.4	33.8	
		18:00	25.86	47.69	29.37	8.45	10.57	3.3	5.1	
		21:00	25.84	47.83	30.96	8.39	9.15	1.1	14.0	
	日平均值			25.64	47.43	30.14	8.44	11.65	4.23	24.93
	潮口站	0:00	26.38	49.76	31.92	8.22	7.09	16.1	13.3	
		3:00	25.96	49.39	31.57	8.28	7.13	11.2	18.8	
		6:00	25.90	49.23	31.12	8.26	6.40	16.0	13.2	
		9:00	26.00	49.26	30.76	8.23	6.06	15.1	7.6	
		12:00	26.43	49.80	32.20	8.23	7.35	17.2	17.2	
		15:00	26.39	48.42	30.97	8.22	7.36	24.2	20.5	
		18:00	26.00	49.17	30.73	8.21	7.19	29.1	4.3	
		21:00	26.16	49.39	32.02	8.22	6.87	6.9	7.1	
	日平均值			26.15	49.30	31.41	8.23	6.93	16.97	12.75
	灣內站	0:00	25.78	50.32	32.31	8.23	7.85	2.7	10.1	
		3:00	25.73	50.54	31.87	8.24	8.41	1.1	21.2	
		6:00	25.66	50.22	31.43	8.22	8.94	3.9	11.7	
		9:00	25.79	50.57	31.70	8.09	6.84	16.4	22.3	
		12:00	25.78	49.93	31.02	8.26	9.52	10.3	31.6	
		15:00	25.73	50.22	33.01	8.33	11.11	10.7	29.6	
		18:00	25.74	50.49	32.87	8.20	7.73	14.2	26.5	
		21:00	25.58	50.36	32.66	8.27	10.23	18.4	7.4	
	日平均值			25.72	50.33	32.11	8.23	8.83	9.71	20.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月3日	蚵殼站	0:00	25.91	47.51	29.06	8.29	8.26	1.3	10.8	
		3:00	26.06	48.40	30.20	8.23	6.81	1.6	3.8	
		6:00	25.67	46.50	29.94	8.32	8.77	1.7	6.2	
		9:00	25.67	48.44	31.21	8.43	11.81	12.0	5.6	
		12:00	26.30	48.49	31.24	8.35	9.48	2.1	6.8	
		15:00	26.75	45.65	30.22	8.39	11.23	1.2	23.5	
		18:00	26.92	46.56	29.99	8.33	9.91	2.0	8.0	
		21:00	26.84	45.35	28.90	8.24	6.99	2.6	3.4	
	日平均值			26.27	47.11	30.10	8.32	9.16	3.06	8.51
	潮口站	0:00	26.59	50.31	31.76	8.21	7.21	11.7	10.0	
		3:00	25.37	48.35	31.11	8.30	9.11	4.1	20.6	
		6:00	25.19	48.00	31.22	8.38	10.19	1.4	22.6	
		9:00	25.91	48.11	30.94	8.38	10.25	4.2	4.8	
		12:00	27.12	46.01	29.99	8.24	7.74	4.7	6.0	
		15:00	27.18	45.97	29.15	8.17	7.38	11.6	22.7	
		18:00	26.65	49.00	31.90	8.23	7.61	8.6	7.2	
		21:00	26.86	48.40	31.58	8.26	8.47	2.2	2.6	
	日平均值			26.36	48.02	30.96	8.27	8.50	6.06	12.06
	灣內站	0:00	25.88	50.93	31.29	8.18	6.84	18.9	23.4	
		3:00	26.05	51.26	32.10	7.98	6.12	16.7	19.7	
		6:00	26.02	51.17	33.31	8.01	5.70	6.9	4.8	
		9:00	26.15	50.78	32.91	8.28	10.69	2.7	3.7	
		12:00	26.83	50.30	32.80	8.48	13.64	15.7	35.3	
		15:00	27.06	50.33	31.51	8.35	10.47	13.9	12.9	
		18:00	27.07	49.88	31.24	8.19	8.78	7.1	7.6	
		21:00	27.03	50.30	32.71	8.27	8.23	12.6	36.1	
	日平均值			26.51	50.62	32.23	8.22	8.81	11.83	17.95
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月4日	蚵殼站	0:00	26.80	48.18	30.60	8.27	7.90	1.9	8.9	
		3:00	26.81	49.06	30.49	8.30	8.47	3.1	5.9	
		6:00	26.70	48.65	30.29	8.21	7.44	3.8	9.8	
		9:00	26.83	47.59	30.46	8.30	9.01	2.1	10.2	
		12:00	27.28	47.31	31.44	8.32	10.49	1.5	9.8	
		15:00	27.50	47.42	30.35	8.41	12.33	1.6	6.4	
		18:00	27.37	46.66	28.63	8.24	9.47	2.7	4.6	
		21:00	27.49	47.15	30.56	8.30	8.47	4.0	2.4	
	日平均值			27.10	47.75	30.35	8.29	9.20	2.59	7.24
	潮口站	0:00	26.72	49.60	32.36	8.22	6.96	8.9	8.1	
		3:00	26.50	48.46	30.20	8.24	8.04	8.5	7.1	
		6:00	26.39	46.88	29.91	8.34	9.37	6.0	9.0	
		9:00	27.03	47.26	29.53	8.35	10.86	3.6	6.0	
		12:00	27.42	44.86	29.52	8.25	8.38	5.3	3.1	
		15:00	27.52	46.51	29.80	8.17	7.53	4.0	5.3	
		18:00	27.12	48.17	31.62	8.23	7.97	4.1	8.9	
		21:00	27.17	46.76	30.48	8.28	8.82	1.0	1.6	
	日平均值			26.98	47.31	30.43	8.26	8.49	5.17	6.14
	灣內站	0:00	26.92	50.69	32.15	8.22	11.78	8.3	18.1	
		3:00	26.70	50.87	32.78	8.21	9.72	16.4	16.9	
		6:00	26.62	50.80	32.39	8.11	9.05	31.5	27.7	
		9:00	27.28	50.10	32.46	8.46	11.58	20.3	28.7	
		12:00	27.67	49.60	31.88	8.47	9.43	21.8	35.2	
		15:00	27.61	49.26	31.26	8.47	12.24	11.6	32.8	
		18:00	27.41	49.24	31.65	8.23	10.88	19.0	29.9	
		21:00	27.49	49.46	32.05	8.12	7.60	22.1	35.6	
	日平均值			27.21	50.00	32.08	8.29	10.29	18.88	28.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月5日	蚵殼站	0:00	27.40	47.62	30.97	8.30	8.97	3.2	3.7	
		3:00	27.38	49.39	30.45	8.22	7.89	4.4	5.6	
		6:00	27.21	49.51	30.19	8.21	7.41	3.4	7.0	
		9:00	27.36	49.05	30.15	8.31	9.43	2.1	12.9	
		12:00	27.68	49.29	30.36	8.34	10.81	3.0	3.7	
		15:00	27.88	49.01	30.32	8.38	11.93	1.9	16.2	
		18:00	27.68	48.15	30.00	8.37	10.94	3.1	8.8	
		21:00	27.68	47.46	29.42	8.31	9.77	5.4	4.0	
	日平均值			27.53	48.69	30.23	8.31	9.64	3.32	7.73
	潮口站	0:00	27.00	48.00	31.53	8.24	7.58	9.0	2.0	
		3:00	26.77	48.95	32.16	8.22	7.31	9.6	9.9	
		6:00	26.72	45.85	30.10	8.38	10.53	3.1	24.6	
		9:00	27.50	45.60	29.52	8.43	11.90	5.7	24.3	
		12:00	27.84	44.45	29.92	8.33	10.00	9.0	2.9	
		15:00	27.84	46.48	29.78	8.15	7.50	2.9	15.4	
		18:00	27.30	46.60	30.11	8.23	8.04	4.2	5.8	
		21:00	27.48	45.10	29.42	8.29	8.92	6.2	3.2	
	日平均值			27.31	46.38	30.32	8.28	8.97	6.20	11.01
	灣內站	0:00	27.33	49.74	32.36	8.07	11.21	29.3	35.2	
		3:00	27.28	50.22	33.01	8.12	9.46	27.5	33.8	
		6:00	27.20	50.30	32.74	8.03	6.70	53.1	31.2	
		9:00	27.58	50.02	32.55	8.30	9.95	18.4	34.9	
		12:00	28.35	49.43	31.97	8.48	10.05	8.9	35.1	
		15:00	28.44	49.43	32.23	8.44	11.22	12.8	35.7	
		18:00	28.09	49.12	31.33	8.39	12.77	18.2	34.8	
		21:00	28.16	48.93	31.51	8.35	13.45	16.0	35.3	
	日平均值			27.80	49.65	32.21	8.27	10.60	23.02	34.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月6日	蚵殼站	0:00	27.83	46.72	30.80	8.38	9.59	2.7	7.6	
		3:00	27.55	46.80	30.14	8.24	8.12	1.6	8.5	
		6:00	27.63	46.59	30.00	8.27	8.16	4.9	21.7	
		9:00	27.78	46.60	30.01	8.30	9.68	4.9	6.5	
		12:00	27.96	47.31	30.47	8.33	10.55	1.8	7.7	
		15:00	28.13	47.94	30.88	8.40	12.21	1.7	11.6	
		18:00	27.86	46.88	30.19	8.31	10.66	3.7	7.7	
		21:00	27.76	47.03	30.29	8.32	10.24	5.7	6.5	
	日平均值			27.81	46.98	30.35	8.32	9.90	3.37	9.73
	潮口站	0:00	27.35	50.78	32.50	8.31	9.18	3.6	7.6	
		3:00	26.92	49.73	31.84	8.23	7.28	7.5	18.6	
		6:00	26.71	49.50	31.69	8.30	9.50	7.1	20.9	
		9:00	27.50	49.55	31.72	8.42	11.83	6.5	20.7	
		12:00	27.84	50.18	32.12	8.34	9.84	4.7	6.9	
		15:00	27.62	51.49	32.95	8.21	7.73	2.9	5.8	
		18:00	27.35	50.35	32.23	8.21	7.65	5.8	11.9	
		21:00	27.54	47.97	30.72	8.32	9.93	6.5	3.8	
	日平均值			27.35	49.94	31.97	8.29	9.12	5.59	12.02
	灣內站	0:00	28.16	48.68	31.14	8.12	10.49	20.4	38.6	
		3:00	28.15	49.71	32.68	8.25	10.74	41.4	36.0	
		6:00	27.78	50.40	31.87	8.07	8.41	26.5	34.6	
		9:00	28.11	50.18	32.98	8.15	7.95	15.9	35.1	
		12:00	29.07	48.57	31.10	8.40	12.07	16.8	35.0	
		15:00	28.72	47.71	30.82	8.35	12.45	16.5	39.0	
		18:00	28.12	47.83	30.67	8.22	13.73	17.1	38.9	
		21:00	28.26	47.85	31.07	8.32	12.58	15.6	36.8	
	日平均值			28.30	48.87	31.54	8.24	11.05	21.28	36.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月7日	蚵殼站	0:00	27.60	48.49	30.44	8.38	9.83	2.5	6.5	
		3:00	27.48	47.25	30.43	8.32	9.85	2.3	4.4	
		6:00	27.52	46.50	29.94	8.23	7.77	3.5	4.7	
		9:00	27.75	46.37	29.86	8.30	9.76	3.8	7.4	
		12:00	27.97	48.03	30.94	8.34	10.76	2.9	8.9	
		15:00	28.07	46.39	29.87	8.45	12.58	4.9	10.7	
		18:00	27.70	47.31	30.47	8.27	9.78	8.8	9.2	
		21:00	27.77	47.02	30.28	8.35	10.63	7.4	7.5	
	日平均值			27.73	47.17	30.28	8.33	10.12	4.53	7.41
	潮口站	0:00	27.27	50.18	32.12	8.35	9.83	2.1	5.7	
		3:00	26.97	50.15	32.10	8.24	7.16	11.0	1.4	
		6:00	27.00	49.29	31.56	8.30	8.41	8.8	20.2	
		9:00	27.89	49.17	31.48	8.43	9.15	14.1	21.5	
		12:00	27.82	51.00	32.64	8.34	9.01	6.2	5.6	
		15:00	27.44	49.31	31.57	8.19	7.42	4.8	3.0	
		18:00	27.30	50.38	32.25	8.21	8.22	12.4	6.0	
		21:00	27.38	49.88	31.93	8.31	9.26	1.5	3.2	
	日平均值			27.38	49.92	31.96	8.30	8.56	7.62	8.33
	灣內站	0:00	28.21	47.48	31.04	8.21	9.50	19.4	35.8	
		3:00	28.02	48.11	31.65	8.08	6.65	50.1	36.0	
		6:00	27.65	48.95	31.87	8.00	6.75	41.8	35.7	
		9:00	28.11	49.12	32.26	8.14	7.69	7.7	36.0	
		12:00	28.94	48.37	31.62	8.47	12.71	16.3	35.6	
		15:00	28.73	48.69	31.77	8.31	12.99	11.6	35.7	
		18:00	28.32	48.75	31.70	8.38	13.87	10.3	35.6	
		21:00	28.14	48.93	31.55	8.29	12.76	12.6	37.5	
	日平均值			28.27	48.55	31.68	8.24	10.37	21.22	35.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月8日	蚵殼站	0:00	27.63	47.74	30.75	8.33	8.17	4.6	14.9	
		3:00	27.60	47.89	30.85	8.35	8.90	3.6	7.2	
		6:00	27.45	46.11	29.69	8.26	7.82	2.0	7.9	
		9:00	27.64	49.90	32.16	8.22	8.26	3.0	11.6	
		12:00	28.00	49.12	31.65	8.29	9.72	1.5	29.0	
		15:00	27.92	50.92	32.83	8.36	11.11	1.0	16.4	
		18:00	27.70	50.66	32.66	8.25	8.76	7.3	11.1	
		21:00	27.67	51.03	32.90	8.27	8.77	10.8	9.8	
	日平均值			27.70	49.17	31.69	8.29	8.94	4.23	13.49
	潮口站	0:00	27.33	50.70	32.45	8.36	9.97	1.0	16.4	
		3:00	27.03	50.86	32.55	8.26	7.39	9.6	3.3	
		6:00	26.92	49.02	31.39	8.23	7.88	16.9	14.3	
		9:00	28.07	53.19	34.03	8.41	13.49	8.7	25.5	
		12:00	28.05	50.56	32.36	8.45	10.51	7.8	25.7	
		15:00	27.44	51.61	33.03	8.22	7.94	5.5	29.1	
		18:00	27.09	51.31	32.84	8.19	7.73	8.9	9.2	
		21:00	27.25	51.05	32.67	8.24	8.02	2.5	17.2	
	日平均值			27.40	51.04	32.67	8.30	9.12	7.62	17.59
	灣內站	0:00	28.23	48.94	31.10	8.14	9.38	26.3	32.9	
		3:00	27.79	48.75	31.75	8.18	8.83	22.8	32.1	
		6:00	27.78	49.11	31.95	8.02	7.84	62.3	35.3	
		9:00	28.01	49.13	31.94	8.18	8.26	18.5	35.6	
		12:00	28.84	48.51	31.91	8.31	12.17	11.8	36.0	
		15:00	28.74	48.87	31.95	8.31	13.26	13.8	35.7	
		18:00	28.17	49.23	31.38	8.40	13.73	10.1	38.2	
		21:00	28.21	49.20	32.30	8.36	13.05	14.0	36.0	
	日平均值			28.22	48.97	31.79	8.24	10.82	22.45	35.22
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月9日	蚵殼站	0:00	27.32	50.66	32.66	8.25	8.65	4.6	8.8	
		3:00	27.32	50.72	32.70	8.30	9.15	2.3	10.1	
		6:00	27.32	50.37	32.47	8.35	9.53	1.5	10.9	
		9:00	27.42	49.83	32.12	8.27	8.33	2.8	18.7	
		12:00	27.97	50.03	32.25	8.40	10.99	2.5	31.1	
		15:00	27.97	51.90	33.47	8.45	12.09	1.7	10.4	
		18:00	27.93	50.72	32.70	8.34	9.68	5.0	27.1	
		21:00	27.73	51.00	32.88	8.32	9.80	4.6	22.0	
	日平均值			27.62	50.65	32.66	8.34	9.78	3.13	17.38
	潮口站	0:00	27.23	51.00	32.64	8.33	9.40	3.3	6.5	
		3:00	27.03	50.94	32.60	8.29	8.04	4.4	2.9	
		6:00	26.79	50.60	32.39	8.20	7.07	20.7	9.2	
		9:00	27.63	50.11	32.08	8.41	11.97	4.3	12.9	
		12:00	27.65	50.34	32.22	8.31	8.42	5.3	20.2	
		15:00	27.26	51.88	33.20	8.29	8.51	4.6	9.6	
		18:00	26.77	51.35	32.86	8.24	7.52	5.6	9.6	
		21:00	27.17	51.08	32.69	8.32	9.47	1.5	23.4	
	日平均值			27.19	50.91	32.59	8.30	8.80	6.22	11.79
	灣內站	0:00	28.12	49.21	31.77	8.25	9.54	47.3	38.5	
		3:00	27.72	49.24	32.32	8.18	9.16	56.8	36.0	
		6:00	27.41	49.42	32.43	8.01	7.69	53.9	36.0	
		9:00	27.66	49.37	32.05	8.23	9.31	17.8	35.6	
		12:00	28.33	49.16	32.09	8.33	12.15	13.4	35.8	
		15:00	28.21	49.15	32.28	8.34	13.04	13.1	36.0	
		18:00	27.96	49.51	32.51	8.30	9.12	15.5	36.0	
		21:00	27.88	49.56	32.56	8.20	9.39	23.9	36.0	
	日平均值			27.91	49.33	32.25	8.23	9.93	30.20	36.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月10日	蚵殼站	0:00	27.70	50.46	32.53	8.43	10.95	1.8	16.1	
		3:00	27.61	51.50	33.21	8.43	9.22	3.5	17.5	
		6:00	27.50	51.69	33.33	8.43	10.45	1.7	28.2	
		9:00	27.32	49.65	32.00	8.23	7.53	2.1	43.7	
		12:00	27.83	49.56	31.94	8.42	10.85	1.8	45.0	
		15:00	27.80	51.38	33.13	8.45	12.60	1.7	45.0	
		18:00	27.71	51.08	32.93	8.37	10.28	3.2	39.8	
		21:00	27.67	50.43	32.51	8.40	10.81	1.8	37.0	
	日平均值			27.64	50.72	32.70	8.40	10.34	2.20	34.02
	潮口站	0:00	27.20	50.59	32.38	8.40	10.24	2.2	29.9	
		3:00	27.12	51.90	33.21	8.40	9.30	5.6	5.4	
		6:00	26.50	51.91	33.22	8.24	7.21	17.5	10.6	
		9:00	27.42	49.75	31.85	8.37	10.40	4.2	22.2	
		12:00	27.54	49.78	31.87	8.44	11.59	11.4	21.2	
		15:00	27.08	51.68	33.07	8.35	9.28	6.8	9.3	
		18:00	26.43	51.13	32.72	8.24	7.56	6.9	21.4	
		21:00	26.79	50.57	32.37	8.30	8.97	3.8	26.2	
	日平均值			27.01	50.91	32.59	8.34	9.32	7.29	18.28
	灣內站	0:00	27.82	49.49	32.49	8.17	7.83	23.2	35.9	
		3:00	27.52	49.44	32.44	8.10	5.48	21.3	35.9	
		6:00	27.23	49.50	32.50	8.11	6.26	49.3	35.9	
		9:00	27.24	49.46	32.46	8.14	8.85	25.0	34.6	
		12:00	28.05	49.08	32.06	8.35	13.45	23.0	35.8	
		15:00	27.95	49.37	32.40	8.31	13.46	14.3	36.0	
		18:00	27.55	49.74	32.70	8.33	11.33	11.1	29.1	
		21:00	27.39	50.13	32.96	8.10	7.06	18.1	26.5	
	日平均值			27.59	49.53	32.50	8.20	9.22	23.14	33.71
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月11日	蚵殼站	0:00	27.49	50.10	32.29	8.42	10.16	1.1	31.9	
		3:00	27.33	51.12	32.96	8.46	10.05	3.6	40.5	
		6:00	27.08	51.11	32.95	8.37	7.81	3.0	45.0	
		9:00	27.13	49.80	32.10	8.23	7.42	1.9	44.9	
		12:00	27.39	49.38	31.82	8.26	8.65	2.1	44.3	
		15:00	27.66	51.11	32.95	8.44	11.90	2.6	44.9	
		18:00	27.58	50.89	32.81	8.45	11.51	1.9	36.7	
		21:00	27.51	50.86	32.79	8.45	10.94	4.5	33.7	
	日平均值			27.40	50.55	32.58	8.39	9.81	2.58	40.23
	潮口站	0:00	27.28	50.05	32.04	8.40	12.19	0.8	24.1	
		3:00	27.04	51.14	32.73	8.49	11.11	2.2	19.1	
		6:00	26.42	51.35	32.86	8.29	7.37	17.5	15.6	
		9:00	26.93	49.53	31.71	8.30	8.83	7.7	24.8	
		12:00	27.44	49.85	31.91	8.43	11.13	6.5	26.0	
		15:00	27.06	51.38	32.88	8.31	8.45	10.3	18.9	
		18:00	26.39	50.48	32.31	8.27	7.79	8.3	11.6	
		21:00	26.54	51.25	32.80	8.25	8.01	5.7	12.9	
	日平均值			26.89	50.63	32.41	8.34	9.36	7.37	19.13
	灣內站	0:00	27.38	50.14	32.96	8.13	7.70	18.4	28.2	
		3:00	27.15	50.02	32.88	8.10	7.19	13.6	28.7	
		6:00	26.95	50.18	32.99	8.00	5.55	11.3	34.6	
		9:00	27.01	50.20	33.00	8.11	7.56	4.7	31.5	
		12:00	28.04	49.29	32.36	8.44	10.71	18.3	36.0	
		15:00	28.01	49.18	32.29	8.44	12.80	21.0	36.0	
		18:00	27.67	49.36	32.38	8.42	10.85	13.9	34.9	
		21:00	27.47	49.65	32.65	8.25	9.69	12.7	23.7	
	日平均值			27.46	49.75	32.69	8.24	9.01	14.23	31.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月12日	蚵殼站	0:00	27.28	46.70	32.57	8.48	11.92	2.0	32.1	
		3:00	27.18	50.49	32.55	8.47	11.39	42.6	31.3	
		6:00	26.98	50.97	32.86	8.45	10.81	8.4	32.9	
		9:00	27.00	50.55	32.59	8.45	12.78	5.3	37.9	
		12:00	27.03	50.65	32.65	8.45	9.87	2.9	44.6	
		15:00	27.01	49.90	32.16	8.39	9.93	2.5	42.8	
		18:00	27.00	49.56	31.94	8.43	12.94	1.1	37.1	
		21:00	26.94	49.83	32.12	8.44	10.15	2.2	33.9	
	日平均值			27.05	49.83	32.43	8.45	11.22	8.38	36.58
	潮口站	0:00	26.83	50.79	32.51	8.41	10.23	0.3	17.4	
		3:00	26.81	51.03	32.66	8.45	10.28	9.4	9.2	
		6:00	26.48	51.50	32.96	8.31	7.86	14.7	10.9	
		9:00	26.49	51.09	32.70	8.23	7.91	17.4	6.4	
		12:00	27.27	51.41	32.90	8.38	11.17	11.3	26.1	
		15:00	26.83	50.27	32.18	8.36	10.08	9.0	21.5	
		18:00	26.31	50.02	32.02	8.24	7.52	12.4	11.3	
		21:00	26.34	50.35	32.23	8.18	7.62	12.4	15.3	
	日平均值			26.67	50.81	32.52	8.32	9.08	10.85	14.76
	灣內站	0:00	27.34	49.99	32.87	8.20	6.13	16.9	25.3	
		3:00	27.10	49.95	32.85	8.04	5.85	25.5	30.5	
		6:00	26.76	50.17	32.98	8.05	6.33	19.7	34.4	
		9:00	26.75	50.17	32.98	7.95	7.40	19.8	35.0	
		12:00	27.31	50.02	32.88	8.14	10.19	56.6	35.8	
		15:00	27.42	49.50	32.51	8.30	11.12	14.2	35.9	
		18:00	27.07	50.11	32.94	8.12	9.47	24.7	28.3	
		21:00	26.76	50.19	32.99	7.97	8.76	23.6	9.2	
	日平均值			27.06	50.01	32.88	8.10	8.16	25.12	29.30
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月13日	蚵殼站	0:00	26.87	50.08	32.28	8.42	10.14	1.0	34.0	
		3:00	26.69	49.85	32.13	8.41	9.43	1.4	42.6	
		6:00	26.55	51.09	32.94	8.37	7.37	3.5	44.5	
		9:00	26.65	51.60	33.27	8.40	8.31	3.5	45.0	
		12:00	26.84	50.00	32.23	8.25	8.48	2.8	45.0	
		15:00	26.97	49.96	32.20	8.34	8.68	1.5	44.8	
		18:00	26.83	50.89	32.81	8.34	8.54	2.7	42.5	
		21:00	26.73	51.01	32.89	8.36	9.40	3.2	41.6	
	日平均值			26.77	50.56	32.59	8.36	8.79	2.44	42.49
	潮口站	0:00	26.65	50.38	32.25	8.38	10.32	1.7	14.5	
		3:00	26.51	50.15	32.10	8.47	12.11	4.7	5.1	
		6:00	26.40	51.38	32.88	8.39	9.45	5.5	4.9	
		9:00	26.40	51.74	33.11	8.21	7.19	9.1	4.6	
		12:00	26.86	50.37	32.24	8.29	9.89	7.6	7.0	
		15:00	26.95	50.35	32.23	8.33	9.41	6.8	21.2	
		18:00	26.49	51.13	32.72	8.24	7.85	7.4	15.8	
		21:00	26.36	51.76	33.12	8.18	7.23	8.3	10.6	
	日平均值			26.58	50.91	32.58	8.31	9.18	6.37	10.46
	灣內站	0:00	26.64	50.26	33.03	8.02	7.72	56.2	7.2	
		3:00	26.57	50.22	33.01	8.09	5.32	45.8	6.3	
		6:00	26.43	50.30	33.05	8.02	5.33	22.4	7.1	
		9:00	26.52	50.20	33.00	8.01	9.05	16.4	6.7	
		12:00	27.24	49.82	32.74	8.38	10.33	37.1	16.8	
		15:00	27.59	49.80	32.38	8.44	11.92	34.1	11.4	
		18:00	27.21	49.97	32.67	8.46	12.17	15.3	14.3	
		21:00	26.82	50.20	33.00	8.25	9.63	53.8	9.0	
	日平均值			26.88	50.10	32.86	8.21	8.93	35.12	9.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月14日	蚵殼站	0:00	26.50	50.16	32.33	8.36	8.83	3.4	38.2	
		3:00	26.44	50.20	32.36	8.44	9.50	2.6	41.0	
		6:00	26.35	51.29	33.07	8.43	7.78	4.0	44.6	
		9:00	26.48	51.61	33.28	8.41	8.46	4.4	45.0	
		12:00	26.69	50.08	32.28	8.41	9.77	4.2	42.5	
		15:00	26.90	50.29	32.42	8.42	10.08	4.0	45.0	
		18:00	26.88	50.71	32.69	8.44	10.59	4.0	45.0	
		21:00	26.75	51.18	33.00	8.34	8.29	3.8	45.0	
	日平均值			26.62	50.69	32.68	8.41	9.16	3.81	43.28
	潮口站	0:00	26.45	50.52	32.34	8.26	8.15	1.9	9.1	
		3:00	26.12	50.19	32.13	8.30	8.12	1.1	18.3	
		6:00	26.10	51.19	32.76	8.26	7.62	3.6	7.3	
		9:00	26.38	51.58	33.01	8.21	7.02	11.6	7.7	
		12:00	26.90	50.11	32.08	8.21	7.60	5.5	21.7	
		15:00	26.92	50.27	32.18	8.19	7.30	1.1	26.1	
		18:00	26.61	50.94	32.60	8.19	7.46	3.7	9.1	
		21:00	26.28	51.50	32.96	8.16	7.25	11.0	15.5	
	日平均值			26.47	50.79	32.51	8.22	7.57	4.92	14.35
	灣內站	0:00	26.60	50.25	33.03	8.23	8.74	73.8	6.8	
		3:00	26.47	50.17	32.98	8.11	8.22	28.7	6.1	
		6:00	26.30	49.88	32.80	8.03	7.72	30.7	6.9	
		9:00	26.33	49.91	32.81	8.04	6.47	78.7	7.7	
		12:00	27.60	49.40	32.40	8.36	7.93	17.7	7.6	
		15:00	27.58	49.61	32.62	8.43	8.89	11.8	8.3	
		18:00	27.28	49.81	32.76	8.46	11.43	17.6	8.5	
		21:00	26.91	50.10	32.93	8.20	7.90	60.5	7.7	
	日平均值			26.88	49.89	32.79	8.23	8.41	39.92	7.45
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月15日	蚵殼站	0:00	26.54	50.46	32.53	8.36	8.98	1.5	45.0	
		3:00	26.50	50.05	32.26	8.36	9.00	1.6	45.0	
		6:00	26.26	50.14	32.32	8.36	8.11	7.3	45.0	
		9:00	26.43	51.40	33.14	8.36	8.35	9.1	45.0	
		12:00	26.97	49.88	32.15	8.32	8.69	4.4	45.0	
		15:00	27.18	49.62	31.98	8.36	9.59	3.7	45.0	
		18:00	27.03	50.54	32.58	8.37	9.00	6.6	45.0	
		21:00	27.00	50.68	32.67	8.32	9.53	6.6	48.1	
	日平均值			26.74	50.35	32.45	8.35	8.91	5.09	45.39
	潮口站	0:00	26.46	50.60	32.39	8.15	6.49	7.0	19.1	
		3:00	26.50	49.96	31.98	8.15	6.30	5.7	14.2	
		6:00	26.10	50.38	32.25	8.25	8.42	1.8	3.6	
		9:00	26.52	51.55	32.99	8.21	6.97	11.2	12.7	
		12:00	26.73	50.19	32.13	8.19	7.46	14.6	14.8	
		15:00	26.93	50.07	32.05	8.18	7.46	5.2	21.1	
		18:00	26.83	50.57	32.37	8.15	6.84	8.6	13.0	
		21:00	26.43	51.09	32.70	8.13	6.44	12.1	17.3	
	日平均值			26.56	50.55	32.36	8.18	7.05	8.27	14.48
	灣內站	0:00	26.78	50.20	33.00	8.29	5.40	36.2	5.5	
		3:00	26.80	50.20	33.00	8.31	5.40	19.8	5.3	
		6:00	26.48	49.93	32.82	8.33	10.69	54.9	5.4	
		9:00	26.77	49.91	32.81	8.42	11.87	39.1	5.5	
		12:00	27.50	49.43	32.47	8.43	10.91	29.3	8.5	
		15:00	27.63	49.42	32.43	8.46	9.88	31.3	13.0	
		18:00	27.25	49.17	32.28	8.36	9.71	17.3	6.5	
		21:00	26.98	49.35	32.38	8.09	9.32	56.5	5.2	
	日平均值			27.02	49.70	32.65	8.34	9.15	35.53	6.87
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月16日	蚵殼站	0:00	26.97	50.26	32.40	8.41	8.85	10.5	44.5	
		3:00	26.95	49.82	32.11	8.38	9.34	13.0	44.7	
		6:00	26.79	49.71	32.04	8.43	9.31	12.3	44.9	
		9:00	27.00	50.98	32.87	8.45	8.71	12.6	37.1	
		12:00	27.06	51.06	32.92	8.33	8.36	13.8	35.7	
		15:00	27.24	49.68	32.02	8.37	9.79	11.1	32.0	
		18:00	27.28	49.18	31.69	8.35	8.64	11.4	37.2	
		21:00	27.17	50.29	32.42	8.33	8.72	9.0	35.1	
	日平均值			27.06	50.12	32.31	8.38	8.97	11.71	38.89
	潮口站	0:00	26.25	50.65	32.42	8.17	7.27	5.4	5.5	
		3:00	26.36	50.02	32.02	8.29	8.96	0.2	15.1	
		6:00	26.44	49.66	31.79	8.34	9.94	0.7	29.8	
		9:00	26.59	50.82	32.53	8.29	7.75	6.2	8.2	
		12:00	26.63	50.54	32.35	8.20	6.95	9.5	12.2	
		15:00	26.74	49.78	31.87	8.18	7.05	7.2	21.4	
		18:00	26.73	49.55	31.72	8.10	5.92	9.5	5.9	
		21:00	26.60	50.57	32.37	8.06	5.81	7.4	4.9	
	日平均值			26.54	50.20	32.13	8.20	7.46	5.77	12.88
	灣內站	0:00	26.82	50.11	32.94	8.12	7.82	17.6	4.9	
		3:00	26.82	50.28	33.04	8.10	6.32	35.4	5.1	
		6:00	26.62	49.79	32.75	8.17	7.05	30.2	7.2	
		9:00	26.91	49.95	32.85	8.18	9.11	16.5	5.1	
		12:00	27.32	49.73	32.71	8.43	12.82	7.1	11.3	
		15:00	27.40	49.70	32.70	8.40	12.81	17.4	9.2	
		18:00	27.44	49.45	32.46	8.34	12.98	15.6	6.9	
		21:00	27.33	49.54	32.55	8.31	11.73	12.6	6.4	
	日平均值			27.08	49.82	32.75	8.26	10.08	19.04	7.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月17日	蚵殼站	0:00	27.05	49.87	32.14	8.25	6.47	11.6	33.2	
		3:00	27.00	49.87	32.14	8.21	6.28	10.4	33.5	
		6:00	27.03	49.53	31.92	8.29	6.89	13.0	39.7	
		9:00	27.18	50.19	32.35	8.26	7.37	20.8	34.9	
		12:00	27.33	50.42	32.50	8.35	9.12	13.0	27.5	
		15:00	27.37	48.95	31.54	8.33	8.58	14.3	24.4	
		18:00	27.37	48.49	31.24	8.17	6.07	17.4	23.7	
		21:00	27.29	50.13	32.31	8.23	7.16	15.2	25.8	
	日平均值			27.20	49.68	32.02	8.26	7.24	14.45	30.33
	潮口站	0:00	26.64	50.21	32.14	8.07	6.22	8.8	7.4	
		3:00	26.56	49.75	31.85	8.15	6.47	0.6	29.6	
		6:00	26.32	49.36	31.60	8.13	5.84	4.4	21.9	
		9:00	26.85	50.03	32.03	8.13	6.51	3.2	10.8	
		12:00	27.11	50.35	32.23	8.14	6.48	5.4	3.0	
		15:00	27.09	49.26	31.54	8.11	6.51	7.6	7.8	
		18:00	26.99	49.25	31.53	8.09	6.00	8.1	15.0	
		21:00	27.05	50.26	32.17	8.08	6.39	4.1	2.8	
	日平均值			26.83	49.81	31.89	8.11	6.30	5.29	12.29
	灣內站	0:00	27.06	49.85	32.79	8.21	6.04	23.6	6.0	
		3:00	26.93	50.23	33.01	8.05	6.72	49.7	6.7	
		6:00	26.86	49.93	32.84	8.07	5.97	31.0	7.1	
		9:00	27.03	49.75	32.72	8.21	10.70	50.9	7.9	
		12:00	27.70	49.35	32.28	8.40	13.56	13.6	10.3	
		15:00	27.67	49.45	32.45	8.33	11.98	58.0	8.3	
		18:00	27.54	49.66	32.65	8.22	8.53	50.7	7.2	
		21:00	27.47	49.61	32.61	8.21	9.47	26.7	8.7	
	日平均值			27.28	49.73	32.67	8.21	9.12	38.03	7.75
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月18日	蚵殼站	0:00	27.18	49.87	32.14	8.13	5.94	17.1	26.4	
		3:00	27.08	48.87	31.49	8.10	5.47	13.3	29.1	
		6:00	26.91	47.89	30.85	8.18	5.44	12.6	27.7	
		9:00	27.36	48.50	31.25	8.21	6.00	14.0	27.7	
		12:00	27.69	49.76	32.07	8.28	7.79	14.7	23.8	
		15:00	27.75	48.64	31.34	8.26	8.21	15.7	22.5	
		18:00	27.83	48.26	31.09	8.03	6.13	21.9	26.6	
		21:00	27.74	49.47	31.88	8.13	6.68	15.5	27.8	
	日平均值			27.44	48.91	31.51	8.17	6.46	15.60	26.46
	潮口站	0:00	26.55	50.13	32.09	8.07	5.35	5.0	3.8	
		3:00	26.53	48.91	31.32	8.10	6.06	0.7	8.1	
		6:00	26.61	47.76	30.59	8.13	5.84	5.9	19.5	
		9:00	27.28	48.66	31.16	8.14	6.99	2.4	9.5	
		12:00	27.31	49.83	31.90	8.12	5.26	4.4	3.8	
		15:00	27.17	49.61	31.76	8.08	5.27	5.9	10.6	
		18:00	27.16	48.46	31.03	8.08	5.20	5.0	14.8	
		21:00	27.37	49.69	31.81	8.10	5.18	2.7	2.0	
	日平均值			27.00	49.13	31.46	8.10	5.64	3.99	9.01
	灣內站	0:00	27.36	49.96	32.85	8.06	6.10	50.1	9.5	
		3:00	27.14	50.00	32.87	8.04	6.44	44.7	8.5	
		6:00	27.09	50.15	32.97	8.01	6.38	39.2	9.3	
		9:00	27.18	49.74	32.72	8.11	7.80	31.7	9.2	
		12:00	28.05	49.69	32.69	8.29	10.76	5.9	9.0	
		15:00	28.01	49.76	32.73	8.23	9.99	23.1	9.6	
		18:00	27.88	49.78	32.74	8.06	5.83	36.0	10.8	
		21:00	27.80	49.70	32.70	8.08	7.23	13.2	13.7	
	日平均值			27.56	49.85	32.78	8.11	7.57	30.46	9.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月19日	蚵殼站	0:00	27.55	50.97	32.86	8.23	6.95	13.6	28.0	
		3:00	27.36	49.51	31.91	8.22	6.45	10.3	24.4	
		6:00	27.15	46.70	31.85	8.22	6.43	10.2	22.3	
		9:00	27.39	49.77	32.08	8.19	6.43	10.8	21.7	
		12:00	27.74	50.16	32.33	8.18	6.38	12.4	20.8	
		15:00	27.69	50.43	32.51	8.16	6.06	12.8	18.8	
		18:00	27.54	49.76	32.07	8.12	5.70	13.3	18.7	
		21:00	27.47	49.02	31.59	8.17	5.53	9.8	20.8	
	日平均值			27.49	49.54	32.15	8.19	6.24	11.64	21.94
	潮口站	0:00	26.73	49.66	31.79	8.08	6.76	6.9	4.6	
		3:00	26.48	48.41	31.00	8.08	5.96	3.2	6.8	
		6:00	26.81	47.18	30.22	8.12	6.69	0.4	13.2	
		9:00	27.29	46.89	30.04	8.13	6.90	0.5	29.7	
		12:00	27.03	48.76	31.22	8.11	5.84	6.6	19.1	
		15:00	26.69	48.79	31.24	8.13	6.87	6.3	22.1	
		18:00	27.36	49.59	31.75	8.12	7.29	5.5	31.9	
		21:00	27.52	50.54	32.35	8.09	6.95	4.1	20.8	
	日平均值			26.99	48.73	31.20	8.11	6.66	4.19	18.53
	灣內站	0:00	27.52	49.83	32.77	8.10	6.54	4.3	14.5	
		3:00	27.30	50.08	32.92	8.07	5.03	12.4	15.6	
		6:00	27.21	49.95	32.84	8.04	5.91	3.6	17.8	
		9:00	27.43	49.86	32.78	8.04	5.84	1.8	20.0	
		12:00	27.89	49.47	32.51	8.07	7.04	3.8	23.0	
		15:00	28.15	49.16	32.28	8.12	7.93	5.2	20.5	
		18:00	27.89	49.46	32.50	8.05	5.78	7.3	27.4	
		21:00	27.38	50.02	32.89	7.96	5.45	1.3	33.1	
	日平均值			27.60	49.73	32.69	8.06	6.19	4.95	21.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月20日	蚵殼站	0:00	27.27	46.70	32.20	8.18	5.80	10.5	20.3	
		3:00	27.10	49.59	31.96	8.13	5.23	9.6	19.4	
		6:00	27.12	48.81	31.45	8.05	5.21	10.9	19.1	
		9:00	27.31	49.48	31.89	8.10	5.28	9.5	15.7	
		12:00	27.44	46.66	31.68	8.14	6.99	21.8	15.6	
		15:00	27.41	49.45	31.87	8.12	6.50	7.8	14.0	
		18:00	27.17	49.24	31.73	8.14	6.66	10.4	15.4	
		21:00	27.07	49.13	31.66	8.13	6.37	8.4	18.2	
	日平均值			27.24	48.63	31.81	8.12	6.01	11.11	17.19
	潮口站	0:00	27.00	49.67	31.80	8.09	6.25	8.8	19.4	
		3:00	26.37	50.15	32.10	8.09	6.36	12.4	20.3	
		6:00	26.79	50.16	32.11	8.14	6.74	1.3	28.8	
		9:00	27.12	51.06	32.68	8.10	5.70	3.3	33.0	
		12:00	26.69	50.75	32.48	8.03	6.55	6.2	33.4	
		15:00	26.46	51.30	32.72	8.23	7.83	16.6	27.0	
		18:00	26.71	54.11	34.51	8.19	7.31	10.8	22.5	
		21:00	26.71	53.48	34.13	8.20	6.41	8.8	4.9	
	日平均值			26.73	51.34	32.82	8.13	6.64	8.53	23.66
	灣內站	0:00	27.20	50.05	32.90	7.91	6.30	4.6	34.9	
		3:00	26.93	50.11	32.94	7.87	5.64	6.9	35.9	
		6:00	26.81	50.10	32.93	7.87	5.00	6.1	36.0	
		9:00	26.06	49.10	32.18	7.94	5.91	16.9	32.8	
		12:00	27.45	48.79	32.11	8.10	6.67	4.5	18.3	
		15:00	27.49	48.98	32.28	8.09	6.75	7.1	22.3	
		18:00	27.45	48.95	32.25	7.97	6.66	25.2	8.3	
		21:00	27.42	48.42	31.86	7.98	6.71	7.6	32.6	
	日平均值			27.10	49.31	32.43	7.97	6.21	9.87	27.63
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月21日	蚵殼站	0:00	26.77	49.27	31.75	8.07	5.53	6.6	16.9	
		3:00	26.58	49.36	31.81	8.05	5.14	11.0	16.2	
		6:00	26.86	49.08	31.63	8.07	5.34	9.0	15.2	
		9:00	27.10	49.08	31.63	8.09	5.73	7.3	14.1	
		12:00	27.44	48.49	31.24	8.12	7.01	8.5	13.2	
		15:00	27.31	48.20	31.05	8.16	7.84	13.0	10.3	
		18:00	27.03	49.31	31.78	8.14	7.24	13.2	12.0	
		21:00	26.99	49.41	31.84	8.14	6.95	10.2	13.7	
	日平均值			27.01	49.03	31.59	8.11	6.35	9.84	13.94
	潮口站	0:00	26.44	53.60	34.22	8.20	6.14	17.7	2.3	
		3:00	26.17	55.15	35.18	8.25	7.31	24.3	1.8	
		6:00	26.06	53.34	34.03	8.20	6.52	6.9	2.0	
		9:00	26.64	52.82	33.73	8.16	6.38	3.2	2.4	
		12:00	27.00	51.51	32.88	8.17	6.80	5.6	2.9	
		15:00	26.63	49.66	31.70	8.25	7.79	3.7	2.3	
		18:00	26.55	53.53	34.16	8.19	7.44	10.6	3.4	
		21:00	26.58	53.01	33.85	8.19	6.62	5.4	3.0	
	日平均值			26.51	52.83	33.72	8.20	6.88	9.66	2.51
	灣內站	0:00	27.31	48.77	32.11	8.01	5.34	12.6	17.2	
		3:00	27.03	48.92	32.22	8.01	5.24	7.3	30.5	
		6:00	26.88	49.06	32.35	8.00	6.09	17.0	17.8	
		9:00	27.21	49.05	32.35	8.04	6.30	19.8	15.8	
		12:00	27.76	48.88	32.18	8.10	7.87	5.8	39.4	
		15:00	27.81	49.03	32.33	8.13	7.77	7.5	59.1	
		18:00	27.61	48.87	32.17	8.08	6.01	9.4	61.5	
		21:00	27.55	48.93	32.23	8.00	5.03	9.2	55.1	
	日平均值			27.40	48.94	32.24	8.05	6.21	11.08	37.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月22日	蚵殼站	0:00	26.78	49.77	32.08	8.11	6.85	9.0	14.6	
		3:00	26.60	50.19	32.35	8.09	6.23	7.7	13.4	
		6:00	26.43	48.21	31.06	8.08	6.36	7.7	13.3	
		9:00	26.69	48.73	31.40	8.14	7.51	7.3	15.7	
		12:00	27.01	48.38	31.17	8.14	7.92	8.7	12.5	
		15:00	27.05	49.59	31.96	8.21	9.06	10.4	9.5	
		18:00	26.74	49.05	31.61	8.18	7.84	13.0	8.3	
		21:00	26.59	49.16	31.68	8.14	7.51	7.5	10.5	
	日平均值			26.74	49.14	31.66	8.14	7.41	8.90	12.22
	潮口站	0:00	26.38	53.08	33.89	8.19	6.62	12.9	2.4	
		3:00	26.15	54.90	35.04	8.24	7.12	24.3	1.4	
		6:00	26.01	53.96	34.45	8.20	6.69	10.9	2.2	
		9:00	26.59	52.94	33.82	8.21	7.16	5.8	4.5	
		12:00	26.80	52.49	33.52	8.24	7.90	7.7	6.2	
		15:00	26.34	52.65	33.60	8.30	7.81	5.0	3.2	
		18:00	26.20	53.89	34.38	8.26	7.49	10.9	3.1	
		21:00	26.30	53.37	34.06	8.26	7.15	22.3	4.1	
	日平均值			26.35	53.41	34.10	8.24	7.24	12.46	3.40
	灣內站	0:00	27.42	49.10	32.40	7.97	5.05	9.3	30.8	
		3:00	27.23	48.96	32.26	7.96	5.09	8.2	28.7	
		6:00	27.14	48.98	32.27	8.01	5.08	8.8	36.5	
		9:00	27.33	49.02	32.32	8.00	6.33	13.8	34.9	
		12:00	27.77	48.85	32.15	8.11	8.17	9.7	82.3	
		15:00	27.78	48.97	32.27	8.15	8.43	22.4	82.6	
		18:00	27.68	48.96	32.26	8.11	8.23	10.3	79.2	
		21:00	27.38	48.78	32.10	8.06	6.52	9.9	76.6	
	日平均值			27.47	48.95	32.25	8.05	6.61	11.55	56.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月23日	蚵殼站	0:00	26.51	49.16	31.68	8.13	7.62	8.6	9.3	
		3:00	26.30	50.20	32.36	8.13	7.37	6.5	11.5	
		6:00	26.19	50.29	32.42	8.10	7.16	7.2	11.8	
		9:00	26.31	48.89	31.50	8.14	8.01	6.5	13.9	
		12:00	26.62	48.82	31.46	8.17	8.29	7.6	14.6	
		15:00	26.69	48.90	31.51	8.24	9.95	8.5	13.8	
		18:00	26.54	48.56	31.29	8.22	9.13	8.9	12.4	
		21:00	26.28	48.89	31.50	8.21	8.91	9.1	12.8	
	日平均值			26.43	49.21	31.72	8.17	8.31	7.86	12.51
	潮口站	0:00	26.42	53.16	33.74	8.29	7.86	9.4	5.0	
		3:00	26.03	54.43	34.73	8.29	7.22	21.9	2.7	
		6:00	25.83	54.47	34.77	8.26	7.25	15.2	2.9	
		9:00	26.35	53.03	33.86	8.32	8.88	7.5	6.4	
		12:00	26.57	52.42	33.46	8.31	9.15	6.8	6.9	
		15:00	26.10	51.20	32.67	8.28	7.63	5.5	3.6	
		18:00	26.05	54.02	34.45	8.28	7.97	15.0	5.1	
		21:00	25.99	53.07	33.89	8.32	8.26	9.8	7.2	
	日平均值			26.17	53.23	33.95	8.29	8.03	11.39	4.96
	灣內站	0:00	26.84	48.38	31.84	7.98	5.84	11.7	64.6	
		3:00	26.73	48.83	32.15	7.98	5.49	7.5	55.0	
		6:00	26.68	48.82	32.12	7.95	6.98	11.0	58.4	
		9:00	26.64	48.63	32.02	7.95	7.24	13.9	55.2	
		12:00	27.00	47.88	31.36	8.15	9.73	19.1	78.2	
		15:00	27.21	48.13	31.72	8.19	10.75	10.4	80.5	
		18:00	26.90	48.15	31.72	8.10	7.51	9.2	96.5	
		21:00	26.60	48.59	31.98	8.02	5.86	10.7	86.8	
	日平均值			26.83	48.43	31.86	8.04	7.43	11.69	71.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月24日	蚵殼站	0:00	26.16	50.82	32.76	8.21	8.83	7.2	14.6	
		3:00	25.97	50.88	32.80	8.18	8.41	7.1	20.5	
		6:00	25.68	51.44	33.17	8.15	8.19	8.4	20.7	
		9:00	25.95	49.88	32.15	8.21	9.04	7.5	20.6	
		12:00	26.47	49.79	32.09	8.26	9.98	7.6	23.8	
		15:00	26.39	50.33	32.44	8.32	11.12	9.5	28.0	
		18:00	26.29	49.91	32.17	8.27	9.79	10.2	25.0	
		21:00	26.08	49.18	31.69	8.22	8.35	10.8	22.3	
	日平均值			26.12	50.28	32.41	8.23	9.21	8.54	21.94
	潮口站	0:00	25.90	52.92	33.80	8.35	8.64	7.0	7.5	
		3:00	25.81	54.00	34.46	8.30	7.26	20.7	4.4	
		6:00	25.81	54.77	34.97	8.28	7.21	24.6	3.7	
		9:00	26.03	52.93	33.57	8.37	10.00	6.4	7.6	
		12:00	26.35	52.74	33.68	8.40	11.21	6.9	10.9	
		15:00	26.16	50.70	32.36	8.32	8.03	4.3	5.1	
		18:00	26.01	52.80	33.70	8.31	7.80	5.9	4.1	
		21:00	25.97	53.15	33.92	8.35	8.62	6.2	9.2	
	日平均值			26.01	53.00	33.81	8.34	8.60	10.25	6.57
	灣內站	0:00	26.27	48.73	31.94	7.99	5.90	16.0	94.9	
		3:00	25.99	48.77	32.08	8.00	5.78	25.7	64.2	
		6:00	25.81	48.69	32.03	8.00	5.37	20.6	92.1	
		9:00	26.00	48.37	31.83	7.99	8.32	13.9	94.8	
		12:00	26.58	48.08	31.69	8.20	11.27	13.1	83.5	
		15:00	26.63	48.36	31.83	8.28	12.56	9.6	70.3	
		18:00	26.37	48.42	31.87	8.15	10.08	8.9	77.5	
		21:00	26.32	48.43	31.88	8.09	8.19	14.3	73.4	
	日平均值			26.25	48.48	31.89	8.09	8.43	15.27	81.33
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月25日	蚵殼站	0:00	25.97	48.75	31.41	8.22	9.90	9.0	19.9	
		3:00	25.80	48.49	31.24	8.20	8.25	8.5	24.0	
		6:00	25.58	49.19	31.70	8.20	9.14	7.5	22.6	
		9:00	25.82	48.44	31.21	8.19	9.58	9.3	24.3	
		12:00	26.11	46.83	30.16	8.27	10.26	8.3	28.3	
		15:00	26.20	48.21	31.06	8.34	11.72	10.9	37.4	
		18:00	26.03	48.23	31.07	8.35	11.83	11.0	37.6	
		21:00	25.89	47.87	30.84	8.24	9.31	15.9	33.3	
	日平均值			25.93	48.25	31.09	8.25	10.00	10.05	28.42
	潮口站	0:00	25.83	52.87	33.78	8.35	8.26	10.3	9.0	
		3:00	25.82	53.52	34.16	8.32	7.77	12.3	8.5	
		6:00	25.82	54.86	35.02	8.30	6.92	18.3	4.6	
		9:00	26.11	53.28	34.03	8.35	9.06	11.0	17.3	
		12:00	26.17	52.77	33.67	8.46	12.77	10.2	38.7	
		15:00	25.97	51.24	32.70	8.37	9.18	5.7	25.8	
		18:00	25.79	53.15	33.93	8.31	7.18	5.6	7.7	
		21:00	25.64	53.19	33.96	8.32	7.95	5.0	11.2	
	日平均值			25.89	53.11	33.91	8.35	8.64	9.80	15.34
	灣內站	0:00	26.20	48.57	31.96	8.09	7.50	9.5	80.1	
		3:00	26.07	48.59	31.98	8.03	6.24	27.2	72.8	
		6:00	26.01	48.70	32.03	8.03	6.24	19.9	77.4	
		9:00	26.08	48.61	31.98	8.11	7.98	12.5	54.4	
		12:00	26.62	47.82	31.50	8.34	13.00	13.2	35.7	
		15:00	26.51	46.20	30.47	8.35	14.02	13.4	26.4	
		18:00	26.22	47.05	30.99	8.25	12.94	16.6	27.9	
		21:00	26.06	48.05	31.41	8.21	10.20	32.3	30.3	
	日平均值			26.22	47.95	31.54	8.18	9.77	18.07	50.62
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月26日	蚵殼站	0:00	25.72	49.68	32.02	8.22	8.54	12.2	42.6	
		3:00	25.48	49.67	32.01	8.27	9.80	9.5	45.6	
		6:00	25.43	50.83	32.77	8.27	9.42	10.6	50.9	
		9:00	25.39	50.13	32.31	8.33	11.49	10.6	59.7	
		12:00	25.33	48.27	31.10	8.33	11.28	8.7	59.8	
		15:00	25.25	49.59	31.96	8.35	11.49	8.4	60.0	
		18:00	25.14	49.79	32.09	8.36	10.72	11.8	60.0	
		21:00	25.31	50.00	32.23	8.28	9.06	14.2	60.0	
	日平均值			25.38	49.75	32.06	8.30	10.23	10.75	54.83
	潮口站	0:00	25.48	53.17	33.93	8.35	7.65	14.4	12.4	
		3:00	25.54	53.09	33.90	8.34	7.67	16.3	16.1	
		6:00	25.71	54.65	34.87	8.30	6.65	24.7	6.9	
		9:00	25.44	54.18	34.57	8.31	7.47	12.8	12.1	
		12:00	25.18	53.28	33.99	8.37	10.36	13.0	30.3	
		15:00	25.45	53.96	34.45	8.36	8.91	13.2	25.1	
		18:00	25.93	54.80	35.00	8.30	6.69	21.5	24.1	
		21:00	25.41	54.08	34.51	8.34	7.70	14.2	22.3	
	日平均值			25.52	53.90	34.40	8.33	7.89	16.25	18.66
	灣內站	0:00	25.98	48.27	31.79	8.15	7.07	27.3	39.2	
		3:00	25.85	48.28	31.79	8.10	8.03	19.4	27.5	
		6:00	25.80	48.34	31.82	8.08	7.15	57.9	32.5	
		9:00	25.79	48.65	32.01	8.16	8.16	37.5	21.9	
		12:00	25.64	48.83	32.14	8.18	8.96	15.4	32.3	
		15:00	25.55	48.90	32.20	8.18	8.90	12.4	23.4	
		18:00	25.46	48.85	32.15	8.15	7.56	22.8	41.9	
		21:00	25.49	48.85	32.16	8.11	8.23	25.1	38.2	
	日平均值			25.70	48.62	32.01	8.14	8.01	27.21	32.11
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月27日	蚵殼站	0:00	24.96	49.07	31.62	8.34	10.02	7.2	46.4	
		3:00	24.68	49.16	31.68	8.32	9.10	7.0	40.2	
		6:00	24.65	49.34	31.80	8.31	8.05	6.7	57.1	
		9:00	24.79	49.77	32.08	8.37	10.34	7.7	60.0	
		12:00	25.29	48.89	31.50	8.31	9.54	8.1	60.0	
		15:00	25.38	48.35	31.15	8.36	10.89	9.0	60.0	
		18:00	25.39	48.93	31.53	8.37	10.32	8.8	56.9	
		21:00	25.57	49.28	31.76	8.33	8.92	11.4	44.6	
	日平均值			25.09	49.10	31.64	8.34	9.65	8.23	53.15
	潮口站	0:00	24.95	53.33	34.04	8.39	8.28	5.6	17.9	
		3:00	24.83	53.13	33.93	8.39	8.13	8.0	17.7	
		6:00	25.41	54.18	34.58	8.33	6.75	17.7	9.4	
		9:00	26.07	54.81	34.99	8.31	6.73	11.4	6.5	
		12:00	25.93	53.78	34.08	8.36	8.72	8.7	9.0	
		15:00	25.94	51.90	33.13	8.37	9.51	6.1	9.7	
		18:00	26.08	53.70	34.25	8.33	6.96	9.8	6.0	
		21:00	25.95	54.08	34.51	8.32	7.05	9.6	5.4	
	日平均值			25.65	53.61	34.19	8.35	7.77	9.60	10.20
	灣內站	0:00	25.45	48.84	32.14	8.13	7.63	21.3	36.8	
		3:00	25.14	48.84	32.14	8.06	5.68	19.9	28.9	
		6:00	25.12	48.86	32.16	8.01	5.69	58.6	49.7	
		9:00	25.24	48.81	32.13	8.09	7.10	32.2	30.9	
		12:00	25.73	47.99	31.62	8.29	12.20	29.2	27.7	
		15:00	26.02	48.01	31.63	8.35	13.45	34.6	45.2	
		18:00	25.91	48.69	32.03	8.30	12.33	20.1	21.4	
		21:00	25.77	48.74	32.08	8.18	11.10	44.2	36.4	
	日平均值			25.55	48.60	31.99	8.18	9.40	32.50	34.63
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月28日	蚵殼站	0:00	25.36	48.75	31.41	8.35	10.07	8.0	37.4	
		3:00	25.11	48.29	31.11	8.40	11.59	8.1	35.5	
		6:00	25.03	48.79	31.44	8.39	10.88	8.7	52.9	
		9:00	25.14	48.85	31.48	8.38	10.88	8.3	60.0	
		12:00	25.45	49.64	31.99	8.35	10.50	8.4	60.0	
		15:00	25.84	49.67	32.01	8.33	9.81	9.0	60.0	
		18:00	25.37	48.99	31.57	8.35	10.83	8.4	50.0	
		21:00	25.32	49.45	31.87	8.33	10.19	8.2	47.1	
	日平均值			25.33	49.05	31.61	8.36	10.59	8.39	50.37
	潮口站	0:00	25.37	52.92	33.80	8.42	9.43	4.5	10.2	
		3:00	25.36	52.80	33.71	8.40	8.96	8.7	10.6	
		6:00	25.32	53.20	33.95	8.38	8.68	11.2	10.9	
		9:00	26.14	54.75	34.95	8.32	6.76	16.1	6.8	
		12:00	26.02	54.05	34.50	8.33	7.98	10.0	8.1	
		15:00	25.90	53.20	33.94	8.37	8.81	6.6	9.3	
		18:00	26.10	53.95	34.41	8.31	6.75	12.7	5.9	
		21:00	25.79	54.68	34.89	8.31	6.56	13.0	5.1	
	日平均值			25.75	53.69	34.27	8.36	7.99	10.34	8.35
	灣內站	0:00	25.80	48.98	32.28	8.06	6.79	41.4	56.5	
		3:00	25.74	48.93	32.24	8.10	6.84	26.4	58.8	
		6:00	25.57	48.79	32.09	8.09	6.48	59.9	74.2	
		9:00	25.66	48.99	32.29	8.06	6.87	39.6	84.9	
		12:00	25.63	48.76	32.09	8.22	11.06	45.8	97.8	
		15:00	25.75	48.29	31.80	8.37	13.61	44.9	86.0	
		18:00	25.76	48.84	32.16	8.19	11.72	15.4	79.6	
		21:00	25.89	49.10	32.38	8.08	6.54	23.3	56.2	
	日平均值			25.73	48.84	32.17	8.15	8.74	37.07	74.24
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
11月29日	蚵殼站	0:00	25.56	49.48	31.89	8.28	8.75	8.6	42.1	
		3:00	25.04	49.53	31.92	8.40	11.66	7.5	33.5	
		6:00	25.22	49.80	32.10	8.36	10.41	8.6	41.1	
		9:00	25.26	49.51	31.91	8.36	11.37	8.3	37.5	
		12:00	25.98	49.62	31.98	8.32	10.09	10.4	37.6	
		15:00	26.15	49.42	31.85	8.32	10.48	13.1	42.5	
		18:00	25.86	49.54	31.93	8.33	10.19	11.2	35.2	
		21:00	25.78	49.50	31.90	8.32	9.61	11.6	28.8	
	日平均值			25.61	49.55	31.94	8.34	10.32	9.90	37.27
	潮口站	0:00	25.36	53.34	34.04	8.42	9.36	7.9	9.7	
		3:00	25.27	53.26	34.00	8.35	7.45	17.5	9.3	
		6:00	25.17	53.12	33.92	8.43	9.18	10.1	12.1	
		9:00	25.72	54.27	34.61	8.31	6.78	16.7	7.3	
		12:00	26.04	54.58	34.80	8.30	6.76	9.1	6.9	
		15:00	26.11	54.40	34.69	8.30	6.75	6.4	7.3	
		18:00	25.93	53.12	33.91	8.30	6.78	3.1	6.2	
		21:00	25.80	53.86	34.36	8.31	6.66	10.6	5.6	
	日平均值			25.68	53.74	34.29	8.34	7.47	10.17	8.05
	灣內站	0:00	25.84	49.25	32.46	8.07	6.48	22.0	62.5	
		3:00	25.64	49.11	32.40	8.11	6.37	10.1	58.7	
		6:00	25.38	48.57	31.98	8.03	6.74	7.2	66.2	
		9:00	25.66	48.96	32.27	8.09	7.83	14.8	71.6	
		12:00	25.95	47.83	31.52	8.30	12.50	10.6	33.9	
		15:00	26.09	47.93	31.58	8.28	12.33	14.2	3.1	
		18:00	25.95	48.87	32.18	8.25	11.88	22.9	1.9	
		21:00	25.94	49.44	32.58	8.15	10.64	10.4	13.1	
	日平均值			25.81	48.75	32.12	8.16	9.35	14.02	38.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
11月30日	蚵殼站	0:00	25.70	49.45	31.87	8.28	9.35	9.0	42.1
		3:00	25.18	49.38	31.82	8.33	10.54	8.0	38.7
		6:00	25.36	49.30	31.77	8.32	9.69	8.6	50.5
		9:00	25.40	49.39	31.83	8.32	11.02	8.7	54.3
		12:00	26.12	49.31	31.78	8.33	10.35	8.9	54.3
		15:00	26.29	48.69	31.37	8.33	10.67	9.9	55.6
		18:00	26.00	48.89	31.50	8.33	10.52	10.0	50.5
		21:00	25.92	49.18	31.69	8.33	9.45	11.4	45.1
	日平均值		25.75	49.20	31.70	8.32	10.20	9.31	48.90
	潮口站	0:00	25.80	53.19	33.95	8.40	8.68	8.1	12.6
		3:00	25.71	53.07	33.89	8.37	8.05	12.6	13.4
		6:00	25.61	53.79	34.33	8.36	7.82	15.9	9.8
		9:00	26.16	54.50	34.78	8.31	6.94	14.3	8.2
		12:00	26.48	53.92	34.34	8.34	8.46	10.2	13.6
		15:00	26.55	53.37	34.05	8.35	8.50	8.1	12.9
		18:00	26.37	53.89	34.39	8.31	6.80	11.8	10.5
		21:00	26.24	54.18	34.57	8.32	6.99	11.8	9.6
	日平均值		26.12	53.74	34.29	8.34	7.78	11.59	11.31
	灣內站	0:00	26.03	49.65	32.72	8.09	7.78	11.5	11.1
		3:00	25.83	48.79	32.14	8.09	6.73	18.9	43.5
		6:00	25.57	48.64	32.01	8.05	6.52	45.9	55.7
		9:00	25.85	48.85	32.18	8.10	7.49	31.0	52.3
		12:00	26.14	48.35	31.84	8.25	11.18	25.2	47.9
		15:00	26.28	48.28	31.80	8.30	12.07	26.5	39.4
		18:00	26.14	48.81	32.13	8.22	10.87	20.3	36.2
		21:00	26.13	49.03	32.30	8.13	9.13	25.7	36.0
	日平均值		26.00	48.80	32.14	8.15	8.97	25.63	40.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月1日	蚵殼站	0:00	26.20	48.69	31.60	8.19	10.70	22.4	14.5	
		3:00	26.06	48.60	31.69	8.15	9.50	22.5	14.0	
		6:00	25.99	48.73	31.71	8.13	9.50	20.0	16.1	
		9:00	26.19	48.77	31.65	8.16	10.38	20.6	17.0	
		12:00	26.48	49.22	31.68	8.17	11.23	21.5	12.6	
		15:00	26.53	49.34	31.79	8.18	11.37	23.2	18.5	
		18:00	26.40	48.99	31.76	8.19	10.64	26.3	8.1	
		21:00	26.31	48.75	31.60	8.19	10.40	24.1	6.3	
	日平均值			26.27	48.89	31.69	8.17	10.47	22.58	13.36
	潮口站	0:00	25.96	51.71	33.25	8.40	9.13	11.2	8.1	
		3:00	25.85	52.20	33.53	8.34	8.03	17.5	7.6	
		6:00	25.55	52.30	33.51	8.36	8.52	17.3	7.8	
		9:00	25.97	51.67	33.21	8.44	10.14	12.5	8.7	
		12:00	26.27	51.21	32.94	8.39	9.43	12.7	7.3	
		15:00	25.99	50.24	32.36	8.31	7.98	8.9	6.3	
		18:00	25.88	51.41	33.09	8.34	8.20	16.3	6.6	
		21:00	26.02	51.36	33.08	8.42	9.25	18.1	8.3	
	日平均值			25.94	51.51	33.12	8.38	8.84	14.30	7.57
	灣內站	0:00	26.70	49.38	32.54	8.20	9.26	34.4	19.6	
		3:00	26.53	49.42	32.57	8.16	7.55	32.6	16.2	
		6:00	26.40	49.44	32.58	8.15	7.84	43.0	20.3	
		9:00	26.55	49.48	32.56	8.21	9.38	21.0	19.3	
		12:00	27.05	49.25	32.41	8.39	12.84	19.5	27.5	
		15:00	27.10	49.25	32.46	8.40	13.21	18.7	29.8	
		18:00	26.86	49.38	32.55	8.29	10.93	27.3	11.6	
		21:00	26.78	49.31	32.51	8.21	9.10	30.6	10.6	
	日平均值			26.75	49.36	32.52	8.25	10.01	28.36	19.36
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月2日	蚵殼站	0:00	26.13	48.73	31.57	8.14	10.12	21.9	9.0
		3:00	25.98	48.64	31.55	8.12	9.01	22.5	8.3
		6:00	25.89	48.78	31.64	8.10	8.95	20.2	9.1
		9:00	26.15	48.82	31.61	8.13	10.08	20.9	9.6
		12:00	26.43	48.75	31.61	8.15	11.25	21.2	12.7
		15:00	26.48	48.89	31.70	8.16	10.23	24.4	21.1
		18:00	26.33	48.57	31.44	8.18	10.14	27.1	8.5
		21:00	26.24	48.41	31.35	8.17	9.81	25.0	7.2
	日平均值		26.20	48.70	31.56	8.14	9.95	22.90	10.70
	潮口站	0:00	25.93	51.25	33.02	8.40	8.89	17.0	8.3
		3:00	25.82	51.59	33.22	8.34	8.04	24.5	7.8
		6:00	25.60	52.09	33.53	8.33	7.79	23.7	6.9
		9:00	25.99	51.40	33.09	8.40	9.40	19.0	7.8
		12:00	26.31	50.88	32.70	8.38	9.22	17.1	7.7
		15:00	26.04	49.59	31.88	8.31	7.75	15.0	7.2
		18:00	25.85	51.32	33.03	8.32	7.65	20.3	7.3
		21:00	25.95	51.21	32.94	8.39	8.49	24.6	9.3
	日平均值		25.94	51.17	32.93	8.36	8.40	20.15	7.79
	灣內站	0:00	26.70	49.30	32.50	8.20	9.03	29.6	12.4
		3:00	26.55	49.34	32.52	8.15	7.36	30.9	9.5
		6:00	26.43	49.36	32.54	8.15	7.49	39.0	12.4
		9:00	26.58	49.43	32.58	8.18	8.64	18.3	14.2
		12:00	27.07	49.15	32.34	8.39	13.00	20.7	28.2
		15:00	27.08	49.21	32.43	8.41	13.20	19.5	29.0
		18:00	26.83	49.33	32.52	8.30	10.88	27.6	12.5
		21:00	26.69	49.32	32.47	8.22	8.80	27.3	12.0
	日平均值		26.74	49.31	32.49	8.25	9.80	26.62	16.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月3日	蚵殼站	0:00	26.05	48.51	31.42	8.11	9.01	20.8	9.3	
		3:00	25.89	48.42	31.34	8.10	8.01	21.5	9.2	
		6:00	25.78	48.50	31.44	8.08	7.96	19.7	9.6	
		9:00	26.01	48.49	31.27	8.12	9.44	20.9	9.9	
		12:00	26.20	48.39	31.35	8.28	13.15	18.8	47.5	
		15:00	26.16	48.60	31.71	8.29	12.88	19.5	46.6	
		18:00	26.03	48.27	31.80	8.28	12.29	22.1	42.2	
		21:00	26.18	48.08	31.56	8.29	12.32	18.1	40.8	
	日平均值			26.04	48.41	31.49	8.19	10.63	20.20	26.87
	潮口站	0:00	25.87	51.06	32.87	8.39	8.40	25.3	10.1	
		3:00	25.78	51.23	32.86	8.36	8.09	28.7	9.3	
		6:00	25.59	51.93	33.36	8.31	7.04	30.6	8.4	
		9:00	26.01	51.45	33.08	8.36	8.58	25.4	8.8	
		12:00	26.20	51.90	33.10	8.32	7.72	2.9	10.2	
		15:00	26.17	51.58	32.92	8.30	7.54	5.0	10.5	
		18:00	25.98	52.99	33.82	8.37	9.18	27.5	13.8	
		21:00	25.80	52.91	33.81	8.41	9.50	27.7	14.3	
	日平均值			25.93	51.88	33.23	8.35	8.26	21.62	10.67
	灣內站	0:00	26.59	49.32	32.52	8.23	8.91	31.8	13.1	
		3:00	26.46	49.29	32.31	8.16	6.96	38.0	10.6	
		6:00	26.36	49.38	32.55	8.17	7.29	40.8	12.0	
		9:00	26.49	49.40	32.56	8.17	8.27	26.0	14.5	
		12:00	26.83	49.50	32.60	8.39	13.87	11.1	94.7	
		15:00	26.84	49.50	32.60	8.39	12.71	13.2	80.5	
		18:00	26.56	49.24	32.45	8.22	9.62	17.8	54.8	
		21:00	26.58	49.24	32.46	8.20	6.23	15.8	58.7	
	日平均值			26.59	49.36	32.51	8.24	9.23	24.31	42.35
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月4日	蚵殼站	0:00	26.13	48.21	31.57	8.27	12.68	17.9	43.7	
		3:00	25.93	48.18	32.10	8.24	11.69	16.1	44.2	
		6:00	25.87	48.16	31.77	8.23	11.60	15.8	46.8	
		9:00	25.98	48.16	31.57	8.25	12.35	16.5	46.9	
		12:00	26.33	50.68	31.69	8.26	12.41	19.9	11.4	
		15:00	26.29	50.62	31.80	8.27	12.88	19.3	6.6	
		18:00	26.24	50.28	32.57	8.26	12.37	19.4	5.2	
		21:00	26.25	49.79	32.27	8.28	12.51	20.4	5.6	
	日平均值			26.13	49.26	31.92	8.26	12.31	18.16	26.30
	潮口站	0:00	25.73	53.21	33.97	8.39	8.76	9.6	12.3	
		3:00	25.73	53.96	34.38	8.32	7.55	11.9	10.7	
		6:00	25.28	53.01	33.34	8.44	9.98	6.3	12.5	
		9:00	25.59	52.89	33.79	8.48	11.08	4.5	13.3	
		12:00	25.90	52.96	34.00	8.39	8.96	11.1	6.7	
		15:00	25.91	52.37	33.74	8.32	8.29	2.0	3.8	
		18:00	26.07	51.97	33.44	8.39	9.47	8.4	4.8	
		21:00	25.99	51.80	33.35	8.48	11.77	3.6	5.4	
	日平均值			25.78	52.77	33.75	8.40	9.48	7.17	8.69
	灣內站	0:00	26.34	49.50	32.60	8.30	10.85	36.9	60.9	
		3:00	26.03	49.57	32.66	8.27	8.99	14.4	55.9	
		6:00	25.89	49.53	32.63	8.23	8.98	25.8	59.6	
		9:00	26.02	49.42	32.35	8.32	11.79	17.8	41.5	
		12:00	26.59	49.36	32.53	8.36	12.77	7.7	10.7	
		15:00	26.78	49.20	32.45	8.37	13.44	6.9	22.7	
		18:00	26.70	49.38	32.54	8.23	11.93	6.6	7.8	
		21:00	26.69	49.08	32.39	8.16	10.69	24.7	4.1	
	日平均值			26.38	49.38	32.52	8.28	11.18	17.60	32.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月5日	蚵殼站	0:00	26.00	49.20	31.91	8.24	11.96	21.9	7.0	
		3:00	25.83	49.21	31.92	8.20	11.20	19.3	6.4	
		6:00	25.90	49.52	32.10	8.17	10.72	18.7	8.2	
		9:00	26.27	49.76	32.23	8.21	11.39	18.3	7.3	
		12:00	26.63	49.85	32.29	8.20	10.93	21.3	8.2	
		15:00	26.74	49.87	32.30	8.19	10.96	22.9	8.9	
		18:00	26.62	49.62	32.15	8.17	10.46	25.5	9.0	
		21:00	26.55	49.41	32.06	8.20	10.76	21.9	7.6	
	日平均值			26.32	49.56	32.12	8.20	11.05	21.23	7.81
	潮口站	0:00	25.89	51.73	33.31	8.47	11.01	3.8	4.6	
		3:00	25.76	52.51	33.79	8.34	8.54	9.1	4.2	
		6:00	25.55	52.11	33.54	8.42	10.22	5.9	4.7	
		9:00	25.84	51.49	33.14	8.49	11.68	3.9	5.3	
		12:00	26.15	50.76	32.67	8.41	9.87	7.1	5.1	
		15:00	25.92	51.00	32.88	8.35	8.69	2.8	5.1	
		18:00	25.95	51.73	33.29	8.38	8.94	4.3	5.8	
		21:00	26.06	51.65	33.24	8.39	8.49	5.5	6.2	
	日平均值			25.89	51.62	33.23	8.41	9.68	5.31	5.12
	灣內站	0:00	26.61	49.03	32.33	8.12	9.44	20.6	5.1	
		3:00	26.32	49.34	32.52	8.11	8.11	4.6	3.9	
		6:00	26.17	49.28	32.49	8.05	6.48	19.2	12.3	
		9:00	26.40	49.33	32.51	8.18	9.33	9.8	13.0	
		12:00	26.81	49.08	32.38	8.39	13.71	7.5	51.7	
		15:00	26.92	49.44	32.58	8.38	13.18	3.9	22.4	
		18:00	26.82	49.60	32.69	8.28	10.46	9.6	8.0	
		21:00	26.78	49.42	32.57	8.16	7.93	8.8	6.8	
	日平均值			26.60	49.32	32.51	8.21	9.83	10.50	15.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月6日	蚵殼站	0:00	26.41	49.15	31.88	8.17	10.30	26.0	8.3	
		3:00	26.27	48.87	31.70	8.10	7.48	23.9	5.9	
		6:00	26.30	49.24	31.94	8.10	8.64	18.9	10.3	
		9:00	26.36	49.23	31.93	8.11	8.43	20.0	11.9	
		12:00	26.75	48.92	31.73	8.14	10.61	21.9	13.1	
		15:00	26.78	49.07	31.84	8.16	11.71	22.7	19.2	
		18:00	26.46	48.65	31.55	8.16	9.97	31.5	10.7	
		21:00	26.39	48.55	31.48	8.18	9.11	28.1	6.1	
	日平均值			26.47	48.96	31.76	8.14	9.53	24.13	10.68
	潮口站	0:00	25.92	51.60	33.19	8.38	8.87	5.5	6.0	
		3:00	25.74	52.02	33.48	8.32	8.04	11.7	5.8	
		6:00	25.64	52.13	33.56	8.33	8.36	8.5	6.0	
		9:00	26.26	51.02	32.87	8.48	11.13	2.5	6.9	
		12:00	26.49	49.86	32.12	8.42	10.22	4.8	6.7	
		15:00	26.11	49.76	32.04	8.33	8.30	2.7	6.5	
		18:00	25.92	51.05	32.86	8.34	8.23	2.6	6.5	
		21:00	26.08	51.12	32.94	8.40	8.61	5.7	8.2	
	日平均值			26.02	51.07	32.88	8.38	8.97	5.49	6.56
	灣內站	0:00	26.62	49.12	32.41	8.10	9.99	18.5	11.1	
		3:00	26.61	49.27	32.49	8.11	8.40	12.5	6.3	
		6:00	26.54	49.55	32.64	8.11	8.90	13.7	8.4	
		9:00	26.64	49.57	32.67	8.17	10.02	6.6	13.4	
		12:00	27.30	49.44	32.36	8.35	11.77	15.0	21.3	
		15:00	27.50	49.29	32.49	8.41	12.28	14.8	36.7	
		18:00	27.12	49.52	32.62	8.31	9.39	15.9	19.1	
		21:00	27.00	49.68	32.70	8.21	8.17	19.6	14.3	
	日平均值			26.92	49.43	32.55	8.22	9.87	14.55	16.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月7日	蚵殼站	0:00	26.29	48.58	31.50	8.10	9.20	23.8	5.8	
		3:00	26.24	48.36	31.36	8.10	8.64	28.9	5.5	
		6:00	26.09	48.35	31.35	8.09	8.31	23.3	6.6	
		9:00	26.55	48.31	31.32	8.12	11.00	22.4	9.1	
		12:00	26.57	48.28	31.31	8.12	11.49	22.0	9.7	
		15:00	26.65	48.48	31.44	8.12	10.48	26.4	21.1	
		18:00	26.46	48.13	31.19	8.15	10.43	26.6	8.5	
		21:00	26.33	47.81	30.97	8.17	9.58	28.2	4.8	
	日平均值			26.40	48.29	31.31	8.12	9.89	25.18	8.88
	潮口站	0:00	26.12	51.00	32.88	8.37	8.42	8.6	7.4	
		3:00	25.96	51.45	33.14	8.35	8.25	21.2	7.3	
		6:00	25.69	52.18	33.58	8.30	7.43	16.1	7.1	
		9:00	26.31	51.45	33.10	8.34	8.36	12.6	8.1	
		12:00	26.67	51.09	32.86	8.40	9.70	7.8	8.1	
		15:00	26.16	48.93	31.50	8.30	7.61	3.9	7.4	
		18:00	25.86	51.04	32.86	8.31	7.69	19.3	7.4	
		21:00	26.17	51.20	32.96	8.40	8.72	41.6	9.6	
	日平均值			26.12	51.04	32.86	8.35	8.27	16.38	7.81
	灣內站	0:00	26.95	49.73	32.77	8.20	7.46	8.6	11.5	
		3:00	26.91	49.42	32.57	8.14	6.69	43.3	8.9	
		6:00	26.90	49.58	32.66	8.17	7.02	18.7	12.3	
		9:00	27.02	49.64	32.71	8.19	7.26	12.7	10.3	
		12:00	27.53	49.39	32.55	8.42	13.20	49.2	13.6	
		15:00	27.37	49.38	32.54	8.41	13.28	58.3	23.6	
		18:00	26.97	49.30	32.49	8.29	10.16	93.4	10.8	
		21:00	27.04	49.28	32.49	8.24	8.90	92.5	14.9	
	日平均值			27.09	49.47	32.60	8.26	9.25	47.09	13.24
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月8日	蚵殼站	0:00	26.18	48.33	31.16	8.15	9.38	22.4	7.8	
		3:00	26.01	48.37	31.37	8.12	8.51	24.5	8.0	
		6:00	25.77	48.39	31.39	8.08	8.21	23.0	8.6	
		9:00	25.81	48.40	31.18	8.13	8.73	25.5	9.5	
		12:00	26.13	48.37	31.37	8.12	10.71	22.7	20.4	
		15:00	26.19	48.67	31.56	8.14	10.80	24.8	36.6	
		18:00	26.20	48.29	31.32	8.21	9.96	28.7	6.9	
		21:00	26.04	48.19	31.24	8.13	10.06	22.1	7.4	
	日平均值			26.04	48.38	31.32	8.14	9.55	24.21	13.14
	潮口站	0:00	26.14	51.00	32.88	8.40	8.61	28.5	10.3	
		3:00	26.05	51.04	32.88	8.36	7.76	33.5	10.1	
		6:00	25.61	52.07	33.52	8.29	6.59	49.7	8.6	
		9:00	25.85	51.50	33.15	8.35	8.47	39.1	10.0	
		12:00	26.15	51.39	33.06	8.35	8.42	32.6	9.8	
		15:00	25.85	49.14	31.64	8.27	7.03	33.0	8.6	
		18:00	25.60	51.25	32.98	8.26	6.68	46.7	8.3	
		21:00	25.78	51.04	32.91	8.40	8.65	34.3	11.9	
	日平均值			25.88	51.05	32.88	8.34	7.78	37.16	9.70
	灣內站	0:00	27.00	49.50	32.60	8.27	8.54	87.2	9.6	
		3:00	26.76	49.52	32.62	8.15	5.57	88.2	6.1	
		6:00	26.50	49.28	32.49	8.21	7.81	137.8	9.1	
		9:00	26.66	49.44	32.57	8.21	8.50	57.9	18.5	
		12:00	27.00	48.96	32.23	8.42	12.75	18.1	40.0	
		15:00	26.92	48.96	32.26	8.45	13.87	9.4	43.4	
		18:00	26.68	49.10	32.40	8.33	12.69	11.0	12.1	
		21:00	26.37	49.10	32.39	8.29	9.83	7.1	13.0	
	日平均值			26.74	49.23	32.45	8.29	9.95	52.08	18.96
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月9日	蚵殼站	0:00	25.79	48.39	31.39	8.05	9.77	15.5	16.1	
		3:00	25.53	48.40	31.40	8.06	9.20	15.8	15.5	
		6:00	25.39	48.41	31.40	8.07	8.86	17.1	12.0	
		9:00	25.77	48.40	31.39	8.10	10.84	18.4	10.4	
		12:00	26.06	48.33	31.34	8.18	12.51	18.2	12.3	
		15:00	26.05	48.38	31.38	8.19	7.21	25.1	19.7	
		18:00	25.93	48.14	30.97	8.19	9.89	23.4	7.5	
		21:00	25.88	48.09	30.99	8.17	9.56	24.6	10.3	
	日平均值			25.80	48.32	31.28	8.13	9.73	19.75	12.98
	潮口站	0:00	25.59	50.93	32.84	8.37	7.55	38.5	13.3	
		3:00	25.60	50.91	32.80	8.35	7.60	46.9	11.4	
		6:00	25.51	51.95	33.44	8.30	6.35	38.4	8.4	
		9:00	25.71	51.55	33.19	8.32	7.38	37.0	8.6	
		12:00	26.07	51.30	32.81	8.33	7.90	33.2	8.8	
		15:00	26.16	49.10	31.35	8.28	7.13	32.6	8.6	
		18:00	25.91	51.51	33.16	8.30	6.71	28.5	8.4	
		21:00	25.68	51.03	32.67	8.38	7.96	36.1	10.7	
	日平均值			25.78	51.04	32.78	8.33	7.32	36.40	9.77
	灣內站	0:00	26.32	49.12	32.41	8.30	9.73	13.4	24.7	
		3:00	26.14	49.13	32.42	8.22	8.02	6.0	22.3	
		6:00	26.04	49.10	32.40	8.20	7.22	5.5	19.7	
		9:00	26.19	49.16	32.43	8.16	8.08	4.5	15.9	
		12:00	26.71	48.86	32.17	8.39	13.59	13.8	14.3	
		15:00	26.70	48.99	32.28	8.40	13.39	11.1	18.8	
		18:00	26.56	49.13	32.41	8.31	11.71	8.4	12.5	
		21:00	26.24	49.11	32.18	8.18	9.17	8.3	11.2	
	日平均值			26.36	49.08	32.34	8.27	10.11	8.87	17.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月10日	蚵殼站	0:00	25.56	48.09	31.18	8.07	6.38	16.5	8.5	
		3:00	25.42	48.11	30.89	8.13	6.20	14.6	11.3	
		6:00	25.34	48.12	31.11	8.08	5.79	16.2	10.4	
		9:00	25.55	48.10	30.54	8.13	8.20	18.4	8.5	
		12:00	25.85	48.06	29.81	8.14	9.30	17.1	10.3	
		15:00	25.88	48.39	31.11	8.13	6.12	24.7	17.0	
		18:00	25.86	48.15	31.01	8.22	8.94	29.6	8.5	
		21:00	25.92	47.77	30.32	8.15	9.09	23.9	10.9	
	日平均值			25.67	48.10	30.75	8.13	7.50	20.12	10.67
	潮口站	0:00	25.59	50.78	32.54	8.44	8.55	45.2	13.6	
		3:00	25.53	50.72	32.00	8.43	8.81	30.3	12.1	
		6:00	25.50	51.33	32.72	8.32	6.46	40.5	11.9	
		9:00	25.93	51.71	33.07	8.33	7.56	35.7	10.4	
		12:00	26.11	51.07	32.91	8.44	10.16	38.6	11.5	
		15:00	26.28	50.07	32.24	8.34	7.54	39.1	10.7	
		18:00	26.03	50.37	31.97	8.29	6.61	35.3	9.5	
		21:00	25.93	51.36	33.09	8.35	7.44	39.8	10.8	
	日平均值			25.86	50.93	32.57	8.37	7.89	38.06	11.31
	灣內站	0:00	26.08	49.11	32.40	8.26	8.83	31.4	8.4	
		3:00	25.87	49.11	31.44	8.19	6.11	40.1	9.6	
		6:00	25.80	49.39	32.55	8.14	5.52	28.1	10.2	
		9:00	25.95	49.17	32.42	8.11	7.50	48.2	14.6	
		12:00	26.29	48.57	31.73	8.40	12.89	43.1	12.8	
		15:00	26.39	48.33	31.27	8.44	13.21	27.6	7.9	
		18:00	26.25	48.80	31.55	8.31	10.83	34.8	9.9	
		21:00	26.18	48.98	31.65	8.25	7.49	68.6	11.2	
	日平均值			26.10	48.93	31.88	8.26	9.05	40.23	10.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月11日	蚵殼站	0:00	25.79	47.67	30.53	8.12	5.80	23.6	9.9	
		3:00	25.63	47.65	30.23	8.11	9.21	30.5	13.2	
		6:00	25.45	47.55	29.68	8.06	5.55	30.2	11.7	
		9:00	25.72	47.58	29.27	8.08	8.10	20.3	16.6	
		12:00	26.24	47.81	30.96	8.12	7.06	19.4	17.6	
		15:00	26.24	48.24	31.02	8.15	9.96	18.3	19.6	
		18:00	26.19	48.31	31.33	8.16	9.97	22.4	17.2	
		21:00	26.15	48.10	31.20	8.21	9.72	29.0	10.5	
	日平均值			25.93	47.86	30.53	8.13	8.17	24.20	14.53
	潮口站	0:00	25.57	50.83	32.49	8.45	8.78	32.6	13.7	
		3:00	25.68	50.57	32.59	8.48	9.79	44.8	15.6	
		6:00	25.70	50.83	32.65	8.36	7.81	40.0	13.1	
		9:00	26.10	52.03	33.41	8.30	6.53	36.6	13.1	
		12:00	26.34	51.40	33.09	8.37	8.67	35.9	13.1	
		15:00	26.52	50.26	32.07	8.30	7.29	36.0	12.1	
		18:00	26.17	51.97	33.43	8.29	6.56	26.6	11.6	
		21:00	25.91	51.88	33.38	8.31	6.82	37.3	11.9	
	日平均值			26.00	51.22	32.89	8.36	7.78	36.22	13.03
	灣內站	0:00	25.88	49.06	32.18	8.31	8.62	50.7	13.9	
		3:00	25.72	49.07	32.04	8.31	9.59	79.2	24.0	
		6:00	25.60	49.09	32.39	8.29	9.49	69.1	29.9	
		9:00	26.10	49.04	31.63	8.37	12.28	68.4	24.8	
		12:00	26.60	48.87	31.71	8.46	13.90	48.8	21.6	
		15:00	26.70	47.81	31.53	8.47	13.61	14.1	51.8	
		18:00	26.45	47.57	31.35	8.44	13.21	18.7	20.3	
		21:00	26.23	47.90	31.58	8.36	11.12	11.4	15.7	
	日平均值			26.16	48.55	31.80	8.38	11.48	45.06	25.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月12日	蚵殼站	0:00	25.90	47.80	30.96	8.07	10.84	21.8	7.3	
		3:00	25.71	47.63	30.84	8.19	10.93	22.0	12.8	
		6:00	25.54	47.49	30.74	8.10	10.37	29.5	17.0	
		9:00	25.91	47.45	30.72	8.14	11.02	32.6	16.8	
		12:00	26.11	47.67	30.86	8.16	11.84	16.9	15.4	
		15:00	26.02	47.95	31.05	8.20	12.74	16.3	19.8	
		18:00	25.84	48.03	31.13	8.17	12.44	17.3	16.4	
		21:00	25.62	47.76	30.92	8.31	11.92	26.8	8.8	
	日平均值			25.83	47.72	30.90	8.17	11.51	22.89	14.28
	潮口站	0:00	25.81	51.01	32.89	8.44	8.79	38.5	15.0	
		3:00	25.75	50.89	32.79	8.49	9.78	38.3	17.3	
		6:00	25.68	51.13	32.94	8.40	6.93	36.5	15.8	
		9:00	25.88	51.71	33.27	8.34	6.25	30.7	14.4	
		12:00	26.21	52.05	33.49	8.33	6.80	35.1	14.2	
		15:00	26.11	49.67	31.97	8.29	6.77	41.7	14.1	
		18:00	26.04	51.04	32.86	8.29	6.55	31.7	14.2	
		21:00	25.84	52.06	33.49	8.31	6.38	46.3	14.5	
	日平均值			25.92	51.20	32.96	8.36	7.28	37.33	14.94
	灣內站	0:00	26.08	48.21	31.76	8.36	10.89	7.4	15.1	
		3:00	25.87	48.32	31.81	8.34	10.34	13.1	12.2	
		6:00	25.80	48.93	32.23	8.25	8.25	11.4	10.5	
		9:00	26.05	48.99	32.30	8.33	10.95	12.0	11.3	
		12:00	26.30	48.37	31.57	8.47	11.21	41.2	10.5	
		15:00	26.35	48.32	31.81	8.46	12.89	21.0	11.7	
		18:00	26.28	48.38	31.84	8.41	11.06	8.2	11.7	
		21:00	26.10	48.92	32.22	8.31	6.66	34.9	10.4	
	日平均值			26.10	48.56	31.94	8.37	10.28	18.64	11.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月13日	蚵殼站	0:00	25.49	47.62	30.83	8.18	11.64	26.5	8.2	
		3:00	25.30	47.61	30.83	8.16	12.15	10.7	13.9	
		6:00	25.23	47.49	30.74	8.19	7.26	15.7	16.6	
		9:00	25.28	47.44	30.72	8.17	6.70	23.0	14.2	
		12:00	25.47	47.62	30.83	8.17	7.82	14.2	13.0	
		15:00	25.55	48.05	31.15	8.19	8.67	12.1	17.3	
		18:00	25.51	48.07	31.17	8.23	9.87	23.8	13.8	
		21:00	25.33	47.96	31.06	8.16	9.28	15.2	11.2	
	日平均值			25.40	47.73	30.92	8.18	9.17	17.62	13.52
	潮口站	0:00	25.39	51.00	32.87	8.42	7.92	36.1	17.4	
		3:00	25.30	51.01	32.90	8.43	8.03	41.2	18.4	
		6:00	25.15	51.26	33.01	8.36	6.79	38.6	18.0	
		9:00	25.34	51.55	33.17	8.33	5.89	33.0	17.5	
		12:00	25.88	52.09	33.52	8.32	6.53	34.4	17.3	
		15:00	25.97	49.74	32.02	8.30	7.01	32.9	17.7	
		18:00	25.79	49.26	31.73	8.28	6.72	35.8	17.9	
		21:00	25.89	51.99	33.45	8.27	6.32	36.7	17.9	
	日平均值			25.59	50.99	32.83	8.34	6.90	36.11	17.79
	灣內站	0:00	25.75	49.07	32.37	8.33	8.02	82.7	12.2	
		3:00	25.56	49.16	32.43	8.31	8.94	81.9	26.7	
		6:00	25.44	49.30	32.50	8.24	7.70	86.0	11.2	
		9:00	25.55	48.99	32.29	8.29	10.06	62.3	11.9	
		12:00	25.92	48.88	32.18	8.48	12.51	20.9	19.0	
		15:00	26.02	48.73	32.05	8.45	14.04	11.3	30.7	
		18:00	25.99	48.72	32.06	8.44	12.77	8.8	15.9	
		21:00	25.84	49.18	32.44	8.37	9.96	10.7	8.1	
	日平均值			25.76	49.00	32.29	8.36	10.50	45.59	16.97
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)
12月14日	蚵殼站	0:00	25.27	47.62	30.83	8.22	8.52	20.0	9.5
		3:00	25.13	47.66	30.86	8.17	7.95	14.0	10.1
		6:00	24.91	47.67	30.57	8.19	7.61	15.6	12.2
		9:00	25.20	47.63	30.83	8.14	7.61	19.7	11.9
		12:00	25.34	47.50	30.75	8.07	7.40	18.2	14.8
		15:00	25.27	47.94	31.04	8.08	10.01	16.9	20.2
		18:00	25.21	47.96	31.06	8.16	9.03	22.0	15.6
		21:00	25.19	47.82	30.96	8.21	8.93	21.6	12.1
	日平均值		25.19	47.73	30.86	8.16	8.38	18.48	13.29
	潮口站	0:00	25.29	51.54	33.18	8.34	6.80	34.3	20.2
		3:00	25.09	51.28	32.66	8.39	7.36	34.9	21.9
		6:00	25.10	51.33	33.03	8.42	7.80	43.3	23.9
		9:00	25.21	51.43	33.10	8.37	6.84	34.1	22.5
		12:00	26.03	52.10	33.51	8.31	6.43	33.1	21.1
		15:00	26.11	50.66	32.46	8.28	6.61	33.4	21.1
		18:00	25.72	49.08	31.60	8.26	6.48	35.6	22.3
		21:00	25.86	51.47	33.13	8.28	6.07	39.7	22.4
	日平均值		25.55	51.11	32.83	8.33	6.80	36.03	21.91
	灣內站	0:00	25.56	49.21	32.27	8.34	8.28	3.4	15.8
		3:00	25.41	49.30	32.18	8.32	8.49	3.2	12.6
		6:00	25.21	49.24	32.47	8.28	8.11	3.9	9.8
		9:00	25.26	49.13	32.42	8.30	9.00	8.5	6.1
		12:00	25.66	48.88	32.18	8.42	12.27	13.5	9.1
		15:00	25.78	49.00	32.30	8.44	12.77	13.2	19.4
		18:00	25.80	49.15	32.42	8.41	11.65	8.9	9.0
		21:00	25.67	49.14	32.42	8.33	9.72	17.9	23.5
	日平均值		25.54	49.13	32.33	8.36	10.04	9.06	13.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月15日	蚵殼站	0:00	25.15	47.53	30.77	8.23	8.93	17.4	10.2	
		3:00	25.06	47.41	30.70	8.19	9.48	15.7	10.3	
		6:00	24.76	47.30	30.61	8.22	8.92	14.4	7.1	
		9:00	25.53	47.53	30.39	8.13	8.36	23.89	14.88	
		12:00	25.79	47.65	30.85	8.13	8.53	17.15	15.20	
		15:00	25.77	48.05	31.07	8.16	10.35	15.89	19.21	
		18:00	25.69	48.09	31.17	8.18	10.33	21.37	15.76	
		21:00	25.57	47.91	31.04	8.22	9.96	23.13	10.66	
	日平均值			25.42	47.68	30.83	8.18	9.36	18.61	12.92
	潮口站	0:00	25.37	51.38	32.98	8.32	6.77	31.1	23.4	
		3:00	24.94	50.95	32.85	8.41	7.82	42.4	25.8	
		6:00	24.90	50.84	32.74	8.47	8.88	48.4	28.4	
		9:00	25.63	51.68	33.24	8.34	6.38	33.59	16.89	
		12:00	26.12	51.91	33.40	8.33	7.11	34.61	16.43	
		15:00	26.18	50.08	32.13	8.29	6.92	35.98	16.26	
		18:00	25.93	50.34	32.41	8.28	6.58	32.40	16.50	
		21:00	25.88	51.85	33.36	8.29	6.40	39.99	16.68	
	日平均值			25.62	51.13	32.89	8.34	7.11	37.31	20.04
	灣內站	0:00	25.58	49.40	32.55	8.26	7.87	20.9	20.2	
		3:00	25.39	49.43	32.57	8.23	6.63	7.2	17.3	
		6:00	25.24	49.50	32.60	8.24	7.64	7.6	11.4	
		9:00	25.74	49.04	32.16	8.32	10.57	37.79	13.52	
		12:00	26.12	48.75	31.91	8.46	12.47	31.10	15.03	
		15:00	26.21	48.47	31.92	8.46	13.32	14.89	28.40	
		18:00	26.13	48.46	31.92	8.43	12.17	11.17	14.22	
		21:00	25.96	48.79	32.17	8.34	9.37	18.73	14.43	
	日平均值			25.80	48.98	32.23	8.34	10.01	18.66	16.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月16日	蚵殼站	0:00	25.09	47.70	30.88	8.22	8.80	20.15	12.85	
		3:00	24.91	47.57	30.79	8.21	8.24	19.70	13.22	
		6:00	24.73	47.64	30.76	8.20	7.55	17.83	15.52	
		9:00	25.07	47.74	30.49	8.13	8.99	19.37	17.98	
		12:00	25.30	47.48	30.75	8.08	8.96	10.3	20.7	
		15:00	25.31	47.65	30.85	8.07	10.64	12.5	19.2	
		18:00	25.30	47.67	30.87	8.12	9.79	16.6	13.8	
		21:00	25.21	47.71	30.90	8.06	9.48	11.7	12.7	
	日平均值			25.12	47.65	30.79	8.14	9.06	16.02	15.74
	潮口站	0:00	25.31	51.32	33.03	8.32	6.82	24.92	21.46	
		3:00	24.92	50.97	32.75	8.36	7.40	30.65	23.22	
		6:00	24.68	50.50	32.51	8.44	8.30	31.45	26.26	
		9:00	24.99	50.87	32.75	8.39	7.48	30.02	23.50	
		12:00	26.20	50.73	32.67	8.29	6.74	2.8	37.2	
		15:00	26.11	50.36	32.44	8.28	6.76	35.8	37.9	
		18:00	25.70	50.65	32.63	8.32	6.87	37.0	37.7	
		21:00	25.59	50.60	32.60	8.30	6.13	30.3	39.2	
	日平均值			25.44	50.75	32.67	8.34	7.06	27.87	30.80
	灣內站	0:00	25.43	49.26	32.43	8.25	7.80	8.99	20.28	
		3:00	25.30	49.34	32.36	8.22	7.07	8.68	19.38	
		6:00	25.14	49.41	32.56	8.20	6.97	7.08	15.80	
		9:00	25.32	49.27	32.36	8.25	8.90	15.40	15.24	
		12:00	25.94	49.12	32.41	8.40	12.79	21.2	44.7	
		15:00	26.10	49.25	32.47	8.44	13.33	15.0	63.6	
		18:00	25.95	49.29	32.49	8.36	11.05	9.5	35.1	
		21:00	25.77	49.48	32.59	8.34	10.25	8.3	24.6	
	日平均值			25.62	49.30	32.46	8.31	9.77	11.77	29.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月17日	蚵殼站	0:00	25.20	47.75	30.92	8.18	8.13	11.2	13.0	
		3:00	25.01	47.64	30.84	8.15	7.01	10.9	15.3	
		6:00	24.92	47.98	31.08	8.20	6.09	10.2	21.1	
		9:00	24.91	48.00	29.83	8.13	10.65	14.9	17.0	
		12:00	25.01	47.91	30.88	8.17	9.70	35.4	16.8	
		15:00	25.05	47.94	31.02	8.16	10.76	22.3	19.3	
		18:00	24.78	48.10	31.12	8.24	9.15	28.8	18.8	
		21:00	24.66	48.11	31.12	8.29	8.72	51.3	16.2	
	日平均值			24.94	47.93	30.85	8.19	8.78	23.13	17.18
	潮口站	0:00	25.70	51.39	33.10	8.27	6.02	28.1	41.5	
		3:00	25.00	50.83	32.77	8.32	6.54	39.4	44.1	
		6:00	24.72	49.87	32.12	8.41	7.65	28.9	49.4	
		9:00	24.77	50.39	32.49	8.41	7.40	45.5	52.1	
		12:00	25.24	51.70	33.28	8.31	6.93	22.1	6.2	
		15:00	25.43	51.83	33.36	8.29	7.45	6.0	0.3	
		18:00	24.78	50.77	32.73	8.38	8.58	7.7	1.7	
		21:00	24.71	50.39	32.49	8.45	9.64	5.4	2.2	
	日平均值			25.04	50.90	32.79	8.36	7.53	22.89	24.69
	灣內站	0:00	25.56	49.42	32.56	8.27	7.40	5.0	20.6	
		3:00	25.45	49.50	32.27	8.21	6.38	8.5	23.4	
		6:00	25.23	49.50	32.60	8.20	6.92	10.2	24.5	
		9:00	25.22	49.50	32.28	8.23	8.10	9.1	25.4	
		12:00	25.37	49.47	32.58	8.27	9.76	10.1	28.9	
		15:00	25.50	49.05	32.35	8.37	12.45	12.1	30.3	
		18:00	25.41	49.15	32.42	8.32	11.41	10.5	26.5	
		21:00	25.22	49.20	32.45	8.22	9.79	6.8	19.5	
	日平均值			25.37	49.35	32.44	8.26	9.03	9.05	24.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月18日	蚵殼站	0:00	24.74	47.90	31.00	8.26	9.63	32.0	18.7	
		3:00	24.45	47.56	30.75	8.31	8.51	38.2	17.2	
		6:00	24.34	47.60	30.78	8.18	7.59	31.1	21.6	
		9:00	24.65	47.81	30.92	8.13	9.34	19.0	28.1	
		12:00	24.83	47.92	31.01	8.16	10.19	16.6	32.9	
		15:00	24.73	48.04	31.08	8.21	11.42	34.3	35.1	
		18:00	24.68	48.20	31.19	8.20	10.65	36.5	26.7	
		21:00	24.59	48.20	31.20	8.21	10.31	27.5	23.6	
	日平均值			24.63	47.90	30.99	8.21	9.71	29.39	25.49
	潮口站	0:00	24.88	50.98	32.85	8.34	7.70	6.1	0.8	
		3:00	24.64	50.81	32.70	8.33	7.87	5.9	1.2	
		6:00	24.01	49.94	32.16	8.44	8.88	5.2	3.3	
		9:00	24.33	49.98	32.18	8.44	9.29	7.0	2.5	
		12:00	25.02	50.95	32.81	8.33	7.80	8.9	1.3	
		15:00	25.24	50.08	32.26	8.29	7.62	5.8	0.8	
		18:00	24.72	50.00	32.20	8.40	8.75	7.6	2.6	
		21:00	24.38	49.83	31.90	8.44	9.32	5.5	3.2	
	日平均值			24.65	50.32	32.38	8.38	8.40	6.50	1.96
	灣內站	0:00	25.00	49.02	32.32	8.13	7.66	6.6	24.6	
		3:00	24.95	49.13	32.42	8.10	6.78	15.9	24.2	
		6:00	24.88	49.40	32.55	8.09	5.22	6.7	17.5	
		9:00	25.05	49.41	32.56	8.15	7.92	6.2	15.9	
		12:00	25.54	49.49	32.60	8.35	11.86	10.1	32.7	
		15:00	25.47	49.56	32.66	8.40	13.08	14.4	44.6	
		18:00	25.24	49.52	32.62	8.29	10.65	14.5	36.0	
		21:00	25.14	49.42	32.56	8.22	9.34	6.8	29.9	
	日平均值			25.16	49.37	32.54	8.22	9.06	10.15	28.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月19日	蚵殼站	0:00	24.53	48.20	31.00	8.21	10.17	17.6	25.6	
		3:00	24.44	48.00	31.05	8.17	9.69	34.2	30.9	
		6:00	24.35	48.08	31.10	8.16	9.47	25.0	52.3	
		9:00	24.55	47.99	31.05	8.14	10.08	26.8	102.7	
		12:00	24.64	48.01	31.06	8.19	11.38	19.4	105.4	
		15:00	24.65	48.21	31.20	8.22	10.49	26.0	85.4	
		18:00	24.59	48.16	31.16	8.24	9.96	52.6	81.5	
		21:00	24.52	48.01	31.06	8.21	11.68	41.4	71.9	
	日平均值			24.53	48.08	31.09	8.19	10.37	30.37	69.47
	潮口站	0:00	24.50	49.82	32.08	8.35	7.83	6.3	2.0	
		3:00	24.79	50.09	32.25	8.28	7.24	7.7	0.7	
		6:00	23.89	49.21	31.67	8.35	7.55	7.1	2.9	
		9:00	24.28	49.07	31.59	8.39	8.87	10.6	2.8	
		12:00	24.84	49.70	32.00	8.32	7.70	11.1	1.3	
		15:00	25.11	50.00	32.20	8.28	7.31	8.3	0.8	
		18:00	24.45	49.18	31.63	8.41	9.26	8.1	3.0	
		21:00	24.44	48.87	31.44	8.46	10.13	5.8	3.4	
	日平均值			24.54	49.49	31.86	8.36	8.24	8.12	2.12
	灣內站	0:00	24.87	49.51	32.61	8.21	8.36	6.8	33.7	
		3:00	24.66	49.53	32.63	8.14	7.31	4.9	43.1	
		6:00	24.56	49.50	32.60	8.11	6.23	5.3	28.7	
		9:00	24.62	49.51	32.62	8.18	7.27	7.5	22.7	
		12:00	25.12	49.47	32.59	8.38	11.58	18.2	26.8	
		15:00	25.34	49.48	32.59	8.40	12.56	11.6	48.0	
		18:00	25.18	49.51	32.62	8.27	9.49	6.0	26.8	
		21:00	25.04	49.51	32.62	8.22	9.65	9.4	25.3	
	日平均值			24.92	49.50	32.61	8.24	9.06	8.71	31.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月20日	蚵殼站	0:00	24.43	48.03	31.07	8.20	11.62	18.3	61.3	
		3:00	24.27	48.12	31.12	8.25	11.09	12.4	60.0	
		6:00	24.11	48.11	31.11	8.20	10.72	16.9	57.9	
		9:00	24.46	48.04	31.07	8.17	11.78	25.6	54.2	
		12:00	24.57	47.88	30.99	8.16	12.11	18.0	41.2	
		15:00	24.34	48.00	31.05	8.20	11.83	23.4	42.4	
		18:00	24.29	48.03	31.08	8.26	11.22	28.3	41.4	
		21:00	24.47	47.99	31.04	8.25	12.20	20.4	35.3	
	日平均值			24.37	48.03	31.07	8.21	11.57	20.39	49.21
	潮口站	0:00	24.43	48.63	31.32	8.38	8.42	8.7	2.7	
		3:00	24.74	49.46	31.82	8.28	7.21	8.5	0.9	
		6:00	24.06	49.19	31.66	8.32	7.32	10.2	2.4	
		9:00	24.12	48.74	31.38	8.34	7.85	14.5	3.2	
		12:00	24.74	48.98	31.53	8.33	8.05	8.1	2.1	
		15:00	25.05	48.85	31.43	8.31	7.65	5.2	1.1	
		18:00	24.56	48.38	31.13	8.40	8.85	5.8	2.2	
		21:00	24.33	48.17	31.01	8.42	8.96	8.5	2.5	
	日平均值			24.50	48.80	31.41	8.35	8.04	8.69	2.13
	灣內站	0:00	24.72	49.53	32.63	8.21	7.83	6.6	26.8	
		3:00	24.61	49.63	32.70	8.12	5.93	6.8	23.2	
		6:00	24.43	49.57	32.66	8.09	5.00	4.3	26.1	
		9:00	24.58	49.76	32.78	8.15	7.12	6.2	28.2	
		12:00	24.96	49.55	32.64	8.28	11.05	10.9	28.7	
		15:00	25.35	49.51	32.61	8.39	12.61	14.2	45.8	
		18:00	25.17	49.45	32.58	8.20	8.26	10.4	37.5	
		21:00	25.08	49.53	32.63	8.21	9.16	9.7	33.5	
	日平均值			24.86	49.57	32.65	8.21	8.37	8.62	31.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月21日	蚵殼站	0:00	24.19	48.03	31.08	8.23	11.43	15.1	35.9	
		3:00	23.92	47.91	31.00	8.29	10.63	19.8	33.1	
		6:00	23.84	48.04	31.07	8.27	10.45	17.9	34.0	
		9:00	23.86	47.89	30.99	8.20	11.38	20.8	37.2	
		12:00	24.23	47.91	31.00	8.22	11.50	26.7	32.1	
		15:00	24.42	48.14	31.15	8.25	10.54	46.3	31.3	
		18:00	24.43	48.11	31.12	8.24	10.68	41.1	25.9	
		21:00	24.30	48.08	31.09	8.28	11.15	20.7	26.0	
	日平均值			24.15	48.01	31.06	8.25	10.97	26.05	31.92
	潮口站	0:00	24.14	49.48	31.87	8.43	9.20	6.6	2.9	
		3:00	24.47	48.54	31.27	8.27	7.02	8.2	1.4	
		6:00	24.29	48.75	31.40	8.28	6.84	12.0	1.2	
		9:00	23.85	49.66	31.98	8.37	8.27	7.6	2.2	
		12:00	24.55	49.67	31.99	8.35	8.39	5.3	1.8	
		15:00	24.86	49.00	31.56	8.32	8.05	5.3	1.7	
		18:00	24.65	49.41	31.82	8.33	7.87	6.7	2.0	
		21:00	24.37	49.17	31.67	8.35	7.83	13.1	1.9	
	日平均值			24.40	49.21	31.70	8.34	7.93	8.10	1.90
	灣內站	0:00	24.72	49.90	32.87	8.15	7.39	10.9	33.8	
		3:00	24.55	50.24	33.14	8.08	5.33	9.0	29.3	
		6:00	24.43	49.93	32.88	8.01	6.31	7.5	32.7	
		9:00	24.20	49.72	32.75	8.16	9.38	12.4	35.2	
		12:00	24.39	49.55	32.64	8.34	11.94	16.8	39.8	
		15:00	24.77	49.73	32.76	8.37	11.57	9.7	44.6	
		18:00	24.85	49.86	32.83	8.25	7.51	5.8	29.1	
		21:00	24.74	49.70	32.74	8.23	10.67	6.7	29.7	
	日平均值			24.58	49.83	32.83	8.20	8.76	9.83	34.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月22日	蚵殼站	0:00	24.04	47.92	31.00	8.29	12.34	16.5	22.6	
		3:00	23.90	47.90	31.00	8.29	11.57	13.0	22.1	
		6:00	23.82	47.90	31.00	8.23	10.66	18.6	26.2	
		9:00	24.02	47.87	30.97	8.25	11.17	22.1	24.0	
		12:00	24.18	47.90	31.00	8.30	12.32	21.7	25.5	
		15:00	24.40	47.97	31.04	8.24	11.47	26.5	27.1	
		18:00	24.52	47.84	30.44	8.23	11.50	32.6	23.0	
		21:00	24.51	47.92	31.01	8.20	9.46	34.9	21.6	
	日平均值			24.17	47.90	30.93	8.25	11.31	23.20	24.04
	潮口站	0:00	24.29	48.98	31.55	8.36	8.01	8.7	2.6	
		3:00	24.46	49.36	31.79	8.28	6.64	18.5	1.8	
		6:00	24.57	48.26	31.09	8.27	6.78	9.2	1.7	
		9:00	24.17	49.14	31.65	8.29	7.04	10.8	2.9	
		12:00	24.61	48.69	31.36	8.31	7.69	6.2	3.0	
		15:00	24.86	48.50	31.24	8.32	8.29	5.5	2.1	
		18:00	24.72	48.80	31.43	8.35	8.15	5.9	2.3	
		21:00	24.59	49.72	32.02	8.40	8.54	10.1	3.0	
	日平均值			24.53	48.93	31.52	8.32	7.64	9.36	2.41
	灣內站	0:00	24.59	49.68	32.74	8.25	9.27	5.9	32.0	
		3:00	24.55	49.94	32.87	8.17	7.28	11.0	24.2	
		6:00	24.44	49.82	32.81	8.11	6.71	10.8	29.2	
		9:00	24.40	49.66	32.73	8.16	9.68	15.0	44.7	
		12:00	24.58	49.45	32.59	8.39	13.06	13.7	48.5	
		15:00	24.77	49.56	32.65	8.38	12.48	8.3	30.6	
		18:00	24.92	49.70	32.74	8.27	10.59	8.2	25.5	
		21:00	24.95	49.56	32.66	8.23	8.88	4.5	29.5	
	日平均值			24.65	49.67	32.72	8.25	9.74	9.67	33.02
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月23日	蚵殼站	0:00	24.48	47.79	30.79	8.24	9.64	30.1	23.3	
		3:00	24.58	47.59	30.47	8.22	9.29	35.1	26.0	
		6:00	24.51	47.57	30.77	8.19	9.33	19.0	25.1	
		9:00	24.50	47.59	30.78	8.15	10.75	19.4	31.4	
		12:00	24.71	47.72	30.87	8.16	11.72	21.5	32.9	
		15:00	24.87	48.04	31.09	8.17	11.23	24.6	36.0	
		18:00	24.86	47.88	30.98	8.11	9.21	26.3	24.6	
		21:00	24.84	47.89	30.99	8.10	8.66	29.0	23.1	
	日平均值			24.67	47.76	30.84	8.17	9.98	25.62	27.78
	潮口站	0:00	24.67	49.64	31.97	8.39	8.20	9.2	3.3	
		3:00	24.65	49.73	32.03	8.30	6.59	15.0	2.6	
		6:00	24.94	49.06	31.60	8.28	6.53	10.8	2.0	
		9:00	24.46	50.07	32.24	8.32	7.45	9.62	3.41	
		12:00	24.85	49.72	32.02	8.35	8.23	8.66	4.15	
		15:00	25.07	49.72	32.02	8.33	8.03	6.75	3.63	
		18:00	25.02	49.99	32.19	8.33	7.66	6.54	2.97	
		21:00	24.81	49.92	32.15	8.38	8.36	8.97	3.70	
	日平均值			24.81	49.73	32.03	8.34	7.63	9.44	3.22
	灣內站	0:00	24.88	49.30	32.50	8.09	6.88	5.8	28.9	
		3:00	24.84	49.39	32.54	8.05	5.92	3.8	27.4	
		6:00	24.90	49.66	32.72	8.14	7.08	4.6	27.2	
		9:00	24.79	49.86	32.83	8.21	8.14	12.0	29.7	
		12:00	25.34	49.53	32.41	8.37	11.56	10.2	30.8	
		15:00	25.34	49.37	32.54	8.41	13.78	9.9	40.8	
		18:00	25.12	49.52	32.43	8.28	10.45	8.1	19.7	
		21:00	25.13	49.50	32.60	8.20	8.79	5.6	31.4	
	日平均值			25.04	49.52	32.57	8.22	9.08	7.50	29.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月24日	蚵殼站	0:00	24.84	47.87	30.97	8.13	10.54	22.1	23.1	
		3:00	24.68	47.75	30.57	8.10	9.11	30.0	24.3	
		6:00	24.60	47.84	30.94	8.09	9.50	14.6	26.5	
		9:00	24.67	47.89	30.99	8.10	10.90	22.4	25.8	
		12:00	24.80	47.92	31.01	8.18	12.75	22.1	28.6	
		15:00	25.16	48.17	31.16	8.11	12.13	31.1	26.3	
		18:00	24.98	48.42	31.26	8.10	10.55	48.7	22.6	
		21:00	24.88	48.41	31.30	8.14	10.60	29.8	19.5	
	日平均值			24.83	48.03	31.03	8.12	10.76	27.61	24.59
	潮口站	0:00	25.40	51.58	33.21	8.30	7.20	18.4	3.3	
		3:00	25.40	51.88	33.40	8.30	7.20	45.9	3.6	
		6:00	25.16	50.28	32.38	8.29	7.06	21.3	2.6	
		9:00	24.70	50.75	32.68	8.26	6.64	12.1	4.2	
		12:00	25.11	50.16	32.30	8.30	7.57	10.2	6.0	
		15:00	25.11	50.75	32.68	8.30	7.46	7.2	4.7	
		18:00	25.09	50.75	32.68	8.32	7.35	7.3	3.7	
		21:00	24.83	50.36	32.43	8.43	9.37	5.8	5.8	
	日平均值			25.10	50.81	32.72	8.31	7.48	16.03	4.23
	灣內站	0:00	25.13	49.51	32.61	8.28	10.39	11.7	23.4	
		3:00	25.03	49.49	32.59	8.17	7.35	4.5	25.5	
		6:00	24.80	49.55	32.64	8.21	8.59	10.6	27.2	
		9:00	24.95	49.60	32.59	8.23	9.51	16.7	30.2	
		12:00	25.62	49.27	32.12	8.39	12.38	12.3	21.4	
		15:00	25.75	49.14	32.42	8.47	12.61	14.8	22.1	
		18:00	25.39	49.33	32.52	8.28	12.06	10.5	24.6	
		21:00	25.10	49.47	32.59	8.07	8.21	10.1	24.5	
	日平均值			25.22	49.42	32.51	8.26	10.14	11.40	24.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月25日	蚵殼站	0:00	24.81	47.94	31.02	8.22	13.21	15.7	20.6	
		3:00	24.78	47.93	30.70	8.22	12.65	22.2	21.6	
		6:00	24.65	48.03	30.47	8.19	11.86	23.7	23.0	
		9:00	24.76	48.29	30.92	8.22	11.13	17.0	19.0	
		12:00	25.19	49.17	31.76	8.10	10.43	25.6	17.8	
		15:00	25.23	49.12	31.45	8.10	11.57	40.8	15.0	
		18:00	25.25	48.96	31.61	8.09	10.92	54.0	12.5	
		21:00	25.27	49.07	31.68	8.10	10.24	64.4	11.1	
	日平均值			24.99	48.56	31.20	8.16	11.50	32.92	17.58
	潮口站	0:00	24.88	51.46	33.13	8.48	10.48	7.1	5.6	
		3:00	24.73	51.35	33.06	8.39	7.96	16.0	5.0	
		6:00	24.91	50.75	32.68	8.31	6.11	10.8	3.3	
		9:00	25.10	50.72	32.66	8.36	7.86	8.0	4.3	
		12:00	25.11	50.35	32.42	8.42	9.25	13.0	5.8	
		15:00	25.44	50.63	32.60	8.37	8.30	9.0	6.1	
		18:00	25.62	51.00	32.84	8.31	7.25	6.2	3.9	
		21:00	25.43	50.44	32.48	8.34	7.68	6.9	4.1	
	日平均值			25.15	50.84	32.73	8.37	8.11	9.63	4.76
	灣內站	0:00	24.99	49.50	32.41	8.25	10.06	10.3	26.8	
		3:00	24.80	49.50	31.95	8.14	7.05	9.1	33.7	
		6:00	24.67	49.45	32.58	8.04	6.73	6.8	28.4	
		9:00	24.69	49.56	32.33	8.15	8.17	5.6	25.1	
		12:00	25.45	49.11	30.92	8.46	12.85	11.6	24.8	
		15:00	25.57	49.25	31.68	8.45	13.88	11.4	14.0	
		18:00	25.33	49.72	31.60	8.24	11.55	13.4	18.9	
		21:00	25.27	50.26	32.82	8.18	8.37	8.5	22.5	
	日平均值			25.10	49.54	32.04	8.24	9.83	9.58	24.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月26日	蚵殼站	0:00	24.99	48.62	30.92	8.18	11.85	25.3	13.0	
		3:00	24.74	48.61	30.77	8.18	11.32	27.9	16.1	
		6:00	24.66	48.77	30.58	8.13	10.78	31.1	17.3	
		9:00	24.77	48.88	31.11	8.13	10.59	33.7	14.5	
		12:00	25.14	49.30	31.85	8.11	11.30	37.7	14.8	
		15:00	25.38	49.69	32.11	8.15	9.86	60.4	16.1	
		18:00	25.29	49.70	32.12	8.10	11.20	57.9	13.2	
		21:00	25.30	49.56	32.03	8.11	11.67	46.4	11.9	
	日平均值			25.03	49.14	31.44	8.14	11.07	40.05	14.61
	潮口站	0:00	25.17	51.13	32.92	8.44	9.12	8.9	5.1	
		3:00	25.05	50.61	32.59	8.40	7.81	9.7	5.1	
		6:00	25.14	50.63	32.60	8.29	6.25	20.1	4.6	
		9:00	25.37	50.61	32.59	8.28	6.96	8.9	4.8	
		12:00	25.56	50.67	32.63	8.34	7.89	16.6	6.9	
		15:00	25.69	50.35	32.42	8.34	7.68	10.6	7.4	
		18:00	25.60	50.28	32.38	8.31	7.10	5.7	6.1	
		21:00	25.48	50.55	32.55	8.31	7.11	5.5	6.1	
	日平均值			25.38	50.60	32.59	8.34	7.49	10.73	5.75
	灣內站	0:00	25.19	50.19	33.08	8.20	8.43	9.9	22.0	
		3:00	25.00	50.15	32.76	8.09	5.81	9.0	27.4	
		6:00	24.83	50.24	32.34	8.08	5.49	11.7	23.1	
		9:00	25.06	50.00	32.34	8.07	7.02	6.9	22.0	
		12:00	25.52	49.61	32.69	8.36	12.12	10.1	25.7	
		15:00	25.88	49.40	32.55	8.44	13.63	9.6	28.3	
		18:00	25.43	49.62	32.69	8.24	8.94	11.2	13.6	
		21:00	25.33	50.10	33.02	8.19	7.89	4.8	14.8	
	日平均值			25.28	49.91	32.68	8.21	8.67	9.12	22.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月27日	蚵殼站	0:00	25.25	49.53	32.00	8.16	12.16	41.2	12.1	
		3:00	25.14	49.19	31.78	8.20	12.48	27.2	14.4	
		6:00	25.04	49.47	31.96	8.22	11.44	29.3	17.9	
		9:00	25.14	49.73	32.13	8.13	10.53	31.3	14.3	
		12:00	25.40	49.68	32.10	8.15	11.30	34.9	14.3	
		15:00	25.22	49.85	32.21	8.13	10.50	40.6	19.5	
		18:00	25.20	50.01	32.31	8.10	9.69	41.3	14.5	
		21:00	25.19	50.01	32.31	8.10	10.93	26.8	14.4	
	日平均值			25.20	49.68	32.10	8.15	11.13	34.08	15.16
	潮口站	0:00	25.30	51.13	32.92	8.32	6.64	13.5	6.3	
		3:00	25.20	50.61	32.59	8.37	7.21	11.9	6.4	
		6:00	25.10	50.63	32.60	8.31	6.73	19.2	6.7	
		9:00	25.28	50.61	32.59	8.27	6.66	11.9	6.5	
		12:00	25.61	50.67	32.63	8.31	7.53	12.6	9.0	
		15:00	25.56	50.35	32.42	8.30	7.36	14.0	12.4	
		18:00	25.75	50.28	32.38	8.30	6.94	6.5	12.3	
		21:00	25.88	50.55	32.55	8.28	6.63	8.5	8.8	
	日平均值			25.46	50.60	32.59	8.31	6.96	12.24	8.54
	灣內站	0:00	25.34	49.80	32.80	8.25	9.55	5.5	22.8	
		3:00	25.10	49.74	32.77	8.22	8.54	11.6	22.0	
		6:00	24.98	49.80	32.80	8.13	6.49	9.9	20.9	
		9:00	25.12	49.80	32.80	8.18	8.22	12.1	13.5	
		12:00	25.38	49.48	32.59	8.28	11.33	16.7	13.9	
		15:00	25.62	49.19	32.43	8.31	11.59	11.0	16.6	
		18:00	25.14	49.80	32.79	8.29	10.07	8.8	13.5	
		21:00	25.09	50.29	33.19	8.20	8.56	8.4	10.9	
	日平均值			25.22	49.74	32.77	8.23	9.29	10.49	16.76
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(µg/l)	
12月28日	蚵殼站	0:00	25.02	50.07	32.36	8.17	10.16	26.5	14.4	
		3:00	24.83	50.02	32.32	8.17	9.78	24.4	15.5	
		6:00	24.41	49.67	32.10	8.18	9.37	23.7	17.9	
		9:00	24.44	49.46	31.96	8.18	8.13	31.6	29.0	
		12:00	24.67	49.77	32.16	8.19	11.16	27.1	35.4	
		15:00	24.78	50.12	32.39	8.19	10.99	35.4	31.5	
		18:00	24.65	50.31	32.51	8.16	9.99	36.1	32.5	
		21:00	24.62	50.37	32.57	8.14	9.38	42.7	31.1	
	日平均值			24.68	49.97	32.30	8.17	9.87	30.93	25.90
	潮口站	0:00	25.26	51.86	33.39	8.34	7.40	10.5	7.2	
		3:00	24.92	51.63	33.24	8.36	7.52	8.5	8.7	
		6:00	24.85	51.53	33.18	8.28	6.40	18.8	10.4	
		9:00	25.30	51.69	33.28	8.26	6.46	13.1	9.4	
		12:00	25.52	51.58	33.21	8.28	7.07	9.7	9.6	
		15:00	25.39	51.27	33.01	8.31	7.49	17.1	11.6	
		18:00	25.30	51.03	32.86	8.28	6.69	12.0	12.7	
		21:00	25.76	51.07	32.88	8.30	6.64	5.7	11.0	
	日平均值			25.29	51.46	33.13	8.30	6.96	11.92	10.08
	灣內站	0:00	24.85	49.96	32.88	8.11	6.03	9.7	23.4	
		3:00	24.65	50.01	32.93	8.06	5.18	11.3	24.6	
		6:00	24.40	49.80	32.80	8.06	5.07	7.9	28.2	
		9:00	24.63	49.90	32.85	8.14	6.75	5.7	23.2	
		12:00	24.86	49.61	32.67	8.26	10.07	12.3	28.8	
		15:00	25.04	49.49	32.60	8.31	11.22	9.4	27.0	
		18:00	24.95	49.71	32.74	8.31	10.48	10.3	14.5	
		21:00	24.84	50.03	32.94	8.23	8.02	9.5	8.5	
	日平均值			24.78	49.81	32.80	8.19	7.85	9.52	22.27
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月29日	蚵殼站	0:00	24.43	50.30	32.52	8.14	9.28	38.5	22.8	
		3:00	24.19	50.09	32.39	8.15	9.34	26.8	22.7	
		6:00	23.86	50.06	32.35	8.15	8.61	44.3	25.2	
		9:00	23.98	50.12	32.39	8.14	8.77	47.0	23.8	
		12:00	24.24	50.07	32.36	8.14	10.21	36.3	27.7	
		15:00	24.12	50.17	32.43	8.17	10.21	38.9	45.6	
		18:00	23.90	50.19	32.43	8.19	9.34	49.2	43.5	
		21:00	23.85	50.24	32.48	8.17	8.92	33.4	40.4	
	日平均值			24.07	50.16	32.42	8.16	9.34	39.30	31.46
	潮口站	0:00	25.40	51.08	32.89	8.30	6.94	7.8	10.4	
		3:00	24.62	50.86	32.75	8.33	6.96	10.1	11.6	
		6:00	24.46	50.72	32.66	8.28	6.44	18.6	18.3	
		9:00	24.99	50.88	32.76	8.27	6.58	10.9	16.7	
		12:00	25.60	50.78	32.70	8.29	7.08	7.9	9.5	
		15:00	25.25	50.64	32.61	8.33	7.62	10.1	10.1	
		18:00	24.90	50.38	32.44	8.32	7.49	15.0	13.9	
		21:00	25.21	50.36	32.43	8.30	7.16	6.6	7.9	
	日平均值			25.05	50.71	32.66	8.30	7.03	10.88	12.30
	灣內站	0:00	24.54	50.14	33.05	8.19	6.93	5.8	14.6	
		3:00	24.41	50.16	33.07	8.15	6.25	9.7	11.9	
		6:00	24.06	50.21	33.10	8.12	5.42	14.0	22.1	
		9:00	24.22	50.27	33.17	8.16	6.29	18.5	20.9	
		12:00	24.46	50.07	32.97	8.27	9.03	12.8	10.9	
		15:00	24.45	49.97	32.92	8.31	9.87	8.7	7.8	
		18:00	24.29	49.96	32.89	8.30	9.62	11.0	9.1	
		21:00	24.13	50.32	33.18	8.26	8.15	8.0	9.0	
	日平均值			24.32	50.14	33.04	8.22	7.70	11.05	13.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月30日	蚵殼站	0:00	23.75	50.43	32.60	8.15	8.66	26.7	35.7	
		3:00	23.48	50.02	32.32	8.16	8.62	43.2	38.2	
		6:00	23.45	50.05	32.34	8.17	8.60	33.2	33.4	
		9:00	23.50	50.01	32.31	8.15	9.10	27.4	28.5	
		12:00	23.58	50.00	32.31	8.17	9.47	26.9	28.6	
		15:00	23.68	50.09	32.39	8.20	10.04	20.5	30.3	
		18:00	23.51	50.07	32.36	8.17	9.12	20.1	26.7	
		21:00	23.37	50.10	32.39	8.16	8.33	17.6	26.7	
	日平均值			23.54	50.10	32.38	8.17	8.99	26.94	31.02
	潮口站	0:00	25.18	51.93	33.43	8.27	7.15	8.8	4.4	
		3:00	24.53	51.97	33.46	8.33	7.38	14.7	4.8	
		6:00	23.89	51.82	33.36	8.30	6.84	18.8	5.6	
		9:00	24.32	51.85	33.38	8.26	6.25	10.4	4.4	
		12:00	25.44	51.85	33.38	8.26	6.62	7.5	4.9	
		15:00	25.06	51.77	33.33	8.31	6.97	12.2	6.1	
		18:00	24.45	51.39	33.09	8.32	7.00	18.6	8.1	
		21:00	24.48	51.19	32.96	8.28	6.49	16.3	5.8	
	日平均值			24.67	51.72	33.30	8.29	6.84	13.40	5.52
	灣內站	0:00	23.93	50.50	33.30	8.19	7.60	10.7	10.7	
		3:00	23.73	50.37	33.23	8.16	6.64	15.4	15.5	
		6:00	23.46	50.41	33.25	8.15	5.88	15.2	19.1	
		9:00	23.49	50.46	33.28	8.18	6.68	12.7	17.8	
		12:00	23.77	50.40	33.25	8.24	8.11	10.6	12.6	
		15:00	23.80	50.42	33.25	8.24	7.98	13.2	9.8	
		18:00	23.65	50.22	33.11	8.20	7.81	18.6	13.9	
		21:00	23.54	50.44	33.27	8.22	7.41	12.2	16.2	
	日平均值			23.67	50.40	33.24	8.20	7.26	13.59	14.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

107年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月31日	蚵殼站	0:00	23.19	50.38	32.58	8.17	8.58	22.78	26.58	
		3:00	23.00	50.40	32.60	8.17	8.11	26.46	26.05	
		6:00	22.88	50.36	32.56	8.15	7.83	22.3	30.6	
		9:00	22.92	50.22	32.47	8.11	7.61	24.3	34.4	
		12:00	23.00	50.07	32.37	8.14	7.63	19.7	41.8	
		15:00	23.19	50.38	32.58	8.19	7.54	21.0	40.0	
		18:00	23.09	50.38	32.58	8.16	8.00	15.5	30.6	
		21:00	22.99	50.30	32.51	8.17	8.68	14.1	33.1	
	日平均值			23.03	50.31	32.53	8.16	8.00	20.76	32.89
	潮口站	0:00	24.92	51.27	33.01	8.28	6.78	6.17	5.37	
		3:00	24.50	51.16	32.94	8.30	6.94	9.29	5.85	
		6:00	23.91	51.35	33.06	8.30	6.47	14.8	6.1	
		9:00	24.10	51.07	32.88	8.25	6.36	14.6	4.6	
		12:00	25.69	50.80	32.71	8.30	6.88	5.8	4.5	
		15:00	25.59	50.72	32.66	8.26	6.37	7.7	4.8	
		18:00	24.58	50.67	32.63	8.32	6.92	15.3	6.9	
		21:00	24.17	50.50	32.52	8.30	6.88	11.2	5.7	
	日平均值			24.68	50.94	32.80	8.29	6.70	10.61	5.48
	灣內站	0:00	23.49	50.49	33.29	8.19	6.69	13.21	11.12	
		3:00	23.36	50.56	33.33	8.17	6.35	24.06	12.04	
		6:00	23.14	50.37	33.24	8.17	5.92	22.0	14.5	
		9:00	23.09	50.38	33.23	8.17	6.14	20.9	17.6	
		12:00	23.34	50.42	33.02	8.12	7.07	21.5	18.4	
		15:00	23.50	50.46	33.05	8.09	6.73	8.0	19.8	
		18:00	23.39	49.97	32.91	8.15	6.95	10.5	24.1	
		21:00	23.16	49.99	32.93	8.13	6.63	9.8	27.1	
	日平均值			23.31	50.33	33.13	8.15	6.56	16.23	18.07
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		