

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月1日	蚵殼站	0:04	22.90	50.20	32.92	8.43	9.57	5.4	18.7	
		3:04	22.71	49.64	32.51	8.36	8.41	3.9	11.5	
		6:04	22.35	49.02	32.07	8.35	8.22	4.0	11.4	
		9:04	22.35	49.43	32.36	8.37	8.59	5.8	12.0	
		12:04	23.21	49.77	32.61	8.44	10.02	3.6	9.5	
		15:04	23.46	50.31	33.00	8.47	10.01	3.5	11.2	
		18:04	23.44	50.63	33.23	8.42	8.71	3.7	14.6	
		21:04	23.41	50.61	33.22	8.39	8.49	2.8	9.4	
	日平均值			22.98	49.95	32.74	8.40	9.00	4.09	12.29
	潮口站	0:04	24.06	51.52	33.88	8.20	7.82	4.9	3.6	
		3:04	23.33	50.79	33.36	8.24	8.44	2.4	7.9	
		6:04	23.38	51.02	33.52	8.22	7.98	3.4	3.2	
		9:04	24.22	51.76	34.06	8.19	7.58	3.2	1.5	
		12:04	24.27	51.30	33.71	8.24	8.47	2.7	9.7	
		15:04	24.63	51.70	34.00	8.20	7.83	2.8	5.1	
		18:04	24.67	51.00	33.49	8.19	7.62	2.7	1.4	
		21:04	24.57	51.39	33.76	8.19	7.49	1.9	2.7	
	日平均值			24.14	51.31	33.72	8.21	7.90	3.00	4.39
	灣內站	0:04	23.48	50.36	33.03	8.17	9.45	1.0	24.6	
		3:04	23.22	50.41	33.07	8.13	8.65	0.7	15.6	
		6:04	23.40	50.75	33.32	8.03	7.44	0.5	22.5	
		9:04	23.38	50.75	33.32	8.12	8.50	1.0	14.3	
		12:04	24.06	49.95	32.72	8.20	10.24	0.5	11.7	
		15:04	24.24	50.11	32.83	8.35	12.57	1.9	32.7	
		18:04	24.15	50.45	33.09	8.25	10.71	1.0	19.1	
		21:04	24.18	50.40	33.05	8.23	10.24	0.3	24.0	
	日平均值			23.76	50.40	33.05	8.19	9.73	0.86	20.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月2日	蚵殼站	0:04	23.42	50.48	33.12	8.46	10.22	2.4	19.1	
		3:04	23.45	50.22	32.93	8.46	9.34	2.6	9.0	
		6:04	23.43	50.28	32.98	8.48	9.65	2.5	11.0	
		9:04	23.38	50.30	32.99	8.45	9.27	2.3	20.2	
		12:04	24.19	50.49	33.12	8.49	10.12	2.3	17.1	
		15:04	23.86	50.23	32.93	8.50	10.14	2.7	15.2	
		18:04	23.73	50.38	33.04	8.44	9.32	2.2	17.9	
		21:04	23.71	50.40	33.06	8.45	8.75	2.4	14.3	
	日平均值			23.65	50.35	33.02	8.47	9.60	2.43	15.48
	潮口站	0:04	24.12	51.42	33.80	8.20	7.73	4.4	6.1	
		3:04	24.01	51.44	33.82	8.14	7.15	6.0	2.4	
		6:04	23.71	50.97	33.48	8.19	7.80	5.6	5.1	
		9:04	24.32	51.27	33.68	8.17	7.45	3.4	1.0	
		12:04	24.66	51.23	33.66	8.19	7.65	3.4	0.3	
		15:04	24.78	51.51	33.85	8.20	7.75	3.2	5.7	
		18:04	24.68	51.51	33.86	8.19	7.75	2.1	0.9	
		21:04	24.50	51.81	34.07	8.19	7.60	2.4	3.9	
	日平均值			24.35	51.40	33.78	8.18	7.61	3.81	3.18
	灣內站	0:04	24.11	50.58	33.18	8.19	9.38	1.9	14.9	
		3:04	23.91	50.41	33.06	8.18	9.40	0.9	16.3	
		6:04	23.80	50.60	33.21	8.12	8.24	1.5	13.7	
		9:04	23.63	50.57	33.18	8.08	7.78	0.8	8.7	
		12:04	24.35	49.92	32.69	8.33	11.79	1.7	23.6	
		15:04	24.63	49.84	32.63	8.42	13.32	2.8	33.2	
		18:04	24.39	50.57	33.17	8.32	11.13	1.2	18.9	
		21:04	24.33	50.51	33.13	8.19	8.90	0.0	11.1	
	日平均值			24.14	50.38	33.03	8.23	9.99	1.35	17.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月3日	蚵殼站	0:04	23.59	50.12	32.85	8.44	9.55	2.5	11.5	
		3:04	23.24	49.77	32.61	8.46	9.32	1.8	15.1	
		6:04	23.10	49.59	32.47	8.46	9.06	1.8	15.8	
		9:04	22.96	49.45	32.38	8.49	9.52	2.1	16.1	
		12:04	23.64	49.63	32.49	8.51	10.10	1.6	18.0	
		15:04	24.17	50.33	33.00	8.50	10.05	1.5	19.6	
		18:04	23.97	50.40	33.05	8.49	9.56	1.7	19.5	
		21:04	23.95	50.45	33.09	8.46	8.78	1.7	9.3	
	日平均值			23.58	49.97	32.74	8.48	9.49	1.84	15.61
	潮口站	0:04	23.92	51.50	33.87	8.27	8.67	2.8	10.1	
		3:04	23.56	50.95	33.47	8.37	9.84	2.1	16.2	
		6:04	23.33	50.65	33.25	8.30	8.92	3.0	17.1	
		9:04	24.09	51.00	33.50	8.17	7.51	10.5	4.9	
		12:04	24.47	50.84	33.36	8.19	7.74	2.7	1.1	
		15:04	24.60	51.48	33.83	8.23	8.18	4.3	9.3	
		18:04	24.60	50.32	32.98	8.19	7.91	1.7	6.8	
		21:04	24.43	51.16	33.60	8.20	7.77	1.7	3.4	
	日平均值			24.13	50.99	33.48	8.24	8.32	3.60	8.61
	灣內站	0:04	24.21	50.46	33.09	8.28	10.26	1.4	20.9	
		3:04	23.90	50.29	32.98	8.22	9.17	0.9	15.4	
		6:04	23.88	50.48	33.12	8.17	8.42	1.2	25.6	
		9:04	23.79	50.03	32.78	8.19	9.12	0.7	13.3	
		12:04	24.05	49.08	32.08	8.36	12.35	1.7	15.2	
		15:04	24.43	49.65	32.49	8.43	13.50	2.4	34.6	
		18:04	24.57	49.96	32.72	8.45	13.33	2.6	48.4	
		21:04	24.49	50.13	32.84	8.29	10.56	1.3	16.9	
	日平均值			24.17	50.01	32.76	8.30	10.84	1.53	23.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月4日	蚵殼站	1:34	24.01	50.17	32.88	8.47	9.48	8.7	16.8	
		4:04	23.55	49.74	32.57	8.49	9.41	1.4	20.1	
		5:34	23.58	49.94	32.72	8.49	9.16	1.3	11.3	
		6:34	23.55	50.01	32.77	8.47	8.80	1.3	11.8	
		8:04	23.59	50.07	32.82	8.46	8.88	1.2	11.4	
		9:04	23.35	49.67	32.53	8.47	9.23	1.6	15.8	
		11:34	24.42	50.30	32.66	8.28	8.52	1.8	15.7	
		14:04	24.35	50.37	32.71	8.49	9.00	1.2	14.6	
	日平均值			23.80	50.03	32.71	8.45	9.06	2.31	14.69
	潮口站	0:04	24.09	51.95	34.19	8.22	8.02	3.2	1.9	
		3:04	23.91	51.69	34.00	8.26	8.63	3.0	9.3	
		6:04	23.26	50.56	33.18	8.35	9.64	2.9	12.9	
		9:04	23.86	51.43	33.82	8.24	8.21	2.9	0.6	
		12:04	24.40	51.92	34.17	8.24	7.06	2.0	2.1	
		15:04	24.48	51.65	33.97	8.33	8.27	2.8	4.2	
		18:04	24.35	51.49	33.86	8.31	7.97	5.9	8.1	
		21:04	24.46	52.53	34.63	8.25	7.10	1.4	2.9	
	日平均值			24.10	51.65	33.98	8.28	8.11	3.01	5.25
	灣內站	0:04	24.39	49.98	32.73	8.37	11.56	1.5	20.3	
		3:04	24.13	49.97	32.73	8.34	11.13	1.7	26.2	
		6:04	24.00	50.32	32.99	8.17	8.51	1.0	34.0	
		9:04	23.94	49.77	32.59	8.11	7.76	0.3	12.2	
		12:04	24.95	50.56	33.15	8.38	10.79	2.8	20.0	
		15:04	24.71	50.56	33.16	8.47	12.60	4.1	40.3	
		18:04	24.79	50.69	33.25	8.46	11.91	3.1	28.6	
		21:04	24.29	50.93	33.44	8.43	11.58	2.4	24.6	
	日平均值			24.40	50.35	33.01	8.34	10.73	2.11	25.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月5日	蚵殼站	0:04	24.48	50.81	33.02	8.25	10.39	1.5	11.8	
		3:04	24.26	50.33	32.68	8.24	10.41	1.2	15.3	
		6:04	24.13	50.02	32.46	8.19	9.25	1.5	9.9	
		9:04	24.11	50.18	32.58	8.20	9.62	1.6	17.5	
		12:04	24.58	50.09	32.50	8.23	10.99	1.6	10.0	
		15:04	24.87	49.71	32.23	8.23	11.41	2.1	18.1	
		18:04	24.70	49.98	32.42	8.24	11.13	1.5	15.8	
		21:04	24.62	50.01	32.44	8.23	10.68	2.3	11.9	
	日平均值			24.47	50.14	32.54	8.23	10.49	1.66	13.79
	潮口站	0:04	24.11	51.97	34.21	8.27	7.19	2.2	8.6	
		3:04	23.99	51.17	33.63	8.35	8.31	3.9	5.8	
		6:04	23.78	50.95	33.47	8.44	9.76	2.2	14.2	
		9:04	23.76	50.55	33.18	8.46	9.70	2.7	5.9	
		12:04	24.23	52.06	34.28	8.26	7.03	11.3	1.3	
		15:04	24.42	51.68	34.00	8.26	7.20	37.3	0.1	
		18:04	24.54	51.09	33.56	8.45	10.08	5.3	7.9	
		21:04	23.93	52.07	34.29	8.25	7.01	1.9	4.4	
	日平均值			24.10	51.44	33.83	8.34	8.29	8.35	6.03
	灣內站	0:04	24.30	51.13	33.58	8.35	10.08	2.6	23.3	
		3:04	24.16	51.05	33.53	8.25	8.96	2.5	14.9	
		6:04	23.98	51.10	33.57	8.23	8.62	2.4	25.5	
		9:04	24.08	51.23	33.66	8.20	8.17	2.2	11.1	
		12:04	24.46	51.23	33.65	8.36	10.30	2.1	14.7	
		15:04	24.94	51.26	33.67	8.36	10.77	2.9	15.6	
		18:04	25.14	51.11	33.55	8.42	11.56	4.2	25.9	
		21:04	24.81	51.07	33.53	8.34	10.46	2.9	22.3	
	日平均值			24.48	51.15	33.59	8.31	9.87	2.73	19.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月6日	蚵殼站	17:34	24.92	49.09	31.79	8.49	8.86	2.5	11.6	
		18:34	24.92	49.20	31.87	8.45	8.06	2.7	10.4	
		19:04	24.93	49.41	32.02	8.42	7.84	2.9	12.6	
		20:04	24.88	49.51	32.08	8.42	7.59	2.2	11.9	
		20:34	24.86	49.43	32.03	8.43	7.66	2.5	10.6	
		22:04	24.80	49.62	32.17	8.43	7.66	2.8	11.4	
		22:34	24.75	49.65	32.19	8.43	7.74	3.0	10.8	
		23:34	24.72	49.67	32.20	8.44	7.78	2.2	13.2	
	日平均值			24.85	49.45	32.04	8.44	7.90	2.60	11.56
	潮口站	0:04	23.89	52.26	34.43	8.24	6.76	1.8	2.6	
		3:04	23.94	51.13	33.60	8.32	7.72	2.6	3.2	
		6:04	23.93	50.77	33.34	8.49	9.88	2.2	10.9	
		9:04	24.06	50.24	32.94	8.44	9.10	2.9	3.9	
		12:04	24.16	52.19	34.38	8.27	7.00	1.8	6.1	
		15:04	24.23	51.46	33.84	8.26	7.22	1.7	12.8	
		18:04	24.27	51.12	33.59	8.34	7.93	5.4	5.5	
		21:04	24.21	51.06	33.54	8.35	7.86	3.7	7.1	
	日平均值			24.09	51.28	33.71	8.34	7.93	2.76	6.51
	灣內站	0:04	24.58	51.16	33.60	8.35	10.39	3.6	26.5	
		3:04	24.47	51.03	33.51	8.45	11.57	2.9	31.2	
		6:04	24.15	50.85	33.38	8.32	9.87	3.4	22.7	
		9:04	24.31	50.79	33.33	8.42	11.47	3.4	28.9	
		12:04	24.82	50.89	33.40	8.52	12.78	3.1	21.8	
		15:04	25.04	51.02	33.49	8.55	12.99	3.7	29.3	
		18:04	25.28	50.99	33.46	8.50	12.55	4.5	47.2	
		21:04	25.24	50.77	33.30	8.45	11.46	3.2	28.4	
	日平均值			24.74	50.94	33.43	8.45	11.64	3.48	29.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月7日	蚵殼站	0:04	24.71	49.70	32.22	8.42	7.66	2.3	11.1	
		3:04	24.63	49.66	32.19	8.49	8.49	2.9	10.4	
		6:04	24.58	49.42	32.03	8.53	9.43	2.7	21.7	
		9:04	24.72	49.16	31.84	8.51	9.57	2.9	16.6	
		14:04	24.97	48.94	31.68	8.47	9.15	3.0	17.5	
		15:04	24.94	49.31	31.94	8.45	9.09	4.3	10.1	
		18:04	24.92	49.43	32.03	8.47	9.00	2.7	10.4	
		21:04	24.85	49.34	31.97	8.51	8.96	2.5	7.1	
	日平均值			24.79	49.37	31.99	8.48	8.92	2.91	13.11
	潮口站	0:04	23.94	51.40	33.80	8.24	6.67	1.6	0.6	
		3:04	23.75	51.32	33.74	8.29	7.24	2.4	4.7	
		6:04	23.99	50.39	33.07	8.44	8.80	2.7	4.5	
		9:04	24.13	50.20	32.92	8.46	9.02	3.0	4.7	
		12:04	23.86	51.27	33.71	8.27	7.02	2.7	0.1	
		15:04	24.10	51.06	33.55	8.27	7.24	2.2	4.0	
		18:04	24.66	51.14	33.60	8.34	7.71	7.8	3.5	
		21:04	24.36	51.01	33.50	8.44	8.85	4.4	7.1	
	日平均值			24.10	50.97	33.49	8.34	7.82	3.35	3.65
	灣內站	0:04	24.77	51.22	33.64	8.40	10.22	3.5	19.3	
		3:04	24.58	51.21	33.63	8.33	9.13	2.7	15.9	
		6:04	24.31	51.09	33.55	8.37	9.57	3.1	20.3	
		9:04	24.55	51.13	33.58	8.39	10.17	4.0	26.9	
		12:04	25.44	51.16	33.58	8.49	12.05	3.5	15.3	
		15:04	25.59	51.00	33.46	8.62	14.68	4.1	39.9	
		18:04	25.38	51.21	33.62	8.56	12.81	3.7	21.6	
		21:04	25.41	51.04	33.49	8.50	12.11	3.1	15.8	
	日平均值			25.00	51.13	33.57	8.46	11.34	3.46	21.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月8日	蚵殼站	0:04	25.09	49.63	32.17	8.63	10.93	2.4	10.3	
		3:04	25.04	49.32	31.95	8.55	10.06	2.5	13.3	
		6:04	24.89	49.36	31.98	8.54	9.21	2.1	7.8	
		9:04	24.86	49.32	31.95	8.38	9.57	2.6	9.2	
		12:04	25.46	49.02	31.72	8.54	11.11	3.0	19.7	
		15:04	25.10	49.61	32.15	8.46	8.59	2.8	6.9	
		18:04	25.00	50.05	32.47	8.38	6.75	3.3	4.6	
		21:04	25.26	50.02	32.44	8.47	8.33	2.6	6.0	
	日平均值			25.09	49.54	32.10	8.49	9.32	2.66	9.73
	潮口站	0:04	24.28	51.30	33.72	8.35	7.44	2.6	0.0	
		3:04	24.02	51.58	33.93	8.26	6.76	2.7	2.5	
		6:04	24.17	50.07	32.81	8.46	9.00	2.7	14.5	
		9:04	24.30	49.54	32.43	8.55	9.98	2.3	6.5	
		12:04	24.20	50.98	33.48	8.32	7.47	4.0	1.6	
		15:04	24.33	51.79	34.08	8.30	7.49	2.2	3.0	
		18:04	24.37	51.11	33.58	8.31	7.49	4.5	2.6	
		21:04	24.61	51.56	33.91	8.28	6.85	5.4	3.6	
	日平均值			24.29	50.99	33.49	8.35	7.81	3.30	4.29
	灣內站	0:04	25.49	51.04	33.49	8.54	12.58	3.4	16.9	
		3:04	25.14	51.39	33.75	8.42	10.35	2.3	7.7	
		6:04	24.88	51.63	33.94	8.32	8.74	3.4	11.9	
		9:04	24.66	51.70	34.00	8.38	9.70	3.2	14.0	
		12:04	25.56	51.56	33.87	8.54	12.39	3.1	16.3	
		15:04	25.56	51.73	34.00	8.50	11.34	3.6	11.9	
		18:04	25.63	51.76	34.02	8.45	10.35	3.2	8.1	
		21:04	25.78	51.52	33.83	8.49	11.60	3.4	23.7	
	日平均值			25.34	51.54	33.86	8.46	10.88	3.20	13.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月9日	蚵殼站	0:04	25.09	49.99	32.42	8.43	7.74	2.1	3.7	
		3:04	25.26	49.70	32.21	8.47	8.61	2.6	6.2	
		6:04	25.05	49.69	32.21	8.45	7.99	1.8	9.3	
		9:04	24.96	49.74	32.25	8.41	8.06	2.5	17.9	
		12:04	25.38	49.84	32.31	8.47	8.90	2.9	21.2	
		15:04	25.44	50.10	32.50	8.40	7.56	2.4	7.6	
		18:04	25.30	50.26	32.61	8.36	7.03	1.7	5.5	
		21:04	25.31	50.18	32.55	8.36	6.80	1.6	2.1	
	日平均值			25.22	49.94	32.38	8.42	7.84	2.20	9.19
	潮口站	0:04	24.74	51.19	33.63	8.40	7.73	3.0	3.3	
		3:04	24.31	51.83	34.11	8.28	7.02	1.9	3.2	
		6:04	24.27	50.61	33.20	8.37	7.42	3.0	3.4	
		9:04	24.58	50.48	33.11	8.50	8.69	2.4	2.9	
		12:04	24.72	50.44	33.08	8.40	7.55	4.7	0.8	
		15:04	24.41	50.15	32.87	8.30	7.62	2.4	4.1	
		18:04	24.49	50.75	33.31	8.31	7.29	5.1	0.8	
		21:04	24.59	50.30	32.97	8.31	7.09	5.4	3.1	
	日平均值			24.51	50.72	33.29	8.36	7.55	3.49	2.70
	灣內站	0:04	25.29	51.01	33.47	8.20	8.03	2.8	18.2	
		3:04	25.05	52.15	34.32	8.38	9.63	3.1	10.2	
		6:04	24.88	52.25	34.40	8.33	8.60	2.9	9.2	
		9:04	24.75	52.46	34.56	8.31	8.41	2.8	7.1	
		12:04	25.47	52.01	34.21	8.37	9.74	3.4	8.8	
		15:04	25.53	52.30	34.42	8.40	9.91	3.4	14.3	
		18:04	25.49	52.40	34.49	8.34	9.02	3.3	6.6	
		21:04	25.52	52.28	34.40	8.38	9.83	3.0	12.9	
	日平均值			25.25	52.11	34.28	8.34	9.15	3.09	10.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月10日	蚵殼站	0:04	25.16	50.16	32.54	8.38	6.95	1.4	5.3	
		3:04	24.98	50.17	32.55	8.32	6.48	1.4	5.2	
		6:04	24.89	50.15	32.54	8.29	5.53	1.2	3.6	
		9:04	24.75	49.62	32.17	8.36	6.80	2.5	17.3	
		12:04	25.30	49.63	32.16	8.40	8.18	2.3	15.1	
		15:04	25.12	50.04	32.46	8.34	6.11	3.8	8.7	
		18:04	25.07	50.02	32.45	8.45	7.61	1.8	9.4	
		21:04	25.03	49.98	32.42	8.39	6.56	1.9	3.5	
	日平均值			25.04	49.97	32.41	8.37	6.78	2.04	8.51
	潮口站	0:04	24.63	50.81	33.35	8.34	7.21	3.2	0.2	
		3:04	24.30	50.84	33.38	8.29	7.01	2.5	1.7	
		6:04	24.08	51.07	33.55	8.28	6.98	2.5	2.0	
		9:04	23.94	50.61	33.21	8.30	6.62	3.3	2.3	
		12:04	24.32	50.61	33.21	8.30	6.57	4.2	2.0	
		15:04	24.23	50.64	33.23	8.30	7.46	2.6	4.2	
		18:04	24.19	51.23	33.67	8.29	7.21	2.4	0.7	
		21:04	24.29	50.28	32.97	8.31	7.28	4.1	4.0	
	日平均值			24.25	50.76	33.32	8.30	7.04	3.10	2.14
	灣內站	0:04	25.13	51.80	34.06	8.35	9.68	3.5	21.0	
		3:04	24.96	52.24	34.39	8.29	8.16	2.4	11.8	
		6:04	24.85	52.46	34.56	8.23	7.59	2.5	11.8	
		9:04	24.92	52.47	34.56	8.28	8.32	2.8	16.5	
		12:04	25.19	52.47	34.56	8.38	9.79	3.2	12.8	
		15:04	25.18	52.45	34.54	8.39	9.93	2.9	9.6	
		18:04	25.32	52.33	34.45	8.32	9.07	2.6	12.3	
		21:04	25.30	52.03	34.22	8.35	9.32	4.6	19.4	
	日平均值			25.11	52.28	34.42	8.32	8.98	3.06	14.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月11日	蚵殼站	0:04	24.89	49.97	32.42	8.48	7.43	1.3	2.3	
		3:04	24.78	49.99	32.43	8.28	7.09	1.7	4.9	
		6:04	24.66	50.04	32.47	8.29	5.64	1.3	3.2	
		9:04	24.37	49.59	32.16	8.37	6.90	1.5	11.1	
		12:04	24.84	49.89	32.35	8.46	7.76	1.4	8.8	
		15:04	24.93	50.16	32.55	8.27	5.65	2.8	4.8	
		18:04	24.81	50.16	32.55	8.29	5.66	2.9	8.1	
		21:04	24.83	50.07	32.49	8.25	5.01	1.9	6.8	
	日平均值			24.76	49.98	32.43	8.34	6.39	1.85	6.25
	潮口站	0:04	24.43	50.40	33.05	8.35	7.53	10.2	5.5	
		3:04	24.19	50.14	32.86	8.26	6.49	3.4	3.4	
		6:04	23.87	50.72	33.30	8.26	6.89	3.9	0.2	
		9:04	23.68	50.40	33.06	8.33	6.96	3.5	0.5	
		12:04	24.25	50.05	32.80	8.32	6.86	4.5	1.9	
		15:04	24.21	50.89	33.42	8.30	7.28	3.2	3.0	
		18:04	24.14	50.82	33.36	8.29	7.25	2.1	2.7	
		21:04	24.18	50.23	32.93	8.31	7.16	4.3	6.1	
	日平均值			24.12	50.46	33.10	8.30	7.05	4.39	2.91
	灣內站	0:04	24.70	51.54	33.88	8.40	10.29	3.0	25.0	
		3:04	24.78	51.91	34.15	8.11	6.08	2.5	3.9	
		6:04	24.53	52.05	34.26	8.18	7.12	2.4	10.4	
		9:04	24.60	51.48	33.83	8.25	8.11	2.7	25.4	
		12:04	24.78	51.07	33.53	8.34	9.89	2.8	11.3	
		15:04	24.96	51.39	33.76	8.37	10.30	3.1	19.9	
		18:04	24.86	51.39	33.76	8.33	9.72	2.9	19.9	
		21:04	24.97	51.05	33.51	8.24	8.46	3.2	22.0	
	日平均值			24.77	51.49	33.84	8.28	8.75	2.83	17.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月12日	蚵殼站	0:04	24.72	50.02	32.45	8.37	6.02	1.2	9.3	
		3:04	24.56	49.92	32.39	8.41	6.47	1.3	8.6	
		6:04	24.42	50.00	32.44	8.26	5.70	1.5	7.0	
		9:04	24.26	49.61	32.17	8.33	6.45	1.1	8.0	
		12:04	24.75	49.93	32.39	8.40	7.46	1.3	11.7	
		15:04	24.57	50.11	32.52	8.30	5.88	3.2	5.6	
		18:04	24.67	50.15	32.55	8.31	6.47	1.8	8.2	
		21:04	24.64	49.90	32.37	8.46	7.39	3.5	13.9	
	日平均值			24.57	49.96	32.41	8.36	6.48	1.86	9.04
	潮口站	0:04	23.95	50.55	33.16	8.23	6.48	9.8	3.7	
		3:04	24.09	49.91	32.70	8.29	6.81	3.6	0.3	
		6:04	23.90	51.04	33.52	8.28	6.81	3.3	0.6	
		9:04	23.63	50.58	33.19	8.29	6.65	3.1	0.8	
		12:04	24.33	50.34	33.00	8.28	6.50	6.7	0.6	
		15:04	24.24	50.87	33.40	8.32	7.30	5.5	10.8	
		18:04	24.12	50.84	33.37	8.29	7.21	2.0	7.5	
		21:04	24.07	50.94	33.46	8.31	7.36	4.1	4.2	
	日平均值			24.04	50.63	33.23	8.29	6.89	4.76	3.56
	灣內站	0:04	24.77	50.60	33.19	8.24	8.37	2.5	13.0	
		3:04	24.48	50.66	33.23	8.19	7.67	2.4	8.0	
		6:04	24.46	50.69	33.25	8.07	6.04	3.5	6.0	
		9:04	24.27	49.71	32.53	8.23	8.67	2.6	21.4	
		12:04	24.76	49.30	32.23	8.33	10.48	2.6	12.1	
		15:04	24.94	49.50	32.37	8.34	10.71	3.9	30.5	
		18:04	24.61	49.81	32.60	8.27	9.58	2.5	14.5	
		21:04	24.54	49.86	32.63	8.25	8.91	4.6	33.7	
	日平均值			24.60	50.02	32.75	8.24	8.80	3.08	17.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月13日	蚵殼站	0:04	24.56	49.70	32.23	8.12	6.99	1.3	10.3	
		3:04	24.38	49.69	32.22	8.21	6.18	1.2	9.1	
		6:04	24.20	49.89	32.37	8.17	5.66	2.6	8.7	
		9:04	24.21	50.02	32.46	8.14	5.85	2.1	14.4	
		12:04	24.63	49.90	32.37	8.23	6.79	1.6	10.5	
		15:04	24.63	50.28	32.64	8.32	7.74	2.6	16.4	
		18:04	24.59	50.31	32.66	8.32	7.12	3.8	17.1	
		21:04	24.37	50.23	32.61	8.39	5.88	1.5	14.3	
	日平均值			24.45	50.00	32.45	8.24	6.53	2.09	12.60
	潮口站	0:04	24.22	50.10	32.83	8.32	7.45	3.8	6.5	
		3:04	23.96	49.58	32.46	8.37	7.84	4.6	6.0	
		6:04	23.74	51.08	33.56	8.27	6.72	2.5	7.6	
		9:04	23.64	50.69	33.27	8.33	7.13	2.9	4.5	
		12:04	24.43	50.04	32.78	8.38	7.95	4.3	8.8	
		15:04	24.13	50.61	33.21	8.33	7.31	4.9	5.7	
		18:04	23.97	50.83	33.36	8.30	7.14	2.1	2.6	
		21:04	23.99	51.00	33.49	8.30	7.12	4.6	6.9	
	日平均值			24.01	50.49	33.12	8.33	7.33	3.71	6.08
	灣內站	0:04	24.38	49.66	32.49	8.16	7.51	3.6	13.2	
		3:04	24.27	49.58	32.43	8.14	7.14	3.9	12.9	
		6:04	24.11	49.55	32.42	8.05	6.18	3.1	9.9	
		9:04	24.09	49.03	32.03	8.16	7.80	3.8	22.2	
		12:04	24.41	47.00	30.55	8.15	8.97	3.0	7.8	
		15:04	24.84	48.20	31.41	8.32	10.94	4.0	27.2	
		18:04	24.75	48.95	31.97	8.34	11.08	3.1	28.2	
		21:04	24.59	49.42	32.30	8.25	9.48	3.5	19.6	
	日平均值			24.43	48.92	31.95	8.20	8.64	3.50	17.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月14日	蚵殼站	0:04	24.45	49.67	32.21	8.45	7.78	0.5	1.3	
		3:04	24.27	49.26	31.92	8.35	6.96	1.3	8.0	
		6:04	24.05	49.46	32.06	8.30	6.40	1.3	6.7	
		9:04	23.94	49.48	32.08	8.33	6.42	1.6	7.8	
		12:04	24.00	49.54	32.13	8.42	6.89	2.2	11.3	
		15:04	24.21	49.48	32.08	8.52	8.86	2.0	26.8	
		18:04	24.38	49.91	32.38	8.53	8.18	1.6	11.9	
		21:04	24.20	50.34	32.69	8.38	5.71	1.6	14.6	
	日平均值			24.19	49.64	32.19	8.41	7.15	1.51	11.05
	潮口站	0:04	24.19	50.53	33.15	8.32	7.62	4.2	14.2	
		3:04	24.10	49.99	32.75	8.37	8.16	2.7	11.1	
		6:04	23.82	51.44	33.82	8.29	6.85	2.3	0.0	
		9:04	23.71	50.85	33.39	8.30	6.81	3.8	4.1	
		12:04	23.96	50.07	32.81	8.42	8.76	3.3	10.6	
		15:04	23.87	50.76	33.32	8.32	7.23	2.8	5.0	
		18:04	23.69	50.57	33.19	8.30	7.24	2.1	3.4	
		21:04	23.71	50.74	33.30	8.31	7.21	2.1	2.7	
	日平均值			23.88	50.62	33.22	8.33	7.49	2.91	6.39
	灣內站	0:04	24.61	49.49	32.36	8.24	9.14	3.6	19.8	
		3:04	24.32	49.50	32.38	8.12	7.50	3.2	11.2	
		6:04	24.11	49.98	32.73	8.13	7.66	2.8	17.3	
		9:04	24.10	50.06	32.78	8.15	7.93	2.7	24.5	
		12:04	24.17	49.64	32.48	8.26	10.04	2.7	20.8	
		15:04	24.47	49.67	32.49	8.39	12.64	3.1	31.7	
		18:04	24.13	49.74	32.54	8.33	11.33	2.4	23.6	
		21:04	24.11	50.26	32.94	8.33	10.98	2.5	26.6	
	日平均值			24.25	49.79	32.59	8.24	9.65	2.88	21.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月15日	蚵殼站	0:04	23.75	49.64	32.19	8.30	8.73	3.9	10.9	
		3:04	23.72	49.29	31.93	8.24	7.95	4.2	16.2	
		6:04	23.46	49.37	32.00	8.20	7.53	2.6	9.0	
		9:04	23.33	49.63	32.18	8.24	7.69	2.8	7.5	
		12:04	23.81	49.45	32.04	8.33	9.03	3.5	14.2	
		15:04	24.03	49.78	32.28	8.37	10.05	3.6	19.1	
		18:04	24.06	49.99	32.44	8.26	8.32	3.3	12.9	
		21:04	23.82	50.12	32.54	8.31	9.05	2.6	19.4	
	日平均值			23.75	49.66	32.20	8.28	8.54	3.31	13.65
	潮口站	0:04	23.49	50.68	33.27	8.28	7.02	5.1	1.7	
		3:04	23.63	50.05	32.81	8.33	7.79	5.7	15.8	
		6:04	23.37	50.34	33.02	8.28	6.93	2.9	2.1	
		9:04	23.30	50.93	33.45	8.29	6.79	3.3	0.4	
		12:04	23.57	50.01	32.77	8.42	8.22	3.0	4.6	
		15:04	23.69	50.74	33.30	8.37	8.21	3.3	0.1	
		18:04	23.54	51.24	33.68	8.30	7.28	2.5	2.6	
		21:04	23.40	51.42	33.82	8.28	7.08	2.6	1.7	
	日平均值			23.50	50.68	33.27	8.32	7.42	3.55	3.63
	灣內站	0:04	24.00	50.49	33.10	8.32	10.43	2.6	20.1	
		3:04	23.81	50.42	33.05	8.15	8.10	2.6	16.5	
		6:04	23.54	50.30	32.97	8.12	8.12	2.3	15.8	
		9:04	23.36	50.23	32.91	8.19	8.58	2.2	14.6	
		12:04	24.05	50.79	33.31	8.24	9.83	3.9	23.7	
		15:04	24.37	50.72	33.26	8.36	11.88	3.8	38.0	
		18:04	24.57	50.63	33.19	8.21	9.35	4.0	23.2	
		21:04	24.24	50.72	33.26	8.34	11.02	2.6	37.0	
	日平均值			23.99	50.54	33.13	8.24	9.66	3.00	23.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月16日	蚵殼站	0:04	23.66	50.10	32.53	8.33	9.34	3.2	14.8	
		3:04	23.48	49.90	32.39	8.35	9.38	2.6	14.5	
		6:04	23.29	49.80	32.32	8.32	8.88	3.0	20.7	
		9:04	23.12	50.14	32.56	8.30	8.30	3.5	12.5	
		12:14	23.46	50.55	32.88	8.39	9.89	1.9	8.6	
		15:04	23.75	49.93	32.41	8.43	10.46	3.7	19.0	
		18:04	23.54	49.88	32.38	8.35	9.44	3.1	12.0	
		21:04	23.33	50.26	32.66	8.36	9.36	2.0	15.3	
	日平均值			23.45	50.07	32.52	8.35	9.38	2.88	14.68
	潮口站	0:04	23.28	51.21	33.66	8.30	7.39	3.9	3.5	
		3:04	23.46	51.18	33.64	8.38	8.50	2.6	9.6	
		6:04	23.22	50.68	33.28	8.36	8.12	3.2	16.4	
		9:04	23.10	51.52	33.89	8.30	6.65	4.8	7.1	
		12:14	23.48	51.84	34.13	8.35	7.71	0.8	0.2	
		15:04	23.61	50.77	33.33	8.41	8.21	1.1	5.9	
		18:04	23.24	50.77	33.34	8.30	7.24	0.8	0.6	
		21:04	23.16	51.03	33.53	8.29	7.08	0.6	2.9	
	日平均值			23.32	51.13	33.60	8.34	7.61	2.23	5.78
	灣內站	0:04	24.03	50.89	33.39	8.36	11.29	2.5	26.0	
		3:04	23.49	50.52	33.13	8.31	10.26	2.6	19.3	
		6:04	23.36	50.82	33.35	8.27	9.63	2.7	24.9	
		9:04	23.13	50.65	33.23	8.29	9.95	2.1	17.9	
		12:14	23.44	51.16	33.62	8.43	12.06	2.9	17.0	
		15:04	23.89	50.99	33.49	8.45	12.71	6.2	32.1	
		18:04	23.83	50.88	33.41	8.39	11.64	5.4	23.4	
		21:04	23.50	51.38	33.78	8.43	11.64	3.4	27.7	
	日平均值			23.58	50.91	33.43	8.37	11.15	3.48	23.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月17日	蚵殼站	0:04	23.36	50.34	32.72	8.32	8.79	4.9	21.0	
		3:04	22.96	50.10	32.55	8.38	9.04	2.2	16.8	
		6:04	23.03	50.31	32.70	8.28	7.63	1.8	13.4	
		9:04	23.23	50.76	33.04	8.23	7.16	2.1	9.5	
		12:04	23.73	50.66	32.95	8.30	8.25	2.2	6.3	
		15:04	23.63	50.36	32.73	8.41	9.81	3.3	12.7	
		18:04	23.80	49.96	32.43	8.33	8.64	3.2	9.3	
		21:04	23.48	50.56	32.88	8.35	8.69	2.3	13.4	
	日平均值			23.40	50.38	32.75	8.33	8.50	2.75	12.80
	潮口站	0:04	23.14	50.89	33.43	8.33	7.33	6.6	11.8	
		3:04	22.82	50.68	33.28	8.41	7.99	1.9	8.2	
		6:04	22.73	50.57	33.20	8.41	7.82	1.7	10.6	
		9:04	22.90	51.17	33.64	8.30	6.91	0.0	0.4	
		12:04	23.30	50.95	33.47	8.37	7.74	0.7	1.0	
		15:04	23.42	50.94	33.46	8.40	7.96	1.9	3.6	
		18:04	23.34	50.02	32.78	8.36	7.43	0.2	1.4	
		21:04	23.19	51.13	33.61	8.37	7.28	0.0	4.0	
	日平均值			23.11	50.79	33.36	8.37	7.56	1.63	5.13
	灣內站	0:04	23.57	51.69	34.01	8.31	10.24	3.1	30.2	
		3:04	23.10	51.42	33.82	8.34	10.09	2.5	25.3	
		6:04	23.33	51.95	34.20	8.14	7.43	1.9	16.2	
		9:04	23.56	52.25	34.43	8.15	7.41	4.1	18.6	
		12:04	24.16	52.26	34.42	8.22	8.76	3.6	11.5	
		15:04	23.83	51.67	33.99	8.41	11.65	4.7	21.7	
		18:04	24.26	51.80	34.08	8.29	9.84	6.2	17.2	
		21:04	23.77	51.89	34.15	8.32	10.10	4.6	22.8	
	日平均值			23.70	51.87	34.14	8.27	9.44	3.84	20.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月18日	蚵殼站	0:04	23.17	50.50	32.84	8.38	8.94	3.2	9.4	
		3:04	23.17	50.59	32.91	8.33	8.15	3.6	12.8	
		6:04	22.95	50.41	32.78	8.31	7.80	3.1	6.1	
		9:04	23.07	50.62	32.93	8.29	7.63	2.6	4.8	
		12:04	23.80	49.70	32.24	8.30	9.22	1.7	9.6	
		15:04	23.79	49.91	32.39	8.38	9.86	2.0	13.9	
		18:04	24.03	50.09	32.51	8.38	9.77	2.5	18.3	
		21:04	23.88	50.32	32.68	8.33	8.73	2.9	12.4	
	日平均值			23.48	50.27	32.66	8.34	8.76	2.70	10.91
	潮口站	0:04	22.81	50.93	33.46	8.42	7.59	2.6	1.0	
		3:04	22.86	51.05	33.55	8.40	7.41	2.4	12.4	
		6:04	22.71	50.71	33.31	8.43	7.47	2.6	5.0	
		9:04	22.95	51.12	33.60	8.37	7.02	1.2	0.9	
		12:04	23.49	51.13	33.60	8.36	7.15	2.2	0.7	
		15:04	23.78	51.11	33.58	8.39	7.78	1.4	1.4	
		18:04	23.71	51.02	33.51	8.37	7.45	1.3	0.5	
		21:04	23.60	51.29	33.72	8.37	7.16	1.6	2.5	
	日平均值			23.24	51.05	33.54	8.39	7.38	1.91	3.05
	灣內站	0:04	23.52	51.97	34.22	8.34	10.28	3.7	17.8	
		3:04	23.48	52.02	34.26	8.25	8.88	4.7	13.2	
		6:04	23.19	52.01	34.25	8.19	8.13	3.6	7.2	
		9:04	23.19	52.02	34.26	8.21	8.24	3.9	8.7	
		12:04	23.83	52.04	34.26	8.32	9.77	4.2	17.7	
		15:04	24.27	51.05	33.52	8.41	12.39	4.1	29.7	
		18:04	24.34	51.02	33.50	8.38	12.09	3.7	36.1	
		21:04	24.16	51.20	33.64	8.29	10.29	4.1	22.3	
	日平均值			23.75	51.67	33.99	8.30	10.01	4.00	19.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月19日	蚵殼站	0:04	23.71	50.71	32.97	8.36	8.79	2.3	8.2	
		3:04	23.27	50.36	32.72	8.38	8.61	1.9	11.2	
		6:04	23.28	50.21	32.61	8.38	8.34	1.9	15.2	
		9:04	23.27	50.41	32.76	8.33	7.89	1.9	5.5	
		12:04	24.03	50.25	32.62	8.32	8.32	1.8	4.8	
		15:04	24.35	50.40	32.73	8.34	8.91	2.7	10.1	
		18:04	24.25	50.20	32.59	8.38	9.46	3.0	15.0	
		21:04	24.12	50.50	32.81	8.34	8.60	1.2	5.0	
	日平均值			23.79	50.38	32.73	8.35	8.62	2.09	9.38
	潮口站	0:04	23.46	51.28	33.71	8.41	7.57	1.2	0.6	
		3:04	22.94	50.63	33.24	8.52	8.52	1.1	7.0	
		6:04	23.18	50.30	32.99	8.59	9.07	0.9	12.6	
		9:04	23.20	50.69	33.28	8.45	7.58	1.2	0.0	
		12:04	23.67	51.18	33.63	8.38	7.21	0.3	0.7	
		15:04	23.98	51.29	33.71	8.39	7.56	1.1	1.0	
		18:04	23.94	51.12	33.59	8.46	8.29	0.8	2.1	
		21:04	23.87	51.14	33.60	8.36	7.16	0.0	1.2	
	日平均值			23.53	50.95	33.47	8.45	7.87	0.83	3.15
	灣內站	0:04	23.95	51.99	34.23	8.31	10.00	3.3	15.8	
		3:04	23.59	51.94	34.20	8.24	8.70	2.6	15.3	
		6:04	23.37	51.97	34.22	8.17	7.60	2.8	17.9	
		9:04	23.33	51.99	34.24	8.20	8.19	2.7	11.0	
		12:04	24.39	51.17	33.61	8.26	9.43	3.4	8.9	
		15:04	24.71	51.37	33.75	8.29	10.26	4.3	19.2	
		18:04	24.56	51.13	33.58	8.30	10.62	5.1	27.8	
		21:04	24.37	51.72	34.02	8.31	10.04	2.4	8.7	
	日平均值			24.03	51.66	33.98	8.26	9.36	3.33	15.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月20日	蚵殼站	0:04	23.78	51.22	33.66	8.36	7.10	0.5	0.5	
		3:04	23.62	51.24	33.68	8.38	7.18	1.6	3.9	
		6:04	23.34	50.80	33.36	8.42	7.45	2.9	4.9	
		9:04	23.27	50.79	33.36	8.40	7.24	2.2	5.2	
		12:04	23.58	51.23	33.67	8.38	7.22	1.0	0.8	
		15:04	23.77	51.16	33.62	8.37	7.12	0.4	6.1	
		18:04	23.61	51.12	33.59	8.43	7.76	2.0	2.3	
		21:04	23.50	51.01	33.51	8.45	7.89	0.6	5.6	
	日平均值			23.56	51.07	33.56	8.40	7.37	1.40	3.66
	潮口站	0:04	23.78	51.22	33.66	8.36	7.10	0.5	0.5	
		3:04	23.62	51.24	33.68	8.38	7.18	1.6	3.9	
		6:04	23.34	50.80	33.36	8.42	7.45	2.9	4.9	
		9:04	23.27	50.79	33.36	8.40	7.24	2.2	5.2	
		12:04	23.58	51.23	33.67	8.38	7.22	1.0	0.8	
		15:04	23.77	51.16	33.62	8.37	7.12	0.4	6.1	
		18:04	23.61	51.12	33.59	8.43	7.76	2.0	2.3	
		21:04	23.50	51.01	33.51	8.45	7.89	0.6	5.6	
	日平均值			23.56	51.07	33.56	8.40	7.37	1.40	3.66
	灣內站	0:04	24.07	51.75	34.05	8.23	8.59	3.0	13.0	
		3:04	23.79	51.86	34.13	8.20	7.78	2.4	11.5	
		6:04	23.62	51.84	34.12	8.18	7.94	3.1	7.3	
		9:04	23.53	51.86	34.14	8.11	6.98	4.4	4.6	
		12:04	23.99	51.78	34.07	8.31	9.89	2.1	7.5	
		15:04	24.23	51.59	33.92	8.38	11.14	3.4	16.6	
		18:04	24.08	51.36	33.76	8.35	11.10	3.5	25.6	
		21:04	23.92	51.10	33.57	8.25	9.65	3.3	24.3	
	日平均值			23.90	51.64	33.97	8.25	9.13	3.15	13.80
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月21日	蚵殼站	0:04	23.62	50.18	32.58	8.38	7.00	0.9	4.0	
		3:04	23.61	50.17	32.58	8.38	6.94	0.6	6.6	
		6:04	23.53	49.43	32.06	8.33	6.89	0.8	6.1	
		9:04	23.13	49.30	31.97	8.30	6.67	1.0	9.2	
		12:04	23.49	49.69	32.24	8.33	7.46	1.9	11.6	
		15:04	23.59	49.30	31.96	8.34	7.42	1.3	6.9	
		18:04	23.45	50.13	32.55	8.32	6.46	2.1	7.5	
		21:04	23.34	49.82	32.34	8.39	7.57	1.6	11.5	
	日平均值			23.47	49.75	32.29	8.35	7.05	1.28	7.93
	潮口站	0:04	23.44	51.08	33.56	8.37	6.98	5.1	0.4	
		3:04	23.37	51.15	33.61	8.37	7.06	3.3	2.9	
		6:04	23.05	51.07	33.56	8.42	7.43	3.7	1.6	
		9:04	22.78	50.97	33.49	8.37	6.97	2.1	4.2	
		12:04	23.15	51.26	33.70	8.38	7.37	0.5	9.5	
		15:04	23.39	51.32	33.74	8.39	7.49	0.4	4.8	
		18:04	23.22	51.22	33.67	8.42	7.81	1.1	3.4	
		21:04	22.87	50.86	33.41	8.44	7.89	5.5	12.7	
	日平均值			23.16	51.12	33.59	8.40	7.38	2.71	4.94
	灣內站	0:04	23.73	51.73	34.04	8.27	9.10	2.3	13.6	
		3:04	23.52	51.83	34.12	8.27	8.78	3.2	14.5	
		6:04	23.34	51.80	34.10	8.22	8.14	6.1	17.1	
		9:04	23.20	51.78	34.08	8.22	8.24	5.1	9.5	
		12:04	23.57	51.41	33.81	8.23	8.72	3.7	7.5	
		15:04	23.43	50.69	33.27	8.30	10.85	3.7	20.5	
		18:04	23.47	51.06	33.55	8.24	9.75	3.1	30.9	
		21:04	23.22	50.79	33.35	8.24	9.85	3.5	25.2	
	日平均值			23.44	51.39	33.79	8.25	9.18	3.84	17.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月22日	蚵殼站	0:04	23.27	49.88	32.38	8.36	7.36	1.2	8.3	
		3:04	23.08	50.03	32.49	8.32	6.66	1.2	10.7	
		6:04	22.93	49.75	32.29	8.30	6.23	2.0	10.9	
		9:04	22.76	48.83	31.64	8.31	6.22	1.4	13.9	
		12:04	23.01	49.75	32.29	8.38	7.23	1.2	7.7	
		15:04	23.13	49.80	32.32	8.38	7.79	1.4	6.6	
		18:04	23.07	49.97	32.45	8.33	6.52	1.5	11.6	
		21:04	22.91	50.07	32.52	8.36	6.80	2.1	15.9	
	日平均值			23.02	49.76	32.30	8.34	6.85	1.50	10.70
	潮口站	0:04	22.75	50.85	33.40	8.45	7.98	1.2	0.5	
		3:04	22.78	50.94	33.47	8.38	7.22	1.4	5.2	
		6:04	22.58	50.93	33.47	8.39	7.26	2.0	8.0	
		9:04	22.18	50.83	33.40	8.42	7.49	4.0	1.1	
		12:04	23.28	51.39	33.80	8.41	7.40	0.8	3.6	
		15:04	23.77	51.22	33.66	8.39	7.28	11.2	4.1	
		18:04	23.52	51.34	33.75	8.40	7.41	1.4	0.9	
		21:04	23.05	51.05	33.55	8.41	7.76	3.0	2.5	
	日平均值			22.99	51.07	33.56	8.41	7.48	3.13	3.24
	灣內站	0:04	23.08	51.57	33.93	8.18	8.07	4.4	15.3	
		3:04	22.94	51.80	34.10	8.13	7.23	4.3	12.4	
		6:04	22.71	51.67	34.01	8.18	7.90	4.1	16.7	
		9:04	22.67	51.73	34.05	8.14	7.41	4.3	9.9	
		12:04	22.81	51.63	33.98	8.20	8.29	4.9	14.2	
		15:04	22.97	51.32	33.74	8.28	10.32	3.8	20.7	
		18:04	22.81	51.16	33.63	8.23	9.91	3.4	28.3	
		21:04	23.00	51.34	33.76	8.15	8.68	3.7	19.8	
	日平均值			22.87	51.53	33.90	8.19	8.48	4.11	17.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月23日	蚵殼站	0:04	22.38	49.22	31.93	8.30	6.40	1.3	9.1	
		3:04	22.58	49.82	32.35	8.26	6.30	1.6	12.4	
		6:04	22.25	49.31	31.99	8.30	5.87	1.0	9.1	
		9:04	22.48	49.72	32.27	8.25	5.84	0.9	11.1	
		12:04	23.11	50.11	32.55	8.31	7.22	1.0	10.8	
		15:04	23.10	49.57	32.16	8.30	6.82	1.2	10.0	
		18:04	23.04	50.33	32.70	8.26	6.87	1.9	7.5	
		21:04	22.89	50.40	32.76	8.26	5.87	0.5	5.3	
	日平均值			22.73	49.81	32.34	8.28	6.40	1.18	9.41
	潮口站	0:04	22.85	51.02	33.53	8.39	7.62	2.9	7.1	
		3:04	22.72	51.00	33.52	8.36	7.18	1.0	3.7	
		6:04	22.72	51.03	33.54	8.36	7.10	1.4	1.9	
		9:04	22.32	50.89	33.44	8.40	7.55	4.0	4.0	
		12:04	22.93	51.04	33.54	8.36	7.24	1.6	0.6	
		15:04	23.81	50.47	33.11	8.29	7.30	0.6	1.1	
		18:04	23.46	51.03	33.53	8.32	7.47	0.1	3.1	
		21:04	22.77	50.81	33.38	8.34	8.03	2.5	8.9	
	日平均值			22.95	50.91	33.45	8.35	7.44	1.76	3.80
	灣內站	0:04	22.74	51.48	33.87	8.08	7.61	3.9	14.4	
		3:04	22.65	51.99	34.25	8.14	7.49	3.9	10.9	
		6:04	22.56	52.09	34.32	8.09	6.53	3.4	5.8	
		9:04	21.98	51.35	33.78	8.14	8.00	3.1	12.1	
		12:04	22.42	51.35	33.78	8.20	9.46	3.4	8.5	
		15:04	22.85	51.80	34.11	8.27	10.13	3.3	15.7	
		18:04	22.76	51.78	34.09	8.24	9.81	2.9	27.0	
		21:04	22.79	51.47	33.86	8.19	9.20	3.5	19.8	
	日平均值			22.59	51.66	34.01	8.17	8.53	3.43	14.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月24日	蚵殼站	0:04	22.32	49.30	31.98	8.18	6.67	0.8	13.3	
		3:04	22.36	49.19	31.90	8.19	6.39	0.6	12.9	
		6:04	22.16	49.45	32.09	8.14	5.98	2.4	11.0	
		9:04	22.50	49.74	32.29	8.18	6.23	1.7	6.4	
		12:04	23.01	50.07	32.51	8.27	7.69	0.6	12.5	
		15:04	23.06	50.12	32.56	8.23	6.99	0.6	8.0	
		18:04	22.86	50.01	32.48	8.22	6.63	0.8	1.4	
		21:04	22.76	50.11	32.55	8.29	6.48	0.9	7.2	
	日平均值			22.63	49.75	32.30	8.21	6.63	1.05	9.09
	潮口站	0:04	22.89	50.91	33.45	8.31	7.65	2.9	3.5	
		3:04	22.73	50.86	33.41	8.31	7.22	3.8	1.0	
		6:04	22.91	51.08	33.57	8.33	7.23	1.5	1.7	
		9:04	22.19	50.81	33.38	8.33	7.48	1.9	3.4	
		12:04	22.98	51.08	33.57	8.29	7.19	1.5	1.8	
		15:04	23.45	51.19	33.64	8.32	7.63	1.9	2.0	
		18:04	23.37	51.19	33.65	8.34	7.41	0.9	2.2	
		21:04	22.81	50.86	33.41	8.35	7.66	4.6	1.6	
	日平均值			22.92	51.00	33.51	8.32	7.43	2.38	2.15
	灣內站	0:04	22.69	51.54	33.92	8.18	8.91	4.6	16.5	
		3:04	22.65	52.07	34.30	8.17	8.18	3.5	13.6	
		6:04	22.58	52.11	34.34	8.10	7.05	3.4	5.2	
		9:04	22.59	52.03	34.28	8.15	7.69	4.5	9.2	
		12:04	22.85	51.80	34.10	8.25	9.70	3.2	17.0	
		15:04	22.91	51.30	33.73	8.23	10.05	2.9	11.6	
		18:04	22.84	51.82	34.12	8.28	10.46	2.9	21.4	
		21:04	22.81	51.37	33.79	8.22	9.63	3.2	23.8	
	日平均值			22.74	51.76	34.07	8.20	8.96	3.53	14.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月25日	蚵殼站	0:04	22.65	49.96	32.44	8.29	7.31	1.2	14.3	
		3:04	22.53	48.98	31.75	8.36	6.75	0.9	17.2	
		6:04	22.38	50.01	32.49	8.29	6.36	1.0	10.0	
		9:04	22.21	49.86	32.38	8.28	6.79	1.0	14.3	
		12:04	22.52	49.40	32.05	8.35	7.77	0.8	16.6	
		15:04	22.92	50.20	32.61	8.29	7.66	1.4	9.8	
		18:04	22.85	50.29	32.67	8.33	7.53	2.1	11.5	
		21:04	22.81	50.21	32.62	8.35	7.55	0.9	8.3	
	日平均值			22.61	49.86	32.38	8.32	7.22	1.16	12.75
	潮口站	0:04	22.82	50.99	33.51	8.34	7.54	7.9	5.9	
		3:04	22.67	50.98	33.50	8.30	7.07	4.6	4.0	
		6:04	22.81	51.03	33.54	8.31	7.12	3.9	4.2	
		9:04	22.78	51.01	33.52	8.32	7.15	1.6	3.7	
		12:04	23.08	51.02	33.53	8.28	7.12	3.1	0.6	
		15:04	24.41	51.05	33.52	8.29	7.19	0.1	3.5	
		18:04	24.31	50.79	33.33	8.28	7.00	0.5	0.5	
		21:04	23.39	50.95	33.47	8.26	7.11	4.6	4.2	
	日平均值			23.28	50.98	33.49	8.30	7.16	3.29	3.33
	灣內站	0:04	22.61	51.64	33.99	8.15	8.57	4.1	13.6	
		3:04	22.61	52.07	34.30	8.11	7.27	4.3	12.6	
		6:04	22.43	51.92	34.20	8.05	6.88	3.1	5.3	
		9:04	22.15	51.66	34.01	8.15	8.11	3.2	13.2	
		12:04	22.33	51.49	33.88	8.26	10.21	3.8	22.2	
		15:04	22.82	51.25	33.70	8.31	11.53	4.2	20.7	
		18:04	22.73	51.77	34.08	8.30	11.10	3.4	23.3	
		21:04	22.70	52.21	34.41	8.24	9.64	3.7	21.6	
	日平均值			22.55	51.75	34.07	8.20	9.16	3.73	16.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月26日	蚵殼站	0:04	22.61	50.10	32.54	8.30	7.54	1.4	9.9	
		3:04	22.50	50.12	32.56	8.30	6.76	2.0	6.1	
		6:04	22.16	49.91	32.42	8.31	6.50	2.2	6.9	
		9:04	22.05	50.19	32.62	8.34	6.30	1.2	3.5	
		12:04	22.33	49.21	31.92	8.20	7.46	0.8	5.8	
		15:04	22.76	50.04	32.50	8.35	8.51	3.7	10.9	
		18:04	22.98	50.34	32.71	8.36	7.22	1.2	4.9	
		21:04	22.90	50.36	32.72	8.34	6.78	0.9	6.7	
	日平均值			22.54	50.03	32.50	8.31	7.13	1.68	6.84
	潮口站	0:04	22.91	50.93	33.46	8.26	7.02	5.1	5.3	
		3:04	22.70	50.87	33.42	8.25	6.89	2.8	5.3	
		6:04	23.55	51.22	33.67	8.29	6.94	2.3	2.5	
		9:04	23.72	51.31	33.73	8.31	6.86	0.9	1.9	
		12:04	23.87	51.26	33.69	8.30	6.94	1.2	3.7	
		15:04	24.68	51.25	33.66	8.29	7.12	6.1	4.2	
		18:04	24.48	50.74	33.29	8.29	7.06	0.2	0.6	
		21:04	23.28	50.94	33.46	8.27	7.20	5.6	3.8	
	日平均值			23.65	51.07	33.55	8.28	7.00	3.03	3.41
	灣內站	0:04	22.40	52.38	34.54	8.09	7.47	4.3	11.1	
		3:04	22.31	52.27	34.46	8.15	8.21	4.5	18.5	
		6:04	22.05	52.22	34.43	8.15	8.28	4.8	16.3	
		9:04	21.75	51.66	34.01	8.14	8.48	4.3	14.7	
		12:04	22.50	51.66	34.01	8.23	9.88	2.9	13.1	
		15:04	22.77	50.94	33.47	8.29	11.42	4.2	17.4	
		18:04	22.65	51.28	33.72	8.29	11.17	3.6	25.3	
		21:04	22.56	51.81	34.12	8.18	8.76	3.2	20.2	
	日平均值			22.37	51.78	34.10	8.19	9.21	3.98	17.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月27日	蚵殼站	0:04	22.48	49.81	32.34	8.41	7.72	1.2	14.4	
		3:04	22.27	49.83	32.36	8.41	7.15	0.9	11.6	
		6:04	22.10	49.65	32.23	8.41	6.62	0.8	5.9	
		9:04	22.08	49.95	32.45	8.45	6.64	0.3	5.6	
		12:04	22.50	48.97	31.75	8.39	7.59	0.6	5.3	
		15:04	23.46	50.25	32.64	8.37	7.37	1.1	3.7	
		18:04	23.41	50.51	32.83	8.40	6.72	1.7	5.7	
		21:04	22.59	50.04	32.50	8.44	7.43	0.9	7.6	
	日平均值			22.61	49.88	32.39	8.41	7.16	0.94	7.48
	潮口站	0:04	23.27	51.05	33.54	8.27	6.98	4.9	0.3	
		3:04	23.10	50.94	33.47	8.24	6.80	3.0	0.5	
		6:04	23.52	51.15	33.62	8.28	6.91	3.0	1.8	
		9:04	23.58	51.24	33.68	8.29	6.86	3.2	3.2	
		12:04	23.66	51.18	33.63	8.27	6.91	3.3	0.4	
		15:04	24.51	51.39	33.77	8.29	7.07	1.5	5.5	
		18:04	24.45	51.27	33.69	8.29	7.05	0.4	4.0	
		21:04	23.95	51.30	33.72	8.28	7.04	3.8	4.8	
	日平均值			23.76	51.19	33.64	8.28	6.95	2.89	2.56
	灣內站	0:04	22.39	51.55	33.92	8.18	8.70	3.5	15.8	
		3:04	22.16	51.31	33.76	8.11	8.01	4.2	14.3	
		6:04	21.80	50.55	33.20	8.19	9.03	3.4	15.2	
		9:04	21.63	50.11	32.88	8.17	9.15	3.3	12.1	
		12:04	22.54	50.26	32.97	8.26	10.18	2.6	8.7	
		15:04	22.82	50.63	33.23	8.32	11.11	3.0	11.8	
		18:04	22.79	50.83	33.39	8.29	10.40	2.4	12.9	
		21:04	22.87	50.75	33.32	8.28	10.21	2.5	11.0	
	日平均值			22.38	50.75	33.33	8.23	9.60	3.11	12.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月28日	蚵殼站	0:04	22.56	49.43	32.07	8.46	7.38	0.8	9.8	
		3:04	22.35	49.26	31.95	8.46	7.23	0.4	8.5	
		6:04	22.15	49.64	32.22	8.41	6.27	1.2	2.7	
		9:04	22.15	49.47	32.10	8.43	7.01	0.6	9.2	
		12:04	22.70	48.59	31.48	8.40	7.69	1.4	4.9	
		15:04	23.18	50.07	32.51	8.34	5.92	1.4	5.9	
		18:04	23.01	50.31	32.69	8.34	5.81	1.8	5.9	
		21:04	23.03	50.23	32.63	8.33	5.64	0.7	3.5	
	日平均值			22.64	49.63	32.21	8.40	6.62	1.04	6.30
	潮口站	0:04	23.46	51.11	33.58	8.27	7.02	5.1	0.2	
		3:04	22.31	50.25	32.97	8.31	7.88	2.5	7.7	
		6:04	23.47	51.02	33.52	8.27	7.04	3.4	4.4	
		9:04	23.85	51.28	33.70	8.30	7.03	1.8	1.6	
		12:04	23.31	50.80	33.36	8.30	7.37	5.9	1.9	
		15:04	24.39	51.24	33.66	8.28	7.06	3.2	2.9	
		18:04	24.31	51.20	33.64	8.28	7.00	0.9	0.2	
		21:04	24.12	51.23	33.66	8.29	7.01	2.2	0.1	
	日平均值			23.65	51.02	33.51	8.29	7.18	3.13	2.38
	灣內站	0:04	22.50	51.01	33.52	8.17	8.61	2.4	4.9	
		3:04	22.33	51.47	33.86	8.07	7.21	2.5	4.0	
		6:04	22.08	51.07	33.57	8.18	8.95	2.5	9.2	
		9:04	22.19	51.28	33.72	8.21	9.23	2.3	7.1	
		12:04	22.66	50.56	33.19	8.25	10.08	3.1	6.3	
		15:04	22.87	51.06	33.55	8.29	10.67	4.1	13.6	
		18:04	22.91	51.72	34.03	8.24	9.67	4.1	12.5	
		21:04	22.89	51.34	33.76	8.22	9.43	3.8	12.6	
	日平均值			22.55	51.19	33.65	8.20	9.23	3.10	8.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月29日	蚵殼站	0:04	22.66	49.61	32.20	8.41	7.13	1.6	6.4	
		3:04	22.52	49.60	32.19	8.40	6.54	1.0	0.9	
		6:04	22.53	49.81	32.34	8.36	5.90	3.6	1.2	
		9:04	22.33	49.70	32.26	8.41	6.16	0.3	3.8	
		12:04	23.23	49.40	32.04	8.43	6.84	0.6	4.4	
		15:04	23.45	50.22	32.62	8.40	6.51	2.3	0.2	
		18:04	23.32	50.25	32.64	8.33	6.42	0.6	1.6	
		21:04	23.44	50.39	32.74	8.33	5.26	0.6	8.3	
	日平均值			22.94	49.87	32.38	8.38	6.35	1.33	3.35
	潮口站	0:04	23.64	51.17	33.62	8.26	6.76	8.2	2.6	
		3:04	22.31	50.01	32.79	8.30	7.59	2.4	6.8	
		6:04	23.26	50.85	33.40	8.27	6.84	5.4	0.2	
		9:04	23.62	51.10	33.57	8.30	6.94	3.7	4.3	
		12:04	23.10	50.17	32.90	8.34	7.72	2.9	0.4	
		15:04	24.43	50.91	33.42	8.30	7.16	2.9	0.2	
		18:04	24.37	51.08	33.54	8.32	7.11	0.8	1.8	
		21:04	24.25	51.14	33.59	8.33	7.04	1.3	1.7	
	日平均值			23.62	50.80	33.35	8.30	7.15	3.45	2.25
	灣內站	0:04	22.78	50.96	33.47	8.24	9.54	3.0	10.5	
		3:04	22.65	51.59	33.94	8.11	7.79	2.7	5.2	
		6:04	22.76	51.76	34.06	8.07	7.18	2.5	4.9	
		9:04	22.60	51.69	34.01	8.07	7.28	2.7	2.9	
		12:04	23.30	50.17	32.90	8.15	8.85	3.1	3.6	
		15:04	23.78	51.04	33.52	8.20	9.65	3.6	9.0	
		18:04	23.55	51.67	33.99	8.20	9.56	3.4	15.0	
		21:04	23.51	52.10	34.30	8.19	8.98	2.9	9.4	
	日平均值			23.12	51.37	33.77	8.15	8.60	2.99	7.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月30日	蚵殼站	0:04	23.45	49.41	32.04	8.36	6.26	0.4	4.4	
		3:04	22.98	49.52	32.13	8.40	6.51	0.9	0.3	
		6:04	22.87	49.53	32.14	8.38	6.00	1.0	5.1	
		9:04	22.82	49.57	32.16	8.40	6.32	0.2	6.1	
		12:04	23.53	49.82	32.33	8.40	6.71	0.6	5.7	
		15:04	24.20	50.43	32.75	8.36	5.89	1.9	0.7	
		18:04	24.08	50.55	32.84	8.36	5.61	3.8	3.3	
		21:04	24.01	50.02	32.47	8.36	5.93	1.4	4.5	
	日平均值			23.49	49.86	32.36	8.38	6.15	1.28	3.76
	潮口站	0:04	23.72	50.86	33.40	8.29	6.87	4.3	0.7	
		3:04	23.43	50.57	33.19	8.29	7.22	2.2	3.5	
		6:04	23.65	50.82	33.37	8.29	6.91	2.4	2.3	
		9:04	23.78	51.01	33.50	8.29	6.78	1.0	0.6	
		12:04	23.81	50.66	33.25	8.30	7.18	4.8	2.1	
		15:04	24.05	50.51	33.13	8.30	7.34	2.6	1.4	
		18:04	24.12	51.06	33.54	8.33	7.03	2.5	1.6	
		21:04	24.08	51.07	33.54	8.33	6.98	0.3	1.2	
	日平均值			23.83	50.82	33.37	8.30	7.04	2.51	1.68
	灣內站	0:04	23.67	51.95	34.19	8.10	7.46	4.5	6.4	
		3:04	23.10	51.48	33.85	8.14	8.41	2.5	7.6	
		6:04	23.05	51.95	34.20	8.08	7.39	2.0	6.7	
		9:04	23.23	51.57	33.93	8.04	6.85	2.7	4.4	
		12:04	23.75	50.17	32.89	8.17	9.26	3.0	7.9	
		15:04	24.38	50.57	33.17	8.17	9.25	4.1	8.9	
		18:04	23.83	51.44	33.82	8.16	8.89	3.0	5.5	
		21:04	23.71	51.56	33.91	8.20	9.18	3.1	6.1	
	日平均值			23.59	51.34	33.75	8.13	8.34	3.11	6.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月31日	蚵殼站	0:04	23.80	50.17	32.57	8.42	6.41	0.2	1.1	
		3:04	23.63	50.06	32.50	8.36	6.55	0.3	5.2	
		6:04	23.45	49.51	32.11	8.38	6.34	0.0	5.5	
		9:04	23.37	50.02	32.47	8.30	5.93	0.0	7.1	
		12:04	23.59	49.86	32.36	8.27	7.35	0.1	10.2	
		15:04	23.69	49.95	32.42	8.27	7.28	0.8	7.0	
		18:04	23.68	50.34	32.70	8.15	5.56	0.1	3.6	
		21:04	23.60	50.36	32.72	8.16	5.40	0.2	0.2	
	日平均值			23.60	50.03	32.48	8.29	6.35	0.21	4.99
	潮口站	0:04	23.74	50.72	33.29	8.30	6.96	5.0	2.2	
		3:04	23.69	50.40	33.05	8.30	7.23	1.5	1.6	
		6:04	23.53	50.51	33.14	8.27	6.71	3.4	0.9	
		9:04	23.60	50.97	33.48	8.31	6.85	2.9	1.8	
		12:04	23.55	50.67	33.26	8.28	6.89	2.2	2.2	
		15:04	23.58	50.54	33.17	8.32	7.43	1.1	2.2	
		18:04	23.60	50.97	33.48	8.31	6.89	3.8	1.1	
		21:04	23.74	50.91	33.43	8.32	6.96	0.2	0.8	
	日平均值			23.63	50.71	33.29	8.30	6.99	2.51	1.60
	灣內站	0:04	23.62	51.42	33.82	8.15	8.32	2.7	6.4	
		3:04	23.36	51.86	34.14	8.08	7.31	2.5	3.8	
		6:04	23.29	51.80	34.11	7.98	6.16	2.4	2.5	
		9:04	23.12	51.28	33.73	8.06	7.00	2.8	3.0	
		12:04	23.36	50.74	33.33	8.18	9.16	3.5	14.1	
		15:04	23.60	50.14	32.88	8.21	10.34	3.5	23.1	
		18:04	23.50	51.12	33.61	8.22	10.14	2.6	5.8	
		21:04	23.50	51.06	33.57	8.23	10.11	2.6	13.8	
	日平均值			23.42	51.18	33.65	8.14	8.57	2.83	9.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月1日	蚵殼站	0:04	23.53	50.31	32.68	8.22	5.49	0.3	3.5	
		3:04	23.21	49.52	32.13	8.22	6.22	0.7	0.5	
		6:04	23.28	49.96	32.45	8.18	5.12	0.1	1.7	
		9:04	23.19	49.98	32.47	8.23	5.77	0.5	3.8	
		12:04	23.40	49.85	32.38	8.19	5.68	0.4	2.9	
		15:04	23.68	50.28	32.69	8.14	6.88	0.5	0.7	
		18:04	23.67	50.43	32.81	8.14	5.95	0.5	4.0	
		21:04	23.72	50.47	32.84	8.17	6.30	0.2	5.2	
	日平均值			23.46	50.10	32.56	8.19	5.93	0.40	2.79
	潮口站	0:04	23.43	50.62	33.22	8.31	7.09	2.3	5.1	
		3:04	23.07	50.28	32.98	8.33	7.69	0.6	2.8	
		6:04	23.11	50.33	33.01	8.29	7.07	1.2	4.0	
		9:04	23.41	50.95	33.46	8.31	6.99	1.8	0.5	
		12:04	23.34	50.57	33.19	8.32	7.24	0.8	4.7	
		15:04	23.46	50.09	32.82	8.36	8.07	2.1	9.1	
		18:04	23.73	50.43	33.07	8.32	7.16	0.8	3.1	
		21:04	23.61	49.59	32.46	8.30	6.97	0.5	3.6	
	日平均值			23.40	50.36	33.03	8.32	7.29	1.26	4.11
	灣內站	0:04	23.47	51.25	33.72	8.19	9.10	1.9	8.9	
		3:04	23.37	51.12	33.61	8.11	7.92	2.2	9.9	
		6:04	23.33	50.87	33.44	8.03	6.17	2.0	8.1	
		9:04	23.38	51.15	33.64	8.06	7.11	2.9	11.4	
		12:04	23.61	50.83	33.41	8.11	7.87	3.1	18.2	
		15:04	23.59	50.05	32.85	8.28	10.83	2.7	28.3	
		18:04	23.71	49.73	32.62	8.17	9.26	3.9	37.7	
		21:04	23.59	49.96	32.78	8.16	8.90	2.2	13.5	
	日平均值			23.51	50.62	33.26	8.14	8.40	2.61	17.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月2日	蚵殼站	0:04	23.54	50.43	32.82	8.15	5.50	0.2	0.4	
		3:04	23.51	49.74	32.33	8.10	5.49	0.2	7.1	
		6:04	23.42	50.05	32.57	8.18	5.44	0.3	1.3	
		9:04	23.43	49.62	32.26	8.14	5.52	0.4	3.2	
		12:04	23.75	50.29	32.75	8.08	5.26	0.3	0.7	
		15:04	23.80	50.44	32.86	8.17	6.36	0.2	3.4	
		18:04	23.67	49.72	32.36	8.19	6.44	0.1	3.7	
		21:04	23.55	50.52	32.94	8.15	5.56	0.9	0.5	
	日平均值			23.58	50.10	32.61	8.15	5.70	0.33	2.54
	潮口站	0:04	23.64	50.63	33.22	8.32	7.01	3.2	0.6	
		3:04	23.11	50.67	33.26	8.28	6.86	6.0	1.5	
		6:04	23.21	50.54	33.16	8.30	6.80	3.4	1.0	
		9:04	23.37	50.95	33.45	8.32	6.97	2.8	2.7	
		12:04	23.75	51.13	33.57	8.34	7.14	1.9	3.2	
		15:04	24.15	50.80	33.32	8.31	7.19	6.4	0.0	
		18:04	23.73	50.80	33.34	8.30	6.93	2.3	2.6	
		21:04	23.79	50.82	33.35	8.34	7.22	1.2	2.3	
	日平均值			23.59	50.79	33.33	8.31	7.02	3.40	1.74
	灣內站	0:04	23.50	50.18	32.95	8.16	9.34	2.1	21.1	
		3:04	23.38	50.02	32.83	8.08	7.81	2.2	8.5	
		6:04	23.38	49.81	32.68	8.03	7.05	2.1	7.9	
		9:04	23.27	50.34	33.06	8.07	7.62	6.4	11.7	
		12:04	23.62	49.77	32.64	8.20	10.25	3.5	26.7	
		15:04	24.14	50.01	32.80	8.32	12.34	2.8	26.9	
		18:04	23.99	50.08	32.86	8.28	11.34	3.9	12.6	
		21:04	23.77	50.40	33.08	8.26	10.50	2.5	16.9	
	日平均值			23.63	50.08	32.86	8.18	9.53	3.19	16.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月3日	蚵殼站	0:04	23.43	50.72	33.09	8.16	4.78	2.1	3.6	
		3:04	23.38	50.49	32.93	8.24	6.73	0.6	0.8	
		6:04	23.29	50.58	33.00	8.17	6.93	1.6	9.7	
		9:04	23.27	49.96	32.57	8.18	6.53	0.9	4.9	
		12:04	23.69	49.82	32.46	8.26	8.74	0.4	15.1	
		15:04	23.52	50.01	32.61	8.25	8.27	0.5	8.7	
		18:04	23.46	50.13	32.71	8.21	6.51	1.8	1.9	
		21:04	23.45	50.20	32.76	8.22	5.44	1.5	8.7	
	日平均值			23.44	50.24	32.77	8.21	6.74	1.18	6.68
	潮口站	0:04	23.74	50.87	33.38	8.32	6.99	0.3	2.8	
		3:04	23.37	51.05	33.51	8.33	7.11	3.9	0.1	
		6:04	23.08	50.78	33.31	8.31	6.99	4.9	0.3	
		9:04	23.37	51.02	33.49	8.34	7.09	0.7	1.6	
		12:04	23.84	51.17	33.59	8.35	7.22	0.6	3.2	
		15:04	23.96	51.16	33.58	8.35	7.34	2.5	3.1	
		18:04	23.57	51.03	33.49	8.32	7.16	2.8	0.5	
		21:04	23.80	51.07	33.52	8.33	7.12	0.2	1.6	
	日平均值			23.59	51.02	33.48	8.33	7.13	1.99	1.65
	灣內站	0:04	23.62	50.34	33.06	8.07	7.83	3.6	16.8	
		3:04	23.31	50.72	33.33	8.09	7.59	2.2	14.1	
		6:04	23.25	50.59	33.24	8.01	6.49	2.4	8.7	
		9:04	23.17	50.76	33.36	8.11	8.21	2.9	16.0	
		12:04	23.78	50.78	33.36	8.25	10.16	2.4	12.1	
		15:04	23.83	50.90	33.44	8.34	11.57	2.4	13.6	
		18:04	24.15	50.72	33.31	8.29	10.98	4.8	11.6	
		21:04	23.64	50.59	33.23	8.20	9.95	2.8	14.3	
	日平均值			23.59	50.68	33.29	8.17	9.10	2.94	13.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月4日	蚵殼站	0:04	23.34	50.66	33.10	8.16	5.20	0.7	3.3	
		3:04	23.24	50.67	33.12	8.28	5.82	0.6	0.7	
		6:04	23.22	50.33	32.87	8.26	6.21	0.3	3.7	
		9:04	23.10	50.31	32.88	8.35	6.84	0.6	13.3	
		12:04	23.15	50.00	32.66	8.29	7.54	0.7	11.8	
		15:04	23.33	50.46	33.00	8.32	6.98	0.8	7.6	
		18:04	23.25	50.71	33.18	8.30	6.18	0.4	4.0	
		21:04	23.19	50.83	33.27	8.23	5.14	1.1	3.2	
	日平均值			23.23	50.50	33.01	8.27	6.24	0.65	5.95
	潮口站	0:04	23.93	51.06	33.50	8.34	7.07	0.6	3.0	
		3:04	23.56	51.04	33.49	8.34	7.14	3.5	0.0	
		6:04	23.15	50.98	33.45	8.30	7.01	3.8	0.3	
		9:04	22.96	50.96	33.44	8.26	6.51	2.7	1.1	
		12:04	24.01	51.11	33.54	8.34	7.10	1.1	0.6	
		15:04	24.03	51.25	33.63	8.36	7.23	2.6	3.3	
		18:04	23.28	50.95	33.43	8.36	7.73	0.3	1.1	
		21:04	23.26	51.00	33.46	8.34	7.35	0.5	0.9	
	日平均值			23.52	51.04	33.49	8.33	7.14	1.89	1.29
	灣內站	0:04	23.58	50.51	33.17	8.11	8.37	2.6	13.0	
		3:04	23.50	50.93	33.47	8.16	8.57	3.3	10.4	
		6:04	23.35	51.11	33.60	8.09	7.50	2.6	6.3	
		9:04	23.25	50.90	33.45	8.08	7.54	2.5	6.1	
		12:04	23.19	50.93	33.48	8.26	10.21	3.4	29.5	
		15:04	23.28	50.51	33.18	8.36	12.56	3.4	37.0	
		18:04	23.31	50.52	33.18	8.28	11.07	2.6	24.2	
		21:04	23.24	50.24	32.99	8.30	11.53	3.0	18.1	
	日平均值			23.34	50.71	33.32	8.21	9.67	2.93	18.08
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月5日	蚵殼站	0:04	23.26	50.61	33.13	8.40	7.48	0.6	5.0	
		3:04	23.09	50.71	33.20	8.32	6.68	0.4	5.0	
		6:04	22.98	49.80	32.56	8.18	6.55	0.3	5.9	
		9:04	22.97	50.17	32.83	8.14	6.41	1.3	0.7	
		12:04	23.20	50.68	33.21	8.19	6.82	0.3	7.1	
		15:04	23.23	50.25	32.90	8.15	7.29	3.2	4.2	
		18:04	23.13	50.19	32.87	8.20	6.55	0.5	2.9	
		21:04	23.01	50.80	33.31	8.27	6.47	0.4	3.4	
	日平均值			23.11	50.40	33.00	8.23	6.78	0.88	4.28
	潮口站	0:04	23.93	51.25	33.63	8.35	7.14	0.3	1.3	
		3:04	23.84	51.28	33.65	8.34	6.98	0.7	0.2	
		6:04	23.15	51.17	33.59	8.33	7.08	1.6	3.9	
		9:04	22.99	51.47	33.80	8.30	6.82	2.8	0.8	
		12:04	24.02	51.60	33.88	8.34	7.13	2.9	3.4	
		15:04	24.13	51.71	33.96	8.35	7.06	1.5	4.1	
		18:04	23.28	51.30	33.68	8.40	8.26	1.1	7.9	
		21:04	23.69	51.67	33.95	8.33	7.20	4.7	4.6	
	日平均值			23.63	51.43	33.77	8.34	7.21	1.95	3.28
	灣內站	0:04	23.21	50.50	33.16	8.29	11.63	3.2	39.4	
		3:04	23.08	50.40	33.10	8.12	9.16	2.6	38.9	
		6:04	22.95	50.56	33.21	8.05	7.00	2.8	28.7	
		9:04	23.02	50.77	33.36	8.05	7.10	2.9	11.7	
		12:04	23.53	50.89	33.44	8.17	9.20	3.6	34.9	
		15:04	23.17	50.40	33.09	8.35	12.43	2.5	21.0	
		18:04	23.09	49.94	32.77	8.29	11.37	2.8	16.5	
		21:04	22.91	49.94	32.78	8.21	10.10	2.3	9.0	
	日平均值			23.12	50.43	33.11	8.19	9.75	2.84	25.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月6日	蚵殼站	0:04	23.01	50.90	33.40	8.16	6.18	0.6	3.9	
		3:04	23.00	50.62	33.20	8.37	8.23	0.1	2.6	
		6:04	23.01	50.52	33.13	8.26	6.70	0.6	3.4	
		9:04	22.95	50.23	32.94	8.24	7.04	0.0	3.0	
		12:04	23.49	50.43	33.08	8.28	7.32	0.4	0.1	
		15:04	23.66	50.59	33.20	8.22	7.65	3.1	5.9	
		18:04	23.64	50.76	33.33	8.25	6.95	0.3	0.7	
		21:04	23.56	50.96	33.48	8.22	6.87	0.1	6.9	
	日平均值			23.29	50.63	33.22	8.25	7.12	0.65	3.31
	潮口站	0:04	23.42	51.51	33.83	8.33	7.26	0.9	6.4	
		3:04	23.81	51.59	33.87	8.34	7.06	0.4	0.7	
		6:04	23.65	51.62	33.89	8.34	7.04	1.0	5.6	
		9:04	23.41	51.54	33.83	8.33	7.09	3.5	1.5	
		12:04	24.03	51.46	33.76	8.34	7.22	1.4	3.4	
		15:04	24.23	51.46	33.77	8.34	7.23	0.6	4.1	
		18:04	23.82	51.65	33.91	8.37	7.77	3.5	0.5	
		21:04	23.79	51.56	33.84	8.33	7.54	4.9	0.7	
	日平均值			23.77	51.55	33.84	8.34	7.28	2.03	2.86
	灣內站	0:04	22.88	50.11	32.90	8.11	8.85	2.2	6.7	
		3:04	23.05	50.58	33.24	8.06	7.65	2.9	9.9	
		6:04	22.84	50.93	33.48	7.99	6.58	2.7	16.3	
		9:04	22.79	50.79	33.37	8.04	7.84	2.3	14.3	
		12:04	23.36	50.56	33.22	8.29	11.06	2.4	9.6	
		15:04	23.78	50.73	33.32	8.28	10.78	3.2	17.6	
		18:04	23.79	50.40	33.08	8.21	10.15	2.5	10.7	
		21:04	23.33	49.71	32.60	8.24	10.66	2.0	4.6	
	日平均值			23.23	50.48	33.15	8.15	9.20	2.53	11.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月7日	蚵殼站	0:04	23.48	50.41	33.09	8.30	7.59	0.8	2.2	
		3:04	23.08	50.31	33.04	8.26	6.85	0.3	6.7	
		6:04	23.02	50.49	33.18	8.27	5.83	0.3	6.4	
		9:04	23.18	50.59	33.25	8.33	6.30	0.8	15.7	
		12:04	23.26	50.98	33.55	8.31	7.95	1.6	4.7	
		15:04	23.46	51.25	33.75	8.33	8.10	2.6	3.0	
		18:04	23.56	51.15	33.67	8.30	7.73	2.1	13.9	
		21:04	23.54	51.14	33.67	8.34	8.09	1.9	6.6	
	日平均值			23.32	50.79	33.40	8.31	7.31	1.30	7.40
	潮口站	0:04	23.54	51.50	33.80	8.32	7.19	5.6	3.5	
		3:04	23.62	51.64	33.90	8.33	7.02	2.2	1.5	
		6:04	23.56	51.68	33.92	8.33	6.98	1.1	2.4	
		9:04	23.64	51.70	33.94	8.34	6.99	2.5	4.9	
		12:34	24.02	52.13	34.32	8.34	7.29	6.6	1.0	
		15:04	24.22	50.97	33.46	8.34	7.34	1.9	0.7	
		18:04	24.02	51.69	34.00	8.36	7.39	2.4	0.5	
		21:04	23.82	51.78	34.07	8.34	7.33	9.1	4.7	
	日平均值			23.81	51.64	33.93	8.34	7.19	3.93	2.40
	灣內站	0:04	23.35	49.94	32.77	8.01	8.33	2.2	10.6	
		3:04	23.65	50.96	33.49	8.11	8.87	2.2	11.8	
		6:04	23.55	50.87	33.43	8.17	8.61	2.3	14.2	
		9:04	23.37	50.41	33.10	8.14	8.99	2.5	8.5	
		12:04	23.67	50.99	33.51	8.25	10.11	3.4	28.1	
		15:04	23.91	51.17	33.64	8.27	10.03	6.1	29.0	
		18:04	23.90	51.24	33.69	8.23	9.49	4.6	22.1	
		21:04	23.83	51.02	33.53	8.31	10.38	5.2	28.4	
	日平均值			23.65	50.83	33.40	8.19	9.35	3.56	19.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月8日	蚵殼站	0:04	23.43	51.17	33.69	8.35	8.15	2.5	11.8	
		3:04	23.29	51.21	33.72	8.32	7.78	3.2	10.1	
		6:04	23.16	51.21	33.73	8.23	6.61	3.0	3.1	
		9:04	23.10	51.23	33.74	8.25	6.93	4.2	0.6	
		12:04	23.62	51.03	33.58	8.55	10.65	2.7	29.8	
		15:04	23.92	51.30	33.78	8.40	9.03	3.3	24.2	
		18:04	23.90	51.53	33.95	8.34	8.00	5.3	2.7	
		21:04	23.66	51.48	33.92	8.35	7.87	4.8	7.1	
	日平均值			23.51	51.27	33.76	8.35	8.13	3.63	11.18
	潮口站	0:04	23.53	51.60	33.94	8.37	7.72	5.7	0.7	
		3:04	23.75	51.82	34.10	8.35	7.15	3.8	3.2	
		6:04	23.72	51.94	34.19	8.35	6.95	4.3	0.6	
		9:04	23.37	51.77	34.07	8.35	7.11	5.7	0.5	
		12:04	23.81	51.86	34.13	8.36	7.14	6.1	0.8	
		15:04	24.32	51.62	33.94	8.36	7.23	3.8	5.1	
		18:04	24.02	51.85	34.12	8.35	7.05	7.1	1.7	
		21:04	23.63	51.79	34.08	8.33	7.15	8.7	2.0	
	日平均值			23.77	51.78	34.07	8.35	7.19	5.65	1.83
	灣內站	0:04	23.66	50.86	33.42	8.28	9.90	3.9	23.0	
		3:04	23.53	51.17	33.65	8.15	8.20	5.8	22.5	
		6:04	23.41	51.29	33.74	8.14	7.95	7.6	33.5	
		9:04	23.30	51.29	33.74	8.18	8.40	7.8	42.3	
		12:04	24.33	51.32	33.75	8.32	10.69	5.1	6.9	
		15:04	24.13	51.32	33.75	8.33	10.89	5.8	19.9	
		18:04	23.79	51.30	33.74	8.27	9.63	8.5	20.0	
		21:04	23.65	51.28	33.73	8.28	9.56	8.2	18.9	
	日平均值			23.73	51.23	33.69	8.24	9.40	6.59	23.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月9日	蚵殼站	0:04	23.20	51.01	33.58	8.48	9.16	2.4	10.4	
		3:04	23.11	51.19	33.71	8.40	8.11	2.8	8.6	
		6:04	22.84	51.32	33.81	8.35	7.71	3.0	9.0	
		9:04	22.44	51.10	33.65	8.39	7.98	2.5	9.7	
		12:04	22.95	51.11	33.65	8.47	9.21	3.0	24.2	
		15:04	23.40	51.31	33.79	8.54	10.24	4.2	30.9	
		18:04	23.10	51.40	33.86	8.46	9.19	6.9	12.2	
		21:04	22.83	51.42	33.89	8.43	8.68	4.4	17.0	
	日平均值			22.98	51.23	33.74	8.44	8.79	3.65	15.25
	潮口站	0:04	23.13	51.50	33.87	8.37	7.91	10.1	7.9	
		3:04	23.07	51.62	33.96	8.36	7.31	6.7	3.9	
		6:04	23.34	52.06	34.28	8.36	6.99	4.2	4.7	
		9:04	23.34	51.86	34.14	8.38	7.22	4.2	0.5	
		12:04	23.19	51.88	34.15	8.36	7.72	9.3	1.3	
		15:04	23.75	52.18	34.37	8.32	7.17	4.6	3.6	
		18:04	23.52	52.13	34.34	8.31	7.05	3.2	0.3	
		21:04	23.12	51.95	34.21	8.33	7.39	9.1	0.0	
	日平均值			23.31	51.90	34.17	8.35	7.35	6.43	2.78
	灣內站	0:04	23.54	51.29	33.74	8.20	8.47	5.0	8.6	
		3:04	23.30	51.17	33.65	8.24	8.84	6.5	22.1	
		6:04	23.16	51.18	33.66	8.25	8.76	8.8	25.1	
		9:04	22.97	51.13	33.63	8.27	9.08	9.9	32.4	
		12:04	23.19	51.16	33.65	8.31	9.82	8.2	35.5	
		15:04	23.43	51.14	33.63	8.41	11.42	7.1	38.8	
		18:04	23.14	51.18	33.66	8.36	10.43	7.8	35.0	
		21:04	22.80	51.25	33.72	8.31	9.56	8.8	24.8	
	日平均值			23.19	51.19	33.67	8.29	9.55	7.76	27.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月10日	蚵殼站	0:04	22.62	51.44	33.90	8.43	8.59	4.0	16.0	
		3:04	22.27	51.37	33.86	8.41	8.23	3.5	13.2	
		6:04	21.91	51.41	33.89	8.39	7.88	2.9	10.1	
		9:04	21.69	50.85	33.48	8.45	8.50	3.1	23.1	
		12:04	21.89	50.76	33.41	8.52	9.70	2.4	25.4	
		15:04	21.93	51.01	33.60	8.53	9.81	2.4	15.3	
		18:04	21.84	51.11	33.67	8.50	9.19	2.7	17.4	
		21:04	21.69	51.01	33.60	8.46	8.66	2.6	10.8	
	日平均值			21.98	51.12	33.68	8.46	8.82	2.95	16.41
	潮口站	0:04	22.36	51.58	33.95	8.32	7.40	12.2	1.4	
		3:04	22.14	51.63	33.99	8.32	7.27	9.2	1.9	
		6:04	22.71	52.05	34.29	8.33	7.22	3.9	0.5	
		9:04	22.60	52.05	34.29	8.34	7.24	7.0	2.8	
		12:04	22.34	51.69	34.03	8.37	7.79	13.6	0.1	
		15:04	23.19	51.91	34.18	8.34	7.42	2.4	1.2	
		18:04	23.15	51.65	33.99	8.34	7.43	1.9	1.0	
		21:04	22.51	51.70	34.03	8.32	7.37	5.6	1.6	
	日平均值			22.63	51.78	34.09	8.34	7.39	6.98	1.31
	灣內站	0:04	22.54	51.30	33.76	8.27	8.92	7.3	28.6	
		3:04	22.32	51.34	33.79	8.25	8.59	8.5	23.9	
		6:04	22.08	51.33	33.79	8.21	7.89	5.6	12.2	
		9:04	21.53	50.68	33.31	8.24	8.72	6.3	34.2	
		12:04	22.03	50.84	33.43	8.37	10.71	5.1	19.4	
		15:04	21.92	50.87	33.45	8.38	11.12	6.9	56.7	
		18:04	21.91	51.26	33.74	8.39	11.15	5.9	53.0	
		21:04	21.92	51.33	33.79	8.33	10.16	7.1	29.5	
	日平均值			22.03	51.12	33.63	8.31	9.66	6.59	32.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月11日	蚵殼站	0:04	21.19	50.31	33.09	8.56	9.75	2.3	11.0	
		3:04	21.31	50.51	33.23	8.49	8.84	2.8	4.8	
		6:04	21.39	51.08	33.66	8.45	8.29	3.1	7.5	
		9:04	21.08	50.82	33.46	8.46	8.31	2.8	10.1	
		12:04	21.09	50.97	33.57	8.47	8.69	2.7	11.1	
		15:04	21.51	51.19	33.73	8.39	7.84	6.3	7.2	
		18:04	20.80	51.02	33.62	8.43	8.47	3.1	15.7	
		21:04	22.00	51.42	33.90	8.32	7.50	3.9	3.3	
	日平均值			21.30	50.92	33.53	8.45	8.46	3.38	8.84
	潮口站	0:04	22.34	51.91	34.19	8.31	7.33	7.7	2.9	
		3:04	22.00	51.67	34.01	8.34	7.66	6.9	1.4	
		6:04	22.83	51.63	33.97	8.31	7.14	4.2	2.0	
		9:04	22.69	51.82	34.12	8.32	7.28	4.3	4.4	
		12:04	21.97	51.69	34.03	8.35	7.58	8.2	0.5	
		15:04	22.83	51.61	33.96	8.32	7.37	4.9	2.1	
		18:04	23.11	51.62	33.96	8.32	7.28	2.9	1.3	
		21:04	22.61	51.70	34.03	8.32	7.38	2.6	8.7	
	日平均值			22.55	51.71	34.03	8.32	7.38	5.21	2.91
	灣內站	0:04	21.84	51.30	33.77	8.22	8.43	5.0	25.4	
		3:04	21.70	51.48	33.90	8.11	7.05	5.3	16.4	
		6:04	21.70	51.57	33.97	8.12	7.17	7.0	22.7	
		9:04	21.48	51.53	33.94	8.09	6.98	7.1	19.5	
		12:04	20.98	50.79	33.40	8.27	9.40	5.1	35.3	
		15:04	20.94	51.04	33.58	8.29	9.53	6.3	23.4	
		18:04	21.05	51.33	33.80	8.24	8.89	6.1	23.3	
		21:04	21.18	51.47	33.90	8.22	8.41	7.7	20.5	
	日平均值			21.36	51.31	33.78	8.20	8.23	6.20	23.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月12日	蚵殼站	0:04	20.75	50.90	33.53	8.40	8.06	2.3	11.0	
		3:04	20.59	50.84	33.48	8.39	7.81	3.0	8.5	
		6:04	20.85	51.08	33.66	8.36	7.56	4.0	9.8	
		9:04	19.80	50.17	32.99	8.47	8.67	1.9	23.9	
		12:04	20.52	50.01	32.87	8.51	9.69	2.0	22.1	
		15:04	21.00	50.84	33.48	8.50	9.70	2.4	16.3	
		18:04	20.87	50.95	33.56	8.47	8.80	3.8	15.3	
		21:04	21.96	51.08	33.65	8.35	7.73	2.5	10.2	
	日平均值			20.79	50.73	33.40	8.43	8.50	2.74	14.64
	潮口站	0:04	21.85	51.62	33.98	8.33	7.48	8.7	4.7	
		3:04	21.59	51.50	33.90	8.34	7.55	20.9	2.4	
		6:04	22.93	51.51	33.88	8.30	7.19	4.1	6.5	
		9:04	23.22	51.50	33.87	8.32	7.20	3.1	1.9	
		12:04	22.45	51.43	33.83	8.36	7.65	5.1	0.6	
		15:04	22.30	51.31	33.75	8.35	7.75	4.4	0.7	
		18:04	23.99	51.32	33.73	8.30	7.17	2.4	1.4	
		21:04	23.73	51.54	33.89	8.31	7.19	3.2	2.3	
	日平均值			22.76	51.47	33.85	8.33	7.40	6.49	2.56
	灣內站	0:04	20.76	51.28	33.77	8.11	7.11	6.0	13.0	
		3:04	20.74	51.29	33.77	8.04	6.25	4.8	7.6	
		6:04	20.67	51.27	33.76	8.17	7.75	5.2	22.8	
		9:04	20.42	51.05	33.60	8.12	7.44	5.3	20.8	
		12:04	21.16	51.14	33.66	8.29	10.09	5.9	27.4	
		15:04	21.38	50.45	33.15	8.31	10.90	5.5	29.3	
		18:04	21.27	50.95	33.52	8.38	11.69	5.9	55.2	
		21:04	21.59	51.58	33.98	8.29	9.98	6.6	35.5	
	日平均值			21.00	51.13	33.65	8.21	8.90	5.65	26.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月13日	蚵殼站	0:04	21.55	51.06	33.64	8.38	7.78	2.9	7.4	
		3:04	21.41	51.05	33.63	8.37	7.74	3.9	7.1	
		6:04	21.38	50.45	33.18	8.35	7.59	3.4	5.1	
		9:04	21.58	51.06	33.64	8.35	7.58	4.0	1.2	
		12:04	21.27	49.88	32.77	8.53	10.33	3.8	37.2	
		15:04	21.56	50.74	33.40	8.45	8.81	2.8	5.3	
		18:04	21.50	50.79	33.44	8.46	8.91	2.9	7.6	
		21:04	21.51	50.62	33.30	8.49	9.10	2.2	9.8	
	日平均值			21.47	50.71	33.38	8.42	8.48	3.24	10.09
	潮口站	0:04	22.03	51.17	33.65	8.30	7.16	9.1	0.1	
		3:04	21.65	51.22	33.69	8.34	7.56	5.4	1.9	
		6:04	22.92	51.51	33.89	8.32	7.08	4.9	3.7	
		9:04	23.83	51.56	33.90	8.37	7.18	2.4	1.0	
		12:04	23.54	51.47	33.84	8.36	7.44	3.5	1.1	
		15:04	22.40	51.29	33.73	8.36	8.12	9.2	7.9	
		18:04	23.92	51.43	33.81	8.32	7.33	3.1	4.5	
		21:04	23.84	51.39	33.78	8.31	7.13	2.4	1.6	
	日平均值			23.02	51.38	33.79	8.34	7.38	5.00	2.73
	灣內站	0:04	21.11	50.98	33.54	8.28	9.75	5.0	21.7	
		3:04	20.99	51.09	33.62	8.22	8.85	5.8	19.7	
		6:04	20.85	51.00	33.56	8.20	8.45	5.4	14.1	
		9:04	21.08	51.11	33.64	8.18	8.37	6.2	13.9	
		12:04	21.38	49.25	32.27	8.21	10.00	4.1	7.8	
		15:04	22.07	50.39	33.10	8.39	12.57	6.2	39.7	
		18:04	21.98	50.56	33.22	8.34	11.23	6.8	35.7	
		21:04	22.34	51.46	33.89	8.23	9.71	5.1	25.1	
	日平均值			21.48	50.73	33.36	8.26	9.87	5.58	22.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月14日	蚵殼站	0:04	21.35	50.03	32.88	8.52	9.61	1.9	12.2	
		3:04	21.48	50.24	33.03	8.49	9.22	2.0	4.4	
		6:04	21.46	49.93	32.80	8.46	8.72	3.1	7.4	
		9:04	21.80	50.53	33.24	8.40	8.05	2.8	7.7	
		12:04	22.16	50.18	32.98	8.45	8.53	1.7	6.9	
		15:04	21.95	50.45	33.17	8.47	8.82	2.5	10.4	
		18:04	21.84	50.40	33.14	8.46	8.60	2.7	6.3	
		21:04	21.77	50.72	33.38	8.46	8.33	2.5	6.9	
	日平均值			21.73	50.31	33.08	8.46	8.74	2.40	7.78
	潮口站	0:04	22.39	51.16	33.63	8.35	7.41	8.4	2.3	
		3:04	22.11	51.11	33.61	8.35	7.57	7.1	1.4	
		6:04	23.09	51.23	33.68	8.33	7.26	6.4	0.8	
		9:04	23.68	51.28	33.71	8.33	7.19	4.2	3.2	
		12:04	23.10	51.01	33.51	8.37	7.74	6.5	2.1	
		15:04	22.35	50.94	33.48	8.40	8.22	7.7	14.6	
		18:04	23.88	50.91	33.43	8.31	7.49	4.6	2.6	
		21:04	24.02	51.12	33.58	8.32	7.21	4.3	2.4	
	日平均值			23.08	51.10	33.58	8.35	7.51	6.15	3.68
	灣內站	0:04	22.21	51.29	33.76	8.16	8.39	4.9	14.2	
		3:04	21.64	51.00	33.55	8.10	7.61	4.9	9.8	
		6:04	21.62	51.23	33.72	8.06	6.85	5.7	16.5	
		9:04	21.67	51.25	33.74	8.14	8.03	6.7	7.9	
		12:04	21.87	50.59	33.25	8.39	12.90	6.3	36.1	
		15:04	22.49	50.07	32.86	8.40	12.69	7.6	45.5	
		18:04	22.56	49.97	32.78	8.22	9.90	7.7	17.1	
		21:04	22.52	51.26	33.73	8.28	10.02	8.3	11.7	
	日平均值			22.07	50.83	33.42	8.22	9.55	6.51	19.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月15日	蚵殼站	0:04	22.16	50.35	33.10	8.44	8.08	2.5	2.8	
		3:04	21.42	49.89	32.77	8.50	8.86	2.7	16.1	
		6:04	21.42	49.98	32.84	8.46	8.21	2.0	8.6	
		9:04	21.53	49.78	32.69	8.45	8.03	2.7	11.3	
		12:04	22.54	49.88	32.75	8.46	8.37	4.5	8.8	
		15:04	22.17	49.83	32.72	8.50	8.84	2.2	6.8	
		18:04	22.21	50.38	33.12	8.45	8.13	2.7	4.3	
		21:04	22.27	50.12	32.93	8.44	7.76	2.5	0.3	
	日平均值			21.97	50.03	32.87	8.46	8.29	2.73	7.38
	潮口站	0:04	22.77	50.84	33.39	8.37	7.73	6.0	3.9	
		3:04	22.45	50.74	33.33	8.36	7.68	7.3	1.3	
		6:04	22.08	50.66	33.28	8.35	7.44	7.4	1.1	
		9:04	23.73	51.20	33.64	8.34	7.12	17.2	2.5	
		12:04	23.74	51.10	33.57	8.37	7.66	6.2	0.0	
		15:04	23.62	50.97	33.47	8.40	8.12	7.0	3.4	
		18:04	23.77	50.90	33.42	8.36	7.89	6.7	0.6	
		21:04	23.92	51.09	33.56	8.33	7.27	3.5	3.9	
	日平均值			23.26	50.94	33.46	8.36	7.61	7.66	2.09
	灣內站	0:04	22.76	51.53	33.93	8.17	8.44	5.7	9.7	
		3:04	22.16	51.20	33.69	8.19	8.70	4.7	9.3	
		6:04	22.51	51.62	34.00	8.13	7.77	5.6	10.0	
		9:04	22.38	51.61	34.00	8.17	8.55	6.1	10.4	
		12:04	22.62	51.36	33.82	8.26	9.87	5.9	12.0	
		15:04	23.20	51.53	33.93	8.19	8.96	7.3	7.9	
		18:04	23.29	51.43	33.86	8.25	9.62	7.7	9.1	
		21:04	22.95	51.22	33.71	8.22	8.82	7.2	9.8	
	日平均值			22.73	51.44	33.87	8.20	8.84	6.28	9.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月16日	蚵殼站	0:04	21.97	49.77	32.68	8.45	7.92	2.0	4.3	
		3:04	21.93	49.59	32.55	8.42	7.61	2.5	4.1	
		6:04	21.78	49.74	32.66	8.40	7.49	3.5	1.0	
		9:04	21.78	50.26	33.04	8.42	7.56	3.9	3.2	
		12:14	22.58	50.49	33.20	8.42	7.33	3.3	2.7	
		15:04	22.87	50.37	33.11	8.47	8.10	3.1	9.4	
		18:04	22.55	50.41	33.14	8.44	7.81	2.7	2.5	
		21:04	22.84	49.98	32.82	8.43	7.26	3.2	4.9	
	日平均值			22.29	50.08	32.90	8.43	7.64	3.03	4.01
	潮口站	0:04	23.69	51.09	33.56	8.35	7.55	3.8	1.8	
		3:04	23.20	50.85	33.40	8.36	7.57	4.8	1.4	
		6:04	22.80	50.77	33.35	8.36	7.47	6.2	2.1	
		9:04	23.49	50.98	33.49	8.35	7.23	6.9	3.4	
		12:14	23.78	51.06	33.54	8.38	7.57	4.3	0.7	
		15:04	24.02	51.01	33.50	8.36	7.69	7.5	4.8	
		18:04	23.64	50.73	33.30	8.36	7.70	7.2	4.2	
		21:04	23.96	50.81	33.35	8.35	7.56	4.7	0.3	
	日平均值			23.57	50.91	33.44	8.36	7.54	5.68	2.34
	灣內站	0:04	22.60	51.29	33.77	8.25	9.45	7.5	21.0	
		3:04	22.51	51.51	33.93	8.13	7.77	6.0	7.2	
		6:04	22.36	51.53	33.95	8.10	7.63	6.1	5.3	
		9:04	22.30	51.39	33.85	8.19	8.48	7.3	12.4	
		12:14	22.93	51.30	33.77	8.15	8.39	8.9	20.4	
		15:04	23.59	50.82	33.40	8.36	11.77	7.0	42.6	
		18:04	23.48	50.90	33.46	8.32	10.95	6.0	18.7	
		21:04	22.87	51.13	33.64	8.20	8.72	7.1	10.6	
	日平均值			22.83	51.23	33.72	8.21	9.15	6.99	17.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月17日	蚵殼站	0:04	22.75	48.39	31.65	8.41	7.10	2.6	0.3	
		3:04	22.37	49.73	32.65	8.43	7.38	3.2	7.6	
		6:04	22.22	49.83	32.72	8.43	7.28	4.6	1.7	
		9:04	22.41	50.22	33.00	8.42	7.17	3.6	4.1	
		12:04	22.60	49.64	32.58	8.46	7.48	2.9	8.8	
		15:04	22.74	49.78	32.68	8.45	7.60	2.4	2.2	
		18:04	22.66	50.26	33.03	8.42	7.01	2.7	3.7	
		21:04	22.37	50.24	33.02	8.38	6.52	1.9	5.8	
	日平均值			22.52	49.76	32.67	8.43	7.19	2.99	4.28
	潮口站	0:04	23.86	50.81	33.36	8.35	7.47	3.5	0.8	
		3:04	22.87	50.49	33.14	8.37	7.56	8.0	3.1	
		6:04	22.67	50.37	33.05	8.35	7.34	6.2	2.1	
		9:04	23.84	50.84	33.38	8.36	7.32	6.4	3.8	
		12:04	23.90	50.57	33.18	8.38	7.51	4.9	2.6	
		15:04	23.52	50.87	33.40	8.36	7.64	9.0	0.7	
		18:04	23.43	50.43	33.08	8.35	7.48	6.3	1.0	
		21:04	23.80	50.23	32.93	8.35	7.51	4.7	1.0	
	日平均值			23.49	50.58	33.19	8.36	7.48	6.13	1.89
	灣內站	0:04	22.78	51.21	33.70	8.19	8.44	5.5	10.7	
		3:04	22.61	51.39	33.83	8.09	7.27	4.7	9.3	
		6:04	22.35	51.52	33.94	8.02	6.47	4.5	6.4	
		9:04	22.45	51.53	33.94	8.12	7.77	5.7	6.3	
		12:04	22.88	51.45	33.87	8.30	10.88	6.7	65.2	
		15:04	23.59	51.57	33.96	8.23	9.47	5.0	17.1	
		18:04	23.46	51.43	33.85	8.30	10.53	6.9	24.1	
		21:04	23.47	51.38	33.81	8.23	9.43	7.6	19.0	
	日平均值			22.95	51.44	33.86	8.19	8.78	5.83	19.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月18日	蚵殼站	0:04	22.36	50.28	33.05	8.39	6.64	2.1	1.4	
		3:04	22.28	50.05	32.75	8.42	7.00	1.8	2.6	
		6:04	22.18	47.95	31.25	8.38	6.82	2.9	2.3	
		9:04	22.23	49.50	32.36	8.36	6.41	1.9	3.4	
		12:04	23.05	50.25	32.79	8.41	7.10	1.9	1.0	
		15:04	22.96	50.06	32.66	8.39	6.97	2.4	11.4	
		18:04	22.91	50.36	32.87	8.37	6.75	1.9	3.6	
		21:04	22.96	49.36	32.15	8.40	7.08	3.1	0.8	
	日平均值			22.62	49.73	32.49	8.39	6.85	2.25	3.31
	潮口站	0:04	23.79	50.89	33.41	8.34	7.32	4.9	1.9	
		3:04	22.80	50.69	33.28	8.38	7.47	7.6	0.1	
		6:04	22.68	50.58	33.20	8.37	7.35	10.9	1.8	
		9:04	23.55	50.82	33.37	8.38	7.37	7.0	0.4	
		12:04	23.95	50.74	33.30	8.40	7.54	5.0	2.2	
		15:04	23.56	50.45	33.09	8.39	7.61	9.6	1.5	
		18:04	23.70	50.66	33.25	8.37	7.54	7.8	4.5	
		21:04	23.48	50.94	33.45	8.35	7.33	11.8	1.6	
	日平均值			23.44	50.72	33.29	8.37	7.44	8.08	1.75
	灣內站	0:04	23.06	51.02	33.56	8.19	8.74	6.0	20.3	
		3:04	23.13	51.08	33.61	8.13	8.09	4.8	5.7	
		6:04	23.07	51.10	33.62	8.07	7.26	4.8	11.4	
		9:04	23.11	51.12	33.63	8.09	7.41	6.4	9.8	
		12:04	23.82	51.43	33.85	8.21	9.45	5.5	25.6	
		15:04	24.44	51.84	34.12	8.36	12.18	6.1	49.9	
		18:04	24.43	51.92	34.16	8.24	9.90	7.0	38.8	
		21:04	24.31	51.24	33.66	8.11	8.46	5.2	12.7	
	日平均值			23.67	51.34	33.78	8.18	8.94	5.73	21.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月19日	蚵殼站	0:04	22.96	49.58	32.29	8.39	7.04	1.3	0.9	
		3:04	23.21	51.82	33.72	8.39	7.29	1.8	2.3	
		6:04	22.91	44.42	29.03	8.36	6.97	1.8	8.0	
		9:04	22.90	45.70	29.84	8.36	7.09	1.6	8.7	
		12:04	23.06	50.87	33.12	8.38	7.11	1.5	4.1	
		15:04	23.45	49.80	32.42	8.36	6.98	2.7	7.4	
		18:04	23.41	49.44	32.19	8.36	6.82	1.9	1.5	
		21:04	23.31	47.87	31.20	8.35	6.75	2.1	3.6	
	日平均值			23.15	48.69	31.73	8.37	7.01	1.84	4.56
	潮口站	0:04	23.76	50.82	33.36	8.36	7.43	5.0	1.7	
		3:04	23.43	50.64	33.24	8.37	7.35	6.0	0.3	
		6:04	23.07	50.59	33.21	8.35	7.23	6.0	0.1	
		9:04	23.35	50.63	33.23	8.38	7.26	6.4	0.5	
		12:04	24.38	51.14	33.59	8.40	7.44	3.6	5.7	
		15:04	24.36	50.71	33.27	8.39	7.64	3.6	2.2	
		18:04	23.82	50.56	33.17	8.35	7.35	9.1	1.2	
		21:04	23.90	50.40	33.06	8.36	7.43	6.8	1.3	
	日平均值			23.76	50.69	33.27	8.37	7.39	5.81	1.63
	灣內站	0:04	23.62	51.54	33.89	8.16	8.60	4.5	7.8	
		3:04	23.48	51.91	34.15	8.14	8.26	3.9	4.7	
		6:04	23.41	51.83	34.11	8.04	6.94	3.6	3.2	
		9:04	23.46	51.50	33.88	8.01	6.89	4.7	2.7	
		12:04	23.97	51.53	33.89	8.23	10.27	5.7	15.9	
		15:04	24.08	51.25	33.70	8.28	11.09	4.9	18.8	
		18:04	24.16	51.84	33.34	8.34	12.46	4.8	16.8	
		21:04	24.06	51.39	33.58	8.25	10.51	4.6	19.0	
	日平均值			23.78	51.60	33.82	8.18	9.38	4.59	11.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月20日	蚵殼站	0:04	23.28	51.48	33.51	8.36	6.76	1.6	8.2	
		3:04	23.50	45.60	29.70	8.40	7.52	3.5	10.6	
		6:04	23.47	49.60	32.32	8.40	7.19	3.8	7.4	
		9:04	23.45	48.63	31.69	8.37	7.17	2.5	24.6	
		12:04	23.71	49.12	32.01	8.35	6.98	1.7	12.4	
		15:04	24.05	47.98	31.25	8.35	6.92	2.0	8.2	
		18:04	24.11	49.74	32.41	8.40	7.60	1.7	7.7	
		21:04	24.29	47.73	31.08	8.43	7.66	1.4	1.6	
	日平均值			23.73	48.74	31.75	8.38	7.23	2.28	10.09
	潮口站	0:04	23.76	50.42	33.07	8.34	7.19	5.2	0.3	
		3:04	24.34	51.06	33.53	8.36	7.21	3.6	0.2	
		6:04	23.97	49.68	32.52	8.34	7.16	5.4	4.5	
		9:04	23.89	49.25	32.21	8.36	7.04	7.1	1.4	
		12:04	24.91	50.00	32.74	8.37	7.36	8.4	0.7	
		15:04	25.03	50.21	32.89	8.37	7.45	6.1	1.9	
		18:04	25.19	49.57	32.42	8.35	7.85	9.5	2.8	
		21:04	25.12	50.79	33.32	8.33	7.78	8.2	5.6	
	日平均值			24.53	50.12	32.84	8.35	7.38	6.69	2.18
	灣內站	0:04	23.98	51.08	33.51	8.21	9.98	5.0	17.4	
		3:04	23.74	51.49	33.84	8.10	8.05	3.5	6.0	
		6:04	23.59	50.41	33.33	8.16	9.00	4.2	21.6	
		9:04	23.63	50.27	33.35	8.18	9.88	4.9	23.4	
		12:04	24.29	50.80	33.57	8.20	9.87	5.1	16.8	
		15:04	24.44	51.15	33.86	8.21	9.87	4.8	10.1	
		18:04	24.64	50.81	33.76	8.17	8.96	5.2	4.3	
		21:04	24.73	51.06	33.40	8.15	8.89	4.6	4.7	
	日平均值			24.13	50.88	33.58	8.17	9.31	4.66	13.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月21日	蚵殼站	0:04	24.36	48.44	31.54	8.42	7.30	1.6	6.2	
		3:04	24.19	51.29	33.55	8.33	6.44	1.7	0.3	
		6:04	24.32	50.23	32.76	8.47	8.28	1.9	6.9	
		9:04	24.36	52.06	34.01	8.41	7.75	1.2	3.1	
		12:04	24.75	51.28	33.76	8.44	9.83	2.7	24.0	
		15:04	24.41	51.48	33.91	8.34	8.28	2.0	1.2	
		18:04	24.43	51.43	33.87	8.34	8.14	2.2	4.8	
		21:04	24.44	51.36	33.82	8.34	8.25	2.2	5.7	
	日平均值			24.41	50.95	33.40	8.39	8.03	1.94	6.53
	潮口站	0:04	24.49	50.56	33.16	8.43	9.04	4.7	1.8	
		3:04	25.01	51.09	33.53	8.32	7.17	5.6	2.9	
		6:04	25.12	50.41	33.04	8.33	7.18	4.2	3.0	
		9:04	24.69	50.85	33.26	8.39	8.13	5.9	7.2	
		12:04	25.77	51.67	33.95	8.23	6.73	3.3	0.3	
		15:04	25.89	51.47	33.80	8.37	6.93	3.4	0.9	
		18:04	25.18	51.25	33.65	8.27	6.45	7.5	1.7	
		21:04	25.16	51.20	33.62	8.32	6.58	7.1	0.4	
	日平均值			25.16	51.06	33.50	8.33	7.28	5.21	2.28
	灣內站	0:04	24.44	50.93	33.36	8.05	7.01	3.8	4.1	
		3:04	24.59	50.96	33.39	8.17	9.09	2.7	2.1	
		6:04	24.46	51.47	33.71	8.17	9.29	2.6	3.8	
		9:04	24.38	50.85	33.41	8.12	8.18	2.9	4.4	
		12:04	24.78	51.61	33.93	8.23	8.56	4.2	5.5	
		15:04	25.00	51.77	34.03	8.32	9.87	6.0	19.7	
		18:04	25.00	51.73	34.01	8.27	9.06	8.2	20.7	
		21:04	25.05	51.60	33.91	8.18	7.85	5.3	8.7	
	日平均值			24.71	51.37	33.72	8.19	8.61	4.46	8.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月22日	蚵殼站	0:04	24.38	51.39	33.85	8.34	8.01	2.2	6.4	
		3:04	24.26	51.33	33.80	8.32	7.77	2.8	4.6	
		6:04	24.16	51.44	33.88	8.31	7.57	2.0	8.7	
		9:04	24.32	51.14	33.65	8.36	8.29	3.4	18.2	
		12:04	24.60	51.24	33.73	8.29	7.57	2.0	4.9	
		15:04	24.78	51.61	34.00	8.30	7.57	5.9	2.5	
		18:04	24.87	51.76	34.11	8.34	8.07	2.6	10.8	
		21:04	24.74	51.47	33.90	8.34	7.96	2.8	9.2	
	日平均值			24.51	51.42	33.87	8.33	7.85	2.96	8.16
	潮口站	0:04	24.98	51.09	33.54	8.34	6.55	4.1	2.4	
		3:04	25.39	51.19	33.61	8.39	6.57	2.3	1.1	
		6:04	25.31	51.18	33.60	8.38	6.62	3.5	0.3	
		9:04	25.20	51.16	33.58	8.39	6.76	4.5	2.4	
		12:04	25.56	51.23	33.63	8.37	6.81	2.5	3.3	
		15:04	25.73	51.28	33.66	8.40	7.08	1.4	0.1	
		18:04	25.73	51.27	33.66	8.40	7.11	2.8	0.5	
		21:04	25.76	51.20	33.60	8.28	6.63	8.5	1.3	
	日平均值			25.46	51.20	33.61	8.37	6.77	3.70	1.43
	灣內站	0:04	24.80	51.56	33.88	8.16	7.48	6.2	10.8	
		3:04	24.71	51.78	34.05	8.19	7.94	4.3	12.6	
		6:04	24.59	51.77	34.04	8.14	7.15	4.5	7.9	
		9:04	24.59	51.63	33.95	8.16	7.68	5.6	15.5	
		12:04	25.07	51.39	33.76	8.27	9.12	5.6	11.3	
		15:04	24.99	51.63	33.94	8.28	8.82	14.5	6.2	
		18:04	24.91	51.81	34.07	8.24	8.13	10.1	4.9	
		21:04	24.61	51.93	34.15	8.19	7.45	11.1	3.6	
	日平均值			24.78	51.69	33.98	8.20	7.97	7.74	9.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月23日	蚵殼站	0:04	24.97	51.76	34.11	8.33	7.85	2.9	8.4	
		3:04	24.73	51.43	33.86	8.29	7.24	2.6	6.1	
		6:04	24.75	51.16	33.67	8.28	7.12	2.4	3.5	
		9:04	25.06	51.63	34.00	8.31	7.47	2.7	0.9	
		12:04	25.49	51.16	33.65	8.42	9.52	2.8	22.0	
		15:04	25.48	51.04	33.56	8.30	7.60	2.8	6.7	
		18:04	25.38	51.70	34.05	8.32	7.92	2.8	7.9	
		21:04	25.33	51.59	33.97	8.33	8.03	2.2	7.4	
	日平均值			25.15	51.43	33.86	8.32	7.84	2.65	7.86
	潮口站	0:04	25.52	51.32	33.72	8.33	7.58	7.1	7.7	
		3:04	25.50	51.56	33.90	8.34	6.90	3.4	2.4	
		6:04	25.53	51.67	33.98	8.33	6.78	4.6	5.7	
		9:04	25.27	51.22	33.65	8.33	7.06	8.6	9.2	
		12:04	25.75	51.17	33.60	8.35	7.61	5.0	8.3	
		15:04	26.00	51.35	33.73	8.35	7.27	2.4	4.4	
		18:04	26.12	51.41	33.77	8.35	7.24	3.1	4.5	
		21:04	25.78	51.43	33.79	8.28	6.79	9.8	3.0	
	日平均值			25.68	51.39	33.77	8.33	7.15	5.50	5.65
	灣內站	0:04	25.00	51.54	33.87	8.09	6.63	4.5	2.0	
		3:04	24.80	51.82	34.07	8.13	6.96	4.4	3.0	
		6:04	24.64	51.91	34.14	8.14	7.08	4.1	3.3	
		9:04	24.88	51.97	34.19	8.16	7.61	4.4	5.5	
		12:04	25.80	51.95	34.15	8.37	10.67	5.0	22.9	
		15:04	26.14	51.89	34.10	8.35	10.41	5.0	26.7	
		18:04	26.16	51.90	34.10	8.34	10.06	4.8	23.3	
		21:04	25.95	51.83	34.06	8.35	9.99	4.3	12.7	
	日平均值			25.42	51.85	34.09	8.24	8.68	4.56	12.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月24日	蚵殼站	0:04	25.24	51.61	33.99	8.33	8.06	2.0	6.1	
		3:04	25.16	51.68	34.04	8.29	7.48	2.9	2.1	
		6:04	25.19	51.20	33.69	8.31	7.45	2.1	6.9	
		9:04	25.05	50.65	33.28	8.28	7.52	2.4	13.0	
		12:04	25.14	49.79	32.64	8.33	8.26	2.4	15.0	
		15:04	25.13	51.53	33.93	8.31	7.77	2.1	5.0	
		18:04	25.14	51.63	34.00	8.32	7.80	1.5	12.9	
		21:04	24.97	51.57	33.97	8.30	7.57	2.4	2.9	
	日平均值			25.13	51.21	33.69	8.31	7.74	2.23	7.99
	潮口站	0:04	25.65	51.39	33.77	8.30	6.65	8.6	2.3	
		3:04	25.48	51.33	33.73	8.30	6.54	5.1	1.3	
		6:04	25.49	51.57	33.90	8.33	6.91	2.4	4.7	
		9:04	25.29	51.32	33.73	8.31	7.00	5.3	2.0	
		12:04	25.40	51.39	33.78	8.32	6.68	5.5	0.1	
		15:04	25.70	51.31	33.71	8.35	7.75	2.2	7.4	
		18:04	25.59	51.44	33.81	8.38	8.05	1.1	2.0	
		21:04	25.33	51.37	33.76	8.34	7.61	5.2	2.9	
	日平均值			25.49	51.39	33.77	8.33	7.15	4.43	2.84
	灣內站	0:04	25.65	51.79	34.03	8.29	9.02	5.9	16.0	
		3:04	25.49	51.83	34.07	8.25	8.85	4.5	25.1	
		6:04	25.29	51.88	34.11	8.22	8.21	4.0	29.7	
		9:04	25.15	51.77	34.04	8.29	8.99	5.5	43.8	
		12:04	25.60	51.78	34.02	8.34	10.04	6.9	23.7	
		15:04	25.69	51.78	34.02	8.40	11.19	5.3	37.7	
		18:04	25.48	51.83	34.07	8.38	10.84	5.3	31.9	
		21:04	25.42	49.46	32.33	8.34	10.15	8.2	31.8	
	日平均值			25.47	51.52	33.84	8.31	9.66	5.70	29.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月25日	蚵殼站	0:04	24.97	50.53	33.20	8.32	7.57	1.9	3.5	
		3:04	24.78	50.91	33.47	8.29	7.14	2.5	9.6	
		6:04	24.52	51.69	34.06	8.26	6.65	4.0	5.2	
		9:04	24.55	51.48	33.90	8.27	6.77	1.9	9.1	
		12:04	24.79	51.30	33.77	8.28	7.05	2.4	13.0	
		15:04	24.95	51.36	33.81	8.31	7.44	2.9	3.1	
		18:04	24.84	51.79	34.13	8.29	7.15	2.8	5.5	
		21:04	24.69	51.78	34.12	8.26	6.61	2.4	4.5	
	日平均值			24.76	51.36	33.81	8.29	7.05	2.60	6.69
	潮口站	0:04	25.16	51.36	33.76	8.35	7.43	6.3	3.6	
		3:04	24.96	51.26	33.69	8.33	6.82	5.0	4.2	
		6:04	25.25	51.53	33.88	8.38	7.19	1.8	1.3	
		9:04	24.74	51.23	33.67	8.33	7.33	4.5	0.7	
		12:04	25.15	51.32	33.73	8.25	6.77	4.7	7.2	
		15:04	25.78	51.37	33.75	8.35	7.57	3.2	0.3	
		18:04	25.71	51.54	33.88	8.37	7.69	2.9	6.2	
		21:04	25.42	51.36	33.75	8.33	7.52	5.1	8.3	
	日平均值			25.27	51.37	33.76	8.34	7.29	4.19	3.98
	灣內站	0:04	25.25	51.78	34.04	8.23	8.18	3.9	8.8	
		3:04	24.99	51.93	34.15	8.20	7.65	4.7	14.3	
		6:04	24.80	51.98	34.19	8.18	7.69	4.8	13.3	
		9:04	24.76	52.01	34.22	8.21	7.84	7.1	10.1	
		12:04	25.00	51.71	33.99	8.37	10.66	12.1	51.3	
		15:04	25.37	51.69	33.97	8.40	11.23	7.2	29.6	
		18:04	25.39	51.94	34.15	8.40	11.33	8.7	27.7	
		21:04	25.39	51.74	34.01	8.34	10.12	6.5	30.1	
	日平均值			25.12	51.85	34.09	8.29	9.34	6.88	23.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月26日	蚵殼站	0:04	24.67	51.18	33.68	8.32	7.37	2.0	9.8	
		3:04	24.51	51.63	34.02	8.26	6.66	2.6	1.4	
		6:04	24.24	51.60	34.00	8.26	6.51	3.4	8.3	
		9:04	24.11	50.78	33.39	8.24	6.31	2.3	8.4	
		12:04	24.80	50.22	32.96	8.32	7.45	1.9	5.8	
		15:04	25.16	50.51	33.18	8.38	8.17	2.3	17.8	
		18:04	25.17	51.11	33.61	8.44	8.53	3.2	11.7	
		21:04	24.97	51.76	34.10	8.33	7.18	4.1	5.4	
	日平均值			24.70	51.10	33.62	8.32	7.27	2.73	8.58
	潮口站	0:04	25.13	51.39	33.78	8.31	7.19	7.4	0.1	
		3:04	25.11	51.30	33.72	8.26	7.01	6.4	5.6	
		6:04	25.43	51.51	33.86	8.31	6.98	0.8	5.4	
		9:04	25.12	51.50	33.86	8.27	7.07	3.6	3.1	
		12:04	25.41	51.45	33.82	8.28	7.24	6.6	1.0	
		15:04	25.74	51.46	33.82	8.31	7.21	1.7	0.7	
		18:04	25.67	51.48	33.84	8.31	7.21	1.3	1.0	
		21:04	25.43	51.43	33.81	8.30	7.53	2.8	0.7	
	日平均值			25.38	51.44	33.81	8.29	7.18	3.83	2.20
	灣內站	0:04	25.04	51.88	34.11	8.22	8.03	4.1	8.0	
		3:04	24.88	52.14	34.31	8.19	7.68	6.8	16.2	
		6:04	24.72	52.20	34.35	8.25	8.36	6.6	17.5	
		9:04	24.61	52.18	34.35	8.26	8.52	6.5	15.7	
		12:04	25.13	52.23	34.37	8.33	9.67	5.9	16.7	
		15:04	25.66	52.25	34.38	8.44	11.81	6.3	43.7	
		18:04	25.37	52.19	34.34	8.41	11.18	5.9	28.6	
		21:04	25.08	52.18	34.33	8.36	10.08	8.1	26.3	
	日平均值			25.06	52.16	34.32	8.31	9.42	6.28	21.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月27日	蚵殼站	0:04	24.44	51.42	33.86	8.34	7.40	1.8	6.0	
		3:04	24.53	51.41	33.86	8.34	7.10	1.9	8.4	
		6:04	23.91	51.18	33.70	8.33	7.16	2.5	2.6	
		9:04	23.97	51.12	33.65	8.28	6.78	1.6	11.1	
		12:04	24.42	50.85	33.44	8.34	6.94	2.2	4.6	
		15:04	24.58	50.82	33.42	8.33	7.12	2.8	14.7	
		18:04	24.58	51.90	34.22	8.31	6.68	2.7	10.9	
		21:04	24.63	51.31	33.78	8.27	6.33	4.4	1.7	
	日平均值			24.38	51.25	33.74	8.32	6.94	2.49	7.50
	潮口站	0:04	24.91	51.30	33.72	8.39	7.35	4.1	3.5	
		3:04	24.82	51.20	33.65	8.34	7.41	4.8	1.2	
		6:04	25.05	51.41	33.79	8.30	6.72	2.4	2.2	
		9:04	25.00	51.52	33.88	8.30	6.94	2.8	0.2	
		12:04	25.16	51.51	33.87	8.30	7.46	4.1	0.6	
		15:04	25.06	51.37	33.77	8.32	7.74	4.2	6.4	
		18:04	25.28	51.33	33.73	8.31	7.37	1.6	4.9	
		21:04	25.15	51.45	33.82	8.37	7.45	1.4	7.2	
	日平均值			25.05	51.39	33.78	8.33	7.31	3.18	3.28
	灣內站	0:04	25.02	52.14	34.30	8.15	7.05	4.5	4.9	
		3:04	24.35	51.64	33.95	8.31	9.37	6.7	35.5	
		6:04	24.39	51.94	34.16	8.27	8.71	5.8	24.7	
		9:04	24.49	51.92	34.15	8.29	9.43	6.1	33.5	
		12:04	24.88	51.61	33.92	8.36	10.72	5.9	20.0	
		15:04	25.19	51.58	33.88	8.37	10.98	7.5	20.3	
		18:04	24.86	51.65	33.94	8.39	11.37	5.2	25.6	
		21:04	24.66	51.11	33.55	8.33	10.23	9.9	64.1	
	日平均值			24.73	51.70	33.98	8.31	9.73	6.45	28.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月28日	蚵殼站	0:04	24.14	51.53	33.95	8.38	7.25	2.7	4.9	
		3:04	24.13	51.22	33.73	8.35	6.97	2.0	10.1	
		6:04	23.87	50.57	33.25	8.32	6.67	2.7	7.1	
		9:04	24.04	50.70	33.34	8.33	6.81	2.3	18.2	
		12:04	24.39	49.60	32.52	8.39	7.48	2.5	12.6	
		15:04	24.33	50.07	32.86	8.40	7.55	3.6	10.6	
		18:04	24.60	51.23	33.72	8.35	7.12	5.1	7.7	
		21:04	24.44	51.00	33.55	8.34	6.75	4.8	2.7	
	日平均值			24.24	50.74	33.37	8.36	7.08	3.21	9.24
	潮口站	0:04	24.87	51.30	33.72	8.34	7.42	5.2	3.6	
		3:04	24.45	51.12	33.59	8.33	7.79	3.3	0.7	
		6:04	24.53	51.35	33.77	8.32	6.75	2.4	4.4	
		9:04	24.73	51.36	33.77	8.33	7.09	2.8	2.6	
		12:04	25.01	51.35	33.75	8.41	7.74	4.4	0.8	
		15:04	25.18	51.33	33.74	8.37	7.64	5.0	2.2	
		18:04	25.21	50.78	33.33	8.35	7.15	2.7	3.4	
		21:04	25.17	51.18	33.62	8.41	7.48	1.2	3.7	
	日平均值			24.89	51.22	33.66	8.36	7.38	3.38	2.68
	灣內站	0:04	24.45	51.93	34.16	8.21	7.98	6.3	22.6	
		3:04	24.19	51.88	34.13	8.08	6.21	4.1	6.2	
		6:04	23.95	51.90	34.15	8.05	5.96	4.0	6.9	
		9:04	23.99	51.75	34.03	8.20	7.98	5.5	28.9	
		12:04	24.69	51.13	33.57	8.44	12.44	5.6	33.0	
		15:04	25.00	51.32	33.69	8.43	11.93	6.6	20.1	
		18:04	24.81	51.44	33.79	8.33	9.73	10.6	32.6	
		21:04	24.57	51.73	34.01	8.36	10.29	5.2	14.5	
	日平均值			24.46	51.64	33.94	8.26	9.07	5.99	20.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月1日	蚵殼站	0:04	24.22	51.60	34.00	8.31	6.46	5.2	9.8	
		3:04	23.98	51.43	33.88	8.29	6.11	5.4	5.2	
		6:04	23.86	51.19	33.71	8.31	6.60	7.1	10.7	
		9:04	23.81	51.40	33.86	8.32	6.66	7.8	5.3	
		12:04	24.45	51.51	33.93	8.39	7.50	5.1	13.4	
		15:04	24.69	51.98	34.27	8.43	8.03	5.3	13.4	
		18:04	24.77	51.87	34.19	8.41	8.07	10.8	7.0	
		21:04	24.56	51.97	34.27	8.39	7.56	12.9	6.6	
	日平均值			24.29	51.62	34.01	8.36	7.12	7.45	8.93
	潮口站	0:04	24.74	51.01	33.51	8.31	7.34	7.0	3.4	
		3:04	24.57	51.10	33.58	8.34	7.72	4.3	7.7	
		6:04	24.59	51.37	33.78	8.25	6.84	4.0	1.7	
		9:04	24.66	51.36	33.77	8.32	7.18	2.1	1.1	
		12:04	24.91	51.42	33.81	8.17	7.64	4.6	1.8	
		15:04	24.85	51.18	33.63	8.26	9.06	9.1	6.8	
		18:04	25.02	51.46	33.80	8.17	7.54	2.2	2.3	
		21:04	24.90	51.59	33.89	8.12	7.38	3.3	0.2	
	日平均值			24.78	51.31	33.72	8.24	7.59	4.58	3.13
	灣內站	0:04	24.46	51.55	33.80	8.30	9.17	6.4	15.8	
		3:04	24.19	51.81	34.00	8.24	8.25	5.0	9.6	
		6:04	24.02	51.87	34.06	8.29	8.97	7.7	19.1	
		9:04	23.91	51.92	34.10	8.31	9.08	6.3	20.6	
		12:04	24.70	51.98	34.14	8.41	10.95	7.3	25.7	
		15:04	25.02	52.03	34.17	8.45	12.07	10.9	41.6	
		18:04	24.93	51.89	34.07	8.40	11.08	15.0	22.5	
		21:04	24.30	51.76	33.98	8.39	10.35	5.8	17.2	
	日平均值			24.44	51.85	34.04	8.35	9.99	8.05	21.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月2日	蚵殼站	0:04	24.37	51.91	34.22	8.29	6.46	6.6	4.0	
		3:04	23.86	51.81	34.17	8.30	6.49	3.9	14.1	
		6:04	23.33	51.15	33.69	8.34	6.78	3.9	6.5	
		9:04	23.54	51.08	33.63	8.32	7.06	4.0	3.4	
		12:04	24.04	51.14	33.66	8.34	8.03	4.4	11.4	
		15:04	24.11	51.42	33.87	8.38	8.75	3.8	10.6	
		18:04	23.96	51.85	34.19	8.31	7.82	5.5	15.5	
		21:04	23.98	51.97	34.28	8.26	6.95	4.3	3.3	
	日平均值			23.90	51.54	33.96	8.32	7.29	4.55	8.60
	潮口站	0:04	24.57	51.55	33.87	8.19	8.07	4.9	6.6	
		3:04	24.31	51.59	33.91	8.07	7.39	4.5	0.3	
		6:04	24.28	51.63	33.94	8.10	6.92	2.1	2.7	
		9:04	24.45	51.99	34.20	8.10	6.87	2.1	0.2	
		12:04	24.62	52.00	34.20	8.18	7.61	6.8	1.1	
		15:04	24.75	51.81	34.06	8.16	8.26	8.5	3.4	
		18:04	24.72	51.47	33.76	8.14	7.68	3.6	1.2	
		21:04	24.73	52.21	34.29	8.14	7.53	0.9	5.2	
	日平均值			24.55	51.78	34.03	8.14	7.54	4.18	2.59
	灣內站	0:04	24.16	51.87	34.07	8.31	9.24	4.6	19.5	
		3:04	24.10	52.01	34.17	8.25	8.39	4.0	10.3	
		6:04	23.22	51.49	33.80	8.27	8.88	5.3	12.9	
		9:04	23.59	51.82	34.04	8.29	9.39	6.1	28.1	
		12:04	24.20	51.79	34.01	8.28	9.30	5.7	9.7	
		15:04	24.74	51.92	34.10	8.49	12.69	9.4	37.0	
		18:04	24.66	51.89	34.08	8.42	11.42	7.7	26.5	
		21:04	24.40	52.01	34.18	8.42	11.05	6.9	12.7	
	日平均值			24.13	51.85	34.06	8.34	10.05	6.21	19.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月3日	蚵殼站	0:04	23.75	51.97	34.28	8.24	7.23	4.9	3.3	
		3:04	23.52	51.80	34.16	8.32	7.50	4.2	7.2	
		6:04	23.38	51.21	33.73	8.31	7.77	5.5	8.8	
		9:04	23.36	50.96	33.54	8.31	6.97	4.5	10.7	
		12:04	24.10	51.12	33.64	8.33	7.26	4.3	7.9	
		15:04	23.73	50.88	33.48	8.36	8.57	4.8	14.2	
		18:04	23.71	50.72	33.36	8.34	8.09	3.9	8.8	
		21:04	23.57	51.50	33.94	8.23	6.76	5.5	1.6	
	日平均值			23.64	51.27	33.77	8.31	7.52	4.70	7.81
	潮口站	0:04	24.54	52.25	34.33	8.19	7.68	1.3	1.9	
		3:04	24.19	52.07	34.21	8.29	7.72	5.1	3.3	
		6:04	24.03	52.08	34.22	8.23	7.14	3.5	3.8	
		9:04	24.50	52.24	34.33	8.21	7.22	1.5	4.4	
		12:04	24.55	52.18	34.28	8.28	7.86	2.8	5.1	
		15:04	24.77	52.11	34.22	8.28	8.16	6.4	1.3	
		18:04	24.44	52.01	34.16	8.31	8.62	5.2	3.8	
		21:04	24.88	52.14	34.24	8.24	7.52	1.3	2.9	
	日平均值			24.49	52.14	34.25	8.25	7.74	3.39	3.31
	灣內站	0:04	24.19	52.01	34.18	8.34	9.89	6.7	16.8	
		3:04	23.93	51.83	34.06	8.27	8.69	5.2	6.8	
		6:04	23.78	51.77	34.01	8.29	9.14	7.1	12.7	
		9:04	23.72	51.87	34.09	8.32	9.69	7.3	12.8	
		12:04	24.47	51.96	34.14	8.43	11.34	7.0	18.7	
		15:04	24.52	51.77	34.00	8.50	12.54	9.2	29.2	
		18:04	24.59	51.52	33.80	8.46	12.14	10.8	28.2	
		21:04	24.24	51.61	33.89	8.38	11.00	7.6	21.9	
	日平均值			24.18	51.79	34.02	8.37	10.55	7.61	18.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月4日	蚵殼站	0:04	23.53	51.47	33.92	8.26	5.56	4.2	6.6	
		3:04	23.52	51.04	33.60	8.29	6.58	4.0	12.2	
		6:04	23.41	51.54	33.97	8.32	7.22	4.8	5.8	
		9:04	23.45	51.46	33.91	8.31	6.24	4.3	9.2	
		12:04	23.88	50.96	33.53	8.35	7.33	4.9	5.8	
		15:04	23.95	51.43	33.89	8.36	7.65	5.4	7.9	
		18:04	23.86	51.75	34.12	8.28	7.06	6.6	0.3	
		21:04	23.84	51.17	33.69	8.32	6.94	5.2	5.2	
	日平均值			23.68	51.35	33.83	8.31	6.82	4.93	6.63
	潮口站	0:04	24.74	52.21	34.29	8.33	7.64	1.5	5.0	
		3:04	24.29	52.10	34.22	8.29	7.69	2.8	4.3	
		6:04	24.23	52.00	34.15	8.27	7.48	3.4	3.2	
		9:04	24.92	52.07	34.19	8.25	7.22	2.0	1.5	
		12:04	25.06	51.98	34.12	8.21	7.73	2.5	1.6	
		15:04	25.34	51.89	34.05	8.33	8.61	4.8	4.9	
		18:04	24.90	51.89	34.06	8.33	8.71	3.2	1.2	
		21:04	25.14	51.88	34.05	8.21	7.68	0.7	2.2	
	日平均值			24.83	52.00	34.14	8.28	7.85	2.61	2.99
	灣內站	0:04	24.19	51.73	33.99	8.32	9.80	7.1	17.1	
		3:04	23.95	51.62	33.91	8.35	9.95	6.3	14.3	
		6:04	23.90	51.75	34.01	8.28	8.80	4.6	13.7	
		9:04	23.81	51.81	34.06	8.22	8.29	5.2	9.7	
		12:04	24.44	51.56	33.86	8.41	11.28	5.9	33.1	
		15:04	25.01	51.56	33.85	8.52	13.16	6.4	35.8	
		18:04	25.23	51.65	33.91	8.49	12.41	9.2	29.9	
		21:04	24.73	51.54	33.84	8.43	11.21	6.0	13.7	
	日平均值			24.41	51.65	33.93	8.38	10.61	6.34	20.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月5日	蚵殼站	0:04	24.00	51.63	34.03	8.36	5.89	3.6	4.1	
		3:04	24.10	51.69	34.07	8.38	7.52	4.7	4.5	
		6:04	23.84	51.50	33.94	8.29	7.17	5.7	2.9	
		9:04	23.88	51.54	33.96	8.30	6.88	4.4	3.9	
		12:04	24.28	51.77	34.12	8.36	7.85	3.8	1.1	
		15:04	24.41	50.94	33.50	8.36	8.30	5.7	2.0	
		18:04	24.35	51.42	33.87	8.30	7.71	5.9	3.6	
		21:04	24.37	51.71	34.08	8.33	8.15	5.7	0.8	
	日平均值			24.15	51.53	33.95	8.34	7.43	4.94	2.86
	潮口站	0:04	25.07	52.08	34.20	8.21	7.50	0.6	2.2	
		3:04	24.70	52.04	34.18	8.29	7.69	2.3	2.8	
		6:04	24.35	52.09	34.22	8.22	7.77	3.1	2.1	
		9:04	24.86	52.18	34.27	8.23	7.14	1.7	1.6	
		12:04	25.40	52.27	34.33	8.21	7.90	2.6	2.7	
		15:04	25.81	52.09	34.18	8.18	7.79	7.1	4.0	
		18:04	25.74	52.23	34.29	8.29	8.06	4.2	3.7	
		21:04	25.68	52.37	34.38	8.24	7.42	6.3	3.4	
	日平均值			25.20	52.17	34.26	8.23	7.66	3.49	2.81
	灣內站	0:04	24.41	51.59	33.88	8.36	10.13	4.8	24.4	
		3:04	24.41	51.51	33.82	8.34	9.45	5.2	21.0	
		6:04	24.29	51.49	33.81	8.28	8.72	5.2	28.6	
		9:04	24.42	51.83	34.07	8.30	9.06	4.8	11.3	
		12:04	24.75	51.77	34.02	8.36	9.95	4.2	6.9	
		15:04	25.25	51.68	33.94	8.46	11.74	7.2	18.0	
		18:04	24.99	51.48	33.80	8.41	10.64	8.7	10.2	
		21:04	24.75	51.45	33.78	8.38	9.94	6.1	6.7	
	日平均值			24.66	51.60	33.89	8.36	9.95	5.78	15.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月6日	蚵殼站	0:04	24.30	50.96	33.52	8.33	7.79	4.4	0.1	
		3:04	24.45	50.54	33.21	8.30	7.79	4.2	7.2	
		6:04	24.33	50.49	33.18	8.29	7.65	4.4	1.4	
		9:04	24.35	51.20	33.71	8.31	7.02	4.1	2.8	
		12:04	24.92	51.46	33.88	8.34	8.10	4.9	3.0	
		15:04	25.33	50.85	33.42	8.36	6.69	5.6	6.9	
		18:04	25.10	51.76	34.10	8.35	6.20	5.1	1.8	
		21:04	24.97	51.25	33.73	8.34	7.06	4.1	2.5	
	日平均值			24.72	51.06	33.59	8.33	7.29	4.60	3.21
	潮口站	0:04	25.47	52.34	34.37	8.27	7.33	1.3	2.6	
		3:04	25.38	52.14	34.23	8.28	7.29	1.5	0.1	
		6:04	25.08	52.02	34.15	8.30	7.47	5.0	5.1	
		9:04	25.14	52.23	34.31	8.26	7.02	3.1	1.1	
		12:04	25.68	52.37	34.39	8.28	7.40	1.0	2.8	
		15:04	25.79	52.34	34.36	8.30	7.65	2.4	1.7	
		18:04	25.55	51.97	34.10	8.27	7.50	7.5	6.0	
		21:04	25.32	51.93	34.08	8.27	7.34	7.4	7.7	
	日平均值			25.43	52.17	34.25	8.28	7.38	3.65	3.39
	灣內站	0:04	24.64	51.68	33.96	8.34	9.57	6.9	10.3	
		3:04	24.46	51.63	33.94	8.30	8.96	5.1	8.5	
		6:04	24.40	51.61	33.92	8.27	8.80	4.8	7.8	
		9:04	24.38	51.56	33.88	8.33	9.53	4.3	6.7	
		12:04	24.82	51.42	33.77	8.36	10.17	5.5	6.9	
		15:04	24.98	51.74	34.01	8.40	10.38	8.8	11.3	
		18:04	24.95	51.65	33.94	8.35	9.50	8.6	7.9	
		21:04	24.80	51.59	33.90	8.28	8.29	5.5	6.3	
	日平均值			24.68	51.61	33.92	8.33	9.40	6.19	8.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月7日	蚵殼站	0:04	24.89	51.24	33.72	8.33	7.24	6.4	1.8	
		3:04	24.85	51.01	33.55	8.34	6.64	7.2	3.6	
		6:04	24.72	51.54	33.94	8.30	5.79	6.5	5.7	
		9:04	24.12	51.05	33.59	8.27	5.80	6.6	2.5	
		12:04	24.40	51.71	34.02	8.33	6.24	2.2	7.9	
		15:04	24.33	51.67	34.00	8.35	6.83	3.9	10.5	
		18:04	24.31	51.81	34.10	8.34	6.74	5.3	12.1	
		21:04	24.22	51.78	34.08	8.31	6.78	3.0	10.3	
	日平均值			24.48	51.48	33.88	8.32	6.51	5.14	6.80
	潮口站	0:04	25.21	51.89	34.05	8.25	6.99	4.1	0.0	
		3:04	25.33	52.49	34.48	8.27	7.01	0.3	2.8	
		6:04	25.25	52.59	34.56	8.28	7.00	0.9	3.2	
		9:04	25.04	52.17	34.26	8.27	6.88	2.8	0.3	
		12:04	25.22	52.26	34.49	8.28	6.83	5.4	1.3	
		15:04	25.27	52.28	34.50	8.28	7.20	5.0	1.3	
		18:04	25.01	52.21	34.45	8.30	7.05	8.9	3.9	
		21:04	24.65	51.96	34.28	8.31	7.26	7.1	3.8	
	日平均值			25.12	52.23	34.38	8.28	7.03	4.31	2.08
	灣內站	0:04	24.67	51.62	33.93	8.32	9.20	8.3	7.9	
		3:04	24.55	51.62	33.94	8.30	8.90	6.8	11.4	
		6:04	24.46	51.63	33.95	8.26	7.64	6.0	14.5	
		9:04	24.33	51.90	34.16	8.25	8.03	5.6	9.7	
		12:04	24.33	51.71	34.02	8.33	7.85	8.6	24.8	
		15:04	24.42	51.74	34.04	8.33	7.98	8.0	15.2	
		18:04	24.35	51.75	34.05	8.27	6.98	7.4	11.3	
		21:04	24.27	51.69	34.01	8.20	6.06	7.9	9.7	
	日平均值			24.42	51.71	34.01	8.28	7.83	7.33	13.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月8日	蚵殼站	0:04	24.17	51.57	33.92	8.30	7.05	4.0	6.0	
		3:04	24.12	51.71	34.03	8.28	6.80	4.0	2.5	
		6:04	24.00	51.85	34.13	8.29	6.52	3.4	1.4	
		9:04	23.72	51.65	34.00	8.27	6.92	3.3	5.8	
		12:04	23.81	51.87	34.15	8.29	7.02	2.9	10.1	
		15:04	23.65	51.88	34.17	8.25	6.78	2.4	1.2	
		18:04	23.63	51.85	34.13	8.22	6.62	2.2	1.2	
		21:04	23.58	51.86	34.15	8.27	6.88	2.5	3.5	
	日平均值			23.84	51.78	34.09	8.27	6.82	3.09	3.96
	潮口站	0:04	24.49	51.91	34.25	8.29	6.69	8.6	0.7	
		3:04	24.76	52.16	34.43	8.26	6.79	3.9	4.9	
		6:04	24.84	52.21	34.46	8.29	6.88	3.6	3.3	
		9:04	24.30	51.98	34.30	8.32	6.91	6.5	0.1	
		12:04	24.92	52.10	34.38	8.34	6.90	4.7	0.0	
		15:04	24.79	52.10	34.39	8.38	7.05	4.5	0.1	
		18:04	24.63	52.06	34.37	8.36	7.13	4.0	0.3	
		21:04	23.80	51.87	34.24	8.26	6.17	10.1	0.8	
	日平均值			24.57	52.05	34.35	8.31	6.82	5.74	1.28
	灣內站	0:04	24.17	51.71	34.03	8.17	5.93	5.1	4.8	
		3:04	24.09	51.73	34.03	8.21	5.90	6.5	7.3	
		6:04	23.99	51.71	34.03	8.20	6.07	6.4	12.2	
		9:04	23.94	51.74	34.05	8.22	6.40	7.7	9.2	
		12:04	23.92	51.75	34.05	8.21	6.17	7.3	7.7	
		15:04	23.93	51.78	34.08	8.21	6.16	8.9	5.5	
		18:04	23.89	51.85	34.13	8.21	6.32	5.5	6.9	
		21:04	23.72	51.81	34.11	8.15	5.48	4.7	4.4	
	日平均值			23.96	51.76	34.06	8.20	6.05	6.51	7.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月9日	蚵殼站	0:04	23.59	51.15	33.62	8.28	7.03	2.2	3.9	
		3:04	23.47	51.00	33.51	8.26	7.02	2.9	0.6	
		6:04	23.39	51.97	34.23	8.24	6.76	4.7	2.4	
		9:04	23.29	50.79	33.36	8.24	6.96	2.4	2.2	
		12:04	23.85	51.24	33.68	8.25	7.11	2.1	2.4	
		15:04	24.24	51.55	33.90	8.27	7.39	3.4	0.9	
		18:04	24.37	52.14	34.34	8.26	7.19	2.6	6.1	
		21:04	23.93	52.03	34.26	8.23	6.87	2.8	0.7	
	日平均值			23.77	51.48	33.86	8.25	7.04	2.89	2.40
	潮口站	0:04	23.99	51.80	34.19	8.18	6.48	9.4	3.0	
		3:04	24.70	52.06	34.36	8.26	6.98	3.4	0.8	
		6:04	24.62	52.07	34.37	8.21	6.91	2.6	0.2	
		9:04	24.29	52.09	34.39	8.10	6.88	5.1	0.6	
		12:04	24.61	52.17	34.44	8.14	6.87	5.7	0.4	
		15:04	25.34	52.14	34.41	8.24	7.18	3.1	0.8	
		18:04	25.30	52.20	34.45	8.25	7.47	2.9	5.0	
		21:04	24.76	52.06	34.36	8.17	6.72	11.9	0.1	
	日平均值			24.70	52.07	34.37	8.19	6.94	5.51	1.36
	灣內站	0:04	23.56	51.74	34.07	8.16	5.64	6.4	3.0	
		3:04	23.45	51.78	34.10	8.13	5.30	5.1	4.2	
		6:04	23.37	51.82	34.13	8.11	5.25	5.7	2.1	
		9:04	23.50	51.82	34.13	8.13	5.20	4.6	2.6	
		12:04	24.18	51.67	34.00	8.21	6.77	5.6	5.3	
		15:04	24.36	51.80	34.09	8.22	6.98	5.5	6.0	
		18:04	24.30	51.72	34.04	8.22	6.79	5.9	12.4	
		21:04	24.30	51.65	33.99	8.16	6.48	5.8	6.6	
	日平均值			23.88	51.75	34.07	8.17	6.05	5.58	5.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月10日	蚵殼站	0:04	23.80	51.96	34.22	8.25	6.96	2.1	0.9	
		3:04	23.69	51.21	33.67	8.23	6.80	2.9	0.3	
		6:04	23.67	50.98	33.49	8.19	6.66	4.7	2.4	
		9:04	23.56	50.80	33.36	8.20	6.86	1.9	1.6	
		12:04	24.00	50.64	33.23	8.15	6.48	1.4	2.6	
		15:04	24.27	50.99	33.49	8.24	7.26	2.4	0.4	
		18:04	25.05	51.65	33.96	8.27	7.32	4.2	1.2	
		21:04	24.99	52.25	34.41	8.26	7.31	3.6	6.6	
	日平均值			24.13	51.31	33.73	8.22	6.96	2.90	2.00
	潮口站	0:04	24.79	52.17	34.44	8.22	6.63	11.7	3.5	
		3:04	24.92	52.12	34.40	8.23	6.97	3.4	1.7	
		6:04	24.88	52.14	34.42	8.18	6.88	3.2	1.7	
		9:04	24.51	52.10	34.40	8.13	6.83	6.4	2.1	
		12:04	24.94	52.05	34.35	8.14	6.68	8.2	0.4	
		15:04	25.36	51.99	34.30	8.20	7.23	3.0	2.2	
		18:04	25.46	52.05	34.34	8.18	7.54	3.8	0.1	
		21:04	25.35	52.08	34.36	8.19	7.11	7.9	4.8	
	日平均值			25.03	52.09	34.38	8.18	6.98	5.95	2.06
	灣內站	0:04	23.99	51.35	33.77	8.12	6.19	3.9	4.5	
		3:04	24.15	51.89	34.17	8.17	6.17	4.3	3.7	
		6:04	24.06	51.90	34.18	8.14	5.48	6.8	6.6	
		9:04	24.06	51.92	34.20	8.13	5.44	4.1	3.5	
		12:04	24.50	51.93	34.20	8.10	5.30	5.4	1.4	
		15:04	25.01	51.58	33.93	8.13	6.15	5.6	4.3	
		18:04	24.55	51.70	34.03	8.15	6.25	6.9	2.8	
		21:04	24.74	51.73	34.05	8.11	5.61	6.3	3.0	
	日平均值			24.38	51.75	34.07	8.13	5.82	5.41	3.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月11日	蚵殼站	0:04	24.63	51.56	33.91	8.24	7.15	2.5	10.2	
		3:04	24.64	51.74	34.04	8.24	7.28	4.9	4.0	
		6:04	24.57	50.78	33.33	8.24	7.22	7.2	0.5	
		9:04	24.54	50.69	33.26	8.24	7.27	4.8	1.7	
		12:04	25.26	50.96	33.44	8.25	7.53	3.7	6.6	
		15:04	24.96	50.72	33.27	8.23	7.42	6.9	0.7	
		18:04	24.81	52.05	34.26	8.19	6.71	4.8	8.3	
		21:04	24.79	51.20	33.63	8.22	7.29	6.4	1.4	
	日平均值			24.78	51.21	33.64	8.23	7.23	5.15	4.18
	潮口站	0:04	25.41	51.99	34.30	8.12	6.68	9.9	1.0	
		3:04	25.09	51.73	34.11	8.13	6.58	7.2	2.1	
		6:04	25.10	51.85	34.20	8.20	6.94	4.6	0.1	
		9:04	25.12	51.70	34.09	8.18	7.07	6.4	1.5	
		12:04	25.75	51.61	34.00	8.23	6.89	7.4	0.2	
		15:04	25.79	49.79	32.66	8.17	7.24	5.9	3.1	
		18:04	25.67	51.03	33.58	8.24	7.11	2.8	1.3	
		21:04	25.15	51.40	33.87	8.18	6.72	7.8	1.3	
	日平均值			25.39	51.39	33.85	8.18	6.90	6.50	1.33
	灣內站	0:04	24.58	51.71	34.03	8.09	5.36	5.1	1.6	
		3:04	24.10	51.78	34.09	8.13	5.77	5.4	1.4	
		6:04	23.98	51.78	34.10	8.10	5.75	4.9	1.5	
		9:04	24.05	51.49	33.89	8.11	6.02	3.9	0.9	
		12:04	25.07	51.68	34.01	8.13	6.15	3.7	1.4	
		15:04	25.46	51.81	34.10	8.18	6.75	3.8	3.5	
		18:04	25.31	51.89	34.16	8.14	6.20	3.5	4.9	
		21:04	25.17	51.71	34.02	8.16	6.41	3.8	5.2	
	日平均值			24.72	51.73	34.05	8.13	6.05	4.26	2.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月12日	蚵殼站	0:04	24.80	51.32	33.72	8.22	7.21	3.9	5.3	
		3:04	24.75	51.80	34.07	8.23	7.41	10.3	4.6	
		6:04	24.63	50.61	33.20	8.23	7.30	9.5	2.2	
		9:04	24.65	51.08	33.55	8.19	7.16	4.2	2.8	
		12:04	25.08	50.59	33.17	8.22	7.38	5.6	1.6	
		15:04	25.40	50.85	33.36	8.26	7.86	4.6	7.0	
		18:04	25.30	51.08	33.53	8.26	7.55	2.5	10.4	
		21:04	25.41	51.72	34.00	8.25	7.26	6.4	0.1	
	日平均值			25.00	51.13	33.58	8.23	7.39	5.88	4.25
	潮口站	0:04	25.18	51.36	33.83	8.31	6.49	8.3	6.0	
		3:04	25.07	51.35	33.83	8.27	6.24	5.2	3.6	
		6:04	25.30	51.60	34.01	8.20	6.95	3.2	4.7	
		9:04	25.25	51.54	33.96	8.29	6.95	4.6	2.8	
		12:04	25.73	51.52	33.93	8.14	6.42	9.7	1.1	
		15:04	26.20	50.44	33.13	8.22	7.19	3.1	0.4	
		18:04	25.82	51.58	33.98	8.22	7.13	3.0	1.7	
		21:04	25.71	51.55	33.96	8.27	7.19	3.6	1.3	
	日平均值			25.53	51.37	33.83	8.24	6.82	5.09	2.70
	灣內站	0:04	25.05	51.53	33.89	8.09	5.92	3.3	2.9	
		3:04	24.95	51.80	34.10	8.10	5.63	3.6	4.3	
		6:04	24.85	51.89	34.17	8.12	5.58	4.2	6.4	
		9:04	25.02	51.88	34.16	8.05	5.00	3.7	2.1	
		12:04	25.63	51.35	33.76	8.14	6.87	4.1	3.4	
		15:04	26.38	51.46	33.82	8.16	7.12	3.8	5.4	
		18:04	26.05	51.64	33.97	8.25	8.49	3.7	14.7	
		21:04	25.69	51.74	34.05	8.23	7.81	4.2	8.7	
	日平均值			25.45	51.66	33.99	8.14	6.55	3.83	5.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月13日	蚵殼站	0:04	25.37	51.80	34.06	8.26	7.53	4.3	2.3	
		3:04	25.38	51.15	33.59	8.25	7.78	4.3	3.7	
		6:04	25.18	50.90	33.40	8.24	7.50	3.1	4.7	
		9:04	25.12	51.82	34.08	8.20	7.09	3.6	1.0	
		12:04	25.86	51.21	33.62	8.27	8.01	2.2	4.3	
		15:04	25.76	51.46	33.80	8.25	7.74	6.3	6.6	
		18:04	25.87	51.00	33.45	8.23	7.51	3.2	2.2	
		21:04	25.85	51.72	33.99	8.24	7.55	3.1	10.0	
	日平均值			25.55	51.38	33.75	8.24	7.59	3.76	4.35
	潮口站	0:04	25.62	51.37	33.83	8.13	6.67	10.8	3.3	
		3:04	25.78	51.34	33.81	8.15	6.89	8.4	2.7	
		6:04	25.56	51.79	34.14	8.21	6.99	3.3	0.4	
		9:04	25.61	51.71	34.08	8.22	7.10	3.4	3.6	
		12:04	26.14	51.72	34.08	8.20	7.15	10.2	4.6	
		15:04	26.28	51.60	33.98	8.27	7.89	7.7	2.6	
		18:04	26.00	51.22	33.71	8.28	7.06	3.5	2.6	
		21:04	25.87	51.36	33.82	8.27	7.24	1.9	4.2	
	日平均值			25.86	51.51	33.93	8.22	7.12	6.15	3.00
	灣內站	0:04	25.70	51.69	34.01	8.15	6.49	3.2	8.1	
		3:04	25.51	51.77	34.08	8.11	6.01	3.2	5.5	
		6:04	25.34	51.81	34.11	8.15	6.45	4.3	11.3	
		9:04	25.41	51.84	34.13	8.20	7.14	4.3	6.5	
		12:04	25.99	51.98	34.22	8.28	8.39	3.8	6.3	
		15:04	26.21	52.06	34.28	8.32	8.90	8.8	13.2	
		18:04	26.13	52.10	34.31	8.31	8.54	7.5	9.0	
		21:04	25.94	52.08	34.30	8.27	7.96	6.6	13.5	
	日平均值			25.78	51.92	34.18	8.22	7.49	5.21	9.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月14日	蚵殼站	0:04	25.74	50.17	32.85	8.25	7.49	3.8	11.6	
		3:04	25.68	50.56	33.14	8.25	7.47	4.6	10.5	
		6:04	25.50	52.46	34.56	8.21	6.60	4.0	6.4	
		9:04	25.49	51.75	34.02	8.23	6.81	3.6	10.8	
		12:04	25.57	51.01	33.47	8.24	6.72	2.4	16.5	
		15:04	25.53	50.24	32.90	8.26	7.12	3.8	9.2	
		18:04	25.36	50.56	33.14	8.23	6.84	6.5	2.1	
		21:04	25.26	51.77	34.04	8.21	6.41	6.0	4.3	
	日平均值			25.52	51.07	33.52	8.24	6.93	4.34	8.93
	潮口站	0:04	25.87	51.22	33.71	8.24	6.57	10.6	3.5	
		3:04	25.64	51.19	33.69	8.19	6.36	7.9	1.0	
		6:04	25.58	51.51	33.93	8.25	6.74	3.6	2.9	
		9:04	25.64	51.67	34.05	8.26	6.96	3.4	1.5	
		12:04	25.64	51.34	33.80	8.19	6.95	10.0	3.4	
		15:04	25.81	51.28	33.76	8.21	7.40	7.5	5.4	
		18:04	25.26	51.14	33.67	8.22	6.91	3.2	4.3	
		21:04	25.19	51.35	33.82	8.26	6.98	3.8	2.8	
	日平均值			25.58	51.34	33.80	8.23	6.86	6.25	3.10
	灣內站	0:04	26.09	52.09	34.30	8.18	6.59	5.4	5.7	
		3:04	25.80	52.08	34.30	8.22	7.11	5.8	7.9	
		6:04	25.75	52.03	34.26	8.19	6.66	7.3	6.3	
		9:04	25.73	51.73	34.05	8.22	7.49	5.2	12.2	
		12:04	25.85	51.68	34.01	8.17	6.86	5.7	12.2	
		15:04	25.82	51.59	33.96	8.21	7.57	7.6	17.8	
		18:04	25.65	51.64	34.01	8.23	7.78	6.9	10.2	
		21:04	25.49	51.99	34.23	8.12	6.47	6.4	5.6	
	日平均值			25.77	51.85	34.14	8.19	7.07	6.29	9.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月15日	蚵殼站	0:04	25.22	51.77	34.04	8.22	6.25	3.3	6.9	
		3:04	25.17	51.76	34.04	8.21	5.60	5.5	4.6	
		6:04	25.05	51.73	34.02	8.22	6.42	4.1	7.0	
		9:04	24.88	50.38	33.02	8.21	6.12	2.7	2.6	
		12:04	24.89	50.73	33.28	8.26	7.01	5.1	14.8	
		15:04	25.09	50.65	33.21	8.28	6.72	11.1	11.2	
		18:04	25.04	50.58	33.17	8.22	6.07	3.1	4.8	
		21:04	24.71	50.26	32.93	8.19	6.26	10.5	2.5	
	日平均值			25.01	50.98	33.46	8.23	6.31	5.68	6.80
	潮口站	0:04	25.27	51.54	33.96	8.26	7.23	6.7	1.0	
		3:04	25.19	51.21	33.72	8.20	7.05	5.3	1.2	
		6:04	24.99	50.84	33.44	8.22	6.76	4.1	4.2	
		9:04	25.00	51.41	33.87	8.22	6.79	3.6	1.2	
		12:04	25.03	51.21	33.72	8.24	6.88	8.4	3.3	
		15:04	25.18	50.80	33.42	8.30	9.69	6.3	23.0	
		18:04	24.83	49.07	32.16	8.22	6.99	4.6	1.3	
		21:04	24.98	51.21	33.73	8.30	6.98	2.4	2.5	
	日平均值			25.06	50.91	33.50	8.25	7.30	5.18	4.71
	灣內站	0:04	25.39	51.73	34.05	8.10	6.05	4.8	5.7	
		3:04	25.21	51.72	34.05	8.12	6.20	4.4	4.7	
		6:04	25.28	51.80	34.12	8.10	5.71	3.4	12.4	
		9:04	25.46	51.93	34.09	8.15	6.44	5.1	3.2	
		12:04	25.33	51.73	33.94	8.15	6.46	5.3	3.4	
		15:04	25.45	51.79	33.99	8.16	6.78	3.9	2.6	
		18:04	25.29	51.80	34.00	8.13	6.27	3.9	3.0	
		21:04	25.09	51.53	33.80	8.13	5.96	3.3	2.4	
	日平均值			25.31	51.75	34.01	8.13	6.23	4.26	4.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月16日	蚵殼站	0:04	24.71	50.52	33.13	8.20	5.88	7.8	0.0	
		3:04	24.69	51.62	33.95	8.19	6.03	6.7	1.3	
		6:04	24.61	51.70	34.01	8.19	6.08	6.8	0.1	
		9:04	24.45	51.62	33.95	8.15	5.56	2.7	1.4	
		12:14	24.91	51.69	33.99	8.16	5.89	5.3	0.5	
		15:04	25.11	51.55	33.89	8.18	6.39	4.3	3.8	
		18:04	24.82	51.49	33.84	8.17	6.40	7.8	0.7	
		21:04	24.79	51.65	33.96	8.18	6.14	9.9	4.4	
	日平均值			24.76	51.48	33.84	8.18	6.05	6.41	1.53
	潮口站	0:04	24.69	50.93	33.53	8.31	7.33	6.1	2.0	
		3:04	24.74	51.04	33.61	8.25	7.01	6.9	0.8	
		6:04	24.64	51.00	33.58	8.27	6.58	4.2	1.5	
		9:04	24.93	51.14	33.67	8.26	6.80	3.7	1.6	
		12:14	25.05	50.93	33.52	8.26	7.42	8.0	4.9	
		15:04	25.53	50.79	33.41	8.24	7.41	12.7	0.9	
		18:04	25.28	50.82	33.43	8.19	7.04	9.4	2.4	
		21:04	25.49	51.25	33.74	8.30	6.88	2.2	3.2	
	日平均值			25.04	50.99	33.56	8.26	7.06	6.65	2.16
	灣內站	0:04	24.99	51.70	33.93	8.12	6.10	4.8	3.5	
		3:04	24.91	51.70	33.93	8.04	4.78	4.8	1.7	
		6:04	24.74	51.80	34.01	8.12	5.81	5.3	3.2	
		9:04	24.67	51.79	34.00	8.09	5.38	4.5	2.1	
		12:14	25.06	51.79	33.99	8.14	6.43	5.8	2.1	
		15:04	25.53	51.90	34.06	8.08	5.88	7.0	1.0	
		18:04	25.42	51.73	33.94	8.07	5.89	7.2	0.9	
		21:04	25.11	51.76	33.97	8.08	5.91	5.4	1.6	
	日平均值			25.05	51.77	33.98	8.09	5.77	5.60	2.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月17日	蚵殼站	0:04	24.70	51.69	34.00	8.18	5.73	10.4	0.1	
		3:04	24.56	51.72	34.02	8.17	6.07	4.0	0.1	
		6:04	24.48	51.72	34.02	8.19	6.35	13.2	1.0	
		9:04	24.62	51.74	34.03	8.21	6.22	7.7	3.4	
		12:04	25.23	51.73	34.01	8.23	6.63	10.7	0.4	
		15:04	24.85	51.74	34.03	8.19	6.30	11.1	1.4	
		18:04	24.80	51.58	33.91	8.18	6.31	7.1	0.7	
		21:04	24.75	51.67	33.98	8.17	6.17	17.3	0.8	
	日平均值			24.75	51.70	34.00	8.19	6.22	10.19	0.99
	潮口站	0:04	24.94	50.77	33.40	8.29	7.17	10.2	0.5	
		3:04	24.92	50.95	33.54	8.25	6.90	6.2	0.9	
		6:04	24.90	50.69	33.36	8.26	6.68	4.7	0.3	
		9:04	25.32	51.19	33.70	8.31	7.03	3.0	3.0	
		12:04	25.54	50.97	33.53	8.35	7.32	5.8	0.1	
		15:04	25.69	51.05	33.59	8.24	7.12	9.2	2.3	
		18:04	25.38	50.85	33.45	8.29	6.63	8.3	0.7	
		21:04	25.53	51.16	33.67	8.32	6.95	2.2	0.6	
	日平均值			25.28	50.95	33.53	8.29	6.98	6.20	1.05
	灣內站	0:04	24.95	51.84	34.04	8.04	5.31	3.4	1.4	
		3:04	24.84	51.95	34.12	8.04	4.76	3.1	1.2	
		6:04	24.72	51.81	34.02	8.05	5.33	3.4	0.9	
		9:04	24.71	51.99	34.15	8.06	5.57	4.3	0.6	
		12:04	25.48	51.99	34.13	8.09	5.87	4.2	0.9	
		15:04	25.67	52.11	34.21	8.09	5.86	5.6	1.0	
		18:04	25.72	51.91	34.07	8.05	5.77	6.8	0.8	
		21:04	25.40	51.92	34.09	8.07	5.71	4.2	1.9	
	日平均值			25.19	51.94	34.10	8.06	5.52	4.38	1.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月18日	蚵殼站	0:04	24.65	51.66	33.98	8.16	5.72	8.3	1.1	
		3:04	24.67	51.59	33.93	8.12	5.99	15.1	1.0	
		6:04	24.67	51.56	33.90	8.10	5.95	9.7	3.1	
		9:04	24.75	51.56	33.90	8.09	5.83	9.1	5.5	
		12:04	25.27	51.60	33.92	8.11	5.85	10.9	3.5	
		15:04	24.96	51.69	33.99	8.15	5.79	10.6	0.6	
		18:04	25.01	51.71	34.01	8.16	6.08	9.0	3.4	
		21:04	24.98	51.73	34.02	8.15	6.02	11.6	0.9	
	日平均值			24.87	51.64	33.96	8.13	5.90	10.54	2.39
	潮口站	0:04	25.40	51.10	33.63	8.30	7.06	10.2	1.0	
		3:04	25.25	50.96	33.53	8.30	6.98	6.2	2.8	
		6:04	25.10	51.16	33.69	8.26	6.42	5.6	2.0	
		9:04	25.30	50.99	33.56	8.29	6.96	4.3	0.3	
		12:04	25.63	50.99	33.56	8.29	6.87	8.7	1.7	
		15:04	25.66	51.05	33.59	8.16	6.67	11.8	0.3	
		18:04	25.69	51.16	33.67	8.15	6.44	7.7	1.4	
		21:04	25.66	51.11	33.63	8.24	6.96	2.9	0.4	
	日平均值			25.46	51.07	33.61	8.25	6.80	7.18	1.24
	灣內站	0:04	25.20	51.99	34.13	8.07	5.83	4.4	2.1	
		3:04	25.09	52.05	34.18	8.08	5.96	4.0	2.3	
		6:04	24.95	52.04	34.17	8.04	5.58	3.6	2.5	
		9:04	24.97	52.20	34.29	8.03	5.30	4.1	2.0	
		12:04	25.56	51.93	34.08	8.07	6.35	3.4	3.2	
		15:04	25.65	51.81	34.00	8.07	6.37	3.9	3.9	
		18:04	25.85	51.96	34.09	8.05	5.91	4.8	2.6	
		21:04	25.55	51.98	34.13	8.07	6.04	4.0	2.3	
	日平均值			25.35	52.00	34.13	8.06	5.92	4.03	2.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月19日	蚵殼站	0:04	24.93	51.60	33.93	8.14	5.82	7.9	1.9
		3:04	24.94	51.65	33.96	8.11	5.74	9.9	3.0
		6:04	24.92	51.23	33.65	8.10	5.99	7.6	2.3
		9:04	24.99	50.98	33.46	8.11	5.91	7.9	1.4
		12:04	25.19	51.33	33.72	8.13	6.42	6.8	0.1
		15:04	25.40	51.23	33.64	8.16	6.44	8.8	2.8
		18:04	25.41	51.38	33.75	8.15	6.44	11.8	0.4
		21:04	25.74	51.74	34.01	8.11	5.93	11.4	6.6
	日平均值		25.19	51.39	33.77	8.13	6.09	9.01	2.31
	潮口站	0:04	25.71	51.25	33.74	8.21	6.88	3.6	3.8
		3:04	25.50	51.14	33.66	8.34	6.86	5.7	1.3
		6:04	25.41	51.29	33.79	8.32	6.51	6.1	0.5
		9:04	25.70	51.37	33.83	8.33	6.92	4.5	0.1
		12:04	25.99	51.57	33.97	8.36	7.28	4.2	4.4
		15:04	26.57	51.08	33.59	8.24	6.80	13.2	1.0
		18:04	26.35	50.99	33.53	8.26	7.30	12.2	1.6
		21:04	26.18	51.24	33.72	8.27	6.97	6.1	1.2
	日平均值		25.93	51.24	33.73	8.29	6.94	6.95	1.74
	灣內站	0:04	25.27	51.97	34.13	8.05	5.64	4.9	2.5
		3:04	25.22	52.03	34.17	8.01	5.35	3.6	3.3
		6:04	25.12	52.04	34.18	8.01	4.90	3.4	6.7
		9:04	25.12	52.07	34.21	8.06	5.97	2.5	3.6
		12:04	25.57	52.00	34.13	8.08	6.64	5.0	3.2
		15:04	25.82	51.99	34.13	8.08	6.46	8.1	3.1
		18:04	25.47	52.25	34.33	8.09	6.33	7.9	2.5
		21:04	26.04	51.87	34.04	8.06	6.21	4.6	1.4
	日平均值		25.45	52.03	34.17	8.06	5.94	5.00	3.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月20日	蚵殼站	0:04	25.64	51.62	33.93	8.10	5.85	6.8	3.8	
		3:04	25.50	51.24	33.65	8.11	6.07	5.6	1.8	
		6:04	25.38	51.66	33.96	8.12	6.29	9.1	8.5	
		9:04	25.48	51.74	34.02	8.13	5.98	10.1	5.7	
		12:04	25.90	51.48	33.82	8.14	6.40	7.9	3.2	
		15:04	25.94	51.39	33.74	8.15	6.34	7.7	1.5	
		18:04	25.87	51.89	34.11	8.18	6.48	6.0	0.7	
		21:04	25.89	51.83	34.07	8.15	6.18	9.7	5.3	
	日平均值			25.70	51.61	33.91	8.14	6.20	7.86	3.81
	潮口站	0:04	25.98	51.32	33.79	8.43	7.15	4.5	0.8	
		3:04	25.96	51.34	33.80	8.36	6.84	8.2	2.5	
		6:04	25.88	51.36	33.82	8.31	6.53	6.8	2.8	
		9:04	25.88	51.56	33.96	8.37	6.93	3.3	1.2	
		12:04	26.12	51.52	33.93	8.41	7.28	4.2	2.9	
		15:04	26.76	51.50	33.89	8.28	7.04	11.7	0.7	
		18:04	26.61	51.34	33.79	8.27	7.24	7.3	5.7	
		21:04	26.53	51.56	33.94	8.27	6.91	6.1	0.7	
	日平均值			26.22	51.44	33.87	8.34	6.99	6.51	2.16
	灣內站	0:04	25.61	52.07	34.20	8.07	6.43	4.1	2.6	
		3:04	25.44	52.06	34.20	8.06	5.95	3.3	2.5	
		6:04	25.31	52.14	34.26	8.05	5.75	3.1	1.6	
		9:04	25.40	52.15	34.27	8.00	4.97	3.3	0.7	
		12:04	26.00	52.08	34.20	8.07	6.35	3.4	2.1	
		15:04	26.26	51.95	34.10	8.12	7.15	3.9	4.6	
		18:04	26.23	52.01	34.15	8.09	6.85	3.7	3.8	
		21:04	26.29	52.04	34.16	8.04	6.07	4.1	2.1	
	日平均值			25.82	52.06	34.19	8.06	6.19	3.61	2.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月21日	蚵殼站	0:04	26.01	51.80	34.05	8.16	6.24	7.2	2.0	
		3:04	25.88	51.76	34.02	8.14	5.94	8.1	4.0	
		6:04	25.61	51.55	33.87	8.14	6.31	6.6	0.8	
		9:04	25.78	51.66	33.95	8.15	6.39	6.2	3.5	
		12:04	26.14	51.67	33.92	8.20	6.54	5.6	4.9	
		15:04	25.84	51.21	33.59	8.15	5.91	7.3	4.9	
		18:04	26.02	51.30	33.65	8.18	6.06	7.8	0.2	
		21:04	26.05	51.52	33.81	8.18	6.34	7.1	8.3	
	日平均值			25.92	51.56	33.86	8.16	6.22	6.99	3.58
	潮口站	0:04	26.30	51.67	34.04	8.27	6.55	3.8	1.5	
		3:04	26.18	51.39	33.82	8.36	6.99	6.3	0.8	
		6:04	26.15	51.41	33.85	8.24	6.92	4.8	1.9	
		9:04	26.13	51.68	34.05	8.27	6.74	6.0	0.6	
		12:04	26.36	51.68	33.92	8.27	7.41	4.0	1.7	
		15:04	26.57	51.66	33.91	8.28	7.66	4.4	2.8	
		18:04	26.59	51.58	33.84	8.30	7.26	9.3	1.7	
		21:04	26.38	51.50	33.79	8.23	6.78	7.5	2.0	
	日平均值			26.33	51.57	33.90	8.28	7.04	5.76	1.63
	灣內站	0:04	25.94	51.96	34.13	8.08	6.80	3.2	4.0	
		3:04	25.90	51.95	34.11	8.08	6.52	2.3	4.0	
		6:04	25.84	52.09	34.22	8.05	5.70	2.1	2.9	
		9:04	25.89	51.96	34.12	8.09	6.89	2.3	3.2	
		12:04	26.45	51.74	33.99	8.18	7.29	3.4	5.8	
		15:04	26.70	51.80	34.03	8.24	8.28	4.1	26.0	
		18:04	26.70	51.81	34.03	8.25	8.44	6.6	12.2	
		21:04	26.69	51.79	34.02	8.13	6.61	5.7	15.7	
	日平均值			26.26	51.89	34.08	8.14	7.07	3.71	9.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月22日	蚵殼站	0:04	25.99	52.05	34.20	8.17	5.99	6.8	4.4	
		3:04	25.92	51.10	33.50	8.15	6.20	5.5	7.3	
		6:04	25.90	51.74	33.98	8.16	6.17	7.0	9.2	
		9:04	26.06	51.46	33.77	8.17	6.13	5.0	1.1	
		12:04	26.34	51.51	33.80	8.16	6.17	5.1	2.8	
		15:04	26.56	51.66	33.90	8.24	6.64	7.3	5.2	
		18:04	26.50	51.76	33.97	8.22	6.40	8.1	15.9	
		21:04	26.50	51.86	34.05	8.21	6.45	4.6	6.3	
	日平均值			26.22	51.64	33.90	8.19	6.27	6.18	6.53
	潮口站	0:04	26.27	51.51	33.80	8.27	6.30	6.9	2.9	
		3:04	26.21	51.47	33.77	8.25	6.76	4.7	2.8	
		6:04	26.13	51.44	33.75	8.32	6.94	5.7	2.8	
		9:04	26.16	51.46	33.77	8.38	6.67	4.9	4.3	
		12:04	26.52	51.57	33.84	8.30	7.52	4.0	0.0	
		15:04	26.74	51.57	33.84	8.25	7.92	3.2	3.3	
		18:04	26.71	51.47	33.77	8.21	7.80	9.1	3.5	
		21:04	26.83	51.47	33.76	8.14	7.31	10.4	3.4	
	日平均值			26.45	51.50	33.79	8.27	7.15	6.11	2.88
	灣內站	0:04	26.56	51.78	34.01	8.14	6.81	5.6	19.2	
		3:04	26.53	51.82	34.04	8.15	6.77	5.1	8.3	
		6:04	26.29	51.84	34.07	8.10	5.81	3.2	8.4	
		9:04	26.45	51.84	34.06	8.15	6.91	1.6	6.2	
		12:04	26.75	51.84	34.05	8.27	9.05	3.3	18.4	
		15:04	27.04	51.79	34.01	8.32	10.15	3.8	25.0	
		18:04	26.91	51.78	34.00	8.29	9.57	6.5	16.8	
		21:04	26.82	51.81	34.03	8.24	8.35	4.5	7.6	
	日平均值			26.67	51.81	34.03	8.21	7.93	4.20	13.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月23日	蚵殼站	0:04	26.36	51.89	34.08	8.20	6.32	3.9	7.9	
		3:04	26.18	51.93	34.11	8.19	6.24	4.0	0.9	
		6:04	25.93	52.26	34.36	8.19	6.19	4.4	0.8	
		9:04	25.96	51.96	34.14	8.21	6.27	4.7	7.8	
		12:04	26.73	51.97	34.13	8.26	6.88	7.2	23.9	
		15:04	26.68	52.21	34.30	8.30	7.27	9.2	31.2	
		18:04	26.71	52.05	34.19	8.30	7.06	7.8	40.2	
		21:04	26.61	51.90	34.08	8.31	7.14	6.7	19.9	
	日平均值			26.40	52.02	34.17	8.25	6.67	5.99	16.58
	潮口站	0:04	26.67	51.38	33.70	8.46	7.17	8.4	5.3	
		3:04	26.29	51.44	33.75	8.34	7.12	3.1	2.7	
		6:04	26.17	51.43	33.75	8.34	7.25	3.6	2.2	
		9:04	26.28	51.52	33.81	8.24	7.31	5.3	4.2	
		12:04	26.52	51.39	33.71	8.39	7.33	4.3	2.0	
		15:04	26.53	51.35	33.68	8.40	7.25	8.5	0.1	
		18:04	27.04	51.34	33.66	8.30	8.26	7.4	0.0	
		21:04	27.29	51.30	33.62	8.20	8.22	9.0	4.9	
	日平均值			26.60	51.39	33.71	8.33	7.49	6.20	2.68
	灣內站	0:04	26.73	51.84	34.05	8.25	8.52	5.5	16.4	
		3:04	26.52	51.79	34.02	8.24	8.55	5.6	39.9	
		6:04	26.41	51.80	34.03	8.23	8.31	4.8	21.3	
		9:04	26.46	51.82	34.04	8.25	8.73	5.6	30.9	
		12:04	27.20	51.87	34.06	8.42	11.78	5.0	36.1	
		15:04	27.34	51.76	33.97	8.38	11.21	7.2	31.6	
		18:04	26.85	51.87	34.07	8.32	9.67	9.9	31.0	
		21:04	27.24	51.72	33.95	8.30	9.09	5.4	16.6	
	日平均值			26.84	51.81	34.02	8.30	9.48	6.13	27.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月24日	蚵殼站	0:04	26.63	51.98	34.13	8.34	7.12	6.6	16.8	
		3:04	26.62	51.83	34.02	8.29	6.37	10.7	22.4	
		6:04	26.49	51.37	33.69	8.29	6.21	11.0	14.4	
		9:04	26.55	51.54	33.81	8.32	6.48	12.7	6.6	
		12:04	27.03	50.89	33.32	8.37	7.09	26.2	15.7	
		15:04	26.77	51.20	33.55	8.32	6.83	5.4	24.2	
		18:04	26.71	50.82	33.28	8.35	6.72	4.4	17.6	
		21:04	26.75	50.29	32.89	8.40	6.91	5.4	9.8	
	日平均值			26.69	51.24	33.59	8.34	6.72	10.30	15.94
	潮口站	0:04	27.06	51.08	33.47	8.20	10.49	7.0	17.8	
		3:04	26.26	51.05	33.46	8.17	7.06	6.3	4.1	
		6:04	25.89	51.19	33.58	8.18	7.03	4.0	0.4	
		9:04	26.67	51.10	33.49	8.27	10.29	3.3	8.3	
		12:04	26.98	51.18	33.53	8.24	9.77	5.2	10.0	
		15:04	26.67	50.22	32.84	8.20	7.49	5.3	5.8	
		18:04	26.37	50.72	33.22	8.24	7.53	4.3	3.8	
		21:04	26.76	51.08	33.47	8.31	7.98	7.6	0.1	
	日平均值			26.58	50.95	33.38	8.23	8.46	5.38	6.29
	灣內站	0:04	26.82	51.77	34.00	8.29	8.75	3.8	18.9	
		3:04	26.57	51.84	34.05	8.28	8.61	3.8	17.8	
		6:04	26.39	51.86	34.08	8.25	8.21	3.1	30.2	
		9:04	26.47	51.88	34.09	8.28	8.91	3.0	18.2	
		12:04	27.25	51.69	33.92	8.50	12.86	3.5	27.8	
		15:04	27.58	51.79	33.99	8.56	13.63	5.9	28.8	
		18:04	27.25	51.93	34.11	8.53	12.62	6.0	25.3	
		21:04	27.32	51.74	33.96	8.48	11.32	5.8	20.6	
	日平均值			26.96	51.81	34.03	8.40	10.61	4.36	23.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月25日	蚵殼站	0:04	26.71	50.45	33.01	8.40	6.61	12.6	13.8	
		3:04	26.62	50.59	33.11	8.38	6.81	13.9	16.6	
		6:04	26.46	51.14	33.52	8.36	6.31	7.3	13.7	
		9:04	26.60	50.52	33.06	8.40	6.64	9.0	12.6	
		12:04	26.88	50.25	32.86	8.44	7.16	4.6	14.9	
		15:04	26.93	51.15	33.52	8.35	6.41	5.9	10.6	
		18:04	26.86	51.43	33.72	8.33	5.74	9.7	8.5	
		21:04	26.74	51.40	33.71	8.39	6.15	7.5	7.8	
	日平均值			26.73	50.87	33.31	8.38	6.48	8.81	12.31
	潮口站	0:04	26.72	50.99	33.40	8.25	7.20	8.2	5.6	
		3:04	26.08	50.86	33.33	8.23	7.31	4.7	0.2	
		6:04	25.89	51.32	33.66	8.24	7.25	4.3	3.1	
		9:04	26.20	50.99	33.42	8.38	8.35	6.3	7.8	
		12:04	26.84	51.02	33.42	8.25	8.37	5.1	4.5	
		15:04	26.31	50.22	32.84	8.34	7.94	6.4	1.3	
		18:04	26.28	50.87	33.32	8.30	7.86	11.3	5.6	
		21:04	26.13	50.70	33.20	8.30	7.99	8.1	3.7	
	日平均值			26.31	50.87	33.32	8.29	7.78	6.80	3.98
	灣內站	0:04	27.07	50.25	32.87	8.20	7.15	2.8	9.0	
		3:04	26.83	50.93	33.37	8.36	9.17	3.7	30.8	
		6:04	26.91	51.90	34.09	8.44	10.77	2.8	28.6	
		9:04	26.95	51.82	34.03	8.43	10.36	3.0	18.4	
		12:04	27.47	51.89	34.07	8.50	11.56	4.1	16.8	
		15:04	27.40	51.86	34.05	8.51	11.31	8.1	16.3	
		18:04	27.21	51.84	34.04	8.49	10.68	7.5	20.8	
		21:04	27.06	51.83	34.04	8.48	9.90	4.4	33.7	
	日平均值			27.11	51.54	33.82	8.43	10.11	4.55	21.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月26日	蚵殼站	0:04	26.69	51.90	34.07	8.40	6.18	6.8	7.1	
		3:04	26.47	51.94	34.11	8.40	5.99	4.3	8.4	
		6:04	26.18	51.26	33.61	8.31	5.21	7.2	16.2	
		9:04	26.15	50.61	33.14	8.37	5.45	6.8	18.3	
		12:04	26.11	50.91	33.36	8.38	6.03	6.4	5.4	
		15:04	25.83	51.49	33.79	8.36	5.96	7.6	16.3	
		18:04	25.56	51.64	33.91	8.34	5.32	30.9	9.2	
		21:04	25.64	51.60	33.88	8.35	5.53	5.8	17.0	
	日平均值			26.08	51.42	33.73	8.36	5.71	9.48	12.24
	潮口站	0:04	26.30	50.49	33.04	8.22	8.95	10.6	6.8	
		3:04	26.16	50.66	33.18	8.37	7.91	5.7	2.5	
		6:04	25.77	51.10	33.51	8.21	7.36	4.7	3.3	
		9:04	25.38	50.86	33.34	8.29	7.39	8.6	8.6	
		12:04	25.86	50.98	33.41	8.29	8.02	6.5	5.1	
		15:04	25.57	51.12	33.53	8.27	7.41	6.3	3.7	
		18:04	25.57	51.39	33.72	8.24	7.37	5.8	1.0	
		21:04	25.46	51.14	33.54	8.23	7.62	7.8	3.2	
	日平均值			25.76	50.97	33.41	8.27	7.75	7.00	4.28
	灣內站	0:04	26.85	51.82	34.03	8.41	8.25	3.1	11.4	
		3:04	26.61	51.88	34.08	8.35	7.57	2.9	6.6	
		6:04	26.42	51.87	34.08	8.40	8.17	3.5	5.2	
		9:04	26.28	51.84	34.06	8.38	8.19	2.6	6.6	
		12:04	26.08	51.84	34.07	8.35	7.62	3.1	5.9	
		15:04	25.93	51.79	34.03	8.35	7.44	3.7	11.5	
		18:04	25.87	51.74	34.00	8.35	7.57	2.6	7.1	
		21:04	25.77	51.73	33.99	8.33	7.43	2.2	6.0	
	日平均值			26.23	51.81	34.04	8.37	7.78	2.96	7.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月27日	蚵殼站	0:04	25.42	50.51	33.08	8.36	5.62	5.8	4.8	
		3:04	25.35	51.79	34.02	8.34	5.39	6.3	16.5	
		6:04	25.16	51.58	33.88	8.32	5.25	3.6	18.2	
		9:04	25.06	50.94	33.40	8.36	5.37	3.3	12.4	
		12:04	25.41	51.29	33.66	8.38	5.43	4.1	2.7	
		15:04	25.69	51.42	33.75	8.36	5.58	4.7	2.3	
		18:04	25.62	51.49	33.80	8.33	5.27	5.4	5.5	
		21:04	25.39	51.50	33.81	8.32	5.31	4.2	16.6	
	日平均值			25.39	51.32	33.68	8.35	5.40	4.68	9.88
	潮口站	0:04	25.61	51.15	33.55	8.29	7.86	5.8	0.1	
		3:04	25.35	51.22	33.59	8.20	7.10	5.0	0.7	
		6:04	25.47	51.12	33.52	8.18	7.07	5.0	3.1	
		9:04	25.37	50.98	33.42	8.29	7.57	4.9	0.2	
		12:04	25.99	51.18	33.56	8.27	7.25	7.9	0.5	
		15:04	26.35	50.03	32.70	8.22	7.32	10.6	2.2	
		18:04	26.11	50.68	33.18	8.24	7.31	18.0	3.3	
		21:04	25.65	50.85	33.32	8.16	7.22	7.6	3.2	
	日平均值			25.74	50.90	33.36	8.23	7.34	8.10	1.66
	灣內站	0:04	25.43	51.65	33.95	8.32	7.16	0.8	4.8	
		3:04	25.26	51.52	33.85	8.21	6.57	1.2	6.0	
		6:04	25.30	51.65	33.95	8.28	6.46	1.4	6.7	
		9:04	25.12	51.43	33.79	8.26	6.55	2.0	4.4	
		12:04	25.73	51.51	33.84	8.31	7.39	2.2	5.0	
		15:04	26.21	51.56	33.86	8.33	7.51	2.6	4.3	
		18:04	26.16	51.51	33.83	8.30	7.01	2.6	4.4	
		21:04	25.98	51.20	33.61	8.25	6.58	3.5	3.4	
	日平均值			25.65	51.50	33.84	8.28	6.90	2.04	4.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月28日	蚵殼站	0:04	25.30	51.40	33.74	8.33	5.46	3.9	5.5	
		3:04	25.18	50.68	33.21	8.33	5.34	5.1	4.2	
		6:04	25.02	51.52	33.83	8.32	5.20	3.3	4.5	
		9:04	25.12	51.73	33.99	8.34	5.32	4.4	11.6	
		12:04	25.48	50.45	33.04	8.38	5.50	4.9	10.1	
		15:04	25.56	51.01	33.44	8.33	5.54	6.7	6.5	
		18:04	25.36	51.62	33.90	8.31	5.49	11.5	1.3	
		21:04	25.21	52.01	34.19	8.29	5.28	7.2	0.2	
	日平均值			25.28	51.30	33.67	8.33	5.39	5.88	5.49
	潮口站	0:04	25.39	50.90	33.37	8.27	7.19	10.9	0.6	
		3:04	25.30	50.75	33.26	8.33	6.81	7.6	0.3	
		6:04	25.48	50.82	33.30	8.37	6.96	6.1	3.7	
		9:04	25.49	50.52	33.09	8.18	7.22	6.8	0.5	
		12:04	26.08	50.44	33.01	8.15	7.36	5.7	6.1	
		15:04	25.95	50.40	32.99	8.30	7.29	7.9	3.8	
		18:04	25.78	50.27	32.89	8.29	7.25	6.9	0.2	
		21:04	25.69	50.38	32.97	8.31	7.37	9.5	3.5	
	日平均值			25.65	50.56	33.11	8.28	7.18	7.68	2.34
	灣內站	0:04	25.68	51.41	33.77	8.26	6.25	4.7	3.6	
		3:04	24.80	50.02	32.77	8.08	5.10	2.7	3.4	
		6:04	25.29	51.23	33.65	8.20	5.49	2.5	5.2	
		9:04	25.17	51.14	33.58	8.11	4.35	2.2	0.9	
		12:04	25.97	51.30	33.68	8.25	6.47	3.2	1.8	
		15:04	26.16	51.28	33.66	8.28	7.24	4.6	5.6	
		18:04	26.08	51.41	33.76	8.21	6.26	7.3	4.5	
		21:04	25.82	51.42	33.77	8.17	5.57	4.7	7.0	
	日平均值			25.62	51.15	33.58	8.20	5.84	3.99	4.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月29日	蚵殼站	0:04	25.08	51.89	34.10	8.36	6.09	8.0	3.0	
		3:04	24.92	51.74	34.00	8.39	6.16	9.5	0.2	
		6:04	24.88	51.27	33.65	8.38	6.05	8.0	3.4	
		9:04	24.75	51.27	33.66	8.36	6.07	6.3	2.3	
		12:04	25.25	51.45	33.78	8.43	6.36	5.4	2.4	
		15:04	25.43	51.29	33.65	8.42	6.68	4.1	0.8	
		18:04	25.48	51.89	34.10	8.35	6.32	4.9	2.8	
		21:04	25.39	51.80	34.03	8.35	6.14	18.2	5.1	
	日平均值			25.15	51.58	33.87	8.38	6.23	8.05	2.50
	潮口站	0:04	25.48	50.57	33.11	8.35	7.18	8.8	2.3	
		3:04	25.62	50.68	33.20	8.25	6.98	7.3	1.8	
		6:04	25.46	50.60	33.14	8.16	7.20	10.5	0.3	
		9:04	25.40	50.17	32.83	8.35	7.25	19.4	0.2	
		12:04	25.69	50.26	32.88	8.19	6.43	9.0	3.9	
		15:04	26.02	50.54	33.07	8.28	7.18	8.3	4.7	
		18:04	25.53	50.11	32.78	8.27	7.47	8.6	0.6	
		21:04	25.46	50.90	33.36	8.30	7.24	9.2	3.3	
	日平均值			25.58	50.48	33.05	8.27	7.12	10.14	2.14
	灣內站	0:04	25.71	51.43	33.79	8.20	6.12	4.9	7.4	
		3:04	25.57	51.38	33.75	8.14	5.22	2.7	2.8	
		6:04	25.48	51.41	33.78	8.14	5.20	4.8	5.6	
		9:04	25.41	51.41	33.78	8.16	5.63	6.1	6.1	
		12:04	25.85	51.61	33.92	8.13	5.34	4.6	1.8	
		15:04	26.41	51.67	33.95	8.18	5.87	4.2	3.3	
		18:04	26.31	51.57	33.88	8.26	7.35	5.8	7.0	
		21:04	26.04	51.52	33.84	8.19	6.21	3.5	6.9	
	日平均值			25.85	51.50	33.84	8.18	5.87	4.58	5.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月30日	蚵殼站	0:04	25.36	51.62	33.90	8.39	6.42	5.6	1.2	
		3:04	25.34	51.83	34.06	8.37	6.14	4.3	1.4	
		6:04	25.16	52.00	34.19	8.37	6.31	4.0	0.0	
		9:04	25.16	51.98	34.17	8.33	6.20	5.2	2.2	
		12:04	25.71	51.84	34.05	8.43	6.40	6.8	14.8	
		15:04	25.54	51.59	33.88	8.37	6.48	9.3	2.9	
		18:04	25.40	51.32	33.68	8.33	6.44	11.6	2.0	
		21:04	25.43	51.98	34.16	8.35	6.39	15.1	5.4	
	日平均值			25.39	51.77	34.01	8.37	6.35	7.74	3.74
	潮口站	0:04	25.45	50.64	33.16	8.24	6.98	8.3	4.7	
		3:04	25.59	50.67	33.19	8.23	6.95	5.7	0.0	
		6:04	25.30	50.11	32.78	8.23	7.15	8.5	0.4	
		9:04	25.41	49.72	32.49	8.36	7.37	5.9	1.4	
		12:04	26.04	50.29	32.89	8.22	6.75	8.9	4.7	
		15:04	27.04	50.57	33.07	8.24	7.62	13.4	6.6	
		18:04	25.75	51.46	33.75	8.31	7.83	4.5	3.3	
		21:04	25.68	51.37	33.69	8.29	7.63	4.0	3.9	
	日平均值			25.78	50.60	33.13	8.27	7.29	7.40	3.13
	灣內站	0:04	26.08	51.47	33.81	8.18	6.09	3.8	4.9	
		3:04	25.73	51.60	33.92	8.13	5.50	2.3	3.3	
		6:04	25.45	51.48	33.83	8.12	5.39	4.5	6.8	
		9:04	25.53	51.46	33.81	8.12	5.54	2.7	1.8	
		12:04	26.25	51.42	33.77	8.13	5.80	2.1	2.4	
		15:04	26.73	51.44	33.77	8.27	8.05	5.1	8.2	
		18:04	26.40	51.42	33.77	8.22	7.28	10.6	11.5	
		21:04	25.99	51.56	33.88	8.25	7.59	5.6	26.6	
	日平均值			26.02	51.48	33.82	8.18	6.41	4.59	8.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月31日	蚵殼站	0:04	25.56	51.85	34.07	8.35	6.44	11.5	0.9	
		3:04	25.44	52.04	34.21	8.36	6.40	10.8	1.4	
		6:04	25.30	51.66	33.93	8.29	6.58	15.2	2.3	
		9:04	25.57	51.70	33.96	8.35	6.76	12.6	4.6	
		12:04	26.23	52.66	34.65	8.38	6.74	15.5	4.5	
		15:04	25.73	51.67	33.93	8.37	6.88	10.7	4.2	
		18:04	25.69	50.88	33.35	8.31	6.78	14.2	4.6	
		21:04	25.68	51.94	34.13	8.35	6.80	22.1	1.0	
	日平均值			25.65	51.80	34.03	8.35	6.67	14.08	2.94
	潮口站	0:04	25.78	51.60	33.86	8.15	7.43	8.2	3.8	
		3:04	25.92	51.64	33.89	8.08	7.99	3.2	3.5	
		6:04	25.41	51.78	34.00	8.12	7.16	4.3	3.4	
		9:04	25.62	51.49	33.78	8.24	7.63	12.0	3.1	
		12:04	26.59	51.29	33.62	8.27	7.95	5.4	6.1	
		15:04	26.97	51.33	33.63	8.27	7.68	11.3	3.6	
		18:04	26.24	51.15	33.52	8.36	8.15	8.1	4.9	
		21:04	26.05	51.33	33.66	8.23	7.67	5.8	3.3	
	日平均值			26.07	51.45	33.75	8.22	7.71	7.29	3.96
	灣內站	0:04	25.74	51.53	33.86	8.15	6.35	7.4	17.2	
		3:04	25.60	51.56	33.89	8.12	5.44	4.0	8.0	
		6:04	25.47	51.77	34.05	8.14	5.81	3.0	16.4	
		9:04	25.60	51.67	33.97	8.17	6.91	3.5	7.7	
		12:04	26.41	51.64	33.93	8.25	8.36	3.3	8.5	
		15:04	26.80	51.83	34.06	8.28	8.63	7.9	8.7	
		18:04	27.03	51.88	34.10	8.28	8.02	8.9	9.7	
		21:04	26.50	51.82	34.06	8.26	8.04	6.7	13.0	
	日平均值			26.14	51.71	33.99	8.21	7.20	5.59	11.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月1日	蚵殼站	0:04	25.72	52.13	34.27	8.30	6.90	6.5	8.2	
		3:04	25.47	51.98	34.17	8.28	6.81	7.4	2.2	
		6:04	25.28	51.80	34.04	8.26	7.03	6.4	9.0	
		9:04	25.24	51.87	34.09	8.29	7.30	6.7	0.7	
		12:04	25.27	51.95	34.14	8.31	6.87	5.8	2.9	
		15:04	25.91	51.70	33.95	8.32	6.97	7.5	7.8	
		18:04	25.42	51.41	33.74	8.31	6.90	7.7	4.5	
		21:04	25.21	52.04	34.21	8.30	7.11	5.6	6.2	
	日平均值			25.44	51.86	34.08	8.30	6.99	6.70	5.19
	潮口站	0:04	25.87	51.87	34.04	8.36	7.83	5.2	10.0	
		3:04	26.02	51.97	34.11	8.39	7.53	5.8	10.5	
		6:04	25.55	51.98	34.12	8.28	7.15	10.5	4.2	
		9:04	25.30	52.09	34.20	8.41	7.33	7.6	1.8	
		12:04	25.50	51.87	34.05	8.42	7.68	6.1	3.3	
		15:04	26.07	51.63	33.88	8.39	8.06	11.5	2.7	
		18:04	26.16	51.86	34.02	8.33	7.85	8.4	8.2	
		21:04	25.30	51.85	34.03	8.38	7.44	5.7	3.4	
	日平均值			25.72	51.89	34.06	8.37	7.61	7.60	5.51
	灣內站	0:04	26.33	51.67	33.97	8.21	7.17	6.1	12.3	
		3:04	26.11	51.47	33.83	8.19	6.53	5.2	15.5	
		6:04	25.84	51.59	33.91	8.20	6.71	5.4	10.8	
		9:04	25.67	51.38	33.76	8.18	6.25	4.6	16.7	
		12:04	25.69	51.67	33.99	8.19	6.59	6.7	6.2	
		15:04	26.24	51.54	33.87	8.24	8.15	5.8	21.0	
		18:04	25.98	51.25	33.66	8.27	8.93	5.8	23.4	
		21:04	25.77	51.61	33.94	8.18	6.23	4.3	10.1	
	日平均值			25.95	51.52	33.87	8.21	7.07	5.48	14.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月2日	蚵殼站	0:04	25.14	52.09	34.25	8.28	7.04	5.5	1.2	
		3:04	24.78	51.87	34.10	8.28	6.95	8.4	2.7	
		6:04	24.51	51.47	33.81	8.25	6.93	6.5	1.9	
		9:04	24.85	51.54	33.85	8.27	6.97	7.9	4.3	
		12:04	25.04	51.81	34.05	8.29	6.87	6.6	6.8	
		15:04	25.13	51.69	33.96	8.27	6.83	6.9	9.2	
		18:04	25.14	51.09	33.52	8.27	6.90	5.9	10.8	
		21:04	24.91	51.70	33.97	8.29	6.90	4.1	13.3	
	日平均值			24.94	51.66	33.94	8.27	6.92	6.48	6.28
	潮口站	0:04	25.18	51.63	33.90	8.31	7.60	5.7	0.6	
		3:04	25.07	51.75	33.98	8.29	7.62	11.0	3.0	
		6:04	24.91	51.67	33.93	8.29	7.17	6.2	3.2	
		9:04	25.16	51.92	34.09	8.35	7.47	5.5	0.0	
		12:04	25.47	51.80	34.01	8.31	7.96	3.9	1.2	
		15:04	25.70	51.71	33.93	8.29	8.43	10.0	5.4	
		18:04	25.87	51.83	34.01	8.25	8.18	12.9	4.0	
		21:04	25.35	51.63	33.89	8.30	8.06	7.7	3.6	
	日平均值			25.34	51.74	33.97	8.30	7.81	7.86	2.63
	灣內站	0:04	25.35	51.36	33.75	8.12	5.48	6.3	10.5	
		3:04	25.27	51.59	33.93	8.12	5.35	5.9	8.9	
		6:04	25.11	51.77	34.07	8.14	5.87	6.2	6.7	
		9:04	25.25	51.95	34.20	8.17	6.28	5.9	14.2	
		12:04	25.62	51.72	34.01	8.22	7.57	4.3	5.1	
		15:04	25.93	52.02	34.23	8.25	7.79	6.3	12.3	
		18:04	25.98	51.81	34.07	8.18	7.24	7.0	5.2	
		21:04	25.59	51.31	33.71	8.13	6.61	5.4	5.7	
	日平均值			25.51	51.69	34.00	8.17	6.52	5.90	8.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月3日	蚵殼站	0:04	24.78	51.60	33.90	8.30	6.95	5.4	9.1	
		3:04	24.73	52.35	34.45	8.29	6.85	8.8	8.0	
		6:04	24.48	51.65	33.94	8.25	6.77	7.2	8.1	
		9:04	24.55	51.58	33.89	8.25	6.78	9.2	10.0	
		12:04	24.62	51.80	34.05	8.28	6.83	9.8	11.5	
		15:04	24.92	51.47	33.80	8.32	6.88	9.1	11.2	
		18:04	24.70	51.70	33.98	8.27	6.94	8.1	14.2	
		21:04	24.61	51.50	33.83	8.26	7.17	6.4	29.1	
	日平均值			24.67	51.71	33.98	8.28	6.90	8.00	12.65
	潮口站	0:04	25.13	51.79	34.01	8.33	7.80	4.0	5.5	
		3:04	24.78	51.89	34.07	8.40	7.39	7.4	5.9	
		6:04	24.40	51.73	33.98	8.36	7.17	7.1	1.3	
		9:04	25.26	51.86	34.06	8.42	7.55	5.5	0.7	
		12:04	25.57	51.94	34.10	8.30	7.75	6.0	0.4	
		15:04	25.59	51.68	33.92	8.34	8.57	8.2	3.8	
		18:04	25.55	51.77	33.98	8.27	8.03	13.0	6.7	
		21:04	25.20	51.72	33.96	8.28	8.04	9.0	0.4	
	日平均值			25.19	51.80	34.01	8.34	7.79	7.53	3.09
	灣內站	0:04	25.09	51.39	33.79	8.14	6.60	6.6	13.3	
		3:04	24.94	51.77	34.07	8.13	6.23	5.1	11.6	
		6:04	24.72	51.82	34.12	8.06	4.80	2.8	5.4	
		9:04	24.79	51.77	34.07	8.11	5.71	3.8	4.6	
		12:04	25.47	51.76	34.05	8.27	8.23	4.0	7.0	
		15:04	25.77	51.81	34.09	8.30	8.78	4.7	14.1	
		18:04	25.74	51.77	34.04	8.20	6.88	7.4	10.2	
		21:04	25.45	51.79	34.07	8.15	6.23	6.2	5.0	
	日平均值			25.25	51.74	34.04	8.17	6.68	5.07	8.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月4日	蚵殼站	0:04	24.53	51.12	33.55	8.28	7.23	9.2	24.1	
		3:04	24.36	51.21	33.62	8.28	7.26	9.7	11.3	
		6:04	24.36	51.07	33.52	8.28	7.13	6.5	14.7	
		9:04	24.48	51.65	33.94	8.29	7.10	6.9	14.1	
		12:04	24.78	51.71	33.98	8.34	7.77	8.0	19.3	
		15:04	24.87	51.32	33.69	8.32	7.07	9.1	9.4	
		18:04	24.61	51.80	34.05	8.29	6.94	7.1	9.8	
		21:04	24.37	51.85	34.09	8.24	7.04	9.6	13.5	
	日平均值			24.55	51.47	33.81	8.29	7.19	8.26	14.53
	潮口站	0:04	25.17	51.69	33.93	8.25	8.05	3.7	10.4	
		3:04	24.90	51.79	34.01	8.31	7.97	3.7	5.1	
		6:04	24.38	51.75	34.00	8.37	7.24	6.0	2.2	
		9:04	25.04	51.80	34.01	8.39	7.49	3.4	5.3	
		12:04	25.49	51.91	34.08	8.46	7.77	3.2	0.9	
		15:04	25.32	51.84	34.03	8.39	8.27	5.4	4.4	
		18:04	25.27	51.86	34.06	8.38	8.21	9.8	3.0	
		21:04	25.45	51.98	34.13	8.31	7.38	10.8	1.1	
	日平均值			25.13	51.83	34.03	8.36	7.80	5.75	4.05
	灣內站	0:04	24.79	50.46	33.11	8.13	6.53	6.5	16.7	
		3:04	24.60	51.64	33.97	8.16	6.55	5.3	11.9	
		6:04	24.49	51.63	33.97	8.15	6.22	4.9	8.2	
		9:04	24.46	51.63	33.98	8.19	6.84	5.1	8.1	
		12:04	25.11	51.66	33.97	8.29	8.76	5.1	13.4	
		15:04	25.39	51.61	33.93	8.32	8.92	7.6	17.1	
		18:04	25.45	51.61	33.94	8.27	7.98	6.0	18.4	
		21:04	25.30	51.70	34.00	8.24	7.21	6.7	14.8	
	日平均值			24.95	51.49	33.86	8.22	7.38	5.89	13.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月5日	蚵殼站	0:04	24.36	51.97	34.18	8.24	6.93	13.8	9.0	
		3:04	24.39	51.75	34.02	8.24	6.84	6.3	15.6	
		6:04	24.21	51.41	33.77	8.24	6.98	10.3	10.6	
		9:04	24.57	51.65	33.94	8.27	6.75	7.9	19.7	
		12:04	24.95	51.31	33.69	8.30	7.10	7.6	16.5	
		15:04	25.02	51.96	34.16	8.33	7.33	8.1	14.5	
		18:04	25.17	51.89	34.10	8.30	7.04	7.9	10.8	
		21:04	24.92	51.99	34.19	8.31	7.18	7.5	11.6	
	日平均值			24.70	51.74	34.01	8.28	7.02	8.68	13.54
	潮口站	0:04	25.25	51.68	33.94	8.44	7.86	4.6	3.0	
		3:04	25.18	51.71	33.96	8.36	7.65	3.7	4.4	
		6:04	25.05	51.66	33.92	8.37	7.62	3.5	3.2	
		9:04	25.13	51.72	33.96	8.49	7.51	5.5	2.2	
		12:04	25.59	51.82	34.03	8.42	7.52	5.6	1.8	
		15:04	25.84	51.94	34.10	8.32	8.01	6.9	2.0	
		18:04	25.47	51.75	33.97	8.36	8.06	9.6	3.7	
		21:04	25.76	51.74	33.96	8.34	7.80	9.5	4.4	
	日平均值			25.41	51.75	33.98	8.39	7.75	6.11	3.09
	灣內站	0:04	25.08	51.44	33.82	8.19	6.58	5.7	18.9	
		3:04	24.84	51.75	34.04	8.18	6.33	6.2	16.1	
		6:04	24.72	51.84	34.12	8.14	5.50	4.2	10.8	
		9:04	24.74	51.78	34.06	8.18	6.07	5.3	8.7	
		12:04	25.76	51.48	33.83	8.33	8.89	2.8	7.9	
		15:04	25.92	51.53	33.85	8.41	10.27	4.2	22.1	
		18:04	26.13	51.71	33.99	8.36	8.82	5.0	20.3	
		21:04	25.89	51.68	33.97	8.30	7.63	3.7	14.7	
	日平均值			25.39	51.65	33.96	8.26	7.51	4.63	14.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月6日	蚵殼站	0:04	25.24	52.02	34.20	8.33	7.21	9.2	18.3	
		3:04	25.07	51.96	34.16	8.31	7.37	9.4	15.3	
		6:04	24.90	51.48	33.80	8.29	7.48	9.0	14.8	
		9:04	25.02	51.85	34.08	8.31	6.97	8.6	16.5	
		12:04	25.67	51.54	33.93	8.28	9.22	4.1	11.5	
		15:04	25.58	51.97	34.24	8.23	8.11	7.6	4.0	
		18:04	25.59	51.97	34.25	8.22	7.94	7.2	12.3	
		21:04	25.45	51.98	34.26	8.23	7.89	7.5	3.2	
	日平均值			25.32	51.85	34.12	8.28	7.77	7.83	11.99
	潮口站	0:04	25.47	51.79	34.01	8.41	7.53	6.5	0.5	
		3:04	25.49	51.76	33.97	8.29	7.84	3.4	2.4	
		6:04	25.35	51.86	34.06	8.22	7.77	2.8	4.3	
		9:04	25.32	51.90	34.08	8.35	7.74	6.1	2.1	
		12:34	25.94	52.10	34.19	8.40	7.89	5.5	3.6	
		15:04	26.07	52.05	34.15	8.44	7.98	4.7	1.9	
		18:04	26.43	52.15	34.22	8.38	7.64	7.3	6.3	
		21:04	26.29	52.14	34.21	8.35	7.12	11.3	0.9	
	日平均值			25.80	51.97	34.11	8.36	7.69	5.95	2.75
	灣內站	0:04	25.67	51.69	33.99	8.25	6.79	4.7	10.9	
		3:04	25.47	51.60	33.92	8.27	6.91	2.9	11.2	
		6:04	25.03	51.73	34.02	8.22	6.45	2.6	15.9	
		9:04	25.21	51.67	33.98	8.19	5.76	2.9	9.5	
		12:04	26.18	51.27	33.69	8.34	8.24	1.7	3.5	
		15:04	26.29	51.14	33.58	8.42	9.67	6.4	11.4	
		18:04	25.57	51.15	33.62	8.31	8.26	6.2	11.1	
		21:04	25.04	51.27	33.71	8.20	7.12	7.3	7.1	
	日平均值			25.56	51.44	33.81	8.28	7.40	4.34	10.07
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月7日	蚵殼站	0:04	25.68	51.91	34.20	8.24	7.82	3.8	1.4	
		3:04	25.50	51.89	34.19	8.23	7.61	3.9	8.5	
		6:04	25.43	51.94	34.23	8.20	7.35	3.1	6.2	
		9:04	25.37	52.01	34.28	8.20	7.23	7.6	6.4	
		12:04	25.56	52.01	34.28	8.19	7.31	6.7	12.7	
		15:04	25.87	52.00	34.26	8.22	7.94	4.8	18.3	
		18:04	25.85	52.06	34.30	8.21	7.73	9.2	8.6	
		21:04	25.68	52.06	34.31	8.19	7.39	6.5	2.4	
	日平均值			25.62	51.99	34.26	8.21	7.55	5.70	8.06
	潮口站	0:04	26.10	51.96	34.09	8.33	7.61	9.3	1.0	
		3:04	25.78	51.91	34.06	8.33	7.54	3.5	0.4	
		6:04	25.74	51.93	34.08	8.36	7.24	2.4	4.3	
		9:04	25.67	51.83	34.00	8.23	7.46	8.7	3.7	
		12:04	25.88	51.82	33.99	8.33	7.30	8.7	1.7	
		15:04	26.00	51.92	34.06	8.30	7.57	7.4	1.3	
		18:04	26.03	51.91	34.05	8.43	7.58	5.2	1.2	
		21:04	26.43	51.97	34.09	8.11	6.74	13.1	2.9	
	日平均值			25.95	51.91	34.05	8.30	7.38	7.29	2.06
	灣內站	0:04	26.05	51.22	33.65	8.28	7.52	4.5	7.0	
		3:04	25.49	51.21	33.66	8.30	8.21	2.4	6.2	
		6:04	25.41	51.09	33.57	8.26	7.94	3.2	13.5	
		9:04	25.27	51.25	33.69	8.25	7.85	5.2	4.7	
		12:04	25.62	51.13	33.59	8.18	7.11	5.9	3.9	
		15:04	25.79	51.24	33.67	8.28	8.66	3.9	8.7	
		18:04	25.76	51.31	33.73	8.25	8.11	6.6	5.7	
		21:04	25.66	51.38	33.78	8.29	8.34	6.0	6.3	
	日平均值			25.63	51.23	33.67	8.26	7.97	4.71	7.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月8日	蚵殼站	0:04	25.61	52.07	34.32	8.18	7.16	5.3	9.3	
		3:04	25.50	52.07	34.32	8.15	6.84	6.0	9.1	
		6:04	25.40	52.07	34.32	8.15	6.85	4.3	12.3	
		9:04	25.44	51.87	34.18	8.15	6.88	3.7	3.0	
		12:04	26.25	51.95	34.22	8.18	7.27	3.7	12.5	
		15:04	26.20	52.09	34.32	8.20	7.60	4.2	6.7	
		18:04	26.24	52.08	34.31	8.19	7.46	3.2	1.8	
		21:04	26.18	51.98	34.24	8.23	7.92	2.4	1.7	
	日平均值			25.85	52.02	34.28	8.18	7.25	4.10	7.05
	潮口站	0:04	26.01	51.80	33.97	8.29	7.60	4.5	1.3	
		3:04	25.84	51.86	34.02	8.24	7.06	3.4	1.0	
		6:04	25.73	51.84	34.01	8.18	7.06	2.7	0.4	
		9:04	26.01	51.77	33.95	8.31	7.11	6.2	1.1	
		12:04	27.06	51.80	33.95	8.35	7.06	5.3	3.9	
		15:04	26.42	51.67	33.86	8.37	7.35	4.0	3.0	
		18:04	26.35	51.77	33.93	8.38	7.55	1.7	0.5	
		21:04	26.71	51.72	33.89	8.39	7.29	5.1	1.0	
	日平均值			26.27	51.78	33.95	8.31	7.26	4.11	1.53
	灣內站	0:04	25.52	51.38	33.78	8.24	7.96	5.1	5.9	
		3:04	25.46	51.33	33.75	8.15	6.84	2.9	1.9	
		6:04	25.41	51.30	33.73	8.21	7.39	2.9	3.9	
		9:04	25.59	51.29	33.72	8.22	7.75	3.2	3.0	
		12:04	26.43	51.27	33.68	8.28	8.46	2.3	4.4	
		15:04	27.11	51.29	33.68	8.28	8.51	2.6	5.9	
		18:04	27.08	51.33	33.70	8.31	9.06	2.8	8.5	
		21:04	26.96	51.20	33.61	8.27	8.50	2.4	4.8	
	日平均值			26.20	51.30	33.71	8.25	8.06	3.04	4.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月9日	蚵殼站	0:04	25.96	52.01	34.26	8.20	7.33	2.1	4.5	
		3:04	25.89	52.03	34.28	8.18	7.18	1.7	1.3	
		6:04	26.11	51.93	34.20	8.18	7.17	1.1	4.3	
		9:04	26.11	51.62	33.97	8.14	6.75	0.9	4.3	
		12:04	26.61	52.02	34.25	8.14	6.78	4.7	4.6	
		15:04	26.98	52.06	34.27	8.17	7.34	3.3	4.3	
		18:04	27.24	52.14	34.33	8.18	7.55	4.2	1.8	
		21:04	27.07	52.10	34.30	8.17	7.28	2.4	2.2	
	日平均值			26.50	51.99	34.23	8.17	7.17	2.55	3.41
	潮口站	0:04	27.15	51.66	33.84	8.24	6.74	6.5	0.4	
		3:04	26.29	51.62	33.83	8.26	6.97	2.9	0.1	
		6:04	26.04	51.61	33.84	8.25	6.90	1.9	0.4	
		9:04	26.70	51.43	33.69	8.20	6.52	9.3	0.9	
		12:04	27.42	51.45	33.67	8.28	6.97	6.3	3.0	
		15:04	27.18	51.39	33.63	8.33	7.30	2.6	2.0	
		18:04	26.57	51.26	33.56	8.39	7.75	1.1	0.8	
		21:04	27.02	51.29	33.57	8.36	7.53	4.6	0.7	
	日平均值			26.80	51.46	33.70	8.29	7.09	4.40	1.04
	灣內站	0:04	26.65	51.34	33.73	8.20	7.33	2.4	3.2	
		3:04	26.14	51.42	33.79	8.25	8.27	2.0	4.1	
		6:04	26.22	51.05	33.52	8.24	8.14	2.4	6.0	
		9:04	26.33	51.46	33.82	8.27	8.74	3.3	16.2	
		12:04	26.83	51.51	33.84	8.27	8.71	2.5	4.2	
		15:04	27.72	51.49	33.80	8.23	7.88	4.4	1.9	
		18:04	27.90	51.45	33.77	8.24	8.12	2.9	3.7	
		21:04	27.55	51.42	33.76	8.29	8.81	2.4	4.1	
	日平均值			26.92	51.39	33.75	8.25	8.25	2.78	5.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月10日	蚵殼站	0:04	26.86	52.05	34.27	8.18	7.35	1.4	1.6	
		3:04	26.76	52.05	34.28	8.17	7.28	1.5	6.1	
		6:04	26.76	52.02	34.25	8.17	7.12	1.2	1.7	
		9:04	26.80	52.00	34.24	8.16	7.15	1.6	0.6	
		12:04	26.98	52.03	34.26	8.14	6.86	3.3	1.3	
		15:04	27.33	51.99	34.21	8.15	7.07	6.4	2.3	
		18:04	27.41	52.09	34.29	8.13	6.96	2.4	0.3	
		21:04	27.25	52.05	34.26	8.18	7.45	3.1	1.9	
	日平均值			27.02	52.04	34.26	8.16	7.16	2.61	1.98
	潮口站	0:04	26.94	51.46	33.70	8.29	7.10	6.6	0.7	
		3:04	26.92	51.21	33.52	8.23	6.73	4.0	0.3	
		6:04	26.08	51.55	33.78	8.30	7.22	1.4	4.0	
		9:04	26.64	51.34	33.61	8.28	7.04	4.9	3.0	
		12:04	27.15	51.41	33.65	8.35	7.43	6.3	0.0	
		15:04	27.17	51.51	33.73	8.37	7.57	5.3	0.8	
		18:04	26.36	51.43	33.69	8.37	7.65	1.0	1.5	
		21:04	26.83	51.50	33.73	8.28	7.01	5.9	5.4	
	日平均值			26.76	51.43	33.68	8.31	7.22	4.43	1.96
	灣內站	0:04	27.38	51.12	33.54	8.22	7.97	2.5	5.7	
		3:04	27.15	51.41	33.77	8.28	8.79	2.0	4.3	
		6:04	26.97	51.47	33.81	8.28	8.86	1.7	5.4	
		9:04	27.01	51.51	33.84	8.32	9.66	3.0	12.7	
		12:04	27.25	51.57	33.88	8.35	10.17	3.8	8.9	
		15:04	27.96	51.62	33.90	8.40	10.72	4.2	9.2	
		18:04	27.92	51.68	33.94	8.48	12.01	4.7	21.9	
		21:04	28.06	51.66	33.92	8.34	9.23	4.2	6.2	
	日平均值			27.46	51.51	33.83	8.33	9.68	3.26	9.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月11日	蚵殼站	0:04	27.23	52.04	34.25	8.19	7.49	2.0	4.3	
		3:04	27.10	52.04	34.26	8.17	7.23	2.2	7.2	
		6:04	26.78	52.01	34.25	8.13	6.58	2.7	3.0	
		9:04	26.93	52.08	34.29	8.13	6.68	2.4	4.6	
		12:04	27.45	52.00	34.22	8.16	7.27	2.3	1.3	
		15:04	27.62	52.01	34.22	8.19	7.62	2.3	5.3	
		18:04	27.58	52.04	34.25	8.18	7.51	2.5	4.9	
		21:04	27.55	52.56	34.56	8.22	7.73	1.6	2.5	
	日平均值			27.28	52.10	34.29	8.17	7.26	2.25	4.14
	潮口站	0:04	27.05	51.45	33.68	8.26	6.85	7.1	0.5	
		3:04	26.96	51.43	33.68	8.19	6.46	3.6	1.4	
		6:04	25.92	51.57	33.80	8.28	7.15	1.5	4.0	
		9:04	26.07	51.61	33.83	8.30	7.27	1.4	4.5	
		12:04	27.77	51.50	33.71	8.27	6.85	12.3	3.5	
		15:04	27.77	51.41	33.64	8.39	7.61	5.4	5.4	
		18:04	26.06	51.30	33.60	8.31	7.33	0.9	0.6	
		21:04	26.56	51.54	33.77	8.30	7.19	1.7	6.5	
	日平均值			26.77	51.48	33.71	8.29	7.09	4.24	3.30
	灣內站	0:04	27.97	51.35	33.70	8.27	8.63	3.0	7.3	
		3:04	27.44	51.63	33.92	8.30	8.98	2.5	4.3	
		6:04	27.32	51.75	34.01	8.30	9.09	3.9	4.0	
		9:04	27.38	51.75	34.01	8.31	9.18	3.8	5.8	
		12:04	27.98	51.70	33.95	8.30	8.94	4.3	2.2	
		15:04	28.41	51.40	33.72	8.45	11.98	4.8	17.6	
		18:04	28.20	51.72	33.96	8.37	10.38	4.6	10.9	
		21:04	28.09	51.18	33.57	8.35	10.35	4.5	16.8	
	日平均值			27.85	51.56	33.86	8.33	9.69	3.94	8.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月12日	蚵殼站	0:04	27.43	52.06	34.26	8.19	7.51	1.3	1.6	
		3:04	27.33	52.03	34.24	8.18	7.26	0.7	3.5	
		6:04	27.23	51.67	33.98	8.18	7.26	0.8	0.7	
		9:04	27.06	51.11	33.57	8.10	6.50	2.5	4.5	
		12:04	27.29	51.49	33.84	8.17	7.28	2.4	11.0	
		15:04	26.74	51.65	33.98	8.17	7.32	2.3	8.9	
		18:04	27.16	52.02	34.17	8.19	7.60	2.5	5.3	
		21:04	27.16	51.87	34.06	8.19	7.67	1.6	5.2	
	日平均值			27.18	51.74	34.01	8.17	7.30	1.76	5.09
	潮口站	0:04	27.76	51.63	33.81	8.21	6.50	9.3	0.9	
		3:04	27.54	51.34	33.60	8.31	7.16	3.9	1.3	
		6:04	25.98	51.26	33.58	8.25	6.95	3.0	1.4	
		9:04	26.90	50.11	32.72	8.29	7.15	2.1	0.8	
		12:04	27.55	49.95	32.58	8.26	6.88	12.9	3.8	
		15:04	27.38	50.83	33.24	8.42	7.90	3.9	1.3	
		18:04	25.96	50.95	33.36	8.26	7.02	4.5	0.8	
		21:04	25.91	51.21	33.54	8.25	6.95	5.6	1.8	
	日平均值			26.87	50.91	33.30	8.28	7.06	5.65	1.51
	灣內站	0:04	27.86	51.39	33.73	8.30	9.32	4.6	16.8	
		3:04	27.66	51.59	33.88	8.30	9.27	2.4	4.1	
		6:04	27.53	51.44	33.77	8.26	8.53	3.8	13.4	
		9:04	27.58	51.80	34.04	8.30	9.24	2.4	10.4	
		12:04	27.76	51.45	33.77	8.41	11.76	3.7	44.8	
		15:04	27.51	51.11	33.53	8.41	11.23	4.7	38.1	
		18:04	27.28	51.32	33.70	8.30	9.34	3.7	17.2	
		21:04	27.27	50.95	33.42	8.30	9.20	4.6	9.8	
	日平均值			27.56	51.38	33.73	8.32	9.74	3.73	19.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月13日	蚵殼站	0:04	26.89	51.48	33.85	8.16	7.22	3.3	5.5	
		3:04	26.34	51.60	33.96	8.14	6.87	8.1	4.5	
		6:04	26.32	50.64	33.26	8.08	6.36	2.2	5.9	
		9:04	26.20	51.43	33.84	8.13	6.68	3.1	6.9	
		12:04	26.27	51.23	33.69	8.19	7.77	3.5	27.9	
		15:04	26.41	51.00	33.53	8.33	9.92	4.3	21.1	
		18:04	26.05	51.52	33.85	8.26	9.08	2.8	6.7	
		21:04	25.99	51.51	33.85	8.25	8.46	1.8	1.3	
	日平均值			26.31	51.30	33.73	8.19	7.80	3.64	9.98
	潮口站	0:04	26.92	50.71	33.16	8.36	7.57	2.3	3.7	
		3:04	26.49	50.73	33.18	8.20	6.59	4.9	3.3	
		6:04	25.71	51.03	33.42	8.25	6.98	3.4	4.8	
		9:04	25.67	51.52	33.79	8.25	6.98	2.8	3.3	
		12:04	26.14	50.15	32.77	8.15	6.31	18.2	1.1	
		15:04	26.58	49.99	32.65	8.35	7.60	11.1	6.3	
		18:04	25.78	48.57	31.62	8.27	7.20	3.1	4.0	
		21:04	25.62	50.67	33.17	8.24	6.96	2.8	2.8	
	日平均值			26.11	50.42	32.97	8.26	7.02	6.08	3.66
	灣內站	0:04	27.25	50.64	33.20	8.28	9.25	3.0	7.6	
		3:04	26.97	50.92	33.41	8.21	7.99	4.0	7.6	
		6:04	26.74	50.56	33.14	8.16	7.69	4.5	21.3	
		9:04	26.65	50.71	33.26	8.18	8.20	4.9	16.4	
		12:04	26.57	51.22	33.64	8.19	8.06	4.0	5.8	
		15:04	26.91	50.68	33.23	8.19	8.14	3.6	3.8	
		18:04	26.62	50.40	33.03	8.32	10.63	2.6	5.1	
		21:04	26.35	51.02	33.49	8.31	10.41	2.2	3.8	
	日平均值			26.76	50.77	33.30	8.23	8.80	3.61	8.92
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月14日	蚵殼站	0:04	26.01	51.82	34.06	8.27	8.43	1.3	0.5	
		3:04	25.38	49.30	32.31	8.12	7.14	1.2	2.9	
		6:04	25.70	50.60	33.26	8.18	7.56	1.5	2.1	
		9:04	25.73	51.10	33.62	8.20	7.73	2.4	10.7	
		12:04	26.12	51.29	33.75	8.27	8.81	3.8	21.8	
		15:04	26.50	51.41	33.83	8.11	6.74	4.7	2.2	
		18:04	26.49	51.89	34.12	8.18	7.73	3.9	4.1	
		21:04	26.69	52.03	34.21	8.34	9.27	1.0	2.8	
	日平均值			26.08	51.18	33.64	8.21	7.93	2.48	5.89
	潮口站	0:04	25.76	50.11	32.75	8.25	7.05	6.9	0.2	
		3:04	25.94	50.49	33.03	8.30	7.33	4.0	1.2	
		6:04	25.37	50.81	33.28	8.19	6.66	3.8	2.4	
		9:04	25.46	51.16	33.54	8.24	6.94	1.3	3.2	
		12:04	27.08	50.05	32.69	8.39	7.78	2.9	0.5	
		15:04	26.82	50.45	32.98	8.31	7.31	7.7	7.1	
		18:04	26.54	49.36	32.20	8.34	7.56	4.5	1.8	
		21:04	25.84	50.62	33.13	8.27	7.12	5.1	1.3	
	日平均值			26.10	50.38	32.95	8.29	7.22	4.53	2.21
	灣內站	0:04	26.36	49.85	32.64	8.30	9.98	2.2	7.1	
		3:04	26.42	50.68	33.25	8.31	10.52	1.7	2.1	
		6:04	26.40	50.89	33.40	8.27	9.81	2.2	6.9	
		9:04	26.42	50.77	33.31	8.32	10.65	2.0	5.6	
		12:04	27.22	50.81	33.32	8.42	12.52	3.7	16.7	
		15:04	27.67	51.06	33.14	8.62	16.09	4.4	24.6	
		18:04	27.95	50.97	33.06	8.78	18.22	7.8	31.7	
		21:04	27.64	51.12	33.18	8.49	13.59	4.4	19.6	
	日平均值			27.01	50.77	33.16	8.44	12.67	3.55	14.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月15日	蚵殼站	0:04	26.93	51.91	34.13	8.37	9.75	0.9	1.9	
		3:04	26.81	51.05	33.56	8.34	9.64	0.6	1.8	
		6:04	26.77	51.18	33.66	8.31	8.93	1.1	4.7	
		9:04	26.99	51.28	33.73	8.35	9.52	0.7	7.4	
		12:04	26.78	51.56	33.95	8.33	10.12	2.6	24.5	
		15:04	27.29	51.58	33.95	8.30	9.54	3.0	7.5	
		18:04	27.85	51.81	34.04	8.49	12.14	2.1	9.7	
		21:04	27.69	52.06	34.23	8.53	12.05	1.1	4.9	
	日平均值			27.14	51.55	33.91	8.38	10.21	1.51	7.80
	潮口站	0:04	26.28	50.60	33.11	8.35	7.60	4.0	1.4	
		3:04	26.25	50.55	33.07	8.20	6.60	2.2	1.2	
		6:04	25.76	51.04	33.44	8.23	6.90	2.1	2.7	
		9:04	25.82	51.16	33.53	8.26	7.04	2.2	0.1	
		12:04	28.28	50.71	33.13	8.68	10.10	0.2	4.0	
		15:04	27.42	50.94	33.33	8.28	7.67	8.2	3.8	
		18:04	27.94	47.98	31.16	8.56	9.48	3.6	7.2	
		21:04	26.35	50.97	33.37	8.18	7.11	1.8	0.1	
	日平均值			26.76	50.49	33.02	8.34	7.81	3.04	2.56
	灣內站	3:34	27.33	51.68	33.61	8.47	12.66	2.7	5.1	
		4:34	26.88	51.86	33.76	8.27	9.41	2.6	5.3	
		5:04	26.78	51.74	33.67	8.26	9.38	3.1	7.0	
		6:04	26.80	51.55	33.53	8.31	10.30	4.4	27.0	
		7:04	26.62	51.67	33.69	8.27	9.73	2.8	12.1	
		7:34	26.48	51.28	33.40	8.23	9.02	4.9	24.5	
		9:04	26.53	51.20	33.34	8.35	11.71	16.3	120.3	
		10:34	26.58	50.88	33.10	8.39	12.24	4.6	36.8	
	日平均值			26.75	51.48	33.51	8.32	10.56	5.16	29.77
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月16日	蚵殼站	4:34	27.92	51.23	33.68	8.48	11.29	1.8	20.7	
		6:04	27.72	50.25	32.97	8.46	10.76	3.1	36.2	
		7:04	27.54	51.05	33.55	8.44	10.49	2.5	32.0	
		9:04	27.31	51.84	34.15	8.41	10.54	1.7	9.7	
		11:34	27.14	51.52	33.92	8.45	10.84	5.6	33.0	
		13:34	27.23	51.77	34.11	8.49	12.31	3.7	35.7	
		15:34	27.72	51.76	34.09	8.48	11.79	4.0	24.1	
		18:04	27.14	52.09	34.27	8.38	10.22	1.9	19.3	
	日平均值			27.47	51.44	33.84	8.45	11.03	3.04	26.34
	潮口站	0:04	26.99	50.64	33.13	8.38	8.34	4.2	5.0	
		6:04	26.83	50.28	32.86	8.38	8.41	3.5	2.1	
		7:04	26.10	51.77	33.98	8.18	7.12	4.7	0.1	
		8:04	26.22	51.41	33.71	8.17	7.09	2.6	3.7	
		9:34	26.37	51.58	33.84	8.22	7.38	2.4	0.1	
		21:04	27.50	51.38	33.66	8.35	8.10	4.5	3.5	
		22:04	27.34	51.37	33.66	8.29	7.71	4.1	5.9	
		23:04	27.06	51.46	33.73	8.26	7.58	6.2	1.7	
	日平均值			26.80	51.24	33.57	8.28	7.72	4.03	2.76
	灣內站	3:04	27.22	51.50	33.55	8.46	13.17	2.6	13.8	
		4:04	27.28	50.53	32.82	8.45	12.87	2.5	10.2	
		5:04	27.64	51.53	33.56	8.54	13.23	2.1	13.1	
		6:34	27.33	51.97	33.83	8.47	12.66	3.8	27.8	
		21:04	27.90	51.68	33.59	8.45	10.15	8.5	53.8	
		21:34	27.20	51.62	33.57	8.23	8.41	7.5	44.0	
		22:34	26.71	51.49	33.49	8.23	9.16	6.7	37.9	
		23:34	28.74	51.05	33.47	8.38	11.72	5.8	40.1	
	日平均值			27.50	51.42	33.49	8.40	11.42	4.92	30.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月17日	蚵殼站	11:04	27.70	51.33	33.78	8.45	10.27	3.1	31.1	
		12:04	27.43	51.20	33.69	8.38	9.55	3.6	27.4	
		12:34	27.57	51.42	33.85	8.42	10.06	2.8	17.2	
		13:34	27.71	51.77	34.10	8.46	11.04	2.1	19.4	
		14:34	27.84	51.18	33.67	8.47	11.10	1.6	23.6	
		15:34	28.16	51.68	34.03	8.52	11.70	2.1	16.8	
		16:34	28.24	51.82	34.12	8.47	11.20	2.2	16.1	
		17:34	28.52	51.74	34.06	8.52	11.32	1.6	16.5	
	日平均值			27.90	51.52	33.91	8.46	10.78	2.39	21.01
	潮口站	0:04	27.31	51.53	33.78	8.39	8.35	3.2	0.0	
		7:04	26.88	51.75	33.95	8.25	7.53	3.9	4.4	
		8:04	26.67	51.87	34.05	8.24	7.49	4.2	3.0	
		9:04	26.83	52.21	34.30	8.28	7.71	3.0	0.9	
		10:04	26.87	52.25	34.33	8.29	7.75	3.4	0.7	
		11:34	27.32	52.00	34.13	8.38	8.29	7.0	3.8	
		22:34	27.80	51.95	34.08	8.41	8.42	9.0	4.9	
		23:34	27.35	52.28	34.33	8.30	7.76	9.1	0.7	
	日平均值			27.13	51.98	34.12	8.32	7.91	5.35	2.30
	灣內站	0:04	28.31	50.41	33.00	8.22	14.19	3.6	23.4	
		3:04	28.18	51.20	33.61	8.27	15.09	2.9	18.2	
		6:04	27.87	50.95	33.45	8.20	13.82	2.9	16.6	
		9:04	27.85	51.40	33.80	8.10	14.15	2.6	12.4	
		12:04	28.64	51.58	33.94	8.21	13.91	3.8	19.1	
		15:04	30.00	51.69	33.99	8.52	19.65	5.0	33.5	
		18:04	30.19	51.71	33.64	8.49	19.16	4.9	32.5	
		21:04	30.05	51.01	33.15	8.37	15.71	4.4	20.8	
	日平均值			28.89	51.24	33.57	8.30	15.71	3.76	22.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月18日	蚵殼站	0:04	28.15	50.96	33.50	8.55	10.74	2.0	10.5	
		3:04	27.96	50.93	33.48	8.53	10.14	1.4	7.7	
		6:04	27.96	50.89	33.45	8.51	9.77	1.4	9.5	
		9:04	27.96	51.67	33.97	8.52	9.75	1.2	4.0	
		12:04	28.06	51.15	33.65	8.37	8.13	2.7	8.4	
		15:04	28.80	51.11	33.59	8.51	9.88	2.6	10.3	
		18:04	28.49	51.45	33.79	8.44	9.08	1.9	10.3	
		21:04	28.54	51.37	33.73	8.49	9.07	1.9	8.8	
	日平均值			28.24	51.19	33.64	8.49	9.57	1.89	8.69
	潮口站	0:04	27.33	52.21	34.28	8.29	7.68	7.8	1.8	
		3:04	28.28	51.65	33.84	8.67	9.99	6.8	0.4	
		6:04	27.84	51.81	33.97	8.47	8.80	8.3	0.6	
		9:04	27.03	52.13	34.23	8.27	7.65	9.9	2.4	
		12:04	27.53	51.90	34.05	8.31	7.84	8.3	3.6	
		15:04	28.04	51.72	33.89	8.46	8.75	9.9	7.5	
		18:04	28.26	51.71	33.90	8.53	9.14	8.8	8.6	
		21:04	28.12	52.05	34.15	8.42	8.45	6.2	5.7	
	日平均值			27.80	51.90	34.04	8.43	8.54	8.25	3.83
	灣內站	0:04	29.54	51.47	33.53	8.32	16.26	5.0	25.4	
		3:04	28.79	51.86	33.87	8.17	14.38	3.5	17.7	
		6:04	28.44	51.65	33.81	8.12	13.24	4.2	30.4	
		9:04	28.62	51.46	33.68	8.15	13.95	3.5	19.7	
		12:04	28.71	51.86	34.00	8.13	13.09	2.9	10.9	
		15:04	29.60	52.10	34.17	8.18	13.03	6.3	19.9	
		18:04	30.05	51.85	33.98	8.21	12.45	5.9	11.3	
		21:04	29.88	51.59	33.81	8.11	10.72	5.1	12.9	
	日平均值			29.20	51.73	33.86	8.17	13.39	4.54	18.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月19日	蚵殼站	0:04	28.67	51.59	33.89	8.53	9.08	3.9	19.3	
		3:04	28.56	51.32	33.76	8.46	8.54	3.7	21.3	
		6:04	28.45	51.28	33.74	8.51	8.58	2.1	15.8	
		9:04	28.52	51.61	33.99	8.41	7.99	1.5	9.7	
		12:04	28.62	51.22	33.65	8.42	8.20	0.2	3.9	
		15:04	28.59	51.33	33.73	8.39	8.42	0.9	12.1	
		18:04	28.12	51.45	33.80	8.27	7.67	5.7	28.0	
		21:04	29.25	51.38	33.71	8.40	8.08	2.3	9.3	
	日平均值			28.60	51.40	33.78	8.42	8.32	2.54	14.93
	潮口站	0:04	27.24	51.22	33.56	8.23	7.36	11.1	1.0	
		3:04	27.16	51.48	33.76	8.19	7.09	8.2	2.5	
		6:04	27.33	51.43	33.72	8.17	6.98	9.3	0.9	
		9:04	26.91	51.73	33.95	8.17	7.00	6.1	2.1	
		12:04	26.87	51.88	34.07	8.21	6.76	0.1	6.1	
		15:04	29.73	51.78	33.91	8.47	7.63	1.3	1.1	
		18:04	29.24	51.70	33.87	8.50	7.86	2.2	7.0	
		21:04	29.29	51.57	33.77	8.48	7.57	0.2	8.7	
	日平均值			27.97	51.60	33.83	8.30	7.28	4.81	3.68
	灣內站	0:04	29.67	51.21	33.55	8.56	10.27	4.2	19.3	
		4:34	29.37	50.71	33.21	8.49	7.40	2.5	7.4	
		5:34	29.27	51.14	33.55	8.48	7.73	2.3	5.2	
		10:34	29.26	50.26	32.51	8.50	8.30	2.4	6.6	
		12:34	29.61	50.75	33.16	8.49	7.51	2.6	5.7	
		17:04	30.04	51.07	33.38	8.47	8.49	3.5	11.8	
		18:34	29.80	51.15	33.44	8.45	8.18	3.8	11.9	
		21:04	30.20	50.91	33.26	8.46	6.84	3.4	5.5	
	日平均值			29.65	50.90	33.26	8.49	8.09	3.08	9.17
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月20日	蚵殼站	0:04	29.26	51.06	33.47	8.42	7.76	4.8	4.6	
		3:04	28.65	50.91	33.42	8.40	7.44	0.7	0.6	
		6:04	28.58	50.92	33.43	8.39	7.32	0.5	8.2	
		9:04	28.72	50.75	33.30	8.37	7.33	0.1	6.6	
		12:04	28.88	51.06	33.53	8.32	7.53	0.3	3.5	
		15:04	28.36	51.26	33.69	8.28	7.44	0.4	7.6	
		18:04	28.69	51.30	33.67	8.22	6.82	2.5	10.0	
		21:04	28.87	51.26	33.63	8.22	6.68	1.5	8.0	
	日平均值			28.75	51.07	33.52	8.33	7.29	1.35	6.14
	潮口站	0:04	28.31	51.50	33.75	8.34	6.71	0.2	2.6	
		3:04	26.74	52.15	34.27	8.24	6.49	0.2	0.7	
		6:04	28.58	51.38	33.65	8.49	6.85	0.0	0.0	
		9:04	28.87	51.46	33.71	8.48	6.84	0.7	0.0	
		12:04	26.94	52.41	34.46	8.28	7.14	0.1	4.3	
		15:04	27.36	52.46	34.49	8.30	7.43	0.7	1.1	
		18:04	28.11	52.22	34.29	8.32	6.82	2.7	9.9	
		21:04	28.20	52.14	34.23	8.31	6.53	0.9	6.9	
	日平均值			27.89	51.97	34.11	8.35	6.85	0.69	3.19
	灣內站	0:04	28.64	50.99	33.37	8.31	5.90	2.5	11.1	
		3:04	28.56	50.90	33.30	8.35	6.70	2.0	8.7	
		6:04	28.76	50.74	33.18	8.38	6.69	1.8	5.1	
		9:04	29.03	50.79	33.21	8.45	7.30	2.0	7.4	
		12:04	29.77	50.64	33.07	8.47	7.78	1.9	5.2	
		15:04	29.88	50.71	33.12	8.47	7.62	2.7	8.4	
		18:04	29.74	50.81	33.20	8.47	7.29	4.2	7.7	
		21:04	29.50	50.81	33.21	8.43	6.32	4.0	5.4	
	日平均值			29.24	50.80	33.21	8.42	6.95	2.64	7.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月21日	蚵殼站	0:04	28.72	51.22	33.61	8.20	6.25	0.9	4.9	
		3:04	28.43	51.13	33.59	8.24	6.64	0.4	3.8	
		6:04	28.64	50.91	33.42	8.27	6.65	0.5	1.3	
		9:04	28.69	51.11	33.57	8.19	6.44	1.0	7.1	
		12:04	29.09	51.07	33.52	8.22	6.91	1.0	0.8	
		15:04	29.08	51.28	33.68	8.23	7.33	5.9	6.6	
		18:04	29.38	51.27	33.62	8.22	7.16	2.9	10.1	
		21:04	29.24	51.27	33.62	8.23	7.12	0.9	8.4	
	日平均值			28.91	51.16	33.58	8.23	6.81	1.69	5.38
	潮口站	0:04	27.90	52.13	34.22	8.25	5.92	2.1	3.3	
		3:04	26.40	52.46	34.51	8.25	6.56	0.2	2.1	
		6:04	27.43	52.14	34.25	8.28	6.02	0.9	4.2	
		9:04	28.40	52.01	34.12	8.27	5.69	0.9	0.7	
		12:04	26.80	52.39	34.45	8.28	7.09	0.6	0.7	
		15:04	27.27	52.09	34.22	8.26	7.05	0.2	9.5	
		18:04	28.33	52.28	34.33	8.30	6.89	0.6	0.2	
		21:04	28.63	52.33	34.35	8.23	6.21	6.5	10.2	
	日平均值			27.65	52.23	34.31	8.27	6.43	1.50	3.86
	灣內站	0:04	29.28	50.75	33.17	8.40	6.27	2.5	8.1	
		3:04	29.15	50.70	33.14	8.32	5.27	2.0	4.6	
		6:04	28.98	50.67	33.12	8.33	5.01	2.1	5.9	
		9:04	29.09	50.51	33.00	8.39	6.39	2.0	5.9	
		12:04	29.80	50.76	33.16	8.43	7.39	2.1	6.8	
		15:04	30.03	50.85	33.22	8.43	7.20	2.2	5.3	
		18:04	30.28	50.59	33.02	8.48	7.86	2.7	12.2	
		21:04	30.19	50.48	32.94	8.45	7.23	2.8	10.2	
	日平均值			29.60	50.66	33.10	8.40	6.58	2.29	7.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月22日	蚵殼站	0:04	29.17	51.24	33.61	8.25	6.82	0.9	6.4	
		3:04	28.81	50.90	33.41	8.23	6.73	0.6	7.4	
		6:04	28.83	50.45	33.08	8.23	6.56	0.2	12.0	
		9:04	28.55	50.89	33.41	8.20	6.43	0.5	5.8	
		12:04	28.64	50.73	33.29	8.22	6.80	10.7	9.8	
		15:04	28.49	50.67	33.25	8.26	7.43	0.0	12.7	
		18:04	28.50	50.91	33.38	8.23	7.15	0.6	11.1	
		21:04	28.30	50.60	33.16	8.23	6.96	1.0	10.0	
	日平均值			28.66	50.80	33.32	8.23	6.86	1.81	9.40
	潮口站	0:04	28.76	52.15	34.21	8.28	6.12	0.3	7.2	
		3:04	26.49	52.45	34.50	8.24	6.60	1.8	0.9	
		6:04	27.74	51.74	33.95	8.25	5.95	0.5	1.7	
		9:04	28.25	51.74	33.93	8.28	5.94	0.3	6.7	
		12:04	27.91	51.65	33.87	8.22	5.67	2.2	0.6	
		15:04	26.23	52.36	34.45	8.24	6.64	0.3	3.6	
		18:04	28.13	51.37	33.66	8.30	6.73	0.7	0.3	
		21:04	27.75	51.38	33.68	8.19	5.68	4.5	1.6	
	日平均值			27.66	51.86	34.03	8.25	6.17	1.33	2.83
	灣內站	0:04	29.77	50.78	33.17	8.37	5.70	2.0	5.8	
		3:04	29.57	50.88	33.26	8.32	5.24	1.4	4.2	
		6:04	29.25	49.86	32.51	8.33	5.89	1.6	4.2	
		9:04	29.19	50.25	32.80	8.28	5.14	2.0	4.1	
		12:04	29.31	50.11	32.70	8.26	5.06	2.0	14.1	
		15:04	29.16	50.10	32.70	8.31	6.52	1.9	16.1	
		18:04	28.92	50.43	32.95	8.30	6.35	1.4	8.4	
		21:04	28.53	50.31	32.87	8.30	6.12	1.2	7.4	
	日平均值			29.21	50.34	32.87	8.31	5.75	1.68	8.02
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月23日	蚵殼站	0:04	28.12	50.64	33.18	8.21	6.42	0.1	9.3	
		3:04	27.47	50.36	33.05	8.18	6.35	0.2	8.6	
		6:04	27.04	49.69	32.57	8.15	6.11	0.0	2.6	
		9:04	27.21	50.09	32.86	8.18	6.37	0.5	0.1	
		12:04	27.31	50.04	32.82	8.19	6.72	0.3	8.7	
		15:04	26.84	50.02	32.82	8.17	6.76	0.8	6.5	
		18:04	27.40	50.67	33.23	8.20	6.99	0.6	13.3	
		21:04	27.21	50.38	33.02	8.20	6.74	0.5	12.1	
	日平均值			27.33	50.24	32.94	8.19	6.56	0.38	7.65
	潮口站	0:04	27.48	50.71	33.20	8.23	5.88	0.4	4.0	
		3:04	26.02	51.97	34.16	8.22	6.44	6.0	0.3	
		6:04	25.91	52.20	34.33	8.22	6.35	0.4	2.3	
		9:04	27.00	51.30	33.64	8.21	5.60	0.5	2.0	
		12:04	27.29	51.34	33.66	8.27	6.23	0.5	11.0	
		15:04	26.17	52.22	34.34	8.24	6.55	0.3	2.7	
		18:04	26.11	52.13	34.28	8.24	6.55	0.7	5.4	
		21:04	26.57	51.33	33.68	8.21	5.84	3.3	2.0	
	日平均值			26.57	51.65	33.91	8.23	6.18	1.51	3.71
	灣內站	0:04	28.21	50.01	32.66	8.26	5.56	1.9	10.5	
		3:04	28.26	50.41	32.96	8.27	6.01	0.9	5.4	
		6:04	28.05	50.45	32.99	8.23	5.18	1.0	8.6	
		9:04	27.92	49.89	32.58	8.21	5.10	1.1	6.5	
		12:04	28.12	50.02	32.67	8.25	5.91	1.0	9.6	
		15:04	27.75	49.87	32.57	8.30	6.91	1.2	15.5	
		18:04	27.23	49.43	32.26	8.27	6.67	1.5	15.9	
		21:04	27.72	50.06	32.71	8.24	6.07	1.3	10.9	
	日平均值			27.91	50.02	32.68	8.25	5.93	1.22	10.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月24日	蚵殼站	0:04	26.37	48.54	31.67	8.11	6.55	0.3	7.5	
		3:04	26.04	48.06	31.40	8.04	5.84	0.9	9.0	
		6:04	26.33	49.13	32.18	8.11	6.11	0.9	7.1	
		9:04	26.30	49.46	32.42	8.12	6.33	0.7	9.5	
		12:04	26.68	49.36	32.34	8.16	7.21	0.6	17.9	
		15:04	27.25	49.21	32.21	8.24	8.89	1.0	25.2	
		18:04	26.93	50.56	33.17	8.28	9.05	1.9	21.2	
		21:04	27.21	50.38	33.02	8.20	6.74	0.5	12.1	
	日平均值			26.64	49.34	32.30	8.16	7.09	0.85	13.69
	潮口站	0:04	26.67	51.02	33.45	8.21	5.91	0.8	0.7	
		3:04	25.86	52.14	34.29	8.22	6.22	1.2	3.9	
		6:04	25.79	52.14	34.29	8.21	6.17	0.4	6.7	
		9:04	26.27	50.61	33.15	8.27	6.34	0.9	3.8	
		12:04	26.85	50.55	33.10	8.27	6.89	0.1	10.9	
		15:04	26.33	52.29	34.39	8.23	6.39	0.7	2.7	
		18:04	26.41	50.48	33.06	8.19	6.34	0.6	7.2	
		21:04	26.47	51.82	34.04	8.24	6.55	4.7	1.9	
	日平均值			26.33	51.38	33.72	8.23	6.35	1.18	4.73
	灣內站	0:04	27.69	49.79	32.52	8.19	5.31	1.3	6.9	
		3:04	27.17	49.80	32.53	8.17	4.71	1.6	9.1	
		6:04	27.12	50.09	32.75	8.16	5.04	1.0	15.4	
		9:04	27.03	50.20	32.83	8.21	5.84	1.2	15.3	
		12:04	27.74	50.32	32.90	8.21	5.94	1.6	8.1	
		15:04	28.19	49.56	32.33	8.40	9.86	1.4	15.6	
		18:04	27.98	49.93	32.61	8.45	10.52	1.8	24.2	
		21:04	28.13	48.73	31.72	8.34	9.24	2.2	22.3	
	日平均值			27.63	49.80	32.52	8.27	7.06	1.50	14.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月25日	蚵殼站	0:04	27.10	49.95	32.70	8.29	8.69	1.4	28.4	
		3:04	26.84	48.42	31.65	8.17	7.44	1.7	21.2	
		6:04	26.97	48.94	32.03	8.18	7.30	2.2	9.8	
		9:04	27.07	50.10	32.88	8.23	7.94	1.4	20.9	
		12:04	27.27	50.39	33.09	8.31	9.64	2.2	11.9	
		15:04	27.79	50.47	33.13	8.34	10.37	1.8	13.8	
		18:04	26.62	48.74	31.82	8.32	10.03	7.2	15.2	
		21:04	26.83	50.35	33.01	8.41	9.97	7.1	17.2	
	日平均值			27.06	49.67	32.54	8.28	8.92	3.13	17.30
	潮口站	0:04	27.14	51.38	33.70	8.30	7.35	1.1	2.3	
		3:04	26.31	52.01	34.18	8.22	6.33	0.2	3.1	
		6:04	26.16	52.15	34.29	8.20	6.20	0.9	4.2	
		9:04	27.00	50.11	32.77	8.34	8.16	1.2	3.1	
		12:04	28.22	50.65	33.13	8.44	9.78	1.8	1.4	
		15:04	27.26	44.69	28.82	8.17	6.78	2.8	0.8	
		18:04	26.62	49.48	32.32	8.22	6.68	2.2	0.2	
		21:04	26.83	51.11	33.51	8.31	7.97	2.1	2.2	
	日平均值			26.94	50.20	32.84	8.28	7.41	1.54	2.16
	灣內站	0:04	27.79	48.22	31.36	8.24	7.48	2.6	22.2	
		3:04	27.65	50.06	32.71	8.34	8.90	1.8	38.7	
		6:04	27.46	50.44	33.00	8.33	8.49	1.6	26.6	
		9:04	27.59	50.45	33.00	8.36	9.13	1.4	11.0	
		12:04	28.48	49.91	32.58	8.51	12.74	1.5	12.3	
		15:04	28.87	50.04	32.66	8.62	14.67	1.7	26.2	
		18:04	28.61	49.63	32.37	8.61	14.24	2.4	37.5	
		21:04	28.46	49.73	32.45	8.55	12.78	2.8	29.9	
	日平均值			28.11	49.81	32.52	8.45	11.05	1.98	25.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月26日	蚵殼站	0:04	27.29	50.15	32.84	8.44	8.68	6.6	18.6	
		3:04	27.29	49.33	32.31	8.28	8.57	10.0	21.8	
		6:04	27.17	49.53	32.46	8.29	8.36	8.5	17.5	
		9:04	27.21	50.13	32.90	8.26	8.35	4.8	20.7	
		12:04	27.77	50.07	32.84	8.39	10.79	2.7	7.2	
		15:04	27.91	50.18	32.91	8.42	10.92	2.5	16.4	
		18:04	27.30	48.14	31.36	8.32	9.95	1.2	10.4	
		21:04	27.14	50.16	32.86	8.39	9.73	2.8	10.1	
	日平均值			27.39	49.71	32.56	8.35	9.42	4.89	15.34
	潮口站	0:04	27.29	50.91	33.34	8.34	8.03	1.6	3.6	
		3:04	26.58	51.66	33.92	8.24	6.69	0.6	1.9	
		6:04	26.32	52.16	34.30	8.21	6.37	0.2	2.2	
		9:04	27.60	50.60	33.11	8.49	9.68	0.7	6.7	
		12:04	28.91	50.71	33.15	8.37	9.02	7.3	2.0	
		15:04	28.38	48.97	31.89	8.36	8.85	2.9	1.6	
		18:04	27.30	48.87	31.86	8.22	6.94	1.2	0.4	
		21:04	27.14	50.92	33.36	8.29	7.38	2.8	0.1	
	日平均值			27.44	50.60	33.12	8.32	7.87	2.16	2.31
	灣內站	2:04	28.32	49.47	32.26	8.41	10.56	1.6	21.1	
		3:04	28.26	49.68	32.42	8.48	11.55	1.1	31.0	
		4:34	28.14	49.68	32.42	8.46	11.23	1.0	20.7	
		6:04	27.57	49.89	32.59	8.37	9.74	1.4	16.3	
		7:04	27.48	49.87	32.58	8.33	9.16	1.6	21.4	
		8:04	27.94	50.16	32.78	8.43	10.73	0.9	11.3	
		9:04	28.02	50.32	32.89	8.48	12.02	1.5	16.8	
		10:04	28.61	50.32	32.88	8.34	9.12	1.6	11.8	
	日平均值			28.04	49.92	32.60	8.41	10.51	1.32	18.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月27日	蚵殼站	0:04	27.15	50.21	32.89	8.42	9.29	1.8	12.4	
		3:04	27.70	49.86	32.69	8.32	8.19	2.3	11.2	
		6:04	27.95	49.85	32.67	8.32	7.65	9.3	11.4	
		9:04	27.85	49.89	32.70	8.36	8.74	12.8	16.2	
		12:04	28.22	50.16	32.89	8.39	9.52	6.9	4.8	
		15:04	27.90	50.05	32.82	8.41	10.02	4.7	21.3	
		18:04	26.63	49.88	32.67	8.26	9.37	10.8	10.2	
		21:04	26.48	50.51	33.14	8.25	8.53	11.1	11.8	
	日平均值			27.49	50.05	32.81	8.34	8.91	7.46	12.41
	潮口站	0:04	27.15	50.97	33.39	8.32	7.60	1.8	2.4	
		3:04	27.00	51.46	33.76	8.27	6.79	1.5	3.3	
		6:04	26.35	52.39	34.47	8.25	6.60	0.4	4.6	
		9:04	27.03	51.08	33.48	8.27	6.87	2.1	3.1	
		12:04	28.45	51.13	33.47	8.37	8.29	10.9	4.9	
		15:04	27.90	51.18	33.53	8.46	9.35	2.2	3.5	
		18:04	26.63	50.64	33.17	8.26	7.00	0.8	0.2	
		21:04	26.48	51.27	33.64	8.25	6.68	1.1	1.8	
	日平均值			27.12	51.27	33.61	8.31	7.40	2.60	2.98
	灣內站	3:04	28.79	49.90	32.56	8.42	8.17	2.1	14.7	
		4:34	28.78	49.94	32.59	8.44	7.87	1.4	9.8	
		7:04	28.53	50.11	32.73	8.48	9.79	1.3	11.8	
		9:34	28.95	49.88	32.54	8.50	9.61	1.9	10.3	
		19:34	29.24	50.04	32.65	8.50	8.87	2.5	5.8	
		22:34	28.49	50.07	32.70	8.50	9.50	2.1	12.1	
		23:04	28.44	50.08	32.70	8.48	9.26	3.2	22.1	
		23:34	28.41	50.07	32.70	8.49	9.19	1.8	9.9	
	日平均值			28.70	50.01	32.65	8.48	9.03	2.02	12.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月28日	蚵殼站	0:04	26.99	50.35	33.00	8.37	8.85	11.9	14.1	
		3:04	27.61	50.16	32.91	8.42	8.60	16.6	32.1	
		6:04	27.31	50.17	32.93	8.40	8.08	13.3	15.5	
		9:04	26.67	50.56	33.23	8.22	6.87	11.2	23.5	
		12:04	27.12	50.25	32.99	8.34	8.06	11.4	19.7	
		15:04	27.58	50.30	33.01	8.34	8.32	16.2	25.8	
		18:04	26.30	50.07	32.88	8.40	8.70	10.9	10.5	
		21:04	26.11	50.50	33.21	8.40	8.26	11.1	15.1	
	日平均值			26.96	50.29	33.02	8.36	8.22	12.83	19.54
	潮口站	0:04	26.99	51.11	33.50	8.37	7.52	1.9	4.1	
		3:04	26.78	51.11	33.51	8.34	7.10	1.1	1.8	
		6:04	25.80	52.05	34.22	8.24	6.40	0.9	4.2	
		9:04	25.95	52.04	34.22	8.26	6.59	1.8	7.2	
		12:04	26.91	51.45	33.76	8.43	8.12	1.2	1.3	
		15:04	27.60	51.40	33.70	8.46	8.40	2.9	4.1	
		18:04	26.30	51.60	33.88	8.26	6.86	0.9	0.5	
		21:04	26.11	52.04	34.21	8.26	6.76	1.1	5.1	
	日平均值			26.56	51.60	33.88	8.33	7.22	1.48	3.54
	灣內站	0:04	28.34	50.08	32.71	8.47	8.92	2.6	11.4	
		3:04	28.08	50.09	32.72	8.46	8.98	1.3	11.5	
		6:04	27.69	49.87	32.57	8.36	7.08	1.1	9.1	
		9:04	27.53	49.73	32.48	8.34	7.05	1.3	6.1	
		12:04	27.98	49.88	32.57	8.41	8.38	3.7	14.7	
		15:04	28.34	49.83	32.53	8.54	10.86	3.5	20.8	
		18:04	28.30	49.11	32.00	8.53	10.38	3.3	17.1	
		21:04	27.82	49.68	32.43	8.45	9.01	3.0	23.2	
	日平均值			28.01	49.78	32.50	8.45	8.83	2.47	14.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月29日	蚵殼站	0:04	26.48	49.98	32.81	8.34	8.36	14.7	10.9	
		3:04	26.84	49.97	32.79	8.40	8.34	6.6	16.2	
		6:04	26.68	50.05	32.85	8.34	7.66	23.4	5.8	
		9:04	26.62	50.13	32.92	8.36	7.71	19.5	6.5	
		12:04	26.80	50.68	33.31	8.26	7.47	10.8	10.8	
		15:04	27.27	50.60	33.24	8.26	7.87	24.7	21.3	
		18:04	26.63	51.09	32.65	8.26	7.82	10.2	1.4	
		21:04	26.09	50.70	33.33	8.26	7.59	8.3	2.7	
	日平均值			26.68	50.40	32.99	8.31	7.85	14.78	9.45
	潮口站	0:04	26.48	51.51	33.81	8.34	7.20	4.7	0.9	
		3:04	26.33	51.12	33.53	8.41	7.41	3.5	7.9	
		6:04	25.93	52.49	34.55	8.27	6.47	1.4	4.5	
		9:04	26.13	52.07	34.23	8.28	6.70	0.2	3.0	
		12:04	27.31	51.27	33.61	8.43	8.05	2.1	4.2	
		15:04	27.59	51.20	33.55	8.44	8.57	5.3	5.3	
		18:04	26.63	40.92	26.15	8.26	7.30	4.2	1.4	
		21:04	26.09	45.35	29.33	8.26	7.07	2.3	2.7	
	日平均值			26.56	49.49	32.35	8.34	7.35	2.96	3.74
	灣內站	0:04	27.57	49.95	32.63	8.40	8.12	1.9	10.1	
		3:04	27.25	50.05	32.72	8.35	7.39	1.5	12.7	
		6:04	26.78	50.75	33.25	8.11	4.88	2.2	11.8	
		9:04	26.73	50.39	32.98	8.38	8.43	1.2	7.7	
		12:04	27.41	50.41	32.98	8.42	9.05	1.7	8.0	
		15:04	28.19	50.49	33.01	8.47	9.76	3.3	5.4	
		18:04	28.50	50.36	32.91	8.49	10.11	3.5	8.4	
		21:04	28.07	50.36	32.92	8.40	7.75	2.4	11.0	
	日平均值			27.56	50.35	32.93	8.38	8.19	2.22	9.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月30日	蚵殼站	0:04	26.82	50.90	33.52	8.36	7.72	8.0	1.5	
		3:04	25.78	48.10	31.45	8.27	7.35	19.6	23.3	
		6:04	25.74	48.56	31.78	8.27	7.25	9.3	7.7	
		9:04	26.60	49.68	32.58	8.34	7.56	5.9	19.4	
		12:04	27.05	50.45	33.14	8.35	8.41	6.5	22.7	
		15:04	27.40	50.52	33.18	8.30	8.10	20.1	23.7	
		18:04	27.49	51.48	33.76	8.47	10.03	12.7	16.5	
		21:04	26.31	47.76	31.07	8.28	9.36	10.9	13.9	
	日平均值			26.65	49.68	32.56	8.33	8.22	11.63	16.09
	潮口站	0:04	26.82	51.13	33.52	8.36	7.72	2.0	1.5	
		3:04	25.89	49.74	32.52	8.37	7.43	0.7	6.2	
		6:04	26.08	52.17	34.31	8.30	6.50	0.9	4.4	
		9:04	26.21	52.34	34.43	8.29	6.59	0.6	4.6	
		12:04	27.41	50.85	33.30	8.48	8.70	0.9	3.0	
		15:04	27.67	51.08	33.46	8.45	8.88	5.3	5.1	
		18:04	27.49	51.48	33.76	8.47	9.08	2.7	6.5	
		21:04	26.31	47.76	31.07	8.28	7.06	0.9	3.9	
	日平均值			26.74	50.82	33.30	8.38	7.75	1.75	4.40
	灣內站	0:04	27.93	50.38	32.94	8.41	8.67	3.4	6.7	
		3:04	27.55	50.25	32.86	8.35	6.71	2.0	4.9	
		6:04	27.17	50.24	32.86	8.35	7.63	1.7	4.1	
		9:04	27.31	50.22	32.84	8.40	8.40	1.3	6.2	
		12:04	27.91	49.92	32.61	8.49	10.67	2.1	9.0	
		15:04	28.73	49.81	32.50	8.57	11.80	3.0	15.8	
		18:04	28.93	49.65	32.37	8.57	12.13	5.0	18.9	
		21:04	28.60	49.68	32.40	8.50	9.74	3.9	14.5	
	日平均值			28.02	50.02	32.67	8.46	9.47	2.79	10.02
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月1日	蚵殼站	0:04	26.66	49.96	32.73	8.36	9.15	5.8	8.1	
		3:04	27.32	49.48	32.42	8.46	9.30	9.2	4.8	
		6:04	27.20	49.84	32.69	8.42	8.75	3.6	1.3	
		9:04	27.19	50.05	32.85	8.40	8.94	7.9	6.9	
		12:04	27.14	50.48	33.16	8.35	8.69	5.3	4.6	
		15:04	27.89	50.39	33.08	8.42	9.45	0.6	5.2	
		18:04	26.46	45.54	29.47	8.27	9.43	9.7	9.0	
		21:04	26.21	50.16	32.84	8.27	9.09	6.7	7.5	
	日平均值			27.01	49.49	32.41	8.37	9.10	6.10	5.93
	潮口站	0:04	26.29	50.36	32.97	8.27	6.75	0.4	1.6	
		3:04	26.76	50.61	33.15	8.45	8.21	2.0	3.5	
		6:04	26.18	51.66	33.93	8.32	6.57	0.7	5.6	
		9:04	26.21	52.03	34.21	8.32	6.63	1.4	1.5	
		12:04	27.09	51.36	33.68	8.37	7.70	2.1	2.9	
		15:04	27.46	51.18	33.54	8.40	8.26	12.7	4.2	
		18:04	27.46	51.16	33.53	8.38	8.12	4.9	2.5	
		21:04	26.71	50.60	33.13	8.32	7.26	0.9	1.3	
	日平均值			26.77	51.12	33.52	8.35	7.44	3.14	2.89
	灣內站	0:04	28.34	51.11	33.34	8.43	9.33	2.0	17.3	
		3:04	27.78	51.60	33.70	8.39	8.69	2.8	9.2	
		6:04	27.30	51.21	33.44	8.34	7.72	1.5	8.7	
		9:04	27.44	51.20	33.43	8.53	11.07	1.3	9.5	
		12:04	27.99	51.25	33.44	8.53	11.32	1.6	5.6	
		15:04	28.76	51.20	33.38	8.62	12.46	1.3	9.7	
		18:04	28.70	51.12	33.34	8.60	11.12	3.3	8.7	
		21:04	28.66	50.92	33.20	8.52	9.51	3.5	12.5	
	日平均值			28.12	51.20	33.41	8.50	10.15	2.16	10.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月2日	蚵殼站	0:04	27.31	50.01	32.81	8.46	9.43	4.2	9.9	
		3:04	27.84	49.77	32.63	8.48	9.40	1.4	6.7	
		6:04	27.63	49.59	32.51	8.43	8.69	5.2	10.0	
		9:04	27.51	50.31	33.04	8.41	8.68	2.5	4.4	
		12:04	27.35	50.24	32.97	8.39	9.28	4.5	11.3	
		15:04	27.79	51.13	33.54	8.40	9.24	0.5	9.7	
		18:04	28.46	50.89	33.34	8.44	9.71	0.1	5.2	
		21:04	28.89	50.67	33.17	8.45	10.22	0.2	8.4	
	日平均值			27.85	50.33	33.00	8.43	9.33	2.33	8.20
	潮口站	0:04	26.30	51.00	33.44	8.29	6.84	0.2	4.9	
		3:04	26.86	50.73	33.22	8.46	8.21	0.5	1.1	
		6:04	26.63	50.56	33.10	8.44	7.87	0.0	0.5	
		9:04	26.20	51.27	33.65	8.31	6.75	0.3	6.5	
		12:04	26.43	51.14	33.54	8.32	7.09	2.1	0.0	
		15:04	28.67	51.00	33.41	8.45	8.91	7.8	1.3	
		18:04	27.89	51.15	33.54	8.39	8.59	3.7	9.5	
		21:04	28.76	50.60	33.12	8.47	8.82	1.0	5.3	
	日平均值			27.22	50.93	33.38	8.39	7.89	1.95	3.64
	灣內站	0:04	28.52	51.01	33.27	8.53	9.97	2.7	11.9	
		3:04	28.29	51.00	33.27	8.47	8.36	2.1	8.4	
		6:04	27.78	51.04	33.31	8.42	7.87	1.5	6.9	
		9:04	27.98	51.11	33.35	8.47	9.07	1.3	6.2	
		12:04	28.72	50.83	33.15	8.43	11.58	2.5	8.6	
		15:04	29.49	50.89	33.17	8.48	12.69	2.7	10.4	
		18:04	30.22	50.94	33.18	8.51	12.12	3.8	14.3	
		21:04	29.92	50.70	33.01	8.41	9.89	3.0	13.3	
	日平均值			28.87	50.94	33.21	8.47	10.19	2.45	10.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月3日	蚵殼站	0:04	28.45	50.92	33.37	8.39	9.30	0.3	7.4	
		3:04	28.24	50.92	33.37	8.41	9.00	0.2	7.9	
		6:04	28.13	50.44	33.02	8.40	8.71	0.3	9.0	
		9:04	28.27	50.58	33.12	8.45	9.26	0.1	8.3	
		12:04	28.50	50.57	33.10	8.41	8.74	0.3	6.4	
		15:04	28.80	50.98	33.40	8.43	9.64	0.7	16.0	
		18:04	29.25	50.75	33.21	8.49	10.42	0.1	6.7	
		21:04	29.22	50.67	33.16	8.50	10.20	0.2	15.6	
	日平均值			28.61	50.73	33.22	8.44	9.41	0.28	9.66
	潮口站	0:04	26.74	51.53	33.86	8.26	6.89	1.2	2.5	
		3:04	27.44	51.12	33.54	8.37	7.62	1.3	10.1	
		6:04	27.88	50.84	33.32	8.47	8.40	4.4	5.2	
		9:04	26.93	51.11	33.55	8.33	7.16	1.5	6.8	
		12:04	26.97	51.62	33.92	8.30	7.15	1.1	3.1	
		15:04	27.74	51.51	33.82	8.35	7.81	3.6	7.5	
		18:04	28.38	51.32	33.66	8.39	8.15	3.0	5.6	
		21:04	28.59	51.18	33.54	8.39	8.11	1.9	6.7	
	日平均值			27.58	51.28	33.65	8.36	7.66	2.25	5.94
	灣內站	0:04	29.54	50.73	33.05	8.50	10.74	3.3	15.0	
		3:04	29.02	51.02	33.28	8.50	11.00	2.4	8.4	
		6:04	28.54	51.16	33.39	8.46	10.16	2.5	8.4	
		9:04	27.84	51.36	33.56	8.37	9.62	2.3	4.9	
		12:04	29.34	50.97	33.23	8.56	11.74	2.3	6.3	
		15:04	29.77	51.01	33.25	8.58	11.64	2.2	5.9	
		18:04	29.96	51.10	33.31	8.58	11.07	2.8	6.2	
		21:04	30.29	51.24	33.40	8.45	8.74	3.6	7.4	
	日平均值			29.29	51.07	33.31	8.50	10.59	2.68	7.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月4日	蚵殼站	0:04	29.20	35.73	22.45	8.52	10.55	0.3	9.7	
		3:04	28.95	46.47	30.09	8.50	9.86	0.2	11.3	
		6:04	28.71	50.80	33.27	8.50	9.22	1.3	6.6	
		9:04	28.87	50.60	33.12	8.48	9.17	0.1	10.4	
		12:04	29.11	50.77	33.23	8.48	9.46	0.0	7.9	
		15:04	28.70	51.39	33.70	8.42	9.33	0.1	3.6	
		18:04	29.96	50.87	33.28	8.55	10.39	0.1	14.5	
		21:04	29.90	50.84	33.26	8.55	10.26	1.1	13.4	
	日平均值			29.18	48.43	31.55	8.50	9.78	0.40	9.68
	潮口站	0:04	27.41	51.02	33.46	8.30	7.32	1.2	6.8	
		3:04	26.88	51.38	33.75	8.29	7.01	0.6	7.0	
		6:04	28.11	50.79	33.27	8.50	8.44	0.1	1.6	
		9:04	28.59	50.82	33.28	8.53	8.63	0.6	2.9	
		12:04	27.11	51.47	33.81	8.34	7.36	0.4	0.6	
		15:04	27.44	51.45	33.78	8.29	7.28	0.8	3.6	
		18:04	28.14	51.48	33.78	8.36	8.03	4.7	6.1	
		21:04	29.68	51.27	33.58	8.34	7.47	7.1	8.4	
	日平均值			27.92	51.21	33.59	8.37	7.69	1.94	4.63
	灣內站	0:04	30.19	51.07	33.28	8.43	8.50	3.2	7.1	
		1:04	30.12	50.69	33.00	8.45	8.94	3.3	9.0	
		2:04	29.81	51.03	33.26	8.47	9.27	2.6	7.4	
		4:34	29.09	51.15	33.37	8.52	10.08	2.2	6.1	
		6:34	28.94	51.03	33.28	8.49	9.34	2.2	4.7	
		7:34	28.94	51.07	33.32	8.48	9.27	2.2	5.6	
		8:34	28.96	51.20	33.41	8.47	9.42	1.9	6.0	
		9:34	29.02	51.19	33.40	8.50	10.29	2.0	5.4	
	日平均值			29.38	51.05	33.29	8.48	9.39	2.45	6.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月5日	蚵殼站	1:04	29.56	50.77	33.22	8.50	9.48	0.3	6.2	
		3:34	29.44	50.82	33.26	8.49	9.21	0.6	10.4	
		6:04	29.26	50.47	33.01	8.49	8.79	0.4	8.2	
		11:04	29.71	50.68	33.15	8.41	9.01	0.3	7.2	
		12:04	29.46	50.75	33.21	8.47	9.51	0.8	6.9	
		15:04	29.96	50.93	33.33	8.50	9.51	1.2	7.0	
		16:34	29.89	50.97	33.35	8.48	9.08	0.8	10.0	
		18:04	30.03	50.98	33.36	8.50	9.54	0.3	5.3	
	日平均值			29.66	50.80	33.24	8.48	9.27	0.59	7.65
	潮口站	0:04	28.72	51.09	33.48	8.39	7.97	1.9	7.9	
		3:04	27.26	51.51	33.83	8.29	7.03	0.2	1.8	
		6:04	28.33	51.11	33.50	8.42	7.70	0.7	4.9	
		9:04	29.13	50.97	33.38	8.39	7.31	1.8	2.6	
		12:04	28.26	51.32	33.66	8.32	7.27	0.7	6.2	
		15:04	27.44	51.79	34.03	8.30	7.32	0.4	1.6	
		18:04	28.81	51.59	33.84	8.34	7.84	5.4	1.5	
		21:04	29.64	51.34	33.63	8.43	8.52	1.8	10.8	
	日平均值			28.45	51.34	33.67	8.36	7.62	1.61	4.66
	灣內站	1:34	30.20	51.14	33.32	8.52	8.96	2.5	8.7	
		2:04	30.25	50.37	32.76	8.43	8.17	2.6	10.1	
		3:04	30.32	50.98	33.20	8.53	9.06	2.7	9.9	
		6:04	29.90	51.10	33.31	8.53	9.05	2.0	9.0	
		6:34	29.83	51.14	33.34	8.52	8.91	2.2	7.9	
		7:04	29.40	51.16	33.37	8.50	9.40	1.9	7.4	
		8:04	29.62	51.28	33.45	8.48	8.76	2.6	9.2	
		8:34	29.43	51.37	33.52	8.41	7.66	2.9	5.3	
	日平均值			29.87	51.07	33.28	8.49	8.75	2.43	8.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月6日	蚵殼站	0:04	30.65	47.38	30.70	8.57	10.32	0.2	19.8	
		3:04	30.55	46.67	30.19	8.54	9.44	0.2	10.8	
		6:04	29.59	50.83	33.26	8.41	8.61	0.3	13.9	
		9:04	30.17	50.49	32.99	8.54	9.66	0.1	18.8	
		12:04	29.48	51.00	33.39	8.40	8.61	0.7	4.7	
		15:04	29.98	51.09	33.44	8.47	9.04	0.8	0.4	
		18:04	29.96	51.09	33.44	8.49	9.20	0.3	11.2	
		21:04	30.34	50.92	33.30	8.55	9.67	0.2	16.3	
	日平均值			30.09	49.93	32.59	8.50	9.32	0.35	11.99
	潮口站	0:04	29.92	51.12	33.46	8.48	8.47	1.1	9.9	
		3:04	27.23	51.73	33.99	8.26	6.66	0.2	0.9	
		6:04	29.10	51.19	33.54	8.42	7.75	1.0	0.8	
		9:04	29.92	51.01	33.37	8.53	8.54	0.4	6.6	
		12:04	30.55	50.86	33.25	8.48	8.53	1.4	5.7	
		15:04	28.32	50.84	33.30	8.29	7.32	0.5	7.2	
		18:04	28.25	51.12	33.51	8.29	7.43	1.3	4.9	
		21:04	28.91	51.52	33.79	8.35	7.85	1.6	5.7	
	日平均值			29.03	51.17	33.53	8.39	7.82	0.94	5.21
	灣內站	4:04	29.80	51.52	33.61	8.53	9.82	2.6	8.3	
		4:34	29.95	51.46	33.57	8.54	9.67	2.5	8.0	
		6:34	29.34	51.59	33.69	8.46	9.25	2.2	7.2	
		7:04	29.20	51.63	33.72	8.37	8.33	2.8	11.9	
		7:34	29.17	51.69	33.76	8.39	8.80	2.7	10.6	
		8:04	29.30	51.65	33.73	8.40	9.05	2.8	10.1	
		8:34	29.98	51.48	33.58	8.51	9.54	2.5	8.5	
		9:04	29.82	51.51	33.61	8.51	9.72	3.1	7.7	
	日平均值			29.57	51.57	33.66	8.46	9.27	2.65	9.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月7日	蚵殼站	0:04	30.22	50.98	33.35	8.52	9.19	0.3	6.7	
		3:04	29.73	51.53	33.65	8.47	8.61	0.1	9.0	
		6:04	29.62	51.41	33.56	8.49	8.52	0.5	6.0	
		9:04	29.74	51.48	33.61	8.47	8.58	0.2	3.6	
		12:04	30.37	51.52	33.62	8.42	8.43	1.1	5.6	
		15:04	30.16	51.71	33.76	8.41	8.53	1.9	11.8	
		18:04	29.60	51.71	33.78	8.39	8.31	1.3	9.4	
		21:04	29.97	51.60	33.69	8.42	7.77	3.1	10.3	
	日平均值			29.93	51.49	33.63	8.45	8.49	1.06	7.80
	潮口站	0:04	29.55	51.35	33.64	8.39	7.46	3.0	4.1	
		3:04	27.70	51.46	33.78	8.27	6.68	0.7	0.7	
		6:04	27.39	51.65	33.93	8.28	6.71	1.7	7.3	
		9:04	29.90	51.14	33.47	8.51	8.13	2.7	10.3	
		12:04	29.58	51.28	33.59	8.52	8.49	2.0	7.5	
		15:04	28.52	50.47	33.02	8.28	7.25	2.2	7.9	
		18:04	28.20	50.32	32.92	8.27	7.16	0.1	4.7	
		21:04	28.36	51.28	33.63	8.30	7.16	3.9	5.8	
	日平均值			28.65	51.12	33.50	8.35	7.38	2.04	6.04
	灣內站	0:34	31.22	49.96	32.42	8.24	4.30	2.7	5.8	
		1:34	31.01	50.28	32.67	8.41	6.38	3.7	9.5	
		3:04	30.87	51.27	33.40	8.55	8.06	3.8	12.9	
		4:34	30.38	51.57	33.64	8.47	7.09	4.3	12.2	
		5:34	30.27	51.51	33.60	8.60	9.51	2.7	13.9	
		6:34	29.52	51.68	33.74	8.46	8.25	3.3	9.3	
		7:34	29.35	51.67	33.74	8.46	8.10	3.5	7.9	
		8:34	29.26	51.68	33.75	8.46	8.18	3.3	8.5	
	日平均值			30.24	51.20	33.37	8.46	7.48	3.41	10.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月8日	蚵殼站	0:04	29.89	51.56	33.66	8.45	8.35	0.1	20.3	
		3:04	29.94	51.53	33.64	8.45	8.09	1.0	13.8	
		6:04	29.91	51.45	33.58	8.40	7.59	0.7	9.7	
		9:04	29.91	51.39	33.53	8.38	7.87	0.5	8.0	
		12:04	30.41	51.53	33.63	8.38	8.16	0.7	8.9	
		15:04	30.37	51.62	33.69	8.36	8.19	0.3	7.7	
		18:04	30.18	51.56	33.65	8.40	8.46	0.6	9.3	
		21:04	29.96	51.72	33.77	8.38	8.10	1.1	7.6	
	日平均值			30.07	51.55	33.64	8.40	8.10	0.63	10.66
	潮口站	0:04	29.02	51.31	33.63	8.34	7.35	1.9	12.0	
		3:04	28.17	51.23	33.60	8.27	6.74	0.3	0.1	
		6:04	28.01	51.35	33.69	8.28	6.71	1.0	1.0	
		9:04	29.51	51.23	33.55	8.38	7.23	1.7	2.0	
		12:04	30.94	51.25	33.52	8.42	8.12	2.5	4.3	
		15:04	29.52	50.86	33.28	8.34	7.63	3.0	7.2	
		18:04	28.60	51.29	33.62	8.30	7.37	0.2	3.0	
		21:04	29.34	51.06	33.43	8.37	7.57	4.9	9.9	
	日平均值			29.14	51.20	33.54	8.34	7.34	1.94	4.94
	灣內站	4:04	30.49	51.55	33.62	8.50	7.15	3.9	10.4	
		4:34	30.48	51.55	33.62	8.50	6.86	4.3	10.2	
		5:34	30.36	51.59	33.65	8.51	7.22	3.1	10.4	
		6:04	30.33	51.59	33.65	8.46	6.25	3.1	9.5	
		7:04	30.30	51.65	33.69	8.41	5.89	3.0	9.5	
		7:34	30.28	51.65	33.70	8.39	5.37	2.9	7.5	
		8:34	29.61	51.68	33.74	8.46	8.07	2.5	8.4	
		9:34	30.65	51.66	33.69	8.43	6.12	4.1	7.7	
	日平均值			30.31	51.62	33.67	8.46	6.62	3.36	9.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月9日	蚵殼站	0:04	29.54	51.68	33.76	8.37	7.81	0.1	9.9	
		3:04	30.10	51.62	33.70	8.41	7.56	0.2	13.0	
		6:04	29.94	51.48	33.61	8.40	7.33	0.6	8.6	
		9:04	29.90	51.53	33.64	8.38	7.44	0.4	8.2	
		12:04	29.80	51.56	33.67	8.30	7.05	1.4	12.2	
		15:04	29.51	51.86	33.89	8.27	6.84	1.9	9.1	
		18:04	29.29	51.63	33.74	8.22	6.33	2.2	10.6	
		21:04	29.56	51.38	33.54	8.27	6.60	3.6	9.1	
	日平均值			29.71	51.59	33.69	8.33	7.12	1.30	10.09
	潮口站	0:04	30.00	51.34	33.62	8.36	6.89	4.4	10.4	
		3:04	28.42	51.45	33.75	8.28	6.64	0.1	4.1	
		6:04	28.34	51.52	33.80	8.28	6.57	1.0	3.7	
		9:04	30.14	51.30	33.59	8.48	7.85	1.1	8.2	
		12:04	31.12	51.47	33.67	8.31	6.60	7.7	0.1	
		15:04	29.45	48.11	31.27	8.31	7.57	1.6	13.3	
		18:04	28.92	49.15	32.04	8.33	7.56	0.5	13.5	
		21:04	29.05	50.48	33.01	8.29	6.62	5.5	4.8	
	日平均值			29.43	50.60	33.09	8.33	7.04	2.74	7.26
	灣內站	0:34	31.09	51.77	33.76	8.49	6.53	3.6	9.4	
		2:34	29.64	51.72	33.77	8.49	8.20	1.8	9.1	
		3:34	29.90	51.74	33.78	8.46	7.44	2.7	9.5	
		5:04	29.59	51.77	33.81	8.46	7.58	2.3	8.7	
		6:04	29.87	51.76	33.79	8.50	7.62	2.0	9.1	
		12:34	30.68	51.82	33.81	8.52	8.56	2.7	4.6	
		23:04	30.07	51.77	33.79	8.47	6.92	4.2	14.8	
		23:34	30.04	51.77	33.80	8.45	6.38	4.6	10.6	
	日平均值			30.11	51.77	33.79	8.48	7.40	2.99	9.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月10日	蚵殼站	0:04	29.64	51.43	33.58	8.25	6.24	1.4	17.8	
		3:04	29.42	52.56	34.39	8.26	6.21	1.7	14.6	
		6:04	29.09	51.01	33.30	8.24	5.97	1.4	8.2	
		9:04	29.89	51.49	33.61	8.29	6.46	2.1	15.9	
		12:04	30.24	51.29	33.46	8.28	6.90	1.4	13.4	
		15:04	30.28	51.37	33.51	8.28	7.14	1.7	12.6	
		18:04	29.99	51.45	33.58	8.30	7.45	2.8	14.0	
		21:04	30.14	51.64	33.72	8.33	7.31	0.8	16.0	
	日平均值			29.84	51.53	33.64	8.28	6.71	1.66	14.06
	潮口站	0:04	28.98	50.57	33.09	8.26	6.14	3.2	8.4	
		3:04	28.33	51.18	33.55	8.26	6.06	1.0	1.7	
		6:04	27.68	51.61	33.89	8.29	6.43	0.8	0.2	
		9:04	29.49	51.24	33.56	8.34	6.82	2.4	6.3	
		12:04	30.29	51.18	33.49	8.32	7.07	9.6	11.7	
		15:04	30.55	51.21	33.51	8.42	8.21	9.0	14.6	
		18:04	28.42	50.53	33.07	8.29	6.87	1.2	5.1	
		21:04	29.06	50.82	33.27	8.34	6.97	2.9	12.4	
	日平均值			29.10	51.04	33.43	8.32	6.82	3.76	7.55
	灣內站	0:04	29.98	51.77	33.80	8.44	6.49	4.2	12.5	
		3:04	30.04	51.77	33.79	8.40	5.91	3.2	8.5	
		6:04	29.97	51.73	33.77	8.40	5.90	2.7	8.2	
		9:04	30.17	51.74	33.77	8.49	7.22	3.0	9.8	
		12:04	31.00	51.84	33.81	8.56	8.01	3.2	7.6	
		15:04	31.79	51.90	33.83	8.52	7.70	4.5	13.8	
		21:34	31.22	51.88	33.83	8.46	5.78	4.0	5.1	
		23:04	31.29	51.82	33.79	8.46	6.04	3.9	6.2	
	日平均值			30.68	51.81	33.80	8.47	6.63	3.59	8.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月11日	蚵殼站	0:04	30.31	51.10	33.32	8.36	7.52	1.5	10.7	
		3:04	30.18	51.49	33.60	8.32	7.01	0.1	6.0	
		6:04	30.10	51.36	33.51	8.33	6.93	0.8	10.8	
		9:04	30.19	51.15	33.36	8.32	7.15	0.1	11.0	
		12:04	30.45	51.13	33.33	8.29	7.12	0.5	15.6	
		15:04	30.38	46.22	29.88	8.34	8.24	1.6	20.0	
		18:04	30.24	51.19	33.39	8.32	7.80	1.4	14.3	
		21:04	31.15	50.78	33.06	8.30	7.28	4.9	18.6	
	日平均值			30.38	50.55	32.93	8.32	7.38	1.36	13.38
	潮口站	0:04	29.13	50.68	33.16	8.29	6.25	3.2	3.6	
		3:04	28.24	50.74	33.24	8.28	6.18	4.1	0.6	
		6:04	27.58	51.48	33.80	8.31	6.49	0.4	0.2	
		9:04	29.43	51.03	33.41	8.38	7.12	1.0	8.8	
		12:04	31.15	51.20	33.48	8.37	7.52	4.0	4.6	
		15:04	30.76	51.13	33.43	8.42	8.18	3.3	10.6	
		18:04	28.52	50.25	32.87	8.31	7.28	1.7	10.9	
		21:04	28.05	50.88	33.34	8.28	6.68	0.7	3.4	
	日平均值			29.11	50.92	33.34	8.33	6.96	2.30	5.34
	灣內站	0:04	31.48	51.82	33.78	8.44	5.73	4.4	7.1	
		3:04	30.88	51.76	33.76	8.43	6.28	3.6	10.0	
		6:04	30.34	51.79	33.80	8.41	6.33	2.6	11.3	
		9:04	30.41	51.74	33.76	8.43	5.88	2.6	9.7	
		12:04	31.49	51.82	33.78	8.53	8.42	2.8	10.0	
		15:04	31.90	51.85	33.79	8.61	9.48	2.9	10.6	
		18:04	32.15	51.77	33.72	8.46	7.66	7.1	12.5	
		21:04	31.31	51.75	33.74	8.50	8.03	3.4	13.6	
	日平均值			31.25	51.79	33.77	8.48	7.23	3.68	10.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月12日	蚵殼站	0:04	30.64	51.46	33.57	8.29	6.94	1.5	8.2	
		3:04	30.29	51.40	33.53	8.26	6.57	0.5	14.0	
		6:04	29.86	51.37	33.53	8.24	6.08	0.6	10.1	
		9:04	29.70	51.40	33.55	8.25	6.41	2.2	11.3	
		12:04	29.81	51.40	33.55	8.30	7.29	4.6	22.3	
		15:04	30.07	47.38	30.70	8.35	7.94	1.7	17.6	
		18:04	30.27	51.43	33.56	8.37	7.75	1.8	16.0	
		21:04	30.19	48.44	31.44	8.27	7.09	2.7	22.0	
	日平均值			30.10	50.54	32.93	8.29	7.01	1.95	15.19
	潮口站	0:04	29.85	51.09	33.44	8.32	6.52	4.4	7.1	
		3:04	29.16	51.01	33.41	8.30	6.21	2.8	0.8	
		6:04	28.11	51.44	33.75	8.35	6.88	0.6	2.0	
		9:04	28.19	51.46	33.77	8.32	6.69	1.1	0.6	
		12:04	30.14	51.27	33.56	8.31	6.56	11.8	6.4	
		15:04	31.23	51.29	33.54	8.30	6.95	12.4	7.3	
		18:04	29.55	51.17	33.51	8.30	6.93	3.1	2.8	
		21:04	28.63	51.18	33.54	8.28	6.52	0.8	0.3	
	日平均值			29.36	51.24	33.57	8.31	6.66	4.63	3.41
	灣內站	0:04	30.96	51.74	33.74	8.48	7.61	2.7	12.7	
		3:04	30.31	51.74	33.76	8.43	7.17	2.1	9.1	
		6:04	29.92	51.72	33.76	8.34	6.18	2.8	6.8	
		9:04	30.16	51.76	33.78	8.32	5.43	5.0	5.4	
		12:04	29.73	51.78	33.81	8.38	7.13	4.3	14.6	
		15:04	29.79	51.82	33.84	8.24	6.48	9.7	19.0	
		18:04	29.44	51.87	33.89	8.31	6.92	7.1	16.0	
		21:04	29.87	51.81	33.83	8.46	7.37	4.0	16.4	
	日平均值			30.02	51.78	33.80	8.37	6.79	4.71	12.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月13日	蚵殼站	0:04	30.00	48.69	31.62	8.27	6.84	1.7	17.9	
		3:04	29.84	48.13	31.23	8.27	6.48	2.3	15.9	
		6:04	29.76	46.04	29.77	8.27	6.57	2.0	12.6	
		9:04	29.75	48.09	31.21	8.27	6.51	2.2	14.5	
		12:04	29.62	51.11	33.35	8.23	6.37	4.0	11.1	
		15:04	30.09	46.23	29.90	8.29	7.28	3.6	11.4	
		18:04	30.06	47.03	30.45	8.28	6.98	8.9	14.9	
		21:04	29.87	45.76	29.57	8.26	6.60	5.6	10.6	
	日平均值			29.87	47.64	30.89	8.27	6.70	3.79	13.61
	潮口站	0:04	29.60	51.03	33.40	8.34	6.96	3.7	11.2	
		3:04	29.52	51.08	33.44	8.31	6.19	3.7	1.4	
		6:04	28.10	51.14	33.53	8.30	6.27	2.7	1.1	
		9:04	28.27	51.21	33.58	8.30	6.49	0.7	1.1	
		12:04	29.76	51.01	33.38	8.36	7.33	10.2	9.3	
		15:04	29.77	51.08	33.43	8.36	7.55	4.1	11.6	
		18:04	29.35	51.02	33.40	8.28	6.50	7.1	8.4	
		21:04	28.44	50.60	33.12	8.25	6.42	0.4	6.1	
	日平均值			29.10	51.02	33.41	8.31	6.71	4.08	6.28
	灣內站	0:04	29.90	51.80	33.82	8.42	6.98	3.8	14.2	
		3:04	29.72	51.81	33.83	8.35	6.37	3.6	13.0	
		6:04	29.64	51.77	33.81	8.35	6.27	3.4	10.7	
		9:04	29.75	51.75	33.79	8.35	6.66	3.1	13.7	
		12:04	30.07	51.82	33.83	8.41	7.51	5.4	13.7	
		15:04	30.22	51.84	33.84	8.36	7.80	8.3	16.4	
		18:04	30.07	51.85	33.85	8.36	7.21	5.9	16.9	
		21:04	29.95	51.83	33.84	8.38	6.63	5.5	18.2	
	日平均值			29.92	51.81	33.83	8.37	6.93	4.88	14.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月14日	蚵殼站	0:04	29.71	44.78	28.89	8.23	6.13	8.8	10.7	
		3:04	29.80	44.47	28.68	8.20	5.90	8.0	11.9	
		6:04	29.65	47.12	30.53	8.19	5.30	9.9	7.8	
		9:04	29.78	47.78	30.99	8.24	5.96	11.0	9.9	
		12:04	29.78	50.16	32.67	8.22	6.18	1.4	14.9	
		15:04	29.90	49.93	32.51	8.22	6.14	1.0	16.6	
		18:04	30.15	49.12	31.92	8.27	6.89	1.2	12.7	
		21:04	30.01	51.78	33.95	8.25	6.30	2.3	7.8	
	日平均值			29.85	48.14	31.27	8.23	6.10	5.45	11.54
	潮口站	0:04	28.35	50.59	33.12	8.26	6.28	1.6	7.2	
		3:04	28.38	50.63	33.15	8.27	5.94	1.9	3.4	
		6:04	27.72	51.21	33.60	8.28	6.18	1.2	1.3	
		9:04	27.92	51.31	33.66	8.32	6.30	0.9	3.1	
		12:04	29.01	51.06	33.44	8.35	7.21	6.5	8.0	
		15:04	29.82	51.06	33.42	8.36	7.39	7.0	7.9	
		18:04	29.72	51.02	33.39	8.36	7.36	3.5	6.7	
		21:04	28.08	50.78	33.27	8.30	6.45	1.1	3.4	
	日平均值			28.63	50.96	33.38	8.31	6.64	2.96	5.13
	灣內站	0:04	29.72	51.82	33.84	8.31	5.96	3.1	15.6	
		3:04	29.54	51.83	33.86	8.19	4.53	2.7	4.7	
		6:04	29.49	51.60	33.69	8.25	5.60	4.3	12.4	
		9:04	29.67	51.63	33.70	8.34	6.57	3.4	12.3	
		12:04	30.32	51.73	33.76	8.41	7.72	4.7	11.0	
		15:04	30.36	51.87	33.85	8.43	7.71	6.5	11.9	
		18:04	30.74	51.78	33.78	8.42	7.03	7.2	16.7	
		21:04	31.01	51.67	33.69	8.33	6.50	7.2	20.7	
	日平均值			30.11	51.74	33.77	8.34	6.45	4.89	13.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月15日	蚵殼站	0:04	29.90	51.38	33.66	8.25	6.06	0.8	11.8	
		3:04	29.52	51.00	33.39	8.22	5.98	0.9	3.4	
		6:04	29.62	51.68	33.89	8.23	5.82	1.2	1.4	
		9:04	29.78	51.65	33.86	8.25	6.22	1.8	7.5	
		12:04	30.06	51.66	33.86	8.26	6.80	1.7	12.1	
		15:04	30.22	51.46	33.71	8.30	7.58	1.5	20.2	
		18:04	29.98	51.32	33.61	8.32	7.87	0.9	12.1	
		21:04	29.63	51.52	33.77	8.29	7.27	1.8	15.4	
	日平均值			29.84	51.46	33.72	8.27	6.70	1.33	10.49
	潮口站	0:04	28.49	50.89	33.33	8.32	6.48	2.9	3.2	
		3:04	28.26	51.04	33.46	8.31	6.03	2.2	1.6	
		6:04	27.37	50.88	33.36	8.34	6.19	0.9	0.5	
		9:04	27.64	50.94	33.40	8.35	6.57	0.1	2.8	
		12:04	30.24	50.94	33.32	8.41	8.02	1.5	10.6	
		15:04	30.81	51.13	33.44	8.34	7.21	10.5	12.8	
		18:04	30.19	51.08	33.42	8.38	7.86	2.2	6.7	
		21:04	29.43	50.81	33.25	8.33	7.03	3.4	5.5	
	日平均值			29.05	50.96	33.37	8.35	6.92	2.96	5.46
	灣內站	0:04	30.64	51.65	33.69	8.26	4.69	4.2	10.4	
		3:04	30.33	51.68	33.72	8.34	6.25	5.3	15.2	
		6:04	30.00	51.84	33.85	8.28	5.83	3.1	9.0	
		9:04	30.18	51.75	33.78	8.30	6.31	4.4	8.3	
		12:04	30.71	51.81	33.80	8.45	8.10	3.0	9.5	
		15:04	31.26	51.82	33.79	8.51	9.25	3.9	18.2	
		18:04	31.26	51.85	33.81	8.49	9.12	5.0	21.8	
		21:04	30.76	51.84	33.82	8.50	8.19	3.2	10.1	
	日平均值			30.64	51.78	33.78	8.39	7.22	4.01	12.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月16日	蚵殼站	0:04	29.70	51.60	33.83	8.30	7.00	0.8	5.9	
		3:04	29.91	50.87	33.28	8.26	6.57	1.1	8.8	
		6:04	29.75	50.90	33.31	8.24	6.19	3.0	9.7	
		9:04	29.69	51.13	33.48	8.25	6.44	4.8	11.2	
		12:14	29.59	51.55	33.83	8.30	6.73	0.7	16.4	
		15:04	29.49	51.30	33.65	8.31	7.18	0.7	9.6	
		18:04	29.44	51.06	33.47	8.36	8.00	1.0	14.1	
		21:04	28.95	51.03	33.47	8.29	6.86	0.7	8.7	
	日平均值			29.57	51.18	33.54	8.29	6.87	1.60	10.55
	潮口站	0:04	28.05	50.87	33.34	8.32	6.49	0.7	0.5	
		3:04	28.55	51.03	33.44	8.33	6.26	1.9	3.4	
		6:04	27.32	51.19	33.59	8.34	6.36	0.0	1.9	
		9:04	27.31	51.36	33.71	8.33	6.27	1.3	0.4	
		12:14	29.66	51.42	33.74	8.29	7.89	1.2	16.0	
		15:04	29.67	51.64	33.89	8.34	7.99	1.5	7.3	
		18:04	29.52	51.72	33.96	8.31	7.29	3.0	9.8	
		21:04	29.16	51.64	33.91	8.27	6.72	1.8	6.5	
	日平均值			28.66	51.36	33.70	8.32	6.91	1.43	5.73
	灣內站	0:04	30.59	51.84	33.82	8.37	6.81	3.2	8.2	
		3:04	30.34	51.81	33.81	8.32	5.97	2.6	6.5	
		6:04	30.16	51.79	33.81	8.31	6.04	2.5	9.3	
		9:04	30.04	51.78	33.80	8.31	6.41	1.6	8.9	
		12:14	30.10	51.72	33.74	8.40	7.69	2.2	11.8	
		15:04	30.27	51.73	33.74	8.39	7.75	3.3	29.0	
		18:04	29.74	50.95	33.18	8.31	6.81	3.7	27.6	
		21:04	29.42	50.45	32.83	8.18	5.36	4.6	14.2	
	日平均值			30.08	51.51	33.59	8.32	6.61	2.96	14.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月17日	蚵殼站	0:04	28.69	50.99	33.44	8.21	5.93	0.8	2.7	
		3:04	28.53	50.94	33.41	8.24	6.06	1.3	11.7	
		6:04	28.52	50.85	33.34	8.25	6.06	1.7	7.4	
		9:04	28.58	51.01	33.46	8.29	6.40	2.4	7.9	
		12:04	28.62	50.91	33.39	8.27	6.52	4.5	8.2	
		15:04	28.67	50.89	33.37	8.25	6.44	3.3	13.7	
		18:04	28.56	50.89	33.37	8.26	6.70	5.6	15.8	
		21:04	28.47	50.88	33.37	8.27	6.68	5.3	13.5	
	日平均值			28.58	50.92	33.39	8.26	6.35	3.11	10.11
	潮口站	0:04	27.89	51.76	34.04	8.22	6.20	3.0	1.5	
		3:04	28.45	51.66	33.95	8.19	5.71	7.2	2.2	
		6:04	27.54	51.88	34.14	8.22	6.31	1.5	2.0	
		9:04	27.69	51.87	34.13	8.23	6.34	1.2	1.4	
		12:04	27.90	51.84	34.10	8.22	6.38	5.1	0.4	
		15:04	29.05	51.69	33.96	8.22	6.83	6.9	4.9	
		18:04	28.76	51.72	33.99	8.25	7.32	11.5	5.1	
		21:04	27.86	43.31	27.89	8.16	6.80	3.4	9.7	
	日平均值			28.14	50.72	33.28	8.21	6.49	4.98	3.40
	灣內站	0:04	28.90	51.03	33.27	8.22	5.85	3.7	11.9	
		3:04	28.73	51.12	33.34	8.22	5.82	3.5	10.1	
		6:04	28.49	51.35	33.52	8.21	5.72	2.6	8.0	
		9:04	28.47	51.47	33.61	8.26	6.42	2.2	7.5	
		12:04	28.78	51.48	33.61	8.33	7.32	2.2	11.6	
		15:04	29.05	51.48	33.60	8.39	8.17	2.7	18.4	
		18:04	28.88	51.35	33.51	8.38	8.23	9.9	23.3	
		21:04	28.64	51.33	33.50	8.36	7.89	7.5	17.2	
	日平均值			28.74	51.33	33.50	8.30	6.93	4.29	13.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月18日	蚵殼站	0:04	28.49	50.89	33.38	8.26	6.52	5.1	11.2	
		3:04	28.02	48.16	31.38	8.23	6.35	16.0	4.7	
		6:04	27.82	48.98	31.99	8.22	5.97	1.6	1.4	
		9:04	28.26	50.01	32.73	8.26	6.48	2.1	3.7	
		12:04	28.67	50.70	33.23	8.28	6.97	2.5	10.1	
		15:04	28.46	50.68	33.22	8.29	7.41	0.6	19.2	
		18:04	28.39	49.56	32.40	8.40	9.04	2.3	27.3	
		21:04	28.11	49.46	32.35	8.36	8.24	3.1	13.7	
	日平均值			28.28	49.81	32.59	8.29	7.12	4.16	11.41
	潮口站	0:04	27.09	35.07	22.09	8.09	6.28	5.7	7.5	
		3:04	27.63	48.71	31.81	8.22	6.41	1.1	0.7	
		6:04	27.54	49.78	32.59	8.19	6.34	1.1	2.1	
		9:04	27.58	50.27	32.95	8.17	6.00	2.6	3.8	
		12:04	27.87	51.18	33.61	8.21	6.56	1.3	3.5	
		15:04	28.35	51.41	33.77	8.26	7.36	2.4	9.5	
		18:04	28.36	51.35	33.73	8.18	6.61	7.5	16.0	
		21:04	28.35	51.19	33.61	8.23	7.62	1.3	17.2	
	日平均值			27.85	48.62	31.77	8.19	6.65	2.88	7.54
	灣內站	0:04	28.56	51.44	33.59	8.34	7.42	4.3	13.7	
		3:04	28.53	51.46	33.60	8.27	6.55	3.9	8.9	
		6:04	28.13	50.50	32.91	8.26	6.60	3.6	9.9	
		9:04	28.19	50.47	32.88	8.24	6.68	4.0	9.4	
		12:04	28.12	48.31	31.30	8.31	7.76	3.1	10.8	
		15:04	28.52	49.92	32.47	8.40	8.86	3.4	24.1	
		18:04	28.35	48.32	31.30	8.47	10.13	3.5	38.8	
		21:04	27.85	47.25	30.53	8.44	9.67	3.9	51.0	
	日平均值			28.28	49.71	32.32	8.34	7.96	3.71	20.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月19日	蚵殼站	0:04	27.55	48.08	31.34	8.41	8.42	4.7	26.1	
		3:04	27.84	49.19	32.15	8.38	7.83	3.2	15.3	
		6:04	27.06	46.85	30.45	8.33	7.28	4.1	30.4	
		9:04	28.10	49.58	32.42	8.34	7.38	2.3	29.5	
		12:04	28.41	50.25	32.91	8.37	7.74	4.6	34.7	
		15:04	28.39	50.48	33.08	8.41	8.22	4.2	24.1	
		18:04	28.39	50.36	33.00	8.45	8.73	3.2	12.4	
		21:04	28.24	49.25	32.19	8.52	9.46	3.1	22.2	
	日平均值			28.00	49.26	32.19	8.40	8.13	3.68	24.34
	潮口站	0:04	27.59	51.39	33.78	8.20	6.27	0.5	2.5	
		3:04	26.74	51.59	33.95	8.21	6.21	0.4	4.9	
		6:04	27.24	48.97	32.01	8.40	8.10	0.7	15.1	
		9:04	27.41	49.46	32.36	8.31	7.94	1.5	16.5	
		12:04	27.52	50.91	33.42	8.23	6.96	1.9	6.7	
		15:04	27.78	50.51	33.13	8.31	8.87	1.5	18.9	
		18:04	28.11	50.95	33.44	8.22	7.27	10.0	16.8	
		21:04	28.21	50.46	33.08	8.30	8.34	0.6	17.9	
	日平均值			27.58	50.53	33.15	8.27	7.50	2.14	12.41
	灣內站	0:04	28.51	50.19	32.67	8.39	8.66	3.1	33.7	
		3:04	28.58	50.64	33.00	8.38	8.37	2.7	19.0	
		6:04	28.60	50.98	33.25	8.40	8.49	2.2	13.6	
		9:04	28.53	50.58	32.96	8.38	8.49	2.1	12.9	
		12:04	28.84	51.11	33.34	8.43	9.02	2.1	16.6	
		15:04	28.90	50.07	32.57	8.58	11.58	3.2	27.6	
		18:04	28.92	49.57	32.20	8.61	11.87	3.5	44.1	
		21:04	28.58	49.86	32.42	8.57	10.87	3.0	25.7	
	日平均值			28.68	50.38	32.80	8.47	9.67	2.74	24.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月20日	蚵殼站	0:04	27.97	49.65	32.49	8.45	8.20	3.6	7.2	
		3:04	27.83	50.06	32.79	8.42	7.22	2.4	8.0	
		6:04	27.56	50.02	32.77	8.40	7.06	3.1	10.5	
		9:04	27.87	49.26	32.20	8.46	7.73	2.0	18.0	
		12:04	28.56	50.12	32.81	8.35	7.26	2.1	24.4	
		15:04	28.41	50.39	33.02	8.39	7.71	2.0	22.6	
		18:04	28.50	50.16	32.85	8.52	8.74	2.4	11.4	
		21:04	28.34	49.91	32.66	8.49	8.21	1.5	13.9	
	日平均值			28.13	49.95	32.70	8.44	7.77	2.39	14.50
	潮口站	0:04	27.06	48.44	31.63	8.15	6.40	1.2	3.3	
		3:04	26.37	51.53	33.91	8.21	6.37	0.6	3.2	
		6:04	27.41	50.51	33.14	8.33	6.88	1.9	11.5	
		9:04	27.70	50.46	33.09	8.39	7.56	0.6	6.1	
		12:04	27.38	51.19	33.64	8.23	6.71	0.2	4.2	
		15:04	27.43	51.39	33.78	8.20	6.61	2.0	1.8	
		18:04	28.47	50.47	33.07	8.28	8.50	3.0	10.3	
		21:04	28.29	50.61	33.18	8.23	7.45	5.2	11.3	
	日平均值			27.51	50.58	33.18	8.25	7.06	1.84	6.46
	灣內站	0:04	28.45	50.50	32.90	8.46	9.11	2.9	20.1	
		3:04	28.15	50.32	32.77	8.43	8.56	2.9	21.7	
		6:04	28.07	49.91	32.47	8.47	9.04	2.9	17.7	
		9:04	28.09	49.31	32.04	8.48	9.48	3.3	20.8	
		12:04	28.88	49.59	32.22	8.54	10.45	2.7	18.6	
		15:04	28.95	49.92	32.46	8.50	9.68	4.1	36.5	
		18:04	28.91	50.20	32.66	8.53	10.19	3.0	30.5	
		21:04	28.86	49.68	32.28	8.57	10.49	3.5	23.6	
	日平均值			28.55	49.93	32.48	8.50	9.63	3.16	23.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月21日	蚵殼站	0:04	28.15	49.82	32.61	8.49	7.58	4.3	10.3	
		3:04	27.97	50.47	33.10	8.44	7.12	2.6	8.5	
		6:04	27.76	50.24	32.94	8.46	7.03	2.6	9.7	
		9:04	28.20	50.30	32.97	8.49	7.27	3.2	2.5	
		12:04	28.77	50.56	33.14	8.38	6.57	2.8	4.4	
		15:04	28.69	50.90	33.40	8.43	7.14	2.9	8.9	
		18:04	28.80	50.35	32.98	8.42	7.17	3.5	10.7	
		21:04	28.86	50.41	33.03	8.42	7.00	2.0	12.6	
	日平均值			28.40	50.38	33.02	8.44	7.11	2.99	8.45
	潮口站	0:04	27.73	50.71	33.27	8.24	7.41	1.7	17.1	
		3:04	25.97	51.66	34.02	8.16	6.16	1.1	4.3	
		6:04	27.44	50.60	33.20	8.39	6.87	1.4	5.3	
		9:04	27.81	50.44	33.07	8.46	8.27	1.0	4.2	
		12:04	27.60	50.84	33.37	8.26	7.56	0.2	10.6	
		15:04	27.51	51.15	33.60	8.22	6.70	0.4	1.4	
		18:04	27.57	51.19	33.63	8.23	7.46	3.4	18.7	
		21:04	28.24	51.09	33.54	8.31	8.31	0.8	14.1	
	日平均值			27.48	50.96	33.46	8.28	7.34	1.25	9.46
	灣內站	0:04	28.57	50.08	32.58	8.43	8.53	2.9	23.7	
		1:34	28.48	50.12	32.62	8.43	8.60	2.2	20.7	
		3:04	28.37	49.98	32.52	8.43	8.50	2.2	20.9	
		4:34	28.23	50.08	32.60	8.42	8.44	3.3	15.2	
		6:04	28.16	50.14	32.64	8.42	8.26	2.2	14.9	
		7:34	28.14	50.13	32.63	8.45	8.62	2.3	14.8	
		9:04	28.37	50.08	32.59	8.47	8.99	1.9	10.3	
		10:04	28.93	50.10	32.59	8.47	8.98	1.8	10.0	
	日平均值			28.41	50.09	32.60	8.44	8.62	2.35	16.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
5月22日	蚵殼站	0:04	28.78	50.80	33.31	8.41	6.59	2.8	8.4
		3:04	28.62	50.91	33.40	8.40	6.30	4.7	6.6
		6:04	28.59	51.20	33.63	8.39	5.75	2.0	13.5
		9:04	28.93	49.54	32.40	8.41	6.37	2.0	9.1
		12:04	29.32	50.02	32.72	8.40	6.89	3.1	10.3
		15:04	29.16	50.20	32.87	8.41	7.14	3.3	19.6
		18:04	29.50	50.23	32.88	8.43	7.42	3.8	31.7
		21:04	29.38	50.37	32.99	8.41	6.60	2.9	19.2
	日平均值		29.04	50.41	33.03	8.41	6.63	3.08	14.80
	潮口站	0:04	28.14	51.01	33.49	8.21	6.87	2.5	6.4
		3:04	26.78	44.27	28.61	8.10	6.25	1.4	6.8
		6:04	26.78	49.71	32.56	8.18	6.33	0.9	0.2
		9:04	28.41	50.46	33.07	8.29	7.70	0.6	12.3
		12:04	29.06	50.42	33.02	8.25	8.24	0.5	10.1
		15:04	27.64	50.48	33.11	8.18	7.05	0.9	10.0
		18:04	27.74	50.93	33.43	8.18	7.69	2.1	5.0
		21:04	28.43	50.74	33.28	8.26	8.49	1.6	17.6
	日平均值		27.87	49.75	32.57	8.21	7.33	1.31	8.55
	灣內站	0:04	29.65	49.85	32.34	8.47	8.18	3.7	16.6
		3:04	29.38	50.98	33.17	8.52	8.80	2.3	14.8
		5:04	29.15	51.30	33.40	8.53	8.97	1.9	11.7
		6:04	29.15	51.28	33.39	8.47	8.36	1.9	12.3
		6:34	29.06	51.52	33.56	8.50	8.41	2.0	12.5
		8:04	29.08	51.74	33.71	8.50	8.69	2.4	13.4
		9:34	29.14	51.59	33.59	8.40	6.94	2.9	13.6
		10:04	29.29	51.88	33.80	8.38	6.79	3.5	16.3
	日平均值		29.24	51.27	33.37	8.47	8.14	2.58	13.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月23日	蚵殼站	0:04	29.36	50.16	32.84	8.40	5.71	6.9	12.5	
		3:04	29.32	50.95	33.41	8.41	3.17	4.4	14.2	
		6:04	29.29	50.13	32.82	8.37	5.74	4.3	24.8	
		9:04	29.63	50.16	32.83	8.39	5.54	4.0	22.5	
		12:04	29.89	49.95	32.66	8.37	6.19	3.3	19.2	
		15:04	29.89	50.23	32.87	8.41	6.52	3.4	10.0	
		18:04	30.00	49.86	32.61	8.40	6.69	3.3	29.5	
		21:04	29.93	50.84	33.33	8.41	6.48	6.2	13.5	
	日平均值			29.66	50.29	32.92	8.40	5.76	4.48	18.28
	潮口站	0:04	28.74	50.78	33.30	8.24	8.04	1.3	9.7	
		3:04	26.31	51.33	33.77	8.18	6.47	0.4	2.8	
		6:04	27.44	51.10	33.57	8.20	6.72	1.7	10.0	
		9:04	29.27	50.69	33.21	8.42	8.51	0.5	4.8	
		12:04	30.06	50.79	33.26	8.26	8.48	1.2	1.1	
		15:04	28.29	48.67	31.76	8.18	7.72	1.2	1.2	
		18:04	27.66	50.88	33.40	8.17	7.56	1.1	0.1	
		21:04	28.89	50.68	33.22	8.21	8.51	1.4	7.8	
	日平均值			28.33	50.62	33.19	8.23	7.75	1.10	4.69
	灣內站	0:04	30.43	51.10	33.13	8.45	8.27	4.7	14.1	
		0:34	30.53	50.87	32.94	8.45	7.77	5.2	20.2	
		1:04	30.23	51.00	33.05	8.44	7.72	3.5	10.4	
		4:04	29.81	50.87	32.97	8.45	8.79	1.9	6.1	
		5:04	29.60	51.09	33.13	8.54	8.89	1.6	7.1	
		6:04	29.65	51.05	33.10	8.54	8.90	1.6	8.0	
		6:34	29.75	50.94	33.02	8.52	8.37	2.7	11.2	
		7:04	29.63	50.88	32.97	8.54	8.96	1.8	13.2	
	日平均值			29.95	50.98	33.04	8.49	8.46	2.88	11.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月24日	蚵殼站	0:04	29.95	50.62	33.16	8.42	5.94	5.0	3.0	
		3:04	29.69	49.66	32.46	8.40	5.78	5.0	5.8	
		6:04	29.45	50.67	33.22	8.38	5.51	7.4	14.7	
		9:04	29.65	49.20	32.12	8.38	4.89	5.0	23.9	
		12:04	30.11	50.50	33.07	8.37	5.64	4.2	16.3	
		15:04	29.94	49.14	32.08	8.41	6.07	4.5	17.6	
		18:04	29.59	49.48	32.34	8.37	5.77	4.6	17.2	
		21:04	29.54	50.21	32.88	8.37	5.42	4.8	16.8	
	日平均值			29.74	49.94	32.67	8.39	5.63	5.06	14.41
	潮口站	0:04	29.10	50.57	33.13	8.22	8.14	0.9	6.5	
		3:04	27.14	51.29	33.71	8.17	6.98	1.0	1.0	
		6:04	26.51	51.43	33.84	8.17	6.66	1.0	1.8	
		9:04	29.93	51.05	33.45	8.41	7.74	1.7	7.8	
		12:04	30.77	50.61	33.10	8.15	6.83	6.1	7.3	
		15:04	28.49	49.74	32.54	8.19	7.93	1.1	6.4	
		18:04	27.35	49.45	32.36	8.19	7.24	0.9	3.4	
		21:04	28.10	50.37	33.02	8.26	7.35	3.8	10.4	
	日平均值			28.42	50.56	33.14	8.22	7.36	2.06	5.58
	灣內站	0:34	31.29	51.04	33.04	8.45	7.34	5.0	14.6	
		1:04	31.20	50.72	32.81	8.47	7.73	4.9	13.5	
		4:34	30.38	50.29	32.54	8.50	8.19	2.6	7.5	
		7:04	30.05	50.28	32.55	8.52	8.61	2.5	11.0	
		11:34	30.68	50.23	32.52	8.51	8.61	2.1	7.9	
		20:04	30.11	51.36	33.45	8.53	9.16	3.0	11.5	
		22:34	29.85	51.00	33.22	8.51	8.58	2.6	7.7	
		23:34	29.79	51.14	33.34	8.51	8.31	3.3	9.9	
	日平均值			30.42	50.76	32.93	8.50	8.32	3.25	10.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月25日	蚵殼站	0:04	29.43	50.11	32.81	8.38	5.38	5.3	24.0	
		1:04	29.45	50.17	32.86	8.37	5.03	4.4	10.5	
		7:34	29.03	47.56	30.96	8.33	4.93	4.4	9.6	
		12:04	28.96	47.49	30.92	8.36	5.05	3.6	14.3	
		13:34	29.50	46.61	30.25	8.37	5.32	4.9	9.9	
		15:04	29.80	49.44	32.31	8.38	5.36	4.5	13.2	
		18:04	29.77	46.80	30.40	8.39	5.32	5.1	13.1	
		21:04	29.55	48.12	31.37	8.39	5.13	3.1	15.8	
	日平均值			29.44	48.29	31.49	8.37	5.19	4.41	13.80
	潮口站	0:04	28.18	50.22	32.90	8.26	7.11	2.0	1.0	
		3:04	27.00	50.72	33.30	8.21	6.86	1.7	2.0	
		6:04	26.40	50.83	33.40	8.21	6.74	2.0	6.3	
		9:04	28.68	49.88	32.64	8.23	6.74	1.7	10.2	
		12:04	28.71	48.86	31.89	8.20	6.55	9.3	3.5	
		15:04	28.92	49.93	32.66	8.20	7.31	4.8	7.9	
		18:04	26.65	50.58	33.21	8.19	6.84	8.8	0.5	
		21:04	29.09	49.85	32.60	8.24	7.83	0.7	3.2	
	日平均值			27.95	50.11	32.83	8.22	7.00	3.88	4.33
	灣內站	0:04	29.77	51.03	33.27	8.51	8.00	2.8	10.7	
		3:04	29.96	50.94	33.23	8.48	7.75	3.8	9.4	
		6:04	29.61	52.21	34.24	8.45	8.21	2.3	11.6	
		9:04	29.69	52.08	34.20	8.45	7.40	3.2	11.9	
		12:04	29.53	51.49	33.47	8.41	8.12	3.8	12.8	
		15:04	30.41	50.56	32.82	8.53	10.01	4.4	18.9	
		18:04	29.86	51.85	33.68	8.51	9.41	2.1	14.1	
		21:04	29.26	51.91	33.73	8.49	8.92	2.0	16.5	
	日平均值			29.76	51.51	33.58	8.48	8.48	3.05	13.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月26日	蚵殼站	0:04	29.08	43.54	28.15	8.42	4.95	3.4	10.0	
		10:34	29.26	48.20	31.44	8.33	5.10	2.7	12.2	
		12:04	29.77	46.70	30.36	8.39	5.73	3.2	8.2	
		13:34	29.81	46.00	29.85	8.40	6.24	3.1	13.1	
		15:04	29.01	49.30	32.23	8.40	6.04	3.4	11.6	
		18:04	29.63	49.14	32.10	8.40	5.94	3.4	17.8	
		21:04	29.31	47.39	30.86	8.39	5.11	4.1	35.4	
		23:34	29.42	46.06	29.91	8.38	5.55	3.4	18.6	
	日平均值			29.41	47.04	30.61	8.39	5.58	3.34	15.86
	潮口站	0:04	28.74	45.55	29.48	8.27	7.20	3.2	5.1	
		3:04	27.34	49.93	32.71	8.18	6.29	1.9	6.8	
		6:04	25.96	51.06	33.58	8.21	6.46	1.4	2.1	
		9:04	28.37	44.70	28.88	8.33	7.04	1.6	2.5	
		12:04	29.13	47.92	31.18	8.24	7.06	13.2	15.0	
		15:04	29.42	47.49	30.87	8.27	8.11	2.2	11.2	
		18:04	27.05	45.61	29.57	8.17	6.26	4.5	7.5	
		21:04	26.65	49.28	32.25	8.18	6.34	2.0	2.3	
	日平均值			27.83	47.69	31.07	8.23	6.85	3.75	6.56
	灣內站	0:04	29.41	50.06	32.48	8.49	8.37	2.6	10.5	
		3:04	29.36	50.21	32.58	8.43	8.04	2.8	12.3	
		6:04	29.29	51.01	33.12	8.28	6.71	2.3	16.4	
		9:04	29.07	51.18	33.22	8.34	8.07	1.9	13.0	
		12:04	30.16	49.19	31.87	8.52	9.30	3.8	23.3	
		15:04	30.41	48.56	31.43	8.62	10.55	2.9	10.7	
		18:04	29.93	48.77	31.58	8.62	11.49	3.4	20.5	
		21:04	30.03	48.55	31.42	8.63	11.03	3.8	21.4	
	日平均值			29.71	49.69	32.21	8.49	9.20	2.94	16.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月27日	蚵殼站	0:04	29.16	47.62	31.03	8.34	4.58	3.8	16.6	
		3:04	28.46	48.26	31.50	8.39	5.13	3.5	15.8	
		6:04	28.23	46.84	30.49	8.35	4.67	3.6	9.6	
		9:04	27.62	49.55	32.44	8.29	4.42	3.0	13.0	
		12:04	28.61	49.99	32.73	8.38	5.37	3.4	8.8	
		15:04	28.66	50.96	33.42	8.46	6.43	5.1	16.8	
		18:04	28.72	50.16	32.84	8.49	6.61	4.5	8.0	
		21:04	29.08	49.56	32.41	8.51	6.55	3.5	27.6	
	日平均值			28.57	49.12	32.11	8.40	5.47	3.80	14.53
	潮口站	0:04	28.25	48.42	31.58	8.27	6.86	1.6	5.3	
		3:04	26.65	44.56	28.82	8.17	6.06	2.0	7.9	
		6:04	26.48	50.82	33.39	8.22	6.19	0.7	4.4	
		9:04	27.70	47.65	31.03	8.27	6.76	0.5	3.0	
		12:04	27.24	49.57	32.45	8.20	6.65	5.2	9.4	
		15:04	27.61	49.64	32.49	8.18	6.76	4.4	24.3	
		18:04	27.11	47.27	30.77	8.17	6.26	3.7	5.3	
		21:04	26.31	50.26	32.98	8.16	6.20	2.2	3.0	
	日平均值			27.17	48.52	31.69	8.21	6.47	2.54	7.83
	灣內站	0:34	29.87	47.29	30.58	8.46	8.17	5.0	23.1	
		2:04	30.08	47.75	30.89	8.45	8.09	4.1	15.6	
		3:04	29.55	47.00	30.39	8.48	8.36	3.5	16.3	
		4:34	29.26	49.56	32.09	8.45	9.01	2.7	21.4	
		5:34	28.96	49.50	32.06	8.52	9.66	2.2	18.8	
		7:04	28.69	49.08	31.78	8.48	9.27	2.7	14.0	
		8:04	28.87	49.38	31.98	8.45	9.14	2.1	10.7	
		9:04	28.60	49.43	32.02	8.37	8.61	2.3	23.9	
	日平均值			29.24	48.62	31.47	8.46	8.79	3.08	17.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月28日	蚵殼站	0:04	28.95	47.16	30.70	8.53	6.60	2.2	14.0	
		3:04	28.69	47.50	30.95	8.47	5.91	5.1	16.6	
		6:04	28.42	49.78	32.59	8.47	5.43	4.0	13.0	
		9:04	27.57	48.97	32.03	8.34	5.06	5.0	10.2	
		12:04	28.10	50.80	33.30	8.44	6.44	4.4	16.2	
		15:04	28.43	47.17	30.72	8.54	7.46	4.3	12.0	
		18:04	28.79	45.96	29.86	8.59	7.40	5.6	21.4	
		21:04	28.41	47.02	30.61	8.56	6.40	4.6	16.7	
	日平均值			28.42	48.05	31.35	8.49	6.34	4.40	15.01
	潮口站	0:04	28.35	47.28	30.75	8.28	7.40	1.6	20.8	
		3:04	28.38	46.60	30.25	8.30	7.28	1.0	8.9	
		6:04	26.29	50.57	33.21	8.19	6.13	0.7	1.3	
		9:04	27.05	49.12	32.13	8.25	6.82	0.5	6.7	
		12:04	27.67	48.90	31.95	8.28	7.02	5.6	18.4	
		15:04	27.58	49.30	32.24	8.24	6.78	7.3	23.9	
		18:04	27.60	47.86	31.19	8.22	6.91	2.4	12.5	
		21:04	26.47	49.33	32.29	8.16	5.96	1.8	3.0	
	日平均值			27.42	48.62	31.75	8.24	6.79	2.61	11.94
	灣內站	0:04	29.44	47.71	30.83	8.53	9.87	3.9	39.0	
		2:04	29.37	47.63	30.79	8.52	9.53	4.4	28.9	
		4:34	28.94	49.30	31.91	8.40	7.85	4.0	34.4	
		5:04	28.54	49.06	31.76	8.46	9.37	2.8	28.8	
		6:04	28.49	48.68	31.50	8.43	8.80	3.0	26.0	
		7:34	27.98	48.87	31.64	8.44	9.35	2.9	27.8	
		9:04	27.85	49.22	31.87	8.39	9.35	2.2	28.2	
		10:34	28.86	48.93	31.65	8.41	8.98	3.9	39.4	
	日平均值			28.68	48.68	31.49	8.45	9.14	3.39	31.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月29日	蚵殼站	0:04	28.26	47.69	31.10	8.49	6.33	4.2	8.6	
		3:04	28.38	45.61	29.62	8.49	6.98	4.2	6.3	
		6:04	27.79	48.12	31.41	8.44	5.49	3.8	7.1	
		9:04	27.47	50.13	32.84	8.29	4.55	4.3	8.2	
		12:04	27.49	49.18	32.17	8.45	6.36	4.2	10.9	
		15:04	28.61	48.42	31.60	8.61	8.27	4.2	18.3	
		18:04	28.84	47.90	31.22	8.61	8.33	8.0	10.6	
		21:04	28.89	48.38	31.56	8.58	7.56	5.6	13.4	
	日平均值			28.22	48.18	31.44	8.50	6.73	4.81	10.43
	潮口站	0:04	27.53	48.74	31.83	8.23	6.51	2.9	13.5	
		3:04	27.17	47.53	30.96	8.26	6.71	0.7	12.0	
		6:04	26.16	49.81	32.65	8.22	6.04	1.5	0.8	
		9:04	26.00	50.61	33.24	8.21	6.19	2.0	2.7	
		12:04	27.67	48.95	31.98	8.28	7.12	4.1	19.7	
		15:04	28.66	49.00	31.99	8.27	7.03	8.5	19.9	
		18:04	29.18	48.54	31.64	8.34	7.36	1.4	15.9	
		21:04	27.22	45.48	29.47	8.18	6.33	1.9	4.9	
	日平均值			27.45	48.58	31.72	8.25	6.66	2.88	11.18
	灣內站	4:04	29.08	49.09	31.75	8.50	10.17	2.8	28.3	
		7:34	28.61	49.13	31.79	8.48	11.39	3.0	26.4	
		8:04	28.62	48.76	31.54	8.48	11.07	2.6	17.3	
		8:34	28.52	49.06	31.74	8.48	12.05	2.4	30.2	
		9:04	28.46	49.05	31.74	8.50	10.70	2.5	32.2	
		9:34	28.12	49.30	31.93	8.42	9.74	3.1	32.0	
		10:04	28.16	49.32	31.93	8.45	10.49	3.2	32.9	
		10:34	28.55	49.33	31.93	8.54	10.87	2.9	25.8	
	日平均值			28.52	49.13	31.79	8.48	10.81	2.81	28.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月30日	蚵殼站	0:04	28.67	47.65	31.05	8.50	6.30	5.9	10.8	
		3:04	29.11	48.60	31.71	8.61	7.15	6.9	7.6	
		6:04	29.17	49.63	32.44	8.56	6.00	8.0	11.2	
		9:04	28.10	47.09	30.68	8.43	5.12	10.4	16.8	
		12:04	27.51	49.43	32.34	8.33	5.07	5.1	20.7	
		15:04	27.88	49.57	32.44	8.43	6.30	7.4	18.5	
		18:04	28.51	47.54	30.99	8.49	6.72	8.9	17.9	
		21:04	27.84	47.69	31.10	8.41	6.44	6.5	11.6	
	日平均值			28.35	48.40	31.59	8.47	6.14	7.39	14.39
	潮口站	0:04	26.62	48.95	32.01	8.19	6.17	0.9	2.9	
		3:04	27.65	48.09	31.36	8.28	6.70	1.2	12.8	
		6:04	26.83	49.42	32.35	8.19	6.20	0.6	2.3	
		9:04	26.18	50.39	33.08	8.20	6.17	2.9	2.6	
		12:04	28.70	48.31	31.48	8.37	7.34	0.3	14.6	
		15:04	28.92	47.99	31.24	8.39	7.35	3.3	12.6	
		18:04	29.22	48.19	31.38	8.35	6.94	7.7	14.5	
		21:04	27.13	49.76	32.59	8.25	6.42	1.5	5.9	
	日平均值			27.66	48.89	31.94	8.28	6.66	2.30	8.53
	灣內站	10:04	28.04	48.90	31.67	8.55	10.53	3.7	23.9	
		18:34	29.63	48.86	31.63	8.48	8.88	8.0	18.9	
		19:04	29.54	48.70	31.52	8.44	8.25	8.1	22.1	
		21:34	27.97	50.53	32.81	8.34	7.12	3.9	34.6	
		22:04	27.39	50.79	33.00	8.35	7.59	3.7	35.3	
		22:34	28.20	50.53	32.81	8.34	7.40	3.9	30.8	
		23:04	28.81	50.12	32.51	8.53	9.28	5.1	38.6	
		23:34	28.47	50.44	32.74	8.51	9.89	4.1	32.2	
	日平均值			28.51	49.86	32.34	8.44	8.62	5.06	29.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月31日	蚵殼站	0:04	28.20	45.07	29.26	8.46	6.41	7.6	17.8	
		3:04	27.97	47.38	30.89	8.39	4.33	6.4	19.6	
		6:04	28.14	49.48	32.37	8.49	5.86	5.5	19.2	
		9:04	28.23	47.15	30.72	8.48	6.05	10.7	16.5	
		12:04	27.97	47.43	30.92	8.38	5.38	7.3	15.4	
		15:04	28.72	48.36	31.56	8.40	6.00	9.0	22.6	
		18:04	28.49	46.26	30.09	8.39	6.11	10.7	22.3	
		21:04	28.61	48.23	31.47	8.44	5.69	7.8	19.3	
	日平均值			28.29	47.42	30.91	8.43	5.73	8.13	19.09
	潮口站	0:04	27.52	49.18	32.16	8.21	6.41	1.3	4.4	
		3:04	28.38	48.44	31.59	8.35	7.22	0.0	3.2	
		6:04	28.15	48.42	31.58	8.37	7.13	0.9	2.6	
		9:04	26.63	48.62	31.77	8.22	6.71	1.2	1.1	
		12:04	26.75	48.42	31.62	8.21	6.93	1.3	20.0	
		15:04	27.24	49.57	32.45	8.27	7.24	3.0	20.8	
		18:04	27.89	49.06	32.06	8.26	7.46	2.0	12.2	
		21:04	27.64	48.75	31.84	8.23	7.38	2.3	12.9	
	日平均值			27.53	48.81	31.88	8.27	7.06	1.50	9.65
	灣內站	1:04	27.79	50.53	32.81	8.47	9.38	3.0	29.0	
		2:04	27.66	50.61	32.89	8.37	7.65	3.7	23.6	
		3:04	27.64	50.07	32.52	8.38	7.90	3.5	27.8	
		4:34	27.54	50.49	32.81	8.33	6.72	3.6	34.0	
		5:34	27.98	50.17	32.60	8.42	7.77	4.2	25.2	
		7:04	28.13	49.78	32.33	8.51	9.03	3.3	21.4	
		8:04	27.92	50.20	32.62	8.46	8.81	3.4	21.2	
		9:04	27.89	50.34	32.72	8.49	8.75	3.3	19.8	
	日平均值			27.82	50.27	32.66	8.43	8.25	3.50	25.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月1日	蚵殼站	0:04	28.62	50.15	32.82	8.39	4.92	7.2	26.9	
		3:04	28.50	50.49	33.05	8.37	5.13	8.7	28.3	
		6:04	28.20	49.71	32.52	8.36	4.93	6.5	29.0	
		9:04	28.24	49.98	32.70	8.38	6.99	7.7	14.6	
		12:04	28.73	50.47	32.98	8.37	8.73	1.4	15.0	
		15:04	29.05	50.06	32.67	8.47	9.41	1.6	26.5	
		18:04	29.06	49.70	32.40	8.48	9.50	2.2	26.6	
		21:04	28.83	50.00	32.63	8.43	8.33	1.2	14.4	
	日平均值			28.65	50.07	32.72	8.41	7.24	4.56	22.66
	潮口站	0:04	26.36	44.97	29.12	8.17	7.10	3.1	2.9	
		3:04	26.72	47.99	31.31	8.20	7.08	1.8	1.2	
		6:04	26.92	45.88	29.77	8.20	6.90	0.8	0.4	
		9:04	27.06	48.52	31.69	8.24	6.97	0.8	3.5	
		12:34	27.62	46.60	30.19	8.25	7.34	4.9	1.5	
		15:04	28.01	50.12	32.75	8.31	9.36	3.2	24.7	
		18:04	28.45	48.50	31.55	8.38	10.20	1.3	14.0	
		21:04	28.29	48.99	31.91	8.41	8.98	7.3	17.8	
	日平均值			27.43	47.70	31.04	8.27	7.99	2.90	8.25
	灣內站	3:04	29.02	49.44	32.04	8.50	8.96	3.6	17.2	
		4:34	29.28	49.68	32.20	8.47	8.45	3.9	15.7	
		5:34	29.16	49.67	32.19	8.49	9.18	3.6	13.1	
		6:34	29.11	49.78	32.26	8.48	9.00	2.2	13.8	
		10:34	29.16	49.56	32.30	8.47	10.27	4.0	16.5	
		11:04	29.19	49.49	32.25	8.49	10.50	3.8	13.0	
		11:34	29.10	49.34	32.14	8.49	10.37	3.9	19.0	
		12:04	29.16	49.24	32.07	8.48	10.35	3.7	9.5	
	日平均值			29.15	49.53	32.18	8.48	9.64	3.59	14.72
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月2日	蚵殼站	0:04	28.75	49.89	32.56	8.45	8.34	0.8	18.4	
		3:04	28.62	50.00	32.64	8.42	7.79	0.8	11.5	
		6:04	28.71	50.06	32.68	8.46	7.78	0.8	12.8	
		9:04	28.72	49.97	32.62	8.47	7.86	1.6	19.9	
		12:04	28.72	49.76	32.46	8.46	8.48	1.3	18.0	
		15:04	28.67	47.60	30.89	8.41	8.41	3.6	20.0	
		18:04	28.54	47.98	31.17	8.41	8.49	2.5	9.0	
		21:04	28.34	47.39	30.74	8.36	7.87	1.6	5.3	
	日平均值			28.63	49.08	31.97	8.43	8.13	1.63	14.36
	潮口站	0:04	27.03	43.34	27.86	8.31	7.35	17.7	1.9	
		3:04	27.25	48.04	31.25	8.34	7.53	9.2	1.0	
		6:04	27.57	48.00	31.21	8.38	7.47	4.2	8.8	
		9:04	27.58	44.94	29.00	8.35	7.49	5.6	5.9	
		12:04	26.90	34.32	21.50	8.29	7.32	282.1	8.5	
		15:04	27.85	47.89	31.12	8.33	6.79	28.5	10.2	
		18:04	28.71	48.46	31.51	8.47	9.61	3.6	9.2	
		21:04	28.58	47.85	31.07	8.42	9.49	1.8	6.3	
	日平均值			27.68	45.36	29.32	8.36	7.88	44.09	6.48
	灣內站	0:04	29.28	49.33	32.13	8.55	8.94	5.9	22.5	
		3:04	28.56	48.71	31.70	8.46	8.90	4.2	11.2	
		6:04	28.58	48.81	31.77	8.44	8.27	5.2	11.5	
		9:04	28.21	48.42	31.50	8.39	8.59	5.1	11.3	
		12:04	28.70	48.58	31.60	8.46	9.20	5.0	10.3	
		15:04	28.47	46.23	29.90	8.40	9.11	6.6	10.4	
		18:04	28.54	46.35	29.98	8.42	9.28	5.4	9.4	
		21:04	28.49	46.41	30.03	8.41	9.06	4.6	11.3	
	日平均值			28.60	47.86	31.08	8.44	8.92	5.25	12.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月3日	蚵殼站	0:04	28.35	47.65	30.93	8.38	7.73	1.0	8.4	
		3:04	28.50	48.35	31.44	8.37	7.63	0.6	3.9	
		6:04	28.42	48.16	31.30	8.37	7.61	1.9	11.1	
		9:04	28.60	48.05	31.22	8.40	8.18	1.8	14.0	
		12:04	28.97	48.13	31.27	8.41	8.48	1.4	13.9	
		15:04	29.03	48.20	31.31	8.42	9.02	1.5	11.8	
		18:04	29.00	48.15	31.28	8.43	9.51	0.8	13.4	
		21:04	28.94	47.98	31.16	8.45	9.00	0.8	9.8	
	日平均值			28.73	48.08	31.24	8.40	8.40	1.23	10.79
	潮口站	0:04	27.22	46.11	29.85	8.20	7.18	22.3	1.6	
		3:04	27.30	46.61	30.20	8.20	7.36	19.4	1.0	
		6:04	28.10	48.02	31.21	8.32	7.65	5.4	6.3	
		9:04	28.37	47.92	31.13	8.36	8.44	3.9	9.6	
		12:04	28.08	47.94	31.15	8.26	7.38	21.5	4.0	
		15:04	27.88	48.24	31.38	8.19	7.54	26.5	0.3	
		18:04	28.82	48.12	31.26	8.37	9.38	3.5	12.5	
		21:04	28.92	47.86	31.07	8.38	10.01	2.5	15.1	
	日平均值			28.09	47.60	30.91	8.29	8.12	13.13	6.30
	灣內站	0:04	28.45	46.41	30.03	8.39	8.68	4.9	12.9	
		3:04	28.45	46.53	30.12	8.39	8.54	4.5	8.4	
		6:04	28.42	46.65	30.21	8.39	8.37	4.3	11.0	
		9:04	28.68	46.56	30.13	8.34	7.65	5.1	5.6	
		12:04	29.07	46.63	30.17	8.42	9.02	4.9	13.8	
		15:04	29.43	46.82	30.29	8.70	13.83	8.2	60.8	
		18:04	29.48	46.74	30.24	8.55	10.78	6.1	24.4	
		21:04	29.72	46.86	30.32	8.61	11.25	8.2	41.3	
	日平均值			28.96	46.65	30.19	8.47	9.77	5.78	22.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月4日	蚵殼站	0:04	28.88	48.07	31.22	8.42	8.41	0.7	13.4	
		3:04	28.78	48.19	31.31	8.39	7.82	0.9	18.5	
		6:04	28.40	47.66	30.94	8.34	7.61	2.6	7.4	
		9:04	28.30	46.59	30.16	8.34	7.38	4.9	15.6	
		12:04	28.51	45.96	29.70	8.40	7.31	4.1	36.1	
		15:04	28.54	45.40	29.29	8.40	7.57	2.9	31.9	
		18:04	28.27	45.12	29.10	8.42	7.78	2.2	22.9	
		21:04	28.19	44.21	28.45	8.46	7.75	2.6	20.4	
	日平均值			28.48	46.40	30.02	8.40	7.70	2.61	20.78
	潮口站	0:04	27.80	48.20	31.35	8.30	7.52	32.4	2.8	
		3:04	27.25	45.37	29.31	8.22	7.58	13.3	1.3	
		6:04	27.65	46.95	30.44	8.26	7.49	9.2	4.1	
		9:04	28.06	46.80	30.32	8.29	7.73	6.6	10.0	
		12:04	27.92	45.85	29.64	8.29	7.39	5.6	7.6	
		15:04	27.89	45.86	29.65	8.30	8.96	8.6	15.8	
		18:04	28.11	45.14	29.13	8.41	10.38	2.6	20.8	
		21:04	28.08	44.83	28.90	8.42	9.83	2.1	13.1	
	日平均值			27.85	46.13	29.84	8.31	8.36	10.05	9.44
	灣內站	0:04	29.62	46.88	30.34	8.45	9.96	6.5	23.6	
		3:04	29.42	46.94	30.38	8.47	10.08	5.9	31.3	
		6:04	29.21	46.97	30.41	8.47	10.04	4.2	29.5	
		9:04	28.99	47.14	30.55	8.45	9.94	3.6	10.9	
		12:04	28.80	46.44	30.04	8.42	9.28	4.6	23.8	
		15:04	28.85	45.77	29.55	8.48	10.31	4.1	18.9	
		18:04	28.68	45.71	29.52	8.46	10.07	4.2	24.4	
		21:04	28.71	45.10	29.07	8.45	9.89	4.8	28.3	
	日平均值			29.04	46.37	29.98	8.46	9.95	4.73	23.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月5日	蚵殼站	0:04	28.34	44.68	28.78	8.43	7.39	2.8	32.3	
		3:04	28.22	46.15	29.85	8.37	7.44	3.1	19.8	
		6:04	28.17	46.21	29.90	8.35	7.15	1.7	24.2	
		9:04	28.33	44.36	28.56	8.43	8.22	2.1	67.3	
		12:04	28.34	44.52	28.67	8.49	10.31	2.9	53.0	
		15:04	29.90	43.96	28.22	8.59	12.76	4.4	92.5	
		18:04	30.12	43.07	27.58	8.57	12.35	2.6	124.8	
		21:04	29.74	42.77	27.37	8.45	10.36	3.0	100.7	
	日平均值			28.90	44.47	28.62	8.46	9.50	2.83	64.33
	潮口站	0:04	28.09	45.08	29.08	8.37	9.00	2.0	17.5	
		3:04	25.67	43.66	28.12	8.17	7.51	157.5	5.0	
		6:04	25.94	43.15	27.75	8.17	7.54	22.7	0.3	
		9:04	27.99	39.48	25.09	8.38	10.89	5.9	33.7	
		12:04	28.75	40.81	26.01	8.41	12.90	5.4	33.8	
		15:04	26.57	43.42	27.93	8.17	7.39	65.4	2.2	
		18:04	27.16	42.56	27.30	8.16	7.48	34.2	0.5	
		21:04	29.53	42.85	27.43	8.46	14.31	2.9	23.7	
	日平均值			27.46	42.63	27.34	8.29	9.63	37.00	14.59
	灣內站	4:34	28.82	46.01	29.73	8.51	9.16	3.9	17.1	
		5:04	28.83	45.99	29.72	8.51	9.08	3.5	15.5	
		6:04	28.82	46.03	29.74	8.50	8.84	3.9	10.8	
		7:04	28.80	46.12	29.81	8.51	9.17	3.4	18.0	
		7:34	28.83	46.14	29.82	8.51	9.11	3.3	8.1	
		8:04	28.71	46.53	30.11	8.47	8.94	3.4	14.6	
		8:34	28.41	46.22	29.89	8.44	9.14	3.9	6.9	
		9:04	28.43	46.03	29.76	8.48	9.63	4.4	8.1	
	日平均值			28.71	46.13	29.82	8.49	9.13	3.71	12.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月6日	蚵殼站	0:04	29.97	43.26	27.72	8.41	10.40	3.3	109.9	
		3:04	29.34	43.12	27.64	8.34	8.29	4.3	74.1	
		6:04	29.44	43.58	27.96	8.27	9.02	1.6	93.7	
		9:04	30.08	43.24	27.70	8.41	11.54	2.6	105.0	
		12:04	29.44	43.69	28.04	8.38	11.94	4.2	151.7	
		15:04	31.78	42.76	27.30	8.61	15.91	4.3	165.4	
		18:04	31.32	43.47	27.83	8.58	14.67	5.6	160.3	
		21:04	31.98	42.11	26.84	8.66	14.23	4.7	83.7	
	日平均值			30.42	43.15	27.63	8.46	12.00	3.83	117.98
	潮口站	0:04	29.32	41.15	26.23	8.34	10.46	4.7	16.5	
		3:04	26.52	44.18	28.47	8.13	7.25	194.4	6.2	
		6:04	25.93	39.18	24.93	8.06	7.12	31.3	0.9	
		9:04	29.25	40.00	25.42	8.42	12.90	2.5	28.6	
		12:04	30.94	40.66	25.84	8.37	13.24	7.0	33.2	
		15:04	28.60	45.17	29.13	8.31	10.90	16.1	24.6	
		18:04	28.23	34.82	21.82	8.05	7.57	31.3	3.7	
		21:04	30.40	41.60	26.52	8.50	18.43	5.5	54.8	
	日平均值			28.65	40.85	26.05	8.27	10.98	36.60	21.06
	灣內站	0:04	31.02	41.56	26.47	8.30	14.55	4.4	32.1	
		0:34	30.91	41.60	26.50	8.30	14.31	4.5	27.3	
		1:04	30.86	42.04	26.82	8.28	14.25	4.5	27.9	
		1:34	30.87	43.87	28.13	8.35	15.48	4.4	26.0	
		8:34	29.28	42.83	27.43	8.16	12.85	4.7	21.7	
		10:04	30.16	44.23	28.40	8.32	15.90	4.6	19.7	
		10:34	30.26	44.17	28.36	8.36	15.97	4.3	18.3	
		11:04	31.21	43.76	28.04	8.45	17.26	4.5	20.4	
	日平均值			30.57	43.01	27.52	8.32	15.07	4.49	24.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月7日	蚵殼站	3:04	30.51	43.78	28.07	8.45	11.82	3.5	153.9	
		3:34	30.33	43.99	28.23	8.46	12.18	4.8	136.6	
		4:04	29.43	44.66	28.74	8.42	11.78	3.0	159.9	
		5:04	29.75	44.24	28.42	8.46	11.90	5.9	166.8	
		6:04	30.05	44.22	28.40	8.48	11.45	9.8	179.7	
		6:34	27.91	45.87	29.66	8.28	8.53	11.4	327.9	
		7:04	28.62	45.25	29.18	8.36	9.41	18.4	262.2	
		7:34	29.18	44.52	28.65	8.43	10.51	20.8	287.5	
	日平均值			29.47	44.57	28.67	8.42	10.95	9.70	209.31
	潮口站	0:04	30.84	41.21	26.23	8.49	18.20	4.5	61.7	
		3:04	27.27	43.95	28.29	8.16	8.25	18.3	9.1	
		6:04	26.27	34.69	21.78	8.01	7.35	36.3	1.6	
		9:04	30.18	39.36	24.95	8.44	16.25	5.5	41.3	
		12:04	31.82	39.88	25.26	8.51	18.92	7.6	46.3	
		15:04	30.14	43.99	28.24	8.40	13.25	9.6	32.9	
		18:04	28.88	43.70	28.07	8.23	9.64	32.4	8.3	
		21:04	29.82	41.53	26.49	8.36	12.57	9.8	22.4	
	日平均值			29.40	41.04	26.16	8.33	13.05	15.50	27.95
	灣內站	0:04	26.05	51.22	33.65	8.28	7.52	4.5	7.0	
		3:04	25.49	51.21	33.66	8.30	8.21	2.4	6.2	
		6:04	25.41	51.09	33.57	8.26	7.94	3.2	13.5	
		9:04	25.27	51.25	33.69	8.25	7.85	5.2	4.7	
		12:04	25.62	51.13	33.59	8.18	7.11	5.9	3.9	
		15:04	25.79	51.24	33.67	8.28	8.66	3.9	8.7	
		18:04	25.76	51.31	33.73	8.25	8.11	6.6	5.7	
		21:04	25.66	51.38	33.78	8.29	8.34	6.0	6.3	
	日平均值			25.63	51.23	33.67	8.26	7.97	4.71	7.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月8日	蚵殼站	3:04	31.77	44.25	28.37	8.49	9.98	24.8	151.9	
		4:04	30.63	45.02	28.96	8.50	11.63	31.4	272.4	
		5:04	28.22	46.96	30.43	8.35	9.52	29.2	186.9	
		6:04	28.74	46.42	30.03	8.42	10.05	27.4	167.6	
		7:04	28.95	46.28	29.92	8.35	8.86	33.6	194.4	
		8:04	29.09	46.22	29.88	8.46	9.97	33.5	183.9	
		8:34	29.00	46.39	30.00	8.42	9.91	36.4	193.5	
		9:04	28.44	46.63	30.19	8.32	8.75	33.4	212.3	
	日平均值			29.36	46.02	29.72	8.41	9.83	31.23	195.36
	潮口站	0:04	29.35	44.58	28.69	8.37	13.69	7.2	28.9	
		3:04	26.79	46.42	30.08	8.13	7.37	20.4	4.2	
		6:04	27.42	46.35	30.01	8.20	8.64	16.9	8.0	
		9:04	30.79	41.98	26.78	8.50	15.37	6.7	30.4	
		12:04	32.22	42.23	26.91	8.45	15.11	8.4	23.2	
		15:04	31.97	42.94	27.43	8.45	14.84	10.0	31.0	
		18:04	28.21	43.56	27.98	8.16	9.10	11.3	14.2	
		21:04	30.26	43.74	28.05	8.40	12.13	7.6	21.9	
	日平均值			29.63	43.98	28.24	8.33	12.03	11.06	20.23
	灣內站	0:04	25.52	51.38	33.78	8.24	7.96	5.1	5.9	
		3:04	25.46	51.33	33.75	8.15	6.84	2.9	1.9	
		6:04	25.41	51.30	33.73	8.21	7.39	2.9	3.9	
		9:04	25.59	51.29	33.72	8.22	7.75	3.2	3.0	
		12:04	26.43	51.27	33.68	8.28	8.46	2.3	4.4	
		15:04	27.11	51.29	33.68	8.28	8.51	2.6	5.9	
		18:04	27.08	51.33	33.70	8.31	9.06	2.8	8.5	
		21:04	26.96	51.20	33.61	8.27	8.50	2.4	4.8	
	日平均值			26.20	51.30	33.71	8.25	8.06	3.04	4.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月9日	蚵殼站	5:04	29.93	46.65	30.16	8.34	7.42	25.5	127.8	
		5:34	30.90	44.75	28.76	8.44	8.06	26.1	158.5	
		6:34	28.91	46.79	30.29	8.36	7.91	24.4	140.3	
		7:04	28.67	48.00	31.17	8.32	7.40	23.6	126.9	
		8:04	28.09	48.32	31.42	8.32	5.60	24.1	134.8	
		9:04	28.17	48.08	31.25	8.39	8.07	24.8	136.5	
		10:04	28.36	48.18	31.32	8.38	8.67	18.8	141.2	
		11:04	30.11	48.13	31.23	8.48	10.57	35.7	192.6	
	日平均值			29.14	47.36	30.70	8.38	7.96	25.37	144.83
	潮口站	0:04	32.01	43.06	27.51	8.56	14.11	2.8	31.8	
		3:04	27.21	47.82	31.09	8.16	7.65	16.4	8.1	
		6:04	27.13	48.38	31.50	8.17	7.79	18.0	7.1	
		9:04	30.74	43.49	27.86	8.51	12.66	2.3	27.4	
		12:04	29.09	46.60	30.15	8.40	13.56	8.9	27.0	
		15:04	32.87	44.46	28.49	8.50	13.76	7.0	16.3	
		18:04	28.34	43.57	27.99	8.14	8.71	16.0	13.0	
		21:04	28.27	41.00	26.16	8.12	8.32	10.1	6.7	
	日平均值			29.46	44.80	28.84	8.32	10.82	10.19	17.18
	灣內站	0:04	26.65	51.34	33.73	8.20	7.33	2.4	3.2	
		3:04	26.14	51.42	33.79	8.25	8.27	2.0	4.1	
		6:04	26.22	51.05	33.52	8.24	8.14	2.4	6.0	
		9:04	26.33	51.46	33.82	8.27	8.74	3.3	16.2	
		12:04	26.83	51.51	33.84	8.27	8.71	2.5	4.2	
		15:04	27.72	51.49	33.80	8.23	7.88	4.4	1.9	
		18:04	27.90	51.45	33.77	8.24	8.12	2.9	3.7	
		21:04	27.55	51.42	33.76	8.29	8.81	2.4	4.1	
	日平均值			26.92	51.39	33.75	8.25	8.25	2.78	5.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
6月10日	蚵殼站	0:04	31.01	47.11	30.45	8.54	8.81	42.8	90.4
		3:04	30.67	44.91	28.88	8.55	8.04	29.0	51.8
		6:04	30.33	45.63	29.41	8.38	7.78	46.7	54.5
		9:04	28.74	48.26	31.37	8.44	8.39	36.5	84.0
		12:04	28.64	48.60	31.62	8.35	8.18	18.1	77.1
		15:04	29.08	48.98	31.88	8.33	8.15	7.7	85.2
		18:04	30.18	47.86	31.03	8.47	9.07	6.0	53.9
		21:04	30.46	47.85	31.01	8.52	8.27	9.5	54.6
	日平均值		29.89	47.40	30.71	8.45	8.34	24.55	68.94
	潮口站	0:04	31.69	45.35	29.16	8.49	12.92	3.1	23.4
		3:04	29.46	45.66	29.46	8.30	9.26	5.4	14.0
		6:04	27.13	48.53	31.61	8.12	7.56	19.7	2.8
		9:04	30.61	44.15	28.34	8.41	12.33	4.1	24.4
		12:04	31.55	45.07	28.96	8.38	10.40	17.5	14.3
		15:04	30.91	46.57	30.07	8.39	12.74	9.4	25.1
		18:04	29.79	41.78	26.67	8.19	8.58	11.1	9.0
		21:04	28.38	43.61	28.01	8.12	8.15	10.4	4.7
	日平均值		29.94	45.09	29.04	8.30	10.24	10.09	14.71
	灣內站	0:04	27.38	51.12	33.54	8.22	7.97	2.5	5.7
		3:04	27.15	51.41	33.77	8.28	8.79	2.0	4.3
		6:04	26.97	51.47	33.81	8.28	8.86	1.7	5.4
		9:04	27.01	51.51	33.84	8.32	9.66	3.0	12.7
		12:04	27.25	51.57	33.88	8.35	10.17	3.8	8.9
		15:04	27.96	51.62	33.90	8.40	10.72	4.2	9.2
		18:04	27.92	51.68	33.94	8.48	12.01	4.7	21.9
		21:04	28.06	51.66	33.92	8.34	9.23	4.2	6.2
	日平均值		27.46	51.51	33.83	8.33	9.68	3.26	9.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月11日	蚵殼站	0:04	29.43	48.29	31.37	8.42	7.40	8.2	133.1	
		3:04	30.58	46.49	30.02	8.51	7.06	6.8	46.3	
		6:04	30.39	47.23	30.56	8.44	6.35	7.7	44.6	
		9:04	28.63	48.55	31.58	8.32	6.52	15.7	73.4	
		12:04	28.88	48.97	31.88	8.31	6.94	9.1	47.6	
		15:04	29.52	49.11	31.96	8.32	7.85	7.9	26.4	
		18:04	30.04	48.73	31.67	8.40	8.67	9.5	49.4	
		21:04	30.33	48.34	31.37	8.43	8.27	9.9	46.2	
	日平均值			29.73	48.21	31.30	8.39	7.38	9.37	58.38
	潮口站	0:04	29.35	40.88	26.04	8.23	8.70	6.7	13.1	
		3:04	29.82	43.90	28.18	8.25	8.55	4.8	19.4	
		6:04	27.30	49.37	32.21	8.13	7.53	15.0	2.8	
		9:04	29.58	44.53	28.64	8.34	10.10	4.7	21.0	
		12:04	30.03	46.05	29.72	8.30	10.61	12.0	25.9	
		15:04	31.23	46.72	30.17	8.37	11.61	12.1	25.5	
		18:04	30.14	43.98	28.23	8.23	9.60	7.8	13.6	
		21:04	29.20	41.21	26.28	8.11	8.04	9.0	6.2	
	日平均值			29.58	44.58	28.68	8.25	9.34	9.01	15.94
	灣內站	0:04	27.97	51.35	33.70	8.27	8.63	3.0	7.3	
		3:04	27.44	51.63	33.92	8.30	8.98	2.5	4.3	
		6:04	27.32	51.75	34.01	8.30	9.09	3.9	4.0	
		9:04	27.38	51.75	34.01	8.31	9.18	3.8	5.8	
		12:04	27.98	51.70	33.95	8.30	8.94	4.3	2.2	
		15:04	28.41	51.40	33.72	8.45	11.98	4.8	17.6	
		18:04	28.20	51.72	33.96	8.37	10.38	4.6	10.9	
		21:04	28.09	51.18	33.57	8.35	10.35	4.5	16.8	
	日平均值			27.85	51.56	33.86	8.33	9.69	3.94	8.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月12日	蚵殼站	0:04	30.66	47.53	30.77	8.47	7.09	4.2	13.8	
		3:04	30.03	48.17	31.26	8.42	7.05	7.3	44.3	
		6:04	29.72	48.31	31.37	8.36	6.33	3.4	67.1	
		9:04	29.70	48.68	31.64	8.37	6.62	4.2	31.3	
		12:04	29.93	48.98	31.85	8.38	7.94	3.5	28.9	
		15:04	30.21	49.35	32.11	8.35	8.30	8.1	22.6	
		18:04	29.92	49.31	32.09	8.38	8.43	5.8	32.5	
		21:04	30.58	48.93	31.80	8.42	8.26	5.7	24.4	
	日平均值			30.09	48.66	31.61	8.39	7.50	5.29	33.11
	潮口站	0:04	29.78	45.13	29.07	8.25	9.37	4.7	13.1	
		3:04	29.61	44.73	28.78	8.22	8.46	4.1	15.0	
		6:04	27.92	49.29	32.14	8.13	7.10	10.5	1.7	
		9:04	29.42	46.83	30.31	8.24	9.48	6.2	12.2	
		12:04	30.75	47.10	30.46	8.37	11.52	4.5	14.5	
		15:04	31.14	47.43	30.68	8.34	12.59	7.0	17.3	
		18:04	31.46	47.22	30.52	8.32	11.85	9.7	13.9	
		21:04	29.48	48.38	31.43	8.15	7.71	24.5	4.3	
	日平均值			29.95	47.01	30.42	8.25	9.76	8.90	11.50
	灣內站	0:04	27.86	51.39	33.73	8.30	9.32	4.6	16.8	
		3:04	27.66	51.59	33.88	8.30	9.27	2.4	4.1	
		6:04	27.53	51.44	33.77	8.26	8.53	3.8	13.4	
		9:04	27.58	51.80	34.04	8.30	9.24	2.4	10.4	
		12:04	27.76	51.45	33.77	8.41	11.76	3.7	44.8	
		15:04	27.51	51.11	33.53	8.41	11.23	4.7	38.1	
		18:04	27.28	51.32	33.70	8.30	9.34	3.7	17.2	
		21:04	27.27	50.95	33.42	8.30	9.20	4.6	9.8	
	日平均值			27.56	51.38	33.73	8.32	9.74	3.73	19.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月13日	蚵殼站	0:04	30.22	48.88	31.77	8.39	7.55	5.6	24.2	
		3:04	29.97	48.51	31.51	8.37	7.13	5.6	34.7	
		6:04	29.83	48.36	31.40	8.35	6.51	5.5	22.2	
		9:04	29.84	48.67	31.63	8.36	7.02	5.9	27.9	
		12:04	30.31	48.93	31.78	8.36	7.20	3.0	30.1	
		15:04	30.72	49.18	31.95	8.35	7.65	1.8	12.5	
		18:04	30.58	49.15	31.94	8.38	8.12	2.0	15.7	
		21:04	30.68	49.03	31.85	8.39	7.98	16.0	13.1	
	日平均值			30.27	48.84	31.73	8.37	7.39	5.67	22.55
	潮口站	0:04	31.15	46.14	29.75	8.27	8.76	6.8	10.6	
		3:04	30.69	46.62	30.11	8.25	8.97	6.3	9.7	
		6:04	28.95	49.31	32.12	8.10	7.25	33.0	1.9	
		9:04	27.98	49.84	32.54	8.06	7.43	25.2	0.9	
		12:04	31.56	49.03	31.83	8.43	8.10	12.0	10.2	
		15:04	31.66	49.42	32.12	8.44	9.40	13.6	8.3	
		18:04	31.70	49.18	31.94	8.45	8.14	24.4	8.5	
		21:04	29.11	48.85	31.78	8.28	5.52	28.6	2.2	
	日平均值			30.35	48.55	31.52	8.29	7.95	18.74	6.54
	灣內站	0:04	30.70	48.93	31.79	8.32	7.83	5.4	7.7	
		3:04	30.73	48.92	31.78	8.33	7.95	4.1	3.6	
		6:04	30.45	48.87	31.76	8.32	7.54	4.1	4.7	
		9:04	30.69	48.09	31.18	8.36	8.12	4.5	9.3	
		12:04	30.70	48.28	31.31	8.38	8.19	4.7	7.3	
		15:04	30.60	48.32	31.35	8.38	7.84	5.0	8.5	
		18:04	30.25	47.42	30.71	8.38	7.63	5.4	17.8	
		21:04	30.03	47.42	30.71	8.38	7.38	5.2	20.6	
	日平均值			30.52	48.28	31.32	8.36	7.81	4.82	9.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月14日	蚵殼站	0:04	30.73	48.74	31.63	8.44	7.85	2.8	15.7	
		3:04	30.38	46.60	30.08	8.32	6.46	48.9	15.1	
		6:04	29.66	46.56	30.08	8.26	6.30	4.2	12.8	
		9:04	30.15	48.91	31.78	8.31	6.82	0.6	14.9	
		12:04	30.13	48.78	31.68	8.31	6.95	1.6	24.3	
		15:04	30.38	47.78	30.95	8.41	8.23	3.2	40.5	
		18:04	30.12	47.92	31.06	8.37	7.38	3.0	16.9	
		21:04	30.10	47.77	30.95	8.35	7.05	1.7	22.9	
	日平均值			30.21	47.88	31.03	8.35	7.13	8.25	20.39
	潮口站	0:04	29.13	47.00	30.44	8.25	5.76	13.2	1.5	
		3:04	29.67	47.10	30.49	8.26	5.87	7.5	5.1	
		6:04	29.07	50.62	33.08	8.21	4.97	27.6	1.5	
		9:04	27.65	51.43	33.72	8.13	5.06	33.4	3.6	
		12:04	29.09	50.13	32.72	8.20	5.31	7.6	8.8	
		15:04	28.93	50.34	32.88	8.27	5.38	9.4	13.4	
		18:04	29.39	49.53	32.27	8.27	6.51	4.1	20.8	
		21:04	28.29	49.98	32.64	8.17	4.82	17.1	1.5	
	日平均值			28.90	49.52	32.28	8.22	5.46	14.99	7.03
	灣內站	0:04	29.85	47.50	30.78	8.36	7.11	6.6	12.9	
		3:04	29.67	47.29	30.63	8.33	6.52	5.7	17.3	
		6:04	29.64	46.85	30.31	8.27	5.51	5.4	11.0	
		9:04	29.63	47.36	30.68	8.34	6.96	4.6	17.8	
		12:04	29.26	48.62	31.61	8.08	3.94	5.7	7.5	
		15:04	29.54	48.28	31.35	8.23	5.69	4.3	8.5	
		18:04	29.46	46.88	30.34	8.28	6.61	4.5	9.5	
		21:04	29.16	46.14	29.81	8.34	7.86	4.3	17.0	
	日平均值			29.53	47.37	30.69	8.28	6.28	5.12	12.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
6月15日	蚵殼站	0:04	30.06	47.31	30.61	8.39	6.95	2.4	39.9
		3:04	29.75	47.35	30.65	8.38	6.48	1.4	34.4
		6:04	29.12	46.24	29.87	8.33	5.85	1.7	55.0
		9:04	29.25	46.68	30.18	8.30	5.79	0.7	45.4
		12:04	28.99	46.12	29.79	8.40	6.65	1.2	99.0
		15:04	28.85	44.43	28.56	8.41	7.04	3.0	106.8
		18:04	28.81	43.73	28.06	8.50	8.49	2.3	118.1
		21:04	28.47	43.97	28.25	8.46	7.79	1.6	102.1
	日平均值		29.16	45.73	29.50	8.40	6.88	1.79	75.09
	潮口站	0:04	27.99	49.82	32.52	8.16	4.98	8.3	0.1
		3:04	28.93	49.11	31.98	8.24	5.40	2.3	5.8
		6:04	28.59	48.41	31.48	8.21	4.68	3.6	8.6
		9:04	26.68	49.87	32.60	8.00	4.87	32.4	1.0
		12:04	28.75	47.03	30.47	8.38	7.81	3.4	23.2
		15:04	28.91	47.96	31.14	8.34	7.19	3.5	16.9
		18:04	28.77	45.94	29.68	8.28	7.11	9.5	26.9
		21:04	27.88	48.70	31.71	8.20	5.20	16.2	8.4
	日平均值		28.31	48.36	31.45	8.23	5.91	9.90	11.36
	灣內站	0:04	29.85	47.50	30.78	8.36	7.11	6.6	12.9
		3:04	29.67	47.29	30.63	8.33	6.52	5.7	17.3
		6:04	29.64	46.85	30.31	8.27	5.51	5.4	11.0
		9:04	29.63	47.36	30.68	8.34	6.96	4.6	17.8
		12:04	29.26	48.62	31.61	8.08	3.94	5.7	7.5
		15:04	29.54	48.28	31.35	8.23	5.69	4.3	8.5
		18:04	29.46	46.88	30.34	8.28	6.61	4.5	9.5
		21:04	29.16	46.14	29.81	8.34	7.86	4.3	17.0
	日平均值		29.53	47.37	30.69	8.28	6.28	5.12	12.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月16日	蚵殼站	0:04	28.66	46.12	29.80	8.36	6.39	1.4	61.5	
		3:04	28.71	46.43	30.02	8.34	6.04	0.6	57.3	
		6:04	27.88	41.71	26.64	8.19	4.95	2.6	253.3	
		9:04	28.19	45.41	29.29	8.36	6.23	1.1	117.3	
		12:14	28.25	47.59	30.87	8.22	5.61	1.8	154.5	
		15:04	29.31	45.82	29.56	8.55	8.82	2.8	217.0	
		18:04	29.69	45.55	29.35	8.58	9.39	1.2	150.3	
		21:04	29.40	44.82	28.83	8.56	8.60	1.1	157.7	
	日平均值			28.76	45.43	29.30	8.40	7.00	1.58	146.11
	潮口站	0:04	26.84	45.80	29.63	8.10	5.05	27.2	0.6	
		3:04	27.97	47.35	30.73	8.18	5.23	8.2	7.2	
		6:04	27.85	46.57	30.16	8.23	5.26	3.6	10.9	
		9:04	27.09	49.63	32.42	8.02	4.97	28.7	3.3	
		12:14	27.36	44.58	28.74	7.98	4.98	25.8	4.6	
		15:04	27.91	49.10	32.00	8.28	8.45	9.4	20.1	
		18:04	28.98	48.34	31.41	8.33	7.99	4.2	20.3	
		21:04	28.39	48.66	31.67	8.22	5.54	11.7	7.5	
	日平均值			27.80	47.50	30.85	8.17	5.93	14.85	9.31
	灣內站	0:04	29.09	46.46	30.05	8.32	7.05	4.3	6.3	
		3:04	28.93	46.94	30.40	8.26	6.31	3.8	18.2	
		6:04	28.84	47.27	30.64	8.23	6.00	4.0	10.8	
		9:04	28.57	45.61	29.45	8.32	7.63	4.0	19.7	
		10:34	28.79	46.76	30.27	8.24	6.55	4.0	15.1	
		11:34	28.99	46.89	30.36	8.35	8.34	4.0	21.1	
		12:14	29.13	47.04	30.47	8.36	8.31	4.3	17.1	
		12:34	29.05	45.99	29.71	8.46	10.21	3.9	16.4	
	日平均值			28.92	46.62	30.17	8.32	7.55	4.02	15.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月17日	蚵殼站	1:34	29.28	40.90	26.02	8.37	7.21	3.6	63.1	
		3:04	28.97	42.63	27.27	8.28	6.56	2.3	56.6	
		6:04	28.67	43.25	27.72	8.30	5.96	3.5	103.2	
		9:04	28.61	41.90	26.76	8.28	5.86	2.1	158.5	
		12:04	28.66	42.52	27.20	8.33	5.98	2.5	161.7	
		15:04	28.81	40.66	25.87	8.41	7.00	2.6	292.7	
		18:04	28.51	36.14	22.69	8.47	7.13	6.5	234.1	
		21:04	28.85	39.08	24.75	8.50	7.18	3.0	152.3	
	日平均值			28.80	40.89	26.04	8.37	6.61	3.26	152.78
	潮口站	0:04	27.10	42.62	27.34	8.11	5.09	23.9	0.5	
		3:04	27.15	45.23	29.21	8.06	5.26	13.5	1.1	
		6:04	27.71	48.10	31.28	8.07	3.75	17.5	0.7	
		9:04	27.39	41.69	26.67	8.05	5.22	37.4	1.6	
		12:04	27.31	43.11	27.68	7.96	4.85	35.3	3.1	
		15:04	28.62	46.31	29.95	8.27	6.32	5.2	16.3	
		18:04	28.63	45.63	29.46	8.27	6.63	7.5	19.3	
		21:04	28.07	43.49	27.94	8.20	5.95	5.6	11.8	
	日平均值			27.75	44.52	28.69	8.12	5.38	18.24	6.80
	灣內站	1:04	29.70	46.15	29.81	8.44	10.01	4.4	14.2	
		3:34	29.47	43.14	27.65	8.48	9.28	5.8	36.2	
		6:04	29.35	43.26	27.74	8.46	8.29	6.0	31.7	
		9:04	29.22	43.18	27.69	8.50	8.26	5.8	31.9	
		12:04	28.67	44.83	28.88	8.36	7.60	6.5	18.3	
		14:04	28.61	42.99	27.57	8.41	7.72	7.6	27.9	
		18:04	28.32	42.96	27.55	8.27	6.97	7.6	15.1	
		22:04	28.54	43.14	27.67	8.30	6.99	6.3	14.4	
	日平均值			28.99	43.71	28.07	8.40	8.14	6.25	23.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月18日	蚵殼站	0:04	28.25	39.62	25.15	8.26	5.96	3.6	124.5	
		3:04	28.06	34.34	21.44	8.32	5.29	2.8	105.1	
		6:04	27.89	36.51	22.97	8.30	5.70	3.1	141.5	
		9:04	27.77	34.37	21.48	8.26	5.50	3.4	96.9	
		12:04	28.19	41.38	26.40	8.25	5.44	3.4	77.4	
		15:04	29.36	37.52	23.64	8.43	7.66	3.8	148.0	
		18:04	29.25	36.10	22.64	8.47	8.54	3.8	151.6	
		21:04	29.72	34.53	21.54	8.54	8.93	2.9	139.8	
	日平均值			28.56	36.80	23.16	8.35	6.63	3.35	123.10
	潮口站	0:04	27.53	43.66	28.07	8.23	5.62	32.2	12.8	
		3:04	26.24	40.78	25.96	8.14	5.75	18.6	2.4	
		6:04	27.40	41.24	26.25	8.28	6.07	5.8	10.7	
		9:04	27.64	43.28	27.68	8.18	5.42	10.7	8.2	
		12:04	26.81	41.46	26.42	8.09	5.50	137.8	2.7	
		15:04	27.50	42.94	27.45	8.08	5.70	24.6	4.3	
		18:04	29.41	43.09	27.50	8.45	11.51	7.1	42.4	
		21:04	29.00	42.19	26.88	8.31	11.31	6.5	28.4	
	日平均值			27.69	42.33	27.03	8.22	7.11	30.41	13.99
	灣內站	0:04	28.49	43.22	27.73	8.25	6.98	5.4	15.1	
		3:04	28.72	44.53	28.67	8.28	6.67	5.2	17.0	
		6:04	28.74	44.07	28.33	8.18	5.73	5.4	17.3	
		9:04	28.27	40.87	26.06	8.24	7.01	5.6	13.7	
		12:04	28.78	39.90	25.36	8.29	8.09	5.6	28.7	
		15:04	28.86	43.48	27.91	8.33	8.77	5.1	33.6	
		16:04	29.02	41.58	26.54	8.43	10.68	6.6	52.3	
		17:04	29.21	40.73	25.94	8.45	11.34	7.4	53.1	
	日平均值			28.76	42.30	27.07	8.31	8.16	5.77	28.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月19日	蚵殼站	0:34	29.23	34.85	21.77	8.46	7.73	3.0	119.6	
		3:04	28.94	37.12	23.37	8.28	6.37	1.9	145.8	
		6:04	28.11	35.85	22.50	8.27	6.23	6.6	151.8	
		9:04	29.10	35.21	22.03	8.39	7.25	4.6	152.0	
		12:34	28.37	37.37	23.55	8.41	8.63	5.5	141.3	
		14:04	28.20	41.89	26.76	8.42	8.84	7.2	190.2	
		15:04	28.26	38.75	24.53	8.43	9.06	5.1	138.0	
		16:04	28.29	39.14	24.80	8.47	9.93	5.8	163.2	
	日平均值			28.56	37.52	23.66	8.39	8.00	4.96	150.24
	潮口站	0:04	27.17	45.62	29.36	8.11	5.16	66.7	1.2	
		3:04	26.88	41.84	26.69	8.08	5.32	20.1	2.0	
		6:04	28.38	41.65	26.51	8.38	9.50	5.4	27.7	
		9:04	28.60	42.21	26.91	8.39	10.64	5.3	29.6	
		12:04	29.43	44.73	28.67	8.44	12.19	11.0	27.2	
		15:04	28.52	47.19	30.45	8.13	5.58	21.3	0.4	
		18:04	30.02	43.81	28.00	8.46	16.23	8.1	38.1	
		21:04	29.49	45.15	28.96	8.34	9.98	7.2	22.1	
	日平均值			28.56	44.03	28.19	8.29	9.33	18.14	18.54
	灣內站	2:34	29.27	42.75	27.38	8.47	11.54	6.0	31.1	
		3:04	29.00	42.98	27.54	8.39	9.89	6.7	29.2	
		3:34	28.92	43.68	28.05	8.38	9.85	7.1	28.9	
		4:04	28.95	43.47	27.90	8.35	10.19	6.0	23.1	
		4:34	28.97	43.44	27.88	8.36	10.71	5.9	28.9	
		5:04	29.17	43.10	27.63	8.40	11.49	5.9	35.4	
		5:34	29.04	42.82	27.43	8.31	8.56	6.1	38.0	
		6:04	28.57	41.53	26.52	8.17	7.23	7.1	29.7	
	日平均值			28.99	42.97	27.54	8.35	9.93	6.33	30.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月20日	蚵殼站	3:04	29.50	37.56	23.66	8.43	9.06	3.4	215.4	
		4:04	29.11	38.27	24.17	8.31	6.46	1.6	286.3	
		4:34	29.15	38.69	24.47	8.40	8.41	2.6	199.7	
		5:04	28.96	38.28	24.18	8.42	8.84	4.9	224.8	
		6:04	28.51	39.19	24.84	8.31	6.46	4.9	185.5	
		7:04	28.89	36.00	22.58	8.43	9.06	4.4	140.4	
		8:04	28.76	36.40	22.86	8.40	8.41	5.4	129.4	
		8:34	28.92	36.71	23.08	8.46	9.71	5.0	247.4	
	日平均值			28.98	37.64	23.73	8.40	8.30	4.03	203.61
	潮口站	0:04	27.95	47.58	30.74	8.11	5.41	13.6	7.0	
		3:04	27.62	46.76	30.16	8.10	5.30	11.6	2.0	
		6:04	29.24	43.71	27.95	8.49	12.29	3.8	33.5	
		11:04	29.72	44.29	28.34	8.47	12.67	8.5	23.6	
		12:04	28.91	47.38	30.57	8.30	7.91	12.2	15.1	
		15:04	28.52	51.03	33.22	8.20	6.20	10.2	9.1	
		18:04	29.01	46.82	30.17	8.39	12.40	5.0	25.0	
		20:04	29.53	45.85	29.46	8.45	15.60	4.3	34.8	
	日平均值			28.81	46.68	30.08	8.31	9.72	8.65	18.76
	灣內站	3:34	29.07	44.18	28.41	8.41	10.97	7.6	36.0	
		4:04	29.05	43.78	28.12	8.34	11.00	6.9	22.9	
		4:34	29.32	43.50	27.91	8.42	12.04	7.5	25.0	
		5:04	29.52	43.17	27.66	8.47	13.08	7.4	36.1	
		5:34	29.07	44.11	28.35	8.29	9.29	7.1	42.2	
		6:04	29.09	44.15	28.38	8.30	9.03	7.6	41.9	
		6:34	28.94	44.40	28.57	8.28	8.41	7.7	37.0	
		7:04	28.94	44.32	28.50	8.29	8.67	7.1	35.4	
	日平均值			29.13	43.95	28.24	8.35	10.31	7.35	34.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月21日	蚵殼站	2:04	29.47	42.48	27.22	8.49	10.36	3.3	55.7	
		3:04	29.73	39.68	25.36	8.48	10.15	2.9	65.4	
		3:34	29.23	41.12	26.32	8.40	8.41	3.0	66.2	
		5:04	29.27	41.52	26.58	8.44	9.28	3.7	182.6	
		6:04	28.23	43.36	27.83	8.33	6.89	5.7	48.2	
		7:04	28.09	43.12	27.67	8.24	4.94	4.2	78.4	
		8:04	28.34	43.08	27.63	8.35	7.32	3.8	98.8	
		9:04	28.23	42.37	27.17	8.33	6.89	3.1	45.4	
	日平均值			28.82	42.09	26.97	8.38	8.03	3.71	80.09
	潮口站	0:04	28.81	47.74	30.83	8.31	8.57	9.8	15.9	
		3:04	27.41	43.12	27.58	8.11	5.75	11.9	0.9	
		6:04	27.84	46.57	30.02	8.15	6.25	4.9	4.0	
		7:04	28.98	43.77	28.00	8.48	10.70	3.4	19.3	
		13:04	29.83	45.69	29.34	8.43	11.17	8.8	18.0	
		15:04	28.77	51.30	33.41	8.22	6.18	8.9	10.6	
		17:34	30.00	48.58	31.40	8.27	7.66	5.5	3.9	
		23:04	31.10	44.03	28.12	8.45	11.21	5.1	9.1	
	日平均值			29.09	46.35	29.84	8.30	8.44	7.29	10.21
	灣內站	2:34	29.52	43.92	28.16	8.40	10.54	13.0	23.9	
		3:04	29.17	44.94	28.91	8.30	8.75	13.2	27.7	
		3:34	29.48	43.94	28.17	8.40	9.75	14.6	33.8	
		4:04	29.23	44.62	28.67	8.31	7.88	14.0	37.8	
		4:34	28.69	46.13	29.77	8.13	6.86	12.9	18.7	
		5:04	29.09	44.84	28.83	8.08	5.55	14.5	33.3	
		6:04	29.29	44.53	28.59	8.35	9.25	14.5	33.0	
		6:34	29.51	43.80	28.06	8.44	10.96	12.4	38.7	
	日平均值			29.25	44.59	28.65	8.30	8.69	13.64	30.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月22日	蚵殼站	3:04	28.55	41.68	26.70	8.40	8.41	0.6	89.8	
		4:04	28.40	45.26	29.10	8.29	6.02	1.5	85.3	
		5:04	29.16	45.71	29.39	8.44	9.28	1.6	89.7	
		6:04	29.24	44.90	28.84	8.44	9.28	2.1	101.4	
		7:04	29.02	40.80	26.11	8.43	9.06	2.3	50.2	
		8:04	29.33	38.91	24.86	8.46	9.71	1.6	69.4	
		9:04	29.26	38.45	24.56	8.46	9.71	1.5	42.6	
		11:04	29.82	43.18	27.75	8.47	9.93	2.8	40.5	
	日平均值			29.10	42.36	27.16	8.42	8.92	1.75	71.11
	潮口站	0:04	31.19	45.16	28.92	8.35	10.76	4.2	10.5	
		3:04	27.85	44.53	28.56	8.12	5.15	6.6	5.6	
		6:04	28.93	46.95	30.27	8.06	6.67	4.0	1.4	
		9:04	30.94	43.87	28.01	8.55	11.11	11.1	12.9	
		12:04	31.65	45.92	29.44	8.41	8.85	10.8	7.1	
		15:04	29.75	49.17	31.84	8.26	7.21	5.0	9.9	
		18:04	29.34	44.09	28.22	8.22	6.83	6.5	0.2	
		21:04	29.34	48.41	31.30	8.34	9.97	3.4	10.6	
	日平均值			29.87	46.01	29.57	8.29	8.32	6.45	7.28
	灣內站	4:04	29.15	45.91	29.49	8.47	12.51	119.3	20.0	
		4:34	29.00	46.17	29.69	8.45	11.46	29.3	22.9	
		5:04	28.92	46.55	29.96	8.34	9.59	131.0	35.7	
		5:34	28.92	46.41	29.86	8.31	9.27	150.0	31.9	
		6:04	28.96	46.42	29.86	8.30	9.19	34.2	32.5	
		6:34	29.11	45.48	29.19	8.43	11.72	22.4	28.7	
		7:04	29.46	45.44	29.14	8.49	12.33	74.7	23.7	
		7:34	29.39	45.74	29.36	8.47	11.89	24.1	26.3	
	日平均值			29.11	46.02	29.57	8.41	11.00	73.13	27.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月23日	蚵殼站	4:04	29.48	43.98	28.18	8.38	7.98	3.7	37.6	
		5:04	29.30	47.03	30.33	8.35	7.32	3.2	37.5	
		6:04	29.20	47.85	31.05	8.32	6.67	2.3	30.1	
		6:34	29.32	47.57	30.85	8.36	7.54	3.7	29.4	
		7:34	29.40	47.17	30.55	8.43	9.06	4.8	42.2	
		8:04	29.32	46.94	30.38	8.42	8.84	4.3	43.3	
		9:04	29.63	46.27	29.90	8.50	10.58	8.6	45.2	
		10:04	29.42	46.49	30.06	8.43	9.06	8.5	37.8	
	日平均值			29.38	46.66	30.16	8.40	8.38	4.89	37.89
	潮口站	0:04	30.51	46.20	29.68	8.53	11.09	2.6	25.2	
		3:04	28.16	50.78	33.05	8.16	5.57	4.7	8.0	
		6:04	28.49	46.13	29.69	8.17	6.14	4.0	8.0	
		9:04	29.32	48.18	31.13	8.19	7.49	9.0	16.1	
		12:04	31.13	47.10	30.30	8.38	8.27	9.9	16.9	
		15:04	30.23	48.69	31.47	8.41	9.32	4.7	15.4	
		18:04	29.03	46.21	29.73	8.24	6.10	5.9	7.0	
		21:04	29.68	47.41	30.57	8.36	8.87	4.0	20.3	
	日平均值			29.57	47.59	30.70	8.31	7.86	5.60	14.61
	灣內站	5:34	29.25	47.70	30.68	8.30	8.61	8.7	16.4	
		6:04	29.09	48.07	30.96	8.24	7.89	8.4	18.7	
		6:34	29.21	48.22	31.06	8.27	8.75	8.1	17.7	
		7:04	29.24	47.80	30.75	8.26	8.42	7.3	12.0	
		7:34	29.51	47.61	30.61	8.35	9.85	7.3	17.8	
		8:04	29.48	47.71	30.67	8.35	9.51	7.2	14.1	
		8:34	29.40	47.87	30.79	8.36	8.64	7.4	13.6	
		9:04	29.77	47.56	30.57	8.44	10.19	7.7	22.8	
	日平均值			29.37	47.82	30.76	8.32	8.98	7.76	16.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月24日	蚵殼站	3:04	30.60	45.15	29.05	8.46	9.71	2.0	20.1	
		4:34	29.46	47.83	31.03	8.29	6.02	3.8	29.2	
		6:04	29.23	48.30	31.38	8.27	5.59	1.7	31.1	
		9:04	28.75	48.32	31.41	8.28	5.81	6.9	30.4	
		12:04	31.27	46.28	29.85	8.48	10.15	4.7	33.2	
		15:04	30.25	46.61	30.12	8.47	9.93	4.2	37.0	
		19:04	30.97	45.03	28.96	8.49	10.36	15.9	33.8	
		21:04	31.02	47.34	30.62	8.50	10.58	2.8	37.0	
	日平均值			30.19	46.86	30.30	8.41	8.52	5.26	31.48
	潮口站	0:04	30.26	46.63	30.00	8.47	8.93	4.0	12.7	
		3:04	28.48	50.73	33.01	8.20	5.52	6.0	9.9	
		6:04	28.03	47.47	30.66	8.17	5.55	6.5	7.6	
		9:04	30.60	45.38	29.09	8.50	8.95	3.4	13.3	
		12:04	28.95	48.84	31.62	8.35	7.35	11.7	19.7	
		15:04	29.43	49.19	31.86	8.20	6.80	5.4	17.9	
		18:04	29.10	45.13	28.96	8.04	5.91	5.7	6.8	
		21:04	28.65	48.81	31.61	8.14	5.21	5.0	11.0	
	日平均值			29.19	47.77	30.85	8.26	6.78	5.96	12.36
	灣內站	5:34	30.11	47.10	30.18	8.42	8.35	13.7	27.0	
		6:04	30.03	47.27	30.30	8.47	10.91	14.8	24.3	
		6:34	29.68	47.85	30.73	8.32	8.02	12.2	27.9	
		7:04	29.46	47.54	30.52	8.20	7.46	16.6	15.1	
		7:34	29.15	47.83	30.74	8.04	3.55	13.1	16.4	
		8:04	29.13	47.81	30.71	8.06	3.32	13.1	28.7	
		8:34	29.49	47.91	30.76	8.07	6.39	12.5	18.0	
		9:04	29.41	47.86	30.75	8.09	6.19	13.8	13.2	
	日平均值			29.56	47.65	30.58	8.21	6.77	13.73	21.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月25日	蚵殼站	0:04	29.33	44.26	28.45	8.30	6.24	2.8	11.7	
		3:04	29.50	45.76	29.53	8.31	6.46	4.7	15.9	
		6:04	29.39	45.80	29.56	8.35	7.32	5.0	16.0	
		9:04	29.59	46.31	29.92	8.34	7.11	4.8	27.2	
		12:04	30.00	46.87	30.32	8.40	8.41	5.7	16.9	
		15:04	30.42	47.54	30.79	8.40	8.41	4.6	21.1	
		18:04	30.63	46.98	30.37	8.45	9.49	5.6	16.2	
		21:04	30.57	45.27	29.14	8.40	8.41	8.7	13.5	
	日平均值			29.93	46.10	29.76	8.37	7.73	5.23	17.31
	潮口站	0:04	29.76	47.04	30.30	8.38	8.55	5.0	26.0	
		3:04	29.23	48.59	31.44	8.19	5.61	5.7	14.6	
		6:04	27.19	51.13	33.33	8.17	5.34	6.4	3.5	
		9:04	29.76	46.74	30.09	8.34	8.43	1.9	17.1	
		12:04	29.03	49.04	31.76	8.25	5.56	5.2	13.4	
		15:04	29.49	48.97	31.70	8.27	6.72	5.8	11.8	
		18:04	28.75	47.00	30.30	8.19	5.62	7.4	4.3	
		21:04	28.23	44.14	28.28	8.14	5.32	6.8	4.7	
	日平均值			28.93	47.83	30.90	8.24	6.39	5.53	11.93
	灣內站	2:34	31.36	46.75	29.86	8.45	8.38	19.1	13.4	
		3:34	31.18	46.78	29.88	8.45	7.79	20.3	15.6	
		4:34	31.00	47.13	30.14	8.44	7.62	14.7	12.0	
		5:34	30.91	46.60	29.77	8.44	7.96	14.2	16.2	
		6:34	30.71	46.86	29.96	8.43	8.55	15.0	17.6	
		7:34	30.71	47.62	30.49	8.42	8.21	14.1	14.5	
		8:34	30.58	47.28	30.27	8.40	7.75	15.2	14.2	
		9:34	29.71	48.44	31.11	8.28	7.93	15.7	17.5	
	日平均值			30.77	47.18	30.19	8.41	8.02	16.02	15.12
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月26日	蚵殼站	0:04	30.43	45.21	29.10	8.45	9.49	29.9	16.4	
		3:04	30.23	45.09	29.02	8.51	10.80	20.8	14.2	
		6:04	29.79	44.50	28.61	8.33	6.89	11.8	7.2	
		9:04	30.24	45.34	29.20	8.40	8.41	8.1	18.4	
		12:04	29.76	45.27	29.16	8.30	6.24	4.1	8.5	
		15:04	30.69	45.96	29.62	8.39	8.19	4.4	12.6	
		18:04	30.85	46.75	30.18	8.48	10.15	5.0	12.3	
		21:04	30.67	43.18	27.63	8.44	9.28	5.8	10.4	
	日平均值			30.33	45.16	29.06	8.41	8.68	11.23	12.50
	潮口站	0:04	29.83	47.80	30.85	8.30	7.24	3.1	9.7	
		3:04	29.38	48.20	31.15	8.26	5.55	2.4	8.4	
		6:04	26.44	51.95	33.95	8.13	5.07	9.5	2.1	
		9:04	29.41	48.18	31.13	8.35	7.53	2.1	11.7	
		12:04	29.01	49.22	31.90	8.35	8.04	10.1	13.8	
		15:04	29.28	49.17	31.85	8.26	6.52	6.2	5.4	
		18:04	28.77	44.74	28.69	8.16	5.73	6.6	11.6	
		21:04	28.14	43.95	28.14	8.14	5.47	6.5	3.4	
	日平均值			28.78	47.90	30.96	8.24	6.39	5.81	8.26
	灣內站	3:04	31.23	47.05	30.09	8.45	5.70	21.5	15.1	
		4:04	30.91	47.16	30.19	8.42	8.14	20.3	17.8	
		5:04	30.83	47.81	30.64	8.46	6.80	19.5	14.4	
		6:04	30.80	47.59	30.47	8.43	7.89	22.1	17.1	
		7:04	30.27	48.00	30.78	8.32	7.72	22.9	21.6	
		8:04	30.47	47.84	30.66	8.47	8.28	5.7	21.6	
		9:04	30.49	47.73	30.58	8.39	7.47	5.8	20.7	
		10:04	30.37	47.71	30.54	8.48	8.90	5.8	14.6	
	日平均值			30.67	47.61	30.49	8.43	7.61	15.44	17.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月27日	蚵殼站	0:04	30.57	44.30	28.42	8.47	9.93	8.1	12.2	
		3:04	30.50	42.95	27.47	8.56	11.88	5.6	10.1	
		6:04	30.02	45.27	29.14	8.35	7.32	5.6	8.5	
		9:04	30.06	46.21	29.82	8.36	7.54	8.4	10.4	
		12:04	30.11	47.75	30.93	8.40	8.12	3.5	19.2	
		15:04	30.54	48.15	31.21	8.40	8.51	1.8	19.8	
		18:04	30.71	48.06	31.14	8.46	8.62	4.4	23.5	
		21:04	30.73	47.95	31.06	8.47	8.38	1.6	21.4	
	日平均值			30.41	46.33	29.90	8.43	8.79	4.87	15.64
	潮口站	0:04	29.10	47.44	30.61	8.21	5.66	2.9	4.3	
		3:04	29.67	47.24	30.45	8.33	6.42	1.9	12.9	
		6:04	27.39	50.94	33.19	8.16	5.01	8.4	7.2	
		9:04	27.88	49.55	32.17	8.26	6.14	8.0	6.1	
		12:34	28.81	48.88	31.81	8.37	9.38	6.7	16.6	
		15:04	27.74	50.24	32.84	8.20	7.11	8.7	10.4	
		18:04	29.45	48.84	31.77	8.41	9.21	3.7	13.8	
		21:04	27.96	44.70	28.81	8.16	6.93	5.1	4.9	
	日平均值			28.50	48.48	31.46	8.26	6.98	5.68	9.53
	灣內站	3:04	31.18	47.23	30.20	8.44	6.73	7.1	12.3	
		4:04	31.12	47.23	30.21	8.46	7.70	6.6	10.6	
		6:04	31.05	47.96	30.72	8.42	7.29	6.3	12.8	
		9:04	30.14	47.28	30.29	8.35	9.06	6.3	23.4	
		12:04	30.96	47.01	30.39	8.39	9.44	4.3	15.3	
		15:04	30.93	47.24	30.55	8.42	10.04	4.8	16.8	
		18:04	31.28	47.22	30.52	8.41	8.22	10.0	16.4	
		21:04	31.45	46.90	30.29	8.47	8.15	7.0	17.4	
	日平均值			31.01	47.26	30.40	8.42	8.33	6.55	15.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月28日	蚵殼站	0:04	30.65	48.11	31.17	8.45	8.28	2.9	8.9	
		3:04	30.37	47.32	30.61	8.49	7.80	1.5	13.7	
		6:04	30.35	46.64	30.12	8.49	6.96	2.3	29.1	
		9:04	29.74	48.12	31.22	8.35	7.29	1.2	24.4	
		12:04	29.05	48.74	31.69	8.31	7.96	0.8	27.7	
		15:04	30.38	48.62	31.56	8.43	9.23	0.7	21.8	
		18:04	30.74	48.63	31.55	8.45	9.31	0.7	15.0	
		21:04	30.85	48.43	31.40	8.55	10.21	0.2	18.8	
	日平均值			30.27	48.08	31.17	8.44	8.38	1.29	19.93
	潮口站	0:04	28.85	47.96	31.15	8.29	7.56	2.4	8.0	
		3:04	29.85	47.51	30.79	8.40	8.58	3.0	11.4	
		6:04	28.36	49.62	32.37	8.25	6.68	6.6	1.1	
		9:04	26.84	51.02	33.44	8.14	6.84	9.5	1.5	
		12:04	30.16	47.65	30.88	8.47	10.90	5.3	14.3	
		15:04	28.73	49.18	32.04	8.33	9.06	5.4	19.1	
		18:04	30.59	47.99	31.11	8.45	10.36	3.4	10.7	
		21:04	28.36	44.32	28.52	8.25	7.23	3.4	8.4	
	日平均值			28.97	48.16	31.29	8.32	8.40	4.88	9.31
	灣內站	0:04	31.17	46.83	30.25	8.46	7.97	5.6	16.3	
		1:34	31.04	45.55	29.33	8.45	6.47	6.9	18.0	
		3:04	30.96	47.17	30.50	8.44	8.22	4.6	18.6	
		4:34	30.77	47.29	30.60	8.41	8.11	4.0	15.7	
		6:04	30.58	47.57	30.81	8.35	6.95	4.2	18.1	
		7:34	30.57	47.65	30.86	8.37	7.89	3.8	21.3	
		9:04	30.33	47.65	30.87	8.32	7.63	4.0	22.0	
		10:34	30.53	47.63	30.85	8.42	9.84	4.0	21.8	
	日平均值			30.74	47.17	30.51	8.40	7.89	4.63	18.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月29日	蚵殼站	9:34	30.66	47.99	31.09	8.49	8.55	1.2	33.2	
		10:04	30.58	48.22	31.26	8.50	8.84	0.9	26.9	
		10:34	29.99	48.15	31.23	8.49	9.45	0.6	28.5	
		11:04	29.79	48.29	31.34	8.49	9.78	1.5	43.5	
		11:34	29.63	48.60	31.57	8.48	9.95	1.2	30.8	
		12:04	29.51	48.84	31.75	8.47	9.85	1.2	29.3	
		12:34	29.72	48.78	31.70	8.47	9.95	1.2	20.4	
		13:04	30.18	48.79	31.69	8.44	9.08	0.5	23.4	
	日平均值			30.01	48.46	31.45	8.48	9.43	1.04	29.50
	潮口站	0:04	28.41	47.14	30.56	8.19	7.48	10.8	6.1	
		3:04	29.69	46.59	30.12	8.39	8.66	2.6	4.6	
		6:04	30.02	47.09	30.48	8.48	8.46	2.0	8.8	
		9:04	28.10	49.66	32.41	8.28	7.07	6.7	0.2	
		12:04	30.36	47.72	30.92	8.44	9.30	4.6	7.7	
		15:04	30.98	47.45	30.71	8.51	10.34	5.7	17.0	
		18:04	31.50	47.11	30.44	8.47	9.84	8.2	3.1	
		21:04	29.19	48.40	31.45	8.35	7.96	3.7	9.2	
	日平均值			29.78	47.65	30.89	8.39	8.64	5.54	7.09
	灣內站	1:34	31.24	47.37	30.64	8.49	9.25	3.9	7.7	
		2:04	31.20	47.37	30.64	8.50	8.46	4.4	9.0	
		3:04	31.12	47.34	30.62	8.48	8.56	4.0	14.4	
		5:04	30.75	47.33	30.62	8.47	8.26	3.3	10.1	
		7:04	30.58	47.40	30.68	8.47	8.49	3.1	7.2	
		9:04	30.80	47.52	30.76	8.46	8.72	3.3	9.0	
		10:04	30.87	47.52	30.75	8.49	9.56	3.3	10.1	
		11:04	31.02	47.55	30.77	8.48	9.47	3.6	7.4	
	日平均值			30.95	47.43	30.69	8.48	8.85	3.61	9.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月30日	蚵殼站	0:04	30.89	48.26	31.28	8.55	9.26	0.4	12.9	
		3:04	30.92	48.26	31.28	8.55	8.74	0.2	12.6	
		6:04	30.37	48.19	31.24	8.53	8.11	0.3	24.1	
		9:04	30.55	48.21	31.25	8.54	8.75	0.4	12.3	
		12:04	29.77	49.45	32.18	8.37	8.21	3.6	6.0	
		15:04	29.05	50.49	32.97	8.31	7.82	2.1	15.4	
		18:04	29.21	48.22	31.31	8.36	7.80	3.7	17.5	
		21:04	29.38	47.83	31.01	8.35	7.58	1.8	6.9	
	日平均值			30.02	48.61	31.57	8.45	8.28	1.56	13.46
	潮口站	0:04	27.83	48.21	31.35	8.23	6.83	3.3	1.5	
		3:04	30.27	46.75	30.22	8.53	9.57	2.2	13.1	
		6:04	30.11	46.63	30.13	8.49	9.00	2.3	12.2	
		9:04	28.49	48.91	31.84	8.26	7.17	5.2	3.6	
		12:04	28.79	49.37	32.17	8.27	7.46	4.0	2.8	
		15:04	31.29	46.60	30.08	8.42	9.07	7.5	8.0	
		18:04	30.75	46.63	30.12	8.45	9.70	4.2	10.0	
		21:04	30.34	46.55	30.08	8.42	8.02	3.2	5.3	
	日平均值			29.73	47.46	30.75	8.38	8.35	3.99	7.06
	灣內站	0:04	31.49	47.56	30.76	8.47	7.69	4.7	6.5	
		3:04	31.28	47.63	30.83	8.45	7.55	4.7	25.5	
		6:04	30.71	47.66	30.87	8.40	6.86	3.9	12.3	
		9:04	30.80	47.76	30.93	8.49	8.18	3.7	4.3	
		14:04	30.99	48.40	31.40	8.45	9.36	5.1	19.2	
		15:04	30.67	48.69	31.61	8.38	8.20	6.4	28.6	
		18:04	30.31	48.78	31.69	8.27	6.26	6.0	14.2	
		21:04	29.42	48.67	31.64	8.03	4.07	5.1	12.9	
	日平均值			30.71	48.14	31.22	8.37	7.27	4.94	15.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月1日	蚵殼站	0:04	29.80	47.02	30.41	8.35	6.67	1.0	19.8	
		3:04	29.67	49.06	31.90	8.41	6.89	4.0	17.2	
		6:04	29.36	47.63	30.87	8.42	6.55	0.3	10.8	
		9:04	29.51	49.63	32.33	8.43	7.29	0.7	12.8	
		12:04	29.39	50.36	32.87	8.33	7.22	2.3	13.0	
		15:04	29.66	50.39	32.88	8.35	7.63	3.0	4.6	
		18:04	29.72	47.92	31.07	8.32	7.30	2.9	12.1	
		21:04	29.56	48.53	31.52	8.28	6.94	1.3	18.0	
	日平均值			29.58	48.82	31.73	8.36	7.06	1.94	13.54
	潮口站	0:04	28.60	49.81	32.40	8.27	7.07	3.3	4.8	
		3:04	29.61	47.71	30.90	8.41	8.26	2.9	4.0	
		6:04	29.49	47.23	30.57	8.33	7.59	1.9	3.7	
		9:04	29.43	48.28	31.31	8.34	7.13	3.7	5.3	
		12:04	29.32	49.49	32.15	8.27	8.00	3.5	3.9	
		15:04	31.07	47.21	30.50	8.39	8.62	7.4	2.0	
		18:04	30.45	47.67	30.85	8.34	8.94	5.6	9.7	
		21:04	30.14	47.61	30.82	8.37	8.30	3.9	3.6	
	日平均值			29.76	48.13	31.19	8.34	7.99	4.03	4.63
	灣內站	0:04	28.98	49.45	32.22	8.07	4.57	7.1	10.1	
		3:04	29.50	48.99	31.87	8.20	5.95	3.5	8.4	
		6:04	29.41	49.15	32.00	8.19	5.72	3.1	6.3	
		9:04	29.50	49.10	31.96	8.29	6.65	3.0	4.0	
		12:04	29.65	49.34	32.12	8.22	6.27	6.0	11.5	
		15:04	29.49	50.22	32.77	8.11	5.63	5.2	11.1	
		18:04	29.55	50.07	32.66	8.16	6.58	4.5	11.3	
		21:04	29.40	49.90	32.54	8.20	6.21	4.1	8.6	
	日平均值			29.44	49.53	32.27	8.18	5.95	4.56	8.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月2日	蚵殼站	0:04	29.56	48.05	31.17	8.25	6.70	1.1	15.3	
		3:04	29.53	49.34	32.12	8.26	6.34	3.0	2.5	
		6:04	29.38	50.12	32.69	8.31	6.45	0.4	14.2	
		9:04	29.81	50.27	32.78	8.34	6.73	2.3	2.9	
		12:04	30.54	50.24	32.74	8.34	7.27	1.1	7.7	
		15:04	30.04	50.52	32.96	8.30	7.42	4.7	11.3	
		18:04	30.10	48.72	31.64	8.32	7.55	0.9	15.3	
		21:04	30.34	49.67	32.33	8.32	7.34	11.0	2.5	
	日平均值			29.91	49.62	32.30	8.31	6.98	3.06	8.96
	潮口站	0:04	29.51	49.23	31.95	8.24	7.32	5.5	3.9	
		3:04	29.20	49.37	32.07	8.20	6.83	3.7	0.9	
		6:04	29.42	48.51	31.46	8.26	7.23	2.9	7.4	
		9:04	29.75	48.52	31.46	8.34	7.83	1.9	4.5	
		12:04	29.99	49.19	31.92	8.26	7.51	3.8	2.4	
		15:04	30.00	49.31	32.00	8.28	8.18	5.7	7.3	
		18:04	30.43	48.86	31.67	8.28	8.35	6.6	9.6	
		21:04	30.47	48.57	31.46	8.26	7.41	4.4	10.9	
	日平均值			29.85	48.95	31.75	8.27	7.58	4.31	5.86
	灣內站	0:04	29.19	49.90	32.55	8.11	5.53	4.2	6.5	
		3:04	29.23	49.83	32.50	8.12	5.77	3.5	13.1	
		6:04	29.22	49.58	32.31	8.10	5.15	3.4	6.8	
		9:04	29.57	49.49	32.23	8.12	5.42	3.5	5.5	
		12:04	30.64	49.37	32.11	8.26	7.40	3.3	5.1	
		15:04	30.75	49.35	32.09	8.32	8.56	5.1	15.2	
		18:04	30.40	49.32	32.08	8.33	8.40	5.7	21.0	
		21:04	30.39	49.24	32.02	8.25	6.97	4.5	11.0	
	日平均值			29.92	49.51	32.24	8.20	6.65	4.15	10.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月3日	蚵殼站	0:04	30.31	51.00	33.30	8.30	6.76	12.5	19.5	
		3:04	30.17	50.25	32.76	8.29	6.52	14.7	16.1	
		6:04	29.97	50.42	32.90	8.28	6.07	4.5	11.5	
		9:04	30.13	50.26	32.77	8.28	6.38	12.0	9.0	
		12:04	31.05	50.47	32.89	8.31	6.93	8.0	10.8	
		15:04	30.87	50.49	32.91	8.33	7.52	15.1	14.4	
		18:04	31.01	50.53	32.94	8.33	7.36	17.8	14.9	
		21:04	30.62	50.49	32.92	8.33	7.09	7.7	23.5	
	日平均值			30.52	50.49	32.92	8.31	6.83	11.54	14.96
	潮口站	0:04	29.64	49.47	32.13	8.24	7.78	3.3	6.7	
		3:04	29.37	49.37	32.06	8.22	7.77	1.7	4.4	
		6:04	29.72	49.04	31.82	8.26	7.11	3.2	6.1	
		9:04	30.07	48.15	31.19	8.22	6.94	4.7	4.9	
		12:04	30.74	49.55	32.13	8.22	7.36	3.6	6.8	
		15:04	31.38	45.72	29.52	8.24	8.08	4.0	1.2	
		18:04	31.19	49.64	32.14	8.29	9.47	6.2	14.1	
		21:04	31.80	49.50	32.02	8.21	7.42	6.7	7.5	
	日平均值			30.49	48.81	31.63	8.24	7.74	4.18	6.46
	灣內站	0:04	30.00	49.16	31.98	8.22	6.58	3.8	10.2	
		3:04	29.93	49.16	31.98	8.18	5.84	3.3	7.5	
		6:04	29.85	49.13	31.97	8.18	5.29	3.7	5.6	
		9:04	29.97	49.12	31.95	8.15	5.45	3.2	4.8	
		12:04	31.12	49.28	32.03	8.34	7.13	3.4	3.1	
		15:04	32.01	49.54	32.19	8.34	8.21	4.6	7.9	
		18:04	31.93	49.53	32.18	8.37	8.49	4.9	10.3	
		21:04	31.29	49.39	32.11	8.32	7.13	5.0	8.6	
	日平均值			30.76	49.29	32.05	8.26	6.77	3.99	7.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月4日	蚵殼站	0:04	30.32	50.55	32.98	8.30	6.47	7.1	19.3	
		3:04	30.51	50.53	32.96	8.35	6.56	1.5	12.0	
		6:04	30.52	49.70	32.34	8.31	6.28	0.8	9.6	
		9:04	30.44	50.11	32.65	8.31	6.02	1.0	11.3	
		12:04	30.68	50.49	32.92	8.31	6.17	0.9	9.9	
		15:04	30.83	48.37	31.36	8.35	6.56	0.7	8.1	
		18:04	30.75	49.93	32.51	8.34	5.84	1.2	3.2	
		21:04	30.97	50.30	32.77	8.36	6.28	2.5	5.2	
	日平均值			30.63	50.00	32.56	8.33	6.27	1.96	9.83
	潮口站	0:04	30.48	50.41	32.67	8.23	7.35	4.2	9.3	
		3:04	30.06	46.87	30.31	8.14	8.19	5.1	8.3	
		6:04	30.19	49.30	31.94	8.24	7.54	3.3	13.8	
		9:04	30.55	48.28	31.24	8.19	6.12	10.6	10.9	
		12:04	31.64	49.50	32.03	8.18	6.75	9.7	8.8	
		15:04	30.82	50.24	32.54	8.33	9.06	4.2	5.8	
		18:04	31.02	50.00	32.38	8.30	8.61	9.1	13.2	
		21:04	30.76	50.39	32.65	8.32	8.96	6.5	13.2	
	日平均值			30.69	49.37	31.97	8.24	7.82	6.59	10.41
	灣內站	0:04	30.65	48.94	31.80	8.19	5.76	6.9	17.1	
		3:04	30.72	49.95	32.53	8.21	5.75	4.6	9.5	
		6:04	30.36	49.63	32.45	8.26	5.62	3.6	7.9	
		9:04	30.45	49.77	32.55	8.23	6.36	4.3	8.0	
		12:04	30.80	50.01	32.70	8.33	7.19	5.1	10.1	
		15:04	30.42	50.33	32.95	8.08	4.61	7.7	19.0	
		18:04	30.88	50.02	32.68	8.30	7.14	5.7	15.5	
		21:04	30.75	50.12	32.75	8.25	6.46	5.3	18.1	
	日平均值			30.63	49.85	32.55	8.23	6.11	5.40	13.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月5日	蚵殼站	0:04	30.73	50.33	32.80	8.33	5.87	1.0	5.6	
		3:04	30.55	50.31	32.79	8.33	5.74	1.3	7.8	
		6:04	30.44	50.35	32.82	8.30	4.56	1.3	5.2	
		9:04	30.56	50.16	32.68	8.34	5.65	1.1	2.3	
		12:04	30.58	50.56	32.97	8.26	5.29	0.6	3.0	
		15:04	30.76	48.97	31.80	8.31	5.91	3.5	5.1	
		18:04	30.70	50.63	33.02	8.32	6.01	1.3	0.6	
		21:04	30.53	50.63	33.03	8.33	5.73	10.6	1.3	
	日平均值			30.61	50.24	32.74	8.32	5.60	2.59	3.86
	潮口站	0:04	30.72	50.63	32.81	8.28	7.39	5.3	9.8	
		3:04	29.71	52.49	34.10	8.10	7.40	3.5	0.6	
		6:04	29.94	51.39	33.36	8.26	7.36	4.7	7.9	
		9:04	30.76	50.38	32.65	8.32	8.42	4.6	7.4	
		12:04	31.67	51.00	33.04	8.23	7.38	14.7	4.1	
		15:04	30.93	51.14	33.16	8.28	8.00	7.5	7.2	
		18:04	30.33	50.15	32.50	8.32	8.34	3.9	15.3	
		21:04	30.91	51.05	33.10	8.30	7.02	10.6	13.3	
	日平均值			30.62	51.03	33.09	8.26	7.66	6.85	8.20
	灣內站	0:04	30.65	50.31	32.88	8.24	6.14	5.1	12.4	
		3:04	30.59	50.48	33.00	8.22	5.88	4.8	11.2	
		6:04	30.53	50.53	33.03	8.21	5.68	3.9	9.6	
		9:04	30.80	50.26	32.80	8.28	6.90	3.7	7.6	
		12:04	31.10	49.92	32.53	8.30	7.23	9.1	12.5	
		15:04	31.14	49.64	32.31	8.33	7.96	7.5	16.5	
		18:04	30.78	49.93	32.53	8.28	7.06	6.3	15.8	
		21:04	30.62	50.26	32.77	8.28	6.48	6.7	20.8	
	日平均值			30.78	50.17	32.73	8.27	6.67	5.89	13.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月6日	蚵殼站	0:04	30.57	50.40	32.86	8.29	5.14	2.0	0.7	
		3:34	30.44	50.53	32.96	8.29	3.98	2.3	0.9	
		7:34	30.38	50.57	32.99	8.26	4.17	3.4	1.9	
		9:04	30.59	50.57	32.99	8.32	5.05	3.3	0.6	
		12:04	30.61	50.69	33.07	8.31	5.79	2.6	3.8	
		15:04	30.69	50.75	33.11	8.29	6.07	24.5	2.9	
		18:04	30.65	50.47	32.90	8.34	5.68	0.9	2.7	
		21:04	30.47	50.20	32.72	8.34	5.29	5.3	1.8	
	日平均值			30.55	50.52	32.95	8.31	5.15	5.54	1.91
	潮口站	0:04	30.61	51.10	33.13	8.28	6.25	8.4	11.3	
		3:04	29.77	51.10	33.16	8.22	7.02	3.3	3.8	
		6:04	29.75	50.72	32.91	8.22	7.07	3.0	10.1	
		9:04	30.52	50.09	32.47	8.29	7.43	6.6	11.3	
		12:04	31.50	49.78	32.22	8.25	7.64	12.3	20.6	
		15:04	31.01	49.97	32.37	8.34	8.74	9.6	11.3	
		18:04	30.28	49.62	32.17	8.30	7.57	8.1	5.5	
		21:04	30.61	50.03	32.42	8.26	6.35	15.8	16.8	
	日平均值			30.51	50.30	32.61	8.27	7.26	8.39	11.34
	灣內站	0:04	30.35	50.51	32.95	8.14	5.37	5.5	17.4	
		3:04	30.54	47.88	30.98	8.20	5.62	3.7	16.0	
		6:04	30.45	49.46	32.35	8.19	5.25	3.9	16.2	
		9:04	30.66	49.65	32.49	8.26	6.40	3.7	15.1	
		12:04	30.85	50.28	32.95	8.41	8.35	6.0	19.1	
		15:04	30.81	50.97	33.48	8.31	7.71	7.8	26.2	
		18:04	30.57	50.61	33.21	8.29	6.99	6.3	24.0	
		21:04	30.30	50.62	33.22	8.24	6.45	6.1	21.4	
	日平均值			30.57	50.00	32.70	8.26	6.52	5.38	19.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月7日	蚵殼站	0:04	30.36	50.27	32.77	8.32	4.78	4.5	1.3	
		3:04	30.21	50.27	32.78	8.31	4.45	6.8	0.8	
		6:04	30.11	50.59	33.01	8.31	4.50	5.3	3.1	
		9:04	30.13	50.67	33.07	8.32	4.87	2.1	0.6	
		12:04	30.44	50.72	33.10	8.35	5.65	1.5	2.9	
		15:04	30.72	50.71	33.08	8.37	5.95	2.2	0.0	
		18:04	30.47	50.38	32.85	8.38	5.34	3.8	2.6	
		21:04	30.49	50.69	33.08	8.37	5.02	3.8	4.3	
	日平均值			30.37	50.54	32.97	8.34	5.07	3.75	1.95
	潮口站	0:04	30.35	50.55	32.78	8.28	6.70	8.8	4.9	
		3:04	29.85	51.22	33.25	8.22	6.80	4.2	2.1	
		6:04	29.73	50.49	32.76	8.24	7.03	5.0	5.1	
		9:04	29.96	50.12	32.50	8.28	7.38	10.0	7.5	
		12:04	30.90	49.49	32.05	8.21	6.72	14.1	7.8	
		15:04	30.86	49.81	32.28	8.35	8.42	9.8	13.7	
		18:04	30.37	50.28	32.61	8.26	7.22	7.4	3.7	
		21:04	30.39	49.94	32.38	8.25	6.94	7.3	8.6	
	日平均值			30.30	50.24	32.58	8.26	7.15	8.33	6.68
	灣內站	0:04	30.48	50.74	33.30	8.29	6.58	5.1	23.7	
		3:04	30.40	49.01	32.22	8.34	6.39	5.6	26.7	
		6:04	30.30	48.97	32.19	8.27	5.59	5.1	26.7	
		9:04	30.17	49.20	32.38	8.27	6.59	6.2	18.4	
		12:04	30.73	49.65	32.71	8.36	8.67	6.3	19.2	
		15:04	30.94	49.59	32.66	8.36	8.75	7.7	30.3	
		18:04	30.69	49.42	32.54	8.35	8.29	7.0	25.2	
		21:04	30.50	49.45	32.56	8.34	7.82	6.0	22.8	
	日平均值			30.53	49.50	32.57	8.32	7.34	6.13	24.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月8日	蚵殼站	1:34	30.28	50.42	32.88	8.34	4.82	3.7	0.5	
		2:04	30.30	50.52	32.95	8.35	4.67	3.4	0.8	
		4:34	30.21	50.54	32.97	8.35	4.35	3.6	0.8	
		12:04	31.35	47.27	30.54	8.39	5.11	3.1	3.1	
		13:04	30.77	48.09	31.16	8.31	5.30	1.9	4.9	
		15:04	30.59	47.44	30.69	8.25	5.23	2.0	0.7	
		17:04	30.68	50.84	33.18	8.32	5.38	2.0	3.0	
		21:04	30.98	50.64	33.02	8.42	5.24	3.2	1.5	
	日平均值			30.65	49.47	32.17	8.34	5.01	2.86	1.91
	潮口站	0:04	30.34	49.22	31.90	8.18	6.98	6.3	9.1	
		3:04	30.03	50.39	32.69	8.24	6.94	4.5	5.4	
		6:04	29.79	51.08	33.17	8.22	6.64	4.5	2.1	
		9:04	30.25	49.85	32.33	8.30	8.64	4.5	15.3	
		12:04	31.73	49.54	32.07	8.32	9.49	3.9	12.9	
		15:04	32.31	50.10	32.43	8.35	9.07	27.5	1.3	
		18:04	30.69	49.67	32.20	8.28	7.60	8.5	5.6	
		21:04	30.61	49.26	31.93	8.24	6.85	6.1	6.2	
	日平均值			30.72	49.89	32.34	8.27	7.78	8.23	7.24
	灣內站	0:04	30.29	48.51	31.82	8.25	6.25	6.3	30.3	
		3:04	30.28	47.22	30.79	8.22	6.44	4.5	24.1	
		6:04	30.17	49.05	32.26	8.26	5.64	5.5	35.1	
		9:04	30.43	48.12	31.51	8.30	7.49	4.4	16.4	
		12:04	31.55	48.44	31.72	8.45	9.34	4.7	12.4	
		15:04	31.87	49.86	32.86	8.42	9.41	8.8	14.5	
		18:04	30.78	49.54	32.65	8.36	8.00	8.7	23.0	
		21:04	31.23	49.70	32.50	8.34	6.94	7.8	16.8	
	日平均值			30.83	48.81	32.01	8.33	7.44	6.34	21.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月9日	蚵殼站	12:04	31.22	50.61	32.99	8.33	5.12	4.7	4.0	
		12:34	31.08	50.64	33.02	8.30	5.02	4.0	3.0	
		14:04	30.76	50.68	33.05	8.25	4.84	3.5	2.3	
		14:34	30.77	50.75	33.11	8.26	5.03	3.9	6.1	
		15:04	30.80	50.76	33.11	8.28	4.97	4.5	7.6	
		16:34	30.90	50.73	33.09	8.31	4.97	3.6	5.0	
		17:04	30.91	50.73	33.09	8.33	5.05	3.7	4.4	
		18:04	30.88	50.74	33.10	8.33	4.96	4.4	0.1	
	日平均值			30.92	50.71	33.07	8.30	5.00	4.04	4.06
	潮口站	0:04	30.72	49.54	32.12	8.28	7.03	5.5	11.5	
		3:04	30.35	50.04	32.46	8.24	6.44	4.6	6.1	
		6:04	30.07	49.90	32.38	8.26	6.60	8.7	3.2	
		9:04	30.62	50.26	32.61	8.30	7.40	5.4	10.4	
		12:04	32.10	49.53	32.07	8.32	8.53	7.7	6.5	
		15:04	32.09	49.42	31.99	8.31	8.27	10.1	7.8	
		18:04	30.99	49.83	32.32	8.29	7.34	4.7	5.0	
		21:04	30.46	48.95	31.74	8.11	7.14	5.3	1.4	
	日平均值			30.93	49.68	32.21	8.26	7.34	6.50	6.49
	灣內站	0:04	30.86	47.54	30.87	8.33	7.14	4.4	16.0	
		3:04	30.59	49.97	32.74	8.26	6.21	5.9	16.0	
		6:04	30.59	49.47	32.37	8.30	5.93	4.5	9.9	
		9:04	30.92	50.47	32.93	8.33	6.23	4.3	7.5	
		12:04	31.65	49.47	32.17	8.38	8.72	4.8	6.8	
		15:04	31.77	49.31	32.07	8.39	8.80	7.3	7.5	
		18:04	31.17	50.08	32.53	8.48	8.19	8.7	13.8	
		21:04	31.03	50.17	32.59	8.34	7.27	6.4	12.7	
	日平均值			31.07	49.56	32.28	8.35	7.31	5.79	11.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月10日	蚵殼站	0:04	30.98	50.63	33.01	8.35	4.50	4.8	2.2	
		3:04	30.82	50.67	33.05	8.33	3.79	7.5	1.1	
		6:04	30.49	50.66	33.05	8.32	4.04	7.7	1.0	
		9:04	30.21	50.61	33.02	8.31	4.32	8.9	1.1	
		12:04	30.70	51.03	33.30	8.33	6.77	2.6	7.3	
		15:04	31.07	51.25	33.45	8.35	7.09	4.1	11.8	
		18:04	31.07	51.36	33.53	8.37	7.23	5.9	22.6	
		21:04	31.24	51.46	33.59	8.34	6.92	6.8	14.4	
	日平均值			30.82	50.96	33.25	8.34	5.58	6.04	7.69
	潮口站	0:04	30.97	49.98	32.42	8.22	6.08	7.5	7.7	
		3:04	30.21	49.08	31.85	8.25	6.19	5.6	6.6	
		6:04	29.75	49.51	32.15	8.25	6.90	4.2	8.5	
		9:04	30.08	49.53	32.16	8.21	6.77	8.0	10.9	
		12:04	31.43	50.80	33.14	8.32	6.96	15.0	9.5	
		15:04	32.27	51.01	33.26	8.32	7.12	11.6	7.9	
		18:04	30.90	50.78	33.14	8.30	7.09	7.2	6.0	
		21:04	30.47	48.58	31.56	8.24	6.24	2.8	6.2	
	日平均值			30.76	49.91	32.46	8.26	6.67	7.74	7.91
	灣內站	0:04	30.77	49.52	32.15	8.40	6.84	5.9	11.3	
		3:04	30.71	49.14	31.89	8.24	5.96	5.7	11.2	
		6:04	30.67	49.80	32.35	8.25	5.87	5.4	12.7	
		9:04	30.68	50.25	32.65	8.40	6.65	5.1	9.0	
		12:04	31.13	50.66	33.03	8.29	6.62	5.9	10.3	
		15:04	31.49	50.69	33.04	8.29	6.99	7.5	11.0	
		18:04	31.24	50.64	33.01	8.30	7.24	6.7	15.1	
		21:04	31.05	50.64	33.02	8.28	6.54	5.1	15.5	
	日平均值			30.97	50.17	32.64	8.31	6.59	5.91	12.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月11日	蚵殼站	0:04	31.08	51.49	33.62	8.31	6.57	4.4	11.8	
		3:04	30.81	51.39	33.56	8.29	6.45	3.4	15.5	
		6:04	30.50	51.44	33.60	8.25	6.03	3.9	9.8	
		9:04	30.74	51.41	33.58	8.31	6.81	1.7	7.0	
		12:04	30.98	51.59	33.70	8.31	6.93	2.1	7.1	
		15:04	31.10	51.73	33.80	8.33	7.30	2.8	11.2	
		18:04	31.33	51.75	33.80	8.35	7.26	4.0	15.6	
		21:04	31.42	51.74	33.79	8.33	6.92	5.7	11.4	
	日平均值			31.00	51.57	33.68	8.31	6.78	3.50	11.18
	潮口站	0:04	30.64	49.52	32.23	8.33	6.58	4.7	7.8	
		3:04	30.30	50.14	32.69	8.26	5.95	2.3	1.0	
		6:04	30.05	51.46	33.67	8.24	6.16	3.9	1.2	
		9:04	30.60	51.26	33.50	8.27	6.32	3.9	1.1	
		12:04	31.92	51.16	33.38	8.32	6.94	13.4	7.1	
		15:04	32.88	51.36	33.49	8.33	7.30	18.0	5.9	
		18:04	31.69	51.27	33.47	8.36	7.23	6.4	2.0	
		21:04	30.77	51.14	33.41	8.28	6.70	4.6	0.5	
	日平均值			31.11	50.91	33.23	8.30	6.65	7.15	3.33
	灣內站	0:04	30.83	50.64	33.02	8.27	6.24	5.3	12.8	
		3:04	30.70	50.63	33.03	8.21	5.97	3.5	14.3	
		6:04	30.79	50.70	33.07	8.21	5.70	3.4	17.7	
		9:04	30.98	50.66	33.03	8.26	6.43	3.5	10.1	
		12:04	31.34	50.70	33.05	8.33	7.49	5.0	8.4	
		15:04	31.54	50.71	33.06	8.34	7.45	10.1	14.5	
		18:04	31.12	50.71	33.06	8.30	6.61	6.8	17.3	
		21:04	30.87	50.73	33.09	8.31	6.62	4.9	14.1	
	日平均值			31.02	50.69	33.05	8.28	6.56	5.31	13.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月12日	蚵殼站	0:04	31.03	51.36	33.53	8.31	6.74	2.6	14.6	
		3:04	30.87	51.50	33.64	8.30	6.56	2.4	20.2	
		6:04	30.60	51.46	33.61	8.26	6.41	3.3	6.0	
		9:04	30.70	51.47	33.62	8.26	6.37	3.6	9.6	
		12:04	31.36	51.56	33.67	8.34	7.12	2.4	9.7	
		15:04	30.98	51.73	33.80	8.26	6.49	2.5	22.2	
		18:04	30.97	51.81	33.86	8.30	6.92	3.3	13.9	
		21:04	31.37	51.75	33.80	8.36	7.17	2.9	12.0	
	日平均值			30.99	51.58	33.69	8.30	6.72	2.88	13.53
	潮口站	0:04	31.21	51.31	33.52	8.34	6.39	7.4	6.5	
		3:04	31.00	51.29	33.51	8.31	6.26	6.0	10.9	
		6:04	30.27	51.72	33.85	8.25	6.31	9.2	0.8	
		9:04	30.73	51.51	33.68	8.29	6.51	4.1	0.8	
		12:04	32.20	51.35	33.51	8.42	8.32	4.3	4.1	
		15:04	33.17	51.57	33.63	8.31	7.00	14.3	4.4	
		18:04	31.90	51.56	33.68	8.42	7.63	8.7	5.8	
		21:04	30.55	49.22	32.02	8.24	6.20	1.5	3.8	
	日平均值			31.38	51.19	33.43	8.32	6.83	6.94	4.64
	灣內站	0:04	31.02	50.61	33.00	8.27	5.83	4.9	13.3	
		3:04	30.83	50.66	33.04	8.27	6.21	3.9	8.9	
		6:04	30.79	50.73	33.09	8.30	5.97	4.2	6.9	
		9:04	31.01	50.70	33.06	8.33	6.55	4.3	8.1	
		12:04	31.93	50.76	33.07	8.41	7.74	3.9	4.8	
		15:04	32.17	50.76	33.06	8.44	8.20	7.2	8.2	
		18:04	32.07	50.45	32.84	8.42	7.37	7.5	12.0	
		21:04	31.44	50.71	33.05	8.35	6.12	4.4	22.4	
	日平均值			31.41	50.67	33.03	8.35	6.75	5.04	10.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月13日	蚵殼站	0:04	31.20	51.73	33.79	8.33	6.69	1.6	7.6	
		3:04	31.01	51.73	33.80	8.34	6.80	4.0	9.6	
		6:04	30.58	51.45	33.61	8.30	6.43	1.7	6.9	
		9:04	30.92	51.56	33.68	8.35	6.78	1.7	10.0	
		12:04	31.00	51.70	33.78	8.38	7.20	1.6	10.2	
		15:04	31.33	51.83	33.87	8.32	6.92	2.2	35.0	
		18:04	31.27	51.83	33.86	8.37	7.35	2.6	10.0	
		21:04	31.19	51.80	33.84	8.39	7.28	2.4	9.4	
	日平均值			31.06	51.70	33.78	8.35	6.93	2.23	12.34
	潮口站	0:04	31.69	51.66	33.75	8.29	6.14	7.9	6.2	
		3:04	30.62	50.88	33.22	8.30	6.37	3.4	5.8	
		6:04	30.30	51.56	33.73	8.24	6.25	3.8	2.1	
		9:04	30.09	51.92	34.00	8.24	6.22	4.1	1.0	
		12:04	31.95	51.55	33.66	8.37	7.56	7.4	6.3	
		15:04	32.03	51.70	33.77	8.33	7.37	9.6	0.7	
		18:04	31.62	43.86	28.13	8.31	7.31	4.1	4.4	
		21:04	30.81	49.69	32.35	8.27	6.35	3.0	1.7	
	日平均值			31.14	50.35	32.83	8.29	6.70	5.41	3.53
	灣內站	0:04	31.11	50.70	33.06	8.22	5.06	3.9	6.8	
		3:04	30.95	50.71	33.07	8.29	5.93	3.2	6.8	
		6:04	30.88	50.70	33.07	8.26	5.47	3.2	7.5	
		9:04	31.08	50.72	33.07	8.34	6.41	3.5	5.9	
		12:04	31.89	50.78	33.09	8.41	7.14	3.3	4.5	
		15:04	32.37	50.78	33.07	8.46	7.87	4.4	5.2	
		18:04	32.43	50.72	33.03	8.48	8.19	7.3	11.4	
		21:04	32.10	50.74	33.05	8.43	7.14	4.8	6.4	
	日平均值			31.60	50.73	33.06	8.36	6.65	4.20	6.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月14日	蚵殼站	0:04	31.22	51.75	33.81	8.38	7.01	1.3	9.1	
		3:04	30.56	51.18	33.41	8.33	6.80	1.2	7.3	
		6:04	30.77	51.55	33.67	8.36	6.70	1.7	2.9	
		9:04	30.83	51.55	33.67	8.37	7.02	1.4	3.4	
		12:04	30.93	51.69	33.77	8.39	7.34	1.3	13.5	
		15:04	31.08	51.83	33.87	8.40	7.72	2.3	16.8	
		18:04	31.25	51.95	33.96	8.42	7.48	2.1	10.1	
		21:04	31.66	51.87	33.88	8.42	7.18	3.4	17.6	
	日平均值			31.04	51.67	33.76	8.38	7.16	1.84	10.09
	潮口站	0:04	30.77	49.33	32.09	8.27	6.34	4.3	2.6	
		3:04	30.66	49.92	32.52	8.23	5.83	1.8	5.4	
		6:04	30.40	50.63	33.05	8.22	5.62	5.2	1.2	
		9:04	30.02	51.82	33.93	8.24	6.43	4.4	2.2	
		12:04	32.24	51.59	33.68	8.34	7.33	8.1	4.1	
		15:04	32.89	51.59	33.66	8.32	7.36	12.8	2.0	
		18:04	31.75	51.48	33.62	8.42	8.16	6.3	6.4	
		21:04	31.27	51.38	33.57	8.30	6.60	3.0	0.4	
	日平均值			31.25	50.97	33.27	8.29	6.71	5.74	3.04
	灣內站	0:04	31.56	50.69	33.04	8.36	6.66	3.8	8.4	
		3:04	31.30	50.72	33.07	8.34	6.06	3.5	6.0	
		6:04	31.15	50.72	33.08	8.36	6.21	3.1	5.6	
		9:04	31.34	50.75	33.09	8.40	6.97	2.8	4.7	
		12:04	32.05	50.68	33.01	8.51	8.61	3.5	5.7	
		15:04	32.36	50.84	33.12	8.53	8.37	8.0	9.1	
		18:04	32.44	50.92	33.17	8.49	7.20	9.9	18.0	
		21:04	31.68	50.90	33.18	8.38	6.11	5.0	15.3	
	日平均值			31.74	50.78	33.10	8.42	7.02	4.95	9.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月15日	蚵殼站	0:04	31.42	51.84	33.87	8.40	6.49	1.1	6.2	
		3:04	31.20	51.85	33.88	8.40	6.38	1.6	6.5	
		6:04	31.02	51.84	33.88	8.38	6.21	3.0	6.3	
		9:04	31.31	51.88	33.90	8.42	7.04	1.3	6.9	
		12:04	31.27	51.91	33.92	8.45	7.68	1.2	10.8	
		15:04	31.42	51.95	33.95	8.48	8.05	1.5	6.7	
		18:04	31.69	52.07	34.03	8.49	7.87	1.9	12.7	
		21:04	31.71	51.99	33.96	8.48	7.59	1.3	10.8	
	日平均值			31.38	51.92	33.92	8.44	7.16	1.61	8.36
	潮口站	0:04	30.68	51.43	33.62	8.29	6.85	2.9	2.3	
		3:04	31.17	51.41	33.59	8.35	6.84	4.4	10.7	
		6:04	31.03	51.40	33.59	8.32	6.18	4.9	6.4	
		9:04	30.55	51.71	33.83	8.27	6.74	3.7	8.5	
		12:04	31.01	51.73	33.83	8.27	6.88	2.4	2.8	
		15:04	32.49	51.67	33.73	8.38	8.08	6.8	3.6	
		18:04	31.80	51.65	33.74	8.35	7.77	6.1	8.6	
		21:04	31.11	51.57	33.71	8.26	6.64	5.0	9.6	
	日平均值			31.23	51.57	33.71	8.31	7.00	4.53	6.56
	灣內站	0:04	31.17	50.89	33.19	8.30	6.43	3.8	7.8	
		3:04	30.87	50.86	33.19	8.29	6.29	3.2	7.7	
		6:04	30.92	50.84	33.17	8.33	6.49	9.5	9.0	
		9:04	31.28	50.86	33.17	8.39	7.05	3.0	3.8	
		12:04	32.00	50.88	33.16	8.45	8.09	3.4	3.8	
		15:04	32.36	50.88	33.15	8.51	8.32	4.1	5.6	
		18:04	31.99	50.85	33.14	8.38	7.93	3.4	5.9	
		21:04	31.75	50.83	33.14	8.38	7.22	4.4	7.4	
	日平均值			31.54	50.86	33.16	8.38	7.23	4.35	6.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月16日	蚵殼站	0:04	31.47	52.04	34.01	8.45	7.23	1.1	7.0	
		3:04	31.41	51.99	33.98	8.45	7.01	1.1	8.2	
		6:04	31.25	52.02	34.01	8.43	6.62	1.1	16.0	
		9:04	31.43	52.04	34.01	8.43	6.43	0.9	5.0	
		12:04	31.44	52.07	34.03	8.49	7.47	1.7	14.3	
		15:04	31.51	52.13	34.08	8.48	7.53	2.3	10.0	
		18:04	31.17	52.12	34.08	8.43	6.86	3.3	15.3	
		21:04	31.04	52.04	34.02	8.43	6.43	3.9	10.7	
	日平均值			31.34	52.06	34.03	8.45	6.95	1.93	10.81
	潮口站	0:04	30.58	51.58	33.73	8.26	6.61	2.7	12.2	
		3:04	31.16	51.51	33.67	8.33	6.68	5.4	3.1	
		6:04	31.03	51.47	33.64	8.35	6.94	3.4	12.1	
		9:04	30.88	51.47	33.64	8.26	6.42	4.2	13.2	
		12:04	31.25	51.60	33.72	8.26	6.63	5.2	4.6	
		15:04	32.42	51.63	33.71	8.36	7.60	11.3	5.0	
		18:04	32.09	51.55	33.66	8.36	7.05	8.9	10.4	
		21:04	31.53	51.37	33.55	8.34	6.79	8.4	4.8	
	日平均值			31.37	51.52	33.67	8.32	6.84	6.19	8.18
	灣內站	0:04	31.70	50.83	33.14	8.38	6.66	4.4	3.5	
		3:04	31.48	50.79	33.11	8.36	5.64	4.6	6.6	
		6:04	31.26	50.79	33.12	8.29	5.73	4.0	8.5	
		9:04	31.37	50.75	33.09	8.38	7.55	3.2	6.0	
		12:04	32.15	50.87	33.15	8.44	8.02	3.3	2.2	
		15:04	32.29	50.82	33.10	8.46	8.12	6.0	5.6	
		18:04	31.89	50.69	33.03	8.46	7.00	9.1	16.6	
		21:04	31.59	49.97	32.51	8.39	6.19	7.2	10.7	
	日平均值			31.72	50.69	33.03	8.40	6.86	5.23	7.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月17日	蚵殼站	0:04	30.84	52.07	34.05	8.40	6.17	3.0	10.3	
		3:04	30.77	52.05	34.04	8.40	5.81	2.4	7.3	
		6:04	30.60	51.98	34.00	8.37	5.51	4.0	12.5	
		9:04	30.52	51.95	33.98	8.37	5.37	1.9	5.9	
		12:04	30.95	51.97	33.98	8.42	5.89	1.3	3.0	
		15:04	30.81	52.03	34.02	8.44	6.12	2.0	13.1	
		18:04	30.84	52.00	34.00	8.45	6.04	9.9	9.5	
		21:04	30.73	51.97	33.99	8.40	5.40	2.1	14.4	
	日平均值			30.76	52.00	34.01	8.41	5.79	3.33	9.50
	潮口站	0:04	30.27	51.53	33.71	8.26	6.42	11.4	6.1	
		3:04	30.40	51.37	33.58	8.34	6.07	9.1	5.0	
		6:04	30.33	51.34	33.56	8.34	6.32	5.3	9.4	
		9:04	30.27	51.35	33.58	8.32	5.77	7.4	2.0	
		12:04	30.51	51.42	33.62	8.27	6.07	8.4	0.9	
		15:04	31.26	51.46	33.62	8.38	7.36	13.6	10.1	
		18:04	31.10	51.48	33.64	8.37	7.29	7.5	4.7	
		21:04	31.00	51.47	33.64	8.37	7.27	11.2	18.0	
	日平均值			30.64	51.43	33.62	8.33	6.57	9.24	7.03
	灣內站	0:04	31.33	50.51	32.91	8.35	5.48	6.1	11.4	
		3:04	31.04	50.56	32.96	8.32	5.33	8.8	17.7	
		6:04	30.89	50.47	32.90	8.31	4.80	6.6	15.7	
		9:04	30.88	50.48	32.90	8.31	5.19	5.5	26.1	
		12:04	30.79	50.53	32.93	8.33	5.94	4.9	19.7	
		15:04	30.92	50.49	32.91	8.34	6.31	5.9	13.4	
		18:04	30.80	50.50	32.92	8.29	5.51	5.3	21.4	
		21:04	30.79	50.49	32.92	8.27	5.49	3.6	14.3	
	日平均值			30.93	50.50	32.92	8.32	5.51	5.84	17.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月18日	蚵殼站	0:04	30.60	51.97	33.99	8.40	5.19	2.8	12.9	
		0:34	30.59	51.93	33.96	8.40	5.20	1.8	10.0	
		1:04	30.60	51.95	33.97	8.40	5.16	1.9	22.2	
		1:34	30.60	51.95	33.97	8.40	5.10	1.6	11.4	
		2:04	30.57	51.96	33.98	8.39	4.98	1.9	9.9	
		2:34	30.34	51.70	33.80	8.37	4.73	2.4	6.7	
		20:04	31.54	51.67	33.74	8.48	4.87	7.2	17.3	
		20:34	31.50	51.67	33.74	8.47	4.78	1.4	7.7	
	日平均值			30.79	51.85	33.89	8.41	5.00	2.63	12.26
	潮口站	0:04	30.13	51.31	33.54	8.22	6.10	12.5	13.2	
		3:04	30.00	51.32	33.56	8.18	5.70	5.5	6.4	
		6:04	30.37	51.49	33.67	8.32	6.41	5.2	8.4	
		9:04	31.12	51.75	33.84	8.39	7.24	2.7	11.7	
		12:04	31.25	49.10	31.90	8.21	6.27	10.3	19.3	
		15:04	31.60	48.71	31.61	8.21	6.47	6.7	18.1	
		18:04	31.16	51.47	33.62	8.44	8.70	4.0	4.9	
		21:04	31.73	51.77	33.82	8.33	7.22	8.7	21.6	
	日平均值			30.92	50.87	33.20	8.29	6.76	6.95	12.95
	灣內站	0:04	30.80	50.49	32.92	8.28	5.61	2.8	8.7	
		3:04	30.66	50.49	32.91	8.25	4.91	2.0	5.2	
		6:04	30.53	50.50	32.93	8.23	4.99	5.0	6.2	
		9:04	30.79	50.53	32.94	8.25	5.56	4.3	7.2	
		12:04	31.56	50.12	32.62	8.44	9.23	3.4	13.8	
		15:04	32.26	50.45	32.84	8.49	9.93	4.0	11.4	
		18:04	32.04	50.35	32.77	8.48	9.25	3.3	13.3	
		21:04	31.76	50.56	32.94	8.39	6.94	2.9	6.9	
	日平均值			31.30	50.44	32.86	8.35	7.05	3.46	9.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月19日	蚵殼站	0:04	31.29	51.67	33.74	8.46	4.33	1.7	6.2	
		3:04	31.05	51.65	33.74	8.42	4.09	1.5	8.7	
		6:04	30.88	51.56	33.68	8.45	4.58	0.9	11.1	
		9:04	31.39	51.70	33.77	8.52	5.46	1.2	14.4	
		12:04	31.72	51.65	33.71	8.52	6.07	1.6	12.5	
		15:04	31.79	51.56	33.65	8.52	6.86	4.1	14.0	
		18:04	31.89	50.68	33.00	8.50	6.93	3.5	14.8	
		21:04	31.83	50.49	32.86	8.50	6.71	2.3	9.4	
	日平均值			31.48	51.37	33.52	8.49	5.63	2.10	11.39
	潮口站	0:04	30.44	49.88	32.50	8.22	6.22	8.2	22.8	
		3:04	31.03	50.97	33.27	8.36	7.83	11.9	13.6	
		6:04	30.63	51.29	33.52	8.31	6.72	7.1	5.7	
		9:04	31.00	51.45	33.62	8.26	6.38	9.4	11.5	
		12:04	31.68	51.47	33.61	8.36	8.12	6.4	17.8	
		15:04	32.39	42.96	27.48	8.21	6.70	10.4	14.1	
		18:04	31.52	49.77	32.37	8.36	8.59	10.3	8.4	
		21:04	31.65	50.11	32.62	8.45	9.48	8.6	9.7	
	日平均值			31.29	49.74	32.37	8.32	7.51	9.04	12.95
	灣內站	0:04	31.53	50.53	32.93	8.41	8.30	3.2	13.8	
		3:04	31.42	50.52	32.92	8.37	7.88	2.7	11.6	
		6:04	31.15	50.56	32.96	8.32	6.89	3.9	16.6	
		9:04	31.54	50.58	32.97	8.45	9.11	3.2	12.4	
		12:04	32.62	50.66	32.98	8.61	11.43	3.0	12.4	
		15:04	32.99	50.74	33.02	8.65	11.90	3.2	14.0	
		18:04	32.73	50.38	32.78	8.54	10.44	3.6	11.6	
		21:04	32.58	50.70	33.02	8.50	8.88	2.7	5.7	
	日平均值			32.07	50.58	32.95	8.48	9.35	3.19	12.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月20日	蚵殼站	0:04	31.60	50.66	33.00	8.46	6.32	1.0	4.7	
		3:04	31.35	50.79	33.10	8.46	6.58	1.1	13.6	
		6:04	31.29	50.96	33.23	8.50	7.11	1.5	24.0	
		10:04	31.50	51.37	33.52	8.46	7.56	1.7	13.9	
		12:04	31.49	51.78	33.82	8.46	7.66	1.5	15.7	
		13:04	31.74	51.63	33.70	8.51	8.17	1.8	17.2	
		14:04	31.99	51.55	33.64	8.56	8.99	2.2	10.8	
		23:34	31.91	51.48	33.59	8.61	8.72	1.3	13.2	
	日平均值			31.61	51.28	33.45	8.50	7.64	1.51	14.14
	潮口站	0:04	31.05	51.34	33.54	8.32	7.12	12.5	11.9	
		3:04	30.61	50.99	33.39	8.30	6.84	8.8	6.6	
		6:04	30.88	49.46	32.25	8.37	8.27	4.9	3.0	
		9:04	31.49	49.98	32.61	8.43	9.56	4.0	5.4	
		12:04	32.44	50.11	32.67	8.48	10.32	9.2	9.2	
		15:04	31.38	50.70	33.15	8.27	7.42	4.1	13.2	
		18:04	31.66	47.88	31.05	8.24	7.50	5.4	19.8	
		21:04	31.80	48.97	31.84	8.45	9.60	5.9	4.5	
	日平均值			31.41	49.93	32.56	8.36	8.33	6.85	9.20
	灣內站	1:04	32.27	50.77	33.09	8.48	8.97	2.2	8.1	
		2:34	32.07	50.67	33.01	8.48	9.28	2.6	11.5	
		5:34	31.81	50.70	33.05	8.52	9.86	2.3	13.9	
		10:34	32.35	50.79	33.10	8.52	9.66	7.7	17.2	
		12:04	32.57	50.72	33.04	8.52	9.43	9.0	22.3	
		18:34	32.84	50.44	32.82	8.57	9.65	5.3	28.5	
		19:34	32.59	50.54	32.91	8.46	7.95	6.3	23.5	
		22:04	32.48	50.36	32.78	8.47	8.05	5.3	23.2	
	日平均值			32.37	50.62	32.98	8.50	9.11	5.09	18.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月21日	蚵殼站	4:34	31.61	51.50	33.61	8.52	7.86	1.9	18.2	
		6:04	31.40	51.42	33.56	8.52	7.64	2.2	4.7	
		6:04	31.40	51.42	33.56	8.52	7.64	2.2	4.7	
		13:34	32.56	51.69	33.71	8.53	8.60	2.6	7.9	
		14:04	32.36	51.64	33.68	8.54	8.85	3.9	13.7	
		15:04	32.16	51.44	33.54	8.57	9.21	2.5	29.7	
		18:04	31.78	50.24	32.68	8.47	8.11	2.6	16.7	
		21:04	31.22	49.46	32.13	8.35	6.88	3.1	12.8	
	日平均值			31.81	51.10	33.31	8.50	8.10	2.63	13.55
	潮口站	0:04	31.80	49.80	32.46	8.36	8.18	4.4	13.1	
		3:04	30.09	51.45	33.75	8.20	6.33	4.7	16.2	
		6:04	31.08	50.81	33.24	8.26	7.61	1.9	6.1	
		9:04	31.82	50.65	33.10	8.33	9.04	4.6	7.6	
		12:04	33.14	50.62	33.02	8.38	9.50	3.3	9.7	
		15:04	32.12	43.68	27.96	8.05	6.86	3.7	23.5	
		18:04	31.73	42.34	27.00	8.07	6.81	4.6	15.5	
		21:04	31.91	50.22	32.78	8.27	8.84	6.1	6.6	
	日平均值			31.71	48.70	31.66	8.24	7.90	4.16	12.29
	灣內站	1:34	32.04	50.55	32.94	8.53	9.34	4.5	15.6	
		3:04	31.93	50.54	32.95	8.50	8.70	4.8	16.2	
		6:04	31.80	50.48	32.89	8.46	8.56	3.9	19.0	
		8:34	31.81	50.42	32.86	8.52	9.21	4.9	13.1	
		11:34	32.92	50.34	32.76	8.58	10.49	6.1	13.9	
		19:34	32.53	50.27	32.59	8.53	9.02	5.9	19.7	
		21:04	32.57	50.52	32.76	8.47	6.73	5.5	12.6	
		22:34	32.44	50.44	32.69	8.44	6.44	4.9	16.4	
	日平均值			32.26	50.45	32.81	8.50	8.56	5.06	15.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月22日	蚵殼站	0:04	31.45	49.65	32.26	8.40	6.84	2.1	0.9	
		3:04	30.97	49.53	32.20	8.38	6.67	2.2	14.9	
		6:04	31.72	51.70	33.75	8.40	7.21	9.7	10.9	
		9:04	31.27	50.35	32.78	8.49	7.10	1.6	23.7	
		12:04	31.22	51.32	33.49	8.46	7.59	1.9	17.1	
		15:04	31.98	50.61	32.94	8.69	10.69	3.7	47.4	
		18:04	31.76	51.17	33.36	8.62	9.99	1.9	36.0	
		21:04	31.29	51.20	33.40	8.57	8.55	1.5	16.0	
	日平均值			31.46	50.69	33.02	8.50	8.08	3.08	20.86
	潮口站	0:04	31.63	48.34	31.39	8.23	8.37	5.5	18.3	
		3:04	30.06	51.70	33.95	8.08	6.16	4.7	15.4	
		6:04	30.08	51.73	33.97	8.06	5.90	4.6	11.2	
		9:04	31.59	49.60	32.33	8.34	9.01	5.0	5.2	
		12:04	32.00	50.26	32.81	8.37	9.90	7.2	17.8	
		15:04	31.81	50.40	32.92	8.32	9.45	2.4	25.6	
		18:04	30.63	49.59	32.35	8.12	6.87	3.8	15.8	
		21:04	31.47	50.00	32.63	8.37	10.01	6.4	5.9	
	日平均值			31.16	50.20	32.79	8.24	8.21	4.95	14.40
	灣內站	0:34	32.59	50.66	32.84	8.50	8.80	5.5	18.6	
		3:04	32.36	50.84	32.97	8.35	6.83	5.0	14.1	
		6:04	32.13	51.07	33.13	8.44	7.23	5.3	23.4	
		9:04	32.19	50.99	33.07	8.50	7.89	5.3	19.3	
		11:34	32.12	50.65	32.84	8.54	9.43	6.7	22.2	
		15:04	32.28	50.74	32.89	8.51	8.48	7.5	24.8	
		20:04	31.95	50.41	32.66	8.59	11.74	5.3	30.6	
		23:34	31.85	49.67	32.16	8.56	10.42	5.4	36.5	
	日平均值			32.18	50.63	32.82	8.50	8.85	5.75	23.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月23日	蚵殼站	1:34	31.00	50.33	32.78	8.54	8.12	2.1	21.8	
		4:34	30.79	50.42	32.85	8.53	7.84	2.3	23.9	
		6:04	30.39	51.63	33.75	8.38	6.59	3.1	12.9	
		9:04	30.38	51.62	33.74	8.45	7.24	3.7	17.1	
		13:04	31.38	51.59	33.68	8.52	8.59	3.8	17.3	
		15:04	30.99	52.11	34.08	8.43	7.77	3.8	27.7	
		18:04	32.02	51.47	33.57	8.57	8.72	4.0	17.1	
		23:34	31.72	51.04	33.27	8.52	7.93	2.3	17.7	
	日平均值			31.08	51.28	33.47	8.49	7.85	3.14	19.44
	潮口站	0:04	31.22	49.61	32.34	8.26	9.10	9.6	11.6	
		3:04	30.34	51.51	33.80	8.10	6.26	7.9	12.0	
		6:04	30.15	51.74	33.97	8.10	6.24	6.5	12.5	
		9:04	31.16	50.35	32.90	8.32	9.04	7.6	6.5	
		12:04	32.36	50.11	32.68	8.47	12.23	3.5	6.6	
		15:04	32.85	50.43	32.90	8.48	11.76	8.8	19.8	
		18:04	31.03	50.92	33.33	8.17	7.51	9.5	12.2	
		21:04	32.12	50.65	33.09	8.26	7.95	12.7	5.6	
	日平均值			31.40	50.67	33.13	8.27	8.76	8.26	10.85
	灣內站	0:04	31.77	49.77	32.23	8.55	10.17	5.7	35.5	
		3:04	31.57	50.38	32.65	8.42	8.31	4.2	18.0	
		6:04	31.23	50.19	32.53	8.48	9.09	4.6	26.2	
		9:04	31.16	50.58	32.81	8.24	5.75	4.1	20.4	
		12:04	32.39	49.88	32.27	8.59	11.84	5.0	15.5	
		15:04	32.48	50.35	32.59	8.46	9.02	7.7	18.4	
		18:04	32.76	50.09	32.40	8.54	9.28	7.4	21.7	
		21:04	31.17	50.87	33.00	8.28	6.80	4.4	8.7	
	日平均值			31.82	50.26	32.56	8.45	8.78	5.39	20.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月24日	蚵殼站	0:04	31.71	50.99	33.23	8.49	7.71	3.1	7.7	
		3:04	31.58	51.34	33.49	8.49	7.15	11.5	18.9	
		6:04	31.28	51.61	33.70	8.57	7.83	3.1	24.7	
		9:04	30.79	52.18	34.14	8.42	6.45	2.1	7.4	
		12:04	31.67	52.03	34.00	8.46	7.24	1.3	9.2	
		15:04	31.73	52.16	34.09	8.44	7.16	1.7	18.6	
		18:04	31.98	51.86	33.86	8.56	8.43	1.9	15.4	
		21:04	31.25	50.67	33.01	8.45	7.22	2.7	12.9	
	日平均值			31.50	51.61	33.69	8.49	7.40	3.43	14.35
	潮口站	0:04	32.24	50.31	32.83	8.32	8.45	11.8	3.8	
		3:04	31.05	50.96	33.35	8.16	7.04	10.5	10.4	
		6:04	29.85	51.66	33.92	8.09	6.43	13.5	11.1	
		9:04	31.40	50.91	33.32	8.25	7.81	14.9	7.2	
		12:04	32.70	50.51	32.97	8.37	9.88	10.1	1.3	
		15:04	32.31	51.09	33.41	8.34	9.95	5.3	6.8	
		18:04	31.33	43.79	28.07	8.02	6.61	4.8	7.7	
		21:04	30.48	49.17	32.06	8.06	6.20	12.6	3.2	
	日平均值			31.42	49.80	32.49	8.20	7.80	10.44	6.44
	灣內站	0:04	31.15	50.53	32.76	8.26	6.91	3.7	14.5	
		3:04	31.18	50.51	32.75	8.33	7.30	3.7	23.5	
		6:04	31.29	50.50	32.74	8.43	9.11	3.1	9.2	
		9:04	31.27	50.66	32.84	8.37	8.15	4.0	16.4	
		12:04	32.04	50.40	32.64	8.57	11.45	3.7	10.4	
		15:04	33.00	51.06	33.07	8.59	11.50	4.6	9.7	
		18:04	33.17	50.72	32.81	8.55	10.46	5.2	17.3	
		21:04	32.37	50.70	32.84	8.45	7.67	4.4	7.0	
	日平均值			31.93	50.64	32.81	8.44	9.07	4.05	13.50
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月25日	蚵殼站	0:04	31.00	50.57	32.95	8.42	6.62	1.9	7.0	
		3:04	31.02	50.89	33.19	8.42	5.89	1.4	5.1	
		6:04	31.38	51.64	33.72	8.46	6.23	2.7	15.7	
		9:04	30.82	52.23	34.17	8.34	5.69	1.7	3.4	
		12:04	31.11	50.53	32.93	8.35	8.72	1.6	8.5	
		15:04	32.01	50.60	32.95	8.40	9.85	1.5	13.1	
		18:04	32.60	48.88	31.67	8.57	10.78	2.3	16.8	
		21:04	32.36	50.53	32.89	8.57	10.50	3.0	13.0	
	日平均值			31.54	50.73	33.06	8.44	8.04	2.01	10.33
	潮口站	0:04	31.68	49.48	32.23	8.26	8.36	11.0	4.7	
		3:04	31.15	49.52	32.29	8.18	7.09	10.6	6.5	
		6:04	29.37	51.27	33.66	8.10	6.34	11.6	8.9	
		9:04	30.19	50.99	33.42	8.11	6.53	10.7	5.1	
		12:34	32.63	51.34	33.49	8.21	7.85	7.3	12.2	
		15:04	32.38	51.38	33.53	8.22	8.74	6.4	16.2	
		18:04	31.24	46.36	29.93	8.01	6.01	6.3	5.7	
		21:04	30.48	44.53	28.64	7.99	5.52	5.9	6.8	
	日平均值			31.14	49.36	32.15	8.14	7.06	8.73	8.26
	灣內站	0:04	32.06	50.83	32.95	8.44	9.57	3.9	8.7	
		3:04	31.74	50.58	32.78	8.36	7.85	3.5	7.0	
		6:04	31.50	50.62	32.83	8.35	7.60	2.7	4.9	
		9:04	31.34	50.51	32.76	8.39	7.35	5.1	12.2	
		12:04	32.58	50.58	32.93	8.36	9.27	2.7	8.4	
		15:04	33.28	50.51	32.85	8.44	10.29	4.7	17.5	
		18:04	33.39	50.52	32.85	8.49	10.42	5.1	23.7	
		21:04	33.03	50.66	32.97	8.47	9.80	3.5	15.6	
	日平均值			32.37	50.60	32.87	8.41	9.02	3.90	12.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月26日	蚵殼站	0:04	31.54	49.43	32.11	8.49	9.54	1.9	5.3	
		3:04	31.62	50.12	32.62	8.51	9.75	2.6	15.7	
		6:04	31.69	50.31	32.75	8.50	9.11	1.8	11.6	
		9:04	30.60	50.74	33.10	8.31	8.18	3.2	15.1	
		12:04	30.46	50.71	33.09	8.42	9.23	3.0	15.1	
		15:04	31.50	50.94	33.22	8.39	8.97	1.9	9.1	
		18:04	32.34	51.19	33.37	8.49	9.83	2.0	10.8	
		21:04	32.36	50.00	32.50	8.51	9.12	1.2	10.1	
	日平均值			31.51	50.43	32.85	8.45	9.22	2.20	11.60
	潮口站	0:04	30.88	47.17	30.53	8.06	6.04	3.7	11.1	
		3:04	31.28	49.52	32.21	8.12	6.42	2.1	10.2	
		6:04	29.38	51.61	33.80	8.00	5.17	7.2	4.6	
		9:04	29.61	51.42	33.65	8.03	5.45	3.3	2.2	
		12:04	32.33	50.15	32.63	8.27	9.08	4.8	13.4	
		15:04	33.47	50.29	32.69	8.22	8.54	9.9	4.4	
		18:04	31.88	50.73	33.07	8.14	7.50	6.0	9.6	
		21:04	30.10	51.03	33.35	8.02	5.51	4.2	6.1	
	日平均值			31.12	50.24	32.74	8.11	6.71	5.15	7.70
	灣內站	0:04	32.61	50.58	32.93	8.44	9.20	3.2	11.5	
		3:04	32.39	50.66	33.00	8.31	7.90	3.8	12.8	
		6:04	31.94	50.63	32.99	8.30	7.96	3.1	14.0	
		9:04	31.94	50.74	33.07	8.28	7.93	2.7	7.1	
		12:04	32.83	50.67	32.99	8.38	9.17	3.0	7.3	
		15:04	33.49	50.74	33.01	8.43	10.08	4.4	17.6	
		18:04	33.26	50.83	33.09	8.39	9.65	4.8	28.0	
		21:04	31.66	51.17	33.40	8.19	8.05	3.1	10.3	
	日平均值			32.52	50.75	33.06	8.34	8.74	3.51	13.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月27日	蚵殼站	0:04	32.00	50.41	32.81	8.50	8.73	1.3	11.8	
		3:04	31.78	50.49	32.88	8.48	8.48	1.7	3.9	
		6:04	31.30	50.51	32.91	8.46	7.88	1.3	0.3	
		9:04	31.35	50.73	33.07	8.46	7.43	2.1	10.4	
		12:04	31.01	50.92	33.22	8.43	7.93	2.6	4.9	
		15:04	31.12	51.09	33.34	8.39	7.93	2.5	11.5	
		18:04	31.02	51.15	33.39	8.38	7.89	2.4	1.3	
		21:04	31.61	51.02	33.27	8.45	8.23	3.5	4.6	
	日平均值			31.40	50.79	33.11	8.44	8.06	2.18	6.09
	潮口站	0:04	32.18	50.15	32.64	8.25	7.48	4.9	7.9	
		3:04	31.73	50.41	32.84	8.18	6.59	3.7	11.0	
		6:04	30.31	50.90	33.25	8.01	5.32	6.3	5.9	
		9:04	30.05	51.06	33.37	8.01	5.34	8.2	2.2	
		12:04	32.46	50.53	32.91	8.21	7.32	4.2	2.6	
		15:04	32.88	50.62	32.95	8.15	6.83	13.1	9.1	
		18:04	31.80	50.26	32.73	8.15	6.99	5.8	9.8	
		21:04	30.61	44.46	28.59	7.98	5.51	15.5	4.1	
	日平均值			31.50	49.80	32.41	8.12	6.42	7.71	6.58
	灣內站	0:04	32.17	50.04	32.55	8.31	8.35	2.6	10.4	
		3:04	31.60	50.55	32.94	8.23	7.72	2.7	8.4	
		6:04	31.31	50.06	32.59	8.13	6.84	2.2	5.6	
		9:04	31.28	50.00	32.55	8.16	7.67	2.3	4.8	
		12:04	32.19	48.24	31.23	8.28	8.49	2.2	5.3	
		15:04	32.95	48.39	31.32	8.29	8.85	7.2	18.1	
		18:04	32.36	48.51	31.42	8.28	8.68	5.5	17.6	
		21:04	31.75	48.30	31.30	8.20	7.57	4.5	8.6	
	日平均值			31.95	49.26	31.99	8.24	8.02	3.65	9.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月28日	蚵殼站	0:04	30.89	47.93	31.04	8.36	7.41	4.8	9.4	
		3:04	31.60	50.15	32.63	8.38	6.98	3.0	5.6	
		6:04	31.31	49.96	32.51	8.37	7.01	2.8	6.5	
		9:04	31.51	50.47	32.87	8.41	7.27	2.3	7.2	
		12:04	31.41	51.09	33.33	8.39	6.95	2.3	10.1	
		15:04	31.82	50.68	33.02	8.46	7.74	1.4	17.9	
		18:04	31.47	50.85	33.16	8.43	7.32	2.5	12.4	
		21:04	31.27	50.77	33.10	8.37	6.73	1.5	12.4	
	日平均值			31.41	50.24	32.71	8.40	7.18	2.58	10.19
	潮口站	0:04	30.79	49.12	31.94	8.02	5.65	7.5	1.7	
		3:04	30.89	47.52	30.78	8.12	6.08	6.1	8.3	
		6:04	30.97	49.19	31.98	8.07	5.51	4.5	8.3	
		9:04	30.05	50.55	33.00	7.99	5.35	19.6	1.0	
		12:04	30.96	49.98	32.55	8.08	6.09	9.0	6.0	
		15:04	31.53	49.80	32.41	8.14	7.16	12.0	15.2	
		18:04	31.40	49.96	32.53	8.14	7.33	8.3	8.1	
		21:04	30.06	46.92	30.37	7.94	5.34	14.9	1.5	
	日平均值			30.83	49.13	31.95	8.06	6.06	10.24	6.26
	灣內站	0:04	31.55	47.40	30.65	8.16	7.35	3.1	6.5	
		3:04	31.47	44.27	28.39	8.16	7.16	4.1	8.8	
		6:04	30.73	42.81	27.38	8.12	7.22	3.2	5.8	
		9:04	31.46	43.45	27.80	8.15	7.53	3.4	19.4	
		12:04	31.20	41.88	26.69	8.21	8.65	3.1	13.8	
		15:04	31.77	37.69	23.65	8.29	10.20	4.5	21.5	
		18:04	31.62	37.44	23.40	8.32	10.27	4.1	22.8	
		21:04	31.28	39.05	24.47	8.27	9.65	3.7	22.6	
	日平均值			31.39	41.75	26.55	8.21	8.50	3.65	15.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月29日	蚵殼站	0:04	31.13	50.24	32.72	8.46	6.89	1.7	18.6	
		3:04	31.13	50.23	32.71	8.46	6.58	3.9	8.9	
		6:04	30.79	50.07	32.61	8.40	6.21	2.0	6.3	
		9:04	29.86	49.18	31.98	8.27	5.65	3.4	7.4	
		12:04	30.29	49.49	32.20	8.32	5.69	5.0	13.2	
		15:04	31.12	46.72	30.20	8.30	5.41	2.0	10.9	
		18:04	30.99	46.58	30.10	8.33	5.46	3.3	9.3	
		21:04	29.60	42.25	26.99	8.32	5.58	8.4	8.6	
	日平均值			30.61	48.10	31.19	8.36	5.93	3.71	10.39
	潮口站	0:04	29.62	47.00	30.44	7.96	5.34	15.4	0.5	
		3:04	30.35	48.69	31.64	8.03	5.54	6.5	2.2	
		6:04	30.70	48.96	31.82	8.06	5.45	6.7	4.7	
		9:04	29.81	49.64	32.34	7.99	5.37	26.5	2.8	
		12:04	29.86	48.92	31.82	7.98	5.33	25.5	8.5	
		15:04	29.89	43.87	28.19	8.03	5.27	26.0	7.8	
		18:04	30.30	44.99	28.98	8.11	5.46	9.9	11.3	
		21:04	29.59	42.19	27.01	7.99	5.40	29.7	4.9	
	日平均值			30.02	46.78	30.28	8.02	5.40	18.28	5.34
	灣內站	0:04	31.25	41.22	25.97	8.23	8.92	2.8	12.3	
		3:04	31.05	34.92	21.75	8.15	8.31	2.9	10.4	
		6:04	30.89	41.18	26.33	8.18	8.47	3.2	10.8	
		9:04	30.98	41.65	26.54	8.20	8.75	3.2	24.3	
		12:04	30.70	40.02	25.52	8.23	9.32	3.1	22.2	
		15:04	30.38	40.75	25.98	8.52	7.82	4.9	14.3	
		18:04	29.66	39.90	25.46	8.45	7.39	5.1	11.8	
		21:04	29.65	40.80	26.01	8.40	6.75	4.6	7.9	
	日平均值			30.57	40.06	25.45	8.30	8.22	3.73	14.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月30日	蚵殼站	0:04	29.25	41.26	26.30	8.28	5.42	8.0	8.1	
		3:04	28.97	39.84	25.29	8.28	5.36	4.1	1.9	
		6:04	28.68	38.09	24.07	8.23	5.65	7.7	3.4	
		9:04	28.44	34.17	21.35	8.22	5.60	9.9	10.5	
		12:04	29.06	36.73	23.11	8.23	5.74	6.0	0.9	
		15:04	28.83	32.90	20.46	8.21	5.30	9.1	2.3	
		18:04	28.42	27.25	16.63	8.13	5.35	15.2	2.5	
		21:04	28.44	30.74	18.99	8.13	5.28	12.7	11.4	
	日平均值			28.76	35.12	22.03	8.21	5.46	9.09	5.13
	潮口站	0:04	29.35	40.59	25.88	7.98	5.33	22.4	3.8	
		3:04	28.63	32.15	20.07	8.03	5.31	20.6	6.3	
		6:04	27.76	21.65	13.11	7.89	5.44	40.4	8.2	
		9:04	27.84	20.36	12.28	7.80	5.38	32.8	7.9	
		12:04	28.36	19.88	11.96	7.76	5.51	37.0	3.5	
		15:04	28.84	23.82	14.50	7.89	5.67	38.1	10.1	
		18:04	29.30	35.99	22.68	7.96	4.89	28.1	7.5	
		21:04	29.67	42.05	26.90	7.93	3.88	9.9	6.3	
	日平均值			28.72	29.56	18.42	7.91	5.18	28.66	6.70
	灣內站	0:04	29.35	41.04	26.15	8.36	6.78	4.2	6.4	
		3:04	29.33	42.24	26.89	8.35	6.43	3.5	6.0	
		6:04	28.77	41.50	26.42	8.31	6.29	3.1	6.8	
		9:04	29.51	44.50	28.28	8.31	6.45	3.0	4.6	
		12:04	29.49	44.23	28.08	8.31	6.51	4.2	5.4	
		15:04	29.58	46.01	29.18	8.34	7.14	4.7	4.8	
		18:04	29.06	45.04	28.56	8.33	7.26	6.1	6.2	
		21:04	28.68	44.80	28.41	8.27	7.12	5.3	4.4	
	日平均值			29.22	43.67	27.75	8.32	6.75	4.26	5.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月31日	蚵殼站	0:04	28.46	32.78	20.38	8.12	5.12	7.0	3.0	
		3:34	28.21	30.84	19.06	8.11	5.01	5.4	4.3	
		6:04	27.44	23.05	13.85	8.08	5.26	16.5	4.8	
		9:04	27.80	28.28	17.34	8.07	5.13	8.3	7.5	
		11:34	27.53	23.50	14.15	8.05	5.09	15.3	10.6	
		15:04	27.56	21.80	13.03	8.02	4.98	14.0	3.3	
		18:04	27.75	15.30	8.85	7.96	4.74	14.3	5.8	
		21:34	27.47	11.18	6.29	7.62	4.71	11.9	9.9	
	日平均值			27.78	23.34	14.12	8.00	5.01	11.59	6.15
	潮口站	0:04	28.98	40.82	25.97	7.94	5.19	42.7	1.5	
		3:04	28.04	29.92	18.48	7.92	5.77	25.0	8.0	
		6:04	28.10	35.91	22.47	7.91	5.57	21.8	9.7	
		9:04	27.87	37.70	23.65	7.85	5.50	19.0	7.4	
		12:04	27.99	42.49	26.88	7.83	5.66	15.8	5.1	
		15:04	27.90	39.02	24.56	7.81	5.78	22.2	9.6	
		18:04	27.85	34.48	21.66	7.64	5.62	24.8	1.6	
		21:04	27.70	37.25	23.78	7.53	5.36	25.4	6.8	
	日平均值			28.05	37.20	23.43	7.80	5.56	24.59	6.21
	灣內站	0:04	28.31	43.29	27.48	8.23	7.25	3.9	4.9	
		3:04	28.39	45.02	28.52	8.19	7.02	4.1	3.3	
		6:04	28.09	44.65	28.28	8.18	7.17	3.6	2.9	
		9:04	27.13	39.81	25.42	7.97	7.10	3.5	4.8	
		12:04	27.24	39.36	25.18	7.79	6.81	3.7	5.8	
		15:04	27.75	44.68	28.29	8.10	7.21	5.7	3.2	
		18:04	27.93	43.42	27.55	8.11	7.57	7.8	5.2	
		21:04	27.69	41.06	26.21	7.84	6.81	6.1	5.6	
	日平均值			27.82	42.66	27.12	8.05	7.12	4.80	4.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月1日	蚵殼站	0:04	27.41	12.77	7.30	7.75	6.49	12.0	7.4	
		3:04	27.65	22.88	13.76	7.95	6.33	10.6	2.3	
		6:04	27.50	18.53	10.94	7.91	6.16	11.4	3.7	
		9:04	27.42	13.09	7.50	7.75	6.32	10.9	4.1	
		12:04	27.67	12.44	7.10	7.79	6.37	9.9	4.2	
		15:04	27.60	12.68	7.25	7.78	6.21	9.0	2.9	
		18:04	27.16	10.83	6.12	7.70	6.23	10.7	4.3	
		21:04	27.21	11.66	6.62	7.71	6.21	8.7	2.3	
	日平均值			27.45	14.36	8.32	7.79	6.29	10.40	3.90
	潮口站	0:04	27.71	39.60	25.03	7.56	6.45	22.2	2.0	
		3:04	27.73	39.61	25.03	7.56	6.38	17.6	6.1	
		6:04	27.65	39.23	24.80	7.53	6.32	17.5	7.3	
		9:04	27.85	40.35	25.49	7.58	6.34	17.2	3.3	
		12:04	28.22	39.77	25.13	7.63	6.69	17.0	7.7	
		15:04	28.18	39.36	24.88	7.65	6.91	18.5	7.1	
		18:04	27.85	37.80	23.93	7.62	6.98	16.7	12.8	
		21:04	27.65	38.10	24.11	7.58	6.76	18.2	0.7	
	日平均值			27.86	39.23	24.80	7.59	6.60	18.11	5.88
	灣內站	0:04	27.60	40.58	25.84	7.64	6.14	9.6	6.5	
		3:04	27.79	43.15	27.33	7.99	7.08	7.1	3.3	
		6:04	27.58	42.60	27.00	7.90	7.09	7.3	4.4	
		9:04	27.55	42.68	27.05	7.51	5.99	7.0	5.0	
		12:04	27.76	40.45	25.76	7.74	7.28	8.0	5.2	
		15:04	27.51	40.81	25.97	7.73	7.06	7.1	6.7	
		18:04	27.76	42.73	27.08	7.83	6.75	7.6	4.9	
		21:04	27.35	40.05	25.54	7.68	6.98	6.4	7.2	
	日平均值			27.61	41.63	26.45	7.75	6.80	7.51	5.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
8月2日	蚵殼站	0:04	27.14	10.65	6.01	7.56	6.23	9.0	5.5
		3:04	27.15	11.45	6.49	7.62	6.22	8.4	6.7
		6:04	26.86	10.66	6.01	7.67	6.26	8.0	4.7
		9:04	26.89	10.60	5.98	7.68	6.29	7.9	0.7
		12:04	27.23	10.61	5.98	7.75	6.27	7.3	5.5
		15:04	27.42	9.29	5.18	7.68	6.28	8.5	11.0
		18:04	27.39	10.85	6.13	7.74	6.31	7.8	10.7
		21:04	27.44	10.25	5.76	7.74	6.32	8.4	4.3
	日平均值		27.19	10.55	5.94	7.68	6.27	8.16	6.14
	潮口站	0:04	27.44	37.55	23.78	7.51	6.52	21.4	8.9
		3:04	27.55	39.33	24.86	7.56	6.38	41.1	10.8
		6:04	27.24	37.87	23.98	7.60	6.93	24.7	4.4
		9:04	27.29	37.53	23.77	7.54	6.70	17.9	7.5
		12:04	27.63	37.84	23.96	7.57	6.75	22.7	7.5
		15:04	27.82	37.59	23.80	7.60	6.82	19.0	4.8
		18:04	27.98	37.42	23.70	7.65	6.96	20.6	9.9
		21:04	27.98	37.49	23.74	7.55	6.51	19.5	10.8
	日平均值		27.62	37.83	23.95	7.57	6.70	23.36	8.08
	灣內站	0:04	27.67	42.04	26.68	7.76	6.63	6.6	3.6
		3:04	27.71	42.33	26.85	7.76	6.52	6.0	3.2
		6:04	27.39	41.22	26.21	7.58	6.30	5.7	4.4
		9:04	27.05	40.11	25.57	7.64	7.26	5.7	4.4
		12:04	27.30	39.04	24.97	7.51	6.93	5.3	7.3
		15:04	27.43	39.34	25.13	7.56	6.88	6.8	7.1
		18:04	27.49	39.19	25.05	7.58	7.06	6.8	7.9
		21:04	27.55	38.69	24.77	7.45	6.49	6.5	8.3
	日平均值		27.45	40.25	25.65	7.61	6.76	6.18	5.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月3日	蚵殼站	0:04	27.46	9.74	5.45	7.75	6.39	7.2	10.1	
		3:04	27.51	19.52	11.57	7.68	6.22	5.9	3.6	
		6:04	27.44	15.20	8.82	7.64	6.23	5.4	3.2	
		9:04	27.47	10.86	6.13	7.49	6.47	5.1	13.3	
		12:04	28.10	11.09	6.26	7.73	6.69	4.8	11.0	
		15:04	29.61	12.10	6.87	8.00	6.91	4.5	15.5	
		18:04	29.98	11.71	6.63	8.16	7.21	5.4	22.1	
		21:04	30.37	10.63	5.97	8.40	7.45	5.0	31.6	
	日平均值			28.49	12.61	7.21	7.86	6.70	5.41	13.80
	潮口站	0:04	27.89	37.12	23.52	7.58	6.99	16.8	7.1	
		3:04	27.65	36.76	23.30	7.48	6.46	69.0	9.7	
		6:04	28.05	43.89	27.71	7.67	5.33	21.6	3.3	
		9:04	27.74	36.68	23.25	7.52	6.75	13.3	13.5	
		12:04	29.01	38.27	24.20	7.70	6.94	14.8	4.9	
		15:04	28.77	45.87	28.96	7.90	6.80	14.1	9.4	
		18:04	29.33	43.95	27.73	7.81	6.69	11.7	8.7	
		21:04	30.62	39.68	25.05	8.18	9.03	27.1	17.1	
	日平均值			28.63	40.28	25.47	7.73	6.87	23.55	9.21
	灣內站	0:04	27.39	39.76	25.37	7.67	7.19	5.5	6.4	
		3:04	27.79	42.24	26.79	7.66	5.51	4.6	2.0	
		6:04	27.87	42.62	27.02	7.69	5.11	4.6	1.2	
		9:04	27.56	40.04	25.53	7.63	6.52	4.2	4.6	
		12:04	28.85	39.30	25.11	7.88	8.01	4.1	7.5	
		15:04	30.72	39.16	25.02	8.39	9.51	4.6	15.6	
		18:04	30.95	39.06	24.97	8.51	9.90	5.2	28.6	
		21:04	30.87	38.57	24.70	8.25	8.90	5.0	24.8	
	日平均值			29.00	40.09	25.56	7.96	7.58	4.73	11.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月4日	蚵殼站	0:04	30.08	10.27	5.75	8.31	7.36	5.3	30.7	
		3:04	29.49	11.69	6.62	7.73	6.56	4.4	19.2	
		6:04	28.94	28.52	17.50	7.89	6.22	4.3	2.8	
		9:04	29.01	22.53	13.51	7.82	6.27	4.5	5.3	
		12:04	29.87	14.34	8.25	8.26	7.05	5.1	36.8	
		15:04	31.39	13.45	7.68	8.75	8.58	6.2	71.4	
		18:04	31.97	13.86	7.93	8.89	8.27	6.8	91.6	
		21:04	32.13	12.74	7.24	9.35	8.67	7.4	93.6	
	日平均值			30.36	15.93	9.31	8.38	7.37	5.50	43.93
	潮口站	0:04	30.20	38.90	24.58	8.19	8.87	15.8	22.9	
		3:04	29.75	47.48	29.98	8.05	7.67	35.3	15.0	
		6:04	29.54	43.67	27.20	7.96	6.66	18.4	9.6	
		9:04	29.78	47.32	29.88	8.02	7.40	13.4	16.2	
		12:04	32.23	40.21	25.36	8.81	14.82	17.3	27.2	
		15:04	31.79	45.86	28.92	8.39	11.61	19.8	33.3	
		18:04	30.81	44.41	28.00	8.32	10.94	14.5	32.6	
		21:04	30.46	48.86	30.87	8.01	7.34	19.2	10.0	
	日平均值			30.57	44.59	28.10	8.22	9.41	19.21	20.85
	灣內站	0:04	29.46	39.56	25.25	7.84	7.49	6.1	23.8	
		3:04	28.83	42.02	26.66	7.69	5.07	4.5	3.9	
		6:04	28.66	42.91	27.18	7.80	5.09	4.0	1.2	
		9:04	29.14	41.37	26.28	7.69	5.59	4.4	4.3	
		12:04	31.69	38.64	24.74	8.92	13.37	5.1	35.1	
		15:04	33.22	38.06	24.42	9.51	17.96	7.0	66.7	
		18:04	30.63	41.00	26.06	8.42	8.72	6.3	30.3	
		21:04	32.56	37.68	24.21	9.65	18.19	6.4	89.4	
	日平均值			30.52	40.16	25.60	8.44	10.19	5.48	31.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月5日	蚵殼站	1:04	31.60	11.77	6.65	8.93	8.62	6.8	68.3	
		3:04	29.66	25.23	15.28	7.79	6.26	4.6	14.4	
		6:04	29.16	34.13	21.32	7.96	6.26	2.3	6.7	
		9:04	29.17	32.02	19.87	8.02	6.30	2.9	7.4	
		12:04	30.61	19.77	11.69	8.12	6.67	5.3	37.9	
		15:04	32.17	18.59	10.91	8.94	8.22	6.8	65.2	
		18:04	32.32	20.18	11.93	8.96	8.18	6.7	75.2	
		21:04	32.47	19.54	11.51	9.10	7.53	7.5	68.8	
	日平均值			30.90	22.65	13.65	8.48	7.26	5.36	42.99
	潮口站	0:04	30.38	47.60	30.06	7.99	7.38	20.7	13.5	
		3:04	30.64	37.99	23.41	8.34	9.84	24.8	21.2	
		6:04	29.87	42.10	26.86	7.98	6.78	35.6	2.6	
		9:04	30.53	29.63	18.39	8.32	8.45	30.8	17.7	
		12:04	31.31	26.08	16.06	8.70	13.35	16.2	25.5	
		15:04	30.04	39.79	25.26	7.95	5.88	25.2	8.7	
		18:04	30.91	43.41	27.75	7.97	7.06	38.3	3.3	
		21:04	30.64	36.19	22.78	8.06	7.09	41.8	7.2	
	日平均值			30.54	37.85	23.82	8.16	8.23	29.18	12.46
	灣內站	0:04	32.05	37.25	23.99	9.12	16.56	6.1	91.1	
		3:04	28.91	42.77	27.10	7.38	5.29	4.7	2.1	
		6:04	28.84	40.71	26.03	7.45	5.35	3.1	2.2	
		9:04	29.03	41.61	26.55	7.34	5.04	3.3	2.3	
		12:04	31.87	39.50	25.30	8.80	15.89	7.2	69.8	
		15:04	33.38	39.36	25.21	9.40	16.88	7.2	67.6	
		18:04	33.20	39.79	25.46	9.34	15.31	6.5	83.6	
		21:04	32.46	39.56	25.34	9.18	13.40	7.1	71.6	
	日平均值			31.22	40.07	25.62	8.50	11.72	5.65	48.79
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月6日	蚵殼站	1:34	31.55	20.79	12.33	8.32	6.85	6.0	49.3	
		3:04	30.81	25.96	15.74	8.35	6.40	4.8	22.9	
		6:04	29.59	36.20	22.75	7.99	6.18	3.1	2.9	
		9:04	29.73	36.18	22.73	7.99	6.05	3.9	4.4	
		12:34	31.51	22.43	13.40	8.79	7.04	5.6	34.2	
		15:04	31.89	22.46	13.41	8.89	7.58	5.7	29.1	
		18:04	31.76	26.36	15.99	8.75	6.87	6.4	33.4	
		21:04	31.78	22.79	13.63	8.81	6.68	5.9	25.3	
	日平均值			31.08	26.65	16.25	8.49	6.71	5.18	25.19
	潮口站	0:04	31.33	29.48	18.27	8.47	9.68	41.6	31.0	
		3:04	30.35	31.37	19.53	8.23	7.44	18.3	15.5	
		6:04	29.61	42.78	27.35	8.02	6.52	24.5	5.6	
		9:04	30.03	42.37	27.05	8.01	5.57	24.7	12.2	
		12:04	30.48	43.35	27.77	8.07	6.29	18.8	10.3	
		15:04	30.68	45.18	29.01	8.03	6.14	13.7	6.6	
		18:04	30.12	44.01	28.19	7.96	6.51	10.1	1.3	
		21:04	30.98	41.15	26.19	8.20	7.52	17.7	13.6	
	日平均值			30.45	39.96	25.42	8.12	6.96	21.18	12.01
	灣內站	0:04	32.06	39.42	25.25	9.20	11.81	6.2	67.1	
		3:04	30.30	40.57	25.91	7.87	7.04	4.3	14.4	
		6:04	29.95	42.28	26.96	7.79	6.65	3.5	5.7	
		9:04	30.21	41.71	26.61	7.80	6.89	3.8	7.6	
		12:04	31.70	37.27	23.94	8.87	10.57	5.9	28.7	
		15:04	32.63	38.59	24.71	8.93	11.25	6.8	28.0	
		18:04	32.21	39.46	25.23	8.80	10.75	6.4	29.1	
		21:04	31.73	39.32	25.15	8.76	8.97	6.0	19.5	
	日平均值			31.35	39.83	25.47	8.50	9.24	5.36	25.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月7日	蚵殼站	0:04	31.42	24.63	14.85	8.56	6.21	6.2	16.4	
		3:04	31.17	28.39	17.36	8.38	6.18	5.0	23.4	
		6:04	29.99	39.39	24.97	8.10	6.09	5.8	12.9	
		9:04	30.17	39.12	24.77	8.17	6.09	5.4	14.0	
		12:04	31.78	24.96	15.06	8.66	6.22	3.0	17.2	
		15:04	32.77	22.99	13.74	8.77	6.45	3.1	18.8	
		19:04	32.58	28.59	17.47	8.69	6.43	5.6	60.5	
		22:34	32.49	28.39	17.33	8.64	6.22	4.5	44.6	
	日平均值			31.55	29.56	18.19	8.50	6.24	4.83	25.98
	潮口站	0:04	31.55	31.89	19.87	8.47	7.52	21.0	11.8	
		3:04	31.20	29.93	18.57	8.30	6.03	10.9	11.4	
		6:04	30.34	42.20	26.93	8.24	5.95	21.7	2.2	
		9:04	30.37	43.32	27.70	8.04	5.76	42.2	7.3	
		12:04	31.06	41.47	26.41	8.14	6.92	12.9	11.9	
		15:04	31.65	41.30	26.25	8.25	10.18	51.0	12.7	
		18:04	30.21	38.66	24.47	7.96	6.56	17.9	2.7	
		21:04	31.18	36.34	22.87	8.22	9.38	23.3	4.8	
	日平均值			30.95	38.14	24.13	8.20	7.29	25.11	8.10
	灣內站	0:04	31.21	42.60	27.14	8.35	6.03	5.7	16.9	
		3:04	30.78	44.02	28.03	8.20	6.70	5.3	20.8	
		6:04	30.06	45.82	29.16	8.00	5.39	5.5	9.0	
		9:04	30.00	46.83	29.80	7.92	4.71	5.8	6.4	
		12:04	32.06	41.04	26.19	8.75	8.10	4.7	10.5	
		15:04	32.89	41.15	26.24	8.94	10.61	5.4	25.5	
		18:04	32.94	41.14	26.24	8.92	10.34	5.6	42.7	
		21:04	31.92	43.36	27.60	8.72	9.45	5.3	41.1	
	日平均值			31.48	43.25	27.55	8.48	7.67	5.41	21.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月8日	蚵殼站	2:34	31.51	26.59	16.15	8.44	6.11	4.2	21.1	
		6:34	30.64	38.23	24.14	8.19	6.09	3.8	30.2	
		6:04	30.86	36.68	23.05	8.23	6.12	7.2	31.3	
		9:04	30.18	42.91	27.46	8.25	6.07	3.8	25.2	
		11:04	30.71	40.52	25.75	8.36	6.21	4.0	52.3	
		11:34	31.56	34.04	21.20	8.63	10.74	5.4	65.0	
		19:34	31.98	34.74	21.67	8.78	12.57	5.0	77.1	
		23:34	32.26	30.35	18.66	8.88	11.75	4.9	81.8	
	日平均值			31.21	35.51	22.26	8.47	8.21	4.79	48.00
	潮口站	0:04	31.85	33.85	21.17	8.51	9.01	11.0	6.1	
		3:04	31.54	30.80	19.14	8.44	7.91	36.2	3.6	
		6:04	30.25	47.12	30.40	8.15	6.40	22.5	7.4	
		9:04	30.69	38.70	24.49	8.15	7.39	37.2	3.6	
		12:04	30.77	38.58	24.40	8.29	7.98	5.7	26.5	
		15:04	31.74	38.46	24.26	8.64	12.75	4.8	61.6	
		18:04	29.81	42.86	27.44	8.13	6.84	7.5	4.2	
		21:04	29.63	37.34	23.54	8.16	7.00	7.4	18.5	
	日平均值			30.79	38.46	24.36	8.31	8.16	16.54	16.44
	灣內站	0:04	31.75	42.96	27.36	8.32	9.84	4.8	36.0	
		3:04	31.68	41.36	26.43	8.30	9.78	4.2	39.6	
		6:04	30.51	43.37	27.57	7.82	5.78	6.4	31.3	
		9:04	29.68	44.41	28.24	7.86	6.49	4.1	10.5	
		12:04	32.43	41.16	26.22	8.72	14.08	5.7	49.2	
		15:04	33.23	40.20	25.63	9.00	16.37	6.5	54.1	
		18:04	32.66	40.36	25.73	8.99	15.74	6.6	87.9	
		21:04	32.27	39.91	25.46	8.93	14.00	6.8	76.1	
	日平均值			31.78	41.72	26.58	8.49	11.51	5.64	48.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月9日	蚵殼站	5:04	31.20	32.37	20.06	8.52	9.13	3.8	63.8	
		7:34	30.43	38.99	24.68	8.26	7.34	2.9	40.3	
		7:34	30.43	38.99	24.68	8.26	7.34	2.9	40.3	
		9:04	30.33	40.68	25.87	8.13	6.32	2.5	36.0	
		10:34	30.49	40.02	25.40	8.40	9.07	3.3	72.7	
		10:04	30.33	40.94	26.06	8.36	8.48	2.8	67.2	
		18:04	31.71	36.15	22.65	8.92	12.33	4.5	82.5	
		21:04	31.78	34.89	21.78	8.99	12.09	4.1	71.1	
	日平均值			30.84	37.88	23.90	8.48	9.01	3.35	59.24
	潮口站	0:04	31.17	35.10	21.94	8.64	9.77	3.1	78.2	
		3:04	31.13	30.65	18.89	8.91	10.98	1.9	65.5	
		6:04	29.32	47.71	30.94	8.22	6.79	17.8	5.9	
		9:04	30.54	39.98	25.37	8.55	9.04	3.0	63.3	
		12:04	29.88	45.13	29.06	8.31	8.11	4.3	32.8	
		15:04	30.37	45.37	29.22	8.40	8.41	4.4	51.2	
		18:04	29.53	48.86	31.78	8.19	6.96	7.6	15.8	
		21:04	28.87	40.22	25.59	8.13	6.71	7.8	13.1	
	日平均值			30.10	41.63	26.60	8.42	8.35	6.24	40.73
	灣內站	0:04	32.17	39.65	25.30	8.79	13.38	4.4	79.9	
		3:04	31.13	40.44	25.80	8.23	10.69	5.1	54.3	
		6:04	30.67	41.55	26.48	8.05	9.66	3.9	61.4	
		9:04	30.09	42.46	27.05	7.80	6.76	3.4	27.4	
		12:04	32.00	40.88	26.05	8.70	14.77	4.3	58.4	
		15:04	32.39	40.53	25.84	8.82	14.85	5.7	67.2	
		18:04	32.34	40.69	25.93	8.86	14.83	6.6	70.2	
		21:04	31.99	41.11	26.20	8.77	13.55	5.3	66.2	
	日平均值			31.60	40.91	26.08	8.50	12.31	4.84	60.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月10日	蚵殼站	6:34	31.12	38.12	24.05	8.56	8.44	2.9	52.8	
		7:04	30.99	37.30	23.47	8.47	8.06	3.4	53.9	
		7:34	30.40	41.81	26.67	8.34	7.15	2.7	51.2	
		8:04	30.26	42.83	27.40	8.34	7.25	3.1	50.2	
		8:34	30.28	42.81	27.39	8.38	7.59	3.4	49.5	
		10:04	30.14	42.72	27.33	8.47	8.36	3.3	57.0	
		10:34	30.51	42.08	26.86	8.57	9.67	3.2	68.4	
		23:34	31.52	37.80	23.81	8.74	9.52	3.4	35.8	
	日平均值			30.65	40.68	25.87	8.48	8.26	3.18	52.35
	潮口站	0:04	30.62	38.59	24.39	8.65	9.89	2.5	60.9	
		3:04	30.01	41.62	26.55	8.43	7.74	3.8	22.1	
		6:04	28.64	46.30	29.95	8.15	6.43	9.5	1.6	
		9:04	28.63	37.68	23.80	8.12	6.77	9.1	13.3	
		12:04	30.22	42.14	26.91	8.51	9.78	6.0	39.8	
		15:04	30.46	46.01	29.68	8.36	8.69	7.9	28.0	
		18:04	29.75	47.27	30.61	8.28	7.53	11.7	14.8	
		21:04	28.67	45.82	29.60	8.14	6.46	9.0	10.2	
	日平均值			29.63	43.18	27.69	8.33	7.91	7.44	23.84
	灣內站	0:04	32.02	40.96	26.10	8.68	12.85	5.6	55.3	
		3:04	31.29	40.21	25.65	8.59	10.45	4.7	55.6	
		6:04	31.25	41.66	26.54	8.34	10.94	4.6	125.0	
		9:04	29.78	43.15	27.48	7.75	6.92	3.8	17.8	
		12:04	32.02	41.89	26.67	8.58	12.67	4.7	40.2	
		15:04	32.78	41.03	26.14	8.73	11.97	5.4	36.7	
		18:04	32.68	40.86	26.03	8.74	11.20	5.2	39.1	
		21:04	31.99	41.52	26.45	8.62	11.07	4.6	40.7	
	日平均值			31.73	41.41	26.38	8.50	11.01	4.83	51.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月11日	蚵殼站	7:04	30.95	38.88	24.59	8.50	7.59	2.6	27.0	
		8:04	30.67	42.97	27.49	8.44	7.58	2.8	34.0	
		9:04	30.52	43.53	27.89	8.45	8.11	2.6	25.0	
		9:34	30.49	43.60	27.94	8.48	8.29	2.0	30.3	
		10:04	30.44	43.69	28.01	8.49	8.38	2.1	32.2	
		10:34	30.46	43.92	28.17	8.48	8.62	2.7	22.2	
		11:04	30.59	43.47	27.85	8.53	8.94	1.7	25.8	
		11:34	30.72	43.15	27.62	8.60	9.48	2.4	23.7	
	日平均值			30.61	42.90	27.45	8.50	8.37	2.36	27.53
	潮口站	0:04	30.97	40.34	25.61	8.64	9.58	2.6	35.7	
		3:04	31.02	39.27	24.85	8.68	9.02	2.1	40.3	
		6:04	28.55	50.27	32.84	8.18	6.25	22.5	1.7	
		9:04	30.19	40.00	25.39	8.59	7.82	3.6	8.2	
		12:04	29.70	45.11	29.05	8.45	8.33	4.1	22.5	
		15:04	29.49	48.19	31.29	8.32	7.86	4.1	10.0	
		18:04	29.53	46.29	29.91	8.22	7.12	6.1	9.4	
		21:04	28.87	45.74	29.53	8.14	6.48	7.2	3.3	
	日平均值			29.79	44.40	28.56	8.40	7.81	6.54	16.39
	灣內站	0:04	32.03	41.44	26.40	8.64	10.52	4.1	33.9	
		3:04	31.93	40.97	26.11	8.56	8.88	3.1	17.5	
		6:04	31.56	41.73	26.58	8.41	10.36	2.9	27.7	
		9:04	30.45	42.62	27.15	8.15	9.75	3.1	29.3	
		12:04	32.08	41.76	26.60	8.54	10.24	3.5	14.6	
		15:04	32.43	41.87	26.66	8.55	10.13	6.4	12.3	
		18:04	32.26	41.83	26.63	8.57	10.26	4.9	17.6	
		21:04	32.02	41.75	26.59	8.56	9.58	3.5	14.7	
	日平均值			31.85	41.75	26.59	8.50	9.97	3.94	20.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月12日	蚵殼站	9:04	30.84	43.57	27.92	8.46	7.36	2.2	10.6	
		9:34	30.39	44.05	28.27	8.43	7.43	2.9	14.2	
		10:04	30.43	44.00	28.23	8.44	7.63	1.6	18.0	
		10:34	30.45	43.98	28.22	8.43	7.77	2.0	18.5	
		11:04	30.19	44.18	28.37	8.43	8.19	2.2	21.2	
		11:34	30.65	43.52	27.88	8.53	8.88	2.1	17.3	
		12:04	30.73	43.72	28.02	8.59	9.41	1.9	11.7	
		12:34	30.93	42.37	27.06	8.64	9.09	1.9	18.5	
	日平均值			30.58	43.67	28.00	8.49	8.22	2.10	16.25
	潮口站	0:04	30.63	42.84	27.40	8.46	7.65	1.9	9.2	
		3:04	31.03	39.52	25.03	8.63	7.60	1.4	13.6	
		6:04	30.38	38.51	24.34	8.59	6.49	2.7	3.6	
		9:04	30.26	40.56	25.79	8.57	6.80	2.3	5.1	
		12:04	30.50	44.29	28.44	8.45	7.49	2.7	6.6	
		15:04	29.52	48.12	31.24	8.32	7.77	5.2	14.5	
		18:04	29.90	47.96	31.11	8.39	8.85	3.5	24.2	
		21:04	28.82	44.86	28.90	8.14	6.48	4.1	1.9	
	日平均值			30.13	43.33	27.78	8.44	7.39	2.98	9.84
	灣內站	0:04	32.09	42.00	26.74	8.63	8.67	3.4	7.0	
		3:04	31.73	41.98	26.74	8.53	8.82	3.1	8.5	
		6:04	31.55	42.42	27.01	8.48	8.74	2.9	8.8	
		9:04	30.67	42.70	27.19	8.29	8.92	3.3	12.5	
		12:04	31.79	43.90	27.93	8.49	8.65	2.9	3.5	
		15:04	32.53	50.79	32.33	8.52	7.81	5.2	2.6	
		18:04	32.64	47.06	29.92	8.52	7.56	5.0	4.1	
		21:04	31.75	45.43	28.90	8.53	8.44	3.3	6.0	
	日平均值			31.84	44.54	28.35	8.50	8.45	3.64	6.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月13日	蚵殼站	0:04	31.72	41.59	26.47	8.43	7.41	1.9	9.4	
		3:04	31.77	40.41	25.64	8.49	6.93	1.6	4.2	
		6:04	30.98	37.36	23.52	8.45	6.55	2.2	10.7	
		9:04	31.25	42.02	26.79	8.44	7.28	2.9	11.0	
		12:04	30.82	44.38	28.49	8.45	9.82	2.3	26.1	
		15:04	32.04	43.08	27.53	8.59	10.79	2.6	18.2	
		18:04	32.38	41.98	26.73	8.59	9.93	4.0	22.4	
		21:04	32.03	41.95	26.72	8.57	9.23	2.5	14.9	
	日平均值			31.62	41.60	26.49	8.50	8.49	2.50	14.61
	潮口站	0:04	30.84	43.64	27.97	8.46	7.58	2.1	2.5	
		3:04	30.93	41.07	26.13	8.54	7.20	1.4	3.3	
		6:04	30.64	40.60	25.80	8.48	6.36	1.4	5.5	
		9:04	30.27	40.34	25.63	8.52	6.58	1.9	7.5	
		12:04	30.20	43.62	27.97	8.42	7.15	2.6	8.6	
		15:04	30.28	46.75	30.22	8.52	10.78	5.1	36.3	
		18:04	30.39	47.08	30.46	8.55	11.32	4.9	32.8	
		21:04	29.04	40.85	26.03	8.14	6.72	6.0	1.5	
	日平均值			30.32	42.99	27.53	8.45	7.96	3.18	12.25
	灣內站	0:04	31.64	43.94	27.96	8.53	8.11	2.9	3.0	
		3:04	31.73	43.59	27.74	8.43	7.32	2.4	2.2	
		6:04	31.35	43.10	27.44	8.43	7.63	2.7	4.2	
		9:04	30.76	43.36	27.61	8.33	8.77	3.2	10.1	
		12:04	31.75	43.60	27.74	8.47	9.90	2.8	8.3	
		15:04	32.73	43.10	27.42	8.57	9.85	3.5	7.7	
		18:04	32.56	42.78	27.22	8.58	9.81	5.7	9.6	
		21:04	32.14	44.36	28.22	8.53	9.11	3.7	10.1	
	日平均值			31.83	43.48	27.67	8.48	8.81	3.36	6.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月14日	蚵殼站	0:04	31.75	41.84	26.65	8.48	9.27	4.0	10.7	
		3:04	31.37	40.32	25.59	8.43	7.27	2.2	11.0	
		6:04	31.05	39.91	25.31	8.39	6.76	1.6	4.1	
		9:04	31.14	41.61	26.50	8.42	8.10	2.6	23.5	
		12:04	31.16	44.85	28.82	8.52	11.14	1.6	19.8	
		15:04	31.96	43.78	28.03	8.59	11.78	2.9	24.2	
		18:04	32.13	42.17	26.87	8.61	11.17	6.4	20.9	
		21:04	31.84	42.77	27.31	8.55	9.66	2.7	10.2	
	日平均值			31.55	42.16	26.89	8.50	9.39	3.00	15.55
	潮口站	0:04	30.37	43.64	27.98	8.43	7.93	2.5	13.7	
		3:04	30.58	42.01	26.80	8.53	8.14	1.8	21.1	
		6:04	30.77	41.91	26.73	8.49	7.25	1.7	21.4	
		9:04	29.55	47.50	30.79	8.25	6.53	3.0	3.6	
		12:04	30.46	46.05	29.71	8.43	7.75	6.0	3.7	
		15:04	29.89	48.41	31.43	8.47	10.10	4.8	25.3	
		18:04	29.77	48.70	31.65	8.48	10.94	6.5	28.1	
		21:04	29.23	46.73	30.24	8.21	6.95	5.5	1.1	
	日平均值			30.08	45.62	29.42	8.41	8.20	3.98	14.75
	灣內站	0:04	31.72	41.99	26.74	8.46	11.11	3.9	11.3	
		3:04	31.83	49.79	31.62	8.46	9.41	2.9	11.8	
		6:04	31.42	51.59	32.90	8.35	7.54	2.4	6.0	
		9:04	31.19	46.83	29.62	8.38	11.18	2.7	14.6	
		12:04	32.06	49.21	31.25	8.51	10.13	2.6	6.3	
		15:04	32.37	50.93	32.45	8.52	9.58	5.5	4.6	
		18:04	32.10	43.74	27.43	8.59	11.47	8.2	12.8	
		21:04	31.86	49.60	31.49	8.56	10.24	3.9	11.5	
	日平均值			31.82	47.96	30.44	8.48	10.08	4.01	9.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月15日	蚵殼站	0:04	31.74	43.64	27.93	8.45	9.88	7.1	16.5	
		3:04	31.34	41.50	26.43	8.44	8.57	3.6	8.8	
		6:04	31.47	42.70	27.27	8.40	9.06	2.9	10.2	
		9:04	31.50	42.59	27.20	8.40	9.09	2.1	10.8	
		12:04	31.48	44.15	28.31	8.47	10.98	4.7	19.4	
		15:04	31.90	44.15	28.29	8.52	11.91	4.0	17.9	
		18:04	32.15	43.24	27.64	8.53	11.41	5.3	15.6	
		21:04	31.96	43.08	27.53	8.50	10.34	4.0	15.3	
	日平均值			31.69	43.13	27.58	8.46	10.16	4.21	14.31
	潮口站	0:04	28.91	43.73	28.09	8.17	6.64	5.4	4.5	
		3:04	30.45	44.43	28.54	8.47	8.86	3.2	12.5	
		6:04	30.87	43.41	27.80	8.64	8.82	2.3	6.3	
		9:04	30.55	44.71	28.74	8.43	7.58	3.5	5.0	
		12:04	30.99	46.50	30.02	8.46	8.03	5.0	6.1	
		15:04	30.85	46.26	29.84	8.45	9.26	4.3	17.8	
		18:04	30.18	48.42	31.43	8.50	10.67	5.4	23.3	
		21:04	29.95	45.69	29.46	8.31	7.99	4.7	9.2	
	日平均值			30.34	45.39	29.24	8.43	8.48	4.23	10.59
	灣內站	0:04	31.58	48.63	30.82	8.48	9.83	5.5	6.7	
		3:04	31.74	47.73	30.19	8.46	9.69	3.4	6.9	
		6:04	31.50	48.25	30.55	8.42	9.21	6.2	5.7	
		9:04	31.43	45.21	28.46	8.37	8.78	2.6	1.5	
		12:04	32.36	43.46	27.24	8.45	8.98	4.1	2.0	
		15:04	32.67	43.08	27.38	8.49	9.30	4.1	3.9	
		18:04	32.50	47.51	30.21	8.55	10.77	4.4	7.1	
		21:04	32.24	47.98	30.54	8.50	9.64	4.2	4.9	
	日平均值			32.00	46.48	29.42	8.47	9.53	4.31	4.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月16日	蚵殼站	0:04	31.77	43.09	27.54	8.47	9.11	4.5	15.1	
		3:04	31.90	42.39	27.04	8.48	9.78	3.4	34.4	
		6:04	31.05	40.81	25.94	8.42	7.44	2.1	31.6	
		9:04	31.51	41.18	26.19	8.39	7.69	1.9	27.8	
		12:04	31.95	42.62	27.20	8.47	10.14	2.9	42.2	
		15:04	31.61	43.83	28.07	8.61	13.70	2.6	267.8	
		18:04	32.13	44.48	28.52	8.58	12.04	2.7	49.2	
		21:04	31.82	43.33	27.71	8.54	10.21	2.7	92.0	
	日平均值			31.72	42.72	27.28	8.50	10.01	2.85	70.01
	潮口站	0:04	29.39	42.09	26.90	8.17	6.79	5.2	12.3	
		3:04	30.44	44.44	28.55	8.51	8.73	3.6	13.6	
		6:04	30.80	44.08	28.28	8.61	8.82	3.1	10.3	
		9:04	30.91	43.30	27.72	8.50	7.01	3.4	6.9	
		12:04	30.59	47.06	30.43	8.27	6.98	7.0	2.3	
		15:04	31.07	42.14	26.89	8.20	7.31	6.7	2.5	
		18:04	31.17	46.91	30.30	8.60	11.91	5.2	26.1	
		21:04	31.22	45.59	29.35	8.66	11.32	4.5	15.3	
	日平均值			30.70	44.45	28.55	8.44	8.61	4.84	11.16
	灣內站	0:04	32.29	46.21	29.44	8.54	11.51	4.5	4.6	
		3:04	31.72	48.50	30.90	8.40	10.39	4.0	3.3	
		6:04	31.60	47.01	30.01	8.42	11.04	3.0	8.7	
		9:04	31.77	46.24	29.55	8.46	10.96	2.5	2.5	
		12:04	32.65	45.64	29.19	8.42	9.69	3.1	2.5	
		15:04	32.87	45.24	28.96	8.48	10.11	4.3	3.1	
		18:04	32.90	44.77	28.68	8.50	10.45	5.9	4.1	
		21:04	32.59	44.86	28.74	8.51	10.77	4.9	6.3	
	日平均值			32.30	46.06	29.43	8.47	10.62	4.03	4.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月17日	蚵殼站	0:04	31.63	43.12	27.57	8.54	8.93	3.6	150.2	
		3:04	31.42	44.13	28.29	8.44	10.51	3.4	129.1	
		6:04	31.55	43.31	27.71	8.53	9.49	5.0	140.8	
		9:04	31.66	42.38	27.04	8.51	8.50	3.3	317.4	
		12:04	32.25	43.90	28.11	8.47	9.13	4.3	188.9	
		15:04	32.32	43.59	27.88	8.44	9.85	6.5	81.9	
		18:04	32.32	43.66	27.93	8.53	9.96	4.1	169.1	
		21:04	32.12	42.67	27.23	8.46	8.85	4.4	203.8	
	日平均值			31.91	43.35	27.72	8.49	9.40	4.33	172.65
	潮口站	0:04	29.31	50.57	33.04	8.23	6.91	5.4	0.3	
		3:04	30.10	47.50	30.77	8.43	7.66	0.6	13.2	
		6:04	30.69	44.06	28.27	8.61	8.99	4.8	13.8	
		9:04	31.20	43.82	28.08	8.59	8.86	12.4	8.6	
		12:04	30.54	47.62	30.84	8.30	8.51	7.7	2.3	
		15:04	30.22	46.12	29.76	8.26	7.91	75.2	4.3	
		18:04	31.60	47.08	30.42	8.52	10.22	5.4	1.5	
		21:04	32.04	45.43	29.21	8.54	9.10	14.5	0.1	
	日平均值			30.71	46.53	30.05	8.44	8.52	15.75	5.51
	灣內站	0:04	31.99	44.67	28.63	8.62	12.86	4.8	5.9	
		3:04	31.74	50.30	31.99	8.41	11.54	6.1	5.5	
		6:04	30.44	43.95	28.22	8.27	10.08	5.8	6.3	
		9:04	31.76	43.03	27.69	8.44	11.47	4.4	3.4	
		12:04	32.52	42.55	27.42	8.47	10.34	4.6	3.7	
		15:04	32.88	42.45	27.36	8.52	10.59	6.2	3.0	
		18:04	32.89	42.49	27.39	8.53	11.12	4.7	5.0	
		21:04	32.71	42.42	27.34	8.55	11.30	4.0	5.3	
	日平均值			32.12	43.98	28.26	8.48	11.16	5.08	4.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月18日	蚵殼站	0:04	32.14	43.70	27.96	8.51	8.79	5.9	247.7	
		3:04	31.63	42.10	26.84	8.41	8.06	3.6	83.1	
		6:04	31.44	43.63	27.93	8.34	8.01	4.1	205.1	
		9:04	31.76	42.71	27.27	8.42	8.82	3.8	171.8	
		12:04	32.54	39.90	25.25	8.46	9.07	2.0	70.5	
		15:04	32.52	40.71	25.83	8.61	12.47	5.5	109.4	
		18:04	32.18	39.69	25.11	8.48	11.26	5.2	98.9	
		21:04	32.04	39.68	25.11	8.48	10.11	2.1	17.9	
	日平均值			32.03	41.52	26.41	8.46	9.57	4.03	125.55
	潮口站	0:04	30.02	49.90	32.53	8.24	7.16	5.9	25.4	
		3:04	30.00	47.19	30.55	8.21	7.27	5.6	20.5	
		6:04	30.85	43.88	28.13	8.48	7.99	5.7	7.9	
		9:04	31.19	44.09	28.27	8.48	8.10	44.2	1.3	
		12:04	32.34	44.28	28.38	8.43	8.29	23.3	10.3	
		15:04	32.08	33.53	20.83	8.18	7.89	14.7	2.7	
		18:04	30.12	48.14	31.24	8.25	7.70	9.4	6.4	
		21:04	31.02	42.62	27.23	8.49	9.34	10.0	18.8	
	日平均值			30.95	44.20	28.40	8.35	7.97	14.85	11.66
	灣內站	0:04	32.24	42.25	27.25	8.55	10.68	4.3	5.5	
		3:04	31.60	47.76	30.46	8.35	10.76	2.8	5.4	
		6:04	30.77	48.11	30.68	8.26	9.41	4.6	6.3	
		9:04	31.44	47.00	30.01	8.45	10.64	4.0	4.5	
		12:04	32.57	46.40	29.64	8.50	11.22	2.7	3.8	
		15:04	33.40	45.53	29.13	8.56	11.20	4.7	7.1	
		18:04	32.92	48.31	30.77	8.64	12.77	4.2	12.5	
		21:04	33.04	48.05	30.62	8.56	11.63	2.5	15.1	
	日平均值			32.25	46.68	29.82	8.48	11.04	3.73	7.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月19日	蚵殼站	0:04	31.94	40.81	25.91	8.51	10.83	2.9	74.6	
		3:04	31.28	38.97	24.64	8.41	9.18	5.0	98.8	
		6:04	31.24	43.77	28.05	8.36	9.99	4.5	163.4	
		9:04	31.54	39.23	24.81	8.51	9.61	4.0	164.3	
		12:04	32.33	40.69	25.82	8.58	11.20	2.7	286.1	
		15:04	31.87	44.71	28.69	8.58	11.90	4.5	179.9	
		18:04	32.20	44.53	28.55	8.55	11.21	6.1	370.9	
		21:04	32.30	43.92	28.12	8.49	9.68	7.1	452.0	
	日平均值			31.84	42.08	26.82	8.50	10.45	4.60	223.75
	潮口站	0:04	30.78	43.55	27.90	8.31	6.43	8.7	4.5	
		3:04	29.28	50.51	32.99	8.19	6.97	14.2	28.0	
		6:04	30.75	43.27	27.70	8.46	7.81	8.7	20.4	
		9:04	31.26	42.99	27.49	8.51	9.12	26.6	26.8	
		12:04	32.91	43.20	27.58	8.47	9.40	19.3	10.6	
		15:04	30.96	46.56	30.06	8.29	8.43	11.4	13.1	
		18:04	30.45	41.54	26.48	8.18	7.33	14.2	7.3	
		21:04	31.16	47.12	30.46	8.50	10.57	11.1	16.3	
	日平均值			30.94	44.84	28.83	8.36	8.26	14.28	15.88
	灣內站	0:04	33.14	48.43	30.84	8.41	9.37	3.0	5.9	
		3:04	32.51	49.26	31.35	8.54	11.77	3.9	19.7	
		6:04	31.30	49.54	31.54	8.31	10.64	4.2	9.6	
		9:04	32.06	48.43	30.86	8.43	12.28	3.6	10.0	
		12:04	33.27	47.47	30.27	8.47	10.63	2.8	13.2	
		15:04	33.19	48.15	30.68	8.62	12.28	3.9	11.0	
		18:04	32.51	48.94	31.16	8.59	13.09	4.8	21.4	
		21:04	32.75	48.43	30.85	8.62	12.38	4.9	17.5	
	日平均值			32.59	48.58	30.94	8.50	11.56	3.89	13.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月20日	蚵殼站	0:04	31.77	44.50	28.55	8.55	9.60	6.3	283.2	
		3:04	30.95	45.60	29.37	8.41	8.77	6.4	392.4	
		6:04	30.98	46.17	29.78	8.29	8.07	7.3	211.5	
		9:04	31.53	45.01	28.92	8.53	8.84	4.9	313.7	
		12:04	32.12	45.36	29.16	8.62	10.04	3.7	59.1	
		15:04	31.82	45.83	29.50	8.52	9.86	3.5	173.1	
		18:04	31.74	46.93	30.30	8.57	9.85	7.0	187.9	
		21:04	31.60	46.32	29.87	8.50	8.79	4.8	277.4	
	日平均值			31.56	45.72	29.43	8.50	9.23	5.49	237.29
	潮口站	0:04	31.03	45.39	29.21	8.34	7.87	11.1	6.6	
		3:04	29.88	50.22	32.76	8.22	7.22	15.0	5.4	
		6:04	29.48	45.41	29.28	8.17	6.75	12.1	4.1	
		9:04	30.44	46.81	30.26	8.29	7.54	2.8	15.3	
		12:04	31.65	46.64	30.09	8.37	8.99	18.4	10.0	
		15:04	31.09	48.26	31.29	8.24	7.85	13.6	12.2	
		18:04	30.39	43.81	28.10	8.19	7.33	13.1	2.6	
		21:04	31.27	45.19	29.06	8.36	7.80	6.9	16.3	
	日平均值			30.65	46.47	30.01	8.27	7.67	11.63	9.06
	灣內站	0:04	32.55	48.15	30.68	8.58	10.38	4.8	8.4	
		3:04	31.90	48.98	31.19	8.48	10.90	4.3	12.6	
		6:04	30.65	48.80	31.09	8.30	9.57	5.3	25.4	
		9:04	31.13	47.74	30.45	8.35	10.50	4.8	19.0	
		12:04	32.28	46.95	29.97	8.58	12.58	6.3	13.2	
		15:04	32.30	47.87	30.52	8.60	12.33	5.7	17.5	
		18:04	32.34	47.55	30.33	8.54	11.24	6.2	20.4	
		21:04	32.07	46.60	29.76	8.57	11.76	5.2	20.0	
	日平均值			31.90	47.83	30.50	8.50	11.16	5.33	17.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月21日	蚵殼站	0:04	31.40	45.21	29.07	8.48	8.01	5.4	235.0	
		3:04	31.11	46.17	29.78	8.46	7.71	3.9	160.2	
		6:04	30.63	48.18	31.25	8.24	6.81	5.4	217.7	
		9:04	31.39	48.05	31.13	8.44	8.38	3.9	248.6	
		12:04	31.16	46.44	29.97	8.52	8.97	2.6	234.1	
		15:04	31.31	46.61	30.09	8.47	8.98	2.1	235.2	
		18:04	30.95	47.49	30.74	8.50	9.58	3.4	357.5	
		21:04	30.24	47.39	30.68	8.27	7.50	5.1	158.5	
	日平均值			31.02	46.94	30.34	8.42	8.24	3.98	230.85
	潮口站	0:04	30.49	44.82	28.82	8.25	6.54	16.9	10.1	
		3:04	29.22	50.51	33.00	8.18	6.72	15.6	6.3	
		6:04	28.15	51.10	33.46	8.17	6.63	16.1	0.6	
		9:04	30.29	47.73	30.93	8.26	7.17	15.0	7.1	
		12:04	30.87	47.07	30.43	8.35	8.40	10.3	8.8	
		15:04	31.11	47.20	30.52	8.38	8.78	12.4	11.0	
		18:04	29.55	43.26	27.73	8.13	7.07	38.5	3.7	
		21:04	29.34	48.62	31.61	8.14	6.09	36.7	7.9	
	日平均值			29.88	47.54	30.81	8.23	7.18	20.19	6.94
	灣內站	0:04	32.02	46.51	29.71	8.50	8.69	4.8	7.0	
		3:04	31.12	47.62	30.38	8.49	9.25	4.4	53.9	
		6:04	30.82	51.54	32.77	8.32	7.97	4.6	32.6	
		9:04	31.39	52.12	33.12	8.49	9.59	4.2	22.8	
		12:04	31.05	51.27	32.60	8.32	7.46	4.4	26.4	
		15:04	31.92	50.07	31.85	8.56	10.45	3.7	24.3	
		18:04	31.50	50.42	32.07	8.59	11.20	4.4	31.5	
		21:04	31.32	49.29	31.38	8.59	11.12	5.3	31.9	
	日平均值			31.39	49.86	31.74	8.48	9.47	4.48	28.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
8月22日	蚵殼站	0:04	30.93	47.66	30.86	8.40	7.92	4.0	96.7
		3:04	30.71	46.92	30.33	8.36	7.56	3.9	81.1
		6:04	30.25	45.51	29.32	8.32	7.13	5.3	94.4
		9:04	29.89	47.43	30.72	8.28	6.68	6.8	86.9
		12:04	29.55	48.17	31.28	8.22	6.65	5.2	80.7
		15:04	29.16	48.99	31.88	8.18	6.50	4.4	44.7
		18:04	29.38	47.57	30.84	8.28	7.18	6.1	55.0
		21:04	29.23	47.63	30.89	8.26	6.95	11.7	53.4
	日平均值		29.89	47.49	30.77	8.29	7.07	5.93	74.11
	潮口站	0:04	30.29	46.11	29.76	8.24	6.65	35.1	3.5
		3:04	29.44	49.54	32.28	8.14	6.38	27.5	1.6
		6:04	27.19	51.17	33.54	8.15	6.54	37.7	7.2
		9:04	29.17	46.77	30.27	8.23	6.66	45.1	3.6
		12:04	29.58	47.44	30.75	8.24	7.08	48.8	5.8
		15:04	29.53	46.86	30.32	8.18	6.50	48.3	19.2
		18:04	29.34	47.16	30.54	8.09	6.37	46.7	4.2
		21:04	29.27	46.69	30.21	8.13	6.50	46.1	6.9
	日平均值		29.23	47.72	30.96	8.18	6.59	41.91	6.50
	灣內站	0:04	31.35	48.94	31.17	8.63	9.43	4.8	13.4
		3:04	31.23	48.26	30.76	8.57	8.96	4.5	15.0
		6:04	30.13	51.21	32.57	8.36	7.08	5.3	16.6
		9:04	29.85	51.51	32.76	8.39	7.77	6.0	17.6
		12:04	29.98	50.58	32.18	8.31	6.70	5.5	16.5
		15:04	29.10	49.98	31.83	8.18	6.15	5.9	16.5
		18:04	29.04	50.60	32.21	8.22	6.01	5.9	8.9
		21:04	28.86	50.51	32.15	8.22	6.52	9.3	14.2
	日平均值		29.94	50.20	31.95	8.36	7.33	5.90	14.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月23日	蚵殼站	0:04	29.00	47.79	31.02	8.21	6.54	6.3	59.3	
		3:04	28.77	48.25	31.36	8.20	6.40	5.4	55.7	
		6:04	28.58	47.81	31.04	8.13	5.78	6.1	37.5	
		9:04	28.37	47.60	30.89	8.13	6.16	7.7	33.6	
		12:04	28.97	48.38	31.45	8.20	6.32	3.4	6.5	
		15:04	29.30	48.88	31.80	8.26	6.97	0.9	14.0	
		18:04	29.37	48.98	31.87	8.24	6.98	2.0	6.9	
		21:04	29.26	49.09	31.95	8.23	6.69	1.1	2.8	
	日平均值			28.95	48.35	31.42	8.20	6.48	4.11	27.04
	潮口站	0:04	29.00	46.86	30.34	8.11	6.25	43.7	7.3	
		3:04	28.79	46.14	29.82	8.11	6.00	41.8	1.2	
		6:04	29.21	48.32	31.39	8.14	6.60	45.5	2.6	
		9:04	28.69	46.83	30.33	8.09	6.07	40.9	9.2	
		12:04	28.98	48.43	31.48	8.11	6.52	43.5	7.9	
		15:04	29.45	47.99	31.14	8.05	6.41	47.7	0.4	
		18:04	29.38	50.76	33.18	8.14	6.77	47.1	1.1	
		21:04	29.34	50.20	32.77	8.13	6.84	46.7	0.3	
	日平均值			29.11	48.19	31.31	8.11	6.43	44.61	3.75
	灣內站	0:04	28.58	49.44	31.50	8.21	6.75	6.0	10.4	
		3:04	28.34	49.37	31.46	8.17	6.49	4.8	10.8	
		6:04	28.57	48.56	30.96	8.25	6.68	5.4	9.1	
		9:04	28.57	47.62	30.40	8.28	7.06	5.9	9.5	
		12:04	28.94	48.70	31.03	8.32	7.37	3.7	3.9	
		15:04	29.07	48.45	30.80	8.26	7.22	5.0	5.6	
		18:04	28.99	47.74	30.34	8.25	7.16	6.3	22.8	
		21:04	28.91	50.73	32.30	8.28	7.35	5.1	5.4	
	日平均值			28.75	48.83	31.10	8.25	7.01	5.28	9.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月24日	蚵殼站	0:04	29.18	49.33	32.13	8.22	6.51	1.4	8.9	
		3:04	29.13	49.31	32.12	8.20	6.15	1.6	3.3	
		6:04	29.06	49.20	32.04	8.18	6.03	2.6	10.6	
		9:04	29.11	49.40	32.19	8.16	5.77	2.9	1.7	
		12:04	29.30	49.50	32.26	8.18	6.24	6.2	6.0	
		15:04	29.90	49.38	32.14	8.26	7.82	1.0	19.3	
		18:04	29.46	49.47	32.23	8.28	8.22	1.3	15.4	
		21:04	29.73	49.46	32.21	8.28	8.30	1.6	17.0	
	日平均值			29.36	49.38	32.17	8.22	6.88	2.33	10.28
	潮口站	0:04	29.03	49.22	32.06	8.12	6.72	44.0	4.3	
		3:04	28.85	48.69	31.67	8.08	6.21	42.3	0.8	
		6:04	29.13	51.28	33.56	8.13	6.51	44.8	2.0	
		9:04	29.11	51.39	33.65	8.14	6.52	44.6	2.2	
		12:04	29.47	48.95	31.84	8.19	7.69	47.8	7.2	
		15:04	29.97	49.17	31.99	8.22	8.74	52.2	9.2	
		18:04	29.55	50.12	32.70	8.12	6.86	48.5	15.2	
		21:04	29.12	51.56	33.77	8.11	6.30	44.7	4.1	
	日平均值			29.28	50.05	32.66	8.14	6.94	46.11	5.63
	灣內站	0:04	28.83	51.40	32.74	8.22	6.62	5.2	4.1	
		3:04	28.71	45.85	29.13	8.21	6.79	5.4	3.4	
		6:04	29.18	50.98	32.47	8.29	7.23	5.2	4.9	
		9:04	29.03	48.72	30.98	8.28	7.43	4.1	4.8	
		12:04	29.16	45.15	28.68	8.28	7.61	4.7	5.9	
		15:04	30.12	48.94	31.10	8.58	12.35	5.8	52.8	
		18:04	30.09	47.00	29.64	8.51	10.64	4.9	23.1	
		21:04	29.15	45.48	28.62	8.23	6.53	4.3	32.8	
	日平均值			29.28	47.94	30.42	8.33	8.15	4.95	16.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月25日	蚵殼站	0:04	29.41	49.33	32.13	8.31	8.55	1.6	8.4	
		3:04	29.40	49.54	32.28	8.37	9.02	1.0	8.5	
		6:04	29.30	49.57	32.31	8.36	8.52	1.0	15.7	
		9:04	29.55	49.74	32.42	8.26	7.86	1.1	6.9	
		12:04	29.76	50.19	32.74	8.36	9.54	1.4	29.1	
		15:04	30.56	50.03	32.60	8.45	11.17	2.0	26.0	
		18:04	30.38	50.13	32.68	8.49	11.82	2.8	26.1	
		21:04	30.20	49.80	32.44	8.50	11.56	1.6	23.6	
	日平均值			29.82	49.79	32.45	8.39	9.76	1.56	18.04
	潮口站	0:04	29.33	48.95	31.85	8.21	8.24	46.6	22.1	
		3:04	29.14	49.22	32.05	8.16	7.39	44.8	14.9	
		6:04	28.97	51.22	33.53	8.10	6.33	43.4	3.7	
		9:04	28.88	51.64	33.84	8.12	6.41	42.6	0.8	
		12:04	29.48	50.08	32.67	8.30	9.57	47.9	13.7	
		15:04	29.58	50.08	32.67	8.28	9.75	48.8	21.2	
		18:04	29.61	45.44	29.29	8.08	7.08	49.1	4.2	
		21:04	29.15	45.48	29.34	8.07	6.48	45.0	0.6	
	日平均值			29.27	49.01	31.91	8.17	7.66	46.03	10.15
	灣內站	0:04	29.03	48.48	30.69	8.35	8.37	4.2	17.9	
		3:04	28.92	47.50	30.01	8.29	7.38	2.9	15.5	
		6:04	28.71	45.90	28.92	8.22	6.59	3.7	18.1	
		9:04	29.01	50.06	32.04	8.43	9.66	3.5	13.5	
		12:04	29.71	51.11	32.76	8.51	11.39	3.1	22.1	
		15:04	30.73	50.92	32.60	8.74	13.95	5.6	25.5	
		18:04	30.70	47.76	30.39	8.75	13.87	4.5	33.8	
		21:04	30.21	48.51	30.81	8.67	12.94	3.0	9.1	
	日平均值			29.63	48.78	31.03	8.50	10.52	3.81	19.44
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月26日	蚵殼站	0:04	29.76	48.88	31.78	8.32	8.66	3.6	9.2	
		3:04	29.80	48.41	31.44	8.30	8.03	1.9	14.2	
		6:04	30.02	48.75	31.68	8.38	9.62	2.4	20.2	
		9:04	29.77	48.70	31.65	8.31	8.43	3.6	20.8	
		12:04	30.12	49.93	32.54	8.38	9.87	1.9	22.1	
		15:04	30.29	49.75	32.40	8.48	11.66	1.5	23.5	
		18:04	30.49	49.40	32.14	8.66	14.72	2.0	29.8	
		21:04	30.22	48.84	31.74	8.60	13.99	2.1	17.0	
	日平均值			30.06	49.08	31.92	8.43	10.62	2.38	19.60
	潮口站	0:04	29.54	49.05	31.91	8.28	8.23	48.5	13.2	
		3:04	28.47	45.96	29.70	8.11	7.00	38.9	5.3	
		6:04	29.16	49.62	32.34	8.09	6.32	45.1	3.3	
		9:04	28.87	51.61	33.82	8.15	6.47	42.5	2.9	
		12:04	29.63	48.54	31.54	8.32	9.27	49.2	17.5	
		15:04	29.84	49.51	32.24	8.30	9.17	51.1	25.2	
		18:04	29.86	48.54	31.54	8.36	10.68	51.2	25.7	
		21:04	28.70	46.46	30.06	8.07	6.41	41.0	2.3	
	日平均值			29.26	48.66	31.64	8.21	7.94	45.94	11.93
	灣內站	0:04	30.48	47.16	29.88	8.58	13.28	3.2	22.3	
		3:04	30.66	49.05	31.26	8.58	13.23	3.5	18.3	
		6:04	30.13	48.60	30.98	8.43	11.16	3.5	6.0	
		9:04	29.98	49.12	31.31	8.36	10.33	3.4	12.2	
		12:04	30.15	48.41	30.85	8.50	12.25	2.9	31.6	
		15:04	30.24	47.47	30.24	8.63	15.19	4.5	51.5	
		18:04	30.08	48.92	31.13	8.36	10.86	4.9	26.5	
		21:04	30.10	50.30	31.88	8.52	13.20	4.1	23.2	
	日平均值			30.23	48.63	30.94	8.50	12.44	3.75	23.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
8月27日	蚵殼站	0:04	29.99	48.69	31.64	8.55	12.10	2.4	29.3
		3:04	29.58	49.70	32.39	8.43	9.13	4.1	37.7
		6:04	29.53	49.68	32.38	8.49	9.68	2.1	17.0
		9:04	29.48	50.04	32.64	8.37	8.30	2.4	28.7
		12:04	29.74	49.86	32.51	8.48	10.55	1.5	27.3
		15:04	29.90	50.37	32.87	8.40	9.57	2.1	30.5
		18:04	29.68	50.73	33.14	8.37	8.84	3.6	25.2
		21:04	29.73	49.66	32.35	8.48	9.86	2.2	19.7
	日平均值		29.70	49.84	32.49	8.45	9.75	2.55	26.93
	潮口站	0:04	29.19	49.00	31.89	8.32	9.01	45.4	25.5
		3:04	29.10	48.89	31.81	8.30	8.67	44.6	12.7
		6:04	29.19	49.03	31.91	8.30	8.61	45.3	10.6
		9:04	28.79	50.73	33.17	8.14	6.64	41.8	1.1
		12:04	29.71	49.64	32.34	8.34	8.78	49.9	8.6
		15:04	30.14	49.21	32.01	8.52	12.15	53.8	7.4
		18:04	29.87	49.23	32.04	8.33	9.39	51.3	9.6
		21:04	28.68	51.22	33.54	8.12	6.52	40.8	3.4
	日平均值		29.33	49.62	32.34	8.30	8.72	46.61	9.86
	灣內站	0:04	29.71	48.86	31.04	8.45	11.10	3.8	14.3
		3:04	29.47	50.01	31.71	8.39	9.69	3.4	24.4
		6:04	29.27	48.73	30.97	8.40	9.87	4.0	27.0
		9:04	29.37	47.94	30.52	8.32	9.14	4.0	18.0
		12:04	29.33	47.47	30.25	8.39	10.19	4.6	12.3
		15:04	30.58	48.18	30.64	8.73	16.36	4.6	29.8
		18:04	30.48	48.16	30.63	8.75	15.76	5.9	39.1
		21:04	29.55	48.11	30.61	8.45	11.06	4.4	18.0
	日平均值		29.72	48.43	30.80	8.49	11.65	4.34	22.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月28日	蚵殼站	0:04	29.61	49.66	32.36	8.45	9.43	2.1	26.5	
		3:04	29.57	49.71	32.40	8.44	8.72	1.1	10.9	
		6:04	29.09	47.95	31.13	8.37	7.37	2.7	19.1	
		9:04	29.45	48.98	31.87	8.47	9.89	2.7	28.2	
		12:04	29.80	49.57	32.29	8.54	11.14	2.6	19.2	
		15:04	30.33	50.40	32.88	8.40	8.71	2.8	14.8	
		18:04	30.54	49.91	32.51	8.56	11.62	2.5	26.1	
		21:04	30.44	49.32	32.08	8.64	12.00	2.2	12.8	
	日平均值			29.85	49.44	32.19	8.48	9.86	2.34	19.70
	潮口站	0:04	28.94	49.50	32.27	8.31	7.58	43.1	3.9	
		3:04	29.06	49.70	32.41	8.31	8.06	44.1	10.4	
		6:04	28.74	49.03	31.92	8.27	7.44	41.3	1.7	
		9:04	28.27	51.40	33.68	8.13	6.39	37.2	1.6	
		12:04	29.12	51.25	33.54	8.11	6.53	44.7	0.4	
		15:04	29.42	50.48	32.96	8.26	8.35	47.4	2.2	
		18:04	29.40	49.89	32.54	8.21	7.14	47.2	0.0	
		21:04	28.86	49.40	32.20	8.12	6.42	42.4	7.3	
	日平均值			28.98	50.08	32.69	8.22	7.24	43.43	3.44
	灣內站	0:04	29.56	47.41	30.21	8.37	10.98	4.4	13.3	
		3:04	29.40	47.26	30.13	8.37	10.55	3.6	16.1	
		6:04	29.30	47.50	30.27	8.32	10.23	3.5	21.4	
		9:04	29.46	47.01	29.99	8.44	12.06	3.4	46.1	
		12:04	30.46	47.02	29.99	8.59	15.28	3.5	29.4	
		15:04	30.45	47.03	29.99	8.65	15.64	4.6	37.7	
		18:04	30.74	46.60	29.75	8.60	13.17	6.3	35.3	
		21:04	30.64	46.66	29.79	8.62	13.77	4.6	18.3	
	日平均值			30.00	47.06	30.02	8.50	12.71	4.24	27.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月29日	蚵殼站	0:04	30.32	49.10	31.93	8.47	11.78	3.1	20.2	
		3:04	29.77	47.62	30.88	8.32	9.20	2.8	10.1	
		6:04	29.61	47.27	30.62	8.30	8.72	2.8	15.5	
		9:04	30.01	48.13	31.23	8.43	10.95	2.5	27.9	
		12:04	30.41	49.52	32.23	8.56	13.10	1.6	24.5	
		15:04	30.54	48.98	31.83	8.56	14.54	3.4	39.2	
		18:04	31.24	49.34	32.07	8.58	13.96	2.2	29.0	
		21:04	30.94	49.02	31.85	8.58	13.30	1.7	11.2	
	日平均值			30.36	48.62	31.58	8.48	11.94	2.51	22.20
	潮口站	0:04	28.93	48.51	31.54	8.20	6.85	43.0	2.1	
		3:04	29.00	47.83	31.05	8.36	7.89	43.7	8.0	
		6:04	28.96	48.13	31.27	8.27	7.47	43.3	1.2	
		9:04	29.14	48.41	31.46	8.26	7.52	44.9	0.9	
		12:04	29.74	49.70	32.38	8.22	7.08	50.3	3.2	
		15:04	30.06	49.66	32.35	8.35	9.77	53.1	3.0	
		18:04	30.23	49.45	32.18	8.36	10.11	54.6	6.5	
		21:04	29.51	43.26	27.73	8.08	7.01	48.1	0.0	
	日平均值			29.45	48.12	31.25	8.26	7.96	47.63	3.11
	灣內站	0:04	30.19	46.86	29.90	8.36	12.22	5.1	16.6	
		3:04	30.03	46.40	29.65	8.31	11.15	3.9	13.2	
		6:04	29.70	46.20	29.53	8.27	10.47	5.7	24.0	
		9:04	29.82	46.55	29.72	8.36	12.47	4.3	34.6	
		12:04	30.64	47.03	29.99	8.82	16.92	4.20	34.00	
		15:04	31.00	46.87	29.91	8.60	16.82	3.20	41.50	
		18:04	31.19	46.35	29.61	8.65	17.71	3.40	33.90	
		21:04	30.90	47.07	30.02	8.63	16.69	2.50	13.10	
	日平均值			30.43	46.67	29.79	8.50	14.31	4.04	26.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月30日	蚵殼站	0:04	30.86	48.48	31.46	8.48	13.27	4.5	24.9	
		3:04	30.00	45.49	29.32	8.24	9.47	3.5	10.9	
		6:04	30.15	46.48	30.03	8.32	10.08	2.8	19.5	
		9:04	30.51	46.79	30.24	8.45	12.71	2.1	19.2	
		12:04	31.51	47.93	31.03	8.57	15.72	3.3	39.9	
		15:04	31.72	47.77	30.91	8.62	16.53	3.6	36.5	
		18:04	31.64	48.12	31.17	8.64	16.36	1.9	24.0	
		21:04	31.55	46.83	30.23	8.69	16.58	2.1	22.8	
	日平均值			30.99	47.24	30.55	8.50	13.84	2.98	24.71
	潮口站	0:04	29.32	48.04	31.19	8.10	6.71	46.5	1.5	
		3:04	29.68	48.56	31.55	8.23	7.69	49.7	1.4	
		6:04	29.48	46.78	30.27	8.34	8.74	47.9	0.9	
		9:04	29.73	47.09	30.48	8.28	8.48	50.1	2.0	
		12:04	30.29	49.00	31.86	8.20	7.77	55.1	2.0	
		15:04	30.28	49.28	32.06	8.17	7.37	55.0	0.1	
		18:04	30.71	48.57	31.52	8.54	12.51	58.9	2.2	
		21:04	30.38	49.34	32.10	8.35	9.70	55.9	3.6	
	日平均值			29.98	48.33	31.38	8.28	8.62	52.39	1.71
	灣內站	0:04	30.82	47.35	30.17	8.38	14.69	2.80	14.90	
		3:04	30.88	46.13	29.48	8.43	15.49	2.20	5.50	
		6:04	30.64	45.97	29.40	8.41	14.43	2.60	18.00	
		9:04	30.54	46.21	29.54	8.57	16.63	4.60	70.70	
		12:04	31.38	46.03	29.43	8.52	17.19	4.30	44.40	
		15:04	31.61	45.96	29.39	8.59	18.03	3.60	34.80	
		18:04	31.66	46.11	29.47	8.62	17.44	3.60	53.00	
		21:04	31.42	46.33	29.60	8.49	15.77	2.90	25.90	
	日平均值			31.12	46.26	29.56	8.50	16.21	3.33	33.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月31日	蚵殼站	0:04	31.24	46.91	30.31	8.50	15.36	1.6	18.3	
		3:04	30.87	48.93	31.78	8.26	11.68	8.5	17.0	
		6:04	30.60	46.29	29.88	8.45	12.32	2.6	33.2	
		9:04	30.83	46.56	30.06	8.48	13.19	3.4	50.2	
		12:04	31.17	47.06	30.41	8.49	14.83	3.2	65.9	
		15:04	31.36	47.56	30.77	8.48	15.36	2.6	25.7	
		18:04	31.17	47.43	30.68	8.61	17.79	3.3	61.8	
		21:04	30.69	46.52	30.04	8.61	16.03	1.8	19.2	
	日平均值			30.99	47.16	30.49	8.49	14.57	3.38	36.41
	潮口站	0:04	29.37	49.42	32.19	8.17	7.11	47.0	0.9	
		3:04	30.14	46.61	30.13	8.47	9.61	53.8	2.4	
		6:04	30.06	45.69	29.46	8.58	10.64	53.1	45.4	
		9:04	29.91	45.29	29.17	8.50	9.75	51.8	1.9	
		12:04	30.10	48.12	31.22	8.15	6.66	53.4	4.0	
		15:04	29.63	47.22	30.58	8.19	8.06	49.3	4.5	
		18:04	30.15	47.03	30.43	8.36	9.76	53.8	1.0	
		21:04	30.08	47.80	30.99	8.23	7.94	53.2	2.0	
	日平均值			29.93	47.15	30.52	8.33	8.69	51.93	7.76
	灣內站	0:04	31.15	46.56	29.73	8.55	16.95	3.0	17.1	
		3:04	30.88	46.62	29.76	8.33	13.13	2.6	14.3	
		6:04	30.90	46.43	29.66	8.42	14.57	3.0	12.1	
		9:04	30.92	46.76	29.84	8.49	15.09	3.0	39.7	
		12:04	30.76	47.74	30.38	8.54	16.16	3.2	45.1	
		15:04	30.79	47.44	30.22	8.55	15.91	3.9	42.9	
		18:04	30.99	46.80	29.86	8.52	15.40	2.9	28.4	
		21:04	30.94	46.33	29.62	8.63	18.12	2.2	22.1	
	日平均值			30.92	46.84	29.88	8.50	15.67	2.98	27.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月1日	蚵殼站	1:34	30.49	48.33	31.36	8.29	7.38	2.0	7.5	
		3:04	30.63	48.94	31.80	8.41	9.23	1.4	12.5	
		6:34	30.48	47.96	31.09	8.45	9.26	3.0	66.1	
		7:04	30.47	48.00	31.12	8.49	9.33	2.9	74.5	
		7:34	30.42	47.94	31.08	8.50	8.78	2.8	32.5	
		16:04	30.35	47.71	30.92	8.50	10.38	2.0	23.0	
		19:04	29.77	45.42	29.27	8.73	12.48	4.1	23.6	
		22:04	29.69	45.31	29.20	8.60	12.76	2.1	22.7	
	日平均值			30.29	47.45	30.73	8.50	9.95	2.54	32.80
	潮口站	0:04	29.56	49.80	32.47	8.11	6.55	48.5	1.2	
		3:04	29.65	47.35	30.68	8.34	8.24	48.7	2.0	
		6:04	29.49	45.42	29.29	8.60	10.25	46.5	2.6	
		9:04	29.37	46.04	29.73	8.29	7.67	44.8	2.1	
		12:04	29.39	45.05	29.02	8.30	7.64	44.5	1.2	
		15:04	29.49	49.28	32.08	8.19	6.95	44.6	1.1	
		18:04	29.62	45.71	29.49	8.42	9.00	45.0	4.8	
		21:04	29.15	44.61	28.71	8.57	10.00	40.7	6.9	
	日平均值			29.47	46.66	30.18	8.35	8.29	45.41	2.74
	灣內站	2:04	30.50	46.80	30.56	8.45	5.96	3.8	10.7	
		3:34	30.06	46.72	30.52	8.36	5.75	2.2	16.7	
		6:04	30.06	46.57	30.44	8.38	6.12	1.8	5.3	
		9:04	30.43	46.59	30.45	8.64	10.29	2.5	18.9	
		12:04	29.75	47.23	30.87	8.89	12.95	3.1	45.6	
		17:04	30.05	46.81	30.65	8.17	3.14	6.6	8.5	
		18:04	30.09	47.16	30.83	8.11	2.86	5.8	32.9	
		21:04	29.97	46.74	30.61	8.90	13.87	2.5	5.5	
	日平均值			30.11	46.83	30.62	8.49	7.62	3.54	18.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月2日	蚵殼站	0:04	29.97	46.68	30.18	8.65	11.79	1.8	11.3	
		3:04	30.23	49.30	32.07	8.40	7.43	0.5	3.1	
		6:04	30.06	50.51	32.96	8.31	5.76	2.1	2.1	
		9:04	30.06	48.36	31.39	8.41	6.54	3.7	60.2	
		12:04	30.54	49.26	32.04	8.31	5.73	3.4	13.8	
		15:04	30.71	49.86	32.47	8.40	7.78	2.8	17.3	
		18:04	30.62	49.69	32.35	8.48	8.69	1.8	11.0	
		21:04	30.25	50.24	32.76	8.31	6.37	1.6	1.8	
	日平均值			30.31	49.24	32.03	8.41	7.51	2.21	15.08
	潮口站	0:04	29.39	49.05	31.92	8.20	6.88	42.0	1.1	
		3:04	28.98	51.14	33.47	8.10	6.25	38.3	2.7	
		6:04	28.95	48.06	31.21	8.31	7.70	37.5	2.4	
		9:04	28.54	44.14	28.39	8.45	8.57	33.9	2.8	
		12:04	29.32	44.47	28.61	8.35	7.67	39.3	1.3	
		15:04	29.58	48.73	31.68	8.15	6.75	40.8	2.0	
		18:04	30.10	45.37	29.23	8.26	7.40	44.1	1.0	
		21:04	29.74	45.08	29.03	8.45	9.15	40.9	1.1	
	日平均值			29.33	47.01	30.44	8.28	7.55	39.60	1.80
	灣內站	0:04	30.19	46.80	30.64	8.57	8.55	2.3	8.8	
		3:04	30.29	46.68	30.58	8.42	6.57	2.5	26.4	
		6:04	30.23	46.62	30.55	8.28	4.48	2.6	17.3	
		8:04	29.56	46.51	30.49	8.59	8.33	2.9	25.4	
		12:04	30.52	46.86	30.67	8.11	3.57	6.8	7.2	
		15:04	30.03	46.74	30.61	8.27	5.62	4.3	3.8	
		18:04	30.13	46.62	30.55	8.13	3.92	5.9	4.2	
		21:04	29.91	46.65	30.56	8.13	4.36	4.4	4.6	
	日平均值			30.11	46.69	30.58	8.31	5.68	3.96	12.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月3日	蚵殼站	0:04	30.07	50.31	32.82	8.29	6.03	1.8	0.8	
		3:04	29.96	50.30	32.82	8.28	5.79	1.9	6.1	
		6:04	29.66	50.52	32.99	8.35	6.69	4.4	5.9	
		9:04	29.70	50.62	33.06	8.33	7.04	4.5	21.0	
		12:04	30.30	50.87	33.23	8.28	6.68	3.8	7.2	
		15:04	30.55	50.96	33.28	8.34	8.02	3.3	13.9	
		18:04	30.48	50.67	33.07	8.45	9.40	2.4	3.6	
		21:04	30.42	50.68	33.08	8.40	8.75	1.8	2.3	
	日平均值			30.14	50.62	33.04	8.34	7.30	2.99	7.60
	潮口站	0:04	29.47	45.51	29.35	8.27	7.65	38.5	3.7	
		3:04	29.06	49.54	32.29	8.15	6.71	35.1	1.3	
		6:04	29.06	47.61	30.88	8.31	7.07	34.8	6.3	
		9:04	29.14	48.24	31.34	8.30	7.27	34.9	7.4	
		12:04	29.65	48.30	31.36	8.27	7.60	37.9	0.4	
		15:04	29.76	48.88	31.79	8.21	6.86	38.3	0.0	
		18:04	29.63	49.96	32.58	8.17	6.60	36.9	4.5	
		21:04	30.24	45.88	29.59	8.24	7.35	40.5	0.7	
	日平均值			29.50	47.99	31.15	8.24	7.14	37.11	3.04
	灣內站	0:04	29.67	46.68	30.58	8.19	5.37	3.4	6.1	
		3:04	29.47	46.61	30.54	8.01	3.22	6.2	2.2	
		6:04	29.21	46.76	30.62	8.15	5.33	3.5	2.4	
		9:04	29.34	47.38	31.03	8.28	7.08	4.8	35.3	
		12:04	30.17	48.02	31.36	8.33	8.29	5.1	16.6	
		15:04	30.72	49.22	32.00	8.25	7.44	6.4	23.7	
		18:04	30.46	48.58	31.66	8.39	9.34	4.3	24.4	
		21:04	30.27	48.36	31.54	8.58	11.82	2.5	6.2	
	日平均值			29.91	47.70	31.17	8.27	7.24	4.53	14.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月4日	蚵殼站	0:04	30.22	50.87	33.23	8.37	8.26	1.9	3.9	
		3:04	29.96	50.11	32.68	8.37	7.23	1.5	2.0	
		6:04	30.01	50.30	32.82	8.35	7.37	1.9	25.7	
		9:04	30.15	50.66	33.08	8.39	8.32	1.9	7.6	
		12:04	30.87	50.60	33.01	8.40	8.83	2.1	1.7	
		15:04	30.94	51.25	33.48	8.18	5.69	3.7	0.8	
		18:04	30.95	51.05	33.33	8.32	7.74	2.1	11.5	
		21:04	32.13	49.19	31.93	8.59	12.36	4.7	18.2	
	日平均值			30.65	50.50	32.95	8.37	8.23	2.48	8.93
	潮口站	0:04	30.00	45.87	29.59	8.25	7.28	38.6	4.1	
		3:04	29.15	50.62	33.08	8.20	6.44	32.7	4.2	
		6:04	28.99	50.37	32.90	8.23	6.69	31.3	1.2	
		9:04	29.50	49.15	31.99	8.28	7.22	34.2	3.7	
		12:04	31.00	48.72	31.62	8.45	10.48	43.2	0.2	
		15:04	30.48	49.22	32.01	8.28	7.80	39.5	1.8	
		18:04	30.54	39.24	24.85	8.18	6.87	39.5	1.8	
		21:04	30.26	49.10	31.93	8.20	6.42	37.4	0.8	
	日平均值			29.99	47.79	31.00	8.26	7.40	37.05	2.23
	灣內站	0:04	30.04	48.18	31.45	8.40	9.04	4.1	17.9	
		3:04	29.89	47.63	31.16	8.37	8.37	3.6	8.1	
		6:04	29.81	47.72	31.20	8.39	8.51	3.3	11.9	
		9:34	29.75	47.71	31.20	8.34	7.59	3.1	4.3	
		10:04	29.76	48.31	31.52	8.36	7.88	3.0	4.1	
		15:04	29.78	48.27	31.50	8.33	7.80	2.7	3.5	
		18:04	31.43	49.58	32.20	8.79	14.58	2.7	26.0	
		21:04	31.87	49.04	31.91	8.86	16.13	3.3	15.3	
	日平均值			30.29	48.31	31.52	8.48	9.99	3.23	11.39
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月5日	蚵殼站	0:04	30.87	47.03	30.41	8.45	9.65	4.1	3.3	
		3:04	30.69	48.35	31.36	8.48	9.59	2.6	8.6	
		6:04	30.97	50.79	33.14	8.37	8.77	1.8	15.3	
		9:04	30.97	50.96	33.26	8.42	9.96	2.3	85.0	
		12:04	31.48	44.68	28.69	8.50	14.28	3.8	55.1	
		15:04	31.54	47.85	30.97	8.47	12.75	3.8	59.8	
		18:04	31.65	48.21	31.23	8.38	10.92	6.4	24.8	
		21:04	31.90	47.01	30.35	8.60	12.85	3.1	23.9	
	日平均值			31.26	48.11	31.18	8.46	11.10	3.49	34.48
	潮口站	0:04	30.13	47.11	30.48	8.32	7.34	36.2	0.4	
		3:04	29.02	50.36	32.89	8.30	6.48	29.3	1.4	
		6:04	28.66	50.50	33.01	8.31	6.34	26.9	1.0	
		9:04	30.30	48.23	31.30	8.48	8.63	36.2	4.9	
		12:04	31.64	48.86	31.71	8.54	9.04	5.7	19.9	
		15:04	31.34	48.52	31.47	8.40	10.03	4.5	38.4	
		18:04	29.76	40.52	25.78	8.30	6.37	7.9	2.1	
		21:04	29.79	49.56	32.28	8.32	6.28	6.3	10.0	
	日平均值			30.08	47.96	31.12	8.37	7.56	19.13	9.76
	灣內站	0:04	31.27	48.81	31.78	8.35	12.06	3.4	14.0	
		3:04	30.94	48.66	31.70	8.27	10.72	3.7	24.4	
		6:04	30.70	48.86	31.81	8.35	11.05	2.4	10.4	
		9:04	30.87	49.04	31.90	8.41	12.50	3.4	36.2	
		12:04	31.56	47.74	30.89	8.60	10.59	4.7	25.1	
		15:04	32.49	49.00	31.81	8.73	13.37	4.5	42.2	
		18:04	31.54	44.92	28.91	8.56	11.64	3.3	34.3	
		21:04	31.72	48.28	31.32	8.59	12.48	4.0	25.9	
	日平均值			31.39	48.16	31.27	8.48	11.80	3.68	26.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月6日	蚵殼站	0:04	31.10	45.22	29.09	8.51	10.80	3.4	29.5	
		3:04	30.75	45.59	29.37	8.45	9.96	2.8	30.0	
		6:04	30.50	47.12	30.48	8.35	8.58	2.3	30.3	
		9:04	31.06	49.65	32.30	8.27	7.57	2.0	19.7	
		12:04	30.72	48.93	31.79	8.28	7.84	3.5	16.6	
		15:04	30.66	50.69	33.08	8.27	7.95	7.3	20.6	
		18:04	30.80	50.05	32.60	8.44	9.16	7.5	32.5	
		21:04	30.63	50.02	32.59	8.38	8.00	6.3	32.8	
	日平均值			30.78	48.41	31.41	8.37	8.73	4.39	26.50
	潮口站	0:04	30.00	47.55	30.81	8.35	6.61	3.7	1.9	
		3:04	29.24	50.73	33.16	8.29	5.82	4.3	4.5	
		6:04	28.78	51.39	33.66	8.30	5.90	5.2	0.0	
		9:04	29.95	47.87	31.04	8.51	7.97	1.8	12.8	
		12:04	30.87	48.71	31.62	8.71	10.49	6.2	56.5	
		15:04	31.47	48.90	31.74	8.72	9.59	15.5	71.7	
		18:04	29.76	50.82	33.21	8.36	6.72	6.5	11.9	
		21:04	30.27	48.85	31.75	8.60	7.27	15.4	43.5	
	日平均值			30.04	49.35	32.12	8.48	7.55	7.33	25.35
	灣內站	0:04	31.62	46.32	29.90	8.88	11.69	3.7	19.2	
		4:04	31.16	48.81	31.74	8.70	9.77	4.4	31.4	
		14:04	30.30	49.81	32.42	8.15	3.98	9.9	12.3	
		14:34	30.39	49.83	32.44	8.17	4.29	9.3	11.8	
		15:04	30.00	49.79	32.41	8.13	3.93	9.8	7.6	
		17:04	29.55	49.97	32.55	8.34	6.00	8.5	10.6	
		18:04	29.48	50.42	32.90	8.37	3.36	7.9	11.2	
		21:04	29.92	49.43	32.16	8.52	4.72	4.7	17.0	
	日平均值			30.30	49.30	32.07	8.41	5.97	7.28	15.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月7日	蚵殼站	0:04	30.18	50.59	33.03	8.30	7.00	5.8	18.5	
		3:04	30.04	50.42	32.90	8.25	6.26	4.6	25.6	
		6:04	29.95	50.45	32.93	8.29	6.41	10.7	24.7	
		9:04	29.87	50.60	33.04	8.31	7.03	8.4	28.7	
		12:04	30.39	50.73	33.12	8.32	8.03	7.9	17.7	
		15:04	30.70	50.72	33.10	8.35	9.04	4.6	28.6	
		18:04	30.54	50.68	33.08	8.38	9.75	4.0	22.2	
		21:04	30.84	50.20	32.72	8.46	10.91	4.4	18.8	
	日平均值			30.31	50.55	32.99	8.33	8.05	6.30	23.10
	潮口站	0:04	29.95	48.77	31.70	8.45	6.00	12.3	29.0	
		3:04	29.63	49.59	32.31	8.38	5.96	5.3	10.1	
		6:04	29.31	50.76	33.18	8.26	6.13	15.3	7.1	
		9:04	29.72	49.11	31.95	8.49	6.44	8.9	22.8	
		12:04	30.09	49.62	32.32	8.45	7.13	17.4	19.8	
		15:04	30.75	49.58	32.26	8.49	7.79	7.1	24.6	
		18:04	30.02	42.60	27.24	8.20	5.89	5.9	2.2	
		21:04	30.08	49.67	32.35	8.34	6.55	5.5	15.7	
	日平均值			29.94	48.71	31.66	8.38	6.49	9.71	16.41
	灣內站	0:04	29.55	49.66	32.35	8.41	4.92	5.2	13.2	
		3:04	29.53	50.01	32.61	8.33	5.00	5.4	21.1	
		6:04	29.38	50.62	33.07	8.37	5.59	4.5	19.6	
		9:04	29.58	49.85	32.49	8.44	6.33	4.6	16.8	
		9:34	29.64	50.21	32.76	8.45	6.50	4.8	17.9	
		10:04	29.74	50.19	32.74	8.47	6.76	5.2	22.4	
		18:04	31.03	46.65	30.16	8.74	12.25	5.8	39.3	
		21:04	30.62	49.95	32.54	8.66	10.84	4.6	19.1	
	日平均值			29.88	49.64	32.34	8.48	7.27	5.01	21.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月8日	蚵殼站	0:04	30.21	47.73	30.93	8.34	8.45	3.2	8.2	
		3:04	29.97	43.71	28.04	8.29	7.80	3.0	11.7	
		6:04	30.32	46.44	29.99	8.36	8.45	2.3	22.3	
		9:04	30.74	46.98	30.37	8.41	10.08	3.4	28.9	
		12:04	30.63	48.41	31.41	8.34	9.11	3.0	18.0	
		15:04	31.49	46.93	30.31	8.30	8.51	4.8	14.7	
		18:04	31.67	47.51	30.73	8.60	13.74	3.5	25.8	
		21:04	30.57	45.83	29.55	8.34	9.43	4.0	18.3	
	日平均值			30.70	46.69	30.17	8.37	9.45	3.40	18.49
	潮口站	0:04	30.02	49.58	32.28	8.38	6.85	5.2	7.3	
		3:04	29.72	47.86	31.04	8.30	5.99	3.5	8.5	
		6:04	28.71	51.55	33.78	8.22	5.57	10.6	0.2	
		9:04	29.79	48.34	31.39	8.44	7.24	1.7	11.3	
		12:04	29.72	49.55	32.28	8.41	7.94	7.7	27.5	
		15:04	30.72	49.79	32.42	8.50	9.62	8.5	42.6	
		18:04	29.89	41.37	26.37	8.18	6.50	5.6	6.3	
		21:04	30.29	48.72	31.65	8.30	7.52	2.2	5.1	
	日平均值			29.86	48.35	31.40	8.34	7.15	5.63	13.60
	灣內站	0:04	30.69	49.45	32.19	8.35	9.55	5.6	34.5	
		3:04	29.73	47.50	30.78	8.35	9.26	3.0	12.7	
		6:04	30.45	48.99	31.88	8.29	8.47	5.3	35.4	
		9:04	30.57	49.47	32.20	8.37	10.17	4.0	23.3	
		12:04	31.15	49.19	32.00	8.50	11.63	4.5	24.3	
		15:04	32.25	48.41	31.40	8.66	13.03	6.7	27.2	
		18:04	31.97	45.03	28.98	8.76	14.67	4.2	32.1	
		21:04	31.24	48.23	31.27	8.68	13.53	3.8	17.9	
	日平均值			31.01	48.28	31.34	8.50	11.29	4.64	25.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月9日	蚵殼站	0:04	30.93	46.41	29.95	8.39	10.01	4.2	16.8	
		3:04	30.66	46.22	29.83	8.35	8.65	2.9	24.6	
		6:04	30.17	45.43	29.27	8.35	8.70	2.4	19.5	
		9:04	30.57	47.81	30.98	8.30	8.13	3.2	43.2	
		12:04	30.62	48.41	31.41	8.44	11.13	3.0	37.7	
		15:04	31.48	47.24	30.53	8.52	13.07	4.4	36.1	
		18:04	32.48	46.63	30.06	8.62	15.75	2.3	23.5	
		21:04	31.73	46.88	30.27	8.39	11.84	4.0	19.9	
	日平均值			31.08	46.88	30.29	8.42	10.91	3.30	27.66
	潮口站	0:04	30.40	49.22	32.01	8.46	8.56	3.1	8.0	
		3:04	29.89	48.23	31.31	8.38	7.78	2.4	12.4	
		6:04	28.72	51.33	33.62	8.22	5.90	7.4	0.8	
		9:04	28.94	51.12	33.45	8.25	6.19	2.6	3.9	
		12:04	31.25	48.23	31.26	8.52	9.90	5.2	21.8	
		15:04	31.15	49.57	32.24	8.50	9.74	5.1	34.1	
		18:04	30.25	48.29	31.34	8.31	7.47	4.1	11.7	
		21:04	29.59	47.91	31.08	8.23	6.61	1.9	5.0	
	日平均值			30.02	49.24	32.04	8.36	7.77	3.98	12.21
	灣內站	0:04	31.70	47.33	30.63	8.49	13.26	4.0	24.3	
		3:04	31.62	47.00	30.41	8.41	12.17	3.9	26.4	
		6:04	31.43	48.28	31.37	8.49	13.68	3.2	27.8	
		9:04	31.27	48.47	31.49	8.39	12.62	3.0	15.7	
		12:04	32.14	48.76	31.65	8.52	14.01	4.7	27.0	
		15:04	32.99	48.75	31.64	8.58	13.96	6.9	22.3	
		18:04	32.90	46.52	30.03	8.61	14.06	5.3	24.4	
		21:04	32.40	47.34	30.63	8.52	13.05	3.4	13.2	
	日平均值			32.06	47.81	30.98	8.50	13.35	4.30	22.64
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月10日	蚵殼站	0:04	31.50	47.28	30.56	8.48	12.42	1.4	13.0	
		3:04	31.24	47.80	30.95	8.43	11.58	2.6	12.1	
		6:04	31.39	46.84	30.25	8.52	11.57	2.0	13.2	
		9:04	31.18	45.67	29.41	8.45	11.02	3.1	14.8	
		12:04	30.68	47.16	30.50	8.38	11.46	3.5	33.9	
		15:04	31.00	49.63	32.29	8.41	10.77	3.9	34.1	
		18:04	31.36	48.32	31.32	8.45	10.98	2.2	24.5	
		21:04	31.72	48.06	31.12	8.42	10.02	2.8	12.7	
	日平均值			31.26	47.60	30.80	8.44	11.23	2.69	19.79
	潮口站	0:04	30.65	48.95	31.81	8.50	8.89	3.7	16.9	
		3:04	31.08	49.10	31.91	8.51	8.90	4.6	10.9	
		6:04	29.65	50.39	32.89	8.27	6.45	8.3	7.1	
		9:04	29.35	50.95	33.32	8.27	6.51	3.9	9.9	
		12:04	30.67	50.28	32.78	8.41	8.60	10.1	25.3	
		15:04	29.95	50.68	33.09	8.33	7.37	4.7	24.1	
		18:04	29.87	48.36	31.40	8.28	7.06	3.7	7.2	
		21:04	29.70	48.37	31.41	8.26	6.83	2.6	11.0	
	日平均值			30.12	49.64	32.33	8.35	7.58	5.20	14.05
	灣內站	0:04	32.07	47.91	31.05	8.51	12.19	3.5	22.6	
		3:04	31.59	49.03	31.85	8.49	11.67	2.9	13.5	
		6:04	31.11	48.67	31.61	8.41	10.54	3.1	24.6	
		9:04	31.10	48.78	31.71	8.40	10.49	3.3	23.3	
		12:04	31.89	50.10	32.65	8.56	12.75	3.2	9.2	
		15:04	32.12	50.12	32.66	8.60	12.12	4.1	11.1	
		18:04	31.83	48.25	31.30	8.53	11.10	4.8	9.7	
		21:04	31.67	48.18	31.24	8.49	10.31	4.1	8.1	
	日平均值			31.67	48.88	31.76	8.50	11.40	3.63	15.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月11日	蚵殼站	0:04	31.58	47.52	30.74	8.45	9.83	2.1	5.0	
		3:04	31.37	47.83	30.97	8.43	9.38	2.4	10.5	
		6:04	31.11	47.38	30.65	8.42	8.81	2.0	15.7	
		9:04	31.01	49.57	32.25	8.43	9.43	2.3	27.4	
		12:04	30.63	47.95	31.08	8.35	8.88	2.3	14.7	
		15:04	30.79	50.36	32.83	8.36	9.56	3.5	27.4	
		18:04	31.19	48.35	31.35	8.43	9.49	2.5	14.9	
		21:04	31.37	48.26	31.28	8.48	9.00	2.2	4.2	
	日平均值			31.13	48.40	31.39	8.42	9.30	2.41	14.98
	潮口站	0:04	29.40	48.27	31.35	8.30	9.07	11.2	14.2	
		3:04	29.67	49.01	31.89	8.26	8.38	6.3	6.5	
		6:04	29.45	48.90	31.81	8.26	8.27	6.0	6.7	
		9:04	29.06	51.08	33.42	8.28	8.55	6.0	2.5	
		12:04	29.70	51.21	33.49	8.32	9.08	2.6	1.6	
		15:04	29.85	50.66	33.09	8.39	9.98	10.0	16.0	
		18:04	29.94	50.52	32.98	8.38	9.52	5.0	13.2	
		21:04	29.22	46.42	30.01	8.27	8.98	3.3	9.4	
	日平均值			29.54	49.51	32.26	8.31	8.98	6.30	8.76
	灣內站	0:04	31.18	48.03	31.14	8.49	10.20	3.4	7.0	
		3:04	31.28	48.46	31.46	8.50	5.68	3.7	7.8	
		6:04	31.02	48.49	31.48	8.42	5.16	3.5	14.5	
		9:04	30.52	50.37	32.87	8.37	5.49	3.5	18.4	
		12:04	31.50	49.90	32.52	8.54	6.68	3.3	6.7	
		15:04	31.76	49.05	31.90	8.60	6.98	3.7	17.1	
		18:04	31.68	50.42	32.89	8.60	6.97	4.1	18.6	
		21:04	31.20	47.35	30.65	8.49	6.39	2.4	11.5	
	日平均值			31.27	49.01	31.86	8.50	6.69	3.45	12.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月12日	蚵殼站	0:04	31.19	46.87	30.28	8.46	8.79	1.6	5.3	
		3:04	30.99	46.83	30.25	8.48	8.94	0.8	4.5	
		6:04	30.81	48.80	31.69	8.43	8.34	1.9	1.6	
		9:04	30.93	48.40	31.40	8.46	8.53	1.6	4.9	
		12:04	31.47	48.16	31.20	8.49	9.27	1.6	7.0	
		15:04	31.39	47.76	30.92	8.45	8.89	3.4	23.5	
		18:04	31.36	48.01	31.09	8.44	9.53	2.1	23.6	
		21:04	31.24	46.90	30.30	8.47	8.72	1.7	11.9	
	日平均值			31.17	47.72	30.89	8.46	8.88	1.84	10.29
	潮口站	0:04	28.73	49.41	32.21	8.27	8.64	3.2	3.7	
		3:04	30.33	49.92	32.52	8.42	9.27	2.1	8.1	
		6:04	28.95	46.01	29.73	8.33	8.54	5.0	10.6	
		9:04	29.65	46.68	30.19	8.30	8.23	3.2	3.1	
		12:04	29.79	50.99	33.33	8.34	9.41	2.9	6.4	
		15:04	30.22	49.68	32.36	8.43	10.58	4.8	17.9	
		18:04	30.47	48.84	31.73	8.40	10.25	2.6	22.4	
		21:04	29.36	50.52	33.00	8.31	9.04	2.1	0.3	
	日平均值			29.69	49.01	31.88	8.35	9.25	3.24	9.06
	灣內站	0:04	31.30	48.25	31.32	8.45	6.47	3.6	13.8	
		3:04	31.01	48.24	31.29	8.41	5.99	3.7	11.9	
		6:04	30.63	47.75	30.96	8.36	5.55	4.2	36.2	
		9:04	30.74	47.41	30.70	8.45	6.80	3.5	21.9	
		12:04	31.22	49.42	32.16	8.53	7.98	2.9	13.7	
		15:04	31.65	48.93	31.79	8.56	8.10	4.1	13.6	
		18:04	31.96	48.34	31.35	8.57	8.38	4.9	20.2	
		21:04	31.54	49.07	31.91	8.51	7.85	3.3	5.6	
	日平均值			31.26	48.43	31.44	8.48	7.14	3.78	17.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月13日	蚵殼站	0:04	31.17	47.17	30.50	8.46	8.53	1.5	3.0	
		3:04	30.67	46.12	29.75	8.37	7.55	1.6	8.2	
		6:04	30.69	44.66	28.70	8.37	6.91	4.6	28.1	
		9:04	31.19	48.79	31.67	8.41	9.07	4.0	44.4	
		12:04	31.70	46.96	30.33	8.56	11.00	3.1	24.4	
		15:04	31.39	48.69	31.59	8.50	10.57	2.8	24.5	
		18:04	31.84	48.12	31.16	8.56	11.70	2.0	24.3	
		21:04	31.78	47.96	31.05	8.56	10.58	1.7	4.3	
	日平均值			31.30	47.31	30.59	8.47	9.49	2.66	20.15
	潮口站	0:04	28.73	49.41	32.21	8.27	8.64	3.2	3.7	
		3:04	30.33	49.92	32.52	8.42	9.27	2.1	8.1	
		6:04	28.95	46.01	29.73	8.33	8.54	5.0	10.6	
		9:04	29.65	46.68	30.19	8.30	8.23	3.2	3.1	
		12:04	29.79	50.99	33.33	8.34	9.41	2.9	6.4	
		15:04	30.22	49.68	32.36	8.43	10.58	4.8	17.9	
		18:04	30.47	48.84	31.73	8.40	10.25	2.6	22.4	
		21:04	29.36	50.52	33.00	8.31	9.04	2.1	0.3	
	日平均值			29.69	49.01	31.88	8.35	9.25	3.24	9.06
	灣內站	0:04	30.94	49.96	32.57	8.44	7.66	2.2	7.7	
		3:04	31.18	48.19	31.26	8.48	8.19	2.6	5.5	
		6:04	31.15	46.46	30.02	8.38	6.91	3.4	13.1	
		9:04	31.34	47.48	30.75	8.46	8.29	2.8	12.4	
		12:04	31.90	48.89	31.76	8.58	9.45	2.5	11.3	
		15:04	31.86	49.01	31.85	8.57	10.17	3.3	17.1	
		18:04	32.39	48.36	31.36	8.56	10.06	3.6	12.8	
		21:04	31.74	48.94	31.81	8.52	9.82	2.7	12.1	
	日平均值			31.56	48.41	31.42	8.50	8.82	2.89	11.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月14日	蚵殼站	0:04	31.69	47.84	30.96	8.54	9.86	1.5	5.4	
		3:04	31.53	47.68	30.85	8.49	9.19	1.6	7.3	
		6:04	31.23	46.72	30.17	8.49	8.83	1.8	16.4	
		9:04	31.32	46.64	30.11	8.47	10.40	2.0	20.7	
		12:04	31.62	45.55	29.31	8.47	10.39	2.7	12.6	
		15:04	31.65	47.31	30.58	8.48	9.14	4.0	37.5	
		18:04	31.65	47.91	31.02	8.43	9.56	5.2	14.6	
		21:04	31.53	46.23	29.80	8.49	8.94	3.0	10.9	
	日平均值			31.53	46.99	30.35	8.48	9.54	2.73	15.68
	潮口站	0:04	29.21	49.03	31.91	8.31	8.99	1.4	7.1	
		3:04	30.17	46.44	30.00	8.44	9.61	2.0	12.9	
		6:04	30.50	48.97	31.83	8.44	9.87	3.7	9.8	
		9:04	30.72	48.70	31.63	8.48	10.00	2.2	10.1	
		12:04	30.35	50.46	32.92	8.39	9.60	2.4	4.6	
		15:04	30.65	46.42	29.97	8.32	9.63	5.1	12.3	
		18:04	30.08	50.10	32.67	8.26	8.35	7.3	9.1	
		21:04	29.94	48.68	31.63	8.25	8.43	6.5	9.2	
	日平均值			30.20	48.60	31.57	8.36	9.31	3.83	9.39
	灣內站	0:04	31.14	48.54	31.51	8.49	10.73	2.5	7.0	
		3:04	31.18	46.71	30.17	8.44	9.38	2.8	8.6	
		6:04	31.11	48.49	31.47	8.38	8.28	3.1	20.9	
		9:04	30.99	47.86	31.00	8.45	9.47	2.6	12.9	
		12:04	31.46	48.20	31.25	8.57	11.36	2.7	10.9	
		15:04	31.56	47.43	30.69	8.59	11.50	4.5	28.6	
		18:04	31.39	49.23	32.01	8.58	10.92	4.4	31.0	
		21:04	31.03	47.75	30.93	8.45	9.38	3.5	16.5	
	日平均值			31.23	48.03	31.13	8.49	10.13	3.26	17.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月15日	蚵殼站	0:04	31.39	47.32	30.59	8.47	8.60	2.0	11.9	
		3:04	31.10	47.01	30.38	8.42	7.56	3.1	16.6	
		6:04	30.86	47.79	30.96	8.41	7.55	2.2	10.2	
		9:04	30.93	49.55	32.24	8.40	8.19	1.9	13.5	
		12:04	30.95	48.16	31.22	8.31	7.34	5.7	20.8	
		15:04	31.12	48.06	31.14	8.43	8.28	9.1	26.1	
		18:04	31.00	48.31	31.33	8.37	7.79	6.5	45.6	
		21:04	31.06	49.20	31.98	8.49	8.22	3.8	15.4	
	日平均值			31.05	48.18	31.23	8.41	7.94	4.29	20.01
	潮口站	0:04	29.40	48.17	31.28	8.27	8.74	8.2	5.6	
		3:04	29.31	49.54	32.28	8.27	8.62	6.4	0.4	
		6:04	29.91	49.68	32.36	8.28	7.88	4.3	6.3	
		9:04	29.86	49.57	32.28	8.23	8.19	11.4	7.9	
		12:04	29.95	48.73	31.67	8.27	8.84	6.7	9.0	
		15:04	29.90	46.66	30.16	8.22	8.89	8.3	4.3	
		18:04	30.08	48.08	31.19	8.22	8.58	7.2	4.1	
		21:04	29.88	48.31	31.37	8.24	8.49	4.7	9.5	
	日平均值			29.79	48.59	31.57	8.25	8.53	7.15	5.89
	灣內站	0:04	30.94	47.28	30.60	8.50	9.15	2.9	6.6	
		3:04	30.85	48.06	31.17	8.49	8.92	3.1	13.1	
		6:04	30.85	48.60	31.56	8.50	8.50	2.8	11.8	
		9:04	30.78	49.47	32.19	8.50	8.38	3.7	10.8	
		12:04	31.27	48.56	31.53	8.50	8.69	6.9	15.3	
		15:04	31.62	47.58	30.82	8.57	9.60	7.1	24.2	
		18:04	31.68	48.29	31.33	8.54	8.93	9.0	24.9	
		21:04	30.76	48.78	31.69	8.43	8.23	5.0	16.1	
	日平均值			31.09	48.33	31.36	8.50	8.80	5.06	15.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月16日	蚵殼站	0:04	30.94	49.34	32.08	8.46	7.74	4.6	16.8	
		3:04	30.60	48.02	31.13	8.41	6.98	2.8	15.1	
		6:04	30.45	47.74	30.94	8.39	6.51	2.6	20.0	
		9:04	30.72	47.04	30.41	8.49	7.41	2.8	15.9	
		12:04	31.25	47.80	30.95	8.48	9.19	3.7	27.3	
		15:04	31.31	50.80	33.13	8.52	9.10	3.6	22.9	
		18:04	31.35	47.82	30.96	8.57	9.57	2.7	21.8	
		21:04	31.34	46.96	30.34	8.56	8.71	2.0	19.8	
	日平均值			31.00	48.19	31.24	8.49	8.15	3.10	19.95
	潮口站	0:04	28.93	51.07	33.42	8.24	8.37	6.8	0.0	
		3:04	28.81	51.12	33.46	8.23	8.23	16.2	0.1	
		6:04	30.05	49.27	32.06	8.36	8.54	3.9	8.8	
		9:04	30.38	49.47	32.19	8.44	9.55	3.1	12.1	
		12:04	30.84	49.45	32.17	8.47	10.57	5.0	7.0	
		15:04	30.03	47.57	30.82	8.21	8.79	5.1	1.2	
		18:04	29.80	47.58	30.84	8.18	8.23	9.3	6.9	
		21:04	30.16	49.01	31.87	8.36	9.56	4.2	17.9	
	日平均值			29.88	49.32	32.10	8.31	8.98	6.70	6.75
	灣內站	0:04	30.62	49.28	32.08	8.46	7.73	4.0	18.8	
		3:04	30.53	49.58	32.30	8.45	7.24	4.2	9.3	
		6:04	30.41	48.59	31.56	8.40	7.16	3.2	11.9	
		9:04	30.41	48.67	31.61	8.41	6.89	4.3	9.7	
		12:04	30.89	48.69	31.61	8.52	8.70	3.8	17.8	
		15:04	31.21	49.23	32.01	8.59	9.91	4.0	21.6	
		18:04	31.16	47.66	30.87	8.58	9.98	5.9	27.0	
		21:04	30.95	48.13	31.21	8.54	9.62	5.0	33.8	
	日平均值			30.77	48.73	31.66	8.49	8.40	4.30	18.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月17日	蚵殼站	0:04	30.41	46.80	30.25	8.36	7.24	2.5	4.3	
		3:04	30.81	46.76	30.21	8.46	7.57	1.7	13.6	
		6:04	30.73	49.19	31.98	8.45	7.52	2.3	12.6	
		9:04	31.11	49.03	31.85	8.59	9.23	2.7	35.3	
		12:04	32.00	47.96	31.04	8.59	12.31	2.8	38.0	
		15:04	32.10	46.57	30.03	8.54	13.21	4.8	57.2	
		18:04	31.88	47.52	30.72	8.60	13.05	4.6	32.6	
		21:04	31.19	46.65	30.12	8.38	9.16	3.8	17.5	
	日平均值			31.28	47.56	30.78	8.50	9.91	3.15	26.39
	潮口站	0:04	29.71	50.02	32.62	8.27	8.44	4.3	11.8	
		3:04	28.82	51.29	33.58	8.24	8.34	4.4	1.4	
		6:04	29.89	49.31	32.10	8.38	9.01	1.9	5.3	
		9:04	30.42	49.44	32.17	8.42	9.73	4.8	15.0	
		12:04	31.27	49.76	32.38	8.41	10.55	6.3	13.7	
		15:04	30.49	48.46	31.45	8.29	9.23	5.1	6.0	
		18:04	30.37	47.93	31.07	8.24	9.30	6.1	4.4	
		21:04	30.84	49.81	32.43	8.43	10.60	6.9	15.6	
	日平均值			30.23	49.50	32.23	8.34	9.40	4.98	9.15
	灣內站	0:04	30.82	48.49	31.49	8.41	8.22	4.5	18.0	
		3:04	30.40	49.52	32.25	8.33	7.72	3.5	5.9	
		6:04	30.51	49.31	32.08	8.34	7.79	3.3	16.2	
		9:04	30.57	48.76	31.67	8.38	8.90	3.5	26.3	
		12:04	31.53	48.79	31.66	8.58	11.46	3.7	21.7	
		15:04	31.89	47.76	30.91	8.66	12.92	3.7	23.8	
		18:04	32.05	47.40	30.66	8.64	12.66	3.5	19.3	
		21:04	32.17	48.36	31.37	8.66	11.18	5.1	21.3	
	日平均值			31.24	48.55	31.51	8.50	10.11	3.85	19.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月18日	蚵殼站	0:04	30.92	46.18	29.79	8.39	8.96	3.5	12.6	
		3:04	31.11	47.75	30.92	8.45	9.71	2.1	16.8	
		6:04	30.61	49.50	32.21	8.44	9.18	5.2	39.3	
		9:04	31.42	48.94	31.78	8.60	12.25	3.3	68.5	
		12:04	31.62	48.90	31.73	8.56	13.11	4.1	56.2	
		15:04	31.85	48.45	31.40	8.53	12.97	4.9	41.7	
		18:04	30.96	46.87	30.28	8.39	9.52	4.7	31.0	
		21:04	30.96	47.21	30.53	8.40	9.04	4.8	13.8	
	日平均值			31.18	47.98	31.08	8.47	10.59	4.08	34.99
	潮口站	0:04	30.76	49.75	32.38	8.42	10.22	7.0	24.2	
		3:04	29.05	51.54	33.76	8.23	8.63	4.3	4.0	
		6:04	29.04	51.58	33.79	8.24	8.60	4.1	3.9	
		9:04	30.51	49.32	32.08	8.44	10.64	4.6	10.9	
		12:04	31.79	49.84	32.42	8.50	11.76	5.8	3.8	
		15:04	30.72	46.74	30.20	8.23	9.47	3.8	10.6	
		18:04	30.00	48.42	31.44	8.23	9.34	4.3	9.8	
		21:04	30.18	50.34	32.84	8.33	9.75	6.4	18.0	
	日平均值			30.26	49.69	32.36	8.33	9.80	5.04	10.65
	灣內站	0:04	31.72	48.55	31.50	8.47	11.06	3.9	18.0	
		3:04	31.36	49.43	32.19	8.44	10.56	3.2	7.5	
		6:04	30.60	49.57	32.29	8.24	8.63	4.6	30.1	
		9:04	31.18	49.13	31.93	8.49	11.48	3.8	30.7	
		12:04	32.31	48.38	31.36	8.52	11.72	4.9	24.7	
		15:04	32.76	47.15	30.48	8.57	11.30	5.7	35.2	
		18:04	32.23	47.91	31.03	8.66	13.16	3.4	36.0	
		21:04	31.85	49.15	31.96	8.59	12.03	2.9	21.0	
	日平均值			31.75	48.66	31.59	8.50	11.24	4.05	25.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月19日	蚵殼站	0:04	30.61	47.28	30.59	8.24	8.77	4.0	13.8	
		3:04	30.46	47.48	30.74	8.20	7.80	2.8	7.7	
		6:04	30.60	50.60	33.01	8.22	8.02	2.8	25.2	
		9:04	30.72	50.26	32.76	8.39	10.49	3.8	40.4	
		12:04	30.75	48.73	31.64	8.33	10.51	5.2	50.5	
		15:04	29.89	47.73	30.95	8.22	9.43	4.3	40.3	
		18:04	30.13	48.69	31.63	8.22	10.00	7.6	28.0	
		21:04	29.73	48.72	31.67	8.15	8.46	6.7	16.1	
	日平均值			30.36	48.69	31.62	8.25	9.19	4.65	27.75
	潮口站	0:04	30.44	50.09	32.65	8.18	11.09	3.9	8.9	
		3:04	29.19	51.41	33.66	7.91	8.61	4.7	7.4	
		6:04	29.09	51.55	33.76	7.92	8.68	4.2	1.3	
		9:04	30.10	49.66	32.35	8.15	10.58	3.6	14.1	
		12:04	30.26	49.92	32.53	8.21	11.83	4.4	28.5	
		15:04	29.87	50.71	33.12	8.09	10.31	5.8	13.0	
		18:04	29.38	51.96	34.06	7.94	9.06	3.8	14.5	
		21:04	29.92	50.27	32.80	8.13	10.64	8.8	30.5	
	日平均值			29.78	50.70	33.12	8.07	10.10	4.90	14.78
	灣內站	0:04	31.83	48.38	31.37	8.93	11.90	3.2	24.9	
		3:04	31.50	47.08	30.49	8.84	10.57	3.1	10.3	
		6:04	30.64	45.97	29.75	8.63	9.35	2.7	26.1	
		9:04	30.87	45.77	29.60	8.72	9.44	3.8	61.4	
		12:04	31.17	49.72	32.35	8.42	9.26	5.3	36.2	
		15:04	30.58	49.90	32.51	8.07	5.13	7.0	18.0	
		18:04	30.28	50.02	32.60	8.13	6.14	4.7	20.0	
		21:04	30.25	50.30	32.81	8.24	7.06	3.6	28.0	
	日平均值			30.89	48.39	31.44	8.50	8.61	4.18	28.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月20日	蚵殼站	0:04	29.75	48.89	31.79	8.12	7.84	3.8	18.9	
		3:04	29.43	49.14	31.98	8.08	7.06	3.3	19.3	
		6:04	29.60	49.56	32.29	8.13	7.95	4.4	31.0	
		9:04	29.67	50.47	32.95	8.15	5.14	3.9	19.5	
		12:04	29.83	49.55	32.27	8.33	8.25	3.8	26.3	
		15:04	30.16	49.81	32.45	8.35	8.69	6.3	21.7	
		18:04	29.84	50.28	32.81	8.27	7.41	5.4	13.7	
		21:04	29.88	50.13	32.69	8.35	8.19	4.5	11.5	
	日平均值			29.77	49.73	32.40	8.22	7.57	4.43	20.24
	潮口站	0:04	29.94	50.54	32.99	8.18	10.81	19.2	38.7	
		3:04	29.13	51.85	33.99	7.92	8.62	5.7	1.3	
		6:04	28.85	52.04	34.13	7.91	8.53	4.6	0.1	
		9:04	29.27	50.55	33.02	8.06	9.72	5.6	19.0	
		12:04	29.56	51.06	33.39	8.02	9.92	9.8	21.4	
		15:04	30.10	51.02	33.34	8.13	11.32	6.1	29.0	
		18:04	29.53	48.07	31.20	7.91	9.34	5.4	6.1	
		21:04	29.45	51.29	33.57	7.96	9.20	4.7	7.4	
	日平均值			29.48	50.80	33.20	8.01	9.68	7.64	15.38
	灣內站	0:04	30.19	49.92	32.53	8.47	8.27	2.9	15.6	
		3:04	29.99	50.20	32.74	8.49	9.21	2.7	5.6	
		6:04	29.80	50.44	32.92	8.29	6.60	3.2	18.1	
		9:04	29.75	50.34	32.85	8.31	6.64	3.1	45.3	
		12:04	29.95	50.15	32.70	8.43	8.81	4.1	22.2	
		15:04	30.55	50.27	32.78	8.57	10.44	4.3	28.2	
		18:04	30.46	50.31	32.81	8.54	9.91	4.1	35.9	
		21:04	30.50	50.11	32.66	8.43	8.74	5.5	28.5	
	日平均值			30.15	50.22	32.75	8.44	8.58	3.74	24.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月21日	蚵殼站	0:04	29.78	50.13	32.70	8.39	8.60	2.8	15.1	
		3:04	29.42	49.79	32.46	8.35	7.94	3.4	12.0	
		6:04	29.28	49.69	32.39	8.34	7.78	2.7	2.7	
		9:04	29.48	50.07	32.66	8.37	8.36	3.2	17.8	
		12:04	30.09	50.32	32.83	8.40	9.40	4.4	27.2	
		15:04	30.08	50.44	32.92	8.41	9.84	4.7	12.1	
		18:04	30.25	49.88	32.50	8.50	10.75	3.1	10.3	
		21:04	30.11	49.81	32.46	8.39	8.99	4.6	8.8	
	日平均值			29.81	50.02	32.62	8.39	8.96	3.61	13.25
	潮口站	0:04	29.29	50.70	33.14	7.92	8.73	8.0	2.2	
		3:04	29.18	50.40	32.91	7.88	8.15	6.1	5.4	
		6:04	28.87	52.14	34.20	7.91	8.48	4.1	1.4	
		9:04	29.43	50.74	33.16	7.94	8.94	4.6	13.5	
		12:04	30.40	50.87	33.22	7.88	8.78	21.9	8.4	
		15:04	30.47	51.08	33.37	8.06	10.70	5.1	16.8	
		18:04	29.72	49.23	32.04	7.93	9.36	4.7	3.5	
		21:04	29.56	50.74	33.16	7.92	8.99	5.5	3.9	
	日平均值			29.62	50.74	33.15	7.93	9.02	7.50	6.89
	灣內站	0:04	30.12	49.67	32.35	8.34	8.23	4.6	14.8	
		3:04	30.03	50.07	32.65	8.36	8.35	2.9	12.2	
		6:04	29.98	50.24	32.77	8.39	8.86	3.0	12.3	
		9:04	29.77	49.99	32.59	8.39	9.33	2.9	32.4	
		12:04	31.00	49.86	32.46	8.63	13.18	3.5	21.4	
		15:04	31.43	50.01	32.56	8.70	13.60	4.8	24.6	
		18:04	31.02	49.98	32.55	8.66	12.67	3.9	19.8	
		21:04	30.73	49.85	32.46	8.56	10.70	3.4	6.8	
	日平均值			30.51	49.96	32.55	8.50	10.62	3.63	18.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月22日	蚵殼站	0:04	30.34	49.92	32.53	8.45	9.82	3.4	5.0	
		3:04	30.25	49.82	32.46	8.51	10.39	3.2	12.7	
		6:04	30.09	49.97	32.57	8.48	9.75	5.8	7.1	
		9:04	29.89	50.02	32.61	8.37	8.43	3.9	27.6	
		12:04	30.28	50.13	32.68	8.47	11.02	5.0	53.6	
		15:04	30.71	50.33	32.82	8.41	10.33	4.8	30.9	
		18:04	30.85	50.01	32.57	8.64	13.54	3.1	24.6	
		21:04	30.63	49.45	32.17	8.46	10.61	4.3	12.4	
	日平均值			30.38	49.96	32.55	8.47	10.49	4.19	21.74
	潮口站	0:04	29.65	50.40	32.90	7.92	8.99	7.4	4.9	
		3:04	29.78	50.55	33.01	8.00	9.55	5.2	13.7	
		6:04	29.15	51.96	34.07	7.91	8.63	4.5	2.1	
		9:04	29.32	51.86	33.99	7.93	8.89	6.4	7.8	
		12:04	31.14	50.69	33.07	8.06	10.75	8.0	8.9	
		15:04	30.78	50.93	33.25	8.16	12.56	6.9	24.1	
		18:04	30.16	42.60	27.24	7.88	9.54	6.4	10.9	
		21:04	29.65	49.97	32.59	7.91	9.25	4.7	0.6	
	日平均值			29.95	49.87	32.52	7.97	9.77	6.19	9.13
	灣內站	0:04	30.88	49.87	32.47	8.36	10.48	3.4	14.0	
		3:04	30.75	49.91	32.50	8.29	9.22	4.9	17.1	
		6:04	30.48	50.05	32.61	8.24	8.80	3.9	34.5	
		9:04	30.46	50.01	32.59	8.36	11.16	3.4	40.6	
		12:04	31.94	49.77	32.36	8.61	15.87	4.4	49.0	
		15:04	32.72	49.76	32.32	8.82	18.83	6.0	91.2	
		18:04	32.26	49.94	32.47	8.70	15.40	2.7	18.2	
		21:04	31.72	49.85	32.43	8.61	13.98	3.0	10.3	
	日平均值			31.40	49.90	32.47	8.50	12.97	3.96	34.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月23日	蚵殼站	0:04	30.79	49.26	32.02	8.47	10.52	4.2	12.6	
		3:04	30.24	48.72	31.65	8.44	9.70	3.3	16.1	
		6:04	30.16	48.90	31.79	8.43	9.33	3.7	14.4	
		9:04	29.91	50.48	32.95	8.23	6.97	3.9	7.4	
		12:04	30.74	50.29	32.78	8.42	11.66	5.0	32.4	
		15:04	30.92	49.91	32.50	8.42	11.79	4.5	18.8	
		18:04	31.70	49.38	32.08	8.58	13.64	4.4	21.4	
		21:04	31.39	49.82	32.41	8.41	11.15	4.9	20.2	
	日平均值			30.73	49.60	32.27	8.43	10.60	4.24	17.91
	潮口站	0:04	30.26	50.36	32.85	8.09	10.99	6.3	7.5	
		3:04	30.23	49.87	32.49	8.05	10.02	6.4	14.8	
		6:04	29.31	51.88	34.00	7.93	8.85	6.7	4.5	
		9:04	29.35	51.96	34.06	7.92	8.81	6.3	1.0	
		12:04	31.03	50.60	33.00	8.17	11.47	10.6	10.3	
		15:04	30.84	50.97	33.28	8.16	11.63	7.8	16.4	
		18:04	29.88	47.40	30.70	7.99	9.41	6.0	14.3	
		21:04	29.48	50.38	32.89	8.00	9.25	4.5	8.7	
	日平均值			30.05	50.43	32.91	8.04	10.05	6.83	9.69
	灣內站	0:04	31.09	48.82	31.70	8.32	11.25	3.2	11.1	
		3:04	31.49	49.46	32.15	8.37	11.95	3.9	9.7	
		6:04	31.24	49.69	32.32	8.28	10.32	3.6	36.1	
		9:04	31.31	49.60	32.26	8.43	13.27	4.3	58.4	
		12:04	32.27	49.13	31.88	8.61	16.55	4.8	68.1	
		15:04	32.80	48.88	31.68	8.68	17.37	6.2	74.1	
		18:04	32.41	49.44	32.10	8.69	16.38	3.4	18.7	
		21:04	32.11	49.61	32.23	8.60	14.81	3.5	17.1	
	日平均值			31.84	49.33	32.04	8.50	13.99	4.11	36.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月24日	蚵殼站	0:04	31.29	49.69	32.33	8.48	11.60	5.1	15.0	
		0:34	31.31	49.67	32.31	8.48	11.58	3.9	24.6	
		1:04	31.29	49.70	32.33	8.45	11.15	5.6	16.8	
		1:34	31.35	49.63	32.28	8.46	11.23	5.3	8.7	
		12:04	30.65	49.80	32.43	8.39	11.22	5.4	25.1	
		15:04	30.91	49.53	32.22	8.40	11.16	4.7	28.4	
		18:04	30.98	49.65	32.30	8.43	10.83	4.9	30.4	
		21:04	31.83	49.35	32.06	8.58	11.80	3.6	11.4	
	日平均值			31.20	49.63	32.28	8.46	11.32	4.81	20.05
	潮口站	0:04	29.98	50.51	32.97	8.07	9.85	6.7	16.2	
		3:04	30.34	49.72	32.38	8.17	10.58	6.3	3.5	
		6:04	29.56	51.00	33.35	8.01	8.87	10.0	5.6	
		9:04	29.24	51.82	33.96	7.99	8.61	6.3	3.0	
		12:04	31.84	50.16	32.65	8.33	12.53	6.9	14.4	
		15:04	31.80	50.35	32.79	8.33	12.48	7.6	20.8	
		18:04	30.27	50.98	33.30	8.07	9.68	9.0	1.7	
		21:04	29.66	51.53	33.73	8.05	9.00	8.0	3.6	
	日平均值			30.34	50.76	33.14	8.13	10.20	7.60	8.60
	灣內站	0:04	31.93	49.67	32.28	8.62	13.60	3.1	13.3	
		3:04	31.77	49.66	32.29	8.59	12.99	3.3	14.4	
		6:04	31.76	49.51	32.18	8.62	13.55	3.9	20.8	
		9:04	31.38	49.92	32.49	8.41	11.99	3.4	16.9	
		12:04	32.55	49.05	31.81	8.70	15.29	4.7	35.0	
		15:04	33.02	49.58	32.18	8.73	14.83	8.4	76.4	
		18:04	31.92	50.03	32.55	8.28	7.71	9.8	25.0	
		21:04	31.13	50.20	32.71	8.05	5.28	10.5	21.9	
	日平均值			31.93	49.70	32.31	8.50	11.91	5.89	27.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月25日	蚵殼站	0:04	31.57	49.52	32.19	8.53	11.23	8.2	24.4	
		3:04	31.24	49.53	32.21	8.50	10.03	3.8	5.7	
		6:04	30.84	49.55	32.24	8.44	9.04	3.8	12.1	
		9:04	30.74	49.28	32.05	8.47	9.86	5.6	17.0	
		12:04	30.76	50.15	32.68	8.44	11.16	5.3	55.5	
		15:04	31.64	50.09	32.60	8.44	11.30	5.9	23.4	
		18:04	31.81	49.88	32.44	8.49	11.29	4.0	27.3	
		21:04	31.71	49.63	32.27	8.55	12.12	4.8	10.9	
	日平均值			31.29	49.70	32.34	8.48	10.75	5.18	22.04
	潮口站	0:04	31.64	50.31	32.77	8.40	11.40	5.3	15.1	
		3:04	31.45	50.37	32.81	8.22	9.74	10.2	9.0	
		6:04	31.23	50.28	32.76	8.29	10.58	6.1	6.1	
		9:04	29.67	51.77	33.91	8.03	8.91	6.3	7.9	
		12:04	32.03	50.52	32.90	8.30	11.21	7.3	7.8	
		15:04	32.81	50.42	32.80	8.26	11.51	11.7	15.0	
		18:04	31.18	45.04	28.96	8.08	10.08	7.2	5.7	
		21:04	29.70	48.09	31.21	8.00	9.26	6.9	4.4	
	日平均值			31.21	49.60	32.27	8.20	10.34	7.63	8.88
	灣內站	0:04	31.25	50.02	32.57	8.31	9.06	5.0	13.7	
		3:04	31.09	49.69	32.33	8.44	10.32	3.7	9.5	
		6:04	30.96	49.74	32.37	8.39	9.67	3.5	11.7	
		9:04	31.16	49.84	32.44	8.44	11.09	3.7	23.9	
		12:04	32.21	49.52	32.17	8.55	12.55	4.2	22.5	
		15:04	32.67	49.69	32.27	8.63	13.74	4.5	28.8	
		18:04	32.56	49.73	32.31	8.64	13.30	4.0	24.3	
		21:04	32.42	49.63	32.24	8.61	12.06	3.8	7.7	
	日平均值			31.79	49.73	32.34	8.50	11.47	4.05	17.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月26日	蚵殼站	0:34	31.62	48.84	31.69	8.46	10.47	4.4	12.6	
		3:04	31.09	47.83	30.97	8.46	10.08	3.7	3.8	
		6:04	30.70	47.90	31.04	8.45	9.54	3.8	12.2	
		9:04	31.03	47.96	31.07	8.46	10.09	5.2	21.9	
		12:04	31.78	49.86	32.43	8.50	12.32	4.3	22.2	
		15:04	32.53	49.80	32.36	8.52	12.85	3.8	20.0	
		18:04	32.14	49.40	32.08	8.54	13.33	4.1	28.8	
		21:04	32.18	48.45	31.39	8.60	12.83	2.7	6.3	
	日平均值			31.63	48.76	31.63	8.50	11.44	4.00	15.98
	潮口站	0:04	30.02	50.08	32.65	8.04	9.61	7.4	13.0	
		3:04	31.45	49.99	32.54	8.20	10.78	7.9	11.5	
		6:04	30.34	48.06	31.17	8.17	10.34	5.9	10.5	
		9:04	29.91	51.09	33.40	8.02	8.88	8.8	8.4	
		12:04	31.48	49.86	32.44	8.10	10.42	13.4	17.5	
		15:04	31.85	50.17	32.66	8.21	12.53	10.9	34.9	
		18:04	31.42	49.65	32.29	8.17	11.38	6.6	10.4	
		21:04	29.22	47.47	30.77	7.96	8.93	5.5	3.6	
	日平均值			30.71	49.55	32.24	8.11	10.36	8.30	13.73
	灣內站	0:04	32.21	49.50	32.15	8.54	11.75	3.5	5.9	
		3:04	31.97	50.02	32.54	8.36	9.78	3.5	7.2	
		6:04	31.42	49.25	32.00	8.32	9.02	3.5	8.3	
		9:04	31.70	49.41	32.11	8.37	10.34	3.6	15.2	
		12:04	32.50	48.30	31.27	8.51	11.88	3.0	9.1	
		15:04	33.07	48.22	31.19	8.62	13.48	3.5	22.0	
		18:04	32.83	48.38	31.32	8.64	13.23	3.1	14.3	
		21:04	32.57	48.86	31.67	8.61	12.88	2.7	7.9	
	日平均值			32.28	48.99	31.78	8.50	11.55	3.30	11.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月27日	蚵殼站	1:04	31.86	48.84	31.68	8.47	11.37	3.2	4.6	
		1:34	31.79	49.03	31.83	8.50	11.34	3.1	7.3	
		6:04	31.46	48.11	31.16	8.53	10.77	3.7	16.9	
		9:04	31.69	48.15	31.19	8.56	11.58	4.0	18.5	
		12:04	32.14	48.26	31.26	8.58	12.18	4.1	13.4	
		20:34	31.95	48.83	31.67	8.49	10.76	5.3	9.9	
		23:04	31.52	49.25	31.99	8.43	9.47	3.5	14.6	
		23:34	31.59	49.27	32.01	8.42	9.18	4.0	13.3	
	日平均值			31.75	48.72	31.60	8.5	10.83	3.86	12.31
	潮口站	0:04	30.07	49.27	32.06	8.04	10.08	4.1	12.7	
		3:04	30.52	48.72	31.64	8.14	10.26	5.1	6.0	
		6:04	30.61	48.80	31.70	8.20	10.58	16.8	8.1	
		9:04	30.80	49.23	32.00	8.12	9.66	3.7	1.7	
		12:04	30.16	51.23	33.49	8.05	9.26	3.8	4.6	
		15:04	30.61	50.85	33.20	8.06	10.10	2.7	21.5	
		18:04	30.51	50.14	32.68	8.04	9.70	3.0	18.0	
		21:04	29.75	50.03	32.63	8.01	9.28	2.4	4.3	
	日平均值			30.38	49.78	32.43	8.08	9.87	5.20	9.61
	灣內站	0:04	32.52	49.11	31.85	8.51	11.98	3.4	8.9	
		3:04	32.41	49.37	32.05	8.46	11.90	3.6	8.6	
		6:04	31.73	48.52	31.45	8.40	10.06	3.3	12.5	
		9:04	31.77	49.05	31.84	8.42	11.21	3.3	16.3	
		12:04	32.38	49.09	31.85	8.53	12.61	3.6	10.4	
		15:04	32.46	49.06	31.82	8.56	13.60	5.2	34.7	
		18:04	32.90	48.85	31.66	8.57	12.02	9.1	34.8	
		21:04	32.66	49.12	31.86	8.54	11.42	8.4	15.3	
	日平均值			32.35	49.02	31.80	8.50	11.85	4.99	17.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月28日	蚵殼站	0:04	31.56	49.30	32.03	8.41	9.12	4.2	10.8	
		3:04	31.48	49.08	31.87	8.52	10.05	3.8	8.0	
		6:04	31.37	48.90	31.74	8.51	9.71	6.3	34.8	
		9:04	31.74	48.38	31.35	8.52	10.16	5.0	17.8	
		12:04	32.03	48.87	31.70	8.52	10.88	5.6	18.2	
		15:04	32.01	49.06	31.84	8.45	11.00	5.4	15.5	
		18:04	31.88	49.06	31.85	8.49	11.02	5.0	9.0	
		21:04	31.75	48.86	31.70	8.50	10.62	4.0	10.0	
	日平均值			31.73	48.94	31.76	8.49	10.32	4.91	15.51
	潮口站	0:04	29.67	49.73	32.41	8.01	9.09	2.3	8.9	
		3:04	31.02	49.73	32.36	8.19	10.25	2.9	3.3	
		6:04	30.70	49.38	32.12	8.16	9.90	4.0	0.8	
		9:04	31.16	49.23	31.99	8.25	10.40	1.5	1.3	
		12:04	30.76	50.70	33.08	8.10	9.83	3.3	6.1	
		15:04	31.15	51.07	33.34	8.12	10.35	2.0	7.6	
		18:04	30.80	49.43	32.15	8.03	9.73	3.0	17.5	
		21:04	30.16	48.90	31.79	8.02	9.29	3.2	7.4	
	日平均值			30.68	49.77	32.41	8.11	9.86	2.78	6.61
	灣內站	0:04	32.33	49.34	32.03	8.49	11.01	6.1	13.1	
		3:04	32.15	49.46	32.13	8.41	9.45	6.8	16.2	
		6:04	32.01	49.54	32.19	8.40	10.38	3.4	12.2	
		9:04	31.96	49.74	32.33	8.42	11.72	3.6	37.8	
		12:04	32.73	49.31	31.99	8.54	12.51	3.7	14.3	
		15:04	33.03	49.34	32.01	8.63	13.05	3.8	17.3	
		18:04	32.70	49.45	32.10	8.57	12.07	4.3	13.1	
		21:04	32.40	49.52	32.16	8.53	11.39	3.8	6.8	
	日平均值			32.41	49.46	32.12	8.50	11.45	4.44	16.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月29日	蚵殼站	0:04	31.83	49.04	31.83	8.52	10.61	3.4	11.2	
		3:04	31.82	48.98	31.78	8.45	9.63	3.5	7.6	
		6:04	31.76	48.85	31.70	8.51	10.18	8.3	15.4	
		9:04	31.86	48.82	31.67	8.53	10.56	3.7	24.6	
		12:04	32.27	48.76	31.61	8.49	10.85	11.2	19.2	
		15:04	31.75	48.76	31.63	8.47	10.62	10.2	10.2	
		18:04	31.43	49.06	31.86	8.42	9.76	5.1	13.0	
		21:04	31.40	48.63	31.55	8.47	9.92	3.6	7.9	
	日平均值			31.77	48.86	31.70	8.48	10.27	6.13	13.64
	潮口站	0:04	29.75	50.85	33.23	8.02	9.08	2.0	3.9	
		3:04	30.95	49.81	32.42	8.20	10.00	2.1	8.3	
		6:04	31.25	49.99	32.55	8.28	10.65	1.5	1.8	
		9:04	31.62	49.69	32.31	8.32	10.90	2.7	10.6	
		12:04	31.55	50.13	32.64	8.19	9.76	3.6	2.4	
		15:04	31.06	48.86	31.73	8.06	9.95	2.6	7.3	
		18:04	30.48	50.80	33.17	7.94	8.25	5.3	3.4	
		21:04	30.32	50.28	32.79	7.92	7.87	2.9	6.0	
	日平均值			30.87	50.05	32.61	8.12	9.56	2.84	5.46
	灣內站	0:04	32.21	49.56	32.20	8.55	10.85	3.0	8.4	
		3:04	31.73	49.93	32.48	8.41	9.23	2.9	6.3	
		6:04	31.82	49.24	31.98	8.46	9.07	4.2	35.7	
		9:04	31.64	49.90	32.47	8.38	9.96	3.5	17.9	
		12:04	32.61	49.45	32.10	8.57	11.49	3.60	10.50	
		15:04	32.47	49.38	32.06	8.60	11.63	4.10	15.90	
		18:04	32.27	49.27	31.98	8.55	10.93	4.10	10.30	
		21:04	32.02	49.43	32.11	8.46	9.97	3.80	6.80	
	日平均值			32.10	49.52	32.17	8.50	10.39	3.65	13.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月30日	蚵殼站	0:04	31.34	48.83	31.69	8.48	9.70	3.6	7.7	
		3:04	31.20	49.13	31.91	8.45	9.29	3.4	5.9	
		6:04	31.05	49.15	31.94	8.45	9.11	3.9	13.1	
		9:04	31.21	49.19	31.96	8.42	9.16	5.5	38.2	
		12:04	31.66	49.26	32.00	8.42	10.17	5.8	43.4	
		15:04	31.15	49.92	32.50	8.33	8.94	7.5	33.6	
		18:04	31.20	50.01	32.57	8.32	8.56	5.2	19.4	
		21:04	30.40	48.94	31.81	8.20	7.19	5.7	13.8	
	日平均值			31.15	49.30	32.05	8.38	9.02	5.08	21.89
	潮口站	0:04	29.50	51.59	33.78	7.97	8.51	3.0	3.1	
		3:04	29.80	50.70	33.12	8.02	8.82	1.8	1.4	
		6:04	30.57	49.91	32.51	8.18	9.69	2.6	4.7	
		9:04	30.82	50.08	32.63	8.24	10.04	2.3	14.6	
		12:04	31.28	50.28	32.76	8.16	9.61	4.2	6.1	
		15:04	30.92	46.30	29.88	8.00	9.75	4.1	10.0	
		18:04	30.24	50.57	33.00	7.87	7.49	9.2	5.6	
		21:04	30.52	50.15	32.69	7.92	8.07	7.0	4.2	
	日平均值			30.46	49.95	32.55	8.05	9.00	4.28	6.21
	灣內站	0:04	31.69	49.42	32.11	8.51	9.44	4.20	12.40	
		3:04	31.34	49.42	32.12	8.47	9.08	3.70	7.70	
		6:04	31.20	49.43	32.14	8.42	8.01	4.00	27.90	
		9:04	31.23	49.39	32.11	8.49	9.70	3.20	13.00	
		12:04	31.97	49.54	32.19	8.54	10.64	4.30	15.70	
		15:04	31.90	49.46	32.14	8.55	10.41	4.10	12.00	
		18:04	31.78	49.50	32.17	8.52	9.96	5.30	12.20	
		21:04	31.98	49.55	32.20	8.53	9.70	4.50	9.80	
	日平均值			31.64	49.46	32.15	8.50	9.62	4.16	13.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月1日	蚵殼站	0:04	30.55	49.02	31.86	8.17	7.06	3.8	9.5	
		3:04	30.45	49.17	31.97	8.17	6.61	12.3	3.3	
		6:04	30.71	49.60	32.28	8.18	6.38	4.4	24.3	
		9:04	31.34	49.56	32.23	8.35	8.34	6.1	53.4	
		12:04	31.84	49.65	32.28	8.50	12.53	5.2	60.2	
		15:04	31.30	49.51	32.19	8.37	10.86	5.5	28.1	
		18:04	31.14	49.71	32.34	8.33	9.32	3.1	13.9	
		21:04	31.03	48.86	31.73	8.25	8.07	7.5	12.3	
	日平均值			31.05	49.39	32.11	8.29	8.65	5.99	25.63
	潮口站	0:04	29.91	51.10	33.41	7.94	8.25	2.7	6.5	
		3:04	29.44	51.53	33.74	7.96	8.41	4.1	1.7	
		6:04	30.10	49.24	32.03	8.04	8.67	1.4	7.0	
		9:04	30.73	49.77	32.40	8.07	9.02	2.6	7.6	
		12:04	31.32	49.84	32.43	8.11	9.78	3.4	12.2	
		15:04	30.74	49.81	32.43	8.05	9.71	2.7	14.6	
		18:04	30.50	50.39	32.86	7.98	9.24	4.8	7.9	
		21:04	30.49	50.22	32.74	7.98	8.56	2.9	5.3	
	日平均值			30.40	50.24	32.76	8.02	8.96	3.08	7.85
	灣內站	0:04	31.71	49.59	32.24	8.47	9.18	4.7	7.1	
		3:04	31.34	49.77	32.38	8.38	8.78	2.7	7.8	
		6:04	31.31	49.76	32.37	8.40	8.27	3.0	8.3	
		9:04	31.38	49.88	32.46	8.42	8.95	3.2	13.6	
		12:04	32.61	49.94	32.46	8.58	11.61	4.4	18.7	
		15:04	32.43	50.08	32.57	8.58	11.51	5.3	24.0	
		18:04	32.18	49.98	32.50	8.55	10.99	4.3	16.2	
		21:04	32.42	49.71	32.30	8.51	9.80	5.3	21.6	
	日平均值			31.92	49.84	32.41	8.49	9.89	4.11	14.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月2日	蚵殼站	0:04	31.14	48.88	31.74	8.33	8.62	3.4	16.7	
		3:04	31.23	49.39	32.11	8.32	8.43	2.2	28.3	
		6:04	30.95	49.66	32.31	8.23	7.51	6.9	27.2	
		9:04	31.26	49.59	32.25	8.34	9.06	5.2	37.4	
		12:04	31.98	49.44	32.11	8.41	11.25	3.3	24.8	
		15:04	31.64	48.83	31.69	8.44	12.60	4.8	26.1	
		18:04	31.56	49.30	32.03	8.33	9.81	4.2	14.9	
		21:04	31.37	48.43	31.40	8.24	8.51	4.3	4.4	
	日平均值			31.39	49.19	31.96	8.33	9.47	4.29	22.48
	潮口站	0:04	30.26	50.30	32.81	7.92	7.67	4.8	1.1	
		3:04	29.88	51.13	33.43	8.01	8.71	3.0	6.5	
		6:04	30.21	48.94	31.82	8.10	9.09	1.1	6.0	
		9:04	30.85	49.62	32.29	8.12	9.47	3.8	4.8	
		12:04	31.89	49.69	32.30	8.17	10.25	2.2	6.9	
		15:04	31.69	42.72	27.28	7.93	9.62	2.9	12.1	
		18:04	30.81	49.05	31.87	7.98	9.78	2.8	4.8	
		21:04	31.06	49.86	32.46	8.04	10.20	4.0	8.6	
	日平均值			30.83	48.91	31.78	8.03	9.35	3.08	6.35
	灣內站	0:04	31.87	49.68	32.30	8.48	9.49	4.5	8.8	
		3:04	31.52	49.56	32.23	8.47	9.99	3.9	13.2	
		6:04	31.28	49.53	32.21	8.40	8.63	3.6	16.5	
		9:04	31.41	49.44	32.14	8.45	9.76	3.3	15.3	
		12:04	32.56	49.48	32.12	8.60	12.28	5.3	20.7	
		15:04	32.67	49.53	32.16	8.65	12.59	4.1	21.8	
		18:04	31.80	48.27	31.27	8.42	9.78	6.6	14.8	
		21:04	31.73	48.50	31.44	8.42	9.85	4.2	7.7	
	日平均值			31.86	49.25	31.98	8.49	10.30	4.44	14.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月3日	蚵殼站	0:04	31.08	48.48	31.45	8.31	9.08	11.1	25.7	
		3:04	31.07	48.51	31.47	8.28	8.48	7.1	7.1	
		6:04	30.90	48.73	31.64	8.23	7.63	5.0	21.9	
		9:04	30.94	48.51	31.47	8.36	10.10	11.2	21.0	
		12:04	32.34	48.54	31.45	8.51	12.78	4.7	40.9	
		15:04	32.39	48.99	31.77	8.60	15.86	6.6	54.7	
		18:04	31.40	48.58	31.51	8.27	9.20	4.4	12.0	
		21:04	31.84	47.86	30.97	8.25	8.43	4.4	10.3	
	日平均值			31.50	48.53	31.47	8.35	10.20	6.81	24.20
	潮口站	0:04	30.70	49.12	31.93	8.04	9.89	1.8	5.7	
		3:04	29.68	51.04	33.37	7.97	8.81	2.9	4.3	
		6:04	30.49	49.86	32.48	8.02	9.11	1.4	4.0	
		9:04	31.13	49.29	32.04	8.12	10.22	2.7	8.8	
		12:04	32.24	50.02	32.53	8.32	11.47	3.0	13.0	
		15:04	31.42	44.11	28.28	8.09	9.72	3.0	16.1	
		18:04	30.49	50.30	32.80	8.15	9.59	2.7	19.5	
		21:04	31.49	50.00	32.55	8.32	11.63	3.0	10.0	
	日平均值			30.96	49.22	32.00	8.13	10.06	2.56	10.18
	灣內站	0:04	32.33	49.58	32.21	8.41	10.10	8.3	16.6	
		3:04	31.95	49.44	32.12	8.41	9.72	7.8	18.8	
		6:04	31.63	49.45	32.14	8.41	10.00	3.8	11.6	
		9:04	32.20	49.68	32.29	8.44	9.83	5.7	18.4	
		12:04	32.73	49.28	31.97	8.48	8.50	6.6	16.4	
		15:04	33.25	49.68	32.25	8.71	11.00	6.6	32.1	
		18:04	32.75	49.56	32.18	8.62	9.76	5.3	33.0	
		21:04	33.04	49.54	32.15	8.52	8.69	7.2	21.7	
	日平均值			32.49	49.53	32.16	8.50	9.70	6.41	21.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月4日	蚵殼站	0:04	31.70	48.31	31.31	8.32	9.15	3.9	17.0	
		3:04	31.36	48.56	31.50	8.31	8.75	4.5	12.2	
		6:04	31.44	48.81	31.68	8.33	9.06	4.2	28.3	
		9:04	31.86	49.06	31.84	8.39	10.30	4.7	83.2	
		12:04	32.42	49.16	31.89	8.49	13.13	5.6	42.0	
		15:04	32.08	49.55	32.19	8.56	14.69	5.9	44.1	
		18:04	31.98	49.52	32.18	8.59	15.00	5.6	36.2	
		21:04	30.66	48.06	31.15	8.19	7.47	7.3	7.6	
	日平均值			31.69	48.88	31.72	8.40	10.94	5.21	33.83
	潮口站	0:04	31.07	50.00	32.56	8.19	10.04	3.0	3.6	
		3:04	29.30	51.88	34.00	8.08	8.55	5.8	4.7	
		6:04	29.85	50.47	32.94	8.14	8.98	1.9	2.2	
		9:04	31.14	49.53	32.22	8.27	10.46	2.0	4.5	
		12:04	32.15	49.69	32.29	8.29	11.38	3.4	13.8	
		15:04	30.60	46.25	29.85	8.07	9.55	3.8	8.5	
		18:04	30.13	47.10	30.48	8.08	9.45	2.8	7.8	
		21:04	30.78	50.39	32.85	8.23	10.54	3.5	5.5	
	日平均值			30.63	49.41	32.15	8.17	9.87	3.28	6.33
	灣內站	0:04	32.37	49.18	31.91	8.54	8.42	5.6	10.6	
		3:04	31.94	49.02	31.82	8.41	7.77	5.1	14.1	
		6:04	31.69	48.90	31.74	8.34	6.99	5.2	38.0	
		9:04	32.20	49.48	32.14	8.34	6.79	7.6	43.3	
		12:04	32.72	49.07	31.82	8.59	10.46	6.3	35.8	
		15:04	32.85	49.23	31.93	8.63	10.84	6.1	33.5	
		18:04	32.55	49.34	32.03	8.51	10.09	5.4	21.7	
		21:04	32.65	49.27	31.97	8.52	9.52	8.3	26.8	
	日平均值			32.37	49.19	31.92	8.49	8.86	6.20	27.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月5日	蚵殼站	0:04	30.91	48.53	31.49	8.25	7.66	7.0	11.7	
		3:04	31.37	48.76	31.64	8.34	8.22	6.6	14.3	
		6:04	31.06	49.09	31.89	8.26	7.23	6.7	19.7	
		9:04	31.05	49.58	32.25	8.29	8.49	7.5	76.0	
		12:04	32.29	49.36	32.05	8.52	13.44	8.5	55.9	
		15:04	31.18	49.83	32.43	8.41	10.88	8.7	40.6	
		18:04	31.44	49.65	32.29	8.49	11.52	8.5	28.3	
		21:04	31.14	49.47	32.17	8.35	9.02	11.0	23.8	
	日平均值			31.31	49.28	32.03	8.36	9.56	8.06	33.79
	潮口站	0:04	30.64	50.16	32.69	8.26	7.46	6.9	8.8	
		3:04	29.14	51.66	33.84	8.18	6.53	3.9	3.9	
		6:04	28.74	51.91	34.04	8.18	6.38	4.3	2.2	
		9:04	31.05	49.17	31.95	8.37	8.05	2.4	9.7	
		12:04	31.40	50.11	32.63	8.34	8.30	7.3	8.8	
		15:04	30.68	47.66	30.87	8.25	8.06	4.7	16.6	
		18:04	30.13	46.19	29.82	8.18	7.27	4.0	9.8	
		21:04	30.29	50.25	32.77	8.23	7.08	3.9	12.7	
	日平均值			30.26	49.64	32.33	8.25	7.39	4.68	9.06
	灣內站	0:04	32.49	49.15	31.89	8.49	8.62	7.1	23.1	
		3:04	31.86	49.41	32.10	8.41	7.83	5.0	15.7	
		6:04	30.89	49.31	32.06	8.23	6.92	5.2	21.2	
		9:04	31.44	49.21	31.97	8.33	8.24	5.7	37.3	
		12:04	32.76	49.36	32.03	8.60	11.21	6.5	35.3	
		15:04	32.73	49.35	32.02	8.71	12.72	7.2	60.7	
		18:04	32.22	49.43	32.10	8.57	10.71	5.7	23.1	
		21:04	32.05	49.46	32.13	8.55	9.94	6.4	25.1	
	日平均值			32.06	49.34	32.04	8.49	9.52	6.10	30.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月6日	蚵殼站	0:04	31.32	49.19	31.96	8.39	9.37	10.0	14.3	
		3:04	30.88	48.99	31.83	8.37	8.72	8.2	12.2	
		6:04	30.91	49.18	31.97	8.35	8.24	7.7	15.9	
		9:04	30.92	49.36	32.09	8.34	9.50	7.7	91.0	
		12:04	31.02	49.39	32.11	8.47	13.11	7.2	99.8	
		15:04	31.41	49.64	32.28	8.52	13.51	6.5	53.8	
		18:04	31.48	49.21	31.97	8.58	13.99	6.1	26.7	
		21:04	30.61	49.07	31.89	8.29	8.25	6.9	13.8	
	日平均值			31.07	49.25	32.01	8.41	10.59	7.54	40.94
	潮口站	0:04	30.44	49.37	32.12	8.33	8.15	2.3	9.3	
		3:04	30.13	50.29	32.81	8.19	6.41	4.1	4.3	
		6:04	29.56	51.47	33.69	8.19	6.42	3.7	1.9	
		9:04	30.52	49.42	32.15	8.36	8.08	2.8	11.3	
		12:04	31.67	49.39	32.09	8.41	9.79	6.3	15.8	
		15:04	31.59	49.39	32.10	8.43	10.41	5.2	26.6	
		18:04	30.09	48.85	31.75	8.19	7.18	3.4	9.2	
		21:04	30.01	49.72	32.39	8.20	6.99	4.2	10.7	
	日平均值			30.50	49.74	32.39	8.29	7.93	4.00	11.14
	灣內站	0:04	32.08	49.34	32.04	8.41	9.20	6.0	33.6	
		3:04	31.91	49.34	32.05	8.35	8.40	6.4	34.8	
		6:04	31.04	49.25	32.01	8.23	7.43	7.6	38.6	
		9:04	31.16	49.36	32.09	8.31	8.38	6.5	84.6	
		12:04	31.89	49.22	31.96	8.61	13.53	7.0	72.2	
		15:04	32.62	49.32	32.01	8.73	13.76	7.0	58.4	
		18:04	32.10	49.34	32.04	8.61	11.86	9.8	36.5	
		21:04	31.69	49.30	32.03	8.49	9.93	5.6	23.6	
	日平均值			31.81	49.31	32.03	8.47	10.31	6.99	47.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月7日	蚵殼站	0:04	31.36	49.26	32.01	8.52	12.15	6.2	17.5	
		3:04	31.51	49.31	32.04	8.51	10.85	5.4	11.8	
		6:04	31.25	49.35	32.08	8.51	10.62	5.1	11.8	
		9:04	30.70	49.64	32.31	8.34	7.88	5.8	23.5	
		12:04	31.18	49.51	32.20	8.49	11.66	5.6	65.1	
		15:04	31.38	49.62	32.27	8.50	12.14	5.5	36.4	
		18:04	31.51	49.21	31.96	8.60	14.06	5.4	28.5	
		21:04	31.12	49.59	32.26	8.47	10.60	5.7	13.4	
	日平均值			31.25	49.44	32.14	8.49	11.25	5.59	26.00
	潮口站	0:04	30.45	49.42	32.16	8.21	7.14	8.4	7.0	
		3:04	30.27	49.11	31.93	8.28	7.52	3.9	8.4	
		6:04	29.55	51.12	33.44	8.20	6.48	4.3	3.9	
		9:04	29.89	50.06	32.65	8.26	7.00	4.2	6.9	
		12:04	31.25	49.30	32.04	8.47	9.63	3.7	11.8	
		15:04	31.59	49.54	32.20	8.48	10.52	5.7	28.2	
		18:04	30.05	46.70	30.19	8.20	7.22	4.4	7.3	
		21:04	29.77	49.44	32.20	8.21	6.90	3.4	5.1	
	日平均值			30.35	49.34	32.10	8.29	7.80	4.75	9.83
	灣內站	0:04	31.94	49.39	32.08	8.61	10.98	6.4	24.1	
		3:04	31.68	49.13	31.90	8.43	8.86	6.6	27.3	
		6:04	30.84	49.45	32.16	8.23	7.61	6.0	24.1	
		9:04	30.85	49.49	32.19	8.32	8.21	6.6	40.2	
		12:04	31.90	49.37	32.07	8.55	12.26	7.1	68.6	
		15:04	32.11	49.46	32.13	8.61	12.84	8.2	71.7	
		18:04	32.19	49.48	32.14	8.66	12.81	7.3	55.9	
		21:04	31.59	49.48	32.16	8.59	11.53	5.4	25.5	
	日平均值			31.64	49.41	32.10	8.50	10.64	6.70	42.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月8日	蚵殼站	0:04	31.12	49.39	32.11	8.49	10.50	5.7	16.4	
		3:04	31.07	49.43	32.14	8.53	11.36	5.0	9.4	
		6:04	30.90	49.45	32.16	8.52	10.65	5.5	10.5	
		9:04	30.57	49.59	32.28	8.33	8.71	5.7	11.5	
		12:04	30.89	49.18	31.97	8.53	11.36	5.5	37.5	
		15:04	30.50	49.47	32.19	8.38	9.09	5.6	41.6	
		18:04	30.39	49.52	32.23	8.42	9.54	5.8	18.5	
		21:04	30.09	49.84	32.48	8.27	7.47	6.2	10.7	
	日平均值			30.69	49.48	32.20	8.43	9.84	5.63	19.51
	潮口站	0:04	29.97	49.69	32.37	8.25	7.17	7.0	6.6	
		3:04	30.07	49.38	32.14	8.31	7.42	3.2	5.2	
		6:04	29.59	50.92	33.28	8.20	6.54	5.1	2.1	
		9:04	29.16	51.19	33.50	8.20	6.55	3.0	3.0	
		12:04	30.18	49.46	32.20	8.40	8.44	5.6	14.4	
		15:04	30.29	49.42	32.16	8.51	9.67	2.6	29.5	
		18:04	29.47	49.93	32.56	8.19	6.75	3.9	4.3	
		21:04	29.32	49.82	32.49	8.17	6.45	4.3	2.0	
	日平均值			29.76	49.98	32.59	8.28	7.37	4.34	8.39
	灣內站	3:34	31.23	49.52	32.21	8.77	9.53	5.9	22.8	
		8:34	30.96	49.58	32.26	8.70	9.25	5.4	34.3	
		10:04	30.90	49.90	32.49	8.41	5.97	5.9	33.7	
		10:34	30.98	49.77	32.39	8.47	6.04	6.5	41.0	
		11:04	30.91	49.95	32.53	8.28	4.26	9.5	19.7	
		11:34	31.01	49.88	32.47	8.32	4.35	8.5	22.6	
		12:34	31.00	49.86	32.46	8.36	4.35	7.6	43.5	
		21:34	30.58	49.73	32.38	8.58	7.13	6.2	23.1	
	日平均值			30.95	49.77	32.40	8.49	6.36	6.94	30.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月9日	蚵殼站	0:04	30.30	49.59	32.29	8.38	8.59	5.9	13.1	
		3:04	30.20	49.60	32.30	8.33	7.67	6.0	15.4	
		6:04	29.99	49.63	32.33	8.35	7.78	6.1	10.2	
		9:04	30.04	49.66	32.35	8.35	8.04	6.1	19.0	
		12:04	30.27	50.13	32.68	8.28	7.80	6.5	21.8	
		15:04	30.56	50.34	32.83	8.25	7.44	6.7	11.4	
		18:04	30.46	50.39	32.87	8.28	7.89	7.2	13.9	
		21:04	30.27	49.79	32.44	8.22	6.95	7.5	6.7	
	日平均值			30.26	49.89	32.51	8.31	7.77	6.50	13.94
	潮口站	0:04	29.43	50.18	32.75	8.18	6.43	8.4	4.7	
		3:04	29.71	49.67	32.37	8.31	7.39	3.4	7.0	
		6:04	29.36	50.63	33.08	8.15	6.26	5.1	5.8	
		9:04	29.38	51.07	33.40	8.15	6.33	5.1	3.0	
		12:04	30.46	49.94	32.54	8.24	7.24	8.3	7.2	
		15:04	30.17	50.18	32.72	8.17	6.68	7.2	10.4	
		18:04	29.85	46.17	29.81	8.08	6.57	4.9	8.5	
		21:04	29.70	50.38	32.88	8.15	6.62	4.0	7.1	
	日平均值			29.76	49.78	32.44	8.18	6.69	5.80	6.71
	灣內站	0:04	30.38	49.68	32.35	8.50	6.51	5.7	21.4	
		2:04	30.24	49.69	32.36	8.40	5.49	5.0	18.5	
		4:34	30.23	49.77	32.42	8.33	4.33	8.3	28.7	
		6:34	30.07	49.68	32.36	8.39	5.20	6.0	26.0	
		8:34	30.00	49.61	32.31	8.43	6.02	4.5	38.8	
		10:04	30.11	49.73	32.39	8.50	7.00	5.3	33.3	
		12:04	30.72	49.58	32.27	8.73	10.56	6.6	57.8	
		17:34	31.06	49.79	32.40	8.72	8.97	8.4	25.4	
	日平均值			30.35	49.69	32.36	8.50	6.76	6.23	31.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月10日	蚵殼站	0:04	30.34	49.71	32.37	8.19	6.68	7.6	6.2	
		3:04	30.31	49.66	32.34	8.22	6.83	7.1	7.4	
		6:04	30.08	49.69	32.37	8.21	6.42	7.3	11.0	
		9:04	30.27	49.71	32.38	8.29	7.67	7.8	14.3	
		12:04	30.76	49.74	32.38	8.34	9.46	8.4	26.4	
		15:04	30.69	50.30	32.79	8.13	5.52	8.9	11.2	
		18:04	30.89	50.10	32.64	8.39	9.89	9.5	18.0	
		21:04	31.07	50.12	32.65	8.42	9.87	9.6	11.5	
	日平均值			30.55	49.88	32.49	8.27	7.79	8.28	13.25
	潮口站	0:04	29.67	49.84	32.49	8.14	6.51	8.2	3.6	
		3:04	29.77	49.58	32.30	8.18	6.44	9.8	4.2	
		6:04	29.69	49.70	32.39	8.13	5.97	9.3	3.3	
		9:04	29.55	51.04	33.37	8.13	6.19	11.4	1.8	
		12:04	30.49	50.11	32.66	8.15	6.54	21.0	4.1	
		15:04	30.62	50.13	32.67	8.11	6.43	30.0	8.4	
		18:04	29.97	48.88	31.78	8.14	6.72	8.6	6.7	
		21:04	29.62	49.35	32.13	8.14	6.69	6.6	5.7	
	日平均值			29.92	49.83	32.47	8.14	6.44	13.11	4.73
	灣內站	0:04	30.44	50.23	32.75	8.32	6.61	5.6	11.8	
		3:04	30.61	49.74	32.38	8.48	7.65	5.4	18.1	
		6:04	30.33	49.79	32.43	8.35	6.34	5.4	21.5	
		9:04	30.40	50.06	32.62	8.34	6.63	5.5	16.8	
		12:04	31.16	50.07	32.61	8.53	8.82	5.4	23.3	
		15:04	31.99	49.92	32.47	8.73	11.41	8.1	48.9	
		18:04	31.64	49.54	32.20	8.68	10.97	7.9	43.0	
		21:04	30.99	49.89	32.48	8.53	9.17	4.4	15.1	
	日平均值			30.95	49.91	32.49	8.50	8.45	5.96	24.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月11日	蚵殼站	0:04	30.93	50.10	32.64	8.41	9.89	9.6	10.4	
		3:04	30.81	49.91	32.50	8.36	8.98	9.9	7.6	
		6:04	30.68	49.89	32.49	8.36	8.36	9.8	9.4	
		9:04	30.83	49.94	32.52	8.41	9.61	9.8	27.5	
		12:04	31.46	49.95	32.51	8.46	11.18	10.3	20.2	
		15:04	30.96	50.19	32.70	8.30	8.63	10.5	26.4	
		18:04	31.22	50.09	32.62	8.52	12.73	11.0	32.7	
		21:04	31.15	50.08	32.61	8.49	11.57	11.4	12.9	
	日平均值			31.01	50.02	32.57	8.41	10.12	10.29	18.39
	潮口站	0:04	29.85	49.49	32.23	8.21	7.05	11.5	6.4	
		3:04	29.93	49.41	32.16	8.10	6.20	30.8	5.5	
		6:04	30.02	49.55	32.27	8.22	7.08	37.1	5.0	
		9:04	29.74	50.58	33.03	8.14	6.36	44.8	4.7	
		12:04	30.05	50.79	33.17	8.17	6.71	53.3	3.3	
		15:04	31.16	49.93	32.51	8.21	7.97	21.7	21.8	
		18:04	30.47	49.16	31.96	8.20	7.37	46.9	22.4	
		21:04	29.78	46.63	30.15	8.15	6.88	8.6	18.0	
	日平均值			30.13	49.44	32.19	8.18	6.95	31.84	10.89
	灣內站	0:04	30.87	50.07	32.62	8.45	9.09	4.1	7.9	
		3:04	30.81	49.97	32.55	8.37	7.94	5.4	39.4	
		6:04	30.61	49.94	32.53	8.35	7.86	4.7	21.1	
		9:04	30.54	49.91	32.51	8.35	8.32	5.2	27.6	
		12:04	31.34	49.88	32.46	8.52	10.30	4.5	17.2	
		15:04	31.64	50.02	32.55	8.57	10.84	5.9	37.1	
		18:04	32.08	49.65	32.27	8.71	11.63	7.0	35.5	
		21:04	31.38	50.04	32.57	8.57	10.27	4.3	15.7	
	日平均值			31.16	49.94	32.51	8.49	9.53	5.14	25.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月12日	蚵殼站	0:04	30.90	49.73	32.37	8.38	9.61	12.2	12.3	
		3:04	30.80	49.71	32.36	8.34	8.85	8.3	15.1	
		6:04	30.58	49.43	32.16	8.33	8.40	8.0	15.0	
		9:04	30.74	49.42	32.15	8.39	9.72	8.1	34.5	
		12:04	31.27	49.49	32.18	8.48	12.33	8.2	38.1	
		15:04	31.04	49.94	32.51	8.46	12.70	8.4	43.4	
		18:04	31.23	49.82	32.42	8.54	13.52	8.4	33.6	
		21:04	31.24	49.88	32.47	8.44	9.83	8.5	17.9	
	日平均值			30.98	49.68	32.33	8.42	10.62	8.76	26.24
	潮口站	0:04	29.49	49.11	31.96	8.14	6.44	58.9	16.8	
		3:04	30.19	49.25	32.04	8.25	7.55	15.5	16.2	
		6:04	30.15	49.01	31.87	8.28	7.78	14.4	8.6	
		9:04	30.13	49.26	32.05	8.19	6.82	17.8	13.2	
		12:04	29.97	50.59	33.03	8.16	6.65	9.2	15.5	
		15:04	30.89	49.67	32.32	8.31	9.15	13.7	30.1	
		18:04	30.65	49.81	32.43	8.25	8.21	14.9	52.9	
		21:04	29.86	44.79	28.82	8.12	6.90	12.6	18.4	
	日平均值			30.17	48.94	31.82	8.21	7.44	19.63	21.46
	灣內站	0:04	30.80	49.40	32.13	8.32	8.33	5.3	11.7	
		3:04	31.15	49.96	32.53	8.49	9.90	4.0	9.6	
		6:04	30.91	49.95	32.53	8.41	8.69	4.2	17.1	
		9:04	31.01	50.01	32.57	8.43	9.08	4.5	19.3	
		12:04	31.59	49.90	32.47	8.51	10.24	4.3	15.7	
		15:04	31.79	49.83	32.41	8.63	11.63	5.3	30.0	
		18:04	32.20	49.72	32.32	8.65	11.70	6.6	42.5	
		21:04	31.47	49.82	32.41	8.54	10.60	5.1	17.9	
	日平均值			31.37	49.82	32.42	8.50	10.02	4.91	20.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月13日	蚵殼站	0:04	31.22	49.76	32.38	8.49	10.73	8.7	14.0	
		3:04	30.89	49.46	32.17	8.41	9.79	8.7	14.5	
		6:04	30.78	49.47	32.18	8.40	9.46	8.7	22.0	
		9:04	30.66	49.25	32.03	8.39	9.19	9.2	57.7	
		12:04	30.61	49.34	32.09	8.45	9.99	9.0	65.0	
		15:04	30.48	49.36	32.11	8.44	9.80	9.2	45.4	
		18:04	30.42	49.26	32.04	8.40	8.98	9.2	57.6	
		21:04	30.31	49.04	31.88	8.39	8.33	9.4	29.7	
	日平均值			30.67	49.37	32.11	8.42	9.53	9.01	38.24
	潮口站	0:04	29.77	48.76	31.70	8.16	6.89	18.1	43.9	
		3:04	29.79	48.58	31.57	8.13	6.57	23.6	12.7	
		6:04	30.26	48.58	31.55	8.29	8.13	20.0	14.1	
		9:04	30.17	48.64	31.60	8.29	8.07	18.8	54.4	
		12:04	29.57	50.28	32.81	8.14	6.67	29.2	27.5	
		15:04	29.59	49.00	31.88	8.26	7.29	36.0	17.6	
		18:04	29.75	48.54	31.54	8.33	8.24	64.8	21.9	
		21:04	29.51	49.38	32.16	8.16	6.53	28.0	7.9	
	日平均值			29.80	48.97	31.85	8.22	7.30	29.81	25.00
	灣內站	0:04	30.90	49.25	32.02	8.52	9.58	4.9	16.4	
		3:04	31.03	49.68	32.33	8.55	9.81	4.4	10.8	
		6:04	31.03	49.64	32.29	8.56	9.92	4.9	17.1	
		9:04	30.95	49.68	32.33	8.53	9.14	5.4	34.1	
		12:04	30.66	49.65	32.32	8.53	9.39	5.1	16.1	
		15:04	30.48	49.59	32.28	8.51	9.28	4.7	31.8	
		18:04	30.50	49.59	32.28	8.47	8.52	5.2	25.8	
		21:04	30.59	49.83	32.45	8.30	6.02	11.0	43.1	
	日平均值			30.77	49.61	32.29	8.50	8.96	5.70	24.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月14日	蚵殼站	0:04	29.95	48.41	31.44	8.35	7.79	9.6	24.5	
		3:04	30.38	49.81	32.44	8.04	3.55	9.9	22.4	
		6:04	29.77	48.67	31.63	8.34	6.97	9.8	29.4	
		9:04	29.36	47.96	31.12	8.29	6.36	10.2	48.2	
		12:04	29.47	48.56	31.56	8.34	7.15	9.5	44.1	
		15:04	29.59	48.73	31.68	8.40	8.52	7.4	41.1	
		18:04	29.56	48.81	31.74	8.31	7.64	9.8	38.3	
		21:04	28.92	46.71	30.24	8.34	7.98	8.9	17.6	
	日平均值			29.63	48.46	31.48	8.30	7.00	9.39	33.20
	潮口站	0:04	29.30	50.35	32.88	8.14	6.49	94.4	3.3	
		3:04	29.05	48.07	31.22	8.36	7.52	27.3	11.7	
		6:04	29.01	47.84	31.05	8.27	7.00	36.8	12.6	
		9:04	28.88	47.74	30.98	8.14	6.09	40.5	18.6	
		12:04	29.09	48.49	31.53	8.13	5.95	85.6	13.6	
		15:04	29.20	49.90	32.55	8.12	6.27	68.5	5.3	
		18:04	28.92	47.18	30.57	8.37	8.59	56.6	50.6	
		21:04	28.73	46.90	30.38	8.31	7.59	63.3	45.6	
	日平均值			29.02	48.31	31.40	8.23	6.94	59.13	20.16
	灣內站	0:34	30.34	49.79	32.43	8.39	4.17	11.4	26.6	
		3:04	30.13	49.80	32.44	8.39	4.63	9.0	32.8	
		7:04	29.59	49.36	32.14	8.40	4.61	6.8	18.3	
		10:34	29.45	49.20	32.03	8.33	4.49	6.6	20.3	
		12:04	29.57	49.41	32.18	8.33	4.45	6.8	20.2	
		16:34	29.66	49.51	32.25	8.35	5.06	7.1	29.6	
		18:04	29.37	48.76	31.71	8.49	6.60	8.1	33.2	
		21:04	29.48	49.22	32.04	8.40	6.01	9.0	36.3	
	日平均值			29.70	49.38	32.15	8.39	5.00	8.10	27.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月15日	蚵殼站	0:04	29.13	47.62	30.89	8.25	6.78	9.1	17.7	
		3:04	28.58	46.34	29.98	8.24	6.48	11.0	13.4	
		6:04	28.69	46.98	30.44	8.25	6.46	10.2	13.1	
		9:04	28.37	43.95	28.26	8.14	6.67	11.3	30.3	
		12:04	28.93	42.66	27.32	8.34	10.91	13.0	69.3	
		15:04	29.53	41.84	26.72	8.45	13.00	13.6	58.5	
		18:04	29.20	43.15	27.66	8.30	10.13	21.8	25.6	
		21:04	29.12	46.29	29.92	8.16	6.54	14.5	10.6	
	日平均值			28.94	44.85	28.90	8.27	8.37	13.06	29.81
	潮口站	0:04	28.86	48.15	31.28	8.13	6.75	32.7	10.7	
		3:04	28.66	46.99	30.44	8.10	6.73	29.3	7.2	
		6:04	27.95	45.31	29.25	8.21	6.76	28.1	11.6	
		9:04	28.05	45.16	29.14	8.11	6.49	30.3	16.7	
		12:04	28.31	41.44	26.46	8.06	7.07	25.8	30.0	
		15:04	28.58	42.77	27.41	8.06	6.96	76.7	18.2	
		18:04	28.81	44.98	28.99	8.07	6.99	24.3	15.0	
		21:04	28.72	41.08	26.20	8.25	9.95	40.4	26.2	
	日平均值			28.49	44.49	28.65	8.12	7.21	35.95	16.95
	灣內站	0:04	29.42	49.03	31.91	8.22	4.06	9.9	30.5	
		3:04	29.70	49.99	32.60	8.14	2.93	8.5	25.1	
		6:04	29.11	48.87	31.80	8.27	4.60	6.2	13.2	
		9:04	28.65	47.44	30.77	8.32	5.55	6.2	19.1	
		12:04	29.06	45.34	29.24	8.54	9.25	9.2	86.9	
		15:04	28.99	47.87	31.07	8.48	7.55	11.5	56.7	
		18:04	28.75	43.76	28.11	8.33	6.75	12.7	2.6	
		21:04	29.32	45.15	29.10	8.55	9.05	7.3	24.1	
	日平均值			29.13	47.18	30.58	8.36	6.22	8.94	32.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月16日	蚵殼站	0:04	28.99	42.68	27.33	8.23	7.99	14.4	11.7	
		3:04	28.99	45.80	29.57	8.13	6.18	15.9	6.1	
		6:04	28.51	43.03	27.60	8.18	7.56	22.5	7.1	
		9:04	28.61	42.66	27.33	8.21	7.82	12.7	11.0	
		12:14	29.70	43.55	27.94	8.31	10.20	16.1	20.9	
		15:04	29.73	44.44	28.57	8.39	11.39	16.8	35.9	
		18:04	29.85	45.20	29.12	8.23	8.23	21.1	22.0	
		21:04	29.64	43.86	28.15	8.29	9.82	17.3	31.9	
	日平均值			29.25	43.90	28.20	8.25	8.65	17.10	18.33
	潮口站	0:04	28.73	44.68	28.77	8.08	7.15	25.8	47.6	
		3:04	28.07	40.04	25.48	8.06	7.16	28.5	32.6	
		6:04	28.13	41.11	26.24	8.13	7.67	22.1	11.4	
		9:04	28.30	41.74	26.68	8.05	7.15	20.8	17.1	
		12:14	29.60	41.84	26.72	8.04	7.34	22.3	80.3	
		15:04	29.47	42.78	27.39	7.97	6.71	19.2	13.4	
		18:04	28.85	43.94	28.24	8.01	6.63	17.1	6.9	
		21:04	29.15	43.94	28.23	8.13	8.03	16.0	37.1	
	日平均值			28.79	42.51	27.22	8.06	7.23	21.48	30.80
	灣內站	0:34	29.30	45.61	29.43	8.50	8.24	7.1	26.0	
		1:34	28.82	44.81	28.87	8.36	6.93	7.7	6.9	
		3:04	29.03	46.33	29.95	8.31	6.12	5.4	14.9	
		4:34	28.69	44.03	28.30	8.39	7.39	6.6	9.1	
		6:04	29.06	45.78	29.56	8.38	7.02	6.0	24.2	
		7:34	28.83	45.25	29.18	8.34	6.70	5.9	37.1	
		9:04	28.30	42.79	27.43	8.39	7.68	5.1	8.2	
		10:04	28.60	43.22	27.73	8.50	9.40	9.0	32.1	
	日平均值			28.83	44.73	28.81	8.40	7.44	6.60	19.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月17日	蚵殼站	0:04	29.55	43.67	28.02	8.41	11.39	18.3	35.7	
		3:04	29.40	43.73	28.07	8.38	10.29	17.4	34.9	
		6:04	29.52	45.83	29.58	8.14	6.74	14.8	16.3	
		9:04	29.67	45.50	29.33	8.34	10.86	14.6	61.0	
		12:04	30.52	44.72	28.75	8.62	18.82	7.3	71.5	
		15:04	30.98	44.81	28.80	8.71	20.56	6.7	105.7	
		18:04	30.58	36.03	22.60	8.51	16.39	6.8	93.2	
		21:04	29.75	37.30	23.51	8.27	10.43	7.3	45.8	
	日平均值			30.00	42.70	27.33	8.42	13.19	11.65	58.01
	潮口站	0:04	28.98	41.89	26.77	8.17	8.31	17.2	34.2	
		3:04	28.61	44.82	28.88	8.00	6.59	17.1	11.1	
		6:04	28.56	42.49	27.21	8.17	7.82	11.6	21.2	
		9:04	28.94	42.15	26.95	8.24	9.78	15.5	48.0	
		12:04	30.64	43.26	27.70	8.63	12.16	11.3	44.2	
		15:04	29.71	39.42	25.00	8.14	5.95	32.4	3.4	
		18:04	29.43	45.73	29.51	8.19	5.99	14.6	2.3	
		21:04	29.40	46.09	29.77	8.39	7.75	12.9	31.1	
	日平均值			29.28	43.23	27.72	8.24	8.04	16.58	24.44
	灣內站	3:34	29.50	44.64	28.72	8.40	7.81	7.3	28.3	
		4:34	29.50	45.24	29.15	8.33	7.01	7.1	16.4	
		5:34	29.25	45.38	29.26	8.31	6.72	7.4	33.9	
		6:34	29.42	45.15	29.09	8.33	6.83	6.0	51.6	
		7:34	29.48	45.37	29.25	8.27	6.07	6.5	45.3	
		8:34	29.56	45.25	29.16	8.30	6.43	6.0	31.4	
		9:34	29.64	45.17	29.10	8.40	8.05	7.0	54.7	
		11:04	30.36	44.84	28.84	8.49	10.13	7.7	49.3	
	日平均值			29.59	45.13	29.07	8.35	7.38	6.88	38.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月18日	蚵殼站	0:04	29.92	32.10	19.90	8.39	12.15	5.7	51.5	
		3:04	29.80	36.21	22.75	8.39	11.94	5.4	60.8	
		6:04	29.74	41.42	26.41	8.28	9.81	5.7	67.9	
		9:04	29.75	40.23	25.57	8.36	12.25	6.4	75.6	
		12:04	30.51	29.65	18.23	8.58	21.95	6.4	107.0	
		15:04	30.66	44.21	28.38	8.68	18.70	7.0	96.8	
		18:34	30.48	42.74	27.33	8.47	14.04	7.0	78.1	
		21:04	31.02	37.78	23.81	8.79	19.42	4.7	66.3	
	日平均值			30.24	38.04	24.05	8.49	15.03	6.04	75.50
	潮口站	0:04	29.11	44.64	28.73	8.38	7.48	6.4	28.6	
		3:04	28.35	50.84	33.26	8.21	5.45	49.1	3.4	
		6:04	28.25	48.86	31.82	8.21	5.63	11.7	0.8	
		9:04	29.37	43.97	28.24	8.72	11.47	6.8	55.2	
		12:04	30.81	39.98	25.36	8.87	14.50	6.5	47.4	
		15:04	29.49	42.54	27.22	8.20	6.41	11.8	7.9	
		18:04	29.01	39.20	24.86	8.19	6.23	12.5	2.7	
		21:04	29.54	46.70	30.20	8.41	8.09	6.2	41.6	
	日平均值			29.24	44.59	28.71	8.40	8.16	13.88	23.45
	灣內站	7:34	30.61	45.92	29.61	8.41	7.47	7.8	36.6	
		8:04	29.67	47.76	30.97	8.08	4.35	5.7	40.2	
		8:34	29.75	47.73	30.95	8.05	3.79	8.0	46.8	
		9:04	30.15	46.78	30.24	8.20	5.54	7.8	39.9	
		9:34	30.32	46.56	30.08	8.23	5.73	6.7	43.5	
		10:04	30.61	46.00	29.67	8.37	7.18	6.5	40.0	
		10:34	30.70	45.89	29.58	8.52	8.68	6.9	47.3	
		12:04	31.92	43.83	28.07	9.10	17.12	8.6	92.0	
	日平均值			30.47	46.31	29.90	8.37	7.48	7.25	48.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月19日	蚵殼站	4:34	29.93	40.38	25.67	8.37	11.08	7.3	44.7	
		7:34	29.47	45.46	29.31	8.16	7.52	7.4	33.7	
		10:04	30.05	44.14	28.35	8.42	12.16	8.4	110.2	
		12:04	30.35	41.92	26.75	8.57	19.95	9.2	77.4	
		15:04	30.72	41.91	26.73	8.75	20.24	6.9	111.5	
		18:34	29.64	45.02	28.99	8.02	5.18	5.4	70.4	
		20:04	29.75	46.44	30.01	8.21	7.58	7.5	67.5	
		21:04	29.68	45.78	29.54	8.36	9.59	6.8	40.8	
	日平均值			29.95	43.88	28.17	8.36	11.66	7.36	69.53
	潮口站	0:04	29.52	45.24	29.15	8.56	9.25	5.9	42.5	
		3:04	28.74	48.33	31.42	8.29	6.40	7.9	10.1	
		6:04	28.22	50.87	33.29	8.22	5.58	19.5	5.6	
		9:04	29.89	43.57	27.94	8.89	12.73	3.3	48.7	
		12:04	29.30	47.25	30.61	8.36	7.48	8.7	43.5	
		15:04	29.61	46.10	29.77	8.46	8.65	11.1	35.4	
		18:04	28.55	44.91	28.94	8.21	6.06	11.3	1.4	
		21:04	28.83	46.03	29.75	8.28	6.52	6.1	10.7	
	日平均值			29.08	46.54	30.11	8.41	7.83	9.23	24.74
	灣內站	5:04	29.69	44.43	28.61	8.45	8.97	4.1	23.5	
		6:04	29.55	45.32	29.25	8.42	8.60	5.3	31.5	
		7:04	29.45	46.10	29.82	8.38	8.29	5.2	26.7	
		8:04	29.53	46.29	29.95	8.37	8.45	4.3	32.2	
		9:04	29.67	46.20	29.88	8.43	9.50	4.1	41.9	
		10:04	29.72	46.11	29.81	8.46	10.90	4.4	62.4	
		18:34	30.14	45.83	29.60	8.50	9.01	3.5	44.2	
		20:04	30.03	46.78	30.29	8.51	9.19	5.0	42.0	
	日平均值			29.72	45.88	29.65	8.44	9.11	4.49	38.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月20日	蚵殼站	1:34	30.13	39.00	24.69	8.72	15.31	4.0	36.5	
		6:34	29.35	43.83	28.14	8.27	8.09	6.2	49.8	
		8:04	29.39	45.22	29.14	8.29	8.67	6.4	37.1	
		12:04	29.71	43.69	28.03	8.43	13.08	8.3	74.5	
		15:34	30.94	35.69	22.35	8.72	17.00	6.7	67.0	
		18:34	30.16	42.20	26.96	8.56	14.62	4.8	23.2	
		20:04	29.77	44.18	28.39	8.30	8.67	5.9	25.8	
		21:04	30.36	41.84	26.69	8.65	14.05	3.6	25.6	
	日平均值			29.98	41.96	26.80	8.49	12.44	5.74	42.44
	潮口站	0:04	29.26	47.03	30.46	8.44	7.65	10.2	15.0	
		3:04	29.02	46.89	30.36	8.49	7.83	4.1	14.2	
		6:04	29.17	50.35	32.88	8.22	5.94	9.9	2.6	
		9:04	28.88	46.64	30.18	8.51	8.54	6.9	21.0	
		12:04	30.13	45.89	29.60	8.72	10.92	2.6	16.5	
		15:04	29.88	47.45	30.74	8.40	8.19	8.6	12.7	
		18:04	29.23	50.77	33.19	8.23	6.07	11.8	4.5	
		21:04	29.16	49.73	32.42	8.23	6.13	7.3	1.6	
	日平均值			29.34	48.09	31.23	8.41	7.66	7.68	11.01
	灣內站	0:04	30.01	44.78	28.86	8.64	13.29	1.9	28.7	
		3:04	29.91	41.76	26.73	8.86	12.27	1.9	24.0	
		6:04	29.59	43.96	28.28	8.53	10.64	2.8	45.1	
		9:04	29.56	45.93	29.69	8.40	10.47	3.0	63.1	
		12:04	29.36	46.06	29.79	8.34	10.25	6.6	45.5	
		15:04	29.84	42.49	27.27	8.41	11.68	5.1	31.2	
		18:04	29.54	44.69	28.81	8.42	11.14	5.0	16.6	
		21:04	29.48	45.23	29.20	8.42	10.11	3.4	16.4	
	日平均值			29.66	44.36	28.58	8.50	11.23	3.71	33.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月21日	蚵殼站	0:04	29.96	35.68	22.38	8.51	12.75	4.9	19.7	
		3:04	29.45	44.80	28.84	8.46	11.24	3.4	18.3	
		6:04	28.93	45.39	29.28	8.41	9.75	3.6	17.2	
		9:04	28.82	45.85	29.62	8.48	10.67	3.3	30.0	
		12:04	28.88	46.97	30.42	8.56	12.40	3.5	36.0	
		15:04	29.03	47.10	30.51	8.57	13.20	3.9	39.9	
		18:04	28.73	47.42	30.75	8.52	11.72	4.2	20.6	
		21:04	28.48	47.92	31.13	8.44	10.25	4.1	16.9	
	日平均值			29.04	45.14	29.12	8.49	11.50	3.86	24.83
	潮口站	0:04	29.04	49.30	32.12	8.33	6.97	8.8	11.5	
		3:04	28.67	48.56	31.58	8.43	7.31	4.7	9.2	
		6:04	29.08	50.98	33.35	8.21	5.86	15.1	4.6	
		9:04	28.65	50.21	32.79	8.26	6.20	5.7	6.6	
		12:04	28.33	48.79	31.77	8.46	8.02	3.0	19.2	
		15:04	28.57	49.29	32.12	8.47	8.45	7.6	30.2	
		18:04	28.82	51.41	33.67	8.21	5.91	20.4	1.5	
		21:04	28.40	50.32	32.88	8.30	6.37	8.6	9.5	
	日平均值			28.70	49.86	32.54	8.33	6.89	9.24	11.54
	灣內站	0:04	29.25	42.04	26.96	8.52	9.47	4.0	12.6	
		3:04	28.71	46.90	30.41	8.36	8.26	4.2	12.6	
		6:04	28.56	47.02	30.51	8.42	7.90	3.2	12.1	
		9:04	28.52	47.39	30.77	8.43	8.19	4.2	17.9	
		12:04	28.76	47.49	30.84	8.51	9.60	4.8	22.0	
		15:04	29.04	47.79	31.05	8.54	10.09	6.0	24.6	
		18:04	28.72	47.60	30.91	8.52	9.11	5.7	13.7	
		21:04	28.46	48.10	31.29	8.49	8.50	4.8	12.6	
	日平均值			28.75	46.79	30.34	8.47	8.89	4.61	16.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月22日	蚵殼站	0:04	28.30	47.65	30.93	8.52	11.12	3.1	9.9	
		3:04	27.87	47.31	30.70	8.59	11.38	2.0	10.7	
		6:04	27.59	47.39	30.76	8.54	10.21	3.6	21.3	
		9:04	27.63	47.94	31.17	8.46	9.93	4.1	22.4	
		12:04	28.55	48.41	31.48	8.43	11.59	7.0	44.9	
		15:04	28.92	48.35	31.43	8.49	13.62	3.7	35.1	
		18:04	28.58	48.26	31.37	8.52	13.60	3.1	18.7	
		21:04	28.61	48.53	31.56	8.43	12.95	4.0	11.5	
	日平均值			28.26	47.98	31.18	8.50	11.80	3.83	21.81
	潮口站	0:04	27.94	49.44	32.25	8.43	7.22	2.8	7.7	
		3:04	27.82	49.25	32.11	8.45	7.02	1.2	11.4	
		6:04	28.44	51.15	33.49	8.21	5.79	14.4	1.5	
		9:04	28.48	51.28	33.59	8.22	5.88	13.2	3.7	
		12:04	28.39	49.45	32.25	8.37	6.95	7.0	9.3	
		15:04	28.81	49.65	32.38	8.42	7.67	4.7	8.6	
		18:04	28.69	49.72	32.44	8.22	6.10	6.0	0.8	
		21:04	28.73	50.90	33.30	8.21	5.99	5.7	2.9	
	日平均值			28.41	50.11	32.73	8.32	6.58	6.88	5.74
	灣內站	0:04	28.32	47.93	31.17	8.47	8.95	4.1	9.5	
		3:04	28.07	47.74	31.04	8.50	8.99	3.3	8.3	
		6:04	27.92	47.79	31.08	8.46	8.25	4.4	13.7	
		9:04	28.05	48.08	31.29	8.43	8.30	4.7	13.8	
		12:04	28.72	48.33	31.45	8.45	9.44	6.0	26.5	
		15:04	29.09	48.27	31.40	8.54	11.11	3.8	22.1	
		18:04	28.93	48.12	31.29	8.55	10.68	2.7	14.7	
		21:04	28.97	48.31	31.43	8.48	10.11	2.6	8.9	
	日平均值			28.51	48.07	31.27	8.49	9.48	3.95	14.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月23日	蚵殼站	0:04	28.16	48.23	31.36	8.65	12.39	2.9	15.7	
		3:04	27.89	48.27	31.40	8.57	10.66	3.5	12.6	
		6:04	27.65	48.38	31.49	8.48	9.81	3.9	14.0	
		8:04	27.21	48.01	31.23	8.58	10.36	3.2	20.1	
		12:04	28.27	49.15	32.03	8.50	12.38	5.5	58.2	
		15:04	29.17	49.89	32.54	8.34	9.02	6.0	28.6	
		18:04	28.97	49.64	32.36	8.43	10.50	3.5	19.8	
		21:04	28.45	48.31	31.41	8.47	10.35	5.7	8.4	
	日平均值			28.22	48.74	31.73	8.50	10.68	4.28	22.18
	潮口站	0:04	27.94	49.64	32.40	8.41	7.21	4.6	9.2	
		3:04	27.70	49.07	31.99	8.58	8.45	1.2	11.7	
		6:04	28.04	50.07	32.71	8.33	6.54	7.6	4.5	
		9:04	28.48	51.46	33.72	8.19	5.74	9.8	0.6	
		12:04	28.19	49.61	32.37	8.47	8.21	4.1	10.6	
		15:04	28.80	48.19	31.32	8.35	7.61	3.9	13.7	
		18:04	28.39	47.97	31.16	8.21	6.16	5.3	4.6	
		21:04	28.45	49.85	32.54	8.22	6.09	3.5	1.9	
	日平均值			28.25	49.48	32.28	8.35	7.00	5.00	7.10
	灣內站	5:34	28.28	47.69	31.00	8.50	8.44	2.1	11.6	
		6:04	28.25	47.75	31.04	8.47	8.30	2.9	10.6	
		6:34	28.10	47.63	30.96	8.48	8.20	2.5	16.9	
		7:04	28.05	47.65	30.97	8.50	8.27	2.0	11.3	
		8:04	28.03	47.63	30.97	8.50	8.40	1.6	11.4	
		12:34	29.26	48.74	31.73	8.50	9.31	3.9	15.0	
		16:04	29.39	48.73	31.72	8.54	9.53	4.1	28.1	
		22:04	28.92	47.95	31.17	8.53	9.11	3.5	22.3	
	日平均值			28.54	47.97	31.20	8.50	8.70	2.83	15.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月24日	蚵殼站	1:04	27.99	48.15	31.31	8.59	12.22	3.4	18.0	
		3:34	27.83	48.33	31.44	8.55	10.99	3.8	17.9	
		6:04	27.82	48.54	31.60	8.50	10.22	5.2	19.3	
		9:04	27.87	48.44	31.52	8.54	11.18	4.0	17.0	
		13:04	28.71	49.24	32.08	8.46	11.86	5.8	25.1	
		15:34	28.96	49.38	32.17	8.42	11.12	6.0	33.1	
		17:34	28.62	49.03	31.93	8.50	12.13	6.4	29.7	
		22:04	28.43	48.72	31.71	8.45	10.81	5.3	12.2	
	日平均值			28.28	48.73	31.72	8.50	11.32	4.99	21.54
	潮口站	0:04	27.78	48.63	31.66	8.38	7.26	3.1	2.1	
		3:04	27.52	48.58	31.64	8.50	7.79	2.4	0.1	
		6:04	27.31	48.70	31.73	8.49	7.68	4.2	5.1	
		9:04	28.09	51.18	33.52	8.24	5.93	7.6	3.6	
		12:04	28.31	48.77	31.75	8.62	9.13	2.1	18.9	
		15:04	28.56	46.44	30.05	8.31	7.40	4.4	8.6	
		18:04	28.20	48.45	31.52	8.22	6.23	4.0	5.3	
		21:04	28.10	50.08	32.72	8.23	6.10	4.4	2.4	
	日平均值			27.98	48.85	31.82	8.37	7.19	4.03	5.76
	灣內站	4:04	28.59	47.97	31.19	8.42	9.35	4.0	21.3	
		6:34	28.45	48.06	31.26	8.36	8.51	4.2	23.6	
		9:04	28.73	48.04	31.24	8.43	10.02	2.5	12.6	
		11:34	29.56	47.37	30.73	8.51	10.94	2.9	16.3	
		14:04	29.90	48.10	31.25	8.56	12.23	4.2	32.8	
		17:04	29.83	48.14	31.28	8.58	13.25	3.3	30.3	
		21:34	29.37	48.19	31.32	8.54	12.15	4.1	16.5	
		23:34	29.27	48.16	31.31	8.51	11.55	5.2	13.7	
	日平均值			29.21	48.00	31.20	8.49	11.00	3.80	20.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月25日	蚵殼站	0:04	28.44	48.70	31.69	8.43	10.54	8.7	18.6	
		3:04	28.28	48.79	31.77	8.46	10.95	11.3	20.0	
		6:04	28.08	48.83	31.80	8.48	10.52	12.5	33.9	
		9:04	28.15	48.88	31.83	8.47	11.49	6.6	38.4	
		12:04	28.78	48.84	31.79	8.49	12.96	10.6	25.5	
		15:04	28.98	49.34	32.15	8.45	11.97	14.6	37.9	
		18:04	28.66	49.29	32.12	8.48	11.87	12.6	25.2	
		21:04	28.47	48.81	31.78	8.40	9.74	14.2	17.5	
	日平均值			28.48	48.94	31.87	8.46	11.26	11.39	27.13
	潮口站	0:04	27.85	49.14	32.03	8.41	7.37	2.7	8.6	
		3:04	27.77	48.91	31.87	8.43	7.53	2.6	7.9	
		6:04	27.52	49.06	31.98	8.40	7.05	3.7	5.2	
		9:04	27.85	50.00	32.67	8.28	6.07	5.3	1.1	
		12:04	28.43	49.45	32.24	8.37	7.26	5.6	8.6	
		15:04	28.69	49.17	32.03	8.42	8.17	6.5	14.3	
		18:04	28.08	46.08	29.80	8.23	6.49	5.2	4.0	
		21:04	27.79	49.00	31.93	8.22	6.10	3.5	3.6	
	日平均值			28.00	48.85	31.82	8.35	7.01	4.39	6.66
	灣內站	8:04	28.89	48.33	31.44	8.55	10.12	7.2	35.2	
		12:04	29.82	48.31	31.37	8.46	11.07	6.8	20.5	
		21:04	29.55	48.44	31.48	8.48	9.53	8.5	16.8	
		21:34	29.62	48.44	31.47	8.48	9.62	13.1	12.3	
		22:04	29.57	48.41	31.45	8.48	9.30	6.7	11.1	
		22:34	29.54	48.47	31.49	8.44	9.19	6.0	11.8	
		23:04	29.63	48.50	31.52	8.47	9.65	8.8	10.7	
		23:34	29.61	48.49	31.50	8.50	10.12	6.8	19.5	
	日平均值			29.53	48.42	31.47	8.48	9.83	7.99	17.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月26日	蚵殼站	0:04	28.44	48.92	31.85	8.48	11.03	12.9	12.8	
		3:04	28.30	48.92	31.86	8.48	10.61	12.3	12.1	
		6:04	28.15	49.03	31.95	8.49	10.48	9.0	13.2	
		9:04	28.11	47.87	31.10	8.50	10.90	7.6	10.8	
		12:04	28.68	48.82	31.78	8.50	11.87	5.0	22.4	
		15:04	28.68	49.42	32.21	8.40	10.25	7.4	23.7	
		18:04	28.72	49.26	32.09	8.43	10.62	5.2	31.1	
		21:04	28.62	49.23	32.07	8.36	10.50	8.9	24.4	
	日平均值			28.46	48.93	31.86	8.46	10.78	8.54	18.81
	潮口站	0:04	27.82	49.44	32.25	8.37	7.00	3.0	6.0	
		3:04	27.77	49.13	32.03	8.36	6.96	2.0	6.9	
		6:04	27.58	48.99	31.93	8.46	7.60	2.2	7.1	
		9:04	27.66	49.21	32.09	8.36	6.73	5.9	4.9	
		12:04	28.13	51.46	33.73	8.22	5.91	6.5	1.1	
		15:04	28.51	49.19	32.05	8.39	8.27	3.4	14.7	
		18:04	28.21	49.93	32.60	8.28	6.83	7.4	11.1	
		21:04	27.78	49.94	32.62	8.21	5.90	3.4	0.6	
	日平均值			27.93	49.66	32.41	8.33	6.90	4.23	6.55
	灣內站	0:04	29.50	48.52	31.53	8.52	10.12	7.9	14.5	
		3:04	29.11	48.73	31.70	8.48	9.41	7.1	12.6	
		6:04	28.85	48.81	31.77	8.45	8.92	5.1	23.1	
		9:04	29.13	48.14	31.27	8.47	9.36	4.6	11.0	
		12:04	29.69	48.61	31.60	8.48	10.15	4.1	19.0	
		15:04	29.67	48.95	31.84	8.49	10.03	4.8	19.7	
		18:04	29.49	48.93	31.83	8.48	9.69	4.3	25.2	
		21:04	29.47	48.79	31.72	8.39	9.21	5.7	18.0	
	日平均值			29.36	48.69	31.66	8.47	9.61	5.45	17.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月27日	蚵殼站	0:04	28.23	48.45	31.52	8.40	9.17	6.6	21.8	
		3:04	28.27	48.88	31.83	8.40	9.63	12.5	23.3	
		6:04	28.11	49.01	31.93	8.47	9.64	5.1	13.4	
		9:04	28.03	48.94	31.89	8.46	10.02	5.0	25.3	
		12:04	28.64	48.70	31.69	8.42	11.13	5.6	27.9	
		15:04	28.57	49.01	31.92	8.48	12.36	7.7	35.2	
		18:04	28.43	49.27	32.11	8.48	11.36	7.0	34.1	
		21:04	28.36	49.25	32.10	8.48	10.74	7.5	25.6	
	日平均值			28.33	48.94	31.87	8.45	10.51	7.13	25.83
	潮口站	0:04	27.71	48.75	31.75	8.24	6.08	2.8	3.1	
		3:04	27.42	48.51	31.58	8.41	7.32	2.2	3.5	
		6:04	27.60	49.01	31.95	8.50	7.71	2.9	13.9	
		9:04	27.51	48.90	31.87	8.47	7.66	4.2	9.8	
		12:04	27.94	51.41	33.70	8.23	5.87	9.4	7.1	
		15:04	28.49	49.33	32.15	8.26	6.76	2.0	7.6	
		18:04	27.99	48.31	31.42	8.18	6.06	2.1	7.0	
		21:04	27.75	51.00	33.40	8.21	5.95	4.5	6.1	
	日平均值			27.80	49.40	32.23	8.31	6.68	3.76	7.26
	灣內站	0:04	29.21	48.59	31.59	8.42	8.41	4.3	16.3	
		3:04	29.10	48.86	31.79	8.42	8.82	6.8	17.1	
		6:04	29.03	48.83	31.77	8.45	8.68	3.3	11.7	
		9:04	29.04	48.91	31.83	8.47	9.14	3.2	18.9	
		12:04	29.71	48.80	31.73	8.47	10.03	3.7	21.2	
		15:04	29.55	48.73	31.68	8.51	10.93	4.7	24.3	
		18:04	29.38	48.97	31.86	8.51	10.15	4.6	26.4	
		21:04	29.45	48.61	31.60	8.47	9.35	5.7	19.8	
	日平均值			29.31	48.79	31.73	8.47	9.44	4.54	19.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月28日	蚵殼站	0:04	28.32	49.21	32.07	8.43	10.49	12.2	11.2	
		3:04	28.01	49.33	32.17	8.40	9.56	7.9	19.0	
		6:04	27.80	49.39	32.22	8.39	9.00	8.1	20.8	
		9:04	27.93	49.40	32.22	8.38	9.61	9.0	40.5	
		12:04	28.53	49.39	32.20	8.48	11.58	9.5	20.0	
		15:04	28.77	49.43	32.22	8.51	13.30	6.2	25.3	
		18:04	28.19	49.42	32.23	8.53	12.63	7.5	24.2	
		21:04	28.09	49.46	32.26	8.49	11.81	9.2	16.6	
	日平均值			28.21	49.38	32.20	8.45	11.00	8.70	22.20
	潮口站	0:04	27.55	51.00	33.41	8.25	6.18	3.6	4.8	
		3:04	27.20	49.27	32.15	8.52	7.72	4.4	10.3	
		6:04	27.11	49.32	32.19	8.47	7.45	4.9	10.9	
		9:04	27.30	49.30	32.17	8.52	7.88	5.0	9.3	
		12:04	27.82	50.41	32.96	8.35	6.94	4.8	5.2	
		15:04	28.43	47.45	30.79	8.19	6.32	2.6	0.9	
		18:04	28.14	49.60	32.36	8.39	7.60	3.0	14.7	
		21:04	27.97	49.96	32.63	8.30	6.74	3.3	6.1	
	日平均值			27.69	49.54	32.33	8.37	7.10	3.95	7.78
	灣內站	0:04	29.32	48.81	31.75	8.41	8.85	7.4	11.1	
		3:04	29.00	49.12	31.99	8.40	8.54	4.6	15.9	
		6:04	28.61	49.27	32.11	8.37	7.88	4.6	16.3	
		9:04	28.80	49.17	32.02	8.39	8.63	4.6	25.8	
		12:04	29.51	49.13	31.98	8.48	10.15	5.1	15.6	
		15:04	29.65	49.20	32.03	8.52	11.18	4.2	19.4	
		18:04	29.12	49.21	32.04	8.50	10.49	4.8	19.4	
		21:04	29.17	49.20	32.04	8.48	9.90	5.8	12.5	
	日平均值			29.15	49.14	32.00	8.44	9.45	5.14	17.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月29日	蚵殼站	0:04	27.91	49.49	32.29	8.44	10.33	5.5	15.1	
		3:04	27.66	49.42	32.25	8.44	10.05	12.1	11.7	
		6:04	27.53	49.23	32.11	8.46	9.93	21.4	16.5	
		9:04	27.74	49.27	32.13	8.41	10.34	13.0	12.2	
		12:04	28.14	49.33	32.16	8.45	11.65	9.5	21.3	
		15:04	28.24	49.59	32.35	8.42	11.80	9.2	31.8	
		18:04	28.25	49.66	32.40	8.41	11.60	14.7	24.0	
		21:04	27.99	49.64	32.39	8.43	10.66	10.9	28.3	
	日平均值			27.93	49.45	32.26	8.43	10.80	12.04	20.11
	潮口站	0:04	27.46	51.51	33.79	8.23	6.02	2.7	0.8	
		3:04	27.13	50.23	32.85	8.38	6.88	3.0	9.6	
		6:04	27.19	49.70	32.47	8.47	7.43	2.2	9.3	
		9:04	27.22	49.56	32.36	8.51	7.78	3.2	6.1	
		12:04	27.46	50.08	32.73	8.39	7.04	6.5	11.6	
		15:04	27.97	49.93	32.61	8.30	7.08	3.3	7.7	
		18:04	27.90	50.43	32.98	8.30	6.97	4.5	6.1	
		21:04	27.78	49.55	32.33	8.30	6.67	3.1	7.8	
	日平均值			27.51	50.12	32.77	8.36	6.98	3.56	7.38
	灣內站	0:04	29.08	49.02	31.91	8.38	8.40	4.4	12.7	
		3:04	28.86	49.21	32.06	8.42	8.64	6.6	9.8	
		6:04	28.63	49.22	32.07	8.43	8.73	11.0	14.1	
		9:04	28.73	49.25	32.08	8.42	9.04	6.6	9.0	
		12:04	29.32	49.27	32.08	8.48	10.27	4.8	15.3	
		15:04	29.35	49.42	32.19	8.48	10.55	5.1	22.7	
		18:04	29.15	49.33	32.13	8.44	10.10	7.7	17.4	
		21:04	28.99	49.42	32.20	8.45	9.60	5.9	19.1	
	日平均值			29.01	49.27	32.09	8.44	9.42	6.51	15.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月30日	蚵殼站	0:04	27.86	49.61	32.37	8.44	10.24	12.5	27.6	
		3:04	27.65	49.75	32.49	8.41	8.73	10.2	23.0	
		6:04	27.31	49.64	32.41	8.40	7.79	10.1	28.5	
		9:04	27.52	49.74	32.48	8.39	9.25	21.2	23.8	
		12:04	28.05	49.70	32.44	8.41	10.63	13.4	21.1	
		15:04	28.16	49.85	32.55	8.40	11.49	17.9	42.7	
		18:04	27.99	50.02	32.68	8.41	10.69	13.3	23.9	
		21:04	27.78	49.99	32.66	8.40	10.09	17.0	24.2	
	日平均值			27.79	49.79	32.51	8.41	9.86	14.45	26.85
	潮口站	0:04	27.49	51.03	33.43	8.26	6.37	3.9	4.8	
		3:04	26.94	49.90	32.62	8.33	6.62	1.7	6.9	
		6:04	26.52	48.80	31.82	8.37	6.66	3.9	10.2	
		9:04	26.59	49.20	32.11	8.31	6.58	13.1	16.5	
		12:04	27.15	49.36	32.21	8.39	7.06	7.9	11.6	
		15:04	27.81	50.94	33.35	8.29	6.71	4.3	8.3	
		18:04	27.85	50.34	32.92	8.27	6.63	6.5	7.1	
		21:04	27.26	49.92	32.62	8.38	6.91	3.5	15.3	
	日平均值			27.20	49.94	32.64	8.33	6.69	5.60	10.09
	灣內站	0:04	28.87	49.49	32.25	8.45	9.18	6.9	19.4	
		3:04	28.59	49.57	32.33	8.36	7.56	5.8	17.5	
		6:04	28.33	49.48	32.26	8.37	7.19	5.9	21.5	
		9:04	28.51	49.43	32.23	8.40	8.30	11.4	17.6	
		12:04	29.04	49.02	31.92	8.47	10.15	8.0	21.0	
		15:04	29.47	48.95	31.85	8.45	10.88	10.7	37.1	
		18:04	29.02	49.65	32.37	8.47	10.30	7.2	18.0	
		21:04	28.80	49.72	32.43	8.44	9.47	9.0	18.1	
	日平均值			28.83	49.41	32.21	8.43	9.13	8.11	21.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月31日	蚵殼站	0:04	27.65	50.07	32.72	8.35	9.09	23.9	13.9	
		3:04	27.50	50.15	32.79	8.31	8.35	21.1	12.9	
		6:04	27.33	50.11	32.76	8.30	8.99	20.4	27.4	
		9:04	27.35	49.97	32.66	8.32	9.06	18.0	19.6	
		12:34	27.63	49.67	32.43	8.32	8.48	1.2	12.8	
		15:04	27.72	50.46	33.01	8.43	8.91	6.0	15.7	
		18:04	27.54	50.60	33.11	8.46	9.24	1.0	15.5	
		21:04	27.28	50.36	32.95	8.27	7.58	0.8	7.3	
	日平均值			27.50	50.17	32.80	8.35	8.71	11.55	15.64
	潮口站	0:04	27.54	50.44	32.99	8.24	6.06	3.8	15.2	
		3:04	27.39	51.49	33.77	8.24	6.12	2.8	4.0	
		6:04	26.59	49.58	32.39	8.43	7.41	2.6	12.5	
		9:04	26.76	49.44	32.28	8.49	7.82	1.3	4.7	
		12:04	27.20	49.52	32.33	8.43	7.66	5.5	6.1	
		15:04	27.82	49.04	31.96	8.25	6.73	5.1	4.2	
		18:04	27.55	51.40	33.70	8.26	6.23	7.4	16.9	
		21:04	27.20	51.05	33.46	8.40	7.38	3.8	5.9	
	日平均值			27.26	50.25	32.86	8.34	6.93	4.04	8.69
	灣內站	0:04	28.92	49.79	32.47	8.30	7.36	13.4	13.5	
		3:04	28.68	50.01	32.65	8.31	7.47	11.3	11.0	
		6:04	28.40	50.24	32.82	8.36	8.18	10.9	18.1	
		9:04	28.32	50.12	32.74	8.37	8.22	9.5	13.7	
		12:04	27.50	50.65	33.15	8.55	8.33	5.6	8.2	
		15:04	27.64	50.64	33.14	8.56	8.97	6.2	14.3	
		18:04	27.62	50.80	33.26	8.49	8.44	10.1	18.5	
		21:04	27.49	50.79	33.25	8.46	8.20	6.6	17.8	
	日平均值			28.07	50.38	32.94	8.43	8.15	9.20	14.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月1日	蚵殼站	0:04	27.05	50.44	33.01	8.27	7.53	1.2	12.0	
		3:04	27.02	50.60	33.13	8.28	7.48	0.0	11.9	
		6:04	26.94	50.85	33.31	8.30	7.37	0.2	16.4	
		9:04	26.97	50.60	33.13	8.39	8.22	2.3	16.2	
		12:04	27.47	50.85	33.30	8.38	8.44	0.9	14.0	
		15:04	27.44	51.33	33.65	8.30	8.07	0.1	11.2	
		18:04	27.35	50.29	32.89	8.25	7.95	1.9	6.4	
		21:04	27.28	50.18	32.81	8.23	7.59	3.0	3.0	
	日平均值			27.19	50.64	33.15	8.30	7.83	1.20	11.39
	潮口站	0:04	27.01	50.99	33.42	8.33	6.69	3.7	15.7	
		3:04	27.21	52.63	34.62	8.25	6.16	3.9	2.4	
		6:04	26.19	51.21	33.60	8.25	6.01	5.8	10.5	
		9:04	26.79	50.90	33.35	8.40	7.49	5.2	9.3	
		12:04	27.37	50.91	33.35	8.38	7.84	7.5	17.7	
		15:04	27.57	47.14	30.58	8.20	6.55	4.4	11.3	
		18:04	27.37	51.04	33.44	8.25	6.40	9.7	8.3	
		21:04	27.21	50.64	33.15	8.33	7.07	6.2	6.4	
	日平均值			27.09	50.68	33.19	8.30	6.78	5.80	10.20
	灣內站	0:04	27.36	50.78	33.25	8.33	7.55	6.2	10.1	
		3:04	27.23	50.82	33.28	8.33	7.26	5.7	16.0	
		6:04	27.08	50.89	33.34	8.29	6.88	5.5	25.3	
		9:04	27.00	50.80	33.27	8.32	7.11	8.0	16.9	
		12:04	27.78	50.91	33.33	8.43	8.66	6.0	10.6	
		15:04	27.76	50.92	33.34	8.46	8.88	10.1	19.9	
		18:04	27.64	50.93	33.35	8.44	8.49	10.4	25.3	
		21:04	27.60	50.95	33.37	8.39	7.85	9.3	17.6	
	日平均值			27.43	50.88	33.32	8.37	7.84	7.65	17.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月2日	蚵殼站	0:04	27.04	49.83	32.56	8.22	7.40	0.1	7.9	
		3:04	26.69	49.56	32.37	8.18	6.88	3.9	8.4	
		6:04	26.87	49.78	32.53	8.21	6.90	7.5	10.4	
		9:04	27.09	50.57	33.10	8.30	7.71	0.3	30.7	
		12:04	27.46	50.47	33.02	8.36	9.35	0.7	18.4	
		15:04	27.21	50.74	33.23	8.39	9.30	0.1	28.6	
		18:04	27.12	50.86	33.31	8.34	8.34	0.8	22.3	
		21:04	26.94	50.59	33.12	8.36	8.52	1.0	18.1	
	日平均值			27.05	50.30	32.91	8.30	8.05	1.80	18.10
	潮口站	0:04	26.84	50.03	32.71	8.31	6.75	3.1	11.3	
		3:04	27.18	52.59	34.59	8.24	6.17	6.0	3.7	
		6:04	26.84	51.81	34.03	8.25	6.17	6.3	2.8	
		9:04	26.84	50.59	33.12	8.36	7.42	5.4	11.6	
		12:04	27.39	50.58	33.10	8.43	8.59	6.5	21.8	
		15:04	27.27	52.19	34.29	8.26	6.55	4.8	2.7	
		18:04	27.22	52.36	34.42	8.26	6.38	8.1	2.0	
		21:04	26.99	50.36	32.95	8.44	8.54	7.0	18.1	
	日平均值			27.07	51.31	33.65	8.32	7.07	5.90	9.25
	灣內站	0:04	27.49	50.99	33.40	8.35	7.44	7.2	17.3	
		3:04	26.89	50.46	33.03	8.30	7.12	5.2	21.7	
		6:04	26.94	50.39	32.97	8.26	6.77	5.1	19.1	
		9:04	26.93	50.14	32.79	8.28	7.49	5.6	32.1	
		12:04	27.42	49.96	32.65	8.44	10.11	6.4	43.5	
		15:04	27.55	49.80	32.53	8.53	11.63	6.9	52.3	
		18:04	27.30	50.44	33.00	8.45	9.83	6.0	45.0	
		21:04	27.29	50.55	33.08	8.41	9.34	5.3	25.6	
	日平均值			27.23	50.34	32.93	8.38	8.72	5.96	32.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月3日	蚵殼站	0:04	26.78	50.33	32.94	8.34	8.01	0.7	21.4	
		3:04	26.58	50.24	32.87	8.32	7.91	0.3	20.6	
		6:04	26.67	50.35	32.96	8.31	7.67	0.2	21.2	
		9:04	26.67	50.24	32.87	8.35	8.63	0.8	34.1	
		12:04	27.25	49.80	32.53	8.50	11.04	0.2	34.2	
		15:04	28.01	50.69	33.17	8.47	10.81	1.4	25.1	
		18:04	27.86	50.82	33.27	8.51	11.44	0.0	15.9	
		21:04	27.37	50.50	33.05	8.20	7.54	0.6	6.6	
	日平均值			27.15	50.37	32.96	8.38	9.13	0.53	22.39
	潮口站	0:04	26.89	50.46	33.03	8.36	7.65	8.0	11.0	
		3:04	27.13	52.21	34.31	8.25	6.33	4.8	0.5	
		6:04	27.07	52.30	34.38	8.23	6.04	5.9	1.5	
		9:04	26.82	50.52	33.07	8.44	8.21	1.8	17.1	
		12:04	27.74	50.45	33.00	8.41	9.10	9.3	16.4	
		15:04	27.78	49.21	32.08	8.22	6.87	3.7	5.4	
		18:04	27.45	49.36	32.20	8.23	6.66	5.4	3.0	
		21:04	27.43	51.00	33.41	8.38	8.30	4.2	12.7	
	日平均值			27.29	50.69	33.19	8.32	7.40	5.39	8.45
	灣內站	0:04	27.17	50.55	33.09	8.27	7.46	5.2	31.0	
		3:04	27.16	50.97	33.40	8.25	7.03	5.0	23.4	
		6:04	26.89	50.78	33.26	8.27	7.41	4.7	24.9	
		9:04	27.25	51.29	33.63	8.18	6.06	6.2	20.0	
		12:04	28.01	49.77	32.49	8.46	10.34	4.8	22.6	
		15:04	28.53	50.32	32.87	8.57	11.70	5.6	32.8	
		18:04	28.16	50.61	33.10	8.55	11.18	4.8	22.0	
		21:04	28.14	50.46	32.99	8.49	10.60	4.5	16.9	
	日平均值			27.66	50.59	33.10	8.38	8.97	5.10	24.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月4日	蚵殼站	0:04	27.37	50.22	32.84	8.36	9.04	0.7	13.1	
		3:04	27.19	50.14	32.78	8.30	8.36	0.0	11.0	
		6:04	27.18	50.34	32.93	8.25	7.78	1.3	13.8	
		9:04	27.28	50.33	32.92	8.32	8.79	0.1	27.4	
		12:04	27.84	50.41	32.96	8.48	33.25	0.7	29.4	
		15:04	27.94	51.37	33.67	8.38	30.18	0.7	31.0	
		18:04	27.66	50.42	32.98	8.26	8.98	2.0	13.5	
		21:04	27.87	50.86	33.30	8.40	10.33	0.4	12.8	
	日平均值			27.54	50.51	33.05	8.34	14.59	0.74	19.00
	潮口站	0:04	27.33	50.82	33.28	8.31	7.34	13.0	9.9	
		3:04	27.24	51.28	33.62	8.26	6.54	6.1	10.9	
		6:04	27.05	52.23	34.33	8.24	6.33	5.7	4.9	
		9:04	27.05	50.85	33.31	8.34	7.49	5.8	7.6	
		12:04	28.05	50.38	32.94	8.44	9.39	6.7	16.6	
		15:04	27.89	47.28	30.68	8.21	6.97	4.3	10.2	
		18:04	27.34	47.04	30.52	8.22	6.69	5.6	3.9	
		21:04	27.45	50.85	33.30	8.41	8.58	4.4	12.3	
	日平均值			27.43	50.09	32.75	8.30	7.42	6.45	9.54
	灣內站	0:04	27.88	50.46	33.00	8.38	8.90	4.7	12.0	
		3:04	27.71	50.60	33.11	8.41	9.09	4.2	10.5	
		6:04	27.51	50.63	33.14	8.34	8.42	4.9	13.5	
		9:04	27.62	50.58	33.09	8.35	8.46	5.4	18.8	
		12:04	28.36	49.24	32.09	8.56	12.28	6.0	34.2	
		15:04	28.82	49.82	32.50	8.59	12.09	6.6	25.0	
		18:04	28.25	50.41	32.95	8.53	10.92	5.4	17.5	
		21:04	27.86	50.03	32.68	8.32	8.42	7.1	7.1	
	日平均值			28.00	50.22	32.82	8.44	9.82	5.54	17.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月5日	蚵殼站	0:04	27.49	50.21	32.83	8.28	8.75	0.2	4.7	
		3:04	27.21	50.18	32.82	8.29	8.30	1.2	7.7	
		6:04	27.00	50.17	32.81	8.29	8.21	1.1	9.7	
		9:04	26.98	49.88	32.60	8.32	8.62	1.0	8.6	
		12:04	27.39	50.14	32.78	8.44	10.40	15.7	23.0	
		15:04	27.73	50.11	32.75	8.45	26.99	1.1	19.9	
		18:04	27.53	50.39	32.96	8.48	11.39	1.5	10.6	
		21:04	27.34	51.27	33.61	8.22	7.91	2.6	6.5	
	日平均值			27.33	50.29	32.90	8.35	11.32	3.05	11.34
	潮口站	0:04	27.08	50.37	32.95	8.29	6.99	9.6	4.8	
		3:04	27.06	50.23	32.86	8.28	6.71	7.2	4.3	
		6:04	26.96	52.00	34.16	8.25	6.38	6.4	0.2	
		9:04	26.91	50.12	32.78	8.38	7.57	4.0	11.1	
		12:04	27.31	49.94	32.63	8.50	9.56	2.5	7.8	
		15:04	27.33	49.95	32.64	8.37	8.03	5.9	12.4	
		18:04	27.18	51.86	34.05	8.28	6.81	9.0	12.3	
		21:04	27.07	50.95	33.39	8.33	7.35	5.8	10.3	
	日平均值			27.11	50.68	33.18	8.34	7.43	6.30	7.90
	灣內站	0:04	27.93	50.27	32.86	8.42	8.92	5.8	15.3	
		3:04	27.65	50.36	32.94	8.39	8.45	4.9	9.4	
		6:04	27.38	50.20	32.82	8.34	7.98	4.9	13.9	
		9:04	27.21	50.13	32.78	8.36	8.26	4.7	18.8	
		12:04	27.59	49.86	32.57	8.51	10.59	5.0	14.1	
		15:04	28.17	49.52	32.30	8.59	11.69	6.2	39.4	
		18:04	27.84	49.73	32.47	8.58	11.50	4.7	23.0	
		21:04	27.55	49.91	32.61	8.54	10.82	4.3	29.0	
	日平均值			27.67	50.00	32.67	8.47	9.78	5.06	20.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月6日	蚵殼站	0:04	27.18	50.22	32.84	8.46	10.32	1.8	13.2	
		3:04	27.02	50.18	32.82	8.44	9.92	0.4	10.5	
		6:04	26.90	50.19	32.83	8.41	9.52	0.8	6.6	
		9:34	27.04	50.97	33.40	8.25	14.76	0.8	15.0	
		12:04	27.02	50.13	32.79	8.45	10.49	1.1	46.4	
		15:04	26.76	50.07	32.75	8.48	10.23	1.4	18.1	
		18:04	26.95	50.63	33.15	8.41	9.45	2.0	5.1	
		21:04	27.18	51.72	33.94	8.20	6.68	0.6	4.0	
	日平均值			27.01	50.51	33.07	8.39	10.17	1.11	14.86
	潮口站	0:04	26.98	50.59	33.12	8.38	7.91	5.5	7.8	
		3:04	26.78	50.16	32.81	8.49	8.98	2.4	5.7	
		6:04	27.06	51.83	34.03	8.27	6.52	6.1	1.4	
		9:04	27.10	51.91	34.09	8.26	6.39	4.8	4.3	
		12:04	26.51	50.01	32.71	8.43	8.14	1.4	8.1	
		15:04	26.82	50.40	32.99	8.42	8.06	5.4	6.8	
		18:04	27.12	52.09	34.22	8.28	6.61	5.0	3.1	
		21:04	27.07	52.04	34.19	8.26	6.37	4.5	0.9	
	日平均值			26.93	51.13	33.52	8.35	7.37	4.39	4.76
	灣內站	0:04	27.74	50.33	32.91	8.45	8.85	4.6	13.4	
		3:04	27.30	50.20	32.83	8.44	8.55	4.4	12.6	
		6:04	27.10	50.20	32.83	8.40	8.06	4.5	16.5	
		9:04	26.91	50.12	32.78	8.43	8.24	4.0	15.0	
		12:04	27.69	51.32	33.64	8.14	4.50	7.6	11.7	
		15:04	27.69	51.22	33.56	8.23	5.89	6.8	19.6	
		18:04	27.05	50.16	32.80	8.52	9.74	4.1	12.4	
		21:04	27.41	51.01	33.42	8.20	6.05	6.1	18.0	
	日平均值			27.36	50.57	33.10	8.35	7.49	5.26	14.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月7日	蚵殼站	0:04	27.04	51.07	33.47	8.32	8.59	1.9	7.1	
		3:04	26.43	50.08	32.76	8.30	8.13	1.5	9.2	
		6:04	26.29	50.29	32.92	8.28	7.62	1.0	11.5	
		9:04	26.39	50.38	32.98	8.26	7.64	1.5	11.1	
		12:04	27.03	51.13	33.52	8.21	7.47	1.1	6.0	
		15:04	27.53	51.83	34.02	8.10	6.42	1.7	5.2	
		18:04	27.38	52.02	34.17	8.17	14.14	1.3	5.5	
		21:04	27.26	51.04	33.44	8.14	7.14	1.6	4.5	
	日平均值			26.92	50.98	33.41	8.22	8.39	1.45	7.51
	潮口站	0:04	26.61	50.86	33.33	8.34	7.33	6.2	4.0	
		3:04	26.38	50.10	32.77	8.44	8.06	3.0	8.5	
		6:04	26.66	51.42	33.74	8.29	6.54	5.7	3.4	
		9:04	27.04	52.19	34.30	8.24	6.11	6.3	0.8	
		12:04	27.26	50.78	33.25	8.27	6.59	8.1	2.4	
		15:04	27.60	50.94	33.36	8.34	7.38	3.9	9.7	
		18:04	27.25	46.85	30.38	8.21	6.51	5.0	0.1	
		21:04	27.10	51.32	33.65	8.26	6.44	4.0	0.7	
	日平均值			26.99	50.56	33.10	8.30	6.87	5.28	3.70
	灣內站	0:04	27.48	51.88	34.06	8.06	3.67	4.8	9.3	
		3:04	27.08	51.11	33.50	8.09	4.44	5.0	19.5	
		6:04	27.06	51.56	33.83	7.97	3.37	5.1	12.3	
		9:04	27.07	51.67	33.92	7.97	3.60	7.2	12.4	
		12:04	27.96	50.33	32.90	8.29	8.13	5.7	26.3	
		15:04	28.23	50.04	32.68	8.53	11.61	8.4	66.0	
		18:04	28.05	50.94	33.35	8.37	8.25	5.2	13.7	
		21:04	28.04	51.26	33.58	8.30	7.47	5.1	12.0	
	日平均值			27.62	51.10	33.48	8.20	6.32	5.81	21.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月8日	蚵殼站	0:04	27.11	50.95	33.38	8.11	6.49	0.1	4.5	
		3:04	27.04	51.03	33.44	8.13	6.72	0.9	1.8	
		6:04	26.82	50.80	33.28	8.16	7.01	1.4	1.5	
		9:04	26.97	50.55	33.09	8.18	7.18	0.8	1.7	
		12:04	27.16	51.19	33.56	8.09	6.46	1.1	12.0	
		15:04	27.59	51.41	33.71	8.07	6.43	0.7	3.4	
		18:04	27.60	51.39	33.69	8.27	8.61	1.6	15.5	
		21:04	27.57	51.15	33.51	8.27	8.82	1.5	7.3	
	日平均值			27.23	51.06	33.46	8.16	7.22	1.01	5.96
	潮口站	0:04	26.99	50.53	33.08	8.27	6.56	4.1	3.9	
		3:04	27.09	50.77	33.25	8.21	6.01	9.1	5.8	
		6:04	26.96	50.72	33.22	8.20	5.79	5.1	3.5	
		9:04	27.05	51.84	34.04	8.23	6.11	6.9	4.6	
		12:04	27.51	51.59	33.85	8.25	6.50	5.2	1.4	
		15:04	28.08	50.92	33.33	8.24	7.11	4.3	11.7	
		18:04	27.43	49.67	32.43	8.22	6.40	5.8	6.3	
		21:04	27.03	50.37	32.96	8.26	6.54	2.9	4.3	
	日平均值			27.27	50.80	33.27	8.24	6.38	5.43	5.19
	灣內站	0:04	27.79	51.22	33.56	8.29	7.00	4.7	6.3	
		3:04	27.38	50.40	32.97	8.25	6.54	5.5	9.3	
		6:04	26.97	48.95	31.92	8.05	4.84	6.9	24.7	
		9:04	27.18	50.49	33.04	8.31	7.16	5.3	12.9	
		12:04	27.80	50.12	32.75	8.39	8.63	5.3	14.6	
		15:04	28.09	50.35	32.91	8.47	9.77	5.7	29.7	
		18:04	28.31	50.46	32.99	8.47	9.76	7.4	28.4	
		21:04	28.06	50.50	33.02	8.42	9.43	4.2	7.3	
	日平均值			27.70	50.31	32.90	8.33	7.89	5.63	16.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月9日	蚵殼站	0:04	27.51	50.97	33.39	8.24	8.00	1.5	2.2	
		3:04	27.36	50.71	33.20	8.29	22.83	1.9	5.4	
		6:04	27.01	50.02	32.70	8.27	21.37	2.2	5.0	
		9:04	27.31	50.28	32.88	8.30	8.75	9.5	12.0	
		12:04	27.71	50.57	33.09	8.31	9.34	0.4	19.3	
		15:04	27.66	51.46	33.75	8.27	9.26	1.4	12.4	
		18:04	27.64	51.43	33.72	8.26	8.77	0.6	14.6	
		21:04	27.56	51.19	33.55	8.31	9.46	1.2	13.1	
	日平均值			27.47	50.83	33.29	8.28	12.22	2.34	10.50
	潮口站	0:04	27.28	50.51	33.05	8.30	7.19	2.4	0.8	
		3:04	27.18	50.65	33.16	8.21	6.17	11.4	6.5	
		6:04	27.25	50.19	32.82	8.32	7.21	2.8	0.7	
		9:04	27.07	51.63	33.89	8.26	6.34	6.4	0.3	
		12:04	27.57	51.75	33.96	8.26	6.54	2.7	0.7	
		15:04	27.86	50.90	33.32	8.33	7.91	3.9	6.0	
		18:04	27.59	47.21	30.64	8.24	6.84	3.3	5.1	
		21:04	27.08	48.03	31.25	8.23	6.58	3.5	0.1	
	日平均值			27.36	50.11	32.76	8.27	6.85	4.55	2.53
	灣內站	0:04	27.76	51.13	33.49	8.26	6.95	5.3	12.6	
		3:04	27.91	50.61	33.11	8.38	7.81	5.4	30.5	
		6:04	27.56	50.08	32.73	8.26	6.52	5.1	30.1	
		9:04	27.71	50.61	33.11	8.40	8.74	4.7	25.5	
		12:04	28.52	49.59	32.34	8.61	12.32	5.9	55.3	
		15:04	28.87	49.46	32.24	8.57	11.24	5.7	39.3	
		18:04	28.54	50.56	33.06	8.58	10.89	4.1	20.5	
		21:04	28.16	50.90	33.32	8.49	9.86	3.2	6.2	
	日平均值			28.13	50.37	32.93	8.44	9.29	4.93	27.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月10日	蚵殼站	0:04	27.50	51.03	33.43	8.33	9.19	0.7	4.8	
		3:04	27.30	49.83	32.55	8.41	10.30	1.6	4.6	
		6:04	27.20	49.81	32.54	8.30	8.98	1.3	17.9	
		9:04	27.24	50.00	32.68	8.33	9.58	1.2	23.8	
		12:04	27.44	50.21	32.83	8.38	10.68	1.3	40.5	
		15:04	27.54	50.89	33.33	8.25	9.20	0.6	15.4	
		18:04	27.47	50.83	33.28	8.29	8.95	1.0	14.4	
		21:04	27.48	50.65	33.15	8.36	21.66	1.4	5.4	
	日平均值			27.40	50.41	32.97	8.33	11.07	1.14	15.85
	潮口站	0:04	27.03	49.78	32.53	8.24	6.37	2.2	8.5	
		3:04	27.16	50.16	32.80	8.30	7.09	4.1	3.0	
		6:04	26.96	49.64	32.43	8.40	7.92	1.9	6.8	
		9:04	27.15	50.19	32.82	8.29	6.72	4.6	2.7	
		12:04	27.17	51.54	33.81	8.27	6.43	6.7	2.3	
		15:04	27.53	50.56	33.09	8.32	7.53	4.6	5.2	
		18:04	27.41	50.10	32.75	8.31	7.38	5.5	6.2	
		21:04	27.03	51.31	33.65	8.27	6.52	4.6	3.7	
	日平均值			27.18	50.41	32.99	8.30	7.00	4.28	4.80
	灣內站	0:04	27.97	51.05	33.43	8.50	9.42	3.5	6.1	
		2:34	28.02	51.04	33.42	8.50	9.03	3.5	8.1	
		5:04	27.97	50.70	33.17	8.39	7.61	5.0	25.0	
		7:04	27.77	50.65	33.15	8.40	7.76	4.9	47.6	
		8:34	27.68	50.31	32.90	8.37	7.59	6.7	50.5	
		12:04	28.17	50.92	33.33	8.58	10.77	7.1	164.9	
		17:34	28.24	48.73	31.72	8.58	10.96	5.1	27.5	
		22:34	27.84	50.99	33.39	8.46	8.23	3.7	13.6	
	日平均值			27.96	50.55	33.06	8.47	8.92	4.94	42.91
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月11日	蚵殼站	0:04	27.50	50.67	33.17	8.36	10.05	1.7	3.7	
		3:04	27.54	51.03	33.43	8.17	7.61	1.0	15.1	
		6:04	27.31	50.06	32.72	8.29	24.49	1.1	11.0	
		9:04	27.27	50.22	32.84	8.29	23.66	1.1	27.3	
		12:04	27.47	49.97	32.65	8.35	10.53	0.0	49.4	
		15:04	27.52	50.30	32.89	8.42	13.46	0.1	24.3	
		18:04	27.41	50.43	32.99	8.41	11.78	1.3	13.9	
		21:04	27.25	50.70	33.19	8.36	10.70	1.5	13.0	
	日平均值			27.41	50.42	32.99	8.33	14.04	0.98	19.71
	潮口站	0:04	26.96	51.43	33.74	8.26	6.25	2.7	5.9	
		3:04	27.07	48.91	31.89	8.48	9.26	2.1	1.5	
		6:04	27.19	49.16	32.07	8.45	8.83	1.3	5.8	
		9:04	27.10	49.39	32.24	8.45	8.67	2.2	9.6	
		12:04	27.03	51.41	33.72	8.28	6.39	5.6	3.7	
		15:04	27.27	51.01	33.42	8.32	7.04	3.5	6.6	
		18:04	27.35	49.83	32.55	8.48	9.34	1.7	5.8	
		21:04	27.09	51.29	33.64	8.27	6.55	6.6	3.8	
	日平均值			27.13	50.30	32.91	8.37	7.79	3.21	5.34
	灣內站	0:04	27.67	50.77	33.23	8.54	9.46	3.4	26.5	
		3:04	27.62	50.87	33.31	8.52	8.48	3.3	14.4	
		6:04	27.61	50.69	33.18	8.54	8.77	3.9	31.5	
		9:04	27.84	50.97	33.38	8.30	5.56	5.9	53.0	
		12:04	27.74	50.89	33.32	8.52	9.19	5.4	75.2	
		15:04	27.76	51.01	33.41	8.51	9.21	4.7	51.9	
		18:04	27.82	51.14	33.50	8.46	7.95	4.6	22.1	
		21:04	27.63	50.70	33.19	8.51	8.77	4.4	29.0	
	日平均值			27.71	50.88	33.32	8.49	8.42	4.45	37.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月12日	蚵殼站	0:04	27.23	50.96	33.39	8.28	10.38	2.0	4.5	
		3:04	27.31	51.36	33.68	8.13	16.82	0.9	11.6	
		6:04	26.68	50.63	33.16	8.31	8.58	2.4	9.1	
		9:04	26.67	50.38	32.97	8.32	25.60	1.7	10.2	
		12:04	27.36	50.46	33.02	8.35	9.46	2.2	23.7	
		15:04	27.36	51.02	33.43	8.30	9.64	0.7	17.4	
		18:04	27.32	51.16	33.53	8.28	24.64	1.5	14.6	
		21:04	27.18	50.78	33.26	8.30	12.42	1.6	10.4	
	日平均值			27.14	50.84	33.31	8.28	14.69	1.63	12.69
	潮口站	0:04	26.90	51.57	33.84	8.27	6.32	5.2	0.1	
		3:04	26.74	50.44	33.02	8.35	7.21	1.3	5.5	
		6:04	26.70	50.60	33.14	8.20	5.74	8.3	7.4	
		9:04	26.79	50.15	32.80	8.36	7.45	0.8	11.8	
		12:04	27.03	51.23	33.59	8.26	6.23	5.9	4.0	
		15:04	27.06	51.59	33.85	8.26	6.27	4.3	1.3	
		18:04	27.22	50.89	33.34	8.27	6.69	4.4	14.2	
		21:04	27.12	50.82	33.28	8.29	6.90	1.7	10.1	
	日平均值			26.95	50.91	33.36	8.28	6.60	3.99	6.80
	灣內站	1:04	27.39	50.89	33.33	8.46	8.55	3.2	8.0	
		4:34	27.30	51.15	33.53	8.41	8.02	4.2	20.0	
		7:04	27.05	50.61	33.14	8.48	8.53	3.5	20.5	
		8:34	26.90	50.23	32.86	8.52	9.25	3.1	12.7	
		14:04	27.49	50.00	32.68	8.57	10.20	3.5	14.6	
		19:34	27.53	49.55	32.34	8.51	10.08	4.1	12.4	
		21:04	27.48	50.11	32.76	8.51	9.86	4.2	16.6	
		23:34	27.62	51.06	33.45	8.53	9.43	3.2	11.2	
	日平均值			27.35	50.45	33.01	8.50	9.24	3.63	14.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月13日	蚵殼站	0:04	26.95	50.12	32.78	8.33	9.55	1.8	7.1	
		3:04	26.93	50.28	32.90	8.25	8.72	1.4	12.4	
		6:04	26.66	50.22	32.86	8.31	8.59	1.8	7.8	
		9:04	26.73	49.77	32.53	8.33	9.59	1.3	19.6	
		12:04	27.71	50.58	33.09	8.53	14.52	1.5	86.1	
		15:04	27.62	51.13	33.50	8.31	28.35	2.0	9.7	
		18:04	27.59	51.31	33.64	8.32	10.67	1.6	4.5	
		21:04	27.50	51.30	33.63	8.29	9.50	1.3	8.3	
	日平均值			27.21	50.59	33.12	8.33	12.44	1.59	19.44
	潮口站	0:04	26.98	51.24	33.60	8.25	6.24	3.1	3.5	
		3:04	26.92	51.49	33.79	8.25	6.23	2.8	4.1	
		6:04	26.63	49.83	32.57	8.43	8.28	0.5	6.3	
		9:04	26.77	49.81	32.55	8.42	8.24	1.3	3.4	
		12:04	27.21	50.61	33.13	8.30	6.89	7.8	2.1	
		15:04	27.58	49.50	32.31	8.26	6.76	3.2	1.2	
		18:04	27.44	50.58	33.10	8.27	6.51	2.6	3.3	
		21:04	27.40	50.73	33.22	8.35	7.80	3.6	9.2	
	日平均值			27.12	50.47	33.03	8.32	7.12	3.11	4.14
	灣內站	0:04	27.71	51.61	33.85	8.04	1.88	9.4	211.7	
		3:04	27.58	51.38	33.68	8.44	6.85	3.3	15.2	
		6:04	27.33	51.35	33.67	8.47	7.46	3.1	16.2	
		9:04	27.48	51.03	33.43	8.46	7.63	6.0	42.1	
		12:04	28.09	50.16	32.77	8.64	9.43	3.9	11.1	
		15:04	28.06	50.80	33.24	8.71	11.07	3.6	34.1	
		18:04	28.13	50.39	32.94	8.65	10.49	4.4	16.2	
		21:04	27.98	50.79	33.24	8.62	9.72	3.6	12.6	
	日平均值			27.80	50.94	33.35	8.50	8.07	4.66	44.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月14日	蚵殼站	0:04	27.41	50.02	32.69	8.33	26.24	1.3	5.7	
		3:04	27.32	50.49	33.04	8.30	9.86	0.7	4.5	
		6:04	27.13	50.71	33.20	8.31	9.26	2.1	9.5	
		9:04	27.22	50.69	33.19	8.33	9.62	1.4	17.4	
		12:04	28.05	50.74	33.20	8.26	9.84	0.5	13.6	
		15:04	28.18	51.12	33.48	8.34	10.49	0.9	29.8	
		18:04	27.88	51.15	33.51	8.31	10.10	21.6	12.5	
		21:04	27.79	50.82	33.26	8.16	8.08	0.3	10.0	
	日平均值			27.62	50.72	33.20	8.29	11.69	3.60	12.88
	潮口站	0:04	27.27	50.69	33.19	8.28	6.67	4.6	14.3	
		3:04	27.00	51.21	33.58	8.28	6.43	2.1	1.7	
		6:04	26.96	49.75	32.51	8.43	8.52	1.1	3.7	
		9:04	27.10	50.25	32.87	8.39	7.85	3.6	4.3	
		12:04	27.70	51.22	33.57	8.33	8.23	4.8	5.7	
		15:04	27.79	50.50	33.03	8.18	6.65	3.3	2.5	
		18:04	27.65	50.67	33.16	8.19	6.67	5.8	6.6	
		21:04	27.65	51.74	33.95	8.26	7.60	4.0	7.6	
	日平均值			27.39	50.75	33.23	8.29	7.33	3.66	5.80
	灣內站	0:04	27.84	50.93	33.35	8.51	9.60	3.2	10.9	
		3:04	27.70	51.31	33.63	8.43	8.47	3.5	6.1	
		6:04	27.53	51.70	33.93	8.37	7.50	4.1	14.9	
		9:04	27.60	51.52	33.79	8.41	8.13	5.0	35.4	
		12:04	28.98	50.47	32.98	8.40	8.64	8.7	35.5	
		15:04	28.69	51.28	33.58	8.64	11.36	5.8	27.1	
		18:04	28.42	51.24	33.56	8.57	10.18	5.6	12.5	
		21:04	28.53	51.10	33.45	8.56	10.41	5.9	17.6	
	日平均值			28.16	51.19	33.53	8.49	9.29	5.23	20.00
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月15日	蚵殼站	0:04	27.61	50.99	33.40	8.19	17.11	0.7	3.4	
		3:04	27.56	50.82	33.27	8.30	9.23	2.1	3.8	
		6:04	27.49	50.84	33.29	8.27	8.73	1.6	6.6	
		9:04	27.59	50.37	32.94	8.33	9.68	0.8	10.0	
		12:04	27.77	51.10	33.48	8.28	10.83	0.4	22.1	
		15:04	27.91	51.28	33.60	8.31	32.21	1.3	17.3	
		18:04	27.72	50.95	33.36	8.21	8.82	0.4	6.6	
		21:04	27.61	50.79	33.25	8.18	8.12	0.4	10.6	
	日平均值			27.66	50.89	33.32	8.26	13.09	0.96	10.05
	潮口站	0:04	27.56	51.91	34.08	8.22	6.92	4.9	8.4	
		3:04	27.08	52.66	34.65	8.21	6.47	3.1	1.0	
		6:04	27.08	51.97	34.14	8.21	6.50	3.8	2.8	
		9:04	27.36	51.45	33.74	8.25	7.34	4.8	7.3	
		12:04	27.87	51.54	33.80	8.30	8.06	5.1	12.9	
		15:04	27.56	46.05	29.79	8.13	6.67	5.0	4.5	
		18:04	27.30	50.70	33.20	8.20	6.87	2.8	2.9	
		21:04	27.53	51.40	33.70	8.32	8.09	2.8	11.0	
	日平均值			27.42	50.96	33.39	8.23	7.12	4.04	6.35
	灣內站	0:04	28.46	51.28	33.58	8.41	9.36	6.8	33.4	
		3:04	28.26	51.37	33.66	8.44	9.37	5.4	13.3	
		6:04	27.88	51.31	33.62	8.45	9.70	5.4	14.9	
		9:04	27.92	51.13	33.49	8.49	10.27	5.4	21.5	
		12:04	28.43	51.12	33.47	8.56	11.37	6.8	35.6	
		15:04	28.42	51.22	33.55	8.56	11.36	6.4	25.7	
		18:04	28.58	51.13	33.47	8.57	11.54	7.3	25.7	
		21:04	28.02	50.64	33.13	8.43	9.21	6.7	17.0	
	日平均值			28.25	51.15	33.50	8.49	10.27	6.28	23.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月16日	蚵殼站	0:04	27.43	50.67	33.17	8.17	7.95	0.5	7.7	
		3:04	27.14	50.15	32.79	8.19	7.92	4.8	6.3	
		6:04	27.08	50.26	32.88	8.18	8.80	1.5	4.4	
		9:04	27.42	50.41	32.97	8.25	9.00	1.0	13.8	
		12:14	28.03	50.48	33.01	8.38	11.38	1.5	55.6	
		15:04	28.09	50.81	33.25	8.26	9.64	0.6	26.2	
		18:04	27.87	50.39	32.95	8.29	9.94	1.1	23.0	
		21:04	27.66	50.30	32.89	8.17	8.18	0.4	17.6	
	日平均值			27.59	50.43	32.99	8.24	9.10	1.43	19.33
	潮口站	0:04	27.52	51.38	33.69	8.17	6.50	8.0	3.7	
		3:04	27.14	52.38	34.43	8.18	6.29	10.1	2.3	
		6:04	26.95	52.69	34.67	8.20	6.40	4.4	2.8	
		9:04	27.22	50.97	33.39	8.32	8.04	1.9	8.1	
		12:14	28.05	51.22	33.56	8.28	8.32	6.1	10.9	
		15:04	27.75	46.74	30.29	8.12	6.72	5.9	7.4	
		18:04	27.26	48.73	31.75	8.16	6.63	2.9	0.3	
		21:04	27.49	51.16	33.53	8.30	8.14	5.1	23.5	
	日平均值			27.42	50.66	33.16	8.22	7.13	5.55	7.38
	灣內站	0:04	28.04	50.59	33.09	8.48	9.49	5.9	22.7	
		3:04	28.04	51.27	33.59	8.46	9.61	5.2	18.1	
		6:04	27.85	51.23	33.57	8.45	9.11	4.9	17.9	
		9:04	27.88	51.29	33.61	8.47	9.24	5.3	17.1	
		12:14	28.63	51.30	33.59	8.55	10.19	5.0	10.2	
		15:04	28.49	50.97	33.36	8.63	11.88	5.9	33.0	
		18:04	28.06	50.42	32.96	8.48	9.73	6.6	22.7	
		21:04	28.08	50.61	33.11	8.49	9.57	6.2	20.4	
	日平均值			28.13	50.96	33.36	8.50	9.85	5.63	20.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月17日	蚵殼站	0:04	27.67	50.36	32.93	8.22	9.51	0.4	15.5	
		3:04	27.53	50.37	32.94	8.21	22.85	1.3	16.8	
		6:04	27.21	50.40	32.97	8.18	7.80	0.6	14.8	
		9:04	27.42	50.15	32.79	8.29	9.24	1.6	14.7	
		12:04	28.07	49.66	32.41	8.43	12.13	3.7	40.2	
		15:04	28.23	49.85	32.54	8.43	11.79	0.3	31.3	
		18:04	28.28	50.39	32.94	8.47	11.90	1.0	23.8	
		21:04	28.21	50.46	32.99	8.47	11.68	1.8	17.8	
	日平均值			27.83	50.21	32.81	8.34	12.11	1.34	21.86
	潮口站	0:04	27.41	50.98	33.39	8.20	7.09	6.9	13.6	
		3:04	27.27	51.45	33.75	8.19	6.52	4.5	10.3	
		6:04	26.93	52.52	34.55	8.18	6.31	5.0	5.7	
		9:04	27.24	51.23	33.59	8.25	7.32	4.9	10.8	
		12:04	28.10	51.16	33.51	8.21	7.51	9.1	15.3	
		15:04	27.72	49.90	32.59	8.17	7.09	3.6	7.7	
		18:04	27.26	51.24	33.59	8.19	6.78	3.2	0.3	
		21:04	27.67	51.00	33.40	8.40	9.88	4.2	13.1	
	日平均值			27.45	51.19	33.55	8.22	7.31	5.18	9.60
	灣內站	0:04	28.25	50.74	33.19	8.41	9.60	6.7	31.0	
		3:04	28.25	50.82	33.25	8.40	9.48	5.9	29.4	
		6:04	27.93	50.96	33.36	8.34	8.45	5.5	26.7	
		9:04	27.97	50.95	33.36	8.33	8.41	6.1	31.8	
		12:04	28.80	50.94	33.32	8.57	12.15	5.8	25.1	
		15:04	28.95	50.57	33.05	8.63	13.28	5.3	29.2	
		18:04	28.83	50.62	33.09	8.61	13.15	5.6	34.2	
		21:04	28.77	50.59	33.07	8.60	12.91	5.2	104.3	
	日平均值			28.47	50.77	33.21	8.49	10.93	5.76	38.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月18日	蚵殼站	0:04	28.19	50.37	32.93	8.48	11.96	4.6	19.5	
		3:04	27.98	50.07	32.71	8.46	11.26	1.5	8.7	
		6:04	27.70	50.10	32.74	8.43	33.94	1.4	15.3	
		9:04	27.58	50.23	32.84	8.40	10.11	1.0	19.1	
		12:04	27.96	50.65	33.14	8.47	10.67	0.9	14.5	
		15:04	28.27	50.52	33.03	8.50	11.36	0.2	18.6	
		18:04	28.14	51.30	33.61	8.26	8.93	0.2	8.0	
		21:04	27.96	50.75	33.21	8.43	9.97	3.7	14.5	
	日平均值			27.97	50.50	33.03	8.43	13.53	1.69	14.78
	潮口站	0:04	27.71	51.15	33.51	8.20	7.29	9.3	5.1	
		3:04	27.63	51.07	33.45	8.34	8.58	4.0	8.8	
		6:04	26.96	52.53	34.55	8.19	6.53	4.1	8.7	
		9:04	26.99	51.66	33.91	8.25	7.30	5.6	14.9	
		12:04	27.70	51.62	33.86	8.29	8.34	5.3	16.2	
		15:04	27.43	52.28	34.36	8.22	7.28	8.0	5.3	
		18:04	27.18	49.99	32.67	8.20	7.02	3.5	2.3	
		21:04	27.56	51.82	34.01	8.25	7.24	4.4	6.1	
	日平均值			27.40	51.52	33.79	8.24	7.45	5.53	8.43
	灣內站	0:04	28.51	50.64	33.11	8.54	11.73	5.9	42.2	
		3:04	28.12	50.90	33.32	8.39	9.47	5.5	30.1	
		6:04	27.76	50.99	33.39	8.33	8.27	5.1	27.8	
		9:04	27.71	50.96	33.37	8.41	9.35	5.3	53.3	
		12:04	28.19	51.05	33.43	8.50	10.80	5.5	23.3	
		15:04	28.65	51.13	33.47	8.61	12.44	5.7	26.8	
		18:04	28.50	50.67	33.14	8.59	11.84	6.0	33.4	
		21:04	28.60	50.66	33.13	8.54	10.83	7.2	32.4	
	日平均值			28.26	50.88	33.30	8.49	10.59	5.78	33.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月19日	蚵殼站	0:04	27.79	50.71	33.18	8.39	9.38	0.7	20.3	
		3:04	27.55	50.51	33.05	8.43	32.77	0.8	17.0	
		6:04	27.38	50.54	33.08	8.39	8.20	1.6	9.1	
		9:04	27.32	50.61	33.13	8.44	9.42	1.9	19.3	
		12:04	27.63	50.02	32.68	8.49	11.00	0.4	38.7	
		15:04	27.79	51.50	33.77	8.30	8.82	1.2	13.1	
		18:04	27.73	51.20	33.55	8.34	8.38	0.8	19.2	
		21:04	27.60	51.04	33.44	8.35	8.99	0.2	13.2	
	日平均值			27.60	50.77	33.24	8.39	12.12	0.95	18.74
	潮口站	0:04	27.43	51.71	33.93	8.21	7.32	8.6	4.6	
		3:04	27.34	51.26	33.60	8.38	8.38	2.2	6.6	
		6:04	26.85	52.51	34.54	8.19	6.47	7.4	8.5	
		9:04	26.93	51.74	33.97	8.23	6.89	7.0	5.9	
		12:04	27.69	51.30	33.63	8.40	9.06	3.8	19.8	
		15:04	27.30	49.40	32.24	8.18	7.34	5.1	7.3	
		18:04	26.81	49.91	32.63	8.19	7.08	6.5	4.4	
		21:04	26.80	51.53	33.82	8.24	7.08	3.1	2.1	
	日平均值			27.14	51.17	33.55	8.25	7.45	5.46	7.40
	灣內站	0:04	28.09	50.83	33.27	8.44	9.47	5.8	26.6	
		3:04	27.80	50.78	33.24	8.42	9.03	5.5	27.3	
		6:04	27.70	50.73	33.20	8.39	8.73	5.2	22.1	
		9:04	27.64	50.72	33.20	8.44	9.31	5.4	37.9	
		12:04	28.11	50.62	33.11	8.59	11.97	5.6	40.0	
		15:04	28.34	50.46	32.99	8.63	12.83	7.4	50.4	
		18:04	28.14	50.67	33.15	8.56	11.29	8.3	38.1	
		21:04	27.63	50.78	33.25	8.41	9.22	6.1	20.3	
	日平均值			27.93	50.70	33.18	8.49	10.23	6.16	32.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月20日	蚵殼站	0:04	27.39	50.69	33.19	8.41	9.23	0.5	14.8	
		3:04	27.15	50.55	33.09	8.46	21.68	0.4	15.5	
		6:04	26.93	50.73	33.22	8.41	7.75	0.1	14.6	
		9:04	26.87	50.60	33.13	8.43	8.88	0.9	32.9	
		12:04	27.30	50.56	33.09	8.49	10.15	0.4	19.3	
		15:04	27.45	51.20	33.55	8.25	7.75	2.6	19.4	
		18:04	27.29	50.93	33.37	8.44	9.76	0.3	12.3	
		21:04	27.15	50.93	33.36	8.40	9.88	0.0	13.7	
	日平均值			27.19	50.77	33.25	8.41	10.64	0.65	17.81
	潮口站	0:04	26.98	51.06	33.47	8.20	6.88	8.1	6.0	
		3:04	26.93	50.94	33.38	8.37	8.16	2.9	10.3	
		6:04	26.64	52.14	34.27	8.18	6.46	7.2	1.4	
		9:04	26.82	52.18	34.30	8.20	6.61	6.4	9.1	
		12:04	27.42	50.91	33.34	8.40	9.07	4.2	11.2	
		15:04	27.37	51.09	33.48	8.37	8.98	5.5	19.4	
		18:04	26.95	51.91	34.10	8.21	7.00	6.5	2.4	
		21:04	26.87	51.93	34.11	8.24	7.02	10.7	9.0	
	日平均值			27.00	51.52	33.81	8.27	7.52	6.44	8.60
	灣內站	0:04	27.78	50.49	33.03	8.54	9.69	6.5	27.9	
		3:04	27.53	50.90	33.33	8.45	8.28	5.7	21.4	
		6:04	27.16	50.74	33.23	8.32	6.97	5.5	22.2	
		9:04	27.24	50.82	33.28	8.45	8.80	5.3	22.5	
		12:04	27.89	50.42	32.97	8.60	11.03	5.2	29.7	
		15:04	27.97	50.35	32.92	8.68	12.64	7.0	48.0	
		18:04	27.80	50.73	33.20	8.63	11.59	6.1	29.5	
		21:04	27.58	51.26	33.60	8.35	7.46	6.1	21.6	
	日平均值			27.62	50.71	33.20	8.50	9.56	5.93	27.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月21日	蚵殼站	0:04	27.05	50.62	33.14	8.48	22.94	1.2	9.9	
		3:04	26.88	50.58	33.12	8.43	9.42	1.3	11.2	
		6:04	26.71	50.58	33.12	8.43	8.67	1.0	13.3	
		9:04	26.67	50.67	33.19	8.42	8.57	1.2	17.8	
		12:04	27.22	50.56	33.09	8.47	9.78	10.4	12.0	
		15:04	27.40	51.49	33.77	8.26	8.60	1.1	10.0	
		18:04	27.23	51.11	33.50	8.40	19.19	1.5	15.7	
		21:04	27.12	50.91	33.36	8.30	6.38	0.4	7.1	
	日平均值			27.04	50.82	33.29	8.40	11.69	2.26	12.13
	潮口站	0:04	26.76	51.58	33.86	8.19	6.84	11.3	5.7	
		3:04	26.90	50.99	33.42	8.41	8.84	3.1	11.5	
		6:04	26.61	51.58	33.86	8.25	6.80	6.0	0.5	
		9:04	26.70	52.15	34.28	8.20	6.47	4.4	2.9	
		12:04	27.20	50.95	33.38	8.40	8.57	4.0	6.1	
		15:04	27.39	51.05	33.45	8.38	8.69	6.3	13.4	
		18:04	26.84	49.89	32.61	8.20	6.95	5.5	3.4	
		21:04	26.81	51.57	33.85	8.20	6.64	4.6	4.8	
	日平均值			26.90	51.22	33.59	8.28	7.48	5.65	6.04
	灣內站	0:04	27.44	51.03	33.43	8.52	8.99	6.1	22.2	
		3:04	27.19	51.08	33.47	8.36	6.89	6.0	22.3	
		6:04	26.89	50.97	33.40	8.29	6.10	5.9	34.7	
		9:04	26.82	50.85	33.32	8.42	7.90	5.4	29.3	
		12:04	27.47	50.37	32.94	8.62	11.16	5.9	31.4	
		15:04	27.90	50.54	33.06	8.63	11.41	6.4	38.2	
		18:04	27.75	50.71	33.19	8.57	10.11	6.8	39.6	
		21:04	27.50	51.27	33.61	8.47	8.68	4.9	14.7	
	日平均值			27.37	50.85	33.30	8.49	8.91	5.93	29.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月22日	蚵殼站	0:04	26.83	50.69	33.20	8.25	7.41	0.1	7.7	
		3:04	26.85	50.50	33.06	8.37	8.43	1.6	8.7	
		6:04	26.68	50.73	33.23	8.37	8.26	12.4	8.5	
		9:04	26.75	50.76	33.25	8.33	7.80	1.0	12.9	
		12:04	26.90	50.55	33.09	8.44	19.11	0.6	18.0	
		15:04	26.94	50.60	33.13	8.43	10.50	0.5	21.5	
		18:04	26.87	51.14	33.53	8.22	6.89	2.6	7.9	
		21:04	26.78	50.98	33.41	8.30	7.72	0.4	9.3	
	日平均值			26.83	50.74	33.24	8.34	9.52	2.40	11.81
	潮口站	0:04	26.84	50.95	33.39	8.26	7.28	6.4	5.6	
		3:04	26.62	50.98	33.42	8.20	6.55	11.9	9.5	
		6:04	26.59	50.66	33.18	8.24	6.72	6.8	12.6	
		9:04	26.69	51.91	34.10	8.18	6.31	12.8	1.9	
		12:04	26.82	51.22	33.59	8.22	6.90	9.4	7.8	
		15:04	27.33	51.02	33.43	8.26	7.67	6.7	10.6	
		18:04	26.72	49.16	32.08	8.17	6.74	5.0	2.8	
		21:04	26.65	51.48	33.79	8.18	6.53	6.4	2.7	
	日平均值			26.78	50.92	33.37	8.21	6.84	8.18	6.69
	灣內站	0:04	27.43	50.92	33.35	8.45	8.46	5.9	18.6	
		3:04	27.11	51.04	33.45	8.44	8.05	5.4	15.5	
		6:04	27.04	51.13	33.52	8.41	7.65	5.1	13.0	
		9:04	27.08	51.20	33.57	8.42	7.89	4.8	12.0	
		12:04	27.08	50.83	33.30	8.54	9.60	4.6	19.0	
		15:04	27.41	50.45	33.00	8.62	11.74	6.8	43.3	
		18:04	27.28	50.77	33.25	8.55	10.14	5.6	26.5	
		21:04	27.10	50.84	33.30	8.53	9.34	6.4	19.2	
	日平均值			27.19	50.90	33.34	8.50	9.11	5.58	20.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
11月23日	蚵殼站	0:04	26.61	51.00	33.43	8.29	7.36	0.8	11.4
		3:04	26.39	50.86	33.33	8.26	8.12	1.3	2.4
		6:04	26.22	50.89	33.36	8.29	9.01	1.0	8.3
		9:04	26.11	50.90	33.38	8.26	6.68	0.6	5.8
		12:04	26.51	50.58	33.13	8.33	7.74	0.5	13.1
		15:04	26.44	50.79	33.28	8.37	8.60	0.7	20.5
		18:04	26.21	50.91	33.38	8.31	7.94	0.1	16.8
		21:04	26.14	50.90	33.37	8.33	8.38	0.4	10.2
	日平均值		26.33	50.85	33.33	8.31	7.98	0.68	11.06
	潮口站	0:04	26.42	50.99	33.43	8.21	6.67	6.8	3.4
		3:04	25.89	51.03	33.48	8.14	6.06	11.1	3.6
		6:04	26.18	50.94	33.40	8.23	6.44	5.6	11.5
		9:04	26.28	51.86	34.08	8.19	6.30	6.4	2.6
		12:04	26.66	51.71	33.95	8.17	6.38	8.4	5.7
		15:04	26.66	51.46	33.77	8.25	7.41	8.2	5.1
		18:04	26.45	49.34	32.22	8.18	6.77	7.7	1.7
		21:04	26.21	49.55	32.38	8.19	6.65	7.3	3.4
	日平均值		26.34	50.86	33.34	8.20	6.59	7.69	4.63
	灣內站	0:04	26.95	51.09	33.49	8.47	7.74	6.8	26.4
		3:04	26.76	51.16	33.55	8.43	7.02	8.6	27.3
		6:04	26.54	51.12	33.53	8.39	6.51	7.5	28.0
		9:04	26.38	51.02	33.45	8.45	7.33	5.8	18.9
		12:04	26.75	50.31	32.92	8.50	9.03	6.2	21.1
		15:04	26.89	50.26	32.88	8.64	11.86	8.3	81.7
		18:04	26.68	50.78	33.27	8.58	10.13	6.0	33.3
		21:04	26.48	50.73	33.24	8.57	9.63	5.6	24.6
	日平均值		26.68	50.81	33.29	8.50	8.66	6.85	32.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月24日	蚵殼站	0:04	26.16	50.86	33.34	8.30	7.16	0.2	1.6	
		3:04	26.02	50.85	33.34	8.31	7.29	0.3	9.9	
		6:04	25.62	50.43	33.04	8.38	8.62	1.0	3.3	
		9:04	25.53	50.52	33.11	8.37	8.46	0.7	3.5	
		12:04	25.58	50.30	32.94	8.37	8.22	0.7	10.3	
		15:04	25.73	50.46	33.06	8.46	9.40	0.4	16.2	
		18:04	25.63	50.58	33.15	8.40	8.65	1.2	11.1	
		21:04	25.52	50.54	33.12	8.38	11.85	1.2	17.2	
	日平均值			25.72	50.57	33.14	8.37	8.71	0.71	9.14
	潮口站	0:04	26.15	50.66	33.19	8.20	6.59	7.6	0.9	
		3:04	25.94	50.86	33.35	8.24	6.92	8.0	10.1	
		6:04	25.81	50.76	33.28	8.25	6.79	7.7	9.8	
		9:04	25.80	51.27	33.66	8.20	6.13	7.9	4.1	
		12:04	26.27	51.72	33.97	8.21	6.62	6.5	2.2	
		15:04	25.74	51.01	33.46	8.27	7.52	6.2	13.3	
		18:04	26.14	51.56	33.86	8.20	6.50	6.1	4.1	
		21:04	26.46	52.11	34.26	8.20	6.38	6.2	0.9	
	日平均值			26.04	51.24	33.63	8.22	6.68	7.03	5.68
	灣內站	0:04	26.33	51.00	33.44	8.53	8.21	5.8	23.7	
		3:04	25.98	50.73	33.25	8.50	7.83	5.8	22.9	
		6:04	25.81	50.82	33.32	8.49	7.36	5.6	24.6	
		9:04	25.77	50.93	33.41	8.47	7.39	5.7	42.2	
		12:04	25.93	50.96	33.42	8.54	8.50	5.8	37.5	
		15:04	26.16	50.95	33.41	8.52	8.37	7.1	26.1	
		18:04	25.96	51.06	33.50	8.38	6.23	8.8	8.5	
		21:04	25.81	51.00	33.45	8.42	6.74	6.0	12.0	
	日平均值			25.97	50.93	33.40	8.48	7.58	6.33	24.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月25日	蚵殼站	0:04	25.31	50.57	33.15	8.36	8.02	1.5	7.4	
		3:04	25.21	50.53	33.12	8.33	7.46	1.0	2.3	
		6:04	25.18	50.59	33.17	8.32	7.90	0.4	9.4	
		9:04	25.12	50.59	33.17	8.31	11.24	0.5	20.3	
		12:04	25.69	50.64	33.19	8.36	8.34	0.8	14.0	
		15:04	25.78	50.51	33.09	8.48	10.74	0.8	37.9	
		18:04	25.11	50.60	33.17	8.37	8.22	0.5	7.1	
		21:04	25.22	50.82	33.34	8.36	6.76	1.6	5.5	
	日平均值			25.33	50.61	33.18	8.36	8.59	0.89	12.99
	潮口站	0:04	26.07	51.96	34.15	8.21	6.62	7.0	0.5	
		3:04	25.34	51.32	33.70	8.21	6.67	6.9	12.3	
		6:04	25.27	50.93	33.42	8.33	7.67	5.6	7.0	
		9:04	25.19	51.06	33.51	8.27	6.77	5.5	3.5	
		12:04	26.33	52.07	34.23	8.20	6.44	5.5	3.3	
		15:04	26.35	51.38	33.72	8.26	7.36	4.5	5.2	
		18:04	26.06	51.22	33.61	8.25	7.32	4.3	4.7	
		21:04	26.31	51.97	34.15	8.20	6.32	6.4	1.2	
	日平均值			25.87	51.49	33.81	8.24	6.90	5.71	4.71
	灣內站	0:04	25.63	51.03	33.48	8.37	6.78	5.2	7.8	
		3:04	25.49	51.01	33.47	8.39	6.82	4.9	15.4	
		6:04	25.44	51.07	33.52	8.29	5.51	7.6	41.7	
		9:04	25.34	51.05	33.50	8.34	6.43	6.3	32.8	
		12:04	25.78	51.11	33.54	8.51	9.13	6.7	45.0	
		15:04	26.21	50.68	33.21	8.74	13.98	7.3	85.1	
		18:04	25.99	49.85	32.60	8.49	10.11	8.1	36.7	
		21:04	26.08	50.91	33.38	8.61	11.31	5.3	25.2	
	日平均值			25.75	50.84	33.34	8.47	8.76	6.43	36.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月26日	蚵殼站	0:04	25.33	50.61	33.18	8.45	9.79	2.0	3.6	
		3:04	25.13	50.58	33.16	8.47	9.01	1.9	6.9	
		6:04	25.01	50.38	33.02	8.45	9.16	4.6	15.0	
		9:04	25.03	50.40	33.03	8.47	16.06	1.0	7.1	
		12:04	25.45	50.51	33.10	8.48	10.87	1.5	9.1	
		15:04	25.48	50.55	33.13	8.49	10.21	0.5	21.3	
		18:04	25.55	50.94	33.41	8.41	8.68	0.9	2.2	
		21:04	25.31	50.68	33.23	8.46	9.33	1.6	1.7	
	日平均值			25.29	50.58	33.16	8.46	10.39	1.75	8.36
	潮口站	0:04	26.16	52.03	34.20	8.21	6.47	5.8	1.1	
		3:04	25.37	51.25	33.65	8.24	6.69	6.9	10.2	
		6:04	25.38	50.81	33.32	8.41	8.30	4.7	3.5	
		9:04	25.26	50.89	33.39	8.35	7.33	5.4	4.6	
		12:04	26.19	51.80	34.04	8.23	6.57	11.4	1.0	
		15:04	26.50	51.95	34.14	8.22	6.57	8.0	7.2	
		18:04	26.07	51.36	33.72	8.28	7.36	6.2	10.9	
		21:04	26.27	51.02	33.46	8.20	6.55	10.2	5.3	
	日平均值			25.90	51.39	33.74	8.27	6.98	7.33	5.48
	灣內站	0:04	25.73	51.36	33.72	8.42	7.41	5.5	22.3	
		3:04	25.49	51.33	33.71	8.44	7.22	5.2	23.8	
		6:04	25.42	51.35	33.72	8.33	5.46	6.3	44.2	
		9:04	25.19	51.01	33.48	8.43	7.45	6.8	52.1	
		12:04	25.56	50.89	33.38	8.69	12.26	8.2	115.8	
		15:04	25.90	50.12	32.81	8.61	10.45	6.5	26.1	
		18:04	25.93	49.77	32.54	8.55	9.86	7.6	29.4	
		21:04	25.78	49.92	32.66	8.49	8.57	8.5	36.1	
	日平均值			25.63	50.72	33.25	8.50	8.59	6.83	43.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月27日	蚵殼站	0:04	25.34	50.21	32.88	8.48	8.23	2.0	3.3	
		3:04	25.20	50.21	32.89	8.47	17.09	2.0	11.8	
		6:04	25.04	50.00	32.73	8.38	9.11	0.7	18.0	
		9:04	25.17	50.18	32.86	8.45	9.07	1.4	21.1	
		12:04	25.88	50.08	32.78	8.47	9.96	0.7	7.5	
		15:04	26.06	50.81	33.31	8.45	8.42	1.4	13.9	
		18:04	25.90	51.06	33.50	8.37	8.54	1.5	5.4	
		21:04	25.86	50.86	33.35	8.47	9.73	2.8	2.8	
	日平均值			25.56	50.43	33.04	8.44	10.02	1.56	10.48
	潮口站	0:04	26.35	52.00	34.18	8.20	6.42	9.1	3.0	
		3:04	25.98	51.56	33.86	8.22	6.65	11.1	1.6	
		6:04	25.35	50.87	33.37	8.39	8.12	11.8	7.3	
		9:04	25.34	50.76	33.29	8.41	8.12	9.5	1.3	
		12:04	26.36	51.87	34.08	8.23	6.68	6.1	0.5	
		15:04	26.59	51.91	34.11	8.23	6.80	11.0	3.9	
		18:04	26.23	51.60	33.88	8.27	7.31	7.6	4.7	
		21:04	26.37	49.74	32.51	8.21	6.80	12.8	4.0	
	日平均值			26.07	51.29	33.66	8.27	7.11	9.88	3.29
	灣內站	0:04	25.86	51.55	33.86	8.38	7.28	5.0	16.2	
		3:04	25.63	51.08	33.52	8.39	7.23	5.7	30.4	
		6:04	25.22	50.71	33.25	8.45	8.23	5.1	20.0	
		9:04	25.30	50.66	33.22	8.31	7.96	4.8	17.3	
		12:04	26.18	50.47	33.05	8.63	11.54	11.1	124.4	
		15:04	26.38	50.49	33.06	8.72	12.80	6.5	41.2	
		18:04	26.49	50.46	33.04	8.58	10.21	7.0	23.8	
		21:04	26.45	50.53	33.09	8.47	8.80	6.8	29.6	
	日平均值			25.94	50.74	33.26	8.49	9.26	6.50	37.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月28日	蚵殼站	0:04	25.80	50.20	32.86	8.61	11.60	2.5	6.9	
		3:04	25.59	50.27	32.93	8.48	10.12	9.0	8.7	
		6:04	25.26	49.97	32.71	8.41	9.27	0.5	21.1	
		9:04	25.40	50.06	32.77	8.41	8.17	0.9	14.0	
		12:04	26.31	50.14	32.81	8.55	12.07	2.3	30.1	
		15:04	26.23	50.51	33.08	8.55	12.06	0.3	29.6	
		18:04	26.20	51.08	33.50	8.43	27.87	0.8	10.7	
		21:04	26.14	50.97	33.43	8.38	9.09	1.2	9.6	
	日平均值			25.87	50.40	33.01	8.48	12.53	2.19	16.34
	潮口站	0:04	26.48	51.70	33.95	8.19	6.37	8.3	1.6	
		3:04	26.23	51.56	33.86	8.18	6.14	7.4	2.0	
		6:04	25.49	50.34	32.97	8.54	10.12	6.8	9.6	
		9:04	25.69	50.49	33.08	8.49	9.80	7.9	5.3	
		12:04	26.22	51.50	33.81	8.31	7.98	6.1	7.2	
		15:04	27.06	51.15	33.53	8.15	6.86	2.9	3.6	
		18:04	26.71	51.32	33.67	8.20	7.18	7.2	7.9	
		21:04	26.43	51.54	33.84	8.25	7.50	7.0	7.2	
	日平均值			26.29	51.20	33.59	8.29	7.74	6.70	5.55
	灣內站	0:04	26.07	51.03	33.47	8.51	10.98	4.2	12.9	
		3:04	25.98	51.17	33.57	8.44	10.03	4.6	6.2	
		6:04	25.75	51.12	33.55	8.39	8.85	4.7	26.4	
		9:04	25.94	51.27	33.65	8.35	8.17	4.6	13.6	
		12:04	26.83	50.88	33.34	8.51	10.61	6.1	22.6	
		15:04	26.77	51.30	33.65	8.60	11.94	5.4	22.1	
		18:04	26.82	51.38	33.70	8.62	12.26	6.6	28.1	
		21:04	26.66	51.26	33.63	8.58	11.37	5.5	22.8	
	日平均值			26.35	51.18	33.57	8.50	10.53	5.21	19.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月29日	蚵殼站	0:04	26.30	50.69	33.21	8.56	11.67	1.6	10.2	
		3:04	26.02	50.54	33.11	8.48	10.32	8.2	14.4	
		6:04	25.95	50.62	33.17	8.44	9.67	1.1	27.5	
		9:04	26.03	50.68	33.21	8.48	34.96	1.0	13.7	
		12:04	26.65	50.72	33.23	8.54	11.36	1.0	18.2	
		15:04	27.02	50.75	33.23	8.57	11.77	1.3	17.2	
		18:04	26.62	50.55	33.10	8.47	10.20	3.9	7.5	
		21:04	26.60	50.65	33.17	8.49	10.48	1.0	7.8	
	日平均值			26.40	50.65	33.18	8.50	13.80	2.39	14.56
	潮口站	0:04	26.41	51.67	33.94	8.17	6.28	5.6	6.3	
		3:04	26.40	52.11	34.26	8.16	6.40	3.6	1.0	
		6:04	26.00	50.84	33.33	8.48	9.62	2.4	10.2	
		9:04	26.08	50.89	33.37	8.46	9.63	2.5	7.9	
		12:04	26.27	51.07	33.50	8.35	8.54	7.3	11.3	
		15:04	26.92	49.93	32.64	8.10	6.51	3.7	1.7	
		18:04	26.59	51.33	33.68	8.17	6.76	4.8	0.4	
		21:04	26.57	51.34	33.69	8.25	7.61	7.0	7.7	
	日平均值			26.41	51.15	33.55	8.27	7.67	4.61	5.81
	灣內站	0:04	26.82	51.28	33.63	8.49	10.95	6.1	20.8	
		3:04	26.52	51.21	33.59	8.46	10.41	5.7	27.0	
		6:04	26.26	51.47	33.79	8.41	9.52	5.1	27.7	
		9:04	26.30	51.61	33.89	8.40	9.34	5.4	13.7	
		12:04	27.07	51.65	33.90	8.44	9.73	5.8	16.1	
		15:04	27.42	51.66	33.89	8.65	13.62	5.8	35.8	
		18:04	27.51	51.15	33.52	8.56	12.02	7.1	47.4	
		21:04	27.23	51.44	33.74	8.48	10.47	5.7	23.0	
	日平均值			26.89	51.43	33.74	8.49	10.76	5.84	26.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月30日	蚵殼站	0:04	26.47	50.62	33.15	8.47	36.03	1.6	16.9	
		3:04	26.34	50.73	33.24	8.48	10.57	2.1	7.8	
		6:04	26.22	50.63	33.17	8.47	9.73	1.6	6.0	
		9:04	26.15	50.70	33.22	8.49	9.62	1.8	10.3	
		12:04	26.59	50.42	33.01	8.62	11.84	0.9	27.3	
		15:04	26.55	50.74	33.24	8.45	16.31	0.3	17.6	
		18:04	26.47	50.88	33.35	8.32	8.90	0.3	11.1	
		21:04	26.36	50.86	33.33	8.31	7.50	0.9	11.9	
	日平均值			26.39	50.70	33.21	8.45	13.81	1.19	13.61
	潮口站	0:04	26.45	51.41	33.74	8.18	6.42	5.2	7.3	
		3:04	26.27	51.88	34.09	8.16	6.43	4.1	2.7	
		6:04	26.06	51.60	33.89	8.18	6.35	6.1	5.9	
		9:04	26.03	51.12	33.54	8.33	7.76	2.8	5.4	
		12:04	26.23	51.09	33.51	8.30	7.72	9.3	13.8	
		15:04	26.53	50.06	32.75	8.13	6.67	5.0	3.2	
		18:04	26.37	50.38	32.98	8.12	6.56	2.9	1.7	
		21:04	26.41	50.78	33.28	8.21	7.15	11.1	11.0	
	日平均值			26.29	51.04	33.47	8.20	6.88	5.81	6.38
	灣內站	0:04	26.92	51.34	33.68	8.42	9.54	6.1	25.2	
		3:04	26.74	51.44	33.75	8.41	9.11	5.8	41.5	
		6:04	26.62	51.52	33.82	8.39	8.34	6.5	23.4	
		9:04	26.58	51.52	33.82	8.37	8.14	5.2	21.7	
		12:04	27.11	51.49	33.78	8.57	11.54	6.2	31.2	
		15:04	27.41	51.56	33.82	8.60	11.84	6.8	46.3	
		18:04	27.26	51.38	33.69	8.62	11.95	6.4	40.5	
		21:04	27.11	51.09	33.49	8.59	11.41	6.3	50.4	
	日平均值			26.97	51.42	33.73	8.50	10.23	6.16	35.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月1日	蚵殼站	3:34	26.25	50.79	33.29	8.43	8.95	0.2	6.6	
		4:04	26.17	50.85	33.34	8.38	8.45	1.3	1.4	
		4:34	26.13	50.81	33.30	8.36	8.13	1.3	6.1	
		18:04	26.34	50.85	33.33	8.46	9.43	10.0	10.5	
		19:04	26.25	50.85	33.33	8.48	9.75	1.5	7.5	
		20:04	26.19	50.85	33.33	8.47	9.25	1.4	6.7	
		21:04	26.19	50.85	33.34	8.49	10.41	1.3	7.1	
		22:04	26.13	50.80	33.30	8.46	9.20	1.1	5.8	
	日平均值			26.21	50.83	33.32	8.44	9.20	2.26	6.46
	潮口站	0:04	26.12	50.52	33.10	8.16	6.58	8.3	7.2	
		3:04	26.00	51.65	33.92	8.13	6.36	5.5	8.2	
		6:04	25.93	51.77	34.02	8.16	6.48	6.5	8.8	
		9:04	25.78	50.63	33.18	8.24	6.47	4.6	10.1	
		12:04	26.38	50.89	33.36	8.31	8.32	4.6	16.5	
		15:04	26.00	51.65	33.92	8.16	6.60	5.6	3.1	
		18:04	25.99	51.61	33.90	8.14	6.56	5.0	7.0	
		21:04	25.90	50.90	33.37	8.26	7.74	5.2	1.7	
	日平均值			26.01	51.20	33.60	8.20	6.89	5.66	7.83
	灣內站	0:04	26.93	50.95	33.44	8.44	8.89	5.7	24.9	
		3:04	26.65	51.03	33.51	8.38	8.01	4.8	22.0	
		6:04	26.55	51.07	33.54	8.38	7.38	6.3	31.7	
		9:04	26.52	51.09	33.55	8.35	7.38	5.1	22.7	
		12:04	26.74	50.36	33.02	8.62	12.33	6.8	94.6	
		15:04	26.53	50.22	32.92	8.63	12.86	7.0	58.3	
		18:04	26.70	50.91	33.41	8.52	10.23	5.1	20.8	
		21:04	26.51	51.13	33.58	8.47	8.91	5.1	15.2	
	日平均值			26.64	50.85	33.37	8.47	9.50	5.74	36.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月2日	蚵殼站	0:04	25.99	50.44	33.04	8.54	10.13	2.1	11.8	
		3:04	25.90	50.56	33.13	8.48	9.35	2.0	6.3	
		6:04	25.75	50.63	33.18	8.45	8.78	1.8	2.4	
		9:04	25.69	50.55	33.12	8.48	9.16	7.0	2.2	
		12:04	26.02	50.36	32.98	8.55	11.04	2.0	8.9	
		15:04	26.21	50.69	33.22	8.52	9.58	0.4	21.7	
		18:04	26.12	51.15	33.56	8.25	7.35	1.3	5.5	
		21:04	25.94	50.91	33.38	8.34	7.75	1.8	2.8	
	日平均值			25.95	50.66	33.20	8.45	9.14	2.30	7.70
	潮口站	0:04	25.91	50.68	33.21	8.35	8.26	3.4	5.3	
		3:04	25.75	51.18	33.58	8.17	6.76	5.1	2.1	
		6:04	25.83	51.39	33.73	8.15	6.55	6.9	5.0	
		9:04	25.60	50.68	33.22	8.34	7.88	4.1	3.7	
		12:04	26.26	50.73	33.24	8.36	8.71	5.4	2.8	
		15:04	26.35	51.39	33.72	8.15	6.83	6.5	7.1	
		18:04	26.22	51.56	33.84	8.17	6.86	5.2	0.9	
		21:04	26.04	51.17	33.56	8.21	7.23	8.3	7.2	
	日平均值			26.00	51.10	33.51	8.24	7.39	5.61	4.26
	灣內站	0:04	26.43	51.04	33.52	8.43	8.22	6.5	51.6	
		3:04	26.14	51.07	33.54	8.36	6.81	6.6	45.4	
		6:04	25.99	51.12	33.58	8.29	6.00	7.0	68.3	
		9:04	26.04	51.16	33.61	8.45	8.36	6.8	112.6	
		12:04	26.50	51.12	33.57	8.44	8.26	6.9	35.7	
		15:04	26.44	50.69	33.26	8.47	13.13	7.7	87.3	
		18:04	26.58	51.39	33.77	8.59	10.69	7.8	67.8	
		21:04	26.54	51.38	33.76	8.62	10.64	5.3	35.5	
	日平均值			26.33	51.12	33.58	8.46	9.01	6.83	63.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月3日	蚵殼站	0:04	25.72	50.36	32.98	8.47	9.72	1.6	5.6	
		3:04	25.51	50.42	33.03	8.44	8.79	0.0	7.5	
		6:04	25.48	50.63	33.19	8.41	8.48	1.8	5.8	
		9:04	25.43	50.66	33.21	8.44	8.79	1.8	0.6	
		12:04	25.98	50.33	32.96	8.46	9.72	2.4	7.9	
		15:04	26.35	50.65	33.19	8.48	10.69	1.6	20.6	
		18:04	26.10	51.07	33.50	8.40	9.03	0.4	7.3	
		21:04	25.91	51.07	33.50	8.39	9.01	0.7	10.8	
	日平均值			25.81	50.65	33.20	8.44	9.28	1.29	8.26
	潮口站	0:04	25.99	50.79	33.29	8.37	8.56	7.1	11.1	
		3:04	25.80	50.68	33.21	8.30	7.64	9.9	3.9	
		6:04	25.95	51.44	33.77	8.14	6.62	12.0	0.1	
		9:04	25.45	50.88	33.36	8.25	7.15	8.1	4.8	
		12:04	26.41	50.84	33.30	8.31	8.26	8.2	2.1	
		15:04	26.43	51.38	33.70	8.14	6.77	7.2	4.3	
		18:04	26.38	51.21	33.57	8.13	6.75	5.2	0.9	
		21:04	26.20	51.15	33.54	8.17	7.08	7.7	1.7	
	日平均值			26.08	51.05	33.47	8.23	7.35	8.18	3.61
	灣內站	0:04	26.27	51.28	33.69	8.48	7.97	7.0	38.3	
		3:04	26.10	51.42	33.79	8.40	7.13	5.9	41.4	
		6:04	25.90	51.47	33.84	8.38	7.13	5.5	47.9	
		9:04	25.86	51.35	33.75	8.34	7.09	7.5	87.6	
		12:04	26.53	51.13	33.58	8.50	10.43	5.4	32.8	
		15:04	26.46	50.59	33.17	8.56	12.52	7.1	49.8	
		18:04	26.44	51.19	33.61	8.47	10.74	5.6	41.7	
		21:04	26.53	51.51	33.84	8.42	9.73	4.6	11.7	
	日平均值			26.26	51.24	33.66	8.44	9.09	6.08	43.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月4日	蚵殼站	0:04	25.90	50.69	33.23	8.49	10.11	1.5	8.8	
		3:04	25.68	50.55	33.12	8.48	9.93	7.3	5.9	
		6:04	25.56	50.71	33.24	8.45	10.13	1.2	7.0	
		9:04	25.49	50.50	33.10	8.45	9.97	1.9	9.4	
		12:04	25.86	50.81	33.31	8.45	9.96	0.3	10.3	
		15:04	26.31	51.21	33.59	8.36	9.06	3.3	25.0	
		18:04	26.14	51.34	33.70	8.37	8.96	0.5	4.8	
		21:04	26.03	50.86	33.35	8.46	9.90	0.9	21.3	
	日平均值			25.87	50.83	33.33	8.44	9.75	2.11	11.56
	潮口站	0:04	26.08	50.94	33.38	8.18	7.12	16.5	3.5	
		3:04	25.96	50.58	33.12	8.30	8.05	4.8	7.3	
		6:04	26.00	51.26	33.62	8.15	6.53	6.7	3.6	
		9:04	25.82	51.09	33.50	8.20	6.92	8.3	6.9	
		12:04	26.24	51.06	33.47	8.22	7.45	8.7	4.8	
		15:04	26.45	49.11	32.03	8.12	6.87	4.5	1.5	
		18:04	26.17	51.15	33.54	8.15	6.74	6.8	0.6	
		21:04	25.98	51.05	33.46	8.15	6.81	4.7	0.3	
	日平均值			26.09	50.78	33.27	8.18	7.06	7.63	3.56
	灣內站	0:04	26.27	51.32	33.71	8.33	7.73	6.4	28.2	
		3:04	25.93	51.28	33.69	8.23	6.26	6.4	58.4	
		6:04	25.63	51.19	33.63	8.19	5.29	7.7	71.5	
		9:04	25.82	51.21	33.65	8.30	6.84	7.5	67.2	
		12:04	26.00	50.96	33.45	8.35	9.33	5.3	19.0	
		15:04	26.48	50.83	33.34	8.40	10.05	6.8	27.7	
		18:04	26.35	51.44	33.80	8.40	9.56	5.1	20.6	
		21:04	26.23	51.97	34.19	8.35	8.16	4.7	10.4	
	日平均值			26.09	51.28	33.68	8.32	7.90	6.24	37.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月5日	蚵殼站	0:04	25.64	50.50	33.09	8.41	9.34	1.0	11.1	
		3:04	25.28	50.40	33.02	8.37	8.69	1.2	8.4	
		6:04	25.22	50.45	33.06	8.31	7.99	1.6	11.7	
		9:04	24.96	50.10	32.81	8.36	8.61	0.3	15.7	
		12:04	25.57	50.36	32.99	8.35	9.29	1.1	17.3	
		15:04	25.93	51.20	33.60	8.27	7.75	1.6	12.8	
		18:04	25.72	51.34	33.70	8.31	8.35	0.8	10.2	
		21:04	25.42	50.78	33.30	8.31	9.44	1.5	13.0	
	日平均值			25.47	50.64	33.20	8.34	8.68	1.14	12.53
	潮口站	0:04	25.64	50.91	33.37	8.15	6.58	16.7	1.0	
		3:04	25.75	50.64	33.17	8.20	7.02	6.0	4.9	
		6:04	25.57	51.17	33.56	8.16	6.60	9.5	4.1	
		9:04	25.69	51.26	33.62	8.16	6.70	6.0	6.3	
		12:04	25.90	50.71	33.21	8.24	7.56	10.3	5.8	
		15:04	25.97	50.86	33.32	8.19	7.17	10.8	2.8	
		18:04	25.72	50.07	32.75	8.13	6.85	4.0	5.2	
		21:04	25.77	51.18	33.56	8.15	6.72	2.7	0.3	
	日平均值			25.75	50.85	33.32	8.17	6.90	8.25	3.80
	灣內站	0:04	25.90	51.54	33.88	8.37	6.70	6.9	23.5	
		3:04	25.68	51.63	33.94	8.39	6.84	5.4	17.7	
		6:04	25.60	51.56	33.89	8.43	6.78	4.8	27.8	
		9:04	25.45	51.30	33.71	8.49	8.69	5.1	25.1	
		12:04	26.00	50.73	33.28	8.45	8.99	4.9	14.7	
		15:04	26.16	51.09	33.54	8.48	9.68	5.9	26.2	
		18:04	25.96	51.54	33.87	8.43	8.98	5.7	19.1	
		21:04	25.89	51.89	34.12	8.38	6.93	9.1	21.3	
	日平均值			25.83	51.41	33.78	8.43	7.95	5.98	21.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
12月6日	蚵殼站	0:04	25.34	50.73	33.27	8.25	7.91	0.9	15.6
		3:04	25.08	50.73	33.27	8.26	7.16	0.7	10.0
		6:04	24.97	50.78	33.31	8.22	6.61	8.8	11.5
		9:04	24.80	50.83	33.35	8.22	6.88	2.5	6.6
		12:04	25.27	50.81	33.33	8.28	8.15	0.5	21.3
		15:04	24.99	50.83	33.35	8.22	6.98	0.3	8.0
		18:04	24.95	51.07	33.53	8.30	7.73	0.2	15.5
		21:04	24.94	51.30	33.70	8.27	7.52	11.3	16.6
	日平均值		25.04	50.89	33.39	8.25	7.37	3.15	13.14
	潮口站	0:04	24.93	50.40	33.00	8.12	6.50	23.2	4.5
		3:04	25.05	50.38	32.99	8.28	7.54	4.1	8.9
		6:04	24.96	50.71	33.24	8.23	6.76	6.9	6.2
		9:04	25.40	51.26	33.62	8.17	6.62	5.5	4.7
		12:04	24.99	50.53	33.09	8.24	7.26	11.9	3.3
		15:04	25.03	50.64	33.17	8.19	7.06	9.7	9.0
		18:04	25.58	50.96	33.39	8.15	6.70	3.4	0.5
		21:04	25.46	51.27	33.62	8.14	6.63	4.6	1.9
	日平均值		25.18	50.77	33.27	8.19	6.88	8.66	4.88
	灣內站	0:04	25.71	51.73	34.02	8.42	7.60	5.0	18.9
		3:04	25.35	51.66	33.97	8.41	6.47	7.5	27.8
		6:04	25.32	51.67	33.98	8.43	6.07	7.0	27.8
		9:04	25.22	51.62	33.95	8.43	5.76	7.5	17.7
		12:04	25.24	51.10	33.55	8.54	8.18	8.2	60.4
		15:04	25.46	50.76	33.31	8.56	9.08	7.3	41.5
		18:04	25.29	50.93	33.43	8.52	8.00	5.8	31.7
		21:04	25.15	51.10	33.56	8.46	6.90	5.0	28.4
	日平均值		25.34	51.32	33.72	8.47	7.26	6.66	31.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月7日	蚵殼站	0:04	24.60	50.98	33.47	8.25	6.71	0.8	10.7	
		3:04	24.59	50.79	33.33	8.27	8.43	1.5	10.6	
		6:04	24.48	50.91	33.42	8.22	7.49	1.6	10.3	
		9:04	24.36	50.92	33.43	8.21	6.33	0.3	2.6	
		12:04	24.96	50.63	33.20	8.18	6.55	0.3	11.5	
		15:04	24.72	50.94	33.43	8.28	9.17	0.5	22.5	
		18:04	24.97	51.47	33.82	8.28	9.17	1.7	17.1	
		21:04	24.73	51.34	33.73	8.29	7.89	0.2	23.1	
	日平均值			24.68	51.00	33.48	8.25	7.72	0.86	13.55
	潮口站	0:04	24.88	50.74	33.25	8.16	6.78	7.5	5.3	
		3:04	24.80	50.53	33.10	8.20	6.67	6.2	7.8	
		6:04	24.61	50.54	33.11	8.18	6.45	6.2	5.6	
		9:04	25.13	51.01	33.45	8.16	6.54	6.7	7.4	
		12:04	25.24	51.02	33.45	8.17	6.93	5.8	0.0	
		15:04	25.20	50.81	33.28	8.18	7.08	6.9	6.3	
		18:04	25.38	50.62	33.15	8.12	6.67	3.8	0.3	
		21:04	25.37	51.10	33.50	8.15	6.65	8.9	0.2	
	日平均值			25.08	50.80	33.29	8.17	6.72	6.50	4.11
	灣內站	1:04	24.98	50.94	33.45	8.47	6.09	5.8	18.2	
		4:34	24.67	50.83	33.37	8.48	5.26	6.1	13.5	
		7:04	24.65	50.89	33.41	8.49	5.43	8.5	12.4	
		8:34	24.66	50.88	33.41	8.47	5.43	7.8	10.5	
		13:34	25.27	50.31	32.97	8.58	9.76	7.1	48.8	
		16:34	25.16	50.45	33.08	8.52	9.31	7.3	37.8	
		21:04	24.85	50.72	33.29	8.47	7.83	5.2	25.5	
		23:04	24.70	50.76	33.32	8.46	7.71	5.3	26.6	
	日平均值			24.87	50.72	33.29	8.49	7.10	6.64	24.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月8日	蚵殼站	0:04	24.73	51.46	33.82	8.27	7.57	0.9	12.4	
		3:04	24.32	51.15	33.60	8.21	6.82	5.0	9.0	
		6:04	23.91	50.82	33.36	8.20	7.64	0.5	8.4	
		9:04	23.85	50.86	33.39	8.20	6.50	0.8	8.4	
		12:04	24.07	50.85	33.38	8.26	8.65	0.7	20.7	
		15:04	24.35	51.12	33.58	8.34	8.90	0.1	29.0	
		18:04	24.37	51.37	33.76	8.32	8.78	4.9	23.0	
		21:04	24.52	51.72	34.01	8.24	6.98	1.8	6.0	
	日平均值			24.27	51.17	33.61	8.26	7.73	1.84	14.61
	潮口站	0:04	24.89	50.86	33.33	8.15	6.69	9.2	0.3	
		3:04	24.19	50.62	33.17	8.07	5.87	15.0	1.8	
		6:04	24.33	50.48	33.06	8.18	6.56	6.6	6.9	
		9:04	24.77	50.91	33.37	8.18	6.52	8.9	3.3	
		12:04	25.11	51.04	33.45	8.16	6.71	6.0	3.0	
		15:04	24.95	51.07	33.48	8.18	7.01	9.5	6.6	
		18:04	24.87	50.97	33.41	8.14	6.73	8.5	4.9	
		21:04	24.92	51.03	33.45	8.14	6.69	5.4	2.0	
	日平均值			24.75	50.87	33.34	8.15	6.60	8.64	3.60
	灣內站	1:04	24.66	50.95	33.44	8.47	6.99	5.6	20.0	
		4:34	24.45	50.87	33.39	8.45	6.66	8.4	15.8	
		5:04	24.41	50.87	33.39	8.47	6.60	8.5	18.6	
		8:04	24.27	50.78	33.33	8.48	6.64	7.5	17.0	
		11:34	24.45	50.53	33.14	8.46	8.36	7.8	32.9	
		15:34	24.44	50.23	32.91	8.55	8.19	9.6	22.1	
		20:04	24.10	50.29	32.96	8.50	7.78	8.1	22.7	
		23:34	23.90	50.24	32.93	8.49	7.47	6.7	25.1	
	日平均值			24.34	50.60	33.19	8.48	7.34	7.78	21.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月9日	蚵殼站	0:04	24.06	51.44	33.82	8.30	7.60	0.2	8.1	
		3:04	23.62	51.11	33.58	8.32	7.57	1.3	15.7	
		6:04	23.06	50.64	33.25	8.34	9.99	1.4	20.4	
		9:04	22.87	50.47	33.13	8.33	8.77	0.3	22.6	
		12:04	22.55	49.29	32.27	8.28	8.71	0.7	27.4	
		15:04	23.32	50.47	33.12	8.32	10.26	0.6	20.3	
		18:04	23.16	50.62	33.23	8.34	10.26	1.5	21.1	
		21:04	23.32	51.02	33.52	8.31	7.97	1.0	15.6	
	日平均值			23.25	50.63	33.24	8.32	8.89	0.88	18.90
	潮口站	0:04	24.70	51.20	33.58	8.16	6.73	5.3	8.2	
		3:04	24.25	50.90	33.36	8.15	6.76	7.1	4.7	
		6:04	23.67	50.59	33.15	8.19	6.80	7.0	12.6	
		9:04	24.00	50.91	33.38	8.17	6.67	7.9	2.7	
		12:04	24.58	51.07	33.49	8.18	6.69	7.4	4.2	
		15:04	24.68	51.25	33.61	8.17	6.89	7.4	3.4	
		18:04	24.15	50.93	33.39	8.21	7.28	6.9	7.1	
		21:04	24.79	51.06	33.47	8.15	6.76	4.1	2.7	
	日平均值			24.35	50.99	33.43	8.17	6.82	6.64	5.70
	灣內站	0:04	23.96	50.34	33.00	8.46	7.58	6.9	19.1	
		3:04	23.60	50.20	32.90	8.49	6.92	7.5	18.4	
		6:04	23.20	49.89	32.69	8.48	6.65	6.3	24.4	
		9:04	23.34	50.09	32.83	8.48	6.88	6.9	21.3	
		12:04	23.49	50.00	32.76	8.51	8.42	7.1	50.2	
		15:04	23.69	49.74	32.56	8.53	10.64	6.4	71.4	
		20:04	23.39	49.70	32.54	8.53	9.31	7.3	52.4	
		22:34	23.81	50.07	32.80	8.46	6.30	8.6	32.2	
	日平均值			23.56	50.00	32.76	8.49	7.84	7.13	36.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月10日	蚵殼站	0:04	23.11	50.94	33.46	8.33	8.19	1.0	12.4	
		3:04	22.86	50.94	33.47	8.30	8.07	1.3	7.4	
		6:04	22.83	50.88	33.42	8.32	7.81	0.7	15.6	
		9:04	22.98	50.96	33.48	8.31	7.80	0.1	15.5	
		12:04	23.02	50.89	33.43	8.33	8.01	0.5	18.1	
		15:04	23.44	51.03	33.53	8.38	9.05	0.4	11.1	
		18:04	23.41	51.21	33.66	8.35	8.31	0.5	6.2	
		21:04	23.33	51.25	33.69	8.31	8.83	0.7	12.1	
	日平均值			23.12	51.01	33.52	8.33	8.26	0.65	12.30
	潮口站	0:04	24.78	51.22	33.59	8.16	6.69	2.5	3.0	
		3:04	24.24	50.98	33.42	8.17	6.92	9.5	1.4	
		6:04	23.54	50.83	33.32	8.15	6.46	8.0	1.4	
		9:04	23.34	50.74	33.27	8.20	6.73	5.5	11.3	
		12:04	24.88	51.13	33.52	8.17	6.84	4.1	4.0	
		15:04	25.35	51.33	33.66	8.18	6.91	2.4	2.8	
		18:04	24.21	51.02	33.45	8.17	7.02	6.6	6.8	
		21:04	24.52	51.08	33.48	8.18	7.06	4.6	6.3	
	日平均值			24.36	51.04	33.46	8.17	6.83	5.40	4.63
	灣內站	0:04	23.70	50.04	32.78	8.40	6.47	8.5	29.9	
		3:04	23.16	49.81	32.62	8.47	6.92	7.1	24.2	
		6:04	22.94	49.61	32.47	8.49	7.26	6.2	32.2	
		9:04	22.59	49.18	32.17	8.43	7.09	8.3	19.1	
		12:04	22.98	49.28	32.24	8.46	10.64	5.9	21.8	
		15:04	23.54	49.29	32.23	8.43	11.73	6.8	29.5	
		18:04	23.75	49.39	32.30	8.35	11.87	7.2	53.0	
		21:04	23.39	49.63	32.48	8.22	9.06	6.6	36.3	
	日平均值			23.26	49.53	32.41	8.41	8.88	7.08	30.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月11日	蚵殼站	0:04	22.65	50.50	33.15	8.44	10.05	0.3	21.7	
		3:04	22.84	50.71	33.30	8.38	8.72	4.9	20.2	
		6:04	22.73	50.63	33.25	8.40	9.02	1.8	20.5	
		9:04	22.59	50.54	33.18	8.39	9.22	0.4	24.8	
		12:04	23.16	50.60	33.21	8.42	9.75	0.1	24.3	
		15:04	23.23	50.86	33.41	8.30	8.33	1.2	4.2	
		18:04	23.15	51.08	33.57	8.37	8.33	0.9	9.0	
		21:04	23.13	51.00	33.51	8.36	8.56	4.7	10.2	
	日平均值			22.94	50.74	33.32	8.38	9.00	1.79	16.86
	潮口站	0:04	25.02	51.22	33.57	8.16	6.73	3.1	0.3	
		3:04	24.44	51.13	33.51	8.17	6.94	56.8	4.5	
		6:04	23.94	51.08	33.50	8.17	6.79	10.0	8.5	
		9:04	23.57	50.95	33.41	8.18	6.67	5.5	3.3	
		12:04	24.81	51.24	33.59	8.17	6.81	6.3	4.6	
		15:04	25.24	51.45	33.73	8.16	6.86	4.1	3.3	
		18:04	23.90	51.00	33.43	8.20	7.27	8.9	9.3	
		21:04	23.93	51.21	33.58	8.19	6.94	34.7	7.1	
	日平均值			24.36	51.16	33.54	8.18	6.88	16.18	5.11
	灣內站	0:04	23.27	49.98	32.72	8.49	8.34	5.6	23.6	
		3:04	23.15	49.87	32.66	8.40	7.94	6.0	18.2	
		6:04	23.01	49.82	32.62	8.39	7.42	5.6	15.2	
		9:04	22.84	49.80	32.61	8.43	8.41	6.6	30.2	
		12:04	23.13	49.75	32.56	8.46	10.81	7.2	73.6	
		15:04	23.15	49.61	32.46	8.46	11.88	5.8	40.5	
		18:04	23.19	49.75	32.57	8.42	10.98	5.8	46.2	
		21:04	23.44	49.59	32.44	8.35	9.80	6.2	33.6	
	日平均值			23.15	49.77	32.58	8.43	9.45	6.10	35.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月12日	蚵殼站	0:04	22.71	50.50	33.15	8.40	9.08	1.9	11.5	
		3:04	22.60	50.53	33.17	8.48	9.10	1.3	26.3	
		6:04	22.33	50.44	33.11	8.41	11.00	1.4	16.5	
		9:04	22.21	50.20	32.93	8.38	9.48	1.1	15.4	
		12:04	22.87	50.81	33.37	8.35	8.86	1.0	9.5	
		15:04	23.00	51.07	33.56	8.28	8.17	1.8	8.0	
		18:04	22.93	51.05	33.55	8.28	8.00	0.3	7.1	
		21:04	22.58	50.61	33.23	8.30	8.60	0.2	10.4	
	日平均值			22.65	50.65	33.26	8.36	9.04	1.13	13.09
	潮口站	0:04	24.66	51.25	33.59	8.18	6.95	3.2	2.0	
		3:04	24.94	51.43	33.73	8.15	6.76	4.0	3.6	
		6:04	24.02	51.20	33.57	8.16	6.69	7.3	2.1	
		9:04	23.57	50.77	33.27	8.22	7.12	6.9	12.7	
		12:34	24.57	51.45	33.85	8.27	6.71	5.9	0.9	
		15:04	24.87	51.63	33.98	8.27	6.57	5.4	0.0	
		18:04	23.92	51.38	33.81	8.36	7.27	10.3	9.9	
		21:04	23.95	51.55	33.93	8.33	6.84	7.6	2.8	
	日平均值			24.31	51.33	33.72	8.24	6.86	6.33	4.25
	灣內站	0:04	23.34	50.59	33.17	8.52	9.17	4.9	20.1	
		3:04	23.38	50.95	33.42	8.48	7.85	7.6	20.0	
		6:04	22.81	50.65	33.22	8.51	7.40	6.1	22.3	
		9:04	22.83	50.66	33.22	8.55	8.31	5.9	17.0	
		12:04	22.78	50.45	33.11	8.62	8.64	6.3	30.5	
		15:04	23.03	50.86	33.41	8.49	8.28	6.5	27.2	
		18:04	23.09	50.92	33.45	8.35	7.00	6.9	19.9	
		21:04	22.99	50.50	33.14	8.36	7.38	8.2	21.5	
	日平均值			23.03	50.70	33.27	8.49	8.00	6.55	22.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月13日	蚵殼站	0:04	22.51	50.79	33.36	8.28	8.17	1.0	10.9	
		3:04	22.69	51.00	33.51	8.25	7.71	0.2	4.3	
		6:04	22.54	50.92	33.45	8.25	6.59	1.0	4.4	
		9:04	22.51	50.76	33.34	8.26	7.66	1.3	8.2	
		12:04	23.25	50.50	33.14	8.20	9.99	1.7	4.2	
		15:04	23.16	50.90	33.43	8.30	8.77	0.6	8.8	
		18:04	23.13	51.09	33.57	8.27	7.51	0.8	10.5	
		21:04	23.17	50.98	33.49	8.23	8.44	1.3	11.7	
	日平均值			22.87	50.87	33.41	8.26	8.11	0.99	7.88
	潮口站	0:04	23.75	51.59	33.97	8.33	6.59	7.1	0.9	
		3:04	24.60	51.90	34.18	8.33	6.54	4.2	1.3	
		6:04	23.89	51.77	34.10	8.32	6.48	6.6	1.7	
		9:04	23.79	51.84	34.15	8.37	6.52	7.2	0.2	
		12:04	25.16	52.11	34.32	8.37	6.62	4.6	1.7	
		15:04	25.38	52.19	34.38	8.37	6.62	5.4	0.3	
		18:04	25.09	52.18	34.38	8.39	6.70	15.3	3.8	
		21:04	24.46	52.14	34.36	8.31	6.19	13.5	1.2	
	日平均值			24.52	51.97	34.23	8.35	6.53	7.99	1.39
	灣內站	0:04	22.85	50.58	33.21	8.34	7.24	6.6	23.5	
		3:04	22.81	50.69	33.29	8.33	7.10	5.6	26.6	
		6:04	22.74	50.80	33.37	8.34	6.93	5.7	25.4	
		9:04	22.75	50.80	33.37	8.28	6.64	6.0	18.4	
		12:04	23.32	50.81	33.37	8.34	7.30	6.0	9.6	
		15:04	23.80	50.49	33.12	8.59	10.71	6.0	37.1	
		18:04	23.52	50.61	33.22	8.58	9.86	5.6	25.4	
		21:04	23.71	50.77	33.33	8.52	9.68	5.0	16.5	
	日平均值			23.19	50.69	33.29	8.42	8.18	5.81	22.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月14日	蚵殼站	0:04	23.22	50.79	33.35	8.32	9.07	1.9	8.5	
		3:04	23.21	50.69	33.27	8.30	7.82	1.6	11.2	
		6:04	23.02	50.55	33.18	8.29	8.62	5.1	8.4	
		9:04	23.27	50.86	33.40	8.29	13.43	1.4	15.5	
		12:04	23.74	50.82	33.36	8.30	8.97	1.3	10.9	
		15:04	23.68	51.26	33.69	8.23	7.49	0.6	14.4	
		18:04	24.39	51.28	33.69	8.20	7.28	0.7	2.6	
		21:04	23.57	50.65	33.24	8.23	8.48	0.4	13.1	
	日平均值			23.51	50.86	33.40	8.27	8.90	1.63	10.58
	潮口站	0:04	24.33	52.15	34.37	8.28	5.87	18.9	3.5	
		3:04	24.94	52.20	34.40	8.36	6.54	4.6	3.2	
		6:04	24.75	52.21	34.41	8.40	6.49	6.8	0.1	
		9:04	24.33	52.24	34.44	8.40	6.35	6.0	2.3	
		12:04	24.40	52.22	34.42	8.39	6.39	8.4	0.3	
		15:04	25.20	50.37	33.04	8.34	6.62	5.0	0.4	
		18:04	25.23	50.83	33.38	8.33	6.59	4.8	1.0	
		21:04	24.52	51.54	33.91	8.30	6.42	11.3	3.3	
	日平均值			24.71	51.72	34.05	8.35	6.41	8.23	1.76
	灣內站	0:04	23.47	50.74	33.31	8.46	8.39	5.5	18.2	
		3:04	23.12	50.89	33.43	8.38	7.17	5.7	16.4	
		6:04	23.01	50.79	33.36	8.30	6.08	6.0	17.0	
		9:04	22.93	50.40	33.07	8.45	9.07	5.0	30.6	
		12:04	23.63	50.26	32.96	8.51	10.02	5.7	20.0	
		15:04	23.56	50.68	33.26	8.39	8.80	7.1	19.8	
		18:04	23.52	50.66	33.25	8.32	8.75	6.4	37.2	
		21:04	23.48	50.39	33.05	8.27	8.04	7.7	13.5	
	日平均值			23.34	50.60	33.21	8.39	8.29	6.14	21.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月15日	蚵殼站	0:04	23.15	50.47	33.11	8.24	7.84	0.1	7.9	
		3:04	23.20	50.70	33.29	8.25	7.97	1.1	13.6	
		6:04	23.27	50.79	33.35	8.25	7.60	1.1	11.1	
		9:04	22.86	50.54	33.17	8.24	7.70	1.2	5.3	
		12:04	23.81	50.21	32.91	8.23	8.09	1.2	9.1	
		15:04	23.72	50.89	33.41	8.24	8.79	2.7	11.0	
		18:04	23.62	50.96	33.47	8.24	7.93	0.7	7.9	
		21:04	23.50	50.90	33.43	8.20	7.30	0.3	17.7	
	日平均值			23.39	50.68	33.27	8.24	7.90	1.05	10.45
	潮口站	0:04	24.08	51.20	33.67	8.29	6.46	5.9	0.2	
		3:04	24.55	52.00	34.26	8.32	6.47	6.1	1.5	
		6:04	24.89	52.43	34.57	8.34	6.43	6.4	3.2	
		9:04	23.70	51.46	33.87	8.24	6.83	4.4	0.9	
		12:04	24.28	51.76	34.08	8.34	6.86	5.1	1.7	
		15:04	25.36	52.42	34.55	8.34	6.60	5.8	3.1	
		18:04	25.26	50.00	32.76	8.30	6.54	3.9	0.9	
		21:04	24.71	52.00	34.25	8.32	6.51	10.5	2.5	
	日平均值			24.60	51.66	34.00	8.31	6.59	6.01	1.75
	灣內站	0:04	23.27	50.54	33.17	8.15	7.58	6.9	10.8	
		3:04	23.41	50.88	33.42	8.20	7.82	5.6	9.9	
		6:04	23.34	50.96	33.47	8.12	7.21	5.8	11.9	
		9:04	23.19	50.67	33.26	8.11	7.95	7.1	23.0	
		12:04	23.72	50.35	33.02	8.21	9.40	6.4	33.7	
		15:04	24.10	50.75	33.31	8.32	10.97	6.3	38.3	
		18:04	24.08	50.91	33.43	8.32	10.05	6.0	27.1	
		21:04	23.98	50.92	33.43	8.24	9.16	6.7	25.7	
	日平均值			23.64	50.75	33.31	8.21	8.77	6.35	22.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月16日	蚵殼站	0:04	23.34	50.91	33.44	8.18	7.55	1.0	1.2	
		3:04	23.28	50.94	33.46	8.19	7.38	0.3	3.8	
		6:04	22.91	49.56	32.45	8.15	7.26	2.3	22.6	
		9:04	23.01	50.20	32.91	8.19	7.68	1.4	18.3	
		12:14	23.58	50.78	33.34	8.22	8.31	0.1	10.9	
		15:04	24.08	51.18	33.63	8.20	7.74	18.4	12.4	
		18:04	24.20	51.32	33.73	8.22	7.25	1.1	12.6	
		21:04	24.09	51.35	33.75	8.21	7.58	9.6	1.9	
	日平均值			23.56	50.78	33.34	8.20	7.59	4.28	10.46
	潮口站	0:04	24.26	51.87	34.16	8.21	6.49	8.9	4.9	
		3:04	24.12	51.90	34.19	8.30	6.34	5.8	0.5	
		6:04	24.88	52.59	34.69	8.34	6.30	5.7	0.7	
		9:04	24.47	52.31	34.49	8.32	6.41	7.0	4.3	
		12:14	24.33	52.16	34.38	8.35	6.73	7.5	3.1	
		15:04	25.05	52.60	34.69	8.35	6.58	6.1	3.2	
		18:04	24.93	52.72	34.78	8.32	6.44	6.4	2.9	
		21:04	24.46	52.52	34.64	8.32	6.77	8.0	1.7	
	日平均值			24.56	52.33	34.50	8.31	6.51	6.93	2.66
	灣內站	0:04	23.92	50.91	33.43	8.20	8.73	5.9	26.3	
		3:04	23.71	50.87	33.40	8.18	8.58	5.9	20.3	
		6:04	23.62	50.70	33.28	8.12	7.67	5.8	29.1	
		9:04	23.45	50.39	33.06	8.12	8.31	6.2	38.5	
		12:14	23.89	50.57	33.18	8.28	9.78	5.8	18.9	
		15:04	23.73	50.68	33.26	8.25	9.46	6.3	23.5	
		18:04	23.65	50.67	33.25	8.25	9.41	8.1	17.8	
		21:04	23.56	50.65	33.24	8.23	9.18	5.6	26.8	
	日平均值			23.69	50.68	33.26	8.20	8.89	6.20	25.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月17日	蚵殼站	0:04	23.14	50.71	33.29	8.23	7.88	1.3	2.6	
		3:04	22.76	50.40	33.07	8.27	8.16	1.4	5.6	
		6:04	22.84	50.65	33.25	8.24	7.60	1.2	5.5	
		9:04	22.77	50.68	33.27	8.27	7.97	1.1	5.6	
		12:04	23.18	50.60	33.21	8.32	8.66	1.7	7.4	
		15:04	23.35	51.04	33.53	8.35	9.26	1.9	16.8	
		18:04	23.33	51.20	33.65	8.33	8.57	2.2	10.7	
		21:04	23.40	51.18	33.63	8.26	8.25	0.4	1.9	
	日平均值			23.10	50.81	33.36	8.28	8.29	1.40	7.01
	潮口站	0:04	23.80	52.13	34.37	8.33	7.00	7.3	4.5	
		3:04	23.49	52.05	34.32	8.39	7.59	5.8	12.3	
		6:04	24.35	52.65	34.74	8.32	6.47	7.0	2.4	
		9:04	24.30	52.68	34.76	8.26	6.58	7.6	2.2	
		12:04	24.26	52.58	34.69	8.25	6.96	6.6	3.2	
		15:04	24.75	50.67	33.26	8.28	6.69	7.6	1.6	
		18:04	24.68	52.52	34.64	8.32	6.60	5.3	2.1	
		21:04	24.35	52.33	34.51	8.30	6.63	7.7	6.1	
	日平均值			24.25	52.20	34.41	8.31	6.82	6.86	4.30
	灣內站	0:04	23.33	50.70	33.29	8.20	8.46	5.4	22.7	
		3:04	23.02	50.32	33.01	8.12	7.97	5.8	20.7	
		6:04	22.69	50.05	32.82	8.04	7.45	5.2	30.4	
		9:04	22.93	50.44	33.10	8.16	8.31	4.9	22.2	
		12:04	23.29	49.55	32.44	8.30	11.29	7.0	43.5	
		15:04	23.55	50.40	33.06	8.36	11.68	6.5	70.2	
		18:04	23.35	50.50	33.14	8.34	10.93	5.1	43.7	
		21:04	23.25	50.59	33.21	8.18	8.95	7.1	17.7	
	日平均值			23.18	50.32	33.01	8.21	9.38	5.88	33.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月18日	蚵殼站	0:04	23.17	51.09	33.57	8.25	7.50	1.3	10.2	
		3:04	22.93	51.00	33.51	8.28	8.56	0.1	11.5	
		6:04	22.28	50.51	33.16	8.34	8.62	2.9	11.0	
		9:04	22.33	50.55	33.19	8.35	8.80	0.0	19.3	
		12:04	22.74	50.29	32.99	8.40	9.54	0.8	24.4	
		15:04	22.98	50.70	33.29	8.43	10.01	0.1	14.4	
		18:04	23.14	51.14	33.61	8.34	9.31	0.6	7.5	
		21:04	23.03	51.11	33.59	8.32	8.60	0.8	8.5	
	日平均值			22.83	50.80	33.36	8.34	8.87	0.83	13.35
	潮口站	0:04	23.55	52.21	34.43	8.21	6.53	11.6	2.6	
		3:04	23.25	52.11	34.36	8.32	7.27	14.5	5.2	
		6:04	23.67	52.47	34.62	8.29	6.66	8.1	5.4	
		9:04	23.87	52.58	34.70	8.28	6.72	7.2	3.3	
		12:04	23.88	52.45	34.60	8.32	7.19	6.2	0.9	
		15:04	24.62	51.82	34.12	8.25	6.76	4.5	5.0	
		18:04	24.62	52.50	34.63	8.27	6.68	8.3	0.6	
		21:04	24.18	52.39	34.56	8.28	6.78	7.5	0.6	
	日平均值			23.96	52.32	34.50	8.28	6.82	8.49	2.95
	灣內站	0:04	23.12	50.62	33.23	8.13	8.44	6.6	9.1	
		3:04	22.91	50.60	33.22	8.06	7.61	6.0	8.1	
		6:04	22.71	50.74	33.33	8.02	7.15	5.6	7.0	
		9:04	22.76	50.76	33.34	8.10	7.89	5.2	17.7	
		12:04	23.30	50.77	33.33	8.23	9.61	6.4	33.0	
		15:04	23.35	50.23	32.94	8.31	11.47	6.6	55.5	
		18:04	23.26	50.71	33.29	8.26	10.37	5.0	15.1	
		21:04	23.00	50.69	33.29	8.20	9.51	5.0	18.6	
	日平均值			23.05	50.64	33.25	8.16	9.01	5.80	20.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月19日	蚵殼站	0:04	22.66	50.90	33.44	8.35	8.76	1.5	4.1	
		3:04	22.35	50.82	33.38	8.36	12.97	0.9	12.8	
		6:04	22.57	51.20	33.67	8.28	8.08	0.9	11.9	
		9:04	22.58	51.30	33.74	8.29	7.46	0.3	2.4	
		12:04	22.50	50.71	33.30	8.38	9.57	0.7	21.5	
		15:04	23.30	50.88	33.41	8.45	10.56	0.5	34.8	
		18:04	23.96	51.69	34.00	8.28	8.14	0.6	1.8	
		21:04	23.44	51.53	33.90	8.28	7.93	2.0	0.3	
	日平均值			22.92	51.13	33.61	8.33	9.18	0.93	11.20
	潮口站	0:04	23.64	52.30	34.50	8.28	6.95	9.4	1.0	
		3:04	23.30	52.15	34.39	8.32	7.34	6.3	9.3	
		6:04	24.03	52.59	34.70	8.28	6.67	7.0	2.3	
		9:04	23.91	52.60	34.71	8.27	6.61	13.0	1.2	
		12:04	23.76	52.40	34.57	8.29	7.35	8.2	3.9	
		15:04	23.99	52.49	34.63	8.28	7.30	6.1	3.4	
		18:04	24.61	52.68	34.76	8.30	6.56	7.3	4.0	
		21:04	24.37	52.56	34.68	8.26	6.62	4.0	1.4	
	日平均值			23.95	52.47	34.62	8.29	6.93	7.66	3.31
	灣內站	0:04	22.92	50.73	33.32	8.09	8.04	5.6	8.1	
		3:04	22.69	50.66	33.27	8.10	7.98	6.5	16.4	
		6:04	22.49	50.65	33.26	8.10	8.21	5.5	13.2	
		9:04	22.44	50.60	33.22	8.12	8.53	4.9	13.9	
		12:04	22.80	50.62	33.24	8.15	8.92	5.3	16.0	
		15:04	22.98	49.83	32.65	8.24	10.86	5.3	38.6	
		18:04	22.99	50.18	32.91	8.23	10.67	4.3	22.6	
		21:04	22.98	50.54	33.17	8.17	9.46	7.9	11.4	
	日平均值			22.79	50.48	33.13	8.15	9.08	5.66	17.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月20日	蚵殼站	0:04	22.86	51.14	33.62	8.35	9.00	1.1	11.1	
		3:04	22.06	50.61	33.23	8.37	9.12	1.5	4.5	
		6:04	21.99	50.64	33.25	8.38	8.02	1.5	7.7	
		9:04	21.86	50.10	32.86	8.40	9.25	1.4	18.0	
		12:04	22.24	50.43	33.09	8.46	9.76	1.3	20.5	
		15:04	22.43	50.30	33.00	8.49	10.56	0.8	27.3	
		18:04	22.55	50.83	33.39	8.43	9.51	1.1	14.9	
		21:04	22.52	50.99	33.51	8.35	7.07	1.7	0.3	
	日平均值			22.31	50.63	33.24	8.40	9.04	1.30	13.04
	潮口站	0:04	23.54	52.56	34.69	8.27	6.65	11.2	0.1	
		3:04	22.67	51.91	34.22	8.39	8.19	5.3	6.7	
		6:04	23.76	52.60	34.72	8.28	6.72	5.5	2.3	
		9:04	23.91	52.70	34.79	8.28	6.60	9.0	2.1	
		12:04	23.97	52.74	34.81	8.30	6.91	7.0	2.4	
		15:04	23.78	52.62	34.73	8.31	7.07	5.4	3.9	
		18:04	24.41	52.28	34.46	8.26	6.63	5.7	2.2	
		21:04	24.37	52.63	34.73	8.24	6.55	5.6	0.8	
	日平均值			23.80	52.51	34.64	8.29	6.92	6.84	2.56
	灣內站	0:04	22.80	50.60	33.22	8.18	9.23	4.9	15.0	
		3:04	22.60	50.59	33.21	8.01	7.41	7.0	6.8	
		6:04	22.43	50.66	33.27	8.08	7.92	5.1	11.6	
		9:04	22.50	50.60	33.23	7.99	6.85	6.6	15.8	
		12:04	22.49	50.34	33.03	8.11	8.72	4.7	13.7	
		15:04	22.81	49.56	32.46	8.20	10.19	4.9	17.9	
		18:04	22.84	50.16	32.90	8.21	10.01	4.2	36.2	
		21:04	22.86	50.68	33.28	8.15	8.70	10.1	8.9	
	日平均值			22.67	50.40	33.08	8.12	8.63	5.94	15.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月21日	蚵殼站	0:04	22.18	50.71	33.31	8.39	8.97	0.1	5.9	
		3:04	21.90	50.39	33.07	8.40	9.36	2.0	7.9	
		6:04	21.76	50.41	33.09	8.37	9.65	1.1	13.7	
		9:04	21.76	50.45	33.12	8.35	8.70	1.6	17.8	
		12:04	22.00	50.04	32.81	8.30	7.78	0.9	14.4	
		15:04	22.30	50.67	33.27	8.40	9.39	1.0	7.0	
		18:04	22.32	50.78	33.35	8.34	8.44	1.2	8.0	
		21:04	22.20	50.80	33.37	8.36	8.84	1.0	7.5	
	日平均值			22.05	50.53	33.17	8.36	8.89	1.11	10.28
	潮口站	0:04	23.69	52.67	34.77	8.29	6.90	6.9	1.0	
		3:04	23.08	52.49	34.64	8.28	6.84	7.9	5.7	
		6:04	23.55	52.77	34.84	8.25	6.67	6.3	1.9	
		9:04	23.95	52.95	34.97	8.28	6.58	8.6	2.0	
		12:04	24.35	53.04	35.03	8.28	6.73	6.5	0.2	
		15:04	23.80	52.78	34.85	8.28	6.95	7.5	1.1	
		18:04	24.45	52.18	34.39	8.19	6.75	3.8	1.3	
		21:04	24.37	52.53	34.65	8.29	6.59	3.0	4.5	
	日平均值			23.91	52.68	34.77	8.27	6.75	6.31	2.21
	灣內站	0:04	22.46	50.47	33.13	8.19	9.15	4.9	17.5	
		3:04	22.18	50.17	32.91	8.09	8.31	4.2	9.1	
		6:04	22.06	50.35	33.05	8.07	7.73	3.8	14.6	
		9:04	22.16	50.44	33.11	8.02	7.44	4.4	11.7	
		12:04	22.66	50.22	32.94	8.20	9.67	3.7	9.2	
		15:04	22.62	49.58	32.47	8.22	10.72	4.8	30.6	
		18:04	22.66	50.06	32.82	8.25	10.42	4.6	37.8	
		21:04	22.79	50.65	33.25	8.16	8.75	8.4	9.6	
	日平均值			22.45	50.24	32.96	8.15	9.02	4.85	17.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月22日	蚵殼站	0:04	21.79	49.78	32.62	8.34	9.04	1.1	13.3	
		3:04	21.74	50.16	32.91	8.33	8.25	1.0	10.7	
		6:04	21.72	50.41	33.09	8.31	8.55	0.3	12.9	
		9:04	21.57	50.29	33.00	8.34	8.50	1.0	8.3	
		12:04	21.90	50.26	32.98	8.35	8.92	0.3	13.1	
		15:04	22.30	50.64	33.25	8.35	8.93	0.0	7.9	
		18:04	22.25	50.63	33.25	8.34	8.06	0.3	6.1	
		21:04	22.24	50.67	33.28	8.32	8.15	0.3	10.8	
	日平均值			21.94	50.36	33.05	8.34	8.55	0.54	10.39
	潮口站	0:04	23.41	52.55	34.69	8.23	6.58	9.3	0.3	
		3:04	23.21	52.56	34.69	8.27	6.95	10.7	3.7	
		6:04	22.27	51.87	34.20	8.33	7.77	6.5	16.3	
		9:04	24.04	53.15	35.12	8.17	6.71	7.0	2.0	
		12:04	24.57	53.36	35.27	8.29	6.84	5.7	2.6	
		15:04	24.13	52.96	34.98	8.39	7.38	7.0	1.7	
		18:04	24.44	52.23	34.43	8.33	6.89	4.1	1.5	
		21:04	24.25	52.07	34.31	8.33	6.66	6.9	0.1	
	日平均值			23.79	52.59	34.71	8.29	6.97	7.15	3.53
	灣內站	0:04	22.76	50.59	33.21	8.16	8.85	5.9	13.4	
		3:04	22.33	50.56	33.20	8.08	7.25	4.2	6.4	
		6:04	22.65	50.97	33.50	8.04	7.61	4.9	7.6	
		9:04	22.39	50.90	33.45	8.10	8.18	6.7	9.4	
		12:04	23.18	50.88	33.42	8.07	7.97	6.0	9.9	
		15:04	23.05	50.32	33.01	8.12	9.22	7.5	16.9	
		18:04	22.84	50.32	33.02	8.13	8.87	7.0	18.7	
		21:04	22.97	51.04	33.54	8.18	9.32	5.3	28.1	
	日平均值			22.77	50.70	33.29	8.11	8.41	5.94	13.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月23日	蚵殼站	0:04	22.20	50.68	33.28	8.29	8.32	0.5	5.1	
		3:04	22.19	50.66	33.27	8.29	8.19	0.8	13.3	
		6:04	21.95	50.54	33.18	8.29	8.19	0.2	11.4	
		9:04	22.46	50.91	33.45	8.27	8.24	14.6	15.4	
		12:04	22.71	50.25	32.96	8.33	8.78	0.6	17.8	
		15:04	22.91	50.92	33.45	8.32	9.21	8.2	9.2	
		18:04	22.65	50.93	33.46	8.31	8.02	1.4	11.2	
		21:04	22.65	51.04	33.54	8.31	8.31	0.0	11.4	
	日平均值			22.47	50.74	33.32	8.30	8.41	3.29	11.85
	潮口站	0:04	23.71	52.62	34.73	8.32	6.93	7.8	1.6	
		3:04	23.26	52.51	34.66	8.35	6.92	10.3	3.6	
		6:04	22.71	52.30	34.51	8.38	7.62	5.0	8.3	
		9:04	23.63	53.07	35.07	8.33	6.71	8.2	1.2	
		12:04	24.11	53.19	35.15	8.31	6.94	8.3	0.1	
		15:04	24.01	53.00	35.01	8.32	7.33	7.8	2.9	
		18:04	24.41	52.40	34.56	8.29	6.72	5.0	0.1	
		21:04	24.40	53.45	35.34	8.29	6.54	5.3	4.2	
	日平均值			23.78	52.82	34.88	8.32	6.96	7.21	2.75
	灣內站	0:04	22.69	50.87	33.42	8.16	9.01	5.2	30.6	
		3:04	22.44	50.79	33.37	8.15	8.80	4.4	19.8	
		6:04	22.26	50.80	33.38	8.06	7.84	5.0	23.4	
		9:04	22.24	50.74	33.33	8.03	7.93	5.7	17.0	
		12:04	23.02	50.88	33.42	8.18	9.53	4.8	18.7	
		15:04	22.92	50.70	33.29	8.26	10.71	6.1	35.8	
		18:04	22.91	50.56	33.19	8.28	10.58	5.7	39.6	
		21:04	22.65	50.70	33.30	8.15	8.92	9.4	16.7	
	日平均值			22.64	50.76	33.34	8.16	9.17	5.79	25.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月24日	蚵殼站	0:04	22.26	50.73	33.31	8.27	7.69	1.0	9.6	
		3:04	22.02	50.69	33.29	8.31	8.37	0.0	8.2	
		6:04	22.10	50.93	33.46	8.29	8.52	0.6	9.3	
		9:04	21.97	51.06	33.55	8.29	8.28	2.5	9.1	
		12:04	22.23	51.23	33.68	8.31	8.18	0.9	13.8	
		15:04	22.16	51.16	33.63	8.33	9.01	9.7	6.4	
		18:04	22.22	51.25	33.69	8.34	7.99	0.3	15.3	
		21:04	22.33	51.38	33.79	8.35	8.77	6.3	7.8	
	日平均值			22.16	51.05	33.55	8.31	8.35	2.66	9.94
	潮口站	0:04	23.77	53.05	35.05	8.30	6.71	11.7	1.2	
		3:04	23.46	53.20	35.17	8.27	6.74	9.4	3.2	
		6:04	22.71	52.57	34.71	8.29	7.63	5.5	7.9	
		9:04	23.50	53.21	35.18	8.27	6.72	9.0	2.2	
		12:04	24.06	53.52	35.39	8.30	6.74	9.2	5.3	
		15:04	23.99	53.37	35.29	8.33	7.09	6.8	2.3	
		18:04	24.12	53.51	35.39	8.33	6.61	6.4	2.3	
		21:04	24.39	53.67	35.50	8.31	6.64	4.5	2.8	
	日平均值			23.75	53.26	35.21	8.30	6.86	7.81	3.40
	灣內站	0:04	22.53	50.28	32.99	8.17	8.66	4.9	26.0	
		3:04	22.36	50.56	33.20	8.11	8.64	5.0	22.6	
		6:04	22.76	51.02	33.53	8.06	7.66	6.2	13.8	
		9:04	22.52	50.92	33.46	8.12	8.23	8.3	16.3	
		12:04	22.49	50.78	33.36	8.12	8.85	6.4	19.6	
		15:04	22.52	50.65	33.26	8.19	9.55	6.1	27.9	
		18:04	22.53	50.67	33.28	8.21	9.36	6.3	16.8	
		21:04	22.47	50.70	33.30	8.19	8.97	5.4	23.0	
	日平均值			22.52	50.70	33.30	8.15	8.74	6.08	20.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月25日	蚵殼站	0:04	22.18	51.26	33.71	8.31	7.90	0.7	4.4	
		3:04	22.03	51.12	33.60	8.28	8.15	8.0	8.3	
		6:04	21.73	50.43	33.10	8.26	7.93	0.4	13.4	
		9:04	21.94	50.76	33.34	8.29	8.65	15.8	28.3	
		12:04	21.98	50.60	33.22	8.28	8.52	0.6	20.3	
		15:04	22.36	51.57	33.93	8.29	8.27	9.0	3.9	
		18:04	22.35	51.35	33.77	8.34	7.26	0.1	15.6	
		21:04	22.34	51.27	33.71	8.31	8.43	16.9	9.8	
	日平均值			22.11	51.04	33.55	8.30	8.14	6.44	13.00
	潮口站	0:04	24.28	53.64	35.48	8.33	6.71	4.7	2.8	
		3:04	22.91	52.73	34.83	8.28	8.03	5.2	5.5	
		6:04	22.63	52.49	34.65	8.13	8.05	6.5	2.4	
		9:04	23.13	52.92	34.97	8.19	7.10	5.8	1.4	
		12:04	24.12	53.57	35.43	8.19	6.75	5.7	1.0	
		15:04	23.72	53.26	35.21	8.19	6.96	7.5	2.0	
		18:04	23.03	52.69	34.79	8.30	7.52	6.6	2.4	
		21:04	23.72	52.58	34.70	8.18	6.70	5.1	1.4	
	日平均值			23.44	52.99	35.01	8.22	7.23	5.89	2.36
	灣內站	0:04	22.69	50.79	33.36	8.13	8.32	4.7	15.4	
		3:04	22.47	50.63	33.25	8.12	8.47	4.7	23.0	
		6:04	22.59	50.67	33.27	8.09	8.27	4.7	24.0	
		9:04	22.55	50.71	33.31	8.14	8.66	3.6	10.1	
		12:04	22.55	50.20	32.93	8.14	9.09	3.9	14.8	
		15:04	22.63	50.41	33.09	8.13	8.70	5.1	14.8	
		18:04	22.66	50.57	33.20	8.09	8.24	4.7	7.2	
		21:04	22.81	51.09	33.58	8.08	8.07	3.4	15.6	
	日平均值			22.62	50.63	33.25	8.12	8.48	4.35	15.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月26日	蚵殼站	0:04	22.28	51.47	33.85	8.28	6.50	1.2	19.0	
		3:04	22.30	51.75	34.06	8.27	7.91	6.8	4.1	
		6:04	22.34	51.93	34.20	8.27	6.80	1.3	11.8	
		9:04	22.45	51.98	34.24	8.27	7.76	1.2	5.0	
		12:04	23.06	51.82	34.11	8.27	7.91	1.1	9.7	
		15:04	22.85	52.00	34.24	8.34	8.95	1.0	13.4	
		18:04	22.80	52.16	34.37	8.30	7.98	1.4	7.7	
		21:04	22.77	52.21	34.41	8.32	8.47	1.3	5.8	
	日平均值			22.61	51.91	34.18	8.29	7.79	1.91	9.56
	潮口站	0:04	23.83	53.22	35.17	8.20	6.65	4.0	2.5	
		3:04	22.41	52.23	34.47	8.30	7.83	3.7	5.2	
		6:04	22.32	52.05	34.33	8.32	8.02	6.2	6.2	
		9:04	22.34	52.13	34.39	8.29	7.40	7.2	4.8	
		12:04	23.96	53.27	35.21	8.31	6.98	7.8	8.4	
		15:04	24.21	53.30	35.23	8.33	7.21	7.3	12.0	
		18:04	23.69	52.87	34.92	8.32	7.77	6.4	7.1	
		21:04	23.92	51.85	34.15	8.31	7.01	3.9	10.1	
	日平均值			23.34	52.62	34.73	8.30	7.36	5.81	7.04
	灣內站	0:04	22.55	50.90	33.45	8.04	7.79	3.5	5.4	
		3:04	22.49	50.94	33.48	8.06	7.69	4.9	7.4	
		6:04	22.49	50.99	33.51	7.95	6.81	3.7	7.1	
		9:04	22.52	51.01	33.52	7.96	7.12	2.8	6.6	
		12:04	23.14	50.80	33.36	8.09	8.48	3.1	7.8	
		15:04	23.29	50.87	33.41	8.28	10.85	3.8	38.4	
		18:04	23.18	50.92	33.45	8.21	10.13	3.1	42.0	
		21:04	23.16	50.91	33.44	8.17	9.20	4.3	32.2	
	日平均值			22.85	50.92	33.45	8.10	8.51	3.65	18.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月27日	蚵殼站	0:04	22.71	52.28	34.45	8.29	8.61	1.3	8.4	
		3:04	22.64	52.37	34.52	8.29	7.98	1.6	14.5	
		6:04	22.63	52.40	34.55	8.25	7.89	0.9	10.7	
		9:04	22.69	52.35	34.51	8.23	7.86	0.8	10.0	
		12:04	23.35	52.42	34.55	8.25	8.22	0.1	11.2	
		15:04	23.12	52.41	34.54	8.31	8.66	0.4	15.9	
		18:04	22.84	52.42	34.55	8.30	8.62	3.8	4.2	
		21:04	22.80	52.30	34.48	8.39	7.48	1.8	21.2	
	日平均值			22.85	52.37	34.52	8.29	8.17	1.34	12.01
	潮口站	0:04	23.89	51.71	34.06	8.31	6.83	4.3	1.7	
		3:04	23.42	52.53	34.67	8.37	7.34	5.6	8.7	
		6:04	23.09	52.24	34.46	8.35	7.21	5.8	3.9	
		9:04	22.84	51.95	34.25	8.32	7.40	6.3	6.4	
		12:04	24.17	52.87	34.91	8.32	6.91	6.5	1.8	
		15:04	24.34	52.99	35.00	8.34	7.03	4.6	3.6	
		18:04	23.37	52.21	34.43	8.39	8.26	8.5	8.3	
		21:04	23.63	52.41	34.58	8.40	7.73	6.9	1.1	
	日平均值			23.59	52.36	34.55	8.35	7.34	6.06	4.44
	灣內站	0:04	22.99	50.91	33.44	8.09	8.48	3.6	12.7	
		3:04	22.80	50.94	33.47	8.01	7.59	3.7	16.1	
		6:04	22.65	50.96	33.49	8.09	8.41	3.4	21.4	
		9:04	22.66	51.01	33.52	8.13	8.96	3.1	17.7	
		12:04	23.47	51.06	33.55	8.42	12.67	4.3	80.8	
		15:04	23.33	51.05	33.54	8.43	12.88	3.9	61.7	
		18:04	23.42	50.98	33.49	8.37	11.77	4.5	73.6	
		21:04	23.30	51.03	33.53	8.37	11.34	4.4	36.4	
	日平均值			23.08	50.99	33.50	8.24	10.26	3.86	40.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月28日	蚵殼站	0:04	22.72	52.31	34.47	8.35	9.18	10.9	6.4	
		3:04	22.63	52.27	34.45	8.32	7.32	1.1	24.1	
		6:04	22.61	52.31	34.48	8.43	9.69	12.0	17.3	
		9:04	22.54	51.84	34.14	8.34	7.54	0.5	12.7	
		12:04	23.10	51.88	34.15	8.42	10.23	1.1	10.8	
		15:04	23.02	52.21	34.40	8.44	10.56	0.0	15.4	
		18:04	22.89	52.39	34.54	8.40	9.37	6.8	7.8	
		21:04	22.82	52.23	34.42	8.39	7.72	2.9	9.7	
	日平均值			22.79	52.18	34.38	8.39	8.95	4.41	13.03
	潮口站	0:04	23.71	52.41	34.58	8.35	7.27	4.3	9.5	
		3:04	23.76	52.45	34.60	8.29	7.09	6.7	2.0	
		6:04	23.48	52.37	34.55	8.32	7.15	8.1	4.3	
		9:04	23.06	52.00	34.28	8.36	7.57	8.1	1.6	
		12:04	24.31	52.66	34.75	8.31	6.98	5.3	5.1	
		15:04	24.59	52.68	34.76	8.32	6.84	8.6	4.9	
		18:04	24.18	52.36	34.53	8.27	7.46	6.5	1.4	
		21:04	23.86	52.20	34.41	8.28	6.77	12.5	6.7	
	日平均值			23.87	52.39	34.56	8.31	7.14	7.51	4.44
	灣內站	0:04	23.17	51.14	33.62	8.28	10.25	3.8	18.8	
		3:04	23.06	51.19	33.65	8.21	9.28	5.3	14.8	
		6:04	23.01	51.20	33.66	8.15	8.46	6.2	11.6	
		9:04	22.91	51.13	33.61	8.18	8.73	5.8	15.8	
		12:04	23.41	50.70	33.29	8.36	12.07	5.6	61.9	
		15:04	23.65	50.83	33.37	8.44	12.99	4.8	56.5	
		18:04	23.49	50.85	33.39	8.40	12.43	4.2	43.0	
		21:04	23.41	50.73	33.31	8.22	10.41	5.4	17.1	
	日平均值			23.26	50.97	33.49	8.28	10.58	5.14	29.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月29日	蚵殼站	0:04	23.10	51.32	33.75	8.44	10.28	16.9	17.7	
		3:04	22.88	51.50	33.89	8.41	6.42	0.2	13.3	
		6:04	22.73	51.76	34.07	8.38	9.12	7.4	26.2	
		9:04	22.76	51.98	34.24	8.37	8.51	0.7	21.8	
		12:04	23.10	51.66	34.00	8.46	10.55	10.7	14.7	
		15:04	23.39	51.66	33.99	8.46	9.31	0.3	22.0	
		18:04	23.03	51.76	34.07	8.42	9.94	11.4	17.1	
		21:04	22.93	51.61	33.97	8.41	7.63	1.0	10.7	
	日平均值			22.99	51.66	34.00	8.42	8.97	6.08	17.94
	潮口站	0:04	23.82	52.22	34.43	8.29	6.66	7.7	0.4	
		3:04	24.33	52.39	34.55	8.31	6.74	4.2	2.4	
		6:04	23.16	51.21	33.69	8.34	8.44	5.0	18.1	
		9:04	23.09	51.41	33.85	8.52	9.39	4.6	4.2	
		12:04	23.69	51.66	34.02	8.45	8.39	6.7	6.1	
		15:04	24.67	52.40	34.55	8.35	6.89	3.3	1.7	
		18:04	24.18	51.95	34.22	8.41	7.84	5.5	5.8	
		21:04	24.06	51.82	34.13	8.42	8.08	10.4	6.5	
	日平均值			23.88	51.88	34.18	8.39	7.80	5.93	5.65
	灣內站	0:04	23.24	50.86	33.40	8.23	10.17	5.1	22.1	
		3:04	23.12	51.18	33.64	8.15	8.50	9.1	10.8	
		6:04	22.96	51.14	33.61	8.04	7.89	6.1	12.8	
		9:04	22.93	51.18	33.64	7.99	6.95	5.7	9.7	
		12:04	23.93	51.28	33.70	8.17	8.85	5.9	5.8	
		15:04	24.06	50.62	33.21	8.39	12.18	5.2	39.1	
		18:04	24.17	50.89	33.41	8.30	11.17	4.7	45.3	
		21:04	23.74	50.45	33.09	8.29	10.91	4.7	23.5	
	日平均值			23.52	50.95	33.46	8.20	9.58	5.81	21.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月30日	蚵殼站	0:04	23.21	51.54	33.91	8.49	10.79	14.3	16.0	
		3:04	22.92	51.30	33.73	8.44	9.02	0.2	12.2	
		6:04	22.82	50.85	33.40	8.45	10.12	8.4	44.2	
		9:04	22.53	49.83	32.66	8.38	9.95	0.2	16.9	
		12:04	23.13	49.96	32.75	8.42	10.47	0.2	30.8	
		15:04	23.32	51.09	33.58	8.45	10.46	0.1	16.2	
		18:04	23.33	51.58	33.93	8.44	10.28	0.0	8.3	
		21:04	23.00	51.40	33.81	8.37	9.08	0.2	6.4	
	日平均值			23.03	50.94	33.47	8.43	10.02	2.95	18.88
	潮口站	0:04	23.67	51.50	33.90	8.46	8.50	7.3	9.1	
		3:04	24.13	51.89	34.18	8.34	6.80	5.0	1.7	
		6:04	23.62	51.57	33.96	8.39	7.38	8.2	4.4	
		9:04	23.32	51.23	33.71	8.41	8.12	6.8	11.9	
		12:04	23.59	51.34	33.79	8.36	7.52	7.4	9.0	
		15:04	24.53	51.76	34.08	8.29	7.21	6.8	4.5	
		18:04	24.41	51.71	34.04	8.35	7.29	4.3	12.4	
		21:04	23.98	51.43	33.85	8.30	7.41	10.6	10.9	
	日平均值			23.91	51.55	33.94	8.36	7.53	7.05	7.99
	灣內站	0:04	23.49	50.89	33.42	8.21	9.85	4.9	21.3	
		3:04	23.45	51.11	33.59	8.12	8.57	5.3	15.0	
		6:04	22.90	50.52	33.16	8.14	8.79	5.4	29.1	
		9:04	22.88	50.26	32.97	8.17	9.86	6.7	51.1	
		12:04	23.52	50.68	33.26	8.36	12.20	4.8	40.4	
		15:04	23.80	50.48	33.11	8.41	12.59	4.7	30.4	
		18:04	23.56	50.86	33.40	8.33	10.61	5.3	18.9	
		21:04	23.39	51.00	33.50	8.30	9.64	5.4	17.5	
	日平均值			23.37	50.73	33.30	8.26	10.26	5.31	27.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

106年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月31日	蚵殼站	0:04	23.03	50.59	33.22	8.47	10.66	0.8	12.7	
		3:04	22.89	50.44	33.11	8.46	10.34	0.8	5.7	
		6:04	22.72	50.71	33.31	8.45	8.19	0.8	8.3	
		9:04	22.69	50.50	33.17	8.42	9.72	0.2	17.2	
		12:04	23.05	50.23	32.96	8.46	10.13	0.0	18.2	
		15:04	23.03	50.54	33.19	8.41	9.52	0.2	10.9	
		18:04	23.01	51.48	33.88	8.44	9.74	0.6	9.7	
		21:04	22.72	51.09	33.61	8.43	9.19	0.8	6.4	
	日平均值			22.89	50.70	33.31	8.44	9.69	0.53	11.14
	潮口站	0:04	23.66	50.83	33.40	8.50	9.34	4.3	10.1	
		3:04	23.96	51.25	33.72	8.33	7.30	4.7	8.8	
		6:04	24.12	51.49	33.89	8.30	6.75	4.5	1.0	
		9:04	23.40	50.80	33.39	8.42	8.44	5.7	8.2	
		12:04	23.95	51.09	33.59	8.37	7.83	6.6	2.4	
		15:04	24.31	51.10	33.60	8.29	7.22	4.6	3.4	
		18:04	24.22	51.19	33.66	8.30	6.98	5.2	4.3	
		21:04	23.82	51.10	33.61	8.31	7.39	9.5	2.7	
	日平均值			23.93	51.11	33.61	8.35	7.66	5.64	5.11
	灣內站	0:04	23.20	50.85	33.40	8.24	8.75	5.3	20.3	
		3:04	23.06	51.08	33.57	8.27	8.70	4.7	16.2	
		6:04	22.94	50.72	33.31	8.16	7.35	5.5	16.4	
		9:04	22.82	50.59	33.21	8.21	8.14	4.7	34.3	
		12:04	23.41	50.35	33.02	8.43	11.29	5.7	49.5	
		15:04	23.24	50.72	33.30	8.43	10.68	5.3	24.6	
		18:04	23.12	50.98	33.49	8.39	9.88	4.6	30.0	
		21:04	22.99	50.99	33.50	8.30	8.57	7.4	20.2	
	日平均值			23.10	50.79	33.35	8.30	9.17	5.40	26.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		