

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月1日	蚵殼站	0:04	22.87	51.78	34.02	8.42	9.55	3.5	12.8	
		3:04	22.85	51.79	34.03	8.43	9.55	4.8	11.9	
		6:04	22.64	51.56	33.86	8.42	9.36	4.7	13.6	
		9:04	22.58	51.63	33.91	8.42	9.47	5.3	16.9	
		12:04	22.93	51.41	33.74	8.49	11.01	4.5	19.8	
		15:04	22.99	51.92	34.12	8.43	10.02	4.5	12.5	
		18:04	23.01	51.97	34.16	8.40	9.38	4.8	16.0	
		21:04	22.98	51.94	34.14	8.42	9.50	3.7	8.4	
	日平均值			22.86	51.75	34.00	8.43	9.73	4.48	13.99
	潮口站	0:04	23.56	52.68	34.64	8.02	6.54	1.6	3.7	
		3:04	23.26	52.83	34.76	8.13	6.64	3.6	2.3	
		6:04	23.09	52.57	34.57	8.19	6.87	2.8	11.3	
		9:04	23.20	52.87	34.79	8.09	6.58	1.8	6.0	
		12:04	23.64	53.09	34.95	8.17	6.55	2.9	4.3	
		15:04	23.69	53.10	34.95	8.12	6.58	5.8	2.1	
		18:04	23.55	53.04	34.91	8.12	6.56	4.9	3.0	
		21:04	23.65	52.75	34.69	8.13	6.46	2.3	1.4	
	日平均值			23.46	52.87	34.78	8.12	6.60	3.21	4.26
	灣內站	0:04	23.54	51.73	34.04	8.41	10.52	2.9	20.8	
		3:04	23.13	51.86	34.14	8.26	7.23	3.2	22.9	
		6:04	22.91	51.61	33.96	8.33	8.99	2.8	21.5	
		9:04	22.71	51.22	33.68	8.35	9.34	3.0	28.2	
		12:04	23.64	51.00	33.50	8.41	11.33	2.4	19.8	
		15:04	23.72	51.26	33.69	8.48	12.47	2.7	27.1	
		18:04	23.68	51.56	33.91	8.49	12.17	2.6	32.1	
		21:04	23.52	51.86	34.14	8.36	9.05	4.5	20.3	
	日平均值			23.36	51.51	33.88	8.39	10.14	3.01	24.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月2日	蚵殼站	0:04	22.89	51.51	33.82	8.45	10.04	4.6	19.5	
		3:04	22.79	51.58	33.87	8.42	9.36	4.8	13.3	
		6:04	22.67	51.59	33.88	8.38	8.81	3.8	14.1	
		9:04	22.64	51.63	33.91	8.39	8.98	4.7	10.2	
		12:04	22.88	51.65	33.92	8.42	9.57	4.9	15.5	
		15:04	22.67	51.63	33.91	8.37	8.77	4.6	17.8	
		18:04	22.72	51.67	33.94	8.37	8.62	6.0	16.1	
		21:04	22.51	51.16	33.57	8.37	8.38	4.7	22.1	
	日平均值			22.72	51.55	33.85	8.40	9.07	4.76	16.08
	潮口站	0:04	23.70	52.96	34.84	8.13	6.25	3.1	14.2	
		3:04	23.35	52.96	34.85	8.12	6.60	4.9	2.9	
		6:04	22.94	52.59	34.59	8.30	6.89	3.1	11.3	
		9:04	22.77	52.53	34.54	8.32	6.78	8.7	3.8	
		12:04	23.26	53.03	34.91	8.22	6.69	4.7	3.8	
		15:04	23.29	53.05	34.92	8.13	6.59	5.5	0.0	
		18:04	22.96	52.63	34.62	8.26	6.71	6.6	9.0	
		21:04	22.36	51.53	33.81	8.32	6.99	3.8	8.3	
	日平均值			23.08	52.66	34.64	8.23	6.69	5.05	6.66
	灣內站	0:04	23.25	51.98	34.23	8.35	9.06	3.5	16.9	
		3:04	23.14	52.13	34.34	8.26	7.32	3.6	14.7	
		6:04	22.95	52.09	34.32	8.20	6.49	4.7	13.1	
		9:04	22.73	51.70	34.03	8.26	7.51	4.0	16.2	
		12:04	23.12	51.61	33.96	8.40	10.36	2.3	19.9	
		15:04	23.09	51.71	34.03	8.37	9.46	7.0	20.3	
		18:04	23.01	51.41	33.81	8.38	9.76	4.0	31.2	
		21:04	23.01	51.69	34.02	8.39	9.60	2.6	27.8	
	日平均值			23.04	51.79	34.09	8.33	8.70	3.96	20.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月3日	蚵殼站	0:04	22.42	50.83	33.32	8.35	8.02	4.0	20.9	
		3:04	22.36	50.85	33.33	8.33	7.71	4.5	17.9	
		6:04	22.34	50.85	33.34	8.33	7.66	4.8	18.6	
		9:04	22.38	50.96	33.41	8.33	7.74	4.5	27.0	
		12:04	22.50	51.03	33.46	8.39	8.99	5.3	20.9	
		15:04	22.41	51.02	33.46	8.37	8.61	4.2	20.6	
		18:04	22.55	51.25	33.63	8.33	8.04	4.7	20.0	
		21:04	22.47	50.83	33.31	8.33	7.99	4.7	17.4	
	日平均值			22.43	50.95	33.41	8.35	8.10	4.59	20.41
	潮口站	0:04	22.85	52.28	34.36	8.20	6.62	2.1	4.2	
		3:04	22.22	51.53	33.81	8.34	6.82	2.3	8.8	
		6:04	22.35	51.71	33.94	8.32	6.99	2.4	9.7	
		9:04	22.40	51.73	33.96	8.32	6.81	3.4	13.1	
		12:04	23.97	52.95	34.84	8.11	6.24	4.7	2.9	
		15:04	24.63	53.17	34.98	8.00	6.21	1.4	1.1	
		18:04	24.63	53.10	34.93	7.99	6.24	5.1	0.1	
		21:04	23.04	51.95	34.11	8.24	6.69	6.5	11.4	
	日平均值			23.26	52.30	34.37	8.19	6.58	3.49	6.41
	灣內站	0:04	22.98	51.83	34.13	8.36	8.90	2.3	20.3	
		3:04	22.91	51.87	34.15	8.32	8.06	2.6	26.1	
		6:04	22.69	51.60	33.96	8.33	8.18	2.2	18.3	
		9:04	22.89	51.83	34.13	8.25	7.05	4.0	9.8	
		12:04	23.25	51.97	34.23	8.30	7.84	4.5	17.4	
		15:04	23.19	51.95	34.21	8.36	8.95	3.7	22.1	
		18:04	23.22	51.79	34.09	8.31	8.02	5.2	18.4	
		21:04	22.69	50.95	33.48	8.37	9.27	2.7	46.3	
	日平均值			22.98	51.72	34.05	8.33	8.28	3.40	22.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月4日	蚵殼站	0:04	22.33	50.45	33.04	8.28	7.39	4.3	26.6	
		3:04	22.49	51.24	33.53	8.30	7.31	3.9	23.2	
		6:04	22.05	51.19	33.50	8.30	7.52	4.6	42.2	
		9:04	22.17	51.21	33.64	8.33	8.92	5.1	117.3	
		12:04	22.94	51.36	33.74	8.49	12.20	6.8	80.4	
		15:04	23.29	51.58	33.89	8.54	12.37	5.0	49.5	
		18:04	23.31	51.81	34.04	8.48	11.19	4.9	22.2	
		21:04	23.66	51.61	33.88	8.48	11.08	4.4	20.5	
	日平均值			22.78	51.31	33.66	8.40	9.75	4.88	47.74
	潮口站	0:04	23.36	52.28	34.35	8.15	6.59	4.6	3.6	
		3:04	23.51	52.49	34.50	8.07	6.52	3.7	2.0	
		6:04	23.03	52.17	34.27	8.09	6.60	7.4	8.1	
		9:04	22.81	51.77	33.98	8.21	6.93	4.2	8.0	
		12:04	25.06	52.57	34.52	8.08	6.37	1.7	1.2	
		15:04	25.58	52.92	34.78	8.07	6.21	1.0	2.0	
		18:04	24.49	52.34	34.32	8.10	6.45	9.5	6.1	
		21:04	24.19	52.15	34.19	8.24	6.51	7.7	3.2	
	日平均值			24.00	52.34	34.36	8.13	6.52	4.98	4.28
	灣內站	0:04	22.77	51.13	33.61	8.35	8.44	2.2	39.1	
		3:04	22.54	50.97	33.50	8.29	7.43	2.2	60.9	
		6:04	22.58	51.29	33.73	8.31	7.80	2.4	20.3	
		9:04	22.90	51.35	33.77	8.27	7.39	2.4	10.4	
		12:04	23.95	50.62	33.21	8.28	8.09	2.8	12.3	
		15:04	23.83	51.06	33.54	8.59	14.82	3.3	81.1	
		18:04	23.80	51.18	33.63	8.54	13.82	3.4	35.9	
		21:04	23.66	51.33	33.74	8.45	11.57	3.3	25.5	
	日平均值			23.25	51.12	33.59	8.39	9.92	2.75	35.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月5日	蚵殼站	0:04	23.50	50.87	33.34	8.48	11.58	4.7	33.5	
		3:04	23.47	50.58	33.12	8.44	10.74	4.8	27.8	
		6:04	23.41	51.12	33.52	8.42	10.09	4.9	26.8	
		9:04	23.30	50.08	32.75	8.31	9.06	5.6	29.7	
		12:04	24.02	51.75	33.98	8.43	10.62	5.8	20.1	
		15:04	24.62	51.24	33.58	8.52	12.66	5.0	27.3	
		18:04	24.39	51.23	33.59	8.47	11.42	4.8	21.9	
		21:04	24.44	50.99	33.40	8.49	12.09	4.4	18.4	
	日平均值			23.89	50.98	33.41	8.45	11.03	5.00	25.69
	潮口站	0:04	24.01	51.92	34.02	8.24	6.45	4.3	7.0	
		3:04	25.18	52.22	34.21	8.16	6.34	3.2	0.7	
		6:04	24.76	52.20	34.21	8.12	6.45	5.4	0.5	
		9:04	23.40	50.65	33.09	8.46	7.35	1.9	17.5	
		12:04	25.59	51.99	34.04	8.08	6.44	2.9	4.0	
		15:04	25.88	52.42	34.35	8.19	6.28	2.8	1.0	
		18:04	25.26	52.31	34.28	8.12	6.52	4.9	3.9	
		21:04	24.89	51.93	34.00	8.27	6.70	6.7	4.8	
	日平均值			24.87	51.96	34.03	8.21	6.57	4.01	4.93
	灣內站	0:04	23.70	51.20	33.65	8.40	10.17	4.0	27.6	
		3:04	23.68	51.45	33.83	8.43	10.54	2.4	22.7	
		6:04	23.63	51.38	33.78	8.39	10.12	2.6	22.0	
		9:04	23.73	51.41	33.80	8.40	10.45	2.7	16.2	
		12:04	24.63	51.18	33.61	8.45	11.96	2.7	16.9	
		15:04	24.98	51.13	33.57	8.43	12.03	3.0	25.2	
		18:04	24.94	51.43	33.79	8.48	12.75	3.9	32.3	
		21:04	25.00	51.58	33.90	8.47	12.13	3.8	23.7	
	日平均值			24.29	51.35	33.74	8.43	11.27	3.14	23.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月6日	蚵殼站	0:04	24.43	50.63	33.13	8.45	11.42	4.2	15.4	
		3:04	24.37	50.77	33.25	8.41	10.75	4.3	15.8	
		6:04	24.31	51.14	33.52	8.39	9.63	4.0	15.1	
		9:04	24.26	51.10	33.49	8.39	9.93	4.5	15.6	
		12:04	24.37	51.36	33.68	8.40	10.12	4.1	18.7	
		15:04	24.40	51.31	33.64	8.41	10.19	4.4	20.0	
		18:04	24.55	51.47	33.76	8.38	9.48	5.2	13.9	
		21:04	24.46	51.67	33.91	8.35	8.89	4.9	12.7	
	日平均值			24.39	51.18	33.55	8.40	10.05	4.45	15.90
	潮口站	0:04	25.06	51.76	33.87	8.22	6.72	7.5	5.4	
		3:04	24.37	52.72	34.62	8.10	6.29	2.8	1.5	
		6:04	23.40	52.14	34.21	8.15	6.83	4.5	7.7	
		9:04	23.15	51.50	33.74	8.35	7.07	3.6	14.3	
		12:04	25.39	52.73	34.60	8.06	6.27	2.2	1.5	
		15:04	25.80	53.13	34.89	8.09	6.24	1.6	1.3	
		18:04	25.09	51.61	34.05	8.18	6.48	5.3	2.2	
		21:04	24.40	51.33	33.86	8.18	6.51	7.4	3.8	
	日平均值			24.58	52.12	34.23	8.17	6.55	4.36	4.71
	灣內站	0:04	24.91	51.63	33.94	8.42	10.99	3.4	22.1	
		3:04	24.68	51.57	33.90	8.37	9.85	3.5	15.8	
		6:04	24.61	51.78	34.06	8.31	8.49	4.0	13.4	
		9:04	24.52	51.62	33.94	8.32	8.43	3.1	14.3	
		12:04	24.73	51.87	34.12	8.31	8.48	4.4	15.3	
		15:04	24.78	51.79	34.06	8.37	9.33	4.9	17.4	
		18:04	24.82	51.62	33.93	8.36	9.19	5.9	15.8	
		21:04	24.67	51.43	33.79	8.36	9.20	4.0	20.3	
	日平均值			24.72	51.66	33.97	8.35	9.25	4.15	16.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月7日	蚵殼站	0:04	24.23	51.61	33.87	8.32	8.41	6.3	11.0	
		3:04	24.08	51.52	33.81	8.30	8.00	4.9	11.5	
		6:04	24.00	51.66	33.91	8.31	7.92	6.5	6.8	
		9:04	23.95	51.71	33.88	8.29	7.72	5.7	8.3	
		12:04	24.10	51.05	33.38	8.28	8.47	5.1	18.0	
		15:04	24.14	51.76	33.91	8.26	7.65	4.3	10.6	
		18:04	24.22	52.18	34.22	8.27	7.38	5.5	10.4	
		21:04	23.97	52.04	34.12	8.25	7.12	5.7	6.8	
	日平均值			24.09	51.69	33.89	8.29	7.83	5.50	10.43
	潮口站	0:04	23.87	51.11	33.72	8.25	6.45	6.0	2.1	
		3:04	24.84	51.67	34.10	8.18	6.30	3.8	1.3	
		6:04	24.61	51.69	34.12	8.26	6.58	7.8	1.1	
		9:04	24.30	52.50	34.43	8.16	6.47	8.9	2.6	
		12:04	24.89	52.30	34.57	8.24	6.41	8.3	1.7	
		15:04	25.66	51.94	34.27	8.21	6.40	0.4	0.4	
		18:04	25.37	52.62	34.79	8.24	6.41	1.5	4.6	
		21:04	24.88	52.10	34.42	8.18	6.50	12.1	2.5	
	日平均值			24.80	51.99	34.30	8.22	6.44	6.10	2.04
	灣內站	0:04	24.57	51.51	33.86	8.30	7.80	7.1	19.1	
		3:04	24.33	51.59	33.93	8.30	7.50	4.1	14.0	
		6:04	24.16	51.57	33.91	8.31	7.56	3.3	13.9	
		9:04	24.13	51.62	33.95	8.30	7.44	4.1	13.8	
		12:04	24.55	51.67	33.98	8.33	8.18	3.8	10.9	
		15:04	24.45	51.53	33.88	8.37	8.96	4.6	15.7	
		18:04	24.27	51.59	33.93	8.36	8.44	3.7	13.1	
		21:04	24.18	51.64	33.96	8.31	7.52	5.1	13.1	
	日平均值			24.33	51.59	33.93	8.32	7.93	4.48	14.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月8日	蚵殼站	0:04	23.93	51.99	34.09	8.23	6.84	4.7	2.5	
		3:04	24.06	52.43	34.41	8.18	6.27	7.6	5.2	
		6:04	23.71	52.45	34.43	8.15	6.09	9.9	3.3	
		9:04	23.07	51.21	33.52	8.17	6.59	5.2	11.3	
		12:04	23.52	51.33	33.60	8.21	7.40	7.5	17.6	
		15:04	23.92	52.00	34.10	8.21	7.28	7.4	18.2	
		18:04	24.05	52.00	34.09	8.20	7.07	5.8	19.3	
		21:04	23.94	52.11	34.17	8.18	6.62	4.6	6.4	
	日平均值			23.78	51.94	34.05	8.19	6.77	6.59	10.48
	潮口站	0:04	24.46	51.93	34.29	8.22	6.50	4.6	3.5	
		3:04	24.21	51.75	34.18	8.24	6.44	5.9	0.5	
		6:04	24.94	52.31	34.57	8.22	6.68	2.1	0.7	
		9:04	24.00	51.92	34.29	8.16	6.59	9.5	1.1	
		12:04	24.09	51.68	34.13	8.22	6.60	5.9	1.5	
		15:04	25.78	52.38	34.60	8.19	6.39	2.2	3.6	
		18:04	25.59	52.41	34.63	8.21	6.16	1.6	1.5	
		21:04	24.69	51.94	34.30	8.20	6.59	8.3	2.7	
	日平均值			24.72	52.04	34.37	8.21	6.49	5.01	1.89
	灣內站	0:04	23.98	51.58	33.92	8.27	6.86	3.5	8.8	
		3:04	23.86	51.61	33.95	8.25	6.45	4.7	8.1	
		6:04	23.60	51.55	33.90	8.27	6.70	5.1	7.1	
		9:04	23.55	51.60	33.95	8.26	6.39	7.5	4.4	
		12:04	23.85	51.79	34.08	8.26	6.35	6.7	2.6	
		15:04	24.43	51.93	34.17	8.29	6.86	3.8	2.5	
		18:04	24.04	51.42	33.80	8.29	7.52	3.9	16.1	
		21:04	23.84	51.48	33.85	8.26	7.01	4.2	10.0	
	日平均值			23.89	51.62	33.95	8.27	6.77	4.93	7.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月9日	蚵殼站	0:04	23.54	51.97	34.08	8.18	6.65	6.2	3.2	
		3:04	23.35	52.19	34.24	8.13	6.18	6.8	3.9	
		6:04	23.53	52.58	34.54	8.11	5.92	6.6	6.2	
		9:04	22.39	51.03	33.40	8.12	6.39	6.4	7.5	
		12:04	22.91	50.60	33.07	8.09	6.60	6.0	4.2	
		15:04	23.59	51.67	33.85	8.17	7.14	5.3	15.2	
		18:04	23.70	52.19	34.24	8.21	7.15	5.5	9.8	
		21:04	23.64	51.96	34.07	8.21	7.17	4.6	4.2	
	日平均值			23.33	51.77	33.94	8.15	6.65	5.93	6.78
	潮口站	0:04	23.89	51.57	34.04	8.18	6.69	14.2	2.3	
		3:04	23.63	51.57	34.05	8.26	6.37	10.2	2.8	
		6:04	24.75	52.22	34.50	8.18	6.47	4.7	0.7	
		9:04	24.65	52.05	34.38	8.27	6.50	6.0	1.0	
		12:04	24.84	52.17	34.46	8.20	6.36	5.9	1.0	
		15:04	26.02	51.67	34.07	8.10	6.29	3.5	2.7	
		18:04	25.79	52.20	34.46	8.19	6.21	1.5	0.1	
		21:04	25.42	52.11	34.40	8.17	6.41	6.0	6.0	
	日平均值			24.87	51.95	34.30	8.19	6.41	6.50	2.08
	灣內站	0:04	23.66	51.50	33.87	8.23	6.31	5.1	10.1	
		3:04	23.45	51.53	33.89	8.20	5.80	4.9	8.3	
		6:04	23.33	51.56	33.92	8.23	5.91	6.3	6.1	
		9:04	23.32	51.64	33.98	8.23	5.90	11.4	3.7	
		12:04	24.12	51.60	33.93	8.23	6.36	5.0	2.7	
		15:04	24.10	51.26	33.68	8.26	7.34	3.8	10.6	
		18:04	23.82	51.52	33.88	8.27	7.26	3.7	13.2	
		21:04	23.88	51.56	33.91	8.26	7.30	4.8	11.4	
	日平均值			23.71	51.52	33.88	8.24	6.52	5.63	8.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月10日	蚵殼站	0:04	23.21	51.69	33.87	8.19	7.09	5.5	4.8	
		3:04	23.08	51.81	33.96	8.15	6.56	6.2	8.6	
		6:04	22.99	51.82	33.98	8.15	6.50	5.2	3.3	
		9:04	22.98	51.87	34.01	8.15	6.56	5.8	9.1	
		12:04	23.15	51.12	33.45	8.14	6.80	5.0	5.4	
		15:04	23.42	51.09	33.42	8.15	7.09	6.6	12.1	
		18:04	24.61	52.55	34.49	8.20	7.38	6.3	11.7	
		21:04	24.91	52.82	34.68	8.16	6.44	5.8	7.8	
	日平均值			23.54	51.85	33.98	8.16	6.80	5.80	7.85
	潮口站	0:04	24.74	52.11	34.42	8.22	6.65	10.5	2.5	
		3:04	24.29	51.70	34.12	8.29	6.61	4.3	3.6	
		6:04	25.22	52.38	34.61	8.19	6.16	2.7	4.7	
		9:04	25.15	52.15	34.43	8.23	6.49	4.9	1.1	
		12:04	24.22	51.61	34.06	8.08	6.72	9.5	1.6	
		15:04	26.01	52.30	34.54	8.21	6.29	1.1	1.3	
		18:04	25.74	52.27	34.51	8.13	6.32	1.9	0.8	
		21:04	25.23	52.12	34.41	8.09	6.59	2.8	4.5	
	日平均值			25.08	52.08	34.39	8.18	6.48	4.71	2.51
	灣內站	0:04	23.57	51.33	33.74	8.26	7.32	3.1	8.0	
		3:04	23.79	51.88	34.14	8.20	5.94	2.7	4.9	
		6:04	23.65	51.92	34.18	8.21	6.11	2.8	6.1	
		9:04	23.40	51.71	34.03	8.20	6.01	3.9	9.6	
		12:04	23.60	51.39	33.79	8.24	7.19	2.3	7.8	
		15:04	24.03	51.49	33.85	8.30	8.28	2.0	9.6	
		18:04	23.79	51.48	33.85	8.30	8.31	2.2	14.8	
		21:04	23.78	51.76	34.06	8.25	7.25	3.8	11.0	
	日平均值			23.70	51.62	33.96	8.25	7.05	2.85	8.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月11日	蚵殼站	0:04	23.11	51.66	33.85	8.15	6.69	3.9	4.2	
		3:04	23.14	51.77	33.94	8.16	6.67	3.7	9.1	
		6:04	22.94	51.73	33.91	8.14	6.53	4.0	3.3	
		9:04	22.83	51.61	33.82	8.15	6.76	4.6	9.2	
		12:04	22.97	51.63	33.83	8.17	7.09	3.7	8.3	
		15:04	23.45	51.72	33.90	8.21	7.97	4.3	10.1	
		18:04	24.37	52.65	34.56	8.19	7.36	11.3	17.0	
		21:04	23.79	52.35	34.36	8.15	6.86	6.3	12.3	
	日平均值			23.33	51.89	34.02	8.17	6.99	5.23	9.19
	潮口站	0:04	24.85	52.01	34.34	8.24	6.42	11.6	2.5	
		3:04	23.93	51.45	33.94	8.30	6.71	5.6	3.6	
		6:04	25.30	52.02	34.33	8.28	6.38	1.7	3.0	
		9:04	25.04	52.18	34.46	8.16	6.25	6.1	0.1	
		12:04	24.77	52.06	34.37	8.22	6.21	6.0	2.8	
		15:04	24.77	51.86	34.23	8.15	6.40	5.4	1.9	
		18:04	25.59	52.06	34.35	8.10	6.19	0.7	2.0	
		21:04	25.09	52.19	34.47	8.25	6.36	1.8	0.2	
	日平均值			24.92	51.98	34.31	8.21	6.37	4.86	2.01
	灣內站	0:04	23.48	51.47	33.85	8.23	6.74	3.2	7.4	
		3:04	23.37	51.58	33.94	8.13	4.89	4.9	8.9	
		6:04	23.30	51.69	34.01	8.19	5.80	2.7	9.4	
		9:04	23.16	51.56	33.92	8.14	5.16	3.2	15.4	
		12:04	23.35	51.64	33.98	8.14	5.35	3.4	4.3	
		15:04	23.86	51.89	34.16	8.16	5.48	3.4	2.4	
		18:04	23.66	51.86	34.13	8.21	6.45	4.5	5.3	
		21:04	23.51	51.73	34.04	8.22	6.41	6.3	9.0	
	日平均值			23.46	51.68	34.00	8.18	5.79	3.95	7.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月12日	蚵殼站	0:04	23.80	52.43	34.41	8.13	6.60	6.0	8.7	
		3:04	22.95	51.70	33.88	8.12	6.61	4.2	7.1	
		6:04	22.77	51.76	33.93	8.10	6.49	4.1	9.7	
		9:04	22.76	51.78	33.95	8.09	6.24	4.1	4.1	
		12:04	23.74	51.86	33.83	8.17	8.12	0.3	5.8	
		15:04	23.91	51.37	33.99	8.20	8.26	0.7	8.9	
		18:04	24.30	51.57	33.85	8.22	8.41	1.6	10.2	
		21:04	24.84	51.86	34.23	8.17	7.29	2.3	6.9	
	日平均值			23.63	51.79	34.01	8.15	7.25	2.91	7.68
	潮口站	0:04	24.39	52.05	34.37	8.22	6.46	11.2	1.6	
		3:04	23.61	51.22	33.77	8.15	6.71	16.5	1.1	
		6:04	24.80	51.55	33.99	8.05	6.28	2.7	3.3	
		9:04	24.77	51.95	34.30	8.18	6.52	1.9	0.4	
		12:34	25.11	52.35	34.61	8.25	6.36	4.3	3.5	
		15:04	24.85	51.59	34.05	8.25	6.27	10.3	4.6	
		18:04	25.30	51.43	33.92	8.16	6.34	1.4	1.9	
		21:04	25.02	51.76	34.17	8.20	6.48	0.5	0.3	
	日平均值			24.73	51.74	34.15	8.18	6.43	6.10	2.09
	灣內站	0:04	23.49	51.86	34.14	8.13	5.08	6.1	3.6	
		3:04	23.17	51.90	34.18	8.08	4.58	4.6	2.3	
		6:04	23.30	51.87	34.15	8.18	5.90	4.8	12.7	
		9:04	23.03	51.62	33.97	8.20	6.60	3.4	14.4	
		12:04	23.40	51.11	33.59	8.29	9.05	2.7	16.5	
		15:04	23.44	50.96	33.48	8.28	9.06	3.4	22.1	
		18:04	23.36	51.47	33.85	8.24	7.66	4.5	10.9	
		21:04	23.35	51.64	33.98	8.28	8.19	3.7	25.4	
	日平均值			23.32	51.55	33.92	8.21	7.02	4.15	13.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月13日	蚵殼站	0:04	24.66	51.87	34.23	8.18	7.21	3.7	1.9	
		3:04	23.96	51.40	33.90	8.24	7.99	2.0	6.4	
		6:04	23.97	51.51	33.98	8.19	7.48	3.9	6.5	
		9:04	22.95	50.70	33.40	8.24	7.99	0.5	15.3	
		12:04	22.94	50.57	33.31	8.25	8.65	0.9	24.0	
		15:04	23.12	50.84	33.50	8.26	8.82	0.8	20.0	
		18:04	23.07	50.85	33.51	8.18	7.88	1.1	11.4	
		21:04	23.39	51.46	33.95	8.15	7.23	4.0	8.8	
	日平均值			23.51	51.15	33.72	8.21	7.91	2.11	11.79
	潮口站	0:04	24.47	51.40	33.92	8.23	6.60	7.4	0.7	
		3:04	23.36	50.75	33.46	8.12	6.55	6.5	0.8	
		6:04	23.57	50.92	33.58	8.14	6.65	4.6	1.5	
		9:04	24.63	51.47	33.96	8.09	6.50	6.3	1.5	
		12:04	24.31	51.37	33.90	8.18	6.67	6.6	0.5	
		15:04	23.81	51.17	33.76	8.18	6.74	7.2	9.7	
		18:04	24.85	51.54	34.02	8.11	6.51	2.9	4.3	
		21:04	24.51	51.52	34.01	8.15	6.53	1.7	3.0	
	日平均值			24.19	51.27	33.83	8.15	6.59	5.40	2.75
	灣內站	0:04	23.34	51.78	34.08	8.22	6.92	5.3	12.4	
		3:04	23.21	51.74	34.05	8.15	5.74	5.0	7.8	
		6:04	22.89	51.31	33.74	8.08	5.19	4.1	8.4	
		9:04	22.89	51.62	33.97	8.18	6.25	3.4	12.3	
		12:04	23.21	51.88	34.16	8.23	7.01	4.1	6.2	
		15:04	23.30	51.99	34.24	8.24	7.15	4.7	7.4	
		18:04	23.06	51.91	34.18	8.22	6.78	8.3	13.6	
		21:04	22.97	51.96	34.22	8.20	6.52	8.6	18.3	
	日平均值			23.11	51.77	34.08	8.19	6.45	5.44	10.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月14日	蚵殼站	0:04	23.16	51.22	33.78	8.18	7.32	0.9	6.8	
		3:04	23.13	51.25	33.80	8.17	7.20	2.1	6.7	
		6:04	22.76	51.12	33.72	8.19	7.42	1.0	7.2	
		9:04	22.79	51.28	33.83	8.16	7.26	2.8	3.3	
		12:04	22.43	50.48	33.24	8.22	8.72	3.0	18.3	
		15:04	22.32	49.62	32.61	8.16	8.62	0.7	12.0	
		18:04	23.19	51.07	33.67	8.28	9.59	2.1	10.6	
		21:04	23.71	51.72	34.14	8.23	8.05	2.3	4.0	
	日平均值			22.94	50.97	33.60	8.20	8.02	1.86	8.61
	潮口站	0:04	24.20	51.43	33.94	8.14	6.54	5.7	1.2	
		3:04	22.93	50.82	33.52	8.20	6.61	6.1	3.2	
		6:04	23.20	51.11	33.73	8.19	6.77	9.3	1.5	
		9:04	24.47	51.50	33.99	8.14	6.35	3.4	1.5	
		12:04	24.23	51.41	33.93	8.12	6.72	3.1	0.8	
		15:04	24.09	51.32	33.87	8.20	6.65	4.9	1.6	
		18:04	24.73	51.15	33.73	8.24	6.67	3.2	2.9	
		21:04	24.67	51.50	33.99	8.16	6.67	0.6	0.6	
	日平均值			24.07	51.28	33.84	8.17	6.62	4.54	1.66
	灣內站	0:04	22.51	51.63	33.99	8.18	6.10	5.7	9.3	
		3:04	22.03	51.31	33.75	8.15	6.13	4.8	9.8	
		6:04	22.24	51.69	34.03	8.12	5.42	4.3	8.7	
		9:04	22.50	51.89	34.18	8.18	6.21	4.3	14.4	
		12:04	22.69	51.89	34.17	8.24	7.38	4.5	16.8	
		15:04	22.60	51.15	33.63	8.27	8.96	4.3	23.6	
		18:04	22.40	50.87	33.42	8.25	8.62	3.9	17.3	
		21:04	22.87	51.91	34.18	8.20	6.56	5.9	10.4	
	日平均值			22.48	51.54	33.92	8.20	6.92	4.71	13.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月15日	蚵殼站	0:04	22.83	51.14	33.72	8.26	8.37	2.4	9.6	
		3:04	22.22	50.58	33.32	8.22	8.06	1.8	8.9	
		6:04	22.19	50.65	33.37	8.18	7.96	8.5	5.1	
		9:04	22.05	50.47	33.25	8.21	8.21	1.6	5.4	
		12:04	22.37	50.86	33.53	8.18	7.79	1.2	2.0	
		15:04	22.24	50.92	33.57	8.17	7.72	6.0	6.6	
		18:04	22.10	50.96	33.60	8.16	7.68	3.6	8.7	
		21:04	23.66	52.11	34.43	8.18	7.35	5.9	1.9	
	日平均值			22.46	50.96	33.60	8.20	7.89	3.88	6.03
	潮口站	0:04	24.41	51.44	33.95	8.21	6.66	1.8	4.0	
		3:04	23.98	51.39	33.92	8.19	6.95	9.4	3.0	
		6:04	23.34	51.02	33.66	8.14	6.81	5.1	2.2	
		9:04	24.60	51.39	33.91	8.12	6.46	2.8	2.3	
		12:04	24.34	51.35	33.88	8.16	6.78	5.0	0.8	
		15:04	23.59	51.24	33.81	8.16	6.76	8.3	1.0	
		18:04	23.19	51.04	33.68	8.23	6.81	5.3	0.7	
		21:04	24.33	51.23	33.80	8.16	6.63	1.4	0.9	
	日平均值			23.97	51.26	33.83	8.17	6.73	4.89	1.86
	灣內站	0:04	22.53	51.77	34.09	8.23	7.13	5.2	12.9	
		3:04	21.98	51.48	33.88	8.21	7.12	3.9	8.9	
		6:04	22.32	51.88	34.17	8.14	5.52	4.1	17.1	
		9:04	22.46	52.05	34.29	8.14	5.91	3.8	18.4	
		12:04	22.64	52.25	34.44	8.19	6.36	8.3	9.5	
		15:04	22.27	52.12	34.35	8.20	6.54	7.7	8.7	
		18:04	22.01	51.83	34.14	8.19	6.64	5.8	10.1	
		21:04	21.86	51.72	34.06	8.18	6.44	6.0	9.1	
	日平均值			22.26	51.89	34.18	8.19	6.46	5.60	11.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月16日	蚵殼站	0:04	23.50	51.82	34.22	8.18	7.43	2.4	7.7	
		3:04	22.37	51.20	33.78	8.20	7.53	2.0	1.4	
		6:04	21.23	50.24	33.08	8.14	7.44	1.0	5.9	
		9:04	21.49	50.49	33.27	8.17	7.82	0.6	7.8	
		12:14	21.95	50.42	33.20	8.17	8.16	0.8	5.5	
		15:04	23.04	50.84	33.50	8.29	10.58	1.6	25.9	
		18:04	22.75	50.92	33.56	8.28	9.86	1.7	15.6	
		21:04	22.93	51.17	33.75	8.24	9.09	3.5	9.7	
	日平均值			22.41	50.89	33.55	8.21	8.49	1.70	9.94
	潮口站	0:04	23.83	51.22	33.80	8.28	6.66	1.4	0.3	
		3:04	23.14	50.90	33.58	8.30	6.80	4.7	0.6	
		6:04	21.84	50.30	33.15	8.28	6.84	7.9	1.2	
		9:04	23.88	51.03	33.65	8.24	6.80	1.9	1.6	
		12:14	24.40	51.11	33.70	8.15	6.60	2.1	1.6	
		15:04	23.70	50.87	33.54	8.12	6.82	6.0	1.8	
		18:04	23.40	50.62	33.36	8.24	6.88	5.4	2.5	
		21:04	24.25	50.56	33.30	8.13	6.71	1.3	1.9	
	日平均值			23.56	50.83	33.51	8.22	6.76	3.84	1.44
	灣內站	0:04	21.76	51.72	34.06	8.18	6.38	5.5	11.7	
		3:04	21.58	51.74	34.07	8.17	5.90	4.1	8.6	
		6:04	21.49	51.77	34.10	8.13	5.45	3.3	4.6	
		9:04	21.55	51.83	34.15	8.12	5.56	3.8	3.9	
		12:14	22.40	51.87	34.17	8.27	8.46	4.3	23.1	
		15:04	22.74	51.51	33.89	8.33	10.18	3.5	29.4	
		18:04	22.71	51.16	33.64	8.37	11.15	5.6	29.0	
		21:04	22.64	51.76	34.08	8.31	9.30	5.3	20.2	
	日平均值			22.11	51.67	34.02	8.24	7.80	4.43	16.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月17日	蚵殼站	0:04	22.44	51.08	33.67	8.30	10.24	1.0	5.5	
		3:04	22.22	51.09	33.68	8.19	8.50	0.6	6.3	
		6:04	21.90	50.56	33.29	8.19	8.93	0.5	5.5	
		9:04	22.40	50.48	33.23	8.21	8.50	0.6	8.5	
		12:04	22.63	49.54	32.53	8.22	8.40	1.3	5.0	
		15:04	22.99	49.19	32.27	8.24	8.65	4.1	10.0	
		18:04	22.86	47.27	30.86	8.26	9.14	3.0	12.7	
		21:04	22.52	45.81	29.81	8.23	8.42	8.5	4.5	
	日平均值			22.50	49.38	32.42	8.23	8.85	2.45	7.25
	潮口站	0:04	24.41	50.96	33.59	8.09	6.67	2.9	0.0	
		3:04	23.33	50.55	33.33	8.16	6.97	6.0	0.4	
		6:04	22.39	50.02	32.96	8.36	7.19	1.8	4.1	
		9:04	22.68	49.59	32.65	8.26	7.10	4.8	3.5	
		12:04	24.33	51.02	33.70	8.22	6.55	9.6	1.3	
		15:04	23.81	49.73	32.77	8.21	7.05	7.7	3.5	
		18:04	23.63	49.85	32.86	8.24	6.78	6.7	1.1	
		21:04	22.95	49.02	32.29	8.28	7.14	6.2	2.0	
	日平均值			23.44	50.09	33.02	8.23	6.93	5.71	1.99
	灣內站	0:04	22.67	51.79	34.10	8.30	9.07	3.7	20.0	
		3:04	22.60	51.88	34.17	8.26	8.25	2.3	17.7	
		6:04	22.29	51.74	34.07	8.25	8.10	2.2	19.9	
		9:04	22.53	51.09	33.58	8.18	6.71	2.7	32.1	
		12:04	22.42	49.72	32.58	8.23	7.58	5.0	24.2	
		15:04	22.11	48.99	32.54	8.22	7.81	3.7	6.7	
		18:04	22.17	47.92	31.76	8.26	8.48	4.6	9.6	
		21:04	22.09	47.68	31.58	8.24	8.06	5.0	7.4	
	日平均值			22.36	50.10	33.05	8.24	8.01	3.65	17.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月18日	蚵殼站	0:04	22.34	43.70	28.28	8.22	8.17	13.7	1.5	
		3:04	21.97	43.98	28.49	8.22	8.25	13.5	2.4	
		6:04	21.72	42.58	27.49	8.21	8.10	14.5	8.7	
		9:04	21.48	43.03	27.81	8.18	7.99	9.0	8.0	
		12:04	21.98	45.90	29.88	8.22	8.21	7.5	4.7	
		15:04	22.21	46.66	30.43	8.21	8.33	3.6	7.8	
		18:04	22.34	44.38	28.77	8.28	9.43	5.4	18.0	
		21:04	22.11	39.39	25.20	8.44	12.35	6.3	11.4	
	日平均值			22.02	43.70	28.29	8.25	8.85	9.19	7.81
	潮口站	0:04	24.12	51.34	34.00	8.24	6.73	1.9	1.7	
		3:04	22.00	47.34	31.09	8.43	7.40	3.7	0.0	
		6:04	21.45	45.52	29.78	8.35	7.43	6.3	0.3	
		9:04	21.88	47.49	31.22	8.45	7.36	4.1	2.5	
		12:04	24.35	51.45	34.12	8.23	6.85	5.2	2.7	
		15:04	22.53	45.39	29.71	8.56	7.91	7.1	33.6	
		18:04	22.81	42.45	27.59	8.79	8.47	6.8	41.3	
		21:04	22.10	42.25	27.47	8.74	8.37	5.1	14.8	
	日平均值			22.66	46.65	30.62	8.47	7.57	5.03	12.11
	灣內站	0:04	22.22	47.58	31.51	8.27	8.28	4.8	10.0	
		3:04	21.94	45.67	30.13	8.23	7.74	4.9	8.3	
		6:04	21.24	42.57	27.91	8.19	7.33	8.9	11.0	
		9:04	20.65	38.27	24.87	8.16	7.77	11.0	33.0	
		12:04	21.70	44.20	29.08	8.19	7.21	7.3	5.7	
		15:04	22.01	47.21	31.24	8.22	7.48	4.4	3.6	
		18:04	22.20	47.83	31.69	8.18	6.73	4.2	6.6	
		21:04	21.90	41.48	27.13	8.31	9.07	8.7	9.8	
	日平均值			21.73	44.35	29.20	8.22	7.70	6.78	11.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月19日	蚵殼站	0:04	21.49	39.63	25.39	8.50	12.37	4.7	8.7	
		3:04	20.67	34.70	21.92	8.31	10.12	8.2	13.7	
		6:04	20.40	34.35	21.68	8.36	10.83	5.2	14.7	
		9:04	20.15	33.92	21.39	8.36	10.84	5.4	25.1	
		12:04	21.41	41.59	26.78	8.30	10.26	3.0	17.1	
		15:04	22.47	47.50	31.04	8.18	7.66	1.4	3.0	
		18:04	23.91	48.34	31.63	8.25	8.72	2.1	3.7	
		21:04	21.70	37.60	23.95	8.45	11.95	3.7	13.4	
	日平均值			21.53	39.70	25.47	8.34	10.34	4.21	12.43
	潮口站	0:04	23.07	48.05	31.69	8.39	7.16	4.1	37.9	
		1:04	23.81	50.99	33.85	8.32	7.07	3.6	2.4	
		2:34	21.45	45.50	29.86	8.52	7.72	4.0	8.8	
		11:34	24.27	50.47	33.51	8.35	6.98	4.3	0.2	
		12:04	24.57	50.77	33.73	8.31	6.88	3.6	1.4	
		13:34	24.51	50.89	33.83	8.24	6.93	4.4	0.7	
		15:04	24.36	50.92	33.86	8.31	6.82	4.8	5.1	
		15:34	23.16	47.44	31.31	8.52	7.72	3.6	26.8	
	日平均值			23.65	49.38	32.71	8.37	7.16	4.05	10.41
	灣內站	0:04	21.74	39.31	25.59	8.34	9.65	7.8	8.5	
		3:04	22.00	44.63	29.38	8.21	7.52	6.0	8.9	
		6:04	21.55	41.60	27.21	8.43	10.71	6.2	10.7	
		9:04	21.18	39.37	25.64	8.38	10.41	6.8	20.9	
		12:04	21.79	41.87	27.40	8.37	10.15	5.3	11.4	
		15:04	22.95	50.41	33.56	8.21	6.90	2.4	2.5	
		18:04	22.95	50.73	33.80	8.18	6.31	1.9	4.6	
		21:04	22.07	43.92	28.87	8.23	8.47	4.8	12.4	
	日平均值			22.03	43.98	28.93	8.29	8.77	5.15	9.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月20日	蚵殼站	0:04	21.10	35.96	22.80	8.46	11.87	3.5	8.5	
		3:04	20.92	37.86	24.13	8.55	12.56	2.6	9.9	
		6:04	20.23	37.65	24.00	8.58	11.85	1.9	9.5	
		9:04	19.90	36.60	23.26	8.44	10.76	3.0	8.6	
		12:04	20.94	37.94	24.19	8.41	10.73	1.8	21.7	
		15:04	23.09	47.56	31.07	8.30	9.52	1.0	13.8	
		18:04	23.62	49.00	32.12	8.23	8.29	1.0	10.8	
		21:04	21.92	40.86	26.25	8.48	11.02	1.2	8.6	
	日平均值			21.47	40.43	25.98	8.43	10.83	2.00	11.43
	潮口站	0:04	22.81	45.82	30.17	8.57	7.64	10.3	24.5	
		3:04	22.17	47.07	31.12	8.50	7.50	3.4	4.0	
		6:04	20.55	44.26	29.09	8.60	8.08	1.3	6.0	
		9:04	20.29	43.65	28.66	8.78	7.99	2.3	25.6	
		12:04	24.46	51.66	34.52	8.32	6.93	3.7	3.6	
		15:04	25.18	51.95	34.74	8.14	6.79	1.0	0.0	
		18:04	24.55	51.08	34.11	8.20	6.93	2.9	5.4	
		21:04	22.83	46.80	30.99	8.36	7.64	3.7	7.5	
	日平均值			22.86	47.79	31.68	8.43	7.44	3.58	9.58
	灣內站	0:04	21.40	38.92	25.32	8.41	10.76	4.9	10.6	
		3:04	21.04	40.28	26.28	8.36	9.85	4.6	10.7	
		6:04	21.77	45.25	29.83	8.20	7.20	3.7	11.3	
		9:04	20.98	40.97	26.78	8.41	9.84	4.2	19.4	
		12:04	21.42	42.12	27.59	8.41	10.63	3.8	50.9	
		15:04	22.65	48.29	32.02	8.17	6.50	3.2	6.5	
		18:04	23.16	50.81	33.86	8.17	6.22	2.7	19.7	
		21:04	22.25	47.48	31.43	8.19	7.00	3.0	7.3	
	日平均值			21.83	44.27	29.14	8.29	8.50	3.76	17.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月21日	蚵殼站	0:04	21.39	37.57	23.93	8.50	11.34	1.5	12.5	
		3:04	21.06	36.38	23.10	8.48	11.06	1.4	11.8	
		6:04	20.89	38.27	24.43	8.43	10.20	1.6	13.5	
		9:04	21.09	39.21	25.09	8.45	10.89	1.2	14.9	
		12:04	21.84	40.65	26.11	8.60	13.29	1.5	37.9	
		15:04	23.15	43.12	27.85	8.55	13.77	0.6	27.6	
		18:04	24.49	50.49	33.20	8.22	8.10	0.0	7.8	
		21:04	23.23	44.15	28.59	8.57	12.42	0.4	14.3	
	日平均值			22.14	41.23	26.54	8.48	11.38	1.03	17.54
	潮口站	0:04	21.48	42.02	27.53	8.68	8.18	0.8	4.8	
		3:04	24.13	50.73	33.91	8.34	6.99	4.0	1.5	
		6:04	21.01	42.77	28.12	8.80	8.35	0.8	4.8	
		9:04	21.06	42.68	28.07	8.73	8.06	1.2	7.1	
		12:04	22.93	46.36	30.74	8.55	7.46	2.8	4.6	
		15:04	25.35	51.80	34.75	8.10	6.74	4.1	4.4	
		18:04	25.24	51.35	34.44	8.12	6.85	4.3	0.4	
		21:04	23.90	47.44	31.57	8.35	7.40	1.8	1.8	
	日平均值			23.14	46.89	31.14	8.46	7.50	2.48	3.68
	灣內站	0:04	21.20	38.94	25.34	8.50	11.03	3.5	14.1	
		3:04	22.26	47.24	31.26	8.13	6.18	2.3	10.8	
		6:04	22.06	45.47	29.98	8.29	8.38	2.6	17.7	
		9:04	22.11	46.00	30.36	8.27	7.85	2.3	13.7	
		12:04	22.43	43.08	28.26	8.44	11.38	3.2	47.9	
		15:04	23.03	46.30	30.57	8.48	11.97	1.9	14.5	
		18:04	23.12	49.55	32.93	8.19	6.43	3.0	12.8	
		21:04	22.88	43.69	28.69	8.53	12.17	2.8	17.4	
	日平均值			22.39	45.03	29.67	8.35	9.42	2.70	18.61
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月22日	蚵殼站	0:04	22.76	43.31	28.00	8.59	12.06	0.0	12.7	
		3:04	21.86	39.54	25.31	8.57	11.46	0.7	19.8	
		6:04	21.95	41.86	26.97	8.54	10.87	0.4	18.1	
		9:04	22.75	43.43	28.08	8.40	8.99	0.5	22.6	
		12:04	23.30	44.56	28.89	8.52	11.96	0.4	19.1	
		15:04	24.31	46.07	29.97	8.57	13.60	1.2	37.2	
		18:04	25.08	50.93	33.51	8.23	8.40	2.9	15.1	
		21:04	24.10	47.13	30.74	8.41	11.67	0.6	30.1	
	日平均值			23.26	44.60	28.93	8.48	11.13	0.84	21.84
	潮口站	0:04	23.80	48.03	32.03	8.27	7.08	6.1	5.2	
		3:04	24.39	49.83	33.38	8.13	6.85	5.9	5.8	
		6:04	24.55	51.44	34.60	8.10	7.00	6.2	1.7	
		9:04	21.62	43.98	29.13	8.61	7.89	0.8	8.2	
		12:04	23.38	47.96	32.06	8.30	7.29	6.4	3.7	
		15:04	25.14	51.41	34.62	8.04	6.79	3.1	0.3	
		18:04	25.00	49.66	33.32	8.09	6.93	1.8	0.4	
		21:04	24.32	48.70	32.64	8.15	7.20	2.2	5.5	
	日平均值			24.03	48.88	32.72	8.21	7.13	4.06	3.85
	灣內站	0:04	22.38	39.94	26.03	8.44	10.29	3.0	24.2	
		3:34	22.22	41.74	27.31	8.49	10.35	2.8	20.9	
		6:04	22.38	44.85	29.53	8.44	9.65	2.3	25.8	
		9:04	22.60	45.97	30.34	8.39	8.95	2.3	26.3	
		10:04	22.56	43.17	28.32	8.55	12.50	3.8	106.5	
		15:04	24.00	42.72	27.98	8.87	20.10	3.0	72.7	
		19:34	23.83	49.11	32.59	8.37	8.99	2.1	46.8	
		21:04	23.91	49.37	32.79	8.37	8.95	1.8	30.8	
	日平均值			22.99	44.61	29.36	8.49	11.22	2.64	44.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月23日	蚵殼站	0:04	23.47	43.55	28.16	8.41	13.47	0.6	36.3	
		3:04	23.54	46.29	30.14	8.38	11.20	0.6	24.7	
		6:04	23.20	46.22	30.09	8.33	10.18	0.7	29.4	
		9:04	22.91	46.67	30.42	8.33	9.78	1.4	26.9	
		12:04	22.48	46.78	30.51	8.34	9.92	1.7	45.7	
		15:04	22.55	47.45	31.00	8.40	10.50	2.3	51.1	
		18:04	22.06	47.47	31.02	8.40	10.05	2.3	44.9	
		21:04	21.61	47.61	31.11	8.40	9.44	2.1	34.0	
	日平均值			22.73	46.51	30.31	8.37	10.57	1.46	36.63
	潮口站	0:04	23.52	45.01	29.94	8.47	7.83	2.2	16.1	
		3:04	23.11	45.22	30.10	8.48	7.89	2.9	18.1	
		6:04	24.72	49.83	33.53	8.07	6.76	5.9	4.8	
		9:04	24.39	49.73	33.48	8.10	7.02	4.0	0.5	
		12:04	23.68	48.23	32.39	8.14	7.16	4.7	4.3	
		15:04	24.23	49.05	33.02	8.10	6.79	5.6	0.0	
		18:04	24.14	49.03	33.02	8.07	7.05	3.2	0.7	
		21:04	22.29	47.40	31.85	8.21	7.35	4.3	13.8	
	日平均值			23.76	47.94	32.17	8.21	7.23	4.10	7.29
	灣內站	0:04	23.48	45.62	30.07	8.33	11.25	3.6	56.6	
		3:04	23.02	44.29	29.12	8.39	9.72	5.7	156.9	
		6:04	22.82	45.34	29.88	8.48	10.37	3.1	40.8	
		9:04	22.24	44.62	29.37	8.49	9.87	3.0	55.6	
		12:04	21.79	44.02	28.94	8.51	10.24	3.2	43.8	
		15:04	21.89	45.74	30.18	8.47	10.03	3.0	40.4	
		18:04	22.55	48.72	32.34	8.32	8.48	2.8	27.5	
		21:04	21.53	46.42	30.67	8.43	8.80	3.2	38.5	
	日平均值			22.42	45.60	30.07	8.43	9.85	3.45	57.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月24日	蚵殼站	0:04	21.13	47.26	30.87	8.50	9.29	1.1	29.7	
		3:04	20.84	47.66	31.16	8.44	8.41	1.8	25.3	
		6:04	21.09	48.88	32.04	8.33	7.51	2.2	31.2	
		9:04	20.42	48.87	32.05	8.38	7.99	3.6	23.3	
		12:04	19.72	47.14	30.78	8.48	9.33	3.2	102.9	
		15:04	20.01	48.82	32.00	8.40	9.16	3.4	53.0	
		18:04	20.37	49.66	32.61	8.32	8.25	3.6	33.8	
		21:04	19.66	49.12	32.22	8.38	8.27	3.1	26.6	
	日平均值			20.41	48.43	31.72	8.40	8.53	2.75	40.73
	潮口站	0:04	22.44	45.64	30.56	8.24	7.29	3.0	0.4	
		3:04	22.34	47.10	31.66	8.19	7.26	7.9	2.1	
		6:04	23.19	47.86	32.24	8.08	7.19	20.5	1.7	
		9:04	22.77	49.17	33.25	8.11	7.31	19.9	1.4	
		12:04	21.70	47.68	32.16	8.21	7.33	10.2	2.2	
		15:04	22.54	47.30	31.88	8.23	7.22	9.3	0.1	
		18:04	22.61	47.86	32.33	8.05	7.36	17.3	1.5	
		21:04	21.91	48.18	32.59	8.13	7.50	12.4	2.4	
	日平均值			22.44	47.60	32.08	8.16	7.31	12.56	1.48
	灣內站	0:04	20.53	45.25	29.84	8.56	8.94	3.0	33.1	
		3:04	20.26	45.20	29.80	8.50	8.11	3.3	42.0	
		6:04	19.96	46.12	30.47	8.48	7.65	3.5	70.7	
		9:04	19.70	46.20	30.53	8.47	7.67	4.5	47.8	
		12:04	19.34	46.34	30.63	8.51	8.41	4.0	38.6	
		15:04	20.07	48.12	31.92	8.39	7.21	7.3	25.4	
		18:04	20.03	48.91	32.50	8.33	6.89	7.0	24.3	
		21:04	19.49	48.82	32.43	8.36	7.42	4.6	33.6	
	日平均值			19.92	46.87	31.02	8.45	7.79	4.65	39.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月25日	蚵殼站	0:04	19.27	48.88	32.04	8.37	8.22	3.2	23.5	
		3:04	18.62	48.51	31.76	8.39	8.35	2.7	21.6	
		6:04	18.49	48.89	32.05	8.33	7.78	2.1	27.5	
		9:04	18.18	49.01	32.13	8.34	8.17	1.9	25.2	
		12:04	17.73	47.62	31.11	8.54	11.72	3.2	73.0	
		15:04	17.37	46.39	30.22	8.63	14.96	4.4	62.1	
		18:04	19.50	50.51	33.23	8.37	10.40	3.4	34.7	
		21:04	21.31	51.61	34.03	8.36	9.77	2.4	14.9	
	日平均值			18.81	48.93	32.07	8.42	9.92	2.91	35.31
	潮口站	0:04	20.92	46.61	31.45	8.33	7.49	4.7	1.0	
		3:04	19.76	45.54	30.68	8.61	7.77	7.2	4.0	
		6:04	23.14	49.79	33.85	8.19	7.11	5.5	1.2	
		9:04	22.69	47.62	32.24	8.17	7.13	3.2	0.2	
		12:04	21.86	47.80	32.40	8.37	7.43	6.5	1.8	
		15:04	24.25	47.53	32.19	8.23	7.11	1.9	1.5	
		18:04	24.93	47.62	32.25	8.03	7.05	0.8	3.6	
		21:04	23.93	47.97	32.56	8.15	7.08	1.5	0.3	
	日平均值			22.69	47.56	32.20	8.26	7.27	3.91	1.70
	灣內站	0:04	19.82	49.26	32.75	8.28	6.34	5.4	39.8	
		3:04	17.11	46.06	30.42	8.37	7.06	5.8	49.4	
		6:04	16.74	45.82	30.25	8.37	7.19	5.1	61.6	
		9:04	17.89	48.27	32.03	8.38	7.76	4.1	35.5	
		12:04	18.17	48.15	31.94	8.44	8.91	3.6	26.4	
		15:04	18.09	47.33	31.35	8.59	12.05	4.5	60.5	
		18:04	19.81	49.39	32.85	8.36	8.30	4.4	62.7	
		21:04	19.17	50.34	33.54	8.30	7.56	3.5	23.7	
	日平均值			18.35	48.08	31.89	8.39	8.15	4.55	44.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月26日	蚵殼站	0:04	18.52	49.15	32.23	8.51	11.08	1.4	30.2	
		3:04	16.83	47.24	30.81	8.55	11.19	2.1	23.9	
		6:04	16.75	47.67	31.13	8.52	10.50	1.3	33.5	
		9:04	17.15	48.00	31.37	8.54	11.33	2.2	31.0	
		12:04	17.47	47.09	30.68	8.46	11.37	2.8	23.7	
		15:04	20.33	50.74	33.35	8.24	8.99	2.1	9.0	
		18:04	20.67	51.57	33.96	8.17	7.99	2.0	10.6	
		21:04	20.36	49.22	32.24	8.39	10.94	2.9	16.7	
	日平均值			18.51	48.84	31.97	8.42	10.42	2.10	22.33
	潮口站	0:04	22.12	46.88	31.81	8.52	7.68	5.6	6.2	
		3:04	19.74	45.46	30.79	8.57	8.02	4.4	10.3	
		6:04	23.52	48.97	33.38	8.17	7.21	3.0	1.3	
		9:04	24.03	47.30	32.14	8.12	7.26	1.6	2.1	
		12:04	22.88	49.49	33.84	8.16	7.32	3.3	0.5	
		15:04	23.04	47.78	32.22	8.21	7.49	5.9	7.0	
		18:04	25.03	48.53	32.73	8.17	6.69	7.7	2.8	
		21:04	25.41	50.66	34.31	8.21	6.38	5.6	3.3	
	日平均值			23.22	48.13	32.65	8.27	7.26	4.64	4.19
	灣內站	0:04	18.54	48.31	32.06	8.39	7.05	3.9	29.5	
		3:04	17.23	47.05	31.14	8.56	10.82	4.1	37.2	
		6:04	17.94	48.33	32.08	8.43	8.88	3.3	33.3	
		9:04	17.90	48.41	32.13	8.45	9.61	3.6	48.9	
		12:04	18.28	47.33	30.86	8.48	13.82	1.1	37.3	
		15:04	19.21	46.90	30.55	8.55	14.55	0.6	42.1	
		18:04	19.46	47.73	31.15	8.56	14.68	0.1	44.3	
		21:04	20.92	50.25	32.99	8.34	11.02	0.6	31.8	
	日平均值			18.69	48.04	31.62	8.47	11.30	2.16	38.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月27日	蚵殼站	0:04	19.90	50.21	32.96	8.28	9.98	1.1	10.2	
		3:04	18.50	47.59	31.05	8.47	11.18	1.7	18.5	
		6:04	18.43	48.07	31.40	8.45	10.57	1.6	17.2	
		9:04	18.90	48.75	31.89	8.38	9.71	2.3	15.0	
		12:04	19.89	49.04	32.11	8.30	9.73	1.7	14.1	
		15:04	19.54	47.74	31.16	8.53	13.57	2.2	34.4	
		18:04	20.01	48.38	31.62	8.42	11.36	1.7	19.7	
		21:04	22.09	51.36	33.79	8.25	9.30	2.2	14.6	
	日平均值			19.66	48.89	32.00	8.39	10.68	1.81	17.96
	潮口站	0:04	23.07	49.75	33.68	8.17	6.56	10.7	5.7	
		3:04	20.72	47.76	32.23	8.33	8.38	5.8	12.4	
		6:04	22.53	49.50	33.50	8.17	6.74	7.6	1.5	
		9:04	24.50	50.78	34.41	8.19	6.53	8.7	6.8	
		12:04	21.61	48.92	33.08	8.21	7.70	7.5	12.5	
		15:04	22.04	48.96	33.11	8.31	8.95	7.7	15.7	
		18:04	25.12	51.09	34.63	8.16	6.51	5.2	2.1	
		21:04	25.20	51.22	34.73	8.16	6.53	7.0	0.5	
	日平均值			23.10	49.75	33.67	8.21	7.24	7.53	7.15
	灣內站	0:04	20.16	49.42	32.38	8.39	11.46	0.1	21.3	
		3:04	19.25	48.20	31.49	8.43	11.70	0.0	22.8	
		6:04	19.74	48.50	31.71	8.38	10.98	0.1	26.5	
		9:04	19.72	48.81	31.94	8.32	9.92	0.2	22.7	
		12:04	19.80	48.50	31.71	8.37	11.09	0.0	27.5	
		15:04	20.71	49.32	32.30	8.30	9.82	0.5	19.2	
		18:04	20.67	49.46	32.40	8.24	8.44	0.9	18.6	
		21:04	20.69	49.86	32.70	8.14	6.89	1.7	10.5	
	日平均值			20.09	49.01	32.08	8.32	10.04	0.44	21.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月28日	蚵殼站	0:04	23.12	51.81	34.10	8.21	8.45	2.7	3.6	
		3:04	19.53	47.85	31.24	8.41	10.62	1.2	16.0	
		6:04	20.32	49.07	32.12	8.31	9.41	0.7	5.1	
		9:04	20.01	48.58	31.77	8.32	9.32	1.3	16.2	
		12:04	20.69	49.25	32.26	8.32	9.42	1.2	14.4	
		15:04	21.11	48.68	31.83	8.35	10.47	1.7	14.8	
		18:04	22.03	50.19	32.93	8.26	8.91	1.6	9.6	
		21:04	21.87	49.82	32.66	8.23	8.38	1.4	9.6	
	日平均值			21.09	49.41	32.36	8.30	9.37	1.48	11.16
	潮口站	0:04	22.11	49.52	33.43	8.31	8.73	5.7	8.7	
		3:04	21.47	48.97	33.53	8.32	9.12	5.0	10.5	
		6:04	21.95	48.62	33.42	8.24	7.41	15.6	3.1	
		9:04	24.77	49.66	33.82	8.13	6.49	8.3	5.7	
		12:04	24.37	49.32	33.37	8.17	6.72	9.2	4.2	
		15:04	23.33	47.41	31.98	8.27	8.24	5.9	7.3	
		18:04	24.39	49.25	33.32	8.18	6.83	11.4	2.8	
		21:04	24.85	49.80	33.72	8.16	6.68	9.8	1.1	
	日平均值			23.41	49.07	33.32	8.22	7.53	8.86	5.43
	灣內站	0:04	20.93	49.96	32.77	8.18	7.55	0.9	12.3	
		3:04	20.22	49.00	32.07	8.25	8.75	0.3	13.1	
		6:04	19.35	47.14	30.72	8.37	10.02	0.5	15.3	
		9:04	21.03	50.24	32.98	8.17	7.21	0.3	9.0	
		12:04	20.94	49.47	32.41	8.22	8.34	0.6	8.7	
		15:04	21.51	47.38	30.88	8.35	10.79	0.8	10.6	
		18:04	21.79	49.67	32.55	8.21	8.04	0.2	10.7	
		21:04	21.94	50.17	32.92	8.21	7.91	0.4	8.9	
	日平均值			20.96	49.13	32.16	8.25	8.58	0.50	11.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月29日	蚵殼站	0:04	22.74	51.50	33.88	8.17	7.68	4.1	4.6	
		3:04	21.88	50.54	33.19	8.20	8.01	1.2	5.7	
		6:04	21.20	49.93	32.75	8.17	7.65	2.3	7.5	
		9:04	21.67	49.73	32.59	8.12	7.14	2.2	8.2	
		12:04	21.99	50.55	33.19	8.12	7.24	3.2	10.9	
		15:04	22.13	50.76	33.35	8.12	7.49	2.5	6.9	
		18:04	21.96	50.90	33.45	8.10	7.16	3.4	8.5	
		21:04	21.84	50.73	33.33	8.14	7.56	3.3	11.2	
	日平均值			21.93	50.58	33.22	8.14	7.49	2.78	7.94
	潮口站	0:04	23.42	48.60	32.86	8.21	7.11	8.9	3.4	
		3:04	22.40	48.26	32.62	8.11	6.22	18.8	3.8	
		6:04	22.32	47.88	32.34	8.15	6.72	7.0	4.3	
		9:04	24.96	49.90	33.79	8.16	6.59	9.7	3.4	
		12:04	24.38	49.54	33.54	8.12	6.59	10.4	4.8	
		15:04	22.77	47.95	32.38	8.12	6.92	9.6	7.0	
		18:04	22.69	47.91	32.36	8.12	6.77	12.6	6.1	
		21:04	24.95	49.86	33.77	8.13	6.42	8.8	0.3	
	日平均值			23.49	48.74	32.96	8.14	6.67	10.73	4.14
	灣內站	0:04	22.02	49.89	32.71	8.28	8.76	0.4	8.8	
		3:04	21.59	49.72	32.59	8.21	7.72	0.6	6.7	
		6:04	21.04	49.35	32.33	8.16	7.10	0.0	8.8	
		9:04	21.89	50.27	32.99	8.15	6.71	1.0	7.4	
		12:04	21.98	50.39	33.08	8.12	6.59	2.8	8.2	
		15:04	22.09	50.61	33.24	8.11	6.58	1.7	8.7	
		18:04	22.11	50.71	33.31	8.12	6.89	1.3	10.0	
		21:04	22.23	50.55	33.19	8.15	7.32	1.7	8.2	
	日平均值			21.87	50.19	32.93	8.16	7.21	1.19	8.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月30日	蚵殼站	0:04	21.88	50.99	33.52	8.10	7.09	2.9	12.5	
		3:04	21.80	51.10	33.60	8.06	6.55	2.7	6.9	
		6:04	21.74	51.19	33.67	8.05	6.49	2.1	7.3	
		9:04	21.59	50.60	33.24	8.02	6.23	1.7	6.8	
		12:04	22.08	51.08	33.58	8.06	6.92	2.6	12.8	
		15:04	22.14	50.77	33.35	8.16	8.97	3.6	24.4	
		18:04	22.25	51.05	33.56	8.11	8.08	2.8	15.1	
		21:04	22.13	51.18	33.66	8.14	8.40	3.1	17.9	
	日平均值			21.95	51.00	33.52	8.09	7.34	2.69	12.96
	潮口站	0:04	23.68	49.16	33.27	8.12	6.54	7.9	5.8	
		3:04	22.44	47.79	32.27	8.17	6.99	6.9	12.4	
		6:04	22.31	47.80	32.28	8.15	6.66	7.9	10.5	
		9:04	24.74	49.77	33.70	8.14	6.45	10.1	3.9	
		12:04	24.78	49.78	33.71	8.13	6.48	8.6	2.7	
		15:04	23.19	48.23	32.59	8.06	6.73	13.7	11.0	
		18:04	23.00	48.03	32.44	8.14	7.35	7.0	8.9	
		21:04	24.69	49.24	33.31	8.09	6.56	6.4	7.2	
	日平均值			23.60	48.73	32.95	8.13	6.72	8.56	7.80
	灣內站	0:04	22.12	50.58	33.21	8.12	6.83	1.9	9.1	
		3:04	21.97	50.41	33.09	8.14	6.98	0.9	8.3	
		6:04	21.91	50.39	33.08	8.13	6.82	1.4	9.8	
		9:04	21.86	50.15	32.90	8.14	7.10	0.6	12.3	
		12:04	22.16	50.45	33.12	8.10	6.50	1.1	9.4	
		15:04	22.34	50.15	32.90	8.20	8.73	1.2	23.5	
		18:04	22.37	49.74	32.59	8.19	8.91	1.3	20.7	
		21:04	22.08	50.17	32.92	8.17	7.86	0.8	14.4	
	日平均值			22.10	50.26	32.98	8.15	7.47	1.15	13.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月31日	蚵殼站	0:04	22.06	51.26	33.72	8.14	8.22	3.2	15.4	
		3:04	22.10	51.31	33.75	8.08	7.46	3.9	14.6	
		6:04	21.90	51.31	33.75	8.05	6.91	2.5	12.2	
		9:04	21.50	50.88	33.44	8.11	8.01	2.6	14.8	
		12:04	21.84	50.47	33.14	8.27	11.58	3.0	54.3	
		15:04	22.35	51.16	33.64	8.24	10.87	2.2	27.1	
		18:04	22.42	51.59	33.95	8.10	7.90	1.9	10.3	
		21:04	22.48	51.07	33.57	8.25	10.40	2.8	28.9	
	日平均值			22.08	51.13	33.62	8.16	8.92	2.76	22.20
	潮口站	0:04	24.59	49.44	33.46	8.08	6.40	8.4	5.1	
		3:04	22.64	48.16	32.54	8.09	6.98	8.9	10.3	
		6:04	22.30	47.93	32.37	8.07	6.40	6.1	6.2	
		9:04	23.98	49.30	33.36	8.07	6.35	7.2	1.7	
		12:04	24.82	49.71	33.66	8.09	6.61	8.2	0.6	
		15:04	24.65	49.18	33.26	8.10	7.09	6.2	8.2	
		18:04	24.07	48.83	33.01	8.14	7.93	7.3	13.7	
		21:04	24.25	48.74	32.94	8.11	6.99	6.9	8.0	
	日平均值			23.91	48.91	33.08	8.09	6.84	7.40	6.73
	灣內站	0:04	22.06	50.34	33.04	8.16	7.64	0.9	16.0	
		3:04	21.88	50.27	32.99	8.08	6.28	1.1	12.1	
		6:04	21.47	49.11	32.15	8.14	8.02	0.3	15.6	
		9:04	21.91	50.13	32.89	8.17	7.93	0.6	21.1	
		12:04	22.18	50.23	32.96	8.24	9.63	0.7	21.4	
		15:04	23.04	49.27	32.24	8.33	12.40	0.3	26.1	
		18:04	22.96	49.54	32.44	8.38	12.73	0.5	40.5	
		21:04	22.51	50.44	33.11	8.30	10.77	0.1	29.4	
	日平均值			22.25	49.92	32.73	8.23	9.43	0.56	22.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月1日	蚵殼站	0:04	22.33	51.30	33.74	8.20	9.45	2.1	22.9	
		3:04	22.15	51.17	33.65	8.21	9.37	1.6	23.1	
		6:04	21.96	51.11	33.61	8.19	8.94	1.2	21.7	
		9:04	22.04	51.23	33.70	8.21	9.41	1.9	25.7	
		12:04	22.13	50.76	33.35	8.31	11.77	3.0	38.9	
		15:04	22.68	51.36	33.78	8.26	10.85	2.5	23.0	
		18:04	22.74	50.61	33.23	8.44	14.15	3.3	64.3	
		21:04	22.66	50.63	33.24	8.38	12.63	2.5	43.2	
	日平均值			22.34	51.02	33.54	8.28	10.82	2.26	32.85
	潮口站	0:04	24.70	49.36	33.39	8.10	6.65	9.1	1.6	
		3:04	24.21	49.19	33.27	8.08	6.67	8.8	6.1	
		6:04	22.90	48.49	32.78	8.05	6.79	11.0	10.3	
		9:04	23.30	48.72	32.94	8.06	6.50	8.0	4.2	
		12:04	24.96	49.80	33.72	8.09	6.71	7.2	5.0	
		15:04	25.23	49.82	33.72	8.09	6.84	7.4	3.5	
		18:04	24.11	48.94	33.09	8.14	7.99	8.8	11.7	
		21:04	23.55	48.55	32.82	8.11	7.64	7.1	11.9	
	日平均值			24.12	49.11	33.22	8.09	6.97	8.43	6.79
	灣內站	0:04	22.32	50.46	33.13	8.24	9.22	1.2	34.4	
		3:04	22.26	50.30	33.01	8.23	9.09	1.1	23.2	
		6:04	22.07	50.32	33.02	8.14	7.45	0.4	17.1	
		9:04	22.04	49.66	32.54	8.28	10.17	0.3	28.3	
		12:04	22.57	49.75	32.60	8.45	14.60	0.5	46.5	
		15:04	23.19	49.56	32.45	8.53	16.18	0.5	53.7	
		18:04	22.70	50.24	32.96	8.44	14.08	0.1	57.1	
		21:04	22.66	50.15	32.89	8.38	12.22	1.3	41.9	
	日平均值			22.48	50.06	32.83	8.34	11.63	0.69	37.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月2日	蚵殼站	0:04	22.38	50.79	33.37	8.32	11.20	2.1	49.0	
		3:04	22.20	50.81	33.38	8.32	10.94	3.4	40.7	
		6:04	22.01	50.72	33.32	8.32	10.84	2.2	31.4	
		9:04	22.19	50.94	33.48	8.27	10.15	2.1	39.7	
		12:04	21.67	50.12	32.88	8.35	11.50	2.9	58.6	
		15:04	22.11	50.89	33.44	8.34	11.82	2.6	42.8	
		18:04	21.85	50.80	33.38	8.45	13.37	3.2	53.4	
		21:04	21.57	50.50	33.16	8.45	12.88	2.2	44.5	
	日平均值			22.00	50.70	33.30	8.35	11.59	2.59	45.01
	潮口站	0:04	23.82	48.86	33.04	8.10	7.28	19.4	14.3	
		3:04	23.16	48.57	32.83	8.12	7.68	7.8	14.6	
		6:04	22.82	48.28	32.63	8.15	8.15	9.2	35.7	
		9:04	22.73	48.45	32.75	8.07	7.44	14.3	15.8	
		12:04	24.62	49.90	33.81	8.07	6.64	8.6	5.1	
		15:04	24.36	49.80	33.73	8.09	7.03	5.0	3.5	
		18:04	22.46	48.50	32.79	8.09	7.86	11.6	21.6	
		21:04	22.25	47.89	32.36	8.30	10.71	6.0	45.3	
	日平均值			23.28	48.78	32.99	8.12	7.85	10.24	19.49
	灣內站	0:04	22.47	50.12	32.87	8.36	11.77	0.9	41.4	
		3:04	22.37	49.74	32.60	8.40	12.25	0.3	48.8	
		6:04	22.15	50.01	32.79	8.40	12.08	0.2	43.7	
		9:04	22.17	50.14	32.89	8.39	11.83	0.0	38.7	
		12:04	22.27	49.90	32.71	8.44	13.24	0.4	47.3	
		15:04	22.28	50.24	32.97	8.40	12.53	0.3	55.9	
		18:04	22.14	50.23	32.96	8.43	12.65	0.0	55.8	
		21:04	21.96	49.72	32.58	8.43	12.77	0.6	44.8	
	日平均值			22.23	50.01	32.80	8.41	12.39	0.34	47.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月3日	蚵殼站	0:04	21.59	50.86	33.43	8.34	10.70	2.0	36.8	
		3:04	21.53	50.99	33.53	8.25	9.16	2.3	26.4	
		6:04	21.52	51.17	33.66	8.22	8.52	1.5	33.3	
		9:04	20.42	49.49	32.43	8.39	11.45	3.2	47.6	
		12:04	21.62	50.25	32.98	8.36	11.27	2.2	27.9	
		15:04	22.25	51.63	33.99	8.25	9.70	2.3	25.9	
		18:04	22.40	51.71	34.05	8.17	8.24	2.2	20.9	
		21:04	21.76	49.34	32.31	8.39	11.40	2.6	40.2	
	日平均值			21.64	50.68	33.30	8.30	10.06	2.29	32.38
	潮口站	0:04	22.14	47.94	32.38	8.28	9.76	6.9	31.2	
		3:04	22.78	48.78	32.99	8.15	7.77	5.4	17.5	
		6:04	21.99	48.26	32.63	8.17	8.17	7.8	20.4	
		9:04	21.91	48.07	32.49	8.29	9.57	10.6	24.6	
		12:04	24.56	49.83	33.76	8.09	6.81	4.5	0.2	
		15:04	24.60	47.92	32.33	8.06	6.90	5.6	0.2	
		18:04	23.84	49.03	33.17	8.12	7.51	9.2	7.4	
		21:04	23.57	48.93	33.10	8.11	7.31	9.4	6.6	
	日平均值			23.17	48.60	32.86	8.16	7.98	7.43	13.51
	灣內站	0:04	21.71	49.61	32.51	8.26	9.33	0.7	42.2	
		3:04	21.87	50.01	32.80	8.37	10.99	0.1	50.8	
		6:04	21.30	49.67	32.55	8.41	11.44	0.1	62.9	
		9:04	20.83	48.84	31.95	8.50	13.43	0.3	58.1	
		12:04	21.59	48.65	31.80	8.60	16.59	0.7	53.8	
		15:04	22.13	49.91	32.72	8.52	14.40	1.2	51.0	
		18:04	22.18	50.23	32.95	8.47	13.00	2.4	50.3	
		21:04	21.82	49.85	32.68	8.49	12.89	1.6	45.4	
	日平均值			21.68	49.60	32.50	8.45	12.76	0.88	51.81
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月4日	蚵殼站	0:04	21.61	50.78	33.37	8.35	10.45	2.6	38.5	
		3:04	21.38	51.00	33.53	8.30	9.40	2.0	25.1	
		6:04	21.23	50.92	33.48	8.28	9.07	1.4	24.7	
		9:04	20.60	49.68	32.57	8.43	11.40	3.6	35.1	
		12:04	21.34	50.72	33.33	8.39	10.92	0.6	30.2	
		15:04	21.84	51.52	33.91	8.28	9.65	1.4	23.2	
		18:04	22.28	50.65	33.27	8.47	13.15	2.8	34.7	
		21:04	22.09	51.10	33.60	8.38	11.24	2.3	24.4	
	日平均值			21.55	50.80	33.38	8.36	10.66	2.09	29.49
	潮口站	0:04	22.62	48.35	32.68	8.17	8.31	6.7	15.4	
		3:04	23.92	49.68	33.65	8.05	6.59	5.0	2.6	
		6:04	23.86	49.73	33.69	8.08	6.64	8.5	4.1	
		9:04	22.75	48.95	33.13	8.13	7.41	6.9	9.7	
		12:04	24.46	49.93	33.83	8.07	6.62	5.8	2.6	
		15:04	24.66	49.78	33.71	8.06	6.87	5.8	0.2	
		18:04	24.06	49.40	33.43	8.17	8.07	5.0	11.1	
		21:04	23.29	48.58	32.85	8.21	8.87	6.4	15.6	
	日平均值			23.70	49.30	33.37	8.12	7.42	6.26	7.66
	灣內站	0:04	21.64	49.17	32.19	8.48	12.57	1.0	53.3	
		3:04	21.59	50.00	32.79	8.45	11.62	0.6	47.5	
		6:04	21.45	49.70	32.58	8.44	11.23	0.4	46.7	
		9:04	21.71	49.99	32.78	8.44	11.76	0.1	37.7	
		12:04	22.42	49.14	32.16	8.59	15.63	0.6	41.0	
		15:04	23.36	49.99	32.77	8.53	14.79	1.9	33.3	
		18:04	22.57	51.37	33.79	8.28	9.20	0.2	38.2	
		21:04	22.57	50.29	32.99	8.46	12.24	0.8	38.6	
	日平均值			22.16	49.96	32.76	8.46	12.38	0.69	42.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月5日	蚵殼站	0:04	21.93	50.98	33.52	8.39	11.10	1.9	27.5	
		3:04	21.91	51.22	33.69	8.35	10.26	4.8	20.2	
		6:04	21.99	51.36	33.79	8.30	9.38	1.8	19.5	
		9:04	21.46	50.22	32.96	8.37	9.85	3.7	32.7	
		12:04	21.92	51.12	33.62	8.34	9.76	2.3	21.4	
		15:04	22.27	51.11	33.61	8.36	10.27	2.1	25.6	
		18:04	22.51	50.61	33.24	8.29	9.82	3.3	23.8	
		21:04	22.53	50.94	33.49	8.20	8.30	3.3	8.0	
	日平均值			22.07	50.95	33.49	8.33	9.84	2.90	22.34
	潮口站	0:04	23.14	48.36	32.68	8.21	8.89	8.9	18.1	
		3:04	23.98	49.51	33.52	8.07	6.73	8.2	2.6	
		6:04	24.07	49.74	33.69	8.01	6.39	5.8	0.1	
		9:04	23.52	49.43	33.46	8.04	6.81	11.6	6.1	
		12:04	23.72	49.42	33.47	8.07	6.93	10.6	2.7	
		15:04	24.57	50.02	33.89	8.03	6.59	8.0	2.2	
		18:04	24.40	49.97	33.86	8.03	6.71	6.6	3.4	
		21:04	23.00	49.23	33.33	8.03	6.85	11.7	5.3	
	日平均值			23.80	49.46	33.49	8.06	6.99	8.93	5.06
	灣內站	0:04	22.28	49.75	32.60	8.45	11.73	0.9	42.2	
		3:04	22.40	50.31	33.01	8.37	10.20	0.9	34.9	
		6:04	22.12	50.45	33.12	8.34	9.33	1.0	31.9	
		9:04	22.06	50.29	33.00	8.37	9.81	1.5	29.5	
		12:04	22.25	50.40	33.08	8.44	11.30	0.5	31.9	
		15:04	22.73	50.29	32.99	8.45	11.91	2.2	36.6	
		18:04	22.50	50.12	32.87	8.42	10.47	2.6	24.2	
		21:04	22.07	50.15	32.90	8.46	11.12	1.1	27.4	
	日平均值			22.30	50.22	32.95	8.41	10.73	1.34	32.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月6日	蚵殼站	0:04	21.94	50.72	33.33	8.18	7.65	4.3	14.4	
		3:04	21.29	49.72	32.60	8.28	8.43	3.2	16.8	
		6:04	21.32	50.20	32.95	8.21	7.52	2.4	8.7	
		9:04	21.36	50.33	33.05	8.24	7.88	4.1	13.0	
		12:04	21.50	50.56	33.22	8.26	8.53	2.7	19.7	
		15:04	21.67	50.77	33.37	8.26	8.77	4.2	16.9	
		18:04	21.52	50.87	33.44	8.23	8.22	4.0	15.7	
		21:04	21.05	50.77	33.38	8.23	8.17	2.7	13.7	
	日平均值			21.46	50.49	33.17	8.24	8.15	3.45	14.86
	潮口站	0:04	22.83	48.71	32.95	8.10	7.49	7.5	11.9	
		3:04	22.99	49.00	33.17	8.06	6.66	7.9	4.3	
		6:04	23.66	49.84	33.78	8.03	6.71	6.3	2.1	
		9:04	23.16	49.70	33.68	8.05	6.66	10.6	4.1	
		12:04	22.50	49.24	33.35	8.03	6.72	12.0	3.7	
		15:04	24.06	50.02	33.90	8.04	6.70	4.8	2.0	
		18:04	23.72	49.97	33.87	8.04	6.66	6.1	5.9	
		21:04	22.45	49.60	33.62	8.03	6.81	12.0	4.9	
	日平均值			23.17	49.51	33.54	8.05	6.80	8.40	4.86
	灣內站	0:04	21.78	50.43	33.11	8.42	9.82	1.6	24.1	
		3:04	21.64	50.51	33.17	8.38	8.98	2.6	21.4	
		6:04	21.32	50.51	33.17	8.39	9.23	1.2	20.4	
		9:04	21.19	50.54	33.20	8.34	8.36	3.0	17.3	
		12:04	21.25	50.35	33.06	8.30	8.02	3.6	14.8	
		15:04	21.44	50.59	33.23	8.37	9.22	2.5	18.5	
		18:04	21.26	50.70	33.31	8.37	9.24	1.6	19.4	
		21:04	21.21	50.76	33.36	8.31	8.00	4.1	11.4	
	日平均值			21.39	50.55	33.20	8.36	8.86	2.51	18.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月7日	蚵殼站	0:04	20.83	50.51	33.19	8.27	8.32	3.2	13.1	
		3:04	20.78	50.91	33.48	8.23	7.78	3.7	8.2	
		6:04	19.90	50.84	33.44	8.18	6.94	3.0	8.5	
		9:04	18.55	48.79	31.93	8.31	8.16	3.5	15.2	
		12:04	19.54	48.66	31.83	8.37	9.32	3.7	19.0	
		15:04	20.08	48.65	31.83	8.34	9.27	4.3	13.6	
		18:04	20.38	50.24	32.99	8.33	9.19	3.3	17.5	
		21:04	21.67	51.20	33.69	8.13	7.10	3.3	10.6	
	日平均值			20.22	49.98	32.80	8.27	8.26	3.50	13.21
	潮口站	0:04	21.95	49.00	33.17	8.08	6.90	8.7	4.6	
		3:04	21.42	48.89	33.10	8.04	6.60	10.1	5.0	
		6:04	23.02	50.00	33.91	8.02	6.61	5.0	1.3	
		9:04	22.32	49.82	33.78	8.04	6.78	8.4	1.3	
		12:04	22.35	49.69	33.68	8.06	6.97	6.9	2.4	
		15:04	23.95	49.21	33.29	8.04	6.85	5.4	5.0	
		18:04	23.75	49.64	33.62	8.04	6.89	4.0	4.5	
		21:04	22.26	49.31	33.39	8.07	7.34	8.9	8.2	
	日平均值			22.63	49.45	33.49	8.05	6.87	7.18	4.04
	灣內站	0:04	20.55	50.17	32.93	8.35	8.41	3.9	15.1	
		3:04	19.96	49.78	32.64	8.34	8.04	2.3	16.1	
		6:04	20.70	50.37	33.07	8.33	7.98	2.1	15.9	
		9:04	19.37	49.06	32.12	8.32	7.71	1.2	13.8	
		12:04	20.50	50.05	32.84	8.41	9.65	1.0	16.0	
		15:04	21.05	49.25	32.25	8.46	11.44	1.5	21.0	
		18:04	20.85	50.21	32.96	8.42	10.35	1.3	21.8	
		21:04	20.85	50.17	32.93	8.40	10.10	2.4	18.5	
	日平均值			20.48	49.88	32.72	8.38	9.21	1.96	17.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月8日	蚵殼站	0:04	20.04	49.85	32.70	8.31	8.64	3.7	12.8	
		3:04	19.38	48.96	32.05	8.31	8.60	3.8	12.5	
		6:04	19.37	49.60	32.53	8.29	7.81	3.8	12.6	
		9:04	19.04	49.44	32.41	8.29	8.13	2.8	10.0	
		12:04	20.28	49.81	32.68	8.29	8.94	3.1	13.1	
		15:04	20.86	50.14	32.91	8.22	8.13	3.4	7.7	
		18:04	20.99	50.83	33.42	8.24	8.65	3.3	13.2	
		21:04	21.22	50.85	33.44	8.22	8.42	2.0	9.8	
	日平均值			20.15	49.94	32.77	8.27	8.42	3.24	11.46
	潮口站	0:04	21.93	49.25	33.36	8.05	6.92	9.2	3.7	
		3:04	21.65	49.22	33.34	8.04	6.80	8.0	2.6	
		6:04	23.02	50.01	33.91	8.00	6.37	4.0	4.3	
		9:04	22.59	49.91	33.85	8.04	6.83	5.4	4.6	
		12:04	21.87	49.08	33.23	8.14	7.64	6.8	3.8	
		15:04	24.03	48.94	33.09	8.04	6.94	5.1	4.8	
		18:04	23.71	48.27	32.61	8.04	7.10	4.9	1.5	
		21:04	23.10	49.69	33.68	8.06	7.27	6.3	4.5	
	日平均值			22.74	49.30	33.38	8.05	6.98	6.21	3.73
	灣內站	0:04	20.47	50.04	32.84	8.36	9.44	1.5	19.0	
		3:04	19.75	49.03	32.10	8.33	8.89	2.0	17.2	
		6:04	20.10	50.58	33.23	8.30	8.03	1.0	17.2	
		9:04	20.36	50.77	33.37	8.34	8.95	0.7	15.4	
		12:04	20.30	49.11	32.15	8.41	10.72	0.9	9.5	
		15:04	20.69	49.02	32.09	8.44	11.99	1.2	30.0	
		18:04	21.20	50.52	33.18	8.43	11.54	0.8	28.7	
		21:04	21.24	50.79	33.38	8.39	10.74	0.8	23.7	
	日平均值			20.51	49.98	32.79	8.37	10.04	1.11	20.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
2月9日	蚵殼站	0:04	19.73	48.83	31.96	8.33	9.64	3.8	16.6
		3:04	19.13	48.61	31.80	8.34	9.60	2.9	19.1
		6:04	18.98	48.80	31.93	8.30	8.53	2.2	19.9
		9:04	18.82	48.77	31.92	8.34	9.46	3.2	16.1
		12:04	19.29	48.13	31.44	8.38	10.79	3.1	15.2
		15:04	21.03	49.68	32.58	8.25	9.08	3.1	15.8
		18:04	21.51	50.90	33.47	8.24	9.22	2.7	18.5
		21:04	21.86	51.02	33.56	8.19	8.54	2.5	9.6
	日平均值		20.04	49.34	32.33	8.30	9.36	2.94	16.35
	潮口站	0:04	22.27	49.28	33.38	8.03	6.91	10.7	3.5
		3:04	21.79	49.30	33.40	8.07	7.11	6.0	10.1
		6:04	23.25	50.25	34.09	8.01	6.65	7.9	0.2
		9:04	22.98	50.21	34.07	8.04	6.89	7.1	5.8
		12:04	22.13	49.56	33.59	8.11	7.78	7.9	5.5
		15:04	22.41	49.76	33.73	8.09	7.67	5.3	6.8
		18:04	23.83	50.47	34.25	8.05	6.94	7.1	1.9
		21:04	23.00	49.82	33.77	8.07	7.42	6.0	5.5
	日平均值		22.71	49.83	33.79	8.06	7.17	7.25	4.91
	灣內站	0:04	20.26	49.95	32.77	8.41	10.88	0.8	21.9
		3:04	20.39	50.57	33.23	8.33	9.32	0.6	19.8
		6:04	19.45	50.08	32.87	8.37	9.99	0.9	21.9
		9:04	20.00	50.59	33.24	8.31	9.25	0.8	16.9
		12:04	20.28	49.79	32.65	8.43	11.96	0.5	26.0
		15:04	20.67	49.06	32.11	8.47	13.26	0.8	27.8
		18:04	21.09	50.32	33.04	8.43	12.03	0.9	33.9
		21:04	21.21	51.11	33.62	8.33	10.36	0.4	23.1
	日平均值		20.42	50.18	32.94	8.39	10.88	0.70	23.92
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月10日	蚵殼站	0:04	20.04	49.16	32.20	8.35	10.31	2.8	17.9	
		3:04	19.74	48.58	31.78	8.33	9.96	3.2	16.1	
		6:04	19.58	49.07	32.13	8.28	8.85	2.6	13.6	
		9:04	20.35	49.69	32.59	8.24	8.45	2.0	11.9	
		12:04	20.73	49.76	32.63	8.28	9.56	2.3	14.5	
		15:04	21.64	50.17	32.93	8.24	9.36	2.7	16.0	
		18:04	21.97	50.91	33.47	8.18	8.54	2.5	10.7	
		21:04	21.51	50.71	33.33	8.27	9.53	2.9	12.8	
	日平均值			20.70	49.76	32.63	8.27	9.32	2.63	14.19
	潮口站	0:04	22.69	49.91	33.85	8.05	7.14	10.2	5.0	
		3:04	20.42	47.74	32.26	8.25	9.40	6.0	16.7	
		6:04	23.04	50.35	34.16	8.03	6.67	8.9	4.0	
		9:04	22.96	50.47	34.25	8.05	6.90	6.4	3.2	
		12:04	21.44	48.63	32.91	8.22	9.16	6.9	12.0	
		15:04	22.14	49.24	33.36	8.18	8.41	7.7	12.9	
		18:04	23.45	49.79	33.74	8.06	7.40	6.4	5.5	
		21:04	23.51	50.57	34.33	8.06	7.20	7.1	2.0	
	日平均值			22.46	49.59	33.61	8.11	7.79	7.45	7.66
	灣內站	0:04	20.71	50.08	32.87	8.39	11.35	0.7	25.6	
		3:04	20.62	50.63	33.27	8.32	9.87	0.3	21.3	
		6:04	20.94	51.14	33.64	8.18	7.41	0.3	17.1	
		9:04	20.68	50.90	33.46	8.21	7.67	1.0	13.0	
		12:04	20.55	49.81	32.67	8.39	12.12	0.5	30.8	
		15:04	21.01	47.99	31.33	8.48	14.43	0.4	24.2	
		18:04	21.00	49.35	32.32	8.46	13.67	0.5	39.8	
		21:04	21.15	50.72	33.33	8.36	11.73	0.3	29.9	
	日平均值			20.83	50.08	32.86	8.35	11.03	0.49	25.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月11日	蚵殼站	0:04	20.66	49.22	32.24	8.38	11.24	2.8	20.9	
		3:04	20.22	48.13	31.44	8.38	11.23	2.0	19.0	
		6:04	20.06	48.03	31.37	8.34	10.19	2.4	22.4	
		9:04	20.18	48.67	31.83	8.35	10.24	1.9	20.0	
		12:04	21.96	50.21	32.95	8.37	8.79	3.6	10.2	
		15:04	22.95	51.35	33.78	8.28	7.79	4.8	7.5	
		18:04	22.41	50.66	33.28	8.34	8.45	4.5	19.7	
		21:04	22.43	50.53	33.19	8.35	8.50	2.9	17.3	
	日平均值			21.36	49.60	32.51	8.35	9.55	3.11	17.13
	潮口站	0:04	22.72	49.79	33.75	8.08	7.55	10.3	5.8	
		3:04	22.31	49.46	33.53	8.11	8.10	8.8	15.1	
		6:04	22.94	50.03	33.94	8.05	7.04	9.8	8.4	
		9:04	23.23	50.39	34.20	8.05	7.06	9.7	7.9	
		12:04	22.39	49.09	33.24	8.19	8.85	8.6	9.3	
		15:04	22.80	48.82	33.03	8.25	9.89	8.9	29.4	
		18:04	23.71	50.09	33.97	8.07	7.40	10.0	5.0	
		21:04	23.89	49.40	33.46	8.06	7.31	10.7	9.0	
	日平均值			23.00	49.63	33.64	8.11	7.90	9.60	11.24
	灣內站	0:04	21.27	50.85	33.43	8.31	10.71	0.1	28.8	
		3:04	20.86	50.17	32.93	8.33	10.91	0.0	28.3	
		6:04	21.06	50.16	32.92	8.35	11.34	0.3	27.7	
		9:04	21.52	51.30	33.75	8.22	8.47	0.5	15.4	
		12:04	21.84	50.23	32.96	8.34	11.24	0.3	14.9	
		15:04	22.65	51.56	33.93	8.23	8.96	3.4	9.6	
		18:04	22.85	51.88	34.16	8.20	8.50	4.2	19.5	
		21:04	22.44	51.23	33.69	8.24	9.03	2.2	25.5	
	日平均值			21.81	50.92	33.47	8.28	9.90	1.37	21.22
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月12日	蚵殼站	0:04	22.38	50.64	33.26	8.35	8.26	4.6	16.0	
		3:04	22.41	50.72	33.33	8.33	7.95	2.8	11.2	
		6:04	22.39	50.67	33.29	8.31	7.39	4.0	15.2	
		9:04	22.41	50.22	32.96	8.28	7.10	2.5	12.5	
		12:04	23.17	50.78	33.36	8.32	7.95	2.4	6.3	
		15:04	23.93	51.06	33.56	8.31	8.29	3.1	5.5	
		18:04	23.40	50.85	33.40	8.37	9.34	2.8	12.2	
		21:04	23.59	50.68	33.28	8.39	9.45	3.3	14.0	
	日平均值			22.96	50.70	33.31	8.33	8.22	3.19	11.61
	潮口站	0:04	23.25	49.13	33.25	8.10	7.57	10.7	7.9	
		3:04	22.53	48.20	32.58	8.16	8.06	7.8	13.4	
		6:04	22.62	48.03	32.45	8.11	7.37	9.2	12.8	
		9:04	23.85	49.83	33.74	8.07	6.99	8.1	2.8	
		12:04	23.80	48.36	32.66	8.17	8.50	9.1	13.4	
		15:04	24.81	48.55	32.77	8.19	8.85	11.5	16.6	
		18:04	24.51	48.64	32.85	8.18	9.03	6.9	14.8	
		21:04	24.60	50.19	33.98	8.05	7.19	5.5	5.0	
	日平均值			23.75	48.87	33.04	8.13	7.95	8.60	10.84
	灣內站	0:04	22.62	51.33	33.76	8.20	8.24	3.1	21.9	
		3:04	22.61	51.34	33.77	8.18	7.84	1.4	12.6	
		6:04	22.59	51.42	33.84	8.17	7.58	1.5	11.9	
		9:04	22.64	51.32	33.76	8.24	9.17	2.0	19.2	
		12:04	23.46	51.21	33.66	8.27	10.17	1.5	13.5	
		15:04	24.16	51.41	33.79	8.29	10.92	1.7	12.6	
		18:04	24.68	50.29	32.96	8.30	11.86	1.8	19.4	
		21:04	23.95	51.29	33.72	8.30	11.18	2.1	21.9	
	日平均值			23.34	51.20	33.66	8.24	9.62	1.88	16.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月13日	蚵殼站	0:04	23.62	50.91	33.44	8.35	8.52	1.4	11.7	
		3:04	23.35	50.88	33.43	8.33	8.33	1.9	8.9	
		6:04	23.29	50.87	33.43	8.30	7.42	1.4	11.3	
		9:04	23.48	50.85	33.41	8.36	8.37	2.0	10.1	
		12:04	23.80	50.63	33.24	8.35	8.64	1.9	10.9	
		15:04	24.22	51.07	33.55	8.35	8.59	2.8	14.7	
		18:04	23.88	51.14	33.61	8.38	9.20	2.6	10.8	
		21:04	25.17	50.98	33.47	8.39	9.28	2.9	20.9	
	日平均值			23.85	50.92	33.45	8.35	8.54	2.11	12.41
	潮口站	0:04	24.47	49.75	33.66	8.12	7.98	9.1	8.7	
		3:04	24.24	49.01	33.11	8.12	8.10	11.5	11.3	
		6:04	23.96	48.88	33.02	8.12	8.10	6.9	12.1	
		9:04	24.09	50.12	33.93	8.07	6.86	7.1	9.6	
		12:04	24.57	50.20	33.97	8.10	7.27	9.4	6.0	
		15:04	25.00	49.24	33.25	8.18	9.31	8.4	11.6	
		18:04	24.46	49.57	33.51	8.10	7.88	7.3	11.9	
		21:04	24.63	49.52	33.46	8.07	7.67	4.7	4.0	
	日平均值			24.43	49.54	33.49	8.11	7.90	8.05	9.40
	灣內站	0:04	23.69	51.75	34.06	8.23	9.45	1.8	18.3	
		3:04	23.92	51.66	33.99	8.20	9.05	0.9	12.3	
		6:04	23.56	51.54	33.91	8.14	7.91	2.1	13.2	
		9:04	23.76	51.89	34.16	8.20	8.86	1.7	12.3	
		12:04	24.33	51.85	34.11	8.31	11.66	1.3	17.8	
		15:04	25.93	51.07	33.49	8.28	11.65	0.8	17.1	
		18:04	25.96	51.07	33.50	8.28	11.71	1.3	15.7	
		21:04	25.42	51.74	34.01	8.33	12.43	1.1	14.0	
	日平均值			24.57	51.57	33.90	8.25	10.34	1.38	15.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月14日	蚵殼站	0:04	24.98	50.98	33.47	8.37	8.64	2.7	12.7	
		3:04	24.52	50.88	33.41	8.41	9.28	2.3	19.1	
		6:04	24.29	50.89	33.42	8.37	8.38	2.2	13.2	
		9:04	24.25	51.00	33.50	8.38	8.53	1.0	25.1	
		12:04	24.60	51.07	33.55	8.34	8.05	2.4	18.6	
		15:04	24.84	51.14	33.60	8.38	8.76	6.7	24.2	
		18:04	24.75	51.03	33.51	8.40	8.88	2.2	10.3	
		21:04	24.61	51.23	33.67	8.33	7.61	2.6	18.4	
	日平均值			24.61	51.03	33.52	8.37	8.52	2.76	17.70
	潮口站	0:04	24.39	49.98	33.80	8.05	7.47	5.4	2.0	
		3:04	24.43	49.56	33.49	8.06	7.36	9.4	1.6	
		6:04	24.36	49.10	33.17	8.14	8.46	5.1	9.1	
		9:04	24.19	49.56	33.49	8.12	7.54	6.9	4.4	
		12:04	24.38	49.44	33.40	8.10	7.78	7.6	3.2	
		15:04	24.90	49.61	33.52	8.14	8.56	7.4	8.2	
		18:04	24.83	49.09	33.14	8.13	8.58	7.3	7.8	
		21:04	24.58	48.52	32.73	8.10	7.65	7.1	5.2	
	日平均值			24.51	49.36	33.34	8.11	7.93	7.03	5.19
	灣內站	0:04	24.46	52.01	34.23	8.27	10.66	1.5	13.4	
		3:04	24.37	52.08	34.28	8.24	10.20	0.9	8.8	
		6:04	24.01	52.15	34.34	8.10	7.68	1.7	6.4	
		9:04	24.09	52.09	34.30	8.24	9.70	2.0	14.3	
		12:04	24.45	52.26	34.41	8.24	10.01	2.7	13.0	
		15:04	25.03	52.16	34.33	8.31	11.06	2.7	18.1	
		18:04	25.40	51.95	34.17	8.42	12.71	4.0	18.6	
		21:04	25.19	51.84	34.10	8.38	11.82	4.0	22.7	
	日平均值			24.63	52.07	34.27	8.27	10.48	2.44	14.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月15日	蚵殼站	0:04	24.34	51.39	33.79	8.28	7.24	1.9	12.6	
		3:04	24.11	51.31	33.74	8.24	6.39	4.9	14.6	
		6:04	23.93	51.34	33.76	8.29	6.99	2.9	12.3	
		9:04	23.73	51.27	33.71	8.27	6.65	2.1	13.8	
		12:04	23.73	51.10	33.59	8.38	7.85	2.0	25.3	
		15:04	23.75	50.76	33.33	8.38	8.01	20.5	23.6	
		18:04	23.52	50.99	33.51	8.36	7.54	2.1	21.7	
		21:04	23.32	51.10	33.59	8.35	7.33	2.0	23.9	
	日平均值			23.80	51.16	33.63	8.32	7.25	4.80	18.48
	潮口站	0:04	23.76	48.67	32.86	8.07	7.57	6.2	3.2	
		3:04	23.73	48.96	33.07	8.08	7.67	8.2	7.4	
		6:04	23.82	49.19	33.24	8.07	7.35	6.9	7.2	
		9:04	23.67	48.33	32.63	8.05	6.93	5.5	3.0	
		12:04	23.43	48.93	33.07	8.07	7.63	5.6	7.4	
		15:04	23.20	49.14	33.23	8.06	7.65	8.7	4.1	
		18:04	23.36	48.66	32.88	8.10	7.82	7.4	9.9	
		21:04	23.29	48.65	32.87	8.10	7.65	7.0	8.7	
	日平均值			23.53	48.82	32.98	8.08	7.53	6.94	6.36
	灣內站	0:04	24.92	52.14	34.31	8.28	10.25	2.0	13.8	
		3:04	24.57	51.82	34.08	8.24	9.20	2.8	13.9	
		6:04	24.30	51.77	34.06	8.23	8.82	3.3	14.1	
		9:04	24.07	51.73	34.03	8.23	8.81	3.0	13.5	
		12:04	24.06	51.60	33.94	8.21	8.69	3.0	13.0	
		15:04	23.94	51.28	33.70	8.27	9.54	3.6	27.5	
		18:04	23.88	51.49	33.87	8.16	7.78	4.4	13.1	
		21:04	23.50	51.24	33.68	8.14	7.38	2.9	11.4	
	日平均值			24.16	51.63	33.96	8.22	8.81	3.13	15.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月16日	蚵殼站	0:04	23.08	51.09	33.59	8.31	5.89	1.4	19.3	
		3:04	22.81	51.09	33.60	8.27	5.31	0.1	3.7	
		6:04	22.59	50.90	33.45	8.29	6.38	1.3	5.7	
		9:04	22.54	51.01	33.54	8.27	5.15	0.2	14.7	
		12:14	22.60	51.12	33.61	8.33	6.41	2.1	10.3	
		15:04	22.50	50.87	33.42	8.36	7.22	3.0	14.2	
		18:04	22.46	50.90	33.45	8.38	7.62	1.3	16.8	
		21:04	22.45	50.96	33.49	8.37	7.61	2.1	16.6	
	日平均值			22.63	50.99	33.52	8.32	6.45	1.44	12.66
	潮口站	0:04	22.96	48.56	32.82	8.06	7.44	5.7	2.3	
		3:04	22.72	49.21	33.30	8.08	7.69	5.2	4.6	
		6:04	22.56	49.72	33.66	8.07	7.42	7.0	4.0	
		9:04	22.37	49.66	33.65	8.04	7.01	6.8	5.1	
		12:34	23.38	50.25	34.02	8.07	6.94	1.8	1.9	
		15:04	23.51	50.53	34.22	8.12	7.08	1.7	2.2	
		18:04	22.90	50.07	33.89	8.18	7.24	3.6	1.5	
		21:04	22.84	49.76	33.66	8.21	7.31	3.4	12.6	
	日平均值			22.91	49.72	33.65	8.10	7.27	4.40	4.28
	灣內站	0:04	23.36	51.00	33.51	8.15	7.82	2.1	14.1	
		3:04	23.20	50.87	33.43	8.14	7.19	2.3	10.3	
		6:04	23.01	51.02	33.53	8.13	7.06	2.1	10.6	
		9:04	22.98	51.10	33.60	8.10	6.24	5.9	8.2	
		12:14	22.91	50.93	33.46	8.10	6.83	1.3	15.1	
		15:04	22.96	51.00	33.51	8.10	7.11	1.5	11.6	
		18:04	22.68	50.89	33.43	8.07	6.57	1.0	16.8	
		21:04	22.44	50.89	33.44	8.01	5.18	0.6	12.2	
	日平均值			22.94	50.96	33.49	8.10	6.75	2.08	12.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月17日	蚵殼站	0:04	22.38	50.97	33.50	8.36	7.31	1.9	18.4	
		3:04	22.13	50.94	33.48	8.29	6.21	1.0	3.6	
		6:04	21.94	50.91	33.46	8.27	5.93	0.6	10.6	
		9:04	21.67	50.63	33.26	8.32	6.95	1.3	12.4	
		12:04	21.96	50.64	33.26	8.36	7.86	1.4	19.3	
		15:04	22.15	50.72	33.32	8.35	7.87	1.9	10.1	
		18:04	22.16	50.88	33.44	8.35	7.86	2.9	18.9	
		21:04	22.12	50.75	33.34	8.38	8.42	2.1	19.2	
	日平均值			22.06	50.81	33.38	8.34	7.30	1.64	14.06
	潮口站	0:04	22.54	49.72	33.64	8.17	6.81	2.4	8.5	
		3:04	23.58	50.75	34.38	8.13	6.86	1.6	2.2	
		6:04	22.40	50.23	34.01	8.16	6.64	4.8	6.3	
		9:04	22.46	50.18	33.98	8.14	6.51	3.0	1.7	
		12:04	23.94	50.77	34.39	8.12	6.86	2.3	0.0	
		15:04	24.04	50.83	34.43	8.14	7.03	3.2	0.5	
		18:04	22.98	50.16	33.96	8.25	7.76	3.0	6.6	
		21:04	23.33	50.45	34.16	8.20	7.46	4.0	3.0	
	日平均值			23.16	50.39	34.12	8.16	6.99	3.04	3.60
	灣內站	0:04	22.44	51.13	33.62	8.01	5.75	0.0	10.3	
		3:04	22.33	51.23	33.69	8.01	5.72	1.0	11.2	
		6:04	21.89	51.05	33.56	7.98	5.28	0.1	19.9	
		9:04	22.11	51.11	33.60	8.04	6.31	1.8	7.8	
		12:04	22.34	50.93	33.47	8.11	7.71	2.2	10.2	
		15:04	22.69	50.88	33.43	8.13	8.52	1.7	17.2	
		18:04	22.57	50.96	33.49	8.17	9.13	2.0	31.6	
		21:04	22.56	50.59	33.22	8.10	8.38	1.3	14.8	
	日平均值			22.37	50.99	33.51	8.07	7.10	1.27	15.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月18日	蚵殼站	0:04	22.05	50.49	33.15	8.38	8.62	1.5	26.9	
		3:04	21.92	50.42	33.10	8.35	7.95	2.7	24.2	
		6:04	21.83	50.43	33.10	8.33	7.62	1.6	16.2	
		9:04	21.71	50.32	33.03	8.32	7.84	1.4	16.7	
		12:04	22.04	50.26	32.98	8.39	9.44	1.6	25.5	
		15:04	22.33	50.36	33.05	8.41	10.04	1.4	22.1	
		18:04	22.12	50.70	33.30	8.39	8.86	2.7	23.4	
		21:04	22.38	50.30	33.01	8.43	9.79	2.4	27.8	
	日平均值			22.05	50.41	33.09	8.38	8.77	1.91	22.85
	潮口站	0:04	22.91	50.26	34.03	8.17	7.01	3.9	3.4	
		3:04	23.58	50.68	34.33	8.13	6.89	8.4	7.1	
		6:04	23.27	50.56	34.25	8.13	6.82	3.5	0.8	
		9:04	22.88	50.44	34.16	8.15	6.70	3.9	2.6	
		12:04	23.64	50.67	34.32	8.12	6.86	1.9	1.6	
		15:04	24.16	50.88	34.47	8.13	6.92	2.0	0.8	
		18:04	23.63	50.68	34.33	8.16	7.26	3.2	2.6	
		21:04	23.15	50.49	34.20	8.10	6.80	10.8	2.4	
	日平均值			23.40	50.58	34.26	8.14	6.91	4.70	2.66
	灣內站	0:04	22.46	51.12	33.61	7.89	6.87	1.7	13.0	
		3:04	22.37	51.34	33.77	7.87	6.67	0.5	16.9	
		6:04	22.19	51.27	33.72	7.81	5.47	0.2	7.7	
		9:04	21.91	50.82	33.40	7.88	6.96	1.6	13.7	
		12:04	22.31	50.90	33.45	8.00	9.28	2.2	19.7	
		15:04	22.62	50.34	33.03	8.07	11.10	1.8	27.1	
		18:04	22.52	50.87	33.42	8.05	10.19	1.1	35.5	
		21:04	22.54	50.93	33.46	7.99	8.71	1.3	27.3	
	日平均值			22.37	50.95	33.48	7.95	8.16	1.30	20.12
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月19日	蚵殼站	0:04	22.10	50.02	32.80	8.42	9.79	2.1	24.9	
		3:04	21.95	50.09	32.86	8.39	9.16	2.2	22.5	
		6:04	21.72	49.88	32.71	8.39	9.07	2.7	21.7	
		9:04	21.84	50.05	32.83	8.41	9.58	1.8	28.2	
		12:04	22.68	49.69	32.55	8.51	12.00	1.7	27.3	
		15:04	22.54	50.61	33.23	8.43	9.94	2.6	16.0	
		18:04	22.49	50.70	33.29	8.39	9.10	3.5	17.1	
		21:04	23.10	50.85	33.40	8.34	8.53	4.4	11.0	
	日平均值			22.30	50.24	32.96	8.41	9.65	2.63	21.09
	潮口站	0:04	23.06	50.25	34.02	8.17	7.28	4.8	3.9	
		3:04	23.17	50.33	34.08	8.11	6.65	2.9	8.1	
		6:04	23.55	50.78	34.40	8.11	6.68	2.5	0.3	
		9:04	23.23	50.61	34.29	8.13	6.90	3.5	4.7	
		12:04	23.64	50.59	34.26	8.14	7.14	2.7	2.3	
		15:04	24.68	50.51	34.18	8.11	7.02	1.2	0.7	
		18:04	24.54	50.22	33.97	8.12	7.04	3.5	0.9	
		21:04	23.89	50.32	34.05	8.10	6.85	9.5	0.4	
	日平均值			23.72	50.45	34.16	8.12	6.95	3.83	2.66
	灣內站	0:04	22.26	51.09	33.59	7.94	7.92	0.9	17.8	
		3:04	22.09	50.84	33.41	7.93	7.89	1.0	29.6	
		6:04	22.13	50.97	33.50	7.93	7.69	0.8	24.6	
		9:04	22.29	51.04	33.55	8.00	8.78	0.8	21.4	
		12:04	22.72	49.96	32.75	8.08	11.49	1.1	21.9	
		15:04	23.32	50.51	33.14	8.16	12.56	0.9	31.5	
		18:04	23.10	50.86	33.40	8.15	11.57	0.9	32.2	
		21:04	22.68	51.01	33.52	8.06	9.77	1.0	25.1	
	日平均值			22.57	50.79	33.36	8.03	9.71	0.91	25.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月20日	蚵殼站	0:04	22.54	50.69	33.29	8.36	8.47	3.2	2.7	
		3:04	22.59	50.83	33.40	8.34	8.02	4.0	6.9	
		6:04	21.90	50.08	32.85	8.47	9.54	1.5	19.0	
		9:04	21.93	50.16	32.91	8.47	9.72	2.3	25.0	
		12:04	22.28	49.97	32.76	8.51	10.92	2.4	25.4	
		15:04	22.49	50.20	32.93	8.49	11.05	1.7	21.7	
		18:04	22.70	50.45	33.11	8.47	10.65	3.5	22.8	
		21:04	22.43	50.48	33.13	8.45	10.24	3.0	15.9	
	日平均值			22.36	50.36	33.05	8.45	9.83	2.70	17.43
	潮口站	0:04	23.45	50.29	34.05	8.12	6.76	9.5	2.1	
		3:04	23.57	50.62	34.29	8.11	6.76	4.3	3.6	
		6:04	23.65	50.70	34.35	8.11	6.68	2.2	2.4	
		9:04	23.59	50.75	34.38	8.13	6.99	4.5	0.4	
		12:04	23.59	50.60	34.27	8.14	7.08	3.8	1.3	
		15:04	24.29	50.39	34.10	8.12	7.05	2.4	0.8	
		18:04	24.19	50.50	34.18	8.13	7.04	2.4	0.3	
		21:04	23.70	50.43	34.15	8.14	7.20	7.3	3.7	
	日平均值			23.75	50.54	34.22	8.13	6.95	4.55	1.83
	灣內站	0:04	22.45	51.10	33.59	8.00	8.54	2.1	20.8	
		3:04	22.29	51.07	33.58	8.00	8.26	2.9	21.7	
		6:04	22.19	50.89	33.44	7.98	7.89	1.7	19.5	
		9:04	22.18	50.89	33.44	8.01	8.15	1.9	18.4	
		12:04	22.70	50.08	32.84	8.20	11.32	0.2	31.0	
		15:04	22.66	50.12	32.87	8.24	12.29	1.1	34.0	
		18:04	22.80	50.62	33.23	8.21	10.43	1.5	32.4	
		21:04	22.58	50.61	33.23	8.19	10.69	1.0	28.1	
	日平均值			22.48	50.67	33.28	8.10	9.70	1.53	25.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月21日	蚵殼站	0:04	22.21	50.32	33.02	8.45	9.87	2.8	14.7	
		3:04	21.81	49.53	32.45	8.50	10.66	2.5	17.9	
		6:04	21.59	48.22	31.48	8.43	9.58	3.6	36.7	
		9:04	21.80	49.55	32.46	8.42	9.25	2.8	16.6	
		12:04	22.44	49.87	32.68	8.47	10.48	3.5	20.0	
		15:04	22.42	49.87	32.69	8.44	9.98	4.7	24.1	
		18:04	22.49	50.12	32.87	8.43	9.80	5.7	17.9	
		21:04	22.42	50.07	32.83	8.43	9.62	3.5	23.0	
	日平均值			22.15	49.69	32.56	8.45	9.91	3.64	21.36
	潮口站	0:04	23.46	50.37	34.11	8.14	7.02	6.1	2.3	
		3:04	23.23	50.21	33.99	8.11	6.73	5.0	2.4	
		6:04	23.80	50.82	34.43	8.10	6.79	3.9	1.1	
		9:04	23.53	50.79	34.41	8.13	7.00	3.1	1.1	
		12:04	23.06	48.99	33.09	8.35	9.83	4.0	10.3	
		15:04	24.05	49.51	33.46	8.11	7.31	3.0	2.3	
		18:04	24.10	49.64	33.55	8.11	7.03	2.1	0.3	
		21:04	23.61	50.11	33.91	8.18	7.49	5.0	3.4	
	日平均值			23.61	50.06	33.87	8.15	7.40	4.03	2.90
	灣內站	0:04	22.36	50.76	33.35	8.01	7.89	0.2	18.2	
		3:04	21.83	50.07	32.84	8.09	8.96	0.0	35.1	
		6:04	22.08	50.04	32.82	8.09	8.86	0.1	19.8	
		9:04	22.19	50.97	33.50	8.04	7.96	0.7	14.6	
		12:04	22.77	50.97	33.49	8.08	8.85	0.4	8.4	
		15:04	22.67	51.11	33.60	8.12	9.47	0.1	16.1	
		18:04	22.65	51.13	33.62	8.10	8.94	0.1	20.0	
		21:04	22.60	51.11	33.60	8.10	9.14	1.3	21.8	
	日平均值			22.39	50.77	33.35	8.08	8.76	0.35	19.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月22日	蚵殼站	0:04	22.39	50.15	32.89	8.43	9.40	3.1	13.7	
		3:04	22.29	50.18	32.92	8.41	9.00	3.4	14.5	
		6:04	22.23	50.21	32.94	8.35	7.93	4.4	5.2	
		9:04	22.11	49.89	32.70	8.39	8.73	3.1	8.6	
		12:04	23.04	49.73	32.57	8.40	9.34	2.8	7.5	
		15:04	23.09	50.16	32.89	8.39	9.09	4.2	11.6	
		18:04	22.98	50.22	32.94	8.40	9.23	4.6	4.8	
		21:04	23.04	50.31	33.00	8.36	8.83	2.2	3.6	
	日平均值			22.65	50.11	32.86	8.39	8.94	3.48	8.69
	潮口站	0:04	23.24	50.12	33.92	8.11	6.84	11.3	3.1	
		3:04	22.90	49.72	33.63	8.22	7.81	4.0	4.7	
		6:04	23.88	50.74	34.37	8.11	6.77	2.4	2.2	
		9:04	23.61	50.52	34.21	8.13	6.95	9.2	1.2	
		12:04	23.53	49.88	33.74	8.20	8.01	4.2	3.9	
		15:04	24.73	50.23	33.98	8.12	7.45	3.1	3.5	
		18:04	24.37	49.90	33.74	8.12	7.15	2.2	6.7	
		21:04	24.03	50.24	33.99	8.17	7.55	4.3	3.7	
	日平均值			23.79	50.17	33.95	8.15	7.32	5.09	3.63
	灣內站	0:04	22.49	51.07	33.57	8.08	8.58	1.5	13.5	
		3:04	22.39	51.11	33.60	8.00	7.36	0.2	11.5	
		6:04	22.24	51.12	33.61	7.93	6.34	1.9	10.0	
		9:04	22.42	50.96	33.49	8.04	7.79	0.8	10.6	
		12:04	23.32	50.50	33.14	8.14	9.76	0.5	10.0	
		15:04	24.06	50.55	33.16	8.16	10.41	0.7	15.3	
		18:04	24.00	50.86	33.39	8.18	10.44	0.6	23.0	
		21:04	23.18	51.01	33.52	8.13	9.45	1.1	11.5	
	日平均值			23.01	50.90	33.44	8.08	8.77	0.92	13.17
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月23日	蚵殼站	0:04	23.27	50.21	32.92	8.42	9.51	2.4	13.3	
		3:04	23.29	49.72	32.56	8.43	9.56	2.5	12.6	
		6:04	23.08	49.80	32.62	8.42	9.06	1.9	13.4	
		9:04	23.02	49.89	32.70	8.41	8.88	1.8	12.4	
		12:04	23.38	50.00	32.77	8.44	9.94	2.1	3.1	
		15:04	23.43	50.19	32.91	8.39	9.30	1.7	12.3	
		18:04	23.57	50.30	32.98	8.35	8.74	2.0	13.9	
		21:04	23.43	50.28	32.97	8.35	8.31	0.4	7.7	
	日平均值			23.31	50.05	32.80	8.40	9.16	1.85	11.09
	潮口站	0:04	24.04	50.26	34.01	8.13	6.97	8.2	0.6	
		3:04	23.81	49.97	33.80	8.17	7.42	2.7	4.3	
		6:04	24.23	50.73	34.35	8.11	6.78	4.6	1.9	
		9:04	24.17	50.65	34.29	8.13	6.89	6.3	2.1	
		12:04	24.41	50.16	33.93	8.15	7.24	3.6	3.8	
		15:04	24.49	50.49	34.17	8.12	7.20	3.8	2.7	
		18:04	24.51	50.57	34.23	8.13	7.16	2.5	0.6	
		21:04	24.40	50.40	34.11	8.11	7.05	1.6	2.1	
	日平均值			24.26	50.40	34.11	8.13	7.09	4.16	2.26
	灣內站	0:04	23.23	50.90	33.44	8.08	8.37	0.7	11.0	
		3:04	23.08	50.87	33.41	8.09	8.46	1.0	12.5	
		6:04	22.91	50.70	33.29	8.03	7.75	1.6	11.3	
		9:04	22.98	50.92	33.45	8.02	7.16	0.4	6.7	
		12:04	24.25	50.29	32.97	8.18	10.10	0.9	10.3	
		15:04	24.73	48.77	31.85	8.23	12.20	1.1	31.8	
		18:04	24.37	50.47	33.10	8.15	9.97	1.1	22.2	
		21:04	24.27	50.49	33.12	8.13	9.20	0.0	23.8	
	日平均值			23.73	50.43	33.08	8.11	9.15	0.86	16.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月24日	蚵殼站	0:04	23.19	50.22	32.93	8.39	8.96	1.9	5.4	
		3:04	23.33	50.02	32.78	8.40	9.13	1.2	11.7	
		6:04	23.04	49.92	32.72	8.40	8.72	1.6	8.9	
		9:04	22.89	49.64	32.51	8.40	8.80	1.6	17.4	
		12:04	22.83	49.36	32.30	8.44	9.76	1.7	20.4	
		15:04	22.93	49.12	32.13	8.51	11.20	2.2	29.8	
		18:04	22.95	49.90	32.70	8.37	8.90	0.9	9.1	
		21:04	22.90	50.09	32.84	8.36	8.54	1.7	11.6	
	日平均值			23.01	49.78	32.61	8.41	9.25	1.60	14.29
	潮口站	0:04	24.11	50.26	34.01	8.10	6.74	10.5	0.4	
		3:04	23.93	49.94	33.78	8.20	7.58	2.6	0.5	
		6:04	24.08	50.75	34.38	8.11	6.85	2.0	0.5	
		9:04	24.02	50.82	34.42	8.11	6.72	4.1	0.7	
		12:04	23.61	50.14	33.93	8.20	7.60	3.2	3.9	
		15:04	23.66	48.40	32.64	8.15	7.56	5.3	0.9	
		18:04	24.12	49.22	33.24	8.12	7.19	2.1	1.6	
		21:04	24.07	48.49	32.70	8.13	7.16	3.6	4.8	
	日平均值			23.95	49.75	33.64	8.14	7.18	4.18	1.66
	灣內站	0:04	23.87	50.42	33.07	8.11	8.59	0.5	13.6	
		3:04	23.50	50.86	33.40	8.09	8.17	1.7	7.9	
		6:04	23.34	50.72	33.30	8.07	7.62	1.2	10.5	
		9:04	23.09	50.49	33.13	8.13	8.43	1.1	16.3	
		12:04	23.13	50.55	33.18	8.07	7.48	0.6	12.6	
		15:04	22.87	48.44	31.64	8.26	11.87	0.4	57.6	
		18:04	23.11	49.84	32.66	8.20	9.90	0.4	34.7	
		21:04	23.13	50.00	32.78	8.13	9.11	0.2	34.3	
	日平均值			23.26	50.17	32.90	8.13	8.90	0.77	23.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月25日	蚵殼站	0:04	22.85	50.15	32.88	8.33	8.01	1.0	7.5	
		3:04	22.60	49.82	32.65	8.36	8.34	1.3	10.6	
		6:04	22.19	49.26	32.24	8.40	8.73	0.8	8.6	
		9:04	22.14	48.93	32.00	8.38	8.85	1.5	21.9	
		12:04	22.70	49.60	32.48	8.40	9.16	1.0	12.5	
		15:04	22.87	50.11	32.86	8.33	8.04	2.1	5.5	
		18:04	22.92	50.32	33.01	8.28	7.38	1.5	9.7	
		21:04	22.87	50.32	33.01	8.24	6.96	3.6	6.9	
	日平均值			22.64	49.81	32.64	8.34	8.18	1.60	10.40
	潮口站	0:04	23.55	48.59	32.78	8.19	7.49	3.3	5.8	
		3:04	23.03	47.67	32.12	8.28	8.48	4.1	11.5	
		6:04	23.61	49.61	33.54	8.11	6.99	2.3	2.0	
		9:04	23.77	48.78	32.92	8.11	6.97	5.9	0.1	
		12:04	23.32	48.02	32.37	8.28	8.75	2.8	8.1	
		15:04	23.54	48.43	32.67	8.27	8.92	4.7	3.9	
		18:04	23.91	48.61	32.79	8.12	7.33	4.3	1.1	
		21:04	23.98	48.28	32.55	8.11	7.05	2.2	0.3	
	日平均值			23.59	48.50	32.72	8.18	7.75	3.70	4.10
	灣內站	0:04	22.87	50.01	32.78	8.14	8.68	0.2	27.5	
		3:04	22.79	50.06	32.82	8.05	7.36	0.2	22.2	
		6:04	22.50	49.83	32.66	7.96	6.75	0.7	16.3	
		9:04	22.56	50.09	32.85	8.02	7.27	0.3	18.5	
		12:04	22.96	49.66	32.52	8.17	9.93	0.4	20.0	
		15:04	23.06	49.76	32.60	8.22	10.67	0.5	26.1	
		18:04	23.12	50.08	32.83	8.17	9.64	1.7	30.6	
		21:04	23.03	50.10	32.85	8.09	8.39	1.8	18.5	
	日平均值			22.86	49.95	32.74	8.10	8.59	0.70	22.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月26日	蚵殼站	0:04	22.58	50.00	32.78	8.35	8.40	1.1	9.3	
		3:04	22.41	49.82	32.65	8.37	8.60	1.9	28.2	
		6:04	22.35	49.80	32.64	8.34	8.05	1.2	11.4	
		9:04	22.24	49.85	32.67	8.35	8.32	1.3	10.7	
		12:04	23.14	49.67	32.53	8.40	9.91	0.8	15.6	
		15:04	22.84	50.10	32.85	8.44	10.35	1.6	17.2	
		18:04	22.78	50.15	32.89	8.41	9.76	3.4	13.5	
		21:04	22.67	50.18	32.91	8.32	8.21	2.2	10.0	
	日平均值			22.63	49.95	32.74	8.37	8.95	1.69	14.49
	潮口站	0:04	23.42	48.16	32.47	8.15	7.23	6.0	5.0	
		3:04	23.20	49.30	33.32	8.16	7.40	4.9	2.0	
		6:04	23.83	47.90	32.27	8.10	6.96	5.2	2.2	
		9:04	23.93	49.91	33.75	8.11	6.94	2.7	3.5	
		12:04	23.95	49.75	33.64	8.16	7.65	3.6	4.3	
		15:04	23.78	48.03	32.37	8.21	8.34	8.9	3.8	
		18:04	24.28	47.88	32.25	8.12	7.45	2.1	2.4	
		21:04	24.34	48.65	32.81	8.12	7.18	2.2	5.9	
	日平均值			23.84	48.70	32.86	8.14	7.39	4.45	3.64
	灣內站	0:04	22.82	50.15	32.89	8.09	8.19	1.1	17.7	
		3:04	22.77	50.20	32.92	8.00	6.75	2.7	13.4	
		6:04	22.74	50.19	32.92	7.98	6.82	0.0	13.7	
		9:04	22.39	49.80	32.64	7.99	6.72	0.5	12.6	
		12:04	23.41	49.70	32.55	8.20	10.12	0.0	14.7	
		15:04	23.65	49.16	32.15	8.31	12.44	2.2	30.8	
		18:04	23.56	49.09	32.10	8.28	11.39	1.7	26.1	
		21:04	22.99	49.53	32.43	8.15	9.69	0.8	26.3	
	日平均值			23.04	49.73	32.58	8.13	9.02	1.13	19.40
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月27日	蚵殼站	0:04	22.99	50.12	32.86	8.44	10.45	1.3	15.7	
		3:04	22.83	49.76	32.60	8.45	10.21	2.2	14.8	
		6:04	22.62	50.04	32.81	8.44	9.92	2.8	13.0	
		9:04	22.45	50.05	32.82	8.41	9.23	2.8	15.9	
		12:04	22.73	49.95	32.74	8.41	9.51	3.3	17.2	
		15:04	22.97	50.12	32.86	8.44	10.13	2.2	10.8	
		18:04	23.07	50.05	32.81	8.43	9.95	4.3	61.2	
		21:04	23.23	50.16	32.89	8.35	8.76	3.9	16.1	
	日平均值			22.86	50.03	32.80	8.42	9.77	2.85	20.59
	潮口站	0:04	23.99	50.39	34.11	8.15	7.25	4.4	3.7	
		3:04	23.84	49.35	33.34	8.13	7.13	5.7	0.0	
		6:04	23.66	47.97	32.33	8.10	6.81	4.4	1.8	
		9:04	24.25	48.97	33.05	8.12	6.98	3.7	0.2	
		12:04	24.52	48.91	33.00	8.13	7.19	4.3	4.4	
		15:04	24.27	48.91	33.00	8.16	7.88	6.5	6.4	
		18:04	24.28	48.62	32.79	8.17	7.74	4.4	0.2	
		21:04	24.28	50.81	34.41	8.12	7.06	2.3	1.4	
	日平均值			24.14	49.24	33.25	8.14	7.26	4.46	2.26
	灣內站	0:04	22.95	49.52	32.42	8.14	9.20	0.9	21.5	
		3:04	22.70	49.10	32.12	8.16	9.19	1.4	18.6	
		6:04	22.70	49.31	32.27	8.09	7.89	4.0	16.7	
		9:04	22.65	49.29	32.26	8.14	8.52	2.8	14.9	
		12:04	22.85	49.16	32.16	8.19	9.22	3.0	16.3	
		15:04	23.24	48.94	31.99	8.20	9.79	3.8	15.1	
		18:04	23.05	48.78	31.88	8.25	10.10	2.0	21.5	
		21:04	22.95	48.76	31.87	8.22	9.50	1.9	24.1	
	日平均值			22.89	49.11	32.12	8.17	9.18	2.47	18.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月28日	蚵殼站	0:04	23.36	50.39	33.05	8.31	8.22	1.9	6.3	
		3:04	22.38	49.95	32.75	8.41	9.01	2.1	11.4	
		6:04	22.31	49.63	32.51	8.42	9.06	2.4	23.2	
		9:04	22.40	49.48	32.40	8.43	9.57	2.9	19.1	
		12:04	22.70	49.53	32.43	8.48	10.58	3.2	22.1	
		15:04	22.88	50.10	32.85	8.43	9.69	3.6	13.5	
		18:04	22.88	50.15	32.89	8.41	9.32	4.2	13.2	
		21:04	22.86	50.01	32.78	8.36	8.62	2.4	7.6	
	日平均值			22.72	49.91	32.71	8.41	9.26	2.84	14.55
	潮口站	0:04	24.13	50.85	34.45	8.13	7.02	7.2	1.7	
		3:04	23.70	50.61	34.28	8.18	7.42	3.4	2.9	
		6:04	23.49	50.52	34.21	8.16	7.21	3.3	0.9	
		9:04	23.76	50.87	34.47	8.12	6.92	4.6	0.3	
		12:04	24.22	50.95	34.52	8.13	7.05	3.1	1.7	
		15:04	24.46	50.49	34.17	8.20	8.14	4.7	0.3	
		18:04	23.99	50.35	34.07	8.26	8.35	2.5	3.6	
		21:04	24.09	50.05	33.85	8.12	7.15	2.4	1.2	
	日平均值			23.98	50.59	34.25	8.16	7.41	3.90	1.58
	灣內站	0:04	22.83	48.59	31.75	8.16	8.95	4.4	19.7	
		3:04	22.51	48.52	31.70	8.19	8.82	2.1	12.9	
		6:04	22.73	48.84	31.93	7.93	6.43	0.7	9.4	
		9:04	22.55	48.58	31.74	8.03	6.99	1.3	5.0	
		12:04	23.59	48.14	31.40	8.25	10.07	2.2	11.1	
		15:04	23.98	47.96	31.26	8.33	11.63	1.6	23.0	
		18:04	24.23	47.09	30.63	8.34	12.01	4.2	30.7	
		21:04	24.07	48.48	31.64	8.23	9.46	2.7	10.2	
	日平均值			23.31	48.28	31.51	8.18	9.30	2.40	15.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月29日	蚵殼站	0:04	23.18	49.09	32.10	8.47	10.28	3.1	12.2	
		3:04	23.06	49.70	32.55	8.45	9.95	1.8	14.7	
		6:04	22.73	49.52	32.43	8.46	9.69	1.8	16.8	
		9:04	22.74	48.87	31.94	8.48	10.35	2.5	16.5	
		12:04	23.43	49.52	32.41	8.45	9.85	1.7	10.8	
		15:04	23.41	49.96	32.74	8.41	9.28	2.1	9.4	
		18:04	23.55	49.76	32.59	8.44	9.90	1.8	6.9	
		21:04	23.36	49.88	32.68	8.43	9.39	2.5	9.9	
	日平均值			23.18	49.54	32.43	8.45	9.84	2.16	12.15
	潮口站	0:04	24.09	50.45	34.15	8.13	7.06	2.8	4.1	
		3:04	23.30	49.54	33.49	8.25	7.99	5.2	4.3	
		6:04	22.95	48.78	32.93	8.36	8.74	2.6	7.2	
		9:04	23.87	50.63	34.29	8.12	7.07	2.3	2.9	
		12:04	24.12	50.71	34.34	8.12	7.18	4.1	3.0	
		15:04	24.60	50.26	34.00	8.20	8.10	7.0	4.8	
		18:04	24.08	50.04	33.85	8.21	7.83	5.3	5.7	
		21:04	23.68	50.15	33.94	8.20	7.40	3.3	2.7	
	日平均值			23.84	50.07	33.87	8.20	7.67	4.08	4.34
	灣內站	0:04	23.79	48.65	31.77	8.11	8.08	1.4	7.3	
		3:04	23.75	48.75	31.85	8.12	8.26	1.7	7.2	
		6:04	23.27	48.72	31.83	7.95	6.77	0.6	6.5	
		9:04	23.27	48.72	31.83	7.95	6.14	0.5	2.6	
		12:04	24.00	48.80	31.88	8.17	8.52	1.1	3.9	
		15:04	24.73	48.63	31.74	8.24	9.86	3.2	13.2	
		18:04	24.36	48.68	31.79	8.32	11.17	3.1	20.8	
		21:04	23.71	47.72	31.09	8.24	9.70	3.1	23.8	
	日平均值			23.86	48.58	31.72	8.14	8.56	1.85	10.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月1日	蚵殼站	0:04	23.15	49.91	32.70	8.39	8.79	1.3	5.3	
		3:04	23.10	49.41	32.34	8.41	8.85	1.6	7.1	
		6:04	22.93	49.82	32.64	8.39	8.26	3.3	16.9	
		9:04	22.92	49.69	32.55	8.38	8.33	8.5	11.2	
		12:04	23.46	50.75	33.34	8.39	8.65	3.6	7.6	
		15:04	23.14	50.97	33.51	8.35	8.07	5.7	12.2	
		18:04	23.34	50.91	33.46	8.34	8.34	2.6	6.2	
		21:04	23.20	50.86	33.43	8.35	8.39	3.8	11.5	
	日平均值			23.16	50.29	33.00	8.38	8.46	3.80	9.75
	潮口站	0:04	23.89	51.35	34.52	8.11	6.96	2.4	0.8	
		3:04	23.48	50.93	34.22	8.17	7.01	8.0	4.0	
		6:04	23.30	50.93	34.23	8.17	7.00	5.0	5.7	
		9:04	23.69	51.56	34.68	8.12	7.11	3.6	1.7	
		12:04	23.68	52.52	34.62	8.18	7.14	6.3	5.8	
		15:04	23.90	52.63	34.70	8.19	7.54	4.2	4.1	
		18:04	23.27	52.11	34.33	8.28	7.90	5.4	6.2	
		21:04	23.18	52.14	34.35	8.27	7.60	5.7	9.2	
	日平均值			23.55	51.77	34.46	8.19	7.28	5.08	4.69
	灣內站	0:04	23.67	49.19	32.17	8.05	8.09	1.4	10.3	
		3:04	23.50	49.44	32.36	8.03	8.08	0.6	6.7	
		6:04	23.15	49.51	32.42	7.97	7.10	1.1	8.6	
		9:04	23.11	49.66	32.52	8.01	7.38	0.1	4.8	
		12:04	23.60	51.23	33.67	8.18	8.80	1.3	8.2	
		15:04	23.85	51.30	33.72	8.23	9.01	3.2	8.2	
		18:04	24.34	51.28	33.70	8.23	8.91	6.3	6.4	
		21:04	23.88	51.23	33.67	8.29	9.73	3.0	11.8	
	日平均值			23.64	50.36	33.03	8.12	8.39	2.13	8.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月2日	蚵殼站	0:04	23.04	50.80	33.38	8.35	8.18	3.8	7.3	
		3:04	22.78	50.37	33.07	8.35	8.35	4.9	15.2	
		6:04	22.73	50.57	33.22	8.32	8.13	3.0	9.9	
		9:04	22.80	50.62	33.25	8.31	7.94	4.2	11.7	
		12:04	23.34	50.72	33.32	8.32	8.71	4.3	7.4	
		15:04	23.17	51.02	33.54	8.31	8.08	3.9	9.1	
		18:04	23.18	51.00	33.53	8.33	8.41	3.6	10.6	
		21:04	23.15	50.95	33.49	8.32	8.68	3.5	8.6	
	日平均值			23.02	50.76	33.35	8.33	8.31	3.90	9.98
	潮口站	0:04	23.45	52.60	34.68	8.18	7.14	3.6	2.6	
		3:04	22.91	52.41	34.55	8.23	7.25	5.1	0.8	
		6:04	22.65	52.31	34.48	8.22	6.94	7.2	0.6	
		9:04	23.09	52.62	34.71	8.18	7.01	5.2	2.3	
		12:04	23.78	52.84	34.86	8.19	7.46	3.3	2.6	
		15:04	23.58	52.70	34.76	8.21	7.74	3.6	7.4	
		18:04	23.25	52.15	34.36	8.29	8.45	3.6	8.0	
		21:04	22.99	51.98	34.23	8.30	8.27	5.0	1.1	
	日平均值			23.21	52.45	34.58	8.23	7.53	4.58	3.18
	灣內站	0:04	23.61	51.18	33.63	8.20	7.96	2.2	9.1	
		3:04	23.39	51.32	33.74	8.15	7.13	1.8	7.1	
		6:04	23.19	51.38	33.79	8.20	7.51	2.3	7.4	
		9:04	23.19	51.39	33.80	8.18	7.34	2.9	7.4	
		12:04	23.79	51.43	33.82	8.22	8.46	1.3	6.3	
		15:04	23.81	51.38	33.78	8.25	8.82	2.8	10.1	
		18:04	23.82	51.42	33.81	8.21	8.03	6.2	8.3	
		21:04	23.91	51.43	33.81	8.26	8.91	4.0	7.5	
	日平均值			23.59	51.37	33.77	8.21	8.02	2.94	7.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月3日	蚵殼站	0:04	23.05	51.00	33.53	8.29	7.84	5.1	10.6	
		3:04	22.88	51.04	33.56	8.28	7.26	4.4	10.5	
		6:04	22.59	50.64	33.28	8.27	7.66	4.4	14.4	
		9:04	22.74	50.89	33.46	8.26	7.68	3.5	9.0	
		12:04	22.97	50.68	33.30	8.28	8.19	3.1	12.7	
		15:04	22.83	50.91	33.47	8.32	9.04	3.5	11.5	
		18:04	22.81	51.00	33.54	8.25	7.76	4.9	11.9	
		21:04	22.84	50.93	33.48	8.27	7.96	4.9	19.7	
	日平均值			22.84	50.89	33.45	8.28	7.92	4.23	12.54
	潮口站	0:04	22.98	52.10	34.32	8.25	7.40	4.5	5.0	
		3:04	23.40	52.64	34.72	8.18	7.21	5.2	1.2	
		6:04	23.11	52.58	34.68	8.18	7.11	7.8	4.9	
		9:04	22.81	52.39	34.54	8.21	7.13	4.9	8.2	
		12:04	23.67	52.93	34.93	8.18	7.36	4.8	0.8	
		15:04	23.57	52.90	34.91	8.18	7.51	4.9	4.1	
		18:04	23.12	52.47	34.60	8.25	8.03	4.4	0.9	
		21:04	22.73	52.15	34.37	8.29	8.21	4.1	8.7	
	日平均值			23.17	52.52	34.63	8.22	7.50	5.08	4.23
	灣內站	0:04	23.56	51.39	33.79	8.21	7.90	3.1	10.4	
		3:04	23.29	51.30	33.73	8.21	7.96	2.7	12.5	
		6:04	23.15	51.35	33.77	8.15	6.69	1.8	8.4	
		9:04	23.07	51.39	33.80	8.16	6.96	2.9	9.1	
		12:04	23.38	51.48	33.86	8.22	8.09	1.6	10.4	
		15:04	23.45	51.45	33.84	8.23	8.27	3.2	10.1	
		18:04	23.49	51.39	33.79	8.22	7.80	5.2	11.4	
		21:04	22.99	50.95	33.48	8.29	9.37	2.0	21.8	
	日平均值			23.30	51.34	33.76	8.21	7.88	2.81	11.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月4日	蚵殼站	0:04	22.77	50.98	33.52	8.25	8.01	3.8	16.8	
		3:04	22.34	49.99	32.79	8.26	7.94	8.0	46.8	
		6:04	22.51	50.35	33.06	8.23	7.32	8.0	18.7	
		9:04	22.95	50.89	33.45	8.23	7.46	3.9	14.1	
		12:04	23.25	51.23	33.70	8.21	7.37	5.2	12.3	
		15:04	23.01	50.94	33.49	8.29	8.47	5.0	15.2	
		18:04	22.98	51.24	33.71	8.32	8.54	3.9	8.1	
		21:04	23.20	51.06	33.57	8.33	9.31	5.1	10.4	
	日平均值			22.88	50.84	33.41	8.27	8.05	5.36	17.80
	潮口站	0:04	22.65	52.13	34.35	8.27	7.89	4.1	6.0	
		3:04	23.39	52.85	34.87	8.17	7.16	3.7	2.4	
		6:04	23.25	52.80	34.84	8.17	7.20	6.4	2.5	
		9:04	22.98	52.65	34.73	8.18	7.16	5.7	0.2	
		12:04	23.56	52.84	34.87	8.17	7.53	10.6	0.5	
		15:04	23.62	52.78	34.82	8.18	7.67	3.2	1.3	
		18:04	23.34	52.45	34.58	8.25	8.49	15.9	3.7	
		21:04	23.11	52.02	34.26	8.34	9.75	5.3	1.6	
	日平均值			23.24	52.57	34.67	8.22	7.86	6.86	2.28
	灣內站	0:04	22.70	50.34	33.03	8.23	8.51	2.6	27.4	
		3:04	23.08	51.23	33.68	8.23	8.27	1.5	11.1	
		6:04	22.92	51.29	33.73	8.20	7.65	2.6	13.1	
		9:04	22.96	51.26	33.70	8.18	7.28	2.3	13.3	
		12:04	23.27	51.11	33.59	8.24	8.55	1.9	12.2	
		15:04	23.76	50.85	33.39	8.32	10.36	1.7	17.9	
		18:04	23.67	50.89	33.42	8.33	10.31	2.0	20.8	
		21:04	23.89	50.74	33.30	8.32	10.30	2.3	24.3	
	日平均值			23.28	50.96	33.48	8.26	8.90	2.11	17.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月5日	蚵殼站	0:04	23.32	50.88	33.44	8.34	9.22	5.1	10.2	
		3:04	23.20	50.68	33.29	8.32	9.02	3.8	11.4	
		6:04	22.95	50.36	33.06	8.32	8.80	5.1	15.6	
		9:04	23.17	50.49	33.15	8.27	9.18	4.6	16.0	
		12:04	23.71	50.76	33.34	8.31	9.19	4.7	8.0	
		15:04	23.62	51.24	33.70	8.36	10.31	4.4	15.5	
		18:04	23.62	51.17	33.65	8.37	10.23	3.9	8.5	
		21:04	23.65	51.08	33.58	8.38	10.10	3.8	9.9	
	日平均值			23.41	50.83	33.40	8.33	9.51	4.43	11.89
	潮口站	0:04	22.97	51.83	34.13	8.36	9.53	2.9	5.9	
		3:04	23.41	52.62	34.70	8.18	7.37	3.0	1.9	
		6:04	23.34	52.87	34.89	8.16	7.23	2.8	5.2	
		9:04	22.79	52.05	34.29	8.25	7.80	4.6	7.0	
		12:04	23.75	52.83	34.85	8.18	7.83	4.1	1.8	
		15:04	23.81	52.76	34.80	8.19	8.05	2.6	5.9	
		18:04	24.03	52.80	34.82	8.17	7.73	3.7	1.9	
		21:04	23.91	52.49	34.60	8.21	8.02	6.2	7.7	
	日平均值			23.50	52.53	34.64	8.21	7.95	3.74	4.66
	灣內站	0:04	23.25	49.13	32.14	8.16	8.13	4.0	40.7	
		3:04	23.31	50.96	33.48	8.24	8.54	2.4	13.7	
		6:04	22.99	51.16	33.63	8.10	5.94	2.5	15.4	
		9:04	23.10	51.21	33.67	8.20	8.01	1.1	10.5	
		12:04	24.20	50.27	32.95	8.29	10.26	1.0	11.8	
		15:04	24.46	50.79	33.33	8.32	10.62	0.9	16.5	
		18:04	24.42	51.01	33.50	8.32	10.38	1.0	12.6	
		21:04	24.34	50.99	33.48	8.31	9.69	1.2	12.9	
	日平均值			23.76	50.69	33.27	8.24	8.95	1.76	16.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月6日	蚵殼站	0:04	23.65	51.04	33.55	8.37	10.36	4.1	10.6	
		3:04	23.77	50.88	33.43	8.30	9.44	3.2	12.7	
		6:04	23.68	50.86	33.42	8.34	9.60	4.9	15.2	
		9:04	23.88	50.44	33.10	8.37	10.14	6.0	18.4	
		12:04	24.21	50.52	33.15	8.37	11.15	5.1	13.3	
		15:04	24.10	51.25	33.70	8.26	9.11	6.3	15.1	
		18:04	23.92	51.38	33.80	8.23	8.52	6.0	16.2	
		21:04	24.45	51.00	33.50	8.38	10.05	4.9	10.7	
	日平均值			23.96	50.92	33.46	8.33	9.80	5.06	14.03
	潮口站	0:04	23.78	52.02	34.25	8.32	9.14	4.6	1.3	
		3:04	23.87	52.40	34.53	8.17	7.74	4.8	6.3	
		6:04	24.00	52.51	34.61	8.15	7.40	6.3	0.2	
		9:04	23.58	51.39	33.79	8.35	9.74	4.4	10.0	
		12:04	24.30	51.14	33.59	8.43	11.91	4.5	20.9	
		15:04	24.37	52.38	34.51	8.17	7.90	6.6	2.3	
		18:04	24.41	52.26	34.42	8.16	7.80	5.7	6.8	
		21:04	24.14	52.18	34.36	8.18	7.57	8.9	11.9	
	日平均值			24.06	52.04	34.26	8.24	8.65	5.73	7.46
	灣內站	0:04	24.37	49.66	32.50	8.34	10.89	2.1	35.4	
		3:04	24.14	51.00	33.49	8.30	9.83	1.3	11.1	
		6:04	23.88	51.30	33.72	8.26	8.96	1.6	14.4	
		9:04	23.95	51.28	33.70	8.30	9.86	0.8	12.6	
		12:04	24.93	51.44	33.80	8.33	10.51	0.8	8.1	
		15:04	25.03	51.58	33.90	8.33	10.37	1.8	12.9	
		18:04	24.66	51.60	33.92	8.36	10.62	1.2	13.3	
		21:04	24.88	51.66	33.96	8.35	10.10	3.2	22.0	
	日平均值			24.48	51.19	33.62	8.32	10.14	1.60	16.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月7日	蚵殼站	0:04	24.26	50.97	33.49	8.36	9.78	5.4	10.9	
		3:04	23.96	51.00	33.52	8.30	8.63	6.4	14.0	
		6:04	23.87	50.39	33.06	8.23	7.90	6.7	16.8	
		9:04	23.81	50.51	33.16	8.28	8.33	6.2	21.0	
		12:04	24.77	50.58	33.19	8.39	10.81	6.2	26.2	
		15:04	24.91	50.63	33.22	8.39	11.12	6.0	25.1	
		18:04	24.53	51.01	33.51	8.34	9.88	5.5	12.5	
		21:04	24.67	50.91	33.43	8.38	10.61	3.6	10.0	
	日平均值			24.35	50.75	33.32	8.33	9.63	5.75	17.06
	潮口站	0:04	24.35	51.80	34.08	8.35	9.73	4.2	6.1	
		3:04	24.14	52.42	34.54	8.18	7.52	3.4	6.5	
		6:04	24.32	52.85	34.86	8.16	7.29	4.5	0.3	
		9:04	24.05	51.97	34.21	8.28	8.79	4.9	4.1	
		12:04	24.76	51.93	34.16	8.29	8.90	3.4	4.3	
		15:04	24.59	51.73	34.02	8.16	7.82	2.9	1.3	
		18:04	24.70	52.71	34.74	8.19	8.43	2.7	8.0	
		21:04	24.41	52.27	34.42	8.21	8.38	4.9	6.0	
	日平均值			24.42	52.21	34.38	8.23	8.36	3.86	4.58
	灣內站	0:04	24.89	51.64	33.95	8.31	8.99	3.4	17.0	
		3:04	24.41	51.52	33.87	8.24	8.18	2.2	15.2	
		6:04	24.23	51.94	34.18	8.21	7.75	1.3	12.9	
		9:04	24.25	52.04	34.26	8.26	8.88	1.7	15.1	
		12:04	24.63	52.12	34.31	8.33	10.46	2.0	21.6	
		15:04	25.77	51.88	34.10	8.37	11.21	0.9	12.5	
		18:04	25.66	51.95	34.16	8.45	12.87	1.0	13.7	
		21:04	25.61	51.97	34.17	8.44	12.49	2.3	29.8	
	日平均值			24.93	51.88	34.13	8.33	10.10	1.85	17.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月8日	蚵殼站	0:04	24.79	50.82	33.36	8.43	11.65	4.0	14.9	
		3:04	24.99	50.68	33.26	8.43	11.10	5.0	16.3	
		6:04	24.85	49.84	32.64	8.35	9.84	4.9	12.5	
		9:04	24.85	50.40	33.05	8.32	9.89	5.6	22.9	
		12:04	25.77	50.22	32.90	8.41	11.20	5.3	16.3	
		15:04	24.95	51.43	33.82	8.21	8.40	8.6	11.9	
		18:04	25.23	51.09	33.55	8.33	10.07	6.0	15.8	
		21:04	25.12	51.25	33.67	8.30	8.94	5.4	11.2	
	日平均值			25.07	50.72	33.28	8.35	10.14	5.60	15.23
	潮口站	0:04	24.85	52.05	34.25	8.28	8.89	5.6	8.6	
		3:04	24.67	52.03	34.24	8.26	8.43	6.3	10.3	
		6:04	24.48	52.80	34.81	8.14	7.18	3.0	0.8	
		9:04	24.43	52.18	34.36	8.24	8.35	7.4	1.2	
		12:04	25.28	51.59	33.90	8.38	11.04	4.3	7.3	
		15:04	25.34	52.89	34.86	8.19	8.03	3.6	3.3	
		18:04	25.17	52.94	34.90	8.18	8.07	3.6	1.1	
		21:04	25.18	52.37	34.48	8.29	8.83	4.8	8.7	
	日平均值			24.93	52.36	34.48	8.25	8.60	4.83	5.16
	灣內站	0:04	25.41	51.79	34.05	8.41	11.72	0.9	16.4	
		3:04	25.26	51.57	33.89	8.27	9.75	2.2	19.7	
		6:04	24.84	51.70	33.99	8.24	8.79	0.9	13.5	
		9:04	24.81	51.83	34.09	8.28	9.08	1.6	7.4	
		12:04	25.94	51.31	33.68	8.36	11.25	1.0	10.6	
		15:04	25.51	51.51	33.83	8.34	10.62	5.6	18.0	
		18:04	24.96	51.42	33.78	8.27	9.15	5.0	19.2	
		21:04	25.24	51.16	33.59	8.29	8.48	2.2	18.5	
	日平均值			25.25	51.54	33.86	8.31	9.86	2.43	15.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
3月9日	蚵殼站	0:04	24.91	51.35	33.76	8.21	7.18	5.7	15.0
		3:04	24.93	51.01	33.51	8.28	8.55	6.1	17.8
		6:04	24.85	51.04	33.53	8.27	8.45	4.8	18.2
		9:04	24.90	51.13	33.59	8.24	7.16	6.4	7.7
		12:04	25.49	51.04	33.51	8.29	9.06	5.0	10.1
		15:04	25.57	51.24	33.66	8.22	8.51	7.3	10.8
		18:04	25.12	51.28	33.70	8.17	7.89	7.8	13.9
		21:04	25.32	51.19	33.63	8.20	7.74	4.7	17.7
	日平均值		25.14	51.16	33.61	8.24	8.07	5.98	13.90
	潮口站	0:04	25.57	51.93	34.15	8.31	8.90	12.3	5.4
		3:04	25.25	51.70	33.98	8.36	9.65	5.6	13.0
		6:04	24.56	52.92	34.90	8.22	6.95	3.4	2.2
		9:04	24.93	52.05	34.25	8.36	7.95	4.7	0.9
		12:04	25.75	52.06	34.24	8.37	8.60	7.2	6.4
		15:04	25.79	49.68	32.48	8.21	7.91	4.6	3.0
		18:04	24.66	52.52	34.60	8.24	7.58	3.7	2.3
		21:04	24.91	52.23	34.38	8.25	7.77	2.9	14.4
	日平均值		25.18	51.89	34.12	8.29	8.16	5.55	5.95
	灣內站	0:04	25.02	50.66	33.22	8.21	7.59	3.0	17.2
		3:04	24.66	50.98	33.47	8.14	6.68	2.8	12.5
		6:04	24.54	51.06	33.51	8.13	6.83	0.9	14.0
		9:04	24.83	51.06	33.51	8.22	8.37	1.4	14.7
		12:04	25.64	50.90	33.37	8.34	10.37	1.3	12.3
		15:04	26.44	50.32	32.92	8.26	10.12	2.5	20.4
		18:04	25.94	50.81	33.29	8.31	9.62	3.2	15.8
		21:04	25.76	50.77	33.26	8.28	8.74	2.4	10.0
	日平均值		25.35	50.82	33.32	8.24	8.54	2.19	14.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月10日	蚵殼站	0:04	25.08	50.88	33.40	8.16	7.51	5.3	5.5	
		3:04	25.09	50.93	33.44	8.26	8.80	7.4	13.8	
		6:04	24.94	50.84	33.38	8.20	7.84	7.4	9.5	
		9:04	25.05	50.89	33.41	8.24	7.88	6.3	10.9	
		12:04	25.14	50.89	33.41	8.25	8.42	5.5	10.5	
		15:04	25.16	50.91	33.42	8.26	9.12	5.6	14.3	
		18:04	24.84	51.03	33.52	8.17	7.95	7.2	9.7	
		21:04	24.76	50.80	33.35	8.13	7.56	6.2	11.8	
	日平均值			25.01	50.90	33.42	8.21	8.14	6.36	10.75
	潮口站	0:04	24.87	52.17	34.34	8.26	7.50	7.8	6.1	
		3:04	25.14	52.16	34.32	8.32	8.06	3.6	11.5	
		6:04	24.60	52.81	34.82	8.23	7.15	4.7	3.2	
		9:04	24.72	52.58	34.65	8.23	7.14	5.4	0.5	
		12:04	25.10	52.18	34.34	8.31	8.41	5.4	15.2	
		15:04	25.06	52.28	34.42	8.25	7.50	5.7	6.3	
		18:04	24.67	52.26	34.41	8.23	7.40	5.6	8.2	
		21:04	24.56	52.61	34.67	8.23	7.36	5.7	0.4	
	日平均值			24.84	52.38	34.50	8.26	7.57	5.49	6.43
	灣內站	0:04	25.69	50.62	33.15	8.20	7.87	2.7	12.9	
		3:04	25.39	50.97	33.41	8.25	8.29	1.5	9.7	
		6:04	25.25	50.97	33.42	8.24	8.08	1.4	12.9	
		9:04	25.25	50.78	33.27	8.24	8.44	2.6	20.7	
		12:04	25.47	50.53	33.08	8.34	10.34	2.3	26.0	
		15:04	25.59	51.37	33.69	8.35	10.45	2.7	18.3	
		18:04	25.25	50.61	33.15	8.28	8.83	3.3	16.2	
		21:04	24.88	51.02	33.45	8.25	8.32	2.3	14.8	
	日平均值			25.35	50.86	33.33	8.27	8.83	2.35	16.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月11日	蚵殼站	0:04	24.45	51.20	33.65	8.13	6.69	4.2	9.5	
		3:04	24.31	48.91	31.96	8.12	6.33	3.7	9.9	
		6:04	23.93	48.51	31.67	8.07	6.09	3.6	9.7	
		9:04	23.88	48.59	31.74	8.17	6.67	3.8	8.8	
		12:04	23.94	48.53	31.69	8.21	8.27	5.1	18.9	
		15:04	23.95	48.28	31.50	8.18	8.00	5.6	18.4	
		18:04	23.86	49.08	32.10	8.17	7.23	4.3	16.3	
		21:04	23.48	50.45	33.11	8.20	8.21	2.6	18.1	
	日平均值			23.98	49.19	32.18	8.16	7.19	4.11	13.70
	潮口站	0:04	24.13	52.15	34.34	8.23	7.18	8.0	4.0	
		3:04	24.22	52.11	34.31	8.26	7.24	7.9	7.7	
		6:04	24.04	52.46	34.57	8.21	6.94	3.8	5.2	
		9:04	24.08	52.42	34.54	8.23	7.21	4.9	3.2	
		12:04	23.74	52.04	34.27	8.26	7.44	6.5	8.0	
		15:04	23.81	52.08	34.30	8.31	8.09	6.2	11.9	
		18:04	24.27	52.54	34.63	8.24	7.25	4.8	0.4	
		21:04	24.06	52.26	34.42	8.24	7.24	3.9	4.0	
	日平均值			24.04	52.26	34.42	8.25	7.32	5.75	5.55
	灣內站	0:04	24.70	50.67	33.20	8.17	6.60	3.5	11.4	
		3:04	24.42	50.86	33.34	8.21	7.16	4.4	15.0	
		6:04	24.27	50.77	33.29	8.20	6.98	2.9	15.5	
		9:04	24.19	50.94	33.41	8.22	7.20	4.9	22.9	
		12:04	24.01	50.90	33.38	8.24	7.78	3.8	21.4	
		15:04	24.02	50.96	33.43	8.20	7.13	3.3	12.8	
		18:04	23.91	51.05	33.48	8.27	8.77	2.4	22.6	
		21:04	23.80	51.34	33.69	8.17	6.94	2.8	14.7	
	日平均值			24.17	50.94	33.40	8.21	7.32	3.50	17.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月12日	蚵殼站	0:04	23.41	48.69	31.82	8.17	6.97	4.0	13.0	
		3:04	23.37	50.44	33.11	8.14	7.02	3.1	6.6	
		6:04	23.23	50.31	33.02	8.16	7.27	2.7	10.2	
		9:04	23.26	50.95	33.49	8.16	7.06	3.6	5.5	
		12:04	23.50	50.74	33.33	8.15	7.25	2.8	11.4	
		15:04	23.69	50.61	33.23	8.18	7.74	2.5	4.1	
		18:04	23.67	50.77	33.35	8.12	7.22	5.6	8.4	
		21:04	23.61	50.85	33.41	8.07	5.64	4.1	9.2	
	日平均值			23.47	50.42	33.10	8.14	7.02	3.55	8.55
	潮口站	0:04	23.72	52.27	34.44	8.29	7.75	6.0	4.4	
		3:04	23.43	52.12	34.33	8.31	7.75	5.0	13.9	
		6:04	23.76	52.43	34.55	8.24	6.91	5.5	3.4	
		9:04	24.01	52.64	34.70	8.25	7.35	9.2	2.0	
		12:04	23.74	52.20	34.38	8.30	7.83	5.2	2.2	
		15:04	24.02	52.14	34.33	8.25	7.80	11.2	2.5	
		18:04	24.25	51.00	33.49	8.24	7.51	4.3	1.5	
		21:04	24.32	52.28	34.43	8.24	7.42	3.3	1.5	
	日平均值			23.91	52.14	34.33	8.27	7.54	6.21	3.93
	灣內站	0:04	23.68	51.66	33.92	8.09	5.87	3.3	12.4	
		3:04	23.26	51.44	33.77	8.07	5.36	2.9	14.6	
		6:04	22.72	50.95	33.43	8.09	5.72	2.1	10.1	
		9:04	23.33	51.46	33.78	8.12	6.17	1.6	10.5	
		12:04	23.63	51.20	33.59	8.23	8.49	0.8	13.4	
		15:04	23.97	51.19	33.58	8.34	11.27	1.3	24.2	
		18:04	23.88	50.73	33.25	8.32	10.73	1.7	20.5	
		21:04	23.74	50.75	33.27	8.21	8.22	1.8	15.0	
	日平均值			23.53	51.17	33.57	8.18	7.73	1.94	15.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月13日	蚵殼站	0:04	23.39	50.96	33.50	8.16	7.30	2.4	13.9	
		3:04	23.36	50.18	32.92	8.17	7.35	1.8	4.9	
		6:04	23.28	50.36	33.05	8.15	6.61	2.2	6.2	
		9:04	23.16	50.37	33.06	8.17	6.87	2.3	11.3	
		12:04	23.28	50.12	32.88	8.19	7.57	2.1	14.3	
		15:04	23.17	50.39	33.08	8.23	8.11	2.9	19.1	
		18:04	23.27	50.23	32.95	8.19	7.72	1.4	21.4	
		21:04	23.49	50.63	33.25	8.12	6.47	3.3	11.9	
	日平均值			23.30	50.41	33.09	8.17	7.25	2.30	12.88
	潮口站	0:04	23.91	52.01	34.24	8.25	7.33	4.9	0.2	
		3:04	23.86	52.38	34.52	8.26	7.39	5.9	3.6	
		6:04	23.87	52.09	34.30	8.24	6.96	3.9	3.4	
		9:04	24.20	52.38	34.51	8.23	7.11	4.8	2.8	
		12:04	23.93	52.32	34.47	8.23	7.12	6.5	1.5	
		15:04	23.61	51.91	34.17	8.22	6.99	8.3	3.6	
		18:04	23.43	51.65	33.98	8.28	7.77	5.2	10.7	
		21:04	24.22	52.40	34.52	8.23	7.22	3.2	3.4	
	日平均值			23.88	52.14	34.34	8.24	7.24	5.34	3.65
	灣內站	0:04	23.56	51.17	33.57	8.21	8.22	2.8	15.8	
		3:04	23.54	51.50	33.81	8.09	6.11	2.7	8.2	
		6:04	23.51	51.38	33.72	8.04	5.19	2.2	8.5	
		9:04	23.32	51.14	33.55	8.17	7.49	1.3	21.7	
		12:04	23.44	51.32	33.68	8.17	7.39	1.1	16.9	
		15:04	23.51	51.04	33.47	8.15	7.27	1.5	11.5	
		18:04	23.45	49.26	32.20	8.01	5.80	3.5	18.1	
		21:04	23.53	50.68	33.22	8.05	5.82	3.0	19.7	
	日平均值			23.48	50.94	33.40	8.11	6.66	2.26	15.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月14日	蚵殼站	0:04	23.51	50.65	33.26	8.11	6.47	2.6	12.0	
		3:04	23.51	50.89	33.44	8.09	6.05	3.0	5.4	
		6:04	23.40	50.75	33.34	8.09	5.99	2.7	11.0	
		9:04	23.17	50.45	33.12	8.13	6.21	4.6	8.0	
		12:04	23.24	50.47	33.14	8.14	6.79	3.6	19.4	
		15:04	23.24	50.59	33.22	8.09	5.61	2.9	11.0	
		18:04	23.14	50.70	33.31	8.11	6.20	2.4	11.6	
		21:04	23.14	49.76	32.61	8.11	6.21	3.4	12.1	
	日平均值			23.29	50.53	33.18	8.11	6.19	3.15	11.31
	潮口站	0:04	24.16	52.25	34.42	8.23	7.29	3.6	1.9	
		3:04	23.52	52.29	34.45	8.18	6.48	6.6	0.4	
		6:04	23.69	52.28	34.44	8.23	7.10	7.3	5.9	
		9:04	24.16	52.42	34.54	8.23	7.04	7.9	0.1	
		12:04	24.17	52.06	34.27	8.23	7.18	5.5	3.9	
		15:04	23.31	51.73	34.04	8.17	6.59	10.2	3.6	
		18:04	23.25	51.98	34.23	8.20	6.69	8.7	0.7	
		21:04	23.31	51.67	34.00	8.19	6.49	8.6	0.1	
	日平均值			23.70	52.09	34.30	8.21	6.86	7.30	2.08
	灣內站	0:04	23.52	50.66	33.20	8.05	5.74	2.0	10.6	
		3:04	23.46	51.00	33.45	8.06	5.81	1.6	5.8	
		6:04	23.38	51.31	33.68	8.05	5.71	1.1	6.5	
		9:04	23.34	51.17	33.57	8.06	5.90	0.8	7.8	
		12:04	23.35	51.19	33.58	8.06	5.82	1.4	6.7	
		15:04	23.33	51.32	33.68	8.02	5.38	3.0	5.7	
		18:04	22.87	50.59	33.16	8.03	6.12	1.8	12.1	
		21:04	22.91	51.04	33.49	8.04	6.07	1.0	12.1	
	日平均值			23.27	51.04	33.48	8.05	5.82	1.59	8.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月15日	蚵殼站	0:04	23.06	50.18	32.93	8.10	5.69	4.8	10.1	
		3:04	22.80	50.36	33.06	8.05	5.18	3.2	11.2	
		6:04	22.65	50.21	32.95	8.01	4.39	1.8	9.6	
		9:04	22.85	50.48	33.15	7.99	4.02	2.9	6.9	
		12:04	23.13	51.34	33.73	8.10	5.91	2.6	5.7	
		15:04	23.03	51.12	33.57	8.12	6.88	2.8	6.3	
		18:04	23.01	51.34	33.73	8.11	6.82	2.5	2.0	
		21:04	22.84	51.22	33.65	8.09	6.54	2.0	4.4	
	日平均值			22.92	50.78	33.35	8.07	5.68	2.83	7.03
	潮口站	0:04	23.64	51.56	33.91	8.23	7.08	3.7	1.0	
		3:04	23.46	51.81	34.10	8.21	6.83	7.0	1.6	
		6:04	23.25	51.77	34.07	8.22	6.71	6.0	1.6	
		9:04	23.79	51.92	34.17	8.24	7.22	5.1	1.4	
		12:04	24.98	51.34	33.78	8.24	6.51	2.9	0.3	
		15:04	24.41	51.89	34.21	8.23	6.08	8.4	4.7	
		18:04	24.18	51.92	34.23	8.21	5.89	9.3	0.4	
		21:04	24.10	51.82	34.16	8.24	6.18	4.0	2.9	
	日平均值			23.98	51.75	34.08	8.23	6.56	5.80	1.74
	灣內站	0:04	23.00	51.21	33.61	8.03	5.73	1.4	9.8	
		3:04	23.00	51.26	33.64	8.02	5.51	1.3	7.2	
		6:04	22.90	51.34	33.71	7.99	4.96	1.3	5.9	
		9:04	22.80	51.25	33.64	8.06	6.19	0.3	5.2	
		12:04	22.96	51.21	33.67	8.13	6.23	0.4	5.1	
		15:04	23.07	51.09	33.58	8.13	6.37	0.9	5.2	
		18:04	23.00	51.11	33.59	8.07	5.86	0.9	2.6	
		21:04	22.87	50.69	33.29	8.09	6.73	1.4	9.6	
	日平均值			22.95	51.15	33.59	8.07	5.95	0.99	6.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月16日	蚵殼站	0:04	22.77	51.19	33.63	8.09	6.58	1.5	2.3	
		3:04	22.63	51.14	33.59	8.07	6.57	1.7	1.4	
		6:04	22.39	50.96	33.46	8.06	6.50	1.5	4.1	
		9:04	22.47	51.01	33.50	8.07	6.66	1.4	4.3	
		12:14	22.68	50.57	33.17	8.06	6.99	1.5	5.2	
		15:04	23.62	50.79	33.32	8.08	7.06	1.4	0.3	
		18:04	23.48	51.24	33.65	8.08	6.94	2.1	0.1	
		21:04	23.44	51.18	33.61	8.08	7.08	2.2	0.7	
	日平均值			22.94	51.01	33.49	8.07	6.80	1.66	2.30
	潮口站	0:04	24.52	51.78	34.12	8.24	6.31	3.8	1.3	
		3:04	24.60	52.03	34.31	8.25	6.42	2.9	0.5	
		6:04	24.35	51.93	34.24	8.23	6.27	4.0	1.8	
		9:04	24.34	51.96	34.26	8.21	6.12	3.7	0.1	
		12:14	25.39	52.31	34.49	8.25	6.65	2.5	0.5	
		15:04	25.54	52.25	34.45	8.25	6.75	2.7	2.1	
		18:04	24.96	51.82	34.14	8.22	6.35	7.9	2.8	
		21:04	24.59	51.65	34.02	8.20	6.02	5.3	3.9	
	日平均值			24.79	51.97	34.25	8.23	6.36	4.10	1.63
	灣內站	0:04	22.78	50.90	33.44	8.06	6.03	1.2	6.0	
		3:04	22.71	51.02	33.53	8.08	5.85	0.7	3.8	
		6:04	22.85	51.19	33.66	8.04	5.12	2.0	5.0	
		9:04	22.94	51.19	33.65	8.10	5.83	1.1	2.8	
		12:14	23.24	51.16	33.63	8.13	6.29	0.5	1.9	
		15:04	23.55	50.96	33.47	8.14	6.84	0.4	2.2	
		18:04	23.73	50.80	33.35	8.13	7.08	0.6	2.3	
		21:04	24.36	50.75	33.30	8.20	8.32	1.1	11.8	
	日平均值			23.27	51.00	33.50	8.11	6.42	0.95	4.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月17日	蚵殼站	0:04	23.50	50.81	33.33	8.08	7.11	2.2	0.5	
		3:04	23.34	50.56	33.15	8.08	7.27	1.5	4.5	
		6:04	23.18	50.42	33.05	8.08	7.41	1.6	5.8	
		9:04	23.43	50.56	33.15	8.09	7.66	1.5	9.6	
		12:04	23.82	51.33	33.71	8.04	6.28	1.4	1.2	
		15:04	24.30	51.38	33.74	8.08	7.31	3.6	9.3	
		18:04	24.54	51.57	33.88	8.08	7.21	2.9	4.0	
		21:04	24.22	50.92	33.40	8.16	9.07	1.4	13.2	
	日平均值			23.79	50.94	33.43	8.09	7.42	2.01	6.01
	潮口站	0:04	24.91	51.42	33.85	8.19	6.14	4.0	3.2	
		3:04	25.11	51.90	34.20	8.22	6.38	2.4	0.5	
		6:04	24.83	50.74	33.34	8.22	6.31	3.5	1.0	
		9:04	24.34	50.49	33.17	8.18	6.11	3.5	4.0	
		12:04	25.48	50.15	32.89	8.21	6.68	5.0	0.3	
		15:04	25.95	50.33	33.01	8.22	6.77	2.6	2.9	
		18:04	25.35	50.90	33.45	8.20	6.43	8.0	1.6	
		21:04	25.12	50.37	33.06	8.17	6.12	6.7	4.2	
	日平均值			25.14	50.79	33.37	8.20	6.37	4.46	2.21
	灣內站	0:04	24.00	50.90	33.42	8.10	6.68	0.7	3.2	
		3:04	23.64	50.97	33.48	8.14	6.70	0.8	3.1	
		6:04	23.33	51.20	33.65	8.15	6.51	0.2	3.2	
		9:04	23.37	51.08	33.57	8.15	6.68	0.2	2.6	
		12:04	24.03	51.05	33.53	8.18	7.56	0.1	5.7	
		15:04	24.81	50.90	33.41	8.25	9.20	0.4	10.8	
		18:04	24.91	50.92	33.42	8.31	9.81	0.7	15.7	
		21:04	25.15	50.89	33.39	8.29	9.47	0.8	17.2	
	日平均值			24.16	50.99	33.48	8.20	7.83	0.49	7.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月18日	蚵殼站	0:04	24.48	50.51	33.09	8.21	10.18	1.5	15.2	
		3:04	24.40	50.45	33.05	8.20	10.21	1.9	19.0	
		6:04	24.21	50.73	33.26	8.12	8.90	1.8	13.6	
		9:04	24.21	50.55	33.13	8.12	9.02	2.4	19.7	
		12:04	24.73	51.09	33.52	8.11	8.35	3.3	2.8	
		15:04	25.01	51.24	33.62	8.11	8.40	1.9	7.3	
		18:04	25.07	51.14	33.54	8.15	9.59	7.8	12.0	
		21:04	25.25	51.04	33.46	8.21	10.34	2.9	12.9	
	日平均值			24.67	50.84	33.33	8.15	9.37	2.94	12.81
	潮口站	0:04	24.91	51.24	33.71	8.16	5.92	2.9	4.2	
		3:04	25.24	48.33	31.55	8.20	6.52	1.9	0.6	
		6:04	25.20	43.79	28.25	8.21	6.73	2.2	1.1	
		9:04	24.81	44.46	28.74	8.30	8.80	1.9	6.9	
		12:04	25.42	44.37	28.66	8.22	7.24	2.6	2.6	
		15:04	25.76	44.37	28.65	8.21	7.23	2.6	3.8	
		18:04	26.32	45.44	29.42	8.29	8.78	3.8	3.1	
		21:04	26.28	44.91	29.03	8.32	9.64	4.4	17.8	
	日平均值			25.49	45.86	29.75	8.24	7.61	2.79	5.01
	灣內站	0:04	24.99	51.01	33.48	8.19	8.23	0.9	12.0	
		3:04	24.63	51.00	33.48	8.24	8.56	0.8	27.3	
		6:04	24.43	51.31	33.72	8.19	7.30	0.1	6.6	
		9:04	24.56	51.37	33.75	8.20	7.73	0.3	8.1	
		12:04	25.12	50.96	33.44	8.28	9.65	0.6	12.0	
		15:04	25.13	51.44	33.79	8.26	8.93	2.0	9.9	
		18:04	25.69	51.39	33.75	8.39	11.23	2.3	25.0	
		21:04	25.35	51.26	33.66	8.27	8.87	1.9	15.1	
	日平均值			24.99	51.22	33.63	8.25	8.81	1.11	14.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月19日	蚵殼站	0:04	25.12	50.88	33.35	8.18	9.84	1.7	10.6	
		3:04	25.09	50.97	33.41	8.19	9.75	6.8	13.1	
		6:04	25.04	51.03	33.46	8.16	9.36	1.6	4.3	
		9:04	25.07	51.01	33.45	8.17	9.38	1.2	5.3	
		12:04	25.41	51.07	33.48	8.21	10.20	1.4	6.6	
		15:04	25.73	51.08	33.49	8.27	11.36	1.5	12.7	
		18:04	25.68	51.17	33.55	8.23	10.52	4.1	14.5	
		21:04	25.74	51.03	33.45	8.26	11.18	1.4	17.9	
	日平均值			25.36	51.03	33.46	8.21	10.20	2.46	10.63
	潮口站	0:04	26.01	41.93	26.89	8.29	9.31	2.2	5.8	
		3:04	25.48	41.21	26.38	8.19	6.93	5.0	0.4	
		6:04	25.59	48.12	31.39	8.18	6.95	12.9	1.9	
		9:04	25.74	47.19	30.70	8.17	7.36	3.2	1.1	
		12:04	26.14	46.85	30.45	8.20	7.86	3.4	3.4	
		15:04	25.50	48.73	31.84	8.18	6.90	5.3	2.0	
		18:04	25.24	47.90	31.24	8.17	6.85	4.1	0.8	
		21:04	25.85	47.67	31.06	8.17	6.99	7.3	3.3	
	日平均值			25.69	46.20	29.99	8.19	7.39	5.43	2.34
	灣內站	0:04	25.11	51.35	33.73	8.25	8.59	0.6	16.3	
		3:04	25.07	51.32	33.71	8.26	8.63	0.4	9.2	
		6:04	24.98	51.33	33.72	8.26	8.43	0.3	14.1	
		9:04	25.08	51.34	33.72	8.27	8.78	0.1	10.3	
		12:04	25.40	51.35	33.72	8.35	10.40	0.5	16.5	
		15:04	25.71	51.36	33.72	8.41	11.70	0.7	15.4	
		18:04	25.77	51.33	33.70	8.44	11.86	1.3	15.6	
		21:04	25.70	51.37	33.73	8.40	10.76	1.0	8.8	
	日平均值			25.35	51.34	33.72	8.33	9.89	0.61	13.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月20日	蚵殼站	0:04	25.62	50.87	33.33	8.28	11.14	1.9	9.0	
		3:04	25.48	50.91	33.37	8.23	10.33	1.5	14.2	
		6:04	25.43	50.97	33.41	8.24	10.12	1.6	15.9	
		9:04	25.45	51.01	33.44	8.23	10.23	1.8	9.5	
		12:04	25.68	50.45	33.02	8.33	12.43	2.6	30.9	
		15:04	25.99	51.07	33.47	8.29	11.44	1.5	14.1	
		18:04	25.64	51.10	33.50	8.31	11.73	1.9	0.3	
		21:04	25.51	51.09	33.50	8.26	10.87	1.4	2.0	
	日平均值			25.60	50.93	33.38	8.27	11.04	1.78	11.99
	潮口站	0:04	26.04	47.80	31.14	8.26	8.91	4.2	6.5	
		3:04	25.09	47.49	30.94	8.16	6.80	4.6	0.1	
		6:04	24.74	47.52	30.97	8.16	6.64	5.3	1.0	
		9:04	25.42	46.78	30.42	8.18	7.44	3.8	5.3	
		12:04	26.08	46.23	30.00	8.29	9.41	2.7	5.4	
		15:04	25.33	43.97	28.37	8.15	7.11	4.6	0.1	
		18:04	24.94	45.08	29.18	8.15	6.99	4.0	4.7	
		21:04	25.72	45.24	29.29	8.24	8.51	3.6	2.9	
	日平均值			25.42	46.26	30.04	8.20	7.73	4.10	3.25
	灣內站	0:04	26.11	51.27	33.64	8.40	10.78	1.3	11.0	
		3:04	25.98	51.28	33.65	8.36	9.88	0.8	10.9	
		6:04	25.94	51.32	33.69	8.38	10.25	0.4	11.1	
		9:04	25.77	51.35	33.71	8.39	10.45	0.3	8.6	
		12:04	26.28	49.96	32.68	8.44	11.93	1.0	20.1	
		15:04	26.54	50.56	33.11	8.52	13.70	0.4	19.1	
		18:04	26.50	50.83	33.31	8.48	12.20	1.6	16.7	
		21:04	26.34	50.70	33.22	8.47	11.12	1.3	22.1	
	日平均值			26.18	50.91	33.38	8.43	11.29	0.89	14.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月21日	蚵殼站	0:04	25.57	51.11	33.54	8.34	11.64	1.5	7.6	
		3:04	25.43	51.16	33.58	8.31	11.03	1.5	5.4	
		6:04	25.33	50.94	33.42	8.29	10.63	1.0	12.3	
		9:04	25.48	51.19	33.60	8.28	10.58	1.2	9.3	
		12:04	25.74	51.38	33.74	8.23	9.76	1.5	7.9	
		15:04	25.54	51.59	33.90	8.21	9.75	2.0	13.6	
		18:04	25.53	51.39	33.75	8.28	10.86	1.5	12.8	
		21:04	25.45	51.38	33.75	8.25	10.15	1.3	6.8	
	日平均值			25.51	51.27	33.66	8.27	10.55	1.44	9.46
	潮口站	0:04	25.61	47.61	31.01	8.22	7.14	5.4	4.5	
		3:04	25.10	46.89	30.49	8.23	7.09	3.4	1.6	
		6:04	24.66	47.87	31.22	8.21	6.87	6.5	0.7	
		9:04	25.21	50.24	32.96	8.22	7.03	2.9	5.5	
		12:04	25.97	48.62	31.74	8.38	9.36	2.2	4.4	
		15:04	25.03	48.70	31.82	8.22	7.36	2.9	8.2	
		18:04	24.91	50.03	32.80	8.19	7.04	1.8	2.7	
		21:04	25.07	46.53	30.23	8.26	7.88	2.5	2.8	
	日平均值			25.20	48.31	31.53	8.24	7.47	3.45	3.80
	灣內站	0:34	25.94	50.81	33.31	8.48	9.51	1.1	16.0	
		3:04	25.43	51.30	33.68	8.45	8.82	0.6	12.8	
		6:04	25.38	51.29	33.68	8.48	9.12	0.1	9.8	
		7:04	25.30	51.26	33.66	8.47	9.02	0.3	9.8	
		8:34	25.35	51.27	33.66	8.49	9.21	0.4	7.0	
		16:34	26.10	51.25	33.63	8.54	10.36	0.3	6.7	
		19:04	25.91	51.25	33.64	8.53	10.17	0.4	13.4	
		23:34	25.72	51.25	33.64	8.51	9.32	1.4	10.9	
	日平均值			25.64	51.21	33.61	8.49	9.44	0.58	10.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月22日	蚵殼站	0:04	25.40	51.36	33.73	8.25	9.80	1.1	8.0	
		3:04	25.19	51.36	33.74	8.24	9.42	1.4	4.7	
		6:04	25.03	51.49	33.84	8.22	9.33	0.9	1.8	
		9:04	25.07	51.41	33.77	8.25	9.65	0.6	10.1	
		12:04	25.38	51.32	33.70	8.27	10.31	0.9	11.1	
		15:04	25.91	51.37	33.73	8.30	10.99	12.0	6.1	
		18:04	25.42	51.37	33.74	8.29	10.82	1.4	4.9	
		21:04	25.43	51.41	33.77	8.25	10.22	1.1	5.6	
	日平均值			25.35	51.39	33.75	8.26	10.07	2.43	6.54
	潮口站	0:04	25.71	45.67	29.59	8.33	8.64	3.7	11.9	
		3:04	25.42	44.54	28.78	8.28	7.73	2.6	1.1	
		6:04	24.67	45.32	29.36	8.17	6.89	3.1	2.2	
		9:04	24.94	43.64	28.14	8.19	7.07	4.0	2.5	
		12:04	25.68	44.28	28.58	8.32	8.97	1.0	10.2	
		15:04	25.85	40.70	26.00	8.18	7.84	2.7	4.3	
		18:04	24.99	43.63	28.13	8.17	7.18	3.3	1.8	
		21:04	25.24	47.08	30.63	8.21	7.55	4.5	3.9	
	日平均值			25.31	44.36	28.65	8.23	7.73	3.11	4.74
	灣內站	0:34	25.68	51.22	33.62	8.50	8.94	2.3	8.4	
		3:04	25.47	51.27	33.66	8.42	7.56	0.9	8.8	
		3:34	25.44	51.28	33.67	8.41	7.38	0.7	6.4	
		5:34	25.38	51.24	33.64	8.44	7.62	0.0	10.7	
		7:34	25.32	51.24	33.65	8.49	8.47	0.3	10.0	
		11:34	25.58	51.29	33.67	8.47	8.65	1.0	7.0	
		12:34	25.86	51.32	33.69	8.51	9.30	0.8	5.5	
		20:04	26.14	51.35	33.70	8.55	9.78	0.8	19.8	
	日平均值			25.61	51.28	33.66	8.47	8.46	0.85	9.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月23日	蚵殼站	0:04	25.52	51.42	33.77	8.28	10.56	1.1	4.3	
		3:04	25.38	51.18	33.60	8.30	10.76	1.0	10.7	
		6:04	25.19	51.18	33.60	8.25	9.66	1.1	11.9	
		9:04	25.35	51.16	33.59	8.26	10.14	1.2	10.4	
		12:04	25.54	50.98	33.44	8.26	10.41	1.6	10.0	
		15:04	25.34	51.09	33.53	8.24	10.38	2.4	20.2	
		18:04	25.39	51.03	33.49	8.26	10.82	1.4	0.6	
		21:04	25.46	51.15	33.57	8.28	10.65	0.9	9.4	
	日平均值			25.40	51.15	33.57	8.27	10.42	1.34	9.69
	潮口站	0:04	25.68	46.00	29.83	8.21	7.54	7.0	4.9	
		3:04	25.48	50.19	32.91	8.26	7.87	2.1	5.5	
		6:04	25.01	50.70	33.30	8.19	7.04	1.9	3.2	
		9:04	25.12	49.72	32.57	8.20	7.12	4.2	3.3	
		12:04	25.88	50.24	32.93	8.29	8.61	4.6	4.3	
		15:04	26.11	50.74	33.30	8.39	9.67	2.4	4.8	
		18:04	25.19	50.94	33.47	8.19	7.28	2.3	4.9	
		21:04	25.92	49.17	32.14	8.31	8.67	2.5	0.4	
	日平均值			25.55	49.71	32.56	8.26	7.98	3.38	3.91
	灣內站	6:34	25.62	51.29	33.68	8.51	9.24	0.2	9.2	
		7:04	25.65	51.33	33.70	8.51	9.30	0.0	12.0	
		7:34	25.67	51.30	33.68	8.51	9.23	0.0	21.4	
		8:34	25.70	51.25	33.64	8.49	8.97	0.2	12.3	
		9:04	25.64	51.31	33.68	8.50	9.26	0.0	15.5	
		9:34	25.62	51.22	33.62	8.45	8.32	0.1	7.2	
		10:04	25.58	51.26	33.65	8.48	9.01	0.3	5.2	
		10:34	25.57	51.31	33.69	8.50	9.20	0.2	14.8	
	日平均值			25.63	51.28	33.67	8.49	9.07	0.13	12.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月24日	蚵殼站	0:04	25.34	51.27	33.66	8.29	10.81	0.9	8.0	
		3:04	25.20	50.91	33.41	8.28	10.33	0.9	6.8	
		6:04	25.08	50.92	33.41	8.23	9.45	0.9	11.5	
		9:04	24.88	50.77	33.30	8.24	9.48	0.9	7.8	
		12:04	24.58	50.14	32.85	8.24	9.53	1.5	9.9	
		15:04	24.40	50.34	33.00	8.24	9.91	0.9	11.0	
		18:04	24.13	50.45	33.09	8.23	9.21	0.8	12.8	
		21:04	24.12	50.64	33.23	8.20	8.82	1.1	6.1	
	日平均值			24.72	50.68	33.24	8.24	9.69	0.99	9.24
	潮口站	0:04	25.84	51.02	33.51	8.30	8.26	3.9	11.8	
		3:04	25.61	48.94	31.98	8.36	9.14	1.5	7.2	
		6:04	24.82	51.32	33.75	8.17	6.97	4.2	0.7	
		9:04	24.75	49.66	32.53	8.23	7.49	2.8	3.6	
		12:04	24.65	49.99	32.76	8.19	6.90	5.8	5.0	
		15:04	24.67	49.34	32.29	8.32	8.71	1.6	20.1	
		18:04	24.56	50.31	33.01	8.15	6.93	5.1	0.1	
		21:04	24.51	51.05	33.55	8.16	6.95	2.8	0.6	
	日平均值			24.93	50.20	32.92	8.24	7.67	3.46	6.14
	灣內站	1:04	25.57	51.23	33.63	8.53	9.88	0.2	9.4	
		4:04	25.45	51.22	33.63	8.52	9.49	0.2	7.0	
		6:04	25.33	51.21	33.62	8.52	9.39	0.5	11.4	
		8:34	25.30	51.24	33.64	8.51	9.18	0.1	12.8	
		12:34	24.70	50.77	33.31	8.46	8.15	0.1	15.2	
		16:04	24.32	49.23	32.19	8.49	9.04	0.2	16.2	
		18:34	24.90	50.74	33.28	8.47	8.04	1.1	8.7	
		21:04	24.24	50.57	33.17	8.43	7.61	0.3	17.9	
	日平均值			24.98	50.78	33.31	8.49	8.85	0.34	12.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月25日	蚵殼站	0:04	23.99	51.24	33.67	8.20	8.69	0.8	3.8	
		3:04	23.59	49.61	32.48	8.16	8.57	0.9	6.3	
		6:04	23.77	50.99	33.49	8.13	7.62	1.1	3.2	
		9:04	23.26	48.88	31.95	8.15	8.38	1.0	4.4	
		12:04	22.97	49.63	32.50	8.17	8.48	1.3	9.3	
		15:04	23.00	48.49	31.67	8.13	8.26	1.2	0.7	
		18:04	23.14	50.19	32.91	8.16	8.52	1.4	4.7	
		21:04	22.90	49.84	32.66	8.11	7.77	2.5	1.0	
	日平均值			23.33	49.86	32.67	8.15	8.29	1.28	4.18
	潮口站	0:04	24.30	50.32	33.02	8.27	7.83	1.2	3.5	
		3:04	24.08	50.10	32.86	8.18	6.99	3.9	4.9	
		6:04	24.05	50.99	33.52	8.14	6.75	7.3	3.4	
		9:04	24.07	50.68	33.28	8.15	6.80	3.7	3.8	
		12:04	23.56	50.92	33.47	8.14	6.77	10.6	5.0	
		15:04	23.18	50.15	32.92	8.16	7.43	6.0	16.8	
		18:04	23.87	50.38	33.06	8.12	6.68	10.9	0.0	
		21:04	23.77	50.75	33.34	8.14	6.84	3.9	2.0	
	日平均值			23.86	50.54	33.18	8.16	7.01	5.94	4.93
	灣內站	0:04	24.14	50.27	32.95	8.44	7.69	0.4	7.5	
		3:04	24.16	50.59	33.19	8.35	6.29	1.0	8.3	
		6:04	24.04	50.60	33.20	8.36	6.53	0.6	7.5	
		9:04	23.59	50.11	32.85	8.50	8.43	0.5	9.7	
		12:04	23.55	50.17	32.89	8.46	8.04	0.3	7.4	
		15:04	23.61	50.25	32.95	8.40	7.69	1.1	21.4	
		18:04	23.42	50.15	32.88	8.40	7.49	0.7	7.8	
		21:04	23.34	50.29	32.99	8.41	7.45	1.2	5.8	
	日平均值			23.73	50.30	32.99	8.42	7.45	0.73	9.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月26日	蚵殼站	0:04	22.66	50.32	33.02	8.09	7.62	1.8	4.8	
		3:04	22.74	50.19	32.92	8.10	7.64	3.4	6.7	
		6:04	22.11	50.66	33.27	8.08	7.31	2.6	3.0	
		9:04	21.73	49.92	32.73	8.04	7.40	1.2	1.9	
		12:04	22.66	49.94	32.74	8.14	8.94	3.8	16.3	
		15:04	22.98	51.03	33.53	8.17	9.60	1.8	7.2	
		18:04	22.91	50.59	33.21	8.16	9.76	2.1	3.8	
		21:04	23.08	50.83	33.39	8.16	9.70	1.9	1.4	
	日平均值			22.61	50.44	33.10	8.12	8.50	2.33	5.64
	潮口站	0:04	22.82	49.82	32.66	8.13	6.82	7.5	3.5	
		3:04	23.20	51.23	33.70	8.14	6.77	4.4	6.5	
		6:04	23.72	51.80	34.12	8.14	6.81	6.2	1.7	
		9:04	23.78	50.91	33.46	8.14	6.80	5.8	1.9	
		12:04	24.25	51.01	33.52	8.14	7.09	4.4	0.4	
		15:04	23.80	49.80	32.64	8.21	8.33	5.7	5.1	
		18:04	23.92	48.38	31.59	8.13	7.15	6.7	5.1	
		21:04	24.14	51.11	33.59	8.14	6.99	6.8	1.5	
	日平均值			23.70	50.51	33.16	8.15	7.10	5.94	3.21
	灣內站	0:04	23.17	50.41	33.08	8.32	6.15	4.0	5.3	
		3:04	22.72	50.03	32.81	8.42	7.46	1.4	3.7	
		6:04	22.67	50.13	32.87	8.42	7.39	0.1	4.7	
		9:04	22.87	50.30	33.00	8.42	7.35	0.5	4.6	
		12:04	22.71	48.64	31.78	8.36	7.89	0.3	2.9	
		15:04	23.42	49.16	32.15	8.41	8.65	1.2	3.3	
		18:04	23.69	48.74	31.84	8.28	8.23	1.8	5.5	
		21:04	23.53	50.42	33.07	8.45	9.15	1.0	8.1	
	日平均值			23.10	49.73	32.58	8.39	7.78	1.29	4.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月27日	蚵殼站	0:04	22.80	49.51	32.42	8.11	8.94	1.9	4.2	
		3:04	22.73	49.82	32.65	8.11	8.62	1.7	1.9	
		6:04	22.18	49.34	32.30	8.11	8.71	1.9	4.2	
		9:04	22.52	49.73	32.59	8.15	9.12	1.9	2.6	
		12:04	22.81	49.98	32.77	8.14	9.29	1.7	7.0	
		15:04	23.35	50.05	32.81	8.22	11.12	2.5	12.9	
		18:04	23.12	50.68	33.27	8.21	10.70	2.3	11.2	
		21:04	22.99	50.55	33.18	8.16	9.48	4.6	10.9	
	日平均值			22.81	49.96	32.75	8.15	9.50	2.31	6.86
	潮口站	0:04	23.55	51.01	33.52	8.18	7.44	4.9	0.1	
		3:04	23.19	49.81	32.65	8.16	7.26	5.7	3.9	
		6:04	23.68	50.11	32.86	8.13	6.85	4.5	0.9	
		9:04	24.06	50.22	32.93	8.13	6.90	4.4	6.5	
		12:04	23.43	49.13	32.14	8.17	7.75	5.9	1.8	
		15:04	24.28	51.19	33.64	8.23	8.83	6.7	13.2	
		18:04	24.06	50.85	33.40	8.21	8.39	5.5	9.5	
		21:04	23.98	51.95	34.21	8.14	7.01	4.7	0.3	
	日平均值			23.78	50.53	33.17	8.17	7.55	5.29	4.53
	灣內站	0:04	23.36	50.05	32.81	8.37	7.76	2.4	14.2	
		3:04	23.02	50.23	32.94	8.43	8.49	1.1	6.3	
		6:04	22.99	50.13	32.87	8.44	8.59	0.6	5.8	
		9:04	22.94	50.41	33.08	8.42	8.35	1.8	6.2	
		12:04	23.46	50.48	33.12	8.46	9.31	2.0	11.9	
		15:04	23.96	49.83	32.63	8.56	11.78	2.5	18.8	
		18:04	23.70	50.12	32.85	8.53	10.85	5.0	15.1	
		21:04	23.06	49.95	32.74	8.56	11.17	2.2	17.3	
	日平均值			23.31	50.15	32.88	8.47	9.54	2.20	11.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月28日	蚵殼站	0:04	22.68	50.91	33.45	8.13	8.84	2.5	3.8	
		3:04	22.04	48.88	31.97	8.19	10.26	2.9	9.4	
		6:04	21.76	49.60	32.50	8.19	9.77	3.7	5.5	
		9:04	22.12	49.85	32.68	8.16	9.86	2.3	4.1	
		12:04	22.59	50.58	33.21	8.30	12.60	2.5	15.5	
		15:04	23.09	50.72	33.31	8.21	10.64	3.5	3.3	
		18:04	23.10	50.33	33.02	8.37	14.08	3.1	26.0	
		21:04	22.93	49.35	32.30	8.39	14.22	3.0	25.7	
	日平均值			22.54	50.03	32.81	8.24	11.28	2.94	11.66
	潮口站	0:04	23.47	50.95	33.48	8.16	7.23	5.2	3.8	
		3:04	23.33	49.99	32.78	8.15	7.13	4.7	8.5	
		6:04	23.55	50.75	33.34	8.14	6.98	3.2	0.6	
		9:04	23.94	51.13	33.60	8.14	6.92	4.4	0.7	
		12:04	23.60	50.88	33.41	8.25	8.64	3.7	2.6	
		15:04	23.94	51.24	33.68	8.31	10.10	10.9	7.9	
		18:04	23.56	51.05	33.54	8.39	11.03	3.8	20.1	
		21:04	24.04	50.02	32.78	8.16	7.40	4.1	5.3	
	日平均值			23.68	50.75	33.33	8.21	8.18	5.00	6.19
	灣內站	4:04	22.73	50.34	33.03	8.43	9.99	2.2	19.5	
		4:34	22.66	50.30	33.00	8.43	9.90	1.7	15.2	
		5:04	22.61	50.33	33.02	8.43	9.77	2.5	16.4	
		5:34	22.68	50.37	33.05	8.43	9.99	2.0	19.6	
		6:04	22.90	50.57	33.20	8.43	10.06	1.8	22.2	
		6:34	22.79	50.53	33.17	8.43	9.96	1.7	18.2	
		7:04	22.82	50.55	33.19	8.43	9.91	1.5	10.3	
		8:04	22.90	50.62	33.24	8.41	9.72	1.8	11.8	
	日平均值			22.76	50.45	33.11	8.43	9.91	1.90	16.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月29日	蚵殼站	0:04	22.93	50.63	33.24	8.36	13.24	3.5	22.2	
		3:04	22.53	50.50	33.15	8.29	11.82	2.9	27.3	
		6:04	22.27	50.23	32.96	8.25	10.68	2.8	15.4	
		9:04	22.24	50.22	32.95	8.26	11.08	2.2	15.4	
		12:04	22.82	50.48	33.14	8.49	12.42	5.9	36.4	
		15:04	23.02	50.90	33.44	8.48	11.83	2.7	12.6	
		18:04	22.85	51.25	33.71	8.44	10.80	3.1	18.8	
		21:04	22.95	50.39	33.07	8.55	12.89	2.2	14.5	
	日平均值			22.70	50.58	33.21	8.39	11.85	3.16	20.33
	潮口站	0:04	23.92	50.77	33.33	8.17	7.39	3.0	4.6	
		3:04	22.63	49.59	32.48	8.39	10.52	2.2	9.4	
		6:04	22.86	50.07	32.83	8.29	8.78	4.6	4.2	
		9:04	23.96	50.23	32.93	8.16	7.18	4.7	3.4	
		12:04	23.83	49.86	32.65	8.37	10.13	2.8	3.4	
		15:04	23.72	51.05	33.54	8.47	11.51	6.1	12.3	
		18:04	23.18	51.30	33.73	8.41	10.88	5.4	15.9	
		21:04	23.17	51.17	33.64	8.31	8.80	7.2	7.8	
	日平均值			23.41	50.51	33.14	8.32	9.40	4.50	7.63
	灣內站	3:34	22.96	50.73	33.31	8.46	10.63	1.2	71.2	
		4:34	22.93	50.79	33.36	8.45	10.44	1.5	28.9	
		5:04	22.86	50.77	33.35	8.43	10.18	1.2	32.4	
		5:34	22.80	50.77	33.34	8.45	10.35	1.4	26.6	
		6:04	22.76	50.75	33.33	8.45	10.01	1.4	30.9	
		6:34	22.73	50.74	33.33	8.46	10.37	1.2	35.8	
		7:04	22.74	50.75	33.33	8.46	10.40	1.1	32.6	
		7:34	22.73	50.74	33.33	8.53	10.65	2.0	33.1	
	日平均值			22.81	50.76	33.34	8.46	10.38	1.38	36.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月30日	蚵殼站	10:04	22.86	50.49	33.15	8.50	11.74	2.0	13.4	
		13:34	23.28	51.00	33.51	8.46	11.80	3.4	14.4	
		14:04	23.21	51.00	33.52	8.47	12.73	3.1	11.3	
		16:04	23.33	50.85	33.40	8.48	13.21	3.4	12.0	
		16:34	23.27	51.01	33.52	8.49	12.50	2.8	26.1	
		17:34	23.23	50.81	33.37	8.47	12.31	3.5	15.8	
		18:04	23.20	50.92	33.45	8.43	11.56	2.7	25.9	
		18:34	23.13	50.91	33.45	8.48	12.23	2.2	23.0	
	日平均值			23.19	50.87	33.42	8.47	12.26	2.89	17.74
	潮口站	0:04	23.71	52.14	34.34	8.16	7.10	7.3	2.9	
		3:04	22.20	50.02	32.80	8.46	11.28	3.5	12.9	
		6:04	22.30	50.41	33.09	8.40	10.24	3.6	10.9	
		9:04	23.68	52.26	34.43	8.15	7.03	6.6	1.8	
		12:04	24.21	52.35	34.48	8.14	7.17	6.1	0.4	
		15:04	24.41	51.08	33.54	8.43	11.41	4.8	7.9	
		18:04	23.66	51.20	33.65	8.41	11.46	3.9	12.7	
		21:04	24.00	51.07	33.54	8.43	11.08	4.1	3.0	
	日平均值			23.52	51.32	33.73	8.32	9.60	4.99	6.56
	灣內站	6:34	22.83	50.68	33.35	8.49	11.71	1.4	24.1	
		7:04	22.86	50.72	33.37	8.48	11.61	1.0	23.5	
		7:34	22.86	50.76	33.41	8.45	10.90	1.1	29.0	
		8:04	22.88	50.76	33.40	8.47	11.44	0.9	29.8	
		8:34	22.94	50.79	33.43	8.44	10.98	0.8	20.4	
		9:04	23.03	50.82	33.44	8.44	10.99	0.8	19.3	
		9:34	23.07	50.89	33.50	8.46	11.41	1.0	25.9	
		10:04	23.09	50.88	33.49	8.49	11.97	1.0	21.4	
	日平均值			22.95	50.79	33.42	8.47	11.38	1.00	24.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月31日	蚵殼站	0:04	23.96	50.07	32.82	8.56	13.82	2.8	11.9	
		3:04	24.02	50.72	33.29	8.54	13.02	2.8	9.6	
		6:04	23.96	50.77	33.33	8.51	12.40	2.3	17.7	
		9:04	23.95	51.03	33.53	8.54	13.34	1.5	14.1	
		12:04	24.04	51.22	33.67	8.43	11.21	2.8	10.8	
		15:04	24.42	52.21	34.39	8.31	9.45	3.0	10.8	
		18:04	24.48	51.41	33.80	8.46	11.81	3.7	12.6	
		21:04	24.40	51.27	33.70	8.49	11.99	1.7	6.5	
	日平均值			24.15	51.09	33.57	8.48	12.13	2.58	11.75
	潮口站	0:04	24.42	51.78	34.06	8.17	7.29	5.5	2.3	
		3:04	24.05	51.52	33.87	8.28	8.75	3.5	4.0	
		6:04	23.62	50.77	33.33	8.46	11.43	2.7	10.8	
		9:04	24.69	52.26	34.41	8.12	6.90	4.7	6.0	
		12:04	24.80	52.31	34.45	8.12	6.79	5.9	3.4	
		15:04	24.86	51.38	33.76	8.30	9.41	5.8	7.6	
		18:04	24.66	51.44	33.81	8.33	9.92	5.7	0.3	
		21:04	24.57	51.05	33.52	8.42	11.04	3.4	4.5	
	日平均值			24.46	51.56	33.90	8.28	8.94	4.65	4.86
	灣內站	0:04	23.54	50.71	33.35	8.47	13.59	0.5	14.1	
		3:04	23.53	50.78	33.41	8.43	12.82	0.3	14.6	
		6:04	23.72	50.54	33.23	8.42	12.08	0.5	13.7	
		9:04	23.73	50.70	33.34	8.46	13.11	0.5	22.0	
		12:04	24.27	50.57	33.24	8.49	13.50	0.4	14.2	
		15:04	24.71	50.62	33.27	8.50	13.84	0.5	19.4	
		18:04	24.81	50.61	33.26	8.49	13.72	1.1	23.5	
		21:04	24.86	50.52	33.19	8.50	13.44	1.4	23.4	
	日平均值			24.15	50.63	33.29	8.47	13.26	0.65	18.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月1日	蚵殼站	0:04	24.39	51.48	33.85	8.48	11.66	1.7	8.8	
		3:04	24.30	51.24	33.67	8.43	10.58	2.3	4.8	
		6:04	24.25	50.69	33.27	8.46	11.18	2.4	9.2	
		9:04	24.29	50.17	32.88	8.48	11.41	2.4	9.7	
		12:04	24.46	50.76	33.31	8.42	10.69	2.2	13.9	
		15:04	24.84	51.44	33.81	8.39	10.22	2.4	8.6	
		18:04	25.14	50.67	33.24	8.44	10.79	2.4	11.5	
		21:04	25.07	49.96	32.71	8.42	10.55	2.2	9.7	
	日平均值			24.59	50.80	33.34	8.44	10.89	2.25	9.53
	潮口站	0:04	24.93	52.04	34.24	8.14	7.07	4.2	5.7	
		3:04	24.86	52.24	34.39	8.12	6.85	3.7	3.0	
		6:04	24.15	51.31	33.72	8.29	8.48	3.0	10.6	
		9:04	24.34	51.42	33.79	8.29	8.64	2.8	6.9	
		12:04	25.17	52.38	34.49	8.11	6.84	7.0	2.1	
		15:04	25.71	52.32	34.43	8.15	7.38	8.9	3.3	
		18:04	25.19	51.83	34.08	8.23	8.69	8.0	3.0	
		21:04	25.85	51.32	33.69	8.27	9.18	7.8	8.5	
	日平均值			25.03	51.86	34.10	8.20	7.89	5.68	5.39
	灣內站	0:04	24.52	50.61	33.27	8.16	12.66	0.6	14.0	
		3:04	24.39	50.62	33.27	8.15	12.20	0.8	13.2	
		6:04	24.32	50.59	33.26	8.13	11.95	0.2	14.9	
		9:04	24.41	50.57	33.24	8.15	12.17	0.3	13.5	
		12:04	24.62	50.79	33.39	8.13	12.29	0.2	10.1	
		15:04	25.91	50.43	33.10	8.18	13.41	0.6	21.5	
		18:04	26.16	50.38	33.06	8.22	14.13	0.4	13.3	
		21:04	25.88	50.25	32.97	8.24	14.73	0.5	17.5	
	日平均值			25.03	50.53	33.20	8.17	12.94	0.45	14.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月2日	蚵殼站	0:04	25.26	48.51	31.64	8.52	12.30	1.9	5.0	
		3:04	25.18	49.76	32.56	8.50	11.53	2.5	15.3	
		6:04	24.95	49.43	32.32	8.43	10.68	2.4	17.0	
		9:04	25.26	50.09	32.80	8.47	11.22	1.2	15.5	
		12:04	25.68	50.36	32.99	8.41	10.58	1.6	12.7	
		15:04	25.70	50.36	32.99	8.42	10.91	2.0	10.1	
		18:04	25.88	51.16	33.58	8.42	10.42	1.5	3.8	
		21:04	25.88	49.48	32.34	8.44	10.90	2.0	6.2	
	日平均值			25.47	49.89	32.65	8.45	11.07	1.89	10.70
	潮口站	0:04	24.97	51.54	33.87	8.22	8.08	4.6	8.2	
		3:04	25.06	52.43	34.53	8.10	6.75	3.3	3.9	
		6:04	24.80	51.60	33.91	8.26	8.05	4.8	8.4	
		9:04	24.94	51.17	33.61	8.47	11.25	1.7	5.0	
		12:04	25.36	51.72	33.99	8.11	7.00	3.7	2.0	
		15:04	25.61	52.85	34.82	8.11	7.09	2.7	2.9	
		18:04	25.92	52.43	34.51	8.14	7.37	13.0	0.6	
		21:04	25.42	52.35	34.46	8.21	8.46	8.9	4.8	
	日平均值			25.26	52.01	34.21	8.20	8.01	5.34	4.48
	灣內站	0:04	25.88	50.37	33.06	8.13	11.98	0.9	16.7	
		3:04	25.17	50.97	33.52	8.05	10.52	0.4	39.2	
		6:04	25.02	50.80	33.39	8.06	10.35	0.4	19.3	
		9:04	25.13	50.67	33.29	8.08	10.50	0.2	9.4	
		12:04	25.87	50.48	33.14	8.13	12.11	0.4	16.3	
		15:04	26.60	50.41	33.07	8.15	12.49	0.3	17.4	
		18:04	26.63	50.41	33.07	8.18	12.71	0.1	17.5	
		21:04	26.72	50.21	32.92	8.15	11.91	0.7	7.0	
	日平均值			25.88	50.54	33.18	8.12	11.57	0.43	17.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月3日	蚵殼站	0:04	26.02	51.07	33.51	8.45	10.91	1.5	7.3	
		3:04	26.16	49.96	32.68	8.40	10.15	1.4	14.6	
		6:04	26.02	50.15	32.83	8.41	10.01	1.6	10.6	
		9:04	26.14	49.93	32.66	8.41	10.51	1.0	7.2	
		12:04	26.05	51.55	33.86	8.32	9.36	2.8	14.6	
		15:04	26.70	50.33	32.94	8.42	10.75	1.5	7.6	
		18:04	26.33	50.63	33.18	8.35	9.45	1.9	6.8	
		21:04	26.55	51.64	33.92	8.37	9.35	1.2	5.1	
	日平均值			26.25	50.66	33.20	8.39	10.06	1.61	9.23
	潮口站	0:04	25.68	51.92	34.14	8.32	9.48	2.6	1.4	
		3:04	25.31	50.99	33.45	8.08	6.72	3.6	2.8	
		6:04	25.30	51.38	33.75	8.21	7.69	4.7	0.4	
		9:04	25.69	49.70	32.50	8.42	10.70	2.2	1.7	
		12:04	25.66	51.69	33.96	8.13	7.47	3.9	0.2	
		15:04	25.64	52.46	34.54	8.10	7.06	4.6	5.2	
		18:04	26.17	51.68	33.94	8.18	7.77	5.4	1.0	
		21:04	25.54	52.20	34.35	8.08	6.54	12.2	5.4	
	日平均值			25.62	51.50	33.83	8.19	7.93	4.90	2.26
	灣內站	0:04	26.69	50.11	32.84	8.10	10.74	0.6	11.0	
		3:04	26.33	50.57	33.19	8.08	11.02	0.6	17.0	
		6:04	26.01	50.57	33.20	8.05	9.98	0.2	17.3	
		9:04	26.35	50.61	33.22	8.07	10.67	0.0	7.7	
		12:04	27.20	50.32	32.99	8.14	12.25	0.5	16.0	
		15:04	27.68	50.50	33.10	8.10	11.94	1.1	20.3	
		18:04	27.35	50.40	33.04	8.11	11.40	0.8	13.0	
		21:04	27.14	50.29	32.97	8.08	10.36	0.6	11.4	
	日平均值			26.84	50.42	33.07	8.09	11.05	0.55	14.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月4日	蚵殼站	0:04	26.42	51.12	33.53	8.34	8.93	0.9	1.5	
		3:04	26.33	51.17	33.57	8.33	8.58	0.9	3.7	
		6:04	26.16	51.26	33.65	8.34	8.69	1.6	0.8	
		9:04	26.62	51.09	33.51	8.36	9.16	1.6	8.3	
		12:04	26.54	51.52	33.83	8.26	8.11	1.6	6.8	
		15:04	26.25	52.30	34.41	8.20	7.54	0.7	5.2	
		18:04	26.27	52.55	34.60	8.21	7.65	1.1	11.1	
		21:04	26.46	49.79	32.55	8.23	7.85	2.4	10.0	
	日平均值			26.38	51.35	33.71	8.28	8.31	1.35	5.93
	潮口站	0:04	25.96	50.59	33.14	8.15	7.19	5.3	3.1	
		3:04	25.07	51.60	33.91	8.08	6.74	6.0	3.7	
		6:04	25.31	52.15	34.32	8.07	6.67	3.3	1.0	
		9:04	26.10	50.52	33.10	8.30	8.88	2.3	0.8	
		12:04	26.54	50.60	33.14	8.28	8.77	5.2	1.3	
		15:04	25.35	51.43	33.78	8.07	6.92	5.3	3.2	
		18:04	25.50	50.94	33.41	8.07	6.98	4.4	0.1	
		21:04	25.77	49.63	32.44	8.10	6.94	9.9	0.7	
	日平均值			25.70	50.93	33.41	8.14	7.39	5.21	1.74
	灣內站	0:04	26.88	50.52	33.14	8.03	9.55	1.0	22.4	
		3:04	26.76	50.47	33.10	7.99	8.69	0.9	19.5	
		6:04	26.47	50.49	33.13	8.01	8.85	0.1	16.3	
		9:04	26.47	50.53	33.16	8.02	9.18	0.5	6.6	
		12:04	27.07	50.56	33.16	8.04	9.76	0.6	7.1	
		15:04	27.16	50.57	33.17	8.03	9.45	3.7	8.4	
		18:04	27.17	50.58	33.18	8.03	9.26	2.4	7.9	
		21:04	27.67	50.28	32.94	8.06	9.40	2.3	10.8	
	日平均值			26.96	50.50	33.12	8.03	9.27	1.44	12.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月5日	蚵殼站	0:04	26.75	49.09	32.03	8.30	8.76	0.1	5.9	
		3:04	26.32	50.23	32.88	8.24	7.57	1.0	9.0	
		6:04	26.45	50.90	33.37	8.28	7.71	0.5	11.3	
		9:04	26.60	51.05	33.48	8.19	7.02	1.0	11.9	
		12:04	27.19	51.18	33.56	8.19	7.15	2.2	13.7	
		15:04	27.47	51.82	34.02	8.25	8.48	2.9	12.0	
		18:04	27.45	51.97	34.14	8.26	8.31	4.0	8.6	
		21:04	27.41	51.61	33.87	8.20	7.77	12.9	5.5	
	日平均值			26.96	50.98	33.42	8.24	7.85	3.08	9.74
	潮口站	0:04	26.20	50.05	32.74	8.17	7.50	5.8	2.5	
		3:04	24.90	50.80	33.32	8.07	6.71	5.6	3.6	
		6:04	24.96	50.35	32.98	8.06	6.61	8.0	2.7	
		9:04	26.27	49.29	32.17	8.29	8.34	1.7	3.2	
		12:04	27.04	50.07	32.73	8.21	7.58	5.8	1.1	
		15:04	25.43	50.10	32.80	8.07	6.99	7.7	7.4	
		18:04	25.40	49.08	32.05	8.06	6.79	4.7	0.9	
		21:04	26.77	48.76	31.79	8.19	7.92	4.0	1.1	
	日平均值			25.87	49.81	32.57	8.14	7.31	5.41	2.81
	灣內站	0:04	27.28	49.82	32.61	8.54	8.42	1.2	12.6	
		3:04	27.22	50.22	32.91	8.44	7.13	2.0	11.4	
		6:04	26.55	50.81	33.37	8.39	7.35	0.3	7.5	
		9:04	26.53	50.77	33.34	8.39	7.38	0.3	5.2	
		12:04	27.97	50.26	32.92	8.46	8.53	1.7	10.2	
		15:04	28.47	50.46	33.05	8.51	9.97	1.8	14.5	
		18:04	28.26	50.57	33.13	8.48	9.04	1.0	10.6	
		21:04	28.31	50.54	33.12	8.46	8.81	1.4	8.2	
	日平均值			27.57	50.43	33.06	8.46	8.33	1.21	10.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月6日	蚵殼站	0:04	27.53	51.44	33.74	8.22	7.62	0.7	7.5	
		3:04	27.29	50.40	32.98	8.21	7.18	0.9	4.6	
		6:04	27.09	50.48	33.04	8.18	7.19	0.1	4.0	
		9:04	27.13	48.56	31.63	8.18	7.20	0.3	8.9	
		12:04	27.55	48.17	31.33	8.21	8.06	0.5	3.3	
		15:04	26.88	49.32	32.19	8.16	7.65	2.6	6.9	
		18:04	27.35	49.49	32.30	8.19	7.81	1.7	7.8	
		21:04	27.23	52.37	34.44	8.16	6.88	1.8	2.1	
	日平均值			27.26	50.03	32.71	8.19	7.45	1.08	5.64
	潮口站	0:04	26.96	49.23	32.12	8.14	7.32	8.3	1.0	
		3:04	25.44	48.58	31.68	8.06	6.90	5.5	2.8	
		6:04	25.42	47.20	30.68	8.07	6.95	3.6	0.9	
		9:04	26.99	49.47	32.29	8.20	7.67	3.7	0.1	
		12:04	28.21	49.59	32.35	8.19	8.05	4.7	5.9	
		15:04	26.21	49.10	32.05	8.17	7.91	5.3	5.1	
		18:04	26.58	48.87	31.87	8.18	7.86	5.1	2.1	
		21:04	26.62	48.72	31.75	8.19	7.54	9.5	4.9	
	日平均值			26.55	48.85	31.85	8.15	7.53	5.71	2.85
	灣內站	0:04	28.09	50.48	33.08	8.54	10.04	0.9	10.4	
		3:04	27.22	50.71	33.27	8.29	6.02	2.1	10.3	
		6:04	27.17	50.63	33.21	8.35	6.76	1.5	12.1	
		9:04	27.05	50.87	33.39	8.28	5.70	1.2	7.8	
		12:04	28.13	50.68	33.22	8.43	8.34	1.1	6.5	
		15:04	27.02	51.05	33.52	8.29	6.42	5.2	7.9	
		18:04	26.51	51.29	33.72	8.34	7.36	2.2	7.6	
		21:04	26.65	51.14	33.60	8.36	7.47	1.5	7.2	
	日平均值			27.23	50.86	33.38	8.36	7.26	1.96	8.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月7日	蚵殼站	0:04	26.76	52.08	34.23	8.14	6.97	2.2	3.4	
		3:04	26.79	51.94	34.14	8.13	6.80	1.5	6.0	
		6:04	26.91	52.81	34.78	8.11	6.37	3.6	4.4	
		9:04	26.82	51.75	33.99	8.10	6.38	1.8	1.4	
		12:04	27.24	52.21	34.32	8.10	6.63	3.2	9.1	
		15:04	28.20	52.06	34.18	8.16	7.96	3.3	7.1	
		18:04	27.93	52.23	34.32	8.17	8.26	2.5	11.7	
		21:04	27.51	51.84	34.03	8.08	7.06	0.9	6.3	
	日平均值			27.27	52.12	34.25	8.12	7.05	2.38	6.18
	潮口站	0:04	27.53	48.10	31.29	8.17	6.78	16.8	1.7	
		3:04	26.75	49.16	32.08	8.17	7.00	9.8	1.8	
		6:04	26.26	51.50	33.81	8.17	7.47	13.8	0.5	
		9:04	26.99	49.75	32.49	8.19	7.10	7.9	4.5	
		12:04	28.13	50.69	33.16	8.17	7.39	12.6	7.8	
		15:04	28.37	50.89	33.30	8.19	8.09	6.0	13.9	
		18:04	26.73	50.42	32.99	8.17	7.93	7.8	3.2	
		21:04	27.55	48.72	31.73	8.20	8.44	6.1	10.2	
	日平均值			27.29	49.90	32.61	8.18	7.53	10.10	5.45
	灣內站	0:04	26.40	51.21	33.67	8.33	7.01	3.5	4.7	
		3:04	26.10	51.37	33.79	8.26	6.10	4.2	4.4	
		6:04	26.28	51.22	33.67	8.31	6.47	1.5	5.1	
		9:04	26.91	50.99	33.48	8.34	6.93	1.2	5.0	
		12:04	27.41	51.14	33.58	8.37	7.85	2.4	4.4	
		15:04	28.29	50.98	33.44	8.41	9.50	3.4	12.3	
		18:04	28.02	51.18	33.60	8.40	8.99	1.9	14.3	
		21:04	28.07	51.21	33.61	8.42	8.90	2.1	14.9	
	日平均值			27.19	51.16	33.61	8.36	7.72	2.53	8.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月8日	蚵殼站	0:04	27.52	53.08	34.96	8.14	7.27	0.7	7.6	
		3:04	27.42	51.98	34.15	8.16	7.46	0.6	3.3	
		6:04	27.34	49.70	32.46	8.15	7.71	2.8	13.1	
		9:04	27.22	49.26	32.14	8.12	7.43	1.5	8.8	
		12:04	28.07	48.47	31.54	8.18	8.46	1.4	5.6	
		15:04	27.96	47.95	31.16	8.19	8.97	6.1	18.5	
		18:04	27.57	49.68	32.44	8.21	9.06	1.0	37.4	
		21:04	27.62	50.68	33.17	8.19	8.68	1.2	13.8	
	日平均值			27.59	50.10	32.75	8.17	8.13	1.91	13.51
	潮口站	0:04	28.12	50.85	33.26	8.18	7.77	9.3	34.3	
		3:04	27.62	49.45	32.26	8.15	8.09	3.8	10.5	
		6:04	25.80	51.19	33.58	8.15	7.45	6.8	5.8	
		9:04	27.25	48.48	31.57	8.15	7.39	5.3	7.5	
		12:04	28.10	50.84	33.27	8.19	8.58	9.5	2.4	
		15:04	27.37	48.16	31.33	8.20	9.17	7.8	9.9	
		18:04	25.73	47.97	31.23	8.13	7.61	8.6	1.4	
		21:04	26.73	50.44	33.02	8.13	7.65	2.8	3.7	
	日平均值			27.09	49.67	32.44	8.16	7.96	6.74	9.44
	灣內站	0:04	27.83	51.14	33.57	8.36	8.06	2.2	11.4	
		3:04	27.49	51.12	33.56	8.26	6.52	2.5	10.9	
		6:04	27.26	51.15	33.59	8.31	7.19	1.2	10.2	
		9:04	27.47	51.09	33.54	8.30	7.01	1.0	7.6	
		12:04	28.43	50.94	33.41	8.38	9.03	1.4	10.5	
		15:04	29.47	50.76	33.24	8.50	11.49	2.7	18.4	
		18:04	29.12	51.16	33.54	8.43	9.34	3.9	12.7	
		21:04	28.33	51.12	33.54	8.42	8.97	2.3	13.9	
	日平均值			28.18	51.06	33.50	8.37	8.45	2.15	11.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月9日	蚵殼站	0:04	28.03	50.89	33.32	8.19	8.31	3.0	7.8	
		3:04	27.93	50.06	32.71	8.22	8.51	4.6	10.8	
		6:04	27.51	52.00	34.15	8.18	7.88	1.1	8.5	
		9:04	27.59	51.67	33.91	8.20	8.02	3.4	7.2	
		12:04	27.47	51.14	33.52	8.15	8.05	2.2	14.1	
		15:04	27.80	52.76	34.71	8.18	8.61	1.9	12.0	
		18:04	27.91	51.33	33.65	8.25	9.32	1.4	12.8	
		21:04	27.99	51.53	33.80	8.27	9.25	7.9	14.0	
	日平均值			27.78	51.42	33.72	8.21	8.49	3.19	10.90
	潮口站	0:04	26.82	51.57	33.84	8.15	7.66	7.5	4.2	
		3:04	27.50	49.90	32.59	8.20	8.53	3.9	7.1	
		6:04	25.30	51.89	34.11	8.14	7.25	6.1	0.2	
		9:04	25.43	50.70	33.24	8.16	7.43	5.8	3.8	
		12:04	28.20	50.71	33.17	8.20	8.64	7.7	5.5	
		15:04	27.31	50.71	33.25	8.24	9.24	10.1	13.5	
		18:04	26.33	50.95	33.40	8.17	8.23	7.1	1.6	
		21:04	26.06	52.13	34.23	8.13	7.65	5.3	1.2	
	日平均值			26.62	51.07	33.48	8.17	8.08	6.69	4.64
	灣內站	0:04	28.45	51.09	33.51	8.39	8.15	2.3	11.0	
		3:04	28.12	51.02	33.47	8.41	8.52	2.5	16.5	
		6:04	27.68	51.19	33.61	8.39	8.18	1.2	10.6	
		9:04	27.74	51.16	33.59	8.38	8.16	1.1	6.5	
		12:04	28.74	51.06	33.48	8.48	10.08	1.6	7.1	
		15:04	29.88	50.58	33.09	8.55	12.08	4.4	23.8	
		18:04	29.29	50.76	33.25	8.58	11.82	4.1	26.6	
		21:04	28.55	51.19	33.58	8.45	9.36	2.3	12.3	
	日平均值			28.56	51.01	33.45	8.45	9.54	2.44	14.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月10日	蚵殼站	0:04	27.80	50.44	32.99	8.22	8.40	3.0	9.0	
		3:04	27.89	50.96	33.38	8.24	8.07	5.6	10.9	
		6:04	27.95	50.70	33.18	8.24	7.93	3.6	17.5	
		9:04	27.99	50.75	33.21	8.24	8.32	2.9	14.8	
		12:04	27.46	51.24	33.59	8.18	8.24	3.9	15.5	
		15:04	27.40	52.36	34.43	8.21	8.87	4.2	20.7	
		18:04	27.71	51.60	33.85	8.26	9.30	1.6	9.8	
		21:04	27.15	51.70	33.95	8.22	8.00	3.7	10.3	
	日平均值			27.67	51.22	33.57	8.23	8.39	3.56	13.56
	潮口站	0:04	26.32	52.10	34.25	8.18	7.97	7.3	8.4	
		3:04	26.98	51.70	33.93	8.20	8.41	4.2	3.8	
		6:04	25.09	51.48	33.82	8.14	7.42	9.3	0.1	
		9:04	25.35	52.36	34.44	8.17	7.70	6.8	3.0	
		12:04	27.87	51.80	34.02	8.27	9.09	7.2	11.8	
		15:04	28.52	50.41	33.01	8.25	9.49	13.1	7.0	
		18:04	27.48	50.18	32.80	8.21	8.59	7.7	5.8	
		21:04	25.45	51.71	33.97	8.16	7.60	5.6	3.7	
	日平均值			26.63	51.47	33.78	8.20	8.28	7.65	5.45
	灣內站	0:04	28.15	51.23	33.63	8.40	8.36	3.1	13.5	
		3:04	28.10	51.17	33.58	8.46	8.92	2.3	9.5	
		6:04	28.07	51.12	33.55	8.44	8.62	1.8	11.9	
		9:04	27.51	51.28	33.68	8.31	7.04	2.0	11.6	
		12:04	28.64	51.10	33.52	8.47	9.65	2.6	9.5	
		15:04	29.09	51.05	33.46	8.49	10.12	1.8	13.2	
		18:04	29.02	51.06	33.47	8.45	9.03	3.6	14.5	
		21:04	27.74	50.96	33.44	8.43	8.13	3.9	15.3	
	日平均值			28.29	51.12	33.54	8.43	8.73	2.64	12.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月11日	蚵殼站	0:04	27.36	51.18	33.55	8.19	7.16	7.8	8.0	
		3:04	27.21	50.87	33.33	8.16	6.79	7.9	10.4	
		6:04	26.67	50.10	32.77	8.16	6.66	12.8	11.1	
		9:04	26.40	51.20	33.59	8.17	6.47	3.3	7.4	
		12:04	26.35	52.06	34.23	8.20	7.43	4.0	14.2	
		15:04	27.16	50.69	33.19	8.23	8.41	2.7	20.7	
		18:04	26.75	50.69	33.21	8.21	7.97	4.7	14.1	
		21:04	26.36	51.39	33.74	8.22	7.29	2.0	6.3	
	日平均值			26.78	51.02	33.45	8.19	7.27	5.65	11.53
	潮口站	0:04	26.15	51.60	33.88	8.18	7.55	8.2	2.7	
		3:04	26.15	51.52	33.81	8.16	7.28	5.4	3.3	
		6:04	25.01	51.86	34.10	8.17	7.32	6.3	3.4	
		9:04	24.73	52.22	34.37	8.16	7.31	5.2	3.3	
		12:04	26.61	50.82	33.30	8.22	8.04	5.2	4.1	
		15:04	26.73	52.00	34.21	8.20	7.89	12.3	6.2	
		18:04	26.56	51.56	33.84	8.19	7.68	10.2	15.3	
		21:04	24.97	51.92	34.14	8.16	7.45	11.7	0.3	
	日平均值			25.86	51.69	33.96	8.18	7.57	8.06	4.83
	灣內站	0:04	27.33	50.98	33.46	8.40	7.71	4.8	9.8	
		3:04	27.40	50.92	33.42	8.32	6.16	3.1	9.6	
		6:04	26.79	50.12	32.85	8.35	6.75	3.1	9.4	
		9:04	26.69	49.70	32.55	8.34	6.74	3.7	16.5	
		12:04	26.78	50.60	33.20	8.22	5.00	4.5	5.6	
		15:04	27.17	49.84	32.63	8.45	9.31	3.7	28.3	
		18:04	27.49	49.19	32.15	8.43	9.22	4.1	31.1	
		21:04	26.59	49.80	32.62	8.38	7.69	2.9	18.8	
	日平均值			27.03	50.14	32.86	8.36	7.32	3.74	16.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月12日	蚵殼站	0:04	26.48	50.15	32.82	8.20	7.28	14.8	6.4	
		3:04	26.27	50.11	32.79	8.19	6.54	2.6	6.6	
		6:04	26.16	51.25	33.60	8.13	5.71	4.6	7.0	
		9:04	26.12	50.17	32.81	8.18	6.88	5.1	6.6	
		12:04	26.13	50.91	33.38	8.22	7.90	3.0	0.3	
		15:04	27.12	50.61	33.13	8.35	10.33	2.7	8.0	
		18:04	27.50	50.16	32.79	8.43	12.00	1.8	10.1	
		21:04	27.47	48.40	31.50	8.40	11.53	1.5	5.8	
	日平均值			26.66	50.22	32.85	8.26	8.52	4.51	6.35
	潮口站	0:04	25.50	47.89	31.19	8.14	7.04	5.2	5.6	
		3:04	25.64	47.67	31.03	8.15	7.08	5.7	8.7	
		6:04	25.40	46.98	30.53	8.12	6.86	4.8	0.4	
		9:04	24.84	48.92	31.96	8.17	7.61	8.8	0.2	
		12:04	26.79	50.05	32.72	8.16	7.32	6.5	7.1	
		15:04	27.90	50.59	33.00	8.24	6.87	18.0	0.2	
		18:04	28.07	50.56	32.97	8.36	9.23	6.9	10.2	
		21:04	26.54	51.73	33.89	8.23	6.84	6.0	2.5	
	日平均值			26.34	49.30	32.16	8.20	7.36	7.74	4.36
	灣內站	0:04	26.79	48.98	32.01	8.36	7.19	3.4	15.4	
		3:04	26.48	49.94	32.72	8.41	7.74	2.2	8.2	
		6:04	26.36	49.87	32.68	8.28	6.04	2.7	11.2	
		9:04	26.35	49.97	32.68	8.36	7.45	2.7	11.3	
		12:04	26.82	50.36	32.95	8.56	8.99	0.7	10.2	
		15:04	28.63	49.53	32.29	8.35	9.59	0.2	11.0	
		18:04	29.05	48.87	31.80	8.52	10.79	1.2	21.2	
		21:04	28.17	50.06	32.70	8.66	11.92	0.5	8.1	
	日平均值			27.33	49.70	32.48	8.44	8.71	1.70	12.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月13日	蚵殼站	0:04	27.34	45.44	29.36	8.36	11.08	1.9	9.1	
		3:04	27.23	49.61	32.39	8.31	10.09	1.8	8.4	
		6:04	26.59	50.91	33.38	8.25	8.92	1.7	6.1	
		9:04	26.92	49.87	32.60	8.32	10.15	1.1	9.0	
		12:04	26.41	51.81	34.04	8.22	8.97	2.5	12.3	
		15:04	25.83	51.59	33.88	8.17	7.82	3.4	7.4	
		18:04	26.70	51.05	33.47	8.25	8.80	3.5	12.6	
		21:04	26.49	51.27	33.64	8.25	8.91	2.7	6.1	
	日平均值			26.69	50.19	32.85	8.27	9.34	2.33	8.88
	潮口站	0:04	26.53	51.73	33.88	8.20	6.74	4.8	2.5	
		3:04	28.04	48.14	31.21	8.32	7.95	2.2	9.7	
		6:04	27.98	48.96	31.81	8.32	7.91	3.2	0.8	
		9:04	26.33	52.19	34.22	8.22	6.66	3.3	3.8	
		12:04	27.76	50.33	32.81	8.30	8.23	3.4	10.5	
		15:04	27.46	50.97	33.30	8.27	7.35	20.6	10.8	
		18:04	27.05	51.04	33.36	8.20	6.65	8.8	5.1	
		21:04	27.03	50.77	33.16	8.18	6.45	21.1	4.8	
	日平均值			27.27	50.52	32.97	8.25	7.24	8.43	6.00
	灣內站	0:04	28.20	50.15	32.76	8.47	10.93	0.3	6.5	
		3:04	26.74	51.17	33.56	8.24	7.94	0.1	4.3	
		6:04	26.42	51.11	33.52	8.25	8.30	0.6	5.5	
		9:04	26.99	50.33	32.93	8.31	10.01	0.6	23.2	
		12:04	26.95	50.58	33.11	8.37	10.44	0.3	26.7	
		15:04	26.96	50.58	33.11	7.93	9.75	2.5	24.9	
		18:04	26.74	50.52	33.08	8.08	8.28	1.8	17.7	
		21:04	26.57	50.59	33.14	8.11	7.60	3.5	9.6	
	日平均值			26.95	50.63	33.15	8.22	9.16	1.21	14.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月14日	蚵殼站	0:04	26.25	51.36	33.71	8.20	7.93	1.8	7.4	
		3:04	26.12	51.26	33.64	8.14	7.17	1.2	1.9	
		6:04	26.07	52.03	34.21	8.20	8.03	1.8	18.7	
		9:04	26.07	51.41	33.75	8.23	8.85	2.8	18.3	
		12:04	25.99	51.82	34.06	8.14	7.44	1.5	13.4	
		15:04	26.41	51.57	33.87	8.29	10.26	2.4	13.9	
		18:04	26.43	49.22	32.14	8.17	8.84	3.0	9.7	
		21:04	26.14	50.34	32.97	8.18	8.79	2.9	6.0	
	日平均值			26.19	51.13	33.54	8.19	8.41	2.18	11.16
	潮口站	0:04	25.78	52.78	34.68	8.17	6.73	29.1	4.1	
		3:04	26.47	50.68	33.11	8.14	6.22	7.8	5.5	
		6:04	26.40	49.98	32.60	8.19	6.56	2.9	4.3	
		9:04	26.10	51.64	33.83	8.16	6.70	8.0	0.3	
		12:04	26.29	51.69	33.85	8.15	6.67	6.7	4.0	
		15:04	26.88	49.57	32.28	8.19	7.16	7.4	8.1	
		18:04	27.12	48.28	31.35	8.27	8.51	3.3	7.9	
		21:04	26.87	48.19	31.28	8.21	7.52	7.8	9.2	
	日平均值			26.49	50.35	32.87	8.19	7.01	9.13	5.43
	灣內站	0:04	26.36	49.98	32.69	8.15	8.00	0.0	5.9	
		3:04	26.57	50.32	32.93	8.15	7.84	0.3	7.7	
		6:04	26.47	50.54	33.10	8.11	6.94	0.1	10.0	
		9:04	26.39	50.16	32.82	8.21	8.48	0.5	27.6	
		12:04	26.49	49.90	32.63	8.21	8.87	0.4	24.4	
		15:04	26.36	50.99	33.43	8.15	7.64	0.5	3.0	
		18:04	26.52	47.03	30.53	8.22	7.47	1.9	8.0	
		21:04	26.25	49.91	32.64	8.09	6.86	0.1	6.4	
	日平均值			26.43	49.85	32.60	8.16	7.76	0.48	11.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月15日	蚵殼站	0:04	25.93	49.12	32.09	8.13	8.14	1.8	8.5	
		3:04	25.80	49.55	32.40	8.13	8.12	2.1	3.8	
		6:04	25.44	46.41	30.12	8.07	7.66	3.4	5.5	
		9:04	25.76	49.70	32.51	8.14	8.53	3.8	38.0	
		12:04	25.85	50.10	32.80	8.16	8.79	3.1	12.7	
		15:04	26.16	52.20	34.35	8.18	9.05	3.6	10.5	
		18:04	27.02	50.52	33.09	8.18	9.44	2.6	3.2	
		21:04	27.04	46.42	30.11	8.30	12.04	2.8	3.7	
	日平均值			26.13	49.25	32.18	8.16	8.97	2.90	10.74
	潮口站	0:04	25.85	50.80	33.22	8.14	6.78	17.6	0.8	
		3:04	26.19	49.01	31.90	8.15	7.05	3.0	4.4	
		6:04	26.29	48.55	31.56	8.15	7.01	2.5	6.6	
		9:04	26.01	46.42	30.02	8.08	6.60	3.7	0.7	
		12:04	26.27	52.48	34.44	8.11	6.76	9.4	4.9	
		15:04	27.17	46.53	30.07	8.13	7.56	5.8	3.2	
		18:04	27.20	47.69	30.91	8.15	7.84	7.8	15.4	
		21:04	27.50	46.65	30.16	8.16	8.31	4.3	7.2	
	日平均值			26.56	48.52	31.54	8.13	7.24	6.76	5.40
	灣內站	0:04	26.07	49.37	32.25	8.14	7.40	0.1	5.4	
		3:04	25.84	49.05	32.02	8.12	7.17	1.1	4.2	
		6:04	26.03	49.17	32.11	8.14	7.22	0.4	6.1	
		9:04	26.03	49.33	32.22	8.23	8.02	0.9	23.8	
		12:04	26.00	47.33	30.76	8.34	10.17	2.0	51.4	
		15:04	26.12	50.27	32.91	8.13	6.98	0.3	4.2	
		18:04	27.02	48.20	31.37	8.37	11.82	1.5	24.0	
		21:04	27.13	47.84	31.11	8.68	12.78	1.1	17.6	
	日平均值			26.28	48.82	31.84	8.27	8.95	0.93	17.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月16日	蚵殼站	0:04	26.77	45.27	29.28	8.19	10.21	4.0	6.2	
		3:04	26.83	50.55	33.12	8.14	9.12	1.7	3.0	
		6:04	26.33	51.74	33.99	8.12	8.30	1.9	7.0	
		9:04	26.29	49.48	32.36	8.13	8.82	2.0	0.2	
		12:14	27.02	51.67	33.95	8.20	10.12	3.7	4.4	
		15:04	26.91	52.10	34.26	8.21	10.55	3.7	7.7	
		18:04	27.53	51.65	33.92	8.32	12.70	4.7	24.1	
		21:04	27.68	48.98	31.95	8.29	11.62	2.0	18.5	
	日平均值			26.92	50.18	32.85	8.20	10.18	2.96	8.89
	潮口站	0:04	26.40	51.20	33.50	8.01	5.76	6.7	0.8	
		3:04	26.14	49.25	32.08	8.06	6.55	17.2	4.8	
		6:04	26.52	45.50	29.36	8.19	8.30	3.2	0.1	
		9:04	26.51	44.38	28.55	8.21	8.64	1.6	6.0	
		12:14	28.00	45.70	29.45	8.16	8.19	3.8	4.5	
		15:04	28.71	46.62	30.11	8.14	8.10	10.5	3.9	
		18:04	27.80	49.31	32.07	8.15	8.03	5.5	5.4	
		21:04	27.54	50.64	33.06	8.11	7.28	5.3	8.1	
	日平均值			27.20	47.83	31.02	8.13	7.61	6.73	4.20
	灣內站	0:04	26.93	46.08	29.83	8.35	11.10	1.3	7.1	
		3:04	26.84	47.74	31.04	8.31	9.99	0.8	11.5	
		6:04	26.77	49.27	32.16	8.24	8.80	0.9	32.5	
		9:04	26.96	48.26	31.41	8.28	9.83	1.0	2.0	
		12:14	27.63	47.32	30.71	8.39	12.01	0.3	20.3	
		15:04	27.23	49.47	32.29	8.67	18.14	1.6	54.8	
		18:04	28.85	47.87	31.08	8.62	18.12	0.8	47.4	
		21:04	28.87	45.61	29.44	8.49	14.09	0.5	30.0	
	日平均值			27.51	47.70	31.00	8.42	12.76	0.90	25.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月17日	蚵殼站	0:04	27.57	48.76	31.80	8.32	11.84	1.0	16.2	
		3:04	27.06	48.75	31.81	8.21	9.93	0.7	13.9	
		6:04	26.73	48.23	31.45	8.18	9.33	1.1	9.9	
		9:04	27.20	51.08	33.52	8.29	11.46	1.1	21.1	
		12:04	27.51	49.56	32.40	8.30	12.52	1.8	9.2	
		15:04	28.29	50.03	32.72	8.60	20.08	2.2	48.6	
		18:04	28.33	50.06	32.74	8.55	19.00	1.9	50.1	
		21:04	29.17	48.61	31.66	8.75	24.07	1.8	68.5	
	日平均值			27.73	49.39	32.26	8.40	14.78	1.45	29.69
	潮口站	0:04	27.57	50.06	32.64	8.09	7.02	3.4	3.0	
		3:04	26.26	51.34	33.61	8.05	6.56	31.2	0.4	
		6:04	26.60	50.14	32.72	8.09	6.93	3.5	2.3	
		9:04	27.55	47.52	30.80	8.27	9.32	2.4	6.4	
		12:04	27.77	48.38	31.41	8.29	9.98	2.6	11.6	
		15:04	26.85	51.77	33.91	8.08	6.76	16.0	2.4	
		18:04	27.89	50.42	32.90	8.35	12.44	4.7	11.7	
		21:04	29.16	47.31	30.60	8.65	16.03	3.0	40.5	
	日平均值			27.46	49.62	32.32	8.23	9.38	8.35	9.79
	灣內站	0:04	28.60	45.75	29.55	8.46	12.70	0.8	39.1	
		3:04	28.08	45.98	29.73	8.46	11.75	0.0	25.5	
		6:04	27.65	45.88	29.67	8.44	11.11	0.3	23.9	
		9:04	27.69	46.00	29.75	8.43	13.03	0.3	26.6	
		12:04	29.22	44.89	28.91	8.39	16.61	0.4	38.3	
		15:04	29.76	45.62	29.42	8.32	20.98	1.0	83.3	
		18:04	29.07	46.55	30.11	8.35	20.78	1.2	91.2	
		21:04	27.52	48.64	31.68	8.48	14.25	2.6	70.8	
	日平均值			28.45	46.16	29.85	8.42	15.15	0.83	49.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月18日	蚵殼站	0:04	28.72	47.84	31.11	8.28	22.03	1.5	46.3	
		3:04	28.48	48.98	31.96	8.21	20.73	1.9	63.4	
		6:04	28.16	49.56	32.39	8.05	17.25	4.4	109.9	
		9:04	28.18	50.36	32.98	8.44	16.69	3.2	56.3	
		12:04	29.10	52.04	34.18	8.29	21.07	3.4	56.2	
		15:04	29.51	51.42	33.72	8.37	22.89	4.1	61.1	
		18:04	28.70	52.07	34.22	8.12	17.77	2.8	36.2	
		21:04	28.74	51.50	33.81	8.25	18.51	2.5	42.9	
	日平均值			28.70	50.47	33.05	8.25	19.62	2.98	59.04
	潮口站	0:04	29.43	46.65	30.11	8.16	15.73	2.4	32.9	
		3:04	27.20	51.10	33.41	8.08	6.99	7.9	1.5	
		6:04	28.10	47.98	31.12	8.47	11.69	2.5	29.3	
		9:04	28.86	46.45	29.98	8.27	16.99	3.2	42.4	
		12:04	29.20	46.73	30.18	8.23	16.10	4.9	41.9	
		15:04	27.67	52.51	34.47	8.10	7.01	6.6	4.3	
		18:04	27.75	50.69	33.10	8.09	7.20	6.3	2.0	
		21:04	28.04	52.29	34.27	8.35	10.58	3.2	11.4	
	日平均值			28.28	49.30	32.08	8.22	11.54	4.63	20.71
	灣內站	0:04	29.29	45.85	29.60	8.32	17.63	2.1	87.4	
		3:04	28.59	47.57	30.87	8.19	16.34	0.7	57.5	
		6:04	28.16	48.34	31.44	8.04	13.57	1.2	48.0	
		9:04	28.46	47.94	31.14	8.28	18.66	1.9	60.0	
		12:04	28.84	48.34	31.42	8.28	18.43	2.2	63.6	
		15:04	29.30	48.06	31.20	8.49	20.36	1.7	53.1	
		18:04	29.25	47.93	31.11	8.53	18.22	1.3	51.2	
		21:04	29.38	47.07	30.48	8.69	18.06	1.5	50.0	
	日平均值			28.91	47.64	30.91	8.35	17.66	1.58	58.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月19日	蚵殼站	0:04	28.41	51.57	33.86	8.28	17.51	2.6	49.6	
		3:04	27.85	51.53	33.85	8.21	15.68	2.4	36.7	
		6:04	27.56	51.84	34.08	8.17	14.76	1.3	27.9	
		9:04	28.02	49.69	32.52	8.12	14.97	2.3	30.1	
		12:04	28.16	51.09	33.52	8.05	14.72	3.0	34.8	
		15:04	28.62	46.74	30.26	8.05	14.72	1.8	21.9	
		18:04	28.62	46.03	29.74	8.09	16.04	2.3	20.3	
		21:04	28.54	46.60	30.15	8.11	15.54	1.7	17.1	
	日平均值			28.22	49.39	32.25	8.14	15.49	2.18	29.80
	潮口站	0:04	28.43	48.06	31.17	8.05	12.01	2.1	22.5	
		3:04	27.08	51.63	33.81	8.07	6.87	7.9	1.2	
		6:04	27.13	51.47	33.70	8.09	6.87	6.0	1.2	
		9:04	28.14	47.97	31.11	8.21	13.07	1.0	7.9	
		12:04	28.05	50.89	33.25	8.30	9.66	7.0	9.4	
		15:04	27.54	49.31	32.11	8.07	7.14	8.7	7.1	
		18:04	27.54	49.88	32.52	8.09	7.23	8.0	4.3	
		21:04	27.51	51.33	33.59	8.19	8.16	4.2	3.4	
	日平均值			27.68	50.07	32.66	8.13	8.88	5.61	7.13
	灣內站	0:04	29.26	47.09	30.49	8.61	17.40	1.8	48.8	
		3:04	28.72	46.86	30.34	8.37	15.22	1.1	33.5	
		6:04	28.39	48.03	31.21	8.27	12.93	1.1	52.1	
		9:04	27.99	49.88	32.57	8.06	12.27	2.7	65.7	
		12:04	29.54	46.56	30.10	8.47	16.86	1.7	28.0	
		15:04	29.56	47.41	30.72	8.50	17.30	2.1	40.4	
		18:04	29.18	47.45	30.77	8.49	15.36	0.6	24.0	
		21:04	29.19	47.40	30.72	8.54	15.75	1.2	15.8	
	日平均值			28.98	47.59	30.87	8.41	15.39	1.54	38.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月20日	蚵殼站	0:04	28.45	45.82	29.58	8.60	15.22	1.7	20.6	
		3:04	28.07	45.87	29.63	8.63	14.47	1.9	14.4	
		6:04	27.73	47.84	31.06	8.38	10.47	2.5	21.2	
		9:04	27.79	45.68	29.50	8.41	12.28	2.1	19.2	
		12:04	28.43	49.79	32.45	8.40	13.58	4.7	39.8	
		15:04	27.56	49.65	32.36	8.28	11.10	3.3	21.7	
		18:04	28.30	48.96	31.83	8.42	11.90	2.0	13.7	
		21:04	28.16	47.62	30.86	8.36	10.75	2.2	5.1	
	日平均值			28.06	47.65	30.91	8.44	12.47	2.55	19.46
	潮口站	0:04	28.18	50.62	33.05	8.51	10.97	2.4	9.8	
		3:04	27.13	52.12	34.17	8.07	6.95	6.5	6.4	
		6:04	27.09	52.20	34.25	8.07	6.94	7.2	3.4	
		9:04	28.05	50.43	32.92	8.60	10.49	1.5	5.3	
		12:04	29.17	48.97	31.82	8.57	10.53	1.7	1.6	
		15:04	27.95	52.28	34.28	8.12	7.52	6.5	8.8	
		18:04	28.64	50.78	33.16	8.19	7.52	9.0	0.2	
		21:04	28.58	50.83	33.20	8.31	8.25	3.9	6.7	
	日平均值			28.10	51.03	33.36	8.31	8.65	4.84	5.28
	灣內站	0:04	29.12	46.75	30.25	8.52	13.12	1.8	24.3	
		3:04	28.60	49.42	32.22	8.12	12.66	1.1	22.8	
		6:04	27.99	49.56	32.33	8.46	9.56	0.9	25.0	
		9:04	27.81	50.46	33.00	8.45	10.06	1.0	22.7	
		12:04	29.79	47.96	31.11	8.54	13.25	4.5	37.9	
		15:04	28.46	50.43	32.96	8.43	10.51	4.7	37.9	
		18:04	27.21	51.28	33.62	8.16	6.67	2.9	24.3	
		21:04	27.56	50.85	33.30	8.38	8.16	1.4	14.7	
	日平均值			28.32	49.59	32.35	8.38	10.50	2.29	26.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月21日	蚵殼站	0:04	27.81	47.32	30.65	8.29	9.67	3.5	12.4	
		3:04	27.48	46.65	30.17	8.20	8.49	2.7	14.0	
		6:04	27.63	48.66	31.63	8.26	8.94	2.7	21.9	
		9:04	27.71	47.55	30.82	8.23	8.59	1.7	7.3	
		12:04	28.11	45.50	29.33	8.23	9.63	3.3	6.1	
		15:04	28.98	46.77	30.22	8.28	11.17	2.1	6.4	
		18:04	28.68	47.83	30.98	8.34	11.63	1.8	16.7	
		21:04	28.62	43.79	28.09	8.29	11.03	1.3	7.4	
	日平均值			28.13	46.76	30.24	8.27	9.89	2.39	11.53
	潮口站	0:04	28.67	48.19	31.28	8.31	8.30	2.5	4.5	
		3:04	27.95	49.41	32.19	8.18	6.89	7.6	0.2	
		6:04	27.76	50.41	32.92	8.13	6.85	8.4	2.1	
		9:04	28.19	48.52	31.53	8.25	7.47	4.8	1.4	
		12:04	28.90	49.59	32.29	8.29	8.17	12.6	6.7	
		15:04	29.44	48.84	31.73	8.29	8.29	7.5	4.4	
		18:04	28.33	51.30	33.56	8.15	7.65	5.6	2.6	
		21:04	28.42	48.35	31.42	8.19	7.97	2.8	2.0	
	日平均值			28.46	49.33	32.12	8.22	7.70	6.48	2.99
	灣內站	0:04	27.46	50.64	33.15	8.40	8.47	0.5	9.6	
		3:04	27.24	50.91	33.35	8.38	8.20	1.2	7.7	
		6:04	27.15	50.80	33.27	8.28	6.72	1.1	11.4	
		9:04	27.18	50.97	33.39	8.29	7.43	2.6	8.8	
		12:04	28.37	50.64	33.12	8.50	9.03	0.1	6.7	
		15:04	29.80	50.44	32.93	8.70	10.72	1.1	13.3	
		18:04	29.40	50.59	33.05	8.49	10.42	0.8	17.0	
		21:04	29.48	50.36	32.88	8.54	9.67	0.7	12.1	
	日平均值			28.26	50.67	33.14	8.45	8.83	1.01	10.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月22日	蚵殼站	0:04	28.50	47.02	30.40	8.27	9.71	1.1	0.6	
		3:04	28.44	51.12	33.37	8.29	9.94	1.2	2.6	
		6:04	28.31	45.57	29.38	8.25	9.44	0.9	6.0	
		9:04	28.55	45.52	29.33	8.26	9.63	1.0	8.6	
		12:04	29.11	48.10	31.17	8.29	10.54	1.6	2.6	
		15:04	28.88	51.87	33.90	8.31	11.73	2.3	10.8	
		18:04	28.71	53.08	34.79	8.27	10.87	2.3	13.8	
		21:04	28.97	49.50	32.19	8.29	10.38	2.6	6.9	
	日平均值			28.68	48.97	31.82	8.28	10.28	1.63	6.49
	潮口站	0:04	28.55	50.14	32.72	8.21	7.84	3.1	2.7	
		3:04	28.03	49.90	32.55	8.11	6.96	4.4	0.7	
		6:04	27.17	52.35	34.38	8.08	6.83	4.2	1.0	
		9:04	28.79	50.18	32.74	8.20	7.84	1.3	6.0	
		12:04	29.35	50.15	32.70	8.14	7.35	12.8	4.1	
		15:04	29.51	50.36	32.84	8.21	8.48	3.0	1.1	
		18:04	27.71	49.92	32.59	8.09	7.33	7.6	2.7	
		21:04	27.75	47.70	30.98	8.10	7.29	4.2	0.6	
	日平均值			28.36	50.09	32.69	8.14	7.49	5.08	2.36
	灣內站	0:04	29.21	50.17	32.75	8.47	9.66	0.4	12.1	
		3:04	28.96	50.46	32.96	8.43	8.61	0.5	6.0	
		6:04	28.69	50.51	33.01	8.31	8.06	0.2	5.8	
		9:04	28.70	50.51	33.01	8.46	9.20	0.6	6.5	
		12:04	29.81	50.40	32.89	8.24	9.82	0.3	4.4	
		15:04	30.04	50.51	32.97	8.26	10.47	0.2	7.7	
		18:04	30.00	50.60	33.04	8.47	9.83	2.1	11.8	
		21:04	29.76	50.66	33.09	8.43	7.92	1.2	8.2	
	日平均值			29.40	50.48	32.97	8.38	9.20	0.69	7.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月23日	蚵殼站	0:04	29.23	46.29	29.88	8.33	11.47	1.5	9.4	
		3:04	28.90	45.14	29.07	8.28	10.54	1.4	7.1	
		6:04	28.63	44.90	28.92	8.24	9.72	1.7	8.2	
		9:04	28.49	46.35	29.96	8.18	8.90	3.4	16.6	
		12:04	29.20	46.95	30.37	8.22	9.93	3.8	13.1	
		15:04	29.23	46.37	29.97	8.28	11.92	4.2	19.9	
		18:04	29.49	46.26	29.89	8.33	12.73	3.1	9.7	
		21:04	29.62	39.90	25.40	8.32	12.56	1.5	5.4	
	日平均值			29.10	45.27	29.18	8.27	10.97	2.58	11.18
	潮口站	0:04	28.46	48.44	31.52	8.15	7.92	3.0	3.3	
		3:04	28.40	48.39	31.48	8.10	6.98	2.8	3.5	
		6:04	27.38	50.21	32.78	8.08	7.03	6.7	0.5	
		9:04	29.26	50.47	32.91	8.20	8.09	1.3	1.3	
		12:04	30.02	50.53	32.93	8.20	8.21	5.2	3.9	
		15:04	30.40	49.97	32.53	8.22	8.81	6.0	7.2	
		18:04	28.45	48.39	31.48	8.12	7.88	7.6	6.0	
		21:04	28.49	44.91	29.08	8.13	7.94	5.4	1.2	
	日平均值			28.86	48.91	31.84	8.15	7.86	4.75	3.36
	灣內站	0:04	30.09	49.90	32.52	8.32	10.07	1.0	10.0	
		3:04	29.50	49.56	32.29	8.12	7.90	1.6	10.0	
		6:04	29.16	50.67	33.11	8.33	7.43	0.2	3.3	
		9:04	28.85	50.80	33.22	8.30	7.85	0.3	5.0	
		12:04	29.71	50.61	33.06	8.26	9.96	1.0	11.6	
		15:04	30.54	50.64	33.04	8.65	13.89	3.8	21.7	
		18:04	30.75	50.47	32.92	8.42	11.40	1.8	11.5	
		21:04	30.14	50.61	33.04	8.48	10.69	0.2	5.0	
	日平均值			29.84	50.41	32.90	8.36	9.90	1.24	9.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月24日	蚵殼站	0:04	29.86	46.16	29.82	8.37	13.03	1.7	5.9	
		3:04	29.25	47.97	31.15	8.31	11.79	1.1	1.5	
		6:04	29.06	48.05	31.22	8.28	10.77	1.5	1.2	
		9:04	28.98	44.66	28.74	8.22	9.76	1.7	4.5	
		12:04	29.29	46.00	29.66	8.25	10.66	1.7	14.9	
		15:04	28.94	45.71	29.47	8.33	12.74	2.9	17.8	
		18:04	28.55	47.05	30.42	8.29	11.67	3.2	19.4	
		21:04	29.03	41.61	26.63	8.30	11.54	3.0	10.1	
	日平均值			29.12	45.90	29.64	8.29	11.50	2.10	9.41
	潮口站	0:04	29.60	45.86	29.70	8.24	9.15	3.1	7.0	
		3:04	29.62	43.68	28.22	8.15	7.74	5.1	2.4	
		6:04	27.61	46.89	30.46	8.08	7.26	5.3	1.4	
		9:04	29.06	48.82	31.77	8.15	7.96	2.3	5.0	
		12:04	30.47	48.66	31.61	8.14	8.04	11.2	7.5	
		15:04	30.29	46.59	30.19	8.20	8.72	11.4	4.4	
		18:04	28.03	45.12	29.23	8.07	7.41	6.8	3.6	
		21:04	28.54	45.66	29.59	8.10	7.48	3.8	4.8	
	日平均值			29.15	46.41	30.10	8.14	7.97	6.13	4.51
	灣內站	0:04	30.09	50.62	33.04	8.36	10.09	1.6	4.1	
		3:04	29.62	50.56	33.02	8.48	7.78	1.1	5.6	
		6:04	29.09	50.77	33.19	8.36	7.76	0.0	4.1	
		9:04	28.89	50.91	33.30	8.36	8.86	1.8	17.0	
		12:04	30.27	50.69	33.09	8.66	11.94	1.1	19.0	
		15:04	30.57	50.67	33.07	8.37	13.97	5.2	43.2	
		18:04	30.08	49.37	32.13	8.37	9.83	4.7	20.9	
		21:04	29.36	50.62	33.07	8.38	9.54	1.2	7.9	
	日平均值			29.75	50.53	32.99	8.42	9.97	2.09	15.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月25日	蚵殼站	0:04	28.95	50.61	32.93	8.30	11.08	2.5	5.8	
		3:04	28.59	52.23	34.09	8.24	9.36	2.5	8.7	
		6:04	28.38	46.83	30.26	8.21	9.18	2.3	7.6	
		9:04	28.50	49.91	32.42	8.13	7.67	2.9	23.5	
		12:04	29.05	49.32	31.98	8.31	11.98	3.4	18.4	
		15:04	29.30	51.05	33.18	8.30	11.92	3.3	16.2	
		18:04	29.17	49.33	31.97	8.32	12.00	3.5	12.3	
		21:04	29.00	52.06	33.89	8.38	12.95	1.6	6.1	
	日平均值			28.87	50.17	32.59	8.27	10.77	2.75	12.33
	潮口站	0:04	29.01	44.16	28.55	8.22	8.89	5.7	3.8	
		3:04	29.02	41.75	26.91	8.16	7.81	4.1	7.0	
		6:04	27.72	45.65	29.60	8.08	7.32	10.2	1.6	
		9:04	28.00	46.68	30.31	8.09	7.40	4.0	0.8	
		12:04	29.40	46.99	30.49	8.19	8.52	5.6	7.1	
		15:04	29.97	48.25	31.34	8.26	10.21	14.4	16.9	
		18:04	28.85	46.85	30.40	8.14	8.25	9.2	5.9	
		21:04	28.43	49.96	32.58	8.11	7.70	4.8	2.0	
	日平均值			28.80	46.29	30.02	8.16	8.26	7.25	5.64
	灣內站	0:04	28.55	50.92	33.32	8.26	8.09	0.5	5.7	
		3:04	28.61	50.50	33.00	8.29	7.86	1.0	4.2	
		6:04	28.61	50.49	33.00	8.39	8.89	0.2	5.6	
		9:04	28.63	50.40	32.94	8.44	9.17	0.2	6.3	
		12:04	29.23	50.42	32.93	8.55	10.76	0.2	6.9	
		15:04	29.71	50.46	32.94	8.36	11.85	1.3	13.8	
		18:04	29.70	50.49	32.97	8.49	10.85	1.1	10.6	
		21:04	29.57	50.44	32.93	8.54	11.73	2.0	8.1	
	日平均值			29.08	50.52	33.00	8.42	9.90	0.81	7.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月26日	蚵殼站	0:04	28.93	50.86	33.05	8.35	12.30	1.2	5.4	
		3:04	28.82	50.77	32.99	8.34	11.93	1.5	1.8	
		6:04	28.69	47.22	30.57	8.31	10.95	1.3	8.4	
		9:04	28.69	49.64	32.24	8.30	11.39	2.1	6.7	
		12:04	29.02	51.25	33.63	8.31	8.81	2.6	4.9	
		15:04	29.80	51.28	33.63	8.35	10.03	2.3	6.8	
		18:04	29.57	51.05	33.47	8.45	11.85	2.0	13.6	
		21:04	29.78	50.80	33.28	8.50	12.79	1.4	2.8	
	日平均值			29.16	50.36	32.86	8.36	11.26	1.80	6.30
	潮口站	0:04	28.63	49.60	32.32	8.10	7.47	7.0	0.3	
		3:04	28.81	48.77	31.73	8.10	7.39	4.4	4.4	
		6:04	27.69	48.51	31.58	8.08	7.20	4.7	1.5	
		9:04	28.30	51.63	33.75	8.10	7.55	2.7	3.0	
		12:04	29.59	51.45	33.61	8.23	9.28	2.9	1.7	
		15:04	30.32	50.94	33.28	8.43	10.01	7.1	3.2	
		18:04	29.97	50.90	33.26	8.36	9.26	4.1	0.4	
		21:04	27.98	51.56	33.81	8.20	7.13	4.6	3.1	
	日平均值			28.91	50.42	32.92	8.20	8.16	4.69	2.20
	灣內站	0:04	29.37	50.39	32.90	8.60	12.29	0.1	3.1	
		3:04	29.30	50.35	32.88	8.52	10.82	0.1	3.4	
		6:04	29.00	50.58	33.06	8.37	9.22	0.1	2.9	
		9:04	29.12	50.75	33.18	8.45	10.49	1.1	10.7	
		12:04	29.89	51.12	33.42	8.40	10.93	2.3	18.5	
		15:04	30.66	51.23	33.48	8.36	10.42	1.9	17.5	
		18:04	30.56	51.19	33.45	8.39	11.66	2.9	30.7	
		21:04	30.62	51.35	33.57	8.39	10.90	1.8	11.2	
	日平均值			29.82	50.87	33.24	8.44	10.84	1.29	12.25
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月27日	蚵殼站	0:04	29.64	50.81	33.29	8.43	11.35	1.8	8.2	
		3:04	29.34	50.84	33.32	8.37	10.12	1.9	8.4	
		6:04	29.04	50.95	33.41	8.34	9.19	1.4	9.5	
		9:04	29.04	50.94	33.40	8.35	9.51	2.0	2.0	
		12:04	29.25	51.16	33.56	8.34	9.70	2.0	12.5	
		15:04	29.31	51.22	33.60	8.33	9.30	3.7	23.6	
		18:04	29.23	51.12	33.53	8.43	10.50	3.2	11.9	
		21:04	29.19	51.11	33.52	8.44	10.36	3.5	17.8	
	日平均值			29.26	51.02	33.45	8.38	10.00	2.44	11.74
	潮口站	0:04	29.10	51.33	33.61	8.36	8.55	6.6	6.9	
		3:04	29.44	50.73	33.16	8.36	9.29	4.8	7.9	
		6:04	27.64	51.80	34.00	8.20	7.43	7.2	1.9	
		9:04	27.50	52.08	34.21	8.21	7.58	7.1	4.2	
		12:04	28.37	51.80	33.98	8.26	8.64	6.2	9.1	
		15:04	28.48	51.86	34.02	8.31	8.16	7.2	14.9	
		18:04	28.35	51.88	34.04	8.21	7.06	7.5	10.1	
		21:04	27.13	51.37	33.70	8.22	7.20	7.7	4.1	
	日平均值			28.25	51.61	33.84	8.27	7.99	6.79	7.39
	灣內站	0:04	29.93	51.42	33.64	8.36	9.56	0.9	4.4	
		3:04	29.32	51.37	33.62	8.38	9.74	0.3	5.2	
		6:04	28.90	51.37	33.64	8.35	9.04	0.4	4.5	
		9:04	28.95	51.34	33.61	8.37	9.13	1.1	8.0	
		12:04	29.43	51.27	33.55	8.49	11.58	2.4	24.9	
		15:04	29.53	51.37	33.61	8.48	11.24	6.8	25.8	
		18:04	29.38	51.48	33.71	8.40	9.42	4.9	17.3	
		21:04	29.20	51.39	33.65	8.38	9.08	3.6	12.7	
	日平均值			29.33	51.38	33.63	8.40	9.85	2.55	12.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月28日	蚵殼站	0:04	29.06	51.13	33.55	8.39	9.36	2.3	12.6	
		3:04	28.98	51.18	33.58	8.40	9.13	2.1	10.5	
		6:04	28.82	51.15	33.56	8.33	7.97	2.2	8.8	
		9:04	28.91	51.13	33.55	8.35	6.37	2.7	11.1	
		12:04	28.69	51.13	33.56	8.37	9.25	5.7	28.6	
		15:04	29.09	51.27	33.64	8.38	9.81	1.9	9.5	
		18:04	29.02	51.24	33.63	8.38	9.60	1.7	9.8	
		21:04	28.88	51.22	33.61	8.40	9.64	1.5	3.4	
	日平均值			28.93	51.18	33.59	8.38	8.89	2.51	11.79
	潮口站	0:04	27.26	52.07	34.21	8.21	7.02	9.0	5.2	
		3:04	27.86	51.87	34.04	8.21	6.33	7.0	5.5	
		6:04	27.68	51.87	34.05	8.15	6.23	3.7	4.9	
		9:04	27.14	52.39	34.45	8.24	7.18	6.3	5.0	
		12:04	27.99	52.10	34.21	8.17	7.17	7.3	4.3	
		15:04	29.31	51.88	34.01	8.26	7.65	7.9	3.9	
		18:04	29.23	51.76	33.92	8.37	8.40	9.1	6.1	
		21:04	28.46	51.22	33.55	8.32	7.51	4.1	1.4	
	日平均值			28.12	51.90	34.06	8.24	7.19	6.80	4.54
	灣內站	0:04	29.07	51.41	33.66	8.36	8.40	3.8	10.7	
		3:04	28.94	51.42	33.67	8.34	8.09	1.6	8.0	
		6:04	28.79	51.42	33.68	8.34	8.01	0.8	7.0	
		9:04	28.86	51.42	33.67	8.36	8.41	1.6	13.1	
		12:04	29.16	51.42	33.67	8.41	9.20	2.2	11.6	
		15:04	29.87	51.39	33.62	8.52	12.22	5.8	49.5	
		18:04	29.75	51.00	33.34	8.60	14.37	9.1	79.8	
		21:04	29.78	50.84	33.22	8.45	11.40	4.8	30.1	
	日平均值			29.28	51.29	33.57	8.42	10.01	3.71	26.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月29日	蚵殼站	0:04	28.92	50.54	33.11	8.44	10.28	2.5	8.8	
		3:04	28.76	50.70	33.23	8.38	9.12	1.8	3.8	
		6:04	28.44	50.80	33.32	8.29	7.47	1.9	10.3	
		9:04	28.46	51.00	33.47	8.26	7.40	3.4	22.7	
		12:04	28.78	51.02	33.47	8.32	9.51	2.3	15.6	
		15:04	28.86	51.08	33.51	8.39	10.04	1.5	9.2	
		18:04	28.81	51.11	33.53	8.41	10.29	2.6	14.6	
		21:04	29.07	51.21	33.61	8.47	11.46	2.8	0.3	
	日平均值			28.76	50.93	33.41	8.37	9.45	2.35	10.66
	潮口站	0:04	27.27	52.23	34.33	8.29	7.42	5.9	3.8	
		3:04	28.35	51.80	33.98	8.35	7.69	4.5	4.4	
		6:04	28.36	51.12	33.48	8.45	8.47	2.2	4.3	
		9:04	27.01	52.17	34.29	8.26	7.48	5.3	2.6	
		12:04	27.29	52.50	34.53	8.27	7.61	4.5	2.1	
		15:04	28.71	51.73	33.91	8.45	9.34	1.8	7.4	
		18:04	28.54	51.73	33.92	8.35	8.08	11.0	3.9	
		21:04	28.55	51.16	33.50	8.40	8.58	1.2	4.4	
	日平均值			28.01	51.81	33.99	8.35	8.08	4.55	4.11
	灣內站	0:04	29.40	51.49	33.71	8.47	11.03	2.5	10.2	
		3:04	29.06	51.45	33.69	8.42	9.76	2.6	10.8	
		4:34	28.81	51.44	33.69	8.37	8.55	2.1	19.1	
		12:04	29.64	51.48	33.70	8.54	12.56	1.9	15.9	
		14:34	29.84	51.48	33.69	8.55	13.37	2.2	21.7	
		15:04	29.76	51.49	33.70	8.53	12.86	1.9	19.2	
		18:04	29.42	51.50	33.72	8.46	10.99	2.9	13.5	
		21:04	29.34	50.50	32.99	8.37	9.71	6.8	46.4	
	日平均值			29.41	51.35	33.61	8.46	11.10	2.86	19.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月30日	蚵殼站	0:04	28.71	50.99	33.45	8.47	10.96	4.3	28.9	
		3:04	28.47	51.17	33.59	8.42	9.95	2.2	12.8	
		6:04	28.26	51.19	33.61	8.36	8.67	2.9	17.1	
		9:04	28.35	51.12	33.56	8.37	9.96	4.8	34.7	
		12:04	28.68	51.17	33.59	8.36	9.90	3.2	14.3	
		15:04	28.36	51.28	33.68	8.34	9.73	4.2	25.9	
		18:04	28.44	51.23	33.64	8.38	10.86	2.5	12.6	
		21:04	28.41	51.23	33.64	8.42	10.91	0.9	4.9	
	日平均值			28.46	51.17	33.60	8.39	10.12	3.13	18.90
	潮口站	0:04	27.30	51.97	34.14	8.28	7.28	0.6	3.1	
		3:04	27.01	50.93	33.38	8.28	7.49	1.2	4.8	
		6:04	27.43	51.49	33.78	8.35	7.31	0.6	2.0	
		9:04	27.26	51.79	34.01	8.31	7.53	0.9	4.7	
		12:04	27.48	51.79	34.00	8.29	8.24	3.3	0.4	
		15:04	28.42	51.83	34.00	8.44	8.88	3.3	6.2	
		18:04	28.20	51.60	33.84	8.39	8.29	0.0	0.7	
		21:04	28.33	51.76	33.95	8.49	8.99	6.3	3.6	
	日平均值			27.68	51.65	33.89	8.35	8.00	2.03	3.19
	灣內站	0:04	28.93	50.67	33.12	8.40	9.66	5.3	30.0	
		3:04	28.50	51.39	33.67	8.34	8.22	1.9	12.8	
		6:04	28.23	51.46	33.72	8.31	7.48	3.1	29.8	
		9:04	28.19	51.51	33.76	8.35	8.63	1.3	10.5	
		12:04	28.89	51.51	33.74	8.40	9.68	1.1	7.5	
		15:04	29.08	51.55	33.76	8.41	9.95	1.2	8.9	
		18:04	28.98	51.54	33.76	8.47	11.11	1.7	16.0	
		21:04	28.88	51.54	33.76	8.45	9.96	3.1	17.9	
	日平均值			28.71	51.40	33.66	8.39	9.34	2.34	16.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月1日	蚵殼站	0:04	28.32	51.17	33.59	8.39	10.39	1.8	4.1	
		3:04	28.17	49.95	32.70	8.31	8.46	3.1	25.3	
		6:04	28.16	51.03	33.50	8.36	9.08	1.9	17.5	
		9:04	28.20	50.88	33.39	8.35	9.19	2.2	17.1	
		12:04	28.48	51.02	33.48	8.40	11.57	5.4	53.3	
		15:04	28.37	51.22	33.63	8.35	9.48	1.7	11.4	
		18:04	28.65	51.18	33.59	8.43	10.72	1.9	14.8	
		21:04	28.67	51.09	33.53	8.44	11.10	1.4	17.0	
	日平均值			28.38	50.94	33.43	8.38	10.00	2.43	20.06
	潮口站	0:04	27.36	52.39	34.44	8.36	7.52	8.5	0.2	
		3:04	27.41	52.50	34.53	8.35	7.43	7.0	2.4	
		6:04	27.58	50.18	32.81	8.51	8.80	10.6	0.5	
		9:04	27.76	50.48	33.02	8.47	8.43	13.2	4.1	
		12:04	27.39	52.25	34.34	8.42	8.14	7.1	2.3	
		15:04	27.76	51.61	33.86	8.38	8.45	9.3	1.5	
		18:04	28.76	51.33	33.62	8.41	7.92	9.8	0.3	
		21:04	28.49	50.97	33.36	8.45	8.69	9.5	2.8	
	日平均值			27.81	51.46	33.75	8.42	8.17	9.38	1.76
	灣內站	0:04	28.93	51.52	33.75	8.42	9.94	2.3	10.5	
		3:04	28.64	51.49	33.73	8.41	8.63	1.2	6.9	
		6:04	28.40	51.47	33.73	8.37	8.65	1.2	4.8	
		9:04	28.57	51.52	33.76	8.35	8.24	4.5	26.1	
		12:04	29.01	51.50	33.73	8.58	14.24	10.3	106.2	
		15:04	29.27	51.42	33.66	8.47	11.35	3.8	17.0	
		18:04	29.44	51.49	33.71	8.50	11.89	2.6	15.1	
		21:04	29.51	51.49	33.70	8.44	10.58	2.3	10.6	
	日平均值			28.97	51.49	33.72	8.44	10.44	3.53	24.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月2日	蚵殼站	0:04	28.62	50.73	33.26	8.44	11.20	2.2	11.1	
		3:04	28.46	51.01	33.47	8.36	10.27	2.1	25.7	
		6:04	28.37	50.57	33.15	8.37	9.75	1.5	20.2	
		9:04	28.43	50.98	33.46	8.35	9.95	1.9	9.3	
		12:04	28.98	50.97	33.43	8.36	9.95	1.8	5.5	
		15:04	28.66	51.16	33.58	8.39	10.15	1.7	7.5	
		18:04	29.15	51.19	33.59	8.36	8.80	1.5	4.8	
		21:04	29.08	51.22	33.61	8.36	8.84	1.1	1.5	
	日平均值			28.72	50.98	33.44	8.37	9.86	1.73	10.70
	潮口站	0:04	28.05	51.89	34.05	8.31	7.80	12.1	1.6	
		3:04	27.57	51.81	34.01	8.29	7.76	7.1	0.6	
		6:04	27.91	51.17	33.53	8.31	7.04	6.6	2.1	
		9:04	28.09	51.00	33.39	8.46	9.21	6.6	3.0	
		12:04	27.96	51.27	33.60	8.30	7.80	8.0	0.7	
		15:04	28.20	51.55	33.80	8.25	7.79	10.1	1.3	
		18:04	28.82	51.12	33.46	8.33	8.67	5.4	1.1	
		21:04	28.82	50.90	33.30	8.36	8.65	7.5	2.4	
	日平均值			28.18	51.34	33.64	8.33	8.09	7.93	1.60
	灣內站	0:04	29.21	51.45	33.69	8.36	8.97	2.3	13.1	
		3:04	28.97	51.46	33.70	8.36	8.57	4.0	16.2	
		6:04	28.74	51.48	33.73	8.33	7.70	2.4	4.9	
		9:04	28.65	51.40	33.67	8.38	9.04	1.5	11.9	
		12:04	29.58	51.42	33.65	8.36	9.34	3.9	24.1	
		15:04	29.92	51.65	33.81	8.29	8.27	2.5	13.2	
		18:04	29.94	51.71	33.85	8.24	7.67	3.8	13.1	
		21:04	29.91	51.66	33.82	8.20	6.64	3.9	21.4	
	日平均值			29.37	51.53	33.74	8.32	8.28	3.04	14.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月3日	蚵殼站	0:04	29.09	51.22	33.61	8.38	9.59	1.3	1.7	
		3:04	28.98	51.21	33.61	8.37	9.28	1.6	5.3	
		6:04	28.70	51.21	33.61	8.32	8.28	1.1	7.0	
		9:04	28.89	51.28	33.66	8.32	8.41	1.2	7.0	
		12:04	29.12	51.36	33.71	8.31	8.16	0.7	1.6	
		15:04	28.69	51.62	33.92	8.18	6.61	2.9	14.8	
		18:04	28.99	51.49	33.81	8.19	7.12	4.1	15.9	
		21:04	29.00	51.40	33.75	8.21	7.21	4.0	14.2	
	日平均值			28.93	51.35	33.71	8.29	8.08	2.11	8.44
	潮口站	0:04	28.79	51.37	33.65	8.42	7.96	9.5	0.5	
		3:04	27.40	51.83	34.03	8.30	8.37	7.4	1.0	
		6:04	27.92	51.28	33.60	8.26	8.82	6.7	1.5	
		9:04	28.56	51.55	33.79	8.34	8.71	7.7	0.2	
		12:04	28.69	51.73	33.92	8.32	8.19	4.7	0.2	
		15:04	27.67	50.16	32.79	8.30	9.03	3.5	2.9	
		18:04	27.90	50.87	33.31	8.28	8.98	2.3	1.4	
		21:04	28.22	51.35	33.65	8.18	8.63	4.3	5.1	
	日平均值			28.14	51.27	33.59	8.30	8.59	5.76	1.60
	灣內站	0:04	29.95	51.59	33.77	8.19	6.20	2.4	12.4	
		3:04	29.38	51.57	33.77	8.22	6.71	1.4	9.1	
		6:04	29.11	51.60	33.80	8.19	5.90	0.6	4.2	
		9:04	29.21	51.69	33.87	8.12	5.13	2.9	9.3	
		12:04	29.61	51.72	33.88	8.19	6.40	2.1	3.9	
		15:04	29.67	51.76	33.90	8.22	6.83	5.0	8.6	
		18:04	29.59	51.78	33.92	8.22	6.74	3.9	6.1	
		21:04	29.67	51.76	33.90	8.18	6.12	4.4	16.8	
	日平均值			29.52	51.68	33.85	8.19	6.25	2.84	8.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月4日	蚵殼站	0:04	29.15	51.34	33.70	8.22	7.02	12.2	3.7	
		3:04	29.07	51.04	33.48	8.17	6.59	2.6	10.4	
		6:04	28.84	51.17	33.58	8.11	5.81	2.2	25.9	
		9:04	28.77	51.20	33.60	8.14	6.49	1.4	4.1	
		12:04	29.44	51.28	33.64	8.18	7.01	1.2	4.1	
		15:04	29.62	51.36	33.69	8.19	7.46	2.3	6.9	
		18:04	29.34	51.36	33.70	8.20	7.71	1.3	5.6	
		21:04	29.34	51.39	33.73	8.11	6.46	1.2	8.3	
	日平均值			29.20	51.27	33.64	8.17	6.82	3.05	8.63
	潮口站	0:04	27.76	50.21	32.83	8.24	8.45	1.7	0.5	
		3:04	27.19	52.11	34.25	8.29	8.43	0.1	1.7	
		6:04	27.34	51.96	34.12	8.27	8.96	8.4	6.0	
		9:04	28.92	51.39	33.66	8.21	7.73	3.2	0.7	
		12:04	30.24	51.57	33.75	8.29	7.88	0.5	0.7	
		15:04	27.88	50.21	32.82	8.19	9.07	1.3	2.3	
		18:04	27.81	51.24	33.58	8.19	9.29	1.1	2.8	
		21:04	28.47	46.38	30.01	8.21	8.89	3.8	5.8	
	日平均值			28.20	50.63	33.13	8.24	8.59	2.51	2.56
	灣內站	0:04	29.74	50.84	33.22	8.13	5.91	4.9	19.8	
		3:04	29.49	51.76	33.90	8.18	5.99	1.6	21.8	
		6:04	29.25	51.67	33.85	8.17	5.60	1.2	12.9	
		9:04	29.36	51.81	33.95	8.15	5.65	0.6	1.4	
		12:04	30.78	51.85	33.93	8.14	5.87	2.0	0.9	
		15:04	30.79	51.83	33.91	8.18	6.66	1.6	3.6	
		18:04	30.47	51.82	33.92	8.19	6.78	1.4	15.5	
		21:04	30.19	51.79	33.91	8.18	6.56	1.4	6.4	
	日平均值			30.01	51.67	33.82	8.17	6.13	1.84	10.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月5日	蚵殼站	0:04	29.37	49.83	32.57	8.14	6.53	0.4	7.2	
		3:04	29.13	51.41	33.75	8.15	6.29	1.8	7.2	
		6:04	29.34	51.34	33.69	8.10	6.06	0.9	12.4	
		9:04	29.48	51.29	33.65	8.14	6.56	0.8	0.8	
		12:04	28.98	51.51	33.83	8.18	7.70	2.8	3.3	
		15:04	29.21	51.56	33.85	8.19	7.96	2.5	8.3	
		18:04	29.57	51.49	33.79	8.18	7.51	1.4	5.0	
		21:04	29.38	51.02	33.46	8.14	6.69	1.2	2.4	
	日平均值			29.31	51.18	33.57	8.15	6.91	1.48	5.83
	潮口站	0:04	28.73	47.42	30.75	8.15	8.27	11.0	4.2	
		3:04	27.38	51.07	33.47	8.17	8.72	6.6	4.6	
		6:04	27.43	52.16	34.27	8.17	8.72	8.8	5.1	
		9:04	29.17	51.69	33.87	8.20	7.91	5.0	4.4	
		12:04	30.15	51.67	33.82	8.22	7.65	18.2	4.1	
		15:04	28.60	52.35	34.38	8.28	8.74	4.8	3.1	
		18:04	28.76	51.29	33.59	8.20	9.01	6.8	6.7	
		21:04	29.05	50.32	32.87	8.21	8.44	38.7	6.9	
	日平均值			28.66	51.00	33.38	8.20	8.43	12.49	4.89
	灣內站	0:04	30.42	51.61	33.76	8.16	6.23	2.5	8.2	
		3:04	30.02	51.82	33.93	8.15	5.93	1.1	12.3	
		6:04	29.61	51.69	33.85	8.14	5.83	0.8	14.8	
		9:04	29.88	51.68	33.83	8.15	6.17	1.2	3.2	
		12:04	30.09	51.66	33.82	8.20	7.20	6.5	12.1	
		15:04	29.38	51.76	33.91	8.21	7.72	5.4	53.6	
		18:04	29.71	51.71	33.86	8.19	7.62	2.7	37.1	
		21:04	29.24	51.70	33.87	8.16	6.91	1.9	12.7	
	日平均值			29.79	51.70	33.85	8.17	6.70	2.76	19.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月6日	蚵殼站	0:04	29.21	47.29	30.91	8.14	6.90	1.5	0.6	
		3:04	29.30	47.31	30.92	8.13	6.51	1.1	8.3	
		6:04	29.18	49.68	32.64	8.13	6.50	1.3	5.3	
		9:04	29.23	49.57	32.56	8.14	6.87	1.6	1.0	
		12:04	30.37	45.91	29.88	8.20	8.78	1.4	4.3	
		15:04	29.93	46.78	30.52	8.22	8.85	1.2	5.4	
		18:04	30.33	42.23	27.25	8.26	10.19	1.9	37.4	
		21:04	30.06	43.93	28.47	8.17	8.71	1.1	8.6	
	日平均值			29.70	46.59	30.39	8.17	7.91	1.39	8.86
	潮口站	0:04	29.44	46.42	30.01	8.18	7.89	19.4	2.8	
		3:04	28.10	51.55	33.80	8.19	8.25	14.8	1.9	
		6:04	27.98	51.78	33.97	8.21	8.55	5.7	6.2	
		9:04	29.28	51.60	33.80	8.17	7.55	7.6	3.1	
		12:04	30.71	51.73	33.85	8.24	7.37	14.8	3.0	
		15:04	28.65	49.70	32.42	8.31	8.38	4.0	3.8	
		18:04	28.85	51.72	33.90	8.34	8.92	9.3	13.4	
		21:04	29.70	50.61	33.06	8.34	8.52	8.2	5.3	
	日平均值			29.09	50.64	33.10	8.25	8.18	10.48	4.94
	灣內站	0:04	28.97	51.30	33.58	8.12	6.40	2.9	6.3	
		3:04	29.22	51.41	33.66	8.14	6.20	2.1	5.6	
		6:04	29.27	51.64	33.82	8.09	5.56	2.0	38.6	
		9:04	28.81	51.76	33.93	8.16	6.70	1.8	5.4	
		12:04	30.33	51.73	33.86	8.18	7.41	1.9	1.8	
		15:04	31.63	51.21	33.43	8.26	9.97	4.1	44.0	
		18:04	30.73	51.67	33.79	8.33	11.04	1.7	38.8	
		21:04	30.82	51.61	33.75	8.18	7.70	0.6	6.6	
	日平均值			29.97	51.54	33.73	8.18	7.62	2.14	18.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月7日	蚵殼站	0:04	30.33	50.07	32.89	8.19	8.55	3.1	40.2	
		3:04	30.09	47.86	31.29	8.18	8.40	1.3	13.2	
		6:04	29.67	49.26	32.32	8.17	7.79	1.1	5.6	
		9:04	29.61	50.11	32.94	8.19	8.30	1.9	5.8	
		12:04	30.02	50.82	33.31	8.20	8.70	2.2	4.5	
		15:04	30.45	50.84	33.44	8.24	9.70	5.0	10.1	
		18:04	30.60	50.41	33.13	8.26	10.14	1.2	8.3	
		21:04	30.44	50.54	33.23	8.21	9.60	1.6	18.3	
	日平均值			30.15	49.99	32.82	8.21	8.90	2.18	13.25
	潮口站	0:04	30.18	51.94	33.76	8.25	7.56	15.2	6.7	
		3:04	28.46	46.62	30.18	8.25	8.27	5.2	4.9	
		6:04	28.05	49.43	32.10	8.29	7.99	4.6	4.5	
		9:04	29.44	50.52	32.81	8.26	7.57	7.5	6.2	
		12:04	30.58	50.53	32.78	8.33	7.51	14.5	5.4	
		15:04	30.91	49.64	32.16	8.35	8.35	8.6	12.9	
		18:04	28.62	49.83	32.32	8.32	8.33	8.9	10.8	
		21:04	29.08	49.48	32.08	8.34	8.73	14.0	5.5	
	日平均值			29.42	49.75	32.27	8.30	8.04	9.81	7.11
	灣內站	0:04	30.41	51.60	33.76	8.32	10.87	1.4	14.8	
		3:04	30.06	51.70	33.84	8.19	7.62	0.9	7.3	
		6:04	29.85	51.51	33.71	8.16	7.12	1.0	19.8	
		9:04	29.81	51.52	33.72	8.21	7.55	0.7	3.3	
		12:04	30.62	51.59	33.74	8.23	8.41	1.3	2.3	
		15:04	31.76	51.73	33.80	8.29	9.96	2.4	3.5	
		18:04	31.63	51.65	33.75	8.27	9.45	1.4	11.8	
		21:04	31.22	51.52	33.67	8.22	8.75	1.4	9.3	
	日平均值			30.67	51.60	33.75	8.24	8.72	1.31	9.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月8日	蚵殼站	0:04	30.14	51.35	33.83	8.18	9.10	1.6	6.6	
		3:04	30.14	45.69	29.73	8.22	8.93	1.1	11.8	
		6:04	29.95	46.20	30.10	8.18	7.99	1.2	6.1	
		9:04	30.05	47.84	31.28	8.17	8.28	1.4	4.4	
		12:04	29.15	49.91	32.81	8.21	8.69	3.9	16.3	
		15:04	29.23	49.62	32.59	8.24	9.35	6.9	28.3	
		18:04	30.07	48.27	31.59	8.28	10.01	3.0	12.5	
		21:04	30.22	47.47	31.49	8.24	8.95	4.0	55.6	
	日平均值			29.87	48.29	31.68	8.22	8.91	2.89	17.70
	潮口站	0:04	29.16	49.02	31.79	8.34	8.38	8.1	4.7	
		3:04	29.27	46.51	30.18	8.30	8.35	8.7	7.7	
		6:04	27.50	52.13	33.85	8.28	8.58	5.2	1.4	
		9:04	29.17	50.74	32.90	8.38	8.60	7.4	7.7	
		12:04	30.79	52.68	34.12	8.31	8.44	28.5	12.2	
		15:04	30.94	51.30	33.30	8.41	7.81	30.3	10.3	
		18:04	28.38	51.11	33.16	8.32	7.76	17.2	12.3	
		21:04	29.52	47.36	30.71	8.34	7.35	21.7	9.3	
	日平均值			29.34	50.11	32.50	8.34	8.16	15.89	8.20
	灣內站	0:04	31.23	51.23	33.46	8.26	8.48	1.8	17.9	
		3:04	30.66	51.35	33.56	8.22	8.48	1.4	18.2	
		6:04	29.88	51.27	33.53	8.21	8.04	1.3	13.1	
		9:04	29.60	51.34	33.59	8.18	7.62	1.4	3.7	
		12:04	30.51	51.40	33.61	8.29	9.55	4.3	9.5	
		15:04	31.07	51.50	33.66	8.38	10.88	6.4	34.6	
		18:04	31.24	51.55	33.69	8.33	9.25	7.2	51.0	
		21:04	29.34	51.39	33.64	8.25	8.20	3.6	40.6	
	日平均值			30.44	51.38	33.59	8.27	8.81	3.43	23.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月9日	蚵殼站	0:04	30.04	49.66	32.79	8.20	8.10	4.1	18.7	
		3:04	29.86	46.64	31.02	8.15	7.35	2.7	9.2	
		6:04	29.50	51.61	33.96	8.17	7.22	5.6	17.0	
		9:04	29.52	49.90	32.95	8.17	7.89	4.1	9.9	
		12:04	30.11	51.42	33.72	8.33	8.36	0.1	8.3	
		15:04	30.53	52.54	34.45	8.36	8.69	0.9	14.1	
		18:04	30.75	52.44	34.37	8.39	9.24	2.8	11.2	
		21:04	30.81	52.42	34.35	8.40	8.82	0.9	14.9	
	日平均值			30.14	50.83	33.45	8.27	8.21	2.65	12.91
	潮口站	0:04	29.42	43.93	28.53	8.35	7.33	41.4	16.4	
		3:04	29.93	49.98	32.39	8.29	7.08	19.6	10.9	
		6:04	28.19	49.86	32.36	8.16	7.86	18.2	4.7	
		9:04	28.46	52.46	34.03	8.21	8.08	11.8	5.9	
		12:04	29.92	52.08	34.13	8.30	8.43	7.8	6.1	
		15:04	30.91	52.15	34.15	8.30	8.89	12.0	14.0	
		18:04	29.75	52.04	34.11	8.27	8.19	5.1	4.9	
		21:04	29.75	51.46	33.68	8.25	7.96	4.2	8.8	
	日平均值			29.54	50.50	32.92	8.27	7.98	15.01	8.96
	灣內站	0:04	30.23	51.28	33.53	8.21	7.49	3.5	24.2	
		3:04	30.03	51.25	33.51	8.16	6.78	3.5	25.8	
		6:04	29.60	51.16	33.46	8.19	6.83	2.6	18.7	
		9:04	29.59	51.05	33.38	8.21	7.55	2.8	6.6	
		12:04	30.06	52.18	34.19	8.07	7.06	5.1	7.3	
		15:04	30.44	52.26	34.24	8.13	8.24	7.1	17.9	
		18:04	31.32	50.81	33.14	8.18	8.92	6.7	35.8	
		21:04	30.31	52.13	34.15	8.04	6.98	5.3	28.0	
	日平均值			30.20	51.52	33.70	8.15	7.48	4.58	20.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月10日	蚵殼站	0:04	30.80	52.44	34.37	8.37	8.09	1.6	13.1	
		3:04	30.59	52.49	34.41	8.35	7.80	0.8	11.8	
		6:04	30.44	52.52	34.43	8.32	7.47	1.0	11.6	
		9:04	30.50	52.52	34.43	8.35	8.01	0.3	9.2	
		12:04	30.41	52.69	34.56	8.36	8.45	1.1	11.9	
		15:04	31.02	52.50	34.40	8.45	10.90	2.5	65.8	
		18:04	31.01	52.58	34.46	8.48	11.64	1.3	52.1	
		21:04	30.95	52.54	34.43	8.42	9.98	0.6	11.3	
	日平均值			30.72	52.54	34.44	8.39	9.04	1.15	23.35
	潮口站	0:04	29.63	51.62	33.80	8.22	7.31	3.7	3.4	
		3:04	30.02	52.09	34.14	8.21	6.84	4.7	10.9	
		6:04	28.52	52.12	34.21	8.21	7.31	2.5	0.3	
		9:04	29.26	52.12	34.18	8.21	7.59	1.7	0.5	
		12:04	30.10	51.99	34.06	8.27	8.75	3.0	13.2	
		15:04	30.87	52.06	34.08	8.29	9.61	10.5	14.1	
		18:04	30.18	51.99	34.06	8.29	8.95	4.0	14.1	
		21:04	29.40	52.00	34.09	8.20	7.56	1.4	2.9	
	日平均值			29.75	52.00	34.08	8.24	7.99	3.94	7.43
	灣內站	0:04	29.78	52.25	34.26	8.07	7.30	3.9	15.4	
		3:04	29.83	52.04	34.10	8.00	6.44	3.3	14.9	
		6:04	29.73	52.23	34.24	7.90	5.30	3.2	18.8	
		9:04	29.89	52.25	34.25	8.03	6.99	3.0	24.1	
		12:04	30.39	52.27	34.25	8.12	8.29	1.8	7.6	
		15:04	31.33	52.36	34.28	8.16	8.83	1.6	6.4	
		18:04	31.32	52.31	34.25	8.17	9.09	1.8	7.9	
		21:04	31.08	52.23	34.20	8.14	8.38	2.0	10.3	
	日平均值			30.42	52.24	34.23	8.07	7.58	2.58	13.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月11日	蚵殼站	0:04	30.76	52.64	34.51	8.38	9.06	0.6	13.1	
		3:04	30.61	51.83	33.92	8.39	9.06	0.0	21.0	
		6:04	30.60	51.97	34.02	8.39	8.72	0.6	4.9	
		9:04	30.70	51.69	33.82	8.38	8.92	0.4	31.0	
		12:04	30.19	51.97	34.04	8.33	8.45	0.7	9.0	
		15:04	30.15	51.85	33.95	8.38	8.78	1.2	29.7	
		18:04	29.76	51.78	33.91	8.31	7.80	4.0	12.8	
		21:04	29.76	48.22	31.30	8.32	8.07	0.1	10.4	
	日平均值			30.32	51.49	33.68	8.36	8.61	0.95	16.49
	潮口站	0:04	29.51	52.44	34.42	8.20	7.43	1.0	0.9	
		3:04	29.19	51.98	34.08	8.21	7.44	2.6	2.4	
		6:04	28.75	52.27	34.32	8.20	7.32	3.0	3.3	
		9:04	28.68	52.41	34.42	8.21	7.62	4.0	1.7	
		12:04	29.05	52.14	34.20	8.19	7.28	5.0	8.1	
		15:04	29.35	51.95	34.06	8.22	8.27	8.6	1.9	
		18:04	28.91	51.51	33.75	8.12	6.65	10.8	7.1	
		21:04	28.40	51.94	34.08	8.18	7.32	4.7	6.8	
	日平均值			28.98	52.08	34.17	8.19	7.42	4.96	4.03
	灣內站	0:04	30.68	52.21	34.20	8.10	7.84	1.7	11.7	
		3:04	30.47	52.23	34.22	8.11	7.74	3.8	13.3	
		6:04	30.26	52.28	34.27	8.10	7.55	1.5	8.7	
		9:04	30.29	52.34	34.31	8.14	7.97	1.7	7.5	
		12:04	30.23	52.13	34.15	8.14	8.16	2.6	21.9	
		15:04	29.99	52.04	34.09	8.12	7.84	4.4	45.5	
		18:04	29.56	51.84	33.96	7.88	5.36	7.5	21.0	
		21:04	29.30	51.93	34.04	7.83	5.22	4.8	12.3	
	日平均值			30.10	52.13	34.16	8.05	7.21	3.50	17.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月12日	蚵殼站	0:04	29.79	43.11	27.62	8.30	7.43	0.9	0.9	
		3:04	29.38	42.19	26.97	8.22	6.41	1.7	3.9	
		6:04	29.64	40.04	25.44	8.26	6.74	0.9	9.2	
		9:04	29.61	42.00	26.83	8.27	7.12	0.5	15.6	
		12:04	29.71	41.67	26.59	8.33	8.29	0.0	18.4	
		15:04	29.67	39.43	25.00	8.32	8.50	0.1	14.3	
		18:04	29.88	39.97	25.38	8.32	8.73	0.0	15.8	
		21:04	29.86	39.21	24.84	8.34	9.24	0.1	10.8	
	日平均值			29.69	40.95	26.08	8.30	7.81	0.53	11.11
	潮口站	0:04	28.67	52.26	34.31	8.19	7.40	2.1	0.8	
		3:04	28.37	51.87	34.03	8.14	6.60	4.3	2.1	
		6:04	28.42	51.81	33.98	8.16	6.42	5.0	6.2	
		9:04	27.93	52.17	34.27	8.19	7.48	3.6	0.7	
		12:04	28.44	52.09	34.19	8.20	7.70	0.5	1.5	
		15:04	29.38	51.87	34.00	8.22	8.56	6.9	21.0	
		18:04	29.17	51.97	34.08	8.19	7.72	8.4	12.9	
		21:04	29.09	51.77	33.93	8.25	8.43	2.7	7.5	
	日平均值			28.68	51.98	34.10	8.19	7.54	4.19	6.59
	灣內站	0:04	29.01	52.05	34.14	7.90	5.39	7.0	8.8	
		3:04	28.96	52.07	34.15	7.91	5.32	3.3	8.9	
		6:04	29.01	52.11	34.18	7.96	5.77	2.2	10.2	
		9:04	29.22	52.08	34.15	8.01	6.37	2.4	6.5	
		12:04	29.85	51.90	34.00	8.09	7.75	1.7	8.5	
		15:04	29.79	52.00	34.08	8.11	7.98	1.4	11.5	
		18:04	29.85	51.63	33.80	8.25	10.25	2.4	35.6	
		21:04	29.79	51.85	33.97	8.16	8.64	1.8	18.6	
	日平均值			29.44	51.96	34.06	8.05	7.18	2.78	13.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月13日	蚵殼站	0:04	29.76	38.88	24.62	8.35	9.60	0.4	17.0	
		3:04	29.73	41.45	26.44	8.34	8.87	0.2	16.3	
		6:04	29.92	45.61	29.41	8.35	9.05	0.2	12.5	
		9:04	29.80	44.38	28.53	8.35	9.42	0.1	7.1	
		12:04	29.70	43.97	28.24	8.39	9.91	0.4	9.1	
		15:04	30.00	44.47	28.58	8.38	10.15	0.2	9.0	
		18:04	30.03	48.52	31.52	8.43	10.50	0.5	13.9	
		21:04	30.21	50.19	32.72	8.45	10.86	0.9	2.7	
	日平均值			29.89	44.68	28.76	8.38	9.80	0.36	10.95
	潮口站	0:04	28.31	51.87	34.03	8.17	7.40	8.2	4.0	
		3:04	28.11	51.94	34.09	8.17	7.35	1.6	8.1	
		6:04	28.35	51.74	33.93	8.16	6.80	4.9	12.8	
		9:04	27.99	51.74	33.95	8.19	7.74	1.7	5.5	
		12:04	28.18	51.90	34.06	8.20	8.01	1.9	0.8	
		15:04	28.79	51.96	34.08	8.23	8.70	5.0	9.9	
		18:04	28.91	51.87	34.01	8.19	7.87	10.9	13.4	
		21:04	29.11	51.71	33.89	8.22	8.33	3.6	10.5	
	日平均值			28.47	51.84	34.01	8.19	7.78	4.73	8.13
	灣內站	0:04	29.36	51.98	34.07	8.05	6.93	3.0	63.1	
		3:04	29.32	51.93	34.04	8.02	6.72	1.6	12.3	
		6:04	29.06	51.89	34.02	7.92	5.94	1.3	27.8	
		9:04	29.28	51.83	33.96	8.07	7.64	1.0	15.1	
		12:04	29.86	51.73	33.87	8.21	9.53	1.3	10.7	
		15:04	30.30	51.70	33.84	8.30	10.41	1.4	40.9	
		18:04	30.29	51.56	33.73	8.37	10.85	1.7	25.7	
		21:04	30.06	49.50	32.23	8.14	7.70	4.7	21.2	
	日平均值			29.69	51.52	33.72	8.14	8.22	2.00	27.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月14日	蚵殼站	0:04	30.10	46.43	29.99	8.41	10.26	0.5	20.6	
		3:04	30.02	44.16	28.35	8.38	9.59	1.0	25.2	
		6:04	29.77	47.34	30.65	8.38	9.36	0.5	11.0	
		9:04	30.34	47.71	30.90	8.40	10.27	0.2	7.5	
		12:04	30.29	48.62	31.56	8.54	13.81	2.6	75.9	
		15:04	30.19	48.62	31.56	8.44	11.36	1.0	18.2	
		18:04	30.45	50.83	33.16	8.48	12.21	0.8	60.4	
		21:04	30.55	48.83	31.70	8.49	11.92	2.1	46.0	
	日平均值			30.21	47.82	30.98	8.44	11.10	1.09	33.10
	潮口站	0:04	28.45	51.88	34.04	8.19	7.91	2.8	2.8	
		3:04	28.35	52.05	34.16	8.18	7.72	2.3	4.5	
		6:04	28.48	51.64	33.85	8.15	7.10	4.3	5.3	
		9:04	28.54	51.66	33.87	8.18	7.81	2.5	10.9	
		12:04	28.29	51.84	34.01	8.21	8.58	1.1	2.5	
		15:04	28.66	51.97	34.09	8.25	9.51	1.1	10.3	
		18:04	29.21	51.88	34.01	8.25	9.49	6.2	8.2	
		21:04	29.48	51.74	33.90	8.26	9.25	4.3	13.8	
	日平均值			28.68	51.83	33.99	8.21	8.42	3.08	7.29
	灣內站	0:04	29.74	51.41	33.64	8.15	8.21	2.6	16.3	
		3:04	29.43	51.34	33.60	8.01	6.87	2.4	15.5	
		6:04	29.27	51.35	33.61	8.05	7.17	0.8	14.3	
		9:04	29.48	51.36	33.61	8.08	7.32	1.3	5.7	
		12:04	30.38	51.35	33.58	8.27	9.81	1.1	5.8	
		15:04	30.63	51.26	33.50	8.33	10.69	1.6	21.8	
		18:04	30.50	51.32	33.55	8.30	9.42	2.2	8.0	
		21:04	30.50	51.33	33.55	8.25	8.68	3.0	15.1	
	日平均值			29.99	51.34	33.58	8.18	8.52	1.88	12.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月15日	蚵殼站	0:04	30.58	51.71	33.80	8.42	11.05	1.2	86.3	
		3:04	30.40	49.02	31.84	8.40	10.16	1.7	56.3	
		6:04	30.23	49.66	32.31	8.40	9.67	0.8	12.7	
		9:04	30.43	48.57	31.51	8.45	11.07	0.2	8.5	
		12:04	31.01	48.87	31.71	8.41	10.58	0.3	16.8	
		15:04	30.97	50.44	32.86	8.47	11.98	0.2	22.7	
		18:04	31.06	50.15	32.63	8.48	11.71	0.3	10.6	
		21:04	31.04	50.88	33.18	8.48	11.38	0.7	6.9	
	日平均值			30.72	49.91	32.48	8.44	10.95	0.68	27.60
	潮口站	0:04	28.72	51.62	33.84	8.19	7.92	2.8	0.5	
		3:04	28.79	51.98	34.10	8.17	7.44	1.2	3.0	
		6:04	28.66	51.86	34.02	8.17	7.71	2.9	5.4	
		9:04	29.34	51.30	33.58	8.32	10.13	1.8	4.7	
		12:04	29.04	51.99	34.10	8.18	8.17	3.8	3.6	
		15:04	29.72	52.12	34.17	8.19	8.28	1.3	2.3	
		18:04	29.81	51.85	33.97	8.28	9.90	3.4	5.0	
		21:04	30.10	51.87	33.97	8.24	9.29	5.0	8.1	
	日平均值			29.27	51.82	33.97	8.22	8.61	2.78	4.08
	灣內站	0:04	30.41	51.10	33.39	8.25	8.73	2.4	16.2	
		3:04	30.09	51.13	33.42	8.27	8.76	1.6	9.2	
		6:04	29.75	51.14	33.44	8.12	7.01	1.0	5.9	
		9:04	30.22	51.08	33.38	8.25	8.74	1.4	6.8	
		12:04	30.79	50.94	33.26	8.35	10.41	1.2	6.4	
		15:04	31.29	51.17	33.41	8.35	10.50	1.8	8.2	
		18:04	31.60	51.10	33.35	8.29	9.23	2.4	6.1	
		21:04	31.36	51.08	33.34	8.39	10.46	2.1	12.7	
	日平均值			30.69	51.09	33.37	8.28	9.23	1.74	8.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月16日	蚵殼站	0:04	31.04	49.16	31.93	8.46	10.94	0.0	11.3	
		3:04	30.88	49.18	31.95	8.42	10.38	1.1	38.6	
		6:04	30.88	45.16	29.05	8.43	10.23	0.5	21.4	
		9:04	31.12	44.36	28.48	8.47	11.33	0.0	6.9	
		12:14	31.79	50.75	33.17	8.49	11.82	0.7	8.7	
		15:04	31.14	51.02	33.39	8.47	11.74	0.2	13.2	
		18:04	31.51	50.90	33.30	8.47	11.62	0.0	25.1	
		21:04	31.35	44.52	28.61	8.47	11.63	0.3	9.4	
	日平均值			31.21	48.13	31.24	8.46	11.21	0.35	16.83
	潮口站	0:04	29.04	51.85	33.99	8.19	8.04	1.5	6.0	
		3:04	28.99	52.01	34.12	8.15	7.53	1.3	4.5	
		6:04	29.34	51.74	33.90	8.20	7.77	2.9	6.8	
		9:04	30.14	51.62	33.79	8.29	9.42	2.9	12.1	
		12:14	29.93	51.78	33.91	8.23	8.55	3.0	5.0	
		15:04	29.43	51.98	34.08	8.18	8.33	2.7	6.7	
		18:04	30.04	51.63	33.80	8.28	9.78	3.7	5.3	
		21:04	30.92	50.49	32.93	8.24	8.84	6.2	7.6	
	日平均值			29.73	51.64	33.82	8.22	8.53	3.03	6.75
	灣內站	0:04	31.00	50.95	33.26	8.32	9.55	1.4	14.4	
		3:04	30.75	50.99	33.30	8.11	6.80	4.1	7.3	
		6:04	30.47	51.11	33.40	8.26	7.82	1.2	4.5	
		9:04	30.77	51.21	33.46	8.19	7.81	2.2	5.6	
		12:14	31.56	51.47	33.62	8.35	10.10	1.7	9.6	
		15:04	32.06	51.37	33.53	8.44	11.20	1.7	10.0	
		18:04	31.95	51.80	33.85	8.31	9.07	1.3	5.2	
		21:04	31.94	51.83	33.87	8.45	10.89	2.0	16.9	
	日平均值			31.31	51.34	33.54	8.30	9.16	1.95	9.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月17日	蚵殼站	0:04	31.45	43.61	27.96	8.48	11.51	0.1	14.9	
		3:04	31.00	45.94	29.64	8.45	10.53	0.8	11.4	
		6:04	30.79	48.87	31.77	8.40	9.13	0.7	16.1	
		9:04	30.94	48.07	31.18	8.47	10.48	0.2	4.4	
		12:04	30.86	49.24	32.04	8.34	8.53	1.1	4.1	
		15:04	31.31	46.14	29.63	8.41	10.17	0.1	12.0	
		18:04	31.21	47.51	30.50	8.43	10.65	1.0	13.6	
		21:04	31.17	44.24	28.44	8.47	10.97	0.4	18.7	
	日平均值			31.09	46.70	30.15	8.43	10.25	0.55	11.90
	潮口站	0:04	30.40	51.51	33.70	8.23	8.56	4.0	4.9	
		3:04	27.94	51.99	34.13	8.14	7.58	1.6	0.7	
		6:04	29.49	51.48	33.71	8.15	7.34	4.3	2.5	
		9:04	30.23	51.27	33.52	8.28	9.18	1.9	8.4	
		12:04	30.63	51.49	33.68	8.24	8.97	2.5	8.3	
		15:04	29.27	48.54	31.55	8.15	8.54	3.7	4.9	
		18:04	28.97	51.36	33.63	8.18	8.90	1.4	2.8	
		21:04	29.79	51.54	33.74	8.14	7.69	5.7	4.4	
	日平均值			29.59	51.15	33.46	8.19	8.35	3.14	4.61
	灣內站	0:04	31.81	51.74	33.81	8.40	10.61	2.1	20.0	
		3:04	30.52	51.67	33.80	8.14	7.59	2.2	23.0	
		6:04	30.76	51.65	33.78	8.23	8.68	1.4	17.4	
		9:04	30.67	51.35	33.57	8.30	9.28	1.2	8.8	
		12:04	31.14	51.45	33.62	8.34	9.58	1.1	6.0	
		15:04	31.49	51.41	33.58	8.38	10.35	1.3	9.3	
		18:04	31.83	51.09	33.33	8.50	12.05	2.2	41.4	
		21:04	31.30	51.96	33.99	8.41	10.62	1.9	22.6	
	日平均值			31.19	51.54	33.69	8.34	9.85	1.68	18.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月18日	蚵殼站	0:04	30.89	49.72	31.91	8.42	9.91	0.6	16.5	
		3:04	30.58	49.34	31.55	8.40	9.40	1.2	6.9	
		6:04	30.23	46.02	31.84	8.35	8.09	0.4	10.2	
		9:04	30.55	45.10	32.14	8.42	9.55	0.8	4.1	
		12:04	31.12	49.84	31.80	8.44	10.41	0.6	14.1	
		15:04	30.28	50.25	31.86	8.38	9.92	1.1	9.5	
		18:04	30.40	49.61	32.45	8.42	10.38	0.4	6.7	
		21:04	30.06	42.04	28.71	8.33	9.02	0.7	4.6	
	日平均值			30.51	47.74	31.53	8.40	9.59	0.73	9.08
	潮口站	0:04	29.58	51.33	33.60	8.19	8.44	2.1	9.4	
		3:04	28.59	51.68	33.88	8.13	8.11	1.7	0.6	
		6:04	28.69	51.78	33.95	8.14	8.02	1.4	1.4	
		9:04	29.53	51.35	33.61	8.21	9.10	2.1	14.0	
		12:04	29.98	51.49	33.70	8.20	9.39	4.8	9.8	
		15:04	29.50	48.98	31.87	8.14	8.86	1.8	6.7	
		18:04	29.28	50.36	32.89	8.12	8.50	2.1	4.0	
		21:04	29.07	50.37	32.90	8.13	8.45	4.2	5.4	
	日平均值			29.28	50.92	33.30	8.16	8.61	2.53	6.41
	灣內站	0:04	30.93	52.14	34.14	8.31	9.38	1.9	53.3	
		3:04	30.64	52.11	34.13	8.14	7.63	1.4	22.1	
		6:04	30.43	52.24	34.23	8.18	8.08	0.7	9.8	
		9:04	30.43	51.93	34.00	8.25	8.53	0.8	7.8	
		12:04	30.93	51.96	34.00	8.33	9.29	1.0	8.0	
		15:04	30.99	51.58	33.72	8.32	9.56	1.8	15.0	
		18:04	30.93	51.53	33.69	8.29	8.95	3.1	17.6	
		21:04	30.95	51.54	33.69	8.32	8.75	3.8	37.9	
	日平均值			30.78	51.88	33.95	8.27	8.77	1.81	21.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月19日	蚵殼站	0:04	30.24	42.02	27.70	8.38	9.72	3.6	21.7	
		3:04	29.84	40.34	28.78	8.32	8.66	2.5	9.8	
		6:04	29.83	43.83	28.36	8.32	8.26	3.8	8.6	
		9:04	30.41	45.55	29.71	8.37	9.02	0.4	4.1	
		12:04	30.66	50.96	31.81	8.40	9.91	0.8	6.2	
		15:04	30.37	47.76	31.87	8.37	9.62	1.3	12.8	
		18:04	30.47	48.41	29.90	8.41	10.48	1.4	21.1	
		21:04	30.42	44.96	30.62	8.38	9.81	2.3	62.9	
	日平均值			30.28	45.48	29.84	8.37	9.44	2.01	18.40
	潮口站	0:04	28.88	49.65	32.38	8.09	7.56	4.3	1.5	
		3:04	28.51	49.17	32.01	8.11	8.23	3.4	8.1	
		6:04	28.72	51.23	33.37	8.09	7.86	1.8	6.1	
		9:04	29.33	51.27	33.39	8.12	8.39	2.8	10.9	
		12:04	29.80	51.03	33.21	8.16	9.26	5.6	5.8	
		15:04	29.27	48.76	31.73	8.11	8.74	2.2	2.1	
		18:04	29.20	48.05	31.25	8.11	9.13	2.2	6.6	
		21:04	29.02	49.53	32.24	8.11	8.47	4.5	5.4	
	日平均值			29.09	49.84	32.45	8.11	8.46	3.35	5.81
	灣內站	0:04	30.70	51.25	33.48	8.29	8.31	3.8	82.5	
		3:04	30.43	50.37	32.85	8.13	6.78	2.3	37.4	
		6:04	30.19	50.83	33.19	8.08	6.54	1.1	9.0	
		9:04	30.14	50.46	32.92	8.14	7.29	1.4	10.6	
		12:04	31.13	50.62	33.00	8.23	8.57	1.4	5.3	
		15:04	31.32	50.66	33.02	8.28	9.06	1.9	15.5	
		18:04	31.03	50.06	32.59	8.23	8.17	2.9	16.9	
		21:04	31.00	50.44	32.86	8.28	8.63	3.4	43.6	
	日平均值			30.74	50.59	32.99	8.21	7.92	2.28	27.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月20日	蚵殼站	0:04	30.18	45.19	31.33	8.33	9.20	2.7	29.3	
		3:04	30.06	45.19	27.67	8.30	8.27	1.7	32.8	
		6:04	29.89	45.38	29.60	8.30	7.68	2.7	10.5	
		9:04	30.41	41.15	28.90	8.37	8.57	1.4	3.1	
		12:04	30.94	45.10	29.32	8.41	9.71	1.0	9.0	
		15:04	31.03	46.09	31.19	8.38	9.46	1.2	19.4	
		18:04	30.22	48.86	30.98	8.35	9.38	1.1	18.5	
		21:04	30.49	45.55	30.77	8.36	8.56	0.2	6.3	
	日平均值			30.40	45.31	29.97	8.35	8.85	1.50	16.11
	潮口站	0:04	29.02	49.34	32.11	8.08	7.32	4.4	4.7	
		3:04	28.37	47.85	31.37	8.09	7.98	2.3	8.9	
		6:04	28.55	48.17	31.55	8.08	7.87	1.8	25.0	
		9:04	28.96	50.80	33.14	8.11	8.24	4.0	6.1	
		12:04	30.06	51.26	33.39	8.12	8.73	14.4	5.3	
		15:04	29.89	50.69	33.05	8.11	8.78	2.6	5.4	
		18:04	29.00	50.17	32.76	8.12	9.25	1.4	8.4	
		21:04	29.29	48.28	31.61	8.12	8.67	6.2	10.9	
	日平均值			29.14	49.57	32.37	8.10	8.36	4.64	9.34
	灣內站	0:04	30.72	50.42	32.85	8.24	7.95	3.1	33.8	
		3:04	30.47	50.45	32.88	8.12	6.87	2.2	31.1	
		6:04	30.15	49.29	32.04	7.94	5.40	1.1	8.1	
		9:04	30.39	50.43	32.87	8.11	7.17	2.3	9.9	
		12:04	30.93	50.50	32.90	8.19	8.23	1.9	8.2	
		15:04	31.24	50.76	33.08	8.20	8.28	1.4	9.2	
		18:04	31.00	50.75	33.08	8.20	8.34	2.2	16.5	
		21:04	30.83	50.86	33.16	8.00	6.11	1.2	6.2	
	日平均值			30.72	50.43	32.86	8.13	7.29	1.93	15.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
5月21日	蚵殼站	0:04	30.63	41.14	28.33	8.34	8.47	6.4	11.9
		3:04	30.35	37.91	25.61	8.36	8.60	1.5	12.5
		6:04	30.12	39.74	27.22	8.32	7.57	0.5	8.9
		9:04	30.26	42.44	27.10	8.33	7.60	3.3	31.2
		12:04	30.32	40.15	26.24	8.36	8.46	2.4	56.3
		15:04	30.29	42.96	28.27	8.38	9.18	2.2	85.9
		18:04	30.00	40.97	29.99	8.32	8.07	2.0	53.1
		21:04	29.82	52.11	32.68	8.31	7.48	1.9	43.0
	日平均值		30.22	42.18	28.18	8.34	8.18	2.53	37.85
	潮口站	0:04	29.08	50.41	32.90	8.12	8.23	5.8	7.5
		3:04	28.37	47.43	31.11	8.11	8.13	4.8	3.2
		6:04	28.48	50.97	33.26	8.10	8.04	1.5	3.6
		9:04	29.07	51.18	33.37	8.13	8.03	3.7	0.1
		12:04	29.41	50.78	33.12	8.13	8.51	4.7	8.4
		15:04	29.54	49.63	32.42	8.20	9.11	2.7	19.1
		18:04	28.36	48.09	31.52	8.12	7.96	2.6	3.7
		21:04	28.56	49.97	32.65	8.12	7.69	4.6	4.3
	日平均值		28.86	49.81	32.54	8.13	8.21	3.80	6.24
	灣內站	0:04	30.69	50.74	33.08	8.18	8.01	2.8	43.4
		3:04	30.41	50.75	33.10	8.06	5.02	2.5	9.8
		6:04	30.31	50.84	33.16	8.07	5.51	0.9	8.3
		9:04	30.18	50.98	33.26	8.14	6.18	1.0	10.0
		12:04	30.02	50.60	33.00	8.13	6.51	1.8	13.4
		15:04	30.02	50.47	32.89	8.03	4.86	3.5	14.1
		18:04	29.71	50.82	33.16	8.04	4.97	1.3	11.1
		21:04	29.41	50.25	32.75	8.09	5.84	1.1	5.7
	日平均值		30.09	50.68	33.05	8.09	5.86	1.86	14.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
5月22日	蚵殼站	0:04	29.47	44.44	28.78	8.29	7.12	3.2	79.7
		3:04	29.23	41.35	29.02	8.25	6.61	7.4	16.2
		6:04	29.14	41.18	29.33	8.25	6.60	1.2	30.0
		9:04	29.38	43.96	28.46	8.31	8.08	1.8	8.3
		12:04	29.26	43.42	28.82	8.28	7.93	2.8	45.9
		15:04	29.30	49.91	31.87	8.34	9.93	3.4	83.2
		18:04	29.46	48.00	31.90	8.31	8.83	4.1	45.2
		21:04	29.25	43.31	28.79	8.32	9.04	2.0	18.1
	日平均值		29.31	44.45	29.62	8.29	8.02	3.24	40.83
	潮口站	0:04	28.88	50.68	33.07	8.18	7.86	4.2	9.8
		3:04	28.02	47.78	31.33	8.14	7.58	2.5	4.5
		6:04	27.85	49.83	32.58	8.13	7.86	2.0	3.1
		9:04	28.69	51.08	33.32	8.16	7.62	3.7	7.0
		12:04	28.99	50.11	32.72	8.16	7.88	10.7	9.5
		15:04	29.29	50.36	32.87	8.14	8.00	10.6	17.2
		18:04	28.60	51.44	33.55	8.18	8.53	4.7	4.7
		21:04	28.58	48.83	31.96	8.18	8.66	2.7	3.3
	日平均值		28.61	50.01	32.68	8.16	8.00	5.14	7.39
	灣內站	0:04	29.34	50.69	33.07	8.08	5.74	2.0	8.8
		3:04	29.25	50.78	33.15	7.94	3.48	1.7	16.7
		6:04	29.09	50.46	32.91	7.99	4.89	1.7	9.0
		9:04	29.25	50.78	33.14	8.08	6.30	1.9	11.7
		12:04	29.35	50.72	33.08	8.09	6.58	2.8	18.7
		15:04	29.66	47.43	30.69	8.07	7.25	4.1	45.0
		18:04	29.34	51.64	33.77	8.06	6.18	2.5	8.8
		21:04	29.05	51.37	33.57	8.03	5.86	2.2	5.5
	日平均值		29.29	50.48	32.92	8.04	5.79	2.36	15.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
5月23日	蚵殼站	0:04	29.19	41.77	30.35	8.28	8.15	10.2	11.3
		3:04	29.08	44.21	29.56	8.27	8.17	5.3	12.1
		6:04	29.00	49.40	33.07	8.28	8.03	4.1	19.0
		9:04	29.16	48.79	32.89	8.31	8.76	4.1	9.1
		12:04	29.24	49.66	32.61	8.31	9.14	3.9	11.7
		15:04	29.37	49.22	34.06	8.32	9.77	3.3	25.2
		18:04	29.34	48.38	33.94	8.33	10.00	3.4	14.2
		21:04	29.20	50.19	32.47	8.30	9.37	6.7	20.0
	日平均值		29.20	47.70	32.37	8.30	8.92	5.13	15.33
	潮口站	0:04	28.66	49.68	32.47	8.18	7.88	7.2	4.6
		3:04	28.49	48.93	32.02	8.15	7.49	10.2	10.9
		6:04	28.19	51.36	33.51	8.18	8.14	7.5	2.8
		9:04	28.64	49.56	32.40	8.18	8.21	5.2	1.4
		12:04	29.02	48.89	31.98	8.18	8.75	11.1	13.2
		15:04	29.39	47.99	31.42	8.21	10.10	11.1	20.7
		18:04	28.88	46.43	30.50	8.18	8.49	27.1	6.8
		21:04	28.88	48.76	31.90	8.17	8.28	9.8	4.9
	日平均值		28.77	48.95	32.03	8.18	8.42	11.15	8.16
	灣內站	0:04	28.90	52.05	34.07	7.95	5.67	1.2	4.3
		3:04	28.79	52.26	34.23	8.01	5.60	1.4	6.4
		6:04	28.71	51.86	33.93	8.04	6.01	1.2	7.0
		9:04	28.85	51.97	34.01	8.15	7.42	1.5	7.7
		12:04	29.17	50.30	32.78	8.08	7.14	2.8	11.2
		15:04	29.49	49.28	32.02	8.10	7.63	2.7	22.4
		18:04	29.17	49.21	31.98	8.10	7.91	2.1	13.7
		21:04	29.13	50.76	33.11	8.13	7.81	1.9	14.9
	日平均值		29.03	50.96	33.27	8.07	6.90	1.85	10.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月24日	蚵殼站	0:04	29.10	46.79	33.11	8.27	9.02	6.5	16.8	
		3:04	29.18	43.60	31.17	8.28	8.94	6.1	23.3	
		6:04	29.09	48.48	32.58	8.28	8.93	6.9	18.9	
		9:04	29.08	48.14	32.78	8.28	9.02	6.3	17.8	
		12:04	28.94	51.74	33.91	8.20	7.47	3.5	13.6	
		15:04	29.47	51.78	33.92	8.21	8.18	2.2	10.6	
		18:04	29.45	51.73	33.89	8.26	9.26	3.8	71.1	
		21:04	29.23	51.75	33.91	8.21	8.24	3.0	24.0	
	日平均值			29.19	49.25	33.16	8.25	8.63	4.79	24.51
	潮口站	0:04	28.81	47.51	31.15	8.21	9.68	4.7	26.5	
		3:04	28.77	48.38	31.68	8.19	8.46	6.8	12.8	
		6:04	28.48	48.78	31.93	8.19	8.40	7.2	5.0	
		9:04	28.71	48.00	31.45	8.17	8.01	6.2	1.7	
		12:34	29.11	51.46	33.70	8.14	9.31	11.6	33.1	
		15:04	29.41	51.52	33.74	8.25	10.95	8.8	18.7	
		18:04	29.07	50.06	32.67	8.18	8.21	8.5	1.7	
		21:04	28.95	52.00	34.10	8.20	7.72	4.2	2.3	
	日平均值			28.91	49.71	32.55	8.19	8.84	7.25	12.73
	灣內站	0:04	28.97	51.28	33.42	8.08	7.16	1.3	10.3	
		3:04	28.81	50.95	33.18	8.04	6.68	1.4	13.4	
		6:04	28.72	51.84	33.82	7.97	5.81	1.1	13.1	
		9:04	28.79	51.49	33.57	8.12	7.38	1.7	16.5	
		12:04	29.16	51.60	33.78	8.10	7.77	0.9	14.0	
		15:04	29.73	51.59	33.76	8.24	9.30	1.4	10.2	
		18:04	29.86	51.34	33.56	8.36	12.20	0.7	36.7	
		21:04	29.50	51.24	33.51	8.31	10.49	0.6	30.5	
	日平均值			29.19	51.42	33.58	8.15	8.35	1.14	18.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
5月25日	蚵殼站	0:04	29.22	51.78	33.93	8.20	8.03	3.8	40.4
		3:04	29.23	51.80	33.95	8.18	7.68	2.0	18.9
		6:04	29.05	51.53	33.75	8.17	7.53	2.5	12.0
		9:04	29.31	51.73	33.89	8.18	7.91	2.7	18.5
		12:04	29.59	51.84	33.96	8.18	8.18	2.6	11.7
		15:04	29.97	51.92	34.01	8.19	8.44	4.3	13.1
		18:04	30.13	51.60	33.77	8.22	9.61	4.8	55.2
		21:04	30.23	51.73	33.86	8.24	9.63	2.4	18.6
	日平均值		29.59	51.74	33.89	8.20	8.38	3.14	23.55
	潮口站	0:04	28.73	51.65	33.85	8.22	8.35	5.1	15.1
		3:04	28.76	51.77	33.94	8.18	7.29	6.8	10.6
		6:04	28.22	52.03	34.15	8.21	7.89	3.0	1.0
		9:04	28.86	51.98	34.09	8.21	7.76	2.9	5.2
		12:04	29.91	51.34	33.58	8.21	8.53	7.6	6.6
		15:04	30.78	51.64	33.77	8.28	10.62	7.8	8.0
		18:04	29.82	50.17	32.73	8.24	9.02	4.8	4.5
		21:04	29.27	50.50	32.99	8.21	7.96	2.1	3.0
	日平均值		29.29	51.39	33.64	8.22	8.43	5.01	6.75
	灣內站	0:04	29.38	51.25	33.52	8.26	9.48	1.3	21.4
		3:04	29.47	51.27	33.53	8.26	9.45	1.0	24.3
		6:04	29.14	51.50	33.71	8.21	8.32	0.1	13.0
		9:04	29.39	51.49	33.69	8.24	9.44	1.3	9.0
		12:04	30.39	51.56	33.71	8.32	11.33	1.2	11.1
		15:04	31.39	51.59	33.70	8.39	12.40	1.0	11.8
		18:04	31.64	51.56	33.67	8.39	13.26	0.8	10.8
		21:04	31.42	51.63	33.73	8.35	11.88	1.5	7.3
	日平均值		30.28	51.48	33.66	8.30	10.70	1.03	13.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月26日	蚵殼站	0:04	30.32	51.64	33.79	8.25	9.49	2.2	10.4	
		3:04	30.18	51.64	33.80	8.23	8.90	3.1	27.5	
		6:04	29.70	51.81	33.94	8.15	7.27	2.5	27.3	
		9:04	29.92	51.79	33.91	8.20	8.46	2.8	5.9	
		12:04	30.02	51.87	33.97	8.17	7.96	2.9	5.1	
		15:04	30.86	51.91	33.97	8.21	8.98	3.3	9.8	
		18:04	30.77	52.21	34.20	8.24	9.67	2.2	21.5	
		21:04	30.29	51.73	33.86	8.21	8.67	3.8	54.4	
	日平均值			30.26	51.83	33.93	8.21	8.68	2.85	20.24
	潮口站	0:04	29.72	51.51	33.72	8.21	8.20	5.2	2.2	
		3:04	29.38	50.90	33.28	8.24	8.81	3.0	2.2	
		6:04	28.37	52.17	34.25	8.21	7.85	5.8	0.4	
		9:04	29.25	51.78	33.93	8.21	8.07	8.3	0.7	
		12:04	30.36	51.59	33.75	8.26	9.46	9.0	5.0	
		15:04	31.30	52.03	34.04	8.33	11.40	6.3	9.5	
		18:04	30.92	51.61	33.74	8.30	10.45	5.4	10.5	
		21:04	29.95	50.67	33.09	8.22	8.35	9.0	1.1	
	日平均值			29.91	51.53	33.73	8.25	9.07	6.50	3.95
	灣內站	0:04	31.14	51.56	33.68	8.31	11.39	1.6	6.6	
		3:04	30.13	51.67	33.80	8.25	9.99	2.2	5.4	
		6:04	29.71	51.67	33.82	8.23	9.52	1.8	6.6	
		9:04	30.05	51.61	33.76	8.25	10.05	1.4	6.9	
		12:04	30.75	51.70	33.80	8.33	11.79	1.1	12.0	
		15:04	31.63	51.83	33.86	8.32	11.92	0.7	7.1	
		18:04	32.09	50.88	33.15	8.27	11.31	0.9	15.6	
		21:04	31.68	51.67	33.75	8.31	11.44	0.3	7.1	
	日平均值			30.90	51.57	33.70	8.28	10.93	1.25	8.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月27日	蚵殼站	0:04	30.43	51.91	33.98	8.25	9.21	2.7	8.9	
		3:04	30.40	51.80	33.91	8.22	8.54	2.0	12.9	
		6:04	30.03	51.63	33.80	8.19	7.73	2.3	9.0	
		9:04	30.42	51.73	33.85	8.19	7.94	1.9	11.9	
		12:04	30.10	52.02	34.08	8.16	7.78	2.4	4.1	
		15:04	30.78	52.06	34.08	8.20	8.69	3.1	11.9	
		18:04	31.27	51.96	33.99	8.28	9.88	3.0	2.6	
		21:04	31.13	51.23	33.46	8.26	9.45	3.0	39.5	
	日平均值			30.57	51.79	33.89	8.22	8.65	2.55	12.60
	潮口站	0:04	30.16	51.43	33.64	8.25	8.82	5.2	1.7	
		3:04	30.37	51.41	33.62	8.22	8.10	5.1	4.2	
		6:04	29.04	51.79	33.94	8.20	8.01	7.6	3.3	
		9:04	27.65	51.89	34.06	8.19	7.94	8.7	5.1	
		12:04	31.35	51.60	33.73	8.25	9.25	8.3	11.2	
		15:04	31.56	51.94	33.97	8.28	10.06	18.7	12.2	
		18:04	31.20	51.80	33.88	8.28	10.10	13.4	11.7	
		21:04	30.64	51.49	33.67	8.21	8.23	31.0	1.1	
	日平均值			30.25	51.67	33.81	8.24	8.81	12.25	6.31
	灣內站	0:04	30.66	51.84	33.91	8.30	11.05	0.4	9.8	
		3:04	30.72	51.73	33.83	8.31	10.59	1.6	9.9	
		6:04	30.39	51.76	33.86	8.25	9.49	1.9	8.7	
		9:04	30.43	51.74	33.84	8.30	10.62	1.8	12.1	
		12:04	31.05	51.85	33.90	8.35	11.72	1.4	12.0	
		15:04	31.74	51.90	33.91	8.30	11.33	1.0	24.0	
		18:04	31.88	51.94	33.94	8.29	11.32	0.2	11.9	
		21:04	31.88	51.92	33.92	8.31	10.94	1.8	3.6	
	日平均值			31.09	51.84	33.89	8.30	10.88	1.26	11.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月28日	蚵殼站	0:04	31.32	51.87	33.92	8.24	9.23	2.3	18.9	
		3:04	31.23	51.63	33.75	8.20	8.40	3.5	16.1	
		6:04	30.84	51.39	33.59	8.18	7.92	3.1	15.9	
		9:04	30.82	47.73	30.91	8.17	7.92	3.8	12.5	
		12:04	30.80	48.54	31.50	8.23	9.22	3.1	10.9	
		15:04	31.54	47.86	30.98	8.30	10.66	2.5	13.2	
		18:04	31.35	49.26	31.93	8.27	10.17	4.0	27.9	
		21:04	31.53	51.00	33.12	8.28	10.07	2.0	16.6	
	日平均值			31.18	49.91	32.46	8.23	9.20	3.04	16.50
	潮口站	0:04	30.14	52.17	34.19	8.16	7.60	16.4	2.2	
		3:04	30.15	49.94	32.55	8.23	8.95	4.1	6.2	
		6:04	29.85	50.34	32.85	8.17	7.57	6.1	7.7	
		9:04	28.15	52.30	34.35	8.16	7.89	17.1	0.7	
		12:04	31.57	51.15	33.38	8.23	9.55	6.6	4.8	
		15:04	32.31	51.19	33.38	8.26	10.51	14.7	8.5	
		18:04	30.92	51.71	33.82	8.27	10.57	8.2	9.1	
		21:04	30.80	51.17	33.42	8.24	9.86	8.9	6.7	
	日平均值			30.49	51.25	33.49	8.22	9.06	10.26	5.74
	灣內站	0:04	31.32	51.74	33.81	8.32	11.18	2.1	5.6	
		3:04	30.96	51.72	33.81	8.34	11.23	2.2	4.9	
		6:04	30.71	51.77	33.86	8.31	10.36	2.5	4.1	
		9:04	30.88	51.71	33.81	8.27	10.19	1.5	7.4	
		12:04	32.18	51.83	33.85	8.34	12.31	1.7	8.2	
		15:04	32.96	51.99	33.93	8.36	13.31	1.7	6.6	
		18:04	32.85	52.08	34.00	8.36	12.92	1.2	9.4	
		21:04	32.66	52.02	33.96	8.26	9.99	0.7	8.4	
	日平均值			31.82	51.86	33.88	8.32	11.44	1.70	6.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度°C	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月29日	蚵殼站	0:04	31.57	49.63	32.17	8.27	9.69	1.8	8.1	
		3:04	31.44	47.33	30.58	8.27	9.41	1.7	0.1	
		6:04	31.31	48.90	31.67	8.26	8.94	1.2	2.2	
		9:04	31.62	46.24	29.83	8.27	9.41	1.6	1.7	
		12:04	31.03	47.14	30.47	8.18	8.10	2.3	6.4	
		15:04	31.92	48.14	31.13	8.26	9.66	3.3	18.5	
		18:04	32.07	48.65	31.47	8.27	9.25	3.3	9.4	
		21:04	31.96	44.99	29.18	8.27	9.06	1.9	13.0	
	日平均值			31.62	47.63	30.81	8.26	9.19	2.14	7.43
	潮口站	0:04	29.63	51.38	33.63	8.17	8.26	32.6	0.4	
		3:04	30.48	51.07	33.36	8.17	7.86	9.3	1.1	
		6:04	30.38	51.32	33.55	8.19	8.60	14.2	1.0	
		9:04	28.24	51.09	33.46	8.15	8.17	7.6	3.8	
		12:04	28.27	51.03	33.41	8.15	8.20	9.6	6.1	
		15:04	28.73	51.61	33.82	8.17	8.78	5.7	4.1	
		18:04	30.22	51.47	33.67	8.20	9.12	4.0	2.7	
		21:04	30.45	51.14	33.42	8.19	8.60	3.9	6.2	
	日平均值			29.55	51.26	33.54	8.17	8.45	10.86	3.18
	灣內站	0:04	32.27	52.03	33.99	8.25	10.40	0.4	10.2	
		3:04	32.04	52.01	33.98	8.29	10.49	1.9	5.2	
		6:04	31.79	51.98	33.97	8.14	9.95	2.2	5.3	
		9:04	31.92	52.01	33.99	8.36	11.14	2.0	6.4	
		12:04	32.24	52.02	33.99	8.32	11.40	2.2	4.8	
		15:04	32.31	52.02	33.98	8.39	11.92	1.6	11.1	
		18:04	33.14	51.82	33.80	8.40	12.03	1.1	17.1	
		21:04	32.83	51.83	33.82	8.42	11.27	2.1	17.6	
	日平均值			32.32	51.97	33.94	8.32	11.08	1.69	9.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月30日	蚵殼站	0:04	31.83	44.79	29.06	8.25	8.69	2.8	10.1	
		3:04	31.57	42.62	27.74	8.25	8.29	2.4	7.9	
		6:04	31.32	45.62	31.30	8.25	8.25	2.0	5.6	
		9:04	31.62	45.42	31.19	8.25	8.54	3.1	17.0	
		12:04	31.34	44.88	30.93	8.16	7.35	2.2	7.0	
		15:04	31.66	46.74	31.87	8.23	8.78	3.0	12.6	
		18:04	31.55	49.62	33.37	8.25	8.68	1.8	12.0	
		21:04	31.53	46.88	31.95	8.25	8.26	2.4	6.6	
	日平均值			31.55	45.82	30.93	8.24	8.36	2.46	9.85
	潮口站	0:04	27.59	50.78	33.24	8.12	7.77	10.5	3.3	
		3:04	28.22	51.29	33.60	8.13	7.69	9.8	9.0	
		6:04	30.17	51.42	33.63	8.17	8.08	5.8	5.9	
		9:04	29.41	51.37	33.62	8.13	7.35	5.9	1.3	
		12:04	28.13	50.65	33.14	8.13	8.04	9.0	6.3	
		15:04	28.21	50.24	32.83	8.14	8.40	10.6	0.6	
		18:04	30.11	50.91	33.26	8.18	8.69	7.8	8.3	
		21:04	30.61	50.67	33.06	8.18	8.52	9.9	11.8	
	日平均值			29.06	50.92	33.30	8.15	8.07	8.66	5.81
	灣內站	0:04	32.26	51.84	33.85	8.34	9.29	0.9	14.5	
		3:04	31.90	51.93	33.93	8.27	8.44	0.2	10.5	
		6:04	31.65	51.95	33.95	8.25	7.72	0.7	10.5	
		9:04	31.80	51.98	33.97	8.31	9.50	0.5	14.1	
		12:04	31.86	52.02	34.00	8.36	10.12	0.5	14.3	
		15:04	32.16	52.07	34.02	8.38	10.80	0.4	16.1	
		18:04	32.29	52.06	34.01	8.39	10.81	0.4	13.0	
		21:04	32.30	50.79	33.08	8.45	10.65	4.2	26.5	
	日平均值			32.03	51.83	33.85	8.34	9.67	0.98	14.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月31日	蚵殼站	0:04	31.36	46.63	31.75	8.25	8.09	2.2	16.0	
		3:04	31.28	46.25	31.55	8.24	7.99	2.6	11.6	
		6:04	31.15	45.33	31.06	8.25	7.85	1.2	8.4	
		9:04	31.46	45.74	31.27	8.26	8.14	2.6	17.2	
		12:04	30.70	43.49	30.10	8.16	6.97	3.2	14.4	
		15:04	31.33	44.52	30.63	8.24	8.40	4.4	17.6	
		18:04	31.53	45.69	31.25	8.28	8.66	5.7	14.5	
		21:04	31.46	46.55	31.70	8.29	8.36	3.9	20.0	
	日平均值			31.28	45.53	31.16	8.25	8.06	3.23	14.96
	潮口站	0:04	28.03	50.63	33.12	8.14	8.24	9.1	6.4	
		3:04	27.43	48.50	31.58	8.12	8.04	11.6	3.3	
		6:04	29.80	48.55	31.54	8.14	7.86	10.9	25.8	
		9:04	30.70	48.35	31.37	8.19	8.53	5.6	3.9	
		12:04	28.33	46.47	30.08	8.14	9.00	5.6	5.6	
		15:04	28.89	46.93	30.39	8.14	9.30	10.7	8.3	
		18:04	29.36	48.44	31.48	8.16	9.36	8.5	13.5	
		21:04	29.94	48.33	31.38	8.18	9.31	12.6	9.9	
	日平均值			29.06	48.28	31.37	8.15	8.71	9.33	9.59
	灣內站	0:04	32.13	51.34	33.48	8.35	9.15	2.4	30.9	
		3:04	31.96	52.05	34.02	8.30	8.98	0.3	14.0	
		6:04	31.40	52.08	34.06	8.24	8.45	2.0	14.1	
		9:04	31.57	52.12	34.08	8.26	9.23	1.4	10.6	
		12:04	31.56	52.12	34.08	8.34	10.26	1.0	11.7	
		15:04	31.59	52.14	34.10	8.36	10.45	1.3	13.4	
		18:04	31.78	52.17	34.11	8.39	10.29	2.4	16.4	
		21:04	31.97	52.06	34.03	8.27	7.82	5.4	18.8	
	日平均值			31.75	52.01	34.00	8.31	9.33	2.03	16.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月1日	蚵殼站	0:04	31.31	46.05	29.84	8.26	7.77	3.6	19.8	
		3:04	30.91	48.24	31.05	8.18	6.59	2.5	15.8	
		6:04	30.76	47.37	30.58	8.21	6.99	1.8	17.6	
		9:04	30.92	48.72	31.32	8.24	7.88	2.6	14.0	
		12:04	30.96	48.06	30.95	8.25	8.20	2.5	13.6	
		15:04	31.10	50.64	32.38	8.27	8.63	4.0	23.9	
		18:04	31.11	48.34	31.10	8.28	8.38	5.2	22.1	
		21:04	31.14	47.83	30.82	8.30	8.42	4.3	21.0	
	日平均值			31.03	48.16	31.01	8.25	7.86	3.31	18.48
	潮口站	0:04	28.12	49.17	32.12	8.13	8.37	20.2	8.1	
		3:04	27.41	50.61	33.08	8.13	8.27	6.3	10.0	
		6:04	29.92	50.31	32.82	8.15	7.76	5.6	12.9	
		9:04	30.51	50.09	32.65	8.21	9.40	7.0	9.9	
		12:04	29.31	52.09	33.99	8.16	8.27	10.1	7.5	
		15:04	28.22	50.62	33.06	8.15	9.22	8.2	9.9	
		18:04	28.89	48.75	31.83	8.17	9.19	5.0	16.4	
		21:04	29.67	48.43	31.60	8.25	9.59	4.0	18.1	
	日平均值			29.01	50.01	32.64	8.17	8.76	8.30	11.60
	灣內站	0:04	31.81	51.11	33.33	8.26	7.59	7.2	33.5	
		3:04	31.56	52.03	34.02	8.34	9.27	5.2	15.4	
		6:04	31.32	51.92	33.94	8.30	8.25	4.1	16.2	
		9:04	31.29	52.05	34.04	8.31	8.75	4.8	16.9	
		12:04	31.35	52.09	34.07	8.32	10.38	4.5	13.4	
		15:04	31.55	52.10	34.06	8.40	11.30	4.5	20.8	
		18:04	31.37	52.10	34.08	8.48	11.03	4.4	18.1	
		21:04	31.29	52.12	34.09	8.38	10.14	4.8	21.6	
	日平均值			31.44	51.94	33.95	8.35	9.59	4.94	19.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月2日	蚵殼站	0:04	30.92	47.12	30.44	8.27	7.82	5.1	17.1	
		3:04	30.63	47.54	31.11	8.23	7.24	1.9	20.6	
		6:04	30.64	46.92	30.80	8.24	7.12	2.3	11.4	
		9:04	31.00	48.85	31.78	8.28	8.06	3.7	14.9	
		12:04	31.26	49.02	31.86	8.30	9.11	4.1	18.7	
		15:04	31.12	52.10	33.45	8.29	9.29	4.5	26.4	
		18:04	31.29	46.02	30.32	8.31	9.57	2.9	16.8	
		21:04	31.29	49.43	32.07	8.32	9.03	3.6	17.9	
	日平均值			31.02	48.38	31.48	8.28	8.41	3.51	17.98
	潮口站	0:04	29.48	48.01	31.33	8.17	7.81	3.0	13.7	
		3:04	26.39	49.55	32.41	8.16	8.16	9.1	12.2	
		6:04	28.66	50.37	32.89	8.12	7.35	1.9	8.9	
		9:04	30.05	51.97	33.90	8.22	9.22	1.6	13.0	
		12:04	30.61	50.80	33.13	8.25	9.92	2.2	18.6	
		15:04	27.86	49.21	32.20	8.17	8.75	3.2	11.8	
		18:04	27.84	48.29	31.63	8.17	8.64	1.8	10.2	
		21:04	29.80	48.88	31.94	8.27	10.15	4.1	17.5	
	日平均值			28.84	49.64	32.43	8.19	8.75	3.36	13.24
	灣內站	0:04	31.04	52.09	34.08	8.36	9.76	4.3	17.2	
		3:04	30.93	52.08	34.07	8.34	9.18	4.5	16.1	
		6:04	30.77	52.04	34.05	8.31	8.60	4.5	19.6	
		9:04	30.94	52.01	34.02	8.35	9.13	4.6	20.1	
		12:04	31.56	51.97	33.97	8.42	10.84	6.1	24.3	
		15:04	31.65	52.06	34.04	8.42	11.41	4.8	25.9	
		18:04	31.52	52.15	34.11	8.47	11.76	5.0	18.2	
		21:04	31.60	51.78	33.83	8.46	11.23	5.0	26.5	
	日平均值			31.25	52.02	34.02	8.39	10.24	4.85	20.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月3日	蚵殼站	0:04	31.13	48.50	31.98	8.30	8.52	2.8	14.5	
		3:04	30.95	47.32	31.41	8.28	8.04	2.4	16.6	
		6:04	30.68	47.44	31.48	8.26	7.72	2.5	12.6	
		9:04	30.87	47.74	31.61	8.33	8.95	4.0	17.9	
		12:04	31.16	46.97	31.24	8.26	8.35	2.2	11.6	
		15:04	31.23	51.58	33.47	8.31	9.87	3.6	23.8	
		18:04	31.35	49.19	32.30	8.34	9.80	5.6	23.0	
		21:04	31.25	51.34	33.35	8.35	9.47	4.1	12.8	
	日平均值			31.08	48.76	32.11	8.30	8.84	3.40	16.60
	潮口站	0:04	30.27	47.35	30.97	8.29	9.47	2.5	16.1	
		3:04	26.25	48.50	31.79	8.19	8.31	1.9	20.6	
		6:04	26.75	48.94	32.03	8.18	8.30	2.0	10.3	
		9:04	30.31	48.61	31.74	8.27	9.76	2.7	18.6	
		12:04	28.93	46.92	30.81	8.25	9.58	1.8	17.4	
		15:04	28.27	47.53	31.18	8.21	9.43	2.0	18.2	
		18:04	28.82	46.70	30.69	8.20	9.26	2.2	14.0	
		21:04	28.33	48.04	31.47	8.24	9.24	2.1	14.3	
	日平均值			28.49	47.82	31.34	8.23	9.17	2.15	16.19
	灣內站	0:04	31.51	51.80	33.85	8.46	10.82	4.6	25.2	
		3:04	31.30	51.81	33.87	8.41	9.73	5.2	18.9	
		6:04	31.07	52.00	34.01	8.41	9.45	5.2	18.1	
		9:04	31.21	51.74	33.81	8.41	10.19	4.5	20.6	
		12:04	31.70	51.82	33.85	8.50	11.98	4.1	16.4	
		15:04	32.11	51.89	33.89	8.56	13.24	4.5	20.6	
		18:04	31.76	52.07	34.04	8.52	12.15	4.7	15.4	
		21:04	31.66	52.04	34.02	8.51	11.04	4.8	19.9	
	日平均值			31.54	51.90	33.92	8.47	11.08	4.70	19.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月4日	蚵殼站	0:04	31.09	48.52	32.56	8.31	8.99	3.3	14.8	
		3:04	30.97	48.58	32.59	8.29	7.94	2.1	10.5	
		6:04	30.55	50.17	33.32	8.28	8.20	3.0	14.2	
		9:04	31.03	46.78	31.78	8.34	9.38	2.5	13.3	
		12:04	31.07	45.12	31.04	8.28	9.08	2.4	5.2	
		15:04	30.92	47.70	32.20	8.33	10.44	3.0	18.2	
		18:04	31.19	46.64	31.72	8.34	10.40	3.7	22.4	
		21:04	31.02	47.58	32.14	8.33	9.68	4.7	13.9	
	日平均值			30.98	47.64	32.17	8.31	9.26	3.09	14.06
	潮口站	0:04	29.36	49.24	32.14	8.27	9.38	3.5	12.5	
		3:04	26.20	50.12	32.73	8.25	8.19	2.6	13.3	
		6:04	26.75	50.00	32.64	8.24	7.86	2.3	9.4	
		9:04	30.67	50.60	32.88	8.35	10.38	2.9	18.7	
		12:04	29.01	48.35	31.63	8.32	10.50	3.3	13.5	
		15:04	28.81	48.45	31.69	8.28	9.48	2.9	16.0	
		18:04	28.17	49.60	32.37	8.25	9.13	3.6	11.9	
		21:04	27.91	50.70	33.02	8.27	8.97	3.0	20.6	
	日平均值			28.36	49.63	32.39	8.28	9.24	3.01	14.49
	灣內站	0:04	31.73	49.72	32.31	8.35	8.55	8.8	36.6	
		3:04	31.74	51.86	33.89	8.47	10.32	4.2	18.0	
		6:04	30.92	52.17	34.14	8.36	9.95	5.1	14.1	
		9:04	31.38	52.02	34.02	8.47	11.17	5.4	17.0	
		12:04	32.00	51.91	33.91	8.50	12.66	4.8	11.4	
		15:04	32.41	52.11	34.04	8.56	13.12	4.7	12.7	
		18:04	32.15	52.17	34.10	8.52	12.15	4.1	14.8	
		21:04	31.98	52.13	34.08	8.51	11.43	5.5	18.7	
	日平均值			31.79	51.76	33.81	8.47	11.17	5.33	17.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月5日	蚵殼站	0:04	31.04	47.98	32.32	8.34	9.37	4.2	21.7	
		3:04	31.12	48.31	32.46	8.35	8.88	3.9	19.2	
		6:04	30.79	52.23	34.24	8.31	8.77	4.2	13.8	
		9:04	30.65	52.08	34.18	8.29	8.58	3.4	19.9	
		12:04	30.62	49.82	33.15	8.30	10.01	4.0	15.3	
		15:04	31.17	45.48	31.20	8.38	11.94	3.5	15.9	
		18:04	31.18	47.64	32.17	8.38	10.97	3.9	15.4	
		21:04	31.41	50.55	33.47	8.40	10.78	3.4	21.4	
	日平均值			31.00	49.26	32.90	8.34	9.91	3.81	17.83
	潮口站	0:04	29.00	48.46	31.69	8.31	9.10	3.0	14.0	
		3:04	27.39	49.54	32.36	8.29	8.74	2.8	14.5	
		6:04	26.72	50.80	33.10	8.29	8.21	3.2	15.2	
		9:04	31.13	49.61	32.30	8.46	10.99	3.4	22.5	
		12:04	29.84	51.27	33.30	8.39	10.69	4.0	18.3	
		15:04	29.94	50.98	33.13	8.41	10.99	3.8	23.5	
		18:04	27.67	49.97	32.60	8.35	8.49	3.9	9.6	
		21:04	29.42	50.26	32.72	8.36	9.25	4.4	10.8	
	日平均值			28.89	50.11	32.65	8.36	9.56	3.56	16.05
	灣內站	0:04	31.95	51.88	33.89	8.52	10.97	4.1	19.7	
		3:04	31.45	51.84	33.88	8.48	11.05	5.6	14.6	
		6:04	31.08	52.07	34.06	8.39	10.34	5.5	14.3	
		9:04	30.87	52.15	34.13	8.42	11.21	5.5	16.7	
		12:04	32.28	52.01	33.97	8.52	12.58	5.6	9.2	
		15:04	32.82	52.10	34.02	8.53	13.14	5.5	10.4	
		18:04	32.34	52.12	34.05	8.55	12.49	5.3	15.4	
		21:04	31.98	52.11	34.06	8.49	11.06	5.9	10.3	
	日平均值			31.85	52.04	34.01	8.49	11.61	5.38	13.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月6日	蚵殼站	0:04	32.23	52.31	34.24	8.40	10.34	4.5	20.0	
		3:04	30.57	47.87	32.28	8.33	9.82	3.5	16.4	
		6:04	30.20	50.29	33.38	8.32	9.11	3.2	17.0	
		9:04	29.67	52.82	34.54	8.24	8.39	2.3	11.5	
		12:04	31.02	52.31	34.30	8.32	8.90	2.7	9.5	
		15:04	30.72	52.08	34.23	8.31	9.88	4.3	15.2	
		18:04	31.36	51.96	34.12	8.42	9.95	3.0	14.4	
		21:04	31.05	52.00	34.16	8.37	9.15	3.5	13.9	
	日平均值			30.85	51.46	33.91	8.34	9.44	3.38	14.74
	潮口站	0:04	30.00	48.45	31.87	8.45	11.06	4.3	13.9	
		3:04	28.19	49.97	32.75	8.39	8.68	4.1	6.5	
		6:04	27.14	49.96	32.77	8.38	8.34	4.3	13.2	
		9:04	30.08	51.77	33.69	8.45	10.32	3.9	10.0	
		12:04	30.78	52.43	34.35	8.41	8.65	13.9	2.4	
		15:04	32.12	52.66	34.47	8.45	9.43	12.3	6.5	
		18:04	29.30	51.85	33.97	8.33	8.01	7.6	2.7	
		21:04	29.19	52.34	34.34	8.32	7.87	4.0	5.6	
	日平均值			29.60	51.18	33.53	8.40	9.05	6.80	7.60
	灣內站	0:04	31.69	52.06	34.03	8.51	11.36	5.0	15.0	
		3:04	31.51	51.47	33.60	8.46	9.96	4.3	17.9	
		6:04	31.18	51.90	33.93	8.43	9.18	5.3	14.7	
		9:04	29.96	52.02	34.06	8.31	9.22	4.7	17.0	
		12:04	32.18	52.01	33.98	8.32	12.27	5.5	16.9	
		15:04	33.05	52.00	33.93	8.39	13.87	6.2	15.4	
		18:04	32.02	52.14	34.08	8.33	12.94	5.8	25.1	
		21:04	31.48	52.19	34.14	8.34	12.51	5.7	12.6	
	日平均值			31.63	51.97	33.97	8.39	11.41	5.31	16.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月7日	蚵殼站	0:04	31.25	51.80	34.00	8.44	9.41	4.2	19.0	
		3:04	30.89	51.23	33.58	8.34	8.37	3.7	19.8	
		6:04	30.40	51.35	33.69	8.31	7.35	4.0	14.0	
		9:04	29.18	52.00	34.22	8.13	7.29	4.5	4.6	
		12:04	29.90	52.04	34.23	8.30	9.03	3.8	15.8	
		15:04	30.40	52.01	34.19	8.35	9.99	4.1	11.1	
		18:04	30.76	51.32	33.54	8.37	10.56	5.9	22.4	
		21:04	30.68	52.11	34.12	8.35	10.34	4.6	12.3	
	日平均值			30.43	51.73	33.95	8.32	9.04	4.35	14.88
	潮口站	0:04	30.36	51.90	33.97	8.43	8.70	5.1	9.4	
		3:04	29.79	51.84	33.95	8.36	7.50	3.8	2.2	
		6:04	28.32	52.02	34.13	8.32	7.93	3.5	0.0	
		9:04	28.98	51.97	34.07	8.31	7.76	2.8	2.6	
		12:04	31.64	51.70	33.78	8.54	10.02	5.6	3.6	
		15:04	30.85	51.90	33.95	8.47	9.96	8.5	8.2	
		18:04	30.23	42.38	27.05	8.34	8.61	6.6	6.0	
		21:04	29.88	48.11	31.20	8.36	8.74	4.4	3.8	
	日平均值			30.01	50.23	32.76	8.39	8.65	5.04	4.48
	灣內站	0:04	31.26	51.83	33.88	8.29	11.87	5.9	20.5	
		3:04	30.87	52.05	34.06	8.19	9.94	4.9	15.5	
		6:04	30.22	52.47	34.39	8.18	11.38	5.3	10.1	
		9:04	29.94	52.41	34.36	8.17	10.91	5.3	11.3	
		12:04	31.49	52.15	34.11	8.32	14.25	5.6	12.5	
		15:04	32.40	52.26	34.16	8.32	15.22	6.2	13.6	
		18:04	33.05	48.61	31.45	8.22	14.99	10.8	41.9	
		21:04	32.32	51.94	33.92	8.27	14.13	6.4	16.1	
	日平均值			31.44	51.72	33.79	8.25	12.84	6.30	17.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月8日	蚵殼站	0:04	31.02	49.92	32.50	8.44	10.15	4.8	15.9	
		3:04	30.17	49.08	31.92	8.33	9.16	3.5	14.0	
		6:04	30.50	47.60	30.83	8.35	9.49	4.1	13.6	
		9:04	28.99	47.87	31.08	8.23	7.81	5.2	15.0	
		12:04	29.56	49.15	31.99	8.27	9.13	4.4	29.5	
		15:04	29.64	48.73	31.68	8.23	9.95	4.2	16.7	
		18:04	29.34	48.93	31.83	8.25	9.37	3.4	17.7	
		21:04	29.53	49.69	32.39	8.30	9.85	3.8	11.9	
	日平均值			29.84	48.87	31.78	8.30	9.36	4.18	16.79
	潮口站	0:04	30.64	45.90	29.57	8.53	9.69	3.5	3.0	
		3:04	30.67	46.93	30.32	8.44	8.66	5.1	3.1	
		6:04	28.92	48.10	31.22	8.34	8.36	13.2	1.6	
		9:04	29.32	47.70	30.92	8.32	8.32	9.3	0.9	
		12:04	30.26	46.48	30.00	8.43	9.03	7.5	9.8	
		15:04	30.51	46.70	30.16	8.50	10.18	8.8	11.4	
		18:04	30.69	46.91	30.30	8.51	10.24	7.1	12.0	
		21:04	29.48	39.06	24.71	8.31	8.18	7.6	2.5	
	日平均值			30.06	45.97	29.65	8.42	9.08	7.76	5.54
	灣內站	0:04	31.46	51.43	33.58	8.27	13.08	4.3	12.6	
		3:04	30.69	50.04	32.58	8.21	11.10	7.2	14.8	
		6:04	30.91	52.19	34.16	8.16	11.07	5.6	10.1	
		9:04	30.39	51.67	33.79	8.23	12.16	5.6	16.1	
		12:04	30.35	51.79	33.88	8.21	12.71	6.4	19.7	
		15:04	30.31	52.19	34.18	8.13	12.37	8.6	22.1	
		18:04	30.79	49.48	32.17	8.11	12.11	10.3	26.2	
		21:04	30.05	52.16	34.17	8.08	10.65	8.3	22.0	
	日平均值			30.62	51.37	33.56	8.18	11.91	7.04	17.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月9日	蚵殼站	0:04	29.59	47.93	31.10	8.26	9.58	4.3	20.2	
		3:04	29.63	46.16	29.81	8.21	8.55	4.6	23.7	
		6:04	29.21	46.63	30.17	8.26	7.71	5.0	14.2	
		9:04	29.07	46.59	30.14	8.25	8.27	4.3	20.4	
		12:04	29.32	45.83	29.59	8.31	9.77	4.9	21.1	
		15:04	29.16	46.04	29.74	8.19	8.43	4.3	22.8	
		18:04	28.71	46.99	30.44	8.11	7.66	6.7	13.8	
		21:04	29.02	46.22	29.88	8.25	9.00	4.5	20.5	
	日平均值			29.21	46.55	30.11	8.23	8.62	4.83	19.59
	潮口站	0:04	30.02	42.20	26.93	8.43	8.48	8.1	2.6	
		3:04	29.96	41.20	26.22	8.39	7.97	7.1	6.9	
		6:04	29.01	47.90	31.08	8.28	7.66	3.1	1.0	
		9:04	29.21	47.76	30.97	8.28	7.82	3.4	5.3	
		12:04	30.29	45.75	29.48	8.50	11.35	3.9	12.4	
		15:04	30.00	46.95	30.36	8.40	8.83	13.9	10.1	
		18:04	30.16	46.53	30.04	8.29	7.85	14.5	8.1	
		21:04	29.29	47.39	30.70	8.27	7.42	10.7	0.6	
	日平均值			29.74	45.71	29.47	8.36	8.42	8.09	5.88
	灣內站	0:04	29.49	52.21	34.22	8.04	9.59	8.0	20.1	
		3:04	29.93	52.25	34.24	8.15	11.78	4.8	13.7	
		6:04	29.28	51.44	33.66	8.08	10.51	5.8	13.2	
		9:04	29.51	51.33	33.57	8.16	10.94	5.8	14.7	
		12:04	29.47	51.94	34.03	8.14	11.57	5.8	12.9	
		15:04	29.74	51.13	33.42	8.27	14.27	6.0	19.8	
		18:04	29.54	45.30	29.17	8.10	11.83	10.4	26.3	
		21:04	29.40	49.95	32.56	8.16	11.53	7.1	18.4	
	日平均值			29.55	50.69	33.11	8.14	11.50	6.71	17.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月10日	蚵殼站	0:04	28.89	46.24	29.90	8.26	8.42	5.2	17.7	
		3:04	28.55	47.82	31.05	8.09	7.52	3.8	20.7	
		6:04	28.67	46.13	29.82	8.21	7.49	3.7	12.9	
		9:04	28.42	45.17	29.14	8.20	7.50	4.7	21.3	
		12:04	28.34	46.13	29.83	8.13	6.81	5.2	17.3	
		15:04	28.39	45.97	29.71	8.08	7.69	3.7	31.6	
		18:04	28.04	43.20	27.73	8.05	7.82	5.9	25.0	
		21:04	28.20	43.96	28.27	8.04	6.92	6.2	12.1	
	日平均值			28.44	45.58	29.43	8.13	7.52	4.80	19.83
	潮口站	0:04	29.35	39.75	25.21	8.38	8.44	9.2	9.2	
		3:04	29.21	40.72	25.90	8.33	7.36	8.1	7.0	
		6:04	28.96	47.43	30.73	8.25	7.42	10.4	1.1	
		9:04	28.89	47.04	30.46	8.24	7.79	16.4	1.4	
		12:04	28.59	45.51	29.35	8.34	8.26	7.6	8.6	
		15:04	28.69	45.58	29.40	8.37	8.57	7.9	18.0	
		18:04	28.51	44.35	28.52	8.33	8.68	17.0	13.4	
		21:04	28.55	46.21	29.86	8.27	8.08	37.1	6.2	
	日平均值			28.84	44.57	28.68	8.31	8.08	14.21	8.11
	灣內站	0:04	29.11	51.54	33.74	8.11	10.94	5.2	13.7	
		3:04	28.78	49.20	32.03	8.07	9.93	6.4	17.8	
		6:04	28.78	52.05	34.13	8.01	8.64	7.0	12.6	
		9:04	28.50	51.24	33.53	8.05	9.35	5.5	17.4	
		12:04	28.32	50.70	33.15	8.05	9.68	5.8	19.0	
		15:04	28.37	51.02	33.38	8.06	9.69	4.9	16.5	
		18:04	28.29	45.93	29.67	8.00	10.04	8.3	20.8	
		21:04	28.24	50.66	33.12	8.00	8.76	6.5	17.9	
	日平均值			28.55	50.29	32.84	8.04	9.63	6.20	16.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月11日	蚵殼站	0:04	27.96	41.40	26.44	8.04	6.88	5.5	11.4	
		3:04	27.66	39.92	25.41	8.05	7.18	4.7	10.9	
		6:04	27.70	38.29	24.26	8.01	6.81	4.9	13.3	
		9:04	27.49	39.87	25.18	8.00	7.29	7.9	10.9	
		12:04	27.31	39.13	24.71	8.05	6.91	11.4	8.1	
		15:04	26.93	33.50	21.14	7.99	7.41	12.0	12.9	
		18:04	26.78	32.25	20.72	7.99	8.33	17.5	11.7	
		21:04	26.24	24.84	16.70	7.92	6.44	36.0	12.3	
	日平均值			27.26	36.15	23.07	8.01	7.16	12.49	11.44
	潮口站	0:04	28.33	45.37	29.26	8.23	8.05	35.4	2.5	
		3:04	27.97	45.05	29.00	8.29	8.05	12.5	8.4	
		6:04	28.35	46.91	30.27	8.26	7.39	12.9	11.2	
		9:04	28.34	47.24	30.50	8.22	7.84	18.6	1.5	
		12:04	27.75	43.99	28.02	8.22	8.12	23.5	5.3	
		15:04	27.60	43.06	27.45	8.26	8.34	11.0	8.9	
		18:04	27.21	35.87	23.05	8.25	8.72	14.3	9.1	
		21:04	27.01	34.24	22.08	8.18	8.23	13.9	7.4	
	日平均值			27.82	42.72	27.45	8.24	8.09	17.76	6.79
	灣內站	0:04	28.00	49.02	31.93	8.03	9.45	5.9	12.5	
		3:04	27.48	43.92	28.24	8.01	9.90	8.3	9.5	
		6:04	27.33	43.41	27.87	8.03	9.95	9.9	9.4	
		9:04	27.64	47.07	30.51	8.11	10.09	7.6	9.4	
		12:04	27.11	41.69	26.65	8.06	10.48	8.7	7.4	
		15:04	27.25	42.50	27.23	8.08	10.14	9.2	7.9	
		18:04	27.18	40.76	25.99	8.09	10.62	9.8	9.8	
		21:04	26.76	31.88	19.79	8.09	10.82	18.1	9.2	
	日平均值			27.34	42.53	27.28	8.06	10.18	9.69	9.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月12日	蚵殼站	0:04	26.36	26.84	17.78	7.91	6.70	27.3	13.2	
		3:04	26.64	30.87	20.76	7.89	6.59	16.0	9.0	
		6:04	26.36	29.98	20.37	7.84	6.56	17.2	8.9	
		9:04	26.47	31.49	21.04	7.86	7.08	19.0	12.7	
		12:04	27.68	32.76	21.61	8.02	7.37	10.6	23.3	
		15:04	27.73	35.27	22.68	8.09	7.46	8.8	9.8	
		18:04	28.00	25.50	18.35	8.12	8.00	15.1	17.9	
		21:04	27.83	22.95	17.23	8.04	7.56	12.4	11.0	
	日平均值			27.13	29.46	19.98	7.97	7.17	15.80	13.23
	潮口站	0:04	26.78	32.49	21.03	8.16	8.12	15.8	5.1	
		3:04	26.66	28.30	18.55	8.05	7.42	19.6	10.3	
		6:04	26.44	27.04	17.82	8.02	7.24	21.2	9.1	
		9:04	27.03	21.94	14.86	7.91	7.39	24.1	7.3	
		12:04	28.57	24.29	16.19	7.99	8.31	16.3	11.6	
		15:04	28.02	42.52	27.10	8.16	7.53	8.4	5.3	
		18:04	28.40	26.64	17.55	8.06	8.38	17.4	7.4	
		21:04	28.12	23.46	15.72	8.02	8.22	14.1	10.9	
	日平均值			27.50	28.34	18.60	8.05	7.83	17.11	8.38
	灣內站	0:04	26.63	30.51	18.86	8.03	9.72	19.7	8.9	
		3:04	27.11	40.23	25.61	8.06	9.89	9.6	7.4	
		6:04	26.87	36.03	22.66	8.01	9.52	14.4	5.5	
		9:04	27.06	38.26	24.22	8.05	9.71	10.8	7.8	
		12:04	27.22	39.32	24.96	8.08	10.47	9.9	6.9	
		15:04	28.61	29.45	18.10	8.18	11.59	11.9	9.2	
		18:04	28.13	31.62	19.59	8.20	10.88	11.7	9.6	
		21:04	28.15	27.71	16.93	8.18	11.08	10.3	10.3	
	日平均值			27.47	34.14	21.37	8.10	10.36	12.29	8.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月13日	蚵殼站	0:04	27.86	27.03	19.03	8.03	6.46	9.5	10.3	
		3:04	28.02	27.73	19.33	8.16	7.50	9.3	12.5	
		6:04	27.83	28.19	21.51	8.07	7.24	10.5	14.3	
		9:04	27.97	26.87	20.92	8.07	7.37	8.2	13.9	
		12:04	27.90	25.45	20.29	8.07	8.05	9.5	12.3	
		15:04	27.74	24.32	19.80	8.18	8.70	9.0	20.9	
		18:04	27.48	22.81	19.14	8.15	8.62	10.5	15.8	
		21:04	27.18	22.92	19.19	8.00	8.12	7.3	19.7	
	日平均值			27.75	25.67	19.90	8.09	7.76	9.23	14.96
	潮口站	0:04	27.97	25.83	17.09	8.02	8.15	13.1	5.1	
		3:04	28.13	36.11	23.19	8.00	7.39	10.4	8.4	
		6:04	28.22	33.41	21.55	8.01	7.46	8.9	3.7	
		9:04	28.15	42.30	26.96	8.06	6.90	9.0	1.1	
		12:04	28.21	37.32	23.91	8.10	7.97	11.0	8.3	
		15:04	28.05	32.67	21.11	8.10	8.52	7.8	13.1	
		18:04	27.87	30.40	19.77	8.11	8.73	12.4	6.3	
		21:04	27.56	28.89	18.89	8.06	8.50	6.1	10.0	
	日平均值			28.02	33.37	21.56	8.06	7.95	9.84	7.00
	灣內站	0:04	28.04	28.11	17.20	8.12	10.64	11.9	8.8	
		3:04	28.13	33.05	20.57	8.12	9.80	9.0	8.5	
		6:04	28.12	31.44	19.46	8.12	9.92	9.3	8.4	
		9:04	27.83	23.16	13.90	8.01	10.27	9.1	6.7	
		12:04	27.89	24.67	14.90	8.00	10.78	8.9	9.1	
		15:04	28.04	30.11	18.55	8.02	9.33	7.9	11.5	
		18:04	27.56	23.00	13.80	8.14	11.61	7.5	14.7	
		21:04	27.48	21.84	13.04	8.06	10.74	9.7	11.6	
	日平均值			27.89	26.92	16.43	8.07	10.39	9.16	9.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月14日	蚵殼站	0:04	26.92	18.45	17.27	7.86	7.66	9.2	16.9	
		3:04	27.30	23.58	19.48	7.98	7.03	8.0	14.4	
		6:04	27.34	26.23	20.64	8.04	6.90	7.7	14.5	
		9:04	27.06	19.58	17.75	7.93	7.91	8.0	27.7	
		12:04	27.18	22.24	18.90	8.06	8.81	8.0	21.9	
		15:04	27.79	24.75	19.98	8.25	9.92	6.2	21.3	
		18:04	29.78	21.06	18.36	8.32	11.80	8.0	22.2	
		21:04	30.41	18.16	17.11	8.37	11.37	7.9	20.9	
	日平均值			27.97	21.76	18.69	8.10	8.93	7.88	19.98
	潮口站	0:04	27.16	28.31	18.55	8.03	8.28	8.8	10.0	
		3:04	26.87	28.89	18.89	7.97	7.93	29.8	5.0	
		6:04	26.80	23.37	15.68	7.90	7.66	7.3	12.4	
		9:04	27.45	29.07	18.99	7.96	7.55	8.0	6.9	
		12:04	27.95	29.39	19.17	8.08	8.60	7.9	13.2	
		15:04	29.29	35.50	22.79	8.09	8.05	31.7	5.3	
		18:04	28.78	28.20	18.46	8.22	10.22	7.7	15.8	
		21:04	29.38	25.11	16.64	8.17	9.80	6.1	13.2	
	日平均值			27.96	28.48	18.65	8.05	8.51	13.41	10.23
	灣內站	0:04	27.60	24.75	14.96	8.10	10.87	6.2	10.1	
		3:04	27.64	32.67	20.32	8.02	9.46	6.3	8.1	
		6:04	27.49	28.02	17.15	8.04	10.30	5.8	8.8	
		9:04	27.26	21.57	12.86	7.94	10.65	5.7	7.8	
		12:04	27.48	24.46	14.76	8.16	11.98	5.5	9.9	
		15:04	28.06	32.77	20.37	8.07	8.49	4.8	7.6	
		18:04	28.39	24.24	14.60	8.35	13.62	5.1	18.7	
		21:04	31.00	20.62	12.18	8.43	15.12	5.4	17.8	
	日平均值			28.12	26.14	15.90	8.14	11.31	5.60	11.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月15日	蚵殼站	0:04	29.64	19.06	17.50	8.15	9.60	7.6	16.8	
		3:04	28.67	22.69	19.08	8.08	8.09	4.7	16.9	
		6:04	28.75	23.95	19.62	8.06	8.24	5.1	14.6	
		9:04	29.78	19.67	17.76	8.23	9.97	6.3	18.3	
		12:04	31.24	18.44	17.22	8.54	15.09	6.7	20.2	
		15:04	31.95	17.70	16.90	8.25	17.26	7.7	30.1	
		18:04	32.85	16.40	16.35	8.24	19.06	8.4	38.2	
		21:04	32.71	19.63	17.71	8.45	20.56	7.2	29.3	
	日平均值			30.70	19.69	17.77	8.25	13.48	6.71	23.05
	潮口站	0:04	29.80	24.16	16.09	8.12	9.12	13.3	14.1	
		3:04	28.14	27.55	18.08	7.98	7.66	45.8	2.0	
		6:04	28.68	28.00	18.35	8.02	7.21	14.7	4.8	
		9:04	29.49	23.39	15.66	8.02	7.47	8.1	10.4	
		12:04	29.62	30.23	19.63	8.11	7.56	11.6	8.9	
		15:04	29.43	31.18	20.20	8.25	9.02	10.0	20.0	
		18:04	31.35	26.30	17.30	8.48	11.78	6.0	25.0	
		21:04	31.60	24.53	16.27	8.44	11.72	5.8	26.3	
	日平均值			29.76	26.92	17.70	8.18	8.94	14.41	13.94
	灣內站	0:04	29.76	23.67	14.20	8.32	13.77	4.6	12.8	
		3:04	28.03	32.42	20.13	8.09	10.45	4.0	13.2	
		6:04	28.10	30.13	18.56	8.13	10.95	3.9	11.9	
		9:04	28.78	27.19	16.57	8.10	11.66	3.7	9.9	
		12:04	30.85	20.18	11.90	8.25	19.29	4.5	20.6	
		15:04	32.34	19.79	11.62	8.45	22.97	4.9	23.3	
		18:04	31.41	20.00	11.78	8.24	19.70	4.8	28.7	
		21:04	32.91	19.29	11.30	8.63	27.21	4.3	26.0	
	日平均值			30.27	24.08	14.51	8.28	17.00	4.34	18.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月16日	蚵殼站	0:04	32.10	20.57	18.12	8.58	14.90	5.6	27.3	
		3:04	30.64	23.90	19.58	8.38	11.92	4.0	22.3	
		6:04	29.33	28.21	21.49	8.24	9.18	7.7	13.4	
		9:04	30.44	22.76	19.08	8.26	9.44	4.8	24.0	
		11:04	31.01	20.11	17.94	8.43	14.63	5.5	29.1	
		15:04	32.21	13.78	15.27	8.26	19.17	9.7	38.3	
		18:04	33.53	11.06	14.15	8.52	21.04	8.7	35.9	
		21:04	33.44	16.26	16.28	8.65	20.21	7.0	36.1	
	日平均值			31.59	19.58	17.74	8.42	15.06	6.63	28.30
	潮口站	0:04	30.65	24.03	16.00	8.33	8.11	8.0	14.2	
		3:04	29.93	24.70	16.40	8.27	7.43	22.7	12.4	
		6:04	30.84	17.90	12.54	8.39	8.80	12.7	8.6	
		9:04	30.34	25.12	16.64	8.35	8.33	20.0	11.2	
		12:14	29.41	30.54	19.82	8.28	7.53	6.7	15.9	
		15:04	30.85	29.79	19.35	8.46	9.55	12.2	31.5	
		18:04	30.46	29.78	19.35	8.53	10.27	7.9	34.1	
		21:04	30.41	27.12	17.79	8.32	7.96	6.4	24.8	
	日平均值			30.36	26.12	17.24	8.37	8.50	12.08	19.09
	灣內站	0:04	32.53	19.41	11.38	8.65	24.98	3.9	25.2	
		3:04	28.55	35.82	22.47	8.08	9.97	2.6	11.2	
		6:04	28.70	34.73	21.72	7.92	7.74	2.5	9.3	
		9:04	30.02	29.08	17.81	8.34	14.29	2.7	13.8	
		12:14	33.47	20.29	11.93	8.36	29.83	4.2	17.5	
		15:04	34.84	21.73	12.84	8.10	32.97	4.1	16.9	
		18:04	34.67	22.33	13.23	8.10	30.19	3.7	21.0	
		21:04	33.88	23.16	13.79	7.96	25.76	3.3	21.1	
	日平均值			32.08	25.82	15.65	8.19	21.97	3.38	17.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月17日	蚵殼站	0:04	33.00	15.78	16.09	8.11	18.74	5.7	28.8	
		3:04	30.73	21.79	18.66	8.24	10.09	6.0	25.7	
		6:04	29.43	29.59	22.10	8.10	7.33	3.6	28.1	
		9:04	31.49	24.48	19.82	7.72	16.28	4.8	28.5	
		12:04	31.87	20.99	18.31	7.98	20.09	5.7	32.4	
		15:04	33.92	20.35	18.00	8.04	18.71	6.2	19.6	
		18:04	32.44	19.60	17.71	8.02	24.21	5.8	58.7	
		21:04	33.48	19.26	17.55	7.96	17.55	5.1	17.5	
	日平均值			32.05	21.48	18.53	8.02	16.63	5.36	29.91
	潮口站	0:04	30.80	24.47	16.26	8.46	9.55	5.5	28.6	
		3:04	30.12	22.23	15.01	8.47	9.62	21.4	13.5	
		6:04	30.58	20.77	14.20	8.49	9.80	5.1	13.7	
		9:04	31.31	20.28	13.93	8.65	11.51	11.4	18.0	
		12:04	30.86	25.58	16.99	8.52	10.17	6.0	15.4	
		15:04	30.97	30.90	20.12	8.08	5.44	14.0	4.4	
		18:04	30.67	29.96	19.61	8.02	4.75	18.7	3.0	
		21:04	31.93	22.64	15.38	8.59	10.93	6.2	20.4	
	日平均值			30.91	24.60	16.44	8.41	8.97	11.04	14.63
	灣內站	0:04	32.93	22.79	13.56	8.40	22.96	3.5	20.6	
		3:04	30.49	35.26	22.04	8.34	12.51	2.5	16.9	
		6:04	28.28	42.29	27.05	8.06	9.59	2.1	10.9	
		9:04	28.97	39.53	25.07	8.14	10.55	2.0	21.4	
		12:04	33.91	25.35	15.23	8.26	22.20	2.7	7.9	
		15:04	35.22	26.92	16.24	8.32	24.11	2.7	7.7	
		18:04	34.51	30.14	18.42	8.26	26.36	2.8	21.4	
		21:04	34.39	28.64	17.42	8.22	21.45	2.2	11.9	
	日平均值			32.34	31.37	19.38	8.25	18.72	2.56	14.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月18日	蚵殼站	0:04	32.67	23.74	19.48	8.37	13.28	4.1	14.3	
		3:04	30.55	34.22	24.17	8.27	9.73	6.2	27.5	
		6:04	29.59	40.50	27.07	8.05	6.71	6.9	19.3	
		9:04	30.82	38.09	25.93	8.39	12.91	5.9	43.8	
		12:04	31.06	35.54	24.75	8.15	16.04	6.7	29.1	
		15:04	33.10	33.23	23.67	8.31	17.06	6.3	25.8	
		18:04	31.72	33.52	23.83	8.31	17.48	5.5	47.9	
		21:04	31.92	28.98	21.79	8.29	13.25	6.0	40.9	
	日平均值			31.43	33.48	23.84	8.27	13.31	5.95	31.08
	潮口站	0:04	32.03	20.77	14.35	8.54	11.44	4.3	8.9	
		3:04	30.55	23.75	16.10	8.38	8.68	14.3	4.2	
		6:04	29.12	31.10	20.42	8.14	6.01	13.5	0.5	
		9:04	30.04	33.61	21.93	8.32	8.05	19.5	7.4	
		12:04	33.23	24.03	16.30	8.24	12.51	5.8	8.1	
		15:04	30.65	39.26	25.38	8.30	7.76	13.8	16.2	
		18:04	33.81	27.52	18.37	8.28	10.79	9.8	8.5	
		21:04	33.02	24.87	16.89	8.21	12.19	4.6	10.9	
	日平均值			31.56	28.11	18.72	8.30	9.68	10.70	8.09
	灣內站	0:04	33.80	26.40	15.93	8.51	17.31	2.4	10.2	
		3:04	30.81	38.09	24.00	8.21	21.90	2.5	47.1	
		6:04	28.83	42.94	27.50	8.13	9.23	1.9	38.3	
		9:04	30.94	38.78	24.49	8.06	17.19	2.3	41.4	
		12:04	33.14	34.22	21.24	8.05	22.22	2.6	22.0	
		15:04	33.96	34.84	21.65	8.05	22.90	3.1	41.7	
		18:04	33.36	35.95	22.44	8.11	21.49	3.3	41.5	
		21:04	31.33	41.37	26.30	7.89	20.02	2.6	52.2	
	日平均值			32.02	36.57	22.94	8.13	19.03	2.59	36.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月19日	蚵殼站	3:34	31.15	32.10	23.20	8.55	10.10	8.3	49.5	
		5:34	30.22	38.05	25.92	8.32	9.97	7.5	74.6	
		6:34	30.13	37.11	25.49	8.42	11.65	6.9	66.6	
		7:04	29.96	37.32	25.59	8.31	10.53	5.9	70.4	
		7:34	29.96	38.37	26.07	8.32	11.25	6.1	72.3	
		8:04	30.02	38.22	26.00	8.37	11.96	7.1	64.6	
		8:34	30.14	36.35	25.14	8.43	13.09	6.2	43.9	
		23:34	30.97	37.92	25.85	8.62	9.46	6.4	39.0	
	日平均值			30.32	36.93	25.41	8.42	11.00	6.80	60.11
	潮口站	0:04	32.54	23.02	15.87	8.60	11.05	4.4	8.9	
		3:04	29.85	39.75	25.82	8.25	7.27	15.1	6.7	
		6:04	30.09	35.16	23.08	8.27	7.46	8.0	6.4	
		9:04	31.51	32.21	21.33	8.51	10.06	6.0	20.6	
		12:04	30.32	40.84	26.57	8.40	8.81	10.2	17.9	
		15:04	31.42	39.12	25.54	8.46	9.55	5.6	29.8	
		18:04	31.96	36.77	24.15	8.44	9.29	16.5	27.8	
		21:04	31.41	35.24	23.29	8.38	8.70	6.0	18.7	
	日平均值			31.14	35.26	23.21	8.41	9.02	8.98	17.10
	灣內站	6:04	29.10	46.40	29.98	8.12	9.17	2.4	34.9	
		6:34	28.98	46.83	30.30	8.06	8.94	2.3	24.7	
		7:04	28.88	46.79	30.27	8.06	9.14	2.2	30.5	
		7:34	28.85	46.83	30.30	8.05	9.18	2.3	27.2	
		8:04	29.28	46.20	29.83	8.11	10.24	2.3	36.0	
		8:34	29.35	47.29	30.62	8.26	11.33	3.4	13.5	
		9:04	29.46	47.12	30.49	8.29	11.83	3.4	13.9	
		15:34	33.35	34.43	21.39	8.73	15.32	3.2	29.5	
	日平均值			29.66	45.24	29.15	8.21	10.64	2.69	26.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月20日	蚵殼站	4:34	30.55	36.89	25.38	8.45	7.57	5.0	39.4	
		5:04	30.64	38.04	25.91	8.43	8.17	5.0	35.7	
		6:04	30.25	43.32	28.36	8.34	8.32	5.8	33.7	
		6:34	30.52	42.96	28.19	8.36	8.98	6.5	38.6	
		7:34	30.38	44.08	28.71	8.32	8.08	5.9	45.2	
		8:34	30.11	40.33	26.98	8.23	7.34	6.3	36.9	
		9:34	30.34	42.39	27.93	8.28	9.14	5.8	39.3	
		10:04	30.41	41.56	27.54	8.34	10.46	5.9	40.1	
	日平均值			30.40	41.20	27.38	8.34	8.51	5.78	38.61
	潮口站	0:04	31.57	33.16	22.09	8.48	9.77	4.4	21.3	
		3:04	29.45	45.95	29.93	8.22	6.96	17.8	5.8	
		6:04	29.63	44.32	28.97	8.25	7.26	10.5	5.9	
		9:04	30.72	41.13	27.03	8.40	8.88	6.9	19.3	
		12:04	32.62	39.55	26.06	8.55	10.51	4.7	18.3	
		15:04	33.41	40.93	26.92	8.55	10.47	15.7	25.5	
		18:04	31.56	43.73	28.72	8.33	8.10	6.0	20.6	
		21:04	32.10	36.67	24.49	8.48	9.73	6.0	25.2	
	日平均值			31.38	40.68	26.78	8.41	8.96	9.00	17.74
	灣內站	6:04	30.22	44.63	28.67	8.31	9.61	2.3	42.6	
		6:34	30.04	45.08	29.00	8.34	10.69	2.3	27.4	
		7:04	29.73	46.81	30.26	8.30	10.70	2.3	15.6	
		7:34	29.54	47.24	30.58	8.23	9.86	2.5	14.1	
		8:04	29.55	47.08	30.46	8.25	10.23	2.3	18.9	
		8:34	29.61	47.02	30.41	8.27	10.92	2.3	22.4	
		9:04	29.66	46.78	30.24	8.28	11.00	2.4	24.0	
		9:34	29.90	46.13	29.76	8.36	12.85	2.3	38.3	
	日平均值			29.78	46.35	29.92	8.29	10.73	2.34	25.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月21日	蚵殼站	6:04	30.36	41.83	27.66	8.45	8.73	5.5	32.3	
		7:04	29.91	47.23	30.20	8.35	9.21	3.4	32.9	
		7:34	29.71	48.55	30.83	8.19	7.94	4.1	31.9	
		8:04	29.58	45.82	29.54	8.38	8.30	6.1	23.3	
		9:04	29.61	46.99	30.10	8.27	8.23	5.7	30.4	
		10:04	30.16	46.41	29.81	8.31	9.67	4.7	19.5	
		11:04	30.53	47.03	30.59	8.46	14.48	1.6	16.0	
		11:34	30.67	46.59	30.27	8.52	16.18	1.5	14.3	
	日平均值			30.07	46.31	29.88	8.37	10.34	4.08	25.08
	潮口站	0:04	31.75	35.52	23.86	8.46	9.47	9.6	22.9	
		3:04	30.43	40.14	26.73	8.35	8.32	6.6	8.3	
		6:04	28.95	45.77	30.40	8.18	6.50	5.9	8.4	
		9:04	30.77	45.11	29.85	8.29	7.68	7.1	20.7	
		12:04	30.66	46.50	30.02	8.52	9.06	11.7	22.9	
		15:04	32.61	43.35	27.70	8.66	11.11	11.6	12.4	
		18:04	30.51	42.10	26.88	8.58	9.23	5.5	5.7	
		21:04	30.45	41.34	26.34	8.63	10.13	3.6	3.5	
	日平均值			30.77	42.48	27.72	8.46	8.94	7.70	13.10
	灣內站	6:04	30.46	45.17	29.05	8.42	10.71	2.1	38.2	
		7:04	30.48	45.83	29.52	8.51	12.89	1.9	29.1	
		7:34	30.05	46.66	30.14	8.41	11.70	1.9	36.6	
		8:04	29.84	47.20	30.54	8.35	10.74	2.0	40.4	
		8:34	29.78	47.42	30.70	8.31	10.76	1.9	32.1	
		9:04	29.93	47.03	30.41	8.39	11.97	2.0	51.7	
		10:04	29.69	47.62	30.85	8.34	11.42	2.0	39.7	
		11:04	29.74	47.71	30.93	8.53	10.78	2.3	37.4	
	日平均值			30.00	46.83	30.27	8.41	11.37	2.01	38.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月22日	蚵殼站	6:04	30.44	40.44	25.90	8.47	14.68	0.5	9.9	
		7:04	29.64	43.77	28.27	8.33	14.16	0.0	11.5	
		8:04	29.28	45.61	29.60	8.29	13.63	0.5	4.0	
		8:34	29.45	45.71	29.68	8.33	14.36	1.0	4.4	
		9:04	29.90	43.54	28.10	8.41	16.13	0.5	5.5	
		10:34	29.82	49.71	32.56	8.43	17.18	0.0	6.3	
		11:04	29.98	49.55	32.43	8.41	16.53	1.2	6.5	
		12:34	31.09	47.92	31.21	8.49	16.96	0.3	12.3	
	日平均值			29.95	45.78	29.72	8.40	15.45	0.50	7.55
	潮口站	10:34	31.48	43.32	27.71	8.45	10.79	3.9	12.3	
		12:04	31.56	45.09	28.98	8.41	10.61	9.5	10.2	
		13:34	30.65	47.30	30.60	8.39	11.30	6.4	8.0	
		15:04	32.99	45.38	29.14	8.41	10.78	12.5	9.6	
		16:34	32.29	45.88	29.53	8.40	10.03	11.4	7.0	
		18:04	29.64	47.97	31.12	8.30	9.02	6.6	10.0	
		19:34	29.75	49.10	31.52	8.30	9.41	6.8	11.1	
		21:04	29.72	48.87	31.37	8.29	9.20	5.4	5.6	
	日平均值			31.01	46.61	30.00	8.37	10.14	7.81	9.23
	灣內站	7:04	30.66	46.23	29.83	8.62	11.16	1.9	33.6	
		8:04	30.45	47.29	30.61	8.49	10.05	1.0	26.5	
		8:34	29.96	47.94	31.09	8.48	9.29	1.3	22.2	
		9:04	29.36	48.88	31.80	8.32	8.03	1.7	21.7	
		9:34	29.42	48.84	31.77	8.35	8.76	2.2	20.2	
		10:04	29.61	48.70	31.66	8.40	9.52	1.3	17.2	
		10:34	29.64	48.75	31.70	8.42	10.21	2.0	17.5	
		11:04	29.76	48.62	31.60	8.46	10.22	2.1	13.9	
	日平均值			29.86	48.16	31.26	8.44	9.66	1.69	21.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月23日	蚵殼站	0:04	31.97	42.96	27.63	8.57	16.33	0.5	2.3	
		3:04	31.13	35.96	22.75	8.51	15.25	0.6	2.9	
		6:04	30.95	34.55	21.78	8.45	13.75	0.7	4.2	
		9:04	29.67	39.00	24.90	8.30	14.07	0.7	5.8	
		12:04	30.27	43.34	27.95	8.35	15.22	0.2	5.7	
		15:04	30.23	49.29	32.24	8.37	14.97	0.6	3.3	
		18:04	31.60	49.04	32.01	8.50	15.92	0.9	5.3	
		21:04	31.96	45.93	29.75	8.52	14.83	1.1	3.7	
	日平均值			30.97	42.51	27.38	8.45	15.04	0.66	4.15
	潮口站	0:04	31.48	43.84	28.08	8.39	10.12	4.7	1.3	
		3:04	31.54	41.73	26.74	8.39	9.31	3.4	4.5	
		6:04	27.85	49.38	31.75	8.27	8.00	10.7	6.4	
		9:04	30.03	46.99	30.15	8.35	9.63	4.7	8.7	
		12:04	32.71	44.20	28.28	8.47	11.56	2.5	12.7	
		15:04	31.53	50.58	32.42	8.43	11.42	6.5	10.3	
		18:04	31.99	47.13	30.18	8.45	10.34	4.3	6.7	
		21:04	29.77	49.49	31.77	8.33	9.36	11.9	8.3	
	日平均值			30.86	46.67	29.92	8.39	9.97	6.09	7.36
	灣內站	8:34	30.41	48.36	31.39	8.50	10.54	4.0	1.1	
		9:04	30.51	48.22	31.28	8.49	10.16	4.0	1.0	
		9:34	30.45	48.41	31.42	8.47	10.01	4.0	1.8	
		10:04	30.30	48.72	31.65	8.46	10.22	3.8	2.1	
		10:34	30.48	48.55	31.52	8.47	10.40	3.4	2.4	
		11:04	30.38	48.84	31.73	8.45	10.06	2.7	4.0	
		11:34	30.98	48.73	31.64	8.45	10.44	1.0	10.5	
		12:04	31.20	48.28	31.30	8.47	9.88	1.5	4.0	
	日平均值			30.59	48.51	31.49	8.47	10.21	3.05	3.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月24日	蚵殼站	0:04	31.86	45.44	29.40	8.51	14.04	0.8	2.8	
		3:04	31.45	43.06	27.72	8.49	13.09	0.5	1.5	
		6:04	31.07	45.54	29.50	8.47	12.61	1.3	2.3	
		9:04	30.65	47.19	30.70	8.35	13.74	1.7	0.5	
		12:04	29.80	48.48	31.67	8.32	13.49	1.0	4.0	
		15:04	31.01	49.29	32.21	8.36	13.92	0.8	1.8	
		18:04	31.30	49.93	32.67	8.37	13.77	1.2	2.2	
		21:04	32.16	45.49	29.43	8.35	13.51	4.3	10.9	
	日平均值			31.16	46.80	30.41	8.40	13.52	1.45	3.25
	潮口站	0:04	31.17	45.79	29.34	8.40	9.54	2.1	0.0	
		3:04	30.83	48.48	31.20	8.39	8.48	0.2	5.8	
		6:04	28.42	50.22	32.29	8.29	8.05	4.8	3.8	
		9:04	29.34	52.63	33.87	8.31	8.53	4.5	4.6	
		12:04	31.15	49.23	31.73	8.40	10.17	2.4	7.7	
		15:04	31.55	49.27	31.74	8.37	9.49	9.5	0.4	
		18:04	31.98	51.20	32.86	8.36	9.36	2.0	1.2	
		21:04	29.62	48.98	31.61	8.31	8.88	7.8	2.6	
	日平均值			30.51	49.48	31.83	8.35	9.06	4.16	3.26
	灣內站	0:04	31.81	47.74	30.89	8.59	10.27	4.1	1.6	
		3:04	31.66	46.40	29.92	8.52	8.40	4.9	1.6	
		6:04	31.28	47.76	30.92	8.50	8.71	4.1	1.1	
		9:04	30.78	49.15	31.95	8.36	7.86	4.1	0.5	
		12:04	31.54	47.73	30.89	8.42	7.72	3.6	1.7	
		15:04	32.69	48.24	31.22	8.44	9.23	2.0	16.6	
		18:04	32.94	47.02	30.32	8.49	9.83	0.9	20.6	
		21:04	32.06	48.05	31.10	8.43	8.21	1.9	3.0	
	日平均值			31.85	47.76	30.90	8.47	8.78	3.20	5.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月25日	蚵殼站	0:04	31.28	39.23	25.02	8.33	13.20	0.7	12.4	
		3:04	30.56	46.15	29.96	8.32	12.72	0.7	3.7	
		6:04	30.62	42.43	27.30	8.33	12.13	0.2	4.9	
		9:04	29.60	47.27	30.79	8.26	12.28	2.0	0.8	
		12:04	30.21	46.09	29.92	8.30	12.98	2.0	7.4	
		15:04	31.55	46.80	30.39	8.35	14.42	0.7	7.9	
		18:04	31.81	46.84	30.41	8.39	15.48	0.1	9.7	
		21:04	31.82	47.60	30.96	8.33	13.21	1.4	9.9	
	日平均值			30.93	45.30	29.34	8.33	13.30	0.98	7.09
	潮口站	0:04	29.36	45.58	29.62	8.30	8.87	2.9	3.4	
		3:04	31.32	50.93	33.40	8.34	8.17	5.0	9.7	
		6:04	28.95	50.35	32.41	8.30	8.36	6.5	3.7	
		9:04	29.72	48.82	31.50	8.30	8.56	3.6	0.3	
		12:04	31.08	51.03	32.74	8.34	9.71	0.7	8.8	
		15:04	31.38	49.14	31.64	8.35	10.33	5.7	15.0	
		18:04	31.85	51.59	33.04	8.35	10.31	10.0	13.5	
		21:04	29.74	47.50	30.75	8.30	8.68	5.1	5.1	
	日平均值			30.43	49.37	31.89	8.32	9.12	4.94	7.44
	灣內站	0:04	31.63	48.76	31.63	8.41	8.28	2.6	4.7	
		3:04	30.66	49.39	32.13	8.37	8.04	3.2	3.3	
		6:04	30.99	48.95	31.79	8.40	8.16	4.0	1.1	
		9:04	30.77	49.00	31.84	8.41	8.53	3.8	1.7	
		12:04	31.54	49.05	31.85	8.40	8.23	1.5	2.1	
		15:04	32.44	49.24	31.95	8.39	8.40	3.4	2.8	
		18:04	32.71	48.93	31.72	8.44	9.13	1.4	6.1	
		21:04	32.34	48.31	31.28	8.50	9.56	2.8	3.6	
	日平均值			31.64	48.95	31.77	8.42	8.54	2.84	3.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月26日	蚵殼站	0:04	31.63	50.26	32.90	8.34	13.18	1.8	5.1	
		3:04	31.67	44.79	28.94	8.32	13.15	0.9	5.9	
		6:04	31.21	48.51	31.64	8.31	12.28	1.6	2.3	
		9:04	31.36	47.77	31.10	8.32	12.58	0.7	0.3	
		12:04	30.55	49.44	32.34	8.31	13.95	3.6	2.7	
		15:04	31.08	48.10	31.35	8.35	15.14	1.8	1.6	
		18:04	31.20	50.80	33.31	8.40	15.59	0.2	12.9	
		21:04	31.80	47.46	30.86	8.39	13.88	0.8	1.1	
	日平均值			31.31	48.39	31.56	8.34	13.72	1.43	3.99
	潮口站	0:04	29.12	50.75	33.00	8.30	8.98	3.4	1.7	
		3:04	30.65	50.44	32.79	8.30	8.39	5.1	1.3	
		6:04	30.76	48.90	31.95	8.31	8.43	4.6	2.3	
		9:04	29.37	50.59	32.95	8.27	8.40	3.2	4.1	
		12:04	31.36	49.43	32.24	8.33	9.79	0.9	4.6	
		15:04	31.64	51.07	33.16	8.36	10.71	2.4	15.0	
		18:04	31.94	51.38	32.93	8.36	10.17	3.9	5.8	
		21:04	31.08	48.76	31.28	8.32	9.17	4.8	7.8	
	日平均值			30.74	50.17	32.54	8.32	9.26	3.54	5.33
	灣內站	0:04	32.13	49.52	32.17	8.42	9.31	2.1	4.4	
		3:04	31.94	48.69	31.57	8.41	8.46	3.8	2.6	
		6:04	32.20	49.57	32.21	8.42	9.05	4.5	1.6	
		9:04	31.27	49.05	31.86	8.44	9.04	4.3	2.8	
		12:04	31.88	49.29	32.01	8.45	9.35	3.6	3.0	
		15:04	32.38	49.56	32.19	8.46	9.74	0.9	5.3	
		18:04	32.49	49.96	32.48	8.52	10.64	1.7	23.2	
		21:04	32.57	49.43	32.09	8.44	8.64	0.4	8.9	
	日平均值			32.11	49.38	32.07	8.45	9.28	2.66	6.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月27日	蚵殼站	0:04	31.61	50.69	33.21	8.37	13.16	0.0	6.8	
		3:04	31.28	47.76	31.09	8.35	13.00	0.4	4.3	
		6:04	31.40	47.96	31.23	8.33	12.62	0.7	0.0	
		9:04	31.21	46.52	30.02	8.35	12.73	0.1	1.0	
		12:04	31.11	50.54	32.96	8.36	14.87	0.4	1.0	
		15:04	32.14	48.63	31.52	8.39	15.31	0.1	5.0	
		18:04	31.23	48.27	31.29	8.37	14.64	2.4	9.0	
		21:04	31.01	48.69	31.61	8.36	13.72	3.3	7.1	
	日平均值			31.37	48.63	31.62	8.36	13.76	0.93	4.28
	潮口站	0:04	28.83	50.05	33.26	8.28	8.61	3.7	7.9	
		3:04	30.89	43.74	29.13	8.34	9.65	3.0	5.0	
		6:04	30.86	44.91	30.67	8.35	9.43	7.3	10.2	
		9:04	29.66	47.06	31.76	8.27	8.91	2.6	0.2	
		12:04	30.01	46.05	31.25	8.30	9.62	6.6	3.7	
		15:04	31.61	46.26	31.32	8.32	10.30	2.2	11.5	
		18:04	31.88	48.97	32.65	8.32	9.38	19.0	11.6	
		21:04	31.10	49.03	32.69	8.31	8.89	7.2	11.1	
	日平均值			30.61	47.01	31.59	8.31	9.35	6.45	7.65
	灣內站	0:04	31.84	49.66	32.28	8.46	9.04	2.6	5.5	
		3:04	31.50	49.64	32.28	8.43	8.37	2.0	5.7	
		6:04	31.19	49.14	31.92	8.44	8.33	2.8	5.3	
		9:04	31.44	49.86	32.45	8.42	8.48	2.4	6.4	
		12:04	32.17	49.19	31.93	8.51	9.81	3.6	2.4	
		15:04	32.55	49.51	32.15	8.56	10.36	3.2	3.6	
		18:04	32.28	49.31	32.01	8.54	10.21	2.8	23.6	
		21:04	31.91	47.72	30.87	8.45	8.35	2.2	16.4	
	日平均值			31.86	49.25	31.99	8.48	9.12	2.70	8.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月28日	蚵殼站	0:04	31.26	46.39	29.93	8.34	12.46	2.0	8.3	
		3:04	31.06	47.57	30.79	8.33	12.13	0.3	7.5	
		6:04	30.43	47.86	31.02	8.29	11.63	0.6	10.4	
		9:04	30.23	46.12	29.77	8.28	11.68	2.0	8.9	
		12:04	30.56	49.84	32.46	8.32	13.00	1.4	13.9	
		15:04	30.96	48.36	31.36	8.36	14.24	4.9	13.6	
		18:04	30.87	44.72	28.74	8.34	13.58	4.5	10.8	
		21:04	30.81	47.45	30.71	8.32	12.94	2.2	19.8	
	日平均值			30.77	47.29	30.60	8.32	12.71	2.24	11.65
	潮口站	0:04	30.07	46.67	32.20	8.29	8.82	7.0	5.4	
		3:04	30.61	45.72	31.10	8.29	8.12	4.5	8.9	
		6:04	30.31	49.19	32.70	8.28	7.84	9.3	6.1	
		9:04	30.16	50.41	33.26	8.28	8.32	11.7	7.5	
		12:04	30.28	49.77	32.96	8.26	8.49	18.2	4.2	
		15:04	31.65	50.49	32.99	8.33	9.52	13.5	12.9	
		18:04	31.66	51.02	33.24	8.31	9.25	18.5	7.1	
		21:04	31.16	47.15	31.41	8.28	8.52	10.9	3.2	
	日平均值			30.74	48.80	32.48	8.29	8.61	11.70	6.91
	灣內站	0:04	31.41	49.93	32.49	8.46	8.29	2.2	8.1	
		3:04	31.15	50.31	32.78	8.44	8.34	1.6	7.3	
		6:04	30.68	50.13	32.66	8.39	7.48	1.8	5.8	
		9:04	30.48	50.42	32.89	8.36	7.09	1.4	7.3	
		12:04	30.70	50.63	33.03	8.39	7.81	2.6	12.0	
		15:04	31.02	50.79	33.14	8.47	9.34	0.5	17.3	
		18:04	30.97	50.83	33.17	8.50	9.71	0.4	15.3	
		21:04	30.75	48.98	31.83	8.40	8.18	1.2	20.3	
	日平均值			30.90	50.25	32.75	8.43	8.28	1.46	11.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月29日	蚵殼站	0:04	30.65	47.17	30.51	8.32	12.62	2.9	5.8	
		3:04	30.37	48.55	31.52	8.28	11.73	1.3	8.8	
		6:04	30.21	48.97	31.84	8.27	11.41	0.8	12.1	
		9:04	30.21	48.29	31.34	8.27	11.93	1.4	11.3	
		12:04	30.49	48.12	31.21	8.30	12.97	7.4	11.6	
		15:04	30.80	48.56	31.52	8.33	13.86	2.9	24.2	
		18:04	31.05	49.39	32.11	8.36	13.80	2.5	13.3	
		21:04	30.82	51.01	33.31	8.34	12.99	7.0	10.3	
	日平均值			30.58	48.76	31.67	8.31	12.66	3.28	12.18
	潮口站	0:04	29.85	42.00	28.73	8.27	8.58	21.2	2.3	
		3:04	29.79	40.91	28.15	8.27	8.06	7.9	3.2	
		6:04	29.68	39.21	27.26	8.26	7.93	14.5	4.5	
		9:04	29.87	43.67	29.63	8.23	7.62	12.0	8.2	
		12:04	30.19	45.45	30.59	8.25	8.63	31.1	9.4	
		15:04	30.61	48.24	32.09	8.25	8.44	14.5	1.5	
		18:04	31.20	49.05	32.51	8.28	8.89	18.8	11.4	
		21:04	31.14	46.80	31.29	8.27	8.42	13.2	13.6	
	日平均值			30.29	44.42	30.03	8.26	8.32	16.65	6.76
	灣內站	0:04	30.48	50.68	33.08	8.42	8.04	1.5	14.6	
		3:04	30.38	50.58	33.01	8.42	7.83	1.2	9.8	
		6:04	30.32	50.63	33.05	8.40	7.55	0.8	11.8	
		9:04	30.48	50.70	33.10	8.42	8.24	0.7	8.4	
		12:04	30.90	50.72	33.09	8.47	9.12	2.7	14.3	
		15:04	31.06	50.71	33.08	8.51	9.74	0.7	13.5	
		18:04	30.86	50.70	33.08	8.51	9.82	0.1	14.6	
		21:04	30.60	50.70	33.09	8.46	8.89	1.0	12.5	
	日平均值			30.64	50.68	33.07	8.45	8.65	1.09	12.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月30日	蚵殼站	0:04	30.62	49.73	32.38	8.33	12.82	0.8	14.7	
		3:04	30.45	47.89	31.04	8.28	11.94	0.4	12.4	
		6:04	30.36	49.07	31.91	8.27	11.52	0.3	6.9	
		9:04	30.61	48.38	31.39	8.34	13.65	0.1	5.5	
		12:04	30.79	49.45	32.16	8.38	15.08	0.9	13.7	
		15:04	31.01	50.63	33.02	8.36	14.85	0.3	8.1	
		18:04	30.91	49.17	31.95	8.36	14.64	1.7	11.0	
		21:04	31.27	51.62	33.74	8.40	14.45	0.3	7.0	
	日平均值			30.75	49.49	32.20	8.34	13.62	0.60	9.91
	潮口站	0:04	30.14	49.55	33.17	8.25	8.36	12.9	6.9	
		3:04	30.15	50.53	33.69	8.25	8.27	8.8	8.6	
		6:04	30.19	46.54	31.60	8.30	8.62	1.5	8.5	
		9:04	30.29	50.33	33.58	8.27	8.42	8.6	13.2	
		12:04	30.84	49.75	33.26	8.30	9.24	6.4	8.4	
		15:04	30.96	51.01	33.92	8.26	8.44	24.1	3.0	
		18:04	31.70	50.40	33.58	8.32	9.59	10.7	11.5	
		21:04	31.11	48.70	32.70	8.35	10.13	3.0	14.7	
	日平均值			30.67	49.60	33.19	8.29	8.88	9.50	9.35
	灣內站	0:04	30.65	50.80	33.16	8.46	8.56	1.8	18.8	
		3:04	30.63	51.03	33.33	8.45	8.10	2.3	13.2	
		6:04	30.45	51.13	33.41	8.43	7.83	2.9	20.9	
		9:04	30.75	51.08	33.37	8.44	8.55	1.5	10.8	
		12:04	31.43	51.18	33.41	8.53	10.01	3.4	5.3	
		15:04	31.85	51.19	33.40	8.57	10.82	0.6	7.9	
		18:04	31.34	51.10	33.36	8.53	10.10	2.4	14.5	
		21:04	31.64	51.07	33.33	8.53	9.80	0.0	15.7	
	日平均值			31.09	51.07	33.35	8.49	9.22	1.86	13.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月1日	蚵殼站	0:04	31.18	48.51	31.47	8.37	13.96	2.9	4.0	
		3:04	31.16	49.53	32.21	8.35	13.54	0.6	13.3	
		6:04	30.88	50.16	32.68	8.35	13.31	0.0	7.6	
		9:04	31.14	50.63	33.02	8.37	13.99	0.3	3.3	
		12:04	31.75	46.94	30.31	8.31	13.10	0.3	4.0	
		15:04	31.94	49.05	31.84	8.32	13.69	0.6	0.0	
		18:04	31.43	49.16	31.93	8.31	12.99	0.6	2.3	
		21:04	31.78	48.48	31.42	8.37	13.63	0.9	4.1	
	日平均值			31.41	49.06	31.86	8.34	13.53	0.78	4.83
	潮口站	0:04	30.50	46.89	32.17	8.27	8.69	16.8	3.3	
		3:04	30.35	47.77	32.57	8.27	8.63	10.6	1.0	
		6:04	30.69	50.52	33.18	8.34	9.49	2.6	12.7	
		9:04	31.06	50.41	33.12	8.29	7.96	19.0	5.6	
		12:04	31.97	49.51	32.11	8.32	9.53	8.8	5.9	
		15:04	31.65	50.05	32.40	8.26	8.68	9.2	1.5	
		18:04	31.77	53.07	33.81	8.29	8.65	12.6	2.9	
		21:04	31.30	51.84	33.57	8.29	8.45	7.1	7.6	
	日平均值			31.16	50.01	32.87	8.29	8.76	10.84	5.06
	灣內站	0:04	31.09	51.16	33.41	8.32	8.73	0.8	9.4	
		3:04	31.06	51.15	33.40	8.34	9.17	2.6	5.9	
		6:04	30.98	51.17	33.42	8.35	9.07	3.2	6.4	
		9:04	30.99	51.16	33.41	8.35	9.12	2.8	4.9	
		12:04	31.88	50.97	33.24	8.39	9.99	3.1	3.8	
		15:04	32.62	50.28	32.71	8.41	10.60	1.6	6.6	
		18:04	32.16	50.69	33.02	8.38	9.97	0.6	9.8	
		21:04	31.95	50.92	33.20	8.34	9.06	0.7	8.7	
	日平均值			31.59	50.94	33.23	8.36	9.46	1.93	6.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月2日	蚵殼站	0:04	31.73	48.20	31.22	8.33	13.02	0.2	5.1	
		3:04	31.46	48.97	31.79	8.27	11.66	0.6	2.4	
		6:04	31.32	48.58	31.51	8.27	11.61	0.5	0.5	
		9:04	31.20	50.81	33.15	8.25	11.42	0.5	4.0	
		12:04	31.41	50.90	33.21	8.24	11.73	0.0	0.5	
		15:04	31.85	49.89	32.45	8.29	13.12	0.4	4.0	
		18:04	31.91	49.37	32.07	8.28	13.24	0.1	3.0	
		21:04	31.72	47.84	30.96	8.27	12.47	1.0	4.3	
	日平均值			31.58	49.32	32.05	8.28	12.28	0.41	2.98
	潮口站	0:04	31.26	49.87	32.62	8.28	8.24	6.4	4.0	
		3:04	30.44	48.66	32.06	8.27	8.46	6.3	1.2	
		6:04	30.80	48.66	32.05	8.27	7.99	3.3	6.2	
		9:04	31.21	48.86	32.80	8.32	9.02	4.3	1.3	
		12:04	32.55	48.34	31.85	8.26	8.38	14.3	6.3	
		15:04	31.54	45.20	30.39	8.28	9.08	12.2	8.3	
		18:04	31.12	47.33	31.41	8.27	8.75	3.1	4.3	
		21:04	31.95	52.32	33.78	8.28	8.58	7.7	4.4	
	日平均值			31.36	48.66	32.12	8.28	8.56	7.20	4.50
	灣內站	0:04	31.64	51.11	33.35	8.29	8.69	3.2	6.3	
		3:04	31.43	50.64	33.01	8.28	8.25	3.1	2.8	
		6:04	31.43	50.74	33.09	8.27	8.12	3.7	2.5	
		9:04	31.40	50.76	33.11	8.28	8.11	3.4	3.7	
		12:04	32.04	50.78	33.09	8.28	8.75	3.4	8.7	
		15:04	32.79	51.26	33.41	8.29	9.60	2.5	13.9	
		18:04	32.00	51.16	33.36	8.32	9.59	3.5	6.4	
		21:04	31.89	51.00	33.25	8.31	9.10	2.6	6.9	
	日平均值			31.83	50.93	33.21	8.29	8.78	3.18	6.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月3日	蚵殼站	0:04	31.45	48.55	31.49	8.27	12.24	0.7	0.3	
		3:04	31.29	46.63	30.10	8.27	12.50	0.6	1.7	
		6:04	31.11	49.96	32.53	8.23	11.45	1.3	0.6	
		9:04	31.18	50.86	33.19	8.24	11.65	0.5	0.2	
		12:04	31.36	50.99	33.28	8.25	12.44	1.6	1.7	
		15:04	31.57	52.54	34.41	8.28	13.18	0.9	6.2	
		18:04	31.64	48.70	31.59	8.30	13.41	1.3	8.4	
		21:04	31.59	50.52	32.93	8.25	12.12	0.1	18.0	
	日平均值			31.40	49.84	32.44	8.26	12.37	0.88	4.64
	潮口站	0:04	31.61	44.92	29.64	8.27	8.15	4.6	7.0	
		3:04	30.42	48.94	31.41	8.28	8.68	6.1	8.4	
		6:04	30.64	48.48	31.55	8.28	8.70	7.9	5.0	
		9:04	31.13	51.10	32.89	8.28	8.27	8.6	6.8	
		12:04	31.84	51.03	32.84	8.29	8.87	20.1	3.1	
		15:04	31.74	52.22	33.20	8.29	8.62	12.4	6.3	
		18:04	30.88	53.27	33.81	8.28	8.46	7.4	3.9	
		21:04	31.01	49.88	31.91	8.28	8.55	5.6	6.0	
	日平均值			31.16	49.98	32.16	8.28	8.54	9.09	5.81
	灣內站	0:04	31.43	50.99	33.26	8.29	8.62	3.4	4.1	
		3:04	31.24	51.19	33.41	8.26	8.22	4.0	3.7	
		6:04	31.34	51.17	33.38	8.24	7.91	3.3	4.3	
		9:04	31.31	51.61	33.70	8.26	8.24	3.5	5.1	
		12:04	31.83	51.69	33.75	8.31	9.38	0.2	6.0	
		15:04	31.96	51.69	33.74	8.28	9.34	0.6	7.9	
		18:04	31.57	51.38	33.52	8.29	9.07	2.7	6.8	
		21:04	31.46	50.94	33.20	8.28	8.68	2.8	6.4	
	日平均值			31.52	51.33	33.50	8.28	8.68	2.56	5.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月4日	蚵殼站	0:04	31.39	49.51	32.19	8.24	11.91	0.1	6.3	
		3:04	31.12	49.85	32.45	8.24	11.68	0.6	17.2	
		6:04	30.89	51.47	33.65	8.20	11.19	0.6	0.6	
		9:04	31.11	52.13	34.12	8.24	12.50	0.9	5.7	
		12:04	31.26	50.02	32.57	8.28	13.48	0.5	7.3	
		15:04	31.35	50.12	32.64	8.33	14.82	3.0	13.2	
		18:04	31.37	49.25	32.00	8.36	14.98	3.6	14.5	
		21:04	31.38	49.70	32.33	8.32	13.88	8.4	20.6	
	日平均值			31.23	50.26	32.74	8.28	13.06	2.21	10.68
	潮口站	0:04	30.96	49.45	32.63	8.27	7.74	7.5	7.1	
		3:04	30.13	46.12	31.58	8.26	8.36	7.9	2.2	
		6:04	30.10	48.97	33.13	8.27	8.39	5.9	6.6	
		9:04	31.00	50.04	33.69	8.30	8.87	3.0	2.4	
		12:04	31.81	44.81	30.83	8.27	8.86	25.3	7.3	
		15:04	32.70	47.84	32.44	8.29	9.31	16.4	10.3	
		18:04	31.00	49.70	33.50	8.27	8.81	10.8	4.6	
		21:04	31.28	45.78	31.36	8.27	8.36	28.1	15.2	
	日平均值			31.12	47.84	32.40	8.28	8.59	13.11	6.96
	灣內站	0:04	31.37	50.90	33.18	8.26	8.52	4.2	11.2	
		3:04	31.14	50.87	33.17	8.24	7.93	3.3	4.6	
		6:04	30.86	50.65	33.01	8.19	7.42	3.9	3.5	
		9:04	30.88	51.24	33.44	8.24	8.45	3.9	6.6	
		12:04	31.67	51.24	33.41	8.33	10.17	2.4	7.4	
		15:04	31.75	51.10	33.31	8.34	10.38	2.0	13.1	
		18:04	31.50	50.84	33.12	8.36	10.35	0.8	14.2	
		21:04	31.20	50.39	32.81	8.36	9.92	3.7	9.3	
	日平均值			31.30	50.90	33.18	8.29	9.14	3.03	8.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月5日	蚵殼站	0:04	31.23	49.86	32.45	8.30	13.34	6.9	10.0	
		3:04	31.12	51.31	33.52	8.27	12.31	1.2	7.0	
		6:04	30.88	51.32	33.53	8.23	11.85	2.9	5.8	
		9:04	30.98	51.94	33.99	8.30	13.13	1.6	10.1	
		12:04	31.23	51.57	33.71	8.32	8.18	3.7	15.5	
		15:04	31.82	51.59	33.70	8.33	9.08	3.8	12.1	
		18:04	31.53	51.55	33.68	8.29	9.51	5.7	21.4	
		21:04	31.46	51.54	33.67	8.31	9.16	3.6	9.2	
	日平均值			31.28	51.34	33.53	8.29	10.82	3.68	11.39
	潮口站	0:04	31.02	45.07	30.99	8.29	8.24	11.3	10.2	
		3:04	30.06	45.35	31.17	8.26	8.38	12.2	11.8	
		6:04	29.96	46.60	31.84	8.26	8.48	4.8	10.6	
		9:04	30.67	49.07	33.38	8.30	9.34	4.8	16.1	
		12:04	31.47	51.10	33.34	8.15	7.61	14.4	6.0	
		15:04	31.99	51.72	33.78	8.43	8.32	10.0	8.6	
		18:04	31.31	50.01	32.54	8.39	7.25	5.1	9.8	
		21:04	30.64	49.48	32.18	8.35	6.54	4.6	5.0	
	日平均值			30.89	48.55	32.40	8.30	8.02	8.40	9.76
	灣內站	0:04	31.27	50.31	32.75	8.33	9.37	1.6	8.3	
		3:04	31.17	50.62	32.98	8.34	9.37	2.1	10.6	
		6:04	31.09	51.37	33.53	8.33	9.25	2.6	6.1	
		9:04	31.15	51.88	33.90	8.34	9.49	2.7	7.5	
		12:04	31.43	50.93	33.22	8.24	9.42	3.3	11.3	
		15:04	31.86	50.97	33.24	8.33	11.00	4.0	8.0	
		18:04	31.98	50.92	33.20	8.34	11.33	5.8	8.2	
		21:04	31.90	50.93	33.20	8.31	10.87	6.2	6.3	
	日平均值			31.48	50.99	33.25	8.32	10.01	3.54	8.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月6日	蚵殼站	0:04	31.32	51.58	33.71	8.26	8.99	3.8	18.7	
		3:04	31.20	51.60	33.73	8.32	8.65	2.9	12.2	
		6:04	31.00	51.60	33.74	8.26	8.26	4.5	11.3	
		9:04	30.74	51.71	33.83	8.19	8.05	3.4	12.8	
		12:04	31.19	51.72	33.82	8.29	9.16	3.8	12.5	
		15:04	31.43	51.71	33.80	8.27	9.19	4.5	11.6	
		18:04	31.55	51.67	33.77	8.30	9.22	2.8	11.3	
		21:04	31.72	50.95	33.23	8.28	9.03	4.1	11.5	
	日平均值			31.27	51.57	33.70	8.27	8.82	3.73	12.74
	潮口站	0:04	31.22	52.04	34.04	8.50	7.40	5.9	6.7	
		3:04	30.64	49.42	32.14	8.39	6.46	4.8	1.9	
		6:04	30.56	52.53	34.43	8.40	6.56	9.2	1.3	
		9:04	30.65	52.47	34.38	8.39	6.33	5.0	0.3	
		12:04	31.26	52.46	34.35	8.45	7.24	14.5	1.9	
		15:04	31.78	52.44	34.32	8.45	7.06	15.4	5.1	
		18:04	30.80	52.39	34.32	8.42	6.53	6.6	6.7	
		21:04	29.40	53.30	35.04	8.40	6.26	6.9	4.3	
	日平均值			30.79	52.13	34.13	8.43	6.73	8.54	3.53
	灣內站	0:04	31.79	50.89	33.18	8.25	9.82	6.3	7.6	
		3:04	31.51	50.61	32.98	8.26	10.05	4.0	9.6	
		6:04	31.57	50.96	33.24	8.27	10.16	3.6	11.3	
		9:04	31.59	50.85	33.16	8.26	10.15	4.0	8.1	
		12:04	31.95	50.82	33.12	8.33	11.63	3.2	5.4	
		15:04	32.01	50.67	33.01	8.33	11.61	5.2	5.1	
		18:04	31.86	50.66	33.01	8.30	10.85	4.6	7.0	
		21:04	31.85	50.71	33.05	8.29	10.60	5.9	11.1	
	日平均值			31.77	50.77	33.09	8.29	10.61	4.60	8.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月7日	蚵殼站	0:04	31.24	48.78	31.66	8.23	8.05	5.6	15.5	
		3:04	31.11	41.95	26.75	8.22	8.49	5.0	15.5	
		6:04	31.18	50.61	33.00	8.26	8.03	3.4	2.8	
		9:04	31.00	51.41	33.60	8.16	8.49	3.7	4.5	
		12:04	31.18	51.55	33.69	8.14	7.52	2.9	8.0	
		15:04	31.10	51.54	33.69	8.17	7.06	3.4	8.5	
		18:04	31.10	51.37	33.56	8.04	6.24	3.7	0.5	
		21:04	31.52	50.26	32.73	8.30	9.05	3.8	11.9	
	日平均值			31.18	49.68	32.34	8.19	7.87	3.94	8.40
	潮口站	0:04	31.47	52.09	34.07	8.56	7.75	6.2	9.6	
		3:04	31.07	52.01	34.03	8.55	7.18	4.9	9.6	
		6:04	30.18	53.33	35.04	8.40	6.21	6.4	1.1	
		9:04	29.89	53.12	34.89	8.39	6.03	7.9	2.4	
		12:04	32.27	52.01	33.98	8.60	7.80	6.1	1.8	
		15:04	31.57	52.57	34.42	8.51	6.71	10.3	8.9	
		18:04	30.81	52.04	34.06	8.47	6.01	8.7	5.5	
		21:04	30.10	52.53	34.44	8.39	4.98	5.4	0.1	
	日平均值			30.92	52.46	34.37	8.48	6.58	6.99	4.88
	灣內站	0:04	31.81	50.77	33.09	8.29	10.40	4.7	5.6	
		3:04	31.84	50.85	33.15	8.27	10.02	4.1	5.0	
		6:04	31.47	50.81	33.13	8.24	9.52	3.5	4.2	
		9:04	31.16	50.90	33.21	8.21	9.32	3.4	3.1	
		12:04	32.07	50.83	33.13	8.31	11.12	4.6	6.1	
		15:04	32.17	49.73	32.32	8.31	11.18	3.9	7.5	
		18:04	32.34	47.98	31.03	8.24	10.50	6.0	13.1	
		21:04	31.61	50.74	33.08	8.10	7.94	3.8	11.1	
	日平均值			31.81	50.33	32.77	8.25	10.00	4.25	6.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月8日	蚵殼站	0:04	31.24	50.94	33.24	8.22	7.87	2.6	7.1	
		3:04	30.89	50.32	32.80	8.12	7.72	2.7	6.1	
		6:04	30.42	50.10	32.66	8.16	6.74	8.6	10.3	
		9:04	29.96	50.30	32.82	8.19	7.35	17.5	7.6	
		12:04	29.83	49.37	32.14	8.10	6.96	12.1	7.0	
		15:04	29.66	49.53	32.27	8.22	7.30	5.5	7.5	
		18:04	29.43	48.22	31.31	8.24	7.08	6.3	11.5	
		21:04	29.28	48.58	31.58	8.04	6.87	8.2	3.8	
	日平均值			30.09	49.67	32.35	8.16	7.24	7.94	7.61
	潮口站	0:04	31.32	50.37	32.81	8.52	5.34	7.9	6.1	
		3:04	30.96	49.22	31.98	8.49	4.91	5.7	7.4	
		6:04	29.82	51.84	33.95	8.39	4.99	18.5	1.3	
		9:04	29.56	51.95	34.03	8.40	5.31	34.8	2.2	
		12:04	29.82	50.88	33.23	8.44	5.29	19.0	6.3	
		15:04	29.41	49.38	32.15	8.40	5.40	25.9	6.6	
		18:04	29.36	47.14	30.51	8.36	5.25	26.3	5.8	
		21:04	28.00	37.35	23.55	8.34	6.36	340.2	18.1	
	日平均值			29.78	48.52	31.53	8.42	5.36	59.79	6.73
	灣內站	0:04	31.61	50.67	33.03	8.15	8.72	3.9	5.7	
		3:04	31.18	50.61	33.00	8.11	8.34	2.7	4.6	
		6:04	30.64	50.66	33.05	7.96	7.70	22.1	5.5	
		9:04	30.25	50.04	32.61	7.96	7.86	42.6	4.9	
		12:04	29.67	48.69	31.64	8.00	7.96	42.2	3.4	
		15:04	29.30	43.66	28.01	8.00	8.09	30.1	4.0	
		18:04	29.22	45.29	29.19	8.03	8.28	14.4	3.0	
		21:04	29.03	45.16	29.10	8.03	8.22	11.6	2.7	
	日平均值			30.11	48.10	31.20	8.03	8.15	21.20	4.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月9日	蚵殼站	0:04	29.12	47.33	30.67	8.11	7.20	6.0	4.9	
		3:04	28.91	39.72	25.24	8.07	7.50	5.8	0.1	
		6:04	28.65	40.01	25.44	8.10	7.41	5.6	1.2	
		9:04	28.04	34.60	21.67	8.09	7.99	15.6	2.1	
		12:04	28.30	27.71	16.96	8.01	8.60	12.6	1.6	
		15:04	28.84	32.05	19.89	8.02	8.26	7.5	0.4	
		18:04	28.85	27.44	16.77	8.04	8.39	4.1	8.5	
		21:04	28.80	26.60	16.20	8.01	8.69	7.9	7.4	
	日平均值			28.69	34.43	21.61	8.06	8.01	8.14	3.28
	潮口站	0:04	28.76	41.62	26.55	8.33	5.95	146.0	4.7	
		3:04	28.18	41.19	26.26	8.29	5.97	24.9	4.3	
		6:04	27.54	30.04	18.50	8.33	6.90	146.8	5.1	
		9:04	27.75	34.82	21.78	8.33	7.06	272.1	7.1	
		12:04	28.71	37.21	23.43	8.33	6.53	17.5	3.1	
		15:04	29.23	36.70	23.07	8.33	6.57	13.1	3.8	
		18:04	29.37	36.17	22.69	8.31	6.48	15.5	1.4	
		21:04	28.53	39.99	25.40	8.32	6.58	175.6	8.1	
	日平均值			28.51	37.22	23.46	8.32	6.51	101.44	4.70
	灣內站	0:04	28.91	44.81	28.85	7.98	8.19	14.4	2.7	
		3:04	28.77	44.05	28.30	7.99	8.15	12.2	2.3	
		6:04	28.49	42.54	27.23	8.01	8.32	11.9	2.1	
		9:04	28.61	44.76	28.82	8.01	8.22	9.1	1.7	
		12:04	28.33	41.02	26.15	8.03	8.40	11.2	1.0	
		15:04	28.85	39.67	25.18	8.01	9.07	8.2	1.3	
		18:04	29.12	39.97	25.39	7.96	8.91	9.1	3.3	
		21:04	29.01	40.67	25.88	7.98	8.89	7.0	2.6	
	日平均值			28.76	42.19	26.98	8.00	8.52	10.39	2.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月10日	蚵殼站	0:04	28.58	30.08	18.56	8.10	7.85	7.2	3.3	
		3:04	28.44	37.35	23.58	8.05	7.79	6.0	3.2	
		6:04	28.34	33.58	20.96	8.03	8.27	6.4	2.0	
		9:04	28.25	34.27	21.44	8.00	8.13	6.8	0.2	
		12:04	28.34	32.95	20.52	8.02	8.15	7.8	5.2	
		15:04	28.80	31.55	19.56	8.03	8.62	5.6	4.1	
		18:04	28.43	30.57	18.89	8.03	8.47	4.4	3.0	
		21:04	28.37	28.31	17.36	8.07	8.53	5.6	5.3	
	日平均值			28.44	32.33	20.11	8.04	8.23	6.23	3.29
	潮口站	0:04	28.39	37.65	23.75	8.34	6.70	79.0	2.3	
		3:04	28.93	35.88	22.50	8.23	6.06	19.6	3.5	
		6:04	28.70	36.69	23.07	8.26	6.30	15.4	2.0	
		9:04	28.37	39.52	25.07	8.36	6.84	368.2	14.2	
		12:04	28.55	39.47	25.03	8.30	6.18	43.1	2.2	
		15:04	29.49	34.05	21.21	8.30	6.91	10.5	5.4	
		18:04	29.33	33.87	21.09	8.27	6.74	12.3	4.8	
		21:04	28.70	30.74	18.95	8.24	6.42	14.0	5.0	
	日平均值			28.81	35.98	22.58	8.29	6.52	70.26	4.93
	灣內站	0:04	28.72	37.43	23.61	7.99	8.90	6.1	1.7	
		3:04	28.59	40.70	25.92	7.96	8.69	3.6	0.5	
		6:04	28.61	39.55	25.10	7.96	8.63	4.1	0.7	
		9:04	28.34	35.35	22.16	8.00	9.06	4.4	1.4	
		12:04	28.38	38.63	24.46	7.97	8.90	3.9	0.7	
		15:04	28.46	39.25	24.90	8.00	9.13	3.0	1.4	
		18:04	28.59	34.62	21.65	7.98	9.40	5.0	2.3	
		21:04	28.39	37.15	23.42	8.00	9.24	4.0	2.0	
	日平均值			28.51	37.84	23.90	7.98	8.99	4.26	1.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月11日	蚵殼站	0:04	28.26	27.44	16.78	8.04	8.49	5.4	1.7	
		3:04	28.20	34.42	21.54	8.23	8.05	4.0	5.2	
		6:04	27.99	34.65	21.70	8.05	8.15	4.7	5.2	
		9:04	28.05	34.30	21.46	8.03	8.31	3.7	1.8	
		12:04	28.10	34.89	21.87	7.94	8.36	6.3	2.7	
		15:04	28.06	34.23	21.42	8.03	8.50	11.8	2.3	
		18:04	28.13	35.27	22.14	8.08	8.55	5.5	5.6	
		21:04	28.00	34.72	21.76	8.02	8.53	4.8	5.5	
	日平均值			28.10	33.74	21.08	8.05	8.37	5.78	3.75
	潮口站	0:04	28.48	24.50	14.75	8.22	6.70	8.0	5.9	
		3:04	28.40	25.76	15.59	8.21	6.70	9.9	7.2	
		6:04	28.26	22.48	13.41	8.17	6.63	9.2	7.0	
		9:04	27.66	22.62	13.51	8.33	7.65	88.2	3.2	
		12:04	27.73	24.02	14.44	8.36	7.59	340.9	10.7	
		15:04	28.12	25.02	15.10	8.30	7.28	33.8	6.4	
		18:04	28.32	24.86	14.99	8.28	7.22	20.3	1.3	
		21:04	28.46	27.64	16.85	8.23	6.67	13.3	4.0	
	日平均值			28.18	24.61	14.83	8.26	7.06	65.45	5.71
	灣內站	0:04	28.48	37.16	23.42	7.95	8.92	4.4	1.8	
		3:04	28.28	36.38	22.88	7.95	8.72	5.4	1.8	
		6:04	28.19	36.67	23.09	7.94	8.71	5.1	1.7	
		9:04	28.21	34.52	21.59	7.95	8.81	4.8	1.8	
		12:04	28.18	35.92	22.56	7.93	9.01	4.7	2.5	
		15:04	28.22	36.40	22.90	7.97	9.30	3.6	2.8	
		18:04	28.27	32.86	20.44	7.97	9.53	5.9	4.3	
		21:04	28.12	32.79	20.40	7.97	9.46	5.5	2.8	
	日平均值			28.24	35.34	22.16	7.95	9.06	4.93	2.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月12日	蚵殼站	0:04	27.93	35.13	22.04	8.03	8.19	3.5	2.3	
		3:04	27.67	29.16	17.95	7.92	8.60	4.8	6.1	
		6:04	27.71	32.40	20.16	8.00	8.56	8.4	4.6	
		9:04	27.73	36.23	22.84	7.99	8.57	7.4	5.2	
		12:04	28.42	36.29	22.86	8.09	9.20	4.2	8.0	
		15:04	28.77	37.29	23.42	8.09	9.13	6.5	6.0	
		18:04	28.72	37.61	23.61	8.16	9.45	5.0	4.2	
		21:04	28.64	34.45	21.80	8.15	9.55	5.2	3.8	
	日平均值			28.20	34.82	21.84	8.05	8.91	5.63	5.03
	潮口站	0:04	27.68	21.98	13.09	8.36	7.81	116.2	0.8	
		3:04	27.74	22.87	13.68	8.29	7.18	40.6	0.0	
		6:04	27.74	23.03	13.79	8.21	7.23	18.3	7.5	
		9:04	28.21	24.40	14.69	8.23	7.03	15.2	5.1	
		12:04	28.93	22.15	13.18	8.16	7.28	25.8	2.2	
		15:04	29.20	24.22	14.55	8.28	7.72	15.8	2.7	
		18:04	29.19	25.13	15.15	8.31	7.87	27.9	7.0	
		21:04	28.97	24.55	14.77	8.30	7.62	12.3	5.1	
	日平均值			28.46	23.54	14.11	8.27	7.47	34.01	3.80
	灣內站	0:04	27.96	31.88	19.77	7.98	9.44	5.2	2.7	
		3:04	27.95	33.72	21.04	7.98	9.35	4.1	1.7	
		6:04	27.90	32.62	20.28	7.96	9.16	4.5	1.9	
		9:04	27.83	31.82	19.73	7.97	9.52	4.1	2.0	
		12:04	28.23	33.52	20.90	8.03	10.06	3.1	3.1	
		15:04	28.84	34.56	21.61	8.06	10.50	4.7	6.7	
		18:04	28.92	32.90	20.45	8.06	10.47	4.0	6.2	
		21:04	28.93	31.51	19.50	8.06	10.47	4.3	6.1	
	日平均值			28.32	32.82	20.41	8.01	9.87	4.25	3.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月13日	蚵殼站	0:04	28.27	36.16	22.79	8.18	9.22	5.6	6.8	
		3:04	28.22	31.49	20.14	8.05	9.15	4.3	14.2	
		6:04	28.18	33.28	21.15	7.96	8.86	4.8	7.2	
		9:04	28.37	31.52	20.15	8.17	9.28	4.3	10.9	
		12:04	28.73	33.21	21.10	8.18	9.60	3.9	9.0	
		15:04	28.80	34.02	21.56	8.27	11.52	4.5	13.7	
		18:04	30.63	32.25	20.52	8.48	14.31	4.1	27.2	
		21:04	30.02	31.51	20.12	8.45	13.28	4.1	28.6	
	日平均值			28.90	32.93	20.94	8.22	10.65	4.45	14.70
	潮口站	0:04	28.04	23.57	14.14	8.31	7.89	120.1	6.2	
		3:04	28.40	23.28	13.94	8.29	7.62	12.3	1.3	
		6:04	28.37	24.26	14.59	8.31	7.67	5.9	4.6	
		9:04	28.59	24.13	14.50	8.32	7.88	6.7	6.6	
		12:04	29.68	23.70	14.19	8.36	8.26	8.4	6.8	
		15:04	29.93	25.09	15.11	8.37	8.22	11.7	12.2	
		18:04	31.95	23.52	14.03	8.46	9.48	8.0	9.0	
		21:04	30.29	25.01	15.05	8.51	9.31	12.3	16.5	
	日平均值			29.41	24.07	14.44	8.37	8.29	23.18	7.90
	灣內站	0:04	28.71	30.20	18.61	8.05	10.11	5.5	6.1	
		3:04	28.57	31.29	19.36	8.02	9.59	6.1	3.7	
		6:04	28.63	32.75	20.36	7.98	9.43	6.5	4.3	
		9:04	28.38	29.37	18.05	8.06	10.10	6.4	3.4	
		12:04	28.81	29.66	18.24	8.13	10.95	5.3	8.7	
		15:04	29.12	30.88	19.06	8.22	12.14	5.4	13.4	
		18:04	29.57	29.60	18.18	8.33	13.82	5.3	14.4	
		21:04	30.03	29.00	17.77	8.29	13.33	5.2	6.3	
	日平均值			28.98	30.34	18.70	8.14	11.18	5.71	7.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月14日	蚵殼站	0:04	29.61	31.49	20.12	8.46	12.57	4.0	28.5	
		1:34	29.36	33.70	21.37	8.35	11.35	3.5	20.6	
		3:04	29.37	32.63	20.76	8.43	11.67	4.6	20.9	
		4:34	29.28	31.36	20.05	8.39	11.66	3.9	23.6	
		6:04	29.10	33.24	21.11	8.24	10.78	2.7	18.1	
		7:34	29.30	32.43	20.65	8.22	11.45	3.4	24.9	
		9:04	29.50	32.36	20.60	8.47	14.10	2.9	26.7	
		10:04	29.76	31.98	20.38	8.46	15.78	3.9	32.1	
	日平均值			29.41	32.40	20.63	8.38	12.42	3.61	24.43
	潮口站	0:04	30.57	28.06	17.09	8.47	8.61	10.7	7.9	
		0:34	29.84	30.61	18.83	8.41	8.11	16.4	6.3	
		1:04	29.05	30.94	19.08	8.34	7.44	23.4	0.8	
		1:34	29.28	26.79	16.26	8.43	8.14	13.1	9.0	
		2:04	29.74	25.06	15.10	8.48	8.75	8.8	8.1	
		2:34	30.00	23.98	14.38	8.51	9.06	8.1	13.0	
		3:04	29.74	25.51	15.40	8.54	8.88	7.7	6.6	
		3:34	29.77	25.31	15.26	8.67	9.21	6.1	8.2	
	日平均值			29.75	27.03	16.43	8.48	8.53	11.79	7.49
	灣內站	0:04	29.68	29.84	18.34	8.29	12.92	4.7	27.8	
		1:34	29.23	31.75	19.65	8.22	12.00	3.5	14.1	
		3:04	29.09	33.58	20.91	8.09	10.15	3.8	14.6	
		4:34	29.05	34.00	21.20	8.04	10.00	2.9	13.9	
		5:34	29.01	34.29	21.40	8.06	10.29	2.9	30.6	
		6:04	29.03	34.06	21.24	8.06	10.18	2.7	16.8	
		7:34	29.25	32.46	20.13	8.20	11.57	4.4	14.0	
		9:04	29.40	32.31	20.01	8.30	13.15	4.2	29.4	
	日平均值			29.22	32.79	20.36	8.16	11.28	3.64	20.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月15日	蚵殼站	0:04	31.16	31.74	20.52	8.01	23.45	4.9	118.6	
		3:04	30.79	32.21	20.77	7.96	21.83	4.6	122.0	
		6:04	30.37	32.18	20.77	7.64	17.33	6.6	164.4	
		9:04	30.49	31.91	20.62	8.07	22.60	4.8	128.0	
		12:04	32.22	31.67	20.46	8.36	24.95	5.7	78.1	
		15:04	32.39	33.64	21.49	8.25	26.58	6.5	120.5	
		18:04	32.42	32.32	20.79	8.23	24.16	6.3	144.2	
		21:04	32.19	33.44	21.39	8.19	21.08	6.7	117.2	
	日平均值			31.50	32.39	20.85	8.09	22.75	5.76	124.13
	潮口站	0:04	30.27	30.60	18.82	8.20	15.24	9.0	91.6	
		3:04	29.87	30.08	18.47	8.08	13.68	8.3	64.0	
		6:04	29.82	29.07	17.79	8.06	12.95	8.9	66.6	
		9:04	30.72	26.77	16.22	8.54	18.89	7.6	75.6	
		12:04	30.17	30.75	18.93	8.01	13.47	9.3	56.1	
		15:04	30.25	36.89	23.17	8.46	7.23	30.9	7.4	
		18:04	29.84	36.84	23.15	8.20	10.23	4.8	41.7	
		21:04	30.15	35.50	22.20	7.93	12.72	5.6	64.7	
	日平均值			30.14	32.06	19.84	8.19	13.05	10.55	58.46
	灣內站	0:04	31.89	29.90	18.31	8.11	22.30	6.7	85.1	
		3:04	29.88	37.00	23.21	8.31	11.79	6.4	109.0	
		6:04	29.52	38.44	24.23	8.13	9.98	4.4	72.4	
		9:04	30.64	34.47	21.44	8.37	20.49	6.1	121.7	
		12:04	32.81	30.77	18.84	8.42	27.27	6.5	62.5	
		15:04	32.96	32.78	20.20	8.45	25.40	6.3	87.3	
		18:04	32.88	33.40	20.64	8.40	23.27	6.2	96.4	
		21:04	32.56	33.36	20.61	8.31	20.43	6.7	85.2	
	日平均值			31.64	33.77	20.94	8.31	20.12	6.16	89.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月16日	蚵殼站	0:04	31.88	27.10	18.13	8.08	18.69	6.5	111.3	
		3:04	31.59	33.17	21.08	7.98	17.13	6.3	109.1	
		6:04	29.92	42.60	25.42	8.34	10.30	4.3	65.5	
		9:04	30.86	38.73	23.61	8.48	14.31	6.7	129.2	
		15:04	32.53	39.34	23.86	8.15	19.52	6.3	97.2	
		18:04	32.35	38.39	23.43	8.16	16.85	9.3	94.9	
		21:04	31.97	38.22	23.36	8.13	14.55	7.8	85.5	
		21:04	31.35	44.52	28.61	8.47	11.63	0.3	9.4	
	日平均值			31.56	37.76	23.44	8.22	15.37	5.94	87.76
	潮口站	0:04	30.43	33.36	20.71	8.02	11.45	7.4	68.0	
		3:04	29.33	40.20	25.53	7.88	8.85	24.4	20.3	
		6:04	30.81	29.45	18.03	8.43	11.67	6.2	68.3	
		9:04	31.28	28.51	17.38	8.62	13.53	5.5	50.5	
		12:14	29.96	38.59	24.37	8.00	11.96	11.5	59.5	
		15:04	29.75	44.59	28.65	8.55	6.74	11.4	5.6	
		18:04	29.04	41.20	26.25	8.46	6.49	13.4	3.6	
		21:04	30.46	38.11	24.02	8.44	10.27	7.1	74.2	
	日平均值			30.13	36.75	23.12	8.30	10.12	10.86	43.75
	灣內站	0:04	32.16	33.30	20.59	8.23	18.09	6.5	81.5	
		3:04	30.49	40.29	25.46	8.14	14.57	6.3	116.4	
		6:04	29.00	45.85	29.44	7.97	8.13	3.0	39.7	
		9:04	30.97	38.37	24.09	8.35	18.46	6.3	123.7	
		12:14	32.33	35.94	22.38	8.17	19.04	5.6	45.5	
		15:04	32.51	37.53	23.45	8.11	19.27	5.8	62.6	
		18:04	32.54	37.87	23.67	8.04	17.55	6.5	72.1	
		21:04	32.39	37.23	23.23	7.92	15.71	7.6	58.0	
	日平均值			31.55	38.30	24.04	8.12	16.35	5.95	74.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月17日	蚵殼站	0:04	31.86	37.28	22.94	8.12	13.96	6.2	75.6	
		3:04	31.62	38.61	23.54	8.02	12.99	5.4	70.0	
		6:04	30.95	43.84	25.97	8.19	10.44	5.1	82.1	
		9:04	30.78	44.27	26.17	8.28	11.01	5.6	61.4	
		12:04	32.11	42.80	25.46	8.44	16.78	5.1	62.8	
		15:04	32.31	42.57	25.35	8.03	16.94	4.6	73.2	
		18:04	32.23	41.94	25.06	8.06	15.60	4.5	50.9	
		21:04	32.26	41.11	24.68	8.00	13.33	5.5	44.5	
	日平均值			31.77	41.55	24.90	8.14	13.88	5.25	65.06
	潮口站	0:04	30.73	34.76	21.67	7.99	10.28	6.0	79.8	
		3:04	28.36	45.79	29.56	8.08	6.65	13.8	9.2	
		6:04	30.26	33.69	20.94	8.33	7.49	6.0	23.5	
		9:04	31.38	29.80	18.25	8.69	8.54	5.3	34.1	
		12:04	30.84	37.26	23.41	8.40	10.62	9.1	51.2	
		15:04	29.90	40.88	25.99	7.92	7.07	8.5	25.6	
		18:04	28.95	37.49	23.63	8.24	6.15	9.8	1.2	
		21:04	31.33	35.91	22.45	8.27	10.10	7.1	51.9	
	日平均值			30.22	36.95	23.24	8.24	8.36	8.20	34.56
	灣內站	0:04	31.97	35.84	22.28	8.37	13.60	8.3	42.6	
		3:04	31.96	37.19	23.20	8.30	13.49	4.3	38.0	
		6:04	29.82	48.47	31.17	7.99	9.73	7.7	67.3	
		9:04	31.29	42.22	26.69	8.10	16.43	5.5	63.2	
		12:04	32.59	36.39	22.60	8.41	14.27	4.2	13.8	
		15:04	32.67	36.90	22.96	8.37	14.76	4.4	23.4	
		18:04	32.47	36.84	22.91	8.36	14.51	4.5	26.6	
		21:04	32.18	36.33	22.58	8.28	13.31	4.4	15.1	
	日平均值			31.87	38.77	24.30	8.27	13.76	5.41	36.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月18日	蚵殼站	0:04	31.25	39.20	23.82	8.44	11.21	4.3	30.5	
		3:04	31.63	40.84	25.95	8.19	14.74	4.8	61.9	
		6:04	29.93	45.38	28.11	8.11	9.22	4.8	70.4	
		9:04	29.89	46.95	28.85	8.38	12.89	4.9	72.8	
		12:04	32.04	41.83	26.40	8.66	16.21	4.1	32.7	
		15:04	32.49	40.64	25.83	8.45	17.87	5.8	48.2	
		18:04	32.07	37.69	24.48	8.64	12.99	4.1	29.4	
		21:04	31.73	38.11	24.69	8.64	11.65	4.1	30.6	
	日平均值			31.38	41.33	26.02	8.44	13.35	4.61	47.06
	潮口站	0:04	31.08	33.64	20.88	8.39	8.07	5.4	28.5	
		3:04	28.23	45.48	29.34	8.23	6.14	14.6	3.1	
		6:04	30.19	34.27	21.34	8.55	8.45	6.5	16.5	
		9:04	30.78	34.23	21.30	8.33	9.14	5.8	18.2	
		12:04	32.38	36.97	23.16	8.33	9.54	9.9	16.7	
		15:04	30.43	41.48	26.40	8.44	9.11	9.0	17.0	
		18:04	28.87	37.96	23.95	8.04	7.26	13.4	2.2	
		21:04	30.16	40.99	26.06	8.44	8.32	10.0	41.3	
	日平均值			30.27	38.13	24.05	8.34	8.25	9.33	17.94
	灣內站	0:04	31.98	35.29	21.85	8.25	12.37	3.7	17.2	
		3:04	30.74	42.55	26.90	8.36	14.15	5.8	45.9	
		6:04	29.90	46.62	29.78	7.93	9.26	5.7	65.7	
		9:04	30.64	44.66	28.37	8.33	15.50	5.2	46.8	
		12:04	32.83	38.85	24.25	8.70	14.27	4.1	7.8	
		15:04	33.06	39.44	24.65	8.71	14.29	4.1	12.6	
		18:04	32.42	39.64	24.80	8.58	13.16	5.9	21.4	
		21:04	31.97	40.27	25.25	8.51	12.95	5.5	18.5	
	日平均值			31.69	40.92	25.73	8.42	13.24	5.00	29.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月19日	蚵殼站	0:04	31.25	39.73	25.44	8.45	9.53	5.7	33.0	
		4:04	30.03	44.26	28.52	8.45	11.65	4.2	53.9	
		6:04	29.99	46.70	29.68	8.30	8.30	4.4	51.7	
		9:04	30.40	45.62	29.16	8.43	9.99	4.1	146.4	
		12:04	31.67	39.82	25.22	8.61	7.67	8.3	17.2	
		15:34	32.43	46.29	30.31	8.49	15.21	3.9	21.8	
		18:04	32.22	45.62	29.83	8.54	14.76	5.0	25.0	
		21:04	31.92	45.22	29.56	8.50	13.66	3.9	20.7	
	日平均值			31.24	44.16	28.47	8.47	11.35	4.94	46.21
	潮口站	2:34	28.51	47.27	30.63	8.23	7.12	9.5	5.5	
		3:04	28.26	45.47	29.33	8.19	6.99	10.3	9.6	
		6:04	29.31	40.48	25.73	8.37	6.83	6.0	8.4	
		7:34	29.32	39.40	24.96	8.43	6.63	5.3	3.6	
		12:04	31.67	39.82	25.22	8.61	7.67	8.3	17.2	
		15:04	30.70	45.09	29.01	8.65	8.76	7.1	11.2	
		18:04	28.99	46.45	30.04	8.28	6.00	8.1	3.9	
		21:04	30.37	43.62	27.97	8.59	7.71	5.1	14.7	
	日平均值			29.64	43.45	27.86	8.42	7.21	7.46	9.26
	灣內站	0:04	31.74	39.75	24.90	8.37	11.23	5.1	13.9	
		3:04	30.51	43.00	27.20	8.32	13.68	6.6	29.3	
		6:04	29.47	45.32	28.86	7.91	10.00	4.7	22.3	
		9:04	29.49	46.64	29.79	7.99	11.20	4.1	31.5	
		12:04	32.11	42.58	27.15	8.52	8.87	3.5	9.2	
		15:04	33.16	41.70	26.50	8.58	9.47	4.4	7.0	
		18:04	32.84	42.27	26.91	8.60	10.01	3.5	11.7	
		21:04	32.35	43.30	27.65	8.53	9.85	4.5	9.9	
	日平均值			31.46	43.07	27.37	8.35	10.54	4.55	16.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月20日	蚵殼站	0:04	31.67	44.85	29.31	8.43	12.27	4.5	16.4	
		3:04	31.06	46.93	30.73	8.36	11.77	3.1	22.8	
		6:04	29.60	48.41	31.45	8.02	10.05	3.5	20.3	
		9:04	29.59	48.29	31.36	8.13	11.98	2.5	16.4	
		12:04	30.82	46.33	29.90	8.38	15.37	3.1	14.1	
		15:04	32.40	46.00	29.61	8.30	13.69	2.8	7.9	
		18:04	32.52	45.70	29.39	8.39	15.14	3.6	15.5	
		21:04	31.94	46.66	30.10	8.32	14.95	2.7	11.5	
	日平均值			31.20	46.65	30.23	8.29	13.15	3.23	15.61
	潮口站	3:04	28.89	48.40	31.46	8.46	6.31	5.4	4.8	
		3:34	28.35	50.66	33.13	8.39	6.04	9.2	4.0	
		5:34	27.69	52.18	34.28	8.37	5.92	6.2	0.9	
		6:04	27.98	51.44	33.72	8.40	6.02	6.8	0.4	
		11:34	29.69	48.07	31.20	8.56	6.88	13.4	12.8	
		17:04	29.13	49.47	32.23	8.44	6.60	8.2	7.3	
		18:04	29.19	47.97	31.14	8.41	6.65	7.2	4.6	
		21:04	30.09	45.95	29.64	8.57	7.60	5.0	5.3	
	日平均值			28.88	49.27	32.10	8.45	6.50	7.68	5.01
	灣內站	0:04	32.07	42.34	26.98	8.53	8.95	4.7	9.4	
		3:04	31.33	46.13	29.70	8.44	10.91	3.0	12.1	
		6:04	29.51	49.36	32.08	8.24	8.70	3.2	17.1	
		9:04	29.19	50.35	32.82	8.20	8.36	3.0	14.0	
		12:04	32.24	46.56	29.98	8.43	10.75	4.0	8.4	
		15:04	33.85	45.91	29.46	8.47	11.49	5.0	8.8	
		18:04	33.75	46.14	29.62	8.50	11.49	4.2	8.7	
		21:04	32.94	47.86	30.89	8.48	12.43	3.8	17.3	
	日平均值			31.86	46.83	30.19	8.41	10.39	3.86	11.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月21日	蚵殼站	0:04	31.98	45.12	28.99	8.33	12.22	2.2	8.2	
		3:04	31.72	45.40	29.20	8.30	12.30	3.7	17.1	
		6:04	29.24	50.22	32.78	8.17	11.48	4.6	9.8	
		9:04	29.32	50.34	32.87	8.17	12.18	3.1	7.5	
		12:04	30.46	49.17	31.97	8.23	14.63	3.1	5.9	
		15:04	31.40	48.59	31.52	8.28	12.97	3.6	10.0	
		18:04	31.37	49.23	31.99	8.27	13.95	5.0	17.5	
		21:04	31.98	47.96	31.04	8.33	12.62	2.1	15.9	
	日平均值			30.93	48.25	31.30	8.26	12.79	3.43	11.49
	潮口站	3:34	28.92	51.23	33.53	8.44	6.21	8.8	2.1	
		5:04	28.39	52.71	34.64	8.38	5.95	5.6	1.2	
		6:04	28.53	52.00	34.12	8.41	6.11	9.1	4.3	
		8:34	29.76	47.22	30.58	8.55	7.04	4.2	8.6	
		12:34	29.99	49.62	32.31	8.59	7.85	14.8	9.6	
		17:34	29.23	50.85	33.24	8.48	7.18	8.2	16.8	
		18:04	29.05	50.48	32.98	8.45	6.83	9.8	9.6	
		21:04	28.87	47.95	31.13	8.39	6.58	10.3	8.0	
	日平均值			29.09	50.26	32.82	8.46	6.72	8.85	7.53
	灣內站	0:04	32.26	48.53	31.39	8.40	11.63	4.3	13.8	
		3:04	31.97	48.59	31.45	8.42	11.63	2.1	5.3	
		6:04	29.65	50.94	33.24	8.32	10.49	2.7	7.2	
		9:04	29.54	51.03	33.30	8.27	10.12	3.7	8.8	
		12:04	32.23	49.20	31.88	8.35	10.55	2.5	3.7	
		15:04	33.22	48.11	31.06	8.42	10.49	2.3	3.6	
		18:04	32.90	47.86	30.89	8.42	9.58	3.1	4.9	
		21:04	32.40	47.73	30.81	8.40	8.84	3.5	3.7	
	日平均值			31.77	49.00	31.75	8.38	10.42	3.03	6.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月22日	蚵殼站	0:04	31.60	48.35	31.34	8.28	12.68	2.4	14.3	
		3:04	31.36	47.54	30.75	8.26	10.83	2.0	7.6	
		6:04	30.71	48.37	31.38	8.14	10.38	2.7	13.7	
		9:04	29.62	50.22	32.77	8.07	10.54	2.2	30.5	
		12:04	30.27	50.09	32.66	8.16	11.92	3.4	4.3	
		15:04	30.57	50.26	32.76	8.26	12.92	3.2	14.8	
		18:04	31.32	49.00	31.82	8.36	11.85	3.4	15.6	
		21:04	31.58	49.19	31.95	8.26	11.41	3.7	13.3	
	日平均值			30.88	49.13	31.93	8.22	11.57	2.88	14.26
	潮口站	4:04	29.09	51.47	33.70	8.44	6.49	5.6	4.5	
		5:04	28.82	52.12	34.19	8.40	6.30	6.0	3.7	
		6:04	28.69	52.21	34.26	8.37	6.29	5.4	4.2	
		9:04	30.21	48.87	31.76	8.52	7.18	3.0	9.6	
		12:04	30.14	50.05	32.63	8.59	7.88	4.2	6.0	
		15:04	29.61	51.26	33.54	8.53	7.84	9.9	20.3	
		18:04	29.45	50.68	33.12	8.45	6.99	7.7	6.8	
		21:04	28.36	52.20	34.27	8.40	6.46	4.6	6.0	
	日平均值			29.30	51.11	33.43	8.46	6.93	5.80	7.64
	灣內站	0:04	32.43	47.66	30.76	8.38	8.92	4.4	6.0	
		3:04	32.12	48.35	31.27	8.37	8.95	2.8	3.4	
		6:04	30.08	50.12	32.62	8.26	8.43	3.2	9.9	
		9:04	29.86	51.29	33.48	8.27	9.43	4.3	16.0	
		12:04	31.76	49.60	32.19	8.39	9.86	2.3	3.6	
		15:04	31.82	49.75	32.29	8.42	10.07	3.3	6.2	
		18:04	31.86	49.39	32.03	8.40	9.30	4.2	6.8	
		21:04	31.76	50.04	32.51	8.40	9.76	3.1	9.0	
	日平均值			31.46	49.53	32.14	8.36	9.34	3.45	7.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月23日	蚵殼站	0:04	31.02	49.25	32.01	8.21	10.87	3.5	7.7	
		3:04	30.48	48.97	31.83	8.26	9.81	3.4	11.9	
		6:04	29.91	48.54	31.53	8.16	9.49	4.4	12.7	
		9:04	30.38	49.47	32.19	8.21	10.93	3.8	15.4	
		12:04	30.36	50.13	32.68	8.19	11.85	2.6	15.0	
		15:04	30.52	50.62	33.03	8.22	11.97	3.4	13.4	
		18:04	30.78	50.34	32.82	8.30	12.24	3.2	8.8	
		21:04	30.87	50.13	32.66	8.22	11.45	5.7	18.7	
	日平均值			30.54	49.68	32.34	8.22	11.08	3.75	12.95
	潮口站	4:34	29.68	50.02	32.62	8.48	6.57	5.8	2.4	
		5:34	28.69	52.31	34.34	8.40	6.32	5.0	5.0	
		6:04	28.38	52.69	34.63	8.40	6.28	10.4	2.0	
		9:04	29.05	52.26	34.29	8.42	6.59	2.6	5.2	
		12:34	30.12	50.98	33.31	8.52	7.79	10.8	8.0	
		15:04	29.57	51.56	33.75	8.55	8.28	9.3	16.1	
		18:04	29.72	50.64	33.07	8.53	7.67	4.7	8.1	
		21:04	28.96	50.40	32.92	8.41	6.80	3.5	7.9	
	日平均值			29.27	51.36	33.62	8.46	7.04	6.51	6.84
	灣內站	0:04	30.90	50.88	33.15	8.35	9.49	3.2	7.0	
		3:04	30.43	50.85	33.14	8.31	8.75	2.5	5.2	
		6:04	30.22	51.04	33.29	8.30	8.66	1.2	9.1	
		9:04	30.17	50.96	33.23	8.33	9.13	1.4	7.1	
		12:04	30.86	50.80	33.09	8.39	9.78	2.4	6.2	
		15:04	31.20	50.87	33.13	8.41	9.94	3.5	5.9	
		18:04	31.21	50.94	33.18	8.41	9.66	6.3	8.2	
		21:04	31.09	50.98	33.21	8.38	9.40	2.3	7.5	
	日平均值			30.76	50.92	33.18	8.36	9.35	2.85	7.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月24日	蚵殼站	0:04	30.96	49.98	32.55	8.28	11.39	3.5	29.3	
		3:04	30.60	49.76	32.40	8.22	10.52	3.8	14.7	
		6:04	30.40	49.62	32.31	8.21	9.64	7.8	9.2	
		9:04	30.48	49.75	32.40	8.17	10.05	3.6	6.8	
		12:04	30.42	50.69	33.09	8.30	12.82	4.8	14.7	
		15:04	31.08	50.43	32.87	8.35	13.53	6.8	20.6	
		18:04	31.19	50.47	32.90	8.32	13.66	5.4	19.2	
		21:04	31.22	50.28	32.76	8.19	12.29	6.6	4.2	
	日平均值			30.79	50.12	32.66	8.26	11.74	5.29	14.84
	潮口站	0:04	29.13	49.90	32.55	8.48	7.20	3.1	6.9	
		3:04	30.25	49.50	32.22	8.54	7.24	3.4	9.6	
		6:04	29.10	51.40	33.65	8.41	6.40	5.6	10.1	
		9:04	28.61	52.40	34.41	8.40	6.59	3.9	6.9	
		10:04	28.82	52.25	34.29	8.41	6.84	2.7	11.0	
		10:34	29.57	51.43	33.66	8.44	7.01	4.3	3.9	
		11:04	30.15	50.82	33.19	8.51	7.48	6.4	8.9	
		21:04	29.11	51.77	33.93	8.43	6.95	6.4	2.5	
	日平均值			29.34	51.18	33.49	8.45	6.96	4.48	7.48
	灣內站	0:04	31.44	50.91	33.15	8.37	8.81	3.2	5.8	
		3:04	30.97	50.94	33.19	8.35	8.31	2.3	7.7	
		6:04	30.77	51.45	33.56	8.34	8.86	1.0	5.4	
		9:04	30.80	51.25	33.42	8.36	8.98	0.9	3.8	
		12:04	31.50	51.13	33.31	8.40	9.72	1.7	5.1	
		15:04	32.08	51.21	33.34	8.39	9.31	3.0	3.9	
		18:04	31.88	51.19	33.34	8.41	9.62	3.2	5.2	
		21:04	31.88	51.05	33.24	8.39	9.36	2.5	6.0	
	日平均值			31.42	51.14	33.32	8.38	9.12	2.23	5.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月25日	蚵殼站	0:04	31.12	50.30	32.78	8.28	11.39	6.7	4.3	
		3:04	31.03	49.95	32.52	8.20	10.45	7.6	3.4	
		6:04	30.75	49.85	32.46	8.18	9.86	2.9	5.4	
		9:04	30.88	49.89	32.49	8.25	10.83	3.3	6.0	
		12:04	31.26	50.25	32.74	8.18	12.12	4.6	13.1	
		15:04	31.46	50.15	32.65	8.29	12.23	4.7	9.8	
		18:04	30.62	49.80	32.43	8.21	10.57	5.3	6.6	
		21:04	30.80	49.85	32.46	8.19	10.66	3.8	21.3	
	日平均值			30.99	50.01	32.57	8.22	11.01	4.86	8.74
	潮口站	0:04	29.11	49.88	32.53	8.43	6.99	2.8	7.6	
		0:34	29.17	49.69	32.39	8.42	6.93	4.2	5.5	
		6:04	30.49	50.05	32.62	8.57	7.08	2.5	9.0	
		9:04	28.94	52.33	34.35	8.44	7.05	3.5	1.1	
		11:04	28.67	52.73	34.65	8.41	6.92	2.8	3.5	
		15:04	30.43	51.82	33.92	8.52	8.04	16.8	9.8	
		18:04	30.44	50.96	33.28	8.56	7.87	3.4	9.4	
		21:04	28.95	52.06	34.14	8.42	6.81	4.2	3.1	
	日平均值			29.53	51.19	33.49	8.47	7.21	5.03	6.13
	灣內站	0:04	31.67	51.10	33.28	8.36	8.63	2.1	4.6	
		3:04	31.02	51.69	33.74	8.39	9.97	1.3	6.6	
		6:04	30.83	51.23	33.40	8.31	8.15	1.3	5.2	
		9:04	30.89	51.60	33.67	8.36	9.50	0.9	4.2	
		12:04	31.12	51.70	33.74	8.40	10.21	1.7	6.0	
		15:04	31.60	51.45	33.54	8.46	10.47	1.9	6.2	
		18:04	31.37	51.24	33.39	8.40	9.46	3.4	5.8	
		21:04	31.28	50.74	33.03	8.39	9.02	3.3	10.5	
	日平均值			31.22	51.34	33.47	8.38	9.43	1.99	6.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月26日	蚵殼站	0:04	30.53	50.18	32.71	8.13	9.95	4.6	11.3	
		3:04	30.60	50.08	32.63	8.22	9.92	3.4	16.9	
		6:04	30.33	49.98	32.57	8.20	9.22	3.4	9.3	
		9:04	30.73	50.04	32.60	8.22	11.18	3.8	9.0	
		12:04	30.12	50.82	33.19	8.25	11.70	3.5	14.3	
		15:04	31.08	50.53	32.94	8.26	13.92	3.4	19.2	
		18:04	31.52	50.11	32.62	8.35	14.19	4.6	13.7	
		21:04	31.40	50.14	32.65	8.25	13.08	4.3	15.0	
	日平均值			30.79	50.24	32.74	8.24	11.65	3.88	13.59
	潮口站	0:04	28.88	51.99	34.09	8.41	6.67	4.6	6.6	
		3:04	29.97	49.76	32.42	8.52	6.95	4.0	9.4	
		6:04	30.07	49.97	32.57	8.50	6.77	3.0	10.2	
		9:04	29.09	51.73	33.90	8.43	6.96	4.7	9.2	
		12:04	29.56	51.63	33.81	8.47	7.76	6.0	2.7	
		14:04	29.35	51.79	33.94	8.48	7.82	5.8	16.0	
		15:04	29.28	51.97	34.07	8.46	7.67	7.7	21.8	
		21:04	29.21	52.12	34.18	8.58	7.12	4.7	9.0	
	日平均值			29.43	51.37	33.62	8.48	7.22	5.06	10.61
	灣內站	0:04	31.22	51.07	33.27	8.37	8.74	2.2	6.1	
		3:04	31.04	50.99	33.22	8.34	8.12	2.3	9.9	
		6:04	30.66	51.52	33.62	8.29	8.01	1.6	20.7	
		9:04	30.64	51.64	33.71	8.37	9.77	1.2	7.7	
		12:04	31.16	51.11	33.31	8.50	11.46	1.7	9.9	
		15:04	31.28	51.28	33.43	8.53	11.75	2.5	9.0	
		18:04	31.32	51.28	33.42	8.52	11.33	5.5	9.7	
		21:04	31.78	51.25	33.39	8.51	11.01	5.1	12.1	
	日平均值			31.14	51.27	33.42	8.43	10.02	2.76	10.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月27日	蚵殼站	0:04	31.18	50.22	32.72	8.31	12.97	4.8	14.2	
		3:04	30.99	50.04	32.59	8.30	12.71	4.9	17.5	
		6:04	30.82	50.10	32.64	8.29	12.06	4.9	10.9	
		9:04	30.96	49.81	32.43	8.35	12.67	4.1	14.0	
		12:04	31.50	49.65	32.29	8.36	12.69	4.4	23.2	
		15:04	31.90	48.91	31.73	8.42	15.04	7.1	18.9	
		18:04	31.92	49.15	31.91	8.37	14.30	6.0	13.9	
		21:04	31.67	49.85	32.43	8.31	12.92	3.9	15.0	
	日平均值			31.37	49.72	32.34	8.34	13.17	5.01	15.95
	潮口站	0:04	28.65	52.51	34.49	8.04	6.76	6.8	1.2	
		3:04	30.04	50.60	33.03	8.22	8.14	22.3	10.4	
		6:04	30.49	50.76	33.13	8.31	8.45	2.4	13.1	
		9:04	30.14	51.24	33.50	8.19	7.41	4.9	8.4	
		12:04	29.71	52.24	34.25	8.10	7.53	2.8	4.8	
		15:04	29.84	52.43	34.39	8.10	7.69	6.0	13.8	
		18:04	30.39	51.82	33.92	8.18	8.16	3.3	11.5	
		21:04	30.34	51.60	33.76	8.20	7.90	3.4	16.5	
	日平均值			29.95	51.65	33.81	8.17	7.76	6.49	9.96
	灣內站	6:34	30.99	51.41	33.53	8.49	10.25	2.7	6.0	
		7:04	30.97	51.41	33.53	8.48	10.12	2.4	5.0	
		7:34	30.96	51.47	33.58	8.44	9.53	4.2	15.3	
		8:04	30.97	51.52	33.61	8.42	9.42	3.5	14.1	
		9:04	31.11	51.48	33.58	8.48	10.30	2.7	11.1	
		11:34	31.47	51.54	33.61	8.50	10.79	1.7	5.5	
		13:34	31.75	51.46	33.54	8.54	11.39	2.7	5.8	
		16:34	31.86	51.66	33.68	8.54	11.20	3.0	9.0	
	日平均值			31.26	51.49	33.58	8.49	10.38	2.86	8.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月28日	蚵殼站	0:04	31.40	50.20	32.70	8.26	11.54	2.0	11.5	
		3:04	31.20	50.15	32.67	8.30	11.76	6.6	15.0	
		6:04	30.89	50.31	32.79	8.30	10.76	4.8	8.8	
		9:04	31.00	50.23	32.73	8.22	11.77	6.2	12.0	
		12:04	31.50	50.15	32.65	8.28	12.69	5.6	12.6	
		15:04	31.61	50.79	33.12	8.25	11.68	6.0	12.0	
		18:04	31.52	50.71	33.06	8.27	11.82	7.1	10.8	
		21:04	31.53	50.10	32.62	8.31	12.17	7.2	13.0	
	日平均值			31.33	50.33	32.79	8.27	11.77	5.69	11.96
	潮口站	0:04	28.95	52.55	34.51	8.04	6.89	5.9	6.7	
		3:04	29.62	51.42	33.65	8.13	7.27	4.9	5.4	
		6:04	30.59	50.89	33.23	8.33	8.06	3.6	4.1	
		9:04	30.85	50.95	33.26	8.34	8.15	2.6	6.1	
		12:04	29.28	52.85	34.72	8.02	6.88	17.4	1.7	
		15:04	30.03	52.19	34.21	8.00	7.03	7.1	6.2	
		18:04	29.77	52.21	34.23	8.03	7.12	7.5	14.1	
		21:04	30.35	51.90	33.98	8.03	7.03	5.7	16.2	
	日平均值			29.93	51.87	33.97	8.12	7.30	6.84	7.56
	灣內站	1:04	31.61	51.37	33.48	8.51	9.92	3.1	7.6	
		2:34	31.44	51.49	33.57	8.51	9.84	2.7	7.5	
		6:04	31.01	51.50	33.60	8.52	9.65	2.4	9.3	
		9:04	31.26	51.81	33.81	8.41	8.79	3.1	5.8	
		10:04	31.45	51.86	33.84	8.42	9.23	2.8	6.5	
		10:34	31.57	51.75	33.76	8.49	9.77	2.3	5.5	
		11:04	31.66	51.76	33.76	8.52	10.07	2.3	5.0	
		23:34	31.70	51.57	33.62	8.54	9.96	2.9	10.8	
	日平均值			31.46	51.64	33.68	8.49	9.65	2.70	7.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月29日	蚵殼站	0:04	31.38	50.20	32.69	8.35	11.39	6.5	7.5	
		3:04	31.05	50.90	33.22	8.14	9.47	6.6	15.9	
		6:04	30.84	50.42	32.87	8.23	10.32	6.4	11.7	
		9:04	30.99	50.14	32.66	8.34	11.65	7.0	17.1	
		12:04	31.80	50.46	32.87	8.35	12.03	6.1	12.4	
		15:04	31.76	50.93	33.22	8.28	12.47	5.0	23.5	
		18:04	31.96	50.55	32.93	8.28	12.55	12.6	11.4	
		21:04	31.75	50.50	32.90	8.32	12.15	9.2	10.5	
	日平均值			31.44	50.51	32.92	8.29	11.50	7.43	13.75
	潮口站	0:04	27.42	53.51	35.27	8.46	6.38	25.5	2.1	
		3:04	29.19	52.80	34.68	8.49	6.98	4.7	10.9	
		13:34	30.32	49.02	31.87	8.41	6.79	6.4	8.9	
		14:04	30.60	48.02	31.13	8.40	6.83	6.9	2.8	
		14:34	30.09	50.45	32.93	8.43	6.95	6.7	5.3	
		15:04	30.37	47.53	30.78	8.40	6.81	6.3	5.9	
		18:04	30.15	49.71	32.38	8.42	6.93	7.5	2.7	
		21:04	30.57	49.42	32.15	8.55	7.37	10.5	6.6	
	日平均值			29.84	50.06	32.65	8.45	6.88	9.31	5.65
	灣內站	0:04	31.71	51.72	33.73	8.50	9.34	3.5	15.5	
		3:04	31.33	52.08	34.01	8.41	8.90	2.6	7.4	
		6:04	30.99	52.06	34.01	8.40	8.32	2.9	6.6	
		9:04	31.17	51.84	33.84	8.46	8.95	2.5	6.3	
		12:04	32.18	51.69	33.69	8.53	9.95	2.5	5.3	
		15:04	32.30	51.78	33.76	8.56	10.68	2.3	8.8	
		18:04	32.20	51.78	33.76	8.53	10.42	2.4	9.8	
		21:04	31.86	51.62	33.65	8.51	9.83	2.1	7.1	
	日平均值			31.72	51.82	33.81	8.49	9.55	2.60	8.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月30日	蚵殼站	0:04	31.52	50.44	32.87	8.26	11.33	8.9	13.9	
		3:04	31.00	50.65	33.04	8.17	9.68	11.4	15.0	
		6:04	30.91	50.63	33.03	8.18	9.48	14.0	18.7	
		9:04	31.07	50.71	33.08	8.31	10.96	17.6	18.1	
		12:04	31.77	51.05	33.31	8.20	11.26	7.9	12.6	
		15:04	30.50	51.30	33.53	8.17	10.69	11.7	14.0	
		18:04	31.20	50.81	33.15	8.17	11.46	16.0	32.8	
		21:04	30.92	50.85	33.19	8.18	10.21	10.5	23.4	
	日平均值			31.11	50.81	33.15	8.21	10.63	12.25	18.56
	潮口站	0:04	29.25	53.08	34.89	8.41	6.74	12.3	0.3	
		3:04	28.07	53.46	35.21	8.38	6.35	4.7	5.6	
		6:04	30.43	51.10	33.39	8.62	7.58	4.8	9.8	
		9:04	30.69	51.10	33.38	8.59	7.43	7.7	7.2	
		12:04	31.86	51.05	33.30	8.48	7.19	7.8	5.2	
		15:04	29.85	50.26	32.79	8.37	7.06	5.6	6.7	
		18:04	29.54	51.23	33.52	8.33	6.70	6.4	1.4	
		21:04	30.33	50.27	32.78	8.45	7.22	5.7	18.6	
	日平均值			30.00	51.44	33.66	8.45	7.03	6.88	6.85
	灣內站	0:04	31.60	51.88	33.86	8.49	9.35	2.4	4.7	
		3:04	31.33	51.73	33.75	8.44	9.02	1.9	7.3	
		6:04	30.63	52.36	34.24	8.29	7.87	3.2	10.0	
		9:04	31.15	52.10	34.03	8.40	8.66	2.3	6.0	
		12:04	32.28	51.70	33.70	8.44	9.27	3.6	7.6	
		15:04	31.61	51.55	33.61	8.49	9.51	2.9	7.5	
		18:04	31.47	52.02	33.96	8.42	9.01	3.6	8.0	
		21:04	30.79	52.13	34.07	8.36	8.59	2.6	9.8	
	日平均值			31.36	51.93	33.90	8.42	8.91	2.81	7.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月31日	蚵殼站	0:04	30.73	51.01	33.31	8.12	9.89	12.9	17.1	
		3:04	30.43	50.83	33.19	8.17	9.82	10.1	23.1	
		6:04	30.24	50.91	33.25	8.07	8.95	9.8	20.1	
		9:04	30.37	51.21	33.47	8.13	10.31	18.8	19.5	
		12:04	31.15	50.91	33.22	8.16	11.79	11.4	18.4	
		15:04	31.17	51.29	33.50	8.21	12.33	13.5	19.4	
		18:04	31.08	51.36	33.55	8.18	12.02	15.7	18.0	
		21:04	31.41	51.13	33.37	8.14	12.32	11.6	28.0	
	日平均值			30.82	51.08	33.36	8.15	10.93	12.98	20.45
	潮口站	0:04	29.90	51.53	33.72	8.37	6.64	4.0	12.3	
		3:04	28.05	53.56	35.28	8.31	6.53	4.6	0.9	
		6:04	29.61	51.90	34.00	8.40	6.68	10.9	5.2	
		9:04	30.22	51.62	33.78	8.43	6.91	8.1	1.3	
		12:04	31.20	51.50	33.66	8.42	7.52	13.6	7.5	
		15:04	30.20	50.01	32.60	8.33	7.08	5.8	12.0	
		18:04	29.81	48.40	31.43	8.30	6.95	4.8	3.0	
		21:04	30.25	51.60	33.76	8.37	7.29	11.0	11.3	
	日平均值			29.91	51.27	33.53	8.37	6.95	7.85	6.69
	灣內站	0:04	30.48	52.07	34.03	8.31	7.77	2.4	8.4	
		3:04	30.53	51.82	33.84	8.36	8.10	1.9	6.1	
		6:04	30.37	51.82	33.85	8.34	7.69	2.5	10.6	
		9:04	30.50	51.88	33.89	8.35	8.04	2.4	4.3	
		12:04	31.44	51.75	33.76	8.43	9.46	2.4	5.8	
		15:04	31.82	51.86	33.83	8.44	9.78	3.5	8.9	
		18:04	31.88	51.90	33.86	8.46	10.13	3.3	11.3	
		21:04	31.59	51.77	33.77	8.47	10.09	2.0	6.5	
	日平均值			31.08	51.86	33.85	8.40	8.88	2.55	7.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月1日	蚵殼站	0:04	31.32	50.26	32.77	8.18	11.90	10.2	23.6	
		3:04	30.49	50.06	32.66	8.18	9.58	9.7	13.9	
		6:04	30.63	50.51	32.98	8.19	8.85	10.9	33.0	
		9:04	30.25	49.56	32.28	8.15	9.07	8.7	54.0	
		12:04	30.05	50.43	32.94	8.05	8.70	13.5	28.3	
		15:04	29.51	51.18	33.49	8.11	7.67	10.6	23.4	
		18:04	29.73	50.70	33.12	8.10	7.90	13.7	22.1	
		21:04	29.72	50.35	32.86	8.13	7.48	14.8	26.3	
	日平均值			30.21	50.38	32.89	8.14	8.89	11.51	28.08
	潮口站	0:04	30.07	51.27	33.52	8.35	6.89	7.5	5.7	
		3:04	28.60	53.25	35.04	8.29	6.67	39.0	6.1	
		6:04	29.26	52.22	34.25	8.30	6.63	24.6	3.3	
		9:04	29.87	49.38	32.15	8.40	7.10	6.6	5.9	
		12:04	30.22	50.47	32.94	8.44	7.83	5.7	8.5	
		15:04	29.72	48.50	31.51	8.33	6.94	46.5	18.3	
		18:04	29.17	47.26	30.62	8.25	6.91	49.0	9.0	
		21:04	29.13	47.62	30.89	8.29	6.79	29.7	16.2	
	日平均值			29.51	50.00	32.62	8.33	6.97	26.08	9.13
	灣內站	0:04	31.68	51.68	33.72	8.47	9.95	3.0	7.9	
		3:04	31.60	51.36	33.50	8.47	9.96	1.8	4.8	
		6:04	30.59	51.56	33.68	8.32	8.35	2.7	12.7	
		9:04	30.14	51.77	33.86	8.20	7.12	3.3	10.3	
		12:04	30.08	50.29	32.78	8.18	7.04	5.1	10.0	
		15:04	29.78	51.37	33.58	8.09	6.08	8.3	9.3	
		18:04	29.64	50.30	32.81	8.11	6.78	6.6	8.3	
		21:04	29.27	51.23	33.51	8.13	6.57	5.4	6.7	
	日平均值			30.35	51.20	33.43	8.25	7.73	4.53	8.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
8月2日	蚵殼站	0:04	29.58	50.33	32.84	8.09	7.02	7.6	12.8
		3:04	29.43	50.25	32.79	8.16	6.87	8.0	16.5
		6:04	29.47	49.90	32.52	8.12	6.78	13.5	14.1
		9:04	29.33	49.91	32.53	8.24	7.19	8.3	27.7
		12:04	29.90	50.32	32.83	8.25	7.12	3.3	13.5
		15:04	30.06	50.36	32.86	8.26	7.42	3.6	13.3
		18:04	30.08	49.92	32.54	8.32	7.87	4.4	10.7
		21:04	29.99	49.90	32.52	8.30	7.68	3.9	9.9
	日平均值		29.73	50.11	32.68	8.22	7.24	6.58	14.81
	潮口站	0:04	28.94	48.25	31.35	8.25	6.54	24.2	8.6
		3:04	29.35	51.34	33.60	8.24	6.78	52.4	8.9
		6:04	28.97	49.81	32.49	8.23	6.69	27.7	7.4
		9:04	29.12	50.14	32.72	8.23	6.69	21.9	25.5
		12:04	30.17	49.61	32.30	8.14	7.03	30.9	1.7
		15:04	30.76	50.24	32.74	8.28	7.37	17.7	6.1
		18:04	30.16	47.12	30.49	8.27	6.81	48.5	2.3
		21:04	29.94	47.33	30.65	8.31	6.82	17.7	1.5
	日平均值		29.68	49.23	32.04	8.24	6.84	30.13	7.75
	灣內站	0:04	29.03	50.94	33.31	8.06	6.23	5.4	9.5
		3:04	29.19	51.07	33.40	8.15	6.64	3.5	7.2
		6:04	29.25	50.42	32.92	8.18	6.92	3.2	7.4
		9:04	29.44	50.13	32.72	8.25	7.63	2.8	11.7
		12:04	30.02	50.52	32.98	8.24	7.33	3.8	9.6
		15:04	30.37	50.97	33.30	8.20	7.76	7.7	11.7
		18:04	30.01	50.95	33.29	8.21	7.73	4.3	10.9
		21:04	29.84	50.79	33.18	8.20	7.34	3.2	5.9
	日平均值		29.64	50.72	33.14	8.19	7.20	4.24	9.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月3日	蚵殼站	0:04	29.95	49.54	32.26	8.30	7.51	3.9	7.9	
		3:04	29.45	48.28	31.35	8.26	7.11	4.8	9.9	
		6:04	29.81	50.05	32.64	8.17	5.88	4.0	13.6	
		9:04	29.53	49.24	32.06	8.20	6.82	9.2	2.9	
		12:04	30.12	49.28	32.07	8.26	8.05	5.6	12.8	
		15:04	31.16	49.81	32.42	8.38	10.12	4.6	8.7	
		18:04	31.08	49.59	32.26	8.40	10.88	4.6	17.1	
		21:04	31.13	49.04	31.85	8.35	9.71	4.6	9.1	
	日平均值			30.28	49.35	32.11	8.29	8.26	5.16	10.25
	潮口站	0:04	30.16	48.45	31.46	8.26	6.19	14.2	5.9	
		3:04	30.16	51.88	33.97	8.31	6.61	26.0	2.7	
		6:04	29.73	48.66	31.62	8.33	6.77	31.1	5.0	
		9:04	29.97	49.38	32.14	8.32	6.66	17.4	2.3	
		12:04	30.76	50.12	32.65	8.35	7.04	16.9	2.3	
		15:04	31.48	50.29	32.76	8.35	7.00	24.6	10.1	
		18:04	30.40	48.02	31.14	8.31	6.43	27.1	1.8	
		21:04	30.47	49.60	32.29	8.29	6.31	16.8	1.5	
	日平均值			30.39	49.55	32.25	8.32	6.63	21.76	3.95
	灣內站	0:04	30.11	50.24	32.77	8.26	7.84	3.8	5.1	
		3:04	30.15	50.52	32.97	8.25	7.79	3.0	3.8	
		6:04	30.16	50.35	32.84	8.25	7.66	4.0	6.2	
		9:04	30.26	50.37	32.86	8.24	7.66	3.7	5.3	
		12:04	30.86	49.65	32.31	8.32	9.00	3.1	3.5	
		15:04	31.60	49.73	32.34	8.35	9.77	3.7	3.3	
		18:04	31.84	49.66	32.29	8.37	10.08	4.8	10.1	
		21:04	31.49	49.77	32.37	8.42	9.72	4.3	7.6	
	日平均值			30.81	50.04	32.59	8.31	8.69	3.80	5.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月4日	蚵殼站	0:04	30.74	48.58	31.54	8.24	8.04	5.5	10.0	
		3:04	30.64	48.67	31.60	8.29	8.53	4.3	18.8	
		6:04	30.49	48.87	31.75	8.26	8.06	4.1	17.0	
		9:04	30.42	49.74	32.39	8.25	8.57	4.6	16.5	
		12:04	30.36	50.08	32.64	8.26	9.07	5.6	15.1	
		15:04	31.37	49.93	32.50	8.40	11.32	5.1	21.6	
		18:04	31.41	49.76	32.37	8.45	11.75	4.6	18.0	
		21:04	31.16	49.89	32.47	8.40	10.58	4.5	17.4	
	日平均值			30.82	49.44	32.16	8.32	9.49	4.79	16.80
	潮口站	0:04	31.11	50.17	32.68	8.46	8.22	8.6	3.5	
		3:04	30.60	51.56	33.72	8.36	6.52	11.0	1.1	
		6:04	30.12	51.93	34.01	8.34	6.24	11.3	0.2	
		9:04	30.66	50.77	33.14	8.37	6.94	8.5	4.2	
		12:04	31.93	50.39	32.81	8.43	8.15	19.1	10.2	
		15:04	31.72	50.86	33.17	8.53	8.93	16.5	16.2	
		18:04	30.24	50.53	32.97	8.34	9.84	12.3	2.2	
		21:04	29.91	50.59	33.03	8.31	9.20	13.2	3.7	
	日平均值			30.79	50.85	33.19	8.39	8.01	12.56	5.16
	灣內站	0:04	31.33	49.22	31.98	8.37	9.03	3.4	8.2	
		3:04	31.26	49.93	32.50	8.34	9.13	3.5	8.2	
		6:04	30.92	49.89	32.48	8.32	8.87	3.0	6.3	
		9:04	30.80	50.27	32.76	8.31	8.99	2.6	4.0	
		12:04	31.74	49.77	32.37	8.40	11.51	3.5	8.6	
		15:04	32.86	50.05	32.53	8.38	11.53	6.7	9.9	
		18:04	32.24	49.99	32.51	8.40	11.54	4.3	11.1	
		21:04	31.79	49.90	32.46	8.40	10.99	3.5	10.9	
	日平均值			31.62	49.88	32.45	8.37	10.20	3.81	8.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月5日	蚵殼站	0:04	31.20	49.67	32.32	8.39	9.83	4.1	14.3	
		3:04	31.21	49.78	32.40	8.36	9.14	4.8	3.5	
		6:04	30.87	49.78	32.40	8.35	8.73	3.6	11.5	
		9:04	30.96	49.80	32.42	8.35	8.86	4.5	5.4	
		12:04	30.65	50.28	32.78	8.26	8.15	5.2	22.7	
		15:04	30.96	50.27	32.76	8.21	6.98	8.9	16.2	
		18:04	30.98	50.22	32.72	8.18	6.48	6.9	13.7	
		21:04	30.96	50.06	32.61	8.30	7.67	4.6	6.6	
	日平均值			30.97	49.98	32.55	8.30	8.23	5.33	11.74
	潮口站	0:04	30.32	51.22	33.48	8.34	8.64	7.9	7.7	
		3:04	30.90	50.62	33.02	8.48	9.39	5.0	10.2	
		6:04	29.59	52.73	34.62	8.33	8.59	12.3	1.7	
		9:04	30.29	52.19	34.19	8.32	9.28	14.8	2.5	
		12:04	30.92	51.57	33.71	8.45	9.09	14.2	12.5	
		15:04	31.04	51.69	33.80	8.43	8.26	12.4	4.3	
		18:04	30.67	51.39	33.59	8.36	8.42	15.6	6.8	
		21:04	28.74	52.11	34.19	8.31	8.62	11.0	2.3	
	日平均值			30.31	51.69	33.83	8.38	8.79	11.65	6.00
	灣內站	0:04	31.65	49.90	32.47	8.37	9.99	4.2	9.1	
		3:04	31.49	50.02	32.56	8.35	9.64	3.8	7.4	
		6:04	31.20	50.06	32.60	8.30	8.44	4.2	6.3	
		9:04	31.23	50.06	32.60	8.37	9.70	3.0	4.9	
		12:04	31.34	50.19	32.69	8.37	10.03	4.2	7.9	
		15:04	31.64	50.30	32.76	8.36	9.54	8.1	8.8	
		18:04	31.42	50.31	32.77	8.43	10.36	4.9	11.7	
		21:04	31.19	50.35	32.81	8.40	9.56	4.4	6.4	
	日平均值			31.40	50.15	32.66	8.37	9.66	4.60	7.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月6日	蚵殼站	0:04	31.13	49.94	32.51	8.36	8.12	4.3	4.2	
		3:04	31.00	49.83	32.44	8.31	7.33	4.9	10.5	
		6:04	30.80	49.89	32.49	8.28	6.81	4.3	10.0	
		9:04	30.78	49.96	32.54	8.28	6.90	4.6	10.6	
		12:04	30.95	50.29	32.78	8.23	6.83	4.5	9.7	
		15:04	31.04	50.49	32.92	8.19	6.70	4.8	12.8	
		18:04	31.10	50.01	32.57	8.31	8.00	4.2	11.4	
		21:04	31.12	48.84	31.71	8.34	8.52	6.2	8.9	
	日平均值			30.99	49.91	32.50	8.29	7.40	4.73	9.76
	潮口站	0:04	30.40	51.60	33.76	8.34	8.15	8.0	7.2	
		3:04	30.73	51.41	33.61	8.37	7.06	5.2	2.4	
		6:04	29.66	52.47	34.42	8.31	6.49	8.8	3.0	
		9:04	29.64	52.45	34.41	8.31	7.22	8.5	1.1	
		12:04	31.30	51.34	33.53	8.42	7.53	5.3	2.7	
		15:04	30.47	51.95	34.02	8.40	7.38	10.2	6.9	
		18:04	30.29	51.56	33.73	8.35	7.75	15.6	1.3	
		21:04	29.59	52.43	34.40	8.32	8.28	13.1	5.6	
	日平均值			30.26	51.90	33.99	8.35	7.48	9.34	3.78
	灣內站	0:04	31.14	50.33	32.80	8.34	8.18	5.5	6.0	
		3:04	30.90	50.37	32.84	8.28	6.78	6.2	11.6	
		6:04	30.79	50.50	32.93	8.22	6.16	4.6	10.7	
		9:04	30.85	50.61	33.01	8.26	7.53	3.3	9.1	
		12:04	31.14	50.70	33.07	8.28	8.22	4.4	7.6	
		15:04	31.49	50.73	33.08	8.27	8.06	6.8	6.1	
		18:04	31.69	49.92	32.48	8.23	7.50	7.1	11.1	
		21:04	31.61	50.52	32.92	8.29	8.03	4.7	4.5	
	日平均值			31.20	50.46	32.89	8.27	7.56	5.33	8.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月7日	蚵殼站	0:04	30.99	49.82	32.43	8.26	7.14	3.8	8.9	
		3:04	30.39	46.24	29.85	8.22	6.72	4.2	9.7	
		6:04	30.43	48.01	31.13	8.23	6.55	4.1	10.8	
		9:04	30.63	49.50	32.21	8.31	8.21	4.1	35.5	
		12:04	31.08	49.94	32.52	8.42	11.47	4.6	52.8	
		15:04	30.92	50.13	32.66	8.28	8.20	4.6	17.5	
		18:04	31.13	50.12	32.65	8.27	8.10	5.6	9.1	
		21:04	31.13	49.76	32.38	8.38	9.23	4.3	2.8	
	日平均值			30.84	49.19	31.98	8.30	8.20	4.41	18.39
	潮口站	0:04	30.74	49.98	32.56	8.43	7.06	4.4	6.7	
		3:04	30.51	48.52	31.50	8.46	6.92	3.3	2.5	
		6:04	29.78	51.57	33.76	8.33	6.59	12.5	5.8	
		9:04	29.61	52.30	34.30	8.31	7.81	14.6	7.3	
		12:04	31.15	50.41	32.85	8.43	10.30	3.9	7.5	
		15:04	30.43	51.75	33.87	8.37	9.03	14.6	7.4	
		18:04	30.60	51.21	33.47	8.36	8.35	9.7	2.7	
		21:04	29.93	51.72	33.86	8.31	9.03	9.4	2.7	
	日平均值			30.34	50.93	33.27	8.38	8.14	9.05	5.33
	灣內站	0:04	31.30	50.65	33.03	8.25	6.98	3.9	4.0	
		3:04	31.16	50.42	32.87	8.25	7.12	3.4	3.3	
		6:04	30.94	50.57	32.98	8.23	6.63	2.8	4.7	
		9:04	31.01	50.49	32.92	8.25	7.40	2.8	7.6	
		12:04	31.40	50.51	32.92	8.31	9.13	3.5	7.3	
		15:04	31.74	50.45	32.87	8.34	9.86	5.0	12.1	
		18:04	32.21	48.91	31.73	8.30	8.59	7.4	8.3	
		21:04	31.71	49.67	32.29	8.33	8.82	5.5	8.7	
	日平均值			31.43	50.21	32.70	8.28	8.07	4.29	7.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月8日	蚵殼站	0:04	31.04	49.00	31.83	8.34	8.35	5.5	2.9	
		3:04	31.01	48.47	31.44	8.31	7.96	4.8	4.9	
		6:04	29.74	44.81	28.83	8.25	7.04	6.0	32.0	
		9:04	30.93	49.21	31.99	8.32	8.58	3.9	15.7	
		12:04	31.37	48.98	31.80	8.34	8.96	3.4	12.0	
		15:04	31.49	48.91	31.75	8.36	9.50	4.3	34.6	
		18:04	31.32	49.30	32.04	8.36	9.37	5.1	11.5	
		21:04	31.46	47.85	30.98	8.49	11.01	5.1	6.2	
	日平均值			31.05	48.32	31.33	8.35	8.85	4.76	14.98
	潮口站	0:04	31.00	50.03	32.59	8.42	8.35	4.6	7.1	
		3:04	31.09	50.23	32.73	8.53	7.91	2.1	0.6	
		6:04	30.73	50.07	32.62	8.48	7.43	4.6	1.3	
		9:04	30.00	52.12	34.16	8.33	8.66	11.5	0.4	
		12:04	31.42	50.37	32.82	8.43	9.67	4.4	3.5	
		15:04	30.88	51.27	33.50	8.43	11.82	15.5	6.1	
		18:04	30.64	51.45	33.64	8.37	11.93	10.6	5.2	
		21:04	29.45	52.30	34.31	8.30	11.68	9.3	6.0	
	日平均值			30.65	50.98	33.30	8.41	9.68	7.83	3.78
	灣內站	0:04	31.33	50.38	32.82	8.28	8.35	3.7	5.2	
		3:04	31.26	49.87	32.46	8.27	7.86	3.7	7.2	
		6:04	31.12	50.33	32.80	8.27	7.81	3.0	10.7	
		9:04	31.10	49.09	31.89	8.31	8.73	2.6	4.9	
		12:04	32.02	50.12	32.62	8.36	10.38	2.7	5.2	
		15:04	31.74	47.95	31.04	8.51	14.14	5.9	45.3	
		18:04	32.09	46.63	30.07	8.62	14.49	6.3	27.1	
		21:04	31.70	49.03	31.83	8.50	12.34	4.3	8.4	
	日平均值			31.55	49.18	31.94	8.39	10.51	4.03	14.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月9日	蚵殼站	0:04	31.32	49.52	32.20	8.34	8.74	4.1	11.0	
		3:04	30.59	48.72	31.64	8.35	8.37	4.4	8.0	
		6:04	30.89	48.31	31.33	8.41	9.23	4.1	8.7	
		9:04	31.04	48.31	31.33	8.40	9.43	4.2	23.3	
		12:04	31.26	49.20	31.96	8.43	10.54	5.2	46.1	
		15:04	31.65	49.62	32.26	8.46	11.86	4.8	26.2	
		18:04	32.20	48.72	31.58	8.51	12.23	4.1	11.6	
		21:04	32.08	48.53	31.45	8.51	11.42	3.8	3.7	
	日平均值			31.38	48.87	31.72	8.43	10.23	4.34	17.33
	潮口站	0:04	30.32	48.50	31.49	8.41	10.03	5.0	2.4	
		0:34	30.51	48.57	31.54	8.45	9.41	5.0	5.4	
		6:04	31.51	48.37	31.35	8.58	9.29	4.5	6.3	
		9:04	30.00	51.62	33.79	8.36	10.87	8.2	0.7	
		12:04	31.39	49.78	32.38	8.47	12.13	5.0	4.9	
		15:04	31.94	50.72	33.05	8.59	13.09	9.7	20.0	
		18:04	31.94	50.49	32.89	8.63	13.52	3.5	5.9	
		21:04	30.03	51.84	33.95	8.34	12.28	7.7	2.4	
	日平均值			30.96	49.99	32.56	8.48	11.33	6.08	6.00
	灣內站	0:04	31.72	49.67	32.29	8.45	11.32	4.4	10.2	
		3:04	31.70	50.08	32.59	8.39	9.91	3.8	14.1	
		6:04	31.56	50.37	32.81	8.35	9.35	3.5	10.7	
		9:04	31.74	50.22	32.70	8.46	12.30	3.9	28.7	
		12:04	32.32	49.41	32.08	8.52	13.72	3.6	14.1	
		15:04	32.75	49.14	31.87	8.56	14.31	4.2	14.6	
		18:04	32.56	49.16	31.89	8.59	14.81	4.0	12.7	
		21:04	32.49	49.23	31.95	8.55	13.14	3.6	5.6	
	日平均值			32.11	49.66	32.27	8.48	12.36	3.88	13.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月10日	蚵殼站	0:04	31.96	47.79	30.92	8.04	11.48	4.6	4.0	
		3:04	31.70	48.19	31.21	8.03	11.08	4.4	8.8	
		6:04	31.43	48.34	31.33	8.03	10.74	4.0	12.4	
		9:04	31.57	48.39	31.37	8.04	11.17	3.9	12.0	
		12:04	31.65	48.96	31.78	8.09	14.03	4.4	66.2	
		15:04	32.25	49.18	31.92	8.08	13.70	5.6	29.4	
		18:04	31.54	48.88	31.72	8.00	10.13	4.1	5.7	
		21:04	31.83	46.55	30.02	8.03	10.50	6.1	11.8	
	日平均值			31.74	48.29	31.28	8.04	11.60	4.64	18.79
	潮口站	0:04	30.18	51.33	33.57	8.36	11.92	7.1	5.0	
		9:04	30.73	50.71	33.09	8.47	11.19	15.2	2.3	
		9:34	30.53	51.07	33.37	8.45	11.83	9.5	1.3	
		10:04	30.04	51.80	33.92	8.38	11.50	13.3	0.9	
		12:04	31.16	51.02	33.31	8.48	13.25	9.8	1.2	
		15:04	31.74	50.66	33.02	8.57	13.78	5.2	3.6	
		18:04	31.00	50.43	32.88	8.46	10.44	6.7	9.0	
		21:04	31.08	49.52	32.20	8.36	11.32	8.8	7.9	
	日平均值			30.81	50.82	33.17	8.44	11.90	9.45	3.90
	灣內站	3:34	31.64	49.76	32.37	8.49	11.37	4.9	5.9	
		4:04	31.61	49.76	32.37	8.47	11.25	4.4	4.2	
		6:04	31.40	49.65	32.29	8.48	10.61	3.6	12.3	
		9:04	31.55	49.61	32.25	8.50	11.21	3.1	7.4	
		11:04	32.11	49.67	32.28	8.49	11.42	3.2	4.8	
		16:34	32.26	49.55	32.19	8.50	11.20	3.7	8.2	
		17:34	32.11	49.37	32.07	8.51	10.77	3.5	8.0	
		23:34	32.02	49.34	32.05	8.51	10.39	4.2	5.2	
	日平均值			31.84	49.59	32.23	8.49	11.03	3.83	7.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月11日	蚵殼站	0:04	31.81	48.68	31.57	8.42	10.50	3.6	6.0	
		3:04	31.69	48.86	31.70	8.49	9.84	3.6	14.5	
		6:04	31.08	47.89	31.02	8.52	9.24	3.8	22.5	
		9:04	30.69	47.72	30.91	8.47	8.81	4.0	22.3	
		12:04	31.23	48.25	31.28	8.54	11.26	4.3	34.4	
		15:04	31.51	48.53	31.47	8.41	12.82	4.4	37.7	
		18:04	30.95	49.15	31.94	8.50	10.88	3.7	13.0	
		21:04	31.24	47.86	30.99	8.50	9.66	5.1	13.6	
	日平均值			31.28	48.37	31.36	8.48	10.38	4.06	20.50
	潮口站	0:04	30.56	48.45	31.45	8.32	10.55	4.1	4.8	
		3:04	31.22	47.20	30.51	8.46	9.86	1.9	1.3	
		6:04	30.81	47.55	30.79	8.48	8.45	1.9	2.8	
		9:04	30.80	48.68	31.61	8.40	8.26	3.7	4.3	
		12:04	31.89	48.48	31.42	8.46	12.66	4.1	1.1	
		15:04	32.11	48.48	31.41	8.51	14.10	5.3	11.9	
		18:04	32.01	48.50	31.43	8.51	8.94	10.1	11.0	
		21:04	31.65	48.57	31.50	8.39	9.22	5.4	2.8	
	日平均值			31.38	48.24	31.27	8.44	10.26	4.56	5.00
	灣內站	0:04	32.11	49.30	32.01	8.55	10.59	5.1	6.7	
		3:04	31.88	49.49	32.16	8.50	9.88	3.4	4.9	
		6:04	31.48	49.49	32.17	8.42	7.66	4.2	14.1	
		9:04	31.01	49.49	32.19	8.39	7.71	3.4	4.0	
		12:04	31.38	48.42	31.39	8.64	14.06	4.1	31.0	
		15:04	32.06	47.07	30.39	8.68	15.38	4.9	42.8	
		18:04	31.53	49.52	32.19	8.34	7.00	8.4	10.5	
		21:04	31.21	49.76	32.38	8.41	8.77	4.9	8.5	
	日平均值			31.58	49.07	31.86	8.49	10.13	4.80	15.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月12日	蚵殼站	0:04	31.06	47.65	30.84	8.39	10.93	3.5	4.3	
		3:04	30.63	47.29	30.60	8.36	9.64	3.4	6.6	
		6:04	30.01	46.82	30.28	8.25	8.23	4.3	3.3	
		9:04	29.95	45.67	29.45	8.28	8.23	4.4	5.7	
		12:04	30.26	47.12	30.49	8.31	10.15	5.2	78.2	
		15:04	30.32	46.21	29.83	8.37	12.79	4.4	38.4	
		18:04	30.56	46.00	29.67	8.42	13.63	4.7	28.9	
		21:04	30.37	46.07	29.72	8.41	13.23	5.0	13.7	
	日平均值			30.40	46.60	30.11	8.35	10.85	4.36	22.39
	潮口站	0:04	30.31	48.03	31.15	8.38	11.30	8.6	1.8	
		3:04	30.37	49.03	31.88	8.38	10.18	6.1	13.2	
		6:04	30.16	47.82	31.00	8.46	8.91	6.8	17.6	
		9:04	30.03	46.80	30.26	8.53	8.76	8.0	9.2	
		12:04	30.17	47.27	30.60	8.54	9.80	6.1	15.8	
		15:04	30.50	46.78	30.24	8.46	12.65	19.3	9.3	
		18:04	30.61	45.59	29.37	8.51	12.88	6.3	12.8	
		21:04	30.13	45.08	29.02	8.46	13.08	4.8	10.9	
	日平均值			30.29	47.05	30.44	8.47	10.95	8.25	11.33
	灣內站	0:04	31.15	49.66	32.30	8.35	11.67	2.9	3.6	
		3:04	30.87	48.49	31.46	8.40	10.71	2.9	4.1	
		6:04	30.76	48.52	31.49	8.35	9.59	3.0	4.5	
		9:04	30.64	48.16	31.23	8.33	9.29	2.8	13.6	
		12:04	30.54	47.29	30.60	8.32	9.45	3.6	26.3	
		15:04	30.41	46.69	30.17	8.40	12.50	3.8	36.4	
		18:04	30.64	47.16	30.50	8.38	12.12	4.4	18.0	
		21:04	30.58	46.50	30.03	8.41	12.93	3.4	5.1	
	日平均值			30.70	47.81	30.97	8.37	11.03	3.35	13.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月13日	蚵殼站	0:04	30.14	47.07	30.45	8.50	9.85	3.9	13.2	
		3:04	29.61	44.98	28.96	8.47	9.56	4.7	8.4	
		6:04	29.64	45.01	28.98	8.51	9.60	4.3	9.6	
		9:04	29.50	45.52	29.36	8.45	8.92	4.8	27.7	
		12:04	29.43	46.01	29.71	8.44	8.98	4.7	41.9	
		15:04	29.17	44.32	28.50	8.53	10.55	6.4	55.2	
		18:04	29.21	45.16	29.10	8.49	9.40	4.4	8.9	
		21:04	29.04	44.96	28.97	8.44	8.38	6.1	17.9	
	日平均值			29.47	45.38	29.25	8.48	9.41	4.91	22.85
	潮口站	0:04	28.92	36.21	22.77	8.37	9.26	20.5	1.2	
		3:04	29.77	46.52	30.07	8.34	9.03	17.3	5.0	
		6:04	29.08	40.61	25.86	8.54	8.90	4.9	6.1	
		9:04	29.39	43.24	27.72	8.53	8.65	10.8	15.3	
		12:04	28.80	40.75	25.97	8.46	8.66	11.3	10.5	
		15:04	29.38	44.73	28.79	8.29	9.83	34.1	3.8	
		18:04	28.85	40.70	25.93	8.41	8.50	11.9	6.7	
		21:04	28.76	41.01	26.15	8.55	8.58	11.0	20.4	
	日平均值			29.12	41.72	26.66	8.44	8.93	15.23	8.63
	灣內站	0:04	30.40	47.61	30.84	8.48	8.66	4.5	17.2	
		3:04	30.34	48.31	31.35	8.46	8.50	3.0	7.3	
		6:04	30.05	46.81	30.27	8.46	8.19	2.9	9.2	
		9:04	29.78	45.34	29.22	8.45	8.37	5.0	43.2	
		12:04	30.06	47.42	30.71	8.45	8.33	5.0	20.1	
		15:04	29.77	45.21	29.12	8.45	9.11	5.2	25.2	
		18:04	29.71	47.66	30.90	8.37	7.59	5.6	7.2	
		21:04	29.49	46.36	29.96	8.45	8.78	3.3	3.7	
	日平均值			29.95	46.84	30.30	8.45	8.44	4.31	16.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
8月14日	蚵殼站	0:04	28.59	43.13	27.66	8.48	8.72	4.1	4.2
		3:04	28.54	43.34	27.82	8.48	8.42	3.6	5.1
		6:04	28.75	44.17	28.40	8.36	7.78	5.0	32.6
		9:04	28.74	43.24	27.74	8.48	11.54	5.2	55.7
		12:04	29.40	42.95	27.51	8.46	11.97	4.5	42.1
		15:04	29.69	46.64	30.16	8.25	6.72	5.1	5.6
		18:04	29.39	45.90	29.63	8.36	8.44	6.9	19.0
		21:04	29.21	46.00	29.71	8.33	7.88	7.0	9.5
	日平均值		29.04	44.42	28.58	8.40	8.93	5.18	21.73
	潮口站	0:04	29.43	46.46	30.03	8.32	8.67	17.9	1.4
		3:04	29.43	47.43	30.74	8.28	8.40	20.4	2.3
		6:04	28.57	43.55	27.97	8.51	7.30	3.5	5.3
		9:04	28.86	43.70	28.06	8.53	10.74	8.6	6.3
		12:04	29.48	42.91	27.48	8.55	12.36	8.7	11.5
		15:04	29.67	43.21	27.69	8.61	6.82	7.3	17.9
		18:04	29.44	42.86	27.45	8.47	5.84	21.3	15.1
		21:04	29.02	43.20	27.70	8.57	6.15	18.4	16.8
	日平均值		29.24	44.17	28.39	8.48	8.29	13.26	9.58
	灣內站	0:04	29.39	46.61	30.15	8.46	8.62	2.9	5.7
		3:04	29.36	46.04	29.73	8.44	8.38	3.2	8.2
		6:04	29.62	47.29	30.63	8.36	6.82	3.1	14.9
		9:04	29.09	45.15	29.10	8.47	9.94	4.2	33.0
		12:04	29.61	42.60	27.26	8.56	12.74	4.4	32.7
		15:04	29.88	46.29	29.90	8.32	6.91	8.3	8.5
		18:04	29.80	49.55	32.27	8.02	3.24	7.8	1.0
		21:04	29.48	48.91	31.82	8.09	4.41	6.3	1.5
	日平均值		29.53	46.56	30.11	8.34	7.63	5.03	13.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月15日	蚵殼站	0:04	29.14	45.91	29.65	8.30	7.30	6.3	17.5	
		3:04	28.85	44.96	28.97	8.39	7.66	4.9	21.7	
		6:04	28.86	46.53	30.10	8.22	6.32	7.9	13.2	
		9:04	28.92	46.69	30.22	8.21	6.79	4.9	17.3	
		12:04	28.99	47.16	30.56	8.23	7.73	5.6	34.0	
		15:04	28.94	47.06	30.49	8.28	8.47	5.8	19.0	
		18:04	28.85	46.59	30.15	8.32	8.64	5.9	17.0	
		21:04	28.74	46.58	30.14	8.29	8.02	5.0	14.4	
	日平均值			28.91	46.44	30.04	8.28	7.62	5.79	19.26
	潮口站	0:04	28.96	44.95	28.96	8.42	6.15	15.9	3.8	
		3:04	29.23	47.39	30.71	8.32	7.20	42.4	5.0	
		6:04	28.76	45.39	29.28	8.43	6.24	12.1	4.9	
		9:04	28.89	45.91	29.66	8.42	6.78	23.3	11.9	
		12:04	28.81	44.25	28.46	8.42	7.11	33.8	7.0	
		15:04	29.17	47.22	30.60	8.32	6.27	82.5	8.6	
		18:04	29.05	45.19	29.13	8.37	7.67	38.3	17.5	
		21:04	28.84	45.05	29.03	8.41	7.08	20.1	16.8	
	日平均值			28.96	45.67	29.48	8.39	6.81	33.55	9.44
	灣內站	0:04	29.17	47.88	31.08	8.14	4.99	4.7	4.1	
		3:04	29.13	46.34	29.96	8.34	6.74	3.9	20.9	
		6:04	29.01	46.73	30.25	8.28	6.15	4.1	9.9	
		9:04	28.90	47.41	30.74	8.24	6.77	4.2	12.4	
		12:04	28.98	48.04	31.20	8.18	6.48	6.9	7.8	
		15:04	29.46	48.83	31.76	8.01	4.06	7.1	3.4	
		18:04	29.07	47.98	31.15	8.21	6.69	4.2	4.8	
		21:04	29.00	48.12	31.25	8.18	6.14	4.0	4.2	
	日平均值			29.09	47.67	30.92	8.20	6.00	4.89	8.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月16日	蚵殼站	0:04	28.68	46.87	30.36	8.21	7.11	5.3	20.4	
		3:04	28.52	44.84	28.89	8.21	6.79	5.6	16.9	
		6:04	28.48	44.28	28.49	8.17	6.60	5.0	16.2	
		9:04	28.57	45.84	29.62	8.15	6.97	4.9	14.1	
		12:14	28.80	44.79	28.85	8.18	8.07	6.0	11.6	
		15:04	28.79	44.74	28.81	8.25	8.94	5.1	21.1	
		18:04	28.29	40.42	25.74	8.18	7.88	4.6	3.9	
		21:04	27.92	39.72	25.26	8.15	7.74	5.7	5.5	
	日平均值			28.51	43.94	28.25	8.19	7.51	5.28	13.71
	潮口站	0:04	28.64	45.34	29.25	8.37	9.72	15.1	10.9	
		3:04	29.10	48.68	31.66	8.21	8.70	65.2	1.6	
		6:04	28.89	47.84	31.05	8.22	8.17	56.2	0.1	
		9:04	28.55	46.14	29.83	8.29	7.98	23.5	5.8	
		12:14	28.81	46.04	29.75	8.30	7.63	30.7	9.8	
		15:04	29.01	45.45	29.32	8.31	9.35	26.6	12.3	
		18:04	28.77	43.86	28.18	8.26	9.07	28.4	6.7	
		21:04	28.26	40.42	25.75	8.35	8.23	20.6	5.5	
	日平均值			28.75	45.47	29.35	8.29	8.61	33.29	6.59
	灣內站	0:04	28.86	48.24	31.35	8.16	5.95	5.9	8.1	
		3:04	28.62	47.38	30.73	8.17	6.01	4.8	7.1	
		6:04	28.55	47.09	30.52	8.25	6.49	3.8	12.8	
		9:04	28.58	46.54	30.12	8.14	6.48	5.1	9.8	
		12:14	28.92	46.27	29.92	8.22	8.29	7.1	24.2	
		15:04	28.79	45.25	29.18	8.18	7.35	6.0	4.5	
		18:04	28.70	47.11	30.53	8.30	7.57	4.2	8.8	
		21:04	28.68	46.48	30.07	8.28	7.86	4.8	5.5	
	日平均值			28.71	46.80	30.30	8.21	7.00	5.21	10.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月17日	蚵殼站	0:04	28.15	40.69	25.94	8.19	7.83	3.8	5.4	
		3:04	28.05	40.71	25.96	8.22	7.89	3.6	5.9	
		6:04	27.99	41.58	26.57	8.21	7.69	3.4	15.7	
		9:04	28.31	41.10	26.22	8.27	9.28	4.6	26.2	
		12:04	29.01	44.43	28.59	8.24	8.86	5.1	6.5	
		15:04	28.85	43.77	28.12	8.20	8.05	2.0	2.5	
		18:04	28.81	40.31	25.65	8.35	10.36	3.9	16.1	
		21:04	28.47	36.87	23.24	8.30	9.41	1.3	6.9	
	日平均值			28.46	41.18	26.29	8.25	8.67	3.46	10.65
	潮口站	0:04	28.02	40.39	25.73	8.25	8.06	9.6	9.9	
		3:04	29.16	49.09	31.96	8.15	7.94	21.9	4.3	
		6:04	28.46	43.91	28.23	8.15	7.72	15.9	5.9	
		9:04	28.25	41.56	26.55	8.20	8.12	5.4	15.5	
		12:04	28.87	43.06	27.60	8.36	11.48	20.7	28.7	
		15:04	29.25	37.96	23.99	8.28	7.04	25.4	18.3	
		18:04	29.16	44.88	28.91	8.16	8.07	67.0	4.0	
		21:04	28.75	39.10	24.80	8.29	9.00	13.5	4.1	
	日平均值			28.74	42.49	27.22	8.23	8.43	22.43	11.34
	灣內站	0:04	28.50	45.41	29.31	8.28	7.80	3.6	5.7	
		3:04	28.43	45.34	29.26	8.26	7.13	4.0	6.9	
		6:04	28.62	46.77	30.29	8.23	7.11	2.8	3.3	
		9:04	28.71	47.04	30.48	8.22	6.96	2.3	11.6	
		12:04	29.18	46.90	30.36	8.20	7.30	6.2	5.8	
		15:04	29.34	42.28	27.03	8.20	7.77	8.0	16.5	
		18:04	28.79	43.83	28.16	8.40	9.86	3.2	7.5	
		21:04	28.90	44.81	28.86	8.24	7.65	3.3	8.0	
	日平均值			28.81	45.30	29.22	8.25	7.70	4.18	8.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
8月18日	蚵殼站	0:04	28.69	42.47	27.19	8.24	8.55	1.4	6.2
		3:04	28.39	39.79	25.30	8.25	8.50	1.1	5.8
		6:04	28.24	39.73	25.26	8.20	7.97	1.5	20.2
		9:04	28.72	45.52	29.38	8.23	8.44	11.4	19.8
		12:04	30.55	45.11	29.02	8.31	8.57	1.9	12.2
		15:04	29.54	45.55	29.37	8.47	13.55	2.1	49.9
		18:04	29.64	44.41	28.55	8.39	12.11	0.7	53.8
		21:04	29.40	43.90	28.19	8.38	11.81	1.2	20.0
	日平均值		29.15	43.31	27.78	8.31	9.94	2.66	23.49
	潮口站	0:04	28.75	40.53	25.81	8.29	8.39	15.0	6.3
		3:04	28.98	47.04	30.47	8.16	7.86	39.4	5.2
		6:04	29.00	46.95	30.41	8.15	7.69	53.9	6.2
		9:04	28.72	40.84	26.03	8.26	7.06	3.5	10.4
		12:04	29.76	41.49	26.46	8.23	10.76	27.9	9.6
		15:04	30.55	39.45	24.99	8.07	7.99	21.5	17.4
		18:04	29.37	48.07	31.20	8.00	7.14	44.3	6.1
		21:04	29.82	39.08	24.76	8.32	10.21	8.4	21.9
	日平均值		29.37	42.93	27.52	8.19	8.39	26.74	10.39
	灣內站	0:04	28.74	43.75	28.11	8.27	8.11	3.1	7.5
		3:04	28.79	45.50	29.36	8.16	6.36	3.1	7.8
		6:04	28.81	45.94	29.68	8.21	7.06	2.3	9.2
		9:04	28.87	46.29	29.93	8.19	6.82	3.1	5.3
		12:04	29.53	42.84	27.51	8.19	6.43	5.4	17.1
		15:04	30.34	41.84	26.72	8.16	6.60	5.9	30.0
		18:04	29.93	46.49	29.96	8.19	6.87	2.8	41.7
		21:04	29.06	46.80	30.21	8.13	5.80	3.2	20.7
	日平均值		29.26	44.93	28.94	8.19	6.76	3.61	17.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月19日	蚵殼站	0:04	29.43	40.86	26.03	8.31	12.21	0.1	23.2	
		3:04	29.23	40.38	25.70	8.27	10.34	0.0	16.9	
		6:04	28.98	42.92	27.51	8.01	6.01	1.2	39.1	
		9:04	29.13	46.80	30.28	8.08	7.65	1.4	25.0	
		12:04	29.97	45.52	29.33	8.60	18.56	0.0	40.4	
		15:04	31.09	45.55	29.32	8.63	20.45	0.4	45.0	
		18:04	31.47	42.63	27.22	8.79	19.60	0.9	54.8	
		21:04	30.71	42.83	27.39	8.74	16.68	2.1	35.7	
	日平均值			30.00	43.44	27.85	8.43	13.94	0.76	35.01
	潮口站	0:04	29.78	41.24	26.28	8.44	10.97	5.3	23.1	
		3:04	29.01	48.69	31.67	8.06	7.15	24.9	10.2	
		6:04	27.70	51.19	33.54	8.05	7.36	33.4	1.0	
		9:04	29.21	43.88	28.18	8.22	8.99	10.6	17.9	
		12:04	29.40	46.26	29.89	8.25	9.31	14.2	39.1	
		15:04	31.14	44.95	28.89	8.63	14.23	13.6	80.1	
		18:04	28.89	49.62	32.36	8.09	7.36	33.0	1.1	
		21:04	30.26	42.95	27.49	8.52	10.66	9.4	29.8	
	日平均值			29.42	46.10	29.79	8.28	9.50	18.05	25.29
	灣內站	0:04	29.64	45.94	29.59	8.28	7.53	2.8	17.1	
		3:04	29.51	46.06	29.68	8.25	7.11	2.4	25.0	
		6:04	29.25	46.34	29.88	8.19	6.24	2.5	21.3	
		9:04	29.23	47.99	31.04	8.04	4.83	3.5	19.2	
		12:04	30.12	45.23	29.07	8.21	7.02	6.5	32.0	
		15:04	31.94	41.66	26.54	8.59	10.60	3.8	51.6	
		18:04	31.25	46.20	29.72	8.36	8.53	5.0	82.9	
		21:04	30.18	47.34	30.55	8.41	9.05	2.2	48.6	
	日平均值			30.14	45.85	29.51	8.29	7.61	3.59	37.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月20日	蚵殼站	0:04	30.07	40.24	25.58	8.52	12.98	0.9	46.9	
		3:04	29.89	40.92	26.07	8.46	12.19	0.1	37.2	
		6:04	29.87	42.49	27.17	8.38	12.87	0.4	44.4	
		9:04	29.15	44.02	28.29	8.21	9.89	4.4	29.1	
		12:04	29.35	45.09	29.04	8.26	12.89	1.6	31.1	
		15:04	31.09	46.82	30.23	8.58	19.15	0.6	44.2	
		22:34	31.01	44.57	28.62	8.42	15.55	0.1	22.1	
		23:04	30.27	45.20	29.10	8.35	12.64	1.5	24.9	
	日平均值			30.09	43.67	28.01	8.40	13.52	1.20	34.99
	潮口站	0:04	30.15	41.99	26.81	8.64	11.33	3.3	47.1	
		3:04	29.44	45.87	29.61	8.35	8.41	8.3	27.2	
		6:04	28.58	50.09	32.71	8.10	7.26	32.9	2.9	
		9:04	29.25	43.89	28.19	8.50	10.43	8.3	24.5	
		12:04	30.08	46.12	29.77	8.52	11.32	12.1	27.8	
		15:04	29.45	48.28	31.36	8.29	9.68	11.3	36.1	
		18:04	28.97	49.15	32.01	8.09	7.28	39.1	5.0	
		21:04	28.61	49.71	32.43	8.12	7.49	38.0	4.2	
	日平均值			29.32	46.89	30.36	8.33	9.15	19.16	21.85
	灣內站	0:04	30.40	46.44	29.91	8.33	7.74	3.3	46.5	
		3:04	30.56	44.79	28.75	8.37	7.66	2.9	54.3	
		6:04	30.15	47.23	30.48	8.37	8.32	2.0	31.6	
		9:04	29.56	48.80	31.60	7.95	4.75	2.9	37.7	
		12:04	30.81	46.70	30.08	8.49	10.47	2.1	23.0	
		15:04	32.26	43.64	27.90	8.76	11.32	2.4	32.1	
		18:04	32.41	43.76	27.98	8.77	11.01	2.7	45.1	
		21:04	31.61	46.39	29.84	8.63	10.41	2.1	26.0	
	日平均值			30.97	45.97	29.57	8.46	8.96	2.55	37.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月21日	蚵殼站	0:04	30.82	44.25	28.40	8.63	15.77	0.3	38.8	
		3:04	31.20	43.82	28.08	8.64	16.17	0.3	41.7	
		6:04	30.58	46.58	30.08	8.39	14.23	0.1	48.3	
		9:04	29.42	48.91	31.80	8.17	10.57	8.6	62.1	
		12:04	29.33	49.47	32.21	8.12	10.56	3.7	51.4	
		15:04	32.12	47.02	30.35	8.61	19.34	0.1	30.4	
		18:04	31.76	47.69	30.84	8.58	16.97	0.9	57.7	
		21:04	31.96	46.41	29.91	8.57	16.85	0.8	38.5	
	日平均值			30.90	46.77	30.21	8.46	15.06	1.85	46.11
	潮口站	0:04	30.83	43.79	28.07	8.68	11.94	4.5	28.4	
		3:04	30.47	44.09	28.30	8.67	11.57	4.2	23.9	
		6:04	28.66	50.09	32.70	8.13	7.14	83.9	0.4	
		9:04	29.17	49.00	31.89	8.18	7.86	43.8	1.9	
		12:04	29.88	47.37	30.68	8.47	11.06	6.2	25.2	
		15:04	30.98	47.38	30.65	8.55	12.96	17.7	27.2	
		18:04	29.40	49.07	31.94	8.18	7.82	24.3	11.6	
		21:04	28.84	50.27	32.83	8.12	7.31	48.7	1.6	
	日平均值			29.78	47.63	30.88	8.37	9.71	29.16	15.03
	灣內站	0:04	31.18	47.07	30.33	8.61	10.25	2.3	30.0	
		3:04	31.39	46.64	30.02	8.62	10.20	2.5	27.0	
		6:04	31.01	47.38	30.55	8.53	9.45	2.2	23.8	
		9:04	29.52	49.91	32.39	8.10	5.76	4.0	22.9	
		12:04	30.23	49.30	31.94	8.29	7.89	2.7	19.7	
		15:04	33.30	44.33	28.34	8.64	9.86	3.2	23.8	
		18:04	33.34	44.89	28.73	8.69	9.59	2.3	26.0	
		21:04	31.45	48.88	31.60	8.46	9.09	2.1	11.9	
	日平均值			31.43	47.30	30.49	8.49	9.01	2.66	23.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月22日	蚵殼站	0:04	29.58	45.55	29.37	8.17	10.87	2.3	25.1	
		3:04	31.22	42.35	27.04	8.44	12.05	1.6	24.5	
		6:04	30.51	42.98	27.51	8.42	11.38	0.8	41.6	
		9:04	29.94	44.47	28.59	8.21	11.43	0.1	65.0	
		12:04	29.57	47.31	30.63	8.22	11.04	0.8	56.4	
		15:04	31.17	48.92	31.75	8.41	14.51	0.5	16.4	
		18:04	31.17	48.52	31.46	8.46	14.74	1.6	7.4	
		21:04	31.54	47.40	30.64	8.47	13.80	2.3	15.2	
	日平均值			30.59	45.94	29.62	8.35	12.48	1.25	31.45
	潮口站	0:04	31.19	44.21	28.36	8.68	11.37	3.5	21.2	
		3:04	30.86	44.17	28.34	8.76	11.17	1.5	13.1	
		6:04	29.03	49.88	32.54	8.16	7.14	21.4	6.4	
		9:04	29.16	50.30	32.85	8.12	7.18	17.1	2.4	
		12:04	29.80	49.09	31.93	8.29	9.00	12.4	11.8	
		15:04	29.82	49.27	32.07	8.38	10.70	7.1	21.2	
		18:04	29.54	49.55	32.28	8.24	8.44	7.6	4.1	
		21:04	28.89	50.96	33.33	8.11	7.05	6.6	0.3	
	日平均值			29.79	48.43	31.46	8.34	9.01	9.65	10.06
	灣內站	0:04	30.57	49.46	32.04	8.19	6.72	3.4	24.4	
		3:04	31.99	47.66	30.72	8.48	8.09	2.2	8.6	
		6:04	31.50	47.81	30.84	8.48	8.11	1.5	10.6	
		9:04	30.44	49.56	32.11	8.17	6.11	1.8	9.4	
		12:04	30.65	49.71	32.21	8.15	6.36	2.9	11.0	
		15:04	32.58	45.75	29.36	8.59	7.93	1.9	12.4	
		18:04	32.26	45.67	29.32	8.62	7.62	1.8	13.5	
		21:04	31.44	48.64	31.43	8.46	7.66	2.0	8.4	
	日平均值			31.43	48.03	31.00	8.39	7.33	2.19	12.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月23日	蚵殼站	0:04	29.86	48.05	31.16	8.13	10.26	1.3	18.3	
		3:04	30.78	48.27	31.29	8.30	11.84	1.9	15.0	
		6:04	30.87	46.79	30.22	8.39	11.29	0.3	33.4	
		9:04	30.71	49.00	31.82	8.21	11.18	1.2	30.0	
		12:04	30.28	50.35	33.82	8.22	13.76	0.9	21.1	
		15:04	30.78	49.57	33.24	8.32	13.18	0.8	37.6	
		18:04	31.56	48.16	31.18	8.42	13.95	0.9	41.1	
		21:04	31.39	48.33	31.32	8.39	13.35	1.9	18.7	
	日平均值			30.78	48.57	31.76	8.30	12.35	1.15	26.90
	潮口站	0:04	31.01	45.19	29.07	8.61	10.44	1.8	10.4	
		3:04	30.46	41.35	26.35	8.58	9.70	5.2	25.3	
		6:04	30.11	47.35	30.66	8.34	8.55	9.0	8.6	
		9:04	29.02	50.61	33.07	8.14	7.22	8.4	0.6	
		12:04	29.72	49.66	32.36	8.23	8.34	4.0	5.6	
		15:04	30.07	49.92	32.53	8.23	8.69	6.2	13.8	
		18:04	30.25	49.39	32.14	8.28	9.01	3.7	2.2	
		21:04	29.23	50.36	32.88	8.11	7.11	8.3	2.0	
	日平均值			29.98	47.98	31.13	8.32	8.63	5.83	8.56
	灣內站	0:04	30.60	49.82	32.29	8.28	6.58	2.5	6.4	
		3:04	30.92	49.52	32.07	8.27	6.27	2.4	5.6	
		6:04	30.77	49.57	32.11	8.32	6.39	1.4	7.7	
		9:04	30.81	49.52	32.07	8.32	6.48	1.3	7.2	
		12:04	31.60	48.04	31.00	8.38	6.58	2.6	9.2	
		15:04	32.10	47.67	30.72	8.48	7.51	2.0	13.3	
		18:04	32.35	45.98	29.53	8.56	7.99	3.7	19.9	
		21:04	31.26	49.08	31.75	8.41	6.91	2.8	7.1	
	日平均值			31.30	48.65	31.44	8.38	6.84	2.34	9.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月24日	蚵殼站	0:04	31.02	48.82	31.68	8.29	11.59	1.5	16.9	
		3:04	30.71	47.99	31.09	8.32	10.77	1.3	22.5	
		6:04	30.50	47.90	31.03	8.35	10.19	1.4	27.4	
		9:04	30.63	48.32	31.33	8.24	10.38	1.0	20.2	
		12:04	30.74	50.39	32.83	8.22	11.46	1.1	19.9	
		15:04	31.54	49.82	32.39	8.30	12.18	0.5	115.4	
		18:04	31.86	49.26	31.97	8.29	11.44	1.9	14.2	
		21:04	31.73	49.05	31.82	8.31	11.19	1.1	18.5	
	日平均值			31.09	48.94	31.77	8.29	11.15	1.23	31.88
	潮口站	0:04	29.14	45.28	29.20	8.08	7.24	4.3	0.2	
		3:04	30.34	44.14	28.34	8.47	9.37	1.5	4.9	
		6:04	30.16	44.63	28.69	8.46	9.06	1.4	9.8	
		9:04	29.28	50.02	32.63	8.13	7.15	8.1	2.5	
		12:04	29.52	50.73	33.15	8.11	7.09	8.7	0.4	
		15:04	30.40	49.69	32.36	8.29	9.63	4.6	22.3	
		18:04	30.73	49.18	31.97	8.31	9.42	4.0	12.0	
		21:04	29.01	50.30	32.85	8.12	7.37	7.1	1.0	
	日平均值			29.82	48.00	31.15	8.25	8.29	4.96	6.64
	灣內站	0:04	30.49	50.41	32.71	8.22	5.88	2.7	6.9	
		3:04	31.08	49.33	31.93	8.32	6.17	1.4	4.2	
		6:04	31.03	49.61	32.13	8.24	5.59	1.5	6.3	
		9:04	31.20	49.00	31.69	8.37	6.65	1.4	6.8	
		12:04	31.75	47.52	30.63	8.41	6.89	1.3	6.4	
		15:04	32.18	47.64	30.70	8.45	7.02	1.8	16.5	
		18:04	32.10	47.63	30.70	8.49	7.15	2.0	9.1	
		21:04	31.85	47.69	30.75	8.48	6.87	1.7	4.8	
	日平均值			31.46	48.60	31.41	8.37	6.53	1.73	7.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月25日	蚵殼站	0:04	31.53	49.16	31.91	8.29	10.64	0.8	17.4	
		3:04	31.38	49.77	32.36	8.33	11.70	0.6	13.0	
		6:04	31.28	48.90	31.73	8.21	9.49	1.0	14.5	
		9:04	31.33	49.00	31.80	8.23	9.72	1.5	4.8	
		12:04	31.44	49.42	32.10	8.29	11.64	1.0	25.0	
		15:04	31.34	50.05	32.57	8.29	13.53	0.2	23.2	
		18:04	31.83	49.50	32.14	8.34	13.09	0.4	21.2	
		21:04	31.73	49.47	32.13	8.30	11.51	0.5	4.7	
	日平均值			31.48	49.41	32.09	8.29	11.42	0.75	15.48
	潮口站	0:04	29.41	48.43	31.47	8.17	8.37	3.3	8.2	
		3:04	30.42	46.52	30.05	8.36	9.01	3.3	4.9	
		6:04	30.09	45.76	29.51	8.36	8.50	3.1	11.7	
		9:04	30.22	47.30	30.62	8.26	7.86	5.4	5.1	
		12:04	29.82	49.12	31.96	8.22	8.13	4.5	5.2	
		15:04	30.62	49.48	32.19	8.20	8.29	4.9	3.3	
		18:04	30.05	49.97	32.57	8.22	8.67	5.4	8.6	
		21:04	29.20	50.61	33.07	8.08	6.81	10.5	4.4	
	日平均值			29.98	48.40	31.43	8.23	8.21	5.05	6.43
	灣內站	0:04	31.69	48.57	31.37	8.44	6.91	1.4	3.8	
		3:04	31.59	48.52	31.33	8.37	6.34	2.0	4.9	
		6:04	31.37	47.64	30.72	8.43	6.26	1.2	5.8	
		9:04	31.03	48.31	31.21	8.33	5.66	2.1	12.8	
		12:04	32.00	47.81	30.82	8.34	5.97	2.0	5.1	
		15:04	32.31	48.05	30.98	8.43	6.55	1.6	6.5	
		18:04	32.27	47.95	30.92	8.45	6.82	1.8	12.1	
		21:04	32.02	47.85	30.85	8.46	6.72	2.1	5.8	
	日平均值			31.79	48.09	31.03	8.41	6.40	1.78	7.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月26日	蚵殼站	0:04	31.45	49.66	32.28	8.17	10.15	1.0	8.3	
		3:04	30.47	50.96	33.26	8.14	8.80	1.8	6.5	
		6:04	31.07	49.64	32.28	8.27	10.14	0.0	9.8	
		9:04	31.22	49.72	32.33	8.28	10.25	1.0	23.9	
		12:04	30.69	50.56	32.96	8.17	8.14	0.6	13.7	
		15:04	31.01	50.69	33.04	8.21	9.60	2.1	25.8	
		18:04	30.95	50.49	32.90	8.29	10.35	1.5	43.8	
		21:04	31.01	50.03	32.56	8.34	10.61	0.3	38.2	
	日平均值			30.98	50.22	32.70	8.23	9.76	1.04	21.25
	潮口站	0:04	28.71	50.83	33.25	8.11	7.43	10.3	0.5	
		3:04	30.81	48.13	31.20	8.39	9.48	0.8	3.5	
		6:04	30.23	49.31	32.08	8.24	8.50	4.6	7.4	
		9:04	30.75	47.98	31.10	8.32	8.54	3.5	5.5	
		12:04	29.26	50.36	32.89	8.13	7.41	8.1	0.8	
		15:04	29.85	50.20	32.75	8.13	7.84	5.8	0.5	
		18:04	29.50	50.29	32.82	8.08	7.16	7.9	1.3	
		21:04	29.36	49.91	32.55	8.00	6.27	14.5	3.6	
	日平均值			29.81	49.63	32.33	8.18	7.83	6.94	2.89
	灣內站	0:04	31.82	48.01	30.97	8.44	6.22	1.5	4.2	
		3:04	31.39	49.44	31.99	8.20	4.49	2.0	6.8	
		6:04	31.51	48.06	31.02	8.35	5.37	1.1	5.6	
		9:04	31.55	47.90	30.90	8.26	4.94	1.5	6.7	
		12:04	31.25	48.28	31.18	8.38	5.82	2.0	7.5	
		15:04	31.50	48.51	31.33	8.39	6.04	3.3	13.8	
		18:04	31.37	48.50	31.33	8.38	5.74	3.3	10.0	
		21:04	31.67	48.05	31.01	8.31	5.11	3.4	4.9	
	日平均值			31.51	48.34	31.22	8.34	5.47	2.26	7.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月27日	蚵殼站	0:04	30.70	49.62	32.28	8.05	7.59	1.5	7.1	
		3:04	30.64	50.18	32.68	8.10	6.56	1.0	12.4	
		6:04	30.44	49.93	32.51	8.13	7.80	1.9	32.0	
		9:04	30.61	50.27	32.75	8.16	10.23	3.1	49.7	
		12:04	31.33	50.48	32.88	8.16	11.96	4.3	18.9	
		15:04	31.33	51.09	33.33	8.27	12.05	3.3	28.3	
		18:04	31.48	51.02	33.27	8.31	13.38	2.4	22.6	
		21:04	30.52	50.17	32.68	8.09	8.56	4.4	11.8	
	日平均值			30.88	50.35	32.80	8.16	9.77	2.74	22.85
	潮口站	0:04	28.28	51.27	33.58	8.09	7.13	8.1	1.3	
		3:04	30.09	47.56	30.81	8.26	8.03	0.7	0.1	
		6:04	30.42	48.45	31.45	8.32	8.40	3.4	2.5	
		9:04	30.55	48.47	31.46	8.15	7.02	8.1	3.9	
		12:04	30.66	49.39	32.13	8.11	6.93	10.4	3.5	
		15:04	30.28	42.10	26.88	8.04	7.76	11.1	3.1	
		18:04	29.43	50.54	33.01	8.02	6.56	14.0	1.4	
		21:04	29.66	49.73	32.41	8.00	6.50	5.3	3.3	
	日平均值			29.92	48.44	31.47	8.12	7.29	7.64	2.39
	灣內站	0:04	30.92	49.49	32.04	8.24	5.28	1.6	3.5	
		3:04	30.19	49.97	32.41	8.02	3.94	3.2	4.7	
		6:04	30.27	49.69	32.21	8.03	4.00	2.4	11.0	
		9:04	30.71	49.39	31.98	8.14	4.73	2.1	15.1	
		12:04	31.64	49.55	32.05	8.28	5.96	2.4	9.2	
		15:04	31.88	49.38	31.91	8.35	6.13	1.9	9.5	
		18:04	31.77	49.54	32.01	8.35	6.02	3.0	8.1	
		21:04	31.66	49.96	32.30	8.31	5.58	2.3	6.3	
	日平均值			31.13	49.62	32.11	8.22	5.21	2.36	8.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月28日	蚵殼站	0:04	30.91	50.56	32.95	8.12	9.23	3.1	10.5	
		3:04	30.77	50.89	33.19	8.12	8.54	2.1	15.6	
		6:04	30.51	50.92	33.22	8.18	8.79	2.9	12.0	
		9:04	30.96	51.02	33.28	8.24	10.15	2.4	32.5	
		12:04	32.01	50.82	33.10	8.29	11.08	1.5	39.2	
		15:04	31.98	51.00	33.24	8.26	12.17	2.1	70.5	
		18:04	31.29	50.97	33.24	8.37	13.38	1.4	21.8	
		21:04	31.42	50.96	33.23	8.28	11.63	2.8	9.4	
	日平均值			31.23	50.89	33.18	8.23	10.62	2.29	26.44
	潮口站	0:04	28.77	50.94	33.32	8.06	7.44	11.2	7.3	
		3:04	29.14	50.40	32.92	8.09	7.70	7.2	3.3	
		6:04	30.25	49.25	32.04	8.13	7.67	7.1	2.2	
		9:04	30.42	49.20	32.00	8.07	7.00	18.4	6.2	
		12:04	31.74	49.08	31.87	8.13	8.33	6.7	3.5	
		15:04	30.66	44.43	28.53	8.07	8.35	7.8	5.6	
		18:04	30.07	47.22	30.57	8.09	8.38	6.3	13.5	
		21:04	30.07	48.88	31.78	8.09	8.05	7.6	9.8	
	日平均值			30.14	48.68	31.63	8.09	7.87	9.04	6.43
	灣內站	0:04	31.61	49.47	31.95	8.32	5.57	2.3	5.2	
		3:04	31.15	50.30	32.54	8.26	5.40	1.5	3.1	
		6:04	31.01	50.76	32.86	8.26	5.29	1.2	8.9	
		9:04	31.22	50.80	32.88	8.24	5.46	1.9	10.0	
		12:04	32.03	50.48	32.62	8.45	7.83	2.1	21.4	
		15:04	32.21	49.80	32.13	8.50	8.10	2.1	18.2	
		18:04	31.86	49.42	31.87	8.46	7.32	1.9	6.6	
		21:04	31.64	49.24	31.75	8.39	6.89	3.4	6.2	
	日平均值			31.59	50.03	32.33	8.36	6.48	2.05	9.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月29日	蚵殼站	0:04	31.32	50.62	32.98	8.22	10.56	4.4	11.6	
		3:04	31.04	50.26	32.73	8.21	9.85	4.5	15.5	
		6:04	30.94	50.32	32.77	8.10	8.68	6.1	33.9	
		9:04	30.96	50.74	33.08	8.27	10.97	7.7	34.7	
		12:04	31.52	50.85	33.14	8.25	11.41	2.5	35.4	
		15:04	32.41	50.90	33.15	8.33	13.76	1.3	14.2	
		18:04	31.55	50.30	32.74	8.32	13.44	3.6	35.9	
		21:04	31.45	49.87	32.43	8.26	11.91	4.4	19.8	
	日平均值			31.40	50.48	32.88	8.25	11.32	4.31	25.13
	潮口站	0:04	29.41	50.21	32.77	8.06	7.68	9.0	0.9	
		3:04	28.77	50.83	33.24	8.04	7.50	14.8	0.6	
		6:04	29.89	48.57	31.55	8.17	8.50	4.0	6.4	
		9:04	30.41	48.53	31.51	8.20	8.75	8.7	4.8	
		12:04	31.35	48.86	31.71	8.11	8.29	15.2	17.1	
		15:04	29.10	50.58	33.05	8.05	7.74	12.8	8.4	
		18:04	29.64	48.53	31.54	8.11	8.86	9.2	8.1	
		21:04	30.85	48.59	31.53	8.39	11.38	3.0	13.3	
	日平均值			29.93	49.34	32.11	8.14	8.59	9.59	7.45
	灣內站	0:04	31.53	49.20	31.72	8.38	6.61	2.4	6.7	
		3:04	30.89	49.65	32.06	8.30	5.87	3.0	7.3	
		6:04	30.98	49.68	32.08	8.26	5.60	2.4	18.7	
		9:04	30.95	49.87	32.21	8.16	5.67	2.1	9.0	
		12:04	31.36	49.65	32.05	8.25	6.44	2.6	10.6	
		15:04	31.56	49.66	32.05	8.32	7.33	2.8	16.5	
		18:04	30.23	49.55	32.04	8.30	7.13	2.0	9.1	
		21:04	31.00	48.36	31.18	8.36	6.99	2.6	9.0	
	日平均值			31.06	49.45	31.92	8.29	6.46	2.49	10.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月30日	蚵殼站	0:04	31.04	50.07	32.59	8.19	10.26	4.3	9.1	
		3:04	30.44	50.66	33.04	8.24	10.94	8.7	14.4	
		6:04	30.22	50.64	33.03	8.17	10.12	6.6	23.3	
		9:04	30.04	50.72	33.10	8.21	10.01	4.0	37.9	
		12:04	31.22	50.48	32.57	8.48	9.09	10.7	13.1	
		15:04	32.00	50.04	32.22	8.54	10.06	33.1	16.6	
		18:04	31.04	50.59	32.65	8.69	12.44	13.7	3.8	
		21:04	30.65	50.67	32.73	8.75	12.24	4.1	1.5	
	日平均值			30.83	50.48	32.74	8.41	10.65	10.65	14.96
	潮口站	0:04	30.39	49.21	32.00	8.26	9.82	5.0	5.5	
		3:04	28.94	51.09	33.43	8.03	7.69	10.6	7.1	
		6:04	28.89	50.91	33.30	8.02	7.69	13.7	5.2	
		9:04	29.73	49.16	31.99	8.24	9.44	2.2	10.4	
		12:04	30.39	49.06	31.90	8.33	9.68	4.1	9.0	
		15:04	30.12	49.37	32.13	8.25	6.97	3.0	8.0	
		18:04	28.81	50.35	32.89	8.20	6.48	2.5	1.4	
		21:04	29.75	50.13	32.70	8.30	7.71	3.8	8.3	
	日平均值			29.63	49.91	32.54	8.20	8.19	5.61	6.86
	灣內站	0:04	30.79	49.54	32.03	8.27	6.41	1.9	17.1	
		3:04	30.13	49.97	32.36	8.22	5.89	1.8	13.2	
		6:04	30.12	50.23	32.54	8.36	6.99	1.7	9.8	
		9:04	30.05	49.87	32.32	8.43	7.56	2.2	25.0	
		12:04	30.46	49.42	32.16	8.26	6.88	1.7	20.7	
		15:04	31.92	49.11	31.88	8.47	10.21	1.1	14.4	
		18:04	31.52	48.91	31.74	8.53	11.80	1.8	14.8	
		21:04	31.33	48.79	31.67	8.52	11.33	1.6	8.5	
	日平均值			30.79	49.48	32.09	8.38	8.38	1.73	15.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月31日	蚵殼站	13:34	30.32	51.75	33.52	8.51	7.06	1.4	27.5	
		14:04	30.29	51.78	33.55	8.46	6.40	2.4	19.7	
		15:04	30.37	51.83	33.58	8.38	5.47	2.1	12.8	
		16:04	30.36	51.86	33.61	8.37	5.37	3.5	18.4	
		17:34	30.26	51.94	33.67	8.40	5.67	4.3	11.1	
		18:04	30.38	51.82	33.58	8.45	6.21	2.3	11.2	
		20:04	30.33	51.69	33.48	8.48	6.38	3.2	5.8	
		21:04	30.33	51.71	33.49	8.49	6.79	1.5	7.4	
	日平均值			30.33	51.80	33.56	8.44	6.17	2.59	14.24
	潮口站	0:04	29.77	49.87	32.51	8.34	8.00	1.7	0.2	
		3:04	29.13	50.77	33.19	8.19	6.45	6.7	5.9	
		6:04	29.06	51.01	33.37	8.18	6.44	6.2	3.2	
		9:04	29.93	49.49	32.23	8.39	8.67	1.3	2.1	
		12:04	29.89	50.65	33.07	8.16	6.32	12.6	4.6	
		15:04	29.48	49.69	32.39	8.15	6.45	6.8	3.0	
		18:04	28.89	48.59	31.60	8.13	6.43	13.2	3.3	
		21:04	29.25	50.51	33.00	8.14	6.02	7.9	2.7	
	日平均值			29.43	50.07	32.67	8.21	6.85	7.05	3.13
	灣內站	0:04	31.16	48.97	31.80	8.46	10.56	0.8	7.5	
		3:04	30.09	50.07	32.65	8.14	6.06	0.5	15.3	
		6:04	30.15	49.92	32.53	8.25	7.55	0.1	16.3	
		9:04	30.23	49.44	32.18	8.36	9.36	0.2	16.4	
		12:04	30.82	49.30	32.06	8.38	9.50	1.3	16.1	
		15:04	31.42	49.07	31.87	8.41	10.56	4.0	41.1	
		18:04	30.65	49.40	32.14	8.41	9.69	1.8	19.4	
		21:04	30.81	49.19	31.97	8.37	9.21	2.3	11.7	
	日平均值			30.67	49.42	32.15	8.35	9.06	1.38	17.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月1日	蚵殼站	1:04	30.15	50.07	32.31	8.53	6.97	3.7	15.7	
		3:04	30.08	50.62	32.71	8.54	6.94	4.1	11.2	
		6:04	30.03	51.27	33.18	8.43	5.87	2.8	7.4	
		9:04	30.36	51.57	33.39	8.49	6.93	2.7	26.1	
		9:34	30.34	51.73	33.51	8.46	6.19	2.3	12.4	
		15:04	30.98	51.39	33.24	8.53	7.97	3.3	17.8	
		18:04	30.59	51.78	33.54	8.43	6.04	3.4	11.7	
		21:04	30.61	51.60	33.40	8.52	7.38	1.7	9.4	
	日平均值			30.39	51.25	33.16	8.49	6.79	3.00	13.96
	潮口站	0:04	29.25	50.32	32.85	8.14	5.98	8.4	10.3	
		3:04	28.89	51.34	33.62	8.14	6.19	8.7	2.4	
		6:04	28.80	51.02	33.38	8.14	6.26	14.7	0.9	
		9:04	29.17	49.03	31.91	8.25	7.21	3.7	0.9	
		12:04	30.27	50.02	32.60	8.31	8.57	4.3	11.3	
		15:04	30.21	50.25	32.77	8.25	7.75	10.1	6.4	
		18:04	29.20	45.02	29.00	8.10	6.64	16.7	1.3	
		21:04	29.03	50.06	32.67	8.13	6.37	6.7	3.6	
	日平均值			29.35	49.63	32.35	8.18	6.87	9.16	4.64
	灣內站	0:04	30.60	48.74	31.65	8.33	8.16	3.7	18.7	
		3:04	30.15	49.32	32.09	8.33	8.30	2.2	41.2	
		6:04	29.68	49.74	32.41	8.21	6.89	1.0	21.4	
		9:04	29.77	50.01	32.61	8.15	6.21	1.5	5.7	
		12:04	30.74	49.79	32.42	8.43	11.37	0.2	26.2	
		15:04	31.15	49.88	32.47	8.48	12.40	1.7	30.4	
		18:04	31.02	49.88	32.47	8.45	11.34	3.0	18.5	
		21:04	30.89	49.74	32.37	8.37	9.81	3.0	13.9	
	日平均值			30.50	49.64	32.31	8.34	9.31	2.04	22.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月2日	蚵殼站	0:04	29.85	50.89	32.91	8.46	6.66	3.2	4.1	
		1:04	29.77	50.79	32.84	8.47	6.66	3.9	0.2	
		6:04	29.96	50.92	32.93	8.45	6.45	2.5	4.5	
		9:04	30.50	51.08	33.03	8.54	6.85	2.6	17.5	
		12:04	29.63	47.79	30.67	8.56	6.65	4.1	21.0	
		15:04	28.68	40.58	25.55	8.50	6.53	6.7	6.7	
		18:04	28.71	41.04	25.88	8.46	6.21	5.8	19.3	
		21:04	28.84	43.68	27.75	8.44	6.13	5.0	7.5	
	日平均值			29.49	47.10	30.20	8.49	6.52	4.23	10.10
	潮口站	0:04	29.43	50.12	32.71	8.10	5.85	8.8	2.8	
		3:04	29.17	50.80	33.21	8.13	6.34	16.4	1.0	
		6:04	28.94	50.47	32.98	8.14	6.63	33.6	1.6	
		9:04	29.16	48.66	31.64	8.19	6.65	3.0	3.4	
		12:04	28.94	47.14	30.55	8.17	6.50	8.7	13.0	
		15:04	28.72	44.83	28.88	8.13	6.29	12.8	11.4	
		18:04	28.06	42.19	27.00	8.12	6.51	22.4	2.5	
		21:04	27.81	35.61	22.38	8.16	6.86	11.7	1.8	
	日平均值			28.78	46.23	29.92	8.14	6.45	14.68	4.69
	灣內站	0:04	30.84	49.38	32.11	8.42	10.16	6.2	11.6	
		3:04	30.68	49.61	32.29	8.39	9.65	1.7	10.2	
		6:04	30.34	49.71	32.38	8.32	8.70	0.1	12.0	
		9:04	29.88	49.35	32.12	8.25	7.79	0.8	19.0	
		12:04	30.06	48.96	31.83	8.26	7.66	3.8	14.8	
		15:04	29.07	42.77	27.39	8.23	7.58	10.5	11.1	
		18:04	28.99	42.02	26.86	8.18	6.90	10.0	10.5	
		21:04	29.23	44.72	28.78	8.19	6.78	2.5	18.8	
	日平均值			29.89	47.07	30.47	8.28	8.15	4.45	13.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月3日	蚵殼站	0:04	27.56	28.31	17.16	8.43	6.11	29.5	2.5	
		3:04	27.85	31.70	19.44	8.39	5.69	20.6	7.4	
		6:04	27.54	27.15	16.38	8.30	5.79	16.8	10.5	
		9:04	28.23	39.57	24.86	8.34	5.95	13.0	7.1	
		12:04	27.99	32.48	19.96	8.44	7.10	13.6	32.9	
		15:04	29.31	27.47	16.56	8.76	11.73	11.3	34.1	
		18:04	29.03	30.36	18.50	8.63	9.69	9.5	6.6	
		21:04	29.23	38.78	24.28	8.40	7.04	8.9	1.1	
	日平均值			28.34	31.98	19.64	8.46	7.39	15.40	12.78
	潮口站	0:04	26.83	23.93	14.47	8.10	7.08	26.7	3.9	
		3:04	27.18	29.80	18.39	8.03	6.30	19.0	1.0	
		6:04	28.08	45.38	29.29	8.11	6.60	34.0	4.1	
		9:04	27.49	35.34	22.19	8.07	6.26	19.7	5.6	
		12:04	28.13	23.59	14.22	8.04	6.98	16.1	2.2	
		15:04	29.93	24.63	14.88	7.98	7.04	19.6	7.1	
		18:04	29.53	29.93	18.44	8.05	7.06	12.5	4.9	
		21:04	28.44	32.36	20.12	8.08	7.18	15.5	3.9	
	日平均值			28.20	30.62	19.00	8.06	6.81	20.39	4.09
	灣內站	0:04	28.08	35.55	22.33	8.19	7.78	6.6	5.7	
		3:04	27.99	34.10	21.33	8.19	7.49	10.8	9.9	
		6:04	28.21	37.05	23.37	8.17	7.09	6.0	11.5	
		9:04	29.00	42.64	27.30	8.12	5.36	2.7	3.0	
		12:04	28.44	38.50	24.39	8.16	6.67	3.8	6.5	
		15:04	29.84	27.05	16.49	8.34	10.48	8.6	19.0	
		18:04	28.88	31.49	19.51	8.27	8.83	8.5	19.4	
		21:04	28.79	33.40	20.83	8.27	8.67	7.5	9.1	
	日平均值			28.65	34.97	21.94	8.21	7.80	6.81	10.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月4日	蚵殼站	0:04	28.77	32.89	20.23	8.45	7.33	8.3	3.5	
		3:04	28.83	24.23	14.43	8.35	7.16	8.8	1.7	
		6:04	28.70	36.05	22.40	8.30	6.10	5.6	6.4	
		9:04	28.88	39.22	24.60	8.21	4.69	5.1	8.6	
		12:04	29.23	35.40	21.94	8.59	10.69	6.5	42.6	
		15:04	30.46	30.24	18.39	8.78	11.81	6.5	17.9	
		18:04	30.44	24.70	14.71	8.45	8.04	6.0	9.6	
		21:04	29.75	35.31	21.86	8.38	6.88	3.3	6.8	
	日平均值			29.38	32.26	19.82	8.44	7.84	6.26	12.14
	潮口站	0:04	28.87	21.53	12.86	8.05	7.39	13.7	4.2	
		3:04	28.70	22.72	13.64	7.96	6.61	10.8	4.2	
		6:04	28.72	34.24	21.41	8.04	6.38	9.5	0.2	
		9:04	28.59	38.51	24.39	8.10	6.68	10.1	2.1	
		12:04	29.80	26.84	16.35	8.17	8.99	7.2	11.5	
		15:04	29.99	30.92	19.10	8.18	8.18	7.3	15.0	
		18:04	29.84	27.04	16.48	8.12	7.54	6.0	10.0	
		21:04	29.18	38.20	24.15	8.12	6.93	8.2	3.4	
	日平均值			29.21	30.00	18.55	8.09	7.34	9.10	6.33
	灣內站	0:04	28.66	36.13	22.72	8.11	6.95	6.9	6.9	
		3:04	28.51	31.07	19.24	8.24	8.77	5.1	3.6	
		6:04	28.57	29.71	18.31	8.20	8.40	5.1	5.6	
		9:04	28.88	41.78	26.69	8.06	5.58	2.6	7.3	
		12:04	28.95	37.04	23.35	8.46	12.56	4.6	42.0	
		15:04	31.03	25.75	15.60	8.35	10.60	4.0	21.9	
		18:04	30.14	29.40	18.06	8.44	11.18	3.0	15.9	
		21:04	29.24	38.85	24.61	8.28	9.00	4.0	12.2	
	日平均值			29.25	33.72	21.07	8.27	9.13	4.41	14.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月5日	蚵殼站	0:04	29.82	35.73	22.15	8.45	8.77	2.8	12.0	
		3:04	30.00	25.81	15.45	8.43	7.48	4.2	1.8	
		6:04	29.76	29.33	17.80	8.44	7.43	4.5	13.9	
		9:04	29.63	38.52	24.09	8.34	7.46	2.4	41.7	
		10:04	29.53	40.13	25.22	8.25	5.90	2.2	12.2	
		10:34	29.74	38.53	24.09	8.47	9.64	2.7	18.2	
		23:04	29.96	40.11	25.19	8.44	6.97	4.9	5.2	
		23:34	29.82	42.00	26.53	8.38	6.37	7.0	8.9	
	日平均值			29.78	36.27	22.57	8.40	7.50	3.84	14.24
	潮口站	0:04	29.31	25.42	15.41	8.21	7.90	3.9	7.7	
		3:04	29.30	26.49	16.12	8.11	7.32	5.1	2.4	
		6:04	28.43	25.22	15.29	8.03	6.72	6.4	1.2	
		9:04	28.80	38.98	24.71	8.10	6.61	9.2	1.0	
		12:04	29.30	35.66	22.38	8.29	9.14	5.7	26.6	
		15:04	31.48	23.92	14.38	8.08	7.71	8.8	15.6	
		18:04	29.86	36.47	22.93	8.09	6.85	8.7	6.2	
		21:04	30.33	25.59	15.51	8.14	7.56	6.4	3.8	
	日平均值			29.60	29.72	18.34	8.13	7.48	6.78	8.06
	灣內站	0:04	29.31	37.40	23.59	8.24	8.50	2.9	14.5	
		3:04	29.71	27.74	16.96	8.32	9.46	1.6	4.7	
		6:04	29.87	29.68	18.26	8.36	10.00	2.6	16.4	
		9:04	29.14	40.43	25.72	8.09	6.25	0.2	9.3	
		12:04	29.51	38.34	24.24	8.42	11.04	1.5	50.4	
		15:04	30.59	33.85	21.09	8.36	10.68	2.9	33.2	
		18:04	30.51	33.42	20.80	8.55	12.93	5.8	21.9	
		21:04	29.55	38.34	24.24	8.17	7.86	8.7	20.2	
	日平均值			29.77	34.90	21.86	8.31	9.59	3.28	21.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月6日	蚵殼站	0:04	29.80	38.93	24.37	8.39	6.79	6.8	9.8	
		3:04	29.66	31.88	19.52	8.53	7.37	4.3	7.8	
		6:04	29.42	32.74	20.11	8.54	7.39	3.4	6.5	
		9:04	29.48	37.37	23.29	8.42	6.65	3.2	9.7	
		11:04	29.33	38.62	24.16	8.33	6.72	2.8	11.7	
		12:34	29.35	40.25	25.30	8.28	5.47	2.2	10.6	
		13:34	29.07	37.63	23.48	8.51	8.77	3.2	26.7	
		22:04	28.89	33.58	20.69	8.43	7.35	3.2	23.8	
	日平均值			29.38	36.38	22.62	8.43	7.06	3.64	13.33
	潮口站	0:04	30.02	22.67	13.58	8.23	7.78	6.7	11.9	
		3:04	29.52	25.79	15.65	8.29	7.73	5.2	8.8	
		6:04	29.01	23.77	14.33	7.99	6.71	9.7	7.3	
		9:04	28.91	41.88	26.76	8.12	6.86	27.2	0.5	
		12:04	29.15	36.27	22.80	8.07	5.98	10.5	10.5	
		15:04	29.00	39.56	25.12	8.09	6.39	8.2	11.8	
		18:04	28.19	26.40	16.09	8.24	8.19	4.7	25.4	
		21:04	27.92	27.00	16.49	8.27	8.13	3.4	15.6	
	日平均值			28.97	30.42	18.85	8.16	7.22	9.45	11.48
	灣內站	0:04	29.24	32.82	20.42	8.39	9.33	1.0	10.7	
		3:04	29.04	38.95	24.68	8.17	7.31	1.3	14.7	
		6:04	28.96	32.95	20.51	8.32	8.64	2.7	17.1	
		9:04	28.74	31.33	19.41	8.39	9.48	1.5	50.1	
		12:04	28.79	30.14	18.60	8.44	10.34	1.8	17.7	
		15:04	28.74	29.80	18.37	8.47	10.79	1.6	20.2	
		18:04	28.64	34.28	21.44	8.34	10.14	4.3	19.6	
		21:04	28.60	33.75	21.07	8.33	9.41	2.7	19.7	
	日平均值			28.84	33.00	20.56	8.36	9.43	2.11	21.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月7日	蚵殼站	4:04	27.78	28.73	17.43	8.53	7.81	3.1	14.0	
		4:34	27.73	28.57	17.33	8.53	7.78	2.7	14.4	
		5:04	27.69	28.91	17.55	8.53	7.75	2.9	13.6	
		5:34	27.69	28.70	17.41	8.50	7.62	2.9	15.8	
		6:04	27.66	28.61	17.35	8.51	7.66	3.5	15.8	
		7:34	28.14	32.19	19.76	8.32	5.88	3.9	34.7	
		8:04	28.17	32.90	20.24	8.33	5.94	4.3	43.3	
		9:04	27.95	30.32	18.49	8.45	6.98	4.6	39.4	
	日平均值			27.85	29.87	18.20	8.46	7.18	3.49	23.88
	潮口站	0:04	27.76	27.31	16.70	8.34	8.41	3.1	19.5	
		3:04	27.57	27.08	16.55	8.21	7.55	4.8	17.1	
		6:04	27.20	26.49	16.16	8.19	7.41	5.2	8.9	
		9:04	27.14	27.28	16.70	8.15	7.39	6.1	14.7	
		12:04	27.11	25.79	15.70	8.29	8.76	4.3	20.3	
		15:04	28.10	28.75	17.67	8.40	9.99	7.0	26.9	
		18:04	28.03	32.79	20.42	8.16	7.34	6.8	23.0	
		21:04	27.68	25.79	15.69	8.23	8.24	8.3	19.7	
	日平均值			27.57	27.66	16.95	8.25	8.14	5.70	18.76
	灣內站	0:04	28.85	36.96	23.29	8.16	7.38	1.3	24.3	
		3:04	27.93	29.85	18.41	8.33	9.02	1.0	16.8	
		6:04	27.85	30.33	18.75	8.19	7.72	2.8	39.1	
		9:04	27.62	28.90	17.78	8.29	8.85	1.7	27.4	
		12:04	28.06	31.12	19.28	8.17	7.64	2.8	11.8	
		15:04	28.04	29.91	18.46	8.45	10.88	2.2	30.4	
		18:04	28.34	25.75	15.65	8.64	13.92	3.6	40.5	
		21:04	28.00	27.92	17.11	8.35	9.77	5.3	30.1	
	日平均值			28.09	30.09	18.59	8.32	9.40	2.59	27.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月8日	蚵殼站	7:04	26.93	21.51	12.69	8.42	7.39	8.3	14.6	
		7:34	26.94	21.50	12.68	8.39	7.44	8.8	15.9	
		8:04	26.96	21.37	12.60	8.41	7.71	7.5	14.9	
		8:34	27.07	21.74	12.83	8.45	8.04	7.1	34.5	
		9:04	27.16	22.00	13.01	8.44	8.21	8.4	22.1	
		22:34	28.39	31.92	19.58	8.38	6.31	2.6	34.0	
		23:04	28.42	31.20	19.08	8.37	6.53	1.9	35.2	
		23:34	28.43	32.31	19.83	8.34	6.39	1.3	35.5	
	日平均值			27.54	25.44	15.29	8.40	7.25	5.74	25.84
	潮口站	0:04	27.87	31.69	19.67	8.25	7.08	4.0	20.4	
		3:04	27.07	26.53	16.19	8.27	8.23	4.9	17.4	
		6:04	26.64	23.99	14.51	8.14	7.49	7.3	19.7	
		9:04	26.89	23.73	14.34	8.24	8.77	6.9	19.7	
		12:04	27.48	26.52	16.18	8.30	9.18	7.0	45.5	
		15:04	27.75	24.25	14.66	8.45	10.52	9.3	50.6	
		18:04	27.63	22.68	13.63	8.48	10.19	6.9	57.1	
		21:04	27.73	27.14	16.59	8.31	8.64	12.1	29.3	
	日平均值			27.38	25.82	15.72	8.31	8.76	7.30	32.46
	灣內站	0:04	28.28	33.26	20.74	7.94	5.59	4.4	29.3	
		3:04	27.70	25.91	15.76	8.42	10.31	2.5	25.1	
		6:04	27.50	23.85	14.40	8.35	9.65	4.0	22.9	
		9:04	27.65	25.06	15.20	8.47	10.96	3.6	54.9	
		12:04	28.12	30.06	18.56	8.29	9.11	3.7	42.7	
		15:04	28.00	22.74	13.66	8.62	12.95	3.8	56.9	
		18:04	27.87	21.21	12.66	8.62	12.75	4.3	59.1	
		21:04	28.01	24.31	14.70	8.30	9.45	4.8	71.0	
	日平均值			27.89	25.80	15.71	8.38	10.10	3.89	45.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月9日	蚵殼站	0:04	28.44	33.08	20.36	8.35	6.18	2.5	40.0	
		0:34	28.48	34.04	21.02	8.26	5.31	7.2	45.6	
		1:04	28.52	35.02	21.69	8.19	4.66	1.8	34.1	
		1:34	28.37	33.66	20.76	8.25	5.10	2.6	38.9	
		2:04	28.39	32.87	20.22	8.26	5.20	2.0	29.3	
		2:34	28.31	32.00	19.63	8.38	6.51	2.1	29.5	
		3:04	28.26	29.79	18.13	8.46	7.76	1.5	36.1	
		3:34	28.19	28.33	17.16	8.54	8.54	1.6	36.4	
	日平均值			28.37	32.35	19.87	8.34	6.16	2.66	36.24
	潮口站	0:04	27.84	33.60	20.98	8.28	8.20	9.1	25.8	
		3:04	27.72	28.32	17.38	8.15	7.20	5.9	25.0	
		6:04	27.54	26.24	15.99	8.19	7.18	5.8	32.8	
		9:04	27.64	24.69	14.96	8.41	10.11	6.3	55.2	
		12:04	28.07	28.67	17.62	8.45	11.27	15.5	56.8	
		15:04	28.48	34.27	21.43	8.55	12.85	5.3	88.8	
		18:04	28.76	33.76	21.08	8.26	12.85	6.1	63.8	
		21:04	29.58	26.58	16.18	8.94	15.67	7.0	81.6	
	日平均值			28.20	29.52	18.20	8.40	10.67	7.63	53.73
	灣內站	0:04	28.78	41.46	26.47	7.89	3.59	0.9	20.5	
		3:04	28.44	35.58	22.34	7.90	4.34	0.3	30.8	
		6:04	27.84	23.04	13.86	8.19	8.22	2.5	43.7	
		11:34	28.25	25.33	15.37	8.51	13.08	2.2	85.9	
		22:04	29.17	31.99	19.85	8.21	7.21	5.8	80.1	
		22:34	28.97	34.51	21.59	8.05	6.28	0.4	51.3	
		23:04	28.78	38.63	24.47	7.97	4.69	0.4	35.3	
		23:34	28.84	41.36	26.40	7.85	3.24	1.1	21.8	
	日平均值			28.63	33.99	21.29	8.07	6.33	1.70	46.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月10日	蚵殼站	0:04	29.30	39.59	24.85	8.08	8.95	4.9	43.0	
		3:04	29.44	36.50	22.69	8.13	10.01	2.8	45.2	
		6:04	29.87	25.88	15.50	8.70	16.88	3.0	108.9	
		9:04	29.77	22.84	13.51	8.45	19.11	5.1	130.0	
		12:04	30.08	30.43	18.53	8.07	18.36	4.1	124.8	
		15:04	30.27	31.63	19.34	8.21	20.43	5.1	193.0	
		18:04	31.41	28.62	17.28	8.45	23.24	4.1	163.4	
		21:04	31.32	27.45	16.51	8.10	16.98	5.1	156.9	
	日平均值			30.18	30.37	18.53	8.27	16.75	4.28	120.65
	潮口站	0:04	29.33	32.40	20.12	8.03	11.44	9.5	42.7	
		3:04	29.27	27.21	16.60	8.08	10.84	4.9	47.0	
		6:04	29.15	22.81	13.69	8.26	11.85	6.2	91.5	
		9:04	29.85	21.35	12.72	8.32	14.15	6.1	64.2	
		12:04	29.54	31.85	19.74	7.92	10.80	8.5	50.8	
		15:04	29.89	32.19	19.97	8.21	15.92	11.6	118.2	
		18:04	29.67	33.37	20.79	8.10	13.45	10.9	113.5	
		21:04	29.94	31.88	19.75	8.17	14.33	10.1	79.8	
	日平均值			29.58	29.13	17.92	8.14	12.85	8.48	75.96
	灣內站	0:04	28.81	40.81	26.01	7.91	4.09	1.7	19.4	
		3:04	29.13	37.49	23.66	8.35	10.06	0.7	49.7	
		6:04	29.17	35.21	22.07	8.43	10.58	1.0	76.0	
		9:04	29.70	27.65	16.90	8.08	19.71	2.2	148.1	
		12:04	31.23	21.61	12.87	8.43	26.52	2.7	115.6	
		15:04	29.50	35.25	22.09	8.49	12.45	1.3	78.8	
		18:04	30.85	28.77	17.62	8.42	18.49	8.8	138.4	
		21:04	30.01	33.11	20.60	8.54	12.22	5.8	173.7	
	日平均值			29.80	32.49	20.23	8.33	14.27	3.03	99.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月11日	蚵殼站	0:04	29.57	37.48	23.37	7.91	6.16	1.5	56.3	
		3:04	29.82	38.49	24.06	7.95	7.29	3.4	73.7	
		6:04	30.26	37.22	23.17	8.16	10.18	3.5	80.3	
		9:04	30.69	24.24	14.40	8.42	17.88	4.0	87.3	
		12:04	31.18	32.14	19.66	8.37	23.79	5.4	96.1	
		15:04	31.74	33.12	20.31	8.52	27.55	5.0	132.3	
		18:04	31.82	35.48	21.92	8.10	22.18	4.6	103.0	
		21:04	32.07	33.54	20.59	8.21	18.74	4.1	79.8	
	日平均值			30.89	33.96	20.94	8.21	16.72	3.94	88.60
	潮口站	0:04	30.11	36.40	22.87	8.43	9.55	9.9	24.5	
		3:04	29.92	44.95	28.93	8.15	7.30	11.8	14.5	
		6:04	29.73	36.31	22.82	8.32	8.84	6.9	71.4	
		9:04	29.77	34.87	21.82	8.34	9.00	10.3	40.7	
		12:04	30.04	39.30	24.91	8.35	9.86	9.8	44.5	
		15:04	31.64	37.87	23.86	8.23	9.98	9.5	16.9	
		18:04	31.86	36.41	22.83	8.31	10.98	16.1	29.4	
		21:04	31.85	29.57	18.14	8.39	13.60	17.5	47.7	
	日平均值			30.62	36.96	23.27	8.32	9.89	11.48	36.20
	灣內站	0:04	29.54	39.75	25.24	8.20	6.49	1.7	56.0	
		3:04	29.79	40.28	25.60	8.34	9.83	1.3	43.5	
		6:04	29.37	40.06	25.46	8.18	6.98	0.4	52.3	
		9:04	30.30	33.48	20.84	8.69	15.83	3.6	178.4	
		12:04	32.43	24.64	14.84	8.27	22.24	2.0	82.3	
		15:04	30.51	35.84	22.47	8.18	15.86	7.9	152.7	
		18:04	30.91	36.83	23.15	8.10	12.31	7.0	186.4	
		21:04	30.34	37.86	23.89	8.13	14.94	3.7	120.8	
	日平均值			30.40	36.09	22.69	8.26	13.06	3.45	109.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月12日	蚵殼站	0:04	31.67	32.73	20.05	8.21	16.51	3.9	77.8	
		3:04	30.61	41.14	25.90	8.56	8.38	3.7	54.0	
		6:04	30.91	40.29	25.29	8.21	12.58	3.0	72.4	
		9:04	31.26	33.74	20.75	8.13	15.64	4.3	88.4	
		12:04	32.19	31.25	19.03	8.30	21.70	5.9	77.2	
		15:04	32.55	33.85	20.79	8.28	18.90	6.5	71.6	
		18:04	31.98	36.08	22.33	8.05	14.13	5.2	72.4	
		21:04	32.30	32.95	20.18	8.43	13.49	7.1	53.8	
	日平均值			31.68	35.25	21.79	8.27	15.17	4.95	70.95
	潮口站	0:04	30.25	39.02	24.70	8.20	8.93	12.4	12.0	
		3:04	30.32	41.26	26.29	8.29	9.11	13.3	11.4	
		6:04	30.46	35.83	22.46	8.24	8.25	9.2	37.2	
		9:04	30.94	25.60	15.50	8.49	12.27	8.1	60.8	
		12:04	30.84	37.81	23.84	8.38	10.61	15.0	39.9	
		15:04	31.34	41.58	26.48	8.18	8.65	10.0	13.8	
		18:04	30.92	40.87	25.99	8.18	7.97	14.0	5.8	
		21:04	30.46	37.55	23.66	8.46	9.25	14.3	25.0	
	日平均值			30.69	37.44	23.62	8.30	9.38	12.04	25.74
	灣內站	0:04	30.54	37.26	23.46	8.20	15.22	6.1	89.3	
		3:04	30.73	38.70	24.46	8.52	12.09	4.1	78.0	
		6:04	30.39	40.31	25.61	8.22	6.63	3.0	70.6	
		9:04	31.53	35.58	22.27	5.23	15.31	3.1	107.8	
		12:04	32.73	28.37	17.31	8.20	17.33	1.1	37.5	
		15:04	33.26	29.82	18.28	8.42	20.05	3.5	71.4	
		18:04	32.84	30.23	18.57	8.36	16.55	3.0	84.6	
		21:04	32.36	30.54	18.78	8.24	14.84	4.8	65.4	
	日平均值			31.80	33.85	21.09	7.92	14.75	3.59	75.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月13日	蚵殼站	0:04	31.73	35.13	21.69	8.04	11.36	4.9	47.5	
		3:04	31.19	39.66	24.84	8.12	7.54	4.5	42.5	
		6:04	31.24	39.58	24.78	8.03	6.88	3.3	42.4	
		9:04	30.94	33.10	20.32	8.09	10.03	3.2	27.6	
		12:04	32.23	32.69	20.01	8.07	13.97	4.0	32.1	
		15:04	32.22	36.43	22.57	8.12	14.73	5.4	56.4	
		18:04	32.17	35.09	21.64	8.24	14.19	5.7	38.8	
		21:04	31.96	34.79	21.45	8.16	12.03	4.6	24.4	
	日平均值			31.71	35.81	22.16	8.11	11.34	4.45	38.96
	潮口站	0:04	30.46	35.92	22.53	8.48	8.33	12.0	25.4	
		3:04	29.60	33.26	20.71	8.42	8.23	11.2	16.4	
		6:04	30.43	30.65	18.90	8.22	8.57	9.5	22.9	
		9:04	30.60	29.74	18.29	8.21	8.88	12.6	21.5	
		12:04	30.80	38.31	24.19	8.42	9.73	15.0	31.2	
		15:04	30.43	46.88	30.31	8.25	8.54	11.0	13.2	
		18:04	30.79	40.49	25.72	8.45	10.34	18.0	30.9	
		21:04	31.19	35.30	22.08	8.18	10.70	13.0	15.9	
	日平均值			30.54	36.32	22.84	8.33	9.17	12.79	22.18
	灣內站	0:04	31.15	39.04	24.69	8.14	10.78	2.2	58.1	
		3:04	30.90	41.08	26.14	8.09	9.10	3.0	44.8	
		6:04	30.81	40.46	25.70	8.48	8.73	2.3	53.9	
		9:04	30.96	37.79	23.82	8.20	11.29	2.7	61.6	
		12:04	32.27	31.64	19.54	8.49	14.93	1.9	24.8	
		15:04	32.53	32.63	20.21	8.14	15.09	1.9	29.7	
		18:04	31.57	38.43	24.25	8.26	10.15	10.7	36.4	
		21:04	32.02	33.83	21.04	8.03	13.10	2.3	33.7	
	日平均值			31.53	36.86	23.17	8.23	11.65	3.38	42.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月14日	蚵殼站	0:04	31.54	34.44	21.22	8.18	10.84	2.9	16.2	
		3:04	31.39	41.44	26.09	8.61	8.21	2.1	35.5	
		6:04	30.17	46.33	29.60	8.43	7.25	11.3	15.0	
		9:04	29.87	38.82	24.29	8.34	7.43	2.7	18.4	
		12:04	29.49	38.45	24.04	8.28	6.80	106.7	23.4	
		15:04	28.79	38.74	24.41	8.65	7.31	139.9	14.2	
		18:04	27.91	37.66	23.81	8.59	7.93	284.2	10.1	
		21:04	28.07	37.95	24.00	8.57	7.69	14.3	3.7	
	日平均值			29.65	39.23	24.68	8.46	7.93	70.51	17.06
	潮口站	0:04	30.26	42.78	27.36	8.29	7.50	20.6	8.9	
		3:04	29.37	48.85	31.77	8.13	6.88	35.9	4.4	
		6:04	29.79	42.20	26.96	8.32	7.29	27.7	7.2	
		9:04	29.38	44.11	28.35	8.15	5.96	18.5	5.4	
		12:04	28.28	42.49	27.22	8.03	6.72	470.7	6.4	
		15:04	27.41	37.76	23.89	8.06	7.87	977.6	16.2	
		18:04	27.03	34.54	21.65	8.04	7.42	533.7	10.4	
		21:04	26.82	30.17	18.66	8.05	7.45	187.4	9.1	
	日平均值			28.54	40.36	25.73	8.13	7.14	284.01	8.50
	灣內站	0:04	31.73	34.16	21.28	8.47	11.97	1.5	16.7	
		3:04	30.68	42.92	27.45	8.42	7.54	0.7	32.9	
		6:04	30.33	46.28	29.88	8.33	6.81	0.2	19.9	
		9:04	30.06	35.50	22.25	8.65	8.47	1.7	18.0	
		12:04	29.19	42.27	27.04	8.26	6.71	63.3	21.0	
		15:04	28.57	38.42	24.33	8.37	7.77	76.8	8.3	
		18:04	28.24	40.62	25.88	8.27	7.94	32.4	4.7	
		21:04	27.77	39.64	25.20	8.23	8.25	27.0	1.4	
	日平均值			29.57	39.98	25.41	8.38	8.18	25.45	15.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月15日	蚵殼站	0:04	27.79	37.20	23.49	8.53	7.84	11.1	3.5	
		3:04	27.67	36.16	22.76	8.52	7.82	9.5	2.5	
		6:04	27.20	32.41	20.18	8.51	8.11	10.6	2.6	
		9:04	27.09	32.28	20.09	8.49	8.28	11.6	2.7	
		12:04	27.48	32.40	20.17	8.46	8.24	9.5	2.2	
		15:04	27.98	32.44	20.18	8.44	8.24	8.6	2.7	
		18:04	28.04	31.09	19.26	8.41	8.02	7.3	3.1	
		21:04	27.64	30.85	19.10	8.37	7.87	8.6	2.9	
	日平均值			27.61	33.10	20.65	8.47	8.05	9.60	2.78
	潮口站	0:04	26.61	27.35	16.75	8.02	7.47	59.1	2.4	
		3:04	26.35	30.61	18.96	8.03	7.72	295.6	7.0	
		6:04	26.06	21.75	13.04	7.99	7.72	38.8	3.7	
		9:04	26.11	21.38	12.80	7.91	7.46	44.2	0.2	
		12:04	26.66	20.31	12.10	7.89	7.58	33.1	2.8	
		15:04	27.48	22.83	13.73	7.85	7.19	27.2	3.0	
		18:04	27.57	22.84	13.74	7.88	7.34	31.2	4.0	
		21:04	27.43	22.30	13.38	7.89	7.47	29.4	4.4	
	日平均值			26.78	23.67	14.31	7.93	7.49	69.83	3.44
	灣內站	0:04	27.48	36.43	22.96	8.23	8.35	18.2	1.5	
		3:04	27.29	36.18	22.79	8.22	8.34	11.4	1.1	
		6:04	27.40	37.55	23.74	8.23	8.30	4.9	0.7	
		9:04	27.35	37.18	23.48	8.22	8.20	3.1	0.7	
		12:04	27.45	34.27	21.46	8.18	7.87	11.0	0.7	
		15:04	27.64	35.70	22.45	8.17	7.73	8.9	1.0	
		18:04	27.59	27.81	17.04	8.19	8.31	9.9	1.3	
		21:04	27.59	33.46	20.90	8.20	8.31	4.8	0.6	
	日平均值			27.47	34.82	21.85	8.21	8.18	9.03	0.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月16日	蚵殼站	0:04	27.55	29.56	18.22	8.38	7.93	8.0	2.7	
		3:04	27.44	23.81	14.38	8.28	7.60	9.1	3.3	
		6:04	27.68	32.00	19.89	8.33	7.48	4.9	1.4	
		9:04	27.62	30.23	18.68	8.32	7.47	6.2	1.3	
		12:14	28.43	25.93	15.77	8.35	8.14	5.9	3.3	
		15:04	29.95	22.52	13.49	8.22	8.26	9.0	4.7	
		18:04	29.42	26.52	16.15	8.25	8.12	9.4	5.4	
		21:04	29.08	27.84	17.04	8.18	7.23	11.8	3.0	
	日平均值			28.40	27.30	16.70	8.29	7.78	8.04	3.14
	潮口站	0:04	27.20	18.30	10.79	7.76	7.30	31.8	6.4	
		3:04	26.63	35.47	22.31	8.06	7.52	163.8	0.4	
		6:04	26.99	33.09	20.65	7.98	6.95	64.9	3.7	
		9:04	26.95	24.64	14.94	7.92	7.26	18.5	1.3	
		12:14	27.86	30.89	19.12	7.93	6.66	26.2	0.5	
		15:04	27.75	36.12	22.74	7.95	6.41	27.5	3.1	
		18:04	27.82	45.05	29.06	8.09	7.00	77.4	1.0	
		21:04	28.36	28.88	17.75	7.94	7.22	22.2	2.0	
	日平均值			27.45	31.56	19.67	7.95	7.04	54.04	2.30
	灣內站	0:04	27.63	34.46	21.58	8.20	8.19	3.8	0.6	
		3:04	27.21	27.17	16.62	8.14	8.20	7.6	1.2	
		6:04	27.30	31.07	19.26	8.17	8.25	4.5	0.6	
		9:04	27.67	36.74	23.17	8.15	7.40	2.0	0.3	
		12:14	29.18	24.47	14.78	8.00	7.83	4.1	1.2	
		15:04	30.20	22.81	13.67	8.09	8.37	6.8	3.1	
		18:04	29.23	26.62	16.21	8.13	8.27	3.6	3.6	
		21:04	28.74	28.53	17.50	8.12	7.72	5.3	2.0	
	日平均值			28.40	28.98	17.85	8.13	8.03	4.71	1.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月17日	蚵殼站	0:04	29.08	20.91	12.45	8.15	7.83	12.3	6.0	
		3:04	28.64	20.65	12.29	8.12	7.55	10.4	5.7	
		6:04	27.96	37.38	23.61	8.20	5.91	6.7	1.0	
		9:04	28.03	37.31	23.56	8.21	5.64	8.3	1.7	
		12:04	28.57	31.55	19.56	8.26	7.22	8.4	3.6	
		15:04	29.16	30.79	19.03	8.31	8.26	7.6	6.6	
		18:04	29.26	31.38	19.43	8.33	8.53	65.9	10.1	
		21:04	29.02	31.17	19.29	8.25	7.52	18.8	6.3	
	日平均值			28.72	30.14	18.65	8.23	7.31	17.30	5.13
	潮口站	0:04	28.30	25.88	15.73	7.90	7.30	19.8	3.1	
		3:04	27.80	34.02	21.28	7.92	6.43	36.1	1.8	
		6:04	27.73	37.30	23.56	8.03	6.87	103.3	1.0	
		9:04	27.81	38.94	24.71	8.03	6.65	22.4	5.5	
		12:04	27.80	40.53	25.83	8.02	6.55	22.1	3.1	
		15:04	28.39	41.34	26.39	8.01	6.57	26.6	1.1	
		18:04	28.16	46.25	29.92	8.12	7.03	40.8	3.2	
		21:04	28.40	35.18	22.07	8.01	7.29	17.6	2.8	
	日平均值			28.05	37.43	23.69	8.01	6.84	36.09	2.70
	灣內站	0:04	29.21	19.60	11.60	7.99	8.01	10.6	6.1	
		3:04	28.99	21.80	13.03	7.95	7.43	5.7	4.4	
		6:04	27.84	37.68	23.82	8.12	6.71	0.1	0.4	
		9:04	27.57	39.53	25.13	8.15	7.09	0.3	0.3	
		12:04	28.83	21.13	12.59	8.09	8.87	3.2	5.1	
		15:04	29.37	21.27	12.68	8.23	9.56	6.2	8.2	
		18:04	29.41	23.40	14.07	8.34	9.94	4.5	11.6	
		21:04	28.89	34.24	21.41	8.25	8.31	3.0	5.7	
	日平均值			28.76	27.33	16.79	8.14	8.24	4.20	5.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月18日	蚵殼站	0:04	29.01	24.41	14.75	8.27	8.41	8.0	9.4	
		3:04	28.91	22.72	13.63	8.20	8.17	14.5	7.4	
		6:04	28.89	36.75	23.15	8.16	6.83	9.4	2.9	
		9:04	28.49	42.35	27.11	8.33	7.53	11.8	1.9	
		12:04	29.10	36.97	23.29	8.33	8.37	5.6	7.6	
		15:04	30.71	25.68	15.56	8.48	11.37	10.7	25.8	
		18:04	30.56	29.29	17.98	8.58	12.59	9.5	41.4	
		21:04	29.25	40.46	25.75	8.41	9.31	8.9	14.8	
	日平均值			29.37	32.33	20.15	8.35	9.07	9.80	13.90
	潮口站	0:04	28.40	31.23	19.35	7.98	7.39	15.5	3.8	
		3:04	28.40	33.25	20.73	7.87	6.29	23.3	1.6	
		6:04	28.04	47.25	30.65	8.12	6.94	34.5	1.1	
		9:04	28.22	39.46	25.07	8.06	6.96	29.1	5.8	
		12:04	28.40	42.42	27.16	8.05	6.76	28.1	0.3	
		15:04	28.79	41.53	26.52	8.11	7.95	27.7	3.0	
		18:04	27.83	45.68	29.52	8.08	6.98	58.7	0.1	
		21:04	29.80	27.64	16.88	8.28	9.97	24.0	10.6	
	日平均值			28.49	38.56	24.49	8.07	7.41	30.11	3.29
	灣內站	0:04	28.79	22.34	13.39	8.26	9.03	4.2	8.9	
		3:04	28.88	19.29	11.40	8.09	8.37	7.8	6.7	
		6:04	28.64	38.79	24.59	8.21	7.70	0.6	1.9	
		9:04	28.25	43.32	27.81	8.23	7.28	0.4	0.9	
		12:04	29.66	24.53	14.82	8.11	8.36	2.6	9.4	
		15:04	30.99	20.27	12.01	8.52	11.47	4.7	25.3	
		18:04	30.56	26.41	16.04	8.75	13.52	2.4	49.1	
		21:04	28.47	44.70	28.80	8.37	8.71	5.0	7.6	
	日平均值			29.28	29.96	18.61	8.32	9.31	3.46	13.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
9月19日	蚵殼站	0:04	29.89	30.46	18.79	8.44	10.15	8.6	34.3
		3:04	29.65	26.95	16.43	8.41	9.68	6.2	37.0
		6:04	29.47	38.17	24.13	8.29	9.10	8.1	25.2
		9:04	28.58	45.12	29.10	8.27	7.28	6.0	4.7
		12:04	29.04	43.09	27.62	8.48	9.73	6.8	43.4
		12:34	29.49	40.63	25.88	8.53	11.44	7.8	54.0
		19:04	29.22	40.59	25.84	8.27	7.72	7.2	40.8
		21:04	28.81	43.88	28.19	8.32	8.02	8.4	45.6
	日平均值		29.27	38.61	24.50	8.38	9.14	7.39	35.63
	潮口站	0:04	29.56	24.71	14.93	8.28	9.24	19.0	11.3
		3:04	29.32	28.53	17.49	8.10	8.01	26.7	6.6
		6:04	28.01	47.30	30.69	8.09	6.82	34.8	1.2
		9:04	28.56	38.60	24.45	8.19	8.03	32.5	4.2
		12:04	28.76	39.80	25.29	8.38	8.37	8.2	33.9
		15:04	30.19	34.70	21.69	8.83	12.75	14.6	76.8
		18:04	28.03	47.67	30.96	8.44	7.61	75.2	5.1
		21:04	28.61	41.78	26.70	8.69	9.54	19.8	31.0
	日平均值		28.88	37.89	24.03	8.38	8.80	28.85	21.26
	灣內站	0:04	29.05	38.79	24.57	8.41	9.45	3.0	24.6
		3:04	29.21	33.29	20.74	8.49	10.01	2.2	38.4
		6:04	29.30	36.02	22.63	8.45	9.87	2.1	36.7
		9:04	28.39	45.23	29.18	8.31	7.92	0.9	3.8
		12:04	28.95	41.93	26.80	8.15	8.15	3.7	25.5
		15:04	30.17	30.49	18.80	8.93	14.55	7.7	96.5
		18:04	30.04	34.36	21.46	8.63	14.03	5.6	105.8
		21:04	28.73	44.41	28.57	8.03	6.68	6.5	25.4
	日平均值		29.23	38.07	24.09	8.43	10.08	3.96	44.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
9月20日	蚵殼站	0:04	28.47	47.53	30.84	8.20	5.78	4.5	11.6
		3:04	29.29	40.93	26.08	8.41	9.94	5.8	58.3
		6:04	27.85	29.64	18.28	8.77	10.42	6.2	95.5
		9:04	28.41	50.59	33.08	8.32	6.72	5.0	23.6
		12:04	28.36	50.38	32.93	8.38	8.48	6.5	30.3
		15:04	30.33	42.71	27.31	8.74	13.50	6.1	54.8
		18:04	30.14	43.44	27.84	8.72	14.25	3.7	27.7
		21:04	29.69	44.06	28.30	8.29	9.14	6.4	73.6
	日平均值		29.07	43.66	28.08	8.48	9.78	5.53	46.93
	潮口站	0:04	28.66	37.60	23.74	8.26	10.41	11.3	52.6
		3:04	28.08	31.93	19.83	8.48	10.10	6.9	65.2
		6:04	27.71	47.69	30.98	8.42	6.71	26.0	0.2
		9:04	27.92	43.34	27.83	8.13	8.56	11.3	21.1
		12:04	28.26	45.48	29.37	8.09	9.07	9.7	38.5
		15:04	28.46	47.45	30.78	8.53	8.64	15.9	30.0
		18:04	27.91	47.56	30.88	8.39	6.96	19.8	1.9
		21:04	27.68	49.98	32.65	8.40	6.92	30.8	8.2
	日平均值		28.09	43.88	28.26	8.34	8.42	16.46	27.21
	灣內站	0:04	28.48	45.45	29.33	8.06	6.64	6.3	16.4
		3:04	29.29	36.02	22.63	8.24	8.96	5.8	41.3
		6:04	29.30	39.27	24.90	8.17	8.28	6.8	38.0
		9:04	28.47	46.00	29.74	8.08	7.10	4.0	28.2
		12:04	29.15	41.72	26.64	8.13	7.99	11.8	30.9
		15:04	31.28	33.22	20.64	8.10	18.13	6.1	65.9
		18:04	30.82	36.10	22.65	8.06	15.93	3.5	36.5
		21:04	29.84	40.76	25.94	8.64	12.10	2.8	18.5
	日平均值		29.58	39.82	25.31	8.19	10.64	5.89	34.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月21日	蚵殼站	0:04	28.65	46.48	30.07	8.33	8.78	6.8	11.1	
		3:04	29.22	44.40	28.56	8.42	9.67	5.8	13.1	
		6:04	28.98	36.55	23.01	8.65	11.12	7.2	31.6	
		9:04	28.72	46.49	30.08	8.56	9.14	4.9	23.2	
		12:04	29.03	47.81	31.03	8.30	10.32	7.9	23.6	
		15:04	29.71	47.27	30.62	8.60	14.32	7.2	27.3	
		18:04	29.98	46.05	29.72	8.29	11.61	3.1	18.1	
		21:04	29.98	47.40	30.70	8.38	11.56	3.5	12.6	
	日平均值			29.28	45.31	29.22	8.44	10.82	5.80	20.08
	潮口站	0:04	29.07	38.56	24.41	8.43	10.43	3.8	23.2	
		3:04	28.65	33.67	21.01	8.06	11.00	7.2	29.3	
		6:04	28.24	43.78	28.14	8.59	7.69	11.2	16.8	
		9:04	28.03	48.67	31.69	8.43	7.18	14.9	3.4	
		12:04	28.94	43.21	27.71	8.24	10.31	7.2	27.3	
		15:04	29.01	46.65	30.19	8.17	10.48	8.8	15.4	
		18:04	28.46	47.84	31.07	8.49	7.80	12.7	2.8	
		21:04	28.01	50.44	32.98	8.41	6.97	19.7	1.9	
	日平均值			28.55	44.10	28.40	8.35	8.98	10.69	15.01
	灣內站	0:04	28.33	46.81	30.32	8.16	7.92	6.3	7.3	
		3:04	29.11	44.58	28.69	8.28	8.59	2.5	16.9	
		6:04	29.52	42.64	27.29	8.49	10.92	2.8	9.0	
		9:04	28.76	45.19	29.14	8.32	9.50	3.4	23.2	
		12:04	29.08	45.38	29.27	8.46	12.34	4.2	16.7	
		15:04	31.63	39.21	24.79	8.80	13.19	2.3	12.7	
		18:04	31.15	39.78	25.21	8.81	13.07	1.9	10.3	
		21:04	30.13	43.97	28.22	8.47	10.96	5.6	9.2	
	日平均值			29.71	43.45	27.87	8.47	10.81	3.63	13.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月22日	蚵殼站	0:04	28.54	50.36	32.91	8.51	8.14	6.1	5.1	
		3:04	29.87	44.97	28.95	8.64	9.98	4.2	9.4	
		6:04	29.37	44.96	28.95	8.59	8.61	7.0	15.0	
		9:04	29.24	47.17	30.56	8.32	9.04	4.8	14.0	
		12:04	29.04	49.83	32.50	8.37	9.08	3.8	12.7	
		15:04	30.08	49.14	31.96	8.42	10.58	3.9	7.1	
		18:04	30.35	47.30	30.62	8.43	9.87	3.9	5.6	
		21:04	29.83	49.83	32.48	8.64	9.75	6.7	4.9	
	日平均值			29.54	47.95	31.12	8.49	9.38	5.05	9.23
	潮口站	0:04	29.16	41.19	26.27	8.32	9.40	3.5	8.5	
		3:04	29.38	39.90	25.35	8.36	9.33	4.7	10.3	
		6:04	29.32	41.16	26.24	8.32	9.08	5.1	8.5	
		9:04	28.39	50.30	32.87	8.44	7.26	10.1	8.2	
		12:04	29.37	45.34	29.23	8.58	9.35	5.2	8.3	
		15:04	29.76	46.08	29.75	8.68	10.03	5.1	7.7	
		18:04	29.07	48.25	31.35	8.49	8.02	5.5	9.2	
		21:04	28.35	47.33	30.70	8.46	7.83	6.8	7.4	
	日平均值			29.10	44.94	28.97	8.46	8.79	5.75	8.51
	灣內站	0:04	28.54	48.06	31.23	8.30	9.58	2.6	3.0	
		3:04	29.10	46.56	30.12	8.35	10.67	2.8	3.4	
		6:04	29.31	45.92	29.65	8.34	10.13	3.8	2.8	
		9:04	29.66	45.30	29.19	8.41	10.72	2.2	2.8	
		12:04	29.79	45.59	29.40	8.42	10.77	2.3	1.9	
		15:04	30.78	42.62	27.24	8.54	11.37	2.4	7.1	
		18:04	30.39	44.69	28.73	8.53	11.28	2.2	5.2	
		21:04	29.97	45.67	29.45	8.38	10.02	3.9	2.5	
	日平均值			29.69	45.55	29.38	8.41	10.57	2.78	3.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月23日	蚵殼站	0:04	29.15	49.51	32.27	8.56	8.34	6.8	11.5	
		3:04	29.31	49.76	32.44	8.47	8.15	4.1	0.0	
		6:04	29.10	46.49	30.07	8.51	7.53	7.9	6.9	
		9:04	29.18	46.51	30.08	8.51	7.85	6.9	6.2	
		12:04	29.98	49.53	32.25	8.41	9.12	3.8	1.0	
		15:04	29.84	50.45	32.93	8.54	9.22	3.7	5.8	
		18:04	30.18	49.31	32.09	8.37	8.69	3.9	4.0	
		21:04	30.14	49.96	32.56	8.54	8.57	3.6	14.6	
	日平均值			29.61	48.94	31.84	8.49	8.43	5.09	6.25
	潮口站	0:04	28.68	46.12	29.81	8.50	7.66	1.2	3.3	
		3:04	28.87	43.54	27.95	8.46	8.34	4.3	2.5	
		6:04	28.55	41.46	26.47	8.49	8.34	4.5	0.0	
		9:04	28.97	45.23	29.17	8.51	7.30	5.0	2.1	
		12:04	29.54	47.08	30.48	8.44	8.71	2.3	0.1	
		15:04	29.18	48.38	31.44	8.44	8.68	5.0	8.3	
		18:04	29.32	48.09	31.22	8.54	8.58	2.3	4.3	
		21:04	28.42	47.88	31.10	8.44	7.53	6.4	4.8	
	日平均值			28.94	45.97	29.71	8.48	8.14	3.88	3.18
	灣內站	0:04	29.32	47.07	30.48	8.28	9.26	2.1	1.6	
		3:04	29.55	46.48	30.05	8.30	9.30	1.8	0.0	
		6:04	29.38	46.74	30.24	8.20	8.16	1.9	0.3	
		9:04	29.52	45.99	29.69	8.27	8.89	1.3	0.4	
		12:04	30.26	44.37	28.50	8.28	8.62	1.6	0.1	
		15:04	30.29	45.16	29.07	8.29	8.95	2.7	2.5	
		18:04	30.17	45.54	29.35	8.30	8.86	2.2	3.4	
		21:04	30.19	45.50	29.32	8.25	8.38	2.1	2.0	
	日平均值			29.84	45.86	29.59	8.27	8.80	1.96	1.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月24日	蚵殼站	0:04	29.69	48.26	31.33	8.53	8.07	3.0	4.2	
		3:04	29.41	50.92	33.29	8.26	7.67	2.7	5.6	
		6:04	29.00	47.62	30.89	8.21	6.50	1.5	1.0	
		9:04	29.10	46.83	30.32	8.17	6.58	2.3	2.1	
		12:04	29.80	48.73	31.68	8.30	8.66	2.2	10.1	
		15:04	30.12	50.91	33.26	8.42	10.88	2.2	8.2	
		18:04	30.40	49.54	32.24	8.40	9.89	3.1	17.7	
		21:04	30.20	49.48	32.21	8.40	9.50	3.0	21.8	
	日平均值			29.72	49.04	31.90	8.34	8.47	2.50	8.84
	潮口站	0:04	28.74	48.37	31.45	8.49	7.81	1.9	2.8	
		3:04	28.82	43.72	28.08	8.55	7.94	2.0	4.2	
		6:04	28.96	44.86	28.90	8.51	7.36	5.2	1.4	
		9:04	29.31	44.00	28.27	8.46	7.22	4.7	1.4	
		12:04	29.31	49.12	31.97	8.44	7.45	3.4	0.6	
		15:04	30.18	47.87	31.04	8.48	9.13	2.3	10.3	
		18:04	29.84	48.02	31.15	8.55	8.81	2.5	9.7	
		21:04	29.21	46.85	30.33	8.46	7.69	5.0	4.7	
	日平均值			29.30	46.60	30.15	8.49	7.93	3.38	4.39
	灣內站	0:04	29.75	46.38	29.97	8.26	8.74	0.4	3.7	
		3:04	29.71	46.51	30.06	8.21	8.22	0.0	2.5	
		6:04	29.65	46.66	30.18	8.22	8.18	0.1	2.8	
		9:04	29.72	46.15	29.81	8.17	7.83	0.3	0.6	
		12:04	30.82	44.53	28.60	8.23	8.59	0.2	1.3	
		15:04	30.83	45.30	29.15	8.36	10.53	0.2	8.7	
		18:04	30.89	45.22	29.10	8.38	10.69	0.8	15.9	
		21:04	30.90	45.25	29.11	8.34	9.98	0.3	41.3	
	日平均值			30.28	45.75	29.50	8.27	9.10	0.29	9.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月25日	蚵殼站	0:04	30.09	49.70	32.38	8.38	9.43	2.3	14.0	
		3:04	30.12	49.67	32.35	8.29	8.42	4.5	13.9	
		6:04	30.04	49.08	31.92	8.45	7.82	3.1	7.9	
		9:04	30.02	48.67	31.62	8.31	8.29	2.0	13.9	
		12:04	30.75	49.50	32.20	8.12	10.80	3.2	15.1	
		15:04	30.71	50.16	32.69	8.26	13.20	2.5	17.9	
		18:04	30.70	50.32	32.81	8.59	12.79	2.9	13.1	
		21:04	30.63	49.75	32.39	8.63	11.39	1.7	9.2	
	日平均值			30.38	49.61	32.30	8.38	10.27	2.78	13.13
	潮口站	0:04	29.13	48.26	31.35	8.50	7.97	4.3	5.0	
		3:04	29.46	47.15	30.54	8.47	8.59	2.2	12.6	
		6:04	29.45	45.30	29.20	8.47	8.36	5.6	7.4	
		9:04	29.91	44.52	28.62	8.48	8.80	1.7	11.9	
		12:04	30.31	46.01	29.69	8.48	8.32	3.7	4.8	
		15:04	30.13	46.58	30.10	8.46	9.18	4.1	10.2	
		18:04	29.65	48.98	31.86	8.48	9.52	4.4	12.5	
		21:04	29.41	47.38	30.70	8.50	8.39	3.2	3.2	
	日平均值			29.68	46.77	30.26	8.48	8.64	3.65	8.45
	灣內站	0:04	30.43	45.66	29.43	8.34	9.92	0.5	12.0	
		3:04	30.24	46.36	29.94	8.34	9.87	0.7	10.8	
		6:04	30.35	46.20	29.82	8.32	9.84	0.5	5.6	
		9:04	30.51	45.79	29.52	8.35	10.46	0.2	7.7	
		12:04	31.64	45.45	29.24	8.46	12.75	2.6	21.1	
		15:04	31.57	45.72	29.43	8.58	13.89	0.2	12.3	
		18:04	31.24	45.66	29.40	8.59	13.38	1.2	19.0	
		21:04	30.97	46.09	29.72	8.54	12.61	1.2	17.7	
	日平均值			30.87	45.87	29.56	8.44	11.59	0.89	13.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月26日	蚵殼站	0:04	30.61	49.85	32.47	8.21	11.47	2.5	14.8	
		3:04	29.98	51.11	33.41	8.09	9.78	2.6	20.4	
		6:04	30.23	50.70	33.10	8.13	9.90	2.4	11.9	
		9:04	30.37	49.99	32.58	8.51	10.56	4.3	13.9	
		12:04	31.35	50.91	33.19	8.21	11.65	3.8	16.0	
		15:04	30.83	51.83	33.88	8.26	12.16	3.2	16.9	
		18:04	30.95	48.84	31.70	8.50	12.05	2.7	15.9	
		21:04	31.00	49.53	33.08	8.23	11.92	4.8	24.2	
	日平均值			30.67	50.35	32.93	8.27	11.19	3.29	16.75
	潮口站	0:04	28.65	49.78	32.48	8.47	7.65	8.5	0.7	
		3:04	28.85	49.39	32.18	8.49	7.85	5.7	2.7	
		6:04	30.03	45.99	29.68	8.43	10.10	3.0	18.7	
		9:04	30.03	46.61	30.13	8.38	10.04	7.5	12.7	
		12:04	30.61	46.59	30.09	8.34	9.35	7.2	13.7	
		15:04	30.26	45.12	29.04	8.54	9.12	8.9	6.9	
		18:04	29.57	48.88	31.79	8.53	8.71	7.9	8.9	
		21:04	30.38	47.70	30.91	8.66	9.80	5.7	6.1	
	日平均值			29.80	47.51	30.79	8.48	9.08	6.80	8.80
	灣內站	0:04	30.83	46.82	30.25	8.51	12.68	1.0	16.5	
		3:04	30.05	47.43	30.72	8.39	11.02	0.4	16.8	
		6:04	29.64	48.28	31.35	8.30	9.65	2.4	15.8	
		9:04	29.87	47.74	30.95	8.37	10.88	0.6	13.7	
		12:04	31.75	45.07	28.96	8.50	13.31	3.8	20.5	
		15:04	31.41	46.66	30.12	8.57	13.73	1.7	14.0	
		18:04	31.15	47.09	30.43	8.54	12.63	7.4	13.0	
		21:04	31.30	46.71	30.16	8.49	12.33	4.8	18.9	
	日平均值			30.75	46.98	30.37	8.46	12.03	2.76	16.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月27日	蚵殼站	0:04	30.72	47.30	31.04	8.69	10.96	4.0	15.2	
		3:04	30.85	48.30	31.96	8.59	10.89	2.6	10.1	
		6:04	30.38	49.25	32.03	8.61	9.47	1.7	11.9	
		9:04	29.93	50.04	32.88	8.59	8.69	2.0	16.8	
		12:04	29.34	48.56	31.95	8.50	7.38	16.8	10.8	
		15:04	28.90	49.33	32.50	8.40	6.96	18.6	10.3	
		18:04	28.79	49.46	32.37	8.28	6.69	16.1	17.6	
		21:04	30.91	49.87	32.89	8.20	12.26	3.1	21.2	
	日平均值			29.98	49.01	32.20	8.48	9.16	8.11	14.24
	潮口站	0:04	29.63	46.95	30.39	8.54	8.11	8.9	9.2	
		3:04	28.55	50.56	33.05	8.46	7.41	37.5	8.8	
		6:04	29.82	46.40	29.98	8.46	9.18	2.0	8.2	
		9:04	29.19	48.35	31.41	8.50	7.73	9.8	12.3	
		12:04	29.03	48.56	31.57	8.48	7.50	8.7	6.0	
		15:04	28.00	45.65	29.49	8.42	7.66	204.8	11.4	
		18:04	27.64	42.49	27.23	8.45	7.90	358.6	4.5	
		21:04	28.10	47.30	30.68	8.46	7.50	36.7	13.3	
	日平均值			28.75	47.03	30.48	8.47	7.87	83.38	9.21
	灣內站	0:04	31.19	47.01	30.38	8.49	11.91	1.6	3.7	
		3:04	30.76	46.43	29.97	8.46	11.15	0.8	14.0	
		6:04	30.86	46.84	30.26	8.42	10.74	1.7	13.4	
		9:04	30.37	45.98	29.66	8.40	9.76	1.9	12.7	
		12:04	29.54	44.38	28.53	8.35	8.55	27.3	14.7	
		15:04	29.25	43.97	28.25	8.12	7.35	47.8	13.6	
		18:04	28.90	45.74	29.53	8.16	7.37	83.9	10.1	
		21:04	28.38	45.29	29.22	8.13	7.81	77.7	7.4	
	日平均值			29.91	45.71	29.48	8.32	9.33	30.34	11.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月28日	蚵殼站	0:04	30.78	49.76	32.84	8.27	11.67	3.6	19.9	
		3:04	27.80	50.28	32.87	8.35	6.77	10.6	11.4	
		6:04	29.25	48.75	31.81	8.33	9.06	4.5	13.1	
		9:04	27.80	49.22	32.09	8.39	6.87	11.8	7.0	
		12:04	27.81	48.47	31.54	8.37	7.00	8.5	6.7	
		15:04	28.07	47.20	30.62	8.41	7.44	8.1	11.4	
		18:04	27.97	46.80	30.32	8.28	7.15	5.8	8.2	
		21:04	27.55	42.69	27.38	8.38	7.27	8.1	9.3	
	日平均值			28.38	47.90	31.18	8.35	7.90	7.63	10.88
	潮口站	0:04	27.91	46.82	30.34	8.45	7.41	33.3	11.0	
		3:04	27.27	38.19	24.19	8.36	8.24	1282.6	13.8	
		6:04	27.37	41.40	26.46	8.37	7.97	786.6	13.7	
		9:04	27.30	41.21	26.33	8.35	7.56	167.2	10.2	
		12:04	27.53	27.74	17.00	8.26	7.89	50.5	4.2	
		15:04	28.10	32.06	19.92	8.29	7.89	63.1	4.8	
		18:04	27.15	35.35	22.21	8.39	8.35	782.6	12.5	
		21:04	27.34	34.54	21.65	8.33	7.73	94.5	0.8	
	日平均值			27.50	37.16	23.51	8.35	7.88	407.55	8.88
	灣內站	0:04	28.10	46.02	29.76	8.11	7.72	11.7	5.9	
		3:04	28.10	45.27	29.21	8.13	7.53	6.3	6.1	
		6:04	27.90	46.06	29.79	8.10	7.56	7.6	5.7	
		9:04	27.83	45.71	29.54	8.09	7.75	8.1	4.1	
		12:04	27.96	45.71	29.54	8.10	7.89	9.1	5.5	
		15:04	28.23	45.55	29.41	8.09	7.88	10.0	6.1	
		18:04	27.96	42.82	27.46	8.12	8.06	6.0	4.8	
		21:04	27.75	41.41	26.46	8.08	7.92	10.0	2.9	
	日平均值			27.98	44.82	28.90	8.10	7.79	8.60	5.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月29日	蚵殼站	0:04	27.23	40.98	26.17	8.38	7.17	6.1	4.6	
		3:04	27.19	40.00	25.48	8.28	7.16	7.7	10.0	
		6:04	27.11	39.86	25.38	8.28	7.12	4.6	4.4	
		9:04	27.32	40.33	25.70	8.29	7.25	8.5	7.2	
		12:04	27.83	40.81	26.04	8.34	7.53	5.6	7.3	
		15:04	28.01	40.96	26.13	8.22	7.62	4.7	3.9	
		18:04	27.75	38.09	24.11	8.33	7.37	6.0	6.8	
		21:04	27.67	38.32	24.28	8.29	7.21	3.8	11.8	
	日平均值			27.51	39.92	25.41	8.30	7.30	5.88	7.00
	潮口站	0:04	26.80	28.46	17.50	8.34	8.08	32.5	5.1	
		3:04	26.52	34.78	21.83	8.30	8.19	1266.7	16.4	
		6:04	26.69	28.00	17.18	8.33	8.10	91.1	6.3	
		9:04	26.76	23.91	14.46	8.29	8.06	27.0	1.4	
		12:04	27.84	24.62	14.91	8.24	7.88	25.8	2.5	
		15:04	28.11	26.59	16.21	8.22	7.82	15.8	7.7	
		18:04	27.79	27.01	16.50	8.25	7.86	17.3	5.3	
		21:04	27.74	24.88	15.08	8.22	7.90	15.2	4.5	
	日平均值			27.28	27.28	16.71	8.27	7.99	186.43	6.15
	灣內站	0:04	27.82	41.34	26.41	8.04	7.42	10.1	4.2	
		3:04	27.53	39.75	25.29	8.07	7.82	5.5	2.0	
		6:04	27.35	36.16	22.77	8.04	7.69	6.6	2.0	
		9:04	27.29	36.88	23.28	8.05	7.86	4.7	1.7	
		12:04	27.69	38.59	24.47	7.99	7.47	8.7	2.3	
		15:04	28.41	36.12	22.72	8.04	7.85	9.5	3.7	
		18:04	27.80	36.09	22.71	8.02	7.80	5.2	2.6	
		21:04	27.84	35.03	21.98	8.01	7.77	7.5	1.7	
	日平均值			27.72	37.50	23.70	8.03	7.71	7.23	2.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月30日	蚵殼站	0:04	27.50	36.74	23.18	8.21	7.25	4.2	28.1	
		3:04	27.02	26.87	16.42	7.97	6.95	7.0	6.4	
		6:04	27.51	39.72	25.27	8.28	6.82	1.0	2.5	
		9:04	27.76	39.33	24.99	8.28	6.92	0.9	3.9	
		12:04	28.27	38.18	24.17	8.38	7.50	2.0	15.6	
		15:04	28.47	39.43	25.04	8.25	8.17	4.5	16.2	
		18:04	28.49	36.22	22.79	8.37	8.24	5.1	19.1	
		21:04	28.27	38.94	24.70	8.38	7.63	3.1	10.7	
	日平均值			27.91	36.93	23.32	8.27	7.44	3.48	12.81
	潮口站	0:04	27.67	29.06	17.89	8.25	7.68	7.9	0.3	
		3:04	27.27	29.18	17.97	8.18	7.18	9.4	4.7	
		6:04	26.75	37.93	24.02	8.30	7.85	238.3	0.8	
		9:04	27.40	33.52	20.94	8.26	7.47	11.6	2.4	
		12:04	28.67	31.06	19.22	8.18	7.22	13.7	8.8	
		15:04	28.52	32.62	20.30	8.12	7.15	13.9	3.1	
		18:04	27.89	35.30	22.16	8.27	7.83	35.6	2.5	
		21:04	28.35	30.86	19.09	8.35	8.55	5.8	9.2	
	日平均值			27.82	32.44	20.20	8.24	7.62	42.03	3.98
	灣內站	0:04	27.83	33.97	21.24	7.99	7.60	5.4	1.6	
		3:04	27.76	32.00	19.88	8.00	7.60	2.5	0.8	
		6:04	27.85	35.30	22.16	7.98	7.34	2.9	2.4	
		9:04	27.96	37.28	23.54	7.99	7.33	2.7	1.4	
		12:04	28.77	27.82	17.03	7.84	6.85	4.2	1.8	
		15:04	28.82	31.22	19.33	8.03	7.84	9.0	7.4	
		18:04	28.25	36.68	23.12	8.05	8.36	4.2	10.8	
		21:04	28.34	35.68	22.42	8.02	8.03	4.0	23.2	
	日平均值			28.20	33.74	21.09	7.99	7.62	4.36	6.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月1日	蚵殼站	0:04	28.24	38.43	24.34	8.38	7.70	3.5	20.9	
		3:04	27.55	32.56	20.27	8.36	7.41	3.4	2.2	
		6:04	28.13	42.03	26.89	8.44	7.18	2.8	10.2	
		9:04	28.27	38.80	24.60	8.46	7.38	2.3	7.1	
		12:04	28.09	37.59	23.77	8.40	8.29	3.1	14.9	
		15:04	28.21	35.32	22.17	8.53	9.46	3.0	23.7	
		18:04	28.13	36.09	22.71	8.37	8.67	3.3	14.9	
		21:04	28.28	39.57	25.15	8.36	7.54	2.7	13.2	
	日平均值			28.11	37.55	23.74	8.41	7.95	3.01	13.39
	潮口站	0:04	28.15	33.94	21.21	8.29	7.99	9.4	11.8	
		3:04	27.82	35.94	22.61	8.19	7.00	4.6	3.5	
		6:04	26.79	39.73	25.29	8.28	7.49	100.8	1.5	
		9:04	27.47	34.62	21.70	8.26	7.72	6.7	4.1	
		12:04	28.44	27.75	16.99	8.29	8.49	6.9	6.7	
		15:04	27.89	39.66	25.21	8.27	7.58	8.0	5.5	
		18:04	27.83	36.42	22.94	8.28	8.08	14.4	8.8	
		21:04	28.18	36.08	22.70	8.36	8.83	6.6	20.3	
	日平均值			27.82	35.52	22.33	8.28	7.90	19.68	7.78
	灣內站	0:04	28.17	29.12	17.92	7.92	7.25	4.4	5.2	
		3:04	28.38	33.28	20.75	7.98	7.40	3.5	22.6	
		6:04	28.30	35.50	22.29	8.01	7.39	2.9	10.6	
		9:04	28.05	40.26	25.63	7.99	6.92	4.4	4.6	
		12:04	28.62	35.60	22.35	8.10	8.17	3.8	10.6	
		15:04	28.77	31.34	19.41	8.07	8.24	5.8	15.7	
		18:04	28.38	35.77	22.48	8.06	8.01	6.0	16.8	
		21:04	28.40	38.92	24.68	7.87	6.16	7.5	23.4	
	日平均值			28.38	34.97	21.94	8.00	7.44	4.79	13.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月2日	蚵殼站	0:04	28.32	36.72	23.14	8.29	7.74	2.1	39.5	
		3:04	27.34	32.03	19.91	8.33	7.48	2.5	12.8	
		4:34	27.23	32.29	20.10	8.28	7.25	2.5	5.3	
		6:04	28.24	41.23	26.32	8.27	6.58	3.2	15.3	
		7:34	27.91	41.89	26.80	8.37	6.74	2.8	15.5	
		9:04	28.30	41.52	26.52	8.44	7.61	3.7	17.8	
		10:04	28.45	41.13	26.24	8.29	8.36	2.6	17.1	
		13:04	29.19	40.15	25.53	8.61	11.99	3.2	32.3	
	日平均值			28.12	38.37	24.32	8.36	7.97	2.83	19.45
	潮口站	0:04	27.47	31.59	19.61	8.33	8.28	3.6	10.7	
		3:04	27.57	34.77	21.80	8.22	7.14	7.5	7.5	
		6:04	26.87	32.20	20.04	8.32	8.10	5.2	2.4	
		9:04	28.13	35.57	22.34	8.43	9.67	2.5	11.8	
		12:04	29.31	32.04	19.88	8.46	10.13	3.4	10.0	
		15:04	28.12	41.93	26.82	8.34	8.56	13.1	16.6	
		18:04	26.57	46.12	29.87	8.27	7.27	70.3	2.5	
		21:04	28.50	39.80	25.30	8.59	11.27	4.8	42.5	
	日平均值			27.82	36.75	23.21	8.37	8.80	13.80	13.00
	灣內站	0:04	28.40	35.79	22.49	7.97	7.08	9.0	14.0	
		3:04	28.01	32.97	20.54	7.91	6.66	6.3	13.1	
		6:04	28.44	36.33	22.86	7.91	6.64	5.9	13.7	
		9:04	27.89	43.32	27.82	7.90	5.76	5.0	7.2	
		12:04	29.76	31.40	19.43	8.00	7.28	6.7	8.1	
		15:04	30.15	34.08	21.26	8.42	11.77	3.7	42.7	
		18:04	29.76	36.71	23.10	8.48	11.28	6.7	53.1	
		21:04	28.53	42.15	26.96	8.04	7.01	9.2	29.8	
	日平均值			28.87	36.59	23.06	8.08	7.94	6.56	22.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月3日	蚵殼站	0:04	28.92	41.05	26.17	8.65	10.84	5.6	61.3	
		1:34	28.68	40.08	25.49	8.67	10.05	4.2	43.4	
		3:04	28.40	36.94	23.29	8.43	8.83	4.8	39.0	
		4:34	28.40	37.38	23.60	8.32	8.31	5.4	27.5	
		6:04	28.51	41.32	26.37	8.49	8.93	3.9	48.1	
		7:34	28.58	43.14	27.67	8.40	9.43	4.7	39.9	
		9:04	28.18	46.50	30.11	8.24	9.22	3.9	40.8	
		9:34	28.40	45.17	29.13	8.43	10.42	4.6	48.4	
	日平均值			28.51	41.45	26.48	8.45	9.50	4.64	43.55
	潮口站	0:04	28.74	35.41	22.22	8.52	9.79	4.8	25.6	
		3:04	28.55	33.42	20.85	8.48	9.57	3.8	18.5	
		6:04	27.53	39.07	24.81	8.32	8.06	15.7	0.1	
		9:04	27.64	41.21	26.32	8.28	7.95	17.3	0.2	
		12:04	28.11	41.77	26.70	8.48	10.98	10.2	39.4	
		15:04	28.01	44.82	28.89	8.29	8.74	5.1	12.3	
		18:04	27.18	46.93	30.44	8.21	7.35	22.1	1.2	
		21:04	27.57	40.95	26.14	8.18	7.51	8.1	0.8	
	日平均值			27.92	40.45	25.80	8.35	8.74	10.89	12.26
	灣內站	0:04	29.01	40.16	25.54	8.02	7.10	10.0	69.0	
		3:04	28.96	38.83	24.60	8.23	8.53	9.3	61.7	
		6:04	28.65	39.96	25.41	8.11	6.78	8.6	70.0	
		9:04	28.37	43.35	27.83	7.96	5.85	8.2	55.1	
		12:04	30.12	36.41	22.88	8.58	11.60	7.9	37.4	
		15:04	30.40	36.84	23.17	8.67	12.51	9.4	52.1	
		18:04	30.12	37.18	23.42	8.57	10.65	27.5	113.1	
		21:04	28.42	44.48	28.64	8.01	6.39	51.7	62.9	
	日平均值			29.26	39.65	25.19	8.27	8.68	16.58	65.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月4日	蚵殼站	0:04	29.13	43.76	28.10	8.29	13.52	3.9	55.5	
		3:04	29.09	40.34	25.66	8.41	13.05	6.4	54.0	
		6:04	28.72	40.37	25.70	8.25	10.94	5.1	44.1	
		9:04	28.82	43.96	28.25	8.24	12.60	4.0	55.7	
		12:04	29.20	44.70	28.76	8.24	14.57	3.8	48.3	
		15:04	30.30	44.51	28.59	8.32	14.85	3.5	33.5	
		18:04	30.63	44.21	28.37	8.34	14.84	3.0	35.6	
		21:04	30.33	44.48	28.57	8.25	13.90	3.2	40.0	
	日平均值			29.53	43.29	27.75	8.29	13.53	4.11	45.84
	潮口站	0:04	29.16	36.37	22.88	8.26	12.41	5.1	40.2	
		3:04	29.04	34.03	21.25	8.19	11.52	6.3	27.0	
		6:04	28.56	34.18	21.37	8.40	9.46	6.0	6.7	
		9:04	28.10	39.37	25.01	8.32	8.93	5.8	2.3	
		12:04	29.32	43.88	28.20	8.04	12.56	4.4	45.3	
		15:04	28.99	44.18	28.38	8.15	14.71	12.5	47.9	
		18:04	28.43	46.53	30.07	8.23	8.98	10.3	25.5	
		21:04	29.27	45.48	29.29	8.57	12.99	3.4	19.7	
	日平均值			28.86	40.50	25.81	8.27	11.45	6.73	26.83
	灣內站	0:04	28.96	42.59	27.27	8.05	6.03	52.2	109.2	
		3:04	29.31	41.50	26.48	8.11	7.71	83.1	128.2	
		6:04	29.23	41.71	26.64	8.04	7.05	99.8	65.5	
		9:04	29.03	42.96	27.53	8.06	7.35	22.2	112.3	
		12:04	30.77	40.23	25.65	7.99	15.58	1.4	20.6	
		15:04	31.42	39.73	25.28	8.12	17.09	2.5	19.2	
		18:04	30.94	41.92	26.83	8.06	15.83	2.4	41.4	
		21:04	29.85	44.17	28.46	8.24	12.33	2.8	44.8	
	日平均值			29.94	41.85	26.77	8.08	11.12	33.30	67.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月5日	蚵殼站	0:04	29.76	45.62	29.39	8.11	12.30	2.4	34.7	
		3:04	30.05	43.11	27.61	8.30	12.49	2.4	6.1	
		6:04	29.71	41.66	26.59	8.19	10.55	3.2	2.4	
		9:04	29.71	41.90	26.76	8.22	10.78	3.2	15.1	
		12:04	29.61	45.40	29.24	8.12	11.99	3.0	30.2	
		15:04	30.19	45.36	29.19	8.11	11.30	4.6	26.1	
		18:04	30.07	45.09	29.01	8.18	11.12	4.3	29.0	
		21:04	29.90	45.81	29.53	8.11	10.69	4.8	24.4	
	日平均值			29.88	44.24	28.42	8.17	11.40	3.49	21.00
	潮口站	0:04	29.49	43.80	28.09	8.15	13.76	5.7	24.7	
		3:04	29.37	43.34	27.77	8.02	11.98	5.9	28.6	
		6:04	29.02	40.07	25.47	8.44	9.79	2.3	1.9	
		9:04	28.99	41.96	26.80	8.46	10.59	3.6	3.5	
		12:04	29.10	46.45	29.99	8.48	12.99	8.2	24.8	
		15:04	28.83	45.05	29.00	8.28	10.71	6.8	29.2	
		18:04	28.34	49.33	32.09	8.16	8.59	8.0	7.1	
		21:04	28.22	48.50	31.50	8.15	8.47	8.2	10.2	
	日平均值			28.92	44.81	28.84	8.27	10.86	6.09	16.25
	灣內站	0:04	29.90	43.48	27.96	8.26	12.77	2.8	34.2	
		3:04	29.87	43.17	27.75	8.32	13.99	1.9	35.4	
		6:04	29.61	44.05	28.38	8.19	12.64	1.4	47.3	
		9:04	29.74	42.75	27.45	8.24	12.32	0.9	10.2	
		12:04	30.59	41.55	26.58	8.35	13.28	1.6	10.3	
		15:04	30.83	42.20	27.03	8.43	13.07	2.9	16.0	
		18:04	30.95	40.84	26.07	8.39	12.21	6.0	18.2	
		21:04	30.01	44.33	28.56	8.32	11.88	2.5	15.4	
	日平均值			30.19	42.80	27.47	8.31	12.77	2.50	23.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月6日	蚵殼站	0:04	29.61	46.54	30.06	8.52	9.90	2.0	23.8	
		3:04	29.35	42.19	26.98	8.50	8.73	3.8	13.7	
		5:04	29.22	43.65	28.01	8.50	8.63	3.5	7.3	
		9:04	29.28	43.94	28.22	8.53	9.05	2.4	21.8	
		12:04	28.90	47.21	30.56	8.47	9.59	2.8	19.1	
		13:04	28.94	47.47	30.74	8.49	9.79	3.4	18.4	
		20:04	29.01	45.45	29.30	8.50	9.59	9.4	16.0	
		21:04	28.96	47.41	30.70	8.42	8.81	9.2	19.1	
	日平均值			29.16	45.48	29.32	8.49	9.26	4.56	17.40
	潮口站	0:04	29.80	45.20	29.08	8.49	11.89	3.9	20.7	
		3:04	29.21	38.43	24.33	8.43	9.87	4.3	13.3	
		6:04	28.96	39.31	24.95	8.43	9.44	5.3	12.1	
		9:04	28.65	39.55	25.12	8.44	9.59	3.7	4.9	
		12:04	29.21	40.71	25.92	8.51	11.14	4.3	26.6	
		15:04	29.25	44.35	28.49	8.46	11.44	3.3	20.4	
		18:04	28.48	48.71	31.64	8.17	8.19	17.2	8.7	
		21:04	28.47	47.83	31.00	8.20	8.57	11.9	12.5	
	日平均值			29.00	43.01	27.57	8.39	10.02	6.74	14.90
	灣內站	0:04	29.44	45.84	29.66	8.19	10.73	3.7	20.3	
		3:04	29.65	43.11	27.71	8.17	9.17	2.1	11.3	
		6:04	29.30	45.70	29.56	8.10	9.79	2.1	12.5	
		9:04	29.76	44.61	28.78	8.16	10.75	2.2	14.6	
		12:04	28.91	47.22	30.68	8.08	9.59	3.6	22.1	
		15:04	29.29	44.92	29.01	8.18	10.69	3.1	18.5	
		18:04	29.18	44.59	28.78	8.13	9.88	3.5	13.7	
		21:04	29.20	44.46	28.68	8.12	9.54	5.7	34.1	
	日平均值			29.34	45.06	29.11	8.14	10.02	3.25	18.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月7日	蚵殼站	0:04	29.01	47.04	30.43	8.43	8.87	5.5	16.2	
		3:04	29.01	46.41	29.98	8.44	8.78	3.4	15.8	
		6:04	28.22	44.45	28.61	8.47	8.22	3.7	10.2	
		9:04	28.67	46.21	29.85	8.40	8.18	3.9	9.4	
		12:04	29.03	44.66	28.73	8.49	9.77	3.6	22.4	
		15:04	29.36	45.34	29.20	8.51	10.46	3.5	30.6	
		18:04	28.83	46.47	30.03	8.46	9.46	4.7	19.7	
		21:04	28.49	49.94	32.54	8.25	7.22	9.6	13.1	
	日平均值			28.83	46.32	29.92	8.43	8.87	4.74	17.18
	潮口站	0:04	28.82	46.19	29.82	8.29	9.87	4.4	19.1	
		3:04	28.38	45.01	28.99	8.20	8.54	4.2	6.5	
		6:04	27.99	42.95	27.53	8.20	8.01	2.9	4.4	
		9:04	27.85	41.43	26.46	8.22	8.46	3.2	9.4	
		12:04	28.94	41.14	26.23	8.32	10.55	2.7	14.0	
		15:04	29.36	42.04	26.85	8.35	11.39	3.6	24.3	
		18:04	28.98	43.05	27.58	8.32	10.90	4.2	22.1	
		21:04	28.43	46.69	30.19	8.11	8.53	5.0	8.1	
	日平均值			28.59	43.56	27.96	8.25	9.53	3.78	13.49
	灣內站	0:04	29.12	44.99	29.06	8.44	8.33	3.4	11.1	
		1:04	29.21	44.23	28.52	8.51	9.02	3.1	18.7	
		2:04	29.16	44.04	28.38	8.49	8.43	2.5	9.5	
		3:04	28.86	45.28	29.28	8.45	7.63	2.0	23.6	
		4:04	28.95	45.48	29.42	8.46	7.52	2.0	11.2	
		19:34	28.76	45.49	29.43	8.50	8.04	4.6	13.5	
		23:04	28.43	48.18	31.38	8.30	5.07	7.0	8.6	
		23:34	28.32	48.05	31.29	8.37	5.38	4.3	8.8	
	日平均值			28.85	45.72	29.60	8.44	7.43	3.61	13.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月8日	蚵殼站	0:04	28.43	48.21	31.29	8.33	7.87	4.3	11.1	
		3:04	28.10	48.69	31.65	8.29	7.16	4.8	6.6	
		6:04	27.93	48.14	31.26	8.30	7.02	5.2	6.4	
		9:04	27.90	48.21	31.30	8.27	6.89	4.3	12.4	
		12:04	27.74	49.32	32.11	8.20	6.47	5.1	6.2	
		15:04	27.83	48.81	31.74	8.23	6.80	5.6	5.3	
		18:04	27.65	47.40	30.73	8.27	7.04	7.2	5.9	
		21:04	27.74	47.00	30.44	8.28	7.14	6.1	16.0	
	日平均值			27.92	48.22	31.32	8.27	7.05	5.33	8.74
	潮口站	0:04	28.31	44.53	28.64	8.18	9.10	4.8	15.5	
		3:04	28.15	44.05	28.31	8.14	8.37	13.8	15.7	
		6:04	27.75	44.18	28.41	8.03	7.72	28.9	7.5	
		9:04	27.80	44.03	28.30	8.01	7.68	29.8	3.4	
		12:04	27.40	41.66	26.64	7.89	7.54	25.8	4.1	
		15:04	27.38	37.76	23.91	7.91	7.84	16.5	9.3	
		18:04	27.38	40.53	25.84	7.94	7.76	17.6	11.2	
		21:04	27.35	42.84	27.47	7.91	7.83	35.0	1.8	
	日平均值			27.69	42.45	27.19	8.00	7.98	21.53	8.56
	灣內站	0:04	28.47	46.61	30.25	8.38	6.34	5.1	10.0	
		3:04	28.17	46.48	30.16	8.28	5.53	4.9	8.8	
		6:04	27.80	47.15	30.65	8.07	4.35	10.7	5.4	
		9:04	27.79	46.59	30.25	8.13	4.80	4.8	5.9	
		12:04	27.77	47.63	31.00	8.27	6.06	8.2	6.8	
		15:04	27.90	46.92	30.48	8.28	5.92	4.9	6.5	
		18:04	27.85	46.57	30.23	8.29	6.08	4.1	8.2	
		21:04	27.69	44.64	28.85	8.30	6.50	3.9	6.9	
	日平均值			27.93	46.57	30.23	8.25	5.70	5.83	7.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月9日	蚵殼站	0:04	27.52	47.65	30.91	8.19	6.52	7.0	4.4	
		3:04	27.25	45.73	29.54	8.11	6.33	5.7	3.4	
		6:04	27.16	45.70	29.52	8.11	6.35	5.1	6.9	
		9:04	27.20	46.41	30.03	8.10	6.33	4.8	0.3	
		12:04	27.04	43.70	28.10	8.13	6.79	5.3	11.2	
		15:04	27.12	43.72	28.11	8.13	6.95	5.6	0.8	
		18:04	27.20	44.03	28.33	8.12	6.77	5.4	5.3	
		21:04	27.02	41.71	26.70	8.12	6.95	5.9	5.6	
	日平均值			27.19	44.83	28.91	8.13	6.62	5.60	4.74
	潮口站	0:04	26.82	37.82	23.96	7.90	7.85	9.8	4.0	
		3:04	26.80	38.40	24.36	7.90	7.81	16.9	0.8	
		6:04	27.02	43.02	27.60	7.92	7.69	25.4	3.7	
		9:04	26.65	38.59	24.50	7.79	7.46	22.3	0.5	
		12:04	26.59	37.26	23.58	7.75	7.60	13.3	3.1	
		15:04	26.81	37.88	24.00	7.86	8.12	7.5	3.1	
		18:04	26.92	39.55	25.16	7.87	7.95	6.5	1.6	
		21:04	27.31	44.94	28.96	7.89	7.87	44.2	3.0	
	日平均值			26.87	39.68	25.27	7.86	7.79	18.24	2.48
	灣內站	0:04	27.67	45.05	29.14	8.24	5.85	3.0	5.6	
		3:04	27.70	47.10	30.62	8.24	5.70	3.7	5.1	
		6:04	27.46	44.32	28.63	8.24	6.09	3.2	3.5	
		9:04	27.43	43.60	28.12	8.25	6.28	4.6	3.6	
		12:04	27.43	43.30	27.90	8.24	6.26	4.6	3.0	
		15:04	27.34	42.83	27.57	8.24	6.66	3.7	5.0	
		18:04	27.38	40.57	25.97	8.21	6.60	5.2	5.3	
		21:04	27.34	42.77	27.53	8.22	6.57	3.6	4.5	
	日平均值			27.47	43.69	28.19	8.24	6.25	3.95	4.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月10日	蚵殼站	0:04	27.13	43.82	28.19	8.11	6.85	5.7	6.8	
		3:04	26.75	39.72	25.30	8.07	6.83	6.0	4.0	
		6:04	26.80	41.81	26.77	8.08	6.76	7.1	4.2	
		9:04	26.21	35.26	22.23	8.04	6.87	3.8	3.4	
		12:04	26.83	37.50	23.76	8.10	6.97	3.9	7.7	
		15:04	27.18	40.04	25.52	8.11	7.15	3.1	7.0	
		18:04	27.36	40.27	25.67	8.12	7.19	4.1	7.9	
		21:04	27.49	40.94	26.15	8.09	6.97	4.5	7.7	
	日平均值			26.97	39.92	25.45	8.09	6.95	4.78	6.09
	潮口站	0:04	26.92	40.82	26.05	7.88	8.17	57.6	2.8	
		3:04	27.07	43.08	27.65	7.88	7.88	23.6	3.4	
		6:04	26.85	40.85	26.08	7.84	7.40	9.6	0.3	
		9:04	26.36	35.73	22.53	7.79	7.69	5.0	4.9	
		12:04	27.18	41.36	26.43	7.80	7.45	10.6	8.6	
		15:04	27.20	38.41	24.36	7.87	8.69	6.0	10.4	
		18:04	27.24	40.22	25.62	7.84	8.30	6.6	6.1	
		21:04	27.46	38.89	24.69	7.82	7.89	4.6	1.8	
	日平均值			27.04	39.92	25.43	7.84	7.93	15.45	4.79
	灣內站	0:04	27.34	42.29	27.19	8.22	6.36	2.4	3.5	
		3:04	27.30	41.37	26.54	8.23	6.51	2.9	3.3	
		6:04	27.27	40.78	26.12	8.20	6.34	3.3	2.5	
		9:04	27.18	39.26	25.06	8.20	6.63	3.1	1.6	
		12:04	26.86	32.68	20.51	8.13	6.86	5.4	3.5	
		15:04	27.47	41.64	26.73	8.22	6.52	3.3	2.6	
		18:04	27.58	40.18	25.69	8.21	6.62	3.4	5.0	
		21:04	27.53	41.23	26.43	8.21	6.34	2.1	4.0	
	日平均值			27.32	39.93	25.53	8.20	6.52	3.24	3.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月11日	蚵殼站	0:04	27.36	42.56	27.29	8.10	6.79	3.1	6.6	
		3:04	27.38	43.91	28.24	8.10	6.63	2.4	4.0	
		6:04	27.42	42.78	27.44	8.04	6.10	1.6	8.8	
		9:04	26.70	37.02	23.43	8.07	7.20	2.3	6.9	
		12:04	27.78	40.21	25.63	8.14	7.63	3.0	11.6	
		15:04	27.89	43.13	27.68	8.21	8.37	3.9	16.8	
		18:04	28.05	42.38	27.15	8.16	7.92	2.8	16.7	
		21:04	28.30	37.93	24.02	8.23	8.85	2.9	18.4	
	日平均值			27.61	41.24	26.36	8.13	7.44	2.75	11.23
	潮口站	0:04	27.43	43.39	27.86	7.90	8.00	35.7	1.2	
		3:04	27.34	41.97	26.86	7.89	7.94	5.5	0.6	
		6:04	26.67	37.07	23.44	7.84	8.20	3.6	3.4	
		9:04	27.22	38.03	24.10	7.81	7.62	7.8	8.6	
		12:04	27.79	43.84	28.16	7.83	6.92	11.3	2.8	
		15:04	28.17	44.98	28.97	7.89	7.74	13.4	4.2	
		18:04	28.11	44.37	28.54	7.89	8.04	8.8	8.8	
		21:04	27.87	43.50	27.93	7.88	7.91	4.5	6.9	
	日平均值			27.58	42.14	26.98	7.87	7.80	11.33	4.56
	灣內站	0:04	27.52	40.35	25.82	8.19	6.38	2.5	4.0	
		3:04	27.54	41.91	26.92	8.18	6.11	0.9	2.2	
		6:04	27.60	40.60	25.99	8.19	5.99	3.6	3.3	
		9:04	27.73	40.16	25.67	8.11	4.68	4.0	2.2	
		12:04	28.27	38.25	24.33	8.17	5.60	1.4	2.1	
		15:04	28.81	37.18	23.56	8.54	10.25	2.3	22.6	
		18:04	28.73	37.65	23.89	8.59	10.72	2.1	42.4	
		21:04	28.32	39.91	25.48	8.53	9.72	2.6	32.2	
	日平均值			28.07	39.50	25.21	8.31	7.43	2.43	13.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月12日	蚵殼站	0:04	27.95	43.97	28.27	8.17	7.60	3.8	13.9	
		3:04	27.96	44.02	28.31	8.11	6.93	3.2	12.9	
		6:04	27.94	44.18	28.42	8.12	6.98	2.7	9.9	
		9:04	28.01	42.98	27.57	8.19	8.13	3.2	19.8	
		12:04	29.13	42.92	27.50	8.36	10.54	3.2	30.9	
		15:04	29.18	44.41	28.55	8.62	13.72	3.3	68.9	
		18:04	29.26	43.90	28.19	8.66	14.11	1.7	59.1	
		21:04	29.19	42.77	27.39	8.69	13.80	1.7	21.7	
	日平均值			28.58	43.64	28.03	8.37	10.23	2.85	29.64
	潮口站	0:04	27.72	45.42	29.30	7.87	7.32	5.8	0.7	
		3:04	27.60	43.52	27.94	7.93	8.14	5.1	0.1	
		6:04	27.21	38.03	24.10	7.95	9.04	5.7	17.1	
		9:04	28.01	39.81	25.32	7.93	8.83	10.5	8.9	
		12:04	28.49	43.93	28.21	7.94	9.43	3.8	17.5	
		15:04	28.72	46.30	29.90	7.90	7.63	14.3	2.3	
		18:04	28.54	47.01	30.41	7.90	7.64	9.6	3.2	
		21:04	28.59	44.68	28.74	8.09	11.67	3.7	30.6	
	日平均值			28.11	43.59	27.99	7.94	8.71	7.31	10.05
	灣內站	0:04	28.24	40.30	25.76	8.48	9.14	2.2	28.5	
		1:34	28.13	41.01	26.26	8.37	7.51	2.4	26.9	
		3:04	28.02	42.36	27.22	8.37	6.99	2.3	14.6	
		4:34	27.88	43.19	27.82	8.34	6.11	1.6	12.1	
		6:04	27.94	43.29	27.88	8.30	6.19	1.6	9.7	
		7:34	28.03	42.84	27.56	8.35	6.79	1.9	7.3	
		9:04	28.19	40.74	26.07	8.47	9.36	1.3	19.2	
		10:04	28.41	39.99	25.54	8.51	10.16	1.1	13.4	
	日平均值			28.11	41.72	26.76	8.40	7.78	1.80	16.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月13日	蚵殼站	2:04	28.67	44.72	28.78	8.47	10.75	1.9	21.0	
		3:04	28.73	44.28	28.47	8.23	8.68	2.4	31.7	
		4:34	28.55	45.76	29.53	8.21	7.87	6.0	56.8	
		6:04	28.43	45.98	29.69	8.20	7.28	4.7	52.6	
		9:04	28.27	44.68	28.77	8.30	8.93	2.7	24.0	
		10:34	28.61	43.63	28.01	8.43	10.88	3.1	23.0	
		12:04	29.19	44.35	28.52	8.46	11.27	2.5	20.1	
		13:04	29.40	44.86	28.87	8.49	11.74	2.5	27.1	
	日平均值			28.73	44.78	28.83	8.35	9.68	3.23	32.04
	潮口站	0:04	28.39	46.28	29.89	7.99	9.57	4.9	16.7	
		3:04	27.87	47.42	30.72	7.99	8.99	30.5	3.6	
		6:04	28.30	42.70	27.35	8.17	12.31	2.9	21.6	
		9:04	28.57	40.88	26.05	8.12	12.44	5.3	12.0	
		12:04	29.83	41.06	26.04	8.49	13.48	9.2	20.2	
		15:04	28.49	45.58	29.32	7.81	6.84	13.4	0.8	
		18:04	28.37	45.69	29.40	7.95	7.24	6.6	5.5	
		21:04	28.97	42.29	26.94	8.43	14.18	3.1	18.8	
	日平均值			28.60	43.99	28.21	8.12	10.63	9.49	12.40
	灣內站	4:04	28.29	44.63	28.83	8.46	6.89	3.7	65.1	
		4:34	28.05	45.56	29.50	8.35	5.63	6.2	134.4	
		5:04	28.05	45.49	29.45	8.36	5.56	5.0	110.3	
		5:34	28.10	45.12	29.19	8.30	5.25	6.6	145.1	
		6:04	28.11	45.16	29.21	8.24	4.11	7.4	180.9	
		6:34	28.11	45.06	29.14	8.22	3.74	8.9	188.5	
		7:04	28.15	44.99	29.09	8.25	4.75	7.6	195.3	
		7:34	28.63	43.83	28.25	8.54	9.54	2.4	69.7	
	日平均值			28.19	44.98	29.08	8.34	5.68	5.98	136.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月14日	蚵殼站	0:04	28.81	43.99	28.26	8.69	12.46	1.6	12.6	
		3:04	28.43	46.76	30.25	8.35	8.93	3.2	21.8	
		6:04	28.36	48.93	31.82	8.26	7.82	3.1	19.4	
		9:04	28.52	46.37	29.97	8.40	9.72	2.1	28.2	
		12:04	29.24	45.78	29.53	8.56	11.99	1.7	9.2	
		15:04	29.55	47.30	30.60	8.54	11.47	3.6	19.6	
		18:04	29.46	46.80	30.24	8.58	11.78	2.4	18.6	
		21:04	29.27	48.20	31.26	8.40	10.93	1.9	28.2	
	日平均值			28.96	46.77	30.24	8.47	10.64	2.45	19.70
	潮口站	0:04	28.73	44.74	28.70	8.01	9.83	3.3	4.4	
		3:04	27.98	51.19	33.43	7.97	6.32	10.9	4.2	
		6:04	27.91	43.29	27.69	8.14	9.05	9.4	9.0	
		9:04	28.30	46.79	30.20	8.13	8.99	8.5	14.0	
		12:04	29.78	43.82	28.01	8.17	10.29	7.4	10.6	
		15:04	28.63	48.81	31.66	7.91	7.15	10.7	1.0	
		18:04	28.83	48.95	31.75	8.06	9.00	11.1	11.7	
		21:04	29.25	45.49	29.23	8.39	10.77	4.7	8.3	
	日平均值			28.68	46.64	30.08	8.10	8.93	8.25	7.90
	灣內站	0:04	29.31	40.32	25.74	8.70	13.37	3.8	18.2	
		3:04	29.03	43.57	28.05	8.44	11.38	1.1	16.0	
		6:04	28.43	45.25	29.27	8.10	5.78	2.9	40.7	
		9:04	28.55	45.44	29.40	8.19	7.55	1.7	25.7	
		12:04	30.03	41.80	26.77	8.61	13.29	1.0	7.0	
		15:04	30.28	42.11	26.98	8.70	13.42	0.8	10.6	
		18:04	29.93	43.14	27.72	8.67	13.53	1.4	16.1	
		21:04	29.35	44.82	28.94	8.43	11.18	0.8	9.6	
	日平均值			29.36	43.31	27.86	8.48	11.19	1.69	17.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月15日	蚵殼站	0:04	29.22	46.08	29.74	8.53	10.72	3.2	8.1	
		3:04	29.11	46.75	30.22	8.46	10.04	1.4	11.0	
		6:04	28.30	50.02	32.61	8.30	7.72	3.9	4.4	
		9:04	28.67	50.17	32.70	8.31	8.32	1.4	14.8	
		12:04	29.52	48.67	31.59	8.41	9.99	2.0	12.1	
		15:04	29.80	49.23	31.99	8.36	9.27	2.3	17.1	
		18:04	29.49	49.59	32.26	8.38	9.09	2.2	28.0	
		21:04	28.99	48.14	31.22	8.29	8.20	3.8	16.6	
	日平均值			29.14	48.58	31.54	8.38	9.17	2.53	14.01
	潮口站	0:04	29.22	45.83	29.48	8.12	9.69	5.6	6.8	
		3:04	28.27	51.42	33.59	8.13	6.48	8.7	5.3	
		6:04	28.12	51.71	33.81	7.82	6.48	8.1	0.8	
		9:04	28.74	45.60	29.32	8.26	8.60	5.0	7.2	
		12:04	29.27	48.65	31.53	8.29	9.58	16.1	4.0	
		15:04	28.57	50.34	32.79	8.18	7.16	14.4	4.9	
		18:04	28.50	50.09	32.61	8.14	7.16	10.0	1.3	
		21:04	28.59	49.78	32.38	8.18	7.44	21.2	4.1	
	日平均值			28.66	49.18	31.94	8.14	7.82	11.14	4.30
	灣內站	0:04	29.73	42.49	27.27	8.51	10.74	3.0	8.4	
		3:04	29.16	45.68	29.56	8.48	10.82	0.4	4.4	
		6:04	28.95	46.25	29.97	8.47	12.52	0.1	5.2	
		9:04	28.80	46.98	30.50	8.29	8.83	1.2	7.0	
		10:34	29.25	46.18	29.91	8.26	8.09	2.4	7.6	
		12:04	30.61	43.89	28.23	8.52	10.27	1.0	5.8	
		18:04	30.12	45.29	29.25	8.54	10.52	1.4	10.7	
		21:04	30.16	44.52	28.70	8.61	10.03	1.3	7.9	
	日平均值			29.60	45.16	29.17	8.46	10.23	1.35	7.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
10月16日	蚵殼站	0:04	29.16	45.79	29.53	8.33	8.31	2.2	12.2
		3:04	29.02	46.12	29.77	8.27	7.55	2.5	14.1
		6:04	28.62	50.53	32.96	8.22	7.16	1.3	5.9
		9:04	28.88	49.67	32.33	8.25	7.46	0.8	9.1
		12:14	29.10	50.33	32.81	8.26	7.79	2.0	9.7
		15:04	29.73	49.72	32.34	8.34	8.69	2.7	16.7
		18:04	29.47	50.32	32.79	8.30	8.19	3.3	37.8
		21:04	29.59	49.73	32.35	8.29	8.21	1.6	38.2
	日平均值		29.20	49.03	31.86	8.28	7.92	2.05	17.96
	潮口站	0:04	29.00	46.69	30.10	8.23	8.12	4.8	4.4
		3:04	28.29	51.87	33.92	7.99	6.57	8.1	3.6
		6:04	28.18	52.71	34.54	7.96	6.54	8.1	6.4
		9:04	28.56	46.58	30.04	8.01	7.82	4.1	3.8
		12:14	29.57	48.27	31.24	7.95	7.45	15.8	8.5
		15:04	28.85	50.70	33.04	7.90	6.76	48.2	5.8
		18:04	28.32	52.34	34.27	7.81	6.51	91.9	4.2
		21:04	28.51	51.23	33.44	7.98	6.66	12.1	5.1
	日平均值		28.66	50.05	32.57	7.98	7.05	24.14	5.23
	灣內站	0:34	30.56	43.98	28.30	8.45	8.37	6.9	5.5
		3:04	29.98	45.60	29.48	8.47	9.08	1.1	6.5
		6:04	29.13	44.96	29.04	8.37	7.90	0.4	3.9
		7:34	29.09	46.35	30.04	8.29	7.47	0.2	4.0
		9:04	29.13	46.72	30.30	8.31	7.85	0.6	15.9
		11:04	29.56	46.50	30.13	8.44	10.03	1.6	10.2
		22:34	29.88	46.61	30.20	8.48	9.16	1.4	14.3
		23:34	29.98	46.47	30.10	8.49	9.08	1.4	16.9
	日平均值		29.66	45.90	29.70	8.41	8.62	1.70	9.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月17日	蚵殼站	0:04	29.69	48.42	31.40	8.45	9.36	1.9	28.2	
		3:04	29.44	47.60	30.82	8.37	8.50	1.8	32.4	
		6:04	29.00	47.80	31.07	8.19	6.86	2.5	36.2	
		9:04	28.95	47.90	31.15	8.21	7.13	1.4	39.6	
		12:04	28.87	48.38	31.53	8.29	8.20	3.5	47.2	
		15:04	29.65	48.11	31.29	8.38	9.49	3.7	42.1	
		18:04	29.44	47.93	31.16	8.43	9.93	2.3	82.9	
		21:04	29.12	47.63	30.94	8.32	8.43	4.0	44.7	
	日平均值			29.27	47.97	31.17	8.33	8.49	2.64	44.16
	潮口站	0:04	29.24	48.57	31.46	8.14	8.47	3.9	14.1	
		3:04	28.90	49.65	32.27	7.96	7.14	13.1	7.5	
		6:04	28.24	52.08	34.08	7.91	6.55	10.4	1.3	
		9:04	28.67	48.64	31.53	8.18	8.40	5.4	13.1	
		12:04	28.90	50.84	33.14	8.11	7.29	21.9	5.7	
		15:04	29.36	50.66	32.99	8.17	7.97	11.4	4.7	
		18:04	28.41	46.93	30.30	8.15	7.47	15.2	4.5	
		21:04	28.55	50.12	32.62	8.21	7.31	7.2	4.1	
	日平均值			28.78	49.69	32.30	8.10	7.58	11.06	6.88
	灣內站	0:04	30.02	46.40	30.05	8.49	8.85	2.0	17.3	
		1:34	29.60	45.00	29.05	8.42	7.66	0.5	12.1	
		3:04	29.93	46.06	29.81	8.44	8.22	1.6	15.9	
		4:34	29.52	46.05	29.81	8.38	7.57	0.9	14.0	
		6:04	29.48	46.81	30.36	8.39	7.77	0.1	13.4	
		7:34	28.93	48.21	31.38	8.32	6.45	1.2	18.1	
		9:04	29.40	47.44	30.82	8.46	7.91	0.2	16.2	
		11:34	29.39	47.53	30.88	8.40	8.21	0.9	11.8	
		日平均值			29.53	46.69	30.27	8.41	7.83	0.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月18日	蚵殼站	0:04	29.47	46.80	30.29	8.44	9.20	2.1	50.0	
		3:04	29.44	45.37	29.19	8.42	8.78	2.9	27.1	
		6:04	29.19	45.60	29.38	8.42	8.58	3.5	22.3	
		9:04	28.76	47.97	31.21	8.27	7.58	1.9	27.3	
		12:04	28.98	48.07	31.28	8.33	9.32	2.1	47.2	
		15:04	29.45	47.99	31.20	8.48	10.89	2.0	42.8	
		18:04	29.37	47.83	31.08	8.47	10.26	1.3	51.8	
		21:04	29.36	47.95	31.17	8.39	9.50	1.4	50.3	
	日平均值			29.25	47.20	30.60	8.40	9.26	2.15	39.85
	潮口站	0:04	29.01	49.48	32.14	8.31	8.58	4.5	16.1	
		3:04	29.05	48.28	31.26	8.19	8.25	10.1	13.3	
		6:04	28.07	52.94	34.72	8.14	6.73	28.7	0.5	
		9:04	28.21	52.91	34.70	8.23	6.65	66.6	1.5	
		12:04	29.26	50.07	32.56	8.34	8.48	28.0	15.5	
		15:04	29.54	50.20	32.65	8.36	9.03	15.0	9.8	
		18:04	28.21	50.27	32.74	8.20	7.06	25.1	1.7	
		21:04	28.57	50.66	33.02	8.14	6.90	44.8	0.0	
	日平均值			28.74	50.60	32.97	8.24	7.71	27.85	7.30
	灣內站	6:04	29.47	47.47	30.84	8.51	8.93	1.1	20.5	
		6:34	29.45	47.14	30.60	8.52	8.81	1.7	18.3	
		7:04	29.40	47.07	30.55	8.54	8.85	1.1	17.9	
		7:34	29.37	47.07	30.55	8.54	8.99	0.7	16.9	
		8:04	29.34	47.21	30.66	8.54	9.19	1.0	28.2	
		9:04	29.28	47.91	31.16	8.33	7.42	1.3	15.6	
		9:34	29.41	47.99	31.21	8.35	7.51	2.6	19.4	
		10:04	29.52	47.80	31.08	8.44	9.13	2.9	17.9	
	日平均值			29.41	47.46	30.83	8.47	8.60	1.55	19.34
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
10月19日	蚵殼站	0:04	29.46	46.94	30.40	8.54	10.19	0.9	43.9
		3:04	29.17	45.12	29.01	8.60	9.89	1.9	35.6
		6:04	28.96	45.37	29.20	8.48	8.72	0.9	17.9
		9:04	28.90	47.78	31.06	8.29	7.81	2.5	29.7
		12:04	29.61	47.67	30.95	8.36	8.74	0.9	35.6
		15:04	29.46	48.26	31.41	8.36	9.18	3.8	48.1
		18:04	29.41	48.15	31.33	8.41	9.04	1.8	44.5
		21:04	29.57	47.66	30.94	8.46	9.62	1.6	65.3
	日平均值		29.32	47.12	30.54	8.44	9.15	1.79	40.08
	潮口站	0:04	28.61	50.35	32.79	7.99	7.58	13.1	5.7
		3:04	29.11	49.15	31.90	8.27	9.92	2.8	12.4
		6:04	28.43	52.02	34.03	8.23	6.95	43.2	1.6
		9:04	28.59	51.97	33.99	8.22	6.72	43.6	0.5
		12:04	29.29	50.23	32.76	8.36	8.72	11.8	7.4
		15:04	29.09	50.83	33.20	8.11	8.55	11.5	15.4
		18:04	28.29	51.35	33.61	7.99	7.01	24.6	0.8
		21:04	28.63	50.33	32.85	8.06	7.11	16.4	5.3
	日平均值		28.76	50.78	33.14	8.15	7.82	20.88	6.14
	灣內站	0:04	29.83	47.33	30.72	8.26	11.91	0.0	9.9
		3:04	30.04	47.05	30.52	8.28	10.92	2.6	15.7
		6:04	29.40	47.26	30.69	8.12	9.07	0.7	15.0
		9:04	29.53	47.48	30.84	8.19	11.10	1.7	28.8
		12:04	30.41	45.91	29.68	8.36	13.36	1.0	22.9
		15:04	31.01	45.69	29.51	8.10	15.31	1.9	31.2
		18:04	30.70	46.41	30.03	8.47	12.66	1.4	18.8
		21:04	29.93	47.90	31.14	8.28	11.00	1.3	13.5
	日平均值		30.11	46.88	30.39	8.26	11.92	1.33	19.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月20日	蚵殼站	0:04	29.19	48.21	31.38	8.32	8.27	0.9	59.0	
		3:04	29.53	46.14	29.77	8.64	10.50	1.0	57.0	
		6:04	29.32	46.19	29.82	8.56	9.67	0.8	43.0	
		9:04	29.05	45.56	29.36	8.52	8.99	2.4	38.0	
		12:04	28.79	48.19	31.38	8.29	7.67	5.5	17.9	
		15:04	28.70	49.02	32.02	8.28	7.73	3.6	22.6	
		18:04	28.56	49.17	32.14	8.26	7.42	4.5	27.0	
		21:04	28.37	49.24	32.20	8.21	6.79	6.0	29.3	
	日平均值			28.94	47.72	31.01	8.39	8.38	3.09	36.73
	潮口站	0:04	29.23	49.77	32.42	8.44	9.22	4.4	7.8	
		3:04	29.35	49.10	31.93	8.58	10.16	3.2	5.2	
		6:04	28.96	49.66	32.35	8.42	7.89	17.0	2.9	
		9:04	28.69	50.74	33.15	8.25	7.23	423.3	5.8	
		12:04	28.86	49.46	32.20	8.39	8.11	17.5	7.8	
		15:04	28.90	49.28	32.07	8.30	7.33	21.0	7.0	
		18:04	28.54	50.87	33.25	8.27	7.21	69.7	1.5	
		21:04	28.13	48.05	31.19	8.24	7.50	393.1	4.2	
	日平均值			28.83	49.62	32.32	8.36	8.08	118.65	5.28
	灣內站	12:04	29.00	48.42	31.54	8.45	7.41	4.9	16.5	
		13:34	28.85	49.04	31.99	8.33	5.55	1.8	9.6	
		15:04	28.61	49.45	32.30	8.28	4.96	3.6	4.6	
		16:34	28.65	49.23	32.13	8.33	5.64	7.0	5.6	
		18:04	28.75	48.58	31.66	8.42	6.91	5.6	7.3	
		19:34	28.65	48.64	31.71	8.36	6.06	2.3	5.3	
		21:04	28.60	48.62	31.70	8.38	6.17	3.1	7.3	
		22:34	28.56	48.52	31.62	8.38	6.08	3.4	6.1	
	日平均值			28.71	48.81	31.83	8.37	6.10	3.96	7.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月21日	蚵殼站	0:04	28.34	48.92	31.95	8.24	6.89	5.2	22.2	
		3:04	28.28	48.60	31.71	8.25	6.99	5.7	14.4	
		6:04	28.12	48.58	31.70	8.22	6.70	5.8	19.7	
		9:04	28.07	48.27	31.46	8.22	6.85	10.0	23.7	
		12:04	28.33	48.35	31.51	8.23	7.13	8.3	26.1	
		15:04	28.54	48.37	31.52	8.21	7.16	10.0	36.2	
		18:04	28.48	48.28	31.46	8.19	7.17	12.4	38.1	
		21:04	28.38	48.06	31.29	8.16	6.87	17.9	25.4	
	日平均值			28.32	48.43	31.58	8.22	6.97	9.41	25.73
	潮口站	0:04	27.99	46.95	30.40	8.21	7.45	130.5	0.9	
		3:04	27.85	48.18	31.29	8.20	6.84	110.4	6.2	
		6:04	27.73	48.27	31.37	8.16	6.68	74.6	6.2	
		9:04	28.20	47.62	30.88	8.33	7.42	210.9	5.4	
		12:04	28.68	47.66	30.89	8.32	7.03	57.6	4.0	
		15:04	29.07	47.52	30.78	8.35	6.84	96.2	2.5	
		18:04	28.63	48.61	31.59	8.06	7.26	59.1	1.2	
		21:04	28.22	48.43	31.47	8.35	6.94	62.0	0.7	
	日平均值			28.30	47.91	31.08	8.25	7.06	100.16	3.39
	灣內站	0:04	28.54	48.40	31.54	8.40	6.19	3.2	5.6	
		3:04	27.97	48.99	31.98	8.13	5.27	4.9	6.9	
		6:04	28.18	48.65	31.73	8.31	6.05	2.7	6.9	
		9:04	28.21	48.92	31.92	8.26	5.70	5.1	5.8	
		12:04	28.63	48.01	31.25	8.33	6.80	6.1	7.9	
		15:04	29.05	48.48	31.58	8.39	6.97	8.2	9.3	
		18:04	28.70	47.77	31.07	8.39	6.49	7.2	6.7	
		21:04	28.43	48.28	31.45	8.42	6.75	5.5	8.2	
	日平均值			28.46	48.44	31.57	8.33	6.28	5.36	7.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月22日	蚵殼站	0:04	28.25	48.10	31.32	8.15	6.69	29.4	7.4	
		3:04	28.14	48.18	31.39	8.16	6.76	12.5	1.4	
		6:04	28.10	48.25	31.45	8.15	6.62	15.9	9.2	
		9:04	28.23	48.32	31.49	8.14	6.61	15.8	13.6	
		12:04	28.59	48.25	31.43	8.15	6.84	12.9	9.3	
		15:04	28.97	48.25	31.42	8.17	7.25	14.9	15.3	
		18:04	28.90	47.21	30.61	8.17	7.44	12.9	17.9	
		21:04	28.83	47.22	30.63	8.16	7.34	44.3	17.1	
	日平均值			28.50	47.97	31.22	8.16	6.94	19.83	11.40
	潮口站	0:04	28.21	46.90	30.34	7.99	6.74	19.6	1.8	
		3:04	28.16	47.74	30.90	8.25	7.00	15.7	1.6	
		6:04	28.08	46.73	30.23	8.28	6.47	16.3	3.4	
		9:04	28.19	45.45	29.38	8.13	7.43	20.7	1.6	
		12:04	28.12	43.77	28.27	8.23	7.51	107.2	1.7	
		15:04	28.21	44.16	28.53	8.41	7.16	48.5	1.1	
		18:04	28.76	45.45	29.36	8.20	6.61	10.8	2.0	
		21:04	28.07	48.01	31.08	8.27	6.93	93.2	3.5	
	日平均值			28.23	46.03	29.76	8.22	6.98	41.50	2.09
	灣內站	0:04	28.34	48.20	31.40	8.41	6.78	5.1	9.2	
		3:04	28.26	48.17	31.38	8.39	6.59	4.7	6.0	
		6:04	28.24	48.19	31.39	8.37	6.29	5.1	6.0	
		9:04	28.47	48.22	31.41	8.39	6.66	5.4	5.2	
		12:04	28.88	48.24	31.41	8.45	7.28	4.9	8.2	
		15:04	29.26	48.18	31.36	8.58	8.59	3.9	9.1	
		18:04	29.28	47.97	31.20	8.56	7.75	2.2	10.6	
		21:04	29.32	48.09	31.29	8.52	7.26	1.2	6.4	
	日平均值			28.76	48.16	31.36	8.46	7.15	4.06	7.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月23日	蚵殼站	0:04	29.14	47.95	31.18	8.14	7.14	39.7	16.0	
		3:04	28.50	46.83	30.33	8.16	7.22	107.6	16.2	
		6:04	28.17	46.57	30.15	8.16	7.16	62.0	14.3	
		9:04	28.54	46.93	30.42	8.18	7.66	20.7	7.5	
		12:04	29.07	47.24	30.64	8.20	7.98	31.3	8.6	
		15:04	29.14	47.98	31.20	8.24	8.12	7.7	22.0	
		18:04	29.17	47.78	31.05	8.22	8.03	18.1	27.8	
		21:04	29.06	47.85	31.10	8.24	8.16	29.1	43.5	
	日平均值			28.85	47.39	30.76	8.19	7.68	39.53	19.49
	潮口站	0:04	28.04	47.84	30.97	8.24	6.74	15.0	3.4	
		3:04	28.53	46.72	30.21	8.13	7.04	8.8	1.4	
		6:04	28.68	45.93	29.69	8.06	6.59	8.6	5.6	
		9:04	28.71	45.73	29.54	8.15	6.70	4.6	2.4	
		12:04	28.30	47.00	30.40	8.12	6.67	23.8	3.9	
		15:04	28.47	45.47	29.38	8.24	6.97	31.2	1.6	
		18:04	28.04	46.19	29.87	8.11	6.80	27.4	1.2	
		21:04	28.12	48.23	31.23	8.13	6.85	18.0	0.6	
	日平均值			28.36	46.64	30.16	8.15	6.80	17.18	2.51
	灣內站	4:34	29.07	47.39	30.79	8.49	7.05	1.3	6.6	
		5:34	28.86	47.04	30.54	8.47	6.96	1.2	6.2	
		6:04	28.84	47.11	30.59	8.46	6.79	1.9	7.2	
		7:04	28.75	47.08	30.57	8.44	6.73	1.2	4.6	
		8:04	28.85	47.25	30.70	8.42	6.43	0.1	2.6	
		9:04	29.07	47.46	30.84	8.42	6.60	0.1	2.8	
		9:34	29.17	47.57	30.92	8.43	6.53	0.1	2.9	
		10:04	29.30	47.61	30.95	8.46	6.77	0.0	3.3	
	日平均值			28.99	47.31	30.74	8.45	6.73	0.74	4.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月24日	蚵殼站	0:04	28.96	47.76	31.04	8.26	8.13	36.8	46.7	
		3:04	28.98	47.68	30.98	8.24	7.87	39.9	51.6	
		6:04	28.77	47.65	30.96	8.24	7.78	36.2	40.7	
		9:04	29.00	47.44	30.79	8.29	9.21	24.7	47.4	
		12:04	29.63	47.68	30.96	8.39	10.58	25.9	39.2	
		15:04	29.79	47.97	31.18	8.43	11.20	40.0	48.8	
		18:04	29.56	48.06	31.25	8.44	10.90	33.6	57.6	
		21:04	29.63	47.94	31.16	8.38	9.85	21.0	37.4	
	日平均值			29.29	47.77	31.04	8.33	9.44	32.26	46.18
	潮口站	0:04	28.26	49.24	31.90	8.21	6.99	27.1	1.8	
		3:04	28.68	46.88	30.31	8.26	7.89	2.8	10.5	
		6:04	28.70	46.89	30.32	8.27	8.16	1.9	17.1	
		9:04	29.10	46.56	30.09	8.34	9.22	2.0	16.0	
		12:04	29.25	47.35	30.61	8.19	7.45	5.8	3.6	
		15:04	28.72	46.10	29.80	8.20	6.78	6.0	0.1	
		18:04	29.06	47.23	30.53	8.36	9.73	3.7	24.6	
		21:04	28.98	47.18	30.51	8.30	8.42	0.6	10.1	
	日平均值			28.84	47.18	30.51	8.27	8.08	6.24	10.48
	灣內站	0:04	29.39	47.74	31.03	8.12	8.26	2.5	25.2	
		3:04	29.40	47.71	31.01	8.12	8.24	2.7	30.4	
		6:04	29.21	47.62	30.96	8.04	7.54	0.8	23.9	
		9:04	29.59	47.63	30.95	8.09	8.86	0.9	8.2	
		12:04	30.73	46.60	30.17	8.22	10.71	2.2	19.2	
		15:04	30.83	47.18	30.58	8.44	15.43	1.8	29.6	
		18:04	30.63	47.40	30.75	8.48	14.70	0.9	26.9	
		21:04	30.34	47.37	30.74	8.41	13.03	0.8	26.1	
	日平均值			30.02	47.41	30.77	8.24	10.85	1.58	23.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月25日	蚵殼站	0:04	29.68	47.65	30.93	8.43	10.26	8.7	64.2	
		3:04	29.70	47.52	30.83	8.41	10.07	12.0	45.1	
		6:04	29.64	47.62	30.91	8.39	9.73	7.1	30.9	
		9:04	29.68	47.26	30.64	8.43	10.73	13.1	39.6	
		12:04	30.10	48.46	31.48	8.42	9.60	16.3	6.7	
		15:04	29.77	46.31	29.98	8.49	9.82	37.5	16.0	
		18:04	29.89	46.30	29.97	8.49	9.67	44.3	13.2	
		21:04	29.91	46.00	29.74	8.54	9.73	68.7	18.1	
	日平均值			29.80	47.14	30.56	8.45	9.95	25.96	29.23
	潮口站	0:04	28.16	49.66	32.18	8.17	6.09	3.9	1.2	
		3:04	28.00	49.54	32.10	8.22	6.17	5.1	4.3	
		6:04	29.06	47.74	30.96	8.21	9.65	0.9	16.2	
		9:04	29.52	46.85	30.39	8.53	10.71	4.5	12.6	
		12:04	29.92	46.95	30.34	8.35	8.10	5.9	0.9	
		15:04	29.29	46.48	30.05	8.26	6.39	4.4	1.4	
		18:04	29.01	49.28	32.10	8.33	6.95	5.5	10.9	
		21:04	29.78	48.51	31.51	8.47	9.72	3.0	6.7	
	日平均值			29.09	48.13	31.20	8.32	7.97	4.15	6.78
	灣內站	0:04	30.04	47.60	30.91	8.33	12.31	0.1	20.0	
		3:04	29.82	47.80	31.06	8.25	11.36	0.1	10.1	
		6:04	29.92	47.69	30.98	8.26	11.21	0.4	10.4	
		9:04	30.00	47.68	30.97	8.22	10.93	0.4	9.0	
		12:04	30.86	47.77	30.94	8.42	9.18	3.0	15.6	
		15:04	30.76	47.98	31.09	8.08	9.66	3.2	20.1	
		18:04	30.41	47.96	31.09	8.10	9.81	2.2	20.9	
		21:04	30.62	48.07	31.17	8.06	9.32	2.7	16.2	
	日平均值			30.30	47.82	31.03	8.22	10.47	1.51	15.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月26日	蚵殼站	0:04	29.76	45.94	29.71	8.54	9.60	2.0	17.5	
		3:04	29.65	46.04	29.78	8.46	8.96	2.2	16.5	
		6:04	29.60	45.43	29.35	8.46	8.55	3.2	14.3	
		9:04	29.73	45.84	29.64	8.51	9.18	2.2	7.3	
		12:04	30.08	46.18	29.88	8.50	9.51	3.4	12.6	
		15:04	30.07	46.21	29.89	8.53	9.65	4.1	12.7	
		18:04	29.61	46.63	30.22	8.48	8.99	3.1	13.9	
		21:04	29.53	45.56	29.44	8.44	8.42	3.1	8.0	
	日平均值			29.75	45.98	29.74	8.49	9.11	2.91	12.85
	潮口站	0:04	29.37	48.28	31.36	8.39	7.74	2.7	5.8	
		3:04	28.33	50.86	33.28	8.31	5.91	5.1	0.6	
		6:04	29.65	47.80	31.00	8.48	8.89	2.4	11.3	
		9:04	29.84	47.54	30.81	8.50	9.86	3.7	10.8	
		12:04	30.41	47.96	31.09	8.47	9.83	4.1	8.7	
		15:04	29.00	44.45	28.60	8.25	6.56	6.0	4.0	
		18:04	29.08	48.46	31.50	8.32	6.61	3.2	4.2	
		21:04	29.36	48.88	31.80	8.41	8.13	4.6	5.9	
	日平均值			29.38	48.03	31.18	8.39	7.94	3.98	6.41
	灣內站	0:04	30.55	48.11	31.20	8.55	9.20	3.0	16.2	
		3:04	29.91	48.54	31.53	8.48	8.20	2.0	13.1	
		6:04	29.54	48.59	31.58	8.40	7.36	1.2	33.1	
		9:04	30.14	48.41	31.43	8.44	7.82	1.7	11.1	
		12:04	30.69	48.40	31.41	8.45	8.43	3.2	15.6	
		15:04	30.65	48.48	31.47	8.57	9.81	2.1	15.6	
		18:04	30.26	48.60	31.56	8.52	8.75	3.3	19.3	
		21:04	30.32	48.34	31.37	8.42	7.92	2.5	11.7	
	日平均值			30.26	48.43	31.44	8.48	8.44	2.38	16.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月27日	蚵殼站	0:04	29.72	45.33	29.26	8.46	8.45	2.7	14.4	
		3:04	29.27	45.61	29.49	8.41	7.91	2.5	7.1	
		6:04	29.30	46.01	29.78	8.42	7.97	1.9	6.0	
		9:04	29.55	45.98	29.74	8.46	8.54	2.0	7.6	
		12:04	29.93	46.03	29.77	8.39	8.03	2.0	3.9	
		15:04	29.65	46.73	30.29	8.47	9.07	4.3	15.4	
		18:04	29.67	46.80	30.34	8.46	8.86	2.3	24.4	
		21:04	29.58	46.71	30.27	8.48	8.77	1.9	14.8	
	日平均值			29.58	46.15	29.87	8.44	8.45	2.45	11.70
	潮口站	0:04	29.22	48.27	31.35	8.36	7.29	1.5	0.9	
		3:04	28.32	50.79	33.23	8.33	6.20	6.2	1.4	
		6:04	29.31	47.97	31.14	8.39	7.58	1.5	5.0	
		9:04	29.60	47.69	30.92	8.39	7.94	5.8	3.0	
		12:04	30.32	48.12	31.21	8.31	7.39	3.7	1.7	
		15:04	28.58	45.93	29.68	8.26	6.57	4.7	0.0	
		18:04	28.56	47.11	30.53	8.30	6.77	3.1	1.5	
		21:04	29.09	49.26	32.08	8.35	7.62	3.9	1.5	
	日平均值			29.13	48.14	31.27	8.34	7.17	3.80	1.88
	灣內站	0:04	30.18	48.73	31.66	8.44	7.64	2.0	10.7	
		3:04	29.92	48.83	31.74	8.43	8.01	1.2	10.9	
		6:04	29.95	48.65	31.61	8.43	7.72	1.4	9.9	
		9:04	30.04	48.88	31.77	8.47	8.26	1.3	12.4	
		12:04	30.77	48.90	31.77	8.51	8.93	1.9	14.5	
		15:04	30.52	48.44	31.44	8.54	9.49	1.7	13.4	
		18:04	30.33	48.66	31.61	8.53	8.94	2.2	18.7	
		21:04	30.54	47.96	31.09	8.46	7.96	3.9	14.0	
	日平均值			30.28	48.63	31.59	8.48	8.37	1.95	13.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月28日	蚵殼站	0:04	29.46	46.74	30.30	8.46	8.32	3.4	11.6	
		3:04	29.62	46.54	30.15	8.47	8.24	2.4	7.7	
		6:04	29.28	45.90	29.70	8.41	7.80	2.1	11.0	
		9:04	29.70	46.30	29.97	8.47	8.42	1.2	21.7	
		12:04	30.00	46.31	29.97	8.45	8.78	1.9	12.0	
		15:04	29.62	46.83	30.36	8.51	9.38	1.6	16.2	
		18:04	29.58	47.06	30.53	8.44	8.64	1.8	19.0	
		21:04	29.41	46.87	30.40	8.50	8.84	2.0	9.1	
	日平均值			29.58	46.57	30.17	8.46	8.55	2.05	13.54
	潮口站	0:04	29.57	48.73	31.68	8.39	8.25	2.7	7.0	
		3:04	28.30	50.71	33.17	8.28	6.26	5.4	1.5	
		6:04	28.73	49.57	32.32	8.30	5.84	0.7	1.0	
		9:04	29.38	47.32	30.66	8.42	8.34	3.4	4.8	
		12:04	30.40	48.27	31.32	8.36	8.19	5.8	7.6	
		15:04	28.72	46.95	30.41	8.27	6.69	4.3	0.7	
		18:04	28.41	48.55	31.59	8.30	6.49	3.4	2.9	
		21:04	28.90	49.66	32.38	8.34	7.15	3.8	4.8	
	日平均值			29.05	48.72	31.69	8.33	7.15	3.69	3.79
	灣內站	0:04	30.32	48.40	31.42	8.39	7.21	2.6	10.9	
		3:04	29.98	48.91	31.80	8.39	7.51	1.2	12.8	
		6:04	29.41	49.14	31.99	8.34	6.75	1.1	11.8	
		9:04	29.67	48.93	31.82	8.40	7.64	0.3	11.0	
		12:04	30.49	48.87	31.76	8.48	8.71	0.7	11.2	
		15:04	30.53	48.97	31.83	8.53	9.06	2.1	13.5	
		18:04	30.05	48.99	31.85	8.47	8.34	2.1	14.7	
		21:04	30.24	48.93	31.81	8.47	7.99	2.5	8.4	
	日平均值			30.09	48.89	31.79	8.43	7.90	1.58	11.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月29日	蚵殼站	0:04	29.54	46.85	30.38	8.50	8.73	1.7	10.4	
		3:04	29.52	46.86	30.39	8.45	8.21	7.6	4.5	
		6:04	29.21	46.87	30.41	8.48	8.35	2.1	4.3	
		9:04	29.33	45.78	29.61	8.42	7.91	15.0	12.0	
		12:04	29.73	46.80	30.33	8.45	8.51	2.2	15.5	
		15:04	29.39	47.20	30.64	8.49	9.15	2.5	33.1	
		18:04	29.46	46.99	30.49	8.47	8.64	3.9	12.2	
		21:04	29.45	46.82	30.36	8.50	8.79	2.8	12.6	
	日平均值			29.45	46.77	30.33	8.47	8.54	4.73	13.08
	潮口站	0:04	29.29	48.78	31.73	8.37	7.75	2.8	2.7	
		3:04	28.61	50.42	32.95	8.28	6.39	2.7	1.0	
		6:04	28.58	50.51	33.01	8.29	6.15	3.2	4.0	
		9:04	29.22	47.45	30.76	8.39	7.96	2.8	5.1	
		12:04	30.39	48.41	31.42	8.33	7.89	8.6	5.2	
		15:04	28.71	45.50	29.36	8.25	6.72	5.2	1.4	
		18:04	28.40	49.51	32.28	8.29	6.50	3.5	0.3	
		21:04	28.99	49.23	32.07	8.34	7.27	5.0	3.9	
	日平均值			29.02	48.73	31.70	8.32	7.08	4.23	2.95
	灣內站	0:04	30.24	48.54	31.52	8.31	6.47	3.3	10.2	
		3:04	30.05	48.99	31.86	8.40	7.22	1.0	7.9	
		6:04	29.73	49.21	32.03	8.40	7.52	0.6	11.7	
		9:04	29.72	49.22	32.03	8.43	7.74	0.2	5.8	
		12:04	30.49	49.20	31.99	8.50	8.89	0.2	9.4	
		15:04	30.46	49.24	32.03	8.54	9.29	1.0	13.7	
		18:04	30.05	48.99	31.86	8.47	8.60	0.7	10.8	
		21:04	29.99	49.19	32.01	8.47	8.53	0.9	9.9	
	日平均值			30.09	49.07	31.92	8.44	8.03	0.99	9.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月30日	蚵殼站	0:04	29.45	46.27	29.96	8.49	8.51	1.4	6.2	
		3:04	29.18	46.73	30.30	8.48	8.32	2.1	7.4	
		6:04	28.95	46.48	30.13	8.45	8.05	1.8	3.9	
		9:04	28.96	46.55	30.18	8.47	8.35	1.1	4.0	
		12:04	29.57	46.61	30.20	8.51	9.03	2.1	10.7	
		15:04	29.65	47.26	30.67	8.47	8.90	4.5	12.4	
		18:04	29.54	47.28	30.69	8.54	9.64	3.2	9.0	
		21:04	29.43	47.20	30.64	8.53	9.27	2.8	4.2	
	日平均值			29.34	46.80	30.35	8.49	8.76	2.38	7.23
	潮口站	0:04	28.93	49.36	32.16	8.27	6.40	9.0	0.6	
		3:04	28.76	49.36	32.16	8.31	6.70	6.6	0.6	
		6:04	28.37	50.85	33.27	8.30	6.38	8.1	1.4	
		9:04	28.96	48.81	31.76	8.42	8.40	1.0	5.3	
		12:04	29.96	48.82	31.74	8.43	9.15	2.2	4.3	
		15:04	28.74	48.25	31.36	8.29	6.98	6.2	0.5	
		18:04	28.39	47.87	31.09	8.30	6.73	4.5	0.9	
		21:04	28.80	49.41	32.21	8.34	7.69	5.5	1.0	
	日平均值			28.86	49.09	31.97	8.33	7.30	5.39	1.83
	灣內站	0:04	29.88	49.36	32.13	8.45	8.11	1.3	11.2	
		3:04	29.53	49.39	32.16	8.30	6.38	1.4	11.9	
		6:04	29.34	49.31	32.11	8.34	6.58	1.7	14.4	
		9:04	29.49	49.12	31.97	8.40	7.35	1.5	11.5	
		12:04	30.02	48.34	31.39	8.52	9.67	2.6	20.9	
		15:04	30.77	48.04	31.14	8.50	10.26	3.5	31.6	
		18:04	30.04	49.27	32.06	8.52	9.90	1.1	12.2	
		21:04	29.81	49.45	32.20	8.48	8.84	0.9	12.0	
	日平均值			29.86	49.04	31.90	8.44	8.39	1.75	15.71
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
10月31日	蚵殼站	1:34	29.25	45.70	29.55	8.48	8.82	3.1	10.8
		3:04	28.94	44.72	28.85	8.35	7.51	4.6	8.3
		6:04	29.09	46.02	29.79	8.47	8.56	2.0	2.7
		9:04	29.04	46.76	30.33	8.49	8.59	1.4	8.3
		12:04	29.49	46.54	30.15	8.53	9.57	5.6	5.1
		15:04	29.33	47.32	30.73	8.53	9.79	3.7	16.9
		20:04	29.16	47.40	30.79	8.51	9.23	2.9	19.5
		21:04	29.19	47.29	30.71	8.52	9.37	2.9	11.3
	日平均值		29.19	46.47	30.11	8.49	8.93	3.28	10.36
	潮口站	0:04	28.84	48.63	31.63	8.34	7.78	4.7	5.1
		3:04	28.75	48.80	31.76	8.33	7.47	3.6	0.4
		6:04	28.70	50.78	33.21	8.31	6.62	8.7	2.9
		9:04	28.95	47.95	31.14	8.39	8.58	3.0	5.7
		12:04	29.90	48.36	31.40	8.44	9.77	4.1	8.4
		15:04	28.96	48.01	31.18	8.29	7.39	6.4	3.2
		18:04	28.66	47.63	30.91	8.30	7.17	5.4	0.4
		21:04	28.73	49.56	32.31	8.32	7.29	7.0	10.5
	日平均值		28.94	48.72	31.69	8.34	7.76	5.36	4.58
	灣內站	0:04	30.19	49.50	32.22	8.24	5.62	2.9	13.1
		3:04	29.85	49.87	32.50	8.31	6.59	1.4	9.2
		6:04	29.46	50.36	32.87	8.42	7.37	1.3	8.7
		9:04	29.28	50.26	32.81	8.42	7.37	1.0	7.7
		12:04	30.06	50.28	32.80	8.55	9.41	5.4	23.9
		15:04	30.34	50.43	32.90	8.59	9.80	5.3	17.6
		18:04	29.97	50.36	32.86	8.57	9.24	3.2	18.0
		21:04	29.77	50.43	32.92	8.48	7.74	2.9	14.2
	日平均值		29.87	50.19	32.74	8.45	7.89	2.93	14.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月1日	蚵殼站	0:04	29.03	47.05	30.51	8.04	9.05	2.5	6.8	
		3:04	28.90	47.13	30.56	8.06	9.16	1.5	7.3	
		6:04	28.69	47.23	30.64	8.03	8.78	1.9	3.8	
		9:04	28.69	48.01	31.14	8.04	9.05	1.2	4.0	
		12:04	29.06	48.26	31.30	8.05	9.52	7.4	11.2	
		15:04	29.16	48.54	31.48	8.07	9.91	2.3	16.9	
		18:04	28.94	48.57	31.51	8.06	9.57	3.2	7.0	
		21:04	28.89	48.62	31.52	8.07	9.46	3.9	10.7	
	日平均值			28.92	47.93	31.08	8.05	9.31	2.99	8.46
	潮口站	0:04	28.64	48.96	31.88	8.31	7.28	9.2	1.2	
		3:04	28.56	49.68	32.32	8.32	7.13	3.4	3.7	
		6:04	28.41	51.85	33.88	8.31	6.65	4.7	2.1	
		9:04	28.55	51.02	33.28	8.30	6.93	3.6	1.7	
		12:04	29.33	50.12	32.61	8.41	9.34	14.8	9.5	
		15:04	29.17	50.09	32.59	8.40	8.66	4.6	8.3	
		18:04	28.53	51.01	33.27	8.34	7.24	4.9	5.2	
		21:04	28.61	51.23	33.42	8.31	6.77	2.2	0.6	
	日平均值			28.73	50.50	32.91	8.34	7.50	5.93	4.04
	灣內站	0:04	29.54	50.66	33.10	8.49	7.73	3.9	10.1	
		3:04	29.21	50.10	32.69	8.29	5.44	3.7	15.0	
		6:04	29.17	50.34	32.87	8.34	5.46	3.5	15.5	
		9:04	29.18	50.41	32.93	8.37	6.44	3.2	22.1	
		12:04	29.90	50.05	32.63	8.57	9.65	3.2	16.2	
		15:04	30.20	49.98	32.58	8.59	10.01	3.6	18.2	
		18:04	29.56	50.36	32.88	8.51	8.71	3.8	12.7	
		21:04	29.32	50.54	33.02	8.47	7.79	3.2	8.8	
	日平均值			29.51	50.31	32.84	8.45	7.65	3.51	14.83
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月2日	蚵殼站	0:04	28.70	48.69	31.57	8.03	9.33	2.8	7.6	
		3:04	28.54	48.48	31.42	8.11	9.47	1.7	2.4	
		6:04	28.35	48.69	31.56	8.03	9.02	1.2	7.1	
		9:04	28.16	48.62	31.50	8.04	8.76	1.3	9.3	
		12:04	28.71	48.86	31.65	8.09	9.52	1.9	11.7	
		15:04	28.89	49.35	31.99	8.12	8.85	3.5	9.8	
		18:04	28.67	49.68	32.22	8.11	8.69	2.8	15.9	
		21:04	28.44	49.57	32.14	8.13	8.83	2.7	8.8	
	日平均值			28.56	48.99	31.76	8.08	9.06	2.24	9.08
	潮口站	0:04	28.86	50.26	32.73	8.43	8.48	4.3	7.9	
		3:04	28.72	50.10	32.62	8.48	8.86	2.7	5.3	
		6:04	28.53	51.51	33.63	8.31	6.44	4.6	0.6	
		9:04	28.73	51.77	33.81	8.31	6.46	5.3	0.2	
		12:04	29.11	50.23	32.70	8.44	8.58	3.3	4.2	
		15:04	28.92	49.64	32.28	8.36	7.70	5.4	0.6	
		18:04	28.56	50.58	32.97	8.34	7.00	3.3	1.8	
		21:04	28.95	51.58	33.67	8.34	6.92	1.7	3.2	
	日平均值			28.80	50.71	33.05	8.38	7.56	3.83	2.98
	灣內站	0:04	29.41	50.62	33.07	8.48	7.58	4.0	11.8	
		3:04	28.99	50.76	33.19	8.36	5.90	3.9	7.2	
		6:04	28.70	50.84	33.25	8.26	4.46	4.2	9.9	
		9:04	28.67	50.84	33.26	8.36	5.46	4.9	9.6	
		12:04	29.10	50.09	32.69	8.56	9.04	5.1	10.3	
		15:04	29.64	49.92	32.55	8.52	9.12	4.7	9.8	
		18:04	29.16	50.84	33.24	8.45	7.80	4.8	15.8	
		21:04	28.92	51.04	33.39	8.46	7.11	5.2	10.4	
	日平均值			29.07	50.62	33.08	8.43	7.06	4.60	10.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月3日	蚵殼站	13:34	28.20	49.62	32.37	8.47	8.60	6.5	5.0	
		14:34	28.33	49.66	32.40	8.48	8.50	5.4	5.5	
		15:34	28.46	49.95	32.61	8.44	8.34	4.5	6.6	
		16:34	28.55	49.67	32.40	8.42	8.20	4.3	8.6	
		18:04	28.48	49.98	32.63	8.43	8.37	3.9	8.9	
		20:04	28.37	49.77	32.48	8.43	8.25	3.6	7.9	
		22:04	28.22	49.70	32.44	8.45	8.31	2.5	6.4	
		23:34	28.14	49.68	32.42	8.47	8.48	3.2	5.3	
	日平均值			28.34	49.75	32.47	8.45	8.38	4.24	6.78
	潮口站	0:04	28.28	51.05	33.31	8.33	6.62	9.2	0.3	
		3:04	28.35	50.35	32.81	8.45	8.28	2.8	5.2	
		6:04	28.21	51.37	33.54	8.33	6.37	6.3	3.4	
		9:04	28.42	51.88	33.90	8.31	6.28	5.0	0.3	
		12:04	28.72	50.45	32.86	8.41	7.81	4.8	2.1	
		15:04	28.86	50.39	32.82	8.45	8.54	5.2	2.0	
		18:04	27.90	48.22	31.31	8.32	6.81	4.9	1.1	
		21:04	28.01	49.89	32.49	8.34	6.68	2.3	1.3	
	日平均值			28.34	50.45	32.88	8.37	7.17	5.06	1.96
	灣內站	0:04	28.64	50.96	33.35	8.41	6.15	4.6	8.1	
		3:04	28.35	50.72	33.17	8.37	5.33	5.2	7.5	
		6:04	28.14	50.21	32.81	8.43	5.73	5.8	13.9	
		9:04	27.97	50.10	32.74	8.43	5.87	5.2	9.9	
		12:04	28.55	50.09	32.70	8.50	6.88	5.3	10.4	
		15:04	29.31	50.37	32.90	8.55	7.65	6.0	13.2	
		18:04	28.93	50.38	32.90	8.53	7.68	6.8	12.0	
		21:04	28.72	50.68	33.13	8.48	6.72	7.8	9.5	
	日平均值			28.58	50.44	32.96	8.46	6.50	5.84	10.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月4日	蚵殼站	0:04	28.09	49.66	32.40	8.48	8.55	2.8	4.4	
		3:04	27.85	49.48	32.28	8.49	8.58	2.9	3.5	
		6:04	27.61	49.11	32.02	8.52	8.75	2.1	3.5	
		9:04	27.16	48.11	31.30	8.46	8.13	2.6	8.3	
		12:04	27.59	48.69	31.71	8.53	9.23	3.7	18.6	
		15:04	27.95	49.38	32.21	8.50	8.85	5.2	8.1	
		18:04	28.28	49.93	32.60	8.37	7.31	3.1	6.2	
		21:04	28.27	49.89	32.57	8.33	6.56	6.1	8.2	
	日平均值			27.85	49.28	32.14	8.46	8.25	3.56	7.60
	潮口站	0:04	27.93	50.28	32.78	8.36	6.73	6.1	0.4	
		3:04	27.94	50.16	32.68	8.39	7.04	4.5	4.2	
		6:04	27.85	50.24	32.75	8.35	6.19	8.6	3.0	
		9:04	27.70	51.99	34.00	8.34	6.19	5.7	1.7	
		12:04	28.17	50.17	32.68	8.32	6.58	7.4	0.6	
		15:04	28.48	50.40	32.84	8.36	6.94	7.0	3.0	
		18:04	27.85	50.72	33.09	8.36	6.62	7.3	1.0	
		21:04	27.60	49.76	32.41	8.34	6.34	3.3	1.9	
	日平均值			27.94	50.47	32.90	8.35	6.58	6.24	1.98
	灣內站	0:04	28.46	50.61	33.09	8.49	6.84	9.2	9.6	
		3:04	28.19	50.52	33.03	8.35	4.60	8.7	15.1	
		6:04	28.18	50.42	32.95	8.32	3.99	9.1	12.1	
		9:04	28.05	50.13	32.74	8.37	5.09	10.0	12.1	
		12:04	28.54	50.23	32.79	8.47	7.38	11.7	15.8	
		15:04	28.51	50.34	32.88	8.58	7.94	8.7	12.5	
		18:04	28.69	50.58	33.05	8.50	7.03	8.4	11.5	
		21:04	28.23	50.99	33.36	8.38	4.97	11.5	8.8	
	日平均值			28.36	50.48	32.99	8.43	5.98	9.66	12.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月5日	蚵殼站	0:04	27.89	49.54	32.32	8.45	8.09	3.1	5.7	
		3:04	27.82	49.47	32.28	8.51	8.36	3.4	5.5	
		6:04	27.46	49.18	32.08	8.55	8.97	3.1	5.3	
		9:04	27.39	49.20	32.09	8.48	8.03	4.3	7.6	
		12:04	27.49	49.13	32.04	8.52	8.71	4.6	7.2	
		16:34	27.71	49.67	32.43	8.46	8.09	6.0	6.4	
		18:04	27.81	49.79	32.51	8.42	7.68	7.2	7.1	
		21:04	27.65	49.64	32.41	8.51	8.67	3.9	5.2	
	日平均值			27.65	49.45	32.27	8.49	8.33	4.45	6.25
	潮口站	0:04	27.68	50.29	32.79	8.40	6.74	5.5	2.3	
		3:04	27.65	50.17	32.70	8.38	6.47	6.8	4.5	
		6:04	27.68	50.02	32.59	8.42	6.57	4.6	2.0	
		9:04	27.68	51.94	33.97	8.34	6.01	10.0	2.1	
		12:04	28.25	51.08	33.33	8.36	6.57	5.0	1.9	
		15:04	28.44	50.32	32.79	8.42	7.38	7.6	2.6	
		18:04	27.89	51.60	33.71	8.34	6.13	5.7	2.9	
		21:04	28.15	51.54	33.66	8.39	6.73	10.2	3.6	
	日平均值			27.93	50.87	33.19	8.38	6.58	6.93	2.74
	灣內站	0:04	28.19	50.77	33.19	8.39	5.38	5.9	10.6	
		3:04	27.92	50.37	32.92	8.36	4.99	12.2	15.5	
		6:04	28.02	50.78	33.21	8.30	3.78	7.3	11.7	
		9:04	27.91	49.98	32.62	8.35	4.62	9.4	16.5	
		12:04	28.52	48.29	31.29	8.50	9.08	10.0	17.3	
		15:04	28.81	48.76	31.58	8.53	9.99	13.7	18.0	
		18:04	28.31	49.60	32.14	8.37	6.54	11.9	14.1	
		21:04	28.23	50.19	32.52	8.33	5.40	8.7	9.7	
	日平均值			28.24	49.84	32.43	8.39	6.22	9.89	14.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月6日	蚵殼站	0:04	28.05	49.36	32.19	8.46	9.26	4.4	3.7	
		3:04	27.67	49.13	32.03	8.45	8.70	2.6	4.0	
		6:04	27.32	48.85	31.84	8.47	8.85	2.6	3.0	
		9:04	27.08	49.13	32.04	8.44	8.51	2.7	6.7	
		12:04	27.36	49.08	32.00	8.47	8.98	2.2	6.2	
		15:04	28.07	49.15	32.04	8.47	9.39	2.4	7.7	
		18:04	27.79	49.80	32.52	8.46	9.33	4.5	10.0	
		21:04	27.59	49.68	32.44	8.43	8.82	4.0	9.2	
	日平均值			27.62	49.27	32.14	8.46	8.98	3.18	6.31
	潮口站	0:04	27.77	50.63	33.03	8.37	6.34	4.7	1.2	
		3:04	27.65	49.45	32.19	8.47	8.35	2.4	0.3	
		6:04	27.46	49.66	32.34	8.42	7.43	2.8	2.3	
		9:04	27.89	50.82	33.15	8.39	6.15	3.7	0.0	
		12:04	28.43	51.64	33.73	8.38	6.42	2.7	2.9	
		15:04	28.69	51.10	33.33	8.41	6.93	3.1	2.2	
		18:04	28.20	50.08	32.62	8.37	6.42	2.8	0.5	
		21:04	28.04	51.41	33.57	8.36	6.18	1.6	4.0	
	日平均值			28.02	50.60	33.00	8.40	6.78	2.98	1.68
	灣內站	0:04	27.93	50.14	32.48	8.34	5.78	6.9	9.9	
		3:04	27.62	49.14	31.79	8.32	5.32	10.1	10.9	
		6:04	27.45	49.65	32.12	8.18	3.26	9.2	11.7	
		9:04	27.39	48.80	31.54	8.34	5.48	8.0	13.2	
		12:04	28.50	48.31	31.17	8.38	7.79	8.0	13.3	
		15:04	28.50	47.20	30.41	8.60	10.63	11.7	14.9	
		18:04	28.34	47.01	30.28	8.42	8.95	11.0	13.6	
		21:04	28.10	43.06	27.68	8.36	7.93	12.4	9.9	
	日平均值			27.98	47.91	30.93	8.37	6.89	9.66	12.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月7日	蚵殼站	0:04	27.55	49.57	32.36	8.51	8.51	3.2	8.5	
		3:34	27.64	49.98	32.65	8.43	7.37	5.1	5.7	
		7:04	27.10	49.01	31.96	8.49	8.04	5.2	5.8	
		9:04	26.95	49.07	32.01	8.45	7.54	4.4	10.1	
		11:04	26.87	48.27	31.42	8.45	8.69	5.9	35.8	
		16:04	27.90	49.72	32.45	8.49	8.60	10.6	11.9	
		18:34	27.98	49.86	32.56	8.48	8.53	7.2	9.7	
		22:34	27.86	49.88	32.57	8.50	8.38	5.4	2.4	
	日平均值			27.48	49.42	32.25	8.48	8.21	5.88	11.24
	潮口站	0:04	27.91	51.63	33.73	8.38	6.18	2.2	0.9	
		3:04	27.39	49.40	32.16	8.46	8.07	2.9	1.2	
		6:04	27.25	49.37	32.14	8.44	7.54	3.6	1.9	
		9:04	27.60	49.81	32.45	8.45	6.50	4.1	2.6	
		12:04	27.96	51.97	33.98	8.38	6.22	1.7	1.7	
		15:04	28.42	51.25	33.45	8.42	6.64	3.0	2.4	
		18:04	28.13	50.47	32.90	8.40	6.39	2.8	4.5	
		21:04	27.88	51.57	33.69	8.37	6.04	1.2	2.7	
	日平均值			27.82	50.68	33.06	8.41	6.70	2.69	2.24
	灣內站	0:04	28.00	47.55	30.65	8.32	6.37	13.4	7.4	
		3:04	27.93	48.59	31.34	8.32	6.38	11.9	11.4	
		6:04	27.73	48.00	30.97	8.19	3.74	11.3	12.5	
		9:04	27.93	48.10	31.03	8.22	4.67	11.1	13.5	
		12:04	28.73	47.24	30.45	8.42	11.42	10.6	15.4	
		15:04	28.91	47.20	30.43	8.49	14.97	12.6	18.8	
		18:04	28.64	48.58	31.38	8.48	13.39	10.2	15.5	
		21:04	28.33	48.58	31.43	8.47	12.94	8.7	12.3	
	日平均值			28.28	47.98	30.96	8.36	9.24	11.23	13.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月8日	蚵殼站	0:04	27.95	49.58	32.35	8.55	8.93	4.8	3.2	
		3:04	27.78	49.40	32.23	8.57	9.40	5.0	4.1	
		6:04	27.52	49.16	32.06	8.57	9.28	7.1	65.1	
		9:04	27.40	49.34	32.19	8.51	8.43	7.3	31.7	
		12:04	28.21	49.25	32.06	8.47	12.99	6.9	44.0	
		15:04	27.78	50.85	33.23	8.35	8.27	6.9	10.3	
		18:04	27.90	50.83	33.21	8.45	9.33	8.9	5.0	
		21:04	27.57	51.44	33.67	8.34	7.85	7.7	1.6	
	日平均值			27.76	49.98	32.63	8.48	9.31	6.83	20.63
	潮口站	0:04	27.89	51.62	33.73	8.39	6.12	2.2	0.9	
		3:04	27.67	49.63	32.31	8.44	7.59	1.9	3.0	
		6:04	27.76	49.78	32.42	8.49	7.64	2.0	4.2	
		9:04	27.85	49.86	32.48	8.49	7.71	2.0	3.1	
		12:04	27.63	51.97	34.12	8.41	6.59	5.5	0.4	
		15:04	27.85	48.65	31.67	8.27	6.89	7.2	6.1	
		18:04	27.76	50.80	33.25	8.28	6.55	3.7	3.9	
		21:04	27.42	50.90	33.34	8.04	6.36	7.1	2.0	
	日平均值			27.73	50.40	32.92	8.35	6.93	3.95	2.95
	灣內站	0:04	28.07	47.28	30.59	8.36	9.22	7.1	9.5	
		3:04	28.01	49.39	32.10	8.30	5.11	6.3	10.5	
		6:04	27.80	49.83	32.47	8.32	3.41	6.1	10.1	
		9:04	27.91	49.09	32.01	8.33	6.06	5.6	11.4	
		12:04	28.87	49.20	32.05	8.44	10.03	3.3	22.0	
		15:04	28.62	49.49	32.27	8.51	12.42	3.8	28.9	
		18:04	28.44	48.67	31.67	8.31	9.89	4.3	22.3	
		21:04	27.97	49.85	32.55	8.22	9.18	4.1	21.6	
	日平均值			28.21	49.10	31.96	8.35	8.17	5.08	17.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月9日	蚵殼站	0:04	27.45	51.10	33.42	8.40	8.56	8.5	5.9	
		3:04	27.34	51.09	33.42	8.38	8.23	6.8	7.2	
		6:04	27.13	51.10	33.43	8.36	8.00	7.1	5.5	
		9:04	27.23	51.38	33.63	8.38	8.30	7.4	20.8	
		12:04	27.70	51.32	33.58	8.43	9.40	6.3	18.0	
		15:04	27.80	51.27	33.54	8.41	9.22	6.8	14.4	
		18:04	27.60	50.75	33.53	8.45	8.91	6.8	12.4	
		21:04	27.49	50.76	33.54	8.43	8.51	6.3	10.9	
	日平均值			27.47	51.10	33.51	8.41	8.64	7.00	11.89
	潮口站	0:04	27.39	51.33	33.66	8.24	6.66	7.5	4.5	
		3:04	27.05	50.82	33.29	8.14	6.67	6.7	3.3	
		6:04	27.31	50.78	33.25	8.28	7.25	7.4	1.6	
		9:04	27.20	50.89	33.34	8.28	7.09	4.5	6.0	
		12:04	27.62	52.60	34.58	8.30	6.67	4.1	3.0	
		15:04	27.78	48.82	31.80	8.20	6.57	6.3	0.2	
		18:04	27.61	51.68	33.91	8.28	6.53	4.2	0.2	
		21:04	27.40	51.41	33.71	8.24	6.39	4.8	2.2	
	日平均值			27.42	51.04	33.44	8.25	6.73	5.69	2.63
	灣內站	0:04	27.68	50.33	32.91	8.19	7.84	5.7	11.3	
		3:04	27.66	50.36	32.93	8.11	7.15	5.7	14.0	
		6:04	27.50	50.37	32.95	8.03	6.38	7.0	12.1	
		9:04	27.56	50.28	32.88	8.03	6.80	3.9	12.5	
		12:04	28.50	49.85	32.54	8.33	10.46	4.4	17.1	
		15:04	28.35	50.30	32.87	8.39	10.99	5.7	18.5	
		18:04	28.23	50.15	32.76	8.40	10.23	5.8	14.7	
		21:04	28.03	50.16	32.77	8.35	9.69	5.2	15.2	
	日平均值			27.94	50.23	32.83	8.23	8.69	5.43	14.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月10日	蚵殼站	0:04	27.37	49.75	32.81	8.42	8.71	6.1	18.8	
		3:04	27.47	50.42	33.29	8.42	8.38	5.9	13.4	
		6:04	27.30	50.50	33.36	8.42	8.24	5.2	17.9	
		9:04	27.15	50.85	33.61	8.41	8.09	5.3	25.7	
		12:04	27.03	50.86	33.62	8.41	8.54	4.8	18.5	
		15:04	27.63	51.32	33.94	8.47	9.84	6.5	20.4	
		18:04	27.36	51.19	33.85	8.46	9.32	5.6	18.3	
		21:04	27.21	51.40	34.01	8.41	8.32	6.1	19.5	
	日平均值			27.32	50.79	33.56	8.43	8.68	5.69	19.06
	潮口站	0:04	27.49	52.28	34.36	8.23	6.45	5.2	6.0	
		3:04	27.64	52.15	34.25	8.18	6.66	0.1	4.9	
		6:04	26.98	51.04	33.45	8.30	6.74	6.1	5.5	
		9:04	27.01	51.46	33.76	8.28	6.49	1.7	3.5	
		12:04	27.40	51.97	34.13	8.32	6.36	0.6	0.9	
		15:04	27.65	52.66	34.63	8.22	6.68	4.5	3.0	
		18:04	27.63	52.00	34.14	8.24	7.18	1.2	6.4	
		21:04	27.15	51.61	33.86	8.35	7.91	5.8	5.2	
	日平均值			27.37	51.90	34.07	8.27	6.81	3.15	4.43
	灣內站	0:04	27.77	50.23	32.83	8.26	8.66	6.8	9.5	
		3:04	27.69	50.24	32.84	8.14	6.82	7.9	3.5	
		6:04	27.54	50.27	32.87	8.16	7.50	6.9	6.4	
		9:04	27.47	50.31	32.90	8.18	7.79	5.9	10.5	
		12:04	27.53	50.36	32.94	8.14	7.66	4.5	10.5	
		15:04	27.87	50.41	32.96	8.29	9.52	5.7	15.4	
		18:04	27.68	49.13	32.03	8.28	9.96	2.8	31.6	
		21:04	27.42	49.78	32.52	8.15	7.65	2.4	17.6	
	日平均值			27.62	50.09	32.74	8.20	8.20	5.36	13.13
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月11日	蚵殼站	0:04	26.99	51.38	34.00	8.41	8.26	6.0	8.7	
		3:04	26.84	51.49	34.09	8.38	7.89	6.2	9.1	
		6:04	26.71	51.51	34.11	8.36	7.50	7.1	12.2	
		9:04	26.71	51.42	34.04	8.40	8.22	6.8	12.5	
		12:04	27.01	52.82	35.06	8.41	8.76	6.1	21.4	
		15:04	27.20	51.68	34.22	8.38	8.45	6.0	16.0	
		18:04	27.15	51.61	34.17	8.35	8.15	6.0	8.6	
		21:04	26.96	51.34	33.97	8.30	7.43	6.3	8.1	
	日平均值			26.95	51.66	34.21	8.37	8.08	6.31	12.08
	潮口站	0:04	27.22	52.13	34.25	8.23	6.15	5.6	2.4	
		3:04	27.31	52.77	34.72	8.27	6.50	5.0	4.5	
		6:04	26.44	51.87	34.08	8.19	6.10	5.6	3.1	
		9:04	26.83	51.63	33.90	8.29	7.38	4.4	5.7	
		12:04	27.03	51.72	33.95	8.37	7.17	4.3	4.3	
		15:04	27.18	50.36	32.95	8.47	6.41	4.0	2.7	
		18:04	27.31	51.62	33.87	8.29	6.60	3.2	2.7	
		21:04	27.07	51.69	33.93	8.28	6.58	0.9	1.7	
	日平均值			27.05	51.72	33.96	8.30	6.61	4.13	3.39
	灣內站	0:04	27.22	49.99	32.67	8.05	6.52	4.0	9.9	
		3:04	26.98	50.15	32.80	8.11	7.34	5.3	18.2	
		6:04	26.95	50.29	32.90	8.16	7.82	5.8	12.3	
		9:04	27.00	50.28	32.89	8.18	8.37	5.3	17.9	
		12:04	27.48	49.99	32.67	8.24	9.59	3.5	17.1	
		15:04	27.43	50.33	32.91	8.36	10.75	4.8	24.7	
		18:04	27.53	50.38	32.95	8.28	9.72	3.5	32.4	
		21:04	27.47	50.29	32.89	8.29	9.59	4.6	19.6	
	日平均值			27.26	50.21	32.84	8.21	8.71	4.60	19.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月12日	蚵殼站	0:04	26.50	50.14	33.11	8.28	7.63	4.2	9.5	
		3:04	26.70	50.79	33.58	8.29	7.49	5.3	12.7	
		6:04	26.59	50.69	33.51	8.27	7.02	6.0	16.3	
		9:04	26.89	51.10	33.80	8.39	8.74	6.9	26.5	
		12:04	27.76	50.36	33.23	8.40	9.31	5.5	19.3	
		15:04	27.60	50.61	33.43	8.37	8.95	5.2	23.9	
		18:04	27.37	50.53	33.37	8.41	9.40	6.7	18.6	
		21:04	27.30	50.51	33.36	8.43	9.75	7.1	11.2	
	日平均值			27.09	50.59	33.42	8.36	8.54	5.86	17.25
	潮口站	0:04	26.87	51.49	33.79	8.30	6.76	2.1	2.8	
		3:04	27.15	52.34	34.41	8.22	6.44	4.6	3.4	
		6:04	26.46	50.84	33.32	8.26	6.56	4.3	4.1	
		9:04	26.76	50.93	33.38	8.23	6.96	4.7	5.2	
		12:04	27.42	51.02	33.42	8.21	7.26	2.6	3.4	
		15:04	27.65	52.35	34.40	8.22	6.95	1.7	3.5	
		18:04	27.68	52.04	34.17	8.26	7.32	4.1	3.0	
		21:04	27.49	51.78	33.98	8.31	8.03	3.5	6.5	
	日平均值			27.19	51.60	33.86	8.25	7.04	3.45	3.99
	灣內站	0:04	27.20	50.01	32.69	8.13	7.61	5.4	9.5	
		3:04	27.37	50.85	33.30	8.18	7.73	6.8	9.1	
		6:04	26.94	50.63	33.15	8.12	6.92	6.8	16.7	
		9:04	27.21	50.68	33.18	8.31	10.10	6.0	23.1	
		12:04	28.25	50.41	32.95	8.27	8.02	1.6	7.1	
		15:04	28.12	50.60	33.09	8.42	10.55	4.3	20.5	
		18:04	27.98	50.78	33.23	8.58	12.61	6.4	18.9	
		21:04	28.08	50.51	33.03	8.36	8.95	6.1	14.6	
	日平均值			27.64	50.56	33.08	8.30	9.06	5.43	14.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月13日	蚵殼站	0:04	27.26	50.53	33.38	8.40	9.14	7.7	16.2	
		3:04	27.20	50.24	33.17	8.42	9.28	7.1	5.5	
		6:04	27.00	49.95	32.96	8.33	8.21	6.3	15.1	
		9:04	27.13	50.25	33.17	8.43	9.99	4.2	74.2	
		12:04	27.80	50.16	33.09	8.47	11.01	6.0	26.8	
		15:04	27.78	51.29	33.92	8.38	9.01	4.7	11.4	
		18:04	27.61	51.28	33.91	8.39	9.06	5.6	12.7	
		21:04	27.77	51.06	33.75	8.39	9.19	5.5	6.2	
	日平均值			27.44	50.60	33.42	8.40	9.36	5.89	21.01
	潮口站	0:04	27.48	51.68	33.91	8.20	6.75	1.2	7.4	
		3:04	27.38	52.17	34.28	8.24	6.86	3.6	5.3	
		6:04	27.37	52.38	34.43	8.21	6.65	4.6	5.0	
		9:04	27.04	51.00	33.42	8.27	8.09	7.2	8.0	
		12:04	28.00	51.28	33.60	8.28	8.14	1.7	1.7	
		15:04	27.60	50.85	33.30	8.20	6.82	3.7	5.2	
		18:04	27.58	51.81	34.01	8.26	7.10	7.4	0.4	
		21:04	27.47	52.02	34.16	8.21	6.81	0.1	1.1	
	日平均值			27.49	51.65	33.89	8.23	7.15	3.69	4.26
	灣內站	0:04	27.77	49.58	32.36	8.25	7.92	1.9	12.0	
		1:04	27.93	50.46	33.00	8.32	8.33	4.8	11.9	
		2:04	27.76	50.98	33.38	8.45	10.34	6.5	11.1	
		3:04	27.75	51.05	33.44	8.46	10.30	7.0	12.1	
		4:34	27.58	51.21	33.56	8.40	9.60	6.9	13.4	
		6:04	27.62	51.36	33.67	8.31	8.07	7.0	18.9	
		7:34	27.54	51.42	33.72	8.29	7.90	7.2	16.9	
		9:04	27.30	51.32	33.65	8.34	9.19	6.6	23.6	
	日平均值			27.66	50.92	33.35	8.35	8.96	5.99	14.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月14日	蚵殼站	0:04	27.59	51.06	33.75	8.47	10.27	7.1	8.0	
		3:04	27.39	49.91	32.92	8.34	8.40	4.9	30.3	
		6:04	27.35	50.82	33.58	8.34	8.18	6.0	22.4	
		9:04	27.60	51.10	33.78	8.43	9.71	2.4	95.5	
		12:04	28.23	51.15	33.80	8.36	8.85	6.0	23.3	
		15:04	28.04	51.20	33.84	8.47	10.67	5.5	18.5	
		18:04	27.89	50.73	33.50	8.49	10.78	6.1	25.9	
		21:04	27.75	50.59	33.41	8.41	9.27	4.6	4.3	
	日平均值			27.73	50.82	33.57	8.41	9.52	5.33	28.53
	潮口站	0:04	27.44	51.64	33.88	8.24	7.30	3.3	1.5	
		3:04	27.33	52.25	34.33	8.22	6.57	2.8	2.5	
		6:04	27.29	52.71	34.68	8.23	6.47	6.4	3.6	
		9:04	27.03	51.38	33.70	8.03	6.89	3.8	0.9	
		12:04	28.06	51.48	33.74	8.31	8.10	1.7	1.7	
		15:04	27.58	48.87	31.85	8.23	6.73	5.7	3.1	
		18:04	27.63	52.29	34.36	8.56	7.04	7.6	3.4	
		21:04	27.59	51.91	34.08	8.39	8.32	4.0	5.3	
	日平均值			27.49	51.57	33.83	8.28	7.18	4.41	2.75
	灣內站	0:04	28.20	51.31	33.61	8.33	9.34	4.8	34.6	
		3:04	28.31	51.63	33.85	8.51	11.53	4.8	13.7	
		6:04	27.88	51.65	33.87	8.30	10.40	6.3	20.6	
		9:04	27.90	51.66	33.88	8.38	12.20	5.8	45.7	
		12:04	28.50	51.48	33.73	8.42	14.11	6.0	14.9	
		15:04	28.95	51.55	33.77	8.47	12.27	4.9	15.4	
		18:04	28.71	51.54	33.77	8.54	13.47	5.4	18.3	
		21:04	28.44	51.54	33.78	8.52	13.91	6.1	11.2	
	日平均值			28.36	51.55	33.78	8.43	12.15	5.51	21.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月15日	蚵殼站	0:04	27.57	50.64	33.45	8.38	8.77	5.3	6.9	
		3:04	27.69	50.80	33.56	8.52	10.86	7.8	3.1	
		6:04	27.80	50.20	33.12	8.53	10.94	5.5	24.9	
		9:04	27.47	50.74	33.52	8.36	8.20	5.4	27.2	
		11:34	27.79	50.52	33.35	8.48	11.31	2.6	135.5	
		15:04	28.01	50.67	33.46	8.52	11.34	5.3	31.9	
		18:04	27.93	50.39	33.26	8.61	12.61	6.6	17.9	
		21:04	27.69	50.56	33.39	8.48	10.38	6.5	5.1	
	日平均值			27.74	50.57	33.39	8.49	10.55	5.63	31.56
	潮口站	0:04	27.76	51.61	33.85	8.51	8.75	5.2	2.2	
		3:04	27.54	51.83	34.02	8.17	7.09	1.7	7.3	
		6:04	27.25	52.60	34.60	8.09	6.55	6.2	1.4	
		9:04	27.07	50.78	33.26	8.35	8.14	6.6	4.7	
		12:04	28.32	51.28	33.59	8.61	12.06	5.7	32.8	
		15:04	27.59	52.04	34.17	8.36	7.61	3.4	7.3	
		18:04	27.40	51.41	33.71	8.40	7.29	4.6	4.0	
		21:04	27.37	51.87	34.06	8.36	7.61	2.5	6.3	
	日平均值			27.54	51.68	33.91	8.36	8.14	4.49	8.25
	灣內站	0:04	28.45	50.40	32.94	8.31	10.34	4.8	23.5	
		3:04	28.48	51.10	33.45	8.32	10.76	3.9	28.7	
		6:04	28.13	51.44	33.72	8.25	9.61	6.0	17.9	
		9:04	28.13	51.31	33.62	8.25	8.48	5.7	36.5	
		12:04	28.86	50.02	32.65	8.39	12.18	6.0	13.6	
		15:04	29.19	50.29	32.84	8.54	14.84	6.0	24.9	
		18:04	28.82	50.02	32.65	8.58	15.51	5.9	22.7	
		21:04	28.54	49.82	32.51	8.51	14.12	6.7	14.1	
	日平均值			28.58	50.55	33.05	8.39	11.98	5.63	22.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月16日	蚵殼站	7:04	27.70	50.01	32.99	8.52	10.79	6.8	18.2	
		7:34	27.49	49.87	32.89	8.47	10.01	6.0	29.2	
		12:34	27.95	49.63	32.70	8.43	9.88	6.0	24.0	
		13:34	28.00	50.29	33.18	8.33	8.06	5.4	18.5	
		15:04	27.80	50.46	33.31	8.33	8.16	4.6	16.8	
		17:04	27.65	50.66	33.46	8.40	9.49	5.0	14.8	
		19:34	27.68	50.11	33.06	8.48	10.36	6.1	8.9	
		22:34	27.52	50.21	33.13	8.37	9.08	5.6	6.2	
	日平均值			27.72	50.16	33.09	8.42	9.48	5.69	17.08
	潮口站	0:04	27.29	51.93	34.10	8.26	7.06	1.6	4.0	
		3:04	27.63	51.60	33.85	8.35	7.89	3.2	5.7	
		6:04	27.07	52.65	34.64	8.25	6.56	4.3	2.4	
		9:04	27.17	52.57	34.58	8.29	6.79	5.3	6.0	
		12:14	27.90	51.77	33.97	8.45	8.37	1.1	8.7	
		15:04	27.89	51.44	33.72	8.50	9.21	2.4	16.8	
		18:04	27.11	52.55	34.56	8.26	7.09	1.3	0.4	
		21:04	27.26	52.99	34.89	8.33	6.85	1.3	1.5	
	日平均值			27.42	52.19	34.29	8.34	7.48	2.56	5.69
	灣內站	0:04	28.62	49.87	32.52	8.33	11.76	6.2	25.7	
		3:04	28.26	49.50	32.25	8.47	10.12	6.5	12.1	
		6:04	27.98	50.58	33.03	8.38	9.24	6.6	17.4	
		9:04	27.93	50.61	33.04	8.46	12.87	1.5	68.8	
		12:14	28.77	49.71	32.35	8.57	15.63	5.5	39.5	
		15:04	28.87	50.45	32.87	8.52	15.40	4.8	47.6	
		18:04	28.62	50.95	33.23	8.53	12.18	2.4	31.6	
		21:04	28.49	50.90	33.18	8.52	12.96	5.3	20.5	
	日平均值			28.44	50.32	32.81	8.47	12.52	4.85	32.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月17日	蚵殼站	0:04	27.46	50.23	33.15	8.38	8.86	6.3	9.0	
		3:04	27.69	49.72	32.78	8.56	10.88	6.7	8.2	
		6:04	27.50	49.89	32.90	8.53	10.08	6.4	9.0	
		9:04	27.45	49.71	32.78	8.48	10.02	3.2	86.8	
		12:04	27.59	49.62	32.71	8.46	9.91	4.8	23.5	
		15:04	27.90	50.23	33.14	8.48	10.27	3.8	18.0	
		18:04	27.62	50.39	33.26	8.50	10.33	5.6	9.2	
		21:04	27.54	50.47	33.33	8.38	8.71	5.0	4.2	
	日平均值			27.59	50.03	33.01	8.47	9.88	5.23	20.99
	潮口站	0:04	27.47	51.98	34.13	8.42	7.87	4.3	7.6	
		3:04	27.44	51.87	34.05	8.50	8.44	4.8	2.4	
		6:04	27.01	52.33	34.40	8.14	6.57	2.0	1.3	
		9:04	27.19	52.95	34.86	8.35	6.72	4.7	3.6	
		12:04	28.08	51.62	33.85	8.57	8.92	4.2	4.2	
		15:04	27.89	52.13	34.23	8.46	8.07	2.7	2.5	
		18:04	27.31	51.96	34.12	8.33	7.14	4.0	1.0	
		21:04	27.45	52.83	34.76	8.33	7.05	6.1	4.3	
	日平均值			27.48	52.21	34.30	8.39	7.60	4.10	3.36
	灣內站	0:04	28.23	50.90	33.18	8.29	12.23	5.8	24.7	
		3:04	28.01	51.01	33.25	8.18	8.83	2.9	31.4	
		6:04	27.87	51.32	33.47	8.10	7.48	2.9	47.0	
		9:04	27.76	51.75	33.77	8.17	9.94	2.1	111.3	
		12:04	28.26	51.51	33.58	8.57	20.95	1.0	200.5	
		15:04	29.07	50.42	32.74	8.68	17.62	3.4	85.6	
		18:04	28.40	50.62	32.89	8.56	14.32	6.2	20.4	
		21:04	27.99	51.12	33.26	8.50	12.64	6.8	11.5	
	日平均值			28.20	51.08	33.27	8.38	13.00	3.89	66.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月18日	蚵殼站	0:04	27.62	50.41	33.28	8.55	10.76	6.6	9.3	
		6:04	27.45	49.88	32.90	8.49	9.75	5.4	26.0	
		7:34	27.38	49.84	32.87	8.48	9.60	2.9	31.4	
		9:04	27.38	49.72	32.79	8.46	9.08	3.5	104.3	
		12:04	27.53	50.10	33.06	8.46	10.20	3.3	90.7	
		15:04	27.90	50.27	33.17	8.48	10.21	4.0	33.8	
		18:04	27.57	50.25	33.17	8.53	10.61	3.7	9.6	
		21:04	27.51	50.21	33.14	8.50	10.02	6.0	4.8	
	日平均值			27.54	50.09	33.05	8.49	10.03	4.43	38.74
	潮口站	0:04	27.31	52.04	34.18	8.38	7.39	5.0	2.6	
		3:04	27.28	51.59	33.85	8.47	7.98	1.5	2.2	
		6:04	27.29	51.76	33.98	8.42	7.34	3.5	1.4	
		9:04	27.17	52.77	34.72	8.30	6.55	6.3	2.1	
		12:04	27.93	51.67	33.89	8.54	8.85	3.9	4.7	
		15:04	27.76	51.95	34.10	8.55	9.98	4.1	13.5	
		18:04	26.97	50.58	33.11	8.24	6.86	2.6	0.1	
		21:04	27.15	51.80	34.01	8.33	7.01	6.1	5.8	
	日平均值			27.36	51.77	33.98	8.40	7.75	4.13	4.05
	灣內站	0:04	28.22	50.92	33.11	8.39	12.56	6.0	30.6	
		3:04	27.92	50.39	32.73	8.31	11.19	5.4	38.2	
		6:04	27.65	49.87	32.34	8.09	8.20	4.4	43.8	
		9:04	27.70	50.43	32.74	8.20	10.40	2.9	90.8	
		12:04	28.21	50.53	32.79	8.50	15.47	4.6	55.4	
		15:04	28.63	50.06	32.43	8.66	16.10	6.0	31.7	
		18:04	28.44	49.92	32.32	8.65	15.02	5.9	21.6	
		21:04	28.16	50.00	32.40	8.52	13.11	6.7	10.6	
	日平均值			28.12	50.27	32.61	8.42	12.76	5.24	40.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月19日	蚵殼站	0:04	27.76	49.94	32.93	8.52	10.48	6.4	5.7	
		3:04	27.60	49.32	32.49	8.55	10.98	5.9	24.1	
		6:04	27.44	49.83	32.86	8.49	9.84	4.4	32.2	
		9:04	27.31	49.93	32.94	8.55	10.44	4.8	43.9	
		12:04	27.96	49.73	32.78	8.56	10.97	3.2	28.5	
		15:04	27.55	50.34	33.23	8.28	6.86	1.8	11.9	
		18:04	27.51	50.41	33.28	8.33	7.65	3.9	13.1	
		21:04	27.90	50.32	33.20	8.39	10.05	6.0	1.8	
	日平均值			27.63	49.98	32.96	8.46	9.66	4.55	20.15
	潮口站	0:04	27.07	52.16	34.28	8.35	7.12	5.0	4.7	
		3:04	27.32	51.49	33.78	8.50	8.85	6.4	2.8	
		6:04	27.32	51.75	33.97	8.46	8.14	5.1	5.3	
		9:04	26.92	52.78	34.74	8.24	6.56	6.3	3.6	
		12:04	27.07	53.07	34.95	8.29	6.68	0.7	0.7	
		15:04	28.14	52.17	34.25	8.43	7.82	3.1	10.2	
		18:04	27.51	51.36	33.68	8.38	6.91	6.7	4.1	
		21:04	27.09	52.42	34.47	8.26	6.73	5.5	2.9	
	日平均值			27.31	52.15	34.27	8.36	7.35	4.85	4.29
	灣內站	0:04	28.13	50.08	32.44	8.48	12.60	7.3	7.0	
		3:04	27.95	49.69	32.16	8.46	12.27	6.6	19.6	
		6:04	27.66	50.06	32.44	8.29	9.39	7.0	9.7	
		9:04	27.62	50.50	32.75	8.24	9.08	4.4	9.7	
		12:04	28.88	48.82	31.51	8.58	16.90	1.8	83.2	
		15:04	28.90	48.56	31.32	8.64	17.01	1.8	73.7	
		18:04	28.64	49.03	31.67	8.59	14.86	3.1	84.5	
		21:04	28.10	49.55	32.06	8.53	12.38	5.0	31.4	
	日平均值			28.24	49.54	32.04	8.48	13.06	4.63	39.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月20日	蚵殼站	0:04	27.91	50.14	33.08	8.44	10.11	6.0	3.1	
		1:04	27.86	50.18	33.10	8.46	9.89	6.3	4.7	
		3:04	27.68	49.70	32.76	8.54	10.79	6.3	7.8	
		8:34	27.39	49.82	32.86	8.50	9.79	4.8	69.0	
		9:04	27.40	49.82	32.86	8.50	9.92	4.1	57.9	
		22:34	27.85	49.84	32.86	8.49	9.65	5.4	6.1	
		23:04	27.92	50.09	33.04	8.45	9.90	6.1	10.7	
		23:34	27.85	50.24	33.15	8.44	9.86	5.4	14.0	
	日平均值			27.73	49.98	32.96	8.48	9.99	5.55	21.66
	潮口站	0:04	27.06	52.26	34.35	8.28	6.63	6.1	1.7	
		3:04	27.60	51.90	34.07	8.42	8.48	4.6	4.5	
		6:04	27.59	51.79	33.99	8.54	8.93	7.4	5.3	
		9:04	27.15	52.40	34.45	8.32	6.75	3.3	1.3	
		12:04	26.99	53.02	34.92	8.25	6.70	3.7	1.7	
		15:04	28.09	52.15	34.24	8.34	7.55	0.1	6.1	
		18:04	27.88	51.72	33.93	8.64	10.03	7.8	10.8	
		21:04	26.65	53.01	34.92	8.25	6.44	5.3	0.1	
	日平均值			27.38	52.28	34.36	8.38	7.69	4.79	3.94
	灣內站	0:04	28.18	49.13	31.76	8.60	14.01	5.8	28.6	
		3:04	27.95	48.99	31.68	8.48	12.30	5.7	34.4	
		6:04	27.69	48.60	31.40	8.35	9.89	5.0	59.3	
		9:04	27.67	48.65	31.46	8.23	8.76	3.5	44.4	
		12:04	27.93	48.03	31.00	8.45	12.95	1.5	108.3	
		15:04	27.87	47.87	30.91	8.38	9.88	5.1	41.2	
		18:04	27.93	47.36	30.56	8.66	15.64	6.8	9.9	
		21:04	28.09	47.35	30.56	8.64	14.99	6.8	14.6	
	日平均值			27.91	48.25	31.17	8.47	12.30	5.03	42.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月21日	蚵殼站	0:04	27.89	50.21	33.13	8.43	9.50	5.6	16.9	
		3:04	27.52	49.99	32.97	8.35	7.41	5.1	17.2	
		6:04	27.21	49.31	32.49	8.54	10.74	4.6	41.8	
		9:04	27.21	48.90	32.20	8.55	11.07	4.1	100.3	
		12:04	28.00	49.16	32.36	8.60	11.50	4.6	13.8	
		15:04	27.99	50.03	32.99	8.41	8.74	2.8	41.4	
		18:04	27.91	49.89	32.89	8.43	9.86	3.5	61.6	
		21:04	28.18	49.44	32.56	8.60	11.82	5.6	8.3	
	日平均值			27.74	49.62	32.70	8.49	10.08	4.49	37.66
	潮口站	0:04	26.78	52.81	34.76	8.34	6.73	7.2	1.3	
		3:04	27.44	51.95	34.11	8.57	9.66	7.5	7.0	
		6:04	27.32	51.95	34.12	8.42	7.42	1.0	6.0	
		9:04	27.37	51.92	34.09	8.27	7.69	4.4	9.7	
		12:04	27.04	52.79	34.74	8.28	6.71	3.8	2.1	
		15:04	27.23	51.76	33.97	8.25	6.69	5.5	1.8	
		18:04	27.46	52.12	34.23	8.27	7.22	3.4	2.3	
		21:04	26.99	52.50	34.53	8.38	6.04	3.5	5.1	
	日平均值			27.20	52.23	34.32	8.35	7.27	4.54	4.41
	灣內站	0:04	28.05	47.30	30.54	8.53	12.62	6.4	23.1	
		3:04	28.02	47.61	30.77	8.45	11.37	5.8	16.0	
		6:04	27.47	47.30	30.60	8.41	11.00	4.5	41.0	
		9:04	27.99	47.95	31.06	8.25	7.61	1.9	67.4	
		12:04	29.19	47.56	30.75	8.66	15.58	4.4	11.0	
		15:04	28.85	48.01	31.12	8.56	19.47	5.2	46.6	
		18:04	29.07	47.61	30.84	8.51	19.87	5.4	33.8	
		21:04	28.72	48.47	31.50	8.50	18.91	6.0	16.9	
	日平均值			28.42	47.73	30.90	8.48	14.55	4.95	31.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月22日	蚵殼站	0:04	28.01	49.69	32.74	8.56	10.78	5.1	19.0	
		3:04	27.46	50.37	33.25	8.35	7.62	5.5	6.4	
		6:04	27.72	49.52	32.63	8.51	9.86	5.0	18.9	
		9:04	27.67	49.71	32.77	8.48	9.63	4.3	40.3	
		12:04	27.68	50.18	33.10	8.41	8.91	2.2	23.3	
		15:04	27.57	50.38	33.20	8.43	9.31	2.1	24.0	
		18:04	27.50	50.29	33.20	8.44	9.24	1.6	8.0	
		21:04	27.37	50.37	33.20	8.27	6.87	1.2	8.0	
	日平均值			27.62	50.06	33.01	8.43	9.03	3.38	18.49
	潮口站	0:04	26.81	52.81	34.76	8.13	6.27	4.5	2.2	
		3:04	27.33	51.82	34.02	8.49	8.21	6.6	5.1	
		6:04	27.49	52.08	34.20	8.44	7.44	3.2	12.2	
		9:04	27.45	51.79	33.99	8.43	7.71	6.4	5.4	
		12:04	27.12	51.21	33.57	8.33	6.61	7.5	0.0	
		15:04	27.21	51.53	33.81	8.34	6.74	5.9	4.7	
		18:04	27.38	51.12	33.50	8.32	6.66	7.5	3.9	
		21:04	27.35	50.97	33.39	8.31	7.04	5.4	6.7	
	日平均值			27.27	51.67	33.91	8.35	7.09	5.88	5.03
	灣內站	0:04	28.24	48.92	31.87	8.65	15.38	6.6	17.2	
		3:04	28.13	49.59	32.38	8.49	12.45	7.1	14.3	
		6:04	27.69	50.15	32.85	8.23	8.23	3.8	33.2	
		9:04	27.73	50.19	32.92	8.08	7.15	2.9	24.3	
		12:04	28.23	49.49	32.28	8.05	9.69	5.7	331.2	
		15:04	28.04	50.26	32.85	8.05	9.87	0.9	105.3	
		18:04	27.91	50.15	32.77	8.05	8.52	1.6	44.2	
		21:04	27.83	50.06	32.71	8.05	8.55	1.3	51.6	
	日平均值			27.98	49.85	32.58	8.21	9.98	3.74	77.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月23日	蚵殼站	0:04	27.36	49.99	33.00	8.47	9.51	0.8	8.9	
		3:04	27.17	50.76	33.50	8.24	7.03	1.0	7.9	
		6:04	27.22	50.68	33.50	8.22	6.77	1.4	21.0	
		9:04	27.03	49.94	32.90	8.45	9.23	2.1	88.0	
		12:04	27.19	50.01	33.00	8.57	11.09	4.0	128.3	
		15:04	26.99	50.17	33.10	8.44	9.26	1.9	53.4	
		18:04	26.89	50.20	33.10	8.43	8.97	1.9	32.0	
		21:04	26.78	50.29	33.20	8.38	8.36	1.7	19.2	
	日平均值			27.08	50.26	33.16	8.40	8.78	1.85	44.84
	潮口站	0:04	26.98	51.51	33.80	8.26	6.52	4.6	1.3	
		3:04	26.92	51.62	33.88	8.24	6.49	4.5	0.2	
		6:04	27.24	50.61	33.13	8.42	9.10	4.5	5.4	
		9:04	27.28	50.84	33.30	8.29	6.99	8.6	19.1	
		12:04	26.97	51.58	33.85	8.23	6.55	6.3	0.8	
		15:04	26.90	51.73	33.96	8.24	6.46	6.1	0.5	
		18:04	27.02	51.10	33.50	8.26	6.99	8.6	4.5	
		21:04	26.94	51.14	33.53	8.27	7.47	4.0	10.1	
	日平均值			27.03	51.27	33.62	8.28	7.07	5.90	5.24
	灣內站	0:04	27.81	50.42	32.97	8.25	4.32	1.6	69.3	
		3:04	27.45	50.17	32.80	8.35	5.85	2.5	28.6	
		6:04	27.36	50.07	32.73	8.35	5.17	1.1	72.3	
		9:04	27.36	50.01	32.69	8.35	5.74	0.6	85.2	
		12:04	27.29	50.03	32.70	8.35	5.56	2.0	18.7	
		15:04	27.38	50.83	33.29	8.25	3.76	1.9	32.7	
		18:04	27.37	50.30	32.90	8.35	5.68	0.9	38.0	
		21:04	26.96	49.85	32.58	8.25	4.45	0.4	32.3	
	日平均值			27.37	50.21	32.83	8.31	5.07	1.38	47.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月24日	蚵殼站	0:04	26.50	50.30	33.20	8.36	7.87	1.6	23.9	
		3:04	26.42	50.39	33.30	8.33	7.52	1.3	12.8	
		6:04	26.24	50.36	33.30	8.32	7.28	1.4	15.1	
		9:04	26.33	50.22	33.20	8.38	8.14	1.2	11.7	
		12:04	26.96	49.64	32.70	8.66	12.51	2.3	60.7	
		15:04	26.94	50.28	33.20	8.43	9.38	2.5	20.3	
		18:04	26.79	50.45	33.30	8.47	9.95	1.5	24.6	
		21:04	26.63	50.46	33.30	8.37	8.52	1.3	9.6	
	日平均值			26.60	50.26	33.19	8.42	8.90	1.64	22.34
	潮口站	0:04	26.75	51.61	33.88	8.21	6.48	5.0	0.1	
		3:04	26.55	51.79	34.02	8.18	6.30	4.2	1.4	
		6:04	26.45	51.55	33.84	8.19	6.22	11.4	11.7	
		9:04	26.66	51.24	33.61	8.22	6.41	2.9	10.4	
		12:04	26.81	51.40	33.73	8.18	6.51	7.5	5.9	
		15:04	26.96	51.62	33.88	8.16	6.45	5.4	3.1	
		18:04	26.77	51.46	33.77	8.23	7.60	8.3	14.8	
		21:04	26.83	51.50	33.79	8.21	7.35	7.7	11.9	
	日平均值			26.72	51.52	33.82	8.20	6.67	6.55	7.41
	灣內站	0:04	26.92	50.21	32.85	8.25	4.99	1.2	30.0	
		3:04	26.68	50.26	32.89	8.35	6.27	2.3	35.5	
		6:04	26.38	50.20	32.85	8.35	6.23	2.3	41.7	
		9:04	26.43	50.26	32.90	8.45	7.21	2.4	26.8	
		12:04	27.55	49.53	32.33	8.55	15.46	6.0	246.4	
		15:04	27.47	49.91	32.61	8.45	12.39	0.5	68.4	
		18:04	27.38	50.00	32.68	8.55	13.88	1.6	47.9	
		21:04	27.24	50.23	32.85	8.45	10.28	1.7	33.8	
	日平均值			27.01	50.08	32.75	8.43	9.59	2.25	66.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月25日	蚵殼站	0:04	26.53	50.35	33.30	8.48	9.79	1.0	13.9	
		2:04	26.42	50.32	33.20	8.49	9.56	0.6	5.1	
		13:34	27.06	49.99	33.00	8.43	9.15	2.9	32.4	
		15:04	26.85	50.42	33.30	8.34	8.15	3.1	29.4	
		16:34	26.70	50.42	33.30	8.43	9.18	2.0	9.0	
		18:04	26.72	50.40	33.30	8.46	9.55	1.4	24.6	
		19:34	26.67	50.44	33.30	8.42	8.93	2.0	13.4	
		21:04	26.64	50.46	33.30	8.36	8.18	1.2	5.9	
	日平均值			26.70	50.35	33.25	8.43	9.06	1.78	16.71
	潮口站	0:04	26.88	51.40	33.72	8.19	7.20	5.0	8.8	
		3:04	26.80	51.63	33.89	8.14	6.34	6.3	2.7	
		6:04	26.67	51.65	33.91	8.14	6.21	6.3	2.5	
		9:04	26.57	51.26	33.63	8.25	7.95	5.6	14.0	
		12:04	26.90	51.25	33.61	8.27	8.58	6.0	6.4	
		15:04	27.26	49.49	32.31	8.14	7.12	5.3	1.9	
		18:04	26.99	51.69	33.93	8.16	6.97	5.2	0.5	
		21:04	26.89	51.32	33.66	8.18	7.04	13.0	4.6	
	日平均值			26.87	51.21	33.58	8.18	7.18	6.59	5.18
	灣內站	0:04	27.07	50.55	33.09	8.45	7.17	1.9	37.6	
		1:34	26.91	50.83	33.30	8.45	7.34	2.3	20.3	
		3:04	26.84	50.54	33.09	8.35	6.16	1.0	51.4	
		6:04	26.58	50.63	33.16	8.35	6.22	1.7	44.4	
		7:34	26.44	50.59	33.14	8.35	6.19	1.6	64.2	
		9:04	26.44	50.48	33.06	8.45	8.20	0.2	123.8	
		21:04	27.10	50.90	33.35	8.45	8.21	1.2	28.1	
		23:04	27.19	50.20	32.83	8.45	8.63	1.4	42.1	
	日平均值			26.82	50.59	33.13	8.41	7.27	1.41	51.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月26日	蚵殼站	0:04	26.63	49.40	32.60	8.53	10.09	1.4	19.1	
		3:04	26.66	50.08	33.10	8.51	9.70	1.1	11.2	
		6:04	26.49	49.97	33.00	8.46	8.98	1.9	40.2	
		9:04	26.19	49.68	32.80	8.51	9.89	3.5	127.5	
		12:04	26.63	49.42	32.60	8.60	11.38	3.8	101.9	
		15:04	26.70	49.88	32.90	8.46	9.24	2.2	33.5	
		18:04	26.72	50.15	33.10	8.44	9.08	1.6	20.5	
		21:04	26.50	49.75	32.80	8.27	7.34	1.3	6.8	
	日平均值			26.57	49.79	32.86	8.47	9.46	2.10	45.09
	潮口站	0:04	26.84	51.29	33.64	8.15	6.70	6.5	8.9	
		3:04	26.84	52.00	34.16	8.15	6.64	6.8	3.6	
		6:04	26.80	51.60	33.87	8.14	6.66	7.6	5.4	
		9:04	26.70	50.76	33.25	8.41	10.53	3.7	14.8	
		12:04	27.13	50.91	33.35	8.45	11.65	5.3	23.9	
		15:04	26.95	48.90	31.88	8.11	6.70	6.9	6.5	
		18:04	26.99	51.60	33.87	8.15	6.94	13.1	2.9	
		21:04	26.86	51.13	33.52	8.19	7.06	10.1	4.7	
	日平均值			26.89	51.02	33.44	8.22	7.86	7.50	8.84
	灣內站	2:04	27.05	50.72	33.22	8.45	9.23	1.6	31.1	
		4:34	26.90	50.94	33.38	8.45	8.94	2.2	16.8	
		7:04	26.79	50.96	33.40	8.45	7.86	1.9	33.9	
		8:04	26.79	51.06	33.47	8.45	8.23	2.2	38.2	
		11:04	27.14	51.00	33.42	8.55	10.18	1.6	51.7	
		15:04	27.31	51.18	33.55	8.55	10.18	1.5	38.0	
		18:04	27.05	51.25	33.61	8.45	8.75	0.2	49.9	
		22:04	27.28	51.07	33.47	8.55	9.03	0.1	54.6	
	日平均值			27.04	51.02	33.44	8.49	9.05	1.41	39.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月27日	蚵殼站	0:04	26.50	49.99	33.00	8.36	8.08	1.5	12.7	
		3:04	26.28	50.14	33.10	8.26	7.09	3.1	7.0	
		6:04	26.07	50.02	33.00	8.23	6.60	2.4	2.5	
		9:04	25.92	50.03	33.00	8.24	6.75	3.3	4.5	
		12:04	25.56	49.51	32.70	8.27	6.83	2.6	15.7	
		15:04	25.75	49.65	32.80	8.32	7.43	2.7	29.2	
		18:04	24.99	47.63	31.30	8.41	7.72	1.9	12.6	
		21:04	25.62	49.27	32.50	8.30	6.87	1.9	13.2	
	日平均值			25.84	49.53	32.68	8.30	7.17	2.43	12.18
	潮口站	0:04	26.63	51.10	33.51	8.15	6.50	10.7	7.7	
		3:04	26.71	51.57	33.85	8.14	6.73	5.7	0.5	
		6:04	26.62	51.55	33.84	8.13	6.59	7.5	0.1	
		9:04	26.15	51.18	33.58	8.12	6.32	10.7	3.3	
		12:04	26.00	50.69	33.22	8.10	6.11	9.0	5.3	
		15:04	26.50	51.69	33.94	8.14	6.59	8.3	5.0	
		18:04	26.20	51.25	33.63	8.13	6.55	5.6	2.4	
		21:04	24.98	47.63	31.01	8.18	6.80	6.1	5.8	
	日平均值			26.22	50.83	33.32	8.14	6.52	7.95	3.76
	灣內站	0:04	27.01	50.90	33.35	8.55	8.52	0.7	54.3	
		3:04	26.79	50.90	33.35	8.45	7.15	0.3	58.6	
		6:04	26.65	50.86	33.33	8.45	6.10	1.2	51.0	
		9:04	26.45	50.76	33.26	8.35	5.22	0.5	52.0	
		12:04	26.21	50.31	32.93	8.45	5.91	0.4	54.5	
		15:04	25.96	49.89	32.63	8.45	5.94	0.2	46.7	
		18:04	26.05	50.24	32.89	8.35	5.78	1.4	34.0	
		21:04	26.12	50.19	32.85	8.35	5.34	1.3	30.3	
	日平均值			26.41	50.51	33.07	8.43	6.25	0.75	47.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月28日	蚵殼站	0:04	25.23	47.87	31.50	8.29	6.70	3.4	12.3	
		3:04	24.39	44.66	29.20	8.26	6.62	2.6	6.0	
		6:04	24.78	47.01	30.90	8.19	5.84	3.0	28.7	
		9:04	24.22	45.55	29.80	8.29	6.97	2.4	52.3	
		12:04	24.41	45.02	29.40	8.49	9.38	4.8	96.1	
		15:04	25.45	48.11	31.65	8.47	9.40	1.9	32.1	
		18:04	25.51	48.14	31.66	8.62	11.80	1.7	37.7	
		21:04	25.49	48.42	31.87	8.28	6.52	1.0	19.7	
	日平均值			24.94	46.85	30.75	8.36	7.90	2.60	35.61
	潮口站	0:04	25.82	49.71	32.51	8.16	6.36	8.5	10.0	
		3:04	25.38	48.58	31.69	8.13	6.14	12.0	0.9	
		6:04	26.13	51.15	33.56	8.13	6.43	6.8	3.5	
		9:04	24.34	46.72	30.36	8.18	6.71	4.6	2.5	
		12:04	24.88	46.95	30.52	8.19	7.27	6.4	12.7	
		15:04	26.37	51.40	33.74	8.14	6.50	12.6	6.2	
		18:04	26.30	51.54	33.84	8.15	6.59	11.3	4.9	
		21:04	24.35	43.35	27.92	8.47	12.47	4.7	10.4	
	日平均值			25.45	48.68	31.77	8.19	7.31	8.36	6.39
	灣內站	10:04	24.71	47.49	30.91	8.25	5.01	1.6	55.4	
		11:04	24.54	47.00	30.56	8.25	5.54	1.2	91.7	
		12:04	24.31	46.31	30.06	8.35	6.48	0.8	185.8	
		13:04	24.33	45.63	29.56	8.35	9.17	3.0	221.1	
		14:04	24.51	46.26	30.02	8.36	9.50	0.1	84.3	
		15:04	24.86	47.86	31.17	8.21	6.19	0.7	108.8	
		15:34	25.23	48.98	31.98	8.17	5.42	1.2	284.6	
		16:04	25.36	49.08	32.05	8.17	5.01	1.3	187.0	
	日平均值			24.73	47.33	30.79	8.26	6.54	1.24	152.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月29日	蚵殼站	0:04	24.36	45.09	29.48	8.55	10.09	0.8	6.0	
		3:04	23.92	43.80	28.56	8.50	9.40	1.7	5.8	
		6:04	24.16	45.75	29.96	8.46	8.25	1.2	9.7	
		9:04	24.30	46.94	30.82	8.42	7.87	1.0	26.5	
		12:04	25.20	45.72	29.92	8.49	9.10	1.1	4.9	
		13:34	25.63	45.00	29.39	8.49	9.70	1.1	27.7	
		18:04	25.96	48.76	32.11	8.52	9.45	1.2	23.4	
		21:04	25.85	48.66	32.04	8.45	8.60	1.3	9.1	
	日平均值			24.92	46.22	30.29	8.49	9.06	1.18	14.14
	潮口站	0:04	24.50	44.97	29.09	8.43	11.23	5.7	6.0	
		3:04	25.29	48.16	31.39	8.23	7.84	7.2	8.5	
		6:04	26.35	51.66	33.92	8.14	6.42	6.4	1.1	
		9:04	25.02	48.31	31.50	8.30	8.32	4.3	6.3	
		12:04	25.98	48.07	31.30	8.39	10.03	3.3	13.6	
		15:04	26.55	50.86	33.33	8.15	6.61	9.3	3.3	
		18:04	26.50	51.15	33.55	8.16	6.65	7.1	0.6	
		21:04	26.09	50.50	33.08	8.24	7.76	5.1	9.2	
	日平均值			25.79	49.21	32.15	8.26	8.11	6.05	6.08
	灣內站	0:04	25.39	49.08	32.06	8.12	3.96	1.3	22.0	
		3:04	25.30	48.91	31.93	8.27	7.35	1.7	58.7	
		6:04	25.37	49.51	32.37	8.04	3.21	0.3	104.1	
		9:04	24.76	48.95	31.97	8.19	5.81	1.9	52.8	
		12:04	24.80	47.40	30.84	8.39	9.68	2.0	26.9	
		15:04	25.74	44.65	28.83	8.50	12.45	0.8	73.1	
		18:04	26.07	49.05	32.02	8.52	12.61	1.7	66.1	
		21:04	26.32	49.64	32.44	8.39	10.04	2.9	14.8	
	日平均值			25.47	48.40	31.56	8.30	8.14	1.58	52.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月30日	蚵殼站	0:04	25.14	45.43	29.71	8.46	8.28	1.2	13.7	
		3:04	24.42	44.43	29.00	8.53	9.01	2.1	11.9	
		6:04	24.11	44.55	29.09	8.54	8.53	1.5	9.7	
		9:04	24.97	47.11	30.93	8.51	8.34	1.6	45.2	
		12:04	25.61	48.76	32.12	8.43	7.79	1.2	29.4	
		15:04	25.49	46.84	30.72	8.56	9.84	1.4	13.9	
		18:34	25.87	48.62	32.01	8.48	8.72	2.0	38.8	
		21:04	25.91	49.31	32.51	8.31	6.32	1.7	19.2	
	日平均值			25.19	46.88	30.76	8.48	8.35	1.59	22.73
	潮口站	0:04	26.04	49.74	32.52	8.36	9.18	5.9	7.3	
		3:04	24.97	47.08	30.61	8.41	10.74	7.4	9.3	
		6:04	26.27	51.49	33.80	8.16	6.48	7.0	0.3	
		9:04	25.58	49.87	32.63	8.25	7.41	6.0	5.0	
		12:04	25.61	48.62	31.71	8.36	9.17	6.1	8.0	
		15:04	26.34	50.85	33.33	8.18	6.81	7.8	0.6	
		18:04	26.40	51.73	33.98	8.18	6.51	7.3	0.5	
		21:04	25.89	49.48	32.34	8.38	10.37	6.4	13.3	
	日平均值			25.89	49.86	32.62	8.29	8.33	6.74	5.54
	灣內站	0:04	25.96	48.79	31.83	8.50	11.70	2.4	18.7	
		3:04	25.61	47.74	31.07	8.32	8.42	1.3	16.6	
		6:04	25.56	48.38	31.54	8.25	7.08	0.8	48.4	
		9:04	25.36	48.21	31.42	8.33	8.71	0.5	181.1	
		12:04	24.79	45.14	29.20	8.39	9.87	3.5	119.8	
		15:04	25.80	48.30	31.47	8.19	5.96	0.9	7.1	
		18:04	25.81	48.92	31.93	8.42	10.75	2.6	38.2	
		21:04	25.86	48.85	31.87	8.17	6.08	3.2	31.5	
	日平均值			25.59	48.04	31.29	8.32	8.57	1.90	57.68
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月1日	蚵殼站	9:04	25.05	47.46	31.18	8.46	7.33	5.7	223.5	
		12:34	25.55	48.45	31.89	8.32	6.49	3.0	133.7	
		13:04	25.74	48.64	32.03	8.34	6.94	3.1	95.5	
		15:04	26.33	48.78	32.11	8.46	8.31	2.7	64.2	
		17:04	26.46	48.78	32.11	8.49	8.64	2.8	28.1	
		17:34	26.42	48.93	32.22	8.42	7.63	2.1	20.6	
		18:04	26.34	48.83	32.15	8.45	7.88	1.6	14.0	
		19:34	26.28	48.76	32.10	8.49	8.63	1.6	20.8	
	日平均值			26.02	48.58	31.97	8.43	7.73	2.83	75.05
	潮口站	0:04	25.38	48.43	31.58	8.24	10.64	4.1	6.3	
		3:04	24.96	47.80	31.12	8.27	10.73	4.9	3.2	
		6:04	26.08	51.50	33.81	7.98	6.68	11.5	3.8	
		9:04	26.16	51.71	33.96	7.96	6.35	6.8	0.9	
		12:04	26.37	48.96	31.94	8.28	11.92	7.2	11.5	
		15:04	26.51	50.32	32.94	8.15	10.01	7.9	28.4	
		18:04	26.49	50.40	32.99	7.98	6.82	6.9	1.8	
		21:04	26.31	51.21	33.60	7.99	6.82	7.2	4.5	
	日平均值			26.03	50.04	32.74	8.11	8.75	7.06	7.55
	灣內站	0:04	25.81	48.54	31.65	8.26	7.34	2.4	19.0	
		3:04	25.11	48.58	31.61	8.24	6.59	0.6	30.8	
		6:04	24.77	48.01	31.23	8.35	8.18	0.1	91.1	
		9:04	24.80	48.47	31.55	8.34	7.98	0.5	102.2	
		12:04	25.95	46.73	30.31	8.53	11.93	1.3	15.7	
		15:04	26.69	45.77	29.64	8.48	11.84	1.0	40.2	
		18:04	26.43	46.44	30.12	8.67	14.76	0.8	33.5	
		21:04	26.18	50.08	32.68	8.05	3.20	0.7	27.6	
	日平均值			25.72	47.83	31.10	8.37	8.98	0.93	45.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月2日	蚵殼站	9:04	25.37	48.60	32.00	8.41	6.76	2.7	31.7	
		9:34	24.81	46.25	30.31	8.54	7.69	2.8	16.4	
		10:04	25.07	46.93	30.80	8.46	7.39	2.7	54.5	
		10:34	25.21	47.91	31.50	8.49	7.61	2.8	32.8	
		11:04	25.42	48.56	31.98	8.48	8.12	3.6	79.1	
		11:34	25.54	48.99	32.29	8.48	8.26	4.1	81.9	
		12:04	25.58	49.15	32.40	8.49	8.56	2.9	52.2	
		20:34	25.88	48.97	32.26	8.52	8.62	2.6	20.3	
	日平均值			25.36	48.17	31.69	8.48	7.88	3.03	46.11
	潮口站	0:04	26.01	50.64	33.18	8.02	7.54	13.5	4.0	
		3:04	25.75	50.00	32.72	8.19	9.53	5.5	5.3	
		6:04	26.09	51.50	33.82	7.97	6.62	8.1	6.9	
		9:04	26.29	51.85	34.07	7.97	6.61	8.9	3.7	
		12:04	25.50	48.52	31.65	8.33	11.30	6.1	18.1	
		15:04	25.90	49.54	32.39	8.27	12.03	10.5	61.3	
		18:04	26.49	51.89	34.10	7.99	6.59	9.2	0.1	
		21:04	26.41	51.90	34.10	7.98	6.48	8.6	1.5	
	日平均值			26.06	50.73	33.25	8.09	8.34	8.80	12.61
	灣內站	0:04	25.95	49.23	32.10	8.51	11.18	2.8	8.0	
		3:04	25.46	47.98	31.24	8.52	10.79	2.2	13.4	
		6:04	25.12	47.79	31.12	8.47	9.65	1.7	21.8	
		9:04	25.75	49.11	32.04	8.34	7.62	0.8	91.8	
		12:04	26.00	49.00	31.96	8.40	8.92	0.1	9.8	
		15:04	26.36	46.96	30.53	8.55	12.69	1.7	27.6	
		18:04	26.38	47.83	31.15	8.43	10.03	1.9	34.4	
		21:04	26.21	50.41	32.97	7.93	1.93	2.9	14.3	
	日平均值			25.90	48.54	31.64	8.39	9.10	1.76	27.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月3日	蚵殼站	13:04	25.96	49.89	32.94	8.20	4.58	1.6	20.9	
		13:34	26.01	48.91	32.21	8.49	6.18	1.9	29.7	
		14:04	26.12	49.19	32.42	8.48	8.35	2.5	45.1	
		14:34	26.21	49.52	32.66	8.44	6.94	2.1	39.5	
		15:04	26.19	49.83	32.88	8.33	5.94	3.3	33.0	
		15:34	26.21	49.57	32.70	8.38	6.22	3.3	31.4	
		16:04	26.16	49.78	32.85	8.38	6.21	2.3	21.6	
		16:34	25.93	49.56	32.69	8.51	7.98	3.2	40.7	
	日平均值			26.10	49.53	32.67	8.40	6.55	2.53	32.74
	潮口站	0:04	25.76	49.97	32.70	8.27	10.67	5.7	5.7	
		3:04	25.42	49.42	32.30	8.32	11.22	5.1	11.6	
		6:04	25.73	50.79	33.30	8.03	6.56	7.9	7.5	
		9:04	26.28	52.10	34.25	7.99	6.71	18.3	4.9	
		12:04	26.31	49.65	32.45	8.36	12.73	4.9	13.9	
		15:04	26.49	49.97	32.69	8.33	14.02	9.6	35.0	
		18:04	26.52	50.84	33.32	8.02	6.70	6.2	3.5	
		21:04	26.56	51.68	33.94	8.01	6.64	4.7	4.2	
	日平均值			26.13	50.55	33.12	8.17	9.41	7.80	10.79
	灣內站	0:04	26.26	49.56	32.38	8.19	5.99	2.9	16.3	
		3:04	25.26	46.85	30.51	8.52	10.42	1.7	15.5	
		6:04	24.86	46.46	30.25	8.41	8.59	1.9	18.2	
		9:04	25.29	47.90	31.20	8.35	8.10	1.5	157.2	
		12:04	25.79	48.18	31.35	8.72	16.44	1.2	258.1	
		15:04	26.61	46.48	30.19	8.50	11.72	0.1	48.1	
		18:04	26.44	47.63	30.98	8.71	14.87	1.4	45.7	
		21:04	26.32	49.35	32.17	8.22	5.97	2.5	21.8	
	日平均值			25.85	47.80	31.13	8.45	10.26	1.65	72.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月4日	蚵殼站	15:04	26.22	48.95	32.24	8.51	7.31	2.0	28.4	
		16:34	26.21	49.05	32.31	8.49	7.43	2.2	23.2	
		18:04	26.14	49.09	32.35	8.48	6.86	1.5	28.0	
		18:34	26.10	49.06	32.33	8.46	6.31	0.5	12.5	
		19:04	26.07	49.11	32.36	8.49	6.87	1.5	17.0	
		19:34	26.00	48.98	32.27	8.49	6.85	1.7	18.1	
		20:04	26.04	49.00	32.28	8.52	7.15	2.2	19.6	
		23:34	26.13	49.23	32.45	8.49	6.66	1.1	14.5	
	日平均值			26.11	49.06	32.32	8.49	6.93	1.59	20.16
	潮口站	0:04	25.94	49.90	32.64	8.37	12.63	4.8	6.0	
		3:04	25.93	50.18	32.85	8.18	8.79	14.1	9.4	
		6:04	25.67	49.64	32.46	8.21	8.95	7.3	5.4	
		9:04	26.38	51.68	33.94	8.02	6.71	7.8	0.4	
		12:04	26.56	49.62	32.43	8.31	10.50	6.2	14.3	
		15:04	26.84	50.44	33.02	8.18	9.59	6.8	10.2	
		18:04	26.72	50.67	33.19	8.01	6.79	7.7	2.4	
		21:04	26.64	51.34	33.69	8.01	6.74	4.9	2.4	
	日平均值			26.34	50.43	33.03	8.16	8.84	7.45	6.31
	灣內站	0:04	26.05	49.30	32.15	8.31	7.67	3.0	13.9	
		3:04	26.04	48.53	31.62	8.46	10.55	2.8	33.0	
		6:04	25.49	48.55	31.65	8.38	8.40	1.2	45.5	
		7:34	25.45	48.88	31.86	8.39	8.58	2.0	37.5	
		9:04	25.45	50.34	32.85	8.34	8.26	2.2	31.2	
		11:34	25.84	50.76	33.12	8.48	11.39	1.6	88.5	
		21:34	26.56	51.13	33.37	8.49	11.42	2.4	36.7	
		22:34	26.41	51.40	33.55	8.28	7.94	1.9	29.5	
	日平均值			25.91	49.86	32.52	8.39	9.28	2.14	39.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月5日	蚵殼站	0:04	26.13	49.15	32.39	8.44	6.15	2.1	20.2	
		0:34	26.04	48.42	31.86	8.48	6.52	2.5	20.5	
		14:34	26.49	49.17	32.40	8.46	6.34	2.8	18.0	
		15:04	26.49	49.49	32.63	8.41	5.67	3.5	14.6	
		15:34	26.43	49.57	32.69	8.39	5.44	2.6	18.8	
		16:04	26.38	49.55	32.67	8.41	5.54	2.4	10.5	
		18:34	26.41	49.08	32.33	8.45	5.96	2.0	21.4	
		22:04	26.40	49.28	32.48	8.46	5.65	1.2	18.8	
	日平均值			26.35	49.21	32.43	8.44	5.91	2.39	17.85
	潮口站	0:04	26.35	49.87	32.62	8.22	9.84	6.4	12.8	
		3:04	26.37	49.52	32.36	8.35	12.07	5.1	9.6	
		6:04	25.82	48.64	31.73	8.28	10.06	4.9	13.3	
		9:04	26.44	51.08	33.50	8.02	6.54	8.8	0.8	
		12:04	26.61	51.13	33.54	8.03	6.77	6.9	3.4	
		15:04	26.90	50.94	33.39	8.00	6.34	6.9	1.0	
		18:04	26.80	50.04	32.73	8.01	6.69	3.3	4.8	
		21:04	26.45	51.28	33.65	8.03	6.62	5.1	2.9	
	日平均值			26.47	50.31	32.94	8.12	8.12	5.93	6.08
	灣內站	1:34	26.54	50.83	33.19	8.47	10.21	1.8	33.6	
		3:04	26.42	50.95	33.26	8.44	9.62	1.4	57.5	
		4:34	26.27	50.97	33.29	8.50	10.50	0.7	79.3	
		6:04	26.17	51.02	33.33	8.42	9.20	0.2	138.1	
		7:34	26.13	51.15	33.41	8.30	7.06	0.9	108.6	
		8:04	26.15	51.10	33.39	8.29	7.06	0.2	120.6	
		8:34	26.20	51.45	33.61	8.32	7.57	0.6	94.8	
		9:04	26.30	51.24	33.47	8.37	8.95	0.6	121.4	
	日平均值			26.27	51.09	33.37	8.39	8.77	0.80	94.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月6日	蚵殼站	0:04	26.39	49.26	32.46	8.39	5.24	2.6	18.6	
		3:04	26.05	48.28	31.75	8.60	7.13	2.7	18.9	
		6:04	25.83	48.36	31.82	8.55	6.66	4.7	24.2	
		9:04	25.64	48.23	31.73	8.54	6.18	2.6	23.7	
		12:04	26.12	49.50	32.34	8.53	9.63	4.6	40.2	
		15:04	26.24	50.80	33.30	8.24	5.75	3.9	18.6	
		18:04	26.07	50.41	33.02	8.48	8.86	3.8	26.2	
		21:04	26.02	49.67	32.47	8.59	10.20	4.5	28.4	
	日平均值			26.05	49.31	32.36	8.49	7.46	3.68	24.85
	潮口站	0:04	26.59	48.29	31.45	8.31	10.73	5.2	14.2	
		3:04	26.82	49.89	32.62	8.24	9.57	6.5	11.1	
		6:04	26.35	49.55	32.38	8.20	8.82	4.5	15.0	
		9:04	26.30	50.29	32.93	8.03	6.53	12.4	5.3	
		12:04	26.42	52.13	34.01	8.08	6.86	10.1	4.7	
		15:04	26.39	52.19	34.05	8.13	6.59	8.5	0.5	
		18:04	26.49	51.56	33.58	8.25	7.71	7.4	9.0	
		21:04	26.38	51.94	33.87	8.19	6.76	9.6	2.8	
	日平均值			26.47	50.73	33.11	8.18	7.95	8.03	7.83
	灣內站	0:04	26.85	50.81	33.26	8.42	9.72	1.2	40.5	
		3:04	26.57	50.75	33.25	8.40	8.50	1.4	51.6	
		6:04	26.37	51.10	33.49	8.12	3.56	3.0	239.1	
		9:04	26.20	50.82	33.34	8.34	6.87	2.9	259.3	
		12:04	26.06	50.12	32.76	8.62	12.76	1.2	107.2	
		15:04	26.23	49.26	32.13	8.67	13.99	0.2	85.1	
		18:04	26.34	49.31	32.17	8.57	12.04	1.7	99.2	
		21:04	26.35	50.97	33.38	8.33	7.46	1.7	46.4	
	日平均值			26.37	50.39	32.97	8.43	9.36	1.66	116.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月7日	蚵殼站	0:04	26.12	50.75	33.26	8.34	7.22	3.8	15.7	
		3:04	25.47	49.92	32.67	8.43	7.94	7.0	19.9	
		6:04	25.36	49.77	32.56	8.36	7.00	5.3	26.2	
		9:04	25.46	49.89	32.64	8.40	7.64	4.9	19.8	
		12:04	26.07	49.88	32.62	8.44	8.80	4.9	22.4	
		15:04	26.13	50.45	33.04	8.42	8.44	4.2	28.8	
		18:04	25.98	50.68	33.21	8.42	8.35	6.0	25.4	
		21:04	25.85	50.68	33.22	8.40	8.10	4.6	25.0	
	日平均值			25.81	50.25	32.90	8.40	7.94	5.09	22.90
	潮口站	0:04	26.16	52.03	33.94	8.18	6.52	8.0	4.4	
		3:04	25.75	50.33	32.70	8.43	9.83	8.2	21.1	
		6:04	25.79	50.52	32.84	8.40	9.30	7.8	15.4	
		9:04	25.93	50.68	32.95	8.32	7.91	9.3	11.7	
		12:04	26.31	51.77	33.75	8.20	6.88	10.6	3.6	
		15:04	26.30	51.97	33.89	8.20	6.86	7.7	6.8	
		18:04	26.23	51.57	33.60	8.22	7.18	10.6	7.0	
		21:04	26.05	51.62	33.64	8.19	6.81	5.7	1.6	
	日平均值			26.07	51.31	33.41	8.27	7.66	8.49	8.95
	灣內站	0:04	26.38	51.07	33.45	8.28	7.11	2.1	60.2	
		3:04	26.36	51.57	33.82	8.12	4.77	2.5	40.6	
		6:04	25.77	50.70	33.20	8.32	7.07	1.6	74.2	
		9:04	25.60	50.31	32.91	8.35	8.26	0.3	66.9	
		12:04	26.16	50.72	33.20	8.49	10.78	1.9	36.2	
		15:04	26.73	50.01	32.66	8.72	15.95	0.4	115.6	
		18:04	26.51	50.33	32.91	8.55	11.91	1.4	95.5	
		21:04	26.25	50.61	33.12	8.53	11.64	1.3	42.9	
	日平均值			26.22	50.67	33.16	8.42	9.69	1.44	66.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月8日	蚵殼站	0:04	25.78	50.16	32.84	8.52	9.53	5.1	26.9	
		3:04	25.49	49.73	32.53	8.49	9.07	5.5	30.4	
		6:04	25.24	49.47	32.34	8.44	8.31	5.1	29.4	
		9:04	25.10	49.32	32.24	8.48	9.05	5.5	46.4	
		12:04	25.54	49.41	32.29	8.62	11.88	6.6	77.9	
		15:04	25.90	50.44	33.04	8.38	7.94	4.5	28.1	
		18:04	25.84	50.75	33.27	8.31	6.90	3.7	20.1	
		21:04	25.57	50.26	32.92	8.44	8.64	3.5	24.1	
	日平均值			25.56	49.94	32.68	8.46	8.92	4.94	35.41
	潮口站	0:04	25.92	52.04	33.95	8.20	6.61	9.4	4.0	
		3:04	25.74	50.80	33.05	8.29	7.66	6.2	10.7	
		6:04	25.78	50.65	32.94	8.34	8.49	6.4	12.9	
		9:04	25.67	50.40	32.75	8.37	8.81	6.5	16.5	
		12:04	26.06	51.96	33.89	8.21	6.81	8.7	4.3	
		15:04	26.12	51.23	33.35	8.19	6.73	5.7	1.8	
		18:04	26.02	51.36	33.45	8.21	7.05	6.4	10.1	
		21:04	25.91	51.35	33.45	8.21	6.94	6.7	10.1	
	日平均值			25.90	51.22	33.35	8.25	7.39	7.00	8.80
	灣內站	0:04	26.13	50.94	33.37	8.45	10.08	1.9	37.7	
		3:04	26.00	50.83	33.29	8.48	10.11	2.1	36.9	
		6:04	25.79	50.93	33.36	8.43	9.10	2.0	54.3	
		9:04	26.09	51.14	33.52	8.30	7.23	0.3	17.9	
		10:34	26.52	51.09	33.46	8.35	8.29	0.2	20.0	
		12:34	26.81	50.97	33.37	8.45	9.63	0.1	33.9	
		19:04	26.74	49.91	32.59	8.48	10.77	4.9	52.6	
		22:04	26.32	51.20	33.55	8.51	11.15	1.5	43.5	
	日平均值			26.30	50.88	33.31	8.43	9.55	1.63	37.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月9日	蚵殼站	0:04	25.53	50.30	32.94	8.42	8.15	4.5	25.6	
		3:04	25.36	50.33	32.97	8.40	7.80	3.6	22.6	
		6:04	25.17	50.06	32.78	8.43	8.20	4.1	25.1	
		9:04	24.88	49.71	32.53	8.48	8.83	4.9	27.1	
		12:04	25.63	49.64	32.46	8.56	10.54	4.6	26.8	
		15:04	25.66	50.19	32.86	8.45	9.26	4.5	30.6	
		18:04	25.64	50.97	33.44	8.29	6.66	3.3	23.0	
		21:04	25.45	50.26	32.92	8.41	8.28	4.4	35.5	
	日平均值			25.42	50.18	32.86	8.43	8.47	4.24	27.04
	潮口站	0:04	25.80	51.75	33.74	8.20	6.87	6.7	0.0	
		3:04	25.72	51.86	33.83	8.20	6.79	6.6	0.3	
		6:04	25.46	51.17	33.32	8.24	6.89	8.0	16.3	
		9:04	25.40	50.69	32.97	8.34	8.51	6.1	18.2	
		12:04	25.91	51.83	33.80	8.20	6.77	6.6	3.0	
		15:04	25.99	51.16	33.31	8.19	6.89	4.4	3.8	
		18:04	25.91	51.29	33.40	8.23	7.69	7.5	8.3	
		21:04	25.73	50.86	33.09	8.28	7.94	8.5	11.0	
	日平均值			25.74	51.33	33.43	8.24	7.29	6.80	7.61
	灣內站	0:34	26.27	51.05	33.44	8.48	9.88	0.8	55.4	
		3:04	26.03	51.15	33.52	8.38	8.22	1.2	86.5	
		4:34	25.64	50.78	33.26	8.45	9.18	0.6	49.9	
		6:04	25.65	50.71	33.21	8.41	8.64	0.1	85.3	
		7:34	25.36	50.52	33.07	8.31	7.48	0.7	68.2	
		9:04	25.50	50.53	33.08	8.38	8.74	0.3	67.0	
		10:34	26.00	50.79	33.26	8.40	9.39	1.0	66.8	
		21:34	25.72	49.52	32.33	8.53	11.91	0.2	41.9	
	日平均值			25.77	50.63	33.15	8.42	9.18	0.61	65.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月10日	蚵殼站	0:04	25.29	50.26	32.92	8.44	8.40	3.4	24.1	
		3:04	25.18	49.83	32.60	8.46	8.73	5.4	26.4	
		6:04	25.19	49.67	32.49	8.42	8.21	4.1	30.6	
		9:04	24.95	49.42	32.31	8.48	9.14	5.8	28.2	
		12:04	25.77	49.51	32.36	8.50	9.94	5.1	32.9	
		15:04	25.87	50.30	32.94	8.43	9.00	4.2	30.7	
		18:04	25.78	50.57	33.13	8.44	8.62	4.9	24.7	
		21:04	25.73	50.57	33.14	8.44	8.48	4.5	17.7	
	日平均值			25.47	50.02	32.74	8.45	8.82	4.68	26.91
	潮口站	0:04	25.76	51.35	33.45	8.19	6.58	6.5	4.8	
		3:04	25.63	51.81	33.79	8.17	6.46	6.7	3.6	
		6:04	25.28	50.29	32.69	8.31	8.17	6.0	15.2	
		9:04	25.31	49.83	32.35	8.35	8.78	5.8	13.0	
		12:04	25.88	51.64	33.65	8.21	7.14	6.3	3.2	
		15:04	26.08	50.87	33.09	8.18	7.22	5.6	6.9	
		18:04	25.87	51.36	33.46	8.20	7.14	7.7	8.0	
		21:04	25.88	51.18	33.32	8.20	7.13	9.9	10.6	
	日平均值			25.71	51.04	33.23	8.23	7.33	6.81	8.16
	灣內站	0:34	26.36	51.17	33.53	8.53	11.04	1.3	29.7	
		2:34	26.16	51.30	33.63	8.47	9.65	1.3	26.2	
		3:34	25.89	51.34	33.66	8.43	8.72	1.8	30.9	
		4:34	25.79	51.37	33.69	8.39	8.60	1.9	33.0	
		6:34	25.59	51.11	33.50	8.38	8.16	1.7	27.7	
		8:04	25.48	50.93	33.38	8.43	9.10	1.6	32.9	
		10:04	25.57	50.38	32.97	8.48	10.44	1.0	31.9	
		12:04	26.35	49.64	32.41	8.49	11.71	0.3	32.8	
	日平均值			25.90	50.91	33.35	8.45	9.68	1.36	30.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月11日	蚵殼站	0:04	25.65	49.48	32.34	8.41	8.45	6.1	23.7	
		3:04	25.28	48.90	31.92	8.30	7.26	7.0	29.7	
		6:04	25.19	49.99	32.72	8.38	7.53	4.1	20.5	
		9:04	25.31	49.87	32.64	8.39	7.95	4.0	28.9	
		12:04	25.84	50.17	32.85	8.42	8.53	4.1	21.8	
		15:04	25.56	50.57	33.14	8.34	7.58	3.3	21.1	
		18:04	25.48	50.68	33.22	8.33	7.22	3.4	23.2	
		21:04	25.41	50.65	33.21	8.31	7.00	4.1	25.8	
	日平均值			25.47	50.04	32.76	8.36	7.69	4.51	24.34
	潮口站	0:04	25.79	51.36	33.46	8.20	6.97	5.3	8.7	
		3:04	25.78	52.35	34.18	8.19	6.94	8.1	1.9	
		6:04	25.09	50.02	32.48	8.32	8.53	5.0	18.2	
		9:04	25.15	49.84	32.36	8.28	8.31	5.6	16.6	
		12:04	25.70	50.99	33.19	8.24	7.67	8.2	10.2	
		15:04	25.92	50.83	33.06	8.17	7.06	4.3	6.2	
		18:04	25.88	51.19	33.33	8.17	6.93	4.5	0.3	
		21:04	25.65	50.82	33.06	8.16	6.59	8.2	3.8	
	日平均值			25.62	50.93	33.14	8.22	7.38	6.15	8.24
	灣內站	0:04	26.28	51.06	33.45	8.46	10.00	1.3	27.2	
		3:04	25.92	51.36	33.68	8.42	8.74	2.3	25.9	
		6:04	25.66	51.48	33.77	8.32	7.02	1.9	30.6	
		9:04	25.71	51.56	33.83	8.30	7.10	1.4	25.2	
		12:04	26.20	50.33	32.92	8.56	11.96	2.0	27.6	
		15:04	26.10	51.16	33.53	8.53	10.98	1.6	37.4	
		18:04	25.99	51.29	33.63	8.46	9.23	1.6	27.3	
		21:04	26.02	51.15	33.52	8.45	9.33	1.8	40.5	
	日平均值			25.99	51.17	33.54	8.44	9.30	1.74	30.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月12日	蚵殼站	0:04	25.17	49.64	32.47	8.32	7.34	5.6	30.9	
		3:04	25.05	49.99	32.73	8.32	6.99	6.4	25.7	
		6:04	24.69	49.76	32.57	8.28	6.17	5.2	24.5	
		9:04	24.91	50.11	32.82	8.32	7.13	3.4	24.1	
		12:04	25.46	49.81	32.59	8.44	9.23	4.4	31.1	
		15:04	25.99	50.02	32.73	8.49	10.28	3.6	28.2	
		18:04	25.80	50.41	33.02	8.43	9.31	3.3	34.6	
		21:04	25.67	50.54	33.12	8.43	9.32	4.0	44.1	
	日平均值			25.34	50.04	32.76	8.38	8.22	4.49	30.40
	潮口站	0:04	25.50	50.63	32.92	8.13	6.29	5.2	21.6	
		3:04	25.77	51.67	33.68	8.17	6.91	5.0	26.8	
		6:04	25.62	51.89	33.85	8.17	6.76	3.8	21.0	
		9:04	25.14	50.79	33.05	8.19	7.10	3.5	13.6	
		12:04	25.80	50.48	32.81	8.30	9.38	4.3	30.1	
		15:04	25.95	51.89	33.84	8.20	7.26	3.7	27.0	
		18:04	25.86	52.03	33.94	8.17	6.98	4.1	17.7	
		21:04	25.80	51.51	33.56	8.29	9.89	3.9	28.2	
	日平均值			25.68	51.36	33.46	8.20	7.57	4.19	23.25
	灣內站	0:04	25.70	50.53	33.08	8.46	9.83	1.2	43.6	
		3:04	25.52	51.32	33.66	8.34	7.66	2.3	21.8	
		6:04	25.48	51.48	33.78	8.25	6.04	1.9	30.8	
		9:04	25.45	51.37	33.70	8.32	7.11	1.0	21.3	
		12:04	25.85	50.93	33.37	8.38	9.23	0.7	29.1	
		15:04	25.89	51.17	33.54	8.46	10.19	1.1	41.3	
		18:04	26.38	51.17	33.53	8.52	11.49	0.9	41.1	
		21:04	25.79	50.94	33.38	8.56	11.81	2.1	45.3	
	日平均值			25.76	51.11	33.51	8.41	9.17	1.40	34.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
12月13日	蚵殼站	0:04	24.85	48.35	31.53	8.44	10.09	5.4	64.2
		3:04	24.84	49.03	32.03	8.38	8.77	6.4	41.9
		6:04	25.00	49.39	32.29	8.30	7.75	4.9	34.9
		9:04	24.92	49.59	32.44	8.41	8.99	3.5	43.4
		12:04	25.68	49.39	32.27	8.43	9.82	3.3	35.2
		15:04	25.85	50.23	32.89	8.49	10.39	4.2	27.3
		18:04	25.64	50.31	32.95	8.50	10.26	3.5	37.4
		21:04	25.64	50.39	33.01	8.47	9.85	2.8	27.5
	日平均值		25.30	49.59	32.43	8.43	9.49	4.25	38.98
	潮口站	0:04	25.72	51.45	33.53	8.28	9.04	4.1	34.7
		3:04	25.58	51.89	33.85	8.19	7.03	9.6	18.8
		6:04	25.56	52.00	33.94	8.18	7.10	5.6	18.1
		9:04	25.00	50.29	32.70	8.33	9.55	4.9	39.4
		12:04	25.91	50.56	32.86	8.36	10.77	3.2	4.9
		15:04	25.88	51.38	33.46	8.19	7.45	4.1	22.5
		18:04	25.88	50.79	33.04	8.19	7.48	4.4	35.0
		21:04	25.72	51.23	33.36	8.20	7.55	5.0	35.4
	日平均值		25.66	51.20	33.34	8.24	8.25	5.11	26.10
	灣內站	0:04	25.59	50.16	32.81	8.48	11.30	0.5	43.2
		3:04	25.51	51.10	33.50	8.22	6.11	2.0	23.6
		6:04	25.35	51.17	33.56	8.24	5.98	1.8	22.8
		9:04	24.93	50.44	33.03	8.43	10.27	1.4	50.6
		12:04	25.84	49.15	32.06	8.57	14.55	1.4	40.5
		15:04	26.54	49.32	32.17	8.72	16.53	1.2	60.4
		18:04	26.02	50.65	33.15	8.61	13.56	2.3	46.2
		21:04	26.05	50.47	33.02	8.52	11.73	2.2	45.1
	日平均值		25.73	50.31	32.91	8.47	11.25	1.60	41.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月14日	蚵殼站	0:04	25.48	50.03	32.75	8.51	10.31	3.8	38.4	
		3:04	25.13	49.82	32.60	8.44	9.21	3.8	37.7	
		6:04	25.02	49.86	32.63	8.40	8.57	5.2	33.5	
		9:04	24.97	49.91	32.67	8.40	8.60	3.7	27.7	
		12:04	25.63	49.88	32.64	8.44	9.42	4.1	22.4	
		15:04	25.69	50.36	32.99	8.38	8.65	3.8	24.5	
		18:04	25.59	50.31	32.95	8.51	10.21	4.1	28.1	
		21:04	25.25	50.43	33.04	8.32	7.61	5.7	23.3	
	日平均值			25.35	50.08	32.78	8.43	9.07	4.28	29.45
	潮口站	0:04	25.72	51.16	33.31	8.30	9.51	3.6	24.3	
		3:04	25.56	50.95	33.17	8.23	8.45	4.6	34.9	
		6:04	25.60	51.85	33.81	8.17	7.08	3.2	13.4	
		9:04	25.15	50.64	32.94	8.36	9.69	4.9	14.2	
		12:04	25.90	50.25	32.65	8.47	12.28	3.4	28.2	
		15:04	25.91	50.47	32.80	8.23	7.60	2.8	31.5	
		18:04	25.76	50.87	33.09	8.23	7.41	2.7	30.7	
		21:04	25.65	51.18	33.34	8.24	7.55	6.4	42.6	
	日平均值			25.66	50.92	33.14	8.28	8.70	3.95	27.48
	灣內站	0:04	25.91	50.10	32.75	8.44	10.15	1.2	40.9	
		1:34	25.55	49.96	32.66	8.44	9.78	1.9	31.9	
		3:04	25.49	50.57	33.11	8.42	9.55	2.6	29.9	
		4:34	25.32	50.82	33.30	8.38	8.92	2.3	28.2	
		6:04	25.32	50.94	33.39	8.36	8.67	2.3	34.1	
		7:34	25.19	50.90	33.36	8.39	8.71	2.5	25.7	
		9:04	25.38	50.89	33.34	8.38	8.80	0.2	29.4	
		10:34	25.40	49.48	32.31	8.46	11.32	0.5	40.0	
	日平均值			25.45	50.46	33.03	8.41	9.49	1.69	32.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月15日	蚵殼站	0:04	25.19	50.36	33.00	8.37	8.13	4.7	16.2	
		3:04	25.00	50.17	32.86	8.42	8.61	4.6	19.0	
		6:04	24.77	50.10	32.81	8.43	8.54	7.0	23.5	
		9:04	24.69	49.73	32.55	8.51	9.62	3.5	21.3	
		12:04	25.33	49.51	32.37	8.58	10.56	3.9	19.3	
		15:04	25.29	49.73	32.53	8.50	9.94	4.2	18.2	
		18:04	25.00	50.31	32.97	8.45	9.22	5.7	18.5	
		21:04	24.87	50.40	33.03	8.40	8.48	4.8	19.3	
	日平均值			25.02	50.04	32.77	8.46	9.14	4.80	19.41
	潮口站	0:04	25.30	50.67	32.97	8.21	6.95	6.3	26.5	
		3:04	25.44	50.17	32.60	8.24	9.06	5.1	18.2	
		6:04	25.55	51.34	33.45	8.15	7.07	4.6	21.0	
		9:04	25.40	51.44	33.53	8.20	7.14	5.2	12.9	
		12:04	24.99	50.58	32.91	8.20	7.40	8.1	31.2	
		15:04	25.74	51.87	33.84	8.27	7.80	5.0	5.0	
		18:04	25.65	51.26	33.39	8.26	7.21	2.9	19.7	
		21:04	25.41	51.31	33.44	8.30	7.30	5.9	32.5	
	日平均值			25.44	51.08	33.27	8.23	7.49	5.39	20.88
	灣內站	0:34	25.45	50.33	32.94	8.46	10.02	0.8	29.0	
		1:34	25.40	50.26	32.88	8.44	9.83	1.5	28.3	
		3:04	25.30	50.28	32.90	8.40	8.94	0.5	25.5	
		4:34	25.26	50.33	32.94	8.39	8.91	1.0	24.8	
		6:04	24.97	49.91	32.64	8.35	8.36	1.4	22.1	
		7:34	24.91	50.00	32.70	8.30	8.32	1.7	21.5	
		9:04	25.12	50.13	32.79	8.40	9.48	1.3	19.3	
		10:34	25.47	50.11	32.77	8.47	10.44	1.7	18.8	
	日平均值			25.24	50.17	32.82	8.40	9.29	1.24	23.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月16日	蚵殼站	0:04	24.49	50.29	32.96	8.37	7.82	4.4	15.6	
		3:04	24.27	49.64	32.49	8.50	8.85	9.9	20.7	
		6:04	24.06	49.68	32.52	8.45	8.24	3.9	11.6	
		9:04	23.93	49.67	32.52	8.47	8.49	3.2	14.7	
		12:14	24.27	49.72	32.55	8.49	9.08	4.1	15.2	
		15:04	24.37	49.65	32.50	8.46	8.97	4.0	8.8	
		18:04	23.86	49.85	32.65	8.46	8.69	6.9	13.8	
		21:04	23.90	50.20	32.90	8.40	8.09	3.3	5.9	
	日平均值			24.14	49.84	32.64	8.45	8.53	4.96	13.29
	潮口站	0:04	25.24	52.04	33.86	8.43	7.28	9.9	26.6	
		3:04	25.06	51.94	33.80	8.39	7.36	4.1	10.0	
		6:04	25.15	52.96	34.48	8.10	6.87	5.1	43.6	
		9:04	25.32	52.50	34.17	8.23	6.82	10.9	40.9	
		12:14	25.26	52.53	34.18	8.30	6.86	16.6	37.4	
		15:04	24.98	52.32	34.05	8.30	7.14	12.3	42.9	
		18:04	25.39	51.66	33.60	8.31	7.09	5.3	37.3	
		21:04	25.28	52.57	34.21	8.21	6.77	6.4	35.2	
	日平均值			25.21	52.32	34.04	8.28	7.02	8.83	34.24
	灣內站	0:04	25.15	50.05	32.74	8.38	8.71	0.4	16.7	
		3:04	24.87	49.99	32.69	8.33	8.09	1.2	12.1	
		6:04	24.71	50.07	32.76	8.29	7.83	0.4	12.9	
		9:04	23.85	49.46	32.33	8.35	8.62	1.4	16.6	
		11:34	24.11	49.00	31.99	8.49	11.51	1.5	32.9	
		15:04	24.56	48.94	31.94	8.66	14.88	0.3	29.8	
		18:04	24.40	49.62	32.44	8.51	11.77	1.5	22.5	
		21:04	24.31	49.93	32.66	8.41	9.68	1.4	17.9	
	日平均值			24.50	49.63	32.44	8.43	10.14	1.01	20.18
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月17日	蚵殼站	0:04	23.80	50.27	32.96	8.40	8.16	2.7	12.3	
		3:04	23.33	49.63	32.50	8.45	8.29	3.6	12.8	
		6:04	23.08	49.44	32.36	8.43	8.11	4.4	16.4	
		9:04	23.18	49.76	32.59	8.40	7.74	4.2	14.4	
		12:04	23.44	49.17	32.16	8.43	8.72	5.0	12.5	
		15:04	23.77	50.08	32.82	8.39	8.31	4.2	10.4	
		18:04	23.85	50.32	33.00	8.37	8.01	3.3	9.6	
		21:04	23.72	50.32	33.00	8.33	7.54	3.2	7.5	
	日平均值			23.52	49.87	32.67	8.40	8.11	3.83	11.99
	潮口站	0:04	24.58	51.71	33.65	8.32	8.27	6.3	29.9	
		3:04	24.30	51.30	33.39	8.40	8.38	10.0	10.3	
		6:04	24.10	51.45	33.49	8.33	7.36	6.8	3.5	
		9:04	25.20	52.07	33.88	8.30	6.92	6.1	5.0	
		12:04	25.57	51.99	33.82	8.30	6.98	4.2	2.3	
		15:04	25.55	52.33	34.05	8.25	6.61	3.9	3.2	
		18:04	25.18	49.04	31.89	8.23	7.13	3.4	2.6	
		21:04	25.45	51.54	33.53	8.16	6.97	3.4	0.0	
	日平均值			24.99	51.43	33.46	8.29	7.33	5.51	7.10
	灣內站	0:04	24.18	50.08	32.77	8.38	8.93	1.6	13.0	
		3:04	23.95	50.23	32.90	8.33	7.98	1.3	11.6	
		6:04	23.55	50.10	32.81	8.21	6.49	1.5	6.3	
		9:04	23.60	50.28	32.94	8.22	6.76	1.0	5.7	
		12:04	24.36	49.52	32.36	8.33	9.58	0.9	12.8	
		15:04	24.11	49.30	32.21	8.48	11.95	1.0	25.1	
		18:04	24.19	50.14	32.82	8.41	10.55	1.3	15.3	
		21:04	24.18	50.53	33.11	8.40	10.06	1.8	10.6	
	日平均值			24.02	50.02	32.74	8.35	9.04	1.30	12.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月18日	蚵殼站	0:04	23.38	49.48	32.39	8.36	8.40	3.6	12.6	
		3:04	23.09	49.31	32.26	8.35	8.09	6.2	12.1	
		6:04	23.02	49.47	32.39	8.34	7.71	4.9	8.1	
		9:04	22.90	49.53	32.44	8.34	7.74	3.9	17.6	
		12:04	23.41	49.35	32.29	8.32	7.97	3.6	6.3	
		15:04	23.92	50.19	32.90	8.32	8.07	4.2	10.5	
		18:04	24.00	50.40	33.05	8.24	6.83	5.9	8.8	
		21:04	23.90	50.49	33.12	8.27	6.95	8.9	11.9	
	日平均值			23.45	49.78	32.61	8.32	7.72	5.15	10.99
	潮口站	0:04	24.92	51.46	33.49	8.16	7.02	3.9	4.3	
		3:04	24.77	51.10	33.25	8.15	7.03	3.6	0.7	
		6:04	23.66	50.29	32.74	8.20	7.71	3.2	1.2	
		9:04	25.21	52.05	33.87	8.13	6.95	3.6	5.6	
		12:04	25.54	52.03	33.85	8.16	6.93	2.4	3.1	
		15:04	25.59	52.35	34.06	8.13	6.86	2.7	4.2	
		18:04	25.54	51.42	33.45	8.14	7.08	2.1	7.0	
		21:04	25.46	52.21	33.97	8.14	7.01	1.7	3.5	
	日平均值			25.09	51.61	33.59	8.15	7.07	2.90	3.70
	灣內站	0:04	24.14	50.55	33.13	8.34	9.63	1.5	14.3	
		3:04	24.11	50.45	33.06	8.20	7.25	1.7	10.6	
		6:04	23.97	50.52	33.11	8.19	6.91	1.4	7.9	
		9:04	23.77	50.42	33.04	8.23	7.90	0.5	9.6	
		12:04	23.80	48.97	31.98	8.33	10.51	0.9	12.9	
		15:04	24.45	48.78	31.83	8.38	12.04	0.7	29.5	
		18:04	24.15	49.99	32.72	8.31	10.74	1.4	19.8	
		21:04	23.98	50.13	32.83	8.28	9.38	1.5	11.9	
	日平均值			24.05	49.98	32.71	8.28	9.30	1.20	14.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月19日	蚵殼站	0:04	23.51	49.72	32.56	8.37	8.62	3.0	13.7	
		3:04	23.45	49.83	32.64	8.34	7.99	2.7	14.2	
		6:04	23.03	49.56	32.45	8.36	8.12	4.9	12.4	
		9:04	23.13	49.72	32.57	8.37	8.17	4.0	8.7	
		12:04	23.48	49.68	32.53	8.39	8.69	3.2	11.0	
		15:04	23.96	49.97	32.74	8.43	9.44	3.2	15.1	
		18:04	23.73	50.20	32.91	8.35	8.36	4.0	14.3	
		21:04	24.06	49.98	32.74	8.43	9.53	3.0	14.5	
	日平均值			23.54	49.83	32.64	8.38	8.62	3.50	12.99
	潮口站	0:04	25.30	51.65	33.60	8.13	7.03	3.1	7.9	
		3:04	24.65	51.09	33.24	8.10	6.97	3.1	3.0	
		6:04	24.04	51.03	33.22	8.18	7.79	5.2	8.5	
		9:04	24.80	51.26	33.35	8.15	7.05	4.3	5.7	
		12:04	25.60	52.00	33.83	8.16	6.94	2.4	5.5	
		15:04	25.82	51.61	33.56	8.14	6.61	1.9	3.5	
		18:04	25.74	51.56	33.53	8.14	7.03	3.7	6.8	
		21:04	25.72	52.07	33.87	8.14	7.09	2.4	14.0	
	日平均值			25.21	51.53	33.53	8.14	7.06	3.26	6.86
	灣內站	0:04	23.86	50.11	32.82	8.24	8.25	1.2	14.4	
		3:04	23.50	49.77	32.57	8.29	9.44	1.4	13.2	
		6:04	23.50	49.89	32.66	8.21	8.24	1.4	14.7	
		9:04	23.38	49.72	32.54	8.17	7.68	1.3	8.5	
		12:04	23.92	49.86	32.63	8.32	10.69	0.9	24.2	
		15:04	24.42	48.66	31.74	8.40	13.45	1.0	18.7	
		18:04	24.41	48.38	31.54	8.38	12.97	1.1	44.7	
		21:04	24.03	49.98	32.72	8.28	10.40	1.3	12.5	
	日平均值			23.88	49.55	32.40	8.29	10.14	1.20	18.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月20日	蚵殼站	0:04	23.94	49.72	32.55	8.41	9.50	2.4	35.0	
		3:04	23.56	49.33	32.28	8.44	9.65	3.1	19.8	
		6:04	23.17	48.74	31.85	8.43	9.30	3.4	18.8	
		9:04	23.30	48.92	31.98	8.46	9.61	3.5	18.4	
		12:04	23.78	49.24	32.20	8.49	10.20	3.4	12.8	
		15:04	24.29	49.74	32.56	8.46	9.97	4.4	15.8	
		18:04	24.14	50.24	32.93	8.37	8.46	7.1	15.6	
		21:04	24.25	50.33	33.00	8.40	8.91	4.6	3.0	
	日平均值			23.80	49.53	32.42	8.43	9.45	3.99	17.40
	潮口站	0:04	25.51	51.80	33.70	8.12	6.98	6.2	6.1	
		3:04	24.99	51.10	33.24	8.19	8.42	6.5	3.8	
		6:04	23.93	50.14	32.64	8.25	9.85	2.8	7.2	
		9:04	24.75	51.19	33.31	8.20	7.98	2.0	26.9	
		12:04	25.71	51.82	33.70	8.30	7.08	1.9	13.4	
		15:04	25.98	52.07	33.87	8.31	6.88	1.5	10.7	
		18:04	25.87	52.18	33.93	8.28	6.85	3.0	14.1	
		21:04	25.85	51.50	33.49	8.27	6.88	3.2	10.3	
	日平均值			25.32	51.48	33.49	8.24	7.62	3.39	11.56
	灣內站	0:04	23.99	49.96	32.71	8.25	9.40	1.2	22.2	
		3:04	24.04	50.07	32.78	8.30	10.00	1.2	12.2	
		6:04	23.69	49.78	32.58	8.17	8.49	0.9	15.0	
		9:04	24.01	50.18	32.87	8.24	9.12	0.7	10.8	
		12:04	24.49	50.19	32.87	8.22	8.72	1.3	7.0	
		15:04	25.01	49.06	32.02	8.46	13.89	1.0	28.8	
		18:04	25.00	48.81	31.85	8.46	14.19	1.2	34.3	
		21:04	24.80	49.74	32.53	8.34	11.59	1.3	9.3	
	日平均值			24.38	49.72	32.53	8.31	10.68	1.10	17.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月21日	蚵殼站	0:04	24.17	49.95	32.72	8.44	9.29	1.6	0.8	
		3:04	23.93	49.22	32.18	8.46	9.52	2.4	14.8	
		6:04	23.80	49.12	32.12	8.43	9.02	2.8	9.9	
		9:04	23.87	49.16	32.14	8.41	8.91	2.6	8.0	
		12:04	24.49	48.90	31.94	8.50	10.29	3.3	19.3	
		15:04	24.71	49.73	32.54	8.45	9.68	3.2	11.7	
		18:04	24.74	50.24	32.92	8.47	9.62	2.6	7.4	
		21:04	24.69	50.17	32.87	8.47	9.40	2.3	10.5	
	日平均值			24.30	49.56	32.43	8.45	9.47	2.60	10.30
	潮口站	0:04	25.86	52.10	33.88	8.30	6.94	2.6	17.6	
		3:04	25.40	51.56	33.54	8.29	6.83	3.0	7.6	
		6:04	24.12	49.83	32.43	8.48	9.99	4.3	20.0	
		9:04	24.40	50.37	32.77	8.40	9.26	2.0	19.8	
		12:04	25.79	52.17	33.93	8.28	7.03	1.8	21.2	
		15:04	26.04	51.78	33.68	8.29	6.86	1.1	19.4	
		18:04	25.93	51.68	33.61	8.25	7.03	2.2	23.9	
		21:04	25.79	52.05	33.85	8.26	6.91	2.6	18.3	
	日平均值			25.42	51.44	33.46	8.32	7.61	2.45	18.48
	灣內站	0:04	24.54	50.20	32.87	8.30	10.44	1.3	5.6	
		3:04	24.50	50.23	32.91	8.38	11.03	1.1	7.6	
		6:04	24.29	50.09	32.80	8.21	8.36	1.1	7.6	
		9:04	24.10	48.80	31.88	8.10	7.78	1.1	4.1	
		12:04	24.84	49.67	32.49	8.22	9.47	0.9	6.8	
		15:04	25.59	49.18	32.12	8.45	13.33	0.9	17.2	
		18:04	25.60	49.59	32.41	8.41	12.04	1.2	10.3	
		21:04	25.13	49.93	32.68	8.38	11.77	0.8	6.1	
	日平均值			24.82	49.71	32.52	8.31	10.53	1.05	8.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月22日	蚵殼站	0:04	24.93	50.17	32.87	8.43	9.09	2.2	7.8	
		3:04	24.68	49.49	32.37	8.48	9.39	2.0	3.3	
		6:04	24.63	49.82	32.62	8.37	8.17	2.5	9.7	
		9:04	24.57	49.65	32.49	8.41	8.54	2.1	8.1	
		12:04	25.15	49.82	32.60	8.43	9.43	4.3	15.1	
		15:04	25.52	50.13	32.82	8.49	10.18	4.7	8.2	
		18:04	25.20	50.19	32.87	8.47	9.82	3.9	9.8	
		21:04	24.92	50.64	33.21	8.36	8.01	5.3	6.7	
	日平均值			24.95	49.99	32.73	8.43	9.08	3.38	8.59
	潮口站	0:04	25.84	51.84	33.71	8.22	6.60	0.8	9.0	
		3:04	25.75	51.74	33.65	8.21	6.65	2.3	17.7	
		6:04	24.77	50.33	32.74	8.40	9.66	4.2	5.8	
		9:04	24.86	50.47	32.83	8.31	8.64	1.0	0.2	
		12:04	25.51	52.20	34.35	8.15	7.03	3.2	2.0	
		15:04	25.43	52.37	34.48	8.21	6.97	3.3	0.0	
		18:04	25.53	51.04	33.49	8.37	8.73	2.9	2.3	
		21:04	25.45	51.58	33.89	8.31	8.03	6.3	9.9	
	日平均值			25.39	51.45	33.64	8.27	7.79	3.00	5.86
	灣內站	0:04	24.96	50.10	32.81	8.36	11.47	1.2	5.9	
		3:04	24.81	50.42	33.05	8.30	9.63	1.2	3.1	
		6:04	24.90	50.28	32.94	8.40	11.52	1.2	5.4	
		9:04	24.75	50.30	32.95	8.27	9.58	1.2	3.0	
		12:04	25.48	50.76	33.28	8.17	7.77	0.6	2.8	
		15:04	25.66	50.89	33.38	8.26	8.62	0.3	7.4	
		18:04	26.16	49.69	32.48	8.23	8.58	1.0	13.1	
		21:04	25.81	49.84	32.60	8.15	7.48	0.5	8.5	
	日平均值			25.32	50.29	32.94	8.27	9.33	0.90	6.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月23日	蚵殼站	0:04	24.82	50.43	33.06	8.43	8.88	3.3	6.9	
		3:04	24.88	50.01	32.75	8.39	8.35	3.1	6.7	
		6:04	24.62	50.02	32.76	8.40	8.25	3.5	2.5	
		9:04	24.68	50.14	32.84	8.40	8.28	3.7	7.2	
		12:04	25.11	50.36	33.00	8.41	8.45	3.1	6.2	
		15:04	25.26	50.52	33.11	8.40	8.60	4.0	11.4	
		18:04	25.09	50.68	33.23	8.40	8.01	3.9	5.6	
		21:04	24.91	50.68	33.24	8.43	8.20	3.7	5.8	
	日平均值			24.92	50.36	33.00	8.41	8.38	3.54	6.54
	潮口站	0:04	25.26	51.52	33.85	8.29	7.55	3.3	5.9	
		3:04	25.34	52.05	34.24	8.24	7.11	2.4	0.0	
		6:04	24.84	51.37	33.75	8.33	7.90	2.9	3.2	
		9:04	24.70	51.07	33.53	8.38	8.51	2.4	5.8	
		12:04	25.27	51.47	33.82	8.23	7.03	3.6	0.7	
		15:04	25.57	51.49	33.82	8.23	7.16	2.3	1.9	
		18:04	25.41	51.61	33.91	8.22	7.08	2.3	0.8	
		21:04	25.18	51.44	33.79	8.22	7.04	4.3	5.0	
	日平均值			25.20	51.50	33.84	8.27	7.42	2.94	2.91
	灣內站	0:04	25.48	50.40	33.02	8.17	7.25	0.3	7.4	
		3:04	25.28	50.59	33.17	8.19	7.24	0.5	8.6	
		6:04	24.96	50.59	33.17	8.20	7.39	0.1	5.6	
		9:04	24.89	50.46	33.08	8.19	7.48	0.2	6.3	
		12:04	25.32	50.46	33.07	8.26	8.34	0.3	5.9	
		15:04	25.55	50.49	33.08	8.27	8.84	0.2	9.2	
		18:04	25.49	50.57	33.15	8.27	8.57	1.1	8.3	
		21:04	25.28	50.01	32.74	8.13	7.38	0.3	5.6	
	日平均值			25.28	50.45	33.06	8.21	7.81	0.38	7.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月24日	蚵殼站	0:04	24.70	50.14	32.84	8.45	8.43	3.5	6.9	
		3:04	24.52	50.11	32.83	8.38	7.64	4.0	1.8	
		6:04	24.28	50.11	32.83	8.32	6.82	4.2	10.4	
		9:04	24.33	50.28	32.96	8.34	7.17	3.9	9.2	
		12:04	25.02	50.67	33.23	8.45	8.70	3.6	19.2	
		15:04	24.89	50.68	33.24	8.32	7.12	4.2	7.6	
		18:04	24.83	50.74	33.28	8.28	6.51	3.9	6.4	
		21:04	24.94	50.76	33.30	8.34	7.28	2.8	4.6	
	日平均值			24.69	50.44	33.06	8.36	7.46	3.76	8.26
	潮口站	0:04	25.07	51.44	33.80	8.21	6.84	4.0	6.9	
		3:04	25.00	51.87	34.12	8.21	6.99	3.3	0.9	
		6:04	24.28	50.48	33.11	8.29	7.84	2.2	1.3	
		9:04	24.21	50.61	33.20	8.27	7.57	3.4	1.2	
		12:04	25.02	51.58	33.90	8.24	7.35	3.6	0.9	
		15:04	25.32	50.87	33.37	8.21	7.19	3.3	2.2	
		18:04	25.14	51.06	33.51	8.19	6.89	2.6	4.1	
		21:04	24.64	51.00	33.48	8.27	7.54	3.5	2.7	
	日平均值			24.84	51.11	33.56	8.24	7.28	3.24	2.53
	灣內站	0:04	25.27	51.14	33.57	8.18	7.55	1.4	5.3	
		3:04	25.01	51.03	33.49	8.17	7.30	0.3	4.3	
		6:04	24.90	51.07	33.53	8.13	6.77	0.3	4.6	
		9:04	25.03	51.26	33.66	8.09	6.46	0.3	8.0	
		12:04	25.54	51.22	33.62	8.13	7.14	1.2	4.8	
		15:04	25.45	51.34	33.71	8.15	7.44	1.0	9.6	
		18:04	25.17	51.23	33.64	8.16	7.26	0.6	10.6	
		21:04	25.08	50.82	33.34	8.03	6.04	2.7	5.7	
	日平均值			25.18	51.14	33.57	8.13	7.00	0.98	6.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月25日	蚵殼站	0:04	24.85	50.79	33.32	8.34	7.33	3.3	10.3	
		3:04	24.73	50.83	33.36	8.31	6.87	3.9	13.6	
		6:04	24.66	50.85	33.37	8.30	6.49	3.8	11.3	
		9:04	24.63	50.84	33.36	8.22	5.61	7.6	6.3	
		12:04	25.06	50.49	33.10	8.42	9.16	4.4	21.3	
		15:04	25.24	50.80	33.32	8.37	8.38	4.3	11.7	
		18:04	24.83	50.85	33.37	8.29	6.86	4.0	6.5	
		21:04	24.76	50.89	33.39	8.29	6.97	2.2	7.0	
	日平均值			24.85	50.79	33.32	8.32	7.21	4.19	11.00
	潮口站	0:04	24.60	51.01	33.49	8.25	7.35	2.8	5.5	
		3:04	24.81	51.68	33.98	8.19	6.92	6.5	0.2	
		6:04	24.39	51.32	33.72	8.19	6.99	2.9	0.5	
		9:04	24.49	51.24	33.66	8.20	7.07	3.6	2.0	
		12:04	24.61	51.33	33.73	8.18	7.00	6.7	3.5	
		15:04	25.26	50.84	33.35	8.18	7.23	5.5	0.3	
		18:04	25.04	51.21	33.63	8.17	7.02	4.4	9.2	
		21:04	24.89	51.44	33.80	8.18	7.07	5.4	5.4	
	日平均值			24.76	51.26	33.67	8.19	7.08	4.73	3.33
	灣內站	0:04	24.88	50.83	33.35	8.03	6.27	0.5	7.3	
		3:04	24.90	51.08	33.54	8.09	6.53	0.6	10.1	
		6:04	24.80	51.10	33.55	8.11	6.54	1.1	8.5	
		9:04	24.81	51.12	33.57	8.08	6.53	1.7	13.1	
		12:04	25.55	51.12	33.55	8.13	7.48	2.1	9.5	
		15:04	25.65	50.73	33.26	8.29	10.43	1.7	29.2	
		18:04	25.39	51.04	33.49	8.28	9.95	2.1	25.3	
		21:04	25.26	51.02	33.48	8.22	8.79	0.7	16.6	
	日平均值			25.16	51.01	33.47	8.15	7.82	1.31	14.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月26日	蚵殼站	0:04	24.61	49.84	32.63	8.35	8.01	2.9	4.1	
		3:04	24.46	50.33	32.99	8.34	7.44	2.6	2.7	
		6:04	24.37	50.53	33.14	8.32	7.32	2.4	5.1	
		9:04	23.94	49.92	32.70	8.29	7.16	2.5	7.8	
		12:04	24.61	49.69	32.52	8.28	7.35	3.2	9.4	
		15:04	24.90	50.58	33.17	8.37	8.29	3.6	7.1	
		18:04	24.99	50.83	33.35	8.37	8.37	3.6	7.3	
		21:04	25.00	50.62	33.19	8.46	9.94	2.7	13.9	
	日平均值			24.61	50.29	32.96	8.35	7.99	2.94	7.18
	潮口站	0:04	24.66	51.30	33.70	8.17	7.03	6.8	1.1	
		3:04	24.61	51.37	33.76	8.17	6.89	4.8	3.0	
		6:04	24.70	52.01	34.22	8.20	7.18	6.3	0.6	
		9:04	24.44	51.35	33.74	8.17	7.11	4.1	2.1	
		12:04	24.99	51.41	33.77	8.16	7.08	3.1	1.0	
		15:04	25.02	51.51	33.85	8.20	7.26	6.1	0.5	
		18:04	24.96	51.63	33.94	8.19	7.13	4.3	1.0	
		21:04	24.75	51.48	33.83	8.17	7.05	6.9	6.5	
	日平均值			24.77	51.51	33.85	8.18	7.09	5.30	1.98
	灣內站	0:04	25.20	50.87	33.37	8.22	8.78	1.2	24.3	
		3:04	25.03	51.20	33.62	8.02	5.78	1.0	24.9	
		6:04	24.72	50.89	33.39	8.08	6.44	1.3	17.9	
		9:04	24.72	50.83	33.35	8.10	7.16	1.3	28.4	
		12:04	25.23	50.29	32.95	8.39	12.93	3.5	74.3	
		15:04	25.48	50.37	33.00	8.39	12.59	2.0	41.6	
		18:04	25.07	50.87	33.38	8.16	8.20	0.8	17.5	
		21:04	25.07	50.99	33.47	8.16	7.62	1.0	21.3	
	日平均值			25.07	50.79	33.32	8.19	8.69	1.51	31.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月27日	蚵殼站	0:04	24.67	49.97	32.72	8.41	9.05	3.2	2.2	
		3:04	24.60	50.48	33.10	8.33	7.80	2.9	10.6	
		6:04	24.45	50.48	33.10	8.36	7.91	3.5	5.8	
		9:04	24.39	50.51	33.12	8.33	7.55	3.3	7.2	
		12:04	24.56	50.61	33.20	8.39	8.43	3.0	17.5	
		15:04	24.55	50.45	33.08	8.45	9.68	3.5	25.4	
		18:04	24.48	50.78	33.32	8.39	8.44	4.9	10.6	
		21:04	24.37	50.88	33.40	8.36	7.83	4.6	14.8	
	日平均值			24.51	50.52	33.13	8.38	8.34	3.61	11.76
	潮口站	0:04	24.75	51.30	33.70	8.25	7.99	3.1	5.8	
		3:04	24.68	51.27	33.68	8.23	7.69	4.0	3.9	
		6:04	24.67	51.97	34.19	8.20	7.24	7.0	1.7	
		9:04	24.51	51.67	33.98	8.19	7.35	4.5	4.3	
		12:04	24.67	50.69	33.25	8.20	7.57	3.0	0.8	
		15:04	24.83	51.77	34.05	8.21	7.37	4.9	6.9	
		18:04	24.68	52.04	34.25	8.19	7.18	3.5	5.4	
		21:04	24.49	51.93	34.17	8.21	7.36	8.9	0.1	
	日平均值			24.66	51.58	33.91	8.21	7.47	4.86	3.61
	灣內站	0:04	24.80	50.78	33.31	8.07	6.38	0.9	11.5	
		3:04	24.72	50.90	33.40	8.06	6.41	0.8	22.9	
		6:04	24.68	50.78	33.32	7.98	5.81	0.1	15.1	
		9:04	24.66	50.85	33.37	7.98	5.55	1.7	21.5	
		12:04	24.92	50.26	32.93	8.24	9.98	1.2	27.6	
		15:04	24.64	50.23	32.92	8.27	10.32	0.6	22.0	
		18:04	24.63	50.70	33.26	8.12	7.67	0.3	12.2	
		21:04	24.40	50.71	33.27	8.12	7.34	1.3	12.7	
	日平均值			24.68	50.65	33.22	8.11	7.43	0.86	18.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月28日	蚵殼站	0:04	24.08	50.77	33.32	8.36	7.75	3.2	11.8	
		3:04	23.60	50.34	33.02	8.32	7.35	3.4	6.3	
		6:04	23.23	50.13	32.87	8.35	7.56	2.6	7.7	
		9:04	23.17	49.78	32.61	8.34	7.54	3.4	14.7	
		12:04	23.35	50.04	32.80	8.35	7.85	3.9	14.0	
		15:04	23.43	49.85	32.66	8.33	7.53	3.1	7.6	
		18:04	23.69	50.51	33.14	8.29	6.91	3.1	7.3	
		21:04	23.37	50.31	33.00	8.34	7.37	2.6	3.2	
	日平均值			23.49	50.22	32.93	8.34	7.48	3.16	9.08
	潮口站	0:04	24.07	51.40	33.79	8.26	8.01	2.7	1.2	
		3:04	23.96	51.47	33.84	8.23	7.69	3.3	3.1	
		6:04	24.09	51.89	34.15	8.19	7.29	6.3	0.9	
		9:04	23.98	51.79	34.08	8.20	7.37	5.1	1.1	
		12:04	23.52	51.47	33.85	8.20	7.44	3.4	3.0	
		15:04	24.24	51.56	33.90	8.21	7.43	5.7	2.2	
		18:04	24.22	51.58	33.92	8.20	7.41	4.0	4.2	
		21:04	23.32	51.14	33.61	8.32	8.77	1.9	3.9	
	日平均值			23.93	51.54	33.89	8.23	7.68	4.05	2.45
	灣內站	0:04	24.38	50.83	33.36	8.03	6.10	1.9	12.2	
		3:04	24.17	50.92	33.43	8.02	6.06	1.7	18.4	
		6:04	24.00	50.90	33.42	8.02	6.02	0.6	10.8	
		9:04	23.40	50.43	33.08	8.01	6.26	2.1	28.2	
		12:04	23.57	50.54	33.16	8.04	6.54	1.5	13.4	
		15:04	23.54	50.52	33.15	8.15	8.55	1.7	26.0	
		18:04	23.65	50.61	33.22	8.12	8.08	1.4	27.0	
		21:04	23.86	51.38	33.78	8.05	6.59	2.4	11.7	
	日平均值			23.82	50.77	33.33	8.06	6.78	1.66	18.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月29日	蚵殼站	0:04	23.22	50.42	33.08	8.33	7.23	1.9	4.8	
		3:04	23.07	50.25	32.96	8.33	7.31	3.0	3.6	
		6:04	22.66	50.18	32.91	8.33	7.14	2.6	5.0	
		9:04	22.52	49.79	32.63	8.31	7.05	3.4	14.0	
		12:04	22.78	50.27	32.98	8.33	7.31	2.6	17.2	
		15:04	22.89	50.24	32.95	8.35	8.10	2.6	8.2	
		18:04	23.23	50.78	33.35	8.31	7.28	3.4	7.8	
		21:04	23.03	50.84	33.39	8.32	7.38	2.8	10.1	
	日平均值			22.93	50.35	33.03	8.33	7.35	2.79	8.84
	潮口站	0:04	23.27	50.92	33.44	8.29	8.57	2.4	14.7	
		3:04	22.89	50.65	33.26	8.26	8.22	1.9	11.4	
		6:04	23.81	51.43	33.81	8.18	7.36	3.7	0.4	
		9:04	23.78	51.68	34.00	8.20	7.42	3.5	3.2	
		12:04	22.93	50.84	33.40	8.27	8.43	2.3	15.2	
		15:04	24.12	51.60	33.94	8.21	7.69	3.0	1.5	
		18:04	24.57	51.84	34.10	8.21	7.43	2.3	4.1	
		21:04	24.11	51.90	34.15	8.20	7.52	7.0	0.9	
	日平均值			23.69	51.36	33.76	8.23	7.83	3.26	6.43
	灣內站	0:04	23.62	51.04	33.53	7.98	5.65	1.8	16.5	
		3:04	23.31	50.95	33.47	8.03	6.17	0.7	6.9	
		6:04	22.91	50.58	33.20	7.97	5.41	3.2	6.3	
		9:04	22.81	50.62	33.23	7.96	5.79	0.6	8.7	
		12:04	23.47	50.95	33.47	8.03	6.06	2.5	4.4	
		15:04	23.10	50.03	32.80	8.22	9.91	0.8	38.3	
		18:04	23.04	50.24	32.95	8.24	10.23	0.3	19.1	
		21:04	22.98	50.39	33.06	8.20	9.50	0.3	14.5	
	日平均值			23.16	50.60	33.21	8.08	7.34	1.28	14.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月30日	蚵殼站	0:04	22.79	50.49	33.14	8.36	8.11	2.5	3.4	
		3:04	22.41	50.24	32.96	8.37	8.28	3.8	9.3	
		6:04	22.27	50.23	32.96	8.38	7.83	3.2	10.5	
		9:04	22.23	50.00	32.79	8.35	8.02	4.3	11.1	
		12:04	22.83	50.49	33.14	8.36	7.60	5.0	13.2	
		15:04	22.92	50.67	33.27	8.40	8.32	7.1	10.9	
		18:04	22.73	50.84	33.39	8.37	7.78	4.6	8.1	
		21:04	23.95	51.14	33.60	8.32	7.62	3.8	3.2	
	日平均值			22.77	50.51	33.16	8.36	7.95	4.29	8.71
	潮口站	0:04	23.99	51.90	34.16	8.20	7.52	4.2	0.8	
		3:04	23.20	51.51	33.89	8.20	7.63	4.0	1.1	
		6:04	23.80	51.72	34.03	8.19	7.51	4.6	0.7	
		9:04	23.78	51.78	34.08	8.18	7.34	8.5	3.0	
		12:04	24.02	51.65	33.97	8.19	7.55	4.0	0.6	
		15:04	24.26	51.59	33.92	8.21	7.79	2.7	0.2	
		18:04	24.73	51.15	33.59	8.21	7.56	2.1	3.3	
		21:04	24.58	51.53	33.87	8.20	7.48	2.0	9.9	
	日平均值			24.05	51.60	33.94	8.20	7.55	4.01	2.45
	灣內站	0:04	23.22	50.76	33.33	8.04	6.80	1.2	21.7	
		3:04	23.23	50.97	33.48	7.91	4.92	1.9	8.7	
		6:04	22.62	50.08	32.84	8.03	6.92	2.3	7.0	
		9:04	22.64	50.31	33.01	8.12	8.23	0.5	24.1	
		12:04	22.63	49.98	32.77	8.17	9.47	0.0	12.7	
		15:04	22.61	49.31	32.28	8.19	10.16	1.0	21.4	
		18:04	22.98	50.04	32.81	8.10	8.71	1.8	17.6	
		21:04	23.31	50.97	33.49	8.10	7.42	0.1	15.9	
	日平均值			22.91	50.30	33.00	8.08	7.83	1.10	16.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

105年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月31日	蚵殼站	0:04	22.44	49.90	32.71	8.45	9.63	2.8	7.1	
		3:04	22.19	49.71	32.58	8.41	9.15	2.9	11.5	
		6:04	22.23	50.00	32.79	8.42	9.00	3.2	12.0	
		9:04	22.17	50.00	32.79	8.40	8.49	3.0	12.6	
		12:04	22.80	49.91	32.71	8.42	8.96	3.1	9.6	
		15:04	23.28	50.53	33.16	8.46	9.91	3.5	7.6	
		18:04	23.08	50.69	33.28	8.41	9.31	3.5	13.2	
		21:04	23.04	50.71	33.30	8.41	9.02	3.4	5.9	
	日平均值			22.65	50.18	32.92	8.42	9.18	3.18	9.94
	潮口站	0:04	23.79	51.34	33.75	8.19	7.55	4.7	4.1	
		3:04	23.12	51.08	33.57	8.28	9.05	3.0	10.2	
		6:04	24.13	51.69	34.00	8.20	7.61	2.8	4.0	
		9:04	24.08	52.32	34.47	8.19	7.48	3.1	1.4	
		12:04	24.64	51.64	33.96	8.20	7.61	2.9	2.8	
		15:04	24.60	51.51	33.85	8.21	7.82	3.8	0.7	
		18:04	24.63	50.00	32.74	8.21	7.94	2.5	4.5	
		21:04	24.67	51.33	33.73	8.19	7.64	1.9	3.0	
	日平均值			24.21	51.36	33.76	8.21	7.84	3.09	3.84
	灣內站	0:04	23.06	50.55	33.18	8.14	8.66	0.0	11.8	
		3:04	22.95	50.76	33.34	8.05	7.22	0.2	10.6	
		6:04	22.79	50.70	33.29	7.87	4.46	1.1	7.3	
		9:04	22.93	50.73	33.31	8.11	8.03	0.1	10.7	
		12:04	23.12	50.22	32.94	8.23	10.10	0.5	6.7	
		15:04	23.34	50.09	32.83	8.27	11.09	0.0	18.7	
		18:04	23.42	50.34	33.02	8.25	10.68	0.5	21.0	
		21:04	23.69	50.78	33.33	8.20	9.96	0.2	22.7	
	日平均值			23.16	50.52	33.16	8.14	8.78	0.33	13.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		