

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月1日	蚵殼站	00:04	21.35	48.57	31.75	8.06	15.4	8.1	58.5	
		03:04	20.69	48.15	31.45	8.07	15.01	6.8	50.6	
		06:04	20.62	48.44	31.66	7.91	14.09	3.9	13.2	
		09:04	20.79	48.78	31.91	8.16	13.97	4.3	45	
		12:04	21.86	49.72	32.59	7.78	12.71	3.6	126.8	
		15:04	22.12	50.1	32.86	8.35	11.4	4	5.2	
		18:04	23.02	50.42	33.09	8.53	13.07	4	9.5	
		21:04	23.52	50.58	33.19	8.63	10.63	5.1	5.6	
	日平均值			21.75	49.35	32.31	8.19	13.29	4.98	39.30
	潮口站	00:34:06	22.32	54.12	35.83	7.99	7.37	4.9	5	
		03:34:19	22.4	54.24	35.92	7.99	7.27	1.4	1.3	
		06:34:13	22.3	54.24	35.92	8	7.12	0.8	1.6	
		09:34:16	21.25	53.71	35.54	8.14	7.14	2.6	7.5	
		12:34:25	23.27	54.23	35.9	7.9	7.52	1.9	1.2	
		15:34:15	23.52	54.25	35.91	7.89	7.83	1.2	2.9	
		18:34:23	23.09	54.15	35.85	7.9	7.88	4.9	6.3	
		21:34:20	22.72	54.11	35.82	7.91	7.07	5.6	3.9	
	日平均值			22.61	54.13	35.84	7.97	7.40	2.91	3.71
	灣內站	00:26:56	21.81	50.82	33.4	8.12	8.36	3.1	12.4	
		03:27:09	21.64	50.84	33.41	8.07	7.72	2.9	11.6	
		06:27:03	21.47	50.81	33.39	8.06	7.26	3	12	
		09:27:06	21.5	50.72	33.33	8.02	7.39	3.1	5.3	
		12:27:15	22.26	50.41	33.09	8.11	8.87	2.9	6.8	
		15:27:08	22.3	50.41	33.09	8.13	9.66	2.9	15.9	
		18:27:13	22.26	50.53	33.17	8.14	9.43	2.6	12.1	
		21:27:10	22.17	50.43	33.11	8.13	8.74	5	16.8	
	日平均值			21.93	50.62	33.25	8.10	8.43	3.19	11.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月2日	蚵殼站	00:04	22.75	49.67	32.54	7.86	14.33	4.8	666.8	
		03:04	21.84	48.95	32.02	8.1	13.34	3.9	8.6	
		06:04	21.35	48.49	31.69	8	13.55	4.3	665.2	
		09:04	22.54	49.67	32.54	8.02	11.85	4.8	7.3	
		12:04	22.21	49.07	32.11	7.9	13.95	5.4	8.4	
		15:04	22.77	49.98	32.76	8.31	11.85	4.1	4.9	
		18:04	22.84	50.13	32.87	8.31	10.55	4.3	184.8	
		21:04	22.79	49.52	32.43	8.48	15.15	4.2	8.3	
	日平均值			22.39	49.44	32.37	8.12	13.07	4.48	194.29
	潮口站	00:27:15	22.19	53.84	35.62	8.03	7.6	1	7.4	
		03:27:20	22.68	54.05	35.77	7.95	7.18	3.1	3.6	
		06:27:17	22.63	54.15	35.85	7.94	7.04	0.7	1.4	
		09:27:21	22.45	54.06	35.79	7.93	6.82	3.2	1.6	
		12:27:27	23.34	54.18	35.86	7.9	7.65	0.3	0.6	
		15:27:26	23.58	53.89	35.64	7.85	7.52	0.9	2.5	
		18:27:24	23.34	54.12	35.82	7.81	7.41	3.4	5.1	
		21:27:29	22.73	53.91	35.67	7.9	6.97	5.9	7.4	
	日平均值			22.87	54.03	35.75	7.91	7.27	2.31	3.70
	灣內站	00:34:22	21.7	50.6	33.24	8.1	7.97	1.7	7.3	
		03:34:34	21.5	50.65	33.27	8.18	7.7	2.1	7.4	
		06:34:24	21.51	50.57	33.22	8.11	7.17	3.1	7.8	
		09:34:31	21.57	50.62	33.25	8.06	6.75	2.5	7.7	
		12:34:34	22.18	49.87	32.69	8.14	9.51	4.2	14.3	
		15:34:36	22.35	50.32	33.02	8.16	9.44	2.8	12.8	
		18:34:31	22.3	50.19	32.93	8.15	9.1	4.4	12.6	
		21:34:42	21.93	50.32	33.03	8.13	8.51	3.9	13.1	
	日平均值			21.88	50.39	33.08	8.13	8.27	3.09	10.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月3日	蚵殼站	00:04	23.41	50.1	32.84	8.43	12.5	5	674.5	
		03:04	22.73	49.23	32.22	8.4	12.01	4.6	674.2	
		06:04	22.24	48.62	31.78	8.62	13.35	4.6	7.6	
		09:04	22.61	49.14	32.15	8.59	13.18	5.2	128.9	
		12:04	23.25	49.61	32.49	7.77	13.07	4.9	669.8	
		15:04	24.01	50.17	32.88	7.93	11.99	5.7	7.3	
		18:04	24.04	50.44	33.08	8	9.83	6.2	6.6	
		21:04	24.32	50.85	33.38	8.27	8.17	6.6	40.9	
	日平均值			23.33	49.77	32.60	8.25	11.76	5.35	276.23
	潮口站	00:27:30	22.32	53.82	35.61	7.98	6.83	5.4	8.2	
		03:27:37	22.67	53.97	35.72	8.12	7.06	2.8	4.7	
		06:27:34	22.71	54.13	35.84	7.96	6.9	1.7	0.2	
		09:27:35	22.63	54.16	35.86	7.96	7.11	4.7	1.7	
		12:27:33	23.16	54.14	35.83	7.95	7.47	0.6	0.9	
		15:27:37	23.59	54.03	35.75	7.89	7.58	0	1.8	
		18:27:44	23.49	54.21	35.88	7.8	7.27	0.1	3.8	
		21:27:42	22.89	54.09	35.8	7.92	7.3	7.3	4.9	
	日平均值			22.93	54.07	35.79	7.95	7.19	2.83	3.28
	灣內站	00:34:40	21.72	50.43	33.11	8.24	8.28	3.7	12.7	
		03:34:47	21.61	50.39	33.08	8.31	8.17	3.5	12.9	
		06:34:44	21.5	50.36	33.06	8.21	8.01	2.9	9.6	
		09:34:45	21.38	50.26	32.99	8.17	7.91	2	9.6	
		12:34:40	22.52	49.34	32.3	8.11	8.61	2.3	5.6	
		15:34:47	22.18	49.67	32.55	8.17	9.59	3.1	17	
		18:34:51	22.27	49.52	32.43	8.15	9.21	3.5	15.9	
		21:34:52	21.98	49.9	32.71	8.16	8.9	3.4	15.7	
	日平均值			21.90	49.98	32.78	8.19	8.59	3.05	12.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月4日	蚵殼站	00:04	23.77	49.86	32.66	8.11	14.65	6.1	6.2	
		03:04	23.43	49.15	32.14	8.22	14.22	6.7	665.6	
		06:04	23.3	49.45	32.36	8.02	12.13	7.5	13.7	
		09:04	23.38	49.69	32.54	8.35	13.78	6.8	6.7	
		12:04	23.52	49.32	32.27	8.03	15.3	6.1	32.6	
		15:04	24	50.32	33	8.3	9.51	5.9	3.1	
		18:04	23.91	49.56	32.43	8.35	15.48	6.5	7.6	
		21:04	23.8	49.49	32.39	8.29	16.23	7.8	671.1	
	日平均值			23.64	49.61	32.47	8.21	13.91	6.68	175.83
	潮口站	00:27:46	22.17	53.86	35.64	7.94	7.1	3.2	9.8	
		03:27:42	21.97	53.86	35.64	8.06	6.68	6.4	6	
		06:27:54	22.42	54.16	35.86	7.99	6.95	0.7	1	
		09:27:53	22.36	54.17	35.87	7.98	7.01	3.2	1.1	
		12:27:59	22.55	54.16	35.86	7.95	6.94	2.8	0.3	
		15:27:57	23.54	54.23	35.9	7.88	7.13	0.1	0.1	
		18:27:57	23.43	54.35	35.99	7.9	7.49	0.4	2.3	
		21:27:54	22.98	54.27	35.93	7.94	7.23	5.7	2.9	
	日平均值			22.68	54.13	35.84	7.96	7.07	2.81	2.94
	灣內站	00:34:56	21.66	50.04	32.83	8.14	7.95	2.7	10.1	
		03:34:52	21.38	50.06	32.84	8.29	7.6	2.7	9.3	
		06:35:04	21.2	50.07	32.85	8.19	7.41	1.7	8.8	
		09:35:03	21.13	49.97	32.78	8.14	7.24	3.9	10.6	
		12:35:09	21.63	49.97	32.77	8.11	7.37	2.8	5.6	
		15:35:07	21.6	49.02	32.08	8.18	9.26	3.2	16.7	
		18:35:04	21.55	49.52	32.44	8.16	8.48	2.8	11.3	
		21:35:04	21.25	49.6	32.5	8.17	8.4	2.4	10	
	日平均值			21.43	49.78	32.64	8.17	7.96	2.78	10.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月5日	蚵殼站	00:04	23.83	49.99	32.75	8.26	11.66	8	5.6	
		03:04	23.64	49.77	32.59	8.42	12.51	7.8	68.7	
		06:04	22.9	49.23	32.21	8.15	12.12	6.4	8.2	
		09:04	22.91	49.3	32.27	7.82	11.88	6.7	7.6	
		12:04	22.85	49.24	32.22	7.66	12.72	6.8	7.2	
		15:04	23.81	50.31	32.99	7.53	10.72	6.5	4	
		18:04	23.71	50.36	33.03	7.74	10.32	5	671.4	
		21:04	22.93	48.91	31.97	7.88	13.88	7.2	71.8	
	日平均值			23.32	49.64	32.50	7.93	11.98	6.80	105.56
	潮口站	00:27:59	21.33	53.58	35.44	7.58	7.25	4	14.4	
		03:28:00	21.33	53.7	35.53	7.69	6.57	7.6	10.9	
		06:27:59	22.25	54.24	35.92	7.54	7.11	0.6	1.7	
		09:28:02	22.24	54.25	35.93	7.51	6.91	1.3	0.1	
		12:28:05	22.22	54.23	35.92	7.52	7.18	2.3	0.6	
		15:28:11	23.58	53.86	35.62	7.39	7.07	0.2	1.3	
		18:28:06	23.32	54.1	35.81	7.42	6.84	0.7	0.2	
		21:28:14	22.71	54.05	35.77	7.44	6.81	5.1	0	
	日平均值			22.37	54.00	35.74	7.51	6.97	2.73	3.65
	灣內站	00:35:09	20.98	49.58	32.49	8.14	7.67	2.6	9.2	
		03:35:10	20.91	49.63	32.53	8.42	7.29	1.8	7.4	
		06:35:09	20.81	49.57	32.49	8.22	7.34	1.7	5.1	
		09:35:15	20.85	49.57	32.49	8.21	7.81	2.3	7.2	
		12:35:15	21.23	49.2	32.21	8.2	8.57	1.6	5.2	
		15:35:21	21.38	49.24	32.24	8.19	8.79	1.7	8.5	
		18:35:16	21.37	49.26	32.25	8.18	8.25	3.5	10.5	
		21:35:24	21.01	48.7	31.85	8.17	8.24	3.6	9	
	日平均值			21.07	49.34	32.32	8.22	8.00	2.35	7.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月6日	蚵殼站	00:04	22.95	49.35	32.3	8.29	11.85	9.2	4	
		03:04	22.91	49.56	32.46	8.47	10.93	5.6	8.3	
		06:04	23.01	49.84	32.66	8.3	10.3	6.6	663.8	
		09:04	22.92	49.81	32.64	8.36	10.1	6.2	33.7	
		12:04	23.02	49.69	32.54	7.91	10.96	4.7	673.4	
		15:04	23.25	49.83	32.65	7.96	9.99	6.8	5.1	
		18:04	23.16	49.84	32.66	8.08	11.32	6.6	670.7	
		21:04	23.08	49.89	32.69	8.14	11.2	6.2	661	
	日平均值			23.04	49.73	32.58	8.19	10.83	6.49	340.00
	潮口站	00:28:12	21.88	53.98	35.73	8.01	6.88	6.1	5.5	
		03:28:12	21.8	53.93	35.7	8.05	6.79	5.2	6.2	
		06:28:08	22.47	54.28	35.95	7.96	6.81	0.9	1.3	
		09:28:16	22.47	54.26	35.94	7.98	6.84	2.9	0.9	
		12:28:17	22.12	54.11	35.83	8.01	7.26	2.6	2.6	
		15:28:20	23.48	53.51	35.37	8.89	6.87	0.2	0.5	
		18:28:20	23.53	53.7	35.5	8.88	6.4	0.8	0.4	
		21:28:21	22.87	53.73	35.54	8.88	6.81	4.2	2	
	日平均值			22.58	53.94	35.70	8.33	6.83	2.86	2.43
	灣內站	00:35:22	21.04	49.12	32.16	8.14	7.62	2.9	10.7	
		03:35:22	21.08	49.39	32.35	8.23	7.1	3.1	7.7	
		06:35:18	21.08	49.36	32.33	8.09	6.25	4	8.1	
		09:35:26	21.11	49.3	32.28	8.01	6.16	2.8	5	
		12:35:27	21.35	48.83	31.94	8.14	7.96	3.5	9	
		15:35:30	21.92	48.78	31.9	8.11	8.04	6.5	9.9	
		18:35:27	21.84	48.51	31.7	8.05	7.24	5.7	5.6	
		21:35:31	21.38	48.18	31.46	8.12	7.65	4.5	9.4	
	日平均值			21.35	48.93	32.02	8.11	7.25	4.13	8.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月7日	蚵殼站	00:04	22.89	49.78	32.61	8.37	13.4	11.3	674.1	
		03:04	22.86	49.8	32.63	8.54	13.26	75.9	36.2	
		06:04	22.73	49.75	32.6	8.51	12.53	139.8	7.7	
		09:04	22.73	49.77	32.61	8.54	13.97	168.1	121.4	
		10:21	22.85	49.79	32.62	8.3	13.76	170.1	12.3	
		15:01	22.87	51.85	34.14	8.01	8.91	0.2	500	
		18:01	22.69	51.98	34.24	8.01	8.03	0.6	6.2	
		21:01	22.57	51.94	34.21	7.96	6.99	0.5	5.4	
	日平均值			22.77	50.58	33.21	8.28	11.36	70.81	170.41
	潮口站	00:28:25	21.83	53.68	35.51	8	6.93	6.7	5.2	
		03:28:26	21.18	53.5	35.39	8.22	7.15	1.6	9.5	
		06:28:25	23.2	54.15	35.84	7.97	6.47	0	1.1	
		09:28:30	22.93	54.14	35.84	7.93	6.73	2.7	0	
		12:28:28	22.4	54	35.74	7.97	7.28	2.9	4.2	
		15:28:29	23.46	54.21	35.88	7.95	6.98	0.4	1.5	
		18:28:36	23.69	53.85	35.61	7.87	6.7	0.4	0.5	
		21:28:34	23.43	54.1	35.8	7.89	6.83	0.7	1.3	
	日平均值			22.77	53.95	35.70	7.98	6.88	1.93	2.91
	灣內站	00:35:35	21.22	48.39	31.62	8.13	7.83	3.6	10.1	
		03:35:36	21.31	48.54	31.73	8.34	7.2	4.4	7.5	
		06:35:35	20.84	48.2	31.48	8.17	6.85	3.5	7.8	
		09:35:37	20.87	47.85	31.23	8.19	7.93	2.9	7.9	
		12:35:38	21.44	46.57	30.29	8.12	8.4	3.5	6.9	
		15:35:36	21.54	47.25	30.79	8.2	9.76	4.2	14.9	
		18:35:43	21.52	47.42	30.91	8.16	8.93	2.6	10	
		21:35:44	21.45	47.47	30.95	8.1	7.92	2.3	9.3	
	日平均值			21.27	47.71	31.13	8.18	8.10	3.38	9.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月8日	蚵殼站	00:01	22.66	51.69	34.03	8.15	10.17	0.4	16.4	
		03:01	22.51	51.63	33.99	8.08	8.41	0.1	11	
		06:01	22.39	51.67	34.02	8.04	7.52	0	13.6	
		09:01	22.33	51.66	34.01	8.04	7.51	0.7	17	
		12:01	22.75	51.61	33.96	8.05	8.76	1.3	10.5	
		15:01	22.96	52.04	34.28	8.08	9.6	2	9.6	
		18:01	22.9	52.07	34.3	8.08	9.18	2.7	11.9	
		21:01	22.83	52.1	34.32	8.07	9.13	4.7	12.1	
	日平均值			22.67	51.81	34.11	8.07	8.79	1.49	12.76
	潮口站	00:28:33	22.12	53.91	35.68	7.98	6.77	5.9	4	
		03:28:41	21.53	53.78	35.59	8.12	6.91	3.7	6.5	
		06:28:40	22.98	54.1	35.81	8.01	6.54	2.5	0.6	
		09:28:42	23.13	54.23	35.9	7.92	6.64	2.1	0.2	
		12:28:42	22.81	54.14	35.84	7.96	7.05	1.7	1.5	
		15:28:51	22.42	53.98	35.73	8.01	7.27	4.4	7.1	
		18:28:50	23.58	53.89	35.64	7.89	6.93	0.2	0.8	
		21:28:53	23.35	54.38	36.01	7.91	6.66	0	1.2	
	日平均值			22.74	54.05	35.78	7.98	6.85	2.56	2.74
	灣內站	00:35:43	21.18	47.31	30.83	8.13	7.99	4	11.1	
		03:35:51	20.98	47.14	30.71	8.3	7.23	6.1	7.6	
		06:35:50	20.86	46.83	30.48	8.23	7.57	3.6	8.8	
		09:35:52	21	46.6	30.32	8.15	7.81	6.9	12.2	
		12:35:49	21.41	46.05	29.92	8.19	9.62	5.8	14.4	
		15:36:01	21.68	45.16	29.27	8.22	10.63	5.7	23.2	
		18:36:00	21.37	45.02	29.17	8.22	10.12	4.3	15.4	
		21:36:03	21.19	45.47	29.5	8.16	8.86	4.3	12.7	
	日平均值			21.21	46.20	30.03	8.20	8.73	5.09	13.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月9日	蚵殼站	00:01	22.68	52.06	34.3	8.04	8.19	2.3	10.2	
		03:01	22.6	52.01	34.27	8.06	8.33	1.5	9.9	
		06:01	22.5	52.01	34.26	8.06	8.36	1.4	9.1	
		09:01	22.39	52	34.26	8.04	8.31	2.5	8.4	
		12:01	22.77	52.06	34.29	8.05	8.66	2.1	7.6	
		15:01	23.19	52.05	34.28	8.14	10.63	3	26.1	
		18:01	22.54	51.81	34.12	8.05	8.55	0.1	11.9	
		21:01	22.33	51.82	34.12	8.03	8.02	0.9	8.4	
	日平均值			22.63	51.98	34.24	8.06	8.63	1.73	11.45
	潮口站	00:21:41	22.51	54.21	35.9	7.98	6.86	4.2	2.4	
		03:21:44	21.52	54	35.75	8.05	6.99	4.7	7.1	
		06:21:42	23.38	54.37	36	8.02	6.69	0.4	0.4	
		09:21:40	23.3	54.37	36	7.92	6.46	0.6	0.5	
		12:21:45	22.72	54.33	35.99	7.93	7.14	2.1	1.8	
		15:21:46	22.2	54.13	35.85	8.06	8	3.2	12.1	
		18:21:53	23.66	53.9	35.65	7.88	6.79	0.3	1.8	
		21:21:50	23.47	54.41	36.03	7.88	6.34	0.2	0.1	
	日平均值			22.85	54.22	35.90	7.97	6.91	1.96	3.28
	灣內站									
		15:01	22.69	50.87	33.42	8.04	9.84	2.7	17	
		18:01	22.55	50.73	33.32	8.01	9.72	3.5	17.7	
		21:01	22.31	50.87	33.43	7.94	9.29	3.8	16.8	
	日平均值			22.52	50.82	33.39	8.00	9.62	3.33	17.17
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月10日	蚵殼站	00:01	22.21	51.85	34.15	8.01	7.35	1.1	7.6	
		03:01	22.11	51.94	34.22	7.99	7.2	2.3	6.4	
		06:01	21.72	51.68	34.03	8.04	7.54	0.5	6.7	
		09:01	21.66	51.49	33.89	8.01	7.26	1.8	9.1	
		12:01	21.97	51.28	33.73	8.06	8.46	2.8	13.4	
		15:01	22.26	51.76	34.08	8.11	9.22	1	12.5	
		18:01	22.14	51.8	34.12	8.1	8.71	0.6	10.4	
		21:01	22.08	51.79	34.11	8.11	8.9	0.8	10.1	
	日平均值			22.02	51.70	34.04	8.05	8.08	1.36	9.53
	潮口站	00:01	22.53	54.02	35.76	7.5	7.35	3.4	6.8	
		03:01	22.52	54.23	35.91	7.5	7.36	0	2.1	
		06:01	22.22	54.17	35.87	7.52	7.15	1.6	5.8	
		09:01	21.27	53.74	35.56	7.64	7.32	3.2	12.1	
		12:01	23.37	54.33	35.97	7.633	7.79	0.5	4.5	
		15:01	23.41	54.32	35.97	7.55	8.23	0.7	5.1	
		18:01	22.78	54.08	35.8	7.58	8.31	5.7	8	
		21:01	22.61	54.16	35.86	7.59	7.71	4	5.1	
	日平均值			22.59	54.13	35.84	7.56	7.65	2.39	6.19
	灣內站	00:01	22.24	51.1	33.6	8.03	8.33	2.5	11.4	
		03:01	22.01	51.08	33.59	8.04	8.1	2	10.2	
		06:01	21.8	51.05	33.57	8.03	7.94	2.1	9.9	
		09:01	21.73	51.05	33.56	8.01	8.18	2.1	10.5	
		12:01	22.2	50.93	33.47	8.02	8.8	2	6.8	
		15:01	22.37	50.8	33.37	8.06	9.52	1.6	11	
		18:01	22.31	50.8	33.37	8.09	9.24	1.9	10.5	
		21:01	22.12	50.66	33.27	8.13	9.41	3.9	20.6	
	日平均值			22.10	50.93	33.48	8.05	8.69	2.26	11.36
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月11日	蚵殼站	00:01	21.91	51.77	34.09	8.08	8.5	0.6	8.5	
		03:01	21.71	51.8	34.12	8.03	7.77	0.7	6.9	
		06:01	21.07	51.06	33.58	8.07	7.68	2	11.9	
		09:01	21.28	51.05	33.57	8.09	8.11	2.5	12.7	
		12:01	21.78	50.66	33.28	8.09	9.03	3.1	15.9	
		15:01	22.18	51.57	33.94	8.12	9.29	1.3	9.7	
		18:01	22.11	51.71	34.05	8.12	9.04	1.1	12.9	
		21:01	22.13	51.72	34.06	8.14	9.21	0.3	10.4	
	日平均值			21.77	51.42	33.84	8.09	8.58	1.45	11.11
	潮口站	00:01	22.46	54.13	35.84	8.02	7.7	4.2	6.3	
		03:01	22.39	54.19	35.88	8.01	7.32	1.5	2.7	
		06:01	22.35	54.23	35.92	8	7.15	0.3	1.9	
		09:01	21.24	53.75	35.57	8.12	7.06	2.8	8	
		12:01	23.24	54.24	35.91	7.96	7.59	1.6	2.5	
		15:01	23.54	54.19	35.87	7.86	7.7	0.5	3.3	
		18:01	23.43	54.28	35.93	7.92	7.72	1.7	5.1	
		21:01	22.72	54.12	35.83	7.91	7.08	8.6	6.8	
	日平均值			22.67	54.14	35.84	7.98	7.42	2.65	4.58
	灣內站	00:01	21.84	50.82	33.4	8.09	8.24	2.3	12.6	
		03:01	21.63	50.83	33.4	8.07	7.7	2.1	11.1	
		06:01	21.52	50.86	33.43	8.08	7.53	2.8	11.7	
		09:01	21.37	50.73	33.33	8.05	7.5	3.3	7	
		12:01	22.21	50.57	33.2	8.12	8.79	1	4	
		15:01	22.28	50.41	33.09	8.16	9.95	2.6	13.4	
		18:01	22.21	50.49	33.15	8.11	9.51	1.7	11.2	
		21:01	22.12	50.48	33.15	8.14	8.9	4.4	11.5	
	日平均值			21.90	50.65	33.27	8.10	8.52	2.53	10.31
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月12日	蚵殼站	00:01	21.98	51.66	34.01	8.14	9.21	0.6	10.2	
		03:01	21.88	51.69	34.03	8.12	8.9	1	9.7	
		06:01	21.64	51.59	33.96	8.12	8.6	0.4	7.8	
		09:01	21.62	51.38	33.81	8.12	8.62	0.8	8.2	
		12:01	22.16	51.27	33.72	8.11	9.07	1.5	9.7	
		15:01	22.17	51.64	33.99	8.11	9.06	1	5.7	
		18:01	22.07	51.76	34.08	8.09	8.34	1.2	11.6	
		21:01	22.01	51.66	34.01	8.1	8.46	2.1	10.5	
	日平均值			21.94	51.58	33.95	8.11	8.78	1.08	9.18
	潮口站	00:01	22.51	54.06	35.79	7.97	7.16	3.3	5.6	
		03:01	22.73	54.05	35.77	7.97	7.23	2.1	7.4	
		06:01	22.65	54.13	35.84	7.97	7	0.6	3.1	
		09:01	22.42	54.09	35.81	7.94	6.94	3.2	4.3	
		12:01	23.3	54.12	35.82	7.95	7.72	0.8	1.8	
		15:01	23.61	53.88	35.63	7.85	7.54	0.1	2.4	
		18:01	23.35	54.05	35.76	7.91	7.24	0.6	4.2	
		21:01	22.9	53.98	35.72	7.88	7.03	6.1	3	
	日平均值			22.93	54.05	35.77	7.93	7.23	2.10	3.98
	灣內站	00:01	21.78	50.59	33.23	8.17	8.4	2.4	8.8	
		03:01	21.52	50.62	33.25	8.21	8.01	2.3	8.1	
		06:01	21.54	50.56	33.21	8.11	7.01	3.9	7.2	
		09:01	21.52	50.56	33.21	8.08	6.81	3.3	7.8	
		12:01	22.13	49.65	32.53	8.13	9.32	2.9	10.4	
		15:01	22.32	50.26	32.98	8.18	9.62	2.5	16.5	
		18:01	22.32	50.21	32.94	8.17	9.15	4.3	11.4	
		21:01	21.97	50.28	33	8.15	8.75	3.7	13.7	
	日平均值			21.89	50.34	33.04	8.15	8.38	3.16	10.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月13日	蚵殼站	00:01	22.2	51.77	34.1	8.05	8.29	1.7	7.4	
		03:01	22.03	51.66	34.01	8.03	8.13	1.8	8.2	
		06:01	21.58	51.54	33.93	7.99	6.83	1.2	4.9	
		09:01	21.5	51.22	33.7	8.1	8.27	0.4	7.1	
		12:01	22.27	51.03	33.55	8.07	8.62	0.9	7.4	
		15:01	22.45	51.49	33.88	8.04	8.55	1.3	9.4	
		18:01	22.5	51.9	34.18	8.02	7.81	0.5	8.4	
		21:01	22.38	51.98	34.25	8	7.7	1.1	7	
	日平均值			22.11	51.57	33.95	8.04	8.03	1.11	7.48
	潮口站	00:01	22.37	53.81	35.6	7.95	6.88	5.4	5.8	
		03:01	22.07	53.72	35.54	8.14	6.77	6.8	6.6	
		06:01	22.79	54.11	35.82	7.96	7.13	1.5	2.5	
		09:01	22.61	54.16	35.86	7.97	6.93	2.7	1.1	
		12:01	22.9	54.14	35.84	7.95	7.23	0.6	0.1	
		15:01	23.59	54.1	35.8	7.89	7.51	0	2.3	
		18:01	23.53	54.23	35.9	7.9	7.57	1	2.7	
		21:01	22.98	54.07	35.79	7.92	7.28	5.4	3.6	
	日平均值			22.86	54.04	35.77	7.96	7.16	2.93	3.09
	灣內站	00:01	21.72	50.4	33.09	8.17	8.3	4.3	13.8	
		03:01	21.63	50.41	33.1	8.34	8.09	3.2	11.4	
		06:01	21.52	50.37	33.06	8.22	8	3.1	9.4	
		09:01	21.36	50.26	32.99	8.15	7.63	1.9	10.1	
		12:01	22.28	50.12	32.87	8.19	8.63	1.1	4.1	
		15:01	22.2	49.58	32.48	8.18	9.89	3.6	20.8	
		18:01	22.29	49.6	32.49	8.16	8.99	3.6	17.5	
		21:01	22.01	49.75	32.6	8.16	9.02	3.2	14.9	
	日平均值			21.88	50.06	32.84	8.20	8.57	3.00	12.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月14日	蚵殼站	00:01	21.88	51.74	34.07	8.04	7.89	4.3	5.3	
		03:01	21.86	51.89	34.19	7.97	7.24	2.1	5.4	
		06:01	21.18	51.39	33.82	8.06	7.28	0.5	6.7	
		09:01	21.27	51.53	33.92	8.03	7.37	0.7	5.7	
		12:01	22.46	52.03	34.28	7.98	7.87	2.8	4.9	
		15:01	22.48	51.62	33.97	8.06	7.98	0.5	5.9	
		18:01	22.48	51.73	34.06	8.06	8.5	1.5	10	
		21:01	22.34	51.9	34.19	7.98	7	1.3	6.6	
	日平均值			21.99	51.73	34.06	8.02	7.64	ND	6.31
	潮口站	00:01	22.65	54.08	35.8	7.92	7	5.3	4.4	
		03:01	21.97	53.84	35.63	8.08	6.74	6.5	7.5	
		06:01	22.59	54.13	35.84	7.96	6.83	0.7	1.4	
		09:01	22.34	54.18	35.88	7.99	7.08	3.1	1.6	
		12:01	22.46	54.17	35.87	7.96	6.97	3.2	1.5	
		15:01	23.53	54.26	35.92	7.92	7.1	0.1	1.5	
		18:01	23.57	54.32	35.97	7.89	7.22	0.3	2.6	
		21:01	23	54.26	35.93	7.83	7.27	7.2	4.4	
	日平均值			22.76	54.16	35.86	7.94	7.03	3.30	3.11
	灣內站	00:01	21.72	49.99	32.78	8.13	7.98	3.5	10.9	
		03:01	21.37	50.07	32.85	8.32	7.85	2.4	9	
		06:01	21.24	50.05	32.84	8.19	7.1	1.9	7.6	
		09:01	21.11	49.94	32.76	8.13	6.92	4.3	10.6	
		12:01	21.44	49.96	32.77	8.13	7.46	3.1	7.9	
		15:01	21.62	49.1	32.14	8.17	9.36	3.1	15.7	
		18:01	21.61	49.58	32.48	8.16	8.37	3.2	11.1	
		21:01	21.29	49.65	32.54	8.16	8.07	2.6	10.6	
	日平均值			21.43	49.79	32.65	8.17	7.89	3.01	10.43
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月15日	蚵殼站	00:01	22.12	51.83	34.14	7.98	7.36	2.1	5.7	
		03:01	21.94	51.85	34.15	7.94	7.05	3.3	5.7	
		06:01	21.93	51.94	34.22	7.91	6.68	2.9	5.5	
		09:01	20.58	50.66	33.29	8	6.86	3.2	6.7	
		12:01	21.03	50.15	32.91	8.02	7.68	3	6.1	
		15:01	21.82	51.36	33.79	8.04	8.39	1.4	6.1	
		18:01	21.74	51.55	33.94	8.03	7.8	0.9	5.7	
		21:01	21.42	51.31	33.76	8.08	8.14	1.4	7.2	
	日平均值			21.57	51.33	33.78	8.00	7.50	2.28	6.09
	潮口站	00:01	21.67	53.64	35.49	8.04	7.3	4.1	12.8	
		03:01	21.46	53.72	35.54	8.2	7.02	4.2	12.1	
		06:01	22.18	54.23	35.92	8.01	6.96	1.1	0.2	
		09:01	22.21	54.25	35.93	8.02	7.05	2.2	0	
		12:01	22.12	54.25	35.93	8	7.06	5.2	0.9	
		15:01	23.58	53.96	35.69	7.92	7.19	0.6	0.4	
		18:01	23.43	54.05	35.76	7.91	7.01	1.1	1.7	
		21:01	22.91	54.12	35.83	7.98	7.17	1.7	1.3	
	日平均值			22.45	54.03	35.76	8.01	7.10	2.53	3.68
	灣內站	00:01	21.05	49.6	32.51	8.15	7.81	3	10	
		03:01	20.88	49.64	32.54	8.45	7.54	2.4	8.1	
		06:01	20.81	49.56	32.48	8.23	7.39	1.7	7.6	
		09:01	20.8	49.61	32.51	8.18	7.52	2.1	6.1	
		12:01	21.32	49.56	32.47	8.19	8.33	2.4	4.1	
		15:01	21.4	49.18	32.19	8.2	8.83	2.9	7.7	
		18:01	21.35	49.34	32.32	8.15	8.1	2	7.3	
		21:01	21.04	48.69	31.84	8.17	8.26	3.6	9	
	日平均值			21.08	49.40	32.36	8.22	7.97	2.51	7.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月16日	蚵殼站	00:01	21.29	51.22	33.7	8.07	7.81	1.1	6.8	
		03:01	21.13	51.07	33.59	8.07	8.01	1.1	6.5	
		06:01	21.08	51.16	33.66	8	6.6	0.9	4.4	
		09:01	20.94	51.09	33.6	8.06	7.46	1.8	5	
		12:01	21.52	51	33.53	8.07	8.37	1.2	4.9	
		15:01	21.51	51.19	33.67	8.03	7.73	2	6.2	
		18:01	21.51	51.24	33.71	8	6.93	1.2	6.3	
		21:01	22.38	51.63	33.99	7.94	7	2.1	3.4	
	日平均值			21.42	51.20	33.68	8.03	7.49	1.43	5.44
	潮口站	00:01	22.06	53.97	35.73	8.01	6.98	5.4	5.5	
		03:01	21.83	53.93	35.69	8.05	6.82	4.5	5.9	
		06:01	22.89	54.31	35.96	7.96	6.75	0.6	0.1	
		09:01	22.45	54.27	35.95	7.98	6.8	2.2	0.1	
		12:01	22.24	54.15	35.86	8.01	7.15	2.9	1.9	
		15:01	23.54	53.55	35.39	7.95	6.94	0.5	0.8	
		18:01	23.54	53.69	35.49	7.87	6.52	0	0.2	
		21:01	23.21	53.67	35.48	7.87	6.77	0.9	0.9	
	日平均值			22.72	53.94	35.69	7.96	6.84	2.13	1.93
	灣內站	00:01	21.04	49	32.07	8.15	7.83	3.7	10.2	
		03:01	21.14	49.37	32.33	8.19	6.8	2.3	6.1	
		06:01	21.1	49.38	32.34	8.06	5.78	2.6	5.2	
		09:01	21.04	49.31	32.3	8.04	6.15	3	6.9	
		12:01	21.26	48.7	31.85	8.16	8.19	2.7	5	
		15:01	21.82	48.72	31.86	8.15	8.3	8.3	10.7	
		18:01	21.85	48.53	31.72	8.07	7.47	5.6	5.6	
		21:01	21.51	48.57	31.75	8.03	6.73	3.2	6.4	
	日平均值			21.35	48.95	32.03	8.11	7.16	3.93	7.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月17日	蚵殼站	00:01	21.38	51.18	33.67	8.02	7.3	2.7	5.3	
		03:01	21.19	51.05	33.57	8.04	7.71	3.5	6.1	
		06:01	21.05	50.99	33.53	7.97	6.87	2.8	3.6	
		09:01	21.01	51.01	33.54	7.98	6.49	1.9	3.3	
		12:01	21.18	50.16	32.92	8.01	7.72	2.9	3.9	
		15:01	21.55	50.9	33.46	8.03	8.36	2.9	4.8	
		18:01	21.67	51.06	33.57	8	7.85	3.4	3.9	
		21:01	22.95	51.49	33.88	7.86	6.85	2.7	2.5	
	日平均值			21.50	50.98	33.52	7.99	7.39	2.85	4.18
	潮口站	00:01	22	53.75	35.56	7.98	6.7	5.8	2.2	
		03:01	21.36	53.63	35.48	8.15	7.2	3.2	8.2	
		06:01	23.14	54.11	35.81	8	6.58	0.2	0.3	
		09:01	23.02	54.15	35.84	7.94	6.63	2.7	0.6	
		12:01	22.49	54.06	35.79	7.97	7.09	2.8	3.4	
		15:01	23.29	54.17	35.86	8.03	6.99	0.6	1.6	
		18:01	23.85	54.09	35.79	7.87	6.58	0.7	0.2	
		21:01	23.77	54.24	35.9	7.88	6.68	0.8	0.1	
	日平均值			22.87	54.03	35.75	7.98	6.81	2.10	2.08
	灣內站	00:01	21.21	48.44	31.65	8.13	7.89	3.4	11	
		03:01	21.4	48.55	31.74	8.29	7.27	5.2	8.7	
		06:01	21.15	48.41	31.63	8.12	6.25	3.6	5.1	
		09:01	20.75	47.91	31.27	8.18	7.63	3.2	8.2	
		12:01	21.18	46.78	30.45	8.14	8.49	3.6	9.6	
		15:01	21.58	47.24	30.78	8.19	9.55	5.6	12.4	
		18:01	21.53	47.36	30.87	8.18	9.1	3.1	11.2	
		21:01	21.49	47.31	30.83	8.12	8.24	2.9	7.4	
	日平均值			21.29	47.75	31.15	8.17	8.05	3.83	9.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月18日	蚵殼站	00:01	22.48	51.31	33.75	8.39	6.96	3.2	2.7	
		03:01	21.95	51.08	33.59	8.45	7.57	6.7	3.4	
		06:01	21.87	51.15	33.64	8.4	7.24	6.1	3.5	
		09:01	21.79	51.02	33.55	8.39	6.64	7.5	2.9	
		12:01	21.72	50.33	33.03	8.43	8.4	5	3.5	
		15:01	22.37	50.54	33.18	8.5	8.82	8.7	4.7	
		18:01	22.14	50.86	33.42	8.45	7.97	8.7	4.3	
		21:01	22.87	51.04	33.54	8.36	7.08	10.3	2.8	
	日平均值			22.15	50.92	33.46	8.42	7.59	7.03	3.48
	潮口站	00:01	22.41	53.96	35.71	7.95	6.58	5.4	2.8	
		03:01	21.61	53.76	35.57	8.07	6.97	4.7	6.8	
		06:01	22.87	54.09	35.8	8.04	6.64	1.8	0.7	
		09:01	23.23	54.25	35.92	7.93	6.63	1	0.9	
		12:01	22.81	54.17	35.86	7.95	6.97	2.8	1.1	
		15:01	22.28	53.97	35.73	7.99	7.28	6.7	6.7	
		18:01	23.69	53.92	35.66	7.9	6.92	0.1	0.2	
		21:01	23.38	54.39	36.02	7.9	6.86	0.1	1.2	
	日平均值			22.79	54.06	35.78	7.97	6.86	2.83	2.55
	灣內站	00:01	21.17	47.3	30.83	8.13	8	3.6	11	
		03:01	21.05	47.16	30.72	8.22	7.37	6	8.6	
		06:01	20.87	46.9	30.54	8.23	7.2	3	6.9	
		09:01	20.9	46.67	30.37	8.16	7.6	4.5	10.2	
		12:01	21.45	46.14	29.98	8.14	9.06	4.4	16.1	
		15:01	21.65	45.19	29.29	8.22	10.57	6.1	21.9	
		18:01	21.4	45.14	29.26	8.22	10.12	4.1	16.3	
		21:01	21.36	45.38	29.43	8.16	8.99	4.4	12.7	
	日平均值			21.23	46.24	30.05	8.19	8.61	4.51	12.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月19日	蚵殼站	00:01	22.18	50.71	33.31	8.39	6.97	10.5	2.7	
		03:01	21.73	51.18	33.66	8.42	7.25	10.9	3	
		06:01	20.42	49.69	32.57	8.45	8.14	12.5	4.7	
		09:01	20.26	50.07	32.86	8.45	7.99	14.8	5	
		12:01	20.68	49.46	32.41	8.48	9.03	14.2	6.8	
		15:01	21.28	50.05	32.83	8.44	8.79	15.6	5.6	
		18:01	21.24	50.08	32.86	8.41	8.17	18	5	
		21:01	22.94	50.61	33.23	8.37	7.14	19.2	3	
	日平均值			21.34	50.23	32.97	8.43	7.94	14.46	4.48
	潮口站	00:01	22.48	54.11	35.82	7.96	6.86	4.4	2.7	
		03:01	21.66	54.01	35.76	8.02	6.77	5.7	5.3	
		06:01	22.97	54.32	35.98	8.05	6.76	0.8	0.3	
		09:01	23.31	54.38	36.01	7.93	6.52	0.3	0.2	
		12:01	22.93	54.34	35.99	7.91	7	2.6	1.2	
		15:01	22.09	54.14	35.85	8.04	7.7	4.5	9	
		18:01	23.78	53.9	35.65	7.9	6.81	0.6	0.9	
		21:01	23.53	54.43	36.05	7.89	6.66	0.4	0.9	
	日平均值			22.84	54.20	35.89	7.96	6.89	2.41	2.56
	灣內站									
	日平均值									
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月20日	蚵殼站	00:01	21.65	50.1	32.87	8.4	6.96	16.4	2.1	
		03:01	21.45	50.33	33.04	8.42	7.23	20.7	2.7	
		06:01	21.69	50.26	32.98	8.34	6.63	22.1	1.7	
		09:01	22.1	50.54	33.19	8.3	6.63	25.2	0.8	
		12:01	21.85	49.31	32.28	8.34	7	28.1	2.6	
		15:01	21.95	50.14	32.89	8.41	7.96	29.4	2.9	
		18:01	22.53	50.32	33.02	8.38	7.93	32.6	5	
		21:01	22.79	50.4	33.07	8.33	7.16	36	3.2	
	日平均值			22.00	50.18	32.92	8.37	7.19	26.31	2.63
	潮口站	00:01	22.48	54.18	35.87	7.95	7.07	3.3	4.4	
		03:01	21.58	54.09	35.82	8.04	7.11	4.9	6.4	
		06:01	22.84	54.18	35.87	8.14	6.71	1	1.2	
		09:01	23.36	54.41	36.03	7.93	6.82	0.1	0.5	
		12:01	23.09	54.38	36.02	7.92	6.29	1.6	0.3	
		15:01	22.16	54.16	35.87	7.99	7.48	3.5	9.5	
		18:01	23.31	54.16	35.85	7.97	7.01	0.1	1.6	
		21:01	23.27	54.43	36.05	7.9	6.76	0.2	1.1	
	日平均值			22.76	54.25	35.92	7.98	6.91	1.84	3.13
	灣內站									
	日平均值									
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月21日	蚵殼站	00:01	22.49	50.28	32.99	8.29	6.43	38.8	1.9	
		03:01	20.61	49.17	32.2	8.53	8.23	39.6	5.3	
		06:01	20.88	49.3	32.29	8.46	7.36	40.4	4	
		09:01	22.05	49.96	32.76	8.31	6.56	40.7	2	
		12:01	22.03	49.7	32.57	8.39	7.24	42.9	2.1	
		15:01	21.36	49.07	32.12	8.55	9.46	39.4	6.8	
		18:01	21.67	49.45	32.39	8.46	8.24	43.9	5.6	
		21:01	21.33	49.31	32.29	8.41	7.13	41.7	4.3	
	日平均值			21.55	49.53	32.45	8.43	7.58	40.93	4.00
	潮口站	00:01	22.25	54.34	36	7.55	7.14	1.8	4.9	
		03:01	21.29	54.19	35.9	7.57	7.18	4.6	7.3	
		06:01	20.95	54.3	35.98	7.63	6.66	5.8	7.1	
		09:01	22.95	54.53	36.13	7.67	6.78	ND	0.7	
		12:01	22.96	54.52	36.12	7.62	6.59	3.5	0.7	
		15:01	22.26	54.46	36.09	7.52	7.1	3.4	7	
		18:01	21.28	54.48	36.11	7.58	7.62	5.4	10.4	
		21:01	22.92	54.58	36.17	7.53	6.97	ND	1.9	
	日平均值			22.11	54.43	36.06	7.58	7.01	4.08	5.00
	灣內站									
	日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
1月22日	蚵殼站	00:01	21.39	49.09	32.13	8.33	6.27	44.1	2.3	
		03:01	20.89	49.06	32.11	8.41	7.08	43.3	4.7	
		06:01	20.8	49.01	32.08	8.39	6.93	43.2	3.9	
		09:01	21.19	48.82	31.94	8.35	6.48	44	2.7	
		12:01	22.28	48.81	31.92	8.39	7.46	47.1	1.2	
		15:01	22.2	48.31	31.55	8.4	7.82	50	2.8	
		18:01	21.19	48.45	31.66	8.41	6.93	37.7	2.5	
		21:01	21.16	48.35	31.59	8.38	7.08	39.7	1.7	
	日平均值			21.39	48.74	31.87	8.38	7.01	43.64	2.73
	潮口站	00:01	22.4	54.54	36.15	7.67	6.69	2.1	3.3	
		03:01	21.09	54.44	36.09	7.58	6.95	4.9	4.6	
		06:01	20.06	54.13	35.86	7.78	7.55	4.5	14.1	
		09:01	22.44	54.5	36.11	7.65	6.87	0.7	1	
		12:01	23.07	54.52	36.12	7.63	6.61	0.1	0	
		15:01	21.86	54.36	36.02	7.6	7.6	3.1	8	
		18:01	20.69	54.18	35.89	7.68	8.2	3.1	14.3	
		21:01	22.9	54.62	36.2	7.66	7	0	1.8	
	日平均值			21.81	54.41	36.06	7.66	7.18	2.31	5.89
	灣內站									
	日平均值									
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月23日	蚵殼站	00:01	20.74	48.08	31.39	8.44	7.88	25.7	3.3	
		03:01	20.55	48.33	31.58	8.51	8.03	44.7	5	
		06:01	20.38	48.4	31.63	8.49	7.91	46.1	3.5	
		09:01	20.21	48.29	31.55	8.46	7.68	47.7	2.8	
		12:01	22.57	48.46	31.65	8.34	7.11	52.1	1.3	
		15:01	21.58	47.95	31.3	8.47	8.44	54.7	4.1	
		18:01	20.99	48.57	31.76	8.5	8.49	57.4	4.4	
		21:01	20.65	47.83	31.22	8.44	7.55	38.5	2.9	
	日平均值			20.96	48.24	31.51	8.46	7.89	45.86	3.41
	潮口站	00:01	22.88	54.74	36.29	7.95	6.71	0.2	0	
		03:01	21.08	54.53	36.15	8.12	6.86	2.9	7	
		06:01	20.28	54.32	36	8.21	7.11	3.2	12.4	
		09:01	22.83	54.3	35.96	7.97	6.66	0.6	0.9	
		12:01	23.08	54.48	36.09	7.94	6.84	0.5	0.3	
		15:01	21.04	54.3	35.98	8.07	7.67	4.9	12.5	
		18:01	20.79	54.28	35.97	8.18	7.87	3.9	12.6	
		21:01	22.99	54.32	35.97	7.98	6.84	ND	1	
	日平均值			21.87	54.41	36.05	8.05	7.07	2.31	5.84
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月24日	蚵殼站	00:01	20.74	47.99	31.33	8.41	7.09	58.2	3	
		03:01	20.51	47.64	31.08	8.46	7.52	50.9	3	
		06:01	20.11	47.74	31.15	8.48	7.6	56.3	4	
		09:01	20.42	47.87	31.25	8.4	6.98	57.8	2.6	
		12:01	21.93	47.91	31.26	8.36	7.32	59.9	2.4	
		15:01	22.05	47.73	31.13	8.39	7.82	64.4	2	
		18:01	21.39	47.59	31.03	8.43	7.79	45.2	3.8	
		21:01	21.31	47.8	31.19	8.34	6.76	54	2.5	
	日平均值			21.06	47.78	31.18	8.41	7.36	55.84	2.91
	潮口站	00:01	22.77	54.46	36.08	7.95	6.68	0.1	0.8	
		03:01	20.75	54.3	35.99	8.11	7.07	1.3	8.3	
		06:01	20.51	54.24	35.94	8.2	7.25	2.1	10.6	
		09:01	22.46	54.25	35.93	8	6.82	0.7	0.6	
		12:01	23.09	54.4	36.03	7.95	6.78	0.6	0.1	
		15:01	21.29	54.38	36.04	7.92	7.46	4.5	10	
		18:01	21.38	54.41	36.06	8.13	7.86	3.6	11.3	
		21:01	20.85	54.38	36.04	8.18	8	2.3	11.9	
	日平均值			21.64	54.35	36.01	8.06	7.24	1.90	6.70
	灣內站									
	日平均值									
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月25日	蚵殼站	00:01	20.89	47.46	30.95	8.46	7.92	59	3.6	
		03:01	20.4	47.28	30.82	8.5	8.09	60.5	3.8	
		06:01	20.25	47.11	30.69	8.52	8.17	63.4	4.4	
		09:01	20.12	47.02	30.63	8.5	8.11	63.5	4.3	
		12:01	20.22	46.78	30.45	8.5	8.07	66.6	3.7	
		15:01	22.75	47.49	30.95	8.32	7.6	70.6	1.5	
		18:01	22.21	47.25	30.78	8.39	7.98	75.3	3.5	
		21:01	21.13	46.92	30.55	8.39	7.19	49.6	1.7	
	日平均值			21.00	47.16	30.73	8.45	7.89	63.56	3.31
	潮口站	00:01	22.45	54.4	36.04	7.99	6.96	0.9	0.8	
		03:01	21.98	54.4	36.05	7.98	6.63	1	4.4	
		06:01	20.53	54.28	35.97	8.17	7.19	3.5	9.1	
		09:01	22.21	54.18	35.88	8.09	6.85	1.5	0.3	
		12:01	22.9	54.36	36.01	7.94	6.8	0.3	1	
		15:01	23.06	54.5	36.1	7.9	6.57	3.2	1.4	
		18:01	22.07	54.45	36.08	7.99	7.28	6.7	5	
		21:01	21.82	54.43	36.07	8.01	7.26	4.3	3.5	
	日平均值			22.13	54.38	36.03	8.01	6.94	2.68	3.19
	灣內站									
日平均值										
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月26日	蚵殼站	00:01	20.33	45.41	29.46	8.07	9.28	68.1	12	
		03:01	20.45	46.14	29.99	8.03	8.89	61.2	2.9	
		06:01	20.21	46.31	30.11	7.97	7.58	55.2	4.5	
		09:01	20.18	46.1	29.96	7.99	8.21	62	3	
		12:01	20.88	46.24	30.06	8.02	9.19	70.1	6.8	
		15:01	21.31	46.76	30.43	7.9	8.03	63.1	1.9	
		18:01	21.38	46.66	30.36	8.04	9.14	66.3	4.3	
		21:01	21.4	46.38	30.15	8.05	9.61	75.8	4.7	
	日平均值			20.77	46.25	30.07	8.01	8.74	65.23	5.01
	潮口站	00:01	22	54.42	36.06	8.08	7.36	2.9	4.5	
		03:01	22.87	54.58	36.17	7.92	6.66	ND	0.5	
		06:01	21.71	54.4	36.05	8	6.8	1.5	5.4	
		09:01	20.83	53.54	35.42	8.2	7.71	3.1	5.7	
		12:01	23.07	54.12	35.83	7.94	6.84	0.6	0.9	
		15:01	23.31	54.55	36.14	7.89	6.7	0.4	ND	
		18:01	21.87	54.49	36.11	7.93	7.52	5.9	8.3	
		21:01	21.71	54.46	36.09	7.95	6.98	7.9	6.2	
	日平均值			22.17	54.32	35.98	7.99	7.07	3.19	4.50
	灣內站									
	日平均值									
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月27日	蚵殼站	00:01	21.27	46.33	30.12	8.02	9.03	76.9	4.2	
		03:01	21.03	46.4	30.17	7.9	7.23	78.2	2.3	
		06:01	19.98	45.37	29.44	8.03	8.43	78.7	4.7	
		09:01	20.68	45.84	29.77	8.01	8.27	84.1	3.2	
		12:01	20.97	45.58	29.58	8.07	9.6	87.6	6.2	
		15:01	21.41	45.76	29.71	7.97	8.71	91.3	3.1	
		18:01	21.48	45.76	29.71	8.07	9.74	88.9	5.1	
		21:01	21.56	45.69	29.65	8.05	9.21	86.1	3.7	
	日平均值			21.05	45.84	29.77	8.02	8.78	83.98	4.06
	潮口站	00:01	21.08	54.22	35.92	8.14	7.69	5.5	9.7	
		03:01	22.58	54.44	36.07	7.96	6.83	1.4	0.5	
		06:01	22.21	54.41	36.05	7.95	6.68	2.8	2.5	
		09:01	21.19	54.33	36	8.1	7.15	0.8	5.9	
		12:04	23.03	52.32	34.49	7.9	6.97	1.3	2	
		15:04	23.11	52.33	34.5	7.9	7.01	0.6	2.3	
		18:04	22.36	52.24	34.44	7.95	7.43	5.2	8	
		21:04	22.13	52.26	34.45	7.98	6.97	11	6.5	
	日平均值			22.21	53.32	35.24	7.99	7.09	3.58	4.68
	灣內站									
	日平均值									
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月28日	蚵殼站	00:01	21.28	45.21	29.31	8.6	9.95	96.3	5.4	
		03:01	21.2	45.48	29.51	8.44	7.81	74.9	2.6	
		06:01	20.8	45.13	29.26	8.55	8.92	93.4	4	
		09:01	20.76	44.77	29	8.56	9.37	82.3	3.5	
		11:01	18.95	0.07	0.03	7.5	9.28	2.1	0.6	
		15:04	22.01	51.23	33.69	8.38	9.23	1.6	11.9	
		18:04	21.96	51.29	33.74	8.37	8.93	1	14.7	
		21:04	21.87	51.19	33.67	8.39	9.05	0.8	15.3	
	日平均值			21.10	41.80	27.28	8.35	9.07	44.05	7.25
	潮口站	00:04	21.67	52.21	34.42	8.54	7.41	4.6	9.6	
		03:04	22.43	52.28	34.47	8.47	7.25	1.4	4.8	
		06:04	22.54	52.36	34.52	8.44	7.07	0.9	4.6	
		09:04	21.84	52.25	34.45	8.5	7.55	2.1	6.4	
		12:04	22.85	52.41	34.55	8.42	7.21	1.8	2.9	
		15:04	23.62	52.46	34.58	8.35	7.11	0.6	3.5	
		18:04	22.99	52.42	34.56	8.43	8.1	0.7	8.3	
		21:04	22.19	52.28	34.47	8.48	7.63	10.3	10.9	
	日平均值			22.52	52.33	34.50	8.45	7.42	2.80	6.38
	灣內站	00:04	21.27	48.36	31.59	7.97	10.1	3.8	6.1	
		03:04	21.59	49.37	32.33	7.87	8.22	2.4	2.3	
		06:04	20.9	49.12	32.16	8.04	8.14	5.4	14.8	
		09:04	20.99	48.99	32.06	8.03	9.21	3.9	9.7	
		12:04	21.41	49.46	32.4	8.38	10.66	3.3	1.4	
		15:04	21.87	49.51	32.43	8.38	10.68	3.7	13.2	
		18:04	21.9	49.72	32.59	8.25	10	3.9	1.7	
		21:04	21.72	49.09	32.13	8.24	9.94	4.6	9.7	
	日平均值			21.46	49.20	32.21	8.15	9.62	3.88	7.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月29日	蚵殼站	00:04	21.63	50.55	33.2	8.45	9.75	1.7	15.1	
		03:04	21.51	50.54	33.19	8.39	9.36	1.4	12.2	
		06:04	21.31	50.6	33.24	8.38	8.91	1.3	10.9	
		09:04	21.47	50.81	33.39	8.37	8.8	0.9	9.1	
		12:04	22.18	50.49	33.15	8.34	8.79	0.4	8.3	
		15:04	22.18	50.99	33.52	8.36	9.05	1.4	11.1	
		18:04	22.23	51.37	33.8	8.27	7.98	1.3	11.8	
		21:04	22.14	51.28	33.73	8.33	8.3	2.5	13.3	
	日平均值			21.83	50.83	33.40	8.36	8.87	1.36	11.48
	潮口站	00:04	22.49	52.5	34.63	8.37	6.59	12.4	3.9	
		03:04	23.11	52.62	34.71	8.44	6.99	1.5	3.6	
		06:04	22.87	52.64	34.73	8.42	7.11	1	4.9	
		09:04	22.5	52.61	34.71	8.36	7.2	3.8	4.4	
		12:04	22.66	52.57	34.67	8.37	7.55	4.6	6	
		15:04	23.61	52.63	34.71	8.29	7.07	0.7	2.5	
		18:04	23.32	52.77	34.81	8.31	7.68	0.6	6.2	
		21:04	23.06	52.66	34.74	8.34	7.37	5.3	6.1	
	日平均值			22.95	52.63	34.71	8.36	7.20	3.74	4.70
	灣內站	00:04	21.45	48.54	31.72	8.12	9.12	5	6.8	
		03:04	21.61	51.21	33.68	8.3	8.64	2.8	2.1	
		06:04	21.98	51.75	34.08	8.21	7.31	3.6	4.2	
		09:04	21.51	51.54	33.93	8.2	7.53	9.4	2.8	
		12:04	21.84	50.81	33.38	8.53	9.72	3.5	7.8	
		15:04	22.31	50.91	33.46	8.1	9.64	3.2	4.3	
		18:04	22.58	51.52	33.91	7.93	9	2.9	9.6	
		21:04	22.41	50.55	33.19	8.2	9.15	3.2	7.9	
	日平均值			21.96	50.85	33.42	8.20	8.76	4.20	5.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月30日	蚵殼站	00:04	22.03	50.46	33.13	8.38	8.96	2	13.8	
		03:04	21.8	50.42	33.1	8.4	8.51	1.4	11.1	
		06:04	21.48	49.76	32.62	8.28	7.58	2.4	12.4	
		09:04	21.6	50.25	32.98	8.3	7.88	1.1	9.1	
		12:04	22.26	49.85	32.68	8.3	8.49	1.6	10.2	
		15:04	22.89	50.93	33.46	8.3	8.72	1.7	9.6	
		18:04	23.28	51.62	33.97	8.24	8.03	1.6	9	
		21:04	22.5	51.21	33.67	8.32	8.43	1	10.1	
	日平均值			22.23	50.56	33.20	8.32	8.33	1.60	10.66
	潮口站	00:04	22.85	52.71	34.78	8.29	6.64	11.1	4	
		03:04	22.34	52.48	34.61	8.43	6.96	6.9	8.1	
		06:04	22.86	52.76	34.81	8.36	7.26	1.1	5.6	
		09:04	22.73	52.73	34.79	8.38	7.28	2.3	4.8	
		12:04	22.44	52.01	34.27	8.51	8.44	3.3	7	
		15:04	23.63	52.48	34.59	8.28	7.3	2.2	3.5	
		18:04	23.57	52.77	34.81	8.29	7.43	0.1	4.6	
		21:04	23.22	52.62	34.7	8.31	7.43	4.3	5.6	
	日平均值			22.96	52.57	34.67	8.36	7.34	3.91	5.40
	灣內站	00:04	21.83	50.36	33.06	7.86	8.31	2.7	2.4	
		03:04	21.73	50.87	33.43	7.86	7.45	3.8	1.4	
		06:04	21.9	51.67	34.02	7.59	7.15	3.3	8.5	
		09:04	22	51.74	34.07	7.51	7.54	3.5	1.5	
		12:04	23.04	51.69	34.02	7.59	8.26	2.5	2.4	
		15:04	23.28	47.75	31.13	7.64	9.22	2.3	6.4	
		18:04	23.08	49.43	32.36	7.61	9.28	3.3	7.1	
		21:04	23.05	48.16	31.43	7.85	9.16	2.8	0.5	
	日平均值			22.49	50.21	32.94	7.69	8.30	3.03	3.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
1月31日	蚵殼站	00:04	22.67	50.85	33.4	8.35	8.91	1	10.6	
		03:04	22.49	50.67	33.27	8.37	8.47	1.1	9.3	
		06:04	22.38	50.76	33.35	8.28	8.24	0.7	9.7	
		09:04	22.39	50.82	33.39	8.3	8.09	1.2	8	
		12:04	22.81	50.83	33.39	8.29	8.44	1.1	10.1	
		15:04	22.97	51.34	33.77	8.26	8.1	1	12.6	
		18:04	22.71	51.36	33.78	8.23	7.43	1.9	13.2	
		21:04	23.53	51.73	34.04	8.14	6.76	4.3	4.5	
	日平均值			22.74	51.05	33.55	8.28	8.06	1.54	9.75
	潮口站	00:04	23.03	52.62	34.71	8.32	6.81	11	4.7	
		03:04	22.03	51.94	34.22	8.54	8.51	2.1	14.2	
		06:04	22.92	52.74	34.8	8.37	7.18	1.9	5.9	
		09:04	22.98	52.8	34.84	8.36	7.13	3	5.1	
		12:04	22.81	52.1	34.33	8.45	8.53	4.6	8.8	
		15:04	23.51	52.1	34.31	8.31	7.51	1.6	6.9	
		18:04	23.11	52.54	34.65	8.28	6.78	2.9	3.3	
		21:04	23.16	52.48	34.6	8.32	7.26	2	6	
	日平均值			22.94	52.42	34.56	8.37	7.46	3.64	6.86
	灣內站	00:04	22.57	46.48	30.21	7.66	8.81	4.7	5.7	
		03:34	22.52	29.01	17.93	7.86	8.46	2.2	6.9	
		06:04	22.49	51.96	34.23	7.7	7.17	1.4	7.2	
		09:04	22.4	51.13	33.62	7.75	7	2.5	1.6	
		12:04	22.88	50.71	33.3	7.74	8.97	3.1	11.9	
		15:04	23.08	50.96	33.48	7.74	9.34	3.1	12.9	
		18:04	23.07	51.6	33.96	7.4	8.81	2	6.6	
		21:04	22.94	51.07	33.56	7.86	8.19	3.8	8.5	
	日平均值			22.74	47.87	31.29	7.71	8.34	2.85	7.66
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月1日	蚵殼站	00:04	22.72	50.9	33.44	8.31	8.31	0.7	11.7	
		03:04	22.51	50.82	33.38	8.32	8.01	0.7	9.6	
		06:04	22.37	50.87	33.43	8.24	7.69	0.6	8.9	
		09:04	22.33	50.98	33.5	8.19	6.84	1	6.8	
		12:04	22.85	50.92	33.46	8.27	8.18	0.4	7.7	
		15:04	23.06	50.92	33.45	8.27	8.29	1.3	10.9	
		18:04	23	51.08	33.57	8.23	7.52	8.1	11.2	
		21:04	23.09	51.08	33.57	8.27	8.1	2.7	13.2	
	日平均值			22.74	50.95	33.48	8.26	7.87	1.94	10.00
	潮口站	00:04	22.48	52.33	34.5	8.34	6.78	11.3	5.9	
		03:04	21.99	51.74	34.07	8.52	8.02	2.3	14.4	
		06:04	22.99	52.85	34.88	8.36	6.8	3.3	3.5	
		09:04	22.79	52.78	34.83	8.38	7.16	4	5.2	
		12:04	22.54	52.53	34.65	8.4	7.33	8.6	5.7	
		15:04	23	52.5	34.62	8.37	7.91	4.4	11.9	
		18:04	23.12	52.69	34.76	8.29	6.88	1.9	3.2	
		21:04	23.22	52.57	34.67	8.33	7.36	0.6	4.5	
	日平均值			22.77	52.50	34.62	8.37	7.28	4.55	6.79
	灣內站	0:04	22.71	51.31	33.75	8.23	8.02	3	4.9	
		3:04	22.53	28.99	17.92	7.94	7.94	2.6	1.6	
		6:04	22.29	51.76	34.08	8.16	6.54	2	3	
		9:04	22.34	51.84	34.14	8.08	7.24	5.5	2.9	
		12:04	22.94	51.78	34.09	8.36	8.05	1.9	6.6	
		15:04	23.43	51.65	33.98	8.29	8.36	5	3.1	
		18:04	23.43	51.54	33.9	8.28	8.54	4.1	7.1	
		21:04	23.15	51.09	33.57	8.13	8.8	4.7	10.7	
	日平均值			22.85	48.75	31.93	8.18	7.94	3.60	4.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月2日	蚵殼站	00:04	23.01	51.14	33.62	8.26	7.75	2.5	11.8	
		03:04	23.04	50.88	33.42	8.26	7.78	1.1	11.2	
		06:04	22.98	51.04	33.54	8.22	7.42	0.7	10	
		09:04	23.01	51.14	33.61	8.23	7.27	0.2	8.1	
		12:04	23.28	50.93	33.45	8.28	8.44	1	13.4	
		15:04	23.34	51.27	33.7	8.21	7.45	1.5	9.3	
		17:34	23.62	51.49	33.87	8.18	7.17	3.9	7.2	
		21:04	23.67	51.58	33.93	7.34	6.78	5.8	6.8	
	日平均值			23.24	51.18	33.64	8.12	7.51	2.09	9.73
	潮口站	00:04	22.98	52.5	34.62	8.33	6.93	6.4	5.4	
		03:04	22.66	52.27	34.46	8.4	7.38	6	13.8	
		06:04	22.88	52.78	34.83	8.33	6.82	3.5	2.9	
		09:04	23.04	52.75	34.8	8.39	7.81	0.9	6.1	
		12:04	23.1	52.44	34.57	8.37	7.93	3.7	9.1	
		15:04	23.29	52.59	34.68	8.32	7.53	9.4	9.7	
		18:04	23.21	52.48	34.6	8.31	7.12	3.2	4.3	
		21:04	23.35	52.48	34.6	8.33	7.44	1	6	
	日平均值			23.06	52.54	34.65	8.35	7.37	4.26	7.16
	灣內站	0:04	23.01	51.2	33.66	8.15	8.58	5.9	7.1	
		3:04	23.13	51.56	33.92	7.99	6.94	2.9	0.5	
		6:04	23.03	51.64	33.98	7.89	7.15	3.3	0.1	
		9:04	22.98	51.25	33.7	8	7.35	8.6	14.8	
		12:04	23.32	50.95	33.47	8.34	9.95	3.2	15.6	
		15:04	23.75	50.96	33.47	8.1	9.97	4.4	14.5	
		18:04	23.77	51.04	33.53	8.13	9.79	6	13.2	
		21:04	23.5	51.56	33.91	7.98	7.94	3.7	7.6	
	日平均值			23.31	51.27	33.71	8.07	8.46	4.75	9.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月3日	蚵殼站	00:04	23.58	50.97	33.48	7.92	7.87	0.6	11.4	
		03:04	23.58	50.72	33.3	7.84	7.72	0.4	9.5	
		06:34	23.46	50.89	33.42	7.65	7.04	0.3	7.5	
		09:04	23.57	51.08	33.56	7.59	7.33	2	7.2	
		12:04	23.63	51.08	33.56	7.84	7.45	1	8.9	
		15:04	23.88	51.07	33.55	7.99	7.85	1.4	9.4	
		18:04	23.82	51.06	33.54	8.15	7.72	2.3	11	
		21:04	23.8	51.16	33.62	8.07	7.32	1.7	11	
	日平均值			23.67	51.00	33.50	7.88	7.54	1.21	9.49
	潮口站	00:04	23.19	52.43	34.56	8.31	7.08	4.7	5.1	
		03:04	23.07	52.13	34.34	8.4	8.08	2.9	14.1	
		06:04	23.03	52.27	34.45	8.35	7.21	2.9	6.1	
		09:04	23.22	52.63	34.72	8.35	7.35	1.3	4.9	
		12:04	23.35	52.63	34.71	8.31	7.5	5	6	
		15:04	23.62	52.41	34.54	8.38	8.54	3.7	16.9	
		18:04	23.5	52.39	34.53	8.3	7.45	2.7	6.8	
		21:04	23.32	52.48	34.6	8.32	7.32	0.5	5.4	
	日平均值			23.29	52.42	34.56	8.34	7.57	2.96	8.16
	灣內站	0:04	23.56	51.46	33.84	8.07	8.05	5.6	15.5	
		3:04	23.39	51.38	33.78	8.09	7.62	3.4	14.7	
		6:04	23.19	51.52	33.89	7.9	6.7	4.9	12.3	
		9:04	23.18	51.43	33.83	7.76	7.11	3.8	5.2	
		12:04	23.48	51.1	33.57	8.15	8.36	4.4	8.5	
		15:04	23.97	50.68	33.26	8.09	9.31	5.1	14.5	
		18:04	23.96	50.56	33.17	8.3	8.98	5.5	9.2	
		21:04	23.87	50.68	33.26	8.25	8.51	4.4	10.5	
	日平均值			23.58	51.10	33.58	8.08	8.08	4.64	11.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月4日	蚵殼站	00:04	23.82	51.17	33.62	8.09	7.1	2.1	8.8	
		03:04	23.78	50.88	33.41	7.96	7.31	1.6	11	
		06:04	23.67	51.24	33.68	7.98	7.39	0.4	8	
		09:04	23.7	50.47	33.11	7.96	7.91	1.5	11.8	
		12:04	23.99	50.79	33.34	8.01	8.62	1.1	12.6	
		15:04	23.95	51.12	33.59	7.93	7.65	1.5	9.9	
		18:04	23.99	51.07	33.54	7.97	7.84	2.7	9.5	
		21:04	23.9	51.17	33.62	7.95	6.71	1	8.2	
	日平均值			23.85	50.99	33.49	7.98	7.57	1.49	9.98
	潮口站	00:04	23.36	52.5	34.61	8.3	7.11	3.3	5.4	
		03:04	23.37	52.29	34.46	8.32	7.28	3	11.4	
		06:04	23.24	52.24	34.42	8.34	7.1	3.3	11.6	
		09:04	23.28	52.5	34.62	8.33	6.81	2.1	3.4	
		12:04	23.74	52.79	34.82	8.33	7.49	0.1	3.8	
		15:04	23.7	52.36	34.5	8.37	8.37	4.2	14.2	
		18:04	23.56	52.37	34.52	8.36	7.38	8.5	9.3	
		21:04	23.27	52.41	34.55	8.36	7.09	2.9	5.6	
	日平均值			23.44	52.43	34.56	8.34	7.33	3.43	8.09
	灣內站	0:04	23.72	51	33.5	7.95	8.33	4.4	4.3	
		3:04	23.56	50.77	33.33	8.02	7.67	3.3	6.7	
		6:04	23.44	51.12	33.59	7.88	7.33	2.4	2.4	
		9:04	23.46	50.99	33.5	7.96	7.84	3.4	8.7	
		12:04	24.01	50.9	33.42	8.04	8.96	4.4	5.4	
		15:04	24.3	50.84	33.37	8.11	9.59	5.6	12	
		18:04	24.24	50.32	32.99	7.86	9.37	193.5	4.1	
		21:04	24.13	50.49	33.12	8.04	8.78	5.6	11.8	
	日平均值			23.86	50.80	33.35	7.98	8.48	27.83	6.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月5日	蚵殼站	00:04	23.76	51.09	33.57	8	7.06	1.2	8.7	
		03:04	23.73	50.95	33.46	8	7.76	1.5	8.9	
		06:04	23.54	50.61	33.22	8.04	7.77	1.6	8	
		09:04	23.58	50.54	33.16	8.11	8.01	1.6	8.7	
		12:04	23.99	50.71	33.28	8.07	8.64	1.6	8.5	
		15:04	24.05	50.94	33.45	7.16	8.17	1.2	8	
		18:04	24.06	50.89	33.41	8.21	8.22	2.8	7.7	
		21:04	24.01	50.78	33.33	8.27	8.33	2.5	8.3	
	日平均值			23.84	50.81	33.36	7.98	8.00	1.75	8.35
	潮口站	00:04	23.43	52.66	34.73	8.38	7.22	3.2	5.2	
		03:04	22.88	52.43	34.57	8.39	6.74	7.3	5.7	
		06:04	23	52.23	34.42	8.41	6.89	4.3	10.4	
		09:04	23.19	52.6	34.69	8.38	7.16	3.1	5.5	
		12:04	23.63	52.69	34.75	8.37	7.5	2.2	4.4	
		15:04	23.68	52.31	34.47	8.4	8.62	4.3	14.9	
		18:04	23.6	52.29	34.46	8.4	8.35	5	13.6	
		21:04	23.53	52.25	34.43	8.37	7.45	2	5.7	
	日平均值			23.37	52.43	34.57	8.39	7.49	3.93	8.18
	灣內站	0:04	23.98	51.1	33.57	8.06	8.37	5.1	8.3	
		3:04	23.72	51.11	33.58	8.06	7.26	6.9	8.8	
		6:04	23.58	51.09	33.57	7.95	6.15	4.3	11.8	
		9:04	23.34	50.71	33.29	7.92	7.07	5.3	10	
		12:04	23.95	50.81	33.36	8.24	9.7	4.7	6.6	
		15:04	24.25	50.72	33.28	8.11	10.6	4.2	10.1	
		18:04	24.58	50.27	32.94	7.97	9.71	10.8	15	
		21:04	24.33	49.96	32.72	7.71	9.57	5	5.4	
	日平均值			23.97	50.72	33.29	8.00	8.55	5.79	9.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月6日	蚵殼站	00:04	24.01	50.74	33.3	8.25	8.37	2.4	7.9	
		03:04	23.96	50.36	33.03	8.29	8.53	2.6	7	
		06:04	23.87	50.26	32.95	8.33	7.94	2.8	7.6	
		09:04	23.84	50.16	32.88	8.41	8.13	2.1	5.9	
		12:04	24.27	50.26	32.94	8.34	9.2	4.2	11.2	
		15:04	24.6	50.59	33.18	8.4	8.04	5.1	5.3	
		18:04	24.74	50.41	33.04	8.06	9.11	3.7	6.6	
		21:04	24.71	50.4	33.04	8.07	9.2	3.6	6.6	
	日平均值			24.25	50.40	33.05	8.27	8.57	3.31	7.26
	潮口站	00:04	23.69	52.68	34.74	8.37	7.31	0.7	4	
		03:04	23.25	52.16	34.36	8.38	7.24	6.8	6.2	
		06:04	22.99	51.81	34.11	8.49	8.09	1.2	13.1	
		09:04	23.55	52.59	34.67	8.38	7.21	2	4.1	
		12:04	23.96	52.59	34.67	8.36	7.59	1.3	3.5	
		15:04	24.8	52.12	34.3	8.3	7.67	8.8	9.5	
		18:04	24.92	52.09	34.28	8.26	7.89	7.9	8.9	
		21:04	24.28	51.72	34.02	8.38	8.56	4.3	14.7	
	日平均值			23.93	52.22	34.39	8.37	7.70	4.13	8.00
	灣內站	0:04	24.05	50	32.75	8.09	9.36	4.2	2.8	
		3:04	23.93	50.57	33.18	7.95	8.68	4.3	5.9	
		6:04	23.78	50.75	33.31	7.72	7.36	4.7	11.8	
		9:04	23.83	50.57	33.18	7.98	7.53	4.6	18.4	
		12:04	24.4	50.39	33.04	7.97	9.2	4.7	5.8	
		15:04	24.6	50.6	33.19	7.95	8.64	3.8	7.1	
		18:04	25.07	50.18	32.87	7.88	8.66	5.2	8.8	
		21:04	25.36	48.39	31.55	7.84	7.7	6.8	3.4	
	日平均值			24.38	50.18	32.88	7.92	8.39	4.79	8.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月7日	蚵殼站	00:04	24.74	50.23	32.91	7.61	8.73	3.7	5.8	
		03:04	24.63	49.76	32.57	7.62	8.7	3.5	5.3	
		06:04	24.56	49.39	32.3	7.57	8.23	3.2	3.7	
		09:04	24.67	49.83	32.62	7.87	8.49	3.4	3.2	
		12:04	25.17	50.14	32.84	7.83	8.8	3.2	3.2	
		15:04	24.86	50.08	32.8	7.88	7.87	4.8	2.7	
		18:04	24.85	49.59	32.44	7.86	7.85	4.7	2.1	
		21:04	24.8	49.49	32.37	7.99	7.9	9.9	2.4	
	日平均值			24.79	49.81	32.61	7.78	8.32	4.55	3.55
	潮口站	00:04	24.22	52.44	34.55	8.3	7.23	1	4.6	
		03:04	23.96	52.05	34.27	8.41	8.26	2.1	12.1	
		06:04	23.86	51.24	33.67	8.41	8.29	2.1	11.7	
		09:04	23.9	52.34	34.49	8.29	6.98	1.6	3.7	
		12:04	24.27	52.89	34.89	8.28	7.17	1.7	2.9	
		15:04	24.34	52.9	34.9	8.25	7.26	2.7	4.8	
		18:04	24.37	51.46	33.82	8.3	7.81	3.7	8.4	
		21:04	24.12	52.31	34.46	8.3	7.24	4	13	
	日平均值			24.13	52.20	34.38	8.32	7.53	2.36	7.65
	灣內站	0:04	24.89	49.98	32.73	7.72	7.66	5.9	1.5	
		3:04	24.43	50.18	32.88	8.07	7.47	6	0.5	
		6:04	24.13	50.13	32.85	7.71	7.54	4.1	3.8	
		9:04	24.21	49.91	32.69	7.93	8	4.7	2.1	
		12:04	24.87	50.01	32.75	7.74	9.11	4.5	0	
		15:04	24.9	49.84	32.63	8.09	9.07	6.5	4.5	
		18:04	24.92	49.74	32.55	8.12	8.83	6.8	2.7	
		21:04	24.82	49.56	32.42	8.16	7.9	6.1	3.4	
	日平均值			24.65	49.92	32.69	7.94	8.20	5.58	2.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月8日	蚵殼站	00:04	24.64	49.38	32.29	8.01	7.34	11.3	2.4	
		03:04	24.43	49.41	32.32	7.93	6.73	13.1	1.7	
		06:04	24.29	49.35	32.28	7.97	6.33	11.5	1.4	
		09:04	24.35	48.4	31.58	8.02	7.11	9.9	1.8	
		12:04	24.9	49.12	32.1	8.08	7.82	8.8	2.8	
		15:04	25.04	48.99	32	8.09	8.4	10.2	3.5	
		18:04	24.86	49	32.01	8.07	7.6	10.1	2.6	
		21:04	24.58	48.72	31.81	8.08	7.47	14.3	2	
	日平均值			24.64	49.05	32.05	8.03	7.35	11.15	2.28
	潮口站	00:04	24	52.25	34.42	8.25	6.72	3.9	10.7	
		03:04	23.92	52.06	34.28	8.28	6.95	1.4	4.7	
		06:04	23.74	51.19	33.64	8.29	6.66	3.3	8.2	
		09:04	23.78	51.09	33.56	8.26	6.44	2.7	7.7	
		12:04	24.03	51.93	34.18	8.25	6.85	2.7	2.3	
		15:04	24.08	51.29	33.7	8.26	6.97	3.4	3.3	
		18:04	24.04	50.93	33.44	8.24	7.15	4.6	5.5	
		21:04	23.89	50.83	33.37	8.34	7.98	3.8	13.2	
	日平均值			23.94	51.45	33.82	8.27	6.97	3.23	6.95
	灣內站	0:04	24.61	49.46	32.35	8.09	7.99	5.9	0.8	
		3:04	24.46	49.29	32.23	7.82	7.86	5.4	0.4	
		6:04	24.34	49.04	32.05	7.94	7.96	6.9	8.1	
		9:04	24.26	48.83	31.89	7.92	8	5.6	1.9	
		12:04	24.64	48.77	31.84	8.11	8.53	5.9	1	
		15:04	24.95	48.54	31.67	7.85	8.29	9.4	5.3	
		18:04	24.76	48.09	31.35	8.03	9.08	8.1	3.3	
		21:04	24.52	47.66	31.03	8.05	8.64	7.2	3.2	
	日平均值			24.57	48.71	31.80	7.98	8.29	6.80	3.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月9日	蚵殼站	00:04	24.46	44.72	28.9	8	7.32	11.2	1.4	
		03:04	24.32	43.98	28.37	8.01	7.12	15	1.5	
		06:04	23.91	47.59	31	8.01	6.79	13.3	1.6	
		09:04	23.97	47.41	30.87	8.02	7.21	13.7	1.7	
		12:04	24.56	47.45	30.88	8.09	8.35	13.8	1.8	
		15:04	24.5	47.5	30.92	8.04	8.21	13	1.3	
		18:04	24.57	47.33	30.8	8.05	8.52	12.8	1.5	
		21:04	24.56	47.2	30.7	8.07	8.05	13.3	1.7	
	日平均值			24.36	46.65	30.31	8.04	7.70	13.26	1.56
	潮口站	00:04	23.8	51.18	33.63	8.31	7.28	4.6	11.5	
		03:04	23.47	51.49	33.86	8.29	7.01	3.1	3.8	
		06:04	23.41	51.46	33.85	8.29	6.63	4.7	2.2	
		09:04	23.3	51.05	33.54	8.31	6.78	3.4	4.4	
		12:04	23.64	50.97	33.48	8.29	6.98	2.4	3.9	
		15:04	23.84	50.94	33.46	8.27	7.21	0.8	3.3	
		18:04	23.82	50.56	33.17	8.3	7.58	3.5	6.9	
		21:04	23.87	52.12	34.32	8.26	6.86	9.8	7	
	日平均值			23.64	51.22	33.66	8.29	7.04	4.04	5.38
	灣內站	0:04	24.28	47.57	30.98	8.01	7.53	8.4	6.4	
		3:04	24.17	47.36	30.82	8.05	7.01	10.1	2.7	
		6:04	24.02	47.31	30.79	8.1	6.51	10.1	5.8	
		9:04	23.75	46.66	30.33	8.15	7.22	12.7	3.7	
		12:04	24.3	46.77	30.39	8.11	8.42	11	3.3	
		15:04	24.52	46.55	30.23	7.98	8.79	12.8	1.8	
		18:04	24.54	46.11	29.91	7.92	8.77	19.4	5.3	
		21:04	24.7	45.57	29.51	7.86	9.74	20.7	6.1	
	日平均值			24.29	46.74	30.37	8.02	8.00	13.15	4.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月10日	蚵殼站	00:04	24.41	46.84	30.44	8.07	7.92	9.3	1.5	
		03:04	24.25	46.56	30.24	8.01	7.7	8.8	0.6	
		06:04	24.05	46.33	30.08	7.97	6.64	9.9	0.8	
		09:04	23.76	46.06	29.89	7.95	6.79	12.2	1.6	
		12:04	23.63	45.68	29.62	7.98	7.07	11	0.6	
		15:04	23.42	45.89	29.77	8	6.89	11.6	1.5	
		18:04	23.16	45.8	29.71	8.02	6.74	16.9	1.4	
		21:04	23.06	45.46	29.47	8.03	6.79	14.1	1.1	
	日平均值			23.72	46.08	29.90	8.00	7.07	11.73	1.14
	潮口站	00:04	23.55	49.17	32.16	8.42	8.59	1.5	13.7	
		03:04	23.4	50.17	32.9	8.31	7.15	3.3	4.1	
		06:04	23.34	51.04	33.54	8.32	7.15	3.7	4.2	
		09:04	22.75	46.67	30.35	8.4	7.38	2.6	8.7	
		12:04	22.85	47.42	30.89	8.32	7.03	6.9	4.4	
		15:04	23.07	46.46	30.19	8.34	7.08	3.4	4.7	
		18:04	22.88	47.74	31.13	8.37	7.33	15.2	5.5	
		21:04	21.78	49.55	32.46	8.41	6.52	9.8	11.5	
	日平均值			22.95	48.53	31.70	8.36	7.28	5.80	7.10
	灣內站	0:04	24.32	45.54	29.5	8.3	8.29	20.5	8.2	
		3:04	24.05	45.2	29.26	7.83	7.91	23.5	6.3	
		6:04	23.84	44.81	28.98	7.98	7.77	24.4	2.1	
		9:04	23.64	44.47	28.74	8.02	7.55	31.3	3.5	
		12:04	23.44	43.98	28.39	8.13	7.3	38.6	2.4	
		15:04	23.4	43.87	28.32	8.11	7.75	45.3	0.7	
		18:04	23.26	43.36	27.95	8.07	7.43	58.4	2.8	
		21:04	22.97	42.99	27.69	7.8	7.15	72.8	7	
	日平均值			23.62	44.28	28.60	8.03	7.64	39.35	4.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月11日	蚵殼站	00:04	23.06	45.19	29.27	7.98	6.49	18.2	1.1	
		03:04	22.85	44.39	28.69	8.02	6.43	17.1	1	
		06:04	22.37	44.45	28.74	8.03	6.12	17.1	1.4	
		09:04	22.06	43.52	28.08	7.99	6.08	16.8	0.9	
		12:04	22.09	43.79	28.27	8.04	6.63	19	0.7	
		15:04	22.59	43.6	28.13	8.13	8.61	24.7	1.3	
		18:04	22.47	43.51	28.07	8.18	8.35	27.4	1.6	
		21:04	22.25	43.01	27.72	8.11	7.72	25.2	1.3	
	日平均值			22.47	43.93	28.37	8.06	7.05	20.69	1.16
	潮口站	00:04	22.29	49.75	32.6	8.44	7.17	6	15.4	
		03:04	22.16	49.88	32.7	8.43	6.79	5.8	6.3	
		06:04	22.73	47.96	31.29	8.38	7.05	5	3	
		09:04	22.61	46.99	30.58	8.37	6.99	22.3	2.7	
		12:04	22.53	46.13	29.96	8.39	7.07	34.6	2.9	
		15:04	23.39	46.19	29.99	8.32	7.14	2	2.6	
		18:04	22.66	48	31.32	8.37	7.26	2	3.7	
		21:04	22.57	50.23	32.95	8.38	7.1	16.1	5.3	
	日平均值			22.62	48.14	31.42	8.39	7.07	11.73	5.24
	灣內站	0:04	22.65	42.55	27.38	8.09	7.19	72.2	15.9	
		3:04	22.51	42.2	27.13	8.11	7.04	78.8	1.8	
		6:04	22.3	41.75	26.81	7.97	6.62	86.3	2.9	
		9:04	22.11	41.36	26.54	8	6.84	91.5	6.4	
		12:04	21.86	40.91	26.22	8.02	7.1	98.2	9.7	
		15:04	22.06	40.73	26.09	8.03	8.13	101.6	11.6	
		18:04	21.79	40.51	25.94	8.02	8.29	123.4	10.4	
		21:04	21.55	40.17	25.7	8.13	7.56	138.8	9.6	
	日平均值			22.10	41.27	26.48	8.05	7.35	98.85	8.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月12日	蚵殼站	00:04	22.11	43.35	27.96	8.17	7.58	24.7	1.1	
		03:04	21.85	42.92	27.65	8.1	7.42	25.7	1.5	
		06:04	21.22	42.24	27.18	8.08	7.21	26.6	1.2	
		08:34	21.27	42.14	27.1	8.05	7.02	30.3	1.5	
		12:04	21.43	42.15	27.11	8.09	8.36	36.7	1.1	
		15:04	21.99	42.21	27.15	8.1	9.43	41.6	1.4	
		18:04	21.79	41.95	26.96	8.08	9.68	45.1	1.3	
		21:04	21.87	42.25	27.17	8.05	9.69	51.9	1.3	
	日平均值			21.69	42.40	27.29	8.09	8.30	35.33	1.30
	潮口站	00:04	21.57	49.96	32.77	8.45	6.97	11.2	14.2	
		03:04	21.52	49.82	32.66	8.45	6.67	7.5	10.6	
		06:04	22.53	48.33	31.56	8.38	7.06	2.8	3.9	
		09:04	22.42	44.37	28.69	8.39	7.23	11.7	3	
		12:04	22.42	43.22	27.86	8.4	7.26	4.7	3.9	
		15:04	23.7	43.07	27.73	8.28	7.15	3.8	3.5	
		18:04	23.38	44.63	28.86	8.3	7.35	2.2	4.2	
		21:04	22.48	49.69	32.56	8.36	7.36	9.3	9.8	
	日平均值			22.50	46.64	30.34	8.38	7.13	6.65	6.64
	灣內站	0:04	21.37	39.9	25.51	8.2	7.31	143.9	7	
		3:04	21.17	39.62	25.31	8.14	6.91	149.5	2.9	
		6:04	20.76	39.12	24.96	8.01	6.97	159.5	5.2	
		9:04	20.76	38.86	24.78	8.05	7.07	164.2	5.3	
		12:04	21.37	38.6	24.59	8.11	8.44	164.6	6.4	
		15:04	21.88	38.63	24.6	8.07	10.11	174.6	19.9	
		18:04	21.84	39.1	24.94	8.08	9.43	192.4	16.6	
		21:04	21.68	38.1	24.23	8.12	9.93	203.2	20.8	
	日平均值			21.35	38.99	24.87	8.10	8.27	168.99	10.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月13日	蚵殼站	00:04	21.84	41.69	26.78	8.11	9.49	51.6	1.9	
		03:04	21.71	41.3	26.5	8.07	9.08	54.3	1.7	
		06:04	21.62	41.05	26.32	8.02	8.47	54.8	1.2	
		09:04	21.34	40.32	25.81	8.11	8.2	68.7	1.2	
		12:04	21.6	40.42	25.88	8.1	8.52	64.2	0.8	
		15:04	21.66	40.05	25.61	8.18	9.26	75.2	1.2	
		18:04	22.02	40.8	26.14	8.11	7.13	82.8	0.8	
		21:04	22.55	40.17	25.68	8.01	7.01	99.5	0.9	
	日平均值			21.79	40.73	26.09	8.09	8.40	68.89	1.21
	潮口站	00:04	22.35	50.63	33.25	8.38	6.89	8.6	6.9	
		03:04	21.88	50.09	32.85	8.43	7.17	6.1	9.5	
		06:04	22.74	49.7	32.56	8.35	6.97	3.9	6.2	
		09:04	22.68	43.63	28.15	8.34	7.19	7	5.2	
		12:04	22.21	43.18	27.84	8.37	7.19	8.4	9.5	
		15:04	23.25	42.61	27.41	8.32	7.2	4.6	5.2	
		18:04	23.45	42.54	27.36	8.31	7.03	6.8	4.9	
		21:04	22.94	49.7	32.56	8.3	6.92	21.5	6.7	
	日平均值			22.69	46.51	30.25	8.35	7.07	8.36	6.76
	灣內站	0:04	21.5	38.42	24.46	8.16	8.87	213.6	19.8	
		3:04	21.3	38.21	24.31	8.01	7.63	227.1	11.8	
		6:04	21.12	38.03	24.19	7.86	7.71	229	14.6	
		9:04	21.22	37.97	24.14	8.13	8.12	231.6	20.7	
		12:04	21.36	54.54	36.15	8.34	7.77	2.7	17.6	
		15:04	21.49	54.31	35.99	8.47	10.22	2.4	28.2	
		18:04	21.32	54.27	35.95	8.46	9.84	1.8	25	
		21:04	21.3	54.36	36.02	8.42	9.04	3.1	23.4	
	日平均值			21.33	46.26	30.15	8.23	8.65	113.91	20.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月14日	蚵殼站	00:04	21.49	39.51	25.23	8.22	8.56	102.6	1.2	
		03:04	21.31	38.99	24.87	8.22	9.02	110.1	1.7	
		06:04	21.5	39.01	24.88	8.09	7.27	136.9	1	
		09:04	21.42	38.65	24.63	8.11	7.25	135.2	1.2	
		12:04	20.76	51.5	33.91	8.32	9.24	1.6	25.2	
		15:04	20.38	51.74	34.08	8.38	10.17	2.1	39.3	
		18:04	20.11	51.4	33.83	8.41	11.59	1.5	47.3	
		21:04	21.34	52.41	34.57	8.2	8.04	1.5	16.2	
	日平均值			21.04	45.40	29.50	8.24	8.89	61.44	16.64
	潮口站	00:04	22.05	48.93	32.01	8.38	7.06	9.6	11.3	
		03:04	21.55	48.34	31.58	8.49	7.2	11.4	15.3	
		06:04	23.1	49.85	32.66	8.31	6.75	5.5	12.5	
		09:04	22.69	50.42	33.09	8.35	6.79	11.4	20.8	
		12:04	22.22	53.52	35.39	8.19	7.09	2	2.3	
		15:34	23.56	52.03	34.26	8.13	6.8	1.4	3.9	
		18:04	23.69	52.01	34.24	8.13	6.67	1.3	5.8	
		21:04	23.08	51.93	34.2	8.14	6.89	4.4	4.1	
	日平均值			22.74	50.88	33.43	8.27	6.91	5.88	9.50
	灣內站	0:04	21.24	54.36	36.02	8.32	7.47	3.8	13.9	
		3:04	21.06	54.39	36.05	8.32	7.19	3.6	9.6	
		6:04	21.13	54.46	36.1	8.36	7.63	2.8	15	
		9:04	20.66	54.13	35.86	8.4	8.26	1.8	25.2	
		12:04	21.03	54.26	35.95	8.43	8.62	2	24.4	
		15:04	21.12	51.93	34.23	8.47	9.55	2.7	23.5	
		18:04	20.96	51.83	34.15	8.42	8.99	2.7	24	
		21:04	20.82	51.78	34.12	8.41	8.56	2.1	18.8	
	日平均值			21.00	53.39	35.31	8.39	8.28	2.69	19.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月15日	蚵殼站	00:04	19.99	51.57	33.97	8.34	9.8	1.9	36.3	
		03:04	19.94	52.18	34.42	8.33	9.51	2	36	
		06:04	20.64	52.36	34.54	8.19	7.95	3.4	19.2	
		09:04	18.93	50.74	33.35	8.36	9.38	2.1	36.8	
		12:04	19.14	50.09	32.88	8.47	12.79	5.5	82.1	
		15:04	19.79	51.14	33.65	8.52	12.79	1.9	45.2	
		18:04	20.09	51.53	33.93	8.37	10.39	2	41.6	
		21:04	20.9	51.86	34.17	8.26	9.6	2.1	25.5	
	日平均值			19.93	51.43	33.86	8.36	10.28	2.61	40.34
	潮口站	00:04	22.16	51.75	34.08	8.18	7.05	6.3	1.5	
		03:04	21.56	51.6	33.98	8.19	7.11	9	4.2	
		06:04	23.37	51.97	34.22	8.14	6.66	1.6	1	
		09:04	22.87	52.03	34.27	8.15	6.73	2.8	0.2	
		12:04	22.21	51.87	34.16	8.17	7.22	3.9	5.3	
		15:04	23.37	51.73	34.04	8.15	6.94	1.8	3.3	
		18:04	23.7	51.73	34.04	8.13	6.67	2.5	4.1	
		21:04	23.09	51.9	34.18	8.14	6.81	1.2	4.2	
	日平均值			22.79	51.82	34.12	8.16	6.90	3.64	2.98
	灣內站	0:04	20.47	51.67	34.03	8.4	8.5	3.1	22.7	
		3:04	19.09	49.88	32.72	8.42	8.99	2.5	26.4	
		6:04	19.83	50.87	33.45	8.43	8.8	2.4	25.7	
		9:04	20.3	51.42	33.85	8.41	8.33	1.4	24.4	
		12:04	20.77	51.51	33.91	8.43	9.46	1.8	26	
		15:04	20.2	49.48	32.43	8.65	15.08	4.6	68	
		18:04	20.21	49.47	32.42	8.66	14.67	2.3	49.9	
		21:04	20.92	51.45	33.87	8.47	10.08	2.5	25.1	
	日平均值			20.22	50.72	33.34	8.48	10.49	2.58	33.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月16日	蚵殼站	00:04	20.78	51.97	34.26	8.21	8.56	1	23.9	
		03:04	20.18	51.7	34.06	8.28	8.93	1.8	27	
		06:04	19.3	51.01	33.55	8.35	9.52	1.2	31.8	
		09:04	19.62	51.24	33.72	8.36	9.68	0.2	23.3	
		12:04	20.11	50.74	33.35	8.43	12.47	2.7	36.8	
		15:04	21.41	51.71	34.06	8.24	10.68	2.2	22.7	
		18:04	21.68	52.02	34.28	8.26	11.43	1.5	23.2	
		21:04	21.41	52.01	34.28	8.27	11.81	2.6	23.2	
	日平均值			20.56	51.55	33.95	8.30	10.39	1.65	26.49
	潮口站	00:04	22.17	51.69	34.04	8.14	6.69	6.5	0.7	
		03:04	21.61	51.4	33.83	8.24	7.89	2.5	9.7	
		06:04	23.22	51.85	34.13	8.14	6.69	3.8	2.9	
		09:04	23.06	51.89	34.17	8.14	6.76	3.3	2.2	
		12:04	22.34	51.69	34.03	8.18	7.35	6.1	9	
		15:04	22.8	51.61	33.96	8.22	8.43	3.4	5.2	
		18:04	23.95	51.68	33.99	8.12	6.9	1.6	1.9	
		21:04	23.88	51.79	34.08	8.12	6.83	1.5	2.5	
	日平均值			22.88	51.70	34.03	8.16	7.19	3.59	4.26
	灣內站	0:04	20.64	51.63	34.01	8.41	8.87	2.4	32.7	
		3:04	19.96	51	33.54	8.38	8.65	3.4	31.8	
		6:04	20.38	51.75	34.1	8.39	8.52	2	21.7	
		9:04	20.36	51.87	34.18	8.46	9.91	2.4	27.2	
		12:04	21.08	50.76	33.36	8.56	12.51	2.7	22	
		15:04	21.83	50.13	32.89	8.65	14.63	3	26.7	
		18:04	22.01	50.09	32.86	8.61	13.99	2.6	36.6	
		21:04	22.65	51.45	33.85	8.47	10.87	1.6	17	
	日平均值			21.11	51.09	33.60	8.49	10.99	2.51	26.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月17日	蚵殼站	00:04	20.87	50.27	33	8.39	13.47	1.8	38.1	
		03:04	20.68	50.74	33.35	8.4	12.26	2	33.5	
		06:04	20.43	50.56	33.22	8.4	11.95	2.3	35.4	
		09:04	21.12	51.59	33.97	8.37	11.47	1.3	25.2	
		12:04	21.74	50.86	33.43	8.28	11.1	2	23.1	
		15:04	22.54	51.6	33.96	8.18	11.56	3.5	17.1	
		18:04	21.79	51.98	34.25	8.2	10.98	1	20	
		21:04	22.06	52.02	34.28	8.22	10.72	1.9	19.8	
	日平均值			21.40	51.20	33.68	8.31	11.69	1.98	26.53
	潮口站	00:04	22.77	51.55	33.92	8.17	7.24	4.3	2.9	
		03:04	22.58	51.55	33.92	8.18	7.51	3.2	4.3	
		06:04	23.25	51.67	34.01	8.13	6.83	2.5	1.3	
		09:04	23.45	51.86	34.14	8.12	6.96	4.9	4.4	
		12:04	23.03	51.57	33.93	8.18	8.07	4.1	4.9	
		15:04	24.31	51.75	34.04	8.11	7.5	3.8	8	
		18:04	24.14	51.25	33.68	8.1	6.89	4.1	3.1	
		21:04	24.13	51.79	34.07	8.13	7.25	2.3	7.2	
	日平均值			23.46	51.62	33.96	8.14	7.28	3.65	4.51
	灣內站	0:04	21.86	50.6	33.23	8.51	11.72	2.6	22.4	
		3:04	21.14	49.7	32.58	8.53	11.97	3.6	31.3	
		6:04	21.02	50.36	33.06	8.46	10.42	2.7	25.6	
		9:04	21.36	51.16	33.65	8.53	11.74	2.5	21.2	
		12:04	21.81	50.56	33.2	8.44	14.36	2.8	23.4	
		15:04	23.19	49.69	32.54	8.3	16.67	3.2	28.5	
		18:04	22.81	50.39	33.06	8.13	14.32	3.5	25.8	
		21:04	22.8	50.7	33.29	8.07	11.97	2.8	23.6	
	日平均值			22.00	50.40	33.08	8.37	12.90	2.96	25.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月18日	蚵殼站	00:04	21.77	51.43	33.84	8.24	11.03	1.6	25.6	
		03:04	22.38	51.73	34.06	8.16	10.04	1.5	18.5	
		06:04	22.24	51.58	33.95	8.17	9.69	0.7	14.8	
		09:04	22.27	51.6	33.96	8.16	9.86	1.1	19.6	
		12:04	22.85	51.27	33.71	8.17	10.94	2.3	16.8	
		15:04	22.52	51.66	34.01	8.14	11.05	2.3	21	
		18:04	22.94	51.71	34.04	8.14	10.97	1.2	21.2	
		21:04	23.24	51.8	34.1	8.08	10.43	1.5	20.1	
	日平均值			22.53	51.60	33.96	8.16	10.50	1.53	19.70
	潮口站	00:04	23.36	51.35	33.76	8.13	7.19	3.9	4.2	
		03:04	23.13	50.5	33.14	8.33	9.2	3.2	15.3	
		06:04	23.73	51.57	33.92	8.11	6.87	1.2	1.3	
		09:04	23.91	51.72	34.03	8.12	7.05	1.5	1.1	
		12:04	23.84	50.98	33.48	8.3	9.56	3.2	6.1	
		15:04	24.58	51.19	33.62	8.25	9.29	1.8	7.9	
		18:04	24.53	51.33	33.72	8.12	7.27	0.7	2.1	
		21:04	24.42	51.55	33.89	8.15	7.48	0.6	3.9	
	日平均值			23.94	51.27	33.70	8.19	7.99	2.01	5.24
	灣內站	0:04	22.62	50.88	33.43	8.53	11.2	2.9	19.6	
		3:04	22.82	51.22	33.68	8.43	9.72	3.7	22.9	
		6:04	22.26	51.82	34.13	8.42	9.11	2.5	20.8	
		9:04	22.14	51.96	34.23	8.43	9.54	1.9	18	
		12:04	23.48	51.72	34.03	8.48	10.84	2.7	17.3	
		15:04	23.77	51.8	34.09	8.52	11.9	2.5	18.8	
		18:04	23.82	51.74	34.04	8.54	12.32	3.4	22.2	
		21:04	23.84	52.14	34.34	8.46	10.46	2.5	16.6	
	日平均值			23.09	51.66	34.00	8.48	10.64	2.76	19.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月19日	蚵殼站	00:04	23.33	51.88	34.16	7.97	8.49	0.4	13.2	
		03:04	22.97	51.82	34.11	8.01	8.35	1.4	15.3	
		06:04	22.86	51.77	34.08	8	8.72	3.1	15.2	
		09:04	22.65	51.66	34	7.95	7.88	2.8	15.3	
		12:04	22.85	51.6	33.96	7.93	7.62	1.2	13.7	
		15:04	22.66	51.6	33.96	7.96	8.36	4.1	19.3	
		18:04	22.38	51.56	33.93	7.94	7.71	2.7	16.2	
		21:04	21.94	51.48	33.88	8.01	8.18	7.2	23.7	
	日平均值			22.71	51.67	34.01	7.97	8.16	2.86	16.49
	潮口站	00:04	23.76	51.33	33.74	8.16	7.66	3.1	11.2	
		03:04	23.46	51.32	33.74	8.14	7.19	4.5	12.1	
		06:04	23.29	51.32	33.74	8.15	7.28	2.5	9.1	
		08:34	23.62	51.5	33.87	8.13	7.15	1.6	1.5	
		12:04	23.72	51.55	33.91	8.14	7.28	4.9	2.7	
		15:04	23.05	51.45	33.85	8.17	7.47	5.3	10.4	
		18:04	23.07	51.55	33.91	8.18	7.5	2.1	5.1	
		21:04	23.26	51.62	33.96	8.11	6.79	0.6	2.8	
	日平均值			23.40	51.46	33.84	8.15	7.29	3.08	6.86
	灣內站	0:04	23.43	52.18	34.38	8.49	10.52	2.1	16.7	
		3:04	23.27	52.19	34.39	8.44	9.43	2.8	15.5	
		6:04	23	52.31	34.48	8.5	9.92	1.9	15	
		9:04	22.97	52.32	34.49	8.49	9.75	2.2	13.6	
		12:04	23.15	52.42	34.56	8.48	9.84	2.2	18	
		15:04	22.9	52.43	34.57	8.49	9.5	3.6	18.9	
		18:04	22.75	52.47	34.6	8.48	9.22	3.4	20.2	
		21:04	22.44	52.41	34.56	8.47	8.88	3.1	20.7	
	日平均值			22.99	52.34	34.50	8.48	9.63	2.66	17.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月20日	蚵殼站	00:04	21.84	51.59	33.96	8.01	7.67	4.2	20.2	
		03:04	21.46	51.63	34	8.08	7.66	1.6	17	
		06:04	21.26	50.79	33.38	8.08	7.36	1.4	15.8	
		09:04	21.15	51.55	33.94	8.08	7.5	3.1	19.8	
		12:04	22.16	51.46	33.86	8.06	8.29	3.4	19.8	
		15:04	22.45	51.26	33.71	8.02	9.21	2.1	16.7	
		18:04	21.93	51.34	33.78	8.07	8.45	2.1	14.6	
		21:04	21.62	51.52	33.91	8.05	7.84	1.3	20	
	日平均值			21.73	51.39	33.82	8.06	8.00	2.40	17.99
	潮口站	00:04	23.09	51.56	33.92	8.14	7.03	3.2	3.9	
		03:04	22.29	51.42	33.83	8.17	7.19	2.1	8.4	
		06:04	21.98	51.42	33.84	8.2	6.82	2.8	4	
		09:04	22.9	51.46	33.85	8.11	6.75	2.8	4.3	
		12:04	23.19	51.58	33.94	8.12	7.04	2.8	0.8	
		15:04	23.2	51.47	33.85	8.17	7.52	2.9	2.9	
		18:04	22.38	51.24	33.7	8.26	8.39	3.1	15.1	
		21:04	23.39	51.89	34.16	8.14	6.97	0.5	2.2	
	日平均值			22.80	51.51	33.89	8.16	7.21	2.53	5.20
	灣內站	0:04	22.35	52.3	34.48	8.47	8.59	3	22	
		3:04	22.12	52.32	34.5	8.44	8.15	2.9	20	
		6:04	21.94	52.41	34.57	8.45	8.04	2.6	20.7	
		9:04	21.92	52.5	34.64	8.43	7.96	2.5	15.6	
		12:04	22.49	52.21	34.41	8.48	9	2.8	10.8	
		15:04	22.3	51.8	34.11	8.49	10.11	3	22.2	
		18:04	22.54	51.71	34.05	8.52	10.64	3	26.7	
		21:04	21.99	52.08	34.33	8.5	9.42	3	26.1	
	日平均值			22.21	52.17	34.39	8.47	8.99	2.85	20.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月21日	蚵殼站	00:04	21.45	51.36	33.8	8.08	7.73	1.7	19.8	
		03:04	21.28	51.25	33.72	8.11	8.09	1.5	13.4	
		06:04	21.08	51.18	33.67	8.07	7.17	2.3	14.4	
		09:04	20.78	51.15	33.65	8.1	7.64	2.3	15.2	
		12:04	22.1	51.37	33.8	7.99	7.78	14.7	8	
		15:04	21.9	51.18	33.66	8.01	8.44	1.6	15.8	
		18:04	21.16	50.88	33.44	8.14	8.72	8.6	21.1	
		21:04	20.97	50.6	33.25	8.17	8.29	1.8	25.2	
	日平均值			21.34	51.12	33.62	8.08	7.98	4.31	16.61
	潮口站	00:04	23.13	51.51	33.88	8.14	7.05	2.1	2.2	
		03:04	22.16	51.27	33.72	8.2	7.32	3.1	9	
		06:04	21.8	51.25	33.71	8.2	7	2.6	8.7	
		09:04	22.77	51.41	33.82	8.13	7	2.4	0.5	
		12:04	22.84	51.44	33.84	8.14	7.24	1.9	0.4	
		15:04	22.57	51.32	33.75	8.21	7.86	3	11.4	
		18:04	21.95	51.14	33.63	8.32	8.91	2.3	14	
		21:04	22.97	51.07	33.57	8.16	7.23	1.7	2.3	
	日平均值			22.52	51.30	33.74	8.19	7.45	2.39	6.06
	灣內站	0:04	21.78	52.18	34.4	8.49	9.05	2.7	24	
		3:04	21.64	52.16	34.39	8.49	8.88	2.4	19.4	
		6:04	21.47	52.15	34.38	8.46	8.76	3.1	20.3	
		9:04	21.49	52.26	34.46	8.46	8.64	3.2	15.8	
		12:04	21.89	52.33	34.51	8.49	9.13	2.3	14.2	
		15:04	22.03	52.27	34.46	8.49	9.32	3.2	11.1	
		18:04	21.96	52.21	34.42	8.46	8.95	3	14.5	
		21:04	21.82	52.26	34.46	8.48	8.74	1.9	17.2	
	日平均值			21.76	52.23	34.44	8.48	8.93	2.73	17.06
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月22日	蚵殼站	00:04	20.91	50.65	33.28	8.11	6.97	1.1	18.6	
		03:04	20.47	50.09	32.87	8.2	8.17	1.3	19	
		06:04	20.38	50.05	32.84	8.16	7.4	0.8	17.3	
		09:04	20.35	50.24	32.98	8.16	7.9	3	14.5	
		12:04	22.07	50.47	33.13	8.12	7.78	2.7	7.2	
		15:04	21.54	50.17	32.92	8.07	8.53	1.8	16.8	
		18:04	20.79	50.07	32.86	8.15	8.61	3.9	19.4	
		21:04	20.62	50.03	32.82	8.17	8.3	1.7	20.8	
	日平均值			20.89	50.22	32.96	8.14	7.96	2.04	16.70
	潮口站	00:04	22.81	51.18	33.65	8.14	7.12	0.8	3.7	
		03:04	21.72	51.14	33.63	8.24	7.72	5	10.5	
		06:04	21.48	51.14	33.64	8.2	7.17	3.1	8.3	
		09:04	23.1	51.35	33.77	8.13	6.85	2.2	0.1	
		12:04	23.13	51.29	33.72	8.15	7.38	0.7	4	
		15:04	22.49	51.26	33.71	8.22	8.15	3.4	5.4	
		18:04	21.94	51.18	33.66	8.26	8.22	4.9	12.9	
		21:04	21.9	51.18	33.66	8.26	8.2	3.8	16.3	
	日平均值			22.32	51.22	33.68	8.20	7.60	2.99	7.65
	灣內站	0:04	21.73	52.32	34.51	8.48	8.69	2	13.6	
		3:04	21.53	52.34	34.52	8.47	8.53	2.6	18.5	
		6:04	21.18	52.25	34.45	8.4	7.66	4	14	
		9:04	21.22	52.42	34.59	8.46	8.28	3.2	13.1	
		12:04	21.88	52.43	34.59	8.5	8.93	2.2	8.7	
		15:04	22.15	52.43	34.58	8.46	8.6	4.6	9.8	
		18:04	22.37	52.23	34.43	8.53	10.06	2.5	15.9	
		21:04	21.87	52.34	34.52	8.45	8.41	2.5	10.4	
	日平均值			21.74	52.35	34.52	8.47	8.65	2.95	13.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月23日	蚵殼站	00:04	20.71	50.21	32.95	8.12	7.23	1.2	6.9	
		03:04	20.13	49.14	32.17	8.24	8.23	1.9	26	
		06:04	20.07	49.03	32.09	8.21	7.26	1.1	24.1	
		09:04	20.19	49.76	32.63	8.2	7.62	1.4	17.7	
		12:04	20.68	49.31	32.29	8.23	8.85	1.3	17.9	
		15:04	20.94	49.22	32.23	8.2	9.09	3.5	20.6	
		18:04	20.94	49.34	32.32	8.16	8.47	1.9	20.8	
		21:04	20.81	49.37	32.34	8.15	7.9	1	17.1	
	日平均值			20.56	49.42	32.38	8.19	8.08	1.66	18.89
	潮口站	00:04	22.76	51.23	33.69	8.17	7.27	3.2	4	
		03:04	22.15	51.19	33.66	8.18	7.47	1.9	4.6	
		06:04	21.63	51.15	33.64	8.22	7.51	3.5	7.4	
		09:04	22.91	51.46	33.85	8.15	7.05	5.8	2.4	
		12:04	23.9	51.58	33.92	8.13	6.92	1.1	0.6	
		15:04	23.36	51.46	33.84	8.18	7.8	3.1	1.5	
		18:04	22.71	51.36	33.78	8.21	7.9	3.9	7.7	
		21:04	22.53	51.37	33.79	8.17	7.55	4.5	7.4	
	日平均值			22.74	51.35	33.77	8.18	7.43	3.38	4.45
	灣內站	0:04	21.5	51.67	34.03	8.42	9.6	3.1	20.8	
		3:04	21.03	51.66	34.02	8.41	9.35	2.5	23.4	
		6:04	21.25	52.18	34.41	8.37	8.25	5.8	17.8	
		9:04	21.66	52.34	34.52	8.3	7.83	3	9.5	
		12:04	21.9	51.93	34.21	8.42	9.68	2.6	8	
		15:04	22.02	52.07	34.32	8.42	9.89	2.4	10.7	
		18:04	21.89	50.95	33.49	8.52	11.95	2.9	28.8	
		21:04	21.42	50.9	33.46	8.51	11.51	2.2	31.5	
	日平均值			21.58	51.71	34.06	8.42	9.76	3.06	18.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月24日	蚵殼站	00:04	20.79	49.27	32.27	8.1	7.3	3.9	10.6	
		03:04	20.98	49.22	32.23	8.12	7.77	1.5	14.3	
		06:04	20.37	48.46	31.68	8.24	8.17	1.8	19.6	
		09:04	20.74	48.77	31.9	8.17	7.61	1	11	
		12:04	21.11	48.69	31.84	8.11	8.13	5.5	12.8	
		15:04	21.38	48.84	31.94	8.07	7.79	454.8	18.1	
		18:04	21.41	48.64	31.8	8.09	7.69	3.7	24	
		21:04	21.33	48.42	31.64	8.11	8.07	2.3	22.1	
	日平均值			21.01	48.79	31.91	8.13	7.82	59.31	16.56
	潮口站	00:04	22.81	51.21	33.67	8.17	7.35	2.4	1.1	
		03:04	23.02	51.33	33.76	8.13	7.06	1.3	3.9	
		06:04	22.33	51.17	33.65	8.18	7.42	2.7	9.6	
		09:04	22.2	51.12	33.61	8.18	7.24	2.7	1.1	
		12:04	23.79	51.47	33.85	8.11	7.02	1.8	1.1	
		15:04	23.96	51.51	33.87	8.14	7.49	0.8	5.3	
		18:04	23.08	51.33	33.75	8.18	7.73	5.8	8	
		21:04	23.21	51.41	33.81	8.13	7.11	7.9	7.4	
	日平均值			23.05	51.32	33.75	8.15	7.30	3.18	4.69
	灣內站	0:04	21.5	51	33.54	8.52	9.6	2.4	19.1	
		3:04	21.56	51.9	34.2	8.47	8.78	2.3	14.2	
		6:04	21.81	52.35	34.53	8.37	7.29	2.6	9.9	
		9:04	21.6	52.21	34.42	8.39	7.51	1.7	10	
		12:04	21.91	51.99	34.26	8.5	9.41	2.1	8.2	
		15:04	22.3	51.94	34.21	8.49	9.47	6.5	14	
		18:04	22.51	51.7	34.03	8.5	9.56	3.2	19.1	
		21:04	21.75	50.31	33.02	8.61	11.02	3.6	24.5	
	日平均值			21.87	51.68	34.03	8.48	9.08	3.05	14.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月25日	蚵殼站	00:04	20.7	46.87	30.52	8.2	8.57	2.8	25.9	
		03:04	20.79	47.4	30.9	8.15	7.4	1.8	16.7	
		06:04	20.19	46.76	30.44	8.23	7.77	3	29.4	
		09:04	20.54	46.97	30.59	8.16	2.53	2.5	21.9	
		12:04	21.71	47.03	30.62	7.98	3.56	1.6	12.2	
		15:04	21.8	47.38	30.88	8.03	7.08	3.8	15.8	
		18:04	21.98	47.48	30.95	7.9	4.58	2.3	16.1	
		21:04	21.86	47.47	30.94	7.95	4.31	1.7	66.9	
	日平均值			21.20	47.17	30.73	8.08	5.73	2.44	25.61
	潮口站	00:04	22.53	51.18	33.65	8.18	7.36	4.4	7.6	
		03:04	23.14	51.31	33.74	8.12	7.06	3.1	1.9	
		06:04	23.04	51.33	33.75	8.17	7.25	2.9	1.1	
		09:04	22.19	50.82	33.39	8.24	7.72	2.1	1.7	
		12:04	23.8	51.35	33.75	8.14	7.57	1.7	4.1	
		15:04	24	51.37	33.76	8.16	7.76	1.6	1.8	
		18:04	23.44	51.19	33.65	8.2	7.98	4.2	5.8	
		21:04	23.63	51.26	33.69	8.12	7.2	6.7	1.3	
	日平均值			23.22	51.23	33.67	8.17	7.49	3.34	3.16
	灣內站	0:04	21.77	51.24	33.71	8.51	9.06	2.4	16.5	
		3:04	21.98	51.91	34.2	8.38	7.32	3.9	9.9	
		6:04	21.82	52.06	34.31	8.34	6.65	2.8	13.1	
		9:04	21.96	51.91	34.2	8.41	7.65	3.3	9.4	
		12:04	22.66	51.23	33.68	8.52	9.81	2.5	7.7	
		15:04	22.95	51.84	34.13	8.5	9.47	2.6	10.1	
		18:04	22.9	51.97	34.23	8.46	9.3	2.3	7.1	
		21:04	23.22	51.17	33.64	8.55	10.54	2.7	20.5	
	日平均值			22.41	51.67	34.01	8.46	8.73	2.81	11.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月26日	蚵殼站	00:04	21.88	46.8	30.45	8.08	4.55	69	14.2	
		03:04	21.77	45.69	29.65	8.11	0.1	25.8	20.9	
		06:04	21.57	45.94	29.84	8.07	4.19	20.9	12.7	
		09:04	21.68	45.88	29.79	8.08	3.1	7	11.7	
		12:34	22.95	51.87	34.15	8.48	9.42	2.7	9.7	
		15:04	23.04	52.81	34.85	8.41	9.05	3.3	10.7	
		18:04	22.99	52.97	34.97	8.42	8.89	2.9	13.7	
		21:04	23.16	52.76	34.81	8.42	9.27	2.6	15.5	
	日平均值			22.38	49.34	32.31	8.26	6.07	16.78	13.64
	潮口站	00:04	23.43	51.23	33.68	8.12	6.92	6.8	4.4	
		03:04	23.61	51.17	33.63	8.17	7.02	11.3	2	
		06:04	23.28	51.2	33.65	8.16	6.99	2.4	2.6	
		09:04	23.05	50.91	33.45	8.21	7.61	2.4	2.8	
		12:04	23.75	51.08	33.56	8.18	7.5	2.2	0.4	
		15:04	23.98	50.94	33.45	8.17	7.63	0.9	5.4	
		18:04	24.04	50.8	33.35	8.16	7.65	3.5	4.3	
		21:04	23.84	50.9	33.42	8.15	7.06	10.5	4.2	
	日平均值			23.62	51.03	33.52	8.17	7.30	5.00	3.26
	灣內站	0:04	22.84	50.63	33.24	8.45	8.81	3.1	21	
		3:04	22.75	51.02	33.53	8.47	8.82	3	15.8	
		6:04	22.48	51.47	33.87	8.48	8.74	2.2	10.1	
		9:04	22.78	51.97	34.23	8.42	8.22	2.8	3.8	
		12:04	24.18	52.21	34.38	8.41	8.2	6.3	4.9	
		15:04	23.94	51.89	34.15	8.49	9.57	3.7	9.9	
		18:04	24.14	52.22	34.39	8.41	8.69	4.5	10.9	
		21:04	24.24	51.51	33.87	8.5	9.87	4.5	14.5	
	日平均值			23.42	51.62	33.96	8.45	8.87	3.76	11.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月27日	蚵殼站	00:04	23.11	52.49	34.61	8.51	9.09	2.5	18.7	
		03:04	22.88	52.11	34.33	8.49	8.85	2.8	17	
		06:04	22.76	52.01	34.26	8.4	7.88	2.8	16.3	
		09:04	22.71	51.84	34.14	8.44	8.64	3.4	18.4	
		12:04	23.54	52.59	34.68	8.38	8.63	2.4	16.7	
		15:04	23.82	53.36	35.24	8.37	8.78	2.8	12.1	
		18:04	23.76	53.43	35.3	8.36	8.48	2.9	15.2	
		21:04	23.73	53.32	35.22	8.37	8.61	2.2	15.2	
	日平均值			23.29	52.64	34.72	8.42	8.62	2.73	16.20
	潮口站	00:04	24.04	50.87	33.39	8.09	6.48	7.8	4.8	
		03:04	23.67	50.76	33.32	8.13	6.98	1.5	5.1	
		06:04	23.43	50.86	33.4	8.14	7.07	0.8	12.2	
		09:04	22.97	50.22	32.94	8.25	7.86	2.9	5.6	
		12:04	23.76	52.67	34.73	8.32	8.18	3.5	7.4	
		15:04	24.05	53.15	35.08	8.2	7.36	2.3	5.8	
		18:04	23.92	53.31	35.2	8.2	7.24	1.3	1.6	
		21:04	23.82	53.1	35.05	8.21	7.3	7.5	6	
	日平均值			23.71	51.87	34.14	8.19	7.31	3.45	6.06
	灣內站	0:04	24.22	50.99	33.48	8.32	7.41	114.9	18.6	
		3:04	23.8	51.85	34.12	8.39	7.9	76	10.2	
		6:04	23.73	52.2	34.39	8.3	7.66	149	9.4	
		9:04	23.86	52.31	34.47	8.38	7.99	3.4	7	
		12:04	24.41	51.91	34.16	8.4	8.86	3.3	9.5	
		15:04	24.88	52.23	34.38	8.39	9.01	3.7	8.2	
		18:04	24.68	52.21	34.37	8.41	9.18	5.1	11.1	
		21:04	24.69	51.73	34.02	8.44	9.6	5.3	15.7	
	日平均值			24.28	51.93	34.17	8.38	8.45	45.09	11.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
2月28日	蚵殼站	00:04	23.64	53.22	35.14	8.41	8.85	2.2	16.6	
		03:04	23.58	52.32	34.48	8.51	8.38	2.9	15.9	
		06:04	23.41	52.39	34.54	8.39	8.06	3.3	20.5	
		09:04	23.62	52.7	34.76	8.35	7.88	2.4	17.4	
		12:04	24.11	53.46	35.31	8.28	7.68	3.4	12.6	
		15:04	24.18	53.75	35.53	8.3	8.17	3.8	15.4	
		18:04	24.19	53.74	35.52	8.3	8.18	5.7	15.9	
		21:04	24.26	53.44	35.29	8.31	7.85	2.9	17.5	
	日平均值			23.87	53.13	35.07	8.36	8.13	3.33	16.48
	潮口站	00:04	24.02	53.12	35.06	8.18	6.92	9.6	6	
		03:04	23.72	53.03	35	8.17	6.75	7	2.9	
		06:04	23.6	53.46	35.32	8.18	6.92	1.5	1.5	
		09:04	23.55	53.11	35.07	8.13	6.18	8.7	4.8	
		12:04	24.22	52.65	34.71	8.28	8.21	3.9	6.7	
		15:04	24.31	53.35	35.23	8.17	7.33	32.4	2.7	
		18:04	24.15	53.48	35.32	8.2	7.41	2.2	0.1	
		21:04	24.15	53.2	35.12	8.22	7.51	5.8	4.8	
	日平均值			23.97	53.18	35.10	8.19	7.15	8.89	3.69
	灣內站	0:04	24.63	51.14	33.59	8.39	8.48	30.8	15.3	
		3:04	24.44	51.65	33.97	8.37	7.92	56.4	12	
		6:04	24.33	52.31	34.46	8.31	7.53	62.3	7	
		9:04	24.13	51.37	33.76	8.35	7.86	49.3	11	
		12:04	24.85	51.64	33.95	8.34	8.51	3.7	12	
		15:04	24.96	52.31	34.44	8.31	8.25	9.1	10.6	
		18:04	25.1	51.66	33.96	8.32	8.35	7.8	16.4	
		21:04	24.4	52.36	34.49	8.27	7.37	7.1	14.3	
	日平均值			24.61	51.81	34.08	8.33	8.03	28.31	12.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月1日	蚵殼站	0:04	24.11	51.83	34.11	8.31	7.96	3	16.4	
		3:04	23.93	53.58	35.4	8.43	7.6	3.1	15.1	
		6:04	23.83	53.7	35.49	8.32	7.5	2.6	15.3	
		9:04	23.77	53.21	35.14	8.3	7.33	2.9	16.4	
		12:04	24.46	53.21	35.12	8.31	7.7	2.4	12.4	
		15:04	24.42	53.87	35.61	8.28	8	3.4	15.3	
		18:04	24.46	53.77	35.54	8.32	8.82	2.5	16.7	
		21:04	24.34	53.97	35.69	8.28	8.16	2.9	13.1	
	日平均值			24.17	53.39	35.26	8.32	7.88	2.85	15.09
	潮口站	0:04	24.32	52.59	34.66	8.32	8.36	3.4	13.6	
		3:04	24.15	52.68	34.73	8.28	7.86	2.9	12.1	
		6:04	23.65	53.42	35.29	8.17	6.87	1.6	0.4	
		9:04	23.84	53.06	35.02	8.16	6.46	7.7	4.2	
		12:04	24.77	53.04	34.99	8.15	6.85	8.7	7.3	
		15:04	24.73	53.41	35.26	8.16	7.25	3.1	4.1	
		18:04	24.2	53.26	35.16	8.16	6.91	2.5	2.3	
		21:04	24.37	53.3	35.19	8.19	7.37	4.1	5.2	
	日平均值			24.25	53.10	35.04	8.20	7.24	4.25	6.15
	灣內站	0:04	24.32	52.37	34.5	8.19	6.71	6.1	11.9	
		3:04	24.17	51.93	34.18	8.22	5.86	6	12	
		6:04	24.05	52.34	34.49	8.22	6.59	5.4	10.7	
		9:04	24.16	52.37	34.5	8.24	6.67	6	9.5	
		12:04	24.94	51.93	34.16	8.31	8.45	4.7	11.7	
		15:04	25.47	52.06	34.25	8.33	9.39	7.7	17.2	
		18:04	25.27	52.27	34.4	8.3	8.83	45.1	18.9	
		21:04	25.18	52.3	34.43	8.29	8.83	37.2	15.7	
	日平均值			24.70	52.20	34.36	8.26	7.67	14.78	13.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月2日	蚵殼站	0:04	24.31	53.57	35.39	8.32	8.57	1.9	16.3	
		3:04	24.22	53.64	35.45	8.37	7.99	1.6	13.5	
		6:04	24.14	53.71	35.5	8.31	7.86	1.7	13.9	
		9:04	24.06	53.66	35.46	8.28	7.41	1.5	13.2	
		12:04	24.55	53.57	35.39	8.35	8.84	1.5	12.7	
		15:04	24.5	53.89	35.62	8.29	7.91	2.2	14.1	
		18:04	24.3	53.92	35.65	8.26	7.83	3.1	17.2	
		21:04	24.31	53.83	35.58	8.26	7.83	2	12.4	
	日平均值			24.30	53.72	35.51	8.31	8.03	1.94	14.16
	潮口站	0:04	24.86	52.79	34.8	8.19	7.43	9.3	1.8	
		3:04	24.65	52.95	34.92	8.17	7.04	3.9	6.4	
		6:04	23.77	53.37	35.25	8.14	6.64	2.2	1.8	
		9:04	23.92	53.32	35.22	8.17	7.03	2.5	1.4	
		12:04	24.84	53.13	35.05	8.12	6.52	9.4	2.5	
		15:04	24.89	53.12	35.04	8.23	8.37	2.3	5.6	
		18:04	24.06	52.67	34.73	8.13	6.88	2	2.9	
		21:04	23.96	53.08	35.03	8.16	7.1	4.6	0.8	
	日平均值			24.37	53.05	35.01	8.16	7.13	4.53	2.90
	灣內站	0:04	25.08	52.18	34.35	8.15	7.03	30.2	10.1	
		3:04	24.55	52.1	34.29	8.26	7.14	5.5	10	
		6:04	24.47	52.63	34.69	8.22	7.21	5.4	9.2	
		9:04	24.47	52.58	34.65	8.26	7.7	5.1	9.3	
		12:04	25.08	52.18	34.34	8.28	8.38	5.4	10.9	
		15:04	25.76	51.98	34.18	8.21	8.33	6.9	18.7	
		18:04	25.05	52.42	34.52	8.26	8.53	5.5	14.9	
		21:04	25.03	52.62	34.67	8.28	8.55	4.6	11.5	
	日平均值			24.94	52.34	34.46	8.24	7.86	8.58	11.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月3日	蚵殼站	0:04	24.29	53.8	35.56	8.3	8.1	1.9	15	
		3:04	24.21	53.65	35.45	8.34	7.96	1.9	12.7	
		6:04	24.02	53.64	35.45	8.25	6.86	1.2	11.6	
		9:04	23.96	53.6	35.42	8.31	7.68	1.7	13.9	
		12:04	24.06	53.87	35.62	8.31	7.81	1.5	14.9	
		15:04	24.39	53.93	35.66	8.36	8.63	1.4	15.8	
		18:04	23.96	54.04	35.75	8.31	8.1	2.7	15.9	
		21:04	23.87	54.02	35.73	8.27	7.64	3.4	14.3	
	日平均值			24.10	53.82	35.58	8.31	7.85	1.96	14.26
	潮口站	0:04	24.21	52.99	34.96	8.11	6.38	9.3	0.2	
		3:04	24.15	53.02	34.99	8.17	6.99	3.8	7.2	
		6:04	23.54	53.28	35.19	8.13	6.55	2.2	3.8	
		9:04	23.56	53.28	35.19	8.13	6.51	3.2	2.1	
		12:04	23.7	53.14	35.09	8.13	6.41	9.2	2.4	
		15:04	24.47	52.97	34.94	8.22	7.82	6.1	4.6	
		18:04	23.69	52.85	34.86	8.14	6.67	0.9	3	
		21:04	23.76	53.1	35.05	8.16	6.98	2.5	1.5	
	日平均值			23.89	53.08	35.03	8.15	6.79	4.65	3.10
	灣內站	0:04	24.82	52.52	34.6	8.23	7.56	6.9	11.4	
		3:04	24.58	52.74	34.77	8.18	6.84	4.2	8	
		6:04	24.54	52.84	34.84	8.18	7.27	4.2	9	
		9:04	24.28	52.14	34.33	8.28	7.58	4.7	11.6	
		12:04	24.37	52.15	34.33	8.27	7.96	4.6	15.2	
		15:04	24.77	52.16	34.34	8.28	8.59	4	16.2	
		18:04	24.64	52.29	34.43	8.28	8.86	5.2	17	
		21:04	24.54	52.35	34.48	8.27	8.33	6.2	17.1	
	日平均值			24.57	52.40	34.52	8.25	7.87	5.00	13.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月4日	蚵殼站	0:04	23.74	53.94	35.68	8.24	6.99	1.5	10.9	
		3:04	23.72	53.62	35.44	8.33	7.92	1.7	14.2	
		6:04	23.64	53.82	35.59	8.29	7.2	2.1	14.3	
		9:04	23.68	53.84	35.6	8.3	7.38	1.4	12.9	
		12:04	24.06	53.79	35.56	8.34	8.59	1.2	12.2	
		15:04	24.08	54.01	35.72	8.33	8.88	3.1	18.7	
		18:04	24.14	54.07	35.77	8.36	9.26	2.3	16.8	
		21:04	24.05	53.98	35.7	8.34	8.96	2	15.6	
	日平均值			23.89	53.88	35.63	8.32	8.15	1.91	14.45
	潮口站	0:04	23.49	52.98	34.97	8.16	6.94	8.6	2	
		3:04	23.61	53	34.98	8.2	7.22	3	7.5	
		6:04	23.32	53.2	35.13	8.14	6.5	2.9	4	
		9:04	23.38	53.34	35.23	8.16	6.59	2.5	1.9	
		12:04	24.05	53.23	35.14	8.14	6.76	5.9	3.4	
		15:04	24.41	53.2	35.11	8.21	8.03	6.2	11.1	
		18:04	23.84	52.73	34.78	8.14	6.99	4.1	2.5	
		21:04	23.61	53.01	34.98	8.14	6.72	1.1	4	
	日平均值			23.71	53.09	35.04	8.16	6.97	4.29	4.55
	灣內站	0:04	24.26	51.95	34.19	8.25	7.64	7	14.8	
		3:04	24.25	52.46	34.56	8.23	7.48	4.5	9.4	
		6:04	24.22	52.71	34.76	8.14	6.5	5.2	7.7	
		9:04	24.24	52.74	34.77	8.19	7.12	3.3	7.2	
		12:04	24.65	52.21	34.37	8.25	8.2	4.6	10.3	
		15:04	25.36	52.32	34.44	8.3	9.7	4.8	15.7	
		18:04	25.13	52.33	34.45	8.26	9.25	5.7	13.2	
		21:04	24.77	52.49	34.58	8.29	8.78	5.8	12.1	
	日平均值			24.61	52.40	34.52	8.24	8.08	5.11	11.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月5日	蚵殼站	0:04	23.95	53.97	35.69	8.33	8.48	3.3	11.4	
		3:04	23.61	53.92	35.66	8.24	7.33	4.6	10.7	
		6:04	23.42	53.93	35.67	8.26	7.24	3.6	11.2	
		9:04	23.71	53.89	35.64	8.29	7.68	2.4	12.7	
		12:04	24.02	53.85	35.61	8.34	8.78	2.3	12.6	
		15:04	23.92	53.89	35.63	8.34	8.87	2.2	13.9	
		18:04	23.87	53.86	35.61	8.37	8.97	2	15.8	
		21:04	23.78	53.98	35.7	8.34	8.33	2	14.2	
	日平均值			23.79	53.91	35.65	8.31	8.21	2.80	12.81
	潮口站	0:04	23.4	52.85	34.87	8.15	6.81	3.3	3.6	
		3:04	23.41	52.98	34.97	8.2	7.34	4.8	4.8	
		6:04	23.24	53.07	35.04	8.13	6.52	2.2	0.7	
		9:04	23.35	53.43	35.31	8.16	6.71	2.2	3.3	
		12:04	23.52	53.33	35.23	8.16	6.75	5.1	1.5	
		15:04	24.23	53.23	35.14	8.24	8.19	4.7	7.6	
		18:04	23.84	53.22	35.14	8.21	7.52	12	1.6	
		21:04	23.55	52.88	34.89	8.17	7.06	2.1	5.2	
	日平均值			23.57	53.12	35.07	8.18	7.11	4.55	3.54
	灣內站	0:04	24.48	52.58	34.65	8.27	8.4	6.1	8.6	
		3:04	24.22	52.65	34.71	8.24	7.86	7.6	7.1	
		6:04	24.06	52.7	34.75	8.15	6.98	8.6	5.7	
		9:04	24.03	52.53	34.63	8.25	7.88	8.7	7.3	
		12:04	24.44	52.37	34.5	8.26	8.43	7.3	6.2	
		15:04	24.61	52.47	34.57	8.28	8.87	6.9	4.6	
		18:04	24.9	52.37	34.48	8.25	8.92	8.6	7.8	
		21:04	24.61	52.61	34.67	8.22	7.85	12.7	3.8	
	日平均值			24.42	52.54	34.62	8.24	8.15	8.31	6.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月6日	蚵殼站	0:04	23.76	54	35.72	8.28	7.72	2.3	12.6	
		3:04	23.7	54	35.72	8.31	7.99	1.9	11.8	
		6:04	23.35	53.17	35.11	8.32	7.93	2.5	14.3	
		9:04	23.52	53.9	35.65	8.28	7.52	1.6	11.1	
		12:04	23.76	53.93	35.67	8.34	8.48	1.7	13.4	
		15:04	23.96	54	35.71	8.35	8.97	1.8	13.4	
		18:04	23.78	54.02	35.73	8.31	8.21	2.9	12.1	
		21:04	23.62	54.02	35.74	8.24	7.44	3.2	12.1	
	日平均值			23.68	53.88	35.63	8.30	8.03	2.24	12.60
	潮口站	0:04	23.48	52.97	34.96	8.17	7.01	1.4	0.3	
		3:04	23.56	53.33	35.22	8.17	6.91	4.5	9.6	
		6:04	23.43	53.27	35.18	8.15	6.53	3.7	3.1	
		9:04	23.34	53.15	35.1	8.15	6.58	3.2	0.3	
		12:04	23.57	53.41	35.28	8.18	6.96	7.9	0.8	
		15:04	23.89	53.35	35.23	8.18	7.23	8	2.6	
		18:04	23.73	53.24	35.16	8.19	7.27	4	6.5	
		21:04	23.5	53.33	35.23	8.17	7.03	1.5	1.7	
	日平均值			23.56	53.26	35.17	8.17	6.94	4.28	3.11
	灣內站	0:04	24.44	52.35	34.48	8.18	7.73	12.7	4.4	
		3:04	24.16	51.73	34.03	8.2	7.57	16.7	5.4	
		6:04	23.98	51.38	33.78	8.13	6.49	16.3	4.3	
		9:04	24.14	52.13	34.32	8.24	7.61	18.4	3.5	
		12:04	24.35	52.19	34.36	8.26	8.09	21.8	2.9	
		15:04	24.56	52.21	34.38	8.28	8.57	20.5	2.9	
		18:04	24.59	52.17	34.35	8.26	8.21	18.7	2.2	
		21:04	24.27	52.11	34.3	8.25	8.07	21.5	2.3	
	日平均值			24.31	52.03	34.25	8.23	7.79	18.33	3.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月7日	蚵殼站	0:04	23.47	54	35.73	8.23	7.18	3.3	9.6	
		3:04	23.31	54.01	35.74	8.22	6.72	2.9	7.8	
		6:04	23.14	54.04	35.76	8.17	6.39	3.3	8.9	
		9:04	23.42	53.74	35.53	8.32	7.97	2.2	10.4	
		12:04	23.76	53.96	35.69	8.3	8.19	2.5	11.3	
		15:04	23.73	53.97	35.7	8.3	8.47	23.4	9.4	
		18:04	23.61	53.93	35.67	8.3	7.85	1.9	10.2	
		21:04	23.52	53.91	35.66	8.29	7.69	2.4	8.4	
	日平均值			23.50	53.95	35.69	8.27	7.56	5.24	9.50
	潮口站	0:04	23.54	53.56	35.4	8.18	6.73	0.9	1	
		3:04	23.23	53.19	35.13	8.2	7.06	2.9	3.1	
		6:04	23.12	53.21	35.15	8.18	6.76	2.1	13.8	
		9:04	23.29	53.52	35.37	8.16	6.63	1.5	0.5	
		12:04	23.55	53.59	35.42	8.19	7.05	1.7	3.1	
		15:04	23.87	53.46	35.31	8.2	7.33	6.8	0.8	
		18:04	23.53	53.31	35.21	8.25	8.04	4.8	8.7	
		21:04	23.51	53.36	35.25	8.21	7.1	3.8	6.2	
	日平均值			23.46	53.40	35.28	8.20	7.09	3.06	4.65
	灣內站	0:04	24.14	52.15	34.34	8.26	8.01	24.2	1.8	
		3:04	24.02	52.12	34.32	8.25	7.83	25.3	1	
		6:04	23.88	52.1	34.31	8.23	7.49	28.4	1.1	
		9:04	23.83	52.07	34.29	8.26	7.66	30.2	0.9	
		12:04	24.35	51.87	34.13	8.28	8.34	34.5	1.3	
		15:04	24.43	51.87	34.13	8.3	8.68	34	0.9	
		18:04	24.52	51.69	33.99	8.28	8.62	34.7	1.1	
		21:04	24.28	51.23	33.66	8.26	8.52	36.8	1.4	
	日平均值			24.18	51.89	34.15	8.27	8.14	31.01	1.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月8日	蚵殼站	0:04	23.36	53.89	35.65	8.25	7.23	2.2	8.4	
		3:04	23.19	53.89	35.65	8.25	7.17	3.4	8.2	
		6:04	23.08	53.87	35.64	8.25	6.94	1.9	7.6	
		9:04	23.06	53.8	35.58	8.27	7.4	2.7	7.5	
		12:04	23.51	53.79	35.57	8.3	8.03	1.9	8.2	
		15:04	23.49	53.79	35.57	8.28	8.02	1.9	9.2	
		18:04	23.24	53.91	35.66	8.27	7.64	2.3	8.8	
		21:04	23.03	53.84	35.61	8.27	7.32	2.6	8.5	
	日平均值			23.25	53.85	35.62	8.27	7.47	2.36	8.30
	潮口站	0:04	23.5	53.73	35.52	8.18	6.87	1.2	4.2	
		3:04	23.25	53.6	35.43	8.2	6.94	1.2	1.7	
		6:04	23.14	53.54	35.39	8.17	6.51	4.6	0.5	
		9:04	23.07	53.6	35.44	8.17	6.73	1.6	0.5	
		12:04	23.52	53.68	35.49	8.18	6.82	1.2	1.1	
		15:04	23.49	53.59	35.42	8.18	6.97	4.2	1.1	
		18:04	23.48	53.52	35.37	8.17	6.8	7.3	4.3	
		21:04	23.3	52.09	34.31	8.23	7.39	2.5	4	
	日平均值			23.34	53.42	35.30	8.19	6.88	2.98	2.18
	灣內站	0:04	24.09	51.53	33.88	8.27	8.05	42.5	0.4	
		3:04	23.98	51.45	33.83	8.21	7.09	45.1	0.8	
		6:04	23.74	51.22	33.66	8.2	6.78	44.7	0.8	
		9:04	23.66	51.15	33.61	8.23	7.52	43.6	1.3	
		12:04	24.06	51.05	33.53	8.26	7.72	44.8	0.7	
		15:04	24.2	50.8	33.34	8.27	8.19	49.9	0.7	
		18:04	24.03	50.56	33.17	8.26	7.82	54.2	1.1	
		21:04	23.85	50.39	33.05	8.25	7.64	57.4	0.2	
	日平均值			23.95	51.02	33.51	8.24	7.60	47.78	0.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月9日	蚵殼站	0:04	23	53.92	35.68	8.24	6.76	3.2	7.3	
		3:04	22.82	54.09	35.8	8.23	6.84	3.7	6.2	
		6:04	22.6	54.04	35.77	8.24	6.91	4.6	8.5	
		9:04	22.48	53.22	35.16	8.3	7.51	2.2	12.8	
		12:04	22.73	53.54	35.39	8.31	7.66	2	9	
		15:04	22.86	53.5	35.37	8.35	8.23	2.3	11.3	
		18:04	22.64	53.58	35.43	8.3	7.83	2.2	12.1	
		21:04	22.61	53.86	35.64	8.25	7.03	2.5	7.5	
	日平均值			22.72	53.72	35.53	8.28	7.35	2.84	9.34
	潮口站	0:04	23.18	51.78	34.09	8.17	6.65	1.7	8	
		3:04	22.97	50.21	32.93	8.16	6.68	1.6	4.3	
		6:04	22.87	50.44	33.1	8.16	6.48	1.4	3.8	
		9:04	22.9	51.57	33.94	8.17	6.53	0.9	3.1	
		12:04	23.42	52.02	34.26	8.19	6.92	3.2	0.8	
		15:04	23.23	50.23	32.94	8.18	6.84	2.7	2.8	
		18:04	22.95	49.21	32.19	8.22	7.37	1.5	3.1	
		21:04	22.78	48.47	31.66	8.26	7.51	1.5	3.5	
	日平均值			23.04	50.49	33.14	8.19	6.87	1.81	3.68
	灣內站	0:04	23.62	50.19	32.9	8.23	7.34	61	0.2	
		3:04	23.43	49.96	32.74	8.23	7.25	63	0.1	
		6:04	23.3	49.69	32.54	8.22	7.09	67.6	0.6	
		9:04	23.19	49.6	32.48	8.22	6.96	69.2	0.2	
		12:04	23.26	49.4	32.33	8.2	6.96	78.1	0	
		15:04	23.31	48.99	32.03	8.29	8.49	77.8	0.7	
		18:04	23.09	48.38	31.59	8.31	8.65	77.7	0.4	
		21:04	22.76	47.58	31.01	8.3	8.89	67.3	0.2	
	日平均值			23.25	49.22	32.20	8.25	7.70	70.21	0.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月10日	蚵殼站	0:04	22.5	53.53	35.39	8.24	6.51	1.9	6.4	
		3:04	22.35	53.64	35.47	8.26	6.85	2.3	7	
		6:04	21.71	52.14	34.37	8.28	6.87	3.8	13.5	
		9:04	22.29	53.14	35.11	8.33	6.57	2.1	6.4	
		12:04	22.56	53.36	35.26	8.28	7.32	2.3	5.4	
		15:04	22.82	53.52	35.38	8.3	8	2.4	9.2	
		18:04	22.67	53.77	35.57	8.24	7.06	2.5	7.4	
		21:04	22.54	53.68	35.5	8.26	7.33	2.8	7.3	
	日平均值			22.43	53.35	35.26	8.27	7.06	2.51	7.83
	潮口站	0:04	22.69	48.98	32.03	8.24	7.03	1.7	2.5	
		3:04	22.94	49.95	32.74	8.19	6.7	0.6	0.3	
		6:04	22.9	50.34	33.03	8.18	6.64	1.3	0.8	
		9:04	22.76	50.03	32.8	8.18	6.6	0.9	0.7	
		12:04	23.24	47.98	31.29	8.17	6.78	1.9	1.3	
		15:04	23.56	49.19	32.17	8.19	6.81	0.5	1.7	
		18:04	23.27	48.17	31.43	8.2	6.8	4.2	3.2	
		21:04	23.11	49.14	32.14	8.19	6.6	9.4	1.9	
	日平均值			23.06	49.22	32.20	8.19	6.75	2.56	1.55
	灣內站	0:04	22.89	47.89	31.23	8.2	7.28	71.1	0.5	
		3:04	22.64	47.69	31.09	8.15	6.53	80.6	0.4	
		6:04	22.37	47.99	31.31	8.07	5.57	83.9	0.5	
		9:04	22.32	47.42	30.9	8.16	7.46	84.4	0.1	
		12:04	22.97	47.1	30.65	8.29	8.31	81.3	0	
		15:04	23.39	46.91	30.51	8.3	8.79	78.3	0.1	
		18:04	23.27	46.59	30.28	8.24	8.12	92	0.3	
		21:04	23.04	46.1	29.93	8.25	8.05	92.8	0	
	日平均值			22.86	47.21	30.74	8.21	7.51	83.05	0.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月11日	蚵殼站	0:04	22.43	53.45	35.34	8.32	7.38	2.7	7.9	
		3:04	22.33	53.55	35.41	8.19	6.16	2.5	7.3	
		6:04	22.09	53	35	8.3	7.28	2.9	13.2	
		9:04	22.37	53.22	35.17	8.31	7.43	2.8	7.9	
		12:04	22.55	52.86	34.89	8.35	8.5	3	10.4	
		15:04	22.61	53.3	35.22	8.33	8.43	2.9	9.8	
		18:04	22.49	53.38	35.28	8.28	7.75	3.4	7.4	
		21:04	22.45	53.33	35.24	8.33	7.98	3.6	8.4	
	日平均值			22.42	53.26	35.19	8.30	7.61	2.98	9.04
	潮口站	0:04	22.87	50.47	33.13	8.17	6.37	3.9	1.9	
		3:04	23.01	48.84	31.93	8.15	6.18	1.6	0.7	
		6:04	23.06	50.4	33.07	8.18	6.57	1.3	1.2	
		9:04	23.07	50.42	33.08	8.17	6.47	3.6	0.5	
		12:04	23.31	48.98	32.02	8.18	6.7	0.4	4.1	
		15:04	23.61	49.1	32.11	8.2	6.96	3.2	0.6	
		18:04	23.27	48.45	31.64	8.19	6.76	4.3	5.9	
		21:04	23.19	50.19	32.91	8.16	6.33	8.4	1.3	
	日平均值			23.17	49.61	32.49	8.18	6.54	3.34	2.03
	灣內站	0:04	22.89	45.77	29.69	8.2	7.37	105.3	0.2	
		3:04	22.92	45.63	29.59	8.13	6.34	118.3	0	
		6:04	22.7	45.09	29.21	8.11	5.63	139.5	0.2	
		9:04	22.76	44.51	28.78	8.18	6.58	144.3	0.1	
		12:04	23.15	43.75	28.23	8.31	8.94	156.2	0.3	
		15:04	23.32	43.2	27.83	8.33	9.6	154.5	0.1	
		18:04	23.41	42.8	27.54	8.34	9.67	171.5	0.3	
		21:04	23.32	42.48	27.32	8.35	9.89	171.6	0.2	
	日平均值			23.06	44.15	28.52	8.24	8.00	145.15	0.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月12日	蚵殼站	0:04	22.43	53.18	35.13	8.33	8.1	3.3	7.6	
		3:04	22.34	53.19	35.14	8.35	8.04	5	10.4	
		6:04	22.27	53.2	35.15	8.27	6.87	4.8	8.6	
		9:04	22.32	53.01	35.01	8.33	7.92	24.7	9.6	
		12:04	22.84	52.58	34.68	8.29	8.36	5.9	10.2	
		15:04	22.82	53.12	35.08	8.32	8.38	6.4	10.3	
		18:04	23	53.24	35.17	8.29	8.13	11.9	9.8	
		21:04	22.92	53.28	35.2	8.25	7.76	16.8	7.9	
	日平均值			22.62	53.10	35.07	8.30	7.95	9.85	9.30
	潮口站	0:04	23.02	45.9	29.79	8.17	6.46	7.3	0.4	
		3:04	23.29	45.92	29.79	8.18	6.74	4	0.9	
		6:04	23.18	46.96	30.55	8.18	6.66	4	0.8	
		9:04	23.21	47.54	30.97	8.19	6.52	4.1	0.4	
		12:04	23.5	47.52	30.95	8.18	6.76	5	1.6	
		15:04	23.72	48.46	31.63	8.2	6.85	3.6	0.2	
		18:04	23.75	48.13	31.39	8.2	6.73	3.8	0	
		21:04	23.88	47.53	30.95	8.14	6.04	10.9	0.4	
	日平均值			23.44	47.25	30.75	8.18	6.60	5.34	0.59
	灣內站	0:04	22.91	41.89	26.91	8.29	8.96	171.2	0.4	
		3:04	22.92	41.81	26.85	8.21	7.34	176.7	0.4	
		6:04	22.77	41.95	26.95	8.15	6.34	177	0.3	
		9:04	22.86	42.22	27.14	8.21	7.11	170.6	0.5	
		12:04	23.83	41.42	26.55	8.29	8.95	179.8	0.2	
		15:04	23.46	40.77	26.09	8.27	8.46	160	0.5	
		18:04	23.33	40.61	25.99	8.29	8.41	176.5	0.3	
		21:04	23.46	40.42	25.85	8.28	8.19	183.2	0.6	
	日平均值			23.19	41.39	26.54	8.25	7.97	174.38	0.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月13日	蚵殼站	0:04	22.84	53.13	35.09	8.28	7.86	25.5	9.9	
		3:04	23.27	50.65	33.25	8.25	7.47	26.7	5.8	
		6:04	23.06	49.97	32.75	8.27	7.94	27	10.8	
		9:04	23.17	49.35	32.3	8.3	8.17	25.6	8.7	
		12:04	23.47	50.52	33.15	8.3	8.21	27	8.5	
		15:04	24.04	47.44	30.88	8.29	9	31.3	8.7	
		18:04	23.35	49.78	32.61	8.17	8.59	2.8	11.2	
		21:04	23.09	49.6	32.48	8.21	8.41	2.6	10.9	
	日平均值			23.29	50.06	32.81	8.26	8.21	21.06	9.31
	潮口站	0:04	23.38	45.14	29.23	8.26	7.65	3.3	6.8	
		3:04	23.53	47.66	31.05	8.18	6.51	4.1	0.7	
		6:04	23.48	47.32	30.81	8.17	6.43	2.8	3.8	
		9:04	23.56	47.58	30.99	8.19	6.48	2	4.4	
		12:04	23.86	47.17	30.69	8.21	6.97	5.8	2	
		15:04	24.07	46.86	30.47	8.17	6.21	1.6	0.3	
		18:04	23.75	47.15	30.68	8.18	6.31	0.9	1.8	
		21:04	23.74	46.18	29.98	8.2	6.57	3.9	1.9	
	日平均值			23.67	46.88	30.49	8.20	6.64	3.05	2.71
	灣內站	0:04	23.7	40.54	25.93	8.13	6.28	195.9	0.2	
		3:04	23.43	40.44	25.86	8.24	7.52	200.8	0.6	
		6:04	23.41	39.78	25.39	8.22	7.25	207.7	0.9	
		9:04	23.48	39.2	24.98	8.24	7.56	182.9	0.4	
		12:04	23.78	38.63	24.58	8.26	8.02	176	0.4	
		14:59	23.74	52.22	34.4	8.24	8.59	0.9	7.7	
		18:04	23.91	52.2	34.38	8.16	8.16	0.8	7.6	
		21:04	24.08	51.79	34.07	8.23	8.16	3.7	12.7	
	日平均值			23.69	44.35	28.70	8.22	7.69	121.09	3.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月14日	蚵殼站	0:04	23.06	49.52	32.42	8.17	8.28	4.1	11.4	
		3:04	22.92	49.46	32.38	8.22	7.84	3.4	11.5	
		6:04	22.84	49.48	32.4	8.14	7.51	3.4	10.1	
		9:04	22.85	49.49	32.4	8.13	7.67	2.9	8.9	
		12:04	23.11	49.51	32.41	8.14	8.31	3.1	11.8	
		15:04	23.21	49.5	32.4	8.13	8.68	2.7	13.1	
		18:04	23.19	49.51	32.41	8.1	8.45	2.9	12	
		21:04	23.06	49.54	32.43	8.11	8.34	2.8	12.5	
	日平均值			23.03	49.50	32.41	8.14	8.14	3.16	11.41
	潮口站	0:04	24.11	46.43	30.15	8.14	5.78	6.5	2	
		3:04	23.51	46.54	30.24	8.15	5.86	3.7	1.3	
		6:04	23.25	46.67	30.34	8.16	6.01	1.3	0.9	
		9:04	23.27	46.99	30.57	8.16	5.71	4	1.4	
		12:04	23.54	53.45	35.32	8.33	7.37	4.2	1.5	
		15:04	23.75	53.19	35.12	8.33	7.42	1.5	4.6	
		18:04	23.47	53.3	35.2	8.39	7.56	0.7	5.9	
		21:04	23.23	53.24	35.16	8.38	7.44	2.3	6.8	
	日平均值			23.52	49.98	32.76	8.26	6.64	3.03	3.05
	灣內站	0:04	23.73	51.96	34.21	8.25	7.76	1.9	6.1	
		3:04	23.64	52.03	34.26	8.09	7.17	1.2	13.5	
		6:04	23.31	50.75	33.33	7.98	5.93	3.3	6.4	
		9:04	23.31	51.21	33.66	8.09	6.42	2.1	7.9	
		12:04	23.73	52.23	34.41	8.23	7.96	3.3	5	
		15:04	23.95	52.29	34.45	8.2	8.61	2.4	10.8	
		18:04	23.8	52.18	34.37	8.24	8.89	0.9	10.9	
		21:04	23.57	51.9	34.16	8.16	8.56	2	11.5	
	日平均值			23.63	51.82	34.11	8.16	7.66	2.14	9.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月15日	蚵殼站	0:04	22.98	49.54	32.44	8.14	8.37	3.3	11.6	
		3:04	22.85	49.54	32.44	8.25	8.12	2.7	13	
		6:04	22.69	49.54	32.45	8.13	7.39	2.7	9.3	
		9:04	22.45	48.91	31.98	8.16	8.19	3	13.8	
		12:04	23.17	49.38	32.32	8.14	8.89	3	11.2	
		15:04	23.16	49.6	32.48	8.13	9.08	2.8	13.3	
		18:04	22.87	49.61	32.49	8.13	8.45	3.2	14.6	
		21:04	22.76	49.6	32.49	8.13	8.25	2.9	16	
	日平均值			22.87	49.47	32.39	8.15	8.34	2.95	12.85
	潮口站	0:04	23.09	53.27	35.19	8.4	7.36	2	7.5	
		3:09	23.02	53.39	35.28	8.4	7.06	2.9	6.6	
		6:04	22.98	53.63	35.46	8.42	7.17	1.9	5.6	
		9:04	23.11	53.71	35.52	8.42	7.39	0.4	5.6	
		12:04	23.51	53.35	35.24	8.41	7.74	2.9	7.6	
		15:04	23.91	53.48	35.33	8.38	7.77	0	5.8	
		18:04	23.45	52.75	34.8	8.41	7.93	0.2	8.4	
		21:04	23.26	53.08	35.05	8.39	7.73	0.9	7.6	
	日平均值			23.29	53.33	35.23	8.40	7.52	1.40	6.84
	灣內站	0:04	23.44	52.21	34.4	8.21	7.12	2.5	7.4	
		3:04	22.85	51.49	33.88	8.11	6.35	2.1	10.2	
		6:04	23.03	52.16	34.37	8.09	6.57	2.7	8	
		9:04	23.23	52.2	34.39	8.14	6.83	1.6	5.5	
		12:04	23.92	52.41	34.54	8.16	8.7	1.4	8.5	
		15:04	24.15	52.44	34.56	8.27	9.24	2.2	8.5	
		18:04	23.92	52.48	34.59	8.16	8.92	1.7	8.7	
		21:04	23.8	52.47	34.59	8.07	7.79	1.7	8.3	
	日平均值			23.54	52.23	34.42	8.15	7.69	1.99	8.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月16日	蚵殼站	0:04	22.9	49.58	32.47	8.14	8.59	2.5	17.7	
		3:04	22.82	49.5	32.41	8.18	8.29	2.6	13.9	
		6:04	22.73	49.49	32.41	8.14	7.92	3.1	14.5	
		9:04	22.68	49.5	32.41	8.16	8.39	2.7	13.5	
		12:04	23.43	49.36	32.3	8.16	9.77	2.7	16.5	
		15:04	23.05	49.51	32.41	8.15	8.9	2.8	15.4	
		18:04	22.77	49.58	32.47	8.13	8.4	3.3	16.6	
		21:04	22.78	49.57	32.46	8.16	8.78	2.5	16.5	
	日平均值			22.90	49.51	32.42	8.15	8.63	2.78	15.58
	潮口站	0:04	23.16	53.33	35.23	8.4	7.51	5.2	8.7	
		3:04	23.04	53.3	35.21	8.39	7.3	3.1	7.1	
		6:04	23.09	53.57	35.42	8.38	7.1	1.2	5.7	
		9:04	23.03	53.66	35.48	8.4	7.18	1.9	4.8	
		12:04	23.28	53.47	35.34	8.28	6.6	6.3	5.8	
		15:04	23.51	53.53	35.38	8.37	7.88	1.9	7.8	
		18:04	23.57	53.56	35.4	8.36	7.71	0.9	5.5	
		21:04	23.34	53.3	35.21	8.39	7.84	0.8	7	
	日平均值			23.25	53.47	35.33	8.37	7.39	2.66	6.55
	灣內站	0:04	23.66	52.44	34.57	8.11	7.99	1.3	4	
		3:04	22.82	51.34	33.77	8.17	7.09	2.7	8.9	
		6:04	23.27	52.19	34.39	8.17	7.5	1.8	5	
		9:04	23.35	52.39	34.53	8.18	6.93	2.1	6.2	
		12:04	24.19	52.53	34.62	8.18	7.95	5.9	6.8	
		15:04	24.26	52.54	34.63	8.23	10.1	1.3	10.1	
		18:04	24.1	52.56	34.65	8.22	9.06	2	12.6	
		21:04	23.98	52.61	34.68	8.2	8.37	2.7	11.6	
	日平均值			23.70	52.33	34.48	8.18	8.12	2.48	8.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月17日	蚵殼站	0:04	22.7	49.56	32.46	8.14	8.45	4	17.8	
		3:04	22.68	49.53	32.43	8.21	8.79	180.5	21	
		6:04	22.6	49.41	32.35	8.18	8.58	267.1	18.8	
		9:04	22.77	49.13	32.14	8.17	8.9	1044.4	17.8	
		12:04	23.41	49.25	32.22	8.15	9.59	761.4	15.6	
		15:04	23.18	49.41	32.34	8.16	9.9	50.3	16.5	
		18:04	23.5	49.64	32.5	8.11	9.32	59.2	14.2	
		21:04	23.18	49.53	32.43	8.14	9	1073.2	15.2	
	日平均值			23.00	49.43	32.36	8.16	9.07	430.01	17.11
	潮口站	0:04	23.16	53.45	35.32	8.38	7.52	5.8	6	
		3:04	23.17	53.34	35.24	8.37	7.31	2.1	7	
		6:04	23.06	53.52	35.37	8.37	7.17	0.6	4.6	
		9:03	23.07	53.73	35.53	8.37	7.31	1.5	4.7	
		12:04	24.03	53.37	35.25	8.39	8.57	2.7	7.3	
		15:04	24.18	53.49	35.33	8.36	8.58	2.3	8.2	
		18:04	23.62	53.34	35.23	8.33	7.61	0.7	5	
		21:04	23.58	53.4	35.28	8.36	7.73	0.8	4.8	
	日平均值			23.48	53.46	35.32	8.37	7.73	2.06	5.95
	灣內站	0:04	23.83	52.58	34.66	8.03	6.93	2.6	5.6	
		3:04	23.43	51.97	34.22	8.11	6.97	28.2	14.2	
		6:04	23.47	52.34	34.49	8.18	7.3	2.8	11.1	
		9:04	23.56	52.24	34.42	8.26	8.91	1.5	11.3	
		12:04	24.66	52.24	34.4	8.24	9.93	1.1	11	
		15:04	24.86	52.41	34.52	8.33	10.97	1.9	14	
		18:04	24.93	52.41	34.52	8.24	10.03	1.8	9	
		21:04	24.87	52.36	34.48	8.24	9.79	6.6	15.2	
	日平均值			24.20	52.32	34.46	8.20	8.85	5.81	11.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月18日	蚵殼站	0:04	23.67	49.48	32.38	8.17	10.34	715.9	17.6	
		3:04	23.7	49.44	32.35	8.16	9.92	456.4	18.6	
		6:04	23.55	49.4	32.32	8.15	9.32	1218.1	17.6	
		9:04	23.61	49.41	32.33	8.16	9.31	311.2	15.6	
		12:04	24.99	49	32.01	8.16	11.49	1005.6	20.3	
		15:04	24.22	49.41	32.32	8.13	10.84	308.1	21.6	
		18:04	23.83	49.62	32.48	8.11	9.89	603.3	15.9	
		21:04	23.97	49.56	32.44	8.16	10.68	972.4	18.1	
	日平均值			23.94	49.42	32.33	8.15	10.22	698.88	18.16
	潮口站	0:04	23.45	53.08	35.04	8.35	7.47	5.3	5.4	
		3:04	23.5	53.5	35.36	8.32	7.19	2	5.3	
		6:04	23.4	53.33	35.23	8.33	7.17	0.3	3.7	
		9:04	23.35	53.52	35.37	8.34	7.3	1.5	5.6	
		12:04	24.86	53.47	35.31	8.41	9.57	0.4	7.2	
		15:04	24.56	53.1	35.04	8.42	9.89	1.4	7.7	
		18:04	24.16	53.34	35.22	8.31	7.95	0.5	4.8	
		21:04	24.04	53.27	35.17	8.36	8.17	0.2	4.4	
	日平均值			23.92	53.33	35.22	8.36	8.09	1.45	5.51
	灣內站	0:04	24.64	52.35	34.48	8.17	8.6	1.7	11.1	
		3:04	23.78	51.21	33.65	8.09	6.58	3.9	13.9	
		6:04	23.7	52.24	34.42	8.1	7.27	1.3	5.4	
		9:04	23.84	52.31	34.46	8.23	8.34	1.3	9.4	
		12:04	25.32	52.48	34.56	8.21	9.97	1	5.4	
		15:04	25.86	52.41	34.5	8.26	10.71	1	10.8	
		18:04	25.41	52.4	34.5	8.32	11.08	1.6	13.3	
		21:04	25.25	52.39	34.5	8.2	10.01	0	7	
	日平均值			24.73	52.22	34.38	8.20	9.07	1.48	9.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月19日	蚵殼站	0:04	24.5	49.37	32.28	8.15	11.1	629.5	16	
		3:04	24.26	49.11	32.1	8.17	10.8	720.1	19.5	
		6:04	24.02	49.32	32.26	8.12	10.15	941.2	18.7	
		9:04	24.17	49.15	32.13	8.11	10.1	916.5	21.1	
		12:04	24.66	49.44	32.33	8.13	11.03	1061.2	19.6	
		15:04	24.42	49.58	32.44	8.07	10.25	1150.3	12.4	
		18:04	24.15	49.59	32.45	8.07	9.61	1028.9	15	
		21:04	24.62	49.47	32.36	8.1	10.3	928.1	16.8	
	日平均值			24.35	49.38	32.29	8.12	10.42	921.98	17.39
	潮口站	0:04	23.82	53.04	35.01	8.33	7.56	3.4	3.5	
		3:04	24.36	53.3	35.19	8.35	8.23	0.5	8	
		6:04	23.75	53.47	35.33	8.33	7.34	0.4	3.9	
		9:04	23.71	53.57	35.4	8.32	7.25	1.2	4.7	
		12:04	25.52	53.2	35.09	8.42	9.85	2.7	7.2	
		15:04	25.63	53.57	35.36	8.43	10.59	2.1	11.4	
		18:04	24.56	53.12	35.05	8.3	8.24	0.3	5.6	
		21:04	24.43	53.35	35.22	8.35	8.1	0.1	4.5	
	日平均值			24.47	53.33	35.21	8.35	8.40	1.34	6.10
	灣內站	0:04	25.64	52.25	34.38	8.25	10.18	2.2	9.6	
		3:04	25.29	52.03	34.23	8.26	9.75	1.4	11.6	
		6:04	24.94	52	34.21	8.12	7.96	3.2	8.8	
		9:04	24.83	52.14	34.32	8.13	7.69	1.4	5.1	
		12:04	26.07	52.21	34.34	8.23	10.32	0.9	5	
		15:04	26.8	52.14	34.27	8.31	11.18	2.1	13.5	
		18:04	26.21	52.07	34.23	8.29	12.26	4.1	22.2	
		21:04	25.86	51.94	34.15	8.25	10.29	1.9	16.2	
	日平均值			25.71	52.10	34.27	8.23	9.95	2.15	11.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月20日	蚵殼站	0:04	24.55	49.66	32.5	8.09	9.88	758	14	
		3:04	24.54	49.56	32.43	8.08	9.86	3	12.8	
		6:04	24.41	49.58	32.44	8.09	9.81	3.5	14.4	
		9:04	24.44	49.63	32.48	8.08	9.48	2.7	10.1	
		12:04	24.81	49.57	32.43	8.07	9.96	34	11	
		15:04	24.51	49.63	32.47	8.03	9.08	4.1	17.8	
		18:04	24.79	49.52	32.39	8.09	9.76	3.6	16.8	
		21:04	24.68	49.61	32.46	8.02	8.93	3.9	14.5	
	日平均值			24.59	49.60	32.45	8.07	9.60	101.60	13.93
	潮口站	0:04	24.7	53.29	35.18	8.4	8.86	1.4	8.7	
		3:04	25.5	53.49	35.3	8.36	8.74	0.9	8.7	
		6:04	23.96	53.22	35.14	8.3	7.16	0.1	3.6	
		9:04	23.6	53.31	35.21	8.35	7.48	0.3	4.2	
		9:54	23.89	53.47	35.33	8.36	7.57	2.4	6.2	
		15:04	24.9	53.22	35.12	8.36	8.87	2.3	4.9	
		18:04	24.16	53.14	35.07	8.29	7.47	3.3	7.2	
		21:04	24	52.79	34.82	8.32	7.48	0.4	5.7	
	日平均值			24.34	53.24	35.15	8.34	7.95	1.39	6.15
	灣內站	0:04	25.41	51.93	34.15	8.26	9.69	0.3	7.9	
		3:04	24.63	52.05	34.26	8.13	8.71	0.9	7.2	
		6:04	24.39	52.1	34.3	8.08	7.64	2.3	10.5	
		9:04	24.67	52.05	34.26	8.17	9.15	0.5	7.6	
		12:04	25.39	52.1	34.28	8.17	9.4	0.4	8.1	
		15:04	25.55	52.1	34.28	8.22	9.97	3.5	18	
		18:04	25.36	52.04	34.23	8.22	9.46	0.9	10.6	
		21:04	25.36	52.03	34.23	8.19	8.48	1.7	13.5	
	日平均值			25.10	52.05	34.25	8.18	9.06	1.31	10.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月21日	蚵殼站	0:04	24.7	49.64	32.48	8.06	9.24	6.3	14	
		3:04	24.63	49.68	32.51	8.05	8.72	3	12.5	
		6:04	24.46	49.65	32.49	8.05	8.49	25.5	13.2	
		9:04	24.16	49.61	32.47	8.01	7.11	3.9	12.9	
		12:04	24.18	49.63	32.48	8.04	7.98	7.9	16.9	
		15:04	24.05	49.6	32.46	8.02	7.83	3.3	19.5	
		18:04	23.85	49.67	32.52	8.14	7.3	3.5	15.2	
		21:04	23.71	49.68	32.53	8.1	7.41	4	15.3	
	日平均值			24.22	49.65	32.49	8.06	8.01	7.18	14.94
	潮口站	0:04	24.16	53.84	35.59	8.32	7.51	1.5	5.2	
		3:04	24.11	53.01	34.98	8.32	7.25	2	8	
		6:04	23.4	53.19	35.13	8.33	7.14	2.7	5.2	
		9:04	23.27	53.35	35.25	8.35	7.01	1.8	4.9	
		12:04	23.48	53.1	35.06	8.34	7.25	3.4	7.9	
		15:04	23.81	53.51	35.36	8.39	7.9	2.7	15.4	
		18:04	23.83	53.09	35.04	8.37	7.6	1.5	13.5	
		21:04	23.27	53.27	35.19	8.36	7.2	2.2	5.7	
	日平均值			23.67	53.30	35.20	8.35	7.36	2.23	8.23
	灣內站	0:04	25.18	51.98	34.19	8.05	7.33	0.4	2.8	
		3:04	25.07	51.89	34.13	8.06	6.26	0.6	11.9	
		6:04	24.86	51.88	34.13	8.15	6.48	1.3	8.5	
		9:04	24.72	51.86	34.11	8.14	7.04	2.2	2.6	
		12:04	24.6	51.72	34.01	8.19	7.94	1.6	15.6	
		15:04	24.61	51.62	33.94	8.21	7.81	5.4	16	
		18:04	24.29	50.69	33.26	8.11	5.41	4.8	17.7	
		21:04	24.33	51.46	33.82	8.08	7.17	2.3	11.6	
	日平均值			24.71	51.64	33.95	8.12	6.93	2.33	10.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月22日	蚵殼站	0:04	23.52	49.68	32.53	8.06	6.98	3.7	11.1	
		3:04	23.45	49.7	32.55	8.08	7.12	3.3	13.2	
		6:04	23.37	49.71	32.56	8.07	6.95	3.5	11.1	
		9:04	23.25	49.6	32.48	8.03	5.98	2.9	10	
		12:04	23.26	49.39	32.32	8.05	7.05	4	10.7	
		15:04	23.15	49.5	32.41	8.03	6.42	18.6	10.7	
		18:04	23.06	49.07	32.1	8	5.77	3.1	5.1	
		21:04	23	49.63	32.5	8.05	5.56	3	6.9	
	日平均值			23.26	49.54	32.43	8.05	6.48	5.26	9.85
	潮口站	0:04	23.37	53.43	35.3	8.35	7.2	1.8	5.2	
		3:04	23.27	53.39	35.28	8.39	7.14	2.7	10.6	
		6:04	23.06	53.56	35.41	8.37	6.99	1.6	6.5	
		9:04	23.05	53.45	35.32	8.38	7.21	2.5	5.4	
		12:04	23.03	53.15	35.1	8.37	7.15	2.9	6.9	
		15:04	23.08	53.1	35.06	8.37	7.19	5.8	9	
		18:04	23.24	53.33	35.23	8.44	8.01	1.4	14.6	
		21:04	22.68	51.7	34.04	8.32	7.02	1.7	6.2	
	日平均值			23.10	53.14	35.09	8.37	7.24	2.55	8.05
	灣內站	0:04	24.12	51.38	33.77	8.08	6.71	2	14.4	
		3:04	24.15	51.47	33.84	8.03	5.61	7.9	6.2	
		6:04	23.94	51.38	33.78	8.02	5.35	2.7	8	
		9:04	23.82	51.38	33.78	8.05	5.34	3.4	2.6	
		12:04	23.79	51.3	33.72	8.1	6.17	1.6	9	
		15:04	23.72	51.19	33.64	8.02	6.01	6.6	10.9	
		18:04	23.77	51.18	33.63	8.14	6.62	4.5	9.7	
		21:04	23.64	51.12	33.59	7.95	5.42	4.3	5.3	
	日平均值			23.87	51.30	33.72	8.05	5.90	4.13	8.26
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月23日	蚵殼站	0:04	22.95	49.46	32.38	8.08	6.88	2.3	9.8	
		3:04	22.85	49.6	32.49	8.09	7.13	5.1	11.7	
		6:04	22.72	49.64	32.52	8.07	6.45	2.8	8.4	
		9:04	22.71	49.58	32.47	8.06	6.33	2.3	7.6	
		12:04	23.26	49.55	32.44	8.06	7.71	2.8	9.9	
		15:04	23.04	49.93	32.72	8.08	8.09	3.2	12	
		18:04	23	49.62	32.5	8.06	7.47	3.4	8.8	
		21:04	23.03	49.71	32.56	8.15	7.81	2.7	13.5	
	日平均值			22.95	49.64	32.51	8.08	7.23	3.08	10.21
	潮口站	0:04	22.91	53	34.99	8.36	7.13	1.9	6.6	
		3:04	22.83	52.83	34.87	8.4	7.29	1.9	11.7	
		6:04	22.7	52.78	34.83	8.36	6.75	2.1	8.1	
		9:04	22.89	53.43	35.31	8.36	6.98	1.9	5.8	
		12:04	23.19	53.22	35.15	8.34	7.34	3.6	6.1	
		15:04	23.6	53.14	35.08	8.36	7.74	5.6	9.2	
		18:04	23.45	52.8	34.84	8.36	7.5	4.8	9.3	
		21:04	23.21	52.9	34.91	8.37	7.23	3.6	11.3	
	日平均值			23.10	53.01	35.00	8.36	7.25	3.18	8.51
	灣內站	0:04	23.54	51.04	33.53	8.03	5.37	4.4	7	
		3:04	23.41	51.03	33.53	7.96	5.79	8.3	2.1	
		6:04	23.24	51.03	33.53	7.95	5.07	17.4	7.3	
		9:04	23.28	51.08	33.56	8.05	5.99	31.3	8.9	
		12:04	23.86	50.93	33.45	8.25	9	19.8	16.3	
		15:04	24.1	50.77	33.32	8.18	9.82	30.5	19.6	
		18:04	24.33	50.56	33.16	8.18	7.81	48.1	9.8	
		21:04	23.57	46.57	30.26	8	5.71	57.2	26.6	
	日平均值			23.67	50.38	33.04	8.08	6.82	27.13	12.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月24日	蚵殼站	0:04	23.01	49.69	32.55	8.11	8	3.2	13.3	
		3:04	22.92	49.68	32.54	8.08	7.49	3.2	12.6	
		6:04	22.77	49.57	32.46	8.09	7.23	2.7	11.1	
		9:04	22.83	49.58	32.47	8.09	7.86	3.1	10.5	
		12:04	23.65	49.78	32.6	8.11	9.73	3.1	16.6	
		15:04	23.12	49.63	32.5	8.09	8.71	3.3	17.6	
		18:04	23.07	49.65	32.52	8.03	7.14	6.7	12.3	
		21:04	23.07	49.64	32.51	8.06	7.19	4.2	13.4	
	日平均值			23.06	49.65	32.52	8.08	7.92	3.69	13.43
	潮口站	0:04	23.15	53.14	35.09	8.34	7.09	3.2	7.6	
		3:04	23.12	53.24	35.17	8.38	7.35	1.9	7	
		6:04	22.99	53.02	35.01	8.35	7.05	2	7.3	
		9:04	23.03	53.02	35.01	8.32	6.99	1.9	6	
		12:04	23.48	52.67	34.74	8.36	7.41	0.6	6.6	
		15:04	23.58	53.09	35.05	8.35	7.64	6.3	8.4	
		18:04	23.63	52.99	34.97	8.36	7.84	5.1	10.4	
		21:04	23.7	53.13	35.08	8.34	7.54	4.7	9.3	
	日平均值			23.34	53.04	35.02	8.35	7.36	3.21	7.83
	灣內站	0:04	23.87	50.22	32.92	8.12	8.14	62.6	6	
		3:04	23.61	50.1	32.84	8.15	6.87	94.7	9.5	
		6:04	23.57	50.15	32.87	7.99	5.52	184.9	5.8	
		9:04	23.63	50.13	32.86	8.15	7.3	199.3	6.9	
		12:04	24.47	50	32.75	8.11	9.24	261.3	5.3	
		15:04	24.26	49.72	32.54	8.19	9.64	378.6	14.2	
		18:04	24.47	49.66	32.5	8.18	9.58	440.2	16.7	
		21:04	24.75	49.41	32.31	8.13	9.09	459.9	20.2	
	日平均值			24.08	49.92	32.70	8.13	8.17	260.19	10.58
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月25日	蚵殼站	0:04	23.23	49.68	32.54	8.13	8.45	3	18.1	
		3:04	23.12	49.19	32.18	8.1	8.34	4.4	19.1	
		6:04	23.03	49.33	32.28	8.06	7.95	3.6	18.1	
		9:04	23.31	49.26	32.23	8.05	8.05	3.7	13.1	
		12:04	23.64	49.33	32.27	8.03	9.08	5.6	17.4	
		15:04	23.81	49.58	32.46	8.04	9.59	5	20	
		18:04	23.63	49.7	32.54	8.03	9.07	3.6	16.3	
		21:04	23.68	49.64	32.5	8.06	9.36	3	23.9	
	日平均值			23.43	49.46	32.38	8.06	8.74	3.99	18.25
	潮口站	0:04	23.49	52.67	34.74	8.33	7.16	5.6	8	
		3:04	23.38	52.44	34.57	8.34	7.11	2	7.1	
		6:04	23.26	52.81	34.85	8.36	7.32	6.5	7.7	
		9:04	23.35	52.47	34.59	8.34	7.25	2.5	7.4	
		12:04	23.87	52.82	34.85	8.34	7.6	3.9	7.7	
		15:04	24.19	52.65	34.71	8.32	7.71	2.8	8.4	
		18:04	24.09	52.81	34.83	8.32	7.72	7	10.8	
		21:04	24.4	53.23	35.14	8.27	7.41	5.7	10.2	
	日平均值			23.75	52.74	34.79	8.33	7.41	4.50	8.41
	灣內站	0:04	24.39	48.49	31.65	8.18	7.89	619.5	34.8	
		3:04	24.09	48.83	31.9	8.13	7.81	929.3	27.2	
		6:04	23.8	48.93	31.98	8.06	6.09	912.4	14.6	
		9:04	24	48.83	31.9	8.05	6.6	1248.7	14	
		12:04	24.73	48.37	31.55	8.19	9.23	1224.6	16.8	
		15:04	24.97	48.1	31.34	8.25	9.48	1257.4	13	
		18:04	25.04	47.89	31.19	8.17	8.31	1258.1	16	
		21:04	25.47	48.01	31.27	8.16	9.67	1262	44.5	
	日平均值			24.56	48.43	31.60	8.15	8.14	1089.00	22.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月26日	蚵殼站	0:04	23.94	49.68	32.52	8.11	9.32	3.1	17.3	
		3:04	24.06	49.63	32.48	8.01	8.42	3	15.2	
		6:04	24.01	49.61	32.47	8.03	8.26	2.6	11.7	
		9:04	24.16	49.57	32.44	8.02	8.93	3.7	13.3	
		12:34	25.23	52.1	34.28	8.36	10.58	5.3	26.2	
		15:04	24.87	52.25	34.4	8.37	10.21	4.1	10.4	
		18:04	25.13	52.13	34.3	8.4	10.54	4.2	11.1	
		21:04	25.97	51.32	33.68	8.41	10.94	4.8	13.2	
	日平均值			24.67	50.79	33.32	8.21	9.65	3.85	14.80
	潮口站	0:04	24.28	52.38	34.51	8.27	7.19	3.8	8.7	
		3:04	23.76	52.16	34.35	8.31	7.13	1.3	7.1	
		6:04	23.82	52.23	34.41	8.31	7.17	1.8	7.7	
		9:04	24.24	52.26	34.42	8.33	8.06	1.9	10.6	
		12:04	24.09	51.89	34.15	8.32	7.5	1.9	6.1	
		15:04	24.71	51.84	34.1	8.31	7.73	2.3	7	
		18:04	25.05	52	34.21	8.32	8.31	2.8	10.1	
		21:04	25.83	52.35	34.45	8.23	7.86	6.4	10.1	
	日平均值			24.47	52.14	34.33	8.30	7.62	2.78	8.43
	灣內站	0:04	25.39	47.26	30.73	8.1	8.16	1261.4	37.9	
		3:04	24.5	47.73	31.09	8.1	7.7	1253.1	25.8	
		6:04	24.35	47.94	31.25	8.03	7.36	1226.6	20.8	
		9:04	24.62	48	31.28	8.03	7.52	1253.9	18.2	
		12:04	26.6	51.56	33.84	8.31	9.55	2.8	6.5	
		15:04	26.3	51.27	33.64	8.37	10.75	4.2	18.6	
		18:04	27.03	51.15	33.53	8.29	10.07	3.5	18	
		21:04	26.67	51.17	33.55	8.33	10.69	5.6	22.7	
	日平均值			25.68	49.51	32.36	8.20	8.98	626.39	21.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月27日	蚵殼站	0:04	26.08	52.09	34.25	8.39	10.25	5.7	11.1	
		3:04	26.29	52.05	34.22	8.34	9.73	30.6	7.6	
		6:04	26.11	52.03	34.21	8.32	9.15	66.6	7.1	
		9:04	26.3	52	34.18	8.35	9.98	4	8.8	
		12:04	25.84	52.53	34.58	8.32	9.64	3.8	10.7	
		15:04	26.56	52.53	34.56	8.32	10.01	7.8	9.5	
		18:04	26.32	52.48	34.54	8.31	9.73	4.3	11.1	
		21:04	26.08	52.47	34.54	8.31	9.18	3.5	8.1	
	日平均值			26.20	52.27	34.39	8.33	9.71	15.79	9.25
	潮口站	0:04	25.98	51.88	34.1	8.19	7.58	3.3	9.9	
		3:04	24.29	51.36	33.75	8.3	7.38	2.6	7.6	
		6:04	24.82	51.28	33.69	8.39	8.39	1	9.5	
		9:04	25.74	50.88	33.37	8.39	10.21	0.5	8.9	
		12:04	24.98	52.28	34.42	8.41	7.24	2.9	1.5	
		15:04	24.78	52.38	34.5	8.38	7.22	3.9	4.2	
		18:04	24.99	52.47	34.56	8.33	7.09	4.2	1.6	
		21:04	26.23	52.54	34.58	8.32	6.65	7.5	6.5	
	日平均值			25.23	51.88	34.12	8.34	7.72	3.24	6.21
	灣內站	0:04	26.48	49.96	32.67	8.07	6.04	4.8	29.2	
		3:04	25.95	51.26	33.65	8.26	7.78	1.8	10.8	
		6:04	25.62	51.18	33.59	8.32	8.85	2.5	12.8	
		9:04	25.93	51.32	33.68	8.19	7.57	1.9	5.8	
		12:04	26.79	51.17	33.56	8.3	9.59	5.1	15.6	
		15:04	27.22	51.15	33.53	8.3	9.19	3.1	18.6	
		18:04	27.05	51.34	33.67	8.27	8.83	2.7	12.1	
		21:04	27.15	51.06	33.46	8.27	8.97	3.5	17.8	
	日平均值			26.52	51.06	33.48	8.25	8.35	3.18	15.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月28日	蚵殼站	0:04	26.73	52.27	34.37	8.33	9.25	4.4	9.9	
		3:04	26.66	52.28	34.38	8.3	9.11	3.6	8.2	
		6:04	26.4	52.34	34.42	8.3	8.63	3.7	8.5	
		9:04	26.53	50.41	33	8.31	9.12	3.3	10.8	
		12:04	27.01	49.73	32.49	8.3	9.54	5.6	9	
		15:04	26.17	50.45	33.04	8.34	8.73	3.9	7.2	
		18:04	26.25	49.49	32.33	8.31	8.31	4.1	6.3	
		21:04	25.93	49.19	32.12	8.29	7.64	5.4	4.5	
	日平均值			26.46	50.77	33.27	8.31	8.79	4.25	8.05
	潮口站	0:04	25.99	52.5	34.56	8.34	7.73	2.9	6.4	
		3:04	24.78	52.47	34.56	8.46	6.94	2	0.6	
		6:04	24.93	52.56	34.63	8.52	6.93	3.2	2.5	
		9:04	26.05	52.48	34.54	8.46	8.48	1.6	2	
		12:04	26.82	52.6	34.61	8.36	6.82	3.6	3.5	
		15:04	25.1	52.27	34.4	8.41	7.03	2.9	3.7	
		18:04	25.93	52.48	34.54	8.45	7.08	2.1	1.9	
		21:04	26.08	52.6	34.63	8.39	6.61	9	1.4	
	日平均值			25.71	52.50	34.56	8.42	7.20	3.41	2.75
	灣內站	0:04	26.82	51.36	33.69	8.27	7.91	2.1	10.5	
		3:04	26.2	51.47	33.79	8.22	7.15	2.1	11.2	
		6:04	26.22	51.28	33.65	8.26	8.16	1.8	8.2	
		9:04	26.26	51.2	33.59	8.21	6.84	1.7	7.9	
		12:04	27.32	51.39	33.7	8.27	9.02	3.1	11.3	
		15:04	26.65	51.48	33.78	8.27	8.94	9.1	16.5	
		18:04	25.74	51.61	33.9	8.21	7.82	5.2	7.8	
		21:04	24.85	51.48	33.83	8.15	6.81	7.4	14.5	
	日平均值			26.26	51.41	33.74	8.23	7.83	4.06	10.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月29日	蚵殼站	0:04	25.91	46.3	30.01	8.29	7.56	6	4.3	
		3:04	26.25	49.12	32.06	8.28	7.85	4.9	7.5	
		6:04	26.12	46.62	30.24	8.28	7.53	7.5	7.8	
		9:04	26.09	51.59	33.88	8.33	7.39	5.6	5.3	
		12:04	26.79	51.29	33.64	8.26	7.35	4.9	4.1	
		15:04	26.95	51.29	33.64	8.3	8.44	6.2	7.6	
		18:04	27.27	50.32	32.92	8.31	8.94	4.9	10	
		21:04	26.64	48.02	31.25	8.28	7.94	6.8	7.4	
	日平均值			26.50	49.32	32.21	8.29	7.88	5.85	6.75
	潮口站	0:04	26.78	52.67	34.66	8.3	6.29	11.6	4.6	
		3:04	25.41	52.44	34.53	8.57	6.78	5.2	4.2	
		6:04	25.2	52.02	34.22	8.37	6.72	5.6	0.4	
		9:04	26.09	52.55	34.59	8.37	6.25	8	3.3	
		12:04	27.75	52.76	34.7	8.26	6.23	11.1	0.9	
		15:04	25.17	52.41	34.51	8.41	6.95	4.1	6.6	
		18:04	25.79	52.38	34.47	8.39	7	1.2	4.2	
		21:04	25.89	52.42	34.5	8.38	6.98	6.2	6.1	
	日平均值			26.01	52.46	34.52	8.38	6.65	6.63	3.79
	灣內站	0:04	24.93	51.53	33.86	8.19	6.79	6.6	13.5	
		3:04	25.32	51.49	33.82	8.25	7.09	4.1	11.9	
		6:04	25.44	50.77	33.29	8.24	6.96	15.9	10.9	
		9:04	25.61	50.84	33.34	8.24	6.92	4.4	7.1	
		12:04	26.55	51	33.43	8.27	7.77	3.8	4.8	
		15:04	27.14	50.87	33.33	8.26	8.13	4.2	7	
		18:04	27.51	50.72	33.2	8.3	8.53	3.3	10.5	
		21:04	27.36	50.73	33.21	8.23	7.76	2.5	13.3	
	日平均值			26.23	50.99	33.44	8.25	7.49	5.60	9.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月30日	蚵殼站	0:04	27.05	42.23	27.06	8.28	8.27	4	6.9	
		3:04	26.84	44.08	28.4	8.27	7.89	2.9	6.4	
		6:04	26.7	42.9	27.55	8.26	7.65	3.1	5.6	
		9:04	26.84	42.32	27.13	8.23	7.08	3.5	4.3	
		12:04	27.28	42.75	27.43	8.27	8.24	3	5.6	
		15:04	27.35	43.82	28.19	8.28	8.85	4.6	6.6	
		18:04	27.22	46.4	30.06	8.29	8.79	4.5	6.8	
		21:04	27.32	42.8	27.46	8.3	8.84	4	6.4	
	日平均值			27.08	43.41	27.91	8.27	8.20	3.70	6.08
	潮口站	0:04	26.15	52.48	34.54	8.32	6.49	8.6	5.1	
		3:04	25.28	52.26	34.4	8.29	6.49	3.2	0.2	
		6:04	24.81	52.39	34.5	8.32	6.7	2.1	0.8	
		9:04	25.82	52.47	34.54	8.33	6.14	8.8	5.7	
		12:04	26.33	52.53	34.57	8.32	6.65	20	0	
		15:04	26.59	52.31	34.4	8.34	7.15	5.2	5.6	
		18:04	24.65	52.05	34.25	8.31	6.98	4.2	2	
		21:04	25.23	51.99	34.2	8.36	7.22	2.9	1.8	
	日平均值			25.61	52.31	34.43	8.32	6.73	6.88	2.65
	灣內站	0:04	27.11	50.93	33.36	8.2	6.81	2.9	7.2	
		3:04	26.84	51.04	33.45	8.24	6.71	2	5.9	
		6:04	26.62	50.85	33.32	8.24	5.89	1.4	8.4	
		9:04	26.77	50.71	33.22	8.21	6.71	1.9	7.4	
		12:04	27.49	50.29	32.88	8.26	7.96	2.5	8.6	
		15:04	28.4	50.08	32.71	8.27	8.89	3.7	9.2	
		18:04	27.87	50.03	32.69	8.28	8.6	3.6	9	
		21:04	27.99	50.17	32.78	8.18	7.32	7.4	4.2	
	日平均值			27.39	50.51	33.05	8.24	7.36	3.18	7.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
3月31日	蚵殼站	0:04	27.72	42.59	27.3	8.3	8.97	2.4	6.2	
		3:04	27.38	44.27	28.51	8.27	8.02	2.2	6.5	
		6:04	26.36	41.9	26.84	8.28	7.69	4.2	5	
		9:04	26.4	42.84	27.51	8.27	7.57	5.8	4.5	
		12:04	26.88	43.42	27.92	8.21	7.43	5.5	6.3	
		15:04	26.93	41.23	26.35	8.28	8.82	4.8	12.5	
		18:04	26.6	45.12	29.15	8.25	7.97	6.7	9.3	
		21:04	26.39	41.86	26.82	8.25	7.73	4.1	7.7	
	日平均值			26.83	42.90	27.55	8.26	8.03	4.46	7.25
	潮口站	0:04	26.41	52.39	34.46	8.28	6.98	4.3	4	
		3:04	26.41	52.36	34.45	8.33	6.69	3.8	3.1	
	日平均值			26.41	52.38	34.46	8.31	6.84	4.05	3.55
	灣內站	0:04	27.76	49.83	32.54	8.18	7.81	2.3	9.5	
		3:04	27.33	48.48	31.56	8.13	5.93	4.2	18	
		6:04	26.66	49.12	32.05	8.2	6.61	3.3	8.9	
		9:04	26.26	48.97	31.95	8.14	5.54	1	5.1	
		12:04	27.05	48.55	31.62	8.17	6.34	9.6	9.9	
		15:04	27.68	48.21	31.36	8.16	6.38	17.5	11.6	
		18:04	26.24	47.75	31.06	8.18	6.54	5.9	11.1	
		21:04	26.42	47.81	31.11	8.14	5.97	11.2	8.8	
	日平均值			26.93	48.59	31.66	8.16	6.39	6.88	10.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月1日	蚵殼站	0:00	26.20	40.39	25.56	8.24	7.37	3.1	6.5	
		3:00	26.17	41.08	26.05	8.22	6.95	4.3	7.1	
		6:00	26.18	40.52	25.65	8.23	7.02	5.0	6.0	
		9:00	26.22	39.83	25.15	8.23	7.19	3.0	6.6	
		12:00	26.45	43.01	27.42	8.24	7.69	2.7	5.5	
		15:00	26.65	46.07	29.63	8.25	8.07	3.5	9.6	
		18:00	26.55	47.81	30.89	8.29	8.54	3.8	12.1	
		21:00	26.49	46.42	29.88	8.23	7.56	3.6	8.5	
	日平均值			26.36	43.14	27.53	8.24	7.55	3.63	7.74
	潮口站	0:00	25.18	50.63	33.00	8.18	6.75	6.2	4.9	
		3:00	25.79	50.95	33.22	8.17	6.71	4.1	6.0	
		6:00	23.98	51.34	33.55	8.22	6.87	4.7	4.2	
		9:00	23.99	51.34	33.55	8.21	6.65	2.8	2.9	
		12:00	25.73	50.82	33.13	8.17	6.50	11.6	2.8	
		15:00	25.78	50.78	33.09	8.25	7.87	5.5	9.5	
		18:00	24.09	50.40	32.85	8.26	6.95	4.3	3.9	
		21:00	23.84	49.73	32.36	8.19	6.76	2.1	4.6	
	日平均值			24.80	50.75	33.09	8.21	6.88	5.16	4.85
	灣內站	0:00	26.01	45.90	29.72	8.09	5.32	10.1	12.8	
		3:00	26.07	47.28	30.73	8.13	5.63	5.9	8.3	
		6:00	26.06	47.12	30.61	8.18	6.20	1.9	6.6	
		9:00	26.05	47.23	30.69	8.19	6.26	1.8	7.2	
		12:00	26.49	46.78	30.35	8.27	8.02	3.6	10.0	
		15:00	27.02	45.40	29.34	8.16	6.67	5.4	6.9	
		18:00	26.83	45.07	29.10	8.16	6.51	5.1	5.2	
		21:00	26.59	46.10	29.86	8.29	8.25	2.2	11.2	
	日平均值			26.39	46.36	30.05	8.18	6.61	4.50	8.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月2日	蚵殼站	0:00	26.39	46.70	30.09	8.25	7.61	2.7	9.3	
		3:00	26.20	45.82	29.46	8.24	7.39	2.2	7.5	
		6:00	26.10	45.87	29.49	8.23	7.06	2.0	6.3	
		9:00	26.26	45.61	29.30	8.26	7.86	2.4	7.1	
		12:00	26.16	46.23	29.75	8.28	8.14	2.9	10.4	
		15:00	25.28	46.91	30.27	8.30	7.80	5.7	11.0	
		18:00	26.06	46.28	29.80	8.17	7.10	11.1	13.3	
		21:00	25.79	44.72	28.67	8.29	8.31	4.7	14.9	
	日平均值			26.03	46.02	29.60	8.25	7.66	4.21	9.98
	潮口站	0:00	25.46	48.99	31.79	8.17	6.96	3.3	6.6	
		3:00	25.57	50.01	32.53	8.18	7.02	3.1	3.7	
		6:00	23.64	50.01	32.57	8.14	6.52	1.5	6.0	
		9:00	23.70	50.27	32.77	8.27	6.91	0.9	8.2	
		12:00	25.94	49.21	31.93	8.18	7.88	5.4	7.6	
		15:00	25.01	49.56	32.21	8.23	7.25	5.2	12.2	
		18:00	23.73	49.90	32.49	8.19	6.96	2.4	2.5	
		21:00	24.35	50.98	33.28	8.22	7.29	2.1	1.6	
	日平均值			24.68	49.87	32.45	8.20	7.10	2.99	6.05
	灣內站	0:00	26.17	44.12	28.44	8.20	7.19	2.6	9.1	
		3:00	25.90	43.19	27.77	8.07	5.23	3.7	7.7	
		6:00	26.04	44.55	28.75	8.21	6.53	3.4	9.4	
		9:00	26.24	44.08	28.41	8.24	6.72	7.1	14.9	
		12:00	26.48	43.76	28.17	8.29	8.60	4.0	14.4	
		15:00	26.06	43.30	27.85	8.30	8.46	6.7	20.0	
		18:00	25.83	41.94	26.88	8.29	8.47	7.4	18.5	
		21:00	25.66	41.17	26.34	8.33	8.89	11.5	17.7	
	日平均值			26.05	43.26	27.83	8.24	7.51	5.80	13.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月3日	蚵殼站	0:00	25.35	44.70	28.66	8.30	7.95	3.7	12.3	
		3:00	25.20	44.61	28.60	8.31	7.78	2.9	12.5	
		6:00	25.04	44.06	28.21	8.31	7.66	2.9	10.4	
		9:00	24.88	44.11	28.25	8.33	8.11	3.0	10.4	
		12:00	24.98	44.92	29.04	8.31	8.18	3.9	10.1	
		15:00	25.09	45.45	29.42	8.36	9.36	4.9	16.6	
		18:00	25.07	45.08	29.16	8.38	9.62	4.1	20.1	
		21:00	24.91	41.63	26.69	8.43	10.24	4.4	19.1	
	日平均值			25.07	44.32	28.50	8.34	8.61	3.73	13.94
	潮口站	0:00	24.47	50.39	32.84	8.23	6.87	5.4	10.4	
		3:00	24.56	50.04	32.58	8.14	6.88	3.1	13.3	
		6:00	23.86	50.81	33.16	8.23	6.59	2.3	3.5	
		9:00	24.13	51.15	33.40	8.21	6.98	1.1	1.2	
		12:00	24.37	50.53	32.94	8.25	7.41	5.7	1.0	
		15:00	24.81	50.31	32.77	8.23	7.72	5.3	10.9	
		18:00	24.57	50.13	32.64	8.33	8.02	3.3	8.0	
		21:00	24.08	50.80	33.15	8.19	6.89	1.4	1.5	
	日平均值			24.36	50.52	32.94	8.23	7.17	3.45	6.23
	灣內站	0:00	25.24	41.22	26.38	8.27	7.57	23.9	13.8	
		3:00	25.01	41.60	26.66	8.27	7.40	51.7	13.7	
		6:00	24.91	40.82	26.11	8.25	7.04	44.2	10.0	
		9:00	24.79	39.57	25.22	8.22	6.76	63.9	13.8	
		12:00	25.07	39.94	25.48	8.32	8.50	96.5	20.2	
		15:00	25.19	39.24	24.98	8.31	8.64	124.6	31.6	
		18:00	25.07	38.62	24.55	8.30	8.74	196.9	19.5	
		21:00	24.85	38.31	24.33	8.35	9.31	277.6	24.1	
	日平均值			25.02	39.92	25.46	8.29	8.00	109.91	18.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月4日	蚵殼站	0:00	24.82	43.72	28.18	8.40	9.37	3.5	16.1	
		3:00	24.96	40.93	26.19	8.23	7.36	4.3	9.3	
		6:00	24.85	36.61	23.14	8.27	7.83	4.0	10.0	
		9:00	24.85	37.65	23.87	8.31	7.68	10.3	12.0	
		12:00	25.01	39.73	25.33	8.34	8.78	5.9	15.3	
		15:00	24.90	40.09	25.59	8.39	9.95	4.3	18.1	
		18:00	24.73	39.56	25.21	8.39	9.46	3.9	16.6	
		21:00	24.66	40.45	25.84	8.34	8.89	3.5	14.5	
	日平均值			24.85	39.84	25.42	8.33	8.67	4.96	13.99
	潮口站	0:00	24.09	50.24	32.73	8.21	7.52	2.9	6.9	
		3:00	24.21	50.00	32.55	8.24	7.15	2.0	11.0	
		6:00	23.91	50.78	33.14	8.14	6.53	1.7	4.6	
		9:00	24.03	50.39	32.85	8.18	6.94	1.1	3.3	
		12:00	24.33	49.69	32.32	8.35	8.77	2.3	12.9	
		15:00	24.48	49.59	32.25	8.41	10.37	1.5	21.9	
		18:00	24.32	49.78	32.39	8.27	8.08	3.4	13.2	
		21:00	24.19	50.54	32.95	8.25	7.00	1.8	2.2	
	日平均值			24.20	50.13	32.65	8.26	7.80	2.09	9.50
	灣內站	0:00	24.79	38.09	24.18	8.33	8.59	373.3	30.8	
		3:00	24.67	37.80	23.97	8.29	7.74	541.0	24.7	
		6:00	24.59	37.22	23.57	8.25	7.41	605.9	16.1	
		9:00	24.62	36.99	23.41	8.30	8.19	628.8	14.7	
		12:00	24.66	36.85	23.31	8.33	8.78	789.6	19.6	
		15:00	24.67	36.47	23.04	8.40	10.72	846.1	19.8	
		18:00	24.60	35.87	22.63	8.23	7.40	929.2	9.2	
		21:00	24.48	35.17	22.14	8.32	9.07	1145.6	14.3	
	日平均值			24.64	36.81	23.28	8.31	8.49	732.44	18.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月5日	蚵殼站	0:00	24.69	40.32	25.75	8.46	10.38	3.1	20.4	
		3:00	24.44	40.07	25.58	8.43	9.95	3.4	16.7	
		6:00	24.28	39.22	24.98	8.39	8.87	3.1	10.0	
		9:00	24.35	38.14	24.22	8.46	9.58	3.2	17.5	
		12:00	24.71	38.77	24.66	8.50	11.07	3.7	13.2	
		15:00	25.17	39.89	25.44	8.43	10.17	6.0	12.3	
		18:00	25.25	38.61	24.54	8.62	14.21	4.8	14.3	
		21:00	25.14	38.81	24.68	8.62	13.71	3.8	9.3	
	日平均值			24.75	39.23	24.98	8.49	10.99	3.89	14.21
	潮口站	0:00	24.07	49.94	32.51	8.25	7.06	1.8	5.1	
		3:00	23.86	49.26	32.02	8.27	7.70	1.2	7.0	
		6:00	24.00	49.66	32.31	8.20	6.70	2.3	7.6	
		9:00	24.31	50.12	32.65	8.21	6.88	4.1	3.1	
		12:00	24.82	49.73	32.34	8.28	8.10	0.9	6.7	
		15:00	25.18	48.73	31.60	8.30	9.68	8.2	9.5	
		18:00	24.91	48.97	31.78	8.31	10.15	2.8	12.7	
		21:00	24.74	47.38	30.62	8.17	7.63	3.2	10.9	
	日平均值			24.49	49.22	31.98	8.25	7.99	3.06	7.83
	灣內站	0:00	24.12	35.19	22.16	8.35	9.42	1229.1	17.4	
		3:00	24.07	35.33	22.26	8.24	7.03	1228.6	13.2	
		6:00	24.31	35.53	22.39	8.28	6.65	1230.8	11.6	
		9:00	24.17	34.97	22.01	8.37	9.06	1229.3	11.3	
		12:00	25.17	34.67	21.78	8.47	11.96	1238.3	9.2	
		15:00	25.77	34.33	21.54	8.48	13.05	1243.7	20.0	
		18:00	26.28	33.56	20.99	8.49	13.06	1248.1	17.8	
		21:00	26.18	33.47	20.93	8.39	10.45	1225.2	12.1	
	日平均值			25.01	34.63	21.76	8.38	10.09	1234.14	14.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月6日	蚵殼站	0:00	25.17	33.33	20.85	8.43	13.92	10.8	11.5	
		3:00	25.16	33.35	20.86	8.40	13.32	3.9	8.8	
		6:00	25.30	32.72	20.43	8.33	12.21	4.7	9.8	
		9:00	25.62	31.29	19.44	8.34	11.90	4.7	10.1	
		12:00	25.11	34.10	21.39	8.38	11.87	4.5	7.3	
		15:00	25.39	34.59	21.72	8.32	11.67	5.6	11.6	
		18:00	25.50	33.14	20.72	8.37	12.42	7.3	8.1	
		21:00	25.59	37.96	24.07	8.43	13.84	5.2	8.7	
	日平均值			25.36	33.81	21.19	8.38	12.64	5.84	9.49
	潮口站	0:00	24.90	49.27	32.00	8.29	7.53	1.1	8.1	
		3:00	24.53	48.60	31.52	8.37	9.31	1.0	5.5	
		6:00	24.52	48.66	31.57	8.24	7.62	1.7	4.3	
		9:00	25.06	49.38	32.08	8.25	6.90	1.8	4.6	
		12:00	25.30	49.11	31.88	8.26	7.31	0.7	2.6	
		15:00	25.46	48.83	31.67	8.29	8.00	4.9	8.1	
		18:00	25.27	48.38	31.34	8.27	8.15	4.2	10.1	
		21:00	25.21	47.71	30.85	8.21	8.21	2.6	6.2	
	日平均值			25.03	48.74	31.61	8.27	7.88	2.25	6.19
	灣內站	0:00	25.78	33.58	21.02	8.45	10.82	1051.2	16.9	
		3:00	25.43	33.68	21.09	8.47	11.04	838.1	12.2	
		6:00	25.10	33.37	20.88	8.50	11.41	912.1	12.4	
		9:00	25.23	33.42	20.92	8.42	10.74	839.5	14.6	
		12:00	25.86	33.39	20.88	8.47	12.45	777.2	17.2	
		15:00	25.91	32.75	20.44	8.46	12.30	654.9	19.9	
		18:00	26.14	32.72	20.42	8.49	13.25	609.8	11.5	
		21:00	25.98	30.70	19.03	8.41	10.84	579.6	18.2	
	日平均值			25.68	32.95	20.59	8.46	11.61	782.80	15.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月7日	蚵殼站	0:00	25.39	34.70	21.80	8.50	13.14	4.4	8.3	
		3:00	25.09	38.13	24.20	8.47	11.84	4.7	11.5	
		6:00	25.06	35.30	22.22	8.52	10.21	5.9	32.6	
		9:00	24.99	32.37	20.19	8.52	11.08	6.5	31.4	
		12:00	25.16	38.41	24.40	8.49	9.90	5.9	26.9	
		15:00	25.15	38.72	24.61	8.53	11.18	6.0	22.4	
		18:00	25.06	37.26	23.59	8.39	8.18	6.0	17.2	
		21:00	24.99	35.61	22.44	8.46	8.54	6.1	18.4	
	日平均值			25.11	36.31	22.93	8.49	10.51	5.69	21.09
	潮口站	0:00	24.88	47.76	30.90	8.20	6.84	2.4	1.2	
		3:00	24.71	47.16	30.47	8.35	7.77	3.6	7.6	
		6:00	24.62	46.80	30.20	8.39	9.17	0.6	8.9	
		9:00	24.68	47.25	30.53	8.21	6.71	2.7	6.8	
		12:00	24.85	47.47	30.69	8.29	7.05	1.8	2.2	
		15:00	25.03	45.61	29.33	8.44	10.66	0.9	23.8	
		18:00	25.01	46.40	29.90	8.23	7.54	7.2	13.4	
		21:00	24.90	45.65	29.36	8.22	8.06	6.2	1.5	
	日平均值			24.84	46.76	30.17	8.29	7.98	3.18	8.18
	灣內站	0:00	25.32	31.85	19.83	8.55	11.53	662.2	12.5	
		3:00	25.13	32.54	20.31	8.52	10.71	702.9	12.2	
		6:00	24.97	32.79	20.48	8.50	10.17	738.7	19.8	
		9:00	24.89	32.97	20.61	8.50	10.01	605.8	15.8	
		12:00	24.97	33.49	20.96	8.48	9.42	702.0	13.4	
		15:00	25.14	33.56	21.01	8.53	8.50	727.6	9.6	
		18:00	25.07	33.33	20.85	8.54	8.92	606.5	17.3	
		21:00	25.18	32.97	20.60	8.30	5.40	669.4	15.5	
	日平均值			25.08	32.94	20.58	8.49	9.33	676.89	14.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月8日	蚵殼站	0:00	25.01	35.17	22.13	8.53	10.84	5.0	13.5	
		3:00	24.98	31.18	19.38	8.56	11.35	5.4	12.3	
		6:00	24.94	30.41	18.85	8.60	12.10	8.2	14.6	
		9:00	25.17	30.00	18.57	8.58	11.90	8.0	11.9	
		12:00	24.93	51.61	33.93	8.40	10.56	0.8	3.3	
		15:00	24.77	50.71	33.26	8.38	11.37	1.3	10.3	
		18:00	24.92	51.09	33.54	8.40	11.24	1.1	6.6	
		21:00	24.93	44.58	28.80	8.37	11.60	1.2	4.8	
	日平均值			24.96	40.59	26.06	8.48	11.37	3.88	9.66
	潮口站	0:00	24.83	46.04	29.65	8.26	6.98	1.7	6.5	
		3:00	24.70	46.01	29.62	8.20	6.77	2.2	5.2	
		6:00	24.43	45.23	29.07	8.29	7.06	2.2	3.0	
		9:00	24.72	45.84	29.51	8.16	6.98	2.0	4.5	
		12:00	25.12	45.17	29.01	8.19	7.06	1.5	3.6	
		15:00	25.31	45.43	29.20	8.20	7.30	1.9	5.8	
		18:00	25.51	44.61	28.59	8.35	8.67	1.9	5.1	
		21:00	25.48	44.71	28.67	8.28	7.74	3.1	1.9	
	日平均值			25.01	45.38	29.17	8.24	7.32	2.06	4.45
	灣內站	0:00	24.94	33.28	20.82	8.39	7.48	607.4	10.7	
		3:00	24.83	33.35	20.88	8.36	5.60	709.6	7.8	
		6:00	24.76	33.46	20.95	8.39	5.91	643.4	15.8	
		9:00	24.96	33.54	21.00	8.39	5.21	627.7	7.3	
		12:00	25.53	51.72	33.99	8.54	11.00	2.5	4.8	
		15:00	26.08	51.45	33.78	8.56	10.75	4.5	18.4	
		18:00	26.54	51.13	33.53	8.57	12.53	4.8	17.0	
		21:00	26.27	49.95	32.67	8.61	12.92	3.1	21.9	
	日平均值			25.49	42.24	27.20	8.48	8.93	325.38	12.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月9日	蚵殼站	0:00	24.86	51.22	33.63	8.36	10.56	1.4	6.9	
		3:00	24.98	51.08	33.53	8.35	10.98	0.7	3.6	
		6:00	24.75	50.56	33.15	8.41	11.71	1.2	10.4	
		9:00	25.02	50.48	33.09	8.38	11.97	1.9	19.1	
		12:00	25.70	50.84	33.34	8.18	10.55	2.0	12.0	
		15:00	25.25	51.73	34.01	8.04	8.71	3.8	13.5	
		18:00	25.23	51.82	34.07	8.02	7.98	4.3	14.8	
		21:00	25.26	52.07	34.26	8.02	7.51	2.8	11.4	
	日平均值			25.13	51.23	33.64	8.22	10.00	2.26	11.46
	潮口站	0:00	25.42	44.30	28.38	8.20	7.28	3.0	8.1	
		3:00	25.05	44.46	28.50	8.17	6.95	1.6	3.5	
		6:00	25.00	43.67	27.93	8.24	7.11	1.8	3.3	
		9:00	25.06	43.24	27.62	8.23	7.66	2.8	6.6	
		12:00	25.47	51.83	34.07	8.18	7.43	2.6	5.0	
		15:00	25.78	50.86	33.35	8.20	8.10	3.0	5.5	
		18:00	25.79	51.71	33.97	8.24	8.36	4.5	7.8	
		21:00	25.83	51.74	34.00	8.19	7.80	6.8	11.5	
	日平均值			25.43	47.73	30.98	8.21	7.59	3.26	6.41
	灣內站	0:00	26.00	50.66	33.20	8.59	11.07	3.4	23.5	
		3:00	25.64	50.95	33.42	8.57	11.23	4.1	36.0	
		6:00	25.51	51.24	33.64	8.54	9.62	5.3	42.5	
		9:00	25.71	50.73	33.26	8.78	15.91	15.5	162.9	
		12:00	26.25	51.12	33.53	8.23	11.38	2.6	18.1	
		15:00	26.44	51.31	33.66	8.22	11.54	3.1	22.7	
		18:00	27.41	51.21	33.57	8.27	13.03	5.7	33.7	
		21:00	26.69	50.77	33.26	8.34	13.77	4.8	33.6	
	日平均值			26.21	51.00	33.44	8.44	12.19	5.56	46.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月10日	蚵殼站	0:00	25.16	51.95	34.17	8.07	7.45	2.3	8.8	
		3:00	25.47	51.67	33.95	8.18	9.43	1.9	6.0	
		6:00	25.55	51.62	33.92	8.20	9.65	1.7	8.5	
		9:00	25.71	51.18	33.59	8.22	10.20	1.9	9.6	
		12:00	26.28	51.58	33.87	8.07	9.72	5.2	13.4	
		15:00	25.81	52.23	34.36	8.00	8.86	3.9	11.0	
		18:00	25.65	51.80	34.05	7.98	7.45	6.6	14.7	
		21:00	26.33	49.98	32.69	8.22	10.61	2.1	12.2	
	日平均值			25.75	51.50	33.83	8.12	9.17	3.20	10.53
	潮口站	0:00	25.79	51.71	33.98	8.18	7.51	5.0	4.7	
		3:00	25.08	52.09	34.27	8.18	7.29	5.5	4.2	
		6:00	25.24	51.80	34.06	8.17	7.17	3.7	2.7	
		9:00	25.93	51.62	33.91	8.18	7.58	3.6	6.4	
		12:00	25.80	51.97	34.17	8.17	7.57	3.6	2.0	
		15:00	25.44	52.34	34.45	8.21	7.99	3.0	4.9	
		18:00	25.46	52.24	34.38	8.22	8.21	5.2	5.4	
		21:00	26.01	51.19	33.59	8.20	7.64	7.2	3.3	
	日平均值			25.59	51.87	34.10	8.19	7.62	4.60	4.20
	灣內站	0:00	26.57	50.86	33.33	8.22	10.41	4.4	36.4	
		3:00	26.28	51.03	33.46	8.19	9.37	4.9	37.5	
		6:00	25.86	51.55	33.86	8.01	6.96	5.2	33.4	
		9:00	26.28	50.83	33.32	8.19	10.41	3.2	30.9	
		12:00	27.21	51.16	33.53	8.28	13.58	5.2	37.8	
		15:00	27.57	50.98	33.39	8.35	15.91	6.8	47.4	
		18:00	27.23	51.19	33.55	8.24	12.54	6.3	33.0	
		21:00	27.25	51.01	33.42	8.13	11.17	6.2	38.5	
	日平均值			26.78	51.08	33.48	8.20	11.29	5.28	36.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月11日	蚵殼站	0:00	26.40	51.28	33.64	8.18	9.92	2.5	17.0	
		3:00	25.02	48.97	31.98	8.13	7.42	2.4	6.7	
		6:00	25.38	49.29	32.21	8.24	8.26	2.0	13.6	
		9:00	26.06	49.01	31.98	8.09	9.34	8.0	24.9	
		12:00	26.64	49.91	32.63	7.94	8.96	6.2	19.1	
		15:00	26.31	50.78	33.28	8.09	10.01	3.6	26.5	
		18:00	26.33	50.81	33.30	8.10	10.27	3.5	29.8	
		21:00	26.60	50.68	33.20	8.12	10.63	2.0	12.9	
	日平均值			26.09	50.09	32.78	8.11	9.35	3.78	18.81
	潮口站	0:00	26.32	49.39	32.26	8.24	7.34	4.6	5.2	
		3:00	25.25	52.29	34.42	8.18	7.43	3.3	5.7	
		6:00	25.20	52.41	34.51	8.18	7.21	3.2	0.9	
		9:00	26.50	49.85	32.59	8.30	7.88	3.6	4.7	
		12:00	27.21	50.79	33.26	8.27	8.03	4.6	6.7	
		15:00	25.52	52.13	34.29	8.23	8.43	3.3	5.0	
		18:00	25.52	52.10	34.27	8.23	8.10	3.7	2.7	
		21:00	26.20	51.62	33.90	8.22	7.79	6.2	4.3	
	日平均值			25.97	51.32	33.69	8.23	7.78	4.06	4.40
	灣內站	0:00	27.47	49.62	32.40	8.09	7.88	6.1	40.3	
		3:00	27.14	50.43	33.00	8.12	9.12	5.0	41.4	
		6:00	26.90	50.60	33.13	8.19	9.71	4.3	36.2	
		9:00	27.16	51.01	33.43	8.27	11.85	14.9	107.8	
		12:00	27.91	50.27	32.86	8.20	12.63	5.7	37.8	
		15:00	27.76	50.72	33.20	8.11	10.59	3.1	24.6	
		18:00	27.68	50.74	33.21	8.11	10.28	2.3	22.4	
		21:00	27.58	50.47	33.02	8.16	11.20	8.8	30.6	
	日平均值			27.45	50.48	33.03	8.16	10.41	6.28	42.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月12日	蚵殼站	0:00	26.64	50.45	33.03	8.15	11.21	2.2	16.4	
		3:00	26.36	46.90	30.44	8.16	10.38	3.6	36.1	
		6:00	26.21	49.98	32.70	8.12	9.14	3.2	43.8	
		9:00	26.54	50.21	32.85	8.14	10.85	2.9	26.3	
		12:00	27.52	50.70	33.19	8.00	9.92	4.7	7.6	
		15:00	27.64	50.96	33.38	8.05	13.10	5.9	46.4	
		18:00	27.22	51.23	33.58	8.04	12.13	2.9	15.2	
		21:00	26.45	51.56	33.85	7.97	9.70	1.5	6.3	
	日平均值			26.82	50.25	32.88	8.08	10.80	3.36	24.76
	潮口站	0:00	26.37	51.25	33.62	8.25	7.92	5.3	1.6	
		3:00	25.44	52.17	34.33	8.19	7.45	3.4	2.9	
		6:00	25.43	52.45	34.54	8.18	7.18	3.0	1.3	
		9:00	26.61	49.80	32.55	8.39	9.32	3.3	6.4	
		12:00	27.60	50.13	32.77	8.37	9.17	3.4	1.7	
		15:00	26.41	51.87	34.08	8.21	8.27	4.0	1.4	
		18:00	26.70	52.19	34.31	8.24	8.11	3.4	1.8	
		21:00	27.39	50.98	33.40	8.32	8.15	5.7	3.4	
	日平均值			26.49	51.36	33.70	8.27	8.20	3.94	2.56
	灣內站	0:00	27.78	49.55	32.34	8.19	10.16	6.7	36.4	
		3:00	27.10	50.06	32.73	8.09	8.32	2.8	26.6	
		6:00	27.00	50.72	33.22	8.01	7.79	2.9	34.8	
		9:00	27.21	50.30	32.90	8.18	9.88	9.2	73.3	
		12:00	28.01	50.50	33.02	8.22	12.64	2.9	29.1	
		15:00	28.58	50.65	33.12	8.00	9.94	3.2	25.0	
		18:00	28.48	50.61	33.09	8.10	11.97	9.5	34.4	
		21:00	27.49	50.93	33.35	7.89	6.55	4.9	28.0	
	日平均值			27.71	50.42	32.97	8.09	9.66	5.26	35.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月13日	蚵殼站	0:00	27.32	44.02	28.34	8.13	11.86	1.4	10.8	
		3:00	26.93	44.51	28.70	8.12	10.84	1.2	15.0	
		6:00	26.44	42.71	27.42	8.17	10.25	2.2	19.0	
		9:00	26.77	42.85	27.51	8.13	10.98	1.9	17.5	
		12:00	27.41	43.41	27.89	8.00	10.75	2.1	16.8	
		15:00	26.99	43.20	27.76	7.92	9.88	3.0	15.7	
		18:00	27.31	42.93	27.56	8.07	12.60	2.0	10.8	
		21:00	27.46	42.93	27.55	8.05	12.00	1.1	5.6	
	日平均值			27.08	43.32	27.84	8.07	11.15	1.86	13.90
	潮口站	0:00	27.68	50.91	33.34	8.23	6.82	6.2	5.0	
		3:00	26.19	51.88	34.09	8.19	7.28	3.3	0.3	
		6:00	26.10	52.18	34.32	8.18	7.02	3.9	0.8	
		9:00	26.84	51.22	33.59	8.42	9.46	3.3	0.5	
		12:00	28.23	51.08	33.44	8.43	9.78	3.2	2.5	
		15:00	26.49	51.62	33.90	8.21	8.24	3.9	4.1	
		18:00	26.67	52.13	34.26	8.21	8.12	2.4	0.7	
		21:00	26.88	51.87	34.07	8.33	9.35	3.8	3.8	
	日平均值			26.89	51.61	33.88	8.28	8.26	3.75	2.21
	灣內站	0:00	27.84	50.09	32.73	8.09	9.80	3.9	34.1	
		3:00	26.58	51.57	33.85	8.03	8.52	2.4	31.4	
		6:00	26.84	50.69	33.20	8.18	9.04	2.3	24.7	
		9:00	27.13	50.71	33.20	8.14	8.31	3.4	34.2	
		12:00	27.99	50.61	33.11	8.21	12.60	3.8	37.4	
		15:00	28.51	50.43	32.96	8.13	11.34	1.6	21.8	
		18:00	28.46	50.44	32.97	8.16	12.12	2.8	23.8	
		21:00	28.46	50.05	32.68	8.11	11.57	2.4	23.6	
	日平均值			27.73	50.57	33.09	8.13	10.41	2.83	28.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月14日	蚵殼站	0:00	27.41	43.97	28.30	8.08	12.16	1.0	11.8	
		3:00	27.19	50.18	32.81	8.06	10.85	1.2	7.9	
		6:00	27.04	50.48	33.04	8.05	10.14	0.8	6.8	
		9:00	27.13	50.36	32.95	8.06	10.18	1.2	7.5	
		12:00	27.64	50.43	32.98	7.99	11.07	3.2	21.2	
		15:00	27.25	50.99	33.41	8.00	11.42	3.4	23.9	
		18:00	27.22	51.50	33.78	8.04	11.58	1.8	9.5	
		21:00	27.45	40.89	26.10	8.08	12.09	1.1	8.0	
	日平均值			27.29	48.60	31.67	8.05	11.19	1.71	12.08
	潮口站	0:00	27.49	51.88	34.06	8.18	6.97	5.8	1.9	
		3:00	26.47	51.70	33.95	8.16	7.13	4.7	2.7	
		6:00	26.29	52.06	34.23	8.17	6.93	2.6	6.6	
		9:00	27.39	51.42	33.72	8.30	7.99	3.4	1.5	
		12:00	28.34	51.57	33.80	8.24	7.57	15.7	4.4	
		15:00	27.07	50.88	33.34	8.20	8.16	5.9	6.6	
		18:00	26.65	51.88	34.08	8.21	7.89	2.8	7.8	
		21:00	26.73	51.53	33.82	8.22	7.88	5.1	6.4	
	日平均值			27.05	51.62	33.88	8.21	7.57	5.75	4.74
	灣內站	0:00	28.42	49.61	32.36	8.06	10.37	2.9	22.8	
		3:00	27.97	50.11	32.74	8.04	8.39	1.7	22.6	
		6:00	27.69	49.89	32.59	8.10	8.89	2.6	27.6	
		9:00	27.69	49.97	32.65	8.12	10.62	4.9	45.3	
		12:00	28.43	49.46	32.25	8.16	12.27	4.8	34.4	
		15:00	28.83	49.36	32.16	8.10	12.28	6.3	38.3	
		18:00	28.69	49.02	31.92	8.07	11.40	4.0	28.3	
		21:00	28.59	49.10	31.98	8.11	10.54	3.1	22.1	
	日平均值			28.29	49.57	32.33	8.10	10.60	3.79	30.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月15日	蚵殼站	0:00	27.19	44.42	28.63	8.06	11.37	1.2	9.6	
		3:00	26.94	40.86	26.09	8.08	11.03	1.7	12.5	
		6:00	26.79	38.63	24.52	8.08	10.47	1.5	10.5	
		9:00	26.47	38.85	24.68	7.90	7.84	3.7	17.0	
		12:00	26.55	39.15	24.89	7.82	7.82	4.6	19.3	
		15:00	26.85	41.54	26.57	7.88	8.73	3.2	15.1	
		18:00	26.79	39.10	24.84	7.89	9.13	4.6	21.8	
		21:00	26.76	45.01	29.06	8.06	10.40	2.8	10.3	
	日平均值			26.79	40.95	26.16	7.97	9.60	2.91	14.51
	潮口站	0:00	27.27	51.47	33.76	8.30	8.17	4.4	6.4	
		3:00	26.61	51.52	33.82	8.20	7.26	3.7	5.0	
		6:00	26.45	51.95	34.14	8.17	7.11	6.1	1.8	
		9:00	26.64	51.62	33.89	8.26	7.53	4.7	1.3	
		12:00	26.79	51.68	33.93	8.19	6.86	12.2	4.0	
		15:00	27.11	51.67	33.91	8.24	7.68	6.9	7.6	
		18:00	26.55	51.93	34.12	8.19	7.38	4.5	2.5	
		21:00	26.53	51.78	34.01	8.15	6.57	6.1	4.9	
	日平均值			26.74	51.70	33.95	8.21	7.32	6.08	4.19
	灣內站	0:00	27.96	49.53	32.32	8.06	9.13	3.2	25.4	
		3:00	27.48	48.96	31.91	8.02	7.21	4.1	24.7	
		6:00	27.33	47.87	31.12	8.08	8.39	4.4	29.1	
		9:00	27.54	49.15	32.05	8.13	9.39	3.4	30.9	
		12:00	27.63	48.96	31.91	8.18	10.48	4.2	32.9	
		15:00	27.84	48.55	31.61	8.21	12.00	6.5	37.4	
		18:00	27.58	48.15	31.32	8.18	10.73	6.5	35.4	
		21:00	27.25	47.76	31.04	8.08	8.73	6.6	41.7	
	日平均值			27.58	48.62	31.66	8.12	9.51	4.86	32.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月16日	蚵殼站	0:00	26.73	44.94	29.01	7.98	9.35	3.7	21.2	
		3:00	26.57	41.60	26.62	8.01	9.01	3.9	20.2	
		6:00	26.27	40.83	26.09	7.94	7.73	2.0	12.5	
		9:00	26.46	41.89	26.83	7.97	8.02	4.0	34.2	
		12:00	26.55	45.57	29.47	7.79	7.64	4.6	24.5	
		15:00	26.70	47.58	30.93	7.85	8.12	3.9	22.7	
		18:00	26.63	46.58	30.20	7.81	7.98	3.4	11.5	
		21:00	26.54	46.96	30.48	7.93	8.26	2.1	5.5	
	日平均值			26.56	44.49	28.70	7.91	8.26	3.45	19.04
	潮口站	0:00	26.70	51.63	33.89	8.22	6.99	5.6	6.1	
		3:00	26.20	51.88	34.09	8.16	6.65	3.7	2.1	
		6:00	26.14	51.99	34.17	8.16	6.87	4.5	4.2	
		9:00	26.59	51.50	33.80	8.23	6.96	5.0	4.0	
		12:00	27.26	51.55	33.82	8.25	7.49	6.9	5.0	
		15:00	27.81	51.58	33.82	8.18	6.98	8.7	4.2	
		18:00	26.42	51.91	34.11	8.21	7.24	3.7	0.8	
		21:00	26.53	52.07	34.22	8.38	7.17	4.3	2.3	
	日平均值			26.71	51.76	33.99	8.22	7.04	5.30	3.59
	灣內站	0:00	27.12	47.18	30.62	8.05	7.35	10.6	38.9	
		3:00	26.96	48.12	31.31	7.95	6.03	6.3	34.8	
		6:00	26.78	47.97	31.21	7.98	5.83	4.3	27.6	
		9:00	26.92	47.22	30.66	8.06	7.68	5.1	35.8	
		12:00	27.37	48.84	31.82	8.21	11.91	10.3	60.0	
		15:00	27.91	46.94	30.43	8.28	14.20	15.1	57.3	
		18:00	27.66	46.68	30.25	8.21	11.41	12.8	51.0	
		21:00	27.42	46.22	29.92	8.11	9.10	7.9	42.8	
	日平均值			27.27	47.40	30.78	8.11	9.19	9.05	43.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月17日	蚵殼站	0:00	26.55	46.31	30.01	7.98	8.99	2.6	6.2	
		3:00	26.45	46.63	30.24	7.98	8.70	2.2	5.3	
		6:00	25.96	45.55	29.48	7.95	7.90	3.1	10.4	
		9:00	26.21	46.29	30.00	7.94	7.99	2.8	7.7	
		12:00	26.99	47.13	30.59	7.73	7.14	5.2	5.0	
		15:00	27.04	48.02	31.24	7.79	7.64	4.5	15.5	
		18:00	27.02	46.10	29.84	7.89	9.06	3.1	4.0	
		21:00	26.90	45.13	29.15	7.87	8.60	1.6	3.0	
	日平均值			26.64	46.40	30.07	7.89	8.25	3.14	7.14
	潮口站	0:00	26.69	51.98	34.15	8.26	7.29	6.5	4.0	
		3:00	26.44	51.68	33.94	8.22	7.10	4.5	0.4	
		6:00	26.12	52.43	34.50	8.20	6.91	2.9	0.1	
		9:00	26.44	51.90	34.10	8.28	7.50	4.8	1.0	
		12:00	27.38	51.70	33.93	8.23	7.25	11.7	2.5	
		15:00	27.70	51.71	33.93	8.28	8.36	5.6	6.6	
		18:00	26.71	52.18	34.30	8.20	7.40	6.0	3.6	
		21:00	26.72	52.10	34.24	8.22	7.21	3.6	2.5	
	日平均值			26.78	51.96	34.14	8.24	7.38	5.70	2.59
	灣內站	0:00	27.16	46.15	29.88	7.97	7.43	12.3	39.9	
		3:00	26.86	46.51	30.15	8.00	5.51	9.2	39.8	
		6:00	26.64	43.50	27.98	8.00	5.96	7.2	38.3	
		9:00	26.79	43.72	28.14	8.16	9.24	14.7	81.3	
		12:00	27.64	42.60	27.31	8.26	14.75	13.9	69.2	
		15:00	28.42	44.21	28.45	8.13	12.48	13.2	39.5	
		18:00	28.37	43.60	28.01	7.95	9.17	13.4	41.1	
		21:00	28.01	43.72	28.10	8.02	9.33	19.1	37.7	
	日平均值			27.49	44.25	28.50	8.06	9.23	12.88	48.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月18日	蚵殼站	0:00	26.68	44.33	28.57	7.87	8.35	2.1	3.9	
		3:00	26.70	49.19	32.10	7.96	9.27	1.5	4.4	
		6:00	26.59	46.81	30.37	7.94	8.51	2.3	2.6	
		9:00	26.53	41.98	26.89	7.86	7.85	3.5	4.7	
		12:00	26.88	42.72	27.42	7.79	7.62	5.0	7.0	
		15:00	26.95	42.93	27.56	7.71	7.12	4.8	5.2	
		18:00	26.84	41.32	26.42	7.81	7.38	4.1	4.7	
		21:00	26.80	43.46	27.95	7.85	7.67	2.8	2.3	
	日平均值			26.75	44.09	28.41	7.85	7.97	3.26	4.35
	潮口站	0:00	26.95	51.94	34.12	8.23	6.92	10.8	5.2	
		3:00	27.08	51.84	34.04	8.26	7.33	3.6	1.0	
		6:00	26.16	52.27	34.38	8.18	6.91	4.9	1.4	
		9:00	26.41	52.24	34.35	8.19	7.01	3.3	0.3	
		12:00	27.67	51.92	34.08	8.27	7.87	6.4	0.9	
		15:00	28.17	51.84	34.01	8.26	8.07	10.6	4.3	
		18:00	27.23	51.95	34.12	8.20	7.31	6.0	4.1	
		21:00	26.85	52.24	34.34	8.19	7.35	3.1	1.5	
	日平均值			27.07	52.03	34.18	8.22	7.35	6.09	2.34
	灣內站	0:00	27.59	43.42	27.90	7.96	7.31	18.0	40.8	
		3:00	27.32	43.57	28.01	7.92	6.39	18.5	70.6	
		6:00	26.94	42.24	27.07	7.91	5.47	19.3	62.1	
		9:00	27.06	42.05	26.93	8.07	7.15	17.5	32.6	
		12:00	28.03	40.41	25.75	8.26	14.44	21.2	37.3	
		15:00	28.07	39.75	25.28	8.04	10.37	25.6	42.4	
		18:00	28.13	39.59	25.16	8.10	10.22	25.8	41.2	
		21:00	28.29	42.95	27.55	8.04	9.10	29.0	57.3	
	日平均值			27.68	41.75	26.71	8.04	8.81	21.86	48.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月19日	蚵殼站	0:00	27.17	38.93	24.72	7.91	9.93	4.3	9.0	
		3:00	26.82	36.62	23.11	7.96	9.78	2.1	4.0	
		6:00	26.62	37.04	23.40	7.91	8.78	2.3	2.4	
		9:00	26.78	35.75	22.50	7.78	7.86	1.3	0.9	
		12:00	27.03	38.85	24.66	7.76	8.20	4.7	6.4	
		15:00	27.08	36.43	22.96	7.68	8.20	3.7	7.1	
		18:00	27.17	36.22	22.82	8.08	9.73	2.5	3.9	
		21:00	27.53	41.09	26.24	8.04	11.41	3.1	8.0	
	日平均值			27.03	37.62	23.80	7.89	9.24	3.00	5.21
	潮口站	0:00	27.09	51.30	33.64	8.25	7.51	3.3	5.4	
		3:00	27.10	51.84	34.04	8.23	7.06	4.4	2.1	
		6:00	26.12	51.99	34.18	8.16	6.94	3.9	1.5	
		9:00	26.32	51.96	34.15	8.18	7.25	4.2	0.1	
		12:00	27.79	51.59	33.84	8.27	7.96	6.1	1.9	
		15:00	28.24	51.79	33.97	8.27	8.21	6.3	3.4	
		18:00	28.01	52.11	34.21	8.25	7.86	8.5	2.1	
		21:00	27.05	51.96	34.13	8.20	7.66	2.7	2.8	
	日平均值			27.22	51.82	34.02	8.23	7.56	4.93	2.41
	灣內站	0:00	27.60	43.65	28.07	8.05	7.64	31.6	47.4	
		3:00	27.27	42.60	27.32	7.94	5.98	28.9	29.3	
		6:00	27.12	38.79	24.62	8.05	6.26	28.2	30.2	
		9:00	27.32	39.57	25.17	8.12	8.99	36.1	45.1	
		12:00	28.03	37.81	23.91	8.14	10.58	35.5	21.7	
		15:00	28.81	38.33	24.26	8.18	15.49	47.1	44.3	
		18:00	29.09	35.70	22.41	8.20	10.03	64.2	109.7	
		21:00	29.05	40.88	26.05	8.25	13.10	61.6	45.7	
	日平均值			28.04	39.67	25.23	8.12	9.76	41.65	46.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月20日	蚵殼站	0:00	27.39	41.77	26.73	7.93	10.27	1.3	1.9	
		3:00	27.07	40.21	25.63	7.94	9.82	1.5	0.9	
		6:00	26.77	41.36	26.45	7.83	7.64	1.8	1.7	
		9:00	27.20	39.13	24.86	7.94	9.95	2.9	17.3	
		12:00	27.05	38.29	24.27	7.75	9.12	3.0	7.2	
		15:00	27.15	40.48	25.81	7.79	8.43	3.7	9.7	
		18:00	27.14	40.21	25.63	7.87	9.45	3.1	5.7	
		21:00	27.43	39.06	24.80	8.01	11.27	3.0	3.3	
	日平均值			27.15	40.06	25.52	7.88	9.49	2.54	5.96
	潮口站	0:00	27.06	51.67	33.91	8.21	7.51	12.3	1.4	
		3:00	27.22	51.52	33.80	8.22	7.31	3.0	1.7	
		6:00	26.63	51.55	33.84	8.18	6.93	2.3	5.0	
		9:00	26.11	51.74	33.99	8.19	7.46	2.3	7.1	
		12:00	27.11	51.62	33.88	8.22	7.68	4.6	4.6	
		15:00	27.94	52.05	34.17	8.26	8.69	7.6	9.7	
		18:00	27.58	52.05	34.18	8.22	7.81	8.1	8.3	
		21:00	26.61	51.76	34.00	8.17	7.39	3.3	7.3	
	日平均值			27.03	51.75	33.97	8.21	7.60	5.44	5.64
	灣內站	0:00	28.54	42.08	26.92	8.14	9.18	85.4	51.8	
		3:00	28.19	42.81	27.45	8.10	8.59	77.6	33.2	
		6:00	28.16	41.13	26.25	8.14	7.08	87.2	36.8	
		9:00	27.57	41.45	26.50	8.09	8.02	101.9	58.3	
		12:00	28.09	41.65	26.63	8.10	9.39	111.5	27.5	
		15:00	28.55	40.04	25.47	8.09	10.16	123.2	27.0	
		18:00	28.46	41.44	26.46	8.12	9.76	132.4	20.2	
		21:00	28.72	40.91	26.08	8.12	9.16	150.7	22.7	
	日平均值			28.29	41.44	26.47	8.11	8.92	108.74	34.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月21日	蚵殼站	0:00	27.47	40.88	26.09	7.97	11.65	2.0	2.0	
		3:00	27.38	38.60	24.48	7.95	10.89	2.1	2.5	
		6:00	27.17	38.50	24.41	7.87	8.87	2.5	4.0	
		9:00	27.31	39.11	24.84	7.89	10.33	8.7	48.7	
		12:00	27.49	37.04	23.38	7.87	11.77	9.2	58.6	
		15:00	27.26	39.30	24.98	7.83	10.19	4.2	9.3	
		18:00	27.40	38.19	24.19	7.80	9.52	2.4	2.5	
		21:00	28.03	47.64	30.94	8.02	12.20	3.3	3.6	
	日平均值			27.44	39.91	25.41	7.90	10.68	4.30	16.40
	潮口站	0:00	26.63	52.20	34.32	8.20	7.71	2.2	5.8	
		3:00	26.69	51.91	34.10	8.18	7.03	6.1	5.6	
		6:00	26.34	51.80	34.03	8.15	6.69	3.5	4.9	
		9:00	26.27	51.69	33.95	8.21	7.89	2.7	6.3	
		12:00	26.62	51.93	34.12	8.21	7.97	2.1	2.0	
		15:00	27.90	52.08	34.19	8.30	9.17	6.6	7.0	
		18:00	27.99	52.17	34.25	8.29	8.95	7.4	7.2	
		21:00	27.97	52.23	34.31	8.31	9.10	4.5	5.7	
	日平均值			27.05	52.00	34.16	8.23	8.06	4.39	5.56
	灣內站	0:00	28.65	41.65	26.61	8.11	10.16	174.0	27.8	
		3:00	28.43	41.77	26.70	7.98	7.11	197.7	24.5	
		6:00	28.09	39.70	25.24	8.04	6.92	186.1	29.1	
		9:00	27.94	38.78	24.60	8.04	7.64	224.8	33.7	
		12:00	28.70	39.66	25.19	8.17	14.96	257.4	71.1	
		15:00	29.09	38.23	24.18	8.16	13.58	286.3	45.2	
		18:00	29.52	39.01	24.71	8.07	11.69	306.5	35.9	
		21:00	28.85	39.60	25.15	8.19	10.77	312.2	32.5	
	日平均值			28.66	39.80	25.30	8.10	10.35	243.13	37.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月22日	蚵殼站	0:00	27.84	45.21	29.18	7.97	11.55	2.2	0.8	
		3:00	27.70	44.25	28.49	7.85	9.24	3.8	3.3	
		6:00	27.50	42.18	27.01	7.84	8.24	4.2	6.3	
		9:00	27.87	42.97	27.57	7.87	9.96	8.5	52.2	
		12:00	27.86	43.65	28.06	7.88	10.60	4.8	14.6	
		15:00	27.28	49.41	32.25	7.73	7.68	5.8	13.7	
		18:00	27.31	49.04	31.98	7.70	6.72	5.5	4.9	
		21:00	27.29	47.05	30.53	7.68	5.80	5.7	5.6	
	日平均值			27.58	45.47	29.38	7.82	8.72	5.06	12.68
	潮口站	0:00	27.00	52.44	34.48	8.17	7.41	3.0	4.0	
		3:00	27.37	52.36	34.42	8.22	7.59	2.8	2.5	
		6:00	27.64	52.03	34.16	8.21	7.13	3.4	0.4	
		9:00	26.85	51.97	34.14	8.15	6.95	2.5	4.4	
		12:00	27.02	52.34	34.41	8.17	7.22	2.8	1.7	
		15:00	27.51	52.40	34.44	8.23	7.99	6.9	10.1	
		18:00	27.64	52.44	34.47	8.24	7.66	5.1	5.7	
		21:00	27.95	52.40	34.43	8.19	6.79	6.4	6.1	
	日平均值			27.37	52.30	34.37	8.20	7.34	4.11	4.36
	灣內站	0:00	28.13	41.69	26.65	8.05	5.54	362.7	34.1	
		3:00	28.14	41.18	26.28	8.16	8.42	403.0	22.6	
		6:00	28.07	39.40	25.03	8.13	8.52	385.6	27.9	
		9:00	28.24	40.11	25.52	8.12	10.03	436.1	23.9	
		12:00	28.80	38.88	24.64	8.11	11.25	483.1	45.2	
		15:00	28.83	38.86	24.63	8.15	11.57	534.4	40.1	
		18:00	28.76	38.15	24.13	8.15	10.68	558.9	35.4	
		21:00	28.36	37.95	24.00	8.13	7.97	548.9	39.2	
	日平均值			28.42	39.53	25.11	8.13	9.25	464.09	33.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月23日	蚵殼站	0:00	27.67	42.18	27.01	8.05	10.81	3.7	1.3	
		3:00	27.48	42.56	27.29	8.00	9.88	2.9	0.6	
		6:00	27.34	52.12	34.24	7.96	8.28	1.8	0.7	
		9:00	27.55	52.21	34.30	7.91	8.36	3.3	0.9	
		12:00	28.07	52.30	34.35	7.84	8.28	4.5	2.1	
		15:00	27.89	51.56	33.81	7.77	7.87	5.8	10.0	
		18:00	28.00	51.35	33.65	7.81	8.45	3.7	2.9	
		21:00	27.81	52.11	34.22	7.80	7.94	4.0	2.5	
	日平均值			27.73	49.55	32.36	7.89	8.73	3.71	2.63
	潮口站	0:00	27.00	52.06	34.20	8.15	6.85	2.4	6.3	
		3:00	26.35	51.97	34.15	8.16	7.02	1.7	0.4	
		6:00	27.12	51.88	34.07	8.19	6.54	4.9	1.0	
		9:00	27.07	52.18	34.29	8.17	6.38	2.8	3.3	
		12:00	26.85	52.00	34.17	8.21	7.97	2.3	6.8	
		15:00	27.23	52.19	34.29	8.21	7.93	1.9	4.2	
		18:00	28.48	51.92	34.05	8.33	9.67	8.3	10.9	
		21:00	28.42	52.52	34.50	8.42	10.02	5.5	6.1	
	日平均值			27.32	52.09	34.22	8.23	7.80	3.73	4.88
	灣內站	0:00	28.21	40.86	26.06	8.17	8.32	571.5	25.8	
		3:30	28.06	38.53	24.41	8.16	7.93	544.4	25.7	
		6:00	27.96	38.80	24.61	8.03	6.17	575.1	24.0	
		9:00	28.23	37.10	23.41	8.07	6.87	616.7	34.8	
		12:00	28.73	37.72	23.83	8.10	10.55	598.9	63.5	
		15:00	29.08	38.52	24.38	8.07	9.09	625.9	40.7	
		18:00	29.36	37.77	23.85	8.15	11.85	651.1	37.0	
		21:00	29.07	40.43	25.73	8.08	8.96	680.6	51.2	
	日平均值			28.59	38.72	24.54	8.10	8.72	608.03	37.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月24日	蚵殼站	0:00	27.65	52.39	34.43	7.85	7.08	4.7	5.5	
		3:00	27.57	45.95	29.72	7.84	7.69	3.2	2.0	
		6:00	27.53	52.34	34.40	7.86	7.99	2.9	1.1	
		9:00	27.97	51.92	34.07	7.84	7.98	4.5	1.3	
		12:00	28.89	51.75	33.92	8.24	7.72	2.0	3.1	
		15:00	28.45	51.96	34.09	8.33	8.02	2.7	5.2	
		18:00	28.81	51.90	34.03	8.41	8.86	3.0	4.5	
		21:00	28.66	51.97	34.08	8.42	8.79	2.7	2.3	
	日平均值			28.19	51.27	33.59	8.10	8.02	3.21	3.13
	潮口站	0:00	27.20	52.54	34.56	8.19	7.75	2.5	5.6	
		3:00	26.55	52.44	34.50	8.18	7.57	1.8	5.7	
		6:00	27.23	51.90	34.08	8.24	7.25	4.1	7.3	
		9:00	28.04	52.22	34.29	8.27	7.33	5.8	10.8	
		12:00	26.98	52.17	34.29	8.20	8.03	3.1	2.0	
		15:00	27.35	51.76	33.88	7.99	7.71	4.0	0.8	
		18:00	27.95	51.66	33.79	8.18	8.29	8.7	6.1	
		21:00	28.36	51.47	33.63	8.25	8.36	2.7	0.2	
	日平均值			27.46	52.02	34.13	8.19	7.79	4.09	4.81
	灣內站	0:00	28.70	40.16	25.55	8.16	9.30	649.8	47.7	
		3:00	28.43	40.82	26.02	8.11	6.78	1390.0	34.2	
		6:00	28.29	39.21	24.89	8.12	7.22	1388.6	26.4	
		9:00	28.37	39.34	24.98	8.08	6.44	1389.4	27.8	
		12:00	29.21	51.39	33.53	8.24	8.92	3.0	4.4	
		15:00	29.62	48.12	31.13	8.27	10.16	4.7	12.6	
		18:00	29.51	49.30	31.99	8.35	11.19	9.6	27.1	
		21:00	29.67	50.57	32.92	8.31	10.91	8.6	19.0	
	日平均值			28.98	44.86	28.88	8.21	8.87	605.46	24.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月25日	蚵殼站	0:00	28.55	51.75	33.85	8.46	8.74	2.1	4.3	
		3:00	28.36	51.78	33.88	8.42	8.15	1.5	3.3	
		6:00	28.24	50.94	33.26	8.41	8.02	3.5	4.5	
		9:00	28.74	51.34	33.54	8.42	9.11	2.4	8.1	
		12:00	28.86	51.76	33.84	8.35	8.40	3.7	11.4	
		15:00	28.63	51.96	34.00	8.38	8.81	4.1	5.8	
		18:00	28.62	51.96	34.00	8.33	8.20	3.9	2.5	
		21:00	28.70	51.94	33.98	8.40	9.09	2.7	1.5	
	日平均值			28.59	51.68	33.79	8.40	8.57	2.99	5.18
	潮口站	0:00	28.31	51.51	33.67	8.22	8.02	3.9	6.0	
		3:00	26.93	51.66	33.82	8.19	7.02	1.8	0.1	
		6:00	27.56	51.46	33.65	8.29	7.38	3.7	3.1	
		9:00	28.16	51.42	33.60	8.33	7.48	3.8	4.1	
		12:00	27.49	51.47	33.66	8.16	7.25	4.0	4.3	
		15:00	27.21	51.64	33.80	8.22	7.37	3.0	0.9	
		18:00	27.43	51.52	33.70	8.28	7.24	11.9	5.7	
		21:00	27.93	51.56	33.72	8.17	6.74	10.4	6.7	
	日平均值			27.63	51.53	33.70	8.23	7.31	5.31	3.86
	灣內站	0:00	29.24	51.50	33.62	8.21	8.44	8.5	30.3	
		3:00	29.12	51.63	33.72	8.23	8.12	8.3	18.9	
		6:00	28.83	51.28	33.47	8.27	8.61	4.6	6.6	
		9:00	29.10	50.93	33.20	8.36	10.84	14.1	58.3	
		12:00	29.70	52.11	34.05	8.27	10.01	5.4	5.3	
		15:00	29.78	51.97	33.95	8.27	10.32	7.1	8.3	
		18:00	29.67	52.44	34.30	8.28	10.01	8.3	9.1	
		21:00	29.89	52.01	33.97	8.28	9.91	7.6	8.1	
	日平均值			29.42	51.73	33.79	8.27	9.53	7.99	18.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月26日	蚵殼站	0:00	28.79	51.90	33.95	8.47	9.71	2.1	4.9	
		3:00	28.66	51.90	33.95	8.48	9.66	2.2	1.7	
		6:00	28.58	51.86	33.93	8.45	8.90	2.4	6.0	
		9:00	28.55	51.70	33.81	8.35	7.90	3.0	9.7	
		12:00	28.40	51.85	33.93	8.29	7.74	5.8	8.2	
		15:00	28.30	51.65	33.79	8.31	7.74	4.1	5.1	
		18:00	28.41	51.84	33.92	8.36	7.73	4.2	4.3	
		21:00	28.82	52.03	34.05	8.48	8.90	4.2	8.0	
	日平均值			28.56	51.84	33.92	8.40	8.54	3.50	5.99
	潮口站	0:00	28.20	51.47	33.64	8.22	6.34	6.3	7.9	
		3:00	26.97	51.43	33.65	8.25	6.93	2.7	0.3	
		6:00	27.07	51.39	33.62	8.17	6.86	3.4	2.3	
		9:00	28.57	51.17	33.41	8.37	7.88	5.3	1.4	
		12:00	28.86	51.23	33.44	8.20	7.64	8.8	8.8	
		15:00	27.67	51.24	33.49	8.16	7.45	10.0	2.8	
		18:00	27.63	51.25	33.50	8.23	7.57	3.7	0.2	
		21:00	28.32	51.14	33.39	8.31	7.74	6.7	0.4	
	日平均值			27.91	51.29	33.52	8.24	7.30	5.86	3.01
	灣內站	0:00	29.46	48.62	31.50	7.89	5.37	12.8	26.9	
		3:00	29.61	50.90	33.17	7.97	7.94	10.1	28.7	
		6:00	29.59	52.03	34.00	7.86	7.49	11.3	41.2	
		9:00	29.70	52.18	34.11	8.03	9.94	9.8	29.2	
		12:00	30.08	52.19	34.10	8.06	12.63	12.3	42.5	
		15:00	29.85	52.56	34.38	8.03	11.30	11.3	26.8	
		18:00	29.46	52.69	34.49	8.03	9.45	8.1	19.5	
		21:00	29.27	52.27	34.19	8.23	8.16	13.0	18.5	
	日平均值			29.63	51.68	33.74	8.01	9.04	11.09	29.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月27日	蚵殼站	0:00	28.78	52.01	34.04	8.48	9.26	4.0	2.4	
		3:00	28.34	52.03	34.06	8.38	7.68	2.4	5.3	
		6:00	28.24	52.04	34.07	8.40	7.55	2.8	1.7	
		9:00	28.50	52.05	34.07	8.40	7.76	2.2	4.0	
		12:00	28.31	52.15	34.15	8.26	6.60	7.7	5.6	
		15:00	28.54	52.15	34.15	8.20	5.55	7.8	2.1	
		18:00	28.66	52.08	34.09	8.30	6.76	10.5	14.9	
		21:00	28.70	52.02	34.04	8.44	8.45	7.1	16.5	
	日平均值			28.51	52.07	34.08	8.36	7.45	5.56	6.56
	潮口站	0:00	28.38	51.14	33.39	8.27	7.23	8.9	2.5	
		3:00	27.11	51.25	33.51	8.19	6.80	3.4	1.2	
		6:00	27.09	51.31	33.56	8.14	6.54	4.4	0.0	
		9:00	28.14	51.19	33.44	8.26	7.02	6.5	2.3	
		12:00	28.47	51.21	33.45	8.39	8.64	9.1	12.8	
		15:00	27.58	50.86	33.21	8.18	7.28	4.4	3.4	
		18:00	27.36	51.16	33.44	8.21	7.15	3.0	7.8	
		21:00	27.45	51.10	33.39	8.22	7.16	7.9	6.5	
	日平均值			27.70	51.15	33.42	8.23	7.23	5.95	4.56
	灣內站	0:00	29.06	52.76	34.56	7.93	8.38	7.6	11.7	
		3:00	29.17	52.60	34.43	8.23	7.90	8.3	23.1	
		6:00	28.76	52.77	34.57	8.20	7.05	9.6	31.3	
		9:00	28.83	52.91	34.67	8.21	8.49	9.7	41.2	
		12:00	29.10	52.84	34.61	8.17	8.00	14.4	27.3	
		15:00	29.20	53.04	34.76	8.06	6.99	13.9	14.2	
		18:00	29.12	53.25	34.91	7.95	7.54	12.9	15.3	
		21:00	28.98	53.16	34.85	7.97	7.14	9.6	16.4	
	日平均值			29.03	52.92	34.67	8.09	7.69	10.75	22.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月28日	蚵殼站	0:00	28.55	52.05	34.07	8.44	8.09	7.0	25.1	
		3:00	28.39	52.06	34.08	8.36	6.60	5.6	11.6	
		6:00	28.11	51.88	33.96	8.34	6.12	5.8	18.1	
		9:00	28.47	51.91	33.97	8.41	7.15	15.7	84.1	
		12:00	28.49	51.99	34.03	8.34	7.57	9.2	28.1	
		15:00	28.99	52.20	34.17	8.39	8.90	9.1	29.9	
		18:00	28.73	52.23	34.20	8.39	8.49	4.9	5.1	
		21:00	28.83	52.21	34.18	8.45	8.90	4.3	2.5	
	日平均值			28.57	52.07	34.08	8.39	7.73	7.70	25.56
	潮口站	0:00	28.06	51.23	33.47	8.24	6.57	9.5	3.7	
		3:00	26.53	51.26	33.54	8.23	6.28	3.4	2.4	
		6:00	26.47	51.26	33.54	8.37	6.59	3.9	1.9	
		9:00	28.25	51.28	33.50	8.16	5.31	11.6	20.5	
		12:00	28.62	51.30	33.50	8.11	6.42	14.0	20.1	
		15:00	28.08	51.31	33.53	8.21	6.90	6.5	8.8	
		18:00	27.14	51.20	33.47	8.29	7.19	3.0	2.3	
		21:00	27.06	50.98	33.31	8.33	7.17	6.1	0.4	
	日平均值			27.53	51.23	33.48	8.24	6.55	7.25	7.51
	灣內站	0:00	28.86	53.20	34.89	7.97	6.92	10.9	24.1	
		3:00	28.68	52.76	34.57	7.97	6.52	9.3	16.4	
		6:00	28.51	53.03	34.78	8.13	6.29	6.9	5.7	
		9:00	28.79	52.83	34.62	8.14	7.02	6.4	19.6	
		12:00	29.78	53.15	34.82	8.26	11.54	14.6	56.1	
		15:00	30.52	53.06	34.73	7.93	9.47	14.1	38.4	
		18:00	30.24	52.20	34.10	8.08	11.06	11.9	26.5	
		21:00	30.09	53.07	34.75	8.08	9.78	12.8	23.6	
	日平均值			29.43	52.91	34.66	8.07	8.58	10.86	26.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月29日	蚵殼站	0:00	28.62	52.15	34.15	8.42	8.00	4.2	2.0	
		3:00	28.60	52.14	34.14	8.42	7.91	3.4	5.6	
		6:00	28.59	52.10	34.11	8.41	7.82	3.1	4.3	
		9:00	28.13	51.92	33.99	8.20	5.15	7.3	19.9	
		12:00	28.05	51.99	34.04	8.20	5.94	5.5	8.2	
		15:00	28.61	52.25	34.22	8.28	7.07	5.0	8.6	
		18:00	28.65	52.23	34.21	8.29	7.16	3.3	5.3	
		21:00	28.67	49.58	32.26	8.37	7.84	3.2	1.8	
	日平均值			28.49	51.80	33.89	8.32	7.11	4.38	6.96
	潮口站	0:00	28.30	51.24	33.47	8.35	7.11	5.3	3.0	
		3:00	26.75	50.94	33.29	8.23	6.64	2.9	4.2	
		6:00	25.98	51.21	33.51	8.40	6.77	3.5	2.3	
		9:00	27.30	51.19	33.46	8.45	6.88	6.0	2.2	
		12:00	28.17	51.35	33.55	8.22	6.22	11.8	8.4	
		15:00	28.08	51.29	33.51	8.30	6.92	8.0	4.9	
		18:00	26.71	51.21	33.49	8.40	7.57	3.3	10.1	
		21:00	26.56	51.27	33.54	8.38	7.18	3.5	4.2	
	日平均值			27.23	51.21	33.48	8.34	6.91	5.54	4.91
	灣內站	0:00	29.42	52.85	34.61	8.01	8.10	8.6	17.5	
		3:00	29.03	52.42	34.30	8.09	7.93	10.1	33.6	
		6:00	29.28	53.15	34.84	7.91	6.18	8.8	18.1	
		9:00	29.19	53.32	34.96	8.01	7.85	10.7	28.4	
		12:00	29.65	53.13	34.81	8.00	8.68	8.5	22.0	
		15:00	30.56	53.19	34.82	8.14	12.35	17.0	25.6	
		18:00	30.22	53.11	34.78	8.02	9.84	11.0	19.4	
		21:00	29.91	52.96	34.68	8.04	9.11	11.7	29.0	
	日平均值			29.66	53.02	34.73	8.03	8.76	10.80	24.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
4月30日	蚵殼站	0:00	28.59	51.05	33.34	8.41	8.14	3.0	5.8	
		3:00	28.53	52.21	34.19	8.45	8.54	3.8	7.6	
		6:00	28.39	52.06	34.09	8.46	8.29	3.7	3.2	
		9:00	28.27	51.96	34.02	8.41	7.86	9.5	38.0	
		12:00	28.21	52.06	34.09	8.31	6.61	7.8	26.4	
		15:00	28.11	52.21	34.21	8.28	6.75	5.7	16.0	
		18:00	28.25	52.14	34.15	8.44	9.11	3.4	6.5	
		21:00	27.99	52.16	34.17	8.36	7.66	3.1	3.8	
	日平均值			28.29	51.98	34.03	8.39	7.87	5.00	13.41
	潮口站	0:00	27.85	51.22	33.47	8.46	7.06	3.4	3.9	
		3:00	26.38	50.91	33.28	8.27	6.69	3.3	0.3	
		6:00	26.23	51.19	33.49	8.43	6.58	2.9	1.1	
		9:00	27.09	51.15	33.44	8.39	6.00	5.4	5.2	
		12:00	28.17	51.14	33.40	8.52	7.56	4.9	0.8	
		15:00	28.36	51.12	33.38	8.45	7.97	5.2	0.0	
		18:00	26.52	51.16	33.46	8.36	6.93	3.0	4.2	
		21:00	26.50	51.20	33.49	8.48	7.32	2.8	0.2	
	日平均值			27.14	51.14	33.43	8.42	7.01	3.86	1.96
	灣內站	0:00	29.08	50.86	33.15	7.96	8.00	9.1	22.6	
		3:00	29.27	53.38	35.01	8.05	8.05	11.6	40.9	
		6:00	28.90	53.13	34.84	8.00	7.17	8.7	26.6	
		9:00	28.84	53.23	34.91	7.99	7.52	8.2	32.5	
		12:00	28.92	53.21	34.90	8.04	8.40	8.9	33.1	
		15:00	29.41	53.23	34.89	8.11	10.71	13.9	55.9	
		18:00	29.06	52.71	34.52	8.04	9.55	8.1	14.7	
		21:00	28.79	53.33	34.99	7.98	7.54	6.5	10.5	
	日平均值			29.03	52.89	34.65	8.02	8.37	9.38	29.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月1日	蚵殼站	0:00	27.82	52.19	34.20	8.34	7.20	3.5	5.8	
		3:00	27.73	52.15	34.17	8.36	7.02	4.4	4.2	
		6:00	27.53	52.10	34.14	8.32	6.38	4.3	12.1	
		9:00	27.40	51.97	34.05	8.27	5.70	3.9	12.6	
		12:00	27.87	51.84	33.94	8.51	10.28	24.0	124.7	
		15:00	27.51	51.96	34.04	8.34	7.47	5.7	18.7	
		18:00	27.18	49.54	32.27	8.28	6.45	5.0	4.6	
		21:00	26.98	49.08	31.93	8.30	6.91	4.4	4.1	
	日平均值			27.50	51.35	33.59	8.34	7.18	6.90	23.35
	潮口站	0:00	27.31	51.09	33.39	8.43	7.43	3.3	0.9	
		3:00	27.24	51.06	33.37	8.38	6.88	2.5	0.8	
		6:00	26.19	51.55	33.76	8.41	6.50	2.7	0.6	
		9:00	26.29	51.60	33.79	8.42	6.69	182.8	2.9	
		12:00	27.15	51.14	33.43	8.34	5.53	12.0	4.0	
		15:00	27.59	51.17	33.44	8.53	8.38	4.8	7.2	
		18:00	26.55	51.42	33.65	8.38	6.59	4.2	3.5	
		21:00	26.41	51.22	33.51	8.38	6.75	1.9	1.9	
	日平均值			26.84	51.28	33.54	8.41	6.84	26.78	2.73
	灣內站	0:00	28.42	53.23	34.92	8.03	7.22	6.0	13.4	
		3:00	28.23	52.69	34.53	7.99	6.71	7.2	23.5	
		6:00	28.04	53.02	34.78	7.98	6.51	6.5	18.5	
		9:00	27.89	52.96	34.74	7.99	6.64	7.9	31.7	
		12:00	28.06	52.78	34.60	7.93	6.72	10.9	29.8	
		15:00	28.63	52.82	34.61	8.03	9.54	9.9	32.0	
		18:00	28.05	53.10	34.84	7.82	5.99	11.1	20.6	
		21:00	27.76	53.34	35.03	7.85	5.60	9.1	9.6	
	日平均值			28.14	52.99	34.76	7.95	6.87	8.58	22.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月2日	蚵殼站	0:00	26.85	48.78	31.72	8.28	6.44	5.6	3.3	
		3:00	26.75	49.77	32.45	8.25	5.87	7.1	5.3	
		6:00	26.59	41.47	26.45	8.25	6.29	8.4	10.0	
		9:00	26.93	40.58	25.81	8.37	8.11	8.0	34.9	
		12:00	27.03	49.23	32.04	8.27	6.49	4.4	13.0	
		15:00	26.96	49.78	32.45	8.21	5.39	7.1	2.7	
		18:00	26.80	49.10	31.96	8.23	5.94	6.1	4.5	
		21:00	27.08	52.36	34.35	8.34	7.38	5.1	1.1	
	日平均值			26.87	47.63	30.90	8.28	6.49	6.48	9.35
	潮口站	0:00	26.62	51.21	33.50	8.42	6.94	5.0	3.0	
		3:00	26.52	51.04	33.37	8.42	6.64	5.0	3.1	
		6:00	25.99	51.11	33.44	8.38	6.37	2.7	2.5	
		9:00	26.11	51.70	33.87	8.47	6.40	3.4	2.7	
		12:00	26.69	51.55	33.75	8.46	6.77	7.4	13.1	
		15:00	27.74	51.06	33.35	8.80	15.76	18.7	90.1	
		18:00	26.79	51.00	33.33	8.44	8.24	5.4	5.8	
		21:00	26.30	51.16	33.47	8.40	6.92	3.2	4.5	
	日平均值			26.60	51.23	33.51	8.47	8.01	6.35	15.60
	灣內站	0:00	27.62	52.58	34.47	7.82	5.30	10.1	19.4	
		3:00	27.39	52.83	34.66	7.78	4.22	11.2	37.2	
		6:00	27.22	52.84	34.67	7.81	4.33	9.7	37.9	
		9:00	27.29	53.09	34.85	7.93	6.24	8.0	28.7	
		12:00	27.42	53.11	34.87	7.92	6.93	8.0	24.6	
		15:00	27.90	53.20	34.92	8.07	11.01	10.4	41.0	
		18:00	27.75	50.87	33.20	7.82	7.59	12.0	18.9	
		21:00	27.94	52.69	34.54	7.87	8.01	10.2	27.8	
	日平均值			27.57	52.65	34.52	7.88	6.70	9.95	29.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月3日	蚵殼站	0:00	27.15	52.13	34.18	8.46	9.43	3.2	2.6	
		3:00	27.07	51.20	33.49	8.40	8.64	3.0	6.6	
		6:00	26.47	50.70	33.14	8.40	8.61	3.8	12.6	
		9:00	26.86	51.84	33.97	8.37	8.14	3.9	3.3	
		12:00	27.16	51.51	33.72	8.27	7.13	6.3	9.6	
		15:00	27.06	52.01	34.09	8.19	5.86	6.9	4.3	
		18:00	27.24	53.10	34.89	8.19	5.56	5.8	6.0	
		21:00	27.68	51.28	33.54	8.39	8.64	3.2	2.7	
	日平均值			27.09	51.72	33.88	8.33	7.75	4.51	5.96
	潮口站	0:00	26.39	51.18	33.48	8.43	6.42	4.8	5.0	
		3:00	26.29	51.51	33.73	8.33	5.76	4.9	6.6	
		6:00	25.86	51.11	33.44	8.42	5.85	3.5	7.8	
		9:00	25.99	51.22	33.52	8.41	6.50	4.0	1.2	
		12:00	27.20	50.96	33.30	8.43	7.26	8.3	0.8	
		15:00	27.40	51.16	33.43	8.38	7.03	13.0	10.1	
		18:00	27.20	50.83	33.20	8.37	6.92	7.5	2.1	
		21:00	26.25	51.25	33.53	8.43	6.70	3.5	0.3	
	日平均值			26.57	51.15	33.45	8.40	6.56	6.19	4.24
	灣內站	0:00	27.69	52.85	34.67	7.79	5.62	9.9	19.6	
		3:00	27.54	53.05	34.82	7.81	5.46	8.9	15.1	
		6:00	27.41	53.06	34.83	7.81	5.35	12.4	45.7	
		9:00	27.52	53.06	34.83	7.83	7.20	8.1	32.8	
		12:00	28.38	52.99	34.75	8.03	11.19	11.3	45.6	
		15:00	28.85	53.34	34.99	8.10	13.03	11.2	36.2	
		18:00	28.73	52.66	34.49	8.08	12.44	9.9	22.9	
		21:00	28.51	53.28	34.96	8.08	10.56	10.3	25.2	
	日平均值			28.08	53.04	34.79	7.94	8.86	10.25	30.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月4日	蚵殼站	0:00	28.21	51.38	33.59	8.57	11.78	5.2	6.0	
		3:00	27.55	50.74	33.14	8.46	9.27	3.4	8.5	
		6:00	27.45	51.13	33.43	8.40	8.60	2.8	4.9	
		9:00	27.48	51.73	33.87	8.38	8.36	3.7	3.5	
		12:00	27.51	50.97	33.31	8.29	7.66	8.0	16.7	
		15:00	27.60	46.45	30.01	8.32	8.31	9.7	23.5	
		18:00	27.76	44.64	28.69	8.18	6.01	5.6	5.1	
		21:00	28.24	47.87	31.01	8.54	12.07	3.4	4.2	
	日平均值			27.73	49.36	32.13	8.39	9.01	5.23	9.05
	潮口站	0:00	26.70	51.36	33.60	8.42	6.64	6.1	3.7	
		3:00	27.01	50.95	33.30	8.32	6.06	4.7	0.1	
		6:00	25.82	50.42	32.93	8.41	6.30	4.6	2.7	
		9:00	25.84	51.07	33.41	8.44	6.72	3.0	4.6	
		12:00	26.72	51.08	33.40	8.45	7.47	4.8	3.3	
		15:00	27.25	51.29	33.54	8.37	6.48	14.3	3.7	
		18:00	27.47	51.41	33.62	8.39	7.14	8.1	2.2	
		21:00	26.79	51.26	33.53	8.39	6.57	4.3	3.9	
	日平均值			26.70	51.11	33.42	8.40	6.67	6.24	3.03
	灣內站	0:00	28.57	51.89	33.93	8.04	10.11	9.4	32.0	
		3:00	28.04	52.06	34.07	7.96	8.21	9.6	35.3	
		6:00	27.97	52.52	34.41	7.92	7.04	8.4	34.8	
		9:00	27.84	53.25	34.96	7.84	6.79	6.2	21.5	
		12:00	28.91	52.85	34.63	8.21	15.03	17.2	88.9	
		15:00	29.15	52.88	34.64	8.22	15.41	13.8	62.0	
		18:00	29.04	52.96	34.71	8.16	13.16	9.9	34.7	
		21:00	29.23	52.76	34.55	8.11	12.35	14.1	54.7	
	日平均值			28.59	52.65	34.49	8.06	11.01	11.08	45.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月5日	蚵殼站	0:00	28.41	46.45	29.98	8.60	13.28	3.0	7.7	
		3:00	28.13	46.09	29.73	8.47	10.76	5.6	7.7	
		6:00	27.98	46.52	30.05	8.44	9.78	2.6	2.3	
		9:00	27.83	45.45	29.28	8.40	9.01	3.7	14.1	
		12:00	27.89	45.49	29.30	8.38	8.82	4.0	16.1	
		15:00	27.88	48.97	31.83	8.24	6.79	4.6	5.7	
		18:00	27.88	45.87	29.57	8.36	8.23	4.0	4.9	
		21:00	27.89	46.63	30.12	8.44	9.41	2.9	5.2	
	日平均值			27.99	46.43	29.98	8.42	9.51	3.80	7.96
	潮口站	0:00	26.46	50.45	32.94	8.43	7.06	2.2	11.3	
		3:00	26.42	50.30	32.83	8.42	6.38	2.3	1.6	
		6:00	26.36	51.04	33.38	8.42	6.60	3.3	1.4	
		9:00	26.13	50.88	33.26	8.43	7.04	3.5	10.2	
		12:00	27.09	50.49	32.95	8.45	7.60	4.5	5.5	
		15:00	27.17	50.85	33.21	8.38	6.27	11.2	6.5	
		18:00	27.23	50.74	33.13	8.40	6.50	11.5	4.8	
		21:00	26.69	47.45	30.74	8.39	6.71	5.8	6.3	
	日平均值			26.69	50.28	32.81	8.42	6.77	5.54	5.95
	灣內站	0:00	29.05	52.47	34.34	8.07	10.96	8.6	24.8	
		3:00	28.54	52.78	34.58	8.03	8.56	7.6	27.0	
		6:00	28.11	53.21	34.92	7.89	7.42	6.8	22.6	
		9:00	28.05	53.00	34.76	7.99	8.11	12.0	43.9	
		12:00	28.75	52.86	34.64	8.08	11.65	15.8	82.5	
		15:00	29.16	52.84	34.61	8.18	13.50	11.1	47.0	
		18:00	29.11	52.90	34.66	8.17	12.89	21.1	71.2	
		21:00	28.86	52.84	34.62	8.18	12.03	19.4	79.9	
	日平均值			28.70	52.86	34.64	8.07	10.64	12.80	49.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月6日	蚵殼站	0:00	27.92	46.35	29.92	8.47	9.76	3.0	7.7	
		3:00	27.95	45.83	29.54	8.45	9.11	12.5	12.0	
		6:00	27.84	50.43	32.90	8.46	8.79	5.7	21.9	
		9:00	27.83	49.55	32.25	8.45	8.79	8.1	33.2	
		12:00	27.50	48.54	31.52	8.44	9.39	5.5	22.2	
		15:00	27.44	48.66	31.62	8.42	8.49	3.7	10.1	
		18:00	27.52	48.69	31.64	8.48	9.74	3.1	12.4	
		21:00	27.34	49.09	31.93	8.52	9.93	3.7	4.0	
	日平均值			27.67	48.39	31.42	8.46	9.25	5.66	15.44
	潮口站	0:00	26.59	48.58	31.56	8.38	6.89	6.9	4.2	
		3:00	26.45	49.38	32.16	8.40	6.67	2.7	3.5	
		6:00	26.41	50.41	32.91	8.38	6.07	4.7	1.1	
		9:00	26.27	50.98	33.33	8.45	6.89	2.7	1.8	
		12:00	26.51	50.87	33.25	8.46	7.70	4.4	9.8	
		15:00	26.73	50.38	32.88	8.46	7.08	3.6	16.4	
		18:00	26.93	50.14	32.70	8.45	7.22	6.2	6.2	
		21:00	26.99	50.61	33.04	8.57	7.70	2.3	0.6	
	日平均值			26.61	50.17	32.73	8.44	7.03	4.19	5.45
	灣內站	0:00	28.63	52.99	34.74	8.06	10.04	10.5	33.3	
		3:00	28.36	53.06	34.80	8.03	8.49	7.2	22.3	
		6:00	28.20	52.66	34.51	8.02	7.43	10.4	29.3	
		9:00	28.06	52.79	34.61	7.97	7.35	10.4	46.3	
		12:00	28.14	52.49	34.38	8.22	12.13	23.7	146.6	
		15:00	28.07	52.63	34.49	8.18	11.22	10.7	39.9	
		18:00	28.00	52.68	34.53	8.21	11.60	13.4	69.2	
		21:00	27.72	51.94	33.99	8.13	9.59	15.3	74.4	
	日平均值			28.15	52.66	34.51	8.10	9.73	12.70	57.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月7日	蚵殼站	0:00	27.26	48.97	31.85	8.46	8.76	2.8	4.9	
		3:00	26.93	50.22	32.77	8.52	9.33	2.8	5.4	
		6:00	26.71	49.79	32.46	8.51	9.00	2.6	7.6	
		9:00	27.06	50.10	32.68	8.52	9.60	4.8	28.4	
		12:00	27.22	50.78	33.18	8.44	8.73	4.9	20.3	
		15:00	27.06	51.27	33.54	8.30	6.93	5.3	7.7	
		18:00	27.06	51.57	33.77	8.21	5.65	4.8	4.3	
		21:00	27.06	52.78	34.66	8.20	5.23	4.8	3.8	
	日平均值			27.05	50.69	33.11	8.40	7.90	4.10	10.30
	潮口站	0:00	26.36	50.88	33.26	8.43	6.98	3.3	3.4	
		3:00	26.32	51.23	33.52	8.44	6.71	1.9	3.7	
		6:00	26.18	50.94	33.31	8.47	6.50	3.3	1.3	
		9:00	26.10	50.34	32.86	8.43	6.62	2.8	1.6	
		12:00	26.47	50.71	33.13	8.45	7.51	2.5	1.7	
		15:00	26.63	50.77	33.17	8.48	8.43	5.4	7.8	
		18:00	26.81	50.67	33.09	8.41	7.63	9.3	5.4	
		21:00	26.85	50.68	33.10	8.50	6.66	7.9	2.2	
	日平均值			26.47	50.78	33.18	8.45	7.13	4.55	3.39
	灣內站	0:00	27.64	52.14	34.14	8.17	10.09	8.9	38.0	
		3:00	27.63	52.51	34.42	7.98	6.97	12.6	72.8	
		6:00	27.50	52.75	34.60	7.84	4.57	17.1	78.8	
		9:00	27.59	52.60	34.48	7.90	5.90	29.8	162.1	
		12:00	27.92	51.97	34.00	8.39	15.67	26.0	128.7	
		15:00	27.91	52.21	34.18	8.21	11.83	11.3	43.5	
		18:00	27.84	52.22	34.19	8.14	10.06	8.7	23.3	
		21:00	27.64	52.23	34.21	8.11	8.80	7.5	18.5	
	日平均值			27.71	52.33	34.28	8.09	9.24	15.24	70.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月8日	蚵殼站	0:00	26.84	52.16	34.21	8.20	5.28	4.7	6.1	
		3:00	26.97	49.59	32.31	8.33	6.39	3.2	4.0	
		6:00	26.78	52.63	34.55	8.36	6.72	4.6	1.2	
		9:00	26.94	50.02	32.63	8.43	7.78	3.3	1.9	
		12:00	27.84	49.81	32.44	8.53	10.40	3.8	9.4	
		15:00	26.86	51.43	33.67	8.20	6.53	6.4	8.5	
		18:00	27.18	51.87	33.98	8.29	7.15	4.8	3.3	
		21:00	27.23	51.54	33.73	8.48	9.42	5.8	14.6	
	日平均值			27.08	51.13	33.44	8.35	7.46	4.58	6.13
	潮口站	0:00	26.37	50.92	33.29	8.43	6.94	4.1	2.9	
		3:00	26.17	51.04	33.38	8.46	6.69	2.2	2.1	
		6:00	26.09	50.75	33.17	8.43	6.44	4.1	1.9	
		9:00	26.28	50.81	33.21	8.49	6.51	4.6	0.6	
		12:00	26.63	50.80	33.20	8.46	7.22	2.5	0.2	
		15:00	26.92	51.00	33.29	8.21	8.22	2.3	5.2	
		18:00	27.11	51.82	33.89	8.26	7.91	9.0	4.2	
		21:00	27.13	51.65	33.77	8.30	7.58	3.1	5.9	
	日平均值			26.59	51.10	33.40	8.38	7.19	3.99	2.88
	灣內站	0:00	27.48	52.13	34.14	8.09	8.27	5.8	9.9	
		3:00	27.27	51.86	33.94	8.13	8.13	7.1	12.6	
		6:00	27.29	52.27	34.25	8.09	6.86	13.5	55.8	
		9:00	27.41	52.46	34.39	8.13	8.57	17.8	74.8	
		12:00	27.94	51.00	33.28	8.81	9.53	6.9	20.6	
		15:00	28.03	50.97	33.25	8.24	10.38	5.1	9.0	
		18:00	27.97	50.87	33.18	8.35	10.61	8.1	13.0	
		21:00	28.47	50.38	32.80	8.40	11.94	9.6	38.1	
	日平均值			27.73	51.49	33.65	8.28	9.29	9.24	29.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月9日	蚵殼站	0:00	27.13	51.26	33.53	8.50	9.30	4.4	12.0	
		3:00	27.08	51.17	33.47	8.45	8.55	4.1	7.4	
		6:00	27.05	51.11	33.42	8.50	8.93	5.0	7.6	
		9:00	27.12	51.19	33.48	8.42	8.04	12.3	83.3	
		12:00	27.01	51.34	33.60	8.49	10.47	13.2	111.0	
		15:00	26.86	51.30	33.57	8.45	9.34	9.5	82.4	
		18:00	26.78	51.37	33.63	8.38	7.94	11.5	53.6	
		21:00	26.49	51.29	33.57	8.35	6.62	9.8	47.9	
	日平均值			26.94	51.25	33.53	8.44	8.65	8.73	50.65
	潮口站	0:00	26.32	51.04	33.34	8.21	7.19	3.3	0.5	
		3:00	25.85	51.26	33.52	8.19	6.83	0.7	2.5	
		6:00	26.26	51.63	33.78	8.22	6.47	5.1	0.2	
		9:00	26.78	51.54	33.70	8.28	6.67	4.2	6.5	
		12:00	26.22	51.85	33.94	8.23	7.19	2.4	1.5	
		15:00	26.13	51.93	34.00	8.21	6.98	1.6	1.4	
		18:00	26.48	51.21	33.46	8.29	6.73	11.7	4.8	
		21:00	26.63	51.06	33.34	8.43	7.76	6.4	5.2	
	日平均值			26.33	51.44	33.64	8.26	6.98	4.43	2.83
	灣內站	0:00	28.13	50.20	32.68	8.49	11.85	10.4	27.1	
		3:00	28.02	50.37	32.81	8.46	11.22	9.2	22.4	
		6:00	27.70	50.54	32.95	8.25	9.61	6.3	23.2	
		9:00	27.61	50.62	33.00	8.36	9.72	16.7	58.4	
		12:00	27.49	50.75	33.11	8.34	10.25	9.5	57.8	
		15:00	27.28	50.95	33.26	8.23	7.96	7.8	26.2	
		18:00	27.10	50.98	33.29	8.07	6.83	7.7	23.5	
		21:00	26.97	50.98	33.29	8.15	6.53	9.5	30.8	
	日平均值			27.54	50.67	33.05	8.29	9.25	9.64	33.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月10日	蚵殼站	0:00	26.33	51.77	33.93	8.32	6.45	17.3	131.4	
		3:00	26.23	51.91	34.04	8.31	6.38	7.1	20.3	
		6:00	26.10	52.11	34.19	8.30	6.16	7.8	51.4	
		9:00	26.16	52.12	34.20	8.25	5.24	9.4	52.7	
		12:00	26.87	51.68	33.85	8.59	11.89	27.5	314.4	
		15:00	26.79	51.99	34.08	8.34	9.92	11.9	86.6	
		18:00	26.76	52.14	34.19	8.32	8.44	4.1	6.6	
		21:00	26.68	52.21	34.25	8.38	9.36	4.5	1.8	
	日平均值			26.49	51.99	34.09	8.35	7.98	11.20	83.15
	潮口站	0:00	26.35	51.38	33.59	8.32	7.03	2.7	0.7	
		3:00	25.73	51.95	34.02	8.21	6.73	0.9	1.5	
		6:00	26.01	51.53	33.71	8.35	7.20	3.7	0.4	
		9:00	26.52	51.19	33.44	8.44	7.80	3.8	0.7	
		12:00	26.85	51.29	33.51	8.41	8.26	3.3	5.0	
		15:00	26.31	51.76	33.87	8.23	7.20	1.3	4.8	
		18:00	26.51	51.07	33.36	8.24	7.44	1.5	0.7	
		21:00	26.97	51.49	33.65	8.22	6.75	10.2	4.1	
	日平均值			26.41	51.46	33.64	8.30	7.30	3.43	2.24
	灣內站	0:00	26.74	50.62	33.03	8.26	6.61	6.2	18.3	
		3:00	26.78	50.84	33.19	8.15	5.59	10.4	43.4	
		6:00	26.65	50.62	33.03	8.07	4.86	20.6	107.4	
		9:00	26.83	50.69	33.08	8.22	6.80	15.4	73.4	
		12:00	27.04	50.71	33.09	8.23	9.32	12.6	52.4	
		15:00	28.02	50.59	32.97	8.64	19.41	20.0	89.1	
		18:00	27.83	50.70	33.06	8.50	16.08	7.3	36.6	
		21:00	27.85	50.67	33.03	8.43	15.24	15.1	49.9	
	日平均值			27.22	50.68	33.06	8.31	10.49	13.45	58.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月11日	蚵殼站	0:00	26.78	52.07	34.14	8.45	10.20	4.5	7.0	
		3:00	26.68	52.12	34.18	8.51	11.02	4.2	14.6	
		6:00	26.61	51.87	34.00	8.48	10.12	4.2	4.6	
		9:00	26.91	51.92	34.03	8.34	8.90	10.7	64.2	
		12:00	27.05	52.11	34.16	8.16	8.13	7.7	15.4	
		15:00	27.57	52.13	34.16	8.23	10.08	10.7	49.7	
		18:00	27.57	52.22	34.23	8.24	9.48	4.6	4.9	
		21:00	27.58	51.99	34.06	8.45	12.20	3.4	2.2	
	日平均值			27.09	52.05	34.12	8.36	10.02	6.25	20.33
	潮口站	0:00	26.92	51.38	33.58	8.21	6.50	11.3	0.4	
		3:00	26.30	51.63	33.77	8.22	7.10	1.4	5.6	
		6:00	26.25	51.74	33.86	8.21	6.96	1.9	0.1	
		9:00	27.27	51.13	33.38	8.52	10.08	2.1	0.7	
		12:00	28.17	51.41	33.56	8.48	9.71	6.4	4.0	
		15:00	26.94	51.57	33.71	8.23	7.63	2.0	2.7	
		18:00	28.02	51.60	33.70	8.27	8.04	4.3	4.9	
		21:00	28.19	51.62	33.71	8.45	10.06	4.2	6.9	
	日平均值			27.26	51.51	33.66	8.32	8.26	4.20	3.16
	灣內站	0:00	27.57	48.33	31.33	8.21	10.00	20.5	64.1	
		3:00	27.54	50.61	33.00	8.35	12.55	12.0	62.8	
		6:00	27.13	50.84	33.18	8.19	9.00	16.8	86.8	
		9:00	27.72	50.74	33.10	8.39	14.71	29.3	199.8	
		12:00	28.33	50.85	33.16	8.43	15.65	17.9	76.5	
		15:00	28.61	51.01	33.27	8.25	12.80	12.9	50.3	
		18:00	28.55	51.07	33.31	7.90	9.04	9.1	22.4	
		21:00	28.47	50.94	33.22	8.27	13.30	5.3	21.1	
	日平均值			27.99	50.55	32.95	8.25	12.13	15.48	72.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月12日	蚵殼站	0:00	27.70	51.81	33.92	8.24	9.09	4.8	2.6	
		3:00	27.55	51.63	33.79	8.25	9.31	3.8	2.9	
		6:00	27.38	52.08	34.13	8.30	9.22	2.9	0.6	
		9:00	27.65	51.94	34.02	8.24	9.16	3.8	3.7	
		12:00	28.68	52.29	34.25	8.08	9.32	4.4	13.7	
		15:00	28.85	52.36	34.29	8.27	13.46	5.7	14.1	
		18:00	29.08	52.06	34.07	8.30	13.52	4.4	9.5	
		21:00	28.67	52.15	34.14	8.33	12.53	4.7	10.0	
	日平均值			28.20	52.04	34.08	8.25	10.70	4.31	7.14
	潮口站	0:00	28.78	51.66	33.72	8.43	9.56	6.1	2.9	
		3:00	26.61	52.05	34.08	8.23	7.39	2.8	0.6	
		6:00	26.91	52.08	34.09	8.23	7.43	3.4	1.0	
		9:00	28.45	51.67	33.74	8.58	11.63	7.2	5.0	
		12:00	29.93	51.81	33.80	8.48	11.02	10.5	7.8	
		15:00	27.25	51.66	33.77	8.20	7.59	17.6	1.1	
		18:00	27.69	51.97	33.98	8.25	7.95	8.7	1.8	
		21:00	28.93	51.72	33.76	8.39	9.21	7.1	5.0	
	日平均值			28.07	51.83	33.87	8.35	8.97	7.93	3.15
	灣內站	0:00	28.29	49.82	32.40	8.07	8.51	10.3	36.0	
		3:00	27.91	51.06	33.33	8.13	9.83	4.1	16.3	
		6:00	27.95	51.16	33.39	8.28	10.28	4.1	24.4	
		9:00	28.38	51.06	33.31	8.28	11.99	4.5	28.2	
		12:00	29.66	51.17	33.35	8.24	13.95	10.2	45.0	
		15:00	30.30	51.07	33.25	8.01	15.18	8.2	46.2	
		18:00	30.77	50.98	33.17	8.26	17.07	7.6	30.3	
		21:00	29.27	51.14	33.34	8.26	12.85	5.4	25.4	
	日平均值			29.07	50.93	33.19	8.19	12.46	6.80	31.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月13日	蚵殼站	0:00	28.53	52.21	34.19	8.38	12.25	4.7	9.6	
		3:00	28.59	51.95	34.00	8.32	11.36	4.0	7.5	
		6:00	27.96	52.19	34.19	8.15	9.42	7.9	55.0	
		9:00	27.90	52.50	34.43	8.19	10.74	14.3	109.2	
		12:00	29.71	51.98	33.98	8.43	15.29	10.8	52.4	
		15:00	29.17	51.70	33.79	8.29	13.53	4.6	13.7	
		18:00	30.04	50.53	32.90	8.46	16.43	4.6	11.1	
		21:00	29.54	50.45	32.86	8.38	13.75	5.7	17.1	
	日平均值			28.93	51.69	33.79	8.33	12.85	7.08	34.45
	潮口站	0:00	28.87	51.79	33.82	8.53	10.65	3.4	6.0	
		3:00	26.99	52.14	34.14	8.21	7.30	6.0	3.2	
		6:00	27.08	51.97	34.01	8.23	7.38	9.0	2.5	
		9:00	28.70	51.82	33.85	8.53	10.66	2.3	2.1	
		12:00	30.49	52.17	34.05	8.42	9.65	9.7	6.3	
		15:00	28.18	50.55	32.93	8.30	8.74	7.3	12.5	
		18:00	27.00	51.37	33.56	8.22	7.39	11.0	1.0	
		21:00	29.37	51.24	33.40	8.51	10.50	4.0	6.0	
	日平均值			28.34	51.63	33.72	8.37	9.03	6.59	4.95
	灣內站	0:00	29.25	51.01	33.25	8.30	13.65	3.4	25.4	
		3:00	29.31	51.06	33.28	8.40	13.87	7.2	34.2	
		6:00	29.00	51.10	33.31	8.23	11.43	7.6	40.1	
		9:00	29.17	51.10	33.31	8.41	13.11	17.9	78.1	
		12:00	30.59	51.07	33.24	8.28	13.33	6.6	17.3	
		15:00	31.56	50.99	33.15	8.13	14.39	8.3	29.3	
		18:00	30.07	51.13	33.30	7.86	10.08	10.4	37.3	
		21:00	30.58	51.07	33.24	8.41	17.01	4.4	19.5	
	日平均值			29.94	51.07	33.26	8.25	13.36	8.23	35.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月14日	蚵殼站	0:00	29.71	51.80	33.85	8.53	15.99	4.2	8.9	
		3:00	29.41	51.55	33.68	8.45	14.45	3.8	9.3	
		6:00	29.04	51.47	33.63	8.45	13.62	3.7	10.8	
		9:00	29.12	51.27	33.48	8.48	14.45	15.0	77.2	
		12:00	30.43	51.03	33.26	8.43	17.05	27.2	150.4	
		15:00	30.95	51.38	33.50	8.53	18.19	12.5	60.2	
		18:00	30.12	51.33	33.49	8.36	13.52	6.2	11.2	
		21:00	30.49	51.10	33.30	8.35	14.94	4.9	9.1	
	日平均值			29.91	51.37	33.52	8.45	15.28	9.69	42.14
	潮口站	0:00	28.53	51.22	33.41	8.43	9.40	3.5	4.9	
		3:00	27.54	51.20	33.42	8.21	6.94	3.6	5.6	
		6:00	27.32	51.33	33.52	8.23	7.14	4.6	2.5	
		9:00	28.92	50.97	33.21	8.58	11.24	3.8	4.2	
		12:00	29.17	51.17	33.35	8.36	8.07	22.0	38.5	
		15:00	29.99	51.33	33.44	8.39	9.45	7.7	7.6	
		18:00	27.14	51.47	33.63	8.24	7.55	4.1	3.5	
		21:00	27.90	51.28	33.47	8.24	7.19	4.6	3.3	
	日平均值			28.31	51.25	33.43	8.34	8.37	6.74	8.76
	灣內站	0:00	29.84	49.99	32.47	8.17	11.07	5.4	25.9	
		3:00	30.05	50.77	33.04	8.29	12.04	8.2	47.5	
		6:00	29.43	51.00	33.23	8.18	10.50	7.2	30.8	
		9:00	29.77	51.06	33.26	8.29	13.07	9.9	54.3	
		12:00	31.20	50.80	33.03	8.40	16.23	7.3	32.5	
		15:00	32.19	50.23	32.57	8.51	20.69	16.5	40.4	
		18:00	31.54	50.40	32.71	8.28	15.36	5.7	21.4	
		21:00	31.48	51.08	33.22	8.33	16.01	6.0	14.4	
	日平均值			30.69	50.67	32.94	8.31	14.37	8.28	33.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月15日	蚵殼站	0:00	30.32	51.59	33.67	8.35	13.27	7.8	12.2	
		3:00	29.84	48.73	31.59	8.26	11.97	7.7	30.1	
		6:00	29.28	49.06	31.85	8.21	10.03	5.5	19.3	
		9:00	29.59	49.85	32.42	8.34	11.67	8.2	23.2	
		12:00	30.02	49.82	32.38	8.18	11.27	8.2	35.2	
		15:00	30.17	50.17	32.63	8.22	10.62	5.9	17.2	
		18:00	30.13	52.25	34.17	8.22	10.32	6.5	17.0	
		21:00	30.18	51.99	33.97	8.19	9.86	5.8	11.4	
	日平均值			29.94	50.43	32.84	8.25	11.13	6.95	20.70
	潮口站	0:00	29.04	51.10	33.30	8.46	9.79	3.1	0.3	
		3:00	27.11	50.72	33.08	8.23	7.36	6.9	5.3	
		6:00	26.35	51.21	33.46	8.23	7.21	3.0	1.6	
		9:00	27.24	51.31	33.51	8.28	7.66	4.3	2.9	
		12:00	28.89	51.31	33.46	8.24	7.49	17.6	9.3	
		15:00	28.44	51.55	33.66	8.20	6.89	8.6	18.1	
		18:00	26.95	50.57	32.97	8.23	7.51	6.0	2.7	
		21:00	26.95	50.92	33.23	8.24	7.41	3.3	0.1	
	日平均值			27.62	51.09	33.33	8.26	7.67	6.60	5.04
	灣內站	0:00	31.22	51.00	33.17	8.29	15.26	5.5	33.3	
		3:00	30.66	51.69	33.70	8.19	11.83	7.0	28.9	
		6:00	30.13	51.34	33.46	8.22	10.87	8.2	35.9	
		9:00	30.25	51.24	33.38	8.23	11.64	7.9	50.9	
		12:00	31.38	50.48	32.78	8.39	14.79	9.2	35.4	
		15:00	31.58	50.31	32.65	8.50	14.07	10.2	33.2	
		18:00	31.52	50.50	32.79	8.35	13.62	7.6	23.3	
		21:00	31.34	51.26	33.36	8.34	12.16	8.1	22.4	
	日平均值			31.01	50.98	33.16	8.31	13.03	7.96	32.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月16日	蚵殼站	0:00	30.26	52.06	34.02	8.22	10.06	5.7	15.5	
		3:00	30.22	52.44	34.30	8.25	10.07	5.0	5.5	
		6:00	29.86	52.62	34.45	8.26	9.65	5.0	4.7	
		9:00	28.46	52.86	34.67	7.69	7.46	9.8	40.6	
		12:00	28.98	52.69	34.53	7.91	6.83	9.5	22.0	
		15:00	29.88	52.59	34.43	8.38	10.43	6.8	12.1	
		18:00	29.63	53.00	34.74	8.28	8.14	5.7	4.9	
		21:00	29.44	53.11	34.83	8.09	7.46	5.5	8.6	
	日平均值			29.59	52.67	34.50	8.14	8.76	6.63	14.24
	潮口站	0:00	27.55	51.04	33.31	8.24	7.04	4.0	2.9	
		3:00	26.89	50.38	32.84	8.18	6.81	5.8	6.3	
		6:00	25.95	51.33	33.56	8.23	7.20	5.9	2.3	
		9:00	29.37	50.91	33.16	8.49	8.44	1.4	0.5	
		12:00	28.50	50.54	32.91	8.29	8.01	10.2	3.4	
		15:00	29.05	50.72	33.02	8.29	7.92	11.4	11.4	
		18:00	27.71	49.43	32.12	8.23	7.66	8.5	6.8	
		21:00	26.66	50.90	33.22	8.24	7.60	7.0	8.4	
	日平均值			27.71	50.66	33.02	8.27	7.59	6.78	5.25
	灣內站	0:00	31.34	50.97	33.14	8.33	11.57	11.9	30.3	
		3:00	31.46	50.15	32.54	8.20	8.88	13.5	46.3	
		6:00	30.77	51.30	33.40	8.09	9.88	8.8	44.2	
		9:00	30.53	51.26	33.39	8.13	10.15	11.4	58.3	
		12:00	32.20	49.53	32.06	8.34	13.78	9.5	33.2	
		15:00	33.37	49.93	32.30	8.41	17.89	23.4	74.2	
		18:00	32.52	50.78	32.96	8.50	14.52	10.9	44.7	
		21:00	31.47	51.24	33.34	8.21	10.24	6.4	31.4	
	日平均值			31.71	50.65	32.89	8.28	12.11	11.98	45.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月17日	蚵殼站	0:00	31.07	52.14	34.06	8.23	10.75	5.2	6.6	
		3:00	30.60	52.07	34.02	8.13	9.56	5.4	5.6	
		6:00	30.11	51.85	33.87	8.02	8.12	5.2	3.6	
		9:00	28.71	52.48	34.39	7.78	6.15	7.5	14.9	
		12:00	28.67	53.04	34.80	7.96	9.46	10.3	25.5	
		15:00	29.10	52.46	34.36	7.97	8.92	6.1	9.5	
		18:00	29.43	52.77	34.58	7.97	9.38	4.6	5.6	
		21:00	30.75	52.39	34.25	8.09	9.64	4.8	1.4	
	日平均值			29.81	52.40	34.29	8.02	9.00	6.14	9.09
	潮口站	0:00	27.33	50.09	32.61	8.21	6.60	5.2	4.8	
		3:00	28.83	50.71	33.02	8.31	6.76	2.8	1.8	
		6:00	26.77	50.43	32.88	8.28	7.19	3.4	0.5	
		9:00	27.37	50.79	33.13	8.35	7.84	2.4	0.6	
		12:00	28.96	50.57	32.91	8.46	8.94	6.2	4.5	
		15:00	28.49	51.26	33.44	8.26	7.38	11.2	8.4	
		18:00	27.65	48.73	31.61	8.20	7.71	3.8	7.9	
		21:00	27.02	50.38	32.83	8.22	7.44	3.8	3.1	
	日平均值			27.80	50.37	32.80	8.29	7.48	4.85	3.95
	灣內站	0:00	32.12	50.45	32.73	8.15	9.57	10.9	41.4	
		3:00	31.73	51.02	33.16	8.16	10.30	11.6	53.8	
		6:00	30.32	51.12	33.29	7.73	7.25	13.9	59.5	
		9:00	30.01	51.24	33.39	7.97	7.83	10.3	59.6	
		12:00	31.65	51.02	33.17	8.16	12.71	11.4	68.2	
		15:00	32.74	50.24	32.55	8.36	17.36	15.4	66.3	
		18:00	32.92	51.06	33.15	8.15	13.71	9.7	30.3	
		21:00	31.79	51.19	33.29	8.17	10.82	10.3	37.8	
	日平均值			31.66	50.92	33.09	8.11	11.19	11.69	52.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月18日	蚵殼站	0:00	30.74	52.02	33.97	8.13	10.31	4.8	3.9	
		3:00	30.58	50.95	33.19	8.14	10.93	4.1	9.4	
		6:00	30.18	52.19	34.12	8.06	9.29	4.7	9.1	
		9:00	28.18	53.31	35.02	7.70	7.15	7.7	25.5	
		12:00	28.89	53.54	35.17	8.01	10.00	12.3	73.1	
		15:00	29.49	53.23	34.91	8.05	10.62	7.1	21.9	
		18:00	29.68	53.33	34.98	8.20	9.72	4.5	7.1	
		21:00	29.67	53.34	34.99	8.11	9.22	4.7	2.4	
	日平均值			29.68	52.74	34.54	8.05	9.66	6.24	19.05
	潮口站	0:00	28.62	50.54	32.91	8.36	8.08	2.2	0.1	
		3:00	29.24	50.40	32.78	8.30	6.53	3.0	0.8	
		6:00	26.75	50.15	32.67	8.21	7.28	2.1	0.7	
		9:00	26.99	50.25	32.74	8.24	7.71	1.7	1.8	
		12:00	28.11	50.24	32.70	8.30	8.39	9.4	9.7	
		15:00	27.95	50.45	32.86	8.23	7.03	9.4	8.3	
		18:00	28.93	50.45	32.83	8.27	7.20	5.8	4.9	
		21:00	27.05	50.35	32.81	8.23	7.64	2.4	3.8	
	日平均值			27.96	50.35	32.79	8.27	7.48	4.50	3.76
	灣內站	0:00	31.74	51.05	33.19	8.12	9.45	9.5	38.8	
		3:00	31.26	51.04	33.20	8.18	9.90	10.2	49.7	
		6:00	30.58	51.19	33.33	8.03	7.71	11.3	56.9	
		9:00	30.18	51.14	33.31	7.93	6.99	12.4	51.0	
		12:00	31.26	51.15	33.27	8.11	9.58	6.3	26.9	
		15:00	31.25	49.65	32.18	8.15	10.38	7.3	35.3	
		18:00	30.98	50.27	32.64	8.40	9.19	9.7	38.9	
		21:00	30.41	51.21	33.35	8.13	8.38	6.0	26.2	
	日平均值			30.96	50.84	33.06	8.13	8.95	9.09	40.46
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月19日	蚵殼站	0:00	30.13	53.20	34.87	8.12	9.24	6.5	13.2	
		3:00	29.98	53.05	34.76	8.11	9.05	5.1	5.9	
		6:00	29.60	53.15	34.85	8.05	7.73	5.2	2.3	
		9:00	28.57	53.69	35.29	7.65	7.21	5.1	9.8	
		12:00	28.12	53.56	35.21	7.88	7.40	7.1	36.7	
		15:00	29.59	53.04	34.77	8.03	9.64	4.5	6.8	
		18:00	30.50	52.85	34.60	8.20	12.16	4.1	6.6	
		21:00	30.24	53.12	34.81	8.55	10.86	4.2	7.6	
	日平均值			29.59	53.21	34.90	8.07	9.16	5.23	11.11
	潮口站	0:00	27.25	50.27	32.75	8.23	7.12	2.8	1.1	
		3:00	28.15	50.13	32.61	8.21	6.14	2.4	3.6	
		6:00	26.70	49.92	32.51	8.20	7.00	3.2	2.0	
		9:00	26.34	50.18	32.71	8.25	7.85	1.8	2.0	
		12:00	29.96	50.19	32.60	8.39	8.05	2.4	0.5	
		15:00	29.04	49.79	32.34	8.31	7.94	7.2	9.7	
		18:00	30.10	49.51	32.10	8.39	8.63	5.2	9.4	
		21:00	27.08	49.68	32.32	8.23	7.42	4.5	1.3	
	日平均值			28.08	49.96	32.49	8.28	7.52	3.69	3.70
	灣內站	0:00	30.21	50.97	33.18	8.20	9.59	4.5	24.5	
		3:00	30.45	51.45	33.53	8.17	9.34	6.4	25.3	
		6:00	30.15	51.13	33.30	8.14	8.05	6.8	25.3	
		9:00	30.47	51.05	33.23	8.16	8.63	10.5	43.5	
		12:00	30.85	51.19	33.32	8.18	11.24	7.8	32.2	
		15:00	31.48	50.88	33.07	8.19	13.98	17.3	82.3	
		18:00	31.20	50.55	32.84	8.43	13.26	11.4	53.2	
		21:00	30.70	51.16	33.30	8.36	11.89	5.6	27.8	
	日平均值			30.69	51.05	33.22	8.23	10.75	8.79	39.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月20日	蚵殼站	0:00	29.69	53.10	34.81	8.43	9.76	4.6	6.1	
		3:00	29.30	52.56	34.43	8.22	9.11	9.1	2.8	
		6:00	29.16	52.76	34.58	8.13	8.24	4.3	13.8	
		9:00	29.03	52.78	34.60	8.11	8.53	4.7	7.4	
		12:00	28.28	53.35	35.04	7.81	7.47	7.2	36.6	
		15:00	28.13	51.86	34.02	8.05	7.47	6.0	15.7	
		18:00	29.25	50.86	33.25	8.10	8.84	7.4	14.8	
		21:00	28.61	51.48	33.73	8.37	8.28	6.1	5.9	
	日平均值			28.93	52.34	34.31	8.15	8.46	6.18	12.89
	潮口站	0:00	26.69	49.92	32.51	8.21	7.47	1.6	0.7	
		3:00	28.85	49.70	32.28	8.39	7.82	1.2	1.1	
		6:00	28.35	49.67	32.27	8.32	7.11	3.3	0.5	
		9:00	26.07	49.80	32.43	8.23	7.47	2.6	4.7	
		12:00	26.58	50.16	32.68	8.25	7.91	2.0	5.9	
		15:00	27.96	49.34	32.04	8.34	8.03	4.2	9.1	
		18:00	28.52	49.37	32.05	8.32	8.01	4.8	4.7	
		21:00	28.22	48.26	31.24	8.29	7.41	13.4	5.8	
	日平均值			27.66	49.53	32.19	8.29	7.65	4.14	4.06
	灣內站	0:00	30.21	50.86	33.10	8.26	10.71	7.4	39.2	
		3:00	29.49	51.21	33.38	8.24	8.44	9.6	51.2	
		6:00	29.54	51.03	33.25	8.21	8.74	7.3	49.7	
		9:00	29.57	50.79	33.07	8.29	9.98	30.5	112.0	
		12:00	29.89	51.06	33.26	8.17	10.16	5.6	30.8	
		15:00	28.98	50.05	32.55	8.14	7.93	11.3	51.1	
		18:00	29.92	48.00	31.02	8.15	8.82	13.5	44.8	
		21:00	29.25	46.95	30.27	8.42	7.07	19.9	60.6	
	日平均值			29.61	49.99	32.49	8.24	8.98	13.14	54.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月21日	蚵殼站	0:00	28.34	50.41	32.95	8.27	7.25	5.9	6.0	
		3:00	28.36	51.34	33.63	8.18	7.14	5.1	4.4	
		6:00	27.79	49.45	32.26	8.12	6.25	6.7	12.5	
		9:00	28.00	51.96	34.10	8.14	7.91	7.9	32.3	
		12:00	28.41	51.71	33.91	8.04	8.65	7.2	28.8	
		15:00	28.32	52.30	34.35	8.16	10.48	5.1	18.3	
		18:00	28.22	51.98	34.11	8.11	9.50	4.3	6.2	
		21:00	28.68	50.98	33.36	8.44	14.21	5.8	5.4	
	日平均值			28.27	51.27	33.58	8.18	8.92	6.00	14.24
	潮口站	0:00	25.76	49.25	32.03	8.20	7.24	16.0	2.1	
		3:00	28.04	47.70	30.84	8.44	7.92	3.1	2.8	
		6:00	27.88	47.56	30.74	8.44	7.84	1.8	0.2	
		9:00	25.52	49.29	32.07	8.20	7.16	5.3	3.4	
		12:00	28.73	47.63	30.77	8.47	7.87	2.2	2.4	
		15:00	28.81	47.39	30.59	8.45	8.67	6.1	4.6	
		18:00	28.15	48.32	31.29	8.37	8.31	5.5	8.7	
		21:00	29.06	45.87	29.48	8.59	11.40	4.1	5.6	
	日平均值			27.74	47.88	30.98	8.40	8.30	5.51	3.73
	灣內站	0:00	29.15	49.70	32.28	8.19	6.76	7.2	28.1	
		3:00	28.68	47.74	30.86	8.17	6.10	6.2	34.5	
		6:00	29.00	48.13	31.14	8.17	5.44	22.8	87.1	
		9:00	29.19	49.54	32.16	8.20	7.20	25.8	119.7	
		12:00	29.43	50.39	32.78	8.01	6.95	10.1	43.8	
		15:00	29.85	50.14	32.59	8.06	7.68	10.0	49.7	
		18:00	29.34	49.86	32.40	8.14	9.14	7.2	24.4	
		21:00	29.58	48.72	31.55	8.47	11.72	6.5	25.5	
	日平均值			29.28	49.28	31.97	8.18	7.62	11.98	51.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月22日	蚵殼站	0:00	28.04	51.15	33.50	8.45	12.79	5.8	6.7	
		3:00	27.87	51.65	33.88	8.20	8.99	4.9	6.4	
		6:00	27.74	49.38	32.21	8.19	8.30	6.5	17.3	
		9:00	28.06	50.95	33.36	8.06	8.39	8.1	30.2	
		12:00	28.34	50.98	33.37	8.09	10.97	10.2	50.8	
		15:00	27.26	51.00	33.41	7.91	9.66	7.4	19.2	
		18:00	28.86	50.74	33.18	8.14	12.75	5.6	7.3	
		21:00	28.61	50.34	32.89	8.21	13.02	6.4	7.4	
	日平均值			28.10	50.77	33.23	8.16	10.61	6.86	18.16
	潮口站	0:00	25.22	47.04	30.44	8.18	7.09	7.9	2.2	
		3:00	27.35	46.18	29.76	8.54	9.52	4.4	3.9	
		6:00	28.09	48.16	31.18	8.62	10.83	4.4	6.5	
		9:00	28.15	48.37	31.33	8.59	10.04	2.5	4.8	
		12:00	25.84	50.12	32.68	8.23	7.62	8.4	0.9	
		15:00	29.56	48.47	31.36	8.66	14.27	5.2	18.8	
		18:00	28.92	49.08	31.83	8.60	13.05	6.7	18.9	
		21:00	29.38	49.40	32.04	8.50	11.63	9.3	21.1	
	日平均值			27.81	48.35	31.33	8.49	10.51	6.10	9.64
	灣內站	0:00	29.25	47.82	30.90	8.31	9.11	6.6	26.3	
		3:00	29.12	49.99	32.50	8.17	7.85	5.2	27.5	
		6:00	28.76	49.67	32.28	8.13	7.77	11.6	54.5	
		9:00	28.53	50.08	32.58	8.10	8.75	10.6	48.5	
		12:00	29.42	50.55	32.90	8.11	11.34	11.8	41.5	
		15:00	30.35	50.92	33.14	7.99	9.42	8.0	24.5	
		18:00	30.56	50.25	32.64	8.08	11.69	7.4	33.5	
		21:00	31.00	50.26	32.63	8.19	13.50	6.1	21.5	
	日平均值			29.62	49.94	32.45	8.14	9.93	8.41	34.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月23日	蚵殼站	0:00	28.80	48.89	31.82	8.26	12.84	4.8	6.3	
		3:00	29.34	50.82	33.22	8.17	13.79	6.4	16.4	
		6:00	29.20	51.15	33.47	8.31	14.51	6.2	15.7	
		9:00	29.27	51.12	33.45	8.22	14.00	13.7	96.7	
		12:30	29.66	49.19	32.01	8.35	13.29	6.7	20.2	
		15:00	29.19	50.93	33.31	8.30	9.92	3.1	9.7	
		18:00	29.69	50.85	33.23	8.56	13.02	2.4	8.9	
		21:00	29.48	50.88	33.26	8.57	12.79	2.4	9.6	
	日平均值			29.33	50.48	32.97	8.34	13.02	5.71	22.94
	潮口站	0:00	25.75	50.64	33.06	8.20	7.35	7.7	7.3	
		3:00	26.16	47.36	30.65	8.24	7.44	5.0	9.5	
		6:00	28.54	47.46	30.65	8.67	12.19	3.1	6.6	
		9:00	29.31	48.63	31.48	8.66	12.72	6.4	26.2	
		12:00	25.91	50.63	33.05	8.21	7.44	10.8	3.6	
		15:00	28.80	50.23	32.80	8.49	11.83	8.8	46.7	
		18:00	29.16	49.95	32.59	8.57	11.81	5.4	6.6	
		21:00	27.74	50.93	33.35	8.22	7.03	10.0	19.5	
	日平均值			27.67	49.48	32.20	8.41	9.73	7.15	15.75
	灣內站	0:00	31.15	48.70	31.48	8.36	15.07	5.9	25.1	
		3:00	29.95	49.28	31.95	8.20	12.16	5.3	22.6	
		6:00	29.30	48.84	31.65	8.13	9.69	6.2	22.5	
		9:00	29.38	48.56	31.44	8.15	10.87	21.3	88.5	
		12:00	30.49	50.01	32.59	8.12	10.78	7.7	16.2	
		15:00	30.31	49.52	32.23	8.16	19.33	11.2	52.4	
		18:00	29.80	50.38	32.88	8.00	15.26	10.0	34.8	
		21:00	29.58	50.40	32.91	7.86	12.22	6.1	12.3	
	日平均值			30.00	49.46	32.14	8.12	13.17	9.21	34.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月24日	蚵殼站	0:00	29.28	50.88	33.26	8.55	12.36	2.3	6.8	
		3:00	28.97	50.96	33.33	8.54	11.37	1.8	2.4	
		6:00	28.60	51.02	33.39	8.55	10.45	1.6	1.9	
		9:00	29.02	50.81	33.23	8.51	11.32	3.3	7.5	
		12:00	29.25	51.37	33.63	8.36	9.70	3.6	10.2	
		15:00	28.85	51.60	33.81	8.27	9.55	3.3	5.9	
		18:00	28.91	51.63	33.83	8.45	9.25	2.9	3.0	
		21:00	29.26	51.55	33.76	8.36	10.43	2.4	2.5	
	日平均值			29.02	51.23	33.53	8.45	10.55	2.65	5.03
	潮口站	0:00	26.51	50.80	33.29	8.15	6.02	23.6	9.8	
		3:00	24.88	51.95	34.18	8.19	6.41	23.8	6.6	
		6:00	27.70	50.60	33.11	8.62	9.47	2.4	7.4	
		9:00	28.28	50.79	33.23	8.59	9.29	3.8	3.9	
		12:00	27.07	49.94	32.64	8.16	7.07	8.8	1.1	
		15:00	26.92	51.22	33.59	8.21	7.40	8.2	0.2	
		18:00	26.93	51.08	33.49	8.16	7.23	6.6	8.0	
		21:00	27.72	51.15	33.52	8.15	6.92	6.4	4.4	
	日平均值			27.00	50.94	33.38	8.28	7.48	10.45	5.18
	灣內站	0:00	29.35	50.43	32.93	7.89	12.29	6.0	17.9	
		3:00	29.13	50.42	32.93	7.76	9.29	8.9	36.4	
		6:00	28.43	50.58	33.08	7.77	8.84	12.5	50.9	
		9:00	29.12	50.05	32.66	7.91	12.32	8.1	25.4	
		12:00	30.00	50.02	32.61	7.89	12.65	7.1	15.7	
		15:00	30.51	50.60	33.02	8.15	18.24	14.5	71.9	
		18:00	30.55	50.22	32.74	8.19	17.84	18.8	90.3	
		21:00	30.43	49.78	32.42	7.88	12.74	8.4	25.6	
	日平均值			29.69	50.26	32.80	7.93	13.03	10.54	41.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月25日	蚵殼站	0:00	29.64	51.44	33.67	8.43	11.36	2.7	2.4	
		3:00	28.83	51.51	33.74	8.32	9.23	2.8	3.3	
		6:00	29.06	51.20	33.51	8.48	10.11	2.7	6.6	
		9:00	29.47	51.15	33.46	8.38	9.85	2.7	5.9	
		12:00	28.84	51.64	33.84	8.22	7.71	3.6	3.5	
		15:00	29.64	51.69	33.85	8.38	10.17	4.2	6.9	
		18:00	29.79	51.47	33.68	8.31	9.92	4.5	5.5	
		21:00	29.79	44.73	28.78	8.22	10.08	2.6	6.9	
	日平均值			29.38	50.60	33.07	8.34	9.80	3.23	5.13
	潮口站	0:00	27.71	51.23	33.57	8.24	6.82	12.1	4.2	
		3:00	25.95	51.42	33.76	8.14	6.57	12.9	0.0	
		6:00	27.51	50.98	33.39	8.51	8.88	4.0	2.4	
		9:00	28.20	51.01	33.39	8.49	9.80	9.0	2.6	
		12:00	29.76	51.00	33.34	8.39	8.00	5.6	7.2	
		15:00	28.06	47.71	30.99	8.13	7.55	4.1	2.9	
		18:00	27.40	50.72	33.21	8.21	7.90	2.7	5.7	
		21:00	27.71	51.16	33.52	8.28	7.84	5.7	5.8	
	日平均值			27.79	50.65	33.15	8.30	7.92	7.01	3.85
	灣內站	0:00	30.15	43.74	28.06	7.68	9.46	14.8	58.1	
		3:00	29.77	50.10	32.67	7.76	9.30	11.1	52.0	
		6:00	28.08	50.62	33.11	7.56	6.58	16.1	76.8	
		9:00	29.42	50.53	33.00	7.82	12.38	67.9	343.2	
		12:00	30.25	50.37	32.86	7.96	14.93	18.8	91.1	
		15:00	30.97	50.55	32.96	8.12	17.92	29.0	128.8	
		18:00	30.28	50.24	32.76	7.82	10.95	10.4	17.0	
		21:00	30.18	50.40	32.88	7.97	11.84	8.2	19.9	
	日平均值			29.89	49.57	32.29	7.84	11.67	22.04	98.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月26日	蚵殼站	0:00	30.09	44.56	28.64	8.33	10.41	2.3	6.5	
		3:00	30.00	43.91	28.18	8.35	10.45	3.1	2.7	
		6:00	29.71	40.00	25.40	8.16	8.42	4.4	12.0	
		9:00	30.17	38.64	24.44	8.37	11.86	17.1	93.8	
		12:00	29.32	47.13	30.53	8.11	7.59	5.30	12.90	
		15:00	28.95	51.78	33.94	8.09	6.85	4.2	9.9	
		18:00	29.27	51.74	33.90	8.09	7.51	7.0	11.6	
		21:00	29.50	51.68	33.85	8.17	8.18	7.3	22.3	
	日平均值			29.63	46.18	29.86	8.21	8.91	6.34	21.46
	潮口站	0:00	28.51	51.05	33.41	8.20	6.84	4.1	0.6	
		3:00	26.36	51.61	33.89	8.11	6.76	5.0	1.9	
		6:00	26.71	51.59	33.86	8.15	6.90	5.7	1.8	
		9:00	28.83	50.77	33.20	8.36	8.29	4.7	0.2	
		12:00	28.30	50.61	33.10	8.29	7.65	7.6	9.7	
		15:00	27.49	49.79	32.52	8.19	7.18	5.4	1.9	
		18:00	27.21	51.52	33.80	8.25	7.16	1.9	3.0	
		21:00	27.27	50.79	33.26	8.11	5.25	11.1	10.1	
	日平均值			27.59	50.97	33.38	8.21	7.00	5.69	3.65
	灣內站	0:00	30.54	48.73	31.65	7.73	8.56	15.1	52.1	
		3:00	29.67	50.21	32.76	7.82	10.05	5.6	14.0	
		6:00	29.05	50.17	32.75	7.76	8.04	10.0	30.4	
		9:00	29.43	50.22	32.78	7.85	10.20	11.2	44.5	
		12:00	30.15	50.28	32.80	7.97	14.53	12.3	47.8	
		15:00	30.02	50.34	32.85	7.85	10.68	17.3	27.8	
		18:00	29.80	50.40	32.90	7.80	10.22	8.1	14.9	
		21:00	29.55	50.43	32.92	7.75	8.95	7.5	8.8	
	日平均值			29.78	50.10	32.68	7.82	10.15	10.89	30.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月27日	蚵殼站	0:00	30.02	48.51	31.51	8.38	9.52	6.8	13.6	
		3:00	30.09	48.84	31.75	8.38	9.25	6.8	14.2	
		6:00	29.14	47.76	30.99	8.20	6.45	5.5	16.4	
		9:00	29.49	45.82	29.57	8.30	8.12	13.0	68.0	
		12:00	29.90	46.72	30.21	8.43	10.96	15.3	53.8	
		15:00	30.49	46.66	30.15	8.43	12.49	9.2	49.0	
		18:00	29.78	48.11	31.22	8.17	8.00	6.5	22.8	
		21:00	29.80	45.12	29.06	8.31	8.95	4.6	12.3	
	日平均值			29.84	47.19	30.56	8.33	9.22	8.46	31.26
	潮口站	0:00	28.23	50.29	32.86	8.20	6.17	5.5	5.6	
		3:00	26.64	50.92	33.37	8.20	6.66	7.3	0.8	
		6:00	26.57	49.56	32.38	8.18	6.52	4.1	2.0	
		9:00	28.71	49.43	32.22	8.34	7.38	10.7	5.2	
		12:00	29.18	49.08	31.95	8.29	7.82	13.9	25.3	
		15:00	28.23	47.23	30.63	8.10	6.93	6.0	4.4	
		18:00	26.94	50.60	33.13	8.19	6.83	7.8	3.4	
		21:00	26.96	50.20	32.84	8.12	6.12	8.8	8.1	
	日平均值			27.68	49.66	32.42	8.20	6.80	8.01	6.85
	灣內站	0:00	30.20	50.36	32.85	7.71	7.12	11.9	20.8	
		3:00	29.68	50.36	32.87	7.76	8.90	11.4	37.4	
		6:00	29.35	49.29	32.10	7.75	7.43	9.2	32.0	
		9:00	29.51	49.55	32.28	7.75	7.60	18.8	61.3	
		12:00	29.77	48.66	31.63	7.92	10.89	18.0	69.0	
		15:00	30.16	48.70	31.64	8.01	13.64	14.2	51.3	
		18:00	30.20	49.29	32.07	7.98	12.30	9.0	20.6	
		21:00	30.09	48.39	31.41	7.96	10.87	10.4	26.4	
	日平均值			29.87	49.33	32.11	7.86	9.84	12.86	39.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月28日	蚵殼站	0:00	29.96	46.99	30.40	8.46	10.38	3.5	5.0	
		3:00	29.88	44.92	28.91	8.47	9.14	4.8	14.1	
		6:00	29.50	45.58	29.40	8.48	8.69	2.0	3.7	
		9:00	29.19	46.35	29.96	7.99	5.82	3.6	15.5	
		12:00	29.78	46.63	30.15	8.46	10.97	16.6	88.8	
		15:00	29.40	48.66	31.63	8.24	8.86	8.8	48.9	
		18:00	29.61	48.88	31.79	8.35	10.48	2.2	9.4	
		21:00	29.32	47.97	31.14	8.34	9.84	1.1	1.4	
	日平均值			29.58	47.00	30.42	8.35	9.27	5.33	23.35
	潮口站	0:00	27.97	49.57	32.34	8.18	5.97	3.8	4.9	
		3:00	26.47	50.11	32.78	8.13	6.45	5.0	1.8	
		6:00	26.39	50.55	33.11	8.14	6.48	4.2	4.7	
		9:00	28.84	48.35	31.42	8.47	7.88	0.9	3.1	
		12:00	28.02	49.97	32.64	8.05	5.29	10.6	4.6	
		15:00	28.76	49.05	31.94	8.38	8.03	3.1	13.9	
		18:00	26.21	50.61	33.15	8.11	6.46	7.1	2.6	
		21:00	28.32	47.62	30.91	8.37	7.86	2.2	1.8	
	日平均值			27.62	49.48	32.29	8.23	6.80	4.61	4.68
	灣內站	0:00	30.25	48.19	31.26	7.95	10.63	13.1	46.1	
		3:00	29.95	48.89	31.79	7.81	8.82	6.4	9.0	
		6:00	29.58	49.74	32.42	7.60	7.09	8.5	24.4	
		9:00	29.55	49.33	32.12	7.72	7.66	9.8	26.5	
		12:00	29.78	48.34	31.39	7.99	12.60	16.5	78.3	
		15:00	30.20	41.73	26.62	7.76	9.05	62.3	269.7	
		18:00	29.82	46.54	30.08	7.90	10.92	12.6	38.8	
		21:00	29.39	46.64	30.17	7.82	9.73	7.2	16.8	
	日平均值			29.82	47.43	30.73	7.82	9.56	17.05	63.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月29日	蚵殼站	0:00	29.01	44.48	28.62	8.44	8.51	4.0	4.5	
		3:00	28.73	43.70	28.07	8.46	7.11	3.3	8.3	
		6:00	28.55	49.30	32.13	8.10	5.87	8.5	37.0	
		9:00	27.22	46.47	30.10	8.13	7.19	4.8	17.1	
		12:00	29.52	46.38	29.98	8.28	9.11	5.6	25.6	
		15:00	30.58	46.75	30.21	8.38	11.08	8.5	33.3	
		18:00	30.33	46.24	29.85	8.27	10.45	6.9	30.1	
		21:00	30.14	44.33	28.48	8.33	9.39	10.5	58.8	
	日平均值			29.26	45.96	29.68	8.30	8.59	6.51	26.84
	潮口站	0:00	28.33	44.47	28.63	8.34	7.44	5.7	6.9	
		3:00	26.93	49.41	32.25	8.14	6.65	6.7	3.0	
		6:00	25.84	49.80	32.57	8.24	6.52	6.9	2.5	
		9:00	28.11	46.75	30.28	8.37	7.38	1.9	4.1	
		12:00	28.60	48.75	31.73	8.22	6.45	5.6	7.3	
		15:00	27.38	50.17	32.80	7.99	4.75	5.2	10.9	
		18:00	26.44	49.75	32.52	8.16	6.82	5.7	0.6	
		21:00	26.09	50.78	33.29	8.19	6.37	3.0	2.1	
	日平均值			27.22	48.74	31.76	8.21	6.55	5.09	4.68
	灣內站	0:00	28.97	44.48	28.62	7.74	7.01	10.3	22.1	
		3:00	28.84	46.19	29.86	7.65	6.40	8.2	23.9	
		6:00	28.86	48.75	31.72	7.54	4.15	19.1	74.0	
		9:00	28.90	48.53	31.55	7.54	4.23	8.4	16.1	
		12:00	30.36	46.68	30.16	8.08	16.11	26.0	135.2	
		15:00	31.06	46.54	30.04	8.07	14.99	23.0	97.1	
		18:00	31.32	45.37	29.19	8.06	13.83	14.1	40.0	
		21:00	30.34	46.52	30.05	7.94	11.48	6.6	19.2	
	日平均值			29.83	46.63	30.15	7.83	9.78	14.46	53.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月30日	蚵殼站	0:00	30.70	42.20	26.94	8.36	10.31	16.5	92.8	
		3:00	30.54	42.51	27.16	8.38	10.39	3.4	7.2	
		6:00	29.65	43.39	27.82	7.95	6.35	11.6	62.5	
		9:00	28.06	46.99	30.46	8.01	6.83	6.1	35.2	
		12:00	29.95	48.16	31.26	8.37	15.20	19.3	93.5	
		15:00	30.46	46.82	30.26	8.23	10.89	4.4	8.2	
		18:00	30.08	47.57	30.82	8.36	12.57	3.9	13.5	
		21:00	31.12	46.85	30.26	8.50	12.30	3.7	4.6	
	日平均值			30.07	45.56	29.37	8.27	10.61	8.61	39.69
	潮口站	0:00	28.96	48.38	31.45	8.38	8.16	2.0	1.6	
		3:00	28.04	48.87	31.83	8.19	7.21	2.8	2.1	
		6:00	25.63	51.60	33.90	8.16	6.55	7.8	1.4	
		9:00	29.05	47.19	30.58	8.55	9.40	2.5	7.2	
		12:00	29.15	48.40	31.45	8.34	8.96	5.5	12.8	
		15:00	27.60	50.86	33.30	7.99	5.77	5.2	17.8	
		18:00	26.80	50.21	32.84	8.09	5.66	5.4	4.0	
		21:00	26.67	50.83	33.31	8.09	6.49	2.6	2.4	
	日平均值			27.74	49.54	32.33	8.22	7.28	4.23	6.16
	灣內站	0:00	30.79	45.15	29.05	7.94	11.63	11.6	43.5	
		3:00	30.27	47.25	30.58	7.87	10.70	5.8	14.6	
		6:00	30.02	47.48	30.76	7.80	9.55	3.7	4.0	
		9:00	29.91	47.84	31.02	7.67	6.90	10.9	49.0	
		12:00	31.52	47.39	30.64	8.04	15.88	14.9	60.7	
		15:00	31.77	48.29	31.28	8.06	15.46	12.0	53.8	
		18:00	31.36	47.90	31.02	8.05	13.86	7.5	23.4	
		21:00	31.57	47.57	30.77	8.12	14.18	8.7	19.1	
	日平均值			30.90	47.36	30.64	7.94	12.27	9.39	33.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
5月31日	蚵殼站	0:00	31.39	46.67	30.12	8.47	11.74	4.4	12.2	
		3:00	30.06	46.95	30.37	8.31	9.47	3.0	3.5	
		6:00	30.01	47.28	30.62	8.43	10.01	6.9	31.5	
		9:00	29.92	48.37	31.41	8.33	9.50	5.8	22.9	
		12:00	28.51	50.92	33.32	7.96	5.10	8.4	35.1	
		15:00	29.37	48.95	31.85	8.15	7.77	3.9	13.5	
		18:00	30.22	48.13	31.22	8.11	8.11	3.3	9.2	
		21:00	30.90	47.13	30.48	8.28	9.40	7.4	8.6	
	日平均值			30.05	48.05	31.17	8.26	8.89	5.39	17.06
	潮口站	0:00	29.96	48.03	31.16	8.61	11.55	3.1	0.6	
		3:00	29.83	48.02	31.16	8.61	10.78	2.1	0.7	
		6:00	25.71	50.68	33.22	8.09	6.40	6.3	1.8	
		9:00	29.32	47.41	30.73	8.52	9.66	2.0	3.4	
		12:00	27.78	49.65	32.41	8.25	7.84	5.3	5.7	
		15:00	27.73	50.10	32.74	8.13	5.93	5.7	10.6	
		18:00	27.16	49.87	32.59	8.11	6.52	6.8	6.0	
		21:00	27.30	50.81	33.27	8.13	6.69	9.2	2.4	
	日平均值			28.10	49.32	32.16	8.31	8.17	5.06	3.90
	灣內站	0:00	30.68	48.68	31.61	7.90	11.13	10.1	34.4	
		3:00	30.31	48.71	31.64	7.79	9.70	5.1	13.6	
		6:00	29.72	48.95	31.84	7.79	9.28	5.6	7.9	
		9:00	29.10	49.30	32.11	7.65	8.19	5.8	13.2	
		12:00	30.87	48.87	31.74	7.97	14.28	12.3	55.7	
		15:00	31.05	48.99	31.82	8.07	14.78	13.6	59.7	
		18:00	31.04	49.04	31.86	8.09	13.75	14.9	53.6	
		21:00	30.96	48.62	31.56	8.12	12.13	15.2	41.7	
	日平均值			30.47	48.90	31.77	7.92	11.66	10.33	34.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月1日	蚵殼站	0:00	30.86	46.47	30.00	8.43	11.01	4.4	6.1	
		3:00	30.79	45.83	29.54	8.41	9.96	4.1	3.4	
		6:00	29.99	45.79	29.54	8.19	7.48	2.5	4.7	
		9:00	29.52	45.79	29.55	8.06	7.20	2.1	12.1	
		12:00	29.90	46.98	30.40	8.22	7.52	4.2	16.9	
		15:00	29.85	46.76	30.24	8.12	8.13	3.7	11.2	
		18:00	30.03	46.65	30.15	8.10	7.94	6.9	16.7	
		21:00	30.05	44.82	28.83	8.25	8.25	4.6	14.0	
	日平均值			30.12	46.14	29.78	8.22	8.44	4.06	10.64
	潮口站	0:00	29.02	49.26	32.08	8.30	7.45	2.8	2.8	
		3:00	29.72	48.69	31.65	8.43	8.54	2.7	5.3	
		6:00	26.82	49.83	32.57	8.18	6.68	3.3	0.0	
		9:00	28.54	48.26	31.37	8.51	8.37	3.5	0.4	
		12:00	28.03	49.49	32.28	8.28	8.23	3.7	5.9	
		15:00	27.68	49.39	32.22	8.19	6.51	6.3	17.3	
		18:00	28.00	50.31	32.88	8.18	6.30	4.3	4.4	
		21:00	27.88	50.81	33.25	8.14	6.80	2.8	4.2	
	日平均值			28.21	49.51	32.29	8.28	7.36	3.68	5.04
	灣內站	0:00	30.94	48.20	31.25	7.92	9.68	12.1	31.4	
		3:00	30.43	49.13	31.95	7.84	8.96	9.2	34.8	
		6:00	29.71	49.48	32.22	7.65	6.82	10.4	31.7	
		9:00	29.24	49.76	32.45	7.72	8.61	6.9	18.7	
		12:00	30.46	49.45	32.18	7.87	10.99	7.7	25.9	
		15:00	30.43	49.58	32.27	7.92	10.86	8.4	28.3	
		18:00	30.30	49.59	32.28	7.90	10.21	10.6	21.5	
		21:00	30.96	48.98	31.82	7.90	8.56	12.2	27.3	
	日平均值			30.31	49.27	32.05	7.84	9.34	9.69	27.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月2日	蚵殼站	0:00	30.28	45.58	29.37	8.33	9.38	5.2	2.5	
		3:00	29.93	46.26	29.87	8.39	8.40	4.9	8.4	
		6:00	29.69	46.03	29.72	8.28	7.22	4.4	4.3	
		9:00	29.69	46.11	29.78	8.27	7.22	6.5	25.5	
		12:00	30.06	46.76	30.24	8.18	6.55	10.1	50.2	
		15:00	30.22	46.71	30.19	8.24	7.87	5.2	17.9	
		18:00	30.63	46.03	29.69	8.26	9.87	11.1	35.9	
		21:00	30.41	46.19	29.81	8.28	8.72	6.3	12.6	
	日平均值			30.11	46.21	29.83	8.28	8.15	6.71	19.66
	潮口站	0:00	28.76	49.79	32.48	8.29	5.91	9.2	3.0	
		3:00	29.13	49.46	32.23	8.43	7.16	4.3	1.2	
		6:00	27.20	50.92	33.36	8.11	6.45	3.6	4.5	
		9:00	27.12	51.46	33.76	8.21	6.78	4.8	1.1	
		12:00	29.99	49.35	32.12	8.49	8.06	3.4	2.5	
		15:00	28.46	50.35	32.90	8.20	6.37	7.1	4.5	
		18:00	28.72	50.20	32.79	8.24	6.82	2.6	2.8	
		21:00	27.61	51.08	33.47	8.15	6.57	4.2	3.7	
	日平均值			28.37	50.33	32.89	8.27	6.77	4.90	2.91
	灣內站	0:00	30.95	48.41	31.40	7.99	8.78	36.8	29.1	
		3:00	30.06	49.46	32.20	7.85	7.95	9.5	17.7	
		6:00	29.40	49.16	32.00	7.63	6.80	11.1	42.0	
		9:00	29.46	49.97	32.59	7.71	8.21	8.2	24.1	
		12:00	30.13	50.01	32.60	7.79	9.46	6.5	18.6	
		15:00	30.36	49.92	32.52	7.90	11.80	11.5	37.3	
		18:00	30.11	50.07	32.64	7.80	9.64	11.5	15.7	
		21:00	30.13	49.87	32.50	7.79	8.75	10.0	16.2	
	日平均值			30.08	49.61	32.31	7.81	8.92	13.14	25.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月3日	蚵殼站	0:00	30.39	46.68	30.16	8.32	8.74	5.2	15.9	
		3:00	30.22	47.17	30.52	8.28	8.32	4.4	5.8	
		6:00	30.00	47.75	30.95	8.34	7.62	3.5	8.3	
		9:00	30.02	47.00	30.41	8.32	7.25	6.1	24.0	
		12:00	30.09	47.10	30.48	8.26	7.95	3.4	13.4	
		15:00	30.36	47.41	30.69	8.51	11.43	7.0	42.1	
		18:00	30.11	49.09	31.93	8.45	9.19	4.2	12.4	
		21:00	30.10	44.05	28.28	8.40	8.08	10.5	22.0	
	日平均值			30.16	47.03	30.43	8.36	8.57	5.54	17.99
	潮口站	0:00	28.79	50.12	32.72	8.24	6.21	3.9	1.7	
		3:00	29.40	49.68	32.38	8.32	6.68	2.9	3.1	
		6:00	27.43	50.99	33.40	8.11	6.50	7.2	1.5	
		9:00	27.43	51.14	33.51	8.20	6.56	7.7	2.2	
		12:00	29.19	49.59	32.32	8.31	7.41	1.9	1.8	
		15:00	29.08	49.66	32.37	8.21	6.71	4.4	5.5	
		18:00	29.27	48.62	31.61	8.25	6.51	8.0	5.7	
		21:00	27.82	49.19	32.07	8.12	6.32	21.2	2.5	
	日平均值			28.55	49.87	32.55	8.22	6.61	7.15	3.00
	灣內站	0:00	30.21	49.73	32.39	7.82	8.05	7.8	6.1	
		3:00	29.98	49.83	32.47	7.75	6.86	9.7	39.9	
		6:00	29.80	50.03	32.63	7.74	7.43	5.0	13.7	
		9:00	29.91	49.83	32.48	7.78	8.42	7.6	16.8	
		12:00	30.39	49.66	32.34	7.88	10.83	11.6	36.8	
		15:00	30.06	49.19	32.00	8.01	12.42	13.1	53.1	
		18:00	29.69	47.15	30.53	7.90	8.59	12.5	40.9	
		21:00	29.83	48.99	31.86	7.83	8.71	6.1	10.4	
	日平均值			29.98	49.30	32.09	7.84	8.91	9.18	27.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月4日	蚵殼站	0:00	30.05	42.99	27.53	8.31	7.74	3.9	0.8	
		3:00	29.34	40.97	26.11	8.45	7.70	3.7	4.4	
		6:00	29.30	37.49	23.65	8.37	6.29	3.2	10.1	
		9:00	29.11	39.22	24.87	8.44	8.11	5.3	17.5	
		12:00	29.58	46.23	29.87	8.42	8.05	6.1	25.0	
		15:00	30.05	44.88	28.88	8.54	11.53	8.2	31.7	
		18:00	30.18	43.54	27.93	8.46	10.13	7.9	23.5	
		21:00	29.74	43.71	28.06	8.47	8.96	8.2	18.5	
	日平均值			29.67	42.38	27.11	8.43	8.56	5.81	16.44
	潮口站	0:00	28.54	47.35	30.71	8.25	6.04	4.6	1.2	
		3:00	28.70	47.41	30.75	8.48	7.80	2.2	1.5	
		6:00	28.29	48.04	31.22	8.27	5.87	4.8	0.5	
		9:00	27.47	49.75	32.49	8.22	6.38	6.4	1.6	
		12:00	27.68	48.82	31.81	8.17	6.42	5.4	3.7	
		15:00	27.95	49.41	32.23	8.22	6.27	5.8	4.4	
		18:00	29.02	47.72	30.96	8.34	7.53	6.1	4.0	
		21:00	28.44	48.56	31.60	8.21	6.18	6.8	2.7	
	日平均值			28.26	48.38	31.47	8.27	6.56	5.26	2.45
	灣內站	0:00	29.83	49.03	31.89	7.79	8.13	9.5	18.7	
		3:00	29.22	48.07	31.21	7.84	7.87	9.9	39.9	
		6:00	29.40	48.68	31.65	7.80	8.25	26.0	134.1	
		9:00	29.17	47.51	30.80	7.97	10.58	26.0	123.5	
		12:00	29.11	47.55	30.84	7.80	7.13	24.0	116.7	
		15:00	29.09	47.06	30.48	7.84	6.88	19.2	70.3	
		18:00	29.74	40.85	26.01	8.00	11.82	71.7	24.9	
		21:00	29.35	44.71	28.77	7.84	8.77	11.7	19.9	
	日平均值			29.36	46.68	30.21	7.86	8.68	24.75	68.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月5日	蚵殼站	0:00	29.52	46.21	29.85	8.25	5.72	5.1	13.2	
		3:00	29.41	41.06	26.21	8.37	6.96	5.4	10.1	
		6:00	29.41	39.83	25.38	8.45	8.07	7.5	32.1	
		9:00	29.35	41.42	26.47	8.34	8.10	6.9	28.7	
		12:00	29.61	39.02	24.72	8.30	9.40	5.6	19.6	
		15:00	29.40	39.05	24.75	8.37	9.17	6.9	23.8	
		18:00	29.74	34.68	21.69	8.55	12.90	12.4	32.0	
		21:00	29.48	32.13	19.94	8.56	11.58	7.0	10.4	
	日平均值			29.49	39.18	24.88	8.40	8.99	7.10	21.24
	潮口站	0:00	27.07	50.37	32.95	8.12	6.40	10.4	2.6	
		3:00	28.02	47.58	30.89	8.20	6.58	4.8	1.5	
		6:00	28.18	44.56	28.71	8.41	7.10	4.1	5.9	
		9:00	27.46	48.26	31.40	8.16	6.26	3.5	2.2	
		12:00	27.48	48.71	31.73	8.06	6.30	3.4	0.0	
		15:00	28.68	46.90	30.38	8.29	7.65	4.5	14.9	
		18:00	28.82	48.28	31.37	8.36	7.92	3.8	7.5	
		21:00	28.80	45.26	29.19	8.28	6.71	7.7	6.5	
	日平均值			28.06	47.49	30.83	8.24	6.87	5.28	5.14
	灣內站	0:00	29.35	46.04	29.73	7.71	6.50	10.1	19.3	
		3:00	29.26	46.45	30.03	7.87	9.06	10.3	34.6	
		6:00	29.26	47.55	30.83	7.80	7.58	20.5	80.1	
		9:00	29.92	43.95	28.22	8.06	14.82	26.5	165.9	
		12:00	29.62	47.11	30.50	7.80	8.73	192.0	23.5	
		15:00	29.56	42.21	26.98	7.93	10.98	14.7	69.8	
		18:00	29.57	43.19	27.68	7.97	11.40	13.8	41.2	
		21:00	29.26	39.15	24.82	7.89	10.29	19.5	40.4	
日平均值			29.48	44.46	28.60	7.88	9.92	38.43	59.35	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月6日	蚵殼站	0:00	29.34	32.81	20.41	8.52	10.84	5.0	10.5	
		3:00	29.27	30.69	18.96	8.43	9.42	4.0	5.5	
		6:00	28.45	31.01	19.20	8.56	9.06	6.1	6.7	
		9:00	28.47	32.62	20.30	8.51	8.87	8.9	33.6	
		12:00	28.60	46.65	30.20	8.44	10.32	4.9	13.8	
		15:00	28.98	47.06	30.48	8.38	5.14	5.3	16.8	
		18:00	29.87	43.85	28.15	8.43	15.39	6.4	69.7	
		21:00	29.75	40.89	26.04	8.45	9.80	9.0	23.6	
	日平均值			29.09	38.20	24.22	8.47	9.86	6.20	22.53
	潮口站	0:00	26.93	44.52	28.71	8.12	6.39	10.6	0.9	
		3:00	28.37	42.22	27.02	8.51	8.67	8.6	9.7	
		6:00	28.28	45.47	29.36	8.43	8.07	3.0	5.9	
		9:00	28.13	44.74	28.83	8.35	7.40	3.1	5.3	
		12:00	28.15	46.84	30.35	8.30	7.72	2.2	6.9	
		15:00	29.73	47.78	31.26	8.29	8.24	5.6	9.8	
		18:00	30.27	46.40	30.24	8.49	10.51	3.5	11.3	
		21:00	30.44	44.65	28.98	8.55	11.05	5.5	7.8	
	日平均值			28.79	45.33	29.34	8.38	8.51	5.26	7.20
	灣內站	0:00	29.27	44.40	28.56	7.90	9.29	19.0	70.5	
		3:00	29.15	45.73	29.52	7.66	4.65	56.5	324.6	
		6:00	29.22	45.57	29.40	7.67	5.04	12.6	52.8	
		8:30	28.90	43.47	27.90	7.67	6.07	23.8	101.0	
		12:00	28.83	39.69	25.21	8.55	12.61	15.4	53.3	
		15:00	30.37	48.07	31.18	8.18	12.72	12.4	68.7	
		18:00	31.21	44.37	27.09	8.47	18.24	18.6	101.1	
		21:00	31.03	44.80	27.41	8.67	16.95	8.0	53.5	
	日平均值			29.75	44.51	28.28	8.10	10.70	20.79	103.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月7日	蚵殼站	0:00	29.02	43.24	27.73	8.48	6.73	6.6	16.5	
		3:00	28.58	38.87	24.64	8.08	3.25	6.4	20.3	
		6:00	28.60	35.22	22.09	8.40	5.32	6.8	20.9	
		9:00	28.71	33.56	20.93	8.60	9.97	21.2	187.8	
		12:00	28.95	35.18	22.05	8.32	8.43	5.2	19.4	
		15:00	28.65	36.30	22.84	8.22	7.60	7.4	30.0	
		18:00	29.39	41.47	26.46	8.53	10.69	9.4	56.5	
		21:00	29.06	40.57	25.83	8.48	9.47	6.4	25.9	
	日平均值			28.87	38.05	24.07	8.39	7.68	8.68	47.16
	潮口站	0:00	27.98	46.83	30.62	8.20	6.91	5.6	0.8	
		3:00	29.30	41.32	26.64	8.67	10.09	5.1	15.4	
		6:00	28.93	42.11	27.22	8.52	8.18	4.7	9.5	
		9:00	29.40	41.60	26.84	8.57	8.75	5.6	17.7	
		12:00	29.90	43.44	28.14	8.44	9.22	5.4	15.8	
		15:00	28.49	47.69	31.23	8.14	7.52	6.2	10.4	
		18:00	29.44	44.00	28.55	8.39	8.04	8.2	14.4	
		21:00	29.60	42.69	27.61	8.56	9.51	7.5	8.4	
	日平均值			29.13	43.71	28.36	8.44	8.53	6.04	11.55
	灣內站	0:00	29.81	46.53	28.73	8.32	8.56	5.4	49.2	
		3:00	29.71	48.66	30.30	8.00	4.94	28.0	132.8	
		6:00	29.53	48.44	30.15	8.11	5.03	14.6	109.1	
		9:00	29.37	46.12	28.44	8.26	8.74	9.9	83.2	
		12:00	30.72	45.46	27.91	8.36	14.56	12.3	89.4	
		15:00	30.16	46.91	29.00	8.24	11.36	12.9	89.3	
		18:00	29.69	47.73	29.61	8.05	7.22	12.5	83.3	
		21:00	29.34	48.02	29.84	7.99	5.16	10.9	70.5	
	日平均值			29.79	47.23	29.25	8.17	8.20	13.31	88.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月8日	蚵殼站	0:00	28.59	40.56	25.84	8.51	9.31	5.1	19.0	
		3:00	28.61	44.92	28.95	8.04	4.97	6.0	20.1	
		6:00	28.31	44.46	28.63	7.84	3.31	11.0	50.2	
		9:00	28.33	46.20	29.88	7.99	4.21	7.5	19.9	
		12:00	28.58	43.76	28.12	8.21	7.80	7.7	51.0	
		15:00	28.73	43.23	27.73	8.21	9.51	8.2	48.1	
		18:00	27.61	36.63	23.10	7.75	3.95	7.2	29.0	
		21:00	27.92	46.56	30.15	8.07	5.75	4.1	5.8	
	日平均值			28.34	43.29	27.80	8.08	6.10	7.10	30.39
	潮口站	0:00	27.94	47.82	31.34	8.18	6.69	19.8	3.6	
		3:00	28.26	46.13	30.11	8.34	7.24	8.4	6.4	
		6:00	28.86	44.68	29.05	8.29	6.15	5.4	7.5	
		9:00	28.54	43.36	28.11	8.47	8.01	9.3	19.0	
		12:00	28.10	45.90	29.95	8.16	6.55	19.3	1.5	
		15:00	29.11	42.99	27.83	8.70	13.36	11.5	56.0	
		18:00	28.85	42.82	27.73	8.79	14.28	17.5	111.6	
		21:00	28.78	43.25	28.03	8.54	10.00	16.1	86.7	
	日平均值			28.56	44.62	29.02	8.43	9.04	13.41	36.54
	灣內站	0:00	29.04	45.34	27.88	8.34	8.45	6.2	58.2	
		3:00	29.08	47.36	29.36	8.15	6.02	7.1	66.8	
		6:00	29.06	49.35	30.84	7.76	1.29	14.7	61.9	
		9:00	28.85	47.56	29.52	7.91	4.59	13.4	86.0	
		12:00	28.92	48.14	29.95	8.16	6.61	6.9	58.7	
		15:00	28.99	47.59	29.54	7.99	7.03	7.0	52.9	
		18:00	28.81	48.69	30.36	8.06	6.40	7.4	63.0	
		21:00	28.57	48.38	30.14	8.04	6.18	7.8	61.8	
	日平均值			28.92	47.80	29.70	8.05	5.82	8.81	63.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月9日	蚵殼站	0:00	27.76	43.71	28.11	8.18	6.80	4.2	9.2	
		3:00	27.67	38.00	24.05	8.09	5.34	5.2	2.7	
		6:00	27.58	47.31	30.71	8.02	5.08	7.0	21.1	
		9:00	27.59	46.70	30.26	8.01	4.76	5.5	8.6	
		12:00	28.70	45.45	29.33	8.12	6.89	5.9	14.0	
		15:00	28.63	43.95	28.25	8.29	10.37	6.2	29.5	
		18:00	28.51	43.32	27.80	8.43	12.68	5.5	22.2	
		21:00	29.20	43.66	28.02	8.34	13.62	6.7	20.3	
	日平均值			28.21	44.01	28.32	8.19	8.19	5.78	15.95
	潮口站	0:00	27.90	48.00	31.48	8.10	6.49	25.4	23.1	
		3:00	27.90	48.73	32.00	8.07	6.41	26.7	5.8	
		6:00	27.98	44.09	28.65	8.38	7.24	5.1	13.5	
		9:00	28.20	44.21	28.73	8.25	5.75	11.3	18.7	
		12:00	28.77	44.62	29.01	8.23	6.30	13.4	15.6	
		15:00	28.30	48.22	31.62	8.11	7.01	33.7	5.4	
		18:00	28.88	45.75	29.82	8.41	10.17	6.4	9.5	
		21:00	28.79	44.75	29.10	8.39	9.73	5.6	5.2	
	日平均值			28.34	46.05	30.05	8.24	7.39	15.95	12.10
	灣內站	0:00	28.65	49.11	30.68	8.06	6.18	5.8	62.3	
		3:00	28.19	50.42	31.66	7.84	3.85	5.9	63.6	
		6:00	28.09	51.90	32.78	7.67	2.57	6.9	59.9	
		9:00	28.12	51.64	32.58	7.68	2.51	7.4	59.9	
		12:00	28.41	49.05	30.64	7.87	5.70	5.5	70.7	
		15:00	29.79	47.90	29.74	8.46	18.15	14.9	129.7	
		18:00	29.01	49.63	31.05	8.05	10.00	5.3	69.1	
		21:00	29.07	49.05	30.62	8.12	9.67	5.0	73.3	
	日平均值			28.67	49.84	31.22	7.97	7.33	7.09	73.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月10日	蚵殼站	0:00	28.83	44.69	28.78	8.14	9.67	4.9	14.0	
		3:00	28.06	46.84	30.35	8.07	7.32	2.8	5.3	
		6:00	27.87	48.83	31.81	7.71	2.54	5.8	33.2	
		9:00	28.40	47.51	30.83	7.91	6.77	8.8	89.8	
		12:00	29.62	46.43	30.01	7.86	9.79	7.2	32.2	
		15:00	30.35	47.08	30.46	8.12	11.78	3.7	19.5	
		18:00	30.31	46.90	30.33	8.17	12.58	5.0	11.3	
		21:00	30.09	46.27	29.88	8.18	12.51	5.8	19.9	
	日平均值			29.19	46.82	30.31	8.02	9.12	5.50	28.15
	潮口站	0:00	28.58	45.10	29.36	8.36	8.57	6.1	6.6	
		3:00	27.42	49.31	32.44	8.09	6.45	14.5	1.8	
		6:00	28.22	43.67	28.35	8.51	10.16	1.4	7.8	
		9:00	29.01	44.04	28.59	8.44	9.60	3.2	4.2	
		12:00	29.10	46.40	30.28	8.19	7.99	9.0	19.7	
		15:00	28.66	48.46	31.79	8.02	6.34	18.8	0.2	
		18:00	28.70	46.06	30.05	8.02	6.49	10.4	2.6	
		21:00	29.83	45.80	29.83	8.33	9.64	3.1	4.9	
	日平均值			28.69	46.11	30.09	8.25	8.16	8.31	5.98
	灣內站	0:00	28.80	49.60	31.03	8.08	8.62	3.3	63.5	
		3:00	28.68	49.46	30.93	8.22	8.30	3.1	65.6	
		6:00	28.97	50.04	31.36	7.95	6.50	15.4	141.7	
		9:00	28.78	51.22	32.24	8.11	5.91	6.5	79.4	
		12:00	31.11	49.28	30.72	8.47	20.59	25.2	255.1	
		15:00	31.94	48.93	30.42	8.72	24.74	31.6	282.3	
		18:00	31.60	49.27	30.69	8.61	20.91	11.8	127.4	
		21:00	31.55	49.80	31.09	8.06	12.16	15.4	132.5	
	日平均值			30.18	49.70	31.06	8.28	13.47	14.04	143.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月11日	蚵殼站	0:00	29.04	47.99	31.16	8.02	7.80	3.3	9.7	
		3:00	29.26	46.65	30.18	8.15	8.96	2.7	4.1	
		6:00	28.37	47.37	30.72	8.01	7.47	4.7	4.2	
		9:00	28.63	47.73	30.98	8.01	7.62	9.7	51.6	
		12:00	29.49	48.91	31.82	8.00	8.66	6.0	16.7	
		15:00	29.99	48.47	31.48	8.12	10.87	6.7	16.8	
		18:00	29.86	48.31	31.36	8.11	10.19	3.1	8.5	
		21:00	29.66	48.25	31.33	8.17	11.17	3.0	8.4	
	日平均值			29.29	47.96	31.13	8.07	9.09	4.90	15.00
	潮口站	0:00	29.42	45.20	29.41	8.24	7.88	3.7	3.3	
		3:00	27.23	47.95	31.46	8.04	6.35	12.5	0.8	
		6:00	28.75	46.85	30.62	8.29	7.57	5.7	2.4	
		9:00	29.48	46.05	30.01	8.34	7.83	9.9	9.2	
		12:00	29.75	46.50	30.33	8.34	9.03	7.7	9.3	
		15:00	29.90	43.72	28.34	8.10	6.96	9.8	9.9	
		18:00	28.92	47.43	31.03	8.05	6.72	11.9	1.3	
		21:00	29.38	47.11	30.78	8.13	7.15	14.1	6.1	
	日平均值			29.10	46.35	30.25	8.19	7.44	9.41	5.29
	灣內站	0:00	29.22	52.40	33.12	7.83	5.36	13.5	121.3	
		3:00	29.14	52.57	33.24	7.60	3.84	12.3	113.7	
		6:00	28.67	52.60	33.28	7.76	4.30	10.9	92.3	
		9:00	29.17	52.57	33.25	8.00	6.88	6.0	70.4	
		12:00	30.19	52.54	33.18	7.85	7.91	11.1	87.0	
		15:00	30.83	51.70	32.53	7.98	9.39	11.7	85.3	
		18:00	30.82	51.40	32.30	7.76	9.07	6.3	70.1	
		21:00	30.67	52.19	32.91	8.15	10.30	3.9	58.5	
	日平均值			29.84	52.25	32.98	7.87	7.13	9.46	87.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月12日	蚵殼站	0:00	29.80	47.80	30.99	8.25	10.51	3.2	10.3	
		3:00	29.64	47.59	30.85	8.32	10.20	3.3	18.5	
		6:00	28.77	48.34	31.42	7.76	5.11	8.9	67.7	
		9:00	28.33	49.59	32.35	7.73	5.73	6.1	22.0	
		12:00	29.57	49.06	31.92	8.03	10.43	4.3	36.8	
		15:00	30.02	49.24	32.04	8.12	11.91	4.0	14.8	
		18:00	30.30	48.43	31.44	8.30	14.84	4.0	30.1	
		21:00	30.23	48.04	31.15	8.26	13.03	3.7	14.8	
	日平均值			29.58	48.51	31.52	8.10	10.22	4.69	26.88
	潮口站	0:00	29.70	46.62	30.42	8.24	7.72	3.2	6.0	
		3:00	27.13	49.06	32.26	8.05	6.29	35.4	0.4	
		6:00	27.66	47.08	30.81	8.09	6.40	12.1	1.3	
		9:00	29.92	45.01	29.25	8.46	10.80	7.4	50.1	
		12:00	29.96	45.30	29.47	8.05	5.64	13.5	11.5	
		15:00	29.76	45.69	29.75	8.26	9.56	10.8	29.6	
		18:00	28.17	46.64	30.48	8.06	6.56	11.6	1.7	
		21:00	29.83	45.23	29.42	8.35	9.58	3.2	3.1	
	日平均值			29.02	46.33	30.23	8.20	7.82	12.15	12.96
	灣內站	0:00	30.32	52.33	33.02	8.18	10.72	4.1	58.5	
		3:00	30.02	52.24	32.96	8.22	10.28	3.1	59.4	
		6:00	29.87	52.67	33.29	8.07	8.15	4.5	83.4	
		9:00	30.27	52.57	33.20	8.11	10.49	2.7	71.6	
		12:00	30.74	52.22	32.93	8.11	9.39	3.1	59.8	
		15:00	31.02	52.07	32.80	8.20	11.25	5.9	80.4	
		18:00	30.83	52.52	33.15	8.15	11.95	8.5	98.3	
		21:00	30.46	50.75	31.83	8.18	11.10	6.1	78.9	
	日平均值			30.44	52.17	32.90	8.15	10.42	4.75	73.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月13日	蚵殼站	0:00	29.84	48.08	31.20	8.23	12.15	3.6	9.9	
		3:00	29.61	48.39	31.43	8.21	10.77	3.7	14.2	
		6:00	28.05	49.47	32.27	7.68	4.63	9.0	75.4	
		9:00	28.19	49.20	32.07	7.98	7.49	4.6	18.0	
		12:00	28.79	49.04	31.93	8.12	10.34	7.9	76.2	
		15:00	30.28	49.17	31.98	8.23	14.14	5.3	36.7	
		18:00	29.95	49.37	32.13	8.02	10.89	4.5	32.6	
		21:00	29.72	49.26	32.06	8.10	10.73	3.7	23.6	
	日平均值			29.30	49.00	31.88	8.07	10.14	5.29	35.83
	潮口站	0:00	29.77	44.90	29.18	8.42	10.35	4.5	9.1	
		3:00	26.71	46.62	30.51	8.05	6.35	18.9	0.2	
		6:00	27.54	46.75	30.57	8.08	6.54	27.1	1.9	
		9:00	29.57	44.78	29.10	8.52	11.01	4.9	16.5	
		12:00	29.59	45.29	29.47	8.24	8.74	17.7	31.2	
		15:00	30.66	44.67	28.99	8.55	12.01	6.7	6.8	
		18:00	27.79	46.14	30.13	8.05	6.37	39.1	3.1	
		21:00	29.80	44.75	29.08	8.59	14.28	4.1	10.5	
	日平均值			28.93	45.49	29.63	8.31	9.46	15.38	9.91
	灣內站	0:00	30.34	51.43	32.35	8.18	9.54	5.0	69.6	
		3:00	30.05	52.77	33.36	8.05	7.62	9.6	94.9	
		6:00	29.62	53.18	33.69	8.11	9.23	10.3	81.3	
		9:00	29.51	53.69	34.08	8.03	7.47	4.7	72.1	
		12:00	30.46	52.62	33.24	8.18	9.87	11.2	93.0	
		15:00	30.88	52.65	33.24	8.13	11.80	16.8	90.9	
		18:00	29.70	53.14	33.65	8.01	7.74	14.1	73.0	
		21:00	29.65	53.64	34.04	8.10	11.03	26.1	79.9	
	日平均值			30.03	52.89	33.46	8.10	9.29	12.23	81.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月14日	蚵殼站	0:00	29.41	47.90	31.09	7.97	8.45	5.0	31.1	
		3:00	28.94	48.30	31.39	8.00	7.24	3.7	16.1	
		6:00	28.46	49.42	32.22	7.90	6.85	3.6	11.6	
		9:00	28.40	48.38	31.46	8.22	8.74	5.7	35.0	
		12:00	28.62	49.02	31.92	8.33	10.14	4.3	24.7	
		15:00	28.57	49.25	32.09	8.28	10.29	3.1	20.3	
		18:00	28.60	48.87	31.82	8.28	10.18	3.6	21.7	
		21:00	28.15	39.67	25.22	8.05	8.04	4.6	20.7	
	日平均值			28.64	47.60	30.90	8.13	8.74	4.20	22.65
	潮口站	0:00	29.72	44.49	28.89	8.53	12.25	4.2	8.4	
		3:00	27.81	46.23	30.19	8.05	6.68	42.2	1.0	
		6:00	27.60	45.83	29.91	8.07	6.81	60.0	1.8	
		9:00	28.32	45.01	29.30	8.23	7.51	7.9	6.8	
		12:00	28.71	44.74	29.10	8.30	8.79	16.5	40.6	
		15:00	28.07	45.56	29.71	7.95	4.49	13.7	10.7	
		18:00	27.48	46.51	30.41	8.06	6.81	63.1	4.5	
		21:00	27.92	44.90	29.23	8.06	6.39	15.4	3.4	
	日平均值			28.20	45.41	29.59	8.16	7.47	27.88	9.65
	灣內站	0:00	29.64	52.81	33.41	8.63	13.32	19.8	97.7	
		3:00	29.46	52.70	33.33	8.29	9.55	11.9	96.9	
		6:00	29.29	53.63	34.04	7.85	5.73	44.8	95.5	
		9:00	28.66	54.24	34.52	8.02	6.96	88.1	132.2	
		12:00	29.24	52.79	33.41	8.27	9.02	48.2	152.3	
		15:00	29.37	52.19	32.95	8.26	9.06	74.0	110.3	
		18:00	29.14	52.20	32.97	7.97	6.72	73.8	107.2	
		21:00	28.87	52.14	32.93	7.99	6.57	34.3	189.1	
	日平均值			29.21	52.84	33.45	8.16	8.37	49.36	122.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月15日	蚵殼站	0:00	27.51	50.06	32.72	7.92	5.35	6.2	12.4	
		3:00	27.51	48.38	31.49	7.87	4.78	4.4	17.1	
		6:00	27.49	39.16	24.87	7.88	5.49	5.4	11.1	
		9:00	27.42	39.57	25.17	7.88	5.92	6.9	21.4	
		12:00	27.49	40.52	25.84	7.86	6.53	5.8	20.3	
		15:00	27.72	52.31	34.37	7.93	7.14	8.3	25.3	
		18:00	27.72	40.99	26.16	7.90	7.08	9.3	10.9	
		21:00	27.65	41.01	26.18	7.93	6.93	8.1	9.6	
	日平均值			27.56	44.00	28.35	7.90	6.15	6.80	16.01
	潮口站	0:00	28.21	43.32	28.10	8.24	7.57	9.3	15.8	
		3:00	27.81	44.82	29.18	8.13	6.74	23.5	5.5	
		6:00	27.38	44.33	28.84	8.07	7.03	58.5	0.1	
		9:00	27.54	43.74	28.42	8.08	6.98	28.9	0.0	
		12:00	28.12	43.69	28.36	8.12	6.78	24.4	7.9	
		15:00	28.39	43.64	28.32	8.16	7.37	18.0	8.7	
		18:00	28.32	44.44	28.90	8.11	6.91	29.1	8.8	
		21:00	28.29	44.30	28.79	8.06	6.62	27.4	5.8	
	日平均值			28.01	44.04	28.61	8.12	7.00	27.39	6.58
	灣內站	0:00	28.53	52.58	33.28	7.93	4.84	36.1	170.0	
		3:00	28.20	53.83	34.23	7.97	5.09	59.8	130.0	
		6:00	27.73	54.54	34.78	7.75	5.25	122.1	100.5	
		9:00	27.75	54.33	34.62	7.75	5.74	162.3	106.0	
		12:00	27.94	54.60	34.82	7.84	5.36	83.9	102.2	
		15:00	28.79	49.81	31.19	7.87	5.64	39.5	84.3	
		18:00	28.89	48.78	30.42	7.88	6.41	151.4	148.6	
		21:00	28.42	54.33	34.60	7.79	5.27	84.6	131.1	
	日平均值			28.28	52.85	33.49	7.85	5.45	92.46	121.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月16日	蚵殼站	0:00	27.68	41.31	26.39	7.88	6.56	9.4	34.0	
		3:00	27.58	40.65	25.93	7.86	6.31	8.8	15.0	
		6:00	27.50	40.70	25.96	7.86	6.22	7.0	12.7	
		9:00	27.64	41.13	26.26	7.84	6.51	5.6	9.8	
		12:00	28.19	41.58	26.57	7.89	8.30	8.6	26.9	
		15:00	28.59	41.35	26.40	7.76	8.02	5.6	9.9	
		18:00	28.40	41.15	26.26	7.83	7.99	4.6	6.3	
		21:00	28.37	40.98	26.14	7.80	7.78	4.0	5.4	
	日平均值			27.99	41.11	26.24	7.84	7.21	6.70	15.00
	潮口站	0:00	28.45	43.29	28.07	8.05	6.07	9.8	6.8	
		3:00	28.21	44.38	28.85	7.98	5.58	10.5	7.3	
		6:00	27.55	45.03	29.34	8.06	6.52	39.5	1.3	
		9:00	27.47	45.26	29.50	8.07	6.76	39.9	0.1	
		12:00	28.67	44.47	28.91	8.05	6.76	18.0	11.7	
		15:00	29.58	45.21	29.41	8.16	9.27	15.9	20.1	
		18:00	30.30	44.76	29.06	8.13	8.85	8.9	8.9	
		21:00	27.25	45.68	29.82	8.03	6.50	75.1	3.8	
	日平均值			28.44	44.76	29.12	8.07	7.04	27.20	7.50
	灣內站	0:00	27.92	54.40	34.67	7.90	5.43	262.8	86.7	
		3:00	27.86	54.30	34.60	8.01	5.41	99.0	121.3	
		6:00	27.84	54.44	34.70	7.92	5.35	390.8	105.7	
		9:00	28.13	54.46	34.70	7.86	5.55	693.4	78.4	
		12:00	28.92	54.41	34.64	7.92	8.37	267.9	109.7	
		15:00	30.32	54.34	34.54	7.89	8.40	642.8	145.4	
		18:00	30.50	45.14	27.68	8.11	10.23	888.1	111.7	
		21:00	30.33	51.96	32.75	7.93	9.22	113.9	107.0	
	日平均值			28.98	52.93	33.54	7.94	7.25	419.84	108.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月17日	蚵殼站	0:00	28.56	40.65	25.90	7.83	8.24	3.3	9.4	
		3:00	28.20	40.94	26.11	7.82	7.23	3.0	5.9	
		6:00	28.06	40.46	25.78	7.78	7.13	4.0	2.3	
		9:00	28.38	40.78	26.00	7.70	7.59	5.0	25.3	
		12:00	28.35	41.17	26.27	7.71	7.24	2.9	7.2	
		15:00	29.57	40.63	25.86	7.69	8.32	3.0	13.8	
		18:00	29.75	41.29	26.32	7.74	9.31	5.1	21.9	
		21:00	29.94	40.55	25.79	7.75	9.07	2.9	10.3	
	日平均值			28.85	40.81	26.00	7.75	8.02	3.65	12.01
	潮口站	0:00	28.12	43.72	28.39	8.07	6.94	13.0	4.0	
		3:00	28.68	43.23	28.02	8.06	6.99	7.3	4.1	
		6:00	27.63	45.16	29.43	8.04	6.40	23.7	3.1	
		9:00	27.74	44.36	28.85	8.05	6.53	17.0	1.8	
		12:00	28.70	45.10	29.35	8.09	7.49	8.9	6.7	
		15:00	28.53	45.15	29.39	8.06	7.15	9.9	3.6	
		18:00	28.81	44.95	29.25	8.08	7.64	6.3	13.5	
		21:00	27.86	44.76	29.14	8.04	6.43	20.7	0.7	
	日平均值			28.26	44.55	28.98	8.06	6.95	13.35	4.69
	灣內站	0:00	29.46	53.52	33.95	7.85	7.50	677.5	111.6	
		3:00	29.13	53.95	34.28	7.82	7.29	35.8	136.2	
		6:00	28.96	53.90	34.26	7.88	6.39	533.0	124.3	
		9:00	28.66	54.39	34.64	7.78	6.55	489.5	124.5	
		12:00	30.20	53.74	34.09	7.81	8.07	485.6	118.0	
		15:00	30.90	53.69	34.02	7.94	11.54	329.2	100.0	
		18:00	30.96	53.74	34.06	8.15	11.97	344.4	103.7	
		21:00	30.95	53.86	34.15	8.16	11.50	472.2	133.7	
	日平均值			29.90	53.85	34.18	7.92	8.85	420.90	119.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月18日	蚵殼站	0:00	29.73	40.79	25.97	7.73	8.22	10.6	13.0	
		3:00	29.74	40.06	25.45	7.75	8.02	2.6	4.9	
		6:00	29.20	40.04	25.45	7.83	8.26	3.2	6.9	
		9:00	29.04	39.80	25.29	7.68	7.75	3.8	8.7	
		12:00	29.05	40.34	25.66	7.57	8.43	4.9	11.3	
		15:00	30.57	40.49	25.73	7.78	11.80	6.7	46.3	
		18:00	30.51	40.46	25.71	7.73	10.98	2.9	22.7	
		21:00	30.40	40.47	25.72	7.86	10.85	2.9	14.6	
	日平均值			29.78	40.31	25.62	7.74	9.29	4.70	16.05
	潮口站	0:00	27.83	41.21	26.61	8.04	6.58	9.7	0.1	
		3:00	28.86	43.84	28.45	8.08	6.96	3.5	5.6	
		6:00	28.53	43.49	28.21	8.02	6.27	8.6	2.1	
		9:00	27.54	45.08	29.37	8.06	6.44	12.7	2.1	
		12:00	29.58	43.72	28.34	8.10	7.83	6.6	7.3	
		15:00	29.28	43.97	28.53	8.17	9.48	7.6	11.9	
		18:00	29.10	43.82	28.43	8.14	8.66	7.3	16.2	
		21:00	28.38	39.15	25.14	8.00	6.94	8.6	6.0	
	日平均值			28.64	43.04	27.89	8.08	7.40	8.08	6.41
	灣內站	0:00	30.28	53.89	34.20	7.92	8.16	166.3	107.1	
		3:00	29.56	52.54	33.21	8.01	7.36	289.7	106.2	
		6:00	29.59	52.74	33.36	8.01	7.07	226.1	93.3	
		9:00	30.01	52.89	33.46	7.91	8.20	157.3	101.5	
		12:00	30.65	52.92	33.45	8.02	11.39	86.0	114.9	
		15:00	32.05	52.43	33.03	8.16	15.33	212.8	149.2	
		18:00	32.51	52.38	32.98	8.15	14.63	121.9	119.8	
		21:00	31.98	52.28	32.92	8.19	12.04	178.3	126.7	
	日平均值			30.83	52.76	33.33	8.05	10.52	179.80	114.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月19日	蚵殼站	0:00	30.25	40.22	25.55	7.85	10.66	3.7	20.1	
		3:00	29.36	38.89	24.64	7.74	9.01	4.5	11.4	
		6:00	28.64	37.50	23.68	7.75	7.25	4.6	15.2	
		9:00	29.86	38.90	24.63	7.76	9.34	5.1	17.8	
		11:00	30.95	49.60	32.27	6.56	11.33	6.7	55.9	
		15:00	31.13	49.39	32.11	8.45	13.26	6.3	99.6	
		18:00	32.09	49.16	31.91	8.35	13.34	4.9	109.5	
		21:00	31.95	48.96	31.77	8.43	12.82	4.4	69.4	
	日平均值			30.53	44.08	28.32	7.86	10.88	5.03	49.86
	潮口站	0:00	28.33	42.84	27.75	8.05	6.66	9.0	1.0	
		3:00	29.35	43.42	28.14	8.16	7.71	2.2	3.4	
		6:00	29.42	42.52	27.49	8.17	8.41	2.7	6.7	
		9:00	27.60	45.12	29.40	8.04	6.60	17.1	1.7	
		12:00	28.59	44.36	28.83	8.05	6.79	13.1	0.8	
		15:00	31.04	49.48	32.53	8.25	12.79	11.2	12.5	
		18:00	31.55	49.76	32.72	8.24	11.37	9.8	23.0	
		21:00	30.58	49.82	32.79	8.25	10.18	18.7	12.7	
	日平均值			29.56	45.92	29.96	8.15	8.81	10.48	7.73
	灣內站	0:00	29.85	49.43	30.87	7.70	8.03	140.3	139.9	
		3:00	30.40	52.42	33.09	7.59	6.89	242.1	150.9	
		6:00	31.11	51.97	32.72	8.07	8.95	333.5	156.2	
		9:00	31.71	51.13	32.07	7.90	9.02	166.5	144.7	
		12:00	31.78	46.91	30.28	8.50	11.86	3.5	13.0	
		15:00	32.60	48.27	31.24	8.46	13.85	3.7	30.0	
		18:00	33.24	48.03	31.04	8.47	12.71	3.7	17.5	
		21:00	32.85	41.45	26.34	8.51	10.03	10.6	29.4	
	日平均值			31.69	48.70	30.96	8.15	10.17	112.99	85.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月20日	蚵殼站	0:00	31.55	49.08	31.87	8.30	11.65	4.4	68.8	
		3:00	30.11	50.06	32.64	8.32	9.45	6.2	75.0	
		6:00	29.78	50.05	32.64	8.28	8.18	4.5	97.2	
		9:00	30.69	49.61	32.29	8.26	9.68	4.9	77.0	
		12:00	30.79	49.69	32.34	8.42	10.51	6.0	92.9	
		15:00	31.55	49.71	32.33	8.29	11.67	8.0	84.8	
		18:00	31.86	49.77	32.36	8.46	11.77	5.7	90.2	
		21:00	31.51	49.89	32.46	8.31	11.13	4.7	30.4	
	日平均值			30.98	49.73	32.37	8.33	10.51	5.55	77.04
	潮口站	0:00	28.40	50.85	33.62	8.20	6.99	24.5	3.6	
		3:00	30.58	49.35	32.45	8.48	9.98	5.0	15.6	
		6:00	30.64	49.26	32.39	8.27	8.12	5.1	14.4	
		9:00	29.44	50.32	33.20	8.20	7.93	25.9	13.1	
		12:00	29.65	50.19	33.10	8.25	8.43	21.7	13.8	
		15:00	30.55	50.45	33.26	8.25	8.71	12.2	9.5	
		18:00	30.47	50.61	33.38	8.28	10.13	8.3	15.2	
		21:00	32.18	49.97	32.85	8.26	8.94	7.9	9.3	
	日平均值			30.24	50.13	33.03	8.27	8.65	13.83	11.81
	灣內站	0:00	32.47	48.44	31.37	8.53	13.15	3.0	9.3	
		3:00	31.04	48.87	31.74	8.41	10.91	3.6	17.3	
		6:00	30.96	48.67	31.59	8.22	8.14	7.3	18.3	
		9:00	30.79	49.12	31.93	8.41	8.70	4.4	18.9	
		12:00	30.70	49.38	32.12	8.52	10.99	4.5	21.1	
		15:00	31.53	49.17	31.94	8.45	12.34	3.1	18.4	
		18:00	31.91	48.97	31.77	8.59	12.83	3.2	16.2	
		21:00	31.86	46.82	30.21	8.30	9.17	9.5	22.9	
	日平均值			31.41	48.68	31.58	8.43	10.78	4.83	17.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月21日	蚵殼站	0:00	30.79	50.15	32.68	8.59	9.86	5.0	53.2	
		3:00	30.47	50.20	32.72	8.31	8.78	9.6	77.0	
		6:00	30.19	50.25	32.77	8.37	7.93	4.8	68.6	
		9:00	30.22	50.30	32.81	8.56	7.61	6.5	39.4	
		12:00	30.55	50.33	32.82	8.39	8.32	5.7	74.3	
		15:00	30.94	50.34	32.81	8.35	8.50	5.6	100.2	
		18:00	30.53	50.46	32.92	8.38	8.07	7.4	16.5	
		21:00	30.37	50.42	32.89	8.30	7.78	5.6	12.5	
	日平均值			30.51	50.31	32.80	8.41	8.36	6.28	55.21
	潮口站	0:00	29.22	50.63	33.43	8.16	7.22	9.7	0.1	
		3:00	29.35	50.61	33.42	8.14	7.22	14.3	11.7	
		6:00	29.96	50.56	33.36	8.32	7.72	12.0	7.4	
		9:00	30.62	49.85	32.82	8.21	5.74	10.8	9.5	
		12:00	29.74	50.92	33.63	8.19	7.31	17.5	7.5	
		15:00	30.11	50.92	33.61	8.26	7.42	14.6	11.8	
		18:00	31.17	50.71	33.43	8.39	8.91	10.3	8.6	
		21:00	31.58	50.32	33.13	8.22	6.82	8.4	6.5	
	日平均值			30.22	50.57	33.35	8.24	7.30	12.20	7.89
	灣內站	0:00	31.15	49.42	32.13	8.51	9.64	4.1	16.4	
		3:00	29.88	49.82	32.47	8.28	7.42	4.1	20.6	
		6:00	29.82	49.69	32.38	8.18	6.33	5.6	23.6	
		9:00	29.20	49.95	32.58	8.32	6.39	3.7	20.1	
		12:00	30.17	49.71	32.38	8.29	8.15	2.5	5.0	
		15:00	30.67	49.69	32.35	8.57	9.50	3.2	9.1	
		18:00	30.39	49.90	32.51	8.45	9.17	7.3	14.0	
		21:00	29.42	49.81	32.47	8.20	7.24	4.8	5.2	
	日平均值			30.09	49.75	32.41	8.35	7.98	4.41	14.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月22日	蚵殼站	0:00	30.41	50.42	32.89	8.27	7.45	6.8	8.6	
		3:00	30.23	50.30	32.81	8.29	7.10	8.1	14.7	
		6:00	30.15	50.34	32.84	8.35	6.39	6.4	8.3	
		9:00	30.32	50.41	32.89	8.29	7.34	7.4	15.3	
		12:00	30.70	50.52	32.96	8.26	7.66	6.4	11.8	
		15:00	30.80	50.53	32.96	8.33	8.26	6.5	15.2	
		18:00	30.90	50.54	32.96	8.45	8.24	7.3	12.4	
		21:00	30.75	50.46	32.91	8.37	7.81	9.8	10.6	
	日平均值			30.53	50.44	32.90	8.33	7.53	7.34	12.11
	潮口站	0:00	29.56	51.21	33.85	8.12	6.57	30.0	6.3	
		3:00	29.43	51.14	33.80	8.20	6.44	16.8	2.7	
		6:00	29.88	50.87	33.58	8.26	6.79	9.2	3.8	
		9:00	30.10	50.78	33.51	8.23	6.55	10.1	5.5	
		12:00	30.38	50.93	33.61	8.20	6.85	21.0	6.8	
		15:00	30.40	51.03	33.69	8.12	6.88	30.9	5.8	
		18:00	31.31	50.80	33.48	8.31	8.01	11.6	10.0	
		21:00	31.19	50.78	33.48	8.27	7.38	8.5	12.1	
	日平均值			30.28	50.94	33.63	8.21	6.93	17.26	6.63
	灣內站	0:00	29.68	49.76	32.43	8.39	7.08	2.2	10.2	
		3:00	29.68	49.70	32.39	8.17	6.94	2.6	3.7	
		6:00	29.73	49.69	32.37	8.33	6.94	1.5	5.4	
		9:00	29.91	49.56	32.27	8.25	6.93	2.2	8.4	
		12:00	30.39	49.62	32.30	8.33	7.43	2.5	8.9	
		15:00	30.71	49.65	32.32	8.39	8.34	2.3	8.5	
		18:00	30.61	49.67	32.34	8.32	8.28	2.4	11.9	
		21:00	30.31	49.74	32.40	8.26	7.35	2.7	8.5	
	日平均值			30.13	49.67	32.35	8.31	7.41	2.30	8.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月23日	蚵殼站	0:00	30.59	45.34	29.19	8.37	7.52	5.3	8.7	
		3:00	30.57	46.92	30.33	8.31	7.62	5.3	14.8	
		6:00	30.49	47.17	30.51	8.39	5.72	4.5	13.1	
		9:00	30.52	47.02	30.41	8.30	6.85	5.9	14.3	
		12:00	31.11	46.98	30.36	8.31	7.45	6.7	3.3	
		15:00	31.47	47.08	30.42	8.29	7.68	5.4	4.4	
		18:00	31.49	48.33	31.33	8.30	7.22	5.2	7.9	
		21:00	31.08	46.97	30.35	8.43	7.92	4.5	6.7	
	日平均值			30.92	46.98	30.36	8.34	7.25	5.35	9.15
	潮口站	0:00	29.76	51.84	34.30	8.13	6.56	38.5	3.8	
		3:00	29.65	51.75	34.24	8.09	6.43	33.0	3.8	
		6:00	29.92	51.08	33.74	8.23	6.63	7.5	8.8	
		9:00	30.18	50.93	33.62	8.20	6.70	14.2	3.2	
		12:00	30.68	51.07	33.71	8.22	7.23	10.1	6.9	
		15:00	30.18	52.09	34.47	8.13	6.55	41.6	3.7	
		18:00	31.59	51.43	33.93	8.28	8.79	8.4	9.4	
		21:00	30.90	51.37	33.92	8.30	8.73	6.6	14.7	
	日平均值			30.36	51.45	33.99	8.20	7.20	19.99	6.79
	灣內站	0:00	30.17	49.58	32.28	8.26	7.03	1.9	4.1	
		3:00	29.97	49.66	32.35	8.24	6.78	3.4	9.5	
		6:00	29.91	49.76	32.42	8.32	6.63	4.7	4.0	
		9:00	30.10	49.82	32.46	8.33	6.36	1.9	4.6	
		12:00	31.85	39.76	25.18	8.05	7.11	7.7	24.3	
		15:00	31.84	49.45	32.13	8.21	8.44	3.6	6.2	
		18:00	31.72	49.69	32.31	8.55	9.29	3.9	9.0	
		21:00	31.39	49.62	32.27	8.39	8.30	2.0	10.5	
	日平均值			30.87	48.42	31.43	8.29	7.49	3.64	9.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月24日	蚵殼站	0:00	31.29	47.11	30.45	8.38	8.05	4.4	9.7	
		3:00	30.98	46.95	30.34	8.30	6.70	4.9	5.6	
		6:00	30.81	46.27	29.86	8.45	7.21	6.1	4.1	
		9:00	30.90	46.55	30.06	8.45	6.96	5.4	6.7	
		12:00	31.74	47.08	30.41	8.25	7.54	6.9	5.1	
		15:00	31.79	47.52	30.73	8.26	7.69	6.9	7.1	
		18:00	31.71	47.97	31.05	8.35	7.27	6.4	7.6	
		21:00	31.65	45.77	29.47	8.35	7.17	7.9	4.8	
	日平均值			31.36	46.90	30.30	8.35	7.32	6.11	6.34
	潮口站	0:00	30.76	51.43	33.97	8.13	6.98	18.8	4.9	
		3:00	29.62	52.53	34.81	8.13	6.60	27.3	3.3	
		6:00	30.11	51.51	34.04	8.17	6.67	10.4	5.4	
		9:00	30.86	50.80	33.50	8.15	6.70	11.5	0.2	
		12:00	31.49	51.01	33.64	8.19	6.78	11.8	8.7	
		15:00	30.46	52.39	34.68	8.07	6.50	41.1	3.4	
		18:00	31.00	44.14	28.69	8.07	6.71	15.4	1.9	
		21:00	30.78	50.68	33.41	8.15	6.78	7.0	4.1	
	日平均值			30.64	50.56	33.34	8.13	6.72	17.91	3.99
	灣內站	0:00	31.17	49.41	32.13	8.27	7.45	3.1	5.2	
		3:00	30.72	45.87	29.57	8.32	6.13	2.2	8.3	
		6:00	30.38	46.78	30.24	8.29	6.02	2.8	5.6	
		9:00	30.66	46.66	30.14	8.18	5.75	1.7	0.3	
		12:00	31.49	46.26	29.83	8.41	6.71	3.0	3.3	
		15:00	32.06	45.53	29.28	8.07	7.41	3.1	7.8	
		18:00	32.18	45.22	29.05	8.19	7.15	3.5	8.8	
		21:00	31.43	43.51	27.85	8.04	6.87	6.4	3.2	
	日平均值			31.26	46.16	29.76	8.22	6.69	3.23	5.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月25日	蚵殼站	0:00	31.49	45.81	29.50	8.25	6.99	27.0	4.0	
		3:00	31.44	46.99	30.35	8.27	6.53	6.3	11.0	
		6:00	31.43	46.63	30.10	8.23	6.33	6.5	3.8	
		9:00	31.37	46.75	30.18	8.26	6.19	7.7	9.2	
		12:00	32.26	46.76	30.16	8.15	6.90	8.6	6.5	
		15:00	32.28	46.76	30.16	8.29	9.17	8.1	10.4	
		18:00	32.04	47.66	30.82	8.28	8.26	8.9	8.5	
		21:00	31.94	46.50	29.98	8.26	8.14	10.0	6.6	
	日平均值			31.78	46.73	30.16	8.25	7.31	10.39	7.50
	潮口站	0:00	30.29	49.78	32.77	8.07	6.67	11.0	3.6	
		3:00	29.82	48.99	32.21	8.10	6.74	25.1	2.9	
		6:00	29.47	51.96	34.40	8.10	6.15	29.3	1.4	
		9:00	30.45	48.89	32.12	8.16	7.02	7.8	13.0	
		12:00	31.04	49.82	32.78	8.07	6.58	14.3	14.0	
		15:00	31.41	50.42	33.20	8.13	6.68	20.4	9.6	
		18:00	30.46	51.10	33.73	8.16	6.84	20.8	2.6	
		21:00	30.89	49.63	32.65	8.10	6.96	7.3	2.9	
	日平均值			30.48	50.07	32.98	8.11	6.71	17.00	6.25
	灣內站	0:00	31.44	42.46	27.10	8.25	6.63	4.9	8.6	
		3:00	31.54	43.10	27.56	8.19	6.16	4.9	10.7	
		6:00	31.48	44.10	28.27	8.39	7.19	2.0	4.9	
		9:00	30.31	43.51	27.89	8.20	6.47	6.5	6.0	
		12:00	32.82	43.27	27.63	8.04	7.24	3.5	3.1	
		15:00	33.12	41.93	26.67	8.10	8.91	6.4	17.4	
		18:00	33.02	41.88	26.64	8.28	10.12	6.3	16.5	
		21:00	32.28	43.49	27.81	8.12	8.60	2.8	9.1	
	日平均值			32.00	42.97	27.45	8.20	7.67	4.66	9.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月26日	蚵殼站	0:00	31.88	45.81	29.49	8.22	7.40	12.8	7.1	
		3:00	31.85	46.72	30.15	8.24	7.06	9.6	7.8	
		6:00	31.68	46.85	30.25	8.36	7.07	10.9	7.5	
		9:00	31.06	46.60	30.09	8.15	6.74	11.5	8.5	
		12:00	31.82	46.64	30.09	8.10	7.50	9.60	10.80	
		15:00	32.51	47.08	30.38	8.14	9.73	10.5	8.1	
		18:00	32.62	47.37	30.59	8.29	10.31	10.3	11.8	
		21:00	32.39	47.23	30.50	8.26	9.25	10.8	14.4	
	日平均值			31.98	46.79	30.19	8.22	8.13	10.75	9.50
	潮口站	0:00	31.26	50.09	32.97	8.11	7.08	7.0	7.1	
		3:00	29.12	48.49	31.88	8.14	6.59	12.3	4.3	
		6:00	29.44	51.61	34.14	8.20	6.58	21.1	0.2	
		9:00	30.85	49.55	32.59	8.25	7.83	5.6	10.9	
		12:00	31.35	50.08	32.95	8.10	6.52	20.9	5.8	
		15:00	32.21	50.22	33.03	8.17	9.34	8.6	12.0	
		18:00	29.08	52.03	34.46	8.13	6.27	25.0	0.9	
		21:00	30.16	50.12	33.02	8.16	6.88	8.7	7.6	
	日平均值			30.43	50.27	33.13	8.16	7.14	13.65	6.10
	灣內站	0:00	31.91	42.16	26.87	8.39	8.75	3.8	22.4	
		3:00	32.06	43.27	27.66	8.24	7.97	4.0	19.2	
		6:00	31.66	43.22	27.64	8.39	7.88	2.8	19.1	
		9:00	31.82	43.82	28.06	8.22	7.78	3.3	32.2	
		12:00	32.42	43.53	27.83	8.24	8.64	3.1	14.8	
		15:00	33.08	43.42	27.73	8.25	9.80	4.5	15.0	
		18:00	32.98	42.80	27.29	8.26	9.75	3.7	24.8	
		21:00	32.65	43.16	27.56	8.36	9.35	3.5	32.9	
	日平均值			32.32	43.17	27.58	8.29	8.74	3.59	22.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月27日	蚵殼站	0:00	32.54	47.30	30.54	8.20	8.54	18.0	7.1	
		3:00	32.45	46.61	30.05	8.21	7.98	13.8	9.7	
		6:00	32.00	47.12	30.43	8.26	7.44	14.8	13.0	
		9:00	31.63	47.02	30.37	8.15	7.57	13.6	14.2	
		12:00	31.68	47.14	30.46	8.12	7.64	13.7	8.3	
		15:00	32.54	47.88	30.96	8.16	8.95	13.7	6.7	
		18:00	32.12	47.36	30.60	8.21	8.42	12.2	10.8	
		21:00	31.99	46.92	30.28	8.27	8.16	17.5	12.0	
	日平均值			32.12	47.17	30.46	8.20	8.09	14.66	10.23
	潮口站	0:00	30.13	50.10	33.02	8.11	6.25	5.1	5.1	
		3:00	29.18	51.76	34.26	8.16	6.26	12.5	0.8	
		6:00	28.98	51.49	34.06	8.18	6.19	17.4	1.3	
		9:00	31.26	49.03	32.20	8.23	8.54	4.7	4.0	
		12:00	31.53	49.61	32.61	8.07	7.37	18.0	13.8	
		15:00	32.34	49.07	32.19	8.20	9.13	7.2	7.7	
		18:00	29.63	48.94	32.18	8.07	6.65	13.1	0.0	
		21:00	29.69	49.78	32.79	8.13	6.76	8.0	2.5	
	日平均值			30.34	49.97	32.91	8.14	7.14	10.75	4.40
	灣內站	0:00	32.84	42.12	26.82	8.29	8.49	7.6	77.6	
		3:00	32.51	43.11	27.53	8.32	8.44	3.4	73.1	
		6:00	31.68	44.01	28.20	8.00	5.29	2.2	76.1	
		9:00	31.89	43.64	27.93	8.33	7.58	3.5	118.7	
		12:00	32.35	44.00	28.17	8.16	5.75	6.4	115.5	
		15:00	32.93	44.19	28.29	8.10	8.44	6.1	38.5	
		18:00	32.45	43.85	28.06	8.37	8.50	4.2	83.8	
		21:00	32.18	44.14	28.28	8.37	7.33	3.6	98.9	
	日平均值			32.35	43.63	27.91	8.24	7.48	4.63	85.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月28日	蚵殼站	0:00	32.37	47.27	30.52	8.22	6.86	17.3	4.4	
		3:00	31.98	46.20	29.76	8.18	5.49	17.9	10.7	
		6:00	31.84	47.13	30.44	8.24	6.45	15.3	8.4	
		9:00	31.33	47.51	30.74	8.20	6.33	15.7	11.4	
		12:00	31.09	46.88	30.29	8.12	6.75	16.9	13.2	
		15:00	31.54	47.11	30.44	8.25	8.31	15.4	16.6	
		18:00	31.40	46.75	30.18	8.26	8.26	19.2	22.4	
		21:00	31.88	46.98	30.33	8.17	7.59	22.9	16.0	
	日平均值			31.68	46.98	30.34	8.21	7.01	17.58	12.89
	潮口站	0:00	29.88	49.67	32.71	8.11	6.55	5.1	6.1	
		3:00	29.27	51.22	33.86	8.11	6.68	7.1	2.3	
		6:00	29.03	50.62	33.43	8.21	6.62	18.7	2.4	
		9:00	31.19	49.10	32.25	8.23	7.79	4.1	15.7	
		12:00	30.53	49.87	32.84	8.18	7.53	15.1	7.5	
		15:00	30.21	49.54	32.61	8.17	7.74	13.3	12.4	
		18:00	29.39	44.65	29.10	8.11	6.77	11.7	3.3	
		21:00	29.43	49.56	32.64	8.18	6.64	6.2	3.1	
	日平均值			29.87	49.28	32.43	8.16	7.04	10.16	6.60
	灣內站	0:00	33.05	43.14	27.53	8.14	5.66	6.7	108.3	
		3:00	31.86	43.40	27.76	8.32	6.11	3.4	115.5	
		6:00	31.64	45.65	29.38	8.32	6.34	2.6	109.9	
		9:00	31.57	44.05	28.23	8.26	7.43	2.7	110.9	
		12:00	31.83	43.94	28.15	8.33	8.30	3.2	93.8	
		15:00	31.96	45.21	29.05	8.38	9.19	3.2	61.6	
		18:00	32.15	44.48	28.52	8.25	7.89	8.0	150.3	
		21:00	31.86	43.76	28.02	8.24	7.69	5.7	225.9	
	日平均值			31.99	44.20	28.33	8.28	7.33	4.44	122.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月29日	蚵殼站	0:00	31.76	47.47	30.69	8.15	7.46	23.8	12.3	
		3:00	31.55	47.39	30.64	8.17	6.82	20.8	6.5	
		6:00	31.20	46.51	30.02	8.39	6.52	24.0	11.4	
		9:00	31.07	47.56	30.78	8.19	6.71	28.4	12.1	
		12:00	31.19	47.88	31.01	8.22	7.22	31.4	16.3	
		15:00	31.62	46.21	29.79	8.19	8.82	30.5	10.6	
		18:00	31.64	47.17	30.48	8.36	9.01	29.2	12.2	
		21:00	31.66	45.34	29.15	8.31	9.38	38.1	5.2	
	日平均值			31.46	46.94	30.32	8.25	7.74	28.28	10.83
	潮口站	0:00	29.63	47.69	31.28	8.16	6.75	5.0	5.1	
		3:00	29.23	50.17	33.09	8.09	6.62	8.8	2.5	
		6:00	28.80	50.69	33.48	8.20	6.69	11.0	4.1	
		9:00	29.87	48.80	32.08	8.16	7.10	5.6	14.4	
		12:00	30.95	49.57	32.60	8.24	8.57	14.1	11.3	
		15:00	31.65	49.12	32.25	8.21	9.22	9.3	11.5	
		18:00	29.83	50.07	33.00	8.06	6.90	11.9	5.2	
		21:00	29.30	50.82	33.57	8.20	6.49	6.3	3.0	
	日平均值			29.91	49.62	32.67	8.17	7.29	9.00	7.14
	灣內站	0:00	31.50	45.28	29.12	8.06	6.74	5.6	149.6	
		3:00	31.16	45.40	29.21	8.19	7.10	3.4	148.0	
		6:00	30.55	43.76	28.06	8.19	6.88	3.2	163.6	
		9:00	30.91	43.84	28.10	8.14	7.86	2.5	190.7	
		12:00	31.22	44.13	28.30	8.05	7.08	7.4	161.3	
		15:00	32.44	46.27	29.80	8.33	9.53	5.9	132.1	
		18:00	32.29	39.48	24.97	8.50	10.57	4.1	123.1	
		21:00	31.70	45.13	29.01	8.32	9.88	3.5	160.4	
	日平均值			31.47	44.16	28.32	8.22	8.21	4.45	153.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
6月30日	蚵殼站	0:00	31.36	44.11	28.29	8.32	8.98	36.9	8.9	
		3:00	31.07	43.97	28.20	8.25	8.19	39.4	8.1	
		6:00	30.92	46.06	29.70	8.23	7.43	38.6	11.2	
		9:00	31.05	44.97	28.91	8.32	7.97	42.5	7.2	
		12:00	31.32	47.92	31.03	8.31	8.28	44.5	11.1	
		15:00	31.71	46.92	30.29	8.22	8.43	48.1	5.2	
		18:00	31.82	46.78	30.19	8.46	9.20	50.0	5.9	
		21:00	31.93	46.40	29.91	8.36	9.13	49.8	9.5	
	日平均值			31.40	45.89	29.57	8.31	8.45	43.73	8.39
	潮口站	0:00	31.00	49.94	32.87	8.21	8.93	5.2	7.6	
		3:00	31.17	47.42	31.04	8.17	7.67	6.9	6.4	
		6:00	28.91	47.97	31.50	8.23	6.82	9.1	4.8	
		9:00	29.81	46.61	30.50	8.17	7.36	7.8	8.1	
		12:00	31.45	46.17	30.12	8.22	9.80	6.4	9.8	
		15:00	31.75	47.59	31.14	8.21	10.07	8.6	9.4	
		18:00	30.93	43.33	28.12	8.07	7.62	13.4	4.5	
		21:00	29.91	49.25	32.41	8.20	6.92	8.4	1.7	
	日平均值			30.62	47.29	30.96	8.19	8.15	8.23	6.54
	灣內站	0:00	31.46	44.56	28.60	8.19	8.95	4.7	181.7	
		3:00	31.10	45.25	29.33	8.45	4.72	2.2	181.4	
		6:00	30.84	45.95	30.01	8.13	4.97	2.5	149.5	
		9:00	30.83	45.95	30.03	8.10	4.84	2.4	108.9	
		12:00	31.48	44.35	28.38	8.16	5.52	5.3	126.6	
		15:00	32.43	42.31	26.94	8.15	8.08	6.0	127.3	
		18:00	32.87	41.05	24.95	8.22	6.38	6.9	110.1	
		21:00	32.27	42.45	26.41	8.24	6.36	4.1	90.9	
	日平均值			31.66	43.98	28.08	8.21	6.23	4.26	134.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月1日	蚵殼站	0:00	31.91	47.18	30.48	8.24	8.85	58.5	3.5	
		3:00	31.67	45.17	29.03	8.21	8.44	63.1	6.4	
		6:00	31.53	45.11	29.00	8.28	8.13	67.2	6.9	
		9:00	31.56	45.94	29.59	8.30	8.04	64.8	2.5	
		12:00	30.99	46.58	30.07	8.27	7.98	68.6	0.6	
		15:00	31.41	46.90	30.29	8.22	8.75	72.0	8.1	
		18:00	31.78	46.80	30.21	8.23	8.93	63.4	4.3	
		21:00	32.26	45.15	29.00	8.34	8.83	64.8	4.6	
	日平均值			31.64	46.10	29.71	8.26	8.49	65.30	4.61
	潮口站	0:00	31.38	48.55	31.85	8.20	9.43	2.5	8.7	
		3:00	30.90	46.48	30.37	8.22	6.95	7.0	7.0	
		6:00	28.73	46.50	30.45	8.25	6.53	18.1	1.7	
		9:00	29.40	46.72	30.58	8.28	6.73	12.1	0.3	
		12:00	31.29	45.64	29.75	8.27	9.63	12.9	7.4	
		15:00	30.31	44.88	29.24	8.22	8.02	13.6	10.3	
		18:00	30.67	44.06	28.64	8.27	7.41	12.1	10.3	
		21:00	30.14	47.73	31.29	8.21	6.81	31.5	2.5	
	日平均值			30.35	46.32	30.27	8.24	7.69	13.73	6.03
	灣內站	0:00	32.11	42.85	26.81	8.28	5.68	297.4	85.8	
		3:00	31.46	44.45	28.43	8.18	4.42	8.3	112.0	
		6:00	31.43	44.45	28.49	8.33	5.40	2.6	83.1	
		9:00	31.04	45.45	29.50	8.22	5.30	2.1	75.9	
		12:00	32.18	42.65	26.64	8.21	5.73	3.0	62.0	
		15:00	32.83	41.15	25.05	8.19	5.91	3.6	92.3	
		18:00	32.71	41.45	25.34	8.29	5.90	2.4	68.6	
		21:00	32.75	41.25	25.22	8.30	5.31	4.2	110.4	
	日平均值			32.06	42.96	26.94	8.25	5.46	40.45	86.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月2日	蚵殼站	0:00	32.11	44.58	28.59	8.16	7.86	75.4	5.3	
		3:00	31.92	44.56	28.58	8.26	7.89	77.8	1.6	
		6:00	31.82	46.81	30.21	8.17	7.47	71.5	3.3	
		9:00	32.01	47.90	31.00	8.22	8.17	76.2	7.2	
		12:00	31.48	47.77	30.92	8.32	7.79	77.6	3.4	
		15:00	31.59	46.28	29.84	8.24	7.98	85.5	9.3	
		18:00	31.79	46.57	30.04	8.16	8.34	166.6	9.6	
		21:00	32.18	45.21	29.05	8.20	7.98	117.9	9.5	
	日平均值			31.86	46.21	29.78	8.22	7.94	93.56	6.15
	潮口站	0:00	30.54	48.20	31.62	8.21	7.61	4.8	3.9	
		3:00	30.68	47.34	30.99	8.34	7.26	7.4	1.3	
		6:00	28.97	47.12	30.89	8.24	6.55	10.3	5.5	
		9:00	29.35	47.94	31.47	8.22	6.62	9.0	2.8	
		12:00	31.44	45.31	29.51	8.31	8.13	7.7	8.5	
		15:00	30.45	45.34	29.56	8.26	8.32	6.3	15.2	
		18:00	30.59	45.61	29.75	8.26	8.33	6.0	5.7	
		21:00	29.23	44.46	28.96	8.27	6.69	8.7	4.3	
	日平均值			30.16	46.42	30.34	8.26	7.44	7.53	5.90
	灣內站	0:00	32.11	42.85	26.80	8.26	5.44	2.8	97.3	
		3:00	32.39	42.15	26.13	8.32	4.96	3.8	109.0	
		6:00	31.83	43.55	27.49	8.34	5.16	2.9	102.3	
		9:00	31.70	43.85	27.83	8.29	5.27	2.4	90.7	
		12:00	32.43	42.05	26.02	8.30	5.40	2.5	83.6	
		15:00	32.68	41.45	25.39	8.20	5.55	3.7	17.8	
		18:00	32.65	41.55	25.47	8.33	5.43	3.6	159.0	
		21:00	32.27	42.45	26.41	8.17	5.00	4.3	88.2	
	日平均值			32.26	42.49	26.44	8.28	5.28	3.25	93.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月3日	蚵殼站	0:00	32.46	45.67	29.37	8.14	7.42	116.0	9.1	
		3:00	32.09	46.98	30.33	8.28	6.98	91.3	10.6	
		6:00	31.89	47.53	30.73	8.34	6.35	109.4	6.6	
		9:00	31.98	47.19	30.48	8.23	6.78	101.5	6.5	
		12:00	31.60	47.16	30.47	8.16	7.25	118.1	7.6	
		15:00	32.12	47.47	30.68	8.23	7.64	147.3	16.1	
		18:00	32.25	46.81	30.20	8.22	7.51	149.5	13.0	
		21:00	32.08	47.75	30.88	8.18	6.84	174.8	17.8	
	日平均值			32.06	47.07	30.39	8.22	7.10	125.99	10.91
	潮口站	0:00	29.51	44.41	28.92	8.26	6.71	6.3	5.0	
		3:00	30.16	45.27	29.52	8.26	7.33	4.5	7.6	
		6:00	29.11	45.94	30.03	8.26	6.75	4.5	3.5	
		9:00	29.43	45.10	29.42	8.55	6.90	5.6	0.9	
		12:00	29.63	43.49	27.89	8.64	7.35	4.0	4.3	
		15:00	30.63	44.88	28.86	8.53	8.30	7.0	12.5	
		18:00	30.88	44.16	28.34	8.71	8.69	4.8	13.9	
		21:00	28.58	43.82	28.16	8.71	6.63	10.7	0.9	
	日平均值			29.74	44.63	28.89	8.49	7.33	5.93	6.08
	灣內站	0:00	32.06	42.95	26.92	8.40	6.76	3.5	105.4	
		3:00	32.17	42.65	26.65	8.25	6.05	6.6	78.2	
		6:00	32.01	43.05	27.05	8.17	5.59	4.7	67.5	
		9:00	32.02	43.05	27.01	8.28	6.27	4.8	63.9	
		12:00	32.09	42.85	26.84	8.18	6.72	2.6	60.1	
		15:00	32.23	42.55	26.50	8.21	6.66	5.2	45.3	
		18:00	31.95	43.25	27.19	8.25	6.71	10.8	145.0	
		21:00	32.27	42.45	26.41	8.14	5.76	10.3	91.4	
	日平均值			32.10	42.85	26.82	8.24	6.32	6.06	82.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月4日	蚵殼站	0:00	32.09	47.51	30.71	8.18	6.55	188.2	13.5	
		3:00	31.97	47.32	30.58	8.22	6.55	190.4	14.5	
		6:00	31.81	47.31	30.57	8.24	6.00	194.7	18.9	
		9:00	32.45	47.50	30.69	8.10	6.65	199.6	12.2	
		11:30	32.08	47.69	30.84	8.10	7.27	139.7	9.3	
		15:00	31.10	49.98	32.78	8.41	8.37	1.2	9.9	
		18:00	31.39	50.75	33.33	8.41	8.64	0.6	4.3	
		21:00	31.34	49.28	32.26	8.41	8.13	1.3	6.1	
	日平均值			31.78	48.42	31.47	8.26	7.27	114.46	11.09
	潮口站	0:00	28.74	42.75	27.76	8.41	6.62	7.1	5.2	
		3:00	29.94	44.20	28.76	8.38	6.50	5.2	5.4	
		6:00	30.23	43.71	28.40	8.39	6.59	3.5	7.7	
		9:00	28.36	42.65	27.70	8.36	6.25	12.6	2.2	
		12:00	29.40	44.18	28.76	8.34	6.90	5.9	2.6	
		15:00	30.91	51.25	33.48	8.32	8.26	5.2	14.0	
		18:00	31.79	50.47	32.88	8.32	8.00	4.8	8.4	
		21:00	28.13	51.19	33.53	8.17	6.27	5.0	4.2	
	日平均值			29.69	46.30	30.16	8.34	6.92	6.16	6.21
	灣內站	0:00	32.21	42.55	26.54	8.27	3.93	10.7	78.5	
		3:00	32.33	42.35	26.26	8.24	3.55	8.6	60.4	
		6:00	31.99	43.15	27.09	8.15	3.43	6.3	69.8	
		9:00	32.21	42.55	26.54	8.13	3.34	4.7	62.5	
		12:00	32.53	50.12	32.59	8.23	7.52	3.8	14.6	
		15:00	32.60	50.15	32.61	8.34	7.88	2.8	19.6	
		18:00	32.47	50.18	32.64	8.28	7.70	3.5	29.6	
		21:00	32.08	50.20	32.67	8.44	7.05	2.2	27.3	
	日平均值			32.30	46.41	29.62	8.26	5.55	5.33	45.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月5日	蚵殼站	0:00	31.34	48.90	31.96	8.41	7.86	1.3	12.7	
		3:00	31.12	49.02	32.06	8.39	7.38	1.0	9.6	
		6:00	30.86	49.05	32.09	8.37	7.00	0.6	3.7	
		9:00	30.94	49.02	32.06	8.35	7.49	0.0	6.0	
		12:00	31.29	48.27	31.51	8.34	7.93	1.7	9.0	
		15:00	31.12	48.33	31.56	8.32	7.88	1.0	10.4	
		18:00	31.19	48.00	31.32	8.31	7.88	1.6	14.3	
		21:00	30.83	48.61	31.77	8.24	7.33	2.1	14.6	
	日平均值			31.09	48.65	31.79	8.34	7.59	1.16	10.04
	潮口站	0:00	28.05	51.05	33.43	8.26	6.39	4.3	0.9	
		3:00	30.92	49.89	32.48	8.36	7.38	2.2	10.6	
		6:00	31.02	49.82	32.43	8.35	7.02	1.9	6.0	
		9:00	30.04	50.22	32.76	8.27	6.53	2.2	2.5	
		12:00	29.58	50.56	33.02	8.28	7.06	3.1	1.8	
		15:00	29.69	50.33	32.84	8.31	7.11	5.0	5.2	
		18:00	30.98	49.83	32.44	8.27	6.69	6.9	7.3	
		21:00	30.07	50.15	32.71	8.27	6.92	3.0	7.0	
	日平均值			30.04	50.23	32.76	8.30	6.89	3.58	5.16
	灣內站	0:00	31.99	49.88	32.44	8.36	7.06	3.3	30.5	
		3:00	31.71	49.96	32.51	8.43	6.87	3.0	36.7	
		6:00	31.44	50.18	32.68	8.45	6.35	3.2	29.3	
		9:00	31.42	50.33	32.79	8.51	6.68	2.5	27.3	
		12:00	31.68	50.38	32.82	8.45	8.00	1.7	39.1	
		15:00	31.38	50.40	32.84	8.45	7.66	1.9	34.6	
		18:00	31.82	50.22	32.69	8.43	7.64	5.0	38.6	
		21:00	31.60	50.18	32.67	8.48	7.37	1.5	28.9	
	日平均值			31.63	50.19	32.68	8.45	7.20	2.76	33.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月6日	蚵殼站	0:00	30.47	49.07	32.12	8.23	7.12	0.3	9.7	
		3:00	30.36	48.94	32.03	8.27	7.27	0.6	12.8	
		6:00	30.26	49.08	32.13	8.25	6.95	0.1	6.7	
		9:00	30.53	48.88	31.97	8.25	7.72	0.7	9.4	
		12:00	30.74	48.78	31.89	8.21	8.75	0.4	13.8	
		15:00	31.26	48.61	31.76	8.28	9.88	1.5	7.4	
		18:00	31.28	48.88	31.95	8.26	10.29	1.0	11.1	
		21:00	31.12	48.54	31.71	8.29	10.00	0.5	9.7	
	日平均值			30.75	48.85	31.95	8.26	8.50	0.64	10.08
	潮口站	0:00	29.42	50.42	32.92	8.29	6.71	1.7	4.1	
		3:00	29.74	50.06	32.65	8.32	6.59	2.0	3.2	
		6:00	30.42	49.66	32.33	8.33	6.54	2.3	6.1	
		9:00	30.85	49.76	32.39	8.34	7.11	1.2	9.0	
		12:00	30.01	50.32	32.83	8.29	7.17	1.5	9.8	
		15:00	31.42	49.98	32.53	8.42	8.92	4.1	10.4	
		18:00	32.31	49.80	32.37	8.40	9.54	7.8	5.6	
		21:00	31.40	49.91	32.48	8.34	8.10	4.2	22.5	
	日平均值			30.70	49.99	32.56	8.34	7.59	3.10	8.84
	灣內站	0:00	31.33	50.24	32.72	8.44	6.97	2.9	31.3	
		3:00	31.16	50.11	32.64	8.43	6.13	3.2	36.0	
		6:00	30.93	50.29	32.78	8.40	6.26	2.1	40.7	
		9:00	31.29	50.36	32.82	8.47	7.09	2.3	39.6	
		12:00	32.07	50.47	32.87	8.48	8.81	2.9	33.0	
		15:00	32.21	50.50	32.88	8.48	9.65	1.7	41.5	
		18:00	32.54	50.47	32.85	8.44	11.08	3.7	48.0	
		21:00	32.33	50.52	32.89	8.44	10.36	4.5	48.2	
	日平均值			31.73	50.37	32.81	8.45	8.29	2.91	39.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月7日	蚵殼站	0:00	31.14	49.33	32.29	8.28	9.82	0.8	12.8	
		3:00	30.92	49.36	32.31	8.29	9.30	1.2	5.1	
		6:00	30.96	49.55	32.45	8.28	9.15	1.3	14.5	
		9:00	30.93	49.53	32.44	8.25	9.29	0.1	6.9	
		12:00	30.95	49.60	32.49	8.23	9.40	1.3	10.7	
		15:00	30.64	50.14	32.89	8.25	9.09	2.7	16.8	
		18:00	30.69	49.98	32.78	8.25	9.03	2.6	14.2	
		21:00	30.74	49.98	32.77	8.27	9.11	2.0	9.8	
	日平均值			30.87	49.68	32.55	8.26	9.27	1.50	11.35
	潮口站	0:00	30.02	50.34	32.84	8.30	7.06	2.2	4.9	
		3:00	30.30	50.20	32.73	8.31	7.27	1.2	3.3	
		6:00	31.31	49.66	32.30	8.36	7.57	2.7	9.3	
		9:00	31.52	49.60	32.25	8.46	9.41	1.5	7.6	
		12:00	30.49	50.10	32.65	8.33	7.55	4.3	6.0	
		15:00	30.91	45.90	29.59	8.27	7.34	5.7	3.3	
		18:00	30.46	49.83	32.46	8.36	7.99	5.0	14.5	
		21:00	30.77	49.71	32.36	8.34	7.46	4.1	12.6	
	日平均值			30.72	49.42	32.15	8.34	7.71	3.34	7.69
	灣內站	0:00	32.05	50.59	32.95	8.37	9.66	4.0	43.0	
		3:00	31.71	50.65	33.01	8.54	9.19	2.5	39.8	
		6:00	31.60	50.52	32.92	8.33	8.99	1.9	40.5	
		9:00	31.49	50.57	32.96	8.36	9.60	3.1	39.8	
		12:00	31.95	50.68	33.03	8.38	10.24	2.5	43.3	
		15:00	31.86	50.77	33.09	8.36	9.80	14.1	40.1	
		18:00	31.67	50.80	33.13	8.38	9.52	5.5	35.8	
		21:00	31.44	50.79	33.13	8.40	8.66	2.5	42.2	
	日平均值			31.72	50.67	33.03	8.39	9.46	4.51	40.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月8日	蚵殼站	0:00	30.89	49.82	32.65	8.27	8.63	2.7	18.6	
		3:00	30.62	50.03	32.81	8.20	7.88	14.0	18.6	
		6:00	30.36	49.97	32.78	8.25	7.77	1.9	16.0	
		9:00	30.18	50.06	32.85	8.18	7.42	3.8	16.3	
		12:00	30.25	49.96	32.77	8.20	7.45	5.8	24.3	
		15:00	30.29	50.01	32.81	8.24	8.32	3.7	18.1	
		18:00	30.38	49.13	32.17	8.24	8.65	3.2	17.9	
		21:00	30.18	49.39	32.36	8.25	8.15	2.6	19.7	
	日平均值			30.39	49.80	32.65	8.23	8.03	4.71	18.69
	潮口站	0:00	29.67	50.06	32.65	8.30	6.89	6.4	3.7	
		3:00	29.84	49.96	32.57	8.29	6.66	8.8	3.0	
		6:00	30.32	49.53	32.24	8.37	7.41	2.6	11.7	
		9:00	30.34	49.63	32.32	8.33	6.67	7.4	11.7	
		12:00	30.69	49.67	32.33	8.37	7.61	5.7	3.8	
		15:00	29.24	50.17	32.74	8.25	6.36	6.3	0.9	
		18:00	30.45	49.52	32.23	8.44	8.30	3.7	13.6	
		21:00	30.55	49.45	32.17	8.36	7.56	4.2	10.9	
	日平均值			30.14	49.75	32.41	8.34	7.18	5.64	7.41
	灣內站	0:00	31.25	50.83	33.16	8.38	8.03	3.4	34.5	
		3:00	31.13	50.86	33.19	8.41	8.01	2.2	36.6	
		6:00	30.98	50.90	33.22	8.34	7.36	2.5	44.8	
		9:00	30.75	51.06	33.34	8.56	7.45	3.3	42.1	
		12:00	30.87	51.05	33.34	8.41	8.17	4.6	47.7	
		15:00	31.23	51.01	33.29	8.44	7.72	6.4	47.8	
		18:00	31.19	51.06	33.33	8.42	8.24	5.1	46.7	
		21:00	31.00	51.05	33.34	8.39	7.78	4.1	45.4	
	日平均值			31.05	50.98	33.28	8.42	7.85	3.95	43.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月9日	蚵殼站	0:00	30.03	49.69	32.58	8.22	7.38	3.2	17.9	
		3:00	29.97	49.52	32.46	8.25	7.39	3.4	16.6	
		6:00	30.02	49.60	32.52	8.24	6.80	4.3	23.1	
		9:00	30.18	49.84	32.69	8.23	7.06	3.4	19.6	
		12:00	30.78	48.70	31.84	8.24	9.18	5.0	28.9	
		15:00	31.28	49.52	32.42	8.19	9.44	3.1	11.2	
		18:00	31.05	49.48	32.40	8.27	10.18	3.5	23.8	
		21:00	30.98	49.37	32.32	8.27	9.85	2.4	15.9	
	日平均值			30.54	49.47	32.40	8.24	8.41	3.54	19.63
	潮口站	0:00	28.56	49.54	32.31	8.26	6.39	7.4	1.8	
		3:00	27.78	49.66	32.42	8.29	6.43	5.3	2.1	
		6:00	30.11	49.12	31.95	8.43	6.94	2.9	14.0	
		9:00	30.35	49.12	31.94	8.41	7.19	2.6	16.7	
		12:00	30.75	49.14	31.94	8.43	8.13	4.9	12.8	
		15:00	29.09	49.81	32.48	8.27	6.83	19.3	6.3	
		18:00	29.29	49.87	32.53	8.27	6.78	5.6	0.6	
		21:00	30.74	49.43	32.16	8.40	7.99	5.4	17.4	
	日平均值			29.58	49.46	32.22	8.35	7.09	6.68	8.96
	灣內站	0:00	30.92	51.06	33.34	8.40	7.38	5.7	50.5	
		3:00	30.65	50.79	33.16	8.45	7.07	3.6	47.8	
		6:00	30.45	50.59	33.02	8.50	6.89	3.1	41.0	
		9:00	30.60	50.41	32.88	8.41	7.43	3.8	42.5	
		12:00	31.29	50.76	33.11	8.47	8.49	4.0	38.9	
		15:00	31.96	50.49	32.88	8.50	10.49	4.2	40.2	
		18:00	32.08	50.42	32.83	8.50	11.03	4.3	48.7	
		21:00	31.93	49.87	32.44	8.40	11.06	3.6	48.0	
	日平均值			31.24	50.55	32.96	8.45	8.73	4.04	44.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月10日	蚵殼站	0:00	30.81	49.31	32.28	8.26	9.19	1.8	28.8	
		3:00	30.41	49.53	32.45	8.23	8.35	2.4	16.9	
		6:00	30.13	49.40	32.37	8.26	7.86	3.1	24.6	
		9:00	30.24	49.35	32.33	8.28	8.72	1.3	16.6	
		12:00	31.23	49.68	32.53	8.13	9.16	1.7	11.7	
		15:00	30.55	49.92	32.73	8.17	9.52	2.5	13.3	
		18:00	31.01	49.66	32.53	8.24	10.87	2.3	13.8	
		21:00	30.25	49.79	32.65	8.23	10.06	1.3	14.0	
	日平均值			30.58	49.58	32.48	8.23	9.22	2.05	17.46
	潮口站	0:00	29.01	49.82	32.50	8.27	6.92	6.0	6.1	
		3:00	28.53	48.87	31.81	8.29	6.77	7.1	6.2	
		6:00	29.61	48.49	31.51	8.40	6.67	4.3	6.7	
		9:00	30.77	47.56	30.79	8.43	7.46	7.9	12.9	
		12:00	31.24	48.04	31.12	8.37	8.44	11.1	8.9	
		15:00	30.21	48.33	31.37	8.29	7.22	16.6	9.4	
		18:00	29.22	48.69	31.66	8.28	6.87	14.3	2.1	
		21:00	32.40	47.97	31.03	8.36	7.96	10.2	14.3	
	日平均值			30.12	48.47	31.47	8.34	7.29	9.69	8.33
	灣內站	0:00	31.52	50.06	32.59	8.35	9.30	4.1	47.5	
		3:00	31.29	50.55	32.95	8.43	8.77	2.2	44.1	
		6:00	30.88	50.17	32.69	8.41	6.97	4.5	47.8	
		9:00	30.82	50.38	32.85	8.45	7.75	3.8	43.9	
		12:00	32.89	50.34	32.74	8.32	8.07	4.6	44.9	
		15:00	32.44	49.06	31.82	8.39	10.75	6.7	58.6	
		18:00	32.16	50.67	33.01	8.42	10.68	2.8	48.5	
		21:00	31.51	50.71	33.07	8.52	10.25	2.1	51.5	
	日平均值			31.69	50.24	32.72	8.41	9.07	3.85	48.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月11日	蚵殼站	0:00	29.59	49.74	32.63	8.16	8.88	2.0	13.1	
		3:00	29.92	49.77	32.64	8.14	8.62	2.0	18.2	
		6:00	29.47	49.98	32.81	8.14	7.85	3.3	14.9	
		9:00	29.58	49.95	32.79	8.19	8.58	2.4	14.2	
		12:00	30.35	49.92	32.74	8.13	9.30	2.2	7.7	
		15:00	30.80	49.85	32.67	8.14	9.61	3.0	11.6	
		18:00	30.80	49.71	32.57	8.14	9.82	1.7	15.8	
		21:00	30.71	49.82	32.66	8.14	10.50	1.3	12.1	
	日平均值			30.15	49.84	32.69	8.15	9.15	2.24	13.45
	潮口站	0:00	31.45	47.77	30.92	8.42	8.07	7.2	9.6	
		3:00	28.59	48.69	31.68	8.29	6.90	11.8	1.5	
		6:00	29.22	48.34	31.41	8.28	6.77	23.7	7.4	
		9:00	30.57	47.81	30.98	8.43	7.78	7.5	8.5	
		12:00	31.08	48.20	31.25	8.41	8.70	13.1	2.7	
		15:00	31.34	48.40	31.38	8.33	7.90	20.9	9.6	
		18:00	30.87	48.44	31.43	8.26	7.13	20.7	4.4	
		21:00	30.95	48.53	31.49	8.37	8.44	5.4	10.1	
	日平均值			30.51	48.27	31.32	8.35	7.71	13.79	6.73
	灣內站	0:00	30.88	50.93	33.25	8.33	8.93	3.5	55.0	
		3:00	30.21	51.16	33.44	8.35	7.64	2.0	42.7	
		6:00	30.01	51.19	33.47	8.39	7.72	2.3	41.0	
		9:00	30.30	51.18	33.45	8.31	8.24	2.6	39.0	
		12:00	31.29	51.38	33.56	8.28	8.98	1.7	35.8	
		15:00	33.68	48.88	31.65	8.28	10.70	7.6	41.6	
		18:00	32.40	50.48	32.86	8.22	9.86	6.5	45.2	
		21:00	31.93	51.18	33.39	8.26	10.23	2.8	39.2	
	日平均值			31.34	50.80	33.13	8.30	9.04	3.63	42.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月12日	蚵殼站	0:00	30.53	49.84	32.67	8.09	9.25	2.8	8.9	
		3:00	30.23	49.72	32.60	8.09	8.19	3.1	8.7	
		6:00	30.17	49.68	32.57	8.16	8.81	2.8	12.4	
		9:00	30.34	49.81	32.66	8.12	9.19	2.6	13.6	
		12:00	30.62	49.65	32.53	8.05	9.10	2.0	11.2	
		15:00	30.89	49.75	32.60	8.14	9.46	2.7	9.5	
		18:00	31.03	49.94	32.73	8.09	9.77	2.0	10.6	
		21:00	30.96	49.34	32.30	8.10	9.20	2.4	9.4	
	日平均值			30.60	49.72	32.58	8.11	9.12	2.55	10.54
	潮口站	0:00	31.24	48.52	31.47	8.34	7.45	8.7	4.2	
		3:00	29.11	48.77	31.72	8.30	6.85	8.6	5.1	
		6:00	29.81	48.75	31.69	8.27	6.81	24.2	1.3	
		9:00	30.49	48.50	31.48	8.38	7.89	4.8	5.6	
		12:00	31.48	48.42	31.39	8.34	7.84	15.8	7.6	
		15:00	32.20	48.64	31.53	8.41	9.15	5.5	6.4	
		18:00	30.66	48.89	31.76	8.28	7.32	8.3	5.3	
		21:00	31.12	48.85	31.71	8.35	8.23	5.0	8.3	
	日平均值			30.76	48.67	31.59	8.33	7.69	10.11	5.48
	灣內站	0:00	31.44	51.20	33.43	8.28	9.36	1.3	44.0	
		3:00	30.90	51.25	33.48	8.33	8.99	2.2	49.3	
		6:00	30.76	51.14	33.40	8.35	8.13	2.4	42.1	
		9:00	30.76	51.26	33.50	8.29	8.64	2.1	42.3	
		12:00	31.54	51.35	33.54	8.36	10.00	2.9	41.5	
		15:00	33.13	51.24	33.39	8.46	10.31	4.9	36.2	
		18:00	32.88	50.79	33.07	8.13	10.14	5.1	43.3	
		21:00	31.97	51.28	33.47	8.21	9.74	5.1	37.7	
	日平均值			31.67	51.19	33.41	8.30	9.41	3.25	42.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月13日	蚵殼站	0:00	31.44	49.34	32.28	8.08	9.42	3.9	13.9	
		3:00	30.88	49.36	32.31	8.08	9.17	3.2	12.0	
		6:00	30.67	49.97	32.77	8.07	8.59	3.0	13.9	
		9:00	30.31	50.57	33.21	7.99	8.03	2.8	10.0	
		12:00	30.28	50.11	32.88	7.96	8.20	2.6	9.8	
		15:00	30.35	50.49	33.16	8.07	8.39	2.8	10.8	
		18:00	30.50	50.41	33.10	8.03	8.09	1.8	10.7	
		21:00	30.15	49.86	32.70	8.00	7.92	2.5	12.4	
	日平均值			30.57	50.01	32.80	8.04	8.48	2.83	11.69
	潮口站	0:00	31.98	48.68	31.56	8.31	7.04	8.2	4.5	
		3:00	28.07	49.17	32.05	8.25	6.63	5.6	1.2	
		6:00	29.11	49.15	32.00	8.26	6.63	16.0	2.7	
		9:00	30.56	48.76	31.67	8.34	7.56	4.8	5.2	
		12:00	31.49	48.80	31.67	8.25	6.98	15.2	0.7	
		15:00	30.86	48.83	31.71	8.29	7.57	9.0	10.5	
		18:00	30.47	46.72	30.19	8.25	7.21	5.9	2.8	
		21:00	30.13	46.81	30.27	8.23	6.78	3.2	1.8	
	日平均值			30.33	48.37	31.39	8.27	7.05	8.49	3.68
	灣內站	0:00	31.98	50.91	33.19	8.43	9.13	4.0	43.6	
		3:00	31.52	51.32	33.51	8.42	9.88	1.9	51.2	
		6:00	31.10	51.29	33.50	8.39	8.11	3.0	40.1	
		9:00	31.18	51.30	33.51	8.41	8.88	2.8	40.6	
		12:00	31.81	51.32	33.50	8.33	9.23	1.6	34.8	
		15:00	32.16	51.40	33.55	8.52	9.38	3.4	51.5	
		18:00	32.18	51.47	33.60	8.38	9.38	4.0	39.5	
		21:00	31.87	51.45	33.60	8.41	8.03	3.9	31.4	
	日平均值			31.73	51.31	33.50	8.41	9.00	3.08	41.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月14日	蚵殼站	0:00	30.14	49.65	32.55	8.02	7.65	3.4	9.0	
		3:00	30.01	49.62	32.53	7.97	7.36	2.4	9.6	
		6:00	29.92	49.79	32.66	7.98	6.93	2.1	7.3	
		9:00	30.11	48.83	31.95	7.96	7.43	2.1	10.4	
		12:00	30.50	49.51	32.43	7.84	7.62	2.9	16.3	
		15:00	30.70	48.92	32.00	7.92	8.32	2.6	13.1	
		18:00	30.62	49.01	32.07	7.98	8.37	2.9	17.1	
		21:00	31.30	49.04	32.07	7.97	8.84	2.3	12.7	
	日平均值			30.41	49.30	32.28	7.96	7.82	2.59	11.94
	潮口站	0:00	30.69	48.18	31.25	8.31	7.35	3.8	12.7	
		3:00	29.31	48.47	31.50	8.21	6.52	4.2	1.8	
		6:00	29.08	48.73	31.70	8.29	6.64	4.1	0.7	
		9:00	29.61	48.80	31.73	8.25	6.61	2.5	1.2	
		12:00	31.40	48.27	31.28	8.33	8.44	4.9	4.8	
		15:00	31.30	48.41	31.39	8.29	8.23	7.5	11.3	
		18:00	29.40	45.05	29.02	8.23	7.15	3.6	2.6	
		21:00	29.47	46.42	30.01	8.25	7.03	3.9	3.7	
	日平均值			30.03	47.79	30.99	8.27	7.25	4.31	4.85
	灣內站	0:00	31.75	51.47	33.62	8.39	7.48	3.0	33.6	
		3:00	31.90	51.40	33.56	8.40	7.13	6.0	41.0	
		6:00	31.39	51.23	33.45	8.34	7.09	2.5	42.2	
		9:00	31.39	51.20	33.43	8.41	7.64	2.8	37.9	
		12:00	32.30	51.22	33.41	8.35	8.95	2.9	39.0	
		15:00	33.46	51.25	33.38	8.40	8.93	5.5	30.1	
		18:00	33.00	51.26	33.41	8.42	9.13	7.0	48.9	
		21:00	32.92	50.77	33.05	8.36	8.68	8.8	35.7	
	日平均值			32.26	51.23	33.41	8.38	8.13	4.81	38.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月15日	蚵殼站	0:00	31.52	49.04	32.06	7.97	8.74	3.1	13.5	
		3:00	31.37	49.12	32.12	7.91	7.97	2.9	13.4	
		6:00	30.96	49.45	32.38	7.91	7.18	3.5	11.5	
		9:00	30.53	49.24	32.24	7.87	7.20	3.7	16.3	
		12:00	30.42	49.38	32.35	7.92	8.34	3.6	15.9	
		15:00	30.15	49.29	32.29	7.96	8.90	3.4	16.6	
		18:00	30.25	49.30	32.29	8.02	9.63	3.1	19.8	
		21:00	31.27	49.23	32.21	8.00	9.71	4.6	17.0	
	日平均值			30.81	49.26	32.24	7.95	8.46	3.49	15.50
	潮口站	0:00	29.81	47.87	31.05	8.28	7.22	5.0	7.0	
		3:00	30.50	48.05	31.16	8.29	7.02	3.9	6.5	
		6:00	27.59	48.73	31.74	8.23	6.41	5.0	4.9	
		9:00	29.25	48.28	31.37	8.27	6.94	3.0	7.2	
		12:00	31.93	47.96	31.04	8.39	8.62	6.9	9.5	
		15:00	32.14	47.96	31.03	8.37	9.30	10.4	10.9	
		18:00	29.91	45.25	29.15	8.23	7.59	4.7	5.3	
		21:00	29.74	46.75	30.23	8.27	7.49	4.0	10.5	
	日平均值			30.11	47.61	30.85	8.29	7.57	5.36	7.73
	灣內站	0:00	32.94	49.68	32.26	8.36	6.79	8.9	41.0	
		3:00	32.41	49.72	32.31	8.35	6.42	7.4	50.2	
		6:00	31.73	51.22	33.43	8.38	7.79	3.2	37.2	
		9:00	31.76	51.19	33.41	8.43	8.33	1.7	37.5	
		12:00	32.23	51.20	33.39	8.54	9.61	3.1	45.6	
		15:00	32.96	51.31	33.45	8.33	9.63	5.8	46.4	
		18:00	33.06	51.27	33.42	8.53	9.35	4.3	34.3	
		21:00	32.46	51.06	33.28	8.49	9.33	3.3	41.8	
	日平均值			32.44	50.83	33.12	8.43	8.41	4.71	41.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月16日	蚵殼站	0:00	30.56	48.78	31.90	7.94	8.66	3.2	17.3	
		3:00	30.27	48.55	31.74	7.97	8.03	3.2	14.6	
		6:00	30.26	48.23	31.51	7.96	7.49	4.2	16.9	
		9:00	30.29	48.80	31.93	7.93	8.06	3.2	18.2	
		12:00	29.60	49.35	32.35	7.94	9.48	3.5	19.2	
		15:00	30.28	49.27	32.27	7.98	10.32	2.9	18.5	
		18:00	30.71	49.87	32.69	8.06	10.56	2.1	23.6	
		21:00	31.16	50.23	32.94	8.06	9.92	3.0	11.9	
	日平均值			30.39	49.14	32.17	7.98	9.07	3.16	17.53
	潮口站	0:00	30.24	47.34	30.65	8.34	7.97	4.7	6.2	
		3:00	30.07	47.00	30.41	8.26	6.86	5.4	5.6	
		6:00	27.86	48.28	31.41	8.23	6.56	5.7	0.9	
		9:00	29.25	48.09	31.23	8.28	7.13	9.4	4.0	
		12:00	30.25	47.68	30.89	8.37	8.99	4.1	7.8	
		15:00	31.09	47.62	30.82	8.40	9.60	7.0	13.6	
		18:00	30.75	47.60	30.82	8.40	9.13	5.9	8.6	
		21:00	29.55	46.51	30.07	8.25	7.22	5.0	7.0	
	日平均值			29.88	47.52	30.79	8.32	7.93	5.90	6.71
	灣內站	0:00	32.66	50.91	33.17	8.32	7.95	5.5	41.6	
		3:00	31.84	51.16	33.38	8.33	7.51	2.3	37.1	
		6:00	31.70	51.11	33.35	8.53	8.23	2.7	43.3	
		9:00	31.98	50.98	33.24	8.43	8.95	3.1	45.7	
		12:00	32.67	50.98	33.22	8.38	9.55	3.0	40.6	
		15:00	32.97	51.00	33.22	8.42	10.34	3.0	38.5	
		18:00	32.77	50.92	33.17	8.46	9.85	4.8	39.7	
		21:00	32.16	50.84	33.14	8.40	9.81	2.1	42.7	
	日平均值			32.34	50.99	33.24	8.41	9.02	3.31	41.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月17日	蚵殼站	0:00	31.01	50.22	32.94	8.01	9.47	3.0	27.5	
		3:00	30.98	50.36	33.04	7.98	9.24	1.7	15.8	
		6:00	30.95	50.95	33.47	8.01	8.20	2.3	16.4	
		9:00	30.89	51.21	33.66	7.97	8.30	3.7	15.3	
		12:00	31.22	51.08	33.56	7.97	9.96	4.4	14.5	
		15:00	30.35	51.04	33.56	7.98	9.76	3.5	27.4	
		18:00	29.95	51.05	33.58	8.04	9.31	2.9	14.9	
		21:00	30.66	51.05	33.56	8.01	9.33	3.1	20.8	
	日平均值			30.75	50.87	33.42	8.00	9.20	3.08	19.08
	潮口站	0:00	29.23	47.52	30.81	8.29	7.08	5.6	8.3	
		3:00	30.01	47.41	30.71	8.35	7.78	3.6	8.8	
		6:00	28.84	47.80	31.03	8.23	6.75	5.8	3.6	
		9:00	29.29	47.41	30.73	8.25	6.91	5.7	5.1	
		12:00	31.09	47.29	30.58	8.41	8.71	4.0	7.0	
		15:00	31.51	47.13	30.46	8.43	9.13	7.8	9.1	
		18:00	31.38	46.98	30.35	8.41	9.13	7.5	14.3	
		21:00	28.98	47.25	30.63	8.25	6.92	5.2	0.6	
	日平均值			30.04	47.35	30.66	8.33	7.80	5.65	7.10
	灣內站	0:00	31.94	50.79	33.10	8.44	8.76	2.1	36.7	
		3:00	32.22	50.67	33.01	8.37	6.26	6.0	40.0	
		6:00	31.86	50.80	33.12	8.41	7.61	5.0	45.5	
		9:00	31.73	50.88	33.18	8.38	8.01	2.6	33.6	
		12:00	30.28	51.00	33.32	8.46	9.53	2.9	38.9	
		15:00	30.86	50.93	33.25	8.54	9.46	9.4	50.9	
		18:00	30.58	51.02	33.33	8.43	8.32	4.3	44.1	
		21:00	30.37	50.98	33.30	8.42	8.00	3.2	33.9	
	日平均值			31.23	50.88	33.20	8.43	8.24	4.44	40.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月18日	蚵殼站	0:00	30.34	51.05	33.57	8.00	8.94	2.7	17.8	
		3:00	30.27	41.74	26.86	8.01	8.89	2.6	23.0	
		6:00	30.05	41.70	26.84	8.02	8.49	2.8	15.4	
		9:00	30.03	51.45	33.87	8.05	8.73	3.2	9.9	
		12:00	30.25	51.36	33.80	7.99	8.60	5.2	9.1	
		15:00	30.75	50.80	33.16	8.48	8.03	2.1	17.1	
		18:00	30.79	50.80	33.15	8.39	8.12	1.4	11.7	
		21:00	30.80	50.79	33.15	8.31	8.00	1.2	10.1	
	日平均值			30.41	48.71	31.80	8.16	8.48	2.65	14.26
	潮口站	0:00	29.56	47.00	30.42	8.27	6.80	6.1	5.3	
		3:00	30.58	46.62	30.12	8.43	8.54	167.8	10.6	
		6:00	30.35	46.49	30.03	8.40	7.89	5.8	8.1	
		9:00	29.18	46.85	30.33	8.25	7.11	53.5	0.4	
		12:00	29.93	46.54	30.08	8.23	6.95	29.7	3.7	
		15:00	30.79	51.24	33.61	8.17	7.12	18.0	6.0	
		18:00	30.65	51.17	33.57	8.03	7.94	6.1	12.4	
		21:00	29.31	51.22	33.65	7.91	6.70	16.6	3.1	
	日平均值			30.04	48.39	31.48	8.21	7.38	37.95	6.20
	灣內站	0:00	30.41	50.97	33.29	8.42	7.94	2.4	36.3	
		3:00	30.44	51.05	33.35	8.40	7.56	1.8	42.7	
		6:00	30.31	50.93	33.27	8.54	8.01	2.4	42.6	
		9:00	30.33	50.91	33.25	8.49	8.52	2.3	41.6	
		12:00	30.68	50.51	32.91	8.23	8.66	2.7	8.4	
		15:00	30.60	50.53	32.93	8.24	8.43	6.1	16.4	
		18:00	30.25	50.59	32.99	8.17	7.65	3.8	12.8	
		21:00	30.04	50.60	33.00	8.16	7.14	1.7	9.6	
	日平均值			30.38	50.76	33.12	8.33	7.99	2.90	26.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月19日	蚵殼站	0:00	30.71	50.81	33.17	8.37	7.74	1.4	7.9	
		3:00	30.58	50.83	33.18	8.36	7.32	2.7	16.1	
		6:00	30.32	50.74	33.13	8.31	6.75	2.1	7.8	
		9:00	30.60	50.78	33.15	8.41	7.74	1.1	9.0	
		12:00	30.97	50.82	33.16	8.34	8.62	2.0	16.5	
		15:00	30.79	50.94	33.26	8.29	9.00	1.4	8.7	
		18:00	31.03	50.65	33.04	8.46	8.89	1.3	8.3	
		21:00	30.88	50.67	33.06	8.42	8.28	1.6	6.5	
	日平均值			30.74	50.78	33.14	8.37	8.04	1.70	10.10
	潮口站	0:00	29.14	51.19	33.63	8.03	6.87	16.8	2.7	
		3:00	29.90	51.23	33.63	8.07	6.35	9.2	5.1	
		6:00	30.05	51.21	33.61	8.23	7.43	1.6	6.4	
		9:00	29.66	51.43	33.79	8.07	6.73	17.4	4.8	
		12:00	29.05	51.64	33.96	7.96	6.85	19.9	2.6	
		15:00	30.93	51.51	33.81	7.85	8.20	8.5	8.8	
		18:00	30.71	51.18	33.57	8.05	8.14	7.4	9.2	
		21:00	29.95	51.29	33.68	7.91	6.82	14.1	0.9	
	日平均值			29.92	51.34	33.71	8.02	7.17	11.86	5.06
	灣內站	0:00	30.01	50.63	33.03	8.19	7.46	1.2	10.6	
		3:00	29.96	50.63	33.03	8.13	6.84	0.9	9.9	
		6:00	29.83	50.63	33.03	8.14	6.63	1.3	8.1	
		9:00	30.02	50.66	33.05	8.12	7.29	1.3	5.4	
		12:00	30.87	50.69	33.04	8.21	8.61	1.3	7.3	
		15:00	31.13	50.69	33.03	8.19	9.03	2.4	5.1	
		18:00	30.77	50.61	32.98	8.05	7.61	2.6	9.1	
		21:00	30.56	50.63	33.00	7.99	7.03	3.8	8.2	
	日平均值			30.39	50.65	33.02	8.13	7.56	1.85	7.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月20日	蚵殼站	0:00	30.72	50.55	32.98	8.42	7.48	2.4	9.2	
		3:00	30.73	50.60	33.01	8.46	7.19	1.2	12.3	
		6:00	30.61	50.50	32.94	8.38	6.89	1.5	10.5	
		9:00	30.79	50.08	32.63	8.55	8.18	2.7	14.2	
		12:00	31.09	50.46	32.90	8.35	7.85	3.6	6.9	
		15:00	31.04	51.04	33.32	8.39	8.22	1.7	5.3	
		18:00	30.97	50.65	33.04	8.39	8.11	1.3	9.3	
		21:00	31.07	49.98	32.55	8.43	8.06	2.0	13.3	
	日平均值			30.88	50.48	32.92	8.42	7.75	2.05	10.13
	潮口站	0:00	27.85	51.83	34.14	7.98	7.00	15.8	1.6	
		3:00	29.12	51.34	33.74	7.94	6.43	8.2	2.3	
		6:00	29.89	50.89	33.38	8.05	7.34	1.1	4.9	
		9:00	30.43	50.74	33.26	8.08	7.51	2.5	5.0	
		12:00	30.07	51.19	33.60	7.87	6.75	14.8	2.9	
		15:00	30.67	49.74	32.52	7.93	6.64	8.3	5.3	
		18:00	30.18	50.61	33.17	7.97	7.31	3.8	4.8	
		21:00	29.99	50.78	33.30	8.02	6.72	4.7	4.0	
	日平均值			29.78	50.89	33.39	7.98	6.96	7.40	3.85
	灣內站	0:00	30.32	50.40	32.85	7.97	7.18	2.7	5.8	
		3:00	30.11	50.43	32.88	8.09	7.29	0.9	8.8	
		6:00	30.05	50.43	32.88	8.12	6.84	1.6	4.7	
		9:00	30.59	50.15	32.65	7.94	6.81	1.7	9.2	
		12:00	31.25	50.12	32.61	7.98	8.76	2.8	7.2	
		15:00	31.13	50.42	32.83	8.00	9.03	2.6	9.0	
		18:00	31.53	48.01	31.06	8.02	8.65	4.0	17.1	
		21:00	31.41	49.28	31.99	8.07	8.02	4.5	15.0	
	日平均值			30.80	49.91	32.47	8.02	7.82	2.60	9.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月21日	蚵殼站	0:00	31.32	49.88	32.47	8.47	7.40	3.7	10.7	
		3:00	31.11	50.12	32.64	8.43	7.15	2.7	10.8	
		6:00	31.05	50.55	32.96	8.34	7.07	1.2	10.7	
		9:00	31.33	50.69	33.06	8.38	8.02	1.6	15.9	
		12:00	32.09	50.57	32.94	8.27	7.98	1.7	7.0	
		15:00	31.69	50.80	33.12	8.41	8.97	1.0	10.0	
		18:00	31.59	50.86	33.17	8.47	8.88	1.3	7.1	
		21:00	31.87	48.69	31.58	8.50	7.87	2.6	11.7	
	日平均值			31.51	50.27	32.74	8.41	7.92	1.98	10.49
	潮口站	0:00	28.94	51.60	33.94	7.99	6.59	9.5	0.9	
		3:00	29.55	50.85	33.37	8.04	6.59	8.4	4.7	
		6:00	30.04	49.70	32.51	8.27	6.98	0.7	1.6	
		9:00	30.50	49.85	32.61	7.99	6.70	6.1	3.6	
		12:00	30.90	50.60	33.14	7.96	7.40	3.0	6.4	
		15:00	30.82	50.94	33.39	7.75	6.24	4.2	5.4	
		18:00	30.36	50.89	33.37	8.05	6.90	5.5	2.5	
		21:00	30.41	50.38	33.00	8.17	7.94	1.6	1.5	
	日平均值			30.19	50.60	33.17	8.03	6.92	4.88	3.33
	灣內站	0:00	30.51	50.18	32.68	7.88	6.75	3.1	3.9	
		3:00	30.32	50.38	32.83	7.96	7.43	1.5	4.0	
		6:00	30.16	50.33	32.80	7.93	6.60	0.9	4.3	
		9:00	30.71	50.10	32.61	7.82	6.23	3.0	3.4	
		12:00	31.64	50.19	32.64	7.99	7.91	1.7	8.2	
		15:00	31.60	50.12	32.60	7.99	8.50	0.9	6.3	
		18:00	31.78	49.22	31.93	8.01	8.54	1.7	10.5	
		21:00	31.40	50.03	32.54	7.88	7.51	1.8	4.6	
	日平均值			31.02	50.07	32.58	7.93	7.43	1.83	5.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月22日	蚵殼站	0:00	32.08	49.81	32.39	8.28	7.71	1.3	6.9	
		3:00	31.97	50.64	33.00	8.30	7.81	0.8	9.0	
		6:00	31.85	50.78	33.10	8.42	7.58	0.8	5.4	
		9:00	31.43	49.04	31.84	8.50	7.63	1.5	13.4	
		12:00	31.33	46.66	30.12	8.60	9.17	3.2	26.4	
		15:00	31.74	49.32	32.04	8.56	9.86	1.5	26.2	
		18:00	31.83	50.24	32.70	8.44	9.39	0.3	14.9	
		21:00	31.40	49.59	32.25	8.56	8.40	1.3	9.4	
	日平均值			31.70	49.51	32.18	8.46	8.44	1.34	13.95
	潮口站	0:00	29.20	51.50	33.85	7.87	6.28	4.5	1.6	
		3:00	29.93	50.83	33.34	7.98	6.34	1.8	1.2	
		6:00	30.52	50.10	32.78	8.17	6.90	2.3	1.6	
		9:00	30.28	50.00	32.72	8.07	5.60	12.5	0.9	
		12:00	30.84	50.23	32.87	7.95	6.93	4.7	5.4	
		15:00	30.07	50.94	33.42	7.82	6.19	3.3	4.6	
		18:00	30.03	50.13	32.82	8.21	6.40	3.2	3.4	
		21:00	30.25	50.18	32.85	8.30	6.86	2.4	4.3	
	日平均值			30.14	50.49	33.08	8.05	6.44	4.34	2.88
	灣內站	0:00	31.14	50.15	32.63	7.74	7.66	0.7	4.2	
		3:00	30.90	50.17	32.65	7.79	7.48	0.1	1.8	
		6:00	30.91	49.85	32.43	7.94	7.28	1.4	2.4	
		9:00	31.11	50.10	32.60	7.87	7.70	1.2	5.8	
		12:00	31.51	48.84	31.66	7.93	8.69	2.9	16.2	
		15:00	31.23	49.46	32.13	7.94	8.82	1.8	9.6	
		18:00	30.85	49.46	32.14	7.81	7.93	1.2	9.4	
		21:00	30.72	47.50	30.72	8.01	8.45	3.0	14.1	
	日平均值			31.05	49.44	32.12	7.88	8.00	1.54	7.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月23日	蚵殼站	0:00	30.65	50.38	32.86	8.41	5.49	1.8	9.6	
		3:00	30.65	50.47	32.92	8.41	5.30	1.1	11.5	
		6:00	30.41	50.01	32.59	8.41	5.46	1.0	4.9	
		9:00	30.21	49.33	32.10	8.47	5.72	2.5	5.6	
		12:00	29.92	48.55	31.54	8.45	6.06	6.3	4.2	
		15:00	29.39	47.33	30.67	8.43	6.24	7.2	3.5	
		18:00	29.39	47.54	30.82	8.49	6.09	5.4	6.9	
		21:00	29.26	47.54	30.83	8.37	6.12	4.4	3.5	
	日平均值			29.99	48.89	31.79	8.43	5.81	3.71	6.21
	潮口站	0:00	29.64	49.74	32.55	8.33	6.38	5.4	1.1	
		3:00	29.39	49.25	32.20	8.45	6.43	5.6	0.0	
		6:00	29.27	49.35	32.28	8.28	6.52	11.2	1.8	
		9:00	29.49	48.92	31.96	8.40	5.89	6.4	4.2	
		12:00	29.41	48.43	31.60	8.32	6.23	6.4	3.9	
		15:00	28.85	42.35	27.24	8.49	6.97	45.8	3.4	
		18:00	28.93	44.56	28.82	8.19	6.62	38.0	3.4	
		21:00	28.79	45.38	29.42	8.04	6.22	12.7	3.1	
	日平均值			29.22	47.25	30.76	8.31	6.41	16.44	2.61
	灣內站	0:00	30.51	48.78	31.65	7.92	7.14	1.8	7.9	
		3:00	30.37	49.12	31.91	7.76	6.49	1.8	8.0	
		6:00	30.04	46.50	30.01	7.90	5.70	14.8	11.3	
		9:00	29.38	45.43	29.26	7.82	5.84	24.0	7.4	
		12:00	28.85	42.44	27.13	7.99	5.95	25.2	11.2	
		15:00	28.85	44.63	28.70	7.95	5.72	15.4	6.4	
		18:00	28.62	43.52	27.91	7.95	5.88	12.3	5.4	
		21:00	28.56	44.55	28.65	7.92	5.96	8.1	4.7	
	日平均值			29.40	45.62	29.40	7.90	6.09	12.93	7.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月24日	蚵殼站	0:00	29.12	46.88	30.35	8.43	6.09	1.9	3.6	
		3:00	28.82	43.74	28.10	8.45	6.27	8.3	0.0	
		6:00	28.65	42.31	27.08	8.50	6.29	14.2	5.5	
		9:00	28.40	37.88	23.95	8.50	6.83	10.6	4.9	
		12:00	29.34	41.25	26.31	8.35	6.24	2.9	0.6	
		15:00	29.54	38.10	24.08	8.38	7.11	5.0	4.4	
		18:00	29.09	38.83	24.60	8.57	6.64	10.5	1.6	
		21:00	29.14	38.06	24.06	8.36	6.70	10.3	1.3	
	日平均值			29.01	40.88	26.07	8.44	6.52	7.96	2.74
	潮口站	0:00	28.50	41.46	26.63	7.66	6.87	32.9	2.5	
		3:00	28.73	38.75	24.78	8.06	6.61	18.1	3.8	
		6:00	28.62	38.48	24.58	8.14	6.65	33.3	3.2	
		9:00	28.24	40.98	26.29	7.76	6.67	14.7	1.2	
		12:00	28.82	25.44	15.60	8.44	6.94	20.5	6.3	
		15:00	28.55	37.43	23.78	8.22	7.31	95.3	2.6	
		18:00	29.00	37.30	23.78	8.48	7.45	39.4	2.3	
		21:00	29.42	44.98	29.15	7.98	6.82	40.7	3.4	
	日平均值			28.74	38.10	24.32	8.09	6.92	36.86	3.16
	灣內站	0:00	28.29	39.25	24.88	7.89	6.18	7.9	3.0	
		3:00	27.92	35.54	22.29	7.87	6.14	8.9	5.3	
		6:00	27.49	34.99	21.92	7.79	6.84	15.8	2.2	
		9:00	27.69	36.10	22.68	7.77	6.25	10.3	4.0	
		12:00	28.43	39.04	24.73	7.78	6.46	7.0	2.2	
		15:00	29.11	31.86	19.73	7.78	6.79	10.7	5.7	
		18:00	28.87	36.02	22.60	7.80	6.84	6.1	2.8	
		21:00	28.58	32.49	20.17	7.76	6.95	6.6	3.7	
	日平均值			28.30	35.66	22.38	7.81	6.56	9.16	3.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月25日	蚵殼站	0:00	28.81	34.55	21.62	8.42	6.94	8.9	1.3	
		3:00	28.89	36.00	22.63	8.34	6.05	4.5	1.9	
		6:00	29.00	40.78	25.98	8.36	6.41	6.7	2.9	
		9:00	28.76	36.87	23.24	8.43	6.69	4.2	2.7	
		12:00	29.23	34.90	21.85	8.36	6.87	3.4	1.2	
		15:00	31.00	33.36	20.74	8.16	6.89	4.4	6.3	
		18:00	30.04	36.85	23.19	8.25	6.82	2.9	3.0	
		21:00	29.67	36.60	23.02	8.23	6.70	7.6	0.2	
	日平均值			29.43	36.24	22.78	8.32	6.67	5.33	2.44
	潮口站	0:00	29.30	42.68	27.56	7.53	6.68	5.4	2.2	
		3:00	29.74	42.19	27.19	7.56	6.77	6.4	0.7	
		6:00	30.83	42.21	27.18	8.34	6.46	12.6	4.4	
		9:00	29.45	46.87	30.48	8.32	6.49	44.2	2.5	
		12:00	29.75	42.79	27.60	7.92	6.70	7.3	6.1	
		15:00	29.78	41.90	26.97	8.18	6.81	7.5	5.5	
		18:00	29.07	34.46	21.71	8.29	7.12	144.6	2.8	
		21:00	29.95	33.89	21.29	8.11	6.89	17.1	5.2	
	日平均值			29.73	40.87	26.25	8.03	6.74	30.64	3.68
	灣內站	0:00	28.51	34.08	21.26	7.72	6.71	3.8	2.1	
		3:00	28.39	36.17	22.72	7.76	6.66	3.8	1.5	
		6:00	28.70	40.88	26.02	7.74	5.68	1.9	1.1	
		9:00	28.24	35.77	22.44	7.68	6.51	4.8	2.3	
		12:00	28.61	36.66	23.05	7.67	6.42	5.1	1.7	
		15:00	30.13	25.07	15.13	7.55	6.37	10.0	9.8	
		18:00	29.55	32.24	19.97	7.79	7.10	4.2	3.4	
		21:00	29.33	33.88	21.11	7.78	6.90	4.1	4.3	
	日平均值			28.93	34.34	21.46	7.71	6.54	4.71	3.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月26日	蚵殼站	0:00	29.26	36.76	23.15	8.29	6.56	4.8	2.8	
		3:00	29.20	35.05	21.95	8.34	6.75	3.9	5.1	
		6:00	29.14	34.53	21.60	8.32	6.62	6.9	0.7	
		9:00	29.12	33.91	21.17	8.40	6.73	4.5	4.3	
		12:00	29.45	36.44	22.91	8.36	7.06	3.5	9.4	
		15:00	30.93	35.29	22.08	8.28	7.72	3.2	7.3	
		18:00	30.59	34.99	21.88	8.33	7.89	3.4	9.2	
		21:00	30.84	30.73	18.95	8.21	7.85	5.8	18.1	
	日平均值			29.82	34.71	21.71	8.32	7.15	4.50	7.11
	潮口站	0:00	29.45	34.17	21.49	8.09	6.57	11.1	0.3	
		3:00	27.66	25.55	15.70	8.28	7.32	45.2	2.0	
		6:00	28.73	42.92	27.65	8.15	6.74	81.4	4.4	
		9:00	29.05	33.95	21.35	8.49	6.92	4.3	3.1	
		12:00	29.86	34.80	21.92	8.37	6.14	18.5	3.6	
		15:00	30.80	35.19	22.17	8.31	6.98	19.8	0.8	
		18:00	29.17	44.96	29.10	8.38	6.59	47.1	1.5	
		21:00	30.21	34.75	21.88	7.77	7.44	8.5	11.3	
	日平均值			29.37	35.79	22.66	8.23	6.84	29.49	3.38
	灣內站	0:00	28.82	32.24	19.99	7.75	6.63	6.9	6.1	
		3:00	28.71	36.68	23.07	7.82	6.67	2.3	1.4	
		6:00	28.68	34.74	21.72	7.83	6.66	5.9	1.9	
		9:00	28.50	35.35	22.15	7.77	6.64	5.7	2.7	
		12:00	29.49	32.54	20.18	7.75	7.27	5.0	2.9	
		15:00	31.17	32.04	19.80	7.80	8.14	8.3	6.5	
		18:00	30.65	32.12	19.87	7.86	8.25	4.9	12.0	
		21:00	30.18	34.99	21.85	7.83	8.11	3.4	10.9	
	日平均值			29.53	33.84	21.08	7.80	7.30	5.30	5.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月27日	蚵殼站	0:00	30.46	32.82	20.39	8.21	6.94	3.5	5.7	
		3:00	30.01	32.25	20.01	8.31	7.32	3.5	12.9	
		6:00	29.76	40.55	25.80	8.30	5.83	0.9	0.2	
		9:00	29.73	42.03	26.85	8.25	5.94	2.2	4.0	
		12:00	30.82	37.85	23.86	8.39	9.82	1.5	25.8	
		15:00	32.23	36.83	23.11	8.38	15.70	2.3	66.4	
		18:00	31.75	37.61	23.67	8.30	16.61	3.3	98.4	
		21:00	32.44	34.80	21.70	8.38	16.92	5.4	121.9	
	日平均值			30.90	36.84	23.17	8.32	10.64	2.83	41.91
	潮口站	0:00	30.09	35.37	22.31	7.74	7.16	6.6	10.0	
		3:00	29.58	35.45	22.38	8.04	6.74	7.0	6.2	
		6:00	28.46	48.06	31.36	8.07	6.44	77.1	4.6	
		9:00	29.66	38.39	24.43	8.38	6.37	6.6	11.3	
		12:00	31.43	34.05	21.37	8.38	10.71	9.1	22.6	
		15:00	31.87	36.16	22.81	8.46	14.24	9.6	64.4	
		18:00	28.49	47.09	30.66	8.21	6.52	136.7	3.3	
		21:00	31.39	36.36	22.96	8.26	14.24	5.3	86.4	
	日平均值			30.12	38.87	24.79	8.19	9.05	32.25	26.10
	灣內站	0:00	30.51	33.73	20.97	7.76	8.09	4.7	14.9	
		3:00	30.32	34.09	21.23	7.76	7.80	3.6	11.0	
		6:00	29.24	38.45	24.29	7.65	6.56	1.7	3.6	
		9:00	28.94	42.09	26.87	7.57	5.12	2.1	2.4	
		12:00	31.55	32.92	20.39	7.96	11.83	5.9	38.0	
		15:00	33.24	31.69	19.51	8.61	20.63	8.3	110.9	
		18:00	32.82	32.73	20.23	8.75	20.97	6.8	142.6	
		21:00	31.82	36.04	22.54	8.52	18.15	4.3	108.3	
	日平均值			31.06	35.22	22.00	8.07	12.39	4.68	53.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月28日	蚵殼站	0:00	31.39	36.76	23.09	8.23	12.95	3.3	88.3	
		3:00	31.11	35.88	22.48	8.37	12.86	3.5	102.5	
		6:00	29.83	43.04	27.57	8.19	6.29	3.1	11.2	
		9:00	29.72	44.72	28.77	8.38	6.42	3.0	16.2	
		12:00	30.23	43.07	27.58	8.50	10.13	1.8	48.8	
		15:00	32.03	40.59	25.75	8.49	17.11	3.4	94.7	
		18:00	32.32	39.19	24.76	7.96	17.28	3.4	105.6	
		21:00	31.73	40.25	25.53	7.80	14.23	2.9	83.4	
	日平均值			31.05	40.44	25.69	8.24	12.16	3.05	68.84
	潮口站	0:00	30.23	40.19	25.68	7.88	9.27	5.5	31.6	
		3:00	29.53	42.71	27.48	7.65	6.71	6.0	10.9	
		6:00	28.35	47.96	31.30	7.93	6.60	44.4	3.4	
		9:00	29.72	39.31	25.07	8.12	11.77	9.3	57.6	
		12:00	32.52	35.79	22.54	8.48	21.91	3.6	98.6	
		15:00	29.60	44.31	28.62	8.32	8.51	19.7	31.2	
		18:00	28.84	47.48	30.93	8.23	6.56	23.8	2.6	
		21:00	29.60	42.27	27.16	8.11	9.38	6.3	35.0	
	日平均值			29.80	42.50	27.35	8.09	10.09	14.83	33.86
	灣內站	0:00	31.30	34.98	21.82	8.51	15.37	7.6	108.4	
		3:00	30.94	34.42	21.44	8.44	13.78	5.0	104.7	
		6:00	29.71	41.98	26.77	7.67	6.66	1.9	17.0	
		9:00	29.00	44.13	28.33	7.55	5.55	1.8	3.9	
		12:00	32.46	35.65	22.25	8.48	22.10	4.7	89.2	
		15:00	32.90	36.25	22.65	8.80	22.02	5.2	98.4	
		18:00	32.86	36.49	22.82	8.68	19.15	6.8	102.3	
		21:00	32.37	36.54	22.87	8.64	17.42	5.9	98.1	
	日平均值			31.44	37.56	23.62	8.35	15.26	4.86	77.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月29日	蚵殼站	0:00	31.84	38.02	23.96	8.42	14.58	2.7	97.5	
		3:00	31.51	37.71	23.74	8.43	13.03	2.7	86.3	
		6:00	30.83	40.27	25.57	8.04	9.00	3.7	54.4	
		9:00	29.85	44.57	28.66	8.04	6.96	4.1	29.2	
		12:00	29.86	45.30	29.19	7.98	7.05	2.3	37.2	
		15:00	31.74	41.50	26.41	8.44	12.36	3.8	57.1	
		18:00	31.79	41.28	26.25	8.41	12.94	4.2	53.6	
		21:00	31.57	42.18	26.90	8.26	11.70	4.3	44.3	
	日平均值			31.12	41.35	26.34	8.25	10.95	3.48	57.45
	潮口站	0:00	30.46	40.79	26.09	8.37	11.44	3.8	67.5	
		3:00	30.27	38.96	24.81	7.77	11.39	3.1	66.1	
		6:00	28.07	48.31	31.55	8.25	6.51	17.4	3.1	
		9:00	29.57	43.37	27.95	8.23	9.31	20.2	15.0	
		12:00	29.87	43.00	27.68	8.42	11.25	5.9	26.8	
		15:00	29.28	45.36	29.39	8.39	8.09	8.1	24.8	
		18:00	29.15	40.27	25.76	8.16	6.82	12.3	7.0	
		21:00	29.02	39.58	25.27	8.29	6.84	8.5	5.6	
	日平均值			29.46	42.46	27.31	8.24	8.96	9.91	26.99
	灣內站	0:00	31.81	36.20	22.65	8.41	15.37	6.2	87.3	
		3:00	31.32	37.28	23.41	8.31	13.26	6.7	83.3	
		6:00	30.81	41.12	26.13	7.98	10.43	4.4	59.0	
		9:00	29.38	44.81	28.81	7.26	5.59	3.1	30.8	
		12:00	31.48	40.52	25.69	8.33	14.15	4.4	56.7	
		15:00	32.55	40.07	25.34	8.52	15.62	6.6	79.8	
		18:00	32.38	37.82	23.76	8.77	13.91	7.7	51.8	
		21:00	32.15	39.31	24.82	8.65	12.69	8.7	54.5	
	日平均值			31.49	39.64	25.08	8.28	12.63	5.98	62.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月30日	蚵殼站	0:00	31.74	38.64	24.39	8.35	11.10	2.9	36.9	
		3:00	31.34	38.31	24.17	8.37	9.52	3.5	22.1	
		6:00	30.85	41.97	26.77	8.34	8.27	3.2	25.3	
		9:00	30.91	41.41	26.37	8.35	9.77	1.8	24.2	
		12:00	31.14	42.90	27.42	8.31	10.28	3.1	27.2	
		15:00	31.74	42.47	27.10	8.27	10.81	2.4	31.0	
		18:00	31.98	42.26	26.94	8.33	10.96	2.2	21.4	
		21:00	31.85	42.33	27.00	8.30	10.88	1.6	15.2	
	日平均值			31.44	41.29	26.27	8.33	10.20	2.59	25.41
	潮口站	0:00	29.94	40.72	26.05	8.06	9.28	3.4	28.4	
		3:00	30.50	38.97	24.81	8.35	10.68	2.8	26.6	
		6:00	28.53	45.69	29.65	8.16	6.76	11.8	3.7	
		9:00	30.46	39.41	25.12	8.26	10.38	2.9	19.8	
		12:00	31.41	38.51	24.46	8.08	11.00	2.3	12.1	
		15:00	29.75	42.88	27.60	8.26	10.03	6.1	30.2	
		18:00	29.37	41.17	26.39	8.49	7.22	19.0	4.6	
		21:00	29.54	36.53	23.13	8.27	8.30	6.6	8.4	
	日平均值			29.94	40.49	25.90	8.24	9.21	6.86	16.73
	灣內站	0:00	31.31	41.81	26.61	8.25	12.24	4.9	38.7	
		3:00	31.03	41.29	26.25	8.14	10.59	4.5	41.4	
		6:00	30.76	42.38	27.03	8.04	9.59	3.0	41.8	
		9:00	30.66	42.68	27.25	8.09	9.79	3.1	41.0	
		12:00	31.45	41.50	26.39	8.22	11.76	3.5	25.0	
		15:00	32.11	40.73	25.82	8.43	12.65	5.3	31.0	
		18:00	32.09	38.87	24.51	8.40	10.90	6.9	18.0	
		21:00	31.24	40.37	25.59	8.42	10.01	2.8	14.7	
	日平均值			31.33	41.20	26.18	8.25	10.94	4.25	31.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
7月31日	蚵殼站	0:00	31.67	41.60	26.48	8.31	10.03	1.2	17.9	
		3:00	31.38	40.88	25.98	8.26	8.86	1.0	11.3	
		6:00	31.33	41.12	26.15	8.23	7.66	0.8	11.0	
		9:00	31.17	42.74	27.31	8.11	8.58	1.8	29.2	
		12:00	31.69	40.98	26.04	8.26	9.00	2.2	19.8	
		15:00	31.72	41.94	26.72	8.28	8.85	3.3	21.4	
		18:00	31.67	41.75	26.59	8.24	8.87	2.8	21.5	
		21:00	31.02	42.94	27.46	8.17	7.52	4.6	20.3	
	日平均值			31.46	41.74	26.59	8.23	8.67	2.21	19.05
	潮口站	0:00	30.94	40.05	25.56	8.15	9.89	4.0	20.6	
		3:00	30.91	39.42	25.26	8.22	9.31	2.3	15.2	
		6:00	28.96	44.03	28.58	7.97	6.60	10.9	2.4	
		9:00	29.59	41.84	27.00	8.05	7.96	7.2	6.3	
		12:00	30.41	41.64	26.69	8.40	9.75	3.3	18.4	
		15:00	29.71	43.04	27.71	8.06	7.46	11.1	17.7	
		18:00	29.78	42.72	27.48	8.00	7.48	16.5	23.3	
		21:00	28.71	39.23	25.04	8.48	6.89	11.8	4.1	
	日平均值			29.88	41.50	26.67	8.17	8.17	8.39	13.50
	灣內站	0:00	31.55	42.76	27.27	8.32	11.11	2.0	13.7	
		3:00	31.43	42.04	26.77	8.36	10.17	2.4	11.8	
		6:00	31.31	43.38	27.73	8.23	9.92	2.7	18.6	
		9:00	30.83	44.08	28.24	8.20	8.76	2.6	16.7	
		12:00	31.39	43.75	27.99	8.24	10.21	2.0	17.6	
		15:00	31.83	42.92	27.38	8.40	9.49	6.7	23.6	
		18:00	31.40	43.40	27.74	8.59	9.30	5.3	20.5	
		21:00	31.19	43.77	28.01	8.47	8.79	2.7	14.2	
	日平均值			31.37	43.26	27.64	8.35	9.72	3.30	17.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月1日	蚵殼站	0:00	31.34	41.47	26.40	8.17	7.51	5.3	22.4	
		3:00	31.03	40.68	25.85	8.20	6.97	2.7	19.0	
		6:00	30.51	39.91	25.32	8.28	6.10	2.6	14.5	
		9:00	30.60	39.90	25.31	8.35	6.92	2.5	21.9	
		12:00	29.72	42.77	28.54	8.19	7.60	5.7	29.7	
		15:00	30.37	43.17	28.80	8.11	8.65	7.1	28.2	
		18:00	30.53	42.31	28.20	8.01	9.72	3.8	35.4	
		21:00	30.36	41.69	27.77	7.99	9.30	4.3	24.2	
	日平均值			30.56	41.49	27.02	8.16	7.85	4.25	24.41
	潮口站	0:00	28.97	41.43	26.59	8.08	6.63	7.1	9.7	
		3:00	29.77	38.98	24.84	8.59	7.31	5.6	11.9	
		6:00	29.56	39.50	25.21	8.33	6.43	18.1	9.8	
		9:00	28.99	40.59	25.99	8.11	6.99	24.7	7.0	
		12:00	30.33	37.33	23.67	8.64	8.96	7.3	14.8	
		15:00	30.17	47.52	30.78	8.39	7.34	2.5	21.2	
		18:00	29.85	46.94	30.37	8.34	6.94	8.3	8.7	
		21:00	29.19	47.12	30.52	8.32	6.40	30.7	1.0	
	日平均值			29.60	42.43	27.25	8.35	7.13	13.04	10.51
	灣內站	0:00	30.65	43.64	27.93	8.04	7.72	2.3	16.4	
		3:00	30.35	42.64	27.23	8.04	6.98	3.2	15.5	
		6:00	30.20	41.81	26.64	8.01	6.27	6.6	18.7	
		9:00	30.07	42.09	26.85	8.05	6.71	4.4	21.8	
		12:00	30.46	44.68	29.34	8.04	7.21	5.7	15.5	
		15:00	31.57	42.87	28.02	8.19	10.49	5.7	49.3	
		18:00	31.96	38.22	24.76	8.06	11.65	19.5	87.2	
		21:00	31.52	42.34	27.65	8.09	10.63	7.7	47.4	
	日平均值			30.85	42.29	27.30	8.07	8.46	6.89	33.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月2日	蚵殼站	0:00	30.15	42.68	28.47	8.37	7.94	2.9	17.3	
		3:00	30.01	37.41	24.81	8.43	8.08	6.5	37.1	
		6:00	29.84	38.12	25.30	8.42	7.30	6.7	31.9	
		9:00	29.64	41.43	27.60	8.44	7.00	3.1	14.9	
		12:00	30.34	41.98	27.97	8.41	8.55	3.1	11.7	
		15:00	31.17	40.02	26.58	8.40	11.58	4.6	53.7	
		18:00	31.52	38.93	25.81	8.44	13.68	5.0	50.5	
		21:00	31.24	39.50	26.22	8.42	11.86	5.1	33.2	
	日平均值			30.49	40.01	26.60	8.42	9.50	4.63	31.29
	潮口站	0:00	29.63	42.17	26.95	8.46	7.08	10.8	2.1	
		3:00	29.80	40.93	26.06	8.33	7.13	2.9	5.4	
		6:00	29.57	33.66	20.99	8.41	7.21	6.2	26.8	
		9:00	28.92	40.64	25.88	8.44	7.11	10.9	12.9	
		12:00	30.19	41.06	26.15	8.48	7.33	9.5	15.0	
		15:00	31.17	41.82	26.66	8.40	9.33	2.7	15.2	
		18:00	29.67	46.07	29.74	8.25	5.99	3.4	8.0	
		21:00	29.06	45.19	29.13	8.33	6.68	19.5	1.1	
	日平均值			29.75	41.44	26.45	8.39	7.23	8.24	10.81
	灣內站	0:00	31.66	41.88	27.32	8.41	9.83	7.0	43.9	
		3:00	30.99	42.88	28.05	8.35	7.77	3.8	13.6	
		6:00	30.85	44.23	29.01	8.36	7.60	4.1	23.4	
		9:00	30.88	43.17	28.26	8.41	9.45	4.9	86.9	
		12:00	30.93	43.72	28.65	8.33	9.06	3.4	18.4	
		15:00	32.62	38.34	24.82	8.45	14.86	6.4	68.5	
		18:00	32.69	37.60	24.31	8.45	14.15	8.5	68.8	
		21:00	31.97	36.43	23.52	8.23	12.79	9.1	29.6	
	日平均值			31.57	41.03	26.74	8.37	10.69	5.90	44.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月3日	蚵殼站	0:00	31.02	40.35	26.81	8.35	8.56	4.6	21.2	
		3:00	30.64	36.42	24.11	8.52	10.36	4.4	32.5	
		6:00	30.54	40.51	26.94	8.39	8.12	4.1	21.5	
		9:00	30.77	38.63	25.62	8.52	9.55	5.6	26.9	
		12:00	30.79	41.68	27.75	8.14	7.76	4.4	30.9	
		15:00	31.68	41.85	27.84	8.51	10.89	3.7	35.3	
		18:00	31.33	41.05	27.29	8.40	10.59	5.4	22.7	
		21:00	31.16	39.90	26.50	8.49	9.97	4.3	12.1	
	日平均值			30.99	40.05	26.61	8.42	9.48	4.56	25.39
	潮口站	0:00	28.72	37.81	23.89	8.18	6.65	27.0	4.2	
		3:00	30.35	40.27	25.58	8.00	8.04	4.5	11.0	
		6:00	30.34	36.30	22.79	8.26	8.41	3.5	18.4	
		9:00	30.72	36.30	22.78	8.25	8.97	4.3	12.5	
		12:00	31.36	38.04	23.98	8.03	8.91	9.2	7.5	
		15:00	32.94	36.01	22.52	8.35	11.74	5.3	15.1	
		18:00	33.15	36.18	22.64	8.25	9.38	9.0	14.0	
		21:00	30.57	41.07	26.14	7.90	7.10	23.3	4.7	
	日平均值			31.02	37.75	23.79	8.15	8.65	10.76	10.93
	灣內站	0:00	31.86	38.88	25.22	8.23	11.54	5.0	34.1	
		3:00	31.68	42.99	28.11	7.94	7.72	4.9	24.7	
		6:00	31.11	43.60	28.56	8.06	8.76	2.3	17.3	
		9:00	31.21	43.35	28.38	8.11	10.04	3.7	56.1	
		12:00	32.82	41.41	26.96	8.12	12.65	5.2	18.8	
		15:00	33.43	42.58	27.77	8.11	13.13	6.0	28.6	
		18:00	32.81	42.68	27.86	8.13	11.35	6.0	28.5	
		21:00	32.12	44.40	29.10	7.98	9.14	5.0	22.0	
	日平均值			32.13	42.49	27.75	8.09	10.54	4.76	28.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月4日	蚵殼站	0:00	29.74	42.42	28.30	8.31	7.16	4.9	10.7	
		3:00	29.69	41.79	27.85	8.48	7.30	6.9	3.7	
		6:00	29.53	41.23	27.46	8.44	6.50	5.4	12.2	
		9:00	29.91	42.89	28.62	8.45	9.29	3.3	8.2	
		12:00	29.78	42.77	28.54	8.41	9.45	4.9	59.8	
		15:00	30.25	43.10	28.76	8.46	10.19	5.0	55.3	
		18:00	30.19	42.69	28.47	8.42	9.47	5.9	16.9	
		21:00	29.83	42.51	28.36	8.43	8.41	5.1	11.7	
	日平均值			29.87	42.43	28.30	8.43	8.47	5.18	22.31
	潮口站	0:00	31.06	38.56	24.35	8.33	7.28	14.6	5.8	
		3:00	31.27	37.00	23.26	8.29	7.10	5.5	12.0	
		6:00	30.80	38.98	24.66	8.16	6.88	6.8	11.6	
		9:00	30.13	40.91	26.04	7.92	5.72	9.5	7.6	
		12:00	31.37	36.60	22.98	8.16	7.47	8.4	16.0	
		15:00	31.92	37.23	23.40	8.15	8.01	11.9	11.9	
		18:00	31.49	38.00	23.95	8.14	7.45	9.0	15.1	
		21:00	30.72	38.44	24.28	8.15	7.20	8.5	9.7	
	日平均值			31.10	38.22	24.12	8.16	7.14	9.28	11.21
	灣內站	0:00	30.68	46.88	30.91	8.43	7.30	3.0	10.3	
		3:00	30.09	47.94	31.70	8.28	5.17	3.8	11.5	
		6:00	29.54	46.40	30.61	8.44	6.23	5.1	12.2	
		9:00	29.67	45.95	30.28	8.50	6.75	5.3	14.5	
		12:00	30.35	44.69	29.36	8.42	8.03	7.1	16.4	
		15:00	30.18	49.44	32.78	8.33	7.77	11.2	23.5	
		18:00	30.08	49.13	32.56	8.35	7.80	4.0	10.4	
		21:00	29.64	49.42	32.78	8.33	6.64	3.7	7.0	
	日平均值			30.03	47.48	31.37	8.39	6.96	5.40	13.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月5日	蚵殼站	0:00	29.67	42.69	28.49	8.40	7.77	4.8	11.2	
		3:00	29.51	43.06	28.75	8.41	7.08	8.6	9.7	
		6:00	29.07	42.13	28.11	8.51	6.99	4.6	17.2	
		9:00	29.76	42.17	28.12	8.48	8.20	2.8	12.2	
		12:00	30.30	42.86	28.59	8.41	10.04	4.1	10.6	
		15:00	30.38	43.27	28.87	8.47	12.32	4.2	24.3	
		18:00	30.28	43.20	28.83	8.44	11.58	2.9	15.8	
		21:00	30.09	43.13	28.78	8.49	10.89	2.0	9.7	
	日平均值			29.88	42.81	28.57	8.45	9.36	4.25	13.84
	潮口站	0:00	29.78	44.68	28.74	8.21	6.27	44.9	23.7	
		3:00	29.89	41.10	26.18	8.08	7.07	4.3	10.0	
		6:00	29.62	40.47	25.74	8.08	6.69	4.5	12.2	
		9:00	30.04	40.33	25.63	8.08	7.51	4.9	17.9	
		12:00	30.34	44.58	28.65	8.26	5.93	8.7	8.3	
		15:00	31.55	41.20	26.20	8.17	10.33	7.9	20.5	
		18:00	31.24	41.40	26.36	8.23	10.44	4.2	20.6	
		21:00	31.08	41.01	26.09	8.07	8.52	6.4	13.3	
	日平均值			30.44	41.85	26.70	8.15	7.85	10.73	15.81
	灣內站	0:00	29.91	47.74	31.56	8.44	7.43	3.8	11.1	
		3:00	30.04	46.79	30.87	8.52	7.42	3.2	6.3	
		6:00	29.84	47.85	31.64	8.47	6.81	3.0	12.2	
		9:00	30.09	47.25	31.20	8.51	8.16	2.8	10.1	
		12:00	30.75	47.17	31.12	8.53	9.74	3.1	7.5	
		15:00	31.29	47.24	31.15	8.50	9.63	4.6	12.8	
		18:00	31.23	47.11	31.06	8.46	9.64	4.3	17.3	
		21:00	30.68	47.75	31.54	8.43	8.91	4.4	15.7	
	日平均值			30.48	47.36	31.27	8.48	8.47	3.65	11.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月6日	蚵殼站	0:00	29.96	43.09	28.76	8.48	10.97	2.7	8.5	
		3:00	29.66	43.33	28.94	8.52	10.13	2.9	12.5	
		6:00	29.42	43.43	29.02	8.47	9.46	2.4	14.9	
		9:00	29.83	43.99	29.40	8.41	9.99	3.3	5.9	
		12:00	29.92	43.71	29.20	8.37	12.23	2.2	15.8	
		15:00	30.92	43.94	29.33	8.39	14.01	4.4	26.2	
		18:00	30.91	43.55	29.06	8.50	13.11	2.9	13.8	
		21:00	30.66	43.50	29.03	8.51	13.00	2.9	10.6	
	日平均值			30.16	43.57	29.09	8.46	11.61	2.96	13.53
	潮口站	0:00	29.72	46.42	30.00	8.26	6.39	12.5	2.2	
		3:00	30.23	42.49	27.16	8.12	8.50	2.1	7.9	
		6:00	30.19	42.41	27.11	8.16	9.35	1.7	9.7	
		9:00	30.25	42.98	27.51	8.11	9.12	5.0	9.7	
		12:00	30.61	44.12	28.31	8.38	7.13	7.6	8.7	
		15:00	31.23	43.16	27.61	8.22	6.60	12.4	1.4	
		18:00	30.69	44.99	28.94	8.39	8.58	3.4	2.8	
		21:00	30.61	44.80	28.80	8.33	7.51	5.4	1.1	
	日平均值			30.44	43.92	28.18	8.25	7.90	6.26	5.44
	灣內站	0:00	30.38	47.42	31.31	8.41	8.66	3.2	12.8	
		3:00	30.34	47.83	31.61	8.46	8.26	2.7	8.9	
		6:00	30.21	48.45	32.06	8.38	6.67	4.1	20.3	
		9:00	30.44	47.81	31.59	8.41	9.16	3.6	19.7	
		12:00	31.07	47.58	31.40	8.41	12.85	4.4	22.6	
		15:00	31.61	47.52	31.34	8.35	15.52	5.2	29.2	
		18:00	31.67	47.37	31.23	8.37	11.24	2.4	5.5	
		21:00	31.67	46.79	30.82	8.40	11.70	4.2	8.8	
	日平均值			30.92	47.60	31.42	8.40	10.51	3.73	15.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月7日	蚵殼站	0:00	30.27	41.78	27.83	8.50	12.38	4.2	17.7	
		3:00	30.00	42.25	28.17	8.53	10.13	4.6	27.1	
		6:00	29.70	41.12	27.38	8.39	8.93	5.2	8.7	
		9:00	29.91	41.22	27.45	8.61	11.31	9.1	267.2	
		12:00	30.27	42.16	28.09	8.46	13.46	5.8	82.7	
		15:00	30.83	42.09	28.03	8.52	15.15	6.3	102.6	
		18:00	30.12	43.42	28.99	8.41	10.25	5.6	26.9	
		21:00	30.31	41.93	27.93	8.48	10.99	5.4	26.3	
	日平均值			30.18	42.00	27.98	8.49	11.58	5.78	69.90
	潮口站	0:00	29.37	41.39	26.40	8.21	6.60	11.4	0.6	
		3:00	29.63	43.12	27.63	8.25	6.46	13.5	4.2	
		6:00	29.83	40.35	25.65	8.52	7.84	3.9	8.5	
		9:00	30.02	40.66	25.86	8.45	7.45	9.7	9.7	
		12:00	30.68	40.55	25.77	8.39	9.59	7.8	25.7	
		15:00	29.80	43.81	28.12	8.23	6.53	36.4	7.2	
		18:00	29.97	42.94	27.49	8.23	6.47	13.0	2.5	
		21:00	29.67	43.83	28.14	8.18	5.18	6.3	7.0	
	日平均值			29.87	42.08	26.88	8.31	7.02	12.75	8.18
	灣內站	0:00	31.35	47.47	31.32	8.34	10.32	2.9	9.1	
		3:00	30.76	46.29	30.49	8.34	8.90	3.5	14.4	
		6:00	30.11	43.47	28.52	8.30	7.32	10.6	37.5	
		9:00	30.61	45.70	30.07	8.36	9.81	5.7	15.0	
		12:00	31.23	38.92	25.27	8.34	10.82	12.7	46.4	
		15:00	31.84	43.61	28.55	8.39	15.00	9.0	50.4	
		18:00	31.74	40.34	26.24	8.43	11.59	11.3	54.4	
		21:00	31.16	40.89	26.65	8.43	10.82	9.1	31.3	
	日平均值			31.10	43.34	28.39	8.37	10.57	8.10	32.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月8日	蚵殼站	0:00	30.20	41.28	27.48	8.03	10.54	5.1	28.0	
		3:00	29.72	39.35	26.16	7.99	7.94	5.3	23.7	
		6:00	28.64	38.44	25.55	7.97	7.41	5.2	20.1	
		9:00	28.86	37.66	25.01	8.23	7.29	6.8	39.1	
		12:00	28.78	31.05	20.51	8.24	10.15	11.8	75.1	
		15:00	28.90	30.25	19.97	8.17	11.63	11.8	82.8	
		18:00	29.06	31.00	20.47	8.10	10.72	12.4	80.0	
		21:00	28.94	26.30	17.36	8.13	9.89	11.9	53.1	
	日平均值			29.14	34.42	22.81	8.11	9.45	8.79	50.24
	潮口站	0:00	29.41	42.20	26.98	8.20	6.70	19.7	0.5	
		3:00	28.80	41.26	26.33	8.21	6.56	21.2	0.0	
		6:00	29.00	38.62	24.45	8.41	6.78	9.1	5.3	
		9:00	28.80	31.67	19.64	8.45	7.56	10.1	19.1	
		12:00	29.36	33.39	20.81	8.47	8.10	12.4	27.7	
		15:00	29.41	42.59	27.26	8.23	6.33	36.4	3.8	
		18:00	29.75	27.27	16.64	8.39	11.53	10.1	32.6	
		21:00	28.98	15.25	8.83	8.41	11.18	15.1	27.7	
	日平均值			29.19	34.03	21.37	8.35	8.09	16.76	14.59
	灣內站	0:00	30.96	43.70	28.63	8.07	10.00	6.0	30.4	
		3:00	31.03	45.12	29.64	8.06	9.34	5.7	11.3	
		6:00	30.22	39.56	25.74	8.11	7.85	17.0	39.9	
		9:00	29.34	38.03	24.69	8.20	7.14	5.9	33.4	
		12:00	29.38	27.48	17.52	8.27	10.80	13.8	47.3	
		15:00	29.43	21.42	13.55	8.17	10.03	21.2	51.5	
		18:00	29.62	29.98	19.18	8.24	11.51	17.9	65.8	
		21:00	29.71	30.68	19.65	8.16	10.44	13.0	38.0	
	日平均值			29.96	34.50	22.33	8.16	9.64	12.56	39.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月9日	蚵殼站	0:00	29.11	32.22	21.29	8.22	11.52	15.6	43.1	
		3:00	29.61	41.77	27.84	8.43	5.02	5.8	27.9	
		6:00	29.42	38.24	24.52	8.39	5.13	14.5	20.7	
		9:00	29.45	33.96	21.55	8.44	6.09	10.4	13.1	
		12:00	29.28	24.45	15.16	8.24	9.22	11.1	44.6	
		15:00	30.13	25.99	16.14	8.10	11.15	16.0	29.4	
		18:00	29.36	26.83	16.72	8.03	8.12	13.4	21.7	
		21:00	29.08	27.71	17.37	8.11	7.30	10.7	17.2	
	日平均值			29.43	31.40	20.07	8.25	7.94	12.19	27.21
	潮口站	0:00	29.38	33.49	20.87	8.34	6.67	12.0	12.2	
		3:00	28.20	38.13	24.13	8.21	6.79	19.6	3.3	
		6:00	28.77	34.70	21.73	8.30	6.99	22.7	7.7	
		9:00	29.20	31.87	19.77	8.38	7.29	12.5	9.3	
		12:00	29.02	19.85	11.76	8.34	9.97	9.0	36.2	
		15:00	30.01	24.62	14.87	8.49	9.97	20.5	17.1	
		18:00	28.93	26.76	16.31	8.39	7.17	13.6	13.7	
		21:00	28.81	20.69	12.31	8.18	7.68	11.5	13.2	
	日平均值			29.04	28.76	17.72	8.33	7.82	15.18	14.09
	灣內站	0:00	29.09	26.57	16.92	8.15	9.02	17.6	30.3	
		3:00	29.74	37.91	24.60	8.08	8.08	5.4	23.1	
		6:00	30.06	41.78	27.30	7.97	3.27	6.3	33.7	
		9:00	29.69	36.05	23.32	8.00	4.89	8.2	16.8	
		12:00	29.54	29.04	18.55	8.13	8.47	13.2	53.0	
		15:00	30.24	27.35	17.41	8.21	12.33	11.5	41.6	
		18:00	29.79	26.89	17.12	8.16	9.06	13.2	29.6	
		21:00	29.35	34.73	22.42	8.03	6.91	9.8	21.1	
	日平均值			29.69	32.54	20.96	8.09	7.75	10.65	31.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月10日	蚵殼站	0:00	28.90	25.03	15.53	8.44	6.25	14.3	11.7	
		3:00	28.45	31.76	20.10	8.33	6.74	18.8	7.0	
		6:00	28.52	35.57	22.80	8.41	6.15	9.6	6.1	
		9:00	28.50	29.93	18.85	8.42	6.09	7.7	9.5	
		12:00	28.23	25.17	15.66	8.39	6.57	12.8	19.2	
		15:00	28.57	25.22	15.67	8.52	8.44	14.9	25.4	
		18:00	28.40	23.54	14.56	8.49	8.47	13.5	18.7	
		21:00	28.39	25.08	15.59	8.38	6.89	13.0	14.4	
	日平均值			28.50	27.66	17.35	8.42	6.95	13.08	14.00
	潮口站	0:00	28.90	22.55	13.52	8.39	6.31	10.1	10.4	
		3:00	28.20	35.96	22.61	8.18	6.96	26.9	1.5	
		6:00	28.40	25.10	15.22	8.50	6.54	7.7	9.1	
		9:00	28.31	23.98	14.48	8.50	6.78	7.0	10.5	
		12:00	28.05	20.05	11.91	8.40	6.98	10.3	19.1	
		15:00	28.46	22.26	13.34	8.43	7.61	16.6	20.5	
		18:00	28.35	22.30	13.37	8.52	8.89	13.1	14.8	
		21:00	28.59	26.86	16.39	8.34	6.12	11.8	13.5	
	日平均值			28.41	24.88	15.11	8.41	7.02	12.94	12.43
	灣內站	0:00	28.90	27.50	17.54	8.49	6.18	18.4	13.0	
		3:00	28.70	27.56	17.58	8.48	6.51	10.6	12.4	
		6:00	28.63	46.04	30.37	8.31	5.75	11.5	3.0	
		9:00	28.68	35.88	23.22	8.33	5.40	8.4	8.5	
		12:00	28.40	30.28	19.41	8.37	6.15	15.2	19.2	
		15:00	28.67	28.18	18.00	8.61	9.26	13.2	30.3	
		18:00	28.45	24.78	15.75	8.46	8.05	13.9	22.6	
		21:00	28.18	23.29	14.78	8.41	7.66	14.1	15.3	
	日平均值			28.58	30.44	19.58	8.43	6.87	13.16	15.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月11日	蚵殼站	0:00	28.08	22.56	13.93	8.39	6.98	13.0	10.6	
		3:00	27.80	29.22	18.52	8.28	6.69	20.6	7.5	
		6:00	28.04	34.98	22.27	8.21	4.85	18.2	9.1	
		9:00	28.23	33.54	21.30	8.16	4.63	10.8	8.1	
		12:00	27.76	20.36	12.50	8.24	6.99	13.9	12.8	
		15:00	28.37	19.51	11.97	8.24	7.85	15.8	19.0	
		18:00	28.61	19.97	12.25	8.42	9.07	14.2	16.2	
		21:00	28.45	23.05	14.24	8.32	7.46	11.2	11.9	
	日平均值			28.17	25.40	15.87	8.28	6.82	14.71	11.90
	潮口站	0:00	27.92	21.15	12.62	8.33	6.80	12.0	8.5	
		3:00	28.01	38.83	24.63	8.23	6.69	27.1	2.8	
		6:00	27.27	33.02	20.60	8.25	6.77	28.7	5.6	
		9:00	28.23	36.17	22.76	8.21	5.54	10.2	1.8	
		12:00	27.66	20.52	12.22	8.30	7.30	11.0	13.4	
		15:00	28.65	21.88	13.09	8.39	8.79	10.6	19.3	
		18:00	28.73	21.19	12.64	8.50	9.62	11.8	17.4	
		21:00	28.61	20.27	12.04	8.47	9.56	9.4	14.9	
	日平均值			28.14	26.63	16.33	8.34	7.63	15.10	10.46
	灣內站	0:00	28.24	23.97	15.23	8.44	7.16	13.9	12.6	
		3:00	27.58	19.60	12.41	8.33	6.69	14.0	12.2	
		6:00	28.80	36.93	23.94	8.16	2.93	7.7	12.6	
		9:00	28.22	30.90	19.83	8.11	3.71	11.3	14.3	
		12:00	27.86	20.19	12.78	8.18	6.67	16.7	12.1	
		15:00	28.08	17.14	10.85	8.09	6.91	20.9	18.7	
		18:00	28.49	18.75	11.86	8.33	8.51	16.6	15.0	
		21:00	28.29	25.82	16.44	8.17	5.36	13.0	8.9	
	日平均值			28.20	24.16	15.42	8.23	5.99	14.26	13.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月12日	蚵殼站	0:00	28.33	17.67	10.78	8.31	8.15	12.0	10.4	
		3:00	27.99	23.32	14.52	8.22	7.06	11.4	9.5	
		6:00	27.82	42.02	27.21	8.22	5.57	21.3	2.4	
		9:00	27.69	37.67	24.18	8.23	5.79	12.0	2.4	
		12:00	27.71	27.54	17.39	8.18	6.24	15.5	9.4	
		15:00	27.82	13.59	8.23	8.23	7.87	15.7	16.8	
		18:00	27.70	25.74	16.32	8.21	7.28	37.4	8.1	
		21:00	27.32	22.98	14.31	8.17	6.98	22.2	6.4	
	日平均值			27.80	26.32	16.62	8.22	6.87	18.44	8.18
	潮口站	0:00	28.22	15.55	9.03	8.29	8.12	11.7	11.3	
		3:00	28.02	29.55	18.21	8.17	6.44	11.2	5.0	
		6:00	27.45	41.88	26.80	8.24	6.64	36.1	1.5	
		9:00	27.26	32.09	19.96	8.25	7.02	17.0	4.7	
		12:00	27.88	36.55	23.04	8.20	5.90	9.2	4.7	
		15:00	27.83	13.62	7.83	8.33	8.54	10.9	20.8	
		18:00	27.67	37.97	24.03	8.22	6.92	54.3	3.6	
		21:00	27.05	29.18	17.98	8.15	6.92	23.9	0.7	
	日平均值			27.67	29.55	18.36	8.23	7.06	21.79	6.54
	灣內站	0:00	28.44	19.79	12.52	8.33	8.18	12.2	9.4	
		3:00	27.95	17.09	10.82	8.26	7.67	11.6	14.0	
		6:00	28.19	42.15	27.62	8.19	4.50	6.4	3.2	
		9:00	28.11	43.24	28.39	8.20	4.56	7.0	0.0	
		12:00	27.54	18.52	11.73	8.15	6.58	21.7	14.0	
		15:00	27.81	13.55	8.63	8.13	7.20	20.5	12.7	
		18:00	27.72	13.51	8.60	8.19	7.63	20.4	12.5	
		21:00	27.59	16.78	10.63	8.19	7.03	20.4	12.0	
	日平均值			27.92	23.08	14.87	8.21	6.67	15.03	9.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月13日	蚵殼站	0:00	27.42	21.11	13.05	8.15	6.84	14.7	6.8	
		3:00	27.39	21.68	13.37	8.14	6.46	11.7	7.7	
		6:00	27.34	28.18	17.73	8.22	6.86	34.0	3.0	
		9:00	27.09	28.57	17.99	8.22	6.85	30.5	9.5	
		12:00	27.39	19.48	11.97	8.13	6.55	10.9	9.6	
		15:00	27.31	20.13	12.36	8.14	6.88	14.2	10.5	
		18:00	27.52	23.15	14.32	8.21	7.41	15.8	9.8	
		21:00	27.44	21.74	13.42	8.16	6.83	11.4	14.6	
	日平均值			27.36	23.01	14.28	8.17	6.84	17.90	8.94
	潮口站	0:00	27.54	25.92	15.78	8.15	6.41	13.2	3.3	
		3:00	27.38	21.22	12.68	8.12	6.33	12.0	4.9	
		6:00	27.35	33.96	21.25	8.24	7.23	56.9	2.8	
		9:00	27.03	33.87	21.19	8.26	7.24	49.7	4.0	
		12:00	27.34	14.30	8.26	8.15	7.64	10.4	8.7	
		15:00	27.33	20.35	12.11	8.17	7.21	14.2	6.3	
		18:00	27.55	21.63	12.94	8.19	7.48	21.2	8.7	
		21:00	27.36	17.42	10.23	8.18	7.82	11.4	13.4	
	日平均值			27.36	23.58	14.31	8.18	7.17	23.63	6.51
	灣內站	0:00	27.30	16.29	10.32	8.14	7.27	16.2	10.2	
		3:00	27.40	22.14	14.05	8.16	6.58	11.4	10.5	
		6:00	27.32	22.40	14.21	8.19	6.48	11.0	3.1	
		9:00	27.15	23.27	14.79	8.17	6.46	11.2	15.0	
		12:00	27.43	24.65	15.68	8.11	5.45	11.4	10.5	
		15:00	27.28	19.91	12.61	8.11	6.55	14.2	14.6	
		18:00	27.48	24.66	15.69	8.22	7.33	10.3	10.9	
		21:00	27.51	26.06	16.61	8.13	5.83	11.4	15.7	
	日平均值			27.36	22.42	14.25	8.15	6.49	12.14	11.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月14日	蚵殼站	0:00	27.32	19.94	12.24	8.18	7.34	9.4	11.8	
		3:00	27.11	18.64	11.41	8.16	7.09	9.6	8.6	
		6:00	26.83	18.62	11.40	8.11	6.98	12.4	7.6	
		9:00	27.27	25.93	16.16	8.16	6.73	16.6	7.0	
		12:00	28.11	22.46	13.86	8.18	7.70	11.6	13.1	
		15:00	29.34	21.39	13.15	8.35	10.09	9.4	28.3	
		18:00	28.67	27.97	17.58	8.29	8.61	9.0	16.5	
		21:00	28.42	27.35	17.13	8.29	8.64	27.4	24.3	
	日平均值			27.88	22.79	14.12	8.22	7.90	13.18	14.65
	潮口站	0:00	27.25	17.25	10.12	8.18	7.67	8.4	9.6	
		3:00	26.98	15.69	9.13	8.09	7.38	8.0	10.6	
		6:00	26.78	17.08	10.02	8.07	7.02	13.1	6.8	
		9:00	27.05	22.51	13.53	8.14	7.16	23.7	8.3	
		12:00	27.92	20.49	12.20	8.18	7.85	13.2	8.7	
		15:00	28.95	21.77	13.01	8.37	9.55	10.0	27.2	
		18:00	27.81	34.36	21.51	8.12	6.33	9.0	3.5	
		21:00	27.61	32.07	19.93	8.16	7.40	39.2	7.2	
	日平均值			27.54	22.65	13.68	8.16	7.55	15.58	10.24
	灣內站	0:00	27.38	22.62	14.36	8.18	7.00	10.4	13.9	
		3:00	27.24	21.59	13.69	8.22	6.80	11.1	6.6	
		6:00	26.87	20.16	12.78	8.15	6.94	11.6	8.3	
		9:00	27.49	29.34	18.79	8.18	6.30	9.5	5.7	
		12:00	28.30	24.43	15.52	8.17	7.54	9.9	17.5	
		15:00	29.72	21.01	13.29	8.33	10.63	8.7	29.4	
		18:00	29.53	21.58	13.65	8.45	10.89	8.9	29.4	
		21:00	29.22	22.62	14.33	8.41	9.87	15.6	41.3	
	日平均值			28.22	22.92	14.55	8.26	8.25	10.71	19.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月15日	蚵殼站	0:00	28.95	22.21	13.69	8.34	8.61	8.4	26.8	
		3:00	28.99	20.10	12.32	8.30	8.22	8.5	26.3	
		6:00	28.77	22.39	13.83	8.18	7.19	13.2	14.7	
		9:00	28.82	22.15	13.65	8.31	9.16	9.0	26.1	
		12:00	28.93	28.64	18.03	8.34	9.95	10.5	29.8	
		15:00	29.56	27.54	17.33	8.38	10.39	11.5	35.9	
		18:00	29.91	26.30	16.50	8.52	11.17	10.0	50.7	
		21:00	29.45	28.75	18.06	8.49	10.35	12.4	54.4	
	日平均值			29.17	24.76	15.43	8.36	9.38	10.44	33.09
	潮口站	0:00	28.76	22.23	13.32	8.31	8.30	7.2	24.9	
		3:00	28.72	19.22	11.36	8.30	7.92	6.6	25.3	
		6:00	28.33	25.08	15.20	8.11	6.73	15.9	11.5	
		9:00	28.63	21.71	12.98	8.35	9.53	9.6	23.0	
		12:00	27.82	35.17	22.07	8.15	7.02	12.2	4.2	
		15:00	28.58	35.56	22.33	8.28	8.33	11.4	15.1	
		18:00	28.82	34.56	21.62	8.33	9.41	8.9	30.9	
		21:00	28.21	33.68	21.03	8.34	8.52	16.9	20.6	
	日平均值			28.48	28.40	17.49	8.27	8.22	11.09	19.44
	灣內站	0:00	29.14	22.18	14.05	8.37	8.91	9.5	28.7	
		3:00	29.26	20.98	13.27	8.30	8.51	10.3	27.3	
		6:00	29.21	19.69	12.45	8.24	7.65	10.4	17.9	
		9:00	29.01	22.58	14.31	8.27	8.79	8.3	29.1	
		12:00	30.04	22.11	13.99	8.52	12.88	8.8	55.3	
		15:00	30.54	19.52	12.32	8.47	12.44	11.6	56.7	
		18:00	30.99	18.03	11.37	8.71	12.93	11.1	70.4	
		21:00	30.68	23.82	15.08	8.64	12.18	7.9	88.1	
	日平均值			29.86	21.11	13.36	8.44	10.54	9.74	46.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月16日	蚵殼站	0:00	29.98	26.64	16.59	7.99	10.16	8.1	56.8	
		3:00	30.28	24.41	15.10	8.11	10.81	7.3	72.5	
		6:00	29.91	21.30	13.07	8.03	8.26	7.7	50.7	
		9:00	29.95	22.36	13.77	8.09	11.32	8.9	65.2	
		12:00	30.44	25.96	16.16	8.13	14.13	8.9	74.7	
		15:00	30.22	31.34	19.80	7.96	11.83	9.2	50.4	
		18:00	31.14	21.24	13.08	8.26	13.67	8.2	82.0	
		21:00	30.79	26.10	16.22	8.20	12.10	5.7	63.4	
	日平均值			30.34	24.92	15.47	8.10	11.54	8.00	64.46
	潮口站	0:00	29.69	23.39	14.06	8.05	10.05	8.3	45.5	
		3:00	30.12	22.18	13.26	8.16	11.29	6.8	57.3	
		6:00	29.55	20.12	11.93	8.16	8.94	6.7	52.3	
		9:00	29.78	22.07	13.19	8.12	11.07	9.9	45.4	
		12:00	29.34	29.59	18.21	8.01	12.62	9.1	68.6	
		15:00	28.26	36.54	23.02	8.26	8.54	11.1	23.0	
		18:00	30.59	25.60	15.51	8.30	13.91	5.8	72.3	
		21:00	30.33	21.88	13.06	8.36	12.03	3.9	64.2	
	日平均值			29.71	25.17	15.28	8.18	11.06	7.70	53.58
	灣內站	0:00	30.27	29.89	19.11	7.93	10.26	7.9	68.1	
		3:00	30.44	26.63	16.94	8.06	10.32	7.8	87.6	
		6:00	30.26	22.47	14.21	8.39	7.57	8.6	49.1	
		9:00	30.12	22.65	14.34	8.46	11.56	7.8	85.0	
		12:00	31.53	22.32	14.10	8.24	15.63	8.7	80.8	
		15:00	32.17	26.13	16.57	8.16	15.11	7.2	77.8	
		18:00	31.68	16.87	10.64	8.17	13.43	10.6	91.6	
		21:00	31.24	30.32	19.38	8.03	12.17	7.5	62.5	
	日平均值			30.96	24.66	15.66	8.18	12.01	8.26	75.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月17日	蚵殼站	0:00	29.53	33.65	21.34	8.40	9.53	9.9	48.5	
		3:00	29.71	32.03	20.22	8.37	9.24	7.3	43.9	
		6:00	29.88	27.97	17.47	8.39	9.62	5.3	63.6	
		9:00	30.06	24.68	15.30	8.45	12.47	5.6	63.4	
		12:00	30.88	26.95	16.77	8.44	16.01	6.0	68.4	
		15:00	31.16	28.96	18.11	8.33	15.26	8.6	55.6	
		18:00	31.20	28.65	17.90	8.42	15.34	6.6	73.2	
		21:00	30.10	31.99	20.20	8.45	10.50	8.4	43.0	
	日平均值			30.32	29.36	18.41	8.41	12.25	7.21	57.45
	潮口站	0:00	29.05	29.77	18.34	8.40	9.24	12.0	31.8	
		3:00	28.87	29.78	18.35	8.29	8.03	7.0	26.6	
		6:00	29.99	26.23	15.94	8.33	9.55	5.5	63.4	
		9:00	30.03	20.60	12.24	8.33	12.81	6.3	57.0	
		12:00	30.36	25.82	15.66	8.27	16.29	6.5	70.5	
		15:00	29.89	29.69	18.27	8.16	14.36	10.8	64.3	
		18:00	30.01	29.15	17.90	8.13	15.34	7.5	67.9	
		21:00	28.46	34.60	21.66	8.13	7.97	11.7	15.8	
	日平均值			29.58	28.21	17.30	8.26	11.70	8.41	49.66
	灣內站	0:00	30.01	37.53	24.33	8.39	9.81	7.7	65.2	
		3:00	30.54	34.28	22.08	8.44	10.44	7.6	61.2	
		6:00	29.77	29.71	19.00	8.14	9.68	5.0	63.8	
		9:00	30.08	28.75	18.35	8.16	12.12	4.8	69.7	
		12:00	31.40	28.08	17.88	8.20	15.73	5.4	66.2	
		15:00	32.43	28.22	17.95	8.19	16.16	6.3	46.9	
		18:00	32.38	28.15	17.90	8.32	15.34	5.6	78.5	
		21:00	31.74	29.38	18.73	8.26	13.02	5.0	70.1	
	日平均值			31.04	30.51	19.53	8.26	12.79	5.93	65.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月18日	蚵殼站	0:00	29.82	33.66	21.35	8.30	9.68	6.5	48.4	
		3:00	29.39	35.56	22.66	8.24	8.44	6.0	43.9	
		6:00	30.35	30.11	18.94	8.39	10.03	4.7	66.9	
		9:00	30.25	29.73	18.65	8.48	10.56	7.2	55.0	
		12:00	30.51	26.99	16.45	8.52	10.35	6.7	50.6	
		15:00	30.43	38.25	24.15	8.49	10.53	7.4	44.4	
		18:00	30.17	36.95	23.26	8.17	9.96	6.8	46.7	
		21:00	29.77	38.22	24.15	8.12	8.92	6.8	44.0	
	日平均值			30.09	33.68	21.20	8.34	9.81	6.51	49.99
	潮口站	0:00	29.79	28.20	17.26	8.47	10.41	5.6	33.7	
		3:00	29.26	31.22	19.32	8.21	8.18	6.3	22.5	
		6:00	30.10	24.02	14.47	8.32	10.45	2.9	55.6	
		9:00	29.49	28.02	17.15	8.22	8.77	8.2	40.9	
		12:00	30.57	23.98	14.44	8.33	11.82	4.9	40.6	
		15:00	30.92	30.65	19.21	8.11	12.66	10.8	17.4	
		18:00	30.62	31.48	19.78	8.00	11.53	18.5	21.1	
		21:00	30.22	32.84	20.72	8.12	9.65	16.8	18.5	
	日平均值			30.12	28.80	17.79	8.22	10.43	9.25	31.29
	灣內站	0:00	29.85	39.11	25.44	8.13	8.95	7.3	63.1	
		3:00	29.51	39.90	26.00	8.27	8.70	5.7	65.3	
		6:00	30.59	36.20	23.40	8.36	9.60	6.5	78.2	
		9:00	31.01	31.44	20.14	8.73	12.35	6.2	69.0	
		12:00	30.45	30.00	18.46	8.62	12.21	5.2	52.8	
		15:00	30.15	36.07	22.64	8.25	10.57	13.0	60.5	
		18:00	28.99	40.11	25.50	7.87	8.86	7.6	41.2	
		21:00	28.62	36.93	23.28	7.86	7.81	7.8	32.9	
	日平均值			29.90	36.22	23.11	8.26	9.88	7.41	57.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月19日	蚵殼站	0:00	29.52	39.76	25.25	8.46	8.03	10.7	30.3	
		3:00	29.25	39.55	25.11	8.46	7.56	11.2	19.3	
		6:00	28.99	41.12	26.22	8.41	7.08	8.7	23.7	
		9:00	29.25	40.84	26.02	8.42	8.05	9.5	21.6	
		12:00	29.40	40.90	26.05	8.37	8.70	9.0	27.1	
		15:00	30.59	41.15	26.19	8.45	10.27	7.2	25.9	
		18:00	29.98	41.44	26.42	8.48	10.32	5.9	23.8	
		21:00	30.09	38.76	24.52	8.50	10.03	3.9	14.0	
	日平均值			29.63	40.44	25.72	8.44	8.76	8.26	23.21
	潮口站	0:00	29.20	37.45	23.93	8.41	8.50	20.9	8.5	
		3:00	28.95	36.42	23.22	8.61	8.79	11.2	20.0	
		6:00	28.72	37.23	23.79	8.32	8.08	27.4	15.3	
		9:00	28.79	37.87	24.23	8.40	8.77	21.0	17.4	
		12:00	29.07	38.35	24.56	8.21	9.85	23.2	18.8	
		15:00	30.51	37.92	24.22	8.21	11.21	21.8	9.7	
		18:00	30.36	38.81	24.85	8.20	12.50	11.8	14.9	
		21:00	29.77	39.98	25.69	8.21	11.30	7.5	7.0	
	日平均值			29.42	38.00	24.31	8.32	9.88	18.10	13.95
	灣內站	0:00	28.43	40.19	25.58	7.77	7.83	7.3	37.3	
		3:00	28.36	39.12	24.82	8.00	7.75	5.3	37.9	
		6:00	27.96	40.66	25.92	7.90	7.06	6.6	27.2	
		9:00	28.39	41.01	26.16	7.90	7.90	6.4	27.1	
		12:00	29.10	43.37	27.82	8.06	9.89	7.8	38.2	
		15:00	30.16	41.59	26.52	8.23	12.51	7.0	34.0	
		18:00	29.80	40.45	25.72	8.21	11.83	6.5	35.6	
		21:00	29.90	40.09	25.47	8.27	11.28	5.8	25.5	
	日平均值			29.01	40.81	26.00	8.04	9.51	6.59	32.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月20日	蚵殼站	0:00	29.64	38.70	24.49	8.18	9.44	4.5	13.0	
		3:00	29.20	38.75	24.54	8.31	8.83	3.9	14.2	
		6:00	29.68	42.30	27.04	8.04	8.66	3.1	5.3	
		9:00	29.16	39.40	25.00	8.27	9.00	3.0	8.4	
		12:00	30.12	39.65	25.15	8.06	9.54	3.3	10.4	
		15:00	30.42	40.61	25.82	8.02	9.57	2.8	10.3	
		18:00	30.37	40.49	25.74	8.09	9.72	2.9	11.2	
		21:00	30.31	40.19	25.52	8.08	9.47	4.3	16.2	
	日平均值			29.86	40.01	25.41	8.13	9.28	3.48	11.13
	潮口站	0:00	28.52	42.42	27.45	7.93	8.22	19.3	0.1	
		3:00	28.86	42.98	27.83	8.16	9.02	13.8	1.8	
		6:00	28.66	39.41	25.32	8.26	9.37	5.1	2.8	
		9:00	29.08	40.60	26.14	8.05	9.12	11.1	7.2	
		12:00	30.29	39.15	25.09	8.13	9.44	14.8	6.4	
		15:00	29.96	46.87	30.60	7.91	7.85	11.7	1.8	
		18:00	29.74	44.54	28.93	7.90	8.06	11.1	0.5	
		21:00	29.31	43.90	28.48	8.20	11.00	4.5	3.6	
	日平均值			29.30	42.48	27.48	8.07	9.01	11.43	3.03
	灣內站	0:00	29.12	39.39	24.99	8.29	9.59	2.7	13.7	
		3:00	29.51	41.69	26.61	8.11	9.78	3.7	16.9	
		6:00	29.76	42.24	26.99	8.12	9.73	2.9	10.2	
		9:00	29.45	41.29	26.33	8.15	9.42	3.5	6.6	
		12:00	30.89	31.31	19.34	8.10	9.73	8.6	18.3	
		15:00	31.15	37.30	23.47	8.35	10.44	4.9	15.7	
		18:00	30.65	38.09	24.04	8.33	11.33	4.8	19.2	
		21:00	29.94	38.01	24.00	8.33	9.88	3.4	14.1	
	日平均值			30.06	38.67	24.47	8.22	9.99	4.31	14.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月21日	蚵殼站	0:00	29.82	40.46	25.73	8.10	8.82	3.3	9.5	
		3:00	29.70	40.13	25.50	8.15	8.73	2.7	7.6	
		6:00	29.75	40.42	25.70	8.06	7.85	3.0	4.0	
		9:00	29.78	40.26	25.59	8.08	8.60	1.9	5.8	
		12:00	30.56	40.62	25.82	8.04	8.80	3.7	6.9	
		15:00	30.82	43.51	27.87	8.40	8.86	5.9	17.1	
		18:00	30.70	43.23	27.67	8.38	8.36	2.1	7.1	
		21:00	30.72	42.04	26.83	8.36	8.05	2.3	7.3	
	日平均值			30.23	41.33	26.34	8.20	8.51	3.11	8.16
	潮口站	0:00	28.90	48.29	31.66	7.94	7.77	10.3	2.0	
		3:00	28.77	48.85	32.07	8.09	7.98	7.0	2.8	
		6:00	28.82	41.26	26.61	8.36	9.75	2.8	6.0	
		9:00	29.25	41.50	26.78	8.19	8.69	8.9	2.9	
		12:00	30.36	43.20	27.95	8.06	9.09	7.7	2.8	
		15:00	29.54	44.40	28.83	7.89	7.86	11.7	1.4	
		18:00	29.00	45.11	29.36	7.95	7.29	14.8	0.9	
		21:00	29.17	46.54	30.38	7.97	7.41	6.4	1.5	
	日平均值			29.23	44.89	29.21	8.06	8.23	8.70	2.54
	灣內站	0:00	29.83	38.85	24.59	8.18	9.31	3.3	9.8	
		3:00	29.35	39.13	24.80	8.20	8.98	2.8	5.5	
		6:00	29.27	43.11	27.63	7.92	7.18	1.4	9.2	
		9:00	29.36	40.03	25.44	7.98	8.18	2.8	4.9	
		12:00	30.28	39.85	25.28	8.27	8.95	2.8	7.2	
		15:00	30.46	40.96	26.07	8.18	8.63	1.8	7.1	
		18:00	30.48	41.09	26.16	8.24	8.76	3.3	6.9	
		21:00	30.52	38.29	24.18	8.13	8.61	7.7	14.0	
	日平均值			29.94	40.16	25.52	8.14	8.58	3.24	8.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月22日	蚵殼站	0:00	30.60	39.49	25.02	8.47	8.01	3.0	7.7	
		3:00	30.33	44.36	28.49	8.36	7.16	2.3	9.1	
		6:00	30.37	44.54	28.62	8.28	7.22	2.1	7.7	
		9:00	30.34	41.29	26.30	8.51	7.72	2.1	10.1	
		12:00	30.87	44.20	28.36	8.48	10.09	3.3	40.4	
		15:00	31.42	44.07	28.26	8.50	11.21	4.2	27.6	
		18:00	31.35	43.51	27.85	8.46	10.52	2.4	6.6	
		21:00	30.89	42.54	27.17	8.46	9.34	3.4	14.1	
	日平均值			30.77	43.00	27.51	8.44	8.91	2.85	15.41
	潮口站	0:00	29.80	42.83	27.70	8.32	9.91	1.3	0.6	
		3:00	28.14	47.45	31.07	8.00	7.69	7.8	2.7	
		6:00	29.43	41.49	26.76	8.20	8.53	3.6	4.7	
		9:00	30.10	39.53	25.36	8.20	10.40	4.7	10.5	
		12:00	31.16	43.14	27.88	8.08	10.22	12.1	2.2	
		15:00	30.13	45.22	29.40	7.97	8.56	5.6	4.1	
		18:00	29.57	41.82	26.99	7.98	8.71	5.1	2.7	
		21:00	29.49	44.98	29.25	8.07	11.07	5.5	10.6	
	日平均值			29.73	43.31	28.05	8.10	9.39	5.71	4.76
	灣內站	0:00	30.32	41.21	26.25	7.93	7.99	2.5	15.3	
		3:00	29.99	42.77	27.37	8.02	7.83	3.3	8.5	
		6:00	29.43	44.58	28.68	7.66	7.18	1.8	7.8	
		9:00	29.79	44.06	28.30	7.83	8.73	1.9	20.9	
		12:00	31.15	41.34	26.32	8.05	8.97	1.8	5.0	
		15:00	31.67	41.44	26.37	8.25	9.38	2.2	8.6	
		18:00	31.19	41.35	26.32	8.27	9.45	1.7	4.7	
		21:00	31.33	41.02	26.08	8.21	9.62	4.2	8.7	
	日平均值			30.61	42.22	26.96	8.03	8.64	2.43	9.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月23日	蚵殼站	0:00	31.20	40.51	25.72	8.10	9.19	2.8	10.3	
		3:00	30.83	42.82	27.38	8.02	8.79	2.9	11.0	
		6:00	30.52	45.25	29.13	8.37	8.91	3.7	21.4	
		9:00	30.35	43.02	27.53	8.11	9.60	1.8	20.0	
		12:00	30.93	44.04	28.24	8.20	11.73	2.1	26.8	
		15:00	31.57	44.55	28.59	8.20	12.29	3.1	27.2	
		18:00	31.54	44.57	28.60	8.30	12.54	2.5	21.4	
		21:00	31.46	44.02	28.21	8.29	11.68	2.1	16.9	
	日平均值			31.05	43.60	27.93	8.20	10.59	2.63	19.38
	潮口站	0:00	30.33	44.28	28.72	8.29	13.84	1.3	8.7	
		3:00	28.02	50.62	33.38	7.92	7.90	9.6	0.5	
		6:00	29.59	42.96	27.80	8.19	10.28	2.7	7.8	
		9:00	30.14	42.94	27.77	8.28	12.74	2.0	5.5	
		12:00	30.58	44.62	28.96	8.14	11.81	16.5	9.5	
		15:00	30.02	45.34	29.49	7.99	11.10	7.4	6.0	
		18:00	29.43	48.29	31.64	7.94	9.19	3.2	1.7	
		21:00	30.37	45.89	29.87	8.23	17.21	3.5	8.7	
	日平均值			29.81	45.62	29.70	8.12	11.76	5.78	6.05
	灣內站	0:00	30.76	41.75	26.62	8.26	9.73	2.1	6.0	
		3:00	29.83	42.78	27.38	7.96	9.17	3.7	11.0	
		6:00	29.70	43.84	28.14	8.07	9.65	3.8	21.6	
		9:00	29.73	44.64	28.71	7.98	11.10	2.7	27.3	
		12:00	31.40	42.68	27.26	8.32	11.44	2.4	18.0	
		15:00	31.81	42.52	27.14	8.40	11.93	2.6	15.3	
		18:00	31.74	42.68	27.25	8.47	12.38	2.9	9.7	
		21:00	31.81	42.37	27.03	8.42	11.75	5.1	12.8	
	日平均值			30.85	42.91	27.44	8.24	10.89	3.16	15.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月24日	蚵殼站	0:00	31.27	44.07	28.26	8.24	11.08	1.8	12.5	
		3:00	30.93	43.38	27.78	8.19	10.85	1.7	5.5	
		6:00	30.91	43.50	27.86	8.22	10.16	2.3	18.8	
		9:00	30.31	47.03	30.42	8.17	10.23	3.5	73.8	
		12:00	31.04	46.20	29.80	8.29	11.86	2.2	19.0	
		15:00	31.91	45.60	29.33	8.19	11.81	2.5	29.0	
		18:00	31.89	45.13	29.00	8.16	11.46	2.5	10.8	
		21:00	31.82	45.20	29.05	8.24	10.94	1.6	16.8	
	日平均值			31.26	45.01	28.94	8.21	11.05	2.26	23.28
	潮口站	0:00	30.39	45.21	29.38	8.23	15.72	2.8	6.5	
		3:00	28.40	50.62	33.37	8.08	8.03	7.7	0.3	
		6:00	29.04	48.13	31.53	8.10	9.66	3.6	4.6	
		9:00	30.51	44.16	28.63	8.28	14.12	2.3	1.7	
		12:00	29.68	47.87	31.33	8.13	11.83	9.2	5.8	
		15:00	30.39	46.73	30.48	8.01	13.13	4.8	8.5	
		18:00	29.82	42.63	27.56	7.96	9.47	4.3	5.6	
		21:00	30.58	46.34	30.19	8.28	16.17	1.9	6.2	
	日平均值			29.85	46.46	30.31	8.13	12.27	4.58	4.90
	灣內站	0:00	32.04	41.71	26.55	8.33	11.85	4.4	9.4	
		3:00	31.12	43.46	27.83	8.26	11.25	2.5	23.5	
		6:00	30.27	44.62	28.69	8.06	10.66	2.4	15.0	
		9:00	29.74	46.30	29.91	8.12	10.38	2.9	15.6	
		12:00	31.96	43.36	27.73	8.27	11.59	3.0	11.0	
		15:00	33.23	42.53	27.09	8.46	11.34	4.6	8.2	
		18:00	32.63	42.60	27.17	8.34	11.13	4.8	13.3	
		21:00	32.34	42.54	27.13	8.37	10.76	3.0	7.6	
	日平均值			31.67	43.39	27.76	8.28	11.12	3.45	12.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月25日	蚵殼站	0:00	31.49	42.20	26.91	8.35	9.82	3.5	8.3	
		3:00	31.36	43.02	27.50	8.18	9.29	5.6	13.7	
		6:00	30.06	48.45	31.46	8.08	9.06	2.4	16.3	
		9:00	30.44	47.74	30.94	8.12	10.17	2.9	39.7	
		12:00	31.26	47.46	30.70	8.12	11.60	2.1	8.3	
		15:00	32.26	46.62	30.06	8.11	11.49	2.5	15.0	
		18:00	32.34	45.29	29.10	8.07	11.01	2.2	15.7	
		21:00	29.99	44.29	28.46	7.97	9.11	3.2	11.0	
	日平均值			31.15	45.63	29.39	8.13	10.19	3.05	16.00
	潮口站	0:00	30.88	45.26	29.41	8.22	12.05	12.4	5.6	
		3:00	28.74	50.02	32.92	7.88	8.36	8.5	3.9	
		6:00	28.36	50.35	33.17	7.98	8.13	4.3	1.3	
		9:00	30.71	43.43	28.10	8.18	13.59	3.1	9.8	
		12:00	30.73	46.28	30.15	8.15	11.12	15.0	7.8	
		15:00	30.98	47.28	30.86	8.04	16.22	7.6	11.4	
		18:00	30.23	38.68	24.76	8.04	9.84	8.1	8.2	
		21:00	29.33	48.42	31.73	8.01	9.61	4.2	6.8	
	日平均值			30.00	46.22	30.14	8.06	11.12	7.90	6.85
	灣內站	0:00	31.75	43.32	27.71	8.35	11.07	2.2	10.0	
		3:00	31.07	44.40	28.50	8.22	11.04	1.4	7.3	
		6:00	30.63	45.56	29.35	8.18	10.30	2.1	9.8	
		9:00	29.80	47.37	30.68	8.01	11.48	2.0	9.2	
		12:00	31.85	45.37	29.17	8.27	10.91	2.8	7.1	
		15:00	32.63	45.10	28.95	8.29	11.24	4.9	11.9	
		18:00	32.02	44.49	28.53	8.36	11.30	2.3	3.5	
		21:00	31.75	44.28	28.39	8.27	10.39	3.7	8.8	
	日平均值			31.44	44.99	28.91	8.24	10.97	2.68	8.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月26日	蚵殼站	0:00	30.63	44.24	28.40	8.13	8.86	3.5	10.6	
		3:00	30.44	43.64	27.97	7.96	8.42	3.0	9.1	
		6:00	30.58	45.02	28.96	8.11	8.54	2.2	14.1	
		9:00	30.60	46.45	29.99	8.06	9.69	2.8	33.3	
		12:00	31.01	47.30	30.60	8.12	11.93	3.2	18.7	
		15:00	31.85	46.18	29.76	8.29	12.32	3.2	31.6	
		18:00	31.61	46.82	30.23	8.22	11.71	2.9	23.5	
		21:00	31.34	46.46	29.97	8.36	10.60	3.2	21.0	
	日平均值			31.01	45.76	29.49	8.16	10.26	3.00	20.24
	潮口站	0:00	31.21	46.10	30.00	8.25	13.69	5.6	6.0	
		3:00	29.54	47.96	31.39	7.97	9.85	3.4	4.1	
		6:00	27.87	50.89	33.58	8.10	7.89	5.3	4.8	
		9:00	30.23	45.13	29.33	8.10	13.61	2.8	13.3	
		12:00	29.58	48.16	31.54	7.89	11.65	8.8	18.7	
		15:00	30.91	47.37	30.93	8.08	16.20	5.2	12.6	
		18:00	29.35	43.27	28.03	7.95	9.33	7.3	4.5	
		21:00	28.72	48.01	31.45	8.03	8.61	4.2	1.4	
	日平均值			29.68	47.11	30.78	8.05	11.35	5.33	8.18
	灣內站	0:00	31.49	44.97	28.89	8.17	10.56	3.2	8.7	
		3:00	31.31	43.57	27.90	8.17	10.12	2.0	6.8	
		6:00	31.39	45.09	28.99	8.24	10.17	3.6	7.2	
		9:00	30.03	45.80	29.54	8.04	10.18	6.4	19.0	
		12:00	32.23	45.05	28.93	8.35	11.54	3.0	10.3	
		15:00	32.65	45.08	28.93	8.42	11.98	3.4	9.8	
		18:00	32.17	45.04	28.92	8.35	11.54	4.4	17.0	
		21:00	31.69	45.16	29.02	8.38	11.15	4.5	17.1	
	日平均值			31.62	44.97	28.89	8.27	10.91	3.81	11.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月27日	蚵殼站	0:00	31.30	46.42	29.95	8.44	10.23	2.2	16.3	
		3:00	31.44	45.83	29.52	8.40	9.86	3.8	16.5	
		6:00	30.49	46.41	29.96	8.33	9.01	3.3	14.6	
		9:00	31.13	46.15	29.76	8.37	9.75	2.6	17.2	
		12:00	30.42	47.80	30.97	8.42	10.96	3.9	26.2	
		15:00	31.00	47.83	30.98	8.36	10.98	4.2	23.6	
		18:00	31.06	47.34	30.62	8.39	10.55	2.6	20.7	
		21:00	31.49	46.87	30.27	8.38	10.29	2.8	18.0	
	日平均值			31.04	46.83	30.25	8.39	10.20	3.18	19.14
	潮口站	0:00	30.37	47.25	30.85	8.30	14.59	2.2	17.4	
		3:00	29.89	46.96	30.66	8.10	11.10	5.0	13.1	
		6:00	28.13	50.60	33.36	7.94	8.07	6.6	0.4	
		9:00	30.58	45.80	29.80	8.17	13.87	3.3	12.5	
		12:00	30.22	47.78	31.25	8.19	13.11	13.1	11.6	
		15:00	29.20	49.50	32.53	8.01	11.10	12.7	19.7	
		18:00	28.82	49.57	32.59	8.05	8.75	5.6	3.0	
		21:00	28.52	50.24	33.09	8.14	8.51	3.6	0.3	
	日平均值			29.47	48.46	31.77	8.11	11.14	6.51	9.75
	灣內站	0:00	31.71	44.16	28.31	8.13	9.96	15.9	18.6	
		3:00	31.71	43.27	27.67	8.23	10.29	16.5	16.6	
		6:00	30.68	45.98	29.65	8.12	10.14	7.0	17.5	
		9:00	29.41	47.01	30.44	7.98	9.60	12.4	26.9	
		12:00	31.62	46.21	29.78	8.11	12.26	1.8	15.7	
		15:00	31.89	45.93	29.58	8.45	11.99	2.3	17.1	
		18:00	31.43	46.19	29.78	8.37	11.47	11.6	17.5	
		21:00	31.00	46.25	29.83	8.29	11.10	11.0	23.7	
	日平均值			31.18	45.63	29.38	8.21	10.85	9.81	19.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月28日	蚵殼站	0:00	31.32	46.95	30.33	8.33	9.90	3.0	16.9	
		3:00	30.92	46.74	30.19	8.42	9.47	3.1	16.5	
		6:00	30.58	47.04	30.42	8.35	9.17	2.5	16.4	
		9:00	30.41	47.43	30.71	8.41	9.61	2.3	14.5	
		12:00	30.11	48.92	31.80	8.35	10.26	2.5	16.7	
		15:00	31.36	48.44	31.41	8.34	10.48	3.5	14.4	
		18:00	31.24	48.40	31.39	8.37	10.57	2.9	15.6	
		21:00	31.29	46.71	30.16	8.37	9.63	2.0	15.9	
	日平均值			30.90	47.58	30.80	8.37	9.89	2.73	15.86
	潮口站	0:00	30.31	47.60	31.11	8.20	12.67	2.8	9.9	
		3:00	30.10	47.49	31.04	8.25	12.62	3.7	13.2	
		6:00	27.62	51.19	33.81	8.17	7.61	6.0	3.6	
		9:00	28.56	50.49	33.27	8.01	8.68	3.6	3.3	
		12:00	31.03	47.82	31.24	8.15	13.42	6.3	4.5	
		15:00	29.37	49.59	32.58	8.15	12.31	13.1	12.3	
		18:00	29.15	45.45	29.60	7.96	8.96	7.2	7.6	
		21:00	28.48	49.87	32.82	8.02	8.43	4.0	4.9	
	日平均值			29.33	48.69	31.93	8.11	10.59	5.84	7.41
	灣內站	0:00	30.61	46.58	30.09	8.28	10.76	9.2	15.5	
		3:00	30.28	45.98	29.66	8.19	10.44	11.3	16.1	
		6:00	29.77	46.57	30.11	8.11	10.15	9.2	18.1	
		9:00	30.13	46.43	29.99	8.30	10.82	13.1	11.2	
		12:00	30.87	46.72	30.18	8.25	11.81	5.5	14.8	
		15:00	31.58	46.41	29.93	8.40	11.89	12.1	13.1	
		18:00	31.36	46.15	29.75	8.36	11.03	6.2	15.8	
		21:00	31.02	46.13	29.75	8.27	10.99	45.8	14.9	
	日平均值			30.70	46.37	29.93	8.27	10.99	14.05	14.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月29日	蚵殼站	0:00	30.57	47.11	30.47	8.39	8.87	3.1	12.1	
		3:00	30.14	46.86	30.31	8.41	8.53	3.7	12.4	
		6:00	30.00	46.91	30.34	8.42	8.03	2.0	14.0	
		9:00	30.05	47.91	31.07	8.26	8.29	3.9	15.8	
		12:00	30.23	48.49	31.48	8.38	10.54	5.6	20.0	
		15:00	31.70	48.15	31.19	8.25	10.83	2.7	18.4	
		18:00	31.13	48.33	31.34	8.35	10.85	2.9	15.3	
		21:00	31.48	47.68	30.85	8.30	9.96	2.8	14.4	
	日平均值			30.66	47.68	30.88	8.35	9.49	3.34	15.30
	潮口站	0:00	29.72	48.00	31.42	8.13	10.73	4.7	13.5	
		3:00	29.58	47.41	30.99	8.14	9.73	5.3	8.4	
		6:00	28.13	50.81	33.52	7.88	7.88	6.2	1.0	
		9:00	28.84	50.39	33.19	8.18	8.68	4.9	3.1	
		12:00	30.66	47.47	31.01	8.25	13.99	5.4	5.4	
		15:00	30.18	48.70	31.91	8.11	15.39	14.4	16.5	
		18:00	28.88	48.04	31.47	7.89	8.90	6.7	0.2	
		21:00	28.98	48.87	32.07	8.01	9.13	3.8	7.1	
	日平均值			29.37	48.71	31.95	8.07	10.55	6.43	6.90
	灣內站	0:00	30.40	46.27	29.87	8.17	10.31	22.9	12.8	
		3:00	29.89	38.16	24.11	8.08	8.81	50.4	22.0	
		6:00	30.04	46.50	30.05	8.12	9.62	17.4	12.8	
		9:00	29.83	47.05	30.45	8.13	9.77	13.8	9.2	
		12:00	31.18	46.02	29.66	8.36	11.57	15.1	16.8	
		15:00	32.16	44.83	28.77	8.55	13.56	9.0	20.5	
		18:00	31.00	45.94	29.61	8.26	11.57	12.3	16.8	
		21:00	31.34	44.90	28.85	8.37	11.25	128.1	20.5	
	日平均值			30.73	44.96	28.92	8.26	10.81	33.63	16.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月30日	蚵殼站	0:00	31.29	47.34	30.61	8.37	9.80	1.9	14.4	
		3:00	30.99	46.80	30.23	8.37	9.15	4.7	14.4	
		6:00	30.40	46.71	30.19	8.30	8.20	3.7	13.1	
		9:00	30.41	46.86	30.30	8.38	8.76	3.1	22.0	
		12:00	30.62	48.40	31.41	8.27	10.82	2.4	34.9	
		15:00	31.41	48.39	31.37	8.28	10.28	3.0	10.6	
		18:00	31.22	48.34	31.34	8.34	10.63	3.4	12.2	
		21:00	30.97	48.34	31.35	8.31	10.14	4.2	11.6	
	日平均值			30.91	47.65	30.85	8.33	9.72	3.30	16.65
	潮口站	0:00	30.08	47.47	31.02	8.31	12.16	4.8	9.6	
		3:00	30.24	46.79	30.53	8.20	12.47	3.2	14.7	
		6:00	29.14	48.92	32.11	8.03	8.86	11.0	3.6	
		9:00	28.55	50.56	33.32	8.00	8.58	3.9	2.7	
		12:00	31.10	47.61	31.09	8.11	12.34	2.4	2.6	
		15:00	29.97	49.11	32.22	8.01	12.45	5.6	10.1	
		18:00	29.74	49.26	32.33	7.94	9.94	5.0	7.5	
		21:00	29.34	46.86	30.61	7.95	9.42	4.5	0.8	
	日平均值			29.77	48.32	31.65	8.07	10.78	5.05	6.45
	灣內站	0:00	30.39	46.49	30.03	8.31	11.00	17.9	11.1	
		3:00	30.09	47.18	30.54	8.16	10.58	15.5	11.7	
		6:00	29.96	46.76	30.23	8.08	9.32	16.9	6.6	
		9:00	29.57	47.25	30.60	8.08	9.99	9.7	8.3	
		12:00	30.82	46.48	30.00	8.27	11.13	5.4	10.9	
		15:00	31.81	45.50	29.27	8.36	12.12	184.1	20.7	
		18:00	31.73	45.82	29.50	8.31	11.62	10.6	10.4	
		21:00	30.76	47.01	30.39	8.18	10.52	9.7	9.7	
	日平均值			30.64	46.56	30.07	8.22	10.79	33.73	11.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
8月31日	蚵殼站	0:00	30.90	47.91	31.04	8.26	9.20	1.9	9.0	
		3:00	30.62	46.65	30.14	8.34	9.13	1.7	9.0	
		6:00	30.37	46.31	29.90	8.34	8.77	2.8	14.6	
		9:00	30.41	47.65	30.87	8.34	9.08	1.6	9.2	
		12:00	30.77	47.93	31.06	8.33	9.71	1.9	8.1	
		15:00	31.32	48.27	31.29	8.22	9.99	2.3	5.9	
		18:00	31.20	48.18	31.22	8.28	10.01	1.5	7.0	
		21:00	31.84	46.84	30.24	8.22	9.43	2.6	8.9	
	日平均值			30.93	47.47	30.72	8.29	9.42	2.04	8.96
	潮口站	0:00	30.06	47.70	31.19	8.12	11.50	3.3	9.2	
		3:00	29.61	46.44	30.29	8.10	10.51	5.4	5.1	
		6:00	29.65	46.39	30.26	8.19	10.65	2.2	7.6	
		9:00	29.06	49.46	32.50	7.99	8.52	4.0	3.0	
		12:00	30.58	47.28	30.87	8.22	12.97	4.8	5.3	
		15:00	29.76	48.82	32.01	7.97	12.32	7.2	8.1	
		18:00	29.82	48.78	31.98	8.06	10.33	4.2	4.4	
		21:00	29.13	45.96	29.96	7.93	8.57	2.7	2.4	
	日平均值			29.71	47.60	31.13	8.07	10.67	4.23	5.64
	灣內站	0:00	30.73	46.52	30.04	8.24	10.11	16.7	10.4	
		3:00	30.24	46.95	30.37	8.17	9.77	86.5	12.8	
		6:00	30.13	46.82	30.27	8.09	9.74	8.2	6.3	
		9:00	30.19	47.15	30.51	8.17	10.23	11.8	6.5	
		12:00	31.24	46.83	30.24	8.23	10.94	289.0	4.7	
		15:00	31.75	46.42	29.93	8.22	11.26	3.2	11.1	
		18:00	32.26	42.47	27.08	8.21	11.37	26.0	19.4	
		21:00	31.08	46.72	30.17	8.12	10.26	28.3	7.7	
	日平均值			30.95	46.24	29.83	8.18	10.46	58.71	9.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月1日	蚵殼站	0:00	31.34	47.77	30.93	8.21	8.91	4.1	10.3	
		3:00	31.04	47.78	30.94	8.21	8.30	2.9	5.8	
		6:00	30.62	47.97	31.09	8.17	7.96	1.8	7.5	
		9:00	30.75	47.88	31.02	8.16	8.26	2.1	3.1	
		12:00	31.28	48.00	31.10	8.16	8.60	1.2	6.0	
		15:00	31.51	48.76	31.64	8.11	8.56	3.7	5.2	
		18:00	31.56	48.40	31.37	8.14	8.48	1.3	2.8	
		21:00	31.40	48.41	31.39	8.13	8.07	1.2	2.6	
	日平均值			31.19	48.12	31.19	8.16	8.39	2.29	5.41
	潮口站	0:00	30.36	45.07	29.29	8.11	11.26	3.6	6.9	
		3:00	30.49	43.46	28.13	8.17	11.50	3.0	3.0	
		6:00	30.00	43.27	28.01	7.97	8.81	5.8	6.3	
		9:00	29.23	45.84	29.87	7.92	9.17	3.9	1.5	
		12:00	30.14	45.59	29.66	7.98	9.90	1.7	3.7	
		15:00	30.31	45.20	29.38	7.91	10.54	5.8	4.9	
		18:00	30.29	44.89	29.16	7.96	10.31	4.1	5.5	
		21:00	29.81	37.08	23.66	7.92	9.55	4.8	7.7	
	日平均值			30.08	43.80	28.40	7.99	10.13	4.09	4.94
	灣內站	0:00	30.47	47.72	30.92	8.01	9.38	30.2	8.8	
		3:00	30.43	47.29	30.61	7.87	9.70	44.2	4.5	
		6:00	29.84	47.68	30.91	7.94	8.75	23.7	0.6	
		9:00	30.09	48.01	31.14	7.85	8.47	14.1	1.0	
		12:00	30.74	47.89	31.03	8.10	9.32	4.1	2.8	
		15:00	31.07	47.87	31.01	8.03	9.45	3.6	4.9	
		18:00	31.70	46.28	29.83	8.21	11.52	424.6	33.5	
		21:00	31.29	46.82	30.24	8.17	9.75	77.4	19.4	
	日平均值			30.70	47.45	30.71	8.02	9.54	77.74	9.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月2日	蚵殼站	0:00	31.19	48.44	31.41	8.17	7.85	1.0	3.4	
		3:00	30.85	48.25	31.29	8.10	7.62	2.0	1.1	
		6:00	30.72	48.04	31.14	8.14	7.65	1.2	8.8	
		9:00	30.60	47.39	30.67	8.09	7.98	1.1	7.4	
		12:00	30.47	47.62	30.91	8.39	7.27	3.8	17.1	
		15:00	30.76	48.48	31.51	8.38	7.98	3.6	23.2	
		18:00	30.64	47.55	30.86	8.45	8.48	3.6	38.2	
		21:00	30.56	46.90	30.41	8.33	8.04	2.5	21.6	
	日平均值			30.72	47.83	31.03	8.26	7.86	2.35	15.10
	潮口站	0:00	30.01	41.56	26.80	7.94	10.25	3.3	5.8	
		3:00	29.83	40.86	26.31	7.94	8.97	3.6	1.9	
		6:00	30.05	42.09	27.17	7.94	8.38	8.3	0.5	
		9:00	30.24	42.28	27.30	7.95	8.23	4.0	5.5	
		12:00	30.31	44.55	28.91	7.98	9.95	2.6	3.3	
		15:00	30.65	49.57	32.80	8.27	7.29	2.8	3.9	
		18:00	29.96	49.60	32.71	8.23	6.01	3.4	16.8	
		21:00	29.23	48.56	31.98	8.27	6.51	3.3	2.6	
	日平均值			30.04	44.88	29.25	8.07	8.20	3.91	5.04
	灣內站	0:00	31.08	47.05	30.41	8.07	9.07	62.8	12.8	
		3:00	30.97	47.55	30.78	8.02	8.83	53.2	7.5	
		6:00	30.51	47.38	30.67	7.89	8.14	70.1	4.9	
		9:00	31.14	47.55	30.77	7.87	8.33	50.4	6.6	
		12:00	31.46	48.05	31.18	8.34	8.52	2.5	7.9	
		15:00	31.34	48.07	31.19	8.46	9.99	3.0	24.2	
		18:00	31.27	48.11	31.23	8.54	9.87	7.7	25.9	
		21:00	32.02	47.18	30.53	8.49	7.79	6.4	40.1	
	日平均值			31.22	47.62	30.85	8.21	8.82	32.01	16.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月3日	蚵殼站	0:00	30.78	47.91	31.11	7.90	7.04	4.7	24.9	
		3:00	30.38	47.74	31.00	8.00	7.50	5.4	29.6	
		6:00	29.99	47.17	30.61	8.13	6.96	3.1	25.4	
		9:00	30.33	47.69	30.97	8.02	8.19	4.0	48.3	
		12:00	31.01	47.91	31.10	8.26	9.26	3.1	30.5	
		15:00	30.94	48.61	31.59	7.96	9.37	6.1	30.9	
		18:00	30.91	48.64	31.62	8.07	9.57	3.3	18.3	
		21:00	30.75	47.96	31.14	8.09	8.65	3.1	21.2	
	日平均值			30.64	47.95	31.14	8.05	8.32	4.10	28.64
	潮口站	0:00	29.68	49.32	32.52	8.35	7.23	0.9	2.7	
		3:00	30.78	47.08	30.85	8.46	7.95	1.4	21.6	
		6:00	30.50	47.39	31.09	8.45	7.96	5.3	11.3	
		9:00	30.94	47.45	31.12	8.46	8.83	1.0	12.5	
		12:00	30.38	49.56	32.66	8.28	7.47	1.7	6.5	
		15:00	31.27	46.34	30.31	8.26	7.44	1.2	2.6	
		18:00	30.45	49.51	32.63	8.31	7.75	1.5	11.5	
		21:00	30.05	49.41	32.57	8.23	6.45	1.9	6.0	
	日平均值			30.51	48.26	31.72	8.35	7.64	1.86	9.34
	灣內站	0:00	31.41	48.17	31.27	8.39	8.51	3.4	19.3	
		3:00	31.11	48.39	31.44	8.43	8.29	2.2	16.0	
		6:00	30.71	48.52	31.55	8.45	7.63	3.5	25.0	
		9:00	31.20	48.58	31.57	8.34	8.90	2.4	14.0	
		12:00	31.86	48.64	31.59	8.33	10.50	2.6	11.6	
		15:00	32.00	48.51	31.49	8.27	10.87	2.6	20.3	
		18:00	31.95	48.56	31.53	8.25	10.37	3.8	14.2	
		21:00	31.65	48.38	31.41	8.29	9.58	3.3	14.5	
	日平均值			31.49	48.47	31.48	8.34	9.33	2.98	16.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月4日	蚵殼站	0:00	30.74	48.76	31.70	8.32	8.82	2.5	15.5	
		3:00	30.63	49.03	31.90	8.10	7.87	3.0	16.8	
		6:00	30.15	48.22	31.34	8.29	7.30	3.0	18.3	
		9:00	30.44	47.97	31.16	8.12	7.87	3.7	12.6	
		12:00	31.05	48.50	31.51	8.15	8.33	4.3	10.4	
		15:00	30.87	49.45	32.19	8.44	8.79	3.3	17.0	
		18:00	30.19	48.89	31.81	8.39	6.71	4.0	11.7	
		21:00	30.49	47.82	31.05	8.33	6.82	7.7	8.3	
	日平均值			30.57	48.58	31.58	8.27	7.81	3.94	13.83
	潮口站	0:00	28.76	50.27	33.23	8.25	6.29	3.3	3.2	
		3:00	30.46	48.60	31.97	8.42	8.15	0.8	8.3	
		6:00	30.79	48.16	31.64	8.44	8.45	1.3	8.6	
		9:00	30.51	48.63	31.99	8.22	5.88	10.2	4.8	
		12:00	30.94	48.80	32.09	8.30	7.07	3.4	2.6	
		15:00	31.49	40.05	25.83	8.19	7.34	3.5	7.1	
		18:00	30.43	49.12	32.35	8.26	7.01	2.7	5.6	
		21:00	30.11	48.46	31.88	8.29	7.20	0.9	4.4	
	日平均值			30.44	47.76	31.37	8.30	7.17	3.26	5.58
	灣內站	0:00	31.41	48.53	31.53	8.40	9.27	2.5	16.1	
		3:00	31.39	48.91	31.80	8.33	7.88	2.0	13.1	
		6:00	30.92	49.35	32.14	8.44	7.03	2.7	13.6	
		9:00	31.13	49.17	32.01	8.41	6.75	6.9	11.5	
		12:00	32.39	48.09	31.18	8.40	8.30	4.5	10.0	
		15:00	32.33	48.45	31.44	8.25	9.16	4.4	4.9	
		18:00	31.80	48.66	31.61	8.30	9.06	4.2	6.6	
		21:00	31.56	48.79	31.71	8.35	8.57	2.9	5.8	
	日平均值			31.62	48.74	31.68	8.36	8.25	3.76	10.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月5日	蚵殼站	0:00	30.53	48.09	31.24	8.05	6.88	2.9	14.3	
		3:00	30.36	48.25	31.36	8.21	6.48	2.5	3.7	
		6:00	30.09	48.24	31.36	8.37	6.33	5.8	27.7	
		9:00	30.27	49.09	31.95	8.17	7.59	4.2	12.0	
		12:00	31.09	49.16	32.05	8.11	8.44	2.2	22.8	
		15:00	31.01	49.73	32.47	8.12	9.46	3.3	25.8	
		18:00	30.40	49.46	32.29	8.09	8.53	2.9	12.0	
		21:00	29.77	48.28	31.46	8.05	6.23	4.3	9.6	
	日平均值			30.44	48.79	31.77	8.15	7.49	3.51	15.99
	潮口站	0:00	27.95	50.57	33.48	8.21	6.02	3.5	3.5	
		3:00	28.45	50.41	33.35	8.22	6.23	2.6	10.3	
		6:00	30.05	47.78	31.39	8.36	7.01	1.2	2.2	
		9:00	30.60	48.10	31.60	8.43	8.00	0.6	4.9	
		12:00	31.40	48.28	31.71	8.37	8.17	4.6	12.6	
		15:00	31.36	40.67	26.28	8.20	7.29	6.0	3.2	
		18:00	29.67	47.69	31.33	8.14	5.52	4.6	13.0	
		21:00	30.81	48.27	31.71	8.38	8.68	2.4	6.5	
	日平均值			30.04	47.72	31.36	8.29	7.12	3.19	7.03
	灣內站	0:00	31.24	48.93	31.82	8.10	7.97	2.1	7.2	
		3:00	30.91	48.98	31.87	8.14	7.82	1.8	5.0	
		6:00	30.67	49.09	31.96	8.13	7.62	1.1	13.5	
		9:00	31.01	49.10	31.96	8.11	5.43	6.7	13.1	
		12:00	32.98	47.92	31.03	7.96	7.18	8.2	11.0	
		15:00	32.11	49.02	31.86	7.98	9.07	2.7	9.6	
		18:00	30.78	47.08	30.50	7.88	7.31	3.4	7.0	
		21:00	30.97	46.95	30.40	7.97	7.00	4.3	11.9	
	日平均值			31.33	48.38	31.43	8.03	7.43	3.79	9.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月6日	蚵殼站	0:00	29.81	48.03	31.27	8.08	6.10	2.4	10.0	
		3:00	29.90	47.90	31.18	8.10	5.92	2.5	7.5	
		6:00	30.03	49.01	31.98	8.07	5.96	2.5	18.9	
		9:00	30.04	47.64	30.98	8.13	7.87	4.3	55.1	
		12:00	31.24	48.14	31.31	8.08	9.79	4.9	32.1	
		15:00	31.06	49.07	31.99	8.18	10.43	3.6	51.7	
		18:00	31.33	48.74	31.74	8.28	10.09	3.1	33.6	
		21:00	31.38	48.52	31.58	8.28	9.01	3.4	17.7	
	日平均值			30.60	48.38	31.50	8.15	8.15	3.34	28.33
	潮口站	0:00	28.54	50.23	33.21	8.20	6.09	2.8	1.6	
		3:00	28.87	50.08	33.09	8.25	6.33	1.1	5.3	
		6:00	30.12	46.82	30.69	8.34	7.00	1.3	6.4	
		9:00	30.55	47.06	30.85	8.33	7.37	3.0	13.4	
		12:00	31.73	47.04	30.80	8.43	10.12	4.4	18.3	
		15:00	30.42	49.33	32.50	8.33	8.41	1.8	7.2	
		18:00	30.74	45.80	29.94	8.28	8.10	2.7	10.7	
		21:00	31.09	46.99	30.78	8.42	9.27	2.2	5.9	
	日平均值			30.26	47.92	31.48	8.32	7.84	2.41	8.60
	灣內站	0:00	31.07	47.40	30.72	8.49	6.98	3.6	9.3	
		3:00	31.61	48.46	31.47	8.43	6.87	3.5	7.7	
		6:00	30.98	47.91	31.10	8.41	6.94	2.0	9.8	
		9:00	31.71	48.77	31.69	8.49	6.36	5.1	11.9	
		12:00	32.50	48.31	31.33	8.42	9.65	4.4	20.0	
		15:00	32.59	48.32	31.34	8.49	11.61	2.5	24.4	
		18:00	32.47	48.02	31.12	8.41	11.19	3.3	16.8	
		21:00	32.19	47.92	31.06	8.43	10.38	2.6	19.3	
	日平均值			31.89	48.14	31.23	8.45	8.75	3.38	14.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月7日	蚵殼站	0:00	30.96	48.47	31.56	8.13	8.61	2.8	15.7	
		3:00	30.51	47.97	31.21	8.15	7.79	3.2	10.8	
		6:00	30.61	48.36	31.48	8.30	7.67	2.6	40.2	
		9:00	29.83	49.76	32.53	8.09	7.27	3.9	103.0	
		12:00	30.60	48.62	31.68	8.17	9.11	3.2	36.8	
		15:00	29.78	49.61	32.42	8.15	8.48	4.4	42.6	
		18:00	31.00	48.20	31.36	8.31	9.44	4.5	19.4	
		21:00	29.78	47.42	30.84	8.32	7.36	4.8	11.0	
	日平均值			30.38	48.55	31.64	8.20	8.22	3.68	34.94
	潮口站	0:00	31.01	47.23	30.96	8.39	8.63	3.8	13.4	
		3:00	28.63	49.94	33.00	8.26	6.61	5.7	3.1	
		6:00	29.39	48.74	32.11	8.32	7.00	1.8	5.3	
		9:00	30.80	47.49	31.15	8.46	9.27	2.8	13.7	
		12:00	29.97	49.28	32.48	8.18	5.80	8.7	10.9	
		15:00	29.80	45.41	29.69	8.22	7.25	2.9	6.4	
		18:00	29.79	44.09	28.75	8.24	7.29	4.0	6.8	
		21:00	30.47	47.26	31.00	8.42	8.82	3.0	14.8	
	日平均值			29.98	47.43	31.14	8.31	7.58	4.09	9.30
	灣內站	0:00	31.88	47.54	30.79	8.45	8.66	4.2	17.6	
		3:00	31.04	48.53	31.54	8.32	8.20	3.7	7.4	
		6:00	30.72	49.44	32.22	8.22	7.55	4.1	9.8	
		9:00	31.06	48.97	31.86	8.33	9.34	2.3	16.1	
		12:00	31.78	48.51	31.50	8.38	10.53	4.1	20.2	
		15:00	31.65	48.79	31.71	8.49	11.39	3.3	29.1	
		18:00	31.52	48.97	31.85	8.42	11.09	3.5	17.8	
		21:00	31.71	48.63	31.59	8.13	9.51	5.0	18.1	
	日平均值			31.42	48.67	31.63	8.34	9.53	3.78	17.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月8日	蚵殼站	0:00	29.98	47.77	31.08	8.32	7.27	4.6	17.4	
		3:00	29.79	48.02	31.27	8.11	6.76	4.5	9.8	
		6:00	30.01	49.05	32.01	8.30	7.15	2.6	29.9	
		9:00	29.92	49.52	32.36	8.11	6.55	4.3	63.4	
		12:00	30.85	49.05	31.98	8.20	9.62	3.0	29.1	
		15:00	31.18	48.79	31.78	8.24	10.32	3.9	32.5	
		18:00	31.06	48.88	31.85	8.34	9.91	4.5	26.0	
		21:00	31.09	48.49	31.56	8.34	10.42	2.8	25.0	
	日平均值			30.49	48.70	31.74	8.25	8.50	3.78	29.14
	潮口站	0:00	30.26	46.60	30.53	8.39	8.33	3.1	13.1	
		3:00	26.99	50.62	33.54	8.22	6.09	18.9	0.2	
		6:00	28.22	50.27	33.25	8.23	6.24	12.0	2.6	
		9:00	29.57	47.67	31.32	8.28	7.26	4.7	5.5	
		12:00	30.52	48.25	31.71	8.36	8.32	6.2	9.9	
		15:00	29.92	49.83	32.88	8.25	7.26	12.3	4.4	
		18:00	28.65	51.16	33.89	8.24	6.52	8.6	3.5	
		21:00	30.66	49.65	32.73	8.52	10.88	1.6	10.0	
	日平均值			29.35	49.26	32.48	8.31	7.61	8.43	6.15
	灣內站	0:00	30.62	47.78	31.01	8.31	8.14	3.4	11.2	
		3:00	30.82	48.65	31.64	8.36	8.93	3.1	10.5	
		6:00	30.86	49.34	32.13	8.38	8.85	3.5	14.0	
		9:00	30.83	49.04	31.92	8.39	9.35	2.8	21.0	
		12:00	31.26	48.23	31.31	8.39	11.24	3.7	24.1	
		15:00	31.80	48.09	31.20	8.48	13.01	3.5	23.6	
		18:00	31.67	48.52	31.51	8.40	12.37	5.6	24.1	
		21:00	31.69	48.46	31.47	8.41	12.07	6.2	20.2	
	日平均值			31.19	48.51	31.52	8.39	10.50	3.98	18.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月9日	蚵殼站	0:00	30.52	47.74	31.05	8.34	8.87	3.9	22.5	
		3:00	29.90	47.75	31.07	8.46	7.72	4.9	18.1	
		6:00	28.71	50.32	32.97	8.21	5.06	3.4	9.1	
		9:00	29.35	49.94	32.67	8.16	7.36	3.5	42.2	
		12:00	30.07	49.66	32.45	8.22	8.79	5.6	41.3	
		15:00	29.33	50.18	32.85	8.19	6.88	4.5	47.0	
		18:00	30.49	49.34	32.20	8.24	9.22	3.7	20.2	
		21:00	30.16	49.30	32.19	8.20	7.51	3.6	11.3	
	日平均值			29.82	49.28	32.18	8.25	7.68	4.14	26.46
	潮口站	0:00	30.91	48.99	32.24	8.56	11.52	1.3	15.2	
		3:00	28.19	51.69	34.29	8.20	6.30	10.1	4.0	
		6:00	28.19	51.80	34.37	8.26	6.41	5.8	5.3	
		9:00	30.01	49.72	32.79	8.51	9.80	1.9	14.1	
		12:00	29.03	51.46	34.10	8.26	7.29	6.5	7.2	
		15:00	30.30	51.23	33.89	8.40	9.57	4.1	23.0	
		18:00	28.57	51.57	34.19	8.26	6.74	8.5	6.7	
		21:00	29.90	50.58	33.43	8.48	9.66	3.0	8.3	
	日平均值			29.39	50.88	33.66	8.37	8.41	5.15	10.48
	灣內站	0:00	31.04	48.17	31.28	8.31	9.16	4.7	23.1	
		3:00	30.14	49.41	32.21	8.33	7.88	3.8	15.6	
		6:00	30.03	48.88	31.83	8.44	9.29	2.5	12.5	
		9:00	29.86	50.12	32.74	8.29	7.79	3.5	17.6	
		12:00	31.09	49.15	32.00	8.60	10.06	3.0	10.7	
		15:00	31.47	49.56	32.28	8.63	10.49	3.3	21.4	
		18:00	31.90	48.93	31.80	8.60	10.07	7.0	19.9	
		21:00	30.59	49.71	32.42	8.26	9.24	4.4	11.6	
	日平均值			30.77	49.24	32.07	8.43	9.25	4.03	16.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月10日	蚵殼站	0:00	30.00	49.07	32.02	8.29	6.92	4.5	12.6	
		3:00	29.52	49.04	32.02	8.25	6.08	3.8	16.7	
		6:00	29.21	49.22	32.15	8.34	5.95	4.1	21.4	
		9:00	28.70	49.40	32.30	7.96	5.79	4.3	49.2	
		12:00	28.67	49.55	32.41	8.37	6.62	3.5	24.6	
		15:00	29.56	49.35	32.24	8.40	7.52	3.8	27.0	
		18:00	29.80	48.96	31.95	8.43	8.68	2.8	15.4	
		21:00	29.70	48.95	31.94	8.40	8.12	3.1	12.4	
	日平均值			29.40	49.19	32.13	8.31	6.96	3.74	22.41
	潮口站	0:00	30.28	50.99	33.72	8.44	9.42	1.9	10.9	
		3:00	29.38	51.58	34.18	8.31	7.18	6.4	9.2	
		6:00	27.19	52.85	35.17	8.26	6.34	6.1	2.3	
		9:00	28.34	52.59	34.95	8.27	6.57	3.0	1.9	
		12:00	30.40	51.90	34.37	8.33	8.16	7.4	6.3	
		15:00	29.89	52.20	34.62	8.43	10.14	3.5	25.1	
		18:00	27.15	52.83	35.16	8.27	6.39	8.0	4.3	
		21:00	28.14	52.64	34.99	8.26	6.32	3.6	4.1	
	日平均值			28.85	52.20	34.65	8.32	7.57	4.99	8.01
	灣內站	0:00	30.38	49.72	32.43	8.32	8.25	4.6	12.7	
		3:00	29.69	49.24	32.10	8.35	6.29	3.9	17.6	
		6:00	29.48	49.83	32.54	8.35	7.27	2.9	12.2	
		9:00	29.33	50.08	32.73	8.48	6.97	3.9	25.9	
		12:00	31.07	49.13	31.98	8.97	10.64	2.9	24.9	
		15:00	31.41	48.78	31.71	8.54	12.65	5.7	54.9	
		18:00	29.85	49.83	32.53	8.34	7.04	4.4	13.2	
21:00		30.27	49.66	32.39	8.32	8.92	4.1	9.1		
日平均值			30.19	49.53	32.30	8.46	8.50	4.05	21.31	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月11日	蚵殼站	0:00	29.53	48.45	31.59	8.34	7.62	3.0	11.6	
		3:00	28.91	47.92	31.23	8.34	6.63	3.4	12.7	
		6:00	28.60	48.16	31.40	8.38	6.34	3.9	34.1	
		9:00	28.41	49.50	32.38	8.37	6.36	2.8	33.5	
		12:00	28.63	49.31	32.24	8.26	8.10	4.0	33.4	
		15:00	28.68	49.38	32.29	8.32	7.52	4.7	34.5	
		18:00	28.69	49.32	32.25	8.43	7.86	3.1	12.9	
		21:00	28.94	49.22	32.17	8.38	7.97	2.6	11.9	
	日平均值			28.80	48.91	31.94	8.35	7.30	3.44	23.08
	潮口站	0:00	29.20	52.05	34.53	8.33	7.03	7.6	7.4	
		3:00	29.41	51.79	34.33	8.40	8.14	0.9	6.8	
		6:00	26.86	53.19	35.44	8.24	6.16	5.0	2.5	
		9:00	28.56	52.85	35.13	8.27	6.55	12.5	0.3	
		12:00	30.09	52.08	34.52	8.40	8.70	1.9	7.8	
		15:00	28.37	52.88	35.16	8.26	6.44	5.5	9.6	
		18:00	27.30	51.89	34.47	8.24	6.35	8.4	1.7	
		21:00	27.88	52.58	34.95	8.25	6.25	2.6	0.5	
	日平均值			28.46	52.41	34.82	8.30	6.95	5.55	4.58
	灣內站	0:00	29.81	49.94	32.61	8.29	7.34	4.2	11.1	
		3:00	29.53	49.63	32.40	8.39	5.51	4.0	12.0	
		6:00	29.06	49.88	32.59	8.30	5.88	2.7	12.4	
		9:00	29.46	49.68	32.43	8.38	7.99	2.9	23.6	
		12:00	30.08	49.64	32.38	8.64	10.60	3.2	27.0	
		15:00	30.70	49.57	32.31	8.33	11.19	3.3	30.0	
		18:00	31.23	48.87	31.79	8.22	10.07	6.5	15.4	
		21:00	30.52	49.49	32.26	8.35	10.41	6.2	10.8	
	日平均值			30.05	49.59	32.35	8.36	8.62	4.13	17.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月12日	蚵殼站	0:00	29.17	48.81	31.86	8.07	7.27	3.2	11.8	
		3:00	29.31	48.27	31.47	8.09	7.36	3.7	15.5	
		6:00	28.85	47.66	31.04	8.03	5.68	5.1	23.6	
		9:00	28.15	49.23	32.20	7.92	5.72	4.5	17.8	
		12:00	28.70	49.06	32.06	8.02	7.80	4.0	17.4	
		15:00	29.28	48.97	31.98	8.06	8.32	4.5	27.3	
		18:00	29.05	49.04	32.03	8.16	8.90	3.5	14.1	
		21:00	28.86	49.07	32.06	8.00	8.08	3.1	11.3	
	日平均值			28.92	48.76	31.84	8.04	7.39	3.95	17.35
	潮口站	0:00	28.56	52.10	34.58	8.31	7.17	3.1	2.8	
		3:00	29.55	51.01	33.75	8.43	8.88	2.5	6.3	
		6:00	28.02	52.24	34.70	8.23	6.28	6.5	0.1	
		9:00	28.53	52.29	34.72	8.25	6.55	14.1	2.9	
		12:00	30.15	51.57	34.14	8.31	7.91	8.4	7.5	
		15:00	30.39	51.60	34.16	8.24	7.23	14.5	5.4	
		18:00	26.85	52.10	34.63	8.19	6.44	13.0	1.8	
		21:00	28.58	49.46	32.65	8.25	6.67	5.7	3.1	
	日平均值			28.83	51.55	34.17	8.28	7.14	8.48	3.74
	灣內站	0:00	30.28	49.69	32.42	8.34	9.11	3.7	12.3	
		3:00	29.87	49.44	32.25	8.33	7.30	4.2	21.4	
		6:00	29.22	49.75	32.49	8.34	6.85	2.9	13.9	
		9:00	29.30	50.00	32.67	8.32	7.30	4.0	28.5	
		12:00	30.75	49.77	32.45	8.53	11.33	14.2	36.1	
		15:00	31.33	49.62	32.33	8.55	11.89	8.2	33.7	
		18:00	31.42	48.81	31.73	8.54	11.93	7.1	15.5	
		21:00	30.01	49.57	32.34	8.33	11.86	4.7	10.6	
	日平均值			30.27	49.58	32.34	8.41	9.70	6.13	21.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月13日	蚵殼站	0:00	29.25	48.64	31.73	8.12	8.57	2.9	8.8	
		3:00	29.07	48.45	31.60	8.13	8.43	2.3	8.8	
		6:00	28.90	48.63	31.74	8.14	8.10	2.6	16.3	
		9:00	29.00	48.59	31.71	8.18	8.25	3.2	53.1	
		12:00	28.53	49.27	32.21	8.03	9.52	5.1	80.8	
		15:00	29.25	49.16	32.11	8.12	8.87	4.5	43.1	
		18:00	29.18	48.85	31.89	8.18	9.79	3.7	20.3	
		21:00	29.34	48.57	31.68	8.19	9.68	2.9	13.9	
	日平均值			29.07	48.77	31.83	8.14	8.90	3.40	30.64
	潮口站	0:00	29.43	50.29	33.23	8.34	8.26	4.4	6.8	
		3:00	29.11	50.51	33.40	8.23	6.37	10.2	7.9	
		6:00	28.72	50.43	33.36	8.16	5.63	9.1	3.0	
		9:00	28.13	51.21	33.94	8.23	6.38	13.8	1.4	
		12:00	29.79	50.70	33.52	8.30	7.47	5.5	6.6	
		15:00	29.73	50.65	33.48	8.34	8.84	7.4	17.2	
		18:00	28.71	50.78	33.61	8.22	6.86	5.7	7.4	
		21:00	28.04	48.51	31.97	8.24	6.49	6.3	2.8	
	日平均值			28.96	50.39	33.31	8.26	7.04	7.80	6.64
	灣內站	0:00	29.48	49.98	32.65	8.41	9.82	7.7	7.3	
		3:00	29.11	50.01	32.68	8.40	8.17	7.2	7.4	
		6:00	29.31	49.93	32.62	8.58	9.03	110.9	6.5	
		9:00	29.64	49.63	32.39	8.46	9.41	55.9	17.1	
		12:00	30.29	49.14	32.01	8.43	10.82	3.3	14.9	
		15:00	30.99	48.56	31.57	8.42	10.97	18.0	18.3	
		18:00	31.21	47.83	31.03	8.37	10.14	5.4	16.6	
		21:00	30.51	48.87	31.81	8.35	9.74	20.5	8.9	
	日平均值			30.07	49.24	32.10	8.43	9.76	28.61	12.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月14日	蚵殼站	0:00	29.37	48.63	31.73	8.21	9.16	2.5	11.6	
		3:00	29.35	48.25	31.45	8.19	8.38	2.6	10.6	
		6:00	29.12	48.11	31.36	8.15	7.85	3.0	18.5	
		9:00	29.48	47.63	30.99	8.15	9.20	4.2	42.5	
		12:00	27.73	48.29	31.52	8.16	6.84	4.5	24.3	
		15:00	29.29	48.46	31.61	8.15	8.89	5.3	35.2	
		18:00	28.73	48.26	31.47	8.10	8.54	4.0	30.3	
		21:00	29.07	48.26	31.47	8.15	8.95	2.9	17.2	
	日平均值			29.02	48.24	31.45	8.16	8.48	3.63	23.78
	潮口站	0:00	28.26	49.72	32.85	8.23	6.33	3.4	4.4	
		3:00	29.30	49.86	32.92	8.45	8.65	2.0	5.8	
		6:00	29.15	49.55	32.70	8.39	7.44	5.4	6.7	
		9:00	28.03	50.82	33.66	8.25	6.20	4.8	1.6	
		12:00	29.06	50.77	33.59	8.29	6.62	2.0	6.1	
		15:00	30.41	49.69	32.76	8.39	8.87	7.6	14.5	
		18:00	29.31	48.53	31.95	8.26	6.97	4.3	3.0	
		21:00	27.18	48.62	32.08	8.24	6.42	8.6	1.5	
	日平均值			28.84	49.70	32.81	8.31	7.19	4.76	5.45
	灣內站	0:00	30.24	48.97	31.89	8.39	9.21	121.0	6.5	
		3:00	30.14	48.88	31.83	8.44	9.22	115.2	7.9	
		6:00	30.01	48.57	31.60	8.48	8.94	156.8	15.4	
		9:00	30.32	48.91	31.84	8.44	8.94	3.0	10.0	
		12:00	31.67	48.62	31.59	8.52	11.04	3.7	18.9	
		15:00	31.68	48.30	31.35	8.47	11.61	4.2	28.9	
		18:00	31.36	48.69	31.65	8.43	10.58	4.3	20.1	
		21:00	31.10	48.04	31.18	8.43	9.80	4.5	18.8	
	日平均值			30.82	48.62	31.62	8.45	9.92	51.59	15.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月15日	蚵殼站	0:00	29.44	48.45	31.59	8.20	9.45	3.3	16.4	
		3:00	29.70	48.32	31.49	8.22	8.90	3.6	14.9	
		6:00	28.81	48.63	31.74	8.09	7.06	3.9	20.3	
		9:00	28.16	48.90	31.96	7.98	5.21	6.4	63.2	
		12:00	28.03	48.99	32.02	8.02	5.75	6.6	42.2	
		15:00	28.63	48.62	31.74	8.12	7.01	6.2	25.5	
		18:00	28.56	48.44	31.61	8.08	6.58	8.6	22.3	
		21:00	28.55	48.63	31.75	8.06	5.90	23.0	23.3	
	日平均值			28.74	48.62	31.74	8.10	6.98	7.70	28.51
	潮口站	0:00	29.04	49.53	32.69	8.23	6.65	12.4	2.9	
		3:00	28.94	49.44	32.63	8.40	8.40	2.7	8.8	
		6:00	28.49	49.13	32.41	8.29	6.91	8.7	4.3	
		9:00	28.71	49.03	32.34	8.31	6.91	11.9	3.7	
		12:00	29.64	49.38	32.56	8.23	6.60	41.4	5.0	
		15:00	29.71	48.69	32.06	8.28	6.25	43.8	9.4	
		18:00	29.48	48.39	31.85	8.30	6.20	31.4	7.0	
		21:00	29.23	48.21	31.72	8.24	6.67	33.0	3.5	
	日平均值			29.16	48.98	32.28	8.29	6.82	23.16	5.58
	灣內站	0:00	30.16	48.64	31.65	8.43	10.10	5.6	13.8	
		3:00	30.48	48.29	31.38	8.49	9.19	9.9	12.5	
		6:00	28.96	43.49	27.97	8.30	4.29	9.7	28.5	
		9:00	28.74	48.06	31.27	8.25	3.79	11.2	23.9	
		12:00	28.83	49.06	32.00	8.25	4.67	14.1	25.0	
		15:00	29.02	48.97	31.93	8.31	5.67	11.0	26.6	
		18:00	28.92	48.84	31.84	8.27	5.46	9.8	25.6	
		21:00	28.85	48.81	31.82	8.27	4.80	12.8	19.8	
	日平均值			29.25	48.02	31.23	8.32	6.00	10.51	21.96
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月16日	蚵殼站	0:00	28.36	48.56	31.70	8.06	5.96	13.4	23.8	
		3:00	28.24	48.56	31.70	8.03	5.52	5.4	20.3	
		6:00	28.09	48.59	31.74	8.04	5.18	4.5	21.8	
		9:00	28.60	48.47	31.63	8.03	6.55	5.1	26.7	
		12:00	29.67	49.67	32.36	8.25	8.37	5.4	21.0	
		15:00	29.94	49.69	32.37	7.93	8.21	7.0	13.8	
		18:00	29.92	49.70	32.38	7.95	8.03	7.3	18.5	
		21:00	30.05	49.60	32.30	7.91	7.89	7.8	13.1	
	日平均值			29.11	49.11	32.02	8.03	6.96	6.99	19.88
	潮口站	0:00	29.19	48.53	31.96	8.22	6.55	24.3	3.1	
		3:00	28.87	48.02	31.60	8.27	6.01	11.6	7.6	
		6:00	28.82	47.70	31.37	8.26	6.03	10.8	7.0	
		9:00	29.01	47.34	31.10	8.31	6.20	19.7	9.2	
		12:00	29.55	47.65	31.31	8.20	6.65	13.8	0.5	
		15:00	30.54	50.30	32.80	8.30	8.64	14.4	11.3	
		18:00	30.24	50.31	32.82	8.26	7.87	14.5	11.5	
		21:00	29.56	49.76	32.44	8.20	7.90	17.0	5.3	
	日平均值			29.47	48.70	31.93	8.25	6.98	15.76	6.94
	灣內站	0:00	28.99	48.90	31.88	8.36	4.88	41.5	18.1	
		3:00	28.90	48.73	31.76	8.34	4.37	36.0	22.4	
		6:00	28.81	48.67	31.72	8.32	3.95	65.4	31.9	
		9:00	29.22	48.50	31.58	8.41	5.55	48.7	32.9	
		12:00	29.05	49.42	32.20	8.13	6.53	5.9	19.5	
		15:00	29.42	49.25	32.07	8.49	8.31	13.3	34.6	
		18:00	29.19	49.24	32.06	8.47	7.65	4.1	26.8	
		21:00	29.06	49.25	32.08	8.49	7.25	4.1	22.5	
	日平均值			29.08	49.00	31.92	8.38	6.06	27.38	26.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月17日	蚵殼站	0:00	29.68	49.58	32.30	8.39	7.36	4.6	15.1	
		3:00	29.73	49.60	32.31	8.32	7.13	5.0	9.0	
		6:00	29.69	49.61	32.32	8.41	6.93	5.6	19.0	
		9:00	30.10	49.67	32.35	8.38	7.71	3.0	9.8	
		12:00	30.60	49.61	32.29	8.36	8.90	4.5	14.5	
		15:00	30.56	49.73	32.38	8.39	8.72	4.6	15.8	
		18:00	30.19	49.23	32.03	8.40	8.24	4.0	10.8	
		21:00	30.25	48.13	31.22	8.22	7.47	5.7	6.3	
	日平均值			30.10	49.40	32.15	8.36	7.81	4.63	12.54
	潮口站	0:00	29.25	49.46	32.22	8.22	7.98	25.2	2.8	
		3:00	29.13	49.54	32.29	8.15	7.86	14.3	0.1	
		6:00	29.38	49.84	32.50	8.07	6.62	17.6	2.2	
		9:00	30.00	49.95	32.56	8.22	8.15	8.4	7.6	
		12:00	30.12	50.45	32.92	8.15	7.81	23.0	1.2	
		15:00	30.05	48.85	31.76	8.11	7.84	21.1	2.7	
		18:00	29.89	49.28	32.07	8.19	7.64	14.3	4.2	
		21:00	29.71	49.59	32.31	8.05	6.96	12.9	6.0	
	日平均值			29.69	49.62	32.33	8.15	7.61	17.10	3.35
	灣內站	0:00	29.02	49.12	31.98	8.38	6.83	4.8	16.6	
		3:00	29.04	49.17	32.02	8.37	6.61	5.2	15.4	
		6:00	29.09	49.27	32.09	8.41	6.47	2.7	19.9	
		9:00	29.58	49.28	32.08	8.50	7.31	2.9	16.0	
		12:00	30.27	49.29	32.07	8.52	8.91	4.4	20.6	
		15:00	30.59	49.25	32.03	8.52	9.34	3.8	29.6	
		18:00	30.34	47.93	31.07	8.61	8.52	3.5	18.4	
		21:00	30.29	48.79	31.70	8.54	8.60	3.8	16.1	
	日平均值			29.78	49.01	31.88	8.48	7.82	3.89	19.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月18日	蚵殼站	0:00	30.20	48.74	31.67	8.30	7.24	4.4	10.4	
		3:00	30.10	49.14	31.97	8.34	7.60	3.1	11.7	
		6:00	30.13	49.12	31.95	8.37	7.74	2.5	19.8	
		9:00	30.58	49.00	31.84	8.42	9.13	4.3	33.1	
		12:00	31.13	48.76	31.65	8.35	9.01	4.1	18.1	
		15:00	31.34	48.79	31.67	8.42	10.08	5.1	27.6	
		18:00	31.16	49.32	32.06	8.41	9.39	7.1	25.0	
		21:00	31.20	49.27	32.02	8.47	9.75	2.8	17.5	
	日平均值			30.73	49.02	31.85	8.39	8.74	4.18	20.40
	潮口站	0:00	29.48	49.70	32.39	8.06	7.83	15.5	6.0	
		3:00	29.88	46.75	30.24	8.48	7.80	8.7	7.8	
		6:00	29.81	48.62	31.59	8.16	7.29	8.8	2.1	
		9:00	29.96	49.06	31.91	8.25	8.17	11.5	14.9	
		12:00	30.67	49.21	32.00	8.04	7.99	14.8	3.8	
		15:00	29.74	49.69	32.38	8.08	7.66	17.7	2.3	
		18:00	29.92	47.77	30.97	8.03	7.43	11.9	1.5	
		21:00	29.83	48.51	31.51	8.11	6.89	9.7	0.8	
	日平均值			29.91	48.66	31.62	8.15	7.63	12.33	4.90
	灣內站	0:00	30.01	48.03	31.16	8.38	7.79	54.8	18.6	
		3:00	30.27	49.15	31.96	8.27	8.04	3.4	8.3	
		6:00	30.07	49.22	32.02	8.30	7.92	1.9	11.2	
		9:00	30.77	48.56	31.52	8.20	7.41	3.5	11.1	
		12:00	31.72	48.44	31.40	8.27	9.12	4.9	15.6	
		15:00	31.46	48.35	31.34	8.53	11.22	4.1	36.1	
		18:00	31.40	48.32	31.32	8.38	9.40	4.2	27.0	
		21:00	31.32	45.04	28.95	8.39	9.12	6.2	29.0	
	日平均值			30.88	48.14	31.21	8.34	8.75	10.38	19.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月19日	蚵殼站	0:00	31.18	49.29	32.03	8.41	9.49	3.3	11.8	
		3:00	31.13	49.07	31.88	8.46	9.37	3.4	13.6	
		6:00	31.13	48.58	31.52	8.45	9.17	2.6	15.9	
		9:00	31.17	48.74	31.63	8.49	9.46	4.1	44.5	
		12:00	31.41	48.69	31.59	8.50	10.14	4.8	29.7	
		15:00	31.59	48.51	31.45	8.42	10.01	5.5	31.6	
		18:00	30.88	48.73	31.64	8.44	10.03	4.2	24.4	
		21:00	31.23	48.19	31.23	8.49	10.24	4.5	23.2	
	日平均值			31.22	48.73	31.62	8.46	9.74	4.05	24.34
	潮口站	0:00	29.73	47.90	31.07	8.23	7.76	7.2	0.6	
		3:00	29.65	47.35	30.67	8.20	7.41	9.1	2.8	
		6:00	29.66	48.49	31.50	8.01	6.85	5.4	2.6	
		9:00	29.97	48.60	31.58	8.17	8.76	5.5	8.1	
		12:00	30.43	48.19	31.26	8.43	11.60	3.2	21.2	
		15:00	30.01	49.49	32.22	8.21	7.52	7.2	5.4	
		18:00	30.19	47.37	30.67	8.23	7.64	6.1	3.3	
		21:00	30.00	48.26	31.33	8.04	6.92	5.0	4.2	
	日平均值			29.96	48.21	31.29	8.19	8.06	6.09	6.03
	灣內站	0:00	30.97	48.11	31.18	8.29	9.07	2.8	19.8	
		3:00	30.71	48.37	31.38	8.30	8.50	2.8	18.6	
		6:00	30.71	48.44	31.43	8.30	7.76	3.5	20.5	
		9:00	30.75	47.73	30.92	8.31	8.24	4.9	38.9	
		12:00	31.23	47.13	30.46	8.50	9.92	6.6	62.2	
		15:00	31.74	47.15	30.46	8.31	11.91	5.8	50.4	
		18:00	31.21	46.99	30.36	8.34	11.42	3.0	30.8	
		21:00	31.29	47.32	30.60	8.19	10.16	4.8	20.3	
	日平均值			31.08	47.66	30.85	8.32	9.62	4.28	32.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月20日	蚵殼站	0:00	31.37	48.49	31.45	8.45	9.92	3.4	14.4	
		3:00	31.08	48.80	31.68	8.37	8.83	3.2	14.4	
		6:00	31.07	48.80	31.68	8.44	8.74	9.9	22.1	
		9:00	30.98	48.57	31.52	8.51	9.70	3.9	43.4	
		12:00	32.31	45.41	29.19	8.46	11.22	4.5	37.8	
		15:00	32.07	45.81	29.48	8.44	12.45	5.2	45.5	
		18:00	30.49	48.63	31.57	8.36	8.06	5.2	19.9	
		21:00	30.74	47.25	30.57	8.46	9.31	4.5	17.7	
	日平均值			31.26	47.72	30.89	8.44	9.78	4.98	26.90
	潮口站	0:00	29.81	49.31	32.09	7.97	7.28	16.0	3.1	
		3:00	29.59	47.33	30.66	8.09	7.64	15.5	2.6	
		6:00	29.84	46.20	29.84	8.34	9.61	3.5	6.6	
		9:00	30.20	47.48	30.75	8.07	8.37	16.0	11.0	
		12:00	31.05	46.15	29.76	8.20	11.32	7.9	18.3	
		15:00	29.89	48.37	31.41	8.00	7.43	12.1	3.7	
		18:00	29.77	47.68	30.91	8.05	7.80	13.4	0.4	
		21:00	30.16	46.53	30.07	8.07	9.15	15.6	14.0	
	日平均值			30.04	47.38	30.69	8.10	8.58	12.50	7.46
	灣內站	0:00	31.15	47.99	31.09	8.31	10.01	2.8	26.4	
		3:00	30.71	48.27	31.31	8.32	9.37	4.1	16.8	
		6:00	30.40	48.50	31.48	8.09	7.15	1.6	21.1	
		9:00	30.79	47.91	31.04	8.38	9.67	2.8	38.8	
		12:00	31.26	46.75	30.18	8.43	11.61	7.3	86.2	
		15:00	31.41	47.36	30.63	8.30	13.29	5.2	48.7	
		18:00	30.42	45.71	29.46	8.37	6.93	9.6	34.0	
		21:00	29.99	47.70	30.92	8.40	6.80	4.9	26.5	
	日平均值			30.77	47.52	30.76	8.33	9.35	4.79	37.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月21日	蚵殼站	0:00	30.41	47.69	30.89	8.41	8.19	3.9	19.2	
		3:00	30.18	47.59	30.83	8.46	7.58	3.7	14.4	
		6:00	29.86	47.15	30.52	8.42	7.36	4.9	17.2	
		9:00	29.58	46.60	30.13	8.42	7.22	5.5	18.4	
		12:00	29.32	46.39	29.99	8.44	7.07	7.6	22.4	
		15:00	29.39	47.05	30.47	8.37	6.53	8.6	17.4	
		18:00	29.14	47.00	30.44	8.31	6.71	12.2	14.8	
		21:00	29.02	47.01	30.44	8.31	6.45	7.6	10.3	
	日平均值			29.61	47.06	30.46	8.39	7.14	6.75	16.76
	潮口站	0:00	29.91	45.76	29.51	8.17	9.35	14.8	7.6	
		3:00	29.31	48.57	31.57	8.04	7.88	97.6	3.0	
		6:00	29.10	48.85	31.78	8.02	8.03	57.9	6.2	
		9:00	29.07	47.90	31.09	8.15	7.63	23.5	11.3	
		12:00	29.09	47.99	31.16	8.07	7.54	17.4	16.5	
		15:00	28.99	47.44	30.76	8.02	7.14	41.2	5.8	
		18:00	28.24	42.64	27.32	8.10	8.12	72.7	0.2	
		21:00	28.59	46.43	30.04	7.97	6.77	10.2	5.9	
	日平均值			29.04	46.95	30.40	8.07	7.81	41.91	7.06
	灣內站	0:00	29.62	47.80	31.01	8.37	5.95	5.1	16.4	
		3:00	29.67	47.30	30.64	8.48	7.36	2.4	16.1	
		6:00	29.48	47.27	30.62	8.41	6.26	3.6	16.0	
		9:00	29.02	46.11	29.80	8.29	5.72	7.0	14.6	
		12:00	28.78	45.64	29.46	8.32	5.92	9.1	15.9	
		15:00	28.16	43.53	27.97	8.37	6.32	13.4	18.4	
		18:00	28.14	43.47	27.92	8.30	5.80	20.3	16.3	
		21:00	27.82	42.81	27.46	8.26	5.84	15.9	11.5	
	日平均值			28.84	45.49	29.36	8.35	6.15	9.60	15.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月22日	蚵殼站	0:00	28.56	44.99	29.00	8.29	6.63	5.8	5.6	
		3:00	28.25	42.85	27.47	8.38	6.41	6.6	10.3	
		6:00	28.60	44.66	28.76	8.32	6.03	5.2	11.9	
		9:00	27.90	41.59	26.59	8.37	7.05	9.2	19.6	
		12:00	28.42	42.49	27.21	8.52	10.34	7.4	29.9	
		15:00	30.02	37.37	23.55	8.46	11.01	8.4	32.4	
		18:00	28.86	42.62	27.29	8.46	9.57	19.0	29.9	
		21:00	28.91	44.95	28.96	8.42	7.67	7.8	29.9	
	日平均值			28.69	42.69	27.35	8.40	8.09	8.68	21.19
	潮口站	0:00	28.69	46.17	29.85	8.07	6.29	4.0	13.5	
		3:00	28.44	47.49	30.81	7.90	7.67	42.1	2.3	
		6:00	27.62	40.92	26.12	8.01	6.70	9.8	3.5	
		9:00	27.77	41.46	26.49	8.19	7.52	3.9	16.1	
		12:00	28.92	41.80	26.71	8.07	8.18	15.0	10.2	
		15:00	28.99	46.20	29.86	8.00	7.93	29.9	2.2	
		18:00	28.32	40.47	25.78	8.07	8.30	128.3	3.3	
		21:00	29.02	39.92	25.37	8.16	10.62	10.7	12.1	
	日平均值			28.47	43.05	27.62	8.06	7.90	30.46	7.90
	灣內站	0:00	27.16	38.63	24.51	8.20	6.29	17.1	10.7	
		3:00	27.40	41.26	26.36	8.27	6.08	8.0	11.4	
		6:00	27.83	44.03	28.33	8.38	5.83	3.6	12.9	
		9:00	27.60	43.21	27.75	8.42	6.00	4.2	7.1	
		12:00	28.72	29.73	18.32	8.20	7.23	13.8	26.1	
		15:00	30.01	27.27	16.64	8.38	9.29	16.7	18.9	
		18:00	29.41	35.76	22.44	8.40	10.54	9.1	35.5	
		21:00	29.05	34.61	21.66	8.42	8.83	7.3	25.5	
	日平均值			28.40	36.81	23.25	8.33	7.51	9.98	18.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月23日	蚵殼站	0:00	28.84	41.14	26.24	8.31	9.16	10.8	25.9	
		3:00	28.81	40.50	25.78	8.32	8.81	16.1	22.9	
		6:00	28.88	41.88	26.77	8.25	7.99	19.7	23.7	
		9:00	28.91	46.08	29.78	8.11	5.85	23.8	15.7	
		12:00	28.95	38.25	24.20	8.42	11.28	17.6	52.6	
		15:00	28.91	37.09	23.38	8.25	8.96	25.0	33.9	
		18:00	28.87	40.24	25.60	8.28	9.28	63.3	33.3	
		21:00	28.68	38.84	24.62	8.37	9.21	55.8	36.2	
	日平均值			28.86	40.50	25.80	8.29	8.82	29.01	30.53
	潮口站	0:00	29.18	37.96	23.98	8.10	10.01	7.1	9.6	
		3:00	28.60	46.05	29.77	8.04	7.53	99.9	5.2	
		6:00	28.00	42.43	27.18	8.03	7.93	51.5	0.8	
		9:00	28.17	40.31	25.67	8.10	8.58	16.5	3.8	
		12:00	28.64	30.72	18.99	8.18	9.61	8.9	16.4	
		15:00	28.52	34.41	21.53	8.10	9.57	11.6	14.6	
		18:00	28.50	33.73	21.06	8.23	12.61	9.4	42.2	
		21:00	28.21	33.80	21.11	8.38	12.39	5.6	24.5	
	日平均值			28.48	37.43	23.66	8.15	9.78	26.31	14.64
	灣內站	0:00	29.02	34.28	21.43	8.40	9.06	7.0	15.4	
		3:00	28.79	35.04	21.96	8.30	8.92	5.3	18.7	
		6:00	28.62	43.03	27.59	8.30	8.27	4.6	34.3	
		9:00	28.40	41.78	26.71	8.25	8.06	5.0	37.4	
		12:00	28.88	38.11	24.10	8.37	9.66	9.1	43.7	
		15:00	28.38	35.28	22.14	8.29	8.84	12.6	32.2	
		18:00	28.43	39.40	25.02	8.50	10.37	4.7	40.8	
		21:00	28.27	39.67	25.21	8.27	9.31	5.0	33.6	
	日平均值			28.60	38.32	24.27	8.34	9.06	6.66	32.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月24日	蚵殼站	0:00	28.27	35.30	22.16	8.37	8.98	48.6	30.9	
		3:00	28.03	35.62	22.38	8.37	8.70	56.5	23.0	
		6:00	28.60	41.30	26.36	8.28	7.59	56.2	21.8	
		9:00	28.85	40.53	25.81	8.29	9.20	63.2	36.9	
		12:00	29.93	40.19	25.54	8.22	14.15	74.5	63.4	
		15:00	31.23	40.05	25.40	8.38	15.71	97.6	68.7	
		18:00	30.67	40.53	25.76	8.31	15.37	225.9	86.7	
		21:00	30.58	42.80	27.37	8.23	14.02	77.0	52.0	
	日平均值			29.52	39.54	25.10	8.31	11.72	87.44	47.93
	潮口站	0:00	28.05	33.91	21.19	8.40	11.69	8.0	44.2	
		3:00	27.89	38.62	24.48	8.22	8.17	7.0	14.2	
		6:00	27.40	40.41	25.76	8.15	8.53	33.4	5.9	
		9:00	27.93	31.73	19.70	8.33	12.64	3.9	25.9	
		12:00	29.90	31.75	19.67	8.48	19.97	7.6	71.4	
		15:00	29.41	39.60	25.14	8.15	10.03	17.4	15.3	
		18:00	28.34	44.39	28.57	8.06	7.95	14.9	5.0	
		21:00	29.73	39.32	24.93	8.35	14.84	5.8	43.6	
	日平均值			28.58	37.47	23.68	8.27	11.73	12.25	28.19
	灣內站	0:00	28.36	39.74	25.26	8.43	8.32	4.1	33.9	
		3:00	28.09	38.22	24.20	8.40	8.62	4.1	30.1	
		6:00	28.01	38.42	24.34	8.18	8.49	4.0	40.6	
		9:00	28.40	41.46	26.48	8.22	8.93	4.0	37.6	
		12:00	30.31	39.95	25.35	8.49	13.60	3.8	36.3	
		15:00	31.40	37.48	23.59	8.20	17.04	6.6	85.1	
		18:00	30.97	38.44	24.28	8.19	16.86	6.7	118.9	
		21:00	30.45	41.94	26.76	8.27	13.68	3.9	66.8	
	日平均值			29.50	39.46	25.03	8.30	11.94	4.65	56.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月25日	蚵殼站	0:00	30.36	40.61	25.82	8.42	14.27	70.0	67.7	
		3:00	29.87	39.34	24.94	8.30	12.21	66.9	62.1	
		6:00	29.86	39.72	25.21	8.34	12.64	75.1	67.0	
		9:00	29.71	42.96	27.51	8.07	10.97	91.4	55.0	
		12:00	30.51	41.96	26.78	8.26	13.91	65.8	64.1	
		15:00	31.02	43.35	27.75	8.33	14.30	90.6	54.4	
		18:00	31.72	41.13	26.15	8.43	14.72	72.1	68.5	
		21:00	31.04	43.15	27.60	8.24	13.50	75.8	57.7	
	日平均值			30.51	41.53	26.47	8.30	13.32	75.96	62.06
	潮口站	0:00	30.14	37.89	23.91	8.50	20.79	5.3	75.4	
		3:00	29.20	34.21	21.38	8.29	13.45	7.5	38.4	
		6:00	27.65	41.07	26.22	8.26	9.24	36.6	16.1	
		9:00	29.25	34.50	21.58	8.54	19.67	5.7	63.1	
		12:00	30.72	37.04	23.30	8.43	21.25	6.9	48.4	
		15:00	29.79	40.67	25.88	8.25	15.20	10.2	38.6	
		18:00	27.61	38.81	24.62	7.98	7.79	13.6	0.6	
		21:00	29.46	39.21	24.85	8.39	13.44	8.9	20.2	
	日平均值			29.23	37.93	23.97	8.33	15.10	11.84	37.60
	灣內站	0:00	30.55	39.68	25.16	7.98	14.54	6.1	68.0	
		3:00	30.11	40.16	25.51	7.91	13.75	5.1	60.5	
		6:00	29.43	41.02	26.13	7.79	10.48	5.7	69.2	
		9:00	29.49	42.57	27.24	7.75	12.39	3.7	54.0	
		12:00	31.35	39.07	24.71	8.28	15.60	5.9	52.4	
		15:00	31.96	39.15	24.75	8.33	15.70	6.8	60.1	
		18:00	31.64	38.87	24.56	8.31	14.69	4.6	62.1	
		21:00	31.13	40.54	25.75	7.98	13.16	5.7	59.9	
	日平均值			30.71	40.13	25.48	8.04	13.79	5.45	60.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月26日	蚵殼站	0:00	31.06	41.42	26.37	8.42	12.81	5.6	46.8	
		3:00	30.58	39.59	25.10	8.37	12.04	5.7	50.0	
		6:00	30.39	40.04	25.41	8.42	11.52	7.5	48.0	
		9:00	30.31	40.95	26.06	8.41	12.35	6.3	59.0	
		12:00	30.83	42.32	27.02	8.08	11.98	10.0	37.9	
		15:00	31.37	42.62	27.22	8.30	12.27	7.7	53.1	
		18:00	30.90	43.34	27.75	8.32	11.72	8.1	32.6	
		21:00	30.48	44.40	28.52	8.23	10.58	10.6	29.1	
	日平均值			30.74	41.84	26.68	8.32	11.91	7.69	44.56
	潮口站	0:00	30.08	37.68	23.77	8.47	16.68	4.5	39.6	
		3:00	29.69	37.46	23.62	8.48	13.69	5.1	39.5	
		6:00	27.65	46.51	30.12	8.09	7.49	16.2	4.0	
		9:00	29.41	40.52	25.78	8.47	12.90	4.0	19.9	
		12:00	29.93	40.73	25.92	8.24	14.47	11.4	34.9	
		15:00	28.30	45.54	29.40	8.03	6.56	32.6	22.8	
		18:00	27.28	42.42	27.19	8.24	7.55	20.4	0.7	
		21:00	27.88	42.27	27.07	8.34	7.78	11.9	0.0	
	日平均值			28.78	41.64	26.61	8.30	10.89	13.26	20.18
	灣內站	0:00	30.93	39.76	25.20	8.47	12.93	5.5	51.3	
		3:00	30.18	41.18	26.23	8.47	10.85	4.9	52.3	
		6:00	29.47	40.45	25.73	8.57	10.77	4.4	64.8	
		9:00	29.88	42.62	27.26	8.19	10.12	4.1	75.5	
		12:00	30.93	40.67	25.85	8.12	12.93	5.1	37.3	
		15:00	31.04	41.77	26.62	8.08	12.58	5.7	38.0	
		18:00	31.27	39.01	24.67	8.31	12.30	6.0	75.1	
		21:00	30.77	42.00	26.79	8.25	10.01	9.1	71.9	
	日平均值			30.56	40.93	26.04	8.31	11.56	5.60	58.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月27日	蚵殼站	0:00	30.10	44.01	28.25	8.28	9.78	11.9	25.0	
		3:00	30.26	42.49	27.16	8.35	9.97	7.7	22.7	
		6:00	29.92	42.02	26.84	8.36	9.34	15.8	20.2	
		9:00	29.98	42.59	27.24	8.33	10.03	52.1	26.2	
		12:00	30.47	43.06	27.56	8.16	9.76	20.4	21.8	
		15:00	30.41	44.51	28.60	8.15	9.67	9.3	24.9	
		18:00	30.40	44.00	28.23	8.24	10.14	6.4	15.3	
		21:00	30.12	44.39	28.52	8.20	9.82	14.0	20.0	
	日平均值			30.21	43.38	27.80	8.26	9.81	17.20	22.01
	潮口站	0:00	29.22	40.10	25.49	8.39	10.88	6.5	15.7	
		3:00	28.98	39.97	25.41	8.29	10.74	6.7	16.7	
		6:00	27.41	45.10	29.11	8.02	7.15	13.7	1.4	
		9:00	28.72	41.24	26.31	8.22	8.99	8.6	5.0	
		12:00	29.64	41.13	26.21	8.26	13.91	9.8	18.2	
		15:00	28.09	43.87	28.21	8.03	8.48	19.1	23.9	
		18:00	27.48	38.05	24.09	8.06	7.69	15.7	4.7	
		21:00	27.33	41.34	26.42	8.13	7.84	10.7	5.4	
	日平均值			28.36	41.35	26.41	8.18	9.46	11.35	11.38
	灣內站	0:00	30.78	39.31	24.89	8.42	10.02	6.9	79.7	
		3:00	29.85	40.92	26.05	8.27	8.91	4.7	60.3	
		6:00	29.66	40.65	25.87	8.48	9.02	4.0	112.8	
		9:00	29.71	42.81	27.40	8.20	9.18	4.5	81.8	
		12:00	30.49	41.83	26.69	8.44	10.81	3.6	28.3	
		15:00	30.91	41.89	26.71	8.09	10.91	5.5	25.3	
		18:00	31.06	39.24	24.83	8.27	11.12	9.4	37.7	
		21:00	30.31	42.48	27.15	8.18	8.99	9.5	79.3	
	日平均值			30.35	41.14	26.20	8.29	9.87	6.01	63.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月28日	蚵殼站	0:00	29.79	44.09	28.32	8.26	9.26	6.5	12.1	
		3:00	29.81	42.96	27.51	8.26	8.88	10.5	8.5	
		6:00	29.62	42.56	27.23	8.23	8.16	8.3	11.7	
		9:00	29.76	42.68	27.31	8.19	8.67	18.6	24.4	
		12:00	30.28	43.22	27.68	8.19	9.63	14.9	20.5	
		15:00	30.60	43.20	27.65	8.13	9.19	153.4	19.3	
		18:00	30.46	42.61	27.24	8.18	9.37	15.7	11.8	
		21:00	29.86	43.46	27.87	8.19	9.50	23.9	15.3	
	日平均值			30.02	43.10	27.60	8.20	9.08	31.48	15.45
	潮口站	0:00	29.22	40.61	25.85	8.20	10.85	8.1	7.2	
		3:00	29.48	40.33	25.65	8.18	10.99	5.8	10.0	
		6:00	28.16	40.72	25.96	8.07	7.80	10.4	4.6	
		9:00	27.58	42.47	27.22	8.11	7.86	23.0	2.7	
		12:00	28.91	41.73	26.66	8.22	12.23	9.0	13.3	
		15:00	28.15	42.25	27.05	8.10	9.47	15.6	16.9	
		18:00	27.27	42.32	27.12	7.94	7.58	29.2	6.0	
		21:00	27.08	39.72	25.28	7.98	8.10	15.4	1.7	
	日平均值			28.23	41.27	26.35	8.10	9.36	14.56	7.80
	灣內站	0:00	29.73	43.43	27.85	8.07	8.53	2.8	32.5	
		3:00	29.17	43.26	27.74	8.10	8.00	3.9	45.4	
		6:00	28.92	41.33	26.37	8.19	8.10	3.3	121.6	
		9:00	29.09	42.04	26.87	8.22	8.76	3.7	114.6	
		12:00	29.77	41.87	26.73	8.36	9.99	3.9	27.1	
		15:00	30.08	41.71	26.61	8.40	10.81	4.2	24.5	
		18:00	30.71	39.73	25.19	8.27	11.44	7.1	27.2	
		21:00	30.20	40.11	25.47	8.35	10.19	5.6	23.2	
	日平均值			29.71	41.69	26.60	8.25	9.48	4.31	52.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月29日	蚵殼站	0:00	29.61	43.10	27.61	8.21	8.42	15.1	4.5	
		3:00	29.81	41.43	26.42	8.29	9.23	16.0	7.1	
		6:00	29.56	41.51	26.48	8.24	8.54	24.7	5.8	
		9:00	29.60	41.06	26.16	8.24	8.98	26.4	14.1	
		12:00	28.86	47.67	30.93	8.19	10.34	1.8	44.8	
		15:00	29.92	46.96	30.66	8.18	9.08	3.3	23.8	
		18:00	30.01	47.08	30.74	8.46	10.33	2.5	20.0	
		21:00	29.88	47.86	31.31	8.40	10.13	2.0	18.8	
	日平均值			29.66	44.58	28.79	8.28	9.38	11.48	17.36
	潮口站	0:00	29.02	39.32	24.95	8.32	10.31	10.1	9.4	
		3:00	29.15	37.87	23.92	8.26	10.46	10.7	8.7	
		6:00	28.76	37.28	23.52	8.18	8.97	10.7	7.4	
		9:00	27.75	38.99	24.75	8.08	8.17	16.1	0.9	
		12:00	29.36	49.71	32.67	8.26	7.52	3.4	7.1	
		15:00	28.47	49.05	32.22	8.28	8.31	11.6	14.1	
		18:00	28.18	48.56	31.87	8.17	6.74	12.3	9.4	
		21:00	28.22	48.80	32.05	8.20	6.90	5.2	5.0	
	日平均值			28.61	43.70	28.24	8.22	8.42	10.01	7.75
	灣內站	0:00	29.70	40.50	25.76	8.32	9.51	3.4	29.4	
		3:00	29.41	40.42	25.71	8.25	9.32	3.7	28.0	
		6:00	29.11	40.03	25.45	8.18	7.53	7.0	65.7	
		9:00	29.18	40.46	25.75	8.35	9.52	4.1	49.2	
		12:00	30.23	46.21	29.83	8.06	10.50	2.8	19.2	
		15:00	31.09	45.41	29.23	8.24	13.10	5.3	86.3	
		18:00	30.86	43.97	28.20	8.17	12.16	3.3	27.8	
		21:00	30.22	46.21	29.83	7.95	10.39	0.5	14.1	
	日平均值			29.98	42.90	27.47	8.19	10.25	3.76	39.96
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
9月30日	蚵殼站	0:00	29.57	47.93	31.37	8.29	8.88	2.3	19.2	
		3:00	29.30	47.05	30.75	8.40	8.44	2.3	11.9	
		6:00	29.17	46.48	30.34	8.49	8.60	2.8	23.3	
		9:00	29.45	46.52	30.36	8.40	8.96	3.5	72.2	
		12:00	29.22	48.76	31.99	8.43	10.61	2.2	44.9	
		15:00	29.60	48.89	32.07	8.43	11.76	2.9	55.5	
		18:00	30.01	47.78	31.25	8.42	11.62	2.8	33.4	
		21:00	29.59	48.04	31.45	8.35	9.78	2.7	14.3	
	日平均值			29.49	47.68	31.20	8.40	9.83	2.69	34.34
	潮口站	0:00	29.01	46.57	30.41	8.47	8.92	0.9	8.8	
		3:00	29.07	46.38	30.27	8.37	7.93	4.1	7.3	
		6:00	29.33	45.28	29.47	8.53	9.01	0.4	9.4	
		9:00	28.24	48.10	31.53	8.19	6.61	9.0	7.3	
		12:00	29.02	47.32	30.95	8.28	7.85	3.1	4.4	
		15:00	28.57	47.84	31.34	8.20	7.19	9.3	12.1	
		18:00	28.35	47.64	31.20	8.19	7.02	7.3	9.4	
		21:00	27.92	45.59	29.73	8.19	6.96	4.2	3.8	
	日平均值			28.69	46.84	30.61	8.30	7.69	4.79	7.81
	灣內站	0:00	29.96	45.97	29.66	8.12	10.14	1.7	17.4	
		3:00	30.08	46.55	30.08	8.05	9.03	1.9	19.5	
		6:00	29.34	46.36	29.97	8.07	7.29	4.7	48.1	
		9:00	29.59	46.61	30.14	8.04	8.98	1.4	41.5	
		12:00	30.42	45.96	29.64	8.18	10.93	1.2	8.8	
		15:00	30.59	46.60	30.10	8.20	11.40	2.4	22.6	
		18:00	31.12	45.48	29.27	8.14	12.27	4.0	26.9	
		21:00	30.18	46.54	30.07	8.02	10.63	1.3	12.3	
	日平均值			30.16	46.26	29.87	8.10	10.08	2.33	24.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月1日	蚵殼站	0:00	29.63	47.67	31.19	8.01	9.00	1.9	13.5	
		3:00	29.50	47.50	31.06	7.97	8.79	1.5	14.3	
		6:00	29.26	46.96	30.68	8.01	8.74	1.7	31.5	
		9:00	29.52	46.70	30.49	7.10	10.04	2.9	42.0	
		12:00	29.45	47.91	31.36	7.77	10.87	2.1	31.1	
		15:00	29.71	48.59	31.85	8.03	12.59	3.4	39.7	
		18:00	30.32	48.11	31.48	7.88	12.11	5.7	20.8	
		21:00	29.97	47.70	31.19	8.11	11.10	1.3	14.3	
	日平均值			29.67	47.64	31.16	7.86	10.41	2.56	25.90
	潮口站	0:00	27.93	46.69	30.52	8.22	6.90	4.5	4.7	
		3:00	28.28	45.78	29.86	8.25	7.44	5.6	8.1	
		6:00	28.74	45.20	29.43	8.48	8.34	2.0	9.7	
		9:00	28.89	45.44	29.60	8.35	7.79	4.5	9.7	
		12:00	29.10	47.97	31.41	8.22	7.51	5.5	5.7	
		15:00	29.94	46.76	30.52	8.21	7.51	2.8	4.4	
		18:00	29.84	46.64	30.43	8.29	9.27	8.1	14.0	
		21:00	27.98	43.67	28.35	8.12	6.63	6.6	5.9	
	日平均值			28.84	46.02	30.02	8.27	7.67	4.95	7.78
	灣內站	0:00	29.81	47.88	31.05	8.01	8.39	7.4	27.2	
		3:00	29.56	46.82	30.29	8.08	9.52	2.5	15.2	
		6:00	29.25	46.65	30.18	8.17	8.57	2.4	35.7	
		9:00	29.76	45.76	29.52	8.00	9.76	6.4	96.4	
		12:00	31.06	45.85	29.55	8.25	12.66	4.3	54.0	
		15:00	31.36	45.92	29.59	8.19	14.81	3.7	53.3	
		18:00	31.40	45.86	29.54	8.15	13.76	2.5	17.7	
		21:00	30.79	46.04	29.69	8.06	12.13	3.1	28.3	
	日平均值			30.37	46.35	29.93	8.11	11.20	4.04	40.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月2日	蚵殼站	0:00	29.79	47.59	31.12	7.95	10.76	2.0	15.5	
		3:00	28.76	48.65	31.92	7.73	8.36	2.3	21.8	
		6:00	29.47	46.88	30.62	8.10	9.98	1.4	23.8	
		9:00	29.52	46.86	30.60	8.04	10.40	2.1	18.4	
		12:00	30.24	47.77	31.24	7.96	10.95	1.7	15.4	
		15:00	30.32	48.68	31.90	7.85	13.13	2.6	39.6	
		18:00	30.25	48.59	31.83	7.89	12.53	3.5	24.1	
		21:00	30.34	47.92	31.34	7.94	10.64	1.3	24.3	
	日平均值			29.84	47.87	31.32	7.93	10.84	2.11	22.86
	潮口站	0:00	28.25	47.94	31.42	8.19	6.98	5.8	7.0	
		3:00	29.09	45.01	29.28	8.47	9.31	3.4	15.5	
		6:00	29.19	44.83	29.15	8.59	9.79	1.4	8.9	
		9:00	29.32	44.99	29.26	8.54	9.57	3.7	12.7	
		12:00	29.18	47.57	31.12	8.21	7.56	97.1	5.1	
		15:00	30.01	47.14	30.78	8.27	8.52	2.0	9.9	
		18:00	29.51	47.07	30.75	8.22	7.82	28.1	6.5	
		21:00	28.81	47.48	31.07	8.15	6.53	5.1	5.9	
	日平均值			29.17	46.50	30.35	8.33	8.26	18.33	8.94
	灣內站	0:00	30.02	47.84	31.02	8.09	11.62	0.6	14.2	
		3:00	29.69	48.06	31.19	8.09	11.14	0.5	16.5	
		6:00	29.46	47.72	30.95	8.08	8.74	2.5	28.9	
		9:00	30.07	47.15	30.52	7.94	9.89	8.2	36.4	
		12:00	31.19	46.51	30.01	7.99	11.32	3.6	28.7	
		15:00	31.59	46.29	29.85	8.14	13.31	4.4	46.1	
		18:00	30.99	46.55	30.05	8.20	12.21	1.3	29.8	
		21:00	30.70	47.05	30.42	8.21	11.59	1.4	9.6	
	日平均值			30.46	47.15	30.50	8.09	11.23	2.81	26.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月3日	蚵殼站	0:00	29.46	49.61	32.60	8.32	8.65	2.7	20.4	
		3:00	29.37	49.57	32.57	8.42	8.24	3.6	11.7	
		6:00	29.63	48.57	31.84	8.35	9.73	2.5	29.7	
		9:00	29.63	48.39	31.70	8.45	10.43	2.3	55.5	
		12:00	30.23	48.41	31.43	7.88	10.83	4.4	22.5	
		15:00	29.99	49.05	31.90	7.79	10.31	2.8	23.8	
		18:00	30.04	48.81	31.72	7.76	10.75	5.4	12.2	
		21:00	29.68	47.64	30.89	7.65	7.92	4.7	13.5	
	日平均值			29.75	48.76	31.83	8.08	9.61	3.55	23.66
	潮口站	0:00	28.87	48.07	31.49	8.18	6.90	4.9	2.7	
		3:00	29.79	45.32	29.49	8.53	9.51	6.2	11.8	
		6:00	29.63	45.39	29.54	8.47	8.56	8.4	10.9	
		9:00	29.65	45.54	29.65	8.57	10.20	3.2	9.5	
		12:00	29.27	47.39	30.99	8.18	6.89	3.4	2.8	
		15:00	30.06	38.14	24.39	8.09	7.21	7.2	6.7	
		18:00	28.81	45.34	29.53	8.05	5.53	5.1	11.6	
		21:00	28.84	45.38	29.56	8.08	5.94	9.5	8.7	
	日平均值			29.37	45.07	29.33	8.27	7.59	5.99	8.09
	灣內站	0:00	30.19	47.69	30.90	8.14	12.47	0.6	16.4	
		3:00	29.02	49.22	32.06	7.88	8.48	2.2	25.6	
		6:00	29.39	48.94	31.84	7.91	7.24	2.0	19.3	
		9:00	29.87	48.22	31.30	8.07	8.54	4.7	43.3	
		12:00	30.41	48.30	31.34	8.03	10.80	4.4	27.7	
		15:00	30.32	48.09	31.19	8.17	11.21	1.7	19.6	
		18:00	30.33	43.97	28.21	8.00	9.74	6.3	32.9	
		21:00	29.70	47.36	30.68	8.02	8.62	2.2	19.5	
	日平均值			29.90	47.72	30.94	8.03	9.64	3.01	25.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月4日	蚵殼站	0:00	29.90	48.33	31.38	8.26	8.93	6.4	12.7	
		3:00	29.81	48.48	31.49	8.26	8.68	10.0	12.5	
		6:00	29.58	48.90	31.80	8.19	7.88	3.2	16.0	
		9:00	29.70	48.82	31.74	8.24	9.27	3.4	17.4	
		12:00	30.64	47.75	30.93	8.12	9.53	3.7	7.6	
		15:00	30.62	48.52	31.50	8.22	11.76	7.5	26.6	
		18:00	30.22	48.69	31.63	8.28	11.85	13.5	13.3	
		21:00	30.05	48.63	31.59	8.32	11.40	6.7	11.1	
	日平均值			30.07	48.52	31.51	8.24	9.91	6.80	14.65
	潮口站	0:00	28.80	47.73	31.25	8.15	6.57	4.8	2.1	
		3:00	28.80	47.77	31.28	8.14	6.48	5.5	4.5	
		6:00	28.34	45.35	29.55	8.17	6.15	8.5	5.6	
		9:00	28.76	46.33	30.24	8.17	6.38	9.7	7.8	
		12:00	29.42	46.38	30.26	8.20	7.45	6.7	12.1	
		15:00	29.29	46.92	30.65	8.13	6.78	9.3	3.1	
		18:00	29.07	46.65	30.46	8.11	6.63	5.3	6.0	
		21:00	28.88	46.97	30.70	8.13	6.98	11.1	7.1	
	日平均值			28.92	46.76	30.55	8.15	6.68	7.61	6.04
	灣內站	0:00	29.43	48.51	31.53	8.46	7.93	1.0	12.7	
		3:00	29.13	48.20	31.31	8.41	7.82	4.8	17.0	
		6:00	29.05	48.38	31.44	8.43	7.42	2.1	12.5	
		9:00	29.26	48.02	31.17	8.43	7.23	5.3	18.9	
		12:00	30.15	48.25	31.32	8.40	9.62	2.7	9.7	
		15:00	30.22	47.97	31.10	8.35	11.94	2.6	27.5	
		18:00	29.94	47.78	30.97	8.40	10.21	2.1	19.3	
		21:00	29.98	47.15	30.52	8.43	10.20	3.4	19.6	
	日平均值			29.65	48.03	31.17	8.41	9.05	3.00	17.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月5日	蚵殼站	0:00	29.53	48.12	31.24	8.27	10.02	3.3	8.1	
		3:00	29.33	48.19	31.29	8.31	9.01	3.4	9.4	
		6:00	29.15	47.88	31.07	8.29	8.63	6.3	12.0	
		9:00	29.34	47.90	31.08	8.32	9.71	4.5	22.2	
		12:00	29.98	48.45	31.46	8.14	10.03	5.0	19.2	
		15:00	30.23	48.72	31.65	8.30	12.36	5.6	28.1	
		18:00	29.57	49.26	32.07	8.22	9.69	4.8	9.5	
		21:00	29.54	49.23	32.05	8.21	8.66	3.4	11.8	
	日平均值			29.58	48.47	31.49	8.26	9.76	4.54	15.04
	潮口站	0:00	28.71	47.44	31.05	8.10	6.63	6.7	0.4	
		3:00	28.80	47.66	31.20	8.11	6.60	8.1	2.0	
		6:00	28.68	46.47	30.34	8.30	8.28	3.0	5.0	
		9:00	28.68	45.95	29.97	8.35	8.97	2.4	9.5	
		12:00	29.54	46.05	30.01	8.34	9.38	5.4	7.3	
		15:00	28.94	47.97	31.42	8.10	6.66	4.4	4.4	
		18:00	29.26	47.90	31.36	8.11	6.99	3.3	0.3	
		21:00	29.11	46.70	30.49	8.30	8.85	5.0	7.3	
	日平均值			28.97	47.02	30.73	8.21	7.80	4.79	4.53
	灣內站	0:00	29.77	48.02	31.16	8.14	9.17	3.1	17.8	
		3:00	29.31	48.13	31.25	8.16	9.97	13.6	17.3	
		6:00	29.02	48.25	31.35	8.14	9.27	2.0	14.0	
		9:00	29.41	48.50	31.52	8.05	9.25	4.9	13.4	
		12:00	30.94	44.41	28.51	8.07	7.90	5.9	19.0	
		15:00	30.53	48.37	31.39	7.99	11.19	4.4	24.2	
		18:00	30.19	48.24	31.30	8.15	11.56	2.1	21.8	
		21:00	30.06	48.25	31.31	8.10	10.27	2.8	16.6	
	日平均值			29.90	47.77	30.97	8.10	9.82	4.85	18.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月6日	蚵殼站	0:00	29.37	48.51	31.53	8.34	10.05	3.6	4.0	
		3:00	29.18	48.47	31.51	8.26	8.46	3.2	5.7	
		6:00	28.96	48.74	31.71	8.25	7.66	11.9	16.4	
		9:00	28.91	48.83	31.77	8.28	8.67	3.9	30.8	
		12:00	29.23	48.97	31.87	8.14	7.95	5.1	43.1	
		15:00	29.42	49.71	32.40	7.96	5.20	5.6	15.9	
		18:00	29.22	49.68	32.39	7.91	4.43	10.4	11.5	
		21:00	29.19	49.43	32.21	8.15	7.61	6.5	13.9	
	日平均值			29.19	49.04	31.92	8.16	7.50	6.28	17.66
	潮口站	0:00	28.90	46.93	30.67	8.15	6.58	4.0	5.5	
		3:00	28.86	48.01	31.45	8.10	6.77	7.2	4.5	
		6:00	28.58	47.66	31.20	8.10	6.59	4.3	2.7	
		9:00	28.50	46.81	30.60	8.23	7.74	7.7	7.7	
		12:00	29.55	46.76	30.53	8.16	7.31	17.0	4.6	
		15:00	28.76	47.78	31.29	8.07	6.70	6.9	3.7	
		18:00	28.82	47.97	31.42	8.05	6.43	4.9	1.0	
		21:00	28.68	47.65	31.19	8.09	6.60	6.6	2.3	
	日平均值			28.83	47.45	31.04	8.12	6.84	7.33	4.00
	灣內站	0:00	29.56	48.38	31.43	8.03	9.06	2.9	17.4	
		3:00	29.12	49.55	32.30	7.96	6.37	5.8	17.0	
		6:00	28.75	49.19	32.04	8.03	7.44	1.6	12.7	
		9:00	28.82	49.45	32.23	7.96	6.37	3.7	20.4	
		12:00	29.35	49.18	32.02	8.11	10.83	2.1	26.1	
		15:00	29.46	49.36	32.14	8.09	9.25	3.7	15.3	
		18:00	29.35	49.17	32.01	8.12	8.44	2.6	10.8	
		21:00	29.37	48.13	31.25	8.17	7.94	5.0	18.7	
	日平均值			29.22	49.05	31.93	8.06	8.21	3.43	17.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月7日	蚵殼站	0:00	29.07	49.64	32.36	8.11	7.00	3.9	7.6	
		3:00	28.76	49.68	32.40	8.06	6.21	4.4	8.0	
		6:00	28.52	49.52	32.29	8.11	6.11	3.4	6.4	
		9:00	28.72	49.55	32.31	8.13	7.00	18.8	13.5	
		12:00	29.34	49.31	32.11	8.05	8.00	36.2	23.6	
		15:00	29.15	49.95	32.59	7.99	6.76	4.8	9.2	
		18:00	29.06	49.41	32.20	8.05	7.35	8.7	5.9	
		21:00	28.98	49.44	32.22	8.09	7.00	11.1	2.1	
	日平均值			28.95	49.56	32.31	8.07	6.93	11.41	9.54
	潮口站	0:00	28.58	47.31	30.96	8.11	6.38	9.9	4.4	
		3:00	28.43	47.98	31.44	8.04	6.22	5.9	1.3	
		6:00	28.29	47.36	31.00	8.07	6.35	14.4	0.1	
		9:00	28.21	47.75	31.28	8.08	6.30	19.6	3.5	
		12:00	29.38	46.84	30.59	8.15	7.27	8.6	3.9	
		15:00	28.77	46.99	30.71	8.06	6.55	10.7	2.2	
		18:00	28.66	46.47	30.35	8.06	6.68	6.7	3.2	
		21:00	28.64	47.15	30.84	8.15	7.18	6.4	7.7	
	日平均值			28.62	47.23	30.90	8.09	6.62	10.28	3.29
	灣內站	0:00	28.90	48.78	31.74	7.98	6.92	5.1	26.5	
		3:00	28.86	49.30	32.12	7.99	6.66	4.3	6.0	
		6:00	28.47	49.28	32.12	8.05	6.73	1.9	7.2	
		9:00	28.64	49.37	32.18	8.06	6.65	3.5	23.7	
		12:00	29.61	49.23	32.04	8.11	9.44	3.6	22.2	
		15:00	29.82	48.98	31.85	8.27	10.98	4.1	33.7	
		18:00	29.64	48.95	31.84	8.03	9.32	4.9	20.7	
		21:00	29.54	49.08	31.94	8.12	8.76	4.6	20.1	
	日平均值			29.19	49.12	31.98	8.08	8.18	4.00	20.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月8日	蚵殼站	0:00	28.91	49.37	32.17	8.10	7.20	10.1	3.8	
		3:00	28.70	49.45	32.23	8.08	6.91	3.3	4.1	
		6:00	28.62	49.38	32.19	8.08	6.76	4.2	7.5	
		9:00	28.82	49.34	32.15	8.09	8.13	4.0	24.4	
		12:00	29.28	49.18	32.02	8.14	11.09	8.0	35.5	
		15:00	28.87	49.61	32.35	8.10	7.90	10.3	14.5	
		18:00	28.99	49.09	31.96	8.18	9.40	4.8	12.3	
		21:00	28.99	49.47	32.24	8.14	8.30	3.3	9.3	
	日平均值			28.90	49.36	32.16	8.11	8.21	6.00	13.93
	潮口站	0:00	28.51	47.16	30.85	8.07	6.23	9.8	7.7	
		3:00	28.33	48.13	31.55	8.05	6.29	4.6	3.1	
		6:00	28.37	48.22	31.62	8.07	6.36	6.0	0.5	
		9:00	28.41	47.31	30.96	8.11	6.66	5.9	5.8	
		12:00	29.34	46.97	30.68	8.22	8.53	5.8	10.4	
		15:00	28.27	40.60	26.17	8.00	6.72	6.1	2.3	
		18:00	28.32	47.49	31.09	8.06	6.59	8.5	3.2	
		21:00	28.29	46.36	30.28	8.15	7.67	3.7	7.1	
	日平均值			28.48	46.53	30.40	8.09	6.88	6.30	5.01
	灣內站	0:00	29.26	49.18	32.02	8.00	7.42	4.6	26.9	
		3:00	28.91	49.36	32.16	8.07	6.39	4.9	15.0	
		6:00	28.63	49.39	32.20	7.92	5.90	2.2	15.7	
		9:00	28.68	49.31	32.13	8.01	6.99	2.8	20.6	
		12:00	29.50	48.97	31.86	8.07	10.10	2.4	23.7	
		15:00	29.28	48.36	31.42	8.14	10.32	4.0	30.6	
		18:00	29.25	49.20	32.04	8.20	8.45	3.1	13.9	
		21:00	28.97	49.10	31.97	8.08	8.28	2.1	9.9	
	日平均值			29.06	49.11	31.98	8.06	7.98	3.26	19.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月9日	蚵殼站	0:00	28.90	49.42	32.21	8.17	8.50	2.5	4.6	
		3:00	28.75	49.47	32.25	8.15	7.83	3.0	7.0	
		6:00	28.37	49.45	32.25	8.14	6.95	4.6	12.9	
		9:00	28.44	49.50	32.28	8.12	6.90	4.9	15.1	
		12:00	29.05	49.60	32.33	8.10	8.50	11.1	19.0	
		15:00	29.07	49.93	32.57	8.06	7.88	6.1	10.2	
		18:00	29.21	49.45	32.22	8.26	11.52	8.4	18.2	
		21:00	28.85	49.24	32.07	8.09	7.66	7.8	5.0	
	日平均值			28.83	49.51	32.27	8.14	8.22	6.05	11.50
	潮口站	0:00	28.10	46.12	30.11	8.05	6.58	10.7	3.1	
		3:00	28.16	47.03	30.76	8.06	6.33	11.7	1.1	
		6:00	28.06	47.60	31.18	8.07	6.44	22.1	0.7	
		9:00	28.04	46.76	30.57	8.14	6.97	6.9	6.2	
		12:00	28.83	46.50	30.36	8.09	7.62	12.0	8.8	
		15:00	28.68	43.46	28.18	7.99	6.76	8.7	2.7	
		18:00	28.48	45.66	29.77	8.05	6.69	16.1	4.9	
		21:00	28.41	46.85	30.63	8.06	6.75	9.0	8.9	
	日平均值			28.35	46.25	30.20	8.06	6.77	12.15	4.55
	灣內站	0:00	28.71	49.23	32.07	8.16	7.20	2.4	11.0	
		3:00	28.57	49.01	31.92	8.15	7.24	2.3	6.5	
		6:00	28.09	49.13	32.02	7.94	5.96	2.7	10.2	
		9:00	28.21	49.13	32.01	8.03	6.68	1.9	11.2	
		12:00	29.04	48.36	31.43	8.09	11.01	5.3	49.8	
		15:00	29.72	48.16	31.26	7.94	9.76	6.2	41.1	
		18:00	29.33	48.30	31.38	8.12	10.34	4.2	21.3	
		21:00	29.10	48.77	31.73	8.00	10.54	1.5	8.7	
	日平均值			28.85	48.76	31.73	8.05	8.59	3.31	19.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月10日	蚵殼站	0:00	29.01	49.39	32.18	8.22	10.02	14.7	7.8	
		3:00	28.85	49.34	32.15	8.16	8.92	3.1	5.9	
		6:00	28.52	49.12	32.00	8.14	7.72	4.5	13.1	
		9:00	28.74	49.17	32.03	8.14	8.46	3.9	18.9	
		12:00	28.96	49.28	32.10	8.15	9.00	5.7	32.9	
		15:00	29.06	49.80	32.48	8.05	7.59	5.8	12.8	
		18:00	29.32	49.44	32.21	8.26	12.16	4.4	11.7	
		21:00	29.29	48.81	31.75	8.23	10.16	6.3	8.1	
	日平均值			28.97	49.29	32.11	8.17	9.25	6.05	13.90
	潮口站	0:00	28.36	46.47	30.35	8.04	6.92	11.9	5.9	
		3:00	28.31	46.57	30.42	8.09	7.08	14.1	3.5	
		6:00	28.12	47.85	31.36	8.03	6.34	37.2	0.2	
		9:00	28.21	48.08	31.52	8.04	6.43	15.4	1.1	
		12:00	29.36	46.81	30.57	8.21	9.48	5.6	15.1	
		15:00	29.49	47.06	30.74	8.16	9.29	11.7	19.1	
		18:00	28.43	44.18	28.71	8.00	6.69	11.3	1.2	
		21:00	28.74	47.12	30.81	8.02	6.61	17.0	1.6	
	日平均值			28.63	46.77	30.56	8.07	7.36	15.53	5.96
	灣內站	0:00	28.87	48.60	31.61	7.99	8.12	3.8	10.2	
		3:00	28.67	47.88	31.09	7.99	5.98	3.2	14.9	
		6:00	28.46	48.80	31.76	7.95	6.47	2.9	10.2	
		9:00	28.49	48.79	31.76	8.07	7.52	2.9	22.9	
		12:00	29.65	48.88	31.79	8.05	10.52	3.3	21.2	
		15:00	30.14	48.31	31.36	8.10	11.12	4.8	36.7	
		18:00	29.93	47.42	30.72	8.04	10.64	3.6	27.5	
		21:00	29.07	47.59	30.87	7.88	8.32	4.7	10.6	
	日平均值			29.16	48.28	31.37	8.01	8.59	3.65	19.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月11日	蚵殼站	0:00	28.90	48.58	31.60	8.11	7.67	9.3	8.9	
		3:00	28.75	48.64	31.64	8.06	7.22	4.6	4.9	
		6:00	28.62	48.72	31.71	8.08	7.26	6.5	11.0	
		9:00	28.64	48.82	31.78	8.13	7.47	5.8	11.6	
		12:00	29.37	49.51	32.26	8.02	7.20	4.2	9.6	
		15:00	29.93	49.63	32.32	7.98	7.71	5.6	14.5	
		18:00	29.79	49.33	32.11	8.17	9.79	5.0	23.4	
		21:00	29.53	49.42	32.19	8.08	8.30	4.2	11.0	
	日平均值			29.19	49.08	31.95	8.08	7.83	5.65	11.86
	潮口站	0:00	28.60	46.77	30.56	8.07	7.10	9.6	8.4	
		3:00	28.43	46.62	30.46	8.01	6.31	11.2	4.3	
		6:00	28.15	48.04	31.50	8.04	6.40	15.4	4.1	
		9:00	28.41	47.96	31.43	8.03	6.21	12.7	0.6	
		12:00	28.68	47.43	31.03	8.09	8.09	15.1	9.2	
		15:00	29.15	47.28	30.92	8.14	8.69	9.1	21.1	
		18:00	28.47	46.78	30.58	8.05	6.53	9.4	0.3	
		21:00	28.75	47.95	31.41	8.04	6.58	13.8	3.1	
	日平均值			28.58	47.35	30.99	8.06	6.99	12.04	6.39
	灣內站	0:00	29.14	47.94	31.12	8.48	7.64	3.0	4.6	
		3:00	29.26	48.31	31.38	8.45	6.95	3.4	14.2	
		6:00	28.87	47.95	31.13	8.48	6.86	3.4	17.7	
		9:00	28.91	48.02	31.19	8.42	7.58	3.1	24.7	
		12:00	29.57	47.15	30.53	8.41	9.40	3.6	26.3	
		15:00	30.18	46.03	29.71	8.42	10.24	5.3	37.7	
		18:00	30.30	46.94	30.36	8.42	9.33	10.9	31.3	
		21:00	29.68	47.30	30.64	8.49	7.86	3.9	28.9	
	日平均值			29.49	47.46	30.76	8.45	8.23	4.58	23.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月12日	蚵殼站	0:00	29.24	49.41	32.19	8.15	8.40	3.8	13.7	
		3:00	29.48	49.10	31.95	8.15	9.17	4.4	16.3	
		6:00	29.15	49.23	32.06	8.18	8.30	5.2	16.5	
		9:00	29.13	49.22	32.05	8.17	8.38	5.4	13.5	
		12:00	29.46	49.56	32.29	8.11	8.24	4.5	13.7	
		15:00	29.26	50.13	32.71	7.97	5.49	6.8	12.8	
		18:00	29.38	49.93	32.57	8.13	8.29	5.1	14.7	
		21:00	29.25	49.97	32.60	8.11	7.43	6.2	14.9	
	日平均值			29.29	49.57	32.30	8.12	7.96	5.18	14.51
	潮口站	0:00	28.46	47.50	31.10	8.07	6.78	12.4	7.8	
		3:00	28.77	47.01	30.73	8.04	6.48	12.1	8.6	
		6:00	28.34	47.89	31.38	8.04	6.47	20.7	2.7	
		9:00	28.40	48.38	31.73	8.03	6.14	13.1	2.2	
		12:00	28.94	47.52	31.09	8.16	8.22	13.6	13.1	
		15:00	29.05	47.60	31.15	8.10	7.13	6.2	11.8	
		18:00	28.21	48.15	31.58	8.04	6.46	8.7	1.5	
		21:00	28.22	48.40	31.76	8.06	6.33	11.9	1.6	
	日平均值			28.55	47.81	31.32	8.07	6.75	12.34	6.16
	灣內站	0:00	29.21	47.48	30.78	8.42	5.72	5.4	20.7	
		3:00	28.96	47.76	30.99	8.42	4.40	26.2	27.4	
		6:00	28.59	47.67	30.94	8.28	3.74	4.3	21.5	
		9:00	28.70	47.65	30.92	8.37	3.89	6.5	25.8	
		12:00	29.37	47.09	30.50	8.43	6.36	4.1	23.0	
		15:00	29.88	46.08	29.75	8.47	7.72	8.5	52.2	
		18:00	29.36	46.56	30.11	8.68	7.06	4.4	31.2	
		21:00	28.93	46.79	30.29	8.59	5.81	3.8	21.4	
	日平均值			29.13	47.14	30.54	8.46	5.59	7.90	27.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月13日	蚵殼站	0:00	29.00	49.63	32.36	8.14	7.68	4.6	14.3	
		3:00	28.72	49.05	31.94	8.20	7.22	5.5	18.5	
		6:00	28.52	48.97	31.89	8.19	6.37	5.6	20.2	
		9:00	28.56	48.85	31.80	8.22	7.49	5.1	23.0	
		12:00	28.78	49.91	32.57	8.33	6.97	4.5	20.5	
		15:00	29.17	49.62	32.34	8.46	8.73	4.7	33.1	
		18:00	28.72	49.91	32.57	8.37	7.26	4.8	24.4	
		21:00	28.68	49.64	32.38	8.42	7.59	4.1	21.7	
	日平均值			28.77	49.45	32.23	8.29	7.41	4.86	21.96
	潮口站	0:00	28.22	47.83	31.34	8.05	6.25	9.1	4.6	
		3:00	28.48	47.12	30.82	8.17	7.18	4.8	15.0	
		6:00	28.42	47.09	30.80	8.15	6.88	4.9	10.2	
		9:00	28.30	48.20	31.61	8.04	6.10	5.3	1.5	
		12:00	29.44	50.84	33.29	8.06	7.99	5.9	8.1	
		15:00	29.58	50.76	33.24	8.29	8.41	6.9	12.5	
		18:00	28.31	48.59	31.69	8.16	6.73	4.9	2.0	
		21:00	28.72	51.39	33.72	8.22	6.93	4.0	4.4	
	日平均值			28.68	48.98	32.06	8.14	7.06	5.73	7.29
	灣內站	0:00	28.84	46.72	30.24	8.45	5.28	3.5	23.7	
		3:00	28.59	46.26	29.91	8.50	4.81	4.9	24.6	
		6:00	28.59	46.52	30.10	8.40	3.62	4.1	30.5	
		9:00	28.94	46.18	29.85	8.45	3.96	4.8	21.2	
		12:00	29.16	48.87	31.85	8.50	10.04	5.9	31.2	
		15:00	29.49	49.41	32.23	8.42	10.29	7.9	38.5	
		18:00	29.27	49.40	32.24	8.43	9.67	6.5	35.1	
		21:00	28.98	49.31	32.18	8.43	8.51	3.8	17.0	
	日平均值			28.98	47.83	31.08	8.45	7.02	5.18	27.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月14日	蚵殼站	0:00	28.77	49.42	32.21	8.48	8.17	4.1	21.1	
		3:00	28.55	49.56	32.32	8.42	7.48	4.2	19.5	
		6:00	28.36	49.65	32.39	8.37	6.73	4.5	21.8	
		9:00	28.59	49.55	32.31	8.44	7.91	3.4	20.6	
		12:00	28.70	49.47	32.25	8.43	8.98	4.6	36.1	
		15:00	28.89	49.76	32.46	8.41	8.21	4.7	35.8	
		18:00	28.79	49.67	32.40	8.51	9.43	4.3	28.1	
		21:00	28.77	49.58	32.33	8.48	8.84	3.9	21.5	
	日平均值			28.68	49.58	32.33	8.44	8.22	4.21	25.56
	潮口站	0:00	28.20	50.82	33.32	8.36	6.60	6.3	4.6	
		3:00	28.22	50.47	33.06	8.22	6.90	4.5	10.4	
		6:00	28.27	50.12	32.80	8.11	7.26	15.3	13.3	
		9:00	28.38	50.74	33.26	8.08	6.21	6.8	8.7	
		12:00	28.56	51.26	33.63	8.03	6.77	10.1	4.2	
		15:00	29.03	50.84	33.31	8.03	8.10	8.7	15.6	
		18:00	28.41	47.64	30.99	7.97	7.17	3.4	5.2	
		21:00	28.35	50.69	33.22	8.02	7.03	3.3	4.8	
	日平均值			28.43	50.32	32.95	8.10	7.01	7.30	8.35
	灣內站	0:00	28.73	49.31	32.19	7.97	8.17	7.0	17.6	
		3:00	28.50	49.45	32.29	7.88	7.28	16.6	31.3	
		6:00	28.12	49.52	32.36	7.82	6.45	3.9	24.8	
		9:00	28.46	49.49	32.32	7.95	7.64	5.1	27.1	
		12:00	29.24	49.25	32.12	8.05	9.34	3.3	20.8	
		15:00	29.08	49.56	32.36	8.17	9.31	4.6	21.8	
		18:00	29.30	49.46	32.27	8.07	8.95	4.7	21.7	
		21:00	28.89	49.14	32.06	8.19	8.66	5.9	20.0	
	日平均值			28.79	49.40	32.25	8.01	8.23	6.39	23.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月15日	蚵殼站	0:00	28.59	49.60	32.35	8.46	8.27	3.7	18.5	
		3:00	28.47	49.73	32.45	8.45	7.93	3.4	17.6	
		6:00	28.26	49.16	32.04	8.41	7.32	3.9	21.2	
		9:00	28.36	47.32	30.69	8.44	7.94	3.8	25.2	
		12:00	28.74	48.45	31.50	8.51	9.67	4.9	34.3	
		15:00	28.60	47.62	30.91	8.41	8.25	4.8	29.2	
		18:00	28.51	51.82	33.98	8.42	8.17	4.4	28.1	
		21:00	28.35	48.58	31.61	8.39	7.55	3.5	19.8	
	日平均值			28.49	49.04	31.94	8.44	8.14	4.05	24.24
	潮口站	0:00	28.13	51.21	33.61	8.11	6.55	3.3	2.9	
		3:00	28.17	50.40	33.02	8.16	7.91	3.9	11.1	
		6:00	27.89	50.21	32.88	8.24	7.41	4.8	15.5	
		9:00	27.92	50.30	32.94	8.11	6.59	7.5	7.0	
		12:00	28.29	51.40	33.74	7.97	6.76	3.7	2.3	
		15:00	28.55	50.93	33.39	8.10	7.33	5.5	3.3	
		18:00	28.23	49.89	32.64	8.07	7.24	5.0	5.2	
		21:00	28.06	50.85	33.35	8.03	6.84	4.6	3.1	
	日平均值			28.16	50.65	33.20	8.10	7.08	4.79	6.30
	灣內站	0:00	28.48	49.42	32.28	8.02	7.93	6.4	11.8	
		3:00	28.20	49.56	32.38	7.97	7.40	4.1	16.6	
		6:00	27.83	49.61	32.43	7.99	7.02	4.9	15.3	
		9:00	27.93	49.58	32.41	8.00	7.25	4.5	21.4	
		12:00	28.72	49.51	32.33	8.19	8.80	4.3	13.2	
		15:00	28.96	49.56	32.36	8.11	9.23	5.1	18.5	
		18:00	29.02	49.11	32.03	8.16	9.32	5.3	23.6	
		21:00	28.56	49.10	32.04	8.17	8.24	5.9	23.5	
	日平均值			28.46	49.43	32.28	8.08	8.15	5.06	17.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月16日	蚵殼站	0:00	28.19	51.68	33.89	8.37	7.11	3.6	20.0	
		3:00	28.06	46.83	30.34	8.45	7.97	3.9	21.3	
		6:00	27.99	40.39	25.73	8.40	7.37	4.6	27.5	
		9:00	28.20	42.63	27.32	8.45	8.30	4.1	26.1	
		12:00	28.85	43.49	27.91	8.47	9.34	4.7	28.0	
		15:00	28.48	42.13	26.95	8.46	9.01	4.2	32.0	
		18:00	28.19	42.25	27.05	8.39	7.71	3.5	21.7	
		21:00	28.07	42.81	27.45	8.42	8.02	3.5	19.1	
	日平均值			28.25	44.03	28.33	8.43	8.10	4.01	24.46
	潮口站	0:00	27.87	51.29	33.68	8.09	6.95	4.0	8.1	
		3:00	27.56	50.60	33.18	8.13	6.76	4.5	12.2	
		6:00	27.63	50.51	33.11	8.14	7.02	9.0	8.2	
		9:00	27.94	50.44	33.05	8.24	7.98	2.7	11.8	
		12:00	28.11	51.40	33.75	8.15	6.87	2.5	4.1	
		15:00	28.29	51.54	33.85	8.09	7.38	2.7	7.2	
		18:00	28.23	50.69	33.23	8.33	7.88	4.2	11.0	
		21:00	27.84	49.37	32.27	8.21	6.98	2.2	7.1	
	日平均值			27.93	50.73	33.27	8.17	7.23	3.98	8.71
	灣內站	0:00	28.20	49.39	32.26	8.05	7.81	4.6	21.7	
		3:00	27.97	49.58	32.41	8.10	7.17	5.8	15.6	
		6:00	27.82	49.72	32.51	8.00	6.38	8.1	17.3	
		9:00	27.91	49.18	32.11	7.93	6.18	7.5	13.9	
		12:00	28.85	49.41	32.26	8.16	8.51	5.2	17.3	
		15:00	28.98	49.46	32.28	8.14	9.01	5.4	22.8	
		18:00	28.43	49.51	32.34	8.13	8.90	3.2	16.3	
		21:00	28.37	49.26	32.16	8.13	8.30	5.5	21.8	
	日平均值			28.32	49.44	32.29	8.08	7.78	5.66	18.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月17日	蚵殼站	0:00	27.94	43.08	27.65	8.35	6.80	3.9	16.3	
		3:00	27.91	42.91	27.53	8.44	7.76	3.0	15.3	
		6:00	27.76	43.32	27.82	8.37	6.74	4.1	23.9	
		9:00	27.89	42.60	27.31	8.39	7.23	4.6	31.1	
		12:00	28.26	43.80	28.15	8.38	7.68	6.2	41.1	
		15:00	28.16	44.07	28.35	8.32	6.65	6.3	29.9	
		18:00	28.03	43.03	27.61	8.39	7.27	5.7	25.1	
		21:00	28.05	43.54	27.97	8.41	7.37	6.8	21.8	
	日平均值			28.00	43.29	27.80	8.38	7.19	5.08	25.56
	潮口站	0:00	27.99	51.29	33.68	8.10	6.69	2.5	1.5	
		3:00	27.50	50.62	33.20	8.06	6.68	2.8	4.5	
		6:00	27.19	50.58	33.17	8.17	6.47	13.3	3.8	
		9:00	27.57	50.51	33.11	8.05	7.43	7.5	7.5	
		12:00	27.78	50.54	33.13	8.12	6.91	6.0	1.0	
		15:00	28.48	46.46	30.13	8.00	7.03	5.6	4.9	
		18:00	28.10	50.94	33.41	8.02	7.27	4.8	7.5	
		21:00	27.60	50.19	32.88	8.06	6.75	3.7	5.9	
	日平均值			27.78	50.14	32.84	8.07	6.90	5.78	4.58
	灣內站	0:00	27.98	49.38	32.26	8.09	7.96	3.3	16.1	
		3:00	27.65	49.60	32.43	8.08	7.46	4.0	17.2	
		6:00	27.57	49.91	32.66	8.10	7.08	3.4	15.7	
		9:00	27.79	50.10	32.79	8.39	5.75	10.1	12.8	
		12:00	28.09	49.99	32.70	8.22	8.09	3.3	10.5	
		15:00	28.10	50.02	32.73	8.17	8.09	7.3	11.3	
		18:00	27.88	49.99	32.71	8.19	7.95	7.3	13.2	
		21:00	28.39	49.38	32.24	8.07	7.47	6.7	11.1	
	日平均值			27.93	49.80	32.57	8.16	7.48	5.68	13.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月18日	蚵殼站	0:00	27.79	43.76	28.14	8.43	7.34	5.9	22.5	
		3:00	27.75	44.24	28.49	8.40	7.07	3.9	16.2	
		6:00	27.70	44.72	28.83	8.36	6.38	4.2	19.0	
		9:00	27.88	44.06	28.35	8.37	6.69	4.9	16.4	
		12:00	28.31	45.01	29.02	8.39	7.60	5.2	28.4	
		15:00	28.07	45.12	29.11	8.38	7.26	5.0	26.0	
		18:00	28.01	45.84	29.63	8.37	6.91	4.4	20.3	
		21:00	27.93	45.44	29.34	8.36	6.78	4.1	17.9	
	日平均值			27.93	44.77	28.86	8.38	7.00	4.70	20.84
	潮口站	0:00	28.15	51.87	34.10	8.10	6.42	6.9	2.9	
		3:00	27.92	51.56	33.87	8.13	6.71	2.9	12.1	
		6:00	27.25	50.23	32.91	8.26	6.51	3.5	11.7	
		9:00	27.50	50.35	33.00	8.10	7.44	4.0	12.8	
		12:00	27.95	50.48	33.08	8.17	7.26	6.5	4.8	
		15:00	28.40	48.57	31.67	8.00	6.92	4.7	4.7	
		18:00	28.24	50.59	33.15	7.99	6.92	4.4	7.5	
		21:00	27.69	50.58	33.16	8.04	7.22	3.7	13.8	
	日平均值			27.89	50.53	33.12	8.10	6.93	4.58	8.79
	灣內站	0:00	27.75	49.69	32.49	8.01	7.43	4.3	10.5	
		3:00	27.65	50.00	32.72	8.05	6.91	7.4	11.5	
		6:00	27.50	50.01	32.74	8.05	6.51	7.4	12.9	
		9:00	27.58	50.02	32.74	8.05	6.88	7.2	10.4	
		12:00	28.56	49.15	32.07	8.08	7.70	6.5	8.9	
		15:00	28.40	49.82	32.57	8.15	8.01	6.9	13.9	
		18:00	28.15	49.80	32.56	8.17	7.97	5.0	13.4	
		21:00	28.02	49.81	32.57	8.03	7.52	3.9	17.5	
	日平均值			27.95	49.79	32.56	8.07	7.37	6.08	12.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月19日	蚵殼站	0:00	27.47	45.13	29.13	8.40	7.27	4.8	21.7	
		3:00	27.61	44.82	28.91	8.43	7.30	4.9	21.9	
		6:00	27.61	44.87	28.94	8.41	7.14	4.2	20.9	
		9:00	27.69	44.99	29.02	8.45	7.98	5.2	30.0	
		12:00	28.43	45.79	29.58	8.48	8.80	5.5	27.6	
		15:00	28.18	47.33	30.70	8.44	8.64	4.6	27.6	
		18:00	28.02	46.24	29.92	8.43	8.61	4.4	24.1	
		21:00	27.95	45.69	29.52	8.38	7.96	4.5	13.5	
	日平均值			27.87	45.61	29.47	8.43	7.96	4.76	23.41
	潮口站	0:00	27.84	51.56	33.87	7.96	6.29	5.2	5.3	
		3:00	27.59	51.95	34.17	8.05	6.14	3.7	0.5	
		6:00	26.98	49.84	32.64	8.18	6.80	3.6	8.4	
		9:00	27.46	50.12	32.83	8.11	7.63	3.6	15.3	
		12:00	28.18	50.44	33.04	8.14	7.83	7.7	7.6	
		15:00	28.50	41.36	26.47	7.86	6.68	7.3	3.8	
		18:00	27.78	50.05	32.77	8.01	6.56	3.9	0.1	
		21:00	27.96	50.36	32.99	8.28	8.07	5.1	12.7	
	日平均值			27.79	49.46	32.35	8.07	7.00	5.01	6.71
	灣內站	0:00	27.86	49.89	32.64	8.04	7.10	3.2	9.2	
		3:00	27.70	49.97	32.70	8.08	7.07	3.7	17.6	
		6:00	27.49	50.01	32.73	7.94	6.29	4.7	15.2	
		9:00	27.72	49.94	32.67	8.00	6.39	7.9	10.6	
		12:00	29.28	49.12	32.03	7.90	7.66	7.6	14.7	
		15:00	29.07	49.42	32.26	8.09	9.39	6.6	26.6	
		18:00	27.94	48.19	31.39	7.94	7.74	5.1	9.0	
		21:00	28.36	49.62	32.42	8.02	7.38	6.0	21.3	
	日平均值			28.18	49.52	32.36	8.00	7.38	5.60	15.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月20日	蚵殼站	0:00	27.51	45.20	29.18	8.39	7.74	4.5	19.0	
		3:00	27.82	46.63	30.21	8.38	7.72	3.7	17.3	
		6:00	27.61	46.19	29.89	8.37	7.25	3.5	17.5	
		9:00	27.65	46.53	30.14	8.47	9.09	3.6	29.2	
		12:00	28.39	46.41	30.03	8.43	10.82	5.0	32.0	
		15:00	28.62	47.98	31.16	8.46	10.84	3.8	30.3	
		18:00	28.40	47.44	30.78	8.47	9.13	4.5	28.2	
		21:00	28.40	47.74	30.99	8.50	9.40	3.7	26.9	
	日平均值			28.05	46.77	30.30	8.43	9.00	4.04	25.05
	潮口站	0:00	27.35	49.41	32.31	7.99	7.05	2.8	9.4	
		3:00	27.27	51.96	34.19	7.99	6.47	3.8	3.6	
		6:00	26.90	49.24	32.20	8.17	7.60	2.4	11.6	
		9:00	27.55	49.62	32.46	8.13	8.59	4.1	15.5	
		12:00	28.73	49.84	32.58	8.21	9.35	7.0	15.1	
		15:00	28.13	51.46	33.79	8.05	7.75	4.1	5.8	
		18:00	27.84	49.67	32.49	8.16	7.19	3.3	3.1	
		21:00	27.84	50.51	33.10	8.07	7.64	3.3	11.8	
	日平均值			27.70	50.21	32.89	8.10	7.71	3.85	9.49
	灣內站	0:00	28.26	49.52	32.36	7.94	7.23	5.6	15.6	
		3:00	28.07	49.47	32.32	8.14	7.88	3.4	13.4	
		6:00	27.41	48.92	31.94	8.06	7.36	3.9	21.2	
		9:00	28.18	49.55	32.38	8.13	7.85	4.2	19.9	
		12:00	29.68	48.48	31.55	8.07	9.33	6.5	15.0	
		15:00	29.13	49.19	32.08	8.25	10.89	5.2	27.3	
		18:00	28.86	49.22	32.12	8.30	10.64	4.3	27.8	
		21:00	29.19	49.08	32.00	8.28	9.70	6.4	26.6	
	日平均值			28.60	49.18	32.09	8.15	8.86	4.94	20.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月21日	蚵殼站	0:00	28.64	47.06	30.50	8.08	10.54	4.8	32.8	
		3:00	28.34	46.44	30.05	8.00	9.17	4.7	26.9	
		6:00	28.31	48.34	31.44	7.79	8.72	3.7	25.4	
		9:00	28.34	48.35	31.44	8.05	9.81	3.8	31.6	
		12:00	28.88	47.50	30.81	8.11	11.51	4.7	31.7	
		15:00	28.72	48.16	31.30	8.00	9.71	4.9	30.3	
		18:00	28.49	48.28	31.38	7.96	8.82	3.3	21.3	
		21:00	28.61	48.18	31.31	8.06	9.71	3.3	19.5	
	日平均值			28.54	47.79	31.03	8.01	9.75	4.15	27.44
	潮口站	0:00	28.16	50.31	32.95	8.14	7.95	3.2	17.0	
		3:00	27.53	51.51	33.85	8.14	7.06	1.8	5.9	
		6:00	27.61	51.21	33.62	8.12	6.90	2.4	6.7	
		9:00	28.16	49.92	32.66	8.16	9.46	3.3	13.1	
		12:00	29.01	49.98	32.68	8.18	9.58	5.7	10.1	
		15:00	28.03	51.09	33.53	8.08	7.75	7.0	3.9	
		18:00	28.10	51.51	33.83	8.14	7.84	2.9	6.5	
		21:00	27.99	50.81	33.32	8.23	7.87	4.9	8.1	
	日平均值			28.07	50.79	33.31	8.15	8.05	3.90	8.91
	灣內站	0:00	28.83	47.91	31.16	8.10	8.14	7.1	35.4	
		3:00	28.25	49.47	32.32	8.10	7.30	3.1	13.4	
		6:00	28.08	49.70	32.49	8.14	7.76	3.8	15.8	
		9:00	28.04	49.76	32.53	8.10	7.77	6.0	16.4	
		12:00	28.80	49.49	32.32	8.36	9.61	3.4	10.5	
		15:00	28.94	49.57	32.37	8.21	10.15	4.2	19.2	
		18:00	28.78	49.68	32.45	8.18	9.57	3.8	16.6	
		21:00	29.13	49.31	32.17	8.18	8.76	5.0	15.3	
	日平均值			28.61	49.36	32.23	8.17	8.63	4.55	17.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月22日	蚵殼站	0:00	28.59	47.72	30.98	8.54	9.20	3.6	20.6	
		3:00	28.21	47.06	30.51	8.49	8.32	5.2	25.6	
		6:00	28.19	49.10	32.00	8.47	7.73	3.7	21.3	
		9:00	28.15	48.63	31.65	8.51	8.61	3.7	22.8	
		12:00	28.58	49.48	32.26	8.55	9.66	4.6	30.3	
		15:00	28.48	49.36	32.18	8.44	8.52	4.9	24.3	
		18:00	28.48	49.24	32.09	8.50	8.85	3.4	21.2	
		21:00	28.37	48.79	31.77	8.43	7.73	3.3	14.6	
	日平均值			28.38	48.67	31.68	8.49	8.58	4.05	22.59
	潮口站	0:00	28.32	50.55	33.12	8.18	8.08	4.5	7.2	
		3:00	27.86	51.35	33.72	8.08	6.94	1.7	1.7	
		6:00	27.70	51.65	33.95	8.02	6.65	8.2	4.9	
		9:00	28.11	49.89	32.64	8.22	8.97	2.3	5.5	
		12:00	28.20	50.59	33.15	8.07	8.04	6.4	14.0	
		15:00	27.78	50.27	32.93	8.06	7.21	2.8	1.5	
		18:00	27.79	51.52	33.85	7.95	7.31	2.0	2.5	
		21:00	27.78	50.83	33.34	7.95	6.82	6.6	6.3	
	日平均值			27.94	50.83	33.34	8.07	7.50	4.31	5.45
	灣內站	0:00	28.31	46.98	30.50	8.07	8.03	4.9	17.8	
		3:00	28.27	49.41	32.27	7.94	7.29	2.7	11.1	
		6:00	27.93	49.83	32.59	8.00	7.34	3.6	10.7	
		9:00	28.10	49.85	32.60	8.15	7.78	2.9	8.9	
		12:00	28.53	49.92	32.64	8.18	8.50	3.3	6.8	
		15:00	28.63	49.81	32.55	8.21	9.13	4.6	13.8	
		18:00	28.85	49.17	32.08	8.10	7.97	6.0	20.2	
		21:00	28.47	49.81	32.56	8.04	8.08	4.7	14.8	
	日平均值			28.39	49.35	32.22	8.09	8.02	4.09	13.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月23日	蚵殼站	0:00	28.12	49.93	32.60	8.39	7.05	3.5	16.1	
		3:00	28.26	49.37	32.19	8.45	7.65	3.1	10.8	
		6:00	28.18	48.99	31.91	8.44	7.44	2.8	9.4	
		9:00	28.18	50.64	33.13	8.42	7.19	3.4	16.0	
		12:00	28.57	50.08	32.70	8.42	7.76	3.7	15.0	
		15:00	28.82	49.47	32.25	8.32	6.82	6.1	14.4	
		18:00	28.52	49.44	32.23	8.42	7.60	3.2	16.2	
		21:00	28.42	49.11	31.99	8.48	8.30	3.7	13.2	
	日平均值			28.38	49.63	32.38	8.42	7.48	3.69	13.89
	潮口站	0:00	28.07	50.44	33.05	8.01	6.12	8.4	5.9	
		3:00	27.72	50.90	33.40	8.01	6.42	3.1	3.0	
		6:00	27.69	51.39	33.75	8.11	6.75	2.3	4.6	
		9:00	27.78	50.59	33.17	8.05	5.93	7.5	6.3	
		12:00	28.61	50.40	33.00	8.05	7.50	5.4	4.2	
		15:00	27.85	47.61	30.98	8.17	7.01	4.7	2.8	
		18:00	27.62	51.00	33.47	8.03	7.14	4.9	1.0	
		21:00	28.15	50.60	33.16	8.19	6.97	3.0	2.3	
	日平均值			27.94	50.37	33.00	8.08	6.73	4.91	3.76
	灣內站	0:00	28.39	49.27	32.17	7.92	6.21	6.8	12.6	
		3:00	28.55	49.52	32.35	7.94	6.47	5.6	10.8	
		6:00	27.87	49.39	32.27	7.98	6.47	4.8	15.9	
		9:00	28.06	49.69	32.48	8.01	7.22	3.4	10.1	
		12:00	28.62	49.61	32.41	8.08	7.90	4.6	9.9	
		15:00	29.12	48.30	31.44	8.16	8.95	7.8	23.6	
		18:00	28.71	49.59	32.39	8.35	8.30	3.6	18.4	
		21:00	28.54	49.84	32.58	8.14	8.03	2.9	12.6	
	日平均值			28.48	49.40	32.26	8.07	7.44	4.94	14.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月24日	蚵殼站	0:00	28.35	49.11	32.00	8.43	7.50	3.6	13.7	
		3:00	28.17	49.84	32.54	8.38	6.73	3.5	11.9	
		6:00	27.83	48.49	31.56	8.35	6.20	3.8	8.8	
		9:00	28.10	49.25	32.11	8.40	7.00	3.9	16.3	
		12:00	28.58	48.93	31.86	8.35	7.05	4.3	13.8	
		15:00	28.50	50.62	33.10	8.40	8.21	6.0	19.7	
		18:00	28.59	50.01	32.65	8.42	8.13	4.0	16.7	
		21:00	28.51	49.23	32.08	8.44	8.10	3.6	12.0	
	日平均值			28.33	49.44	32.24	8.40	7.37	4.09	14.11
	潮口站	0:00	28.25	50.13	32.81	8.08	7.51	3.8	5.9	
		3:00	28.07	50.04	32.75	7.94	6.75	4.8	5.9	
		6:00	27.41	51.30	33.70	7.96	6.61	3.8	3.2	
		9:00	28.00	49.89	32.65	7.99	7.18	3.9	5.9	
		12:00	28.66	49.90	32.63	8.07	7.73	3.0	6.5	
		15:00	27.78	48.93	31.95	8.10	7.24	7.6	2.6	
		18:00	27.66	51.18	33.60	8.05	7.27	7.9	0.2	
		21:00	27.80	50.30	32.95	8.05	7.14	6.0	5.8	
	日平均值			27.95	50.21	32.88	8.03	7.18	5.10	4.50
	灣內站	0:00	28.27	49.88	32.62	8.06	6.19	4.0	11.1	
		3:00	27.99	50.02	32.73	8.17	6.24	2.9	6.3	
		6:00	27.73	50.13	32.81	8.09	5.53	6.4	8.6	
		9:00	27.90	49.63	32.45	8.21	6.49	4.1	12.2	
		12:00	28.58	48.90	31.89	8.15	7.75	6.9	17.2	
		15:00	28.86	49.10	32.03	8.05	7.99	17.8	13.3	
		18:00	28.52	49.41	32.27	8.18	8.17	3.8	12.7	
		21:00	28.48	49.42	32.27	8.15	7.78	4.7	13.0	
	日平均值			28.29	49.56	32.38	8.13	7.02	6.33	11.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月25日	蚵殼站	0:00	28.31	51.10	33.46	8.43	7.77	3.3	9.8	
		3:00	28.22	51.10	33.46	8.36	6.72	3.9	11.7	
		6:00	27.80	48.07	31.25	8.25	5.74	5.5	16.9	
		9:00	28.33	50.23	32.82	8.36	6.66	4.0	16.4	
		12:00	28.59	51.01	33.38	8.37	7.65	5.3	21.6	
		15:00	28.36	50.27	32.85	8.30	6.79	5.4	11.4	
		18:00	28.10	50.80	33.25	8.28	6.21	4.8	9.4	
		21:00	28.16	50.79	33.24	8.35	7.05	4.2	11.0	
	日平均值			28.23	50.42	32.96	8.34	6.82	4.55	13.53
	潮口站	0:00	28.10	50.27	32.92	8.02	7.21	3.9	4.7	
		3:00	28.11	49.96	32.69	8.04	7.04	3.3	8.4	
		6:00	27.37	51.16	33.59	7.97	6.63	2.9	4.0	
		9:00	27.65	49.82	32.60	8.06	6.64	5.8	3.2	
		12:00	28.60	49.40	32.27	7.86	7.31	5.6	1.7	
		15:00	27.71	48.97	31.98	7.85	7.45	4.4	12.8	
		18:00	27.38	49.97	32.72	7.94	7.32	4.2	1.5	
		21:00	27.48	50.15	32.85	8.14	6.94	4.3	4.2	
	日平均值			27.80	49.96	32.70	7.99	7.07	4.30	5.06
	灣內站	0:00	28.38	49.19	32.11	8.07	6.81	7.2	22.6	
		3:00	27.41	45.43	29.41	8.01	5.85	6.3	15.8	
		6:00	27.90	49.29	32.19	8.14	6.79	4.3	9.3	
		9:00	27.92	49.53	32.37	8.07	7.04	6.2	20.6	
		12:00	28.80	49.22	32.12	8.15	8.42	8.4	17.9	
		15:00	28.83	49.32	32.19	8.15	8.65	6.6	27.0	
		18:00	28.57	49.48	32.31	8.10	7.71	8.0	13.7	
		21:00	28.30	49.51	32.35	8.12	7.13	3.6	12.0	
	日平均值			28.26	48.87	31.88	8.10	7.30	6.33	17.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月26日	蚵殼站	0:00	28.16	50.07	32.71	8.40	7.63	3.8	11.2	
		3:00	28.14	50.84	33.27	8.39	7.40	4.5	14.8	
		6:00	27.43	48.19	31.35	8.25	5.89	6.1	16.2	
		9:00	28.17	50.60	33.09	8.36	7.08	6.1	27.6	
		12:00	28.24	51.77	33.96	8.35	7.48	5.7	18.4	
		15:00	28.36	52.05	34.16	8.29	6.70	6.4	11.4	
		18:00	28.06	52.97	34.85	8.30	6.80	6.8	15.6	
		21:00	28.33	51.34	33.63	8.38	7.77	4.6	14.3	
	日平均值			28.11	50.98	33.38	8.34	7.09	5.50	16.19
	潮口站	0:00	27.53	49.89	32.66	7.85	6.71	6.6	0.9	
		3:00	27.69	49.74	32.54	7.94	6.52	5.7	7.5	
		6:00	27.17	50.57	33.17	7.92	6.77	5.9	3.4	
		9:00	27.17	50.94	33.44	8.06	6.98	4.3	4.5	
		12:00	28.72	49.10	32.05	7.87	7.69	6.0	7.4	
		15:00	28.63	49.31	32.20	8.02	8.49	4.2	6.7	
		18:00	27.21	50.19	32.89	7.94	7.12	5.2	1.8	
		21:00	27.06	50.40	33.04	8.16	6.80	3.4	1.1	
	日平均值			27.65	50.02	32.75	7.97	7.14	5.16	4.16
	灣內站	0:00	28.31	48.80	31.82	8.02	6.81	8.0	30.5	
		3:00	27.59	45.80	29.67	7.92	5.56	6.0	10.3	
		6:00	27.76	49.11	32.07	8.00	6.03	4.7	6.9	
		9:00	27.78	49.45	32.31	8.06	6.82	7.4	13.2	
		12:00	28.63	48.92	31.90	8.24	7.92	5.9	9.9	
		15:00	28.65	48.89	31.88	8.14	8.67	7.7	17.6	
		18:00	28.62	49.08	32.02	8.00	7.81	8.3	11.2	
		21:00	28.72	48.82	31.83	8.09	7.67	9.7	17.3	
	日平均值			28.26	48.61	31.69	8.06	7.16	7.21	14.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月27日	蚵殼站	0:00	28.32	51.92	34.06	8.37	7.68	4.7	18.1	
		3:00	28.14	51.97	34.10	8.38	7.38	4.5	16.3	
		6:00	28.01	51.84	34.02	8.33	6.63	4.5	13.3	
		9:00	28.06	52.34	34.38	8.38	7.52	4.7	12.8	
		12:00	28.24	51.59	33.82	8.34	7.30	7.1	17.4	
		15:00	28.18	52.44	34.45	8.31	7.01	6.5	14.8	
		18:00	28.24	53.69	35.37	8.41	8.28	6.7	22.6	
		21:00	28.25	52.11	34.20	8.39	7.88	5.4	19.1	
	日平均值			28.18	52.24	34.30	8.36	7.46	5.51	16.80
	潮口站	0:00	27.71	49.25	32.19	8.03	7.06	5.4	7.4	
		3:00	27.99	49.14	32.10	8.12	7.27	3.4	10.6	
		6:00	27.17	49.77	32.58	8.01	6.53	3.6	0.5	
		9:00	27.20	50.26	32.94	8.21	6.61	3.9	0.9	
		12:00	28.59	48.99	31.97	7.99	6.90	9.0	11.4	
		15:00	27.68	49.34	32.25	7.91	7.42	8.7	8.2	
		18:00	27.33	49.14	32.12	7.98	7.35	5.2	0.7	
		21:00	27.25	49.33	32.26	7.94	7.28	66.1	3.4	
	日平均值			27.62	49.40	32.30	8.02	7.05	13.16	5.39
	灣內站	0:00	28.28	48.55	31.65	8.02	7.67	11.0	21.7	
		3:00	28.21	48.76	31.80	7.93	6.74	8.7	11.0	
		6:00	27.77	48.75	31.81	7.89	6.13	5.8	9.9	
		9:00	27.74	49.02	32.00	7.94	6.32	8.4	7.7	
		12:00	28.44	47.47	30.86	8.06	7.79	84.5	24.5	
		15:00	29.01	47.16	30.61	8.04	7.77	8.9	25.1	
		18:00	28.55	47.55	30.91	8.04	8.46	47.2	19.5	
		21:00	28.38	48.25	31.42	8.04	7.72	10.7	14.1	
	日平均值			28.30	48.19	31.38	8.00	7.33	23.15	16.69
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月28日	蚵殼站	0:00	28.28	52.23	34.29	8.37	7.66	5.3	16.8	
		3:00	28.15	53.45	35.20	8.32	6.86	6.2	22.4	
		6:00	27.28	52.54	34.56	8.22	5.65	6.3	15.8	
		9:00	28.08	52.51	34.50	8.33	7.18	5.8	17.3	
		11:30	28.29	53.15	34.97	8.35	7.92	6.0	19.5	
		15:00	28.35	50.32	32.75	8.31	7.63	3.0	12.4	
		18:00	28.31	50.24	32.69	8.21	6.42	3.1	17.1	
		21:00	28.55	50.04	32.54	8.23	7.47	2.8	16.2	
	日平均值			28.16	51.81	33.94	8.29	7.10	4.81	17.19
	潮口站	0:00	27.61	49.15	32.11	7.96	6.78	7.6	9.0	
		3:00	28.05	48.87	31.90	7.94	7.12	8.1	10.7	
		6:00	27.92	48.67	31.75	8.02	6.85	5.5	5.8	
		9:00	27.24	49.44	32.34	8.01	6.61	14.0	0.6	
		12:00	27.91	49.45	33.38	8.24	7.19	2.9	2.7	
		15:00	28.15	48.35	33.20	8.25	7.82	3.9	13.4	
		18:00	27.54	48.52	33.21	8.17	6.97	2.1	1.6	
		21:00	27.15	48.73	33.38	8.20	7.17	2.1	0.8	
	日平均值			27.70	48.90	32.66	8.10	7.06	5.78	5.58
	灣內站	0:00	28.21	47.44	30.84	8.49	7.56	13.2	17.0	
		3:00	27.99	47.95	31.22	8.38	6.23	8.9	14.9	
		6:00	27.79	44.75	28.90	8.38	5.64	17.1	14.1	
		9:00	27.96	47.63	30.99	8.38	6.02	12.2	9.4	
		12:00	28.94	50.03	32.65	8.16	8.39	2.4	15.6	
		15:00	28.93	50.04	32.66	8.25	8.73	3.1	19.7	
		18:00	29.19	49.52	32.27	8.19	8.29	4.8	26.3	
		21:00	28.79	50.07	32.69	8.27	8.15	2.3	19.3	
	日平均值			28.48	48.43	31.53	8.31	7.38	8.00	17.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月29日	蚵殼站	0:00	28.55	50.02	32.52	8.18	7.15	4.1	17.0	
		3:00	28.32	49.82	32.38	8.17	6.79	2.8	20.2	
		6:00	28.14	49.94	32.48	8.17	6.02	3.3	15.1	
		9:00	28.22	49.98	32.51	8.14	6.65	31.4	17.9	
		12:00	28.63	50.03	32.53	8.15	8.10	4.3	13.5	
		15:00	28.25	50.75	33.07	8.22	7.45	3.3	15.8	
		18:00	28.34	50.49	32.87	8.20	7.64	3.5	15.7	
		21:00	28.25	50.57	32.94	8.19	6.81	2.9	15.1	
	日平均值			28.34	50.20	32.66	8.18	7.08	6.95	16.29
	潮口站	0:00	27.41	48.75	33.66	8.16	6.86	3.7	5.4	
		3:00	27.89	47.85	33.00	8.21	7.71	1.2	11.3	
		6:00	27.80	47.88	33.03	8.19	7.40	1.6	14.4	
		9:00	27.25	48.68	33.61	8.16	7.06	5.4	6.2	
		12:00	27.78	48.68	33.60	8.20	7.61	2.7	2.3	
		15:00	27.81	48.62	33.55	8.16	7.58	5.3	6.8	
		18:00	27.64	48.33	33.35	8.18	7.53	3.3	1.7	
		21:00	27.68	48.57	33.52	8.24	7.99	5.0	6.6	
	日平均值			27.66	48.42	33.42	8.19	7.47	3.53	6.84
	灣內站	0:00	28.64	50.18	32.77	8.24	7.65	1.8	17.0	
		3:00	28.28	50.33	32.89	8.20	6.37	2.6	19.8	
		6:00	27.52	47.98	31.19	8.19	4.77	3.0	16.3	
		9:00	27.86	50.59	33.10	8.24	7.11	1.5	14.0	
		12:00	28.59	50.28	32.85	8.22	8.21	2.3	6.5	
		15:00	28.92	50.07	32.69	8.26	9.08	2.1	19.8	
		18:00	28.62	49.50	32.27	8.33	9.47	2.9	29.1	
		21:00	28.27	50.10	32.73	8.28	7.78	2.3	20.2	
	日平均值			28.34	49.88	32.56	8.25	7.56	2.31	17.84
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月30日	蚵殼站	0:00	28.15	50.48	32.88	8.20	7.08	2.8	13.6	
		3:00	28.04	50.01	32.53	8.20	6.94	3.0	16.6	
		6:00	27.95	50.34	32.78	8.16	6.42	3.5	12.2	
		9:00	27.92	49.43	32.11	8.19	6.94	4.1	9.6	
		12:00	28.40	49.79	32.36	8.14	7.57	5.0	13.4	
		15:00	28.24	45.35	29.13	8.20	8.09	3.6	18.3	
		18:00	28.22	47.69	30.83	8.18	7.68	3.3	12.6	
		21:00	28.15	49.07	31.84	8.15	6.79	4.1	8.6	
	日平均值			28.13	49.02	31.81	8.18	7.19	3.68	13.11
	潮口站	0:00	27.67	48.59	33.53	8.21	7.69	1.3	4.7	
		3:00	27.46	48.07	33.17	8.17	7.31	1.8	10.2	
		6:00	27.39	47.77	32.96	8.21	7.64	3.2	10.3	
		9:00	27.38	48.28	33.32	8.11	6.47	3.8	0.1	
		12:00	27.35	48.79	33.69	8.16	7.10	1.4	3.0	
		15:00	27.75	48.64	33.57	8.18	7.65	3.1	5.6	
		18:00	27.74	48.50	33.47	8.16	7.29	3.1	4.8	
		21:00	27.19	48.22	33.29	8.17	7.14	2.1	4.1	
	日平均值			27.49	48.36	33.38	8.17	7.29	2.48	5.35
	灣內站	0:00	28.19	50.66	33.14	8.30	7.82	1.0	14.7	
		3:00	28.01	50.32	32.89	8.24	7.10	1.9	14.5	
		6:00	27.81	50.48	33.02	8.33	6.53	2.3	10.8	
		9:00	28.12	50.30	32.88	8.21	6.37	3.6	12.9	
		12:00	28.46	50.67	33.13	8.26	8.06	1.0	7.3	
		15:00	28.49	50.64	33.12	8.25	8.31	1.5	12.9	
		18:00	28.85	49.70	32.41	8.35	9.37	3.7	28.9	
		21:00	28.49	50.71	33.17	8.24	7.84	1.5	11.7	
	日平均值			28.30	50.44	32.97	8.27	7.68	2.06	14.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月31日	蚵殼站	0:00	28.22	46.26	29.79	8.21	7.69	3.0	14.6	
		3:00	28.10	46.82	30.20	8.16	6.91	3.1	11.3	
		6:00	28.00	35.21	21.94	8.16	7.05	2.6	10.4	
		9:00	28.23	47.22	30.49	8.07	6.05	4.5	8.5	
		12:00	28.57	42.82	27.30	8.14	7.39	3.7	13.2	
		15:00	28.13	46.77	30.16	8.18	7.09	3.8	10.1	
		18:00	28.17	46.57	30.01	8.14	6.36	4.8	13.1	
		21:00	28.12	32.17	19.84	8.09	5.66	3.8	14.7	
	日平均值			28.19	42.98	27.47	8.14	6.78	3.66	11.99
	潮口站	0:00	27.25	48.44	33.44	8.14	6.72	2.0	7.3	
		3:00	27.25	48.24	33.30	8.16	7.03	1.6	9.4	
		6:00	27.46	47.87	33.03	8.20	7.46	1.7	11.3	
		9:00	27.55	48.01	33.12	8.11	6.63	4.8	8.2	
		12:00	27.33	48.81	33.71	8.12	6.95	2.2	0.6	
		15:00	27.51	48.76	33.66	8.16	7.44	1.3	11.5	
		18:00	27.51	48.53	33.50	8.14	7.13	4.1	6.6	
		21:00	27.13	48.34	33.37	8.14	6.83	4.5	3.0	
	日平均值			27.37	48.38	33.39	8.15	7.02	2.78	7.24
	灣內站	0:00	28.05	50.81	33.25	8.25	7.45	1.0	9.9	
		3:00	28.05	50.67	33.15	8.24	6.98	0.7	11.2	
		6:00	27.87	50.65	33.14	8.20	6.49	2.2	10.9	
		9:00	28.24	49.93	32.60	8.19	6.13	2.1	10.9	
		12:00	28.85	50.19	32.77	8.17	7.97	3.5	13.8	
		15:00	28.48	50.67	33.14	8.27	7.99	2.6	12.0	
		18:00	28.30	50.71	33.17	8.30	7.82	1.1	14.4	
		21:00	28.11	50.30	32.88	8.29	7.11	3.5	10.1	
日平均值			28.24	50.49	33.01	8.24	7.24	2.09	11.65	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月1日	蚵殼站	0:00	28.21	37.81	23.75	8.17	6.76	3.5	11.2	
		3:00	28.13	35.35	22.04	8.13	6.29	3.0	13.0	
		6:00	27.88	48.01	31.07	8.07	6.13	2.8	12.7	
		9:00	27.96	49.00	31.80	8.19	6.99	2.6	8.0	
		12:00	28.66	50.72	33.04	8.18	7.90	3.6	7.8	
		15:00	28.35	50.97	33.23	8.19	8.01	4.9	11.8	
		18:00	28.25	51.04	33.28	8.15	6.41	3.9	13.3	
		21:00	28.21	50.94	33.21	8.13	6.05	3.3	12.8	
	日平均值			28.21	46.73	30.18	8.15	6.82	3.45	11.33
	潮口站	0:00	26.83	49.19	33.42	8.15	7.07	1.9	3.9	
		3:00	27.07	48.99	33.27	8.13	6.55	1.8	3.3	
		6:00	27.08	48.82	33.14	8.14	6.83	1.9	6.9	
		9:00	27.35	48.73	33.07	8.17	7.46	1.3	6.4	
		12:00	27.05	49.35	33.53	8.12	7.01	1.0	0.7	
		15:00	27.34	49.38	33.54	8.17	7.70	1.2	4.9	
		18:00	27.23	49.31	33.49	8.15	7.31	7.9	6.4	
		21:00	27.29	49.14	33.37	8.17	7.51	3.4	9.0	
	日平均值			27.16	49.11	33.35	8.15	7.18	2.55	5.19
	灣內站	0:00	28.15	50.63	33.11	8.25	6.75	2.1	13.5	
		3:00	27.81	50.86	33.29	8.29	6.72	1.9	10.3	
		6:00	27.59	50.77	33.24	8.25	6.38	1.7	7.0	
		9:00	27.85	50.22	32.82	8.26	6.29	2.4	10.4	
		12:00	28.41	50.85	33.27	8.27	7.50	0.6	6.4	
		15:00	28.35	50.85	33.28	8.28	7.73	2.0	7.2	
		18:00	28.61	50.67	33.13	8.31	7.78	2.8	17.3	
		21:00	28.59	50.42	32.95	8.31	7.86	2.0	11.5	
	日平均值			28.17	50.66	33.14	8.28	7.13	1.94	10.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月2日	蚵殼站	0:00	28.21	50.57	32.94	8.21	7.11	2.6	5.4	
		3:00	28.05	50.44	32.85	8.23	6.65	3.1	15.9	
		6:00	27.91	50.66	33.01	8.14	6.33	3.4	12.8	
		9:00	28.04	50.82	33.13	8.17	6.57	3.0	7.8	
		12:00	28.51	50.51	32.89	8.15	7.29	3.6	8.0	
		15:00	28.54	50.72	33.04	8.17	7.98	4.4	13.7	
		18:00	28.50	50.81	33.10	8.19	7.68	5.8	7.8	
		21:00	28.34	50.82	33.12	8.22	7.29	3.5	13.7	
	日平均值			28.26	50.67	33.01	8.19	7.11	3.68	10.64
	潮口站	0:00	26.59	49.50	33.65	8.13	6.53	2.2	6.8	
		3:00	26.69	49.45	33.61	8.12	6.39	1.9	1.5	
		6:00	27.19	48.70	33.06	8.21	7.48	0.3	7.8	
		9:00	27.57	49.10	33.33	8.21	7.67	0.4	8.1	
		12:00	27.12	49.77	33.82	8.09	6.76	2.6	0.4	
		15:00	27.28	49.75	33.81	8.19	7.76	2.6	5.5	
		18:00	27.29	49.66	33.74	8.17	7.25	4.9	13.1	
		21:00	27.42	49.70	33.77	8.19	7.74	1.5	4.6	
	日平均值			27.14	49.45	33.60	8.16	7.20	2.05	5.98
	灣內站	0:00	28.12	50.56	33.07	8.31	7.05	0.8	13.0	
		3:00	27.90	50.63	33.13	8.36	6.71	1.2	5.9	
		6:00	27.69	50.73	33.20	8.28	6.34	0.8	3.7	
		9:00	27.87	50.85	33.29	8.24	5.41	3.5	5.2	
		12:00	28.49	50.85	33.27	8.32	7.29	2.7	14.1	
		15:00	28.85	50.72	33.16	8.27	8.28	2.3	25.2	
		18:00	28.93	50.25	32.82	8.29	8.91	1.9	16.3	
		21:00	28.71	49.50	32.27	8.30	8.40	2.7	24.7	
	日平均值			28.32	50.51	33.03	8.30	7.30	1.99	13.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月3日	蚵殼站	0:00	28.23	50.78	33.09	8.15	6.44	2.8	7.9	
		3:00	28.27	50.47	32.86	8.21	7.05	2.9	8.7	
		6:00	28.09	50.53	32.91	8.17	6.15	3.2	6.5	
		9:00	27.89	50.01	32.54	8.23	7.16	3.9	12.2	
		12:00	28.62	50.46	32.84	8.18	7.56	3.3	9.7	
		15:00	28.26	50.97	33.23	8.18	6.99	3.9	7.4	
		18:00	28.05	50.91	33.19	8.25	6.82	3.4	4.5	
		21:00	28.11	50.76	33.08	8.24	7.45	2.9	8.3	
	日平均值			28.19	50.61	32.97	8.20	6.95	3.29	8.15
	潮口站	0:00	26.95	49.99	33.99	8.12	6.82	2.2	3.7	
		3:00	27.06	50.05	34.03	8.17	7.14	4.1	1.9	
		6:00	27.25	49.83	33.87	8.18	7.02	1.5	6.4	
		9:00	27.43	49.50	33.62	8.21	7.62	0.2	3.5	
		12:00	28.01	49.66	33.72	8.16	7.51	2.2	2.1	
		15:00	27.21	50.04	34.02	8.17	7.32	3.0	5.3	
		18:00	27.38	49.92	33.93	8.19	7.36	3.6	7.1	
		21:00	27.23	50.02	34.01	8.19	7.45	4.2	6.5	
	日平均值			27.32	49.88	33.90	8.17	7.28	2.63	4.56
	灣內站	0:00	28.34	50.65	33.12	8.27	7.21	0.9	8.0	
		3:00	28.03	50.51	33.03	8.27	6.80	0.9	8.3	
		6:00	27.83	50.58	33.09	8.26	5.98	0.4	6.2	
		9:00	27.85	50.62	33.12	8.31	6.40	1.8	13.7	
		12:00	28.43	50.50	33.01	8.39	7.77	0.8	8.9	
		15:00	28.32	50.54	33.05	8.43	7.98	1.3	12.9	
		18:00	28.72	50.26	32.83	8.34	7.53	3.2	20.3	
		21:00	28.15	50.19	32.80	8.43	7.01	1.5	12.3	
	日平均值			28.21	50.48	33.01	8.34	7.09	1.35	11.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月4日	蚵殼站	0:00	27.98	50.70	33.04	8.24	7.01	2.8	6.1	
		3:00	27.77	50.62	32.99	8.26	6.70	2.6	7.2	
		6:00	27.66	50.58	32.96	8.25	6.46	2.9	7.9	
		9:00	27.62	50.28	32.74	8.25	6.85	3.0	11.6	
		12:00	28.35	50.61	32.96	8.19	6.91	4.3	5.4	
		15:00	27.97	50.92	33.20	8.20	6.69	4.5	7.8	
		18:00	27.82	50.78	33.11	8.21	7.16	3.3	11.1	
		21:00	27.66	50.18	32.67	8.28	7.53	3.8	7.5	
	日平均值			27.85	50.58	32.96	8.24	6.91	3.40	8.08
	潮口站	0:00	27.18	49.62	33.72	8.16	7.05	6.6	4.5	
		3:00	26.87	50.02	34.01	8.17	6.90	5.1	1.4	
		6:00	26.82	50.07	34.05	8.20	6.89	10.4	5.9	
		9:00	27.06	49.96	33.96	8.24	7.33	0.8	4.2	
		12:00	27.82	50.00	33.97	8.18	7.32	4.7	0.6	
		15:00	27.20	50.05	34.03	8.20	7.48	4.7	6.6	
		18:00	27.32	50.01	34.00	8.24	7.65	2.9	2.4	
		21:00	26.99	49.79	33.84	8.22	7.20	7.9	3.0	
	日平均值			27.16	49.94	33.95	8.20	7.23	5.39	3.58
	灣內站	0:00	28.00	50.45	32.99	8.33	6.15	1.0	6.2	
		3:00	27.61	50.49	33.03	8.38	5.78	1.3	6.2	
		6:00	27.42	50.73	33.21	8.31	5.73	0.8	6.8	
		9:00	27.43	50.62	33.13	8.32	5.44	1.3	4.0	
		12:00	28.02	50.19	32.79	8.32	6.58	2.1	10.6	
		15:00	28.32	50.19	32.79	8.36	7.03	4.2	18.4	
		18:00	27.89	50.29	32.88	8.36	6.30	4.4	16.1	
		21:00	27.72	50.21	32.82	8.39	6.10	1.6	10.0	
	日平均值			27.80	50.40	32.96	8.35	6.14	2.09	9.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月5日	蚵殼站	0:00	27.63	50.58	32.96	8.24	7.02	2.9	3.1	
		3:00	27.48	50.55	32.95	8.20	6.17	3.6	4.8	
		6:00	27.27	50.45	32.88	8.19	5.77	3.3	1.4	
		9:00	27.23	50.30	32.77	8.21	6.11	3.0	2.0	
		12:00	27.95	50.37	32.80	8.15	6.09	3.5	3.9	
		15:00	27.70	50.53	32.92	8.27	7.76	4.6	9.0	
		18:00	27.47	50.08	32.60	8.25	7.32	3.9	6.2	
		21:00	27.27	49.71	32.33	8.23	6.65	5.0	7.0	
	日平均值			27.50	50.32	32.78	8.22	6.61	3.73	4.68
	潮口站	0:00	27.00	49.83	33.87	8.19	6.92	6.1	3.2	
		3:00	26.77	50.48	34.35	8.21	6.76	1.7	3.2	
		6:00	26.93	50.26	34.18	8.20	6.99	1.5	0.7	
		9:00	26.57	49.45	33.61	8.15	6.19	6.7	0.8	
		12:00	27.66	49.65	33.72	8.25	7.91	1.8	5.2	
		15:00	27.11	47.51	32.20	8.16	6.98	7.1	2.2	
		18:00	27.12	50.08	34.05	8.22	7.22	2.6	6.2	
		21:00	27.05	49.58	33.69	8.23	7.08	9.0	4.8	
	日平均值			27.03	49.61	33.71	8.20	7.01	4.56	3.29
	灣內站	0:00	27.44	50.34	32.92	8.31	5.16	2.8	6.1	
		3:00	27.14	50.17	32.81	8.31	4.37	2.7	11.7	
		6:00	27.03	50.37	32.95	8.34	4.61	1.7	13.0	
		9:00	27.07	50.35	32.94	8.30	4.60	1.7	12.0	
		12:00	27.75	49.44	32.25	8.49	6.34	2.0	14.0	
		15:00	27.87	49.62	32.39	8.40	6.68	3.2	22.7	
		18:00	27.69	49.62	32.39	8.35	5.46	4.2	12.6	
		21:00	27.55	49.46	32.28	8.36	5.26	4.4	16.4	
	日平均值			27.44	49.92	32.62	8.36	5.31	2.84	13.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月6日	蚵殼站	0:00	27.50	49.86	32.43	8.23	6.78	3.5	4.0	
		3:00	27.00	49.33	32.07	8.15	6.46	3.9	6.5	
		6:00	26.96	49.34	32.07	8.19	5.91	3.2	5.6	
		9:00	27.10	49.49	32.18	8.23	6.18	4.2	10.1	
		12:00	27.60	49.61	32.25	8.19	6.52	4.2	3.4	
		15:00	27.87	49.63	32.26	8.19	6.77	4.1	12.7	
		18:00	27.70	49.85	32.42	8.18	5.95	3.2	6.8	
		21:00	27.56	49.85	32.43	8.15	5.38	2.3	8.0	
	日平均值			27.41	49.62	32.26	8.19	6.24	3.58	7.14
	潮口站	0:00	26.90	49.67	33.76	8.11	5.92	11.6	6.7	
		3:00	26.68	50.19	34.14	8.18	6.44	3.5	0.2	
		6:00	26.69	49.85	33.89	8.19	6.50	1.4	2.1	
		9:00	26.49	49.03	33.31	8.18	6.65	3.9	1.9	
		12:00	27.37	49.04	33.29	8.19	7.57	2.9	1.8	
		15:00	27.04	49.78	33.84	8.15	6.94	4.1	0.6	
		18:00	26.87	49.13	33.37	8.19	7.14	2.6	0.2	
		21:00	26.96	49.37	33.54	8.20	7.19	5.5	5.9	
	日平均值			26.88	49.51	33.64	8.17	6.79	4.44	2.43
	灣內站	0:00	27.32	49.41	32.24	8.31	4.91	1.8	18.0	
		3:00	27.03	48.99	31.94	8.38	4.34	1.7	13.2	
		6:00	26.96	49.26	32.15	8.31	3.93	1.7	13.0	
		9:00	26.98	48.88	31.86	8.40	5.00	1.1	19.7	
		12:00	27.36	47.97	31.19	8.47	5.67	2.4	18.4	
		15:00	27.83	47.96	31.17	8.50	6.80	2.5	30.2	
		18:00	27.62	47.76	31.03	8.42	6.02	2.9	19.7	
		21:00	27.70	47.68	30.97	8.39	5.75	2.1	16.6	
	日平均值			27.35	48.49	31.57	8.40	5.30	2.03	18.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月7日	蚵殼站	0:00	27.46	49.48	32.16	8.33	8.76	2.9	17.2	
		3:00	27.29	49.56	32.22	8.18	7.51	3.2	13.1	
		6:00	26.90	48.97	31.80	8.21	7.02	3.4	16.8	
		9:00	27.15	49.24	31.99	8.25	7.69	3.1	17.2	
		12:00	27.65	49.38	32.08	8.24	7.33	5.0	16.5	
		15:00	27.31	49.56	32.22	8.26	7.63	5.1	17.7	
		18:00	27.36	49.41	32.11	8.28	7.39	3.5	28.9	
		21:00	27.43	49.15	31.92	8.30	7.76	2.7	17.9	
	日平均值			27.32	49.34	32.06	8.26	7.64	3.61	18.16
	潮口站	0:00	26.98	47.87	32.47	8.22	6.84	3.4	5.9	
		3:00	26.83	46.79	31.70	8.22	7.44	7.0	2.6	
		6:00	26.51	46.87	31.76	8.17	6.68	2.6	1.1	
		9:00	26.51	45.97	31.12	8.18	6.77	5.0	2.6	
		12:00	27.37	47.01	31.84	8.22	8.38	3.6	6.5	
		15:00	27.14	46.04	31.16	8.19	7.36	16.9	4.5	
		18:00	26.61	47.77	32.40	8.17	6.94	2.9	6.0	
		21:00	26.73	46.82	31.72	8.19	7.17	5.9	6.7	
	日平均值			26.84	46.89	31.77	8.20	7.20	5.91	4.49
	灣內站	0:00	27.39	47.48	30.83	8.37	6.90	2.6	29.6	
		3:00	27.06	47.48	30.85	8.60	5.55	3.0	16.7	
		6:00	26.89	46.72	30.29	8.42	6.14	1.9	14.1	
		9:00	26.90	46.40	30.06	8.46	6.84	2.1	11.6	
		12:00	27.66	46.16	29.87	8.47	6.40	2.5	10.3	
		15:00	27.85	45.78	29.59	8.41	6.50	3.3	19.6	
		18:00	27.57	45.57	29.45	8.44	6.08	2.2	17.1	
		21:00	27.55	45.56	29.44	8.45	6.13	3.9	19.6	
	日平均值			27.36	46.39	30.05	8.45	6.32	2.69	17.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月8日	蚵殼站	0:00	27.26	48.85	31.70	8.33	7.80	2.8	48.5	
		3:00	27.23	48.69	31.59	8.25	7.35	3.2	34.4	
		6:00	27.01	48.53	31.48	8.17	6.47	3.4	33.6	
		9:00	27.09	48.52	31.47	8.24	6.99	3.5	40.4	
		12:00	27.24	48.42	31.39	8.24	6.98	5.2	35.3	
		15:00	27.17	48.34	31.33	8.17	6.64	4.9	35.9	
		18:00	26.95	48.22	31.25	8.30	7.35	6.8	39.2	
		21:00	27.08	47.76	30.91	8.25	6.16	4.0	45.4	
	日平均值			27.13	48.42	31.39	8.24	6.97	4.23	39.09
	潮口站	0:00	26.77	47.19	31.99	8.21	7.36	6.0	6.4	
		3:00	26.71	47.02	31.86	8.23	8.00	5.9	9.7	
		6:00	26.34	46.45	31.47	8.13	6.61	12.2	2.1	
		9:00	26.44	46.52	31.51	8.18	6.76	14.2	5.2	
		12:00	26.80	46.91	31.78	8.16	7.61	15.2	8.7	
		15:00	26.82	46.49	31.48	8.18	7.76	11.2	3.6	
		18:00	26.34	46.71	31.65	8.16	6.71	23.2	2.4	
		21:00	26.45	47.20	32.00	8.15	6.84	16.8	0.7	
	日平均值			26.58	46.81	31.72	8.18	7.21	13.09	4.85
	灣內站	0:00	27.32	45.54	29.43	8.40	6.14	2.7	11.0	
		3:00	26.76	45.31	29.28	8.56	5.40	2.5	3.6	
		6:00	26.74	45.58	29.48	8.38	5.34	2.0	0.3	
		9:00	26.86	45.41	29.35	8.38	5.32	4.0	15.9	
		12:00	27.15	45.06	29.09	8.51	6.56	3.1	27.4	
		15:00	27.08	44.64	28.79	8.51	7.15	5.8	23.3	
		18:00	26.90	44.28	28.54	8.48	6.00	4.6	10.3	
		21:00	27.00	43.93	28.28	8.39	5.77	5.8	11.7	
	日平均值			26.98	44.97	29.03	8.45	5.96	3.81	12.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月9日	蚵殼站	0:00	26.88	47.49	30.72	8.26	6.03	4.7	37.3	
		3:00	26.84	47.31	30.59	8.26	6.19	3.6	32.2	
		6:00	26.70	47.03	30.39	8.14	5.98	3.9	25.6	
		9:00	26.64	46.74	30.18	8.26	6.74	4.1	26.3	
		12:00	27.22	45.76	29.45	8.26	8.02	4.5	50.2	
		15:00	26.93	46.00	29.64	8.32	7.99	4.3	38.7	
		18:00	26.73	45.75	29.46	8.33	7.16	4.6	61.8	
		21:00	26.76	45.91	29.58	8.31	6.48	3.9	73.9	
	日平均值			26.84	46.50	30.00	8.27	6.82	4.20	43.25
	潮口站	0:00	26.24	46.46	31.47	8.12	6.64	11.2	6.8	
		3:00	26.37	46.10	31.21	8.15	6.91	7.0	4.1	
		6:00	26.19	44.62	30.17	8.17	6.51	8.6	1.6	
		9:00	26.28	45.77	30.98	8.12	6.81	22.5	0.0	
		12:00	26.78	45.79	30.99	8.12	6.56	20.8	8.0	
		15:00	27.19	45.87	31.04	8.17	7.92	9.4	12.8	
		18:00	26.40	47.68	32.34	8.11	6.55	15.2	0.3	
		21:00	26.51	46.50	31.50	8.14	6.97	8.0	1.2	
	日平均值			26.50	46.10	31.21	8.14	6.86	12.84	4.35
	灣內站	0:00	26.75	43.40	27.91	8.43	6.91	4.0	16.9	
		3:00	26.62	43.52	27.99	8.50	5.97	5.9	21.7	
		6:00	26.35	43.28	27.83	8.40	5.66	5.9	8.0	
		9:00	26.36	43.15	27.74	8.39	5.60	5.8	8.6	
		12:00	27.27	42.90	27.54	8.45	6.59	5.2	20.3	
		15:00	27.26	41.64	26.64	8.49	7.29	6.0	38.1	
		18:00	27.19	41.51	26.54	8.46	7.24	7.3	24.5	
		21:00	27.11	41.85	26.79	8.46	6.72	6.3	20.5	
	日平均值			26.86	42.66	27.37	8.45	6.50	5.80	19.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月10日	蚵殼站	0:00	26.72	45.82	29.51	8.34	8.03	4.9	72.2	
		3:00	26.64	45.52	29.29	8.35	7.56	4.5	54.6	
		6:00	26.55	45.25	29.11	8.24	7.23	4.9	76.3	
		9:00	26.51	45.01	28.93	8.28	6.98	3.8	43.7	
		12:00	26.98	44.90	28.84	8.33	8.29	4.3	44.4	
		15:00	26.93	44.95	28.88	8.33	7.39	5.8	44.0	
		18:00	26.90	44.70	28.69	8.33	7.47	6.1	46.1	
		21:00	26.98	44.66	28.66	8.38	9.23	3.7	49.5	
	日平均值			26.78	45.10	28.99	8.32	7.77	4.75	53.85
	潮口站	0:00	26.31	46.00	31.14	8.15	7.29	4.5	8.0	
		3:00	26.53	45.50	30.79	8.20	8.87	3.1	7.7	
		6:00	26.16	44.78	30.29	8.11	6.72	10.9	2.1	
		9:00	26.36	46.05	31.18	8.10	6.88	5.3	1.4	
		12:00	26.90	45.38	30.69	8.14	8.47	6.4	3.3	
		15:00	27.18	45.15	30.52	8.14	8.81	8.7	9.4	
		18:00	26.52	45.24	30.60	8.06	6.82	7.7	1.1	
		21:00	26.65	45.33	30.66	8.13	7.14	5.5	2.0	
	日平均值			26.58	45.43	30.73	8.13	7.63	6.51	4.38
	灣內站	0:00	26.84	41.90	26.83	8.44	6.61	6.5	36.7	
		3:00	26.47	42.24	27.08	8.35	5.16	11.1	15.3	
		6:00	26.32	41.92	26.86	8.54	5.43	6.7	31.9	
		9:00	26.29	41.30	26.42	8.46	5.72	7.7	32.7	
		12:00	27.07	40.32	25.70	8.42	5.94	8.1	24.1	
		15:00	27.49	40.04	25.50	8.45	6.83	8.4	49.0	
		18:00	27.28	40.07	25.52	8.53	6.78	10.4	185.4	
		21:00	26.88	40.30	25.69	8.43	5.63	8.4	40.8	
	日平均值			26.83	41.01	26.20	8.45	6.01	8.41	51.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月11日	蚵殼站	0:00	26.89	44.46	28.53	8.36	8.72	4.4	51.6	
		3:00	26.77	43.95	28.16	8.42	9.15	4.0	58.2	
		6:00	26.55	43.63	27.94	8.35	7.02	5.1	48.0	
		9:00	26.52	43.17	27.61	8.36	7.52	4.9	56.9	
		12:00	26.83	43.86	28.09	8.33	8.37	4.3	52.1	
		15:00	26.73	34.94	21.94	8.48	7.31	6.8	15.5	
		18:00	26.57	46.48	30.13	8.50	6.78	4.7	14.7	
		21:00	26.58	34.63	21.73	8.56	7.77	3.7	17.0	
	日平均值			26.68	41.89	26.77	8.42	7.83	4.74	39.25
	潮口站	0:00	26.31	44.78	30.28	8.09	7.04	11.5	2.0	
		3:00	26.60	43.25	29.20	8.16	8.15	10.5	9.1	
		6:00	26.39	43.25	29.20	8.12	7.67	13.7	6.0	
		9:00	26.51	38.73	26.04	8.09	6.93	10.9	0.2	
		12:00	27.14	51.28	33.85	8.26	6.63	7.3	0.4	
		15:00	27.10	50.99	33.64	8.30	7.54	7.8	4.9	
		18:00	26.82	50.27	33.12	8.23	6.71	5.3	0.7	
		21:00	26.44	50.66	33.42	8.24	6.47	8.1	0.6	
	日平均值			26.66	46.65	31.09	8.19	7.14	9.39	2.99
	灣內站	0:00	26.69	40.38	25.75	8.41	5.52	10.4	89.3	
		3:00	26.46	40.01	25.50	8.40	5.61	9.5	39.8	
		6:00	26.21	38.96	24.76	8.45	6.75	12.1	66.8	
		9:00	26.62	39.80	25.35	8.50	6.62	9.7	65.1	
		12:00	27.19	47.99	31.62	8.27	10.30	3.2	18.3	
		15:00	27.26	49.30	32.58	8.49	11.43	3.4	31.4	
		18:00	27.06	48.57	32.04	8.48	11.06	2.8	20.5	
		21:00	26.77	48.40	31.93	8.38	9.09	2.3	11.9	
	日平均值			26.78	44.18	28.69	8.42	8.30	6.68	42.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月12日	蚵殼站	0:00	26.86	46.05	29.81	8.26	10.56	2.7	15.0	
		3:00	26.81	34.52	21.64	8.18	9.58	2.9	15.1	
		6:00	26.54	40.69	25.98	8.12	8.10	3.5	14.3	
		9:00	26.56	36.87	23.29	8.14	9.28	4.5	35.7	
		12:00	26.94	34.20	21.42	8.15	9.55	3.3	15.3	
		15:00	26.98	40.68	25.96	8.11	8.66	4.7	17.1	
		18:00	26.84	38.19	24.21	8.15	8.94	3.6	17.6	
		21:00	26.88	35.92	22.62	8.08	8.11	3.9	16.8	
	日平均值			26.80	38.39	24.37	8.15	9.10	3.64	18.36
	潮口站	0:00	26.43	50.44	33.25	8.26	6.45	9.9	6.8	
		3:00	26.58	49.94	32.89	8.30	8.52	4.8	12.8	
		6:00	26.45	49.86	32.83	8.35	8.19	7.5	6.6	
		9:00	26.38	50.56	33.35	8.30	6.18	7.9	3.6	
		12:00	26.61	50.78	33.51	8.26	6.64	5.9	5.7	
		15:00	26.77	50.75	33.48	8.20	7.09	6.0	4.0	
		18:00	26.76	49.81	32.79	8.25	6.87	6.6	4.3	
		21:00	26.53	50.12	33.02	8.21	6.39	6.5	5.6	
	日平均值			26.56	50.28	33.14	8.27	7.04	6.89	6.18
	灣內站	0:00	26.82	48.68	32.13	8.32	9.26	5.1	21.6	
		3:00	26.66	48.60	32.08	8.35	8.89	4.1	12.0	
		6:00	26.28	49.63	32.84	8.02	5.71	5.6	13.2	
		9:00	26.56	49.79	32.95	8.12	7.13	6.6	21.2	
		12:00	27.12	50.42	33.39	8.35	9.97	6.7	28.6	
		15:00	27.28	49.86	32.98	8.49	11.21	5.7	37.7	
		18:00	27.15	49.82	32.96	8.40	9.88	3.7	14.3	
		21:00	27.10	49.76	32.91	8.39	9.24	3.1	20.5	
	日平均值			26.87	49.57	32.78	8.31	8.91	5.08	21.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月13日	蚵殼站	0:00	26.97	37.61	23.80	8.14	8.99	3.3	14.7	
		3:00	26.78	34.82	21.85	8.15	8.82	3.1	15.1	
		6:00	26.62	29.87	18.46	8.16	9.11	3.6	21.8	
		9:00	26.69	29.12	17.95	8.20	9.67	3.5	15.1	
		12:00	27.22	32.51	20.25	8.22	10.38	3.4	13.7	
		15:00	26.97	33.10	20.66	8.11	8.86	4.6	17.4	
		18:00	26.80	31.88	19.82	8.11	8.34	4.0	18.2	
		21:00	26.71	32.88	20.52	8.09	7.99	3.8	13.5	
	日平均值			26.85	32.72	20.41	8.15	9.02	3.66	16.19
	潮口站	0:00	26.51	50.15	33.04	8.24	6.66	6.5	2.0	
		3:00	26.50	50.06	32.98	8.29	7.26	5.3	5.7	
		6:00	26.59	49.96	32.90	8.29	7.68	9.7	6.9	
		9:00	26.30	50.39	33.23	8.26	6.30	26.6	2.5	
		12:00	26.47	50.73	33.47	8.24	6.61	6.9	2.2	
		15:00	26.76	50.83	33.53	8.24	6.68	6.0	0.6	
		18:00	26.68	50.65	33.41	8.14	6.68	7.2	3.9	
		21:00	26.56	50.30	33.15	8.25	6.69	7.6	1.8	
	日平均值			26.55	50.38	33.21	8.24	6.82	9.48	3.20
	灣內站	0:00	27.14	49.93	33.03	8.27	8.33	6.8	17.4	
		3:00	26.80	49.97	33.07	8.26	8.17	4.4	25.7	
		6:00	26.51	50.42	33.41	8.17	6.56	5.5	10.9	
		9:00	26.60	50.94	33.79	8.28	7.49	6.0	23.1	
		12:00	27.45	50.20	33.23	8.30	10.18	7.1	36.8	
		15:00	27.42	50.41	33.38	8.50	10.91	5.3	38.6	
		18:00	27.27	49.74	32.89	8.36	10.02	5.6	28.9	
		21:00	27.37	50.41	33.38	8.20	9.25	4.8	24.0	
	日平均值			27.07	50.25	33.27	8.29	8.86	5.69	25.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月14日	蚵殼站	0:00	26.67	35.08	22.03	8.14	8.47	3.5	13.1	
		3:00	26.65	32.06	19.95	8.15	8.83	3.4	13.3	
		6:00	26.60	30.38	18.80	8.15	8.73	4.2	14.1	
		9:00	26.45	31.60	19.64	8.23	10.00	4.5	40.2	
		12:00	26.80	32.96	20.57	8.23	10.31	3.9	21.3	
		15:00	26.63	32.23	20.07	8.16	8.89	4.2	19.5	
		18:00	26.60	32.39	20.18	8.17	8.95	3.7	17.0	
		21:00	26.80	31.69	19.70	8.24	10.72	4.3	20.3	
	日平均值			26.65	32.30	20.12	8.18	9.36	3.96	19.85
	潮口站	0:00	26.44	50.58	33.36	8.31	6.71	6.2	0.1	
		3:00	26.30	50.29	33.15	8.23	6.83	6.5	1.2	
		6:00	26.23	50.09	33.01	8.29	7.34	6.6	7.7	
		9:00	26.27	50.15	33.05	8.26	6.47	28.9	3.1	
		12:00	26.38	50.75	33.49	8.22	6.92	12.7	3.1	
		15:00	26.47	50.80	33.52	8.27	6.83	7.1	11.1	
		18:00	26.30	50.48	33.29	8.31	7.04	8.1	4.2	
		21:00	26.37	50.69	33.44	8.23	6.87	5.3	3.3	
	日平均值			26.35	50.48	33.29	8.27	6.88	10.18	4.23
	灣內站	0:00	27.04	50.87	33.73	8.23	8.50	4.0	23.5	
		3:00	26.74	50.84	33.71	8.21	8.22	3.1	18.6	
		6:00	26.58	50.90	33.76	7.96	6.31	5.5	11.4	
		9:00	26.53	50.51	33.48	8.14	7.19	5.3	31.5	
		12:00	26.97	50.32	33.32	8.30	9.83	5.0	41.1	
		15:00	26.72	50.52	33.48	8.36	9.58	4.1	21.0	
		18:00	26.88	50.10	33.17	8.36	9.89	5.6	32.7	
		21:00	26.79	50.80	33.68	8.11	7.38	5.7	25.2	
	日平均值			26.78	50.61	33.54	8.21	8.36	4.79	25.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月15日	蚵殼站	0:00	26.59	31.47	19.55	8.16	8.66	3.4	12.9	
		3:00	26.39	32.80	20.46	8.14	8.46	3.5	15.1	
		6:00	26.23	31.62	19.65	8.13	8.16	3.8	18.0	
		9:00	26.31	32.36	20.17	8.11	7.90	4.4	23.3	
		12:00	26.51	32.31	20.12	8.14	8.76	4.5	26.4	
		15:00	26.48	32.51	20.26	8.12	8.52	4.6	21.3	
		18:00	26.41	31.34	19.46	8.14	8.36	3.5	16.2	
		21:00	26.33	32.08	19.97	8.11	8.04	3.4	14.7	
	日平均值			26.41	32.06	19.96	8.13	8.36	3.89	18.49
	潮口站	0:00	26.36	50.82	33.54	8.22	7.05	5.6	10.1	
		3:00	25.93	50.15	33.06	8.30	7.31	5.2	4.6	
		6:00	25.99	49.65	32.69	8.38	7.57	5.0	10.2	
		9:00	26.23	49.82	32.81	8.38	7.61	5.7	6.2	
		12:00	26.43	50.75	33.49	8.30	6.83	9.0	2.7	
		15:00	26.41	50.74	33.48	8.22	6.85	7.5	2.2	
		18:00	26.31	50.40	33.23	8.31	7.32	7.2	9.1	
		21:00	26.19	50.24	33.12	8.25	6.81	5.7	4.6	
	日平均值			26.23	50.32	33.18	8.30	7.17	6.36	6.21
	灣內站	0:00	26.49	50.77	33.66	8.08	6.82	3.2	13.9	
		3:00	26.33	50.88	33.75	7.93	6.43	3.6	13.3	
		6:00	26.07	50.83	33.72	8.06	7.04	3.6	14.4	
		9:00	26.04	50.56	33.52	7.95	6.16	3.3	19.8	
		12:00	26.44	50.68	33.60	8.12	8.55	3.5	27.1	
		15:00	26.37	50.77	33.67	8.21	9.00	2.9	23.3	
		18:00	26.32	50.49	33.47	8.16	9.04	4.7	42.3	
		21:00	26.16	50.25	33.29	8.06	7.93	4.8	14.5	
	日平均值			26.28	50.65	33.59	8.07	7.62	3.70	21.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月16日	蚵殼站	0:00	26.23	33.04	20.63	8.10	7.26	2.9	12.1	
		3:00	26.07	31.52	19.59	8.06	7.16	3.0	14.5	
		6:00	25.89	31.71	19.72	8.07	7.23	3.3	15.1	
		9:00	25.89	33.49	20.95	8.07	7.39	3.8	18.0	
		12:00	26.23	33.66	21.06	8.11	8.61	3.9	24.7	
		15:00	26.24	31.15	19.33	8.10	8.45	4.6	30.8	
		18:00	26.08	29.88	18.47	8.10	8.47	4.3	22.9	
		21:00	26.16	32.19	20.05	8.10	7.84	3.6	18.2	
	日平均值			26.10	32.08	19.98	8.09	7.80	3.68	19.54
	潮口站	0:00	26.37	50.68	33.43	8.26	6.61	10.9	0.6	
		3:00	26.26	50.64	33.41	8.19	6.58	7.3	3.0	
		6:00	25.84	50.26	33.14	8.36	7.19	5.9	8.9	
		9:00	25.91	50.19	33.08	8.36	7.54	5.1	14.8	
		12:00	26.38	50.88	33.58	8.24	6.63	16.5	3.9	
		15:00	26.40	50.84	33.55	8.28	6.87	10.8	0.3	
		18:00	26.25	50.38	33.22	8.30	7.35	8.3	3.9	
		21:00	26.16	50.03	32.97	8.36	8.23	4.1	10.5	
	日平均值			26.20	50.49	33.30	8.29	7.13	8.61	5.74
	灣內站	0:00	26.16	50.77	33.67	8.06	8.01	3.1	13.8	
		3:00	25.90	50.84	33.73	8.01	7.31	2.6	11.6	
		6:00	25.93	51.01	33.86	8.03	6.43	3.1	12.2	
		9:00	25.91	51.04	33.88	7.90	5.49	4.1	13.2	
		12:00	26.50	50.83	33.71	8.10	7.72	4.6	24.3	
		15:00	26.40	49.96	33.08	8.46	11.82	5.5	46.3	
		18:00	26.31	50.32	33.35	8.23	9.88	5.3	39.4	
		21:00	26.05	50.24	33.29	8.12	8.52	5.5	22.6	
	日平均值			26.15	50.63	33.57	8.11	8.15	4.23	22.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月17日	蚵殼站	0:00	26.05	29.81	18.42	8.18	9.62	3.8	21.8	
		3:00	26.04	33.43	20.91	8.11	7.76	3.2	14.3	
		6:00	25.93	32.58	20.32	8.12	7.87	3.1	16.1	
		9:00	26.04	31.42	19.52	8.12	7.97	3.4	17.7	
		12:00	26.57	50.23	32.87	8.06	6.25	3.6	19.0	
		15:00	26.47	50.38	32.98	8.02	6.57	3.5	16.5	
		18:00	26.44	50.56	33.11	7.93	5.72	4.7	13.7	
		21:00	26.34	50.42	33.01	7.87	5.30	4.6	13.7	
	日平均值			26.24	41.10	26.39	8.05	7.13	3.74	16.60
	潮口站	0:00	26.38	50.70	33.45	8.26	6.50	7.2	3.8	
		3:00	26.22	50.78	33.51	8.28	6.32	6.9	3.2	
		6:00	25.80	50.27	33.15	8.31	6.69	9.8	4.8	
		9:00	25.88	50.08	33.01	8.30	8.19	4.4	15.2	
		12:00	26.59	50.96	33.64	8.30	6.67	7.8	0.2	
		15:00	26.40	50.87	33.58	8.27	6.90	9.2	0.6	
		18:00	26.31	50.81	33.53	8.31	7.07	6.8	3.9	
		21:00	26.02	50.43	33.26	8.36	7.50	7.1	12.5	
	日平均值			26.20	50.61	33.39	8.30	6.98	7.40	5.53
	灣內站	0:00	26.07	50.81	33.71	8.06	8.29	4.0	14.7	
		3:00	25.96	51.32	34.08	7.97	6.49	1.9	23.9	
		6:00	25.74	51.05	33.89	8.00	6.91	2.8	12.7	
		9:00	25.77	51.03	33.88	8.10	6.97	2.9	13.2	
		12:00	26.38	51.08	33.90	8.15	8.63	2.6	13.1	
		15:00	26.32	51.05	33.88	8.26	9.18	3.3	21.4	
		18:00	26.16	51.02	33.86	8.18	8.75	3.6	15.1	
		21:00	26.00	51.03	33.87	8.20	8.08	4.2	20.0	
	日平均值			26.05	51.05	33.88	8.12	7.91	3.16	16.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月18日	蚵殼站	0:00	26.24	50.39	33.00	8.36	5.51	5.9	10.1	
		3:00	26.14	50.40	33.00	8.27	4.45	16.4	6.7	
		6:00	26.05	50.42	33.02	8.27	4.64	5.8	8.8	
		9:00	26.14	50.27	32.91	8.38	5.98	3.8	11.2	
		12:00	26.25	50.22	32.87	8.37	6.27	5.4	15.1	
		15:00	26.25	50.35	32.96	8.37	6.08	4.5	14.7	
		18:00	26.22	50.35	32.97	8.39	6.01	4.4	13.9	
		21:00	26.16	50.35	32.96	8.38	5.98	5.8	15.9	
	日平均值			26.18	50.34	32.96	8.35	5.62	6.50	12.05
	潮口站	0:00	26.05	50.54	33.34	8.27	6.72	8.8	3.2	
		3:00	26.25	50.81	33.54	8.21	6.42	7.1	2.4	
		6:00	26.11	50.80	33.53	8.24	6.62	8.1	4.8	
		9:00	25.84	50.49	33.31	8.20	6.66	12.6	14.3	
		12:00	26.10	50.66	33.43	8.27	6.57	15.9	7.0	
		15:00	26.38	50.13	33.03	8.23	6.63	9.7	6.4	
		18:00	26.25	51.09	33.74	8.30	6.90	8.8	4.3	
		21:00	26.06	50.74	33.49	8.28	6.80	9.7	2.5	
	日平均值			26.13	50.66	33.43	8.25	6.67	10.09	5.61
	灣內站	0:00	26.02	51.09	33.91	8.12	7.70	3.8	17.8	
		3:00	25.83	51.11	33.93	8.01	7.16	4.4	9.5	
		6:00	25.78	51.14	33.96	7.92	6.41	5.8	15.0	
		9:00	25.79	51.18	33.98	7.88	6.23	8.4	15.0	
		12:00	26.15	51.19	33.98	8.15	7.74	11.5	34.0	
		15:00	26.26	51.14	33.94	8.14	8.26	7.2	35.9	
		18:00	25.92	50.80	33.70	8.10	8.84	7.6	44.4	
		21:00	25.79	50.60	33.56	7.95	7.89	6.5	28.4	
	日平均值			25.94	51.03	33.87	8.03	7.53	6.90	25.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月19日	蚵殼站	0:00	26.12	50.34	32.96	8.37	5.83	4.9	15.6	
		3:00	25.97	50.26	32.91	8.35	5.61	5.9	15.6	
		6:00	25.80	50.25	32.90	8.30	4.95	3.9	8.5	
		9:00	25.96	50.14	32.82	8.35	5.70	4.7	11.9	
		12:00	26.39	50.25	32.89	8.39	6.60	4.9	13.4	
		15:00	26.30	50.34	32.95	8.36	6.09	5.9	16.1	
		18:00	26.14	50.37	32.98	8.36	5.77	7.7	9.3	
		21:00	26.02	50.33	32.95	8.31	5.24	7.6	10.6	
	日平均值			26.09	50.29	32.92	8.35	5.72	5.69	12.63
	潮口站	0:00	25.91	50.57	33.37	8.31	6.88	7.3	7.0	
		3:00	26.15	50.40	33.24	8.27	6.31	10.3	1.3	
		6:00	26.02	50.47	33.29	8.26	6.63	10.9	8.6	
		9:00	25.65	50.57	33.38	8.51	6.57	9.5	0.9	
		12:00	25.98	50.58	33.37	8.44	6.53	11.6	5.8	
		15:00	26.52	50.86	33.57	8.44	6.61	16.5	2.4	
		18:00	26.28	51.00	33.67	8.46	7.01	9.9	3.4	
		21:00	26.18	50.70	33.46	8.45	6.75	9.6	1.3	
	日平均值			26.09	50.64	33.42	8.39	6.66	10.70	3.84
	灣內站	0:00	25.58	50.47	33.47	8.10	7.18	4.5	21.1	
		3:00	25.68	50.93	33.81	8.10	6.59	5.0	15.1	
		6:00	25.68	51.02	33.87	8.12	6.73	10.1	13.8	
		9:00	25.72	51.01	33.86	8.03	6.20	6.7	13.5	
		12:00	26.24	50.58	33.53	8.18	8.55	5.0	17.5	
		15:00	26.24	50.61	33.56	8.26	9.41	5.5	28.8	
		18:00	26.14	50.74	33.65	8.20	8.56	9.8	20.6	
		21:00	25.99	50.56	33.52	8.13	7.96	5.8	18.9	
	日平均值			25.91	50.74	33.66	8.14	7.65	6.55	18.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月20日	蚵殼站	0:00	25.98	50.36	32.98	8.29	5.32	7.5	10.3	
		3:00	25.83	50.12	32.81	8.38	6.43	4.5	15.4	
		6:00	25.81	50.08	32.78	8.38	6.33	4.5	17.9	
		9:00	25.96	50.08	32.77	8.35	6.00	4.6	16.5	
		12:00	26.47	50.00	32.70	8.35	6.94	4.6	11.5	
		15:00	26.28	50.31	32.93	8.35	6.56	4.6	14.5	
		18:00	26.02	50.38	32.99	8.41	6.70	5.1	12.8	
		21:00	26.23	50.26	32.90	8.35	6.36	5.0	12.0	
	日平均值			26.07	50.20	32.86	8.36	6.33	5.05	13.86
	潮口站	0:00	25.94	50.38	33.22	8.44	6.45	10.7	7.4	
		3:00	26.06	50.47	33.29	8.39	6.28	9.2	1.4	
		6:00	25.93	50.58	33.37	8.40	6.34	8.4	5.5	
		9:00	25.88	50.65	33.42	8.31	6.61	7.9	3.8	
		12:00	26.30	50.30	33.16	8.37	6.40	11.3	7.8	
		15:00	26.61	50.80	33.51	8.33	6.42	26.2	1.1	
		18:00	26.38	50.78	33.51	8.21	6.46	7.0	6.6	
		21:00	26.13	50.05	32.98	8.25	6.74	10.7	1.7	
	日平均值			26.15	50.50	33.31	8.34	6.46	11.43	4.41
	灣內站	0:00	25.75	50.67	33.61	8.03	6.42	4.8	11.1	
		3:00	25.61	50.73	33.66	8.09	6.78	7.2	12.4	
		6:00	25.53	50.75	33.67	7.94	5.65	9.2	13.8	
		9:00	25.51	50.72	33.65	8.02	5.94	6.7	14.8	
		12:00	26.05	50.36	33.38	8.21	9.05	4.7	14.3	
		15:00	26.15	50.24	33.29	8.26	9.44	4.8	21.7	
		18:00	26.08	50.45	33.44	8.23	8.61	4.4	13.7	
		21:00	25.98	50.19	33.26	8.13	8.02	5.2	17.1	
	日平均值			25.83	50.51	33.50	8.11	7.49	5.88	14.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月21日	蚵殼站	0:00	26.12	50.24	32.89	8.38	6.18	4.2	7.7	
		3:00	25.91	50.23	32.89	8.36	6.15	6.4	8.2	
		6:00	25.77	50.23	32.89	8.32	5.69	8.0	7.0	
		9:00	25.70	49.98	32.71	8.43	6.83	4.4	19.5	
		12:00	26.27	50.06	32.75	8.47	7.54	5.0	22.3	
		15:00	26.23	50.07	32.76	8.41	7.29	7.7	13.7	
		18:00	26.06	50.17	32.83	8.40	6.67	6.4	17.5	
		21:00	26.15	50.10	32.78	8.46	7.08	4.0	18.2	
	日平均值			26.03	50.14	32.81	8.40	6.68	5.76	14.26
	潮口站	0:00	25.90	50.12	33.04	8.26	6.07	15.6	3.7	
		3:00	26.26	50.84	33.55	8.32	6.52	9.2	0.0	
		6:00	26.01	50.45	33.27	8.33	6.42	7.8	2.8	
		9:00	25.92	50.70	33.46	8.30	6.71	8.2	2.2	
		12:00	25.94	50.32	33.18	8.25	6.09	11.8	1.8	
		15:00	26.50	50.44	33.25	8.30	6.56	8.7	0.2	
		18:00	26.38	50.13	33.03	8.22	6.57	12.9	5.5	
		21:00	26.29	50.79	33.52	8.28	6.45	11.5	4.4	
	日平均值			26.15	50.47	33.29	8.28	6.42	10.71	2.58
	灣內站	0:00	25.77	50.24	33.30	8.07	6.60	3.4	10.2	
		3:00	25.52	50.26	33.32	8.04	5.55	3.9	7.4	
		6:00	25.30	50.12	33.22	7.97	5.42	4.9	8.2	
		9:00	25.30	49.96	33.10	8.09	6.62	7.2	13.6	
		12:00	25.90	49.18	32.52	8.24	9.56	4.4	18.4	
		15:00	25.91	49.21	32.54	8.31	10.19	4.8	27.0	
		18:00	25.98	49.32	32.62	8.22	8.69	5.8	23.0	
		21:00	26.09	49.02	32.40	8.22	8.66	5.5	24.3	
	日平均值			25.72	49.66	32.88	8.15	7.66	4.99	16.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月22日	蚵殼站	0:00	25.83	49.59	32.41	8.43	7.27	3.5	24.0	
		3:00	25.90	49.83	32.59	8.40	6.94	3.9	13.3	
		6:00	25.61	49.76	32.55	8.37	6.38	3.5	13.2	
		9:00	25.62	49.83	32.60	8.37	6.43	3.5	19.3	
		12:00	26.38	49.86	32.60	8.43	7.68	4.5	14.5	
		15:00	26.53	50.16	32.82	8.39	6.99	4.5	18.3	
		18:00	26.37	50.28	32.91	8.41	6.90	6.0	24.2	
		21:00	26.40	50.21	32.86	8.47	7.65	4.6	15.9	
	日平均值			26.08	49.94	32.67	8.41	7.03	4.25	17.84
	潮口站	0:00	26.03	50.49	33.30	8.36	6.64	10.4	2.7	
		3:00	25.78	49.74	32.76	8.32	6.36	17.3	5.9	
		6:00	26.26	50.54	33.34	8.33	6.45	8.3	3.4	
		9:00	25.71	50.49	33.31	8.26	6.47	11.6	4.9	
		12:00	26.26	50.30	33.16	8.25	7.02	11.3	10.0	
		15:00	26.70	49.57	32.61	8.28	6.53	11.4	7.3	
		18:00	26.59	49.92	32.87	8.31	6.84	10.3	5.5	
		21:00	26.33	49.57	32.62	8.29	7.11	10.7	3.2	
	日平均值			26.21	50.08	33.00	8.30	6.68	11.41	5.36
	灣內站	0:00	25.72	48.85	32.28	8.18	7.77	4.8	20.0	
		3:00	25.54	49.09	32.46	8.16	6.67	5.9	17.7	
		6:00	25.42	49.04	32.43	8.08	6.31	4.3	15.0	
		9:00	25.51	48.65	32.14	8.04	6.56	5.3	18.6	
		12:00	26.39	48.45	31.98	8.30	9.83	5.1	16.1	
		15:00	26.49	47.60	31.36	8.40	10.89	5.1	31.4	
		18:00	26.11	47.88	31.57	8.38	10.51	3.7	21.9	
		21:00	26.37	47.73	31.46	8.30	9.67	5.1	17.1	
	日平均值			25.94	48.41	31.96	8.23	8.53	4.91	19.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月23日	蚵殼站	0:00	26.30	49.65	32.45	8.51	8.02	4.0	20.0	
		3:00	26.08	49.71	32.50	8.48	7.71	3.6	20.8	
		6:00	25.91	49.79	32.56	8.44	7.16	3.2	16.3	
		9:00	25.89	49.72	32.51	8.49	7.55	3.7	13.6	
		12:00	26.45	49.75	32.52	8.46	7.85	3.9	17.3	
		15:00	26.75	50.17	32.82	8.41	7.08	4.6	13.0	
		18:00	26.64	50.47	33.04	8.48	7.19	5.8	15.4	
		21:00	26.41	50.23	32.87	8.43	6.71	4.0	14.1	
	日平均值			26.30	49.94	32.66	8.46	7.41	4.10	16.31
	潮口站	0:00	26.19	49.48	32.56	8.29	6.56	12.5	3.4	
		3:00	26.11	49.26	32.40	8.28	6.81	7.4	11.4	
		6:00	26.29	50.10	33.01	8.35	6.56	12.1	5.1	
		9:00	26.20	50.15	33.05	8.40	6.62	11.9	3.9	
		12:00	26.59	49.26	32.39	8.42	9.62	7.1	10.2	
		15:00	26.64	49.58	32.62	8.30	7.46	16.1	8.3	
		18:00	26.60	49.71	32.72	8.36	6.91	15.7	3.0	
		21:00	26.30	49.17	32.33	8.32	7.31	7.1	5.4	
	日平均值			26.37	49.59	32.64	8.34	7.23	11.24	6.34
	灣內站	0:00	25.79	46.86	30.84	8.32	9.81	4.2	23.1	
		3:00	25.38	45.82	30.10	8.33	7.95	3.9	15.8	
		6:00	25.79	47.38	31.21	8.21	7.33	4.0	15.5	
		9:00	25.84	47.49	31.30	8.20	7.88	4.8	14.9	
		12:00	26.54	47.19	31.06	8.33	9.64	4.1	12.0	
		15:00	26.85	46.73	30.72	8.31	9.94	5.7	16.8	
		18:00	26.54	46.21	30.35	8.30	9.62	4.3	17.4	
		21:00	26.45	46.77	30.76	8.22	9.65	3.4	13.8	
	日平均值			26.15	46.81	30.79	8.28	8.98	4.30	16.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月24日	蚵殼站	0:00	26.41	50.20	32.85	8.52	7.49	3.0	18.5	
		3:00	26.22	49.88	32.62	8.53	7.87	3.6	16.4	
		6:00	25.98	49.94	32.67	8.44	7.44	3.7	15.6	
		9:00	26.01	49.83	32.59	8.49	7.69	3.1	12.6	
		12:00	26.36	49.38	32.25	8.40	9.70	3.2	19.0	
		15:00	26.62	50.78	33.27	8.32	8.12	4.6	21.3	
		18:00	26.35	51.18	33.57	8.37	8.36	6.0	20.2	
		21:00	26.36	50.71	33.22	8.36	8.16	6.5	20.6	
	日平均值			26.29	50.24	32.88	8.43	8.10	4.21	18.03
	潮口站	0:00	26.30	49.17	32.33	8.32	6.24	22.8	1.9	
		3:00	26.20	44.46	28.93	8.46	8.63	6.2	10.7	
		6:00	26.29	43.27	28.07	8.38	6.61	13.0	5.5	
		9:00	26.31	43.41	28.17	8.30	6.73	12.1	4.5	
		12:00	26.70	49.57	32.92	8.43	7.59	6.8	9.7	
		15:00	26.66	48.20	32.20	8.27	7.15	11.4	6.9	
		18:00	26.59	49.60	33.35	8.29	6.61	9.6	4.1	
		21:00	26.56	49.52	33.14	8.30	6.63	8.8	2.3	
	日平均值			26.45	47.15	31.14	8.34	7.02	11.34	5.70
	灣內站	0:00	26.06	45.68	29.98	8.30	9.45	4.1	17.8	
		3:00	25.70	44.96	29.48	8.23	7.53	4.8	16.1	
		6:00	25.96	45.95	30.18	8.13	6.65	2.6	13.3	
		9:00	26.00	45.62	29.94	8.22	8.15	4.4	20.1	
		12:00	27.11	48.75	31.77	8.39	8.13	4.9	17.6	
		15:00	27.19	49.05	31.99	8.33	7.71	5.5	23.8	
		18:00	26.91	49.49	32.32	8.34	7.39	3.1	21.3	
		21:00	26.43	49.59	32.40	8.28	6.63	4.2	14.6	
	日平均值			26.42	47.39	31.01	8.28	7.71	4.20	18.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月25日	蚵殼站	0:00	26.35	49.97	32.68	8.47	9.59	4.7	22.5	
		3:00	25.97	49.66	32.47	8.45	9.29	3.4	18.7	
		6:00	25.51	49.30	32.22	8.42	8.30	4.0	16.3	
		9:00	25.69	49.39	32.57	8.43	8.87	4.2	18.2	
		12:00	26.09	49.96	33.22	8.49	10.34	4.0	19.9	
		15:00	26.34	50.52	33.62	8.36	8.32	4.7	22.9	
		18:00	26.34	50.97	33.75	8.27	6.88	6.5	22.1	
		21:00	26.26	50.79	33.62	8.30	7.25	4.8	23.6	
	日平均值			26.07	50.07	33.02	8.40	8.61	4.54	20.53
	潮口站	0:00	26.20	49.11	32.50	8.35	6.66	11.7	4.4	
		3:00	26.23	48.82	32.29	8.37	6.79	7.9	12.8	
		6:00	26.23	48.54	32.45	8.32	6.28	8.5	0.3	
		9:00	26.26	49.26	32.55	8.28	6.22	6.5	10.7	
		12:00	26.59	49.42	32.96	8.32	6.38	10.7	8.3	
		15:00	26.68	49.39	32.93	8.38	6.41	10.0	13.6	
		18:00	26.55	49.34	33.08	8.26	5.91	5.9	0.2	
		21:00	26.51	50.20	33.20	8.26	5.90	5.5	5.8	
	日平均值			26.41	49.26	32.75	8.32	6.32	8.34	7.01
	灣內站	0:00	26.55	49.36	32.23	8.28	7.03	3.2	18.9	
		3:00	26.11	49.27	32.17	8.33	6.58	2.2	19.8	
		6:00	26.11	49.32	32.21	8.44	6.51	2.6	19.1	
		9:00	26.28	49.68	32.77	8.30	6.42	2.8	12.3	
		12:00	26.94	50.14	33.10	8.37	6.60	4.3	11.8	
		15:00	27.36	50.11	33.07	8.35	6.47	5.1	11.0	
		18:00	26.82	50.21	33.18	8.42	6.63	6.7	17.3	
		21:00	26.64	50.32	33.26	8.43	6.54	4.3	17.3	
	日平均值			26.60	49.80	32.75	8.37	6.60	3.90	15.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月26日	蚵殼站	0:00	26.24	49.91	32.97	8.47	9.41	4.2	21.3	
		3:00	26.03	49.76	32.87	8.45	9.11	4.1	23.5	
		6:00	25.89	49.91	32.99	8.42	8.17	4.2	16.8	
		9:00	25.88	50.38	33.01	8.42	8.45	4.0	17.5	
		12:00	26.24	50.43	33.03	8.45	9.46	3.9	15.8	
		15:00	26.51	50.82	33.31	8.34	7.93	5.6	17.5	
		18:00	26.44	51.11	33.53	8.35	7.96	6.8	24.2	
		21:00	26.37	51.17	33.58	8.33	7.61	5.7	16.3	
	日平均值			26.20	50.44	33.16	8.40	8.51	4.81	19.11
	潮口站	0:00	26.27	49.75	32.88	8.30	6.10	6.5	10.0	
		3:00	26.12	49.47	32.69	8.38	6.25	5.3	6.2	
		6:00	26.14	49.58	32.77	8.32	6.00	13.4	5.6	
		9:00	26.42	50.30	33.26	8.23	5.72	15.7	1.7	
		12:00	26.80	50.03	33.06	8.28	5.95	6.3	8.3	
		15:00	27.04	49.87	32.94	8.33	6.13	6.4	12.3	
		18:00	26.61	50.32	33.35	8.22	5.69	5.4	2.7	
		21:00	26.55	50.28	33.33	8.22	5.67	16.0	5.5	
	日平均值			26.49	49.95	33.04	8.29	5.94	9.38	6.54
	灣內站	0:00	26.54	49.99	33.03	8.41	6.57	3.6	17.5	
		3:00	26.29	50.03	33.06	8.33	6.32	4.2	13.8	
		6:00	26.09	49.83	32.92	8.42	5.85	4.6	16.3	
		9:00	26.12	50.00	33.10	8.39	6.11	3.1	14.1	
		12:00	27.16	48.34	31.85	8.39	6.80	6.4	30.4	
		15:00	27.22	49.45	32.67	8.47	6.92	3.3	26.6	
		18:00	27.08	50.20	33.45	8.42	6.93	4.0	26.1	
		21:00	26.88	50.41	33.61	8.41	6.78	2.1	18.2	
	日平均值			26.67	49.78	32.96	8.41	6.54	3.91	20.38
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月27日	蚵殼站	0:00	26.24	50.72	33.25	8.47	9.22	3.6	18.2	
		3:00	26.21	45.86	29.71	8.47	9.34	3.6	18.7	
		6:00	26.03	50.49	33.09	8.44	8.58	3.7	18.3	
		9:00	26.04	50.62	33.18	8.43	8.54	3.7	18.7	
		12:00	26.27	50.71	33.24	8.45	9.07	3.8	17.6	
		15:00	26.47	51.23	33.62	8.38	8.23	4.4	24.0	
		18:00	26.51	51.34	33.70	8.40	8.38	4.5	21.8	
		21:00	26.44	51.17	33.57	8.36	7.68	4.3	20.6	
	日平均值			26.28	50.27	32.92	8.43	8.63	3.95	19.74
	潮口站	0:00	26.39	50.15	33.24	8.23	5.70	7.8	6.1	
		3:00	26.33	49.80	33.00	8.34	6.03	5.1	8.6	
		6:00	26.03	49.56	32.83	8.37	6.15	4.6	10.9	
		9:00	26.47	50.59	33.57	8.21	5.59	7.8	0.0	
		12:00	26.77	50.66	33.61	8.25	5.69	4.5	4.0	
		15:00	27.31	50.09	33.13	8.33	5.89	7.2	8.9	
		18:00	26.71	50.10	33.15	8.22	5.62	5.9	1.3	
		21:00	26.67	50.21	33.23	8.24	5.62	9.1	5.7	
	日平均值			26.59	50.15	33.22	8.27	5.79	6.50	5.69
	灣內站	0:00	26.90	50.99	34.04	8.28	6.09	3.5	19.1	
		3:00	26.52	50.72	33.85	8.14	5.41	3.1	10.3	
		6:00	26.05	50.31	33.56	8.40	5.64	2.8	17.1	
		9:00	26.33	51.26	34.03	8.27	5.57	3.5	15.5	
		12:00	27.16	50.55	33.43	8.29	6.11	3.2	16.3	
		15:00	27.34	49.13	32.34	8.48	6.82	4.5	38.3	
		18:00	27.21	48.98	32.23	8.42	6.69	5.2	39.6	
		21:00	26.91	50.93	33.66	8.51	6.36	1.7	11.6	
	日平均值			26.80	50.36	33.39	8.35	6.09	3.44	20.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月28日	蚵殼站	0:00	26.50	50.64	33.19	8.46	8.99	4.0	23.5	
		3:00	26.31	50.71	33.24	8.41	8.31	4.1	22.3	
		6:00	26.17	50.83	33.33	8.37	7.71	3.8	17.2	
		9:00	26.25	50.80	33.31	8.38	7.85	3.6	12.7	
		12:00	26.50	50.86	33.35	8.42	8.75	3.8	19.1	
		15:00	26.76	51.28	33.65	8.43	8.79	4.5	21.1	
		18:00	26.64	51.52	33.82	8.36	7.68	4.2	24.5	
		21:00	26.61	51.41	33.74	8.31	6.92	4.8	18.6	
	日平均值			26.47	51.01	33.45	8.39	8.13	4.10	19.88
	潮口站	0:00	26.52	50.14	33.19	8.23	5.61	5.2	2.6	
		3:00	26.38	49.62	32.82	8.34	5.95	4.9	11.2	
		6:00	26.16	49.51	32.75	8.35	5.98	3.0	11.7	
		9:00	26.53	50.20	33.23	8.21	5.55	12.6	2.9	
		12:00	26.90	50.29	33.29	8.22	5.52	7.7	5.0	
		15:00	27.04	50.19	33.21	8.22	5.64	8.2	6.4	
		18:00	26.79	50.03	33.10	8.26	5.78	8.1	4.9	
		21:00	26.70	50.31	33.09	8.23	5.59	10.7	5.0	
	日平均值			26.63	50.04	33.09	8.26	5.70	7.55	6.21
	灣內站	0:00	26.81	50.75	33.54	8.44	6.19	1.3	14.2	
		3:00	26.67	50.86	33.62	8.36	5.73	4.3	10.3	
		6:00	26.14	48.10	31.62	8.26	4.91	3.5	10.7	
		9:00	26.57	50.84	33.61	8.26	5.35	5.6	14.9	
		12:00	27.60	50.12	33.05	8.38	6.02	1.7	14.5	
		15:00	27.80	50.57	33.38	8.41	6.34	2.8	18.8	
		18:00	27.61	50.71	33.48	8.43	6.03	5.3	16.8	
		21:00	27.37	50.81	33.57	8.39	5.87	3.0	11.1	
	日平均值			27.07	50.35	33.23	8.37	5.81	3.44	13.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
11月29日	蚵殼站	0:00	26.70	51.20	33.59	8.40	7.94	4.0	19.4	
		3:00	26.84	50.94	33.40	8.40	7.94	4.1	17.7	
		6:00	26.60	50.75	33.26	8.38	7.53	4.4	20.3	
		9:00	26.66	50.45	33.04	8.41	8.26	3.7	18.1	
		12:00	27.30	51.02	33.44	8.38	8.05	3.7	12.8	
		15:00	27.13	51.38	33.71	8.45	8.83	4.2	19.4	
		18:00	26.96	51.46	33.77	8.40	8.10	3.9	18.5	
		21:00	26.97	51.39	33.72	8.33	7.19	4.5	18.7	
	日平均值			26.90	51.07	33.49	8.39	7.98	4.06	18.11
	潮口站	0:00	26.68	50.39	33.15	8.19	5.53	14.2	5.2	
		3:00	26.53	50.20	33.02	8.22	5.62	6.2	8.6	
		6:00	26.55	49.77	32.71	8.29	5.81	4.9	11.4	
		9:00	26.62	50.03	32.90	8.23	5.59	11.1	5.9	
		12:00	26.87	50.39	33.14	8.20	5.57	8.0	0.8	
		15:00	26.99	50.42	33.16	8.20	5.56	8.7	1.2	
		18:00	26.84	50.14	32.97	8.24	5.72	8.3	11.1	
		21:00	26.67	50.22	33.03	8.19	5.55	9.0	4.3	
	日平均值			26.72	50.20	33.01	8.22	5.62	8.80	6.06
	灣內站	0:00	26.74	50.91	33.66	8.40	5.95	1.8	15.9	
		3:00	26.90	50.72	33.51	8.39	5.68	3.0	7.8	
		6:00	26.66	50.28	33.19	8.35	5.65	1.5	16.4	
		9:00	27.16	50.21	33.13	8.22	5.29	4.6	14.2	
		12:00	27.42	50.56	33.38	8.40	6.15	0.9	13.7	
		15:00	27.30	50.63	33.44	8.44	6.39	1.7	12.3	
		18:00	27.53	50.44	33.29	8.41	6.19	4.0	21.5	
		21:00	27.60	50.26	33.16	8.36	5.97	2.9	12.9	
日平均值			27.16	50.50	33.35	8.37	5.91	2.55	14.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月30日	蚵殼站	0:00	27.00	51.11	33.52	8.45	8.53	3.8	20.0	
		3:00	26.77	50.98	33.43	8.39	7.87	4.0	23.9	
		6:00	26.72	51.16	33.56	8.40	7.74	3.9	20.8	
		9:00	26.72	50.95	33.41	8.35	7.64	4.3	16.6	
		12:00	27.09	50.99	33.42	8.40	9.16	4.7	25.9	
		15:00	27.10	51.33	33.67	8.40	8.62	4.8	26.4	
		18:00	27.06	51.47	33.78	8.41	8.45	4.2	22.2	
		21:00	27.19	51.34	33.68	8.46	8.88	3.7	18.9	
	日平均值			26.96	51.17	33.56	8.41	8.36	4.18	21.84
	潮口站	0:00	26.67	50.22	33.03	8.20	5.56	20.3	6.5	
		3:00	26.46	50.16	32.99	8.20	5.56	10.1	5.6	
		6:00	26.55	49.63	32.61	8.26	5.84	5.4	8.1	
		9:00	26.64	49.63	32.61	8.27	5.84	6.6	6.7	
		12:00	26.77	50.22	33.03	8.18	5.60	16.4	0.9	
		15:00	26.93	50.24	33.04	8.19	5.60	9.4	7.2	
		18:00	27.01	49.97	32.85	8.23	5.83	8.4	8.3	
		21:00	26.91	49.99	32.86	8.22	5.69	9.8	7.1	
	日平均值			26.74	50.01	32.88	8.22	5.69	10.80	6.30
	灣內站	0:00	27.38	50.54	33.37	8.39	6.01	2.2	16.4	
		3:00	26.98	50.71	33.50	8.41	5.98	0.8	16.2	
		6:00	26.81	50.77	33.55	8.28	5.30	3.6	7.9	
		9:00	27.14	49.46	32.58	8.39	5.83	3.2	8.2	
		12:00	28.10	50.22	33.11	8.36	6.04	3.8	10.3	
		15:00	28.11	50.50	33.32	8.42	6.20	2.2	15.2	
		18:00	28.20	50.18	33.08	8.39	6.32	3.3	24.1	
		21:00	28.01	50.27	33.15	8.37	6.19	2.8	17.3	
	日平均值			27.59	50.33	33.21	8.38	5.98	2.74	14.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月1日	蚵殼站	0:00	27.18	51.35	33.69	8.45	8.59	3.9	17.5	
		3:00	27.10	51.33	33.67	8.44	8.31	3.7	15.0	
		6:00	26.94	51.38	33.72	8.40	7.63	4.0	14.6	
		9:00	26.95	51.33	33.68	8.42	7.78	3.8	14.2	
		12:00	27.27	51.26	33.62	8.43	8.56	3.8	13.6	
		15:00	26.99	51.54	33.83	8.41	8.16	5.1	18.3	
		18:00	26.95	51.59	33.87	8.44	8.30	4.3	18.2	
		21:00	26.97	51.36	33.70	8.44	8.27	4.5	19.9	
	日平均值			27.04	51.39	33.72	8.43	8.20	4.14	16.41
	潮口站	0:00	26.61	50.31	32.85	8.38	5.63	12.6	1.2	
		3:00	26.54	50.27	32.82	8.36	5.57	11.2	1.8	
		6:00	26.60	49.99	32.63	8.40	5.69	7.6	6.7	
		9:00	26.64	50.36	33.03	8.43	5.92	5.5	10.8	
		12:00	26.63	50.96	33.51	8.36	5.71	9.0	2.4	
		15:00	26.51	50.87	33.46	8.35	5.74	6.7	4.3	
		18:00	26.58	50.89	33.47	8.37	5.77	10.7	8.9	
		21:00	26.52	50.75	33.37	8.37	5.83	8.1	7.6	
	日平均值			26.58	50.55	33.14	8.38	5.73	8.93	5.46
	灣內站	0:00	27.45	50.58	33.40	8.36	5.65	2.1	11.6	
		3:00	27.18	50.73	33.51	8.37	5.82	1.4	13.9	
		6:00	27.01	50.79	33.56	8.33	5.57	2.9	10.0	
		9:00	27.19	49.52	32.63	8.30	5.31	3.2	16.1	
		12:00	27.61	49.21	32.50	8.51	6.61	3.4	18.8	
		15:00	27.41	50.79	33.66	8.61	6.43	5.4	20.4	
		18:00	27.43	50.57	33.49	8.53	6.28	6.3	29.9	
		21:00	27.06	50.37	33.35	8.48	5.92	5.1	19.6	
	日平均值			27.29	50.32	33.26	8.44	5.95	3.73	17.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月2日	蚵殼站	0:00	26.79	51.27	33.64	8.40	7.90	4.2	18.1	
		3:00	26.51	51.28	33.66	8.40	7.50	4.3	16.8	
		6:00	26.37	51.40	33.75	8.38	7.02	4.3	16.4	
		9:00	26.33	51.55	33.85	8.35	6.63	4.8	15.7	
		12:00	26.22	51.57	33.88	8.36	6.85	5.4	17.5	
		15:00	26.17	51.54	33.85	8.40	7.50	6.2	23.2	
		18:00	26.12	51.59	33.89	8.37	6.96	4.7	19.3	
		21:00	26.08	51.70	33.97	8.33	6.37	5.0	16.2	
	日平均值			26.32	51.49	33.81	8.37	7.09	4.86	17.90
	潮口站	0:00	26.37	50.72	33.35	8.37	5.79	8.1	3.2	
		3:00	26.17	50.85	33.45	8.36	5.81	7.6	2.9	
		6:00	25.93	50.88	33.48	8.38	5.85	6.5	0.4	
		9:00	25.91	50.43	33.16	8.41	5.95	5.9	12.3	
		12:00	25.84	50.60	33.28	8.37	5.87	11.4	0.8	
		15:00	25.98	50.63	33.30	8.39	5.88	11.7	2.0	
		18:00	25.77	50.70	33.35	8.36	5.94	7.3	3.9	
		21:00	25.57	50.31	33.08	8.41	6.08	6.0	7.8	
	日平均值			25.94	50.64	33.31	8.38	5.90	8.06	4.16
	灣內站	0:00	26.73	51.05	33.87	8.00	5.68	2.3	13.2	
		3:00	26.60	51.15	33.94	8.01	5.63	8.3	12.3	
		6:00	26.27	51.06	33.89	7.99	5.59	2.9	10.6	
		9:00	26.09	50.89	33.76	7.98	5.56	6.4	12.9	
		12:00	26.13	50.77	33.67	8.07	5.87	2.5	21.7	
		15:00	25.95	50.54	33.51	8.13	6.31	1.7	22.2	
		18:00	25.99	50.73	33.65	8.10	5.99	11.1	21.3	
		21:00	25.79	50.72	33.64	7.95	5.39	4.1	24.9	
	日平均值			26.19	50.86	33.74	8.03	5.75	4.91	17.39
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月3日	蚵殼站	0:00	25.96	51.71	33.98	8.31	6.18	4.7	13.4	
		3:00	25.78	51.72	33.99	8.26	5.50	3.5	8.9	
		6:00	25.60	51.70	33.98	8.26	5.43	3.6	8.0	
		9:00	25.35	51.27	33.68	8.31	5.98	3.8	12.9	
		12:00	25.53	51.44	33.80	8.36	6.97	3.5	14.4	
		15:00	25.78	51.42	33.77	8.39	7.65	3.6	19.5	
		18:00	25.69	51.54	33.86	8.38	7.12	3.6	24.4	
		21:00	25.57	51.55	33.88	8.38	6.98	3.3	22.9	
	日平均值			25.66	51.54	33.87	8.33	6.48	3.70	15.55
	潮口站	0:00	25.44	52.07	34.21	8.38	6.04	9.0	5.4	
		3:00	25.67	50.06	32.80	8.36	5.95	5.8	1.9	
		6:00	25.63	49.25	32.24	8.37	6.03	6.9	0.7	
		9:00	25.27	49.97	33.15	8.41	6.17	6.0	10.6	
		12:00	25.44	50.39	33.44	8.39	6.14	10.0	7.0	
		15:00	25.88	49.36	32.71	8.37	6.10	9.5	5.6	
		18:00	25.99	49.57	33.68	8.36	6.06	6.2	0.3	
		21:00	25.53	49.81	33.86	8.43	6.39	6.7	11.5	
	日平均值			25.61	50.06	33.26	8.38	6.11	7.51	5.38
	灣內站	0:00	25.82	50.93	33.80	8.36	4.75	2.5	7.1	
		3:00	25.88	51.18	33.98	8.44	5.02	2.0	12.0	
		6:00	25.53	51.02	33.88	8.44	4.97	2.1	9.5	
		9:00	25.58	50.99	33.85	8.29	4.46	3.6	8.2	
		12:00	25.67	51.12	33.94	8.45	5.24	3.3	8.5	
		15:00	25.79	51.04	33.88	8.58	6.38	1.1	19.4	
		18:00	25.70	51.06	33.89	8.63	6.28	0.2	16.9	
		21:00	25.65	50.98	33.84	8.55	6.00	4.1	18.0	
	日平均值			25.70	51.04	33.88	8.47	5.39	2.36	12.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月4日	蚵殼站	0:00	25.48	51.63	33.93	8.37	6.72	4.0	18.9	
		3:00	25.39	51.67	33.97	8.36	6.52	3.9	18.6	
		6:00	25.27	51.71	34.00	8.31	5.81	4.3	12.4	
		9:00	25.05	51.62	33.94	8.30	5.88	6.2	12.4	
		12:00	24.87	51.60	33.93	8.30	5.94	6.8	12.1	
		15:00	24.79	51.76	34.05	8.35	6.56	6.0	14.4	
		18:00	24.70	51.55	33.89	8.36	6.76	5.1	18.3	
		21:00	24.50	51.51	33.87	8.30	6.37	4.0	14.9	
	日平均值			25.01	51.63	33.95	8.33	6.32	5.04	15.25
	潮口站	0:00	25.46	50.70	33.78	8.41	6.32	11.2	9.0	
		3:00	25.90	51.27	33.28	8.36	5.99	4.9	1.1	
		6:00	25.70	51.36	33.34	8.37	6.02	5.0	3.8	
		9:00	25.27	51.94	33.77	8.35	6.08	9.9	0.3	
		12:00	25.04	51.84	33.70	8.38	6.20	6.8	8.5	
		15:00	26.12	52.27	33.98	8.36	5.99	7.0	0.9	
		18:00	25.45	52.07	33.85	8.37	6.06	7.1	3.3	
		21:00	25.29	52.03	33.83	8.39	6.15	7.2	3.2	
	日平均值			25.53	51.69	33.69	8.37	6.10	7.39	3.76
	灣內站	0:00	25.41	50.79	33.71	7.95	5.75	1.5	15.4	
		3:00	25.66	51.37	34.13	7.95	4.98	1.2	11.3	
		6:00	25.40	51.31	34.09	7.99	5.43	1.0	9.6	
		9:00	25.22	51.20	34.02	8.02	5.51	6.5	9.2	
		12:00	25.09	51.27	34.06	8.00	5.52	2.3	13.0	
		15:00	24.94	51.12	33.96	8.04	5.83	1.0	27.0	
		18:00	24.68	50.51	33.52	8.00	6.02	3.4	20.3	
		21:00	24.60	50.76	33.70	8.06	5.70	2.3	12.6	
	日平均值			25.13	51.04	33.90	8.00	5.59	2.40	14.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月5日	蚵殼站	0:00	24.54	51.52	33.88	8.37	6.69	4.3	16.0	
		3:00	24.43	51.56	33.91	8.38	6.33	4.6	12.3	
		6:00	24.21	51.49	33.86	8.36	6.33	4.3	14.7	
		9:00	24.09	51.54	33.90	8.32	6.05	4.6	11.0	
		12:00	23.42	50.75	33.33	8.23	6.03	3.8	12.9	
		15:00	23.92	51.41	33.81	8.32	6.66	3.5	17.5	
		18:00	23.93	51.48	33.86	8.35	6.72	3.5	19.7	
		21:00	24.01	51.58	33.93	8.36	6.66	3.7	16.9	
	日平均值			24.07	51.42	33.81	8.34	6.43	4.04	15.13
	潮口站	0:00	24.88	52.01	33.82	8.36	6.16	10.5	3.3	
		3:00	25.27	52.00	33.81	8.39	6.11	7.3	0.6	
		6:00	25.23	52.08	33.87	8.37	6.11	5.3	4.1	
		9:00	24.93	51.90	33.75	8.37	6.18	9.5	4.9	
		12:00	24.76	52.10	33.89	8.38	6.18	6.6	2.1	
		15:00	25.48	51.83	33.68	8.38	6.17	5.8	4.5	
		18:00	25.28	51.93	33.76	8.40	6.21	6.6	1.8	
		21:00	24.92	52.05	33.85	8.39	6.22	9.7	4.6	
	日平均值			25.09	51.99	33.80	8.38	6.17	7.66	3.24
	灣內站	0:00	24.50	50.86	33.78	8.02	5.37	2.1	11.3	
		3:00	24.48	51.01	33.89	8.22	5.60	3.6	11.7	
		6:00	24.30	50.92	33.82	8.05	5.47	1.3	13.3	
		9:00	24.17	50.88	33.80	8.06	5.48	1.2	9.1	
		12:00	23.95	50.60	33.60	8.00	5.70	1.0	17.9	
		15:00	24.00	50.79	33.74	8.17	6.31	0.1	18.3	
		18:00	23.74	50.51	33.54	8.09	6.16	1.0	15.3	
		21:00	23.74	50.66	33.64	7.92	6.21	0.1	17.5	
	日平均值			24.11	50.78	33.73	8.07	5.79	1.30	14.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月6日	蚵殼站	0:00	23.72	51.32	33.75	8.32	6.39	3.6	16.5	
		3:00	23.66	51.32	33.75	8.33	5.71	4.0	12.5	
		6:00	22.99	50.72	33.32	8.27	5.79	3.5	10.8	
		9:00	23.17	50.80	33.37	8.29	5.97	3.3	8.2	
		12:00	23.87	51.34	33.76	8.37	7.11	3.3	14.2	
		15:00	24.14	51.50	33.87	8.36	7.15	4.1	20.6	
		18:00	24.08	51.67	33.99	8.36	6.44	4.9	21.1	
		21:00	24.87	51.87	34.13	8.37	6.63	6.0	6.9	
	日平均值			23.81	51.32	33.74	8.33	6.40	4.09	13.85
	潮口站	0:00	24.23	51.73	33.64	8.38	6.38	4.8	5.1	
		3:00	24.01	51.43	33.43	8.39	6.31	12.4	3.8	
		6:00	25.17	52.03	33.83	8.37	6.17	10.9	3.4	
		9:00	25.15	52.01	33.82	8.38	6.22	8.1	553.7	
		12:00	25.01	51.92	33.76	8.37	6.22	7.6	2.3	
		15:00	25.76	51.52	33.46	8.35	6.22	13.2	2.6	
		18:00	25.72	51.75	33.62	8.37	6.22	10.2	1.2	
		21:00	25.27	51.43	33.41	8.37	6.27	10.1	27.8	
	日平均值			25.04	51.73	33.62	8.37	6.25	9.66	74.99
	灣內站	0:00	23.45	50.51	33.54	8.35	5.98	0.5	13.4	
		3:00	23.00	50.21	33.33	8.37	5.40	1.3	3.5	
		6:00	23.55	50.79	33.75	8.40	5.62	1.6	9.3	
		9:00	23.61	50.77	33.73	8.47	5.89	1.1	12.4	
		12:00	24.04	50.84	33.77	8.44	6.35	1.0	12.5	
		15:00	24.21	50.86	33.79	8.36	7.07	2.2	24.9	
		18:00	24.18	50.93	33.84	8.33	6.70	2.9	25.6	
		21:00	24.06	50.90	33.81	8.33	6.65	4.2	15.8	
	日平均值			23.76	50.73	33.70	8.38	6.21	1.85	14.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月7日	蚵殼站	0:00	23.90	51.47	33.85	8.39	7.31	3.5	26.1	
		3:00	23.77	51.48	33.86	8.40	7.14	3.6	22.4	
		6:00	23.56	51.43	33.83	8.36	6.74	4.2	20.0	
		9:00	23.27	51.16	33.64	8.40	7.72	3.7	23.8	
		12:00	23.62	50.92	33.46	8.39	8.44	3.5	20.0	
		15:00	23.78	51.27	33.71	8.41	8.33	4.3	28.8	
		18:00	23.71	51.59	33.95	8.37	7.41	6.2	24.6	
		21:00	24.76	51.79	34.02	8.38	6.94	5.8	10.8	
	日平均值			23.80	51.39	33.79	8.39	7.50	4.35	22.06
	潮口站	0:00	24.74	52.01	33.82	8.32	6.26	22.6	330.7	
		3:00	24.21	51.48	33.46	8.37	6.40	5.8	4.5	
		6:00	25.38	51.98	33.79	8.37	6.29	7.8	2.0	
		9:00	25.27	52.15	33.92	8.36	6.31	6.5	2.3	
		12:00	25.24	51.75	33.63	8.36	6.33	7.7	2.1	
		15:00	25.73	51.58	33.50	8.38	6.33	9.6	4.5	
		18:00	25.60	51.52	33.46	8.36	6.34	10.2	4.4	
		21:00	25.23	51.33	33.34	8.36	6.38	6.2	1.1	
	日平均值			25.18	51.73	33.62	8.36	6.33	9.55	43.95
	灣內站	0:00	24.06	50.89	33.81	7.90	6.24	3.6	15.0	
		3:00	23.07	49.04	32.48	8.07	5.94	2.1	7.5	
		6:00	23.66	50.80	33.75	8.02	5.91	1.8	11.3	
		9:00	23.49	50.81	33.76	7.94	6.14	2.6	14.1	
		12:00	24.12	50.84	33.77	8.02	6.39	1.3	7.6	
		15:00	24.12	50.59	33.59	8.19	7.69	0.8	30.0	
		18:00	23.89	50.65	33.64	8.23	7.22	0.8	27.5	
		21:00	23.84	50.74	33.70	8.01	6.97	0.4	24.8	
	日平均值			23.78	50.55	33.56	8.05	6.56	1.68	17.23
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月8日	蚵殼站	0:00	23.91	51.47	33.80	8.39	7.27	5.0	21.6	
		3:00	23.47	51.30	33.69	8.44	7.97	4.2	26.4	
		6:00	23.35	51.34	33.71	8.39	6.85	5.0	21.6	
		9:00	23.37	51.50	33.83	8.36	6.65	7.1	14.5	
		12:00	23.42	50.91	33.40	8.44	8.78	3.6	20.6	
		15:00	23.80	51.36	33.72	8.51	9.53	4.4	28.8	
		18:00	23.83	51.61	33.90	8.50	9.16	4.2	28.5	
		21:00	24.36	51.82	34.05	8.42	7.59	5.0	16.3	
	日平均值			23.69	51.41	33.76	8.43	7.98	4.81	22.29
	潮口站	0:00	24.64	51.69	33.61	8.36	6.56	9.2	28.6	
		3:00	24.11	51.58	33.54	8.39	6.70	8.9	14.4	
		6:00	24.81	51.37	33.38	8.38	6.46	11.1	0.9	
		9:00	24.99	51.41	33.40	8.37	6.40	8.1	0.1	
		12:00	25.08	51.42	33.40	8.36	6.50	6.0	1.0	
		15:00	24.93	51.67	33.58	8.39	6.64	6.3	13.1	
		18:00	25.43	51.11	33.18	8.37	6.44	7.5	3.9	
		21:00	25.29	51.40	33.39	8.37	6.51	7.6	2.8	
	日平均值			24.91	51.46	33.44	8.37	6.53	8.09	8.10
	灣內站	0:00	23.72	50.65	33.64	7.93	7.22	3.5	22.2	
		3:00	23.54	50.57	33.58	8.17	6.83	4.5	25.1	
		6:00	23.30	50.59	33.60	8.06	6.55	2.5	9.9	
		9:00	23.12	50.51	33.55	7.86	6.48	2.9	7.3	
		12:00	23.58	50.00	33.16	8.04	7.58	1.4	26.8	
		15:00	23.98	49.78	33.00	8.01	7.61	2.0	31.3	
		18:00	23.70	49.95	33.13	8.07	7.42	1.4	26.4	
		21:00	23.55	50.32	33.40	8.00	7.23	2.7	18.2	
	日平均值			23.56	50.30	33.38	8.02	7.12	2.61	20.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月9日	蚵殼站	0:00	24.21	51.55	33.77	8.43	7.62	4.2	16.5	
		3:00	23.54	51.18	33.52	8.46	8.16	4.3	19.6	
		6:00	23.36	51.30	33.61	8.51	8.15	4.6	18.1	
		9:00	22.82	50.34	32.91	8.45	8.55	3.9	16.3	
		12:30	23.25	50.86	33.41	8.25	9.11	3.5	19.4	
		15:00	23.44	51.13	33.60	8.24	9.23	3.9	20.3	
		18:00	23.78	51.61	33.95	8.24	9.04	4.3	22.7	
		21:00	24.60	51.97	34.20	8.14	7.06	5.9	9.2	
	日平均值			23.63	51.24	33.62	8.34	8.37	4.33	17.76
	潮口站	0:00	24.62	49.88	33.03	8.38	6.57	11.8	5.6	
		3:00	24.17	50.70	32.92	8.41	6.88	8.4	554.8	
		6:00	24.70	51.01	33.12	8.37	6.59	22.8	1.1	
		9:00	24.80	50.69	32.90	8.36	6.60	10.8	1.1	
		12:00	24.68	50.85	33.37	8.15	6.42	6.7	3.2	
		15:00	24.43	50.85	33.37	8.15	6.80	9.3	4.0	
		18:00	25.30	50.99	33.46	8.04	6.46	8.4	1.8	
		21:00	25.14	51.24	33.65	8.07	6.46	10.6	0.9	
	日平均值			24.73	50.78	33.23	8.24	6.60	11.10	71.56
	灣內站	0:00	23.45	50.43	33.48	8.32	6.81	2.1	16.5	
		3:00	23.03	50.18	33.30	8.32	6.60	1.2	18.9	
		6:00	23.00	50.25	33.36	8.47	6.29	0.4	11.8	
		9:00	23.06	50.21	33.33	8.34	6.47	1.0	16.3	
		12:00	22.96	49.89	32.75	8.32	9.29	4.1	21.5	
		15:00	23.17	49.91	32.76	8.30	9.60	4.2	16.7	
		18:00	23.08	49.99	32.82	8.34	9.21	4.0	21.2	
		21:00	23.11	49.98	32.81	7.98	8.76	4.9	10.9	
	日平均值			23.11	50.11	33.08	8.30	7.88	2.74	16.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月10日	蚵殼站	0:00	24.25	51.86	34.12	8.17	7.56	4.6	11.0	
		3:00	23.05	51.19	33.65	8.26	9.07	3.6	16.0	
		6:00	23.00	51.23	33.68	8.25	8.67	3.9	14.4	
		9:00	23.08	51.25	33.69	8.19	7.88	3.7	10.0	
		12:00	23.54	51.23	33.67	8.24	8.89	3.5	11.8	
		15:00	23.56	51.39	33.79	8.21	8.47	4.0	14.2	
		18:00	24.04	51.72	34.03	8.21	8.34	5.1	18.0	
		21:00	24.61	51.95	34.18	8.16	7.26	5.7	8.3	
	日平均值			23.64	51.48	33.85	8.21	8.27	4.26	12.96
	潮口站	0:00	24.74	50.95	33.44	8.13	6.64	8.0	2.4	
		3:00	24.32	50.79	33.33	8.06	6.41	11.0	6.2	
		6:00	24.08	50.79	33.34	8.18	6.81	19.4	1.6	
		9:00	25.17	51.02	33.49	7.96	6.56	11.3	0.4	
		12:00	25.35	51.08	33.52	8.18	6.61	7.2	2.5	
		15:00	24.35	50.88	33.40	8.33	7.27	6.5	7.5	
		18:00	25.51	50.82	33.33	8.13	6.56	11.1	4.2	
		21:00	25.32	51.05	33.50	8.14	6.70	9.8	2.7	
	日平均值			24.86	50.92	33.42	8.14	6.70	10.54	3.44
	灣內站	0:00	23.02	49.97	32.81	8.10	8.14	3.6	10.4	
		3:00	23.28	50.57	33.24	8.03	7.03	5.0	8.3	
		6:00	23.22	50.73	33.36	8.16	6.24	5.4	11.1	
		9:00	23.22	50.70	33.34	8.12	7.35	4.8	14.6	
		12:00	23.23	49.67	32.58	8.18	8.32	3.1	15.2	
		15:00	23.40	49.89	32.74	8.28	8.31	3.2	14.1	
		18:00	23.50	49.54	32.48	8.18	8.83	3.5	12.6	
		21:00	23.94	50.86	33.44	8.11	8.15	3.2	11.0	
	日平均值			23.35	50.24	33.00	8.15	7.80	3.98	12.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月11日	蚵殼站	0:00	24.48	51.92	34.16	8.14	7.28	4.9	8.8	
		3:00	23.93	51.62	33.95	8.16	7.68	3.8	10.8	
		6:00	23.58	51.52	33.89	8.16	7.49	3.6	9.7	
		9:00	23.92	51.75	34.05	8.17	7.52	4.2	10.8	
		12:00	24.42	51.77	34.05	8.18	8.12	4.4	13.3	
		15:00	24.13	51.46	33.83	8.23	9.02	4.0	17.2	
		18:00	24.39	51.72	34.02	8.14	7.68	4.2	12.5	
		21:00	24.23	51.78	34.07	8.18	7.94	4.2	16.1	
	日平均值			24.14	51.69	34.00	8.17	7.84	4.16	12.40
	潮口站	0:00	24.82	50.90	33.40	8.18	6.65	8.3	3.6	
		3:00	24.51	50.90	33.41	8.19	6.71	10.2	5.1	
		6:00	24.21	50.81	33.35	8.23	6.90	6.8	7.5	
		9:00	25.05	51.01	33.48	8.06	6.55	7.1	1.0	
		12:00	25.26	51.03	33.49	8.04	6.48	6.3	3.5	
		15:00	24.81	50.99	33.47	8.06	7.05	6.4	5.2	
		18:00	25.42	50.76	33.29	8.02	6.73	5.6	0.5	
		21:00	25.30	50.92	33.40	8.06	6.64	6.8	3.1	
	日平均值			24.92	50.92	33.41	8.11	6.71	7.19	3.69
	灣內站	0:00	23.72	50.56	33.23	8.21	7.88	37.0	12.2	
		3:00	23.63	50.75	33.37	8.06	6.59	3.8	5.2	
		6:00	23.47	50.75	33.38	7.96	5.70	3.6	0.1	
		9:00	23.52	50.79	33.40	8.11	7.00	3.1	7.1	
		12:00	23.81	50.46	33.15	8.15	7.71	3.2	11.4	
		15:00	23.75	50.35	33.15	8.31	8.98	3.0	20.8	
		18:00	23.79	49.85	32.78	8.17	8.44	3.0	9.4	
		21:00	23.78	50.60	33.34	8.25	8.32	3.7	12.4	
	日平均值			23.68	50.51	33.23	8.15	7.58	7.55	9.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月12日	蚵殼站	0:00	24.12	51.79	34.08	8.17	7.70	4.5	16.2	
		3:00	23.89	51.66	33.99	8.17	7.64	4.7	14.6	
		6:00	23.36	51.40	33.80	8.19	7.82	3.6	13.5	
		9:00	23.51	51.68	34.00	8.13	6.91	6.1	9.0	
		12:00	23.42	51.68	34.01	8.06	6.34	4.2	6.2	
		15:00	23.78	51.87	34.14	8.10	6.78	5.7	9.8	
		18:00	23.28	51.50	33.88	8.22	8.25	3.9	22.9	
		21:00	23.96	52.09	34.30	8.09	6.59	5.6	4.6	
	日平均值			23.67	51.71	34.03	8.14	7.25	4.79	12.10
	潮口站	0:00	25.15	51.00	33.47	8.05	6.68	5.4	2.1	
		3:00	24.63	50.93	33.43	8.18	6.49	10.8	4.5	
		6:00	24.21	50.89	33.41	8.26	6.59	6.4	5.7	
		9:00	24.75	50.92	33.42	8.21	6.62	6.1	0.3	
		12:00	24.78	50.99	33.47	8.23	6.48	7.5	0.7	
		15:00	24.66	50.98	33.47	8.21	6.61	7.1	5.3	
		18:00	24.42	50.97	33.46	8.17	6.37	7.0	0.9	
		21:00	24.55	51.05	33.52	8.47	6.56	5.8	2.8	
	日平均值			24.64	50.97	33.46	8.22	6.55	7.01	2.79
	灣內站	0:00	23.75	50.96	33.60	8.27	7.53	2.2	12.4	
		3:00	23.68	50.94	33.59	7.99	6.84	4.0	7.9	
		6:00	23.58	51.01	33.64	8.17	6.25	4.5	0.7	
		9:00	23.43	51.02	33.65	8.14	6.65	8.7	8.6	
		12:00	23.32	50.86	33.54	8.12	7.45	14.4	13.8	
		15:00	23.29	50.82	33.50	8.11	7.43	5.1	14.0	
		18:00	23.10	50.77	33.47	8.03	7.30	3.7	15.7	
		21:00	23.05	50.85	33.53	8.10	6.87	11.9	5.2	
	日平均值			23.40	50.90	33.57	8.12	7.04	6.81	9.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月13日	蚵殼站	0:00	23.65	51.97	34.22	8.08	6.47	4.4	6.1	
		3:00	22.69	51.42	33.82	8.13	7.05	2.9	11.1	
		6:00	22.81	51.57	33.93	8.14	6.96	4.1	11.4	
		9:00	22.52	51.29	33.73	8.17	7.51	3.1	10.9	
		12:00	22.77	51.24	33.69	8.18	8.12	2.8	14.7	
		15:00	22.80	51.24	33.69	8.16	8.04	2.8	18.0	
		18:00	22.77	51.45	33.85	8.19	8.00	3.0	19.7	
		21:00	22.60	51.20	33.66	8.17	7.96	3.3	19.0	
	日平均值			22.83	51.42	33.82	8.15	7.51	3.30	13.86
	潮口站	0:00	24.34	51.12	33.58	8.37	6.59	3.5	0.1	
		3:00	23.75	50.95	33.46	8.41	6.47	7.3	3.2	
		6:00	23.28	50.80	33.36	8.40	6.82	6.4	8.0	
		9:00	24.16	50.99	33.48	8.56	6.64	5.7	1.2	
		12:00	24.55	51.05	33.52	8.54	6.68	4.7	1.5	
		15:00	24.50	51.07	33.53	8.54	6.61	7.9	0.3	
		18:00	23.90	51.03	33.51	8.26	6.73	6.1	9.6	
		21:00	24.57	50.94	33.44	8.21	6.70	4.9	0.6	
	日平均值			24.13	50.99	33.49	8.41	6.66	5.81	3.06
	灣內站	0:00	22.91	50.84	33.53	8.18	6.77	4.3	9.3	
		3:00	22.55	50.68	33.42	8.18	7.13	2.3	11.6	
		6:00	22.40	50.68	33.42	8.00	6.79	2.7	11.3	
		9:00	22.50	50.69	33.43	8.23	6.87	4.8	14.2	
		12:00	22.63	50.56	33.33	8.16	7.70	2.7	14.2	
		15:00	22.58	50.20	33.06	8.24	8.49	2.1	12.7	
		18:00	22.54	49.97	32.89	7.91	8.02	2.5	14.5	
		21:00	22.83	50.85	33.59	8.14	8.01	3.3	10.3	
	日平均值			22.62	50.56	33.33	8.13	7.47	3.09	12.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月14日	蚵殼站	0:00	22.38	51.01	33.53	8.16	7.82	3.2	18.6	
		3:00	22.46	51.34	33.77	8.15	7.47	2.9	15.3	
		6:00	22.48	51.46	33.86	8.13	7.11	2.9	12.9	
		9:00	22.61	51.49	33.88	8.12	6.91	3.5	10.2	
		12:00	22.88	51.55	33.92	8.09	6.73	5.7	8.8	
		15:00	22.86	51.58	33.94	8.16	7.80	4.1	15.7	
		18:00	22.86	51.73	34.05	8.16	7.63	3.7	15.1	
		21:00	22.86	51.76	34.08	8.16	7.20	3.8	13.4	
	日平均值			22.67	51.49	33.88	8.14	7.33	3.73	13.75
	潮口站	0:00	24.40	51.09	33.55	8.19	6.62	7.5	4.4	
		3:00	23.59	50.94	33.46	8.26	6.70	6.0	3.5	
		6:00	23.36	50.96	33.48	8.22	6.57	7.6	3.7	
		9:00	24.32	50.99	33.48	8.23	6.65	4.3	1.0	
		12:00	24.83	51.06	33.52	8.24	6.78	4.6	0.0	
		15:00	24.86	51.10	33.55	8.07	6.69	4.6	1.3	
		18:00	23.87	50.95	33.46	8.29	7.25	5.7	8.4	
		21:00	24.24	50.77	33.32	8.25	6.88	5.2	2.4	
	日平均值			24.18	50.98	33.48	8.22	6.77	5.69	3.09
	灣內站	0:00	22.58	50.89	33.62	8.12	7.41	3.3	8.6	
		3:00	22.67	51.20	33.85	8.05	6.06	1.7	5.8	
		6:00	22.50	51.20	33.85	8.19	6.09	3.9	3.7	
		9:00	22.49	51.26	33.89	8.23	6.71	3.0	4.6	
		12:00	23.16	51.29	33.91	8.37	7.63	2.8	5.9	
		15:00	22.93	50.99	33.69	8.39	8.55	2.5	25.3	
		18:00	22.51	50.31	33.19	8.21	7.86	3.0	16.0	
		21:00	22.12	50.09	33.04	8.22	7.89	2.8	12.4	
	日平均值			22.62	50.90	33.63	8.22	7.28	2.88	10.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月15日	蚵殼站	0:00	22.77	51.74	34.06	8.13	6.96	3.6	13.4	
		3:00	22.63	51.72	34.05	8.11	6.81	3.3	9.3	
		6:00	22.55	51.72	34.05	8.18	7.41	4.3	14.1	
		9:00	22.58	51.69	34.03	8.17	7.56	5.4	12.8	
		12:00	23.17	51.77	34.08	8.22	8.64	4.2	19.3	
		15:00	23.08	51.56	33.93	8.22	9.07	3.7	21.3	
		18:00	22.65	51.53	33.91	8.18	8.00	4.3	20.8	
		21:00	22.61	51.54	33.92	8.12	7.27	3.4	14.8	
	日平均值			22.76	51.66	34.00	8.17	7.72	4.03	15.73
	潮口站	0:00	24.55	50.82	33.35	8.11	6.78	4.0	0.6	
		3:00	23.52	50.77	33.34	8.19	6.91	4.9	6.2	
		6:00	23.24	50.89	33.43	8.09	6.74	9.6	3.1	
		9:00	22.88	50.69	33.28	8.24	6.81	8.4	6.4	
		12:00	24.58	50.97	33.46	8.07	6.84	7.2	2.9	
		15:00	24.64	50.97	33.46	8.06	6.89	5.1	2.0	
		18:00	23.89	50.87	33.40	8.05	7.08	5.5	5.8	
		21:00	23.50	50.80	33.36	8.15	7.28	3.9	4.9	
	日平均值			23.85	50.85	33.39	8.12	6.92	6.08	3.99
	灣內站	0:00	22.77	51.01	33.71	8.37	7.36	4.4	12.9	
		3:00	22.85	51.26	33.89	8.37	7.29	3.8	14.4	
		6:00	22.71	51.24	33.88	8.27	6.58	3.2	11.1	
		9:00	22.68	51.26	33.89	8.38	7.05	3.6	5.7	
		12:00	23.14	51.22	33.86	8.46	8.69	3.8	16.8	
		15:00	23.17	51.13	33.79	8.48	9.18	6.0	19.1	
		18:00	23.03	50.20	33.11	8.51	9.58	4.7	17.3	
		21:00	22.82	50.23	33.14	8.48	8.84	3.1	15.8	
	日平均值			22.90	50.94	33.66	8.42	8.07	4.08	14.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月16日	蚵殼站	0:00	22.67	51.58	33.95	8.17	7.69	3.4	15.5	
		3:00	22.73	51.51	33.89	8.21	8.27	3.6	18.5	
		6:00	22.69	51.59	33.96	8.19	7.92	3.9	16.8	
		9:00	22.60	51.53	33.91	8.20	8.15	3.8	15.8	
		12:00	23.15	51.70	34.03	8.25	9.11	4.0	21.5	
		15:00	23.43	51.76	34.07	8.26	9.49	4.3	23.0	
		18:00	23.26	51.82	34.11	8.19	8.21	4.6	23.3	
		21:00	22.99	51.76	34.07	8.16	7.48	5.0	15.4	
	日平均值			22.94	51.66	34.00	8.20	8.29	4.08	18.73
	潮口站	0:00	24.49	50.85	33.38	8.01	6.81	4.6	1.3	
		3:00	24.33	50.86	33.39	8.01	6.71	3.8	3.5	
		6:00	23.27	50.89	33.43	8.22	6.86	8.4	3.7	
		9:00	23.05	50.82	33.38	8.09	7.16	5.7	7.4	
		12:00	24.71	51.10	33.55	8.04	6.76	9.1	0.8	
		15:00	24.53	51.01	33.49	8.03	6.89	7.8	0.6	
		18:00	24.06	50.94	33.45	8.06	7.03	5.6	5.3	
		21:00	23.35	50.93	33.46	8.17	7.18	7.5	7.2	
	日平均值			23.97	50.93	33.44	8.08	6.93	6.56	3.73
	灣內站	0:00	22.82	50.91	33.64	8.46	8.13	3.0	9.9	
		3:00	22.90	51.13	33.79	8.39	7.69	3.8	11.5	
		6:00	22.70	51.12	33.79	8.40	7.19	3.5	6.8	
		9:00	22.63	51.12	33.79	8.33	7.13	3.7	7.0	
		12:00	23.13	51.08	33.75	8.37	8.44	3.2	12.6	
		15:00	23.23	51.03	33.71	8.47	9.08	3.6	18.6	
		18:00	23.18	51.06	33.74	8.45	8.69	5.5	15.2	
		21:00	22.92	50.99	33.69	8.28	7.30	3.2	5.2	
	日平均值			22.94	51.06	33.74	8.39	7.96	3.69	10.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月17日	蚵殼站	0:00	23.24	52.09	34.31	8.16	7.52	5.6	13.6	
		3:00	23.01	52.10	34.33	8.12	6.99	5.8	8.6	
		6:00	22.61	52.11	34.34	8.12	6.75	5.1	8.8	
		9:00	21.98	51.64	34.00	8.18	7.55	3.3	12.3	
		12:00	22.55	51.72	34.05	8.19	8.19	3.4	13.0	
		15:00	22.74	51.90	34.18	8.23	9.00	4.5	20.3	
		18:00	22.66	52.03	34.28	8.24	8.66	4.6	18.8	
		21:00	22.19	51.80	34.11	8.21	7.99	4.1	17.7	
	日平均值			22.62	51.92	34.20	8.18	7.83	4.55	14.14
	潮口站	0:00	23.21	50.91	33.44	8.06	7.05	7.6	2.7	
		3:00	23.85	51.21	33.65	8.02	6.76	4.3	2.7	
		6:00	23.24	50.29	32.99	8.08	6.85	7.6	3.9	
		9:00	22.41	49.77	32.61	8.11	7.06	8.8	7.6	
		12:00	23.88	49.65	32.50	7.96	6.88	13.3	3.8	
		15:00	24.11	49.79	32.60	7.86	6.92	7.7	3.5	
		18:00	23.83	49.80	32.62	7.99	6.94	6.7	4.4	
		21:00	23.11	49.15	32.15	7.88	7.07	8.2	4.8	
	日平均值			23.46	50.07	32.82	8.00	6.94	8.03	4.18
	灣內站	0:00	22.48	50.83	33.58	8.43	8.26	4.9	17.0	
		3:00	22.33	50.85	33.59	8.46	8.03	10.1	14.0	
		6:00	21.98	50.75	33.53	8.36	7.82	4.2	10.1	
		9:00	21.80	50.80	33.57	8.36	7.82	4.6	9.3	
		12:00	21.94	50.23	33.14	8.57	9.93	3.3	16.1	
		15:00	22.13	50.37	33.24	8.64	10.43	3.8	15.5	
		18:00	21.72	49.42	32.56	8.53	9.93	3.6	21.8	
		21:00	22.02	50.75	33.53	8.03	8.44	3.5	13.0	
	日平均值			22.05	50.50	33.34	8.42	8.83	4.75	14.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月18日	蚵殼站	0:00	21.90	51.37	33.80	8.26	8.61	3.9	20.5	
		3:00	21.67	51.41	33.83	8.26	8.34	3.7	18.1	
		6:00	21.82	51.64	34.00	8.21	7.61	3.9	16.8	
		9:00	21.74	51.58	33.95	8.24	8.10	3.9	15.4	
		12:00	22.21	51.63	33.99	8.28	9.04	4.2	19.6	
		15:00	22.27	51.75	34.07	8.21	8.00	3.6	15.5	
		18:00	22.16	51.74	34.07	8.22	8.06	4.4	18.3	
		21:00	22.10	51.76	34.08	8.25	8.25	5.6	18.4	
	日平均值			21.98	51.61	33.97	8.24	8.25	4.15	17.83
	潮口站	0:00	22.74	49.28	32.25	8.05	7.16	5.4	4.2	
		3:00	23.51	49.40	32.33	8.02	6.97	5.4	0.6	
		6:00	23.13	49.20	32.19	7.96	6.96	5.8	4.6	
		9:00	22.47	49.28	32.25	8.14	7.41	8.5	1.1	
		12:00	24.13	49.33	32.26	8.22	7.07	8.2	3.5	
		15:00	24.69	49.19	32.15	8.08	6.99	5.3	2.2	
		18:00	23.91	49.49	32.38	8.04	7.05	9.2	0.9	
		21:00	23.32	50.08	32.83	8.26	6.94	6.9	1.2	
	日平均值			23.49	49.41	32.33	8.10	7.07	6.84	2.29
	灣內站	0:00	21.96	50.26	32.98	8.11	7.82	3.9	11.1	
		3:00	21.97	50.33	33.04	8.06	7.54	4.7	11.8	
		6:00	21.90	50.37	33.06	8.03	6.93	4.5	9.7	
		9:00	21.83	50.44	33.12	8.06	7.24	2.1	4.3	
		12:00	22.21	50.45	33.12	8.15	8.55	4.7	12.2	
		15:00	22.31	50.46	33.13	8.14	8.75	5.0	12.2	
		18:00	22.16	50.50	33.16	8.16	8.35	5.7	13.4	
		21:00	21.95	50.49	33.15	8.05	7.22	2.8	6.1	
	日平均值			22.04	50.41	33.10	8.10	7.80	4.18	10.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月19日	蚵殼站	0:00	22.03	51.76	34.09	8.26	8.28	4.9	17.3	
		3:00	21.89	51.74	34.07	8.28	8.44	5.2	19.2	
		6:00	21.74	51.72	34.06	8.22	7.37	5.1	14.2	
		9:00	21.60	51.72	34.06	8.20	7.31	5.1	13.4	
		12:00	21.70	51.80	34.12	8.25	7.95	4.4	17.6	
		15:00	21.50	51.83	34.15	8.19	7.46	6.3	14.7	
		18:00	23.01	52.43	34.57	8.17	7.23	6.3	10.2	
		21:00	23.01	52.51	34.63	8.14	6.89	5.2	8.1	
	日平均值			22.06	51.94	34.22	8.21	7.62	5.31	14.34
	潮口站	0:00	22.53	49.36	32.31	8.34	7.96	6.5	9.5	
		3:00	23.81	49.24	32.21	8.23	6.99	5.2	2.5	
		6:00	23.75	48.79	31.88	8.16	6.97	4.7	1.3	
		9:00	22.73	48.82	31.91	8.24	7.44	4.3	3.6	
		12:00	22.62	48.17	31.44	8.24	7.24	8.6	0.5	
		15:00	24.28	48.69	31.79	8.12	6.92	7.9	3.2	
		18:00	24.01	49.03	32.05	8.13	7.02	4.4	6.2	
		21:00	22.95	48.72	31.84	8.17	7.26	8.6	0.6	
	日平均值			23.34	48.85	31.93	8.20	7.23	6.28	3.43
	灣內站	0:00	21.80	50.47	33.14	8.02	6.69	2.5	4.2	
		3:00	21.82	50.55	33.20	8.10	7.40	3.6	6.9	
		6:00	21.80	50.55	33.20	8.07	6.91	3.4	5.8	
		9:00	21.79	50.58	33.22	8.07	7.21	4.6	7.3	
		12:00	21.22	50.19	32.94	8.16	8.23	4.0	15.6	
		15:00	21.30	50.25	32.98	8.15	7.90	5.9	12.9	
		18:00	21.17	50.24	32.97	8.16	7.99	5.4	16.5	
		21:00	21.13	50.29	33.01	8.18	7.70	6.1	11.5	
	日平均值			21.50	50.39	33.08	8.11	7.50	4.44	10.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月20日	蚵殼站	0:00	22.38	52.35	34.52	8.16	7.07	5.8	8.8	
		3:00	22.89	52.65	34.74	8.12	6.44	6.4	2.0	
		6:00	22.38	52.53	34.65	8.16	6.85	8.2	5.9	
		9:00	22.03	52.34	34.51	8.17	7.05	7.1	9.4	
		12:00	21.37	51.98	34.26	8.23	7.72	6.9	15.7	
		15:00	21.66	52.00	34.26	8.29	8.65	6.3	23.0	
		18:00	21.86	52.00	34.27	8.26	8.54	4.8	20.4	
		21:00	21.75	52.02	34.28	8.25	8.23	4.6	16.9	
	日平均值			22.04	52.23	34.44	8.21	7.57	6.26	12.76
	潮口站	0:00	21.51	48.12	31.42	8.45	8.06	8.7	15.7	
		3:00	23.35	48.77	31.87	8.41	7.04	9.2	2.6	
		6:00	23.28	49.49	32.40	8.23	6.89	5.7	0.6	
		9:00	22.85	50.49	33.14	8.21	7.09	5.3	3.0	
		12:00	22.44	49.47	32.40	8.23	7.54	6.1	3.7	
		15:00	24.11	49.20	32.17	8.21	6.91	9.8	1.8	
		18:00	24.02	48.73	31.83	8.07	6.97	5.3	1.4	
		21:00	23.30	49.36	32.30	8.20	6.89	8.5	2.4	
	日平均值			23.11	49.20	32.19	8.25	7.17	7.33	3.90
	灣內站	0:00	21.04	50.23	32.97	8.19	7.78	4.3	10.4	
		3:00	20.88	50.23	32.97	8.26	7.49	4.3	9.3	
		6:00	20.72	49.98	32.79	8.20	7.43	5.3	12.6	
		9:00	20.79	49.52	32.45	8.19	7.53	4.9	13.6	
		12:00	20.89	50.13	32.90	8.20	7.71	4.4	10.4	
		15:00	20.99	50.07	32.85	8.28	8.62	5.0	15.9	
		18:00	20.84	49.61	32.51	8.25	8.69	4.5	15.1	
		21:00	20.62	49.14	32.17	8.23	8.41	4.1	9.0	
	日平均值			20.85	49.86	32.70	8.23	7.96	4.60	12.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月21日	蚵殼站	0:00	20.43	50.96	33.51	8.25	8.39	3.6	14.2	
		3:00	20.68	51.33	33.78	8.26	7.96	3.8	13.7	
		6:00	20.59	51.26	33.73	8.23	7.61	3.5	11.1	
		9:00	20.76	51.39	33.83	8.23	7.69	3.5	12.1	
		12:00	21.11	51.45	33.87	8.27	8.80	3.7	17.6	
		15:00	21.49	51.66	34.02	8.27	8.70	4.7	19.9	
		18:00	22.37	52.27	34.46	8.23	8.08	6.2	15.2	
		21:00	22.28	52.33	34.50	8.19	7.31	5.4	12.5	
	日平均值			21.21	51.58	33.96	8.24	8.07	4.30	14.54
	潮口站	0:00	22.46	49.58	32.47	8.12	7.18	7.3	4.0	
		3:00	22.19	49.33	32.30	8.28	7.23	10.8	4.9	
		6:00	23.59	49.19	32.17	8.14	6.74	7.4	4.4	
		9:00	23.28	48.89	31.96	8.10	6.93	8.9	0.0	
		12:00	23.08	48.89	31.96	8.14	7.24	6.4	6.5	
		15:00	23.94	48.72	31.82	8.02	6.96	8.7	4.9	
		18:00	23.85	49.28	32.23	7.99	6.83	6.7	0.5	
		21:00	23.12	48.72	31.84	8.14	7.21	8.7	3.5	
	日平均值			23.19	49.08	32.09	8.12	7.04	8.11	3.59
	灣內站	0:00	20.40	49.56	32.49	8.21	8.17	3.9	12.4	
		3:00	20.78	50.13	32.90	8.32	7.57	4.8	8.4	
		6:00	21.35	50.53	33.19	8.21	7.09	5.1	8.1	
		9:00	21.30	50.27	33.00	8.25	7.19	6.4	8.4	
		12:00	21.75	50.42	33.10	8.26	7.88	6.1	9.0	
		15:00	21.40	49.04	32.09	8.29	8.94	5.3	18.0	
		18:00	21.62	50.43	33.11	8.26	7.93	4.8	9.7	
		21:00	21.52	50.45	33.13	8.27	7.78	6.2	13.4	
	日平均值			21.27	50.10	32.88	8.26	7.82	5.33	10.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月22日	蚵殼站	0:00	21.51	51.99	34.26	8.20	7.50	4.5	11.3	
		3:00	21.21	51.93	34.22	8.27	7.17	4.8	9.4	
		6:00	21.39	52.18	34.41	8.23	7.05	6.6	8.2	
		9:00	20.03	50.83	33.42	8.24	7.72	3.4	7.0	
		12:00	20.76	50.87	33.44	8.23	7.86	3.3	6.5	
		15:00	21.44	51.88	34.18	8.27	8.31	4.5	11.2	
		18:00	21.54	52.01	34.28	8.24	7.85	4.4	12.0	
		21:00	22.51	52.20	34.40	8.18	7.15	5.8	6.2	
	日平均值			21.30	51.74	34.08	8.23	7.58	4.66	8.98
	潮口站	0:00	22.59	49.21	32.20	8.12	7.07	9.5	4.5	
		3:00	22.22	47.88	31.24	8.41	7.29	9.3	2.4	
		6:00	23.30	48.61	31.75	8.33	6.85	7.5	4.0	
		9:00	22.91	48.86	31.94	8.21	7.02	7.4	2.6	
		12:00	22.60	49.78	32.62	8.35	7.13	9.0	1.7	
		15:00	23.78	48.77	31.86	8.23	7.01	6.7	3.4	
		18:00	23.63	49.24	32.21	8.19	6.95	7.1	7.1	
		21:00	23.30	49.20	32.19	8.30	6.92	6.1	3.0	
	日平均值			23.04	48.94	32.00	8.27	7.03	7.83	3.59
	灣內站	0:00	21.01	50.29	33.01	8.26	7.22	5.0	7.5	
		3:00	20.70	49.99	32.80	8.57	7.96	5.7	12.4	
		6:00	20.48	49.98	32.79	8.42	7.90	5.3	13.5	
		9:00	20.20	49.76	32.63	8.40	8.16	5.2	12.3	
		12:00	20.72	49.58	32.49	8.40	9.13	5.6	13.1	
		15:00	21.05	49.62	32.52	8.46	9.55	6.5	20.9	
		18:00	20.90	49.84	32.68	8.40	9.21	3.5	15.9	
		21:00	20.87	49.68	32.57	8.40	8.67	6.4	12.5	
	日平均值			20.74	49.84	32.69	8.41	8.48	5.40	13.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月23日	蚵殼站	0:00	21.29	51.83	34.15	8.27	7.98	4.6	10.7	
		3:00	20.81	51.70	34.06	8.27	7.79	5.1	9.6	
		6:00	20.60	51.63	34.00	8.28	7.66	4.2	8.9	
		9:00	20.46	51.50	33.91	8.27	7.79	4.9	8.1	
		12:30	20.88	50.28	33.27	8.40	8.10	2.4	11.9	
		15:00	21.20	50.71	33.59	8.18	7.97	2.9	3.1	
		18:00	21.66	51.41	34.09	8.08	7.74	3.8	4.6	
		21:00	22.93	52.01	34.52	7.85	7.14	4.8	4.3	
	日平均值			21.23	51.38	33.95	8.20	7.77	4.09	7.65
	潮口站	0:00	22.42	47.79	31.17	8.31	6.99	11.6	1.5	
		3:00	22.01	49.26	32.25	8.46	7.04	12.1	2.1	
		6:00	22.72	49.05	32.08	8.44	6.99	10.6	2.2	
		9:00	22.94	48.81	31.91	8.54	7.10	5.4	2.4	
		12:00	22.73	51.54	33.91	8.26	7.10	5.5	2.9	
		15:00	23.36	51.52	33.89	8.20	6.82	5.5	2.0	
		18:00	23.43	51.49	33.87	8.16	6.66	8.1	3.7	
		21:00	23.26	51.63	33.97	8.20	6.68	6.6	0.4	
	日平均值			22.86	50.14	32.88	8.32	6.92	8.18	2.15
	灣內站	0:00	20.59	49.58	32.50	8.39	8.38	6.2	11.4	
		3:00	20.73	50.07	32.86	8.42	6.40	5.7	7.9	
		6:00	20.60	50.12	32.89	8.38	7.11	7.0	10.3	
		9:00	20.82	50.23	32.97	8.32	6.93	9.7	9.2	
		12:00	21.38	50.58	33.22	8.16	7.53	3.5	9.3	
		15:00	21.06	49.73	32.60	8.28	8.32	4.1	19.8	
		18:00	21.30	50.22	32.96	8.23	7.74	3.8	12.3	
		21:00	21.24	50.31	33.03	8.20	7.45	3.9	11.1	
	日平均值			20.97	50.11	32.88	8.30	7.48	5.49	11.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月24日	蚵殼站	0:00	22.32	50.89	33.44	8.10	7.25	4.0	7.1	
		3:00	21.23	50.36	33.06	8.14	7.58	4.8	3.5	
		6:00	21.00	50.25	32.98	8.23	7.49	3.4	6.3	
		9:00	20.85	49.96	32.77	8.17	7.49	3.3	11.8	
		12:00	21.93	50.38	33.07	8.15	7.23	3.4	7.3	
		15:00	22.13	50.64	33.26	8.25	7.12	4.1	4.2	
		18:00	22.40	50.94	33.47	8.22	6.94	4.1	6.1	
		21:00	22.91	51.05	33.55	8.19	6.77	6.5	3.0	
	日平均值			21.85	50.56	33.20	8.18	7.23	4.20	6.16
	潮口站	0:00	22.45	51.40	33.82	8.19	6.72	12.3	1.7	
		3:00	21.97	51.39	33.81	8.20	6.74	11.4	4.0	
		6:00	22.40	51.51	33.90	8.30	6.66	12.8	0.6	
		9:00	22.94	51.78	34.09	8.25	6.54	10.4	2.6	
		12:00	23.15	51.76	34.07	8.24	6.51	5.5	1.3	
		15:00	23.77	51.16	33.62	8.20	6.37	9.5	3.3	
		18:00	23.51	51.48	33.86	8.19	6.37	7.0	1.4	
		21:00	23.50	51.66	33.99	8.22	6.35	4.0	0.5	
	日平均值			22.96	51.52	33.90	8.22	6.53	9.11	1.93
	灣內站	0:00	22.04	50.55	33.30	8.13	7.53	4.7	14.5	
		3:00	21.62	50.37	33.17	8.21	7.32	3.0	11.1	
		6:00	21.82	50.78	33.47	8.29	6.33	3.5	13.6	
		9:00	22.03	51.00	33.63	8.07	6.41	3.7	9.3	
		12:00	22.10	50.81	33.49	8.29	7.47	4.1	24.3	
		15:00	21.74	50.41	33.20	8.40	7.98	4.9	29.8	
		18:00	21.94	50.76	33.46	8.33	7.10	3.8	11.7	
		21:00	21.92	50.95	33.60	8.30	6.95	4.4	9.6	
	日平均值			21.90	50.70	33.42	8.25	7.14	4.01	15.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月25日	蚵殼站	0:00	22.03	50.46	33.13	8.37	7.14	4.4	4.2	
		3:00	21.56	49.83	32.67	8.34	7.20	3.8	6.7	
		6:00	21.53	49.85	32.69	8.24	7.05	3.2	5.4	
		9:00	21.47	49.82	32.66	8.18	7.02	3.4	5.9	
		12:00	21.71	49.95	32.76	8.25	7.02	3.3	7.4	
		15:00	21.87	50.08	32.85	8.24	6.93	3.0	12.8	
		18:00	22.35	50.76	33.35	8.19	6.62	5.6	6.9	
		21:00	22.16	50.59	33.22	8.17	6.62	4.0	4.2	
	日平均值			21.84	50.17	32.92	8.25	6.95	3.84	6.69
	潮口站	0:00	23.08	51.48	33.86	8.18	6.38	9.2	1.5	
		3:00	22.75	51.47	33.86	8.16	6.38	15.7	0.4	
		6:00	22.28	51.19	33.66	8.26	6.50	10.2	0.0	
		9:00	23.10	51.82	34.12	8.20	6.38	6.2	3.2	
		12:00	23.09	51.77	34.08	8.19	6.37	5.0	4.5	
		15:00	22.96	51.65	33.99	8.20	6.36	9.2	3.9	
		18:00	23.10	51.82	34.12	8.19	6.34	6.0	1.7	
		21:00	23.12	51.86	34.14	8.23	6.34	5.3	4.4	
	日平均值			22.94	51.63	33.98	8.20	6.38	8.35	2.45
	灣內站	0:00	21.62	50.41	33.20	8.28	7.01	2.9	13.3	
		3:00	21.26	49.83	32.78	8.20	6.84	2.8	7.9	
		6:00	21.35	50.31	33.13	8.44	6.45	3.7	12.3	
		9:00	21.73	50.77	33.47	8.29	6.65	4.6	5.9	
		12:00	21.96	50.74	33.44	8.16	6.55	6.8	6.6	
		15:00	22.10	50.25	33.08	8.23	6.90	3.2	4.5	
		18:00	22.21	49.86	32.79	8.26	7.31	3.6	6.4	
		21:00	22.20	50.75	33.44	8.25	6.89	4.5	8.2	
	日平均值			21.80	50.37	33.17	8.26	6.83	4.01	8.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月26日	蚵殼站	0:00	22.54	51.03	33.54	8.18	6.50	5.5	5.7	
		3:00	22.40	50.94	33.48	8.20	6.49	4.4	7.3	
		6:00	21.63	50.38	33.07	8.09	6.67	3.9	9.0	
		9:00	21.97	50.67	33.28	8.16	6.53	4.2	2.2	
		12:00	21.83	50.16	32.91	8.29	6.64	4.1	11.7	
		15:00	22.05	50.49	33.15	8.29	6.63	3.9	10.6	
		18:00	22.10	50.56	33.20	8.27	6.56	3.3	6.0	
		21:00	22.18	50.74	33.33	8.27	6.50	3.7	4.8	
	日平均值			22.09	50.62	33.25	8.22	6.57	4.13	7.16
	潮口站	0:00	22.46	51.43	33.84	8.21	6.41	7.6	1.7	
		3:00	22.15	51.50	33.89	8.17	6.41	13.5	0.3	
		6:00	22.00	51.25	33.71	8.25	6.47	7.4	3.2	
		9:00	23.07	51.86	34.14	8.22	6.30	7.1	3.8	
		12:00	23.15	51.86	34.14	8.21	6.33	5.0	1.6	
		15:00	22.70	51.56	33.93	8.20	6.37	8.6	1.3	
		18:00	23.16	51.79	34.09	8.24	6.36	6.6	2.3	
		21:00	23.20	51.83	34.12	8.24	6.31	4.3	2.9	
	日平均值			22.74	51.64	33.98	8.22	6.37	7.51	2.14
	灣內站	0:00	21.62	50.41	33.20	8.28	7.01	2.9	13.3	
		3:00	21.26	49.83	32.78	8.20	6.84	2.8	7.9	
		6:00	21.35	50.31	33.13	8.44	6.45	3.7	12.3	
		9:00	21.73	50.77	33.47	8.29	6.65	4.6	5.9	
		12:00	21.96	50.74	33.44	8.16	6.55	6.8	6.6	
		15:00	22.10	50.25	33.08	8.23	6.90	3.2	4.5	
		18:00	22.21	49.86	32.79	8.26	7.31	3.6	6.4	
		21:00	22.20	50.75	33.44	8.25	6.89	4.5	8.2	
	日平均值			21.80	50.37	33.17	8.26	6.83	4.01	8.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月27日	蚵殼站	0:00	22.11	50.54	33.19	8.31	6.51	3.7	6.3	
		3:00	21.87	50.35	33.05	8.27	6.49	3.6	7.1	
		6:00	21.86	50.51	33.17	8.24	6.44	3.3	4.9	
		9:00	21.75	50.32	33.02	8.06	6.36	3.1	2.1	
		12:00	22.19	50.52	33.17	8.19	6.37	3.6	7.0	
		15:00	22.34	50.84	33.41	8.23	6.37	3.0	6.0	
		18:00	22.38	50.94	33.48	8.23	6.27	4.6	4.8	
		21:00	22.47	51.06	33.56	8.21	6.19	5.2	6.6	
	日平均值			22.12	50.64	33.26	8.22	6.38	3.76	5.60
	潮口站	0:00	23.19	51.88	34.16	8.19	6.35	5.1	1.9	
		3:00	22.06	51.28	33.73	8.13	6.40	12.9	2.6	
		6:00	22.07	51.25	33.71	8.23	6.49	6.5	5.4	
		9:00	22.89	51.73	34.05	8.18	6.32	9.3	1.4	
		12:00	23.08	51.79	34.09	8.19	6.37	5.7	0.8	
		15:00	23.07	51.69	34.02	8.19	6.38	15.8	2.8	
		18:00	23.03	51.73	34.05	8.19	6.35	6.3	0.5	
		21:00	23.08	51.71	34.04	8.20	6.31	4.9	0.3	
	日平均值			22.81	51.63	33.98	8.19	6.37	8.31	1.96
	灣內站	0:00	22.03	50.75	33.45	8.24	6.78	4.8	7.3	
		3:00	21.90	50.82	33.50	8.09	6.47	5.1	6.7	
		6:00	21.63	50.77	33.47	8.30	5.81	3.0	4.4	
		9:00	21.64	49.75	32.72	8.19	6.51	3.4	11.1	
		12:00	21.79	49.99	32.89	8.31	7.44	3.7	10.6	
		15:00	22.01	50.16	33.02	8.25	7.33	3.5	4.7	
		18:00	21.87	50.15	33.01	8.26	7.34	4.1	14.4	
		21:00	21.80	50.45	33.23	8.26	6.81	4.4	12.1	
	日平均值			21.83	50.36	33.16	8.24	6.81	4.00	8.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月28日	蚵殼站	0:00	22.46	51.08	33.58	8.20	6.14	3.4	1.4	
		3:00	21.93	50.64	33.26	8.24	6.30	3.2	7.4	
		6:00	21.86	50.63	33.25	8.25	6.32	3.3	9.9	
		9:00	21.84	50.55	33.20	8.13	6.38	3.9	11.3	
		12:00	22.19	50.75	33.34	8.16	6.28	3.9	8.5	
		15:00	22.34	50.60	33.23	8.19	6.25	3.8	10.3	
		18:00	22.29	50.85	33.41	8.20	6.22	3.8	4.8	
		21:00	22.17	50.88	33.44	8.19	6.20	3.7	3.9	
	日平均值			22.14	50.75	33.34	8.20	6.26	3.63	7.19
	潮口站	0:00	23.03	51.80	34.10	8.21	6.36	5.2	1.6	
		3:00	22.77	51.70	34.03	8.18	6.39	8.7	3.8	
		6:00	22.48	51.60	33.96	8.16	6.39	8.5	0.8	
		9:00	22.39	51.63	33.99	8.15	6.39	12.7	0.2	
		12:00	23.21	51.92	34.18	8.17	6.32	10.8	7.3	
		15:00	23.22	51.89	34.16	8.21	6.40	4.8	1.8	
		18:00	23.12	51.79	34.09	8.18	6.39	8.6	3.9	
		21:00	23.07	51.81	34.11	8.20	6.37	5.8	3.4	
	日平均值			22.91	51.77	34.08	8.18	6.38	8.14	2.85
	灣內站	0:00	21.82	50.63	33.36	8.22	6.78	3.9	13.4	
		3:00	21.60	50.53	33.29	8.21	6.77	3.1	8.2	
		6:00	21.51	50.59	33.34	8.26	6.42	3.0	5.9	
		9:00	21.68	50.73	33.44	8.24	6.20	2.5	5.6	
		12:00	21.99	50.82	33.50	8.19	6.63	3.8	10.2	
		15:00	22.20	50.73	33.43	8.23	7.05	5.7	8.3	
		18:00	22.15	50.60	33.34	8.21	7.10	3.5	6.8	
		21:00	22.01	50.49	33.26	8.18	6.87	3.8	11.5	
	日平均值			21.87	50.64	33.37	8.22	6.73	3.66	8.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月29日	蚵殼站	0:00	22.67	51.47	33.87	8.20	6.08	5.2	4.1	
		3:00	21.75	50.80	33.38	8.25	6.29	3.6	9.6	
		6:00	21.66	50.72	33.32	8.24	6.30	4.2	7.8	
		9:00	21.48	50.63	33.26	8.11	6.27	3.3	1.4	
		12:00	21.84	50.69	33.30	8.11	6.25	3.0	7.1	
		15:00	22.44	50.67	33.28	8.23	6.33	4.6	18.0	
		18:00	22.22	51.07	33.57	8.29	6.35	3.7	11.8	
		21:00	21.99	51.06	33.57	8.32	6.37	4.4	11.5	
	日平均值			22.01	50.89	33.44	8.22	6.28	4.00	8.91
	潮口站	0:00	22.95	50.39	33.06	8.16	6.41	4.6	2.4	
		3:00	22.78	51.76	34.08	8.19	6.41	8.8	1.8	
		6:00	21.56	51.32	33.77	8.16	6.59	7.5	7.6	
		9:00	21.48	48.97	32.04	8.18	6.67	10.1	4.8	
		12:00	23.07	50.32	33.01	8.16	6.39	18.0	1.3	
		15:00	22.96	50.49	33.13	8.22	6.50	5.9	0.5	
		18:00	22.60	49.87	32.68	8.21	6.62	5.6	6.2	
		21:00	22.34	48.65	31.79	8.21	6.71	5.7	9.1	
	日平均值			22.47	50.22	32.95	8.19	6.54	8.28	4.21
	灣內站	0:00	21.89	50.67	33.39	8.22	6.74	4.1	9.3	
		3:00	21.70	50.59	33.33	8.25	6.87	4.5	9.8	
		6:00	21.45	50.61	33.35	8.25	6.69	4.4	8.5	
		9:00	21.32	50.60	33.35	8.44	6.70	3.3	8.7	
		12:00	21.68	50.60	33.34	8.29	7.07	3.1	9.1	
		15:00	21.61	49.68	32.67	8.34	7.82	4.3	14.5	
		18:00	21.78	50.05	32.93	8.22	7.22	3.1	12.9	
		21:00	21.48	49.82	32.77	8.34	7.38	4.1	13.0	
	日平均值			21.61	50.33	33.14	8.29	7.06	3.86	10.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月30日	蚵殼站	0:00	21.60	50.69	33.30	8.35	6.48	4.7	18.5	
		3:00	21.54	50.85	33.42	8.30	6.38	4.7	11.1	
		6:00	21.39	50.77	33.36	8.30	6.39	4.0	16.4	
		9:00	21.31	50.72	33.32	8.30	6.43	3.5	8.9	
		12:00	21.64	50.41	33.09	8.35	6.45	4.4	6.9	
		15:00	21.88	51.03	33.55	8.38	6.47	4.7	14.0	
		18:00	21.90	51.14	33.63	8.34	6.34	4.3	10.1	
		21:00	21.64	50.59	33.23	8.46	6.62	4.2	18.1	
	日平均值			21.61	50.78	33.36	8.35	6.45	4.31	13.00
	潮口站	0:00	22.49	49.12	32.13	8.23	6.62	5.8	4.0	
		3:00	22.46	51.95	34.22	8.23	6.52	6.3	1.8	
		6:00	21.23	51.35	33.80	8.25	6.82	5.8	5.1	
		9:00	21.50	51.49	33.90	8.25	6.77	7.1	7.2	
		12:00	22.99	51.91	34.19	8.19	6.46	21.9	4.1	
		15:00	23.12	51.96	34.22	8.21	6.49	5.7	1.4	
		18:00	22.71	51.85	34.14	8.18	6.59	6.8	5.6	
		21:00	22.51	51.83	34.13	8.23	6.62	9.2	2.3	
	日平均值			22.38	51.43	33.84	8.22	6.61	8.58	3.94
	灣內站	0:00	21.34	50.40	33.20	8.29	7.09	3.3	11.6	
		3:00	21.33	50.85	33.53	8.30	7.07	3.4	14.0	
		6:00	20.99	50.75	33.45	8.29	7.18	2.9	12.8	
		9:00	20.61	50.23	33.08	8.36	7.04	3.5	9.3	
		12:00	21.20	49.30	32.39	8.29	7.53	3.2	5.5	
		15:00	21.39	50.15	33.01	8.39	8.19	3.0	17.6	
		18:00	21.32	50.11	32.98	8.37	7.70	3.4	17.0	
		21:00	21.41	50.05	32.94	8.33	7.68	4.5	21.4	
	日平均值			21.20	50.23	33.07	8.33	7.44	3.40	13.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

103年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
12月31日	蚵殼站	0:00	21.29	50.32	33.03	8.40	6.57	4.3	17.7	
		3:00	21.21	50.35	33.06	8.38	6.53	4.1	10.9	
		6:00	21.12	50.47	33.15	8.36	6.50	4.3	13.6	
		9:00	21.14	50.53	33.19	8.36	6.52	4.2	16.1	
		12:00	21.82	50.56	33.20	8.37	6.47	3.7	5.2	
		15:00	21.81	50.75	33.34	8.37	6.46	5.5	11.5	
		18:00	21.70	50.87	33.43	8.36	6.41	5.3	19.9	
		21:00	21.62	50.80	33.39	8.37	6.42	6.8	13.9	
	日平均值			21.46	50.58	33.22	8.37	6.49	4.78	13.60
	潮口站	0:00	22.38	51.81	34.12	8.21	6.61	6.8	4.6	
		3:00	22.63	51.89	34.17	8.20	6.63	4.9	8.4	
		6:00	22.32	51.86	34.16	8.20	6.65	8.0	4.8	
		9:00	20.57	50.85	33.43	8.34	7.21	6.3	16.3	
		12:00	22.81	51.82	34.12	8.21	6.62	10.0	2.8	
		15:00	23.19	51.94	34.20	8.21	6.58	3.7	3.1	
		18:00	22.75	51.85	34.14	8.21	6.70	6.4	9.5	
		21:00	22.14	51.67	34.02	8.20	6.77	10.4	4.5	
	日平均值			22.35	51.71	34.05	8.22	6.72	7.06	6.75
	灣內站	0:00	21.27	50.51	33.28	8.28	7.28	4.1	14.6	
		3:00	21.58	50.96	33.61	8.21	7.07	5.7	17.4	
		6:00	21.42	50.97	33.62	8.21	6.88	4.7	14.7	
		9:00	21.31	50.95	33.60	8.38	7.24	6.2	12.8	
		12:00	22.27	51.05	33.67	8.33	7.64	4.4	13.3	
		15:00	22.08	50.94	33.59	8.49	7.99	4.4	18.0	
		18:00	21.78	50.85	33.53	8.40	8.02	4.8	17.7	
21:00		21.55	50.63	33.36	8.40	8.09	5.3	11.0		
日平均值			21.66	50.86	33.53	8.34	7.53	4.95	14.94	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			