

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)
1月1日	蚵殼站	00:21:58	21.67	49.79	32.64	105.6	7.69	7.64	141.7	110	15
		03:21:59	21.61	49.87	32.7	106.1	7.73	7.75	146.8	12	17
		06:21:59	21.64	49.93	32.74	104.4	7.59	7.71	152.2	5.3	8.1
		09:22:00	21.4	49.67	32.56	108.6	7.94	7.8	148.2	33	16.6
		12:21:59	21.59	48.99	32.06	111.4	8.15	7.64	145.7	94.2	21.7
		15:22:00	21.97	49.77	32.62	115.7	8.37	7.63	146.9	106.1	23.7
		18:22:00	21.94	49.87	32.7	107.2	7.76	7.56	146.4	134.6	16.8
		21:22:00	21.89	49.55	32.46	112.4	8.16	7.68	143.8	131.4	23.7
	日平均值	21.71	49.68	32.56	108.93	7.92	7.68	146.46	78.33	17.83	
	潮口站	00:25:30	22.51	51.02	33.53	89	6.35	7.62	151.3	6.4	3.9
		03:25:30	21.81	50.48	33.14	85.9	6.21	7.91	143.7	9.6	ND
		06:25:29	21.91	50.33	33.03	89.4	6.47	8.04	136.8	4	8.9
		09:25:29	22.04	50.65	33.27	87.7	6.32	7.96	156	7.7	ND
		12:25:29	23.05	50.99	33.51	90.2	6.37	7.89	168.5	1.3	2.8
		15:25:29	23.14	50.98	33.49	93.2	6.58	7.94	175.8	1.5	9.2
		18:25:28	22.85	50.75	33.33	93.4	6.63	7.96	182	2.6	2.7
		21:25:29	22.71	50.76	33.34	88.9	6.33	8.1	177.2	4.5	4.1
	日平均值	22.50	50.75	33.33	89.71	6.41	7.93	161.41	4.70	5.27	
	灣內站	00:23:14	21.77	49.07	32.11	108.2	7.88	7.77	103.5	11.1	5.4
		03:23:14	21.49	49.03	32.09	109.2	8	7.8	103.5	7.2	8.2
		06:23:14	21.64	49.19	32.2	99.9	7.29	7.78	107.6	6.1	9.9
		09:23:15	21.34	48.46	31.67	103.7	7.63	7.73	97.9	5.7	4.8
		12:23:14	21.88	46.34	30.12	107.3	7.89	7.63	97	4.6	7
		15:23:15	22.31	47.91	31.25	137.4	9.97	7.74	106.1	9.4	10.6
		18:23:14	22.23	48.08	31.38	130.6	9.48	7.81	102.2	3	17.1
		21:23:15	21.98	48.72	31.85	121.1	8.81	7.8	102.3	2.4	6.2
	日平均值	21.83	48.35	31.58	114.68	8.37	7.76	102.51	6.19	8.65	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)
1月2日	蚵殼站	00:22:00	21.75	49.52	32.44	112.3	8.17	7.78	140.7	299.2	14.3
		03:21:59	21.56	49.31	32.29	110.4	8.07	7.75	146.3	183.1	21.1
		06:22:00	21.49	49.48	32.41	109.5	8.01	7.81	140.8	119.8	20
		09:22:01	21.44	49.38	32.34	109.6	8.02	7.79	149	98.8	13.7
		12:22:00	21.58	49.38	32.34	111.5	8.14	7.68	146.1	83.2	19.7
		15:22:00	21.64	49.51	32.44	112.3	8.19	7.75	144	162.9	19.8
		18:22:00	21.53	49.68	32.56	110.5	8.06	7.68	146	218.6	12.3
		21:22:02	21.7	49.19	32.2	112.6	8.21	7.73	148.6	87.7	25.6
	日平均值	21.59	49.43	32.38	111.09	8.11	7.75	145.19	156.66	18.31	
	潮口站	00:25:28	22.64	50.82	33.39	88.2	6.28	8.37	168.8	4	4.7
		03:25:27	22.3	50.61	33.23	93.1	6.67	7.79	162.8	3	6.5
		06:25:27	21.82	50.03	32.81	100.9	7.31	8	159	1.9	14.2
		09:25:26	21.8	50.17	32.92	94.5	6.85	7.93	153.6	6.7	11
		12:25:26	22.74	51.05	33.55	91.3	6.48	7.91	174.1	1	ND
		15:17:04	22.87	50.89	33.43	95.9	6.8	8.25	164.2	1.5	5.3
		18:25:25	21.94	50.21	32.94	102.3	7.4	8.25	168	3.2	8.7
		21:25:26	21.89	50.22	32.95	102.8	7.44	8.21	167.3	2.7	5
	日平均值	22.25	50.50	33.15	96.13	6.90	8.09	164.73	3.00	7.91	
	灣內站	00:23:15	21.63	49.31	32.29	111.9	8.16	7.79	103.2	1.6	12.5
		03:23:13	21.46	48.93	32.01	111.1	8.14	7.89	94.3	ND	5
		06:23:12	21.4	48.89	31.98	103	7.56	7.86	99.4	2	11.6
		09:23:15	21.35	48.91	32	96.8	7.11	7.81	107.1	2.2	7.7
		12:23:14	21.61	47.66	31.08	126.5	9.3	7.86	102.7	1.5	13.5
		15:23:14	21.8	48.16	31.45	130.2	9.52	7.87	105.8	2.2	13.9
		18:23:13	21.61	48.28	31.54	128	9.38	7.8	108.1	2.4	9.6
		21:23:10	21.57	48.4	31.62	116.5	8.54	7.76	107.3	2.3	7.3
	日平均值	21.55	48.57	31.75	115.50	8.46	7.83	103.49	2.03	10.14	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月3日	蚵殼站	00:22:02	21.32	48.72	31.86	110.4	8.12	7.65	152	78.4	19.4	
		03:22:00	21.17	49.28	32.27	107.2	7.89	7.81	138.9	157.1	10.3	
		06:22:01	21.15	49.34	32.32	105.7	7.78	7.86	141.6	93.2	8.3	
		09:22:02	21.15	49.39	32.35	108.9	8.01	7.84	142.6	83.3	16.1	
		12:22:02	21.48	48.78	31.9	108.9	7.98	7.56	133.4	57.4	14.1	
		15:22:02	21.77	49.86	32.69	108.5	7.88	7.62	130.2	149.8	10.3	
		18:22:02	21.78	49.77	32.63	108.1	7.85	7.61	127	209.2	15.8	
		21:21:56	21.52	49.21	32.22	108.7	7.95	7.65	123.8	55.6	17.9	
	日平均值	21.42	49.29	32.28	108.30	7.93	7.70	136.19	110.50	14.03		
	潮口站	00:25:26	21.71	49.94	32.75	101.4	7.37	7.62	165	2.5	7.4	
		03:25:19	21.5	49.95	32.76	98.7	7.2	7.89	158.6	1.7	5.7	
		06:25:25	21.31	50	32.8	98.2	7.18	8.28	152	2.5	4.3	
		09:25:19	21.28	49.75	32.62	98.3	7.2	7.55	158.8	2.4	12.2	
		09:55:26	21.55	50.18	32.93	96.8	7.05	7.55	154	6.8	5.6	
		15:06:12	23.04	53.05	35.03	103.2	7.23	8.28	141.8	3.4	1.5	
		18:06:11	22.92	53.34	35.25	99.9	7	8.15	148.8	5.1	7.2	
		21:06:06	21.7	52.35	34.52	104.9	7.55	8.14	149.7	7.3	9	
	日平均值	21.88	51.07	33.58	100.18	7.22	7.93	153.59	3.96	6.61		
	灣內站	00:23:14	21.5	48.69	31.84	113.4	8.31	7.81	109.4	1.5	5.2	
		03:23:14	21.42	49.31	32.29	108.2	7.93	7.85	105	ND	5.4	
		06:23:14	20.73	48.66	31.82	97.9	7.28	7.9	94.4	1.8	ND	
		09:23:15	21.18	49.1	32.14	100.9	7.43	7.84	95.3	1.5	5.9	
		12:23:15	21.8	48.65	31.81	113.9	8.31	7.71	88	ND	1.3	
		15:23:15	21.8	48.71	31.85	123.1	8.98	7.71	92.4	1.6	6.6	
		18:23:14	21.58	48.74	31.87	119.8	8.77	7.7	94	2.4	5.6	
		21:23:14	21.58	48.97	32.04	112.2	8.2	7.73	85.7	3.4	2.5	
	日平均值	21.45	48.85	31.96	111.18	8.15	7.78	95.53	2.03	4.64		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月4日	蚵殼站	00:22:03	21.41	48.97	32.04	108.5	7.96	7.7	140.2	109.6	14.9	
		03:22:03	21.21	48.85	31.95	106.9	7.87	7.76	154.4	62.4	13.4	
		06:22:03	21.22	49.47	32.41	106	7.79	7.89	149.4	13.5	10.2	
		09:22:03	21.16	49.24	32.24	106.3	7.82	7.91	156.6	22.4	13	
		12:22:03	21.46	49.24	32.24	106	7.76	7.79	149.6	28.6	4	
		15:22:04	21.37	49.53	32.45	107.5	7.87	7.86	144.4	69	20.4	
		18:22:05	21.21	49.62	32.52	103.8	7.62	7.76	144.2	116.8	13.3	
		21:22:03	21.09	49.61	32.51	104.4	7.68	7.93	141.1	28.1	10.2	
	日平均值	21.27	49.32	32.30	106.18	7.80	7.83	147.49	56.30	12.43		
	潮口站	00:06:11	21.8	52.72	34.8	99.6	7.14	7.79	159	7.6	8.5	
		03:06:11	21.79	52.79	34.85	92.9	6.66	7.86	154.2	6.7	2.7	
		06:06:10	21.6	52.87	34.91	95	6.83	8.02	156.6	8	12.1	
		09:06:05	21.5	52.71	34.79	92.8	6.69	8.01	154.5	8.8	8.2	
		12:06:10	22.42	53.36	35.27	94.3	6.67	7.93	148.3	6.1	2.4	
		15:06:10	22.85	53.28	35.2	94.4	6.63	7.91	157.9	2.5	4.7	
		18:06:10	22.81	53.46	35.34	96.1	6.74	7.93	161.8	4.6	5.1	
		21:06:02	22.13	53.24	35.18	96.7	6.87	8.04	154.6	8.9	11	
	日平均值	22.11	53.05	35.04	95.23	6.78	7.94	155.86	6.65	6.84		
	灣內站	00:23:09	21.48	49.39	32.35	99.4	7.27	7.77	86.8	2	3.4	
		03:23:08	21.2	49.36	32.33	98.4	7.23	7.8	89.6	2.1	ND	
		06:23:15	21.31	49.41	32.36	99.1	7.27	7.95	78.1	2.5	4.6	
		09:23:15	21.32	49.64	32.53	101.8	7.46	7.93	77.4	1.3	1.1	
		10:53:14	21.53	49.28	32.27	106.8	7.81	7.94	78.5	1.2	2.2	
		15:06:20	21.51	47.24	30.78	123.3	9.1	8.14	75.6	7.5	36.8	
		18:14:37	21.19	47.3	30.82	119.8	8.88	8.14	68.2	11.3	32.5	
		21:14:35	21.28	49.21	32.22	112.5	8.26	8.29	62.8	13.7	28.1	
	日平均值	21.35	48.85	31.96	107.64	7.91	8.00	77.13	5.20	15.53		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月5日	蚵殼站	00:22:04	20.93	49.54	32.46	105.3	7.77	7.97	149.3	11	6.2	
		03:22:04	20.61	49.02	32.09	106.5	7.92	8.03	146.2	4.3	7.6	
		06:22:04	20.46	49.01	32.08	102.7	7.66	7.98	150.4	16.3	9.2	
		09:22:04	20.47	49.22	32.23	104.3	7.78	8.04	154.8	16.7	8.4	
		02:33:29	20.75	49.64	32.54	110.7	8.19	8.25	125.7	3914	63.5	
		15:28:51	20.73	49.58	32.49	110.5	8.19	8.22	287.4	854.4	58.4	
		18:06:22	20.62	49.66	32.55	109.9	8.16	8.1	161.3	407.3	49	
		21:06:27	20.35	49.44	32.39	109.4	8.16	7.96	148.1	84.1	24.7	
	日平均值	20.62	49.39	32.35	107.41	7.98	8.07	165.40	663.51	28.38		
	潮口站	00:06:09	21.68	53	35.01	98.3	7.05	8.14	163.3	7	7.1	
		03:06:09	21.5	52.9	34.94	93.9	6.76	8.15	148.6	8.6	4.9	
		06:06:08	21.8	53.39	35.3	90.7	6.49	8.11	168	6	3.6	
		09:06:07	21.27	53.03	35.04	90.8	6.56	8.16	147.2	5.4	1.8	
		12:06:08	21.96	53.35	35.27	94.6	6.74	8.05	172.2	5.5	5.2	
		15:06:08	22.16	53.49	35.37	97.3	6.91	8	172.1	4.5	4.4	
		18:06:08	21.82	53.25	35.19	99.1	7.09	8.02	178.5	5.7	9.3	
		21:06:06	20.98	52.52	34.66	101.8	7.41	8.1	161.7	4.8	8.2	
	日平均值	21.65	53.12	35.10	95.81	6.88	8.09	163.95	5.94	5.56		
	灣內站	00:14:35	20.26	0.412	0.2	101.4	9.16	8.2	40.6	ND	ND	
		03:14:36	20.78	49.7	32.58	109.5	8.1	8.27	59.1	14.3	29.2	
		06:14:36	20.43	49.06	32.12	105.1	7.84	8.26	60.9	10.2	21.8	
		09:14:36	20.52	49.8	32.66	104.6	7.77	8.28	61.4	15.6	16.4	
		12:14:36	20.94	50.04	32.83	112.7	8.3	8.23	69	17.1	32.8	
		15:14:37	20.84	49.79	32.65	123	9.08	8.22	51.3	20.2	17.6	
		18:14:37	20.82	50.12	32.89	117.2	8.65	8.2	52.2	14.6	29.7	
		21:14:35	20.47	49.49	32.43	112.9	8.41	8.18	52.2	19.8	27	
	日平均值	20.63	43.55	28.55	110.80	8.41	8.23	55.84	15.97	24.93		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月6日	蚵殼站	00:06:28	20.48	49.75	32.62	107	7.96	8.03	149	36.5	23.5	
		03:06:22	20.4	49.7	32.59	106.5	7.93	8.09	144.8	79.5	23.1	
		06:06:28	20.19	49.74	32.62	105.9	7.91	8.16	112.5	21.4	13.7	
		09:06:27	20.06	49.41	32.37	105.9	7.94	8.06	138.3	120.8	40.2	
		12:06:28	20.63	49.45	32.4	106.4	7.9	7.79	130.2	89.7	30.1	
		15:06:28	20.89	50.05	32.84	111	8.18	7.76	135.4	90.2	47	
		18:06:31	21.93	50.92	33.47	106.9	7.7	7.8	136.9	21.9	17.5	
		21:06:29	20.83	50.33	33.05	107.7	7.94	7.94	137.4	539.9	59.7	
	日平均值	20.68	49.92	32.75	107.16	7.93	7.95	135.56	124.99	31.85		
	潮口站	00:06:07	20.76	52.1	34.35	104.1	7.63	8.17	178.4	3.4	14.9	
		03:06:07	20.59	52.1	34.35	101.4	7.44	8.14	180.6	4.7	ND	
		06:06:06	22.41	53.51	35.38	90.7	6.41	8.08	178.2	1.9	7.1	
		09:06:05	21.54	52.92	34.95	93.4	6.72	8.1	160	4	7.1	
		12:06:05	22.86	53.33	35.24	91.6	6.43	7.88	177.2	2.1	ND	
		15:06:05	23.29	53.12	35.08	90.7	6.32	7.72	197.4	2.4	4.4	
		18:06:07	23.15	53.15	35.1	91.6	6.4	7.77	183.2	3	ND	
		21:06:05	22.38	52.95	34.96	91	6.45	7.83	197.7	11.8	ND	
	日平均值	22.12	52.90	34.93	94.31	6.73	7.96	181.59	4.16	8.38		
	灣內站	00:14:36	20.42	49.79	32.65	104.5	7.78	8.18	59.7	11.7	28.6	
		03:14:36	20.51	50.3	33.02	97.2	7.21	8.14	60.2	11.4	32.8	
		06:14:36	20.36	50.29	33.02	98.1	7.29	8.2	48.4	8.7	28.1	
		09:14:35	20.17	49.47	32.42	104.9	7.85	8.12	56.9	12	30.4	
		12:14:36	20.9	49.45	32.4	113.3	8.37	8.06	49.7	14.2	13.5	
		15:06:22	21.05	49.95	32.76	122.4	9	8.1	54.2	16.6	43.7	
		18:14:35	21.05	50.27	33	117.1	8.6	8.08	51.2	19.9	25	
		21:14:36	20.91	50.27	33	111.6	8.22	8.07	49.8	18.2	32.4	
	日平均值	20.67	49.97	32.78	108.64	8.04	8.12	53.76	14.09	29.31		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
1月7日	蚵殼站	00:06:23	20.62	49.15	32.18	107.7	8.01	7.96	99.6	89	17.5
		03:06:30	20.38	49.35	32.33	107.1	7.99	8.02	101.2	228.5	63.3
		06:06:30	20.4	49.66	32.56	105.7	7.87	8	106.1	58.4	12
		09:06:29	20.34	49.68	32.57	107.3	8.01	8.04	101.9	27	20.4
		12:06:23	20.44	49.41	32.37	109.6	8.17	8.01	99	27	23.7
		15:28:59	21.22	50.07	32.85	107.4	7.87	7.92	300.9	1421.3	114.6
		18:06:30	21.18	50.13	32.89	108.2	7.93	7.8	170.1	539.2	92.5
		21:06:29	20.93	49.5	32.44	110.6	8.16	7.88	161.3	179.3	49
	日平均值	20.69	49.62	32.52	107.95	8.00	7.95	142.51	321.21	49.13	
	潮口站	00:06:04	21.67	52.78	34.85	88.9	6.39	7.95	186.1	12.4	10.3
		03:06:05	21.48	52.74	34.82	89.2	6.43	8.02	183.4	9	ND
		06:06:05	22.41	53.25	35.19	88.7	6.28	8	197.6	3.6	3.2
		09:06:03	22.61	53.33	35.24	87.9	6.2	7.96	209.2	4.4	2.1
		12:06:03	22.72	53.42	35.31	90.2	6.34	7.94	204.3	3.7	ND
		15:06:04	23.14	53.11	35.07	93	6.5	7.84	183	2.3	11
		18:06:04	23.13	53.13	35.09	94.2	6.58	7.81	188.5	2.4	4.6
		21:05:57	22.34	52.99	35	92	6.52	7.89	186.2	10.8	3.6
	日平均值	22.44	53.09	35.07	90.51	6.41	7.93	192.29	6.08	5.80	
	灣內站	00:14:36	20.83	50.02	32.82	108.2	7.98	8.14	49.1	20.6	47
		03:14:37	20.69	50.06	32.85	103.8	7.68	8.13	52	14.7	53.3
		06:14:39	20.24	49.22	32.24	104.8	7.84	8.14	56.3	12.5	60.9
		09:14:40	20.3	49.18	32.2	104.2	7.79	8.08	59.9	17	51.2
		12:14:39	20.76	49.55	32.47	103.7	7.68	8.12	47.7	16.4	38.9
		15:14:47	21.1	49.73	32.6	133	9.78	8.22	48.1	13.6	50.4
		18:14:43	21.12	48.55	31.74	140.8	10.4	8.04	62.5	10.6	55.9
		21:14:46	21.02	49.77	32.63	119.3	8.78	8.1	55.4	10.4	49.1
	日平均值	20.76	49.51	32.44	114.73	8.49	8.12	53.88	14.48	50.84	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
1月8日	蚵殼站	00:06:32	20.75	49.29	32.28	110.1	8.16	7.98	112.8	30.8	31.5
		03:06:30	20.55	49.17	32.19	109.3	8.14	8.01	115.8	50.3	38.9
		06:06:30	20.48	49.58	32.49	108	8.04	8.01	113.5	420.5	43.7
		09:06:30	20.77	49.8	32.65	106.2	7.85	7.95	123	57.5	16.4
		12:06:29	21.47	49.99	32.79	107.8	7.87	7.67	140.3	57.7	16.3
		15:06:27	22.28	50.69	33.29	108.6	7.79	7.66	136.7	91.3	45.5
		18:06:31	21.91	50.82	33.39	106.2	7.66	7.53	136.9	96.4	56.3
		21:06:25	21.87	50.34	33.04	111.6	8.07	7.87	127.1	232.1	51.9
	日平均值	21.26	49.96	32.77	108.48	7.95	7.84	125.76	129.58	37.56	
	潮口站	00:06:03	22	52.95	34.97	88.7	6.33	7.88	188.7	13.8	4.4
		03:06:01	21.68	52.75	34.83	91.5	6.57	7.97	178.7	11.1	6.8
		06:06:02	22.44	53.31	35.23	89.8	6.35	7.98	164.5	5.1	6.8
		09:06:02	22.45	53.26	35.19	86.9	6.14	7.82	175.1	5.9	3.5
		12:06:02	22.92	53.39	35.28	90.6	6.35	7.83	183.2	3.2	1.6
		15:05:56	23.39	53.43	35.3	93.4	6.49	7.66	194	3.2	6.4
		18:06:02	23.24	52.72	34.78	91.9	6.42	7.64	189.2	2.8	2.9
		21:06:00	22.9	53.12	35.08	91.3	6.41	7.82	191.7	9.5	5.7
	日平均值	22.63	53.12	35.08	90.51	6.38	7.83	183.14	6.83	4.76	
	灣內站	00:14:44	20.9	50.11	32.88	111.8	8.24	8.1	71	20.7	45
		03:14:49	20.45	49.51	32.44	114.2	8.5	8.15	60.1	13.9	49.5
		06:14:51	20.38	49.84	32.69	106.4	7.92	8.2	50.9	9.8	49.4
		09:14:51	20.28	48.45	31.67	121.5	9.12	8.19	53.8	8.4	45.5
		12:14:54	21.2	47.15	30.71	125.2	9.29	8.03	61	7.9	46.4
		15:14:57	21.59	48.18	31.46	143	10.49	8.04	62.8	9.4	36.9
		18:14:59	21.48	48.32	31.57	136.1	10	7.94	61.9	12.9	45.3
		21:14:58	21.21	49.72	32.59	120.6	8.85	8.1	50.3	8.4	43.3
	日平均值	20.94	48.91	32.00	122.35	9.05	8.09	58.98	11.43	45.16	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
1月9日	蚵殼站	00:06:32	21.5	50.15	32.91	110.4	8.05	7.95	125.9	51	21.5	
		03:06:31	21.21	50.06	32.84	109.6	8.03	8	123.4	11	19.4	
		06:06:32	20.76	49.24	32.24	110	8.16	8.06	129.7	191.1	57.8	
		09:06:32	20.86	49.69	32.58	110.5	8.16	8.09	125.5	76.1	47.8	
		12:06:32	21.03	49.43	32.38	116.2	8.56	7.83	135.8	200.2	75.5	
		15:28:58	21.87	50.46	33.13	111.8	8.08	7.74	259.7	97.5	40.5	
		18:06:33	21.95	50.45	33.12	111.4	8.04	7.72	176.7	379.2	71.7	
		21:06:34	21.91	49.98	32.78	115	8.33	7.79	156	168	65.7	
	日平均值	21.39	49.93	32.75	111.86	8.18	7.90	154.09	146.76	49.99		
	潮口站	00:05:55	22.33	52.78	34.84	92.2	6.55	7.9	180.4	8	3.8	
		03:06:01	21.65	52.49	34.63	93.8	6.75	7.97	176.9	8	12.5	
		06:06:00	22.1	52.85	34.89	87.7	6.25	7.95	184.3	6.2	5.3	
		09:06:00	22.12	52.92	34.95	90.3	6.43	7.94	177.5	7.8	6.2	
		12:05:59	22.55	53.07	35.05	89.3	6.31	7.76	171.6	6.7	ND	
		15:06:00	23.2	52.99	34.98	97.1	6.78	7.71	187.4	3.9	8.1	
		18:05:54	23.22	52.21	34.4	94.1	6.6	7.72	196	2.3	1	
		21:06:00	22.55	52.79	34.84	97	6.86	7.72	187.3	10.6	9.3	
	日平均值	22.47	52.76	34.82	92.69	6.57	7.83	182.68	6.69	6.60		
	灣內站	00:15:07	20.99	49.55	32.47	123.2	9.09	8.24	77.2	6.9	46.2	
		03:15:06	20.56	48.94	32.03	119	8.87	8.21	60.5	9.3	52.8	
		06:15:07	20.68	49.32	32.31	108.4	8.05	8.27	49.4	5.4	19.8	
		09:15:09	20.83	50.24	32.98	105.6	7.78	8.12	49.5	4.5	13.4	
		12:15:12	21.76	47.75	31.15	113	8.28	8.18	59.8	5.1	17	
		15:15:17	22.3	48.9	31.98	122.3	8.84	8.25	57.6	4.5	23.9	
		18:15:18	22.17	48.75	31.87	123.4	8.94	8.21	56	4.4	40.4	
		21:15:19	22.17	48.13	31.42	119	8.64	8.07	67.4	4.5	36	
	日平均值	21.43	48.95	32.03	116.74	8.56	8.19	59.68	5.58	31.19		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
1月10日	蚵殼站	00:06:32	21.61	49.44	32.38	114.8	8.38	7.91	161.2	171.5	61.9	
		03:06:34	21.38	49.21	32.22	113.8	8.34	8.04	157.4	64.7	33.8	
		06:06:34	21.26	49.47	32.41	112.5	8.26	8.12	131.5	146.7	46.9	
		09:06:34	21.13	49.31	32.29	112.4	8.27	8.09	152.7	589.3	59.2	
		12:06:35	21.85	49.69	32.57	113.8	8.26	7.82	152.5	376	65.1	
		15:06:33	22.35	50.71	33.31	109.5	7.84	7.7	150.8	57	24.6	
		18:06:34	22.26	50.71	33.31	107.8	7.73	7.6	151.8	52.7	49.7	
		21:06:35	21.99	49.91	32.73	117.6	8.51	7.85	143.4	208	48.5	
	日平均值	21.73	49.81	32.65	112.78	8.20	7.89	150.16	208.24	48.71		
	潮口站	00:05:58	22.59	52.95	34.96	90.3	6.38	7.81	189.7	13.4	7	
		03:05:59	22.23	52.44	34.59	98.5	7.02	8	181.6	6.7	10.5	
		06:05:59	22.66	53.29	35.21	90.1	6.34	7.94	182.7	4.9	4.3	
		09:05:58	22.71	53.26	35.19	88.8	6.25	7.92	170.8	7.2	5.2	
		12:05:58	22.24	52.72	34.79	93.2	6.63	7.79	148.5	9.8	8	
		15:05:57	23.14	53.37	35.26	95.8	6.69	7.7	160.8	5.8	2.5	
		18:05:58	23.02	53.1	35.07	94.9	6.65	7.68	152.9	3.1	ND	
		21:05:57	22.8	52.89	34.91	94.2	6.63	7.72	146.4	8.3	9.8	
	日平均值	22.67	53.00	35.00	93.23	6.57	7.82	166.68	7.40	6.76		
	灣內站	00:15:27	21.75	48.88	31.98	112.3	8.19	8.21	57.3	3	23.8	
		03:15:27	21.49	49.94	32.75	111	8.1	8.24	49.2	3	16.3	
		06:15:26	21	49.35	32.33	108.5	8	8.13	58.5	2.3	16.6	
		09:15:31	20.94	48.07	31.39	110.8	8.23	8.21	55.2	2.7	22.5	
		12:15:30	21.89	47.79	31.18	116.3	8.5	8.16	59.7	3.5	26.5	
		15:15:37	22.25	49	32.06	120	8.67	8.26	53.2	2.3	33.7	
		18:15:37	22.36	48.61	31.76	125.5	9.06	8.09	55.6	3.5	37.5	
		21:15:38	22.26	47.94	31.28	121.5	8.82	8.23	55	3.3	40.3	
	日平均值	21.74	48.70	31.84	115.74	8.45	8.19	55.46	2.95	27.15		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
1月11日	蚵殼站	00:06:33	22.24	50.54	33.18	112.8	8.1	7.79	148.7	122.8	50
		03:06:29	21.69	49.07	32.11	114.9	8.38	8.01	144	90.8	52.2
		06:06:35	21.54	49.04	32.09	112.5	8.23	7.99	116.4	176.5	40
		09:06:35	21.64	49.64	32.53	113.7	8.29	8.05	144.5	107.3	43.9
		12:06:35	21.85	49.66	32.54	112.2	8.15	7.85	139.2	93.8	58.2
		15:29:03	22.12	49.76	32.61	120	8.67	7.74	178.5	89.3	52.1
		18:06:35	22.26	50.36	33.05	115.4	8.29	7.72	153.4	64.1	66.5
		21:06:36	21.93	49.29	32.27	116.7	8.47	7.91	122.7	261.4	66.1
	日平均值	21.91	49.67	32.55	114.78	8.32	7.88	143.43	125.75	53.63	
	潮口站	00:05:57	22.68	52.84	34.88	92.9	6.56	7.76	100.9	11.7	ND
		03:05:56	22.22	52.15	34.37	100.7	7.18	7.94	90.2	9.2	5.8
		06:05:56	22.72	53.1	35.07	94.6	6.66	7.91	83.1	6.8	2.7
		09:05:56	22.75	53.3	35.21	90	6.33	7.91	83.5	5.6	3.3
		12:05:56	22.44	52.34	34.51	101.2	7.19	7.84	90.5	5.6	8.2
		15:05:55	22.89	53.29	35.21	94.6	6.64	7.72	106.6	5.4	1.1
		18:05:49	22.79	53.4	35.29	95.7	6.72	7.73	111.2	2.6	8.1
		21:05:55	22.53	53.2	35.15	96.5	6.82	7.84	111.8	4.7	10.3
	日平均值	22.63	52.95	34.96	95.78	6.76	7.83	97.23	6.45	5.64	
	灣內站	00:15:43	22.17	48.29	31.54	115.1	8.36	8.19	53.3	4.7	26.7
		03:15:40	21.75	49.02	32.08	109.7	8	8.12	48.5	3	23.2
		06:15:41	21.76	50.14	32.89	107.9	7.82	8.17	49.8	1.7	14.8
		09:15:42	21.83	50.32	33.03	107.9	7.81	8.19	48.9	2.3	19.7
		12:15:48	22.07	48.48	31.68	112.3	8.16	8.04	56.5	3.3	28.6
		15:15:45	21.94	47.53	30.99	122.5	12.62	8.35	51.2	33.1	54.1
		18:15:52	22.09	47.52	30.98	151.7	11.06	8.06	55.4	40.2	41.5
		21:15:52	21.99	48.33	31.57	143.4	10.44	8.11	55.7	156.4	41.7
	日平均值	21.95	48.70	31.85	127.56	9.28	8.15	52.41	30.59	31.29	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
1月12日	蚵殼站	00:06:29	21.88	49.98	32.78	113.6	8.23	8.05	126.1	170.2	32.7
		03:06:36	21.65	49.83	32.67	112.7	8.21	8.18	122.7	44.6	35.8
		06:06:36	21.36	49.38	32.34	112.6	8.25	8.1	113.5	72	34.1
		09:06:30	21.37	49.71	32.58	108	7.91	8.09	142.1	244.4	50.5
		12:06:37	21.34	49.43	32.38	116.2	8.52	8.01	115.2	276.5	71
		15:06:37	21.84	50.22	32.95	107.6	7.79	7.89	110.1	210.8	44.3
		18:06:37	22.1	50.91	33.46	105.9	7.61	7.79	149.6	94.1	34
		21:06:32	21.91	50.68	33.29	107.4	7.75	7.76	143.8	172.4	34.3
	日平均值	21.68	50.02	32.81	110.50	8.03	7.98	127.89	160.63	42.09	
	潮口站	00:05:54	22.15	52.32	34.5	107.1	7.64	8.03	106.1	6.2	14.8
		03:05:54	21.94	52.03	34.29	110	7.89	8.12	103	5.7	13.9
		06:05:54	22.25	53.29	35.22	92.7	6.57	7.98	107	6.1	4.3
		09:05:54	22.49	53.4	35.29	89.7	6.34	7.98	101.8	2.7	1.1
		12:05:54	21.98	52.4	34.56	101.7	7.28	7.93	98.8	7.7	10.7
		15:05:54	22.12	52.77	34.83	94.2	6.71	7.85	102.4	8.2	9
		18:05:53	22.83	53.44	35.32	91.4	6.41	7.86	106	2.8	3.2
		21:05:54	22.7	53.3	35.21	91.5	6.44	7.79	109.4	1.7	4
	日平均值	22.31	52.87	34.90	97.29	6.91	7.94	104.31	5.14	7.63	
	灣內站	00:15:57	21.94	49.72	32.58	126.9	9.19	8.17	51.9	126.5	21.8
		03:15:57	21.46	49.09	32.13	119.1	8.72	8.2	50.3	142.4	33.4
		06:15:58	21.16	49.3	32.28	116.8	8.6	8.2	52.5	45.7	36.6
		09:15:57	21.28	49.34	32.31	124.8	9.16	8.27	47.5	382	31.6
		12:16:02	21.33	48.1	31.41	137.7	10.15	8.15	50.7	359.7	35
		15:16:09	21.57	48.22	31.49	154.9	11.37	8.25	57.8	139.6	56.9
		18:16:08	21.55	49.28	32.27	143	10.45	8.22	56	300	29.1
		21:16:13	21.65	49.26	32.25	139.8	10.2	8.08	56.6	462.4	26.7
	日平均值	21.49	49.04	32.09	132.88	9.73	8.19	52.91	244.79	33.89	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月13日	蚵殼站	00:06:37	21.57	49.69	32.57	113	8.24	7.87	147.8	424.5	74.8	
		03:06:38	21.27	49.29	32.28	113.5	8.34	7.92	106.1	24.6	42.2	
		06:06:31	21.21	49.14	32.17	112.8	8.3	8	92.4	20.7	45.3	
		09:06:38	20.95	48.96	32.04	111.7	8.26	7.88	132.6	263.9	57.8	
		12:06:38	21.73	49.78	32.63	111	8.07	7.65	129.4	24.9	15.3	
		15:29:07	22.45	49.66	32.53	115.7	8.31	7.69	164.7	1238.8	68.8	
		18:06:40	22.43	49.96	32.76	115.1	8.26	7.71	124.4	173.1	39.1	
		21:06:39	22.34	50.04	32.82	112.5	8.08	7.75	152.1	513.6	60.5	
	日平均值	21.74	49.57	32.48	113.16	8.23	7.81	131.19	335.51	50.48		
	潮口站	00:05:52	22.14	52.83	34.87	98.7	7.03	7.86	92.9	5.6	13	
		03:05:52	21.46	51.63	34	109.2	7.91	7.99	85.8	4.1	13.7	
		06:05:52	22.15	53.07	35.06	93.7	6.67	7.92	86	7.1	5.2	
		09:05:52	22.63	53.21	35.15	88.4	6.23	7.84	88.3	3.7	ND	
		12:05:52	22.45	52.66	34.75	99.3	7.04	7.75	107.3	5.3	2	
		15:05:52	22.6	51.91	34.19	103.3	7.33	7.66	106.4	8.4	9.2	
		18:05:52	22.95	53.35	35.25	93.2	6.53	7.62	110.2	3.9	ND	
		21:05:51	22.73	53.28	35.21	93.2	6.56	7.67	113	2.8	3.9	
	日平均值	22.39	52.74	34.81	97.38	6.91	7.79	98.74	5.11	7.83		
	灣內站	00:16:13	21.74	49.48	32.41	129.3	9.41	8.13	53.4	441.3	20.5	
		03:16:11	21.41	49.12	32.15	125.3	9.19	8.1	54.5	290.8	17.3	
		06:16:18	21.24	49.48	32.42	118.5	8.7	8.1	52	187.6	27.5	
		09:16:16	21.68	49.95	32.76	105.1	7.64	8.1	49.8	498.5	25.5	
		12:16:22	22.14	49.09	32.12	131.5	9.52	7.99	53.6	87.7	23.9	
		15:16:20	23.09	49.62	32.49	133.6	9.49	8.21	46.5	127.3	19.2	
		18:16:28	22.88	49.68	32.54	135.6	9.66	8.01	57.7	107.1	20.7	
		21:16:27	22.31	49.67	32.55	135.1	9.72	8.04	58.2	90.4	15.4	
	日平均值	22.06	49.51	32.43	126.75	9.17	8.09	53.21	228.84	21.25		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月14日	蚵殼站	00:06:39	21.96	49.67	32.55	111.9	8.1	7.81	129.1	694	74.2	
		03:06:40	21.66	49.45	32.39	112.3	8.18	8	114.6	27.1	38	
		06:06:33	21.59	49.24	32.23	111.1	8.11	7.9	112.1	57.3	46.4	
		09:06:41	21.66	49.62	32.52	111.1	8.09	7.87	112.8	256.2	39	
		12:06:41	22.04	49.58	32.48	110.6	8	7.56	126.4	651.7	61.6	
		15:06:35	22.78	50.9	33.44	107.6	7.64	7.64	109	168.3	16.4	
		18:06:41	22.69	50.64	33.25	110.8	7.89	7.68	125.7	232.1	38.2	
		21:06:41	22.61	50.56	33.19	110.9	7.91	7.61	147.9	2541.4	73.3	
	日平均值	22.12	49.96	32.76	110.79	7.99	7.76	122.20	578.51	48.39		
	潮口站	00:05:51	22.62	53.24	35.17	94	6.63	7.81	103.9	7.3	3.7	
		03:05:50	21.83	52.13	34.36	108.5	7.8	7.92	102.5	3.6	9.1	
		06:05:50	21.83	52.09	34.33	99.4	7.14	7.88	102.8	6.3	7.3	
		09:05:45	22.69	53.39	35.28	87.3	6.14	7.71	100	8.9	3.3	
		12:05:51	22.95	53.27	35.19	89.4	6.26	7.58	90.8	8	10.6	
		15:05:50	22.62	52.59	34.69	107.7	7.61	7.6	92.8	16	8.4	
		18:05:51	22.96	53.04	35.02	91.4	6.41	7.6	81	11.6	6.3	
		21:05:49	22.91	53.27	35.19	94.4	6.62	7.6	80.2	9.1	ND	
	日平均值	22.55	52.88	34.90	96.51	6.83	7.71	94.25	8.85	6.96		
	灣內站	00:16:28	22.14	49.49	32.41	131.8	9.52	8.08	57.6	34.5	16.3	
		03:16:29	21.97	49.68	32.55	127.8	9.25	8.06	55.5	27.3	12.2	
		06:16:26	21.41	48.66	31.82	118.9	8.74	8.08	51.1	39.1	18.6	
		09:16:34	21.91	49.42	32.37	128.3	9.31	8.1	54	134.8	19	
		12:16:33	22.5	49.05	32.08	139.3	10.02	8.04	56.7	38.1	15.3	
		15:16:36	22.83	49.12	32.13	146.9	10.5	8.04	55.2	76.4	19.8	
		18:16:41	23.22	48.3	31.53	141.5	10.08	8	63.5	64.9	33.6	
		21:16:41	22.94	49.13	32.14	137.4	9.81	8	56.2	216.7	18.7	
	日平均值	22.37	49.11	32.13	133.99	9.65	8.05	56.23	78.98	19.19		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月15日	蚵殼站	00:06:41	22.63	50.19	32.92	112.3	8.02	7.7	134.1	1013.2	85.1	
		03:06:41	22.42	49.4	32.34	113.1	8.13	7.76	143.4	1697.5	91.9	
		06:06:41	22.32	49.3	32.27	110.6	7.97	7.72	137.9	1116.3	75	
		09:06:35	22.45	49.05	32.09	110.8	7.98	7.68	119.9	2551.3	117.9	
		12:06:42	22.7	50.09	32.84	110.9	7.91	7.62	153	1610.7	114.4	
		15:29:10	23.44	50.64	33.24	107.4	7.55	7.88	134.8	520.4	96	
		18:06:42	23.4	50.44	33.09	111.8	7.87	7.75	152.1	1929.6	105.3	
		21:36:42	23.56	50.37	33.04	110.4	7.75	7.56	138.3	990.9	78.7	
	日平均值	22.87	49.94	32.73	110.91	7.90	7.71	139.19	1428.74	95.54		
	潮口站	00:05:49	22.88	53.2	35.14	95.4	6.7	7.57	86.8	8.9	0.7	
		03:05:48	22.49	52.26	34.45	110.6	7.85	7.74	79.5	4.1	11.2	
		06:05:48	22.44	51.89	34.18	115.4	8.21	7.81	76.1	3.7	2.3	
		09:05:48	22.81	53.3	35.22	90.3	6.34	7.55	75.1	10.9	3.2	
		12:05:49	23.39	53.16	35.11	92.1	6.41	7.81	73.3	6.5	2.1	
		15:05:48	23.35	52.59	34.68	104.9	7.32	7.83	80.3	17.6	3.4	
		18:05:47	23.17	52.98	34.97	101.9	7.12	7.84	146.2	14.8	6	
		21:05:47	23.96	50.75	33.31	100.4	6.99	7.99	131.4	7	1.4	
	日平均值	23.06	52.52	34.63	101.38	7.12	7.77	93.59	9.19	3.79		
	灣內站	00:16:44	22.78	50.03	32.8	126.4	9.01	8	56.9	166.6	8	
		03:16:42	22.58	49.28	32.25	120.8	8.67	7.91	52.1	98.6	16.9	
		06:16:47	22.33	49.56	32.46	112.5	8.1	7.9	52.9	144.9	16.4	
		09:16:49	22.79	50.46	33.12	108.5	7.72	7.93	53.9	304.4	9.9	
		12:16:53	23.29	49.7	32.55	130.7	9.25	7.71	57.6	471.9	17.2	
		15:16:53	24.85	49.25	32.19	141.6	9.77	7.87	57.2	491.4	24.8	
		18:16:59	25.04	48.99	32	144.3	9.94	7.95	56.4	612.2	34.6	
		21:16:57	24.34	50.17	32.88	133	9.22	8.02	57.2	806.8	18.7	
	日平均值	23.50	49.68	32.53	127.23	8.96	7.91	55.53	387.10	18.31		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月16日	蚵殼站	00:06:42	23.32	50.66	33.26	107.6	7.57	7.57	132.8	1177	74.2	
		03:06:35	23.07	50.65	33.26	104.6	7.4	7.79	103.6	244.4	34.9	
		06:06:41	22.83	50.78	33.35	103.6	7.35	7.98	118	251.2	37.4	
		09:06:42	22.57	51.11	33.6	103.1	7.34	7.85	104.5	54.9	35.1	
		12:06:43	22.41	51.28	33.72	101.4	7.24	7.65	117.5	234.5	25.6	
		15:06:42	22.68	49.53	32.43	103.7	7.42	7.6	116.3	3574.5	105.9	
		18:06:44	22.48	50.48	33.14	104.1	7.45	7.78	100.3	1214.2	65.9	
		21:06:42	22.24	50.52	33.17	103.3	7.42	7.82	102.6	120.4	61.7	
	日平均值	22.70	50.63	33.24	103.93	7.40	7.76	111.95	858.89	55.09		
	潮口站	00:05:47	23.45	52.93	34.93	99.1	6.9	7.55	132.5	8.2	6.6	
		03:05:48	22.9	52.97	34.97	89.3	6.27	7.79	126	11.3	8.8	
		06:05:45	22.68	53.04	35.02	89.1	6.28	7.86	129.4	11	3.8	
		09:05:45	23.1	52.81	34.85	95.6	6.69	7.79	129.7	9.1	4.2	
		12:05:39	22.99	52.89	34.91	91.1	6.39	7.71	127.3	8.1	9.2	
		15:05:46	22.6	52.85	34.89	90.8	6.41	7.57	122.6	13.2	6.8	
		18:05:46	22.33	52.75	34.82	85.6	6.08	7.66	127.6	17.3	7.3	
		21:05:45	22.31	52.81	34.86	93.3	6.63	7.8	113.1	10.8	8.2	
	日平均值	22.80	52.88	34.91	91.74	6.46	7.72	126.03	11.13	6.86		
	灣內站	00:17:04	24.19	50.12	32.84	124.9	8.68	8.1	56.1	1312.7	29.7	
		03:17:03	23.56	50.74	33.31	115.6	8.11	8.17	56.4	1083.8	22.7	
		06:17:04	23.12	51.03	33.54	108.3	7.64	8.24	48.6	652.9	9.9	
		09:17:02	23.02	50.97	33.49	105.4	7.45	8.17	53.4	647.1	7.4	
		12:17:03	22.78	51.05	33.55	102.5	7.27	8.08	48.5	726.4	13.8	
		15:17:10	22.66	51.22	33.68	97.3	6.91	7.99	47.9	370.5	6.5	
		18:17:04	22.47	50.87	33.42	102.3	7.3	8.1	51.2	781.8	24.2	
		21:17:14	22.38	50.76	33.35	98.9	7.08	8.14	50.9	531.6	11.2	
	日平均值	23.02	50.85	33.40	106.90	7.56	8.12	51.63	763.35	15.68		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月17日	蚵殼站	00:06:43	22.07	50.57	33.21	102.3	7.37	7.89	108.9	87.2	65.7	
		03:06:44	21.99	50.6	33.23	102.1	7.36	7.96	100.7	93.2	79.9	
		06:06:43	21.66	50.42	33.11	102.2	7.42	8.06	101.5	164.5	49.7	
		09:06:44	21.64	50.38	33.07	101.9	7.4	8.07	103.6	111	63.7	
		12:06:45	22.25	50.28	32.99	103.2	7.42	7.98	92.3	52.7	52.2	
		15:29:13	22.02	50.34	33.04	99.8	7.2	7.71	113.1	193.5	53	
		18:06:39	21.93	50.42	33.1	101.9	7.36	7.56	110.5	218	52	
		21:06:46	21.79	50.67	33.29	101.4	7.33	7.72	118.2	146.1	17.5	
	日平均值	21.92	50.46	33.13	101.85	7.36	7.87	106.10	133.28	54.21		
	潮口站	00:05:45	22.51	53.05	35.04	90.8	6.42	7.88	109.8	4.3	ND	
		03:05:45	22.25	53.04	35.03	94.2	6.69	7.89	111.4	5.6	2.3	
		06:05:44	21.72	52.76	34.83	90.2	6.48	7.94	104	6.4	5.3	
		09:05:44	22.16	53.03	35.02	88.1	6.27	7.93	120.6	4.5	2.8	
		12:05:39	22.7	53.19	35.13	88.7	6.25	7.84	120.1	3.5	ND	
		15:05:45	22.66	53.1	35.07	97.4	6.86	7.72	120.9	12	6.9	
		18:05:44	22.63	53.11	35.08	87.7	6.19	7.63	116.6	13.8	4.4	
		21:05:44	22.26	52.89	34.92	88	6.26	7.78	95.1	6.5	5.2	
	日平均值	22.36	53.02	35.02	90.64	6.43	7.83	112.31	7.08	4.48		
	灣內站	00:17:14	22.28	50.82	33.39	97.9	7.02	8.12	48.4	758.6	30.2	
		03:17:13	22.06	50.75	33.34	95.2	6.85	8.14	45.7	302.4	21.2	
		06:17:16	21.91	51.26	33.72	90	6.48	8.19	47.2	107.1	12.2	
		09:17:18	21.8	51.18	33.66	90	6.5	8.11	46.1	184	10.9	
		12:17:24	22.16	50.97	33.5	99.6	7.15	8.14	49.4	300.7	9.9	
		15:17:26	22.25	50.53	33.18	102.3	7.34	8.07	52.5	695.4	10.5	
		18:17:24	22.25	50.14	32.89	101.5	7.3	7.96	48.5	680.4	16.7	
		21:17:30	22.05	51.04	33.56	93.1	6.7	8.02	47.2	84.1	6.3	
	日平均值	22.10	50.84	33.41	96.20	6.92	8.09	48.13	389.09	14.74		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月18日	蚵殼站	00:06:38	21.68	49.61	32.51	102.5	7.46	7.81	101	77.8	52.6	
		03:06:46	21.67	49.67	32.56	101.1	7.36	7.8	104	135.4	52.9	
		06:06:44	21.42	48.97	32.04	100.7	7.39	7.72	111	154.8	28.3	
		09:06:45	21.34	49.19	32.2	101.5	7.45	7.73	101.4	57.7	56.7	
		12:44:58	22.01	50.01	32.8	104	7.52	7.84	120.3	2964.8	50.6	
		15:14:56	22.3	50.38	33.06	101.3	7.27	8.18	124.8	750	13.1	
		18:14:57	22.2	50.6	33.23	101	7.26	8.19	128.6	466.1	6.1	
		21:14:57	22.42	50.12	32.87	103.1	7.39	8.21	139.3	838.3	15.2	
	日平均值	21.88	49.82	32.66	101.90	7.39	7.94	116.30	680.61	34.44		
	潮口站	00:05:43	22.31	52.96	34.97	84	5.96	7.77	95.7	7.5	1.3	
		03:05:44	22.47	53.03	35.02	86.5	6.12	7.79	96.6	3.8	ND	
		06:05:43	22.09	52.93	34.95	83.1	5.92	7.81	71.7	7	4	
		09:05:36	22.03	52.92	34.94	81.2	5.79	7.72	86.4	6	1.1	
		12:05:42	22.82	53.05	35.03	88.2	6.2	7.64	84.2	3.3	ND	
		15:52:53	23.1	52.05	34.28	87.2	6.13	8.38	63	9.4	29.4	
		18:23:00	22.73	51.81	34.11	89.5	6.33	8.46	43.4	9.3	26.1	
		21:22:59	22.5	51.46	33.86	91.8	6.53	8.39	43.4	8.9	12.4	
	日平均值	22.51	52.53	34.65	86.44	6.12	8.00	73.05	6.90	12.38		
	灣內站	00:17:31	21.88	50.82	33.39	94.2	6.8	7.99	49.8	257.8	11.1	
		03:17:37	21.81	50.88	33.44	83.8	6.06	7.99	44.1	229.1	12.6	
		06:17:35	21.74	50.87	33.43	87.9	6.36	7.97	44.4	263.9	19.4	
		09:17:33	21.99	50.83	33.4	82.5	3.78	7.98	46.6	299.8	18.9	
		12:17:34	22.24	50.99	33.51	96.7	6.93	7.87	46.9	196.8	8.1	
		15:30:56	22.75	49.76	32.61	94.4	6.74	8.36	69.2	1.9	24.1	
		18:00:56	22.79	49.97	32.76	95.6	6.82	8.39	72.3	1.7	9.5	
		21:00:56	22.74	50.3	33	94.1	6.7	8.37	68.9	1.9	14.8	
	日平均值	22.24	50.55	33.19	87.40	6.27	8.12	55.28	156.61	14.81		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月19日	蚵殼站	00:14:50	22.53	49.77	32.61	101.6	7.28	8.39	132.2	1011.4	20.6	
		03:14:58	21.98	48.77	31.89	101.5	7.38	8.34	136.5	1778.3	19.3	
		06:14:58	21.71	49.05	32.1	100.3	7.32	8.41	132.5	1046.4	19.3	
		09:14:58	21.86	49.66	32.55	102.5	7.44	8.32	135.7	1278.1	20.4	
		12:19:34	22.42	49.76	32.61	104.7	7.52	8.27	116.5	301	28.5	
		15:19:32	22.8	50.19	32.92	107.1	7.63	8.02	111.5	1548.4	40.5	
		18:19:34	22.56	50.34	33.03	107.6	7.69	8.09	122.9	1475	47.6	
		21:19:34	22.86	50.23	32.95	107.1	7.61	8.16	135.8	235.5	26.2	
	日平均值	22.34	49.72	32.58	104.05	7.48	8.25	127.95	1084.26	27.80		
	潮口站	00:22:59	22.3	51.39	33.81	90	6.43	8.5	28.9	8.2	17.9	
		03:23:00	22.78	51.93	34.2	96.6	6.83	8.57	36.3	7.4	4	
		06:23:00	21.74	50.53	33.18	99	7.17	8.65	36.6	9.9	16.4	
		09:22:59	22	50.91	33.46	99.4	7.16	8.53	32.7	10.7	15.5	
		12:22:59	22.97	52.09	34.32	92.2	6.49	8.16	43.7	7	5.8	
		15:22:57	23.12	52.12	34.34	92.5	6.49	7.98	57.6	6	5.9	
		18:22:53	23.22	51.89	34.17	89.5	6.28	8.21	39.5	11.4	8.9	
		21:22:53	22.82	51.75	34.07	89.7	6.34	8.25	41.7	17.7	7.9	
	日平均值	22.62	51.58	33.94	93.61	6.65	8.36	39.63	9.79	10.29		
	灣內站	00:00:57	22.12	49.47	32.4	60.9	5.4	8.24	67.7	6.3	10.9	
		03:00:57	22.15	51.28	33.73	78.1	5.6	8.42	64.7	1.5	8	
		06:00:56	21.95	51.73	34.07	73.9	5.3	8.44	65.6	1.8	7.6	
		09:00:50	22.11	51.63	33.99	61.4	5.39	8.42	66.3	10.1	10.6	
		12:00:56	22.44	50.84	33.4	85.4	6.1	8.39	62.4	1.1	4.5	
		15:00:57	23.06	50.61	33.22	99	7.01	8.27	80	1.2	22	
		18:00:50	23.01	50.63	33.24	103.8	7.35	8.32	72.4	2.7	23.7	
		21:00:51	23	50.25	32.96	99.1	7.03	8.24	71.4	2	24.9	
	日平均值	22.48	50.81	33.38	82.70	6.15	8.34	68.81	3.34	14.03		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月20日	蚵殼站	00:19:33	22.46	49.93	32.74	105.5	7.57	8.23	135.6	839.2	14.5	
		03:19:34	22.08	49.37	32.33	102.8	7.44	8.25	134.4	676.4	43.2	
		06:19:34	21.99	49.28	32.26	103.7	7.52	8.34	135.6	234.8	16.8	
		09:19:34	21.99	49.86	32.69	105.1	7.6	8.44	133.9	1702.2	31.3	
		12:19:35	22.49	49.96	32.76	106.2	7.61	8.32	133.2	572.8	35.1	
		15:19:35	22.71	50.53	33.17	107.4	7.65	8.4	136.1	781.9	39.6	
		18:19:35	22.65	50.59	33.22	104.9	7.47	8.25	137.6	3561.9	40.1	
		21:19:29	22.58	50.16	32.9	106.1	7.59	8.22	134.4	522.4	43.9	
	日平均值	22.37	49.96	32.76	105.21	7.56	8.31	135.10	1111.45	33.06		
	潮口站	00:22:57	22.39	51.38	33.8	92.2	6.58	8.45	27.6	10	53.5	
		03:22:57	22.84	52.02	34.26	98.4	6.95	8.4	34.9	8.9	23.5	
		06:22:57	22.4	51.66	34.01	98.1	6.99	8.48	39.7	7.4	20.9	
		09:22:57	22.19	51.55	33.93	85.7	6.13	8.33	18	8.2	9	
		12:22:57	23.1	52.18	34.38	89.7	6.3	8.36	36.4	197.2	7	
		15:22:57	23.32	51.94	34.2	100.1	7.01	8.41	39.1	11.4	10.3	
		18:22:57	23.21	51.98	34.23	87.9	6.17	8.43	33	11.1	8.8	
		21:22:56	22.86	51.68	34.01	89.3	6.31	8.41	16.2	13.6	9.4	
	日平均值	22.79	51.80	34.10	92.68	6.56	8.41	30.61	33.48	17.80		
	灣內站	00:30:57	22.43	50.13	32.88	93.1	6.67	8.29	71.8	1.7	25.6	
		03:00:56	22.41	50.99	33.51	97	6.93	8.43	68.2	1.6	13.7	
		06:00:57	21.92	49.05	32.1	80.9	5.88	8.38	72.2	5.4	15.1	
		09:00:50	22.27	50.79	33.37	94	6.74	8.44	67.3	1.7	13.9	
		12:00:57	22.8	49.97	32.75	106	7.56	8.41	73.4	3.1	20.9	
		15:30:57	22.92	50.89	33.43	104	7.36	8.43	72.2	6.6	24.3	
		18:00:56	23.08	50.6	33.21	115.4	8.16	8.43	75.3	3.3	22.8	
		21:00:56	22.84	50.41	33.08	118.7	8.44	8.41	75.7	2.8	25.2	
	日平均值	22.58	50.35	33.04	101.14	7.22	8.40	72.01	3.28	20.19		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
1月21日	蚵殼站	00:19:35	22.63	50.26	32.98	107.4	7.67	8.31	134.4	1862.3	36.7
		03:19:34	22.36	49.61	32.5	106	7.63	8.45	133.6	723	36.2
		06:19:36	21.98	49.48	32.41	103.5	7.5	8.53	131	713.2	28.3
		09:19:36	22.23	49.94	32.74	105.6	7.6	8.54	131.5	1134.5	48.7
		12:19:36	22.7	49.85	32.67	110	7.86	8.46	134.8	1465.3	45.2
		15:19:35	22.92	49.78	32.62	116.2	8.27	8.49	134.8	662.2	64.6
		18:19:36	22.72	49.73	32.59	114.4	8.17	8.29	139	1212	49.6
		21:19:37	22.47	49.93	32.73	107.1	7.68	8.27	137.8	917	36.2
	日平均值	22.50	49.82	32.66	108.78	7.80	8.42	134.61	1086.19	43.19	
	潮口站	00:22:57	22.51	51.39	33.81	93.1	6.63	8.46	12.2	10.3	23.7
		03:22:49	22.82	51.69	34.02	86.6	6.12	8.44	9.3	9.2	4.6
		06:22:56	22.72	51.95	34.22	85.9	6.08	8.37	15.1	9.4	8.1
		09:22:56	22.48	51.64	33.99	87.2	6.2	8.17	13.1	10.8	18.5
		12:22:56	23.02	52.01	34.26	88.3	6.22	8.47	12.2	6.2	8.5
		15:22:54	23.21	51.78	34.08	89.7	6.3	8.44	18.3	6	3.8
		18:22:54	23.09	52	34.25	89.4	6.28	8.41	23.2	5.9	13.2
		21:22:54	22.9	51.61	33.96	90.2	6.38	8.42	16.8	19.7	13.7
	日平均值	22.84	51.76	34.07	88.80	6.28	8.40	15.03	9.69	11.76	
	灣內站	00:00:57	22.32	49.19	32.19	110.1	7.94	8.43	80.9	2.4	45.7
		03:00:57	22.52	50.94	33.47	100.9	7.19	8.11	69.8	3	20.9
		06:00:51	22.45	51.19	33.66	96.3	6.87	8.13	76	3.4	20.8
		09:00:57	22.09	50.68	33.29	94.8	6.82	8.17	73.4	3	28.4
		12:00:57	22.82	50.71	33.3	104.9	7.45	8.16	74.7	3.1	15.5
		15:00:58	22.83	50.58	33.2	126	8.95	7.99	73.4	2.6	35.2
		18:00:56	22.67	50.24	32.96	146.2	10.44	8.03	74.6	1.7	39.6
		21:00:50	22.78	50.89	33.43	114.5	8.13	7.95	76.4	4.6	23.4
		日平均值	22.56	50.55	33.19	111.71	7.97	8.12	74.90	2.98	28.69
甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
1月22日	蚵殼站	00:19:37	22.3	49.86	32.69	104.8	7.54	8.04	133.3	486.2	36.9
		03:19:37	22.19	49.98	32.78	106.1	7.64	7.99	131.8	1357.5	37.4
		06:19:37	22.07	50.01	32.8	103.8	7.49	8.02	131.4	1012.9	19
		09:19:37	22.08	50.01	32.8	105	7.57	8.03	130.5	533.5	19.3
		12:19:37	22.43	49.66	32.54	109.3	7.85	8.02	133.6	1780	35.5
		15:19:38	22.88	50.3	33	112.9	8.02	7.96	137.5	1055.9	42.8
		18:19:30	22.99	50.63	33.24	107.5	7.61	7.87	133.3	2391.7	33.2
		21:19:37	22.65	49.81	32.64	108.6	7.77	8.05	136.4	623.6	39.5
	日平均值	22.45	50.03	32.81	107.25	7.69	8.00	133.48	1155.16	32.95	
	潮口站	00:22:49	22.63	51.6	33.96	87.8	6.23	8.08	29	22.5	19.1
		03:22:54	22.62	51.66	34	91.4	6.49	8.17	19	9.6	13.1
		06:22:54	22.58	51.98	34.24	86.4	6.13	8.17	22.2	7.2	2.7
		09:22:52	22.5	51.95	34.22	86.9	6.17	8.12	19.5	8.3	17.6
		12:22:53	22.89	51.85	34.14	87.5	6.17	8	ND	8.9	9.2
		15:22:54	23.43	51.79	34.09	89.7	6.27	7.91	26.3	6	ND
		18:22:52	23.34	51.74	34.05	89.3	6.26	7.95	23.8	5.3	8.3
		21:22:50	23.01	51.74	34.06	91.9	6.48	8.13	16.9	12.2	8.7
	日平均值	22.88	51.79	34.10	88.86	6.28	8.07	22.39	10.00	11.24	
	灣內站	00:00:57	22.39	50.81	33.38	109.8	7.86	8.04	71.6	1.8	23.3
		03:00:57	22.22	50.86	33.42	91.4	6.56	7.97	74.5	2.3	25.8
		06:00:58	22.19	51.04	33.55	95.8	6.87	8.01	76	2.2	18.9
		09:00:57	22.03	50.82	33.39	96.6	6.95	8.04	72.6	2.9	21.6
		12:00:58	22.43	49.73	32.59	122.4	8.79	8.07	74.4	1.7	25.5
		15:30:58	23.04	49.84	32.66	137.5	9.77	8.06	77.3	2.4	36.1
		18:00:52	23.04	49.98	32.76	142.6	10.12	8.09	76.2	2.8	37.5
		21:00:57	22.7	50.95	33.48	120.4	8.56	8.09	77.1	3.1	26
		日平均值	22.51	50.50	33.15	114.56	8.19	8.05	74.96	2.40	26.84
甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月23日	蚵殼站	00:19:38	22.45	49.34	32.3	109.5	7.87	7.62	128.1	213.8	32.6	
		03:19:38	22.23	49.59	32.48	108	7.79	7.79	128.2	1413	24.8	
		06:19:38	22.15	50.08	32.85	105.9	7.63	7.9	125.7	422.6	24.6	
		09:19:38	22.2	50.24	32.97	104.6	7.53	7.8	128.6	1071.5	26.6	
		12:19:40	22.65	49.99	32.78	108	7.71	7.71	130.1	1014.8	31	
		15:19:39	22.45	49.4	32.34	116.8	8.4	7.86	126.8	1924	75	
		18:19:39	22.25	49.89	32.71	111.7	8.04	7.86	131.4	785	43.4	
		21:19:39	22.13	50.05	32.82	107.4	7.74	7.78	129.3	504.5	39.8	
		日平均值	22.31	49.82	32.66	108.99	7.84	7.79	128.53	918.65	37.23	
	潮口站	00:22:52	22.88	51.61	33.97	89.1	6.29	7.66	22.2	12.4	12.5	
		03:22:52	22.78	51.59	33.95	88.7	6.28	7.79	17.2	11.1	18.2	
		06:22:51	22.65	51.96	34.22	85.8	6.08	7.88	19	16.4	76.7	
		09:22:51	22.5	51.9	34.18	86.4	6.14	7.73	15.9	14.3	19.1	
		12:22:52	22.71	51.88	34.17	89.1	6.31	7.7	26.3	11.4	79.1	
		15:22:51	22.98	52.3	34.47	88.7	6.24	7.67	32.5	5.9	4.6	
		18:22:51	22.79	52.31	34.48	88.9	6.27	7.74	32.1	6.4	15.5	
		21:22:50	22.61	52.15	34.37	92.2	6.53	7.82	34.3	9.5	9.7	
	日平均值	22.74	51.96	34.23	88.61	6.27	7.75	24.94	10.93	29.43		
	灣內站	00:00:57	22.47	51.03	33.54	109.8	7.84	7.58	75.9	2.2	19	
		03:00:52	22.13	50.8	33.38	102.8	7.39	7.61	76.9	1.7	27.1	
		06:00:58	22.21	50.94	33.48	107.4	7.7	7.74	80.5	1.8	24.2	
		09:00:51	22.08	50.87	33.43	105.9	7.62	7.72	74.4	5.5	21	
		12:00:52	22.31	50.49	33.14	123.4	8.85	7.7	78.8	1.9	21.1	
		15:00:58	22.4	50.58	33.21	125	8.95	7.67	75.7	2.7	30.2	
		18:00:57	22.22	50.92	33.46	125.9	9.03	7.72	83.6	2	28.2	
		21:00:51	22	50.8	33.38	120.8	8.7	7.72	82.1	ND	17.7	
		日平均值	22.23	50.80	33.38	115.13	8.26	7.68	78.49	2.54	23.56	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
1月24日	蚵殼站	00:19:39	22.09	49.92	32.73	106.3	7.67	7.86	129.3	415.8	17.9	
		03:19:40	21.74	49.4	32.35	105.7	7.7	7.87	129.5	167.9	15.7	
		06:19:34	21.41	49.27	32.26	101.7	7.45	7.78	130.7	2258.4	13.8	
		09:19:39	21.67	49.56	32.47	103	7.5	7.8	130.6	922	15.8	
		12:19:38	22.25	49.62	32.51	109.2	7.87	7.67	131.3	222.7	10.2	
		15:19:33	22.41	50.05	32.82	104.3	7.48	7.57	131.9	399.9	13.6	
		18:19:40	22.42	50.52	33.17	105.1	7.53	7.63	137.2	1842.4	30.8	
		21:19:34	22.21	50.37	33.06	105.1	7.55	7.55	132.1	1325.6	16.2	
		日平均值	22.03	49.84	32.67	105.05	7.59	7.72	131.58	944.34	16.75	
	潮口站	00:22:50	22.21	51.85	34.15	91.9	6.57	7.84	40.5	11.8	17.6	
		03:22:50	21.94	51.03	33.55	97.3	7.01	7.87	40.9	39.8	27.2	
		06:22:50	22.92	52.15	34.37	85.2	6	7.86	38.2	5.1	ND	
		09:22:49	22.96	52.14	34.35	87	6.12	7.85	36.1	6.3	14.6	
		12:22:42	22.39	51.62	33.98	91.2	6.5	7.67	43.8	11.4	7.8	
		15:22:48	23.43	51.95	34.2	88.4	6.18	7.67	43.4	7.2	5.8	
		18:22:48	23.46	51.56	33.92	88.6	6.2	7.55	56.3	4.7	ND	
		21:22:48	23.29	52.06	34.29	88.6	6.21	7.67	49.8	5.8	111.7	
	日平均值	22.83	51.80	34.10	89.78	6.35	7.75	43.63	11.51	30.78		
	灣內站	00:00:57	22.05	51.1	33.6	102.3	7.35	7.63	78.6	3.3	5.7	
		03:00:58	21.72	51.41	33.83	98.2	7.09	7.64	83.5	1.9	7.8	
		06:00:52	21.01	50.13	32.9	105.8	7.78	7.65	81.1	2.4	18.5	
		09:00:52	21.6	50.61	33.25	109.8	7.97	7.74	82.5	2.2	25.9	
		12:00:58	22.08	50.91	33.46	112.2	8.07	7.7	79.6	2.7	13	
		15:30:58	22.45	50.44	33.11	131.6	9.41	7.73	85.4	1.6	30.8	
		18:00:58	22.34	50.73	33.32	125.3	8.97	7.68	82.9	1.8	18.4	
		21:00:57	22.36	50.34	33.04	113.5	8.14	7.6	92	2.9	28.6	
		日平均值	21.95	50.71	33.31	112.34	8.10	7.67	83.20	2.35	18.59	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
1月25日	蚵殼站	00:19:41	21.98	50.04	32.82	106.3	7.68	7.73	128.8	402.1	15.6	
		03:19:41	21.82	49.98	32.78	104.2	7.55	7.82	129.2	365.6	18.9	
		06:19:40	21.73	50.29	33.01	103.8	7.53	7.81	132.2	236.9	16.3	
		09:19:41	21.58	49.94	32.75	106.1	7.73	7.83	130.2	345.9	16.1	
		12:19:40	21.81	49.68	32.56	109	7.92	7.8	129.7	527.4	25.9	
		15:19:35	21.95	50.18	32.93	107.3	7.75	7.72	129.8	264.3	25	
		18:19:41	21.9	50.43	33.11	103.7	7.5	7.65	128.3	84.6	19.1	
		21:19:42	22.24	50.48	33.14	105.4	7.57	7.69	129.7	200.5	15.2	
	日平均值	21.88	50.13	32.89	105.73	7.65	7.76	129.74	303.41	19.01		
	潮口站	00:22:41	22.56	52.01	34.27	87	6.17	7.73	51	13.6	19.3	
		03:22:42	22.37	51.58	33.95	86.6	6.18	7.78	50.7	10.1	15.1	
		06:22:46	22.91	52.04	34.28	84.8	5.98	7.81	59.1	7.9	6.7	
		09:22:47	23.04	52.06	34.3	85.9	6.05	7.79	53.1	8.3	72.2	
		12:22:47	22.81	51.93	34.2	87.5	6.18	7.75	57	9.8	6.4	
		15:22:47	23.55	51.28	33.71	86.9	6.08	7.73	74.5	6.6	7.1	
		18:22:46	23.87	51.87	34.14	87.6	6.08	7.75	59.3	5	20.7	
		21:22:44	23.56	51.83	34.11	86.7	6.05	7.77	59.7	5.4	6.1	
	日平均值	23.08	51.83	34.12	86.63	6.10	7.76	58.05	8.34	19.20		
	灣內站	00:00:52	22.06	50.91	33.46	106.6	7.66	7.57	88.2	2.2	15.5	
		03:00:58	22.01	51.23	33.7	86.3	6.21	7.54	92	4.8	11	
		06:00:57	21.82	51.21	33.68	98.2	7.08	7.65	89	2	11.4	
		09:00:58	21.63	50.63	33.26	101.6	7.37	7.74	94.5	1.7	16.7	
		12:00:58	22.06	50.65	33.27	110.8	7.98	7.67	96.9	1.9	16.2	
		15:00:58	22.03	50.35	33.05	122.5	8.84	7.76	97.1	2.8	20.6	
		18:00:58	21.92	50.57	33.21	84.3	6.09	7.81	94.1	1.2	22.5	
		21:00:58	21.76	50.34	33.04	116.1	8.42	7.66	100.7	2.6	18.6	
	日平均值	21.91	50.74	33.33	103.30	7.46	7.68	94.06	2.40	16.56		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
1月26日	蚵殼站	00:19:40	21.62	50.04	32.83	106.7	7.76	7.8	130.8	256.2	24.1	
		03:19:43	21.61	50.18	32.93	104.5	7.6	7.86	130.8	622.5	16.8	
		06:19:43	21.38	50.29	33.01	105.4	7.69	7.96	128.8	135.9	16.8	
		09:19:42	21.21	49.68	32.57	106.8	7.84	7.89	128.3	72.5	18.8	
		12:19:42	21.79	50.17	32.92	108.6	7.87	7.73	131	170.5	17.1	
		15:19:42	22.21	50.19	32.93	107.3	7.72	7.68	130.5	203.5	20.3	
		18:19:35	21.96	50.21	32.94	105.8	7.65	7.6	131.9	412.2	19.3	
		21:19:43	22.42	50.58	33.21	105.3	7.54	7.63	134.9	238.5	12.3	
	日平均值	21.78	50.17	32.92	106.30	7.71	7.77	130.88	263.98	18.19		
	潮口站	00:22:45	22.64	51.73	34.05	88	6.24	7.8	59.4	9.9	29.2	
		03:22:46	22.38	51.79	34.1	87.8	6.25	7.87	58.2	11.3	10.4	
		06:22:46	23.19	52.12	34.34	84.6	5.93	7.93	53.1	8.2	67.9	
		09:22:46	23.38	52	34.39	85.4	5.97	7.8	66.2	7.1	8.8	
		12:22:44	23.15	52.09	34.31	87.9	6.17	7.72	68.5	8.9	6	
		15:22:37	23.1	51.99	34.24	91.6	6.44	7.65	68.2	9.2	11.9	
		18:22:43	23.95	51.62	33.95	87.9	6.1	7.69	71.6	5	5	
		21:22:44	23.7	51.59	33.93	87.6	6.11	7.76	65.3	5.2	5.5	
	日平均值	23.19	51.89	34.16	87.60	6.15	7.78	63.81	8.10	18.09		
	灣內站	00:00:59	21.74	50.66	33.28	104.5	7.56	7.64	105.3	2.6	14.8	
		03:00:59	21.65	51.01	33.54	87.3	6.32	7.65	107.4	2.4	15.1	
		06:00:59	21.77	51.12	33.62	91.1	6.58	7.71	107.6	3.3	14.5	
		09:00:59	21.71	50.91	33.47	87.3	6.32	7.7	107.6	3.3	23	
		12:00:59	21.51	49.83	32.67	113.4	8.28	7.72	108.8	1.8	14.4	
		15:30:59	22.16	49.93	32.73	127.7	9.2	7.71	104.8	1.9	22.5	
		18:01:00	21.76	50.29	33	96.8	7.02	7.68	112.2	8	25.2	
		21:00:57	21.82	50.56	33.2	109.6	7.93	7.62	115.7	4.2	17	
	日平均值	21.77	50.54	33.19	102.21	7.40	7.68	108.68	3.44	18.31		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月27日	蚵殼站	00:19:43	22.01	50.2	32.94	105.8	7.64	7.72	134.2	852.9	21.1	
		03:19:43	21.61	50.29	33.01	105.9	7.7	7.78	130.9	100	17.2	
		06:19:44	21.43	50.09	32.86	104.7	7.64	7.87	131.7	114.8	18.3	
		09:19:44	21.27	49.88	32.71	107.5	7.88	7.92	131.2	141.1	16.6	
		12:19:42	21.72	49.78	32.63	110.3	8.02	7.58	129.8	481.4	26.2	
		15:19:46	22.23	49.99	32.78	108.4	7.8	7.61	134.1	100.8	21.4	
		18:19:44	22.2	50.12	32.88	106.8	7.69	7.78	136.3	692.9	20.6	
		21:19:37	21.95	49.54	32.45	109.6	7.95	7.87	136.3	893	25.4	
	日平均值	21.80	49.99	32.78	107.38	7.79	7.77	133.06	422.11	20.85		
	潮口站	00:22:43	22.84	51.6	33.96	88.7	6.27	7.78	67.8	9.6	10.9	
		03:22:43	22.25	51.31	33.75	90	6.44	7.87	59.9	9.3	13.1	
		06:22:44	23.05	51.9	34.18	85.6	6.03	7.89	68.5	6.3	8.2	
		09:22:41	23.65	52.23	34.41	86.3	6	7.8	70.2	5.4	3.9	
		12:22:41	23.52	52.05	34.28	90.2	6.29	7.55	80.2	8.5	4.2	
		15:22:41	23.18	51.87	34.15	92.7	6.51	7.5	79.3	12.5	8	
		18:22:41	24.06	51.35	33.75	88.3	6.12	7.67	93.3	6.9	9.5	
		21:22:41	23.96	51.88	34.14	87.5	6.06	7.63	91.4	5.6	7.5	
	日平均值	23.31	51.77	34.08	88.66	6.22	7.71	76.33	8.01	8.16		
	灣內站	00:00:58	21.6	50.68	33.3	103.1	7.48	7.64	119.3	3	12.7	
		03:00:58	21.59	51.08	33.59	93	6.74	7.59	121.8	2.8	14.5	
		06:00:59	21.5	51.07	33.58	74.1	5.38	7.67	118.4	2.9	17.5	
		09:00:59	21.51	51.2	33.68	92.1	6.68	7.72	118	5	16.3	
		12:00:59	22.18	50.98	33.51	44	3.16	7.58	125.7	7.1	17.5	
		15:00:54	22.55	50.27	32.98	103.7	7.41	7.61	119.6	3.6	20.7	
		18:01:00	22.82	50.29	32.99	106	7.54	7.53	124.5	4	26.1	
		21:00:57	22.48	50.87	33.42	111.2	7.94	7.5	121.6	3.6	13.1	
	日平均值	22.03	50.81	33.38	90.90	6.54	7.61	121.11	4.00	17.30		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月28日	蚵殼站	00:19:45	21.63	49.34	32.31	110.2	8.04	7.98	135.6	1145.1	33.5	
		03:19:43	21.78	49.82	32.66	107.6	7.82	8.12	131.2	64.2	19.4	
		06:19:44	21.68	49.8	32.65	105.8	7.7	8.22	130.2	80.5	12.6	
		09:19:45	21.65	49.69	32.57	106.3	7.74	8.07	130.9	272.7	24	
		12:19:45	22.23	49.98	32.77	105.2	7.57	8.05	136.1	36.5	6.2	
		15:19:45	22.38	49.97	32.76	108.1	7.76	8.03	138.5	367.8	16.8	
		18:19:40	22.53	49.89	32.7	107.3	7.68	8.02	136.6	192.8	25.6	
		21:19:47	22.51	49.99	32.77	107.3	7.68	8.38	133.9	227.2	13	
	日平均值	22.05	49.81	32.65	107.23	7.75	8.11	134.13	298.35	18.89		
	潮口站	00:22:42	22.96	51.71	34.04	89.2	6.29	8.06	90.5	9.7	15.2	
		03:22:41	22.75	51.72	34.05	86.5	6.13	8.14	82.2	11.3	5.6	
		06:22:40	22.43	51.52	33.9	93	6.63	8.21	82.9	9.3	9.1	
		09:22:40	23.58	51.93	34.19	87.1	6.07	7.94	95	6.9	22.8	
		12:22:40	23.74	51.84	34.12	89.4	6.22	8.23	94.5	9.5	4.8	
		15:22:34	23.2	51.71	34.03	102.1	7.17	8.25	96.4	13.5	20.2	
		18:22:40	23.96	51.48	33.85	95.3	6.61	8.33	92.4	12	10.7	
		21:22:40	23.79	51.84	34.12	87.2	6.06	8.22	90.2	10.9	8.4	
	日平均值	23.30	51.72	34.04	91.23	6.40	8.17	90.51	10.39	12.10		
	灣內站	00:00:59	22.51	50.92	33.46	101.7	7.26	8.05	122.5	3.1	28.1	
		03:00:58	22.24	51.1	33.6	87.2	6.25	7.94	128.8	1.7	20.2	
		06:00:59	22.01	51.31	33.76	76.3	5.48	7.98	130.1	2.7	12.5	
		09:00:58	22.1	51.31	33.75	70.5	5.06	7.97	133.3	5.5	16.8	
		12:00:59	23.07	50.62	33.23	115.2	8.15	8	125	1.3	20.6	
		15:31:00	23.52	50.31	32.99	114.7	8.06	7.9	131.1	2.5	20.3	
		18:00:59	23.59	50.36	33.03	112.2	7.87	7.85	129.3	4.3	18.4	
		21:00:59	23.17	50.81	33.37	110.1	7.77	7.98	121.1	1.8	33.3	
	日平均值	22.78	50.84	33.40	98.49	6.99	7.96	127.65	2.86	21.28		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月29日	蚵殼站	00:19:45	22.67	50.12	32.87	107.1	7.65	7.94	134.5	495.4	34	
		03:19:47	22.45	49.59	32.48	105.5	7.57	8.1	131.4	322.2	14.9	
		06:19:47	22.3	49.94	32.74	104.9	7.55	8.19	129.6	85.5	11.3	
		09:19:47	22.17	50	32.79	104.6	7.54	8.18	131	51	6.5	
		12:19:48	22.85	49.67	32.54	106.8	7.61	7.87	136.3	888.9	11.6	
		15:19:47	22.81	50.08	32.84	103.7	7.38	7.77	139.2	22.8	7.8	
		18:19:47	22.84	50.01	32.78	104.9	7.47	7.85	136.5	46.5	12.2	
		21:19:48	22.62	50.1	32.86	104.5	7.47	7.89	139.9	56	4.9	
		日平均值	22.59	49.94	32.74	105.25	7.53	7.97	134.80	246.04	12.90	
	潮口站	00:22:39	23.68	51.82	34.1	86.5	6.03	8.07	89.7	6.8	4.9	
		03:22:33	22.95	51.74	34.06	87.7	6.18	8.11	92.6	12.1	7.4	
		06:22:39	22.74	51.65	34	89.6	6.35	8.3	85.3	9.2	13.5	
		09:22:40	23.33	52.01	34.25	83.3	5.83	8.18	87.5	8.3	16.7	
		12:22:44	23.52	52.12	34.33	84.8	5.92	7.85	103	7.2	4.9	
		15:22:42	23.6	52.01	34.25	87.7	6.11	7.8	105.8	14.2	3.4	
		18:22:48	23.44	51.87	34.15	89.3	6.25	7.87	100.1	10.4	10.2	
		21:22:47	23.53	51.93	34.19	83.7	5.84	8.01	95.8	7.7	1.4	
	日平均值	23.35	51.89	34.17	86.58	6.06	8.02	94.98	9.49	7.80		
	灣內站	00:01:00	23.01	51.08	33.57	93.8	6.63	7.94	131.8	1.7	17.4	
		03:01:00	22.52	51.01	33.53	74.1	5.43	8.07	121.4	1.3	21.6	
		06:01:00	22.41	51.14	33.62	72.5	5.32	7.95	129.4	2.8	9	
		09:01:00	22.18	50.99	33.51	82.6	5.93	7.98	133.6	3.5	14.4	
		12:01:00	22.71	50.93	33.47	78.7	5.59	8.04	132.6	3.8	22.9	
		15:00:58	23.21	50.38	33.05	112.4	7.94	7.98	126.6	1.7	13.5	
		18:00:58	23.44	50.06	32.81	108	7.6	7.97	128.9	3.2	24.9	
		21:01:00	23.16	50.65	33.25	70.1	5.83	8.09	122.4	2.1	15.9	
		日平均值	22.83	50.78	33.35	86.53	6.28	8.00	128.34	2.51	17.45	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月30日	蚵殼站	00:19:46	22.75	50.09	32.85	104.4	7.44	8.08	132.1	178.7	21.7	
		03:19:47	22.34	49.44	32.38	105	7.56	8.13	131.6	212.8	19.7	
		06:19:47	22.42	50.12	32.87	103.3	7.41	8.25	135.2	7.7	18.3	
		09:19:47	22.36	49.77	32.62	104.1	7.48	8.31	132.1	106.8	7.8	
		12:20:16	22.7	49.93	32.73	106	7.57	8.11	130.1	380.9	22.8	
		15:19:46	23.12	49.77	32.61	105.2	7.46	7.93	136.3	92.3	19.2	
		18:19:47	22.93	49.84	32.66	104.3	7.42	7.82	136.3	113.7	7.6	
		21:19:48	22.63	49.87	32.68	104	7.44	8.04	133.7	268.5	11	
		日平均值	22.66	49.85	32.68	104.54	7.47	8.08	133.43	170.18	16.01	
	潮口站	00:52:52	23.42	52.05	34.28	85.3	5.96	8.13	95.5	7.3	12.4	
		03:22:50	23.1	51.92	34.19	84.2	5.92	8.23	92	8.6	8.4	
		06:22:52	22.62	51.58	33.94	91.2	6.48	8.29	83.8	15	7	
		09:22:56	22.95	52.1	34.32	83.8	5.9	8.18	99.9	8.8	4.2	
		12:23:22	23.29	52.14	34.35	87.4	6.12	8.01	97.8	6.3	3.8	
		15:22:53	23.22	51.94	34.2	87.3	6.12	7.83	107.2	13.8	20.4	
		18:22:58	23.37	51.85	34.13	88.6	6.2	7.9	101.3	11.9	7.9	
		21:22:59	23.2	51.93	34.19	85.8	6.02	8.22	98.2	11.2	7.3	
	日平均值	23.15	51.94	34.20	86.70	6.09	8.10	96.96	10.36	8.93		
	灣內站	00:00:59	22.94	51.14	33.61	101.5	7.18	8.09	87.9	2.9	20.7	
		03:01:04	22.8	51.17	33.64	81.9	5.81	7.93	125.4	2.4	17	
		06:01:04	22.67	51.16	33.64	80.8	5.74	8.08	121.6	3.2	10.1	
		09:01:04	22.25	51	33.52	85.4	6.12	8.14	113.2	1	13.3	
		12:01:38	22.82	51.08	33.57	93.2	6.61	8.09	115.4	3.4	11.1	
		15:01:36	23.1	50.93	33.46	106.6	7.52	8.07	116.6	1.1	15.4	
		18:01:16	23.25	50.57	33.19	110.5	7.79	8.02	121	1.7	23.2	
		21:01:16	22.77	50.6	33.22	102.6	7.3	8.13	120.7	1.7	29.2	
		日平均值	22.83	50.96	33.48	95.31	6.76	8.07	115.23	2.18	17.50	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
1月31日	蚵殼站	00:19:49	22.41	50.13	32.88	102.7	7.36	8.2	131.6	94.4	7.3	
		03:19:49	22.29	50.22	32.95	102	7.33	8.22	132.5	129.2	6.5	
		06:19:48	22.02	50.02	32.81	102.2	7.38	8.26	130	256.3	9.9	
		09:19:49	21.9	49.95	32.75	101.9	7.38	8.2	131.5	300.1	16	
		12:19:50	22.62	49.63	32.51	106.3	7.61	8.12	130.3	257	23.8	
		15:19:49	22.74	50.08	32.84	107.8	7.69	8.01	132.3	465.8	19.5	
		18:19:45	22.51	50.1	32.86	104.8	7.5	7.91	130.5	153	11.9	
		21:19:50	22.47	50.35	33.04	103	7.37	8.13	125.4	76.9	12.1	
		日平均值	22.37	50.06	32.83	103.84	7.45	8.13	130.51	216.59	13.38	
	潮口站	00:23:00	23.11	51.9	34.18	82.1	5.78	8.28	93.5	6.5	9.8	
		03:23:05	22.77	51.84	34.14	86.1	6.09	8.38	89.6	9.5	10.1	
		06:23:00	22.47	51.27	33.72	86.4	6.16	8.35	80.7	10.1	9.3	
		09:23:01	22.56	51.5	33.88	84.4	6	8.19	86.3	10.2	12.1	
		12:23:10	23.21	51.65	33.99	89.1	6.26	8.11	89.4	7.9	3.1	
		15:23:07	23.19	52	34.25	92.2	6.47	7.98	108.2	7.1	17.8	
		18:23:08	23.07	51.82	34.11	92.8	6.53	7.96	100.2	7.6	8.9	
		21:23:14	22.76	51.73	34.05	91.9	6.51	8.15	90.5	9.7	8.2	
		日平均值	22.89	51.71	34.04	88.13	6.23	8.18	92.30	8.58	9.91	
	灣內站	00:01:21	22.55	50.88	33.43	95.6	6.82	8.07	126.9	2	19.1	
		03:01:20	22.36	51	33.52	91.6	6.55	8.16	119.3	2.5	15.4	
		06:01:18	22.17	50.88	33.43	87.6	6.29	8.17	120.9	2.5	29.3	
		09:01:24	22.14	50.79	33.37	85.2	6.12	8.14	127	3.4	28	
		12:01:21	22.86	50.8	33.37	89.1	6.7	8.22	124.4	1.1	6.1	
		15:01:27	22.88	50.13	32.87	104.7	7.45	8.16	124.3	1.3	24.4	
		18:01:28	23.09	50.02	32.79	100.2	7.1	8.08	121.9	2.3	7.7	
		21:01:31	22.55	50.41	33.08	89.3	6.76	8.28	114.3	1.5	18.3	
		日平均值	22.58	50.61	33.23	92.91	6.72	8.16	122.38	2.08	18.54	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月1日	蚵殼站	00:19:49	22.12	50	32.79	104	7.5	8.26	129.6	226.6	14.3	
		03:19:50	21.92	49.73	32.6	103.7	7.51	8.37	131.4	109.2	10.5	
		06:19:50	21.74	49.71	32.58	102.4	7.44	8.4	127.7	81.6	11.3	
		09:19:49	21.8	49.61	32.51	104.6	7.6	8.41	128.8	162.8	16.1	
		12:19:49	22.43	49.89	32.7	106	7.61	8.16	132.8	83.3	10.3	
		15:19:51	22.78	49.86	32.67	109.9	7.84	7.89	114.7	78.2	24.7	
		18:19:50	22.63	49.79	32.63	109.1	7.8	7.91	111.8	182	21.7	
		21:19:51	22.22	49.67	32.54	104.9	7.56	8.04	129.7	266.2	11.6	
		日平均值	22.21	49.78	32.63	105.58	7.61	8.18	125.81	148.74	15.06	
	潮口站	00:23:13	22.67	51.69	34.03	86.2	6.11	8.28	81.8	9	12.8	
		03:23:15	22.52	51.7	34.03	86.3	6.14	8.36	84	8.7	8.1	
		06:23:17	22.2	51.51	33.9	83.8	5.99	8.38	88.3	12.5	4.9	
		09:23:14	22.48	51.77	34.09	87.8	6.25	8.23	93.3	7.9	6.5	
		12:23:20	23.03	51.79	34.1	91.8	6.46	8.04	105.4	7	9.7	
		15:23:27	23.25	51.94	34.2	92.4	6.48	7.95	103.4	6	4.4	
		18:23:25	22.94	51.35	33.77	92.1	6.51	7.94	103.8	15.7	3.5	
		21:23:29	22.56	51.07	33.57	105.1	7.49	8.23	99.6	11.3	8.9	
		日平均值	22.71	51.60	33.96	90.69	6.43	8.18	94.95	9.76	7.35	
	灣內站	00:01:35	22.17	50.67	33.28	97	6.97	8.2	115.3	1	23.5	
		03:01:36	21.97	50.46	33.13	93.1	6.11	8.29	121.1	ND	11.9	
		06:01:34	21.82	50.45	33.13	88.3	6.39	8.19	128.9	1.1	15.4	
		09:01:42	21.75	50.37	33.07	98.3	6.77	8.28	126.1	1.4	12.3	
		12:01:40	22.21	50.51	33.16	98.1	6.74	8.19	126.5	1	31.2	
		15:01:39	22.56	50.49	33.14	104.4	7.46	8.15	122.9	1.6	12.6	
		18:01:47	22.54	50.5	33.15	104.6	7.47	8.02	132.3	1.3	15.8	
		21:01:43	22.28	50.62	33.24	89	6.39	8.01	132.5	1.3	19.2	
		日平均值	22.16	50.51	33.16	96.60	6.79	8.17	125.70	1.24	17.74	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月2日	蚵殼站	00:19:52	22.1	50.08	32.84	104.7	7.55	8.23	134.4	64.8	8.3	
		03:19:52	22.06	49.92	32.73	103.9	7.5	8.33	134.1	184.1	8.1	
		06:19:45	21.97	50.29	33	103.3	7.46	8.32	136.3	64.5	13.3	
		09:19:52	21.26	49.01	32.07	104.1	7.66	8.25	138	56.7	12.3	
		12:19:53	22.11	49.46	32.39	108.6	7.85	8.11	135.4	266.3	18	
		15:19:53	22.22	49.88	32.7	107.7	7.76	8.03	135.5	204.5	20.8	
		18:19:51	22.1	49.84	32.67	106.5	7.68	8.01	117.3	124.7	17.4	
		21:19:52	21.98	49.65	32.54	108.9	7.88	8.11	118.9	72.8	23	
	日平均值	21.98	49.77	32.62	105.96	7.67	8.17	131.24	129.80	15.15		
	潮口站	00:23:31	22.38	51.15	33.63	92.9	6.64	8.36	88.6	6.7	11.8	
		03:23:37	22.47	51.28	33.73	88.3	6.29	8.37	94.2	7.7	6.5	
		06:23:35	22.18	51.52	33.91	86.3	6.18	8.32	106.5	7.1	6.6	
		09:23:39	22.33	51.64	33.99	84.6	6.03	8.19	98.5	7.3	3.9	
		12:23:40	23.95	51.57	33.91	90.5	6.28	8.08	101.8	5.9	-0.4	
		15:23:44	23.88	51.4	33.79	94.1	6.54	8.05	103.2	5.3	4.9	
		18:23:44	23.09	51.05	33.55	94.8	6.69	8.05	102.4	9.9	8.2	
		21:23:49	22.71	51.52	33.9	90.4	6.41	8.17	93.4	12.3	2.1	
	日平均值	22.87	51.39	33.80	90.24	6.38	8.20	98.58	7.78	5.45		
	灣內站	00:01:45	22.14	50.36	33.06	95.8	6.89	8.14	132.9	2.2	16.8	
		03:01:46	21.9	50.33	33.04	83.8	6.17	8.2	132.3	1	14.7	
		06:01:43	21.74	50.4	33.09	94.2	6.83	8.18	133.1	1.1	25.5	
		09:01:51	21.7	49.82	32.66	92.4	6.72	8.1	136.4	8.6	19	
		12:01:51	22.14	50.21	32.94	107	7.71	8.16	133.3	ND	16.9	
		15:01:52	22.67	50	32.78	116.3	8.31	8.13	133	1.7	23.4	
		18:01:56	22.65	50.07	32.83	113	8.07	8.24	129.3	2.6	22.4	
		21:01:56	22.48	49.8	32.64	112.1	8.04	8.11	125.4	1.5	25.6	
	日平均值	22.18	50.12	32.88	101.83	7.34	8.16	131.96	2.67	20.54		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月3日	蚵殼站	00:19:46	21.78	49.72	32.59	104.1	7.57	7.74	137.3	31.4	13.9	
		03:19:52	21.59	49.83	32.67	105.4	7.68	7.87	140.3	10.7	13.4	
		06:19:53	21.5	49.82	32.66	102.7	7.49	7.92	137	52.3	13.7	
		09:19:52	21.36	49.9	32.72	103.5	7.57	7.87	136.8	21	12.9	
		09:49:54	21.37	49.46	32.4	103.7	7.6	7.95	131.6	26.9	20.1	
		15:53:47	21.74	50.5	33.16	106.3	7.7	8.14	147.5	6.7	27	
		18:01:38	22.26	51.15	33.63	108.2	7.74	8.01	152.5	46.3	43	
		21:01:39	21.95	50.9	33.45	108.6	7.82	8.14	150.1	24.2	44.4	
	日平均值	21.69	50.16	32.91	105.31	7.65	7.96	141.64	27.44	23.55		
	潮口站	00:23:44	22.34	51.41	33.82	89.5	6.39	7.79	91.3	9.5	12.9	
		03:23:46	22.87	51.54	33.91	89.2	6.31	7.89	89.8	7.1	9	
		06:23:52	22.96	51.18	33.65	89.2	6.31	7.93	89.1	5.3	6.6	
		09:23:51	22.98	51.55	33.92	86.8	6.12	7.79	92.4	7.2	4.2	
		12:23:57	24.22	51.76	34.05	89.7	6.19	7.76	101.1	4.3	5.1	
		15:23:56	24.38	51.72	34.02	88.3	6.08	7.63	100.3	4.9	2	
		18:23:57	23.52	51.57	33.93	88.2	6.16	7.66	97.9	10.3	7.6	
		21:23:55	22.79	51.37	33.79	96	6.8	7.76	93.1	10.9	ND	
	日平均值	23.26	51.51	33.89	89.61	6.30	7.78	94.38	7.44	6.77		
	灣內站	00:01:55	22.14	50.25	32.97	93.9	6.76	8.08	136.9	2.6	20	
		03:02:01	21.84	50.57	33.21	94.8	6.86	8.15	134.6	2.7	22	
		06:02:00	21.68	50.58	33.22	93	6.74	8.22	134.9	3.8	17.3	
		09:02:05	21.18	49.98	32.78	102.7	7.53	8.32	123.4	1.6	31.2	
		12:02:03	21.75	49.77	32.62	88.6	6.53	8.34	122.3	1.1	15.5	
		15:02:04	21.88	49.76	32.61	120	8.7	8.25	131.2	1.4	27.9	
		18:02:09	21.71	49.91	32.73	113.8	8.27	8.16	126.9	1.6	17.9	
		21:02:09	21.62	49.85	32.69	102.5	7.46	8.18	132.6	1.4	16.7	
	日平均值	21.73	50.08	32.85	101.16	7.36	8.21	130.35	2.03	21.06		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月4日	蚵殼站	00:01:40	21.39	50.72	33.33	107.8	7.85	8.28	148.5	16.2	44	
		03:01:39	21.12	50.33	33.04	107.2	7.86	8.37	144.1	7.2	32	
		06:01:39	20.98	50.47	33.15	107.2	7.87	8.43	141.2	9.6	22.8	
		09:01:39	21.05	50.35	33.06	108.2	7.94	8.34	141.8	16.3	25.1	
		12:01:36	21.45	50.07	32.85	111.4	8.13	7.92	142.6	14.3	23.2	
		15:01:39	22.21	50.66	33.28	110.8	7.95	7.92	133.7	40.4	61.6	
		18:01:35	22.21	50.75	33.34	110.3	7.92	7.85	144.4	23.2	53.6	
		21:01:40	22.43	50.97	33.5	109.9	7.85	7.9	151	27	41.7	
		日平均值	21.61	50.54	33.19	109.10	7.92	8.13	143.41	19.28	38.00	
	潮口站	00:23:56	21.81	50.44	33.12	97.2	7.04	7.88	86.1	8.2	11.5	
		03:24:02	23.43	51.19	33.64	87.9	6.17	7.87	91.3	5.9	ND	
		06:24:07	23.25	51	33.51	84.8	5.97	7.91	88.8	6.6	9.4	
		09:24:06	22.82	51.06	33.56	87	6.17	7.79	91.9	6.8	4.1	
		12:24:05	25	50.61	33.18	91	6.23	7.56	106.6	4.5	ND	
		15:24:09	25.04	50.72	33.26	88.4	6.04	7.69	112.6	4.4	1.2	
		18:24:09	24.45	50.59	33.18	91.6	6.32	7.9	113.3	8.2	5.4	
		21:24:10	22.44	50.13	32.88	91.5	6.56	8.04	91.5	13.5	10.3	
		日平均值	23.53	50.72	33.29	89.93	6.31	7.83	97.76	7.26	6.98	
	灣內站	00:02:15	21.5	50.22	32.96	89.3	6.5	8.2	106.1	2.4	7.9	
		03:02:15	21.33	50.24	32.97	91.1	6.65	8.08	133.8	2.1	13.4	
		06:02:20	21.16	50.18	32.93	93.4	6.84	8.22	140.4	3.2	25.5	
		09:02:19	21.06	50.38	33.08	82.7	6.07	8.12	143.2	1.9	16.6	
		12:02:23	21.96	49.99	32.79	101.8	7.37	8.12	142.7	1.4	6.6	
		15:02:24	22.19	49.87	32.69	122.5	8.83	8.18	136.3	1.2	10.5	
		18:01:51	22.23	50	32.78	70.4	5.07	7.9	148.5	16.7	13.9	
		21:10:17	22.05	49.6	32.49	119.4	8.63	8.09	130.9	4.9	18.6	
		日平均值	21.69	50.06	32.84	96.33	7.00	8.11	135.24	4.23	14.13	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月5日	蚵殼站	00:01:41	22.02	50.78	33.36	109	7.85	7.98	149.4	14.8	24.1	
		03:01:40	21.93	50.66	33.28	108.6	7.83	8.11	148.4	19.2	25.8	
		06:01:40	21.48	50.21	32.95	108.3	7.89	8.17	146.3	28.5	65.8	
		09:01:43	21.62	50.59	33.23	107.1	7.78	8.13	148	32.8	71.1	
		12:01:35	22.43	50.42	33.1	108.9	7.8	7.87	138.4	249.2	45.8	
		15:01:36	23.05	50.61	33.22	111.3	7.88	7.66	147.8	25.2	63.7	
		18:01:43	22.57	50.76	33.34	111.9	7.98	8.09	222.4	21.5	66.8	
		21:01:41	22.53	50.5	33.15	111	7.93	7.72	177.6	20.3	54	
		日平均值	22.20	50.57	33.20	109.51	7.87	7.97	159.79	51.44	52.14	
	潮口站	00:24:14	23	50.34	33.03	89	6.31	7.64	92	9.9	12.4	
		03:24:15	24.29	50.31	32.98	85.4	5.92	7.72	91.2	7	3.8	
		06:24:20	24.39	50.59	33.18	82.2	5.68	7.8	87.6	7.2	5.4	
		09:24:17	23.91	50.51	33.14	86.9	6.06	7.7	86.5	8.6	7.5	
		12:24:20	25.08	50.47	33.08	89.5	6.12	7.98	104.4	6.1	2.6	
		15:24:22	25.46	50.57	33.15	88	5.98	7.78	106.1	5.2	ND	
		18:24:23	25.41	50.29	32.94	88.4	6.02	7.84	112.3	4.9	ND	
		21:24:28	24.02	49.84	32.64	96.4	6.73	8.85	167.7	9.4	6.6	
		日平均值	24.45	50.37	33.02	88.23	6.10	7.91	105.98	7.29	6.38	
	灣內站	00:10:18	21.82	49.38	32.33	111.7	8.12	8.02	134.1	2.4	13	
		03:10:18	21.86	49.92	32.74	46.6	3.38	8.14	133.3	2.4	22.1	
		06:10:18	21.91	50.48	33.14	92.3	6.67	8.11	132.3	ND	19.4	
		09:10:20	22	50.6	33.23	94.6	6.82	8.11	136.6	2.5	13.6	
		12:10:19	23.02	50.31	33	108.7	7.71	8.15	119.7	ND	13.1	
		15:10:13	22.91	49.49	32.41	124.2	8.85	8.17	126.9	ND	11.9	
		18:10:17	22.97	49.51	32.42	136.9	9.74	8.06	128	ND	30.7	
		21:10:18	23.09	49.17	32.17	130.1	9.25	8.08	141.6	1.4	19.9	
		日平均值	22.45	49.86	32.68	105.64	7.57	8.11	131.56	2.18	17.96	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月6日	蚵殼站	00:01:42	22.38	50.62	33.24	108.4	7.76	8.16	173	36.3	61	
		03:01:43	23.01	50.57	33.19	106.7	7.56	8.11	177.1	381.6	23.1	
		06:01:42	23.06	50.54	33.17	106.6	7.55	8.36	160.2	8.6	22	
		09:01:43	22.99	50.08	32.84	106.1	7.53	7.98	171.5	18.7	26.9	
		12:01:43	23.25	50.61	33.22	106.2	7.49	7.94	173.4	12.5	14.9	
		15:01:45	23.77	50.65	33.24	108.8	7.6	7.92	152	22.3	29.1	
		18:01:42	24.02	50.89	33.41	109.5	7.61	7.85	172.7	55.4	40.3	
		21:01:43	23.89	50.91	33.43	108	7.53	7.86	177.3	38.5	37.1	
	日平均值	23.30	50.61	33.22	107.54	7.58	8.02	169.65	71.74	31.80		
	潮口站	00:24:26	24.45	49.88	32.66	83.6	5.79	8.36	179.5	16.5	5.8	
		03:24:27	24.08	49.8	32.61	87.5	6.1	8.35	187.7	12.6	1.8	
		06:24:33	25.03	50.03	32.76	84.6	5.8	8.46	194	8.7	4.9	
		09:24:31	25.09	49.93	32.68	88.5	6.06	8.16	204.9	9.3	ND	
		12:24:30	25.28	49.94	32.69	88.9	6.07	8.13	201.3	9.6	4	
		15:24:36	26.06	50	32.71	89.5	6.03	8.13	214.3	7.9	4.9	
		18:24:37	25.67	49.35	32.24	89	6.05	8.15	212.6	21.2	6.4	
		21:24:40	25.28	49.57	32.42	92.3	6.31	8.22	220	15.8	12.6	
	日平均值	25.12	49.81	32.60	87.99	6.03	8.25	201.79	12.70	5.77		
	灣內站	00:15:55	22.28	50.8	33.37	79.1	5.67	8.08	118.1	4.6	16.6	
		03:15:56	22.28	50.71	33.31	77.1	5.53	8.14	122	3.9	15.5	
		06:15:51	22.25	50.73	33.33	72.9	5.23	8.2	116.8	11.2	18.3	
		09:15:59	22.21	50.77	33.36	78.2	5.61	8.28	103.6	7.8	13.7	
		12:16:00	22.25	50.63	33.25	74.8	5.37	8.12	120.7	9.7	11.4	
		15:15:53	22.08	50.77	33.36	79.9	5.75	8.02	119.4	13.7	13.9	
		18:16:07	22.16	50.69	33.3	45.6	3.27	7.98	122.8	20.6	9	
		21:16:03	22.16	50.96	33.49	66.2	4.75	8.08	121.7	8.2	23.4	
	日平均值	22.21	50.76	33.35	71.73	5.15	8.11	118.14	9.96	15.24		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月7日	蚵殼站	00:01:38	23.73	50.84	33.38	106.7	7.45	8.3	179.8	21.8	29.3	
		03:01:45	23.78	50.78	33.34	105.5	7.36	8.39	185.7	29.7	36.6	
		06:01:43	23.82	50.96	33.47	104.8	7.31	8.41	188.3	37.7	37	
		09:01:48	24.03	50.81	33.36	105.4	7.33	8.41	176.9	24	33.4	
		12:02:03	24.46	50.8	33.34	108.6	7.5	8.38	245.6	23.2	41.1	
		15:02:09	25.65	51.2	33.61	109.7	7.41	8.39	209.2	30.3	22.7	
		18:02:10	24.6	51.15	33.59	107.4	7.39	8.23	205	26	33.2	
		21:02:09	24	50.9	33.42	107.4	7.46	8.41	193	59.7	54	
	日平均值	24.26	50.93	33.44	106.94	7.40	8.37	197.94	31.55	35.91		
	潮口站	00:24:40	25.27	49.37	32.27	85	5.82	8.15	219.7	21.7	18.3	
		03:24:45	24.92	49.08	32.07	87.1	6.01	8.26	213.5	15.9	26.6	
		06:24:46	25.55	49.57	32.41	81.9	5.58	8.35	202.9	9.6	42.6	
		09:24:43	25.58	49.45	32.32	85.7	5.84	8.27	211.6	10.6	9.9	
		12:24:51	25.45	49.4	32.29	91.1	6.21	8.25	221	8.5	24.1	
		15:24:48	26.16	49.26	32.17	87.7	5.92	8.21	227.8	6.6	2.3	
		18:24:50	25.83	49.2	32.13	86.5	5.87	8.29	215.7	5.7	16.4	
		21:24:49	25.41	48.94	31.95	87	5.95	8.22	195.2	15.5	11.3	
	日平均值	25.52	49.28	32.20	86.50	5.90	8.25	213.43	11.76	18.94		
	灣內站	00:16:05	22.22	50.87	33.43	73.7	5.29	8.18	108	5.6	12.6	
		03:16:06	22.16	50.97	33.5	69.1	5.96	8.16	115.3	3.7	10.4	
		06:16:03	22.12	51.02	33.54	67.3	5.83	8.24	114.2	19.2	10.5	
		09:16:08	22.09	51.08	33.58	68.4	5.91	8.16	131.3	19	11.8	
		12:16:11	22	51.09	33.59	46.5	5.35	8.15	127.5	23.8	17.3	
		15:16:12	22.41	50.34	33.04	53.4	5.83	8.23	125.7	4	21.1	
		18:16:16	22.34	50.42	33.1	100.9	7.23	8.16	122.5	7.1	6.3	
		21:16:16	22.02	50.65	33.27	80.7	5.81	8.09	118.5	7.8	15.3	
	日平均值	22.17	50.81	33.38	70.00	5.90	8.17	120.38	11.28	13.16		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月8日	蚵殼站	00:02:04	23.74	50.95	33.46	107.1	7.48	8.06	183.8	23.5	40.7	
		03:02:10	23.58	50.92	33.44	106.5	7.46	8.2	187.4	14	22.3	
		06:02:03	23.3	50.68	33.27	105.1	7.4	8.27	189.3	6.1	17.2	
		09:32:10	23.15	50.7	33.29	105.8	7.47	8.37	185.6	78.7	51.2	
		12:02:03	23.15	50.74	33.32	105.6	7.45	8.38	163.7	7.8	23.8	
		15:02:10	23.23	50.76	33.33	105.8	7.46	8.3	157.8	59.2	28.2	
		18:02:05	23.17	50.87	33.41	102.9	7.26	8.16	180	50.3	40.2	
		21:02:10	23.72	51.4	33.79	103.1	7.19	8.26	170.4	15.9	10.6	
	日平均值	23.38	50.88	33.41	105.24	7.40	8.25	177.25	31.94	29.28		
	潮口站	00:24:52	24.62	49.26	32.2	82	5.68	7.77	186.5	16.6	11.3	
		03:24:55	24.11	48.63	31.76	84.4	5.91	7.87	173.6	11.2	9.8	
		06:24:59	24.79	49.24	32.18	83.9	5.8	7.93	167.4	9.8	4.7	
		09:24:58	24.39	49.38	32.3	83.3	5.79	7.95	166.4	8	8.2	
		12:25:01	24.33	49.3	32.24	85.1	5.92	7.96	169.6	11.3	1.4	
		15:24:59	24.63	49.09	32.08	86.7	6.01	7.92	169.1	5.4	4.5	
		18:25:06	24.83	48.87	31.92	85.2	5.89	7.95	170.4	4.8	5.1	
		21:25:03	24.43	48.98	32	87	6.05	7.99	160.6	6.1	5.1	
	日平均值	24.52	49.09	32.09	84.70	5.88	7.92	170.45	9.15	6.26		
	灣內站	00:09:05	22.04	50.58	33.22	91.9	6.62	8.11	124.7	2.8	16.6	
		03:09:11	21.84	50.35	33.05	94.6	6.85	8.13	134.3	1.2	10.9	
		06:09:10	21.7	50.45	33.13	49.4	3.58	8.28	128.5	2.5	11.1	
		09:09:15	21.39	50.18	32.93	93.3	6.81	8.25	126.6	1.4	13.4	
		12:09:16	21.74	50.03	32.81	85	6.17	8.19	132.4	2.5	8.8	
		15:09:14	21.66	50.22	32.95	87.2	6.34	8.14	130.6	5.8	6.6	
		18:09:19	21.73	50.6	33.23	91.8	6.65	8.13	126	5.3	19	
		21:09:19	21.71	49.96	32.77	92.5	6.72	8.13	133.5	2.1	7.1	
		日平均值	21.73	50.30	33.01	85.71	6.22	8.17	129.58	2.95	11.69	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月9日	蚵殼站	00:02:04	22.83	50.74	33.32	103.5	7.35	8.32	164.8	15.5	22.5	
		03:02:11	22.79	50.7	33.29	104	7.39	8.44	169.9	9.3	26.6	
		06:02:10	22.63	50.76	33.34	101.8	7.25	8.4	170.3	10.7	16.3	
		09:02:09	22.17	50.11	32.87	103.8	7.47	8.36	180.7	20	23.9	
		12:02:05	22.78	50.38	33.06	106.6	7.58	8.26	213.3	62.3	48.8	
		15:02:11	22.88	50.34	33.02	104.2	7.4	8.09	198.8	14.1	15.3	
		18:02:05	23	50.85	33.4	108	7.64	7.97	184.4	29.1	36.5	
		21:02:12	23.61	51.15	33.61	105.6	7.38	8.02	188.2	28.7	31.1	
	日平均值	22.84	50.63	33.24	104.69	7.43	8.23	183.80	23.71	27.63		
	潮口站	00:25:05	23.85	48.92	31.97	91.3	6.42	8.02	157.1	13.7	52.1	
		03:25:09	22.97	48.4	31.61	95.2	6.81	8.01	151.8	24.6	10.9	
		06:25:09	24.55	49.15	32.13	84.9	5.89	8.01	159	7.4	-0.8	
		09:25:09	24.29	49.34	32.27	85.9	5.98	7.99	159.3	9	9.8	
		12:25:15	23.96	48.98	32.01	88.8	6.23	7.87	166.2	11.7	4.1	
		15:25:13	23.69	48.8	31.88	93.1	6.57	7.77	175	26.3	3.5	
		18:25:16	25.09	48.62	31.72	91.9	6.33	7.72	175.7	9.3	73.1	
		21:25:20	24.76	49.04	32.04	86.2	5.96	7.76	177.6	5.5	7.5	
	日平均值	24.15	48.91	31.95	89.66	6.27	7.89	165.21	13.44	20.03		
	灣內站	00:09:25	21.67	50.21	32.95	86.3	6.27	8.07	138.3	2.3	12.7	
		03:09:25	21.75	50.38	33.08	90.6	6.56	8.17	127.6	1.7	14.2	
		06:09:27	21.31	50.23	32.97	81.2	5.93	8.28	121.9	2	8	
		09:09:29	21.56	50.59	33.23	77.5	5.63	8.08	139.1	3.2	5.5	
		12:09:33	21.82	50.83	33.4	82.2	5.94	8.12	141.4	8.1	12.5	
		15:15:26	23.07	47.77	31.15	116	8.3	7.94	86.9	19	102.1	
		18:23:49	22.86	47.26	30.78	128.3	9.24	7.83	89.7	18.1	64.1	
		21:23:41	22.52	47	30.59	122.4	8.88	7.86	90.1	17.8	64.5	
		日平均值	22.07	49.28	32.27	98.06	7.09	8.04	116.88	9.03	35.45	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月10日	蚵殼站	00:02:05	22.9	50.7	33.29	104.6	7.42	8.11	175.7	8	16.8	
		03:02:12	22.61	50.74	33.33	104.6	7.45	8.2	177	39.5	42.2	
		06:02:11	22.46	50.72	33.32	101.7	7.27	8.23	168.1	13.6	14.1	
		09:02:07	22.47	50.97	33.49	102.3	7.3	8.21	168.7	9.9	7.7	
		12:02:14	23.32	51.11	33.59	104.6	7.35	8.1	165.4	10.9	10.1	
		15:02:06	23.88	50.95	33.46	109.4	7.62	7.82	165.5	26.7	27.9	
		18:02:12	23.9	51.08	33.56	109.7	7.63	8	167.9	8.7	31.8	
		21:02:12	23.69	51.24	33.68	107.9	7.53	7.93	180.1	12.9	26.3	
	日平均值	23.15	50.94	33.47	105.60	7.45	8.08	171.05	16.28	22.11		
	潮口站	00:25:18	23.84	48.68	31.79	86.6	6.1	7.81	170.9	10.8	11.4	
		03:25:20	23.2	48.69	31.81	87.2	6.21	7.91	165.6	9.9	1.5	
		06:25:24	24.76	49.17	32.13	83.9	5.8	7.97	163.6	6.2	10.2	
		09:25:21	24.6	49.12	32.1	84.7	5.87	7.94	169.2	9.3	27	
		12:25:28	23.41	48.63	31.77	86.1	6.11	7.7	167.6	12.8	4.9	
		15:25:28	24.09	48.51	31.67	90.2	6.33	7.54	183.9	10.4	11.1	
		18:25:28	25.3	49.14	32.1	83.7	5.74	7.52	191.3	4.9	6.6	
		21:25:26	24.79	49.03	32.03	87.3	6.04	7.64	173.8	4.1	52.8	
	日平均值	24.25	48.87	31.93	86.21	6.03	7.75	173.24	8.55	15.69		
	灣內站	00:23:49	22.72	48.58	31.74	107.1	7.69	8	91.8	17	70.5	
		03:23:43	22.53	49.09	32.12	85.5	6.14	7.94	92.4	23.9	66.6	
		06:23:42	22.41	48.96	32.02	91.4	6.59	8.04	87.8	16.1	73.9	
		09:23:48	22.35	49.18	32.18	90.6	6.53	7.98	84.4	17.3	46	
		12:23:49	23.08	49.11	32.12	112.9	8.03	7.97	86.4	10.4	62.9	
		15:23:48	23.16	48.52	31.69	123	8.76	7.77	90.8	13.2	51.1	
		18:23:48	23.2	48.69	31.82	125.4	8.93	7.78	87.8	11.3	75.9	
		21:23:47	23.03	48.97	32.02	115.6	8.24	7.93	87.8	11.6	53.5	
	日平均值	22.81	48.89	31.96	106.44	7.61	7.93	88.65	15.10	62.55		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月11日	蚵殼站	00:02:13	23.12	50.9	33.44	105.1	7.42	7.98	178.9	18.6	31.1	
		03:02:14	23.1	51.1	33.59	105	7.41	8.22	166.4	10.7	21.5	
		06:02:12	22.81	50.94	33.47	102.7	7.28	8.25	171.4	12	15.6	
		09:20:37	22.95	51.19	33.65	104.5	7.39	8.2	218.3	44.7	36.1	
		12:20:36	23.25	50.65	33.25	108.4	7.64	8.05	180.5	12	24.8	
		15:20:37	23.52	51.15	33.61	107	7.49	8.06	166.2	6.5	20.3	
		18:20:38	23.19	50.95	33.48	107.3	7.56	7.95	172.8	14	20.3	
		21:20:38	23.61	51.4	33.8	105.3	7.35	7.96	178.6	9.7	13.2	
	日平均值	23.19	51.04	33.54	105.66	7.44	8.08	179.14	16.03	22.86		
	潮口站	00:25:34	23.82	48.99	32.02	85.4	6	7.77	175.1	9.9	12.3	
		03:25:31	23.26	48.5	31.67	91.2	6.49	7.89	167	10.5	11.6	
		06:25:31	24.28	49.07	32.07	84.6	5.9	7.92	163	9	ND	
		09:25:37	24.62	49.44	32.33	85.3	5.9	7.9	162.8	7.2	11.3	
		12:25:36	24.56	49.34	32.26	88.4	6.13	7.73	181.4	7	23.2	
		15:25:34	24.34	48.78	31.86	94.7	6.61	7.67	180.9	9.8	17.1	
		18:25:42	24.68	48.31	31.51	85.1	5.91	7.63	176.4	7.3	3.7	
		21:25:41	24.52	49.04	32.04	89.5	6.22	7.71	180.3	5.5	8	
	日平均值	24.26	48.93	31.97	88.03	6.15	7.78	173.36	8.28	12.46		
	灣內站	00:23:49	22.82	48.94	32	100.9	7.22	7.92	83.6	10.3	65.9	
		03:23:49	22.64	49.28	32.25	87.4	6.26	7.92	91.6	8.3	64.6	
		06:23:47	22.71	49.4	32.34	103.2	7.38	8.12	86.7	11.8	75	
		09:23:49	22.61	49.2	32.19	103.2	7.4	8.08	80.5	14.4	58	
		12:23:43	23.09	48.45	31.64	120.2	8.58	8.05	82.9	12.7	67.3	
		15:15:33	23.34	47.59	31	135.8	9.69	8.01	82.1	12.2	84.2	
		18:23:49	23.36	47.69	31.08	125.5	8.94	7.92	82.7	15.8	62.7	
		21:23:49	23.08	48.55	31.71	121	8.63	8.07	82.5	14.8	62.7	
	日平均值	22.96	48.64	31.78	112.15	8.01	8.01	84.08	12.54	67.55		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
2月12日	蚵殼站	00:20:39	23	51.08	33.57	103.3	7.3	8.13	171.6	7.2	9.4
		03:20:38	23.02	51	33.51	104.7	7.4	8.19	185.7	19	17.5
		06:20:38	22.61	50.95	33.48	102.9	7.33	8.16	167.8	8.2	14.4
		09:20:38	22.23	50.61	33.23	106.1	7.62	8.29	170.3	25.7	30
		12:20:38	22.82	50.24	32.95	110.1	7.83	8.05	157.7	25.8	63
		15:20:32	24.1	51.23	33.66	108	7.48	8	185	92.2	31.1
		18:20:39	23.44	51.12	33.6	105.1	7.37	7.9	187.5	16.4	23.1
		21:20:39	23.81	51.53	33.89	103.6	7.21	7.99	175.9	7.3	4.1
		日平均值	23.13	50.97	33.49	105.48	7.44	8.09	175.19	25.23	24.08
	潮口站	00:25:41	24.12	49.06	32.07	88.7	6.2	7.84	172.8	8.3	13.2
		03:25:40	23.46	48.35	31.56	88.1	6.25	7.89	164.2	9.9	17.2
		06:25:44	23.68	49.01	32.04	83.9	5.91	7.88	168.7	8.5	10.2
		09:25:43	24.01	49.28	32.23	87	6.09	7.93	156	5.8	41.3
		12:25:47	24.29	49.34	32.27	89	6.2	7.75	177.6	6	11.2
		15:25:49	23.77	48.65	31.77	96.4	6.79	7.68	159.4	11.6	12.6
		18:25:48	23.53	47.94	31.26	95.1	6.75	7.68	171.3	11.2	22.9
		21:25:53	24.42	48.91	31.95	82.6	5.75	7.69	182.1	6.5	18
		日平均值	23.91	48.82	31.89	88.85	6.24	7.79	169.01	8.48	18.33
	灣內站	00:23:49	22.76	49.33	32.29	104.5	7.47	8.08	79.6	12.4	67.5
		03:23:48	22.66	49.34	32.3	95.8	6.86	8.06	79.3	12.5	56.4
		06:23:48	22.45	49.33	32.29	100.1	7.2	8.11	77.4	9.1	71.8
		09:23:48	22.47	49.15	32.16	99.2	7.14	8.09	81.1	10.5	64.6
		12:23:42	23.3	49.13	32.13	107.5	7.62	8.01	76.7	10.8	60.3
		15:23:49	23.41	48.45	31.63	128.8	9.14	7.96	81.9	7.8	63.3
		18:23:49	23.39	48.02	31.32	135.7	9.65	8.01	77	11.9	71.9
		21:23:49	22.85	49.08	32.11	112.2	8.02	8	87.6	10.7	72.6
		日平均值	22.91	48.98	32.03	110.48	7.89	8.04	80.08	10.71	66.05
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
2月13日	蚵殼站	00:20:38	23.44	51.29	33.72	104.1	7.29	8.07	179.2	10.8	12.8
		03:20:39	22.81	50.74	33.33	106.9	7.59	8.24	177.7	27.6	45.6
		06:20:38	22.17	50.31	33.02	106.1	7.63	8.35	164	24.5	49.2
		09:20:39	22.26	50.17	32.91	107.2	7.71	8.2	225.2	16.7	52.4
		12:20:39	22.93	50.41	33.08	107.5	7.63	7.9	187.2	24.6	55.9
		15:20:39	23.42	50.49	33.13	110.4	7.77	7.92	186.6	64.4	52.8
		18:20:33	23.15	50.77	33.34	107.3	7.57	7.61	178.4	53.8	58.9
		21:20:33	23.24	50.58	33.2	108.8	7.67	7.67	191.6	70.1	44.2
		日平均值	22.93	50.60	33.22	107.29	7.61	8.00	186.24	36.56	46.48
	潮口站	00:25:51	24.43	49.22	32.18	87.9	6.11	7.81	181.7	6.4	17.4
		03:25:52	23.6	49.07	32.09	87.9	6.2	7.8	167.8	8.8	10.6
		06:25:56	23.32	48.7	31.82	94.5	6.71	7.86	162.1	7.6	20.8
		09:25:55	24.5	49.3	32.24	87.1	6.04	7.81	176.1	6.7	47.2
		14:13:04	25.02	0.138	0.06	100.8	8.33	7.87	118.1	2.8	65.5
		15:19:42	24.84	51.64	33.95	93.5	6.39	7.91	187.7	6	6.1
		18:18:59	23.76	51.52	33.88	94.4	6.57	8.04	183.7	13	14
		21:18:58	24.78	51.84	34.1	88	6.01	8.16	183	8.7	ND
		日平均值	24.28	43.93	28.79	91.76	6.55	7.91	170.03	7.50	25.94
	灣內站	00:23:49	22.74	49.01	32.06	105.9	7.58	8.05	83.7	9.6	59.9
		03:23:49	22.6	49.27	32.24	89.5	6.42	7.99	76.9	8.9	74.4
		06:23:48	22.39	49.6	32.49	88.8	6.39	8.09	76.1	10.9	71.3
		09:23:49	22.6	49.46	32.38	98.4	7.05	8.05	80.9	9.5	67.2
		12:23:48	23.46	48.44	31.63	123.4	8.75	7.85	86.6	9.4	68.1
		15:15:28	23.7	48.04	31.33	130.5	9.23	7.86	82.6	12.3	66
		18:23:48	23.79	47.97	31.27	136.1	9.61	7.74	81	7.2	79.6
		21:23:50	23.88	47.66	31.05	131.3	9.27	7.79	84	9.6	66.8
		日平均值	23.15	48.68	31.81	112.99	8.04	7.93	81.48	9.68	69.16
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)		
2月14日	蚵殼站	00:20:34	23.57	50.45	33.1	109.7	7.7	7.7	186.6	42.7	57.3	
		03:20:41	23.17	49.84	32.66	108	7.65	7.68	200.3	46.5	60.1	
		06:20:40	23.11	50.05	32.81	107.9	7.65	7.94	154.1	27.7	56.9	
		09:20:41	23.21	50.09	32.84	108	7.64	7.64	164.1	73.5	54.2	
		12:20:41	24.02	50.35	33.01	110	7.66	8.03	184.3	29.8	52.5	
		14:50:41	24.08	50.7	33.27	108.4	7.53	8.13	179	36.3	51.4	
		18:09:43	24.12	50.36	33.02	108.8	7.57	8.18	171.9	1203.3	22	
		21:09:43	24.1	50.39	33.04	108.7	7.56	8.12	171.4	1191.3	27	
	日平均值		23.67	50.28	32.97	108.69	7.62	7.93	176.46	331.39	47.68	
	潮口站	00:19:05	24.79	51.94	34.17	87.2	5.95	7.66	183.2	5.2	1.4	
		03:19:04	23.71	50.75	33.32	100.9	7.05	7.72	184.5	27.4	15.2	
		06:19:04	23.41	50.33	33.01	106.7	7.51	7.8	178.6	263.7	20.4	
		08:49:02	24.85	52.03	34.23	87.4	5.96	7.74	183.6	4.7	ND	
		12:05:33	25.01	51.56	33.89	89.1	6.07	8.02	199.1	8.7	2.5	
		15:05:34	25.08	51.62	33.93	89.4	6.08	7.99	195.8	12.5	4.3	
		18:05:33	24.26	51.27	33.69	87.8	6.07	7.96	188.1	11.2	10.8	
		21:05:33	24.36	51.2	33.64	93.5	6.45	8.05	191.2	4.4	7	
	日平均值		24.43	51.34	33.74	92.75	6.39	7.87	188.01	42.23	8.80	
	灣內站	00:23:44	23.87	48.7	31.81	106.5	7.49	7.67	87.7	11.8	78	
		03:23:49	23.48	49.25	32.22	113.3	8.01	7.73	81.9	7.5	54.4	
		06:23:49	23.16	49.11	32.12	107.2	7.62	7.76	90.4	12.3	55.7	
		09:23:50	23.8	49.96	32.73	99.1	6.94	7.69	82.8	9	47.7	
		12:23:49	24.52	49.47	32.36	116.8	8.1	7.63	83.5	9.7	69.5	
		15:23:49	24.73	49.73	32.55	123.2	8.5	7.59	84.5	9.2	71.9	
		18:15:59	24.83	49.11	32.09	125.8	8.69	7.65	79.9	3	33.4	
		21:15:58	24.75	48.4	31.57	140.4	9.74	7.66	79.9	2.6	37.6	
	日平均值		24.14	49.22	32.18	116.54	8.14	7.67	83.83	8.14	56.03	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月15日	蚵殼站	00:09:44	24.1	50.23	32.92	107.5	7.49	8.12	187.1	37.5	17.9	
		03:09:42	24.04	50.19	32.9	106	7.39	8.2	171	82.6	21.7	
		06:09:43	23.97	50.28	32.97	105.7	7.37	8.26	163.1	24.5	12.2	
		09:09:43	24.05	50.41	33.06	107.5	7.49	8.28	162.3	11.7	15.7	
		12:09:44	24.29	50.19	32.89	106.3	7.37	8.13	153.3	38.9	26.6	
		15:09:44	24.79	50.25	32.93	110.1	7.57	8.15	176.5	17.9	17	
		18:09:45	24.71	50.35	33	108.9	7.5	8.06	178.7	83.5	14	
		21:09:44	25.08	50.35	33	111.3	7.61	8.19	172.9	858.9	14.8	
	日平均值		24.38	50.28	32.96	107.91	7.47	8.17	170.61	144.44	17.49	
	潮口站	00:05:33	25.05	51.74	34.02	85.8	5.84	8.14	170.1	6.8	ND	
		03:05:33	24.87	51.7	33.99	85.7	5.85	8.14	179.4	6.8	ND	
		06:05:31	23.98	50.78	33.33	107.8	7.5	7.82	174.8	5	10.9	
		09:05:32	24.94	51.75	34.03	85.6	5.83	8.25	165	5.1	3.6	
		12:05:31	25.37	51.89	34.12	86.9	5.87	8	192.2	3	4.7	
		15:05:31	25.42	51.79	34.04	87.7	5.93	7.87	182	8	ND	
		18:05:31	25.34	51.59	33.9	93.6	6.34	7.89	186.2	16.8	14.1	
		21:05:31	24.79	51.2	33.63	88.8	6.08	7.98	200	8.1	18.7	
	日平均值		24.97	51.56	33.88	90.24	6.16	8.01	181.21	7.45	10.40	
	灣內站	00:16:00	24.41	48.99	32.01	127.7	8.89	8.15	80.9	2.3	32.2	
		03:15:58	24.17	49.03	32.04	118.9	8.31	8.19	78.8	1.5	30.8	
		06:15:58	24.17	49.43	32.34	109.1	7.61	8.28	77.8	2	29.3	
		09:15:59	24.46	49.59	32.45	112.3	7.79	8.36	75.2	2.5	25.6	
		12:16:00	24.99	49.89	32.65	119.4	8.2	8.19	79.1	1.1	23.6	
		15:16:00	25.41	50.01	32.74	123.4	8.41	7.98	82	1.3	21.2	
		18:16:01	25.64	49.56	32.4	134.9	9.17	8.04	81.8	2.3	23.2	
		21:15:59	25.52	48.98	31.98	138.3	9.44	8.21	84.4	1.6	32.6	
	日平均值		24.85	49.44	32.33	123.00	8.48	8.18	80.00	1.83	27.31	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
2月16日	蚵殼站	00:09:45	25.09	50.54	33.13	110.4	7.55	8.2	173.9	2306.1	16.3	
		03:09:44	24.86	50.4	33.04	107.4	7.38	8.23	164.8	140.2	12.8	
		06:09:44	24.63	50.45	33.08	107.1	7.38	8.28	171	51	18.6	
		09:09:46	24.59	50.31	32.98	105.9	7.3	8.29	158.4	7.5	16.3	
		12:09:46	24.59	50.22	32.91	107.4	7.42	8.32	148.9	1188.3	14.8	
		15:09:46	24.66	50.17	32.87	112.3	7.74	8.35	163.4	51.6	50.9	
		18:09:46	24.65	50.36	33.01	108.5	7.47	8.33	154.4	5.7	21.7	
		21:09:45	24.51	50.53	33.14	107.9	7.45	8.35	145.8	1142.4	17.9	
	日平均值	24.70	50.37	33.02	108.36	7.46	8.29	160.08	611.60	21.16		
	潮口站	00:05:31	25.02	51.5	33.84	87.1	5.94	8.08	181.8	8.6	6.5	
		03:05:32	25.32	51.98	34.19	83.9	5.68	8.25	164.4	6.8	ND	
		06:05:29	25.13	51.82	34.08	85.8	5.83	8.43	154.3	4.4	ND	
		09:05:30	25.03	51.66	33.96	84.8	5.78	8.42	161.2	9.1	2.4	
		12:09:00	25.19	51.98	34.19	88.8	6.02	8.45	193.1	4.5	ND	
		15:13:11	24.45	52.48	34.58	82.8	5.68	8.15	407.7	13.9	ND	
		18:21:33	24.76	51.66	33.97	88.8	6.08	8.38	143.3	14.2	9.9	
		21:21:33	24.37	51.64	33.96	79.4	5.47	8.37	135.4	21.7	5.5	
	日平均值	24.91	51.84	34.10	85.18	5.81	8.32	192.65	10.40	6.08		
	灣內站	00:16:01	25.38	48.65	31.74	132.8	9.1	8.35	79.2	2.3	31	
		03:15:53	24.99	49.45	32.33	120.8	8.31	8.3	79.1	1.5	32.1	
		06:15:59	24.87	49.71	32.53	100.6	6.93	8.33	77.2	1.3	25.7	
		09:16:01	24.72	49.72	32.54	89.4	6.17	8.26	75.1	4.6	39.4	
		12:16:01	24.72	49.59	32.44	121.3	8.38	8.46	79.4	2.3	35.8	
		15:46:46	24.63	48.96	31.99	132.7	9.2	8.45	84.4	4.5	59.2	
		18:16:47	24.68	49.18	32.14	122.2	8.46	8.39	80.1	2.8	51.5	
		21:16:46	24.54	49.36	32.28	115.5	8.01	8.41	83.5	2.6	34.2	
	日平均值	24.82	49.33	32.25	116.91	8.07	8.37	79.75	2.74	38.61		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
2月17日	蚵殼站	00:09:46	24.34	50.37	33.02	106.7	7.39	8.43	142.3	11.6	14.7	
		03:09:46	24.06	50.17	32.88	102	7.11	8.36	146.4	176.9	9.7	
		06:09:47	23.86	50.4	33.06	101.5	7.09	8.35	142.4	1613.3	7.5	
		09:09:47	23.76	50.54	33.16	102.1	7.14	8.37	139.8	1523.9	8.3	
		12:09:43	24.02	50.48	33.11	104.5	7.28	8.36	154.3	42.7	16.2	
		15:09:46	24.08	50.69	33.27	105.4	7.32	8.33	161.8	42.7	11.2	
		18:09:48	24.64	51.14	33.59	105.3	7.23	8.31	161.9	10.5	4.9	
		21:09:42	23.68	49.96	32.74	107.5	7.54	8.46	126.5	117.9	19	
	日平均值	24.06	50.47	33.10	104.38	7.26	8.37	146.93	442.44	11.44		
	潮口站	00:21:32	24.32	51.66	33.98	92.9	6.4	8.07	130.7	9.3	13.1	
		03:21:33	24.83	51.82	34.08	89	6.08	8.13	128.3	3.2	4.2	
		06:21:33	24.77	51.73	34.02	89.3	6.11	8.17	125.6	2.6	ND	
		09:21:31	24.48	51.81	34.08	88.7	6.09	8.18	125.7	10.4	3.7	
		12:21:34	25.19	51.82	34.08	86.7	5.88	8.03	125.7	2.7	3.7	
		15:21:31	25	51.81	34.07	87.3	5.95	8.01	127.6	1.3	3.7	
		18:21:31	24.84	51.77	34.05	90.7	6.19	8	134.6	10.7	5.9	
		21:21:32	24.17	51.7	34	91.1	6.29	8.2	119.5	9.6	9.5	
	日平均值	24.70	51.77	34.05	89.46	6.12	8.10	127.21	6.23	6.26		
	灣內站	00:16:47	24.36	49.78	32.59	106.6	7.4	7.94	95.3	2.7	36.2	
		03:16:46	24.1	49.89	32.68	107.4	7.49	8.03	79.1	1.7	28.5	
		06:16:47	23.89	49.84	32.64	106.8	7.47	8.06	77.1	2.1	30.2	
		09:16:46	23.57	49.43	32.35	108	7.61	8.05	78.9	1.2	34.6	
		12:16:48	23.84	49.4	32.32	111.9	7.85	8.01	74.4	1.4	31.6	
		15:16:46	23.97	49.81	32.62	114.7	8.01	7.92	75.9	1.3	23.1	
		18:16:48	23.87	49.74	32.57	109.5	7.67	7.93	78.1	1.9	30.3	
		21:16:46	23.75	49.89	32.69	103	7.22	8.08	80.4	3	14.7	
	日平均值	23.92	49.72	32.56	108.49	7.59	8.00	79.90	1.91	28.65		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月18日	蚵殼站	00:09:48	23.68	50.43	33.08	105.1	7.36	8.01	143.8	22.1	15.8	
		03:09:49	23.46	50.39	33.05	103.7	7.29	7.99	141.5	817.3	10.4	
		06:09:49	23.02	50.69	33.28	100.3	7.1	7.92	153.8	10.3	3.3	
		09:09:49	23.19	50.73	33.31	103.2	7.28	7.96	139.7	313.9	11.8	
		12:09:48	23.88	50.39	33.04	105.8	7.39	7.95	156.2	48.3	15.8	
		15:09:48	24.5	50.42	33.06	109.1	7.54	8.02	153.9	50	22.2	
		18:09:48	24.02	50.46	33.1	108.9	7.58	7.93	159.5	53.8	23	
		21:09:48	23.62	50.42	33.08	106.3	7.45	7.95	159.4	7.9	14.1	
	日平均值		23.67	50.49	33.13	105.30	7.37	7.97	150.98	165.45	14.55	
	潮口站	00:21:30	23.09	51.79	34.09	93.2	6.56	8.24	114.9	6.9	14.1	
		03:21:30	23.57	52.42	34.55	84.9	5.91	8.26	112.6	11.1	6.5	
		06:21:32	24.13	51.84	34.11	90.1	6.22	8.28	114.5	4.2	8.6	
		09:21:29	23.82	51.84	34.12	84.7	5.89	8.26	107.9	13.3	6.3	
		12:21:30	25	51.71	33.99	90.8	6.18	8.16	126.2	4.8	9.1	
		15:13:09	25.1	51.84	34.09	87.3	5.93	7.85	320.1	8.1	6.8	
		18:21:30	24.71	51.74	34.03	92.7	6.34	8.02	129.5	8	6.7	
		21:21:28	23.87	51.71	34.02	89.7	6.23	8.12	130.1	9.1	6.8	
	日平均值		24.16	51.86	34.13	89.18	6.16	8.15	144.48	8.19	8.11	
	灣內站	00:16:47	23.43	49.8	32.62	105.8	7.46	8.08	81.5	1.3	17.9	
		03:16:46	23.2	49.76	32.6	101.6	7.2	8.14	86.4	1.8	8.1	
		06:16:47	22.75	49.54	32.44	99.1	7.08	8.17	80.6	1	14.4	
		09:16:47	22.69	49.44	32.37	105.8	7.57	8.14	78.8	1.5	23	
		12:16:46	23.3	49.23	32.2	116.1	8.23	8.04	81.2	1	13.3	
		15:16:47	23.51	48.37	31.57	122.6	8.69	7.95	83.8	2.7	21	
		18:16:46	23.37	48.85	31.92	117.9	8.36	7.97	81.2	2.3	21	
		21:16:40	23.06	49.13	32.13	113.5	8.08	8.02	79.3	3.1	21.9	
		日平均值		23.16	49.27	32.23	110.30	7.83	8.06	81.60	1.84	17.58
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月19日	蚵殼站	00:09:50	23.31	50.51	33.15	105.8	7.46	7.96	154.6	45.5	12.7	
		03:09:42	23.15	50.55	33.17	101.7	7.18	7.93	149	436.7	9	
		06:09:48	22.15	49.13	32.15	104.6	7.57	7.93	141.2	1515	15	
		09:09:43	22.24	49.22	32.22	104.1	7.52	8	140.6	1708.7	13.9	
		12:09:44	22.58	49.32	32.28	106.7	7.66	7.89	142	1300.2	16.2	
		15:09:50	23.07	50.03	32.79	106.8	7.57	7.89	153.8	11.5	14.6	
		18:09:49	23.77	50.55	33.16	104	7.27	7.83	159.7	7	4.8	
		21:09:50	22.78	50.15	32.89	103.3	7.36	7.91	165.6	27.9	11.6	
	日平均值		22.88	49.93	32.73	104.63	7.45	7.92	150.81	631.56	12.23	
	潮口站	00:21:27	23.41	51.73	34.04	90.6	6.34	8.21	117.5	5.7	10.7	
		03:21:28	24.6	51.68	33.98	91.3	6.26	8.23	119.5	7	13.8	
		06:21:21	24.28	51.68	33.99	92.9	6.41	8.23	116.4	6.6	10.1	
		09:21:22	23.91	51.73	34.03	91.2	6.33	8.25	118.2	9.1	9.9	
		12:21:28	24.59	51.53	33.87	92.2	6.33	8.06	129.4	3.2	6	
		15:21:21	24.7	51.54	33.87	90.9	6.23	8.02	124.9	2.5	8.3	
		18:21:27	24.46	51.8	34.08	93	6.39	8.04	128.7	2.6	3.8	
		21:21:21	23.85	51.66	33.99	91.6	6.36	8.09	124	11.5	5.5	
	日平均值		24.23	51.67	33.98	91.71	6.33	8.14	122.33	6.03	8.51	
	灣內站	00:16:45	22.91	49.13	32.14	110.4	7.88	8.07	86.8	3.1	17.2	
		03:16:45	22.71	49.3	32.27	105.2	7.53	8.07	84.1	3	19.2	
		06:16:45	22.67	49.54	32.44	100.9	7.22	8.11	83.9	2.7	16.4	
		09:16:46	22.65	49.54	32.44	101.8	7.29	8.08	84.5	6	24.5	
		12:16:48	23.07	49.33	32.29	111.7	7.94	7.92	80.3	4.9	23	
		15:16:48	23.03	49.25	32.22	114	8.12	7.94	75.5	2.7	19.3	
		18:16:47	22.57	48.68	31.81	120.1	8.64	7.94	81.1	2.8	29.3	
		21:16:41	22.83	49.31	32.27	110.4	7.88	7.99	80.4	4.9	21.6	
		日平均值		22.81	49.26	32.24	109.31	7.81	8.02	82.08	3.76	21.31
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月20日	蚵殼站	00:09:50	22.58	50	32.78	104.1	7.44	8.45	154.2	25.4	10.9	
		03:09:49	22.48	50.06	32.83	103.5	7.41	8.45	146.1	1414.4	15.2	
		06:09:45	22.34	49.99	32.78	101.5	7.29	8.42	154.8	12.6	11.9	
		09:09:51	22.87	50.53	33.16	101.6	7.21	8.41	152.3	6.6	6.7	
		12:09:50	21.38	48.66	31.82	103.3	7.59	8.33	136.6	30.9	18.1	
		15:09:51	23.32	50.27	32.97	103.7	7.31	8.35	163.5	5.4	3.6	
		18:09:52	23.61	50.56	33.18	103.1	7.22	8.39	167	2.9	2.6	
		21:09:50	23.51	50.46	33.1	103.1	7.24	8.35	154.4	5.6	2.2	
		日平均值	22.76	50.07	32.83	102.99	7.34	8.39	153.61	187.98	8.90	
	潮口站	00:21:26	23.28	51.58	33.94	92.7	6.5	8.16	119.2	8.5	7.8	
		03:21:25	24.04	51.1	33.57	91.9	6.38	8.24	117.1	3.5	5.7	
		06:21:26	24.73	51.05	33.52	91.4	6.27	8.23	125.3	ND	5	
		09:21:26	23.59	51.28	33.71	90.7	6.34	8.16	124.8	4.3	8.6	
		12:21:25	23.56	51.22	33.67	92.6	6.48	8.11	122.6	2.9	2.5	
		15:13:02	24.94	51.16	33.59	91	6.22	7.98	290.2	8.7	7.5	
		18:21:26	24.6	51.11	33.56	92.2	6.34	8.06	131.8	1.4	6.3	
		21:21:24	23.54	51.27	33.7	89.4	6.26	8.02	127.1	5.7	16.6	
	日平均值	24.04	51.22	33.66	91.49	6.35	8.12	144.76	5.00	7.50		
	灣內站	00:16:47	22.46	49.29	32.26	100.1	7.2	8.01	82.8	1.4	11	
		03:16:40	22.4	49.24	32.23	100.6	7.24	8.07	74	3	19.2	
		06:16:41	22.32	49.24	32.23	101.6	7.33	8.06	86.7	2.3	23.3	
		09:16:47	21.51	48.37	31.6	104.6	7.68	8.01	74	2.3	29.5	
		12:16:48	21.87	48.27	31.52	112.9	8.24	7.99	81.8	1.8	27.4	
		15:16:48	21.78	47.32	30.83	119.5	8.77	7.87	80.5	2.2	37	
		18:16:48	21.41	47.1	30.67	127.9	9.46	7.95	80	2.3	35.1	
		21:16:46	22.83	48.75	31.86	110.7	7.93	7.97	76.4	1.9	20.4	
		日平均值	22.07	48.45	31.65	109.74	7.98	7.99	79.53	2.15	25.36	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月21日	蚵殼站	00:09:46	21.81	48.88	31.97	104.1	7.58	8.32	165.6	1082.5	20.3	
		03:09:46	22.85	49.79	32.63	103	7.34	8.33	159.2	535.2	9.2	
		06:09:46	22.24	49.56	32.46	101.1	7.29	8.29	169.9	1.3	3.9	
		09:09:52	23.56	50.07	32.82	102.2	7.18	8.36	165.8	3.1	3.3	
		12:09:51	23.61	50.07	32.82	102.3	7.18	8.3	174.1	4.2	3.2	
		15:09:51	23.51	49.69	32.54	103.8	7.32	8.32	167.5	0.7	5.8	
		18:09:52	23.7	49.6	32.47	102.9	7.23	8.29	177	4.6	2.2	
		21:09:52	23.69	49.33	32.27	102.2	7.19	8.24	183.7	4.4	3.2	
		日平均值	23.12	49.62	32.50	102.70	7.29	8.31	170.35	204.50	6.39	
	潮口站	00:21:24	23.2	51.26	33.7	90.2	6.35	8.06	125.3	11.6	8.5	
		03:21:24	23.96	51.06	33.54	91.2	6.34	8.11	124.5	4.2	3.8	
		06:21:18	25.05	50.94	33.43	91.1	6.22	8.17	129.7	2.4	6.1	
		09:21:23	23.63	51.05	33.54	92.2	6.45	8.09	129.5	7.9	9	
		12:21:23	23.46	50.97	33.49	88.5	6.21	8.01	130.5	14.3	8	
		15:21:23	24.89	50.72	33.27	90.7	6.21	8.04	139.2	4.1	2.7	
		18:21:22	24.93	50.81	33.33	89.5	6.13	8.01	132	1.9	5.8	
		21:21:23	23.97	50.84	33.38	89	6.19	7.96	131.5	4.6	11.9	
	日平均值	24.14	50.96	33.46	90.30	6.26	8.06	130.28	6.38	6.98		
	灣內站	00:16:48	22.02	48.6	31.76	109.6	7.96	7.91	86.9	2.3	21.5	
		03:16:48	21.87	48.8	31.91	96.8	7.05	7.85	77.9	1.9	19.3	
		06:16:41	22.1	48.73	31.86	103.8	7.53	7.93	82.6	1.1	14.1	
		09:16:47	21.91	48.38	31.61	105.8	7.71	7.94	70	ND	18.7	
		12:16:47	21.84	47.9	31.25	114.2	8.35	7.87	78.5	1.1	25.7	
		15:16:46	21.89	47.05	30.64	125.8	9.22	7.97	81.6	4.9	55.3	
		18:16:45	22.13	47.72	31.12	122.1	8.89	7.85	74.2	2.8	42.1	
		21:16:48	21.6	45.86	29.77	112.2	8.31	7.7	81.2	3	40.4	
		日平均值	21.92	47.88	31.24	111.29	8.13	7.88	79.11	2.44	29.64	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月22日	蚵殼站	00:09:47	23.99	50.11	32.84	102.3	7.13	8.27	177.3	4	6.6	
		03:09:53	23.24	49.33	32.28	102.6	7.28	8.26	179.9	3.6	10.7	
		06:09:48	21.93	46.58	30.3	102.2	7.51	8.2	181.1	6.4	20.5	
		09:09:54	23.23	48.79	31.89	101	7.18	8.16	187.9	1.6	5.6	
		12:09:54	24.98	49.9	32.67	102.5	7.04	8.13	194.3	4.3	3.9	
		15:09:54	25.33	49.12	32.08	105.4	7.22	8.13	206.8	6.4	5.7	
		18:09:48	25.04	49.26	32.19	109.9	7.56	8.07	220.2	11.2	12.7	
		21:09:54	25.02	48.67	31.76	110.4	7.62	8.15	209.5	10.6	18.7	
		日平均值	24.10	48.97	32.00	104.54	7.32	8.17	194.63	6.01	10.55	
	潮口站	00:21:24	23.54	50.78	33.34	89.2	6.25	7.89	134.7	8.6	7.6	
		03:21:22	23.43	50.85	33.39	89.2	6.27	7.91	133.7	5.1	7.2	
		06:21:22	24.7	50.72	33.28	89.7	6.17	7.93	143.9	4	1.6	
		09:21:15	24.28	50.61	33.2	89.1	6.17	7.76	148.8	7.7	10.5	
		12:21:21	24.42	50.28	32.96	89.8	6.21	7.61	157.2	5.5	8.4	
		15:12:59	25.41	50.74	33.27	89	6.05	7.86	257.6	16.7	1.7	
		18:21:21	25.49	50.62	33.18	88.5	6.01	7.94	170	3.4	8.9	
		21:21:22	25.03	50.62	33.2	91.9	6.29	8	171.4	4.1	10.5	
	日平均值	24.54	50.65	33.23	89.55	6.18	7.86	164.66	6.89	7.05		
	灣內站	00:16:48	22.17	47.27	30.79	114.1	8.32	7.8	85.5	2.2	36.8	
		03:16:41	22.17	47.52	30.97	107.6	7.83	7.75	72.7	1.8	35.5	
		06:16:48	21.94	46.05	29.91	99.6	7.33	7.61	82.6	2.2	25.5	
		09:16:48	22.53	47.14	30.69	110.3	7.99	7.7	76.3	1.4	31.5	
		12:16:46	24.4	46.06	29.87	121.5	8.56	7.64	88	3.7	38.3	
		15:16:48	25.34	46.56	30.22	132	9.13	7.65	79.6	2.9	39.7	
		18:16:42	25.71	46.3	30.02	150	10.32	7.58	82.5	5	50.6	
		21:16:49	25.38	46.31	30.04	138.6	9.6	7.74	82	3	29.9	
		日平均值	23.71	46.65	30.31	121.71	8.64	7.68	81.15	2.78	35.98	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月23日	蚵殼站	00:09:56	25.11	47.75	31.09	111.3	7.69	8.23	198.1	13	22.4	
		03:09:55	25.03	47.74	31.09	108.3	7.49	8.18	189	3.6	24.3	
		06:09:55	24.65	47.49	30.91	106.2	7.41	8.16	209.5	40.6	19.8	
		09:09:55	24.81	47.96	31.25	109.6	7.61	8.11	221.3	4.7	19.4	
		12:09:56	25.61	48.61	31.7	108.3	7.4	8.03	232.7	3.1	7.9	
		15:09:55	25.7	48.95	31.95	107.5	7.32	8.07	234.2	3.5	12.6	
		18:09:56	25.66	49	31.99	110.7	7.54	8.07	243.6	7.9	12.1	
		21:09:57	25.54	48.82	31.86	111.2	7.59	8.12	252	5.4	10.5	
		日平均值	25.26	48.29	31.48	109.14	7.51	8.12	222.55	10.23	16.13	
	潮口站	00:21:20	24.86	50.09	32.81	99.4	6.83	7.62	154	1.7	8.8	
		03:21:20	24.9	49.76	32.57	101.5	6.98	7.68	149.2	1.9	16	
		06:21:20	25.24	50.68	33.23	88.4	6.03	7.71	140.6	1.9	5.7	
		09:21:19	25.32	50.66	33.21	87.1	5.93	8.01	163.6	2.1	9.8	
		12:21:15	25.16	50.5	33.1	96.1	6.56	7.87	168.8	4.3	10.1	
		15:21:19	24.9	50.52	33.12	99.3	6.81	7.9	168.3	3.3	11.6	
		18:21:19	25.61	50.3	32.94	90.9	6.17	7.92	170.6	1.6	8.3	
		21:21:17	25.91	50.48	33.07	89.1	6.01	7.99	174	1.3	5.8	
	日平均值	25.24	50.37	33.01	93.98	6.42	7.84	161.14	2.26	9.51		
	灣內站	00:16:47	25.17	47.97	31.25	119.6	8.25	7.64	77.6	1.5	17.5	
		03:16:49	24.91	46.92	30.49	123.7	8.61	7.71	76.3	2	20.5	
		06:16:48	24.65	48.05	31.32	108.1	7.52	7.67	78.6	2.3	18.4	
		09:16:42	24.97	47.94	31.23	117.2	8.11	8.01	78.5	1.9	23.9	
		12:16:48	25.72	47.3	30.75	141.3	9.68	8.18	78.1	2.8	29.8	
		15:16:47	26.84	45.75	29.6	168.2	11.39	8.24	79.2	9.7	46	
		18:16:47	26.62	45.71	29.57	168.2	11.43	7.92	79.4	10.5	42.1	
		21:16:49	26.38	46.2	29.93	153.9	10.48	7.85	78.7	10.4	37.7	
		日平均值	25.66	46.98	30.52	137.53	9.43	7.90	78.30	5.14	29.49	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月24日	蚵殼站	00:09:56	25.63	47.99	31.26	113.9	7.79	8.17	223.6	8.6	17.6	
		03:09:57	25.65	46.29	30.02	111.4	7.67	8.25	223	214.6	24	
		06:09:56	25.26	46.34	30.06	106	7.35	8.13	228.8	11	20.8	
		09:09:57	25.58	47.38	30.81	111.4	7.65	8.31	210.3	48.2	24.7	
		12:09:51	25.76	47.32	30.76	111.2	7.61	8.22	214.8	15.6	19.9	
		15:09:50	25.61	48.18	31.39	106.2	7.26	8.14	234.1	11.4	8.1	
		18:09:59	25.7	47.92	31.2	108.9	7.44	8.11	222.1	8.3	9.7	
		21:09:57	25.63	47.94	31.21	108.3	7.41	8.16	205.1	9	14.4	
		日平均值	25.60	47.42	30.84	109.66	7.52	8.19	220.23	40.84	17.40	
	潮口站	00:21:20	25.23	50.44	33.05	89.1	6.08	8.45	168.6	3.7	5.3	
		03:21:17	25.58	49.71	32.51	111.7	7.59	8.33	157.5	4.8	18.6	
		06:21:18	25.17	50.98	33.46	84	5.73	8.19	161.2	2	15.3	
		09:21:12	25.44	50.78	33.3	86.3	5.86	8.11	154.4	1.3	7.2	
		12:21:18	25.98	50.2	32.86	104.4	7.04	8.11	169.8	6.1	16.4	
		15:12:53	25.14	50.52	33.12	97.1	6.63	8.06	187.2	12.1	11.2	
		18:21:10	25.28	50.42	33.04	84.3	5.74	7.88	172.2	4.2	9.3	
		21:21:10	25.64	50.7	33.23	89.1	6.03	8.04	160.8	2	2.8	
		日平均值	25.43	50.47	33.07	93.25	6.34	8.15	166.46	4.53	10.76	
	灣內站	00:16:50	26.25	46.64	30.26	147.2	10.02	7.77	82.5	6.8	22.8	
		03:16:49	25.82	46.65	30.27	130.2	8.93	7.75	78.4	7.4	19.5	
		06:16:49	25.67	47.31	30.76	125.8	8.63	7.73	76	3.7	15.1	
		09:16:49	25.78	47.63	30.99	128.1	8.76	7.76	76.7	7.6	12.8	
		12:16:50	26.28	47.26	30.7	131.5	8.93	7.59	79.5	9.4	21.2	
		15:16:48	26.52	46.17	29.91	145.4	9.88	7.75	80.2	9.8	21.1	
		18:16:50	26.35	46.27	29.99	148.8	10.14	7.68	77.3	11.4	27.1	
		21:16:42	26.16	46.55	30.19	133.2	9.09	7.72	74.7	9.5	14.9	
		日平均值	26.10	46.81	30.38	136.28	9.30	7.72	78.16	8.20	19.31	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月25日	蚵殼站	00:09:58	25.63	47.02	30.55	108.2	7.43	8.28	221.2	37.8	13.4	
		03:09:51	25.54	47.74	31.07	106.6	7.31	8.25	202.2	4.9	12	
		06:09:57	25.39	47.59	30.96	106.9	7.36	8.21	226.2	5.6	13.2	
		09:09:58	25.45	46.82	30.41	109.2	7.53	8.23	238.6	24.7	15.9	
		12:09:55	25.64	47.66	31.01	106.5	7.3	8.14	229.7	5.7	9.7	
		15:09:59	25.58	48.38	31.54	104	7.12	8.06	249.6	1.2	8.8	
		18:09:59	25.61	48.23	31.43	102	6.98	7.96	239.7	3.9	6.2	
		21:09:54	25.67	47.19	30.67	109.6	7.52	8.19	242	3.8	10.6	
		日平均值	25.56	47.58	30.96	106.63	7.32	8.17	231.15	10.95	11.23	
	潮口站	00:21:16	25.08	50.4	33.03	83.2	5.69	8	169.9	6.1	8.4	
		03:21:16	25.31	50.28	32.94	95.9	6.54	8.19	163.7	3.9	11.9	
		06:21:15	25.04	50.87	33.38	85.5	5.84	8.15	156	2.2	3.1	
		09:21:09	25.24	51.01	33.47	85	5.78	8.08	158.5	1.3	6.7	
		12:21:12	25.43	50.63	33.19	92.8	6.3	8.12	143.9	7.1	6.6	
		15:21:15	25.54	50.49	33.08	95.7	6.49	8.1	167.9	6.8	12.9	
		18:21:16	25.42	50.44	33.05	85.5	5.81	7.96	170	3.5	4.9	
		21:21:09	25.72	50.72	33.25	91.2	6.16	8.1	167.3	1.9	5.8	
		日平均值	25.35	50.61	33.17	89.35	6.08	8.09	162.15	4.10	7.54	
	灣內站	00:16:50	25.85	46.29	30.01	125.6	8.62	8.24	73.2	10.1	16.4	
		03:16:48	25.66	46.05	29.84	110.3	7.61	8.17	74.1	7.6	13.7	
		06:16:48	25.78	47.47	30.87	104.8	7.17	8.17	66.4	3.7	12.9	
		09:16:48	25.98	47.5	30.89	117	7.98	8.17	75.8	6.8	9.7	
		12:16:50	26.21	47.33	30.76	127.4	8.66	8.17	73.8	4.7	3.9	
		15:16:49	26.79	47.03	30.52	130.7	8.81	8.14	66.8	5.6	10.6	
		18:16:50	26.83	46.5	30.14	138	9.32	8.22	76.4	4.5	7.5	
		21:16:49	26.39	45.92	29.73	132	9	8.31	73.2	5.9	9.6	
		日平均值	26.19	46.76	30.35	123.23	8.40	8.20	72.46	6.11	10.54	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
2月26日	蚵殼站	00:09:53	25.7	47.85	31.15	109	7.45	8.28	227.8	3.5	9.8	
		03:10:00	25.71	47.97	31.24	106.8	7.3	8.35	226.2	2.1	4.9	
		06:09:59	25.39	47.79	31.12	107.1	7.36	8.39	214.4	1.5	8.5	
		09:09:59	25.04	47.53	30.93	103.8	7.19	8.35	217.9	9.8	2.8	
		12:10:00	25.34	47.78	31.1	105.6	7.27	8.35	173.9	3.6	6.7	
		15:10:01	25.3	47.83	31.14	104.5	7.2	8.32	205.2	17	8.8	
		18:10:01	25.22	47.84	31.15	105.1	7.25	8.27	215.5	ND	7.6	
		21:09:58	24.93	47.67	31.04	102.3	7.1	8.3	212.3	15.8	3.8	
	日平均值	25.33	47.78	31.11	105.53	7.27	8.33	211.65	7.61	6.61		
	潮口站	00:21:13	25.24	50.47	33.08	89.4	6.1	8.23	157	5.1	7	
		03:21:15	25.4	50.15	32.84	105.9	7.21	8.11	138.7	ND	12.9	
		06:21:17	24.83	50.83	33.35	90.5	6.21	8.05	133.4	2.3	6.8	
		09:21:18	25.14	50.69	33.24	92.1	6.29	8.12	130.4	1.7	7.8	
		12:21:23	25.02	50.36	33	98.3	6.73	7.99	133.3	5.2	12.9	
		15:21:24	25.31	50.22	32.89	101.6	6.92	7.93	140.7	2.7	9.5	
		18:21:30	25.2	50.29	32.95	94.2	6.43	7.86	147.4	5.2	8.9	
		21:21:26	25.03	50.54	33.13	92.3	6.31	8.06	134.7	1.4	5	
	日平均值	25.15	50.44	33.06	95.54	6.53	8.04	139.45	3.37	8.85		
	灣內站	00:16:49	26.21	46.37	30.06	115.5	7.88	7.79	68	4.4	12.8	
		03:16:44	25.53	47.15	30.64	100.4	6.9	7.84	75.5	2.8	7.9	
		06:16:49	25.31	47.35	30.79	102.9	7.1	7.99	77.1	5	2.6	
		09:16:48	25.16	47.15	30.65	99.7	6.9	7.93	78.3	1.5	5.8	
		12:16:49	25.39	46.96	30.51	109.4	7.55	7.87	81	2.5	6	
		15:16:50	25.46	46.45	30.14	132.8	9.18	7.94	79	4.7	7	
		18:16:50	25.4	46.53	30.2	122.8	8.49	7.83	74.8	3.7	8.2	
		21:16:50	25.05	46.8	30.4	108.2	7.51	7.99	71.5	2.6	10.4	
	日平均值	25.44	46.85	30.42	111.46	7.69	7.90	75.65	3.40	7.59		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
2月27日	蚵殼站	00:10:00	24.75	47.52	30.93	102	7.1	8.3	208.8	225.7	5.8	
		03:09:58	24.63	47.93	31.23	102.4	7.13	8.36	177.5	2.5	6.1	
		06:09:59	24.33	47.67	31.05	100.5	7.04	8.4	206.3	6.9	2.6	
		09:10:04	24.2	47.48	30.91	99.2	6.97	8.37	214.5	7.4	111.9	
		12:10:22	24.88	47.55	30.95	102.5	7.12	8.33	226.5	4.9	7.9	
		15:10:04	24.73	47.29	30.77	103	7.18	8.35	232.1	8.7	86.9	
		18:10:11	24.37	47.54	30.95	102.2	7.16	8.35	221.5	4.1	81.4	
		21:10:12	24.24	46.94	30.52	101.1	7.12	8.39	207	15.6	63.2	
	日平均值	24.52	47.49	30.91	101.61	7.10	8.36	211.78	34.48	54.61		
	潮口站	00:21:28	24.9	50.52	33.13	92.7	6.35	8.16	122.4	2.3	9.4	
		03:21:32	24.54	50.46	33.08	91.8	6.33	8.18	126.7	3.8	6.8	
		06:21:30	24.35	50.61	33.2	89.5	6.19	8.2	126.4	4.2	4.4	
		09:21:37	24.48	50.64	33.22	91	6.28	8.14	128.9	2.4	12.2	
		12:21:53	24.6	50.62	33.2	92.9	6.4	7.95	140.4	6.8	2.6	
		15:21:35	25.14	50.56	33.15	96	6.55	8.05	132.4	4.8	7.5	
		18:21:41	24.75	50.56	33.16	95.7	6.58	8.08	129.8	4.3	7.8	
		21:21:41	24.73	50.57	33.16	93.3	6.42	8.08	135.5	1.6	7.9	
	日平均值	24.69	50.57	33.16	92.86	6.39	8.11	130.31	3.78	7.33		
	灣內站	00:16:50	24.83	46.77	30.38	97	6.76	7.96	69.5	2.1	5.1	
		03:16:49	24.66	46.96	30.52	92.5	6.46	7.95	67.2	ND	3.6	
		06:16:44	24.52	47.05	30.59	91	6.38	8.09	73	1	2.8	
		09:16:49	24.38	47.2	30.71	97.6	6.85	8.01	69.1	1.6	8.8	
		12:17:05	24.87	47.12	30.63	98.3	6.84	7.82	82.6	1.7	8.6	
		15:16:50	24.99	46.89	30.47	111.4	7.74	7.93	65.1	3.5	9.1	
		18:16:50	24.93	47	30.55	125.6	8.74	8.01	84.3	9.9	9.6	
		21:16:51	24.62	47.02	30.57	111.5	7.79	8.02	82.8	8	9.2	
	日平均值	24.73	47.00	30.55	103.11	7.20	7.97	74.20	3.97	7.10		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月28日	蚵殼站	00:10:18	24.14	47.16	30.68	101.1	7.12	8.33	231.4	15.8	81.8	
		03:10:17	23.87	47.04	30.59	99.1	7.02	8.36	219.6	8.4	100.1	
		06:10:17	23.66	46.95	30.54	98.8	7.03	8.36	220	12.4	101.1	
		09:10:18	23.75	47.13	30.67	100.8	7.15	8.34	216.7	851.2	87.6	
		12:10:24	23.85	47.13	30.67	101.1	7.16	8.36	227.9	9.5	104.3	
		15:10:22	23.75	46.85	30.46	102.7	7.29	8.34	226.5	12.6	103.1	
		18:10:20	23.83	47.09	30.64	103.4	7.32	8.24	246.6	7.1	100.4	
		21:10:29	23.7	47.23	30.74	101.5	7.21	8.22	232.6	6.8	68.1	
	日平均值	23.82	47.07	30.62	101.06	7.16	8.32	227.66	115.48	93.31		
	潮口站	00:21:38	24.6	50.7	33.26	91.9	6.33	8.11	130.8	2.1	5.8	
		03:21:45	24.22	50.57	33.18	90.6	6.28	8.19	128.9	5.4	3.8	
		06:21:46	24.48	50.72	33.28	90	6.21	8.16	133.5	2.7	6.4	
		09:21:43	24.5	50.68	33.25	90.3	6.23	8.04	130.5	3.1	3.9	
		12:21:44	24.38	50.74	33.29	91.7	6.34	8.03	129.3	5.6	7.5	
		15:21:46	23.88	50.5	33.13	92.5	6.45	7.99	126.5	8.8	5.3	
		18:21:48	23.78	50.37	33.03	92.6	6.48	7.71	136.4	6.6	10.2	
		21:21:49	23.92	50.66	33.25	89.9	6.27	7.92	133.5	2.5	5.4	
	日平均值	24.22	50.62	33.21	91.19	6.32	8.02	131.18	4.60	6.04		
	灣內站	00:16:51	24.52	46.94	30.51	108.2	7.58	7.92	77.3	6.3	3.2	
		03:16:51	24.22	47.19	30.7	103.3	7.27	8.06	81.3	7	7.1	
		06:16:51	24.06	47.19	30.7	100.2	7.07	7.96	79.4	6.5	9.5	
		09:16:50	24.05	47.2	30.71	104	7.33	7.94	71.7	4.4	2.7	
		12:16:50	24.08	47.48	30.91	106.5	7.5	7.99	71.8	6	6.7	
		15:16:49	23.87	47.42	30.88	96.9	6.85	7.92	75.2	7.6	1.9	
		18:16:49	23.79	47.55	30.97	98.9	7	7.71	66	4.7	4	
		21:16:51	23.51	47.25	30.76	98.7	7.03	7.71	85.9	4	4.7	
	日平均值	24.01	47.28	30.77	102.09	7.20	7.90	76.08	5.81	4.98		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
2月29日	蚵殼站	00:10:27	23.29	46.77	30.41	101.7	7.29	8.31	223.3	5.1	81.2	
		03:10:33	23.04	46.44	30.18	101	7.28	8.34	211	8.4	123.2	
		06:10:30	22.85	46.42	30.17	101	7.3	8.36	212.1	15.1	128.6	
		09:10:33	22.97	45.91	29.79	102.8	7.43	8.33	210.5	5.4	95	
		12:10:33	23.51	46.26	30.04	104.9	7.5	8.35	217	18.9	108	
		15:10:39	23.56	46.4	30.14	105.4	7.52	8.34	239.9	4.5	131.6	
		18:10:38	23.58	46.22	30.01	106.6	7.61	8.29	233.8	6.9	169.5	
		21:10:40	23.49	46.08	29.91	105.3	7.53	8.27	238.1	3.6	132.6	
	日平均值	23.29	46.31	30.08	103.59	7.43	8.32	223.21	8.49	121.21		
	潮口站	00:21:46	24.13	50.84	33.37	90.2	6.26	8.08	130.9	1.9	6.4	
		03:21:54	23.05	50.47	33.12	91.3	6.46	8.1	126.2	5.1	5.7	
		06:21:53	22.97	50.45	33.11	89.1	6.32	8.03	127.3	3.9	7.7	
		09:21:52	24.38	50.97	33.47	90	6.21	7.91	140	3.1	6.5	
		12:21:54	24.31	50.92	33.43	92.5	6.39	7.81	145	2.7	5.9	
		15:22:00	24.3	50.87	33.39	94.6	6.54	7.74	148	4.8	7.1	
		18:22:01	24.23	50.81	33.35	95.2	6.6	7.82	142	5.1	11.8	
		21:21:59	24.01	50.65	33.23	91.2	6.35	7.7	151.9	3.5	5.8	
	日平均值	23.92	50.75	33.31	91.76	6.39	7.90	138.91	3.76	7.11		
	灣內站	00:16:49	23.36	47.49	30.93	97.3	6.94	7.82	78.7	2.7	6.8	
		03:16:43	23.26	47.63	31.03	95.8	6.84	7.91	65.5	2	5.5	
		06:16:45	23.1	47.5	30.95	91.2	6.54	8	73.3	1.8	2.3	
		09:16:51	23.06	47.32	30.82	98.6	7.08	7.87	71.2	ND	5.2	
		12:16:48	23.49	47.36	30.84	104.1	7.41	7.77	74	ND	5.2	
		15:16:52	23.79	47.24	30.75	97.5	6.91	7.72	87.5	1.4	7.5	
		18:16:50	24.21	47.12	30.65	112.9	7.95	7.68	75.8	2.1	2.3	
		21:16:51	23.91	46.97	30.55	118.4	8.38	7.72	77	4.7	0.1	
	日平均值	23.52	47.33	30.82	101.98	7.26	7.81	75.38	2.45	4.36		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
3月1日	蚵殼站	00:10:45	23.46	45.71	29.64	103.4	7.41	8.25	229.6	779.8	153.2
		03:10:47	22.75	1.355	0.68	100.7	8.65	8.15	143.1	1.2	497.1
		06:10:48	23.17	45.54	29.52	102	7.36	8.27	223.3	27.2	186.7
		09:10:49	23.39	45.65	29.6	102.8	7.38	8.27	234.5	11	145.7
		12:10:55	23.73	45.08	29.18	110.5	7.91	8.2	251.8	24.4	144.2
		15:10:55	24.45	45.46	29.44	111.4	7.86	8.26	254.2	24.3	187.2
		18:10:59	24.36	45.5	29.47	111.4	7.87	8.27	240.3	39.4	216.1
		21:11:01	24.4	45.41	29.41	113.4	8.01	8.2	263	7.9	186.8
	日平均值	23.71	39.96	25.87	106.95	7.81	8.23	229.98	114.40	214.63	
	潮口站	00:22:07	24.2	50.76	33.31	89.5	6.2	7.81	146.4	1.6	7.4
		03:22:07	23.91	50.72	33.29	90.3	6.3	7.89	139.3	3.1	6.5
		06:22:03	23.68	50.69	33.27	88.2	6.17	7.89	138.1	3.5	7
		09:22:09	25.4	51.23	33.63	86	5.83	7.66	147.5	ND	7.6
		12:22:10	25.31	51.08	33.52	89.5	6.08	7.84	172.7	ND	9.2
		15:22:15	25.06	50.97	33.45	94.2	6.43	7.79	175.5	3.7	11.2
		18:22:15	24.76	50.76	33.3	94.3	6.47	7.96	165.2	4.9	14.4
		21:22:20	24.68	50.69	33.25	95.2	6.55	8.02	162.5	2.8	9.2
	日平均值	24.63	50.86	33.38	90.90	6.25	7.86	155.90	3.27	9.06	
	灣內站	00:16:51	23.65	46.73	30.38	103.9	7.4	7.6	74.2	1.5	1.4
		03:16:51	23.72	47.2	30.71	89.9	6.38	7.83	80.4	1.7	7.9
		06:16:49	23.71	47.29	30.78	80.4	5.7	7.66	72.4	2.6	1.1
		09:16:49	24	47.38	30.84	81.2	5.73	7.62	79	3.5	1.2
		12:16:51	24.36	46.43	30.14	127.4	8.97	7.61	69.3	1.1	10
		15:16:49	24.95	46.65	30.29	135.3	9.42	7.62	85.3	2.3	7.8
		18:16:50	25.33	46.46	30.15	137.5	9.52	7.61	80.5	2.1	6.1
		21:16:49	24.98	46	29.82	136	9.49	7.88	64.3	1.5	6.6
	日平均值	24.34	46.77	30.39	111.45	7.83	7.68	75.68	2.04	5.26	
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
3月2日	蚵殼站	00:10:59	24.6	44.93	29.06	114.2	8.05	8.31	243.1	26.8	185.7
		03:11:05	24.36	44	28.39	110.3	7.84	8.25	245.2	26.1	126.8
		06:11:07	24.14	44.06	28.44	108.2	7.72	8.25	216.9	14.4	218.2
		09:11:09	24.13	44.36	28.65	110.3	7.86	8.28	215.9	36.9	159.5
		12:53:00	25.21	49.66	32.48	116.7	7.99	8.32	146.1	29.2	2.9
		15:22:52	24.9	49.34	32.25	114.2	7.87	8.36	139.6	451.8	9
		18:22:59	25.12	49.42	32.31	115.3	7.91	8.39	151.2	296.2	11.3
		21:22:53	25.16	49.18	32.13	116.7	8.01	8.52	147.4	412.5	20.5
	日平均值	24.70	46.87	30.46	113.24	7.91	8.34	188.18	161.74	91.74	
	潮口站	00:22:18	24.64	50.65	33.23	94	6.47	8.01	166.3	2.4	12.6
		03:22:25	24.91	50.81	33.34	93.2	6.38	8.13	161.2	2.4	6.9
		06:22:23	25.29	51.16	33.58	89.5	6.08	8.24	157.5	ND	6.7
		09:22:23	25.58	51.27	33.66	87.3	5.9	8.17	152.9	1.2	6.6
		12:18:35	25.92	51.34	33.7	85.5	5.74	7.95	160.8	1.1	2.9
		15:18:34	26.35	51.33	33.68	93.5	6.24	7.97	154.2	ND	2.1
		18:18:35	25.89	51.14	33.56	91	6.12	7.94	145.2	9.7	9.4
		21:18:29	25.25	50.61	33.18	89.4	6.09	7.94	150.2	7.1	4.8
	日平均值	25.48	51.04	33.49	90.43	6.13	8.04	156.04	3.98	6.50	
	灣內站	00:16:49	24.67	46.03	29.85	136.5	9.58	7.7	80.4	2.3	5
		03:16:50	24.53	46.13	29.93	136.8	9.61	7.83	80	ND	7.4
		06:16:51	24.13	46.2	29.99	124.8	8.83	7.66	67.5	ND	4.7
		09:16:49	24.68	46.85	30.44	113.4	7.92	7.73	82.7	1.9	5.7
		12:16:50	25.58	46.89	30.45	119.8	8.24	8.02	79	1.5	5.8
		15:16:49	25.93	46.21	29.95	142.5	9.78	8.17	84	ND	9.3
		18:16:50	25.73	46.33	30.05	145	9.97	8.04	83.2	ND	ND
		21:16:50	26.25	45.91	29.72	138.1	9.44	8.22	77.2	1.2	6.5
	日平均值	25.19	46.32	30.05	132.11	9.17	7.92	79.25	1.73	6.34	
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)
3月3日	蚵殼站	00:22:59	25.44	49.28	32.2	116.3	7.94	8.04	143	89.5	17.4
		03:22:59	25.62	48.92	31.93	111.8	7.62	8.04	135.9	127.4	15.9
		06:22:59	25.39	49.02	32.01	111.8	7.65	8.04	141.1	275	17.5
		09:22:57	25.3	49.14	32.1	115.7	7.92	8.08	126.8	135.6	17.8
		12:23:06	25.56	48.85	31.88	115.2	7.87	8.02	140.7	272.7	26.9
		15:23:04	25.42	49.62	32.45	109.1	7.44	7.98	140.2	150.6	22.1
		18:23:04	25.4	49.5	32.36	113	7.72	7.95	137.3	179.4	15.4
		21:23:09	25.51	49.38	32.27	114.1	7.78	8.01	136.6	260	21.5
	日平均值	25.46	49.21	32.15	113.38	7.74	8.02	137.70	186.28	19.31	
	潮口站	00:18:34	25.52	50.59	33.16	98.9	6.71	7.8	145.2	3.1	10.3
		03:18:33	25.77	51.23	33.63	88.8	5.98	7.88	143.1	1	4.2
		06:18:33	25.67	51.27	33.66	85.8	5.79	7.99	142.6	2.3	8.1
		09:18:33	25.61	51.22	33.62	86.6	5.85	8.02	138.8	1.7	6.8
		12:18:34	25.71	51.33	33.7	91.7	6.18	8.17	123	1.3	4.7
		15:18:33	25.89	50.55	33.12	93.1	6.28	7.97	130.5	ND	3.7
		18:18:33	25.79	51.17	33.58	95.5	6.43	7.95	136.8	5	5
		21:18:33	25.6	50.89	33.38	87.7	5.93	7.78	144.6	9.2	5.4
	日平均值	25.70	51.03	33.48	91.01	6.14	7.95	138.08	3.37	6.03	
	灣內站	00:16:51	26	45.46	29.41	150.1	10.31	7.75	80.9	2.5	5.8
		03:16:50	25.74	45.99	29.8	122.2	8.42	7.61	82.5	ND	1.6
		06:16:51	25.55	46.49	30.16	122.3	8.43	7.7	69.6	1.3	3.4
		09:16:51	25.48	46.76	30.36	106.7	7.36	7.67	82.3	1	4.4
		12:16:51	25.8	45.91	29.74	142.2	9.79	7.72	78.7	ND	ND
		15:16:48	25.89	46.04	29.83	137.5	9.45	7.63	79	ND	ND
		18:16:49	26.08	45.27	29.27	29.6	2.04	8.19	44	10.4	6.1
		21:16:55	25.8	44.5	28.72	33.7	2.33	8.06	68.8	11.4	6.2
	日平均值	25.79	45.80	29.66	105.54	7.27	7.79	73.23	5.32	4.58	
甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)
3月4日	蚵殼站	00:23:20	25.32	48.58	31.69	116.2	7.98	8.07	137.3	186.2	18.6
		03:23:16	25.08	48.5	31.64	110.8	7.64	8.13	125.9	222.3	23.6
		06:23:14	25.18	48.8	31.85	111.1	7.64	8.08	131.9	367.9	24.5
		09:23:23	25.12	48.51	31.64	112.9	7.77	8.06	133.9	497.6	18.5
		12:23:22	25.7	49.35	32.25	105.7	7.19	7.94	134.8	215.2	26.2
		15:23:27	26.06	49.34	32.23	108.8	7.35	7.91	134.8	152.3	23.7
		18:23:25	25.93	49.32	32.22	110.3	7.47	7.93	136.2	395	19.4
		21:23:30	25.77	49.28	32.19	107.1	7.27	7.87	145.4	2979.7	24.7
	日平均值	25.52	48.96	31.96	110.36	7.54	8.00	135.03	627.03	22.40	
	潮口站	00:18:38	25.42	50.26	32.92	114.5	7.79	7.97	139	1.1	12.9
		03:18:27	25.3	51.16	33.58	89.1	6.05	8.08	131.5	2.5	8
		06:18:33	25.07	51.09	33.54	87.7	5.98	8.26	138.9	1.5	ND
		09:18:32	25.24	50.97	33.44	97.5	6.64	8.07	137.4	2.6	ND
		12:18:32	25.9	51.09	33.52	87.7	5.9	7.78	134	2.8	7
		15:18:32	25.89	51.17	33.58	93.6	6.29	7.47	148.3	2.8	4
		18:18:31	26.12	51	33.44	97.2	6.52	7.48	155.6	2.7	3.7
		21:18:31	26.14	50.51	33.09	90.9	6.1	7.79	140.7	13.4	4.9
	日平均值	25.64	50.91	33.39	94.78	6.41	7.86	140.68	3.68	6.75	
	灣內站	00:17:05	25.52	45.43	29.4	106.9	7.41	7.75	54.6	2.7	4.8
		03:17:01	25.38	46.03	29.83	103.9	7.2	8.23	65.5	ND	4.5
		06:17:02	25.19	44.99	29.09	99.8	6.97	7.91	51.6	2.3	2
		09:16:59	25.57	45.48	29.43	126.8	8.78	8.16	66.1	ND	ND
		12:17:06	25.39	45.2	29.23	115.2	8.01	7.91	67.2	2.7	ND
		15:17:07	25.66	45.78	29.65	90	6.21	7.98	56	2.9	4
		18:17:11	25.49	45.97	29.78	83.7	5.79	7.98	59.5	6.3	1.7
		21:17:09	25.3	46.17	29.93	70.5	4.89	7.81	53.7	6.3	4.4
	日平均值	25.44	45.63	29.54	99.60	6.91	7.97	59.28	3.87	3.57	
甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
3月5日	蚵殼站	00:23:29	25.6	49.11	32.07	104.8	7.14	8.34	145.8	205.2	26.2
		03:23:38	25.58	49.23	32.16	103.5	7.05	8.36	142.1	257.1	21.5
		06:23:36	25.29	48.9	31.92	102.3	7.01	8.33	141.9	373.1	20.1
		09:23:40	25.46	49.14	32.1	102	6.97	8.25	154.6	259.3	23.8
		12:23:48	26.07	49.37	32.25	102.2	6.9	8.27	157.2	208.6	18.8
		15:23:48	26.56	49.31	32.2	106	7.1	8.31	158.1	298.7	28.5
		18:23:48	26.3	49.28	32.18	103.6	6.97	8.27	159.3	377.6	18.1
		21:23:53	26.17	49.28	32.18	102.6	6.92	8.22	163.3	203.2	21.8
	日平均值	25.88	49.20	32.13	103.38	7.01	8.29	152.79	272.85	22.35	
	潮口站	00:18:31	25.91	50.3	32.94	105.7	7.13	7.86	141.1	4.2	17.5
		03:18:31	25.66	51.19	33.6	88.2	5.95	8.04	139.3	7	1.2
		06:18:24	25.56	51.36	33.72	87.9	5.94	7.89	131.4	4.3	3
		09:18:30	25.41	49.78	32.57	89	6.07	7.73	131.8	16.8	10.7
		12:18:30	25.8	50.25	32.91	90.4	6.11	7.52	147.4	17	11.2
		15:18:30	26.83	51.19	33.56	85.2	5.64	7.89	154.3	10.5	5.2
		18:18:30	26.91	51.23	33.59	85.2	5.63	7.73	154.8	5.4	3.8
		21:18:29	26.74	50.37	32.97	98.8	6.57	7.76	154.4	10	7.9
	日平均值	26.10	50.71	33.23	91.30	6.13	7.80	144.31	9.40	7.56	
	灣內站	00:17:15	25.52	45.6	29.52	100.7	6.97	8.49	69.8	4.5	ND
		03:17:15	25.11	45.72	29.62	84.9	5.92	8.46	62.9	3.6	1.5
		06:17:20	25.13	45.84	29.7	63.5	4.42	8.39	56.2	6.3	2.4
		09:17:19	25.2	45.74	29.63	70.8	4.93	8.33	61.7	12.6	1.6
		12:17:23	25.71	45.71	29.6	73.2	5.05	8.22	63.3	12.6	ND
		15:17:26	26.23	45.54	29.46	88.8	6.08	8.41	64.1	5.9	ND
		18:17:25	26.17	45.86	29.69	94.6	6.47	8.3	69.6	11	2.1
		21:17:31	26.48	45.85	29.68	103.5	7.04	8.42	68.4	4.3	3.7
	日平均值	25.69	45.73	29.61	85.00	5.86	8.38	64.50	7.60	2.26	
甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
3月6日	蚵殼站	00:23:52	26.06	49.58	32.41	101.9	6.88	8.28	155.9	362.5	17.7
		03:23:59	25.94	49.58	32.4	101.9	6.89	8.31	144.5	198.4	16
		06:24:02	25.77	49.44	32.31	99.2	6.73	8.35	142.5	109	19.2
		09:24:02	25.86	49.14	32.09	102.1	6.93	8.26	153.5	161.9	16.6
		12:24:03	26.55	49.6	32.41	104.2	6.97	8.33	142.9	87	15.3
		15:24:06	27.2	49.47	32.29	105.7	7.01	8.3	157.7	150.3	9.9
		18:24:10	26.88	49.5	32.33	107.8	7.18	8.36	154	294.2	18.2
		21:24:08	26.96	49.65	32.43	106.3	7.07	8.33	153.1	234.8	16.5
	日平均值	26.40	49.50	32.33	103.64	6.96	8.32	150.51	199.76	16.18	
	潮口站	00:18:29	26.67	50.29	32.91	94.8	6.32	7.81	146.3	9	11.7
		03:18:29	26.34	51.29	33.65	81.7	5.45	8.03	143.1	8.2	4.5
		06:18:28	26.2	51.34	33.7	88.5	5.92	8.17	139.3	3.6	5.2
		09:18:27	26.24	50.29	32.92	85	5.7	7.98	134.5	6.1	10.8
		12:18:29	26.72	50.17	32.82	99.8	6.65	7.63	148.4	6.7	10.5
		15:18:28	26.41	50.87	33.35	90.5	6.04	7.45	151.5	2.7	15.2
		18:18:23	27.17	51.18	33.55	88.6	5.83	7.51	150.4	ND	2.3
		21:18:27	26.79	50.85	33.31	96.5	6.4	7.73	153.9	6	1.8
	日平均值	26.57	50.79	33.28	90.68	6.04	7.79	145.93	6.04	7.75	
	灣內站	00:17:26	26.24	45.83	29.67	83.6	5.71	8.42	79.1	5	ND
		03:17:30	26.02	45.69	29.57	84.2	5.78	8.47	79.5	3.3	ND
		06:17:35	25.69	45.73	29.61	90.7	6.26	8.39	85.8	7.7	ND
		09:17:35	26	45.66	29.55	81.1	5.57	8.4	75	2.7	ND
		12:17:35	26.95	45.24	29.22	109	7.38	8.32	83	6.1	ND
		15:17:42	27.5	45.3	29.25	117.6	7.89	8.48	75.5	2.2	ND
		18:17:47	27.34	45.32	29.27	123.5	8.3	8.45	79.4	2.2	ND
		21:17:47	27.35	45.27	29.24	109	7.33	8.39	78.3	2.4	1.2
	日平均值	26.64	45.51	29.42	99.84	6.78	8.42	79.45	3.95	1.20	
甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)
3月7日	蚵殼站	00:24:10	26.91	49.58	32.38	104.2	6.94	8.36	161.3	1031.6	15.2
		03:24:15	26.56	49.71	32.49	103.3	6.91	8.44	144.8	108.8	10.6
		06:24:21	26.45	49.79	32.55	102.7	6.88	8.41	148.9	177.5	7.3
		09:24:27	26.69	49.83	32.57	104.1	6.95	8.36	152.7	169.3	14.6
		09:38:47	26.2	49.77	32.54	89.7	6.04	8.14	169.8	37.5	17
		15:10:56	27.27	50.47	33.03	107.9	7.11	8.39	173.1	18.6	ND
		18:19:17	27.27	50.78	33.25	107.1	7.05	8.36	164.1	18	2.1
		21:19:16	27.15	50.27	32.88	107.8	7.13	8.4	162.9	22.3	ND
	日平均值	26.81	50.03	32.71	103.35	6.88	8.36	159.70	197.95	11.13	
	潮口站	00:18:28	26.92	50.28	32.9	104.5	6.94	7.88	145.8	2.3	8
		03:18:28	26.79	50.9	33.35	86.8	5.75	8.23	144.3	3.5	4.6
		06:18:28	26.95	51.07	33.48	86.6	5.72	8.48	134.8	1.6	3
		09:18:27	26.63	50.53	33.09	93.5	6.23	8.06	147.5	4.8	7.2
		12:18:26	26.82	50.4	32.99	80.7	5.36	7.88	147.6	16.7	15.1
		15:30:08	27.78	50.61	33.11	92.8	6.06	8.14	42.4	5.2	3.9
		18:27:30	28.05	51.05	33.43	91.9	5.97	8.19	58.6	1.5	6.4
		21:27:30	27.68	51.02	33.42	91.1	5.95	8.2	98.5	7.7	10.4
	日平均值	27.20	50.73	33.22	90.99	6.00	8.13	114.94	5.41	7.33	
	灣內站	00:17:47	27.07	45.35	29.3	104	7.03	8.45	65.5	3.3	ND
		03:17:50	26.57	45.37	29.33	102	6.95	8.3	76.6	2.6	ND
		06:17:52	26.14	45.36	29.33	87.2	5.98	8.31	79.5	3.7	2.6
		09:17:53	26.73	45.2	29.2	101	6.86	8.08	82.1	ND	4
		12:17:55	27.77	44.55	28.7	112.2	7.52	8.01	78.9	1.5	1.3
		15:18:02	28.1	44.71	28.81	112.4	7.48	8.1	81.7	4.1	ND
		18:18:00	27.9	45.01	29.04	115.7	7.72	8.13	72.3	1.4	ND
		21:18:06	27.59	44.97	29.01	96.2	6.45	8.09	78.7	3.6	1.2
	日平均值	27.23	45.07	29.09	103.84	7.00	8.18	76.91	2.89	2.28	
甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)
3月8日	蚵殼站	00:19:17	27.11	50.04	32.71	109	7.22	8	147.6	30.8	3.5
		03:19:18	26.97	50.04	32.72	107	7.1	8.02	143.4	10.7	5.2
		06:19:18	26.69	50.19	32.84	105.3	7.02	8.06	138.1	19.2	4
		09:19:20	26.92	50.17	32.82	105.7	7.01	7.96	154.8	23	ND
		12:19:20	27.24	50.43	33	105.7	6.97	7.97	158.7	25.7	ND
		15:19:19	27.56	50.6	33.12	102.6	6.73	7.95	159.4	18.3	1.2
		18:19:18	27.48	50.61	33.12	102.7	6.74	7.89	156.5	24.3	ND
		21:19:18	27.33	50.5	33.05	102.3	6.73	7.9	151.8	181	1.4
	日平均值	27.16	50.32	32.92	105.04	6.94	7.97	151.29	41.63	3.06	
	潮口站	00:27:31	27.54	50.98	33.39	86.7	5.68	8.18	107.3	13	10.8
		03:57:29	27.38	51.21	33.57	87.1	5.71	8.21	123.7	4.1	5
		06:27:30	27.51	51.26	33.6	86.7	5.67	8.2	113.7	4.8	4.1
		09:27:32	27.43	50.97	33.39	93	6.1	8.22	124.9	6.9	5.2
		12:27:31	27.37	51.02	33.43	84.6	5.55	8.16	109.3	15.5	4.5
		15:27:29	27.56	50.88	33.32	90.6	5.93	8.19	106.2	5.5	5.6
		18:27:29	27.76	51.15	33.51	98.2	6.41	8.22	100.9	2.5	5.5
		21:27:29	27.78	51.2	33.55	94.1	6.13	8.21	107.9	5.5	1.7
	日平均值	27.54	51.08	33.47	90.13	5.90	8.20	111.74	7.23	5.30	
	灣內站	00:18:06	26.92	45.24	29.22	81.4	5.52	8.14	75.6	1.2	2.2
		03:18:09	26.77	45.44	29.38	84.8	5.76	8.33	80.5	2	ND
		06:18:07	26.53	45.17	29.18	93.8	6.4	8.32	79.6	1.2	ND
		09:18:12	26.78	44.96	29.03	96.4	6.55	8.09	86.6	ND	5
		12:18:12	27.45	44.66	28.79	98.6	6.64	8.14	76.3	ND	2.3
		15:18:14	28.12	44.58	28.72	99.5	6.62	8.1	88.2	3.6	ND
		18:18:20	27.95	44.42	28.61	112	7.48	8.05	88.5	2.2	ND
		21:18:21	27.75	44.31	28.54	119	7.98	8.1	77.9	1.5	ND
	日平均值	27.28	44.85	28.93	98.19	6.62	8.16	81.65	1.95	3.17	
甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
3月9日	蚵殼站	00:19:19	27.26	50.57	33.1	103.7	6.84	8.42	144.1	21.1	ND	
		03:19:20	27.04	50.58	33.11	100.6	6.65	8.46	131.3	15.5	1.6	
		06:19:20	26.68	50.74	33.24	98.8	6.57	8.42	136	16.7	ND	
		09:19:19	26.84	50.67	33.18	100.9	6.7	8.51	145	23.7	1.8	
		12:19:20	27.24	49.78	32.52	105.4	6.97	8.49	136.3	26.1	4.4	
		15:10:50	27.31	50.39	32.97	103.6	6.83	8.46	147.8	34.7	5.6	
		18:19:20	27.22	50.62	33.14	105.8	6.98	8.44	150.3	17.7	2.7	
		21:19:21	26.96	50.71	33.21	103.7	6.87	8.48	142.5	16.7	4.2	
		日平均值	27.07	50.51	33.06	102.81	6.80	8.46	141.66	21.53	3.38	
	潮口站	00:27:29	27.55	51.17	33.53	87.5	5.73	8.18	116.9	16.2	4.5	
		03:27:27	27.31	51.13	33.51	84.1	5.52	8.19	132.7	12.7	6.9	
		06:27:29	27.13	51.27	33.62	88.1	5.8	8.23	124	5.7	5.6	
		09:27:27	27.07	51.28	33.62	88.7	5.85	8.22	128.8	9.4	8.9	
		12:27:28	27.55	51.22	33.57	81.7	5.35	8.15	121.6	11.1	4.6	
		15:27:28	27.53	51.19	33.55	83.3	5.45	8.14	122.7	14.3	8.6	
		18:27:28	27.23	51.22	33.58	93.6	6.15	8.22	124	3.2	2.8	
		21:27:27	27.38	51.48	33.76	91.6	6	8.24	126.7	4.4	3.9	
	日平均值	27.34	51.25	33.59	87.33	5.73	8.20	124.68	9.63	5.73		
	灣內站	00:18:24	27.41	44.57	28.73	103.7	6.98	8.27	81.7	8.9	ND	
		03:18:28	27.09	44.88	28.96	90.4	6.12	8.46	82.2	2.8	1.6	
		06:18:33	26.87	44.92	28.99	96.5	6.55	8.46	89.3	3.8	ND	
		09:18:30	26.79	44.89	28.97	93.4	6.35	8.41	85.3	3	ND	
		12:18:30	27.48	44.76	28.86	96.3	6.48	8.2	78.1	3.7	5.2	
		15:18:38	27.84	44.13	28.4	109.5	7.33	8.11	74.2	2.3	3.5	
		18:18:39	27.53	44.63	28.77	103.2	6.94	8.36	72.4	2.4	1.6	
		21:18:36	27.16	44.53	28.71	100.3	6.79	8.35	75.2	4.8	2.9	
		日平均值	27.27	44.66	28.80	99.16	6.69	8.33	79.80	3.96	2.96	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
3月10日	蚵殼站	00:19:21	26.82	50.32	32.93	103.4	6.87	8.07	136.2	30.6	6.7	
		03:19:21	26.47	49.71	32.49	101.1	6.78	8.05	134.4	27.4	4.8	
		06:19:16	26.45	50.06	32.75	101.8	6.82	8.09	131.8	46.5	ND	
		09:19:22	26.25	49.97	32.69	99.4	6.68	8.06	133.9	17.7	2.9	
		12:19:22	26.52	50.13	32.8	103.1	6.89	8.05	131.4	45.8	2	
		15:19:23	26.46	49.97	32.68	102.1	6.84	8	134.7	34.4	3.9	
		18:19:16	26.18	49.98	32.69	99.5	6.69	7.9	136.1	37.2	ND	
		21:19:23	26.11	50.2	32.86	99.6	6.7	7.96	137.6	29	2	
		日平均值	26.41	50.04	32.74	101.25	6.78	8.02	134.51	33.58	3.72	
	潮口站	00:27:27	26.7	51.22	33.59	86.9	5.77	8.22	132.2	13.4	6.4	
		03:27:20	26.97	51.24	33.6	81.9	5.41	8.2	132.1	12.2	5.4	
		06:27:27	26.82	51.65	33.91	89	5.88	8.26	139.5	7.1	1.1	
		09:27:26	26.74	51.62	33.88	88.8	5.87	8.26	132.1	5.7	5.4	
		12:27:26	26.46	51.36	33.7	81.8	5.44	8.18	130.1	16.2	5	
		15:27:27	26.91	51.24	33.6	88.1	5.82	8.24	120.7	9.7	3.2	
		18:27:27	26.91	51.74	33.97	86	5.67	8.24	119.8	5.9	ND	
		21:27:18	26.72	51.76	33.99	84	5.56	8.24	126.3	5.5	4	
	日平均值	26.78	51.48	33.78	85.81	5.68	8.23	129.10	9.46	4.36		
	灣內站	00:18:42	26.84	44.7	28.84	84.7	5.76	7.93	77.7	2.3	ND	
		03:18:44	26.64	44.86	28.96	75.6	5.16	7.93	78.1	3.9	3.2	
		06:18:48	26.45	44.71	28.86	85.6	5.85	8.07	82.1	3.6	ND	
		09:18:48	26.27	44.42	28.65	87.5	6.01	8.06	72.9	8	2.4	
		12:18:54	26.38	44.52	28.72	86.6	5.94	7.98	72.4	6	ND	
		15:18:55	26.4	43.96	28.32	86.5	5.94	7.77	63.6	3.6	2	
		18:18:52	26.22	43.95	28.31	92.1	6.35	7.6	78.9	5.7	ND	
		21:18:58	25.88	43.81	28.22	87.4	6.06	7.9	68.9	5.7	3.1	
		日平均值	26.39	44.37	28.61	85.75	5.88	7.91	74.33	4.85	2.68	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月11日	蚵殼站	00:19:22	25.9	50.45	33.04	99.1	6.68	8.02	130.3	50.8	3.2	
		03:19:23	25.66	50.35	32.98	99.3	6.73	8.02	130.3	20.7	ND	
		06:19:17	25.48	50.4	33.02	98.6	6.7	7.98	129.4	31.1	1.2	
		09:19:23	25.3	49.88	32.65	96	6.56	7.98	131.2	1321.1	4.9	
		12:19:22	25.74	50.2	32.87	97.2	6.58	7.93	128.6	36.8	4.2	
		15:11:01	26.01	50.22	32.88	101.4	6.83	7.98	127.5	26.4	5.9	
		18:19:23	25.83	50.33	32.96	98.9	6.68	7.94	130.5	23.4	1.9	
		21:19:23	25.66	50.57	33.14	101.5	6.87	8.03	127.2	21.3	2.6	
		日平均值	25.70	50.30	32.94	99.00	6.70	7.99	129.38	191.45	3.41	
	潮口站	00:27:25	26.12	51.65	33.93	78.2	5.23	8.27	124.2	11.7	1.9	
		03:27:23	26.24	51.54	33.84	72.7	5.85	8.23	125.2	12.4	ND	
		06:27:25	26.16	51.68	33.95	78.7	5.26	8.27	122.6	7.8	ND	
		09:27:25	26.17	51.74	33.99	78.9	5.27	8.25	115.4	8.2	2.6	
		12:27:24	26.01	51.64	33.92	75.6	5.06	8.17	123.7	21.9	ND	
		15:27:23	26.37	51.53	33.83	69.4	5.63	8.11	134.2	23.4	ND	
		18:27:17	26.4	51.74	33.98	77	5.12	8.18	120.8	9.9	ND	
		21:27:22	26.29	51.85	34.07	80.7	5.38	8.27	125.6	4.7	1.5	
	日平均值	26.22	51.67	33.94	76.40	5.35	8.22	123.96	12.50	2.00		
	灣內站	00:18:58	25.9	44.2	28.5	72.4	5.01	7.99	73.8	9.2	ND	
		03:18:59	25.72	44.44	28.68	69.6	5.33	7.9	85.2	6.6	ND	
		06:18:58	25.67	44.41	28.66	77.1	5.35	7.98	79.6	11.3	ND	
		09:19:03	25.54	44.17	28.49	82.5	5.74	7.89	73.5	11.7	ND	
		12:19:03	25.79	44.18	28.49	83.8	5.81	7.87	70.1	5.1	4.3	
		15:19:03	25.96	44.16	28.47	85.4	5.91	7.79	82.6	4.6	ND	
		18:19:02	25.62	44.07	28.41	81.1	5.64	7.73	73.6	6.8	ND	
		21:19:06	25.37	44.04	28.4	79.8	5.58	7.95	80.5	10.3	ND	
		日平均值	25.70	44.21	28.51	78.96	5.55	7.89	77.36	8.20	4.30	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月12日	蚵殼站	00:19:17	25.47	50.78	33.3	100.7	6.83	8.04	128.2	17.9	3.7	
		03:19:23	25.19	50.52	33.12	98.9	6.75	8.04	136	6.5	ND	
		06:19:24	25.04	50.44	33.06	100.2	6.86	8.03	125.7	23.4	ND	
		09:19:24	24.95	50.88	33.38	99.7	6.82	8.06	129.3	24.9	ND	
		12:19:25	24.75	50.03	32.77	99.7	6.87	7.97	127.6	21.5	ND	
		15:19:23	24.79	50	32.74	99.7	6.86	7.94	141.4	13.8	ND	
		18:19:24	24.7	50.08	32.81	99.6	6.86	7.96	129	19	4.3	
		21:19:25	24.48	50.01	32.76	98.5	6.82	7.98	133.3	1707.7	2.4	
		日平均值	24.92	50.34	32.99	99.63	6.83	8.00	131.31	229.34	3.47	
	潮口站	00:27:22	25.76	51.72	33.99	79.7	5.36	8.28	122.1	11	ND	
		03:27:22	25.56	51.58	33.89	70.9	5.78	8.2	120	12.2	4.9	
		06:27:17	25.98	51.71	33.97	79.2	5.3	8.27	121.3	6.4	ND	
		09:27:22	25.58	51.84	34.08	80.3	5.41	8.29	122.1	7.3	5.5	
		12:27:20	25.23	51.45	33.8	75	5.1	8.17	126.1	15.5	ND	
		15:27:21	25.12	51.45	33.8	70.9	5.83	8.13	126.9	23.2	3.8	
		18:27:21	25.27	51.57	33.88	73.1	5.96	8.13	124.2	20.6	1.8	
		21:27:21	25.69	51.82	34.06	79	5.32	8.28	122	7.8	ND	
	日平均值	25.52	51.64	33.93	76.01	5.51	8.22	123.09	13.00	4.00		
	灣內站	00:19:13	25.22	44.22	28.53	76.3	5.34	8.03	72.4	9.7	ND	
		03:19:12	25.06	44.18	28.51	74.5	5.23	7.97	78.9	5.4	ND	
		06:19:18	24.94	44.04	28.41	73.9	5.2	7.96	78.8	5.6	ND	
		09:19:18	24.8	44.11	28.46	79.5	5.61	8.04	74.8	8	1.8	
		12:19:19	24.93	43.99	28.37	75.2	5.3	7.83	66.3	8.2	ND	
		15:19:21	24.6	43.43	27.98	80.8	5.74	7.84	62.4	5.3	1.3	
		18:19:23	24.51	43.76	28.22	73.7	5.23	7.85	60.2	8.2	1.1	
		21:19:22	24.59	43.97	28.37	71.6	5.07	7.9	77.7	13.3	ND	
		日平均值	24.83	43.96	28.36	75.69	5.34	7.93	71.44	7.96	1.40	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
3月13日	蚵殼站	00:19:25	24.41	50.16	32.87	98.8	6.84	8.49	139.1	1141.8	ND	
		03:19:24	24.48	50.3	32.97	96.7	6.68	8.49	135.7	577.8	2.7	
		06:19:27	24.08	50.25	32.94	98.2	6.84	8.48	121.9	20.4	ND	
		09:19:24	24.05	50.36	33.03	95.8	6.67	8.45	131.4	14.3	1.5	
		12:19:25	25.18	50.96	33.44	100.3	6.83	8.45	145.1	20.8	2.8	
		15:11:01	25.28	50.7	33.25	101.3	6.9	8.46	173.5	27.2	ND	
		18:19:26	24.69	50.8	33.33	98.6	6.78	8.42	140.1	14.8	2.1	
		21:19:20	24.67	50.9	33.41	100.4	6.9	8.43	135	12.9	ND	
	日平均值	24.61	50.55	33.16	98.76	6.81	8.46	140.23	228.75	2.28		
	潮口站	00:27:19	25.47	51.87	34.1	80.8	5.46	8.29	121.5	5.1	2.6	
		03:27:20	25.02	51.67	33.96	83.3	5.67	8.25	121.6	10	2.6	
		06:27:22	25.32	51.68	33.96	82.5	5.59	8.26	128.8	6.8	2.4	
		09:27:19	25.38	51.85	34.09	87.2	5.9	8.27	125.1	5.8	2.2	
		12:27:19	25.49	51.81	34.06	88.6	5.98	8.24	127.3	9.8	7.1	
		15:27:18	25.03	51.55	33.88	78.8	5.37	8.11	134.2	27.8	5	
		18:27:18	25.09	51.52	33.85	75.6	5.15	8.11	124.5	22	5.6	
		21:27:19	25.5	51.76	34.02	78.2	5.28	8.15	124.9	11.3	3.5	
	日平均值	25.29	51.71	33.99	81.88	5.55	8.21	125.99	12.33	3.88		
	灣內站	00:19:28	24.49	43.91	28.33	76.4	5.42	7.99	62.5	9.6	ND	
		03:19:31	24.1	43.65	28.14	72.4	5.18	7.92	80.6	8.3	ND	
		06:19:33	23.8	43.7	28.19	72.2	5.19	8	63	7.7	ND	
		09:19:35	24.17	43.85	28.28	68.5	4.89	7.86	71.9	9.1	2.4	
		12:19:38	24.08	43.24	27.85	75.1	5.38	7.66	82.5	7.3	ND	
		15:19:43	24.51	43.27	27.86	71.7	5.1	8.02	73.8	6.2	5.1	
		18:19:44	24.48	43.07	27.72	74.4	5.3	8.04	74.9	5.9	3.2	
		21:19:44	24.46	43.71	28.18	77.2	5.49	8.2	71.6	7.7	ND	
	日平均值	24.26	43.55	28.07	73.49	5.24	7.96	72.60	7.73	3.57		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
3月14日	蚵殼站	00:19:27	24.22	50.59	33.19	100.4	6.97	8.43	137.5	10.8	ND	
		03:19:26	23.94	50.23	32.93	98.8	6.89	8.42	132.3	22.9	ND	
		06:19:26	23.38	49.77	32.6	100.2	7.07	8.35	132.9	30.6	1.3	
		09:19:27	23.88	49.95	32.72	100.1	7	8.34	144.7	23.4	1.8	
		12:19:28	24.8	50.02	32.75	100.1	6.89	8.3	145.4	17.3	ND	
		15:19:28	25.18	50.73	33.27	99	6.75	8.34	139	7.5	3.7	
		18:19:28	24.88	50.61	33.19	100.5	6.89	8.33	134.9	11.1	ND	
		21:19:28	24.81	50.01	32.75	102.4	7.05	8.31	136.2	19.6	1.4	
	日平均值	24.39	50.24	32.93	100.19	6.94	8.35	137.86	17.90	2.05		
	潮口站	00:27:13	25.5	51.74	34.01	79.5	5.37	8.21	127.2	6.6	2.3	
		03:27:18	25	51.75	34.03	80	5.45	8.21	128.5	9.1	ND	
		06:27:17	25.15	51.76	34.03	79.6	5.41	8.22	125.2	10.4	ND	
		09:27:18	25.72	51.91	34.13	89	5.98	8.22	128.8	4.8	1.2	
		12:27:16	25.78	51.91	34.13	91.3	6.13	8.2	134.2	6	4.4	
		15:27:18	25.51	51.75	34.01	84.5	5.71	8.12	127.1	21.4	4.4	
		18:27:17	25.7	51.61	33.91	83.3	5.61	8.07	125.8	16.1	3.9	
		21:27:10	25.4	51.6	33.91	80.8	5.47	8.07	134.6	11.8	3.9	
	日平均值	25.47	51.75	34.02	83.50	5.64	8.17	128.93	10.78	3.35		
	灣內站	00:19:45	24.21	43.77	28.23	79	5.64	8.35	68.9	7.1	ND	
		03:19:49	24.34	44.05	28.42	78.5	5.58	8.36	58.6	9.5	4.1	
		06:19:52	24.08	44.05	28.43	75.6	5.4	8.34	59.8	8.9	ND	
		09:19:54	24.13	43.52	28.05	84.8	6.06	8.2	60.3	7.2	ND	
		12:19:53	24.77	43.06	27.71	88.9	6.3	7.94	58.4	14	4.3	
		15:19:58	25.05	43.41	27.95	89.1	6.28	7.9	61.8	8.6	1.7	
		18:19:59	25.17	43.5	28.01	94.5	6.64	7.93	80.7	6	ND	
		21:20:01	24.8	42.74	27.48	93.3	6.62	7.87	68.8	6.8	4.6	
	日平均值	24.57	43.51	28.04	85.46	6.07	8.11	64.66	8.51	3.68		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月15日	蚵殼站	00:19:29	24.76	50.76	33.3	98.2	6.74	8.35	152.3	32.8	ND	
		03:19:28	24.48	50.14	32.85	99.7	6.9	8.33	146.2	11.8	2.1	
		06:19:30	24.38	50.53	33.14	99.2	6.86	8.47	137.3	25.2	ND	
		09:19:29	24.32	50.1	32.83	99.8	6.92	8.41	149.6	17.3	1.1	
		12:19:29	25.13	50.04	32.77	99.3	6.8	8.35	154.5	17.3	1.3	
		15:10:58	25.63	50.84	33.34	103.8	7.02	8.41	184.2	15.6	5	
		18:19:29	25.13	50.57	33.15	99	6.76	8.36	147.2	10.8	3.1	
		21:19:28	25.19	50.58	33.16	101.8	6.95	8.35	145.7	7	3.9	
	日平均值		24.88	50.45	33.07	100.10	6.87	8.38	152.13	17.23	2.75	
	潮口站	00:27:15	25.89	51.97	34.17	90.9	6.09	8.2	125.1	4.8	4.8	
		03:27:17	25.67	51.98	34.18	90.5	6.09	8.22	125.3	5.7	ND	
		06:27:17	25.35	51.87	34.1	85.8	5.81	8.21	130.6	9	ND	
		09:27:16	25.84	52.05	34.23	89.4	5.99	8.22	130.9	5.1	1.4	
		12:14:26	25.95	51.64	33.92	98.1	6.58	8.23	133	8	5.5	
		15:15:59	25.83	51.7	33.97	104.5	7.02	8.17	119.7	18.4	6.3	
		18:15:52	25.62	51.55	33.86	93	6.27	8.13	111	17.1	4.2	
		21:15:53	25.58	51.4	33.75	98.3	6.64	8.11	103.9	12.3	4.6	
	日平均值		25.72	51.77	34.02	93.81	6.31	8.19	122.44	10.05	4.47	
	灣內站	00:20:00	24.38	41.81	26.82	82.7	5.93	8.02	71.8	6.2	ND	
		03:20:03	24.49	43.3	27.89	86.7	6.17	8.16	59	6	ND	
		06:20:05	24.3	43.7	28.18	81.9	5.83	8.32	59.2	6.6	2.4	
		09:20:09	24.43	43.7	28.17	86.4	6.14	8.31	63.7	8.2	ND	
		12:20:14	25.15	43.41	27.95	93	6.54	8.03	63.4	5.8	ND	
		15:20:11	25.48	43.47	27.99	88.9	6.21	7.96	80.9	5.5	2.3	
		18:20:19	25.78	43.53	28.02	91.4	6.35	7.98	67.4	6.6	2.5	
		21:20:19	25.47	42.72	27.45	94	6.59	7.85	68.4	6.6	ND	
	日平均值		24.94	43.21	27.81	88.13	6.22	8.08	66.73	6.44	2.40	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準				

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月16日	蚵殼站	00:19:30	24.92	50.35	33	99.1	6.8	8.35	144	8.2	ND	
		03:19:29	25.02	49.95	32.7	101.7	6.98	8.38	140.8	24.1	5.5	
		06:19:29	24.68	49.89	32.66	100.8	6.95	8.37	137.8	18.6	ND	
		09:19:29	24.9	49.85	32.63	101.9	7.01	8.3	158.8	21	1.8	
		12:19:29	25.5	49.75	32.54	100.8	6.87	8.15	170.5	24.7	ND	
		14:19:29	25.82	49.88	32.63	104.3	7.06	8.27	150	12.9	ND	
		18:15:22	25.88	50.81	33.31	102.9	6.93	8.3	161.4	25.8	3.3	
		21:15:21	25.63	50.9	33.39	101.3	6.85	8.31	158.2	15.5	4.9	
	日平均值		25.29	50.17	32.86	101.60	6.93	8.30	152.69	18.85	3.88	
	潮口站	00:15:58	25.49	51.46	33.8	89.9	6.08	8.12	104.2	9.9	4.8	
		03:15:57	25.85	51.85	34.08	94.7	6.35	8.18	102.6	6.2	7.1	
		06:15:58	25.76	51.85	34.08	93.5	6.28	8.18	102.5	7.2	5.2	
		09:15:57	25.82	51.8	34.04	95.8	6.44	8.17	102.3	9.2	4.3	
		12:15:51	26.35	51.95	34.14	107.9	7.18	8.18	101.6	8.4	8.1	
		15:15:59	26.92	51.97	34.14	111.6	7.36	8.17	107.2	5.1	6.1	
		18:22:54	26.91	51.71	33.95	100.5	6.63	8.11	111	15.9	5.7	
		21:22:55	27.24	51.72	33.94	97.7	6.41	8.06	104.1	14.6	5.6	
	日平均值		26.29	51.79	34.02	98.95	6.59	8.15	104.44	9.56	5.86	
	灣內站	00:20:25	25.18	43.1	27.73	87.4	6.15	8.05	61.4	5.1	ND	
		03:20:30	25.02	43.63	28.11	82.6	5.81	8.03	61	4.6	ND	
		06:20:24	24.76	43.39	27.95	86.8	6.14	8.16	59.9	5.9	ND	
		09:20:30	25.1	43.6	28.09	91.6	6.44	8.02	77.4	5.3	ND	
		14:05:14	26.1	50.3	32.93	101.5	6.82	8.12	133.8	21.4	60.5	
		15:21:17	26.42	50.42	33.01	70.1	5.69	8.1	120.3	ND	13.2	
		18:29:37	26.54	50.45	33.03	92.7	6.18	8.31	98.4	4.4	6.6	
		21:29:38	26.03	50.89	33.37	85.8	5.77	8.16	100.8	1.2	10.7	
	日平均值		25.64	46.97	30.53	87.31	6.13	8.12	89.13	6.84	22.75	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準				

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月17日	蚵殼站	00:15:22	25.65	50.82	33.33	101.7	6.88	8.33	164.5	5.7	1.5	
		03:15:23	25.96	50.19	32.86	100.9	6.8	8.31	170.4	73.5	4.6	
		06:15:22	25.7	50.03	32.74	99.6	6.75	8.34	152.9	34.3	5.2	
		09:15:22	25.94	50.24	32.89	99.2	6.69	8.27	165.2	245.2	3.2	
		12:15:22	26.43	50.82	33.31	96.1	6.41	8.27	171.2	28.4	ND	
		15:15:23	26.75	50.7	33.21	100.2	6.65	8.3	162	1012.6	3.7	
		18:15:22	26.75	50.62	33.15	101.2	6.72	8.3	174.7	13.9	2.3	
		21:15:22	26.7	50.69	33.2	100.5	6.68	8.28	171.3	15	4.4	
	日平均值	26.24	50.51	33.09	99.93	6.70	8.30	166.53	178.58	3.56		
	潮口站	00:22:55	26.56	51.44	33.76	91.4	6.07	8.06	105.6	9.6	3.4	
		03:22:54	26.55	52.01	34.18	96.6	6.41	8.2	101.7	4.4	ND	
		06:22:55	26.49	51.88	34.09	95.4	6.33	8.18	105.6	9	ND	
		09:22:54	26.26	51.36	33.71	92.5	6.18	8.1	104.3	4.7	3.6	
		12:22:55	27.06	52.08	34.22	100.1	6.58	8.17	103.9	6.9	2.6	
		15:22:52	27.45	52.05	34.18	100.8	6.58	8.17	100.6	5	4.1	
		18:22:53	27.7	51.91	34.07	103.1	6.71	8.15	104	11.2	5.7	
		21:22:53	27.53	51.58	33.83	96	6.27	8.1	100.4	13.1	4.9	
	日平均值	26.95	51.79	34.01	96.99	6.39	8.14	103.26	7.99	4.05		
	灣內站	00:29:39	26.2	50.55	33.11	68.4	5.59	8.16	86.5	1.8	15.1	
		03:29:38	25.92	51.09	33.51	76.8	5.16	8.28	111.2	ND	7.1	
		06:29:39	25.24	51.54	33.87	71.6	5.86	8.27	81.5	7.2	7.5	
		09:29:38	25.68	51.46	33.8	73.4	5.95	8.11	85	ND	7.5	
		12:29:38	26.29	51.33	33.69	76.2	5.09	8.06	81.2	2.7	6.8	
		15:29:37	26.51	51.48	33.79	80.9	5.38	8.04	84.9	3.5	11.7	
		18:29:38	26.41	51.4	33.73	86.6	5.77	8.09	84.1	2.3	11.4	
		21:29:38	26.32	51.34	33.69	85.8	5.72	8.1	80.1	1.7	10.1	
	日平均值	26.07	51.27	33.65	77.46	5.57	8.14	86.81	3.20	9.65		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月18日	蚵殼站	00:15:17	26.57	50.74	33.25	101.6	6.77	8.33	163.5	5.3	ND	
		03:15:16	26.54	50.75	33.25	99.1	6.6	8.33	168.2	3.6	ND	
		06:15:23	26.21	50.28	32.91	97	6.51	8.32	169.2	5.7	ND	
		09:15:23	26.58	50.38	32.98	99.1	6.61	8.29	168.6	10.1	ND	
		12:15:25	27.15	50.39	32.97	97.8	6.46	8.28	187.2	5.8	ND	
		15:15:25	27.52	50.47	33.02	105.5	6.92	8.38	173.6	8	5.7	
		18:15:23	27.5	50.56	33.09	106.2	6.97	8.32	180.3	6.3	4.7	
		21:15:24	27.49	50.6	33.11	103.5	6.8	8.33	171.5	786.1	5.9	
	日平均值	26.95	50.52	33.07	101.23	6.71	8.32	172.76	103.86	5.43		
	潮口站	00:22:54	27.34	51.46	33.75	92.3	6.06	8.07	105.9	8.1	4.3	
		03:22:47	26.98	52.02	34.18	95.9	6.31	8.17	97.4	7.4	4.1	
		06:22:53	26.94	51.99	34.16	92.3	6.08	8.17	100.3	6.9	2.1	
		09:22:52	27	51.08	33.48	89	5.88	8.03	103.2	9.3	4.5	
		12:22:52	27.4	51.83	34.02	95.2	6.23	8.12	101.7	4.8	1.5	
		15:22:52	27.67	51.92	34.09	103.7	6.75	8.18	100.2	4.3	1.5	
		18:22:51	27.81	52.01	34.14	101.2	6.57	8.15	104.2	11	2.1	
		21:22:51	27.98	51.82	34	100	6.48	8.11	101.2	14.4	4.7	
	日平均值	27.39	51.77	33.98	96.20	6.30	8.13	101.76	8.28	3.10		
	灣內站	00:29:39	26.63	48.77	31.8	73.2	5.91	8.1	84.7	ND	13.8	
		03:29:38	26.43	51	33.44	77.1	5.14	8.23	68	ND	5.9	
		06:29:39	26.14	51.44	33.77	73.6	5.93	8.28	77.9	ND	4.5	
		09:29:39	26.5	51.46	33.78	81.2	5.4	8.09	89	ND	3.5	
		12:29:39	27.34	51.46	33.75	71.3	5.67	8.07	91	ND	3.7	
		15:21:12	27.61	51.17	33.53	79.7	5.21	8.02	223.4	ND	17.5	
		18:29:38	27.83	51.3	33.62	89.9	5.85	8.08	144.5	ND	4.8	
		21:29:39	27.77	51.47	33.75	72.1	5.69	8.08	135.5	2.3	6.9	
	日平均值	27.03	51.01	33.43	77.26	5.60	8.12	114.25	2.30	7.58		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月19日	蚵殼站	00:15:25	27.42	50.66	33.16	100.3	6.59	8.34	185	89.2	2.3	
		03:15:25	27.27	50.63	33.14	103.6	6.83	8.35	185.4	21.7	2.6	
		06:15:25	27.16	50.63	33.15	102.9	6.79	8.36	186.4	7.7	4.7	
		09:15:25	27.3	50.62	33.13	101	6.65	8.38	193	25.7	5	
		12:15:26	27.84	50.54	33.06	107.2	7	8.39	193.4	43	4.9	
		15:15:25	28.07	50.46	33	108.7	7.07	8.48	186.7	23.4	5.9	
		18:15:26	27.75	50.46	33.01	110.4	7.22	8.35	168.6	44.7	2.8	
		21:15:21	27.59	50.08	32.73	110.6	7.27	8.35	171.3	62.2	2.2	
	日平均值	27.55	50.51	33.05	105.59	6.93	8.38	183.73	39.70	3.80		
	潮口站	00:22:51	27.77	51.54	33.8	103.6	6.75	8.1	105.9	9	ND	
		03:22:51	27.31	51.87	34.06	98.8	6.47	8.16	102.6	5	ND	
		06:22:50	27.13	51.93	34.11	102.7	6.74	8.17	107.6	5.9	3.4	
		09:22:44	27.29	51.71	33.94	94.1	6.17	8.14	99.3	9.7	7.9	
		12:22:51	27.75	51.54	33.8	101	6.58	8.1	112.2	7.3	6.1	
		15:22:43	27.17	51.64	33.89	103.5	6.8	8.15	105.4	5.2	2.9	
		18:22:44	27.4	51.43	33.73	113	7.4	8.22	107.1	3.9	7.7	
		21:22:51	27.38	51.42	33.72	114.1	7.48	8.2	105.6	10.2	9	
	日平均值	27.40	51.64	33.88	103.85	6.80	8.16	105.71	7.03	6.17		
	灣內站	00:29:40	27.73	51.57	33.83	92	6	8.13	127.9	ND	5.1	
		03:29:40	27.28	51.52	33.8	79.5	5.22	8.17	126.5	ND	9.1	
		06:29:40	27.14	51.56	33.83	84.1	5.53	8.26	119.4	ND	12	
		09:29:39	27.27	51.47	33.76	85	5.58	8.19	114.3	ND	2.6	
		12:29:39	28.11	51.51	33.77	83.2	5.39	8.23	114.1	2.6	10.5	
		15:29:34	28.64	51.58	33.8	90.2	5.79	8.27	111.1	2.4	10.5	
		18:29:38	28.34	51.5	33.75	88.4	5.7	8.29	110.2	1.5	21.9	
		21:29:40	27.97	51.48	33.74	95.2	6.18	8.39	111	9.9	25.5	
	日平均值	27.81	51.52	33.79	87.20	5.67	8.24	116.81	4.10	12.15		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月20日	蚵殼站	00:15:27	27.48	50.05	32.71	110.8	7.29	8.04	179.8	52	4	
		03:15:27	27.29	50.21	32.84	107.8	7.11	8.04	188	637.3	10.7	
		06:15:27	27.29	49.87	32.58	106.8	7.05	8.02	181	41	6.5	
		09:15:27	27.34	49.62	32.4	111.3	7.35	8.08	177.9	40.9	11.7	
		12:15:27	28.03	49.58	32.35	120.1	7.85	8.13	178.3	33.2	3.5	
		15:15:28	28.23	50.06	32.7	122.1	7.94	8.2	160.7	36.6	4	
		18:15:28	27.79	50.07	32.72	127.1	8.32	8.19	161.5	23.9	8.1	
		21:15:28	27.62	49.96	32.64	123.5	8.11	8.18	156.9	30.1	5.8	
	日平均值	27.63	49.93	32.62	116.19	7.63	8.11	173.01	111.88	6.79		
	潮口站	00:22:50	27.7	51.1	33.48	122.2	7.98	8.21	111.5	4.3	12	
		03:22:50	26.83	51.61	33.88	96.4	6.37	8.18	104.3	7.6	3.3	
		06:22:49	26.73	51.76	33.99	101.9	6.74	8.21	105.1	4.8	3.2	
		09:22:49	27.04	51.38	33.7	116	7.65	8.18	116	6.3	5.2	
		12:22:48	28.22	51.37	33.66	111.7	7.23	8.14	109.5	8.2	5.3	
		15:22:49	27.19	51.53	33.81	103.3	6.79	8.18	104.9	4.9	1.9	
		18:22:50	27.23	51.75	33.97	126	8.27	8.23	111.7	5.2	9.3	
		21:22:44	27.21	51.44	33.74	129.2	8.49	8.25	108.1	7.1	9.3	
	日平均值	27.27	51.49	33.78	113.34	7.44	8.20	108.89	6.05	6.19		
	灣內站	00:29:41	27.74	51.6	33.84	81.2	5.29	7.91	106.3	5.3	16.4	
		03:29:40	27.5	51.48	33.76	83	5.43	7.95	106.3	ND	23.7	
		06:29:41	27.32	51.44	33.74	83.5	5.48	7.91	108.8	2.1	12.8	
		09:29:35	27.58	51.39	33.7	72.4	5.73	7.83	123.8	6.2	10	
		12:29:40	28.72	50.97	33.35	103.3	6.64	8.03	117.4	ND	18.4	
		15:21:25	28.86	50.37	32.91	104.3	6.7	8.03	227.7	6.4	22.3	
		18:29:42	28.61	51.18	33.51	120.6	7.75	8.06	149.9	7.1	17.4	
		21:29:41	28.61	50.85	33.27	117	7.54	8.08	142.2	14.6	22.1	
	日平均值	28.12	51.16	33.51	95.66	6.32	7.98	135.30	6.95	17.89		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月21日	蚵殼站	00:15:28	27.77	49.96	32.64	124.2	8.14	8.23	160.5	35.9	5.5	
		03:15:28	27.87	49.5	32.3	122.1	8	8.24	174.3	52.3	9.9	
		06:15:28	27.47	49.64	32.41	118.2	7.79	8.28	165.7	28.8	6.7	
		09:15:28	27.43	49.55	32.34	121.6	8.02	8.28	147.5	30.8	7.3	
		12:15:28	27.89	49.67	32.42	124.5	8.15	8.33	169.4	16.8	7.8	
		15:15:28	27.46	49.73	32.48	116.6	7.68	8.22	163.9	14.5	2.4	
		18:15:29	27.26	49.93	32.63	112.3	7.42	8.24	159.5	42.1	9.5	
		21:15:30	27.21	49.75	32.5	112.7	7.46	8.17	162.5	73.9	8.7	
	日平均值		27.55	49.72	32.47	119.03	7.83	8.25	162.91	36.89	7.23	
	潮口站	00:22:44	27.79	51.4	33.69	161.2	10.49	8.38	111.1	3.3	8.6	
		03:22:53	26.6	51.78	34.01	97.3	6.45	8.21	108	4.8	8.9	
		06:22:50	26.56	51.91	34.1	103	6.83	8.21	109.7	4.5	6.4	
		09:22:52	26.96	51.49	33.78	136.1	8.98	8.33	111.2	5.5	6.8	
		12:22:50	27.71	51.39	33.69	147.7	9.63	8.38	123.9	7.7	10.1	
		15:22:55	26.81	51.24	33.6	108.3	7.17	8.23	112.1	4.6	6.7	
		18:23:02	26.93	51.8	34.01	114.4	7.54	8.26	109.5	4.3	5.9	
		21:22:59	26.75	51.32	33.66	112.3	7.44	8.26	117.2	5.9	11.6	
	日平均值		27.01	51.54	33.82	122.54	8.07	8.28	112.84	5.08	8.13	
	灣內站	00:29:41	28.14	51.05	33.43	103.3	6.7	8.03	135	3.1	20.8	
		03:29:41	27.73	50.82	33.27	98.1	6.41	8.13	111.3	ND	23.3	
		06:29:41	27.43	51.23	33.58	98.6	6.46	8.17	116.5	1.7	17.7	
		09:29:41	27.41	51.05	33.45	101.6	6.67	8.22	111.4	2.6	18.4	
		12:29:41	27.78	51.09	33.47	111.1	7.24	8.3	107.1	ND	18.2	
		15:29:41	27.98	50.8	33.25	109.6	7.13	8.29	105	10.4	33	
		18:29:41	27.76	50.93	33.35	106.2	6.93	8.23	102.2	3	22.5	
		21:29:41	27.58	51.07	33.46	101.7	6.66	8.21	101	8.9	20.5	
	日平均值		27.73	51.01	33.41	103.78	6.78	8.20	111.19	4.95	21.80	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月22日	蚵殼站	00:15:29	27.14	49.68	32.45	114.6	7.6	8.24	160.8	62.7	5.3	
		03:15:32	26.99	49.65	32.43	112.9	7.51	8.29	144.4	49.5	5.5	
		06:15:30	26.72	49.58	32.39	111.3	7.44	8.25	176.1	749.1	6.7	
		09:15:30	26.83	49.63	32.42	110.2	7.34	8.22	179.8	39.3	1.2	
		12:15:31	27.18	49.28	32.15	114.3	7.58	8.27	159.6	70.6	3.7	
		15:15:29	27.23	49.67	32.44	108.7	7.2	8.16	173.9	47.6	ND	
		18:15:31	27.33	49.98	32.67	110.5	7.29	8.12	164.7	12.7	5.8	
		21:15:32	27.23	49.73	32.48	112.1	7.42	8.16	176.7	17.3	ND	
	日平均值		27.08	49.65	32.43	111.83	7.42	8.21	167.00	131.10	4.70	
	潮口站	00:23:00	26.83	51.29	33.64	121.5	8.04	8.34	107.8	16.6	10.5	
		03:23:05	26.32	51.52	33.83	106.4	7.09	8.24	111.6	6.6	5	
		06:23:05	26.46	51.82	34.05	101.7	6.76	8.24	106.5	4.6	2.4	
		09:23:02	26.48	51.55	33.85	103.2	6.86	8.25	106.4	4	3	
		12:23:11	27.45	51.24	33.59	136.9	8.97	8.33	109.1	5.1	5.8	
		15:23:11	26.82	51.02	33.45	108.2	7.17	8.2	108.4	9.1	8.6	
		18:23:09	26.79	51.28	33.63	102	6.76	8.22	106.7	4.3	6.4	
		21:23:14	26.86	51.18	33.56	103.8	6.87	8.21	107.8	4.9	8.2	
	日平均值		26.75	51.36	33.70	110.46	7.32	8.25	108.04	6.90	6.24	
	灣內站	00:29:41	27.3	50.84	33.3	102.5	6.74	8.22	100.8	1.5	17.8	
		03:29:40	27.1	51.16	33.54	92.2	6.08	8.3	102.1	3.9	17.3	
		06:29:36	26.82	51.26	33.62	88.2	5.84	8.18	109.8	9.3	15.1	
		09:29:42	27.1	51.19	33.56	88.5	5.83	8.07	116.4	ND	10.2	
		12:29:42	27.62	51.12	33.49	86.2	5.63	8.08	113.5	3.6	9.2	
		15:21:26	27.75	50.59	33.1	94.6	6.19	8.17	91	11.7	11.2	
		18:29:43	27.59	50.8	33.26	98.2	6.43	8.11	91.8	1.7	16.1	
		21:29:36	27.86	51.06	33.44	94.1	6.13	8.05	98.6	10.6	16	
	日平均值		27.39	51.00	33.41	93.06	6.11	8.15	103.00	6.04	14.11	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月23日	蚵殼站	00:15:31	27.29	49.28	32.15	115.9	7.68	8.24	164.4	48	4.2	
		03:15:32	27.02	49.12	32.04	111.9	7.45	8.26	173.4	98	4.9	
		06:15:31	26.7	49.04	31.99	111.5	7.46	8.24	170.2	55.3	4.3	
		08:45:32	26.82	48.73	31.76	109.7	7.34	8.17	172.3	144.5	2.1	
		14:16:17	28.05	50.43	32.97	100.2	6.52	8.05	175.1	201.4	4.3	
		15:07:50	27.83	50.2	32.81	105.7	6.91	8.02	191.1	51.1	3.9	
		18:16:22	28.02	50.05	32.7	108	7.05	8	175.1	17.1	3.2	
		21:16:17	28.05	50.02	32.68	108.7	7.09	8.07	161.1	24.7	ND	
	日平均值	27.47	49.61	32.39	108.95	7.19	8.13	172.84	80.01	3.84		
	潮口站	00:23:14	27.14	51.19	33.56	113	7.44	8.24	109.1	4.7	5.7	
		03:23:14	26.61	51.43	33.75	95.6	6.35	8.2	108.2	5.9	5	
		06:23:19	26.53	51.81	34.03	93.6	6.21	8.2	102	4.8	ND	
		09:23:16	26.77	51.39	33.72	99.8	6.61	8.21	102.3	5.4	2.9	
		12:23:20	28.05	50.89	33.31	122.6	7.96	8.33	110.4	4.8	2.9	
		15:23:19	27.95	51.14	33.5	111.7	7.26	8.26	103.3	7.8	3.6	
		18:23:23	27.15	51.7	33.94	99.2	6.52	8.13	99.9	3.2	3.3	
		21:23:25	27.41	51.54	33.81	100.3	6.57	8.2	104.3	5.1	1	
	日平均值	27.20	51.39	33.70	104.48	6.87	8.22	104.94	5.21	3.49		
	灣內站	00:29:42	27.45	50.85	33.3	89.2	5.86	8.04	102.1	ND	14.1	
		03:29:42	27.2	51.13	33.52	87.6	5.76	8.07	104.7	ND	12	
		06:29:43	27.11	51.47	33.77	93.5	6.15	8.09	108.2	2.4	7.9	
		09:29:42	27.53	51.42	33.72	74.2	4.85	7.74	116.6	3	9.2	
		12:29:37	28.28	50.51	33.03	94.2	6.11	7.93	105.3	17.5	12.5	
		15:29:43	29.1	50.58	33.05	93.8	6	7.92	110.2	15.9	19	
		18:29:43	29.59	49.94	32.57	89.2	5.67	7.86	112.5	13.5	15.9	
		21:29:36	28.55	50.52	33.02	87.6	5.66	7.93	110.1	12.5	10.3	
	日平均值	28.10	50.80	33.25	88.66	5.76	7.95	108.71	10.80	12.61		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月24日	蚵殼站	00:16:24	27.93	49.73	32.46	110.4	7.22	8.1	178.2	11.9	ND	
		03:16:24	27.47	49.93	32.62	105.8	6.97	8.18	169.7	28.4	1.4	
		06:16:17	26.88	50.04	32.72	102	6.78	8.22	164.8	20.2	3.2	
		09:16:23	26.59	50.12	32.79	102.4	6.84	8.23	146.1	61.2	1.3	
		12:16:23	26.69	50.23	32.87	103.1	6.87	8.23	148.9	47.4	6.7	
		15:16:24	26.52	50.11	32.78	102.6	6.86	8.19	138.7	88.3	7.2	
		18:16:24	26.32	50.08	32.77	101.3	6.79	8.17	150.4	81	3.6	
		21:16:24	25.93	49.55	32.38	99.6	6.74	8.13	152	79.1	3.8	
	日平均值	26.79	49.97	32.67	103.40	6.88	8.18	156.10	52.19	3.89		
	潮口站	00:23:19	28.08	51.07	33.44	121.4	7.88	8.31	106	3.3	2.9	
		03:23:27	27.49	51.53	33.8	112.8	7.37	8.31	108.6	5.8	ND	
		06:23:24	25.97	51.96	34.16	97.5	6.53	8.24	105.8	5.3	6.1	
		09:23:25	26.28	51.76	34	101.9	6.79	8.27	109.8	8.3	2.8	
		12:23:31	26.25	51.58	33.87	100.3	6.7	8.23	107.4	7	3.6	
		15:23:28	26.36	51.45	33.77	106.1	7.07	8.27	109.1	4.6	3.6	
		18:23:38	26.03	51.71	33.97	102.3	6.85	8.22	106.5	4.3	ND	
		21:23:37	25.84	51.94	34.15	104.7	7.03	8.24	108.5	3.6	4.1	
	日平均值	26.54	51.63	33.90	105.88	7.03	8.26	107.71	5.28	3.85		
	灣內站	00:29:41	27.77	50.96	33.37	85.9	5.61	7.87	115	8.7	10.8	
		03:29:40	27.39	50.99	33.41	89.2	5.86	8.19	106.8	10.9	9.2	
		06:29:42	26.95	51.12	33.52	86.7	5.73	8.38	102.3	8.3	9.9	
		09:29:43	26.68	51.02	33.45	90.6	6.02	8.35	94.9	8.6	8.6	
		12:29:44	26.76	50.8	33.28	88	5.84	8.29	94.3	12.9	12.9	
		15:21:28	26.18	50.36	32.97	82.4	5.53	8.18	229	10.4	4.1	
		18:29:38	26.26	50.63	33.17	86.3	5.78	8.19	117.7	11.8	9.1	
		21:29:43	25.48	49.7	32.51	69.3	5.72	8.16	100.7	10.7	9.2	
	日平均值	26.68	50.70	33.21	84.80	5.76	8.20	120.09	10.29	9.23		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月25日	蚵殼站	00:16:23	25.99	49.96	32.68	100.8	6.8	8.21	140.3	38.9	2.7	
		03:16:24	25.84	49.97	32.69	99.4	6.73	8.16	151.6	73.1	2.9	
		06:16:23	25.66	49.95	32.68	97.5	6.62	8.15	156.8	54.9	2.8	
		09:16:24	25.5	50.06	32.77	98.5	6.7	8.1	159.7	62.7	1.6	
		12:16:24	25.92	49.82	32.58	94.4	6.38	8.01	151.3	35.2	ND	
		15:08:04	25.89	50.06	32.76	98.7	6.67	8.07	167.3	38.1	3.2	
		18:16:25	25.73	50.21	32.88	96.3	6.52	8.01	154.5	71.7	1.4	
		21:16:25	25.44	50.09	32.79	97.3	6.62	8.09	141	49.2	ND	
		日平均值	25.75	50.02	32.73	97.86	6.63	8.10	152.81	52.98	2.43	
	潮口站	00:23:38	25.7	51.75	34.01	100.6	6.77	8.23	105.4	7.8	2.2	
		03:23:41	25.67	51.5	33.83	99.9	6.74	8.25	104.1	4.6	3.3	
		06:23:43	26.16	51.91	34.12	98.5	6.58	8.21	106.6	2.8	ND	
		09:23:51	25.56	51.92	34.14	97.6	6.58	8.21	107.6	4.5	ND	
		12:23:49	25.88	51.75	34	94.9	6.37	8.17	101.5	13.5	ND	
		15:23:55	26.28	51.58	33.87	99.1	6.61	8.21	104.6	12.8	ND	
		18:23:55	26.27	51.55	33.85	102	6.81	8.19	103.8	5.8	4.6	
		21:24:00	26.02	51.87	34.09	105.6	7.07	8.23	107.3	3	6.9	
	日平均值	25.94	51.73	33.99	99.78	6.69	8.21	105.11	6.85	4.25		
	灣內站	00:29:43	25.66	50.21	32.88	84.7	5.74	8.1	93.7	7.9	11.3	
		03:29:37	25.15	50.47	33.08	65	5.44	8.02	90.2	1.9	10.4	
		06:29:43	25.75	51.24	33.63	67.3	5.53	8.13	93.3	3.6	11.4	
		09:29:43	25.63	51.23	33.63	83	5.6	8.07	92.4	1.8	6.5	
		12:29:42	26.1	51.18	33.58	77.5	5.19	8.03	91.6	ND	4.6	
		15:29:43	26.31	51.09	33.51	69.2	5.62	7.94	91.4	4.1	4.3	
		18:29:44	26.11	50.85	33.34	72.4	5.86	7.89	99.5	9.4	9.4	
		21:29:43	25.65	50.79	33.3	81.3	5.5	8.09	95	6.1	9	
		日平均值	25.80	50.88	33.37	75.05	5.56	8.03	93.39	4.97	8.36	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月26日	蚵殼站	00:16:26	25.41	50	32.73	97.1	6.61	8.09	144.9	62.5	ND	
		03:16:26	25.31	49.97	32.71	96.1	6.56	8.05	127.5	66	2.1	
		06:16:26	25.14	49.9	32.66	93.9	6.43	8.01	146.7	53.5	2	
		09:16:25	25.14	49.66	32.49	95.7	6.56	7.96	154.9	59.8	ND	
		12:16:28	25.66	49.74	32.53	95.5	6.48	7.9	150.6	26.7	1.3	
		15:16:26	25.54	49.97	32.7	95.3	6.48	7.88	173.9	51.4	ND	
		18:16:27	25.34	49.91	32.67	95.7	6.53	8	154.2	14.4	ND	
		21:16:27	25.44	50.04	32.76	95.5	6.5	7.97	158	64.6	5.8	
		日平均值	25.37	49.90	32.66	95.60	6.52	7.98	151.34	49.86	2.80	
	潮口站	00:23:58	25.41	51.65	33.94	100.5	6.8	8.2	106.7	10.2	2.7	
		03:23:58	25.32	51.42	33.78	88.8	6.02	8.21	108.7	9.6	4.3	
		06:24:04	25.91	51.9	34.11	96.9	6.5	8.19	106.1	4.4	2.3	
		09:24:02	25.6	51.83	34.07	101.8	6.86	8.2	106.5	4	6.6	
		12:24:01	26.17	51.76	34	99.2	6.63	8.16	107.9	9.9	1.6	
		15:24:04	26.2	51.69	33.95	99.5	6.64	8.16	103.5	9.1	7	
		18:24:08	26.31	51.21	33.59	101.3	6.76	8.16	106.5	5.3	ND	
		21:24:08	26.1	51.24	33.62	102	6.83	8.17	101.2	5.4	ND	
	日平均值	25.88	51.59	33.88	98.75	6.63	8.18	105.89	7.24	4.08		
	灣內站	00:29:36	25.56	51.09	33.53	75.4	5.1	8.12	90.8	5.5	ND	
		03:29:44	25.35	51.15	33.58	76	5.16	8.15	93.5	8.6	10.4	
		06:29:43	24.82	50.74	33.29	80.5	5.53	7.99	90.6	5.2	9.9	
		09:29:43	25.38	51.16	33.58	78.4	5.32	7.86	91	4	7.1	
		12:29:43	26.05	51.16	33.56	80.5	5.4	7.9	91.6	3.4	7.3	
		15:21:29	26.23	50.96	33.41	77	5.15	7.89	126.8	8.8	5.8	
		18:29:43	25.93	49.88	32.63	81.7	5.52	7.93	94	5.5	8.7	
		21:29:44	25.7	51.28	33.66	72.1	5.86	7.91	93.1	6.5	8.5	
		日平均值	25.63	50.93	33.41	77.70	5.38	7.97	96.43	5.94	8.24	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
3月27日	蚵殼站	00:16:27	25.33	49.91	32.66	96	6.55	7.93	151.3	17.2	ND
		03:16:28	25.24	49.82	32.6	96.6	6.61	8	157	12.9	2.7
		06:16:27	25.05	49.77	32.57	95.3	6.54	7.97	166.6	22.1	2
		09:16:26	25.17	49.79	32.58	96.1	6.58	7.93	162.3	27.4	1
		12:16:28	25.77	49.49	32.34	97	6.58	7.96	151.2	15.6	ND
		15:08:03	25.28	49.84	32.61	93.4	6.38	7.79	152.1	143.1	1.1
		18:16:27	25.2	50.01	32.74	94.4	6.46	7.92	167.6	79.2	1.2
		21:16:22	25.17	49.7	32.51	94.1	6.45	7.74	151.5	22.6	3.9
	日平均值	25.28	49.79	32.58	95.36	6.52	7.91	157.45	42.51	1.98	
	潮口站	00:24:11	25.61	51.54	33.86	95.7	6.45	8.16	105.2	13.9	4.4
		03:24:07	25.37	51.48	33.82	94.1	6.37	8.16	103.9	12.1	3.2
		06:24:09	25.92	51.89	34.11	96.3	6.46	8.19	106.8	10.1	3.5
		09:24:16	25.9	51.77	34.02	100.2	6.72	8.19	105.2	7	1.9
		12:24:17	26.52	51.75	33.99	98.9	6.57	8.17	104.6	9.2	8.6
		15:24:15	26.19	51.69	33.95	94.3	6.3	8.11	99.7	21.1	4.1
		18:24:21	25.83	51.55	33.86	91.4	6.15	8.11	102.6	20.8	5.5
		21:24:18	25.98	51.85	34.08	98.8	6.62	8.16	104.5	10.5	4.9
	日平均值	25.92	51.69	33.96	96.21	6.46	8.16	104.06	13.09	4.51	
	灣內站	00:29:42	25.53	51.39	33.75	69.9	5.72	8.02	90.8	3.3	4.5
		03:29:44	25.29	51.6	33.91	77.7	5.27	8.18	86.3	4.9	10.2
		06:29:44	25.15	51.5	33.84	73.3	5.99	8.24	99.7	5.8	7.2
		09:29:43	25.43	51.58	33.89	80	5.42	8.05	89.4	6.2	5.9
		12:29:43	26.29	51.49	33.8	73.3	5.89	7.81	93.8	6.8	2.1
		15:29:43	26.32	51.34	33.69	80.1	5.35	7.81	95.5	5.6	9.6
		18:29:44	25.99	48.91	31.91	79.1	5.36	7.76	79.7	29.2	13.6
		21:29:45	25.76	50.77	33.29	73.7	5.97	7.8	89.2	7.8	3.6
	日平均值	25.72	51.07	33.51	75.89	5.62	7.96	90.55	8.70	7.09	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
3月28日	蚵殼站	00:16:28	25.07	49.74	32.55	98.2	6.74	8.48	144.6	30.4	ND
		03:16:29	24.93	49.8	32.59	97.7	6.71	8.48	154.9	27.5	ND
		06:16:29	24.78	49.75	32.56	97	6.68	8.42	154.3	18.9	1.5
		09:16:30	24.96	49.71	32.53	97	6.67	8.36	146.2	13.7	2.7
		12:16:30	25.36	49.53	32.39	98.6	6.74	8.27	154.8	38.2	3.6
		15:16:29	25.29	49.8	32.58	97	6.63	8.33	147.8	21.9	2.6
		18:16:25	25.09	49.85	32.62	97.4	6.68	8.32	163.1	38.6	2.3
		21:16:29	25.35	49.87	32.63	99	6.75	8.47	152.6	29.5	6.2
	日平均值	25.10	49.76	32.56	97.74	6.70	8.39	152.29	27.34	3.15	
	潮口站	00:24:19	25.49	51.71	33.98	96.4	6.51	8.16	104.7	8.7	5.2
		03:24:25	24.97	51.58	33.9	90.6	6.18	8.12	103	14.3	3.9
		06:24:26	25.63	51.84	34.08	95.9	6.46	8.19	106.4	7	5.2
		09:24:22	25.71	51.97	34.17	97.4	6.55	8.17	105.4	7.6	ND
		12:24:22	26.17	51.91	34.11	100.1	6.68	8.17	104.7	8.4	3.8
		15:24:26	26.46	51.88	34.09	97.5	6.48	8.13	105.1	14.4	5.4
		18:24:29	25.35	51.62	33.92	93.6	6.34	8.09	105.4	21.3	9
		21:24:29	26.01	51.88	34.09	95.2	6.37	8.16	106.3	9.5	ND
	日平均值	25.72	51.80	34.04	95.84	6.45	8.15	105.13	11.40	5.42	
	灣內站	00:29:44	25.32	51.21	33.62	82.6	5.61	8.45	88.5	10.4	9.1
		03:29:45	25.24	51.26	33.66	72.7	5.94	8.53	87.8	5.3	9.1
		06:29:45	25.03	51.32	33.71	72.1	5.92	8.51	84.2	7.3	13.1
		09:29:37	25.1	51.04	33.5	81.4	5.55	8.26	89.1	3.8	7.2
		12:29:44	26.55	51.46	33.77	73.9	5.91	8.21	93.8	1.9	6.2
		15:21:31	26.45	51.21	33.59	68.3	5.55	8.23	225.3	9.2	10.5
		18:29:43	26.27	51.41	33.75	77.2	5.15	8.26	136.6	7.6	14.9
		21:29:45	25.7	50.18	32.85	80.4	5.45	8.32	114.7	7.7	16
	日平均值	25.71	51.14	33.56	76.08	5.64	8.35	115.00	6.65	10.76	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月29日	蚵殼站	00:16:30	25.43	49.53	32.38	99.8	6.81	8.45	141.3	46.7	11	
		03:16:30	25.23	49.65	32.47	98.8	6.76	8.36	156.5	19.3	7.3	
		06:16:30	24.97	49.72	32.53	96.7	6.64	8.38	171.3	27.5	9	
		09:16:24	25.1	49.65	32.48	99.1	6.8	8.37	155.1	10.5	4	
		12:16:31	25.88	49.79	32.56	101.5	6.87	8.38	154.7	9.5	5.5	
		15:08:10	25.33	49.66	32.48	98.7	6.74	8.31	155.9	21	7.6	
		18:16:31	25.24	49.68	32.5	99.1	6.78	8.34	157.5	31.1	9.8	
		21:16:31	25.34	49.86	32.62	99.3	6.78	8.45	168.9	11.3	16.4	
	日平均值	25.32	49.69	32.50	99.13	6.77	8.38	157.65	22.11	8.83		
	潮口站	00:24:34	25.8	51.92	34.13	97	6.51	8.14	102.8	7.9	3.6	
		03:24:31	25.62	51.91	34.13	95.1	6.41	8.15	106.4	7.2	2.8	
		06:24:32	25.59	51.86	34.1	94.1	6.34	8.17	104.6	11.6	3.5	
		09:24:37	25.94	52.22	34.35	97.5	6.52	8.2	104.2	5	1.9	
		12:24:37	25.96	52.01	34.19	104.2	6.97	8.19	105.7	7.3	9.9	
		15:24:36	26.3	51.96	34.15	106.6	7.1	8.17	99.1	9.3	5.2	
		18:24:41	26.24	51.97	34.16	105.5	7.03	8.16	102.7	11.6	8.9	
		21:24:41	25.96	51.95	34.15	99.1	6.63	8.19	105.1	8.3	8.4	
	日平均值	25.93	51.98	34.17	99.89	6.69	8.17	103.83	8.53	5.53		
	灣內站	00:29:44	25.57	51.53	33.85	80.4	5.43	8.33	109	4	12.4	
		03:29:45	25.29	51.56	33.88	74.3	5.04	8.47	98.8	2.6	10.9	
		06:29:44	25.08	51.57	33.89	75	5.1	8.34	86.2	9.8	6.5	
		09:29:45	25.33	51.88	34.11	82.5	5.59	8.35	88.8	6.5	15.3	
		12:29:44	25.88	51.64	33.92	79.6	5.34	8.16	89.9	4.3	13.7	
		15:29:44	26.11	51.44	33.77	86.4	5.79	8.22	93.4	4.3	22.6	
		18:29:46	26.15	51.58	33.87	82.8	5.53	8.35	87.4	7.2	27.5	
		21:29:44	25.6	50.08	32.78	85.1	5.78	8.35	85.2	6.2	37.6	
	日平均值	25.63	51.41	33.76	80.76	5.45	8.32	92.34	5.61	18.31		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月30日	蚵殼站	00:16:26	25.34	49.77	32.56	99	6.76	8.4	135.9	15.8	16.6	
		03:16:26	25.21	49.68	32.5	99.5	6.81	8.36	150.8	11.2	18.4	
		06:16:32	25.09	49.71	32.52	99.2	6.8	8.44	155.5	19.3	14.2	
		09:16:32	25.3	49.68	32.49	102.1	6.98	8.39	158.9	20.1	17.9	
		12:16:32	25.9	49.53	32.37	106.7	7.22	8.45	135.3	96.3	23.4	
		15:16:26	25.42	49.58	32.42	98.8	6.74	8.31	145.9	115.1	13.5	
		18:16:34	25.33	49.6	32.44	98.6	6.73	8.3	150.2	16.4	8.8	
		21:16:34	25.5	49.53	32.38	101.5	6.92	8.38	156.1	16.8	24.5	
	日平均值	25.39	49.64	32.46	100.68	6.87	8.38	148.58	168.38	17.16		
	潮口站	00:24:41	26.04	52.1	34.26	101.1	6.75	8.21	101.3	5.2	4.8	
		03:24:45	25.55	51.96	34.17	100	6.74	8.16	104.9	8.1	6	
		06:24:45	25.63	52.08	34.26	98	6.6	8.17	104.2	11.4	8.3	
		09:24:52	26.14	52.31	34.41	100.1	6.67	8.21	102.6	5.8	3.5	
		12:24:50	26.64	52.35	34.43	107.9	7.13	8.23	106.9	6.1	ND	
		15:24:48	26.3	52.08	34.24	107.1	7.13	8.19	107	15.2	8.3	
		18:24:50	26.11	52	34.19	112.6	7.52	8.22	107.6	9.5	11.5	
		21:24:54	25.92	51.92	34.13	107.9	7.23	8.17	105.1	7.1	9.8	
	日平均值	26.04	52.10	34.26	104.34	6.97	8.20	104.95	8.55	7.46		
	灣內站	00:29:46	25.56	51.35	33.72	82.5	5.57	8.46	84.6	4.8	26.1	
		03:29:44	25.39	51.53	33.85	83.3	5.64	8.39	79.3	4.1	25.4	
		06:29:40	25.18	51.53	33.86	84.6	5.75	8.13	84.8	5.9	20.7	
		09:29:46	25.74	51.41	33.76	86	5.79	8.28	83.1	ND	16.6	
		12:29:45	26.43	51.35	33.69	101.5	6.76	8.38	91.7	1	25.6	
		15:21:16	26.44	51.24	33.61	93.1	6.2	8.46	180.8	3.9	37.5	
		18:29:43	26.19	51.25	33.63	102.7	6.87	8.35	111.5	4.1	43.6	
		21:29:38	26.07	51.3	33.67	103	6.9	8.45	102.7	2.4	33.2	
	日平均值	25.88	51.37	33.72	92.09	6.19	8.36	102.31	3.74	28.59		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
3月31日	蚵殼站	00:16:33	25.47	49.57	32.41	101	6.89	7.9	150.4	7.9	21.1	
		03:16:34	25.39	49.52	32.38	101.7	6.94	7.93	140	8.4	18.2	
		06:16:28	25.56	49.51	32.36	105.5	7.19	8.01	147	9.4	12.5	
		09:16:34	25.92	49.47	32.32	108.1	7.32	8.1	139	7.9	8.7	
		12:16:35	26.13	49.28	32.18	104.9	7.08	7.98	149.2	4.2	13.3	
		15:08:13	25.61	49.46	32.33	106.5	7.25	7.93	150	9.8	13.4	
		18:16:35	25.66	49.58	32.41	101	6.86	8.01	145.3	10.4	11	
		21:16:39	25.54	49.54	32.39	101.7	6.93	8.01	142.8	6.6	14.7	
	日平均值	25.66	49.49	32.35	103.80	7.06	7.98	145.46	8.08	14.11		
	潮口站	00:24:53	26.41	52.25	34.36	99.1	6.58	8.19	106.5	4.6	5.8	
		03:24:54	26.16	52.13	34.28	96.3	6.42	8.18	106.2	5.8	2.7	
		06:24:59	26	52.08	34.24	97.1	6.5	8.18	107.4	5.8	6	
		09:25:05	26.41	52.11	34.26	96.1	6.38	8.2	108.8	4.4	6.1	
		12:25:04	26.79	52.18	34.3	103.3	6.82	8.23	109.8	5	0.7	
		15:25:09	26.56	52.11	34.25	101.6	6.73	8.21	109.5	7.4	8.4	
		18:25:07	26.49	52.17	34.3	102.3	6.78	8.22	112.8	9.1	2.7	
		21:25:08	26.13	51.83	34.06	102.8	6.87	8.2	113.6	7.8	5.2	
	日平均值	26.37	52.11	34.26	99.83	6.64	8.20	109.33	6.24	4.70		
	灣內站	00:29:46	25.8	51.45	33.78	96.4	6.49	7.98	100.2	1.2	25.5	
		03:29:46	25.8	51.68	33.95	90.4	6.07	8.02	93.7	ND	15	
		06:29:44	25.67	51.6	33.9	77.8	5.24	8.04	88.3	ND	14.2	
		09:29:46	25.91	51.4	33.75	99	6.65	7.97	92.5	ND	18.2	
		12:29:47	26.32	51.17	33.57	98.2	6.56	8.28	95.8	3.9	25.6	
		15:29:47	26.29	51.44	33.77	94.3	6.29	8.37	94.7	6	27	
		18:29:46	26.15	51.63	33.91	90.7	6.06	7.91	88.6	2.4	21.1	
		21:29:45	25.94	51.64	33.92	84.6	5.67	7.91	85.6	3.8	16.9	
	日平均值	25.99	51.50	33.82	91.43	6.13	8.06	92.43	3.46	20.44		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月1日	蚵殼站	00:16:38	25.43	49.39	32.28	103.1	7.04	8.42	130.2	11.5	9	
		03:16:44	25.08	48.32	31.5	98.6	6.81	8.44	134.8	66.3	10.7	
		06:16:50	24.93	48.65	31.75	98.5	6.8	8.46	134.7	30.7	8.9	
		09:16:48	25.11	49.18	32.13	96.9	6.65	8.48	126.2	7.6	3.7	
		12:16:50	25.17	49.03	32.02	98.2	6.74	8.36	144.6	5.5	10.5	
		15:16:51	25.16	48.9	31.93	98.5	6.77	8.45	154	6.8	8.5	
		18:17:02	25.17	49.12	32.09	99.3	6.82	8.45	147.7	7.2	6.5	
		21:17:01	25.18	49.17	32.12	95.8	6.57	8.4	168.1	33.8	7.8	
	日平均值	25.15	48.97	31.98	98.61	6.78	8.43	142.54	21.18	8.20		
	潮口站	00:25:06	26.15	51.16	33.57	97.5	6.53	8.19	111.4	3.7	1.9	
		03:25:12	26.09	51.9	34.11	97.1	6.49	8.2	110.4	3.8	5.4	
		06:25:13	26	51.94	34.15	98.5	6.59	8.2	109.9	5.1	4.2	
		09:25:14	26.02	51.87	34.09	99.5	6.66	8.22	109.2	3.2	7.1	
		12:25:18	26.39	52.02	34.2	100.3	6.67	8.21	113.2	2.3	1.8	
		15:25:16	26.18	52.09	34.25	103.2	6.88	8.22	112.5	4.2	4.5	
		18:25:15	26	51.95	34.15	97.2	6.5	8.21	109.4	8.8	8.9	
		21:25:21	25.64	51.59	33.89	95.9	6.47	8.18	114.3	9.3	8.4	
	日平均值	26.06	51.82	34.05	98.65	6.60	8.20	111.29	5.05	5.28		
	灣內站	00:29:40	25.59	50.3	32.94	81.6	5.54	8.4	77.7	3.5	16.4	
		03:29:45	25.34	51.89	34.12	85.4	5.78	8.47	81.5	1.4	17.1	
		06:29:46	25.22	51.55	33.88	85.3	5.77	8.47	76.1	ND	11	
		09:29:40	25.22	51.57	33.89	76.8	5.19	8.24	82.4	2	10.4	
		12:29:47	25.47	51.75	34.02	76.7	5.18	8.23	83.7	2.2	11.2	
		15:21:19	25.51	51.55	33.87	77.2	5.22	8.4	171	5.7	14.2	
		18:29:40	25.47	51.56	33.88	76.3	5.16	8.32	113.2	8.8	11.1	
		21:29:46	25.37	51.79	34.04	77.2	5.22	8.29	100.5	3.2	12.9	
	日平均值	25.40	51.50	33.83	79.56	5.38	8.35	98.26	3.83	13.04		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
4月2日	蚵殼站	00:17:07	25.11	49.07	32.05	96	6.6	8.41	146	8.1	4.1	
		03:17:04	24.97	49.03	32.03	96.4	6.65	8.38	153.5	1447.3	7.9	
		06:17:09	24.62	48.69	31.78	96	6.66	8.38	146.7	11.1	3.9	
		09:35:58	24.98	48.65	31.75	97.1	6.7	8.36	139.1	1614.5	1.5	
		12:14:22	25.86	48.86	31.88	96.3	6.54	8.29	168.8	5.4	1.7	
		15:14:23	25.68	48.8	31.84	97.1	6.62	8.29	160.4	5	1.7	
		18:14:21	25.59	48.89	31.91	96.9	6.61	8.28	186.7	3.6	2.5	
		21:14:16	25.87	48.95	31.95	97.9	6.65	8.33	164.6	2.7	4.7	
	日平均值	25.34	48.87	31.90	96.71	6.63	8.34	158.23	387.21	3.50		
	潮口站	00:25:20	25.45	51.61	33.92	89.8	6.08	8.14	110.4	5.7	6.2	
		03:25:23	25.94	52.05	34.23	95.6	6.4	8.22	107.9	2.7	ND	
		06:25:30	25.8	52	34.19	94.9	6.37	8.24	109	3.8	4.2	
		09:25:28	25.41	51.63	33.93	90.7	6.14	8.15	111.3	7.8	6	
		11:55:32	26.48	52.09	34.24	92.8	6.16	8.17	111.4	2.6	ND	
		15:20:04	26.84	52.15	34.28	98.7	6.51	8.19	109.2	1.8	1.9	
		18:20:03	26.15	51.87	34.09	94.8	6.33	8.15	108.6	9	7.4	
		21:20:04	25.96	51.83	34.07	86.7	5.81	8.11	103.6	13.3	7.1	
	日平均值	26.00	51.90	34.12	93.00	6.23	8.17	108.93	5.84	5.47		
	灣內站	00:29:48	25.23	51.54	33.87	78.4	5.33	8.36	97.6	3.4	13.4	
		03:29:47	25.17	51.77	34.04	79.2	5.63	8.46	89.7	6.7	14.5	
		06:29:45	25.11	51.72	34	75.1	5.11	8.47	91.9	10.1	8.8	
		09:29:45	25.35	51.78	34.04	79.1	5.35	8.4	86.3	4.4	9.3	
		12:29:39	26.15	51.98	34.17	76.7	5.12	8.21	88.6	ND	11.8	
		15:28:49	26.22	51.87	34.09	80.3	5.36	8.02	191.5	ND	15	
		18:07:02	26.22	52.06	34.22	81.7	5.45	8.02	139.1	ND	16.9	
		21:07:03	26.35	52.09	34.24	76.3	5.07	8.07	117.3	ND	10.1	
	日平均值	25.73	51.85	34.08	78.35	5.30	8.25	112.75	6.15	12.48		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
4月3日	蚵殼站	00:14:23	25.96	49	31.98	98.7	6.69	8.31	171.5	5.4	5.2	
		03:14:23	25.81	48.86	31.89	98.5	6.7	8.33	171.1	2.8	4.3	
		06:14:24	25.58	48.89	31.91	95.5	6.52	8.31	170.2	1.5	4.2	
		09:14:23	25.73	49	31.99	97.3	6.62	8.29	178.7	4.8	1	
		12:14:23	26.11	49.04	32.01	99.2	6.7	8.28	184.8	5.1	1.8	
		15:14:24	26.31	49.09	32.04	92.2	6.21	8.3	196.1	20.6	4.3	
		18:14:24	26.39	49.15	32.08	97.8	6.58	8.32	176.8	15.5	2.2	
		21:14:25	26.19	49.11	32.06	97.5	6.58	8.38	164.2	8.9	7.2	
	日平均值	26.01	49.02	32.00	97.09	6.58	8.32	176.68	8.08	3.78		
	潮口站	00:20:04	26.15	51.82	34.05	87.6	5.85	8.09	103.1	7.8	7.6	
		03:20:03	26.49	52.14	34.27	91.1	6.04	8.15	105.9	3	3.6	
		06:20:03	26.36	52.11	34.26	94.7	6.29	8.19	103.1	3.8	ND	
		09:20:02	26.27	51.96	34.15	87.7	5.84	8.13	107.2	10.6	5.4	
		12:20:02	26.92	52.14	34.27	92	6.06	8.12	106.1	4.3	ND	
		15:20:02	27.11	51.79	34	92.7	6.1	8.15	105	3.2	1.9	
		18:19:57	26.95	51.99	34.15	93.6	6.17	8.16	99.2	6	3.8	
		21:20:03	26.95	52	34.16	91.2	6.01	8.12	119.9	13.6	7.9	
	日平均值	26.65	51.99	34.16	91.33	6.05	8.14	93.69	6.54	5.03		
	灣內站	00:07:03	26.29	51.33	33.68	86.5	5.77	8.1	117.5	ND	14.6	
		03:07:03	25.88	51.56	33.87	83.3	5.59	8.09	113	ND	12.5	
		06:07:03	25.88	52	34.19	75.9	5.09	8.21	110.7	ND	14.5	
		09:07:03	25.88	51.98	34.18	74.8	5.04	8.1	98	ND	9.8	
		12:06:58	26.3	51.92	34.12	77.7	5.17	8.02	98.9	1.2	9.1	
		15:07:04	26.63	51.93	34.12	81	5.36	8.11	101.2	4	19.4	
		18:07:04	26.87	52.01	34.17	77.3	5.1	8.15	108.8	7.8	8.1	
		21:07:04	26.74	52	34.17	75.2	5.06	8.14	110.5	5.8	12.5	
	日平均值	26.31	51.84	34.06	78.96	5.27	8.12	107.33	4.70	12.56		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月4日	蚵殼站	00:14:25	26.1	48.92	31.92	98.2	6.65	8.39	150.8	11.2	9.2	
		03:14:23	26	49.14	32.08	95.2	6.44	8.41	152	17.2	ND	
		06:14:23	25.86	49.13	32.08	94.9	6.44	8.38	150.4	21.4	1.1	
		09:36:03	25.74	48.99	31.98	96.7	6.58	8.38	164.1	8.5	5.2	
		12:14:24	25.93	48.81	31.85	96.4	6.54	8.24	163.6	7.9	3.9	
		15:14:26	26.23	49.13	32.07	97.6	6.58	8.34	174.2	7.7	4.4	
		18:14:25	26.19	48.94	31.93	99.8	6.74	8.39	176.3	8.3	5.3	
		21:14:27	25.94	48.93	31.93	96.9	6.57	8.28	167.9	170.6	ND	
	日平均值	26.00	49.00	31.98	96.96	6.57	8.35	162.41	31.60	4.85		
	潮口站	00:20:00	26.42	51.86	34.07	88.4	5.88	8.1	40.1	11.6	6.6	
		03:20:01	26.41	52.17	34.3	92.9	6.17	8.17	62.4	2.8	6.9	
		06:19:55	26.29	52.16	34.3	92.2	6.14	8.16	75.9	3.8	10	
		09:20:00	25.96	51.86	34.08	88.8	5.95	8.09	64.6	13	2.2	
		12:19:57	26.13	51.69	33.95	91.8	6.13	8.07	77.1	8	9.6	
		15:19:58	26.6	51.75	33.98	100.1	6.64	8.18	80.1	2.7	5.1	
		18:20:04	26.44	52.18	34.31	97.3	6.46	8.18	84.6	3	1.6	
		21:20:11	26.36	52.05	34.21	95.3	6.34	8.15	90.7	9.8	1.6	
	日平均值	26.33	51.97	34.15	93.35	6.21	8.14	71.94	6.84	5.45		
	灣內站	00:06:59	26.32	49.22	32.13	80.7	5.76	8.11	105	5.5	17.6	
		03:07:03	26.13	50.85	33.34	73.9	5.29	8.15	99.5	ND	10.2	
		06:07:03	25.98	51.69	33.96	78.5	5.59	8.21	113.3	1.2	9.2	
		09:07:05	26.01	51.8	34.04	77.9	5.54	8.2	96.4	1	9.1	
		12:07:05	26.02	51.7	33.97	82.2	5.84	8.07	100.3	ND	6.8	
		15:28:50	26.2	51.46	33.78	75.1	5.02	8.17	181.7	ND	15.2	
		18:07:00	26.09	51.77	34.01	89.9	6.01	8.2	117	16.3	9.5	
		21:07:04	26.01	51.75	34	75.1	5.03	8.28	107	4.1	15.9	
		日平均值	26.10	51.28	33.65	79.16	5.51	8.17	115.03	5.62	11.69	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月5日	蚵殼站	00:14:25	26	48.95	31.94	97.6	6.62	8.31	165	6.8	5.6	
		03:14:26	25.94	48.83	31.86	96.1	6.52	8.32	167.2	6.6	ND	
		06:14:25	25.81	48.69	31.76	96.5	6.57	8.28	170.4	3.5	1.8	
		09:14:27	26.06	48.7	31.76	98.6	6.68	8.3	174.2	3.3	2.6	
		12:14:26	26.3	48.6	31.68	99.1	6.69	8.3	181.7	3.1	3.5	
		15:14:26	26.32	48.97	31.95	97	6.54	8.3	180.3	19.9	ND	
		18:14:26	26.25	48.96	31.94	97	6.54	8.24	185.8	18.4	2.6	
		21:14:29	26.25	48.79	31.82	98.9	6.68	8.32	178.8	11.8	4.6	
		日平均值	26.12	48.81	31.84	97.60	6.61	8.30	175.43	9.18	3.45	
	潮口站	00:20:08	26.24	51.78	34.02	94	6.27	8.12	87.3	4.9	4.9	
		03:20:09	26.36	51.89	34.1	92.5	6.16	8.15	87.9	2.8	3.7	
		06:20:12	26.24	52.17	34.3	94.4	6.28	8.18	92.9	3.7	4.6	
		09:20:20	26.05	51.73	33.98	85.2	5.7	8.06	93.5	12	1.3	
		12:20:18	26.7	51.72	33.96	85.7	5.67	8.05	95.7	9.6	ND	
		15:20:23	26.95	51.39	33.71	96.8	6.39	8.15	94.3	2.8	ND	
		18:20:21	26.65	51.63	33.89	96.4	6.39	8.15	93.9	2	4.8	
		21:20:22	26.53	51.48	33.79	88.2	5.86	8.09	92.1	8.6	6.3	
	日平均值	26.47	51.72	33.97	91.65	6.09	8.12	92.20	5.80	4.27		
	灣內站	00:07:06	25.91	51.69	33.96	75.1	5.04	8.21	98	1.9	12.3	
		03:07:03	25.88	51.78	34.03	75.6	5.03	8.27	90.8	ND	10.1	
		06:07:05	25.89	51.99	34.18	83.4	5.59	8.27	98.2	4.3	12	
		09:07:04	26.01	51.95	34.15	76.8	5.14	8.25	85.6	1.4	10.5	
		12:07:06	26.4	51.79	34.02	75.6	5.03	8.1	90.5	6.7	16.8	
		15:07:04	26.64	51.85	34.06	86.4	5.73	8.17	90	15.6	17.1	
		18:07:06	26.55	51.95	34.14	78	5.17	8.16	89.9	11.2	14	
		21:07:06	26.44	51.99	34.17	79.6	5.29	8.22	86.8	11.1	15.2	
	日平均值	26.22	51.87	34.09	78.81	5.25	8.21	91.23	7.46	13.50		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
4月6日	蚵殼站	00:14:28	26.19	48.76	31.8	99.5	6.72	8.37	173.9	8.2	1.9	
		03:14:22	26.09	48.71	31.77	97.5	6.6	8.32	183.5	1242.2	3	
		06:14:22	26.08	48.55	31.65	97.7	6.62	8.33	181.2	12.8	3	
		09:36:06	26.13	48.46	31.59	98	6.64	8.31	192.9	8.5	1.7	
		12:14:29	26.17	48.42	31.55	99.1	6.71	8.33	178.5	5.8	2.9	
		15:14:29	26.25	48.5	31.61	101.5	6.86	8.35	160.9	1467	8	
		18:14:30	26.15	48.61	31.69	101.7	6.89	8.37	179.1	5.7	4.1	
		21:14:28	26.08	48.53	31.64	98.7	6.69	8.32	185.7	4.4	2.4	
	日平均值	26.14	48.57	31.66	99.21	6.72	8.34	179.46	344.33	3.38		
	潮口站	00:20:21	26.53	51.51	33.81	91.6	6.09	8.11	93.4	6.5	5.3	
		03:20:28	26.31	52	34.18	96.1	6.39	8.16	97.2	1.8	2.5	
		06:20:26	26.31	51.99	34.17	96.2	6.4	8.17	98.8	1.4	3.3	
		09:20:30	26.31	51.79	34.02	92.2	6.14	8.12	100	9.2	ND	
		12:20:32	26.33	51.8	34.03	85.8	5.72	8.05	97.8	18.8	4	
		15:20:33	26.4	51.92	34.12	96.1	6.39	8.17	101	2.7	3.1	
		18:20:29	26.17	51.87	34.09	95.9	6.4	8.17	106.5	2.3	5	
		21:20:34	26.17	51.7	33.96	94.6	6.32	8.15	99.1	8.4	8.8	
	日平均值	26.32	51.82	34.05	93.56	6.23	8.14	99.23	6.39	4.57		
	灣內站	00:07:06	26.42	51.84	34.06	8.39	5.91	8.17	92.2	4.3	5.7	
		03:07:06	26.35	51.58	33.87	78.8	5.58	8.21	94.4	8.8	6.8	
		06:07:05	26.22	51.81	34.04	82.9	5.86	8.27	106.4	2.9	9.2	
		09:07:05	26.16	51.59	33.88	76.4	5.43	8.07	100.5	13.8	6.5	
		12:07:05	26.2	51.64	33.92	81.5	5.78	8.26	97.7	6	8.6	
		15:28:50	26.26	51.67	33.94	78.5	5.57	8.16	142.5	3	12.8	
		18:07:06	26.23	51.91	34.12	84	5.93	8.1	103.6	3.2	7.6	
		21:06:58	26.27	51.58	33.87	83.6	5.91	8.15	102.2	4	21.1	
		日平均值	26.26	51.70	33.96	71.76	5.75	8.17	104.94	5.75	9.79	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
4月7日	蚵殼站	00:14:29	25.96	48.48	31.6	98.9	6.72	8.39	175.4	7.2	3.3	
		03:14:30	25.91	48.59	31.68	97.9	6.65	8.36	190.4	5.8	8.8	
		06:14:29	25.79	48.63	31.71	98.7	6.72	8.38	185.7	8.6	ND	
		09:14:30	25.72	47.78	31.1	98.2	6.72	8.26	182.4	5.2	5.7	
		12:44:30	25.91	48.51	31.63	97	6.6	8.31	174.3	7	4.6	
		15:14:32	25.8	48.64	31.72	97	6.61	8.41	149.1	6.8	4.7	
		18:14:28	25.65	47.86	31.16	99.5	6.81	8.41	153.6	6.9	6.1	
		21:14:29	25.66	48.22	31.42	97.7	6.68	8.33	148.5	5.6	4.1	
	日平均值	25.80	48.34	31.50	98.11	6.69	8.36	169.93	6.64	5.33		
	潮口站	00:20:37	26.15	51.54	33.84	91.7	6.13	8.12	109.1	8.5	1.7	
		03:20:35	26.04	51.27	33.65	93.4	6.26	8.14	104.8	4.5	4.4	
		06:20:41	25.8	52.12	34.28	91.7	6.15	8.15	101.5	3.6	3.5	
		09:20:41	25.91	51.64	33.93	88.9	5.96	8.12	105.2	11.5	5.7	
		12:20:38	26.04	51.4	33.74	94.3	6.32	8.1	100.9	7.5	12	
		15:20:46	26.04	51.46	33.79	92.1	6.17	8.08	102.1	12.4	8.2	
		18:20:41	25.97	51.72	33.98	95.9	6.43	8.18	110.9	2.3	4.5	
		21:20:49	25.84	51.75	34.01	96.7	6.49	8.16	105.8	5.1	3	
	日平均值	25.97	51.61	33.90	93.09	6.24	8.13	105.04	6.93	5.38		
	灣內站	00:07:05	26	51.35	33.71	69.4	5.66	8.25	100.8	2	15.6	
		03:06:59	26.07	51.52	33.83	60.6	5.06	8.12	99.5	1.8	10.5	
		06:07:04	25.64	51.18	33.59	69.2	5.67	8.14	105.1	5	10.2	
		09:07:05	26.04	51.81	34.04	64.6	5.32	8.02	104.3	2.7	8.8	
		12:07:07	25.97	51.68	33.95	68.2	5.57	8.07	102.8	1.3	5.9	
		15:07:07	25.74	49.79	32.57	69.9	5.74	8.07	100.7	5.9	20.1	
		18:07:06	25.77	51.2	33.6	67	5.52	8.18	99.5	3.6	16.7	
		21:07:05	25.63	51.54	33.86	83	5.6	8.11	98.9	3.5	15.4	
	日平均值	25.86	51.26	33.64	68.99	5.52	8.12	101.45	3.23	12.90		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
4月8日	蚵殼站	00:14:30	25.7	48.32	31.49	96	6.56	8.24	177.1	8.5	8.7	
		03:14:31	25.59	48.3	31.48	96.9	6.63	8.29	164.2	7.5	2.6	
		06:14:31	25.3	48.2	31.41	94.4	6.49	8.29	170.2	7	5.6	
		09:36:09	25.77	48.35	31.51	97.1	6.62	8.26	198.8	9.5	6.5	
		12:14:31	26.12	48.35	31.5	96.8	6.56	8.27	180.8	11.2	2.8	
		15:14:31	26.16	48.57	31.66	97.5	6.6	8.32	178.4	14.3	4.1	
		18:07:57	26.23	48.55	31.64	97.2	6.57	8.32	186.2	15	5.7	
		21:16:19	26.18	48.56	31.65	101.2	6.85	8.33	158	8.1	9.1	
	日平均值		25.88	48.40	31.54	97.14	6.61	8.29	176.71	10.14	5.64	
	潮口站	00:20:48	25.74	51.43	33.77	90.5	6.09	8.09	108.5	8.7	8.6	
		03:20:49	25.72	51.56	33.87	90.7	6.1	8.09	104	6.4	ND	
		06:20:47	25.53	51.83	34.08	93.3	6.29	8.17	104.2	3.4	2.1	
		09:20:53	25.88	51.63	33.92	93.2	6.26	8.14	106.5	5.5	1.4	
		12:20:58	26.22	51.5	33.81	88.7	5.93	8.08	104.2	21.9	4.9	
		15:20:57	26.25	51.37	33.71	83.8	5.6	8.05	100.9	18.5	9.1	
		18:20:56	26.08	51.55	33.85	91.5	6.12	8.11	103.5	5.3	ND	
		21:21:03	26.34	51.66	33.93	94.9	6.32	8.15	107.3	2.7	1.5	
	日平均值		25.97	51.57	33.87	90.83	6.09	8.11	104.89	9.05	4.60	
	灣內站	00:07:05	25.5	51.62	33.92	75.7	5.44	8.12	97	2.9	10.5	
		03:07:05	25.56	51.92	34.14	74.5	5.35	8.29	94.4	9	10.7	
		06:07:06	25.35	51.98	34.19	82.7	5.91	8.4	94.6	3.7	11.1	
		09:07:05	25.73	51.83	34.07	79.5	5.34	8.21	91.4	1.5	16	
		12:07:06	26.46	51.91	34.11	81	5.38	8.19	96.6	ND	18.4	
		15:28:51	27.21	51.58	33.84	71.3	4.68	8.19	143.2	3.5	15.8	
		18:07:06	27.04	51.88	34.07	89.5	5.89	8.1	108.7	3	15.7	
		21:07:06	26.94	51.83	34.03	88.9	5.86	8.1	109.6	9.5	17.7	
		日平均值		26.22	51.82	34.05	80.39	5.48	8.20	104.44	4.73	14.49
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
4月9日	蚵殼站	00:16:20	26.28	48.33	31.48	99.6	6.73	8.36	185.2	6.9	11.9	
		03:16:20	26.17	48.21	31.4	98.9	6.7	8.36	181.1	4.9	12.5	
		06:16:19	25.94	48.1	31.32	98.7	6.72	8.37	170.6	16.2	12.1	
		09:16:20	26.23	48.12	31.33	101.5	6.87	8.34	170.7	19.1	11.5	
		12:16:19	26.3	48.25	31.43	98.4	6.65	8.33	184	11	7.3	
		15:16:21	26.23	48.42	31.55	97	6.56	8.3	170.4	18	1.7	
		18:16:21	26.34	48.48	31.59	100.1	6.76	8.33	172.7	6.5	7.6	
		21:16:14	26.28	48.36	31.51	103.5	7	8.38	174.1	1516.4	16.6	
		日平均值		26.22	48.28	31.45	99.71	6.75	8.35	176.10	199.88	10.15
	潮口站	00:21:02	26.24	51.34	33.7	90.5	6.04	8.07	102.2	10.8	6.1	
		03:21:02	26.18	51.34	33.69	88.8	5.94	8.07	102.3	10.1	2.8	
		06:21:00	25.69	51.69	33.96	92.3	6.21	8.16	107.3	3.6	ND	
		09:21:07	26.03	51.5	33.82	95.2	6.38	8.15	105.4	2.4	ND	
		12:21:05	26.17	51.4	33.74	93	6.22	8.1	113.3	19.9	6.3	
		15:21:07	26.59	51.33	33.68	98	6.51	8.1	110.1	16.7	6.4	
		18:21:06	26.1	51.41	33.75	91.9	6.16	8.11	106.9	5.3	3.4	
		21:21:06	26.33	51.13	33.53	92.6	6.19	8.14	107.4	3.4	8.6	
	日平均值		26.17	51.39	33.73	92.79	6.21	8.11	106.86	9.03	5.60	
	灣內站	00:07:00	26.87	51.77	33.99	87.2	5.76	8.22	107.3	1.5	24.7	
		03:07:06	26.51	51.72	33.97	73.6	4.89	8.34	109.4	7.3	21.4	
		06:07:05	26.19	51.94	34.13	79.7	5.32	8.42	107.6	8.6	17.8	
		09:07:06	26.56	51.95	34.14	87.5	5.8	8.12	111.2	3.8	17.1	
		12:07:07	27.28	51.93	34.1	88.8	5.82	8.2	110.7	1.7	23.9	
		15:07:07	27.42	51.84	34.03	99.3	6.49	8.23	108	2.2	40.1	
		18:07:08	27.47	51.92	34.09	99.4	6.49	8.23	105.2	6.7	37.7	
		21:07:07	27.07	51.92	34.1	93.6	6.15	8.27	107.7	4.1	41.3	
		日平均值		26.92	51.87	34.07	88.64	5.84	8.25	108.39	4.49	28.00
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月10日	蚵殼站	00:16:21	26.67	48.27	31.43	104.5	7.02	8.45	159	4.3	27	
		03:16:21	26.76	48.27	31.43	104.7	7.02	8.45	162.6	3.2	23.7	
		06:16:16	26.58	47.97	31.22	102.3	6.89	8.45	183.3	22.9	18.6	
		09:16:22	26.71	47.97	31.21	102.4	6.88	8.41	170.3	28.7	19.3	
		12:16:22	27.73	47.76	31.03	114.4	7.57	8.44	167.4	52.8	13.6	
		15:16:22	26.59	48.3	31.46	99.5	6.69	8.37	173.1	16.5	9.5	
		18:08:01	26.57	48.24	31.41	101.3	6.82	8.38	189.9	9.5	10.5	
		21:16:22	26.82	48.09	31.3	102.4	6.87	8.44	173.7	557.3	14.5	
	日平均值	26.80	48.11	31.31	103.94	6.97	8.42	172.41	86.90	17.09		
	潮口站	00:21:10	26.2	51.11	33.53	94.9	6.35	8.11	107.3	7.2	5.2	
		03:21:14	26.21	51.04	33.48	92.3	6.18	8.11	109.4	6.7	4.4	
		06:21:11	25.76	51.48	33.81	91.9	6.18	8.14	112.2	3.6	4.5	
		09:21:16	26.17	51.18	33.58	98.1	6.57	8.13	116.8	2.6	5.3	
		14:25:36	28.28	51.84	34	106.7	6.88	8.3	146.8	19	11.1	
		16:07:09	27.42	51.79	34	119.7	7.83	8.41	123.9	13.8	23.7	
		18:07:01	27.39	51.87	34.06	112	7.33	8.41	116.5	8.8	18	
		21:07:07	26.73	52.23	34.34	111.9	7.39	8.42	109.6	3.4	6.6	
	日平均值	26.77	51.57	33.85	103.44	6.84	8.25	117.81	8.14	9.85		
	灣內站	00:07:06	27.21	51.57	33.84	88.7	5.83	8.33	109.8	5.2	32.6	
		03:07:07	27.09	51.63	33.88	87.1	5.73	8.21	110	1.9	34.1	
		06:07:01	26.76	51.85	34.05	82.2	5.43	8.37	106.9	3.6	25.7	
		09:07:02	26.72	51.94	34.13	90.3	5.97	8.28	107.3	0.9	22.2	
		12:07:08	27.96	52.06	34.18	95.2	6.16	8.15	111.9	0.2	15.8	
		15:28:52	28.02	51.67	33.89	84.2	5.46	8.27	142.8	8.3	33.3	
		18:07:07	27.09	51.97	34.14	88.2	5.8	8.13	117.5	7.9	30	
		21:07:08	26.9	51.98	34.15	85.9	5.66	8.15	119.1	6.8	29.3	
	日平均值	27.22	51.83	34.03	87.73	5.76	8.24	115.66	4.35	27.88		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月11日	蚵殼站	00:16:24	26.99	47.98	31.21	104.4	6.98	8.49	171.3	6.7	8.4	
		03:16:24	27.21	47.96	31.19	101	6.74	8.48	177.7	6.3	6.2	
		06:16:24	27.02	47.95	31.19	101.2	6.77	8.49	179.5	4	4.7	
		09:16:24	27.58	47.78	31.05	102.6	6.8	8.43	156.6	6.3	4.6	
		12:16:24	27.93	47.83	31.07	101.7	6.7	8.42	173.6	15.5	7.1	
		15:11:44	27.63	47.99	31.2	100.6	6.66	8.44	175	6.3	5.2	
		18:11:43	27.63	47.58	30.9	104.6	6.94	8.43	163.5	3.6	4	
		21:11:43	28.07	47.56	30.88	102.6	6.75	8.45	179.1	2.3	5	
	日平均值	27.51	47.83	31.09	102.34	6.79	8.45	172.04	6.38	5.65		
	潮口站	00:07:08	26.9	52.12	34.25	104.2	6.86	8.38	106.9	5.1	3.4	
		03:07:08	26.68	52.28	34.37	106.2	7.01	8.4	103.2	7.8	10.1	
		06:07:07	25.93	52.57	34.61	101.9	6.81	8.4	99.4	4.3	6	
		09:07:07	25.76	52.8	34.79	103.5	6.93	8.36	102.8	3.6	4.7	
		12:07:06	27.15	52.57	34.58	102.6	6.72	8.39	97.1	4.1	6.3	
		15:07:07	27.82	52.62	34.6	109.2	7.07	8.4	105	7.1	7.3	
		18:07:05	27.91	52.71	34.66	108.7	7.03	8.39	103	4.4	4.8	
		21:07:05	26.58	52.6	34.62	98.4	6.5	8.37	103.1	1.6	8.3	
	日平均值	26.84	52.53	34.56	104.34	6.87	8.39	102.56	4.75	6.36		
	灣內站	00:07:08	26.43	52.18	34.31	82.9	5.5	8.12	121.5	8.7	26.1	
		03:07:08	26.25	52.2	34.33	83.5	5.56	8.08	121.5	7.3	16.5	
		06:07:08	26.55	51.84	34.05	85.3	5.77	8.28	120.3	5.6	13.1	
		09:07:08	27.03	52.02	34.17	90.9	5.98	8.1	117.8	2.8	10	
		12:07:07	28.02	52.08	34.19	83.6	5.41	8.14	126.4	ND	8.6	
		15:07:53	28.34	52.27	34.32	89.7	5.94	8.24	117.2	ND	14.9	
		18:07:53	28.48	52.33	34.36	93.6	6	8.16	120.7	0.8	13.6	
		21:07:54	28.57	52.15	34.22	85.6	5.49	8.2	119.6	0.6	12.5	
	日平均值	27.46	52.13	34.24	86.89	5.71	8.17	120.63	4.30	14.41		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
4月12日	蚵殼站	00:11:48	27.95	47.58	30.9	101.4	6.69	8.44	186	1.6	1.3	
		03:11:45	27.73	47.23	30.64	102.6	6.8	8.47	183.5	1.8	2.6	
		06:11:39	27.65	47.42	30.79	103.6	6.88	8.49	174.7	ND	ND	
		09:11:45	27.78	47.33	30.71	106.2	7.03	8.38	176.6	ND	ND	
		12:17:03	28.04	51.21	33.54	104.3	6.77	8.31	167.3	1575.5	5.1	
		15:17:06	27.97	51.34	33.65	107.6	6.99	8.39	159.8	3.1	6.1	
		18:17:03	28.26	51.21	33.54	115.5	7.47	8.41	142.5	6.2	ND	
		21:17:05	28.8	51.02	33.38	121.2	7.77	8.45	153.1	32.3	2.7	
	日平均值	28.02	49.29	32.14	107.80	7.05	8.42	167.94	270.08	3.56		
	潮口站	00:07:10	26.76	52.95	34.87	101.3	6.67	8.39	101.5	1.5	8.2	
		03:07:06	27.85	52.84	34.76	107.6	6.95	8.39	101	4.4	ND	
		06:07:05	26.39	52.71	34.71	98.9	6.56	8.39	99.7	2.1	2.2	
		09:07:07	25.45	53.29	35.15	96.6	6.49	8.35	99	2.2	1.6	
		12:33:37	26.92	53.02	34.91	105.3	6.91	8.4	146.5	3.8	ND	
		15:42:28	28.46	53.14	34.96	112.9	7.22	8.36	27.9	9.6	86.9	
		18:12:33	28.1	53.2	35.01	96	6.18	8.33	121.7	5.7	5.3	
		21:12:26	28.94	53.26	35.03	102.3	6.49	8.36	110.9	3.5	3.3	
	日平均值	27.36	53.05	34.93	102.61	6.68	8.37	101.03	4.10	17.92		
	灣內站	00:07:58	28.49	52.29	34.33	81.6	5.23	8.16	115.2	ND	7.8	
		03:07:54	28.14	52.2	34.27	87.2	5.62	8.21	120.8	ND	8.4	
		06:07:54	27.5	52.37	34.42	79.3	5.17	8.3	121.1	ND	10.4	
		09:07:54	27.94	52.31	34.37	94.1	6.09	8.01	116.4	ND	8.3	
		12:07:53	28.72	52.37	34.38	82.7	5.37	8.06	120.3	ND	7.3	
		15:21:41	29.88	51.64	33.8	101.6	6.39	8.29	186.5	ND	48	
		18:29:56	29.71	51.86	33.97	135.3	8.53	8.41	107.5	ND	6.4	
		21:29:54	29.86	49.19	32.01	97.3	6.18	8.25	117.1	4.8	27.4	
	日平均值	28.78	51.78	33.94	94.89	6.07	8.21	125.61	4.80	15.50		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
4月13日	蚵殼站	00:17:04	28.62	51.15	33.48	110.9	7.13	8.45	144.9	3.8	2.7	
		03:17:06	28.4	50.91	33.31	110.7	7.15	8.47	141.4	6	1.3	
		06:17:05	28	50.86	33.29	111.5	7.25	8.48	144.7	14.9	ND	
		09:17:06	28.13	50.88	33.3	114.7	7.44	8.41	145	15.1	3.2	
		12:17:06	28.76	50.82	33.24	122.2	7.85	8.45	155.3	215.6	6	
		15:17:04	27.89	51.19	33.54	117.9	7.67	8.45	143	16	2.3	
		18:17:05	28.22	51.21	33.54	116	7.51	8.46	157.5	ND	6.6	
		21:17:06	28.03	0.421	0.2	100.2	7.83	8.29	143.5	ND	ND	
	日平均值	28.26	44.68	29.24	113.01	7.48	8.43	146.91	45.23	3.68		
	潮口站	00:12:30	26.94	53.46	35.25	100.9	6.61	8.35	108.8	1.3	1.6	
		03:12:31	28.12	53.33	35.11	100.7	6.47	8.39	107.8	1.7	1.5	
		06:12:32	28.07	53.33	35.12	100.1	6.44	8.38	103.4	2	3.5	
		09:12:32	26.53	53.32	35.15	101.2	6.67	8.41	102.7	1.7	1.6	
		12:12:31	26.54	53.44	35.24	108.4	7.14	8.39	110.5	1.3	4.8	
		15:12:23	26.9	53.46	35.24	112.1	7.34	8.42	106.4	3.7	11.4	
		18:12:29	27.4	53.45	35.22	105.9	6.88	8.4	109	5.5	14	
		21:12:29	27.53	53.45	35.22	102.7	6.66	8.41	98.7	4.1	11.7	
	日平均值	27.25	53.41	35.19	104.00	6.78	8.39	105.91	2.66	6.26		
	灣內站	00:29:56	29.45	51.6	33.79	100.7	6.38	8.29	115.9	ND	9.6	
		03:29:54	28.54	51.81	33.98	92.9	5.97	8.29	110	ND	2.8	
		06:29:55	28.13	51.84	34.01	96.8	6.26	8.3	107.1	ND	3.7	
		09:29:56	28.48	51.72	33.91	101.2	6.51	8.28	74.6	ND	3.9	
		12:29:55	29.33	51.8	33.94	119	7.55	8.36	81.2	ND	3.9	
		15:29:56	29.48	51.84	33.96	129.1	8.17	8.4	81.1	3.4	10.9	
		18:29:57	29.34	51.81	33.95	123.8	7.85	8.41	95.7	8	12.1	
		21:29:58	29.2	51.85	33.98	120	7.62	8.4	98.3	4.9	6.4	
	日平均值	28.99	51.78	33.94	110.44	7.04	8.34	95.49	5.43	6.66		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月14日	蚵殼站	00:17:05	27.82	0.459	0.22	100.3	7.87	8.28	141.1	ND	ND	
		03:17:07	27.57	0.452	0.22	99.9	7.87	8.31	135.9	ND	ND	
		06:17:07	27.13	0.473	0.23	100.1	7.95	8.31	141.7	ND	ND	
		09:17:06	27.59	0.483	0.23	100.1	7.88	8.26	120.8	ND	ND	
		12:17:07	28.95	51.18	33.49	125.1	8	8.49	140.5	20.4	7.8	
		15:17:06	28.84	51.05	33.41	133	8.53	8.43	140.7	10.4	7.5	
		18:17:08	28.94	51.11	33.44	135.4	8.67	8.39	146.1	2.3	12.8	
		21:17:03	28.84	50.98	33.35	125.4	8.04	8.38	155.4	64.3	8.9	
	日平均值	28.21	25.77	16.82	114.91	8.10	8.36	140.28	24.35	9.25		
	潮口站	00:12:29	26.59	53.52	35.3	94.9	6.25	8.38	101.6	2.8	6.4	
		03:12:29	25.91	53.66	35.42	92.6	6.16	8.38	97.1	1.5	ND	
		06:12:29	26.65	53.58	35.34	99.3	6.53	8.37	106.2	1.8	7.3	
		09:12:23	26.38	53.58	35.35	94.3	6.23	8.38	92.3	1.6	8.5	
		12:12:29	26	53.76	35.5	91.5	6.08	8.33	95.2	2	6.1	
		15:12:28	26.65	53.65	35.39	100.3	6.59	8.37	99.9	3.5	2.9	
		18:12:29	27.82	53.6	35.33	109	7.03	8.45	101.9	5.2	8.4	
		21:12:29	28.48	53.84	35.48	106.2	6.77	8.41	102.4	8	2.2	
	日平均值	26.81	53.65	35.39	98.51	6.46	8.38	99.58	3.30	5.97		
	灣內站	00:29:57	28.97	51.77	33.93	114.2	7.28	8.38	95.7	2.5	6.4	
		03:29:57	28.66	51.83	33.98	107.5	6.89	8.36	95.9	3.4	8.6	
		06:29:57	28.51	51.79	33.96	100.9	6.48	8.35	98.9	2.5	6.2	
		09:29:52	28.88	51.84	33.98	108.3	6.92	8.37	96.4	ND	4.9	
		12:29:58	29.31	51.78	33.93	123.1	7.81	8.41	96	ND	5.1	
		15:21:40	29.58	51.74	33.89	131.4	8.3	8.47	136.6	3.7	18.3	
		18:29:58	30.08	51.75	33.88	142.3	8.92	8.45	109.3	3.7	12.4	
		21:29:56	30.03	51.64	33.8	142.9	8.96	8.43	105.3	3.3	10.6	
	日平均值	29.25	51.77	33.92	121.33	7.70	8.40	104.26	3.18	9.06		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月15日	蚵殼站	00:17:07	28.8	50.54	33.03	124.8	8.02	8.38	156.7	186.7	4.3	
		03:17:08	28.6	50.13	32.74	121.3	7.84	8.37	155.3	19.5	12.5	
		06:17:08	28.7	49.85	32.53	119.5	7.72	8.39	149	34.9	16	
		09:17:09	29.02	50.19	32.77	130.8	8.39	8.4	156.1	71.1	19.6	
		12:17:10	28.83	50.16	32.75	126.3	8.13	8.37	155	7.5	16	
		15:17:10	28.44	50.58	33.07	120.8	7.81	8.29	152.6	45	12.7	
		18:17:07	28.67	50.52	33.02	121.9	7.85	8.29	156.9	26.8	14.7	
		21:17:11	28.8	50.26	32.83	122.6	7.89	8.33	160.1	188.5	15.7	
	日平均值	28.73	50.28	32.84	123.50	7.96	8.35	155.21	72.50	13.94		
	潮口站	00:12:28	26.56	53.69	35.43	102.8	6.76	8.39	99.7	2.5	8.5	
		03:12:27	26.43	53.78	35.49	93.1	6.14	8.38	101.4	1.5	5.7	
		06:12:27	27.43	53.74	35.44	102.9	6.67	8.45	100	3.3	7.6	
		09:12:28	28.17	53.61	35.32	115	7.38	8.43	99.9	2.3	8.1	
		12:12:28	26.9	53.75	35.46	109.1	7.14	8.37	101.2	2.4	7.8	
		15:12:28	27.11	53.7	35.42	98.6	6.43	8.39	96.4	4.2	2	
		18:12:26	27.42	53.75	35.44	97.6	6.33	8.42	92.7	8.9	4.9	
		21:12:28	27.95	53.68	35.37	107.5	6.91	8.48	108.6	4.4	9.8	
	日平均值	27.25	53.71	35.42	103.33	6.72	8.41	99.99	3.69	6.80		
	灣內站	00:29:57	29.87	51.4	33.63	120.9	7.61	8.41	103	5.2	22.5	
		03:29:57	29.57	51.73	33.88	126.2	7.98	8.49	103.4	ND	10.7	
		06:29:52	29.19	51.85	33.98	118.1	7.5	8.47	108.9	ND	11.5	
		09:29:58	29.6	51.92	34.02	125.1	7.9	8.44	109.4	ND	11.7	
		12:29:59	29.82	51.89	33.99	132.3	8.32	8.46	88	ND	9	
		15:29:58	29.71	51.97	34.05	123.3	7.76	8.49	101.6	4.8	7.9	
		18:29:51	29.68	51.99	34.07	117.4	7.4	8.47	103	8.6	5.8	
		21:29:57	29.46	51.98	34.07	102.2	6.46	8.39	101.2	3.3	4.4	
	日平均值	29.61	51.84	33.96	120.69	7.62	8.45	102.31	5.48	10.44		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月16日	蚵殼站	00:17:09	28.7	50.19	32.78	119	7.67	8.34	157.3	73.3	10	
		03:17:10	28.51	50.29	32.86	110.6	7.15	8.35	158.5	61.4	9.7	
		06:17:10	28.31	50.09	32.72	107.6	6.99	8.33	154	91.8	4.8	
		09:17:12	28.42	50.13	32.74	110.8	7.18	8.33	152.3	38.9	11.3	
		12:17:12	28.88	50.17	32.75	120.8	7.77	8.37	162.8	1.2	10.9	
		15:17:11	28.84	50.26	32.82	114.7	7.38	8.32	158.3	54.7	13.7	
		18:17:11	28.99	50.27	32.83	112.2	7.2	8.38	155	2.1	10.5	
		21:17:12	28.79	50.21	32.79	115.3	7.42	8.37	159.8	7.2	12.4	
	日平均值	28.68	50.20	32.79	113.88	7.35	8.35	157.25	41.33	10.41		
	潮口站	00:12:25	28	53.6	35.32	106.6	6.86	8.45	107.1	3.6	12	
		03:12:26	26.44	53.89	35.58	95.6	6.3	8.41	107	2.2	6.6	
		06:12:26	26.8	53.81	35.51	99.9	6.55	8.43	100.1	2.4	10.4	
		09:12:28	27.45	53.77	35.46	86.7	5.62	8.4	89.9	3.6	5	
		12:12:27	27.23	53.81	35.5	95	6.18	8.38	96.6	2.7	3.2	
		15:12:25	26.97	53.74	35.45	100.6	6.57	8.39	101	1.8	9.9	
		18:12:25	27.14	53.78	35.48	96.3	6.28	8.41	104.5	6.5	11.6	
		21:12:26	27.96	53.82	35.48	107.6	6.92	8.4	120	3.5	8.5	
	日平均值	27.25	53.78	35.47	98.54	6.41	8.41	103.28	3.29	8.40		
	灣內站	00:29:57	29.29	52.01	34.1	107.2	6.79	8.42	97.5	3.7	7.4	
		03:29:59	28.98	51.86	33.99	108.2	6.9	8.46	102	1.5	14.2	
		06:29:58	28.83	51.83	33.98	104.6	6.68	8.43	98.1	1.2	10.2	
		09:29:58	29.04	51.75	33.91	93	5.92	8.42	84.9	ND	5.8	
		12:30:00	29.45	51.77	33.92	109.7	6.95	8.47	88.1	1.6	10.3	
		15:21:43	29.41	51.68	33.85	114.3	7.24	8.48	115.3	2.6	13.8	
		18:29:58	29.36	51.8	33.94	102.6	6.5	8.46	93.4	4.2	7.2	
		21:29:58	29.74	51.86	33.97	105.2	6.63	8.45	91.4	7.7	11	
	日平均值	29.26	51.82	33.96	105.60	6.70	8.45	96.34	3.21	9.99		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月17日	蚵殼站	00:17:11	28.73	50.39	32.92	114.3	7.36	8.11	160.6	12.9	11.2	
		03:17:12	28.61	50.67	33.13	107.8	6.95	8.09	163.2	18.4	5.8	
		06:17:12	28.68	50.47	32.98	100	6.44	8.09	157.4	2.3	5.4	
		09:17:13	28.16	50.44	32.97	97.7	6.35	8.09	152.3	19.7	4.2	
		12:17:14	28.34	50.16	32.77	104.6	6.79	8.03	150.9	12.4	10.9	
		15:17:14	28.01	50.33	32.9	99.6	6.49	8.02	155.2	3.5	5.8	
		18:17:06	28.11	50.07	32.71	104.8	6.82	8.06	164.2	ND	10.2	
		21:17:13	28.04	50.76	33.22	108.1	7.03	8.07	163	9.9	6.9	
	日平均值	28.34	50.41	32.95	104.61	6.78	8.07	158.35	11.30	7.55		
	潮口站	00:12:24	28.17	53.72	35.4	105.6	6.77	8.48	102.8	4.2	4.3	
		03:12:24	26.02	54.13	35.76	85.7	5.68	8.37	89	2.2	4.1	
		06:12:25	26.71	53.99	35.65	88.9	5.83	8.39	89.1	2.3	ND	
		09:12:25	27.92	53.59	35.31	105	6.76	8.56	120	2.8	9.6	
		12:12:25	27.71	53.43	35.2	90.3	5.84	8.49	89.1	6.2	10.8	
		15:12:25	26.56	53.67	35.41	104.5	6.88	8.45	112.6	2	9.1	
		18:12:16	27.03	53.67	35.4	106.5	6.96	8.47	114.7	3.4	12.1	
		21:12:16	27.77	53.07	34.93	107.6	6.96	8.47	104.9	5	10.7	
	日平均值	27.24	53.66	35.38	99.26	6.46	8.46	102.78	3.51	8.67		
	灣內站	00:00:00	29.28	51.4	33.65	107	6.8	8.46	98.3	3.2	15.8	
		03:00:00	29.27	51.19	33.49	98.5	6.27	8.39	99.6	3.3	13.2	
		06:00:00	29.15	51.44	33.68	95.9	6.11	8.43	110.6	2.9	12.8	
		09:29:59	28.85	51.44	33.69	95	6.08	8.46	93.8	2.6	9.6	
		12:00:00	28.96	51.38	33.64	85	5.43	8.37	90.1	3.6	14.3	
		15:00:00	28.74	51.39	33.66	99.8	6.4	8.46	95.7	2.6	16	
		18:00:00	28.64	51.26	33.56	101.9	6.55	8.4	97.9	2.3	17.6	
		21:29:59	28.53	51.24	33.55	86.7	5.58	8.4	101.2	3.2	11.9	
	日平均值	28.93	51.34	33.62	96.23	6.15	8.42	98.40	2.96	13.90		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月18日	蚵殼站	00:17:14	27.83	50.53	33.05	102.5	6.69	8.38	160.8	45.8	9.1	
		03:17:13	27.68	50.89	33.32	98.5	6.44	8.41	156.7	19.7	6.4	
		06:17:14	27.59	50.46	33.01	94.5	6.2	8.49	172.5	2.4	ND	
		09:17:14	27.85	50.27	32.86	96.9	6.33	8.45	146.9	1.7	12.2	
		12:17:15	28.36	50.72	33.18	110.4	7.15	8.49	153	3.8	10.5	
		15:17:16	28.62	50.89	33.29	102.6	6.6	8.46	151.4	1.7	6.7	
		18:17:14	28.47	50.88	33.29	107.7	6.95	8.45	170.1	ND	3	
		21:17:14	28.29	50.71	33.17	110.9	7.18	8.47	178.7	5.8	5.7	
	日平均值		28.09	50.67	33.15	103.00	6.69	8.45	161.26	11.56	7.66	
	潮口站	00:12:23	27.44	53.32	35.12	98.8	6.42	8.48	90.5	7.6	4.8	
		03:12:16	26.29	53.9	35.59	94.4	6.24	8.39	102.9	2	7.6	
		06:12:23	26.41	53.77	35.49	93.9	6.19	8.41	94.8	1.8	2.1	
		09:12:23	27.39	53.45	35.23	93.3	6.06	8.46	93.3	6.1	9.5	
		12:12:16	27.87	53.39	35.16	99.7	6.43	8.45	96.9	8.6	6.3	
		15:12:22	27.19	53.82	35.5	93.7	6.1	8.4	92.7	3.2	3.9	
		18:12:20	27.16	53.87	35.54	95.2	6.2	8.39	99.3	2.4	4.5	
		21:12:23	27.55	53.68	35.39	101.1	6.55	8.43	121	4.8	12.9	
	日平均值		27.16	53.65	35.38	96.26	6.27	8.43	98.93	4.56	6.45	
	灣內站	00:30:01	28.24	51.33	33.63	87.4	5.65	8.36	95.7	2.4	17.8	
		03:30:00	28.11	51.47	33.74	73.6	4.76	8.28	93.1	1.6	4.6	
		06:00:00	27.91	51.41	33.7	82.9	5.39	8.33	98.1	1.4	8.1	
		09:30:01	28.53	51.13	33.47	85.4	5.5	8.32	97.7	1.1	11.2	
		12:29:59	29.01	50.93	33.31	106.7	6.82	8.33	105	1.4	23	
		15:21:45	29.56	50.95	33.31	128	8.11	8.39	129.5	2	19.1	
		18:29:53	29.49	51.1	33.42	133.4	8.46	8.39	112.2	1.6	15.5	
		21:00:01	29.38	50.95	33.31	129.7	8.25	8.37	112.2	2.7	26.6	
	日平均值		28.78	51.16	33.49	103.39	6.62	8.35	105.44	1.78	15.74	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月19日	蚵殼站	00:17:15	28.23	50.87	33.29	100.4	6.51	8.43	197.9	5.5	6.2	
		03:17:16	28.14	50.56	33.06	102.6	6.67	8.42	174	11.6	6.2	
		06:17:16	28.11	50.63	33.12	110.7	7.19	8.44	171.5	4.4	7.8	
		09:17:16	28.47	50.08	32.71	108.1	7	8.4	177.7	6.6	7.3	
		12:17:09	28.82	50.05	32.67	117.5	7.57	8.38	164.1	9.2	4.3	
		15:17:14	28.1	50.72	33.19	95.9	6.23	8.37	170	527.9	3.2	
		18:17:15	27.72	51.02	33.42	83.6	5.46	8.31	181	2.7	2.5	
		21:17:16	28.12	50.78	33.23	98.1	6.37	8.4	175.7	15.8	3	
	日平均值		28.21	50.59	33.09	102.11	6.63	8.39	176.49	72.96	5.06	
	潮口站	00:12:15	28.16	53.56	35.28	99	6.35	8.43	100	5.9	3.4	
		03:12:22	26.62	53.92	35.6	90.3	5.93	8.37	107.8	2.2	4.3	
		06:12:21	26.87	53.91	35.58	89.7	5.87	8.38	98.8	3.5	ND	
		09:12:20	27.98	53.47	35.22	101.7	6.55	8.44	115.2	7.1	8.9	
		12:12:21	27.54	53.75	35.44	87.3	5.65	8.37	92.8	11.2	2.8	
		15:12:20	27.2	52.41	34.46	103.9	6.8	8.37	94.1	2	10.7	
		18:12:20	27.33	53.89	35.56	93.4	6.06	8.39	95.1	2.5	5	
		21:12:19	27.25	53.57	35.31	91	5.92	8.36	90.3	5.8	10.3	
	日平均值		27.37	53.56	35.31	94.54	6.14	8.39	99.26	5.03	6.49	
	灣內站	00:00:02	29.08	51.05	33.4	127.5	8.14	8.44	117.5	1.6	15.6	
		03:30:00	28.85	51.18	33.5	102.9	6.59	8.37	122.9	1	10.9	
		06:00:00	28.52	51.03	33.4	92.3	5.95	8.26	126.9	1.4	10.4	
		09:00:02	28.81	51.22	33.53	92.4	5.92	8.26	123.2	1.1	16.6	
		12:00:00	29.71	50.84	33.22	110.8	7.01	8.27	124.2	ND	8.6	
		15:00:01	29.93	51.06	33.38	117.3	7.39	8.33	129.3	1.6	15.2	
		18:30:02	29.38	51.33	33.59	103.1	6.55	8.39	121.8	ND	5	
		21:00:02	29.55	51.09	33.41	101.9	6.46	8.39	113.9	8.7	9.2	
	日平均值		29.23	51.10	33.43	106.03	6.75	8.34	122.46	2.57	11.44	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月20日	蚵殼站	00:17:19	28.55	50.39	32.93	99.5	6.42	8.4	185.4	20.3	2.4	
		03:17:22	28.46	50.11	32.72	93.6	6.06	8.46	176.8	5.1	7.5	
		06:17:25	28.06	49.08	31.98	86.9	5.69	8.38	174.1	27.1	9.6	
		09:17:25	28.36	50.45	32.98	89.6	5.8	8.36	182.5	2.3	1	
		12:47:22	28.11	50.47	33	98.2	6.39	8.35	176.5	63.8	7.7	
		15:17:33	28.31	50.66	33.13	90.1	5.83	8.33	183.2	5.1	7.9	
		18:10:33	28.5	50.47	32.99	108.5	7.01	8.44	181.5	10.1	11.9	
		21:10:31	28.58	50.72	33.17	108.3	6.98	8.44	178.5	ND	11.7	
	日平均值		28.37	50.29	32.86	96.84	6.27	8.40	179.81	19.11	7.46	
	潮口站	00:12:19	27.16	53.45	35.23	82.8	5.4	8.35	96.1	8.6	3.8	
		03:12:19	26.64	53.88	35.57	86.6	5.69	8.36	94.7	2.4	4.1	
		06:12:13	26.43	53.95	35.62	87.5	5.76	8.38	96.2	2	3.2	
		09:12:18	27.92	53.49	35.24	94.4	6.08	8.44	89.3	5.1	5.2	
		12:12:20	27.81	53.63	35.34	82.7	5.33	8.34	91.8	11	5.2	
		15:12:15	27.81	53.18	35.01	101.5	6.56	8.37	93.8	4.4	5.6	
		18:12:19	27.29	52.62	34.61	99.7	6.51	8.4	98.9	2.5	11.9	
	21:12:17	27.53	53.24	35.06	98.8	6.41	8.38	111.1	4.1	8.7		
	日平均值		27.32	53.43	35.21	91.75	5.97	8.38	96.49	5.01	5.96	
	灣內站	00:00:00	29.26	51.23	33.52	93.7	5.97	8.33	113.4	2.6	21.5	
		03:00:00	29.11	50.74	33.17	84.1	5.38	8.29	113	3	11.9	
		06:00:02	28.66	51.03	33.39	85	5.46	8.29	112.8	1.6	9.8	
		09:30:02	28.79	51.08	33.43	82.9	5.32	8.22	111.7	ND	10.8	
		12:00:03	29.22	51.31	33.59	92	5.85	8.25	113.9	ND	16.1	
		15:21:48	29.64	51.3	33.56	106.7	6.74	8.32	142.3	3	30	
		18:00:03	29.65	50.87	33.25	112.5	7.12	8.35	124.6	3.6	17.1	
		21:00:01	29.45	51.22	33.51	104.9	6.65	8.32	124.5	3	23.3	
		日平均值		29.22	51.10	33.43	95.23	6.06	8.30	119.53	2.80	17.56
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月21日	蚵殼站	00:10:32	28.25	50.67	33.14	103.5	6.71	8.42	187.7	1178.5	6.1	
		03:10:33	28.13	50.74	33.2	96.2	6.25	8.4	179.2	2.3	12.2	
		06:10:32	27.81	50.75	33.22	94.3	6.16	8.4	180	ND	3.2	
		09:10:34	27.58	48.17	31.33	96.8	6.41	8.46	187	1.4	3.8	
		12:10:29	27.33	47.11	30.57	100.3	6.7	8.45	166.5	79	13.2	
		15:10:27	27.88	47.28	30.68	109.2	7.22	8.48	161.6	87.4	11.6	
		18:10:34	27.9	48.31	31.42	116	7.64	8.48	182.5	8.7	12.2	
		21:10:28	27.82	47.54	30.87	109.8	7.26	8.44	180.8	2.3	22.5	
	日平均值		27.84	48.82	31.80	103.26	6.79	8.44	178.16	194.23	10.60	
	潮口站	00:12:12	28.11	53.29	35.08	100.4	6.45	8.39	118.8	4.8	13.1	
		03:12:18	27.08	53.79	35.49	91.6	5.98	8.4	91.3	3.5	3.7	
		06:12:10	26.97	53.9	35.57	87.8	5.74	8.39	116	1.9	1.4	
		09:12:18	27.75	53.44	35.21	98.2	6.35	8.42	101.2	5.4	6.8	
		12:12:18	27.71	52.85	34.77	81.7	5.3	8.39	97.1	11.7	4.7	
		15:12:18	27.81	51.26	33.59	101.3	6.6	8.44	80.2	9.8	10.1	
		18:12:18	27.06	53.57	35.32	92.6	6.05	8.39	86.6	4.1	5.6	
	21:12:17	27.51	52.41	34.45	99	6.45	8.39	92.3	5.1	6.2		
	日平均值		27.50	53.06	34.94	94.08	6.12	8.40	97.94	5.79	6.45	
	灣內站	00:00:02	29.17	51.2	33.5	94.9	6.05	8.19	135.5	3.7	14.6	
		03:00:02	28.98	51.21	33.52	69	5.41	8.24	130.7	1.9	14.5	
		06:00:03	28.63	50.94	33.33	90.3	5.81	8.28	130	ND	18.1	
		09:00:03	28.4	50.36	32.91	92.9	6.02	8.25	132	1.3	10.2	
		12:00:04	28.01	49.47	32.27	82.8	5.41	8.23	137.1	7.4	9.4	
		15:00:03	28.53	49.51	32.29	76.8	5.98	8.27	130.6	6.7	16.1	
		18:00:02	28.62	47.53	30.84	108.1	7.06	8.22	132.2	5.7	21.6	
		21:00:02	28.51	48.56	31.59	101.9	6.63	8.24	132	2.9	13.8	
		日平均值		28.61	49.85	32.53	89.59	6.05	8.24	132.51	4.23	14.79
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月22日	蚵殼站	00:10:34	27.61	47.66	30.96	105.2	6.98	8.44	178.5	1.7	13.4	
		03:10:34	27.45	47.58	30.91	101.1	6.72	8.46	172	33	13.4	
		06:10:34	27.17	47.32	30.73	84.8	5.67	8.34	187.2	1.3	8.3	
		09:10:34	27.67	49.83	32.54	85.4	5.61	8.32	182.9	ND	3.8	
		12:10:37	27.79	49.75	32.48	107.5	7.05	8.39	189.4	ND	12.9	
		15:10:36	28.65	49.51	32.28	136.1	8.81	8.45	181.3	25.6	17.5	
		18:10:37	28.28	49.33	32.16	129.6	8.44	8.43	180.6	1.2	13.7	
		21:10:37	28.1	48.5	31.56	142.5	9.34	8.42	177.8	1	27.8	
	日平均值		27.84	48.69	31.70	111.53	7.33	8.41	181.21	10.63	13.85	
	潮口站	00:12:16	27.35	52.28	34.36	94.5	6.18	8.39	90.8	8.1	10.7	
		03:12:16	27.05	53.09	34.97	92	6.02	8.36	112.4	4.6	2.3	
		06:12:10	26.48	53.68	35.42	93.6	6.17	8.39	94.7	3.2	ND	
		09:12:15	26.83	51.63	33.89	95.9	6.34	8.36	86.4	3.2	10.6	
		12:12:18	27.39	53.3	35.11	77.3	5.03	8.32	84.1	16	8	
		15:12:11	28.24	52.03	34.14	116	7.48	8.47	90	5.3	23.8	
		18:12:17	26.58	53.91	35.59	87.1	5.73	8.34	90.8	3.7	3.2	
		21:12:11	26.98	53.43	35.22	88.5	5.79	8.37	90.3	3.7	10.9	
	日平均值		27.11	52.92	34.84	93.11	6.09	8.38	92.44	5.98	9.93	
	灣內站	00:00:02	28.36	48.47	31.53	99	6.46	8.25	140.2	2.5	22.9	
		03:00:02	28.15	47.68	30.96	91.4	6.01	8.2	135.1	5.2	13.2	
		06:00:03	27.74	48.76	31.76	90.6	5.97	8.29	130.1	ND	10.2	
		09:00:04	28.26	48.87	31.82	103.7	6.77	8.3	130.6	1.4	16.2	
		12:00:04	28.34	48.46	31.52	122.6	8	8.33	128.6	1.6	26.7	
		15:21:36	28.87	48.36	31.43	161.3	10.45	8.41	155.2	2.6	32.8	
		18:00:05	29.27	45.96	29.68	166	10.79	8.43	129.6	5.2	38.6	
		21:00:04	28.9	48.16	31.28	165.2	10.7	8.52	128.5	3	37.7	
		日平均值		28.49	48.09	31.25	124.98	8.14	8.34	134.74	3.07	24.79
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月23日	蚵殼站	00:10:30	27.99	48.12	31.29	143	9.41	8.22	172.9	163.8	31.3	
		03:10:36	27.68	47.07	30.53	144.6	9.6	8.29	166	10.5	37.7	
		06:10:36	27.43	47.21	30.64	124.5	8.3	8.2	185.6	2	26.8	
		09:10:36	27.79	48.49	31.56	122.4	8.06	8.18	172.2	1.5	13.2	
		12:10:37	28.06	49.33	32.17	112.3	7.34	8.18	157.6	4.4	13.1	
		15:10:30	29.15	49.21	32.05	136.3	8.76	8.37	169.3	ND	12.4	
		18:10:39	28.95	49.28	32.1	138.6	8.94	8.24	184	10.7	14.2	
		21:10:38	29.03	49.09	31.96	141	9.08	8.36	181.2	12.8	12.3	
		日平均值		28.26	48.48	31.54	132.84	8.69	8.26	173.60	29.39	20.13
	潮口站	00:12:15	27.71	51.37	33.67	113.4	7.4	8.46	85.2	5.8	20.1	
		03:12:14	27.42	51.75	33.97	106.5	6.97	8.44	72.7	4.5	14.7	
		06:12:14	26.09	53.76	35.49	87.6	5.81	8.38	95.2	3.6	4.9	
		09:12:08	26.8	52.46	34.5	96.5	6.36	8.41	80.9	4.3	11.8	
		12:12:16	27.26	52.8	34.74	93.9	6.13	8.36	78	17.2	16.8	
		15:12:15	28.13	53.18	35	97.2	6.25	8.37	83.8	10.6	18.1	
		18:12:14	27.38	52.7	34.67	99.4	6.48	8.36	90.2	3.4	11.1	
		21:12:15	27.62	53.69	35.4	99.6	6.44	8.4	91.3	2.7	9.9	
	日平均值		27.30	52.71	34.68	99.26	6.48	8.40	84.66	6.51	13.43	
	灣內站	00:30:04	28.79	48.33	31.41	155.4	10.08	8.45	132.5	2.1	40.9	
		03:00:05	28.75	49.52	32.28	132.8	8.58	8.43	129.9	2.6	27.6	
		06:00:03	28	50.13	32.76	113.8	7.42	8.36	133.7	ND	17.6	
		09:00:04	28.2	49.51	32.3	142.7	9.3	8.45	127.5	1.4	30.1	
		12:00:05	29.38	48.76	31.71	176.9	11.35	8.38	126.8	1.6	36.1	
		15:00:04	30.39	49.01	31.86	183.1	11.55	8.33	126.8	1.5	22.5	
		18:00:04	30.7	47.98	31.1	198.7	12.52	8.33	128.3	4.4	28.9	
		21:00:04	30.39	47.77	30.96	167.1	10.59	8.3	127.7	4.6	26.4	
		日平均值		29.33	48.88	31.80	158.81	10.17	8.38	129.15	2.60	28.76
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
4月24日	蚵殼站	00:10:38	28.18	49.65	32.39	122.6	7.99	8.3	182.4	52.2	6.3	
		03:10:37	28.55	48.15	31.29	128.2	8.36	8.39	168.9	20.4	13.7	
		06:10:37	28.25	47.12	30.55	124.9	8.22	8.43	172.4	27.6	27.2	
		09:10:38	28.33	47.76	31.01	130.4	8.54	8.39	176.2	372.5	22.3	
		12:36:39	28.31	49.61	32.36	114.6	7.45	8.39	176.3	36.3	10.3	
		15:06:38	28.82	49.25	32.08	123.4	7.97	8.48	158.8	38.6	8.4	
		18:06:39	29.03	49.19	32.04	135.4	8.72	8.45	152.5	66.9	11.5	
		21:06:39	29.18	48.41	31.46	134	8.64	8.46	147.8	34	11	
	日平均值	28.58	48.64	31.65	126.69	8.24	8.41	166.91	81.06	13.84		
	潮口站	00:12:14	28.57	51.78	33.95	122	7.83	8.4	83.3	5.9	19.8	
		03:12:12	28.52	51.74	33.92	117.6	7.56	8.38	86.6	6.2	20.1	
		06:12:12	26.52	53.8	35.5	78.1	5.14	8.31	86	3.5	5.7	
		09:12:13	27.64	52.7	34.66	112.1	7.28	8.38	88.2	3.4	12.5	
		12:12:12	28.57	52.11	34.19	119.6	7.67	8.48	92.1	7.8	17.7	
		15:12:12	29.36	52.26	34.28	129.4	8.19	8.42	88.6	6.8	21.4	
		18:12:13	28.77	53.2	34.99	109.3	6.95	8.46	99	6.4	12.1	
		21:12:12	28.52	53.55	35.26	89.4	5.7	8.4	89.3	2.3	1.8	
	日平均值	28.31	52.64	34.59	109.69	7.04	8.40	89.14	5.29	13.89		
	灣內站	00:00:03	29.64	49.13	31.97	147	9.38	8.43	126.7	3.1	27.3	
		03:00:06	29.45	49.03	31.91	133.9	8.57	8.4	172.5	3.5	28.1	
		06:00:03	28.39	50.21	32.8	119.6	7.75	8.41	127.6	2.2	26.3	
		09:00:04	28.58	49.33	32.15	140	9.08	8.47	125.4	2	29.5	
		12:13:17	29.23	50.4	32.92	126.7	8.09	8.44	179.4	4.5	23.5	
		15:21:33	31.01	48.59	31.53	129.1	8.08	8.43	127.3	32.3	30.5	
		18:21:39	30.58	50.34	32.83	157.9	9.88	8.47	125.5	5.7	14.7	
		21:21:38	29.42	50.16	32.73	134.7	8.59	8.47	126	6.7	13	
		日平均值	29.54	49.65	32.36	136.11	8.68	8.44	138.80	7.50	24.11	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
4月25日	蚵殼站	00:06:39	29	48.4	31.46	125.9	8.14	8.47	149	32.3	8.3	
		03:06:34	28.7	48.71	31.7	124.6	8.08	8.43	152.5	14.1	9.7	
		06:06:40	28.44	48.58	31.61	113.6	7.4	8.42	152.4	19.3	6.9	
		09:06:42	28.65	48.57	31.59	122.1	7.93	8.47	174.5	19.5	11.1	
		12:06:41	28.94	48.37	31.44	136.2	8.81	8.43	185.9	38	8.9	
		15:06:40	29.32	48.21	31.31	132.1	8.5	8.42	192.7	30.5	8.4	
		18:06:42	29.45	48.13	31.25	136.3	8.76	8.37	182.6	16.4	7	
		21:06:35	29.34	47.61	30.87	131.8	8.5	8.42	146.9	27.9	7	
	日平均值	28.98	48.32	31.40	127.83	8.27	8.43	167.06	24.75	8.41		
	潮口站	00:12:13	29.5	52.18	34.22	122.7	7.75	8.34	110	4.2	16.7	
		03:12:13	29.31	51.9	34.01	112.8	7.15	8.33	100.9	4.6	20.1	
		06:12:12	27.28	53.69	35.4	77.4	5.03	8.32	79.3	2.6	9.7	
		09:12:10	27.86	53.65	35.36	82.8	5.34	8.32	84	2.1	-0.6	
		12:12:13	28.68	52.82	34.72	110.5	7.05	8.45	93.6	8.5	19.3	
		15:12:11	28.84	52.96	34.82	98.8	6.28	8.42	80.9	8.2	9.5	
		18:12:12	28.99	52.71	34.62	100.9	6.41	8.45	91.5	7.9	9.7	
		21:12:11	27.8	53.47	35.23	80.4	5.19	8.37	118.2	4.4	7.5	
	日平均值	28.53	52.92	34.80	98.29	6.28	8.38	94.80	5.31	11.49		
	灣內站	00:21:38	29.17	50.21	32.78	124.5	7.97	8.43	120.5	3.3	22.3	
		03:21:39	28.74	49.97	32.62	106.6	6.87	8.32	129.5	1.8	14.5	
		06:21:40	28.8	50.33	32.88	117.4	7.55	8.41	133.7	2.6	11.8	
		09:21:38	29.48	50.49	32.98	132.1	8.4	8.42	128.1	2.1	13.1	
		12:21:40	30.11	49.41	32.16	133.6	8.45	8.45	124.5	1.7	15.4	
		15:21:40	30.46	49.35	32.1	141.8	8.92	8.45	125.2	3	23.4	
		18:21:40	30.38	48.02	31.14	123.5	7.82	8.41	123.4	6.2	10.2	
		21:21:39	29.95	49.33	32.11	129.5	8.21	8.44	123.5	3.1	17.1	
		日平均值	29.64	49.64	32.35	126.13	8.02	8.42	126.05	2.98	15.98	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月26日	蚵殼站	00:06:41	29.26	46.19	29.84	120.2	7.81	8.39	150.5	67.7	11.4	
		03:06:41	29.44	47.94	31.11	120.2	7.73	8.42	172.7	31.9	7.1	
		06:06:42	28.8	46.75	30.27	114.8	7.49	8.4	186.7	24.6	4.5	
		09:06:42	28.91	47.62	30.89	120.6	7.83	8.45	193.9	34.6	4.9	
		12:06:42	29.07	45.14	29.1	127.8	8.36	8.44	158.2	28.2	11.4	
		15:06:43	28.76	48.92	31.84	112.1	7.26	8.37	170.3	12	6.1	
		18:06:44	28.69	48.69	31.68	113.5	7.36	8.32	164.7	36.3	3.9	
		21:06:42	29.09	47.32	30.67	124	8.04	8.34	147.9	39.4	10.2	
	日平均值	29.00	47.32	30.68	119.15	7.74	8.39	168.11	34.34	7.44		
	潮口站	00:12:10	28.73	51.81	33.97	100.2	6.42	8.3	83.7	4	10.4	
		03:12:10	28.43	52.74	34.67	76.4	4.89	8.32	82.3	10.2	3	
		06:12:11	27.17	53.51	35.28	77.4	5.05	8.31	93.5	4.2	2.5	
		09:12:10	26.86	53.6	35.35	77.1	5.05	8.32	87.2	3.5	ND	
		12:12:10	29.07	51.11	33.44	121.5	7.76	8.42	83	2.8	13.7	
		15:12:11	30.07	51.12	33.42	94.5	5.94	8.38	81.3	8.1	8.5	
		18:12:11	29.98	50.75	33.14	110.7	6.98	8.45	82.2	12.8	9.7	
		21:12:03	27.96	52.59	34.57	81.5	5.27	8.4	81.7	7.8	3.4	
	日平均值	28.53	52.15	34.23	92.41	5.92	8.36	84.36	6.68	7.31		
	灣內站	00:21:39	29.75	48.13	31.24	119.6	7.65	8.45	123.3	2.6	12.6	
		03:21:40	29.14	46.68	30.21	108.3	7.03	8.48	118.8	4.5	21.7	
		06:21:40	29.14	48.17	31.29	107.8	6.96	8.47	117.3	3.9	11.6	
		09:21:39	29.49	48.21	31.31	113.7	7.3	8.48	118	4.8	11.6	
		12:13:24	29.94	48.22	31.3	125.7	8.01	8.42	136.2	5.3	22	
		15:21:39	30.45	49.08	31.91	130	8.19	8.48	122.1	9.4	15.7	
		18:21:40	29.92	42.78	27.38	102.5	6.68	8.28	118.6	8.2	21.9	
		21:21:39	29.39	49.24	32.06	118.6	7.59	8.47	120.9	2.3	14.3	
	日平均值	29.65	47.56	30.84	115.78	7.43	8.44	121.90	5.13	16.43		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月27日	蚵殼站	00:06:43	28.9	47.43	30.76	118	7.67	8.38	172.9	30.7	ND	
		03:06:43	28.6	47.48	30.8	109	7.12	8.36	193.7	16.3	8.3	
		06:06:44	28.24	46.02	29.75	104.9	6.93	8.31	189.7	36.9	4.4	
		09:06:44	28.41	45.88	29.65	109.2	7.2	8.47	183.2	22.5	8.1	
		12:06:45	29.36	47.15	30.54	129.4	8.36	8.39	184.6	35	10.3	
		15:06:44	28.89	48.2	31.31	124.5	8.07	8.45	175	24.2	3.7	
		18:06:44	29.43	47.71	30.94	137.4	8.84	8.44	174.8	41.2	9	
		21:06:44	29.02	47.37	30.71	128.5	8.34	8.47	157.2	27.8	8.4	
	日平均值	28.86	47.16	30.56	120.11	7.82	8.41	178.89	29.33	7.46		
	潮口站	00:12:04	28.01	52.65	34.61	90.1	5.82	8.39	85	3.6	ND	
		03:12:10	27.87	52.58	34.56	83.9	5.43	8.35	93.8	3.3	2.5	
		06:12:08	27.34	52.9	34.82	77	5.02	8.26	79.9	8.6	3	
		09:12:07	27.09	53.41	35.2	83.1	5.43	8.31	84.4	3.9	ND	
		12:12:08	28.28	51.99	34.12	111.7	7.2	8.48	82.5	1.6	7.7	
		15:12:06	29.04	52.03	34.12	99.8	6.35	8.42	81.2	6.4	7.6	
		18:12:10	29.8	51.48	33.69	120.9	7.62	8.41	98.4	6.9	14.7	
		21:12:11	28.45	52.32	34.35	84.1	5.4	8.4	95.9	6.1	9	
	日平均值	28.24	52.42	34.43	93.83	6.03	8.38	87.64	5.05	7.42		
	灣內站	00:21:41	29.19	47.84	31.04	109.5	7.07	8.39	118.2	3.7	17.3	
		03:21:41	29	47.9	31.1	100.6	6.52	8.38	118.7	3	18.6	
		06:21:41	28.89	48.75	31.71	102.2	6.61	8.4	119	2.1	15.6	
		09:21:41	28.89	48.61	31.62	109.1	7.06	8.41	121.9	2.3	11.7	
		12:21:41	29.78	47.34	30.66	140	8.97	8.49	121.3	3.4	16.4	
		15:21:41	30.57	47.46	30.73	178.3	11.29	8.48	120.8	3.9	25.3	
		18:21:41	30.44	47.4	30.69	173.8	11.02	8.45	118.6	4.6	22.7	
		21:16:41	29.09	49.39	32.18	126.8	8.15	8.42	129.5	3	17.4	
	日平均值	29.48	48.09	31.22	130.04	8.34	8.43	121.00	3.25	18.13		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月28日	蚵殼站	00:06:38	28.58	47.23	30.62	116.8	7.64	8.45	160.8	990.8	5.6	
		03:06:45	28.17	46.19	29.88	105.8	6.99	8.4	178.1	23.3	14.9	
		06:06:38	28.2	46.86	30.36	110.4	7.27	8.34	182.3	20.5	15.9	
		09:06:47	28.3	46.53	30.12	115.6	7.61	8.31	178.8	21.6	11.2	
		12:06:47	28.44	46.98	30.45	128.2	8.41	8.33	177.3	24	14.8	
		15:06:46	28.8	46.53	30.11	146.7	9.58	8.39	161.9	48.2	15.4	
		18:06:47	27.77	48.26	31.39	99.9	6.59	8.38	197.6	15.5	10.3	
		21:06:47	27.68	48.14	31.31	103.8	6.86	8.42	198.9	25.3	11.1	
		日平均值	28.24	47.09	30.53	115.90	7.62	8.38	179.46	146.15	12.40	
	潮口站	00:12:17	27.6	52.72	34.67	90.4	5.88	8.42	131.2	1.8	5.7	
		03:12:16	27.87	51.69	33.9	91.4	5.94	8.47	95.2	4.5	7	
		06:12:14	26.89	53.05	34.94	73.2	4.8	8.29	83.1	5.2	ND	
		09:12:22	27.08	53.45	35.23	74.5	4.87	8.3	87.6	3.7	8.4	
		12:12:21	27.71	0.988	0.48	104.1	8.17	8.45	86.7	0.6	32.8	
		15:12:24	28.38	51.46	33.72	109.8	7.08	8.4	89.4	6.9	13.3	
		18:12:25	28.8	50.95	33.34	118.5	7.61	8.44	88.9	6.9	11.1	
		21:12:25	28.45	51.06	33.42	100.9	6.51	8.39	80	6.3	11.5	
	日平均值	27.85	45.67	29.96	95.35	6.36	8.40	92.76	4.49	12.83		
	灣內站	00:16:41	28.62	49.76	32.46	114.2	7.39	8.46	124.8	1.8	13.3	
		03:16:42	28.61	49.17	32.04	114.9	7.45	8.42	120	ND	15.1	
		06:16:41	28.06	47.93	31.14	100.9	6.64	8.41	119.7	2.2	17.5	
		09:16:41	28.69	48.34	31.43	115.8	7.52	8.46	123	ND	18.7	
		12:16:42	28.77	48.79	31.75	131.9	8.54	8.49	121.4	3.6	19.5	
		15:16:37	29.07	48.91	31.83	146.5	9.44	8.46	121.7	2.4	12.7	
		18:16:43	28.81	48.96	31.87	129.3	8.37	8.47	120.5	4.2	22.4	
		21:16:41	28.75	49.03	31.93	122.1	7.9	8.46	120.8	2.8	26	
		日平均值	28.67	48.86	31.81	121.95	7.91	8.45	121.49	2.83	18.15	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月29日	蚵殼站	00:06:46	27.66	45.57	29.45	107.9	7.21	8.46	177.6	25.5	10.9	
		03:06:47	27.65	47.24	30.65	108.7	7.22	8.47	190.4	24.6	5.6	
		06:06:47	27.27	46.73	30.3	104.3	6.98	8.49	193.3	25.7	4.1	
		09:06:48	27.76	46.81	30.34	111	7.37	8.45	172.7	33.9	12.5	
		12:06:49	29.17	47.59	30.86	123.2	7.97	8.49	165.8	30.9	6	
		15:06:48	29.76	47.86	31.04	129.2	8.26	8.48	173.1	14.3	8.6	
		18:06:48	29.34	47.53	30.82	132.1	8.52	8.48	171.6	36	3.9	
		21:06:48	29.3	47.24	30.6	136.4	8.81	8.44	166.8	37.7	5.1	
		日平均值	28.49	47.07	30.51	119.10	7.79	8.47	176.41	28.58	7.09	
	潮口站	00:12:23	27.54	52.27	34.34	97.6	6.36	8.43	79.8	3.1	6.3	
		03:12:28	27.85	51.2	33.54	94.1	6.13	8.49	76.8	5.7	11.1	
		06:12:28	27.64	51.26	33.59	90.2	5.89	8.47	75.8	2.9	9	
		09:12:29	27.42	52.79	34.73	79.6	5.18	8.33	81.9	3.7	2	
		12:12:33	28.86	51.46	33.7	120.3	7.7	8.43	96.9	2.7	13.9	
		15:12:33	29.91	50.95	33.3	146	9.2	8.39	88.1	5.7	20.1	
		18:12:32	29.01	51.37	33.64	96.7	6.18	8.47	84.6	12.8	12.2	
		21:12:40	29.53	51.08	33.41	127.6	8.09	8.45	96	4.6	7.5	
	日平均值	28.47	51.55	33.78	106.51	6.84	8.43	84.99	5.15	10.26		
	灣內站	00:16:41	28.14	47.16	30.58	57.4	3.78	8.13	148.7	7.4	16.5	
		03:16:42	28.04	48.59	31.63	97.3	6.39	8.35	120	2	13.1	
		06:16:42	27.91	49.18	32.06	100.4	6.58	8.42	120.9	1.6	12	
		09:16:44	28.44	48.95	31.87	108.6	7.07	8.35	120.4	2.2	10.4	
		12:03:15	29.4	49.46	32.22	123.8	7.92	8.44	150.6	1.5	10.8	
		15:11:29	30.13	49.62	32.31	150.3	9.49	8.48	127	1.5	11.6	
		18:11:25	30.5	49.86	32.47	150.5	9.44	8.41	123.9	1.7	13.4	
		21:11:31	30.44	49.23	32.02	148.5	9.35	8.4	123	1.4	11.7	
		日平均值	29.13	49.01	31.90	117.10	7.50	8.37	129.31	2.41	12.44	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
4月30日	蚵殼站	00:06:49	29.16	47.04	30.46	137.3	8.9	8.38	163.1	42.1	3.3	
		03:06:49	29.13	45.53	29.37	124.5	8.13	8.41	166.7	30.9	8.1	
		06:06:49	29.08	46.44	30.03	123.1	8.01	8.41	164.3	32	11.4	
		09:06:50	28.83	46.73	30.25	119.7	7.81	8.41	166.5	19.1	8.1	
		12:06:50	29.75	47.12	30.51	134.3	8.62	8.42	164	19.6	6.4	
		15:06:51	29.52	47.44	30.74	138.3	8.9	8.46	172.7	31.6	8.1	
		18:06:51	29.7	47.78	30.98	138.7	8.89	8.44	173	33.6	3.8	
		21:06:50	29.87	47.87	31.04	133.3	8.51	8.48	161.8	70.6	3.5	
	日平均值	29.38	46.99	30.42	131.15	8.47	8.43	166.51	34.94	6.59		
	潮口站	00:12:46	28.34	52.33	34.36	79.4	5.1	8.34	86	4.4	6.8	
		03:12:45	28.38	51.86	34.02	104.7	6.74	8.44	89.8	2.5	6.9	
		06:12:44	28.96	50.63	33.1	110.8	7.1	8.43	79.4	3.2	10.9	
		09:12:49	28.07	51.57	33.81	79.1	5.12	8.36	87.5	3.5	1.7	
		12:12:47	27.91	52.55	34.54	80	5.18	8.33	87.3	5.7	11.7	
		15:12:48	28.75	1.048	0.51	119	9.17	8.41	91	2	25.7	
		18:12:50	28.61	52.12	34.2	95.3	6.1	8.35	89.1	10.4	3.9	
		21:12:46	29.68	51.48	33.69	106.1	6.7	8.44	94.8	4.5	9.6	
	日平均值	28.59	45.45	29.78	96.80	6.40	8.39	88.11	4.53	9.65		
	灣內站	00:11:32	30.2	49.56	32.27	144.3	9.11	8.46	119.9	ND	19.3	
		03:11:31	29.83	49.68	32.37	131.6	8.35	8.47	119.5	ND	11	
		06:11:25	29.31	49.83	32.5	120.8	7.72	8.43	121.3	ND	9.3	
		09:11:32	29.16	49.72	32.42	118.9	7.62	8.39	121.2	ND	7.7	
		12:11:31	27.97	0.678	0.33	100.3	7.84	8.19	133.3	ND	11.3	
		15:11:32	28.87	0.717	0.35	100	7.7	8.18	130.8	ND	9.8	
		18:11:33	28.48	0.68	0.33	99.8	7.73	8.1	143.4	ND	10.3	
		21:11:31	28.12	0.67	0.32	100.3	7.82	8.12	140.3	ND	5.2	
	日平均值	28.99	25.19	16.36	114.50	7.99	8.29	128.71	ND	10.49		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月1日	蚵殼站	00:06:50	29.9	47.55	30.81	129.7	8.29	8.35	161.5	23.7	3.5	
		03:06:50	29.85	46.37	29.96	118.6	7.62	8.32	165.6	17.9	6	
		06:06:50	29.54	46.72	30.22	117.4	7.58	8.34	166	341	3.6	
		09:06:46	29.83	47.02	30.43	122.7	7.87	8.35	167.9	24.8	7.7	
		12:06:51	30.41	46.84	30.28	128.1	8.14	8.29	172.6	28.4	5.8	
		15:06:46	30.63	47.54	30.78	133	8.4	8.32	182.8	34.2	2.6	
		18:06:53	30.58	47.67	30.88	136.5	8.63	8.32	182.5	27	2.6	
		21:06:53	30.51	47.48	30.74	125.7	7.96	8.34	172.5	50.5	5.9	
	日平均值	30.16	47.15	30.51	126.46	8.06	8.33	171.43	68.44	4.71		
	潮口站	00:12:46	28.31	51.93	34.07	81.2	5.24	8.36	89.1	6.8	10.6	
		03:12:50	27.82	1.802	0.91	104.4	8.16	8.36	87.6	4.9	ND	
		06:12:52	28.86	50.56	33.04	108.5	6.97	8.42	81.4	1.9	7.6	
		09:12:56	28.98	50.94	33.32	88.2	5.64	8.42	83.4	4	9.9	
		12:12:57	28.44	50.49	33.01	99.4	6.43	8.33	94.2	5.1	5	
		15:13:02	28.67	52.13	34.21	86.9	5.56	8.33	93.3	5	9.8	
		18:13:00	28.77	51.93	34.05	90.7	5.8	8.33	89.8	11.8	11	
		21:13:05	29.32	51.62	33.81	104.3	6.62	8.45	86.7	3.9	3.6	
	日平均值	28.65	45.18	29.55	95.45	6.30	8.38	88.19	5.43	8.21		
	灣內站	00:11:32	27.64	0.712	0.34	100.3	7.89	8.11	133.5	ND	4.9	
		03:11:32	27.98	0.683	0.33	100	7.82	8.1	152	ND	8.3	
		06:11:31	27.62	0.716	0.35	100.5	7.9	8.14	136.6	ND	6.3	
		09:11:32	28.54	0.697	0.34	100.3	7.76	8.13	138.8	ND	7.8	
		12:03:12	28.87	0.627	0.3	100.5	7.73	8.2	133.9	ND	4	
		15:11:32	28.85	0.731	0.35	100.2	7.71	8.16	136.4	ND	3.8	
		18:11:32	28.95	0.699	0.34	100.2	7.7	8.17	134.2	ND	1	
		21:11:33	29.32	0.669	0.32	100.3	7.66	8.18	141.6	ND	4.3	
	日平均值	28.47	0.69	0.33	100.29	7.77	8.15	138.38	ND	5.05		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
5月2日	蚵殼站	00:06:47	30.48	47.45	30.72	126.2	7.99	8.37	179.8	45.2	6.1
		03:06:53	30.28	47.41	30.7	118.5	7.53	8.34	175.5	61.9	1.4
		06:06:53	29.98	47.5	30.77	116.9	7.47	8.34	180.2	26	3.4
		09:06:53	30.09	47.01	30.41	117.9	7.53	8.34	188.5	139.4	4.7
		12:06:54	30.33	47.38	30.67	121.8	7.74	8.31	184	64.6	11
		15:06:54	30.25	47.8	30.99	121.6	7.72	8.26	186	1477.8	8.6
		18:06:54	30.11	47.85	31.02	117.9	7.5	8.24	189.9	70.2	10.2
		21:06:55	30.06	47.94	31.09	116.8	7.43	8.25	192.5	30.4	8
	日平均值	30.20	47.54	30.80	119.70	7.61	8.31	184.55	239.44	6.68	
	潮口站	00:13:05	28.59	51.68	33.87	77.6	4.98	8.32	86.5	10.4	9.1
		03:13:05	27.51	52.4	34.44	76.9	5.01	8.32	88.2	7	2.2
		06:13:07	28.64	51.24	33.55	100.6	6.47	8.46	84.9	3	6
		09:13:15	29.7	51.08	33.4	90.2	5.7	8.47	105.9	3.6	10.7
		12:13:14	28.4	51.98	34.1	78.1	5.03	8.29	84.5	10.5	ND
		15:13:16	28.18	52.27	34.32	81	5.22	8.31	89.2	9.5	1.9
		18:13:21	28.27	52.23	34.29	73	4.7	8.26	94.5	7.1	4.8
		21:13:21	29.15	51.88	34	90	5.72	8.34	90.1	6.7	5.4
	日平均值	28.56	51.85	34.00	83.43	5.35	8.35	90.48	7.23	5.73	
	灣內站	00:11:32	28.5	0.711	0.34	100.3	7.77	8.13	134.1	ND	4.8
		03:11:34	28.32	0.711	0.34	100.3	7.79	8.13	155.6	ND	7.8
		06:11:34	28.21	0.723	0.35	100.5	7.83	8.17	125.3	ND	5.1
		09:11:33	28.49	0.708	0.34	100.6	7.79	8.18	147.5	ND	4.8
		12:11:34	30	0.744	0.36	100.8	7.6	8.26	135.6	ND	5.2
		15:11:27	29.85	0.73	0.35	100.8	7.62	8.26	133	ND	4.7
		18:11:33	30.37	0.701	0.34	100.2	7.51	8.27	123.1	ND	7
		21:11:29	30.24	0.738	0.36	100.6	7.56	8.25	131.2	ND	7.7
	日平均值	29.25	0.72	0.35	100.51	7.68	8.21	135.68	ND	5.89	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
5月3日	蚵殼站	00:06:56	30.2	47.65	30.87	115.8	7.37	8.4	187.5	81.4	5.3
		03:06:50	29.96	47.76	30.96	101	6.44	8.37	185	8.5	6.4
		06:06:50	29.67	47.6	30.85	102.6	6.58	8.38	188.6	5.3	9.3
		09:06:56	29.83	46.82	30.28	106.3	6.82	8.42	176.8	29.1	10.9
		12:06:50	29.57	47.92	31.09	106.6	6.84	8.36	167.1	96.5	7.5
		15:06:56	29.9	47.77	30.97	121.1	7.73	8.34	181	28.6	10.9
		18:06:56	29.99	47.73	30.94	121.6	7.75	8.36	193.3	7.8	14.1
		21:06:57	29.54	47.76	30.98	114.4	7.35	8.39	183.3	713.1	14.3
	日平均值	29.83	47.63	30.87	111.18	7.11	8.38	182.83	121.29	9.84	
	潮口站	00:13:25	29	51.89	34.02	85.3	5.44	8.36	86.3	11	5.3
		03:13:30	27.53	52.29	34.36	85.4	5.41	8.28	97	8.8	2.1
		06:13:28	28.38	51.8	33.97	85.5	5.51	8.38	79.6	3.9	1.9
		09:13:30	29.72	51.03	33.36	104.3	6.59	8.54	81.6	3.3	7.1
		12:13:27	29.77	51.09	33.4	101.4	6.41	8.5	84.9	4.9	8.9
		15:13:35	27.99	51.76	33.95	92.4	6.02	8.33	83.5	7.9	ND
		18:13:33	28.17	51.08	33.45	94.3	6.11	8.32	91.4	5.5	5.4
		21:13:32	29.45	51.16	33.47	84.7	5.37	8.47	82.6	7.8	12.4
	日平均值	28.75	51.51	33.75	91.66	5.86	8.40	85.86	6.64	6.16	
	灣內站	00:11:35	27.97	0.705	0.34	100.2	7.83	8.16	173.2	ND	6.2
		03:11:35	28.48	0.758	0.37	100.1	7.76	8.14	147.8	ND	1.9
		06:11:34	28.83	0.714	0.34	100.2	7.71	8.15	145.2	ND	ND
		09:11:35	27.74	0.698	0.34	100.5	7.89	8.12	148.6	ND	ND
		12:03:12	26.76	0.657	0.32	100.5	8.03	8.17	152.8	ND	4.8
		15:11:35	27.51	0.715	0.35	100.3	7.9	8.15	132	ND	2
		18:11:35	27.58	0.733	0.35	100.1	7.88	8.13	153.6	ND	ND
		21:11:34	28.24	0.705	0.34	100.3	7.81	8.18	125.5	ND	4.7
	日平均值	27.89	0.71	0.34	100.28	7.85	8.15	147.34	ND	3.92	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月4日	蚵殼站	00:06:51	29.27	47.97	31.14	111.1	7.16	8.45	193	24.3	5.2	
		03:06:56	29.02	46.58	30.14	97.3	6.34	8.38	199	4.4	12.9	
		06:06:56	28.86	46.31	29.94	93.9	6.14	8.42	182.5	2.3	12.1	
		09:06:56	28.72	46.83	30.33	98.7	6.45	8.43	197.1	ND	8.2	
		12:06:58	28.82	46.47	30.06	109.2	7.14	8.47	167.1	16.9	13.6	
		15:06:56	29.51	46.54	30.09	113	7.3	8.48	180.2	1443	9.5	
		18:06:54	29.39	44.34	28.51	121.3	7.92	8.42	157.6	21.3	13.7	
		21:06:57	28.93	45.06	29.04	115.8	7.59	8.45	184.2	32.6	10.5	
	日平均值	29.07	46.26	29.91	107.54	7.01	8.44	182.59	220.69	10.71		
	潮口站	00:13:35	29.54	50.79	33.19	105.1	6.67	8.47	78.3	7.1	8.7	
		03:13:38	27.81	51.98	34.13	72.7	4.72	8.33	85.8	6.3	ND	
		06:13:36	28.18	51.38	33.67	99.9	6.46	8.4	88	3.7	5.3	
		09:13:42	28.57	49.51	32.28	96	6.22	8.41	81.1	7.1	6.5	
		12:13:39	28.91	49.44	32.22	102.9	6.63	8.4	79	3.9	19.1	
		15:13:40	28.39	51.07	33.43	90.4	5.84	8.36	90.5	6	2.3	
		18:13:42	28.33	51.76	33.94	82.6	5.33	8.36	116.3	3.2	6.5	
		21:13:47	28.87	50.17	32.76	95.7	6.15	8.42	87.8	5.9	7.7	
	日平均值	28.58	50.76	33.20	93.16	6.00	8.39	88.35	5.40	8.01		
	灣內站	00:11:34	28.39	0.717	0.35	100.2	7.77	8.12	135.4	ND	3.6	
		03:11:33	27.86	0.733	0.36	100	7.84	8.13	145.7	ND	2.2	
		06:11:28	28.01	0.706	0.34	100.2	7.83	8.16	143.6	ND	3.7	
		09:11:34	27.99	0.709	0.34	100.2	7.83	8.15	143.4	ND	ND	
		12:11:35	27.78	0.717	0.35	100.3	7.87	8.17	141.3	ND	2.3	
		15:11:35	27.91	0.722	0.35	100	7.82	8.11	143.7	ND	ND	
		18:11:35	27.99	0.71	0.34	100.1	7.82	8.13	141.6	ND	2.3	
		21:11:35	27.98	0.719	0.35	100.5	7.86	8.11	148.4	ND	3	
	日平均值	27.99	0.72	0.35	100.19	7.83	8.14	142.89	ND	2.85		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月5日	蚵殼站	00:06:58	28.91	45.18	29.12	109.2	7.16	8.47	140	50.9	10.2	
		03:06:51	28.25	45.07	29.07	103.3	6.85	8.41	188.3	16.9	10.4	
		06:06:58	27.83	45.8	29.61	95.6	6.36	8.44	187.4	7.1	11.8	
		09:06:58	28.13	45.48	29.36	103	6.83	8.49	180	1247.1	17.4	
		12:06:59	28.95	46.06	29.76	122.2	7.98	8.45	169.6	48.1	11	
		15:07:00	29.59	47.46	30.75	119.5	7.68	8.43	193.5	21.1	13.3	
		18:06:59	29.63	46.46	30.03	155.6	10.03	8.47	189.7	11.6	16.1	
		21:06:59	29.02	42.91	27.49	124	8.19	8.48	197.3	18.6	30	
	日平均值	28.79	45.55	29.40	116.55	7.64	8.46	180.73	177.68	15.03		
	潮口站	00:13:52	28.62	50.48	32.99	87.8	5.66	8.39	79.4	5.5	7.3	
		03:13:52	27.35	52.21	34.31	80.3	5.25	8.32	82.9	4.6	1.2	
		06:13:55	27.57	52.16	34.27	83.4	5.43	8.38	82.7	3	4.7	
		09:13:54	27.88	50.58	33.09	97.8	6.38	8.45	78.6	4.1	11	
		12:13:59	28.92	50.82	33.23	83.9	5.38	8.28	85	12.3	8.7	
		15:14:00	28.65	51.83	33.99	78	5.44	8.32	83.4	7.2	1.8	
		18:13:58	28.56	37.26	23.51	83.5	5.68	8.26	104.7	6.4	ND	
		21:14:04	28.63	51.03	33.39	95.6	6.15	8.36	123.7	5.2	9.3	
	日平均值	28.27	49.55	32.35	86.29	5.67	8.35	90.05	6.04	6.29		
	灣內站	00:11:35	27.86	0.719	0.35	100.4	7.87	8.1	134.1	ND	ND	
		03:11:36	27.69	0.696	0.34	100.5	7.9	8.14	145	ND	5	
		06:11:30	27.31	0.71	0.34	100.8	7.98	8.16	144.2	ND	1.4	
		09:11:36	27.93	0.7	0.34	100.4	7.86	8.11	153.9	ND	1.2	
		12:03:20	27.41	0.636	0.31	100.5	7.94	8.12	147.1	ND	ND	
		15:11:34	28.41	0.715	0.35	100.1	7.77	8.1	151.6	ND	1.3	
		18:11:29	28.4	0.713	0.34	100.1	7.76	8.08	143.6	ND	4.3	
		21:11:29	27.5	0.695	0.34	100.7	7.94	8.14	136.4	ND	2.2	
	日平均值	27.81	0.70	0.34	100.44	7.88	8.12	144.49	ND	2.57		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
5月6日	蚵殼站	00:06:59	26.88	1.909	0.97	99.6	7.92	8.14	195	ND	ND
		03:07:02	28.11	1.95	0.99	99.8	7.75	8.15	147.3	ND	ND
		06:07:01	28.16	45.33	29.26	99.9	6.63	8.29	186.5	2.7	12
		09:07:01	28.48	43.23	27.74	125.5	8.35	8.38	179.8	2.3	21.8
		12:07:00	29.23	45.14	29.09	142.9	9.32	8.41	183.6	15.1	34.5
		15:07:02	30.27	44.97	28.94	179.6	11.53	8.37	177	45.1	34
		18:07:02	30.03	44.82	28.83	162	10.45	8.36	182.5	35.1	35.8
		21:07:01	30.08	44.01	28.25	178.5	11.54	8.41	201.5	46.2	35.3
	日平均值		28.91	33.92	21.76	135.98	9.19	8.31	181.65	24.42	28.90
	潮口站	00:14:05	28.4	47.68	30.95	98.7	6.46	8.43	81.4	4.8	14.5
		03:14:05	27.18	47.65	30.96	81.2	5.42	8.3	88.8	7.1	ND
		06:14:10	27.82	50.87	33.31	81.8	5.34	8.32	88.1	7	ND
		09:14:11	27.93	50.78	33.24	69.7	5.54	8.28	88.3	8.6	7.3
		12:14:06	28.49	49.67	32.4	95.2	6.17	8.34	84.6	20.3	8.1
		15:14:14	29.36	48.76	31.71	106.2	6.82	8.46	84.2	9.9	22.2
		18:14:14	28.55	51.09	33.44	80.3	5.17	8.33	89.4	1.9	4.8
		21:14:18	28.93	49.77	32.47	127	8.17	8.54	85	3.9	18.8
	日平均值		28.33	49.53	32.31	92.51	6.14	8.38	86.23	7.94	12.62
	灣內站	00:11:36	27.1	0.688	0.33	100.6	7.99	8.09	149.4	ND	1.7
		03:11:31	28.04	0.679	0.33	100.3	7.83	8.09	141.7	ND	ND
		06:11:37	28.53	0.701	0.34	100	7.74	8.07	141.8	ND	ND
		09:11:31	27.35	0.681	0.33	100.6	7.96	8.08	182.4	ND	3.3
		12:11:36	28.49	0.713	0.34	100.4	7.78	8.09	155.6	ND	4.1
		15:11:38	28.63	0.729	0.35	100.2	7.75	8.08	128.6	ND	ND
		18:11:35	28.82	0.706	0.34	100.4	7.73	8.07	170.8	ND	ND
		21:11:32	28.59	0.703	0.34	100.3	7.75	8.07	149.5	ND	ND
	日平均值		28.19	0.70	0.34	100.35	7.82	8.08	152.48	ND	3.03
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
5月7日	蚵殼站	00:07:01	29.41	42.41	27.13	165.2	10.87	8.35	171.3	42.5	46.8
		03:06:55	29.16	39.52	25.09	158	10.55	8.25	168.5	42.3	55.2
		06:07:02	29.16	41.64	26.59	161.5	10.7	8.26	145.7	23.9	41.3
		09:07:02	29.52	42.82	27.42	171.9	11.27	8.26	174.4	27.9	28.8
		12:07:02	29.66	46.07	29.75	161.7	10.44	8.11	207.8	17.4	23.2
		15:07:03	29.47	46.38	29.98	158.5	10.25	8.13	199.1	24	24.6
		18:07:04	30.91	45.24	29.11	182.2	11.57	8.24	178.2	27.5	27.5
		21:07:03	30.08	45.91	29.62	152.6	9.79	8.08	195	11.2	26.9
	日平均值		29.67	43.75	28.09	163.95	10.68	8.21	180.00	27.09	34.29
	潮口站	00:14:18	29.24	47.75	30.98	162.9	10.51	8.71	83.9	5	44.7
		03:14:20	27.5	51.62	33.86	75.4	5.93	8.29	80.5	6.6	ND
		06:14:23	27.79	51.6	33.84	83.2	5.42	8.32	83.5	4.8	3.5
		09:14:28	28.16	49.47	32.26	103.9	6.78	8.45	79.2	5.4	9.5
		12:14:26	27.56	1.52	0.76	104.6	8.22	8.31	102.2	ND	38.1
		15:14:28	28.48	1.55	0.77	104.6	8.09	8.38	102.7	ND	44.8
		18:14:33	28.08	1.526	0.76	104.7	8.15	8.37	95	ND	46.7
		21:14:33	29.16	50.69	33.13	65	5.15	8.15	87.6	6.8	1.4
	日平均值		28.25	31.97	20.80	100.54	7.28	8.37	89.33	5.72	26.96
	灣內站	00:11:36	28.09	0.696	0.34	100.4	7.84	8.08	144.8	ND	ND
		03:11:37	28.34	0.703	0.34	100.2	7.78	8.08	146.9	ND	1.4
		06:11:36	28.47	0.692	0.33	100.3	7.77	8.03	137.1	ND	1.9
		09:11:37	27.86	0.689	0.33	100.6	7.88	8.08	149.9	ND	ND
		12:03:12	26.68	0.608	0.29	100.9	8.08	8.1	148.7	ND	ND
		15:11:32	27.44	0.699	0.34	100.5	7.93	8.05	133	ND	1.6
		18:11:38	27.4	0.7	0.34	100.7	7.95	8.08	157.3	ND	1.6
		21:11:38	27.52	0.695	0.34	100.6	7.93	8.04	146.9	ND	ND
	日平均值		27.73	0.69	0.33	100.53	7.90	8.07	145.58	ND	1.63
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月8日	蚵殼站	00:07:04	30.25	44.36	28.5	158.5	10.21	8.41	185.3	59.7	27.9	
		03:07:05	29.8	44.7	28.76	129.1	8.36	8.38	188.7	11.9	27.6	
		06:07:03	29.45	44.05	28.3	138.3	9.03	8.4	193.1	27.6	32.9	
		09:07:03	29.83	44.96	28.94	157.5	10.18	8.44	184.1	55.2	29.6	
		12:06:59	29.5	46.63	30.16	125.1	8.08	8.43	199.4	28.2	13	
		15:07:05	29.26	47.17	30.56	130.1	8.42	8.4	208.7	2.6	14.9	
		18:07:06	29.23	1.805	0.91	100	7.62	8.18	158.1	ND	ND	
		21:07:05	30.24	46.44	30	133.8	8.54	8.48	202.6	6.9	32.1	
		日平均值	29.70	40.01	25.77	134.05	8.81	8.39	190.00	27.44	25.43	
	潮口站	00:14:31	28.03	1.635	0.82	104.8	8.16	8.36	105.1	ND	34.9	
		03:14:34	29.11	49.33	32.13	67.7	4.35	8.11	80.6	4.4	1.8	
		06:14:34	28.07	51.76	33.95	97.2	6.29	8.3	80.2	4	ND	
		09:14:41	28.66	50.65	33.12	103.9	6.69	8.36	85.8	2.7	2.7	
		12:14:41	28.08	1.78	0.9	104.5	8.13	8.3	96.5	1	27.5	
		15:14:39	27.73	1.751	0.88	104.3	8.17	8.29	103.9	ND	43.1	
		18:14:45	27.88	1.748	0.88	104.2	8.13	8.29	119.8	ND	23.5	
		21:14:45	27.86	1.63	0.82	104.2	8.14	8.33	104.3	ND	22.9	
		日平均值	28.18	20.04	12.94	98.85	7.26	8.29	97.03	3.03	22.34	
	灣內站	00:11:38	28.53	0.719	0.35	100.6	7.79	8.12	141.8	ND	ND	
		03:11:37	27.86	0.728	0.35	100.4	7.86	8.06	148.4	ND	2	
		06:11:31	27.81	0.707	0.34	100.8	7.9	8.11	150.7	ND	ND	
		09:11:37	28.81	0.726	0.35	99.9	7.69	8.01	152.1	ND	3.1	
		13:30:00	30.85	47.64	30.85	177.4	11.16	8.6	128.3	11.3	26.6	
		15:27:35	31.23	47.34	30.62	174.2	10.92	8.66	121.9	3.7	20.9	
		18:27:35	29.72	0.174	0.08	101.4	7.7	8.26	132.5	ND	ND	
		21:27:41	29.82	0.216	0.1	101.4	7.68	8.28	132.5	ND	ND	
		日平均值	29.33	12.28	7.88	119.51	8.59	8.26	138.53	7.50	13.15	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月9日	蚵殼站	00:07:05	30.07	45.94	29.64	99.7	6.4	8.34	195.2	17.3	23.6	
		03:07:08	29.67	45.39	29.26	117.2	7.58	8.39	147.8	86.5	9.1	
		06:07:06	29.19	46.06	29.75	108.2	7.04	8.39	202.8	5.4	15	
		09:07:00	29.27	45.47	29.32	117.9	7.68	8.35	178.6	193.3	8.9	
		13:57:19	29.07	48.15	31.28	119.6	7.73	8.35	151.9	26.2	19.5	
		15:27:20	28.81	48.47	31.52	102.5	6.64	8.27	152.6	450.2	10.3	
		18:27:15	29.08	48.42	31.47	106.5	6.87	8.32	154	416.9	10.4	
		21:27:21	29.58	47.74	30.96	119.5	7.68	8.41	147.3	1227.3	13.8	
		日平均值	29.34	46.96	30.40	111.39	7.20	8.35	166.28	302.89	13.83	
	潮口站	00:14:49	27.96	1.78	0.9	104.1	8.11	8.31	104.1	ND	30.1	
		03:14:57	28.2	1.804	0.91	104	8.08	8.31	99.8	ND	29.1	
		06:14:53	27.54	1.871	0.94	104.3	8.19	8.31	90.5	ND	27.8	
		09:14:52	27.82	1.776	0.89	104.3	8.15	8.3	107.5	ND	64.9	
		12:14:58	28.37	1.899	0.96	104.3	8.07	8.35	104.6	ND	32.7	
		15:39:17	28.93	50.53	33.02	102.4	6.57	8.39	103	11.8	10.7	
		18:17:45	28.89	50.61	33.08	97.5	6.26	8.41	88.4	15.5	12.9	
		21:17:38	28.22	51.83	34	85.7	5.53	8.3	86.8	9.6	ND	
		日平均值	28.24	20.26	13.09	100.83	7.37	8.34	98.09	12.30	29.74	
	灣內站	00:27:42	28.7	0.164	0.08	101	7.8	8.13	140.9	ND	2.1	
		03:27:43	28.5	0.169	0.08	101.1	7.84	8.12	143	ND	ND	
		06:27:41	28.38	0.161	0.07	101.3	7.87	8.13	142.3	ND	ND	
		09:27:41	28.62	0.182	0.08	101.3	7.84	8.16	140.5	ND	4.2	
		12:26:48	29.9	48.15	31.25	127.6	8.13	8.48	118.8	4.4	31.7	
		15:26:54	30.58	47.87	31.02	129.5	8.18	8.43	115.7	10.6	36	
		18:26:55	30.58	47.67	30.88	110.3	6.97	8.42	113.4	17.9	39.1	
		21:26:55	30.48	46.64	30.13	95.5	6.07	8.36	114.1	17.1	37.1	
		日平均值	29.47	23.88	15.45	108.45	7.59	8.28	128.59	12.50	25.03	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月10日	蚵殼站	00:27:20	29.41	47.9	31.08	110.9	7.14	8.42	167.2	1007.1	9	
		03:27:21	29	48.35	31.42	103.2	6.67	8.35	179.2	1298.8	7.5	
		06:27:22	29.21	47.95	31.12	106.5	6.87	8.45	175.1	928.9	9.9	
		09:27:21	29.37	47.77	30.99	118	7.6	8.45	173.1	96.3	23	
		12:27:22	30	48.91	31.8	119.3	7.57	8.35	166	57.8	10.9	
		15:27:23	29.72	49.12	31.96	120.1	7.65	8.34	156.2	920.5	14.2	
		18:27:23	30.02	49.16	31.98	119.5	7.58	8.45	156.9	1109.6	9.2	
		21:27:23	30.33	48.48	31.47	126.2	7.98	8.43	157.4	2313	6.2	
		日平均值	29.63	48.46	31.48	115.46	7.38	8.41	166.39	966.50	11.24	
	潮口站	00:17:39	28.28	51.44	33.71	84.1	5.43	8.32	86.6	4.7	1.7	
		03:17:45	29.23	49.76	32.45	97.7	6.26	8.4	94.2	4.1	21.3	
		06:17:44	27.56	51.72	33.94	85.8	5.6	8.32	87.5	3	8.3	
		09:17:44	28.26	51.65	33.87	85.3	5.51	8.31	86.5	6.5	ND	
		14:25:33	29.59	48.76	31.71	125.8	8.04	8.33	128.7	14.7	22.5	
		15:17:10	29.48	48.9	31.81	120	7.68	8.35	114.5	10.2	60.6	
		18:25:26	29.68	49.03	31.9	122.9	7.84	8.36	125.4	10.8	66.8	
		21:25:33	29.24	49.82	32.49	99	6.34	8.25	118.1	3.8	30.8	
	日平均值	28.92	50.14	32.74	102.58	6.59	8.33	105.19	7.23	30.29		
	灣內站	00:26:49	30.02	46.14	29.79	94.3	6.05	8.33	112.8	11.8	41.5	
		03:26:54	29.99	46.32	29.92	86.8	5.57	8.32	112.6	9.6	36.2	
		06:26:55	29.72	48.26	31.33	93.9	6	8.35	115.2	6	22.5	
		09:26:48	30.2	47.13	30.5	116.1	7.4	8.41	116.6	6	32.5	
		12:26:47	30.89	47.78	30.95	138	8.67	8.48	118.2	3.5	26	
		15:26:55	31.79	47.84	30.96	160.2	9.93	8.47	116	4.7	27.7	
		18:26:55	31.75	47.46	30.68	160.1	9.94	8.47	116.6	6.3	29.9	
		21:26:56	31.58	47.32	30.59	144.2	8.99	8.41	116.4	6.8	25.3	
		日平均值	30.74	47.28	30.59	124.20	7.82	8.41	115.55	6.84	30.20	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月11日	蚵殼站	00:27:25	29.89	48.02	31.15	117.5	7.5	8.43	151.3	2248.8	6.5	
		03:27:24	29.15	47.9	31.09	106.4	6.88	8.44	150.5	1615	8	
		06:27:18	29.27	46.81	30.29	103.3	6.69	8.42	153.9	1022	8.6	
		09:27:24	29.28	47.3	30.65	115.8	7.49	8.42	165.1	25.8	31.8	
		12:27:24	29.91	47.91	31.08	132.9	8.48	8.46	181.8	72.8	13.4	
		15:27:23	29.79	48.56	31.55	124.4	7.93	8.45	190.6	1826.3	10.3	
		18:27:25	30.29	47.89	31.04	131.7	8.36	8.4	183.8	3560.3	12.6	
		21:27:25	30.01	48.3	31.35	135.9	8.65	8.41	181.5	30.8	13.7	
		日平均值	29.70	47.84	31.03	120.99	7.75	8.43	169.81	1300.23	13.11	
	潮口站	00:25:33	28.99	49.95	32.59	96.9	6.22	8.26	121.8	2.8	11.9	
		03:25:32	29.07	48.48	31.51	94.3	6.09	8.35	116.3	6.9	20.9	
		06:25:32	28.17	50	32.66	91.2	5.94	8.25	136.3	2.9	6.9	
		09:25:32	28.59	50.25	32.83	94.4	6.09	8.26	132.8	3.9	10.6	
		12:25:30	29.21	50.01	32.63	108.3	6.93	8.32	136	2.2	47.6	
		15:25:30	29.7	49.1	31.95	121.3	7.73	8.39	134.9	16.1	34.4	
		18:25:36	29.16	49.53	32.28	106.7	6.85	8.34	136.7	13.6	19.3	
		21:25:34	28.68	49.64	32.38	90.6	5.86	8.26	140.3	4.5	9.5	
	日平均值	28.95	49.62	32.35	100.46	6.46	8.30	131.89	6.61	20.14		
	灣內站	00:26:57	30.66	46.85	30.28	128	8.1	8.44	115.6	6.9	31.9	
		03:26:55	30.07	46.69	30.18	111.8	7.15	8.37	119.1	7.9	29.7	
		06:26:56	30.05	47.9	31.06	114.2	7.27	8.41	118.8	5.5	21.1	
		09:26:56	30.28	47.97	31.1	125.9	7.98	8.41	118.1	5.4	23.1	
		12:26:55	30.87	47.73	30.91	143.7	9.04	8.47	118.7	4.3	27.4	
		15:26:56	31.26	47.81	30.95	161.9	10.12	8.45	119.1	4.7	23	
		18:26:56	31.2	47.51	30.74	158	9.89	8.44	117.4	5.7	21.6	
		21:26:57	31.27	46.53	30.03	145	9.11	8.43	114.6	8.8	26.3	
	日平均值	30.71	47.37	30.66	136.06	8.58	8.43	117.68	6.15	25.51		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
5月12日	蚵殼站	00:27:24	30.42	46.93	30.34	130.2	8.28	8.36	171.9	839.1	10.1	
		03:27:25	30.47	47.71	30.91	129	8.16	8.4	163.9	31.4	17.9	
		06:27:26	30.39	47.49	30.75	127.3	8.08	8.4	164.4	25.5	19	
		09:27:25	30.07	45.78	29.53	133.6	8.58	8.32	180.9	40.3	23.3	
		12:27:26	29.79	48.91	31.81	118.7	7.56	8.22	187.9	26.5	17.1	
		15:27:25	30.24	48.77	31.69	113.9	7.21	8.38	199.3	38.2	9.2	
		18:27:26	28.79	0.292	0.14	99.3	7.66	8.07	138.4	ND	ND	
		21:27:27	28.71	0.311	0.15	99.6	7.69	8.05	136.8	ND	ND	
	日平均值		29.86	35.77	23.17	118.95	7.90	8.28	167.94	166.83	16.10	
	潮口站	00:25:35	28.54	50.16	32.76	91.8	5.94	8.27	142.8	1.8	6.9	
		03:25:40	29.33	47.64	30.89	112.3	7.24	8.31	117.5	3.4	43.7	
		06:25:38	28.77	48.95	31.87	96.2	6.23	8.36	110.5	5	65.1	
		09:25:42	28.26	50.18	32.78	97.5	6.34	8.27	132.9	2.1	25.4	
		12:25:44	28.84	50.22	32.79	105.2	6.77	8.27	137.9	2.6	90.3	
		15:25:43	28.88	49.93	32.58	115.6	7.44	8.33	130.5	9.6	45.3	
		18:25:48	29.15	49.55	32.3	109.7	7.04	8.34	130.4	9.3	73.6	
		21:25:49	29.4	49.22	32.05	116.6	7.46	8.4	126.8	4.9	56.7	
	日平均值		28.90	49.48	32.25	105.61	6.81	8.32	128.66	4.84	50.88	
	灣內站	00:26:57	30.99	46.95	30.34	136.8	8.62	8.5	117	5	21.7	
		03:26:50	30.2	47.17	30.53	134.7	8.58	8.47	120.1	11.9	18.6	
		06:26:52	30.31	47.21	30.55	127.5	8.11	8.46	120.2	4.1	32.3	
		09:26:56	30.3	47.81	30.99	138.1	8.76	8.45	122.9	3.3	34.9	
		12:26:57	31.01	47.05	30.41	158.4	9.97	8.36	119.4	4.4	50	
		15:26:56	31.5	46.81	30.22	164.8	10.3	8.39	115.3	9.3	29.1	
		18:26:57	31.32	47	30.37	160.7	10.07	8.45	114.5	37.2	27.1	
		21:26:57	31.74	45.92	29.57	153.8	9.61	8.37	112.9	6	43.4	
	日平均值		30.92	46.99	30.37	146.85	9.25	8.43	117.79	10.15	32.14	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
5月13日	蚵殼站	00:27:21	28.62	0.297	0.14	99.3	7.68	8.03	139.7	ND	ND	
		03:27:19	28.51	0.305	0.14	99.4	7.7	8.04	124.6	ND	ND	
		06:27:29	28.02	0.295	0.14	99.7	7.8	8.06	131.6	ND	ND	
		09:27:27	28.67	0.305	0.14	99.4	7.68	8.01	128	ND	ND	
		12:27:27	28.28	0.31	0.15	99.6	7.76	8.05	147.6	ND	ND	
		15:27:27	28.53	0.278	0.13	99.8	7.73	8.09	135.7	72.9	ND	
		18:27:29	29.28	0.316	0.15	99.3	7.6	8.07	144.1	ND	ND	
		21:27:29	29.14	0.327	0.15	99.5	7.63	8.06	156.6	ND	ND	
	日平均值		28.63	0.30	0.14	99.50	7.70	8.05	138.49	72.90	ND	
	潮口站	00:25:48	28.28	48.81	31.78	99.3	6.48	8.22	131.3	3.9	155.9	
		03:25:52	28.92	48.35	31.42	117.9	7.63	8.37	116.6	5.7	143	
		06:25:55	29.9	47.79	30.98	133.6	8.53	8.58	113	4.9	167.1	
		09:25:53	27.97	50.24	32.84	98.4	6.42	8.23	129.6	3.1	106.1	
		12:25:57	28.6	50.3	32.86	104.1	6.72	8.26	132.1	5.3	108.1	
		15:25:55	28.57	50.21	32.79	107.2	6.93	8.26	132.9	13.7	95.9	
		18:25:58	29.23	49.58	32.32	111.4	7.14	8.34	125.8	11.5	126.9	
		21:26:02	29.44	48.96	31.85	104.6	6.7	8.36	123.2	6.9	68.1	
	日平均值		28.86	49.28	32.11	109.56	7.07	8.33	125.56	6.88	121.39	
	灣內站	00:26:58	31.54	46.24	29.81	153.4	9.6	8.37	116.2	9.5	69.1	
		03:26:57	31.08	46.4	29.94	147	9.26	8.35	115.9	12.6	36.7	
		06:26:58	30.7	46.59	30.09	137	8.68	8.33	116.1	17	44.6	
		09:26:58	30.91	46.73	30.19	139.7	8.82	8.39	117	238.8	61.6	
		12:26:57	31.23	47.5	30.73	155.1	9.71	8.35	114.2	431.5	10.9	
		15:26:57	31.32	47.95	31.05	152.1	9.5	8.34	111.6	103.6	16.5	
		18:26:58	31.64	46.65	30.1	148.3	9.26	8.35	108.8	369.9	28.1	
		21:26:59	31.16	45.5	29.29	129.5	8.18	8.32	108.3	133.4	46.1	
	日平均值		31.20	46.70	30.15	145.26	9.13	8.35	113.51	164.54	39.20	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
5月14日	蚵殼站	00:27:29	29.06	0.322	0.15	99.9	7.67	8.1	133.6	ND	ND	
		03:27:27	28.03	0.322	0.15	99.9	7.81	8.07	139.5	ND	ND	
		06:27:28	28.01	0.341	0.16	99.8	7.8	8.11	146.7	398.9	ND	
		09:27:30	28.29	0.342	0.16	99.7	7.76	7.96	149.9	523.8	3.4	
		12:27:30	28.75	0.348	0.16	99.6	7.68	8.02	138.7	ND	ND	
		15:27:29	28.86	0.357	0.17	99.4	7.66	8.03	142.6	684.4	ND	
		18:27:29	28.66	0.346	0.16	99.6	7.7	8.02	123.2	ND	ND	
		21:27:30	28.7	0.345	0.16	99.5	7.69	7.97	151.9	ND	2	
	日平均值	28.55	0.34	0.16	99.68	7.72	8.04	140.76	535.70	2.70		
	潮口站	00:26:06	27.76	49.17	32.06	90.5	5.95	8.22	153.4	2.7	67.1	
		03:26:07	28.08	48.45	31.52	100.6	6.6	8.34	149.9	4.9	74.7	
		06:26:05	29.53	45.95	29.66	115.8	7.5	8.35	113.5	6	157.5	
		09:26:11	29.83	47.07	30.47	119.5	7.66	8.33	129.9	9.6	165.3	
		12:26:12	28.98	48.81	31.76	105.5	6.81	8.24	146.5	3.5	105.2	
		15:26:12	29.16	49.66	32.37	108.6	6.96	8.23	132.3	10.8	116.5	
		18:26:10	29.63	49.14	31.98	122.8	7.84	8.33	131.7	8.9	124.7	
		21:26:14	30.3	48.84	31.74	139.3	8.8	8.34	120.1	9	151.2	
	日平均值	29.16	48.39	31.45	112.83	7.27	8.30	134.66	6.93	120.28		
	灣內站	00:26:58	31.25	46.82	30.24	120.6	7.57	8.41	111.6	133.7	29.1	
		03:26:57	31.11	47.38	30.65	125.9	7.9	8.43	113.4	25	23.5	
		06:26:58	30.78	48.15	31.22	119.7	7.53	8.46	114.5	16.2	15.2	
		09:26:58	31.55	48.01	31.09	130.3	8.1	8.46	113.7	15	25.5	
		12:26:53	32.12	47.61	30.78	152.7	9.42	8.44	112.9	413.9	24.3	
		15:26:58	32.58	46.95	30.29	159.2	9.78	8.39	109.7	59.8	22.1	
		18:26:57	32.32	47.25	30.51	158.1	9.74	8.38	111.5	39.4	20.8	
		21:26:56	32.01	47.43	30.66	148.7	9.2	8.35	112.5	12	18.5	
	日平均值	31.72	47.45	30.68	139.40	8.66	8.42	112.48	89.38	22.38		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
5月15日	蚵殼站	00:27:30	27.95	0.329	0.16	100.1	7.83	8.03	130.4	530.3	ND	
		03:27:31	28.03	0.32	0.15	99.9	7.81	8.06	135.8	ND	ND	
		06:27:32	27.98	0.321	0.15	99.7	7.8	8.06	146.4	ND	ND	
		09:27:31	29.16	0.35	0.16	99.5	7.63	7.95	147	103.7	ND	
		12:27:33	29.28	0.348	0.16	99.6	7.61	7.99	144.1	ND	ND	
		15:27:31	29.36	0.328	0.15	99.4	7.6	8.03	129.7	102	ND	
		18:27:32	28.75	0.353	0.17	99.3	7.66	7.99	137.9	509.9	ND	
		21:27:33	28.93	0.357	0.17	99.6	7.67	8.03	140.8	ND	2.5	
	日平均值	28.68	0.34	0.16	99.64	7.70	8.02	139.01	311.48	2.50		
	潮口站	00:26:15	28.5	49.55	32.31	99	6.42	8.24	132.7	3.8	85.6	
		03:26:21	28.71	49.51	32.28	100.9	6.52	8.26	136.1	2.1	73.3	
		06:26:20	30.3	47.94	31.09	128.2	8.13	8.29	126.7	5	129.8	
		09:26:20	30.82	47.2	30.53	138.2	8.72	8.29	151.6	6	120.7	
		12:26:26	29.47	49.52	32.26	117.4	7.5	8.27	116.4	2.7	113.6	
		15:26:22	29.47	49.89	32.53	113.8	7.25	8.26	142.4	4.8	113.9	
		18:26:30	29.3	49.18	32.02	113.2	7.26	8.28	140.4	8.5	137.5	
		21:26:28	29.42	49.12	31.97	99.5	6.37	8.26	125.9	16.1	121.5	
	日平均值	29.50	48.99	31.87	113.78	7.27	8.27	134.03	6.13	111.99		
	灣內站	00:26:59	32.17	47.3	30.55	139.7	8.63	8.43	112.4	24.2	19.2	
		03:27:04	31.75	47.64	30.82	133.2	8.26	8.4	113.1	16.4	20	
		06:27:03	31.27	47.76	30.92	131.3	8.21	8.41	116.5	28.1	16.5	
		09:27:02	31.78	47.94	31.03	137.1	8.49	8.46	115.1	28.6	17.5	
		12:57:08	32.18	47.95	31.03	148.8	9.16	8.46	113.7	8.2	13.8	
		15:27:14	31.88	47.61	30.79	145.2	9	8.42	112.6	12.7	18.4	
		18:27:13	31.74	47.91	31.01	144.8	8.98	8.44	115.6	12.1	33.2	
		21:27:15	31.52	48.06	31.13	134.5	8.36	8.41	115	10.2	10	
	日平均值	31.79	47.77	30.91	139.33	8.64	8.43	114.25	17.56	18.58		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月16日	蚵殼站	00:27:33	28.74	0.358	0.17	99.8	7.71	7.97	132.3	ND	ND	
		03:27:33	28.3	0.355	0.17	99.6	7.75	8.03	128	ND	ND	
		06:27:34	27.51	0.347	0.16	100	7.89	8.02	125.3	1241.2	ND	
		09:27:34	27.21	0.347	0.16	100.2	7.94	8.01	151.5	ND	ND	
		12:27:33	27.39	0.355	0.17	100.1	7.91	8.05	152.3	92.1	ND	
		15:27:34	27.34	0.367	0.17	100	7.91	8.06	134.5	ND	ND	
		18:27:33	28.42	0.399	0.19	99.4	7.72	8.09	133.1	ND	ND	
		21:27:36	27.28	0.372	0.18	100.2	7.94	8.06	153.7	1277.1	ND	
	日平均值	27.77	0.36	0.17	99.91	7.85	8.04	138.84	870.13	ND		
	潮口站	00:26:33	28.33	49.52	32.3	98.1	6.38	8.23	135.7	4.6	81	
		03:26:34	28.52	50.09	32.71	101.7	6.58	8.25	139.6	3.7	121.1	
		06:26:31	29.72	47.26	30.61	116.7	7.49	8.45	115.1	6.6	144.5	
		09:26:33	30.16	47.22	30.56	117.9	7.52	8.44	124.3	8.8	159.6	
		12:26:33	29.5	48.47	31.5	97	6.22	8.41	124.7	11	153.5	
		15:26:40	28.65	49.03	31.93	101.9	6.61	8.26	147.9	4.9	96.5	
		18:26:43	29.43	47.66	30.9	116.9	7.53	8.42	116.6	7.2	141	
		21:26:46	29.29	47.4	30.72	107	6.91	8.49	107.4	12.9	149.3	
	日平均值	29.20	48.33	31.40	107.15	6.91	8.37	126.41	7.46	130.81		
	灣內站	00:27:20	31.57	47.95	31.05	125.6	7.81	8.4	116.3	10.8	23.9	
		03:27:19	31.24	48.13	31.19	121.7	7.6	8.41	114.9	11.2	12.7	
		06:27:18	31.06	48.22	31.26	116.2	7.28	8.39	118.2	5.8	14.3	
		09:27:25	30.97	48.4	31.4	96.4	6.04	8.37	116.2	9	15.1	
		12:27:24	30.52	46.47	30.01	88.6	5.64	8.29	124.6	8.7	23.2	
		15:27:31	30.36	47.83	31	109.5	6.94	8.43	119	5.4	13.4	
		18:27:30	29.98	48.35	31.39	107.3	6.83	8.33	119.3	4.1	15.5	
		21:27:35	29.5	47.13	30.52	102.9	6.63	8.4	119.7	4.8	16.7	
	日平均值	30.65	47.81	30.98	108.53	6.85	8.38	118.53	7.48	16.85		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月17日	蚵殼站	00:27:28	26.27	0.371	0.18	100.4	8.1	8.09	162.1	ND	ND	
		03:27:35	27.51	0.369	0.17	99.9	7.88	8.11	134.2	348.7	ND	
		06:27:35	27.48	0.371	0.18	100.1	7.9	8.1	150.1	ND	ND	
		08:27:35	28.22	0.376	0.18	99.7	7.77	8.13	131	766.2	ND	
		08:41:55	28.65	50.28	32.84	63.3	4.08	8.15	183.2	9.8	4.4	
		16:48:25	28.39	0.387	0.18	99.5	7.73	8.1	129.7	ND	ND	
		18:18:25	26.81	0.364	0.17	100.2	8	8.1	129.4	ND	ND	
		21:18:19	27.43	0.371	0.18	100.2	7.91	8.07	131.6	ND	ND	
	日平均值	27.60	6.61	4.26	95.41	7.42	8.11	143.91	374.90	4.40		
	潮口站	00:26:41	28.84	48.49	31.53	90.3	5.85	8.31	136	10.2	131.3	
		03:26:49	28.37	49.48	32.27	96.2	6.25	8.24	144.4	5.7	102.8	
		06:26:47	28.49	47.42	30.76	90.4	5.92	8.4	116.6	8.4	153.1	
		09:26:53	28.77	47.24	30.63	93.8	6.11	8.35	117.7	9.5	153.3	
		12:03:25	28.63	47.17	30.58	89.3	5.84	8.32	125.5	18.9	21.4	
		15:03:23	28.55	49.36	32.17	98.8	6.41	8.25	119.3	12.4	10.8	
		18:03:24	28.5	45.1	29.08	110.8	7.32	8.39	116.5	11.1	36.9	
		21:03:22	28.34	45.84	29.62	113.4	7.48	8.41	97.8	10.7	30.1	
	日平均值	28.56	47.51	30.83	97.88	6.40	8.33	121.73	10.86	79.96		
	灣內站	00:27:30	29.4	45.1	29.06	90	5.86	8.26	121.5	7.3	17.3	
		03:27:35	29.42	48.22	31.31	87.3	5.61	8.25	120.4	3.8	16.9	
		06:27:39	29.12	47.74	30.98	90.2	5.83	8.3	121.8	3.2	12.9	
		09:27:41	29.21	48.65	31.63	84.7	5.45	8.2	124	3.3	13	
		12:57:10	28.68	44.22	28.44	88.8	5.87	8.21	120.9	11.9	25.1	
		15:27:42	29.43	47.95	31.11	103.2	6.64	8.22	130.7	3.5	14.3	
		18:27:46	29.03	47.35	30.69	114.1	7.4	8.35	128.2	3.5	18.1	
		21:27:46	29.02	47.28	30.64	92.4	6	8.22	124.8	4	18.7	
	日平均值	29.16	47.06	30.48	93.84	6.08	8.25	124.04	5.06	17.04		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月18日	蚵殼站	00:18:20	28.21	0.386	0.18	99.7	7.77	8.05	140.9	206.1	ND	
		03:18:25	27.88	0.364	0.17	99.6	7.8	8.12	133.5	ND	1.5	
		06:18:26	28.12	0.376	0.18	99.8	7.79	8.08	127.2	ND	ND	
		09:18:26	28.06	0.38	0.18	99.9	7.8	8.02	137.4	ND	ND	
		12:18:27	27.88	0.371	0.18	100	7.84	8.06	152.9	907.5	ND	
		15:18:27	26.15	0.348	0.16	100.6	8.13	7.91	176	ND	2.3	
		18:18:28	27.86	0.369	0.17	100.1	7.85	8.01	138.2	ND	ND	
		21:18:26	27.91	0.385	0.18	100.3	7.85	8.02	141.3	ND	ND	
	日平均值	27.76	0.37	0.18	100.00	7.85	8.03	143.43	556.80	1.90		
	潮口站	00:03:23	28.34	47.09	30.53	96.2	6.32	8.3	108.7	13.1	19	
		03:03:22	28.03	50.07	32.71	98.5	6.42	8.25	117.9	9.5	1.1	
		06:03:22	27.85	47.21	30.63	94.2	6.24	8.24	112.7	9.1	7.8	
		09:03:23	28.36	47.66	30.94	106.9	7.07	8.22	105.1	14.6	90.4	
		12:03:23	28.38	45.08	29.07	107.1	7.09	8.29	103.2	15.8	546	
		15:03:21	28.61	48.84	31.79	93.5	6.07	8.25	101.8	12.4	115.3	
		18:03:23	28.45	48.72	31.71	97	6.32	8.24	107.1	9.4	57.6	
		21:03:23	28.73	45.98	29.71	131.1	8.6	8.45	101.9	7.3	50.8	
	日平均值	28.34	47.58	30.89	103.06	6.77	8.28	107.30	11.40	111.00		
	灣內站	00:27:45	28.94	46.86	30.34	98.6	6.42	8.27	137.8	4.7	19.2	
		03:27:49	28.45	46.28	29.93	95.8	6.3	8.25	133.3	3.5	16.2	
		06:27:56	28.45	44.8	28.87	93.3	6.17	8.24	131.3	4.3	14.3	
		09:27:57	28.47	46.37	30	96.9	6.37	8.27	132.5	3.5	21.2	
		12:27:57	28.99	43.97	28.26	131.1	8.63	8.33	129.6	5.7	29.3	
		15:27:57	29.7	42.34	27.07	158.6	10.39	8.44	139.4	8.5	39.1	
		18:28:02	29.53	43.15	27.65	160.9	10.53	8.45	128.4	6.2	34.1	
		21:28:01	29.08	45.8	29.57	147.4	9.61	8.44	130.2	4.4	29.9	
	日平均值	28.95	44.95	28.96	122.83	8.05	8.34	132.81	5.10	25.41		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月19日	蚵殼站	00:18:28	27.59	0.408	0.19	100.1	7.88	8.05	151.2	ND	ND	
		03:18:27	28.21	0.401	0.19	99.9	7.78	8.04	131.9	ND	ND	
		06:18:29	28.04	0.392	0.19	99.7	7.79	8.03	140.9	ND	ND	
		09:18:28	27.79	0.378	0.18	99.9	7.85	8.03	137.7	ND	ND	
		12:18:29	28.66	0.394	0.19	99.7	7.71	8.02	154.4	ND	ND	
		15:40:08	28.29	0.346	0.16	99.6	7.75	7.98	150.5	607.9	ND	
		18:18:27	26.7	0.367	0.17	100.5	8.04	8.01	180.6	ND	ND	
		21:18:30	26.85	0.373	0.18	100.2	8	8.09	155.3	ND	ND	
	日平均值	27.77	0.38	0.18	99.95	7.85	8.03	150.31	607.90	ND		
	潮口站	00:03:22	28.62	46.98	30.43	115.3	7.54	8.36	101.4	8.1	32.4	
		03:03:22	28.21	49.41	32.22	97.4	6.35	8.25	117.9	10.3	2.6	
		06:03:21	28.22	49.01	31.93	101.3	6.61	8.27	106	7.4	10.4	
		09:03:20	28.3	48.35	31.45	92.4	6.04	8.24	109.7	14.5	53.1	
		12:03:14	28.55	46.91	30.39	100	6.55	8.26	127	19.2	26.3	
		15:03:21	28.51	47.4	30.74	92.9	6.07	8.25	121.6	18.4	16.2	
		18:03:26	28.28	48.76	31.74	99.9	6.52	8.26	124.8	12.3	4.3	
		21:03:22	28.2	45.67	29.5	110.3	7.31	8.39	120.5	12.9	121	
	日平均值	28.36	47.81	31.05	101.19	6.62	8.29	116.11	12.89	33.29		
	灣內站	00:28:06	28.92	44.28	28.48	125.8	8.28	8.33	139	6	27.4	
		03:28:06	28.69	44.19	28.42	136.7	9.03	8.41	125.9	4.1	29.8	
		06:28:05	28.47	43.77	28.13	122.5	8.14	8.31	123.8	3.3	24.9	
		09:28:10	29.1	45.03	29.01	152.4	9.97	8.39	123.8	6.1	28	
		12:57:12	29.26	45.39	29.27	179.2	11.68	8.37	117.5	4.3	30.1	
		15:28:14	29.31	43.83	28.14	195	12.77	8.37	122.6	4	38.3	
		18:28:21	28.78	41.3	26.36	155.3	10.36	8.4	122	7.5	28.9	
		21:28:20	28.82	43.17	27.69	142.7	9.45	8.44	120.6	6.5	29.1	
	日平均值	28.92	43.87	28.19	151.20	9.96	8.38	124.40	5.23	29.56		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppT)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月20日	蚵殼站	00:18:29	26.77	0.364	0.17	100.2	8.01	8.08	170	ND	ND	
		03:18:29	26.89	0.374	0.18	100.1	7.98	8.14	151.4	ND	ND	
		06:18:30	27.11	0.371	0.18	99.9	7.94	8.09	170.3	ND	ND	
		09:18:31	27.44	0.375	0.18	99.6	7.87	8.06	143.6	ND	2.7	
		12:18:31	26.94	0.37	0.18	99.9	7.97	8.12	151.6	ND	2.7	
		15:18:29	27.17	0.376	0.18	99.6	7.91	8.11	145.1	573	ND	
		18:18:31	27.84	0.393	0.19	99.3	7.78	8.03	167.2	ND	ND	
		21:18:24	27.53	0.389	0.18	99.6	7.85	8.03	159.8	ND	ND	
	日平均值	27.21	0.38	0.18	99.78	7.91	8.08	157.38	573.00	2.70		
	潮口站	00:03:30	27.91	43.44	27.9	118.7	7.96	8.25	95.2	9.1	164.2	
		03:03:30	27.83	46.8	30.33	97.3	6.45	8.25	108.2	23.5	130.7	
		06:03:25	27.89	48.12	31.29	97.4	6.41	8.25	119.7	17.6	200.2	
		09:03:29	27.64	44.73	28.84	101.6	6.81	8.33	102.5	12.8	44.9	
		12:03:33	28.02	47.39	30.75	83.5	5.51	8.22	99.2	23.8	35.3	
		15:03:34	27.55	43.45	27.92	91.7	6.19	8.28	91.7	19.1	49.4	
		18:03:32	27.65	45.06	29.08	97.3	6.52	8.27	116.1	13.6	40.5	
		21:03:40	27.67	44.92	28.98	95.7	6.41	8.26	113.6	13.2	14.7	
	日平均值	27.77	45.49	29.39	97.90	6.53	8.26	105.78	16.59	84.99		
	灣內站	00:28:28	28.62	43.71	28.08	96.7	6.41	8.15	151.7	7.5	23	
		03:28:27	28.07	42.35	27.12	103.5	6.96	8.3	134.8	8.9	15.1	
		06:28:25	28.08	43.57	27.99	93.2	6.24	8.19	124.9	5.5	14.8	
		09:28:34	28.08	43.72	28.1	91.4	6.11	8.21	137.5	4.8	13.3	
		12:28:32	28.13	45.23	29.19	93.3	6.19	8.2	132.7	12	13.4	
		15:28:31	27.91	41.94	26.83	93.5	6.32	8.15	130.3	7.6	13.6	
		18:28:35	27.93	42.95	27.56	89.1	5.99	8.14	141.5	8	15.2	
		21:28:36	27.53	40.36	25.72	94.3	6.45	8.13	132.2	10.5	7.7	
	日平均值	28.04	42.98	27.57	94.38	6.33	8.18	135.70	8.10	14.51		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppT)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月21日	蚵殼站	00:18:30	27.6	0.407	0.19	99.6	7.85	8.01	146.4	ND	ND	
		03:18:25	27.79	0.397	0.19	99.3	7.79	8.07	148.9	ND	ND	
		06:18:25	27.7	0.391	0.19	99.4	7.81	8.04	154.3	ND	ND	
		09:18:31	28.12	0.398	0.19	99.4	7.76	8.04	140.1	ND	ND	
		12:18:25	28.31	0.403	0.19	99.3	7.73	7.95	165.6	ND	ND	
		15:51:31	29.45	44.29	28.47	144.4	9.42	8.45	165.8	7.6	44.6	
		18:21:30	29.56	41.07	26.17	162.5	10.72	8.41	163.9	29.2	43.3	
		21:21:33	29.45	44.1	28.34	131.1	8.56	8.38	164.8	23.2	30.1	
	日平均值	28.50	16.43	10.49	116.88	8.46	8.17	156.23	20.00	39.33		
	潮口站	00:03:35	27.84	45.59	29.46	79.9	5.32	8.21	114	14.7	68.9	
		03:03:34	27.61	47.38	30.76	95.9	6.36	8.24	114.9	24.5	68.1	
		06:03:35	27.56	48.74	31.75	95.1	6.29	8.24	119.2	23.9	39.8	
		09:03:40	27.52	45.85	29.65	87.9	5.88	8.21	102.1	11.7	46.7	
		12:03:43	28.03	45.86	29.65	90.8	6.02	8.22	104.1	15.7	50	
		15:03:45	28.44	33.16	20.67	74.5	5.16	8.14	105.1	14.2	47.2	
		18:03:47	28.16	46.36	30	94.7	6.26	8.19	114.6	15.1	47.5	
		21:03:46	28.23	44.17	28.42	101.5	6.76	8.23	102.7	9.7	54.5	
	日平均值	27.92	44.64	28.80	90.04	6.01	8.21	109.59	16.19	52.84		
	灣內站	00:28:42	27.23	41.21	26.33	95	6.5	8.19	132.3	6	7.2	
		03:28:49	27.06	40.51	25.83	89.7	6.18	8.17	128.2	5.8	7.3	
		06:28:48	26.85	38.29	24.28	74.8	5.22	8.05	147.6	8.4	7.3	
		09:28:47	28.01	39.14	24.85	94.6	6.45	8.1	131.1	8.3	9.6	
		12:57:13	30.03	37.73	23.8	126.2	8.37	8.25	121.3	7.5	14.4	
		15:28:51	30.35	37.32	23.51	146.2	9.66	8.26	144.5	8.4	25.6	
		18:28:54	30.86	36.2	22.71	164.6	10.83	8.33	128.2	13.4	33	
		21:28:57	30.11	37.45	23.6	138.7	9.19	8.2	138.5	10	24.1	
	日平均值	28.81	38.48	24.36	116.23	7.80	8.19	133.96	8.48	16.06		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月22日	蚵殼站	00:21:24	29.47	39.63	25.16	146.9	9.75	8.46	167.8	21.7	51.3	
		03:21:32	28.99	37	23.32	134.8	9.11	8.4	175.5	23.6	52.2	
		06:21:32	29.24	43.68	28.04	107.6	7.06	8.33	167.6	7.9	19.6	
		09:21:32	29.42	44.52	28.64	133.9	8.73	8.33	219.8	13.4	29.5	
		12:21:32	30.01	44.81	28.82	180.1	11.62	8.38	213	10.7	37.1	
		15:21:31	30.83	44.36	28.48	190.4	12.14	8.35	190.4	39.9	38.2	
		18:21:32	31.36	41.42	26.36	201	12.86	8.39	197.3	50.5	52.1	
		21:21:33	30.79	42.46	27.12	188.4	12.11	8.38	193.1	22.3	31.3	
	日平均值	30.01	42.24	26.99	160.39	10.42	8.38	190.56	23.75	38.91		
	潮口站	00:03:45	29.01	41.43	26.44	128.4	8.53	8.38	99.9	5.8	75.5	
		03:03:50	27.8	47.17	30.6	94.7	6.27	8.22	103.3	15.8	48	
		06:03:52	28.01	47.54	30.87	97.1	6.4	8.27	117.7	9.2	44.6	
		09:03:56	28.1	1.472	0.73	106.3	8.27	8.27	100.7	9.7	59.3	
		12:03:55	28.24	46.43	30.05	114.7	7.56	8.3	100.4	13.2	58.3	
		15:03:56	28.35	47.88	31.1	88.6	5.8	8.18	105.9	16.6	75.8	
		18:03:53	28.45	45.03	29.03	97.7	6.46	8.22	103.2	7.7	45.7	
		21:04:00	28.15	47.75	31.01	94	6.18	8.21	103	5.6	26.4	
	日平均值	28.26	40.59	26.23	102.69	6.93	8.26	104.26	10.45	54.20		
	灣內站	00:28:58	30.33	40.54	25.77	129.7	8.46	8.12	134.6	7	29	
		03:29:01	29.83	40.51	25.77	119.7	7.88	8.16	130.6	5.9	21	
		06:29:04	28.79	38.9	24.66	98.9	6.66	7.99	140.8	6.7	17.7	
		09:29:05	30	41.03	26.13	139.5	9.14	8.01	138	6.2	17.8	
		12:29:08	31.51	38.19	24.09	180.3	11.65	8.26	127.2	7.2	31.2	
		15:29:06	31.67	39.29	24.85	198.4	12.74	8.54	119	6.7	32.6	
		18:29:14	31.53	38.67	24.42	114.6	7.39	8.23	134.2	9.6	36.2	
		21:29:12	31.81	37.61	23.67	156.9	10.11	8.58	118.9	12	29.2	
	日平均值	30.68	39.34	24.92	142.25	9.25	8.24	130.41	7.66	26.84		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月23日	蚵殼站	00:21:26	30.62	43.19	27.65	165.4	10.64	8.38	210.7	17.3	41.2	
		03:21:34	29.55	39.36	24.96	171.6	11.39	8.35	154.9	14.6	35.9	
		06:21:34	29.48	40.7	25.91	153.4	10.14	8.33	164.3	12.3	35.7	
		09:21:27	29.72	41.85	26.72	160.3	10.51	8.34	207.6	70.6	17.2	
		12:21:34	30.02	45.17	29.09	156.3	10.06	8.36	216.5	13.7	10.8	
		15:21:27	30.69	44.35	28.48	169.5	10.84	8.37	216.1	37.4	15.7	
		18:21:34	30.56	43.97	28.21	164.8	10.57	8.37	210.5	29.9	10	
		21:21:27	30.72	43.49	27.86	159.8	10.24	8.33	216	44.2	6.7	
	日平均值	30.17	42.76	27.36	162.64	10.55	8.35	199.58	30.00	21.65		
	潮口站	00:03:59	29.22	43.49	27.9	146.3	9.61	8.49	98.1	8.1	99.6	
		03:04:03	28.22	47.71	30.98	98.9	6.49	8.27	100.9	11.7	58.7	
		06:04:02	28.15	48.17	31.32	97.7	6.41	8.26	102.3	7.8	34.3	
		09:04:09	28.35	46.52	30.12	113	7.44	8.36	101.2	8.3	71.8	
		12:04:10	28.73	45.39	29.28	138.4	9.1	8.46	100.7	12.5	74.3	
		15:04:10	28.78	46.95	30.41	110.8	7.23	8.29	94.8	17	71.8	
		18:04:12	28.54	48.08	31.24	89.1	5.81	8.22	99.8	11.2	77.1	
		21:04:13	28.33	44.52	28.67	95.9	6.36	8.18	104.6	11.4	ND	
	日平均值	28.54	46.35	29.99	111.26	7.31	8.32	100.30	11.00	69.66		
	灣內站	00:29:13	31.32	38.64	24.4	89.1	5.76	8.23	120.7	7.7	18.5	
		03:29:15	30.61	41.82	26.67	140.9	9.11	8.36	117	5.8	19.2	
		06:29:20	29.77	42.99	27.53	125.3	8.17	8.18	125.4	4.9	14	
		09:29:17	30.39	43.14	27.62	155.8	10.06	8.35	119.3	2.9	10.4	
		12:57:13	31.3	42.32	27.01	165.7	10.57	8.37	113.9	4.3	14.5	
		15:29:22	31.31	42.83	27.37	35.4	2.25	7.97	132.9	5.8	10.2	
		18:29:24	31.23	43.29	27.7	140.7	8.95	8.34	117.1	4.9	7.7	
		21:29:29	31.4	41.8	26.64	112.3	7.17	8.12	120	9.4	11.7	
	日平均值	30.92	42.10	26.87	120.65	7.76	8.24	120.79	5.71	13.28		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月24日	蚵殼站	00:21:33	30.59	43.67	27.99	148.4	9.53	8.38	197	35.6	12	
		03:21:34	30.05	43.8	28.1	138	8.93	8.32	160.6	23.9	6	
		06:21:35	29.6	43.24	27.71	127.2	8.31	8.35	144.7	22.8	10.7	
		09:21:36	30.21	43.71	28.03	137	8.85	8.37	204.4	19.6	7.4	
		12:21:36	30.75	45.42	29.24	142.6	9.07	8.46	210.9	33.9	6.8	
		15:21:30	30.84	45.75	29.48	140.3	8.9	8.45	198.8	14.4	8.4	
		18:21:37	30.64	45.91	29.6	133.8	8.51	8.45	224.4	21.8	5.7	
		21:21:38	30.89	45.2	29.08	137	8.7	8.45	217.8	12.8	5.8	
	日平均值	30.45	44.59	28.65	138.04	8.85	8.40	194.83	23.10	7.85		
	潮口站	00:04:19	29.21	43.09	27.62	135.6	8.92	8.49	103	10.3	48.1	
		03:04:20	28.57	46.07	29.78	104	6.83	8.29	97.4	12.1	53	
		06:04:25	28.14	48.3	31.42	95.1	6.23	8.25	100.4	9.6	28.6	
		09:04:21	28.51	46.01	29.74	115.1	7.57	8.37	106.1	13	41.7	
		12:04:28	28.97	45.09	29.06	125.8	8.24	8.42	95.9	15.7	69.2	
		15:04:27	29.77	45.37	29.24	135.2	8.73	8.43	96.1	15.3	48.8	
		18:04:32	28.97	46.81	30.3	102.1	6.65	8.25	102.2	11.5	66.2	
		21:04:32	28.6	46.21	29.88	96.6	6.34	8.2	104.4	9.7	50.2	
	日平均值	28.84	45.87	29.63	113.69	7.44	8.34	100.69	12.15	50.73		
	灣內站	00:29:27	30.57	41.32	26.32	100.9	6.54	8.13	129.4	6.5	8.9	
		03:29:34	30.45	42.85	27.41	105.6	6.82	8.17	122.2	4.3	6	
		06:29:35	30.07	43.29	27.74	121.7	7.89	8.56	114.9	3.9	5.3	
		09:29:34	30.6	43.81	28.1	134.9	8.66	8.46	118.3	1.6	2.9	
		12:29:39	31.58	43.89	28.12	122.7	7.75	8.22	118.1	3.4	2.3	
		15:29:46	32	43.74	28	72.5	5.55	8.15	116.9	9.9	9.5	
		18:29:46	31.64	43.96	28.17	70.7	5.46	8.14	113.7	9.4	12.2	
		21:29:43	31.34	43.76	28.03	67	5.25	8.15	116.6	7.7	9.1	
	日平均值	31.03	43.33	27.74	99.50	6.74	8.25	118.76	5.84	7.03		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
5月25日	蚵殼站	00:21:36	31.16	45.04	28.96	134.5	8.51	8.36	193.2	ND	11.7	
		03:21:37	30.78	45.02	28.96	125	7.96	8.34	188.4	13.5	8.1	
		06:21:38	29.85	44.9	28.9	114	7.37	8.34	185.1	ND	10.9	
		09:21:38	30.53	44.38	28.5	131.1	8.41	8.32	209.4	501.6	7.8	
		12:21:38	30.59	46.32	29.9	132.2	8.4	8.45	210	28.2	7	
		15:21:39	30.56	46.84	30.28	140.2	8.9	8.46	209.5	47.8	4.5	
		18:21:38	31	45.92	29.59	147.6	9.33	8.42	207.3	20.5	6	
		21:21:40	31.36	45.83	29.52	141.4	8.89	8.44	214	29.8	ND	
	日平均值	30.73	45.53	29.33	133.25	8.47	8.39	202.11	106.90	8.00		
	潮口站	00:04:33	29.02	44.56	28.68	108.2	7.1	8.34	102.6	8.8	144.5	
		03:04:30	29.36	44.26	28.45	117.6	7.68	8.43	103.5	4	144	
		06:04:37	28.06	48.47	31.54	96.3	6.32	8.23	103.7	8.2	141.9	
		09:04:36	28.27	47.98	31.18	96.6	6.33	8.21	136.6	8.9	58.1	
		12:04:35	28.95	46.26	29.91	125.4	8.18	8.37	107.7	10.1	74.8	
		15:04:41	29.41	46.98	30.41	124.2	8.02	8.31	121.6	14.8	40.8	
		18:04:40	29.58	46.62	30.15	113.3	7.31	8.34	114.8	9.5	41.7	
		21:04:44	28.62	45.84	29.62	99.2	6.52	8.19	130.2	11.1	36.9	
	日平均值	28.91	46.37	29.99	110.10	7.18	8.30	115.09	9.43	85.34		
	灣內站	00:29:48	31.05	43.99	28.21	61	6.88	8.1	121.5	7.6	2.5	
		03:29:50	30.6	44.05	28.27	58.6	6.76	8.07	127.7	6.9	2.3	
		06:29:57	30.3	43.58	27.93	41.1	5.65	8	132.3	7.7	3.1	
		09:29:55	31.18	44.57	28.62	73.4	7.65	8.11	122.8	6.2	4.8	
		12:57:17	31.71	45.14	29.01	73.1	7.58	8.19	119.1	5.2	3.9	
		15:00:01	32.24	45.26	29.08	35	5.17	7.89	140.9	11.4	1.7	
		18:00:01	32.85	43.54	27.83	83.3	8.16	8.16	115.4	12	3.9	
		21:00:07	32.42	44.87	28.79	46.9	7.91	7.94	122.6	12.2	1	
	日平均值	31.54	44.38	28.47	59.05	6.97	8.06	125.29	8.65	2.90		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月26日	蚵殼站	00:21:41	31.23	45.85	29.54	145.1	9.14	8.41	216.8	7.3	4.2	
		03:21:40	30.72	45.6	29.37	134.6	8.56	8.46	189.4	7	7.7	
		06:21:39	30.48	44.92	28.89	130.2	8.33	8.43	178.8	35.3	11.7	
		09:21:33	30.83	45.42	29.24	141.1	8.96	8.4	221.7	27.3	10.6	
		12:21:40	31.06	46.37	29.92	145.9	9.2	8.39	219.2	186.5	3.1	
		15:21:40	29.97	48.56	31.55	139.2	8.86	8.38	197.1	123.7	8.1	
		18:21:34	29.86	48.36	31.4	132.2	8.43	8.35	210.9	85.1	11.2	
		21:21:38	30.57	47.65	30.86	133.2	8.42	8.39	189	62.8	6.9	
	日平均值	30.59	46.59	30.10	137.69	8.74	8.40	202.86	66.88	7.94		
	潮口站	00:04:47	28.82	45.1	29.07	95.4	6.27	8.16	118.1	9.3	34.9	
		03:04:44	29.81	44.38	28.53	114.1	7.4	8.38	142	10.8	47.7	
		06:04:44	28.18	48.45	31.52	96.2	6.3	8.21	112.2	10.9	37.9	
		09:04:49	28.63	47.73	30.98	98.5	6.42	8.2	109.3	14.1	34.5	
		12:04:53	29.76	45.64	29.43	128.6	8.3	8.38	128.5	7.3	75.6	
		15:04:53	30.19	46.04	29.71	121.1	7.75	8.34	114.8	17.7	24.4	
		18:04:54	31.49	44.9	28.85	142	8.95	8.38	101.4	9.1	87.8	
		21:04:56	30.05	45.83	29.56	105.3	6.76	8.28	100.4	12.8	78.3	
	日平均值	29.62	46.01	29.71	112.65	7.27	8.29	115.84	11.50	52.64		
	灣內站	00:00:05	31.11	43.95	28.18	92.2	6.06	7.96	125	7.7	2.3	
		03:00:12	30.78	43.51	27.87	100.7	6.62	8.02	129.3	7.6	2.4	
		06:00:12	30.65	44.72	28.75	97.2	6.39	8.03	125.5	6.3	5.7	
		09:00:16	31	45.69	29.43	118.2	7.77	8.11	119.3	4.2	4.1	
		12:00:18	32.02	45.54	29.29	116.8	7.68	8.09	118.8	8.1	2.3	
		15:00:20	32.25	46.37	29.88	96.6	6.35	7.99	127	12.2	5.7	
		18:00:21	32.3	46.39	29.89	104.8	6.89	8.07	94.9	17.1	4.8	
		21:00:27	31.51	44.18	28.33	95.8	6.3	8.02	67.1	17.1	ND	
	日平均值	31.45	45.04	28.95	102.78	6.76	8.04	113.36	10.04	3.90		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	←	環評承諾日平均值需達標準	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月27日	蚵殼站	00:21:40	31	47.12	30.47	123.4	7.76	8.41	184.8	56.4	11.2	
		03:21:41	30.78	46.8	30.24	113	7.14	8.49	195	28.5	6.5	
		06:21:42	30.27	46.78	30.24	107	6.82	8.48	184.1	8.6	2.8	
		09:21:35	30.53	46.86	30.29	112.5	7.14	8.44	215.4	51.7	1.9	
		12:21:42	31.39	47.38	30.64	118.6	7.41	8.45	202.5	22.8	ND	
		15:21:37	30.62	48.69	31.62	122.6	7.71	8.3	197.3	125.8	5	
		18:21:36	30.76	48.44	31.43	125.4	7.88	8.36	209.1	45.2	3.7	
		21:21:43	30.98	47.8	30.96	117.3	7.37	8.43	217.4	53.9	1.7	
	日平均值	30.79	47.48	30.74	117.48	7.40	8.42	200.70	49.11	4.69		
	潮口站	00:05:00	30.1	45.25	29.14	103.7	6.67	8.28	97.7	6.1	69.4	
		03:05:00	30.75	44.34	28.47	110.6	7.06	8.45	94	13.6	92.1	
		06:04:57	29.08	47.44	30.75	96.2	6.23	8.25	100.5	10.9	74	
		09:05:06	29.09	47	30.44	99.9	6.49	8.2	104.8	14	48.6	
		12:05:03	30.23	45.98	29.66	115	7.36	8.31	101.5	7.2	79.2	
		15:05:04	30.08	46.45	30.01	120.8	7.74	8.3	105.2	15	93.5	
		18:05:09	31.3	45.68	29.42	122	7.69	8.39	100.8	10	83.1	
		21:05:08	29.79	46.2	29.84	107	6.89	8.27	103.3	11.1	86.8	
	日平均值	30.05	46.04	29.72	109.40	7.02	8.31	100.98	10.99	78.34		
	灣內站	00:00:26	30.9	46.37	29.93	114.2	7.51	8.07	119	4.1	ND	
		03:00:33	30.87	45.66	29.42	106.6	7.01	8.08	119.3	6.2	ND	
		06:00:32	30.57	45.86	29.56	102.4	6.73	8.06	115.5	4.1	2.6	
		09:00:34	30.89	46.14	29.76	92.5	6.08	7.97	119.6	9.1	1.3	
		12:00:38	31.65	46.3	29.85	103.3	6.79	8.04	117.9	9.8	1.9	
		15:00:39	31.72	46.81	30.22	104.0	6.84	8.27	123.4	1.5	3.7	
		18:00:44	32	46.5	29.98	91.7	6.03	7.91	128.8	12.8	1.4	
		21:00:43	31.73	46.4	29.92	106.6	7.01	8.02	122.1	8.6	ND	
	日平均值	31.29	46.26	29.83	102.67	6.75	8.05	120.70	7.03	2.18		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	←	環評承諾日平均值需達標準	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppT)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月28日	蚵殼站	00:21:42	30.81	47.56	30.79	112.1	7.06	8.47	173.4	45.5	1.2	
		03:21:43	30.73	47	30.39	106.6	6.74	8.47	174.5	25.1	3.5	
		06:21:44	30.23	47.07	30.45	93.4	5.95	8.38	181.2	16.3	2.8	
		09:21:44	30.24	46.86	30.3	101.9	6.5	8.4	186.6	5	4.9	
		12:21:44	30.29	47.08	30.46	108.9	6.93	8.37	169.7	28.4	17.1	
		15:21:44	30.63	47.71	30.9	122.1	7.71	8.38	217.7	29.2	8.7	
		18:21:43	30.67	47.8	30.97	123.8	7.81	8.37	229.1	37.1	3.7	
		21:21:45	30.38	45.92	29.62	120.5	7.7	8.47	152.2	22.1	10	
	日平均值	30.50	47.13	30.49	111.16	7.05	8.41	185.55	26.09	6.49		
	潮口站	00:05:08	29.45	47.44	30.75	105	6.77	8.25	108	6.9	57.1	
		03:05:11	30.33	45.2	29.1	94.4	6.05	8.3	101	7.3	74	
		06:05:12	30.05	45.8	29.54	92.8	5.96	8.3	98.1	8.5	56.3	
		09:05:11	29.13	47.78	31.01	99.7	6.45	8.21	109	13.4	50.3	
		12:05:16	29.41	46.94	30.38	102.1	6.6	8.24	105.6	10.7	46	
		15:05:17	30.37	45.37	29.22	110.3	7.06	8.35	101.2	12.8	70.8	
		18:05:18	30.23	45.77	29.51	103.2	6.61	8.28	103.4	17.5	78.8	
		21:05:15	30.23	45.24	29.13	95.9	6.15	8.29	96.1	15.5	80.1	
	日平均值	29.90	46.19	29.83	100.43	6.46	8.28	102.80	11.58	64.18		
	灣內站	00:00:43	31.4	46.05	29.68	105.1	6.91	8.07	115.1	7.3	4.2	
		03:00:46	30.81	46.77	30.21	103.7	6.82	7.99	123.9	10.6	ND	
		06:00:46	30.41	46.87	30.3	96.3	6.33	7.94	132	15.3	3.1	
		09:00:53	30.25	46.54	30.07	98.6	6.48	7.98	125.7	6.4	4.4	
		12:00:51	30.38	45.92	29.62	104.5	6.87	7.95	123.9	6.2	1.4	
		15:00:59	31.18	45.25	29.11	110.4	7.26	8.02	109.9	17.6	1.6	
		18:00:54	31.56	44.22	28.36	110.4	7.26	7.99	116.9	13.7	ND	
		21:00:58	30.6	43.79	28.08	126.5	8.32	7.99	124.7	12	4.9	
	日平均值	30.82	45.68	29.43	106.95	7.03	7.99	121.51	11.14	3.27		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppT)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月29日	蚵殼站	00:21:44	30.03	47.51	30.78	108.6	6.93	8.4	166	56	1.6	
		03:21:39	29.77	46.9	30.35	106.4	6.84	8.46	160.6	19.5	2.5	
		06:21:43	29.69	49.32	32.11	85.6	5.45	8.25	183.8	16.8	ND	
		09:21:39	29.73	49.35	32.13	86.8	5.52	8.12	249	3.3	ND	
		12:21:45	29.83	49.14	31.97	113.4	7.21	8.26	240.4	52.7	3.4	
		15:21:46	30.19	48.99	31.85	116.8	7.39	8.27	233.5	92.9	10	
		18:21:47	30.94	47.17	30.5	135.5	8.53	8.49	187.6	161.1	8.8	
		21:21:46	30.85	47.76	30.94	130.6	8.22	8.45	196.3	62.1	9.1	
	日平均值	30.13	48.27	31.33	110.46	7.01	8.34	202.15	58.05	5.90		
	潮口站	00:05:23	29.25	47.05	30.47	101	6.54	8.23	107.9	7.8	62.1	
		03:05:20	29.67	44.8	28.83	102.4	6.64	8.36	98.5	8.5	60.4	
		06:05:19	29.49	44.25	28.44	98.4	6.41	8.35	91.3	11.2	67.3	
		09:05:28	29.4	47.01	30.44	96.2	6.21	8.23	107	6	54.9	
		12:05:24	30.03	46.63	30.14	102.5	6.56	8.23	114.7	6.1	58.6	
		15:05:25	29.86	47.12	30.5	90.1	5.77	8.18	115.3	10.3	79.6	
		18:05:31	30.77	46.18	29.79	117.5	7.45	8.31	112.7	11.2	62.8	
		21:05:29	30.64	45.36	29.2	125.5	8	8.39	114	7.8	86.2	
	日平均值	29.89	46.05	29.73	104.20	6.70	8.29	107.68	8.61	66.49		
	灣內站	00:00:57	30.2	46.28	29.89	103.9	6.83	8.05	127.7	4.8	3.6	
		03:01:01	30.03	46.02	29.7	99.2	6.36	8.01	129.7	6.1	3.5	
		06:01:04	29.78	46.64	30.16	101.1	6.5	8.22	113.9	ND	ND	
		09:01:08	30.21	46.31	29.9	99.1	6.34	8.06	113.5	10.5	ND	
		12:01:10	31.36	44.19	28.34	99.6	6.3	7.97	118.1	7.3	4.1	
		15:01:09	32.46	43.15	27.56	105.9	6.96	7.84	117	8.8	3.8	
		18:01:13	31.33	45.49	29.28	139.8	8.81	8.34	116	2.3	2	
		21:01:14	31.13	45.78	29.49	130.6	8.25	8.37	111.1	2.1	2.9	
	日平均值	30.81	45.48	29.29	109.89	7.04	8.11	118.38	5.99	3.32		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月30日	蚵殼站	00:21:46	30.71	47.86	31.01	120	7.56	8.44	188.9	24.8	8.1	
		03:21:47	29.84	48.9	31.8	96.2	6.12	8.27	192.6	16	9.1	
		06:21:41	30.1	49.04	31.89	87.3	5.53	8.26	190.4	29.2	7.8	
		09:21:46	30.23	48.92	31.8	96.3	6.09	8.21	227.1	39.8	16.5	
		12:21:48	30.18	48.89	31.78	112.9	7.15	8.25	234.5	20.1	4.6	
		15:21:49	30.15	49.18	31.99	106.5	6.74	8.23	215.8	22.5	14.3	
		18:21:49	30.07	49.21	32.02	112.4	7.12	8.23	236.8	12.2	5	
		21:21:48	31.22	47.65	30.84	125	7.82	8.38	235.2	22.2	1.3	
	日平均值	30.31	48.71	31.64	107.08	6.77	8.28	215.16	23.35	8.34		
	潮口站	00:05:29	29.16	47.74	30.98	97.4	6.29	8.23	108.1	6.8	53.9	
		03:05:33	29.24	46.18	29.84	108	7.02	8.3	111.2	3.6	69.9	
		06:05:33	29.92	45	28.97	113.9	7.36	8.37	107.8	9.1	87.3	
		09:05:38	29.99	44.67	28.73	107.4	6.94	8.33	106.7	11.2	72	
		12:05:41	29.42	48.3	31.37	94.7	6.09	8.18	113.7	7.2	49.3	
		15:05:37	30.69	45.22	29.1	128.2	8.17	8.33	105.8	6.4	73.3	
		18:05:39	31.02	45.1	29	136	8.63	8.4	127.1	8.7	88.8	
		21:05:44	31.38	43.56	27.89	135.5	8.6	8.44	113.9	7.6	90.8	
	日平均值	30.10	45.72	29.49	115.14	7.39	8.32	111.79	7.58	73.16		
	灣內站	00:01:14	30.62	44.08	28.29	104.8	6.72	8.04	119.9	6.5	6.2	
		03:01:19	30.7	43.15	27.62	116.9	7.51	8.3	109.9	3.7	2.5	
		06:01:20	30.85	45.96	29.63	118.3	7.5	8.33	110.9	1.1	ND	
		09:01:22	31.49	46.2	29.78	128.1	8.03	8.3	110.9	ND	ND	
		12:01:23	31.78	45.33	29.15	139	8.7	8.34	113.1	5.5	ND	
		15:01:23	32.41	45.49	29.24	156.1	9.67	8.42	110.6	4.3	ND	
		18:01:29	32.23	46.14	29.71	156.2	9.68	8.42	111	3.3	3	
		21:01:32	32.44	45.27	29.08	154.8	9.59	8.39	110.5	6.6	1.3	
	日平均值	31.57	45.20	29.06	134.28	8.43	8.32	112.10	4.43	3.25		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
5月31日	蚵殼站	00:21:49	30.46	48.82	31.72	108.9	6.86	8.27	226.3	23.8	4.4	
		03:21:50	30.02	49.54	32.26	95	6.01	8.21	203.9	9.9	7.2	
		06:21:49	29.69	48.98	31.86	92.8	5.92	8.22	197.2	21.3	1.5	
		09:21:49	30.03	49.05	31.9	97.9	6.21	8.18	230.6	18.8	7.5	
		12:21:43	30.03	49.24	32.04	108.7	6.89	8.21	224.7	54.7	11.6	
		15:21:43	30.94	48.43	31.42	121.1	7.59	8.29	226.5	172.3	6.4	
		18:21:50	31.19	48.1	31.17	121.3	7.58	8.41	198.9	39.8	15.1	
		21:21:50	30.96	47.82	30.98	107.1	6.72	8.3	223	16.5	7.3	
	日平均值	30.42	48.75	31.67	106.60	6.72	8.26	216.39	44.64	7.63		
	潮口站	00:05:42	29	47.48	30.79	88.4	5.74	8.19	106.4	9.6	60.6	
		03:05:48	28.96	45.44	29.31	97.7	6.4	8.2	104.9	3.5	52	
		06:05:48	29.73	44.92	28.92	106.1	6.88	8.31	103.2	9.1	53	
		09:05:50	29.66	46.12	29.78	100.2	6.46	8.25	95.2	10.8	63.6	
		12:24:37	29.62	47.97	31.13	80.8	5.18	8.17	110.3	5.4	59.8	
		15:24:36	29.68	47.27	30.61	94.7	6.08	8.19	104.9	5.5	63.8	
		18:24:36	30.34	46.38	29.95	111.8	7.13	8.31	111.6	5.8	71.4	
		21:24:37	30.85	45.61	29.38	124.4	7.9	8.36	109.3	4.1	87.2	
	日平均值	29.73	46.40	29.98	100.51	6.47	8.25	105.73	6.73	63.93		
	灣內站	00:01:29	31.4	45.05	28.96	139.8	8.82	8.38	110.6	3.1	2.6	
		03:01:33	31.26	45.82	29.51	134.4	8.47	8.37	113.4	2.3	2.7	
		06:01:34	30.94	46.14	29.76	129.1	8.16	8.35	112.9	2	1.6	
		09:01:43	31.32	46.04	29.67	131.6	8.28	8.36	115	1.1	1.2	
		12:01:45	32.02	46.04	29.65	138.7	8.62	8.36	109.1	2.1	1.6	
		15:01:45	31.99	46.34	29.87	126.7	7.87	8.33	105.7	9	ND	
		18:01:51	32.69	45.04	28.9	149.9	9.26	8.4	116.2	7.8	2.8	
		21:01:51	32.13	44.43	28.49	146	9.12	8.1	114.2	10.7	5.3	
	日平均值	31.72	45.61	29.35	137.03	8.58	8.33	112.14	4.76	2.54		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月1日	蚵殼站	00:21:45	30.82	47.95	31.07	103.8	6.53	8.29	210.7	31.8	5.1	
		03:21:51	29.93	49.59	32.3	51.7	3.28	7.99	230.3	8	12.8	
		06:21:45	29.94	49.03	31.89	88	5.59	8.15	231.9	6	4.9	
		09:21:52	30.27	49.12	31.94	94.9	5.99	8.17	244.9	9.8	11.9	
		12:21:46	30.48	48.84	31.73	120.7	7.6	8.28	218.6	33	14.1	
		15:21:52	31.25	48.18	31.22	141.1	8.81	8.39	215.3	19.8	19.9	
		18:21:53	31.49	47.74	30.9	138	8.6	8.43	209.4	11.1	13.2	
		21:21:51	31.75	47.74	30.89	132.3	8.21	8.39	211.1	41.1	7.4	
		日平均值	30.74	48.52	31.49	108.81	6.83	8.26	221.53	20.08	11.16	
	潮口站	00:24:37	28.41	46.24	29.91	88.9	5.85	8.16	103.2	11	68.3	
		03:24:36	28.73	45.51	29.37	94.6	6.21	8.18	107.1	6.1	66.3	
		06:24:36	29.8	45.74	29.51	97.8	6.31	8.25	108.5	8.5	58.4	
		09:24:36	30.61	44.49	28.58	113.9	7.29	8.36	103	7.5	68.7	
		12:24:36	30.56	45.16	29.06	112.8	7.2	8.3	105.5	9.7	74.3	
		15:24:36	29.29	45.24	29.16	97.8	6.37	8.16	110.6	3.9	46	
		18:24:34	29.28	47.4	30.72	75.1	4.85	8.13	113.6	5.8	ND	
		21:24:35	30.59	45.73	29.47	129.1	8.22	8.36	114.2	3.8	100.2	
		日平均值	29.66	45.69	29.47	101.25	6.54	8.24	108.21	7.04	68.89	
	灣內站	00:01:51	31.82	44.79	28.76	133.7	8.38	8.43	113.2	5.8	ND	
		03:01:55	31.71	45.69	29.4	131.7	8.24	8.4	112.3	3.2	1.3	
		06:01:54	31.5	46.18	29.77	115.5	7.24	8.29	110	4.9	ND	
		09:02:02	32.06	46.19	29.76	116.9	7.26	8.27	108	3.1	ND	
		12:02:02	32.46	46.07	29.65	128.3	7.93	8.33	104.7	6.9	ND	
		15:02:01	32.57	46.03	29.63	133.9	8.26	8.36	103.4	4.8	ND	
		18:02:07	32.37	46	29.61	130	8.04	8.32	104.9	5.8	1.5	
		21:02:07	32.15	46	29.62	123.4	7.66	8.3	102.3	5.2	ND	
		日平均值	32.08	45.87	29.53	126.68	7.88	8.34	107.35	4.96	1.40	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月2日	蚵殼站	00:21:52	30.55	48.03	31.14	103.2	6.52	8.22	226.7	5.6	9.9	
		03:21:52	30.7	48.22	31.27	87.1	5.48	8.21	225.6	8.2	11.4	
		06:21:53	30.22	49.36	32.12	49.8	6.14	8.06	225.6	3.7	13.5	
		09:21:54	30.58	48.94	31.81	70.3	6.42	8.07	233.1	3.8	11.7	
		12:21:54	30.67	48.78	31.68	101.4	6.37	8.24	201	4.1	13.3	
		15:21:54	31.34	48.65	31.57	99.5	6.19	8.19	224.7	2.3	21.4	
		18:21:52	31.56	48.48	31.43	101.8	6.31	8.23	216.9	3.3	10.5	
		21:21:52	31.06	48.62	31.55	98.8	6.17	8.28	206.2	3.7	9.5	
		日平均值	30.84	48.64	31.57	88.99	6.20	8.19	219.98	4.34	12.65	
	潮口站	00:24:35	29.06	47.22	30.6	89.2	5.79	8.19	104.7	6.9	86.7	
		03:24:28	28.89	46.77	30.28	96.1	6.26	8.18	111.1	2.8	54.1	
		06:24:29	30.12	45.19	29.1	110.1	7.08	8.36	97.5	7.2	58.8	
		09:24:34	30.56	45.35	29.2	116	7.4	8.31	100.1	8.1	75.9	
		12:24:34	29.96	46.51	30.05	87	5.58	8.19	103.6	16.2	59.8	
		15:24:34	29.66	40.6	25.84	97.1	6.4	8.13	109.2	8.6	47.8	
		18:24:34	29.09	46.54	30.1	79.1	5.15	8.12	104.4	8.9	47.6	
		21:24:34	29.72	45.41	29.27	96.1	6.22	8.19	102.6	9.8	46.5	
		日平均值	29.63	45.45	29.31	96.34	6.24	8.21	104.15	8.56	59.65	
	灣內站	00:02:08	32.12	45.18	29.02	125.1	7.79	8.35	94.2	6.5	ND	
		03:02:11	31.51	44.99	28.91	117.1	7.37	8.35	95.1	5.4	ND	
		06:02:09	31.38	45.99	29.64	112.5	7.07	8.33	103.9	5.3	ND	
		09:02:13	31.5	46.18	29.77	112.7	7.06	8.27	104.9	4.7	ND	
		12:02:18	32.12	46.2	29.76	137.3	8.52	8.34	107.4	5.6	1.1	
		15:02:14	32.13	46.36	29.88	145.8	9.04	8.33	110.1	5.5	ND	
		18:02:16	32.28	46.43	29.92	143.7	8.89	8.39	107.9	26.4	ND	
		21:02:21	31.75	46.64	30.1	117.3	7.31	8.32	112.1	15.8	ND	
		日平均值	31.85	46.00	29.63	126.44	7.88	8.34	104.45	9.40	1.10	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
6月3日	蚵殼站	00:21:52	31.02	48.29	31.31	81.8	5.12	8.33	197	3.5	7.3
		03:21:49	30.55	47.67	30.88	82.6	5.22	8.32	217.9	3.4	5.8
		06:21:49	29.61	49.32	32.11	63.4	6.04	8.02	226.5	5.4	2.1
		09:21:53	29.7	49.57	32.29	50.6	5.22	7.9	230.2	6.7	3
		12:21:54	31.12	48.76	31.65	90.7	5.66	8.18	216.1	3.9	8.5
		15:21:54	31.02	49.04	31.86	86.5	5.4	8.17	226.1	3.6	4.6
		18:21:55	31.94	48.69	31.57	115.3	7.11	8.34	218.2	2.8	3.8
		21:21:56	31.41	48.52	31.47	130.3	8.1	8.49	201.5	33.8	4.6
	日平均值	30.80	48.73	31.64	87.65	5.98	8.22	216.69	7.89	4.96	
	潮口站	00:24:34	29.64	45.5	29.33	87	5.63	8.19	107.7	13.4	49.8
		03:24:28	28.56	48.37	31.45	97.5	6.35	8.21	116.7	8.2	46.2
		06:24:28	28.9	47.57	30.85	95.4	6.2	8.19	103.6	6.8	ND
		09:24:34	29.94	45.48	29.32	110.8	7.14	8.29	90.4	11.3	ND
		12:24:34	30.28	46.18	29.81	100.7	6.43	8.24	109.5	14.9	2.2
		15:24:25	29.83	44.03	28.28	98.5	6.39	8.16	107.2	16.6	ND
		18:24:31	29.96	44.29	28.45	107.9	6.98	8.23	102.1	6.9	ND
		21:24:30	30.79	44.74	28.75	116.3	7.41	8.32	101.1	8.2	ND
	日平均值	29.74	45.77	29.53	101.76	6.57	8.23	104.79	10.79	32.73	
	灣內站	00:02:21	31.6	46.03	29.66	107.3	6.72	8.35	106	11.9	ND
		03:02:26	31.12	46.08	29.71	111.4	7.03	8.32	109.4	5.8	ND
		06:02:28	30.92	46.44	29.97	108.7	6.87	8.23	108.1	3.9	2
		09:02:26	31.25	46.38	29.92	113.1	7.11	8.3	109.1	12.8	ND
		12:02:31	32.38	46.54	29.99	131.8	8.14	8.37	109.2	15.9	ND
		15:02:34	33.46	42.34	26.95	119.7	7.38	8.05	110.6	17.2	2.7
		18:02:33	32.98	46.18	29.71	160.4	9.82	8.54	108.1	19.3	ND
		21:02:39	32.3	46.27	29.81	136.2	8.42	8.38	110.5	12.2	ND
	日平均值	32.00	45.78	29.47	123.58	7.69	8.32	108.88	12.38	2.35	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
6月4日	蚵殼站	00:21:57	31.05	48.63	31.56	118.4	7.4	8.39	208.5	34.9	3.4
		03:21:57	31.17	48.45	31.42	111.4	6.96	8.37	213.5	32.8	3
		06:21:58	29.99	47.3	30.62	94.9	6.07	8.25	212.7	3.1	3
		09:21:57	29.82	47.77	30.98	89.6	5.73	8.14	209.9	3.8	3
		12:27:30	30.28	47.36	30.67	119.4	7.59	8.29	152.2	7.4	6
		15:27:31	31.56	46.92	30.3	144.3	9.01	8.43	146.5	7.4	14.2
		18:27:32	31.62	47.07	30.41	147.4	9.19	8.47	144.2	1.3	12.5
		21:27:32	31.55	47.29	30.57	141.5	8.82	8.47	144	6.7	7
	日平均值	30.88	47.60	30.82	120.86	7.60	8.35	178.94	12.18	6.51	
	潮口站	00:24:31	30.48	44.58	28.65	107.7	6.9	8.29	100.8	6.2	1
		03:24:33	29.38	44.43	28.58	100.3	6.55	8.22	105	14.4	3.3
		06:24:32	29.55	44.84	28.86	109.6	7.12	8.28	110	11.6	ND
		09:24:31	29.49	46.23	29.87	88.6	5.73	8.15	111.8	14.5	ND
		12:24:30	30.19	44.83	28.83	103.7	6.67	8.21	101.9	18.3	ND
		15:24:31	30.73	45.3	29.16	117.3	7.46	8.27	100.3	8.4	ND
		18:24:25	30.14	42.57	27.22	117.6	7.64	8.25	112.5	7.6	ND
		21:24:32	30.12	44.6	28.67	118.4	7.63	8.3	106.1	6	ND
	日平均值	30.01	44.67	28.73	107.90	6.96	8.25	106.05	10.88	2.15	
	灣內站	00:02:38	32.1	46.31	29.84	131.8	8.18	8.38	114.7	5.6	ND
		03:02:43	31.24	43.94	28.17	116.2	7.38	8.3	110.4	11.4	ND
		06:02:43	31.59	45.78	29.48	122.9	7.7	8.37	108.8	5.4	ND
		09:02:49	31.14	44.65	28.67	128.1	8.12	8.29	107.2	7.3	ND
		12:02:50	31.6	44.86	28.82	138.1	8.69	8.34	108.9	19.1	ND
		15:02:48	32.29	44.39	28.45	131.6	8.2	7.75	111.5	16.4	ND
		18:02:53	32.49	44.16	28.28	154.1	9.58	7.85	107.8	9	ND
		21:02:54	32.29	42.93	27.41	131.1	8.22	7.67	141	10.8	ND
	日平均值	31.84	44.63	28.64	131.74	8.26	8.12	113.79	10.63	ND	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月5日	蚵殼站	00:27:31	31.29	47.23	30.54	128.5	8.04	8.45	171.6	3.3	4.7	
		03:27:33	30.84	47.12	30.47	123.9	7.82	8.44	150	1.7	5.4	
		06:27:32	30.12	47.19	30.54	99.4	6.34	8.28	163.3	1.9	2.3	
		09:27:33	29.68	47.15	30.53	94.5	6.07	8.15	162.4	4.8	5.3	
		12:27:33	30.03	47.39	30.69	105.3	6.72	8.25	163.4	1	14.5	
		15:27:32	30.8	47.38	30.66	119.3	7.52	8.31	155.7	1.5	12.4	
		18:27:34	30.53	47.19	30.53	109	6.91	8.33	151.3	16.5	8.4	
		21:27:35	30.81	47.17	30.51	118.7	7.49	8.3	158.1	33.4	4	
	日平均值	30.51	47.23	30.56	112.33	7.11	8.31	159.48	8.01	7.13		
	潮口站	00:24:31	30.67	44.54	28.61	118.8	7.59	8.36	104.1	3.4	ND	
		03:24:31	28.9	42.25	27.03	98.8	6.56	8.17	107.9	5.4	ND	
		06:24:24	29.17	44.54	28.66	101.9	6.67	8.24	105.8	8.5	1	
		09:24:30	29.42	45.12	29.07	106.7	6.94	8.24	109	10.3	ND	
		09:54:29	29.73	44.9	28.9	111.2	7.2	8.25	116	21.2	ND	
		16:03:31	30.17	48.12	31.22	107.6	6.83	8.2	124.6	5.2	17.5	
		18:03:30	29.16	46.6	30.15	94.4	6.13	8.08	133	4.8	5	
		21:03:30	29.14	49.49	32.25	97.1	6.23	8.11	126.7	1.8	1.6	
	日平均值	29.55	45.70	29.49	104.56	6.77	8.21	115.89	7.58	6.28		
	灣內站	00:02:55	31.89	44.24	28.36	135.5	8.5	7.86	115.5	5.8	ND	
		03:02:54	31.67	44.52	28.57	122.3	7.7	8.31	113.7	5.1	ND	
		06:03:00	31.55	44.18	28.33	128.3	8.1	8.35	104.5	5.7	ND	
		09:02:58	31.37	45.3	29.14	136.1	8.58	8.32	112.4	3.8	1.6	
		12:03:04	31.88	45.24	29.07	145.9	9.12	8.34	108	4.2	ND	
		15:03:04	31.89	45.4	29.19	152.1	9.5	8.41	107.9	5	ND	
		18:03:05	31.51	45.31	29.14	145.7	9.16	8.39	107.7	3.6	ND	
		21:03:11	31.57	44.64	28.66	138.7	8.73	8.4	103.3	7.5	ND	
	日平均值	31.67	44.85	28.81	138.08	8.67	8.30	109.13	5.09	1.60		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月6日	蚵殼站	00:27:34	31.08	47.27	30.57	126	7.91	8.44	153.8	51.9	6.4	
		03:27:35	30.41	47.09	30.47	100.2	6.36	8.27	160.9	13.5	4	
		06:27:34	29.83	48.02	31.16	68.7	4.39	8.11	157.1	0.6	ND	
		09:27:35	29.67	48.84	31.76	80.9	5.17	8.13	159.8	3.2	2	
		13:10:43	30.87	47.77	30.94	118	7.42	8.37	162.7	43	37.4	
		14:40:23	31.01	48.07	31.15	138.1	8.66	8.44	178.2	5.3	40.1	
		18:37:01	31.27	46.14	29.75	124.4	7.82	8.36	132.4	119.9	12.2	
		21:06:55	31.3	46.09	29.71	118.1	7.43	8.36	133.8	504.7	4.9	
	日平均值	30.68	47.41	30.69	109.30	6.90	8.31	154.84	92.76	15.29		
	潮口站	00:03:30	29.9	47.63	30.87	99	6.33	8.23	125	3.1	9.4	
		03:03:30	29.53	49.49	32.24	96.4	6.15	8.18	124.8	0.1	5.7	
		06:03:29	29.17	51.4	33.65	96.9	6.17	8.15	125.6	2.3	ND	
		09:03:29	29.45	50.35	32.87	97.6	6.21	8.15	137.9	3.5	4.5	
		12:21:32	29.91	49.26	32.06	96.3	6.11	8.15	122.7	10.3	21.5	
		15:21:32	29.99	49.21	32.02	98.8	6.27	8.19	124	11.6	36.8	
		18:21:32	29.16	50.3	32.84	99.1	6.34	8.14	116.8	11.4	14.1	
		21:21:31	29.45	49.33	32.12	102.5	6.56	8.17	118.6	2.1	24.8	
	日平均值	29.57	49.62	32.33	98.33	6.27	8.17	124.43	5.55	16.69		
	灣內站	00:03:10	31.4	45.28	29.12	121.8	7.67	8.35	103.3	6.3	ND	
		03:03:10	31.21	45.15	29.04	108.8	6.88	8.29	101.7	9.4	ND	
		06:03:16	30.74	45.22	29.1	119.7	7.62	8.33	108.3	10.5	ND	
		09:03:16	31.03	45.26	29.12	116.4	7.37	8.3	109.8	6.9	3.6	
		12:03:20	31.26	45.08	28.99	130.3	8.23	8.33	111.7	4.3	ND	
		15:03:21	31.66	44.62	28.64	129.3	8.13	8	109.9	8.9	ND	
		18:03:27	31.65	44.07	28.24	126.3	7.96	7.84	116.7	10	ND	
		21:03:27	31.16	45.28	29.13	130.5	8.25	8.34	110.2	3.3	ND	
	日平均值	31.26	45.00	28.92	122.89	7.76	8.22	108.95	7.45	3.60		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
6月7日	蚵殼站	00:07:02	30.95	45.72	29.45	111.1	7.03	8.39	140.3	220.7	9.3
		03:07:01	30.56	47.31	30.62	108.7	6.88	8.33	143.6	120.3	6.2
		06:07:01	30.43	47.15	30.5	115.9	7.36	8.32	145.4	81.9	5.1
		09:07:01	30.7	46.71	30.18	114.3	7.24	8.32	177.1	ND	1.7
		12:37:02	30.69	49.12	31.93	120.8	7.58	8.46	183.2	76.5	15.9
		15:07:03	30.01	49.74	32.41	116	7.34	8.34	152.9	210.6	26.1
		18:06:56	31.62	47.66	30.83	120.6	7.5	8.4	156.1	92.2	15.9
		21:07:02	31	48.6	31.54	116.8	7.31	8.39	157.4	274.8	6.7
	日平均值		30.75	47.75	30.93	115.53	7.28	8.37	157.00	153.86	10.86
	潮口站	00:21:30	30.54	47.81	30.98	125.6	7.94	8.41	119.2	2	22.4
		03:21:30	30.14	48.25	31.32	124.3	7.89	8.37	111.1	ND	39.3
		06:21:31	29.05	51.26	33.55	94.1	6.01	8.15	124.9	1.3	5.3
		09:21:31	29.3	50.5	32.98	99.5	6.34	8.14	118.8	11.4	23.9
		12:21:28	30.83	48.47	31.45	123.7	7.76	8.3	120.8	10.8	39.1
		15:21:27	30.56	49.24	32.02	106.9	6.71	8.27	115.1	14.6	32.2
		18:21:30	30.38	49.21	32	114.6	7.22	8.25	121.4	10.9	54.8
		21:51:32	29.48	47.7	30.93	98.9	6.36	8.14	120.2	5.5	23.3
	日平均值		30.04	49.06	31.90	110.95	7.03	8.25	118.94	8.07	30.04
	灣內站	00:03:27	30.85	44.69	28.72	108.6	6.92	8.21	106.6	7.1	ND
		03:03:27	30.42	45.25	29.13	92.8	5.94	7.99	122.4	5.1	ND
		06:03:30	30.44	44.9	28.88	109.7	7.03	8.28	111	3.7	ND
		09:03:32	30.86	45.02	28.95	128	8.14	8.34	111.8	13.2	ND
		12:33:33	31.9	45.51	29.27	144.8	9.04	8.29	110.6	6.7	ND
		15:03:32	31.66	46.28	29.83	120.1	7.51	8.17	112.9	11.6	ND
		18:03:35	32.2	41.84	26.64	19.9	1.25	7.76	122.5	8	ND
		21:03:37	31.01	45.96	29.63	110.2	6.96	8.16	115.4	6.6	ND
	日平均值		31.17	44.93	28.88	104.26	6.60	8.15	114.15	7.75	ND
甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
6月8日	蚵殼站	00:07:02	30.74	48.6	31.55	116.5	7.32	8.43	165.3	85.2	9.2
		03:07:04	30.25	48.56	31.53	109.4	6.93	8.42	154.9	60.4	8.4
		06:07:03	29.83	47.4	30.7	105.1	6.73	8.41	166.8	75.4	6
		09:07:03	30.14	47.47	30.75	108.1	6.89	8.4	153.3	69.5	5.4
		12:06:58	30.39	47.85	31.01	113.8	7.21	8.34	155.4	130.3	16.3
		15:07:04	30.08	47.96	31.11	110.6	7.04	8.39	155.8	112.5	15.3
		18:37:04	30.19	47.97	31.11	110.1	6.99	8.47	151.2	67.4	20.3
		21:07:06	30.03	47.2	30.56	106	6.77	8.37	142.2	47.8	13.9
	日平均值		30.21	47.88	31.04	109.95	6.99	8.40	155.61	81.06	11.85
	潮口站	00:21:38	30.55	48.06	31.16	123.4	7.79	8.34	115.4	3.1	50.6
		03:21:39	30.59	46.83	30.27	101.8	6.45	8.33	110.7	4.7	53.3
		06:21:39	29.16	49.72	32.42	98	6.28	8.18	119.7	7.8	37.2
		09:21:44	29.4	49.83	32.49	97.9	6.25	8.14	126.6	13.5	31.3
		12:21:44	29.6	49.73	32.41	99.6	6.34	8.12	122.5	15	52.9
		15:21:42	30.12	48.69	31.64	105.9	6.71	8.24	121.6	5.9	56.5
		18:21:49	30.36	47.59	30.83	111.4	7.07	8.3	122.4	5.2	63.2
		21:21:47	29.28	50.22	32.78	91.9	5.87	8.13	120.7	23	24.2
	日平均值		29.88	48.83	31.75	103.74	6.60	8.22	119.95	9.78	46.15
	灣內站	00:03:39	31.19	45.84	29.53	119.5	7.54	8.22	113.5	3	2.3
		03:03:44	30.46	45.96	29.64	100.2	6.39	8.12	125.1	2.1	ND
		06:03:41	29.99	44.62	28.69	101.5	6.56	8.02	121.6	5.8	1.6
		09:03:46	30.73	45.86	29.56	120	7.62	8.21	117.8	3.6	ND
		12:32:39	31.02	47.45	30.71	126.5	7.95	8.34	109.3	2.9	22.4
		15:02:38	30.93	47.44	30.7	125.1	7.87	8.3	110.8	4.8	31.4
		18:02:34	30.7	44.9	28.87	99.6	6.35	8.35	109.1	7.5	20.7
		21:02:39	30.68	46.17	29.79	100.8	6.4	8.39	114.2	5.4	21.3
	日平均值		30.71	46.03	29.69	111.65	7.09	8.24	115.18	4.39	ND
甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月9日	蚵殼站	00:07:04	29.87	46.05	29.73	103.5	6.66	8.39	147.6	113.8	9.4	
		03:06:59	29.41	45.53	29.37	101.9	6.62	8.36	142.7	109.2	9.1	
		06:06:59	29.66	46.51	30.06	99.2	6.39	8.35	155	79.3	10.2	
		09:07:06	29.86	47.46	30.75	104.8	6.71	8.39	154.9	64.2	4.9	
		12:07:06	29.86	48.24	31.31	101.9	6.5	8.3	160.6	51.4	8.6	
		15:07:06	30.31	48.37	31.39	117.4	7.43	8.46	182.1	65.1	19.4	
		18:07:06	30.07	48.46	31.47	111.6	7.09	8.45	181.9	38	10.4	
		21:07:06	29.85	47.82	31.01	106.5	6.81	8.4	173.9	553.5	9.7	
	日平均值	29.86	47.31	30.64	105.85	6.78	8.39	162.34	134.31	10.21		
	潮口站	00:21:53	29.67	47.23	30.59	93.9	6.03	8.22	112	8.4	43.6	
		03:21:52	29.66	46.67	30.18	93	5.99	8.23	116	4.1	43.6	
		06:21:51	29.46	50.28	32.82	96.2	6.13	8.15	118.7	41.9	28.4	
		09:21:56	29.22	48.8	31.74	91.7	5.89	8.11	121.8	73.3	13.2	
		12:21:55	29.43	49.09	31.95	94.5	6.05	8.1	122.1	19.5	21.5	
		15:22:03	29.72	49.12	31.96	89.4	5.7	8.12	126.7	12.5	47.7	
		18:22:02	29.68	49.14	31.98	75.2	5.8	8.07	122.3	11.4	26.2	
		21:22:08	28.88	46.46	30.05	95.3	6.22	8.09	114	79.6	55.3	
	日平均值	29.47	48.35	31.41	91.15	5.98	8.14	119.20	31.34	34.94		
	灣內站	00:36:13	29.6	48.83	31.76	84.4	5.4	8.16	123	4.8	ND	
		03:36:12	29.8	47.45	30.75	86.2	5.52	8.21	114.4	4.1	2.5	
		06:36:11	29.59	51	33.35	89.7	5.69	8.15	116	54.2	3.3	
		09:36:13	29.37	49.63	32.34	88.2	5.64	8.12	116.7	63.7	3.6	
		12:36:18	29.57	49.72	32.4	86.3	5.5	8.1	120.5	21	6.9	
		15:36:23	29.8	49.96	32.57	80.6	5.11	8.1	122.8	4.6	4.6	
		18:36:19	29.83	49.65	32.34	80.6	5.11	8.09	114.2	9.9	10	
		21:36:28	29.02	47.25	30.62	89.3	5.8	8.1	113.7	90.6	6.3	
	日平均值	29.57	49.19	32.02	85.66	5.47	8.13	117.66	31.61	ND		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月10日	蚵殼站	00:07:06	29.81	47.61	30.86	106.9	6.84	8.43	169.4	42.6	10.4	
		03:07:06	29.51	44.12	28.35	104.1	6.79	8.43	160.5	61.6	10.7	
		06:07:06	29.42	47.36	30.69	98.1	6.32	8.33	163.6	77.6	11.1	
		09:07:06	29.27	47.24	30.6	95.5	6.17	8.28	161.7	50.5	25.6	
		12:07:00	29.1	46.38	29.99	97.6	6.35	8.34	168.6	93.6	16.4	
		15:07:06	28.81	45.1	29.08	97.6	6.41	8.34	163.1	43.6	6.8	
		18:37:06	28.69	44.44	28.6	97	6.4	8.33	180.9	258.5	5.4	
		21:07:06	28.24	39.12	24.83	94.5	6.42	8.24	164.1	71	2.8	
	日平均值	29.11	45.17	29.13	98.91	6.46	8.34	166.49	87.38	11.15		
	潮口站	00:22:07	28.98	46.09	29.78	94.9	6.19	8.09	114.6	61.1	39.3	
		03:22:08	29.4	47.46	30.76	92.5	5.97	8.19	119.9	8	48.3	
		06:22:11	29.35	47.31	30.66	89.9	5.8	8.17	120.9	11.3	47.9	
		09:22:11	28.74	43.7	28.07	93.2	6.16	8.13	112.2	74.6	56.5	
		12:22:18	29.26	47.62	30.89	74	5.78	8.09	113.6	16.9	43.3	
		15:22:18	28.87	45.37	29.27	82.6	5.41	8.13	117.8	22.8	42.5	
		18:22:23	28.67	44.65	28.76	85	5.61	8.16	111.1	5.8	19.8	
		21:22:21	28.13	40.5	25.8	84.9	5.74	8.08	111.9	23.8	44.3	
	日平均值	28.93	45.34	29.25	87.13	5.83	8.13	115.25	28.04	42.74		
	灣內站	00:36:27	29.22	47.93	31.11	84	5.42	8.07	118.4	43.4	11.1	
		03:36:28	29.56	48.2	31.29	88.9	5.7	8.2	109.8	5.6	10.7	
		06:36:31	29.47	48.22	31.32	87	5.59	8.18	110.5	5.3	11.9	
		09:36:31	28.81	43.67	28.05	87.4	5.78	8.12	111.7	70.9	13.6	
		12:36:38	29.45	48.81	31.74	57	3.65	8.03	107.2	12.5	9.2	
		15:36:38	29	45.89	29.64	77.9	5.09	8.13	118.4	21.1	6.1	
		18:36:43	28.83	45.37	29.27	82.2	5.4	8.15	110.1	5.6	7.2	
		21:36:41	28.69	46.05	29.76	80.4	5.27	8.11	120.1	54.7	7.8	
	日平均值	29.13	46.77	30.27	80.60	5.24	8.12	113.28	27.39	9.70		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月11日	蚵殼站	00:07:06	28.45	42.59	27.28	91.2	6.09	8.15	167.4	78.8	4.1	
		03:07:06	28.17	41.24	26.33	94	6.34	8.13	173.1	60.1	1.9	
		06:07:09	27.83	36.11	22.73	96.4	6.67	8.08	184.1	57.2	5.8	
		09:07:07	27.95	35.98	22.63	95.9	6.62	8.07	178.7	109.7	28.9	
		12:37:16	28	37.62	23.78	98.5	6.76	8.1	169	ND	13.2	
		15:07:15	27.97	36.06	22.69	100.8	6.96	8.26	173.9	47.9	20.4	
		18:07:14	27.93	35.48	22.29	97.1	6.72	8.08	166	48.9	12.4	
		21:07:20	27.87	27.4	16.76	94.9	6.79	7.95	168.5	24.8	6.5	
	日平均值	28.02	36.56	23.06	96.10	6.62	8.10	172.59	61.06	11.65		
	潮口站	00:22:19	27.23	41.77	26.73	91.5	6.25	8.02	115.7	145.9	30	
		03:22:23	27.25	41.77	26.73	88.4	6.04	7.98	123.9	49.6	19.1	
		06:22:20	28.22	43.95	28.27	78.2	5.21	8.03	120.9	21	17.6	
		09:22:25	27.34	32.82	20.46	90.7	6.41	7.96	108.7	347.9	20.5	
		12:22:23	27.89	37.79	23.9	85.2	5.85	8	116	75.9	24.5	
		15:22:25	28.47	42.74	27.39	78	5.2	8.06	116.2	21.5	23.7	
		18:22:24	28.29	40.13	25.54	92.1	6.22	8.08	119.6	18.6	30.2	
		21:22:29	28.12	38.64	24.49	86.8	5.92	8.05	126.1	10.3	14.3	
	日平均值	27.85	39.95	25.44	86.36	5.89	8.02	118.39	86.34	22.49		
	灣內站	00:36:36	27.35	42.13	26.99	85.8	5.85	8.01	117.2	131.4	7.9	
		03:36:43	27.6	43.69	28.1	83.2	5.61	8	122.3	25.9	6.4	
		06:36:40	28.38	44.42	28.6	83.9	5.9	8.03	120.6	19.2	2.7	
		09:36:45	27.86	37.19	23.48	80.7	5.56	7.99	118.3	142.6	13.7	
		12:36:43	28.53	43.26	27.76	83.6	5.89	8.02	120.9	40.1	7.2	
		15:36:45	28.69	43.54	27.96	80.2	5.65	8.08	109.7	17.1	4.3	
		18:36:44	28.39	40.22	25.6	86.8	5.85	8.08	114.8	9.9	7.8	
		21:36:43	28.45	40.87	26.06	77	5.17	8.04	115.8	12.5	6.8	
	日平均值	28.16	41.92	26.82	82.65	5.69	8.03	117.45	49.84	7.10		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月12日	蚵殼站	00:07:20	27.9	31.75	19.71	93.4	6.57	8.03	161.6	52	5.5	
		03:07:25	27.87	33.58	20.97	96.4	6.73	8	175.3	54.2	6.8	
		06:07:24	27.8	31.39	19.47	95.3	6.72	8.03	159.6	31.5	6.2	
		09:07:25	27.54	22.78	13.69	95.8	7	8.03	159.8	22.8	5.8	
		12:07:31	27.72	31.27	19.39	95.8	6.76	8.04	157.8	43.5	4.2	
		15:07:30	27.72	29.25	18.01	96.2	6.84	8.04	170.7	34.7	9	
		18:07:31	27.47	22.33	13.4	94.5	6.93	8.04	144.5	25.7	4.8	
		21:07:37	27.36	18.6	10.98	87.5	6.51	7.94	143.6	34.9	10.2	
	日平均值	27.67	27.62	16.95	94.36	6.76	8.02	159.11	37.41	6.56		
	潮口站	00:22:28	27.71	37.53	23.72	97.5	6.72	7.98	126.9	123.2	8.6	
		03:22:33	27.87	38.19	24.18	89.4	6.13	7.98	126.8	39.6	7.4	
		06:22:39	27.85	37.94	24	84.1	5.78	7.97	112.6	27.5	3.6	
		09:16:47	27.71	36.24	22.82	89	6.17	8.02	114.5	19.5	7.7	
		12:25:10	27.73	41.85	26.77	95.8	6.49	8.05	121.5	34.8	12.3	
		15:25:04	27.83	40	25.45	85.8	5.85	8.02	116.2	26.8	12.9	
		18:25:10	27.81	36.28	22.85	84.8	5.86	7.99	109.8	11.2	9.9	
		21:25:10	27.28	22.81	13.72	86.8	6.37	7.92	105.3	15	7.9	
	日平均值	27.72	36.36	22.94	89.15	6.17	7.99	116.70	37.20	8.79		
	灣內站	00:36:48	27.85	37.3	23.56	90.1	6.2	7.98	123.1	108.5	4.2	
		03:36:47	28.23	40.65	25.91	80.5	5.43	7.98	125.9	21.2	4.4	
		06:36:56	28.12	39.29	24.95	77.6	5.28	7.96	117.4	26.9	5.1	
		09:31:07	27.69	35.3	22.16	83.2	5.79	7.99	112.5	18.6	1.3	
		12:39:30	27.81	41.05	26.2	91.2	6.19	8.04	112.4	37.6	1.5	
		15:39:24	28.14	42.1	26.94	77.9	5.24	8.03	120.4	21.2	6.1	
		18:39:30	27.92	35.97	22.63	79.6	5.5	7.98	111.7	5.5	8.5	
		21:39:30	27.66	28.3	17.37	79.2	5.66	7.92	106.7	9.6	ND	
	日平均值	27.93	37.50	23.72	82.41	5.66	7.99	116.26	31.14	4.44		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月13日	蚵殼站	00:07:37	27.01	14.48	8.37	86.5	6.57	7.9	144.9	52.7	11.4	
		03:07:43	27.08	17.69	10.4	88	6.6	7.93	143.2	33.9	5.8	
		06:07:46	26.95	18.89	11.18	87.7	6.57	7.91	151.8	25.1	7.5	
		09:07:44	27	17.78	10.46	84.8	6.37	7.85	149.2	26.4	2.4	
		12:07:53	27.02	15.1	8.76	85.5	6.48	7.83	149.2	33.1	7.2	
		15:07:54	27.18	15.55	9.05	85.1	6.43	7.8	154.5	25.3	10	
		18:07:59	27.22	19.27	11.41	83.8	6.24	7.82	173.1	18.2	3.6	
		21:07:58	27.03	15.48	9	85.3	6.46	7.86	154.4	31.4	5.4	
	日平均值	27.06	16.78	9.83	85.84	6.47	7.86	152.54	30.76	6.66		
	潮口站	00:25:07	27.34	29.85	18.42	86.6	6.19	8	106.2	31.3	8.3	
		03:25:14	27.02	20.26	12.06	87.4	6.51	7.86	107.8	19.5	8.3	
		06:25:13	27.5	30.6	18.94	83.1	5.9	7.91	106.3	18.9	14.9	
		09:25:12	26.85	16.93	9.92	76.6	5.79	7.7	106.6	24.3	10.7	
		12:25:19	27.04	29.04	17.88	84.7	6.1	7.97	111.3	269.1	9.2	
		15:25:15	27.1	28.71	17.66	89.7	6.47	7.96	106.6	211.5	10	
		18:25:16	27.18	18.92	11.19	81.5	6.08	7.76	110.7	28.2	5.8	
		21:25:23	26.99	14.98	8.68	83.7	6.35	7.76	104.3	17.2	5.7	
	日平均值	27.13	23.66	14.34	84.16	6.17	7.87	107.48	77.50	9.11		
	灣內站	00:39:24	27.78	44.17	28.43	89.3	5.99	8.09	111.2	81.4	9.1	
		03:39:34	27.57	37.11	23.43	86.7	6	8.04	107.6	17.5	7.1	
		06:39:30	27.64	36.3	22.87	80.2	5.56	8.02	106.5	19.7	ND	
		09:39:32	27.83	34.37	21.52	81.6	5.99	7.93	107	12.9	4	
		12:39:39	27.27	31.84	19.79	81.1	5.76	7.98	106.1	576.2	20.3	
		15:39:32	27.53	33.21	20.73	79	5.55	7.93	111.9	148.6	4.9	
		18:39:33	27.34	24.97	15.14	69.1	5.03	7.81	106.8	22.5	5.4	
		21:39:43	27.25	20.68	12.33	69.8	5.17	7.82	101.9	23.9	10	
	日平均值	27.53	32.83	20.53	79.60	5.63	7.95	107.38	112.84	8.69		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月14日	蚵殼站	00:08:04	26.9	17.38	10.2	83.5	6.29	7.86	155.9	20.3	3.4	
		03:08:04	26.66	17.33	10.18	84.8	6.42	7.84	147.7	27.8	4.6	
		06:08:03	26.63	17.8	10.48	82.6	6.25	7.78	156.1	19.2	3.3	
		09:08:09	26.65	18.27	10.78	84.9	6.41	7.83	148.5	23.9	3.6	
		12:08:14	26.75	18.69	11.05	87	6.55	7.87	148.7	16.1	4.2	
		15:08:15	26.87	19.38	11.49	86	6.44	7.85	154.1	28.1	3.8	
		18:08:17	26.84	20.82	12.43	90.8	6.77	7.88	160.4	24.3	2	
		21:08:18	26.82	17.92	10.55	87.6	6.6	7.89	154.4	33.2	6.6	
	日平均值	26.77	18.45	10.90	85.90	6.47	7.85	153.23	24.11	3.94		
	潮口站	00:25:23	26.95	26.22	15.99	85	6.2	7.96	106.4	144.8	9.3	
		03:25:21	26.55	24.28	14.7	89.3	6.61	7.96	113.7	234.8	17	
		06:25:23	26.74	16.42	9.6	78.8	5.98	7.72	110.1	26	7.1	
		09:25:20	26.61	17.29	10.15	81.1	6.15	7.77	106.9	30.8	2.7	
		12:25:26	26.7	15.74	9.17	82.3	6.27	7.73	112.1	27.5	3.7	
		15:25:31	26.78	20.51	12.22	83	6.2	7.89	112	150.5	10.2	
		18:25:32	26.8	16.43	9.6	88	6.67	7.78	110.8	44	9.1	
		21:25:38	26.82	17.36	10.19	80.3	6.06	7.79	108.9	23	4.2	
	日平均值	26.74	19.28	11.45	83.48	6.27	7.83	110.11	85.18	7.91		
	灣內站	00:39:43	27.17	32.43	20.19	83.3	5.91	8.02	113.5	174.2	8.2	
		03:39:41	26.79	29.34	18.09	83.7	6.05	8	116.4	669.9	28.5	
		06:39:43	27.01	22.73	13.67	70.7	5.22	7.83	118.2	36.1	7.6	
		09:39:40	26.81	18.62	11	70.7	5.32	7.77	106.5	23.2	ND	
		12:39:46	27.37	27.92	17.12	69.9	5.03	7.86	111.8	18.4	4.7	
		15:39:48	26.92	29.14	17.95	85.3	6.16	8	111.2	786.9	43	
		18:39:49	27.04	17.96	10.57	73	5.47	7.8	108.3	32.3	2	
		21:39:58	27.37	24.89	15.1	70.7	5.32	7.82	111.2	31.5	5.7	
	日平均值	27.06	25.38	15.46	75.91	5.56	7.89	112.14	221.56	14.24		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月15日	蚵殼站	00:08:24	26.74	18.26	10.77	86	6.48	7.83	155.4	18.9	2.7	
		03:08:25	26.7	19.37	11.48	87.9	6.61	7.91	146	20.6	5.4	
		06:08:30	26.63	20.71	12.35	89.4	6.69	7.94	150.4	19.7	1.9	
		09:08:29	26.57	20.71	12.36	89.9	6.74	8.04	147.9	21	4.6	
		12:08:36	26.6	16.89	9.9	88.6	6.72	7.94	145.3	15.3	4.6	
		15:08:34	26.91	16.47	9.63	88.9	6.72	7.95	147.9	28.4	4.2	
		18:08:41	26.84	17.47	10.26	86.8	6.55	7.97	147.6	21.4	5	
		21:08:48	26.64	17.09	10.03	89.1	6.75	7.98	145.5	16.9	4.7	
	日平均值	26.70	18.37	10.85	88.33	6.66	7.95	148.25	20.28	4.14		
	潮口站	00:25:37	26.77	19.86	11.81	80	5.99	7.89	104.3	181.9	11.4	
		03:25:34	26.56	18.81	11.13	78.6	5.93	7.87	106.7	174.2	6.7	
		06:25:37	26.62	17.75	10.45	87.4	6.61	7.8	110.9	18.7	5.6	
		09:25:39	26.61	18	10.61	86.7	6.55	7.82	104.6	22.6	6.8	
		12:25:45	26.71	16.39	9.58	84.2	6.39	7.82	105.3	21.7	7	
		15:25:45	27.03	15.13	8.78	84.8	6.43	7.84	107	21.7	7.5	
		18:25:45	27.02	17.21	10.09	84.4	6.35	7.85	106.4	29.1	7.2	
		21:25:51	26.86	17.02	9.98	86.5	6.54	7.85	106.5	14.3	6.2	
	日平均值	26.77	17.52	10.30	84.08	6.35	7.84	106.46	60.53	7.30		
	灣內站	00:39:57	27	29.85	18.44	83.5	6	7.98	110.6	398.1	18.7	
		03:39:54	26.82	27.5	16.85	84.2	6.13	7.98	109.8	1600.3	65.9	
		06:39:54	26.85	22.06	13.24	77.3	5.74	7.89	112.2	27.5	1.4	
		09:39:59	26.87	19.09	11.31	71.4	5.35	7.82	105.2	18.4	7.1	
		12:40:05	27.39	31.37	19.46	67.7	5.8	7.88	105.1	15.2	ND	
		15:40:05	27.26	21.8	13.06	74.9	5.52	7.87	107	33.3	4.5	
		18:40:05	27.36	24.12	14.58	78.1	5.7	7.93	107.3	25.7	5.4	
		21:40:11	27.39	28.98	17.83	76.4	5.47	7.94	110.2	18.4	3.3	
	日平均值	27.12	25.60	15.60	76.69	5.71	7.91	108.43	267.11	15.19		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月16日	蚵殼站	00:08:47	26.53	16.49	9.64	86.3	6.57	7.89	147	19.9	1.6	
		03:08:48	26.44	16.7	9.78	86.9	6.62	7.88	151.4	20.6	1.8	
		06:08:47	26.45	17.81	10.49	87.4	6.63	7.89	150.6	17.8	2.2	
		09:08:50	27.17	20.53	12.23	90.4	6.71	7.9	183.6	14.3	2	
		12:08:51	27.99	20.33	12.09	92.1	6.74	7.88	186.1	12	1.8	
		15:08:59	28.84	21.33	12.72	92.3	6.63	7.84	173.5	13.8	4	
		18:08:59	28.76	21.38	12.76	93.7	6.75	7.98	154.9	11.7	2.7	
		21:08:58	28.46	20.36	12.1	91.5	6.64	7.97	152.4	16.2	6.6	
	日平均值	27.58	19.37	11.48	90.08	6.66	7.90	162.44	15.79	2.84		
	潮口站	00:25:48	26.78	18.31	10.8	79.3	5.97	7.84	103.5	21.9	9.4	
		03:25:48	26.73	21.77	13.05	85	6.33	7.94	108.2	64.8	7.7	
		06:25:53	26.54	17.47	10.27	83.9	6.37	7.86	105.8	12.4	2.4	
		09:25:55	26.82	17.49	10.28	84.2	6.36	7.81	108.9	17.6	ND	
		12:25:57	27.48	18.04	10.62	85.9	6.39	7.79	108.8	22.7	8.3	
		15:25:58	28.13	18.33	10.8	84.8	6.24	7.8	106.8	24.8	7.4	
		18:26:04	28.87	18.47	10.88	93.4	6.78	7.89	111.3	15.1	6.3	
		21:26:01	28.77	19.35	11.45	88.7	6.43	7.9	107.2	9.3	10.8	
	日平均值	27.52	18.65	11.02	85.65	6.36	7.85	107.56	23.58	7.47		
	灣內站	00:40:05	27.33	30.62	18.95	81.7	5.82	7.99	105.1	132.5	8.6	
		03:40:08	27.41	36.92	23.3	84	5.84	8.08	108.9	351.3	13.6	
		06:40:10	27.14	29.89	18.46	78.6	5.64	8	109.8	43.5	3	
		09:40:15	27.09	17.86	10.51	72.9	5.47	7.81	105.7	15.6	2.7	
		12:40:14	27.6	23.57	14.21	73.9	5.38	7.84	110.4	14.1	2.8	
		15:40:18	28.73	26.43	16.09	79.2	5.6	7.89	108.4	67.6	3.6	
		18:40:24	28.99	21.54	12.86	81.3	5.82	7.9	120.1	30.2	6.4	
		21:40:18	28.43	36.31	22.85	83.5	5.72	7.99	113.9	22.3	1.3	
	日平均值	27.84	27.89	17.15	79.39	5.66	7.94	110.29	84.64	5.25		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月17日	蚵殼站	00:09:02	28.45	18.34	10.8	87.4	6.4	7.85	156.5	17.2	5.8	
		03:09:04	28.23	17.17	10.05	88.6	6.53	7.87	149.4	15.8	8.4	
		06:09:03	28.16	18.04	10.61	85.9	6.32	7.88	148.7	17.4	1.2	
		09:09:03	28.6	19.47	11.53	90.9	6.61	7.81	191.2	10.9	8.6	
		12:09:07	29.17	20.88	12.43	106.3	7.61	8.08	179.2	11.7	17.2	
		15:09:27	30.04	22.26	13.31	120	8.43	8.35	183.2	13.1	36.9	
		18:09:16	30.46	20.25	12	121.1	8.51	8.56	168.8	16.9	51.4	
		21:09:20	30.38	19.76	11.69	115.3	8.12	8.5	171.2	25.7	39.1	
		日平均值	29.19	19.52	11.55	101.94	7.32	8.11	168.53	16.09	21.08	
	潮口站	00:26:02	28.19	32.71	20.36	83.2	5.79	7.97	111.5	41.2	1.3	
		03:26:08	28.04	34.33	21.48	90.5	6.28	8.01	107.9	215.6	7.3	
		06:26:08	28.02	31.28	19.39	90.6	6.36	8.01	107.7	40.2	3.5	
		09:26:11	28.17	29.51	18.18	85.8	6.05	7.9	111.6	17.8	7.9	
		12:26:10	30.47	19.65	11.61	96	6.76	8.01	109.8	25.7	13	
		15:26:17	31.49	19.29	11.36	118	8.17	8.25	106.8	28.2	23.1	
		18:26:17	31.14	19.46	11.48	133.2	9.27	8.38	102.1	22.8	40.3	
		21:26:19	30.27	31.86	19.73	110.3	7.45	8.18	107.4	15.9	17.2	
		日平均值	29.47	27.26	16.70	100.95	7.02	8.09	108.10	50.93	14.20	
	灣內站	00:40:22	28.29	37.27	23.52	77.6	5.31	7.98	119.2	59.6	ND	
		03:40:28	28.25	35.84	22.53	85	5.84	8.02	111.1	197.7	11.8	
		06:40:28	28.2	34.98	21.93	80.4	5.55	8.02	111.9	53.2	4.4	
		09:40:28	28.3	35.08	22	78.2	5.39	7.93	119.2	33.8	3.8	
		12:40:33	28.9	28.45	17.45	75.4	5.28	7.85	109	38.1	6	
		15:40:37	30.18	29.59	18.19	93.2	6.36	8.03	109.3	39.3	16.4	
		18:40:37	30.58	31.36	19.39	101.5	6.83	8.16	106.3	41.6	16.1	
		21:40:39	29.93	37.57	23.69	89.7	5.96	8.1	110.5	20.6	13.1	
		日平均值	29.08	33.77	21.09	85.13	5.82	8.01	112.06	60.49	10.23	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月18日	蚵殼站	00:09:17	30.23	19.36	11.43	110.5	7.81	8.31	162.3	13.3	50.5	
		03:09:19	29.8	23.16	13.91	107.5	7.55	8.34	184.1	48.1	37	
		06:09:25	29.27	19.72	11.68	102.9	7.38	8.34	169	12.6	38	
		09:09:27	29.76	19.58	11.58	128.3	9.13	8.38	169.7	11.7	50.2	
		12:04:36	29.7	25.2	15.26	143.1	10	8.35	145.1	31.1	116.2	
		15:04:37	31.05	24.54	14.8	156.2	10.7	8.13	128.5	52.2	93.8	
		18:04:36	30.77	24.96	15.08	151.9	10.44	7.99	133.9	183.5	96.8	
		21:04:36	30.46	25.26	15.29	140.8	9.71	7.93	131	322.9	83.1	
		日平均值	30.13	22.72	13.63	130.15	9.09	8.22	152.95	84.43	70.70	
	潮口站	00:26:16	29.66	32.84	20.42	102.2	6.94	8.11	104.2	19.9	24	
		03:26:20	28.57	43.53	27.95	98.1	6.51	8.07	117.4	331.7	23.5	
		06:26:20	28.81	34.19	21.37	104.7	7.18	8.15	105.9	55.9	19.7	
		09:26:27	28.74	35.78	22.47	99.2	6.77	8.04	113	33.1	12.9	
		12:26:24	31.32	22.62	13.53	198.1	13.6	8.75	103.6	30.7	67.5	
		15:26:31	29.36	34.4	21.5	110.5	7.5	8.17	105.6	57.5	30.4	
		18:09:41	30.27	30.31	18.68	147	9.98	8.48	103	78.4	46.7	
		21:26:32	30.49	28.22	17.26	151.4	10.32	8.41	102.9	27.4	54.7	
		日平均值	29.65	32.74	20.40	126.40	8.60	8.27	106.95	79.33	34.93	
	灣內站	00:40:36	29.46	36.05	22.64	87.9	5.92	8.08	109.4	39.1	15.1	
		04:10:37	28.79	45.26	29.19	82.1	5.39	8.05	114.3	382.5	20.6	
		06:40:40	28.81	39.99	25.43	85.7	5.75	8.08	113.2	180.8	8.3	
		09:40:47	28.96	38.43	24.32	82.7	5.57	8.04	112.9	24.4	10.6	
		12:40:44	30.53	26.92	16.39	102.9	7.05	8.21	107.7	22.9	30.7	
		15:40:51	29.52	37.69	23.79	76.6	5.12	8.05	108.4	75.6	13.8	
		18:24:01	29.56	36.46	22.93	99.6	6.68	8.12	110.9	91.4	11.9	
		21:40:52	29.14	38.24	24.18	89.9	6.04	8.04	113.1	33	11.7	
		日平均值	29.35	37.38	23.61	88.43	5.94	8.08	111.24	106.21	15.34	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
6月19日	蚵殼站	00:04:37	30.38	24.56	14.82	129.2	8.95	7.96	128.8	24.2	82.9	
		03:04:32	29.32	28.91	17.75	110.8	7.68	8.03	139.3	573.4	51.6	
		06:04:36	29.25	27.09	16.53	107	7.48	8.17	125.7	109.3	67.9	
		09:04:37	28.95	29.74	18.32	108.9	7.58	7.98	144.9	410.7	41	
		12:04:37	28.75	29.96	18.47	113.8	7.93	8.1	135.8	249.9	52.1	
		15:04:39	28.74	32.67	20.33	117.2	8.09	7.97	144.9	746.5	46.9	
		18:04:39	28.75	30.03	18.52	109.7	7.65	8.14	146.8	783.8	33.2	
		21:04:38	28.39	33.01	20.56	101.5	7.04	7.84	141.4	103.8	23.5	
	日平均值	29.07	29.50	18.16	112.26	7.80	8.02	138.45	375.20	49.89		
	潮口站	00:26:32	29.14	35.56	22.32	101.6	6.89	8.17	96.9	27.9	28.9	
		03:26:33	28.36	40.21	25.59	99.2	6.69	8.06	104.2	379.5	20.7	
		06:26:38	28.08	32.54	20.25	99.4	6.94	8.09	110.3	681.2	38.4	
		09:26:45	29.08	28.37	17.39	109.2	7.62	8.14	103	55.4	37.5	
		12:26:45	28.78	33.9	21.17	89.9	6.17	8.15	100.9	38.1	22.2	
		15:26:47	29.52	24.73	14.95	104.8	7.36	8.64	91.1	34.3	38.4	
		18:26:49	27.99	31.99	19.87	96.6	6.77	8.25	93.7	215.4	22.5	
		21:26:48	28.5	25.5	15.48	92.5	6.59	8.33	86.9	54.1	25.7	
	日平均值	28.68	31.60	19.63	99.15	6.88	8.23	98.38	185.74	29.29		
	灣內站	00:40:52	29.11	38.78	24.56	80.9	5.42	8.06	108	55.5	7.1	
		03:40:53	28.52	40.32	25.66	87.5	5.89	8.05	105.7	276.5	14.3	
		06:40:58	28.31	34.52	21.61	85.6	5.91	8.01	112.7	577.5	27	
		09:41:05	29.12	33.5	20.89	84.1	5.75	8.15	112.1	60.2	20.6	
		12:41:02	29.12	33.35	20.78	77.5	5.31	8.16	104.9	35.3	15.6	
		15:41:07	29.38	31.46	19.48	83.7	5.74	8.35	98.7	40.3	27.8	
		18:41:09	27.95	33.78	21.11	85.1	5.93	8	99.2	325	19.6	
		21:41:08	28.55	28.11	17.23	84.7	5.97	8.26	96.1	66	15.2	
	日平均值	28.76	34.23	21.42	83.64	5.74	8.13	104.68	179.54	18.40		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
6月20日	蚵殼站	00:04:39	28.06	32.96	20.54	98.9	6.9	8.35	138.4	170.3	18.1	
		03:04:40	27.91	31.53	19.56	96.5	6.79	8.4	145.5	78.4	16.9	
		06:04:39	27.87	32.15	19.99	96.6	6.78	8.35	143.4	913.4	15.8	
		09:04:42	27.58	31.98	19.88	97.1	6.86	8.33	140.6	66.6	10	
		12:04:34	27.63	32.83	20.46	96.8	6.81	8.19	144.3	157.4	10.4	
		15:04:41	27.66	33.4	20.85	96.2	6.74	8.18	160.8	168	6.6	
		18:04:41	27.6	33.37	20.83	96.6	6.78	8.17	146	ND	3.3	
		21:04:40	27.55	33.15	20.68	96.3	6.77	8.16	169.9	184.2	4	
	日平均值	27.73	32.67	20.35	96.88	6.80	8.27	148.61	248.33	10.64		
	潮口站	00:26:48	28.14	26.16	15.92	87.5	6.25	8.15	84.3	45	19.1	
		03:26:47	27.92	36.11	22.72	96.9	6.69	8.14	98.3	468.1	47.6	
		06:26:53	27.39	33.79	21.13	97.4	6.85	8.04	103.1	172.3	10.9	
		09:27:02	27.61	31.09	19.26	93	6.59	8.18	98.1	101.8	13.8	
		12:26:58	27.72	30.71	19.01	88.9	6.29	8.14	101.8	56.1	14.7	
		15:27:02	27.71	31.05	19.24	84	5.94	8.1	100.4	47.9	15	
		18:27:04	26.69	28.9	17.8	92	6.67	7.98	111.1	1589.9	54.2	
		21:27:06	27.45	31.95	19.86	82.1	5.81	8.03	103.5	205.9	11.6	
	日平均值	27.58	31.22	19.37	90.23	6.39	8.10	100.08	335.88	23.36		
	灣內站	00:41:08	28.23	28.62	17.58	75.5	5.34	8.33	89.1	54.9	18.9	
		03:41:07	28.04	37.49	23.69	87.2	5.98	8.04	105.8	422	19.8	
		06:41:13	27.68	34.31	21.48	82.2	5.74	8.01	106.7	149.5	7.2	
		09:41:22	27.78	31.59	19.61	80.8	5.69	8.16	100.1	66.7	12.7	
		12:41:18	27.89	31.25	19.37	76.4	5.38	8.1	106.7	21.6	7.5	
		15:41:22	27.91	31.88	19.8	73.9	5.19	8.06	108.3	38.5	8.2	
		18:41:24	26.79	28.76	17.7	82.7	5.99	7.96	117.9	1547.1	57	
		21:41:26	27.72	33.06	20.62	81.6	5.88	7.99	111.5	149.8	9.8	
	日平均值	27.76	32.12	19.98	80.04	5.65	8.08	105.76	306.26	17.64		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月21日	蚵殼站	00:04:36	27.26	30.22	18.68	95.9	6.85	8.19	136.5	93	2.8	
		03:04:40	26.98	28.29	17.38	93.8	6.79	8.16	132.2	295.6	4.3	
		06:04:41	27.55	33.77	21.11	94.1	6.6	8.2	144.5	37.4	1.9	
		09:04:46	27.52	33.48	20.91	92.5	6.5	8.15	149.2	20.2	2.4	
		12:04:45	27.65	34.86	21.86	89.7	6.25	8.14	145.1	14	1.3	
		15:04:52	27.39	32.34	20.13	90.5	6.4	8.13	149	81.7	2.4	
		18:04:50	27.2	30.18	18.65	86.9	6.21	8.01	152.3	47	1.1	
		21:04:50	27.4	32.31	20.11	88.4	6.25	8.08	175.6	14.2	ND	
	日平均值	27.37	31.93	19.85	91.48	6.48	8.13	148.05	75.39	2.31		
	潮口站	00:27:14	27.04	28.61	17.59	84.2	6.08	8.05	102.4	39.6	8.7	
		03:27:12	27.31	35.31	22.18	89.4	6.26	8.07	105.8	317	21.9	
		06:27:10	26.69	37.72	23.88	93.4	6.54	7.98	111.7	1877.4	49.5	
		09:27:17	26.62	23.87	14.43	84.8	6.27	7.99	107.9	15.4	6.7	
		12:27:16	27.03	28.73	17.68	77.2	5.57	7.95	104.5	67	7.7	
		15:27:21	26.61	17.52	10.3	77.2	5.84	7.84	105.2	25.3	6.6	
		18:27:21	26.88	24.78	15.03	83.5	6.13	7.94	106.3	109.3	9.3	
		21:27:26	26.7	22.26	13.37	81.4	6.05	7.92	106.4	22.9	5.2	
	日平均值	26.86	27.35	16.81	83.89	6.09	7.97	106.28	309.24	14.45		
	灣內站	00:41:34	27.67	33.01	20.59	84.8	5.74	7.98	109.9	34.9	2.7	
		03:41:32	27.76	41.78	26.72	84.4	5.71	8.07	107.8	635	26.2	
		06:41:30	26.77	38.75	24.6	85.8	5.98	7.96	115.7	1959.2	49.9	
		09:41:37	26.77	24.91	15.12	75.1	5.52	7.9	109.4	19.8	2	
		12:41:36	27.35	31.67	19.67	89.9	5.96	7.93	110.1	41.3	ND	
		15:41:41	27.17	24.03	14.53	70.3	5.15	7.91	109.8	20.8	2.5	
		18:41:41	27.4	35.78	22.51	84.1	5.87	8.01	109.2	415.3	10.2	
		21:41:46	27.33	33.52	20.94	82.5	5.82	8	113.2	45.1	7.3	
	日平均值	27.28	32.93	20.59	82.11	5.72	7.97	110.64	396.43	14.40		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月22日	蚵殼站	00:04:56	27.26	30.46	18.85	86.1	6.14	8.05	152.3	57	6.7	
		03:04:57	27.5	33.23	20.74	89.3	6.28	8.1	147.6	92.8	1.2	
		06:05:01	27.6	34.83	21.84	84.9	5.93	8.08	150.8	6.3	2.7	
		09:05:00	27.61	36.1	22.72	83.8	5.82	8.06	209.3	9	0.9	
		12:34:48	27.78	36.44	22.95	83.3	5.76	8.03	198.7	4	3.2	
		15:05:05	27.77	34.81	21.82	85.8	5.97	7.98	199.4	5.5	0.7	
		18:05:13	27.74	33.75	21.09	84.6	5.91	7.97	197	4.6	2.5	
		21:05:10	27.6	34.1	21.33	84	5.88	8	192.9	10.9	4.8	
	日平均值	27.61	34.22	21.42	85.23	5.96	8.03	181.00	23.76	2.84		
	潮口站	00:27:21	26.56	20.05	11.93	78.1	5.86	7.87	106.9	23.4	5.3	
		03:27:24	26.89	30.91	19.16	88	6.31	8.01	108.2	334.2	12.1	
		06:27:30	27.16	39.91	25.41	91.3	6.29	8.05	112.1	377.7	14.5	
		09:27:35	26.96	30.26	18.71	79.7	5.72	7.93	113.6	15.1	2.3	
		12:27:34	27.55	30.8	19.07	75.3	5.34	7.92	112.7	27	5	
		15:27:39	28.42	18.69	11.03	84.7	6.19	7.87	112.1	20.1	7.1	
		18:27:35	28.04	28.25	17.33	79.4	5.64	7.89	119.3	42.6	ND	
		21:27:38	28.13	26.8	16.36	86.5	6.17	7.92	110.8	63.8	2.9	
	日平均值	27.46	28.21	17.38	82.88	5.94	7.93	111.96	112.99	7.03		
	灣內站	00:41:41	27.5	32.96	20.55	70.7	5.03	7.96	113.6	15.7	6	
		03:41:38	27.46	40.56	25.86	85.3	5.83	8.04	110.5	894.2	34.4	
		06:41:50	27.37	40.92	26.12	86.3	5.9	8.04	118.4	353.6	11	
		09:41:55	27.28	33.83	21.16	77.6	5.47	7.95	121.7	20.8	3.9	
		12:41:54	27.71	33.66	21.03	65.2	4.56	7.9	113	27	6.1	
		15:41:59	28.21	28.82	17.71	69.2	4.89	7.85	111.7	36.4	6.9	
		18:41:55	27.92	34.66	21.72	77.2	5.37	7.92	117.7	110	8.3	
		21:41:58	27.73	36.13	22.74	80.8	5.6	7.95	118.9	85	4.8	
	日平均值	27.65	35.19	22.11	76.54	5.33	7.95	115.69	192.84	10.18		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月23日	蚵殼站	00:05:14	27.63	33.51	20.93	84.6	5.93	8.07	199.3	6.7	2.1	
		03:05:19	27.76	34.95	21.92	83.1	5.78	8.01	212.7	9	ND	
		06:05:24	27.63	36.62	23.09	80	5.54	8	227.2	4.8	ND	
		09:05:25	27.61	38.34	24.29	83.7	5.76	7.95	148.6	6.1	ND	
		12:05:30	27.63	37.44	23.66	89.1	6.15	7.96	177.6	2.6	ND	
		15:05:26	27.93	35.65	22.41	86.6	5.99	7.99	148	2.5	4.2	
		18:05:29	28.14	35.59	22.35	80.7	5.56	7.92	181.7	5	6.8	
		21:05:35	28.05	36.56	23.04	76.3	5.25	7.91	155.6	9.8	4.8	
	日平均值	27.80	36.08	22.71	83.01	5.75	7.98	181.34	5.81	4.48		
	潮口站	00:27:43	28.15	19.19	11.35	83	6.08	7.88	109.6	19.5	1.2	
		03:27:41	27.64	30.91	19.15	80.6	5.71	7.93	111.6	45.7	2.1	
		06:27:48	27.58	38.05	24.09	89.8	6.19	7.99	116.2	109.1	7.1	
		09:27:47	27.44	34.64	21.72	91.8	6.43	7.94	119.7	59.9	9	
		12:27:49	27.74	35.12	22.04	84.5	5.87	7.94	123.1	13.9	3.9	
		15:27:47	29.32	25.47	15.45	95.5	6.71	8.02	117.7	27.4	15	
		18:27:51	28.1	33.03	20.59	75	5.22	7.92	111.9	13.9	6.5	
		21:27:55	28.73	31.26	19.36	95	6.6	8.07	114.4	35.7	7.1	
	日平均值	28.09	30.96	19.22	86.90	6.10	7.96	115.53	40.64	6.49		
	灣內站	00:06:08	27.75	35.01	21.96	77.4	5.38	7.94	119.7	24.1	2.4	
		03:42:01	27.71	37.65	23.8	84	5.78	7.98	121.9	747.9	30	
		06:42:08	27.78	40.14	25.56	84.5	5.76	7.98	118.6	114.8	6.2	
		09:42:07	27.66	35.98	22.64	84.9	5.89	7.94	124.2	66.6	5.4	
		12:42:09	27.99	36.26	22.83	76.8	5.3	7.91	127.4	23.2	7.4	
		15:42:07	28.46	32.67	20.33	74.3	5.16	7.88	119	34.4	5.4	
		18:42:08	27.97	37.28	23.54	73.8	5.11	7.92	118.8	26.5	3.5	
		21:42:15	28.22	38.08	24.09	87.3	5.95	8.02	121.3	83.3	9.8	
	日平均值	27.94	36.63	23.09	80.38	5.54	7.95	121.36	140.10	8.76		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月24日	蚵殼站	00:05:37	27.93	37.12	23.43	81	5.57	7.96	155.8	4.6	4.1	
		03:05:41	27.99	36.85	23.24	78.5	5.4	8	157.4	4.4	ND	
		06:05:39	27.96	37.85	23.94	76.3	5.23	7.98	156.2	3.2	3.2	
		09:05:39	27.78	39.69	25.24	79.4	5.42	7.9	208.7	3.8	3	
		12:34:54	27.79	40.04	25.49	80.6	5.49	7.9	222.8	3.3	2.4	
		15:05:42	28.04	38.04	24.07	85.5	5.85	7.92	219.8	4	6.7	
		18:05:48	28.45	36.64	23.08	88.4	6.04	7.92	204.4	7.5	17.7	
		21:05:53	28.27	37.6	23.75	82.1	5.6	7.95	213	6	9.2	
	日平均值	28.03	37.98	24.03	81.48	5.58	7.94	192.26	4.60	6.61		
	潮口站	00:27:57	28.75	30.02	18.51	84.3	5.88	8	109.2	17.1	11.5	
		03:27:57	28.3	33.26	20.74	71.8	4.98	7.93	111.5	10	7.4	
		06:27:57	28.2	34.36	21.5	94.6	6.55	8.11	113.9	56.8	9.5	
		09:27:59	28.26	37.87	23.94	101	6.89	8.08	117.2	54.4	10	
		12:27:59	28.16	35.97	22.62	91.5	6.3	7.99	115.2	6	6.4	
		15:28:02	28.51	35.92	22.58	105.1	7.19	7.98	119	37.7	6.9	
		18:28:04	28.48	34.52	21.61	97	6.68	7.96	114.4	18.1	14.2	
		21:28:04	28.51	33.68	21.03	98.1	6.77	8.06	116.1	24.2	8	
	日平均值	28.40	34.45	21.57	92.93	6.41	8.01	114.56	28.04	9.24		
	灣內站	00:42:17	28.25	37.05	23.37	85.1	5.83	8.05	115.9	27.5	3.7	
		03:42:17	28.1	38.18	24.17	78.9	5.39	8.01	122.8	19.2	3.9	
		06:42:17	28.09	41.15	26.27	88.7	5.99	8.08	116.4	127.1	4.3	
		09:42:19	28.27	41.83	26.74	90	6.05	8.05	133.9	92	4.6	
		12:42:19	28.3	37.45	23.65	87.8	5.99	7.98	119.9	11.6	3.6	
		15:42:22	29.05	34.49	21.57	86	5.87	7.94	119.1	28.5	8.5	
		18:42:24	28.2	38.2	24.18	77	5.25	7.88	121.1	17.5	5.3	
		21:42:24	28.26	37.35	23.58	85.1	5.82	7.96	115.6	35.2	5.8	
	日平均值	28.32	38.21	24.19	84.83	5.77	7.99	120.59	44.83	4.96		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
6月25日	蚵殼站	00:05:51	27.84	40.09	25.52	80.9	5.51	7.89	163.6	2.7	4	
		03:05:55	28.05	38.69	24.53	79.5	5.42	7.96	153.3	13	6.1	
		06:06:00	28.08	39.03	24.76	72.9	5.97	7.92	158.4	ND	3.9	
		09:05:56	27.74	39.9	25.39	80.3	5.48	7.83	179.5	2.6	ND	
		12:05:57	27.93	41.19	26.3	92.2	6.24	7.94	216.6	6.7	2.6	
		15:06:05	27.9	40.62	25.9	86.7	5.89	7.91	228	4.9	4.7	
		18:06:04	27.94	40.28	25.66	83.1	5.64	7.86	216.6	2.5	10.4	
		21:06:09	28.02	40.05	25.49	83.7	5.68	7.88	228	874.3	13.2	
	日平均值	27.94	39.98	25.44	82.41	5.73	7.90	193.00	129.53	6.41		
	潮口站	00:28:11	29.46	29	17.81	127.5	8.82	8.29	106.3	8.5	21.7	
		03:28:08	28.13	38.05	24.08	90.4	6.18	8.05	113.1	10	4.5	
		06:28:07	28.47	33.73	21.06	105.5	7.28	8.24	107.6	22.5	9.4	
		09:28:16	28.31	39.44	25.05	107.6	7.29	8.17	111.2	61.8	11.9	
		12:28:16	28.6	36.43	22.93	119.7	8.16	8.18	112.6	10.1	16.2	
		15:28:20	30.32	30.28	18.66	180	12.22	8.33	112.9	10	37.9	
		18:28:18	30.91	29	17.78	197.3	13.32	8.35	105.9	13.1	38.2	
		21:28:24	28.66	39.65	25.19	118.7	7.99	8.22	112.3	37.2	16.4	
	日平均值	29.11	34.45	21.57	130.84	8.91	8.23	110.24	21.65	19.53		
	灣內站	00:42:28	28.11	40.3	25.67	87.2	5.91	8	114.6	18.1	2.9	
		03:42:28	27.95	41.65	26.63	83.8	5.66	8.03	116.6	14	6.7	
		06:42:30	28.01	43.31	27.81	90.9	6.09	8.08	105.2	85.8	5.8	
		09:42:36	28.17	42.55	27.26	95.5	6.41	8.08	115.7	54.8	7.4	
		12:42:33	28.57	40.47	25.77	101.7	6.83	8.12	116.6	29.1	2.3	
		15:42:40	28.55	38.76	24.56	106.5	7.2	8.04	113.3	30.4	13.8	
		18:42:32	28.14	39.5	25.09	84.2	5.72	7.91	111.4	7.6	8.7	
		21:42:41	27.92	44.58	28.72	93.2	6.22	8.05	110	81.8	6.2	
	日平均值	28.18	41.39	26.44	92.88	6.26	8.04	112.93	40.20	6.73		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
6月26日	蚵殼站	00:06:11	27.92	41.68	26.65	88.8	6	7.98	177.5	3.5	3.7	
		03:06:11	27.95	40.9	26.09	83.8	5.68	7.96	178.2	1105.2	10	
		06:06:13	27.91	41.4	26.45	89.1	6.03	8.04	155.8	2.4	4.2	
		09:06:14	28.09	41.19	26.29	89.6	6.05	8.03	182.5	7	8.9	
		12:34:56	28.08	41.64	26.62	93	6.27	8	177.6	38.2	13.4	
		15:06:27	28.04	41.58	26.57	94.7	6.39	7.98	184.1	5.5	15.3	
		18:06:24	28.26	40.1	25.52	121.7	8.23	8.14	178.6	80.3	63.2	
		21:06:22	28.69	39.57	25.13	136	9.15	8.38	174.7	48	55.9	
	日平均值	28.12	41.01	26.17	99.59	6.73	8.06	176.13	161.26	21.83		
	潮口站	00:28:28	28.16	37.17	23.46	100.4	6.88	8.08	118.9	44.3	7.9	
		03:28:29	28.05	39.72	25.25	97.1	6.6	8.07	110.7	22.2	9.2	
		06:28:35	28.82	36.74	23.14	107.6	7.3	8.15	104.3	14.4	11.1	
		09:28:33	28.11	38.51	24.4	91.9	6.27	7.99	119.3	28.8	6	
		12:28:37	28.7	40.32	25.66	95.5	6.4	8.06	116.2	40	10.8	
		15:28:39	29.95	35.22	22.06	181.6	12.17	8.48	109.1	23.4	32.1	
		18:28:43	30.88	31.66	19.58	191	12.78	8.58	106.6	18.5	29.9	
		21:28:42	29.42	38.11	24.09	106.7	7.13	8.2	112.9	49.1	10.4	
	日平均值	29.01	37.18	23.46	121.48	8.19	8.20	112.25	30.09	14.68		
	灣內站	00:42:48	27.71	41.22	26.32	90.2	6.13	7.99	116.2	47.8	9	
		03:42:49	28.13	40.96	26.13	91.4	6.17	8.05	115.8	24.2	5.4	
		06:42:55	28.13	42.56	27.27	92.9	6.23	8.09	109.3	22.9	7.2	
		09:42:53	27.98	41.71	26.67	90.8	6.13	8.02	124.6	33.1	4.5	
		12:42:57	28.28	42.03	26.89	88.9	5.97	8.01	116.4	27.8	9	
		15:42:59	28.9	39.8	25.29	106.4	7.13	8.04	115.7	23.9	10.9	
		18:43:03	28.55	40.33	25.67	104.3	7.01	7.99	119	11.6	16.6	
		21:43:02	28.62	43.26	27.76	92.3	6.13	8.08	112.6	111	7.7	
	日平均值	28.29	41.48	26.50	94.65	6.36	8.03	116.20	37.79	8.79		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月27日	蚵殼站	00:06:27	28.22	41.19	26.29	97.3	6.55	8.07	176.1	31.4	26.2	
		03:06:27	28.1	41.96	26.84	95.4	6.42	8.14	186.9	15.8	19.4	
		06:06:33	28.29	41.18	26.28	101.1	6.8	8.18	169.4	47.9	55.3	
		09:06:28	28.17	41.5	26.52	95.9	6.46	8.03	195.1	33.6	48.4	
		12:06:34	28.24	41.66	26.62	109	7.33	8.16	227	63.5	58.4	
		15:06:38	28.5	42.32	27.09	111.9	7.47	8.22	225.4	77.2	31.8	
		18:06:45	28.46	41.66	26.62	141.7	9.49	8.4	198.2	73.5	80.7	
		21:06:38	29.13	40.63	25.87	156.3	10.4	8.46	182.3	98.2	44.2	
	日平均值	28.39	41.51	26.52	113.58	7.62	8.21	195.05	55.14	45.55		
	潮口站	00:28:42	29.24	35.79	22.47	106.4	7.2	8.29	104.5	22.6	12.3	
		03:28:47	28.43	39.97	25.42	91.1	6.15	8.1	103.4	17.8	5.9	
		06:28:49	28.64	39.96	25.41	95.9	6.45	8.14	104.4	13.8	9.8	
		09:28:45	28.95	37.68	23.8	98.4	6.64	8.15	103.6	10.9	9.8	
		12:28:51	29.43	40.41	25.7	100.4	6.65	8.15	105.6	34.5	10.6	
		15:59:04	30.09	36.76	23.12	205	13.63	8.39	109.6	20.5	32.6	
		18:28:57	30.72	35.64	22.33	213.4	14.1	8.44	107.7	12.9	27.7	
		21:28:56	29.22	39.3	24.93	116.8	7.8	8.2	109.3	24.8	16.8	
	日平均值	29.34	38.19	24.15	128.43	8.58	8.23	106.01	19.73	15.69		
	灣內站	00:42:59	28.51	38.91	24.67	89.3	6.04	8.06	107.5	22.7	8.3	
		03:43:04	28.28	41.51	26.51	88.6	5.96	8.07	108.9	17.3	6.1	
		06:43:06	28.21	43.04	27.61	81.9	5.48	8.04	106.8	18.9	4.3	
		09:43:05	28.54	41.5	26.5	93	6.22	8.06	116.7	11.8	ND	
		12:43:11	29.22	42.86	27.45	93.3	6.14	8.07	118.8	45.1	12.2	
		16:13:18	30.76	35.97	22.56	209.6	13.82	8.63	109.6	11.4	24.4	
		18:43:17	29.69	39.65	25.16	152.1	10.06	8.31	115.9	23.8	17.9	
		21:43:16	28.79	42.95	27.53	96.3	6.38	8.1	113.9	24.9	5.9	
	日平均值	29.00	40.80	26.00	113.01	7.51	8.17	112.26	21.99	11.30		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月28日	蚵殼站	00:06:42	28.29	42.07	26.92	109.5	7.34	8.12	180.8	41.8	46	
		03:06:46	28.09	43.08	27.65	88.5	5.93	8.06	171.1	15.3	27.8	
		06:06:47	28.63	42.22	27.01	109.2	7.28	8.27	173.7	58	46.5	
		09:06:48	28.85	41.45	26.46	129.6	8.64	8.37	188.3	161.2	33.4	
		12:34:58	28.37	42.99	27.57	145.5	9.71	8.22	177.1	104.9	65.3	
		15:06:53	28.63	43.6	28	133.6	8.85	8.24	208.3	83.5	50.4	
		18:06:51	29.3	41.53	26.5	158.2	10.46	8.4	164.6	76.6	32.2	
		21:15:14	28.43	43.15	27.68	114.6	7.63	8.14	185.9	52.1	45.2	
	日平均值	28.57	42.51	27.22	123.59	8.23	8.23	181.23	74.18	43.35		
	潮口站	00:28:56	29.03	39.14	24.82	102.2	6.85	8.22	104	41.9	10.4	
		03:29:01	29.22	39.53	25.09	107.2	7.15	8.21	113.1	7.5	5.4	
		06:29:05	29.29	39.53	25.09	121	8.06	8.25	107.8	10.5	14.9	
		09:29:06	28.71	41.25	26.32	117.9	7.88	8.12	112.7	14.3	27	
		12:29:10	29.63	42.22	26.98	120.5	7.9	8.17	115.2	12.4	8.7	
		15:29:09	29.59	43.09	27.61	123.6	8.08	8.21	115.8	5.2	13.7	
		18:29:17	29.45	40.55	25.81	185	12.25	8.41	116.6	6.4	17.1	
		21:29:16	28.97	42.39	27.13	133.5	8.84	8.18	117.2	31.9	29.3	
	日平均值	29.24	40.96	26.11	126.36	8.38	8.22	112.80	16.26	15.81		
	灣內站	00:43:16	28.32	43.89	28.22	90.3	6.01	8.06	115.4	49.4	5.1	
		03:43:21	29.22	40.81	25.99	98.5	6.54	8.16	113.4	10.2	5	
		06:43:25	28.63	42.69	27.35	87.2	5.8	8.06	114.5	12.6	4.3	
		09:43:26	28.37	43.92	28.24	79.2	5.26	7.96	114.4	36.8	12.8	
		12:43:30	29.03	46.11	29.79	101.3	6.61	8.03	121.3	13.9	6.1	
		15:43:23	29.44	44.91	28.92	111.8	7.27	8.15	119.7	6.9	11.4	
		18:43:37	30	40.19	25.54	181.8	11.94	8.47	119.8	6.9	24.1	
		21:43:36	28.74	44.96	28.98	112.7	7.42	8.12	118.4	21.7	15.6	
	日平均值	28.97	43.44	27.88	107.85	7.11	8.13	117.11	19.80	10.55		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月29日	蚵殼站	00:15:13	28.89	42.7	27.35	123.4	8.18	8.38	157.9	73	25.6	
		03:15:09	26.94	0.563	0.27	99.4	7.92	7.96	160.8	ND	2.1	
		06:15:15	28.47	40.87	26.06	100.9	6.78	8.33	182.6	54.7	25.1	
		09:15:08	28.52	42.08	26.91	102.6	6.85	8.35	181.6	66.7	22.5	
		12:15:14	28.89	41.74	26.66	112.6	7.49	8.4	198.9	ND	25.9	
		15:15:14	28.73	42.93	27.52	109	7.23	8.42	206.1	ND	32.1	
		18:15:15	28.55	42.64	27.31	102.5	6.83	8.28	185.9	63.4	22.7	
		21:15:16	28.45	42.88	27.49	100.3	6.69	8.28	168.6	70.2	15.2	
	日平均值	28.43	37.05	23.70	106.34	7.25	8.30	180.30	65.60	21.40		
	潮口站	00:29:14	27.55	46.04	29.79	94.6	6.32	8.04	111	17.4	6.1	
		03:29:20	29.72	34.87	21.82	114.8	7.73	8.54	96.1	13.8	12	
		06:29:21	29.25	34.93	21.87	107.5	7.3	8.49	90.5	37.5	18	
		09:29:21	28.97	34.51	21.59	92.7	6.33	8.36	93.9	57.7	9.1	
		12:29:20	29.01	38.47	24.35	94.1	6.33	8.25	96.8	119.8	14.3	
		15:29:25	28.56	42.8	27.43	95.8	6.38	8.09	107.9	203.6	9.3	
		18:29:23	28.95	38.99	24.71	115	7.72	8.38	99.1	15.2	13.2	
		21:29:21	28.97	38.37	24.28	107	7.2	8.41	101.7	14	10.7	
	日平均值	28.87	38.62	24.48	102.69	6.91	8.32	99.63	59.88	11.59		
	灣內站	00:43:34	27.82	46.02	29.77	91.4	6.08	8.02	116.7	6.1	6.6	
		03:43:40	29.64	36.47	22.93	107.5	7.2	8.5	100.7	13.8	10.5	
		06:43:41	29.25	36.81	23.18	110.4	7.44	8.43	97.4	22	13.4	
		09:43:41	29.03	36.84	23.21	94.6	6.4	8.35	96.6	26.7	14.8	
		12:43:40	28.61	41.5	26.5	95.3	6.38	8.08	105.3	340.7	16.9	
		15:43:42	28.69	42.88	27.48	95.6	6.35	8.09	106	153.7	10.4	
		18:43:43	29.11	39	24.72	111.9	7.49	8.38	103.1	12.4	13.8	
		21:43:41	29.1	38.68	24.49	110.5	7.41	8.4	108.2	9.7	12.6	
	日平均值	28.91	39.78	25.29	102.15	6.84	8.28	104.25	73.14	12.38		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
6月30日	蚵殼站	00:15:16	28.5	41.29	26.35	104.6	7.01	8.43	146.1	65.8	18.3	
		03:15:16	28.39	42.97	27.55	100.4	6.7	8.24	170.5	46.6	22	
		06:15:15	28.37	43.41	27.87	97.5	6.49	8.24	164.6	128.3	19	
		09:15:17	28.43	42.94	27.54	99.8	6.66	8.27	193.6	164.3	16.6	
		12:15:17	28.85	42.99	27.56	109.9	7.28	8.31	209	107.5	21.6	
		15:15:17	29.35	42.68	27.32	118.6	7.8	8.44	176.4	71.8	22.4	
		18:06:54	29.31	42.38	27.11	112.3	7.4	8.42	173.7	89.1	15.9	
		21:15:18	29.2	42.59	27.26	110.8	7.31	8.46	208.1	976.6	14.6	
	日平均值	28.80	42.66	27.32	106.74	7.08	8.35	180.25	206.25	18.80		
	潮口站	00:29:21	28.07	42.71	27.38	94	6.31	8.07	108.3	43	4.1	
		03:59:27	28.21	41.69	26.65	93	6.25	8.15	102.7	28.6	5.2	
		06:29:27	28.44	39.48	25.07	96	6.49	8.3	103.6	10.5	7.3	
		09:29:29	28.73	38.97	24.71	87.5	5.9	8.16	105.5	32	10.2	
		12:29:29	29.89	38.59	24.41	106.2	7.03	8.31	109.2	18	7.6	
		15:29:29	29.38	43.57	27.95	89.8	5.88	8.06	106.6	88.4	7.3	
		18:29:30	30.17	40.23	25.56	101.8	6.67	8.27	96.6	26.7	6.2	
		21:29:33	29.45	40	25.41	102.3	6.79	8.38	99.6	12.1	7.4	
	日平均值	29.04	40.66	25.89	96.33	6.42	8.21	104.01	32.41	6.91		
	灣內站	00:43:41	28.24	42.6	27.3	92.7	6.21	8.07	113	57	4.6	
		04:13:44	28.31	43.15	27.69	90.7	6.06	8.11	115.6	17.5	7.3	
		06:43:44	28.58	39.62	25.17	98.1	6.61	8.27	111.8	11.7	13.7	
		09:43:49	28.93	39	24.72	97.2	6.53	8.21	112.5	23.4	12.4	
		12:43:49	29.11	40.79	25.98	104.8	6.97	8.21	100	29.2	7.5	
		15:43:49	29.42	44.05	28.3	95.1	6.21	8.03	114.1	85	4	
		18:43:50	30.11	41.16	26.22	97.8	6.39	8.19	106.1	22.2	8.2	
		21:43:53	29.48	40.59	25.83	111.1	7.35	8.36	102.2	5	5.3	
	日平均值	29.02	41.37	26.40	98.44	6.54	8.18	109.41	31.38	7.88		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μ g/l)
7月1日	蚵殼站	00:21:58	21.67	49.79	32.64	105.6	7.69	7.64	141.7	110	15
		03:21:59	21.61	49.87	32.7	106.1	7.73	7.75	146.8	12	17
		06:21:59	21.64	49.93	32.74	104.4	7.59	7.71	152.2	5.3	8.1
		09:22:00	21.4	49.67	32.56	108.6	7.94	7.8	148.2	33	16.6
		12:21:59	21.59	48.99	32.06	111.4	8.15	7.64	145.7	94.2	21.7
		15:22:00	21.97	49.77	32.62	115.7	8.37	7.63	146.9	106.1	23.7
		18:22:00	21.94	49.87	32.7	107.2	7.76	7.56	146.4	134.6	16.8
		21:22:00	21.89	49.55	32.46	112.4	8.16	7.68	143.8	131.4	23.7
	日平均值	21.71	49.68	32.56	108.93	7.92	7.68	146.46	78.33	17.83	
	潮口站	00:25:30	22.51	51.02	33.53	89	6.35	7.62	151.3	6.4	3.9
		03:25:30	21.81	50.48	33.14	85.9	6.21	7.91	143.7	9.6	ND
		06:25:29	21.91	50.33	33.03	89.4	6.47	8.04	136.8	4	8.9
		09:25:29	22.04	50.65	33.27	87.7	6.32	7.96	156	7.7	ND
		12:25:29	23.05	50.99	33.51	90.2	6.37	7.89	168.5	1.3	2.8
		15:25:29	23.14	50.98	33.49	93.2	6.58	7.94	175.8	1.5	9.2
		18:25:28	22.85	50.75	33.33	93.4	6.63	7.96	182	2.6	2.7
		21:25:29	22.71	50.76	33.34	88.9	6.33	8.1	177.2	4.5	4.1
	日平均值	22.50	50.75	33.33	89.71	6.41	7.93	161.41	4.70	5.27	
	灣內站	00:23:14	21.77	49.07	32.11	108.2	7.88	7.77	103.5	11.1	5.4
		03:23:14	21.49	49.03	32.09	109.2	8	7.8	103.5	7.2	8.2
		06:23:14	21.64	49.19	32.2	99.9	7.29	7.78	107.6	6.1	9.9
		09:23:15	21.34	48.46	31.67	103.7	7.63	7.73	97.9	5.7	4.8
		12:23:14	21.88	46.34	30.12	107.3	7.89	7.63	97	4.6	7
		15:23:15	22.31	47.91	31.25	137.4	9.97	7.74	106.1	9.4	10.6
		18:23:14	22.23	48.08	31.38	130.6	9.48	7.81	102.2	3	17.1
		21:23:15	21.98	48.72	31.85	121.1	8.81	7.8	102.3	2.4	6.2
	日平均值	21.83	48.35	31.58	114.68	8.37	7.76	102.51	6.19	8.65	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μ g/l)
7月2日	蚵殼站	00:22:00	21.75	49.52	32.44	112.3	8.17	7.78	140.7	299.2	14.3
		03:21:59	21.56	49.31	32.29	110.4	8.07	7.75	146.3	183.1	21.1
		06:22:00	21.49	49.48	32.41	109.5	8.01	7.81	140.8	119.8	20
		09:22:01	21.44	49.38	32.34	109.6	8.02	7.79	149	98.8	13.7
		12:22:00	21.58	49.38	32.34	111.5	8.14	7.68	146.1	83.2	19.7
		15:22:00	21.64	49.51	32.44	112.3	8.19	7.75	144	162.9	19.8
		18:22:00	21.53	49.68	32.56	110.5	8.06	7.68	146	218.6	12.3
		21:22:02	21.7	49.19	32.2	112.6	8.21	7.73	148.6	87.7	25.6
	日平均值	21.59	49.43	32.38	111.09	8.11	7.75	145.19	156.66	18.31	
	潮口站	00:25:28	22.64	50.82	33.39	88.2	6.28	8.37	168.8	4	4.7
		03:25:27	22.3	50.61	33.23	93.1	6.67	7.79	162.8	3	6.5
		06:25:27	21.82	50.03	32.81	100.9	7.31	8	159	1.9	14.2
		09:25:26	21.8	50.17	32.92	94.5	6.85	7.93	153.6	6.7	11
		12:25:26	22.74	51.05	33.55	91.3	6.48	7.91	174.1	1	ND
		15:17:04	22.87	50.89	33.43	95.9	6.8	8.25	164.2	1.5	5.3
		18:25:25	21.94	50.21	32.94	102.3	7.4	8.25	168	3.2	8.7
		21:25:26	21.89	50.22	32.95	102.8	7.44	8.21	167.3	2.7	5
	日平均值	22.25	50.50	33.15	96.13	6.90	8.09	164.73	3.00	7.91	
	灣內站	00:23:15	21.63	49.31	32.29	111.9	8.16	7.79	103.2	1.6	12.5
		03:23:13	21.46	48.93	32.01	111.1	8.14	7.89	94.3	ND	5
		06:23:12	21.4	48.89	31.98	103	7.56	7.86	99.4	2	11.6
		09:23:15	21.35	48.91	32	96.8	7.11	7.81	107.1	2.2	7.7
		12:23:14	21.61	47.66	31.08	126.5	9.3	7.86	102.7	1.5	13.5
		15:23:14	21.8	48.16	31.45	130.2	9.52	7.87	105.8	2.2	13.9
		18:23:13	21.61	48.28	31.54	128	9.38	7.8	108.1	2.4	9.6
		21:23:10	21.57	48.4	31.62	116.5	8.54	7.76	107.3	2.3	7.3
	日平均值	21.55	48.57	31.75	115.50	8.46	7.83	103.49	2.03	10.14	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月3日	蚵殼站	00:22:02	21.32	48.72	31.86	110.4	8.12	7.65	152	78.4	19.4	
		03:22:00	21.17	49.28	32.27	107.2	7.89	7.81	138.9	157.1	10.3	
		06:22:01	21.15	49.34	32.32	105.7	7.78	7.86	141.6	93.2	8.3	
		09:22:02	21.15	49.39	32.35	108.9	8.01	7.84	142.6	83.3	16.1	
		12:22:02	21.48	48.78	31.9	108.9	7.98	7.56	133.4	57.4	14.1	
		15:22:02	21.77	49.86	32.69	108.5	7.88	7.62	130.2	149.8	10.3	
		18:22:02	21.78	49.77	32.63	108.1	7.85	7.61	127	209.2	15.8	
		21:21:56	21.52	49.21	32.22	108.7	7.95	7.65	123.8	55.6	17.9	
	日平均值	21.42	49.29	32.28	108.30	7.93	7.70	136.19	110.50	14.03		
	潮口站	00:25:26	21.71	49.94	32.75	101.4	7.37	7.62	165	2.5	7.4	
		03:25:19	21.5	49.95	32.76	98.7	7.2	7.89	158.6	1.7	5.7	
		06:25:25	21.31	50	32.8	98.2	7.18	8.28	152	2.5	4.3	
		09:25:19	21.28	49.75	32.62	98.3	7.2	7.55	158.8	2.4	12.2	
		09:55:26	21.55	50.18	32.93	96.8	7.05	7.55	154	6.8	5.6	
		15:06:12	23.04	53.05	35.03	103.2	7.23	8.28	141.8	3.4	1.5	
		18:06:11	22.92	53.34	35.25	99.9	7	8.15	148.8	5.1	7.2	
		21:06:06	21.7	52.35	34.52	104.9	7.55	8.14	149.7	7.3	9	
	日平均值	21.88	51.07	33.58	100.18	7.22	7.93	153.59	3.96	6.61		
	灣內站	00:23:14	21.5	48.69	31.84	113.4	8.31	7.81	109.4	1.5	5.2	
		03:23:14	21.42	49.31	32.29	108.2	7.93	7.85	105	ND	5.4	
		06:23:14	20.73	48.66	31.82	97.9	7.28	7.9	94.4	1.8	ND	
		09:23:15	21.18	49.1	32.14	100.9	7.43	7.84	95.3	1.5	5.9	
		12:23:15	21.8	48.65	31.81	113.9	8.31	7.71	88	ND	1.3	
		15:23:15	21.8	48.71	31.85	123.1	8.98	7.71	92.4	1.6	6.6	
		18:23:14	21.58	48.74	31.87	119.8	8.77	7.7	94	2.4	5.6	
		21:23:14	21.58	48.97	32.04	112.2	8.2	7.73	85.7	3.4	2.5	
	日平均值	21.45	48.85	31.96	111.18	8.15	7.78	95.53	2.03	4.64		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月4日	蚵殼站	00:22:03	21.41	48.97	32.04	108.5	7.96	7.7	140.2	109.6	14.9	
		03:22:03	21.21	48.85	31.95	106.9	7.87	7.76	154.4	62.4	13.4	
		06:22:03	21.22	49.47	32.41	106	7.79	7.89	149.4	13.5	10.2	
		09:22:03	21.16	49.24	32.24	106.3	7.82	7.91	156.6	22.4	13	
		12:22:03	21.46	49.24	32.24	106	7.76	7.79	149.6	28.6	4	
		15:22:04	21.37	49.53	32.45	107.5	7.87	7.86	144.4	69	20.4	
		18:22:05	21.21	49.62	32.52	103.8	7.62	7.76	144.2	116.8	13.3	
		21:22:03	21.09	49.61	32.51	104.4	7.68	7.93	141.1	28.1	10.2	
	日平均值	21.27	49.32	32.30	106.18	7.80	7.83	147.49	56.30	12.43		
	潮口站	00:06:11	21.8	52.72	34.8	99.6	7.14	7.79	159	7.6	8.5	
		03:06:11	21.79	52.79	34.85	92.9	6.66	7.86	154.2	6.7	2.7	
		06:06:10	21.6	52.87	34.91	95	6.83	8.02	156.6	8	12.1	
		09:06:05	21.5	52.71	34.79	92.8	6.69	8.01	154.5	8.8	8.2	
		12:06:10	22.42	53.36	35.27	94.3	6.67	7.93	148.3	6.1	2.4	
		15:06:10	22.85	53.28	35.2	94.4	6.63	7.91	157.9	2.5	4.7	
		18:06:10	22.81	53.46	35.34	96.1	6.74	7.93	161.8	4.6	5.1	
		21:06:02	22.13	53.24	35.18	96.7	6.87	8.04	154.6	8.9	11	
	日平均值	22.11	53.05	35.04	95.23	6.78	7.94	155.86	6.65	6.84		
	灣內站	00:23:09	21.48	49.39	32.35	99.4	7.27	7.77	86.8	2	3.4	
		03:23:08	21.2	49.36	32.33	98.4	7.23	7.8	89.6	2.1	ND	
		06:23:15	21.31	49.41	32.36	99.1	7.27	7.95	78.1	2.5	4.6	
		09:23:15	21.32	49.64	32.53	101.8	7.46	7.93	77.4	1.3	1.1	
		10:53:14	21.53	49.28	32.27	106.8	7.81	7.94	78.5	1.2	2.2	
		15:06:20	21.51	47.24	30.78	123.3	9.1	8.14	75.6	7.5	36.8	
		18:14:37	21.19	47.3	30.82	119.8	8.88	8.14	68.2	11.3	32.5	
		21:14:35	21.28	49.21	32.22	112.5	8.26	8.29	62.8	13.7	28.1	
	日平均值	21.35	48.85	31.96	107.64	7.91	8.00	77.13	5.20	15.53		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月5日	蚵殼站	00:22:04	20.93	49.54	32.46	105.3	7.77	7.97	149.3	11	6.2	
		03:22:04	20.61	49.02	32.09	106.5	7.92	8.03	146.2	4.3	7.6	
		06:22:04	20.46	49.01	32.08	102.7	7.66	7.98	150.4	16.3	9.2	
		09:22:04	20.47	49.22	32.23	104.3	7.78	8.04	154.8	16.7	8.4	
		02:33:29	20.75	49.64	32.54	110.7	8.19	8.25	125.7	3914	63.5	
		15:28:51	20.73	49.58	32.49	110.5	8.19	8.22	287.4	854.4	58.4	
		18:06:22	20.62	49.66	32.55	109.9	8.16	8.1	161.3	407.3	49	
		21:06:27	20.35	49.44	32.39	109.4	8.16	7.96	148.1	84.1	24.7	
	日平均值	20.62	49.39	32.35	107.41	7.98	8.07	165.40	663.51	28.38		
	潮口站	00:06:09	21.68	53	35.01	98.3	7.05	8.14	163.3	7	7.1	
		03:06:09	21.5	52.9	34.94	93.9	6.76	8.15	148.6	8.6	4.9	
		06:06:08	21.8	53.39	35.3	90.7	6.49	8.11	168	6	3.6	
		09:06:07	21.27	53.03	35.04	90.8	6.56	8.16	147.2	5.4	1.8	
		12:06:08	21.96	53.35	35.27	94.6	6.74	8.05	172.2	5.5	5.2	
		15:06:08	22.16	53.49	35.37	97.3	6.91	8	172.1	4.5	4.4	
		18:06:08	21.82	53.25	35.19	99.1	7.09	8.02	178.5	5.7	9.3	
		21:06:06	20.98	52.52	34.66	101.8	7.41	8.1	161.7	4.8	8.2	
	日平均值	21.65	53.12	35.10	95.81	6.88	8.09	163.95	5.94	5.56		
	灣內站	00:14:35	20.26	0.412	0.2	101.4	9.16	8.2	40.6	ND	ND	
		03:14:36	20.78	49.7	32.58	109.5	8.1	8.27	59.1	14.3	29.2	
		06:14:36	20.43	49.06	32.12	105.1	7.84	8.26	60.9	10.2	21.8	
		09:14:36	20.52	49.8	32.66	104.6	7.77	8.28	61.4	15.6	16.4	
		12:14:36	20.94	50.04	32.83	112.7	8.3	8.23	69	17.1	32.8	
		15:14:37	20.84	49.79	32.65	123	9.08	8.22	51.3	20.2	17.6	
		18:14:37	20.82	50.12	32.89	117.2	8.65	8.2	52.2	14.6	29.7	
		21:14:35	20.47	49.49	32.43	112.9	8.41	8.18	52.2	19.8	27	
	日平均值	20.63	43.55	28.55	110.80	8.41	8.23	55.84	15.97	24.93		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月6日	蚵殼站	00:06:28	20.48	49.75	32.62	107	7.96	8.03	149	36.5	23.5	
		03:06:22	20.4	49.7	32.59	106.5	7.93	8.09	144.8	79.5	23.1	
		06:06:28	20.19	49.74	32.62	105.9	7.91	8.16	112.5	21.4	13.7	
		09:06:27	20.06	49.41	32.37	105.9	7.94	8.06	138.3	120.8	40.2	
		12:06:28	20.63	49.45	32.4	106.4	7.9	7.79	130.2	89.7	30.1	
		15:06:28	20.89	50.05	32.84	111	8.18	7.76	135.4	90.2	47	
		18:06:31	21.93	50.92	33.47	106.9	7.7	7.8	136.9	21.9	17.5	
		21:06:29	20.83	50.33	33.05	107.7	7.94	7.94	137.4	539.9	59.7	
	日平均值	20.68	49.92	32.75	107.16	7.93	7.95	135.56	124.99	31.85		
	潮口站	00:06:07	20.76	52.1	34.35	104.1	7.63	8.17	178.4	3.4	14.9	
		03:06:07	20.59	52.1	34.35	101.4	7.44	8.14	180.6	4.7	ND	
		06:06:06	22.41	53.51	35.38	90.7	6.41	8.08	178.2	1.9	7.1	
		09:06:05	21.54	52.92	34.95	93.4	6.72	8.1	160	4	7.1	
		12:06:05	22.86	53.33	35.24	91.6	6.43	7.88	177.2	2.1	ND	
		15:06:05	23.29	53.12	35.08	90.7	6.32	7.72	197.4	2.4	4.4	
		18:06:07	23.15	53.15	35.1	91.6	6.4	7.77	183.2	3	ND	
		21:06:05	22.38	52.95	34.96	91	6.45	7.83	197.7	11.8	ND	
	日平均值	22.12	52.90	34.93	94.31	6.73	7.96	181.59	4.16	8.38		
	灣內站	00:14:36	20.42	49.79	32.65	104.5	7.78	8.18	59.7	11.7	28.6	
		03:14:36	20.51	50.3	33.02	97.2	7.21	8.14	60.2	11.4	32.8	
		06:14:36	20.36	50.29	33.02	98.1	7.29	8.2	48.4	8.7	28.1	
		09:14:35	20.17	49.47	32.42	104.9	7.85	8.12	56.9	12	30.4	
		12:14:36	20.9	49.45	32.4	113.3	8.37	8.06	49.7	14.2	13.5	
		15:06:22	21.05	49.95	32.76	122.4	9	8.1	54.2	16.6	43.7	
		18:14:35	21.05	50.27	33	117.1	8.6	8.08	51.2	19.9	25	
		21:14:36	20.91	50.27	33	111.6	8.22	8.07	49.8	18.2	32.4	
	日平均值	20.67	49.97	32.78	108.64	8.04	8.12	53.76	14.09	29.31		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月7日	蚵殼站	00:06:23	20.62	49.15	32.18	107.7	8.01	7.96	99.6	89	17.5	
		03:06:30	20.38	49.35	32.33	107.1	7.99	8.02	101.2	228.5	63.3	
		06:06:30	20.4	49.66	32.56	105.7	7.87	8	106.1	58.4	12	
		09:06:29	20.34	49.68	32.57	107.3	8.01	8.04	101.9	27	20.4	
		12:06:23	20.44	49.41	32.37	109.6	8.17	8.01	99	27	23.7	
		15:28:59	21.22	50.07	32.85	107.4	7.87	7.92	300.9	1421.3	114.6	
		18:06:30	21.18	50.13	32.89	108.2	7.93	7.8	170.1	539.2	92.5	
		21:06:29	20.93	49.5	32.44	110.6	8.16	7.88	161.3	179.3	49	
	日平均值	20.69	49.62	32.52	107.95	8.00	7.95	142.51	321.21	49.13		
	潮口站	00:06:04	21.67	52.78	34.85	88.9	6.39	7.95	186.1	12.4	10.3	
		03:06:05	21.48	52.74	34.82	89.2	6.43	8.02	183.4	9	ND	
		06:06:05	22.41	53.25	35.19	88.7	6.28	8	197.6	3.6	3.2	
		09:06:03	22.61	53.33	35.24	87.9	6.2	7.96	209.2	4.4	2.1	
		12:06:03	22.72	53.42	35.31	90.2	6.34	7.94	204.3	3.7	ND	
		15:06:04	23.14	53.11	35.07	93	6.5	7.84	183	2.3	11	
		18:06:04	23.13	53.13	35.09	94.2	6.58	7.81	188.5	2.4	4.6	
		21:05:57	22.34	52.99	35	92	6.52	7.89	186.2	10.8	3.6	
	日平均值	22.44	53.09	35.07	90.51	6.41	7.93	192.29	6.08	5.80		
	灣內站	00:14:36	20.83	50.02	32.82	108.2	7.98	8.14	49.1	20.6	47	
		03:14:37	20.69	50.06	32.85	103.8	7.68	8.13	52	14.7	53.3	
		06:14:39	20.24	49.22	32.24	104.8	7.84	8.14	56.3	12.5	60.9	
		09:14:40	20.3	49.18	32.2	104.2	7.79	8.08	59.9	17	51.2	
		12:14:39	20.76	49.55	32.47	103.7	7.68	8.12	47.7	16.4	38.9	
		15:14:47	21.1	49.73	32.6	133	9.78	8.22	48.1	13.6	50.4	
		18:14:43	21.12	48.55	31.74	140.8	10.4	8.04	62.5	10.6	55.9	
		21:14:46	21.02	49.77	32.63	119.3	8.78	8.1	55.4	10.4	49.1	
		日平均值	20.76	49.51	32.44	114.73	8.49	8.12	53.88	14.48	50.84	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月8日	蚵殼站	00:06:32	20.75	49.29	32.28	110.1	8.16	7.98	112.8	30.8	31.5	
		03:06:30	20.55	49.17	32.19	109.3	8.14	8.01	115.8	50.3	38.9	
		06:06:30	20.48	49.58	32.49	108	8.04	8.01	113.5	420.5	43.7	
		09:06:30	20.77	49.8	32.65	106.2	7.85	7.95	123	57.5	16.4	
		12:06:29	21.47	49.99	32.79	107.8	7.87	7.67	140.3	57.7	16.3	
		15:06:27	22.28	50.69	33.29	108.6	7.79	7.66	136.7	91.3	45.5	
		18:06:31	21.91	50.82	33.39	106.2	7.66	7.53	136.9	96.4	56.3	
		21:06:25	21.87	50.34	33.04	111.6	8.07	7.87	127.1	232.1	51.9	
	日平均值	21.26	49.96	32.77	108.48	7.95	7.84	125.76	129.58	37.56		
	潮口站	00:06:03	22	52.95	34.97	88.7	6.33	7.88	188.7	13.8	4.4	
		03:06:01	21.68	52.75	34.83	91.5	6.57	7.97	178.7	11.1	6.8	
		06:06:02	22.44	53.31	35.23	89.8	6.35	7.98	164.5	5.1	6.8	
		09:06:02	22.45	53.26	35.19	86.9	6.14	7.82	175.1	5.9	3.5	
		12:06:02	22.92	53.39	35.28	90.6	6.35	7.83	183.2	3.2	1.6	
		15:05:56	23.39	53.43	35.3	93.4	6.49	7.66	194	3.2	6.4	
		18:06:02	23.24	52.72	34.78	91.9	6.42	7.64	189.2	2.8	2.9	
		21:06:00	22.9	53.12	35.08	91.3	6.41	7.82	191.7	9.5	5.7	
	日平均值	22.63	53.12	35.08	90.51	6.38	7.83	183.14	6.83	4.76		
	灣內站	00:14:44	20.9	50.11	32.88	111.8	8.24	8.1	71	20.7	45	
		03:14:49	20.45	49.51	32.44	114.2	8.5	8.15	60.1	13.9	49.5	
		06:14:51	20.38	49.84	32.69	106.4	7.92	8.2	50.9	9.8	49.4	
		09:14:51	20.28	48.45	31.67	121.5	9.12	8.19	53.8	8.4	45.5	
		12:14:54	21.2	47.15	30.71	125.2	9.29	8.03	61	7.9	46.4	
		15:14:57	21.59	48.18	31.46	143	10.49	8.04	62.8	9.4	36.9	
		18:14:59	21.48	48.32	31.57	136.1	10	7.94	61.9	12.9	45.3	
		21:14:58	21.21	49.72	32.59	120.6	8.85	8.1	50.3	8.4	43.3	
	日平均值	20.94	48.91	32.00	122.35	9.05	8.09	58.98	11.43	45.16		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月9日	蚵殼站	00:06:32	21.5	50.15	32.91	110.4	8.05	7.95	125.9	51	21.5	
		03:06:31	21.21	50.06	32.84	109.6	8.03	8	123.4	11	19.4	
		06:06:32	20.76	49.24	32.24	110	8.16	8.06	129.7	191.1	57.8	
		09:06:32	20.86	49.69	32.58	110.5	8.16	8.09	125.5	76.1	47.8	
		12:06:32	21.03	49.43	32.38	116.2	8.56	7.83	135.8	200.2	75.5	
		15:28:58	21.87	50.46	33.13	111.8	8.08	7.74	259.7	97.5	40.5	
		18:06:33	21.95	50.45	33.12	111.4	8.04	7.72	176.7	379.2	71.7	
		21:06:34	21.91	49.98	32.78	115	8.33	7.79	156	168	65.7	
	日平均值	21.39	49.93	32.75	111.86	8.18	7.90	154.09	146.76	49.99		
	潮口站	00:05:55	22.33	52.78	34.84	92.2	6.55	7.9	180.4	8	3.8	
		03:06:01	21.65	52.49	34.63	93.8	6.75	7.97	176.9	8	12.5	
		06:06:00	22.1	52.85	34.89	87.7	6.25	7.95	184.3	6.2	5.3	
		09:06:00	22.12	52.92	34.95	90.3	6.43	7.94	177.5	7.8	6.2	
		12:05:59	22.55	53.07	35.05	89.3	6.31	7.76	171.6	6.7	ND	
		15:06:00	23.2	52.99	34.98	97.1	6.78	7.71	187.4	3.9	8.1	
		18:05:54	23.22	52.21	34.4	94.1	6.6	7.72	196	2.3	1	
		21:06:00	22.55	52.79	34.84	97	6.86	7.72	187.3	10.6	9.3	
	日平均值	22.47	52.76	34.82	92.69	6.57	7.83	182.68	6.69	6.60		
	灣內站	00:15:07	20.99	49.55	32.47	123.2	9.09	8.24	77.2	6.9	46.2	
		03:15:06	20.56	48.94	32.03	119	8.87	8.21	60.5	9.3	52.8	
		06:15:07	20.68	49.32	32.31	108.4	8.05	8.27	49.4	5.4	19.8	
		09:15:09	20.83	50.24	32.98	105.6	7.78	8.12	49.5	4.5	13.4	
		12:15:12	21.76	47.75	31.15	113	8.28	8.18	59.8	5.1	17	
		15:15:17	22.3	48.9	31.98	122.3	8.84	8.25	57.6	4.5	23.9	
		18:15:18	22.17	48.75	31.87	123.4	8.94	8.21	56	4.4	40.4	
		21:15:19	22.17	48.13	31.42	119	8.64	8.07	67.4	4.5	36	
	日平均值	21.43	48.95	32.03	116.74	8.56	8.19	59.68	5.58	31.19		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月10日	蚵殼站	00:06:32	21.61	49.44	32.38	114.8	8.38	7.91	161.2	171.5	61.9	
		03:06:34	21.38	49.21	32.22	113.8	8.34	8.04	157.4	64.7	33.8	
		06:06:34	21.26	49.47	32.41	112.5	8.26	8.12	131.5	146.7	46.9	
		09:06:34	21.13	49.31	32.29	112.4	8.27	8.09	152.7	589.3	59.2	
		12:06:35	21.85	49.69	32.57	113.8	8.26	7.82	152.5	376	65.1	
		15:06:33	22.35	50.71	33.31	109.5	7.84	7.7	150.8	57	24.6	
		18:06:34	22.26	50.71	33.31	107.8	7.73	7.6	151.8	52.7	49.7	
		21:06:35	21.99	49.91	32.73	117.6	8.51	7.85	143.4	208	48.5	
	日平均值	21.73	49.81	32.65	112.78	8.20	7.89	150.16	208.24	48.71		
	潮口站	00:05:58	22.59	52.95	34.96	90.3	6.38	7.81	189.7	13.4	7	
		03:05:59	22.23	52.44	34.59	98.5	7.02	8	181.6	6.7	10.5	
		06:05:59	22.66	53.29	35.21	90.1	6.34	7.94	182.7	4.9	4.3	
		09:05:58	22.71	53.26	35.19	88.8	6.25	7.92	170.8	7.2	5.2	
		12:05:58	22.24	52.72	34.79	93.2	6.63	7.79	148.5	9.8	8	
		15:05:57	23.14	53.37	35.26	95.8	6.69	7.7	160.8	5.8	2.5	
		18:05:58	23.02	53.1	35.07	94.9	6.65	7.68	152.9	3.1	ND	
		21:05:57	22.8	52.89	34.91	94.2	6.63	7.72	146.4	8.3	9.8	
	日平均值	22.67	53.00	35.00	93.23	6.57	7.82	166.68	7.40	6.76		
	灣內站	00:15:27	21.75	48.88	31.98	112.3	8.19	8.21	57.3	3	23.8	
		03:15:27	21.49	49.94	32.75	111	8.1	8.24	49.2	3	16.3	
		06:15:26	21	49.35	32.33	108.5	8	8.13	58.5	2.3	16.6	
		09:15:31	20.94	48.07	31.39	110.8	8.23	8.21	55.2	2.7	22.5	
		12:15:30	21.89	47.79	31.18	116.3	8.5	8.16	59.7	3.5	26.5	
		15:15:37	22.25	49	32.06	120	8.67	8.26	53.2	2.3	33.7	
		18:15:37	22.36	48.61	31.76	125.5	9.06	8.09	55.6	3.5	37.5	
		21:15:38	22.26	47.94	31.28	121.5	8.82	8.23	55	3.3	40.3	
	日平均值	21.74	48.70	31.84	115.74	8.45	8.19	55.46	2.95	27.15		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
7月11日	蚵殼站	00:06:33	22.24	50.54	33.18	112.8	8.1	7.79	148.7	122.8	50
		03:06:29	21.69	49.07	32.11	114.9	8.38	8.01	144	90.8	52.2
		06:06:35	21.54	49.04	32.09	112.5	8.23	7.99	116.4	176.5	40
		09:06:35	21.64	49.64	32.53	113.7	8.29	8.05	144.5	107.3	43.9
		12:06:35	21.85	49.66	32.54	112.2	8.15	7.85	139.2	93.8	58.2
		15:29:03	22.12	49.76	32.61	120	8.67	7.74	178.5	89.3	52.1
		18:06:35	22.26	50.36	33.05	115.4	8.29	7.72	153.4	64.1	66.5
		21:06:36	21.93	49.29	32.27	116.7	8.47	7.91	122.7	261.4	66.1
	日平均值	21.91	49.67	32.55	114.78	8.32	7.88	143.43	125.75	53.63	
	潮口站	00:05:57	22.68	52.84	34.88	92.9	6.56	7.76	100.9	11.7	ND
		03:05:56	22.22	52.15	34.37	100.7	7.18	7.94	90.2	9.2	5.8
		06:05:56	22.72	53.1	35.07	94.6	6.66	7.91	83.1	6.8	2.7
		09:05:56	22.75	53.3	35.21	90	6.33	7.91	83.5	5.6	3.3
		12:05:56	22.44	52.34	34.51	101.2	7.19	7.84	90.5	5.6	8.2
		15:05:55	22.89	53.29	35.21	94.6	6.64	7.72	106.6	5.4	1.1
		18:05:49	22.79	53.4	35.29	95.7	6.72	7.73	111.2	2.6	8.1
		21:05:55	22.53	53.2	35.15	96.5	6.82	7.84	111.8	4.7	10.3
	日平均值	22.63	52.95	34.96	95.78	6.76	7.83	97.23	6.45	5.64	
	灣內站	00:15:43	22.17	48.29	31.54	115.1	8.36	8.19	53.3	4.7	26.7
		03:15:40	21.75	49.02	32.08	109.7	8	8.12	48.5	3	23.2
		06:15:41	21.76	50.14	32.89	107.9	7.82	8.17	49.8	1.7	14.8
		09:15:42	21.83	50.32	33.03	107.9	7.81	8.19	48.9	2.3	19.7
		12:15:48	22.07	48.48	31.68	112.3	8.16	8.04	56.5	3.3	28.6
		15:15:45	21.94	47.53	30.99	122.5	12.62	8.35	51.2	33.1	54.1
		18:15:52	22.09	47.52	30.98	151.7	11.06	8.06	55.4	40.2	41.5
		21:15:52	21.99	48.33	31.57	143.4	10.44	8.11	55.7	156.4	41.7
	日平均值	21.95	48.70	31.85	127.56	9.28	8.15	52.41	30.59	31.29	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
7月12日	蚵殼站	00:06:29	21.88	49.98	32.78	113.6	8.23	8.05	126.1	170.2	32.7
		03:06:36	21.65	49.83	32.67	112.7	8.21	8.18	122.7	44.6	35.8
		06:06:36	21.36	49.38	32.34	112.6	8.25	8.1	113.5	72	34.1
		09:06:30	21.37	49.71	32.58	108	7.91	8.09	142.1	244.4	50.5
		12:06:37	21.34	49.43	32.38	116.2	8.52	8.01	115.2	276.5	71
		15:06:37	21.84	50.22	32.95	107.6	7.79	7.89	110.1	210.8	44.3
		18:06:37	22.1	50.91	33.46	105.9	7.61	7.79	149.6	94.1	34
		21:06:32	21.91	50.68	33.29	107.4	7.75	7.76	143.8	172.4	34.3
	日平均值	21.68	50.02	32.81	110.50	8.03	7.98	127.89	160.63	42.09	
	潮口站	00:05:54	22.15	52.32	34.5	107.1	7.64	8.03	106.1	6.2	14.8
		03:05:54	21.94	52.03	34.29	110	7.89	8.12	103	5.7	13.9
		06:05:54	22.25	53.29	35.22	92.7	6.57	7.98	107	6.1	4.3
		09:05:54	22.49	53.4	35.29	89.7	6.34	7.98	101.8	2.7	1.1
		12:05:54	21.98	52.4	34.56	101.7	7.28	7.93	98.8	7.7	10.7
		15:05:54	22.12	52.77	34.83	94.2	6.71	7.85	102.4	8.2	9
		18:05:53	22.83	53.44	35.32	91.4	6.41	7.86	106	2.8	3.2
		21:05:54	22.7	53.3	35.21	91.5	6.44	7.79	109.4	1.7	4
	日平均值	22.31	52.87	34.90	97.29	6.91	7.94	104.31	5.14	7.63	
	灣內站	00:15:57	21.94	49.72	32.58	126.9	9.19	8.17	51.9	126.5	21.8
		03:15:57	21.46	49.09	32.13	119.1	8.72	8.2	50.3	142.4	33.4
		06:15:58	21.16	49.3	32.28	116.8	8.6	8.2	52.5	45.7	36.6
		09:15:57	21.28	49.34	32.31	124.8	9.16	8.27	47.5	382	31.6
		12:16:02	21.33	48.1	31.41	137.7	10.15	8.15	50.7	359.7	35
		15:16:09	21.57	48.22	31.49	154.9	11.37	8.25	57.8	139.6	56.9
		18:16:08	21.55	49.28	32.27	143	10.45	8.22	56	300	29.1
		21:16:13	21.65	49.26	32.25	139.8	10.2	8.08	56.6	462.4	26.7
	日平均值	21.49	49.04	32.09	132.88	9.73	8.19	52.91	244.79	33.89	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月13日	蚵殼站	00:06:37	21.57	49.69	32.57	113	8.24	7.87	147.8	424.5	74.8	
		03:06:38	21.27	49.29	32.28	113.5	8.34	7.92	106.1	24.6	42.2	
		06:06:31	21.21	49.14	32.17	112.8	8.3	8	92.4	20.7	45.3	
		09:06:38	20.95	48.96	32.04	111.7	8.26	7.88	132.6	263.9	57.8	
		12:06:38	21.73	49.78	32.63	111	8.07	7.65	129.4	24.9	15.3	
		15:29:07	22.45	49.66	32.53	115.7	8.31	7.69	164.7	1238.8	68.8	
		18:06:40	22.43	49.96	32.76	115.1	8.26	7.71	124.4	173.1	39.1	
		21:06:39	22.34	50.04	32.82	112.5	8.08	7.75	152.1	513.6	60.5	
	日平均值	21.74	49.57	32.48	113.16	8.23	7.81	131.19	335.51	50.48		
	潮口站	00:05:52	22.14	52.83	34.87	98.7	7.03	7.86	92.9	5.6	13	
		03:05:52	21.46	51.63	34	109.2	7.91	7.99	85.8	4.1	13.7	
		06:05:52	22.15	53.07	35.06	93.7	6.67	7.92	86	7.1	5.2	
		09:05:52	22.63	53.21	35.15	88.4	6.23	7.84	88.3	3.7	ND	
		12:05:52	22.45	52.66	34.75	99.3	7.04	7.75	107.3	5.3	2	
		15:05:52	22.6	51.91	34.19	103.3	7.33	7.66	106.4	8.4	9.2	
		18:05:52	22.95	53.35	35.25	93.2	6.53	7.62	110.2	3.9	ND	
		21:05:51	22.73	53.28	35.21	93.2	6.56	7.67	113	2.8	3.9	
	日平均值	22.39	52.74	34.81	97.38	6.91	7.79	98.74	5.11	7.83		
	灣內站	00:16:13	21.74	49.48	32.41	129.3	9.41	8.13	53.4	441.3	20.5	
		03:16:11	21.41	49.12	32.15	125.3	9.19	8.1	54.5	290.8	17.3	
		06:16:18	21.24	49.48	32.42	118.5	8.7	8.1	52	187.6	27.5	
		09:16:16	21.68	49.95	32.76	105.1	7.64	8.1	49.8	498.5	25.5	
		12:16:22	22.14	49.09	32.12	131.5	9.52	7.99	53.6	87.7	23.9	
		15:16:20	23.09	49.62	32.49	133.6	9.49	8.21	46.5	127.3	19.2	
		18:16:28	22.88	49.68	32.54	135.6	9.66	8.01	57.7	107.1	20.7	
		21:16:27	22.31	49.67	32.55	135.1	9.72	8.04	58.2	90.4	15.4	
	日平均值	22.06	49.51	32.43	126.75	9.17	8.09	53.21	228.84	21.25		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月14日	蚵殼站	00:06:39	21.96	49.67	32.55	111.9	8.1	7.81	129.1	694	74.2	
		03:06:40	21.66	49.45	32.39	112.3	8.18	8	114.6	27.1	38	
		06:06:33	21.59	49.24	32.23	111.1	8.11	7.9	112.1	57.3	46.4	
		09:06:41	21.66	49.62	32.52	111.1	8.09	7.87	112.8	256.2	39	
		12:06:41	22.04	49.58	32.48	110.6	8	7.56	126.4	651.7	61.6	
		15:06:35	22.78	50.9	33.44	107.6	7.64	7.64	109	168.3	16.4	
		18:06:41	22.69	50.64	33.25	110.8	7.89	7.68	125.7	232.1	38.2	
		21:06:41	22.61	50.56	33.19	110.9	7.91	7.61	147.9	2541.4	73.3	
	日平均值	22.12	49.96	32.76	110.79	7.99	7.76	122.20	578.51	48.39		
	潮口站	00:05:51	22.62	53.24	35.17	94	6.63	7.81	103.9	7.3	3.7	
		03:05:50	21.83	52.13	34.36	108.5	7.8	7.92	102.5	3.6	9.1	
		06:05:50	21.83	52.09	34.33	99.4	7.14	7.88	102.8	6.3	7.3	
		09:05:45	22.69	53.39	35.28	87.3	6.14	7.71	100	8.9	3.3	
		12:05:51	22.95	53.27	35.19	89.4	6.26	7.58	90.8	8	10.6	
		15:05:50	22.62	52.59	34.69	107.7	7.61	7.6	92.8	16	8.4	
		18:05:51	22.96	53.04	35.02	91.4	6.41	7.6	81	11.6	6.3	
		21:05:49	22.91	53.27	35.19	94.4	6.62	7.6	80.2	9.1	ND	
	日平均值	22.55	52.88	34.90	96.51	6.83	7.71	94.25	8.85	6.96		
	灣內站	00:16:28	22.14	49.49	32.41	131.8	9.52	8.08	57.6	34.5	16.3	
		03:16:29	21.97	49.68	32.55	127.8	9.25	8.06	55.5	27.3	12.2	
		06:16:26	21.41	48.66	31.82	118.9	8.74	8.08	51.1	39.1	18.6	
		09:16:34	21.91	49.42	32.37	128.3	9.31	8.1	54	134.8	19	
		12:16:33	22.5	49.05	32.08	139.3	10.02	8.04	56.7	38.1	15.3	
		15:16:36	22.83	49.12	32.13	146.9	10.5	8.04	55.2	76.4	19.8	
		18:16:41	23.22	48.3	31.53	141.5	10.08	8	63.5	64.9	33.6	
		21:16:41	22.94	49.13	32.14	137.4	9.81	8	56.2	216.7	18.7	
	日平均值	22.37	49.11	32.13	133.99	9.65	8.05	56.23	78.98	19.19		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
7月15日	蚵殼站	00:06:41	22.63	50.19	32.92	112.3	8.02	7.7	134.1	1013.2	85.1
		03:06:41	22.42	49.4	32.34	113.1	8.13	7.76	143.4	1697.5	91.9
		06:06:41	22.32	49.3	32.27	110.6	7.97	7.72	137.9	1116.3	75
		09:06:35	22.45	49.05	32.09	110.8	7.98	7.68	119.9	2551.3	117.9
		12:06:42	22.7	50.09	32.84	110.9	7.91	7.62	153	1610.7	114.4
		15:29:10	23.44	50.64	33.24	107.4	7.55	7.88	134.8	520.4	96
		18:06:42	23.4	50.44	33.09	111.8	7.87	7.75	152.1	1929.6	105.3
		21:36:42	23.56	50.37	33.04	110.4	7.75	7.56	138.3	990.9	78.7
	日平均值	22.87	49.94	32.73	110.91	7.90	7.71	139.19	1428.74	95.54	
	潮口站	00:05:49	22.88	53.2	35.14	95.4	6.7	7.57	86.8	8.9	0.7
		03:05:48	22.49	52.26	34.45	110.6	7.85	7.74	79.5	4.1	11.2
		06:05:48	22.44	51.89	34.18	115.4	8.21	7.81	76.1	3.7	2.3
		09:05:48	22.81	53.3	35.22	90.3	6.34	7.55	75.1	10.9	3.2
		12:05:49	23.39	53.16	35.11	92.1	6.41	7.81	73.3	6.5	2.1
		15:05:48	23.35	52.59	34.68	104.9	7.32	7.83	80.3	17.6	3.4
		18:05:47	23.17	52.98	34.97	101.9	7.12	7.84	146.2	14.8	6
		21:05:47	23.96	50.75	33.31	100.4	6.99	7.99	131.4	7	1.4
	日平均值	23.06	52.52	34.63	101.38	7.12	7.77	93.59	9.19	3.79	
	灣內站	00:16:44	22.78	50.03	32.8	126.4	9.01	8	56.9	166.6	8
		03:16:42	22.58	49.28	32.25	120.8	8.67	7.91	52.1	98.6	16.9
		06:16:47	22.33	49.56	32.46	112.5	8.1	7.9	52.9	144.9	16.4
		09:16:49	22.79	50.46	33.12	108.5	7.72	7.93	53.9	304.4	9.9
		12:16:53	23.29	49.7	32.55	130.7	9.25	7.71	57.6	471.9	17.2
		15:16:53	24.85	49.25	32.19	141.6	9.77	7.87	57.2	491.4	24.8
		18:16:59	25.04	48.99	32	144.3	9.94	7.95	56.4	612.2	34.6
		21:16:57	24.34	50.17	32.88	133	9.22	8.02	57.2	806.8	18.7
	日平均值	23.50	49.68	32.53	127.23	8.96	7.91	55.53	387.10	18.31	
甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)
7月16日	蚵殼站	00:06:42	23.32	50.66	33.26	107.6	7.57	7.57	132.8	1177	74.2
		03:06:35	23.07	50.65	33.26	104.6	7.4	7.79	103.6	244.4	34.9
		06:06:41	22.83	50.78	33.35	103.6	7.35	7.98	118	251.2	37.4
		09:06:42	22.57	51.11	33.6	103.1	7.34	7.85	104.5	54.9	35.1
		12:06:43	22.41	51.28	33.72	101.4	7.24	7.65	117.5	234.5	25.6
		15:06:42	22.68	49.53	32.43	103.7	7.42	7.6	116.3	3574.5	105.9
		18:06:44	22.48	50.48	33.14	104.1	7.45	7.78	100.3	1214.2	65.9
		21:06:42	22.24	50.52	33.17	103.3	7.42	7.82	102.6	120.4	61.7
	日平均值	22.70	50.63	33.24	103.93	7.40	7.76	111.95	858.89	55.09	
	潮口站	00:05:47	23.45	52.93	34.93	99.1	6.9	7.55	132.5	8.2	6.6
		03:05:48	22.9	52.97	34.97	89.3	6.27	7.79	126	11.3	8.8
		06:05:45	22.68	53.04	35.02	89.1	6.28	7.86	129.4	11	3.8
		09:05:45	23.1	52.81	34.85	95.6	6.69	7.79	129.7	9.1	4.2
		12:05:39	22.99	52.89	34.91	91.1	6.39	7.71	127.3	8.1	9.2
		15:05:46	22.6	52.85	34.89	90.8	6.41	7.57	122.6	13.2	6.8
		18:05:46	22.33	52.75	34.82	85.6	6.08	7.66	127.6	17.3	7.3
		21:05:45	22.31	52.81	34.86	93.3	6.63	7.8	113.1	10.8	8.2
	日平均值	22.80	52.88	34.91	91.74	6.46	7.72	126.03	11.13	6.86	
	灣內站	00:17:04	24.19	50.12	32.84	124.9	8.68	8.1	56.1	1312.7	29.7
		03:17:03	23.56	50.74	33.31	115.6	8.11	8.17	56.4	1083.8	22.7
		06:17:04	23.12	51.03	33.54	108.3	7.64	8.24	48.6	652.9	9.9
		09:17:02	23.02	50.97	33.49	105.4	7.45	8.17	53.4	647.1	7.4
		12:17:03	22.78	51.05	33.55	102.5	7.27	8.08	48.5	726.4	13.8
		15:17:10	22.66	51.22	33.68	97.3	6.91	7.99	47.9	370.5	6.5
		18:17:04	22.47	50.87	33.42	102.3	7.3	8.1	51.2	781.8	24.2
		21:17:14	22.38	50.76	33.35	98.9	7.08	8.14	50.9	531.6	11.2
	日平均值	23.02	50.85	33.40	106.90	7.56	8.12	51.63	763.35	15.68	
甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月17日	蚵殼站	00:06:43	22.07	50.57	33.21	102.3	7.37	7.89	108.9	87.2	65.7	
		03:06:44	21.99	50.6	33.23	102.1	7.36	7.96	100.7	93.2	79.9	
		06:06:43	21.66	50.42	33.11	102.2	7.42	8.06	101.5	164.5	49.7	
		09:06:44	21.64	50.38	33.07	101.9	7.4	8.07	103.6	111	63.7	
		12:06:45	22.25	50.28	32.99	103.2	7.42	7.98	92.3	52.7	52.2	
		15:29:13	22.02	50.34	33.04	99.8	7.2	7.71	113.1	193.5	53	
		18:06:39	21.93	50.42	33.1	101.9	7.36	7.56	110.5	218	52	
		21:06:46	21.79	50.67	33.29	101.4	7.33	7.72	118.2	146.1	17.5	
	日平均值	21.92	50.46	33.13	101.85	7.36	7.87	106.10	133.28	54.21		
	潮口站	00:05:45	22.51	53.05	35.04	90.8	6.42	7.88	109.8	4.3	ND	
		03:05:45	22.25	53.04	35.03	94.2	6.69	7.89	111.4	5.6	2.3	
		06:05:44	21.72	52.76	34.83	90.2	6.48	7.94	104	6.4	5.3	
		09:05:44	22.16	53.03	35.02	88.1	6.27	7.93	120.6	4.5	2.8	
		12:05:39	22.7	53.19	35.13	88.7	6.25	7.84	120.1	3.5	ND	
		15:05:45	22.66	53.1	35.07	97.4	6.86	7.72	120.9	12	6.9	
		18:05:44	22.63	53.11	35.08	87.7	6.19	7.63	116.6	13.8	4.4	
		21:05:44	22.26	52.89	34.92	88	6.26	7.78	95.1	6.5	5.2	
	日平均值	22.36	53.02	35.02	90.64	6.43	7.83	112.31	7.08	4.48		
	灣內站	00:17:14	22.28	50.82	33.39	97.9	7.02	8.12	48.4	758.6	30.2	
		03:17:13	22.06	50.75	33.34	95.2	6.85	8.14	45.7	302.4	21.2	
		06:17:16	21.91	51.26	33.72	90	6.48	8.19	47.2	107.1	12.2	
		09:17:18	21.8	51.18	33.66	90	6.5	8.11	46.1	184	10.9	
		12:17:24	22.16	50.97	33.5	99.6	7.15	8.14	49.4	300.7	9.9	
		15:17:26	22.25	50.53	33.18	102.3	7.34	8.07	52.5	695.4	10.5	
		18:17:24	22.25	50.14	32.89	101.5	7.3	7.96	48.5	680.4	16.7	
		21:17:30	22.05	51.04	33.56	93.1	6.7	8.02	47.2	84.1	6.3	
	日平均值	22.10	50.84	33.41	96.20	6.92	8.09	48.13	389.09	14.74		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月18日	蚵殼站	00:06:38	21.68	49.61	32.51	102.5	7.46	7.81	101	77.8	52.6	
		03:06:46	21.67	49.67	32.56	101.1	7.36	7.8	104	135.4	52.9	
		06:06:44	21.42	48.97	32.04	100.7	7.39	7.72	111	154.8	28.3	
		09:06:45	21.34	49.19	32.2	101.5	7.45	7.73	101.4	57.7	56.7	
		12:44:58	22.01	50.01	32.8	104	7.52	7.84	120.3	2964.8	50.6	
		15:14:56	22.3	50.38	33.06	101.3	7.27	8.18	124.8	750	13.1	
		18:14:57	22.2	50.6	33.23	101	7.26	8.19	128.6	466.1	6.1	
		21:14:57	22.42	50.12	32.87	103.1	7.39	8.21	139.3	838.3	15.2	
	日平均值	21.88	49.82	32.66	101.90	7.39	7.94	116.30	680.61	34.44		
	潮口站	00:05:43	22.31	52.96	34.97	84	5.96	7.77	95.7	7.5	1.3	
		03:05:44	22.47	53.03	35.02	86.5	6.12	7.79	96.6	3.8	ND	
		06:05:43	22.09	52.93	34.95	83.1	5.92	7.81	71.7	7	4	
		09:05:36	22.03	52.92	34.94	81.2	5.79	7.72	86.4	6	1.1	
		12:05:42	22.82	53.05	35.03	88.2	6.2	7.64	84.2	3.3	ND	
		15:52:53	23.1	52.05	34.28	87.2	6.13	8.38	63	9.4	29.4	
		18:23:00	22.73	51.81	34.11	89.5	6.33	8.46	43.4	9.3	26.1	
		21:22:59	22.5	51.46	33.86	91.8	6.53	8.39	43.4	8.9	12.4	
	日平均值	22.51	52.53	34.65	86.44	6.12	8.00	73.05	6.90	12.38		
	灣內站	00:17:31	21.88	50.82	33.39	94.2	6.8	7.99	49.8	257.8	11.1	
		03:17:37	21.81	50.88	33.44	83.8	6.06	7.99	44.1	229.1	12.6	
		06:17:35	21.74	50.87	33.43	87.9	6.36	7.97	44.4	263.9	19.4	
		09:17:33	21.99	50.83	33.4	52.5	3.78	7.98	46.6	299.8	18.9	
		12:17:34	22.24	50.99	33.51	96.7	6.93	7.87	46.9	196.8	8.1	
		15:30:56	22.75	49.76	32.61	94.4	6.74	8.36	69.2	1.9	24.1	
		18:00:56	22.79	49.97	32.76	95.6	6.82	8.39	72.3	1.7	9.5	
		21:00:56	22.74	50.3	33	94.1	6.7	8.37	68.9	1.9	14.8	
	日平均值	22.24	50.55	33.19	87.40	6.27	8.12	55.28	156.61	14.81		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
7月19日	蚵殼站	00:14:50	22.53	49.77	32.61	101.6	7.28	8.39	132.2	1011.4	20.6
		03:14:58	21.98	48.77	31.89	101.5	7.38	8.34	136.5	1778.3	19.3
		06:14:58	21.71	49.05	32.1	100.3	7.32	8.41	132.5	1046.4	19.3
		09:14:58	21.86	49.66	32.55	102.5	7.44	8.32	135.7	1278.1	20.4
		12:19:34	22.42	49.76	32.61	104.7	7.52	8.27	116.5	301	28.5
		15:19:32	22.8	50.19	32.92	107.1	7.63	8.02	111.5	1548.4	40.5
		18:19:34	22.56	50.34	33.03	107.6	7.69	8.09	122.9	1475	47.6
		21:19:34	22.86	50.23	32.95	107.1	7.61	8.16	135.8	235.5	26.2
	日平均值	22.34	49.72	32.58	104.05	7.48	8.25	127.95	1084.26	27.80	
	潮口站	00:22:59	22.3	51.39	33.81	90	6.43	8.5	28.9	8.2	17.9
		03:23:00	22.78	51.93	34.2	96.6	6.83	8.57	36.3	7.4	4
		06:23:00	21.74	50.53	33.18	99	7.17	8.65	36.6	9.9	16.4
		09:22:59	22	50.91	33.46	99.4	7.16	8.53	32.7	10.7	15.5
		12:22:59	22.97	52.09	34.32	92.2	6.49	8.16	43.7	7	5.8
		15:22:57	23.12	52.12	34.34	92.5	6.49	7.98	57.6	6	5.9
		18:22:53	23.22	51.89	34.17	89.5	6.28	8.21	39.5	11.4	8.9
		21:22:53	22.82	51.75	34.07	89.7	6.34	8.25	41.7	17.7	7.9
	日平均值	22.62	51.58	33.94	93.61	6.65	8.36	39.63	9.79	10.29	
	灣內站	00:00:57	22.12	49.47	32.4	60.9	5.4	8.24	67.7	6.3	10.9
		03:00:57	22.15	51.28	33.73	78.1	5.6	8.42	64.7	1.5	8
		06:00:56	21.95	51.73	34.07	73.9	5.3	8.44	65.6	1.8	7.6
		09:00:50	22.11	51.63	33.99	61.4	5.39	8.42	66.3	10.1	10.6
		12:00:56	22.44	50.84	33.4	85.4	6.1	8.39	62.4	1.1	4.5
		15:00:57	23.06	50.61	33.22	99	7.01	8.27	80	1.2	22
		18:00:50	23.01	50.63	33.24	103.8	7.35	8.32	72.4	2.7	23.7
		21:00:51	23	50.25	32.96	99.1	7.03	8.24	71.4	2	24.9
	日平均值	22.48	50.81	33.38	82.70	6.15	8.34	68.81	3.34	14.03	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
7月20日	蚵殼站	00:19:33	22.46	49.93	32.74	105.5	7.57	8.23	135.6	839.2	14.5
		03:19:34	22.08	49.37	32.33	102.8	7.44	8.25	134.4	676.4	43.2
		06:19:34	21.99	49.28	32.26	103.7	7.52	8.34	135.6	234.8	16.8
		09:19:34	21.99	49.86	32.69	105.1	7.6	8.44	133.9	1702.2	31.3
		12:19:35	22.49	49.96	32.76	106.2	7.61	8.32	133.2	572.8	35.1
		15:19:35	22.71	50.53	33.17	107.4	7.65	8.4	136.1	781.9	39.6
		18:19:35	22.65	50.59	33.22	104.9	7.47	8.25	137.6	3561.9	40.1
		21:19:29	22.58	50.16	32.9	106.1	7.59	8.22	134.4	522.4	43.9
	日平均值	22.37	49.96	32.76	105.21	7.56	8.31	135.10	1111.45	33.06	
	潮口站	00:22:57	22.39	51.38	33.8	92.2	6.58	8.45	27.6	10	53.5
		03:22:57	22.84	52.02	34.26	98.4	6.95	8.4	34.9	8.9	23.5
		06:22:57	22.4	51.66	34.01	98.1	6.99	8.48	39.7	7.4	20.9
		09:22:57	22.19	51.55	33.93	85.7	6.13	8.33	18	8.2	9
		12:22:57	23.1	52.18	34.38	89.7	6.3	8.36	36.4	197.2	7
		15:22:57	23.32	51.94	34.2	100.1	7.01	8.41	39.1	11.4	10.3
		18:22:57	23.21	51.98	34.23	87.9	6.17	8.43	33	11.1	8.8
		21:22:56	22.86	51.68	34.01	89.3	6.31	8.41	16.2	13.6	9.4
	日平均值	22.79	51.80	34.10	92.68	6.56	8.41	30.61	33.48	17.80	
	灣內站	00:30:57	22.43	50.13	32.88	93.1	6.67	8.29	71.8	1.7	25.6
		03:00:56	22.41	50.99	33.51	97	6.93	8.43	68.2	1.6	13.7
		06:00:57	21.92	49.05	32.1	80.9	5.88	8.38	72.2	5.4	15.1
		09:00:50	22.27	50.79	33.37	94	6.74	8.44	67.3	1.7	13.9
		12:00:57	22.8	49.97	32.75	106	7.56	8.41	73.4	3.1	20.9
		15:30:57	22.92	50.89	33.43	104	7.36	8.43	72.2	6.6	24.3
		18:00:56	23.08	50.6	33.21	115.4	8.16	8.43	75.3	3.3	22.8
		21:00:56	22.84	50.41	33.08	118.7	8.44	8.41	75.7	2.8	25.2
	日平均值	22.58	50.35	33.04	101.14	7.22	8.40	72.01	3.28	20.19	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月21日	蚵殼站	00:19:35	22.63	50.26	32.98	107.4	7.67	8.31	134.4	1862.3	36.7	
		03:19:34	22.36	49.61	32.5	106	7.63	8.45	133.6	723	36.2	
		06:19:36	21.98	49.48	32.41	103.5	7.5	8.53	131	713.2	28.3	
		09:19:36	22.23	49.94	32.74	105.6	7.6	8.54	131.5	1134.5	48.7	
		12:19:36	22.7	49.85	32.67	110	7.86	8.46	134.8	1465.3	45.2	
		15:19:35	22.92	49.78	32.62	116.2	8.27	8.49	134.8	662.2	64.6	
		18:19:36	22.72	49.73	32.59	114.4	8.17	8.29	139	1212	49.6	
		21:19:37	22.47	49.93	32.73	107.1	7.68	8.27	137.8	917	36.2	
	日平均值	22.50	49.82	32.66	108.78	7.80	8.42	134.61	1086.19	43.19		
	潮口站	00:22:57	22.51	51.39	33.81	93.1	6.63	8.46	12.2	10.3	23.7	
		03:22:49	22.82	51.69	34.02	86.6	6.12	8.44	9.3	9.2	4.6	
		06:22:56	22.72	51.95	34.22	85.9	6.08	8.37	15.1	9.4	8.1	
		09:22:56	22.48	51.64	33.99	87.2	6.2	8.17	13.1	10.8	18.5	
		12:22:56	23.02	52.01	34.26	88.3	6.22	8.47	12.2	6.2	8.5	
		15:22:54	23.21	51.78	34.08	89.7	6.3	8.44	18.3	6	3.8	
		18:22:54	23.09	52	34.25	89.4	6.28	8.41	23.2	5.9	13.2	
		21:22:54	22.9	51.61	33.96	90.2	6.38	8.42	16.8	19.7	13.7	
	日平均值	22.84	51.76	34.07	88.80	6.28	8.40	15.03	9.69	11.76		
	灣內站	00:00:57	22.32	49.19	32.19	110.1	7.94	8.43	80.9	2.4	45.7	
		03:00:57	22.52	50.94	33.47	100.9	7.19	8.11	69.8	3	20.9	
		06:00:51	22.45	51.19	33.66	96.3	6.87	8.13	76	3.4	20.8	
		09:00:57	22.09	50.68	33.29	94.8	6.82	8.17	73.4	3	28.4	
		12:00:57	22.82	50.71	33.3	104.9	7.45	8.16	74.7	3.1	15.5	
		15:00:58	22.83	50.58	33.2	126	8.95	7.99	73.4	2.6	35.2	
		18:00:56	22.67	50.24	32.96	146.2	10.44	8.03	74.6	1.7	39.6	
		21:00:50	22.78	50.89	33.43	114.5	8.13	7.95	76.4	4.6	23.4	
		日平均值	22.56	50.55	33.19	111.71	7.97	8.12	74.90	2.98	28.69	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月22日	蚵殼站	00:19:37	22.3	49.86	32.69	104.8	7.54	8.04	133.3	486.2	36.9	
		03:19:37	22.19	49.98	32.78	106.1	7.64	7.99	131.8	1357.5	37.4	
		06:19:37	22.07	50.01	32.8	103.8	7.49	8.02	131.4	1012.9	19	
		09:19:37	22.08	50.01	32.8	105	7.57	8.03	130.5	533.5	19.3	
		12:19:37	22.43	49.66	32.54	109.3	7.85	8.02	133.6	1780	35.5	
		15:19:38	22.88	50.3	33	112.9	8.02	7.96	137.5	1055.9	42.8	
		18:19:30	22.99	50.63	33.24	107.5	7.61	7.87	133.3	2391.7	33.2	
		21:19:37	22.65	49.81	32.64	108.6	7.77	8.05	136.4	623.6	39.5	
	日平均值	22.45	50.03	32.81	107.25	7.69	8.00	133.48	1155.16	32.95		
	潮口站	00:22:49	22.63	51.6	33.96	87.8	6.23	8.08	29	22.5	19.1	
		03:22:54	22.62	51.66	34	91.4	6.49	8.17	19	9.6	13.1	
		06:22:54	22.58	51.98	34.24	86.4	6.13	8.17	22.2	7.2	2.7	
		09:22:52	22.5	51.95	34.22	86.9	6.17	8.12	19.5	8.3	17.6	
		12:22:53	22.89	51.85	34.14	87.5	6.17	8	ND	8.9	9.2	
		15:22:54	23.43	51.79	34.09	89.7	6.27	7.91	26.3	6	ND	
		18:22:52	23.34	51.74	34.05	89.3	6.26	7.95	23.8	5.3	8.3	
		21:22:50	23.01	51.74	34.06	91.9	6.48	8.13	16.9	12.2	8.7	
	日平均值	22.88	51.79	34.10	88.86	6.28	8.07	22.39	10.00	11.24		
	灣內站	00:00:57	22.39	50.81	33.38	109.8	7.86	8.04	71.6	1.8	23.3	
		03:00:57	22.22	50.86	33.42	91.4	6.56	7.97	74.5	2.3	25.8	
		06:00:58	22.19	51.04	33.55	95.8	6.87	8.01	76	2.2	18.9	
		09:00:57	22.03	50.82	33.39	96.6	6.95	8.04	72.6	2.9	21.6	
		12:00:58	22.43	49.73	32.59	122.4	8.79	8.07	74.4	1.7	25.5	
		15:30:58	23.04	49.84	32.66	137.5	9.77	8.06	77.3	2.4	36.1	
		18:00:52	23.04	49.98	32.76	142.6	10.12	8.09	76.2	2.8	37.5	
		21:00:57	22.7	50.95	33.48	120.4	8.56	8.09	77.1	3.1	26	
		日平均值	22.51	50.50	33.15	114.56	8.19	8.05	74.96	2.40	26.84	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
7月23日	蚵殼站	00:19:38	22.45	49.34	32.3	109.5	7.87	7.62	128.1	213.8	32.6	
		03:19:38	22.23	49.59	32.48	108	7.79	7.79	128.2	1413	24.8	
		06:19:38	22.15	50.08	32.85	105.9	7.63	7.9	125.7	422.6	24.6	
		09:19:38	22.2	50.24	32.97	104.6	7.53	7.8	128.6	1071.5	26.6	
		12:19:40	22.65	49.99	32.78	108	7.71	7.71	130.1	1014.8	31	
		15:19:39	22.45	49.4	32.34	116.8	8.4	7.86	126.8	1924	75	
		18:19:39	22.25	49.89	32.71	111.7	8.04	7.86	131.4	785	43.4	
		21:19:39	22.13	50.05	32.82	107.4	7.74	7.78	129.3	504.5	39.8	
		日平均值	22.31	49.82	32.66	108.99	7.84	7.79	128.53	918.65	37.23	
	潮口站	00:22:52	22.88	51.61	33.97	89.1	6.29	7.66	22.2	12.4	12.5	
		03:22:52	22.78	51.59	33.95	88.7	6.28	7.79	17.2	11.1	18.2	
		06:22:51	22.65	51.96	34.22	85.8	6.08	7.88	19	16.4	76.7	
		09:22:51	22.5	51.9	34.18	86.4	6.14	7.73	15.9	14.3	19.1	
		12:22:52	22.71	51.88	34.17	89.1	6.31	7.7	26.3	11.4	79.1	
		15:22:51	22.98	52.3	34.47	88.7	6.24	7.67	32.5	5.9	4.6	
		18:22:51	22.79	52.31	34.48	88.9	6.27	7.74	32.1	6.4	15.5	
		21:22:50	22.61	52.15	34.37	92.2	6.53	7.82	34.3	9.5	9.7	
		日平均值	22.74	51.96	34.23	88.61	6.27	7.75	24.94	10.93	29.43	
	灣內站	00:00:57	22.47	51.03	33.54	109.8	7.84	7.58	75.9	2.2	19	
		03:00:52	22.13	50.8	33.38	102.8	7.39	7.61	76.9	1.7	27.1	
		06:00:58	22.21	50.94	33.48	107.4	7.7	7.74	80.5	1.8	24.2	
		09:00:51	22.08	50.87	33.43	105.9	7.62	7.72	74.4	5.5	21	
		12:00:52	22.31	50.49	33.14	123.4	8.85	7.7	78.8	1.9	21.1	
		15:00:58	22.4	50.58	33.21	125	8.95	7.67	75.7	2.7	30.2	
		18:00:57	22.22	50.92	33.46	125.9	9.03	7.72	83.6	2	28.2	
		21:00:51	22	50.8	33.38	120.8	8.7	7.72	82.1	ND	17.7	
		日平均值	22.23	50.80	33.38	115.13	8.26	7.68	78.49	2.54	23.56	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
7月24日	蚵殼站	00:19:39	22.09	49.92	32.73	106.3	7.67	7.86	129.3	415.8	17.9	
		03:19:40	21.74	49.4	32.35	105.7	7.7	7.87	129.5	167.9	15.7	
		06:19:34	21.41	49.27	32.26	101.7	7.45	7.78	130.7	2258.4	13.8	
		09:19:39	21.67	49.56	32.47	103	7.5	7.8	130.6	922	15.8	
		12:19:38	22.25	49.62	32.51	109.2	7.87	7.67	131.3	222.7	10.2	
		15:19:33	22.41	50.05	32.82	104.3	7.48	7.57	131.9	399.9	13.6	
		18:19:40	22.42	50.52	33.17	105.1	7.53	7.63	137.2	1842.4	30.8	
		21:19:34	22.21	50.37	33.06	105.1	7.55	7.55	132.1	1325.6	16.2	
		日平均值	22.03	49.84	32.67	105.05	7.59	7.72	131.58	944.34	16.75	
	潮口站	00:22:50	22.21	51.85	34.15	91.9	6.57	7.84	40.5	11.8	17.6	
		03:22:50	21.94	51.03	33.55	97.3	7.01	7.87	40.9	39.8	27.2	
		06:22:50	22.92	52.15	34.37	85.2	6	7.86	38.2	5.1	ND	
		09:22:49	22.96	52.14	34.35	87	6.12	7.85	36.1	6.3	14.6	
		12:22:42	22.39	51.62	33.98	91.2	6.5	7.67	43.8	11.4	7.8	
		15:22:48	23.43	51.95	34.2	88.4	6.18	7.67	43.4	7.2	5.8	
		18:22:48	23.46	51.56	33.92	88.6	6.2	7.55	56.3	4.7	ND	
		21:22:48	23.29	52.06	34.29	88.6	6.21	7.67	49.8	5.8	111.7	
		日平均值	22.83	51.80	34.10	89.78	6.35	7.75	43.63	11.51	30.78	
	灣內站	00:00:57	22.05	51.1	33.6	102.3	7.35	7.63	78.6	3.3	5.7	
		03:00:58	21.72	51.41	33.83	98.2	7.09	7.64	83.5	1.9	7.8	
		06:00:52	21.01	50.13	32.9	105.8	7.78	7.65	81.1	2.4	18.5	
		09:00:52	21.6	50.61	33.25	109.8	7.97	7.74	82.5	2.2	25.9	
		12:00:58	22.08	50.91	33.46	112.2	8.07	7.7	79.6	2.7	13	
		15:30:58	22.45	50.44	33.11	131.6	9.41	7.73	85.4	1.6	30.8	
		18:00:58	22.34	50.73	33.32	125.3	8.97	7.68	82.9	1.8	18.4	
		21:00:57	22.36	50.34	33.04	113.5	8.14	7.6	92	2.9	28.6	
		日平均值	21.95	50.71	33.31	112.34	8.10	7.67	83.20	2.35	18.59	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月25日	蚵殼站	00:19:41	21.98	50.04	32.82	106.3	7.68	7.73	128.8	402.1	15.6	
		03:19:41	21.82	49.98	32.78	104.2	7.55	7.82	129.2	365.6	18.9	
		06:19:40	21.73	50.29	33.01	103.8	7.53	7.81	132.2	236.9	16.3	
		09:19:41	21.58	49.94	32.75	106.1	7.73	7.83	130.2	345.9	16.1	
		12:19:40	21.81	49.68	32.56	109	7.92	7.8	129.7	527.4	25.9	
		15:19:35	21.95	50.18	32.93	107.3	7.75	7.72	129.8	264.3	25	
		18:19:41	21.9	50.43	33.11	103.7	7.5	7.65	128.3	84.6	19.1	
		21:19:42	22.24	50.48	33.14	105.4	7.57	7.69	129.7	200.5	15.2	
	日平均值	21.88	50.13	32.89	105.73	7.65	7.76	129.74	303.41	19.01		
	潮口站	00:22:41	22.56	52.01	34.27	87	6.17	7.73	51	13.6	19.3	
		03:22:42	22.37	51.58	33.95	86.6	6.18	7.78	50.7	10.1	15.1	
		06:22:46	22.91	52.04	34.28	84.8	5.98	7.81	59.1	7.9	6.7	
		09:22:47	23.04	52.06	34.3	85.9	6.05	7.79	53.1	8.3	72.2	
		12:22:47	22.81	51.93	34.2	87.5	6.18	7.75	57	9.8	6.4	
		15:22:47	23.55	51.28	33.71	86.9	6.08	7.73	74.5	6.6	7.1	
		18:22:46	23.87	51.87	34.14	87.6	6.08	7.75	59.3	5	20.7	
		21:22:44	23.56	51.83	34.11	86.7	6.05	7.77	59.7	5.4	6.1	
	日平均值	23.08	51.83	34.12	86.63	6.10	7.76	58.05	8.34	19.20		
	灣內站	00:00:52	22.06	50.91	33.46	106.6	7.66	7.57	88.2	2.2	15.5	
		03:00:58	22.01	51.23	33.7	86.3	6.21	7.54	92	4.8	11	
		06:00:57	21.82	51.21	33.68	98.2	7.08	7.65	89	2	11.4	
		09:00:58	21.63	50.63	33.26	101.6	7.37	7.74	94.5	1.7	16.7	
		12:00:58	22.06	50.65	33.27	110.8	7.98	7.67	96.9	1.9	16.2	
		15:00:58	22.03	50.35	33.05	122.5	8.84	7.76	97.1	2.8	20.6	
		18:00:58	21.92	50.57	33.21	84.3	6.09	7.81	94.1	1.2	22.5	
		21:00:58	21.76	50.34	33.04	116.1	8.42	7.66	100.7	2.6	18.6	
	日平均值	21.91	50.74	33.33	103.30	7.46	7.68	94.06	2.40	16.56		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
7月26日	蚵殼站	00:19:40	21.62	50.04	32.83	106.7	7.76	7.8	130.8	256.2	24.1	
		03:19:43	21.61	50.18	32.93	104.5	7.6	7.86	130.8	622.5	16.8	
		06:19:43	21.38	50.29	33.01	105.4	7.69	7.96	128.8	135.9	16.8	
		09:19:42	21.21	49.68	32.57	106.8	7.84	7.89	128.3	72.5	18.8	
		12:19:42	21.79	50.17	32.92	108.6	7.87	7.73	131	170.5	17.1	
		15:19:42	22.21	50.19	32.93	107.3	7.72	7.68	130.5	203.5	20.3	
		18:19:35	21.96	50.21	32.94	105.8	7.65	7.6	131.9	412.2	19.3	
		21:19:43	22.42	50.58	33.21	105.3	7.54	7.63	134.9	238.5	12.3	
	日平均值	21.78	50.17	32.92	106.30	7.71	7.77	130.88	263.98	18.19		
	潮口站	00:22:45	22.64	51.73	34.05	88	6.24	7.8	59.4	9.9	29.2	
		03:22:46	22.38	51.79	34.1	87.8	6.25	7.87	58.2	11.3	10.4	
		06:22:46	23.19	52.12	34.34	84.6	5.93	7.93	53.1	8.2	67.9	
		09:22:46	23.38	52.2	34.39	85.4	5.97	7.8	66.2	7.1	8.8	
		12:22:44	23.15	52.09	34.31	87.9	6.17	7.72	68.5	8.9	6	
		15:22:37	23.1	51.99	34.24	91.6	6.44	7.65	68.2	9.2	11.9	
		18:22:43	23.95	51.62	33.95	87.9	6.1	7.69	71.6	5	5	
		21:22:44	23.7	51.59	33.93	87.6	6.11	7.76	65.3	5.2	5.5	
	日平均值	23.19	51.89	34.16	87.60	6.15	7.78	63.81	8.10	18.09		
	灣內站	00:00:59	21.74	50.66	33.28	104.5	7.56	7.64	105.3	2.6	14.8	
		03:00:59	21.65	51.01	33.54	87.3	6.32	7.65	107.4	2.4	15.1	
		06:00:59	21.77	51.12	33.62	91.1	6.58	7.71	107.6	3.3	14.5	
		09:00:59	21.71	50.91	33.47	87.3	6.32	7.7	107.6	3.3	23	
		12:00:59	21.51	49.83	32.67	113.4	8.28	7.72	108.8	1.8	14.4	
		15:30:59	22.16	49.93	32.73	127.7	9.2	7.71	104.8	1.9	22.5	
		18:01:00	21.76	50.29	33	96.8	7.02	7.68	112.2	8	25.2	
		21:00:57	21.82	50.56	33.2	109.6	7.93	7.62	115.7	4.2	17	
	日平均值	21.77	50.54	33.19	102.21	7.40	7.68	108.68	3.44	18.31		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月27日	蚵殼站	00:19:43	22.01	50.2	32.94	105.8	7.64	7.72	134.2	852.9	21.1	
		03:19:43	21.61	50.29	33.01	105.9	7.7	7.78	130.9	100	17.2	
		06:19:44	21.43	50.09	32.86	104.7	7.64	7.87	131.7	114.8	18.3	
		09:19:44	21.27	49.88	32.71	107.5	7.88	7.92	131.2	141.1	16.6	
		12:19:42	21.72	49.78	32.63	110.3	8.02	7.58	129.8	481.4	26.2	
		15:19:46	22.23	49.99	32.78	108.4	7.8	7.61	134.1	100.8	21.4	
		18:19:44	22.2	50.12	32.88	106.8	7.69	7.78	136.3	692.9	20.6	
		21:19:37	21.95	49.54	32.45	109.6	7.95	7.87	136.3	893	25.4	
	日平均值	21.80	49.99	32.78	107.38	7.79	7.77	133.06	422.11	20.85		
	潮口站	00:22:43	22.84	51.6	33.96	88.7	6.27	7.78	67.8	9.6	10.9	
		03:22:43	22.25	51.31	33.75	90	6.44	7.87	59.9	9.3	13.1	
		06:22:44	23.05	51.9	34.18	85.6	6.03	7.89	68.5	6.3	8.2	
		09:22:41	23.65	52.23	34.41	86.3	6	7.8	70.2	5.4	3.9	
		12:22:41	23.52	52.05	34.28	90.2	6.29	7.55	80.2	8.5	4.2	
		15:22:41	23.18	51.87	34.15	92.7	6.51	7.5	79.3	12.5	8	
		18:22:41	24.06	51.35	33.75	88.3	6.12	7.67	93.3	6.9	9.5	
		21:22:41	23.96	51.88	34.14	87.5	6.06	7.63	91.4	5.6	7.5	
	日平均值	23.31	51.77	34.08	88.66	6.22	7.71	76.33	8.01	8.16		
	灣內站	00:00:58	21.6	50.68	33.3	103.1	7.48	7.64	119.3	3	12.7	
		03:00:58	21.59	51.08	33.59	93	6.74	7.59	121.8	2.8	14.5	
		06:00:59	21.5	51.07	33.58	74.1	5.38	7.67	118.4	2.9	17.5	
		09:00:59	21.51	51.2	33.68	92.1	6.68	7.72	118	5	16.3	
		12:00:59	22.18	50.98	33.51	44	3.16	7.58	125.7	7.1	17.5	
		15:00:54	22.55	50.27	32.98	103.7	7.41	7.61	119.6	3.6	20.7	
		18:01:00	22.82	50.29	32.99	106	7.54	7.53	124.5	4	26.1	
		21:00:57	22.48	50.87	33.42	111.2	7.94	7.5	121.6	3.6	13.1	
		日平均值	22.03	50.81	33.38	90.90	6.54	7.61	121.11	4.00	17.30	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月28日	蚵殼站	00:19:45	21.63	49.34	32.31	110.2	8.04	7.98	135.6	1145.1	33.5	
		03:19:43	21.78	49.82	32.66	107.6	7.82	8.12	131.2	64.2	19.4	
		06:19:44	21.68	49.8	32.65	105.8	7.7	8.22	130.2	80.5	12.6	
		09:19:45	21.65	49.69	32.57	106.3	7.74	8.07	130.9	272.7	24	
		12:19:45	22.23	49.98	32.77	105.2	7.57	8.05	136.1	36.5	6.2	
		15:19:45	22.38	49.97	32.76	108.1	7.76	8.03	138.5	367.8	16.8	
		18:19:40	22.53	49.89	32.7	107.3	7.68	8.02	136.6	192.8	25.6	
		21:19:47	22.51	49.99	32.77	107.3	7.68	8.38	133.9	227.2	13	
	日平均值	22.05	49.81	32.65	107.23	7.75	8.11	134.13	298.35	18.89		
	潮口站	00:22:42	22.96	51.71	34.04	89.2	6.29	8.06	90.5	9.7	15.2	
		03:22:41	22.75	51.72	34.05	86.5	6.13	8.14	82.2	11.3	5.6	
		06:22:40	22.43	51.52	33.9	93	6.63	8.21	82.9	9.3	9.1	
		09:22:40	23.58	51.93	34.19	87.1	6.07	7.94	95	6.9	22.8	
		12:22:40	23.74	51.84	34.12	89.4	6.22	8.23	94.5	9.5	4.8	
		15:22:34	23.2	51.71	34.03	102.1	7.17	8.25	96.4	13.5	20.2	
		18:22:40	23.96	51.48	33.85	95.3	6.61	8.33	92.4	12	10.7	
		21:22:40	23.79	51.84	34.12	87.2	6.06	8.22	90.2	10.9	8.4	
	日平均值	23.30	51.72	34.04	91.23	6.40	8.17	90.51	10.39	12.10		
	灣內站	00:00:59	22.51	50.92	33.46	101.7	7.26	8.05	122.5	3.1	28.1	
		03:00:58	22.24	51.1	33.6	87.2	6.25	7.94	128.8	1.7	20.2	
		06:00:59	22.01	51.31	33.76	76.3	5.48	7.98	130.1	2.7	12.5	
		09:00:58	22.1	51.31	33.75	70.5	5.06	7.97	133.3	5.5	16.8	
		12:00:59	23.07	50.62	33.23	115.2	8.15	8	125	1.3	20.6	
		15:31:00	23.52	50.31	32.99	114.7	8.06	7.9	131.1	2.5	20.3	
		18:00:59	23.59	50.36	33.03	112.2	7.87	7.85	129.3	4.3	18.4	
		21:00:59	23.17	50.81	33.37	110.1	7.77	7.98	121.1	1.8	33.3	
		日平均值	22.78	50.84	33.40	98.49	6.99	7.96	127.65	2.86	21.28	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月29日	蚵殼站	00:19:45	22.67	50.12	32.87	107.1	7.65	7.94	134.5	495.4	34	
		03:19:47	22.45	49.59	32.48	105.5	7.57	8.1	131.4	322.2	14.9	
		06:19:47	22.3	49.94	32.74	104.9	7.55	8.19	129.6	85.5	11.3	
		09:19:47	22.17	50	32.79	104.6	7.54	8.18	131	51	6.5	
		12:19:48	22.85	49.67	32.54	106.8	7.61	7.87	136.3	888.9	11.6	
		15:19:47	22.81	50.08	32.84	103.7	7.38	7.77	139.2	22.8	7.8	
		18:19:47	22.84	50.01	32.78	104.9	7.47	7.85	136.5	46.5	12.2	
		21:19:48	22.62	50.1	32.86	104.5	7.47	7.89	139.9	56	4.9	
		日平均值	22.59	49.94	32.74	105.25	7.53	7.97	134.80	246.04	12.90	
	潮口站	00:22:39	23.68	51.82	34.1	86.5	6.03	8.07	89.7	6.8	4.9	
		03:22:33	22.95	51.74	34.06	87.7	6.18	8.11	92.6	12.1	7.4	
		06:22:39	22.74	51.65	34	89.6	6.35	8.3	85.3	9.2	13.5	
		09:22:40	23.33	52.01	34.25	83.3	5.83	8.18	87.5	8.3	16.7	
		12:22:44	23.52	52.12	34.33	84.8	5.92	7.85	103	7.2	4.9	
		15:22:42	23.6	52.01	34.25	87.7	6.11	7.8	105.8	14.2	3.4	
		18:22:48	23.44	51.87	34.15	89.3	6.25	7.87	100.1	10.4	10.2	
		21:22:47	23.53	51.93	34.19	83.7	5.84	8.01	95.8	7.7	1.4	
	日平均值	23.35	51.89	34.17	86.58	6.06	8.02	94.98	9.49	7.80		
	灣內站	00:01:00	23.01	51.08	33.57	93.8	6.63	7.94	131.8	1.7	17.4	
		03:01:00	22.52	51.01	33.53	74.1	5.43	8.07	121.4	1.3	21.6	
		06:01:00	22.41	51.14	33.62	72.5	5.32	7.95	129.4	2.8	9	
		09:01:00	22.18	50.99	33.51	82.6	5.93	7.98	133.6	3.5	14.4	
		12:01:00	22.71	50.93	33.47	78.7	5.59	8.04	132.6	3.8	22.9	
		15:00:58	23.21	50.38	33.05	112.4	7.94	7.98	126.6	1.7	13.5	
		18:00:58	23.44	50.06	32.81	108	7.6	7.97	128.9	3.2	24.9	
		21:01:00	23.16	50.65	33.25	70.1	5.83	8.09	122.4	2.1	15.9	
		日平均值	22.83	50.78	33.35	86.53	6.28	8.00	128.34	2.51	17.45	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月30日	蚵殼站	00:19:46	22.75	50.09	32.85	104.4	7.44	8.08	132.1	178.7	21.7	
		03:19:47	22.34	49.44	32.38	105	7.56	8.13	131.6	212.8	19.7	
		06:19:47	22.42	50.12	32.87	103.3	7.41	8.25	135.2	7.7	18.3	
		09:19:47	22.36	49.77	32.62	104.1	7.48	8.31	132.1	106.8	7.8	
		12:20:16	22.7	49.93	32.73	106	7.57	8.11	130.1	380.9	22.8	
		15:19:46	23.12	49.77	32.61	105.2	7.46	7.93	136.3	92.3	19.2	
		18:19:47	22.93	49.84	32.66	104.3	7.42	7.82	136.3	113.7	7.6	
		21:19:48	22.63	49.87	32.68	104	7.44	8.04	133.7	268.5	11	
		日平均值	22.66	49.85	32.68	104.54	7.47	8.08	133.43	170.18	16.01	
	潮口站	00:52:52	23.42	52.05	34.28	85.3	5.96	8.13	95.5	7.3	12.4	
		03:22:50	23.1	51.92	34.19	84.2	5.92	8.23	92	8.6	8.4	
		06:22:52	22.62	51.58	33.94	91.2	6.48	8.29	83.8	15	7	
		09:22:56	22.95	52.1	34.32	83.8	5.9	8.18	99.9	8.8	4.2	
		12:23:22	23.29	52.14	34.35	87.4	6.12	8.01	97.8	6.3	3.8	
		15:22:53	23.22	51.94	34.2	87.3	6.12	7.83	107.2	13.8	20.4	
		18:22:58	23.37	51.85	34.13	88.6	6.2	7.9	101.3	11.9	7.9	
		21:22:59	23.2	51.93	34.19	85.8	6.02	8.22	98.2	11.2	7.3	
	日平均值	23.15	51.94	34.20	86.70	6.09	8.10	96.96	10.36	8.93		
	灣內站	00:00:59	22.94	51.14	33.61	101.5	7.18	8.09	87.9	2.9	20.7	
		03:01:04	22.8	51.17	33.64	81.9	5.81	7.93	125.4	2.4	17	
		06:01:04	22.67	51.16	33.64	80.8	5.74	8.08	121.6	3.2	10.1	
		09:01:04	22.25	51	33.52	85.4	6.12	8.14	113.2	1	13.3	
		12:01:38	22.82	51.08	33.57	93.2	6.61	8.09	115.4	3.4	11.1	
		15:01:36	23.1	50.93	33.46	106.6	7.52	8.07	116.6	1.1	15.4	
		18:01:16	23.25	50.57	33.19	110.5	7.79	8.02	121	1.7	23.2	
		21:01:16	22.77	50.6	33.22	102.6	7.3	8.13	120.7	1.7	29.2	
		日平均值	22.83	50.96	33.48	95.31	6.76	8.07	115.23	2.18	17.50	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
7月31日	蚵殼站	00:19:49	22.41	50.13	32.88	102.7	7.36	8.2	131.6	94.4	7.3	
		03:19:49	22.29	50.22	32.95	102	7.33	8.22	132.5	129.2	6.5	
		06:19:48	22.02	50.02	32.81	102.2	7.38	8.26	130	256.3	9.9	
		09:19:49	21.9	49.95	32.75	101.9	7.38	8.2	131.5	300.1	16	
		12:19:50	22.62	49.63	32.51	106.3	7.61	8.12	130.3	257	23.8	
		15:19:49	22.74	50.08	32.84	107.8	7.69	8.01	132.3	465.8	19.5	
		18:19:45	22.51	50.1	32.86	104.8	7.5	7.91	130.5	153	11.9	
		21:19:50	22.47	50.35	33.04	103	7.37	8.13	125.4	76.9	12.1	
		日平均值	22.37	50.06	32.83	103.84	7.45	8.13	130.51	216.59	13.38	
	潮口站	00:23:00	23.11	51.9	34.18	82.1	5.78	8.28	93.5	6.5	9.8	
		03:23:05	22.77	51.84	34.14	86.1	6.09	8.38	89.6	9.5	10.1	
		06:23:00	22.47	51.27	33.72	86.4	6.16	8.35	80.7	10.1	9.3	
		09:23:01	22.56	51.5	33.88	84.4	6	8.19	86.3	10.2	12.1	
		12:23:10	23.21	51.65	33.99	89.1	6.26	8.11	89.4	7.9	3.1	
		15:23:07	23.19	52	34.25	92.2	6.47	7.98	108.2	7.1	17.8	
		18:23:08	23.07	51.82	34.11	92.8	6.53	7.96	100.2	7.6	8.9	
		21:23:14	22.76	51.73	34.05	91.9	6.51	8.15	90.5	9.7	8.2	
		日平均值	22.89	51.71	34.04	88.13	6.23	8.18	92.30	8.58	9.91	
	灣內站	00:01:21	22.55	50.88	33.43	95.6	6.82	8.07	126.9	2	19.1	
		03:01:20	22.36	51	33.52	91.6	6.55	8.16	119.3	2.5	15.4	
		06:01:18	22.17	50.88	33.43	87.6	6.29	8.17	120.9	2.5	29.3	
		09:01:24	22.14	50.79	33.37	85.2	6.12	8.14	127	3.4	28	
		12:01:21	22.86	50.8	33.37	89.1	6.7	8.22	124.4	1.1	6.1	
		15:01:27	22.88	50.13	32.87	104.7	7.45	8.16	124.3	1.3	24.4	
		18:01:28	23.09	50.02	32.79	100.2	7.1	8.08	121.9	2.3	7.7	
		21:01:31	22.55	50.41	33.08	89.3	6.76	8.28	114.3	1.5	18.3	
		日平均值	22.58	50.61	33.23	92.91	6.72	8.16	122.38	2.08	18.54	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月1日	蚵殼站	00:18:56	29.36	47	30.43	104.1	6.67	8.42	173.7	431	8.1	
		03:18:54	29.36	47.18	30.56	111.5	7.14	8.43	163.9	207.7	13.3	
		06:18:55	29.35	46.93	30.38	92.4	5.92	8.27	162.6	233.1	6.1	
		09:18:57	29.34	46.9	30.35	118.1	7.57	8.3	153.9	370.1	4.4	
		12:18:56	29.2	46.92	30.38	125.9	8.09	8.23	154.5	473.5	3.1	
		15:18:58	29.89	46.34	29.93	101.9	6.47	8.32	160.3	633.5	7.9	
		18:18:56	30.21	45.09	29.02	107.6	6.79	8.44	160.5	367.2	14.6	
		21:18:51	29.53	46.01	29.71	84.7	5.41	8.49	169.3	256.6	11.1	
		日平均值	29.53	46.55	30.10	105.78	6.76	8.36	162.34	371.59	8.58	
	潮口站	00:24:33	29.63	47.53	30.8	109.2	7.01	8.28	116.6	1.1	5.7	
		03:24:34	29.13	49.15	32	96.3	6.19	8.16	143.3	12.2	1.3	
		06:24:33	29.21	49.12	31.98	96.2	6.18	8.16	178.6	21.2	6.8	
		09:24:33	29.37	48.22	31.32	102.4	6.59	8.19	143.3	3.3	8.1	
		12:24:32	29.51	48.62	31.61	92	5.89	8.11	163.8	11.5	6.9	
		15:24:35	29.7	49.16	31.99	98.6	6.28	8.11	139.5	13.5	ND	
		18:24:33	29.49	49.34	32.13	93.1	5.95	8.11	127.2	7.3	7.8	
		21:24:33	29.33	49.22	32.05	93.7	6.01	8.15	135.7	6.2	3.5	
		日平均值	29.42	48.80	31.74	97.69	6.26	8.16	143.50	9.54	5.73	
	灣內站	00:16:41	29.67	47.76	30.97	92.9	5.96	8.32	137.3	4.1	16.1	
		03:16:42	29.68	47.93	31.1	79.8	5.11	8.25	135.4	7	15.1	
		06:16:40	29.56	47.96	31.12	50.9	3.27	8.16	121	9.7	16.3	
		09:16:42	29.83	47.54	30.81	82.3	5.26	8.26	134.7	6.6	17.1	
		12:16:41	30.09	47.15	30.51	84.1	5.73	8.09	132.6	16.1	15.3	
		15:16:43	29.67	47.62	30.87	82.8	5.31	8.11	142.5	6	14	
		18:16:41	30.32	46.1	29.75	116.3	7.43	8.42	141.6	7.3	16.9	
		21:16:41	29.97	45.88	29.6	113.7	7.31	8.49	139.9	8.9	12.1	
		日平均值	29.85	47.24	30.59	87.85	5.67	8.26	135.63	8.21	15.36	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月2日	蚵殼站	00:18:56	29	46.7	30.22	89.5	5.77	8.48	152.9	369.1	3.5
		03:18:52	28.85	46.2	29.86	88.0	5.69	8.5	167.3	375.7	8.2
		06:18:58	28.25	46.72	30.26	89.4	5.84	8.52	167.7	569.1	4
		09:18:55	28.24	46.22	29.9	90.3	5.9	8.62	139.9	298.3	5.7
		12:18:49	28.22	44.82	28.89	91.9	6.01	8.44	197.7	455.6	7.6
		15:18:59	28.13	44.01	28.31	93.8	6.14	8.4	208.8	446.1	9.5
		18:18:59	28.13	43.97	28.28	96.0	6.29	8.46	196.1	414.6	12.3
		21:18:59	27.96	43.68	28.08	91.3	6	8.46	212.3	303.3	6.9
	日平均值	28.35	45.29	29.23	91.28	5.96	8.49	180.34	403.98	7.21	
	潮口站	00:24:34	29.1	48.95	31.86	79.9	5.14	8.11	179.3	1.4	9.2
		03:24:34	28.65	49.72	32.43	94.4	6.1	8.17	116.5	11.5	5.3
		05:54:33	28.31	48.56	31.6	97.4	6.36	8.18	130	20.1	6.3
		09:28:31	28.33	48.45	31.52	90.5	5.92	8.17	132.1	9.7	4.9
		12:28:32	28.34	47.91	31.12	96	6.28	8.19	155.5	6.7	9.8
		15:28:31	28.33	47.59	30.89	95.1	6.24	8.17	147.3	8	7.3
		18:28:30	26.56	48.52	31.62	97.3	6.54	8.09	149.5	16.1	2.2
		21:28:26	26.88	47.29	30.71	95.1	6.39	8.12	158.2	13.4	5.2
	日平均值	28.06	48.37	31.47	93.21	6.12	8.15	146.05	10.86	6.28	
	灣內站	00:17:32	30.11	44.67	28.73	105.5	6.8	8.49	137.1	12.6	16.2
		03:17:32	29.38	44.37	28.53	88.7	5.79	8.46	132.4	11.1	20.1
		05:58:55	28.95	47.82	31.04	91.4	5.92	8.46	131.6	28.1	15.1
		09:16:49	24.68	46.85	30.44	113.4	7.92	7.73	82.7	1.9	5.7
		12:16:50	25.58	46.89	30.45	119.8	8.24	8.02	79	1.5	5.8
		15:16:49	25.93	46.21	29.95	142.5	9.78	8.17	84	ND	9.3
		18:16:50	25.73	46.33	30.05	145	9.97	8.04	83.2	ND	ND
		21:16:50	26.25	45.91	29.72	138.1	9.44	8.22	77.2	1.2	6.5
	日平均值	27.08	46.13	29.86	118.05	7.98	8.20	100.90	9.40	11.24	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月3日	蚵殼站	00:18:59	27.97	43.92	28.24	90.4	5.94	8.46	215.1	375.3	11.5
		03:18:59	27.8	43.87	28.22	90.0	5.93	8.42	211.8	368	5.6
		06:19:01	27.27	44.2	28.47	88.5	5.89	8.28	218.3	361.2	5.8
		09:19:01	27.24	44.06	28.37	90.6	6.03	8.25	217.3	242.7	6.2
		12:26:56	27.74	3.036	1.57	103.0	6.79	8.22	119.1	1137.9	1.2
		15:26:56	29.09	2.458	1.26	103.5	6.66	8.11	145	410.5	ND
		18:23:04	25.4	49.5	32.36	112.1	7.72	7.95	137.3	179.4	15.4
		21:23:09	25.51	49.38	32.27	113.2	7.78	8.01	136.6	260	21.5
	日平均值	27.25	35.05	22.60	98.91	6.59	8.21	175.06	416.88	9.60	
	潮口站	00:28:28	27.66	47.45	30.81	85.7	5.69	8.14	132.1	5.7	5.8
		03:28:23	26.99	49.18	32.09	95.8	6.38	8.13	117.7	116.9	5.6
		06:28:28	26.65	48.08	31.29	97.4	6.55	8.08	126.6	104.1	5.1
		09:28:29	27.2	47.01	30.5	101.5	6.79	8.06	121.2	14.9	ND
		12:28:29	28.09	46.8	30.33	101.6	6.71	8.05	123.6	18.7	7.6
		15:28:29	28.69	1.43	0.71	99.8	7.69	8.01	127.9	ND	9.2
		18:28:29	27.62	1.512	0.76	99.9	7.84	7.97	127.5	ND	5.4
		21:28:27	27.71	1.491	0.74	100.3	7.86	8.04	133.6	ND	1.1
	日平均值	27.58	30.37	19.65	97.75	6.94	8.06	126.28	52.06	5.69	
	灣內站	00:16:51	26	45.46	29.41	150.1	10.31	7.75	80.9	2.5	5.8
		03:16:50	25.74	45.99	29.8	122.2	8.42	7.61	82.5	ND	1.6
		06:16:51	25.55	46.49	30.16	122.3	8.43	7.7	69.6	1.3	3.4
		09:16:51	25.48	46.76	30.36	106.7	7.36	7.67	82.3	1	4.4
		12:16:51	25.8	45.91	29.74	142.2	9.79	7.72	78.7	ND	ND
		15:16:48	25.89	46.04	29.83	137.5	9.45	7.63	79	ND	ND
		18:16:49	26.08	45.27	29.27	29.6	2.04	8.19	44	10.4	6.1
		21:16:55	25.8	44.5	28.72	33.7	2.33	8.06	68.8	11.4	6.2
	日平均值	25.79	45.80	29.66	105.54	7.27	7.79	73.23	5.32	4.58	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月4日	蚵殼站	00:23:20	25.32	48.58	31.69	116.2	7.98	8.07	137.3	186.2	18.6
		03:23:16	25.08	48.5	31.64	110.8	7.64	8.13	125.9	222.3	23.6
		06:23:14	25.18	48.8	31.85	111.1	7.64	8.08	131.9	367.9	24.5
		09:23:23	25.12	48.51	31.64	112.9	7.77	8.06	133.9	497.6	18.5
		12:23:22	25.7	49.35	32.25	105.7	7.19	7.94	134.8	215.2	26.2
		15:23:27	26.06	49.34	32.23	108.8	7.35	7.91	134.8	152.3	23.7
		18:23:25	25.93	49.32	32.22	110.3	7.47	7.93	136.2	395	19.4
		21:23:30	25.77	49.28	32.19	107.1	7.27	7.87	145.4	2979.7	24.7
	日平均值	25.52	48.96	31.96	110.36	7.54	8.00	135.03	627.03	22.40	
	潮口站	00:28:30	28.77	1.405	0.7	100.2	7.71	8.14	122.9	ND	4.2
		03:28:23	27.84	1.504	0.75	100.2	7.83	8.08	123.2	ND	4.2
		06:28:28	27.11	1.646	0.83	100.2	7.93	8.03	109.9	ND	4.3
		09:28:24	26.93	1.628	0.82	100.2	7.96	7.92	129.5	ND	2.5
		12:28:30	27.65	1.606	0.8	99.9	7.83	7.96	126.6	ND	1.9
		15:28:24	29.8	1.538	0.77	99.8	7.54	8.1	122.9	ND	ND
		18:28:30	27.61	1.444	0.72	99.7	7.83	7.94	132.1	ND	ND
		21:28:30	27.23	1.573	0.79	100.2	7.92	8	131	ND	ND
	日平均值	27.87	1.54	0.77	100.05	7.82	8.02	124.76	ND	3.42	
	灣內站	00:17:05	25.52	45.43	29.4	106.9	7.41	7.75	54.6	2.7	4.8
		03:17:01	25.38	46.03	29.83	103.9	7.2	8.23	65.5	ND	4.5
		06:17:02	25.19	44.99	29.09	99.8	6.97	7.91	51.6	2.3	2
		09:16:59	25.57	45.48	29.43	126.8	8.78	8.16	66.1	ND	ND
		12:17:06	25.39	45.2	29.23	115.2	8.01	7.91	67.2	2.7	ND
		15:17:07	25.66	45.78	29.65	90	6.21	7.98	56	2.9	4
		18:17:11	25.49	45.97	29.78	83.7	5.79	7.98	59.5	6.3	1.7
		21:17:09	25.3	46.17	29.93	70.5	4.89	7.81	53.7	6.3	4.4
	日平均值	25.44	45.63	29.54	99.60	6.91	7.97	59.28	3.87	3.57	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月5日	蚵殼站	00:23:29	25.6	49.11	32.07	104.8	7.14	8.34	145.8	205.2	26.2
		03:23:38	25.58	49.23	32.16	103.5	7.05	8.36	142.1	257.1	21.5
		06:23:36	25.29	48.9	31.92	102.3	7.01	8.33	141.9	373.1	20.1
		09:23:40	25.46	49.14	32.1	102	6.97	8.25	154.6	259.3	23.8
		12:23:48	26.07	49.37	32.25	102.2	6.9	8.27	157.2	208.6	18.8
		15:23:48	26.56	49.31	32.2	106	7.1	8.31	158.1	298.7	28.5
		18:23:48	26.3	49.28	32.18	103.6	6.97	8.27	159.3	377.6	18.1
		21:23:53	26.17	49.28	32.18	102.6	6.92	8.22	163.3	203.2	21.8
	日平均值	25.88	49.20	32.13	103.38	7.01	8.29	152.79	272.85	22.35	
	潮口站	00:28:30	28.42	1.514	0.76	100.7	7.79	8.15	134.8	ND	ND
		03:28:21	28.67	1.533	0.76	100.4	7.73	8.12	129.1	ND	ND
		06:28:30	27.1	1.657	0.83	100	7.92	7.99	128.5	ND	ND
		09:28:30	27.73	1.671	0.84	100.3	7.85	7.93	120.6	ND	2.4
		12:28:30	27.94	1.653	0.83	100.2	7.82	7.96	125.6	ND	ND
		15:28:30	28.49	1.215	0.6	100.5	7.77	7.94	132.3	ND	3.2
		18:28:30	29.34	0.839	0.41	100.1	7.64	7.95	141.8	ND	ND
		21:28:30	27.7	1.419	0.71	100.1	7.85	7.97	130.7	ND	ND
	日平均值	28.17	1.44	0.72	100.29	7.80	8.00	130.43	ND	2.80	
	灣內站	00:17:15	25.52	45.6	29.52	100.7	6.97	8.49	69.8	4.5	ND
		03:17:15	25.11	45.72	29.62	84.9	5.92	8.46	62.9	3.6	1.5
		06:17:20	25.13	45.84	29.7	63.5	4.42	8.39	56.2	6.3	2.4
		09:17:19	25.2	45.74	29.63	70.8	4.93	8.33	61.7	12.6	1.6
		12:17:23	25.71	45.71	29.6	73.2	5.05	8.22	63.3	12.6	ND
		15:17:26	26.23	45.54	29.46	88.8	6.08	8.41	64.1	5.9	ND
		18:17:25	26.17	45.86	29.69	94.6	6.47	8.3	69.6	11	2.1
		21:17:31	26.48	45.85	29.68	103.5	7.04	8.42	68.4	4.3	3.7
	日平均值	25.69	45.73	29.61	85.00	5.86	8.38	64.50	7.60	2.26	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月6日	蚵殼站	00:23:52	26.06	49.58	32.41	101.9	6.88	8.28	155.9	362.5	17.7	
		03:23:59	25.94	49.58	32.4	101.9	6.89	8.31	144.5	198.4	16	
		06:24:02	25.77	49.44	32.31	99.2	6.73	8.35	142.5	109	19.2	
		09:24:02	25.86	49.14	32.09	102.1	6.93	8.26	153.5	161.9	16.6	
		12:24:03	26.55	49.6	32.41	104.2	6.97	8.33	142.9	87	15.3	
		15:24:06	27.2	49.47	32.29	105.7	7.01	8.3	157.7	150.3	9.9	
		18:24:10	26.88	49.5	32.33	107.8	7.18	8.36	154	294.2	18.2	
		21:24:08	26.96	49.65	32.43	106.3	7.07	8.33	153.1	234.8	16.5	
	日平均值	26.40	49.50	32.33	103.64	6.96	8.32	150.51	199.76	16.18		
	潮口站	00:28:30	28.14	1.519	0.76	100.5	7.82	8.02	129.8	ND	3.3	
		03:28:30	28.42	1.44	0.72	100.2	7.76	8.04	132	ND	2.7	
		06:28:30	27.29	1.539	0.77	100.3	7.92	8.04	128.4	ND	ND	
		09:28:28	27.61	1.569	0.78	100.7	7.9	7.98	137.7	ND	ND	
		12:28:20	28.21	1.546	0.77	100.5	7.8	7.98	139	ND	ND	
		15:28:22	28.06	1.581	0.79	100.3	7.81	8	141.4	ND	4	
		18:28:20	27.58	1.575	0.79	100.6	7.9	7.99	131.8	ND	4.9	
		21:28:24	27.41	1.57	0.79	100.3	7.9	7.99	133.7	ND	ND	
	日平均值	27.84	1.54	0.77	100.43	7.85	8.01	134.23	ND	3.73		
	灣內站	00:17:26	26.24	45.83	29.67	83.6	5.71	8.42	79.1	5	ND	
		03:17:30	26.02	45.69	29.57	84.2	5.78	8.47	79.5	3.3	ND	
		06:17:35	25.69	45.73	29.61	90.7	6.26	8.39	85.8	7.7	ND	
		09:17:35	26	45.66	29.55	81.1	5.57	8.4	75	2.7	ND	
		12:17:35	26.95	45.24	29.22	109	7.38	8.32	83	6.1	ND	
		15:17:42	27.5	45.3	29.25	117.6	7.89	8.48	75.5	2.2	ND	
		18:17:47	27.34	45.32	29.27	123.5	8.3	8.45	79.4	2.2	ND	
		21:17:47	27.35	45.27	29.24	109	7.33	8.39	78.3	2.4	1.2	
	日平均值	26.64	45.51	29.42	99.84	6.78	8.42	79.45	3.95	1.20		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月7日	蚵殼站	00:24:10	26.91	49.58	32.38	104.2	6.94	8.36	161.3	1031.6	15.2	
		03:24:15	26.56	49.71	32.49	103.3	6.91	8.44	144.8	108.8	10.6	
		06:24:21	26.45	49.79	32.55	102.7	6.88	8.41	148.9	177.5	7.3	
		09:24:27	26.69	49.83	32.57	104.1	6.95	8.36	152.7	169.3	14.6	
		09:38:47	26.2	49.77	32.54	89.7	6.04	8.14	169.8	37.5	17	
		15:10:56	27.27	50.47	33.03	107.9	7.11	8.39	173.1	18.6	ND	
		18:19:17	27.27	50.78	33.25	107.1	7.05	8.36	164.1	18	2.1	
		21:19:16	27.15	50.27	32.88	107.8	7.13	8.4	162.9	22.3	ND	
	日平均值	26.81	50.03	32.71	103.35	6.88	8.36	159.70	197.95	11.13		
	潮口站	00:28:22	27.38	1.504	0.75	100.4	7.91	7.99	128.1	ND	ND	
		03:28:21	28.31	1.628	0.81	100.7	7.8	8.12	126.2	ND	4.7	
		06:28:22	27.34	1.558	0.78	100.8	7.95	8.09	136	ND	1.1	
		09:28:22	27.24	1.647	0.83	100.4	7.93	8.02	132	ND	ND	
		09:58:22	27.26	1.58	0.79	101	7.98	8.07	136.6	ND	ND	
		15:22:05	28.28	46.97	30.44	93.6	6.16	8.17	123	14.9	29.4	
		18:22:09	28.42	46.51	30.1	100.7	6.62	8.2	135.5	6.2	22.9	
		21:22:07	26.81	48.5	31.6	87.8	5.88	8.05	119.5	40.3	5.7	
	日平均值	27.63	18.74	12.01	98.18	7.28	8.09	129.61	20.47	12.76		
	灣內站	00:17:47	27.07	45.35	29.3	104	7.03	8.45	65.5	3.3	ND	
		03:17:50	26.57	45.37	29.33	102	6.95	8.3	76.6	2.6	ND	
		06:17:52	26.14	45.36	29.33	87.2	5.98	8.31	79.5	3.7	2.6	
		09:17:53	26.73	45.2	29.2	101	6.86	8.08	82.1	ND	4	
		12:17:55	27.77	44.55	28.7	112.2	7.52	8.01	78.9	1.5	1.3	
		15:18:02	28.1	44.71	28.81	112.4	7.48	8.1	81.7	4.1	ND	
		18:18:00	27.9	45.01	29.04	115.7	7.72	8.13	72.3	1.4	ND	
		21:18:06	27.59	44.97	29.01	96.2	6.45	8.09	78.7	3.6	1.2	
	日平均值	27.23	45.07	29.09	103.84	7.00	8.18	76.91	2.89	2.28		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月8日	蚵殼站	00:19:17	27.11	50.04	32.71	109	7.22	8	147.6	30.8	3.5
		03:19:18	26.97	50.04	32.72	107	7.1	8.02	143.4	10.7	5.2
		06:19:18	26.69	50.19	32.84	105.3	7.02	8.06	138.1	19.2	4
		09:19:20	26.92	50.17	32.82	105.7	7.01	7.96	154.8	23	ND
		12:19:20	27.24	50.43	33	105.7	6.97	7.97	158.7	25.7	ND
		15:19:19	27.56	50.6	33.12	102.6	6.73	7.95	159.4	18.3	1.2
		18:19:18	27.48	50.61	33.12	102.7	6.74	7.89	156.5	24.3	ND
		21:19:18	27.33	50.5	33.05	102.3	6.73	7.9	151.8	181	1.4
	日平均值	27.16	50.32	32.92	105.04	6.94	7.97	151.29	41.63	3.06	
	潮口站	00:22:08	27.66	44.62	28.76	89.3	5.99	8.09	114.5	18.9	6.6
		03:22:08	27.64	40.41	25.75	86.5	5.9	8.22	104	23.4	12.2
		06:22:02	27.82	45.93	29.7	85.5	5.69	8.17	107.3	9.3	17
		09:22:07	27.28	44.59	28.75	91.7	6.19	8	118.4	46	2.9
		12:22:09	27.62	44.81	28.9	93.2	6.25	7.96	120.8	36.1	6.3
		15:22:07	28.67	43.84	28.17	142	9.4	8.39	104.1	10.1	37
		18:22:09	28.31	46.37	30	100.7	6.64	8.14	127.8	7.9	25.4
		21:22:06	27.54	40.02	25.48	95.7	6.55	7.95	120.6	50.7	7.6
	日平均值	27.82	43.82	28.19	98.08	6.58	8.12	114.69	25.30	14.38	
	灣內站	00:18:06	26.92	45.24	29.22	81.4	5.52	8.14	75.6	1.2	2.2
		03:18:09	26.77	45.44	29.38	84.8	5.76	8.33	80.5	2	ND
		06:18:07	26.53	45.17	29.18	93.8	6.4	8.32	79.6	1.2	ND
		09:18:12	26.78	44.96	29.03	96.4	6.55	8.09	86.6	ND	5
		12:18:12	27.45	44.66	28.79	98.6	6.64	8.14	76.3	ND	2.3
		15:18:14	28.12	44.58	28.72	99.5	6.62	8.1	88.2	3.6	ND
		18:18:20	27.95	44.42	28.61	112	7.48	8.05	88.5	2.2	ND
		21:18:21	27.75	44.31	28.54	119	7.98	8.1	77.9	1.5	ND
	日平均值	27.28	44.85	28.93	98.19	6.62	8.16	81.65	1.95	3.17	
甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月9日	蚵殼站	00:19:19	27.26	50.57	33.1	103.7	6.84	8.42	144.1	21.1	ND
		03:19:20	27.04	50.58	33.11	100.6	6.65	8.46	131.3	15.5	1.6
		06:19:20	26.68	50.74	33.24	98.8	6.57	8.42	136	16.7	ND
		09:19:19	26.84	50.67	33.18	100.9	6.7	8.51	145	23.7	1.8
		12:19:20	27.24	49.78	32.52	105.4	6.97	8.49	136.3	26.1	4.4
		15:10:50	27.31	50.39	32.97	103.6	6.83	8.46	147.8	34.7	5.6
		18:19:20	27.22	50.62	33.14	105.8	6.98	8.44	150.3	17.7	2.7
		21:19:21	26.96	50.71	33.21	103.7	6.87	8.48	142.5	16.7	4.2
	日平均值	27.07	50.51	33.06	102.81	6.80	8.46	141.66	21.53	3.38	
	潮口站	00:22:06	27.85	43.68	28.08	92.9	6.24	8	118.5	46.5	7.8
		03:22:06	27.84	45.52	29.4	80.4	5.36	7.92	115.5	23.2	11.7
		06:22:05	28.9	36.43	22.92	97.3	6.6	8.22	101.8	11.2	18.8
		09:22:05	27.67	46.49	30.11	81	5.39	8.02	114.8	35.7	7
		12:22:06	27.79	42.27	27.07	87.4	5.9	7.99	110.4	48.4	8
		15:22:03	28.39	40.93	26.1	84.6	5.69	8.12	103.7	21.7	11
		18:22:07	28.52	38.62	24.47	99.2	6.72	8.19	126.4	8.3	21.6
		21:22:05	27.79	43.61	28.03	95.2	6.4	8.07	111.8	43.1	8.9
	日平均值	28.09	42.19	27.02	89.75	6.04	8.07	112.86	29.76	11.85	
	灣內站	00:18:24	27.41	44.57	28.73	103.7	6.98	8.27	81.7	8.9	ND
		03:18:28	27.09	44.88	28.96	90.4	6.12	8.46	82.2	2.8	1.6
		06:18:33	26.87	44.92	28.99	96.5	6.55	8.46	89.3	3.8	ND
		09:18:30	26.79	44.89	28.97	93.4	6.35	8.41	85.3	3	ND
		12:18:30	27.48	44.76	28.86	96.3	6.48	8.2	78.1	3.7	5.2
		15:18:38	27.84	44.13	28.4	109.5	7.33	8.11	74.2	2.3	3.5
		18:18:39	27.53	44.63	28.77	103.2	6.94	8.36	72.4	2.4	1.6
		21:18:36	27.16	44.53	28.71	100.3	6.79	8.35	75.2	4.8	2.9
	日平均值	27.27	44.66	28.80	99.16	6.69	8.33	79.80	3.96	2.96	
甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月10日	蚵殼站	00:19:21	26.82	50.32	32.93	103.4	6.87	8.07	136.2	30.6	6.7	
		03:19:21	26.47	49.71	32.49	101.1	6.78	8.05	134.4	27.4	4.8	
		06:19:16	26.45	50.06	32.75	101.8	6.82	8.09	131.8	46.5	ND	
		09:19:22	26.25	49.97	32.69	99.4	6.68	8.06	133.9	17.7	2.9	
		12:19:22	26.52	50.13	32.8	103.1	6.89	8.05	131.4	45.8	2	
		15:19:23	26.46	49.97	32.68	102.1	6.84	8	134.7	34.4	3.9	
		18:19:16	26.18	49.98	32.69	99.5	6.69	7.9	136.1	37.2	ND	
		21:19:23	26.11	50.2	32.86	99.6	6.7	7.96	137.6	29	2	
	日平均值	26.41	50.04	32.74	101.25	6.78	8.02	134.51	33.58	3.72		
	潮口站	00:22:05	27.76	38.9	24.69	97.8	6.7	8.19	104.4	22.1	8.7	
		03:22:05	27.71	38.04	24.08	101.5	6.98	8.22	104.2	15.2	15.6	
		06:22:04	27.93	42.82	27.46	78.5	5.28	8.1	101.3	11.5	16.6	
		09:22:05	27.99	35.63	22.39	86	5.94	8.07	104.8	12.9	8.8	
		12:22:02	28	39.98	25.44	78.2	5.31	8.03	100.6	21.4	13.3	
		15:22:05	27.41	23.98	14.49	101.7	7.42	8.34	95.3	21.5	33.4	
		18:22:05	27.94	40.29	25.66	68.4	4.65	8.01	102.6	17.6	9.6	
		21:22:02	27.71	40.23	25.63	91.7	6.25	8.07	97.4	32.5	3.8	
	日平均值	27.81	37.48	23.73	87.98	6.07	8.13	101.33	19.34	13.73		
	灣內站	00:18:42	26.84	44.7	28.84	84.7	5.76	7.93	77.7	2.3	ND	
		03:18:44	26.64	44.86	28.96	75.6	5.16	7.93	78.1	3.9	3.2	
		06:18:48	26.45	44.71	28.86	85.6	5.85	8.07	82.1	3.6	ND	
		09:18:48	26.27	44.42	28.65	87.5	6.01	8.06	72.9	8	2.4	
		12:18:54	26.38	44.52	28.72	86.6	5.94	7.98	72.4	6	ND	
		15:18:55	26.4	43.96	28.32	86.5	5.94	7.77	63.6	3.6	2	
		18:18:52	26.22	43.95	28.31	92.1	6.35	7.6	78.9	5.7	ND	
		21:18:58	25.88	43.81	28.22	87.4	6.06	7.9	68.9	5.7	3.1	
	日平均值	26.39	44.37	28.61	85.75	5.88	7.91	74.33	4.85	2.68		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月11日	蚵殼站	00:19:22	25.9	50.45	33.04	99.1	6.68	8.02	130.3	50.8	3.2	
		03:19:23	25.66	50.35	32.98	99.3	6.73	8.02	130.3	20.7	ND	
		06:19:17	25.48	50.4	33.02	98.6	6.7	7.98	129.4	31.1	1.2	
		09:19:23	25.3	49.88	32.65	96	6.56	7.98	131.2	1321.1	4.9	
		12:19:22	25.74	50.2	32.87	97.2	6.58	7.93	128.6	36.8	4.2	
		15:11:01	26.01	50.22	32.88	101.4	6.83	7.98	127.5	26.4	5.9	
		18:19:23	25.83	50.33	32.96	98.9	6.68	7.94	130.5	23.4	1.9	
		21:19:23	25.66	50.57	33.14	101.5	6.87	8.03	127.2	21.3	2.6	
	日平均值	25.70	50.30	32.94	99.00	6.70	7.99	129.38	191.45	3.41		
	潮口站	00:22:04	27.54	37.66	23.82	93.6	6.47	8.04	103.7	32.2	9.2	
		03:22:04	27.45	37.27	23.54	90.7	6.29	7.95	106.1	39.4	9.3	
		06:22:03	27.75	36.2	22.79	73.5	5.09	8.04	106.5	13.4	8.5	
		09:22:06	27.97	36.63	23.09	75.2	5.18	8.06	109.2	8.5	3.8	
		12:22:01	28.02	36.96	23.31	79.1	5.43	8.04	108.5	11.5	9.6	
		15:52:06	27.96	30.99	19.19	99.2	6.98	8.12	109.1	22.2	21.8	
		18:22:09	28	37.43	23.65	84.9	5.83	8.04	97.9	15.1	13.2	
		21:22:10	28.06	33.72	21.06	101	7.02	8.15	96.9	21.8	17.5	
	日平均值	27.84	35.86	22.56	87.15	6.04	8.06	104.74	20.51	11.61		
	灣內站	00:18:58	25.9	44.2	28.5	72.4	5.01	7.99	73.8	9.2	ND	
		03:18:59	25.72	44.44	28.68	69.6	5.33	7.9	85.2	6.6	ND	
		06:18:58	25.67	44.41	28.66	77.1	5.35	7.98	79.6	11.3	ND	
		09:19:03	25.54	44.17	28.49	82.5	5.74	7.89	73.5	11.7	ND	
		12:19:03	25.79	44.18	28.49	83.8	5.81	7.87	70.1	5.1	4.3	
		15:19:03	25.96	44.16	28.47	85.4	5.91	7.79	82.6	4.6	ND	
		18:19:02	25.62	44.07	28.41	81.1	5.64	7.73	73.6	6.8	ND	
		21:19:06	25.37	44.04	28.4	79.8	5.58	7.95	80.5	10.3	ND	
	日平均值	25.70	44.21	28.51	78.96	5.55	7.89	77.36	8.20	4.30		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月12日	蚵殼站	00:19:17	25.47	50.78	33.3	100.7	6.83	8.04	128.2	17.9	3.7	
		03:19:23	25.19	50.52	33.12	98.9	6.75	8.04	136	6.5	ND	
		06:19:24	25.04	50.44	33.06	100.2	6.86	8.03	125.7	23.4	ND	
		09:19:24	24.95	50.88	33.38	99.7	6.82	8.06	129.3	24.9	ND	
		12:19:25	24.75	50.03	32.77	99.7	6.87	7.97	127.6	21.5	ND	
		15:19:23	24.79	50	32.74	99.7	6.86	7.94	141.4	13.8	ND	
		18:19:24	24.7	50.08	32.81	99.6	6.86	7.96	129	19	4.3	
		21:19:25	24.48	50.01	32.76	98.5	6.82	7.98	133.3	1707.7	2.4	
	日平均值	24.92	50.34	32.99	99.63	6.83	8.00	131.31	229.34	3.47		
	潮口站	00:22:16	28.11	44.37	28.57	97.7	6.51	8.09	112.4	75.2	9.9	
		03:22:13	27.79	40.01	25.46	95.7	6.53	8.06	106.5	36.2	6.3	
		06:22:21	27.97	35.79	22.5	82.1	5.67	8.04	107.7	14	8.1	
		09:22:21	28.05	35.98	22.63	75.5	5.21	8.02	109.2	11.9	8.4	
		12:22:19	28.21	38.04	24.06	71.2	4.86	7.94	105.1	15.9	12.2	
		15:22:25	28.53	38.49	24.38	100.7	6.82	8.08	109.2	34.8	12	
		18:22:26	28.64	36.96	23.3	110.8	7.54	8.18	101.8	45.8	15.4	
		21:22:30	28.48	38.81	24.6	94.9	6.42	8.1	110.1	33.8	25.1	
	日平均值	28.22	38.56	24.44	91.08	6.20	8.06	107.75	33.45	12.18		
	灣內站	00:19:13	25.22	44.22	28.53	76.3	5.34	8.03	72.4	9.7	ND	
		03:19:12	25.06	44.18	28.51	74.5	5.23	7.97	78.9	5.4	ND	
		06:19:18	24.94	44.04	28.41	73.9	5.2	7.96	78.8	5.6	ND	
		09:19:18	24.8	44.11	28.46	79.5	5.61	8.04	74.8	8	1.8	
		12:19:19	24.93	43.99	28.37	75.2	5.3	7.83	66.3	8.2	ND	
		15:19:21	24.6	43.43	27.98	80.8	5.74	7.84	62.4	5.3	1.3	
		18:19:23	24.51	43.76	28.22	73.7	5.23	7.85	60.2	8.2	1.1	
		21:19:22	24.59	43.97	28.37	71.6	5.07	7.9	77.7	13.3	ND	
	日平均值	24.83	43.96	28.36	75.69	5.34	7.93	71.44	7.96	1.40		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月13日	蚵殼站	00:19:25	24.41	50.16	32.87	98.8	6.84	8.49	139.1	1141.8	ND	
		03:19:24	24.48	50.3	32.97	96.7	6.68	8.49	135.7	577.8	2.7	
		06:19:27	24.08	50.25	32.94	98.2	6.84	8.48	121.9	20.4	ND	
		09:19:24	24.05	50.36	33.03	95.8	6.67	8.45	131.4	14.3	1.5	
		12:19:25	25.18	50.96	33.44	100.3	6.83	8.45	145.1	20.8	2.8	
		15:11:01	25.28	50.7	33.25	101.3	6.9	8.46	173.5	27.2	ND	
		18:19:26	24.69	50.8	33.33	98.6	6.78	8.42	140.1	14.8	2.1	
		21:19:20	24.67	50.9	33.41	100.4	6.9	8.43	135	12.9	ND	
	日平均值	24.61	50.55	33.16	98.76	6.81	8.46	140.23	228.75	2.28		
	潮口站	00:22:31	28.1	40.23	25.61	107.5	7.29	8.07	117.1	46.1	10.9	
		03:22:29	28	39.23	24.91	108.9	7.42	8.14	120	46.6	22.4	
		06:22:34	28.07	38.73	24.56	102.1	6.96	8.08	139.5	19.8	17.1	
		09:22:34	28.84	30.81	19.05	115.1	7.99	8.19	123.7	16.3	36	
		12:22:34	28.38	38.15	24.14	92.3	6.28	7.99	123	11.9	20.6	
		15:52:02	29.37	41.7	26.62	105.2	6.94	8.06	122.4	18	14.7	
		18:22:37	29.62	35.97	22.58	139.4	9.37	8.27	111.9	25.4	114.7	
		21:22:38	29.06	38.86	24.62	108.9	7.3	8.12	105.9	13.9	43.7	
	日平均值	28.68	37.96	24.01	109.93	7.44	8.12	120.44	24.75	35.01		
	灣內站	00:19:28	24.49	43.91	28.33	76.4	5.42	7.99	62.5	9.6	ND	
		03:19:31	24.1	43.65	28.14	72.4	5.18	7.92	80.6	8.3	ND	
		06:19:33	23.8	43.7	28.19	72.2	5.19	8	63	7.7	ND	
		09:19:35	24.17	43.85	28.28	68.5	4.89	7.86	71.9	9.1	2.4	
		12:19:38	24.08	43.24	27.85	75.1	5.38	7.66	82.5	7.3	ND	
		15:19:43	24.51	43.27	27.86	71.7	5.1	8.02	73.8	6.2	5.1	
		18:19:44	24.48	43.07	27.72	74.4	5.3	8.04	74.9	5.9	3.2	
		21:19:44	24.46	43.71	28.18	77.2	5.49	8.2	71.6	7.7	ND	
	日平均值	24.26	43.55	28.07	73.49	5.24	7.96	72.60	7.73	3.57		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月14日	蚵殼站	00:19:27	24.22	50.59	33.19	100.4	6.97	8.43	137.5	10.8	ND	
		03:19:26	23.94	50.23	32.93	98.8	6.89	8.42	132.3	22.9	ND	
		06:19:26	23.38	49.77	32.6	100.2	7.07	8.35	132.9	30.6	1.3	
		09:19:27	23.88	49.95	32.72	100.1	7	8.34	144.7	23.4	1.8	
		12:19:28	24.8	50.02	32.75	100.1	6.89	8.3	145.4	17.3	ND	
		15:19:28	25.18	50.73	33.27	99	6.75	8.34	139	7.5	3.7	
		18:19:28	24.88	50.61	33.19	100.5	6.89	8.33	134.9	11.1	ND	
		21:19:28	24.81	50.01	32.75	102.4	7.05	8.31	136.2	19.6	1.4	
		日平均值	24.39	50.24	32.93	100.19	6.94	8.35	137.86	17.90	2.05	
	潮口站	00:22:43	28.67	42.46	27.18	116.7	7.76	8.23	103.4	17.7	32.7	
		03:22:44	28.27	44.76	28.84	96.2	6.38	8.02	122.8	40.6	12.4	
		06:22:41	28.44	41.6	26.58	108.6	7.28	8.22	104.5	34.9	31.5	
		09:22:45	28.87	38.79	24.58	96.2	6.48	8.07	115.6	25.5	29.5	
		12:22:43	28.68	40.48	25.77	78.6	5.27	7.93	117	23.2	19.8	
		15:28:25	28.8	45.81	29.59	84.6	5.55	7.97	133.5	25.5	8.9	
		18:28:26	29.43	38.61	24.44	121.2	8.09	8.23	108	13.1	39.9	
		21:28:15	29.24	39.5	25.07	107.9	7.2	8.16	103	14	33.9	
	日平均值	28.80	41.50	26.51	101.25	6.75	8.10	113.48	24.31	26.08		
	灣內站	00:19:45	24.21	43.77	28.23	79	5.64	8.35	68.9	7.1	ND	
		03:19:49	24.34	44.05	28.42	78.5	5.58	8.36	58.6	9.5	4.1	
		06:19:52	24.08	44.05	28.43	75.6	5.4	8.34	59.8	8.9	ND	
		09:59:07	28.59	41.17	26.27	90.4	6.06	8.01	38	5.6	10	
		12:19:53	24.77	43.06	27.71	88.9	6.3	7.94	58.4	14	4.3	
		15:19:58	25.05	43.41	27.95	89.1	6.28	7.9	61.8	8.6	1.7	
		18:19:59	25.17	43.5	28.01	94.5	6.64	7.93	80.7	6	ND	
		21:20:01	24.8	42.74	27.48	93.3	6.62	7.87	68.8	6.8	4.6	
		日平均值	25.13	43.22	27.81	86.16	6.07	8.09	61.88	8.31	4.94	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月15日	蚵殼站	00:19:29	24.76	50.76	33.3	98.2	6.74	8.35	152.3	32.8	ND	
		03:19:28	24.48	50.14	32.85	99.7	6.9	8.33	146.2	11.8	2.1	
		06:19:30	24.38	50.53	33.14	99.2	6.86	8.47	137.3	25.2	ND	
		09:19:29	24.32	50.1	32.83	99.8	6.92	8.41	149.6	17.3	1.1	
		12:19:29	25.13	50.04	32.77	99.3	6.8	8.35	154.5	17.3	1.3	
		15:10:58	25.63	50.84	33.34	103.8	7.02	8.41	184.2	15.6	5	
		18:19:29	25.13	50.57	33.15	99	6.76	8.36	147.2	10.8	3.1	
		21:19:28	25.19	50.58	33.16	101.8	6.95	8.35	145.7	7	3.9	
		日平均值	24.88	50.45	33.07	100.10	6.87	8.38	152.13	17.23	2.75	
	潮口站	00:28:25	29.04	42.63	27.3	105.5	6.98	8.23	108.3	11.1	21.6	
		03:28:25	28.21	48.01	31.2	96.8	6.35	8.06	105.7	59.3	3.3	
		06:28:26	28.37	44.23	28.46	93.2	6.19	8.13	99.8	48.9	16.4	
		09:28:23	28.74	43.32	27.79	93.2	6.17	8.14	97.9	25.5	21.3	
		12:28:20	28.55	44.95	28.97	73.5	4.85	7.96	107.2	25.3	9.2	
		15:28:18	28.92	45.57	29.41	93.9	6.14	8.01	131.9	30.9	7.8	
		18:28:24	29.1	44.36	28.53	109.8	7.2	8.14	116.2	18.8	13.7	
		21:28:25	29.44	41.01	26.13	109.6	7.24	8.15	113.3	11.4	59.1	
	日平均值	28.80	44.26	28.47	96.94	6.39	8.10	110.04	28.90	19.05		
	灣內站	00:20:00	24.38	41.81	26.82	82.7	5.93	8.02	71.8	6.2	ND	
		03:20:03	24.49	43.3	27.89	86.7	6.17	8.16	59	6	ND	
		06:20:05	24.3	43.7	28.18	81.9	5.83	8.32	59.2	6.6	2.4	
		09:20:09	24.43	43.7	28.17	86.4	6.14	8.31	63.7	8.2	ND	
		12:20:14	25.15	43.41	27.95	93	6.54	8.03	63.4	5.8	ND	
		15:20:11	25.48	43.47	27.99	88.9	6.21	7.96	80.9	5.5	2.3	
		18:20:19	25.78	43.53	28.02	91.4	6.35	7.98	67.4	6.6	2.5	
		21:20:19	25.47	42.72	27.45	94	6.59	7.85	68.4	6.6	ND	
	日平均值	24.94	43.21	27.81	88.13	6.22	8.08	66.73	6.44	2.40		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月16日	蚵殼站	00:19:30	24.92	50.35	33	99.1	6.8	8.35	144	8.2	ND
		03:19:29	25.02	49.95	32.7	101.7	6.98	8.38	140.8	24.1	5.5
		06:19:29	24.68	49.89	32.66	100.8	6.95	8.37	137.8	18.6	ND
		09:19:29	24.9	49.85	32.63	101.9	7.01	8.3	158.8	21	1.8
		12:19:29	25.5	49.75	32.54	100.8	6.87	8.15	170.5	24.7	ND
		14:19:29	25.82	49.88	32.63	104.3	7.06	8.27	150	12.9	ND
		18:15:22	25.88	50.81	33.31	102.9	6.93	8.3	161.4	25.8	3.3
		21:15:21	25.63	50.9	33.39	101.3	6.85	8.31	158.2	15.5	4.9
	日平均值	25.29	50.17	32.86	101.60	6.93	8.30	152.69	18.85	3.88	
	潮口站	00:28:23	28.83	45.02	29.01	102.9	6.76	8.1	117.5	14.5	17.1
		03:28:23	28.34	48.36	31.45	91.6	5.98	8.05	119.4	37.6	4.6
		06:28:23	28.65	46.26	29.92	99.3	6.51	8.1	125.6	18.8	7.9
		09:28:22	28.83	44.86	28.9	92.4	6.07	8.07	123.2	15.8	9.3
		12:28:22	30.73	29.22	17.93	125.8	8.51	8.27	92.8	12.3	17.3
		15:28:19	29.67	39.07	24.75	98.8	6.56	8.31	97.4	19.1	7.9
		18:28:23	29.5	39.77	25.25	95.9	6.36	8.19	104.9	69.3	3.8
		21:28:21	30.02	34.03	21.23	111.6	7.5	8.21	94.8	9.3	19.1
	日平均值	29.32	40.82	26.06	102.29	6.78	8.16	109.45	24.59	10.88	
	灣內站	00:20:25	25.18	43.1	27.73	87.4	6.15	8.05	61.4	5.1	ND
		03:20:30	25.02	43.63	28.11	82.6	5.81	8.03	61	4.6	ND
		06:20:24	24.76	43.39	27.95	86.8	6.14	8.16	59.9	5.9	ND
		09:20:30	25.1	43.6	28.09	91.6	6.44	8.02	77.4	5.3	ND
		14:05:14	26.1	50.3	32.93	101.5	6.82	8.12	133.8	21.4	60.5
		15:21:17	26.42	50.42	33.01	70.1	5.69	8.1	120.3	ND	13.2
		18:29:37	26.54	50.45	33.03	92.7	6.18	8.31	98.4	4.4	6.6
		21:29:38	26.03	50.89	33.37	85.8	5.77	8.16	100.8	1.2	10.7
	日平均值	26.64	46.97	30.53	87.31	6.13	8.12	89.13	6.84	22.75	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
8月17日	蚵殼站	00:15:22	25.65	50.82	33.33	101.7	6.88	8.33	164.5	5.7	1.5
		03:15:23	25.96	50.19	32.86	100.9	6.8	8.31	170.4	73.5	4.6
		06:15:22	25.7	50.03	32.74	99.6	6.75	8.34	152.9	34.3	5.2
		09:15:22	25.94	50.24	32.89	99.2	6.69	8.27	165.2	245.2	3.2
		12:15:22	26.43	50.82	33.31	96.1	6.41	8.27	171.2	28.4	ND
		15:15:23	26.75	50.7	33.21	100.2	6.65	8.3	162	1012.6	3.7
		18:15:22	26.75	50.62	33.15	101.2	6.72	8.3	174.7	13.9	2.3
		21:15:22	26.7	50.69	33.2	100.5	6.68	8.28	171.3	15	4.4
	日平均值	26.24	50.51	33.09	99.93	6.70	8.30	166.53	178.58	3.56	
	潮口站	00:28:24	29.08	42.03	26.86	82.9	5.49	8.13	115.9	25.6	12.9
		03:28:28	28.87	45.8	29.57	94	6.15	8.1	110	211.8	16.7
		06:28:26	28.86	45.93	29.67	88.6	5.8	8.1	104.3	228.3	15.7
		09:28:26	29.08	39.8	25.29	91.3	6.1	8.2	102.9	13.7	7.2
		12:28:29	29.38	41.61	26.56	97	6.4	8.1	128.2	24.1	9.6
		15:28:29	29.49	44.19	28.4	89.7	5.85	8	117.8	18.3	6
		18:28:30	29.63	45.23	29.14	91.9	5.95	7.95	122.5	36	-0.5
		21:28:34	30.03	42.82	27.4	99.9	6.49	8.14	120.8	13	2.1
	日平均值	29.30	43.43	27.86	91.91	6.03	8.09	115.30	71.35	8.71	
	灣內站	00:29:39	26.2	50.55	33.11	68.4	5.59	8.16	86.5	1.8	15.1
		03:29:38	25.92	51.09	33.51	76.8	5.16	8.28	111.2	ND	7.1
		06:29:39	25.24	51.54	33.87	71.6	5.86	8.27	81.5	7.2	7.5
		09:29:38	25.68	51.46	33.8	73.4	5.95	8.11	85	ND	7.5
		12:29:38	26.29	51.33	33.69	76.2	5.09	8.06	81.2	2.7	6.8
		15:29:37	26.51	51.48	33.79	80.9	5.38	8.04	84.9	3.5	11.7
		18:29:38	26.41	51.4	33.73	86.6	5.77	8.09	84.1	2.3	11.4
		21:29:38	26.32	51.34	33.69	85.8	5.72	8.1	80.1	1.7	10.1
	日平均值	26.07	51.27	33.65	77.46	5.57	8.14	86.81	3.20	9.65	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
8月18日	蚵殼站	00:15:17	26.57	50.74	33.25	101.6	6.77	8.33	163.5	5.3	ND	
		03:15:16	26.54	50.75	33.25	99.1	6.6	8.33	168.2	3.6	ND	
		06:15:23	26.21	50.28	32.91	97	6.51	8.32	169.2	5.7	ND	
		09:15:23	26.58	50.38	32.98	99.1	6.61	8.29	168.6	10.1	ND	
		12:15:25	27.15	50.39	32.97	97.8	6.46	8.28	187.2	5.8	ND	
		15:15:25	27.52	50.47	33.02	105.5	6.92	8.38	173.6	8	5.7	
		18:15:23	27.5	50.56	33.09	106.2	6.97	8.32	180.3	6.3	4.7	
		21:15:24	27.49	50.6	33.11	103.5	6.8	8.33	171.5	786.1	5.9	
	日平均值	26.95	50.52	33.07	101.23	6.71	8.32	172.76	103.86	5.43		
	潮口站	00:28:33	29.61	44.02	28.27	96.9	6.31	8.11	112	15.7	3.3	
		03:28:44	28.82	47.31	30.67	93.8	6.11	8.07	129.1	19.1	3.4	
		06:28:44	28.82	47.7	30.95	92.3	6	8.08	138.2	25.6	7.2	
		09:28:44	29.58	42.33	27.06	113.3	7.43	8.2	119	6.8	7.5	
		12:28:47	29.48	45.21	29.13	103	6.69	8.08	116.2	19.8	9.7	
		15:28:45	29.46	45.47	29.32	97.8	6.35	8.02	122.4	15.3	7.4	
		18:28:50	28.89	48.06	31.22	94.9	6.16	8.07	118.1	47.8	5.8	
		21:28:55	29.97	42.53	27.2	127	8.27	8.32	111.9	13.2	13.7	
	日平均值	29.33	45.33	29.23	102.38	6.67	8.12	120.86	20.41	7.25		
	灣內站	00:29:39	26.63	48.77	31.8	73.2	5.91	8.1	84.7	ND	13.8	
		03:29:38	26.43	51	33.44	77.1	5.14	8.23	68	ND	5.9	
		06:29:39	26.14	51.44	33.77	73.6	5.93	8.28	77.9	ND	4.5	
		09:29:39	26.5	51.46	33.78	81.2	5.4	8.09	89	ND	3.5	
		12:29:39	27.34	51.46	33.75	71.3	5.67	8.07	91	ND	3.7	
		15:21:12	27.61	51.17	33.53	79.7	5.21	8.02	223.4	ND	17.5	
		18:29:38	27.83	51.3	33.62	89.9	5.85	8.08	144.5	ND	4.8	
		21:29:39	27.77	51.47	33.75	72.1	5.69	8.08	135.5	2.3	6.9	
	日平均值	27.03	51.01	33.43	77.26	5.60	8.12	114.25	2.30	7.58		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
8月19日	蚵殼站	00:15:25	27.42	50.66	33.16	100.3	6.59	8.34	185	89.2	2.3	
		03:15:25	27.27	50.63	33.14	103.6	6.83	8.35	185.4	21.7	2.6	
		06:15:25	27.16	50.63	33.15	102.9	6.79	8.36	186.4	7.7	4.7	
		09:15:25	27.3	50.62	33.13	101	6.65	8.38	193	25.7	5	
		12:15:26	27.84	50.54	33.06	107.2	7	8.39	193.4	43	4.9	
		15:15:25	28.07	50.46	33	108.7	7.07	8.48	186.7	23.4	5.9	
		18:15:26	27.75	50.46	33.01	110.4	7.22	8.35	168.6	44.7	2.8	
		21:15:21	27.59	50.08	32.73	110.6	7.27	8.35	171.3	62.2	2.2	
	日平均值	27.55	50.51	33.05	105.59	6.93	8.38	183.73	39.70	3.80		
	潮口站	00:28:54	29.84	42.05	26.86	127.5	8.34	8.35	111	6	20.3	
		03:28:56	29.03	46.64	30.18	110.5	7.19	8.13	115.3	19.8	4.3	
		06:28:57	28.76	48.19	31.31	110.9	7.2	8.09	134.5	17	4.1	
		09:29:05	29.24	46.14	29.81	116.5	7.57	8.12	127.8	10.5	9.4	
		12:28:58	29.62	45.78	29.54	114	7.37	8.15	117	21.9	17.2	
		15:29:02	29.23	46.36	29.97	106.6	6.92	8.04	123.6	13.3	15.5	
		18:29:08	29.37	46.43	30.01	110.6	7.16	8.09	126.3	25.3	7.3	
		21:29:02	29.4	45.4	29.27	125.8	8.18	8.25	128.2	7.6	16.2	
	日平均值	29.31	45.87	29.62	115.30	7.49	8.15	122.96	15.18	11.79		
	灣內站	00:29:40	27.73	51.57	33.83	92	6	8.13	127.9	ND	5.1	
		03:29:40	27.28	51.52	33.8	79.5	5.22	8.17	126.5	ND	9.1	
		06:29:40	27.14	51.56	33.83	84.1	5.53	8.26	119.4	ND	12	
		09:29:39	27.27	51.47	33.76	85	5.58	8.19	114.3	ND	2.6	
		12:29:39	28.11	51.51	33.77	83.2	5.39	8.23	114.1	2.6	10.5	
		15:29:34	28.64	51.58	33.8	90.2	5.79	8.27	111.1	2.4	10.5	
		18:29:38	28.34	51.5	33.75	88.4	5.7	8.29	110.2	1.5	21.9	
		21:29:40	27.97	51.48	33.74	95.2	6.18	8.39	111	9.9	25.5	
	日平均值	27.81	51.52	33.79	87.20	5.67	8.24	116.81	4.10	12.15		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月20日	蚵殼站	00:15:27	27.48	50.05	32.71	110.8	7.29	8.04	179.8	52	4	
		03:15:27	27.29	50.21	32.84	107.8	7.11	8.04	188	637.3	10.7	
		06:15:27	27.29	49.87	32.58	106.8	7.05	8.02	181	41	6.5	
		09:15:27	27.34	49.62	32.4	111.3	7.35	8.08	177.9	40.9	11.7	
		12:15:27	28.03	49.58	32.35	120.1	7.85	8.13	178.3	33.2	3.5	
		15:15:28	28.23	50.06	32.7	122.1	7.94	8.2	160.7	36.6	4	
		18:15:28	27.79	50.07	32.72	127.1	8.32	8.19	161.5	23.9	8.1	
		21:15:28	27.62	49.96	32.64	123.5	8.11	8.18	156.9	30.1	5.8	
	日平均值	27.63	49.93	32.62	116.19	7.63	8.11	173.01	111.88	6.79		
	潮口站	00:29:12	30.05	43.43	27.83	138.5	8.98	8.45	104.9	3.6	15.5	
		03:29:13	29.71	44.3	28.47	119.1	7.73	8.33	102.1	8.7	8.4	
		06:29:09	28.7	48	31.17	95.3	6.2	8.09	140.3	14.3	7.8	
		09:29:16	29.05	47.88	31.08	111.8	7.23	8.08	132.9	19	ND	
		12:29:16	29.63	46.17	29.82	121.5	7.85	8.19	122	13.7	12.3	
		15:29:15	29.74	46.47	30.03	126	8.11	8.26	109.9	15.4	21.8	
		18:29:19	28.92	46.6	30.15	99.7	6.5	8.08	111.6	25.5	12.4	
		21:29:21	28.74	47.98	31.16	99.4	6.46	8.08	111.2	12.9	14.9	
	日平均值	29.32	46.35	29.96	113.91	7.38	8.20	116.86	14.14	13.30		
	灣內站	00:29:41	27.74	51.6	33.84	81.2	5.29	7.91	106.3	5.3	16.4	
		03:29:40	27.5	51.48	33.76	83	5.43	7.95	106.3	ND	23.7	
		06:29:41	27.32	51.44	33.74	83.5	5.48	7.91	108.8	2.1	12.8	
		09:29:35	27.58	51.39	33.7	72.4	5.73	7.83	123.8	6.2	10	
		12:29:40	28.72	50.97	33.35	103.3	6.64	8.03	117.4	ND	18.4	
		15:21:25	28.86	50.37	32.91	104.3	6.7	8.03	227.7	6.4	22.3	
		18:29:42	28.61	51.18	33.51	120.6	7.75	8.06	149.9	7.1	17.4	
		21:29:41	28.61	50.85	33.27	117	7.54	8.08	142.2	14.6	22.1	
	日平均值	28.12	51.16	33.51	95.66	6.32	7.98	135.30	6.95	17.89		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月21日	蚵殼站	00:15:28	27.77	49.96	32.64	124.2	8.14	8.23	160.5	35.9	5.5	
		03:15:28	27.87	49.5	32.3	122.1	8	8.24	174.3	52.3	9.9	
		06:15:28	27.47	49.64	32.41	118.2	7.79	8.28	165.7	28.8	6.7	
		09:15:28	27.43	49.55	32.34	121.6	8.02	8.28	147.5	30.8	7.3	
		12:15:28	27.89	49.67	32.42	124.5	8.15	8.33	169.4	16.8	7.8	
		15:15:28	27.46	49.73	32.48	116.6	7.68	8.22	163.9	14.5	2.4	
		18:15:29	27.26	49.93	32.63	112.3	7.42	8.24	159.5	42.1	9.5	
		21:15:30	27.21	49.75	32.5	112.7	7.46	8.17	162.5	73.9	8.7	
	日平均值	27.55	49.72	32.47	119.03	7.83	8.25	162.91	36.89	7.23		
	潮口站	00:29:18	29.66	44.32	28.48	118.4	7.69	8.43	100.3	5.5	6.1	
		03:29:26	29.22	45.83	29.58	108.7	7.07	8.21	107.8	11	15.7	
		06:29:31	28.54	47.83	31.06	99.4	6.49	8.12	108.4	11.6	12.4	
		09:29:26	29.05	47.97	31.15	100.8	6.52	8.08	108.2	15.7	8.2	
		12:29:30	29.25	47.19	30.57	113.7	7.36	8.17	112.3	8.8	10.8	
		15:29:27	29.25	47.24	30.61	112.2	7.26	8.12	104.5	11.9	16.6	
		18:29:34	28.83	47.05	30.49	106.7	6.96	8.1	136.4	13	6.6	
		21:29:35	29.01	48.02	31.18	97.3	6.3	8.13	117	20.1	9.4	
	日平均值	29.10	46.93	30.39	107.15	6.96	8.17	111.86	12.20	10.73		
	灣內站	00:29:41	28.14	51.05	33.43	103.3	6.7	8.03	135	3.1	20.8	
		03:29:41	27.73	50.82	33.27	98.1	6.41	8.13	111.3	ND	23.3	
		06:29:41	27.43	51.23	33.58	98.6	6.46	8.17	116.5	1.7	17.7	
		09:29:41	27.41	51.05	33.45	101.6	6.67	8.22	111.4	2.6	18.4	
		12:17:05	28.97	48.17	31.29	92.1	5.96	8.36	66.3	2.3	34.2	
		15:17:04	30.92	45.31	29.16	128.1	8.13	8.28	58.5	8.1	18.3	
		18:17:06	29.83	47.82	31.01	123	7.87	8.3	57.6	2.6	22	
		21:17:01	29.56	48	31.15	106.8	6.86	8.2	63.6	4.5	18.8	
	日平均值	28.75	49.18	32.04	106.45	6.88	8.21	90.03	3.56	21.69		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月22日	蚵殼站	00:15:29	27.14	49.68	32.45	114.6	7.6	8.24	160.8	62.7	5.3	
		03:15:32	26.99	49.65	32.43	112.9	7.51	8.29	144.4	49.5	5.5	
		06:15:30	26.72	49.58	32.39	111.3	7.44	8.25	176.1	749.1	6.7	
		09:15:30	26.83	49.63	32.42	110.2	7.34	8.22	179.8	39.3	1.2	
		12:15:31	27.18	49.28	32.15	114.3	7.58	8.27	159.6	70.6	3.7	
		15:15:29	27.23	49.67	32.44	108.7	7.2	8.16	173.9	47.6	ND	
		18:15:31	27.33	49.98	32.67	110.5	7.29	8.12	164.7	12.7	5.8	
		21:15:32	27.23	49.73	32.48	112.1	7.42	8.16	176.7	17.3	ND	
	日平均值	27.08	49.65	32.43	111.83	7.42	8.21	167.00	131.10	4.70		
	潮口站	00:29:33	29.46	43.42	27.84	111.9	7.32	8.44	104.3	4.7	7.2	
		03:29:37	29.31	44.05	28.3	109	7.13	8.34	123.4	5	10	
		06:29:38	28.6	47.52	30.83	95.8	6.25	8.13	109.6	14.3	14	
		09:29:40	29.04	47.87	31.07	99.2	6.42	8.08	119.4	7.8	2.9	
		12:29:39	29.53	46.64	30.16	108.5	7	8.18	118.1	7.4	8.5	
		15:29:36	29.59	47.01	30.43	118.5	7.63	8.15	130.3	6.8	11.6	
		18:29:40	29.43	46.86	30.33	110.5	7.14	8.08	134.2	6.5	10	
		21:29:46	28.99	47.87	31.08	95.9	6.21	8.07	120.6	8.2	9.1	
	日平均值	29.24	46.41	30.01	106.16	6.89	8.18	119.99	7.59	9.16		
	灣內站	00:17:03	29.2	48.43	31.48	83.4	5.37	8.04	60.7	6	17.6	
		03:17:04	29.31	48.21	31.31	91.5	5.89	8.13	60.6	5.1	16.9	
		06:17:04	29.36	48.18	31.29	87.4	5.62	8.13	60.8	4.5	16.6	
		09:17:05	29.36	48.14	31.26	92.4	5.94	8.14	62.7	4	14.9	
		12:17:06	29.3	48.24	31.33	100.1	6.44	8.06	63.5	5	21.9	
		15:17:04	30.02	47.4	30.7	99.8	6.37	8.1	64.3	9.4	16.4	
		18:17:06	29.9	47.55	30.82	107.8	6.89	8.12	67.9	8.5	34	
		21:17:04	29.22	48.43	31.47	103.4	6.59	7.84	56.8	10.7	21.9	
	日平均值	29.46	48.07	31.21	95.73	6.14	8.07	62.16	6.65	20.03		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月23日	蚵殼站	00:15:31	27.29	49.28	32.15	115.9	7.68	8.24	164.4	48	4.2	
		03:15:32	27.02	49.12	32.04	111.9	7.45	8.26	173.4	98	4.9	
		06:15:31	26.7	49.04	31.99	111.5	7.46	8.24	170.2	55.3	4.3	
		08:45:32	26.82	48.73	31.76	109.7	7.34	8.17	172.3	144.5	2.1	
		14:16:17	28.05	50.43	32.97	100.2	6.52	8.05	175.1	201.4	4.3	
		15:07:50	27.83	50.2	32.81	105.7	6.91	8.02	191.1	51.1	3.9	
		18:16:22	28.02	50.05	32.7	108	7.05	8	175.1	17.1	3.2	
		21:16:17	28.05	50.02	32.68	108.7	7.09	8.07	161.1	24.7	ND	
	日平均值	27.47	49.61	32.39	108.95	7.19	8.13	172.84	80.01	3.84		
	潮口站	00:29:46	30	44.8	28.82	116.2	7.5	8.31	115.6	2.9	7.6	
		03:29:50	30.37	45.24	29.13	130.8	8.38	8.23	130.3	6.6	3.9	
		06:29:53	29.81	45.94	29.65	102.5	6.6	8.21	114.5	4.6	6.4	
		09:29:51	29.62	48.12	31.24	92.1	5.9	8.04	148.4	9.7	10.6	
		12:29:56	30.03	47.95	31.1	107.1	6.82	8.05	149.6	4.3	ND	
		15:00:03	31.7	46	29.63	138.8	8.68	8.16	143.6	3.6	8.4	
		18:00:00	31.67	45.51	29.28	134.6	8.43	8.31	129.2	3.1	8.6	
		21:00:08	29.57	47.65	30.89	96.4	6.19	8	145.3	5.4	7.9	
	日平均值	30.35	46.40	29.97	114.81	7.31	8.16	134.56	5.03	7.63		
	灣內站	00:17:04	29.18	48.65	31.64	88.8	5.72	8.02	68.4	2.2	17.5	
		03:17:05	29.09	48.73	31.7	80.6	5.2	8	69.7	2.8	11.6	
		06:17:05	29.22	48.62	31.61	89.1	5.73	8.1	72.9	ND	11.1	
		09:17:00	29.49	48.06	31.19	102.1	6.55	8.14	78.5	4.6	11.9	
		12:17:07	30.2	47.01	30.41	133.6	8.52	8.28	87.4	2.9	15.5	
		15:17:07	29.15	48.66	31.64	67	4.32	7.71	75.3	13.7	16.3	
		18:17:02	29.25	48.61	31.6	82.8	5.33	7.84	78.9	10.5	20.6	
		21:17:05	29.13	48.72	31.69	91.3	5.88	7.93	86.5	4.4	14.4	
	日平均值	29.34	48.38	31.44	91.91	5.91	8.00	77.20	5.87	14.86		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月24日	蚵殼站	00:16:24	27.93	49.73	32.46	110.4	7.22	8.1	178.2	11.9	ND	
		03:16:24	27.47	49.93	32.62	105.8	6.97	8.18	169.7	28.4	1.4	
		06:16:17	26.88	50.04	32.72	102	6.78	8.22	164.8	20.2	3.2	
		09:16:23	26.59	50.12	32.79	102.4	6.84	8.23	146.1	61.2	1.3	
		12:16:23	26.69	50.23	32.87	103.1	6.87	8.23	148.9	47.4	6.7	
		15:16:24	26.52	50.11	32.78	102.6	6.86	8.19	138.7	88.3	7.2	
		18:16:24	26.32	50.08	32.77	101.3	6.79	8.17	150.4	81	3.6	
		21:16:24	25.93	49.55	32.38	99.6	6.74	8.13	152	79.1	3.8	
	日平均值		26.79	49.97	32.67	103.40	6.88	8.18	156.10	52.19	3.89	
	潮口站	00:00:03	29.87	48.41	31.44	91.7	5.85	8.03	151.3	7.8	4.4	
		03:00:12	30.39	45.27	29.15	120.5	7.71	8.21	133.6	2.6	8.3	
		06:00:10	29.66	47.25	30.6	108.6	6.98	8.1	139.3	4.6	7.2	
		09:00:10	29.49	46.91	30.36	65.6	4.23	7.94	141.4	16.8	5	
		12:00:17	29.04	25.84	15.7	64.2	4.52	7.83	158.2	37.6	12	
		15:23:28	26.36	51.45	33.77	106.1	7.07	8.27	109.1	4.6	3.6	
		18:23:38	26.03	51.71	33.97	102.3	6.85	8.22	106.5	4.3	ND	
		21:23:37	25.84	51.94	34.15	104.7	7.03	8.24	108.5	3.6	4.1	
	日平均值		28.34	46.10	29.89	95.46	6.28	8.11	130.99	10.24	6.37	
	灣內站	00:17:09	29.33	48.51	31.53	86.3	5.54	7.97	84.9	7.1	14.7	
		03:17:06	29.49	48.18	31.28	75.4	4.84	7.95	86.1	6.5	14.8	
		03:47:01	29.81	47.4	30.7	91.1	5.83	8.13	86.3	4.5	13.4	
		09:48:51	29	45.77	29.55	84.8	5.54	8.13	81.8	30.3	9	
		12:26:52	28.73	46.36	29.98	90.8	5.94	8.17	81.1	19.5	11.9	
		15:05:05	28.71	46.73	30.26	83.5	5.46	8.13	82.6	21.2	8.3	
		18:06:05	28.09	45.08	29.08	87.5	5.82	8.11	83.7	16	13.1	
		21:15:47	28.06	45.65	29.49	84.1	5.58	8.07	88.7	8.8	8.7	
	日平均值		28.90	46.71	30.23	85.44	5.57	8.08	84.40	14.24	11.74	
	甲類海域地面水體基準值							5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月25日	蚵殼站	00:16:23	25.99	49.96	32.68	100.8	6.8	8.21	140.3	38.9	2.7	
		03:16:24	25.84	49.97	32.69	99.4	6.73	8.16	151.6	73.1	2.9	
		06:16:23	25.66	49.95	32.68	97.5	6.62	8.15	156.8	54.9	2.8	
		09:16:24	25.5	50.06	32.77	98.5	6.7	8.1	159.7	62.7	1.6	
		12:16:24	25.92	49.82	32.58	94.4	6.38	8.01	151.3	35.2	ND	
		15:08:04	25.89	50.06	32.76	98.7	6.67	8.07	167.3	38.1	3.2	
		18:16:25	25.73	50.21	32.88	96.3	6.52	8.01	154.5	71.7	1.4	
		21:16:25	25.44	50.09	32.79	97.3	6.62	8.09	141	49.2	ND	
	日平均值		25.75	50.02	32.73	97.86	6.63	8.10	152.81	52.98	2.43	
	潮口站	00:23:38	25.7	51.75	34.01	100.6	6.77	8.23	105.4	7.8	2.2	
		03:23:41	25.67	51.5	33.83	99.9	6.74	8.25	104.1	4.6	3.3	
		06:23:43	26.16	51.91	34.12	98.5	6.58	8.21	106.6	2.8	ND	
		09:23:51	25.56	51.92	34.14	97.6	6.58	8.21	107.6	4.5	ND	
		12:23:49	25.88	51.75	34	94.9	6.37	8.17	101.5	13.5	ND	
		15:23:55	26.28	51.58	33.87	99.1	6.61	8.21	104.6	12.8	ND	
		18:23:55	26.27	51.55	33.85	102	6.81	8.19	103.8	5.8	4.6	
		21:24:00	26.02	51.87	34.09	105.6	7.07	8.23	107.3	3	6.9	
	日平均值		25.94	51.73	33.99	99.78	6.69	8.21	105.11	6.85	4.25	
	灣內站	00:24:05	27.91	45.58	29.45	86	5.72	8.09	93	6.4	5	
		03:24:07	27.85	45.35	29.28	83.5	5.57	8.08	93.4	7.7	8.4	
		06:24:07	27.74	45.17	29.16	82.6	5.52	8.08	93.2	5	5.1	
		09:24:07	27.62	43.97	28.3	83.4	5.62	8.05	91	11.8	3.7	
		12:24:04	27.57	44.13	28.41	80.6	5.43	8.05	93.7	13.1	7	
		15:24:07	27.66	44.92	28.98	81	5.43	7.96	96.3	10.4	4.1	
		18:24:07	27.71	44.26	28.5	83.6	5.61	7.95	102.1	8.5	4.7	
		21:24:08	27.72	44.18	28.44	80.2	5.38	7.99	99.3	7.2	4.3	
	日平均值		27.72	44.70	28.82	82.61	5.54	8.03	95.25	8.76	5.29	
	甲類海域地面水體基準值							5.0以上	7.5-8.5	環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月26日	蚵殼站	00:16:26	25.41	50	32.73	97.1	6.61	8.09	144.9	62.5	ND	
		03:16:26	25.31	49.97	32.71	96.1	6.56	8.05	127.5	66	2.1	
		06:16:26	25.14	49.9	32.66	93.9	6.43	8.01	146.7	53.5	2	
		09:16:25	25.14	49.66	32.49	95.7	6.56	7.96	154.9	59.8	ND	
		12:16:28	25.66	49.74	32.53	95.5	6.48	7.9	150.6	26.7	1.3	
		15:16:26	25.54	49.97	32.7	95.3	6.48	7.88	173.9	51.4	ND	
		18:16:27	25.34	49.91	32.67	95.7	6.53	8	154.2	14.4	ND	
		21:16:27	25.44	50.04	32.76	95.5	6.5	7.97	158	64.6	5.8	
	日平均值		25.37	49.90	32.66	95.60	6.52	7.98	151.34	49.86	2.80	
	潮口站	00:23:58	25.41	51.65	33.94	100.5	6.8	8.2	106.7	10.2	2.7	
		03:23:58	25.32	51.42	33.78	88.8	6.02	8.21	108.7	9.6	4.3	
		06:24:04	25.91	51.9	34.11	96.9	6.5	8.19	106.1	4.4	2.3	
		09:24:02	25.6	51.83	34.07	101.8	6.86	8.2	106.5	4	6.6	
		12:24:01	26.17	51.76	34	99.2	6.63	8.16	107.9	9.9	1.6	
		15:24:04	26.2	51.69	33.95	99.5	6.64	8.16	103.5	9.1	7	
		18:24:08	26.31	51.21	33.59	101.3	6.76	8.16	106.5	5.3	ND	
		21:24:08	26.1	51.24	33.62	102	6.83	8.17	101.2	5.4	ND	
	日平均值		25.88	51.59	33.88	98.75	6.63	8.18	105.89	7.24	4.08	
	灣內站	00:24:08	27.71	43.97	28.29	80.8	5.43	7.97	98.2	6.2	5.1	
		03:24:09	27.59	43.11	27.67	86.4	5.84	8	104	3.5	3.5	
		06:24:07	27.61	43.34	27.84	82.1	5.54	8.01	104.1	3.5	6.5	
		09:24:08	27.69	43.53	27.98	74.7	5.03	7.89	103.8	6.4	2.9	
		12:24:08	27.71	43.54	27.98	75.4	5.08	7.83	108.9	3.6	3.9	
		15:24:17	27.78	43.78	28.16	71.3	4.79	7.79	105.8	4.4	2.9	
		18:24:09	27.68	43.84	28.2	82.3	5.54	7.86	106.2	3.1	3.6	
		21:15:49	27.95	41.47	26.5	89.7	6.06	7.9	105.4	3.4	7.4	
		日平均值		27.72	43.32	27.83	80.34	5.41	7.91	104.55	4.26	4.48
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月27日	蚵殼站	00:16:27	25.33	49.91	32.66	96	6.55	7.93	151.3	17.2	ND	
		03:16:28	25.24	49.82	32.6	96.6	6.61	8	157	12.9	2.7	
		06:16:27	25.05	49.77	32.57	95.3	6.54	7.97	166.6	22.1	2	
		09:16:26	25.17	49.79	32.58	96.1	6.58	7.93	162.3	27.4	1	
		12:16:28	25.77	49.49	32.34	97	6.58	7.96	151.2	15.6	ND	
		15:08:03	25.28	49.84	32.61	93.4	6.38	7.79	152.1	143.1	1.1	
		18:16:27	25.2	50.01	32.74	94.4	6.46	7.92	167.6	79.2	1.2	
		21:16:22	25.17	49.7	32.51	94.1	6.45	7.74	151.5	22.6	3.9	
		日平均值		25.28	49.79	32.58	95.36	6.52	7.91	157.45	42.51	1.98
	潮口站	00:24:11	25.61	51.54	33.86	95.7	6.45	8.16	105.2	13.9	4.4	
		03:24:07	25.37	51.48	33.82	94.1	6.37	8.16	103.9	12.1	3.2	
		06:24:09	25.92	51.89	34.11	96.3	6.46	8.19	106.8	10.1	3.5	
		09:24:16	25.9	51.77	34.02	100.2	6.72	8.19	105.2	7	1.9	
		12:24:17	26.52	51.75	33.99	98.9	6.57	8.17	104.6	9.2	8.6	
		15:24:15	26.19	51.69	33.95	94.3	6.3	8.11	99.7	21.1	4.1	
		18:24:21	25.83	51.55	33.86	91.4	6.15	8.11	102.6	20.8	5.5	
		21:24:18	25.98	51.85	34.08	98.8	6.62	8.16	104.5	10.5	4.9	
	日平均值		25.92	51.69	33.96	96.21	6.46	8.16	104.06	13.09	4.51	
	灣內站	00:24:08	27.8	43.29	27.8	78.3	5.27	7.88	105.2	5	8	
		03:24:09	27.72	43.5	27.95	77.9	5.25	7.9	103	2.7	1.8	
		06:24:03	27.78	43.34	27.84	78.5	5.28	7.9	106.4	4	2.3	
		09:24:07	27.75	43.84	28.2	74.6	5.01	7.86	106.1	4.1	1	
		12:24:09	27.96	43.48	27.93	79.9	5.36	7.82	109.3	8.5	4.3	
		15:24:08	28.02	43.55	27.98	76.1	5.1	7.81	110.7	8.6	2.6	
		18:24:10	28.13	43.89	28.22	82.7	5.52	7.95	105.5	4	7	
		21:24:10	27.92	43.25	27.77	80.8	5.42	7.97	101.6	9.4	8.3	
	日平均值		27.89	43.52	27.96	78.60	5.28	7.89	105.98	5.79	4.41	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月28日	蚵殼站	00:16:28	25.07	49.74	32.55	98.2	6.74	8.48	144.6	30.4	ND	
		03:16:29	24.93	49.8	32.59	97.7	6.71	8.48	154.9	27.5	ND	
		06:16:29	24.78	49.75	32.56	97	6.68	8.42	154.3	18.9	1.5	
		09:16:30	24.96	49.71	32.53	97	6.67	8.36	146.2	13.7	2.7	
		12:16:30	25.36	49.53	32.39	98.6	6.74	8.27	154.8	38.2	3.6	
		15:16:29	25.29	49.8	32.58	97	6.63	8.33	147.8	21.9	2.6	
		18:16:25	25.09	49.85	32.62	97.4	6.68	8.32	163.1	38.6	2.3	
		21:16:29	25.35	49.87	32.63	99	6.75	8.47	152.6	29.5	6.2	
	日平均值	25.10	49.76	32.56	97.74	6.70	8.39	152.29	27.34	3.15		
	潮口站	00:24:19	25.49	51.71	33.98	96.4	6.51	8.16	104.7	8.7	5.2	
		03:24:25	24.97	51.58	33.9	90.6	6.18	8.12	103	14.3	3.9	
		06:24:26	25.63	51.84	34.08	95.9	6.46	8.19	106.4	7	5.2	
		09:24:22	25.71	51.97	34.17	97.4	6.55	8.17	105.4	7.6	ND	
		12:24:22	26.17	51.91	34.11	100.1	6.68	8.17	104.7	8.4	3.8	
		15:24:26	26.46	51.88	34.09	97.5	6.48	8.13	105.1	14.4	5.4	
		18:24:29	25.35	51.62	33.92	93.6	6.34	8.09	105.4	21.3	9	
		21:24:29	26.01	51.88	34.09	95.2	6.37	8.16	106.3	9.5	ND	
	日平均值	25.72	51.80	34.04	95.84	6.45	8.15	105.13	11.40	5.42		
	灣內站	00:24:05	27.8	42.03	26.9	86.6	5.85	8.03	104.8	3.3	14.3	
		03:24:10	27.79	41.15	26.27	88.3	5.99	7.98	106.9	3.8	16.6	
		06:24:06	27.53	40.07	25.52	85.5	5.85	7.97	104.6	15.9	16.1	
		09:24:11	27.54	40.47	25.8	85.2	5.82	7.92	109.7	14.1	15.1	
		12:24:10	27.73	40.49	25.8	89.5	6.1	7.94	107.1	13.8	13.4	
		15:24:07	27.92	39.55	25.14	100.4	6.85	8	106.2	6.5	19.4	
		18:24:09	27.96	39.27	24.94	100.7	6.87	7.99	106.8	7	22.1	
		21:15:50	27.96	39.79	25.31	100.9	6.87	8	103.7	5.3	19.8	
	日平均值	27.78	40.35	25.71	92.14	6.28	7.98	106.23	8.71	17.10		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
8月29日	蚵殼站	00:16:30	25.43	49.53	32.38	99.8	6.81	8.45	141.3	46.7	11	
		03:16:30	25.23	49.65	32.47	98.8	6.76	8.36	156.5	19.3	7.3	
		06:16:30	24.97	49.72	32.53	96.7	6.64	8.38	171.3	27.5	9	
		09:16:24	25.1	49.65	32.48	99.1	6.8	8.37	155.1	10.5	4	
		12:16:31	25.88	49.79	32.56	101.5	6.87	8.38	154.7	9.5	5.5	
		15:08:10	25.33	49.66	32.48	98.7	6.74	8.31	155.9	21	7.6	
		18:16:31	25.24	49.68	32.5	99.1	6.78	8.34	157.5	31.1	9.8	
		21:16:31	25.34	49.86	32.62	99.3	6.78	8.45	168.9	11.3	16.4	
	日平均值	25.32	49.69	32.50	99.13	6.77	8.38	157.65	22.11	8.83		
	潮口站	00:24:34	25.8	51.92	34.13	97	6.51	8.14	102.8	7.9	3.6	
		03:24:31	25.62	51.91	34.13	95.1	6.41	8.15	106.4	7.2	2.8	
		06:24:32	25.59	51.86	34.1	94.1	6.34	8.17	104.6	11.6	3.5	
		09:24:37	25.94	52.22	34.35	97.5	6.52	8.2	104.2	5	1.9	
		12:24:37	25.96	52.01	34.19	104.2	6.97	8.19	105.7	7.3	9.9	
		15:24:36	26.3	51.96	34.15	106.6	7.1	8.17	99.1	9.3	5.2	
		18:24:41	26.24	51.97	34.16	105.5	7.03	8.16	102.7	11.6	8.9	
		21:24:41	25.96	51.95	34.15	99.1	6.63	8.19	105.1	8.3	8.4	
	日平均值	25.93	51.98	34.17	99.89	6.69	8.17	103.83	8.53	5.53		
	灣內站	00:24:10	27.87	39.9	25.38	96	6.54	7.98	108	4.5	18.7	
		03:24:11	27.89	40.56	25.85	88.5	6.01	7.95	109.2	3.6	23.8	
		06:24:10	27.91	42.42	27.17	76.3	5.14	7.88	102.3	5.1	12	
		09:24:05	27.91	43.14	27.69	88.2	5.93	7.93	105.7	5	15	
		12:24:11	28	42.93	27.54	78.1	5.24	7.75	111.9	13.2	12.6	
		15:24:11	28.08	42.73	27.39	86.3	5.79	7.81	107.9	9.5	15.8	
		18:24:12	28.06	42.79	27.44	85.7	5.75	7.87	107.4	7.6	22.5	
		21:24:07	27.94	44.97	29.01	75.8	5.05	7.82	107.4	6.2	12	
	日平均值	27.96	42.43	27.18	84.36	5.68	7.87	107.48	6.84	16.55		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月30日	蚵殼站	00:16:26	25.34	49.77	32.56	99	6.76	8.4	135.9	15.8	16.6	
		03:16:26	25.21	49.68	32.5	99.5	6.81	8.36	150.8	11.2	18.4	
		06:16:32	25.09	49.71	32.52	99.2	6.8	8.44	155.5	19.3	14.2	
		09:16:32	25.3	49.68	32.49	102.1	6.98	8.39	158.9	20.1	17.9	
		12:16:32	25.9	49.53	32.37	106.7	7.22	8.45	135.3	96.3	23.4	
		15:16:26	25.42	49.58	32.42	98.8	6.74	8.31	145.9	1151.1	13.5	
		18:16:34	25.33	49.6	32.44	98.6	6.73	8.3	150.2	16.4	8.8	
		21:16:34	25.5	49.53	32.38	101.5	6.92	8.38	156.1	16.8	24.5	
	日平均值	25.39	49.64	32.46	100.68	6.87	8.38	148.58	168.38	17.16		
	潮口站	00:24:41	26.04	52.1	34.26	101.1	6.75	8.21	101.3	5.2	4.8	
		03:24:45	25.55	51.96	34.17	100	6.74	8.16	104.9	8.1	6	
		06:24:45	25.63	52.08	34.26	98	6.6	8.17	104.2	11.4	8.3	
		09:24:52	26.14	52.31	34.41	100.1	6.67	8.21	102.6	5.8	3.5	
		12:24:50	26.64	52.35	34.43	107.9	7.13	8.23	106.9	6.1	ND	
		15:24:48	26.3	52.08	34.24	107.1	7.13	8.19	107	15.2	8.3	
		18:24:50	26.11	52	34.19	112.6	7.52	8.22	107.6	9.5	11.5	
		21:24:54	25.92	51.92	34.13	107.9	7.23	8.17	105.1	7.1	9.8	
	日平均值	26.04	52.10	34.26	104.34	6.97	8.20	104.95	8.55	7.46		
	灣內站	00:24:08	27.97	43.68	28.07	81.2	5.44	7.9	109.5	3.5	20.7	
		03:24:11	28.06	42.66	27.34	67.6	4.54	7.84	105.3	6.8	11.9	
		06:24:11	27.89	45.19	29.16	82.2	5.48	7.91	109.5	3.4	9.6	
		09:24:05	27.96	45.03	29.05	79.2	5.28	7.88	110	7.6	10.8	
		12:24:12	28.23	43.73	28.1	81.6	5.44	7.88	114.6	8.3	9.6	
		15:24:11	28.14	44.5	28.66	78.1	5.2	7.8	113.5	6.8	7	
		18:24:01	28.23	44.14	28.4	83.7	5.57	7.83	111.1	7.8	14.2	
		21:15:45	28.11	45.29	29.23	83.9	5.58	7.72	104.4	8.8	5.7	
	日平均值	28.07	44.28	28.50	79.69	5.32	7.85	109.74	6.63	11.19		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
8月31日	蚵殼站	00:16:33	25.47	49.57	32.41	101	6.89	7.9	150.4	7.9	21.1	
		03:16:34	25.39	49.52	32.38	101.7	6.94	7.93	140	8.4	18.2	
		06:16:28	25.56	49.51	32.36	105.5	7.19	8.01	147	9.4	12.5	
		09:16:34	25.92	49.47	32.32	108.1	7.32	8.1	139	7.9	8.7	
		12:16:35	26.13	49.28	32.18	104.9	7.08	7.98	149.2	4.2	13.3	
		15:08:13	25.61	49.46	32.33	106.5	7.25	7.93	150	9.8	13.4	
		18:16:35	25.66	49.58	32.41	101	6.86	8.01	145.3	10.4	11	
		21:16:39	25.54	49.54	32.39	101.7	6.93	8.01	142.8	6.6	14.7	
	日平均值	25.66	49.49	32.35	103.80	7.06	7.98	145.46	8.08	14.11		
	潮口站	00:24:53	26.41	52.25	34.36	99.1	6.58	8.19	106.5	4.6	5.8	
		03:24:58	26.16	52.13	34.28	96.3	6.42	8.18	106.2	5.8	2.7	
		06:24:59	26	52.08	34.24	97.1	6.5	8.18	107.4	5.8	6	
		09:25:05	26.41	52.11	34.26	96.1	6.38	8.2	108.8	4.4	6.1	
		12:25:04	26.79	52.18	34.3	103.3	6.82	8.23	109.8	5	ND	
		15:25:09	26.56	52.11	34.25	101.6	6.73	8.21	109.5	7.4	8.4	
		18:25:07	26.49	52.17	34.3	102.3	6.78	8.22	112.8	9.1	2.7	
		21:25:08	26.13	51.83	34.06	102.8	6.87	8.2	113.6	7.8	5.2	
	日平均值	26.37	52.11	34.26	99.83	6.64	8.20	109.33	6.24	5.27		
	灣內站	00:24:12	28.53	43.34	27.82	75.3	5.01	7.82	113	9.2	15.6	
		03:24:05	28.01	45.3	29.24	78.3	5.21	7.82	120.9	3.3	4.8	
		06:24:03	27.94	45.42	29.33	83.8	5.91	7.84	111.3	2.3	10.2	
		09:24:10	27.97	45.45	29.35	79.4	5.62	7.78	114.4	1.7	9.9	
		12:24:07	28.14	45.58	29.44	79.3	5.59	7.77	117.7	6.3	13.2	
		15:24:11	28.07	46.06	29.79	83.9	5.99	7.87	125.2	2.4	12.2	
		18:24:02	28.4	44.71	28.8	102.6	6.8	8.07	124	7	17.2	
		21:24:12	28.59	44.25	28.47	110.5	7.31	8.11	128.7	2.4	15.9	
	日平均值	28.21	45.01	29.03	86.64	5.93	7.89	119.40	4.33	12.38		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月1日	蚵殼站	00:17:02	27.83	0.698	0.34	95.3	7.47	8.35	148.6	ND	ND	
		03:17:03	27.98	0.67	0.32	96	7.51	8.41	154.8	ND	ND	
		06:17:00	27.77	0.697	0.34	95.4	7.49	8.38	171.5	ND	ND	
		09:17:01	28.19	0.672	0.32	95	7.4	8.33	141.2	ND	1.6	
		12:17:02	28.28	0.687	0.33	95.1	7.39	8.33	123.4	ND	ND	
		15:17:02	28.56	0.716	0.35	95.3	7.38	8.33	142.8	ND	ND	
		18:17:01	27.48	0.704	0.34	95.9	7.57	8.48	125.9	ND	ND	
		21:08:48	26.66	0.729	0.35	95.7	7.66	8.43	141.7	ND	ND	
	日平均值	27.84	0.70	0.34	95.46	7.48	8.38	143.74	ND	1.60		
	潮口站	00:24:12	28.23	45.42	29.32	68.3	5.52	8.31	148.7	7.5	11	
		03:24:10	28.41	44.87	28.92	84	5.56	8.47	158.4	3.6	11.6	
		06:24:07	28.23	45.41	29.31	69	5.57	8.37	174	6.3	12.1	
		09:24:11	28.08	46.94	30.42	61	6.03	8.22	151.4	6.2	6.7	
		12:24:12	28.61	45.86	29.63	60.9	6	8.22	128.7	15.6	8.4	
		15:24:12	30.51	41.73	26.61	116.6	7.55	8.25	138	4.8	10.2	
		18:24:11	28.69	45.63	29.46	72.4	5.76	8.45	135.3	8.2	8.8	
		21:15:58	28.27	46.51	30.1	68	5.48	8.44	148.4	3.9	5	
	日平均值	28.63	45.30	29.22	75.03	5.93	8.34	147.86	7.01	9.23		
	灣內站	00:31:22	28.01	46.57	30.16	58.5	5.87	8.28	151	7.1	6.3	
		03:31:17	28.23	45.43	29.33	80.6	5.34	8.41	163.3	5.8	6	
		06:31:20	28	46.88	30.38	51.6	5.41	8.22	162.5	13.2	9.2	
		09:31:21	27.97	47.23	30.64	50	6.3	8.17	150.6	26.3	5.6	
		12:31:22	27.93	47.53	30.86	50	6.3	8.17	137	33.3	7.4	
		15:31:22	28.28	46.51	30.11	67	6.14	8.18	155.3	13.2	5.8	
		18:31:21	28.28	46.27	29.94	64.3	5.24	8.36	138.2	15.1	10.8	
		21:23:08	28.04	47.12	30.55	55.4	5.65	8.31	151.3	10.7	10	
	日平均值	28.09	46.69	30.25	59.68	5.78	8.26	151.15	15.59	7.64		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月2日	蚵殼站	00:06:32	21.5	50.15	32.91	110.4	8.05	7.95	125.9	51	21.5	
		03:06:31	21.21	50.06	32.84	109.6	8.03	8	123.4	11	19.4	
		06:06:32	20.76	49.24	32.24	110	8.16	8.06	129.7	191.1	57.8	
		09:06:32	20.86	49.69	32.58	110.5	8.16	8.09	125.5	76.1	47.8	
		12:06:32	21.03	49.43	32.38	116.2	8.56	7.83	135.8	200.2	75.5	
		15:28:58	21.87	50.46	33.13	111.8	8.08	7.74	259.7	97.5	40.5	
		18:06:33	21.95	50.45	33.12	111.4	8.04	7.72	176.7	379.2	71.7	
		21:06:34	21.91	49.98	32.78	115	8.33	7.79	156	168	65.7	
	日平均值	21.39	49.93	32.75	111.86	8.18	7.90	154.09	146.76	49.99		
	潮口站	00:05:55	22.33	52.78	34.84	92.2	6.55	7.9	180.4	8	3.8	
		03:06:01	21.65	52.49	34.63	93.8	6.75	7.97	176.9	8	12.5	
		06:06:00	22.1	52.85	34.89	87.7	6.25	7.95	184.3	6.2	5.3	
		09:06:00	22.12	52.92	34.95	90.3	6.43	7.94	177.5	7.8	6.2	
		12:05:59	22.55	53.07	35.05	89.3	6.31	7.76	171.6	6.7	ND	
		15:06:00	23.2	52.99	34.98	97.1	6.78	7.71	187.4	3.9	8.1	
		18:05:54	23.22	52.21	34.4	94.1	6.6	7.72	196	2.3	1	
		21:06:00	22.55	52.79	34.84	97	6.86	7.72	187.3	10.6	9.3	
	日平均值	22.47	52.76	34.82	92.69	6.57	7.83	182.68	6.69	6.60		
	灣內站	00:15:07	20.99	49.55	32.47	123.2	9.09	8.24	77.2	6.9	46.2	
		03:15:06	20.56	48.94	32.03	119	8.87	8.21	60.5	9.3	52.8	
		06:15:07	20.68	49.32	32.31	108.4	8.05	8.27	49.4	5.4	19.8	
		09:15:09	20.83	50.24	32.98	105.6	7.78	8.12	49.5	4.5	13.4	
		12:15:12	21.76	47.75	31.15	113	8.28	8.18	59.8	5.1	17	
		15:15:17	22.3	48.9	31.98	122.3	8.84	8.25	57.6	4.5	23.9	
		18:15:18	22.17	48.75	31.87	123.4	8.94	8.21	56	4.4	40.4	
		21:15:19	22.17	48.13	31.42	119	8.64	8.07	67.4	4.5	36	
	日平均值	21.43	48.95	32.03	116.74	8.56	8.19	59.68	5.58	31.19		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月3日	蚵殼站	00:15:22	25.65	50.82	33.33	101.7	6.88	8.33	164.5	5.7	1.5	
		03:15:23	25.96	50.19	32.86	100.9	6.8	8.31	170.4	73.5	4.6	
		06:15:22	25.7	50.03	32.74	99.6	6.75	8.34	152.9	34.3	5.2	
		09:15:22	25.94	50.24	32.89	99.2	6.69	8.27	165.2	245.2	3.2	
		12:15:22	26.43	50.82	33.31	96.1	6.41	8.27	171.2	28.4	ND	
		15:15:23	26.75	50.7	33.21	100.2	6.65	8.3	162	1012.6	3.7	
		18:15:22	26.75	50.62	33.15	101.2	6.72	8.3	174.7	13.9	2.3	
		21:15:22	26.7	50.69	33.2	100.5	6.68	8.28	171.3	15	4.4	
	日平均值	26.24	50.51	33.09	99.93	6.70	8.30	166.53	178.58	3.56		
	潮口站	00:28:24	29.08	42.03	26.86	82.9	5.49	8.13	115.9	25.6	12.9	
		03:28:28	28.87	45.8	29.57	94	6.15	8.1	110	211.8	16.7	
		06:28:26	28.86	45.93	29.67	88.6	5.8	8.1	104.3	228.3	15.7	
		09:28:26	29.08	39.8	25.29	91.3	6.1	8.2	102.9	13.7	7.2	
		12:28:29	29.38	41.61	26.56	97	6.4	8.1	128.2	24.1	9.6	
		15:28:29	29.49	44.19	28.4	89.7	5.85	8	117.8	18.3	6	
		18:28:30	29.63	45.23	29.14	91.9	5.95	7.95	122.5	36	-0.5	
		21:28:34	30.03	42.82	27.4	99.9	6.49	8.14	120.8	13	2.1	
	日平均值	29.30	43.43	27.86	91.91	6.03	8.09	115.30	71.35	8.71		
	灣內站	00:29:39	26.2	50.55	33.11	68.4	5.59	8.16	86.5	1.8	15.1	
		03:29:38	25.92	51.09	33.51	76.8	5.16	8.28	111.2	ND	7.1	
		06:29:39	25.24	51.54	33.87	71.6	5.86	8.27	81.5	7.2	7.5	
		09:29:38	25.68	51.46	33.8	73.4	5.95	8.11	85	ND	7.5	
		12:29:38	26.29	51.33	33.69	76.2	5.09	8.06	81.2	2.7	6.8	
		15:29:37	26.51	51.48	33.79	80.9	5.38	8.04	84.9	3.5	11.7	
		18:29:38	26.41	51.4	33.73	86.6	5.77	8.09	84.1	2.3	11.4	
		21:29:38	26.32	51.34	33.69	85.8	5.72	8.1	80.1	1.7	10.1	
	日平均值	26.07	51.27	33.65	77.46	5.57	8.14	86.81	3.20	9.65		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月4日	蚵殼站	00:18:59	27.97	43.92	28.24	90.4	5.94	8.46	215.1	375.3	11.5	
		03:18:59	27.8	43.87	28.22	90.0	5.93	8.42	211.8	368	5.6	
		06:19:01	27.27	44.2	28.47	88.5	5.89	8.28	218.3	361.2	5.8	
		09:19:01	27.24	44.06	28.37	90.6	6.03	8.25	217.3	242.7	6.2	
		12:26:56	27.74	3.036	1.57	103.0	6.79	8.22	119.1	1137.9	1.2	
		15:26:56	29.09	2.458	1.26	103.5	6.66	8.11	145	410.5	ND	
		18:23:04	25.4	49.5	32.36	112.1	7.72	7.95	137.3	179.4	15.4	
		21:23:09	25.51	49.38	32.27	113.2	7.78	8.01	136.6	260	21.5	
	日平均值	27.25	35.05	22.60	98.91	6.59	8.21	175.06	416.88	9.60		
	潮口站	00:28:28	27.66	47.45	30.81	85.7	5.69	8.14	132.1	5.7	5.8	
		03:28:23	26.99	49.18	32.09	95.8	6.38	8.13	117.7	116.9	5.6	
		06:28:28	26.65	48.08	31.29	97.4	6.55	8.08	126.6	104.1	5.1	
		09:28:29	27.2	47.01	30.5	101.5	6.79	8.06	121.2	14.9	ND	
		12:28:29	28.09	46.8	30.33	101.6	6.71	8.05	123.6	18.7	7.6	
		15:28:29	28.69	1.43	0.71	99.8	7.69	8.01	127.9	ND	9.2	
		18:28:29	27.62	1.512	0.76	99.9	7.84	7.97	127.5	ND	5.4	
		21:28:27	27.71	1.491	0.74	100.3	7.86	8.04	133.6	ND	1.1	
	日平均值	27.58	30.37	19.65	97.75	6.94	8.06	126.28	52.06	5.69		
	灣內站	00:16:51	26	45.46	29.41	150.1	10.31	7.75	80.9	2.5	5.8	
		03:16:50	25.74	45.99	29.8	122.2	8.42	7.61	82.5	ND	1.6	
		06:16:51	25.55	46.49	30.16	122.3	8.43	7.7	69.6	1.3	3.4	
		09:16:51	25.48	46.76	30.36	106.7	7.36	7.67	82.3	1	4.4	
		12:16:51	25.8	45.91	29.74	142.2	9.79	7.72	78.7	ND	ND	
		15:16:48	25.89	46.04	29.83	137.5	9.45	7.63	79	ND	ND	
		18:16:49	26.08	45.27	29.27	29.6	2.04	8.19	44	10.4	6.1	
		21:16:55	25.8	44.5	28.72	33.7	2.33	8.06	68.8	11.4	6.2	
	日平均值	25.79	45.80	29.66	105.54	7.27	7.79	73.23	5.32	4.58		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月5日	蚵殼站	00:16:08	29.05	45.25	29.17	111	7.26	8.27	102.9	ND	4.3	
		03:16:08	29.76	41.89	26.74	127.3	8.34	8.57	96.4	ND	17.8	
		06:16:08	28.65	46.02	29.74	101.2	6.64	8.25	83.2	13.6	ND	
		09:16:09	28.59	47.16	30.57	100.8	6.59	8.2	80.2	22.7	ND	
		12:16:07	29.47	45.23	29.14	118	7.67	8.32	74.1	3.1	6.8	
		15:16:07	29.07	46.38	29.99	107.1	6.97	8.18	84.7	5.8	10.7	
		18:16:06	28.86	43.4	27.85	96.3	6.37	8.07	83.3	4.5	ND	
		21:16:06	28.62	46.96	30.43	96.8	6.33	8.16	101.8	9.7	ND	
	日平均值	29.01	45.29	29.20	107.31	7.02	8.25	88.33	9.90	9.90		
	潮口站	00:23:18	28.98	45.6	29.43	113.6	7.43	8.21	88.3	112.2	41.7	
		03:23:18	29.78	41.81	26.69	122.5	8.03	8.56	76.7	4.1	16	
		06:23:18	28.47	46.64	30.2	108.4	7.12	8.2	73.8	104.9	ND	
		09:23:19	28.64	47.11	30.53	108.7	7.1	8.18	72.1	56.2	ND	
		12:23:17	29.22	46.2	29.85	113.9	7.4	8.23	72.1	114.1	5.7	
		15:23:17	28.97	46.5	30.08	109.8	7.15	8.12	73.4	98.7	8.7	
		18:23:13	28.82	44.67	28.76	107.9	7.1	8.12	73.2	25	4.6	
		21:23:16	28.65	46.99	30.44	108.2	7.08	8.15	79.1	31	5.6	
	日平均值	28.94	45.69	29.50	111.63	7.30	8.22	76.09	68.28	13.72		
	灣內站	00:30:28	28.93	45.5	29.36	102.7	6.73	8.2	102.1	ND	6.8	
		03:30:28	29.76	41.89	26.75	133.7	8.76	8.56	91.8	ND	7	
		06:30:28	28.44	46.63	30.19	98	6.44	8.21	90	19.1	ND	
		09:30:29	28.66	47.08	30.51	100.1	6.54	8.18	88	19.4	ND	
		12:30:27	29.06	46.38	29.99	109.1	7.1	8.19	93.6	14.5	7.4	
		15:30:27	28.93	46.46	30.05	107.2	6.99	8.14	86.2	12.6	3.4	
		18:30:26	28.77	45.1	29.07	98.2	6.46	8.1	83.8	5.5	ND	
		21:30:26	28.68	47.02	30.47	96.4	6.3	8.17	82.5	9	ND	
	日平均值	28.90	45.76	29.55	105.68	6.92	8.22	89.75	13.35	6.15		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月6日	蚵殼站	00:16:01	29.78	44.58	28.67	116.8	7.57	8.42	70.5	ND	ND	
		03:16:07	30.02	42.87	27.44	117.1	7.61	8.53	90.2	ND	9.9	
		06:16:06	29.63	44.37	28.53	103	6.7	8.35	75.1	ND	16.8	
		09:16:01	28.99	45.93	29.67	99.9	6.52	8.24	82.8	ND	2.3	
		12:16:05	29.65	45.24	29.15	113.8	7.37	8.35	106.5	ND	4.5	
		15:16:05	29.49	46.05	29.74	109.7	7.1	8.21	96.1	10.1	3.5	
		18:16:04	28.77	46.93	30.39	99.4	6.49	8.16	86.2	ND	ND	
		21:16:07	28.93	47.32	30.68	99.3	6.45	8.19	93.3	6	ND	
	日平均值	29.41	45.41	29.28	107.38	6.98	8.31	87.59	8.05	7.40		
	潮口站	00:23:08	30.01	43.3	27.74	120.1	7.8	8.53	80.2	ND	10.4	
		03:23:14	30.16	42.78	27.37	119	7.72	8.55	70.1	64	34.5	
		06:23:16	29.3	45.31	29.21	106	6.9	8.24	66.8	126.5	8	
		09:23:11	28.69	47.1	30.52	109.3	7.13	8.18	73.2	9.2	1.5	
		12:23:15	29.48	46	29.7	107.9	6.99	8.15	80.9	12.5	8.2	
		15:23:15	29.29	46.25	29.89	113.2	7.34	8.18	80.3	9	16.1	
		18:23:14	28.54	47.48	30.81	107.2	7.01	8.14	82.9	3.4	4.1	
		21:23:14	29.02	47.27	30.64	110.2	7.15	8.19	78.7	15.2	5.4	
	日平均值	29.31	45.69	29.49	111.61	7.26	8.27	76.64	34.26	11.03		
	灣內站	00:30:15	29.97	43.47	27.87	127.6	8.28	8.48	92.7	ND	10.7	
		03:30:27	29.74	44.27	28.45	122.1	7.93	8.44	85.7	0.5	3.8	
		06:30:26	29.02	45.97	29.69	93.9	6.13	8.21	85.7	7.5	ND	
		09:30:21	28.76	47.2	30.59	99.8	6.51	8.2	96	5.9	2.4	
		12:30:25	29.35	46.16	29.82	102.3	6.63	8.18	101.3	14.5	ND	
		15:30:25	29.05	46.46	30.05	107.4	6.99	8.14	92.3	20.2	4.2	
		18:30:21	28.47	47.47	30.8	100.1	6.55	8.15	96	5.7	ND	
		21:30:27	29	47.18	30.57	103.3	6.71	8.19	93.1	8.7	0.3	
	日平均值	29.17	46.02	29.73	107.06	6.97	8.25	92.85	9.00	4.28		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月7日	蚵殼站	00:15:58	29.27	45.73	29.52	99.2	6.45	8.21	103.5	ND	1.3	
		03:16:00	29.8	45.21	29.12	110.7	7.16	8.28	123.3	ND	3.9	
		06:16:04	29.88	42.95	27.5	112.5	7.33	8.46	103.6	ND	24.3	
		09:15:59	29.33	46	29.7	98.6	6.4	8.19	99.5	ND	ND	
		12:16:04	29.42	46.69	30.2	103.3	6.67	8.2	102.2	ND	1.5	
		15:16:01	29.13	46.56	30.11	85.9	5.58	8.12	134.6	10.5	8.2	
		18:16:05	28.88	46.77	30.28	84.6	5.52	8.15	106.3	6.4	ND	
		21:16:04	28.53	47.44	30.78	93.7	6.13	8.24	110.5	ND	ND	
	日平均值	29.28	45.92	29.65	98.56	6.41	8.23	110.44	8.45	7.84		
	潮口站	00:23:08	29.77	44.64	28.71	108.1	7	8.29	91.5	ND	30.9	
		03:23:10	29.83	45.23	29.14	114.5	7.4	8.28	86.9	59.7	30.5	
		06:23:14	29.87	43.04	27.56	115.7	7.54	8.46	87.4	ND	43.2	
		09:23:09	29.02	46.8	30.3	107.9	7.02	8.16	82.8	10.7	22.9	
		12:23:11	29.39	46.86	30.33	110.2	7.12	8.2	111.9	ND	3.5	
		15:23:11	29.13	46.57	30.12	98.8	6.42	8.1	95.9	10.1	30.7	
		18:23:15	28.74	47.11	30.53	106.3	6.93	8.2	85.4	4.1	11.1	
		21:23:14	28.54	47.5	30.82	106.2	6.94	8.24	99.1	2.3	9.6	
	日平均值	29.29	45.97	29.69	108.46	7.05	8.24	92.61	17.38	22.80		
	灣內站	00:30:15	29.83	44.81	28.83	109	7.05	8.32	107	ND	1.5	
		03:30:20	29.77	45.3	29.19	111.3	7.2	8.28	97.5	ND	ND	
		06:30:21	29.54	45.21	29.13	106	6.88	8.29	85.9	2.3	2.5	
		09:30:19	28.91	46.94	30.4	96.7	6.3	8.17	94	7.1	1.8	
		12:30:24	29.35	46.89	30.35	103.1	6.66	8.19	113.9	ND	4	
		15:30:21	29.05	46.7	30.22	73.5	4.78	8.08	123.8	21.6	2.5	
		18:30:25	28.69	47.1	30.52	92	6.01	8.19	117.6	7.7	ND	
		21:30:24	28.57	47.4	30.75	96.1	6.28	8.25	112.7	3	ND	
	日平均值	29.21	46.29	29.92	98.46	6.40	8.22	106.55	8.34	2.46		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月8日	蚵殼站	00:16:03	28.88	44.3	28.49	99.8	6.57	8.31	112.9	ND	9.3	
		03:16:05	29.18	41.53	26.51	106.7	7.07	8.4	106.2	ND	12.1	
		06:15:57	28.9	42.2	26.99	103.2	6.85	8.39	92.4	ND	27.4	
		09:16:02	29.22	45.38	29.27	85.9	5.6	8.18	94.1	1.9	5.1	
		12:16:02	29.47	46.35	29.95	91	5.88	8.11	126.3	ND	ND	
		15:16:02	29.77	46.36	29.96	103.8	6.68	8.2	113.7	ND	11.3	
		18:16:03	29.49	45.75	29.52	93.6	6.07	8.12	117.1	ND	3.6	
		21:16:03	28.58	46.62	30.18	92.3	6.05	8.13	99.8	1.1	ND	
	日平均值	29.19	44.81	28.86	97.04	6.35	8.23	107.81	1.50	11.47		
	潮口站	00:23:13	28.81	44.69	28.78	107.1	7.05	8.3	109.2	ND	27.8	
		03:23:15	29.39	42.31	27.05	109.7	7.22	8.41	106.3	ND	50.8	
		06:23:07	28.93	42.42	27.15	101.3	6.71	8.31	89	ND	40.2	
		09:23:12	28.94	46.27	29.91	94.8	6.18	8.13	102.7	20.2	21.1	
		12:23:12	29.38	46.91	30.36	102.1	6.6	8.12	116.4	2.2	24.7	
		15:23:12	29.61	46.4	29.99	110.5	7.13	8.19	101.1	ND	40.9	
		18:23:10	29.27	46.46	30.04	98.7	6.4	8.09	110.8	1.8	29.4	
		21:23:13	28.59	46.6	30.16	103.5	6.78	8.13	100.8	3.4	10.5	
	日平均值	29.12	45.26	29.18	103.46	6.76	8.21	104.54	6.90	30.68		
	灣內站	00:30:23	28.73	45.45	29.33	99.5	6.53	8.25	118.8	ND	ND	
		03:30:25	29.63	43.7	28.04	108.3	7.06	8.41	101.1	ND	ND	
		06:30:17	28.98	42.69	27.34	92.3	6.1	8.31	112.4	ND	ND	
		09:30:19	28.95	46.26	29.9	79.5	5.18	8.14	118.6	24.7	2.8	
		12:30:22	29.41	46.97	30.4	94.9	6.13	8.15	109.1	ND	3.2	
		15:30:22	29.54	46.42	30	106.4	6.87	8.2	125.1	1.5	12.1	
		18:30:17	29.3	46.55	30.11	80.3	5.2	8.07	128.9	5.3	5.4	
		21:30:23	28.65	46.83	30.33	94.5	6.18	8.15	106.3	7.6	1.6	
	日平均值	29.15	45.61	29.43	94.46	6.16	8.21	115.04	9.78	5.02		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
9月9日	蚵殼站	00:15:55	28.81	46.41	30.02	95.2	6.22	8.18	130.5	ND	1.2	
		03:16:01	29.68	42.88	27.46	109.3	7.14	8.38	96.1	ND	5	
		06:46:03	29.1	40.48	25.76	101.2	6.74	8.34	111	ND	6.1	
		09:16:01	29.7	43.35	27.79	101.5	6.62	8.25	94.1	ND	3.5	
		12:16:01	29.46	46.05	29.74	96.7	6.26	8.16	103	1.9	2.3	
		15:16:00	29.93	46.31	29.92	104.5	6.71	8.21	106.8	2.6	ND	
		18:16:01	29.63	46.05	29.73	88.2	5.7	8.1	129.7	2.9	2.7	
		21:16:01	29.18	45.77	29.55	88.2	5.75	8.11	103.2	2.2	4.7	
	日平均值	29.44	44.66	28.75	98.10	6.39	8.22	109.30	2.40	3.64		
	潮口站	00:23:05	28.73	46.59	30.15	105.5	6.9	8.18	105.9	ND	23.6	
		03:23:11	29.65	43.3	27.76	114	7.44	8.36	91.3	ND	57	
		06:53:13	29.03	40.11	25.51	107.5	7.18	8.32	91.1	ND	65.4	
		09:23:11	29.97	44.39	28.53	110.2	7.13	8.27	101.9	4.6	45.8	
		12:23:11	29.51	46.16	29.82	107.8	6.98	8.18	100.4	4.5	32.9	
		15:23:10	29.83	46.4	29.98	111	7.14	8.19	101.1	ND	4.7	
		18:23:11	29.6	46.16	29.81	98.9	6.39	8.08	115.1	4	30.1	
		21:23:11	29.16	46.22	29.87	97.4	6.33	8.09	115	4.4	25.2	
	日平均值	29.44	44.92	28.93	106.54	6.94	8.21	102.73	4.38	35.59		
	灣內站	00:30:15	28.72	46.59	30.15	95.6	6.25	8.18	124.9	ND	ND	
		03:30:21	29.46	44.07	28.32	111.7	7.29	8.31	99.1	ND	7.6	
		07:00:23	29.08	40.63	25.87	104	6.92	8.3	93	ND	4.6	
		09:30:18	29.86	44.73	28.77	87.2	5.64	8.15	105	5.3	ND	
		12:30:21	29.57	46.35	29.95	101.3	6.54	8.17	103.9	5	ND	
		15:30:20	29.82	46.65	30.16	107.9	6.93	8.19	112.4	2.8	4.9	
		18:30:21	29.56	46.65	30.17	84.6	5.46	8.04	120.1	7.8	ND	
		21:30:21	29.21	46.37	29.98	85	5.52	8.08	113.2	ND	ND	
	日平均值	29.41	45.26	29.17	97.16	6.32	8.18	108.95	5.23	5.70		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu\text{g/l}$)	
9月10日	蚵殼站	00:16:01	29.19	45.59	29.41	99.1	6.46	8.22	105	3.3	1.3	
		03:16:00	29.74	43.6	27.97	118.9	7.74	8.43	112.9	ND	10.8	
		06:16:01	29.62	43.76	28.08	117.3	7.65	8.44	95.2	3.1	12	
		09:16:01	30.36	43.08	27.58	139.9	9.04	8.52	107.9	ND	12.3	
		12:15:59	30.1	44.54	28.63	121.1	7.81	8.28	111.1	1.2	12.6	
		15:16:01	29.87	40.74	25.93	96.9	6.37	8.13	105.3	1.8	ND	
		18:16:00	29.54	46.04	29.73	65.3	4.22	7.93	132.9	6.7	3.1	
		21:15:59	29.25	45.55	29.38	80.4	5.23	8.01	124.1	ND	2.4	
	日平均值	29.71	44.11	28.34	104.86	6.82	8.25	111.80	3.22	7.79		
	潮口站	00:23:11	29.19	45.62	29.43	109.3	7.12	8.21	98.3	2.5	27.7	
		03:23:10	29.73	43.39	27.82	121.6	7.92	8.44	98.9	ND	53.8	
		06:23:11	29.71	43.26	27.72	121	7.89	8.46	90.9	2.3	55.6	
		09:23:11	30.4	43.16	27.63	131.3	8.47	8.52	94.8	ND	86.8	
		12:23:09	29.89	45.17	29.09	112.2	7.25	8.25	106.4	3.2	51.2	
		15:23:11	29.8	43.33	27.77	109.7	7.14	8.14	100.7	2.5	39.2	
		18:23:10	29.52	46.04	29.73	82.9	5.36	7.93	120.4	6.7	28.9	
		21:23:09	29.14	45.78	29.55	95.9	6.25	8.11	116.2	3.5	43.4	
	日平均值	29.67	44.47	28.59	110.49	7.18	8.26	103.33	3.45	48.33		
	灣內站	00:30:18	29.21	45.09	29.06	104.5	6.82	8.2	102.5	ND	2.5	
		03:30:20	29.72	43.63	27.99	135	8.79	8.45	106.4	ND	14.8	
		06:30:21	29.58	44.67	28.74	115.9	7.53	8.32	102.1	8.5	5.8	
		09:30:21	29.79	44.95	28.94	114.1	7.38	8.15	107.9	26.4	10.4	
		12:30:19	29.45	47.13	30.52	108	6.97	8.16	108.6	2.7	1.2	
		15:30:21	29.7	46.49	30.05	108.9	7.02	8.17	111.5	ND	4.7	
		18:30:20	29.61	46.52	30.07	60.2	3.88	7.91	123.9	2.5	ND	
		21:30:19	29.3	46.92	30.37	85.1	5.51	8.08	117.6	5.1	ND	
	日平均值	29.55	45.68	29.47	103.96	6.74	8.18	110.06	9.04	6.57		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月11日	蚵殼站	00:16:00	28.85	44.83	28.88	94.3	6.2	8.17	117.3	ND	ND	
		03:16:01	28.97	46.51	30.09	94.4	6.15	8.19	114.8	ND	ND	
		06:16:00	29.53	42.49	27.18	121.6	7.98	8.5	136	ND	ND	
		09:16:00	29.98	42.48	27.16	121.1	7.89	8.43	120.7	ND	6.2	
		12:16:00	30.39	43.66	27.99	109.1	7.03	8.28	116.1	ND	5.5	
		15:15:57	29.81	38.16	24.11	98.7	6.56	8.13	101.7	3.6	9.5	
		18:15:56	29.55	44.85	28.87	89.2	5.8	8.15	102	3.4	4.5	
		21:16:00	29.72	42.03	26.85	102.3	6.71	8.27	118.4	ND	8.2	
	日平均值	29.60	43.13	27.64	103.84	6.79	8.27	115.88	3.50	6.78		
	潮口站	00:23:10	28.9	45.13	29.09	105.1	6.89	8.17	114.4	ND	31.7	
		03:23:11	28.97	46.31	29.95	104.3	6.8	8.19	109.5	ND	31	
		06:23:10	29.57	42.2	26.97	118.8	7.8	8.49	103.8	2.4	81.5	
		09:23:07	29.97	42.82	27.4	116.2	7.56	8.38	104.5	7.5	75.5	
		12:23:10	29.93	44.41	28.54	105.7	6.84	8.19	105.6	4.9	65.7	
		15:23:07	29.85	39.55	25.08	108.1	7.13	8.13	103.9	4.2	57.4	
		18:23:03	29.57	45.2	29.13	95.1	6.17	8.15	103.2	6	41.6	
		21:23:07	29.77	42.02	26.84	105.5	6.91	8.25	102.2	1.6	61	
	日平均值	29.57	43.46	27.88	107.35	7.01	8.24	105.89	4.43	55.68		
	灣內站	00:30:20	28.94	46.3	29.94	100.3	6.54	8.17	118.2	ND	5	
		03:30:21	29.03	46.81	30.3	101.8	6.62	8.19	122.8	ND	4.5	
		06:30:20	29.67	43.29	27.75	122.8	8.01	8.48	103.8	ND	2.5	
		09:30:20	30.03	43.64	27.98	120.4	7.8	8.36	112.2	2.2	7.1	
		12:30:20	29.77	45.5	29.33	101.3	6.54	8.16	109.8	7.9	ND	
		15:30:14	29.95	43.8	28.1	109.6	7.1	8.21	109.4	2.8	7.5	
		18:30:10	29.62	45.92	29.64	83.8	5.41	8.16	107.1	4.3	3.8	
		21:30:20	29.71	44.49	28.61	90.4	5.87	8.15	117.5	ND	ND	
	日平均值	29.59	44.97	28.96	103.80	6.74	8.24	112.60	4.30	5.07		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月12日	蚵殼站	00:15:58	29.12	47.31	30.66	96.6	6.26	8.24	103.8	ND	ND	
		03:15:58	29.03	47.52	30.82	96.2	6.24	8.26	106.9	ND	ND	
		06:15:51	29.23	42.21	26.99	100.7	6.64	8.36	116.1	ND	1.3	
		09:15:56	29.83	43.42	27.84	100.8	6.56	8.3	132.1	7.4	6.3	
		12:15:56	30.58	43.61	27.95	103.1	6.62	8.21	134.1	ND	10.7	
		15:15:55	30.38	44.52	28.61	141.5	9.09	8.39	143.9	ND	11.2	
		18:16:00	30.04	44.94	28.92	123.3	7.95	8.3	134.1	1.4	12.9	
		21:15:59	30.36	44.27	28.43	126	8.1	8.36	127.6	ND	3.1	
	日平均值	29.82	44.73	28.78	111.03	7.18	8.30	124.83	4.40	7.58		
	潮口站	00:23:08	29.08	47.73	30.97	107.2	6.94	8.25	106.2	1.8	32.5	
		03:23:08	29.02	47.25	30.62	105.7	6.86	8.25	105.9	ND	36	
		06:23:01	29.3	41.99	26.83	106.7	7.04	8.36	100	1.2	64.2	
		09:23:03	29.79	43.39	27.81	104.9	6.83	8.27	100.7	11.5	53.7	
		12:23:06	30.48	43.85	28.12	110.1	7.08	8.3	105.9	4.5	74.3	
		15:23:05	30.41	44.21	28.38	132	8.48	8.4	104.8	2.3	74.7	
		18:23:10	30.01	44.76	28.79	121.1	7.82	8.3	115.2	4.1	77.7	
		21:23:12	30.24	44.02	28.25	123.1	7.94	8.3	117.6	1.1	53.1	
	日平均值	29.79	44.65	28.72	113.85	7.37	8.30	107.04	3.79	58.28		
	灣內站	00:30:18	29.13	48.2	31.31	105.5	6.81	8.25	112	ND	2.3	
		03:30:18	29.11	47.7	30.94	102.7	6.65	8.26	117.1	ND	2.7	
		06:30:11	29.41	42.86	27.45	102.3	6.71	8.35	111.4	ND	ND	
		09:30:16	29.85	44.14	28.35	96.3	6.25	8.24	110.4	17.5	6.7	
		12:30:13	30.28	44.97	28.94	94.9	6.09	8.16	112.3	ND	11.3	
		15:30:15	30.49	44.71	28.74	147.4	9.44	8.39	111.4	14	26.5	
		18:30:20	30.03	45.62	29.41	121.6	7.82	8.27	102.7	5.2	14.7	
		21:30:22	30.3	44.87	28.86	130.1	8.35	8.31	104.4	ND	7.4	
	日平均值	29.83	45.38	29.25	112.60	7.27	8.28	110.21	12.23	10.23		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	← 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
9月13日	蚵殼站	00:16:06	29.39	46.19	29.84	103.2	6.69	8.24	115.6	ND	ND
		02:58:30	28.99	47.1	30.52	97.2	6.32	8.26	118.3	ND	1
		06:16:05	29.27	42.8	27.41	109.2	7.19	8.35	109.9	ND	ND
		09:16:08	29.84	43.83	28.13	109.2	7.09	8.27	137.7	11.3	2.9
		12:16:11	30.91	43.27	27.7	140.9	9.01	8.45	131.7	3.1	6.7
		15:16:08	29.8	43.09	27.6	108.2	7.05	8.18	118.1	ND	ND
		18:16:16	29.54	45.54	29.37	97.3	6.31	8.15	124.8	1.3	ND
		21:16:13	29.91	44.21	28.4	100.8	6.53	8.21	120.3	ND	1.2
	日平均值	29.71	44.50	28.62	108.25	7.02	8.26	122.05	5.23	2.95	
	潮口站	00:23:16	29.14	46.63	30.17	106.4	6.91	8.21	111.5	ND	35.6
		03:05:40	29.02	46.81	30.3	107.3	6.98	8.25	110.1	ND	43.7
		06:23:12	29.28	43.29	27.76	111.2	7.3	8.33	106.3	ND	46
		09:23:18	29.88	43.36	27.79	111.4	7.24	8.27	108.7	10.8	55.4
		12:23:21	30.22	44.55	28.64	117.9	7.59	8.21	113.2	4.3	69.6
		15:23:18	29.82	42.76	27.37	111.6	7.28	8.17	112.2	ND	49.8
		18:23:26	29.49	45.48	29.32	99.9	6.48	8.09	109	9.5	48.3
		21:23:23	30.18	43.71	28.03	110.3	7.13	8.26	108.3	ND	60.4
	日平均值	29.63	44.57	28.67	109.50	7.11	8.22	109.91	8.20	51.10	
	灣內站	00:30:26	28.96	48	31.17	102.3	6.62	8.21	114.8	ND	2.8
		03:12:50	29.09	47.53	30.83	104.8	6.79	8.25	111.6	ND	ND
		06:30:25	29.29	44.52	28.64	111.6	7.29	8.32	110.5	ND	1.5
		09:30:25	29.67	45.55	29.37	107.6	6.96	8.24	114.1	9.8	ND
		12:30:31	29.99	45.71	29.47	110	7.07	8.17	113.7	ND	17.9
		15:30:28	29.89	43.65	28	111.7	7.25	8.15	116.2	ND	6.3
		18:30:36	29.53	46.52	30.07	81.4	5.26	8.05	122.2	12.5	1
		21:30:33	30.2	44.57	28.65	113.4	7.3	8.24	120.8	ND	5
	日平均值	29.58	45.76	29.53	105.35	6.82	8.20	115.49	11.15	5.75	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)
9月14日	蚵殼站	00:16:20	30.25	44.48	28.58	103	6.63	8.27	117.1	ND	19.5
		03:16:20	28.67	43.63	28.02	92.5	6.13	8.24	113.8	ND	-6
		06:16:18	28.91	45.45	29.32	93.1	6.1	8.25	104.4	ND	ND
		09:16:21	29.61	43.37	27.81	104.6	6.83	8.33	108.2	4.7	ND
		12:16:25	30.67	43.23	27.67	125.1	8.03	8.4	110.9	1.2	17.6
		15:16:32	30	46.44	30	98	6.29	8.19	115	4.3	7.2
		18:16:29	29.75	40.02	25.42	97.9	6.46	8.19	105.8	8.7	4
		21:16:29	30.04	44.46	28.57	113.8	7.34	8.34	110.6	ND	12.3
	日平均值	29.74	43.89	28.17	103.50	6.73	8.28	110.73	4.73	9.10	
	潮口站	00:23:27	30.24	44.08	28.29	109.1	7.03	8.26	111.4	ND	76.7
		03:23:30	28.72	44.71	28.8	106.7	7.03	8.25	98.9	ND	36.2
		06:23:25	28.94	45.34	29.24	107	7.01	8.26	98.8	ND	51.9
		09:23:31	29.5	43.52	27.92	109.9	7.19	8.27	100.5	13	60.2
		12:23:35	30.51	43.17	27.64	121.5	7.83	8.34	102.7	5.6	83.7
		15:23:42	30.08	45.97	29.66	113.3	7.27	8.2	102.5	3	62.7
		18:23:39	29.69	41.95	26.79	109.9	7.21	8.21	97.1	9.3	50.2
		21:23:36	30.09	43.97	28.22	122.3	7.91	8.37	97.5	3.5	70.9
	日平均值	29.72	44.09	28.32	112.46	7.31	8.27	101.18	6.88	61.56	
	灣內站	00:30:34	29.75	46.11	29.78	99.4	6.41	8.18	116.3	ND	7
		03:30:40	28.78	45.64	29.47	102.4	6.72	8.26	111.4	ND	ND
		06:30:32	29.01	45.95	29.68	102.9	6.72	8.25	109.6	ND	ND
		09:30:41	29.52	44.98	28.96	104.9	6.82	8.26	110.5	16.1	5
		12:30:45	30.49	44.34	28.48	132.8	8.52	8.33	108.5	2.2	25.5
		15:30:49	30.15	46.75	30.23	112.2	7.17	8.21	112.1	1.8	5.6
		18:30:49	29.84	45.78	29.53	111	7.15	8.24	116.7	6.9	3.6
		21:30:49	30.14	44.95	28.92	125.6	8.08	8.33	105.8	ND	11.5
	日平均值	29.71	45.56	29.38	111.40	7.20	8.26	111.36	6.75	9.70	
甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月15日	蚵殼站	00:16:34	29.96	43.69	28.03	101.4	6.58	8.29	110.4	1.3	4.1	
		03:16:31	28.76	47.95	31.13	91.4	5.94	8.2	107.1	9.7	1.1	
		06:16:38	28.93	47.55	30.84	94	6.1	8.24	104.7	21.8	1.1	
		09:16:36	29.84	40.06	25.45	122.3	8.06	8.43	114.4	ND	10.8	
		12:16:41	30.98	42.04	26.82	136.8	8.79	8.41	105.1	2.1	9.4	
		15:16:42	29.88	46.61	30.13	97.8	6.28	8.17	106.3	21.4	ND	
		18:16:40	30.06	36.73	23.1	94.8	6.3	8.14	98.2	9.7	4.6	
		21:16:45	30.11	42.45	27.13	130	8.45	8.42	102.2	ND	9.4	
	日平均值		29.82	43.39	27.83	108.56	7.06	8.29	106.05	11.00	5.79	
	潮口站	00:23:41	29.97	42.93	27.48	115.5	7.51	8.3	103.6	3.4	73.4	
		03:23:41	28.72	47.78	31.02	104.6	6.81	8.19	103.8	8.7	26.3	
		06:23:48	28.94	47.37	30.71	106.4	6.92	8.23	102.3	19.5	34.9	
		09:23:43	29.94	39.78	25.25	126.7	8.34	8.43	98.8	ND	73.3	
		12:23:51	31.6	41.01	26.07	142.4	9.09	8.59	99.5	2.8	64.7	
		15:23:52	29.91	46.3	29.9	107.4	6.9	8.17	106	22.8	52	
		18:23:53	29.96	41.04	26.14	111.5	7.3	8.18	93.7	5.2	46.9	
		21:23:55	29.89	42.1	26.89	119.8	7.83	8.31	107.8	ND	60.8	
	日平均值		29.87	43.54	27.93	116.79	7.59	8.30	101.94	10.40	54.04	
	灣內站	00:30:54	29.97	43.66	28.01	114.4	7.42	8.28	120.6	4.8	8.7	
		03:30:51	28.72	48.4	31.47	99.6	6.47	8.2	114.5	12.6	ND	
		06:30:58	29.03	47.91	31.1	102.8	6.66	8.21	123	16.1	ND	
		09:30:53	30.1	41.45	26.43	143.2	9.35	8.44	113.3	ND	12.2	
		12:31:01	31.8	41.46	26.38	173.1	11	8.59	110.2	ND	10.9	
		15:30:59	29.94	46.99	30.41	106.9	6.84	8.18	107.6	24.6	12.7	
		18:31:03	29.94	43.93	28.2	112.9	7.32	8.18	106.3	6.8	8.2	
		21:31:05	30.65	43.83	28.1	142.5	9.13	8.47	106.8	ND	6.3	
	日平均值		30.02	44.70	28.76	124.43	8.02	8.32	112.79	12.98	9.83	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月16日	蚵殼站	00:16:47	30.62	41.58	26.5	117.4	7.6	8.52	95.2	0.9	8.1	
		03:16:50	29	47.31	30.67	92.7	6.02	8.24	99.3	3.2	ND	
		06:16:49	29.02	46.27	29.91	94.7	6.17	8.24	94.2	9.4	1.9	
		09:16:51	30.16	40.83	25.98	143.2	9.36	8.65	90.1	ND	18.2	
		12:16:54	29.88	45.26	29.16	108.1	6.97	8.32	98.4	10.8	10.2	
		15:16:57	29.67	46.28	29.9	109.3	7.05	8.22	97.8	13.5	8.4	
		18:16:56	30.11	45.81	29.55	121.3	7.78	8.34	106.5	6.5	12.1	
		21:17:01	31.01	43.08	27.56	158.6	10.14	8.6	88.7	ND	12.3	
	日平均值		29.93	44.55	28.65	118.16	7.64	8.39	96.28	7.38	10.17	
	潮口站	00:23:57	30.93	41.45	26.4	135.2	8.71	8.67	108	1	69.2	
		03:24:00	28.95	47.45	30.77	102.8	6.67	8.22	105.1	8.7	45.9	
		06:23:59	29.04	46.18	29.84	105.4	6.87	8.24	109	14.9	37.8	
		09:23:58	30.19	40.37	25.65	135.1	8.84	8.65	93	ND	67.9	
		12:24:04	29.76	45.24	29.14	108.4	7.01	8.25	107.3	12.4	56.8	
		15:24:07	29.63	46.08	29.75	113.1	7.3	8.22	113.2	14.6	48.7	
		18:24:03	30.11	45.4	29.25	121.8	7.83	8.34	120.5	12.9	52.5	
		21:24:11	31.05	42.42	27.09	150.6	9.64	8.67	84.7	5.7	73.1	
	日平均值		29.96	44.32	28.49	121.55	7.86	8.41	105.10	10.03	56.49	
	灣內站	00:31:07	30.95	42.05	26.83	159.6	10.25	8.65	101.7	ND	11.2	
		03:31:10	28.96	48.1	31.24	100.6	6.51	8.23	111.5	6.5	ND	
		06:31:09	29.12	46.68	30.21	104.2	6.77	8.24	110.4	6.7	6.1	
		09:31:08	29.94	43.27	27.73	134.5	8.74	8.5	97.2	ND	16.4	
		12:31:14	29.72	46.29	29.9	97	6.25	8.17	103.4	6.2	11.7	
		15:31:17	29.81	46.77	30.25	113.1	7.26	8.22	100.7	16.1	5.6	
		18:31:16	30.19	46.18	29.81	129.1	8.26	8.34	109.2	7.2	13.6	
		21:31:21	30.84	44.14	28.32	158.9	10.14	8.55	90.7	2.1	24.4	
	日平均值		29.94	45.44	29.29	124.63	8.02	8.36	103.10	7.47	12.71	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月17日	蚵殼站	00:17:01	29.92	45.62	29.41	102.2	6.58	8.28	97.3	2.1	10.6	
		03:17:06	29.01	46.88	30.36	91.8	5.97	8.24	94.7	7.8	ND	
		06:17:05	28.95	47.37	30.71	103.2	6.7	8.29	97.3	1.4	1.9	
		09:17:07	29.54	45.85	29.59	119.4	7.73	8.38	101.6	ND	6	
		12:17:15	30.32	44.67	28.72	129.9	8.34	8.48	92.9	3.9	5.5	
		15:17:13	30.77	44.95	28.91	128.1	8.16	8.43	119.7	10.3	9.1	
		18:17:14	30.13	45.01	28.97	121.4	7.81	8.35	85.5	ND	1.7	
		21:17:20	29.98	44.93	28.91	110	7.1	8.36	92.2	ND	3.7	
	日平均值		29.83	45.66	29.45	113.25	7.30	8.35	97.65	5.10	5.50	
	潮口站	00:24:11	29.89	45.64	29.43	111.8	7.2	8.31	125.2	2.2	54.1	
		03:24:16	28.79	47.11	30.53	104.4	6.81	8.24	117.7	6.7	29.8	
		06:24:15	29.08	46.96	30.41	109.8	7.13	8.3	122.2	4.2	41.4	
		09:24:17	29.48	45.77	29.54	115.1	7.46	8.33	125.3	ND	52.5	
		12:24:25	29.86	45.5	29.33	115.5	7.45	8.35	106.9	12.1	56.8	
		15:24:26	30.61	44.9	28.87	125.2	8	8.42	121.6	3.9	56.4	
		18:24:24	30.2	44.6	28.67	118.8	7.65	8.34	111.7	4.9	44.2	
		21:24:30	29.98	44.52	28.62	114.7	7.41	8.35	111.7	ND	51.7	
	日平均值		29.74	45.63	29.43	114.41	7.39	8.33	117.79	5.67	48.36	
	灣內站	00:31:21	29.89	46.43	30	108	6.93	8.29	101.1	ND	15.3	
		03:31:23	28.81	47.91	31.11	101.4	6.59	8.25	104	4.7	2	
		06:31:25	29.24	47.67	30.92	109.5	7.07	8.31	104.5	2.5	6.5	
		09:31:27	29.6	46.62	30.15	115.9	7.47	8.32	116.9	ND	10.6	
		12:31:35	29.79	46.36	29.96	113.3	7.29	8.3	101.3	12	11.1	
		15:31:36	30.57	45.74	29.48	134.1	8.54	8.39	102.5	7.4	17	
		18:31:34	30.27	45.12	29.04	127.7	8.2	8.34	112.1	1.1	22.1	
		21:31:40	30.09	45.24	29.14	120.2	7.73	8.35	116.4	ND	13.8	
	日平均值		29.78	46.39	29.98	116.26	7.48	8.32	107.35	5.54	12.30	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月18日	蚵殼站	00:17:20	29.81	44.78	28.81	114.6	7.41	8.36	87.8	1.5	13.5	
		03:17:17	29.62	43.56	27.95	117.6	7.67	8.46	84.8	2.3	6.5	
		06:17:23	29.54	46.86	30.32	110.2	7.11	8.35	118.4	ND	ND	
		09:17:28	29.64	45.22	29.14	119.8	7.76	8.41	91.4	ND	5.9	
		12:17:25	29.96	45.3	29.19	127.3	8.21	8.38	75	4.2	13.1	
		15:17:29	30.18	45.44	29.28	130.6	8.38	8.41	81.8	1.4	13	
		18:17:32	29.44	46.95	30.39	101.1	6.53	8.21	78.8	ND	2.8	
		21:17:31	29.71	47	30.42	104.1	6.69	8.25	90	ND	1.2	
	日平均值		29.74	45.64	29.44	115.66	7.47	8.35	88.50	2.35	8.00	
	潮口站	00:24:30	29.9	44.68	28.74	114	7.37	8.36	108.7	3	54.6	
		03:24:27	29.62	43.49	27.89	116.2	7.58	8.48	97.2	2.5	44.3	
		06:24:33	29.66	46.75	30.24	111	7.14	8.35	120.8	3.8	30.4	
		09:24:38	29.77	45.65	29.44	115.9	7.48	8.35	114.5	ND	40.4	
		12:24:32	29.91	45.48	29.31	119.3	7.69	8.35	98.8	5	47.3	
		15:24:39	29.76	45.84	29.58	109.8	7.09	8.26	111.4	5.2	49.3	
		18:24:42	29.47	46.79	30.28	109.1	7.04	8.21	118.9	ND	32	
		21:24:41	29.72	46.85	30.31	108.9	7	8.24	116.8	ND	29.6	
	日平均值		29.73	45.69	29.47	113.03	7.30	8.33	110.89	3.90	40.99	
	灣內站	00:31:40	29.98	45.45	29.29	122	7.86	8.39	94.6	ND	14.1	
		03:31:37	29.71	45.69	29.47	103.3	6.67	8.31	85.4	3.5	6.3	
		06:31:43	29.75	47.17	30.54	113.9	7.31	8.37	110.5	3.4	4.5	
		09:31:48	29.89	46.75	30.23	113.7	7.29	8.33	97.3	ND	10.7	
		12:31:42	29.94	46.37	29.95	122.9	7.89	8.32	91.5	2.6	11	
		15:31:49	29.93	46.4	29.98	115.7	7.43	8.28	91.6	1.6	16.1	
		18:31:52	29.57	47.38	30.7	108.4	6.97	8.21	101.5	ND	8.1	
		21:31:51	29.78	47.39	30.7	109.4	7.01	8.23	103	ND	7.6	
	日平均值		29.82	46.58	30.11	113.66	7.30	8.31	96.93	2.78	9.80	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月19日	蚵殼站	00:17:32	29.65	44.84	28.86	129.5	8.41	8.47	92.1	ND	8	
		03:17:35	29.73	44.13	28.35	134.3	8.73	8.52	83.1	ND	17.2	
		06:17:38	29.15	46.77	30.27	95.2	6.18	8.26	107.1	ND	3.9	
		09:17:42	29.39	47.03	30.45	94.9	6.13	8.23	99	ND	3.2	
		12:17:40	29.46	46.09	29.77	110.7	7.17	8.32	87.5	8.1	12	
		15:17:39	29.64	45.81	29.56	116.9	7.56	8.31	93.1	1.7	8.7	
		18:17:47	29.02	46.11	29.8	103.3	6.74	8.2	91.4	ND	1.6	
		21:17:49	29.28	47.28	30.63	99.4	6.43	8.23	96.2	ND	3.1	
	日平均值		29.42	46.01	29.71	110.53	7.17	8.32	93.69	4.90	7.21	
	潮口站	00:24:42	29.67	44.67	28.74	123.7	8.03	8.45	111.7	ND	52.1	
		03:24:45	29.74	44.09	28.32	127.5	8.29	8.54	93.2	ND	44	
		06:24:48	29.19	46.87	30.34	105.4	6.83	8.26	121.8	1.4	26	
		09:24:52	29.36	47.15	30.54	106.6	6.89	8.24	131.1	ND	15.7	
		12:24:50	29.48	46.11	29.78	112.3	7.27	8.3	108.1	14.4	29.2	
		15:24:49	29.64	45.82	29.56	117.9	7.62	8.3	121.2	1	37.3	
		18:24:57	29.02	46.48	30.07	108.1	7.04	8.2	95	ND	14.3	
		21:24:59	29.27	47.23	30.6	108.2	7	8.23	117.3	ND	16.6	
	日平均值		29.42	46.05	29.74	113.71	7.37	8.32	112.43	5.60	29.40	
	灣內站	00:31:52	29.71	45.3	29.19	131.8	8.53	8.43	102.5	ND	8.7	
		03:31:55	29.79	44.68	28.75	139.5	9.04	8.53	91.1	ND	8	
		06:31:58	29.26	47.21	30.58	103.5	6.69	8.25	109	ND	1.5	
		09:32:02	29.39	47.49	30.78	103.4	6.67	8.24	105.7	ND	ND	
		12:32:00	29.54	46.67	30.19	109.8	7.08	8.27	96.3	4.8	11	
		15:31:59	29.73	46.21	29.85	120.9	7.79	8.3	102.5	ND	8.4	
		18:32:07	29.07	46.94	30.4	105.2	6.83	8.19	96.6	ND	4.2	
		21:32:09	29.35	47.76	30.98	106.1	6.84	8.22	104.4	ND	1.6	
	日平均值		29.48	46.53	30.09	115.03	7.43	8.30	101.01	4.80	6.20	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月20日	蚵殼站	00:17:49	29.04	44.96	28.97	125.6	8.23	8.4	97.9	ND	12.4	
		03:17:52	29.15	45.59	29.42	107.4	7	8.28	128.5	ND	11.2	
		06:17:49	28.93	46.09	29.78	98.2	6.41	8.25	107.6	ND	ND	
		09:17:51	29.06	47.05	30.47	95.1	6.17	8.22	118.2	ND	ND	
		12:17:54	29.25	46.06	29.75	109.8	7.13	8.27	105	1.8	11	
		15:18:00	29.48	46.23	29.87	118.1	7.64	8.23	107.5	7	15.8	
		18:17:58	29.14	43.21	27.7	105.8	6.96	8.14	78.5	ND	ND	
		21:17:58	29.16	45.2	29.13	97.1	6.34	8.17	93	ND	4.4	
	日平均值		29.15	45.55	29.39	107.14	6.99	8.25	104.53	4.40	10.96	
	潮口站	00:24:59	29.03	44.63	28.73	123.1	8.07	8.42	128.5	ND	44	
		03:25:02	29.15	45.6	29.42	108.6	7.08	8.29	118.2	3.3	33.1	
		06:24:59	28.92	46.28	29.92	105.7	6.9	8.26	131.2	ND	19.3	
		09:25:01	29.09	46.97	30.42	106.6	6.92	8.23	117.5	ND	15.3	
		12:25:04	29.25	46.11	29.79	112.2	7.29	8.23	107.8	3.9	30.5	
		15:25:07	29.6	46.16	29.81	111.3	7.19	8.21	105.5	2.1	31.7	
		18:25:08	29.14	43.78	28.11	109.9	7.22	8.16	87.1	ND	25.5	
		21:25:08	29.2	45.16	29.11	109.7	7.16	8.18	117.9	ND	21	
	日平均值		29.17	45.59	29.41	110.89	7.23	8.25	114.21	3.10	27.55	
	灣內站	00:32:06	29.09	45.39	29.27	129.5	8.46	8.42	100.4	ND	7.7	
		03:32:12	29.11	45.98	29.7	108.9	7.09	8.29	104.5	2.3	9.5	
		06:32:09	29.01	46.92	30.38	102.8	6.68	8.23	104.5	ND	1.6	
		09:32:11	29.16	47.39	30.72	103.8	6.72	8.23	104.5	ND	3.2	
		12:32:14	29.33	46.69	30.2	114.1	7.39	8.22	102.3	3	7.4	
		15:32:20	29.71	46.56	30.1	114.3	7.36	8.21	113.1	1.8	12.5	
		18:32:18	29.18	44.48	28.61	109.4	7.16	8.16	95.3	ND	4.2	
		21:32:18	29.32	45.91	29.64	107.6	6.99	8.19	98.2	ND	1.9	
	日平均值		29.24	46.17	29.83	111.30	7.23	8.24	102.85	2.37	6.00	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月21日	蚵殼站	00:18:02	29.22	45.68	29.48	101.3	6.6	8.2	91	ND	4.4	
		03:18:02	29.01	45.39	29.28	98.3	6.43	8.27	119.3	3	2.1	
		06:18:02	28.96	45.1	29.07	91.9	6.02	8.2	114.1	ND	ND	
		09:18:03	29.21	47.02	30.45	97.9	6.34	8.2	108.4	ND	ND	
		12:18:07	29.87	45.89	29.61	113.7	7.32	8.2	101	ND	6.2	
		15:18:07	29.74	45.99	29.69	114.1	7.36	8.21	109	3.8	14.1	
		18:18:05	29.59	41.65	26.58	107.9	7.1	8.14	91.7	ND	ND	
		21:18:12	29.3	46.27	29.91	110.1	7.14	8.22	100.1	ND	7.2	
	日平均值		29.36	45.37	29.26	104.40	6.79	8.21	104.33	3.40	6.80	
	潮口站	00:25:12	29.28	45.53	29.37	113.9	7.41	8.24	122.9	ND	22.9	
		03:25:15	29.03	45.34	29.24	104.2	6.82	8.23	128.9	5.5	16.2	
		06:25:12	28.96	44.96	28.97	102	6.69	8.22	118.2	ND	22.8	
		09:25:13	29.25	46.99	30.43	108.4	7.02	8.21	116.8	ND	9.1	
		12:25:17	29.73	46.2	29.84	116.3	7.5	8.23	108.6	2.7	18.1	
		15:25:17	29.48	46.37	29.97	112	7.24	8.17	111.2	8.6	27.4	
		18:25:18	29.57	41.93	26.78	109.3	7.18	8.13	97.4	ND	15.4	
		21:25:22	29.3	46.2	29.85	113.7	7.38	8.23	132	ND	11.2	
	日平均值		29.33	45.44	29.31	109.98	7.16	8.21	117.00	5.60	17.89	
	灣內站	00:32:22	29.3	46	29.71	114.3	7.43	8.24	110.8	ND	9.4	
		03:32:25	29.12	45.81	29.57	103.2	6.73	8.25	112.3	2.3	6	
		06:32:22	29.02	45.61	29.44	94.4	6.17	8.2	104.7	ND	5.5	
		09:32:23	29.32	47.31	30.66	107.5	6.94	8.21	111.6	ND	1.2	
		12:32:27	29.8	46.64	30.15	118.7	7.63	8.2	105.1	ND	9.8	
		15:32:27	29.47	46.75	30.24	102.2	6.6	8.12	104.8	9.5	2.8	
		18:32:25	29.58	43.74	28.07	113	7.37	8.16	99.6	ND	6.7	
		21:32:32	29.41	46.56	30.11	115.7	7.49	8.22	113.4	ND	6	
	日平均值		29.38	46.05	29.74	108.63	7.05	8.20	107.79	5.90	5.93	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月22日	蚵殼站	00:18:10	29.44	45.98	29.69	98.3	6.37	8.2	115.3	ND	2.4	
		03:18:12	29.7	44.46	28.59	133.2	8.65	8.43	87.9	ND	4.9	
		06:18:15	29.54	44.52	28.64	119.6	7.78	8.38	104	ND	10.4	
		09:18:17	29.27	46.29	29.92	104.6	6.79	8.22	96.4	ND	4.3	
		12:18:21	28.84	47.48	30.79	97.1	6.32	8.18	107.6	ND	ND	
		15:18:21	29.67	46.36	29.96	103.4	6.67	8.12	108.9	4.7	4	
		18:18:27	29.55	45.4	29.27	97.7	6.34	8.11	105.1	ND	7.4	
		21:18:26	28.94	46.64	30.18	99.6	6.49	8.17	103.4	ND	ND	
	日平均值		29.37	45.89	29.63	106.69	6.93	8.23	103.58	4.70	5.57	
	潮口站	00:25:17	29.41	45.72	29.5	108.6	7.05	8.21	133	ND	9.7	
		03:25:22	29.74	44.32	28.49	129.4	8.4	8.45	116.8	ND	34.7	
		06:25:25	29.53	44.37	28.53	119.5	7.78	8.4	109.1	ND	33.5	
		09:25:27	29.06	46.94	30.39	108.7	7.06	8.22	114.4	ND	10.9	
		12:25:31	28.9	47.57	30.86	107.9	7.01	8.17	114.9	ND	6.2	
		15:25:31	29.65	46.27	29.89	96.5	6.22	8.04	118	4.1	16.5	
		18:25:37	29.6	45.38	29.25	107.6	6.97	8.13	110.8	ND	16.9	
		21:25:36	28.9	46.88	30.36	108.5	7.07	8.19	109.6	ND	9.1	
	日平均值		29.35	45.93	29.66	110.84	7.20	8.23	115.83	4.10	17.19	
	灣內站	00:32:27	29.44	46.06	29.75	113.2	7.34	8.24	107.4	ND	2	
		03:32:32	29.75	45.01	28.98	137.4	8.9	8.43	103.3	ND	9.8	
		06:32:35	29.56	45.24	29.15	118.2	7.67	8.34	104.3	12.3	8.6	
		09:32:37	29.13	47.32	30.67	110	7.13	8.22	102.3	ND	10.9	
		12:32:38	29.01	47.79	31.02	108.8	7.05	8.18	100.9	ND	4.9	
		15:32:41	29.61	46.84	30.31	91.3	5.88	8.03	107.1	2.6	9.4	
		18:32:47	29.6	46.73	30.23	95.8	6.17	8.09	112.1	1.9	9.2	
		21:32:46	28.95	47.3	30.66	109.4	7.11	8.19	106.2	ND	5.7	
	日平均值		29.38	46.54	30.10	110.51	7.16	8.22	105.45	5.60	7.56	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月23日	蚵殼站	00:18:28	29.08	46.23	29.88	99	6.45	8.19	120.5	ND	ND	
		03:18:26	29.8	45.04	29	134.4	8.7	8.43	101.9	ND	7.7	
		06:18:28	29.88	44.8	28.82	139.2	9	8.51	116.9	ND	3.6	
		09:18:30	29.97	44.51	28.61	130.7	8.45	8.39	98.7	ND	17.2	
		12:18:35	29.41	47.3	30.65	98.2	6.34	8.17	121.6	ND	ND	
		15:18:34	29.62	46.5	30.06	107.4	6.93	8.19	118.8	ND	1.6	
		18:18:39	29.54	46.28	29.9	91.3	5.9	8.14	123.3	ND	8	
		21:18:40	28.97	47.14	30.54	91.7	5.96	8.13	107.2	ND	ND	
		日平均值	29.53	45.98	29.68	111.49	7.22	8.27	113.61	ND	7.62	
	潮口站	00:25:38	29.09	46.29	29.93	108	7.03	8.18	136.4	ND	6.1	
		03:25:36	29.79	45.09	29.03	129.1	8.35	8.42	108.9	ND	30.5	
		06:25:35	29.9	45.08	29.02	131.4	8.49	8.49	123.6	ND	28.1	
		09:25:40	30.03	44.71	28.75	130.8	8.44	8.43	98.6	ND	27.6	
		12:25:42	29.4	47.05	30.47	111.1	7.17	8.18	108.6	ND	ND	
		15:25:44	29.55	46.69	30.2	112.8	7.28	8.19	110.3	ND	9.7	
		18:25:49	29.57	46.32	29.93	103	6.66	8.13	123	2.3	11.7	
		21:25:47	28.89	47.25	30.63	103.3	6.72	8.16	98.8	ND	4.4	
		日平均值	29.53	46.06	29.75	116.19	7.52	8.27	113.53	2.30	16.87	
	灣內站	00:32:45	29.18	46.66	30.19	107.6	6.98	8.2	114.8	ND	5.5	
		03:32:46	29.88	45.6	29.4	138.4	8.92	8.44	104	3.6	10.6	
		06:32:45	29.95	45.34	29.21	140.3	9.04	8.49	106.9	8.6	5.1	
		09:32:50	29.92	45.62	29.41	124.6	8.03	8.3	96.4	3.8	14.7	
		12:32:52	29.47	47.49	30.78	112.4	7.24	8.2	105.7	ND	1.7	
		15:32:54	29.63	47.13	30.51	113.8	7.32	8.19	111.2	1.5	8.4	
		18:32:59	29.6	46.73	30.23	99.3	6.4	8.12	110.6	4.4	6.6	
		21:33:00	28.85	47.77	31	101.4	6.59	8.14	106.6	ND	2.4	
		日平均值	29.56	46.54	30.09	117.23	7.57	8.26	107.03	4.38	6.88	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月24日	蚵殼站	00:18:45	29.05	46.66	30.19	101.4	6.6	8.2	122.5	ND	ND	
		03:18:51	29.58	45.75	29.52	107.7	6.97	8.29	111.8	ND	ND	
		06:18:50	29.71	45.18	29.1	105.6	6.84	8.27	104	3.5	ND	
		09:18:55	30.08	45	28.96	110.5	7.12	8.29	102.5	5.8	2.7	
		12:18:53	29.6	46.69	30.2	95.3	6.14	8.13	105.8	ND	1.7	
		15:18:52	29.68	43.49	27.89	105.6	6.89	8.13	93.7	ND	2.2	
		18:18:59	29.61	46.46	30.03	92.9	5.99	8.15	123.3	ND	2.4	
		21:18:56	29.4	46.06	29.75	85.7	5.55	8.17	97.5	ND	2.1	
		日平均值	29.59	45.66	29.46	100.59	6.51	8.20	107.64	4.65	2.22	
	潮口站	00:25:55	29.07	46.56	30.12	107	6.96	8.18	125.7	ND	3.8	
		03:26:01	29.71	45.5	29.33	111	7.18	8.29	119.9	ND	17.8	
		06:26:00	29.7	45.18	29.1	106.3	6.88	8.28	116.7	1.1	17.1	
		09:26:05	30.07	44.86	28.86	110.4	7.11	8.28	117.8	3.7	18.4	
		12:26:03	29.54	46.92	30.36	107.1	6.9	8.13	99.1	ND	ND	
		15:26:02	29.39	46.41	30	109.2	7.07	8.15	103.4	ND	2.8	
		18:26:09	29.61	46.32	29.93	102.2	6.6	8.15	108.8	ND	16.1	
		21:26:06	29.22	46.37	29.97	99.4	6.46	8.22	100.9	ND	0.6	
		日平均值	29.54	46.02	29.71	106.58	6.90	8.21	111.54	2.40	10.94	
	灣內站	00:33:05	29.14	46.99	30.43	105.2	6.82	8.18	107.3	ND	5.7	
		03:33:11	29.81	45.96	29.67	115.8	7.46	8.32	107.2	ND	2.4	
		06:33:10	29.76	45.72	29.49	105.7	6.82	8.28	104.2	3.5	4.5	
		09:33:15	30.1	45.57	29.37	107.8	6.93	8.25	103	6	10	
		12:33:13	29.59	47.22	30.59	105.6	6.79	8.12	104.9	2.2	2.9	
		15:33:12	29.46	47.02	30.44	109.5	7.07	8.16	111.9	ND	2.2	
		18:33:19	29.67	46.68	30.19	98.7	6.35	8.14	107	ND	6.9	
		21:33:13	29.1	47.17	30.56	99.3	6.44	8.22	100.9	ND	5.6	
		日平均值	29.58	46.54	30.09	105.95	6.84	8.21	105.80	3.90	5.03	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月25日	蚵殼站	00:18:58	28.88	46.81	30.3	93.1	6.07	8.21	127.3	ND	ND	
		03:19:02	29.05	46.49	30.07	98.3	6.4	8.24	110.1	ND	1.8	
		06:19:03	29.31	44.23	28.43	114.1	7.46	8.44	96.3	8.2	6.6	
		09:19:03	29.73	44.9	28.9	107.5	6.97	8.3	97.6	2	ND	
		12:19:07	30.18	42.39	27.09	106.2	6.9	8.2	94.9	1.3	6	
		15:19:07	30.8	34.89	21.81	110.5	7.31	8.14	87.8	5.5	ND	
		18:19:07	29.74	45.47	29.31	102.2	6.61	8.18	97.3	1.8	10.2	
		21:09:54	30.43	44.6	28.67	118.7	7.61	8.25	117.1	ND	8.5	
	日平均值	29.77	43.72	28.07	106.33	6.92	8.25	103.55	3.76	6.62		
	潮口站	00:26:08	28.87	46.88	30.36	102.2	6.66	8.22	117.3	ND	ND	
		03:26:12	29.07	46.45	30.04	106.7	6.94	8.27	113.2	ND	8	
		06:26:13	29.34	44.42	28.57	112.1	7.32	8.43	95.8	1.9	9.7	
		09:26:13	29.62	45.43	29.29	103	6.67	8.23	99.8	7.5	7.4	
		12:26:17	30.11	41.38	26.37	107.9	7.04	8.17	99.5	3.9	7.5	
		15:26:14	30.84	35.19	22.01	111.6	7.37	8.14	96.2	4.9	ND	
		18:26:17	29.76	45.37	29.24	107.9	6.97	8.18	122.9	1.9	19.9	
		21:17:04	30.45	44.51	28.6	117.7	7.55	8.25	117.8	ND	10.5	
	日平均值	29.76	43.70	28.06	108.64	7.07	8.24	107.81	4.02	10.50		
	灣內站	00:33:18	28.94	47.32	30.68	99.8	6.49	8.21	116.3	1.2	ND	
		03:33:22	29.12	47.02	30.45	106	6.88	8.26	105	ND	4.5	
		06:33:23	29.39	45.83	29.58	108.8	7.06	8.34	100.1	5.8	1.7	
		09:33:23	29.6	46.07	29.75	96.6	6.24	8.21	100	4.4	8.9	
		12:33:27	30.03	43.21	27.68	107.9	7	8.17	106.6	2.7	4.5	
		15:33:21	30.46	42.12	26.89	121.7	7.88	8.18	101.9	2.4	15.1	
		18:33:27	29.84	45.93	29.64	105.4	6.79	8.17	106.2	3.3	15.3	
		21:24:14	30.21	45.75	29.5	111.6	7.15	8.21	103.6	ND	9.9	
	日平均值	29.70	45.41	29.27	107.23	6.94	8.22	104.96	3.30	8.56		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素($\mu g/l$)	
9月26日	蚵殼站	00:19:10	29.12	46.34	29.96	95.6	6.22	8.2	130.8	2.8	ND	
		03:19:14	29.29	46.66	30.19	101.1	6.55	8.21	126.3	1.3	ND	
		06:19:16	29.52	42.19	26.97	109.9	7.22	8.32	108.9	ND	ND	
		09:19:15	29.87	44.5	28.61	105.5	6.83	8.23	89.2	5.9	6	
		12:19:22	30.69	43.9	28.15	125.6	8.04	8.28	92.7	1.7	17.6	
		15:19:19	30.4	39.27	24.87	110.4	7.23	8.16	101.4	ND	2.5	
		18:19:21	29.73	45.52	29.35	92	5.94	8.13	107.3	4.3	10.4	
		21:19:25	30.26	44.48	28.59	121.9	7.84	8.31	108.1	ND	7.5	
	日平均值	29.86	44.11	28.34	107.75	6.98	8.23	108.09	3.20	8.80		
	潮口站	00:26:20	29.11	46.25	29.9	108.2	7.04	8.24	116.1	1.1	4.2	
		03:26:24	29.31	46.62	30.16	106.9	6.93	8.23	136.8	ND	9.5	
		06:26:26	29.59	42.44	27.14	110.2	7.23	8.33	94.9	ND	7.7	
		09:26:25	29.89	44.8	28.82	107.1	6.92	8.21	95.8	5.5	13.9	
		12:26:32	30.29	44.46	28.57	112.7	7.25	8.21	94.8	4	10	
		15:26:29	30.4	38.98	24.67	111.3	7.3	8.15	100.2	ND	7.6	
		18:26:31	29.72	45.76	29.52	97.1	6.27	8.14	117	2	14.4	
		21:26:35	30.28	44.37	28.5	124.1	7.99	8.32	116.1	ND	16.4	
	日平均值	29.82	44.21	28.41	109.70	7.12	8.23	108.96	3.15	10.46		
	灣內站	00:33:30	29.19	46.76	30.26	106.5	6.91	8.22	103.7	2.2	9.2	
		03:33:31	29.37	47.08	30.49	104.5	6.75	8.25	117.6	1.6	9.9	
		06:33:36	29.62	43.8	28.12	110.2	7.18	8.29	88.9	ND	8	
		09:33:35	29.9	45.43	29.28	102.5	6.61	8.2	98.2	7.1	8.8	
		12:33:42	30.4	45.01	28.96	113.2	7.25	8.19	94.5	2.7	5.2	
		15:33:39	30.4	41.24	26.26	112	7.28	8.16	98.3	3.3	11.9	
		18:33:41	29.79	46.08	29.75	90.1	5.8	8.15	101.5	ND	14.7	
		21:33:45	30.47	44.9	28.88	138.9	8.89	8.39	101.1	4.7	16.8	
	日平均值	29.89	45.04	29.00	109.74	7.08	8.23	100.48	3.60	10.56		
	甲類海域地面水體基準值							5.0以上	7.5-8.5	◀ 環評承諾日平均值需達標準		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月27日	蚵殼站	00:19:24	29.47	45.52	29.36	98.9	6.42	8.24	126.6	4.1	2.9	
		03:19:24	29.32	46.33	29.95	98.2	6.37	8.23	152.9	2.7	3.9	
		06:19:28	29.65	42.86	27.44	122.3	8	8.4	117.8	ND	9.2	
		09:19:29	29.89	42.84	27.42	123.4	8.04	8.31	118.2	ND	10.4	
		12:19:27	30.8	43.35	27.76	123.5	7.91	8.32	98.5	7.9	11.6	
		15:19:33	29.55	46.1	29.77	92.6	5.99	8.16	137.8	10.6	2.5	
		18:19:34	29.64	42.7	27.33	97.5	6.38	8.15	86.1	1.1	2.5	
		21:19:37	29.82	44.27	28.45	102.7	6.66	8.17	139.5	1.1	3.7	
	日平均值	29.77	44.25	28.44	107.39	6.97	8.25	122.18	4.58	5.84		
	潮口站	00:26:34	29.3	45.91	29.64	106.2	6.9	8.24	95.2	4.5	9.1	
		03:26:34	29.42	46.37	29.97	107.1	6.93	8.25	124.6	7.4	8.5	
		06:26:38	29.64	42.61	27.26	119.8	7.84	8.4	108	ND	16.4	
		09:26:39	29.89	42.91	27.47	119.6	7.79	8.32	99.5	1.4	12.1	
		12:26:34	30.22	44.42	28.54	113	7.27	8.24	95.1	10.9	11.6	
		15:26:43	29.54	45.58	29.39	105	6.81	8.16	110.8	8.3	ND	
		18:26:44	29.62	44.46	28.59	102.4	6.65	8.17	93.8	6.6	2.5	
		21:26:47	29.75	43.99	28.25	102.5	6.66	8.17	111.4	ND	9.6	
	日平均值	29.67	44.53	28.64	109.45	7.11	8.24	104.80	6.52	9.97		
	灣內站	00:33:44	29.38	46.2	29.85	102.5	6.64	8.24	93.8	2.8	3.8	
		03:33:44	29.5	46.77	30.26	108.2	6.98	8.26	137.8	4.6	8.4	
		06:33:48	29.65	43.13	27.63	122.7	8.01	8.4	99.6	ND	10.6	
		09:33:49	29.91	44.08	28.31	119.2	7.72	8.28	96.3	8	13.1	
		12:33:44	30.14	45.32	29.19	109.3	7.02	8.21	101.7	12.7	12.6	
		15:33:53	29.75	44.21	28.41	105.4	6.84	8.16	105.3	8.3	8.8	
		18:33:54	29.69	45.8	29.55	97.3	6.28	8.17	94.6	7.5	ND	
		21:33:57	29.78	44.23	28.42	99.4	6.45	8.15	101.1	1.1	7.4	
	日平均值	29.73	44.97	28.95	108.00	6.99	8.23	103.78	6.43	9.24		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月28日	蚵殼站	00:19:37	30.17	43.67	28	126.3	8.16	8.41	110.6	ND	3.3	
		03:19:38	29.07	45.83	29.59	90.9	5.93	8.18	131.5	12.7	1.7	
		06:19:37	29.4	44.61	28.71	106.3	6.93	8.26	111.1	ND	3.1	
		09:19:41	29.54	44.19	28.39	108.2	7.05	8.29	95.6	7	3.1	
		12:19:48	29.76	44.24	28.43	130.3	8.46	8.35	98.8	4.3	10.5	
		15:19:48	29.08	46.3	29.93	90.4	5.88	8.11	114.2	10.5	ND	
		18:19:47	29.13	46.39	30	97.3	6.33	8.12	115.1	7.9	ND	
		21:19:45	29.26	45.15	29.09	108.9	7.1	8.25	109.2	ND	14.3	
	日平均值	29.43	45.05	29.02	107.33	6.98	8.25	110.76	8.48	6.00		
	潮口站	00:26:47	30.08	43.83	28.13	113.2	7.32	8.31	105	ND	5	
		03:26:48	29.07	45.94	29.67	103.7	6.76	8.2	107	16	1.1	
		06:26:47	29.45	44.35	28.51	106.3	6.93	8.25	106.6	ND	13.2	
		09:26:51	29.53	44.21	28.41	107.3	6.99	8.28	90.3	6.1	4.8	
		12:26:58	29.77	44.25	28.44	110.4	7.17	8.26	89.4	7.1	10.5	
		15:26:58	29.13	46.28	29.91	101.4	6.6	8.11	92	13.8	1.4	
		18:26:57	29.13	46.6	30.15	102.2	6.64	8.13	99	6.4	2.6	
		21:26:55	29.32	44.95	28.95	111.4	7.26	8.3	97.6	7.9	14.4	
	日平均值	29.44	45.05	29.02	106.99	6.96	8.23	98.36	9.55	6.63		
	灣內站	00:33:57	30.09	44.58	28.66	109.1	7.03	8.27	102.3	1.6	6.1	
		03:33:58	29.16	46.27	29.91	99.6	6.47	8.18	104.1	13.8	1.9	
		06:33:57	29.28	45.84	29.6	99.1	6.44	8.19	99.9	2.9	5.4	
		09:34:01	29.61	44.8	28.83	104.1	6.76	8.27	105.8	3.1	5.2	
		12:34:08	29.86	44.51	28.62	104.7	6.78	8.21	93.6	6.4	17.7	
		15:34:08	29.26	46.61	30.15	100.6	6.52	8.12	91.5	12.5	2	
		18:34:07	29.21	46.69	30.21	98.8	6.41	8.12	98.7	6.8	1.5	
		21:34:05	29.44	45.33	29.22	121.2	7.88	8.35	95	-1.3	20	
	日平均值	29.49	45.58	29.40	104.65	6.79	8.21	98.86	5.73	7.48		
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月29日	蚵殼站	00:19:51	29.35	44.44	28.58	126.8	8.28	8.44	113.4	ND	13.8	
		03:19:52	28.74	46.06	29.77	90.2	5.91	8.26	112.7	4	ND	
		06:19:57	28.6	46.24	29.9	93.9	6.16	8.28	98.5	6.9	1.6	
		09:19:55	28.99	44.37	28.54	118.8	7.81	8.42	109.1	ND	11.8	
		12:19:56	29.32	44.33	28.5	136.8	8.94	8.46	94	ND	21	
		15:19:56	28.88	45.79	29.57	94	6.15	8.19	110.7	2.7	ND	
		18:19:55	28.84	45.08	29.06	101.7	6.68	8.18	83.8	1.7	6.5	
		21:20:00	29.23	44.09	28.33	146.9	9.62	8.5	109.1	ND	5.2	
	日平均值	28.99	45.05	29.03	113.64	7.44	8.34	103.91	3.83	9.98		
	潮口站	00:27:01	29.36	44.22	28.42	121.3	7.93	8.44	106	1.4	8	
		03:27:02	28.74	45.96	29.7	102.7	6.73	8.26	116.3	6	ND	
		06:27:04	28.61	46.22	29.89	103.1	6.76	8.29	112.6	8.3	ND	
		09:27:05	29.07	44.1	28.34	117.4	7.71	8.44	93.9	ND	7.6	
		12:27:06	29.32	44	28.26	128.3	8.4	8.46	81.6	5.4	22.1	
		15:27:06	28.86	45.72	29.52	104	6.81	8.2	90.4	2.8	5.4	
		18:27:05	28.84	45.05	29.04	104.1	6.83	8.17	104.6	3	ND	
		21:27:10	29.19	44	28.27	134.8	8.84	8.47	94.9	2.1	8.4	
	日平均值	29.00	44.91	28.93	114.46	7.50	8.34	100.04	4.14	10.30		
	灣內站	00:34:11	29.43	44.77	28.82	125.5	8.17	8.43	93.3	1.7	16.5	
		03:34:12	28.8	46.4	30.01	101.8	6.65	8.26	98.2	6.5	6.4	
		06:34:17	28.67	46.55	30.12	100.6	6.59	8.27	83.9	5.7	3.5	
		09:34:15	29.16	44.67	28.75	122.2	8	8.43	86	ND	16	
		12:34:16	29.34	44.75	28.81	129	8.41	8.4	85.9	10.3	22.6	
		15:34:16	28.96	46.26	29.91	99.7	6.5	8.2	90.8	1.8	ND	
		18:34:15	28.93	44.87	28.9	99.6	6.54	8.14	95.8	ND	2.1	
		21:34:20	29.19	44.64	28.73	133.3	8.72	8.41	98.6	2.2	7.8	
		日平均值	29.06	45.36	29.26	113.96	7.45	8.32	91.56	4.70	10.70	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	DO%	DO(mg/l)	pH	氧化還原指數	濁度(NTU)	葉綠素(μg/l)	
9月30日	蚵殼站	00:20:01	28.92	43.45	27.89	143.1	9.45	8.58	106.5	ND	6.6	
		03:19:58	28.66	45.65	29.48	98.4	6.47	8.26	94.7	ND	ND	
		06:20:05	28.16	41.41	26.45	100.9	6.8	8.19	88.7	ND	4.9	
		09:20:04	28.54	44.41	28.59	98.3	6.51	8.23	105.5	ND	12.2	
		12:20:12	28.9	43.97	28.26	132.6	8.74	8.41	92.6	ND	14.2	
		15:20:11	29	44.62	28.72	97.8	6.42	8.22	72	2.1	5.1	
		18:20:10	28.77	40	25.43	97.5	6.54	8.18	83.6	ND	4.2	
		21:20:08	28.94	44.46	28.61	100.5	6.61	8.24	81.9	ND	7.9	
	日平均值	28.74	43.50	27.93	108.64	7.19	8.29	90.69	2.10	7.87		
	潮口站	00:27:08	28.95	43.46	27.89	134.3	8.86	8.57	91.7	5.1	9.5	
		03:27:08	28.67	45.52	29.38	105.5	6.94	8.26	98.3	ND	ND	
		06:27:12	28.26	42.22	27.03	103.9	6.97	8.22	92.5	1.5	ND	
		09:27:14	28.58	44.41	28.58	100.6	6.66	8.25	92.2	ND	7.9	
		12:27:22	28.93	43.77	28.11	127	8.37	8.4	79.8	1.8	25.7	
		15:27:21	28.21	1.306	0.65	105	8.16	8.15	102.6	ND	ND	
		18:27:20	28.52	1.197	0.59	104.6	8.08	8.17	113.3	ND	ND	
		21:27:18	28.65	1.351	0.67	104.6	8.06	8.15	107.3	ND	1.1	
	日平均值	28.60	27.90	17.86	110.69	7.76	8.27	97.21	2.80	11.05		
	灣內站	00:34:15	29.03	43.85	28.17	145.7	9.59	8.56	89.1	5.6	14.5	
		03:34:18	28.74	45.92	29.67	101.9	6.68	8.24	98.3	ND	ND	
		06:34:25	28.44	43.47	27.91	101	6.72	8.23	92.4	ND	6.5	
		09:34:24	28.65	44.72	28.81	97.8	6.46	8.24	90.4	ND	10.6	
		12:34:32	28.89	45.09	29.06	103.9	6.82	8.2	76.9	9.9	7.1	
		15:34:31	29.11	45.2	29.14	95.4	6.23	8.22	81.1	1.7	2.3	
		18:34:30	28.85	42.26	27.04	103	6.84	8.17	107.1	1.5	ND	
		21:34:28	28.95	44.75	28.82	90.5	5.94	8.17	147.1	10.6	6.7	
		日平均值	28.83	44.41	28.58	104.90	6.91	8.25	97.80	5.86	7.95	
	甲類海域地面水體基準值						5.0以上	7.5-8.5	← 環評承諾日平均值需達標準			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月1日	蚵殼站	00:20:13	28.59	43.88	28.2	8.27	6.6	9.8	5.1	
		03:20:19	28.64	44.93	28.96	8.23	5.97	ND	2.9	
		06:20:17	28.51	45.75	29.55	8.25	5.72	ND	ND	
		09:20:18	28.39	43.14	27.68	8.39	8.58	ND	8.9	
		12:20:24	28.8	43.93	28.24	8.33	7.85	5.3	9.7	
		15:20:19	29.11	42.05	26.88	8.17	6.91	3.7	ND	
		18:20:20	28.92	42.15	26.96	8.22	7.2	ND	5.2	
		21:20:26	28.88	43.97	28.26	8.22	6.91	ND	ND	
	日平均值	28.73	43.73	28.09	8.26	6.97	6.27	6.36		
	潮口站	00:27:23	27.85	1.295	0.64	8.14	8.2	ND	ND	
		03:27:29	28.47	1.306	0.65	8.2	8.06	ND	1.8	
		06:27:27	28.26	1.343	0.67	8.16	8.11	ND	ND	
		09:27:28	28.26	1.252	0.62	8.22	8.15	ND	ND	
		12:27:34	28.11	1.365	0.68	8.18	8.2	ND	3.2	
		15:27:29	28.55	1.335	0.66	8.19	8.1	ND	ND	
		18:27:30	28.51	1.302	0.64	8.16	8.09	ND	2.2	
		21:27:36	28.79	1.385	0.69	8.18	8.04	ND	ND	
	日平均值	28.35	1.32	0.66	8.18	8.12	ND	2.40		
	灣內站	00:34:33	28.45	43.96	28.26	8.18	5.69	12	1.8	
		03:34:39	28.61	45.31	29.23	8.17	5.79	8.2	3.2	
		06:34:37	28.53	45.98	29.72	8.19	5.79	3.2	ND	
		09:34:35	28.56	43.41	27.86	8.25	6.73	5.3	4.9	
		12:34:44	28.79	44.45	28.61	8.27	6.84	8.7	10	
		15:34:39	29.07	43.92	28.22	8.14	6.41	15.4	3.2	
		18:34:40	28.96	43.18	27.69	8.21	6.8	ND	2.5	
		21:34:46	28.83	44.29	28.49	8.13	5.9	6.3	ND	
	日平均值	28.73	44.31	28.51	8.19	6.24	8.44	4.27		
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月2日	蚵殼站	00:20:25	28.59	43.68	28.06	8.27	6.5	3.2	ND	
		03:20:32	28.62	43.62	28.01	8.35	7.23	ND	9.2	
		06:20:30	28.35	45.55	29.41	8.26	6.22	ND	1.9	
		09:20:30	28.51	43.83	28.17	8.23	6.99	ND	1.4	
		12:20:37	29.48	43.36	27.8	8.47	9.02	ND	6.5	
		15:20:35	29.16	42.66	27.31	8.3	7.66	ND	7.4	
		18:20:37	28.76	39.32	24.96	8.19	7.18	ND	1.5	
		21:20:33	28.83	43.81	28.14	8.23	6.56	ND	4.4	
	日平均值	28.79	43.23	27.73	8.29	7.17	3.20	4.61		
	潮口站	00:27:32	28.03	1.391	0.69	8.2	8.17	ND	ND	
		03:27:42	28.42	1.371	0.68	8.25	8.09	ND	ND	
		06:27:40	28.16	1.391	0.69	8.17	8.13	ND	1.7	
		09:27:40	27.89	1.419	0.71	8.17	8.21	ND	ND	
		12:27:47	28.45	1.368	0.68	8.23	8.16	ND	ND	
		15:27:45	28.25	1.366	0.68	8.19	8.16	ND	ND	
		18:27:47	28.23	1.187	0.59	8.2	8.15	ND	ND	
		21:27:43	28.55	1.286	0.64	8.19	8.07	ND	ND	
	日平均值	28.25	1.35	0.67	8.20	8.14	ND	1.70		
	灣內站	00:34:42	28.37	43.92	28.24	8.16	5.59	12	1.5	
		03:34:49	28.38	43.88	28.21	8.25	6.14	8.4	5.6	
		06:34:50	28.21	45.69	29.52	8.18	5.74	2.1	1.5	
		09:34:50	28.59	44.54	28.68	8.13	6.02	4	2.2	
		12:34:57	29.19	44.2	28.42	8.3	7.48	1.2	7.2	
		15:34:55	29.09	44.05	28.31	8.24	6.74	3.1	1.2	
		18:34:57	28.81	40.22	25.59	8.14	6.44	2.4	4.9	
		21:34:53	28.8	44.31	28.51	8.2	6.13	ND	2.7	
	日平均值	28.68	43.85	28.19	8.20	6.29	4.74	3.35		
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月3日	蚵殼站	00:20:40	28.58	43.25	27.75	8.38	7.17	ND	11.4	
		03:20:45	28.4	43.09	27.64	8.42	7.77	ND	8.4	
		06:20:46	28.44	45.54	29.4	8.26	6.27	ND	3.3	
		09:20:42	28.38	44.37	28.56	8.27	6.87	ND	1.4	
		12:20:44	29.4	42.84	27.44	8.46	8.92	ND	1.1	
		15:20:51	29.18	42.73	27.36	8.41	8.51	ND	5.4	
		18:20:48	28.9	39.98	25.42	8.29	7.54	ND	8.5	
		21:20:47	28.77	42.95	27.53	8.27	7.45	ND	1.2	
	日平均值	28.76	43.09	27.64	8.35	7.56	ND	5.09		
	潮口站	00:27:47	27.78	1.342	0.67	8.2	8.19	ND	ND	
		03:27:55	27.84	1.361	0.68	8.28	8.18	ND	ND	
		06:27:56	28.28	1.4	0.7	8.22	8.08	ND	1.6	
		09:27:49	27.98	1.373	0.68	8.21	8.17	ND	ND	
		12:27:54	28.35	1.41	0.7	8.25	8.14	ND	ND	
		15:28:01	27.89	1.415	0.7	8.24	8.22	ND	1.4	
		18:27:58	27.81	1.306	0.65	8.25	8.22	ND	ND	
		21:27:57	28.4	1.421	0.71	8.2	8.09	ND	ND	
	日平均值	28.04	1.38	0.69	8.23	8.16	ND	1.50		
	灣內站	00:34:54	28.27	43.43	27.89	8.27	6.43	4.9	9.9	
		03:35:02	28.16	43.35	27.83	8.31	6.53	2.1	4.4	
		06:35:06	28.32	45.69	29.51	8.17	5.9	5.2	1.2	
		09:34:59	28.56	45.7	29.51	8.2	6.12	ND	ND	
		12:35:04	29.37	43.21	27.7	8.33	7.17	3.2	5.7	
		15:35:11	28.83	43.76	28.11	8.29	6.93	9.9	9.4	
		18:35:08	28.87	41.14	26.24	8.27	6.86	ND	6.8	
		21:35:04	28.82	43.73	28.08	8.29	6.94	ND	5.5	
	日平均值	28.65	43.75	28.11	8.27	6.61	5.06	6.13		
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
10月4日	蚵殼站	00:20:53	28.79	42.99	27.56	8.4	8.31	ND	7.9	
		03:20:54	28.27	42.07	26.92	8.44	8.05	ND	2.2	
		06:20:56	28.21	45.21	29.17	8.33	6.47	1.9	3.9	
		09:20:56	28.37	43.91	28.23	8.26	7.22	ND	1.8	
		12:21:01	29.12	42.11	26.92	8.55	10	ND	6.5	
		15:21:01	29	43.07	27.61	8.38	8.43	5.3	14.2	
		18:21:03	27.94	40.44	25.76	8.15	6.43	2.7	3.9	
		21:21:14	28.21	44.38	28.57	8.21	6.44	ND	7.1	
	日平均值	28.49	43.02	27.59	8.34	7.67	ND	5.94		
	潮口站	00:28:00	28.51	1.467	0.73	8.25	8.05	ND	1.1	
		03:28:04	28.12	1.422	0.71	8.28	8.11	ND	ND	
		06:28:09	27.59	1.51	0.75	8.26	8.19	ND	ND	
		09:28:06	27.9	1.527	0.76	8.2	8.19	ND	ND	
		12:28:11	27.92	1.467	0.73	8.27	8.22	ND	ND	
		15:28:11	28.22	1.47	0.73	8.23	8.15	ND	ND	
		18:28:10	27.39	1.35	0.67	8.15	8.26	ND	ND	
		21:28:24	27.89	1.514	0.76	8.16	8.17	ND	ND	
	日平均值	27.94	1.47	0.73	8.23	8.17	ND	1.10		
	灣內站	00:35:10	28.62	43.28	27.77	8.28	6.68	4.5	6.2	
		03:35:14	28.01	42.22	27.03	8.29	6.55	2.8	2.2	
		06:35:16	28.17	45.46	29.35	8.23	5.98	7.3	ND	
		09:35:16	28.5	45.28	29.21	8.22	6.18	ND	1.1	
		12:35:18	28.8	42.59	27.27	8.46	8.33	ND	8.9	
		15:35:21	29.09	43.33	27.79	8.23	7.01	12.9	6.5	
		18:35:20	27.89	43.81	28.17	8.13	6.2	ND	ND	
		21:35:34	28.25	44.65	28.77	8.12	6.16	4.4	4.1	
	日平均值	28.42	43.83	28.17	8.25	6.64	6.38	4.83		
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月5日	蚵殼站	00:21:11	28.66	42.85	27.46	8.58	9.46	ND	8.8
		03:21:17	28.43	42.4	27.14	8.69	9.78	ND	7.5
		06:21:16	28.17	42.5	27.23	8.54	8.17	1.2	3.7
		09:21:14	28.48	44.8	28.87	8.33	7.08	ND	3.8
		12:21:22	28.7	42.76	27.4	8.44	8.84	ND	7.8
		15:21:20	28.92	43.43	27.87	8.35	8.13	3	6.4
		18:21:20	28.66	45.32	29.24	8.25	6.65	2.4	4.8
		21:21:19	28.82	45.24	29.18	8.29	7.02	ND	1.2
		日平均值	28.61	43.66	28.05	8.43	8.14	ND	5.50
	潮口站	00:28:18	28.5	1.559	0.78	8.36	8.13	ND	ND
		03:28:27	28.2	1.551	0.77	8.41	8.16	ND	ND
		06:28:26	27.91	1.515	0.76	8.41	8.19	ND	ND
		09:28:27	28.14	1.586	0.79	8.21	8.15	ND	1.8
		12:28:32	27.99	1.587	0.79	8.24	8.21	ND	ND
		15:28:27	28.29	1.478	0.74	8.2	8.15	ND	ND
		18:28:30	28.29	1.589	0.79	8.19	8.13	ND	ND
		21:28:29	28.68	1.613	0.81	8.19	8.05	ND	1.1
		日平均值	28.25	1.56	0.78	8.28	8.15	ND	1.45
	灣內站	00:35:25	28.5	43.22	27.73	8.41	7.53	1.9	4.6
		03:35:37	28.21	42.73	27.39	8.5	7.41	1.2	4.6
		06:35:36	28.12	44.86	28.92	8.38	6.93	4	ND
		09:35:37	28.54	45.34	29.25	8.21	6.04	3.3	ND
		12:35:42	28.76	43.81	28.15	8.35	7.7	1	ND
		15:35:37	28.66	44.43	28.6	8.29	7.19	3	4.8
		18:35:40	28.56	45.51	29.37	8.17	6.13	10.7	ND
		21:35:39	28.84	45.44	29.32	8.25	6.23	ND	ND
		日平均值	28.52	44.42	28.59	8.32	6.90	3.59	4.67
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月6日	蚵殼站	00:21:24	28.53	42.57	27.27	8.65	10.47	ND	9
		03:21:31	28.54	42.4	27.14	8.68	9.99	ND	7.6
		06:21:30	28.23	42.3	27.08	8.74	9.41	ND	1.4
		09:21:30	28.52	43.75	28.11	8.42	7.81	ND	2.3
		12:21:30	28.78	43.72	28.08	8.34	7.63	2.3	5.5
		15:21:36	29.16	43.9	28.2	8.27	7.38	1.6	ND
		18:21:42	28.25	43.81	28.16	8.16	6.6	ND	ND
		21:21:41	28.32	44.14	28.4	8.28	6.95	ND	6.5
		日平均值	28.54	43.32	27.81	8.44	8.28	ND	5.38
	潮口站	00:28:34	28.31	1.554	0.78	8.37	8.14	ND	3.3
		03:28:41	28.38	1.574	0.79	8.42	8.19	ND	ND
		06:28:40	27.93	1.655	0.83	8.43	8.22	ND	4
		09:28:40	28.2	1.48	0.74	8.26	8.14	ND	3
		12:28:40	27.99	1.5	0.75	8.16	8.22	ND	3.7
		15:28:46	28.43	1.528	0.76	8.16	8.15	ND	ND
		18:28:52	28.21	1.508	0.75	8.11	8.11	ND	2.9
		21:28:51	27.26	1.505	0.75	8.2	8.35	ND	ND
		日平均值	28.09	1.54	0.77	8.26	8.19	ND	3.38
	灣內站	00:35:44	28.44	42.96	27.55	8.54	8.25	ND	7.3
		03:35:51	28.26	42.77	27.42	8.55	7.93	ND	7.6
		06:35:47	27.92	42.76	27.42	8.59	7.81	ND	1.4
		09:35:50	28.58	45.17	29.13	8.26	6.35	ND	ND
		12:35:50	28.86	44.34	28.52	8.29	6.7	ND	3.5
		15:35:53	28.92	44.64	28.74	8.25	6.48	ND	5.9
		18:36:02	28.29	44.6	28.73	8.06	5.81	2.7	ND
		21:36:01	28.36	44.85	28.91	8.29	6.65	ND	ND
		日平均值	28.45	44.01	28.30	8.35	7.00	2.70	5.14
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月7日	蚵殼站	00:21:44	28.43	43.69	28.07	8.34	7.37	ND	ND	
		03:21:43	28.35	42.81	27.44	8.54	8.41	ND	ND	
		06:21:41	28.18	42.39	27.15	8.62	8.98	ND	3	
		09:21:48	28.42	43	27.58	8.41	7.58	ND	ND	
		12:21:47	28.88	44.76	28.83	8.25	7.17	ND	4.5	
		15:21:54	28.87	44.61	28.72	8.26	7.3	ND	1.2	
		18:21:51	28.41	44.44	28.61	8.22	6.51	ND	ND	
		21:21:54	28.45	45.28	29.21	8.31	6.79	ND	1.3	
	日平均值	28.50	43.87	28.20	8.37	7.51	ND	2.50		
	潮口站	00:28:54	28.17	1.489	0.74	8.21	8.15	ND	ND	
		03:28:53	27.8	1.471	0.73	8.32	8.2	ND	ND	
		06:28:51	28.02	1.575	0.79	8.4	8.19	ND	1.4	
		09:28:58	28.31	1.503	0.75	8.23	8.12	ND	ND	
		12:28:57	28.17	1.529	0.76	8.12	8.18	ND	ND	
		15:29:04	28.2	1.529	0.76	8.17	8.16	ND	ND	
		18:29:01	27.14	1.534	0.77	8.09	8.33	ND	ND	
		21:29:04	27.49	1.563	0.78	8.23	8.3	ND	ND	
	日平均值	27.91	1.52	0.76	8.22	8.20	ND	1.40		
	灣內站	00:36:01	28.44	43.92	28.23	8.21	6.06	1.3	ND	
		03:36:03	28.18	43.07	27.63	8.41	6.99	1.6	2.2	
		06:36:01	28.04	42.66	27.34	8.52	7.42	ND	6.8	
		09:36:08	28.57	44.71	28.8	8.27	6.83	ND	ND	
		12:36:04	29	45.13	29.09	8.19	6.76	ND	ND	
		15:36:14	28.8	44.91	28.94	8.21	6.49	4.4	1.1	
		18:36:11	28.22	44.69	28.79	8.13	5.86	6.9	ND	
		21:36:14	28.43	45.38	29.29	8.22	6.22	5.5	1.8	
	日平均值	28.46	44.31	28.51	8.27	6.58	3.94	2.98		
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
10月8日	蚵殼站	00:21:57	28.42	44.53	28.67	8.25	6.6	ND	4.1	
		03:21:57	28.47	42.36	27.11	8.59	8.66	ND	ND	
		06:21:56	28.35	42.73	27.39	8.51	8.1	ND	3.6	
		09:22:04	28.19	42.74	27.4	8.49	7.42	ND	4.6	
		12:22:00	28.6	44.5	28.65	8.3	7.09	ND	ND	
		15:22:01	28.88	44	28.28	8.3	7.24	ND	1.8	
		18:22:06	28.91	43.56	27.96	8.32	7.43	ND	4.2	
		21:22:03	28.36	45.26	29.2	8.27	6.53	ND	ND	
	日平均值	28.52	43.71	28.08	8.38	7.38	ND	3.66		
	潮口站	00:29:07	28.31	1.556	0.78	8.21	8.1	ND	ND	
		03:29:04	28.01	1.523	0.76	8.36	8.16	ND	ND	
		06:29:06	28.21	1.541	0.77	8.3	8.13	ND	ND	
		09:29:11	27.48	1.518	0.76	8.31	8.28	ND	ND	
		12:29:10	27.78	1.553	0.78	8.19	8.22	ND	ND	
		15:29:11	27.89	1.537	0.77	8.17	8.23	ND	ND	
		18:29:16	28.48	1.536	0.77	8.17	8.08	ND	ND	
		21:29:16	28.24	1.575	0.79	8.18	8.1	ND	ND	
	日平均值	28.05	1.54	0.77	8.24	8.16	ND	ND		
	灣內站	00:36:17	28.43	44.75	28.83	8.25	6.05	ND	ND	
		03:36:11	28.43	42.81	27.44	8.5	7.05	ND	2.3	
		06:36:16	28.29	42.92	27.52	8.44	7.24	ND	1	
		09:36:24	28.21	43.28	27.78	8.42	6.63	3.6	ND	
		12:36:20	28.67	44.71	28.8	8.21	6.5	ND	3.8	
		15:36:21	28.81	44.51	28.65	8.27	6.56	9.2	ND	
		18:36:26	28.79	44.55	28.67	8.26	6.95	ND	ND	
		21:36:26	28.25	45.66	29.49	8.26	6.09	ND	ND	
	日平均值	28.49	44.15	28.40	8.33	6.63	6.40	2.37		
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
10月9日	蚵殼站	00:22:10	28.31	45.44	29.33	8.28	6.09	ND	ND
		03:22:09	28.05	42.97	27.56	8.48	7.51	ND	3.9
		06:22:11	27.91	42.77	27.43	8.58	8.74	ND	ND
		09:22:20	27.95	42.77	27.43	8.52	8.57	ND	1.2
		12:22:17	28.46	44.76	28.83	8.28	6.56	ND	ND
		15:22:18	28.68	44.39	28.57	8.26	7.31	ND	1.1
		18:22:18	28.6	44.76	28.83	8.31	6.61	ND	ND
		21:22:19	28.19	44.49	28.65	8.26	5.98	ND	2
	日平均值	28.27	44.04	28.33	8.37	7.17	ND	2.05	
	潮口站	00:29:20	27.68	1.598	0.8	8.2	8.2	ND	ND
		03:29:19	27.5	1.545	0.77	8.29	8.23	ND	ND
		06:29:18	27.77	1.559	0.78	8.35	8.19	ND	ND
		09:29:30	27.71	1.597	0.8	8.27	8.21	ND	ND
		12:29:27	27.67	1.619	0.81	8.18	8.23	ND	ND
		15:29:25	27.82	1.589	0.8	8.14	8.2	ND	ND
		18:29:28	27.62	1.619	0.81	8.18	8.2	ND	ND
		21:29:29	27.57	1.607	0.81	8.19	8.22	ND	3.4
	日平均值	27.67	1.59	0.80	8.23	8.21	ND	3.40	
	灣內站	00:36:27	28.29	45.59	29.44	8.29	6.2	ND	ND
		03:36:29	28.05	43.31	27.81	8.44	7.33	ND	1.2
		06:36:28	27.92	43.04	27.62	8.54	8.19	ND	ND
		09:36:40	28.07	43.14	27.69	8.39	6.9	ND	ND
		12:36:37	28.55	45.33	29.25	8.24	6.33	ND	ND
		15:36:32	28.67	44.99	29	8.23	6.64	ND	3.3
		18:36:38	28.52	45.13	29.1	8.21	6.19	3.7	ND
		21:36:39	28.18	45.55	29.42	8.25	6.03	ND	ND
	日平均值	28.28	44.51	28.67	8.32	6.73	3.70	2.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:22:22	28.24	45.5	29.38	8.26	6.04	ND	3.6
		03:22:22	27.87	44.01	28.32	8.32	6.65	ND	ND
		06:22:23	27.8	43.62	28.04	8.34	6.62	ND	ND
		09:22:29	27.95	43.55	27.98	8.27	6.4	1.1	7.5
		12:22:28	28.35	44.73	28.82	8.22	6.42	ND	ND
		15:22:34	28.73	42.11	26.93	8.21	6.85	ND	1.6
		18:22:34	28.57	44.49	28.64	8.27	6.42	ND	4.9
		21:22:32	28.34	44.09	28.36	8.17	6.05	ND	1.2
	日平均值	28.23	44.01	28.31	8.26	6.43	1.10	3.76	
	潮口站	00:29:32	28.03	1.652	0.83	8.19	8.12	ND	ND
		03:29:32	27.64	1.6	0.8	8.22	8.18	ND	ND
		06:29:33	27.69	1.612	0.81	8.26	8.16	ND	1.3
		09:29:39	27.85	1.612	0.81	8.19	8.14	ND	1.8
		12:29:38	27.81	1.644	0.82	8.11	8.18	ND	ND
		15:29:44	28.04	1.61	0.81	8.13	8.13	ND	ND
		18:29:44	27.97	1.624	0.81	8.17	8.16	ND	2.3
		21:29:42	27.74	1.625	0.81	8.15	8.19	ND	ND
	日平均值	27.85	1.62	0.81	8.18	8.16	ND	1.80	
	灣內站	00:36:42	28.31	45.77	29.57	8.28	6.49	ND	ND
		03:36:42	28.1	45.02	29.04	8.27	5.95	ND	ND
		06:36:40	27.86	43.9	28.23	8.24	5.83	4.5	ND
		09:36:46	28	43.83	28.18	8.19	5.36	1.4	ND
		12:36:45	28.43	45.23	29.18	8.17	5.93	ND	ND
		15:36:54	28.7	44.73	28.81	8.23	6.76	ND	ND
		18:36:54	28.6	44.75	28.83	8.21	6.51	ND	1.3
		21:36:52	28.48	44.73	28.81	8.25	6.13	ND	6.1
	日平均值	28.31	44.75	28.83	8.23	6.12	2.95	3.70	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:22:32	28.23	45.36	29.28	8.18	5.61	ND	3.7
		03:22:39	28.14	45.11	29.1	8.21	5.19	ND	5.3
		06:22:37	27.64	42.84	27.48	8.41	7.49	ND	4.7
		09:22:35	28.04	43.62	28.03	8.22	6.46	ND	7.8
		12:22:37	28.81	43.91	28.22	8.23	6.41	ND	ND
		15:22:35	29.25	42.82	27.42	8.25	7.6	ND	ND
		18:22:40	28.71	44.46	28.62	8.24	7.15	ND	4.3
		21:22:47	28.76	44	28.28	8.4	8.15	ND	7.2
	日平均值	28.45	44.02	28.30	8.27	6.76	ND	5.50	
	潮口站	00:29:42	28.16	1.764	0.89	8.12	8.08	ND	ND
		03:29:49	28.02	1.759	0.88	8.15	8.08	ND	2.8
		06:29:47	27.48	1.704	0.86	8.27	8.21	ND	ND
		09:29:42	27.63	1.687	0.85	8.17	8.22	ND	2
		12:29:47	28.1	1.639	0.82	8.12	8.14	ND	ND
		15:29:45	28.48	1.657	0.83	8.19	8.09	ND	ND
		18:29:47	27.95	1.69	0.85	8.15	8.18	ND	ND
		21:29:57	28.08	1.788	0.9	8.21	8.16	ND	ND
	日平均值	27.99	1.71	0.86	8.17	8.15	ND	2.40	
	灣內站	00:36:52	28.21	45.62	29.47	8.13	5.88	2.5	ND
		03:36:59	28.18	45.44	29.34	8.17	5.84	6.8	1.5
		06:36:54	27.68	43.15	27.71	8.38	7.21	ND	ND
		09:36:52	28.29	43.86	28.19	8.25	6.44	ND	ND
		12:36:54	28.62	44.46	28.62	8.2	6.12	4.3	ND
		15:36:55	29.25	43.14	27.65	8.15	6.51	ND	ND
		18:36:57	28.72	44.77	28.84	8.18	6.68	8.5	4.1
		21:37:07	28.77	44.4	28.57	8.3	7.41	4.8	4.8
	日平均值	28.47	44.36	28.55	8.22	6.51	5.38	3.47	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:22:46	28.34	39.11	24.82	8.23	6.6	ND	3.8
		03:22:44	28.52	44.37	28.56	8.31	6.4	ND	1.8
		06:22:51	28.09	43.33	27.82	8.36	6.87	ND	4.7
		09:22:50	28.15	42.48	27.21	8.3	6.83	ND	ND
		12:22:49	28.81	43.35	27.82	8.27	7	ND	9.2
		15:22:55	29.07	44.58	28.69	8.29	7.28	5.6	ND
		18:22:56	28.9	44.74	28.81	8.32	6.94	ND	1.4
		21:22:53	28.72	43.68	28.06	8.39	7.87	ND	3.9
	日平均值	28.58	43.21	27.72	8.31	6.97	5.60	4.13	
	潮口站	00:29:56	27.68	1.604	0.8	8.18	8.22	ND	ND
		03:29:54	28.42	1.831	0.92	8.19	8.05	ND	ND
		06:30:01	27.99	1.785	0.9	8.22	8.12	ND	1.6
		09:30:00	27.87	1.699	0.85	8.21	8.17	ND	ND
		12:29:59	27.72	1.774	0.89	8.13	8.24	ND	ND
		15:30:05	28.32	1.784	0.9	8.11	8.11	ND	ND
		18:30:06	27.92	1.786	0.9	8.18	8.2	ND	ND
		21:30:03	27.86	1.843	0.93	8.22	8.21	ND	ND
	日平均值	27.97	1.76	0.89	8.18	8.17	ND	1.60	
	灣內站	00:37:06	28.64	43.7	28.07	8.28	7.28	ND	5.7
		03:37:04	28.47	44.77	28.84	8.25	6.58	10.7	ND
		06:37:11	28.15	43.65	28.05	8.2	6.16	2.2	1.4
		09:37:07	28.37	43.03	27.6	8.26	6.59	ND	4.3
		12:37:09	28.69	43.85	28.18	8.12	6.46	12.7	3.6
		15:37:15	29.16	44.82	28.86	8.21	7.08	8.2	ND
		18:37:16	28.88	45.01	29	8.27	6.82	3.7	ND
		21:37:13	28.72	44.23	28.45	8.24	7.67	9.9	5.7
	日平均值	28.64	44.13	28.38	8.23	6.83	7.90	4.14	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:22:59	28.66	43.21	27.72	8.27	6.76	ND	4.4
		03:23:08	28.51	43.51	27.94	8.3	6.46	ND	1.2
		06:23:03	28.34	43.25	27.76	8.33	6.83	ND	ND
		09:23:03	28.25	42.08	26.93	8.33	7.5	ND	ND
		12:23:03	29.05	42.98	27.54	8.21	6.79	ND	ND
		15:23:09	29.08	41.9	26.77	8.19	6.02	2.3	6.9
		18:23:08	29	43.61	28	8.25	6.48	ND	ND
		21:23:09	28.92	43.46	27.89	8.23	6.71	ND	1.3
	日平均值	28.73	43.00	27.57	8.26	6.69	2.30	3.45	
	潮口站	00:30:06	28.03	1.784	0.9	8.16	8.14	ND	ND
		03:30:18	28.42	1.823	0.92	8.21	8.05	ND	1.7
		06:30:13	28.23	1.758	0.88	8.21	8.08	ND	ND
		09:30:13	27.77	1.687	0.85	8.21	8.21	ND	ND
		12:30:13	28.02	1.727	0.87	8.14	8.19	ND	ND
		15:30:19	28.32	1.686	0.85	8.07	8.12	ND	ND
		18:30:18	28.43	1.825	0.92	8.14	8.08	ND	ND
		21:30:19	28.75	1.849	0.93	8.16	8.01	ND	1.3
	日平均值	28.25	1.77	0.89	8.16	8.11	ND	1.50	
	灣內站	00:37:13	28.63	43.94	28.25	8.21	6.12	2.5	ND
		03:37:28	28.3	43.93	28.24	8.25	6.47	9	1
		06:37:23	28.42	43.63	28.03	8.15	6.44	3.1	5.1
		09:37:20	28.54	42.53	27.24	8.28	6.43	ND	ND
		12:37:23	29.01	43.5	27.92	8.04	5.74	6.3	9.6
		15:37:26	29.27	42.53	27.22	8.2	7.17	ND	ND
		18:37:28	29.01	44.56	28.68	8.18	6.25	ND	1
		21:37:29	29	43.8	28.13	8.06	5.96	9.3	ND
	日平均值	28.77	43.55	27.96	8.17	6.32	6.04	4.18	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:23:15	28.71	43.2	27.71	8.35	7.33	ND	1.7
		03:23:11	28.17	45.89	29.66	8.25	5.52	ND	ND
		06:23:11	28.05	44.31	28.53	8.28	5.96	ND	ND
		09:23:14	28.59	42.61	27.29	8.42	8.96	ND	4.9
		12:23:21	29.37	42.88	27.46	8.44	9.46	ND	3.9
		15:23:21	28.65	40.41	25.73	8.11	6.11	ND	1.5
		18:23:21	28.59	45.37	29.27	8.22	5.97	ND	1.4
		21:23:28	28.68	43.63	28.02	8.34	7.84	ND	5.7
	日平均值	28.60	43.54	27.96	8.30	7.14	ND	3.18	
	潮口站	00:30:25	28.6	1.908	0.96	8.21	8.05	ND	ND
		03:30:21	28.05	1.956	0.99	8.18	8.09	ND	ND
		06:30:21	27.9	1.925	0.97	8.18	8.13	ND	ND
		09:30:24	28.52	1.904	0.96	8.24	8.08	ND	ND
		12:30:28	28.48	1.9	0.96	8.21	8.12	ND	ND
		15:30:28	27.87	1.771	0.89	8.11	8.18	ND	ND
		18:30:31	27.85	1.892	0.95	8.1	8.2	ND	ND
		21:30:38	28.07	1.891	0.95	8.17	8.17	ND	ND
	日平均值	28.17	1.89	0.95	8.18	8.13	ND	ND	
	灣內站	00:37:35	28.67	43.4	27.86	8.18	6.51	1.9	8.5
		03:37:31	28.18	46.11	29.82	8.13	5.34	ND	ND
		06:37:31	28.12	45.8	29.6	8.19	5.34	3.3	ND
		09:37:34	28.83	43.07	27.61	8.37	8.68	1.8	3.5
		12:37:41	29.15	44.03	28.29	8.23	7.14	ND	ND
		15:37:35	28.7	41.58	26.56	7.93	5.77	1.3	ND
		18:37:41	28.63	45.49	29.36	8.12	5.78	5.2	ND
		21:37:48	28.69	43.98	28.27	8.06	5.09	6.9	4.5
	日平均值	28.62	44.18	28.42	8.15	6.21	3.40	5.50	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:23:25	28.64	42.96	27.54	8.34	7.61	ND	4.3	
		03:23:32	28.32	45.19	29.15	8.18	5.29	ND	1.8	
		06:23:30	28.28	45.61	29.45	8.23	5.56	ND	ND	
		09:23:27	28.72	41.96	26.82	8.47	8.76	ND	3.8	
		12:23:27	29.62	42.51	27.19	8.46	9.08	ND	3.6	
		15:26:56	28.17	43.29	27.79	8.12	6.15	ND	3.4	
		18:26:55	28.74	45	29	8.22	5.73	ND	ND	
		21:26:57	28.5	43.76	28.12	8.23	6.66	ND	3.6	
	日平均值	28.62	43.79	28.13	8.28	6.86	ND	3.42		
	潮口站	00:37:39	28.58	43.29	27.78	8.11	6.43	4.9	2.3	
		03:37:52	28.36	45.27	29.21	8.22	5.47	ND	ND	
		06:37:50	28.29	45.82	29.61	8.11	5.19	6.4	ND	
		09:37:41	28.96	42.54	27.24	8.41	7.82	ND	2.6	
		12:37:47	29.09	44.12	28.36	8.23	6.37	ND	1.4	
		15:41:16	28.2	44.55	28.69	8.14	6.14	ND	ND	
		18:41:15	28.88	45.26	29.19	8.12	5.64	ND	1.8	
		21:41:17	28.61	44.05	28.32	8.1	6.16	9.1	ND	
	日平均值	28.62	44.36	28.55	8.18	6.15	6.80	2.03		
	灣內站	00:30:32	28.56	1.899	0.96	8.14	8.05	ND	ND	
		03:30:42	28.25	1.931	0.97	8.12	8.07	ND	ND	
		06:30:40	28.14	1.995	1.01	8.16	8.1	ND	ND	
		09:30:34	28.28	1.895	0.96	8.28	8.15	ND	ND	
		12:30:37	28.73	1.937	0.98	8.23	8.09	ND	ND	
		15:34:03	27.65	1.874	0.95	8.11	8.21	ND	ND	
		18:34:05	28.25	1.983	1	8.13	8.12	ND	ND	
		21:34:07	27.9	1.91	0.96	8.14	8.2	ND	2	
	日平均值	28.22	1.93	0.97	8.16	8.12	ND	2.00		
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:26:50	28.56	43.23	27.74	8.27	6.47	ND	3.4	
		03:26:57	28.4	44.81	28.87	8.22	5.6	ND	1.7	
		06:26:55	28.47	45.31	29.23	8.32	6.21	ND	1.6	
		09:26:55	28.46	44.36	28.55	8.24	6.23	ND	3.5	
		09:56:56	28.48	43.72	28.09	8.25	6.56	ND	ND	
		15:12:12	28.27	50.02	32.67	8.59	6.1	2.9	7.2	
		18:08:53	28.29	49.68	32.42	8.37	6.96	19.6	13.5	
		21:08:53	28.28	49.48	32.27	8.24	6.91	40	11	
	日平均值	28.40	46.33	29.98	8.31	6.38	ND	5.99		
	潮口站	00:41:10	28.56	43.87	28.2	8.07	5.29	14.1	ND	
		03:41:17	28.33	45.14	29.12	8.13	5.3	10.8	ND	
		06:41:15	28.5	45.62	29.46	8.15	5.37	8	ND	
		09:41:15	28.76	44.6	28.71	8.18	6.22	ND	2.2	
		10:11:13	28.68	44.12	28.37	8.07	5.43	5.3	1	
		15:26:32	28.18	49.95	32.61	8.62	6.29	2.7	5.2	
		18:23:13	28.38	49.81	32.51	8.36	7.05	32	14.2	
		21:23:13	28.27	49.55	32.32	8.26	7.08	24.6	26.4	
	日平均值	28.46	46.58	30.16	8.23	6.00	13.93	9.80		
	灣內站	00:34:00	28.32	1.908	0.96	8.11	8.1	ND	ND	
		03:34:04	28.04	2	1.01	8.15	8.11	ND	2.5	
		06:34:05	27.87	2.022	1.02	8.23	8.19	ND	ND	
		09:34:05	28.12	1.947	0.98	8.12	8.14	ND	ND	
		10:04:06	27.93	1.945	0.98	8.15	8.19	ND	ND	
		15:19:22	27.61	0.189	0.09	8.58	7.98	ND	ND	
		18:16:03	28.36	49.63	32.38	8.37	7.02	16.8	7.8	
		21:16:03	28.29	49.46	32.25	8.25	7.04	13	17.9	
	日平均值	28.07	13.64	8.71	8.25	7.85	ND	9.40		
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:15:39	29.26	49.44	32.21	8.07	9.41	3.5	19
		03:15:39	29.2	49.42	32.2	7.99	8.83	2.8	16.5
		06:15:40	28.9	49.54	32.29	7.99	7.94	3.5	24.4
		09:15:42	29.39	49.81	32.48	8.02	9.1	2.6	22.4
		12:15:45	29.77	49.68	32.37	8.23	11.72	4.2	51.7
		15:15:45	30.1	49.69	32.37	8.3	12.26	5.1	52.8
		18:15:49	29.88	49.85	32.49	8.21	11.29	2.6	24.5
		21:15:50	29.17	49.47	32.23	8.3	7.25	6.3	15.2
	日平均值	29.46	49.61	32.33	8.14	9.73	ND	28.31	
	潮口站	00:29:45	29.31	51.05	33.39	8.01	3.27	10.7	33.9
		03:29:45	29.35	50.67	33.11	8.19	5.94	5.7	23.5
		06:29:46	29.24	51.81	33.95	7.84	5.01	8.6	16.4
		09:29:48	29.23	51.79	33.94	7.83	5.35	10.2	4.4
		12:29:51	29.49	50.44	32.94	8.23	5.52	19	10.3
		15:29:51	29.3	51.27	33.55	7.95	5.31	9.4	10.3
		18:29:55	29.69	50.01	32.61	8.63	6.28	4.7	27.1
		21:29:56	29.31	49.78	32.46	8.39	7.97	6	14.2
	日平均值	29.37	50.85	33.24	8.13	5.58	9.29	17.51	
	灣內站	00:22:42	29.23	49.71	32.41	8.57	9.12	2.7	18.9
		03:22:42	29.35	50.12	32.7	8.47	8.59	2.7	19.3
		06:22:43	29.3	50.5	32.99	8.26	6.23	2.9	18.2
		09:22:45	29.35	51.14	33.46	8	3.34	13.6	10.4
		12:22:48	29.73	49.72	32.4	8.67	10.96	4.4	46
		15:22:48	30.09	49.73	32.39	8.73	11.93	5.7	47
		18:22:52	29.81	49.86	32.5	8.7	11.11	1.8	21.2
		21:22:53	29.22	49.53	32.28	8.32	7.27	5.4	9.1
	日平均值	29.51	50.04	32.64	8.47	8.57	ND	23.76	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:03:17	28.6	49.6	32.35	8.37	7.85	4.9	11.4
		03:03:14	28.5	49.84	32.53	8.37	7.34	3.3	9.3
		06:03:12	28.21	50.69	33.16	8.38	7.12	3.8	2.3
		09:03:14	28.31	50.86	33.28	8.36	6.96	4.5	5.1
		12:03:14	28.58	49.99	32.63	8.38	7.37	10.3	10.7
		15:03:09	28.52	50.38	32.92	8.36	6.77	8.5	8.9
		18:03:14	28.05	50.56	33.07	8.37	7.18	7	5.6
		21:03:07	28.24	50.69	33.16	8.39	7.09	6.7	9.1
	日平均值	28.38	50.33	32.89	8.37	7.21	6.13	7.80	
	潮口站	00:17:37	28.61	49.63	32.37	8.34	7.82	3.7	12.2
		03:17:34	28.5	49.72	32.44	8.38	7.44	8.7	11.1
		06:17:32	28.26	50.73	33.19	8.4	7.24	4.8	2.1
		09:17:34	28.37	50.85	33.27	8.38	7.09	5.1	3
		12:17:31	28.53	50.27	32.84	8.37	7.35	12.5	7.7
		15:17:23	28.46	50.09	32.71	8.4	7.45	8.9	9.8
		18:17:34	28.2	50.78	33.22	8.38	7.25	7.2	7.9
		21:17:27	28.25	50.67	33.14	8.4	7.08	9.4	10.6
	日平均值	28.40	50.34	32.90	8.38	7.34	7.54	8.05	
	灣內站	00:10:24	28.61	49.47	32.25	8.36	7.51	5.3	36.1
		03:10:24	28.02	0.232	0.11	8.31	7.96	ND	ND
		06:10:22	27.89	0.221	0.1	8.34	7.98	ND	1.3
		09:10:24	28.21	0.217	0.1	8.36	7.94	ND	2.5
		12:10:24	27.65	0.228	0.11	8.29	8.06	ND	4.2
		15:10:16	27.64	0.235	0.11	8.31	8.05	ND	3.5
		18:10:24	27.53	0.22	0.1	8.33	8.06	ND	ND
		21:10:17	28.11	0.226	0.11	8.35	7.97	ND	ND
	日平均值	27.96	6.38	4.12	8.33	7.94	5.30	9.52	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:15:53	29.22	49.51	32.26	8.41	7.87	4.4	16.9
		03:15:53	29.25	49.04	31.91	8.46	8.06	4.1	17.2
		06:15:57	28.9	49.65	32.38	8.37	7.39	3.7	23.4
		09:15:58	29.07	49.4	32.19	8.45	9.04	2.4	20.3
		12:15:31	29.85	49.45	32.2	8.19	11.56	4.8	51.1
		15:16:00	30.5	49.57	32.26	8.22	11.23	8.6	41.8
		18:16:07	29.85	49.57	32.29	8.25	12.16	4.1	34.7
		21:16:07	29.49	49.11	31.96	8.04	9.44	3.9	15.2
	日平均值	29.52	49.41	32.18	8.30	9.59	4.50	27.58	
	潮口站	00:22:56	29.25	49.67	32.38	8.4	7.59	4	13.5
		03:22:56	29.23	49.95	32.58	8.31	6.89	5.2	22.2
		06:23:00	29.17	50.09	32.69	8.29	6.42	3.5	15.3
		09:23:01	29.01	49.87	32.53	8.33	7.22	3	15.9
		12:22:34	29.28	50.15	32.73	8.37	7.54	19.6	8.6
		15:23:03	29.85	49.96	32.57	8.38	9.26	20.7	16.6
		18:23:10	29.82	49.65	32.35	8.75	11.63	2.7	27.7
		21:23:10	29.56	49.99	32.6	8.46	8.63	3.2	17.5
	日平均值	29.40	49.92	32.55	8.41	8.15	7.74	17.16	
	灣內站	00:29:59	29.34	50.37	32.89	8.25	5.29	8.5	55.2
		03:29:59	29.27	51.57	33.78	7.84	5.89	7.6	5.7
		06:30:03	29.25	51.66	33.84	7.85	6.09	8.7	11.4
		09:30:04	29.31	51	33.36	7.91	8.51	11.3	17.7
		12:29:37	29.22	51.89	34.01	7.79	5.34	8.2	3.6
		15:30:06	29.23	51.73	33.89	7.85	5.82	10.8	4.3
		18:30:13	29.4	51.02	33.36	7.93	7.86	29.3	169.9
		21:30:13	29.48	50.18	32.75	8.37	7.32	4.5	32.2
	日平均值	29.31	51.18	33.49	7.97	6.52	11.11	37.50	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:16:10	29.29	49.19	32.03	8.09	9.12	4.6	24.7
		03:16:13	29.22	48.71	31.68	8.02	8.58	4.7	21.4
		06:16:13	28.78	48.88	31.82	7.97	8.01	4	34.3
		09:16:15	29.13	48.96	31.87	8.18	11.68	4.5	65.5
		12:16:17	29.87	48.85	31.76	8.3	12.47	4.4	53.6
		15:16:19	30.47	48.96	31.82	8.39	12.44	4.4	47.1
		18:16:24	30.07	48.85	31.75	8.35	11.37	4.4	23.1
		21:16:27	29.12	46.73	30.24	7.95	8.49	4.5	10.3
	日平均值	29.49	48.64	31.62	8.16	10.27	4.44	35.00	
	潮口站	00:23:13	29.31	49.62	32.34	8.44	7.69	3	14.6
		03:23:16	29.36	49.91	32.55	8.43	7.81	2.8	20.9
		06:23:16	29.39	50.07	32.67	8.34	6.35	2.9	18.2
		09:23:18	29.06	49.63	32.36	8.41	8	2.4	17.3
		12:23:20	29.54	49.88	32.52	8.3	8.46	17.9	9.7
		15:23:22	29.99	49.29	32.07	8.62	10.37	10.4	32.9
		18:23:27	29.39	50.53	33	8.15	7.26	20.2	186.2
		21:23:30	29.52	50.14	32.72	8.25	6.05	17.8	156.2
	日平均值	29.45	49.88	32.53	8.37	7.75	9.68	57.00	
	灣內站	00:30:16	29.42	50.11	32.69	8.3	5.94	7.1	45.4
		03:30:19	29.38	50.39	32.9	8.11	6.25	16.3	57.3
		06:30:19	29.22	51.66	33.84	7.79	5.99	12.1	9.5
		09:30:21	29.31	51.29	33.57	7.85	5.8	23.8	7.8
		12:30:23	29.17	51.61	33.81	7.83	6.18	8.5	5.3
		15:30:25	29.17	51.48	33.71	7.84	6	8.7	5.4
		18:30:30	29.06	51.8	33.95	7.85	6.07	10.2	4.1
		21:30:33	29.12	51.75	33.91	7.82	5.41	12.6	7.7
	日平均值	29.23	51.26	33.55	7.92	5.96	12.41	17.81	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:16:30	29.53	48.24	31.33	8.15	9.73	5.6	37.5	
		03:16:29	29.18	48.12	31.25	8.15	9.48	3.4	22	
		06:16:32	28.9	47.58	30.86	8.1	9.02	3.7	30.3	
		09:16:34	29.07	47.77	31	8.15	10.43	2	24.3	
		12:15:34	29.67	48.03	31.17	8.29	11.99	2.2	31.3	
		15:16:46	30.41	48.35	31.38	8.39	12.11	4.2	38	
		18:16:48	29.9	48.01	31.15	8.41	12.57	2.9	28.1	
		21:16:58	29.45	48.2	31.3	8.24	10.17	2.2	17.7	
		日平均值	29.51	48.04	31.18	8.24	10.69	3.28	28.65	
	潮口站	00:23:33	29.34	49.49	32.24	8.05	8.44	1.2	14.1	
		03:23:32	29.39	49.54	32.28	7.97	7.79	5.1	24.1	
		06:23:35	29.47	49.94	32.57	8.23	5.88	9.2	20.6	
		09:23:37	29.47	49.77	32.45	8.38	7.51	6.2	16.9	
		12:22:37	29.62	49.59	32.31	8.39	7.19	15	9.4	
		15:23:49	29.66	49.93	32.55	8.39	10.9	11.1	14.5	
		18:23:51	29.83	48.63	31.6	8.39	12.82	3.4	34.7	
		21:24:01	29.73	49.48	32.22	8.12	10.02	0.9	14.3	
		日平均值	29.56	49.55	32.28	8.24	8.82	6.51	18.58	
	灣內站	00:30:36	29.29	49.48	32.24	8	8.12	2.6	16.9	
		03:30:35	29.19	51.18	33.49	7.91	6.73	29.6	6.2	
		06:30:38	29.1	51.68	33.86	7.8	5.84	8.6	8.1	
		09:30:40	29.11	51.67	33.85	7.78	8.93	8.7	5.3	
		12:29:40	29.18	51.44	33.68	7.84	5.36	10.9	5.4	
		15:30:52	29.1	51.5	33.73	7.85	5.63	6	4.7	
		18:30:54	29.17	51.45	33.69	7.85	5.79	10.9	8.8	
		21:31:04	29.56	49.28	32.09	8.41	6.48	3.7	33.1	
		日平均值	29.21	50.96	33.33	7.93	6.61	10.13	11.06	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:16:51	29.26	48.21	31.32	8.23	9.41	2.8	17.8	
		03:16:54	29.09	48.39	31.45	8.08	10.22	2.3	19.9	
		06:16:55	28.87	48.72	31.7	8.08	8.32	2.1	18.3	
		09:16:55	29.15	48.33	31.4	8.2	10.18	2	17.2	
		12:16:57	29.61	47.95	31.11	8.33	11.61	3.7	41.9	
		15:16:58	30.04	48.03	31.16	8.39	12.6	4.6	53	
		18:17:05	29.73	47.97	31.12	8.23	10.45	4.2	18.1	
		21:17:06	29.6	47.76	30.97	8.22	9.84	4.6	29.2	
		日平均值	29.42	48.17	31.28	8.22	10.33	3.29	26.93	
	潮口站	00:23:54	29.45	50.31	32.84	8.2	8.27	19.5	173.7	
		03:23:57	28.99	50.97	33.34	8.03	8.29	2.9	19.7	
		06:23:58	29.14	50.79	33.2	8.08	6.84	1.8	16.4	
		09:23:58	29.11	49.82	32.49	8.3	8.25	2.3	26.5	
		12:24:00	29.23	49.7	32.4	8.35	8.41	9.9	15.1	
		15:24:01	29.46	50.23	32.78	8.06	7.76	11.4	18.2	
		18:24:08	29.25	49.02	31.9	8.43	7.76	3.6	31.2	
		21:24:09	29.21	51.11	33.44	7.85	3.7	6.3	6.3	
		日平均值	29.23	50.24	32.80	8.16	7.41	7.21	38.39	
	灣內站	00:30:57	29.02	51.56	33.77	7.76	6.28	6.3	8.3	
		03:31:00	28.92	51.5	33.73	7.81	6.05	9.4	5.6	
		06:31:01	28.97	51.18	33.5	7.92	5.4	10.1	20.6	
		09:31:01	29.04	50.64	33.09	8.01	5.57	3.3	12.2	
		12:31:03	29.03	51.25	33.55	7.81	5.8	16.8	4.3	
		15:31:04	29.03	51.35	33.62	7.78	5.43	12.3	3.2	
		18:31:11	29.15	51.02	33.37	7.84	6.04	12	8.1	
		21:31:12	29	51.48	33.72	7.75	5.2	13.3	6	
		日平均值	29.02	51.25	33.54	7.84	5.72	10.44	8.54	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:17:11	29.3	47.89	31.08	8.28	10.6	1.8	24	
		03:17:10	28.87	48.63	31.63	7.93	6.39	6	34.7	
		06:17:14	28.49	48.6	31.62	7.93	6.54	3	24.1	
		09:17:15	28.79	48.1	31.24	8.26	10.07	2.3	38.4	
		12:15:35	29.6	47.35	30.68	8.32	12.05	5.1	59.2	
		15:17:22	29.85	47.48	30.76	8.41	13.06	3.1	43.7	
		18:17:26	29.52	47.39	30.71	8.28	10.77	1.4	20.3	
		21:17:30	29.3	47.22	30.59	8.31	10.96	3.6	31.9	
	日平均值		29.22	47.83	31.04	8.22	10.06	3.29	34.54	
	潮口站	00:24:14	28.9	51.56	33.78	7.8	2.86	5.8	4.8	
		03:24:13	28.81	51.21	33.52	8	3.77	ND	8.5	
		06:24:17	29	51.29	33.57	7.82	2.23	3.7	7	
		09:24:18	29.05	50.91	33.29	7.89	3.56	16.6	10.2	
		12:22:38	29.08	50.57	33.05	7.92	7.87	19.1	6.4	
		15:24:25	29.01	51.1	33.44	7.85	9.93	8.3	3.5	
		18:24:29	29.08	50.53	33.01	7.84	9.42	9.6	7.8	
		21:24:33	29.08	50.45	32.96	8.14	8.29	1.4	26.3	
	日平均值		29.00	50.95	33.33	7.91	5.99	9.21	9.31	
	灣內站	00:31:17	28.75	51.52	33.75	7.82	5.77	6.1	6.4	
		03:31:16	28.82	51.15	33.48	7.86	5.84	3.8	18.1	
		06:31:20	28.89	51.21	33.52	7.83	5.29	5.3	10	
		09:31:21	28.89	51.14	33.47	7.81	5.36	4.1	6.4	
		12:29:41	28.93	51.05	33.4	7.9	6.05	11.8	3.4	
		15:31:28	28.87	51.16	33.48	7.82	7.16	8.2	3.8	
		18:31:32	28.92	51.07	33.42	7.82	5.72	5.5	17.5	
		21:31:36	29.01	50.76	33.19	7.85	5.97	7.8	11	
	日平均值		28.89	51.13	33.46	7.84	5.90	6.58	9.58	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:17:32	28.98	47.78	31.01	8.2	10.44	1.3	16.4	
		03:17:35	28.84	47.82	31.04	8.04	7.55	6.3	39.2	
		06:17:36	28.38	47.76	31.01	8.03	7.54	4	40	
		09:17:38	28.73	47.81	31.04	8.06	8.49	9.8	55.4	
		12:17:39	29.93	47.18	30.54	8.28	11.52	4.3	34.4	
		15:17:43	29.87	47.86	31.04	8.26	10.35	2.6	25.5	
		18:17:45	30.38	47.21	30.55	8.28	11.46	10.2	28.7	
		21:17:50	29.39	47.36	30.69	8.18	9.45	3.6	25.7	
	日平均值		29.31	47.60	30.87	8.17	9.60	5.26	33.16	
	潮口站	00:24:35	28.79	51.22	33.53	7.8	5.97	4.8	6.4	
		03:24:38	28.81	51.24	33.54	8.04	6.27	1.6	6.7	
		06:24:39	28.96	50.47	32.98	7.84	6.18	9.9	9.1	
		09:24:41	28.98	50.51	33.01	7.85	7.63	13.7	5.1	
		12:24:42	29.27	49.61	32.33	8.16	9.32	12.5	14.7	
		15:24:46	29.6	48.5	31.51	8.67	9.85	1.3	16.7	
		18:24:48	29.34	48.81	31.75	8.44	9.85	4.4	18.3	
		21:24:53	29.2	49.75	32.44	8.21	7.51	5.1	14.3	
	日平均值		29.12	50.01	32.64	8.13	7.82	6.66	11.41	
	灣內站	00:31:38	28.71	51.3	33.59	7.84	5.25	7.3	8.2	
		03:31:41	28.73	51.06	33.42	7.94	5.74	4.1	6.9	
		06:31:42	28.83	50.7	33.15	7.86	5.3	4	8.2	
		09:31:44	28.84	50.77	33.2	7.83	5.32	4.1	4.1	
		12:31:45	28.95	50.51	33.01	7.86	5.85	12	4.5	
		15:31:49	29.55	48.33	31.39	8.62	9.65	3.7	15.8	
		18:31:51	29.21	49.4	32.18	8.07	5.54	14.9	36.4	
		21:31:56	29.09	49.74	32.44	8.01	5.41	15.7	17	
	日平均值		28.99	50.23	32.80	8.00	6.01	8.23	12.64	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:17:54	29.19	47.22	30.59	8.07	8.05	6.1	35.8
		03:17:54	28.87	48.24	31.34	7.94	6.32	3	16.9
		06:17:57	28.81	49.34	32.15	8.25	4.95	3.2	19.4
		09:18:00	28.59	48.1	31.25	8.17	4.8	10.3	62.3
		12:15:36	29.91	47.62	30.86	8.19	11.83	8.3	71.9
		15:18:02	29.47	49.05	31.92	8.22	7.83	6.3	49.1
		18:18:05	29.27	47.59	30.86	8.19	11.09	3.4	20
		21:18:07	29.13	49.11	31.97	7.9	6.98	8.5	22.9
	日平均值		29.16	48.28	31.37	8.12	7.73	6.14	37.29
	潮口站	00:24:57	28.88	50.58	33.06	7.85	5.37	5.7	5.3
		03:24:57	28.88	50.8	33.22	7.9	4.71	7	19
		06:25:00	28.96	50.78	33.2	7.98	3.75	4.7	11.4
		09:25:03	28.99	50.52	33.01	7.95	4.16	6.4	7.5
		12:22:39	28.89	50.66	33.12	7.91	10.03	7.5	8.9
		15:25:05	29.48	49.16	32	8.66	8.03	6.2	39.7
		18:25:08	28.94	50.99	33.36	7.91	6.62	5.2	6.4
		21:25:10	29.02	50.37	32.9	8.41	7.03	0.6	7.2
	日平均值		29.01	50.48	32.98	8.07	6.21	5.41	13.18
	灣內站	00:32:00	28.83	50.62	33.09	7.85	5.93	4.5	6.5
		03:32:00	28.8	50.6	33.07	8.01	6.84	7.2	15.7
		06:32:03	28.85	50.74	33.18	7.94	5.51	10	18.4
		09:32:06	28.88	50.63	33.09	7.88	5.46	9.3	6.6
		12:29:42	28.78	50.69	33.14	7.95	6.93	12.8	7.9
		15:32:08	28.86	50.83	33.24	7.94	7.09	5.3	5.7
		18:32:11	28.83	50.92	33.31	7.89	6.45	8.8	13.2
		21:32:13	28.9	50.08	32.69	8.31	6.54	2.6	12.1
	日平均值		28.84	50.64	33.10	7.97	6.34	7.56	10.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:18:09	28.87	49.06	31.95	8.05	9.07	1.2	11.3
		03:18:12	28.52	48.78	31.75	8.03	8.29	2.2	9.6
		06:18:15	28.42	49	31.91	7.84	6.26	2.2	15.5
		09:18:17	28.7	49.46	32.24	7.87	7.18	10.5	53.7
		12:18:18	29.1	49.34	32.14	8.01	9.06	3	27.3
		15:18:22	29.07	49.07	31.94	7.97	7.84	2.4	15.4
		18:18:25	29.16	47.46	30.77	8.02	7.73	7.6	24.5
		21:18:29	28.74	48.72	31.7	7.87	6.77	6.2	19.3
	日平均值		28.82	48.86	31.80	7.96	7.78	4.41	22.08
	潮口站	00:25:12	28.98	50.33	32.87	8.4	7.89	1.5	9.7
		03:25:15	28.81	51.52	33.76	8.01	4.97	4.9	8
		06:25:18	28.77	51.04	33.4	8.07	5.47	3.2	8.7
		09:25:20	28.85	50.98	33.36	8.07	6.08	1.1	6.4
		12:25:21	29.15	49.53	32.28	8.51	8.42	4	33.2
		15:25:25	29.11	49.25	32.07	8.46	7.57	2.5	14.6
		18:25:28	29.09	49.68	32.39	8.38	7.1	4.4	12.5
		21:25:32	28.87	50.04	32.66	8.23	6.05	4	12.8
	日平均值		28.95	50.30	32.85	8.27	6.69	3.20	13.24
	灣內站	00:32:15	28.92	50.08	32.69	8.21	5.29	6	14.5
		03:32:18	28.74	51.39	33.66	7.98	5.43	9.3	4.7
		06:32:21	28.72	50.96	33.34	8	5.08	10.3	11.7
		09:32:23	28.75	51	33.37	8	5.39	10.1	6.8
		12:32:24	29.11	49.39	32.18	8.43	7.97	5.8	25
		15:32:28	29.07	48.98	31.88	8.47	7.81	5.9	15.5
		18:32:31	28.97	50.18	32.76	8.05	6.07	14.1	18.8
		21:32:35	28.84	49.86	32.53	8.2	5.34	5.8	13.8
	日平均值		28.89	50.23	32.80	8.17	6.05	8.41	13.85
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:25:31	27.97	49.37	32.2	8.1	5.51	5.4	3.9	
		03:25:30	27.47	50.69	33.18	8.19	5.92	3	2.2	
		06:25:29	27.51	50.22	32.84	8.17	5.61	1.3	8.1	
		09:25:32	27.88	48.57	31.62	8.21	6.43	4	5.7	
		12:25:30	28.36	49.01	31.93	8.12	6.09	6.9	7.1	
		15:25:30	27.34	50.14	32.78	8.15	5.73	4.9	1.9	
		18:25:29	27.73	50.47	33.02	8.2	6.15	3.5	6.5	
		21:25:29	27.72	49.47	32.28	8.24	6.79	2.9	17.2	
	日平均值		27.75	49.74	32.48	8.17	6.03	3.99	6.58	
	潮口站	00:32:41	27.95	0.181	0.08	8.16	7.91	ND	1.1	
		03:32:40	27.46	50.61	33.12	8.2	6.28	7	ND	
		06:32:39	27.48	50.15	32.79	8.21	6.18	5.2	6	
		09:32:42	27.94	48.72	31.73	8.21	6.87	29.1	32.5	
		12:32:40	27.86	0.182	0.08	8.17	7.97	ND	ND	
		15:32:40	26.99	0.189	0.09	8.18	8.09	ND	ND	
		18:32:39	27.72	50.42	32.98	8.23	6.68	14.3	6	
		21:32:39	27.73	49.35	32.19	8.24	6.83	4.8	20	
	日平均值		27.64	31.23	20.38	8.20	7.10	12.08	13.12	
	灣內站	00:39:51	28	49.42	32.23	8.09	5.92	6.2	10.4	
		03:39:50	27.49	50.72	33.21	8.2	6.56	3.6	5.7	
		06:39:49	27.56	50.17	32.79	8.19	6.23	3.3	4.9	
		09:39:52	27.97	48.81	31.79	8.24	6.97	5.2	11.3	
		12:39:50	28.37	49.11	32	8.16	6.88	7.2	15	
		15:39:50	27.37	49.87	32.58	8.17	6.44	3.9	ND	
		18:39:49	27.75	50.59	33.1	8.2	6.72	3	6.2	
		21:39:49	27.8	49.48	32.29	8.25	7.37	2.9	13.4	
	日平均值		27.79	49.77	32.50	8.19	6.64	4.41	9.56	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:25:23	27.85	49.32	32.17	8.24	6.91	7.3	14.2
		03:25:28	27.4	50.55	33.08	8.2	5.63	3	2.9
		06:25:29	27.4	50.51	33.05	8.21	5.65	2.5	3.6
		09:03:10	28.1	48.67	31.68	8.33	7.45	6	13.2
		12:25:29	28.71	49.12	31.99	8.25	7.44	11.1	11.8
		15:25:21	27.72	46.36	30.02	8.1	5.84	5.8	ND
		18:25:28	27.84	48.93	31.88	8.22	6.1	4.9	10.3
		21:25:28	27.7	49.26	32.13	8.24	6.04	6.5	6.7
	日平均值		27.84	49.09	32.00	8.22	6.38	5.89	8.96
	潮口站	00:32:33	27.87	0.211	0.1	8.24	7.97	ND	ND
		03:32:38	27.39	50.41	32.98	8.21	6.14	13.5	2.9
		06:32:39	27.42	50.51	33.05	8.22	5.84	15.1	2.5
		09:10:20	28.06	48.81	31.79	8.32	7.8	10.2	25.9
		12:32:39	28.11	0.222	0.1	8.18	7.97	ND	ND
		15:32:28	27.19	0.209	0.1	8.2	8.07	ND	1.6
		18:32:38	27.83	48.74	31.74	8.21	6.54	8.3	7.1
		21:32:38	27.66	49.08	32	8.21	6.42	8.1	6.4
	日平均值		27.69	31.02	20.23	8.22	7.09	11.04	7.73
	灣內站	00:39:43	27.9	49.31	32.16	8.25	7.54	6.3	14.9
		03:39:48	27.43	50.6	33.11	8.25	6.31	5.9	2.8
		06:39:49	27.43	50.54	33.07	8.25	6.27	4.7	5.3
		09:17:30	28.2	48.85	31.81	8.33	8.13	4.7	13.4
		12:39:49	28.37	49.34	32.16	8.25	8.08	4.5	15.5
		15:39:35	27.67	46.51	30.12	8.11	6.32	6.4	3.8
		18:39:48	27.87	49.17	32.05	8.21	6.82	3.8	5.7
		21:39:48	27.73	49.26	32.12	8.22	6.64	5.1	7.2
	日平均值		27.83	49.20	32.08	8.23	7.01	5.18	8.58
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:25:28	27.67	49.12	32.03	8.19	5.58	7.1	4.1	
		03:25:27	27.48	50.22	32.84	8.25	5.78	7.9	6.9	
		06:25:28	27.53	50.31	32.9	8.27	5.47	6.1	ND	
		09:25:26	28.04	47.37	30.74	8.31	6.85	4.8	15	
		12:25:27	28.7	48.47	31.52	8.26	6.57	8.4	5.1	
		15:25:28	27.82	47.01	30.48	8.18	6	5	6	
		18:25:27	27.85	50.16	32.78	8.23	6.15	5.2	11.9	
		21:25:27	28.17	48.7	31.7	8.27	6.64	5.3	14.5	
	日平均值		27.91	48.92	31.87	8.25	6.13	6.23	9.07	
	潮口站	00:39:48	27.77	49.19	32.08	8.19	6.14	7.2	5.2	
		03:39:47	27.47	50.41	32.98	8.26	6.26	7.4	4.7	
		06:39:48	27.57	50.33	32.91	8.29	6.09	7.8	1	
		09:39:46	28.23	46.98	30.45	8.35	7.84	3.9	17.2	
		12:39:47	28.48	48.81	31.77	8.3	7.2	8.2	14.3	
		15:39:48	27.82	46.82	30.34	8.16	6.56	4.7	5.5	
		18:39:47	27.86	50.1	32.73	8.23	6.83	5.5	12.5	
		21:39:47	28.18	48.71	31.71	8.25	7.12	4.7	7.4	
	日平均值		27.92	48.92	31.87	8.25	6.76	6.18	8.48	
	灣內站	00:32:38	27.69	0.252	0.12	8.24	7.97	ND	ND	
		03:32:37	27.5	0.257	0.12	8.28	7.99	ND	ND	
		06:32:35	27.55	50.2	32.82	8.29	6.15	19.8	6.1	
		09:32:36	28.05	47.78	31.04	8.32	7.26	13.7	28.5	
		12:32:37	28.39	48.94	31.87	8.26	7.36	53.5	38.9	
		15:32:38	27.81	46.55	30.15	8.17	6.34	5.7	4.8	
		18:32:37	27.83	49.92	32.6	8.23	6.81	20.9	5.8	
		21:32:37	28.1	48.71	31.72	8.24	7.06	38.5	32.1	
	日平均值		27.87	36.58	23.81	8.25	7.12	25.35	19.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:25:25	28.28	48.68	31.69	8.27	6.76	5.8	9.7	
		03:25:26	27.77	49.52	32.31	8.25	5.78	6.9	ND	
		06:25:21	27.46	50.15	32.79	8.33	5.59	5.5	ND	
		09:25:25	28.11	48.87	31.83	8.27	5.72	6.1	10.5	
		12:25:25	28.98	48.33	31.41	8.34	7.2	4.5	14.7	
		15:25:25	27.99	46.51	30.11	8.24	6.24	4.9	9	
		18:25:25	27.72	48.91	31.87	8.26	6.28	4	7.6	
		21:25:25	27.91	49.06	31.97	8.29	6.35	7	9.9	
	日平均值		28.03	48.75	31.75	8.28	6.24	5.59	10.23	
	潮口站	00:32:35	28.25	0.286	0.13	8.3	7.89	ND	3.7	
		03:32:36	27.78	0.301	0.14	8.3	7.93	ND	ND	
		06:32:31	27.49	50.03	32.69	8.33	5.96	8.4	7.3	
		09:32:35	28.14	48.83	31.8	8.28	6.28	8.8	3	
		12:04:55	28.38	0.328	0.15	8.3	7.89	ND	ND	
		15:32:35	27.89	46.95	30.43	8.24	6.5	6.5	3.4	
		18:32:35	27.71	48.7	31.71	8.28	6.73	10.7	11.1	
		21:32:35	27.89	48.87	31.83	8.31	6.98	67	23.4	
	日平均值		27.94	30.54	19.86	8.29	7.02	20.28	8.65	
	灣內站	00:39:45	28.28	48.84	31.8	8.28	7.04	6.9	ND	
		03:39:46	27.61	49.85	32.56	8.26	6.38	6	4.2	
		06:39:41	27.49	50.16	32.79	8.32	6.35	7.9	2.5	
		09:39:45	28.26	48.45	31.52	8.33	7.01	6.2	4.7	
		12:12:05	28.76	48.82	31.77	8.25	6.95	8	12.1	
		15:39:45	27.86	47.12	30.56	8.23	6.81	4.1	6.8	
		18:39:45	27.73	48.86	31.83	8.29	7.06	4.6	2.4	
		21:39:45	27.92	48.95	31.89	8.3	6.95	8.6	9.7	
	日平均值		27.99	48.88	31.84	8.28	6.82	6.54	6.06	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:25:23	27.88	48.53	31.59	8.28	5.97	5.8	7.2	
		03:25:25	28	48.66	31.68	8.34	6.11	4.7	12.6	
		06:25:25	27.47	49.93	32.63	8.35	5.88	3.7	4.9	
		09:25:23	27.6	49.55	32.34	8.37	6.08	4.4	2.8	
		12:25:23	28.09	48.88	31.83	8.35	6.54	4.7	11.3	
		15:25:24	27.54	49.72	32.47	8.33	6.18	4.5	5.8	
		18:25:23	27.32	50.17	32.81	8.37	5.9	3.4	ND	
		21:25:23	27.26	49.74	32.49	8.43	6.17	4.2	1.9	
	日平均值		27.65	49.40	32.23	8.35	6.10	4.43	6.64	
	潮口站	00:32:33	29.11	49.01	31.9	8.29	5.92	4.8	5.2	
		03:32:35	27.85	48.6	31.64	8.28	6.45	99.2	19.2	
		06:32:35	27.46	49.54	32.34	8.37	6.52	17.1	11.6	
		09:32:33	27.58	49.34	32.19	8.38	6.41	10.9	5.3	
		12:32:33	28.15	48.63	31.65	8.34	6.73	5.4	11.6	
		15:32:34	27.47	49.53	32.33	8.34	6.82	22.3	10.8	
		18:32:33	27.3	49.98	32.66	8.35	6.47	5.2	1	
		21:32:33	26.91	0.385	0.18	8.4	8.11	ND	3.1	
	日平均值		27.73	43.13	28.11	8.34	6.68	30.24	8.48	
	灣內站	00:39:43	28.06	48.67	31.68	8.28	6.55	5.5	8.3	
		03:39:45	27.9	48.79	31.78	8.28	6.25	6	4.8	
		06:39:45	27.51	49.85	32.56	8.36	6.51	5.8	3.4	
		09:39:43	27.62	49.7	32.45	8.38	6.66	3.8	5.1	
		12:39:43	28.17	48.83	31.8	8.37	7.17	5.8	13.8	
		15:39:44	27.51	49.61	32.39	8.35	6.83	4.1	6	
		18:39:43	27.34	50.39	32.96	8.36	6.51	4	2.4	
		21:39:40	26.37	0.349	0.17	8.36	8.22	ND	5.5	
	日平均值		27.56	43.27	28.22	8.34	6.84	5.00	6.16	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月1日	蚵殼站	00:25:17	27.53	48.96	31.91	8.49	6.32	7.4	1.7	
		03:25:18	27.37	49.06	31.99	8.5	6.42	6.3	7.3	
		06:25:22	27.07	50.3	32.91	8.43	5.63	3.8	3.5	
		09:25:22	27.08	50.51	33.06	8.44	5.61	3.2	0.7	
		12:25:22	27.26	49.19	32.09	8.47	6.77	5.3	4.2	
		15:25:22	27.18	49.66	32.43	8.41	6.03	5.6	4.9	
		18:02:32	27.1	50.05	32.72	8.41	5.83	4	7	
		21:25:21	27.14	50.25	32.87	8.44	6.25	4.1	6.9	
	日平均值		27.22	49.75	32.50	8.45	6.11	4.96	4.53	
	潮口站	00:32:27	27.52	48.94	31.9	8.46	6.66	11.4	18	
		03:32:28	27.38	48.73	31.75	8.49	6.87	21.2	27.3	
		06:32:32	27.1	50.05	32.72	8.45	6.59	29.4	5.4	
		09:32:29	27.07	50.15	32.8	8.45	6.42	45.9	7.6	
		12:32:32	27.26	48.93	31.89	8.46	7.39	270.3	32.8	
		15:32:32	27.18	49.57	32.37	8.39	6.75	65.6	14.6	
		18:09:42	27.07	49.45	32.28	8.4	6.82	25	13.9	
		21:32:31	27.11	50.17	32.81	8.43	7.1	99	13.9	
	日平均值		27.21	49.50	32.32	8.44	6.83	70.98	16.69	
	灣內站	00:39:37	26.95	0.414	0.2	8.4	8.11	ND	7.5	
		03:39:38	26.92	0.398	0.19	8.44	8.09	ND	ND	
		06:39:42	26.79	0.39	0.19	8.44	8.13	ND	1.4	
		09:39:42	27.11	50.39	32.97	8.43	6.34	4.6	4	
		12:39:39	27.31	49.09	32.01	8.47	7.47	9	18.3	
		15:39:42	27.21	49.85	32.57	8.38	6.6	6.3	2.2	
		18:16:52	27.11	49.96	32.65	8.38	6.58	4	1.7	
		21:39:41	27.16	50.3	32.9	8.42	6.89	3.1	3.6	
	日平均值		27.07	31.35	20.46	8.42	7.28	5.40	5.53	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月2日	蚵殼站	00:25:20	26.83	49.54	32.35	8.4	5.86	5.2	4.2	
		03:25:21	26.77	49.42	32.27	8.42	6.02	4.6	3.1	
		06:19:33	26.93	50	32.69	8.4	5.45	4.3	5.2	
		09:25:20	27.09	50.22	32.84	8.43	5.65	2.4	3.2	
		12:25:20	26.45	49.54	32.36	8.4	5.82	7.1	13.8	
		15:25:19	26.77	49.84	32.57	8.39	5.81	5.2	6	
		18:25:19	26.95	50.45	33.02	8.36	5.53	1.6	ND	
		21:25:19	26.78	50.2	32.84	8.34	5.6	4	ND	
	日平均值		26.82	49.90	32.62	8.39	5.72	4.30	5.92	
	潮口站	00:32:30	26.83	49.32	32.2	8.39	6.28	34.8	9.1	
		03:32:31	26.78	49.27	32.16	8.43	6.63	64	20.2	
		06:26:43	26.98	49.97	32.66	8.42	6.5	13.9	10.7	
		09:32:30	27.08	49.95	32.65	8.43	6.24	36.4	ND	
		12:32:30	26.48	49.28	32.18	8.41	6.89	49.9	34.5	
		15:32:29	26.95	49.92	32.63	8.42	6.29	8.6	7.6	
		18:32:29	26.93	50.24	32.86	8.36	6.42	19	7.3	
		21:32:29	26.84	49.74	32.5	8.37	6.34	22.7	6.4	
	日平均值		26.86	49.71	32.48	8.40	6.45	31.16	13.69	
	灣內站	00:39:37	26.88	49.58	32.38	8.4	6.49	6.5	7.2	
		03:39:41	26.8	49.43	32.28	8.44	6.8	4.4	10	
		06:33:53	27.01	50.27	32.89	8.42	6.21	5.2	2.1	
		09:39:40	27.11	50.53	33.08	8.43	6.3	4.1	ND	
		12:39:40	26.62	49.75	32.52	8.42	6.79	7	14.4	
		15:39:39	26.97	50.38	32.97	8.42	6.59	6.6	9	
		18:39:39	26.97	50.67	33.18	8.34	6.16	3.9	ND	
		21:39:39	26.88	50.41	32.99	8.37	6.48	5.4	1.4	
	日平均值		26.91	50.13	32.79	8.41	6.48	5.39	7.35	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月3日	蚵殼站	00:25:20	26.29	49.33	32.21	8.41	5.99	4.5	3.8	
		03:25:19	25.64	48.54	31.65	8.32	5.44	7.1	14.4	
		06:25:21	26.28	49.39	32.26	8.38	5.44	5.9	4.2	
		09:25:18	26.78	50.23	32.86	8.39	5.48	3.6	1.8	
		12:25:19	26.56	48.91	31.9	8.29	6.26	4.1	10.3	
		15:25:19	27.01	49.2	32.1	8.32	6.32	4	7.3	
		18:25:12	26.63	45.71	29.57	8.23	5.71	5	ND	
		21:25:18	26.86	49.28	32.16	8.3	5.84	3.6	5.2	
	日平均值		26.51	48.82	31.84	8.33	5.81	4.73	6.71	
	潮口站	00:32:30	26.28	49.54	32.37	8.39	6.5	42.3	22.4	
		03:32:29	25.66	48.55	31.66	8.31	5.73	51.8	32.7	
		06:32:31	26.57	49.78	32.54	8.43	6.2	44.3	3.8	
		09:32:28	26.8	50.07	32.74	8.37	6.04	59.4	2.7	
		12:32:29	26.46	48.99	31.96	8.24	6.36	159	26.2	
		15:32:29	27.01	49	31.95	8.3	6.71	21.4	11.9	
		18:32:22	26.62	46.01	29.79	8.24	6.57	15	6.6	
		21:32:28	26.84	48.94	31.92	8.31	6.46	14.8	2.6	
	日平均值		26.53	48.86	31.87	8.32	6.32	51.00	13.61	
	灣內站	00:39:40	26.32	49.57	32.39	8.4	6.61	5.6	5.8	
		03:39:39	25.67	48.7	31.77	8.31	5.8	7	10.5	
		06:39:41	26.61	50.26	32.89	8.42	6.22	6.1	6.3	
		09:39:38	26.85	50.5	33.06	8.39	6.21	3.8	2.8	
		12:39:36	26.65	48.92	31.91	8.32	6.83	6.9	12.5	
		15:39:39	27.13	49.21	32.1	8.3	6.74	4.7	8.6	
		18:39:32	26.67	46.57	30.2	8.25	6.34	5.2	1.5	
		21:39:38	26.9	49.53	32.34	8.31	6.51	3.8	6.2	
	日平均值		26.60	49.16	32.08	8.34	6.41	5.39	6.78	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月4日	蚵殼站	00:25:18	26.59	49.29	32.18	8.33	6.06	4.9	13.5
		03:25:17	26.46	49	31.97	8.34	5.79	6	11.2
		06:25:17	26.37	49.03	31.99	8.33	5.45	8.8	ND
		09:25:18	26.77	50.64	33.17	8.34	5.33	5.8	4.3
		12:25:17	27.06	49.3	32.17	8.23	5.96	8.2	4.2
		15:25:15	27.36	49.27	32.14	8.2	6.28	6.5	8.9
		18:25:15	26.9	46.77	30.33	8.24	5.82	5.4	4.1
		21:25:15	26.84	49.92	32.63	8.31	5.61	4.5	ND
	日平均值		26.79	49.15	32.07	8.29	5.79	6.26	7.70
	潮口站	00:32:28	26.57	49.22	32.13	8.34	6.96	10.4	17.1
		03:32:27	26.46	48.96	31.94	8.35	6.65	20.2	15.9
		05:35:27	26.37	49.11	32.05	8.34	5.99	16.8	9
		09:32:28	26.74	50.23	32.86	8.37	6.58	12.3	2.7
		12:32:24	26.77	49.01	31.97	8.21	6.38	27.9	10.2
		15:32:25	26.96	49.25	32.14	8.18	6.66	63.1	11.8
		17:38:41	26.87	47.66	30.98	8.29	6.66	33.9	8.9
		21:32:25	26.8	49.85	32.58	8.31	6.62	21.7	ND
	日平均值		26.69	49.16	32.08	8.30	6.56	25.79	10.80
	灣內站	00:39:38	26.63	49.48	32.32	8.35	6.67	6.2	6.5
		03:39:37	26.49	49.18	32.1	8.32	6.41	5.9	4.5
		05:42:40	26.43	49.23	32.14	8.33	6	7.4	3.3
		09:39:38	26.8	50.69	33.2	8.37	6.37	6.7	ND
		12:39:37	26.92	49.3	32.18	8.21	6.46	9.4	8
		15:39:35	27.15	49.33	32.19	8.2	7.01	8.7	13.2
		17:45:51	26.92	48.5	31.59	8.27	6.51	5.1	5.2
		21:39:35	26.85	49.82	32.56	8.31	6.4	5.6	2.8
	日平均值		26.77	49.44	32.29	8.30	6.48	6.88	6.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月5日	蚵殼站	00:25:15	26.63	49.38	32.24	8.33	5.98	5.9	8.7
		03:25:16	26.63	49.17	32.09	8.32	6.23	6.4	8.3
		06:25:09	26.78	48.89	31.88	8.47	7.61	4.8	22.6
		09:25:14	26.7	50.2	32.84	8.36	5.64	8.6	4.4
		12:25:15	27.48	49.4	32.23	8.35	7.08	6.4	11.8
		15:25:16	27.64	48.92	31.88	8.42	8.06	7.4	19.7
		18:25:14	26.92	48.15	31.34	8.3	5.74	6.2	ND
		21:25:09	26.9	49.71	32.47	8.31	5.67	5.5	0.6
	日平均值		26.96	49.23	32.12	8.36	6.50	6.40	10.87
	潮口站	00:32:25	26.6	49.14	32.07	8.33	7.05	22.1	13.5
		03:32:26	26.67	48.98	31.95	8.35	7.01	48.4	15.2
		06:32:19	26.77	48.96	31.93	8.44	8.17	68.9	28.5
		09:32:24	26.68	50.18	32.83	8.35	6.27	75.2	3.9
		12:32:22	27.18	49.84	32.57	8.34	6.96	53	8.8
		15:32:26	27.29	48.75	31.77	8.35	8.48	25.2	23.3
		18:32:24	26.87	48.32	31.47	8.31	6.62	55.9	3.9
		21:32:19	26.46	0.567	0.27	8.3	8.19	ND	2.4
	日平均值		26.82	43.09	28.11	8.35	7.34	49.81	12.44
	灣內站	00:39:35	26.64	49.34	32.21	8.31	6.82	7.3	10.7
		03:39:36	26.77	48.98	31.95	8.39	7.27	7.2	14.5
		06:39:29	26.78	48.94	31.91	8.45	8.19	6.1	25.3
		09:39:34	26.74	50.38	32.97	8.34	6.4	8.7	ND
		12:39:34	27.23	49.65	32.43	8.34	7.38	8.4	9.6
		15:39:36	27.62	48.81	31.8	8.45	9.53	9.3	24.6
		18:39:34	26.92	48.04	31.26	8.3	6.45	9	6
		21:39:29	26.93	50.04	32.72	8.32	6.45	9.6	3.7
	日平均值		26.95	49.27	32.16	8.36	7.31	8.20	13.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月6日	蚵殼站	00:25:13	26.74	49.25	32.15	8.32	5.75	5.3	2.6
		03:25:15	26.82	48.5	31.6	8.5	7.95	4.2	16.7
		06:25:14	26.95	48.55	31.62	8.5	7.8	4.3	10.2
		09:25:15	26.92	48.35	31.48	8.4	6.95	6.9	5.1
		12:25:15	27.26	49.67	32.44	8.33	5.74	4.9	ND
		15:25:07	27.42	49.1	32.02	8.35	6.71	5.8	10.5
		18:25:14	26.97	47.98	31.21	8.3	5.65	5.1	2.8
		21:25:13	26.88	49.03	31.98	8.33	5.69	6.1	5.8
	日平均值		27.00	48.80	31.81	8.38	6.53	5.33	7.67
	潮口站	00:32:23	26.72	0.557	ND	8.33	8.11	ND	4.1
		03:32:22	26.8	48.34	31.48	8.5	8.87	156	28.3
		06:32:24	26.94	48.64	31.69	8.5	8.72	52.9	20.8
		09:32:25	26.89	48.72	31.75	8.41	7.69	83.5	33.2
		12:32:22	27.24	49.72	32.47	8.34	6.08	13.8	ND
		15:32:17	27.42	49.32	32.18	8.36	7.16	50.6	8
		18:32:21	27	48.35	31.48	8.3	6.38	90.7	7.9
		21:32:23	26.82	0.621	ND	8.36	8.1	ND	ND
	日平均值		26.98	36.78	31.84	8.39	7.64	74.58	17.05
	灣內站	00:39:33	26.74	49.1	32.04	8.44	7.38	8.6	9.7
		03:39:35	26.84	48.69	31.73	8.48	8.69	7.4	17.8
		06:39:34	27	48.61	31.67	8.51	8.58	7.9	16.9
		09:39:35	26.91	48.83	31.84	8.4	7.58	9.8	10.5
		12:39:29	27.34	49.77	32.51	8.31	6.45	8.2	2.7
		15:39:27	27.46	49.17	32.07	8.36	7.4	10.4	10.7
		18:39:34	26.99	48.16	31.34	8.3	6.36	9.7	3.2
		21:39:33	26.96	49.33	32.2	8.36	6.45	8.5	4.9
	日平均值		27.03	48.96	31.93	8.40	7.36	8.81	9.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
11月7日	蚵殼站	00:25:11	26.75	49.24	32.14	8.33	5.64	6.1	3
		03:25:13	26.42	48.87	31.87	8.38	5.72	6.6	2.9
		06:25:13	26.44	48.08	31.3	8.59	7.61	2.2	8.6
		09:25:12	26.63	48.45	31.56	8.46	7.32	5.2	6.4
		12:25:12	27.13	49.94	32.64	8.35	5.59	6.8	5.6
		15:25:11	27.31	49.35	32.2	8.31	5.86	3.8	ND
		18:25:11	27.15	49.07	32	8.32	5.76	4.4	4.7
		21:25:10	26.78	48.75	31.78	8.36	6.28	3.2	3
	日平均值		26.83	48.97	31.94	8.39	6.22	4.79	4.89
	潮口站	23:59:20	26.71	49.22	32.12	8.37	6.49	19.7	5.7
		03:32:23	26.4	48.6	31.68	8.38	6.58	43.9	9.9
		06:32:23	26.47	48.05	31.27	8.6	8.31	85.9	36.5
		09:32:23	26.55	48.33	31.48	8.46	7.51	27.5	31.5
		12:01:24	25.79	0.586	0.28	8.2	8.35	ND	ND
		15:32:21	26.63	0.6	0.29	8.3	8.18	ND	1.1
		18:32:21	26.26	0.611	0.29	8.31	8.24	ND	2.1
		21:32:20	26.73	0.615	0.3	8.38	8.12	ND	ND
	日平均值		26.44	24.58	15.96	8.38	7.72	44.25	14.47
	灣內站	00:06:30	26.75	49.31	32.19	8.34	6.36	10.6	2.1
		03:39:33	26.41	48.81	31.83	8.37	6.4	9	2.3
		06:39:30	26.52	48.3	31.46	8.58	8.36	8	8
		09:39:33	26.68	48.46	31.57	8.47	7.41	8.8	6.1
		12:08:34	27.21	49.91	32.61	8.36	6.46	10.6	ND
		15:39:31	27.34	49.43	32.26	8.3	6.67	8.8	ND
		18:39:31	27.16	49.01	31.96	8.35	6.61	10.5	2.4
		21:39:30	26.77	48.89	31.88	8.34	6.49	7.5	5.8
	日平均值		26.86	49.02	31.97	8.39	6.85	9.23	4.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月8日	蚵殼站	00:25:12	26.72	49.79	32.54	8.36	5.76	4.9	1.9	
		03:25:11	26.4	48.62	31.69	8.02	7.06	2.1	9.9	
		06:25:10	26.52	48.27	31.43	8.06	7.3	2.5	9.5	
		09:25:09	26.69	48.42	31.54	8.01	7.75	3.9	7.8	
		10:55:03	26.87	48.97	31.94	8.36	6.85	7.4	4	
		15:08:19	27.37	49.25	32.13	8.35	6.16	ND	1.9	
		18:16:40	27.3	49.73	32.48	8.49	6.14	ND	2.9	
		21:16:42	27.1	49.67	32.44	8.46	6.22	ND	3.1	
	日平均值		26.87	49.09	32.02	8.26	6.66	4.16	5.13	
	潮口站	00:32:22	26.66	0.634	0.31	8.38	8.12	ND	ND	
		03:32:21	26.38	48.35	31.49	8.02	7.74	85.9	31.1	
		06:32:19	26.53	48.49	31.59	8.05	8.05	113.8	54.3	
		09:32:19	26.63	48.58	31.65	7.98	7.87	67.1	75.8	
		11:02:13	26.85	49.7	32.47	7.84	6.43	108.4	ND	
		15:15:29	27.31	49.48	32.3	8.4	7.22	4.7	11.8	
		18:23:47	27.28	49.97	32.66	8.42	7.69	4.3	17.2	
		21:23:52	27.13	49.95	32.65	8.41	7.58	5.3	16.5	
	日平均值		26.85	43.14	28.14	8.19	7.59	55.64	34.45	
	灣內站	00:39:32	26.72	49.88	32.61	8.38	6.6	8.7	3.9	
		03:39:28	26.44	48.49	31.6	8.04	7.9	7.1	8.1	
		06:39:29	26.57	48.43	31.55	8.05	7.98	8.5	10.7	
		09:39:29	26.66	48.65	31.71	7.99	7.87	9.2	8.1	
		11:09:20	26.9	49.88	32.6	7.91	6.67	8.7	ND	
		15:22:39	27.3	50.2	32.83	8.4	6.95	2.5	23.8	
		18:31:00	27.3	49.84	32.56	8.42	7.42	ND	19.7	
		21:31:02	27.24	49.99	32.67	8.5	7.13	ND	19.6	
	日平均值		26.89	49.42	32.27	8.21	7.32	7.45	13.41	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
11月9日	蚵殼站	00:16:41	26.73	49.8	32.55	8	6.03	ND	3	
		03:16:40	26.61	49.54	32.36	8.05	6	ND	4	
		06:16:40	26.28	49.26	32.17	8.21	7.5	ND	13.5	
		09:16:40	26.59	49.07	32.01	8.16	7.52	ND	1.2	
		12:16:33	27.08	50.59	33.12	7.96	6.41	ND	2.1	
		15:16:40	27.35	49.44	32.27	7.94	6.56	ND	7.6	
		18:16:39	27.27	50.08	32.74	7.97	6.73	ND	6	
		21:16:40	27.12	49.92	32.63	8	6.7	ND	8.1	
	日平均值		26.88	49.71	32.48	8.04	6.68	ND	5.69	
	潮口站	00:23:51	26.74	50.27	32.9	8	7.11	1.5	7.5	
		03:23:50	26.58	49.93	32.65	8.04	6.92	ND	2.5	
		06:23:50	26.29	49.25	32.16	8.2	8.43	3.1	22.7	
		09:23:50	26.53	49.29	32.18	8.13	8.4	3.6	51.6	
		12:23:43	27.05	50.57	33.1	7.98	7.41	4.2	6.3	
		15:23:50	27.23	49.93	32.63	7.94	7.57	4.1	18.6	
		18:23:49	27.23	50.04	32.71	8.01	7.92	4.1	18.5	
		21:23:50	27.14	50.07	32.73	8	7.75	4.4	12.8	
	日平均值		26.85	49.92	32.63	8.04	7.69	3.57	17.56	
	灣內站	00:31:01	26.81	50.2	32.84	8.01	6.9	ND	12.5	
		03:31:00	26.61	49.83	32.57	8.04	6.74	ND	8.5	
		06:31:00	26.26	49.07	32.03	8.2	8.14	ND	22	
		09:31:00	26.59	49.22	32.13	8.12	8.05	ND	19.8	
		12:30:53	27.11	50.62	33.14	7.98	7.08	ND	16.1	
		15:31:00	27.26	49.99	32.67	7.95	7.27	ND	29.6	
		18:30:59	27.29	49.94	32.64	8.01	7.64	ND	25.5	
		21:31:00	27.1	49.73	32.49	8	7.42	ND	16.2	
	日平均值		26.88	49.83	32.56	8.04	7.41	ND	18.78	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:16:38	26.85	50.49	33.05	8.03	6.15	ND	ND
		03:16:38	26.73	50.42	33.01	8.05	6.14	ND	5.8
		06:16:38	26.56	48.98	31.95	8.25	8.35	ND	16.7
		09:16:37	26.91	48.8	31.81	8.21	8.06	ND	11.6
		12:16:38	27.16	49.78	32.52	7.98	6.89	ND	7.7
		15:08:12	27.16	50.18	32.81	7.98	7.19	ND	3.8
		18:16:38	27.39	49.59	32.38	8.01	7.69	ND	16.4
		21:16:38	27.72	49.25	32.12	8.05	7.29	ND	10.6
	日平均值		27.06	49.69	32.46	8.07	7.22	ND	10.37
	潮口站	00:23:48	26.81	50.64	33.16	8.02	7.06	ND	6.7
		03:23:48	26.7	50.78	33.27	8.05	7.08	ND	7
		06:23:48	26.56	49.01	31.98	8.26	8.99	3.2	17.5
		09:23:47	26.91	48.9	31.88	8.18	9.24	4.6	49.1
		12:23:48	27.07	50.35	32.94	7.99	7.61	5.5	15.7
		15:15:22	27.24	50.31	32.91	7.98	8.08	2.3	20.7
		18:23:48	27.5	49.87	32.58	7.98	8.4	4.6	16.2
		21:23:48	27.65	49.18	32.07	8.11	9.36	4.9	59.1
	日平均值		27.06	49.88	32.60	8.07	8.23	4.18	24.00
	灣內站	00:30:58	26.87	50.58	33.12	8.04	6.92	ND	7.8
		03:30:55	26.73	50.61	33.15	8.07	6.84	ND	10.3
		06:30:58	26.61	48.89	31.89	8.26	8.7	ND	28.3
		09:30:57	26.99	48.91	31.89	8.19	8.83	ND	24.6
		12:30:58	27.12	50.33	32.92	7.98	7.27	ND	22.1
		15:22:32	27.36	50.16	32.79	7.99	7.84	ND	17.1
		18:30:55	27.52	49.69	32.44	8.01	8.13	ND	20.1
		21:30:58	27.71	49.11	32.02	8.11	8.92	ND	28.1
	日平均值		27.11	49.79	32.53	8.08	7.93	ND	19.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:16:37	27.73	49.19	32.07	8.07	7.58	ND	13.5
		03:16:37	27.2	49.7	32.47	8.03	6.44	ND	6.5
		06:16:36	27.17	49.24	32.13	8.12	7.09	ND	4.4
		09:16:35	27.33	48.81	31.81	8.11	7.33	ND	11.5
		12:16:31	27.74	49.23	32.1	8.13	7.94	ND	8.8
		15:16:34	27.36	50.32	32.91	7.95	6.69	ND	2.2
		18:16:35	27.17	49.36	32.21	8.01	6.62	ND	6.9
		21:16:36	27.32	49.43	32.26	8.12	7.46	ND	8.5
	日平均值		27.38	49.41	32.25	8.07	7.14	ND	7.79
	潮口站	00:23:47	27.67	49.1	32.01	8.06	8.87	4.8	54.5
		03:23:47	27.15	49.88	32.59	8.04	7.61	3.8	11.6
		06:23:46	27.14	49.43	32.27	8.09	7.99	4.6	22
		09:23:45	27.32	49.3	32.17	8.1	7.97	7.3	30.6
		12:23:41	27.43	49.76	32.5	8.05	8.24	5.2	41.6
		15:23:44	27.3	50.43	32.99	7.95	7.61	6	13.9
		18:23:45	27.18	50.12	32.77	8.03	7.51	4.3	8.3
		21:23:46	27.31	49.69	32.45	8.12	8.43	5	29.5
	日平均值		27.31	49.71	32.47	8.06	8.03	5.13	26.50
	灣內站	00:30:57	27.69	49.24	32.11	8.06	8.47	ND	18.1
		03:30:54	27.2	50.04	32.71	8.08	7.26	ND	9.7
		06:30:53	27.19	49.56	32.36	8.11	7.57	ND	14.9
		09:30:55	27.41	49.36	32.21	8.05	7.51	1.5	21
		12:30:51	27.4	50.21	32.83	8.04	7.67	ND	31.7
		15:30:54	27.37	50.45	33.01	7.95	7.1	ND	21
		18:30:55	27.25	50.1	32.76	8.02	7.17	3.4	18.4
		21:30:56	27.39	49.73	32.48	8.12	7.93	ND	18.3
	日平均值		27.36	49.84	32.56	8.05	7.59	2.45	19.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:16:36	27.49	49.15	32.05	8.1	7.06	ND	15
		03:16:35	26.9	50.25	32.87	8.11	6.48	ND	6.6
		06:16:35	26.91	50	32.69	8.1	6.28	ND	9.2
		09:16:38	27.12	49.1	32.03	8.2	7.66	ND	ND
		12:16:35	27.55	49.17	32.06	8.03	6.19	ND	5.5
		15:14:00	27.03	47.1	30.57	8.3	6.9	ND	4.9
		18:14:00	27.18	49.65	32.43	8.32	6.72	ND	3.5
		21:13:55	27.08	49.21	32.11	8.33	6.81	2.3	6.5
	日平均值	27.16	49.20	32.10	8.19	6.76	2.30	7.31	
	潮口站	00:23:46	27.47	49.63	32.41	8.12	8.09	4.4	19
		03:23:45	26.88	50.49	33.05	8.13	7.54	1.5	13
		06:23:45	26.89	50.37	32.97	8.12	7.52	2.6	8.1
		09:23:48	27.12	49.42	32.26	8.21	8.83	3.3	40.5
		12:23:45	27.46	49.6	32.38	8.03	7.68	5.4	19
		15:21:10	27.01	47.03	30.52	8.32	7.93	5.7	13.7
		18:21:10	27.15	50.19	32.82	8.32	8.23	3.6	15.9
		21:21:05	27.02	49.56	32.37	8.34	7.52	7.9	16.2
	日平均值	27.13	49.54	32.35	8.20	7.92	4.30	18.18	
	灣內站	00:30:56	27.52	49.77	32.51	8.08	7.45	ND	10.6
		03:30:55	26.95	50.44	33.01	8.12	7.25	ND	9.7
		06:30:55	26.94	50.54	33.08	8.11	7.15	ND	11.6
		09:30:58	27.19	49.48	32.3	8.21	8.42	ND	17.1
		12:30:55	27.42	49.66	32.42	8.06	7.5	ND	12.5
		15:28:20	27.04	47.66	30.98	8.3	7.56	ND	11.6
		18:28:20	27.2	50.42	32.99	8.31	7.8	ND	31.6
		21:28:15	27.05	49.66	32.44	8.32	7.57	2.2	12
	日平均值	27.16	49.70	32.47	8.19	7.59	2.20	14.59	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:14:01	26.71	48.6	31.67	8.28	6.05	3.7	3.3
		03:14:00	26.75	49.97	32.67	8.38	6.39	ND	2.6
		06:13:59	26.74	50.37	32.97	8.39	6.31	ND	5.2
		09:13:54	26.85	48.85	31.85	8.33	6.15	ND	4.6
		12:13:58	27.3	48.96	31.91	8.27	6	1.8	4.5
		15:13:59	26.89	49.72	32.49	8.27	6.24	1	8.1
		18:13:58	27.09	50	32.69	8.33	6.64	ND	9.8
		21:13:58	27.1	49.06	32	8.38	7.17	ND	11.4
	日平均值	26.93	49.44	32.28	8.33	6.37	2.17	6.19	
	潮口站	00:21:11	26.74	49.31	32.19	8.25	6.65	8.1	ND
		03:21:07	26.72	50.29	32.91	8.38	7.37	4.7	6.7
		06:21:09	26.71	50.68	33.19	8.38	7.28	5.6	4.3
		09:21:04	26.75	49.89	32.61	8.31	7.04	5.9	6
		12:21:05	27.21	49.18	32.08	8.37	8.03	6.4	18.3
		15:21:06	26.84	50.15	32.8	8.31	7.61	3.7	14.5
		18:21:08	27.07	50.36	32.95	8.35	8.24	5.8	18.3
		21:21:08	27.06	49.59	32.39	8.38	8.31	5.4	14.3
	日平均值	26.89	49.93	32.64	8.34	7.57	5.70	11.77	
	灣內站	00:28:21	26.79	49.42	32.27	8.23	6.31	6.9	10.2
		03:28:20	26.78	50.6	33.14	8.35	6.95	ND	3
		06:28:19	26.76	50.99	33.42	8.38	7.01	ND	2.8
		09:28:14	26.75	50.5	33.06	8.33	6.8	10	16.3
		12:28:18	27.22	49.28	32.15	8.37	7.85	1.4	13.2
		15:28:19	26.9	50.32	32.93	8.26	7.23	ND	12.7
		18:28:18	27.13	50.48	33.04	8.34	7.8	2	15.1
		21:28:18	27.1	49.68	32.45	8.38	7.91	ND	21.3
	日平均值	26.93	50.16	32.81	8.33	7.23	5.08	11.83	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:14:02	27.13	49.02	31.97	8.4	7.42	ND	7.2	
		03:13:57	26.95	49.16	32.07	8.3	6.05	4.3	4.7	
		06:13:58	26.67	50.27	32.89	8.36	6.26	ND	3.9	
		09:13:57	26.77	49.29	32.18	8.4	6.7	ND	5	
		12:13:52	27.55	49.12	32.03	8.38	7.48	ND	3.9	
		15:13:57	26.92	48.8	31.81	8.32	6.3	ND	5	
		18:13:58	26.87	49.46	32.3	8.31	6.39	ND	2.7	
		21:13:58	26.86	48.99	31.95	8.32	7.01	ND	2.5	
		日平均值	26.97	49.26	32.15	8.35	6.70	4.30	4.36	
	潮口站	00:21:12	27.12	49.03	31.97	8.41	8.46	4.5	25.6	
		03:21:04	26.81	49.74	32.5	8.35	7.22	8.1	10	
		06:21:05	26.65	50.4	32.99	8.39	7.23	6.9	8.7	
		09:21:07	26.78	49.65	32.44	8.38	7.78	6.6	21.1	
		12:20:59	27.51	49.07	31.99	8.35	8.27	8.3	31.3	
		15:21:07	26.81	49.39	32.25	8.31	7.68	7.9	18.5	
		18:21:05	26.85	49.89	32.61	8.36	7.68	5.2	12.4	
		21:21:08	26.9	49.49	32.32	8.32	8.03	5.6	18.5	
		日平均值	26.93	49.58	32.38	8.36	7.79	6.64	18.26	
	灣內站	00:28:22	27.12	49.33	32.2	8.37	7.85	ND	7.9	
		03:28:11	26.78	50.3	32.91	8.34	6.78	3.9	8.6	
		06:28:18	26.7	50.8	33.28	8.36	6.97	ND	1.8	
		09:28:17	26.85	49.63	32.42	8.38	7.48	3.1	9.7	
		12:28:06	27.17	49.68	32.44	8.3	7.48	2.1	20	
		15:28:17	26.85	49.7	32.47	8.31	7.19	2	5.9	
		18:28:18	26.92	50.06	32.74	8.32	7.39	1.8	6.9	
		21:28:18	26.95	49.65	32.44	8.32	7.82	ND	13.9	
		日平均值	26.92	49.89	32.61	8.34	7.37	2.58	9.34	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:13:58	26.97	48.96	31.93	8.37	6.85	ND	2.3	
		03:43:55	26.84	49	31.96	8.36	6.27	10.3	3.3	
		06:13:56	26.61	50.09	32.76	8.34	6.02	5.1	1.2	
		09:13:55	26.65	50.08	32.76	8.32	6.18	ND	ND	
		12:13:56	27.3	48.94	31.9	8.26	6.49	ND	5.9	
		15:13:55	26.97	49.01	31.96	8.25	6.38	2.5	ND	
		18:13:50	26.58	49.31	32.2	8.29	6.43	1.4	6	
		21:13:55	26.7	49.74	32.5	8.29	6.5	ND	ND	
		日平均值	26.83	49.39	32.25	8.31	6.39	4.83	3.74	
	潮口站	00:21:08	26.95	49.21	32.11	8.37	7.86	7.1	22.4	
		03:51:05	26.83	49.03	31.98	8.37	7.23	6	14.2	
		06:21:06	26.58	50.27	32.9	8.36	6.88	9.2	12.1	
		09:21:05	26.66	50.41	33	8.33	7.02	6.3	9.4	
		12:21:06	27.23	49.04	31.98	8.28	7.4	9.4	24.3	
		15:21:05	26.9	49.1	32.03	8.25	7.24	9	14.2	
		18:21:00	26.59	49.64	32.43	8.28	7.39	5.9	19.8	
		21:21:02	26.64	49.98	32.68	8.27	7.16	4.3	9.8	
		日平均值	26.80	49.59	32.39	8.31	7.27	7.15	15.78	
	灣內站	00:28:18	26.96	49.37	32.23	8.34	7.36	1.1	6.3	
		03:58:15	26.86	49.31	32.19	8.33	6.75	5.4	2.9	
		06:28:13	26.65	50.62	33.15	8.35	6.67	7.2	ND	
		09:28:15	26.75	50.14	32.8	8.33	6.89	2.9	ND	
		12:28:16	27.28	49.05	31.98	8.27	7.11	2.4	12.5	
		15:28:15	26.87	49.44	32.28	8.24	7.01	6.2	3.2	
		18:28:10	26.65	49.8	32.55	8.28	7.24	4.7	6.2	
		21:28:15	26.67	50.01	32.7	8.27	7.15	3.9	7.8	
		日平均值	26.84	49.72	32.49	8.30	7.02	4.23	6.48	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:13:56	26.78	48.71	31.75	8.3	6.5	ND	10.6	
		03:13:55	26.86	48.83	31.83	8.37	6.75	ND	4.1	
		06:13:55	26.45	49.54	32.37	8.34	6.13	12.9	1.7	
		09:13:56	26.58	49.67	32.46	8.32	6.12	4.6	ND	
		12:13:49	27.3	48.64	31.68	8.26	6.16	2	5.6	
		15:13:54	27.07	48.85	31.84	8.26	6.66	5.8	6.2	
		18:13:55	26.55	48.86	31.86	8.28	6.33	2.8	ND	
		21:13:55	26.85	49.52	32.34	8.26	6.28	5.1	ND	
	日平均值		26.81	49.08	32.02	8.30	6.37	5.53	5.64	
	潮口站	00:21:06	26.72	49.13	32.06	8.32	7.38	7.9	11.2	
		03:21:05	26.81	48.7	31.74	8.34	7.32	6.6	24.3	
		06:21:05	26.43	49.59	32.4	8.34	6.96	15.7	16.9	
		09:21:06	26.56	50.05	32.74	8.32	7.09	7.3	3.9	
		12:20:59	27.23	49.07	32	8.19	7.07	7.3	19	
		15:21:04	26.93	48.24	31.4	8.23	7.35	6.4	28.5	
		18:21:05	26.56	49.24	32.14	8.29	7.37	7.1	7.5	
		21:21:02	26.82	49.92	32.64	8.27	7.29	6.5	1.2	
	日平均值		26.76	49.24	32.14	8.29	7.23	8.10	14.06	
	灣內站	00:28:16	26.8	49.31	32.19	8.32	7.13	2.6	5.8	
		03:28:15	26.9	49.05	31.99	8.32	7.09	2.7	6.9	
		06:28:15	26.47	50.07	32.75	8.33	6.68	9.9	4.1	
		09:28:16	26.63	50.2	32.85	8.32	6.82	5	3.8	
		12:28:06	27.11	49.32	32.19	8.21	6.77	5.3	1.3	
		15:28:14	26.92	47.96	31.2	8.23	7.15	3.8	4.9	
		18:28:15	26.63	49.41	32.26	8.28	7.18	5.1	5.3	
		21:28:15	26.87	49.88	32.6	8.26	7.06	5.7	3.3	
	日平均值		26.79	49.40	32.25	8.28	6.99	5.01	4.43	
甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:13:53	26.74	48.78	31.8	8.25	6.34	1.7	5	
		03:13:53	26.74	48.62	31.68	8.27	6.07	6	ND	
		06:13:53	26.75	48.32	31.46	8.39	6.29	4.9	ND	
		09:13:52	26.27	49.28	32.18	8.4	6.01	3.4	ND	
		12:13:52	26.06	48.04	31.27	8.26	5.92	4.8	4.6	
		15:13:52	26.15	47.43	30.83	8.4	6.92	1.7	8.7	
		18:13:50	26.06	48.9	31.91	8.39	5.97	1.1	3.2	
		21:13:50	26.13	48.71	31.76	8.4	6.31	ND	ND	
	日平均值		26.36	48.51	31.61	8.35	6.23	3.37	5.38	
	潮口站	00:21:03	26.69	49	31.96	8.24	7.17	6.9	16.1	
		03:21:03	26.65	48.88	31.88	8.27	6.8	12.7	15.1	
		06:21:03	26.59	48.69	31.74	8.4	7.17	9.3	39.4	
		09:21:02	26.26	49.25	32.16	8.39	7.04	8.5	5.9	
		12:21:02	26.07	48.38	31.53	8.29	6.8	9.2	25	
		15:20:59	26.09	47.62	30.97	8.35	7.52	8.9	25.3	
		18:21:00	26.03	49.26	32.17	8.37	7.05	5.4	ND	
		21:21:00	26.12	49.14	32.08	8.39	7.25	3.3	ND	
	日平均值		26.31	48.78	31.81	8.34	7.10	8.03	21.13	
	灣內站	00:28:13	26.72	49.1	32.04	8.25	6.82	5.7	1.9	
		03:28:13	26.68	49.03	31.99	8.27	6.26	9.5	5.6	
		06:28:13	26.5	49.09	32.04	8.39	6.79	6.9	8.8	
		09:28:12	26.32	49.63	32.43	8.38	6.75	2.6	1.5	
		12:28:09	26.14	48.57	31.67	8.29	6.41	6.1	5.5	
		15:28:06	26.13	47.77	31.08	8.36	7.25	4.8	11.9	
		18:28:10	26.08	49.35	32.23	8.38	6.67	2.3	ND	
		21:28:10	26.15	49.3	32.19	8.39	6.98	3.1	1	
	日平均值		26.34	48.98	31.96	8.34	6.74	5.13	5.17	
甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:13:57	25.96	47.81	31.11	8.41	6.36	ND	8.9
		03:13:55	25.83	47.45	30.85	8.32	5.87	2.8	6.6
		06:13:54	25.73	47.21	30.68	8.33	5.7	2.4	3.4
		09:14:00	26.09	48.63	31.71	8.38	5.96	7.3	5.2
		12:13:59	26.22	48.69	31.75	8.36	6.18	ND	ND
		15:14:00	26.16	47.65	30.99	8.32	6.46	1.7	8.5
		18:13:58	25.94	48.34	31.5	8.37	6.14	1	ND
		21:14:04	25.9	48.46	31.59	8.39	6.21	ND	5.4
	日平均值		25.98	48.03	31.27	8.36	6.11	3.04	6.33
	潮口站	00:21:07	25.91	48.19	31.39	8.41	7.17	2.8	9.7
		03:21:05	25.71	47.43	30.84	8.34	6.9	5.7	14.2
		06:21:04	25.77	47.51	30.9	8.34	6.57	6.8	8.7
		09:21:10	26.07	48.77	31.81	8.38	6.96	9.4	6.2
		12:21:06	26.2	48.76	31.8	8.38	7.18	4.3	1.5
		15:21:10	26.13	47.85	31.14	8.32	7.34	7.4	6
		18:21:08	25.93	48.1	31.32	8.37	6.85	4.4	9.6
		21:21:14	25.89	48.81	31.85	8.38	7	1.2	ND
	日平均值		25.95	48.18	31.38	8.37	7.00	5.25	7.99
	灣內站	00:28:17	25.95	48.41	31.55	8.37	6.88	3.4	8.1
		03:28:15	25.68	47.55	30.93	8.36	6.73	2.4	11.3
		06:28:11	25.83	47.89	31.17	8.3	5.91	6.2	2.9
		09:28:20	26.15	49.02	31.99	8.38	6.62	6	2
		12:28:13	26.25	48.93	31.92	8.37	6.79	2.8	3.3
		15:28:17	26.18	48.02	31.26	8.31	7.05	3.1	3.8
		18:28:18	25.97	48.72	31.78	8.38	6.83	2.2	3.9
		21:28:24	25.98	48.9	31.91	8.39	6.92	2.3	ND
	日平均值		26.00	48.43	31.56	8.36	6.72	3.55	5.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:14:02	25.69	47.97	31.24	8.38	6.26	1	2.9
		03:14:07	24.72	44.85	28.99	8.35	6.76	1.5	4.2
		06:14:10	24.96	46.59	30.25	8.26	5.4	4.6	3.2
		09:14:13	25.72	47.86	31.15	8.36	5.98	3.4	1.4
		12:14:12	26.13	47.88	31.16	8.31	5.81	1.1	ND
		15:14:18	26.55	47.44	30.83	8.26	6.21	1	2.6
		18:14:14	26.15	46.25	29.97	8.28	6.34	ND	7.8
		21:14:18	26.01	47.36	30.79	8.29	6.03	ND	2
	日平均值		25.74	47.03	30.55	8.31	6.10	2.10	3.44
	潮口站	00:21:12	25.54	48.07	31.31	8.35	6.94	ND	5.5
		03:21:17	24.76	45.54	29.49	8.36	7.57	1.5	24.1
		06:21:20	24.95	46.75	30.36	8.28	6.35	6.9	19.2
		09:21:20	25.71	47.48	30.88	8.38	6.96	8.3	18
		12:21:22	26.12	48	31.25	8.32	7.01	6.2	16.7
		15:21:28	26.43	47.72	31.04	8.29	6.99	5.2	30.8
		18:21:21	26.12	46.29	30	8.28	6.97	3.7	29.4
		21:21:28	26.03	47.43	30.83	8.33	7.06	1.2	3.2
	日平均值		25.71	47.16	30.65	8.32	6.98	4.71	18.36
	灣內站	00:28:22	25.56	48	31.26	8.35	6.82	ND	12.2
		03:28:27	25.11	46.62	30.27	8.34	6.94	4.6	19.5
		06:28:27	25.02	47.1	30.62	8.28	5.91	5	9.9
		09:28:33	25.8	48.16	31.37	8.36	6.58	5.7	2
		12:28:32	26.19	48.31	31.47	8.33	6.56	ND	1.4
		15:28:38	26.46	48.02	31.26	8.27	6.94	ND	1.4
		18:28:31	26.15	46.85	30.41	8.28	6.9	ND	6.3
		21:28:38	26.09	47.66	31	8.29	6.71	ND	2.5
	日平均值		25.80	47.59	30.96	8.31	6.67	5.10	6.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:14:24	26.19	47.62	30.97	8.32	6.05	ND	6	
		03:14:21	25.56	45.17	29.21	8.4	7.51	1.1	15.6	
		06:14:20	25.51	45.35	29.34	8.43	7.37	ND	15.6	
		09:14:27	25.63	45.61	29.52	8.36	7.33	1.7	10	
		12:14:26	26.32	47.08	30.57	8.29	6.12	ND	ND	
		15:14:31	26.43	47.2	30.66	8.3	6.66	ND	2.3	
		18:14:30	26.45	46.85	30.4	8.36	7.71	ND	11.9	
		21:14:30	26.01	47.07	30.58	8.28	6.11	ND	4.6	
	日平均值	26.01	46.49	30.16	8.34	6.86	1.40	9.43		
	潮口站	00:21:34	26.16	47.75	31.07	8.34	7.01	1.2	5.1	
		03:21:31	25.54	45.69	29.58	8.38	8.38	5.3	44.3	
		06:21:30	25.51	45.33	29.33	8.44	8.43	7.7	47.2	
		09:21:37	25.7	45.75	29.62	8.33	7.6	8.7	32.4	
		12:21:36	26.31	47.02	30.53	8.3	7.34	5.1	15.4	
		15:21:41	26.42	46.8	30.37	8.31	7.17	1.7	4.6	
		18:21:40	26.38	46.22	29.94	8.33	8.05	3.8	11.8	
		21:21:40	25.96	46.67	30.29	8.31	6.93	1.7	5.5	
	日平均值	26.00	46.40	30.09	8.34	7.61	4.40	20.79		
	灣內站	00:28:44	26.21	47.85	31.14	8.35	6.76	ND	1.7	
		03:28:41	25.61	46.09	29.87	8.37	7.65	2.3	14.8	
		06:28:37	25.59	45.81	29.67	8.41	7.92	ND	13.1	
		09:28:47	25.82	46.28	30.01	8.34	6.88	3	9.3	
		12:28:46	26.38	47.37	30.78	8.31	6.9	ND	3.9	
		15:28:51	26.47	47.42	30.81	8.28	7.01	ND	4	
		18:28:50	26.4	46.96	30.48	8.33	7.73	1.3	15.5	
		21:28:50	26	47.28	30.72	8.28	6.79	ND	1.4	
	日平均值	26.06	46.88	30.44	8.33	7.21	2.20	7.96		
	甲類海域地面水體基準值			環評承諾日平均值需達標準 <input type="checkbox"/>			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:14:35	26	47.02	30.53	8.3	6.32	ND	ND	
		03:14:34	25.48	43.18	27.78	8.49	10.36	ND	37.3	
		06:14:41	25.52	44.19	28.5	8.44	10.64	ND	37.8	
		09:14:40	25.74	44.05	28.4	8.46	9.99	1.1	25	
		12:14:39	26.2	45.99	29.78	8.29	6.55	ND	ND	
		15:14:44	26.48	45.83	29.66	8.22	6.64	ND	1.4	
		18:14:46	26.64	44.8	28.92	8.35	8.71	ND	5.7	
		21:14:42	26.84	44.01	28.34	8.43	9.12	ND	10.8	
	日平均值	26.11	44.88	28.99	8.37	8.54	1.10	19.67		
	潮口站	00:21:45	26	46.7	30.3	8.29	6.97	2.8	ND	
		03:21:44	25.46	42.81	27.51	8.4	11.33	5.2	31.3	
		06:21:51	25.53	43.58	28.06	8.42	11.32	2.5	37.2	
		09:21:50	25.83	44.41	28.66	8.33	10.83	6.3	25	
		12:21:49	26.18	45.74	29.61	8.32	7.37	2.4	4	
		15:21:54	26.45	45.62	29.51	8.23	7.39	3.4	1.6	
		18:21:56	26.53	44.77	28.89	8.38	9.44	6.4	21.7	
		21:21:52	26.69	44.17	28.46	8.36	9.36	5.7	12.9	
	日平均值	26.08	44.73	28.88	8.34	9.25	4.34	19.10		
	灣內站	00:28:52	26.06	47.03	30.55	8.3	6.78	ND	3.6	
		03:28:54	25.61	44.04	28.4	8.48	10.95	ND	27.8	
		06:29:01	25.62	44.22	28.52	8.43	11.4	1.9	29.2	
		09:29:00	25.94	45.03	29.1	8.47	9.53	3.1	18.6	
		12:28:59	26.23	46.23	29.96	8.3	7.3	ND	4.9	
		15:29:04	26.55	46.07	29.84	8.24	7.32	ND	ND	
		18:29:06	26.44	45.22	29.22	8.31	8.86	2.9	9.8	
		21:29:02	26.6	44.71	28.85	8.32	8.67	1.7	9.9	
	日平均值	26.13	45.32	29.31	8.36	8.85	2.40	14.83		
	甲類海域地面水體基準值			環評承諾日平均值需達標準 <input type="checkbox"/>			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:14:48	26.39	45.13	29.16	8.25	6.64	ND	2.3	
		03:14:50	26.62	43.76	28.17	8.5	9.03	ND	14.9	
		06:14:54	26.62	43.73	28.14	8.49	9.1	1.9	18.6	
		09:14:52	26.9	43.52	27.99	8.26	7.15	4.5	11.2	
		12:14:52	26.67	44.31	28.56	8.24	6.79	ND	5.7	
		15:14:58	26.98	43.48	27.96	8.25	7.23	ND	8.4	
		18:15:02	26.8	43.89	28.26	8.23	7.07	2.3	11.6	
		21:15:02	27.32	43.12	27.69	8.5	10.29	ND	14.4	
	日平均值		26.79	43.87	28.24	8.34	7.91	2.90	10.89	
	潮口站	00:21:58	26.38	44.91	29	8.26	7.26	2.3	1.6	
		03:22:00	26.47	43.79	28.19	8.43	9.13	3.1	11.8	
		06:22:04	26.59	43.36	27.88	8.5	9.63	6.5	12	
		09:22:02	26.74	43.16	27.73	8.46	10.18	5.6	10.6	
		12:22:02	26.59	43.95	28.3	8.24	7.75	3.1	7.3	
		15:22:08	26.98	43.63	28.06	8.21	7.95	3.4	20.1	
		18:22:12	26.76	43.95	28.3	8.25	7.97	7.4	19.8	
		21:22:09	27.34	42.25	27.07	8.52	11.35	7.8	32.4	
	日平均值		26.73	43.63	28.07	8.36	8.90	4.90	14.45	
	灣內站	00:29:08	26.42	45.33	29.3	8.25	6.97	ND	3.7	
		03:29:10	26.5	44.53	28.73	8.36	8.08	ND	5.3	
		06:29:14	26.6	44.13	28.44	8.46	9.32	1.7	13.1	
		09:29:12	26.84	43.53	27.99	8.38	9.71	1.7	12.8	
		12:29:12	26.66	44.66	28.81	8.21	7.45	ND	1.2	
		15:29:15	27.08	43.55	28	8.24	7.77	ND	14	
		18:29:22	26.82	44.09	28.4	8.25	7.79	1.8	10	
		21:29:22	27.37	42.85	27.5	8.52	11.45	ND	11.7	
	日平均值		26.79	44.08	28.40	8.33	8.57	1.73	8.98	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:15:07	26.69	43.49	27.97	8.25	7.15	ND	ND	
		03:15:04	26.57	43.75	28.16	8.28	6.66	ND	1.2	
		06:15:09	26.75	42.54	27.29	8.47	8.39	ND	12.2	
		09:15:11	26.88	42.49	27.25	8.26	6.71	4	10.1	
		12:15:16	26.71	42.71	27.42	8.29	7	ND	ND	
		15:15:22	26.7	40.97	26.17	8.21	6.77	ND	3.6	
		18:15:20	26.61	40.78	26.04	8.23	6.37	ND	ND	
		21:15:20	26.7	41.26	26.38	8.24	6.21	4.2	6.7	
	日平均值		26.70	42.25	27.09	8.28	6.91	4.10	6.76	
	潮口站	00:22:17	26.64	43.23	27.79	8.25	7.72	4.8	25.3	
		03:22:14	26.58	43.26	27.81	8.3	7.43	5.2	7.7	
		06:22:19	26.74	42.27	27.1	8.46	9.41	7.7	45.9	
		09:22:21	26.77	42.37	27.17	8.34	8.13	11.3	37.2	
		12:22:26	26.46	42.28	27.11	8.24	7.41	4.7	6.2	
		15:22:32	26.68	40.49	25.83	8.24	7.41	5.5	9.2	
		18:22:30	26.67	41.52	26.56	8.25	7.1	6.8	12.1	
		21:22:30	26.69	40.57	25.89	8.28	6.81	7.2	7.3	
	日平均值		26.65	42.00	26.91	8.30	7.68	6.65	18.86	
	灣內站	00:29:27	26.7	43.61	28.06	8.26	7.54	1.7	5	
		03:29:24	26.61	43.75	28.16	8.29	7.3	ND	2.4	
		06:29:29	26.78	42.51	27.27	8.48	9.34	1.4	14.8	
		09:29:31	26.85	42.63	27.35	8.34	8.39	7.3	9.4	
		12:29:36	26.61	42.21	27.06	8.22	7.25	ND	7.6	
		15:29:42	26.72	41.1	26.26	8.25	7.52	3.2	2.5	
		18:29:40	26.74	41.56	26.59	8.25	6.84	4.6	16.8	
		21:29:40	26.75	41.25	26.37	8.29	7.01	5	9.9	
	日平均值		26.72	42.33	27.14	8.30	7.65	3.87	8.55	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:15:24	26.64	40.98	26.18	8.24	5.71	1.3	12.6
		03:15:24	25.88	41.88	26.84	8.34	6.35	ND	1
		06:15:30	26.28	40.7	25.99	8.31	5.88	ND	8.2
		09:15:30	26.35	40.4	25.78	8.23	5.51	2.7	5.5
		12:15:29	26.38	40.45	25.81	8.25	5.84	4	2.4
		15:15:33	26.11	40.31	25.72	8.33	6.57	ND	8.3
		18:15:35	26.05	40.36	25.75	8.31	6.65	ND	5.7
		21:15:41	26.4	39.36	25.04	8.38	7.21	ND	4.1
	日平均值		26.26	40.56	25.89	8.30	6.22	2.67	5.98
	潮口站	00:22:34	26.61	40.83	26.08	8.27	6.32	7.2	29.1
		03:22:34	25.88	41.58	26.63	8.34	6.98	2.2	22.2
		06:22:40	26.25	40.72	26	8.33	6.55	5.5	33.9
		09:22:40	26.35	40.63	25.94	8.28	6.3	4.4	24.3
		12:22:39	26.08	40.8	26.06	8.33	7.18	7.7	27
		15:22:43	26.07	40.54	25.88	8.34	7.45	5.8	29.3
		18:22:42	26.05	40.59	25.92	8.34	7.46	3.5	29
		21:22:51	26.39	39.54	25.17	8.38	7.9	4.1	37.5
	日平均值		26.21	40.65	25.96	8.33	7.02	5.05	29.04
	灣內站	00:29:44	26.7	41.23	26.36	8.29	6.26	1.8	15.2
		03:29:41	25.88	41.95	26.89	8.36	6.96	ND	16.6
		06:29:47	26.3	40.95	26.17	8.33	6.44	ND	13.1
		09:29:50	26.37	40.66	25.96	8.23	5.81	2.5	17.9
		12:29:49	26.09	41.12	26.29	8.35	7.19	ND	14.7
		15:29:53	26.12	40.46	25.82	8.34	7.48	ND	14.9
		18:29:55	26.07	40.41	25.79	8.3	7.21	ND	10.5
		21:30:01	26.45	39.4	25.07	8.4	7.88	ND	13.6
	日平均值		26.25	40.77	26.04	8.33	6.90	2.15	14.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:15:38	26.48	39.34	25.02	8.38	7.08	2.1	10
		03:15:39	25.99	39.95	25.47	8.34	6.29	ND	7.1
		06:15:37	25.92	39.94	25.46	8.39	6.41	ND	7.6
		09:15:36	25.99	37.29	23.59	8.48	8.42	2.2	20.5
		12:15:41	26.67	38.05	24.11	8.49	8.75	3.5	15
		15:15:42	26.5	38.85	24.68	8.27	7.22	1.7	3.6
		18:15:43	26.46	38.89	24.71	8.28	7.04	ND	4
		21:15:47	26.92	37.51	23.73	8.38	7.98	3.6	11.6
	日平均值		26.37	38.73	24.60	8.38	7.40	2.62	9.93
	潮口站	00:22:48	26.45	39.19	24.92	8.4	7.77	5.9	31.9
		03:22:49	25.98	39.91	25.44	8.36	7.31	ND	29.4
		06:22:47	25.9	40.02	25.52	8.35	7.27	1	18.5
		09:22:46	26.08	37.17	23.51	8.49	9.4	17.6	38.7
		12:22:48	26.5	38.2	24.22	8.49	9.26	15.7	34.7
		15:22:52	26.45	38.89	24.7	8.3	8.11	4.9	25.4
		18:22:53	26.47	39.05	24.82	8.28	7.82	1.5	26.9
		21:22:54	26.92	37.59	23.78	8.41	8.85	15.2	29.3
	日平均值		26.34	38.75	24.61	8.39	8.22	8.83	29.35
	灣內站	00:29:58	26.5	39.43	25.09	8.38	7.59	ND	8.3
		03:29:56	26.01	39.87	25.41	8.35	7.22	ND	11.1
		06:29:57	25.94	39.84	25.39	8.36	7.16	ND	8
		09:29:56	26.2	37.6	23.8	8.5	9.15	3.9	39
		12:29:58	26.49	38.1	24.15	8.45	8.84	7.9	14.4
		15:30:02	26.49	38.77	24.62	8.27	8.12	ND	15.5
		18:30:03	26.52	38.91	24.72	8.29	7.75	ND	10.1
		21:30:01	26.93	37.51	23.72	8.39	8.48	6.6	14.7
	日平均值		26.39	38.75	24.61	8.37	8.04	6.13	15.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:15:46	26.95	37.64	23.82	8.38	7.07	5.2	8.8	
		03:15:52	26.32	38.1	24.15	8.37	6.7	3.1	7.6	
		06:15:50	25.99	38.41	24.38	8.35	6.59	ND	6.7	
		09:15:52	26.76	37.18	23.5	8.45	8.32	1.8	19.8	
		12:15:57	27.01	37.38	23.64	8.26	7.25	4.2	8.4	
		15:15:57	25.97	38.12	24.18	8.24	6.58	ND	7.4	
		18:16:00	26.5	37.79	23.93	8.28	7.01	ND	3.5	
		21:16:01	26.1	37.37	23.65	8.31	6.54	3.1	7.4	
	日平均值		26.45	37.75	23.91	8.33	7.01	3.48	8.70	
	潮口站	00:22:59	26.94	37.47	23.7	8.36	7.96	14.8	20.1	
		03:22:59	26.19	38.26	24.27	8.37	7.61	5.1	26.5	
		06:23:00	25.96	38.36	24.34	8.39	7.37	ND	21.8	
		09:23:02	26.71	37.09	23.44	8.5	9.49	9.7	35.6	
		12:23:07	26.72	36.94	23.33	8.29	8.22	9.6	28.4	
		15:23:07	25.93	37.83	23.97	8.21	7.39	ND	22.4	
		18:23:10	26.51	37.33	23.61	8.29	8.26	6.3	23.3	
		21:23:11	26.06	37.15	23.49	8.3	7.45	5.8	20.9	
	日平均值		26.38	37.55	23.77	8.34	7.97	8.55	24.88	
	灣內站	00:30:06	26.99	37.3	23.58	8.36	7.63	5.8	17.3	
		03:30:06	26.22	38.43	24.39	8.36	7.35	ND	15.4	
		06:30:10	26.01	38.52	24.46	8.38	7.27	ND	9.6	
		09:30:09	26.8	37.09	23.44	8.49	9.25	7	16.4	
		12:30:17	26.72	37.46	23.7	8.3	8.21	4.2	18.2	
		15:30:14	25.99	38.14	24.19	8.25	7.29	ND	4.9	
		18:30:20	26.55	37.9	24.01	8.29	7.91	ND	12.3	
		21:30:21	26.12	37.5	23.74	8.29	7.25	3.6	8.2	
	日平均值		26.43	37.79	23.94	8.34	7.77	5.15	12.79	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:16:00	26.5	37.17	23.5	8.25	5.84	8.3	4.3	
		03:16:06	26.12	36.78	23.23	8.36	6.32	4.5	8.4	
		06:16:04	25.87	37.44	23.7	8.38	6.37	1.7	ND	
		09:16:03	25.97	36.74	23.21	8.35	6.15	2.9	6.8	
		12:16:04	25.62	4.59	2.44	8.36	8.68	ND	2.5	
		15:16:07	24.66	4.544	2.42	8.31	7.56	ND	ND	
		18:16:09	25.16	4.639	2.47	8.28	7.83	ND	2.7	
		21:16:12	25.41	4.785	2.56	8.29	7.08	ND	6.1	
	日平均值		25.66	20.84	12.94	8.32	6.98	4.35	5.13	
	潮口站	00:23:10	26.54	36.63	23.12	8.36	6.76	8	32.9	
		03:23:16	25.96	36.49	23.03	8.34	6.79	ND	28.9	
		06:23:14	25.86	37.06	23.43	8.41	7.22	1.9	27.2	
		09:23:13	25.99	36.76	23.22	8.4	7.09	ND	25.3	
		12:23:14	26.12	36.61	23.11	8.43	7.53	7.4	26.9	
		15:23:17	25.54	36.47	23.03	8.36	7.27	ND	17	
		18:23:16	25.49	36.85	23.3	8.37	7.41	2.4	20.1	
		21:23:22	25.79	36.27	22.88	8.35	7.31	6.7	26.8	
	日平均值		25.91	36.64	23.14	8.38	7.17	5.28	25.64	
	灣內站	00:30:20	26.63	37.27	23.57	8.34	7.05	ND	10	
		03:30:26	25.97	37.18	23.51	8.35	7.04	ND	13.6	
		06:30:24	25.91	37.5	23.74	8.4	7.2	ND	5.9	
		09:30:23	26	37.11	23.46	8.38	6.76	2.3	19.4	
		12:30:24	26.16	36.7	23.18	8.41	7.33	4	10.1	
		15:30:27	25.58	36.92	23.34	8.36	7.21	ND	5.4	
		18:30:26	25.52	37.15	23.5	8.35	7.33	ND	7.2	
		21:30:32	25.83	36.66	23.16	8.36	7.38	1.2	7.6	
	日平均值		25.95	37.06	23.43	8.37	7.16	2.50	9.90	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:16:11	25.4	4.672	2.49	8.35	7.69	ND	2.4
		03:16:16	25.19	4.804	2.57	8.31	7.07	ND	2.5
		06:16:24	24.73	4.939	2.65	8.35	7.66	ND	3.7
		09:16:23	25.46	4.956	2.65	8.29	7.39	ND	4.9
		12:16:29	24.89	4.791	2.56	8.25	7.59	ND	ND
		15:52:45	25.61	50.29	32.94	8.26	7.24	108.1	33.7
		18:22:45	25.68	51.98	34.18	8.28	7.25	65	19.3
		21:22:44	25.69	51.39	33.74	8.3	7.68	6.1	19.3
	日平均值		25.33	22.23	14.22	8.30	7.45	59.73	12.26
	潮口站	00:23:21	26.01	36.22	22.84	8.41	7.6	6.7	30.7
		03:23:29	25.81	36.51	23.05	8.38	6.92	ND	10.7
		06:23:34	25.2	36.81	23.27	8.4	7.34	ND	16.9
		09:23:30	25.55	36.63	23.14	8.34	7.21	ND	16.3
		12:23:39	26.29	36.24	22.85	8.33	7.68	ND	14.3
		15:59:55	25.63	50.37	32.99	8.24	7.28	20.1	10.3
		18:29:55	25.71	51.97	34.17	8.27	7.32	7.6	2.9
		21:29:54	25.73	51.39	33.74	8.31	7.73	5.4	11.8
	日平均值		25.74	42.02	27.01	8.34	7.39	9.95	14.24
	灣內站	00:30:28	26.02	36.44	23	8.42	7.57	ND	5.6
		03:30:39	25.84	36.65	23.15	8.37	6.66	2.6	4.3
		06:30:44	25.24	37.07	23.45	8.39	7.27	ND	7
		09:30:43	25.51	36.7	23.19	8.31	6.96	ND	11.6
		11:37:36	25.92	36.41	22.98	8.29	7.28	5.8	5
		16:07:05	25.65	51.27	33.66	8.26	7.23	ND	ND
		18:37:05	25.74	52.26	34.39	8.26	7.24	2.6	6.6
		21:37:04	25.8	51.54	33.85	8.31	7.73	5.2	8
	日平均值		25.72	42.29	27.21	8.33	7.24	4.05	6.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:22:44	25.6	51.28	33.67	8.21	6.72	49.9	14.8
		03:22:38	25.72	51.22	33.62	8.31	7.55	5.8	35.7
		06:22:41	25.38	52.21	34.36	8.3	7.01	2.5	4
		09:22:42	25.39	51.61	33.91	8.31	6.97	105.3	19.9
		12:22:50	26.14	51.32	33.68	8.25	8.08	889.3	48.3
		15:22:45	26.19	50.96	33.42	8.21	7.09	23.9	14.3
		18:22:44	26.01	51.25	33.64	8.26	7.18	79.9	35.8
		21:22:46	25.93	51.46	33.79	8.25	7.24	2.5	12.7
	日平均值		25.80	51.41	33.76	8.26	7.23	144.89	23.19
	潮口站	00:29:54	25.63	51.39	33.74	8.2	6.74	10.3	2
		03:29:48	25.72	51.09	33.52	8.3	7.38	5.7	15.6
		06:29:48	25.42	51.79	34.05	8.33	7.05	4.1	1.3
		09:29:52	25.37	51.71	33.99	8.3	7.07	4.4	8.3
		12:29:57	26.1	51.23	33.62	8.23	7.67	7.1	14.1
		15:29:52	26.23	50.93	33.39	8.26	7.12	5.4	2.1
		18:29:51	26.04	51.12	33.54	8.24	7.25	4.2	5.6
		21:29:56	25.96	51.42	33.76	8.23	7.2	3.6	12.1
	日平均值		25.81	51.34	33.70	8.26	7.19	5.60	7.64
	灣內站	00:37:04	25.61	0.585	0.28	8.27	8.74	ND	2.8
		03:36:58	25.67	0.563	0.27	8.31	8.73	ND	2.7
		06:36:58	25.34	0.569	0.27	8.33	8.81	ND	ND
		09:37:02	25.15	0.579	0.28	8.3	8.84	ND	ND
		12:37:10	25.65	0.574	0.28	8.19	8.74	ND	ND
		15:37:02	25.86	0.57	0.27	8.24	8.69	ND	5.6
		18:36:58	25.98	0.565	0.27	8.28	8.69	ND	ND
		21:37:06	26.01	0.571	0.28	8.27	8.68	ND	ND
	日平均值		25.66	0.57	0.28	8.27	8.74	ND	3.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:22:47	25.83	50.79	33.3	8.21	6.69	100.8	16.2
		03:22:51	25.75	51	33.45	8.33	7.25	46.2	19.7
		06:22:48	25.69	51.87	34.1	8.31	6.68	71.6	9.4
		09:22:54	25.93	51.8	34.04	8.29	7	10	14.8
		12:22:55	26.06	50.78	33.29	8.21	7.11	147.1	28.5
		15:22:54	26.54	49.16	32.08	8.22	7.12	150.4	19.6
		18:22:57	26.11	51.54	33.84	8.28	7.22	3.2	11.2
		21:23:02	26.2	51.21	33.6	8.23	7.07	15.8	9.6
	日平均值	26.01	51.02	33.46	8.26	7.02	68.14	16.13	
	潮口站	00:29:57	25.85	50.99	33.45	8.26	6.93	10.5	10.1
		03:30:01	25.87	50.92	33.39	8.35	7.65	15.6	16.3
		06:29:55	25.82	51.9	34.12	8.33	6.89	108.3	3.7
		09:30:04	25.96	51.85	34.07	8.31	7.08	7.9	6.3
		12:30:05	26.08	50.93	33.4	8.21	7.16	10.1	10.2
		15:30:07	26.57	49.33	32.21	8.23	7.19	8.2	3.7
		18:30:07	26.17	51.22	33.61	8.24	7.11	86.6	4.6
		21:30:09	26.26	51.05	33.48	8.29	7.1	222.6	0.3
	日平均值	26.07	51.02	33.47	8.28	7.14	58.73	6.90	
	灣內站	00:37:07	25.7	0.586	0.28	8.28	8.71	ND	1.8
		03:37:11	25.58	0.597	0.29	8.31	8.76	16.2	1.4
		06:37:05	25.74	0.605	0.29	8.29	8.71	18.3	2.3
		09:37:11	25.93	0.603	0.29	8.3	8.7	16.8	ND
		12:37:15	25.81	0.619	0.3	8.26	8.7	13.6	2.5
		15:37:14	26.17	0.582	0.28	8.26	8.64	32	1.9
		18:37:17	26.21	0.597	0.29	8.22	8.62	143.2	ND
		21:37:22	25.94	0.604	0.29	8.22	8.71	93.7	ND
	日平均值	25.89	0.60	0.29	8.27	8.69	47.69	1.98	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月1日	蚵殼站	00:23:05	26.03	50.98	33.43	8.28	7.19	5.2	13.8
		03:23:03	26.02	50.85	33.34	8.22	6.83	148.8	25.5
		06:23:10	25.85	51.2	33.6	8.32	6.91	122.6	8.6
		09:23:09	26.02	51.6	33.89	8.34	7.04	155.2	1.5
		12:23:10	26.22	51.01	33.45	8.26	7.17	10.4	15.9
		15:23:12	26.25	48.9	31.9	8.24	7.11	319	30.4
		18:23:13	25.97	51.25	33.63	8.28	7.06	4.9	6.3
		21:23:12	25.98	51.37	33.72	8.3	7.08	8.3	9.8
	日平均值	26.04	50.90	33.37	8.28	7.05	96.80	13.98	
	潮口站	00:37:25	26.07	0.646	0.31	8.25	8.21	ND	5.4
		03:37:23	25.88	0.667	0.32	8.29	8.37	ND	ND
		06:37:30	25.86	0.684	0.33	8.3	8.08	ND	2
		09:37:29	26.05	0.691	0.33	8.28	7.9	ND	ND
		12:37:30	25.64	0.682	0.33	8.27	8.3	900.3	10.2
		15:37:32	26	0.655	0.32	8.24	8.17	ND	ND
		18:37:33	25.88	0.691	0.33	8.26	8.27	ND	1.9
		21:37:32	25.85	0.71	0.34	8.28	8.71	558.4	7.2
	日平均值	26.08	50.87	33.35	8.30	7.14	69.11	7.93	
	灣內站	00:30:15	26.05	50.54	33.11	8.28	7.23	6.3	6.7
		03:30:13	26.18	50.63	33.17	8.34	7.36	112.5	14.2
		06:30:20	25.91	51.47	33.8	8.33	6.96	111.4	ND
		09:30:19	26.07	51.5	33.82	8.32	7.01	121.7	4
		12:30:20	26.2	50.86	33.34	8.28	7.36	66.6	10.8
		15:30:22	26.28	49.83	32.58	8.26	7.09	67.6	10.5
		18:30:23	25.98	50.97	33.42	8.29	7.04	56.6	ND
		21:30:22	26	51.12	33.54	8.31	7.07	10.2	1.4
	日平均值	25.90	50.68	33.33	8.27	8.25	729.35	5.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppT)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月2日	蚵殼站	00:23:18	25.86	51.04	33.48	8.25	6.83	8.3	8.5
		03:23:19	25.9	50.1	32.79	8.38	7.76	301.2	36.9
		06:23:23	25.78	50.29	32.94	8.34	6.96	94.4	8.4
		09:23:23	25.75	51.7	33.97	8.33	6.91	5.3	8.5
		12:23:25	26.17	50.88	33.36	8.26	7.23	84.5	6.2
		15:23:29	26.39	51.19	33.58	8.21	7.08	72.5	31.5
		18:23:26	25.9	51.11	33.53	8.29	6.99	273.9	1.7
		21:23:32	25.81	51.22	33.62	8.33	7.05	8.7	14.2
	日平均值	25.95	50.94	33.41	8.30	7.10	106.10	14.49	
	潮口站	00:37:38	25.82	0.721	0.35	8.23	7.76	684.3	8.1
		03:37:39	25.83	0.792	0.39	8.32	8.69	464.1	3
		06:37:43	25.68	0.722	0.35	8.32	7.65	ND	3.7
		09:37:46	25.46	0.741	0.36	8.3	7.9	ND	3.6
		12:37:42	25.97	0.748	0.36	8.26	8.06	ND	2.4
		14:58:21	26.03	0.746	0.36	8.22	7.79	ND	3.7
		18:37:46	25.68	0.778	0.38	8.28	8.24	ND	1.1
		21:37:49	25.64	0.793	0.39	8.31	8.14	ND	1.8
	日平均值	25.76	0.76	0.37	8.28	8.03	574.20	3.43	
	灣內站	00:30:28	25.86	50.5	33.08	8.26	6.79	14.5	8.3
		03:30:29	25.93	50.23	32.88	8.36	7.55	12.5	16.7
		06:30:33	25.78	50.32	32.95	8.35	7.01	90.1	25.4
		09:30:36	25.75	51.24	33.63	8.34	6.95	70.9	3.4
		12:30:35	26.23	51.15	33.55	8.26	7.09	6.4	5.3
		14:51:11	26.46	51.24	33.61	8.24	7.08	301.9	14.8
		18:30:36	25.91	51.05	33.49	8.32	7.04	45.1	4.2
		21:30:42	25.83	51.19	33.59	8.33	7.04	12.8	ND
	日平均值	25.97	50.87	33.35	8.31	7.07	69.28	11.16	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppT)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月3日	蚵殼站	00:23:33	25.82	51.1	33.53	8.33	6.88	9.6	8.9
		03:23:37	25.82	50.68	33.22	8.44	7.53	7.1	21.8
		06:23:37	25.7	50.36	32.98	8.43	7.41	5.2	18.2
		09:23:35	25.51	51.38	33.74	8.38	6.84	5	3.2
		12:23:36	25.78	50.58	33.15	8.38	7.5	15.6	17.9
		15:37:15	25.76	51.1	33.53	8.3	7.14	3.2	5.8
		18:07:10	25.5	51.3	33.68	8.29	7.09	ND	4.3
		21:07:14	25.55	51.45	33.79	8.36	7	2.1	1.8
	日平均值	25.68	50.99	33.45	8.36	7.17	6.83	10.24	
	潮口站	00:37:53	25.48	0.782	0.38	8.28	7.51	ND	ND
		03:37:57	25.72	0.827	0.4	8.43	8.57	ND	ND
		06:37:57	25.51	0.822	0.4	8.41	8.37	ND	6.2
		09:37:52	25.45	0.821	0.4	8.34	8.1	1448.9	23.5
		12:37:56	25.25	0.815	0.4	8.34	8.57	1096.6	10
		15:51:35	25.83	51.15	33.57	8.31	6.78	ND	3.8
		18:21:27	25.56	51.51	33.84	8.34	6.92	2.5	ND
		21:21:34	25.61	51.33	33.7	8.39	6.97	1.2	2.5
	日平均值	25.55	19.76	12.89	8.36	7.72	637.30	9.20	
	灣內站	00:30:43	25.88	50.45	33.04	8.29	6.68	162.1	4.2
		03:30:44	25.89	50.13	32.81	8.45	7.59	14.4	7.1
		06:30:47	25.72	50.09	32.79	8.43	7.35	9.5	7.4
		09:30:45	25.54	51.02	33.48	8.39	6.93	47.7	5.9
		12:30:46	25.81	50.7	33.24	8.37	7.55	10.2	4.1
		15:44:25	25.78	51.02	33.47	8.29	7.04	13	ND
		18:14:20	25.52	51.11	33.54	8.3	7.04	34.7	3.5
		21:14:24	25.57	51.3	33.68	8.37	7.17	4.4	ND
	日平均值	25.71	50.73	33.26	8.36	7.17	37.00	5.37	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月4日	蚵殼站	00:07:13	25.3	51.64	33.94	8.39	7.07	2.6	8
		03:07:13	25.08	50.96	33.44	8.44	7.34	3.3	20.2
		06:07:12	25.05	50.13	32.83	8.46	6.9	43	15.1
		09:07:12	25.13	50.93	33.42	8.41	6.93	142.1	5
		12:07:13	25.44	51.35	33.72	8.39	7.12	5.5	7.7
		15:07:08	25.35	51.2	33.61	8.35	6.92	7.8	ND
		18:07:12	25.51	48.99	31.99	8.34	7.2	3.7	5.7
		21:07:13	25.8	51.16	33.58	8.37	7.14	3.4	1.3
	日平均值	25.33	50.80	33.32	8.39	7.08	26.43	9.00	
	潮口站	00:21:33	25.4	51.77	34.03	8.4	6.8	ND	4.5
		03:21:33	25.21	50.68	33.23	8.43	7.15	1.6	4.9
		06:21:32	25.12	50.47	33.08	8.45	6.78	3.1	1.7
		09:21:32	25.24	51.55	33.88	8.41	6.83	2.8	1.2
		12:21:33	25.56	51.56	33.87	8.39	6.86	1.5	4.1
		15:21:28	25.6	51.38	33.74	8.37	6.93	2.9	2.8
		18:21:32	25.67	49.56	32.4	8.36	7.13	2.6	4.3
		21:21:33	25.79	51.28	33.66	8.37	6.91	1.2	ND
	日平均值	25.45	51.03	33.49	8.40	6.92	2.24	3.36	
	灣內站	00:14:23	25.3	51.19	33.61	8.4	7.09	13.5	5.3
		03:14:23	25.15	50.85	33.36	8.41	7.21	7.6	11.2
		06:14:22	25.1	50.38	33.01	8.45	6.98	9.5	9.9
		09:14:22	25.18	51.49	33.83	8.41	6.98	4.9	ND
		12:14:23	25.51	50.96	33.43	8.38	6.98	16.3	1.8
		15:14:18	25.36	51	33.46	8.33	7.02	8.6	3.7
		18:14:22	25.59	48.93	31.94	8.33	7.21	27.5	ND
		21:14:23	25.76	50.98	33.44	8.37	7.02	21.8	6.6
	日平均值	25.37	50.72	33.26	8.39	7.06	13.71	6.42	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月5日	蚵殼站	00:07:14	25.43	51.35	33.72	8.37	7.1	ND	4.2
		03:07:12	24.76	50.16	32.86	8.45	7.73	5.7	14.2
		06:07:12	24.68	49.75	32.56	8.44	7.82	5.1	8.9
		09:07:12	25.08	51	33.47	8.43	7.09	4.3	2
		12:07:11	25.53	50.97	33.44	8.44	7.08	5.5	ND
		15:07:11	25.11	50.88	33.38	8.44	7.16	7.3	3
		18:07:11	24.86	50.81	33.33	8.46	7.07	6.2	7.7
		21:07:11	25.54	51.21	33.61	8.47	6.97	2.1	4.7
	日平均值	25.12	50.77	33.30	8.44	7.25	5.17	6.39	
	潮口站	00:21:34	25.5	50.98	33.44	8.36	6.91	1.1	3.3
		03:21:32	24.98	50.4	33.03	8.38	7.11	2	6.1
		06:21:32	24.76	49.69	32.52	8.44	7.49	3.6	3.9
		09:21:32	25.23	51.1	33.54	8.42	6.8	2.6	ND
		12:21:31	25.59	51.29	33.68	8.44	6.79	2.3	2.8
		15:21:31	25.25	51.26	33.66	8.45	6.71	3.2	ND
		18:21:31	24.92	50.79	33.32	8.45	6.9	4.8	ND
		21:21:28	25.57	51.14	33.56	8.47	6.84	1.2	ND
	日平均值	25.23	50.83	33.34	8.43	6.94	2.60	4.03	
	灣內站	00:14:24	25.47	50.71	33.25	8.38	7.14	27.2	ND
		03:14:19	24.85	49.86	32.64	8.43	7.68	10.8	7.1
		06:14:22	24.69	49.45	32.34	8.44	7.5	8.9	9.8
		09:14:22	25.21	50.6	33.17	8.44	7.05	60	ND
		12:14:21	25.56	50.83	33.33	8.43	7.02	19.4	2.3
		15:14:21	25.13	50.72	33.26	8.42	7.12	38.6	3.3
		18:14:21	24.89	50.51	33.11	8.44	6.92	9.9	4.7
		21:14:21	25.56	50.79	33.31	8.48	6.97	9.9	4.3
	日平均值	25.17	50.43	33.05	8.43	7.18	23.09	5.25	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月6日	蚵殼站	00:07:10	24.99	51.09	33.54	8.5	7.11	2.5	5.1	
		03:07:09	23.71	50.47	33.11	8.31	6.21	6.2	5.8	
		06:07:03	24.21	49.95	32.72	8.44	6.62	14.5	11.2	
		09:07:08	24.76	50.46	33.08	8.45	6.8	77.6	3.2	
		12:07:09	25.47	50.51	33.11	8.43	6.96	21.3	6.8	
		15:07:08	25.63	50.68	33.22	8.43	7.09	37.3	1.4	
		18:07:09	24.88	50.38	33.02	8.42	7.27	5.9	9.3	
		21:07:09	25.36	50.24	32.91	8.41	6.98	48	5.1	
	日平均值		24.88	50.47	33.09	8.42	6.88	26.66	5.99	
	潮口站	00:21:30	25.06	51.14	33.57	8.48	6.94	2	ND	
		03:21:29	23.7	50.41	33.07	8.31	5.97	7.2	8.6	
		06:21:23	24.31	50.22	32.91	8.45	6.41	5.7	2.7	
		09:21:28	25.12	51.18	33.6	8.45	6.61	ND	2.1	
		12:21:29	25.68	51.25	33.64	8.43	6.85	ND	ND	
		15:21:25	25.63	51.14	33.56	8.43	6.81	3.5	ND	
		18:21:29	24.96	50.62	33.2	8.43	6.88	2.5	ND	
		21:21:29	25.39	50.33	32.97	8.42	6.85	2.1	ND	
	日平均值		24.98	50.79	33.32	8.43	6.67	3.83	4.47	
	灣內站	00:14:20	25.02	50.97	33.45	8.48	7.08	5.6	ND	
		03:14:19	23.68	50.38	33.04	8.33	6.37	7.6	4.7	
		06:14:13	24.23	50.13	32.85	8.44	6.63	20.7	4.1	
		09:14:18	25.08	50.52	33.12	8.46	6.94	33.6	ND	
		12:14:16	25.61	50.68	33.22	8.43	6.98	104.8	ND	
		15:14:18	25.66	50.84	33.34	8.41	6.95	39	ND	
		18:14:19	24.99	50.31	32.97	8.4	6.94	69.8	ND	
		21:14:19	25.38	50.34	32.98	8.41	7.07	5.5	3.1	
		日平均值		24.96	50.52	33.12	8.42	6.87	35.83	3.97
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月7日	蚵殼站	00:07:09	25.11	49.96	32.7	8.4	7.07	5.2	3
		03:07:08	24.65	50.54	33.14	8.39	6.84	4.7	ND
		06:07:06	24.1	49.68	32.52	8.39	7.11	6	3
		09:07:07	23.87	49.55	32.43	8.33	6.89	8.3	7.4
		12:07:05	25.49	50.45	33.06	8.39	7.12	22.3	ND
		15:07:06	25.69	50.51	33.09	8.37	7.08	7.6	ND
		18:07:05	24.58	49.78	32.58	8.35	7.54	8.2	4
		21:07:07	24.71	50.29	32.96	8.32	7.23	5.5	5
	日平均值		24.78	50.10	32.81	8.37	7.11	8.48	4.48
	潮口站	00:21:29	25.19	50.13	32.83	8.42	6.96	3	1.3
		03:21:28	24.66	50.42	33.05	8.4	6.65	4.1	1.3
		06:21:26	24.13	49.9	32.68	8.38	6.95	6	4.6
		09:21:27	23.99	49.74	32.57	8.34	6.75	5.2	ND
		12:21:25	25.63	51.05	33.5	8.39	6.93	1.4	ND
		15:21:26	25.77	50.99	33.44	8.37	7.05	2.1	ND
		18:21:25	24.77	49.61	32.45	8.36	7.61	7.5	3
		21:21:27	24.78	49.82	32.61	8.34	7.23	5.5	ND
	日平均值		24.87	50.21	32.89	8.38	7.02	4.35	2.55
	灣內站	00:14:19	25.15	49.84	32.62	8.42	7.17	55.6	3.1
		03:14:18	24.63	50.59	33.18	8.4	6.81	4	ND
		06:14:13	24.1	50.16	32.88	8.41	7.17	2.2	7.8
		09:14:17	23.9	50.03	32.78	8.35	6.96	3.6	4.5
		12:14:15	25.54	51.08	33.52	8.4	7.13	2.7	ND
		15:14:16	25.73	51.05	33.49	8.37	7.17	4.3	ND
		18:14:12	24.65	49.59	32.44	8.35	7.76	81.9	2.7
		21:14:14	24.74	49.64	32.48	8.34	7.47	108.7	3.8
	日平均值		24.81	50.25	32.92	8.38	7.21	32.88	4.38
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
12月8日	蚵殼站	00:07:00	25.4	50.95	33.43	8.4	7.1	3.2	1.1	
		03:07:05	25.37	51.17	33.59	8.41	7	ND	ND	
		06:07:06	24.12	50.21	32.91	8.29	6.7	9.1	4.4	
		09:06:58	24.1	50.11	32.84	8.34	7.19	5.6	6.7	
		12:07:04	25.2	50.99	33.46	8.37	7.09	2	ND	
		15:07:04	25.34	51.01	33.47	8.38	7.04	2.8	1.6	
		18:07:06	24.48	50.03	32.77	8.36	7.57	9.5	11	
		21:07:06	24.3	49.52	32.4	8.35	7.14	143.4	1.8	
	日平均值		24.79	50.50	33.11	8.36	7.10	25.09	4.43	
	潮口站	00:21:20	25.55	50.58	33.15	8.39	6.97	1.9	ND	
		03:21:25	25.46	50.84	33.34	8.4	6.89	1.5	ND	
		06:21:26	24.09	49.74	32.57	8.24	6.18	5.2	ND	
		09:21:12	24.27	49.88	32.67	8.33	6.71	5.8	ND	
		12:21:24	25.31	50.74	33.28	8.4	6.95	3.2	1.2	
		15:21:24	25.39	50.67	33.22	8.37	6.93	3.4	ND	
		18:21:23	24.6	50.06	32.79	8.36	7.27	8.5	ND	
		21:21:26	24.08	49.85	32.65	8.26	6.44	7.2	ND	
	日平均值		24.84	50.30	32.96	8.34	6.79	4.59	1.20	
	灣內站	00:14:10	25.47	50.88	33.38	8.39	7.09	1.8	2	
		03:14:15	25.42	51.17	33.59	8.4	7.04	ND	5.2	
		06:14:16	24.03	50.13	32.85	8.25	6.59	5.2	3.8	
		09:14:05	24.2	49.71	32.54	8.34	7.1	41.6	6.9	
		12:14:14	25.25	50.85	33.36	8.37	7.17	4.6	4.5	
		15:14:11	25.36	50.87	33.37	8.35	6.94	8.6	ND	
		18:14:16	24.5	50.26	32.94	8.35	7.6	7.4	5.2	
		21:14:16	24.31	49.51	32.39	8.33	7.09	58.7	2.8	
	日平均值		24.82	50.42	33.05	8.35	7.08	18.27	4.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
12月9日	蚵殼站	00:07:05	24.66	50.18	32.87	8.4	7.13	9.6	ND
		03:07:02	24.72	50.53	33.13	8.43	7.1	10.1	2.2
		06:07:02	24.11	50.35	33.01	8.4	7.01	6.1	5.1
		09:07:08	24.2	49.9	32.68	8.44	7.56	8.1	12.2
		12:07:08	25.19	50.5	33.1	8.44	7.13	5.4	ND
		15:07:12	24.96	50.5	33.11	8.38	7.14	3.9	6.5
		18:07:10	24.72	50.4	33.04	8.4	7.42	3.1	1
		21:07:15	23.98	49.89	32.67	8.39	7.34	3.9	6.7
	日平均值		24.57	50.28	32.95	8.41	7.23	6.28	5.62
	潮口站	00:21:22	24.92	50.42	33.05	8.4	6.87	5.8	ND
		03:21:22	24.74	50.28	32.95	8.4	6.83	6.5	2.2
		06:21:19	23.56	49.68	32.53	8.28	6.42	7.4	ND
		09:21:25	24.3	49.86	32.65	8.45	7.26	7.1	6.1
		12:21:28	25.4	50.43	33.04	8.43	6.9	4.2	ND
		15:21:26	25.07	50.34	32.98	8.38	6.94	4.5	1.5
		18:21:30	24.01	49.58	32.45	8.24	6.84	6.2	2.3
		21:21:32	23.92	49.49	32.39	8.36	7.17	6.6	3.4
	日平均值		24.49	50.01	32.76	8.37	6.90	6.04	3.10
	灣內站	00:14:15	24.83	50.18	32.87	8.39	7.02	32	ND
		03:14:12	24.73	50.41	33.05	8.41	7.1	8.7	3.7
		06:14:09	23.92	49.58	32.45	8.37	6.96	22	2.3
		09:14:18	24.25	49.69	32.52	8.43	7.51	37.5	6.9
		12:14:18	25.14	49.96	32.71	8.41	7.08	25.5	ND
		15:14:19	25.02	50.5	33.1	8.38	7.18	8.1	ND
		18:14:20	24.46	50.17	32.87	8.31	7.12	9	ND
		21:14:25	23.93	49.77	32.59	8.42	7.79	4.1	13.3
	日平均值		24.54	50.03	32.77	8.39	7.22	18.36	6.55
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:07:14	23.93	49.59	32.46	8.44	7.68	10.7	12.1
		03:07:19	24.67	50.46	33.08	8.45	7.05	ND	ND
		06:07:22	23.65	49.93	32.71	8.42	7.02	3.6	6.1
		09:07:18	23.56	49.33	32.27	8.5	8.35	6.4	10.4
		12:07:26	24.84	50.1	32.81	8.4	7.22	1.4	ND
		15:07:25	25.15	50.19	32.87	8.42	7.24	1.5	1.9
		18:07:24	24.62	49.78	32.59	8.41	7.59	ND	3.6
		21:07:27	24.39	49.91	32.69	8.35	7.1	3.9	ND
	日平均值		24.35	49.91	32.69	8.42	7.41	4.58	6.82
	潮口站	00:21:34	24	49.31	32.25	8.43	7.29	4.6	5.8
		03:21:36	24.71	50.11	32.83	8.45	6.96	2.6	ND
		06:21:42	23.73	49.51	32.4	8.41	6.78	6.2	2
		09:21:35	23.74	49.11	32.11	8.49	8.07	6.5	11.3
		12:21:40	25.09	49.67	32.49	8.39	6.99	2.8	ND
		15:21:42	25.25	49.73	32.54	8.42	7.15	2.4	ND
		18:21:41	24.5	49.09	32.08	8.44	8.53	4.9	1
		21:21:44	24.47	49.28	32.22	8.35	6.73	5.1	ND
	日平均值		24.44	49.48	32.37	8.42	7.31	4.39	5.03
	灣內站	00:14:24	23.94	49.34	32.28	8.41	7.63	10	11.9
		03:14:26	24.68	50.35	33	8.44	7.13	4.5	ND
		06:14:32	23.62	49.46	32.37	8.4	7.04	11.7	4.3
		09:14:28	23.69	49.01	32.04	8.48	8.23	55.3	9.6
		12:14:33	24.98	49.35	32.26	8.4	7.13	17.1	ND
		15:14:35	25.19	49.96	32.7	8.41	7.3	4.3	ND
		18:14:31	24.38	49.02	32.04	8.46	8.75	17.9	8.1
		21:14:37	24.38	49.4	32.31	8.34	6.99	12.2	1.6
		日平均值		24.36	49.49	32.38	8.42	7.53	16.63
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:07:31	24.03	49.32	32.26	8.01	8.56	3.8	11.2
		03:07:34	24.68	49.65	32.49	7.96	7.17	3.1	ND
		06:07:32	24.88	49.9	32.67	7.98	7.02	ND	ND
		09:07:35	24.37	49.68	32.52	8.01	7.56	2.9	5.9
		12:54:32	25.19	50.07	32.78	7.87	7.17	3.4	4.9
		15:19:38	25.52	49.49	32.35	8.24	7.2	7.7	2
		18:28:04	24.89	49.7	32.52	8.33	8.12	6.3	7.3
		21:27:59	24.56	49.78	32.58	8.33	7.02	16	10.7
	日平均值		24.77	49.70	32.52	8.09	7.48	6.17	7.00
	潮口站	00:21:51	24.09	48.58	31.72	8.01	8.47	2.6	12.6
		03:21:54	25.05	49.19	32.14	7.96	6.89	3.7	ND
		06:21:52	24.83	49.26	32.2	7.99	7.04	1.6	ND
		09:21:55	24.47	49.16	32.13	7.99	7.3	3	1.6
		13:08:52	25.26	50.12	32.82	7.98	7.07	ND	4.1
		15:33:58	25.64	49.29	32.2	8.25	7.2	10.9	5.6
		18:42:24	24.92	49.58	32.43	8.35	8.19	11.2	16.1
		21:42:19	24.7	49.77	32.58	8.36	7.06	15.7	9.5
	日平均值		24.87	49.37	32.28	8.11	7.40	6.96	8.25
	灣內站	00:14:41	24.04	48.61	31.74	8.01	8.89	16.6	13.9
		03:14:44	24.95	49.08	32.07	7.95	6.94	16.9	ND
		06:14:42	24.92	49.48	32.36	7.98	7.2	8.6	ND
		09:14:45	24.43	48.87	31.92	7.98	7.5	30.2	ND
		13:01:42	25.16	50.19	32.87	7.92	7.03	ND	3.7
		15:26:48	25.59	49.24	32.17	8.23	7.15	21.4	13.3
		18:35:14	25.04	49.64	32.47	8.34	7.97	59.9	17.4
		21:35:09	24.62	49.67	32.51	8.35	6.92	86.4	29.2
	日平均值		24.84	49.35	32.26	8.10	7.45	34.29	15.50
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:28:04	24.01	49.27	32.22	7.99	8.85	18.3	35.1	
		03:28:04	24.6	49.86	32.64	7.94	7.09	15.2	18.3	
		06:28:03	24.61	50.08	32.81	7.94	7.05	8.5	13.8	
		09:28:01	24.47	49.92	32.69	7.95	7.4	14.5	19.4	
		12:27:55	24.64	49.94	32.7	7.88	7.68	16.6	30.9	
		15:49:38	25.35	49.85	32.62	8.21	7.1	8.4	13.4	
		18:19:37	25.09	50.18	32.87	8.25	7.49	4	14.1	
		21:19:37	24.84	49.75	32.56	8.26	7.49	15.9	9.5	
		日平均值	24.70	49.86	32.64	8.05	7.52	12.68	19.31	
	潮口站	00:42:24	24.09	49.28	32.23	7.98	8.62	8.6	25	
		03:42:24	24.62	49.9	32.67	7.94	7.07	15.1	11.7	
		06:42:23	24.64	50.06	32.79	7.94	7.14	9.3	5.1	
		09:42:21	24.44	49.88	32.66	7.95	7.89	6.9	14.7	
		12:42:15	24.64	49.93	32.69	7.86	7.85	12.2	8.3	
		16:03:58	25.45	49.84	32.61	8.21	6.88	5.6	4.7	
		18:33:57	25.16	50.13	32.83	8.25	7.44	5	17.8	
		21:33:57	24.82	49.68	32.5	8.28	7.32	8.3	11.1	
		日平均值	24.73	49.84	32.62	8.05	7.53	8.88	12.30	
	灣內站	00:35:14	24.1	49.25	32.21	7.98	8.63	57.3	31	
		03:35:14	24.82	49.92	32.68	7.95	7.02	21.9	7.3	
		06:35:13	24.62	49.93	32.69	7.94	7.06	25	8.1	
		09:35:11	24.42	49.77	32.58	7.96	7.85	104.4	22.2	
		12:35:05	24.68	49.83	32.62	7.9	7.92	30.9	26.6	
		15:56:48	25.4	49.66	32.48	8.23	6.93	6.3	14.5	
		18:26:47	25.12	49.98	32.72	8.26	7.5	8.5	41.3	
		21:26:47	24.82	49.54	32.41	8.26	7.42	12.1	45.9	
		日平均值	24.75	49.74	32.55	8.06	7.54	33.30	24.61	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:30	24.16	49.52	32.41	8.28	7.68	11.8	38.9	
		03:19:35	24.1	49.59	32.45	8.33	8.06	13.6	46	
		06:19:36	24.83	50.21	32.9	8.29	7.02	8.1	17.5	
		09:19:36	24.04	49.58	32.45	8.32	8.31	6.7	21.8	
		12:19:58	24.79	48.92	31.95	8.33	9.27	12.5	48.1	
		15:19:34	25.43	49.86	32.63	8.2	7.22	10.5	23.1	
		18:19:32	25.51	50.57	33.14	8.22	7.43	6.4	12.4	
		21:19:30	24.98	49.72	32.53	8.23	7.88	11	27.9	
		日平均值	24.73	49.75	32.56	8.28	7.86	10.08	29.46	
	潮口站	00:33:47	24.28	49.45	32.35	8.3	7.59	12.2	16.4	
		03:33:55	24.57	49.98	32.73	8.32	7.28	9.6	8.8	
		06:33:56	24.89	50.26	32.93	8.29	6.73	5	7.3	
		09:33:56	24.06	49.51	32.4	8.32	8.09	8.7	22.4	
		12:34:18	24.76	49.29	32.22	8.33	8.95	5.3	16.6	
		15:33:54	25.54	50.05	32.76	8.2	6.91	6	16.7	
		18:33:52	25.63	50.53	33.11	8.24	7.26	4.5	10.9	
		21:33:50	25.17	50	32.73	8.23	7.4	8.5	23.7	
		日平均值	24.86	49.88	32.65	8.28	7.53	7.48	15.35	
	灣內站	00:26:40	24.22	49.29	32.24	8.33	7.86	11.2	44	
		03:26:45	24.37	49.54	32.41	8.31	7.28	10.5	34.5	
		06:26:43	24.92	50.18	32.87	8.3	6.68	6.8	27.7	
		09:26:46	23.98	49.32	32.26	8.31	8.17	6.1	37.1	
		12:27:08	24.74	49.15	32.12	8.32	9.03	5.4	47.6	
		15:26:44	25.48	49.88	32.64	8.19	6.9	7.4	21	
		18:26:42	25.57	50.42	33.03	8.23	7.26	5.2	24.5	
		21:26:40	25.14	49.82	32.6	8.24	7.37	7.9	34.4	
		日平均值	24.80	49.70	32.52	8.28	7.57	7.56	33.85	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:32	24.34	48.93	31.97	8.36	9.39	12.8	54.7	
		03:19:30	24.05	48.57	31.71	8.38	9.75	58	49	
		06:19:32	25.13	50.17	32.86	8.27	7.21	11.5	39.5	
		09:19:31	24.8	49.93	32.69	8.27	7.39	14.1	23.7	
		12:19:32	24.43	49.25	32.2	8.23	8.74	14.3	57.8	
		15:19:31	25.55	49.44	32.32	8.14	7.4	12.1	40.5	
		18:19:32	25.63	50.38	33	8.11	7.33	9.3	28.1	
		21:19:31	24.85	49.46	32.35	8.27	9.04	9.7	46.6	
		日平均值	24.85	49.52	32.39	8.25	8.28	17.73	42.49	
	潮口站	00:33:49	24.42	49.22	32.18	8.31	9.05	9.8	14	
		03:33:50	24.52	49.33	32.26	8.3	7.68	8.8	20.7	
		06:33:49	25.24	50.37	33	8.29	6.87	10.4	7.1	
		09:33:51	24.98	50.15	32.84	8.27	7.18	8.6	21.6	
		12:33:52	24.76	49.23	32.18	8.26	8.9	9.6	21	
		15:33:51	25.69	49.62	32.44	8.12	7.08	9.4	14.8	
		18:33:52	25.74	50.57	33.14	8.14	7.11	7.8	10.6	
		21:33:51	24.85	49.37	32.28	8.28	9.07	6.2	35.5	
		日平均值	25.03	49.73	32.54	8.25	7.87	8.83	18.16	
	灣內站	00:26:42	24.39	48.96	31.98	8.35	9.12	7.2	51	
		03:26:40	24.34	48.95	31.98	8.32	8.46	10.5	59.9	
		06:26:39	25.14	50.17	32.86	8.28	6.82	12.6	33.7	
		09:26:41	24.82	49.94	32.7	8.29	7.27	8.8	41.6	
		12:26:42	24.71	49.02	32.03	8.27	9.13	12.4	54.8	
		15:26:41	25.64	49.36	32.26	8.12	7.13	9.8	46.2	
		18:26:42	25.7	50.31	32.95	8.13	7.18	9.5	40.2	
		21:26:41	24.85	49.25	32.19	8.28	8.9	7.6	49.7	
		日平均值	24.95	49.50	32.37	8.26	8.00	9.80	47.14	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:31	24.54	48.51	31.66	8.35	8.63	13.6	61.1	
		03:19:30	24.45	48.76	31.84	8.34	9.29	57.5	89	
		06:19:29	25.08	49.94	32.69	8.26	7	14.3	50.7	
		09:19:29	25.16	50.1	32.81	8.22	7.17	13.1	52.7	
		12:19:30	25.02	49.18	32.14	8.26	8.95	16.2	45.5	
		15:19:29	25.69	48.44	31.58	8.12	7.61	13.3	68.3	
		18:19:29	25.56	49.92	32.66	8.12	7.08	7.8	28.1	
		21:19:31	25.59	50.16	32.84	8.12	7.09	8.2	25.6	
		日平均值	25.14	49.38	32.28	8.22	7.85	18.00	52.63	
	潮口站	00:33:51	24.7	48.84	31.89	8.34	9.61	5.8	33.4	
		03:33:50	24.58	48.94	31.97	8.34	8.87	6.9	25.9	
		06:33:49	25.17	50.37	33	8.27	6.79	12.3	9.5	
		09:33:49	25.27	50.36	33	8.22	6.89	10.5	9.6	
		12:33:50	25.08	49.85	32.63	8.2	7.48	13.1	9.3	
		15:33:49	25.71	49.2	32.14	8.14	7.33	8.1	13.2	
		18:33:46	25.65	49.89	32.64	8.13	6.91	8.2	10	
		21:33:51	25.69	50.37	33	8.13	6.94	5.9	21.3	
		日平均值	25.23	49.73	32.53	8.22	7.60	8.85	16.53	
	灣內站	00:26:41	24.67	48.69	31.78	8.33	9.53	8.8	64.2	
		03:26:40	24.51	48.78	31.86	8.33	8.69	10.7	63.5	
		06:26:39	25.13	50.05	32.77	8.24	6.61	13.1	34.6	
		09:26:39	25.21	50.07	32.78	8.22	7.02	11.3	43.6	
		12:26:40	24.96	49.41	32.3	8.2	8.05	14.2	60.1	
		15:26:39	25.73	48.73	31.79	8.13	7.3	9.7	56.3	
		18:26:39	25.61	49.6	32.43	8.12	6.89	7.7	51.7	
		21:26:41	25.62	49.97	32.7	8.13	6.88	8.3	47.7	
		日平均值	25.18	49.41	32.30	8.21	7.62	10.48	52.71	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:19:29	25.29	49.73	32.53	8.17	7.31	12.4	38.3	
		03:19:27	24.96	49.05	32.04	8.24	7.46	17.1	68.8	
		06:19:28	25.16	49.76	32.56	8.23	7.14	15.4	67.5	
		09:19:26	25.29	50.13	32.83	8.22	7.04	10.2	41.4	
		12:19:25	25.51	49.04	32.02	8.26	9.3	17	52.4	
		15:19:25	25.66	49.1	32.06	8.23	9.42	39.1	58.8	
		18:19:28	25.44	49.7	32.51	8.1	6.97	9	47.3	
		21:19:26	25.37	49.94	32.69	8.14	6.92	6	17.1	
	日平均值		25.34	49.56	32.41	8.20	7.70	15.78	48.95	
	潮口站	00:33:49	25.31	49.69	32.51	8.25	8.09	9.3	36.2	
		03:33:47	24.99	49.34	32.25	8.26	7.47	13.4	27.1	
		06:33:45	25.27	50.29	32.95	8.24	6.82	11	9.3	
		09:33:46	25.42	50.43	33.04	8.22	6.84	6.7	8.2	
		12:33:42	25.51	49.41	32.29	8.21	8.61	13.3	24.4	
		15:33:45	25.57	49.6	32.43	8.19	8.54	8.5	26.2	
		18:33:48	25.5	50.21	32.88	8.12	6.78	5.4	11.9	
		21:33:43	25.47	50.05	32.76	8.16	6.94	6.7	13.9	
	日平均值		25.38	49.88	32.64	8.21	7.51	9.29	19.65	
	灣內站	00:26:39	25.33	49.57	32.42	8.16	7.12	12.9	49.4	
		03:26:37	24.94	48.98	31.99	8.25	7.48	14.1	65.3	
		06:26:35	25.23	50.04	32.76	8.24	6.62	11.3	29.2	
		09:26:36	25.36	50.11	32.81	8.22	6.7	8.8	29.4	
		12:26:35	25.48	49.04	32.02	8.21	8.71	15	62.9	
		15:26:35	25.53	49.26	32.18	8.2	8.8	13	61.6	
		18:26:38	25.46	49.86	32.62	8.13	6.73	7.1	40.9	
		21:26:33	25.43	49.66	32.48	8.17	6.87	7.8	43.2	
	日平均值		25.35	49.57	32.41	8.20	7.38	11.25	47.74	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)	
#####	蚵殼站	00:19:27	25.14	49.49	32.36	8.17	7.48	12.3	55.7	
		03:19:27	24.97	49.21	32.16	8.34	8.44	15.2	73.5	
		06:19:25	24.88	48.92	31.95	8.37	8.29	24.2	59.5	
		09:19:22	24.99	49.88	32.65	8.27	7.1	12.7	51.7	
		12:19:27	25.4	49.78	32.57	8.23	7.53	12.9	53.9	
		15:19:26	25.44	49.69	32.5	8.23	7.82	15.1	59.1	
		18:19:26	25.33	49.37	32.27	8.18	7.09	11	54.8	
		21:19:25	25.19	50.15	32.85	8.18	7.15	7.7	19.3	
	日平均值		25.17	49.56	32.41	8.25	7.61	13.89	53.44	
	潮口站	00:33:44	25.23	49.87	32.63	8.21	7.24	9.6	26.4	
		03:33:47	25.1	49.5	32.37	8.36	8.46	7.4	22.3	
		06:33:45	24.91	49.43	32.32	8.36	7.78	8.1	22.5	
		09:33:42	25.09	50.52	33.12	8.26	6.9	7.2	10	
		12:33:47	25.46	50.44	33.05	8.22	7.07	6.6	17.9	
		15:33:46	25.56	50.06	32.77	8.24	7.72	7.6	23.4	
		18:33:46	25.38	50.06	32.77	8.17	6.82	5.6	6.8	
		21:33:45	25.23	50.47	33.08	8.17	6.92	5.7	8.1	
	日平均值		25.25	50.04	32.76	8.25	7.36	7.23	17.18	
	灣內站	00:26:37	25.22	49.42	32.31	8.21	7.23	8.7	53.4	
		03:26:37	25.08	49.03	32.03	8.36	8.7	9.2	56.8	
		06:26:35	24.89	49.05	32.04	8.37	7.74	10.6	49.1	
		09:26:32	25.04	50.3	32.96	8.26	6.65	8.1	21.7	
		12:26:37	25.48	49.89	32.65	8.23	7.27	9.2	44.5	
		15:26:36	25.48	49.77	32.56	8.2	7.61	11.8	43.3	
		18:26:36	25.37	49.65	32.47	8.18	6.61	7.6	26	
		21:26:35	25.21	49.98	32.72	8.19	6.91	6.9	32.1	
	日平均值		25.22	49.64	32.47	8.25	7.34	9.01	40.86	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:19:26	25.04	49.82	32.6	8.23	7.58	9.5	36.3
		03:19:26	25	49.07	32.06	8.36	8.72	14.6	60.8
		06:19:26	24.7	48.79	31.86	8.4	8.96	35.1	56
		09:19:26	24.95	50.13	32.83	8.24	7.11	9	52.8
		12:19:24	25.13	50.21	32.89	8.21	7.19	11.4	38
		15:19:24	25.73	49.7	32.5	8.23	8.14	11.6	53.6
		18:19:24	25.11	49.51	32.38	8.25	7.66	11.7	52.3
		21:19:24	25.06	50.11	32.81	8.3	7.17	9.3	33.2
	日平均值		25.09	49.67	32.49	8.28	7.82	14.03	47.88
	潮口站	00:33:46	25.1	50.01	32.74	8.24	7.22	7.3	11
		03:33:43	25.05	49.76	32.56	8.33	7.63	8.5	11.5
		06:33:46	24.84	49.4	32.3	8.37	8.28	6.8	13.4
		09:33:46	24.99	50.57	33.16	8.26	6.85	6.1	5.8
		12:09:06	25.3	50.6	33.17	8.2	6.72	5.5	1.8
		15:33:44	25.71	50.14	32.83	8.22	7.64	9.1	8.2
		18:33:44	25.22	49.96	32.7	8.24	7.07	8	2.4
		21:33:41	25.13	50.47	33.08	8.3	7.03	7.5	2.8
	日平均值		25.17	50.11	32.82	8.27	7.31	7.35	7.11
	灣內站	00:26:36	25.09	49.47	32.35	8.24	7.42	8.3	35.3
		03:26:33	25.1	49.26	32.19	8.36	7.87	10.3	43.6
		06:26:36	24.74	48.78	31.85	8.4	8.61	8.9	51.4
		09:26:36	24.98	50.34	32.98	8.25	6.61	5	18.3
		12:01:56	25.21	50.19	32.87	8.21	7.01	6.6	35.5
		15:26:34	25.72	49.7	32.5	8.22	7.63	11.9	44.3
		18:26:34	25.18	49.49	32.36	8.25	7.22	9.6	34.6
		21:26:31	25.12	50.04	32.76	8.29	6.91	8.8	18.3
	日平均值		25.14	49.66	32.48	8.28	7.41	8.68	35.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:19:21	24.87	50.33	32.98	8.32	7.24	10.5	31.2
		03:19:23	24.43	49.56	32.42	8.39	7.39	11.9	49.3
		06:19:24	24.31	49.37	32.29	8.44	7.87	10.7	61.1
		09:49:22	24.45	49.97	32.73	8.34	7.27	12.6	49.9
		12:19:23	24.74	50.31	32.97	8.34	7.27	8.2	41
		15:19:20	24.7	49.97	32.72	8.31	7.42	11.3	48.6
		18:19:19	24.41	49.66	32.5	8.36	8.18	13.3	58.7
		21:19:20	24.9	50.11	32.82	8.29	7.24	8.1	43.4
	日平均值		24.60	49.91	32.68	8.35	7.49	10.83	47.90
	潮口站	00:33:41	24.84	50.47	33.09	8.33	6.95	4.9	5.6
		03:33:41	24.32	49.84	32.63	8.4	7.23	6	14.4
		06:33:44	24.38	49.72	32.55	8.44	7.56	5.3	10.7
		10:03:42	24.55	50.43	33.06	8.36	6.96	7.1	5.5
		12:33:43	24.82	50.6	33.18	8.33	6.98	6.6	7
		15:33:40	24.59	50.45	33.08	8.31	7.03	14.1	10.6
		18:33:39	24.51	50.1	32.82	8.35	7.8	6.5	9.6
		21:33:40	24.92	50.54	33.14	8.3	7.02	4.1	8.3
	日平均值		24.62	50.27	32.94	8.35	7.19	6.83	8.96
	灣內站	00:26:31	24.85	50.19	32.88	8.33	6.93	6.6	13.4
		03:26:33	24.33	49.45	32.35	8.4	7.17	9.3	40.4
		06:26:34	24.37	49.53	32.41	8.44	7.56	6.7	41.4
		09:56:32	24.49	50.26	32.94	8.35	6.98	7.8	24.7
		12:26:33	24.78	50.41	33.04	8.33	6.83	6.4	13.6
		15:26:30	24.7	50.15	32.85	8.3	7.09	9.2	27.7
		18:26:29	24.47	49.81	32.61	8.36	7.76	8.6	21.5
		21:26:30	24.88	50.01	32.75	8.29	7.09	7.1	27
	日平均值		24.61	49.98	32.73	8.35	7.18	7.71	26.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:22	24.69	50.49	33.1	8.32	7.1	8.4	25.8	
		03:19:19	24.15	49.96	32.72	8.38	7.54	11	42.3	
		06:19:21	23.95	49.69	32.53	8.41	7.86	9.9	62.1	
		09:19:21	23.77	49.73	32.57	8.37	7.44	10.9	51.5	
		12:19:19	24.94	50.16	32.86	8.28	7.31	8.5	46.8	
		15:19:20	24.91	50.17	32.86	8.26	7.42	13.7	46	
		18:19:20	24.52	49.76	32.58	8.29	8.22	12.3	58.2	
		21:19:19	24.45	49.9	32.68	8.25	7.46	10.8	51	
		日平均值	24.42	49.98	32.74	8.32	7.54	10.69	47.96	
	潮口站	00:33:42	24.74	50.74	33.28	8.33	6.88	3.7	2.9	
		02:59:07	24.24	50.28	32.96	8.37	7.22	6.4	9.7	
		06:33:41	24.03	50.19	32.9	8.41	7.41	5.4	7.7	
		09:33:41	24.11	50.43	33.07	8.36	7.07	6	11.9	
		12:33:39	25.05	50.65	33.22	8.26	6.87	2.7	4.4	
		15:33:40	24.68	50.43	33.06	8.25	7.21	9.6	9.2	
		18:33:40	24.64	50.27	32.94	8.31	7.87	6.1	14.5	
		21:33:39	24.51	50.24	32.92	8.28	7.4	6.3	11.9	
		日平均值	24.50	50.40	33.04	8.32	7.24	5.78	9.03	
	灣內站	00:26:32	24.8	50.4	33.03	8.32	6.78	6.2	17.5	
		03:26:29	24.24	49.89	32.67	8.37	7.14	7.8	29.8	
		06:26:31	24	49.86	32.66	8.41	7.39	6.8	33.8	
		09:26:31	23.93	49.82	32.63	8.36	7.06	8.6	33.8	
		12:26:29	25	50.36	33	8.28	6.96	3.8	34	
		15:26:30	24.65	50.22	32.9	8.25	6.97	9.3	23.2	
		18:26:30	24.6	49.9	32.67	8.3	7.71	7.7	37.4	
		21:26:28	24.48	49.78	32.59	8.25	7.01	8.5	25.6	
		日平均值	24.46	50.03	32.77	8.32	7.13	7.34	29.39	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:21	24.76	50.14	32.84	8.25	7.19	7.2	40.9	
		03:19:20	24.53	49.96	32.72	8.31	7.26	8.9	48.5	
		06:19:19	23.77	49.6	32.47	8.39	7.8	11.6	55.7	
		09:19:18	23.9	49.53	32.41	8.36	7.69	11.8	54.5	
		12:19:19	25.33	50.1	32.8	8.24	7.35	9	55.4	
		15:19:17	25.64	50.24	32.9	8.16	7.37	8.2	53.9	
		18:19:18	25.13	49.98	32.72	8.17	7.68	12.3	54.7	
		21:19:17	25.03	49.99	32.73	8.21	7.47	10.2	50.4	
		日平均值	24.76	49.94	32.70	8.26	7.48	9.90	51.75	
	潮口站	00:33:38	24.83	50.51	33.12	8.27	6.95	2.8	12.1	
		03:33:40	24.57	50.46	33.08	8.32	7.08	3.7	12.4	
		06:33:39	23.87	49.91	32.69	8.42	7.53	7.8	9.8	
		09:03:59	23.95	49.99	32.75	8.35	7.33	7.3	11.1	
		12:33:36	25.47	50.75	33.28	8.26	7.06	3.7	ND	
		15:33:37	25.75	50.77	33.28	8.17	7.28	1.8	3.1	
		18:33:38	25.21	50.45	33.07	8.19	7.53	7.6	7.5	
		21:33:34	25.12	50.54	33.13	8.22	7.19	7.6	9.5	
		日平均值	24.85	50.42	33.05	8.28	7.24	5.29	9.36	
	灣內站	00:26:28	24.83	50.32	32.97	8.27	6.86	3.4	21.1	
		03:26:30	24.54	50.05	32.78	8.31	7.05	5.9	23.3	
		06:26:29	23.87	49.57	32.45	8.41	7.5	8.7	43	
		08:56:49	23.95	49.63	32.49	8.36	7.35	9.4	44.5	
		12:26:29	25.4	50.3	32.95	8.26	7.15	6.1	41.1	
		15:26:27	25.68	50.45	33.06	8.18	7.35	4.4	36.3	
		18:26:28	25.21	50.13	32.83	8.2	7.53	8.8	34.8	
		21:26:27	25.08	50.17	32.86	8.19	7.29	9.1	31.4	
		日平均值	24.82	50.08	32.80	8.27	7.26	6.98	34.44	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:19:17	25.09	50.29	32.95	8.23	7.27	6.7	37.3
		03:19:18	25.04	50.36	33	8.27	7.3	6.5	37.7
		06:19:18	24.39	49.78	32.59	8.32	7.35	11.5	53.3
		09:19:16	24.41	49.89	32.67	8.29	7.45	11.7	53.5
		12:19:17	25.23	50.16	32.85	8.13	7.2	10.5	36.4
		15:19:15	25.39	50.46	33.06	8.16	7.23	9.4	28.2
		18:19:16	25.08	50.27	32.93	8.19	7.63	9.8	26.9
		21:19:17	24.86	50.3	32.96	8.22	7	11.3	19.8
		日平均值	24.94	50.19	32.88	8.23	7.30	9.68	36.64
	潮口站	00:02:09	25.22	50.65	33.21	8.24	7.01	3.2	3.4
		03:33:38	25.06	50.67	33.23	8.28	7.1	3.5	6.8
		06:33:35	24.51	50.5	33.11	8.33	7.06	7.3	7.9
		09:33:36	24.47	50.31	32.97	8.29	7.11	8.1	10.3
		12:33:37	25.47	50.79	33.31	8.13	6.89	4.8	ND
		15:33:35	25.49	50.86	33.36	8.17	7.07	3.8	3.9
		18:33:36	25.18	50.63	33.2	8.21	7.42	6.7	9.9
		21:33:37	24.92	50.56	33.15	8.22	6.76	9.6	11.6
		日平均值	25.04	50.62	33.19	8.23	7.05	5.88	7.69
	灣內站	00:26:27	25.18	50.33	32.98	8.23	7.05	6.1	28.2
		03:26:28	25.12	50.46	33.07	8.27	7.09	6.7	19.4
		06:26:28	24.52	50.08	32.8	8.32	7.02	8.3	23.1
		09:26:26	24.47	49.99	32.74	8.3	7.22	9.2	26.7
		12:26:27	25.34	50.41	33.03	8.13	6.95	6.4	15.4
		15:26:25	25.47	50.69	33.24	8.18	7.15	6.4	18.8
		18:26:26	25.14	50.29	32.94	8.21	7.52	10.3	29.8
		21:26:27	24.95	50.17	32.86	8.23	6.95	10.7	29.9
		日平均值	25.02	50.30	32.96	8.23	7.12	8.01	23.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:19:15	24.56	49.96	32.72	8.31	7.19	12.4	47.7
		03:19:15	24.54	50.1	32.82	8.31	7.06	11.2	40
		06:19:16	24.24	50.21	32.91	8.36	7.09	10.1	31.7
		09:19:14	23.93	50.08	32.81	8.36	6.7	13.2	33.3
		12:19:15	24.16	50.27	32.96	8.38	6.98	10.7	21.1
		15:19:14	24.44	50.51	33.13	8.37	7.24	10.4	20.6
		18:19:13	24.07	50.33	33	8.38	7.29	12.4	40.5
		21:19:13	23.25	50	32.77	8.43	7.07	13.9	19.1
		日平均值	24.15	50.18	32.89	8.36	7.08	11.79	31.75
	潮口站	00:33:32	24.71	50.54	33.14	8.31	6.86	7.5	14
		03:33:35	24.63	50.73	33.28	8.32	6.81	5	5.1
		06:33:36	24.37	50.6	33.19	8.37	6.88	4.8	5.5
		09:33:34	24	50.54	33.16	8.35	6.47	9.5	8.8
		12:33:35	24.31	50.68	33.25	8.39	6.88	6.3	4.7
		15:33:34	24.37	50.74	33.29	8.37	7.15	5.6	3.1
		18:33:33	24.13	50.71	33.28	8.38	7.17	6.7	6.1
		21:33:33	23.58	50.45	33.1	8.42	6.89	9.5	12.5
		日平均值	24.26	50.62	33.21	8.36	6.89	6.86	7.48
	灣內站	00:26:25	24.65	50.22	32.91	8.3	6.92	9.7	15.1
		03:26:25	24.56	50.51	33.12	8.31	6.8	8	11.1
		06:26:26	24.35	50.45	33.08	8.37	6.96	8.3	15.1
		09:26:24	23.99	50.51	33.13	8.35	6.63	10.2	11.3
		12:26:25	24.27	50.35	33.01	8.39	6.83	9.1	6.8
		15:26:24	24.38	50.63	33.21	8.37	7.24	8.2	15.1
		18:26:23	24.14	50.55	33.16	8.37	7.21	8.5	15.2
		21:26:23	23.45	50.36	33.03	8.43	6.99	9.1	17.1
		日平均值	24.22	50.45	33.08	8.36	6.95	8.89	13.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:14	23.14	50.13	32.87	8.42	6.69	10.6	3.5	
		03:19:13	23.79	50.16	32.88	8.41	7.19	10	41	
		06:19:12	23.94	50.49	33.12	8.41	7.14	8.6	33.5	
		09:19:12	23.1	50.19	32.92	8.41	7.02	10.9	39.1	
		12:19:11	24.66	50.34	33	8.38	7.22	8.2	46.3	
		15:19:12	24.83	50.71	33.26	8.35	7.3	4.9	17.3	
		18:19:13	24.5	50.53	33.13	8.33	7.51	6.6	12.6	
		21:19:09	23.99	50.34	33.01	8.31	7.12	12.5	23.4	
	日平均值		23.99	50.36	33.02	8.38	7.15	9.04	27.09	
	潮口站	00:33:34	23.14	50.36	33.04	8.42	6.56	10.5	7.1	
		03:33:33	24.05	50.82	33.36	8.42	7.04	4.9	2.5	
		06:33:32	23.99	50.78	33.34	8.41	6.89	5.6	2.7	
		09:33:29	22.99	50.4	33.07	8.38	6.76	8	5.7	
		12:33:31	24.74	50.78	33.31	8.36	7.08	4.6	5.6	
		15:33:32	24.92	50.85	33.36	8.35	7.17	3.9	0.5	
		18:33:30	24.6	50.83	33.36	8.34	7.28	6	5.9	
		21:33:29	23.93	50.61	33.21	8.33	7	9	8.9	
	日平均值		24.05	50.68	33.26	8.38	6.97	6.56	4.86	
	灣內站	00:26:24	23.18	50.29	32.99	8.42	6.69	11.4	18.6	
		03:26:23	24.02	50.65	33.24	8.41	7.15	7.3	13.5	
		06:26:22	24.01	50.63	33.22	8.41	6.95	6.5	13.5	
		09:26:19	23.1	50.56	33.19	8.39	6.83	8.9	14.2	
		12:26:21	24.67	50.61	33.19	8.38	7.08	6.2	8.2	
		15:26:22	24.88	50.81	33.33	8.35	7.22	5.5	12.9	
		18:26:20	24.57	50.73	33.28	8.35	7.39	6.8	9.9	
		21:26:19	23.93	50.52	33.14	8.32	6.99	10.3	12.4	
	日平均值		24.05	50.60	33.20	8.38	7.04	7.86	12.90	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:11	23.82	50.3	32.99	8.34	7.23	10.9	21.9	
		03:19:12	23.99	49.99	32.75	8.36	7.22	9.7	31.8	
		06:19:10	24.17	50.07	32.81	8.35	7.1	8.8	39.5	
		09:19:10	23.55	50.41	33.07	8.33	7.08	8.7	14.5	
		12:19:07	24.44	50.24	32.93	8.3	7.23	9.3	20.7	
		15:19:09	25.03	50.17	32.86	8.23	7.12	11.1	40.7	
		18:19:10	24.93	50.55	33.14	8.19	7.05	6.8	5	
		21:19:10	24.13	50.41	33.06	8.27	7.05	10.5	10.1	
	日平均值		24.26	50.27	32.95	8.30	7.14	9.48	23.03	
	潮口站	00:33:31	23.94	50.62	33.21	8.35	6.97	6.5	7.9	
		03:33:32	24.21	50.53	33.14	8.36	6.93	4.4	-0.3	
		06:33:24	24.11	50.62	33.21	8.34	6.75	6.4	7.6	
		09:33:30	23.42	50.56	33.18	8.34	6.88	6.6	10.3	
		12:33:27	24.78	50.65	33.22	8.3	6.98	3.8	3.4	
		15:33:29	25.16	50.69	33.24	8.24	6.98	6.5	2.3	
		18:33:27	25.01	50.7	33.25	8.22	7.14	5.2	4	
		21:33:30	23.99	50.36	33.02	8.28	7.14	9.3	11.3	
	日平均值		24.33	50.59	33.18	8.30	6.97	6.09	5.81	
	灣內站	00:26:21	23.89	50.49	33.12	8.35	7.04	8.4	9	
		03:26:22	24.16	50.34	33	8.36	7.04	7.5	10.4	
		06:26:17	24.21	50.48	33.11	8.36	6.97	5.1	11.2	
		09:26:20	23.52	50.53	33.16	8.35	7.06	6.5	13.3	
		12:26:14	24.61	50.45	33.08	8.28	7.06	7.3	8.4	
		15:26:19	25.1	50.65	33.21	8.24	7.04	6.6	14.7	
		18:26:20	24.99	50.64	33.21	8.22	7.16	6.3	15.6	
		21:26:20	24.03	50.45	33.09	8.27	7.19	10.6	16.7	
	日平均值		24.31	50.50	33.12	8.30	7.07	7.29	12.41	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
#####	蚵殼站	00:19:10	23.58	50.19	32.9	8.3	7.05	11.4	19.2
		03:19:10	23.53	50.1	32.84	8.32	6.97	12.3	18.8
		06:19:08	24.49	50.35	33	8.31	7.2	10.4	16.2
		09:19:09	24.14	50.34	33	8.32	7.04	11.3	24.5
		12:19:07	24.77	50.09	32.81	8.26	7.28	13.2	40.1
		15:19:07	25.24	49.97	32.71	8.22	7.22	14.1	36.6
		18:19:07	25.07	49.88	32.65	8.22	7.13	9.9	9.4
		21:19:08	23.94	50.09	32.83	8.23	7.3	12.5	21.1
	日平均值		24.35	50.13	32.84	8.27	7.15	11.89	23.24
	潮口站	00:33:30	23.67	50.44	33.08	8.32	6.79	7.7	7.5
		03:33:30	23.62	50.43	33.08	8.33	6.69	9.9	8.1
		06:33:26	24.55	50.67	33.24	8.31	6.91	7.4	ND
		09:33:29	24.21	50.55	33.16	8.31	6.74	7.8	5.7
		12:33:27	24.92	50.64	33.21	8.26	7.04	7.4	7
		15:33:27	25.3	50.2	32.88	8.24	6.97	10.7	4.4
		18:33:27	25.2	50.16	32.85	8.22	7.06	9.6	9.2
		21:33:28	24.02	50.21	32.91	8.23	7.1	1537.7	12
	日平均值		24.44	50.41	33.05	8.28	6.91	199.78	7.70
	灣內站	00:26:20	23.63	50.32	33	8.31	6.88	9.8	9.4
		03:26:20	23.6	50.28	32.97	8.31	6.81	10.1	18.9
		06:26:16	24.56	50.5	33.11	8.31	7.03	9.4	9.3
		09:26:19	24.2	50.46	33.09	8.31	6.91	8.9	9.8
		12:26:17	24.81	50.44	33.06	8.26	7.17	9.6	11.4
		15:26:17	25.28	50.2	32.87	8.22	7.05	12.9	11.3
		18:26:17	25.15	50.02	32.75	8.22	7.13	9.6	12.5
		21:26:18	24	50.09	32.82	8.23	7.16	11.5	18.4
	日平均值		24.40	50.29	32.96	8.27	7.02	10.23	12.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
#####	蚵殼站	00:19:07	24.13	49.93	32.7	8.22	6.77	13	32.5
		03:19:06	23.75	49.53	32.42	8.27	7.3	12.2	48.6
		06:19:06	24.69	50.02	32.76	8.28	6.97	16.3	26.8
		09:19:08	24.39	49.97	32.73	8.27	7.09	15.2	45.5
		12:19:08	24.11	49.59	32.45	8.27	7.9	12.6	33.8
		15:19:07	25.44	50.31	32.96	8.17	7.19	10.7	43.7
		18:19:03	25.3	50.58	33.15	8.18	7.15	18.7	18.3
		21:19:08	24.87	50.34	32.99	8.23	7.32	15.6	28.1
	日平均值		24.59	50.03	32.77	8.24	7.21	14.29	34.66
	潮口站	00:33:27	24.15	50.17	32.88	8.25	6.76	9.8	8.7
		03:33:26	23.87	50	32.76	8.29	6.99	10.2	17.1
		06:33:26	24.73	50.56	33.15	8.28	6.92	11.9	2.7
		09:33:28	24.46	50.5	33.12	8.28	6.93	10.6	3.7
		12:33:28	24.24	50.01	32.76	8.26	7.44	8.1	7
		15:33:27	25.57	50.69	33.23	8.18	6.98	7.1	ND
		18:33:23	25.41	50.77	33.29	8.18	7.06	16.2	5.4
		21:33:28	24.9	50.52	33.12	8.24	7.2	12	5.5
	日平均值		24.67	50.40	33.04	8.25	7.04	10.74	7.16
	灣內站	00:26:17	24.12	50.06	32.8	8.25	6.8	11.5	12.9
		03:26:16	23.83	49.73	32.56	8.28	7.12	10.6	17.1
		06:26:16	24.74	50.36	33.01	8.27	6.86	12.7	8.7
		09:26:18	24.46	50.32	32.98	8.27	6.89	13.3	12.4
		12:26:18	24.18	49.77	32.59	8.25	7.51	10.1	22.9
		15:26:17	25.49	50.45	33.06	8.18	7.03	9.5	16.7
		18:26:10	25.37	50.72	33.26	8.2	7.2	15.5	25.1
		21:26:18	24.83	50.35	33	8.24	7.43	13.8	36.4
	日平均值		24.63	50.22	32.91	8.24	7.11	12.13	19.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \square			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
#####	蚵殼站	00:19:05	24.29	49.8	32.6	8.26	7.08	15.3	52.3
		03:19:05	24.16	49.58	32.44	8.36	8	11.6	54.2
		06:19:02	24.8	49.97	32.72	8.32	7.13	16.9	43.4
		09:19:04	24.28	49.94	32.71	8.32	7.44	15	43.8
		12:19:05	24.47	49.87	32.66	8.26	7.55	13.1	50.3
		15:19:06	25.29	50.02	32.75	8.18	7.17	11.8	43.8
		18:19:05	25.36	50.41	33.03	8.19	7.29	13.9	28.2
		21:19:12	24.93	50.4	33.03	8.2	7.29	14	25.5
	日平均值		24.70	50.00	32.74	8.26	7.37	13.95	42.69
	潮口站	00:33:25	24.39	50.21	32.9	8.31	7.52	9.7	15.1
		03:33:25	24.22	50.05	32.79	8.36	7.67	7.5	14.5
		06:33:22	24.82	50.51	33.12	8.33	6.96	18.2	3.4
		09:33:21	24.43	50.43	33.07	8.31	7.25	12	5.5
		12:33:25	24.66	50.3	32.96	8.24	7.37	9.9	11.6
		15:33:23	25.42	50.39	33.02	8.2	6.96	9.3	5.5
		18:33:22	25.47	50.63	33.19	8.2	7.09	9.9	1.9
		21:33:32	24.76	50.36	33.01	8.21	7.31	9.6	5.7
	日平均值		24.77	50.36	33.01	8.27	7.27	10.76	7.90
	灣內站	00:26:15	24.32	49.86	32.65	8.33	7.95	11	37.9
		03:26:15	24.2	49.9	32.68	8.35	7.93	8.3	27.5
		06:26:09	24.85	50.33	32.98	8.32	7.11	17.7	12.7
		09:26:11	24.47	50.26	32.94	8.3	7.37	14.4	21.3
		12:26:15	24.6	50.21	32.9	8.23	7.44	12.6	32.4
		15:26:16	25.38	50.23	32.9	8.19	7.05	9.9	20.3
		18:26:12	25.42	50.47	33.08	8.2	7.16	12	20.1
		21:26:19	24.7	50.2	32.89	8.22	7.42	11.6	35.2
	日平均值		24.74	50.18	32.88	8.27	7.43	12.19	25.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準 <input type="checkbox"/>			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μ g/l)
#####	蚵殼站	00:19:11	23.73	49.06	32.08	8.3	8.32	14.3	54.9
		03:19:15	23.44	48.7	31.82	8.38	9.23	14.9	54.3
		06:19:14	24.91	50.24	32.91	8.26	7.07	10.8	34.7
		09:19:13	24.82	50.05	32.78	8.25	7.09	15.1	48.2
		12:19:12	24.03	49.25	32.21	8.29	8.33	15.2	52.9
		15:19:20	25.39	47.83	31.14	8.17	7.39	11.3	34.1
		18:19:17	25.11	49.85	32.62	8.19	7.14	7.2	20.6
		21:19:23	25.18	49.98	32.72	8.2	7.25	6.4	1.2
	日平均值		24.58	49.37	32.29	8.26	7.73	11.90	37.61
	潮口站	00:33:31	23.83	49.41	32.33	8.34	8.6	9.1	21.5
		03:33:35	23.57	49.06	32.08	8.39	8.99	7	25.3
		06:33:28	25.1	50.64	33.2	8.26	6.72	6.8	7.9
		09:33:33	24.92	50.64	33.21	8.25	6.87	14.4	3.4
		12:33:32	24.21	49.77	32.58	8.25	7.59	15.4	12
		15:33:40	25.44	48.81	31.86	8.17	7.11	6.1	7.4
		18:33:34	25.23	49.9	32.66	8.21	7.01	5.4	11.8
		20:59:48	25.2	50.07	32.78	8.2	7.12	6.6	8.4
	日平均值		24.69	49.79	32.59	8.26	7.50	8.85	12.21
	灣內站	00:26:21	23.8	49.13	32.13	8.31	8.58	11.1	40.3
		03:26:25	23.47	48.84	31.92	8.4	9.15	9.2	49.8
		06:26:21	25.01	50.41	33.04	8.26	6.85	8.9	19.1
		09:26:23	24.89	50.4	33.03	8.25	6.97	15.5	13.4
		12:26:22	24.13	49.41	32.32	8.27	7.92	15	35.6
		15:26:30	25.39	49.15	32.11	8.2	7.29	8.4	17.5
		18:26:24	25.19	49.62	32.45	8.2	7.04	8.8	19.2
		21:26:33	25.17	49.83	32.61	8.19	7.08	6.6	19.1
	日平均值		24.63	49.60	32.45	8.26	7.61	10.44	26.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準 <input type="checkbox"/>			7.5-8.5	5.0以上	

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)	
#####	蚵殼站	00:19:29	24.64	49.75	32.56	8.2	7	14.9	18.5	
		03:19:28	24.38	49.4	32.31	8.25	6.83	16.1	48.2	
		06:19:26	24.55	50.16	32.87	8.35	7	14.9	27.9	
		09:19:33	24.22	50.13	32.85	8.38	7.21	12.3	31	
		12:19:28	23.74	49.75	32.58	8.37	7.41	11	37.4	
		15:19:38	23.63	49.84	32.65	8.37	7.16	14.1	36.9	
		18:19:34	24.02	50.38	33.04	8.4	7.08	9.6	20.8	
		21:19:41	23.97	50.4	33.06	8.43	7.18	8.3	20.2	
	日平均值		24.14	49.98	32.74	8.34	7.11	12.65	30.11	
	潮口站	00:33:49	24.75	49.89	32.67	8.22	6.75	10.2	6.4	
		03:33:48	24.38	49.72	32.54	8.26	6.77	15.1	5.3	
		06:33:46	24.65	50.52	33.12	8.35	6.73	9.6	9	
		09:33:50	24.31	50.45	33.09	8.38	6.95	11.4	8.8	
		12:33:51	24.07	50.24	32.94	8.38	7	7.3	3.5	
		15:33:58	23.81	50.29	32.97	8.39	6.92	10.6	3.8	
		18:33:51	24.37	50.73	33.29	8.41	6.81	4.7	5	
		21:34:01	23.9	50.63	33.22	8.41	6.99	6.1	7.5	
	日平均值		24.28	50.31	32.98	8.35	6.87	9.38	6.16	
	灣內站	00:26:39	24.7	49.61	32.46	8.22	6.8	11.7	25.7	
		03:26:38	24.37	49.44	32.34	8.28	6.92	12.6	25.7	
		06:26:36	24.66	50.14	32.85	8.34	6.84	8.9	13	
		09:26:43	24.25	50.16	32.87	8.38	7.01	10.8	13.6	
		12:26:41	23.94	49.81	32.62	8.37	7.11	10.2	17.1	
		15:26:48	23.68	50.08	32.82	8.38	6.95	12.3	13.2	
		18:26:44	24.34	50.46	33.09	8.41	6.87	6.4	11.8	
		21:26:51	23.94	50.48	33.11	8.42	7.06	6.1	16	
	日平均值		24.24	50.02	32.77	8.35	6.95	9.88	17.01	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

每日灣域

101年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	濁度(NTU)	葉綠素(μg/l)
#####	蚵殼站	00:19:41	22.49	49.79	32.63	8.46	7.29	7.9	13.6
		03:19:38	22.72	49.53	32.44	8.49	7.27	11.3	33
		06:19:40	23.16	50.02	32.79	8.46	7.2	9.5	24.5
		09:19:45	23.22	50.41	33.07	8.44	7.14	8.3	19.5
		12:19:44	23.09	50.12	32.86	8.44	7.5	10.9	16
		15:19:50	23.2	50.2	32.92	8.4	7.33	8.5	32
		18:19:49	23.96	49.73	32.56	8.36	7.01	5.8	13.5
		21:19:48	23.36	50.5	33.14	8.39	7.28	3.8	5.7
	日平均值		23.15	50.04	32.80	8.43	7.25	8.25	19.73
	潮口站	00:34:01	22.76	49.94	32.73	8.46	6.95	6.7	15.5
		03:33:55	22.78	49.76	32.6	8.49	6.93	7.2	14.7
		06:33:57	23.27	50.5	33.14	8.45	6.87	1529.9	4.5
		09:33:59	23.26	50.57	33.19	8.43	6.86	6	2.5
		12:34:01	23.53	50.51	33.14	8.4	7.05	7	8.1
		15:34:10	23.1	50.29	32.99	8.41	7.18	6.1	9.3
		18:34:09	24	49.86	32.66	8.36	6.91	3.2	7.2
		21:34:08	23.4	50.49	33.13	8.4	7.1	3.9	3.7
	日平均值		23.26	50.24	32.95	8.43	6.98	196.25	8.19
	灣內站	00:26:48	22.67	49.71	32.57	8.44	7.24	10.3	17.7
		03:26:45	22.78	49.5	32.41	8.49	7.19	15.7	25.8
		06:26:50	23.34	50.36	33.03	8.44	6.88	4.9	7.6
		09:26:52	23.24	50.35	33.03	8.42	6.93	7.4	11.8
		12:26:51	23.51	50.29	32.98	8.41	7.09	10.2	18.5
		15:27:00	23.11	50.06	32.82	8.39	7.25	6.5	25.2
		18:26:59	24	49.69	32.53	8.37	6.89	4.8	14.5
		21:26:58	23.4	50.24	32.95	8.4	7.11	5.5	12.8
	日平均值		23.26	50.03	32.79	8.42	7.07	8.16	16.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上	