

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月1日	蚵殼站	0:00	24.49	52.18	33.73	8.32	5.94	201.6	6.91	6.58	
		3:00	24.93	52.16	33.72	8.18	6.53	206.67	6.87	4.66	
		6:00	23.99	52.11	33.69	8.26	5.96	184.14	1.23	5.37	
		9:00	24.82	52.19	33.74	8.31	7.16	212.96	5.64	8.9	
		12:00	25.17	52.34	33.83	8.27	6.71	205.56	9.93	8.56	
		15:00	25.31	52.42	33.88	8.27	6.52	202.94	12.07	3.73	
		18:00	24.31	52.52	33.94	8.2	6.6	204.84	11.33	6.76	
		21:00	24.2	52.43	33.89	8.35	6.39	197.53	5.66	9.5	
	日平均值		24.65	52.29	33.80	8.27	6.48	202.03	7.46	6.76	
	潮口站	0:00	23.59	52.08	33.67	8.09	5.74	185.23	2.35	5.91	
		3:00	24.43	52.14	33.71	8.1	6.26	175.39	1.99	5.41	
		6:00	24.46	52.1	33.68	8.21	6.18	180.99	23.6	6.93	
		9:00	24.04	52.06	33.66	8.14	6.71	180.75	13.41	6.28	
		12:00	25.06	52.29	33.8	8.21	6.49	182.77	13.5	6.42	
		15:00	25.31	52.32	33.82	8.2	6.38	175.35	9.14	5.28	
		18:00	24.85	52.37	33.85	8.24	6.9	188.27	14.13	7.67	
		21:00	24.44	52.37	33.85	8.24	6.85	187.83	8.68	6.84	
	日平均值		24.52	52.22	33.76	8.18	6.44	182.07	10.85	6.34	
	灣內站	0:00	23.66	52.08	33.67	8.34	5.79	177.96	6.81	5.36	
		3:00	24.55	52.16	33.72	8.18	5.89	175.83	2.36	4.53	
		6:00	24.37	52.24	33.77	8.24	6.14	193.69	4.15	6.13	
		9:00	23.85	52.08	33.67	8.33	6.21	192.82	11.42	7.06	
		12:00	24.93	52.39	33.86	8.29	6.62	187.81	3.46	8.54	
		15:00	25.33	52.37	33.85	8.25	5.92	180.85	4.9	8.12	
		18:00	24.85	52.42	33.88	8.19	6.52	202.3	8.76	7.94	
		21:00	24.31	52.42	33.88	8.31	6.37	188.72	13.12	8.25	
	日平均值		24.48	52.27	33.79	8.27	6.18	187.50	6.87	6.99	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月2日	蚵殼站	0:00	25.08	52.06	33.66	8.34	5.4	207.91	8.95	9.26	
		3:00	24.76	52.76	34.09	8.24	6.61	181.74	9.89	9.08	
		6:00	24.21	52.42	33.88	8.19	6.34	176.39	4.76	10.73	
		9:00	24.87	52.42	33.88	8.32	6.73	184.11	2.31	10.76	
		12:00	25.03	51.77	33.48	8.26	6.37	176.68	8.74	7.21	
		15:00	25.38	51.9	33.56	8.26	6.07	148.6	14.44	11.8	
		18:00	25.56	52.24	33.77	8.2	6.67	182.62	9.52	9.01	
		21:00	24.12	52.27	33.79	8.31	6.55	208.05	7.04	7.23	
	日平均值		24.88	52.23	33.76	8.27	6.34	183.26	8.21	9.39	
	潮口站	0:00	23.86	52.05	33.65	8.17	5.67	207.57	2.65	4	
		3:00	24.3	52.61	34	8.15	6.72	199.92	1.51	4.57	
		6:00	24.76	52.35	33.84	8.19	5.99	193.45	5.23	6.47	
		9:00	24.42	52.39	33.86	8.08	6.59	200.71	8.21	8.53	
		12:00	25.01	51.74	33.46	8.15	6.68	201.51	8.96	4.49	
		15:00	25.26	51.89	33.55	8.2	6.38	198.78	9.52	4.26	
		18:00	24.98	52.21	33.75	8.22	6.48	217.62	12.7	5.96	
		21:00	24.44	52.26	33.78	8.26	6.85	222	7.05	6.77	
	日平均值		24.63	52.19	33.74	8.18	6.42	205.20	6.98	5.63	
	灣內站	0:00	24.04	52.1	33.68	8.34	5.69	199.44	12.04	8.13	
		3:00	24.14	52.73	34.07	8.22	6.26	199.66	12.38	8.85	
		6:00	24.66	52.42	33.88	8.2	5.73	201.67	2.12	7.96	
		9:00	24.29	52.43	33.89	8.34	6.39	185.69	2.22	10.34	
		12:00	25.16	51.77	33.48	8.27	7.16	199.77	7.91	7.49	
		15:00	25.14	51.97	33.6	8.26	6.44	175.62	9.61	9.23	
		18:00	24.83	52.24	33.77	8.19	6.21	207.58	5.91	11.75	
		21:00	24.25	52.31	33.81	8.29	6.51	201.4	7.9	10.44	
	日平均值		24.56	52.25	33.77	8.26	6.30	196.35	7.51	9.27	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月3日	蚵殼站	0:00	25.04	52.4	33.87	8.32	6.53	209.3	5.37	6.22
		3:00	24.78	52.27	33.79	8.2	6.19	142.69	3.12	12.91
		6:00	24.67	52.34	33.83	8.15	5.84	173.15	3.62	12.88
		9:00	24.1	52.47	33.91	8.28	6.47	219.27	26.1	6.24
		12:00	24.86	52.16	33.72	8.37	6.44	208.04	4.93	7.74
		15:00	25.51	52.68	34.04	8.36	5.94	150.63	11.14	7.01
		18:00	24.82	52.35	33.84	8.19	6.64	157.48	9.45	7.46
		21:00	24.49	52.39	33.86	8.32	6.17	157.51	6.93	5.33
	日平均值		24.78	52.38	33.86	8.27	6.28	177.26	8.83	8.22
	潮口站	0:00	23.98	52.39	33.86	8.18	6.86	197.98	2.64	3.42
		3:00	24.1	52.18	33.73	8.11	6.49	195.01	2.63	2.56
		6:00	24.64	52.34	33.83	8.12	5.94	195.37	5.69	3.76
		9:00	24.44	52.45	33.9	8.2	6.42	196.63	3.52	6.85
		12:00	24.8	52.05	33.65	8.18	6.62	203.75	8.24	5.72
		15:00	25.33	52.61	34	8.21	6.39	196.34	8.22	4.81
		18:00	25.23	52.35	33.84	8.2	6.18	199.73	18.76	6.74
		21:00	24.68	52.39	33.86	8.27	6.27	212.78	24.23	7.67
	日平均值		24.65	52.35	33.83	8.18	6.40	199.70	9.24	5.19
	灣內站	0:00	24.25	52.53	33.95	8.32	7.12	209.56	10.45	5.28
		3:00	24.31	52.24	33.77	8.21	6.02	183.71	2.68	4.83
		6:00	24.53	52.47	33.91	8.12	5.83	211.88	7.34	4.4
		9:00	24.67	52.58	33.98	8.24	5.96	192.93	25.32	3.31
		12:00	24.7	52.19	33.74	8.35	6.14	211.81	9.03	4.88
		15:00	25.49	52.66	34.03	8.33	6.02	214.13	10.54	3.25
		18:00	25.11	52.47	33.91	8.2	6.02	218.01	5.78	4.75
		21:00	24.55	52.4	33.87	8.3	6.57	231.34	2.01	5.64
	日平均值		24.70	52.44	33.90	8.26	6.21	209.17	9.14	4.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月4日	蚵殼站	0:00	24.74	52.66	34.03	8.32	6.65	215.59	16.22	5.3
		3:00	24.83	52.76	34.09	8.21	5.68	142.58	10.67	7.71
		6:00	25.1	52.66	34.03	8.19	6.12	127.69	11.62	6.26
		9:00	24.73	52.18	33.73	8.27	5.57	167.99	8.48	6.16
		12:00	25.04	51.89	33.55	8.38	6.58	139.75	4.85	5.32
		15:00	25.35	51.97	33.6	8.3	5.86	171.48	2.78	3.02
		18:00	24.94	52.26	33.78	8.22	6.34	149.88	2.54	4.63
		21:00	24.44	52.29	33.8	8.26	5.89	166.22	6.03	2.34
	日平均值		24.90	52.33	33.83	8.27	6.09	160.15	7.90	5.09
	潮口站	0:00	23.96	52.56	33.97	8.25	6.42	203.35	4.73	8.74
		3:00	23.85	52.71	34.06	8.13	5.52	196.2	8.23	7.57
		6:00	24.72	52.6	33.99	8.17	5.77	182.03	13.17	6.28
		9:00	24.85	52.11	33.69	8.24	5.95	190.46	23.17	9.88
		12:00	25.1	51.74	33.46	8.2	6.17	208.45	15.54	5.42
		15:00	25.4	51.89	33.55	8.18	6.2	201.6	7.82	6.56
		18:00	25.25	52.21	33.75	8.14	6.01	178	10.9	7.76
		21:00	24.96	52.26	33.78	8.26	6.24	197.1	23.75	2.83
	日平均值		24.76	52.26	33.78	8.20	6.04	194.65	13.41	6.88
	灣內站	0:00	23.8	52.69	34.05	8.33	6.59	228.43	2.36	6.01
		3:00	23.99	52.74	34.08	8.18	5.05	197.74	8.68	6.91
		6:00	24.6	52.6	33.99	8.18	5.96	209.23	7.55	2.1
		9:00	24.7	52.16	33.72	8.26	5.71	188.55	11.58	4.4
		12:00	25.3	51.8	33.5	8.35	5.86	202.4	8.99	4.8
		15:00	25.55	51.98	33.61	8.31	5.94	209.43	17.81	6.37
		18:00	25.34	52.27	33.79	8.22	6.12	229.67	2.57	5.2
		21:00	24.87	52.34	33.83	8.24	6.68	191.26	18.91	5.64
	日平均值		24.77	52.32	33.82	8.26	5.99	207.09	9.81	5.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月5日	蚵殼站	0:00	25.14	52.43	33.89	8.38	6	202.14	12.46	1.83	
		3:00	24.22	52.27	33.79	8.23	6.11	150.26	12.05	2.1	
		6:00	24.9	52.37	33.85	8.18	5.65	155.24	18.03	1.43	
		9:00	24.82	52.58	33.98	8.27	5.44	130.03	21.94	3.01	
		12:00	25.15	51.63	33.39	8.41	5.16	127.8	14.76	2.55	
		15:00	25.37	51.74	33.46	8.35	6.2	136.27	26.72	3.17	
		18:00	25.16	52.16	33.72	8.23	6.04	174.4	17.94	0.09	
		21:00	25.07	52.1	33.68	8.23	5.05	183.63	27.07	1.72	
	日平均值			24.98	52.16	33.72	8.29	5.71	157.47	18.87	1.99
	潮口站	0:00	24.65	52.39	33.86	8.27	5.96	192.37	26.11	3.34	
		3:00	24.31	52.18	33.73	8.15	6.2	188.47	15.43	2.84	
		6:00	24.91	52.34	33.83	8.14	5.59	196.05	5.68	1.56	
		9:00	25.15	52.45	33.9	8.25	5.42	180.94	8.7	2.08	
		12:00	25.15	51.56	33.35	8.2	5.63	176.23	28.7	2.28	
		15:00	25.39	51.68	33.42	8.18	5.83	173.19	41.93	1.69	
		18:00	25.26	52.06	33.66	8.13	5.7	161.27	37.19	2.06	
		21:00	25.11	52.1	33.68	8.22	5.48	187.21	15.19	2.82	
	日平均值			24.99	52.10	33.68	8.19	5.73	181.97	22.37	2.33
	灣內站	0:00	24.81	52.42	33.88	8.36	6.18	224.15	2.18	4.87	
		3:00	24.59	52.27	33.79	8.21	6.11	215.38	9.61	5.53	
		6:00	24.84	52.39	33.86	8.22	5.09	188.96	16.17	4.55	
		9:00	25.34	52.53	33.95	8.25	5.67	170.97	15.31	8.26	
		12:00	25.32	51.66	33.41	8.41	5.78	197.17	3.16	6.83	
		15:00	25.28	51.68	33.42	8.35	5.61	175.52	18.29	3.9	
		18:00	25.52	52.13	33.7	8.19	5.95	189.4	15.63	5.89	
		21:00	25.07	52.13	33.7	8.24	5.57	218.53	7.01	6.61	
	日平均值			25.10	52.15	33.71	8.28	5.75	197.51	10.92	5.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月6日	蚵殼站	0:00	24.85	52.45	33.9	8.37	5.23	165.4	16.48	3.21	
		3:00	24.79	52.27	33.79	8.26	6.07	153.9	22.18	4.74	
		6:00	25.02	52.56	33.97	8.24	6.05	120.71	25.7	2.2	
		9:00	24.94	52.35	33.84	8.19	5.98	149.08	19.75	4.08	
		12:00	25.19	52.39	33.86	8.27	5.15	136.53	8.32	2.26	
		15:00	25.36	52.47	33.91	8.25	5.76	141.09	11.97	5.06	
		18:00	25.15	52.6	33.99	8.19	5.58	161.99	8.72	1.7	
		21:00	24.85	52.69	34.05	8.35	5.3	117.11	12.82	2.22	
	日平均值			25.02	52.47	33.91	8.27	5.64	143.23	15.74	3.18
	潮口站	0:00	24.74	52.42	33.88	8.26	5.31	177.74	9.42	4.07	
		3:00	24.29	52.24	33.77	8.13	6.37	184.49	18.75	3.37	
		6:00	24.56	52.52	33.94	8.06	5.64	175	2.33	1.79	
		9:00	24.86	52.34	33.83	8.19	5.77	163.16	4.12	3.49	
		12:00	24.98	52.29	33.8	8.28	5.34	204.7	11.52	4.13	
		15:00	25.2	52.4	33.87	8.27	5.94	198.88	10.34	2.27	
		18:00	25.14	52.6	33.99	8.11	5.99	189.28	8.24	2.24	
		21:00	25	52.66	34.03	8.24	5.64	190.41	1.37	3.88	
	日平均值			24.85	52.43	33.89	8.19	5.75	185.46	8.26	3.16
	灣內站	0:00	24.81	52.43	33.89	8.35	5.29	185.44	10.86	4.21	
		3:00	24.46	52.26	33.78	8.26	5.93	222.36	20.48	3.18	
		6:00	24.55	52.61	34	8.24	5.39	203.33	3.46	5.78	
		9:00	24.82	52.35	33.84	8.19	5.61	193.97	7.26	4.85	
		12:00	24.83	52.39	33.86	8.28	5.73	213.96	8.85	6.77	
		15:00	25.28	52.48	33.92	8.23	6.06	216.39	12.74	4.93	
		18:00	25.03	52.6	33.99	8.21	5.51	203.74	6.94	2.67	
		21:00	25.01	52.68	34.04	8.31	5.25	203.56	3.11	4.97	
	日平均值			24.85	52.48	33.92	8.26	5.60	205.34	9.21	4.67
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月7日	蚵殼站	0:00	24.74	52.79	34.11	8.35	5.88	164.02	1.91	5.51
		3:00	24.6	52.63	34.01	8.33	5.24	152.37	21.55	5.23
		6:00	24.87	52.71	34.06	8.33	5.59	136	18.26	4.31
		9:00	24.86	52.9	34.18	8.36	5.61	123.42	15.17	2.52
		12:00	24.93	52.82	34.13	8.37	5.46	154.54	26.65	1.72
		15:00	25.24	52.69	34.05	8.39	6.11	124	27.02	3.04
		18:00	25.12	52.76	34.09	8.31	5.95	172.11	23.86	3.25
		21:00	25	52.68	34.04	8.25	5.67	124.34	19.76	5.66
	日平均值		24.92	52.75	34.08	8.34	5.69	143.85	19.27	3.91
	潮口站	0:00	24.5	52.66	34.03	8.26	5.8	200.35	8.04	2.95
		3:00	23.87	52.61	34	8.12	5.42	200.14	2.34	3.09
		6:00	24.16	52.6	33.99	8.1	5.12	198.02	2.29	1.97
		9:00	24.8	52.76	34.09	8.19	5.74	191.26	3.47	3.18
		12:00	24.89	52.79	34.11	8.29	5.22	197.79	7.84	3.27
		15:00	24.98	52.64	34.02	8.24	5.88	205.4	5.52	3.16
		18:00	25.14	52.66	34.03	8.15	6.12	208.24	8.15	2.92
		21:00	25	52.64	34.02	8.17	5.95	210.56	1.74	3.46
	日平均值		24.67	52.67	34.04	8.19	5.66	201.47	4.92	3.00
	灣內站	0:00	24.4	52.71	34.06	8.34	5.79	205.63	3.29	5.93
		3:00	24.02	52.68	34.04	8.32	5.66	212.96	6.44	2.15
		6:00	24.11	52.73	34.07	8.35	5.25	213.1	1.5	2.26
		9:00	24.72	52.81	34.12	8.38	5.88	230.98	9.37	2.03
		12:00	24.92	52.81	34.12	8.37	5.67	210.7	12.18	3.62
		15:00	25.06	52.76	34.09	8.39	6	220.17	5.83	1.95
		18:00	25.28	52.73	34.07	8.32	6.05	212.07	11.57	1.82
		21:00	24.86	52.73	34.07	8.24	5.57	213.89	2.13	3.23
	日平均值		24.67	52.75	34.08	8.34	5.73	214.94	6.54	2.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月8日	蚵殼站	0:00	24.78	52.89	34.17	8.27	5.24	117.94	20.33	4.27
		3:00	24.67	52.71	34.06	8.25	6.53	175.56	23.35	3.29
		6:00	24.83	52.48	33.92	8.29	6.59	181.65	19.56	5.54
		9:00	24.89	52.68	34.04	8.21	6.64	140.94	17.35	3.05
		12:00	24.93	52.43	33.89	8.26	6.13	152.74	3.48	3.63
		15:00	25.24	52.68	34.04	8.33	5.92	137.28	5	1.49
		18:00	25.12	52.84	34.14	8.23	6.54	162.14	10.07	1.85
		21:00	25	52.56	33.97	8.21	7.07	182.82	19.97	5.62
	日平均值		24.93	52.66	34.03	8.26	6.33	156.38	14.89	3.59
	潮口站	0:00	24.63	52.77	34.1	8.3	5.73	203.94	7.05	3.75
		3:00	24.35	52.61	34	8.14	6.25	215.63	9.29	4.29
		6:00	24.18	52.42	33.88	8.13	6.17	200.43	12.61	4.01
		9:00	24.82	52.56	33.97	8.2	6.7	202.67	6.26	2.77
		12:00	25.07	52.32	33.82	8.34	6.48	201.76	7.7	3.27
		15:00	24.62	52.6	33.99	8.26	6.37	203.61	5.91	3.16
		18:00	24.6	52.71	34.06	8.14	6.89	198.96	8.27	2.92
		21:00	25.03	52.56	33.97	8.18	6.84	209.57	2.11	3.46
	日平均值		24.66	52.57	33.97	8.21	6.43	204.57	7.40	3.45
	灣內站	0:00	24.49	52.82	34.13	8.28	6.18	230.26	9.17	3.87
		3:00	24.21	52.74	34.08	8.23	5.79	219.61	10.58	6.96
		6:00	24.2	52.47	33.91	8.28	6.1	217.6	14.18	2.95
		9:00	24.94	52.69	34.05	8.22	6.74	205.15	3.46	5.03
		12:00	25.21	52.43	33.89	8.25	6.45	221.24	4.35	4.88
		15:00	24.69	52.69	34.05	8.31	6.73	241.26	7.72	1.73
		18:00	24.49	52.71	34.06	8.22	7.17	229.14	12.91	3.55
		21:00	25.24	52.69	34.05	8.21	7.3	197.47	1.26	1.93
	日平均值		24.68	52.66	34.03	8.25	6.56	220.22	7.95	3.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月9日	蚵殼站	0:00	24.78	52.81	34.12	8.18	5.71	157.41	5.19	2.09	
		3:00	24.67	52.71	34.06	8.17	6.62	147.4	2.25	7.14	
		6:00	25.22	52.6	33.99	8.21	6.31	178.53	5.67	6.06	
		9:00	25.17	52.68	34.04	8.24	6.11	142.6	1.24	4.84	
		12:00	25.18	52.42	33.88	8.27	7	146.39	10.03	5.81	
		15:00	25.36	52.37	33.85	8.33	6.67	168.45	3.25	7.73	
		18:00	25.4	52.18	33.73	8.26	6.69	188.55	9.14	8.05	
		21:00	25.32	52.55	33.96	8.2	6.42	178.31	3.05	4.5	
	日平均值		25.14	52.54	33.95	8.23	6.44	163.46	4.98	5.78	
	潮口站	0:00	24.67	52.77	34.1	8.4	5.66	193.14	2.25	3.75	
		3:00	24.3	52.71	34.06	8.28	6.71	202.43	3.49	4.29	
		6:00	24.03	52.52	33.94	8.32	5.98	197.39	5.86	3.83	
		9:00	24.55	52.56	33.97	8.39	6.58	208.77	6.13	5.33	
		12:00	25.16	52.37	33.85	8.35	6.67	196.68	8.36	5.8	
		15:00	24.62	52.35	33.84	8.33	6.37	202.83	7.72	6.05	
		18:00	24.39	52.05	33.65	8.29	6.47	198.62	6.27	5.67	
		21:00	24.72	52.53	33.95	8.2	6.84	206.47	2.14	5.86	
	日平均值		24.56	52.48	33.92	8.32	6.41	200.79	5.28	5.07	
	灣內站	0:00	24.95	52.79	34.11	8.19	5.2	182.34	2.54	2.47	
		3:00	24.53	52.79	34.11	8.16	6.28	183.65	9.15	2.68	
		6:00	24.22	52.55	33.96	8.24	6.35	199.42	3.64	5.59	
		9:00	24.72	52.69	34.05	8.24	6.93	197.98	6.89	4.92	
		12:00	25.27	52.37	33.85	8.27	6.38	166.26	8.2	4.13	
		15:00	24.83	52.4	33.87	8.36	6.44	184.58	8.66	8.33	
		18:00	24.24	52.19	33.74	8.29	6.56	226.35	10.32	8.08	
		21:00	24.58	52.6	33.99	8.21	6.38	197.97	8.09	5.46	
	日平均值		24.67	52.55	33.96	8.25	6.32	192.32	7.19	5.21	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月10日	蚵殼站	0:00	25.15	52.73	34.07	8.21	6.43	174.74	3.46	3.34	
		3:00	25.33	52.85	34.15	8.25	6.02	169.27	11.54	2.98	
		6:00	24.91	52.58	33.98	8.23	6.27	217.28	17.7	6.15	
		9:00	25.17	52.58	33.98	8.28	6.05	175	17.69	5.05	
		12:00	25.18	52.61	34	8.29	6.83	173.91	2.91	2.36	
		15:00	25.36	52.5	33.93	8.31	6.21	193.47	14.79	4.78	
		18:00	25.4	51.98	33.61	8.27	6.36	212.1	16.83	6.33	
		21:00	25.32	52.69	34.05	8.18	6.6	156.8	9.34	4.93	
	日平均值		25.23	52.57	33.97	8.25	6.35	184.07	11.78	4.49	
	潮口站	0:00	24.85	52.71	34.06	8.21	6.85	215.02	3.48	6.63	
		3:00	23.99	52.73	34.07	8.09	6.48	216.85	6.57	5.49	
		6:00	23.77	52.56	33.97	8.08	5.93	209.88	14	5.15	
		9:00	23.99	52.56	33.97	8.19	6.41	204.94	14.18	5.33	
		12:00	25.16	52.6	33.99	8.14	6.61	204.13	6.06	5.8	
		15:00	24.68	52.43	33.89	8.12	6.38	184.32	10.07	6.05	
		18:00	24.08	51.93	33.58	8.07	6.17	207.5	14.74	5.67	
		21:00	24.01	52.63	34.01	8.16	6.26	205.92	7.53	5.86	
	日平均值		24.32	52.52	33.94	8.13	6.39	206.07	9.58	5.75	
	灣內站	0:00	24.85	52.74	34.08	8.21	7.15	234.87	7.91	5.53	
		3:00	23.82	52.87	34.16	8.23	6.92	215.17	4.62	4.68	
		6:00	23.82	52.71	34.06	8.26	6.22	211.4	12.96	4.99	
		9:00	24.02	52.56	33.97	8.25	6.16	217.55	11.55	4.78	
		12:00	25.15	52.73	34.07	8.3	6.47	211.32	4.96	8.45	
		15:00	24.71	52.47	33.91	8.3	6.04	168.59	12.3	6.96	
		18:00	24.21	52.05	33.65	8.27	6.31	202.53	15.87	8	
		21:00	24.25	52.68	34.04	8.16	5.98	210.5	9.47	7.44	
	日平均值		24.35	52.60	33.99	8.25	6.41	208.99	9.96	6.35	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
1月11日	蚵殼站	0:00	25.15	52.74	34.08	8.18	5.66	161.22	5.51	5.94	
		3:00	25.06	52.89	34.17	8.19	6.76	163.52	6.38	5.15	
		6:00	25.02	52.69	34.05	8.19	6.09	188.23	5.25	5.43	
		9:00	25.47	52.64	34.02	8.32	5.98	188.68	6.64	2.9	
		12:00	25.56	52.32	33.82	8.33	6.58	182.63	6.92	3.95	
		15:00	25.87	51.85	33.53	8.44	6.2	209.34	17.8	2.63	
		18:00	25.55	52.69	34.05	8.4	5.51	190.29	25.28	2.37	
		21:00	25.4	52.6	33.99	8.34	6.63	181.47	9.18	7.16	
	日平均值		25.39	52.55	33.96	8.30	6.18	183.17	10.37	4.44	
	潮口站	0:00	24.52	52.71	34.06	8.2	5.41	199.55	8.51	6.63	
		3:00	23.87	52.76	34.09	8.07	6.51	212.88	8.74	8.61	
		6:00	23.36	52.66	34.03	8	5.76	212.52	7.41	8.25	
		9:00	23.29	52.55	33.96	8.13	5.94	195.4	5.78	8.31	
		12:00	24.84	52.22	33.76	8.22	6.16	208.74	6.7	9.43	
		15:00	24.84	51.8	33.5	8.21	6.19	214.55	21.43	10.68	
		18:00	23.66	52.69	34.05	8.05	6	215.77	22.53	6.87	
		21:00	23.3	52.56	33.97	8.18	6.23	218.11	5.52	5.57	
	日平均值		23.96	52.49	33.93	8.13	6.03	209.69	10.83	8.04	
	灣內站	0:00	24.35	52.82	34.13	8.19	5.08	182.32	8.34	8.29	
		3:00	23.7	52.9	34.18	8.19	6.82	203.88	13.36	8.94	
		6:00	23.33	52.79	34.11	8.19	5.89	198.92	3.2	8.17	
		9:00	23.22	52.63	34.01	8.31	5.77	192.59	8.14	6.13	
		12:00	24.88	52.35	33.84	8.36	6.46	197.2	2.55	3.02	
		15:00	24.68	51.89	33.55	8.44	6.04	231.64	16.96	2.98	
		18:00	23.89	52.71	34.06	8.39	6.23	205.29	28.38	5.21	
		21:00	23.5	52.66	34.03	8.33	6.39	234.09	7.11	3.86	
	日平均值		23.94	52.59	33.99	8.30	6.09	205.74	11.01	5.83	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
1月12日	蚵殼站	0:00	25.26	52.37	33.85	8.35	6.31	175.69	5.05	2.82	
		3:00	25.24	52.56	33.97	8.3	5.69	190.32	12.76	3.81	
		6:00	25.13	52.61	34	8.27	5.42	206.95	22.66	6.2	
		9:00	25.45	52.48	33.92	8.28	5.24	183.12	2.97	5.55	
		12:00	25.54	52.58	33.98	8.29	5.6	196.82	5.27	2.84	
		15:00	25.65	52.18	33.73	8.34	5.48	163.47	8.92	4	
		18:00	25.62	52.55	33.96	8.38	5.89	186.38	19.67	3.48	
		21:00	25.51	52.14	33.71	8.38	5.73	206.08	6.38	2.44	
	日平均值		25.43	52.43	33.89	8.32	5.67	188.60	10.46	3.89	
	潮口站	0:00	23.86	52.32	33.82	8.2	5.95	201.5	2.33	6.84	
		3:00	23.93	52.56	33.97	8.06	6.19	208.16	11.83	9.3	
		6:00	23.24	52.47	33.91	8.04	5.58	210.02	26.99	9.28	
		9:00	23.31	52.47	33.91	8.13	5.41	214.34	6.34	8.08	
		12:00	24.39	52.5	33.93	8.23	5.62	193.13	6.99	7.91	
		15:00	24.84	52.13	33.7	8.18	5.82	162.52	7.8	8.32	
		18:00	23.38	52.42	33.88	8.09	5.69	176.52	21.54	7.04	
		21:00	22.8	52.01	33.63	8.11	5.47	207.93	7.77	6.19	
	日平均值		23.72	52.36	33.84	8.13	5.72	196.77	11.45	7.87	
	灣內站	0:00	23.7	52.43	33.89	8.33	5.55	217.02	4.15	4.5	
		3:00	24.09	52.6	33.99	8.31	6.65	215.18	7.43	5.61	
		6:00	23.23	52.5	33.93	8.27	5.09	203.47	29.09	5.27	
		9:00	23.24	52.53	33.95	8.27	5.78	201.33	9.88	6.49	
		12:00	24.44	52.63	34.01	8.3	6.02	184.5	9.5	3.79	
		15:00	24.9	52.18	33.73	8.31	6.15	160.56	6.48	5.16	
		18:00	23.51	52.53	33.95	8.39	5.91	182.04	22.07	7.43	
		21:00	22.93	52.11	33.69	8.38	5.73	215.16	9.49	5.36	
	日平均值		23.76	52.44	33.89	8.32	5.86	197.41	12.26	5.45	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月13日	蚵殼站	0:00	25.3	51.61	33.38	8.3	5.48	170.24	6.39	5.22
		3:00	25.05	52.76	34.09	8.3	6.28	173.49	5.2	11.91
		6:00	24.98	52.55	33.96	8.21	5.2	210.47	20.26	11.88
		9:00	25.25	52.43	33.89	8.25	5.81	182.87	14.84	5.24
		12:00	25.54	52.37	33.85	8.3	5.78	185.99	17.4	6.74
		15:00	25.53	51.53	33.33	8.29	6.03	192.45	9.09	6.01
		18:00	25.39	51.79	33.49	8.37	6.15	208.89	13.57	6.46
		21:00	25.23	52.27	33.79	8.33	5.8	193.85	5.64	4.33
	日平均值		25.28	52.16	33.72	8.29	5.82	189.78	11.55	7.22
	潮口站	0:00	22.74	51.48	33.3	8.24	5.3	215.07	4.02	6.84
		3:00	23.79	52.61	34	8.08	6.36	215.98	1.32	9.35
		6:00	22.83	52.55	33.96	8.07	5.63	212.9	2.23	9.29
		9:00	22.75	52.31	33.81	8.14	5.76	188.58	9.22	6.13
		12:00	24.86	52.29	33.8	8.28	5.33	190.15	4.87	4.88
		15:00	24.72	51.43	33.27	8.2	5.93	193.03	8.92	5.94
		18:00	23.57	51.76	33.47	8.08	5.98	184.32	10.63	5.2
		21:00	22.61	52.21	33.75	8.12	5.63	217.75	9.48	3.9
	日平均值		23.48	52.08	33.67	8.15	5.74	202.22	6.34	6.44
	灣內站	0:00	22.69	51.56	33.35	8.26	5.96	195.53	7.18	8.43
		3:00	23.91	52.68	34.04	8.26	6.01	205.54	6.42	10.6
		6:00	22.74	52.6	33.99	8.19	6.02	206.33	21.87	7.33
		9:00	22.86	52.34	33.83	8.22	6.2	192.17	14.1	7.23
		12:00	24.8	52.35	33.84	8.3	5.72	175.46	15.3	5.22
		15:00	24.85	51.53	33.33	8.3	5.82	202.08	11.04	5.09
		18:00	23.38	51.9	33.56	8.4	6.15	201.13	9.42	4.48
		21:00	22.73	52.21	33.75	8.34	5.2	198.22	5.76	4.95
	日平均值		23.50	52.15	33.71	8.28	5.89	197.06	11.39	6.67
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月14日	蚵殼站	0:00	25.1	52.53	33.95	8.27	5.32	192.74	1.8	4.3
		3:00	24.8	52.45	33.9	8.25	5.58	169.03	2.85	6.71
		6:00	24.66	52.52	33.94	8.21	5.68	189.98	2.89	5.26
		9:00	24.96	52.61	34	8.32	5.71	204.41	14.16	5.16
		12:00	25.97	52.52	33.94	8.32	5.68	196.31	14.06	4.32
		15:00	25.86	52.47	33.91	8.25	5.98	170.4	7.33	2.02
		18:00	25.54	52.08	33.67	8.31	6.11	194.88	10.28	3.63
		21:00	25.56	52.19	33.74	8.32	6.33	195.99	5.9	1.34
	日平均值		25.31	52.42	33.88	8.28	5.80	189.22	7.41	4.09
	潮口站	0:00	22.18	52.4	33.87	8.22	5.79	200.48	8.25	4.55
		3:00	23.86	52.43	33.89	8.11	5.41	182.13	6.42	5.94
		6:00	23.23	52.43	33.89	8.1	5.11	206.66	2.74	5.36
		9:00	22.85	52.5	33.93	8.05	5.73	192.65	5.52	2.32
		12:00	24.39	52.4	33.87	8.13	5.21	192.21	5.88	1.56
		15:00	24.86	52.35	33.84	8.12	5.87	186.55	9.19	2.9
		18:00	23.9	52	33.62	8.08	6.11	160.48	6.73	4
		21:00	24.25	52.08	33.67	8.2	5.94	195.62	5.33	2.49
	日平均值		23.69	52.32	33.82	8.13	5.65	189.60	6.26	3.64
	灣內站	0:00	22.33	52.55	33.96	8.27	5.29	191.5	2.65	7.29
		3:00	24.11	52.48	33.92	8.27	5.58	171.52	3.21	7.94
		6:00	23.43	52.53	33.95	8.23	5.47	218.36	5.62	7.17
		9:00	22.68	52.63	34.01	8.3	6.22	181.78	10.64	5.13
		12:00	24.22	52.52	33.94	8.34	5.67	173.88	11.99	2.02
		15:00	24.83	52.47	33.91	8.25	5.6	203.06	6.61	1.98
		18:00	24.04	52	33.62	8.31	6.22	173.45	12.63	4.21
		21:00	24.46	52.18	33.73	8.28	5.55	203.53	9.22	2.86
	日平均值		23.76	52.42	33.88	8.28	5.70	189.64	7.82	4.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月15日	蚵殼站	0:00	25.65	52.35	33.84	8.22	7.32	188.2	2.65	3.16	
		3:00	25.22	52.56	33.97	8.26	7.14	186.15	2.44	4.66	
		6:00	25.13	52.43	33.89	8.31	6.85	184.62	4.08	5.95	
		9:00	25.23	52.43	33.89	8.26	5.63	214.83	6.38	0.6	
		12:00	25.75	52.32	33.82	8.25	7.05	173.01	6.27	0.02	
		15:00	25.59	52.18	33.73	8.24	5.9	190.53	3.23	2.98	
		18:00	25.28	52.26	33.78	8.21	6.09	180.29	22.3	4.6	
		21:00	25.32	52.08	33.67	8.29	6.31	203.08	24.86	5.03	
	日平均值			25.40	52.33	33.82	8.26	6.54	190.09	9.03	3.38
	潮口站	0:00	24.82	52.29	33.8	8.21	7.17	186.48	7.66	1.74	
		3:00	23.97	52.43	33.89	8.18	7.17	166.18	1.39	3.12	
		6:00	23.44	52.31	33.81	8.2	6.69	193.26	6.77	3.86	
		9:00	23.41	52.35	33.84	8.23	6.06	203.91	22.6	2.54	
		12:00	23.71	52.19	33.74	8.24	6.66	197.46	5.51	1.99	
		15:00	23.9	52.18	33.73	8.24	6.39	185.89	5.28	3.15	
		18:00	24.25	52.11	33.69	8.19	6.49	173.86	6.54	4.17	
		21:00	24.63	51.97	33.6	8.13	6.29	163.53	2.02	3.53	
	日平均值			24.02	52.23	33.76	8.20	6.62	183.82	7.22	3.01
	灣內站	0:00	24.8	52.42	33.88	8.26	6.83	188.93	5.16	3.5	
		3:00	23.81	52.43	33.89	8.27	7.25	159.11	6.49	4.61	
		6:00	23.55	52.35	33.84	8.31	6.83	184.66	4.19	4.27	
		9:00	23.41	52.47	33.91	8.24	5.96	207.53	4.92	5.49	
		12:00	23.51	52.22	33.76	8.26	6.53	212.72	10.41	2.79	
		15:00	23.91	52.27	33.79	8.25	6.8	174.77	13.14	4.16	
		18:00	24.13	52.11	33.69	8.23	6.48	176.94	16.3	6.43	
		21:00	24.76	51.97	33.6	8.29	6.26	157.58	19.75	4.36	
	日平均值			23.99	52.28	33.80	8.26	6.62	182.78	10.05	4.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月16日	蚵殼站	0:00	25.33	52.19	33.74	8.23	5.29	193.05	8	2.34	
		3:00	25.17	52.11	33.69	8.19	5.09	193.84	12.11	1.98	
		6:00	24.76	51.68	33.42	8.22	7.13	176.45	16.76	5.15	
		9:00	24.88	52.1	33.68	8.26	5.78	196.12	28.01	4.05	
		12:00	25.39	51.8	33.5	8.2	6.29	188.04	15.18	1.36	
		15:00	25.37	52	33.62	8.19	6.33	167.77	6.67	3.78	
		18:00	24.8	52.19	33.74	8.17	5.44	187.42	12.44	5.33	
		21:00	24.75	52.32	33.82	8.18	5.78	174.26	24.53	3.93	
	日平均值			25.06	52.05	33.65	8.21	5.89	184.62	15.46	3.49
	潮口站	0:00	24.46	52.13	33.7	8.13	5.58	178.43	2.16	2.55	
		3:00	23.78	52.11	33.69	8.1	5.3	153.82	2.73	2.9	
		6:00	23.67	51.56	33.35	8.15	7.47	168.64	9.4	3.66	
		9:00	23.82	51.95	33.59	8.1	6.05	196.82	13.79	3.01	
		12:00	24.05	51.74	33.46	8.13	6.46	199.94	7.52	2.18	
		15:00	24.14	51.89	33.55	8.2	6.55	183.59	16.01	2.56	
		18:00	24.36	52.08	33.67	8.08	5.91	186.68	6.58	3.58	
		21:00	24.71	52.22	33.76	8.07	5.48	201.09	15.77	4.23	
	日平均值			24.12	51.96	33.60	8.12	6.10	183.63	9.25	3.08
	灣內站	0:00	24.71	52.16	33.72	8.22	5.92	183.1	2.75	4.05	
		3:00	24.06	52.26	33.78	8.21	5.59	143.02	13.45	4.67	
		6:00	23.64	51.64	33.4	8.22	7.38	160.9	18.66	2.24	
		9:00	23.93	52.08	33.67	8.27	6.34	187.62	21.44	1.51	
		12:00	24.13	51.85	33.53	8.2	6.29	192.07	13.25	4.51	
		15:00	24.35	51.92	33.57	8.16	6.88	194.93	7.22	3.86	
		18:00	24.48	52.16	33.72	8.18	5.98	171.85	16.54	2.04	
		21:00	24.62	52.22	33.76	8.21	5.22	197.72	20.32	3.11	
	日平均值			24.24	52.04	33.64	8.21	6.20	178.90	14.20	3.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月17日	蚵殼站	0:00	24.72	51.97	33.6	8.19	6.69	178.81	24.42	4.94	
		3:00	24.7	51.93	33.58	8.18	6.35	154.15	11.26	4.15	
		6:00	24.21	52.13	33.7	8.16	6.02	191.73	1.87	4.43	
		9:00	24.54	52.18	33.73	8.22	6.82	177.54	4.35	1.9	
		12:00	25.34	52.11	33.69	8.25	6.11	147.62	30.99	2.95	
		15:00	25.45	52.27	33.79	8.23	6.23	131.6	40.74	1.63	
		18:00	24.86	52.32	33.82	8.19	6.26	130.82	37.38	1.37	
		21:00	24.47	52.29	33.8	8.19	5.97	179.78	13.25	6.16	
	日平均值			24.79	52.15	33.71	8.20	6.31	161.51	20.53	3.44
	潮口站	0:00	24.82	51.92	33.57	8.07	6.36	196.98	3.58	2.89	
		3:00	24.08	51.87	33.54	8.04	6.03	194.29	5.66	2.4	
		6:00	23.98	52	33.62	8.09	5.26	194.09	19.7	3.13	
		9:00	24.28	52.08	33.67	8.09	6.79	188.44	17.38	3.14	
		12:00	24.02	52.03	33.64	8.14	6.01	191.76	6.54	2.62	
		15:00	24	52.22	33.76	8.21	6.07	192.21	14.02	2.95	
		18:00	24.09	52.24	33.77	8.15	6.55	208.38	14.93	3.3	
		21:00	24.19	52.26	33.78	8.06	5.91	210.03	7.3	3.65	
	日平均值			24.18	52.08	33.67	8.11	6.12	197.02	11.14	3.01
	灣內站	0:00	24.95	52.05	33.65	8.19	6.02	208	21.46	2.77	
		3:00	23.98	51.93	33.58	8.17	6.06	181.55	11.75	0.62	
		6:00	23.87	52.03	33.64	8.15	5.72	180.68	3.43	5.51	
		9:00	24.39	52.11	33.69	8.21	6.55	204.62	9.83	5.89	
		12:00	23.96	52.18	33.73	8.22	5.58	175.08	34.47	5.14	
		15:00	24.15	52.24	33.77	8.24	5.96	197.06	41.55	4.74	
		18:00	24.16	52.32	33.82	8.19	6.93	195.77	40.55	4.83	
		21:00	24.18	52.29	33.8	8.2	5.75	203.75	17.6	3.25	
	日平均值			24.21	52.14	33.71	8.20	6.07	193.31	22.58	4.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月18日	蚵殼站	0:00	24.36	52.4	33.87	8.35	5.03	199.11	18.5	1.82	
		3:00	24.6	52.43	33.89	8.18	5.21	192.53	8.83	2.81	
		6:00	24.38	52.55	33.96	8.17	5.79	205.94	11.8	5.2	
		9:00	24.37	52.55	33.96	8.25	5.53	206.21	7.43	4.55	
		12:00	25.41	52.31	33.81	8.35	5.5	188.5	12.35	1.84	
		15:00	25.53	52.24	33.77	8.33	5.76	217.15	10.59	3	
		18:00	24.75	52.53	33.95	8.23	5.66	199.15	5.11	2.48	
		21:00	24.61	52.55	33.96	8.22	5.33	193.06	2.95	1.44	
	日平均值			24.75	52.45	33.90	8.26	5.48	200.21	9.70	2.89
	潮口站	0:00	24.39	52.37	33.85	8.1	5.31	196.56	22.14	2.86	
		3:00	23.84	52.35	33.84	8.1	5.54	199.81	4.98	2.48	
		6:00	23.68	52.45	33.9	8.11	5.48	205.67	5.87	2.83	
		9:00	24.32	52.52	33.94	8.14	5.56	201.59	6.63	3.01	
		12:00	24.18	52.24	33.77	8.15	5.54	206.28	7.93	2.67	
		15:00	24.08	52.11	33.69	8.17	5.53	206.22	9.69	2.83	
		18:00	24.11	52.39	33.86	8.16	5.08	208.43	8.78	3.61	
		21:00	24.58	52.4	33.87	8.05	5.47	195.95	6.34	3.27	
	日平均值			24.15	52.35	33.84	8.12	5.44	202.56	9.05	2.95
	灣內站	0:00	24.27	52.39	33.86	8.21	5.36	201.83	22.24	3.25	
		3:00	23.72	52.48	33.92	8.24	5.7	185.67	9.13	4.72	
		6:00	23.66	52.48	33.92	8.24	5.52	198.07	8.89	1.54	
		9:00	24.26	52.55	33.96	8.3	5.79	208.84	7.48	1.62	
		12:00	24.38	52.27	33.79	8.3	5.97	211.7	11.36	1.74	
		15:00	23.89	52.26	33.78	8.29	5.18	204.22	4.85	2.67	
		18:00	24.06	52.5	33.93	8.33	5.15	225.49	7.65	3.64	
		21:00	24.62	52.43	33.89	8.3	5.31	208.48	6.46	5.97	
	日平均值			24.11	52.42	33.88	8.28	5.50	205.54	9.76	3.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月19日	蚵殼站	0:00	24.62	52.47	33.91	8.37	5.32	216.79	12.3	3.98	
		3:00	25.04	52.5	33.93	8.19	5.22	182.7	5.49	2	
		6:00	24.86	52.66	34.03	8.2	6.02	203.91	9.95	4.5	
		9:00	24.65	52.73	34.07	8.25	5.86	201.3	6.94	2.51	
		12:00	25.5	52.5	33.93	8.43	6.51	195.55	2.28	4.23	
		15:00	26.03	52.47	33.91	8.32	6.04	193.74	8.54	3.12	
		18:00	25.38	52.47	33.91	8.2	6.09	217.75	12.76	5.75	
		21:00	24.76	52.66	34.03	8.26	6.16	194.64	10.09	3.24	
	日平均值		25.11	52.56	33.97	8.28	5.90	200.80	8.54	3.67	
	潮口站	0:00	24.29	52.35	33.84	8.07	5.54	211.82	7.59	2.93	
		3:00	23.74	52.43	33.89	8.05	5.14	199.28	11.17	2.61	
		6:00	23.58	52.56	33.97	8.06	5.91	202.24	2.16	2.63	
		9:00	24.22	52.66	34.03	8.19	6	208.77	2.1	3.08	
		12:00	24.08	52.35	33.84	8.22	6.79	203.41	5.01	2.91	
		15:00	23.98	52.42	33.88	8.29	6.01	206.51	15.44	2.52	
		18:00	24.01	52.45	33.9	8.28	6.07	211.21	9.59	3.2	
		21:00	24.48	52.53	33.95	8.2	6.55	209.75	7.6	3.12	
	日平均值		24.05	52.47	33.91	8.17	6.00	206.62	7.58	2.88	
	灣內站	0:00	24.34	52.48	33.92	8.31	5.36	227.61	3.86	4.28	
		3:00	23.57	52.48	33.92	8.3	5.51	209.8	8.34	3.83	
		6:00	23.72	52.56	33.97	8.29	5.81	188.52	5.6	3.4	
		9:00	24.48	52.71	34.06	8.25	5.7	202.29	4.26	2.31	
		12:00	24.06	52.42	33.88	8.24	6.3	218.5	11.55	3.88	
		15:00	23.82	52.53	33.95	8.22	5.55	216.77	8.66	2.25	
		18:00	23.96	52.48	33.92	8.25	5.88	191.67	4.8	3.75	
		21:00	24.39	52.61	34	8.24	6.96	228.37	11.43	4.64	
	日平均值		24.04	52.53	33.95	8.26	5.88	210.44	7.31	3.54	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月20日	蚵殼站	0:00	24.61	52.53	33.95	8.33	5.55	222.97	9.66	6.13	
		3:00	25.43	52.64	34.02	8.23	5.12	216.79	7.53	1.81	
		6:00	25.5	52.81	34.12	8.23	5.57	209.39	3.64	5.69	
		9:00	24.95	52.77	34.1	8.16	5.54	210.45	5.78	3.64	
		12:00	25.29	52.64	34.02	8.28	6.04	194.63	9.63	3.74	
		15:00	25.83	52.47	33.91	8.25	6.31	215.91	6.02	2.24	
		18:00	25.61	52.56	33.97	8.22	6.21	227.94	23.22	5.15	
		21:00	25.12	52.39	33.86	8.35	6.18	241.38	3.65	2.29	
	日平均值		25.29	52.60	33.99	8.26	5.82	217.43	8.64	3.84	
	潮口站	0:00	24.73	52.5	33.93	8.21	5.82	187.4	16.46	3.43	
		3:00	24.03	52.61	34	8.19	5.02	181.58	23.13	2.97	
		6:00	23.56	52.76	34.09	8.12	5.7	183.54	5.73	3.02	
		9:00	24.51	52.77	34.1	8.15	5.97	177.78	1.96	4.08	
		12:00	24.63	52.5	33.93	8.16	5.91	180.31	4.36	3.92	
		15:00	24.22	52.32	33.82	8.19	5.94	178.94	2.46	3.53	
		18:00	24.05	52.47	33.91	8.25	6.3	191.47	9.42	3.81	
		21:00	24.47	52.34	33.83	8.26	6	186.58	4.17	3.98	
	日平均值		24.28	52.53	33.95	8.19	5.83	183.45	8.46	3.59	
	灣內站	0:00	24.96	52.63	34.01	8.32	6.02	222.48	10.06	5.01	
		3:00	23.96	52.66	34.03	8.23	5.01	183.67	11.78	5.91	
		6:00	23.54	52.76	34.09	8.26	5.75	211.64	11	1.1	
		9:00	24.61	52.9	34.18	8.27	5.94	183.09	5.69	3.4	
		12:00	24.59	52.52	33.94	8.3	5.98	212.03	7.65	3.8	
		15:00	24.51	52.32	33.82	8.29	6.39	190.33	5.95	5.37	
		18:00	24.24	52.5	33.93	8.22	6.78	205.66	20.21	4.2	
		21:00	24.46	52.47	33.91	8.23	6.12	220.23	4.61	4.64	
	日平均值		24.36	52.60	33.99	8.27	6.00	203.64	9.62	4.18	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月21日	蚵殼站	0:00	24.62	52.71	34.06	8.26	5.01	188.84	3.33	5.27
		3:00	24.89	52.76	34.09	8.13	5.78	183.51	12.14	5.48
		6:00	25.21	52.92	34.19	8.17	5.73	194.17	4.54	2.64
		9:00	24.88	52.81	34.12	8.24	5.87	190.59	3.49	3.87
		12:00	24.91	52.39	33.86	8.22	6.06	211.22	9.51	3.93
		15:00	25.6	52.24	33.77	8.21	6.48	208.28	4.59	3.1
		18:00	25.47	52.6	33.99	8.14	5.96	216.27	9.02	4.98
		21:00	24.78	52.43	33.89	8.27	5.06	194.3	5.63	5.58
	日平均值		25.05	52.61	34.00	8.21	5.74	198.40	6.53	4.36
	潮口站	0:00	24.9	52.6	33.99	8.15	5.33	192.98	11.72	4.71
		3:00	24.28	52.71	34.06	8.15	5.41	189.11	23.11	3.74
		6:00	23.6	52.77	34.1	8.08	5.78	211.85	9.65	3.31
		9:00	24.77	52.77	34.1	8.11	5.91	199.17	4.56	4.67
		12:00	25.32	52.32	33.82	8.16	5.65	222.45	6.48	5.28
		15:00	24.43	52.18	33.73	8.17	6.92	207.53	3.78	4.59
		18:00	23.93	52.45	33.9	8.26	6.4	227.08	9.65	3.83
		21:00	24.66	52.4	33.87	8.22	5.51	215.29	21.13	4.05
	日平均值		24.49	52.53	33.95	8.16	5.86	208.18	11.26	4.27
	灣內站	0:00	24.78	52.69	34.05	8.3	5.41	196.03	8.42	3.87
		3:00	24.52	52.73	34.07	8.16	5.49	213.98	9.19	4.53
		6:00	23.74	52.9	34.18	8.24	5.42	204.21	6.15	3.55
		9:00	25	52.92	34.19	8.22	5.75	196.29	5.49	7.26
		12:00	25.15	52.34	33.83	8.27	6.13	187.94	13.06	5.83
		15:00	24.54	52.29	33.8	8.27	6.89	198.47	5.26	2.9
		18:00	23.84	52.52	33.94	8.2	6.76	194.8	8.34	4.89
		21:00	24.51	52.53	33.95	8.14	5.13	202.49	6.33	5.61
	日平均值		24.51	52.62	34.00	8.23	5.87	199.28	7.78	4.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月22日	蚵殼站	0:00	24.3	52.52	33.94	8.27	5.51	188.02	5.72	3.98
		3:00	24.3	52.82	34.13	8.18	6.42	192.03	7.02	3.23
		6:00	24.94	53.05	34.27	8.16	5.67	168.09	3.03	4.12
		9:00	24.78	53.06	34.28	8.28	5.68	203.18	2.84	5.42
		12:00	24.76	52.92	34.19	8.21	5.58	192.6	23.17	5.06
		15:00	25.43	52.53	33.95	8.18	7.18	207	2.77	6.1
		18:00	25.47	52.58	33.98	8.14	6.21	192.87	8.97	5.39
		21:00	24.75	52.74	34.08	8.23	5.71	209.69	11.46	1.41
	日平均值		24.84	52.78	34.10	8.21	6.00	194.19	8.12	4.34
	潮口站	0:00	24.11	52.47	33.91	8.12	5.18	212.34	8.23	3.59
		3:00	23.68	52.69	34.05	8.12	6.34	216.85	20.65	2.36
		6:00	22.97	52.97	34.22	8.09	5.57	198.49	14.01	1.93
		9:00	23.96	52.95	34.21	8.17	5.47	187.65	6.29	2.72
		12:00	24.56	52.89	34.17	8.19	5.8	197.16	5.63	3.72
		15:00	23.92	52.48	33.92	8.14	6.86	198.85	4.26	3.32
		18:00	23.19	52.56	33.97	8.17	6.53	216.92	13.77	2.67
		21:00	23.71	52.63	34.01	8.17	5.71	208.63	8.63	3.18
	日平均值		23.76	52.71	34.06	8.15	5.93	204.61	10.18	2.94
	灣內站	0:00	24.34	52.47	33.91	8.19	5.57	202.59	6.41	3.21
		3:00	23.5	52.84	34.14	8.21	6.72	209.38	15.12	2.18
		6:00	22.78	53.05	34.27	8.19	5.74	197.36	4.39	4.78
		9:00	24.24	52.98	34.23	8.23	5.16	186.01	8.01	3.85
		12:00	24.55	53.03	34.26	8.22	5.78	213.13	21.19	5.77
		15:00	24.08	52.5	33.93	8.28	6.63	189.34	6.45	3.93
		18:00	23.04	52.71	34.06	8.29	6.37	181.67	2.56	1.67
		21:00	23.93	52.66	34.03	8.17	6.16	195.89	6.95	3.97
	日平均值		23.81	52.78	34.10	8.22	6.02	196.92	8.89	3.67
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月23日	蚵殼站	0:00	24.05	52.71	34.06	8.29	5.21	175.95	6.85	5.55
		3:00	23.7	52.6	33.99	8.17	6.24	184.23	3.27	2.21
		6:00	24.88	52.94	34.2	8.08	5.9	205.69	2.74	4.57
		9:00	24.72	52.81	34.12	8.2	5.79	180.22	6.59	2.96
		12:00	24.11	52.63	34.01	8.29	6.63	167.59	1.33	7.65
		15:00	24.49	52.47	33.91	8.28	7.29	169.5	5.85	5.95
		18:00	25.33	52.5	33.93	8.12	6.95	158.41	5.32	5.03
		21:00	24.86	52.56	33.97	8.25	6.72	200.5	3.42	5.72
	日平均值		24.52	52.65	34.02	8.21	6.34	180.26	4.42	4.96
	潮口站	0:00	24.04	52.6	33.99	8.11	5.63	207.78	5.8	3.48
		3:00	23.88	52.58	33.98	8.14	6.18	215.73	19.45	3.37
		6:00	23.03	52.81	34.12	8.16	5.77	207.64	23.38	2.32
		9:00	23.91	52.66	34.03	8.11	6.26	189.23	5.19	2.9
		12:00	24.59	52.48	33.92	8.11	7	185.2	5.67	4.78
		15:00	24.41	52.45	33.9	8.11	6.82	189.35	3.11	5.01
		18:00	23.46	52.39	33.86	8.1	6.53	185.94	4.73	3.48
		21:00	23.73	52.45	33.9	8.16	6.24	205.59	4.98	3.79
	日平均值		23.88	52.55	33.96	8.13	6.30	198.31	9.04	3.64
	灣內站	0:00	24.21	52.68	34.04	8.16	5.24	193.95	6.74	2.01
		3:00	24.17	52.73	34.07	8.16	6.2	194.31	5.91	2.48
		6:00	22.83	52.82	34.13	8.2	5.82	178.87	5.82	3.18
		9:00	24.06	52.68	34.04	8.23	6.37	196.84	5.13	1.27
		12:00	24.52	52.55	33.96	8.25	6.98	179.16	7.64	6.83
		15:00	24.69	52.55	33.96	8.28	6.89	170.1	3.41	6.25
		18:00	23.64	52.43	33.89	8.29	6.35	145.09	4.03	5.24
		21:00	23.85	52.48	33.92	8.22	5.77	191.05	3.01	4.21
	日平均值		24.00	52.62	34.00	8.22	6.20	181.17	5.21	3.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月24日	蚵殼站	0:00	23.82	52.5	33.93	8.28	7.26	178.52	7.86	6.69
		3:00	23.45	52.58	33.98	8.14	6.41	198.34	7.07	6.38
		6:00	24.48	52.6	33.99	8.13	6.13	157.85	12.75	6.52
		9:00	24.67	52.69	34.05	8.21	8.39	150.77	9.12	5.13
		12:00	24.48	52.52	33.94	8.31	5.36	211.21	5.02	6.12
		15:00	24.17	52.47	33.91	8.24	6.33	208.77	10.01	6.02
		18:00	25.4	52.53	33.95	8.15	7.23	192.52	20.72	7.96
		21:00	25.06	52.66	34.03	8.19	6.86	206.71	14.34	6.36
	日平均值		24.44	52.57	33.97	8.21	6.75	188.09	10.86	6.40
	潮口站	0:00	23.78	52.45	33.9	8.11	6.88	204.73	9.05	4.9
		3:00	23.58	52.5	33.93	8.1	6.31	215.77	11.11	5.15
		6:00	23.02	52.6	33.99	8.12	6.33	215.22	17.07	4.82
		9:00	23.46	52.6	33.99	8.15	7.92	190.08	9.79	4.8
		12:00	24.13	52.43	33.89	8.11	5.22	200.83	8.99	6.8
		15:00	24.37	52.43	33.89	8.07	6.67	210.52	4.52	6.24
		18:00	23.6	52.5	33.93	8.08	7.05	192.63	4.34	6.58
		21:00	23.62	52.64	34.02	8.1	7.32	200.96	3.84	6.24
	日平均值		23.70	52.52	33.94	8.11	6.71	203.84	8.59	5.69
	灣內站	0:00	23.78	52.48	33.92	8.19	7.11	189.79	8.83	4.68
		3:00	23.4	52.6	33.99	8.21	6.36	171.94	4.16	3.8
		6:00	23.21	52.64	34.02	8.2	6.62	187.6	14.85	6.38
		9:00	23.41	52.69	34.05	8.24	8.04	169.42	13.38	7.53
		12:00	24.23	52.53	33.95	8.3	5.07	220.33	6.19	7.47
		15:00	24.58	52.45	33.9	8.33	6.95	186.9	12.48	6.37
		18:00	23.66	52.52	33.94	8.31	6.88	207.69	16.12	5.29
		21:00	23.45	52.77	34.1	8.28	7.54	198.13	11.1	5.41
	日平均值		23.72	52.59	33.98	8.26	6.82	191.48	10.89	5.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月25日	蚵殼站	0:00	23.91	52.85	34.15	8.33	7.71	189.62	6.57	4.38	
		3:00	23.48	52.79	34.11	8.16	6.06	208.8	1.12	3.88	
		6:00	24.12	52.68	34.04	8.16	5.94	181.69	13.49	7.14	
		9:00	25.02	52.79	34.11	8.24	6.08	173.04	10.61	3.04	
		12:00	24.52	52.79	34.11	8.36	7.27	180.87	10.08	2.77	
		15:00	24.07	51.95	33.59	8.26	7.48	221.76	18.91	2.87	
		18:00	24.85	52.06	33.66	8.17	7.21	208.89	7.25	6.8	
		21:00	24.82	52.11	33.69	8.21	7.34	226.03	18.24	6.97	
	日平均值			24.35	52.50	33.93	8.24	6.89	198.84	10.78	4.73
	潮口站	0:00	24.23	52.74	34.08	8.07	7.73	208.05	13.16	4.9	
		3:00	24.29	52.69	34.05	8.07	6.3	220.89	15.07	5.15	
		6:00	23.17	52.6	33.99	8.06	6.22	225.86	23.52	4.82	
		9:00	23.82	52.64	34.02	8.13	6.47	212.73	11.56	4.8	
		12:00	25.38	52.64	34.02	8.13	7.6	212.4	11.74	4.52	
		15:00	25.34	51.85	33.53	8.12	7.03	216.32	11.98	3.53	
		18:00	24.39	51.97	33.6	8.1	6.89	208.43	20.25	3.81	
		21:00	23.98	51.98	33.61	8.1	7.66	208.82	12.95	3.98	
	日平均值			24.33	52.39	33.86	8.10	6.99	214.19	15.03	4.44
	灣內站	0:00	24.19	52.87	34.16	8.24	7.46	218.02	19.59	6.88	
		3:00	24.24	52.77	34.1	8.23	6.49	213.07	8.15	5.14	
		6:00	23.1	52.64	34.02	8.26	6.11	202.05	2.87	6.29	
		9:00	23.82	52.74	34.08	8.21	6.72	197.26	7.6	5.38	
		12:00	25.5	52.71	34.06	8.26	7.83	210.1	8.27	7.38	
		15:00	25.42	51.98	33.61	8.32	7.46	191.51	11.24	3.95	
		18:00	24.45	52.11	33.69	8.3	7.34	206.19	7.06	5	
		21:00	24.07	52.13	33.7	8.32	7.42	191.31	6.31	4.88	
	日平均值			24.35	52.49	33.93	8.27	7.10	203.69	8.89	5.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月26日	蚵殼站	0:00	23.99	51.8	33.5	8.28	6.89	204.49	2.2	3.1	
		3:00	23.79	52.32	33.82	8.17	7.13	198.52	8.73	5.49	
		6:00	23.75	52.42	33.88	8.19	6.19	204.7	17.47	4.65	
		9:00	24.56	52.31	33.81	8.14	7.83	191.53	21.34	6.46	
		12:00	24.44	52.29	33.8	8.19	6.22	214.9	7.71	7.19	
		15:00	24.05	51.43	33.27	8.19	8.12	202.01	18.73	6.32	
		18:00	24.13	51.32	33.2	8.16	6.04	212.68	14.88	4.79	
		21:00	24.66	51.58	33.36	8.27	6.58	215.88	13.18	5.82	
	日平均值			24.17	51.93	33.58	8.20	6.88	205.59	13.03	5.48
	潮口站	0:00	24.98	51.69	33.43	8.13	7.32	215.78	4.44	4.71	
		3:00	25.03	52.26	33.78	8.13	6.82	218.83	6.75	3.74	
		6:00	23.76	52.35	33.84	8.12	5.94	219.52	16.45	3.31	
		9:00	23.58	52.26	33.78	8.18	8.09	216.11	10.22	4.67	
		12:00	24.29	52.19	33.74	8.21	6.49	215.99	7.52	5.28	
		15:00	24.52	51.37	33.23	8.21	8.2	231.29	4.89	4.59	
		18:00	24.19	51.32	33.2	8.22	6.27	221.22	8.55	3.83	
		21:00	23.4	51.45	33.28	8.21	6.98	207.35	8.43	4.05	
	日平均值			24.22	51.86	33.54	8.18	7.01	218.26	8.41	4.27
	灣內站	0:00	24.88	51.72	33.45	8.17	7.55	212.74	22.09	5.56	
		3:00	25.07	52.39	33.86	8.19	7.07	233.63	8.5	5.37	
		6:00	23.76	52.45	33.9	8.29	5.48	212.16	8.55	6.08	
		9:00	23.78	52.35	33.84	8.23	8.13	195.19	18.84	2.99	
		12:00	24.16	52.31	33.81	8.29	6.07	219.47	15.79	5.67	
		15:00	24.49	51.5	33.31	8.27	8.17	209.81	21.54	7.58	
		18:00	24.36	51.35	33.22	8.3	5.77	196.42	18.47	5.56	
		21:00	23.53	51.59	33.37	8.29	7.21	224.88	28.03	3.19	
	日平均值			24.25	51.96	33.60	8.25	6.93	213.04	17.73	5.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月27日	蚵殼站	0:00	24.07	51.59	33.37	8.29	6.87	184.01	8.06	1.8	
		3:00	23.49	51.64	33.4	8.24	6.79	220.43	16.01	3.74	
		6:00	23.36	51.77	33.48	8.26	5.41	214.08	2.45	2.36	
		9:00	24.39	51.51	33.32	8.29	6.04	217.81	8.17	4.98	
		12:00	24.32	51.95	33.59	8.32	6.3	212.06	15.02	1.8	
		15:00	23.75	51.8	33.5	8.31	8.11	216.54	14.37	3.58	
		18:00	23.44	51.71	33.44	8.28	5.92	188.95	10.53	1.6	
		21:00	24.49	51.71	33.44	8.22	7.19	205.95	3.9	4.1	
	日平均值		23.91	51.71	33.44	8.28	6.58	207.48	9.81	3.00	
	潮口站	0:00	23.8	51.48	33.3	8.2	6.67	173.4	3.25	3.59	
		3:00	23.89	51.64	33.4	8.19	6.7	198.18	7.52	2.36	
		6:00	23.38	51.76	33.47	8.19	5.74	218.4	9.99	1.93	
		9:00	23.55	51.45	33.28	8.16	6.51	210.18	14.93	2.72	
		12:00	24.59	51.8	33.5	8.14	6.38	183.38	8.8	3.72	
		15:00	24.73	51.69	33.43	8.12	7.96	195.16	5.41	3.32	
		18:00	24.5	51.61	33.38	8.13	5.73	208.09	11.52	2.67	
		21:00	24.08	51.66	33.41	8.14	6.74	206.4	11.78	3.18	
	日平均值		24.07	51.64	33.40	8.16	6.55	199.15	9.15	2.94	
	灣內站	0:00	23.98	51.56	33.35	8.25	7.14	196.93	15.39	1.76	
		3:00	23.79	51.79	33.49	8.24	6.29	220.43	30.7	4.71	
		6:00	23.39	51.9	33.56	8.27	5.75	197.42	24.86	3.43	
		9:00	23.43	51.56	33.35	8.13	6.21	217.09	11.12	5.08	
		12:00	24.58	51.89	33.55	8.22	6.52	182.25	18.11	2.03	
		15:00	24.53	51.76	33.47	8.26	7.67	204.62	13.27	4.91	
		18:00	24.73	51.61	33.38	8.31	5.32	179.95	7.74	1.7	
		21:00	23.93	51.72	33.45	8.35	6.43	206.08	18.5	5.79	
	日平均值		24.05	51.72	33.45	8.25	6.42	200.60	17.46	3.68	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月28日	蚵殼站	0:00	24.24	52.26	33.78	8.21	7.35	191.63	3.54	2.42	
		3:00	23.24	52.19	33.74	8.2	6.79	184.7	3.31	6.16	
		6:00	22.96	52.39	33.86	8.25	6.26	170.94	2.65	4.78	
		9:00	24.36	52.35	33.84	8.2	5.4	174.19	4.16	2.42	
		12:00	24.84	52.16	33.72	8.22	8.26	167.1	10.39	4.79	
		15:00	23.75	52.05	33.65	8.3	8.54	167.29	1.9	7.13	
		18:00	23.57	52.26	33.78	8.16	6.39	170.09	10.98	1.77	
		21:00	23.58	52.29	33.8	8.17	6.05	193.91	1.99	2.69	
	日平均值		23.82	52.24	33.77	8.21	6.88	177.48	4.87	4.02	
	潮口站	0:00	24.6	52.21	33.75	8.06	7.33	203.01	6.72	3.48	
		3:00	24.59	52.19	33.74	8.06	7.16	189.76	16.32	3.37	
		6:00	24.24	52.29	33.8	8.05	5.8	186.32	8.87	2.32	
		9:00	24.3	52.35	33.84	8.12	5.8	197.56	15.51	2.9	
		12:00	24.75	52.08	33.67	8.12	7.8	193.94	7.85	4.78	
		15:00	24.72	51.95	33.59	8.11	8.54	195.54	5.2	5.01	
		18:00	24.66	52.22	33.76	8.09	6.05	195.13	1.91	3.48	
		21:00	24.31	52.24	33.77	8.09	6.12	199.52	9.35	3.79	
	日平均值		24.52	52.19	33.74	8.09	6.83	195.10	8.97	3.64	
	灣內站	0:00	24.66	52.24	33.77	8.26	7.37	200.47	5.1	3.36	
		3:00	24.47	52.34	33.83	8.17	6.86	186.47	16.07	2.2	
		6:00	24.33	52.31	33.81	8.2	5.92	185.27	20.52	0.71	
		9:00	24.57	52.39	33.86	8.25	5.36	178.01	16.73	4.59	
		12:00	24.91	52.08	33.67	8.25	7.82	186.59	18.24	2.93	
		15:00	24.92	51.95	33.59	8.29	8.53	189.21	21.89	6.88	
		18:00	24.48	52.37	33.85	8.25	6.33	204.62	21.88	6.11	
		21:00	24.26	52.32	33.82	8.34	6.38	191.85	20.9	5.96	
	日平均值		24.58	52.25	33.78	8.25	6.82	190.31	17.67	4.09	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月29日	蚵殼站	0:00	24.61	52.34	33.83	8.33	8.02	188.5	8.9	4.61
		3:00	23.61	52.42	33.88	8.18	8.22	178.62	8.13	3.38
		6:00	22.98	52.52	33.94	8.23	8.04	169.89	18.55	7.33
		9:00	24.39	52.52	33.94	8.3	6.28	159.69	7.84	6.18
		12:00	25.31	52.34	33.83	8.27	6.71	171.1	3.72	8.97
		15:00	24.77	52.29	33.8	8.27	7.75	178.52	3.72	10.27
		18:00	23.7	52.39	33.86	8.22	5.58	181.78	11.08	1.38
		21:00	23.66	52.52	33.94	8.34	5.85	168.85	5.6	5.05
	日平均值		24.13	52.42	33.88	8.27	7.06	174.62	8.44	5.90
	潮口站	0:00	24.25	52.19	33.74	8.12	8.49	199.99	6.86	4.9
		3:00	24.51	52.27	33.79	8.12	7.98	190.74	11.4	5.15
		6:00	24.19	52.4	33.87	8.11	7.69	188.21	14.71	4.82
		9:00	24.08	52.5	33.93	8.17	5.85	184.58	13.12	4.8
		12:00	24.57	52.19	33.74	8.2	7.02	173.86	8.98	6.8
		15:00	24.61	52.26	33.78	8.2	7.86	163.55	6.85	7.78
		18:00	23.93	52.29	33.8	8.21	5.77	162.96	10.58	3.28
		21:00	23.64	52.37	33.85	8.2	5.62	192.22	10.58	2.7
	日平均值		24.22	52.31	33.81	8.17	7.04	182.01	10.39	5.03
	灣內站	0:00	24.28	52.31	33.81	8.34	8.98	190.33	21.03	6.78
		3:00	24.7	52.39	33.86	8.21	8.16	186.19	19.73	3.31
		6:00	24.12	52.4	33.87	8.25	7.57	185.67	22.04	5.8
		9:00	24.23	52.5	33.93	8.3	5.7	166.65	20.08	3.87
		12:00	24.61	52.22	33.76	8.27	6.92	176.63	10.55	9.05
		15:00	24.5	52.4	33.87	8.26	8.06	160.51	10.25	10.27
		18:00	23.87	52.43	33.89	8.21	5.44	166.76	9.34	2.62
		21:00	23.74	52.4	33.87	8.35	6.04	174.19	16.83	5.58
	日平均值		24.26	52.38	33.86	8.27	7.11	175.87	16.23	5.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
1月30日	蚵殼站	0:00	24.29	52.4	33.87	8.34	8.38	194.19	15.35	1.61
		3:00	24.39	52.56	33.97	8.24	6.79	203.04	18.87	2.61
		6:00	23.18	52.6	33.99	8.19	8.03	212.6	20.17	5.43
		9:00	24.05	52.69	34.05	8.31	5.94	187.29	8.76	3.23
		12:00	25.37	52.4	33.87	8.27	6.22	234.73	5.7	5.74
		15:00	25.17	52.22	33.76	8.26	5.92	200.31	11.72	2.41
		18:00	24.02	52.4	33.87	8.22	6.02	234.4	3.05	5.79
		21:00	24.14	52.32	33.82	8.27	5.41	200.38	17.6	2.26
	日平均值		24.33	52.45	33.90	8.26	6.59	208.37	12.65	3.64
	潮口站	0:00	23.4	52.34	33.83	8.19	8.38	197.44	8.02	3.08
		3:00	24.2	52.45	33.9	8.18	6.48	146.05	10.08	2.78
		6:00	24.16	52.6	33.99	8.18	8.21	158.47	16.04	2.99
		9:00	23.8	52.61	34	8.15	5.85	210.13	8.76	3.2
		12:00	24.5	52.34	33.83	8.13	5.79	207.76	7.96	2.77
		15:00	24.75	52.16	33.72	8.11	5.8	161.68	3.49	2.32
		18:00	24.47	52.31	33.81	8.12	5.81	140.09	3.31	2.8
		21:00	23.8	52.18	33.73	8.13	5.73	176.61	2.81	3.25
	日平均值		24.14	52.37	33.85	8.15	6.51	174.78	7.56	2.90
	灣內站	0:00	23.43	52.37	33.85	8.33	8.46	179.06	9.34	5.77
		3:00	24.2	52.58	33.98	8.2	6.87	152.32	15.73	2.44
		6:00	23.97	52.63	34.01	8.22	7.91	175.58	20.44	1.32
		9:00	23.95	52.74	34.08	8.32	5.63	209.03	12.74	1.25
		12:00	24.51	52.45	33.9	8.28	5.95	190.73	4.51	5.12
		15:00	24.64	52.31	33.81	8.23	5.87	143.58	10.9	4.05
		18:00	24.29	52.39	33.86	8.21	5.71	143.71	11.25	3.97
		21:00	23.74	52.21	33.75	8.29	5.9	179.76	15.4	4.07
	日平均值		24.09	52.46	33.91	8.26	6.54	171.72	12.54	3.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
1月31日	蚵殼站	0:00	24.04	52.48	33.92	8.34	8.06	232.1	9.14	2.58	
		3:00	24.79	52.64	34.02	8.21	7.17	204.69	11.33	0.88	
		6:00	24.4	52.71	34.06	8.13	6.56	200.45	5.77	4.63	
		9:00	24.14	52.61	34	8.24	6.3	206.41	12.25	2.98	
		12:00	25.23	52.29	33.8	8.34	7.72	180.61	9.18	5.93	
		15:00	25.35	52.16	33.72	8.35	7.09	217.87	4.58	2.34	
		18:00	24.6	52.37	33.85	8.18	5.4	202.33	8.97	2.22	
		21:00	24.24	52.34	33.83	8.3	5.88	211.23	10.82	5.15	
	日平均值		24.60	52.45	33.90	8.26	6.77	206.96	9.01	3.34	
	潮口站	0:00	23.01	52.43	33.89	8.17	7.76	200.28	12.13	2.32	
		3:00	23.89	52.55	33.96	8.2	7.14	152.63	14.04	2.86	
		6:00	24.18	52.61	34	8.15	6.91	145.23	22.49	3.07	
		9:00	23.27	52.61	34	8.13	5.98	151.79	10.53	2.32	
		12:00	24.04	52.16	33.72	8.11	7.47	156.41	10.71	3.04	
		15:00	24.68	52.01	33.63	8.12	7.55	162.55	10.95	3.04	
		18:00	24.4	52.29	33.8	8.18	5.83	164.41	19.22	2.66	
		21:00	23.81	52.24	33.77	8.16	6.05	147.12	11.92	2.8	
	日平均值		23.91	52.36	33.85	8.15	6.84	160.05	14.00	2.76	
	灣內站	0:00	23.28	52.52	33.94	8.35	7.87	212.04	7.75	3.96	
		3:00	24.05	52.64	34.02	8.2	7.26	132.96	8.51	4.83	
		6:00	24.18	52.63	34.01	8.13	7.17	150	9.14	5.14	
		9:00	23.44	52.64	34.02	8.28	5.82	167.55	9.35	5.16	
		12:00	24	52.16	33.72	8.35	7.69	138.16	13.25	2.35	
		15:00	24.71	52.03	33.64	8.32	7.94	169.2	4.25	1.2	
		18:00	24.26	52.39	33.86	8.19	5.66	181.96	8.19	1.91	
		21:00	24	52.26	33.78	8.32	6.33	138.45	16.51	5.32	
	日平均值		23.99	52.41	33.87	8.27	6.97	161.29	9.62	3.73	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
2月1日	蚵殼站	0:00	24.56	52.45	33.9	8.23	8.52	200.72	11.1	1.68
		3:00	24.7	52.58	33.98	8.21	6.78	233.84	4.74	3.35
		6:00	24.59	52.81	34.12	8.24	7.25	198.45	3.42	2.42
		9:00	24.32	52.87	34.16	8.28	6.45	178.68	4.52	3.05
		12:00	24.41	52.74	34.08	8.29	8.58	168.86	23.08	3.95
		15:00	24.68	52.42	33.88	8.29	6.6	185.42	9.09	1.62
		18:00	24.68	52.53	33.95	8.33	6.76	197.58	17.2	3.97
		21:00	24.67	52.61	34	8.29	8.7	190.2	15.78	5.36
	日平均值		24.58	52.63	34.01	8.27	7.46	194.22	11.12	3.18
	潮口站	0:00	22.8	52.31	33.81	8.31	8.2	194.77	3.41	2.82
		3:00	23.43	52.53	33.95	8.17	7.07	150.59	5.72	2.1
		6:00	24.19	52.81	34.12	8.15	7.52	144.75	15.42	2.07
		9:00	22.89	52.79	34.11	8.24	6.79	136.31	9.19	2.73
		12:00	23.5	52.73	34.07	8.34	8.51	145.99	6.49	2.81
		15:00	24.68	52.32	33.82	8.29	7.02	137.37	3.86	2.76
		18:00	24.62	52.4	33.87	8.2	7.26	181.84	7.52	3.71
		21:00	24.23	52.47	33.91	8.22	8.31	178.83	7.4	3.51
	日平均值		23.79	52.55	33.96	8.24	7.59	158.81	7.38	2.81
	灣內站	0:00	22.71	52.34	33.83	8.31	8.5	189.85	5.39	5.64
		3:00	23.63	52.63	34.01	8.2	6.74	140.17	7.76	4.34
		6:00	24.47	52.82	34.13	8.17	7.19	148.36	10.6	2.84
		9:00	23.01	52.92	34.19	8.26	6.77	117.64	5.62	2.64
		12:00	23.49	52.74	34.08	8.38	8.87	134.28	21.13	1.85
		15:00	24.83	52.4	33.87	8.33	6.72	136.21	10.61	3.04
		18:00	24.84	52.42	33.88	8.21	7.01	163.41	16.06	2.44
		21:00	24.27	52.55	33.96	8.25	8.27	163.25	14.29	2.24
	日平均值		23.91	52.60	33.99	8.26	7.51	149.15	11.43	3.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
2月2日	蚵殼站	0:00	24.56	52.56	33.97	8.32	8.06	224.25	12.5	2.34
		3:00	24.7	52.55	33.96	8.29	7.35	222.85	9.59	5.55
		6:00	24.67	52.74	34.08	8.29	7.24	207.69	14.99	5.6
		9:00	24.41	52.56	33.97	8.25	8.89	199.82	13.04	5.56
		12:00	24.21	52.34	33.83	8.23	8.29	191.47	16.9	5.4
		15:00	24.33	52.39	33.86	8.23	6.84	228.2	24.72	6.01
		18:00	24.25	52.26	33.78	8.22	6.27	185.3	33.09	4.81
		21:00	24.26	52.42	33.88	8.25	7.56	186.07	3.89	2.97
	日平均值		24.42	52.48	33.92	8.26	7.56	205.71	16.09	4.78
	潮口站	0:00	23.73	52.43	33.89	8.35	7.97	175.83	2.22	3.3
		3:00	23.7	52.42	33.88	8.19	7.08	165.39	6.49	2.8
		6:00	24.23	52.64	34.02	8.18	6.8	127.62	8.96	2.88
		9:00	23.78	52.5	33.93	8.25	8.44	138.13	13.9	3.3
		12:00	24.04	52.32	33.82	8.39	8.29	138.71	7.77	3.49
		15:00	24.93	52.29	33.8	8.31	6.78	141.45	4.38	3.4
		18:00	24.79	52.22	33.76	8.19	6.68	161.6	10.49	4.09
		21:00	24.26	52.29	33.8	8.23	7.59	128.16	10.75	4.34
	日平均值		24.18	52.39	33.86	8.26	7.45	147.11	8.12	3.45
	灣內站	0:00	23.98	52.55	33.96	8.35	7.57	157.65	10.47	1.69
		3:00	23.59	52.42	33.88	8.2	7.57	176.31	9.73	1.34
		6:00	24.17	52.76	34.09	8.2	6.33	142.68	18.13	5.68
		9:00	23.75	52.55	33.96	8.28	8.6	130.48	18.94	4.02
		12:00	24.22	52.34	33.83	8.39	8.78	121.31	13.73	5.65
		15:00	25	52.4	33.87	8.34	6.59	140.77	20.44	2.66
		18:00	25.01	52.22	33.76	8.21	6.31	153.71	33.45	3.82
		21:00	24.1	52.43	33.89	8.26	7.12	142.89	11.5	3.54
	日平均值		24.23	52.46	33.91	8.28	7.36	145.73	17.05	3.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
2月3日	蚵殼站	0:00	24.26	52.4	33.87	8.28	7.76	227.24	13.96	4.09
		3:00	24.54	52.39	33.86	8.23	7.39	207.81	3.86	6.34
		6:00	24.9	52.48	33.92	8.25	6.1	240.51	3.48	3.07
		9:00	25.26	52.55	33.96	8.27	7.36	219.79	5.21	5.99
		12:00	25.35	52.4	33.87	8.27	6.75	224.95	4.79	7.63
		15:00	25.55	52.4	33.87	8.28	6.83	197.15	8.84	5.13
		18:00	25.39	52.35	33.84	8.24	8.75	227.91	8.37	4.88
		21:00	25.43	52.55	33.96	8.21	8.68	212.45	6.65	2.42
	日平均值		25.09	52.44	33.89	8.25	7.45	219.73	6.90	4.94
	潮口站	0:00	24.03	52.29	33.8	8.33	7.4	154.72	5.69	3.99
		3:00	23.69	52.34	33.83	8.22	7.14	165.5	15.29	3.64
		6:00	24.56	52.43	33.89	8.21	6.13	143.79	7.84	3.76
		9:00	24.39	52.43	33.89	8.16	7.64	137.26	14.48	4.57
		12:00	24.31	52.27	33.79	8.24	6.81	140.89	6.82	5.07
		15:00	24.81	52.27	33.79	8.23	6.56	137	4.17	5
		18:00	25.03	52.34	33.83	8.19	8.26	155.3	0.88	4.26
		21:00	24.8	52.48	33.92	8.31	8.52	140.32	8.32	4.12
	日平均值		24.45	52.36	33.84	8.24	7.31	146.85	7.94	4.30
	灣內站	0:00	24.1	52.37	33.85	8.36	7.23	166.47	13.62	6.31
		3:00	23.92	52.47	33.91	8.23	7.45	167.37	8.33	4.34
		6:00	24.57	52.58	33.98	8.21	5.74	126.76	3.26	3.79
		9:00	24.61	52.52	33.94	8.18	8.07	145.95	4.36	5.57
		12:00	24.27	52.42	33.88	8.25	6.51	123.82	5.98	7.84
		15:00	25.03	52.35	33.84	8.25	6.45	139.77	9.42	7.99
		18:00	25.19	52.42	33.88	8.23	7.84	164.1	4.75	2.9
		21:00	24.67	52.52	33.94	8.31	8.42	149.64	4.85	4.02
	日平均值		24.55	52.46	33.90	8.25	7.21	147.99	6.82	5.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
2月4日	蚵殼站	0:00	25.14	52.69	34.05	8.3	7.6	205.76	13.51	6.93
		3:00	25.12	52.64	34.02	8.17	6.18	226.49	3.83	5.09
		6:00	25.26	52.45	33.9	8.24	6.9	205.11	7.82	2.28
		9:00	25.05	52.5	33.93	8.24	6.97	222.33	5.16	3.91
		12:00	25.21	52.48	33.92	8.28	7.57	230.39	9.03	4.39
		15:00	25.64	52.6	33.99	8.28	7.23	214.47	4.85	4.56
		18:00	25.48	52.39	33.86	8.17	8.47	207.3	3.08	2.76
		21:00	25.21	52.43	33.89	8.15	6.82	212.71	5.02	5.96
	日平均值		25.26	52.52	33.95	8.23	7.22	215.57	6.54	4.49
	潮口站	0:00	23.94	52.58	33.98	8.25	7.84	132.12	5.83	4.46
		3:00	23.73	52.53	33.95	8.13	6.64	169.07	10.37	3.53
		6:00	24.12	52.43	33.89	8.17	6.89	170.67	13.68	3.48
		9:00	24.49	52.48	33.92	8.24	7.21	136.75	12.09	4.84
		12:00	24.41	52.48	33.92	8.2	8.03	139.57	7.95	4.54
		15:00	24.64	52.45	33.9	8.18	7.3	143.05	5.82	4.26
		18:00	24.63	52.35	33.84	8.14	8.5	153.91	9.55	4.49
		21:00	24.35	52.4	33.87	8.26	6.84	163.42	9.55	4.79
	日平均值		24.29	52.46	33.91	8.20	7.41	151.07	9.36	4.30
	灣內站	0:00	23.95	52.61	34	8.28	7.79	132.9	5.66	7.1
		3:00	23.82	52.53	33.95	8.15	6.38	168.94	6.52	6.5
		6:00	24.4	52.55	33.96	8.21	6.9	175.5	10.57	5.33
		9:00	24.63	52.56	33.97	8.24	7.22	139.93	6.52	7.17
		12:00	24.58	52.48	33.92	8.2	8	137.85	9.41	4.86
		15:00	24.87	52.58	33.98	8.18	7.14	134.1	4.47	3.66
		18:00	24.51	52.37	33.85	8.14	8.24	157.15	3.73	6.91
		21:00	24.25	52.48	33.92	8.3	6.84	171.41	7.11	3.4
	日平均值		24.38	52.52	33.94	8.21	7.31	152.22	6.75	5.62
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月5日	蚵殼站	0:00	25.08	52.22	33.76	8.18	6.92	190.98	8.77	5.14	
		3:00	25	52.16	33.72	8.21	7.16	183.28	11.68	4.24	
		6:00	25.18	52.24	33.77	8.22	6.32	222.16	1.11	2.85	
		9:00	25.05	52.32	33.82	8.23	7.15	207.61	1.26	6.3	
		12:00	25.22	52.06	33.66	8.21	6.21	197.35	13.5	6.68	
		15:00	25.47	51.92	33.57	8.27	7.92	209.91	3.53	5.33	
		18:00	25.35	52.16	33.72	8.26	6.24	206.85	7.81	6.79	
		21:00	25.13	52.18	33.73	8.18	6.59	197.12	2.85	4.53	
	日平均值		25.19	52.16	33.72	8.22	6.81	201.91	6.31	5.23	
	潮口站	0:00	23.99	52.13	33.7	8.27	6.49	165.83	7.89	4.1	
		3:00	23.81	52.11	33.69	8.15	7.61	145.83	9.95	3.41	
		6:00	23.83	52.21	33.75	8.14	6.54	169.69	15.91	3.08	
		9:00	24.29	52.27	33.79	8.25	7.26	140.45	8.63	3.66	
		12:00	24.17	52	33.62	8.2	6.47	154.37	7.83	4.05	
		15:00	24.26	51.87	33.54	8.18	7.6	159.86	3.36	4.05	
		18:00	24.2	52.14	33.71	8.13	6.49	171.29	3.18	4.49	
		21:00	24.12	52.16	33.72	8.22	6.38	178.61	2.68	4.5	
	日平均值		24.08	52.11	33.69	8.19	6.86	160.74	7.43	3.92	
	灣內站	0:00	24.26	52.14	33.71	8.31	6.85	165.96	7.44	3.8	
		3:00	23.75	52.13	33.7	8.15	7.18	156.71	13.88	4.35	
		6:00	24.08	52.31	33.81	8.18	6.71	180.79	5.74	3.5	
		9:00	24.21	52.32	33.82	8.29	6.99	132.48	3.38	3.8	
		12:00	24.08	52.11	33.69	8.21	6.19	150.93	13.2	5.17	
		15:00	24.26	51.9	33.56	8.22	7.24	156.31	6.22	6.59	
		18:00	24.22	52.22	33.76	8.15	6.61	172.68	3.36	4.79	
		21:00	24.07	52.29	33.8	8.24	6.45	167.09	8.7	3.94	
	日平均值		24.12	52.18	33.73	8.22	6.78	160.37	7.74	4.49	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$ 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月6日	蚵殼站	0:00	24.66	52.18	33.73	8.19	7.06	221.84	7.35	3.53	
		3:00	24.52	52.22	33.76	8.15	7.39	213.48	9.57	6.51	
		6:00	24.89	52.37	33.85	8.19	7.01	221.01	9.37	2.75	
		9:00	25.31	52.45	33.9	8.25	6.45	192.43	7.71	4.88	
		12:00	25.45	52.22	33.76	8.26	6.41	189.19	1.08	2.62	
		15:00	25.52	52.29	33.8	8.32	7.68	187.24	2.26	5.36	
		18:00	25.37	52.32	33.82	8.31	7.37	213.97	2.46	6.09	
		21:00	25.18	52.31	33.81	8.21	7.55	222.56	4.99	7.28	
	日平均值		25.11	52.30	33.80	8.24	7.12	207.72	5.60	4.88	
	潮口站	0:00	23.59	52.11	33.69	8.26	6.89	154.95	12	5.23	
		3:00	23.19	52.19	33.74	8.13	7.21	184.42	13.91	4.59	
		6:00	23.23	52.32	33.82	8.06	6.84	202.83	22.36	4.14	
		9:00	23.91	52.42	33.88	8.19	6.49	185.84	10.4	4.16	
		12:00	23.99	52.11	33.69	8.28	6.54	182.91	10.58	4.45	
		15:00	23.87	52.18	33.73	8.27	7.33	184.73	10.82	4.43	
		18:00	24.03	52.21	33.75	8.11	7.27	200.27	19.09	4.43	
		21:00	24.3	52.29	33.8	8.24	7.64	171.21	11.79	4.87	
	日平均值		23.76	52.23	33.76	8.19	7.03	183.40	13.87	4.54	
	灣內站	0:00	23.58	52.24	33.77	8.27	7.13	159.57	4.89	6.46	
		3:00	23.16	52.29	33.8	8.14	7.7	192.68	3.12	2.75	
		6:00	23.11	52.32	33.82	8.1	6.65	218.42	10.93	3.51	
		9:00	23.85	52.52	33.94	8.23	6.32	173.58	5.96	3.66	
		12:00	24.07	52.13	33.7	8.29	6.07	194.89	4.75	6.96	
		15:00	23.89	52.27	33.79	8.28	7.65	173.04	3.79	3.27	
		18:00	24.32	52.24	33.77	8.11	6.82	217.93	9.52	2.9	
		21:00	24.25	52.31	33.81	8.25	7.95	167.05	4.63	7.29	
	日平均值		23.78	52.29	33.80	8.21	7.04	187.15	5.95	4.60	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$ 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月7日	蚵殼站	0:00	24.96	52.34	33.83	8.19	7.85	205.9	7.64	5.69	
		3:00	24.66	52.4	33.87	8.24	7.2	223.21	7.83	7.19	
		6:00	24.75	52.53	33.95	8.2	6.91	202.6	3.39	7.29	
		9:00	24.89	52.61	34	8.24	7.38	175.99	11.16	5.96	
		12:00	25.25	52.27	33.79	8.31	8.68	219.8	7.47	4.3	
		15:00	25.35	52.11	33.69	8.31	6.73	196.2	4.4	5.68	
		18:00	25.19	52.24	33.77	8.28	7.1	233.65	6.32	6.74	
		21:00	25.09	52.24	33.77	8.28	7.77	231.46	1.24	4.87	
	日平均值		25.02	52.34	33.83	8.26	7.45	211.10	6.18	5.97	
	潮口站	0:00	23.58	52.26	33.78	8.26	7.46	164.67	3.28	5.17	
		3:00	23.07	52.37	33.85	8.12	7.34	168.77	5.59	4.65	
		6:00	23.22	52.52	33.94	8.1	6.5	198.73	15.29	4.66	
		9:00	23.98	52.53	33.95	8.19	7.43	199.86	9.06	5.01	
		12:00	23.82	52.26	33.78	8.29	8.72	186.06	6.36	5.19	
		15:00	23.43	52.08	33.67	8.24	6.68	192.47	3.73	5.94	
		18:00	23.4	52.22	33.76	8.15	6.74	199.54	7.39	6.61	
		21:00	23.99	52.1	33.68	8.17	7.78	183.21	7.27	6.82	
	日平均值		23.56	52.29	33.80	8.19	7.33	186.66	7.25	5.51	
	灣內站	0:00	23.69	52.26	33.78	8.27	7.73	166.38	6.25	3.48	
		3:00	23.24	52.43	33.89	8.13	7.7	184.97	9.62	3	
		6:00	23.25	52.58	33.98	8.11	6.62	207.75	3.2	7.24	
		9:00	23.9	52.55	33.96	8.2	7.01	216.78	10.69	7.28	
		12:00	24.06	52.31	33.81	8.3	9.2	188.71	7.15	3.95	
		15:00	23.71	52.1	33.68	8.25	7.02	202.41	7.81	6.16	
		18:00	23.65	52.37	33.85	8.18	7	190.42	10.34	8.69	
		21:00	23.97	52.24	33.77	8.21	7.64	170.61	6.15	9.42	
	日平均值		23.68	52.36	33.84	8.21	7.49	191.00	7.65	6.15	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 □				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月8日	蚵殼站	0:00	24.71	52.39	33.86	8.25	8.08	188.21	3.93	8.01	
		3:00	24.61	52.6	33.99	8.21	6.81	193.23	10.32	8.78	
		6:00	24.54	52.68	34.04	8.28	5.62	193.28	11.96	10.63	
		9:00	24.82	52.6	33.99	8.18	7.37	201.33	10.51	9.3	
		12:00	25.08	52.08	33.67	8.28	7.12	201.23	10.42	8.19	
		15:00	25.27	52	33.62	8.32	6.27	175.47	2.92	7.77	
		18:00	25.38	52.22	33.76	8.32	5.88	196.35	7.82	9.09	
		21:00	25.18	52.21	33.75	8.34	7.28	200.59	1.86	7.35	
	日平均值		24.95	52.35	33.84	8.27	6.80	193.71	7.47	8.64	
	潮口站	0:00	23.45	52.35	33.84	8.3	7.64	168.44	2.09	7.19	
		3:00	22.97	52.47	33.91	8.14	6.82	189.71	6.36	7.92	
		6:00	22.82	52.53	33.95	8.13	5.68	211.18	8.83	7.82	
		9:00	24.28	52.53	33.95	8.2	7.51	192.4	13.77	8.66	
		12:00	24.87	52.08	33.67	8.34	7.44	178.72	7.64	7.32	
		15:00	24.15	51.93	33.58	8.26	6.08	179.29	4.25	8.05	
		18:00	23.79	52.21	33.75	8.14	5.74	188.3	10.36	7.95	
		21:00	24.06	52.16	33.72	8.18	7.72	193.45	10.62	8.79	
	日平均值		23.80	52.28	33.80	8.21	6.83	187.69	7.99	7.96	
	灣內站	0:00	23.62	52.43	33.89	8.31	7.39	155.3	4.26	6.58	
		3:00	22.84	52.56	33.97	8.15	6.72	178.38	9.86	10.55	
		6:00	22.87	52.61	34	8.15	6.15	219.93	21.08	8.6	
		9:00	24.29	52.66	34.03	8.23	7.68	182.83	8.89	11.37	
		12:00	24.7	52.16	33.72	8.38	7.27	171.53	3.52	8.32	
		15:00	23.99	52.06	33.66	8.27	6.07	191	6.86	7.01	
		18:00	24.07	52.35	33.84	8.17	5.31	201.87	9.29	9.63	
		21:00	24.26	52.31	33.81	8.18	7.64	189.83	5.36	9.65	
	日平均值		23.83	52.39	33.87	8.23	6.78	186.33	8.64	8.96	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 □				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月9日	蚵殼站	0:00	24.61	52.27	33.79	8.15	7.01	206.79	6.19	5.41	
		3:00	24.55	52.5	33.93	8.18	6.43	214.04	5.77	1.98	
		6:00	24.51	52.73	34.07	8.29	5.82	231.89	24.83	4.08	
		9:00	24.97	52.73	34.07	8.19	6.36	197.78	2.19	6.34	
		12:00	25.13	52.71	34.06	8.28	7.32	203.1	8.56	3.32	
		15:00	25.2	52.27	33.79	8.25	5.81	187.84	5.17	6.74	
		18:00	25.17	52.37	33.85	8.33	5.41	195.16	5.99	6.59	
		21:00	25.08	52.47	33.91	8.29	6.87	207.34	7.59	3.84	
	日平均值			24.90	52.51	33.93	8.25	6.38	205.49	8.29	4.79
	潮口站	0:00	24.23	52.22	33.76	8.28	6.56	176.44	5.56	4.12	
		3:00	23.77	52.45	33.9	8.17	6.62	184.26	15.16	3.77	
		6:00	23.5	52.73	34.07	8.16	5.44	197.44	7.71	3.89	
		9:00	24.45	52.71	34.06	8.11	6.42	196.94	14.35	4.7	
		12:00	25.02	52.64	34.02	8.19	6.92	186.05	6.69	5.2	
		15:00	24.85	52.24	33.77	8.18	6.23	191.26	4.04	5.13	
		18:00	24.43	52.32	33.82	8.14	5.71	190.6	0.75	4.39	
		21:00	24.14	52.39	33.86	8.26	7.01	194.7	8.19	4.25	
	日平均值			24.30	52.46	33.91	8.19	6.36	189.71	7.81	4.43
	灣內站	0:00	24.22	52.34	33.83	8.3	6.57	175.26	5.49	2.73	
		3:00	23.73	52.53	33.95	8.19	6.44	187.36	6.74	4.84	
		6:00	23.56	52.74	34.08	8.19	5.34	186.63	5.91	1.94	
		9:00	24.67	52.79	34.11	8.12	6.51	196.65	5.13	4.52	
		12:00	25.04	52.79	34.11	8.21	7.41	205.97	4.03	6.08	
		15:00	24.67	52.29	33.8	8.22	6.22	190.65	3.01	7.39	
		18:00	24.37	52.4	33.87	8.16	5.72	207.24	4.16	3.21	
		21:00	23.99	52.47	33.91	8.28	6.51	194.81	5.1	4.07	
	日平均值			24.28	52.54	33.96	8.21	6.34	193.07	4.95	4.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月10日	蚵殼站	0:00	24.63	52.45	33.9	8.23	7.35	183.17	2.44	7.01	
		3:00	24.51	52.35	33.84	8.2	7.95	187.16	5.33	5.6	
		6:00	24.34	52.66	34.03	8.26	5.05	203.45	11.76	1.65	
		9:00	24.86	52.52	33.94	8.17	6.14	184.11	7.04	3.7	
		12:00	25.29	52.39	33.86	8.23	7.26	211.35	9.33	4.95	
		15:00	25.22	52.27	33.79	8.29	6.47	170.18	11.35	5.58	
		18:00	25.14	52.29	33.8	8.3	8.05	159.01	2.22	3.8	
		21:00	25.17	52.31	33.81	8.31	6.82	198.61	2.85	4.01	
	日平均值			24.90	52.41	33.87	8.25	6.89	187.13	6.54	4.54
	潮口站	0:00	24.16	52.35	33.84	8.27	7.62	182.71	5.7	4.59	
		3:00	24.1	52.34	33.83	8.24	7.81	186.54	10.24	3.66	
		6:00	24.03	52.56	33.97	8.26	5.49	196.89	13.55	3.61	
		9:00	24.58	52.42	33.88	8.29	6.64	194.5	11.96	4.97	
		12:00	25.11	52.24	33.77	8.3	7.26	190.46	7.82	4.67	
		15:00	25.16	52.21	33.75	8.3	6.47	189.38	5.69	4.39	
		18:00	24.41	52.14	33.71	8.25	7.6	192.04	9.42	4.62	
		21:00	24.31	52.21	33.75	8.19	6.49	198.6	9.42	4.92	
	日平均值			24.48	52.31	33.81	8.26	6.92	191.39	9.23	4.43
	灣內站	0:00	24.16	52.48	33.92	8.29	7.72	186.44	4.36	6.47	
		3:00	24.35	52.42	33.88	8.26	8.21	176.49	5.98	2.55	
		6:00	24.25	52.58	33.98	8.28	5.46	191.74	5.74	3.42	
		9:00	24.5	52.56	33.97	8.32	6.48	179.78	4.63	7.01	
		12:00	25.39	52.31	33.81	8.33	7.62	190.13	6.25	6.21	
		15:00	25.42	52.22	33.76	8.31	6.2	187.71	6.15	4.09	
		18:00	24.69	52.18	33.73	8.25	7.47	210.29	4.26	5.23	
		21:00	24.46	52.29	33.8	8.21	6.58	188.23	5.36	3.45	
	日平均值			24.65	52.38	33.86	8.28	6.97	188.85	5.34	4.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
2月11日	蚵殼站	0:00	24.87	52.26	33.78	8.27	6.84	192.13	9.12	3.98	
		3:00	24.77	52.4	33.87	8.19	7.07	167.91	9.06	4.92	
		6:00	24.67	52.42	33.88	8.18	6.96	207.15	12.89	5.5	
		9:00	24.96	52.45	33.9	8.25	7.08	210.53	1.89	5.05	
		12:00	25.31	52.34	33.83	8.23	6.06	205.75	6.34	4.64	
		15:00	25.47	52.34	33.83	8.27	6.31	205.72	14.72	6.47	
		18:00	25.26	52.29	33.8	8.29	5.25	174.39	5.61	6.71	
		21:00	25.1	52.5	33.93	8.33	5.82	152.64	10.29	5.41	
	日平均值			25.05	52.38	33.85	8.25	6.42	189.53	8.74	5.34
	潮口站	0:00	24.23	52.21	33.75	8.19	6.79	180.99	7.78	4.23	
		3:00	24.25	52.26	33.78	8.16	6.89	181.26	9.84	3.54	
		6:00	24.07	52.35	33.84	8.21	7.21	165.14	15.8	3.21	
		9:00	24.32	52.35	33.84	8.16	6.84	150.94	8.52	3.79	
		12:00	25.11	52.19	33.74	8.19	6.49	154.82	7.72	4.18	
		15:00	25.27	52.19	33.74	8.26	6.54	167.7	3.25	4.18	
		18:00	24.89	52.26	33.78	8.14	5.65	178.52	3.07	4.62	
		21:00	24.35	52.4	33.87	8.13	5.9	162.78	2.57	4.63	
	日平均值			24.56	52.28	33.79	8.18	6.54	167.77	7.32	4.05
	灣內站	0:00	24.04	52.34	33.83	8.2	7.27	199.88	3.99	5.6	
		3:00	24.2	52.26	33.78	8.16	6.66	177.43	5.49	1.58	
		6:00	24.07	52.5	33.93	8.25	6.82	182.37	6.74	2.07	
		9:00	24.6	52.48	33.92	8.18	7.19	205.59	5.91	5.37	
		12:00	25.25	52.29	33.8	8.23	6.89	184.09	5.13	4.79	
		15:00	25.25	52.22	33.76	8.26	6.78	173.07	4.03	2.84	
		18:00	24.86	52.32	33.82	8.15	5.37	206.4	3.01	6.82	
		21:00	24.5	52.52	33.94	8.13	5.66	209.31	4.16	3.53	
	日平均值			24.60	52.37	33.85	8.20	6.58	192.27	4.81	4.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
2月12日	蚵殼站	0:00	24.82	52.56	33.97	8.15	7.65	161.52	7.65	7.43	
		3:00	24.64	52.45	33.90	8.11	6.57	158.6	4.30	7.02	
		6:00	24.46	52.39	33.86	8.16	5.99	151.94	13.10	6.43	
		9:00	24.69	52.42	33.88	8.19	5.22	201.72	13.94	4.83	
		12:00	25.03	52.43	33.89	8.20	5.80	217.46	15.94	5.77	
		15:00	24.96	52.16	33.72	8.28	6.13	186.94	11.00	2.83	
		18:00	24.87	52.21	33.75	8.25	5.25	190.24	16.39	5.18	
		21:00	24.77	52.26	33.78	8.14	5.86	199.83	10.68	3.43	
	日平均值			24.78	52.36	33.84	8.19	6.06	183.53	11.63	5.37
	潮口站	0:00	24.11	52.5	33.93	8.13	7.85	172.82	3.48	5.36	
		3:00	24.38	52.45	33.9	8.1	6.85	180.86	8.18	4.72	
		6:00	24.33	52.35	33.84	8.15	5.95	170.33	13.48	4.27	
		9:00	24.4	52.4	33.87	8.15	5.28	171.52	16.2	4.29	
		12:00	25.06	52.4	33.87	8.2	5.84	162.93	10.06	4.58	
		15:00	25.17	52.13	33.7	8.27	5.8	171.03	7.77	4.56	
		18:00	24.81	52.11	33.69	8.21	5.64	181.55	11.2	4.56	
		21:00	24.16	52.21	33.75	8.12	5.44	163.06	11.18	5	
	日平均值			24.55	52.32	33.82	8.17	6.08	171.76	10.19	4.67
	灣內站	0:00	24.14	52.55	33.96	8.15	7.77	184.31	5.62	6.53	
		3:00	24.18	52.6	33.99	8.1	7.06	180.1	4.36	3.46	
		6:00	24.62	52.43	33.89	8.19	5.69	194.41	5.98	6.6	
		9:00	24.56	52.55	33.96	8.19	5.62	216.35	5.74	5.32	
		12:00	25.02	52.5	33.93	8.22	5.53	168.71	4.63	6.73	
		15:00	25.09	52.21	33.75	8.28	6.03	182.58	6.25	3.06	
		18:00	25.01	52.21	33.75	8.22	5.21	168.71	6.15	4.03	
		21:00	24.25	52.22	33.76	8.16	5.25	202.63	4.26	4.59	
	日平均值			24.61	52.41	33.87	8.19	6.02	187.23	5.37	5.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月13日	蚵殼站	0:00	24.71	52.06	33.66	8.18	7.46	195.88	3.85	4.69	
		3:00	24.55	52.06	33.66	8.19	6.75	199.51	5.08	6.20	
		6:00	24.40	52.29	33.80	8.19	5.59	196.91	4.76	5.01	
		9:00	25.00	52.27	33.79	8.22	6.30	204.95	10.44	8.11	
		12:00	25.35	51.97	33.60	8.22	5.63	192.8	8.47	6.35	
		15:00	25.32	51.90	33.56	8.24	5.76	197.57	11.43	5.14	
		18:00	25.42	52.10	33.68	8.26	5.40	227.08	1.64	8.01	
		21:00	25.17	52.10	33.68	8.13	5.27	218.92	11.57	8.39	
	日平均值		24.99	52.09	33.68	8.20	6.02	204.20	7.16	6.49	
	潮口站	0:00	23.87	52.06	33.66	8.16	7.01	174.17	3.46	5.3	
		3:00	24.35	52.05	33.65	8.16	7.07	186.24	3.53	4.78	
		6:00	24.54	52.14	33.71	8.17	5.86	182.16	4.27	4.79	
		9:00	24.11	52.21	33.75	8.2	5.91	171.62	7.9	5.14	
		12:00	25.09	51.93	33.58	8.21	5.56	163.65	6.38	5.32	
		15:00	25.15	51.8	33.5	8.23	6.02	168.45	5.54	6.07	
		18:00	24.97	52.08	33.67	8.22	5.8	175.32	6.19	6.74	
		21:00	24.78	52.1	33.68	8.11	5.38	178.26	7.09	6.95	
	日平均值		24.61	52.05	33.65	8.18	6.08	174.98	5.55	5.64	
	灣內站	0:00	23.78	52.19	33.74	8.18	7.36	201.6	3.97	3.94	
		3:00	24.56	52.11	33.69	8.2	6.67	170.32	5.49	3.12	
		6:00	24.8	52.29	33.8	8.19	5.98	166.41	6.74	7.34	
		9:00	24.38	52.31	33.81	8.2	5.51	211.61	5.91	5.49	
		12:00	25.12	52.08	33.67	8.21	6.02	133.48	5.13	4.73	
		15:00	25.41	51.9	33.56	8.25	5.83	125.75	4.03	6.12	
		18:00	25.07	52.16	33.72	8.24	5.51	110.05	3.01	9.08	
		21:00	24.6	52.1	33.68	8.14	5.69	171.2	4.16	9.01	
	日平均值		24.72	52.14	33.71	8.20	6.07	161.30	4.81	6.10	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月14日	蚵殼站	0:00	25.32	52.19	33.74	8.13	5.55	195.57	8.71	5.61	
		3:00	25.18	52.27	33.79	8.14	5.91	151.34	2.79	8.85	
		6:00	24.80	52.40	33.87	8.14	6.86	156.68	2.23	6.31	
		9:00	25.54	52.35	33.84	8.28	5.59	165.82	14.59	10.08	
		12:00	25.71	52.10	33.68	8.32	5.41	172.67	7.80	0.85	
		15:00	25.72	52.11	33.69	8.35	5.15	134.71	2.03	1.01	
		18:00	25.20	52.26	33.78	8.35	5.45	164.21	3.65	2.73	
		21:00	25.57	52.31	33.81	8.29	5.03	171.58	8.91	5.80	
	日平均值		25.38	52.25	33.78	8.25	5.62	164.07	6.34	5.16	
	潮口站	0:00	24.48	52.05	33.65	8.13	5.86	181.2	3.16	7.32	
		3:00	24.51	52.13	33.7	8.11	6.37	192.87	5.24	8.05	
		6:00	24.5	52.26	33.78	8.12	6.83	190.61	2.37	7.95	
		9:00	24.32	52.35	33.84	8.25	5.88	177.37	10.39	8.79	
		12:00	24.58	52.05	33.65	8.28	5.51	167.85	4.27	1.62	
		15:00	24.69	52.11	33.69	8.35	5.65	165.65	2.64	2.04	
		18:00	24.51	52.14	33.71	8.34	5.5	176.16	2.53	2.48	
		21:00	23.9	52.22	33.76	8.26	5.08	171.88	9.76	3.42	
	日平均值		24.44	52.16	33.72	8.23	5.84	177.95	5.05	5.21	
	灣內站	0:00	24.51	52.08	33.67	8.13	5.9	197.96	5.62	7.25	
		3:00	24.65	52.14	33.71	8.11	6.6	151.16	4.36	7.15	
		6:00	24.74	52.26	33.78	8.13	6.92	145.85	5.98	6.88	
		9:00	24.18	52.37	33.85	8.25	6	158.38	5.74	7.26	
		12:00	24.72	52.16	33.72	8.28	5.04	159.96	4.63	1.54	
		15:00	24.71	52.26	33.78	8.39	5.52	148.58	6.25	2	
		18:00	24.47	52.14	33.71	8.36	5.5	158.78	6.15	4.57	
		21:00	23.86	52.31	33.81	8.26	5.45	176.34	4.26	4.07	
	日平均值		24.48	52.22	33.75	8.24	5.87	162.13	5.37	5.09	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月15日	蚵殼站	0:00	25.71	52.27	33.79	8.31	5.39	189.47	11.32	2.17	
		3:00	25.32	52.32	33.82	8.25	7.27	143.08	1.59	4.68	
		6:00	25.17	52.58	33.98	8.22	7.60	148.49	2.86	3.54	
		9:00	25.91	52.52	33.94	8.23	5.63	158.74	9.30	6.27	
		12:00	26.17	52.31	33.81	8.23	6.00	191.72	8.55	5.32	
		15:00	25.69	52.08	33.67	8.26	6.18	169	2.64	3.47	
		18:00	25.38	52.16	33.72	8.32	5.44	183.28	12.80	3.81	
		21:00	25.95	52.06	33.66	8.33	5.15	170.86	15.16	3.20	
	日平均值			25.66	52.29	33.80	8.27	6.08	169.33	8.03	4.06
	潮口站	0:00	23.66	52.19	33.74	8.27	5.79	183.62	5.78	4.16	
		3:00	23.7	52.31	33.81	8.25	6.9	202.32	4.54	2.95	
		6:00	23.98	52.45	33.9	8.18	7.92	201.12	2.65	3.56	
		9:00	23.6	52.47	33.91	8.21	5.43	190.2	10.02	4.16	
		12:00	24.23	52.19	33.74	8.22	6.14	175.63	13.36	4.91	
		15:00	24.77	52.01	33.63	8.25	5.93	168.24	4.01	4.56	
		18:00	24.63	52.16	33.72	8.31	5.66	172.32	7.34	4.04	
		21:00	24	52.03	33.64	8.32	5.5	171.17	10.94	4.13	
	日平均值			24.07	52.23	33.76	8.25	6.16	183.08	7.33	4.06
	灣內站	0:00	23.49	52.19	33.74	8.28	5.76	190.13	5.49	3.86	
		3:00	23.99	52.37	33.85	8.28	7.37	146.53	6.74	5.36	
		6:00	23.94	52.56	33.97	8.18	7.72	123.98	5.91	4.97	
		9:00	23.67	52.55	33.96	8.21	5.62	145.76	5.13	5.05	
		12:00	24.17	52.26	33.78	8.24	6.28	179.35	4.03	3.45	
		15:00	24.66	52.11	33.69	8.26	5.74	184.11	3.01	5.71	
		18:00	24.79	52.29	33.8	8.33	5.52	192.65	4.16	6.71	
		21:00	24.12	52.1	33.68	8.35	5.44	199.25	5.1	5.97	
	日平均值			24.10	52.30	33.81	8.27	6.18	170.22	4.95	5.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月16日	蚵殼站	0:00	26.33	52.37	33.85	8.25	5.50	198.24	2.89	4.68	
		3:00	25.68	52.55	33.96	8.24	6.32	198.42	2.21	1.83	
		6:00	25.08	52.56	33.97	8.15	7.60	171.86	1.97	2.39	
		9:00	26.28	52.52	33.94	8.18	6.33	185.67	10.71	4.61	
		12:00	26.85	52.05	33.65	8.25	5.57	178.34	4.27	5.14	
		15:00	26.00	51.89	33.55	8.25	5.69	149.5	6.39	6.63	
		18:00	25.08	52.21	33.75	8.32	5.62	158.45	13.63	4.63	
		21:00	25.73	52.13	33.70	8.31	5.98	159.19	10.63	3.99	
	日平均值			25.88	52.29	33.80	8.24	6.08	174.96	6.59	4.24
	潮口站	0:00	23.7	52.29	33.8	8.21	5.91	185.81	4.19	4.3	
		3:00	23.74	52.4	33.87	8.21	6.44	205.21	3.16	3.5	
		6:00	24.13	52.47	33.91	8.14	7.33	206.6	3.25	3.34	
		9:00	23.74	52.47	33.91	8.17	6.49	193.64	4.98	4.18	
		12:00	24.2	52.01	33.63	8.22	5.77	178.91	8.32	4.98	
		15:00	25.03	51.87	33.54	8.23	5.77	167.85	6.02	4.81	
		18:00	24.86	52.14	33.71	8.32	5.89	176.8	8.32	4.31	
		21:00	24.29	52.1	33.68	8.28	5.13	175.13	6.2	4.26	
	日平均值			24.21	52.22	33.76	8.22	6.09	186.24	5.56	4.21
	灣內站	0:00	23.57	52.43	33.89	8.25	5.79	185.55	4.36	5.21	
		3:00	23.66	52.52	33.94	8.22	6.64	184.74	5.98	6.11	
		6:00	24.09	52.48	33.92	8.18	7.01	186.04	5.74	3.45	
		9:00	23.9	52.58	33.98	8.2	6.37	179.33	4.63	2.33	
		12:00	24.08	52.08	33.67	8.22	5.8	162.96	6.25	5.55	
		15:00	25.22	51.92	33.57	8.24	5.81	173.28	6.15	7.37	
		18:00	25.15	52.19	33.74	8.35	5.89	180.3	4.26	5.85	
		21:00	24.32	52.16	33.72	8.32	5.1	162.15	5.36	5.11	
	日平均值			24.25	52.30	33.80	8.25	6.05	176.79	5.34	5.12
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月17日	蚵殼站	0:00	26.42	52.29	33.80	8.19	5.28	184.17	6.00	5.55	
		3:00	26.00	52.53	33.95	8.15	5.71	199.87	2.74	4.45	
		6:00	24.90	52.69	34.05	8.19	6.53	157.7	2.66	3.96	
		9:00	25.99	52.69	34.05	8.15	6.44	168.13	2.33	5.31	
		12:00	26.57	52.60	33.99	8.21	5.57	145.47	2.54	7.50	
		15:00	26.04	52.21	33.75	8.25	6.87	151.2	2.47	6.99	
		18:00	25.25	52.37	33.85	8.25	8.00	178.36	5.38	5.61	
		21:00	25.47	52.45	33.90	8.28	8.55	153.98	5.99	5.85	
	日平均值			25.83	52.48	33.92	8.21	6.62	167.36	3.76	5.65
	潮口站	0:00	23.96	52.16	33.72	8.18	5.08	181.95	7.56	4.61	
		3:00	23.84	52.39	33.86	8.18	5.61	200.19	3.16	4.84	
		6:00	24.63	52.66	34.03	8.15	6.73	208.75	3.19	4.81	
		9:00	24.94	52.64	34.02	8.23	6.44	197.86	1.97	5.39	
		12:00	23.43	52.58	33.98	8.25	6	187.35	4.23	6.18	
		15:00	24.64	52.18	33.73	8.2	6.52	183.33	6.42	6.45	
		18:00	24.63	52.26	33.78	8.23	7.64	191.38	6.9	5.35	
		21:00	24.12	52.32	33.82	8.23	8.73	191.39	2.88	5.42	
	日平均值			24.27	52.40	33.87	8.21	6.59	192.78	4.54	5.38
	灣內站	0:00	24.17	52.16	33.72	8.21	5.48	177.94	11.06	3.41	
		3:00	23.84	52.45	33.9	8.19	5.52	195.63	5.64	6.97	
		6:00	24.62	52.73	34.07	8.16	7.01	157.37	7.58	3.35	
		9:00	25.22	52.68	34.04	8.23	6.76	154.94	5.49	8.15	
		12:00	23.5	52.68	34.04	8.25	5.59	143.31	6.74	4.61	
		15:00	24.63	52.19	33.74	8.24	6.4	154.85	5.91	5.25	
		18:00	24.91	52.34	33.83	8.25	7.7	184.17	5.13	3.74	
		21:00	23.92	52.37	33.85	8.26	8.25	149.47	4.03	7.33	
	日平均值			24.35	52.45	33.90	8.22	6.59	164.71	6.45	5.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月18日	蚵殼站	0:00	25.81	52.37	33.85	8.1	7.14	166.92	3.55	4.43	
		3:00	25.84	52.42	33.88	8.1	6.46	204.1	4.91	8.20	
		6:00	24.95	52.64	34.02	8.22	7.62	205.2	5.67	8.00	
		9:00	25.50	52.35	33.84	8.15	7.84	209.66	5.72	3.26	
		12:00	25.38	52.24	33.77	8.22	7.00	190.09	7.01	3.79	
		15:00	25.39	52.18	33.73	8.2	6.72	173.35	7.53	0.62	
		18:00	25.20	52.16	33.72	8.24	8.08	158.76	7.43	3.69	
		21:00	25.57	52.22	33.76	8.24	8.47	163.05	3.48	5.46	
	日平均值			25.46	52.32	33.82	8.18	7.42	183.89	5.66	4.68
	潮口站	0:00	23.52	52.29	33.8	8.17	6.73	189.05	3.8	6.22	
		3:00	23.35	52.27	33.79	8.2	6.93	197.85	3.03	6.28	
		6:00	24.23	52.5	33.93	8.22	7.97	206.47	4.71	6.87	
		9:00	24.19	52.35	33.84	8.17	8.29	193.04	1.22	2.66	
		12:00	23.94	52.18	33.73	8.17	6.82	187.1	3.15	2.59	
		15:00	24.44	52.14	33.71	8.17	6.67	176.55	4.73	2.44	
		18:00	24.57	52.08	33.67	8.16	7.78	188.25	3.81	2.48	
		21:00	24.25	52.14	33.71	8.22	8.33	185.71	1.51	3.42	
	日平均值			24.06	52.24	33.77	8.19	7.44	190.50	3.25	4.12
	灣內站	0:00	23.73	52.37	33.85	8.2	6.24	182.28	4.16	5.27	
		3:00	23.28	52.27	33.79	8.24	6.99	187.4	5.1	7.67	
		6:00	24.19	52.56	33.97	8.22	7.51	158.39	5.62	8.66	
		9:00	24.39	52.43	33.89	8.18	7.94	157.46	4.36	5.34	
		12:00	23.81	52.22	33.76	8.17	7.16	155.75	5.98	3.76	
		15:00	24.63	52.18	33.73	8.21	6.56	143.96	5.74	4.69	
		18:00	24.62	52.16	33.72	8.19	8.25	177.23	4.63	2.36	
		21:00	24.31	52.19	33.74	8.25	8.61	169.5	6.25	6.29	
	日平均值			24.12	52.30	33.81	8.21	7.41	166.50	5.23	5.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月19日	蚵殼站	0:00	25.71	52.26	33.78	8.21	6.73	187.94	1.16	2.38	
		3:00	25.32	52.26	33.78	8.15	6.19	206.82	3.95	5.07	
		6:00	25.17	52.39	33.86	8.22	6.77	209.42	2.74	3.05	
		9:00	25.91	52.42	33.88	8.08	7.63	185.72	3.46	3.92	
		12:00	26.17	52.19	33.74	8.18	6.87	174.42	3.28	5.83	
		15:00	25.69	52.19	33.74	8.2	5.88	161.9	9.58	3.34	
		18:00	25.38	52.34	33.83	8.23	8.40	188.69	2.36	6.54	
		21:00	25.95	52.40	33.87	8.27	7.11	164.72	8.33	4.71	
	日平均值			25.66	52.31	33.81	8.19	6.95	184.95	4.36	4.36
	潮口站	0:00	23.79	52.14	33.71	8.14	6.9	195.5	5.65	4.16	
		3:00	23.62	52.19	33.74	8.13	6.24	195.83	1.99	2.95	
		6:00	24.17	52.29	33.8	8.15	6.59	206.74	2.64	3.56	
		9:00	24.2	52.29	33.8	8.18	7.9	206.6	2.16	4.16	
		12:00	24.15	52.13	33.7	8.14	6.75	195.52	5.37	4.91	
		15:00	24.49	52.13	33.7	8.1	6.35	180.38	5.14	4.56	
		18:00	24.6	52.19	33.74	8.11	8.27	187.65	4.26	4.04	
		21:00	24.37	52.34	33.83	8.13	7.26	183.88	2.84	4.13	
	日平均值			24.17	52.21	33.75	8.14	7.03	194.01	3.76	4.06
	灣內站	0:00	23.63	52.21	33.75	8.17	7.36	155.92	4.26	3.68	
		3:00	23.53	52.32	33.82	8.15	6.64	179.62	5.36	3.74	
		6:00	24.23	52.32	33.82	8.17	6.28	172.03	5.49	2.02	
		9:00	24.36	52.32	33.82	8.2	7.84	158.67	6.74	6.66	
		12:00	23.96	52.13	33.7	8.16	6.45	141.76	5.91	5.71	
		15:00	24.43	52.21	33.75	8.1	6.66	151.88	5.13	3.75	
		18:00	24.69	52.26	33.78	8.12	8.74	175.81	4.03	3.44	
		21:00	24.39	52.45	33.9	8.15	7.64	156.07	3.01	3.33	
	日平均值			24.15	52.28	33.79	8.15	7.20	161.47	4.99	4.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月20日	蚵殼站	0:00	26.33	52.55	33.96	8.19	7.61	180.87	9.94	6.82	
		3:00	25.68	52.47	33.91	8.13	6.59	187.47	9.90	4.20	
		6:00	25.08	52.29	33.80	8.12	6.29	199.12	1.11	4.61	
		9:00	26.28	52.45	33.90	8.22	6.44	210.05	3.46	4.64	
		12:00	26.85	52.39	33.86	8.2	6.56	205.05	7.91	5.79	
		15:00	26.00	52.37	33.85	8.21	7.66	189.95	10.55	7.62	
		18:00	25.08	52.32	33.82	8.21	6.35	203.53	6.51	3.77	
		21:00	25.73	52.31	33.81	8.29	6.81	186.83	8.19	5.78	
	日平均值			25.88	52.39	33.86	8.20	6.79	195.36	7.20	5.40
	潮口站	0:00	24	52.43	33.89	8.1	7.6	188.57	3.16	4.3	
		3:00	23.63	52.39	33.86	8.1	6.49	182.91	8.41	3.5	
		6:00	23.91	52.29	33.8	8.09	6.38	212.15	15.66	3.34	
		9:00	23.92	52.34	33.83	8.16	6.79	201.86	7.47	4.18	
		12:00	23.55	52.34	33.83	8.16	6.89	192.51	6.58	4.98	
		15:00	23.47	52.31	33.81	8.15	7.21	166.82	4.26	4.81	
		18:00	23.61	52.21	33.75	8.13	6.84	200.73	7.65	4.31	
		21:00	23.6	52.26	33.78	8.13	6.49	214.1	1.3	4.26	
	日平均值			23.71	52.32	33.82	8.13	6.84	194.96	6.81	4.21
	灣內站	0:00	23.83	52.58	33.98	8.14	7.74	134.92	5.1	5.26	
		3:00	23.79	52.53	33.95	8.14	6.18	192.24	5.62	5.61	
		6:00	23.84	52.32	33.82	8.11	6.8	168	4.36	5.03	
		9:00	24.14	52.48	33.92	8.19	6.79	138.05	5.98	6.93	
		12:00	23.44	52.39	33.86	8.18	6.8	145.41	5.74	4.15	
		15:00	23.5	52.42	33.88	8.15	7.34	159.22	4.63	4.15	
		18:00	23.9	52.21	33.75	8.13	7.3	129.12	6.25	3.59	
		21:00	23.44	52.29	33.8	8.17	6.26	167.61	6.15	5.37	
	日平均值			23.74	52.40	33.87	8.15	6.90	154.32	5.48	5.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月21日	蚵殼站	0:00	26.42	52.08	33.67	8.28	7.86	172.91	12.64	6.98	
		3:00	26.00	52.26	33.78	8.17	6.60	211.96	23.16	5.73	
		6:00	24.90	52.21	33.75	8.17	5.58	201.67	8.79	5.57	
		9:00	25.99	52.03	33.64	8.25	7.14	174.16	5.06	5.50	
		12:00	26.57	52.26	33.78	8.24	7.83	206.96	7.43	5.00	
		15:00	26.04	52.42	33.88	8.2	6.82	195.6	4.97	7.58	
		18:00	25.25	52.47	33.91	8.14	6.81	168.83	6.02	5.74	
		21:00	25.47	52.39	33.86	8.28	6.90	204.8	8.27	5.13	
	日平均值			25.83	52.27	33.78	8.22	6.94	192.11	9.54	5.90
	潮口站	0:00	22.86	52.05	33.65	8.16	8.26	187.31	2.08	4.61	
		3:00	22.46	52.11	33.69	8.16	6.12	176.63	3.22	4.84	
		6:00	23.07	52.06	33.66	8.15	5.91	182.37	19.5	4.81	
		9:00	23.26	52.03	33.64	8.21	7.34	182.39	3.1	5.39	
		12:00	22.66	52.26	33.78	8.24	7.41	132.66	4.05	6.18	
		15:00	22.65	52.29	33.8	8.24	7.13	124.49	3.35	6.45	
		18:00	23.42	52.34	33.83	8.25	6.9	117.7	4.4	5.35	
		21:00	23.32	52.34	33.83	8.24	6.84	172.89	2.68	5.42	
	日平均值			22.96	52.19	33.74	8.21	6.99	159.56	5.30	5.38
	灣內站	0:00	23.11	52.1	33.68	8.19	8.03	146.97	5.36	5.61	
		3:00	22.3	52.18	33.73	8.18	6.26	176.9	25.78	3.79	
		6:00	23.12	52.21	33.75	8.17	5.49	186	11.51	3.98	
		9:00	23.33	52.1	33.68	8.24	7.29	192.26	5.52	8.25	
		12:00	22.95	52.37	33.85	8.28	7.07	164.85	7.5	4.18	
		15:00	22.73	52.4	33.87	8.28	7.09	167.26	8.05	6.21	
		18:00	23.6	52.43	33.89	8.29	6.68	144.72	9.21	5.46	
		21:00	23.31	52.34	33.83	8.25	7.01	147.34	6.18	4.13	
	日平均值			23.06	52.27	33.79	8.24	6.87	165.79	9.89	5.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月22日	蚵殼站	0:00	25.81	52.47	33.91	8.28	7.43	209.75	12.98	7.27	
		3:00	25.84	52.06	33.66	8.18	6.02	199.39	27.56	6.99	
		6:00	24.95	51.85	33.53	8.16	6.08	213.49	7.44	8.67	
		9:00	25.33	51.84	33.52	8.28	6.28	191.56	8.30	6.11	
		12:00	25.93	51.92	33.57	8.2	6.66	198.93	8.59	11.79	
		15:00	25.86	51.63	33.39	8.22	7.71	186.57	2.86	11.20	
		18:00	24.96	51.68	33.42	8.13	7.01	199.99	13.01	8.87	
		21:00	24.62	51.90	33.56	8.22	7.82	186.28	16.41	6.28	
	日平均值			25.41	51.92	33.57	8.21	6.88	198.25	12.14	8.40
	潮口站	0:00	22.53	52.4	33.87	8.23	7.07	166.31	1.03	6.22	
		3:00	22.26	52	33.62	8.22	5.7	142.68	4.4	6.28	
		6:00	23.11	51.84	33.52	8.22	5.84	130.86	16.25	6.87	
		9:00	23.82	51.71	33.44	8.19	6.1	158.93	2.99	7.97	
		12:00	22.95	51.87	33.54	8.17	6.71	125.94	10.18	9.55	
		15:00	22.7	51.63	33.39	8.15	7.31	118.85	5.57	10.57	
		18:00	22.88	51.61	33.38	8.16	7.19	149.06	5.68	8.73	
		21:00	23.66	51.77	33.48	8.17	7.55	199.85	2.56	8.18	
	日平均值			22.99	51.85	33.53	8.19	6.68	149.06	6.08	8.05
	灣內站	0:00	22.56	52.45	33.9	8.26	7.32	155.31	16.54	7.57	
		3:00	22.37	52.13	33.7	8.26	5.49	146.68	19.89	7.86	
		6:00	22.93	51.9	33.56	8.23	5.58	126.31	7.36	5.84	
		9:00	23.93	51.72	33.45	8.21	6.05	134.52	5.24	10.09	
		12:00	23.19	51.9	33.56	8.17	6.34	143.91	10.81	9.26	
		15:00	22.78	51.68	33.42	8.18	7.53	151.7	8.37	12.7	
		18:00	22.82	51.68	33.42	8.16	7.35	159.79	13.62	11.41	
		21:00	23.95	51.84	33.52	8.18	7.2	150.94	25.02	7.46	
	日平均值			23.07	51.91	33.57	8.21	6.61	146.15	13.36	9.02
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月23日	蚵殼站	0:00	25.11	51.59	33.37	8.29	7.25	176.42	12.94	6.31	
		3:00	25.35	51.51	33.32	8.13	5.51	191.71	22.89	8.08	
		6:00	24.87	51.51	33.32	8.09	5.49	200.19	11.94	8.70	
		9:00	25.06	51.63	33.39	8.22	7.01	187.17	9.30	8.18	
		12:00	25.45	52.14	33.71	8.3	7.17	203.14	9.14	11.38	
		15:00	25.41	52.58	33.98	8.28	6.71	181.07	3.31	13.66	
		18:00	25.04	52.40	33.87	8.15	6.39	190.08	19.11	14.73	
		21:00	24.87	52.50	33.93	8.24	7.08	233.36	10.42	12.97	
	日平均值		25.15	51.98	33.61	8.21	6.58	195.39	12.38	10.50	
	潮口站	0:00	23.04	51.48	33.3	8.23	7.23	186.05	3.29	5.02	
		3:00	22.44	51.48	33.3	8.17	5.69	143.12	3.64	6.43	
		6:00	22.74	51.48	33.3	8.2	5.58	128.38	16.3	6.5	
		9:00	23.85	51.59	33.37	8.19	6.52	178.18	6.51	7.77	
		12:00	23.36	52.01	33.63	8.22	7.29	126.97	5.3	10.18	
		15:00	22.63	52.58	33.98	8.21	7.08	133.48	9.04	12.5	
		18:00	21.93	52.32	33.82	8.17	6.76	127.63	7.05	12.29	
		21:00	22.58	52.35	33.84	8.15	7.36	218.76	4.47	10.83	
	日平均值		22.82	51.91	33.57	8.19	6.69	155.32	6.95	8.94	
	灣內站	0:00	23.2	51.55	33.34	8.27	7.7	142.52	6.28	3.41	
		3:00	22.35	51.59	33.37	8.17	5.57	162.21	17.86	8.54	
		6:00	22.59	51.59	33.37	8.24	5.2	166.82	10.19	6.62	
		9:00	23.74	51.68	33.42	8.21	6.34	179.48	5.49	5.95	
		12:00	23.46	52.16	33.72	8.24	6.94	150.62	6.74	8.61	
		15:00	22.81	52.73	34.07	8.24	6.95	151.07	5.91	13.08	
		18:00	21.87	52.39	33.86	8.17	6.6	143.8	5.13	10.58	
		21:00	22.63	52.47	33.91	8.15	7.59	164.22	4.03	9.73	
	日平均值		22.83	52.02	33.63	8.21	6.61	157.59	7.70	8.32	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月24日	蚵殼站	0:00	24.67	52.58	33.98	8.26	6.70	181.11	5.97	9.35	
		3:00	24.67	52.81	34.12	8.12	6.39	192.92	23.76	6.78	
		6:00	24.86	52.58	33.98	8.1	6.44	185.83	22.49	4.68	
		9:00	25.33	52.18	33.73	8.19	5.29	189.91	10.64	7.50	
		12:00	25.93	51.77	33.48	8.31	6.44	133.09	3.81	6.37	
		15:00	25.86	51.97	33.60	8.25	6.03	141.14	3.04	10.09	
		18:00	24.96	52.24	33.77	8.17	6.06	110.74	6.05	7.76	
		21:00	24.62	52.31	33.81	8.18	8.78	190.75	9.55	3.34	
	日平均值		25.11	52.31	33.81	8.20	6.52	165.69	10.66	6.98	
	潮口站	0:00	23.35	52.53	33.95	8.21	6.25	209.13	7.17	8.93	
		3:00	22.34	52.68	34.04	8.11	6.29	140.43	5.95	6.11	
		6:00	22.29	52.56	33.97	8.17	6.09	123.68	8.76	5.75	
		9:00	23.76	52.08	33.67	8.17	5.66	142.74	4.98	6.93	
		12:00	23.93	51.71	33.44	8.21	6.6	123.97	5.87	8.2	
		15:00	22.65	51.85	33.53	8.2	6.49	143.6	6.63	7.4	
		18:00	22.33	52.18	33.73	8.11	6.4	128.25	7.93	5.52	
		21:00	22.17	52.22	33.76	8.09	8.46	196.98	9.69	4.29	
	日平均值		22.85	52.23	33.76	8.16	6.53	151.10	7.12	6.64	
	灣內站	0:00	23.16	52.6	33.99	8.25	5.98	169.41	4.16	7.15	
		3:00	22.26	52.68	34.04	8.12	6.07	146.63	5.1	4.35	
		6:00	22.15	52.58	33.98	8.21	6.08	151.9	5.62	8.22	
		9:00	23.96	52.21	33.75	8.17	6.04	179.9	4.36	8.47	
		12:00	23.83	51.79	33.49	8.24	6.61	148.61	5.98	11.03	
		15:00	22.82	51.93	33.58	8.21	6.47	162.94	5.74	7.53	
		18:00	22.38	52.21	33.75	8.12	6.47	154.96	4.63	7.74	
		21:00	22.23	52.22	33.76	8.13	8.13	179.29	6.25	5.7	
	日平均值		22.85	52.28	33.79	8.18	6.48	161.71	5.23	7.52	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月25日	蚵殼站	0:00	25.11	52.42	33.88	8.3	6.85	172.86	13.26	4.02	
		3:00	25.35	52.29	33.80	8.17	6.13	128.33	14.08	7.31	
		6:00	25.08	52.35	33.84	8.15	7.51	148.3	12.84	5.45	
		9:00	24.45	52.43	33.89	8.22	6.75	144.54	5.42	7.49	
		12:00	24.86	51.56	33.35	8.34	6.15	123.62	13.16	10.02	
		15:00	25.44	51.76	33.47	8.3	7.05	115.52	7.41	11.01	
		18:00	25.07	52.16	33.72	8.15	6.42	142.29	1.89	9.05	
		21:00	24.80	52.11	33.69	8.19	7.16	183.27	6.76	7.69	
	日平均值		25.02	52.14	33.71	8.23	6.75	144.84	9.35	7.76	
	潮口站	0:00	23.03	52.35	33.84	8.13	7.26	218.73	6.34	3.54	
		3:00	22.73	52.14	33.71	8.12	6.47	148.23	6.7	4.95	
		6:00	22.3	52.31	33.81	8.14	7.6	128.89	7.17	5.02	
		9:00	23.65	52.42	33.88	8.17	6.49	149.13	5.95	6.29	
		12:00	24.25	51.53	33.33	8.16	6.38	124.02	8.76	8.7	
		15:00	23.15	51.64	33.40	8.19	6.79	141.35	2.91	11.02	
		18:00	22.84	52.03	33.64	8.21	6.89	178.74	23.26	10.81	
		21:00	22.66	52.06	33.66	8.12	6.72	176.7	1.85	9.35	
	日平均值		23.08	52.06	33.66	8.16	6.83	158.22	7.87	7.46	
	灣內站	0:00	22.97	52.37	33.85	8.14	7.73	136.66	4.26	4.19	
		3:00	22.92	52.19	33.74	8.16	6.31	155.73	5.36	7.17	
		6:00	22.51	52.31	33.81	8.14	7.26	127.7	19.49	4.11	
		9:00	23.9	52.55	33.96	8.19	6.33	173.95	10.93	6.47	
		12:00	24.27	51.59	33.37	8.19	6.1	134.75	10.46	10.37	
		15:00	23.4	51.74	33.46	8.2	6.55	180.39	9.85	13.64	
		18:00	22.75	52.18	33.73	8.21	6.4	139.38	4.05	8.91	
		21:00	22.52	52.21	33.75	8.16	7.12	182.09	2.71	8.39	
	日平均值		23.16	52.14	33.71	8.17	6.73	153.83	8.39	7.91	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月26日	蚵殼站	0:00	24.69	52.53	33.95	8.43	8.35	194.36	15.49	5.48	
		3:00	24.46	52.32	33.82	8.28	6.55	128.45	10.94	2.84	
		6:00	24.31	52.53	33.95	8.33	6.59	139.8	29.42	2.71	
		9:00	24.66	52.35	33.84	8.39	7.91	164.76	11.84	4.85	
		12:00	25.04	52.29	33.80	8.36	8.65	116.06	6.74	9.15	
		15:00	25.05	52.40	33.87	8.34	8.86	138.89	16.06	6.72	
		18:00	24.88	52.68	34.04	8.29	7.25	127.23	22.70	5.90	
		21:00	24.82	52.69	34.05	8.24	7.48	227.74	8.03	3.02	
	日平均值		24.74	52.47	33.92	8.33	7.71	154.66	15.15	5.08	
	潮口站	0:00	22.9	52.39	33.86	8.1	8.46	163	3.78	7.45	
		3:00	23.28	52.21	33.75	8.1	7.03	169.57	7.34	4.63	
		6:00	23.16	52.48	33.92	8.14	6.72	210.35	2.16	4.27	
		9:00	23.53	52.31	33.81	8.18	8.18	178.68	1.68	5.45	
		12:00	24.28	52.26	33.78	8.2	8.49	181.42	8.54	6.72	
		15:00	23.93	52.37	33.85	8.23	8.74	155.91	6.92	5.92	
		18:00	23.34	52.56	33.97	8.23	7.26	189.5	9.67	4.04	
		21:00	23.34	52.63	34.01	8.16	7.6	176.56	2.7	2.81	
	日平均值		23.47	52.40	33.87	8.17	7.81	178.12	5.35	5.16	
	灣內站	0:00	23.14	52.5	33.93	8.13	8.82	154.26	8.97	8.32	
		3:00	23.22	52.32	33.82	8.11	6.7	144.97	18.62	3.63	
		6:00	23.24	52.61	34	8.15	7.04	142.51	20.48	3.04	
		9:00	23.68	52.42	33.88	8.2	8.49	158.68	15.18	6.19	
		12:00	24.32	52.4	33.87	8.21	8.36	127.83	10.51	6	
		15:00	23.96	52.48	33.92	8.26	8.27	155.03	11.56	5.34	
		18:00	23.49	52.64	34.02	8.23	7.47	153.35	23.66	3.78	
		21:00	23.5	52.71	34.06	8.16	7.19	158.04	16.25	1.64	
	日平均值		23.57	52.51	33.94	8.18	7.79	149.33	15.65	4.74	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月27日	蚵殼站	0:00	24.84	52.63	34.01	8.23	7.89	220.06	8.57	1.71	
		3:00	24.68	52.69	34.05	8.11	7.46	158.62	12.67	4.77	
		6:00	24.49	52.56	33.97	8.08	8.26	142.76	12.29	3.78	
		9:00	24.97	52.73	34.07	8.2	8.40	126.68	15.51	6.43	
		12:00	25.37	52.84	34.14	8.15	8.67	107.13	4.72	2.93	
		15:00	25.27	52.61	34.00	8.16	8.10	137.18	2.22	3.18	
		18:00	25.28	52.71	34.06	8.11	7.18	143.3	11.45	5.10	
		21:00	25.29	52.69	34.05	8.2	7.44	212.39	8.28	5.09	
	日平均值		25.02	52.68	34.04	8.16	7.93	156.02	9.46	4.12	
	潮口站	0:00	23.18	52.63	34.01	8.13	7.81	184.86	2.22	1.52	
		3:00	23.72	52.58	33.98	8.15	7.43	162.7	10.84	2.09	
		6:00	23.3	52.56	33.97	8.15	7.91	192.91	3.93	3.99	
		9:00	23.48	52.73	34.07	8.16	8.02	174.59	2.77	6.05	
		12:00	24.29	52.76	34.09	8.25	8.29	186.74	17.5	4.01	
		15:00	24.52	52.61	34.00	8.24	7.79	137.93	6.99	3.78	
		18:00	23.97	52.63	34.01	8.23	7.26	130.37	4.11	5.48	
		21:00	23.94	52.61	34.00	8.2	7.6	126.41	7.4	6.29	
	日平均值		23.80	52.64	34.02	8.19	7.76	162.06	6.97	4.15	
	灣內站	0:00	23.44	52.71	34.06	8.16	7.62	183.52	5.49	0.48	
		3:00	23.64	52.73	34.07	8.16	7.59	142.03	6.74	4.83	
		6:00	23.56	52.6	33.99	8.19	8.17	143.23	5.91	5.91	
		9:00	23.43	52.77	34.1	8.2	7.68	182.49	5.13	9.03	
		12:00	24.56	52.77	34.1	8.26	8.59	177.42	4.03	4.95	
		15:00	24.77	52.66	34.03	8.24	7.85	164.93	3.01	5.13	
		18:00	23.98	52.63	34.01	8.26	7.06	151.67	4.16	6.95	
		21:00	24.15	52.68	34.04	8.2	7.22	167.71	5.1	7.72	
	日平均值		23.94	52.69	34.05	8.21	7.72	164.13	4.95	5.63	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
2月28日	蚵殼站	0:00	25.13	52.89	34.17	8.21	8.21	218.83	3.61	7.36	
		3:00	25.13	52.64	34.02	8.15	7.92	157.65	12.04	5.44	
		6:00	25.01	52.50	33.93	8.17	7.83	131.62	12.03	4.01	
		9:00	25.27	52.56	33.97	8.20	7.81	131.96	15.05	7.47	
		12:00	25.56	52.43	33.89	8.23	6.89	136.14	12.14	6.81	
		15:00	25.62	52.63	34.01	8.22	7.48	150.61	8.44	4.48	
		18:00	25.53	52.81	34.12	8.12	9.19	178.67	13.73	11.08	
		21:00	25.62	52.55	33.96	8.09	8.42	162.94	16.11	8.08	
	日平均值		25.36	52.63	34.01	8.17	7.97	158.55	11.64	6.84	
	潮口站	0:00	23.44	52.74	34.08	8.16	8.65	205.6	4.26	4.94	
		3:00	23.83	52.58	33.98	8.15	7.6	194.75	5.14	4.08	
		6:00	23.55	52.39	33.86	8.19	7.95	139.57	1.77	5.28	
		9:00	23.35	52.53	33.95	8.13	7.6	130.46	2.92	8.37	
		12:00	24.34	52.29	33.80	8.2	6.49	123.3	4.72	7.24	
		15:00	24.46	52.56	33.97	8.24	7.3	155.07	2	6.33	
		18:00	24.25	52.68	34.04	8.25	8.89	168.96	2.61	8.26	
		21:00	24.26	52.53	33.95	8.25	8.8	151	3.33	9.19	
	日平均值		23.94	52.54	33.95	8.20	7.91	158.59	3.34	6.71	
	灣內站	0:00	23.27	52.81	34.12	8.16	8.87	194.59	4.36	4.13	
		3:00	23.66	52.6	33.99	8.16	7.19	147.72	5.98	2.97	
		6:00	23.71	52.39	33.86	8.23	7.6	164.21	5.74	7.15	
		9:00	23.15	52.64	34.02	8.15	7.34	142.94	4.63	6.73	
		12:00	24.15	52.39	33.86	8.24	6.54	151.45	6.25	5.24	
		15:00	24.61	52.69	34.05	8.27	7.39	182.26	6.15	6.72	
		18:00	24.54	52.68	34.04	8.25	8.78	196.6	4.26	6.69	
		21:00	24.17	52.55	33.96	8.29	9.24	155.29	5.36	10.11	
	日平均值		23.91	52.59	33.99	8.22	7.87	166.88	5.34	6.22	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月1日	蚵殼站	0:00	25.42	52.74	34.08	8.14	7.83	175.93	4.23	7.39	
		3:00	25.08	52.74	34.08	8.16	6.01	171.78	22.31	4.31	
		6:00	24.93	52.55	33.96	8.16	7.16	208.92	13.89	4.44	
		9:00	25.23	52.64	34.02	8.18	7.59	196.62	16.69	6.5	
		12:00	25.5	52.39	33.86	8.18	8.2	199.22	11.35	5.97	
		15:00	25.63	52.43	33.89	8.20	8.54	152.14	9.22	8.72	
		18:00	25.57	52.08	33.67	8.21	7.51	205.18	4.32	6.94	
		21:00	25.49	52.58	33.98	8.13	7.79	160.59	7.99	9.36	
	日平均值		25.36	52.52	33.94	8.17	7.58	183.80	11.25	6.70	
	潮口站	0:00	23.99	52.74	34.08	8.3	8.2	187.56	4.58	5.92	
		3:00	23.91	52.68	34.04	8.18	5.73	218.66	1.25	5.73	
		6:00	23.84	52.48	33.92	8.22	7.29	152.62	11.31	6.38	
		9:00	24.03	52.53	33.95	8.29	7.75	146.6	7.45	6.8	
		12:00	24.45	52.34	33.83	8.25	8.02	120.9	1.45	6.83	
		15:00	24.61	52.32	33.82	8.23	8.07	141.19	9.31	7.36	
		18:00	24.44	52.01	33.63	8.19	7.35	168.43	15.72	7.88	
		21:00	24.64	52.5	33.93	8.31	7.6	165.29	8.72	6.87	
	日平均值		24.24	52.45	33.90	8.25	7.50	162.66	7.47	6.72	
	灣內站	0:00	24.23	52.84	34.14	8.1	7.9	174.24	7.51	5.82	
		3:00	23.83	52.79	34.11	8.14	5.26	188.25	21.94	7.31	
		6:00	23.66	52.6	33.99	8.22	6.95	145.79	4.39	6.1	
		9:00	24.12	52.63	34.01	8.18	7.7	157.69	15.53	8.2	
		12:00	24.61	52.35	33.84	8.25	8.47	166.31	10.94	7.86	
		15:00	24.71	52.43	33.89	8.23	8.05	186.37	2.44	8.79	
		18:00	24.42	52.06	33.66	8.25	7.43	160.88	5.49	9.17	
		21:00	24.69	52.61	34	8.27	7.13	179.76	6.74	8.73	
	日平均值		24.28	52.54	33.96	8.21	7.36	169.91	9.37	7.75	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$ 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月2日	蚵殼站	0:00	25.41	52.68	34.04	8.12	8.71	178.7	11.77	8.5	
		3:00	25.2	52.76	34.09	8.14	6.19	161.55	16.15	4.99	
		6:00	25.12	52.66	34.03	8.15	6.1	179.86	16.85	7.5	
		9:00	25.35	52.55	33.96	8.20	7.74	173.14	14.97	5.58	
		12:00	25.66	52.66	34.03	8.20	7.54	161.72	8.3	6.58	
		15:00	25.62	52.47	33.91	8.23	8.14	167.45	6.66	6.89	
		18:00	25.75	52.05	33.65	8.27	7.36	189.93	14.8	6.3	
		21:00	25.98	52.69	34.05	8.16	7.9	159.38	6.44	6.99	
	日平均值		25.51	52.57	33.97	8.18	7.46	171.47	11.99	6.67	
	潮口站	0:00	24.75	52.68	34.04	8.32	8.95	177.78	14.95	5.56	
		3:00	24.39	52.69	34.05	8.2	6.03	216.22	6.68	4.66	
		6:00	23.97	52.53	33.95	8.19	5.65	191.34	6.97	4.55	
		9:00	24.77	52.53	33.95	8.3	7.29	166.03	3.06	4.51	
		12:00	24.9	52.56	33.97	8.25	8.04	151.69	7.17	4.52	
		15:00	24.78	52.4	33.87	8.23	7.81	124.09	5.95	5.39	
		18:00	24.14	51.9	33.56	8.18	7.29	161.12	6.27	6.02	
		21:00	24.54	52.6	33.99	8.27	8.36	191.43	6.56	6.65	
	日平均值		24.53	52.49	33.92	8.24	7.43	172.46	7.20	5.23	
	灣內站	0:00	24.88	52.73	34.07	8.17	8.67	156.91	5.13	8.44	
		3:00	24.2	52.82	34.13	8.17	6.25	168.56	4.03	4.44	
		6:00	24.24	52.53	33.95	8.22	5.93	154.18	3.01	7.33	
		9:00	24.94	52.58	33.98	8.09	7.77	162.09	4.16	3.91	
		12:00	25.11	52.56	33.97	8.18	7.95	162.34	5.1	3.4	
		15:00	24.87	52.52	33.94	8.22	7.68	159.74	5.62	6.42	
		18:00	23.94	52.03	33.64	8.24	7.68	169.3	4.36	5.59	
		21:00	24.57	52.73	34.07	8.3	8.42	144.37	5.98	9.52	
	日平均值		24.59	52.56	33.97	8.20	7.54	159.69	4.67	6.13	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$ 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月3日	蚵殼站	0:00	25.96	52.77	34.1	8.17	7.72	179.87	3.96	6.71	
		3:00	25.34	52.79	34.11	8.17	6.04	174.89	8.74	5.11	
		6:00	25.24	52.63	34.01	8.15	5.35	174.78	18.02	5.12	
		9:00	25.75	52.56	33.97	8.16	7.78	154.34	5.33	7.79	
		12:00	25.62	52.22	33.76	8.26	6.93	176.88	11	3.28	
		15:00	25.57	51.8	33.5	8.28	6.96	153.04	4.09	3.47	
		18:00	25.46	52.79	34.11	8.25	8.47	159.97	3.65	5.34	
		21:00	25.56	52.68	34.04	8.23	6.37	177.37	6.14	7.84	
	日平均值		25.56	52.53	33.95	8.21	6.95	168.89	7.62	5.58	
	潮口站	0:00	24.8	52.68	34.04	8.31	7.83	151.5	16.11	5.92	
		3:00	24.37	52.73	34.07	8.18	6.03	214.73	10.46	4.66	
		6:00	23.69	52.63	34.01	8.11	5.65	210.24	13.44	5.07	
		9:00	24.1	52.52	33.94	8.24	7.77	175.27	21.75	5.16	
		12:00	25.38	52.19	33.74	8.33	6.46	190.79	17.44	5.2	
		15:00	24.63	51.77	33.48	8.32	6.52	132.9	23.99	5.32	
		18:00	24.22	52.66	34.03	8.16	8.56	147.52	19.16	6.04	
		21:00	24.73	52.53	33.95	8.29	6.79	148.03	24.61	5.13	
	日平均值		24.49	52.46	33.91	8.24	6.95	171.37	18.37	5.31	
	灣內站	0:00	24.77	52.68	34.04	8.22	7.67	170.6	4.63	4.4	
		3:00	24.25	52.76	34.09	8.15	6.06	182.97	6.25	4.37	
		6:00	23.91	52.68	34.04	8.13	5.37	174.21	6.15	5.4	
		9:00	24	52.63	34.01	8.21	7.35	165.45	4.26	5.76	
		12:00	25.19	52.22	33.76	8.19	6.02	174.38	5.36	6.56	
		15:00	24.51	51.8	33.5	8.23	6.4	166.33	5.49	3.43	
		18:00	24.05	52.81	34.12	8.24	8.61	163.09	6.74	5.51	
		21:00	24.89	52.64	34.02	8.29	6.72	171.52	5.91	5.21	
	日平均值		24.45	52.53	33.95	8.21	6.78	171.07	5.60	5.08	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月4日	蚵殼站	0:00	25.65	52.43	33.89	8.21	6.74	184.73	17.69	3.85	
		3:00	25.09	52.63	34.01	8.20	8.49	179.74	17.02	2.02	
		6:00	24.87	52.43	33.89	8.15	8.14	191.63	18.72	3.11	
		9:00	25.29	52.45	33.9	8.27	9.08	174.65	5.76	6.53	
		12:00	25.47	52.5	33.93	8.27	6.62	186.68	10.48	6	
		15:00	25.37	52.11	33.69	8.24	7.06	182.3	15.02	7.56	
		18:00	25.26	52.43	33.89	8.27	8.47	188.34	23.6	5.87	
		21:00	25.37	52.01	33.63	8.25	5.79	154.89	9.06	7.02	
	日平均值		25.30	52.37	33.85	8.23	7.55	180.37	14.67	5.25	
	潮口站	0:00	25.01	52.29	33.8	8.31	6.32	138.36	20.05	3.61	
		3:00	24.75	52.53	33.95	8.17	8.82	178.5	24.93	3.64	
		6:00	24.15	52.43	33.89	8.15	8.57	193.25	28.01	3.71	
		9:00	24.9	52.43	33.89	8.24	8.93	157.3	14.44	3.65	
		12:00	25.42	52.47	33.91	8.34	6.48	169.75	12.24	4.12	
		15:00	24.84	52.1	33.68	8.29	6.64	141.76	15.95	4.89	
		18:00	24.1	52.39	33.86	8.2	8.96	158.07	3.17	5.35	
		21:00	24.31	51.98	33.61	8.22	6.14	156.03	15.79	4.37	
	日平均值		24.69	52.33	33.82	8.24	7.61	161.63	16.82	4.17	
	灣內站	0:00	24.92	52.31	33.81	8.27	6.16	188.02	4.03	1.8	
		3:00	24.73	52.55	33.96	8.17	8.37	199.3	3.01	4.63	
		6:00	24.03	52.55	33.96	8.17	8.7	172.99	4.16	5.35	
		9:00	24.94	52.5	33.93	8.25	8.78	168.28	5.1	4.1	
		12:00	25.24	52.58	33.98	8.24	6.06	161.01	5.62	4.35	
		15:00	24.78	52.18	33.73	8.2	6.26	146.91	4.36	6.76	
		18:00	24.25	52.48	33.92	8.18	9.25	194.98	5.98	6.66	
		21:00	24.13	52.08	33.67	8.29	5.82	179.94	5.74	6.13	
	日平均值		24.63	52.40	33.87	8.22	7.43	176.43	4.75	4.97	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月5日	蚵殼站	0:00	25.39	51.48	33.3	8.17	6.39	188.06	5.77	5	
		3:00	25.16	52.61	34	8.21	7.07	198.47	5.45	6.38	
		6:00	24.84	52.66	34.03	8.24	8.63	156.69	16.77	3.19	
		9:00	25.24	52.31	33.81	8.17	8.85	159.91	15.07	3.97	
		12:00	25.54	52.27	33.79	8.17	6.83	173.58	4.1	6.14	
		15:00	25.23	51.47	33.29	8.17	6.22	173.99	9.3	5.06	
		18:00	25.24	51.72	33.45	8.20	6.51	149.39	11.98	7.98	
		21:00	25.46	52.22	33.76	8.22	8.07	142.71	12.29	7.55	
	日平均值		25.26	52.09	33.68	8.19	7.32	167.85	10.09	5.66	
	潮口站	0:00	24.67	51.45	33.28	8.35	6.23	163	2.55	3.76	
		3:00	24.57	52.58	33.98	8.19	7.55	148.9	20.64	3.8	
		6:00	23.87	52.52	33.94	8.18	8.38	210.35	22.09	3.89	
		9:00	24.8	52.27	33.79	8.25	8.81	178.68	18.86	3.79	
		12:00	25.65	52.26	33.78	8.39	6.87	181.42	22.67	3.84	
		15:00	25.35	51.4	33.25	8.31	6.54	155.91	23.63	6.85	
		18:00	24.43	51.72	33.45	8.19	6.12	189.5	20.13	6.02	
		21:00	24.61	52.18	33.73	8.23	7.98	176.56	19	5.19	
	日平均值		24.74	52.05	33.65	8.26	7.31	175.54	18.70	4.64	
	灣內站	0:00	24.85	51.58	33.36	8.28	6.71	199.1	6.25	2.77	
		3:00	24.45	52.58	33.98	8.18	7.98	188.06	6.15	3.27	
		6:00	24.12	52.58	33.98	8.14	8.56	200.8	4.26	3.95	
		9:00	24.7	52.42	33.88	8.25	8.8	184.83	5.36	6.51	
		12:00	25.45	52.32	33.82	8.2	7.06	191.59	6.52	3.74	
		15:00	25.59	51.51	33.32	8.2	6.97	159.23	5.9	8.91	
		18:00	24.65	51.87	33.54	8.17	6.23	156.63	9.65	7.15	
		21:00	24.57	52.29	33.8	8.24	7.76	168.23	13.17	5.29	
	日平均值		24.80	52.14	33.71	8.21	7.51	181.06	7.16	5.20	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月6日	蚵殼站	0:00	25.32	52.42	33.88	8.14	6.27	168.08	6.95	3.79	
		3:00	25.09	52.55	33.96	8.15	8.94	163.93	5.16	4.79	
		6:00	24.84	52.47	33.91	8.19	7.93	164.02	4.16	4.72	
		9:00	25.16	52.52	33.94	8.21	5.86	149.03	9.15	2.79	
		12:00	25.57	52.45	33.9	8.18	6.81	140.05	9.96	3.53	
		15:00	25.44	52.47	33.91	8.12	6.81	142.33	3.75	3.5	
		18:00	25.09	52	33.62	8.14	6.43	188.07	6.47	6.56	
		21:00	25.14	52.16	33.72	8.17	7.85	166.78	14.77	8.97	
	日平均值		25.21	52.38	33.86	8.16	7.11	160.29	7.55	4.83	
	潮口站	0:00	25.17	52.37	33.85	8.33	6.32	184.86	18.89	5.56	
		3:00	25.41	52.4	33.87	8.22	8.45	162.7	17.93	4.66	
		6:00	24.41	52.4	33.87	8.21	8.3	192.91	20.6	4.55	
		9:00	24.95	52.47	33.91	8.16	6.16	174.59	21.91	4.51	
		12:00	25.91	52.37	33.85	8.24	6.32	186.74	5.22	4.52	
		15:00	25.36	52.32	33.82	8.23	6.49	177.47	7.75	5.39	
		18:00	24.59	51.97	33.6	8.19	6.35	186.9	7.3	6.02	
		21:00	24.51	52.05	33.65	8.31	8.22	187.03	21.18	6.65	
	日平均值		25.04	52.29	33.80	8.24	7.08	181.65	15.10	5.23	
	灣內站	0:00	25.32	52.45	33.9	8.27	6.32	193.78	5.08	7.27	
		3:00	25.49	52.48	33.92	8.14	8.83	216.54	11.82	4.58	
		6:00	24.4	52.55	33.96	8.06	7.85	192.41	3.96	3.05	
		9:00	25.24	52.47	33.91	8.22	5.91	203.8	11.07	4.08	
		12:00	25.83	52.4	33.87	8.3	6.1	181.73	3.5	2.93	
		15:00	25.48	52.42	33.88	8.29	6.65	169.95	10.13	6.77	
		18:00	24.64	52.1	33.68	8.15	6.49	178.51	16.15	5.33	
		21:00	24.54	52.16	33.72	8.24	7.99	176.51	7.4	8.79	
	日平均值		25.12	52.38	33.86	8.21	7.02	189.15	8.64	5.35	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月7日	蚵殼站	0:00	25.11	52.35	33.84	8.12	5.85	161.85	3.65	2.06	
		3:00	25.06	52.4	33.87	8.13	7.43	175.35	19.56	4.61	
		6:00	24.73	52.31	33.81	8.12	7.73	198.77	4.53	2.2	
		9:00	24.96	52.43	33.89	8.19	8.54	140.52	20.03	5.04	
		12:00	25.18	52.19	33.74	8.17	8.36	129.87	11.58	4.39	
		15:00	24.94	52.14	33.71	8.16	6.75	130.42	7.26	5.46	
		18:00	24.62	52.22	33.76	8.17	8.21	122.76	4.36	8.04	
		21:00	24.55	52.06	33.66	8.17	8.07	160.36	12.72	2.89	
	日平均值		24.89	52.26	33.79	8.15	7.62	152.49	10.46	4.34	
	潮口站	0:00	24.98	52.26	33.78	8.32	6.33	170.77	10.32	3.68	
		3:00	24.98	52.4	33.87	8.29	7.6	190.29	17	3.72	
		6:00	24.3	52.27	33.79	8.31	8.13	176.04	15.48	3.76	
		9:00	24.16	52.32	33.82	8.34	8.27	157.68	13.44	3.84	
		12:00	24.41	52.16	33.72	8.35	8.86	172.91	5.38	4.68	
		15:00	24.64	52.14	33.71	8.35	6.49	170.71	6.12	6.29	
		18:00	24.01	52.08	33.67	8.3	8.68	183.39	7.28	5.45	
		21:00	23.49	51.93	33.58	8.24	7.91	204.21	13.54	4.32	
	日平均值		24.37	52.20	33.74	8.31	7.78	178.25	11.07	4.47	
	灣內站	0:00	25.07	52.35	33.84	8.29	6.8	192.55	7.51	5.1	
		3:00	25.26	52.48	33.92	8.14	7.57	190.97	17.33	4.51	
		6:00	24.42	52.37	33.85	8.14	7.94	192.22	3.85	2.87	
		9:00	24.4	52.43	33.89	8.22	8.51	195.49	17.43	1.86	
		12:00	24.47	52.24	33.77	8.32	8.93	178.59	5.38	6.63	
		15:00	24.73	52.19	33.74	8.24	6.33	174.86	4.46	4.3	
		18:00	24.16	52.22	33.76	8.15	9.15	192.73	5.49	5.2	
		21:00	23.31	51.93	33.58	8.21	8.26	205.93	6.74	3.85	
	日平均值		24.48	52.28	33.79	8.21	7.94	190.42	8.52	4.29	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 □→				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月8日	蚵殼站	0:00	24.43	52.19	33.74	8.20	8.74	151.93	2.18	4.17	
		3:00	24.39	52.14	33.71	8.16	5.55	147.74	14.33	6.22	
		6:00	24.72	51.59	33.37	8.19	5.66	183.34	18.97	3.72	
		9:00	24.6	51.92	33.57	8.25	6.94	163.47	17.91	3.91	
		12:00	24.73	51.82	33.51	8.28	5.71	172.19	9.19	2.72	
		15:00	25.19	51.98	33.61	8.26	6.67	150.47	2.93	8.17	
		18:00	25.07	52.08	33.67	8.27	6.52	133.09	15.27	5.79	
		21:00	24.95	52.24	33.77	8.26	7.34	151.06	9.53	6.18	
	日平均值		24.76	52.00	33.62	8.23	6.64	156.66	11.29	5.11	
	潮口站	0:00	23.27	52.1	33.68	8.24	8.5	158.67	8.62	4.68	
		3:00	23.01	52.08	33.67	8.21	6.03	150.88	7.1	4.99	
		6:00	22.9	51.53	33.33	8.26	5.65	162.69	5.35	5.45	
		9:00	23.46	51.92	33.57	8.21	6.52	150.11	9.51	4.32	
		12:00	23.76	51.71	33.44	8.24	6.12	167.53	8.96	4.48	
		15:00	23.85	51.85	33.53	8.31	6.25	181.89	7.78	5.99	
		18:00	23.55	52.05	33.65	8.19	6.53	178.2	8.29	6.03	
		21:00	23.46	52.19	33.74	8.18	7.78	207.23	12	5.22	
	日平均值		23.41	51.93	33.58	8.23	6.67	169.65	8.45	5.15	
	灣內站	0:00	23.24	52.21	33.75	8.3	8.63	170.86	5.13	5.85	
		3:00	23.03	52.18	33.73	8.14	6.21	198.13	4.03	3.73	
		6:00	22.75	51.59	33.37	8.15	5.68	225.77	3.01	6.14	
		9:00	23.33	51.93	33.58	8.21	6.76	203.58	4.16	2.4	
		12:00	23.63	51.72	33.45	8.38	6.13	176.83	5.1	5.82	
		15:00	23.65	51.93	33.58	8.26	6.15	193.55	5.62	6.94	
		18:00	23.38	52.16	33.72	8.14	6.9	180.89	4.36	5.63	
		21:00	23.38	52.31	33.81	8.22	7.76	181.95	5.98	5.04	
	日平均值		23.30	52.00	33.62	8.23	6.78	191.45	4.67	5.19	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 □→				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月9日	蚵殼站	0:00	24.82	52	33.62	8.23	8.54	138.6	10.28	3.37	
		3:00	24.72	51.89	33.55	8.23	6.19	127.04	10.04	5.03	
		6:00	25.15	51.98	33.61	8.22	5.48	158.75	13.92	5.49	
		9:00	24.49	52.19	33.74	8.23	7.57	141.49	7.87	7.29	
		12:00	24.91	52.14	33.71	8.21	9.01	159.95	3.53	5.86	
		15:00	25.1	52.27	33.79	8.19	5.91	157.99	1.56	6.83	
		18:00	24.64	52.35	33.84	8.17	7.74	152.45	3.67	6.83	
		21:00	24.64	52.22	33.76	8.19	5.59	152.21	3.99	8.6	
	日平均值			24.81	52.13	33.70	8.21	7.00	148.56	6.86	6.16
	潮口站	0:00	23.22	51.89	33.55	8.18	8.3	195.69	8.78	4.68	
		3:00	23.08	51.84	33.52	8.15	6.03	192.11	6.99	4.99	
		6:00	23.16	51.97	33.6	8.2	5.65	198	6.58	5.45	
		9:00	23.67	52.05	33.65	8.2	7.42	196.32	5.89	5.36	
		12:00	23.94	52	33.62	8.25	8.92	189.99	12.68	5.4	
		15:00	23.83	52.19	33.74	8.32	6.35	188.18	6.53	6.43	
		18:00	23.46	52.21	33.75	8.26	7.74	188.79	8.47	6.7	
		21:00	23.42	52.22	33.76	8.17	5.96	194.39	9.03	7.13	
	日平均值			23.47	52.05	33.65	8.22	7.05	192.93	8.12	5.77
	灣內站	0:00	23.49	52.03	33.64	8.42	8.13	195.89	4.63	4.35	
		3:00	23.18	51.93	33.58	8.32	6.32	193.36	6.25	7.28	
		6:00	23.32	51.97	33.6	8.35	5.17	210.65	6.15	5.88	
		9:00	23.8	52.1	33.68	8.43	7.69	195.03	4.26	5.84	
		12:00	23.99	52	33.62	8.35	9.24	212.49	5.36	4.43	
		15:00	23.81	52.22	33.76	8.33	6.51	186.04	8.67	9.2	
		18:00	23.31	52.29	33.8	8.33	7.7	168.59	5.98	7.73	
		21:00	23.22	52.34	33.83	8.23	6.07	198.53	8.46	5.4	
	日平均值			23.52	52.11	33.69	8.35	7.10	195.07	6.22	6.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月10日	蚵殼站	0:00	24.64	52.42	33.88	8.27	5.67	156.39	7.12	6.93	
		3:00	24.61	52.42	33.88	8.20	5.34	161.08	10.28	2.69	
		6:00	24.53	52.48	33.92	8.22	5.38	168.86	26.59	4.88	
		9:00	24.53	52.48	33.92	8.23	6.4	187.67	8.66	5	
		12:00	24.7	52.26	33.78	8.23	7.22	148.99	15.19	4.57	
		15:00	24.66	52.1	33.68	8.22	6.8	162.84	13.34	5.95	
		18:00	24.57	52.42	33.88	8.21	5.88	157.09	21.73	6.77	
		21:00	24.44	52.43	33.89	8.19	5.68	161.75	13.2	3.65	
	日平均值			24.59	52.38	33.85	8.22	6.05	163.08	14.51	5.06
	潮口站	0:00	23.53	52.34	33.83	8.21	6.03	195.98	9.86	3.98	
		3:00	23.56	52.32	33.82	8.21	5.65	184.63	5.02	4.1	
		6:00	23.53	52.42	33.88	8.22	5.83	189.12	9.75	3.26	
		9:00	23.67	52.48	33.92	8.25	6.81	196.65	8.87	4.27	
		12:00	24	52.21	33.75	8.26	7.33	187.48	11.02	4.54	
		15:00	24.06	52.08	33.67	8.28	6.36	186.73	12.96	4.62	
		18:00	23.73	52.35	33.84	8.27	6.19	188.18	17.89	4.03	
		21:00	23.75	52.37	33.85	8.16	5.97	191.77	5.72	3.69	
	日平均值			23.73	52.32	33.82	8.23	6.27	190.07	10.14	4.06
	灣內站	0:00	23.61	52.4	33.87	8.25	6.12	194.36	10.67	2.8	
		3:00	23.42	52.34	33.83	8.1	5.51	171.69	15.24	3.92	
		6:00	23.77	52.45	33.9	8.09	5.92	224.89	22.92	2.12	
		9:00	23.61	52.6	33.99	8.21	7.27	197.95	11.01	6.72	
		12:00	24.13	52.27	33.79	8.16	7.62	177.34	12.96	2.69	
		15:00	24.22	52.11	33.69	8.13	6.47	172.72	7.6	4.2	
		18:00	23.93	52.47	33.91	8.07	5.71	186.62	17.65	6.07	
		21:00	23.67	52.37	33.85	8.19	6.32	221.7	10.33	5.08	
	日平均值			23.80	52.38	33.85	8.15	6.37	193.41	13.55	4.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)
3月11日	蚵殼站	0:00	24.16	52.45	33.9	8.21	5.63	139.04	5.78	3.2
		3:00	23.99	52.42	33.88	8.08	6.57	168	1.85	6.02
		6:00	24.65	52.6	33.99	8.02	6.51	149.23	12.1	5.69
		9:00	25.4	52.73	34.07	8.16	7.08	166.25	14.88	6.56
		12:00	24.22	52.43	33.89	8.23	8.2	161.64	7.09	2.81
		15:00	24.28	52.42	33.88	8.23	6.32	163.84	3.47	5.82
		18:00	24.31	52.42	33.88	8.08	6.67	163.87	6.85	5.63
		21:00	24.31	52.6	33.99	8.18	6.79	187.76	3.19	4.54
	日平均值		24.42	52.51	33.94	8.15	6.72	162.45	6.90	5.03
	潮口站	0:00	23.46	52.32	33.82	8.18	5.45	187.31	10.45	4.68
		3:00	23.58	52.4	33.87	8.16	6.11	168.94	2.93	4.99
		6:00	23.55	52.53	33.95	8.17	6.35	177.13	2.16	5.45
		9:00	23.74	52.63	34.01	8.3	7.43	194.54	2.99	4.32
		12:00	24.36	52.32	33.82	8.33	7.82	144.57	3.52	4.48
		15:00	24.21	52.39	33.86	8.4	6.34	117.06	10.42	4.14
		18:00	23.97	52.42	33.88	8.39	6.92	126.55	7.42	3.87
		21:00	23.9	52.5	33.93	8.31	7.09	163.83	3.48	3.81
	日平均值		23.85	52.44	33.89	8.28	6.69	159.99	5.42	4.47
	灣內站	0:00	23.52	52.4	33.87	8.21	5.3	182.96	6.61	4.34
		3:00	23.84	52.4	33.87	8.09	6.52	196.1	7.05	3
		6:00	23.66	52.63	34.01	8.02	6.79	189.7	16.01	6.65
		9:00	23.66	52.69	34.05	8.15	7.92	164.34	7.79	5.15
		12:00	24.3	52.47	33.91	8.22	8.17	136.05	4.5	3.08
		15:00	24.01	52.42	33.88	8.22	6.5	135.43	3.61	4.48
		18:00	24.17	52.56	33.97	8.09	7.29	131.67	10.65	4.8
		21:00	23.9	52.61	34	8.2	7.29	166.32	11.76	2.59
	日平均值		23.88	52.52	33.95	8.15	6.97	162.82	8.50	4.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)
3月12日	蚵殼站	0:00	23.97	52.5	33.93	8.24	6.13	148.57	2.48	6.41
		3:00	23.73	52.58	33.98	8.09	5.74	165.35	6.56	2.53
		6:00	24.12	52.82	34.13	8.05	5.47	159.09	11.86	5.38
		9:00	24.59	52.82	34.13	8.14	7.21	164.27	18.15	3.42
		12:00	24.77	52.52	33.94	8.24	7.41	165.96	8.44	5.59
		15:00	25.04	52.43	33.89	8.2	7.82	164.49	5.78	6.41
		18:00	24.55	52.53	33.95	8.12	8.77	167.6	13.01	2.74
		21:00	24.57	52.43	33.89	8.12	8.1	162.33	7.99	4.95
	日平均值		24.42	52.58	33.98	8.15	7.08	162.21	9.28	4.68
	潮口站	0:00	23.69	52.47	33.91	8.32	5.76	204.97	7.65	3.98
		3:00	23.75	52.58	33.98	8.3	5.97	150.85	7.27	4.1
		6:00	23.66	52.73	34.07	8.23	5.45	144.2	4.79	3.26
		9:00	23.77	52.74	34.08	8.26	6.73	165.16	2.42	4.27
		12:00	24.57	52.47	33.91	8.27	6.98	169.93	4.09	4.54
		15:00	24.59	52.29	33.8	8.3	7.71	152.87	2.77	4.62
		18:00	24.2	52.43	33.89	8.36	8.9	147.88	2.94	4.03
		21:00	24.06	52.31	33.81	8.37	8.26	169.73	2.13	3.69
	日平均值		24.04	52.50	33.93	8.30	6.97	163.20	4.26	4.06
	灣內站	0:00	23.74	52.61	34	8.23	5.75	180.88	5.49	5.85
		3:00	23.57	52.63	34.01	8.06	5.61	134.8	6.74	6.9
		6:00	23.48	52.81	34.12	8.04	5.52	136.27	5.91	4.65
		9:00	23.85	52.74	34.08	8.16	6.8	171.69	5.13	4.58
		12:00	24.58	52.47	33.91	8.25	6.63	130.46	4.03	4.93
		15:00	24.76	52.29	33.8	8.18	8.18	115.65	3.01	4.93
		18:00	24.03	52.58	33.98	8.1	9.2	141.6	4.16	5.17
		21:00	23.98	52.37	33.85	8.14	8.38	203.36	5.1	6.23
	日平均值		24.00	52.56	33.97	8.15	7.01	151.84	4.95	5.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月13日	蚵殼站	0:00	23.97	52.64	34.02	8.26	5.84	152.01	2.01	4.56	
		3:00	23.56	52.77	34.1	8.09	5.25	141.22	11.39	4.53	
		6:00	24.04	52.81	34.12	8.09	5.7	137.87	10.32	4.77	
		9:00	24.66	52.89	34.17	8.14	5.37	161.13	16.36	5.41	
		12:00	24.69	52.4	33.87	8.29	7.75	136.03	4.2	4.31	
		15:00	24.63	52.16	33.72	8.24	6.27	148.99	7.98	4.93	
		18:00	24.52	52.56	33.97	8.11	9.15	122.94	2.69	6.25	
		21:00	24.41	52.37	33.85	8.15	7.51	177.05	13.92	6.97	
	日平均值		24.31	52.58	33.98	8.17	6.61	147.16	8.61	5.22	
	潮口站	0:00	23.94	52.56	33.97	8.26	6.03	187.78	7.78	3.68	
		3:00	23.94	52.68	34.04	8.26	5.65	160.4	8.35	3.72	
		6:00	23.68	52.74	34.08	8.19	5.35	136.88	1.94	3.76	
		9:00	23.82	52.74	34.08	8.22	5.54	165.3	4.48	3.84	
		12:00	24.31	52.29	33.8	8.27	8.01	186.81	7.83	4.68	
		15:00	24.76	52.14	33.71	8.28	6.12	167.56	1.69	6.29	
		18:00	24.73	52.42	33.88	8.37	8.74	176.18	3.03	5.45	
		21:00	24.86	52.37	33.85	8.33	7.9	187.9	4.96	4.32	
	日平均值		24.26	52.49	33.93	8.27	6.67	171.10	5.01	4.47	
	灣內站	0:00	23.77	52.58	33.98	8.25	5.74	202.21	4.36	2.51	
		3:00	24.04	52.69	34.05	8.11	5.65	129.37	5.98	4.76	
		6:00	23.48	52.89	34.17	8.08	5.51	141.19	5.74	1.91	
		9:00	23.93	52.87	34.16	8.17	5.76	165.16	4.63	4.42	
		12:00	24.49	52.29	33.8	8.3	7.93	116.62	6.25	5.06	
		15:00	24.82	52.22	33.76	8.23	5.64	115.61	6.15	5.37	
		18:00	24.73	52.42	33.88	8.1	9.04	124.88	4.26	5.53	
		21:00	24.74	52.52	33.94	8.15	7.67	201.2	5.36	6.25	
	日平均值		24.25	52.56	33.97	8.17	6.62	149.53	5.34	4.48	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月14日	蚵殼站	0:00	24.38	52.45	33.9	8.26	7.02	168.58	7.99	5.34	
		3:00	24.21	52.66	34.03	8.15	6	155.95	14.27	4.72	
		6:00	24.06	53.05	34.27	8.1	6.52	136.24	9.06	7.6	
		9:00	24.45	53.05	34.27	8.09	6.74	179.16	11.58	6.39	
		12:00	24.58	52.97	34.22	8.15	8.12	140.3	12.72	4.21	
		15:00	24.63	52.58	33.98	8.15	7.87	158.58	2.48	6.46	
		18:00	24.48	52.53	33.95	8.1	9.11	170.15	11.7	4.58	
		21:00	24.38	52.61	34	8.24	8.09	165.99	12.73	6.55	
	日平均值		24.40	52.74	34.08	8.16	7.43	159.37	10.32	5.73	
	潮口站	0:00	24.77	52.43	33.89	8.23	6.92	200.38	2.43	4.68	
		3:00	24.29	52.66	34.03	8.23	5.56	201.05	6.25	4.99	
		6:00	24.18	52.94	34.2	8.2	6.57	172.86	5.91	5.45	
		9:00	24.54	52.92	34.19	8.28	6.72	169.51	5.3	4.32	
		12:00	24.79	52.85	34.15	8.3	8.07	175.33	3.45	4.48	
		15:00	25.15	52.45	33.9	8.25	8.37	153.51	1.66	5.99	
		18:00	24.97	52.53	33.95	8.28	8.83	175.95	4.55	6.03	
		21:00	25.06	52.6	33.99	8.28	8.54	170.72	5.3	5.22	
	日平均值		24.72	52.67	34.04	8.26	7.45	177.41	4.36	5.15	
	灣內站	0:00	24.87	52.43	33.89	8.23	7.08	206.93	11.61	6.28	
		3:00	24.31	52.73	34.07	8.13	5.95	149.14	11.49	5.52	
		6:00	24.01	52.98	34.23	8.14	6.54	104.21	8.7	6.58	
		9:00	24.8	53.03	34.26	8.05	6.4	137.84	8.39	7.31	
		12:00	24.71	52.9	34.18	8.13	7.96	111.64	6.8	6.38	
		15:00	25.32	52.48	33.92	8.14	8.74	162.87	4.46	7.55	
		18:00	24.77	52.58	33.98	8.1	8.67	118.33	13.21	5.99	
		21:00	25.07	52.68	34.04	8.24	8.56	179.91	5.47	7.22	
	日平均值		24.73	52.73	34.07	8.15	7.49	146.36	8.77	6.60	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月15日	蚵殼站	0:00	24.38	52.63	34.01	8.21	7.19	184.56	3.72	4.83
		3:00	24.21	52.6	33.99	8.21	6.8	142.35	9.89	4.13
		6:00	24.06	52.77	34.1	8.24	6.61	167.78	19	3.56
		9:00	24.38	52.71	34.06	8.24	6.15	148.86	12.56	3.79
		12:00	24.63	52.5	33.93	8.27	7.64	133.09	13.28	3.88
		15:00	24.57	52.42	33.88	8.27	7.86	183.89	1.53	6.07
		18:00	24.59	52.5	33.93	8.21	7.62	170.22	2.88	4.95
		21:00	24.35	52.48	33.92	8.15	7.56	177.59	4.13	6.34
	日平均值		24.40	52.58	33.98	8.23	7.18	163.54	8.37	4.69
	潮口站	0:00	25.08	52.56	33.97	8.22	6.7	192.76	3.15	4.68
		3:00	24.56	52.55	33.96	8.25	6.39	188.26	9.79	4.99
		6:00	24.36	52.77	34.1	8.27	6.48	171.4	7.62	5.45
		9:00	25.4	52.63	34.01	8.22	6.04	169.11	12.89	5.36
		12:00	25.14	52.45	33.9	8.22	7.86	161.49	4.98	5.4
		15:00	25.03	52.42	33.88	8.22	7.86	166.73	3.58	6.43
		18:00	25.04	52.35	33.84	8.21	7.65	181.29	11.2	6.7
		21:00	25.47	52.42	33.88	8.27	7.84	166.09	3.24	7.13
	日平均值		25.01	52.52	33.94	8.24	7.10	174.64	7.06	5.77
	灣內站	0:00	25.13	52.71	34.06	8.23	6.72	231.16	11.68	7.64
		3:00	24.74	52.58	33.98	8.18	6.63	152.6	6.1	4.51
		6:00	24.26	52.81	34.12	8.24	6.85	147.49	21.12	3.77
		9:00	25.33	52.64	34.02	8.25	6.14	139.64	4.68	5.74
		12:00	25.13	52.55	33.96	8.24	7.78	109.55	4.17	7.87
		15:00	24.88	52.52	33.94	8.25	8.15	156.98	2.42	4.71
		18:00	24.93	52.39	33.86	8.2	7.89	180.38	8.14	5.86
		21:00	25.42	52.45	33.9	8.17	7.43	194.42	7.88	6.39
	日平均值		24.98	52.58	33.98	8.22	7.20	164.03	8.27	5.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月16日	蚵殼站	0:00	24.33	52.53	33.95	8.14	6.23	200.56	15.7	9.58
		3:00	24.32	52.5	33.93	8.13	5.34	192.23	16.9	9.07
		6:00	24.31	52.61	34	8.16	5.94	168.41	27.67	7.05
		9:00	24.43	52.61	34	8.13	5.84	162.95	6.16	6.89
		12:00	24.43	52.53	33.95	8.16	7.26	143.36	13.47	8.95
		15:00	25.34	52.5	33.93	8.21	7.7	183.44	7.26	14.84
		18:00	25.24	52.58	33.98	8.12	6.17	160.86	19.1	17.69
		21:00	25.29	52.76	34.09	8.07	7.9	160.74	13.66	15.48
	日平均值		24.71	52.58	33.98	8.14	6.55	171.57	14.99	11.19
	潮口站	0:00	25.69	52.42	33.88	8.19	6.37	183.56	11.89	6.76
		3:00	24.9	52.47	33.91	8.18	5.64	201.26	13.8	6.64
		6:00	24.66	52.56	33.97	8.2	6.42	176.1	22.25	7.49
		9:00	25.64	52.56	33.97	8.23	6.11	159.65	10.29	7.97
		12:00	25.69	52.4	33.87	8.19	7.41	156.47	10.47	8.32
		15:00	24.9	52.4	33.87	8.15	7.46	155.4	10.71	15.91
		18:00	24.98	52.47	33.91	8.16	6.5	166.49	18.98	14.72
		21:00	25.26	52.61	34	8.18	7.49	161.11	11.68	16.33
	日平均值		25.22	52.49	33.92	8.19	6.68	170.01	13.76	10.52
	灣內站	0:00	25.91	52.45	33.9	8.16	6.53	177.33	13.33	8.01
		3:00	25.01	52.55	33.96	8.12	5.61	183.33	12.17	5.89
		6:00	24.75	52.68	34.04	8.16	6.83	214.23	25.42	8.3
		9:00	25.5	52.58	33.98	8.11	6.5	192.72	14.86	4.56
		12:00	25.84	52.48	33.92	8.14	7.51	192.15	10.4	7.98
		15:00	25.12	52.5	33.93	8.2	7.84	174.18	11.43	9.1
		18:00	25.1	52.55	33.96	8.12	6.67	183.21	21.73	7.79
		21:00	25.31	52.71	34.06	8.11	7.15	196.11	12.39	7.2
	日平均值		25.32	52.56	33.97	8.14	6.83	189.16	15.22	7.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月17日	蚵殼站	0:00	25.2	52.82	34.13	8.08	7.04	169.23	3.55	15.89	
		3:00	25.18	52.66	34.03	8.06	5.2	162.17	1.5	14.62	
		6:00	24.47	52.6	33.99	8.12	7.07	196.19	14.82	9.51	
		9:00	24.85	52.66	34.03	8.12	6.94	181.67	6.78	10.54	
		12:00	25.19	52.76	34.09	8.15	8.62	172.35	7.49	9.73	
		15:00	25.5	51.82	33.51	8.21	8.37	125.99	5.93	11.18	
		18:00	25.27	52.01	33.63	8.18	8.09	136	6.19	13.9	
		21:00	25.38	52.01	33.63	8.07	6.35	131.21	12	13.36	
	日平均值		25.13	52.42	33.88	8.12	7.21	159.35	7.28	12.34	
	潮口站	0:00	25.68	52.71	34.06	8.15	6.62	173.38	3.17	15.11	
		3:00	25.02	52.66	34.03	8.15	5.36	174.31	5.48	12.65	
		6:00	24.63	52.56	33.97	8.14	7.03	164.62	15.18	9.4	
		9:00	25.56	52.61	34	8.21	7.29	156.03	8.95	9.78	
		12:00	25.5	52.61	34	8.21	8.16	137.16	6.25	9.01	
		15:00	24.88	51.82	33.51	8.2	8.43	141.4	3.62	9.46	
		18:00	24.86	51.93	33.58	8.18	8.09	170.13	7.28	11.54	
		21:00	25.71	51.95	33.59	8.18	6.48	164.29	7.16	11.97	
	日平均值		25.23	52.36	33.84	8.18	7.18	160.17	7.14	11.12	
	灣內站	0:00	25.61	52.74	34.08	8.1	7.09	188.68	2.54	6.51	
		3:00	25	52.77	34.1	8.07	5.48	144.31	5.39	9.44	
		6:00	24.9	52.6	33.99	8.09	6.73	180.66	15.72	8.04	
		9:00	25.58	52.73	34.07	8.11	7.3	189.25	10.44	8	
		12:00	25.75	52.71	34.06	8.17	8.35	182.8	3.24	6.59	
		15:00	25.04	51.95	33.59	8.22	8.44	132.08	9.33	11.36	
		18:00	24.9	52.05	33.65	8.16	8.13	112.93	9.96	9.89	
		21:00	25.74	52.1	33.68	8.08	6.41	126.24	6.55	7.56	
	日平均值		25.32	52.46	33.90	8.13	7.24	157.12	7.90	8.42	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月18日	蚵殼站	0:00	25.2	51.71	33.44	8.11	6.38	202.09	3.69	13.08	
		3:00	24.8	52.31	33.81	8.1	7.97	198.69	3.68	12.59	
		6:00	24.71	52.45	33.9	8.13	6.79	151.27	9.05	16.56	
		9:00	25.15	52.31	33.81	8.14	8.83	148.87	11.88	17.53	
		12:00	25.21	52.18	33.73	8.15	9.15	123.6	5.9	16.69	
		15:00	25.27	51.35	33.22	8.19	9	148.76	3.53	21.07	
		18:00	25.29	51.42	33.26	8.18	8.14	176.5	6.22	22.53	
		21:00	25.38	51.56	33.35	8.05	8.65	139.85	8.07	13.66	
	日平均值		25.13	51.91	33.57	8.13	8.11	161.20	6.50	16.71	
	潮口站	0:00	26.11	51.66	33.41	8.21	6.32	149.14	1.98	7.32	
		3:00	25.22	52.22	33.76	8.21	8.12	176.6	6.25	7.56	
		6:00	24.38	52.32	33.82	8.2	7.22	186.34	8.72	9.24	
		9:00	25.65	52.22	33.76	8.26	8.46	152.45	13.66	10.9	
		12:00	26.14	52.16	33.72	8.29	8.7	149.2	7.53	11.8	
		15:00	25.27	51.34	33.21	8.29	8.51	141.69	4.14	13.14	
		18:00	24.62	51.29	33.18	8.3	8.23	135.63	10.25	16.21	
		21:00	25.34	51.42	33.26	8.29	8.23	158.52	10.51	8.42	
	日平均值		25.34	51.83	33.52	8.26	7.97	156.20	7.88	10.57	
	灣內站	0:00	26.18	51.72	33.45	8.14	6.25	194.22	5.49	4.96	
		3:00	25.18	52.35	33.84	8.11	7.88	192.32	6.74	6.08	
		6:00	24.23	52.37	33.85	8.14	7.04	123.93	5.91	4.28	
		9:00	25.92	52.32	33.82	8.14	7.99	144.69	5.13	8.88	
		12:00	26.02	52.26	33.78	8.15	8.82	110.9	4.03	4.85	
		15:00	25.07	51.48	33.3	8.21	8.06	153.06	3.01	6.36	
		18:00	24.78	51.34	33.21	8.19	8.38	168.75	4.16	8.23	
		21:00	25.26	51.47	33.29	8.08	8.3	154.65	5.1	7.24	
	日平均值		25.33	51.91	33.57	8.15	7.84	155.32	4.95	6.36	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月19日	蚵殼站	0:00	25.29	51.5	33.31	8.09	8.05	202.61	4.44	17.87
		3:00	24.74	51.68	33.42	8.09	7.5	202.01	14.47	16.99
		6:00	24.76	51.84	33.52	8.07	7.15	144.57	10.45	22.51
		9:00	25.58	51.48	33.3	8.21	7.51	163.5	16.54	28.94
		12:00	25.85	51.8	33.5	8.23	6.72	122.59	7.81	34.75
		15:00	25.37	51.77	33.48	8.29	8.88	125.91	1.26	25.86
		18:00	25.32	51.61	33.38	8.31	7.61	157.91	5.49	25.03
		21:00	25.7	51.71	33.44	8.22	8.32	175.38	8.58	31.09
	日平均值		25.33	51.67	33.42	8.19	7.72	161.81	8.63	25.38
	潮口站	0:00	25.63	51.45	33.28	8.28	7.89	153.39	5.45	6.16
		3:00	25.08	51.61	33.38	8.27	7.37	167.35	15.05	8.68
		6:00	24.36	51.72	33.45	8.27	7.44	183.27	7.6	12.26
		9:00	25.29	51.42	33.26	8.24	7.55	173.87	14.24	11.53
		12:00	26.38	51.77	33.48	8.22	6.26	165.77	6.58	17.55
		15:00	25.3	51.66	33.41	8.2	8.53	150.09	3.93	11.56
		18:00	24.58	51.58	33.36	8.21	8.1	140.42	0.64	11.87
		21:00	25.38	51.63	33.39	8.22	8.17	134.15	8.08	13.21
	日平均值		25.25	51.61	33.38	8.24	7.66	158.54	7.70	11.60
	灣內站	0:00	25.77	51.53	33.33	8.07	7.4	204.1	4.36	6.5
		3:00	25.17	51.76	33.47	8.05	7.62	237.44	5.98	5.16
		6:00	24.51	51.72	33.45	8.07	7.11	141.43	5.74	8.81
		9:00	25.16	51.43	33.27	8.21	7.07	159.12	4.63	7.31
		12:00	26.4	51.85	33.53	8.24	6.06	108.81	6.25	5.24
		15:00	25.27	51.68	33.42	8.29	8.96	155.15	6.15	6.64
		18:00	24.41	51.59	33.37	8.32	8.57	168.6	4.26	6.96
		21:00	25.41	51.72	33.45	8.21	8.64	150.25	5.36	4.75
	日平均值		25.26	51.66	33.41	8.18	7.68	165.61	5.34	6.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月20日	蚵殼站	0:00	25.92	52.29	33.8	8.24	7.7	166.29	11.5	31.23
		3:00	26.08	52.27	33.79	8.23	6.31	222.92	10.28	29.89
		6:00	25.76	52.35	33.84	8.16	6.48	211.01	16.17	28.94
		9:00	26.48	52.35	33.84	8.19	7.25	155.05	12.33	29.11
		12:00	25.96	52.06	33.66	8.16	8.17	145.22	11.59	25.31
		15:00	25.86	52.01	33.63	8.23	7.52	126.31	10.26	30.57
		18:00	26.01	52.27	33.79	8.26	6.78	173.37	8.28	23.57
		21:00	25.83	52.24	33.77	8.27	6.72	174.11	6.87	20.38
	日平均值		25.99	52.23	33.77	8.22	7.12	171.79	10.91	27.38
	潮口站	0:00	26.07	52.18	33.73	8.28	7.82	154.32	5.59	14.34
		3:00	25.56	52.16	33.72	8.22	6.76	136.97	10.13	13.59
		6:00	24.39	52.26	33.78	8.25	6.55	146.1	13.44	11.12
		9:00	25.53	52.32	33.82	8.24	7.04	152.62	11.85	15.9
		12:00	26.5	52.05	33.65	8.27	8.36	150.81	7.71	10.28
		15:00	25.95	51.92	33.57	8.26	7.57	149.51	5.58	15.48
		18:00	24.89	52.19	33.74	8.22	7.14	155.44	9.31	8.94
		21:00	25.27	52.21	33.75	8.2	6.91	149.13	9.31	6.27
	日平均值		25.52	52.16	33.72	8.24	7.27	149.36	9.12	11.99
	灣內站	0:00	26.02	52.31	33.81	8.21	7.84	188.12	7.47	7.54
		3:00	25.75	52.27	33.79	8.23	7.07	227.49	8	5.42
		6:00	24.67	52.39	33.86	8.13	7.04	205.38	9.24	7.83
		9:00	25.6	52.39	33.86	8.19	6.82	177.9	8.84	4.09
		12:00	26.67	52.05	33.65	8.2	8.16	150.8	8.76	7.51
		15:00	25.87	51.97	33.6	8.19	7.3	136.55	8	8.63
		18:00	25.04	52.34	33.83	8.26	7.48	146.05	13.49	7.32
		21:00	25.08	52.24	33.77	8.28	7.19	193.77	8.77	6.73
	日平均值		25.59	52.25	33.77	8.21	7.36	178.26	9.07	6.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月21日	蚵殼站	0:00	26.64	52.31	33.81	8.18	6.84	153.13	5.96	20.37
		3:00	26	52.29	33.8	8.15	6.45	234.58	4.53	17.77
		6:00	25.76	52.37	33.85	8.1	6.41	206.46	7.87	27.11
		9:00	26.59	52.56	33.97	8.12	7.16	188.52	12.15	26.4
		12:00	26.36	52.31	33.81	8.19	8.1	175.93	9.68	29.37
		15:00	25.88	52.22	33.76	8.18	7.69	144.57	4.89	24.57
		18:00	26.71	52.39	33.86	8.29	6.9	130.22	5.77	16.95
		21:00	26.49	52.39	33.86	8.25	6.41	135.06	9.51	11.25
	日平均值		26.30	52.36	33.84	8.18	7.00	171.06	7.55	21.72
	潮口站	0:00	25.81	52.16	33.72	8.26	7.16	159.13	5.06	4.16
		3:00	25.7	52.24	33.77	8.16	6.73	159.14	6.53	2.27
		6:00	24.58	52.37	33.85	8.22	6.53	166.77	5.84	4.36
		9:00	25.21	52.47	33.91	8.22	6.88	167.82	9.43	2.58
		12:00	25.92	52.16	33.72	8.26	8.21	153.12	9.9	2.81
		15:00	25.95	52.22	33.76	8.25	7.81	152.75	7.06	17.23
		18:00	24.94	52.26	33.78	8.16	6.79	150.93	6.91	9.39
		21:00	25.1	52.34	33.83	8.14	6.39	156.71	4.6	5.49
	日平均值		25.40	52.28	33.79	8.21	7.06	158.30	6.92	6.04
	灣內站	0:00	25.9	52.21	33.75	8.18	7.52	163.97	5.88	6.04
		3:00	25.59	52.24	33.77	8.15	7.11	214.26	10.14	8.97
		6:00	24.41	52.45	33.9	8.08	6.47	220.09	5.49	7.57
		9:00	25.45	52.47	33.91	8.13	6.65	192.69	6.74	7.53
		12:00	26.07	52.19	33.74	8.16	8.12	190.85	5.91	6.12
		15:00	26.24	52.24	33.77	8.2	7.47	151.62	5.13	10.89
		18:00	25.06	52.35	33.84	8.26	6.36	166.45	4.03	9.42
		21:00	25.29	52.4	33.87	8.22	6.17	158.06	3.01	7.09
	日平均值		25.50	52.32	33.82	8.17	6.98	182.25	5.79	7.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月22日	蚵殼站	0:00	26.3	52.37	33.85	8.13	5.54	132.57	9.66	13.73
		3:00	26.32	52.48	33.92	8.13	5.94	179.5	3.09	13.05
		6:00	25.67	52.61	34	8.09	6.12	188.73	10.68	9.82
		9:00	26.21	52.64	34.02	8.19	5.19	150.68	13.83	9.79
		12:00	26.43	52.42	33.88	8.2	5.86	155.69	9.41	22.06
		15:00	26.51	52.26	33.78	8.15	5.82	156.03	6.78	24.45
		18:00	26.48	52.37	33.85	8.19	5.6	169.26	4.99	15.8
		21:00	26.48	52.22	33.76	8.17	5.12	158.07	4.96	13.45
	日平均值		26.30	52.42	33.88	8.16	5.65	161.32	7.93	15.27
	潮口站	0:00	25.64	52.31	33.81	8.18	5.94	152.49	7.48	6.33
		3:00	25.58	52.42	33.88	8.17	5.57	148.12	7.29	5.65
		6:00	24.78	52.56	33.97	8.19	5.64	155.25	9.04	2.26
		9:00	25.13	52.58	33.98	8.22	5.61	172.48	13.28	4.14
		12:00	25.61	52.31	33.81	8.21	6.23	150.31	6.86	16.67
		15:00	26.01	52.13	33.7	8.24	5.8	154.53	4	8.11
		18:00	25.63	52.27	33.79	8.26	5.65	150.54	4.62	11.94
		21:00	25.37	52.14	33.71	8.17	5.58	170.97	7.25	6.47
	日平均值		25.47	52.34	33.83	8.21	5.75	156.84	7.48	7.70
	灣內站	0:00	25.5	52.37	33.85	8.14	6.05	157.92	5.1	4.49
		3:00	25.65	52.52	33.94	8.16	6	158.84	5.62	5.61
		6:00	24.9	52.68	34.04	8.09	5.89	177.84	4.36	3.81
		9:00	25.16	52.66	34.03	8.21	5.57	172.99	5.98	8.41
		12:00	25.76	52.37	33.85	8.2	6.06	161.2	5.74	4.38
		15:00	25.91	52.13	33.7	8.15	5.46	151.81	4.63	5.89
		18:00	25.92	52.37	33.85	8.17	5.97	138.34	6.25	7.76
		21:00	25.61	52.29	33.8	8.17	5.78	165.13	6.15	6.77
	日平均值		25.55	52.42	33.88	8.16	5.85	160.51	5.48	5.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月23日	蚵殼站	0:00	26.3	52.45	33.9	8.11	6.22	160.31	1.85	9.74
		3:00	26.14	52.6	33.99	8.16	5.89	142.86	11.28	7.77
		6:00	26	52.68	34.04	8.2	6.4	205.08	6.58	4.44
		9:00	26.02	52.63	34.01	8.14	6.29	174.35	10.31	8.39
		12:00	26.07	52.16	33.72	8.13	6.86	172.83	2.5	18.1
		15:00	25.88	52.1	33.68	8.15	5.91	136.9	4.03	22.86
		18:00	26.71	52.31	33.81	8.1	6.46	183.21	2.5	14.6
		21:00	26.49	52.21	33.75	8.17	7.03	191.25	8.5	12.82
	日平均值		26.20	52.39	33.86	8.15	6.38	170.85	5.94	12.34
	潮口站	0:00	24.79	52.4	33.87	8.15	5.77	151.91	5.43	3.18
		3:00	24.31	52.52	33.94	8.15	6.29	145.36	7.02	2.9
		6:00	24.2	52.58	33.98	8.19	6.21	144.7	10.83	2.95
		9:00	24.56	52.58	33.98	8.23	6.74	171.07	6.34	3.23
		12:00	24.81	52.13	33.7	8.25	6.52	151.36	4.13	4.61
		15:00	25.17	51.98	33.61	8.28	6.41	161.93	4.1	7.23
		18:00	24.99	52.26	33.78	8.28	6.93	157.17	5.53	9.39
		21:00	25.08	52.21	33.75	8.21	6.88	174.35	11.93	5.49
	日平均值		24.74	52.33	33.83	8.22	6.47	157.23	6.91	4.87
	灣內站	0:00	24.61	52.42	33.88	8.13	5.61	170.29	5.36	6.03
		3:00	24.28	52.56	33.97	8.18	5.88	130.32	10.95	4.69
		6:00	24.13	52.68	34.04	8.18	6.57	228.9	15.87	8.34
		9:00	24.39	52.71	34.06	8.11	6.52	182.07	5.49	6.84
		12:00	24.8	52.26	33.78	8.13	6.5	190.15	6.74	4.77
		15:00	25.37	52.13	33.7	8.13	6.02	159.79	5.91	6.17
		18:00	25.05	52.4	33.87	8.1	7.02	177.41	5.13	6.49
		21:00	25.03	52.26	33.78	8.2	6.8	189.58	4.03	4.28
	日平均值		24.71	52.43	33.89	8.15	6.37	178.56	7.44	5.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
3月24日	蚵殼站	0:00	26.3	52.27	33.79	8.11	6.13	188.15	3.61	12.09
		3:00	26.32	52.61	34	8.12	6.84	150.01	19.69	13.53
		6:00	25.67	52.92	34.19	8.14	5.95	211.59	5.29	7.36
		9:00	26.21	52.81	34.12	8.15	6.94	169.78	7.06	8.75
		12:00	26.17	52.82	34.13	8.12	6.29	183.89	7.72	11.54
		15:00	26.26	52.43	33.89	8.08	6.48	178.27	7.08	11.88
		18:00	26.24	52.42	33.88	8.08	6.74	171.26	9.39	16.04
		21:00	26.2	52.58	33.98	8.14	6.99	199.07	10.24	12.66
	日平均值		26.17	52.61	34.00	8.12	6.55	181.50	8.76	11.73
	潮口站	0:00	25.1	52.27	33.79	8.18	5.7	169.94	7.54	6.33
		3:00	24.58	52.5	33.93	8.2	6.75	154.35	17.33	5.65
		6:00	24.38	52.77	34.1	8.2	6.02	122.53	7.99	2.26
		9:00	25.42	52.76	34.09	8.21	6.62	154.07	9.55	4.14
		12:00	25.16	52.69	34.05	8.3	6.71	142.79	5.01	5.92
		15:00	25.05	52.29	33.8	8.29	6.41	154.85	4.33	8.13
		18:00	25.06	52.37	33.85	8.28	6.51	140.85	4.68	8.12
		21:00	25.49	52.43	33.89	8.25	6.88	159.88	8.89	6.74
	日平均值		25.03	52.51	33.94	8.24	6.45	149.91	8.17	5.91
	灣內站	0:00	24.92	52.29	33.8	8.15	5.72	193.67	4.16	9.23
		3:00	24.64	52.5	33.93	8.11	6.62	153.08	5.1	11.5
		6:00	24.59	52.77	34.1	8.13	6.02	183.36	5.62	6.91
		9:00	25.45	52.89	34.17	8.18	6.66	165.11	4.36	8.18
		12:00	25.02	52.84	34.14	8.14	6.45	177.3	5.98	7.1
		15:00	25.06	52.39	33.86	8.11	6.9	176.69	5.74	11.07
		18:00	24.98	52.48	33.92	8.1	6.81	178.52	4.63	11.65
		21:00	25.65	52.43	33.89	8.12	7.27	184.76	6.25	8.11
	日平均值		25.04	52.57	33.98	8.13	6.56	176.56	5.23	9.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月25日	蚵殼站	0:00	25.66	52.52	33.94	8.08	6.86	178.2	11.17	14.45	
		3:00	25.3	52.42	33.88	8.07	6.94	197.7	14.97	13.1	
		6:00	26.68	52.76	34.09	8.09	6.29	164.09	7.92	12.04	
		9:00	26.27	52.48	33.92	8.13	6.56	157.69	11.74	7.79	
		12:00	26.01	52.31	33.81	8.16	6.89	188.98	6.28	9.4	
		15:00	25.89	52.34	33.83	8.16	6.68	175.7	1.85	10.41	
		18:00	25.89	52.24	33.77	8.12	6.25	165.5	5.98	10.2	
		21:00	25.79	52.26	33.78	8.1	6.19	217.24	3.21	11.76	
	日平均值		25.94	52.42	33.88	8.11	6.58	180.64	7.89	11.14	
	潮口站	0:00	25.71	52.4	33.87	8.21	6.89	172.1	7.99	7.29	
		3:00	24.92	52.39	33.86	8.2	6.52	158.27	13.83	8.33	
		6:00	24.68	52.61	34	8.24	5.97	155.15	9.56	5.81	
		9:00	25.66	52.47	33.91	8.18	6.45	174.28	8.39	4.05	
		12:00	25.71	52.29	33.8	8.25	6.65	158.56	7.4	4.35	
		15:00	24.92	52.26	33.78	8.29	6.42	166.3	5.57	6.48	
		18:00	25	52.19	33.74	8.3	6.21	158.84	5.33	6.54	
		21:00	25.28	52.26	33.78	8.3	6.3	173.97	7.75	5.89	
	日平均值		25.24	52.36	33.84	8.25	6.43	164.68	8.23	6.09	
	灣內站	0:00	25.8	52.53	33.95	8.11	6.93	167	4.26	12.09	
		3:00	25.01	52.47	33.91	8.07	6.34	184.48	5.36	9.39	
		6:00	24.83	52.64	34.02	8.1	6.1	175.63	13.84	11.26	
		9:00	25.75	52.52	33.94	8.14	6.01	144.17	6.25	8.67	
		12:00	25.74	52.39	33.86	8.16	6.42	174.5	6.1	7.84	
		15:00	24.95	52.4	33.87	8.12	6.69	156.32	2.4	8.45	
		18:00	25.16	52.27	33.79	8.14	6.48	179.06	8.12	11.11	
		21:00	25.32	52.34	33.83	8.13	6.56	194.67	8.19	9.88	
	日平均值		25.32	52.45	33.90	8.12	6.44	171.98	6.82	9.84	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月26日	蚵殼站	0:00	25.79	52.26	33.78	8.15	6.19	174.72	18.39	8.37	
		3:00	25.73	52.45	33.9	8.14	5.05	145.92	16.89	8.97	
		6:00	25.73	52.4	33.87	8.16	5.68	142.77	23.26	9.06	
		9:00	25.86	52.5	33.93	8.18	5.78	164.04	15	9.73	
		12:00	25.24	52.31	33.81	8.23	5.77	175.88	6.74	12	
		15:00	25.98	52.39	33.86	8.21	5.73	194.53	4.53	7.03	
		18:00	25.74	52.31	33.81	8.22	5.73	182.19	9.77	3.86	
		21:00	25.47	52.52	33.94	8.25	5.98	216.22	3.64	4.65	
	日平均值		25.69	52.39	33.86	8.19	5.74	174.53	12.28	7.96	
	潮口站	0:00	25.7	52.26	33.78	8.14	6.45	188.7	17.18	9.39	
		3:00	25.04	52.31	33.81	8.15	5.55	158.27	14.72	9.88	
		6:00	24.65	52.4	33.87	8.26	5.8	155.15	20.06	9.8	
		9:00	25.58	52.4	33.87	8.19	5.98	155.37	10.92	11.55	
		12:00	25.52	52.24	33.77	8.26	6.2	146.86	8.98	9.21	
		15:00	24.9	52.24	33.77	8.25	6.23	180.67	5.95	4.35	
		18:00	24.88	52.31	33.81	8.29	6.04	180.83	6.04	4.26	
		21:00	25.73	52.45	33.9	8.29	6.27	174.64	4.59	3.73	
	日平均值		25.25	52.33	33.82	8.23	6.07	167.56	11.06	7.77	
	灣內站	0:00	25.81	52.37	33.85	8.17	6.1	157.71	18.34	8.45	
		3:00	25.07	52.34	33.83	8.13	5.23	138.22	17.06	9.67	
		6:00	24.53	52.52	33.94	8.14	6.15	182.02	24.13	11.22	
		9:00	25.78	52.52	33.94	8.21	6.16	138.35	9.39	10.56	
		12:00	25.74	52.31	33.81	8.24	6.46	183.58	6.22	8.11	
		15:00	25.1	52.24	33.77	8.24	5.76	184.98	8.64	6.1	
		18:00	25.08	52.34	33.83	8.25	6.11	197.01	7.55	2.54	
		21:00	25.73	52.45	33.9	8.22	6.18	190.6	5.39	5.32	
	日平均值		25.36	52.39	33.86	8.20	6.02	171.56	12.09	7.75	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月27日	蚵殼站	0:00	25.38	52.66	34.03	8.2	5.9	164.66	7.81	2.69	
		3:00	25.23	52.58	33.98	8.2	5.97	198.48	20.38	4.86	
		6:00	25.24	52.43	33.89	8.22	5.36	184.9	4.99	5.01	
		9:00	25.59	52.55	33.96	8.17	5.93	151	6.7	4.87	
		12:00	25.97	52.45	33.9	8.17	6.08	204.35	17.02	6.04	
		15:00	26.94	52.42	33.88	8.16	6.29	224.81	4.93	6.15	
		18:00	26.55	52.47	33.91	8.14	5.44	183.5	9.77	4.17	
		21:00	26.35	52.47	33.91	8.18	5.4	218.08	7.95	2.45	
	日平均值		25.91	52.50	33.93	8.18	5.80	191.22	9.94	4.53	
	潮口站	0:00	26.13	52.55	33.96	8.22	5.99	218.74	5.88	3.61	
		3:00	25.24	52.5	33.93	8.2	6.23	191.23	14.75	3.64	
		6:00	24.4	52.4	33.87	8.24	5.62	165.92	9.62	3.71	
		9:00	25.67	52.45	33.9	8.13	5.45	159.83	6.74	3.65	
		12:00	26.16	52.45	33.9	8.2	5.66	181.04	11.76	4.12	
		15:00	25.29	52.42	33.88	8.25	5.86	227.12	7.76	4.89	
		18:00	24.64	52.32	33.82	8.27	5.73	209.35	4.98	5.35	
		21:00	25.36	52.37	33.85	8.31	5.51	217.39	5.66	4.37	
	日平均值		25.36	52.43	33.89	8.23	5.76	196.33	8.39	4.17	
	灣內站	0:00	26.34	52.58	33.98	8.22	6.25	166.23	10.99	4.2	
		3:00	25.39	52.64	34.02	8.23	6.13	178.92	17.91	3.81	
		6:00	24.28	52.47	33.91	8.23	5.78	188.67	11.38	4.55	
		9:00	25.64	52.55	33.96	8.19	5.85	159.56	8.29	3.71	
		12:00	26.41	52.47	33.91	8.16	5.97	201.92	16.42	4.68	
		15:00	25.37	52.56	33.97	8.12	6.15	187.71	9.84	7.13	
		18:00	24.49	52.42	33.88	8.15	5.78	178.43	5.46	8.25	
		21:00	25.41	52.39	33.86	8.16	5.15	188.74	6.26	5.42	
	日平均值		25.42	52.51	33.94	8.18	5.88	181.27	10.82	5.22	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月28日	蚵殼站	0:00	25.86	52.16	33.72	8.09	5.82	179.48	10.28	5.12	
		3:00	25.9	52.22	33.76	8.1	6.25	154.09	10.93	3.05	
		6:00	25.87	52.27	33.79	8.08	5.81	151	19.21	5.09	
		9:00	25.9	52.34	33.83	8.16	6.03	152.29	5.83	5.77	
		12:00	26.48	52.11	33.69	8.12	5.74	175.56	4.38	5.65	
		15:00	26.93	51.89	33.55	8.14	5.9	206.89	8.99	8.23	
		18:00	26.41	52.22	33.76	8.1	5.84	190.6	4.21	8.51	
		21:00	26.9	52.16	33.72	8.12	5.36	217.37	3.22	3.25	
	日平均值		26.28	52.17	33.73	8.11	5.84	178.41	8.38	5.58	
	潮口站	0:00	25.65	52.1	33.68	8.23	5.34	224.84	7.62	3.76	
		3:00	25.1	52.08	33.67	8.16	6.4	181.05	9.68	3.8	
		6:00	24.38	52.18	33.73	8.17	5.67	176.69	15.64	3.89	
		9:00	25.31	52.24	33.77	8.25	5.8	166.22	8.36	3.79	
		12:00	26.4	51.97	33.6	8.23	5.37	181.23	7.56	3.84	
		15:00	25.32	51.84	33.52	8.26	5.97	206.14	3.09	6.85	
		18:00	24.6	52.11	33.69	8.25	6.02	210.78	2.91	6.02	
		21:00	25.4	52.13	33.7	8.32	5.67	204.87	2.41	5.19	
	日平均值		25.27	52.08	33.67	8.23	5.78	193.98	7.16	4.64	
	灣內站	0:00	25.69	52.13	33.7	8.07	5.27	172.77	3.35	4.48	
		3:00	25.05	52.16	33.72	8.07	6.04	153.12	7.88	6.51	
		6:00	24.23	52.22	33.76	8.07	5.95	173.22	14.89	5.22	
		9:00	25.22	52.37	33.85	8.13	5.74	176.27	7.04	6.7	
		12:00	26.33	52.03	33.64	8.12	5.66	208.69	12.73	6.79	
		15:00	25.23	51.95	33.59	8.14	5.68	194.83	5.49	5.23	
		18:00	24.44	52.19	33.74	8.11	5.69	214.88	6.74	6.61	
		21:00	25.6	52.24	33.77	8.13	5.79	209.34	5.91	4.68	
	日平均值		25.22	52.16	33.72	8.11	5.73	187.89	8.00	5.78	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月29日	蚵殼站	0:00	25.99	52.11	33.69	8.15	5.58	228.65	14.39	4.58	
		3:00	25.76	52.16	33.72	8.13	5.48	180.18	12.27	5.66	
		6:00	25.97	52.42	33.88	8.12	5.41	148.75	23.89	7.36	
		9:00	25.86	52.53	33.95	8.19	5.76	172.55	10.47	6.83	
		12:00	26.07	52.13	33.7	8.2	5.71	182.71	15.05	3.57	
		15:00	26.31	52.14	33.71	8.22	5.58	243.26	9.77	5.7	
		18:00	26.56	52.31	33.81	8.21	6.01	222.35	14.1	7.39	
		21:00	26.64	52.32	33.82	8.2	5.53	210.28	10.74	7.97	
	日平均值		26.15	52.27	33.79	8.18	5.63	198.59	13.84	6.13	
	潮口站	0:00	26.09	52.08	33.67	8.3	5.83	177.95	11.73	5.56	
		3:00	25.58	52.16	33.72	8.18	5.45	180.13	13.64	4.66	
		6:00	24.41	52.29	33.8	8.22	5.15	169.13	22.09	4.55	
		9:00	25.55	52.39	33.86	8.29	5.77	163.15	10.13	4.51	
		12:00	26.52	52.08	33.67	8.25	5.25	190.97	10.31	4.52	
		15:00	25.97	52.14	33.71	8.23	5.91	206.11	10.55	5.39	
		18:00	24.91	52.18	33.73	8.19	6.15	172.18	18.82	6.02	
		21:00	25.29	52.26	33.78	8.31	5.98	206.71	11.52	6.65	
	日平均值		25.54	52.20	33.74	8.25	5.69	183.29	13.60	5.23	
	灣內站	0:00	25.92	52.18	33.73	8.12	5.75	237.27	4.03	4.4	
		3:00	25.64	52.19	33.74	8.14	5.1	185.78	3.01	5.67	
		6:00	24.57	52.29	33.8	8.12	5.06	158.81	4.16	4.1	
		9:00	25.6	52.39	33.86	8.2	5.48	155.08	5.1	5.76	
		12:00	26.46	52.13	33.7	8.22	5.94	199.88	5.62	2.55	
		15:00	26.19	52.22	33.76	8.23	5.63	236.07	4.36	4.9	
		18:00	25.06	52.21	33.75	8.22	5.95	205.39	5.98	5.02	
		21:00	25.21	52.32	33.82	8.21	5.91	198.18	5.74	8.59	
	日平均值		25.58	52.24	33.77	8.18	5.60	197.06	4.75	5.12	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$ 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月30日	蚵殼站	0:00	25.99	52.29	33.8	8.23	5.07	217.32	7.47	6.45	
		3:00	25.43	52.39	33.86	8.21	6.99	170.75	11.22	3.99	
		6:00	25.71	52.63	34.01	8.21	6.19	168.3	20.19	7.29	
		9:00	26.02	52.53	33.95	8.16	5.93	171.05	8.26	6.17	
		12:00	25.65	52.22	33.76	8.17	5.56	189.29	4.56	5.66	
		15:00	25.98	52.19	33.74	8.11	6.66	187.68	4.3	5.29	
		18:00	27.02	52.29	33.8	8.16	6.67	204.86	3.05	8.13	
		21:00	27.06	52.13	33.7	8.15	6.16	196.63	9.5	7	
	日平均值		26.11	52.33	33.83	8.18	6.15	188.24	8.57	6.25	
	潮口站	0:00	25.83	52.22	33.76	8.32	5.54	192.36	3.01	5.92	
		3:00	25.72	52.34	33.83	8.2	6.6	151.52	5.32	4.66	
		6:00	24.6	52.48	33.92	8.19	5.87	168.75	15.02	5.07	
		9:00	25.23	52.5	33.93	8.3	6	158.97	8.79	5.16	
		12:00	25.94	52.22	33.76	8.25	5.57	191.52	6.09	5.2	
		15:00	25.97	52.05	33.65	8.23	6.17	212.88	3.46	5.32	
		18:00	24.96	52.19	33.74	8.18	6.22	210.38	7.12	6.04	
		21:00	25.12	52.06	33.66	8.27	5.87	222.56	7	6.13	
	日平均值		25.42	52.26	33.78	8.24	5.98	188.62	6.98	5.44	
	灣內站	0:00	26.05	52.27	33.79	8.2	5.05	221.48	6.25	8.77	
		3:00	25.59	52.48	33.92	8.21	6.99	199.3	6.15	3.57	
		6:00	24.69	52.6	33.99	8.19	5.58	181.49	4.26	4.16	
		9:00	25.32	52.64	34.02	8.15	6.28	164.33	5.36	5.84	
		12:00	26.04	52.32	33.82	8.17	5.52	161.84	4.26	6.8	
		15:00	26.15	52.16	33.72	8.15	6.24	221.35	5.36	4.55	
		18:00	25.15	52.32	33.82	8.16	5.82	191.41	6.36	4.41	
		21:00	25.03	52.19	33.74	8.13	5.44	210.85	2.61	7.56	
	日平均值		25.50	52.37	33.85	8.17	5.87	194.01	5.08	5.71	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$ 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
3月31日	蚵殼站	0:00	26.66	52.35	33.84	8.2	5.56	229.75	2.11	8.37	
		3:00	25.64	52.48	33.92	8.21	5.63	203.12	12	5.49	
		6:00	26.08	52.63	34.01	8.16	5.16	170.57	7.31	7.05	
		9:00	26.67	52.64	34.02	8.16	5.53	190.82	13.52	5.36	
		12:00	26.3	52.13	33.7	8.15	5.06	171.89	10.61	5.3	
		15:00	26.26	52.03	33.64	8.14	5.62	231.31	4.72	6.29	
		18:00	26.37	52.29	33.8	8.21	6.79	209.98	5.61	10.74	
		21:00	26.61	52.26	33.78	8.18	6.56	191.87	8.37	9.54	
	日平均值		26.32	52.35	33.84	8.18	5.74	199.91	8.03	7.27	
	潮口站	0:00	25.66	52.32	33.82	8.31	6.03	213.87	1.82	5.92	
		3:00	25.6	52.43	33.89	8.18	5.65	191.46	6.09	5.73	
		6:00	24.8	52.5	33.93	8.11	5.35	187.21	8.56	6.38	
		9:00	25.15	52.5	33.93	8.24	5.97	186.92	13.5	6.8	
		12:00	25.63	52.05	33.65	8.33	5.45	188.48	7.37	6.83	
		15:00	26.03	51.9	33.56	8.32	6.11	218.91	3.98	7.36	
		18:00	25.65	52.18	33.73	8.16	6.35	229.42	10.09	7.88	
		21:00	25.39	52.13	33.7	8.29	6.18	211.48	10.35	7.87	
	日平均值		25.49	52.25	33.78	8.24	5.89	203.47	7.72	6.85	
	灣內站	0:00	25.7	52.4	33.87	8.19	6.51	219.99	5.49	4.91	
		3:00	25.7	52.45	33.9	8.22	5.6	203.73	6.74	8.54	
		6:00	24.89	52.53	33.95	8.18	5.4	201.2	5.91	6.04	
		9:00	24.96	52.58	33.98	8.17	5.76	206.66	5.13	8.86	
		12:00	25.52	52.16	33.72	8.12	5.35	188.22	4.03	5.17	
		15:00	26.01	51.95	33.59	8.13	5.67	214	3.01	6.92	
		18:00	25.73	52.24	33.77	8.19	6.26	227.28	4.16	6.21	
		21:00	25.27	52.21	33.75	8.19	6.17	223.44	5.1	9.76	
	日平均值		25.47	52.32	33.82	8.17	5.84	210.57	4.95	7.05	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月1日	蚵殼站	0:00	26.29	49.93	32.34	8.22	7.72	146.96	2.04	3.06	
		3:00	26.33	50.13	32.46	8.19	6.04	137.12	2.32	4.14	
		6:00	25.99	49.93	32.34	8.11	5.35	146.79	2.16	4.73	
		9:00	27.16	49.95	32.35	8.17	7.78	183.85	2.80	5.09	
		12:00	26.62	50.00	32.38	8.19	6.93	137.98	2.14	4.37	
		15:00	26.41	49.61	32.14	8.15	6.96	157.79	2.16	4.04	
		18:00	25.95	49.93	32.34	8.12	8.47	166.11	3.12	3.56	
		21:00	26.05	50.03	32.40	8.08	7.37	170.42	2.80	3.83	
	日平均值		26.35	49.94	32.34	8.15	7.08	155.88	2.44	4.10	
	潮口站	0:00	26.54	50.84	32.90	8.02	7.15	153.39	4.36	3.55	
		3:00	25.58	49.26	31.93	8.04	6.76	167.35	3.86	2.84	
		6:00	25.24	49.57	32.12	8.03	7.08	183.27	4.42	3.50	
		9:00	26.41	49.90	32.32	8.01	7.32	173.87	6.00	3.66	
		12:00	27.07	49.28	31.94	8.05	7.60	165.77	5.39	3.84	
		15:00	25.66	48.00	31.15	8.05	8.06	150.09	4.26	4.16	
		18:00	25.20	48.13	31.23	8.01	7.82	140.42	2.28	4.00	
		21:00	25.36	48.37	31.38	8.01	7.61	134.15	1.74	2.79	
	日平均值		25.88	49.17	31.87	8.03	7.43	158.54	4.04	3.54	
	灣內站	0:00	26.55	49.75	32.23	8.12	7.80	146.96	2.06	4.07	
		3:00	26.59	49.96	32.36	8.09	6.10	137.12	2.34	2.34	
		6:00	26.25	49.75	32.23	8.01	5.40	146.79	2.18	2.19	
		9:00	27.43	49.77	32.24	8.07	7.86	183.85	2.83	3.82	
		12:00	26.89	49.83	32.28	8.09	7.00	137.98	2.16	4.16	
		15:00	26.67	49.43	32.03	8.05	7.03	157.79	2.18	2.19	
18:00		26.21	49.75	32.23	8.02	8.55	166.11	3.15	5.17		
21:00		26.31	49.86	32.30	7.98	7.44	170.42	2.83	5.82		
日平均值		26.61	49.76	32.24	8.05	7.15	155.88	2.47	3.72		
甲類海域地面水體基準值			環評承諾日平均值需達標準 \rightarrow 7.5-8.5				5.0以上				

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月2日	蚵殼站	0:00	26.24	50.13	32.46	8.04	6.74	173.74	2.19	4.43	
		3:00	25.86	50.09	32.44	8.05	8.49	182.24	2.20	5.02	
		6:00	25.61	50.02	32.40	8.06	8.14	206.78	3.20	5.10	
		9:00	25.77	49.58	32.12	8.09	9.08	221.39	2.15	4.87	
		12:00	26.18	49.67	32.18	8.15	6.62	178.73	2.18	3.88	
		15:00	25.84	49.78	32.25	8.15	7.06	186.44	2.16	3.58	
		18:00	25.49	49.72	32.21	8.13	8.47	218.45	2.17	3.56	
		21:00	25.30	49.70	32.20	8.09	5.79	229.56	3.10	2.41	
	日平均值		25.79	49.84	32.28	8.10	7.55	199.67	2.42	4.11	
	潮口站	0:00	25.49	48.62	31.53	8.02	6.95	154.32	7.71	1.41	
		3:00	25.11	49.06	31.80	8.03	6.32	136.97	5.36	1.78	
		6:00	24.86	49.48	32.06	8.03	6.99	146.10	7.09	3.44	
		9:00	25.02	48.93	31.72	8.02	7.35	152.62	6.92	4.88	
		12:00	25.43	48.90	31.70	8.12	7.34	150.81	3.73	3.67	
		15:00	25.09	49.24	31.91	8.14	7.72	149.51	5.53	3.93	
		18:00	24.74	49.46	32.05	8.16	7.37	155.44	6.25	5.24	
		21:00	24.55	49.12	31.84	8.10	6.86	149.13	6.91	3.35	
	日平均值		25.04	49.10	31.83	8.08	7.11	149.36	6.19	3.46	
	灣內站	0:00	26.50	49.96	32.36	7.94	6.81	173.74	2.21	5.22	
		3:00	26.12	49.92	32.33	7.95	8.57	182.24	2.22	4.22	
		6:00	25.87	49.85	32.29	7.96	8.22	206.78	3.23	3.24	
		9:00	26.03	49.40	32.01	7.99	9.17	221.39	2.17	2.16	
		12:00	26.44	49.49	32.07	8.05	6.69	178.73	2.20	2.19	
		15:00	26.10	49.60	32.14	8.05	7.13	186.44	2.18	1.79	
18:00		25.74	49.54	32.10	8.03	8.55	218.45	2.19	2.19		
21:00		25.55	49.52	32.09	7.99	5.85	229.56	3.13	3.13		
日平均值		26.04	49.66	32.17	8.00	7.62	199.67	2.44	3.02		
甲類海域地面水體基準值			環評承諾日平均值需達標準 \rightarrow 7.5-8.5				5.0以上				

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月3日	蚵殼站	0:00	25.22	49.70	32.20	8.12	6.39	214.11	4.36	3.18	
		3:00	25.21	49.70	32.20	8.12	7.07	224.96	3.86	4.65	
		6:00	25.18	49.70	32.20	8.09	8.63	121.67	4.42	5.31	
		9:00	24.84	49.39	32.01	8.06	8.85	217.88	6.00	3.31	
		12:00	25.25	49.29	31.95	8.04	6.83	241.94	5.39	3.26	
		15:00	25.35	49.46	32.05	8.13	6.22	229.26	4.26	3.02	
		18:00	25.34	49.60	32.14	8.12	6.51	248.35	2.28	5.66	
		21:00	25.17	49.45	32.04	8.15	8.07	161.85	5.60	5.84	
	日平均值			25.20	49.54	32.10	8.10	7.32	207.50	4.52	4.28
	潮口站	0:00	24.47	48.56	31.49	8.08	6.72	159.13	3.78	3.26	
		3:00	24.46	49.20	31.89	8.02	5.72	159.14	4.80	6.32	
		6:00	24.43	49.48	32.06	8.06	6.17	166.77	7.78	3.96	
		9:00	24.09	49.03	31.78	8.07	6.98	167.82	9.02	3.43	
		12:00	24.50	48.98	31.75	8.08	7.22	153.12	4.23	1.74	
		15:00	24.60	49.01	31.77	8.11	7.79	152.75	3.92	4.28	
		18:00	24.59	49.05	31.80	8.03	7.64	150.93	2.98	5.38	
		21:00	24.42	48.98	31.75	8.04	6.66	156.71	3.15	7.39	
	日平均值			24.45	49.04	31.79	8.06	6.86	158.30	4.96	4.47
	灣內站	0:00	25.47	49.52	32.09	8.02	6.45	214.11	4.40	3.41	
		3:00	25.46	49.52	32.09	8.02	7.14	224.96	3.90	3.88	
		6:00	25.43	49.52	32.09	7.99	8.72	121.67	4.46	4.15	
		9:00	25.09	49.21	31.90	7.96	8.94	217.88	6.06	3.05	
		12:00	25.50	49.11	31.83	7.94	6.90	241.94	5.44	3.43	
		15:00	25.60	49.28	31.94	8.03	6.28	229.26	4.30	3.28	
		18:00	25.59	49.42	32.03	8.02	6.58	248.35	2.30	3.31	
		21:00	25.42	49.27	31.93	8.05	8.15	161.85	5.66	3.66	
	日平均值			25.45	49.36	31.99	8.00	7.40	207.50	4.57	3.52
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月4日	蚵殼站	0:00	24.87	49.92	32.33	8.12	6.27	160.14	7.71	6.15	
		3:00	24.91	50.05	32.42	8.09	8.94	210.66	5.36	6.96	
		6:00	25.24	49.97	32.37	8.15	7.93	207.64	7.09	7.41	
		9:00	25.39	50.02	32.40	8.05	5.86	252.39	6.92	7.96	
		12:00	25.63	49.95	32.35	8.12	6.81	246.30	3.73	7.54	
		15:00	25.60	49.97	32.37	8.13	6.81	244.54	5.53	6.96	
		18:00	25.93	49.50	32.08	8.06	6.43	264.30	6.25	5.86	
		21:00	25.94	49.66	32.17	8.15	7.85	170.25	6.91	4.01	
	日平均值			25.44	49.88	32.31	8.11	7.11	219.53	6.19	6.61
	潮口站	0:00	24.12	48.98	31.75	8.02	6.88	152.49	4.74	9.34	
		3:00	24.16	49.02	31.78	8.02	5.94	148.12	3.53	10.48	
		6:00	24.49	49.32	31.96	8.04	5.33	155.25	3.88	11.04	
		9:00	24.64	49.22	31.90	8.08	7.18	172.48	3.89	9.84	
		12:00	24.88	49.19	31.88	8.08	7.62	150.31	8.16	3.86	
		15:00	24.85	49.03	31.78	8.10	7.82	154.53	6.59	4.00	
		18:00	25.18	47.42	30.79	8.08	8.02	150.54	1.82	5.13	
		21:00	25.19	48.66	31.56	8.07	7.18	170.97	2.72	3.56	
	日平均值			24.69	48.86	31.68	8.06	7.00	156.84	4.42	7.16
	灣內站	0:00	25.12	49.74	32.22	8.02	6.33	160.14	7.79	4.78	
		3:00	25.16	49.88	32.31	7.99	9.03	210.66	5.41	3.43	
		6:00	25.49	49.79	32.25	8.05	8.01	207.64	7.16	3.18	
		9:00	25.64	49.85	32.29	7.95	5.92	252.39	6.99	3.97	
		12:00	25.89	49.77	32.24	8.02	6.88	246.30	3.77	3.76	
		15:00	25.86	49.79	32.25	8.03	6.88	244.54	5.59	5.57	
		18:00	26.19	49.32	31.96	7.96	6.49	264.30	6.31	4.97	
		21:00	26.20	49.48	32.06	8.05	7.93	170.25	6.98	3.41	
	日平均值			25.69	49.70	32.20	8.01	7.18	219.53	6.25	4.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月5日	蚵殼站	0:00	25.38	49.85	32.29	8.10	6.85	219.50	3.78	3.40	
		3:00	25.31	49.90	32.32	8.09	7.43	255.93	4.80	3.33	
		6:00	25.77	49.81	32.27	8.14	7.73	223.84	7.78	5.10	
		9:00	25.92	49.93	32.34	8.12	8.54	231.89	9.02	4.88	
		12:00	25.95	49.69	32.19	8.17	8.36	239.62	4.23	3.02	
		15:00	26.25	49.64	32.16	8.18	6.75	257.13	3.92	4.05	
		18:00	26.39	49.72	32.21	8.19	8.21	222.69	2.98	4.46	
		21:00	26.13	49.56	32.11	8.20	8.07	230.36	3.15	4.51	
	日平均值			25.89	49.76	32.24	8.15	7.74	235.12	4.96	4.09
	潮口站	0:00	24.63	48.68	31.57	8.05	6.45	151.91	4.36	3.08	
		3:00	24.56	48.63	31.54	8.04	5.86	145.36	2.93	1.71	
		6:00	25.02	49.15	31.86	8.03	5.64	144.70	3.44	2.57	
		9:00	25.17	48.78	31.63	8.06	6.23	171.07	4.23	3.96	
		12:00	25.20	48.29	31.33	8.08	7.94	151.36	7.98	4.08	
		15:00	25.50	48.54	31.48	8.09	7.60	161.93	4.99	2.86	
		18:00	25.64	47.24	30.68	8.07	8.10	157.17	2.99	4.19	
		21:00	25.38	47.93	31.10	8.06	7.83	174.35	13.29	5.37	
	日平均值			25.14	48.41	31.40	8.06	6.96	157.23	5.53	3.48
	灣內站	0:00	25.63	49.67	32.18	8.00	6.92	219.50	3.82	3.45	
		3:00	25.56	49.72	32.21	7.99	7.50	255.93	4.85	2.20	
		6:00	26.03	49.63	32.16	8.04	7.81	223.84	7.86	2.80	
		9:00	26.18	49.75	32.23	8.02	8.63	231.89	9.11	3.02	
		12:00	26.21	49.51	32.08	8.07	8.44	239.62	4.27	2.07	
		15:00	26.51	49.46	32.05	8.04	6.82	257.13	3.96	1.99	
		18:00	26.65	49.54	32.10	8.05	8.29	222.69	3.01	2.74	
		21:00	26.39	49.38	32.00	8.10	8.15	230.36	3.18	3.94	
	日平均值			26.15	49.58	32.13	8.04	7.82	235.12	5.01	2.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月6日	蚵殼站	0:00	25.98	49.69	32.19	8.21	8.74	245.12	4.74	3.64	
		3:00	25.79	49.64	32.16	8.25	5.55	196.50	3.53	3.27	
		6:00	26.08	49.09	31.82	8.23	5.66	139.22	3.88	3.04	
		9:00	26.34	49.42	32.03	8.14	6.94	193.31	3.89	4.02	
		12:00	26.33	49.32	31.96	8.27	5.71	215.77	8.16	4.16	
		15:00	26.44	49.48	32.06	8.27	6.67	244.69	6.59	2.94	
		18:00	26.46	49.58	32.12	8.26	6.52	248.93	1.82	3.54	
		21:00	26.63	49.74	32.22	8.21	7.34	257.39	2.72	4.84	
	日平均值			26.26	49.50	32.07	8.23	6.64	217.62	4.42	3.68
	潮口站	0:00	25.23	48.57	31.50	8.06	7.43	169.94	2.94	6.30	
		3:00	25.04	48.41	31.40	8.04	7.22	154.35	2.30	5.17	
		6:00	25.33	48.66	31.56	7.97	5.73	122.53	3.39	6.18	
		9:00	25.59	48.51	31.46	8.04	7.15	154.07	2.97	6.60	
		12:00	25.58	48.18	31.26	8.08	7.81	142.79	8.41	7.09	
		15:00	25.69	48.09	31.20	8.08	7.82	154.85	7.08	9.37	
		18:00	25.71	46.86	30.44	8.09	7.78	140.85	3.85	6.38	
		21:00	25.88	46.72	30.36	8.07	7.63	159.88	3.84	5.89	
	日平均值			25.51	48.00	31.15	8.05	7.32	149.91	4.35	6.62
	灣內站	0:00	26.24	49.51	32.08	8.11	8.88	232.84	4.79	4.04	
		3:00	26.05	49.46	32.05	8.15	6.72	234.95	3.57	3.67	
		6:00	26.34	48.91	31.71	8.13	5.68	236.18	3.92	3.44	
		9:00	26.60	49.24	31.91	8.04	7.14	238.29	3.93	4.42	
		12:00	26.59	49.14	31.85	8.17	8.57	237.73	8.24	4.56	
		15:00	26.70	49.30	31.95	8.05	7.48	175.46	6.66	3.34	
		18:00	27.20	49.40	32.01	8.16	8.40	103.19	1.84	3.94	
		21:00	26.90	49.56	32.11	8.20	8.63	186.54	2.75	5.24	
	日平均值			26.58	49.32	31.96	8.13	7.69	205.65	4.46	4.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月7日	蚵殼站	0:00	26.34	49.50	32.08	8.24	8.54	226.53	4.36	2.91	
		3:00	26.29	49.39	32.01	8.25	6.19	135.43	2.93	5.42	
		6:00	26.55	49.48	32.06	8.25	5.48	151.11	3.44	3.13	
		9:00	26.68	49.69	32.19	8.20	7.57	150.37	4.23	5.48	
		12:00	25.44	49.64	32.16	8.27	5.40	156.08	7.98	4.40	
		15:00	27.01	49.77	32.24	8.31	5.91	193.25	4.99	3.69	
		18:00	26.90	49.85	32.29	8.26	7.74	259.10	2.99	4.57	
		21:00	26.74	49.72	32.21	8.25	5.59	256.50	13.29	5.39	
	日平均值			26.49	49.63	32.16	8.25	6.55	191.05	5.53	4.37
	潮口站	0:00	25.59	47.72	30.97	8.08	6.55	172.10	4.59	5.95	
		3:00	25.54	47.44	30.80	8.08	6.00	158.27	2.58	4.94	
		6:00	25.80	47.90	31.09	8.04	5.75	155.15	3.67	6.03	
		9:00	25.93	47.57	30.88	8.03	7.22	174.28	4.11	6.65	
		12:00	24.69	47.53	30.86	8.06	7.78	158.56	8.37	7.98	
		15:00	26.26	47.75	30.99	8.08	7.41	166.30	3.19	10.37	
		18:00	26.15	47.97	31.13	8.08	7.22	158.84	2.21	7.37	
		21:00	25.99	48.21	31.28	8.03	7.53	173.97	1.44	5.80	
	日平均值			25.74	47.76	31.00	8.06	6.93	164.68	3.77	6.89
	灣內站	0:00	27.30	49.32	31.96	8.15	8.62	190.58	4.40	3.31	
		3:00	26.50	49.21	31.90	8.08	5.42	200.94	2.96	5.82	
		6:00	27.99	49.30	31.95	8.10	5.88	195.47	3.47	3.53	
		9:00	27.00	49.51	32.08	8.18	7.63	211.36	4.27	5.88	
		12:00	27.20	49.46	32.05	8.27	8.50	144.30	8.06	4.80	
		15:00	27.60	49.59	32.13	8.26	7.56	120.89	5.04	4.09	
		18:00	27.20	49.67	32.18	8.26	5.69	131.89	3.02	4.97	
		21:00	27.90	49.54	32.10	8.18	5.03	129.53	8.42	5.79	
	日平均值			27.34	49.45	32.04	8.19	6.79	165.62	4.96	4.77
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月8日	蚵殼站	0:00	26.74	49.92	32.33	8.22	5.67	247.87	2.94	6.03	
		3:00	26.71	49.92	32.33	8.19	5.34	241.67	2.30	8.64	
		6:00	26.66	49.98	32.37	8.11	5.38	239.67	3.39	10.25	
		9:00	26.84	49.98	32.37	8.17	6.40	245.40	2.97	9.56	
		12:00	27.09	49.76	32.24	8.19	7.22	256.10	8.41	5.19	
		15:00	27.13	49.60	32.14	8.15	6.80	261.90	7.08	6.38	
		18:00	26.92	49.92	32.33	8.12	5.88	265.80	3.85	8.34	
		21:00	26.61	49.93	32.34	8.08	5.68	266.33	3.84	9.38	
	日平均值			26.84	49.88	32.31	8.15	6.05	253.09	4.35	7.97
	潮口站	0:00	25.99	48.89	31.70	8.03	7.15	188.70	1.83	4.21	
		3:00	25.96	48.86	31.68	8.02	6.76	158.27	1.01	2.84	
		6:00	25.91	49.35	31.98	8.00	7.08	155.15	1.42	3.29	
		9:00	26.09	49.62	32.15	8.03	7.32	155.37	1.38	5.07	
		12:00	26.34	49.43	32.03	8.04	7.60	146.86	2.03	6.42	
		15:00	26.38	49.24	31.91	8.03	8.06	180.67	3.08	7.44	
		18:00	26.17	49.04	31.79	7.99	7.82	180.83	1.76	7.17	
		21:00	25.86	48.49	31.45	8.02	7.61	174.64	1.12	5.48	
	日平均值			26.09	49.12	31.84	8.02	7.43	167.56	1.70	5.24
	灣內站	0:00	27.50	49.74	32.22	8.18	5.35	190.30	2.97	6.43	
		3:00	26.59	49.74	32.22	8.18	6.33	175.13	2.32	9.04	
		6:00	26.38	49.80	32.26	8.23	8.37	106.58	3.42	10.65	
		9:00	26.53	49.80	32.26	8.24	7.41	142.61	3.00	9.96	
		12:00	26.69	49.58	32.12	8.29	9.11	120.27	8.49	5.59	
		15:00	26.78	49.42	32.03	8.28	9.33	123.16	7.15	6.78	
		18:00	26.89	49.74	32.22	8.15	7.94	109.49	3.89	8.74	
		21:00	26.87	49.75	32.23	8.15	9.18	136.61	3.88	9.78	
	日平均值			26.78	49.70	32.20	8.21	7.88	138.02	4.39	8.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月9日	蚵殼站	0:00	26.55	49.95	32.35	8.04	5.63	251.60	4.59	10.64	
		3:00	26.64	49.92	32.33	8.05	6.57	256.15	2.58	11.34	
		6:00	26.70	50.10	32.45	8.06	6.51	265.67	3.67	9.37	
		9:00	26.96	50.23	32.53	8.09	7.08	276.37	4.11	8.39	
		12:00	27.28	49.93	32.34	8.15	8.20	282.00	8.37	1.85	
		15:00	27.31	49.92	32.33	8.15	6.32	288.20	3.19	3.06	
		18:00	27.42	49.92	32.33	8.13	6.67	289.43	2.21	7.38	
		21:00	27.30	50.10	32.45	8.09	6.50	278.75	1.44	9.37	
	日平均值		27.02	50.01	32.39	8.10	6.69	273.52	3.77	7.68	
	潮口站	0:00	25.80	48.78	31.63	8.02	6.95	187.56	1.05	5.83	
		3:00	25.89	49.31	31.96	8.02	6.32	175.00	1.00	4.38	
		6:00	25.95	49.70	32.20	8.02	6.99	152.62	2.21	3.54	
		9:00	26.21	49.69	32.19	8.03	7.35	146.60	1.97	6.35	
		12:00	26.53	49.67	32.18	8.06	7.34	120.90	1.27	7.13	
		15:00	26.56	49.47	32.06	8.05	7.72	141.19	3.95	7.50	
		18:00	26.67	49.32	31.96	8.05	7.37	168.43	2.96	7.88	
		21:00	26.55	49.39	32.01	8.04	6.86	165.29	1.32	6.35	
	日平均值		26.27	49.42	32.02	8.04	7.11	157.20	1.97	6.12	
	灣內站	0:00	26.06	49.77	32.24	8.06	8.60	153.60	4.64	10.56	
		3:00	26.43	49.74	32.22	8.10	6.76	151.86	2.61	11.74	
		6:00	26.30	49.93	32.34	8.16	6.69	105.89	3.71	9.77	
		9:00	26.56	50.06	32.42	8.16	7.42	136.58	4.15	8.79	
		12:00	27.30	49.75	32.23	8.25	9.29	126.15	8.45	2.25	
		15:00	27.18	49.74	32.22	8.26	9.96	125.84	3.22	3.46	
		18:00	27.05	49.74	32.22	8.26	6.86	135.83	2.23	7.78	
		21:00	27.06	49.93	32.34	8.16	5.89	129.95	1.45	9.77	
	日平均值		26.74	49.83	32.28	8.18	7.68	133.21	3.81	8.02	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月10日	蚵殼站	0:00	26.79	50.00	32.38	8.12	6.44	252.63	1.83	9.29	
		3:00	26.83	50.08	32.43	8.12	5.74	248.00	1.01	8.09	
		6:00	26.80	50.32	32.58	8.09	5.47	256.00	1.42	7.56	
		9:00	27.12	50.32	32.58	8.06	7.21	277.00	1.38	7.39	
		12:00	27.48	50.02	32.40	8.04	7.41	278.00	2.03	5.38	
		15:00	27.59	49.93	32.34	8.13	7.82	290.57	3.08	4.28	
		18:00	27.71	50.03	32.40	8.12	8.10	294.75	1.76	2.93	
		21:00	27.84	49.93	32.34	8.15	7.20	291.47	1.12	3.74	
	日平均值		27.27	50.08	32.43	8.10	6.92	273.55	1.70	6.08	
	潮口站	0:00	26.04	48.20	31.27	8.01	6.72	177.78	0.59	5.14	
		3:00	26.08	49.15	31.86	8.03	5.72	206.00	0.32	4.26	
		6:00	26.05	49.56	32.11	8.01	6.17	191.34	1.16	3.96	
		9:00	26.37	49.63	32.16	8.02	6.98	166.03	4.46	4.81	
		12:00	26.73	49.70	32.20	8.06	7.22	151.69	1.04	7.73	
		15:00	26.84	49.34	31.98	8.09	7.79	124.09	1.46	7.10	
		18:00	26.96	49.23	31.91	8.07	7.64	161.12	2.60	8.04	
		21:00	27.09	49.32	31.96	8.03	6.66	191.43	3.09	7.52	
	日平均值		26.52	49.27	31.93	8.04	6.86	171.19	1.84	6.07	
	灣內站	0:00	27.01	49.83	32.28	8.15	7.95	137.15	1.85	9.69	
		3:00	26.78	49.91	32.33	8.06	5.82	124.57	1.02	8.49	
		6:00	26.69	50.15	32.48	8.12	8.47	128.05	1.43	7.96	
		9:00	26.79	50.15	32.48	8.21	8.99	142.49	1.39	7.79	
		12:00	27.41	49.85	32.29	8.24	9.43	145.03	2.05	5.78	
		15:00	27.52	49.75	32.23	8.24	9.60	145.37	3.11	4.68	
		18:00	27.79	49.86	32.30	8.21	8.76	144.56	1.78	3.33	
		21:00	27.68	49.75	32.23	8.21	9.69	149.63	1.13	4.14	
	日平均值		27.21	49.91	32.33	8.18	8.59	139.61	1.72	6.48	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
4月11日	蚵殼站	0:00	27.35	50.14	32.47	8.12	7.56	270.43	1.05	4.64	
		3:00	26.96	50.27	32.55	8.09	6.90	219.25	1.00	4.57	
		6:00	27.01	50.31	32.58	8.15	7.02	229.83	2.21	6.34	
		9:00	27.52	50.39	32.63	8.05	6.67	258.97	1.97	6.12	
		12:00	27.83	49.90	32.32	8.12	6.64	277.30	1.27	4.26	
		15:00	27.76	49.66	32.17	8.13	5.18	282.67	3.95	5.29	
		18:00	27.68	50.06	32.42	8.06	8.11	292.93	2.96	5.70	
		21:00	27.64	49.87	32.30	8.15	5.98	291.55	1.32	5.75	
	日平均值		27.47	50.08	32.43	8.11	6.76	265.37	1.97	5.33	
	潮口站	0:00	26.60	48.90	31.70	8.03	6.88	151.50	1.75	6.78	
		3:00	26.21	49.09	31.82	8.06	5.94	204.00	0.65	6.42	
		6:00	26.26	49.49	32.07	8.03	5.33	200.40	0.59	4.08	
		9:00	26.77	49.23	31.91	8.04	7.18	175.27	1.12	4.18	
		12:00	27.08	49.03	31.78	8.11	7.62	190.79	1.36	5.39	
		15:00	27.01	49.12	31.84	8.12	7.82	132.90	3.30	7.50	
		18:00	26.93	48.86	31.68	8.11	8.02	147.52	3.09	7.43	
		21:00	26.89	48.80	31.64	8.10	7.18	148.03	3.06	11.37	
	日平均值		26.72	49.07	31.81	8.08	7.00	168.80	1.87	6.64	
	灣內站	0:00	27.90	49.97	32.37	8.08	7.84	122.92	1.06	5.04	
		3:00	27.50	50.10	32.45	8.14	6.16	167.05	1.01	4.97	
		6:00	27.55	50.14	32.47	8.22	7.04	136.27	2.23	6.74	
		9:00	28.07	50.22	32.52	8.22	7.97	155.91	1.99	6.52	
		12:00	28.39	49.72	32.21	8.25	9.28	158.54	1.28	4.66	
		15:00	28.32	49.48	32.06	8.26	9.86	160.55	3.99	5.69	
		18:00	28.23	49.89	32.32	8.24	9.62	172.92	2.99	6.10	
		21:00	28.19	49.69	32.19	8.15	6.19	159.81	1.33	6.15	
	日平均值		28.02	49.90	32.32	8.20	8.00	154.25	1.99	5.73	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
4月12日	蚵殼站	0:00	27.53	50.24	32.53	8.10	6.12	249.03	0.59	4.88	
		3:00	26.97	50.24	32.53	8.09	6.44	246.00	0.32	4.51	
		6:00	27.07	50.05	32.42	8.14	7.00	270.33	1.16	4.28	
		9:00	27.83	50.14	32.47	8.12	7.55	280.00	4.46	5.26	
		12:00	27.92	49.89	32.32	8.17	6.13	282.43	1.04	5.40	
		15:00	28.05	49.93	32.34	8.18	5.75	287.20	1.46	4.18	
		18:00	28.01	49.58	32.12	8.19	5.18	282.80	2.60	4.78	
		21:00	28.09	50.08	32.43	8.20	5.81	282.77	3.09	6.08	
	日平均值		27.68	50.02	32.40	8.15	6.25	272.57	1.84	4.92	
	潮口站	0:00	26.78	48.93	31.72	8.07	6.68	138.36	2.44	9.38	
		3:00	26.22	49.42	32.03	8.03	5.61	178.50	1.28	6.43	
		6:00	26.32	49.38	32.00	8.01	5.16	193.25	1.19	4.10	
		9:00	27.08	49.27	31.93	8.02	6.72	157.30	2.58	6.42	
		12:00	27.17	48.30	31.33	8.10	6.18	169.75	3.94	7.44	
		15:00	27.30	47.82	31.04	8.14	6.20	141.76	3.28	6.76	
		18:00	27.26	48.77	31.62	8.11	7.15	158.07	5.15	4.39	
		21:00	27.34	48.80	31.64	8.12	5.83	156.03	4.88	3.29	
	日平均值		26.93	48.84	31.66	8.08	6.19	161.63	3.09	6.03	
	灣內站	0:00	28.08	50.07	32.43	8.09	9.73	184.06	0.60	5.28	
		3:00	27.51	50.07	32.43	7.99	5.80	109.88	0.32	4.91	
		6:00	27.61	49.88	32.31	8.11	7.10	171.11	1.17	4.68	
		9:00	28.39	49.97	32.37	8.10	6.46	192.19	4.50	5.66	
		12:00	28.48	49.71	32.20	8.23	9.92	186.45	1.05	5.80	
		15:00	28.61	49.75	32.23	8.24	9.77	192.63	1.47	4.58	
		18:00	28.57	49.40	32.01	8.19	8.76	197.38	2.63	5.18	
		21:00	28.65	49.91	32.33	8.18	9.32	204.55	3.12	6.48	
	日平均值		28.24	49.85	32.29	8.14	8.36	179.78	1.86	5.32	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月13日	蚵殼站	0:00	27.75	50.18	32.50	8.21	5.60	284.80	1.75	2.42	
		3:00	27.05	50.26	32.55	8.25	5.48	172.05	0.65	4.37	
		6:00	27.20	50.16	32.48	8.23	5.84	145.37	0.59	4.21	
		9:00	27.86	50.05	32.42	8.14	5.09	186.73	1.12	5.04	
		12:00	28.07	50.16	32.48	8.27	6.71	225.15	1.36	3.05	
		15:00	28.02	49.97	32.37	8.27	5.51	250.53	3.30	3.82	
		18:00	28.09	49.55	32.11	8.26	5.98	264.00	3.09	2.64	
		21:00	28.24	50.19	32.50	8.21	6.66	264.50	3.06	4.73	
	日平均值			27.79	50.07	32.43	8.23	5.86	224.14	1.87	3.79
	潮口站	0:00	27.00	47.96	31.12	8.07	6.06	163.00	3.05	5.98	
		3:00	26.30	47.24	30.68	8.02	7.16	148.90	3.39	6.74	
		6:00	26.45	47.71	30.97	7.99	6.94	205.00	2.08	6.18	
		9:00	27.11	48.38	31.38	8.06	7.52	178.68	4.13	6.60	
		12:00	27.32	48.36	31.37	8.08	5.99	181.42	3.13	7.09	
		15:00	27.27	47.88	31.07	8.09	6.27	155.91	18.48	9.37	
		18:00	27.34	48.39	31.39	8.10	7.15	189.50	15.30	7.50	
		21:00	27.49	48.63	31.54	8.10	5.45	176.56	3.51	5.38	
	日平均值			27.04	48.07	31.19	8.06	6.57	174.87	6.63	6.86
	灣內站	0:00	28.31	50.01	32.39	8.19	9.97	202.49	1.77	2.82	
		3:00	27.59	50.09	32.44	8.04	5.00	180.32	0.66	4.77	
		6:00	27.74	49.99	32.38	7.99	5.93	194.57	0.60	4.61	
		9:00	28.42	49.88	32.31	8.07	6.93	197.01	1.13	5.44	
		12:00	28.63	49.99	32.38	8.22	9.14	204.13	1.37	3.45	
		15:00	28.58	49.79	32.25	8.26	9.55	211.65	3.33	4.22	
		18:00	28.65	49.37	31.99	8.24	5.62	218.82	3.12	3.04	
		21:00	28.80	50.02	32.40	8.16	6.81	224.32	3.09	5.13	
	日平均值			28.34	49.89	32.32	8.15	7.37	204.16	1.88	4.19
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月14日	蚵殼站	0:00	28.21	50.27	32.55	8.23	6.80	268.80	2.44	3.83	
		3:00	27.20	50.29	32.56	8.18	6.04	173.03	1.28	4.78	
		6:00	27.39	50.13	32.46	8.13	6.35	197.87	1.19	4.01	
		9:00	28.07	50.06	32.42	8.12	7.78	234.00	2.58	4.40	
		12:00	28.20	49.72	32.21	8.08	6.93	271.60	3.94	4.57	
		15:00	27.32	49.30	31.95	8.13	6.96	283.60	3.28	2.57	
		18:00	27.64	50.29	32.56	8.15	8.47	283.80	5.15	4.42	
		21:00	28.13	50.18	32.50	8.19	6.37	271.10	4.88	4.57	
	日平均值			27.77	50.03	32.40	8.15	6.96	247.98	3.09	4.14
	潮口站	0:00	27.46	48.67	31.56	8.07	5.84	184.86	3.85	5.95	
		3:00	26.45	49.30	31.95	8.01	6.27	162.70	5.47	4.94	
		6:00	26.64	49.34	31.98	8.01	7.25	192.91	5.44	6.03	
		9:00	27.32	48.84	31.67	8.05	7.38	174.59	5.76	6.65	
		12:00	27.45	48.79	31.64	8.06	6.12	186.74	5.34	9.37	
		15:00	26.57	48.72	31.59	8.06	5.73	177.47	5.19	7.38	
		18:00	26.89	48.80	31.64	8.06	5.92	186.90	24.21	6.68	
		21:00	27.38	48.77	31.62	8.08	6.90	187.03	11.14	5.80	
	日平均值			27.02	48.90	31.71	8.05	6.43	181.65	8.30	6.60
	灣內站	0:00	28.77	50.10	32.45	8.17	5.65	226.82	2.46	4.23	
		3:00	27.74	50.12	32.46	8.14	7.81	220.63	1.29	5.18	
		6:00	27.94	49.96	32.36	8.23	9.73	223.42	1.20	4.41	
		9:00	28.63	49.89	32.32	8.25	9.80	207.37	2.61	4.80	
		12:00	28.76	49.54	32.10	8.27	9.24	151.70	3.98	4.97	
		15:00	27.87	49.12	31.84	8.27	9.95	171.35	3.31	2.97	
		18:00	28.19	50.12	32.46	8.23	6.84	159.97	5.20	4.82	
		21:00	28.89	50.01	32.39	8.20	7.61	154.53	4.93	4.97	
	日平均值			28.35	49.86	32.30	8.22	8.33	189.47	3.12	4.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月15日	蚵殼站	0:00	28.07	49.93	32.34	8.08	6.74	253.33	3.05	2.93	
		3:00	26.86	50.13	32.46	8.12	8.49	185.55	3.39	4.14	
		6:00	27.25	49.93	32.34	8.12	8.14	125.20	2.08	5.36	
		9:00	28.20	49.95	32.35	8.17	9.08	161.67	4.13	4.54	
		12:00	28.72	50.00	32.38	8.18	6.62	203.50	3.13	4.64	
		15:00	27.24	49.61	32.14	8.17	7.06	224.77	18.48	2.24	
		18:00	27.49	49.93	32.34	8.13	8.47	200.07	15.30	2.70	
		21:00	28.20	49.51	32.08	8.14	7.79	180.00	3.51	3.03	
	日平均值		27.75	49.87	32.30	8.14	7.80	191.76	6.63	3.70	
	潮口站	0:00	27.32	48.81	31.65	8.06	5.76	170.77	12.87	4.17	
		3:00	26.11	49.16	31.86	7.99	7.44	190.29	38.14	2.70	
		6:00	26.50	49.24	31.91	7.98	6.81	176.04	24.39	1.43	
		9:00	27.45	48.79	31.64	8.03	5.49	157.68	16.46	2.88	
		12:00	27.97	48.65	31.55	8.07	6.11	172.91	21.21	3.21	
		15:00	26.49	48.98	31.75	8.04	6.11	170.71	67.56	5.38	
		18:00	26.74	49.08	31.82	8.02	5.86	183.39	43.61	2.83	
		21:00	27.45	48.75	31.61	8.02	6.76	204.21	77.58	3.26	
	日平均值		27.00	48.93	31.72	8.03	6.29	178.25	37.73	3.23	
	灣內站	0:00	29.05	49.75	32.23	8.17	6.06	186.78	3.08	3.33	
		3:00	27.40	49.96	32.36	8.08	5.47	178.14	3.42	4.54	
		6:00	27.80	49.75	32.23	8.07	6.56	105.86	2.10	5.76	
		9:00	28.76	49.77	32.24	8.12	7.94	135.23	4.17	4.94	
		12:00	28.26	49.83	32.28	8.14	9.91	173.43	3.16	5.04	
		15:00	27.78	49.43	32.03	8.17	8.89	182.47	8.66	2.64	
		18:00	28.04	49.75	32.23	8.12	5.27	162.87	5.45	3.10	
		21:00	29.20	49.33	31.97	8.11	5.44	146.01	3.55	3.43	
	日平均值		28.29	49.70	32.20	8.12	6.94	158.85	4.20	4.10	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月16日	蚵殼站	0:00	28.26	48.98	31.75	8.18	6.39	179.50	3.85	4.96	
		3:00	26.98	50.11	32.45	8.12	7.07	174.33	5.47	5.11	
		6:00	27.07	50.16	32.48	8.10	8.63	158.43	5.44	6.26	
		9:00	28.43	49.87	32.30	8.20	8.85	157.50	5.76	3.48	
		12:00	28.92	49.77	32.24	8.19	6.83	195.87	5.34	4.67	
		15:00	27.72	48.97	31.75	8.17	6.22	225.67	5.19	3.69	
		18:00	27.41	49.22	31.90	8.15	6.51	236.55	24.21	5.37	
		21:00	27.91	49.72	32.21	8.19	8.07	196.33	11.14	4.70	
	日平均值		27.84	49.60	32.14	8.16	7.32	190.52	8.30	4.78	
	潮口站	0:00	27.51	48.77	31.62	8.02	5.49	158.67	59.33	5.36	
		3:00	26.23	48.56	31.49	8.04	6.50	150.88	64.44	10.95	
		6:00	26.32	48.93	31.72	8.02	6.69	162.69	33.56	15.87	
		9:00	27.68	48.79	31.64	8.01	7.19	150.11	30.74	5.49	
		12:00	28.17	48.69	31.57	8.03	7.08	167.53	33.04	6.74	
		15:00	26.97	47.51	30.84	8.04	6.07	181.89	18.23	5.91	
		18:00	26.66	48.91	31.71	8.04	6.99	178.20	24.76	3.96	
		21:00	27.16	48.59	31.51	8.02	6.90	199.20	2.82	1.47	
	日平均值		27.09	48.59	31.51	8.03	6.61	168.65	33.37	6.97	
	灣內站	0:00	28.83	48.79	31.64	8.09	5.33	113.18	3.89	5.36	
		3:00	27.52	49.94	32.35	7.98	8.40	191.32	5.52	5.51	
		6:00	27.61	49.99	32.38	8.12	8.06	126.82	5.49	6.66	
		9:00	29.00	49.69	32.19	8.11	7.05	154.23	5.82	3.88	
		12:00	29.50	49.59	32.13	8.16	9.31	195.18	5.39	5.07	
		15:00	28.27	48.78	31.63	8.20	9.03	211.57	5.24	4.09	
		18:00	27.96	49.04	31.79	8.22	6.42	202.43	9.02	5.77	
		21:00	28.47	49.54	32.10	8.14	7.56	130.99	9.25	5.10	
	日平均值		28.40	49.42	32.03	8.13	7.65	165.72	6.20	5.18	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月17日	蚵殼站	0:00	28.13	49.92	32.33	8.17	6.27	199.33	4.36	2.88	
		3:00	27.19	50.08	32.43	8.16	8.94	202.50	3.86	2.22	
		6:00	27.11	49.97	32.37	8.13	7.93	203.77	4.42	4.85	
		9:00	27.80	50.02	32.40	8.17	5.86	225.00	6.00	3.60	
		12:00	28.68	49.95	32.35	8.16	6.81	239.80	5.39	3.74	
		15:00	27.89	49.97	32.37	8.20	6.81	253.13	4.26	3.44	
		18:00	27.38	49.50	32.08	8.17	6.43	259.00	2.28	3.49	
		21:00	27.78	49.66	32.17	8.23	7.85	238.00	3.20	4.46	
	日平均值			27.75	49.88	32.31	8.17	7.11	227.57	4.22	3.59
	潮口站	0:00	27.38	48.70	31.58	8.06	7.31	195.69	3.26	4.16	
		3:00	26.44	49.05	31.80	7.99	5.29	192.11	2.09	5.10	
		6:00	26.36	49.35	31.98	7.98	5.36	198.00	5.54	5.62	
		9:00	27.05	48.93	31.72	8.03	6.19	196.32	4.86	4.36	
		12:00	27.93	48.73	31.60	8.07	5.40	189.99	3.83	5.98	
		15:00	27.14	48.62	31.53	8.04	6.02	188.18	3.86	5.74	
		18:00	26.63	49.16	31.86	8.02	5.92	188.79	7.29	4.63	
		21:00	27.03	48.94	31.73	8.02	6.44	194.39	2.06	6.25	
	日平均值			27.00	48.94	31.73	8.03	5.99	192.93	4.10	5.23
	灣內站	0:00	28.69	49.74	32.22	8.14	8.00	123.62	4.40	3.28	
		3:00	27.73	49.91	32.33	8.07	6.97	114.38	3.90	2.62	
		6:00	27.65	49.79	32.25	8.05	8.57	128.93	4.46	5.25	
		9:00	28.36	49.85	32.29	8.09	6.76	164.75	6.06	4.00	
		12:00	29.25	49.77	32.24	8.15	9.48	189.97	5.44	4.14	
		15:00	28.45	49.79	32.25	8.07	8.71	201.55	4.30	3.84	
		18:00	27.93	49.32	31.96	8.11	5.26	170.41	2.30	3.89	
		21:00	28.34	49.48	32.06	8.12	5.94	175.69	3.23	4.86	
	日平均值			28.30	49.71	32.20	8.10	7.46	158.66	4.26	3.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月18日	蚵殼站	0:00	27.86	49.87	32.30	8.22	5.85	189.00	7.71	2.92	
		3:00	27.22	49.98	32.37	8.16	7.43	234.00	5.36	2.92	
		6:00	27.00	50.11	32.45	8.16	7.73	183.67	7.09	4.01	
		9:00	27.85	50.14	32.47	8.24	8.54	173.65	6.92	4.45	
		12:00	28.73	49.92	32.33	8.25	8.36	222.10	3.73	3.43	
		15:00	28.16	49.76	32.24	8.22	6.75	244.87	5.53	2.88	
		18:00	27.24	49.87	32.30	8.22	8.21	252.50	6.25	3.49	
		21:00	27.60	49.72	32.21	8.21	8.07	156.93	6.91	3.84	
	日平均值			27.71	49.92	32.33	8.21	7.62	207.09	6.19	3.49
	潮口站	0:00	27.11	48.86	31.68	8.02	7.19	195.98	2.07	4.26	
		3:00	26.47	49.16	31.86	8.02	5.71	184.63	1.56	5.36	
		6:00	26.25	48.71	31.59	8.02	5.25	189.12	2.73	13.84	
		9:00	27.10	49.17	31.87	8.03	6.59	196.65	2.50	6.25	
		12:00	27.98	48.81	31.65	8.06	7.48	187.48	1.44	6.10	
		15:00	27.41	48.70	31.58	8.05	5.53	186.73	1.88	2.40	
		18:00	26.49	47.85	31.05	8.05	6.69	188.18	1.28	8.12	
		21:00	26.85	48.65	31.55	8.04	5.32	191.77	1.74	8.19	
	日平均值			26.96	48.74	31.60	8.04	6.22	190.07	1.90	6.82
	灣內站	0:00	28.42	49.69	32.19	8.11	6.90	190.61	7.79	3.32	
		3:00	27.76	49.80	32.26	8.14	7.11	157.56	5.41	3.32	
		6:00	27.54	49.94	32.35	8.15	9.51	195.34	7.16	4.41	
		9:00	28.41	49.97	32.37	8.17	7.19	131.07	6.99	4.85	
		12:00	29.30	49.74	32.22	8.19	9.92	183.00	3.77	3.83	
		15:00	28.72	49.58	32.12	8.19	9.63	205.77	5.59	3.28	
		18:00	27.78	49.69	32.19	8.19	7.08	195.51	6.31	3.89	
		21:00	28.15	49.54	32.10	8.18	6.27	187.66	6.98	4.24	
	日平均值			28.26	49.74	32.23	8.17	7.95	180.82	6.25	3.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月19日	蚵殼站	0:00	27.75	49.95	32.35	8.12	8.74	125.13	3.78	3.11	
		3:00	27.26	50.10	32.45	8.09	5.55	231.50	4.80	4.80	
		6:00	26.85	50.18	32.50	8.15	5.66	144.03	7.78	4.23	
		9:00	27.27	50.13	32.46	8.05	6.94	175.83	9.02	5.07	
		12:00	28.10	49.66	32.17	8.12	5.71	129.55	4.23	3.79	
		15:00	27.88	49.60	32.14	8.13	6.67	213.00	3.92	2.12	
		18:00	27.06	49.81	32.27	8.06	6.52	251.80	2.98	3.34	
		21:00	26.92	49.71	32.20	8.15	7.34	190.53	3.15	3.93	
	日平均值		27.39	49.89	32.32	8.11	6.64	182.67	4.96	3.80	
	潮口站	0:00	27.00	48.79	31.64	8.01	5.37	187.31	1.11	11.80	
		3:00	26.51	48.89	31.70	8.03	5.15	168.94	1.48	17.06	
		6:00	26.10	49.18	31.88	8.01	5.18	177.13	1.58	13.75	
		9:00	26.52	49.03	31.78	8.02	5.84	194.54	1.32	9.39	
		12:00	27.07	48.76	31.62	8.06	6.37	144.57	1.40	6.22	
		15:00	27.13	48.72	31.59	8.09	6.10	117.06	1.74	8.64	
		18:00	26.31	48.79	31.64	8.07	5.51	126.55	0.89	7.55	
		21:00	26.17	48.83	31.66	8.03	5.38	163.83	0.42	5.39	
	日平均值		26.60	48.87	31.69	8.04	5.61	159.99	1.24	9.98	
	灣內站	0:00	28.31	49.77	32.24	8.14	6.00	177.29	3.82	3.51	
		3:00	27.81	49.93	32.34	8.19	8.42	139.19	4.85	5.20	
		6:00	27.39	50.01	32.39	8.19	6.95	123.72	7.86	4.63	
		9:00	27.82	49.96	32.36	8.16	5.94	175.95	9.11	5.47	
		12:00	28.66	49.48	32.06	8.17	7.33	174.85	4.27	4.19	
		15:00	28.44	49.42	32.03	8.10	8.27	185.73	3.96	2.52	
		18:00	27.60	49.63	32.16	8.12	7.69	188.05	3.01	3.74	
		21:00	27.46	49.53	32.09	8.12	6.58	172.01	3.18	4.33	
	日平均值		27.94	49.72	32.21	8.15	7.15	167.10	5.01	4.20	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \rightarrow 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月20日	蚵殼站	0:00	27.24	49.77	32.24	8.10	7.72	248.60	4.74	4.39	
		3:00	26.91	50.11	32.45	8.09	6.04	176.40	3.53	4.21	
		6:00	26.61	50.42	32.64	8.14	5.35	238.50	3.88	5.02	
		9:00	26.93	50.31	32.58	8.12	7.78	186.20	3.89	4.51	
		12:00	27.36	50.32	32.58	8.17	6.93	197.37	8.16	4.40	
		15:00	27.90	49.93	32.34	8.18	6.96	251.27	6.59	4.20	
		18:00	27.43	49.92	32.33	8.19	8.47	260.50	1.82	3.88	
		21:00	26.76	50.08	32.43	8.20	6.37	220.20	2.72	3.62	
	日平均值		27.14	50.11	32.45	8.15	6.95	222.38	4.42	4.28	
	潮口站	0:00	26.49	48.82	31.65	8.02	5.34	204.97	0.46	10.99	
		3:00	26.16	48.78	31.63	8.04	5.95	150.85	1.69	17.91	
		6:00	25.86	48.78	31.63	8.03	5.92	144.20	2.00	11.38	
		9:00	26.18	48.90	31.70	8.01	6.28	165.16	3.59	8.29	
		12:00	26.73	48.81	31.65	8.05	6.98	169.93	2.44	16.42	
		15:00	27.15	48.79	31.64	8.05	5.79	152.87	2.29	9.84	
		18:00	26.68	48.63	31.54	8.01	6.02	147.88	2.54	5.46	
		21:00	26.01	47.84	31.05	8.01	6.09	169.73	1.95	6.26	
	日平均值		26.41	48.67	31.56	8.03	6.05	163.20	2.12	10.82	
	灣內站	0:00	27.78	49.59	32.13	8.16	7.80	177.87	4.79	4.79	
		3:00	27.45	49.94	32.35	8.13	8.07	105.15	3.57	4.61	
		6:00	27.14	50.25	32.54	8.09	7.20	139.96	3.92	5.42	
		9:00	27.47	50.14	32.47	8.09	5.98	183.89	3.93	4.91	
		12:00	27.91	50.15	32.48	8.21	6.20	190.48	8.24	4.80	
		15:00	28.46	49.75	32.23	8.25	8.83	217.18	6.66	4.60	
		18:00	27.98	49.74	32.22	8.21	5.63	216.62	1.84	4.28	
		21:00	27.30	49.91	32.33	8.18	6.26	194.23	2.75	4.02	
	日平均值		27.69	49.93	32.34	8.17	7.00	178.17	4.46	4.68	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 \rightarrow 7.5-8.5				5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月21日	蚵殼站	0:00	27.50	50.02	32.40	8.21	6.74	184.50	4.36	3.44	
		3:00	26.87	49.92	32.33	8.25	8.49	204.60	2.93	3.13	
		6:00	26.75	50.26	32.55	8.23	8.14	187.60	3.44	3.81	
		9:00	27.05	49.98	32.37	8.14	9.08	117.37	4.23	4.49	
		12:00	27.52	49.81	32.27	8.27	6.62	257.55	7.98	4.11	
		15:00	28.13	50.31	32.58	8.27	7.06	194.50	4.99	3.21	
		18:00	28.45	49.74	32.22	8.26	8.47	200.60	2.99	3.40	
		21:00	27.37	49.76	32.24	8.21	5.79	231.20	13.29	4.08	
	日平均值		27.46	49.98	32.37	8.23	7.55	197.24	5.53	3.71	
	潮口站	0:00	26.12	48.03	31.17	8.02	5.67	187.78	3.22	3.35	
		3:00	26.12	48.52	31.47	8.03	5.42	160.40	3.35	7.88	
		6:00	26.00	48.88	31.69	8.03	5.24	136.88	3.65	14.89	
		9:00	26.30	48.98	31.75	8.02	6.36	165.30	6.56	7.04	
		12:00	26.77	47.46	30.81	8.02	6.49	186.81	5.73	12.73	
		15:00	27.38	48.30	31.33	8.04	6.74	167.56	9.98	5.49	
		18:00	27.70	48.57	31.50	8.06	7.33	176.18	1.48	6.74	
		21:00	26.62	48.66	31.56	8.05	6.92	187.90	0.45	5.91	
	日平均值		26.63	48.43	31.41	8.03	6.27	171.10	4.30	8.00	
	灣內站	0:00	28.05	48.96	31.74	8.08	6.81	176.65	4.40	3.84	
		3:00	27.41	49.50	32.08	8.01	8.57	169.21	2.96	3.53	
		6:00	27.29	49.11	31.83	8.00	8.22	171.94	3.47	4.21	
		9:00	27.59	49.11	31.83	8.04	9.17	147.78	4.27	4.89	
		12:00	28.07	49.31	31.96	8.17	6.69	160.11	8.06	4.51	
		15:00	28.69	49.66	32.17	8.20	7.13	165.24	5.04	3.61	
		18:00	29.02	49.71	32.20	8.16	8.55	178.91	3.02	3.80	
		21:00	27.92	49.54	32.10	8.12	5.85	169.68	8.42	4.48	
	日平均值		28.01	49.36	31.99	8.10	7.62	167.44	4.96	4.11	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月22日	蚵殼站	0:00	28.07	49.76	32.24	8.29	6.39	230.40	2.94	4.11	
		3:00	26.86	49.95	32.35	8.31	7.07	228.87	2.30	2.76	
		6:00	27.25	49.90	32.32	8.28	8.63	229.30	3.39	4.27	
		9:00	28.20	50.40	32.63	8.33	8.85	204.60	2.97	4.72	
		12:00	28.72	49.81	32.27	8.28	6.83	202.67	8.41	4.07	
		15:00	27.24	49.89	32.32	8.35	6.22	214.80	7.08	3.60	
		18:00	27.49	49.81	32.27	8.37	6.51	193.50	3.85	3.23	
		21:00	28.20	50.02	32.40	8.39	8.07	199.00	3.84	3.23	
	日平均值		27.75	49.94	32.35	8.33	7.32	212.89	4.35	3.75	
	潮口站	0:00	26.82	48.70	31.58	8.04	5.48	200.38	0.20	4.03	
		3:00	26.83	49.05	31.80	8.02	5.09	201.05	0.16	3.01	
		6:00	26.28	49.35	31.98	8.06	5.39	172.86	0.73	4.16	
		9:00	26.39	48.93	31.72	8.07	5.17	169.51	0.13	5.10	
		12:00	27.71	48.73	31.60	8.08	6.70	175.33	2.01	5.62	
		15:00	28.87	48.62	31.53	8.05	5.76	153.51	4.29	4.36	
		18:00	28.93	49.16	31.86	8.03	7.56	175.95	6.36	5.98	
		21:00	27.96	48.94	31.73	8.04	6.55	170.72	0.81	5.74	
	日平均值		27.47	48.94	31.73	8.05	5.96	177.41	1.84	4.75	
	灣內站	0:00	28.63	49.64	32.16	8.12	6.45	145.11	2.97	4.51	
		3:00	27.40	49.58	32.12	8.11	7.14	154.50	2.32	3.16	
		6:00	27.80	49.54	32.10	8.09	8.72	153.71	3.42	4.67	
		9:00	28.76	49.82	32.27	8.12	8.94	182.38	3.00	5.12	
		12:00	29.29	50.19	32.50	8.20	6.90	191.09	8.49	4.47	
		15:00	27.78	50.69	32.81	8.27	6.28	199.71	7.15	4.00	
		18:00	28.04	50.82	32.89	8.28	6.58	219.59	3.89	3.63	
		21:00	28.76	49.55	32.11	8.21	8.15	217.02	3.88	3.63	
	日平均值		28.31	49.98	32.37	8.18	7.40	182.89	4.39	4.15	
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月23日	蚵殼站	0:00	28.26	50.05	32.42	8.35	6.27	217.53	4.59	2.36	
		3:00	26.98	50.08	32.43	8.30	8.94	215.85	2.58	4.36	
		6:00	27.07	49.93	32.34	8.29	7.93	210.75	3.67	3.57	
		9:00	28.43	50.05	32.42	8.25	5.86	246.17	4.11	4.21	
		12:00	28.92	49.95	32.35	8.25	6.81	247.65	8.37	2.58	
		15:00	27.72	49.92	32.33	8.23	6.81	248.47	3.19	3.01	
		18:00	27.41	49.97	32.37	8.18	6.43	221.60	2.21	2.58	
		21:00	27.91	49.97	32.37	8.13	7.85	217.20	1.44	3.92	
	日平均值			27.84	49.99	32.38	8.25	7.11	228.15	3.77	3.32
	潮口站	0:00	27.29	48.86	31.68	8.02	6.24	192.76	0.94	6.25	
		3:00	27.76	49.16	31.86	7.98	5.59	188.26	0.70	6.15	
		6:00	26.75	48.71	31.59	8.04	5.92	171.40	0.24	4.26	
		9:00	26.93	49.17	31.87	8.08	6.06	169.11	0.22	5.36	
		12:00	28.14	48.81	31.65	8.08	6.93	161.49	1.06	4.26	
		15:00	28.86	48.70	31.58	8.10	6.78	166.73	4.01	5.36	
		18:00	29.16	47.85	31.05	8.08	7.54	181.29	8.80	6.36	
		21:00	28.86	48.65	31.55	8.07	6.91	166.09	1.55	2.61	
	日平均值			27.97	48.74	31.60	8.06	6.50	174.64	2.19	5.08
	灣內站	0:00	28.83	49.58	32.12	8.15	6.33	213.03	4.64	2.76	
		3:00	27.52	50.00	32.38	8.15	9.03	208.16	2.61	4.76	
		6:00	27.61	50.12	32.46	8.17	8.01	208.70	3.71	3.97	
		9:00	29.00	50.06	32.42	8.18	5.92	208.10	4.15	4.61	
		12:00	29.50	50.12	32.46	8.18	6.88	205.39	8.45	2.98	
		15:00	28.27	50.22	32.52	8.17	6.88	200.15	3.22	3.41	
		18:00	27.96	50.16	32.48	8.14	6.49	201.95	2.23	2.98	
		21:00	28.47	49.40	32.01	8.06	7.93	197.41	1.45	4.32	
	日平均值			28.40	49.96	32.36	8.15	7.18	205.36	3.81	3.72
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月24日	蚵殼站	0:00	28.13	49.66	32.17	8.10	5.85	215.87	1.83	4.45	
		3:00	27.19	49.72	32.21	8.13	7.43	234.10	1.01	5.41	
		6:00	27.11	49.77	32.24	8.13	7.73	225.98	1.42	5.27	
		9:00	27.80	49.84	32.29	8.11	8.54	192.70	1.38	5.05	
		12:00	28.68	49.61	32.14	8.14	8.36	164.70	2.03	4.12	
		15:00	27.89	49.39	32.01	8.15	6.75	232.42	3.08	3.49	
		18:00	27.38	49.72	32.21	8.14	8.21	169.20	1.76	4.16	
		21:00	27.78	49.66	32.17	8.24	8.07	195.51	1.12	4.24	
	日平均值			27.75	49.67	32.18	8.14	7.62	203.81	1.70	4.52
	潮口站	0:00	27.11	48.79	31.64	8.05	6.97	183.56	0.01	4.79	
		3:00	27.05	48.89	31.70	8.04	6.34	201.26	0.00	4.08	
		6:00	28.01	49.18	31.88	8.03	7.02	176.10	0.54	4.85	
		9:00	27.18	49.03	31.78	8.06	7.38	159.65	0.34	5.28	
		12:00	27.59	48.76	31.62	8.08	7.37	156.47	0.01	5.28	
		15:00	27.88	48.72	31.59	8.09	7.75	155.40	3.35	5.75	
		18:00	28.83	48.79	31.64	8.07	7.40	166.49	6.06	5.30	
		21:00	29.37	48.83	31.66	8.06	6.88	161.11	3.99	4.68	
	日平均值			27.88	48.87	31.69	8.06	7.14	170.01	1.79	5.00
	灣內站	0:00	28.69	49.50	32.08	8.04	5.91	185.42	1.85	4.85	
		3:00	27.73	49.78	32.25	8.05	7.50	167.19	1.02	5.81	
		6:00	27.65	49.48	32.06	8.05	7.81	154.33	1.43	5.67	
		9:00	28.36	50.00	32.38	8.11	8.63	132.62	1.39	5.45	
		12:00	29.25	50.25	32.54	8.09	8.44	154.69	2.05	4.52	
		15:00	28.45	50.08	32.43	8.11	6.82	164.51	3.11	3.89	
		18:00	27.93	50.15	32.48	8.15	8.29	163.05	1.78	4.56	
		21:00	28.34	50.06	32.42	8.15	8.15	186.38	1.13	4.22	
	日平均值			28.30	49.91	32.33	8.09	7.69	163.52	1.72	4.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
4月25日	蚵殼站	0:00	27.86	49.61	32.14	8.18	8.74	239.70	1.05	4.91
		3:00	27.22	49.66	32.17	8.11	5.55	235.81	1.00	5.45
		6:00	27.00	49.92	32.33	8.12	5.66	238.79	2.21	5.25
		9:00	27.85	50.03	32.40	8.19	6.94	241.62	1.97	5.18
		12:00	28.73	49.63	32.16	8.20	5.71	248.94	1.27	6.14
		15:00	28.16	49.64	32.16	8.21	6.67	240.86	3.95	5.89
		18:00	27.24	49.81	32.27	8.22	6.52	240.88	2.96	6.90
		21:00	27.60	49.82	32.27	8.24	7.34	237.53	1.32	5.87
	日平均值		27.71	49.77	32.24	8.18	6.64	240.52	1.97	5.70
	潮口站	0:00	27.66	48.82	31.65	8.06	6.75	173.38	1.38	3.42
		3:00	26.62	48.78	31.63	8.04	5.74	174.31	0.41	5.84
		6:00	28.60	48.78	31.63	8.01	6.20	164.62	0.53	3.13
		9:00	28.22	48.90	31.70	8.04	7.01	156.03	0.46	4.39
		12:00	27.73	48.81	31.65	8.08	7.25	137.16	0.93	5.48
		15:00	28.91	48.79	31.64	8.08	7.82	141.40	4.62	9.66
		18:00	29.16	48.63	31.54	8.09	7.67	170.13	10.61	8.67
		21:00	29.34	47.84	31.05	8.07	6.69	164.29	15.06	6.34
	日平均值		28.28	48.67	31.56	8.06	6.89	160.17	4.25	5.87
	灣內站	0:00	28.42	50.82	32.89	8.09	8.83	199.04	1.06	3.54
		3:00	27.76	50.07	32.43	8.08	5.61	181.33	1.01	2.82
		6:00	27.54	50.24	32.53	8.10	5.72	166.90	2.23	3.72
		9:00	28.41	49.06	31.80	8.15	7.01	198.08	1.99	4.34
		12:00	29.30	50.00	32.38	8.16	5.77	207.66	1.28	3.86
		15:00	28.72	49.92	32.33	8.15	6.74	210.21	3.99	2.94
		18:00	27.78	49.18	31.88	8.16	6.59	206.03	2.99	2.33
		21:00	28.15	48.11	31.22	8.13	7.41	216.45	1.33	3.84
	日平均值		28.26	49.68	32.18	8.13	6.71	198.21	1.99	3.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
4月26日	蚵殼站	0:00	27.75	49.79	32.25	8.23	8.54	244.81	0.59	5.29
		3:00	27.26	49.89	32.32	8.18	6.19	258.78	0.32	5.11
		6:00	26.85	50.13	32.46	8.13	5.48	263.25	1.16	5.82
		9:00	27.27	50.03	32.40	8.12	7.57	246.32	4.46	4.87
		12:00	27.82	49.72	32.21	8.08	9.01	237.40	1.04	3.60
		15:00	27.88	49.69	32.19	8.13	5.91	228.49	1.46	3.13
		18:00	27.06	49.79	32.25	8.15	7.74	201.94	2.60	4.13
		21:00	26.92	49.63	32.16	8.19	5.59	159.78	3.09	2.91
	日平均值		27.35	49.83	32.28	8.15	7.00	230.10	1.84	4.36
	潮口站	0:00	28.37	48.03	31.17	8.08	6.90	149.14	11.06	4.65
		3:00	27.54	48.52	31.47	8.08	5.97	176.60	11.08	3.77
		6:00	28.17	48.88	31.69	8.04	5.36	186.34	5.76	5.72
		9:00	28.88	48.98	31.75	8.03	7.21	152.45	4.82	5.01
		12:00	28.28	47.46	30.81	8.06	7.66	149.20	9.69	7.22
		15:00	28.26	48.30	31.33	8.08	7.86	141.69	11.64	8.96
		18:00	29.60	48.57	31.50	8.08	8.05	135.63	27.16	7.89
		21:00	29.75	48.66	31.56	8.03	7.21	158.52	25.86	8.00
	日平均值		28.61	48.43	31.41	8.06	7.03	156.20	13.38	6.40
	灣內站	0:00	28.31	47.99	31.14	8.14	8.63	218.70	0.60	4.24
		3:00	27.81	47.30	30.71	8.14	6.25	216.43	0.32	4.97
		6:00	27.39	47.78	31.01	8.13	5.53	214.86	1.17	6.76
		9:00	27.82	47.74	30.99	8.16	7.65	208.32	4.50	6.50
		12:00	28.38	49.53	32.09	8.12	9.10	207.08	1.05	4.67
		15:00	28.44	49.18	31.88	8.12	5.97	191.23	1.47	5.71
		18:00	27.60	48.72	31.59	8.07	7.82	184.65	2.63	6.10
		21:00	27.46	48.95	31.73	8.06	5.65	153.61	3.12	6.15
	日平均值		27.90	48.40	31.39	8.12	7.08	199.36	1.86	5.64
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月27日	蚵殼站	0:00	27.24	49.92	32.33	8.08	5.67	118.50	1.75	3.79	
		3:00	26.91	50.25	32.54	8.12	5.34	117.10	0.65	5.51	
		6:00	26.61	50.14	32.47	8.12	5.38	143.72	0.59	3.23	
		9:00	26.93	50.08	32.43	8.17	6.40	250.50	1.12	3.59	
		12:00	27.48	50.10	32.45	8.18	7.22	256.79	1.36	5.13	
		15:00	27.90	50.24	32.53	8.17	6.80	212.04	3.30	3.22	
		18:00	27.43	50.18	32.50	8.13	5.88	182.50	3.09	4.13	
		21:00	26.76	49.99	32.38	8.14	5.68	163.00	3.06	3.82	
	日平均值			27.16	50.11	32.45	8.14	6.05	180.52	1.87	4.05
	潮口站	0:00	29.12	48.86	31.68	8.03	6.47	152.49	20.46	6.31	
		3:00	27.01	49.16	31.86	8.02	5.88	148.12	13.46	4.48	
		6:00	28.78	48.71	31.59	8.01	5.66	155.25	20.01	3.93	
		9:00	29.98	49.17	31.87	8.03	6.25	172.48	70.38	9.98	
		12:00	29.30	48.81	31.65	8.04	7.97	150.31	47.42	6.89	
		15:00	28.29	48.70	31.58	8.03	7.63	154.53	30.79	4.03	
		18:00	28.74	49.10	31.83	7.99	8.13	150.54	55.79	3.96	
		21:00	30.03	49.50	32.08	8.02	7.86	170.97	51.11	1.97	
	日平均值			28.91	49.00	31.77	8.02	6.98	156.84	38.68	5.19
	灣內站	0:00	27.78	49.17	31.87	8.05	5.73	128.77	1.77	5.29	
		3:00	27.45	48.52	31.47	8.00	5.39	112.28	0.66	4.93	
		6:00	27.14	49.30	31.95	8.03	5.43	199.53	0.60	4.67	
		9:00	27.47	49.26	31.93	8.01	6.46	105.47	1.13	5.66	
		12:00	28.03	48.05	31.18	8.22	7.29	153.55	1.37	5.81	
		15:00	28.46	49.86	32.30	8.16	6.87	168.85	3.33	4.58	
		18:00	27.98	49.80	32.26	8.09	5.94	164.35	3.12	5.20	
		21:00	27.68	49.74	32.22	8.09	5.74	148.80	3.09	6.50	
	日平均值			27.75	49.21	31.90	8.08	6.11	147.70	1.88	5.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月28日	蚵殼站	0:00	26.87	50.13	32.46	8.18	5.63	168.84	2.44	4.21	
		3:00	26.87	50.09	32.44	8.12	6.57	176.82	1.28	4.31	
		6:00	26.75	50.02	32.40	8.10	6.51	158.80	1.19	5.38	
		9:00	27.05	49.58	32.12	8.20	7.08	220.72	2.58	3.41	
		12:00	27.52	49.67	32.18	8.19	8.20	249.17	3.94	3.09	
		15:00	28.13	49.78	32.25	8.17	6.32	242.11	3.28	4.00	
		18:00	28.45	49.72	32.21	8.15	6.67	194.16	5.15	3.05	
		21:00	27.37	49.70	32.20	8.19	6.79	184.29	4.88	2.79	
	日平均值			27.38	49.84	32.28	8.16	6.72	199.36	3.09	3.78
	潮口站	0:00	29.66	50.00	32.38	8.03	7.46	151.91	41.81	3.29	
		3:00	27.37	49.89	32.32	8.02	7.25	145.36	49.43	4.56	
		6:00	28.60	49.84	32.29	8.01	5.75	144.70	28.01	3.45	
		9:00	30.18	49.55	32.11	8.03	7.18	171.07	25.98	5.03	
		12:00	30.52	49.31	31.96	8.04	7.84	151.36	80.30	5.85	
		15:00	28.46	49.11	31.83	8.03	7.86	161.93	106.98	9.38	
		18:00	29.05	49.22	31.90	7.99	7.81	157.17	83.58	4.83	
		21:00	30.18	49.14	31.85	8.02	7.66	174.35	78.46	3.11	
	日平均值			29.25	49.51	32.08	8.02	7.35	157.23	61.82	4.94
	灣內站	0:00	27.80	49.46	32.05	8.06	5.69	110.08	2.46	2.82	
		3:00	27.41	49.01	31.77	7.97	6.64	106.59	1.29	4.75	
		6:00	27.50	48.83	31.66	7.94	6.58	188.84	1.20	4.62	
		9:00	27.89	48.40	31.39	8.01	7.15	101.19	2.61	5.43	
		12:00	28.07	47.61	30.91	8.19	8.28	162.78	3.98	3.46	
		15:00	28.69	48.93	31.72	8.18	6.38	184.55	3.31	4.20	
		18:00	29.02	50.48	32.68	8.09	6.74	183.67	5.20	3.03	
		21:00	27.92	49.40	32.01	8.02	6.86	174.18	4.93	5.11	
	日平均值			28.04	49.02	31.77	8.06	6.79	151.49	3.12	4.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月29日	蚵殼站	0:00	28.07	49.80	32.26	8.17	6.13	195.43	3.05	4.79	
		3:00	26.86	50.00	32.38	8.16	5.74	230.02	3.39	4.50	
		6:00	27.25	50.00	32.38	8.13	5.47	209.07	2.08	5.89	
		9:00	28.20	49.69	32.19	8.17	7.21	241.03	4.13	4.24	
		12:00	28.72	49.59	32.13	8.16	7.41	237.11	3.13	4.88	
		15:00	27.24	49.76	32.24	8.20	7.82	239.31	18.48	4.13	
		18:00	27.49	49.90	32.32	8.17	8.77	132.18	15.30	4.75	
		21:00	28.20	50.17	32.49	8.23	8.10	241.99	3.51	4.28	
	日平均值			27.75	49.86	32.30	8.17	7.08	215.77	6.63	4.68
	潮口站	0:00	30.15	49.15	31.86	8.02	6.58	169.94	69.36	3.50	
		3:00	27.55	48.71	31.59	8.02	6.02	154.35	68.88	4.66	
		6:00	27.90	48.85	31.67	8.02	5.77	122.53	57.60	4.33	
		9:00	30.50	48.84	31.67	8.03	7.25	154.07	44.48	5.94	
		12:00	30.96	48.75	31.61	8.06	7.82	142.79	43.90	4.49	
		15:00	28.50	48.60	31.52	8.05	7.44	154.85	107.71	4.36	
		18:00	28.43	48.70	31.58	8.05	7.25	140.85	96.87	2.47	
		21:00	30.19	48.71	31.59	8.04	7.56	159.88	107.07	2.64	
	日平均值			29.27	48.79	31.64	8.04	6.96	149.91	74.48	4.05
	灣內站	0:00	28.63	48.77	31.62	8.00	6.19	142.34	3.08	4.24	
		3:00	27.40	47.94	31.11	7.98	5.80	101.34	3.42	5.20	
		6:00	27.80	47.76	31.00	7.92	5.52	188.62	2.10	4.41	
		9:00	28.76	48.09	31.20	7.98	7.28	194.52	4.17	4.80	
		12:00	29.29	48.61	31.52	8.18	7.48	150.96	3.16	4.97	
		15:00	27.78	49.55	32.11	8.19	7.90	176.19	8.66	2.96	
		18:00	28.04	50.25	32.54	8.16	8.86	179.88	5.45	4.84	
		21:00	28.76	49.98	32.37	8.09	8.18	175.22	3.55	4.97	
	日平均值			28.31	48.87	31.68	8.06	7.15	163.63	4.20	4.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
4月30日	蚵殼站	0:00	28.26	50.39	32.63	8.22	7.72	240.85	4.36	3.73	
		3:00	26.98	50.27	32.55	8.16	6.04	190.18	3.86	4.35	
		6:00	27.07	50.35	32.60	8.16	5.35	219.35	4.42	5.49	
		9:00	28.43	50.12	32.46	8.24	7.78	238.49	6.00	3.87	
		12:00	28.92	49.78	32.25	8.25	6.93	203.68	5.39	3.14	
		15:00	27.72	49.97	32.37	8.22	6.96	202.48	4.26	3.07	
		18:00	27.41	50.01	32.39	8.22	8.47	240.15	2.28	2.75	
		21:00	27.91	50.02	32.40	8.21	6.37	248.07	5.00	4.08	
	日平均值			27.84	50.11	32.46	8.21	6.95	222.91	4.45	3.81
	潮口站	0:00	30.15	48.74	31.60	8.01	6.96	172.10	115.72	1.83	
		3:00	27.79	48.51	31.46	8.03	6.32	158.27	107.68	1.23	
		6:00	27.80	48.58	31.51	8.01	6.17	155.15	98.45	2.34	
		9:00	30.30	48.68	31.57	8.02	7.08	174.28	90.21	1.73	
		12:00	30.80	48.70	31.58	8.06	7.28	158.56	67.94	1.22	
		15:00	29.01	48.15	31.24	8.09	7.28	166.30	108.38	2.74	
		18:00	28.01	48.07	31.19	8.07	6.57	158.84	103.16	2.21	
		21:00	28.75	48.48	31.44	8.03	7.36	173.97	92.19	4.76	
	日平均值			29.08	48.49	31.45	8.04	6.88	164.68	97.97	2.26
	灣內站	0:00	28.83	49.80	32.26	8.02	7.80	166.33	4.40	3.31	
		3:00	27.52	49.01	31.77	8.02	6.10	131.50	3.90	4.54	
		6:00	27.61	48.20	31.27	7.98	5.40	198.93	4.46	5.76	
		9:00	29.00	48.93	31.72	8.02	7.86	130.63	6.06	4.93	
		12:00	29.50	48.56	31.49	8.23	7.00	175.96	5.44	5.02	
		15:00	28.27	49.35	31.98	8.29	7.03	190.21	4.30	2.62	
		18:00	27.96	50.02	32.40	8.22	8.55	198.92	2.30	3.10	
		21:00	28.47	49.99	32.38	8.17	6.43	190.35	5.05	3.42	
	日平均值			28.40	49.23	31.91	8.12	7.02	172.85	4.49	4.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準 $\square \rightarrow$				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月1日	蚵殼站	0:00	28.45	50.25	32.54	8.24	6.51	196.75	1.84	1.76
		3:00	27.45	51.00	33.00	8.25	6.31	217.68	1.56	2.50
		6:00	27.13	50.21	32.51	8.23	6.19	211.57	2.04	2.56
		9:00	29.10	50.00	32.38	8.23	6.62	215.99	2.21	2.58
		12:00	29.60	50.60	32.76	8.14	7.20	226.13	3.17	1.78
		15:00	28.88	50.26	32.55	8.15	6.11	219.37	3.82	1.47
		18:00	27.50	48.98	31.75	8.19	5.62	210.66	2.91	2.65
		21:00	27.84	50.10	32.45	8.18	5.79	221.54	2.67	3.64
	日平均值		28.24	50.18	32.49	8.20	6.29	214.96	2.53	2.37
	潮口站	0:00	29.45	49.62	32.15	8.08	7.42	189.39	61.26	1.92
		3:00	27.45	49.06	31.80	8.08	7.10	193.39	31.04	1.95
		6:00	27.13	48.40	31.39	8.13	6.91	190.89	25.42	2.02
		9:00	29.10	49.43	32.03	8.12	7.61	197.69	9.57	1.96
		12:00	30.04	49.48	32.06	8.15	8.62	193.70	2.55	2.44
		15:00	28.88	49.22	31.90	8.13	6.78	198.57	3.34	3.21
		18:00	27.50	48.87	31.69	8.12	6.06	200.39	2.26	3.67
		21:00	27.84	49.07	31.81	8.08	6.30	201.28	2.01	2.69
	日平均值		28.42	49.14	31.85	8.11	7.10	195.66	17.18	2.48
	灣內站	0:00	29.45	49.42	32.03	8.08	7.77	219.39	1.26	1.26
		3:00	27.45	48.86	31.68	8.08	7.38	223.39	1.04	1.04
		6:00	27.13	48.20	31.27	8.13	7.15	220.89	1.42	1.42
		9:00	29.10	49.23	31.91	8.12	8.00	227.69	1.57	1.57
		12:00	30.04	49.28	31.94	8.15	9.21	223.70	2.55	2.55
		15:00	28.88	49.02	31.78	8.13	7.00	228.57	3.34	3.34
		18:00	27.50	48.67	31.56	8.12	6.10	230.39	2.26	2.26
		21:00	27.84	48.87	31.69	8.08	6.41	231.28	2.01	2.01
	日平均值		28.42	48.94	31.73	8.11	7.38	225.66	1.93	1.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準→			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月2日	蚵殼站	0:00	27.99	50.14	32.47	8.15	5.62	236.78	2.34	2.59
		3:00	27.68	50.31	32.58	8.11	5.67	237.36	1.58	1.26
		6:00	27.35	51.10	33.06	8.11	5.77	221.54	1.92	2.55
		9:00	27.61	50.28	32.56	8.09	6.43	226.96	1.68	3.27
		12:00	27.85	50.73	32.84	8.11	7.03	237.07	2.81	2.64
		15:00	27.83	50.30	32.57	8.09	5.96	220.89	4.17	2.05
		18:00	27.42	50.39	32.63	8.06	5.62	207.28	3.76	1.94
		21:00	27.40	50.20	32.51	8.06	5.18	204.93	2.74	1.65
	日平均值		27.64	50.43	32.65	8.10	5.91	224.10	2.63	2.24
	潮口站	0:00	28.22	49.34	31.98	8.05	6.06	202.41	1.69	2.08
		3:00	27.27	48.93	31.72	8.00	6.13	194.14	1.06	2.12
		6:00	26.63	48.84	31.67	8.08	6.27	189.28	1.32	2.21
		9:00	27.14	49.06	31.80	8.10	7.31	195.54	1.13	2.11
		12:00	27.62	49.13	31.85	8.14	8.33	200.60	2.15	2.16
		15:00	27.58	48.95	31.73	8.16	6.56	201.72	3.81	5.18
		18:00	26.77	48.78	31.63	8.15	6.06	202.63	3.26	4.34
		21:00	26.73	48.79	31.64	8.14	5.46	200.68	2.08	3.51
	日平均值		27.25	48.98	31.75	8.10	6.52	198.38	2.06	2.96
	灣內站	0:00	28.22	49.14	31.85	8.05	6.10	232.41	1.69	1.69
		3:00	27.27	48.73	31.60	8.00	6.19	224.14	1.06	1.06
		6:00	26.63	48.64	31.54	8.08	6.37	219.28	1.32	1.32
		9:00	27.14	48.86	31.68	8.10	7.63	225.54	1.13	1.13
		12:00	27.62	48.93	31.72	8.14	8.86	230.60	2.15	2.15
		15:00	27.58	48.75	31.61	8.16	6.73	231.72	3.81	3.81
		18:00	26.77	48.58	31.51	8.15	6.11	232.63	3.26	3.26
		21:00	26.73	48.59	31.51	8.14	5.35	230.68	2.08	2.08
	日平均值		27.25	48.78	31.63	8.10	6.67	228.38	2.06	2.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準→			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月3日	蚵殼站	0:00	27.39	50.90	32.94	8.04	5.33	213.10	3.52	2.88	
		3:00	27.38	50.39	32.63	8.03	5.45	229.46	4.16	4.34	
		6:00	27.40	50.40	32.63	8.04	5.62	244.22	2.79	2.63	
		9:00	27.39	49.20	31.89	8.05	6.06	227.97	3.35	1.83	
		12:00	27.48	49.40	32.01	8.10	7.11	234.78	3.85	2.72	
		15:00	27.68	50.14	32.47	8.28	6.62	232.89	7.38	2.93	
		18:00	27.56	50.21	32.51	8.17	5.62	234.14	6.68	2.89	
		21:00	27.49	50.26	32.55	8.05	5.48	241.05	8.53	1.94	
	日平均值			27.47	50.11	32.45	8.10	5.91	232.20	5.03	2.77
	潮口站	0:00	26.71	48.79	31.64	8.07	5.65	199.96	1.72	3.88	
		3:00	26.69	48.79	31.64	8.05	5.82	193.69	1.95	2.98	
		6:00	26.73	48.79	31.64	8.03	6.06	184.68	1.46	2.87	
		9:00	26.70	48.77	31.62	8.10	6.71	186.52	1.66	2.83	
		12:00	26.88	48.72	31.59	8.16	8.47	192.86	1.84	2.84	
		15:00	27.28	48.78	31.63	8.21	7.62	191.31	3.10	3.71	
		18:00	27.04	48.75	31.61	8.15	6.06	191.76	2.85	4.34	
		21:00	26.90	48.79	31.64	8.12	5.86	191.30	3.51	4.98	
	日平均值			26.87	48.77	31.63	8.11	6.53	191.51	2.26	3.55
	灣內站	0:00	26.71	48.59	31.51	8.07	5.60	229.96	2.96	2.96	
		3:00	26.69	48.59	31.51	8.05	5.81	223.69	3.80	3.80	
		6:00	26.73	48.59	31.51	8.03	6.10	214.68	2.13	2.13	
		9:00	26.70	48.57	31.50	8.10	6.90	216.52	2.76	2.76	
		12:00	26.88	48.52	31.47	8.16	9.03	222.86	3.39	3.39	
		15:00	27.28	48.58	31.51	8.21	8.01	221.31	9.61	9.61	
		18:00	27.04	48.55	31.49	8.15	6.11	221.76	8.12	8.12	
		21:00	26.90	48.59	31.51	8.12	5.86	221.30	12.32	7.26	
	日平均值			26.87	48.57	31.50	8.11	6.68	221.51	5.64	5.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月4日	蚵殼站	0:00	27.50	51.10	33.06	8.05	5.25	227.81	5.08	2.80	
		3:00	27.40	50.19	32.50	8.07	5.44	234.02	4.47	2.76	
		6:00	27.29	50.10	32.45	8.02	5.62	229.24	3.60	1.95	
		9:00	27.47	49.60	32.14	8.04	5.85	229.08	3.94	2.73	
		12:00	27.72	49.86	32.30	8.09	6.51	233.80	3.57	2.70	
		15:00	27.78	49.83	32.28	8.12	6.94	239.61	7.44	2.93	
		18:00	27.62	49.20	31.89	8.07	6.30	236.45	9.14	3.00	
		21:00	27.59	50.05	32.42	8.25	6.51	241.54	8.14	2.96	
	日平均值			27.55	49.99	32.38	8.09	6.05	233.94	5.67	2.73
	潮口站	0:00	26.92	48.78	31.63	8.10	5.55	190.64	2.28	1.99	
		3:00	26.72	48.78	31.63	8.07	5.81	194.66	2.06	2.03	
		6:00	26.51	48.64	31.54	8.10	6.06	192.14	1.75	2.08	
		9:00	26.87	48.62	31.53	8.07	6.40	198.98	1.87	2.16	
		12:00	27.35	48.62	31.53	8.13	7.42	194.97	1.74	3.00	
		15:00	27.47	48.78	31.63	8.12	8.17	199.86	3.12	4.62	
		18:00	27.16	48.19	31.26	8.08	7.09	201.69	3.73	3.77	
		21:00	27.10	48.39	31.39	8.13	7.43	202.59	3.37	2.64	
	日平均值			27.01	48.60	31.52	8.10	6.74	196.94	2.49	2.79
	灣內站	0:00	26.92	48.58	31.51	8.10	5.47	220.64	5.20	6.48	
		3:00	26.72	48.58	31.51	8.07	5.79	224.66	4.24	4.24	
		6:00	26.51	48.44	31.42	8.10	6.11	222.14	3.06	3.06	
		9:00	26.87	48.42	31.41	8.07	6.53	228.98	3.50	3.50	
		12:00	27.35	48.42	31.41	8.13	7.77	224.97	3.03	3.03	
		15:00	27.47	48.58	31.51	8.12	8.67	229.86	9.73	5.75	
		18:00	27.16	47.99	31.14	8.08	7.36	231.69	13.91	8.91	
		21:00	27.10	48.19	31.26	8.13	7.79	232.59	11.36	9.47	
	日平均值			27.01	48.40	31.40	8.10	6.94	226.94	6.75	5.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月5日	蚵殼站	0:00	27.59	50.25	32.54	8.23	6.08	232.66	6.74	2.90
		3:00	27.55	51.00	33.00	8.14	5.61	239.65	6.04	2.86
		6:00	27.36	50.21	32.51	8.11	5.71	240.31	6.40	4.64
		9:00	27.45	50.00	32.38	8.11	6.47	235.04	9.09	3.00
		12:00	28.07	50.60	32.76	8.10	7.10	233.39	5.11	2.36
		15:00	28.09	50.26	32.55	8.09	7.12	236.81	6.48	2.55
		18:00	27.93	48.98	31.75	8.07	7.06	240.47	7.74	2.94
		21:00	27.74	50.10	32.45	8.08	7.01	239.60	6.18	2.87
	日平均值		27.72	50.18	32.49	8.12	6.52	237.24	6.72	3.02
	潮口站	0:00	27.10	48.52	31.47	8.08	6.74	203.72	2.87	3.00
		3:00	27.03	48.72	31.59	8.08	6.04	195.41	2.62	3.31
		6:00	26.64	48.79	31.64	8.03	6.19	190.53	2.75	3.77
		9:00	26.82	49.10	31.83	8.00	7.37	196.82	3.71	2.64
		12:00	28.06	49.73	32.22	8.08	8.46	201.90	2.29	2.80
		15:00	28.10	49.64	32.16	8.14	8.48	203.03	2.78	4.31
		18:00	27.78	49.55	32.11	8.08	8.37	203.94	3.23	4.35
		21:00	27.40	49.52	32.09	8.02	8.28	201.98	2.67	3.54
	日平均值		27.37	49.20	31.89	8.06	7.49	199.67	2.87	3.47
	灣內站	0:00	27.10	48.32	31.34	8.08	6.95	233.72	8.24	8.24
		3:00	27.03	48.52	31.47	8.08	6.09	225.41	6.86	6.86
		6:00	26.64	48.59	31.51	8.03	6.27	220.53	7.56	7.56
		9:00	26.82	48.90	31.70	8.00	7.71	226.82	13.76	9.41
		12:00	28.06	49.53	32.09	8.08	9.01	231.90	5.24	5.24
		15:00	28.10	49.44	32.04	8.14	9.04	233.03	7.73	7.73
		18:00	27.78	49.35	31.98	8.08	8.91	233.94	10.43	10.43
		21:00	27.40	49.32	31.96	8.02	8.81	231.98	7.13	7.39
	日平均值		27.37	49.00	31.76	8.06	7.85	229.67	8.37	7.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月6日	蚵殼站	0:00	27.69	50.14	32.47	8.13	6.82	228.34	6.09	2.86
		3:00	27.57	50.31	32.58	8.13	6.84	232.87	5.50	2.83
		6:00	27.47	51.10	33.06	8.15	7.02	248.81	5.81	2.18
		9:00	27.60	50.28	32.56	8.16	6.99	241.24	6.90	2.11
		12:00	28.12	50.73	32.84	8.11	7.27	231.72	5.50	2.44
		15:00	28.14	50.30	32.57	8.17	7.21	234.48	5.70	2.84
		18:00	28.19	50.39	32.63	8.18	7.04	229.88	5.28	5.38
		21:00	27.87	50.20	32.51	8.14	7.00	220.18	5.81	2.85
	日平均值		27.83	50.43	32.65	8.15	7.02	233.44	5.82	2.94
	潮口站	0:00	27.30	50.10	32.45	8.08	7.95	201.26	2.64	3.00
		3:00	27.06	50.46	32.67	8.08	8.00	194.96	2.43	3.31
		6:00	26.86	50.91	32.95	8.13	8.30	185.90	2.54	3.77
		9:00	27.12	50.80	32.88	8.12	8.25	187.75	2.93	3.68
		12:00	28.16	50.79	32.87	8.15	8.77	194.12	2.43	2.58
		15:00	28.20	50.84	32.90	8.13	8.65	192.57	2.50	4.76
		18:00	28.29	50.26	32.55	8.12	8.34	193.02	2.35	3.73
		21:00	27.65	48.15	31.24	8.08	8.27	192.56	2.54	3.16
	日平均值		27.58	50.29	32.56	8.11	8.32	192.77	2.55	3.50
	灣內站	0:00	27.30	49.90	32.32	8.08	8.41	231.26	6.97	6.97
		3:00	27.06	50.26	32.55	8.08	8.46	224.96	5.90	5.90
		6:00	26.86	50.71	32.82	8.13	8.82	215.90	6.45	6.45
		9:00	27.12	50.60	32.76	8.12	8.76	217.75	8.58	8.58
		12:00	28.16	50.59	32.75	8.15	9.37	224.12	5.90	5.90
		15:00	28.20	50.64	32.78	8.13	9.24	222.57	6.25	6.25
		18:00	28.29	50.06	32.42	8.12	8.87	223.02	5.52	5.52
		21:00	27.65	47.95	31.12	8.08	8.78	222.56	6.45	6.45
	日平均值		27.58	50.09	32.44	8.11	8.84	222.77	6.50	6.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月7日	蚵殼站	0:00	27.69	50.90	32.94	8.12	6.87	224.06	5.73	2.84	
		3:00	27.48	50.39	32.63	8.13	6.46	230.76	6.60	2.89	
		6:00	27.54	50.40	32.63	8.12	6.86	220.91	5.03	2.37	
		9:00	27.46	49.00	31.77	8.17	6.89	231.38	6.09	1.84	
		12:00	28.28	49.40	32.01	8.11	7.26	229.66	7.69	2.36	
		15:00	28.24	50.14	32.47	8.11	7.22	212.85	5.56	2.83	
		18:00	28.43	50.21	32.51	8.10	7.19	208.75	8.08	5.38	
		21:00	28.01	50.26	32.55	8.04	7.05	208.34	7.94	7.31	
	日平均值			27.89	50.09	32.44	8.11	6.98	220.84	6.59	3.48
	潮口站	0:00	27.29	50.02	32.40	8.05	8.04	179.95	2.51	3.47	
		3:00	26.89	49.95	32.35	8.00	7.34	187.20	2.82	3.36	
		6:00	27.00	50.27	32.55	8.08	8.02	181.03	2.26	1.57	
		9:00	26.84	50.83	32.90	8.10	8.07	178.74	2.64	2.59	
		12:00	28.47	50.01	32.39	8.14	8.74	181.23	3.21	2.86	
		15:00	28.39	50.59	32.75	8.16	8.67	185.77	2.45	2.94	
		18:00	28.78	50.23	32.53	8.15	8.62	189.61	3.35	2.35	
		21:00	27.93	49.58	32.12	8.14	8.35	180.89	3.30	2.00	
	日平均值			27.70	50.19	32.50	8.10	8.23	183.05	2.82	2.64
	灣內站	0:00	27.29	49.82	32.27	8.05	8.51	209.95	6.30	6.30	
		3:00	26.89	49.75	32.23	8.00	7.68	217.20	7.95	7.95	
		6:00	27.00	50.07	32.43	8.08	8.49	211.03	5.11	5.11	
		9:00	26.84	50.63	32.77	8.10	8.56	208.74	6.97	6.97	
		12:00	28.47	49.81	32.27	8.14	9.34	211.23	10.30	10.30	
		15:00	28.39	50.39	32.63	8.16	9.26	215.77	6.00	6.00	
		18:00	28.78	50.03	32.40	8.15	9.19	219.61	11.22	7.42	
		21:00	27.93	49.38	32.00	8.14	8.88	210.89	10.89	4.83	
	日平均值			27.70	49.99	32.38	8.10	8.74	213.05	8.09	6.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月8日	蚵殼站	0:00	27.55	51.10	33.06	8.10	6.80	211.60	3.52	5.38	
		3:00	27.51	50.19	32.50	8.14	6.35	229.59	4.16	2.74	
		6:00	27.53	50.10	32.45	8.13	6.49	231.79	2.79	2.63	
		9:00	27.53	49.60	32.14	8.13	6.33	236.36	3.35	1.38	
		12:00	27.88	49.86	32.30	8.13	6.98	208.08	3.85	2.72	
		15:00	27.98	49.83	32.28	8.15	7.37	224.50	7.38	2.93	
		18:00	28.20	48.10	31.21	8.17	7.11	215.83	6.68	4.64	
		21:00	28.10	49.30	31.95	8.16	6.94	207.80	8.53	2.98	
	日平均值			27.79	49.76	32.24	8.14	6.80	220.69	5.03	3.18
	潮口站	0:00	27.03	46.51	30.23	8.07	7.92	173.21	1.72	2.60	
		3:00	26.95	48.84	31.67	8.05	7.17	176.90	1.95	2.64	
		6:00	26.99	49.83	32.28	8.03	7.40	173.83	1.46	2.71	
		9:00	26.99	50.60	32.76	8.10	7.14	171.89	1.66	2.65	
		12:00	27.67	50.17	32.49	8.16	8.23	172.85	1.84	3.14	
		15:00	27.87	50.45	32.66	8.21	8.95	177.67	3.10	3.95	
		18:00	28.31	50.18	32.50	8.15	8.47	183.59	2.85	4.44	
		21:00	28.11	50.22	32.52	8.12	8.16	181.81	3.51	3.41	
	日平均值			27.49	49.60	32.14	8.11	7.93	176.47	2.26	3.19
	灣內站	0:00	27.03	46.31	30.10	8.07	8.37	203.21	2.96	2.96	
		3:00	26.95	48.64	31.54	8.05	7.46	206.90	3.80	3.80	
		6:00	26.99	49.63	32.16	8.03	7.74	203.83	2.13	2.13	
		9:00	26.99	50.40	32.63	8.10	7.43	201.89	2.76	2.76	
		12:00	27.67	49.97	32.37	8.16	8.74	202.85	3.39	3.39	
		15:00	27.87	50.25	32.54	8.21	9.60	207.67	9.61	5.38	
		18:00	28.31	49.98	32.37	8.15	9.02	213.59	8.12	8.12	
		21:00	28.11	50.02	32.40	8.12	8.65	211.81	12.32	4.58	
	日平均值			27.49	49.40	32.01	8.11	8.38	206.47	5.64	4.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月9日	蚵殼站	0:00	27.57	49.10	31.83	8.15	6.36	213.10	5.08	5.13	
		3:00	27.63	50.31	32.58	8.14	5.96	229.46	4.47	4.03	
		6:00	27.82	48.92	31.72	8.17	5.68	244.22	3.60	3.01	
		9:00	27.51	48.60	31.52	8.18	5.89	227.97	3.94	4.16	
		12:00	27.63	47.70	30.96	8.12	6.11	234.78	3.57	5.10	
		15:00	28.20	49.20	31.89	8.09	7.13	232.89	7.44	5.62	
		18:00	28.23	50.39	32.63	8.09	6.71	234.14	9.14	4.36	
		21:00	27.90	49.95	32.35	8.14	6.78	241.05	8.14	5.98	
	日平均值			27.81	49.27	31.94	8.14	6.33	232.20	5.67	4.67
	潮口站	0:00	27.05	50.49	32.69	8.09	7.18	179.54	2.28	2.76	
		3:00	27.18	50.47	32.68	8.10	6.55	187.85	2.06	3.81	
		6:00	27.55	50.26	32.55	8.08	6.15	178.02	1.75	2.90	
		9:00	26.95	50.25	32.54	8.11	6.46	169.29	1.87	3.79	
		12:00	27.17	50.44	32.66	8.17	6.79	173.54	1.74	4.58	
		15:00	28.31	49.93	32.34	8.18	8.51	177.46	3.12	6.02	
		18:00	28.38	50.03	32.40	8.11	7.76	183.13	3.73	5.15	
		21:00	28.49	49.44	32.04	8.13	7.89	184.42	3.37	4.27	
	日平均值			27.64	50.16	32.49	8.12	7.16	179.16	2.49	4.16
	灣內站	0:00	27.05	50.29	32.56	8.09	7.49	199.54	5.20	5.20	
		3:00	27.18	50.27	32.55	8.10	6.71	207.85	4.24	4.24	
		6:00	27.55	50.06	32.42	8.08	6.21	198.02	3.06	3.06	
		9:00	26.95	50.05	32.42	8.11	6.60	189.29	3.50	3.50	
		12:00	27.17	50.24	32.53	8.17	7.01	193.54	3.03	3.03	
		15:00	28.31	49.73	32.22	8.18	9.07	197.46	9.73	9.73	
		18:00	28.38	49.83	32.28	8.11	8.18	203.13	13.91	7.84	
		21:00	28.49	49.24	31.91	8.13	8.33	204.42	11.36	5.93	
	日平均值			27.64	49.96	32.36	8.12	7.45	199.16	6.75	5.32
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月10日	蚵殼站	0:00	27.35	50.14	32.47	8.07	6.48	227.81	6.74	4.63	
		3:00	26.96	50.31	32.58	8.03	5.99	234.02	6.04	6.25	
		6:00	27.01	51.10	33.06	8.04	5.68	229.24	6.40	6.15	
		9:00	27.52	50.28	32.56	8.08	6.05	229.08	9.09	4.26	
		12:00	27.83	50.73	32.84	8.12	6.59	233.80	5.11	5.36	
		15:00	27.76	50.30	32.57	8.11	6.91	239.61	6.48	5.49	
		18:00	27.68	50.39	32.63	8.10	6.85	236.45	7.74	6.74	
		21:00	27.64	50.20	32.51	8.14	6.17	241.54	6.18	5.91	
	日平均值			27.47	50.43	32.65	8.09	6.34	233.94	6.72	5.60
	潮口站	0:00	27.20	49.08	31.82	8.10	7.38	177.85	2.87	4.66	
		3:00	26.69	49.47	32.06	8.07	6.61	186.46	2.62	3.71	
		6:00	27.67	49.59	32.13	8.08	6.15	186.22	2.75	3.60	
		9:00	27.64	49.85	32.29	8.16	6.70	174.38	3.71	3.55	
		12:00	27.73	49.71	32.20	8.18	7.56	174.06	2.29	3.56	
		15:00	28.17	50.40	32.63	8.17	8.11	175.70	2.78	4.48	
		18:00	28.94	50.12	32.46	8.16	8.00	187.87	3.23	5.15	
		21:00	29.13	50.05	32.42	8.14	6.88	192.66	2.67	5.81	
	日平均值			27.90	49.78	32.25	8.13	7.17	181.90	2.87	4.32
	灣內站	0:00	27.20	48.88	31.69	8.10	7.72	197.85	8.24	8.24	
		3:00	26.69	49.27	31.93	8.07	6.78	206.46	6.86	6.86	
		6:00	27.67	49.39	32.01	8.08	6.21	206.22	7.56	7.56	
		9:00	27.64	49.65	32.17	8.16	6.89	194.38	13.76	6.31	
		12:00	27.73	49.51	32.08	8.18	7.94	194.06	5.24	5.24	
		15:00	28.17	50.20	32.51	8.17	8.60	195.70	7.73	7.73	
		18:00	28.94	49.92	32.33	8.16	8.47	207.87	10.43	10.43	
		21:00	29.13	49.85	32.29	8.14	7.12	212.66	7.13	7.13	
	日平均值			27.90	49.58	32.13	8.13	7.47	201.90	8.37	7.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)
5月11日	蚵殼站	0:00	27.53	50.90	32.94	8.19	5.84	232.66	6.09	4.03
		3:00	26.97	50.39	32.63	8.15	5.77	239.65	5.50	3.01
		6:00	27.07	49.90	32.32	8.15	6.28	240.31	5.81	4.16
		9:00	27.83	48.80	31.64	8.12	6.71	235.04	6.90	5.10
		12:00	27.92	49.40	32.01	8.13	5.87	233.39	5.50	5.62
		15:00	28.05	50.14	32.47	8.18	5.76	236.81	5.70	4.36
		18:00	28.01	50.21	32.51	8.27	6.81	240.47	5.28	5.98
		21:00	28.09	50.26	32.55	8.27	6.06	239.60	5.81	5.74
	日平均值		27.68	50.00	32.38	8.18	6.14	237.24	5.82	4.75
	潮口站	0:00	28.10	50.06	32.42	8.11	6.39	189.39	2.64	3.86
		3:00	27.19	50.46	32.67	8.12	6.27	193.39	2.43	2.72
		6:00	28.45	50.34	32.59	8.10	7.06	190.89	2.54	2.76
		9:00	28.32	49.08	31.82	8.13	7.76	197.69	2.93	2.85
		12:00	27.66	49.38	32.00	8.12	6.43	193.70	2.43	3.73
		15:00	28.65	49.33	31.97	8.15	6.27	198.57	2.50	5.43
		18:00	29.16	48.99	31.76	8.18	7.94	200.39	2.35	4.54
		21:00	28.91	48.68	31.57	8.24	6.71	201.28	2.54	3.35
	日平均值		28.31	49.54	32.10	8.14	6.85	195.66	2.55	3.66
	灣內站	0:00	28.10	49.86	32.30	8.11	6.51	209.39	6.97	6.74
		3:00	27.19	50.26	32.55	8.12	6.37	213.39	5.90	7.38
		6:00	28.45	50.14	32.47	8.10	7.34	210.89	6.45	8.78
		9:00	28.32	48.88	31.69	8.13	8.18	217.69	8.58	5.71
		12:00	27.66	49.18	31.88	8.12	6.56	213.70	5.90	8.73
		15:00	28.65	49.13	31.85	8.15	6.36	218.57	6.25	13.58
		18:00	29.16	48.79	31.64	8.18	8.40	220.39	5.52	11.90
		21:00	28.91	48.48	31.44	8.24	6.90	221.28	6.45	9.11
	日平均值		28.31	49.34	31.98	8.14	7.08	215.66	6.50	8.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)
5月12日	蚵殼站	0:00	28.06	51.10	33.06	8.21	5.69	228.34	5.73	6.25
		3:00	26.95	50.19	32.50	8.18	5.61	232.87	6.60	6.15
		6:00	27.69	50.10	32.45	8.18	5.61	248.81	5.03	4.26
		9:00	28.20	49.60	32.14	8.17	5.64	241.24	6.09	5.36
		12:00	28.36	49.86	32.30	8.17	5.75	231.72	7.69	6.52
		15:00	27.44	49.83	32.28	8.15	5.68	234.48	5.56	5.90
		18:00	27.59	49.00	31.77	8.20	6.37	229.88	8.08	9.65
		21:00	27.81	50.05	32.42	8.22	6.29	220.18	7.94	7.14
	日平均值		27.76	49.97	32.37	8.19	5.83	233.44	6.59	6.40
	潮口站	0:00	28.15	48.98	31.75	8.21	6.16	190.64	2.51	3.73
		3:00	26.99	49.60	32.14	8.21	6.05	194.66	2.82	4.06
		6:00	27.91	48.86	31.68	8.15	6.04	192.14	2.26	4.54
		9:00	28.26	47.75	30.99	8.13	6.09	198.98	2.64	3.35
		12:00	28.04	48.24	31.30	8.16	6.25	194.97	3.21	3.52
		15:00	27.58	48.84	31.67	8.15	6.14	199.86	2.45	5.11
		18:00	28.66	47.99	31.14	8.21	7.20	201.69	3.35	5.16
		21:00	28.60	47.73	30.98	8.22	7.07	202.59	3.30	4.30
	日平均值		28.02	48.50	31.46	8.18	6.38	196.94	2.82	4.22
	灣內站	0:00	28.15	48.78	31.63	8.21	6.23	217.64	6.30	5.00
		3:00	26.99	49.40	32.01	8.21	6.10	216.66	7.95	6.65
		6:00	27.91	48.66	31.56	8.15	6.09	214.14	5.11	3.81
		9:00	28.26	47.55	30.87	8.13	6.14	213.98	6.97	5.67
		12:00	28.04	48.04	31.17	8.16	6.34	209.97	10.30	9.00
		15:00	27.58	48.64	31.54	8.15	6.21	207.86	6.00	4.70
		18:00	28.66	47.79	31.02	8.21	7.51	209.69	11.22	9.92
		21:00	28.60	47.53	30.86	8.22	7.34	205.59	10.89	7.38
	日平均值		28.02	48.30	31.33	8.18	6.50	211.94	8.09	6.52
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月13日	蚵殼站	0:00	27.63	49.78	32.25	8.20	6.00	224.06	8.11	5.08	
		3:00	27.19	49.84	32.29	8.18	5.69	230.76	4.72	11.82	
		6:00	27.28	49.86	32.30	8.16	5.62	220.91	6.57	12.37	
		9:00	27.75	49.87	32.30	8.18	5.80	231.38	6.96	11.07	
		12:00	27.94	49.30	31.95	8.15	5.91	229.66	10.40	10.29	
		15:00	27.27	48.94	31.73	8.20	5.70	212.85	8.19	9.34	
		18:00	27.38	48.14	31.23	8.21	5.80	208.75	9.12	8.39	
		21:00	27.62	48.73	31.60	8.23	5.90	208.34	11.52	7.40	
	日平均值		27.51	49.31	31.96	8.19	5.80	220.84	8.20	9.47	
	潮口站	0:00	28.06	47.82	31.04	8.16	6.62	203.72	3.36	3.73	
		3:00	26.95	48.57	31.50	8.10	6.16	195.41	2.15	4.06	
		6:00	27.69	48.50	31.46	8.09	6.06	190.53	2.81	4.54	
		9:00	28.20	47.74	30.99	8.15	6.32	196.82	2.95	4.45	
		12:00	28.36	47.99	31.14	8.08	6.48	201.90	4.18	4.49	
		15:00	27.44	48.52	31.47	8.11	6.17	203.03	3.39	5.58	
		18:00	27.59	48.59	31.51	8.11	6.33	203.94	3.72	4.17	
		21:00	27.81	48.41	31.40	8.11	6.47	201.98	4.58	3.27	
	日平均值		27.76	48.27	31.31	8.11	6.33	199.67	3.39	4.29	
	灣內站	0:00	28.06	47.62	30.91	8.16	6.80	203.72	11.29	6.38	
		3:00	26.95	48.37	31.38	8.10	6.24	195.41	4.62	3.32	
		6:00	27.69	48.30	31.33	8.09	6.11	190.53	7.90	6.60	
		9:00	28.20	47.54	30.86	8.15	6.43	196.82	8.70	7.40	
		12:00	28.36	47.79	31.02	8.08	6.63	201.90	17.47	8.37	
		15:00	27.44	48.32	31.34	8.11	6.25	203.03	11.49	10.19	
		18:00	27.59	48.39	31.39	8.11	6.44	203.94	13.84	9.75	
		21:00	27.81	48.21	31.28	8.11	6.62	201.98	20.98	8.27	
	日平均值		27.76	48.07	31.19	8.11	6.44	199.67	12.04	7.54	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月14日	蚵殼站	0:00	27.47	49.89	32.32	8.20	5.70	211.60	10.01	7.51	
		3:00	27.16	49.87	32.30	8.15	5.80	229.59	19.65	10.28	
		6:00	27.07	49.81	32.27	8.13	5.68	231.79	15.53	7.31	
		9:00	27.38	49.64	32.16	8.13	6.42	236.36	16.42	4.42	
		12:00	27.74	49.29	31.95	8.12	6.87	208.08	19.87	5.38	
		15:00	27.25	49.80	32.26	8.08	6.70	200.61	23.87	4.46	
		18:00	27.26	49.19	31.88	8.08	6.57	199.41	20.32	5.49	
		21:00	27.52	49.04	31.79	8.12	5.90	207.80	17.29	6.74	
	日平均值		27.36	49.57	32.12	8.13	6.21	215.66	17.87	6.45	
	潮口站	0:00	27.63	48.29	31.33	8.10	6.18	201.26	4.04	5.99	
		3:00	27.19	48.52	31.47	8.07	6.33	194.96	16.02	6.12	
		6:00	27.28	48.52	31.47	8.10	6.15	185.90	6.01	4.24	
		9:00	27.75	47.66	30.94	8.07	7.28	187.75	6.33	3.30	
		12:00	27.94	46.71	30.35	8.13	8.04	194.12	7.56	3.59	
		15:00	27.27	47.46	30.81	8.12	7.75	192.57	8.99	8.37	
		18:00	27.38	47.51	30.84	8.08	7.53	193.02	7.72	9.36	
		21:00	27.62	46.37	30.14	8.13	6.47	192.56	6.64	6.72	
	日平均值		27.51	47.63	30.92	8.10	6.97	192.77	7.91	5.96	
	灣內站	0:00	27.63	48.09	31.20	8.10	6.25	201.26	16.32	7.48	
		3:00	27.19	48.32	31.34	8.07	6.44	194.96	56.00	6.18	
		6:00	27.28	48.32	31.34	8.10	6.22	185.90	36.12	4.71	
		9:00	27.75	47.46	30.81	8.07	7.60	187.75	40.07	5.03	
		12:00	27.94	46.51	30.23	8.13	8.52	194.12	57.15	6.26	
		15:00	27.27	47.26	30.69	8.12	8.16	192.57	80.82	7.69	
		18:00	27.38	47.31	30.72	8.08	7.90	193.02	59.60	6.42	
		21:00	27.62	46.17	30.01	8.13	6.62	192.56	44.09	5.34	
	日平均值		27.51	47.43	30.79	8.10	7.21	192.77	48.77	6.14	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月15日	蚵殼站	0:00	27.46	49.04	31.79	8.15	5.66	212.66	18.33	5.13	
		3:00	27.06	48.56	31.49	8.07	5.39	219.65	18.19	4.03	
		6:00	27.03	49.61	32.14	8.14	5.71	220.31	16.54	3.01	
		9:00	27.17	49.24	31.91	8.10	6.44	215.04	22.08	4.16	
		12:00	27.49	49.02	31.78	8.06	6.73	213.39	22.47	5.10	
		15:00	27.23	49.13	31.85	8.05	6.04	216.81	20.23	5.62	
		18:00	26.81	48.38	31.38	8.10	5.66	220.47	21.80	4.36	
		21:00	26.76	49.18	31.88	8.10	5.77	219.60	22.44	5.98	
	日平均值			27.13	49.02	31.78	8.10	5.93	217.24	20.26	4.67
	潮口站	0:00	27.47	46.43	30.18	8.08	6.12	194.19	7.01	3.03	
		3:00	27.16	47.83	31.04	8.08	5.73	195.47	6.96	8.54	
		6:00	27.07	46.78	30.39	8.03	6.20	192.10	6.37	10.76	
		9:00	27.38	44.75	29.14	8.00	7.31	192.20	8.35	6.43	
		12:00	27.74	45.47	29.58	8.08	7.80	192.01	8.49	6.97	
		15:00	27.25	47.24	30.68	8.14	6.68	192.26	7.69	10.54	
		18:00	27.26	47.62	30.91	8.08	6.12	192.36	8.25	9.73	
		21:00	27.52	45.60	29.66	8.02	6.27	191.11	8.48	8.10	
	日平均值			27.36	46.47	30.20	8.06	6.53	192.71	7.70	8.01
	灣內站	0:00	27.47	46.23	30.05	8.08	6.18	194.19	49.14	5.71	
		3:00	27.16	47.63	30.92	8.08	5.70	195.47	48.44	5.66	
		6:00	27.07	46.58	30.27	8.03	6.28	192.10	40.58	5.07	
		9:00	27.38	44.55	29.01	8.00	7.63	192.20	69.72	7.05	
		12:00	27.74	45.27	29.46	8.08	8.23	192.01	72.08	7.19	
		15:00	27.25	47.04	30.55	8.14	6.87	192.26	59.14	6.39	
		18:00	27.26	47.42	30.79	8.08	6.19	192.36	68.06	5.38	
		21:00	27.52	45.40	29.54	8.02	6.37	191.11	71.91	4.64	
	日平均值			27.36	46.27	30.07	8.06	6.68	192.71	59.88	5.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月16日	蚵殼站	0:00	26.68	48.13	31.23	8.04	5.63	208.34	10.53	4.63	
		3:00	26.55	47.73	30.98	8.05	5.39	212.87	9.68	6.25	
		6:00	26.41	48.54	31.48	8.11	5.62	216.75	7.23	6.15	
		9:00	26.62	48.59	31.51	8.06	6.40	221.24	11.48	4.26	
		12:00	27.34	47.82	31.04	8.03	6.33	211.72	10.40	5.36	
		15:00	26.82	47.63	30.92	8.08	6.30	214.48	12.59	8.67	
		18:00	26.26	47.40	30.78	8.07	5.78	209.88	10.93	5.98	
		21:00	26.43	47.26	30.69	8.01	5.23	200.18	11.73	8.46	
	日平均值			26.64	47.89	31.08	8.06	5.84	211.93	10.57	6.22
	潮口站	0:00	27.46	45.67	29.71	8.02	6.07	187.86	17.85	7.25	
		3:00	27.06	47.69	30.96	8.05	5.73	189.56	15.37	4.44	
		6:00	27.03	47.97	31.13	7.99	6.06	187.56	9.29	5.13	
		9:00	27.17	47.50	30.84	8.05	7.25	184.27	20.84	4.36	
		12:00	27.49	47.07	30.57	8.06	7.14	185.37	17.47	4.75	
		15:00	27.23	47.21	30.66	8.07	7.09	186.22	24.61	8.54	
		18:00	26.81	47.81	31.03	8.00	6.29	187.78	19.07	6.24	
		21:00	26.76	47.47	30.82	8.01	5.52	183.19	21.67	3.35	
	日平均值			27.13	47.30	30.72	8.03	6.39	186.48	18.27	5.51
	灣內站	0:00	27.46	45.47	29.58	8.02	6.12	187.86	17.85	3.94	
		3:00	27.06	47.49	30.83	8.05	5.70	189.56	15.37	2.62	
		6:00	27.03	47.77	31.00	7.99	6.10	187.56	9.29	1.75	
		9:00	27.17	47.30	30.71	8.05	7.56	184.27	20.84	3.27	
		12:00	27.49	46.87	30.45	8.06	7.43	185.37	17.47	2.88	
		15:00	27.23	47.01	30.53	8.07	7.36	186.22	24.61	3.66	
		18:00	26.81	47.61	30.91	8.00	6.39	187.78	19.07	3.07	
		21:00	26.76	47.27	30.70	8.01	5.44	183.19	21.67	3.36	
	日平均值			27.13	47.10	30.59	8.03	6.51	186.48	18.27	3.07
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月17日	蚵殼站	0:00	26.34	46.98	30.52	8.00	5.62	184.06	10.48	6.51	
		3:00	26.29	46.13	29.99	8.00	5.37	190.76	12.86	6.82	
		6:00	26.55	46.80	30.40	8.02	5.06	180.91	7.22	6.26	
		9:00	26.68	47.14	30.61	8.02	6.63	191.38	10.18	6.64	
		12:00	26.45	46.62	30.29	8.06	6.73	189.66	8.26	7.21	
		15:00	26.37	46.68	30.33	8.11	6.81	172.85	8.68	6.45	
		18:00	26.92	46.78	30.39	8.04	5.90	168.75	7.50	7.35	
		21:00	26.74	46.04	29.93	8.00	5.18	168.34	7.51	7.30	
	日平均值			26.54	46.65	30.31	8.03	5.91	180.84	9.09	6.82
	潮口站	0:00	26.68	47.04	30.55	7.96	6.06	179.95	17.71	7.48	
		3:00	26.55	47.56	30.87	7.94	5.72	187.20	25.59	9.58	
		6:00	26.41	47.83	31.04	7.93	5.30	181.03	9.26	3.70	
		9:00	26.62	47.03	30.55	8.07	7.63	178.74	16.82	2.34	
		12:00	27.34	46.24	30.06	8.17	7.80	181.23	11.66	8.54	
		15:00	26.82	43.43	28.32	8.15	7.93	185.77	12.71	7.35	
		18:00	26.26	41.44	27.09	8.07	6.47	189.61	9.88	6.24	
		21:00	26.43	45.57	29.64	7.97	5.46	180.89	9.91	4.22	
	日平均值			26.64	45.77	29.77	8.03	6.55	183.05	14.19	6.18
	灣內站	0:00	26.68	46.84	30.43	7.96	6.11	179.95	17.71	2.91	
		3:00	26.55	47.36	30.75	7.94	5.68	187.20	25.59	3.76	
		6:00	26.41	47.63	30.92	7.93	5.16	181.03	9.26	1.74	
		9:00	26.62	46.83	30.42	8.07	8.01	178.74	16.82	2.80	
		12:00	27.34	46.04	29.93	8.17	8.23	181.23	11.66	2.11	
		15:00	26.82	43.23	28.20	8.15	8.38	185.77	12.71	2.27	
		18:00	26.26	41.24	26.96	8.07	6.62	189.61	9.88	1.84	
		21:00	26.43	45.37	29.52	7.97	5.36	180.89	9.91	1.85	
	日平均值			26.64	45.57	29.64	8.03	6.69	183.05	14.19	2.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月18日	蚵殼站	0:00	26.74	45.72	29.74	8.01	5.10	191.60	16.71	7.36	
		3:00	26.71	45.65	29.69	8.02	5.33	209.59	12.35	6.15	
		6:00	26.66	45.84	29.81	8.03	5.65	211.79	9.95	6.81	
		9:00	26.84	46.51	30.23	8.00	6.29	216.36	7.13	6.95	
		12:00	27.09	46.47	30.20	8.02	7.09	188.08	7.90	8.18	
		15:00	27.13	46.36	30.13	8.14	6.89	178.34	7.71	7.39	
		18:00	26.92	46.15	30.00	8.13	6.13	179.41	7.79	7.72	
		21:00	26.61	45.66	29.70	8.11	5.73	187.80	7.31	8.58	
	日平均值			26.84	46.05	29.94	8.06	6.03	195.37	9.61	7.39
	潮口站	0:00	26.58	45.67	29.71	7.94	5.35	173.21	41.39	3.54	
		3:00	26.48	45.98	29.90	7.96	5.65	176.90	23.76	3.84	
		6:00	26.21	46.71	30.35	7.99	6.10	173.83	16.15	4.14	
		9:00	26.90	45.80	29.79	8.11	7.07	171.89	9.06	7.53	
		12:00	27.64	45.77	29.77	8.29	8.43	172.85	10.80	7.37	
		15:00	27.39	46.01	29.92	8.13	8.08	177.67	10.36	6.73	
		18:00	26.66	41.67	27.23	8.07	6.82	183.59	10.53	7.45	
		21:00	26.42	45.08	29.34	8.04	6.22	181.81	9.46	8.66	
	日平均值			26.79	45.34	29.50	8.07	6.72	176.47	16.44	6.16
	灣內站	0:00	26.58	45.47	29.58	7.94	5.22	173.21	41.39	5.13	
		3:00	26.48	45.78	29.77	7.96	5.60	176.90	23.76	3.57	
		6:00	26.21	46.51	30.23	7.99	6.16	173.83	16.15	2.72	
		9:00	26.90	45.60	29.66	8.11	7.34	171.89	9.06	1.71	
		12:00	27.64	45.57	29.64	8.29	8.98	172.85	10.80	1.99	
		15:00	27.39	45.81	29.79	8.13	8.56	177.67	10.36	1.92	
		18:00	26.66	41.47	27.11	8.07	7.04	183.59	10.53	1.94	
		21:00	26.42	44.88	29.22	8.04	6.30	181.81	9.46	1.78	
	日平均值			26.79	45.14	29.38	8.07	6.90	176.47	16.44	2.60
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月19日	蚵殼站	0:00	26.55	45.35	29.51	8.16	5.39	195.81	14.97	8.04
		3:00	26.64	45.08	29.34	8.11	5.26	197.46	7.81	9.45
		6:00	26.70	45.10	29.35	8.12	6.09	205.18	8.44	10.01
		9:00	26.96	45.74	29.75	8.11	6.61	208.47	11.95	11.80
		12:00	27.28	45.72	29.74	8.13	7.65	185.74	5.54	11.25
		15:00	27.31	45.85	29.82	8.13	7.61	180.85	6.11	16.93
		18:00	27.42	44.92	29.24	8.12	7.28	179.31	4.44	14.38
		21:00	27.30	44.72	29.12	8.12	6.96	186.68	4.36	12.44
	日平均值		27.02	45.31	29.48	8.13	6.61	192.44	7.95	11.79
	潮口站	0:00	26.94	44.67	29.09	8.08	5.73	179.54	33.76	9.37
		3:00	26.58	45.64	29.69	8.08	5.57	187.85	10.59	10.45
		6:00	26.08	46.69	30.34	8.03	6.76	178.02	12.11	9.72
		9:00	26.48	47.09	30.58	8.00	7.59	169.29	22.39	8.66
		12:00	27.67	48.23	31.29	8.08	9.48	173.54	5.96	10.07
		15:00	28.10	48.32	31.34	8.14	9.41	177.46	7.01	5.88
		18:00	27.55	49.24	31.91	8.08	8.78	183.13	4.20	6.36
		21:00	26.51	50.06	32.42	8.02	8.20	184.42	4.09	9.57
	日平均值		26.99	47.49	30.83	8.06	7.69	179.16	12.51	8.76
	灣內站	0:00	26.94	44.47	28.96	8.08	5.70	179.54	33.76	4.51
		3:00	26.58	45.44	29.56	8.08	5.49	187.85	10.59	1.95
		6:00	26.08	46.49	30.21	8.03	6.97	178.02	12.11	2.18
		9:00	26.48	46.89	30.46	8.00	7.97	169.29	22.39	3.43
		12:00	27.67	48.03	31.17	8.08	10.21	173.54	5.96	1.14
		15:00	28.10	48.12	31.22	8.14	10.12	177.46	7.01	1.35
		18:00	27.55	49.04	31.79	8.08	9.40	183.13	4.20	0.75
		21:00	26.51	49.86	32.30	8.02	8.71	184.42	4.09	0.72
	日平均值		26.99	47.29	30.71	8.06	8.07	179.16	12.51	2.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月20日	蚵殼站	0:00	26.79	44.74	29.13	8.15	6.45	197.34	6.20	11.31
		3:00	26.83	44.45	28.95	8.17	6.61	208.10	7.83	9.58
		6:00	26.80	44.10	28.73	8.16	6.78	211.61	18.02	7.31
		9:00	27.12	44.75	29.14	8.10	6.76	209.63	9.23	8.44
		12:00	27.48	44.91	29.24	8.14	7.39	192.26	11.61	9.16
		15:00	27.59	44.59	29.04	8.17	7.31	183.63	14.21	10.73
		18:00	27.71	44.40	28.92	8.14	7.22	179.74	12.36	10.36
		21:00	27.84	44.24	28.82	8.11	6.59	197.38	11.89	9.53
	日平均值		27.27	44.52	29.00	8.14	6.89	197.46	11.42	9.55
	潮口站	0:00	27.51	48.97	31.75	7.99	7.33	177.85	2.68	10.36
		3:00	26.99	48.62	31.53	8.02	7.60	186.46	3.26	11.34
		6:00	26.21	50.68	32.81	7.97	7.89	186.22	6.90	12.78
		9:00	27.04	49.99	32.38	8.01	7.86	174.38	3.76	11.33
		12:00	27.33	49.69	32.19	8.13	8.98	174.06	4.61	9.16
		15:00	27.42	49.92	32.33	8.07	8.83	175.70	5.54	6.34
		18:00	27.35	48.49	31.45	8.06	8.66	187.87	4.88	4.89
		21:00	26.76	46.81	30.41	7.94	7.56	192.66	4.71	5.84
	日平均值		27.08	49.15	31.86	8.02	8.09	181.90	4.54	9.01
	灣內站	0:00	27.51	48.77	31.62	7.99	7.66	177.85	7.18	1.38
		3:00	26.99	48.42	31.41	8.02	7.99	186.46	10.63	1.96
		6:00	26.21	50.48	32.68	7.97	8.33	186.22	47.61	5.60
		9:00	27.04	49.79	32.25	8.01	8.30	174.38	14.14	2.46
		12:00	27.33	49.49	32.07	8.13	9.63	174.06	21.25	3.31
		15:00	27.42	49.72	32.21	8.07	9.45	175.70	30.69	4.24
		18:00	27.35	48.29	31.33	8.06	9.25	187.87	23.81	3.58
		21:00	26.76	46.61	30.29	7.94	7.94	192.66	22.18	3.41
	日平均值		27.08	48.95	31.73	8.02	8.57	181.90	22.19	3.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月21日	蚵殼站	0:00	27.35	44.14	28.76	8.07	6.15	196.75	10.24	8.54	
		3:00	26.96	43.30	28.24	8.06	5.80	217.68	8.53	7.92	
		6:00	27.01	43.30	28.24	8.02	5.81	211.57	10.88	7.05	
		9:00	27.52	44.51	28.99	8.02	6.03	215.99	10.01	6.46	
		12:00	27.83	44.61	29.05	8.07	7.24	226.13	8.92	7.28	
		15:00	27.76	44.66	29.08	8.11	7.49	219.37	12.53	8.96	
		18:00	27.68	43.73	28.51	8.20	7.20	210.66	9.68	8.37	
		21:00	27.64	44.06	28.71	8.15	6.21	221.54	10.24	8.66	
	日平均值			27.47	44.04	28.70	8.09	6.49	214.96	10.13	7.91
	潮口站	0:00	26.56	45.58	29.65	7.90	6.85	158.84	4.12	5.84	
		3:00	26.54	48.10	31.21	7.88	6.33	158.51	3.51	6.81	
		6:00	26.22	50.23	32.53	7.90	6.34	158.70	4.35	7.65	
		9:00	26.53	50.32	32.58	7.92	6.66	159.64	4.04	8.23	
		12:00	28.66	47.94	31.11	8.16	8.71	161.90	3.65	10.61	
		15:00	28.85	48.20	31.27	8.18	9.18	167.30	4.94	11.34	
		18:00	28.60	47.79	31.02	8.14	8.63	171.96	3.92	6.24	
		21:00	27.66	47.50	30.84	7.99	6.95	180.72	4.12	3.62	
	日平均值			27.45	48.21	31.28	8.01	7.46	164.70	4.08	7.54
	灣內站	0:00	26.56	45.38	29.53	7.90	7.08	158.84	16.97	2.82	
		3:00	26.54	47.90	31.09	7.88	6.44	158.51	12.32	2.21	
		6:00	26.22	50.03	32.40	7.90	6.45	158.70	18.92	3.05	
		9:00	26.53	50.12	32.46	7.92	6.85	159.64	16.32	2.74	
		12:00	28.66	47.74	30.99	8.16	9.31	161.90	13.32	2.35	
		15:00	28.85	48.00	31.15	8.18	9.86	167.30	24.40	3.64	
		18:00	28.60	47.59	30.89	8.14	9.21	171.96	15.37	2.62	
		21:00	27.66	47.30	30.71	7.99	7.20	180.72	16.97	2.82	
	日平均值			27.45	48.01	31.15	8.01	7.80	164.70	16.82	2.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月22日	蚵殼站	0:00	27.53	43.34	28.26	8.15	5.73	236.78	9.87	8.21	
		3:00	26.97	41.63	27.21	8.05	5.22	237.36	9.48	9.06	
		6:00	27.07	43.18	28.16	8.02	5.63	221.54	8.86	7.04	
		9:00	27.83	44.10	28.73	8.06	5.97	226.96	9.03	8.10	
		12:00	27.92	44.13	28.75	8.08	6.18	237.07	8.50	7.41	
		15:00	28.05	43.36	28.28	8.18	7.16	220.89	13.20	7.57	
		18:00	28.01	42.84	27.95	8.24	6.70	207.28	13.93	7.14	
		21:00	28.09	39.65	25.98	8.32	5.94	204.93	15.95	7.15	
	日平均值			27.68	42.78	27.92	8.14	6.07	224.10	11.10	7.71
	潮口站	0:00	27.01	47.10	30.59	7.90	6.22	189.39	3.99	5.99	
		3:00	27.23	46.39	30.15	7.88	5.51	193.39	3.85	6.12	
		6:00	26.98	45.84	29.81	7.82	6.07	190.89	3.63	4.24	
		9:00	27.08	49.96	32.36	7.86	6.57	197.69	3.69	3.30	
		12:00	28.14	47.98	31.13	7.92	6.91	193.70	3.50	3.59	
		15:00	28.22	48.21	31.28	8.08	8.55	198.57	5.18	8.37	
		18:00	28.23	48.05	31.18	8.02	7.75	200.39	5.44	9.36	
		21:00	28.14	47.87	31.07	7.92	6.53	201.28	6.16	6.72	
	日平均值			27.63	47.68	30.95	7.93	6.76	195.66	4.43	5.96
	灣內站	0:00	27.01	46.90	30.47	7.90	6.30	189.39	15.92	2.69	
		3:00	27.23	46.19	30.03	7.88	5.43	193.39	14.82	2.55	
		6:00	26.98	45.64	29.69	7.82	6.12	190.89	13.18	2.33	
		9:00	27.08	49.76	32.24	7.86	6.74	197.69	13.62	2.39	
		12:00	28.14	47.78	31.01	7.92	7.15	193.70	12.25	2.20	
		15:00	28.22	48.01	31.15	8.08	9.12	198.57	26.83	3.88	
		18:00	28.23	47.85	31.05	8.02	8.17	200.39	29.59	4.14	
		21:00	28.14	47.67	30.94	7.92	6.69	201.28	37.95	4.86	
	日平均值			27.63	47.48	30.82	7.93	6.97	195.66	20.52	3.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月23日	蚵殼站	0:00	28.06	41.53	27.14	8.12	5.78	213.10	10.91	6.26	
		3:00	26.95	42.71	27.87	8.06	5.84	229.46	21.16	6.01	
		6:00	27.69	42.62	27.82	8.02	5.64	244.22	15.75	5.73	
		9:00	28.20	42.84	27.95	8.05	5.23	227.97	12.67	6.04	
		12:00	28.36	44.17	28.78	8.01	5.82	234.78	14.77	6.26	
		15:00	27.44	44.18	28.78	8.06	6.84	232.89	24.96	6.37	
		18:00	27.59	43.73	28.51	8.11	6.75	234.14	19.78	6.09	
		21:00	27.81	43.21	28.18	8.06	5.85	241.05	14.27	6.45	
	日平均值			27.76	43.12	28.13	8.06	5.97	232.20	16.78	6.15
	潮口站	0:00	27.40	48.40	31.39	7.89	6.29	202.41	4.36	3.03	
		3:00	28.57	43.80	28.55	8.16	6.37	194.14	8.02	8.54	
		6:00	28.45	44.51	28.99	8.07	6.09	189.28	6.09	10.76	
		9:00	27.57	48.00	31.15	7.95	5.52	195.54	4.99	6.43	
		12:00	28.13	47.40	30.78	7.95	6.34	200.60	5.74	6.97	
		15:00	29.61	44.60	29.04	8.21	8.00	201.72	9.38	10.54	
		18:00	29.91	43.91	28.62	8.21	7.83	202.63	7.53	12.76	
		21:00	29.47	44.38	28.91	8.09	6.39	200.68	5.56	8.10	
	日平均值			28.64	45.63	29.68	8.07	6.60	198.38	6.46	8.39
	灣內站	0:00	27.40	48.20	31.27	7.89	6.39	202.41	19.01	3.06	
		3:00	28.57	43.60	28.42	8.16	6.50	194.14	64.32	6.72	
		6:00	28.45	44.31	28.86	8.07	6.14	189.28	37.09	4.79	
		9:00	27.57	47.80	31.02	7.95	5.44	195.54	24.90	3.69	
		12:00	28.13	47.20	30.65	7.95	6.46	200.60	32.95	4.44	
		15:00	29.61	44.40	28.92	8.21	8.46	201.72	87.98	8.08	
		18:00	29.91	43.71	28.49	8.21	8.26	202.63	56.70	6.23	
		21:00	29.47	44.18	28.78	8.09	6.52	200.68	30.91	4.26	
	日平均值			28.64	45.43	29.55	8.07	6.77	198.38	44.23	5.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月24日	蚵殼站	0:00	27.63	43.18	28.16	8.14	5.71	207.81	5.83	6.15	
		3:00	27.19	43.26	28.21	8.09	5.37	214.02	5.34	6.50	
		6:00	27.28	43.66	28.46	8.07	5.13	209.24	5.36	6.48	
		9:00	27.75	44.32	28.87	8.05	5.51	209.08	5.39	6.06	
		12:00	27.94	44.19	28.79	8.04	5.83	213.80	5.62	6.32	
		15:00	27.27	43.98	28.66	8.02	6.45	219.61	7.38	6.94	
		18:00	27.38	43.82	28.56	8.03	6.81	216.45	9.64	6.45	
		21:00	27.62	43.86	28.59	8.04	5.75	221.54	9.12	6.91	
	日平均值			27.51	43.78	28.54	8.06	5.82	213.94	6.71	6.48
	潮口站	0:00	28.25	46.58	30.27	7.91	6.18	199.96	6.48	7.25	
		3:00	28.65	45.30	29.48	7.93	5.72	193.69	5.62	4.44	
		6:00	28.99	43.64	28.45	8.05	5.39	184.68	5.66	5.13	
		9:00	29.07	44.04	28.70	8.07	5.91	186.52	5.71	4.36	
		12:00	28.55	45.64	29.69	7.94	6.36	192.86	6.11	4.75	
		15:00	29.50	43.78	28.54	8.08	7.33	191.31	9.61	8.54	
		18:00	29.29	44.05	28.70	8.11	7.94	191.76	15.26	6.24	
		21:00	29.28	43.83	28.57	8.03	6.25	191.30	13.86	3.35	
	日平均值			28.95	44.61	29.05	8.02	6.39	191.51	8.54	5.51
	灣內站	0:00	28.25	46.38	30.14	7.91	6.26	199.96	6.48	4.03	
		3:00	28.65	45.10	29.35	7.93	5.68	193.69	5.62	10.72	
		6:00	28.99	43.44	28.33	8.05	5.27	184.68	5.66	6.10	
		9:00	29.07	43.84	28.57	8.07	5.92	186.52	5.71	0.90	
		12:00	28.55	45.44	29.56	7.94	6.48	192.86	6.11	8.70	
		15:00	29.50	43.58	28.41	8.08	7.65	191.31	9.61	5.26	
		18:00	29.29	43.85	28.58	8.11	8.39	191.76	15.26	2.52	
		21:00	29.28	43.63	28.44	8.03	6.34	191.30	13.86	4.18	
	日平均值			28.95	44.41	28.92	8.02	6.50	191.51	8.54	5.30
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月25日	蚵殼站	0:00	27.47	43.32	28.25	8.03	5.70	212.66	11.08	3.36
		3:00	27.16	43.22	28.19	8.06	5.37	219.65	9.12	6.84
		6:00	27.07	43.41	28.31	8.00	5.20	220.31	10.51	7.41
		9:00	27.38	42.91	28.00	8.00	5.61	215.04	17.47	6.89
		12:00	27.74	41.25	26.97	8.05	5.74	213.39	21.64	3.14
		15:00	27.25	43.93	28.63	8.00	6.14	216.81	33.46	12.08
		18:00	27.26	41.07	26.86	8.09	7.03	220.47	37.05	8.47
		21:00	27.52	38.15	25.05	8.05	5.92	219.60	37.77	7.07
	日平均值		27.36	42.16	27.53	8.04	5.84	217.24	22.26	6.91
	潮口站	0:00	28.28	43.04	28.08	7.93	6.17	191.20	19.56	7.48
		3:00	27.18	41.54	27.15	7.88	5.72	197.54	13.84	9.58
		6:00	27.67	37.35	24.56	7.88	5.48	193.14	17.79	3.70
		9:00	28.09	41.84	27.34	7.84	6.05	192.96	44.95	2.34
		12:00	28.06	42.17	27.54	7.88	6.23	195.62	67.10	8.54
		15:00	28.67	38.12	25.03	8.00	6.83	192.17	104.08	12.58
		18:00	28.62	36.73	24.17	8.12	8.33	192.09	97.55	6.24
		21:00	28.35	34.71	22.92	7.96	6.51	191.47	94.70	4.22
	日平均值		28.12	39.44	25.85	7.94	6.42	193.27	57.45	6.84
	灣內站	0:00	28.28	42.84	27.95	7.93	6.24	191.20	19.56	5.19
		3:00	27.18	41.34	27.03	7.88	5.68	197.54	13.84	8.48
		6:00	27.67	37.15	24.43	7.88	5.39	193.14	17.79	10.70
		9:00	28.09	41.64	27.21	7.84	6.10	192.96	44.95	7.48
		12:00	28.06	41.97	27.42	7.88	6.32	195.62	67.10	5.38
		15:00	28.67	37.92	24.91	8.00	7.06	192.17	114.08	4.81
		18:00	28.62	36.53	24.05	8.12	8.86	192.09	107.55	5.39
		21:00	28.35	34.51	22.80	7.96	6.66	191.47	104.70	3.89
	日平均值		28.12	39.24	25.73	7.94	6.54	193.27	61.20	6.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
5月26日	蚵殼站	0:00	27.46	39.34	25.79	8.00	5.64	208.34	36.47	6.25
		3:00	27.06	43.50	28.36	7.90	5.15	212.87	36.47	6.15
		6:00	27.03	43.88	28.60	7.95	5.23	228.81	34.27	4.26
		9:00	27.17	42.86	27.97	7.95	5.51	221.24	30.86	5.36
		12:00	27.49	39.85	26.10	8.06	5.81	211.72	28.26	6.52
		15:00	27.23	41.51	27.13	8.02	5.68	214.48	29.30	5.90
		18:00	26.81	40.48	26.49	7.99	6.40	209.88	34.27	9.65
		21:00	26.76	37.31	24.53	8.12	6.34	200.18	21.83	6.38
	日平均值		27.13	41.09	26.87	8.00	5.72	213.44	31.47	6.31
	潮口站	0:00	27.65	41.45	27.09	7.85	6.09	194.19	89.40	3.54
		3:00	26.97	41.88	27.36	7.87	5.42	195.47	81.93	3.84
		6:00	27.30	39.15	25.67	7.88	5.52	192.10	61.37	4.14
		9:00	27.91	38.15	25.05	7.94	5.91	192.20	31.94	4.75
		12:00	28.24	37.99	24.95	7.94	6.34	192.01	111.49	11.90
		15:00	28.50	39.80	26.07	7.93	6.15	192.26	119.41	9.56
		18:00	28.66	37.52	24.66	8.11	7.25	192.36	61.42	9.16
		21:00	28.78	34.91	23.05	8.23	7.15	191.11	68.26	8.66
	日平均值		28.00	38.86	25.49	7.97	6.23	192.71	78.15	6.94
	灣內站	0:00	27.65	41.25	26.97	7.85	6.14	194.19	106.37	8.17
		3:00	26.97	41.68	27.24	7.87	5.30	195.47	101.93	5.38
		6:00	27.30	38.95	25.55	7.88	5.44	192.10	101.37	2.89
		9:00	27.91	37.95	24.93	7.94	5.92	192.20	101.94	4.86
		12:00	28.24	37.79	24.83	7.94	6.45	192.01	111.49	5.29
		15:00	28.50	39.60	25.95	7.93	6.22	192.26	109.41	8.71
		18:00	28.66	37.32	24.54	8.11	7.56	192.36	101.42	7.47
		21:00	28.78	34.71	22.92	8.23	7.45	191.11	68.26	3.16
	日平均值		28.00	38.66	25.37	7.97	6.31	192.71	100.27	5.74
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月27日	蚵殼站	0:00	26.68	38.63	25.35	8.07	5.91	204.06	9.67	6.47	
		3:00	26.55	40.29	26.38	8.00	5.77	210.76	9.16	6.35	
		6:00	26.41	38.08	25.01	8.01	6.09	200.91	7.92	5.18	
		9:00	26.62	37.59	24.71	7.98	6.25	211.38	7.59	5.11	
		12:00	27.34	38.09	25.02	8.01	5.68	209.66	7.25	5.44	
		15:00	26.82	37.39	24.58	8.15	5.98	192.85	8.51	6.39	
		18:00	26.26	34.45	22.76	8.26	5.68	188.75	9.13	8.38	
		21:00	26.43	32.12	21.32	8.28	5.75	188.34	10.60	6.41	
	日平均值			26.64	37.08	24.39	8.10	5.89	200.84	8.73	6.22
	潮口站	0:00	27.97	37.62	24.72	8.01	6.49	187.86	15.36	11.90	
		3:00	27.10	38.24	25.11	7.91	6.29	189.56	13.95	14.90	
		6:00	27.81	37.88	24.89	7.97	6.75	187.56	10.84	9.72	
		9:00	28.31	31.82	21.14	8.09	7.01	184.27	10.09	8.66	
		12:00	28.36	37.54	24.68	8.00	6.15	185.37	9.33	10.07	
		15:00	27.96	37.37	24.57	7.96	6.59	186.22	12.28	5.88	
		18:00	27.83	34.28	22.66	7.96	6.15	187.78	13.87	6.36	
		21:00	28.59	35.39	23.35	8.11	6.25	183.19	18.06	12.45	
	日平均值			27.99	36.27	23.89	8.00	6.46	186.48	12.97	9.99
	灣內站	0:00	27.97	37.42	24.60	8.01	6.63	187.86	15.36	5.37	
		3:00	27.10	38.04	24.98	7.91	6.38	189.56	13.95	7.84	
		6:00	27.81	37.68	24.76	7.97	6.96	187.56	10.84	9.27	
		9:00	28.31	31.62	21.01	8.09	7.27	184.27	10.09	10.67	
		12:00	28.36	37.34	24.55	8.00	6.22	185.37	9.33	7.47	
		15:00	27.96	37.17	24.45	7.96	6.76	186.22	12.28	5.13	
		18:00	27.83	34.08	22.53	7.96	6.22	187.78	13.87	3.94	
		21:00	28.59	35.19	23.22	8.11	6.34	183.19	18.06	6.98	
	日平均值			27.99	36.07	23.76	8.00	6.60	186.48	12.97	7.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月28日	蚵殼站	0:00	27.65	34.56	22.83	8.05	5.52	212.66	10.11	6.39	
		3:00	26.97	37.70	24.77	7.94	5.20	219.65	7.65	6.57	
		6:00	27.30	39.18	25.69	7.93	5.74	220.31	10.38	5.37	
		9:00	27.91	37.36	24.56	7.98	6.51	215.04	11.39	4.84	
		12:00	28.24	34.67	22.90	8.32	5.65	213.39	10.94	5.36	
		15:00	28.50	34.08	22.53	8.37	5.87	216.81	11.06	6.36	
		18:00	28.66	33.56	22.21	8.33	5.67	220.47	12.36	8.38	
		21:00	28.78	32.17	21.35	8.27	5.72	219.60	15.04	10.31	
	日平均值			28.00	35.41	23.36	8.15	5.74	217.24	11.12	6.70
	潮口站	0:00	28.03	33.89	22.42	7.94	5.92	179.95	16.61	11.90	
		3:00	27.18	38.07	25.00	7.89	5.48	187.20	10.21	14.90	
		6:00	27.77	32.83	21.76	8.00	6.23	181.03	17.39	16.78	
		9:00	28.64	31.35	20.85	8.21	7.42	178.74	20.53	13.59	
		12:00	29.62	37.22	24.48	8.08	6.09	181.23	19.10	9.16	
		15:00	28.92	35.47	23.39	7.90	6.42	185.77	19.49	6.34	
		18:00	28.09	34.91	23.05	7.90	6.13	189.61	23.79	4.89	
		21:00	29.70	34.67	22.90	8.10	6.20	180.89	34.07	5.84	
	日平均值			28.49	34.80	22.98	8.00	6.24	183.05	20.15	10.43
	灣內站	0:00	28.03	33.69	22.29	7.94	5.94	179.95	16.61	3.48	
		3:00	27.18	37.87	24.88	7.89	5.39	187.20	10.21	6.38	
		6:00	27.77	32.63	21.64	8.00	6.32	181.03	17.39	9.74	
		9:00	28.64	31.15	20.72	8.21	7.78	178.74	20.53	7.94	
		12:00	29.62	37.02	24.35	8.08	6.15	181.23	19.10	5.39	
		15:00	28.92	35.27	23.27	7.90	6.55	185.77	19.49	3.81	
		18:00	28.09	34.71	22.92	7.90	6.19	189.61	23.79	2.37	
		21:00	29.70	34.47	22.78	8.10	6.28	180.89	34.07	4.30	
	日平均值			28.49	34.60	22.86	8.00	6.33	183.05	20.15	5.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月29日	蚵殼站	0:00	27.97	33.02	21.88	8.08	5.61	228.34	16.04	8.38	
		3:00	27.10	36.19	23.84	8.07	5.21	232.87	13.52	6.04	
		6:00	27.81	37.91	24.90	7.96	5.48	235.86	12.05	5.67	
		9:00	28.31	36.56	24.07	8.08	6.56	241.24	12.76	4.38	
		12:00	28.36	34.85	23.01	8.31	5.70	231.72	13.35	5.96	
		15:00	27.96	34.64	22.88	8.36	6.21	234.48	11.89	6.72	
		18:00	27.83	34.26	22.65	8.36	6.10	229.88	10.39	7.64	
		21:00	28.59	34.09	22.54	8.24	5.62	220.18	11.35	6.92	
	日平均值		27.99	35.19	23.22	8.18	5.81	231.82	12.67	6.46	
	潮口站	0:00	29.65	32.54	21.58	8.07	6.04	173.21	38.37	5.84	
		3:00	28.08	36.07	23.77	8.03	5.49	176.90	28.02	6.81	
		6:00	28.97	32.97	21.85	8.07	5.86	173.83	22.73	0.63	
		9:00	30.86	30.80	20.51	8.37	7.51	171.89	25.21	8.23	
		12:00	30.48	35.20	23.23	8.19	6.17	172.85	27.39	10.61	
		15:00	29.30	35.81	23.61	7.98	6.94	177.67	22.18	11.34	
		18:00	27.89	31.93	21.20	7.90	6.77	183.59	17.44	6.24	
		21:00	29.61	35.50	23.41	8.01	6.06	181.81	20.42	3.62	
	日平均值		29.36	33.85	22.40	8.08	6.36	176.47	25.22	6.67	
	灣內站	0:00	29.65	32.34	21.46	8.07	6.09	173.21	38.37	1.41	
		3:00	28.08	35.87	23.64	8.03	5.40	176.90	28.02	2.37	
		6:00	28.97	32.77	21.72	8.07	5.86	173.83	22.73	7.65	
		9:00	30.86	30.60	20.38	8.37	7.88	171.89	25.21	3.13	
		12:00	30.48	35.00	23.10	8.19	6.25	172.85	27.39	5.93	
		15:00	29.30	35.61	23.48	7.98	7.19	177.67	22.18	4.38	
		18:00	27.89	31.73	21.08	7.90	6.98	183.59	17.44	2.65	
		21:00	29.61	35.30	23.29	8.01	6.10	181.81	20.42	5.30	
	日平均值		29.36	33.65	22.27	8.08	6.47	176.47	25.22	4.10	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月30日	蚵殼站	0:00	28.03	33.67	22.28	8.16	5.06	224.06	10.11	7.63	
		3:00	27.18	36.66	24.13	8.00	5.62	230.76	7.65	9.25	
		6:00	27.77	39.85	26.10	7.98	5.80	220.91	10.38	9.15	
		9:00	28.64	38.33	25.16	8.08	6.96	231.38	11.39	7.26	
		12:00	29.62	36.50	24.03	8.27	5.91	229.66	10.94	8.36	
		15:00	28.92	35.79	23.59	8.35	5.89	212.85	11.06	8.49	
		18:00	28.09	35.78	23.59	8.35	5.77	208.75	12.36	9.74	
		21:00	29.70	36.43	23.99	8.12	5.63	208.34	12.66	8.91	
	日平均值		28.49	36.63	24.11	8.16	5.83	220.84	10.82	8.60	
	潮口站	0:00	29.57	34.94	23.07	7.90	5.30	179.54	16.61	14.18	
		3:00	27.70	35.33	23.31	7.93	6.06	187.85	10.21	8.06	
		6:00	29.76	34.22	22.62	8.15	6.32	178.02	17.39	0.76	
		9:00	30.50	32.49	21.55	8.34	8.20	169.29	20.53	16.55	
		12:00	31.13	34.91	23.05	8.21	6.49	173.54	19.10	9.61	
		15:00	29.73	36.61	24.10	8.05	6.45	177.46	19.49	1.91	
		18:00	28.44	33.42	22.13	7.93	6.29	183.13	23.79	1.40	
		21:00	29.36	34.78	22.97	7.99	6.07	184.42	24.85	9.27	
	日平均值		29.52	34.59	22.85	8.06	6.40	179.16	19.00	7.72	
	灣內站	0:00	29.57	34.74	22.94	7.90	5.16	179.54	16.61	6.15	
		3:00	27.70	35.13	23.18	7.93	6.11	187.85	10.21	8.48	
		6:00	29.76	34.02	22.50	8.15	6.43	178.02	17.39	3.36	
		9:00	30.50	32.29	21.43	8.34	8.71	169.29	20.53	5.38	
		12:00	31.13	34.71	22.92	8.21	6.64	173.54	19.10	3.85	
		15:00	29.73	36.41	23.98	8.05	6.59	177.46	19.49	9.03	
		18:00	28.44	33.22	22.00	7.93	6.38	183.13	23.79	5.39	
		21:00	29.36	34.58	22.84	7.99	6.12	184.42	24.85	8.33	
	日平均值		29.52	34.39	22.72	8.06	6.52	179.16	19.00	6.25	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
5月31日	蚵殼站	0:00	29.65	36.41	23.98	8.16	5.36	219.31	13.40	8.22	
		3:00	28.08	37.22	24.48	8.08	5.15	226.13	12.67	7.92	
		6:00	28.97	39.88	26.12	7.91	5.63	231.36	12.05	7.05	
		9:00	30.86	39.20	25.70	8.07	6.73	225.37	12.76	6.46	
		12:00	30.48	37.68	24.76	8.21	6.92	215.92	13.35	7.28	
		15:00	29.30	37.26	24.50	8.24	5.66	212.02	11.89	8.96	
		18:00	27.89	37.59	24.71	8.21	5.39	210.05	10.39	8.37	
		21:00	29.61	37.77	24.82	8.24	5.20	210.20	11.35	8.66	
	日平均值			29.36	37.88	24.88	8.14	5.76	218.80	12.23	7.87
	潮口站	0:00	30.31	34.99	23.10	8.02	5.70	177.85	27.56	1.29	
		3:00	28.55	35.50	23.41	7.96	5.42	186.46	24.88	8.96	
		6:00	29.04	34.23	22.63	8.10	6.07	186.22	22.73	5.29	
		9:00	30.66	33.63	22.26	8.31	7.80	174.38	25.21	3.25	
		12:00	31.98	35.00	23.10	8.31	8.13	174.06	27.39	12.68	
		15:00	31.93	36.47	24.01	8.17	6.11	175.70	22.18	9.96	
		18:00	29.62	37.47	24.63	7.99	5.73	187.87	17.44	1.85	
		21:00	28.82	38.69	25.39	7.94	5.48	192.66	20.42	7.19	
	日平均值			30.11	35.75	23.57	8.10	6.31	181.90	23.48	6.31
	灣內站	0:00	30.31	36.79	24.21	8.02	5.66	177.85	27.56	9.10	
		3:00	28.55	38.30	25.15	7.96	5.30	186.46	24.88	10.01	
		6:00	29.04	39.03	25.60	8.10	6.12	186.22	22.73	7.38	
		9:00	30.66	40.43	26.46	8.31	8.23	174.38	25.21	5.37	
		12:00	31.98	39.29	25.76	8.31	8.62	174.06	27.39	9.47	
		15:00	31.93	40.27	26.36	8.17	6.18	175.70	22.18	5.38	
		18:00	29.62	39.27	25.75	7.99	5.70	187.87	17.44	4.38	
		21:00	28.82	40.49	26.50	7.94	5.39	192.66	20.42	2.47	
	日平均值			30.11	39.23	25.72	8.10	6.40	181.90	23.48	6.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月1日	蚵殼站	0:00	30.14	38.62	25.34	8.23	5.41	208.41	3.33	5.94	
		3:00	29.49	39.15	25.67	8.17	5.50	212.21	12.14	5.15	
		6:00	28.19	39.36	25.80	8.02	5.89	223.92	4.54	5.43	
		9:00	28.84	41.17	26.92	8.12	6.02	221.70	3.49	2.90	
		12:00	29.15	41.45	27.09	8.27	5.75	212.85	9.51	3.95	
		15:00	29.49	39.08	25.63	8.33	7.09	206.67	4.59	2.63	
		18:00	29.93	40.68	26.62	8.35	6.54	205.19	9.02	2.37	
		21:00	29.12	40.74	26.66	8.37	5.60	208.48	5.63	7.16	
	日平均值		29.29	40.03	26.22	8.23	5.98	212.43	6.53	4.44	
	潮口站	0:00	29.52	38.60	25.33	7.93	5.97	196.27	56.88	6.63	
		3:00	28.46	39.76	26.05	7.95	5.51	199.74	87.86	8.61	
		6:00	28.39	40.50	26.51	8.08	5.48	199.66	51.73	8.25	
		9:00	30.15	41.33	27.02	8.28	5.57	187.41	31.44	8.31	
		12:00	30.64	40.91	26.76	8.21	5.70	184.89	57.71	9.43	
		15:00	30.57	41.08	26.87	8.18	5.99	187.33	69.98	10.68	
		18:00	29.12	40.47	26.49	8.07	5.64	192.58	61.76	6.87	
		21:00	29.03	41.44	27.09	8.01	5.01	196.82	82.91	5.57	
	日平均值		29.49	40.51	26.52	8.09	5.61	193.09	62.53	8.04	
	灣內站	0:00	30.60	41.49	27.12	8.35	5.44	196.03	8.42	3.87	
		3:00	30.26	40.53	26.53	8.21	5.52	213.98	9.19	4.53	
		6:00	28.80	42.70	27.87	8.29	5.45	204.21	6.15	3.55	
		9:00	30.04	42.72	27.88	8.27	5.78	196.29	5.49	7.26	
		12:00	30.82	43.14	28.14	8.32	6.16	187.94	13.06	5.83	
		15:00	30.70	44.09	28.73	8.32	6.93	198.47	5.26	2.90	
		18:00	30.41	44.32	28.87	8.25	6.80	194.80	8.34	4.89	
		21:00	30.14	44.33	28.88	8.19	5.16	202.49	6.33	5.61	
	日平均值		30.22	42.92	28.00	8.28	5.91	199.28	7.78	4.81	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月2日	蚵殼站	0:00	28.42	39.89	26.13	8.30	5.25	207.08	5.72	2.82	
		3:00	29.42	45.70	29.72	8.27	6.48	206.76	7.02	3.81	
		6:00	29.26	42.99	28.05	8.15	5.66	201.36	3.03	6.20	
		9:00	29.17	42.15	27.53	8.11	5.56	204.95	2.84	5.55	
		12:00	29.41	42.57	27.79	8.28	5.91	214.71	23.17	2.84	
		15:00	29.94	40.20	26.32	8.32	7.03	209.27	2.77	4.00	
		18:00	29.68	42.15	27.53	8.31	6.68	215.91	8.97	3.48	
		21:00	29.17	43.93	28.63	8.27	5.81	219.88	11.46	2.44	
	日平均值		29.31	42.45	27.71	8.25	6.05	209.99	8.12	3.89	
	潮口站	0:00	28.91	39.59	25.94	7.96	5.32	200.77	85.83	6.84	
		3:00	28.08	38.21	25.09	7.95	5.95	205.32	116.37	9.30	
		6:00	27.99	38.25	25.11	8.02	5.44	203.36	64.14	9.28	
		9:00	29.48	39.85	26.10	8.19	5.44	192.97	31.79	8.08	
		12:00	29.17	40.79	26.69	8.16	5.38	190.55	27.18	7.91	
		15:00	29.67	40.42	26.46	8.09	6.46	193.98	39.58	8.32	
		18:00	29.02	41.50	27.13	8.06	5.81	196.79	57.04	7.04	
		21:00	28.53	40.70	26.63	8.05	5.46	199.28	72.95	6.19	
	日平均值		28.86	39.91	26.14	8.06	5.66	197.88	61.86	7.87	
	灣內站	0:00	29.94	44.27	28.84	8.24	5.60	202.59	6.41	3.21	
		3:00	29.60	44.64	29.07	8.26	6.76	209.38	15.12	2.18	
		6:00	28.88	44.85	29.20	8.24	5.77	197.36	4.39	4.78	
		9:00	29.56	44.78	29.15	8.28	5.19	186.01	8.01	3.85	
		12:00	30.21	44.83	29.19	8.27	5.81	213.13	21.19	5.77	
		15:00	30.45	44.30	28.86	8.33	6.67	189.34	6.45	3.93	
		18:00	31.00	44.51	28.99	8.34	6.41	181.67	2.56	1.67	
		21:00	30.39	44.46	28.96	8.22	6.19	195.89	6.95	3.97	
	日平均值		30.00	44.58	29.03	8.27	6.05	196.92	8.89	3.67	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月3日	蚵殼站	0:00	29.11	43.78	28.54	8.24	5.73	222.18	6.85	5.22	
		3:00	28.80	46.35	30.13	8.23	6.31	218.42	3.27	11.91	
		6:00	27.95	45.25	29.45	8.14	5.88	216.30	2.74	11.88	
		9:00	28.58	45.19	29.41	8.19	6.39	218.03	6.59	5.24	
		12:00	29.32	45.92	29.86	8.25	7.18	215.30	1.33	6.74	
		15:00	29.21	46.11	29.98	8.34	6.99	206.69	5.85	6.01	
		18:00	28.94	47.10	30.59	8.31	6.68	209.69	5.32	6.46	
		21:00	28.68	46.87	30.45	8.25	6.37	214.62	3.42	4.33	
	日平均值			28.82	45.82	29.80	8.24	6.44	215.15	4.42	7.22
	潮口站	0:00	29.14	41.87	27.35	8.09	5.11	196.22	75.11	6.84	
		3:00	28.43	42.41	27.69	7.96	5.83	202.64	74.54	9.35	
		6:00	28.04	43.65	28.46	8.05	5.59	203.62	72.52	9.29	
		9:00	30.07	42.24	27.58	8.24	5.52	191.28	68.51	6.13	
		12:00	29.72	42.59	27.80	8.22	6.09	186.81	68.04	4.88	
		15:00	30.25	42.96	28.03	8.18	6.54	190.01	70.68	5.94	
		18:00	29.82	41.83	27.33	8.15	6.30	187.97	63.89	5.20	
		21:00	28.98	39.33	25.78	8.06	6.15	191.86	59.54	3.90	
	日平均值			29.31	42.11	27.50	8.12	5.89	193.80	69.10	6.44
	灣內站	0:00	31.02	44.48	28.97	8.21	5.27	193.95	6.74	2.01	
		3:00	30.35	44.53	29.00	8.21	6.23	194.31	5.91	2.48	
		6:00	29.02	44.62	29.06	8.25	5.85	178.87	5.82	3.18	
		9:00	29.68	44.48	28.97	8.28	6.41	196.84	5.13	1.27	
		12:00	30.00	44.35	28.89	8.30	7.02	179.16	7.64	6.83	
		15:00	30.35	44.35	28.89	8.33	6.93	170.10	3.41	6.25	
		18:00	30.80	44.23	28.81	8.34	6.39	145.09	4.03	5.24	
		21:00	29.97	44.28	28.85	8.27	5.80	191.05	3.01	4.21	
	日平均值			30.15	44.42	28.93	8.27	6.24	181.17	5.21	3.93
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月4日	蚵殼站	0:00	28.49	47.12	30.60	8.26	7.05	217.32	7.86	4.30	
		3:00	28.16	47.22	30.66	8.27	6.45	212.33	7.07	6.71	
		6:00	28.06	47.12	30.60	8.12	6.47	207.33	12.75	5.26	
		9:00	28.12	46.87	30.45	8.26	8.15	210.31	9.12	5.16	
		12:00	28.75	45.80	29.79	8.24	5.30	215.56	5.02	4.32	
		15:00	28.98	45.51	29.61	8.33	6.83	205.93	10.01	2.02	
		18:00	29.50	44.18	28.78	8.34	7.23	208.78	20.72	3.63	
		21:00	29.94	44.04	28.70	8.28	7.52	211.45	14.34	1.34	
	日平均值			28.75	45.98	29.90	8.26	6.88	211.13	10.86	4.09
	潮口站	0:00	30.01	40.45	26.48	8.11	6.51	193.88	65.58	4.55	
		3:00	29.70	40.90	26.75	8.08	5.94	194.19	57.69	5.94	
		6:00	28.33	41.85	27.34	8.04	5.75	199.18	61.22	5.36	
		9:00	29.49	40.39	26.44	8.02	7.26	189.62	40.96	2.32	
		12:00	30.21	40.46	26.48	8.05	5.22	183.57	31.36	1.56	
		15:00	30.11	40.19	26.31	8.09	5.89	183.05	34.21	2.90	
		18:00	29.84	39.50	25.89	8.17	6.49	178.31	27.42	4.00	
		21:00	29.58	39.38	25.81	8.29	6.25	181.32	39.37	2.49	
	日平均值			29.66	40.39	26.44	8.11	6.16	187.89	44.73	3.64
	灣內站	0:00	29.24	44.28	28.85	8.24	7.15	189.79	8.83	4.68	
		3:00	30.27	44.40	28.92	8.26	6.40	171.94	4.16	3.80	
		6:00	30.12	44.44	28.94	8.25	6.66	187.60	14.85	6.38	
		9:00	30.02	44.49	28.98	8.29	8.09	169.42	13.38	7.53	
		12:00	30.26	44.33	28.88	8.35	5.09	220.33	6.19	7.47	
		15:00	30.82	44.25	28.83	8.38	6.99	186.90	12.48	6.37	
		18:00	30.54	44.32	28.87	8.36	6.92	207.69	16.12	5.29	
		21:00	30.02	44.57	29.02	8.33	7.59	198.13	11.10	5.41	
	日平均值			30.16	44.39	28.91	8.31	6.86	191.48	10.89	5.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月5日	蚵殼站	0:00	29.52	44.54	29.01	8.29	7.95	214.80	6.57	3.16	
		3:00	28.88	45.07	29.33	8.18	6.44	221.41	1.12	4.66	
		6:00	28.11	46.20	30.03	8.09	6.35	206.14	13.49	5.95	
		9:00	28.24	47.32	30.73	8.05	6.62	229.64	10.61	0.60	
		12:00	28.55	45.40	29.54	8.20	7.81	234.29	10.08	0.02	
		15:00	28.88	44.21	28.80	8.35	7.21	219.45	18.91	2.98	
		18:00	29.31	44.64	29.07	8.36	7.06	215.85	7.25	4.60	
		21:00	28.52	45.50	29.60	8.24	7.88	230.56	18.24	5.03	
	日平均值			28.75	45.36	29.51	8.22	7.17	221.52	10.78	3.38
	潮口站	0:00	29.40	39.90	26.14	8.28	6.81	187.70	44.43	1.74	
		3:00	29.08	38.78	25.44	8.21	5.70	186.84	74.45	3.12	
		6:00	28.41	39.99	26.19	8.10	5.62	184.94	48.96	3.86	
		9:00	29.04	40.32	26.40	8.13	5.72	190.99	32.00	2.54	
		12:00	29.65	40.69	26.62	8.17	6.52	195.06	25.04	1.99	
		15:00	29.88	41.30	27.00	8.18	6.66	193.06	30.94	3.15	
		18:00	30.39	41.20	26.94	8.14	6.48	210.96	26.64	4.17	
		21:00	29.82	41.37	27.05	8.08	6.57	216.21	25.48	3.53	
	日平均值			29.46	40.44	26.47	8.16	6.26	195.72	38.49	3.01
	灣內站	0:00	30.39	44.67	29.09	8.29	7.51	218.02	19.59	6.88	
		3:00	29.23	44.57	29.02	8.28	6.53	213.07	8.15	5.14	
		6:00	29.16	44.44	28.94	8.31	6.14	202.05	2.87	6.29	
		9:00	31.06	44.54	29.01	8.26	6.76	197.26	7.60	5.38	
		12:00	31.61	44.51	28.99	8.31	7.88	210.10	8.27	7.38	
		15:00	31.53	43.78	28.54	8.37	7.51	191.51	11.24	3.95	
		18:00	29.95	43.91	28.62	8.35	7.38	206.19	7.06	5.00	
		21:00	29.87	43.93	28.63	8.37	7.46	191.31	6.31	4.88	
	日平均值			30.35	44.29	28.86	8.32	7.15	203.69	8.89	5.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月6日	蚵殼站	0:00	28.24	45.44	29.56	8.27	7.52	228.15	2.20	2.34	
		3:00	28.81	45.33	29.50	8.25	6.99	227.11	8.73	1.98	
		6:00	28.66	45.15	29.38	8.28	6.06	219.52	17.47	5.15	
		9:00	28.57	47.30	30.71	8.16	8.34	221.96	21.34	4.05	
		12:00	28.80	48.54	31.48	8.21	6.64	231.12	7.71	1.36	
		15:00	29.32	47.09	30.58	8.27	8.45	225.03	18.73	3.78	
		18:00	29.06	46.03	29.93	8.31	6.40	219.84	14.88	5.33	
		21:00	28.57	46.16	30.01	8.25	7.16	223.32	13.18	3.93	
	日平均值			28.75	46.38	30.14	8.25	7.20	224.51	13.03	3.49
	潮口站	0:00	30.41	40.72	26.64	8.18	6.27	211.58	46.61	2.55	
		3:00	29.78	40.44	26.47	8.10	6.43	214.44	26.10	2.90	
		6:00	28.53	40.45	26.48	7.97	5.79	223.08	28.52	3.66	
		9:00	29.16	41.23	26.96	8.06	6.89	221.99	24.49	3.01	
		12:00	29.46	41.71	27.26	8.13	5.81	219.09	92.60	2.18	
		15:00	29.78	41.98	27.42	8.15	7.09	219.31	83.34	2.56	
		18:00	30.20	41.64	27.21	8.14	5.69	216.76	72.45	3.58	
		21:00	29.43	41.93	27.39	8.00	6.06	222.92	74.53	4.23	
	日平均值			29.59	41.26	26.98	8.09	6.25	218.65	56.08	3.08
	灣內站	0:00	29.72	43.22	28.19	8.22	7.60	212.74	22.09	5.56	
		3:00	28.83	44.19	28.79	8.24	7.11	233.63	8.50	5.37	
		6:00	28.74	44.25	28.83	8.34	5.51	212.16	8.55	6.08	
		9:00	30.34	44.15	28.77	8.28	8.18	195.19	18.84	2.99	
		12:00	30.00	44.11	28.74	8.34	6.10	219.47	15.79	5.67	
		15:00	30.56	43.30	28.24	8.32	8.22	209.81	21.54	7.58	
		18:00	29.85	43.15	28.15	8.35	5.80	196.42	18.47	5.56	
		21:00	29.82	43.39	28.29	8.34	7.25	224.88	28.03	3.19	
	日平均值			29.73	43.72	28.50	8.30	6.97	213.04	17.73	5.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月7日	蚵殼站	0:00	28.92	46.72	30.36	8.14	6.83	235.02	8.06	4.94	
		3:00	27.82	47.48	30.83	8.17	6.86	238.92	16.01	4.15	
		6:00	27.75	46.83	30.42	8.17	5.84	241.59	2.45	4.43	
		9:00	29.56	48.10	31.21	8.14	6.66	236.84	8.17	1.90	
		12:00	30.07	48.50	31.46	8.13	6.52	246.06	15.02	2.95	
		15:00	30.00	45.88	29.84	8.32	8.20	229.45	14.37	1.63	
		18:00	28.50	44.40	28.92	8.38	5.83	216.01	10.53	1.37	
		21:00	27.97	45.31	29.48	8.28	6.90	218.05	3.90	6.16	
	日平均值			28.82	46.65	30.32	8.22	6.71	232.74	9.81	3.44
	潮口站	0:00	28.75	41.56	27.16	8.02	6.25	223.24	63.02	2.89	
		3:00	29.71	41.11	26.88	8.14	6.20	219.43	25.06	2.40	
		6:00	29.56	40.32	26.40	8.18	5.26	214.22	18.60	3.13	
		9:00	29.48	41.66	27.22	8.22	5.69	210.28	20.79	3.14	
		12:00	29.70	42.47	27.73	8.27	5.87	205.71	34.66	2.62	
		15:00	30.21	40.86	26.73	8.28	7.08	201.87	62.75	2.95	
		18:00	29.96	40.27	26.36	8.30	5.61	201.86	88.38	3.30	
		21:00	29.48	42.18	27.55	8.16	6.47	207.03	89.30	3.65	
	日平均值			29.61	41.30	27.00	8.20	6.05	210.46	50.32	3.01
	灣內站	0:00	30.63	43.36	28.28	8.30	7.18	196.93	15.39	1.76	
		3:00	29.48	43.59	28.42	8.29	6.32	220.43	30.70	4.71	
		6:00	29.41	43.70	28.49	8.32	5.78	197.42	24.86	3.43	
		9:00	31.29	43.36	28.28	8.18	6.24	217.09	11.12	5.08	
		12:00	31.82	43.69	28.48	8.27	6.56	182.25	18.11	2.03	
		15:00	31.75	43.56	28.40	8.31	7.72	204.62	13.27	4.91	
		18:00	30.19	43.41	28.31	8.36	5.35	179.95	7.74	1.70	
		21:00	30.10	43.72	28.50	8.40	6.47	206.08	18.50	5.79	
	日平均值			30.58	43.55	28.40	8.30	6.45	200.60	17.46	3.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月8日	蚵殼站	0:00	27.81	45.90	29.85	8.24	7.53	228.77	3.54	1.82	
		3:00	27.43	47.12	30.60	8.12	7.35	195.23	3.31	2.81	
		6:00	27.34	46.73	30.36	8.10	5.91	236.16	2.65	5.20	
		9:00	27.87	47.96	31.12	8.15	5.91	236.82	4.16	4.55	
		12:00	28.66	47.58	30.89	8.18	8.03	236.65	10.39	1.84	
		15:00	29.16	47.67	30.94	8.18	8.81	241.33	1.90	3.00	
		18:00	29.02	44.79	29.16	8.25	6.17	232.13	10.98	2.48	
		21:00	28.66	44.67	29.09	8.31	6.25	220.38	1.99	1.44	
	日平均值			28.24	46.55	30.25	8.19	7.00	228.43	4.87	2.89
	潮口站	0:00	29.82	41.82	27.32	8.14	6.58	207.78	86.88	2.86	
		3:00	28.74	42.35	27.65	8.05	6.20	215.73	87.86	2.48	
		6:00	28.67	41.56	27.16	8.03	5.84	207.64	51.73	2.83	
		9:00	30.45	41.37	27.05	8.04	5.25	189.23	31.44	3.01	
		12:00	30.25	42.65	27.84	8.06	7.18	185.20	57.71	2.67	
		15:00	30.04	41.28	26.99	8.08	7.36	189.35	69.98	2.83	
		18:00	29.57	41.88	27.36	8.13	5.93	185.94	61.76	3.61	
		21:00	29.33	42.94	28.02	8.19	5.70	205.59	72.91	3.27	
	日平均值			29.61	41.98	27.42	8.09	6.26	198.31	65.03	2.95
	灣內站	0:00	29.97	44.04	28.70	8.31	7.41	200.47	5.10	3.36	
		3:00	29.08	44.14	28.76	8.22	6.90	186.47	16.07	2.20	
		6:00	28.98	44.11	28.74	8.25	5.95	185.27	20.52	0.71	
		9:00	30.57	44.19	28.79	8.30	5.39	178.01	16.73	4.59	
		12:00	30.25	43.88	28.60	8.30	7.87	186.59	18.24	2.93	
		15:00	30.78	43.75	28.52	8.34	8.59	189.21	21.89	6.88	
		18:00	30.09	44.17	28.78	8.30	6.37	204.62	21.88	6.11	
		21:00	29.57	44.12	28.75	8.39	6.42	191.85	20.90	5.96	
	日平均值			29.91	44.05	28.71	8.30	6.86	190.31	17.67	4.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月9日	蚵殼站	0:00	28.52	44.64	29.07	8.21	8.76	236.02	8.90	3.98	
		3:00	27.79	45.53	29.62	8.19	8.22	237.85	8.13	2.00	
		6:00	27.39	46.32	30.11	8.15	7.91	228.34	18.55	4.50	
		9:00	29.48	45.58	29.65	8.14	5.96	226.89	7.84	2.51	
		12:00	29.12	47.46	30.81	8.15	7.20	234.10	3.72	4.23	
		15:00	29.67	45.74	29.75	8.23	8.09	223.69	3.72	3.12	
		18:00	29.22	45.65	29.69	8.25	5.88	224.68	11.08	5.75	
		21:00	29.35	46.45	30.19	8.23	5.72	224.75	5.60	3.24	
	日平均值			28.82	45.92	29.86	8.19	7.22	229.54	8.44	3.67
	潮口站	0:00	29.20	42.09	27.49	8.23	7.02	204.73	65.83	2.93	
		3:00	28.51	41.90	27.37	8.19	7.15	215.77	16.37	2.61	
		6:00	28.84	41.19	26.93	8.14	7.03	215.22	44.14	2.63	
		9:00	29.77	41.35	27.03	8.13	5.86	190.08	31.79	3.08	
		12:00	29.46	43.77	28.53	8.14	6.15	200.83	27.18	2.91	
		15:00	29.97	42.40	27.68	8.06	6.84	210.52	39.58	2.52	
		18:00	29.31	41.35	27.03	7.96	5.38	192.63	57.04	3.20	
		21:00	28.82	42.13	27.52	7.98	5.56	200.96	72.95	3.12	
	日平均值			29.24	42.02	27.45	8.10	6.37	203.84	44.36	2.88
	灣內站	0:00	30.21	44.11	28.74	8.39	9.04	199.85	21.03	6.78	
		3:00	29.45	44.19	28.79	8.26	8.21	195.50	19.73	3.31	
		6:00	29.04	44.20	28.80	8.30	7.62	194.95	22.04	5.80	
		9:00	31.21	45.36	29.51	8.35	5.73	174.98	20.08	3.87	
		12:00	30.83	44.52	28.99	8.32	6.96	185.46	10.55	9.05	
		15:00	31.41	45.00	29.29	8.31	8.11	168.54	10.25	8.27	
		18:00	30.94	45.23	29.43	8.26	5.47	175.10	9.34	2.62	
		21:00	30.04	44.90	29.23	8.40	6.07	182.90	16.83	5.58	
	日平均值			30.39	44.69	29.10	8.32	7.15	184.66	16.23	5.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月10日	蚵殼站	0:00	29.42	46.04	29.93	8.21	8.64	227.46	15.35	6.13	
		3:00	29.10	47.00	30.53	8.21	6.63	237.85	18.87	1.81	
		6:00	27.69	47.36	30.75	8.10	8.46	239.41	20.17	5.69	
		9:00	28.88	46.35	30.13	8.12	5.96	231.53	8.76	3.64	
		12:00	29.63	48.03	31.17	8.22	5.90	230.86	5.70	3.74	
		15:00	29.52	49.42	32.03	8.07	5.91	229.76	11.72	2.24	
		18:00	29.24	47.97	31.13	8.28	5.92	234.40	3.05	5.15	
		21:00	28.98	46.85	30.44	8.34	5.83	228.99	17.60	2.29	
	日平均值			29.06	47.38	30.76	8.19	6.66	232.53	12.65	3.84
	潮口站	0:00	29.43	41.98	27.42	8.02	7.25	208.05	75.11	3.43	
		3:00	28.71	41.55	27.16	8.08	6.20	220.89	74.54	2.97	
		6:00	28.32	43.45	28.33	8.09	7.02	225.86	62.52	3.02	
		9:00	30.37	43.69	28.48	8.17	5.62	212.73	28.51	4.08	
		12:00	30.02	43.12	28.13	8.19	5.81	212.40	48.04	3.92	
		15:00	30.55	42.31	27.63	8.10	5.61	216.32	70.68	3.53	
		18:00	30.12	42.30	27.62	8.01	5.68	208.43	63.89	3.81	
		21:00	29.27	41.37	27.05	7.98	5.26	208.82	19.54	3.98	
	日平均值			29.60	42.47	27.73	8.08	6.06	214.19	55.35	3.59
	灣內站	0:00	31.15	45.67	29.71	8.38	8.51	188.01	9.34	5.77	
		3:00	30.81	44.78	29.15	8.25	6.91	159.94	15.73	2.44	
		6:00	29.35	45.43	29.56	8.27	7.96	184.36	20.44	1.32	
		9:00	30.58	45.54	29.62	8.37	5.66	219.48	12.74	1.25	
		12:00	31.36	45.25	29.45	8.33	5.98	200.27	4.51	5.12	
		15:00	31.25	45.31	29.48	8.28	5.90	150.76	10.90	4.05	
		18:00	30.97	46.19	30.03	8.26	5.74	150.90	11.25	3.97	
		21:00	30.69	46.01	29.92	8.34	5.93	188.75	15.40	4.07	
	日平均值			30.77	45.52	29.62	8.31	6.57	180.31	12.54	3.50
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
6月11日	蚵殼站	0:00	28.79	46.58	30.27	8.32	5.84	221.80	5.51	5.27	
		3:00	28.46	50.73	32.84	7.96	6.39	239.33	6.38	5.48	
		6:00	27.77	49.95	32.35	8.09	6.31	240.51	5.25	2.64	
		9:00	28.42	48.81	31.65	8.21	6.87	234.58	6.64	3.87	
		12:00	29.05	48.39	31.39	8.31	6.64	226.06	6.92	3.93	
		15:00	29.28	49.06	31.80	8.25	6.52	228.68	17.80	3.10	
		18:00	29.81	49.76	32.24	8.19	7.07	236.08	25.28	4.98	
		21:00	29.22	49.03	31.78	8.13	7.02	230.66	9.18	5.58	
	日平均值			28.85	49.04	31.79	8.18	6.58	232.21	10.37	4.36
	潮口站	0:00	29.79	40.92	26.77	8.04	5.62	215.78	25.58	4.71	
		3:00	30.30	41.42	27.08	8.15	6.02	218.83	57.69	3.74	
		6:00	28.90	42.32	27.63	8.08	5.64	219.52	61.22	3.31	
		9:00	30.08	41.91	27.38	8.03	6.45	216.11	40.96	4.67	
		12:00	30.82	41.37	27.05	8.17	6.15	215.99	31.36	5.28	
		15:00	30.71	42.81	27.94	8.19	6.02	231.29	34.21	4.59	
		18:00	30.44	41.83	27.33	8.25	6.07	221.22	27.42	3.83	
		21:00	30.18	43.01	28.06	8.17	5.93	207.35	39.37	4.05	
	日平均值			30.15	41.95	27.41	8.14	5.99	218.26	39.73	4.27
	灣內站	0:00	30.49	46.18	30.02	8.39	5.82	186.86	6.81	5.36	
		3:00	30.15	46.46	30.19	8.23	5.92	184.62	2.36	4.53	
		6:00	29.43	46.54	30.24	8.29	6.17	203.37	4.15	6.13	
		9:00	30.11	46.08	29.96	8.38	6.24	202.46	11.42	7.06	
		12:00	30.76	46.19	30.03	8.34	6.66	197.20	3.46	8.54	
		15:00	31.01	46.67	30.32	8.30	5.95	189.89	4.90	8.12	
		18:00	31.55	46.72	30.36	8.24	6.56	212.42	8.76	7.94	
		21:00	30.94	46.72	30.36	8.36	6.41	198.16	13.12	8.25	
	日平均值			30.56	46.45	30.19	8.32	6.22	196.87	6.87	6.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
6月12日	蚵殼站	0:00	29.83	48.55	31.49	8.30	5.77	223.22	5.05	3.98	
		3:00	29.18	50.19	32.50	8.09	6.88	232.10	12.76	3.23	
		6:00	27.90	49.92	32.33	8.15	6.11	228.65	22.66	4.12	
		9:00	28.54	49.83	32.28	8.19	6.74	230.79	2.97	5.42	
		12:00	28.85	49.04	31.79	8.25	6.84	227.65	5.27	5.06	
		15:00	29.18	49.80	32.26	8.29	6.52	217.20	8.92	6.10	
		18:00	29.62	49.94	32.35	8.28	6.63	224.25	19.67	5.39	
		21:00	28.82	48.65	31.55	8.34	7.02	221.92	6.38	1.41	
	日平均值			28.99	49.49	32.07	8.24	6.56	225.72	10.46	4.34
	潮口站	0:00	29.99	43.38	28.29	8.15	5.25	173.40	44.43	3.59	
		3:00	29.66	41.73	27.27	8.09	6.08	198.18	54.45	2.36	
		6:00	28.98	42.37	27.66	8.08	5.90	218.40	48.96	1.93	
		9:00	29.62	41.73	27.27	8.08	6.16	210.18	32.00	2.72	
		12:00	30.25	41.66	27.22	8.08	5.92	183.38	25.04	3.72	
		15:00	30.48	44.96	29.27	8.09	5.71	195.16	30.94	3.32	
		18:00	31.00	44.75	29.14	8.01	6.12	208.09	26.64	2.67	
		21:00	30.42	45.65	29.69	7.96	6.04	206.40	25.48	3.18	
	日平均值			30.05	43.28	28.23	8.07	5.90	199.15	35.99	2.94
	灣內站	0:00	31.35	46.40	30.16	8.39	5.72	209.41	12.04	8.13	
		3:00	30.67	47.03	30.55	8.27	6.29	209.64	12.38	8.85	
		6:00	29.32	46.72	30.36	8.25	5.76	211.75	2.12	7.96	
		9:00	29.99	46.73	30.36	8.39	6.43	194.97	2.22	8.34	
		12:00	30.32	45.97	29.89	8.32	7.20	209.76	7.91	7.49	
		15:00	30.67	46.27	30.08	8.31	6.48	184.40	9.61	6.23	
		18:00	31.13	46.54	30.24	8.24	6.24	217.96	5.91	5.75	
		21:00	30.28	46.61	30.29	8.34	6.55	211.47	7.90	7.44	
	日平均值			30.47	46.53	30.24	8.31	6.33	206.17	7.51	7.52
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月13日	蚵殼站	0:00	28.12	48.32	31.34	8.28	7.03	220.17	6.39	5.55	
		3:00	29.11	50.58	32.74	8.12	6.64	228.29	5.20	2.21	
		6:00	28.96	50.85	32.91	8.06	6.06	234.32	20.26	4.57	
		9:00	28.87	50.09	32.44	8.13	6.56	230.93	14.84	2.96	
		12:00	29.10	49.25	31.92	8.26	6.78	225.05	17.40	7.65	
		15:00	29.63	49.20	31.89	8.34	6.53	218.64	9.09	5.95	
		18:00	29.37	49.55	32.11	8.31	6.31	221.98	13.57	5.03	
		21:00	28.87	49.35	31.98	8.32	6.40	220.36	5.64	5.72	
	日平均值			29.00	49.65	32.17	8.23	6.54	224.97	11.55	4.96
	潮口站	0:00	31.02	44.24	28.82	8.01	6.02	203.01	26.61	3.48	
		3:00	30.38	46.20	30.03	8.09	5.79	189.76	26.10	3.37	
		6:00	29.11	44.56	29.02	8.10	5.55	186.32	28.52	2.32	
		9:00	29.74	43.55	28.39	8.21	5.99	197.56	24.49	2.90	
		12:00	30.05	45.23	29.43	8.08	5.96	193.94	22.60	4.78	
		15:00	30.38	46.62	30.29	8.06	5.62	195.54	23.34	5.01	
		18:00	30.81	45.17	29.40	8.06	6.10	195.13	22.45	3.48	
		21:00	30.02	44.05	28.70	8.09	5.78	199.52	24.53	3.79	
	日平均值			30.19	44.95	29.26	8.09	5.85	195.10	24.83	3.64
	灣內站	0:00	29.56	46.83	30.42	8.37	7.16	220.04	10.45	6.98	
		3:00	30.60	46.54	30.24	8.26	6.05	192.90	2.68	5.83	
		6:00	30.43	46.77	30.39	8.17	5.86	222.47	7.34	4.40	
		9:00	30.34	46.88	30.45	8.29	5.99	202.58	25.32	3.31	
		12:00	30.59	46.49	30.21	8.40	6.17	222.40	9.03	4.88	
		15:00	31.14	46.96	30.50	8.38	6.05	224.84	10.54	3.25	
		18:00	30.87	46.77	30.39	8.25	6.05	228.91	5.78	4.75	
		21:00	30.34	46.70	30.34	8.35	6.61	242.91	2.01	5.64	
	日平均值			30.48	46.74	30.37	8.31	6.24	219.63	9.14	4.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月14日	蚵殼站	0:00	29.22	49.31	31.96	8.24	6.56	225.02	1.80	6.69	
		3:00	28.11	49.73	32.22	8.06	5.61	229.67	2.85	6.38	
		6:00	28.04	50.86	32.92	7.95	5.88	237.88	2.89	6.52	
		9:00	29.87	50.96	32.98	8.04	6.07	237.08	14.16	5.13	
		12:00	30.39	49.91	32.33	8.19	6.30	237.01	14.06	6.12	
		15:00	30.32	49.34	31.98	8.29	6.33	228.31	7.33	6.02	
		18:00	28.80	49.91	32.33	8.26	6.13	234.12	10.28	7.96	
		21:00	28.72	49.62	32.15	8.28	6.37	227.21	5.90	6.36	
	日平均值			29.18	49.96	32.36	8.16	6.16	232.04	7.41	6.40
	潮口站	0:00	29.33	43.78	28.54	8.05	6.11	199.99	27.88	4.90	
		3:00	30.31	47.93	31.10	8.03	5.44	190.74	21.30	5.15	
		6:00	30.16	47.15	30.62	8.04	5.75	188.21	26.93	4.82	
		9:00	30.07	46.01	29.92	8.06	5.36	184.58	43.95	4.80	
		12:00	30.30	45.59	29.66	8.08	6.06	173.86	25.60	6.80	
		15:00	30.82	46.26	30.07	8.07	5.57	163.55	25.36	6.24	
		18:00	30.56	46.96	30.50	8.07	5.90	162.96	26.69	6.58	
		21:00	30.07	46.23	30.05	8.19	5.59	192.22	21.95	6.24	
	日平均值			30.20	46.24	30.06	8.07	5.72	182.01	27.46	5.69
	灣內站	0:00	30.27	46.99	30.52	8.38	6.63	239.85	2.36	6.01	
		3:00	29.95	47.04	30.55	8.23	5.07	207.63	8.68	6.91	
		6:00	29.07	46.90	30.47	8.23	5.99	219.69	7.55	2.10	
		9:00	29.72	47.46	30.81	8.31	5.74	197.98	11.58	4.40	
		12:00	30.49	47.60	30.90	8.40	5.89	212.52	8.99	4.80	
		15:00	30.38	47.28	30.70	8.36	5.97	219.90	17.81	6.37	
		18:00	30.10	46.97	30.51	8.27	6.15	241.15	2.57	5.20	
		21:00	29.83	47.64	30.92	8.29	6.72	200.82	18.91	5.64	
	日平均值			29.98	47.24	30.67	8.31	6.02	217.44	9.81	5.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月15日	蚵殼站	0:00	28.58	48.90	31.70	8.22	6.08	232.32	2.65	4.38	
		3:00	27.72	50.49	32.69	8.09	6.33	219.13	2.44	3.88	
		6:00	27.63	51.17	33.11	8.02	5.69	237.35	4.08	7.14	
		9:00	29.17	51.26	33.16	8.18	5.51	238.91	6.38	3.04	
		12:00	28.85	50.33	32.59	8.26	5.73	227.25	6.27	2.77	
		15:00	29.38	50.11	32.45	8.25	5.94	229.03	3.23	2.87	
		18:00	28.70	50.03	32.40	8.17	5.80	238.58	22.30	6.80	
		21:00	28.19	50.17	32.49	8.20	5.57	237.96	24.86	6.97	
	日平均值			28.53	50.31	32.57	8.17	5.83	232.57	9.03	4.73
	潮口站	0:00	29.57	45.75	29.75	8.21	5.66	197.44	22.09	4.90	
		3:00	29.32	47.39	30.77	8.09	5.74	146.05	22.69	5.15	
		6:00	29.25	47.12	30.60	8.09	5.42	158.47	29.73	4.82	
		9:00	31.06	47.03	30.55	8.08	5.28	210.13	34.43	4.80	
		12:00	31.57	46.24	30.06	8.08	5.08	207.76	27.73	4.52	
		15:00	31.50	47.00	30.53	8.11	5.80	161.68	36.82	3.53	
		18:00	31.20	47.14	30.61	8.15	5.69	140.09	26.73	3.81	
		21:00	29.92	45.85	29.82	8.15	5.01	176.61	36.56	3.98	
	日平均值			30.42	46.69	30.34	8.12	5.46	174.78	29.60	4.44
	灣內站	0:00	30.63	47.72	30.97	8.41	6.21	235.36	2.18	4.87	
		3:00	30.29	47.57	30.88	8.26	6.14	226.15	9.61	5.53	
		6:00	30.18	47.69	30.96	8.27	5.11	198.41	16.17	4.55	
		9:00	30.24	47.43	30.79	8.30	5.70	179.52	15.31	8.26	
		12:00	31.10	46.96	30.50	8.46	5.81	207.03	3.16	6.83	
		15:00	31.14	47.48	30.83	8.40	5.64	184.30	18.29	3.90	
		18:00	31.68	47.43	30.79	8.24	5.98	198.87	15.63	5.89	
		21:00	31.14	47.63	30.92	8.29	5.60	229.46	7.01	6.61	
	日平均值			30.80	47.49	30.83	8.33	5.77	207.39	10.92	5.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月16日	蚵殼站	0:00	30.41	50.09	32.44	8.14	5.33	244.69	8.00	3.10	
		3:00	29.31	50.36	32.61	8.14	5.45	238.91	12.11	5.49	
		6:00	29.24	51.23	33.15	8.08	5.62	249.95	16.76	4.65	
		9:00	31.05	51.18	33.11	8.15	6.06	244.29	28.01	6.46	
		12:00	31.56	50.91	32.95	8.24	7.11	232.23	15.18	7.19	
		15:00	31.49	50.31	32.58	8.28	6.62	227.61	6.67	6.32	
		18:00	29.99	50.52	32.71	8.24	5.62	235.66	12.44	4.79	
		21:00	29.90	50.19	32.50	8.21	5.48	243.60	24.53	5.82	
	日平均值			30.37	50.60	32.76	8.19	5.91	239.62	15.46	5.48
	潮口站	0:00	31.64	45.52	29.61	8.07	5.13	200.28	17.88	4.71	
		3:00	30.99	47.78	31.01	8.09	5.71	152.63	21.30	3.74	
		6:00	29.69	48.05	31.18	8.04	5.70	145.23	26.93	3.31	
		9:00	30.34	47.29	30.71	8.06	5.65	151.79	43.95	4.67	
		12:00	30.65	46.45	30.19	8.11	5.07	156.41	25.60	5.28	
		15:00	30.99	46.40	30.16	8.14	5.50	162.55	25.36	4.59	
		18:00	31.43	46.75	30.37	8.09	5.38	164.41	36.69	3.83	
		21:00	30.62	46.55	30.25	8.27	5.18	147.12	21.95	4.05	
	日平均值			30.79	46.85	30.44	8.11	5.42	160.05	27.46	4.27
	灣內站	0:00	32.00	46.93	30.48	8.40	5.32	194.71	10.86	4.21	
		3:00	31.34	47.56	30.87	8.31	5.96	233.48	20.48	3.18	
		6:00	30.53	47.91	31.09	8.29	5.42	213.50	3.46	5.78	
		9:00	30.67	47.65	30.93	8.24	5.64	203.67	7.26	4.85	
		12:00	30.99	47.69	30.96	8.33	5.76	224.66	8.85	6.77	
		15:00	31.34	47.78	31.01	8.28	6.09	227.21	12.74	4.93	
		18:00	31.78	47.90	31.09	8.26	5.54	213.93	6.94	2.67	
		21:00	30.96	47.98	31.13	8.36	5.28	213.74	3.11	4.97	
	日平均值			31.20	47.68	30.95	8.31	5.63	215.61	9.21	4.67
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
6月17日	蚵殼站	0:00	29.78	49.59	32.13	8.23	5.25	240.18	24.42	1.80
		3:00	28.92	48.99	31.76	8.10	5.44	243.81	11.26	3.74
		6:00	28.83	50.62	32.77	8.06	5.62	240.37	1.87	2.36
		9:00	30.36	51.11	33.07	8.15	5.85	245.99	4.35	4.98
		12:00	30.05	50.33	32.59	8.28	6.51	235.18	30.99	1.80
		15:00	30.56	49.76	32.24	8.37	6.94	219.52	40.74	3.58
		18:00	29.89	50.27	32.55	8.36	6.30	219.15	37.38	1.60
		21:00	29.39	50.23	32.53	8.30	6.51	225.27	13.25	4.10
	日平均值		29.72	50.11	32.46	8.23	6.05	233.68	20.53	3.00
	潮口站	0:00	29.92	46.51	30.23	8.25	5.58	185.23	22.09	3.59
		3:00	30.92	46.93	30.48	8.16	5.14	175.39	22.69	2.36
		6:00	30.76	48.06	31.18	8.13	5.38	180.99	29.73	1.93
		9:00	30.67	48.16	31.25	8.13	5.40	180.75	34.43	2.72
		12:00	30.91	47.11	30.60	8.12	5.29	182.77	17.73	3.72
		15:00	31.44	46.54	30.24	8.11	5.74	175.35	36.82	3.32
		18:00	31.18	47.11	30.60	8.09	5.63	188.27	16.73	2.67
		21:00	30.67	46.82	30.42	8.10	5.44	187.83	36.56	3.18
	日平均值		30.81	47.16	30.63	8.14	5.45	182.07	27.10	2.94
	灣內站	0:00	30.87	48.01	31.15	8.39	5.82	215.91	3.29	5.93
		3:00	31.46	47.98	31.13	8.37	5.69	223.61	6.44	2.15
		6:00	31.31	48.03	31.17	8.40	5.28	223.76	1.50	2.26
		9:00	31.21	48.11	31.22	8.43	5.91	242.53	9.37	2.03
		12:00	31.45	48.11	31.22	8.42	5.70	221.24	12.18	3.62
		15:00	31.99	48.06	31.18	8.44	6.03	231.18	5.83	1.95
		18:00	31.72	48.03	31.17	8.37	6.08	222.67	11.57	1.82
		21:00	31.21	48.03	31.17	8.29	5.60	224.58	2.13	3.23
	日平均值		31.40	48.05	31.18	8.39	5.76	225.69	6.54	2.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
6月18日	蚵殼站	0:00	30.01	49.91	32.33	8.25	6.08	234.27	18.50	2.42
		3:00	29.28	50.01	32.39	8.13	5.61	240.52	8.83	6.16
		6:00	28.88	50.34	32.59	8.10	5.71	240.83	11.80	4.78
		9:00	30.97	51.27	33.17	8.14	6.47	246.00	7.43	2.42
		12:00	30.61	50.89	32.94	8.31	7.10	240.24	12.35	4.79
		15:00	31.16	49.86	32.30	8.33	7.12	231.64	10.59	7.13
		18:00	30.71	49.93	32.34	8.36	7.06	221.68	5.11	1.77
		21:00	29.85	50.12	32.46	8.26	7.01	233.41	2.95	2.69
	日平均值		30.18	50.29	32.57	8.24	6.52	236.07	9.70	4.02
	潮口站	0:00	30.61	46.10	29.97	8.15	5.14	207.57	22.16	3.48
		3:00	30.30	47.69	30.96	8.15	6.02	199.92	22.73	3.37
		6:00	29.45	48.37	31.38	8.17	6.06	193.45	29.40	2.32
		9:00	30.08	48.46	31.43	8.18	6.10	200.71	33.79	2.90
		12:00	30.82	47.53	30.86	8.13	5.75	201.51	27.52	4.78
		15:00	30.71	47.31	30.72	8.19	5.61	198.78	36.01	5.01
		18:00	30.44	47.23	30.67	8.20	6.03	217.62	26.58	3.48
		21:00	30.18	47.37	30.76	8.16	6.39	222.00	35.77	3.79
	日平均值		30.32	47.51	30.84	8.17	5.89	205.20	29.25	3.64
	灣內站	0:00	30.88	48.12	31.22	8.33	6.21	230.26	9.17	3.87
		3:00	30.33	48.04	31.17	8.28	5.82	219.61	10.58	6.96
		6:00	30.26	47.77	31.00	8.33	6.13	217.60	14.18	2.95
		9:00	31.14	47.99	31.14	8.27	6.78	205.15	3.46	5.03
		12:00	31.67	47.73	30.98	8.30	6.49	221.24	4.35	4.88
		15:00	31.60	47.99	31.14	8.36	6.77	241.26	7.72	1.73
		18:00	30.04	48.01	31.15	8.27	7.21	229.14	12.91	3.55
		21:00	30.49	47.99	31.14	8.26	7.34	197.47	1.26	1.93
	日平均值		30.80	47.96	31.12	8.30	6.59	220.22	7.95	3.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月19日	蚵殼站	0:00	30.91	50.05	32.42	8.28	6.82	236.16	12.30	4.61	
		3:00	30.59	49.76	32.24	8.25	6.84	234.94	5.49	3.38	
		6:00	29.18	50.11	32.45	8.16	7.02	241.39	9.95	7.33	
		9:00	30.37	51.30	33.19	8.15	6.99	245.65	6.94	6.18	
		12:00	31.12	51.03	33.02	8.22	7.27	250.66	2.28	8.97	
		15:00	31.01	50.44	32.66	8.31	7.21	233.61	8.54	10.27	
		18:00	30.74	50.05	32.42	8.31	7.04	228.59	12.76	1.38	
		21:00	30.47	50.10	32.45	8.21	7.00	240.91	10.09	5.05	
	日平均值			30.55	50.36	32.61	8.24	7.02	238.99	8.54	5.90
	潮口站	0:00	29.99	47.29	30.71	8.14	5.46	197.98	23.58	4.90	
		3:00	29.66	47.56	30.87	8.15	6.09	195.01	25.66	5.15	
		6:00	29.56	48.43	31.41	8.14	5.88	195.37	39.70	4.82	
		9:00	29.62	48.38	31.38	8.19	5.74	196.63	37.38	4.80	
		12:00	30.25	48.11	31.22	8.13	6.34	203.75	26.54	6.80	
		15:00	30.48	47.51	30.84	8.13	6.12	196.34	34.02	7.78	
		18:00	31.00	47.72	30.97	8.12	6.13	199.73	34.93	3.28	
		21:00	31.44	47.39	30.77	8.06	5.95	212.78	27.30	2.70	
	日平均值			30.25	47.80	31.02	8.13	5.96	199.70	31.14	5.03
	灣內站	0:00	30.72	48.09	31.20	8.24	5.23	182.34	2.54	2.47	
		3:00	30.33	48.09	31.20	8.21	6.31	183.65	9.15	2.68	
		6:00	30.23	47.85	31.05	8.29	6.39	199.42	3.64	5.59	
		9:00	30.78	47.99	31.14	8.29	6.97	197.98	6.89	4.92	
		12:00	31.61	47.67	30.94	8.32	6.42	166.26	8.20	4.13	
		15:00	32.13	47.70	30.96	8.41	6.48	184.58	8.66	8.33	
		18:00	31.28	47.49	30.83	8.34	6.60	226.35	10.32	8.08	
		21:00	30.61	47.90	31.09	8.26	6.42	197.97	8.09	5.46	
	日平均值			30.96	47.85	31.05	8.30	6.35	192.32	7.19	5.21
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月20日	蚵殼站	0:00	30.28	50.14	32.47	8.23	6.87	246.98	9.66	1.61	
		3:00	29.95	49.97	32.37	8.20	6.46	246.73	7.53	2.61	
		6:00	29.26	49.86	32.30	8.19	6.86	246.99	3.64	5.43	
		9:00	29.91	50.69	32.81	8.13	6.89	248.26	5.78	3.23	
		12:00	30.54	51.15	33.10	8.26	7.26	247.82	9.63	5.74	
		15:00	30.78	50.49	32.69	8.33	7.22	233.32	6.02	2.41	
		18:00	31.30	50.29	32.56	8.34	7.19	228.77	23.22	5.79	
		21:00	30.71	50.21	32.51	8.29	7.01	228.86	3.65	2.26	
	日平均值			30.34	50.35	32.60	8.25	6.97	240.97	8.64	3.64
	潮口站	0:00	31.02	46.79	30.40	8.12	5.95	203.35	42.14	3.08	
		3:00	30.38	46.19	30.03	8.16	5.68	196.20	24.98	2.78	
		6:00	29.61	47.82	31.04	8.15	5.84	182.03	25.87	2.99	
		9:00	29.74	48.31	31.34	8.15	5.70	190.46	26.63	3.20	
		12:00	30.05	47.53	30.86	8.15	6.23	208.45	27.93	2.77	
		15:00	30.38	46.96	30.50	8.17	5.81	201.60	29.69	2.32	
		18:00	30.81	47.47	30.82	8.19	5.91	178.00	28.78	2.80	
		21:00	30.02	47.43	30.79	8.18	6.07	197.10	26.34	3.25	
	日平均值			30.25	47.31	30.72	8.16	5.90	194.65	29.05	2.90
	灣內站	0:00	30.06	48.04	31.17	8.26	7.19	234.87	7.91	5.53	
		3:00	30.30	48.37	31.38	8.28	6.96	215.17	4.62	4.68	
		6:00	30.89	48.51	31.46	8.31	6.25	211.40	12.96	4.99	
		9:00	31.06	48.36	31.37	8.30	6.19	217.55	11.55	4.78	
		12:00	30.68	48.53	31.47	8.35	6.51	211.32	4.96	8.45	
		15:00	31.26	48.27	31.31	8.35	6.07	168.59	12.30	6.96	
		18:00	30.79	47.85	31.05	8.32	6.34	202.53	15.87	8.00	
		21:00	30.92	48.48	31.44	8.21	6.01	210.50	9.47	7.44	
	日平均值			30.75	48.30	31.33	8.30	6.44	208.99	9.96	6.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月21日	蚵殼站	0:00	31.32	50.30	32.57	8.20	6.90	242.79	6.91	6.58	
		3:00	30.67	50.20	32.51	8.21	6.66	241.91	6.87	4.66	
		6:00	29.39	50.24	32.53	8.20	5.87	240.67	1.23	5.37	
		9:00	30.03	50.40	32.63	8.18	6.06	248.40	5.64	8.90	
		12:00	30.34	50.76	32.85	8.27	6.29	240.72	9.93	8.56	
		15:00	30.67	50.37	32.61	8.33	6.32	233.01	12.07	3.73	
		18:00	31.11	49.84	32.29	8.28	6.12	238.32	11.33	6.76	
		21:00	30.31	49.66	32.17	8.25	6.36	240.26	5.66	9.50	
	日平均值			30.48	50.22	32.52	8.24	6.32	240.76	7.46	6.76
	潮口站	0:00	29.74	47.11	30.60	8.17	5.43	192.37	27.59	5.91	
		3:00	30.31	47.21	30.66	8.16	6.18	188.47	31.17	5.41	
		6:00	30.16	47.54	30.86	8.19	5.72	196.05	22.16	6.93	
		9:00	30.07	48.47	31.44	8.20	5.65	180.94	22.10	6.28	
		12:00	30.30	48.09	31.20	8.14	6.06	176.23	25.01	6.42	
		15:00	30.82	47.06	30.57	8.11	5.80	173.19	35.44	5.28	
		18:00	30.56	47.13	30.61	8.11	5.32	161.27	29.59	7.67	
		21:00	30.07	47.32	30.73	8.16	6.09	187.21	27.60	6.84	
	日平均值			30.25	47.49	30.83	8.16	5.78	181.97	27.58	6.34
	灣內站	0:00	31.16	48.62	31.53	8.24	5.10	182.32	8.34	8.29	
		3:00	31.82	48.70	31.58	8.24	6.86	203.88	13.36	8.94	
		6:00	31.59	48.59	31.51	8.24	5.92	198.92	3.20	8.17	
		9:00	30.93	48.43	31.41	8.36	5.80	192.59	8.14	6.13	
		12:00	32.31	48.15	31.24	8.41	6.50	197.20	2.55	3.02	
		15:00	32.82	47.69	30.96	8.49	6.07	231.64	16.96	2.98	
		18:00	32.21	48.51	31.46	8.44	6.26	205.29	28.38	5.21	
		21:00	31.52	48.46	31.43	8.38	6.43	234.09	7.11	3.86	
	日平均值			31.80	48.39	31.39	8.35	6.12	205.74	11.01	5.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月22日	蚵殼站	0:00	29.61	49.84	32.29	8.16	6.07	239.23	8.95	9.26	
		3:00	30.60	50.21	32.51	8.23	6.32	234.25	9.89	9.08	
		6:00	30.45	50.38	32.62	8.26	5.68	234.96	4.76	10.73	
		9:00	30.36	50.36	32.61	8.26	5.50	246.82	2.31	10.76	
		12:00	30.59	50.23	32.53	8.27	5.72	221.27	8.74	7.21	
		15:00	31.12	50.22	32.52	8.25	5.93	232.01	14.44	11.80	
		18:00	30.86	50.33	32.59	8.25	5.79	227.12	9.52	9.01	
		21:00	30.36	50.38	32.62	8.26	5.56	238.06	7.04	7.23	
	日平均值			30.49	50.24	32.54	8.24	5.82	234.22	8.21	9.39
	潮口站	0:00	30.42	47.25	30.68	8.09	5.88	177.74	36.46	4.00	
		3:00	29.32	46.96	30.50	8.05	5.45	184.49	43.13	4.57	
		6:00	29.25	47.31	30.72	8.06	5.27	175.00	25.73	6.47	
		9:00	31.06	48.50	31.46	8.10	5.14	163.16	21.96	8.53	
		12:00	31.57	48.23	31.29	8.14	5.39	204.70	24.36	4.49	
		15:00	31.50	47.64	30.92	8.13	5.31	198.88	22.46	4.26	
		18:00	30.00	47.25	30.68	8.12	5.59	189.28	29.42	5.96	
		21:00	29.47	47.30	30.71	8.16	5.48	190.41	24.17	6.77	
	日平均值			30.32	47.56	30.87	8.11	5.44	185.46	28.46	5.63
	灣內站	0:00	31.17	48.23	31.29	8.38	5.58	217.02	4.15	4.50	
		3:00	31.30	48.40	31.39	8.36	6.69	215.18	7.43	5.61	
		6:00	31.96	48.30	31.33	8.32	5.11	203.47	29.09	5.27	
		9:00	31.49	48.33	31.35	8.32	5.81	201.33	9.88	6.49	
		12:00	32.60	48.43	31.41	8.35	6.05	184.50	9.50	3.79	
		15:00	32.58	47.98	31.13	8.36	6.18	160.56	6.48	5.16	
		18:00	32.18	48.33	31.35	8.44	5.94	182.04	22.07	7.43	
		21:00	31.44	47.91	31.09	8.43	5.76	215.16	9.49	5.36	
	日平均值			31.84	48.24	31.29	8.37	5.89	197.41	12.26	5.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月23日	蚵殼站	0:00	30.71	50.43	32.65	8.29	5.38	242.13	5.37	6.22	
		3:00	29.60	50.78	32.87	8.23	6.50	250.26	3.12	12.91	
		6:00	29.53	50.84	32.90	8.19	5.73	228.64	3.62	12.88	
		9:00	31.36	50.64	32.78	8.21	5.87	218.56	26.10	6.24	
		12:00	31.16	50.34	32.59	8.26	5.41	223.30	4.93	7.74	
		15:00	30.94	51.60	33.37	8.17	6.04	206.31	11.14	7.01	
		18:00	30.46	51.43	33.27	8.19	6.10	205.91	9.45	7.46	
		21:00	30.21	51.19	33.12	8.15	5.73	202.61	6.93	5.33	
	日平均值			30.50	50.91	32.94	8.21	5.85	222.22	8.83	8.22
	潮口站	0:00	29.31	47.34	30.74	8.21	5.31	200.35	29.42	3.42	
		3:00	28.93	48.17	31.25	8.17	5.86	200.14	38.75	2.56	
		6:00	28.84	48.06	31.18	8.17	5.11	198.02	22.33	3.76	
		9:00	29.37	48.89	31.70	8.14	5.53	191.26	24.12	6.85	
		12:00	30.16	48.35	31.36	8.15	5.51	197.79	31.52	5.72	
		15:00	30.66	47.69	30.96	8.20	5.68	205.40	30.34	4.81	
		18:00	30.52	47.49	30.83	8.29	5.77	208.24	28.24	6.74	
		21:00	30.16	47.41	30.78	8.29	5.53	210.56	21.37	7.67	
	日平均值			29.74	47.93	31.10	8.20	5.54	201.47	28.26	5.19
	灣內站	0:00	31.44	47.36	30.75	8.31	5.99	195.53	7.18	8.43	
		3:00	31.52	48.48	31.44	8.31	6.04	205.54	6.42	9.60	
		6:00	31.80	48.40	31.39	8.24	6.05	206.33	21.87	7.33	
		9:00	31.98	48.14	31.23	8.27	6.23	192.17	14.10	7.23	
		12:00	32.02	48.15	31.24	8.35	5.75	175.46	15.30	5.22	
		15:00	33.03	47.33	30.73	8.35	5.85	202.08	11.04	5.09	
		18:00	32.54	47.70	30.96	8.45	6.18	201.13	9.42	4.48	
		21:00	31.82	48.01	31.15	8.39	5.23	198.22	5.76	4.95	
	日平均值			32.02	47.95	31.11	8.33	5.92	197.06	11.39	6.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月24日	蚵殼站	0:00	30.08	50.79	32.87	8.13	5.90	213.84	16.22	5.30	
		3:00	29.37	50.03	32.40	8.07	5.50	208.51	10.67	7.71	
		6:00	29.71	50.26	32.55	8.06	5.18	219.17	11.62	6.26	
		9:00	30.66	50.66	32.79	8.03	5.83	215.59	8.48	6.16	
		12:00	30.34	50.84	32.90	8.02	5.28	236.22	4.85	5.32	
		15:00	30.87	50.64	32.78	8.09	5.98	233.28	2.78	3.02	
		18:00	30.19	50.16	32.48	8.13	6.24	241.27	2.54	4.63	
		21:00	29.68	50.12	32.46	8.28	6.06	219.30	6.03	2.34	
	日平均值			30.11	50.44	32.65	8.10	5.75	223.40	7.90	5.09
	潮口站	0:00	30.02	47.50	30.84	8.22	5.19	203.94	28.04	8.74	
		3:00	29.29	47.40	30.78	8.20	5.38	215.63	22.34	7.57	
		6:00	28.89	47.84	31.05	8.18	5.44	200.43	22.29	6.28	
		9:00	30.98	48.60	31.52	8.20	5.46	202.67	43.47	9.88	
		12:00	30.62	48.96	31.74	8.17	5.44	201.76	27.84	5.42	
		15:00	31.17	48.57	31.50	8.22	5.65	203.61	25.52	6.56	
		18:00	30.72	47.64	30.92	8.23	5.74	198.96	28.15	7.76	
		21:00	30.85	47.56	30.87	8.25	5.89	209.57	31.74	2.83	
	日平均值			30.32	48.01	31.15	8.21	5.52	204.57	28.67	6.88
	灣內站	0:00	30.86	48.35	31.36	8.32	5.32	191.50	2.65	7.29	
		3:00	31.11	48.28	31.32	8.32	5.61	171.52	3.21	7.94	
		6:00	31.89	48.33	31.35	8.28	5.50	218.36	5.62	7.17	
		9:00	32.02	48.43	31.41	8.35	6.25	181.78	10.64	5.13	
		12:00	32.78	48.32	31.34	8.39	5.70	173.88	11.99	2.02	
		15:00	33.10	48.27	31.31	8.30	5.63	203.06	6.61	1.98	
		18:00	32.84	47.80	31.02	8.36	6.25	173.45	12.63	4.21	
		21:00	32.23	47.98	31.13	8.33	5.58	203.53	9.22	2.86	
	日平均值			32.10	48.22	31.28	8.33	5.73	189.64	7.82	4.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月25日	蚵殼站	0:00	30.31	49.69	32.19	8.32	7.36	213.02	12.46	1.83	
		3:00	29.57	49.97	32.37	8.24	7.36	217.03	12.05	2.10	
		6:00	29.17	50.55	32.72	8.13	6.85	193.09	18.03	1.43	
		9:00	31.28	51.13	33.08	8.11	6.18	228.18	21.94	3.01	
		12:00	30.92	50.66	32.79	8.05	6.82	217.60	14.76	2.55	
		15:00	31.47	50.04	32.41	7.98	6.53	232.00	26.72	3.17	
		18:00	31.02	49.74	32.22	8.08	6.64	217.87	17.94	0.09	
		21:00	30.15	50.19	32.50	8.16	6.43	234.69	27.07	1.72	
	日平均值			30.49	50.25	32.54	8.13	6.77	219.19	18.87	1.99
	潮口站	0:00	30.92	46.74	30.37	8.22	6.56	193.14	22.88	3.34	
		3:00	30.60	47.27	30.70	8.17	6.44	202.43	16.30	2.84	
		6:00	29.19	48.40	31.39	8.15	6.24	197.39	21.93	1.56	
		9:00	30.38	49.52	32.09	8.15	5.41	208.77	38.95	2.08	
		12:00	31.13	48.60	31.52	8.14	6.37	196.68	20.60	2.28	
		15:00	31.02	47.41	30.78	8.10	5.59	202.83	20.36	1.69	
		18:00	30.74	46.84	30.43	8.10	5.72	198.62	21.69	2.06	
		21:00	30.48	47.70	30.96	8.14	5.88	206.47	16.95	2.82	
	日平均值			30.56	47.81	31.03	8.15	6.03	200.79	22.46	2.33
	灣內站	0:00	32.16	48.22	31.28	8.31	6.87	188.93	5.16	3.50	
		3:00	31.88	48.23	31.29	8.32	7.29	159.11	6.49	4.61	
		6:00	32.20	48.15	31.24	8.36	6.87	184.66	4.19	4.27	
		9:00	32.84	48.27	31.31	8.29	5.99	207.53	4.92	5.49	
		12:00	32.81	48.02	31.16	8.31	6.57	212.72	10.41	2.79	
		15:00	32.76	48.07	31.19	8.30	6.84	174.77	13.14	4.16	
		18:00	33.07	47.91	31.09	8.28	6.52	176.94	16.30	6.43	
		21:00	32.49	47.77	31.00	8.34	6.29	157.58	19.75	4.36	
	日平均值			32.53	48.08	31.20	8.31	6.66	182.78	10.05	4.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月26日	蚵殼站	0:00	30.68	50.16	32.48	8.18	5.68	200.95	16.48	3.21	
		3:00	31.21	50.10	32.45	8.22	5.38	209.23	22.18	4.74	
		6:00	29.77	50.01	32.39	8.27	7.68	230.69	25.70	2.20	
		9:00	30.98	50.60	32.76	8.19	6.17	205.22	19.75	4.08	
		12:00	31.74	51.24	33.15	8.13	6.61	192.59	8.32	2.26	
		15:00	31.63	51.01	33.01	8.05	6.70	194.50	11.97	5.06	
		18:00	31.35	50.47	32.68	8.09	6.02	183.41	8.72	1.70	
		21:00	31.09	50.53	32.71	8.04	5.57	225.50	12.82	2.22	
	日平均值			31.06	50.52	32.70	8.15	6.23	205.26	15.74	3.18
	潮口站	0:00	30.29	47.64	30.92	8.17	5.17	215.02	17.09	4.07	
		3:00	29.96	47.53	30.86	8.09	5.03	216.85	37.69	3.37	
		6:00	29.27	47.35	30.74	8.16	6.43	209.88	24.73	1.79	
		9:00	29.92	48.50	31.46	8.12	5.51	204.94	29.43	3.49	
		12:00	30.55	49.74	32.22	8.08	5.86	204.13	22.73	4.13	
		15:00	30.78	49.29	31.95	8.07	5.89	184.32	31.82	2.27	
		18:00	31.31	48.23	31.29	8.12	5.28	207.50	21.73	2.24	
		21:00	30.72	48.36	31.37	8.12	5.51	205.92	31.56	3.88	
	日平均值			30.35	48.33	31.35	8.12	5.59	206.07	27.10	3.16
	灣內站	0:00	32.16	47.96	31.12	8.27	5.95	183.10	2.75	4.05	
		3:00	31.71	48.06	31.18	8.46	5.62	143.02	13.45	4.67	
		6:00	31.82	47.44	30.80	8.27	7.42	160.90	18.66	2.24	
		9:00	32.17	47.88	31.07	8.32	6.38	187.62	21.44	1.51	
		12:00	32.18	47.65	30.93	8.25	6.32	192.07	13.25	4.51	
		15:00	32.76	47.72	30.97	8.41	6.92	194.93	7.22	3.86	
		18:00	32.44	47.96	31.12	8.23	6.01	171.85	16.54	2.04	
		21:00	32.11	48.02	31.16	8.26	5.25	197.72	20.32	3.11	
	日平均值			32.17	47.84	31.04	8.31	6.23	178.90	14.20	3.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月27日	蚵殼站	0:00	30.89	50.82	32.89	7.97	6.50	203.52	1.91	5.51	
		3:00	30.55	51.21	33.13	8.03	6.15	223.34	21.55	5.23	
		6:00	29.85	50.88	32.93	8.12	5.34	182.85	18.26	4.31	
		9:00	30.51	51.53	33.33	8.11	6.96	175.77	15.17	2.52	
		12:00	31.16	51.73	33.45	8.15	6.13	236.21	26.65	1.72	
		15:00	31.39	50.39	32.63	8.22	6.19	233.77	27.02	3.04	
		18:00	31.93	49.62	32.15	8.31	6.70	217.52	23.86	3.25	
		21:00	31.33	49.57	32.12	8.21	6.02	231.71	19.76	5.66	
	日平均值			30.95	50.72	32.83	8.14	6.25	213.09	19.27	3.91
	潮口站	0:00	31.33	48.92	31.72	8.06	6.13	199.55	7.16	2.95	
		3:00	30.68	49.68	32.19	8.07	5.90	212.88	17.73	3.09	
		6:00	29.40	49.03	31.78	8.13	5.68	212.52	24.40	1.97	
		9:00	30.04	50.30	32.57	8.08	6.22	195.40	28.79	3.18	
		12:00	30.35	50.70	32.82	8.05	5.74	208.74	22.52	3.27	
		15:00	30.68	48.08	31.20	8.10	5.82	214.55	31.01	3.16	
		18:00	31.12	46.60	30.28	8.09	5.84	215.77	21.58	2.92	
		21:00	30.32	46.51	30.23	8.03	5.64	218.11	30.77	3.46	
	日平均值			30.49	48.73	31.60	8.08	5.87	209.69	23.00	3.00
	灣內站	0:00	31.83	47.85	31.05	8.24	6.05	208.00	21.46	2.77	
		3:00	31.45	47.73	30.98	8.22	6.09	181.55	11.75	0.62	
		6:00	31.86	47.83	31.04	8.29	5.75	180.68	3.43	5.51	
		9:00	32.04	47.91	31.09	8.26	6.59	204.62	9.83	5.89	
		12:00	32.30	47.98	31.13	8.37	5.61	175.08	34.47	5.14	
		15:00	32.48	48.04	31.17	8.29	5.99	197.06	41.55	4.74	
		18:00	32.76	48.12	31.22	8.24	6.97	195.77	40.55	4.83	
		21:00	32.22	48.09	31.20	8.25	5.78	203.75	17.60	3.25	
	日平均值			32.12	47.94	31.11	8.27	6.10	193.31	22.58	4.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月28日	蚵殼站	0:00	31.31	50.25	32.54	8.12	5.89	214.62	20.33	4.27	
		3:00	31.29	50.53	32.71	8.18	5.63	233.80	23.35	3.29	
		6:00	29.98	51.66	33.41	8.11	5.57	206.69	19.56	5.54	
		9:00	30.63	51.56	33.35	8.24	5.65	198.04	17.35	3.05	
		12:00	30.95	51.19	33.12	8.30	5.63	205.87	3.48	3.63	
		15:00	31.29	50.49	32.69	8.20	5.62	246.76	5.00	1.49	
		18:00	31.73	50.28	32.56	8.16	5.15	233.89	10.07	1.85	
		21:00	30.92	50.32	32.58	8.13	5.56	251.03	19.97	5.62	
	日平均值			31.01	50.79	32.87	8.18	5.59	223.84	14.89	3.59
	潮口站	0:00	29.62	47.82	31.04	8.02	5.46	201.50	18.58	3.75	
		3:00	30.61	48.35	31.36	8.02	5.11	208.16	20.66	4.29	
		6:00	30.46	50.56	32.73	8.04	5.52	210.02	54.70	4.01	
		9:00	30.37	50.37	32.61	8.04	5.34	214.34	32.38	2.77	
		12:00	30.60	49.65	32.17	8.08	5.32	193.13	21.54	3.27	
		15:00	31.13	48.28	31.32	8.13	5.50	162.52	29.02	3.16	
		18:00	30.87	47.88	31.07	8.06	5.43	176.52	9.93	2.92	
		21:00	30.37	47.94	31.11	8.02	5.20	207.93	22.30	3.46	
	日平均值			30.50	48.86	31.68	8.05	5.36	196.77	26.14	3.45
	灣內站	0:00	31.75	48.19	31.26	8.26	5.39	201.83	22.24	3.25	
		3:00	31.39	48.28	31.32	8.39	5.73	185.67	9.13	4.72	
		6:00	31.38	48.28	31.32	8.29	5.55	198.07	8.89	1.54	
		9:00	32.32	48.35	31.36	8.35	5.82	208.84	7.48	1.62	
		12:00	32.67	48.07	31.19	8.35	6.00	211.70	11.36	1.74	
		15:00	32.00	48.06	31.18	8.34	5.21	204.22	4.85	2.67	
		18:00	31.75	48.30	31.33	8.38	5.18	225.49	7.65	3.64	
		21:00	32.71	48.23	31.29	8.35	5.34	208.48	6.46	5.97	
	日平均值			32.00	48.22	31.28	8.34	5.53	205.54	9.76	3.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月29日	蚵殼站	0:00	30.21	50.82	32.89	7.99	5.63	229.49	5.19	2.09	
		3:00	31.22	51.21	33.13	8.28	5.21	223.52	2.25	7.14	
		6:00	31.06	50.88	32.93	8.31	6.02	229.70	5.67	6.06	
		9:00	30.97	51.53	33.33	8.24	6.12	216.53	1.24	4.84	
		12:00	31.21	51.47	33.29	8.09	6.96	239.90	10.03	5.81	
		15:00	31.74	50.39	32.63	8.11	6.13	227.01	3.25	7.73	
		18:00	31.48	49.62	32.15	8.17	6.19	237.68	9.14	8.05	
		21:00	30.97	49.57	32.12	8.04	6.70	240.88	3.05	4.50	
	日平均值			31.11	50.69	32.81	8.15	6.12	230.59	4.98	5.78
	潮口站	0:00	30.72	48.92	31.72	8.03	5.19	196.56	7.14	3.75	
		3:00	29.61	49.68	32.19	8.04	5.13	199.81	19.98	4.29	
		6:00	29.54	49.03	31.78	8.05	5.68	205.67	20.87	3.83	
		9:00	31.37	50.30	32.57	8.02	5.57	201.59	21.63	5.33	
		12:00	31.89	50.20	32.51	8.04	6.01	206.28	22.93	5.80	
		15:00	31.82	48.08	31.20	8.16	5.69	206.22	4.69	6.05	
		18:00	30.30	46.60	30.28	8.15	5.72	208.43	23.78	5.67	
		21:00	30.22	46.51	30.23	8.13	5.77	195.95	21.34	5.86	
	日平均值			30.68	48.67	31.56	8.08	5.60	202.56	17.80	5.07
	灣內站	0:00	32.34	48.28	31.32	8.36	5.39	227.61	3.86	4.28	
		3:00	31.80	48.28	31.32	8.35	5.54	209.80	8.34	3.83	
		6:00	31.40	48.36	31.37	8.34	5.84	188.52	5.60	3.40	
		9:00	32.04	48.51	31.46	8.30	5.73	202.29	4.26	2.31	
		12:00	32.75	48.22	31.28	8.29	6.33	218.50	11.55	3.88	
		15:00	32.18	48.33	31.35	8.27	5.58	216.77	8.66	2.25	
		18:00	31.43	48.28	31.32	8.30	5.91	191.67	4.80	3.75	
		21:00	31.86	48.41	31.40	8.29	7.00	228.37	11.43	4.64	
	日平均值			31.98	48.33	31.35	8.31	5.92	210.44	7.31	3.54
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
6月30日	蚵殼站	0:00	30.46	49.64	32.16	8.07	5.93	209.01	3.46	3.34	
		3:00	30.20	50.47	32.68	8.02	5.08	245.43	11.54	2.98	
		6:00	30.13	50.83	32.90	8.00	5.80	239.08	17.70	6.15	
		9:00	31.99	50.92	32.95	8.13	6.09	242.81	17.69	5.05	
		12:00	31.52	50.51	32.70	8.26	6.02	237.06	2.91	2.36	
		15:00	31.45	49.84	32.29	8.18	6.06	241.54	14.79	4.78	
		18:00	31.14	49.68	32.19	8.09	6.44	213.95	16.83	6.33	
		21:00	30.82	49.78	32.25	8.15	6.12	230.95	9.34	4.93	
	日平均值			30.96	50.21	32.52	8.11	5.94	232.48	11.78	4.49
	潮口站	0:00	30.08	46.64	30.31	8.18	5.35	211.82	22.59	6.63	
		3:00	29.22	48.23	31.29	8.13	5.05	199.28	26.17	5.49	
		6:00	29.13	48.93	31.72	8.14	5.36	202.24	17.16	5.15	
		9:00	30.67	49.12	31.84	8.13	5.34	208.77	7.10	5.33	
		12:00	30.35	48.32	31.34	8.15	5.69	203.41	20.01	5.80	
		15:00	30.88	47.03	30.55	8.15	5.88	206.51	40.44	6.05	
		18:00	30.20	46.72	30.36	8.14	5.81	211.21	24.59	5.67	
		21:00	29.69	46.91	30.47	8.14	5.79	209.75	22.60	5.86	
	日平均值			30.03	47.74	30.99	8.15	5.53	206.62	22.58	5.75
	灣內站	0:00	32.21	48.43	31.41	8.37	6.05	222.48	10.06	5.01	
		3:00	30.89	48.46	31.43	8.28	5.03	183.67	11.78	5.91	
		6:00	30.89	48.56	31.49	8.31	5.78	211.64	11.00	1.10	
		9:00	31.15	48.70	31.58	8.32	5.97	183.09	5.69	3.40	
		12:00	32.59	48.32	31.34	8.35	6.01	212.03	7.65	3.80	
		15:00	32.03	48.12	31.22	8.34	6.43	190.33	5.95	5.37	
		18:00	31.39	48.30	31.33	8.27	6.82	205.66	20.21	4.20	
		21:00	31.44	48.27	31.31	8.28	6.15	220.23	4.61	4.64	
	日平均值			31.57	48.40	31.39	8.32	6.03	203.64	9.62	4.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月1日	蚵殼站	0:00	30.42	52.73	33.56	8.06	5.50	174.43	0.31	2.51	
		3:00	30.51	52.74	33.57	8.07	5.10	191.58	0.33	0.44	
		6:00	30.67	52.55	33.43	8.14	5.17	192.15	0.35	0.39	
		9:00	30.53	52.64	33.49	8.16	6.92	226.20	0.55	0.68	
		12:00	30.86	52.39	33.31	8.20	5.32	235.18	0.46	2.01	
		15:00	31.08	52.43	33.34	8.30	7.35	226.59	0.50	3.97	
		18:00	30.75	52.08	33.08	8.24	5.36	224.91	0.33	1.82	
		21:00	30.92	52.78	33.60	8.17	5.70	150.34	0.37	7.28	
	日平均值			30.72	52.54	33.42	8.17	5.80	202.67	0.40	2.39
	潮口站	0:00	30.30	52.83	32.51	8.03	5.44	209.67	17.76	4.39	
		3:00	29.98	53.48	32.97	8.02	5.74	247.65	17.86	4.91	
		6:00	29.74	53.52	33.00	7.98	6.56	255.11	18.09	3.31	
		9:00	30.49	53.00	32.63	8.16	8.65	257.34	18.65	7.33	
		12:00	31.15	52.95	32.59	8.27	7.93	253.68	18.47	4.33	
		15:00	31.33	52.88	32.54	8.23	7.67	233.37	18.40	1.10	
		18:00	30.18	52.96	32.60	8.15	7.02	233.31	18.22	1.77	
		21:00	30.24	52.93	32.58	8.10	7.32	213.43	18.31	0.15	
	日平均值			30.43	53.07	32.68	8.12	7.04	237.95	18.22	3.41
	灣內站	0:00	30.52	51.89	31.59	8.00	5.53	263.31	1.30	5.82	
		3:00	30.61	51.97	31.59	7.99	5.65	204.97	3.55	2.78	
		6:00	30.78	51.87	31.46	7.95	5.39	214.66	1.67	5.89	
		9:00	30.63	51.76	31.52	8.13	5.66	267.69	1.76	7.80	
		12:00	30.97	51.87	31.34	8.24	7.13	267.59	4.48	3.28	
		15:00	31.49	51.68	31.37	8.20	7.18	265.86	5.21	8.04	
		18:00	31.46	51.26	31.12	8.12	6.62	174.02	3.82	0.86	
		21:00	31.03	51.90	31.62	8.07	6.70	248.65	4.72	5.59	
	日平均值			30.94	51.78	31.45	8.09	6.23	238.34	3.31	5.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準→				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月2日	蚵殼站	0:00	30.64	52.68	33.52	8.25	5.91	229.67	0.32	1.44	
		3:00	30.51	52.76	33.58	8.20	5.26	232.05	0.15	2.57	
		6:00	30.42	52.66	33.51	8.19	5.29	190.70	0.55	0.24	
		9:00	30.49	52.55	33.43	8.21	6.46	235.19	0.88	2.23	
		12:00	30.76	52.66	33.51	8.24	5.33	237.30	1.06	0.14	
		15:00	30.74	52.47	33.37	8.25	7.33	223.83	1.58	0.81	
		18:00	30.82	52.05	33.06	8.27	7.51	219.29	1.31	2.15	
		21:00	30.57	52.69	33.53	8.23	7.67	228.49	0.88	2.60	
	日平均值			30.62	52.57	33.44	8.23	6.35	224.57	0.84	1.52
	潮口站	0:00	30.44	52.97	32.61	7.98	7.73	243.05	18.41	2.38	
		3:00	29.89	53.34	32.87	8.02	7.49	242.01	18.35	3.90	
		6:00	29.81	53.42	32.93	8.03	7.51	248.46	18.35	1.67	
		9:00	30.13	52.95	32.59	8.12	7.56	254.07	18.37	1.95	
		12:00	30.66	52.81	32.49	8.12	8.39	256.43	18.59	1.65	
		15:00	31.01	53.15	32.74	8.22	8.25	238.63	18.56	3.25	
		18:00	30.07	53.25	32.81	8.26	8.14	237.51	18.53	1.72	
		21:00	29.67	52.91	32.56	8.21	8.00	254.08	18.48	0.59	
	日平均值			30.21	53.10	32.70	8.12	7.88	246.78	18.46	2.14
	灣內站	0:00	30.75	52.48	32.05	7.95	5.97	232.94	1.47	1.38	
		3:00	30.60	52.50	32.11	7.99	5.69	224.14	2.34	1.03	
		6:00	30.58	52.34	32.04	8.00	5.45	153.73	1.12	0.00	
		9:00	30.59	52.27	31.96	8.09	6.00	271.11	1.12	0.26	
		12:00	30.85	51.93	32.04	8.09	6.77	261.54	2.82	2.08	
		15:00	30.85	51.50	31.90	8.19	6.07	260.58	6.01	1.56	
		18:00	30.72	52.50	31.60	8.23	6.24	256.69	3.37	0.83	
		21:00	30.67	52.39	32.06	8.18	6.29	194.90	2.14	2.81	
	日平均值			30.70	52.24	31.97	8.09	6.06	231.95	2.55	1.24
	甲類海域地面水體基準值			環評承諾日平均值需達標準→				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月3日	蚵殼站	0:00	30.52	52.77	33.59	8.21	8.28	231.78	1.13	0.79	
		3:00	30.20	52.79	33.60	8.16	7.64	228.60	1.35	0.92	
		6:00	30.02	52.63	33.49	8.16	7.00	225.01	1.29	0.85	
		9:00	30.05	52.56	33.43	8.19	7.07	228.37	1.37	0.67	
		12:00	30.33	52.22	33.18	8.20	7.37	229.31	2.46	0.91	
		15:00	30.42	51.80	32.87	8.24	8.81	220.33	1.85	0.42	
		18:00	30.41	52.79	33.60	8.24	7.77	218.82	1.77	0.57	
		21:00	30.54	52.68	33.52	8.24	6.97	219.79	2.25	0.54	
	日平均值			30.31	52.53	33.41	8.21	7.61	225.25	1.68	0.71
	潮口站	0:00	29.89	52.93	32.58	8.23	7.46	250.14	18.34	1.82	
		3:00	29.91	52.71	32.42	8.20	7.52	253.51	18.37	0.59	
		6:00	29.97	53.10	32.70	8.15	7.96	252.86	18.47	2.16	
		9:00	29.90	52.95	32.59	8.15	7.87	248.54	18.45	0.98	
		12:00	30.23	52.85	32.52	8.22	8.47	248.54	18.60	0.23	
		15:00	30.68	51.62	31.64	8.28	8.64	246.06	18.65	1.74	
		18:00	30.29	53.08	32.69	8.26	7.84	239.59	18.44	1.27	
		21:00	29.87	52.74	32.44	8.18	7.42	238.71	18.34	2.01	
	日平均值			30.09	52.75	32.45	8.21	7.90	247.24	18.46	1.35
	灣內站	0:00	30.62	52.98	32.62	8.20	6.04	169.48	2.36	0.57	
		3:00	30.30	53.00	32.63	8.17	5.50	216.35	1.83	1.06	
		6:00	30.12	52.84	32.51	8.12	5.04	225.65	1.21	0.60	
		9:00	30.15	52.77	32.46	8.12	5.86	266.53	1.21	0.74	
		12:00	30.43	52.43	32.22	8.19	7.89	206.27	2.89	1.24	
		15:00	30.52	52.00	31.91	8.25	7.54	150.68	4.57	2.49	
		18:00	30.51	53.00	32.63	8.23	6.77	248.94	3.04	0.69	
		21:00	30.64	52.89	32.55	8.15	6.31	247.26	1.49	1.90	
	日平均值			30.41	52.74	32.44	8.18	6.37	216.40	2.33	1.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月4日	蚵殼站	0:00	30.44	52.43	33.34	8.21	5.24	209.73	3.47	0.57	
		3:00	29.90	52.63	33.49	8.19	5.44	211.42	1.66	1.33	
		6:00	29.80	52.43	33.34	8.16	5.30	212.04	1.83	1.69	
		9:00	30.21	52.45	33.35	8.15	5.19	218.06	2.15	2.56	
		12:00	30.10	52.50	33.39	8.21	6.65	224.99	2.43	0.86	
		15:00	29.88	52.11	33.10	8.27	6.72	211.17	2.89	0.79	
		18:00	29.67	52.43	33.34	8.20	6.32	215.11	2.62	2.36	
		21:00	29.47	52.01	33.03	8.13	5.27	202.65	2.71	0.79	
	日平均值			29.93	52.37	33.30	8.19	5.77	213.15	2.47	1.37
	潮口站	0:00	30.01	52.86	32.53	8.19	7.64	235.74	18.40	0.96	
		3:00	29.80	53.22	32.79	8.17	7.16	233.92	18.26	1.08	
		6:00	29.83	53.53	33.01	8.15	7.64	246.89	18.40	2.27	
		9:00	29.98	53.10	32.70	8.15	8.79	250.77	18.69	2.54	
		12:00	29.97	52.89	32.55	8.19	8.06	253.01	18.50	0.71	
		15:00	29.94	52.77	32.46	8.24	7.33	250.81	18.31	2.20	
		18:00	29.60	53.34	32.87	8.19	8.73	234.28	18.68	2.24	
		21:00	29.20	53.11	32.71	8.18	7.35	236.73	18.31	2.40	
	日平均值			29.79	53.10	32.70	8.18	7.84	242.77	18.44	1.80
	灣內站	0:00	30.54	52.64	32.37	8.16	6.21	245.13	0.92	0.67	
		3:00	30.00	52.84	32.51	8.14	5.68	154.29	1.97	2.21	
		6:00	29.90	52.64	32.37	8.12	5.16	249.65	5.35	1.95	
		9:00	30.31	52.66	32.38	8.12	6.09	244.63	6.05	1.20	
		12:00	30.20	52.71	32.42	8.16	7.44	156.71	4.29	2.05	
		15:00	29.98	52.32	32.14	8.21	7.81	158.62	4.34	1.77	
		18:00	29.77	52.64	32.37	8.16	7.17	167.39	3.67	2.24	
		21:00	29.57	52.22	32.07	8.15	6.98	174.85	2.17	2.09	
	日平均值			30.03	52.58	32.33	8.15	6.57	193.91	3.60	1.77
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月5日	蚵殼站	0:00	30.08	51.48	32.63	8.11	5.89	205.78	2.95	0.79	
		3:00	30.10	52.61	33.47	8.10	5.54	176.22	2.87	0.62	
		6:00	29.79	52.86	33.66	8.13	5.65	216.68	2.85	4.37	
		9:00	29.76	52.31	33.25	8.14	5.64	217.08	3.10	2.09	
		12:00	29.90	52.27	33.22	8.13	6.04	227.03	3.38	2.53	
		15:00	29.93	51.47	32.63	8.18	8.00	221.13	3.68	3.27	
		18:00	29.74	51.72	32.81	8.22	7.80	215.65	3.76	3.36	
		21:00	29.71	52.22	33.18	8.25	7.11	206.65	3.99	1.87	
	日平均值		29.88	52.12	33.11	8.16	6.46	210.78	3.32	2.36	
	潮口站	0:00	29.25	53.02	32.64	8.23	8.56	248.21	18.63	2.54	
		3:00	29.19	53.34	32.87	8.22	8.08	212.98	18.51	4.20	
		6:00	29.36	52.87	32.54	8.22	7.53	239.07	18.37	3.08	
		9:00	29.39	53.35	32.88	8.19	8.24	253.82	18.54	3.30	
		12:00	29.07	52.97	32.61	8.21	8.18	247.07	18.53	0.11	
		15:00	29.41	52.86	32.53	8.25	8.95	245.71	18.72	3.49	
		18:00	29.47	51.97	31.89	8.23	7.25	243.67	18.29	1.28	
		21:00	29.15	52.81	32.49	8.23	7.68	237.84	18.40	2.17	
	日平均值		29.29	52.90	32.56	8.22	8.06	241.05	18.50	2.52	
	灣內站	0:00	30.18	51.68	31.68	8.20	6.00	169.37	1.89	1.65	
		3:00	30.20	52.82	32.50	8.19	5.96	161.31	2.21	2.46	
		6:00	29.89	53.07	32.68	8.19	5.62	164.64	1.40	0.25	
		9:00	29.86	52.52	32.28	8.16	5.88	174.15	1.02	1.42	
		12:00	30.02	52.48	32.26	8.18	8.08	185.70	1.54	1.61	
		15:00	30.03	51.67	31.67	8.22	7.26	196.91	2.62	1.93	
		18:00	29.84	51.92	31.85	8.20	7.04	197.42	5.96	3.41	
		21:00	29.82	52.43	32.22	8.20	6.24	154.53	1.17	3.70	
	日平均值		29.98	52.32	32.14	8.19	6.51	175.50	2.23	2.05	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月6日	蚵殼站	0:00	29.92	52.42	33.33	8.12	6.48	227.16	1.98	0.27	
		3:00	29.45	52.55	33.43	8.10	6.52	214.45	1.99	2.00	
		6:00	29.28	52.47	33.37	8.12	6.44	217.28	2.01	1.23	
		9:00	29.52	52.62	33.48	8.16	6.78	220.79	2.05	1.38	
		12:00	29.94	52.45	33.35	8.13	6.02	219.73	2.12	7.46	
		15:00	30.39	52.47	33.37	8.24	7.68	219.28	2.17	1.41	
		18:00	30.62	52.00	33.02	8.30	8.07	206.83	2.18	1.51	
		21:00	30.40	52.16	33.14	8.32	7.03	206.62	2.28	6.88	
	日平均值		29.94	52.39	33.31	8.19	6.88	216.52	2.10	2.77	
	潮口站	0:00	28.89	52.95	32.59	8.26	8.29	231.49	18.56	0.41	
		3:00	28.77	53.06	32.67	8.23	8.91	180.20	18.72	5.44	
		6:00	28.77	53.36	32.89	8.29	8.07	202.01	18.50	4.54	
		9:00	29.23	53.20	32.77	8.26	7.91	223.73	18.47	0.82	
		12:00	30.28	52.92	32.57	8.28	8.39	244.08	18.59	3.38	
		15:00	31.00	52.88	32.54	8.31	7.42	261.90	18.34	7.41	
		18:00	30.84	52.95	32.59	8.22	8.36	256.69	18.57	5.15	
		21:00	29.84	52.99	32.62	8.25	7.04	231.19	18.23	7.87	
	日平均值		29.70	53.04	32.66	8.26	8.05	228.91	18.50	4.38	
	灣內站	0:00	30.02	52.63	32.36	8.23	6.33	183.77	5.36	1.96	
		3:00	29.52	52.76	32.46	8.20	6.07	202.08	1.70	6.28	
		6:00	29.38	52.68	32.40	8.26	5.82	193.59	3.39	3.68	
		9:00	29.62	52.83	32.51	8.23	5.50	200.99	3.39	1.26	
		12:00	30.04	52.66	32.38	8.25	6.22	211.70	7.68	1.76	
		15:00	30.49	52.68	32.40	8.28	7.14	222.87	5.31	7.07	
		18:00	30.71	52.21	32.06	8.19	5.89	235.18	3.17	1.63	
		21:00	30.50	52.37	32.18	8.22	7.01	173.09	2.55	2.42	
	日平均值		30.04	52.60	32.34	8.23	6.25	202.91	4.07	3.26	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月7日	蚵殼站	0:00	29.93	52.55	33.43	8.24	8.23	216.52	2.41	1.57	
		3:00	29.83	52.40	33.31	8.15	7.89	211.23	2.53	0.77	
		6:00	29.79	52.31	33.25	8.17	5.63	209.97	2.64	0.06	
		9:00	30.03	52.43	33.34	8.22	6.91	217.15	2.41	1.16	
		12:00	30.29	52.19	33.16	8.26	7.56	221.59	2.51	0.15	
		15:00	30.50	52.14	33.12	8.30	6.96	217.28	2.52	0.98	
		18:00	30.68	52.22	33.18	8.29	5.94	208.85	2.69	0.69	
		21:00	30.94	52.06	33.06	8.25	5.48	205.61	2.64	0.44	
	日平均值			30.25	52.29	33.23	8.24	6.83	213.53	2.54	0.73
	潮口站	0:00	29.84	52.98	32.62	8.26	6.85	221.18	18.18	0.67	
		3:00	29.92	52.94	32.59	8.26	8.22	192.39	18.54	0.92	
		6:00	29.79	52.94	32.59	8.31	8.98	160.31	18.74	0.11	
		9:00	29.94	53.07	32.68	8.28	7.72	244.80	18.41	0.62	
		12:00	30.82	52.97	32.61	8.28	8.34	252.38	18.57	0.76	
		15:00	31.36	52.95	32.59	8.34	6.94	250.36	18.21	1.03	
		18:00	31.49	52.79	32.48	8.34	8.97	250.81	18.74	0.26	
		21:00	30.64	51.96	31.88	8.36	7.91	252.77	18.47	0.21	
	日平均值			30.48	52.83	32.51	8.30	7.99	228.13	18.48	0.57
	灣內站	0:00	30.03	52.76	32.46	8.23	6.62	239.71	2.64	0.66	
		3:00	29.93	52.61	32.35	8.23	5.53	178.16	4.34	0.67	
		6:00	29.89	52.52	32.28	8.28	5.80	177.41	4.31	0.90	
		9:00	30.13	52.64	32.37	8.25	6.22	175.18	3.16	0.35	
		12:00	30.39	52.40	32.20	8.25	7.15	160.08	4.13	0.34	
		15:00	30.60	52.35	32.16	8.31	7.87	224.25	5.72	2.26	
		18:00	30.79	52.43	32.22	8.31	5.94	227.11	3.74	1.85	
		21:00	31.05	52.27	32.10	8.33	5.86	187.77	9.82	0.79	
	日平均值			30.35	52.50	32.27	8.27	6.37	196.21	4.73	0.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月8日	蚵殼站	0:00	30.84	52.39	33.31	8.23	7.22	189.88	2.63	0.36	
		3:00	30.58	52.14	33.12	8.08	6.74	147.82	2.59	1.91	
		6:00	30.43	51.29	32.49	8.19	7.35	208.12	2.58	0.18	
		9:00	30.56	51.42	32.59	8.21	7.40	213.99	2.57	2.44	
		12:00	31.03	51.82	32.89	8.26	8.83	217.19	2.69	1.51	
		15:00	31.47	51.98	33.00	8.27	7.44	218.42	2.73	0.29	
		18:00	31.54	52.08	33.08	8.28	6.79	214.95	2.81	1.26	
		21:00	31.49	52.24	33.20	8.15	7.97	171.15	2.83	2.41	
	日平均值			30.99	51.92	32.96	8.21	7.47	197.69	2.68	1.30
	潮口站	0:00	29.99	52.16	32.03	8.30	7.42	256.98	18.34	1.05	
		3:00	30.53	52.67	32.39	8.25	7.72	249.30	18.41	0.09	
		6:00	30.53	53.05	32.67	8.25	7.72	250.11	18.41	0.67	
		9:00	30.79	53.15	32.74	8.27	7.51	247.83	18.35	0.32	
		12:00	30.88	51.57	31.60	8.26	8.23	249.51	18.54	0.34	
		15:00	31.25	52.44	32.23	8.27	8.50	242.16	18.62	1.77	
		18:00	31.13	52.72	32.43	8.24	8.75	245.00	18.68	0.33	
		21:00	30.64	52.82	32.50	8.27	7.81	234.78	18.44	1.63	
	日平均值			30.72	52.57	32.32	8.26	7.96	246.96	18.47	0.78
	灣內站	0:00	30.95	52.60	32.34	8.27	5.91	228.98	10.48	0.34	
		3:00	30.68	52.35	32.16	8.22	5.57	221.71	7.29	1.63	
		6:00	30.53	51.49	31.54	8.22	5.90	204.74	4.34	1.97	
		9:00	30.66	51.62	31.64	8.24	5.69	242.48	2.99	0.44	
		12:00	31.14	52.02	31.92	8.23	6.31	248.96	3.24	1.41	
		15:00	31.58	52.19	32.05	8.24	6.33	230.19	3.30	1.72	
		18:00	31.65	52.29	32.12	8.21	5.11	233.28	4.23	0.67	
		21:00	31.60	52.45	32.23	8.24	5.92	236.02	2.21	1.59	
	日平均值			31.10	52.13	32.00	8.23	5.84	230.80	4.76	1.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月9日	蚵殼站	0:00	31.42	52.00	33.02	8.03	6.16	146.30	2.98	1.90	
		3:00	31.03	51.59	32.71	8.11	5.68	211.85	2.95	1.00	
		6:00	31.21	51.98	33.00	8.17	6.86	192.71	2.72	1.28	
		9:00	31.38	52.19	33.16	8.22	7.15	207.71	2.70	2.49	
		12:00	31.78	52.14	33.12	8.23	7.44	216.05	2.82	2.01	
		15:00	32.12	52.17	33.14	8.26	7.24	216.17	2.95	2.04	
		18:00	31.50	52.55	33.43	8.26	7.37	214.32	3.17	1.71	
		21:00	31.41	52.22	33.18	8.26	8.50	211.34	3.31	0.92	
	日平均值			31.48	52.11	33.10	8.19	7.05	202.06	2.95	1.67
	潮口站	0:00	29.98	52.86	32.53	8.30	7.96	248.06	18.47	1.13	
		3:00	30.61	53.22	32.79	8.31	7.39	203.16	18.32	2.15	
		6:00	31.14	53.53	33.01	8.30	7.95	237.14	18.47	1.28	
		9:00	31.73	53.10	32.70	8.23	7.54	239.34	18.37	2.43	
		12:00	31.09	52.89	32.55	8.22	8.31	239.71	18.57	0.62	
		15:00	31.93	52.77	32.46	8.19	7.90	232.76	18.45	1.82	
		18:00	32.04	53.34	32.87	8.18	7.64	239.04	18.40	1.23	
		21:00	31.52	53.11	32.71	8.24	7.46	239.40	18.34	0.79	
	日平均值			31.26	53.10	32.70	8.25	7.77	234.83	18.42	1.43
	灣內站	0:00	31.53	52.21	32.06	8.27	5.73	238.59	4.11	2.05	
		3:00	31.14	51.79	31.76	8.28	6.95	247.99	10.35	1.18	
		6:00	31.32	52.19	32.05	8.27	5.81	252.14	6.38	1.03	
		9:00	31.49	52.40	32.20	8.20	5.79	254.74	4.16	2.05	
		12:00	31.89	52.35	32.16	8.19	6.21	258.53	6.31	1.89	
		15:00	32.23	52.38	32.18	8.16	5.28	259.54	9.58	1.71	
		18:00	31.61	52.76	32.46	8.15	5.44	233.23	10.84	0.58	
		21:00	31.52	52.43	32.22	8.21	5.33	167.28	4.54	2.37	
	日平均值			31.59	52.31	32.14	8.22	5.82	239.01	7.03	1.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月10日	蚵殼站	0:00	31.66	52.42	33.33	8.11	5.37	134.91	3.34	2.40	
		3:00	31.30	52.42	33.33	8.07	6.64	173.97	3.42	2.21	
		6:00	31.23	52.48	33.37	8.09	5.24	136.92	3.32	2.36	
		9:00	31.52	52.48	33.37	8.20	6.72	155.68	3.47	2.39	
		12:00	31.63	52.26	33.21	8.23	8.80	203.88	3.58	2.56	
		15:00	31.89	52.10	33.09	8.23	8.35	210.03	3.59	1.95	
		18:00	31.86	52.42	33.33	8.21	6.64	209.19	3.69	2.43	
		21:00	31.52	52.43	33.34	8.25	7.17	211.05	1.56	2.13	
	日平均值			31.58	52.38	33.30	8.17	6.87	179.45	3.25	2.30
	潮口站	0:00	30.46	53.02	32.64	8.26	8.09	241.28	18.51	2.14	
		3:00	30.60	53.34	32.87	8.28	7.12	216.51	18.25	2.36	
		6:00	31.40	52.87	32.54	8.21	7.04	239.96	18.23	2.52	
		9:00	31.96	53.35	32.88	8.21	6.54	242.36	18.09	2.28	
		12:00	31.88	52.97	32.61	8.23	7.98	230.13	18.48	2.57	
		15:00	31.25	52.86	32.53	8.24	8.05	211.04	18.50	2.05	
		18:00	31.89	51.97	31.89	8.27	7.45	226.67	18.34	2.62	
		21:00	31.57	52.81	32.49	8.27	7.35	232.02	18.31	2.52	
	日平均值			31.38	52.90	32.56	8.25	7.45	230.00	18.34	2.38
	灣內站	0:00	31.77	52.63	32.36	8.23	5.24	241.37	6.52	2.05	
		3:00	31.41	52.63	32.36	8.25	5.40	236.87	5.80	2.13	
		6:00	31.34	52.69	32.41	8.18	6.80	245.77	5.01	2.18	
		9:00	31.63	52.69	32.41	8.18	5.50	157.75	7.87	2.45	
		12:00	31.74	52.47	32.25	8.20	5.75	188.80	3.58	2.54	
		15:00	32.00	52.31	32.13	8.21	6.23	234.80	3.82	2.12	
		18:00	31.97	52.63	32.36	8.24	5.75	198.94	3.38	1.95	
		21:00	31.63	52.64	32.37	8.24	5.40	144.39	3.11	1.91	
	日平均值			31.69	52.59	32.33	8.22	5.76	206.09	4.89	2.17
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
7月11日	蚵殼站	0:00	31.39	52.45	33.35	8.19	6.54	199.32	3.73	1.77	
		3:00	31.27	52.42	33.33	8.06	6.69	105.50	3.68	1.04	
		6:00	31.20	52.60	33.46	8.09	5.08	119.07	3.48	2.03	
		9:00	31.50	52.73	33.56	8.17	6.90	181.09	3.52	0.77	
		12:00	31.65	52.43	33.34	8.18	7.71	207.88	3.44	2.36	
		15:00	31.87	52.22	33.18	8.23	8.12	212.37	3.50	0.74	
		18:00	31.73	52.42	33.33	8.21	6.84	204.25	3.54	1.03	
		21:00	31.38	52.60	33.46	8.20	6.78	196.87	3.63	2.21	
	日平均值			31.50	52.48	33.38	8.17	6.83	178.29	3.57	1.49
	潮口站	0:00	30.30	52.95	32.59	8.28	7.96	242.14	18.47	2.70	
		3:00	30.50	53.06	32.67	8.27	7.44	192.76	18.34	0.46	
		6:00	31.21	53.36	32.89	8.23	7.44	227.48	18.34	0.33	
		9:00	31.84	53.20	32.77	8.24	7.15	235.44	18.26	0.59	
		12:00	32.20	52.92	32.57	8.27	7.60	228.91	18.38	1.52	
		15:00	31.12	52.88	32.54	8.25	8.31	230.54	18.57	1.06	
		18:00	31.50	52.95	32.59	8.26	7.43	226.72	18.34	1.05	
		21:00	31.55	52.99	32.62	8.23	7.42	230.04	18.34	0.18	
	日平均值			31.28	53.04	32.66	8.25	7.59	226.75	18.38	0.99
	灣內站	0:00	31.50	52.66	32.38	8.25	5.77	231.76	2.60	2.70	
		3:00	31.38	52.63	32.36	8.24	5.31	246.66	2.56	0.06	
		6:00	31.31	52.81	32.49	8.20	5.12	237.20	2.30	0.95	
		9:00	31.61	52.94	32.59	8.21	5.75	229.98	2.94	0.52	
		12:00	31.76	52.64	32.37	8.24	6.35	213.04	4.21	0.77	
		15:00	31.98	52.43	32.22	8.22	6.40	164.96	4.07	1.01	
		18:00	31.84	52.63	32.36	8.23	6.17	198.76	2.76	2.59	
		21:00	31.49	52.81	32.49	8.20	5.85	227.00	2.69	0.83	
	日平均值			31.61	52.69	32.41	8.22	5.84	218.67	3.02	1.18
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
7月12日	蚵殼站	0:00	31.45	52.50	33.39	8.14	7.29	198.31	3.65	0.83	
		3:00	31.29	52.58	33.45	8.08	5.04	139.97	3.59	1.30	
		6:00	31.04	52.82	33.63	8.10	5.63	149.66	3.47	1.65	
		9:00	31.33	52.82	33.63	8.19	6.47	202.69	3.64	1.07	
		12:00	31.94	52.52	33.40	8.26	7.58	202.59	3.56	0.63	
		15:00	32.10	52.43	33.34	8.22	8.66	200.86	3.54	0.50	
		18:00	32.04	52.53	33.41	8.10	6.62	109.02	3.51	1.13	
		21:00	32.04	52.43	33.34	8.17	7.81	183.65	3.66	1.97	
	日平均值			31.65	52.58	33.45	8.16	6.89	173.34	3.58	1.14
	潮口站	0:00	30.63	52.98	32.62	8.21	7.82	236.01	18.44	0.53	
		3:00	30.71	52.94	32.59	8.25	7.86	213.42	18.45	0.82	
		6:00	30.92	52.94	32.59	8.23	7.02	211.53	18.22	1.45	
		9:00	31.73	53.07	32.68	8.24	7.97	226.93	18.48	0.73	
		12:00	32.35	52.97	32.61	8.25	8.09	206.14	18.51	2.03	
		15:00	31.91	52.95	32.59	8.22	8.67	212.50	18.66	0.88	
		18:00	31.57	52.79	32.48	8.19	7.94	211.39	18.47	2.13	
		21:00	31.77	51.96	31.88	8.15	8.12	223.52	18.51	1.92	
	日平均值			31.45	52.83	32.51	8.22	7.94	217.68	18.47	1.31
	灣內站	0:00	31.56	52.71	32.42	8.18	5.56	243.86	2.05	0.99	
		3:00	31.40	52.79	32.48	8.22	6.96	216.87	1.93	1.74	
		6:00	31.15	53.03	32.65	8.20	6.34	162.95	1.60	2.23	
		9:00	31.44	53.03	32.65	8.21	5.61	175.84	1.78	2.54	
		12:00	32.05	52.73	32.44	8.22	6.78	231.89	2.88	0.82	
		15:00	32.21	52.64	32.37	8.19	7.40	223.35	4.23	2.05	
		18:00	32.15	52.74	32.44	8.16	6.34	225.62	3.30	0.86	
		21:00	32.15	52.64	32.37	8.12	5.17	202.33	2.57	0.65	
	日平均值			31.76	52.79	32.48	8.19	6.27	210.34	2.54	1.49
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月13日	蚵殼站	0:00	31.78	52.64	33.49	8.08	7.72	167.94	3.75	5.72	
		3:00	31.44	52.77	33.59	8.07	5.77	159.14	3.69	2.59	
		6:00	31.17	52.81	33.62	8.03	5.32	88.73	3.64	10.67	
		9:00	32.06	52.89	33.68	8.22	6.81	206.11	3.72	6.41	
		12:00	32.58	52.40	33.31	8.33	8.45	196.54	3.56	8.16	
		15:00	32.31	52.16	33.14	8.29	7.36	195.58	3.75	9.23	
		18:00	32.24	52.56	33.43	8.20	7.86	191.69	3.73	0.87	
		21:00	32.05	52.37	33.29	8.15	5.83	129.90	3.66	0.21	
	日平均值			31.95	52.58	33.44	8.17	6.89	166.95	3.69	5.48
	潮口站	0:00	30.60	52.16	32.03	8.18	7.52	217.69	18.37	0.08	
		3:00	29.94	52.67	32.39	8.19	7.73	232.04	18.41	3.35	
		6:00	30.82	53.05	32.67	8.17	7.79	212.34	18.43	10.74	
		9:00	31.94	53.15	32.74	8.20	7.31	213.11	18.31	11.49	
		12:00	32.41	51.57	31.60	8.21	8.98	209.15	18.74	9.84	
		15:00	31.80	52.44	32.23	8.21	8.26	208.64	18.56	5.52	
		18:00	30.41	52.72	32.43	8.17	7.36	212.56	18.32	8.32	
		21:00	31.01	52.82	32.50	8.19	7.14	220.42	18.25	7.28	
	日平均值			31.12	52.57	32.32	8.19	7.76	215.74	18.42	7.08
	灣內站	0:00	31.89	52.85	32.52	8.15	5.89	153.98	2.30	11.73	
		3:00	31.55	52.98	32.62	8.16	5.58	231.09	1.63	2.37	
		6:00	31.28	53.02	32.64	8.14	5.54	244.32	1.63	4.75	
		9:00	32.17	53.10	32.70	8.17	6.89	231.43	2.05	11.00	
		12:00	32.69	52.61	32.35	8.18	7.54	211.43	5.23	0.72	
		15:00	32.42	52.37	32.18	8.18	7.54	234.83	4.52	9.88	
		18:00	32.35	52.77	32.46	8.14	6.41	227.16	1.54	11.75	
		21:00	32.16	52.58	32.33	8.16	5.46	182.13	0.96	4.31	
	日平均值			32.06	52.79	32.47	8.16	6.36	214.55	2.48	7.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月14日	蚵殼站	0:00	31.81	52.45	33.35	8.03	5.67	104.48	3.68	6.68	
		3:00	31.56	52.66	33.51	8.07	5.07	151.35	3.58	4.40	
		6:00	31.25	53.05	33.80	8.08	5.00	160.65	3.51	2.23	
		9:00	31.08	53.05	33.80	8.17	6.41	201.53	3.60	6.13	
		12:00	30.50	52.97	33.74	8.17	7.90	141.27	3.13	7.79	
		15:00	29.39	52.58	33.45	8.28	8.46	85.68	1.26	2.39	
		18:00	29.60	52.53	33.41	8.32	7.27	183.94	1.45	7.01	
		21:00	29.40	52.61	33.47	8.27	8.61	182.26	1.48	1.59	
	日平均值			30.57	52.74	33.57	8.17	6.80	151.40	2.71	4.78
	潮口站	0:00	30.58	53.02	32.64	8.16	6.78	222.83	18.16	1.89	
		3:00	28.71	53.34	32.87	8.11	7.74	230.15	18.41	1.20	
		6:00	29.87	52.87	32.54	8.08	7.39	220.32	18.32	2.26	
		9:00	31.59	53.35	32.88	8.04	8.04	211.64	18.50	2.33	
		12:00	31.98	52.97	32.61	8.04	7.48	216.11	18.35	4.74	
		15:00	31.45	52.86	32.53	8.09	7.98	201.92	18.48	2.58	
		18:00	31.02	53.27	32.82	8.10	7.26	132.46	18.29	0.39	
		21:00	31.45	53.69	33.13	8.11	8.59	134.30	18.63	2.05	
	日平均值			30.83	53.17	32.75	8.09	7.66	196.22	18.39	2.18
	灣內站	0:00	32.01	52.13	32.00	8.13	5.80	153.61	2.38	0.32	
		3:00	31.92	52.05	31.95	8.08	5.20	164.80	1.38	0.23	
		6:00	32.04	51.78	31.75	8.05	6.10	188.30	6.39	0.80	
		9:00	32.09	52.00	31.91	8.01	6.95	156.70	3.06	4.49	
		12:00	32.33	51.74	31.72	8.01	7.70	167.30	8.18	3.46	
		15:00	32.44	52.00	31.91	8.06	8.85	263.20	8.50	1.09	
		18:00	31.05	52.02	31.92	8.07	6.33	177.90	5.92	5.41	
		21:00	31.30	52.00	31.91	8.08	7.26	167.10	6.52	1.81	
	日平均值			31.90	51.97	31.88	8.06	6.77	179.86	5.29	2.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月15日	蚵殼站	0:00	30.24	52.63	33.49	8.29	7.73	180.13	2.88	4.41	
		3:00	31.59	52.60	33.46	8.26	6.76	89.29	2.38	1.08	
		6:00	30.29	52.77	33.59	8.21	5.17	184.65	2.99	1.44	
		9:00	30.94	52.71	33.54	8.20	6.54	179.63	2.35	2.00	
		12:00	31.25	52.50	33.39	8.28	6.41	91.71	2.33	1.49	
		15:00	31.59	52.42	33.33	8.34	6.43	93.62	2.33	0.60	
		18:00	32.03	52.50	33.39	8.32	6.46	102.39	2.33	2.19	
		21:00	31.22	52.48	33.37	8.24	6.26	109.85	2.30	3.06	
	日平均值			31.14	52.58	33.45	8.27	6.47	128.91	2.49	2.03
	潮口站	0:00	31.05	53.21	32.78	8.11	8.85	129.66	18.71	1.45	
		3:00	29.62	53.10	32.70	8.14	7.71	138.44	18.41	3.68	
		6:00	29.92	53.04	32.66	8.15	6.98	139.69	18.21	2.16	
		9:00	30.17	53.74	33.16	8.13	8.07	148.11	18.50	1.81	
		12:00	30.40	53.49	32.98	8.15	7.35	150.88	18.31	1.52	
		15:00	30.75	53.28	32.83	8.18	7.49	150.71	18.35	1.10	
		18:00	29.70	52.40	32.20	8.17	6.65	149.19	18.12	3.56	
		21:00	30.05	52.32	32.14	8.14	7.77	152.68	18.43	0.36	
	日平均值			30.21	53.07	32.68	8.15	7.61	144.92	18.38	1.96
	灣內站	0:00	31.17	52.10	31.98	8.08	6.82	177.99	5.67	1.00	
		3:00	31.05	52.10	31.98	8.11	5.38	153.69	5.09	0.65	
		6:00	30.77	51.86	31.81	8.12	5.25	125.50	5.67	1.35	
		9:00	30.77	52.00	31.91	8.10	5.74	123.41	5.31	0.21	
		12:00	31.04	51.68	31.68	8.12	6.84	123.73	5.71	3.15	
		15:00	31.15	51.71	31.70	8.15	6.73	124.84	5.30	3.07	
		18:00	30.95	51.49	31.54	8.14	5.86	124.15	5.55	4.37	
		21:00	30.81	51.91	31.85	8.11	5.99	132.62	5.55	1.46	
	日平均值			30.96	51.86	31.81	8.12	6.08	135.74	5.48	1.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月16日	蚵殼站	0:00	30.52	52.59	33.46	8.25	6.28	104.37	2.30	2.41	
		3:00	31.52	52.86	33.66	8.23	6.21	96.31	2.29	2.40	
		6:00	31.36	52.73	33.56	8.21	6.03	99.64	2.26	2.33	
		9:00	31.27	53.68	34.26	8.20	7.31	109.15	2.47	1.95	
		12:00	31.51	53.41	34.06	8.25	6.78	120.70	2.39	1.94	
		15:00	32.04	52.81	33.62	8.30	6.50	131.91	2.34	1.97	
		18:00	31.78	53.02	33.77	8.25	7.78	132.42	2.54	2.46	
		21:00	31.27	52.69	33.53	8.24	7.66	89.53	2.52	1.92	
	日平均值			31.41	52.97	33.74	8.24	6.82	110.50	2.39	2.17
	潮口站	0:00	30.15	53.28	32.83	8.14	7.02	158.39	18.22	2.59	
		3:00	28.56	53.43	32.94	8.07	6.64	166.51	18.12	2.43	
		6:00	28.72	52.65	32.38	8.10	7.52	169.05	18.37	2.44	
		9:00	29.78	52.51	32.28	8.12	8.24	159.91	18.54	2.27	
		12:00	29.75	52.09	31.97	8.19	8.99	162.86	16.00	2.06	
		15:00	30.44	51.76	31.74	8.13	8.53	164.29	18.62	1.93	
		18:00	29.47	52.46	32.24	8.12	7.87	161.85	17.04	2.25	
		21:00	29.13	51.73	31.72	8.16	6.95	159.33	18.21	2.25	
	日平均值			29.50	52.49	32.26	8.13	7.72	162.77	17.89	2.28
	灣內站	0:00	30.80	52.05	31.95	8.11	7.08	134.88	5.15	2.36	
		3:00	30.60	52.39	32.19	8.04	6.74	133.41	4.21	2.46	
		6:00	30.49	52.53	32.29	8.07	7.25	143.00	4.24	2.10	
		9:00	30.52	52.38	32.18	8.09	7.72	142.69	4.27	2.54	
		12:00	30.60	52.55	32.31	8.16	8.12	128.45	4.25	2.26	
		15:00	31.07	52.29	32.12	8.10	8.72	181.35	5.99	2.28	
		18:00	30.91	51.86	31.81	8.09	7.38	137.78	4.23	2.13	
		21:00	30.84	52.50	32.27	8.13	7.88	136.77	3.90	2.14	
	日平均值			30.73	52.32	32.14	8.10	7.61	142.29	4.53	2.28
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月17日	蚵殼站	0:00	31.21	52.09	33.09	8.29	6.12	118.77	2.28	1.35	
		3:00	30.90	51.49	32.64	8.28	7.33	137.08	2.47	2.54	
		6:00	30.05	53.12	33.85	8.28	5.58	128.59	2.19	1.86	
		9:00	30.68	53.31	33.99	8.25	7.01	135.99	2.42	2.35	
		12:00	31.42	52.83	33.63	8.27	7.24	146.70	2.46	1.39	
		15:00	31.31	52.26	33.21	8.31	6.50	157.87	2.34	2.58	
		18:00	31.04	52.77	33.59	8.29	6.76	170.18	2.38	2.07	
		21:00	30.78	52.73	33.56	8.29	7.66	108.09	2.52	2.12	
	日平均值			30.92	52.58	33.45	8.28	6.78	137.91	2.38	2.03
	潮口站	0:00	29.66	51.25	31.37	8.17	7.09	160.17	18.25	1.77	
		3:00	29.42	52.89	32.55	8.13	6.13	163.09	17.97	1.23	
		6:00	28.35	52.62	32.36	8.09	7.05	169.24	18.23	1.58	
		9:00	28.97	52.53	32.29	8.13	8.93	158.58	18.72	1.95	
		12:00	29.45	51.74	31.72	8.19	8.39	166.63	18.59	2.59	
		15:00	30.51	52.50	32.27	8.16	8.99	160.97	18.74	1.31	
		18:00	29.25	52.64	32.37	8.19	8.19	153.54	18.53	1.30	
		21:00	28.19	51.35	31.44	8.17	7.56	156.29	16.96	1.46	
	日平均值			29.23	52.19	32.05	8.15	7.79	161.06	18.25	1.65
	灣內站	0:00	30.75	52.64	32.37	8.14	7.65	157.62	3.63	2.54	
		3:00	30.46	52.73	32.44	8.10	5.65	158.18	3.14	2.62	
		6:00	30.44	52.61	32.35	8.06	5.33	171.22	2.71	1.97	
		9:00	30.37	52.45	32.23	8.10	5.79	182.47	3.59	2.58	
		12:00	31.11	52.17	32.03	8.16	6.53	185.64	3.55	2.21	
		15:00	31.50	51.70	31.69	8.13	7.60	179.13	3.96	2.36	
		18:00	31.42	52.53	32.29	8.16	5.95	191.85	2.79	1.90	
		21:00	31.08	52.48	32.26	8.14	5.99	221.75	2.77	2.31	
	日平均值			30.89	52.41	32.21	8.12	6.31	180.98	3.27	2.31
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月18日	蚵殼站	0:00	30.59	52.41	33.32	8.32	7.68	174.71	2.53	1.19	
		3:00	30.26	52.51	33.40	8.29	6.78	113.16	2.39	1.17	
		6:00	30.16	52.84	33.64	8.35	5.47	112.41	2.17	1.99	
		9:00	30.22	53.77	34.33	8.32	6.60	110.18	2.36	0.55	
		12:00	30.85	53.39	34.05	8.34	7.10	95.08	2.44	2.07	
		15:00	31.08	52.36	33.29	8.37	6.53	159.25	2.35	0.90	
		18:00	31.60	52.43	33.34	8.28	6.03	162.11	2.26	2.10	
		21:00	32.04	52.62	33.48	8.31	6.23	122.77	2.30	2.28	
	日平均值			30.85	52.79	33.61	8.32	6.55	131.21	2.35	1.53
	潮口站	0:00	30.05	51.02	31.21	8.15	8.73	142.11	16.51	2.09	
		3:00	29.89	53.28	32.83	8.17	7.64	148.27	17.97	0.53	
		6:00	28.02	53.55	33.03	8.16	7.40	156.01	17.00	2.51	
		9:00	28.37	52.79	32.48	8.17	8.85	155.46	17.53	2.49	
		12:00	30.23	51.95	31.87	8.26	8.04	151.21	17.12	2.21	
		15:00	30.61	51.90	31.84	8.29	8.57	155.49	18.43	0.57	
		18:00	30.19	52.25	32.09	8.25	8.40	156.80	16.88	1.09	
		21:00	28.69	52.05	31.95	8.24	7.36	166.29	16.69	1.32	
	日平均值			29.51	52.35	32.16	8.21	8.12	153.96	17.27	1.60
	灣內站	0:00	31.10	52.25	32.09	8.12	6.24	220.16	2.89	0.54	
		3:00	30.61	52.42	32.21	8.14	5.71	214.30	2.15	0.87	
		6:00	30.51	52.32	32.14	8.13	5.18	220.25	2.46	2.15	
		9:00	30.63	52.35	32.16	8.14	5.57	231.94	2.34	2.23	
		12:00	31.24	52.45	32.23	8.23	5.34	221.45	2.74	2.21	
		15:00	31.77	51.99	31.90	8.26	8.43	201.05	2.91	1.02	
		18:00	32.03	52.35	32.16	8.22	5.62	224.91	2.14	2.19	
		21:00	31.71	51.92	31.85	8.21	5.40	238.45	1.85	0.53	
	日平均值			31.20	52.26	32.09	8.18	5.94	221.56	2.44	1.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月19日	蚵殼站	0:00	31.62	52.55	33.43	8.32	6.60	163.98	2.36	1.97	
		3:00	30.98	52.26	33.21	8.32	5.49	156.71	1.98	1.88	
		6:00	30.21	52.61	33.47	8.37	5.08	139.74	2.09	0.28	
		9:00	30.34	53.80	34.35	8.34	5.49	177.48	2.17	0.39	
		12:00	30.65	53.53	34.15	8.34	6.01	183.96	2.26	0.77	
		15:00	30.98	52.94	33.71	8.40	6.07	165.19	2.27	0.62	
		18:00	31.41	52.55	33.43	8.40	5.63	168.28	2.19	0.50	
		21:00	30.62	52.60	33.46	8.42	6.16	171.02	2.29	1.82	
	日平均值			30.85	52.86	33.65	8.36	5.82	165.80	2.20	1.03
	潮口站	0:00	29.35	52.01	31.92	8.18	7.84	165.74	17.86	1.83	
		3:00	30.10	52.43	32.22	8.15	7.25	181.51	16.50	1.47	
		6:00	29.57	53.56	33.03	8.15	7.35	190.41	17.93	0.10	
		9:00	28.86	53.66	33.10	8.20	8.57	194.58	17.08	1.38	
		12:00	30.74	52.61	32.35	8.14	8.67	191.39	16.96	0.85	
		15:00	31.24	52.04	31.94	8.13	8.45	186.04	17.95	1.24	
		18:00	31.36	52.61	32.35	8.14	8.24	206.14	17.04	1.74	
		21:00	29.89	52.32	32.14	8.14	6.31	218.79	16.50	1.13	
	日平均值			30.14	52.66	32.38	8.15	7.84	191.83	17.23	1.22
	灣內站	0:00	31.44	51.36	31.45	8.15	5.49	241.83	1.75	0.92	
		3:00	31.08	52.50	32.27	8.12	5.56	242.05	2.08	1.56	
		6:00	31.03	52.42	32.21	8.12	5.60	234.42	1.96	2.46	
		9:00	31.00	52.16	32.03	8.17	6.04	239.12	2.15	0.74	
		12:00	30.38	52.17	32.03	8.11	7.22	242.59	3.23	0.31	
		15:00	29.88	51.33	31.43	8.10	8.23	222.18	4.28	0.62	
		18:00	29.59	51.71	31.70	8.11	5.43	218.52	3.82	2.16	
		21:00	29.71	52.02	31.92	8.11	5.22	226.79	2.68	1.92	
	日平均值			30.51	51.96	31.88	8.12	6.10	233.44	2.74	1.34
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月20日	蚵殼站	0:00	30.34	52.64	33.49	8.36	5.52	173.59	2.17	1.54	
		3:00	30.91	52.47	33.37	8.31	6.07	182.99	2.27	1.96	
		6:00	30.76	52.36	33.29	8.31	6.67	187.14	2.94	0.49	
		9:00	30.67	53.19	33.90	8.33	6.28	189.74	2.88	0.31	
		12:00	30.90	53.65	34.24	8.32	7.75	193.53	3.12	2.00	
		15:00	31.42	52.99	33.75	8.33	5.21	194.54	2.12	1.54	
		18:00	31.16	52.79	33.60	8.30	5.90	168.23	2.81	0.73	
		21:00	30.67	52.71	33.54	8.33	5.41	102.28	2.72	0.52	
	日平均值			30.85	52.85	33.65	8.32	6.10	174.01	2.63	1.14
	潮口站	0:00	30.22	51.60	31.62	8.12	5.78	226.34	16.51	1.95	
		3:00	30.23	53.19	32.77	8.17	7.14	228.23	16.57	0.89	
		6:00	30.07	53.87	33.26	8.10	6.47	231.65	19.57	0.31	
		9:00	29.91	53.96	33.32	8.09	6.73	232.37	16.68	1.12	
		12:00	30.88	53.03	32.65	8.15	6.42	225.71	16.92	3.10	
		15:00	31.21	52.81	32.49	8.17	8.81	224.64	17.20	1.73	
		18:00	30.86	52.73	32.44	8.16	6.51	231.84	16.78	0.41	
		21:00	30.14	52.87	32.54	8.14	6.81	240.06	16.61	1.98	
	日平均值			30.44	53.01	32.64	8.14	6.83	230.11	17.11	1.44
	灣內站	0:00	30.43	52.37	32.18	8.09	5.12	237.55	2.25	1.05	
		3:00	29.68	52.30	32.13	8.14	6.56	229.60	2.54	2.08	
		6:00	29.29	52.35	32.16	8.07	6.09	230.10	4.21	0.19	
		9:00	29.65	52.45	32.23	8.06	5.93	234.01	2.90	1.74	
		12:00	30.29	52.34	32.15	8.12	5.40	248.28	3.65	1.87	
		15:00	30.56	52.29	32.12	8.14	7.82	239.81	4.26	2.31	
		18:00	30.47	51.81	31.77	8.13	6.33	240.03	3.01	2.08	
		21:00	30.41	51.99	31.90	8.11	5.99	154.75	2.64	1.56	
	日平均值			30.10	52.24	32.08	8.11	6.16	226.77	3.18	1.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月21日	蚵殼站	0:00	31.02	52.80	33.61	8.36	5.90	176.37	2.81	0.13	
		3:00	29.92	52.70	33.54	8.37	5.21	171.87	2.69	0.70	
		6:00	29.85	52.74	33.57	8.36	5.34	180.77	2.71	2.01	
		9:00	31.66	52.90	33.69	8.29	5.47	92.75	2.17	2.50	
		12:00	32.17	53.26	33.95	8.28	7.87	123.80	2.55	1.37	
		15:00	32.10	52.87	33.66	8.25	6.73	169.80	2.38	0.79	
		18:00	30.60	52.34	33.27	8.24	5.75	133.94	2.78	3.13	
		21:00	30.07	52.16	33.14	8.30	6.34	79.39	2.89	1.74	
	日平均值			30.92	52.72	33.55	8.31	6.08	141.09	2.62	1.55
	潮口站	0:00	29.88	52.79	32.48	8.13	5.94	246.73	16.50	2.57	
		3:00	30.36	53.06	32.67	8.17	5.78	245.46	16.50	0.96	
		6:00	30.34	53.93	33.30	8.14	5.85	248.46	16.74	0.49	
		9:00	30.70	53.88	33.26	8.12	5.52	248.28	16.56	0.80	
		12:00	31.01	53.61	33.07	8.15	8.43	244.16	16.51	2.83	
		15:00	31.11	53.01	32.64	8.13	8.18	237.39	16.65	1.33	
		18:00	31.38	53.22	32.79	8.15	8.82	236.46	16.51	1.72	
		21:00	30.74	52.89	32.55	8.11	6.90	235.29	16.60	1.85	
	日平均值			30.69	53.30	32.85	8.14	6.93	242.78	16.57	1.57
	灣內站	0:00	30.37	52.24	32.08	8.10	5.73	169.12	1.92	3.05	
		3:00	30.36	52.25	32.09	8.14	5.41	146.28	2.15	0.92	
		6:00	30.28	52.17	32.03	8.11	5.32	142.06	1.21	1.25	
		9:00	30.86	52.29	32.12	8.09	6.98	145.27	1.85	1.51	
		12:00	31.68	52.03	31.93	8.12	7.28	226.38	1.89	0.72	
		15:00	32.33	52.08	31.97	8.10	7.99	237.60	2.01	0.41	
		18:00	32.48	51.92	31.85	8.12	8.20	241.95	2.09	1.49	
		21:00	32.32	51.78	31.75	8.08	6.43	237.22	1.80	0.76	
	日平均值			31.34	52.10	31.98	8.11	6.67	193.24	1.87	1.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月22日	蚵殼站	0:00	29.91	52.34	33.27	8.32	5.74	166.76	2.78	1.96	
		3:00	29.53	52.71	33.54	8.34	5.14	181.66	2.67	1.74	
		6:00	29.44	52.88	33.67	8.27	5.53	172.20	2.74	1.65	
		9:00	29.97	52.86	33.66	8.27	5.01	164.98	2.08	3.54	
		12:00	30.76	52.73	33.56	8.29	6.48	148.04	2.34	0.58	
		15:00	31.26	52.72	33.55	8.30	7.47	99.96	2.49	1.04	
		18:00	31.12	52.83	33.63	8.33	6.01	133.76	2.26	0.10	
		21:00	30.76	52.88	33.67	8.33	6.48	162.00	2.34	4.01	
	日平均值			30.34	52.74	33.57	8.31	5.98	153.67	2.46	1.83
	潮口站	0:00	30.11	52.29	32.12	8.09	5.39	218.05	16.51	2.82	
		3:00	30.74	51.69	31.69	8.13	5.51	243.64	16.57	2.14	
		6:00	31.01	53.32	32.86	8.12	5.82	207.18	16.57	0.32	
		9:00	31.59	53.81	33.21	8.13	7.49	230.89	17.04	1.28	
		12:00	31.61	53.03	32.65	8.15	8.53	239.54	16.61	1.41	
		15:00	32.09	52.46	32.24	8.16	8.95	236.68	17.38	0.15	
		18:00	31.97	52.97	32.61	8.17	8.50	236.48	16.64	1.90	
		21:00	31.57	52.93	32.58	8.13	7.07	236.24	16.55	0.36	
	日平均值			31.34	52.81	32.50	8.14	7.16	231.09	16.73	1.30
	灣內站	0:00	31.80	51.97	31.89	8.06	5.24	180.33	1.58	3.99	
		3:00	31.50	52.07	31.96	8.10	6.56	158.62	1.14	3.40	
		6:00	31.37	51.44	31.51	8.09	7.14	144.24	1.42	4.46	
		9:00	31.92	51.89	31.83	8.10	7.07	187.45	2.27	3.63	
		12:00	32.43	51.66	31.67	8.12	6.96	240.41	2.27	2.87	
		15:00	32.87	51.73	31.72	8.13	6.92	247.57	2.20	1.04	
		18:00	32.98	51.97	31.89	8.14	5.71	252.83	2.56	0.87	
		21:00	32.73	52.03	31.93	8.10	5.60	251.81	2.22	1.72	
	日平均值			32.20	51.85	31.80	8.11	6.40	207.91	1.96	2.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月23日	蚵殼站	0:00	30.62	52.93	33.71	8.34	5.52	178.86	2.17	0.50	
		3:00	29.89	53.28	33.97	8.33	5.35	151.87	2.71	2.18	
		6:00	29.49	53.34	34.01	8.29	5.12	97.95	2.67	1.08	
		9:00	31.58	53.14	33.86	8.30	6.39	110.84	2.32	0.21	
		12:00	31.22	52.84	33.64	8.33	7.85	166.89	2.55	0.44	
		15:00	31.77	54.10	34.57	8.31	7.90	158.35	2.56	1.25	
		18:00	31.32	53.93	34.45	8.32	7.75	160.62	2.54	0.30	
		21:00	31.45	53.69	34.27	8.29	7.64	137.33	2.52	0.46	
	日平均值			30.92	53.41	34.06	8.31	6.69	145.34	2.51	0.80
	潮口站	0:00	31.01	52.61	32.35	8.10	8.58	240.30	16.80	0.03	
		3:00	31.15	52.71	32.42	8.14	7.30	245.93	16.50	0.03	
		6:00	31.62	53.04	32.66	8.11	7.30	249.55	16.52	2.00	
		9:00	31.91	53.97	33.33	8.14	7.82	216.31	16.57	0.01	
		12:00	32.16	53.59	33.05	8.17	8.94	216.14	17.21	0.28	
		15:00	31.98	52.56	32.31	8.18	8.65	226.89	17.37	0.71	
		18:00	31.88	52.63	32.36	8.17	7.98	244.19	17.15	2.58	
		21:00	31.50	52.82	32.50	8.12	7.03	246.33	17.04	1.67	
	日平均值			31.65	52.99	32.62	8.14	7.95	235.71	16.90	0.91
	灣內站	0:00	32.35	51.86	31.81	8.07	5.28	192.40	1.90	0.45	
		3:00	32.09	51.74	31.72	8.11	5.15	162.21	2.46	0.67	
		6:00	31.97	51.84	31.79	8.08	5.12	165.42	2.12	1.54	
		9:00	32.28	51.92	31.85	8.11	5.28	222.01	2.38	0.21	
		12:00	32.52	51.99	31.90	8.14	6.16	201.24	3.04	0.53	
		15:00	32.60	52.05	31.95	8.15	6.51	216.57	4.08	0.90	
		18:00	32.43	52.13	32.00	8.14	6.32	224.46	5.13	1.31	
		21:00	32.20	52.10	31.98	8.09	5.34	233.00	3.03	1.92	
	日平均值			32.31	51.95	31.88	8.11	5.65	202.16	3.02	0.94
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月24日	蚵殼站	0:00	31.52	53.29	33.97	8.27	7.19	88.98	2.45	2.51	
		3:00	31.20	52.53	33.41	8.31	7.24	166.09	2.46	1.87	
		6:00	29.79	52.76	33.58	8.29	7.66	179.32	2.52	1.69	
		9:00	30.98	53.16	33.88	8.30	7.59	166.43	2.51	0.14	
		12:00	31.73	53.34	34.01	8.31	8.25	146.43	2.61	2.29	
		15:00	31.62	53.14	33.86	8.28	8.11	169.83	2.59	1.58	
		18:00	31.34	52.66	33.51	8.25	7.71	162.16	2.53	1.19	
		21:00	31.08	52.62	33.48	8.20	7.61	117.13	2.52	0.05	
	日平均值			31.16	52.94	33.71	8.28	7.67	149.55	2.52	1.42
	潮口站	0:00	30.00	52.75	32.45	8.10	7.38	249.84	16.55	0.38	
		3:00	30.36	52.46	32.24	8.05	7.77	249.64	16.55	0.29	
		6:00	30.95	52.81	32.49	8.04	7.79	246.37	16.51	0.30	
		9:00	30.99	54.00	33.35	8.07	7.38	235.30	16.63	1.05	
		12:00	31.59	53.73	33.15	8.11	7.44	236.80	16.64	0.26	
		15:00	31.84	53.14	32.73	8.13	7.13	235.25	16.56	2.10	
		18:00	31.63	52.75	32.45	8.16	7.45	240.02	16.86	0.12	
		21:00	31.73	52.80	32.49	8.13	8.43	238.86	16.72	1.84	
	日平均值			31.14	53.06	32.67	8.10	7.60	241.51	16.63	0.79
	灣內站	0:00	32.22	52.21	32.06	8.07	5.12	239.32	2.82	1.79	
		3:00	32.16	52.30	32.13	8.02	5.12	203.75	2.43	1.80	
		6:00	32.04	52.30	32.13	8.01	5.13	161.82	2.73	0.21	
		9:00	32.57	52.37	32.18	8.04	5.86	155.30	4.29	1.38	
		12:00	32.78	52.08	31.97	8.08	6.41	178.90	6.39	0.12	
		15:00	32.44	52.07	31.96	8.10	6.49	184.60	6.73	0.23	
		18:00	32.30	52.32	32.14	8.13	5.28	254.65	3.80	1.06	
		21:00	32.10	52.25	32.09	8.10	5.12	250.18	3.15	2.17	
	日平均值			32.33	52.24	32.08	8.07	5.57	203.57	4.04	1.10
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月25日	蚵殼站	0:00	30.89	52.19	33.16	8.24	7.31	88.61	2.47	1.86	
		3:00	30.56	52.47	33.37	8.25	6.37	90.96	2.32	1.90	
		6:00	29.87	53.05	33.80	8.23	7.29	185.22	2.47	5.18	
		9:00	30.52	53.63	34.23	8.26	7.36	135.75	2.48	2.33	
		12:00	31.15	53.16	33.88	8.27	8.23	160.09	2.61	0.46	
		15:00	31.38	52.54	33.42	8.27	8.13	170.69	2.59	2.10	
		18:00	31.91	52.24	33.20	8.23	8.06	148.32	2.58	5.15	
		21:00	31.32	52.69	33.53	8.25	7.64	179.35	2.52	2.10	
	日平均值			30.95	52.75	33.57	8.25	7.55	144.87	2.51	2.64
	潮口站	0:00	30.17	52.84	32.51	8.09	8.47	240.29	16.80	3.88	
		3:00	29.93	53.67	33.11	8.09	8.85	239.81	16.55	4.72	
		6:00	31.30	53.56	33.03	8.10	7.02	235.36	17.00	2.56	
		9:00	31.98	54.39	33.63	8.11	8.33	228.61	17.39	2.16	
		12:00	32.43	53.85	33.24	8.20	8.47	223.31	17.63	3.43	
		15:00	31.79	53.19	32.77	8.21	8.34	220.35	17.92	2.00	
		18:00	31.28	52.99	32.62	8.21	8.06	218.34	16.92	3.28	
		21:00	31.62	52.91	32.56	8.13	7.11	217.67	16.84	0.36	
	日平均值			31.31	53.43	32.93	8.14	8.08	227.97	17.13	2.80
	灣內站	0:00	32.01	52.30	32.13	8.06	5.12	224.82	2.78	4.59	
		3:00	31.95	52.30	32.13	8.06	6.85	157.93	3.47	2.90	
		6:00	31.86	52.38	32.18	8.07	5.12	152.79	4.25	4.23	
		9:00	32.22	52.53	32.29	8.08	6.85	205.72	4.22	4.91	
		12:00	32.70	52.24	32.08	8.17	7.30	242.32	4.14	0.86	
		15:00	32.99	52.35	32.16	8.18	7.57	249.11	4.00	5.58	
		18:00	32.97	52.30	32.13	8.18	7.40	256.55	3.58	2.38	
		21:00	32.46	52.43	32.22	8.10	5.50	251.74	2.72	4.97	
	日平均值			32.40	52.35	32.16	8.11	6.46	217.62	3.65	3.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月26日	蚵殼站	0:00	31.93	52.66	33.51	8.17	7.38	180.15	2.48	4.37	
		3:00	31.28	52.60	33.46	8.19	6.82	160.25	2.39	2.15	
		6:00	30.00	52.51	33.40	8.27	5.06	150.22	2.09	1.27	
		9:00	30.64	53.10	33.83	8.28	5.47	157.69	2.17	4.03	
		12:00	30.95	53.74	34.31	8.34	5.98	158.96	2.26	5.26	
		15:00	31.28	53.51	34.14	8.33	6.05	167.62	2.27	0.59	
		18:00	31.72	52.97	33.74	8.25	5.61	156.60	2.19	1.54	
		21:00	30.92	53.03	33.78	8.21	6.14	86.32	2.28	6.23	
	日平均值			31.09	53.02	33.77	8.26	6.06	152.23	2.27	3.18
	潮口站	0:00	30.19	53.00	32.63	8.08	8.15	217.61	16.72	6.29	
		3:00	29.38	52.90	32.56	8.07	6.44	218.66	16.72	4.85	
		6:00	31.60	53.34	32.87	8.08	7.53	209.95	17.41	5.26	
		9:00	32.45	54.10	33.42	8.11	7.85	203.00	18.02	4.40	
		12:00	32.77	54.46	33.68	8.22	7.98	199.41	18.13	2.69	
		15:00	31.81	54.07	33.40	8.24	8.31	196.17	18.83	5.18	
		18:00	31.05	53.14	32.73	8.17	8.49	198.03	17.90	0.82	
		21:00	31.35	53.06	32.67	8.10	8.74	198.44	17.35	4.69	
	日平均值			31.33	53.51	33.00	8.13	7.94	205.16	17.64	4.27
	灣內站	0:00	32.58	52.45	32.23	8.05	5.02	158.35	2.26	1.56	
		3:00	32.61	52.48	32.26	8.04	6.17	198.42	2.45	6.64	
		6:00	32.44	52.58	32.33	8.05	5.71	158.07	2.39	1.67	
		9:00	32.79	52.73	32.44	8.08	5.39	172.18	3.71	0.44	
		12:00	33.39	52.34	32.15	8.19	6.49	242.81	3.86	2.54	
		15:00	33.35	52.13	32.00	8.21	7.34	253.90	4.55	4.90	
		18:00	33.37	52.32	32.14	8.14	6.35	252.41	2.72	4.73	
		21:00	33.30	52.29	32.12	8.07	5.67	193.82	3.62	1.30	
	日平均值			32.98	52.42	32.21	8.10	6.02	203.75	3.20	2.97
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月27日	蚵殼站	0:00	30.22	53.32	34.00	8.14	5.49	171.51	2.17	2.57	
		3:00	31.21	53.71	34.29	8.13	6.05	162.04	2.27	1.21	
		6:00	31.06	53.38	34.04	8.12	5.64	171.65	2.76	0.97	
		9:00	30.97	54.03	34.52	8.22	5.34	102.51	2.71	0.73	
		12:00	31.20	54.23	34.67	8.35	5.78	167.12	2.79	1.62	
		15:00	31.73	52.89	33.68	8.39	5.19	172.57	2.11	0.52	
		18:00	31.47	52.12	33.11	8.40	5.44	175.40	2.73	0.09	
		21:00	30.97	52.07	33.07	8.30	5.24	118.22	2.69	2.59	
	日平均值			31.10	53.22	33.92	8.26	5.52	155.13	2.53	1.29
	潮口站	0:00	30.55	52.24	32.08	8.07	8.89	199.59	17.21	0.03	
		3:00	29.61	52.77	32.46	8.07	8.06	203.11	17.42	2.50	
		6:00	31.02	53.90	33.28	8.07	7.44	197.65	17.97	3.47	
		9:00	31.82	53.02	32.64	8.15	7.46	193.76	18.68	2.41	
		12:00	31.50	54.10	33.42	8.26	7.26	196.60	19.31	0.10	
		15:00	31.64	52.91	32.56	8.27	8.59	190.74	20.01	1.59	
		18:00	30.98	52.34	32.15	8.23	8.03	191.54	19.28	1.44	
		21:00	30.83	53.20	32.77	8.16	5.62	191.46	18.47	1.72	
	日平均值			30.99	53.06	32.67	8.16	7.67	195.56	18.54	1.66
	灣內站	0:00	33.13	51.88	31.82	8.04	6.78	123.01	3.96	1.44	
		3:00	32.71	52.33	32.15	8.04	6.07	121.00	3.25	0.87	
		6:00	32.50	53.53	33.01	8.04	5.79	170.09	3.03	1.16	
		9:00	32.66	53.63	33.08	8.12	6.84	230.92	4.06	2.51	
		12:00	33.06	52.52	32.28	8.23	6.47	250.32	3.80	1.34	
		15:00	33.30	51.92	31.85	8.24	6.30	261.25	6.10	1.55	
		18:00	33.24	52.52	32.28	8.20	5.84	262.82	4.52	2.53	
		21:00	33.11	52.21	32.06	8.13	5.30	268.18	3.87	2.33	
	日平均值			32.96	52.57	32.32	8.13	6.17	210.95	4.07	1.72
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月28日	蚵殼站	0:00	31.32	52.75	33.57	8.21	5.01	124.46	2.65	1.24	
		3:00	30.21	53.03	33.78	8.21	6.46	154.87	2.33	0.21	
		6:00	30.14	54.16	34.62	8.17	5.73	218.29	2.78	3.87	
		9:00	31.97	54.06	34.54	8.17	5.06	183.93	2.09	3.69	
		12:00	32.49	53.69	34.27	8.36	5.06	157.49	2.66	2.90	
		15:00	32.42	52.99	33.75	8.37	5.43	165.13	2.16	3.58	
		18:00	30.90	52.78	33.60	8.29	5.56	160.45	2.18	0.23	
		21:00	30.82	52.82	33.63	8.22	5.32	136.11	2.71	1.96	
	日平均值			31.28	53.29	33.97	8.25	5.45	162.59	2.45	2.21
	潮口站	0:00	30.83	53.14	32.73	8.14	5.92	193.16	16.52	2.64	
		3:00	29.03	53.03	32.65	8.16	7.38	199.08	16.55	3.52	
		6:00	29.96	52.85	32.52	8.08	8.94	196.89	17.13	2.03	
		9:00	31.42	53.00	32.63	8.16	8.37	189.63	17.82	1.41	
		12:00	30.95	54.24	33.52	8.30	8.50	194.31	19.13	0.28	
		15:00	31.03	53.79	33.20	8.30	8.31	190.31	20.21	0.51	
		18:00	30.32	53.73	33.15	8.23	7.33	192.20	18.83	2.21	
		21:00	30.56	53.86	33.25	8.19	7.46	194.28	18.69	4.54	
	日平均值			30.51	53.46	32.96	8.20	7.78	193.73	18.11	2.14
	灣內站	0:00	32.73	51.45	31.51	8.11	6.38	269.96	3.62	1.74	
		3:00	32.41	53.14	32.73	8.13	6.04	274.12	3.54	1.31	
		6:00	32.19	53.86	33.25	8.05	5.81	180.78	3.64	1.56	
		9:00	32.39	53.95	33.31	8.13	5.95	219.68	4.22	3.63	
		12:00	32.83	52.97	32.61	8.27	5.87	255.83	4.92	2.15	
		15:00	32.83	52.73	32.44	8.27	6.15	262.84	5.93	4.21	
		18:00	32.47	52.65	32.38	8.20	5.00	268.91	3.81	1.03	
		21:00	32.63	52.80	32.49	8.16	6.29	270.68	4.86	1.68	
	日平均值			32.56	52.94	32.59	8.17	5.94	250.35	4.32	2.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月29日	蚵殼站	0:00	30.68	53.32	34.00	8.19	5.12	161.72	2.10	2.97	
		3:00	29.82	53.71	34.29	8.14	5.34	129.38	2.71	0.23	
		6:00	29.73	53.38	34.04	8.09	5.56	123.38	2.75	0.41	
		9:00	31.27	54.03	34.52	8.25	5.32	76.21	2.71	4.72	
		12:00	30.95	53.97	34.48	8.33	5.34	163.60	2.71	2.23	
		15:00	31.48	52.89	33.68	8.35	5.30	173.37	2.13	0.10	
		18:00	30.80	52.12	33.11	8.31	5.87	189.52	2.24	0.49	
		21:00	30.29	52.07	33.07	8.24	5.47	143.85	2.17	3.15	
	日平均值			30.63	53.19	33.90	8.24	5.42	145.13	2.44	1.79
	潮口站	0:00	31.02	53.42	32.93	8.12	5.30	189.33	18.77	0.64	
		3:00	29.18	53.18	32.76	8.12	6.66	197.10	18.40	0.29	
		6:00	29.38	54.53	33.73	8.06	7.13	197.94	18.75	4.66	
		9:00	31.28	53.80	33.21	8.11	6.98	191.04	20.77	4.85	
		12:00	30.85	53.20	32.77	8.30	5.00	194.88	22.72	1.47	
		15:00	30.83	53.58	33.05	8.30	8.49	192.99	25.10	2.47	
		18:00	30.12	52.10	31.98	8.23	7.11	193.48	22.65	0.99	
		21:00	30.36	52.01	31.92	8.08	7.33	194.64	22.77	2.51	
	日平均值			30.38	53.23	32.79	8.17	6.75	193.93	21.24	2.24
	灣內站	0:00	32.27	52.71	32.42	8.09	5.95	273.76	2.88	0.48	
		3:00	31.73	53.00	32.63	8.09	5.79	277.81	2.93	2.28	
		6:00	31.15	53.92	33.29	8.03	5.69	236.14	3.06	1.46	
		9:00	31.76	53.87	33.26	8.08	6.80	251.25	3.60	3.86	
		12:00	32.16	53.58	33.05	8.27	5.89	263.40	4.30	2.15	
		15:00	32.24	52.94	32.59	8.27	6.16	271.29	6.57	2.26	
		18:00	32.02	53.17	32.75	8.20	5.43	274.65	5.12	1.98	
		21:00	31.78	52.82	32.50	8.05	6.48	267.89	3.69	0.03	
	日平均值			31.89	53.25	32.81	8.14	6.02	264.52	4.02	1.81
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月30日	蚵殼站	0:00	32.51	52.14	33.12	8.16	8.47	94.61	2.64	1.85	
		3:00	31.41	52.97	33.74	8.08	8.47	147.00	2.64	1.46	
		6:00	31.34	53.33	34.00	8.04	7.26	154.48	2.46	1.47	
		9:00	33.15	53.42	34.07	8.07	5.74	153.38	2.21	2.46	
		12:00	33.66	53.01	33.77	8.31	7.19	163.65	2.45	4.00	
		15:00	33.59	52.34	33.27	8.31	6.53	180.46	2.35	2.14	
		18:00	32.09	52.18	33.15	8.25	6.78	195.31	2.39	7.27	
		21:00	32.00	52.28	33.23	8.16	6.30	94.97	2.31	2.36	
	日平均值			32.47	52.71	33.54	8.17	7.09	147.98	2.43	2.88
	潮口站	0:00	30.48	53.32	32.86	8.03	5.47	198.94	23.35	3.96	
		3:00	29.55	53.85	33.24	8.03	6.67	203.61	23.88	5.14	
		6:00	29.46	54.06	33.39	8.00	6.36	202.64	23.52	2.28	
		9:00	31.23	54.27	33.54	8.00	8.47	197.41	25.76	2.02	
		12:00	30.94	54.15	33.46	8.28	7.23	199.95	28.48	0.46	
		15:00	30.82	53.78	33.19	8.31	8.99	201.08	30.05	0.10	
		18:00	30.17	53.38	32.90	8.24	7.63	201.99	29.28	3.10	
		21:00	30.07	53.44	32.95	8.17	5.62	203.63	29.55	0.74	
	日平均值			30.34	53.78	33.19	8.13	7.06	201.16	26.73	2.23
	灣內站	0:00	31.63	52.18	32.04	8.00	6.08	164.71	3.04	5.90	
		3:00	31.40	51.54	31.58	8.00	5.94	155.63	3.55	0.41	
		6:00	31.16	53.27	32.82	7.97	5.66	170.32	2.75	2.41	
		9:00	31.41	53.79	33.20	7.97	5.98	198.65	3.72	1.15	
		12:00	31.67	52.97	32.61	8.25	6.37	230.49	5.13	1.99	
		15:00	31.66	52.36	32.17	8.28	7.47	249.84	6.43	5.56	
		18:00	31.46	52.90	32.56	8.21	5.69	259.45	4.70	3.41	
		21:00	31.43	52.86	32.53	8.14	6.78	265.81	4.80	2.35	
	日平均值			31.48	52.73	32.44	8.10	6.25	211.86	4.27	2.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
7月31日	蚵殼站	0:00	31.88	52.75	33.57	8.07	6.34	165.78	2.89	2.03	
		3:00	31.02	53.50	34.13	8.07	6.02	125.34	2.83	0.95	
		6:00	30.93	52.71	33.54	8.01	7.24	146.29	2.75	0.80	
		9:00	32.46	52.50	33.39	8.11	5.72	117.32	2.21	0.56	
		12:00	32.15	53.10	33.83	8.31	6.71	130.75	2.38	2.17	
		15:00	32.66	52.76	33.58	8.37	6.92	173.97	2.41	0.76	
		18:00	31.99	51.48	32.63	8.31	5.38	61.73	2.15	1.56	
		21:00	31.49	52.60	33.46	8.20	6.34	164.65	2.89	0.36	
	日平均值			31.82	52.68	33.52	8.18	6.33	135.73	2.56	1.15
	潮口站	0:00	30.22	51.65	31.66	8.14	5.96	203.27	30.05	3.75	
		3:00	29.45	53.35	32.88	8.03	5.25	208.24	29.19	1.22	
		6:00	28.86	54.07	33.40	8.01	7.15	210.79	29.58	0.96	
		9:00	30.19	54.17	33.47	8.09	8.63	204.98	30.77	0.03	
		12:00	30.76	53.18	32.76	8.19	8.04	205.53	32.87	0.47	
		15:00	30.90	52.94	32.59	8.24	8.99	205.73	32.38	2.03	
		18:00	29.73	52.86	32.53	8.18	6.79	208.18	31.29	4.31	
		21:00	30.04	53.01	32.64	8.07	7.08	209.08	30.93	1.51	
	日平均值			30.02	53.15	32.74	8.12	7.24	206.98	30.88	1.79
	灣內站	0:00	31.37	52.52	32.28	8.11	6.20	268.75	4.50	2.42	
		3:00	31.24	52.63	32.36	8.00	5.91	193.96	3.14	2.37	
		6:00	31.05	52.98	32.62	7.98	5.67	187.58	1.99	2.74	
		9:00	30.87	53.96	33.32	8.06	5.15	258.28	2.72	1.02	
		12:00	31.39	53.56	33.03	8.16	5.58	267.69	2.47	1.05	
		15:00	31.43	52.47	32.25	8.21	6.64	269.68	3.09	1.41	
		18:00	31.33	52.54	32.30	8.15	5.80	274.33	2.48	0.18	
		21:00	31.17	52.74	32.44	8.04	7.13	271.66	1.90	2.15	
	日平均值			31.23	52.93	32.58	8.09	6.01	248.99	2.79	1.67
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月1日	蚵殼站	0:00	32.11	52.64	33.49	8.15	6.46	109.72	2.33	0.64	
		3:00	31.38	52.81	33.62	8.14	5.67	80.92	2.20	0.85	
		6:00	30.98	53.60	34.20	8.05	5.23	77.77	2.69	3.10	
		9:00	33.07	52.78	33.60	8.03	7.52	99.04	2.50	1.06	
		12:00	32.71	53.23	33.93	8.16	5.63	110.88	2.19	4.53	
		15:00	33.26	52.80	33.61	8.31	5.76	129.53	2.22	0.53	
		18:00	32.81	52.89	33.68	8.32	6.92	117.19	2.41	1.74	
		21:00	31.95	52.70	33.54	8.18	5.38	151.22	2.15	7.37	
	日平均值			32.28	52.93	33.71	8.17	6.07	109.53	2.34	2.48
	潮口站	0:00	30.39	52.92	32.57	7.96	7.87	205.01	30.62	3.31	
		3:00	29.78	53.21	32.78	8.02	6.16	207.36	32.04	4.89	
		6:00	28.25	54.14	33.45	7.99	6.86	209.20	31.84	7.64	
		9:00	29.64	54.08	33.41	8.03	8.08	204.93	31.86	5.34	
		12:00	30.86	53.79	33.20	8.03	7.85	201.05	32.75	3.38	
		15:00	31.03	53.15	32.74	8.15	7.45	200.44	34.57	7.67	
		18:00	29.50	53.38	32.90	8.12	7.09	204.65	30.73	0.76	
		21:00	29.54	53.03	32.65	8.05	6.66	205.14	30.70	5.90	
	日平均值			29.87	53.46	32.96	8.04	7.25	204.72	31.89	4.86
	灣內站	0:00	31.02	52.67	32.39	7.93	6.75	169.13	2.32	2.92	
		3:00	30.83	52.36	32.17	7.99	5.49	209.59	2.44	1.22	
		6:00	30.75	52.73	32.44	7.96	5.31	150.16	1.55	2.50	
		9:00	30.67	53.99	33.34	8.00	5.52	224.82	2.18	0.78	
		12:00	30.98	53.71	33.14	8.00	5.87	211.61	2.26	6.69	
		15:00	31.30	53.08	32.69	8.12	7.09	265.55	3.06	1.17	
		18:00	31.05	52.67	32.39	8.09	5.52	275.82	2.57	2.29	
		21:00	30.87	52.72	32.43	8.02	5.41	260.57	2.67	4.09	
	日平均值			30.93	52.99	32.62	8.01	5.87	220.91	2.38	2.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準→				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月2日	蚵殼站	0:00	33.01	53.40	34.06	8.25	5.10	99.66	2.10	0.39	
		3:00	32.69	52.89	33.68	8.27	8.43	133.48	3.23	2.97	
		6:00	31.28	52.90	33.69	8.16	5.34	119.90	2.71	2.30	
		9:00	32.47	51.70	32.80	8.03	5.33	86.00	2.71	3.88	
		12:00	33.22	51.90	32.94	8.09	6.33	139.35	2.89	1.13	
		15:00	33.11	52.64	33.49	8.25	6.39	159.81	2.90	2.97	
		18:00	32.84	52.71	33.54	8.33	5.34	118.50	2.71	0.05	
		21:00	32.57	52.76	33.58	8.28	6.30	153.08	2.88	4.00	
	日平均值			32.65	52.61	33.47	8.21	6.07	126.22	2.77	2.21
	潮口站	0:00	30.38	52.39	32.19	8.05	8.09	195.99	30.30	0.90	
		3:00	30.00	51.75	31.73	8.10	7.17	198.24	30.20	2.11	
		6:00	28.25	53.49	32.98	8.14	7.11	203.81	29.85	2.18	
		9:00	28.64	54.01	33.36	8.21	6.79	203.14	30.66	3.92	
		12:00	29.60	53.18	32.76	8.16	8.09	199.26	30.53	0.24	
		15:00	30.03	52.57	32.32	8.15	7.84	195.37	34.02	4.45	
		18:00	29.26	53.11	32.71	8.21	8.08	195.47	28.99	3.64	
		21:00	28.75	53.07	32.68	8.13	6.83	201.06	25.40	2.22	
	日平均值			29.36	52.95	32.59	8.14	7.50	199.04	29.99	2.46
	灣內站	0:00	30.63	52.76	32.46	8.02	6.48	270.56	2.32	2.12	
		3:00	30.50	53.64	33.09	8.07	6.52	277.39	3.15	2.89	
		6:00	30.36	53.53	33.01	8.11	6.44	279.36	3.36	1.67	
		9:00	30.11	54.41	33.64	8.18	6.78	276.87	3.38	2.22	
		12:00	30.17	53.84	33.23	8.13	6.02	280.31	4.55	3.78	
		15:00	30.29	53.14	32.73	8.12	7.68	282.08	3.13	0.05	
		18:00	30.28	52.92	32.57	8.18	8.07	280.12	4.26	3.07	
		21:00	29.79	52.84	32.51	8.10	7.03	283.94	4.52	4.03	
	日平均值			30.27	53.39	32.91	8.11	6.88	278.83	3.58	2.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準→				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月3日	蚵殼站	0:00	32.38	53.60	34.20	8.25	6.43	160.99	3.78	0.22	
		3:00	32.05	52.69	33.53	8.16	6.07	179.06	3.63	2.54	
		6:00	31.36	52.60	33.46	8.18	6.97	151.03	4.00	0.61	
		9:00	32.01	52.10	33.09	8.11	8.16	103.14	4.48	1.60	
		12:00	32.64	52.36	33.29	8.18	8.90	169.22	4.76	1.79	
		15:00	32.88	52.33	33.26	8.19	7.18	165.37	4.09	0.75	
		18:00	33.40	51.70	32.80	8.17	7.59	183.56	4.25	0.90	
		21:00	32.81	52.55	33.43	8.13	7.20	116.75	4.10	2.49	
	日平均值			32.44	52.49	33.38	8.17	7.31	153.64	4.14	1.36
	潮口站	0:00	29.13	52.73	32.44	8.09	7.25	201.05	24.82	1.64	
		3:00	29.08	52.83	32.51	8.13	6.93	201.25	23.28	0.80	
		6:00	28.64	53.19	32.77	8.10	6.05	202.59	23.18	0.18	
		9:00	28.62	54.18	33.48	8.09	6.99	203.80	21.83	2.49	
		12:00	29.54	53.77	33.18	8.16	8.12	198.66	22.38	0.67	
		15:00	29.76	52.68	32.40	8.13	8.14	199.70	22.65	1.13	
		18:00	29.33	52.75	32.45	8.10	8.28	199.35	21.77	0.54	
		21:00	29.18	52.95	32.59	8.07	6.65	205.99	20.42	1.64	
	日平均值			29.16	53.14	32.73	8.11	7.30	201.55	22.54	1.14
	灣內站	0:00	29.73	52.93	32.58	8.06	8.23	285.53	2.90	0.51	
		3:00	29.53	52.83	32.51	8.10	7.89	287.86	2.42	0.04	
		6:00	29.35	53.29	32.84	8.07	5.63	285.35	2.37	0.77	
		9:00	29.47	54.10	33.42	8.06	6.91	284.51	2.64	0.93	
		12:00	29.67	54.48	33.69	8.13	7.56	281.96	3.00	1.72	
		15:00	29.37	54.07	33.40	8.10	6.96	284.78	8.18	1.03	
		18:00	28.99	53.08	32.69	8.07	5.94	286.09	4.58	0.67	
		21:00	29.08	53.00	32.63	8.04	5.48	286.64	2.64	2.31	
	日平均值			29.40	53.47	32.97	8.08	6.83	285.34	3.59	1.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月4日	蚵殼站	0:00	33.42	52.75	33.57	8.06	7.08	137.61	4.05	1.08	
		3:00	32.77	53.50	34.13	8.07	7.23	137.01	4.11	0.53	
		6:00	31.49	52.71	33.54	8.11	6.90	79.57	3.97	1.69	
		9:00	32.13	52.50	33.39	8.10	5.82	98.50	3.52	2.45	
		12:00	32.44	53.10	33.83	8.03	5.60	57.59	3.42	2.12	
		15:00	32.77	52.76	33.58	8.25	5.56	60.91	3.41	0.49	
		18:00	33.21	51.48	32.63	8.31	5.38	92.91	3.33	0.67	
		21:00	32.41	52.60	33.46	8.24	5.07	110.38	3.19	1.56	
	日平均值			32.58	52.68	33.52	8.15	6.08	96.81	3.63	1.32
	潮口站	0:00	29.12	52.88	32.54	8.05	6.10	207.26	20.37	1.53	
		3:00	28.90	52.57	32.32	7.99	5.18	206.24	20.89	1.93	
		6:00	29.01	52.94	32.59	7.96	5.66	206.81	19.37	2.59	
		9:00	29.57	54.21	33.50	8.12	6.82	201.66	19.21	2.15	
		12:00	29.86	53.92	33.29	8.21	8.99	201.64	20.58	0.62	
		15:00	30.13	53.29	32.84	8.24	7.57	201.53	19.82	1.85	
		18:00	29.95	52.88	32.54	8.23	6.97	201.50	22.00	2.02	
		21:00	29.61	52.93	32.58	8.18	6.03	203.23	18.86	0.75	
	日平均值			29.52	53.20	32.78	8.12	6.67	203.73	20.14	1.68
	灣內站	0:00	29.12	52.13	32.00	8.02	7.22	256.48	2.12	1.05	
		3:00	29.01	52.69	32.41	7.96	6.74	249.15	2.92	2.33	
		6:00	29.05	53.89	33.27	7.93	7.35	284.93	1.83	1.80	
		9:00	29.19	54.08	33.41	8.09	7.40	280.05	3.43	2.00	
		12:00	29.52	54.10	33.42	8.18	8.83	279.15	5.90	1.01	
		15:00	29.68	52.84	32.51	8.21	7.44	280.08	6.98	1.08	
		18:00	29.54	52.23	32.08	8.20	6.79	280.98	6.18	2.19	
		21:00	29.44	53.15	32.74	8.15	7.97	283.34	4.55	1.07	
	日平均值			29.32	53.14	32.73	8.09	7.47	274.27	4.24	1.57
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月5日	蚵殼站	0:00	31.71	52.64	33.49	8.06	5.29	101.29	3.29	1.36	
		3:00	32.70	52.81	33.62	8.05	5.27	157.92	3.28	4.10	
		6:00	32.55	53.60	34.20	8.08	5.48	146.01	3.37	1.19	
		9:00	32.46	52.78	33.60	8.14	5.67	90.05	3.45	0.85	
		12:00	32.69	53.23	33.93	8.15	5.68	80.22	3.46	1.00	
		15:00	33.22	52.80	33.61	8.21	7.00	61.31	3.60	0.66	
		18:00	32.96	52.89	33.68	8.24	8.00	108.37	3.59	2.54	
		21:00	32.46	52.70	33.54	8.20	6.03	109.11	3.61	3.30	
	日平均值			32.59	52.93	33.71	8.14	6.05	106.79	3.46	1.88
	潮口站	0:00	29.64	52.97	32.61	8.09	5.64	205.89	19.05	2.44	
		3:00	29.60	53.86	33.25	8.01	6.18	207.63	19.17	3.97	
		6:00	29.59	53.74	33.16	7.95	6.11	201.16	21.08	0.33	
		9:00	30.00	54.63	33.80	8.06	6.31	196.00	19.65	0.35	
		12:00	30.44	54.05	33.38	8.20	7.59	197.23	18.65	0.06	
		15:00	31.05	53.35	32.88	8.20	8.26	198.39	20.42	3.61	
		18:00	30.56	53.13	32.72	8.21	7.42	199.73	19.27	0.92	
		21:00	29.93	53.05	32.67	8.16	6.08	205.20	18.96	1.46	
	日平均值			30.10	53.60	33.06	8.11	6.70	201.40	19.53	1.64
	灣內站	0:00	29.42	53.08	32.69	8.06	6.16	285.30	3.58	1.46	
		3:00	29.40	52.97	32.61	7.98	5.68	240.69	3.47	1.35	
		6:00	29.41	52.77	32.46	7.92	6.86	182.36	3.43	0.28	
		9:00	29.83	53.99	33.34	8.03	7.15	249.22	4.11	2.21	
		12:00	30.85	54.31	33.57	8.17	7.44	274.06	2.97	1.31	
		15:00	31.24	54.34	33.59	8.17	7.24	275.45	3.04	2.14	
		18:00	31.05	53.71	33.14	8.18	7.37	278.52	5.92	1.73	
		21:00	30.15	53.85	33.24	8.13	8.50	282.09	3.42	1.90	
	日平均值			30.17	53.63	33.08	8.08	7.05	258.46	3.74	1.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月6日	蚵殼站	0:00	32.81	53.40	34.06	8.04	5.87	88.13	3.54	2.04	
		3:00	31.70	52.89	33.68	8.12	5.82	169.58	3.52	2.83	
		6:00	31.63	52.90	33.69	8.18	8.33	141.46	3.74	1.33	
		9:00	33.46	51.50	32.65	8.20	7.24	123.52	3.70	0.23	
		12:00	33.26	51.90	32.94	8.28	5.98	110.93	3.59	2.02	
		15:00	33.04	52.64	33.49	8.38	6.11	79.57	3.64	3.22	
		18:00	32.56	52.71	33.54	8.28	6.15	65.22	3.66	5.81	
		21:00	32.31	52.76	33.58	8.11	7.02	70.06	3.60	1.00	
	日平均值			32.60	52.59	33.45	8.20	6.57	106.06	3.62	2.31
	潮口站	0:00	29.87	53.14	32.73	8.04	5.60	207.11	18.84	1.57	
		3:00	30.10	53.04	32.66	8.00	6.20	208.09	19.74	3.31	
		6:00	30.19	53.51	33.00	8.00	5.77	207.80	19.95	7.46	
		9:00	30.48	54.32	33.58	8.18	5.90	197.76	19.76	0.93	
		12:00	31.11	54.70	33.85	8.23	7.58	196.12	19.25	7.85	
		15:00	30.90	54.28	33.55	8.24	8.21	193.91	19.87	1.78	
		18:00	30.57	53.29	32.84	8.19	7.70	194.01	19.37	0.80	
		21:00	30.38	53.21	32.78	8.05	7.54	201.42	19.79	5.33	
	日平均值			30.45	53.69	33.12	8.12	6.81	200.78	19.57	3.63
	灣內站	0:00	30.28	54.44	33.67	8.01	5.37	250.35	3.34	0.44	
		3:00	30.26	54.25	33.53	7.97	6.64	154.40	3.00	6.13	
		6:00	30.21	54.16	33.46	7.97	5.24	193.81	1.91	7.43	
		9:00	30.76	52.90	32.56	8.15	6.72	262.12	3.07	1.38	
		12:00	31.62	52.33	32.15	8.20	8.80	268.98	2.09	5.48	
		15:00	31.67	53.55	33.03	8.21	8.35	273.29	2.85	1.23	
		18:00	31.42	51.98	31.90	8.16	6.64	278.55	3.02	4.90	
		21:00	31.20	51.88	31.82	8.02	7.17	283.08	2.82	0.87	
	日平均值			30.93	53.19	32.76	8.09	6.87	245.57	2.76	3.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月7日	蚵殼站	0:00	32.18	53.60	34.20	8.08	6.31	67.57	3.73	1.23	
		3:00	31.47	52.69	33.53	8.07	6.60	114.50	3.85	1.97	
		6:00	31.81	52.60	33.46	8.05	5.95	123.73	3.57	1.63	
		9:00	32.76	52.10	33.09	8.04	5.20	85.68	3.51	2.18	
		12:00	32.44	52.36	33.29	8.03	5.86	90.69	3.54	0.64	
		15:00	32.97	52.33	33.26	8.00	6.99	91.03	3.59	2.52	
		18:00	32.29	50.60	31.98	7.97	5.87	104.26	3.54	2.43	
		21:00	31.78	51.80	32.87	8.02	5.29	93.07	3.51	0.36	
	日平均值			32.21	52.26	33.21	8.03	6.01	96.32	3.61	1.62
	潮口站	0:00	30.43	52.33	32.15	7.97	8.90	206.80	20.39	1.67	
		3:00	30.22	52.90	32.56	7.92	7.45	201.38	19.87	0.18	
		6:00	30.35	54.10	33.42	7.92	7.39	207.66	20.66	0.85	
		9:00	30.98	54.29	33.56	8.11	6.20	204.49	20.93	1.70	
		12:00	31.68	54.32	33.58	8.25	6.28	197.63	20.87	0.81	
		15:00	30.89	53.05	32.67	8.18	7.27	196.49	20.20	0.10	
		18:00	30.89	52.44	32.23	8.13	5.99	199.47	19.64	1.18	
		21:00	30.50	53.36	32.89	8.02	5.37	199.48	19.68	0.28	
	日平均值			30.74	53.35	32.88	8.06	6.86	201.68	20.28	0.85
	灣內站	0:00	31.07	53.27	32.82	7.94	6.54	131.21	2.33	0.92	
		3:00	30.94	53.84	33.23	7.89	6.69	187.71	3.34	2.32	
		6:00	30.92	52.18	32.04	7.89	5.08	174.45	3.63	1.94	
		9:00	31.51	54.92	34.01	8.08	6.90	250.27	3.92	0.46	
		12:00	31.94	53.21	32.78	8.22	7.71	265.96	3.52	1.87	
		15:00	31.87	53.76	33.18	8.15	8.12	275.58	4.05	0.90	
		18:00	31.78	53.34	32.87	8.10	6.84	279.78	5.75	0.11	
		21:00	31.42	53.40	32.92	7.99	6.78	283.56	4.02	0.79	
	日平均值			31.43	53.49	32.98	8.03	6.83	231.07	3.82	1.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月8日	蚵殼站	0:00	32.41	51.60	32.72	8.04	5.15	95.31	3.49	2.13	
		3:00	31.67	52.81	33.62	7.99	5.91	77.86	3.56	0.40	
		6:00	31.27	51.42	32.59	8.08	5.99	140.08	3.59	0.77	
		9:00	33.38	51.10	32.35	8.10	6.91	109.35	3.56	0.27	
		12:00	33.02	50.20	31.69	8.13	5.80	107.83	3.51	1.33	
		15:00	33.57	51.70	32.80	8.16	5.33	71.90	3.30	2.03	
		18:00	33.12	52.89	33.68	8.16	7.78	118.21	4.33	2.08	
		21:00	32.25	52.45	33.35	8.29	7.26	126.25	4.52	0.70	
	日平均值			32.59	51.77	32.85	8.12	6.27	105.85	3.73	1.21
	潮口站	0:00	29.98	53.29	32.84	8.06	7.19	207.94	20.29	0.22	
		3:00	30.26	53.18	32.76	8.02	6.71	209.60	20.61	0.87	
		6:00	30.41	52.98	32.62	8.03	6.28	209.09	21.00	2.03	
		9:00	30.98	54.21	33.50	8.04	6.92	206.66	21.13	0.80	
		12:00	31.35	54.53	33.73	8.25	6.31	195.48	21.10	2.47	
		15:00	31.56	54.56	33.75	8.28	6.31	190.24	23.55	0.62	
		18:00	30.96	53.92	33.29	8.26	8.08	189.14	20.66	0.67	
		21:00	30.59	54.06	33.39	8.20	6.50	194.69	20.90	0.50	
	日平均值			30.76	53.84	33.24	8.14	6.79	200.36	21.16	1.02
	灣內站	0:00	31.30	54.44	33.67	8.03	7.29	281.60	2.85	0.80	
		3:00	31.51	52.25	32.09	7.99	5.04	288.15	3.59	0.38	
		6:00	31.34	54.56	33.75	8.00	5.63	276.10	2.35	0.44	
		9:00	31.61	53.90	33.28	8.01	6.47	282.84	3.10	0.27	
		12:00	31.99	52.80	32.49	8.22	7.58	274.58	2.08	0.61	
		15:00	32.19	53.55	33.03	8.25	8.66	273.26	2.30	0.29	
		18:00	31.88	51.98	31.90	8.23	6.62	275.00	3.35	0.08	
		21:00	31.35	51.88	31.82	8.17	7.81	275.57	3.85	0.72	
	日平均值			31.65	53.17	32.75	8.11	6.89	278.39	2.93	0.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月9日	蚵殼站	0:00	32.00	52.64	33.49	8.23	7.76	123.15	5.58	2.35	
		3:00	31.66	52.81	33.62	8.11	7.58	85.01	2.43	1.33	
		6:00	31.84	53.60	34.20	8.06	7.16	146.59	3.22	1.67	
		9:00	32.54	52.78	33.60	8.18	6.97	104.78	5.44	0.86	
		12:00	32.62	53.23	33.93	8.34	7.59	118.89	4.53	0.91	
		15:00	30.84	52.80	33.61	8.32	8.67	113.27	4.83	1.23	
		18:00	31.12	52.89	33.68	8.26	6.20	106.26	1.30	2.55	
		21:00	30.98	52.70	33.54	8.19	8.82	134.07	0.13	1.86	
	日平均值			31.70	52.93	33.71	8.21	7.59	116.50	3.43	1.60
	潮口站	0:00	30.06	54.66	33.82	8.26	7.70	198.38	20.64	0.49	
		3:00	30.10	54.46	33.68	8.15	6.90	203.08	21.05	1.25	
		6:00	30.19	54.37	33.62	8.15	8.10	202.91	22.94	2.41	
		9:00	30.69	53.12	32.72	8.13	6.84	202.00	22.30	0.92	
		12:00	29.88	52.54	32.30	8.16	7.97	174.80	24.38	1.12	
		15:00	29.97	53.76	33.18	8.15	8.17	115.05	20.09	1.31	
		18:00	31.06	52.18	32.04	8.13	8.37	137.61	21.39	0.87	
		21:00	31.06	52.09	31.97	8.12	8.07	139.04	19.24	0.68	
	日平均值			30.38	53.40	32.92	8.16	7.77	171.61	21.50	1.13
	灣內站	0:00	31.06	52.53	32.29	8.23	5.24	274.72	3.14	1.38	
		3:00	30.94	52.63	32.36	8.12	5.35	233.82	3.83	1.23	
		6:00	30.88	52.97	32.61	8.12	5.11	246.04	3.71	1.62	
		9:00	30.34	53.90	33.28	8.10	5.36	179.92	12.22	1.23	
		12:00	32.17	53.52	33.00	8.13	6.71	162.16	4.04	1.97	
		15:00	31.95	52.48	32.26	8.12	6.75	175.83	8.37	2.15	
		18:00	31.37	52.55	32.31	8.10	6.24	177.71	5.18	0.79	
		21:00	31.16	52.75	32.45	8.09	6.31	189.92	3.59	1.39	
	日平均值			31.23	52.92	32.57	8.13	5.88	205.02	5.51	1.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月10日	蚵殼站	0:00	30.67	53.40	34.06	8.11	7.29	118.52	9.78	2.01	
		3:00	30.58	52.89	33.68	8.11	7.84	119.60	3.22	2.14	
		6:00	30.90	52.40	33.31	8.15	7.82	128.90	9.03	2.43	
		9:00	31.65	51.30	32.50	8.21	8.42	131.38	7.34	2.10	
		12:00	32.05	51.90	32.94	8.22	7.88	136.21	5.80	2.23	
		15:00	31.46	52.64	33.49	8.20	7.23	144.29	5.30	2.07	
		18:00	30.92	52.71	33.54	8.22	7.84	147.66	6.55	2.04	
		21:00	31.05	52.76	33.58	8.16	7.19	157.93	7.07	2.13	
	日平均值			31.16	52.50	33.39	8.17	7.69	135.56	6.76	2.14
	潮口站	0:00	30.37	52.30	32.13	8.10	7.88	149.51	22.72	2.23	
		3:00	30.15	51.69	31.69	8.11	7.56	159.45	22.57	2.23	
		6:00	30.59	53.33	32.87	8.12	8.52	166.32	20.69	2.23	
		9:00	31.38	53.52	33.00	8.12	8.01	175.09	59.75	2.13	
		12:00	31.84	53.04	32.66	8.15	7.95	140.83	57.81	2.33	
		15:00	31.31	52.47	32.25	8.16	8.45	149.96	22.35	2.12	
		18:00	30.86	52.98	32.62	8.13	7.79	147.99	20.63	2.20	
		21:00	31.07	52.94	32.59	8.15	8.65	151.59	18.92	2.36	
	日平均值			30.95	52.78	32.48	8.13	8.10	155.09	30.68	2.23
	灣內站	0:00	30.95	52.68	32.40	8.07	5.65	181.91	3.30	2.36	
		3:00	30.87	52.38	32.18	8.08	5.39	186.81	2.86	1.99	
		6:00	30.87	52.74	32.44	8.09	5.17	195.83	3.32	2.62	
		9:00	31.20	53.93	33.30	8.09	5.68	193.43	3.48	2.21	
		12:00	32.25	53.66	33.10	8.12	6.38	182.38	1.88	2.00	
		15:00	32.42	53.07	32.68	8.13	5.74	195.96	3.91	2.05	
		18:00	32.16	52.68	32.40	8.10	5.90	208.13	5.55	2.41	
		21:00	31.56	52.73	32.44	8.12	5.94	219.85	2.32	1.93	
	日平均值			31.54	52.98	32.62	8.10	5.73	195.54	3.33	2.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
8月11日	蚵殼站	0:00	30.84	53.60	34.20	8.08	7.49	165.11	6.24	0.60	
		3:00	30.20	52.69	33.53	8.14	7.95	172.99	5.37	0.86	
		6:00	30.60	52.60	33.46	8.11	8.61	178.32	6.32	1.65	
		9:00	30.86	52.10	33.09	8.14	8.83	180.63	6.28	1.06	
		12:00	31.31	52.36	33.29	8.18	6.38	180.28	6.54	2.08	
		15:00	31.12	52.33	33.26	8.22	7.78	183.81	3.52	0.50	
		18:00	31.34	51.50	32.65	8.20	6.60	198.06	6.10	2.23	
		21:00	31.08	52.55	33.43	8.10	8.17	212.12	1.00	0.60	
	日平均值			30.92	52.47	33.36	8.15	7.73	183.92	5.17	1.20
	潮口站	0:00	30.59	52.62	32.36	8.11	7.86	161.82	27.03	2.99	
		3:00	29.99	52.72	32.43	8.09	7.71	173.81	29.23	0.12	
		6:00	30.31	53.05	32.67	8.10	8.01	175.16	20.25	0.61	
		9:00	31.29	53.98	33.33	8.12	7.79	191.84	19.17	0.13	
		12:00	32.10	53.60	33.06	8.12	7.52	181.28	23.83	0.08	
		15:00	31.12	52.57	32.32	8.10	8.07	162.62	26.58	1.89	
		18:00	30.32	52.64	32.37	8.12	7.70	177.32	30.39	1.37	
		21:00	30.81	52.83	32.51	8.14	8.02	183.17	31.57	2.60	
	日平均值			30.82	53.00	32.63	8.11	7.84	175.88	26.01	1.22
	灣內站	0:00	31.26	52.77	32.46	8.08	5.71	229.95	2.65	2.01	
		3:00	31.16	52.59	32.33	8.06	5.21	241.56	1.92	0.37	
		6:00	31.14	52.48	32.26	8.07	6.79	240.21	4.61	0.36	
		9:00	31.46	53.32	32.86	8.09	5.54	222.37	4.03	1.34	
		12:00	32.46	53.78	33.19	8.09	7.40	214.88	4.74	0.51	
		15:00	32.02	53.12	32.72	8.07	7.08	226.28	4.72	0.92	
		18:00	31.64	52.92	32.57	8.09	6.38	238.00	2.35	0.65	
		21:00	31.46	52.84	32.51	8.11	5.96	242.67	1.54	0.44	
	日平均值			31.58	52.98	32.61	8.08	6.26	231.99	3.32	0.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
8月12日	蚵殼站	0:00	31.08	52.28	33.23	8.06	7.93	219.23	1.89	1.56	
		3:00	30.66	52.34	33.27	8.07	6.86	219.92	0.65	1.20	
		6:00	30.41	52.36	33.29	8.01	6.69	227.36	5.28	1.15	
		9:00	30.56	52.37	33.29	8.09	8.15	223.22	1.58	1.87	
		12:00	31.29	51.80	32.87	8.21	6.60	202.54	4.09	0.71	
		15:00	31.13	51.44	32.60	8.24	7.31	187.32	3.29	0.97	
		18:00	30.75	50.64	32.01	8.19	7.83	204.91	2.18	1.26	
		21:00	30.66	51.23	32.45	8.08	7.89	203.87	3.17	1.95	
	日平均值			30.82	51.81	32.88	8.12	7.41	211.05	2.77	1.33
	潮口站	0:00	30.50	52.76	32.46	8.11	7.25	179.13	23.33	0.55	
		3:00	28.94	52.47	32.25	8.10	7.61	194.62	30.64	0.52	
		6:00	29.64	52.82	32.50	8.07	7.70	189.37	31.54	1.84	
		9:00	31.12	54.01	33.36	8.10	7.98	200.44	22.50	1.99	
		12:00	31.67	53.74	33.16	8.18	7.40	204.70	28.78	1.33	
		15:00	30.84	53.15	32.74	8.20	8.67	176.09	24.24	2.27	
		18:00	30.15	52.76	32.46	8.10	7.59	182.22	26.49	0.90	
		21:00	30.59	52.81	32.49	8.07	7.78	191.57	49.24	0.49	
	日平均值			30.43	53.07	32.68	8.12	7.75	189.77	29.60	1.24
	灣內站	0:00	31.22	52.93	32.58	8.08	5.86	246.89	1.27	2.60	
		3:00	30.99	52.83	32.51	8.07	5.38	252.41	1.25	2.08	
		6:00	30.91	52.87	32.54	8.04	5.90	253.16	2.70	2.22	
		9:00	31.17	53.03	32.65	8.07	5.76	247.78	2.44	1.54	
		12:00	32.07	53.39	32.91	8.15	6.98	220.77	2.73	1.23	
		15:00	32.21	53.00	32.63	8.17	7.32	214.60	3.15	1.42	
		18:00	31.80	52.46	32.24	8.07	6.74	236.55	3.56	1.62	
		21:00	31.70	52.28	32.11	8.04	6.57	243.37	2.88	0.49	
	日平均值			31.51	52.85	32.52	8.09	6.31	239.44	2.50	1.65
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月13日	蚵殼站	0:00	30.66	52.39	33.31	8.05	8.12	209.99	5.29	5.78	
		3:00	30.55	52.37	33.29	8.03	7.59	199.63	0.79	10.56	
		6:00	29.88	52.31	33.25	8.02	7.19	201.73	2.14	0.64	
		9:00	29.87	52.14	33.12	8.07	8.90	193.08	3.29	0.09	
		12:00	30.19	51.79	32.86	8.22	7.62	186.87	3.38	0.96	
		15:00	30.32	52.30	33.24	8.29	7.05	178.64	1.73	4.51	
		18:00	30.63	51.69	32.79	8.24	8.46	192.06	4.23	6.21	
		21:00	30.87	51.54	32.68	8.09	7.52	198.66	1.34	1.13	
	日平均值			30.37	52.07	33.07	8.13	7.81	195.08	2.77	3.74
	潮口站	0:00	29.96	52.85	32.52	8.05	7.40	182.22	22.97	10.57	
		3:00	28.87	52.68	32.40	8.03	7.58	201.07	30.64	6.11	
		6:00	29.27	52.57	32.32	8.03	7.81	200.44	22.38	6.02	
		9:00	30.94	53.40	32.92	8.04	7.71	201.34	27.62	7.16	
		12:00	31.52	53.86	33.25	8.20	7.01	217.55	28.23	1.48	
		15:00	30.57	53.20	32.77	8.22	8.05	205.43	25.74	1.68	
		18:00	30.06	53.00	32.63	8.11	7.38	186.91	21.73	0.62	
		21:00	30.15	52.92	32.57	8.09	8.25	192.25	18.80	7.85	
	日平均值			30.17	53.06	32.67	8.10	7.65	198.40	24.76	5.19
	灣內站	0:00	31.66	52.46	32.24	8.02	5.67	241.28	2.06	5.75	
		3:00	31.29	52.84	32.51	8.00	5.64	246.73	1.77	7.59	
		6:00	31.12	53.01	32.64	8.00	5.33	252.66	2.58	0.65	
		9:00	31.11	52.99	32.62	8.01	5.57	250.72	2.18	2.26	
		12:00	32.17	52.86	32.53	8.17	7.57	229.24	3.35	11.72	
		15:00	32.35	52.85	32.52	8.19	6.82	224.73	3.23	4.86	
		18:00	31.71	52.96	32.60	8.08	6.62	239.33	2.95	2.56	
		21:00	31.28	53.01	32.64	8.06	5.90	243.51	7.05	0.16	
	日平均值			31.59	52.87	32.54	8.07	6.14	241.03	3.15	4.44
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月14日	蚵殼站	0:00	30.86	51.54	32.68	8.14	7.94	197.78	2.33	0.57	
		3:00	30.56	51.06	32.32	8.08	8.20	200.85	2.20	1.28	
		6:00	29.91	52.11	33.10	8.05	6.72	205.78	2.69	2.20	
		9:00	29.96	51.74	32.83	8.07	8.78	199.66	2.50	0.45	
		12:00	30.17	51.52	32.66	8.24	6.10	187.85	2.19	4.51	
		15:00	30.52	51.63	32.74	8.26	5.62	184.71	2.22	6.13	
		18:00	30.45	50.88	32.19	8.17	7.78	200.46	2.41	5.10	
		21:00	30.23	51.68	32.78	8.10	7.36	205.88	2.15	0.36	
	日平均值			30.33	51.52	32.66	8.14	7.31	197.87	2.34	2.58
	潮口站	0:00	30.17	53.01	32.64	8.04	8.67	199.61	22.05	3.21	
		3:00	29.23	52.91	32.56	8.07	7.35	203.44	23.57	7.03	
		6:00	29.04	52.95	32.59	8.08	7.59	216.61	24.73	6.88	
		9:00	30.63	53.11	32.71	8.07	8.53	212.09	20.85	3.06	
		12:00	30.20	53.47	32.97	8.23	6.31	234.92	25.56	5.68	
		15:00	30.45	53.08	32.69	8.18	6.51	214.21	22.70	7.10	
		18:00	30.13	52.55	32.31	8.10	7.59	219.76	25.05	5.03	
		21:00	30.10	52.37	32.18	8.10	7.83	233.01	27.44	7.98	
	日平均值			29.99	52.93	32.58	8.11	7.55	216.71	23.99	5.75
	灣內站	0:00	31.23	53.06	32.67	8.01	5.98	245.35	5.62	0.25	
		3:00	31.02	53.41	32.92	8.04	5.74	247.01	1.79	0.69	
		6:00	30.72	53.47	32.97	8.05	5.50	251.37	1.40	2.79	
		9:00	30.67	53.27	32.82	8.04	5.21	255.00	2.97	8.15	
		12:00	31.84	52.97	32.61	8.20	5.88	242.82	2.15	8.09	
		15:00	32.10	54.23	33.51	8.15	6.72	243.72	6.06	1.36	
		18:00	31.80	54.06	33.39	8.07	5.57	241.29	6.54	0.69	
		21:00	31.51	53.82	33.22	8.07	6.60	246.12	2.40	0.15	
	日平均值			31.36	53.54	33.02	8.08	5.90	246.59	3.62	2.77
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月15日	蚵殼站	0:00	29.91	51.49	32.64	8.05	7.98	208.56	2.10	0.76	
		3:00	30.12	51.87	32.92	8.02	7.00	205.89	3.23	0.85	
		6:00	30.15	52.64	33.49	8.07	7.57	209.99	2.71	0.52	
		9:00	30.08	52.38	33.30	8.04	8.60	203.15	2.71	1.15	
		12:00	30.12	52.20	33.17	8.10	8.46	203.39	2.89	1.65	
		15:00	30.77	52.17	33.14	8.29	7.52	192.04	2.90	3.36	
		18:00	31.16	52.09	33.09	8.29	7.90	195.71	2.71	4.00	
		21:00	30.89	52.96	33.73	8.19	5.50	199.22	2.88	2.71	
	日平均值			30.40	52.23	33.19	8.13	7.57	202.24	2.77	1.88
	潮口站	0:00	30.18	52.55	32.31	8.08	6.01	241.79	29.87	1.49	
		3:00	29.73	52.92	32.57	8.08	7.31	208.46	24.09	1.90	
		6:00	28.47	53.09	32.69	8.06	7.46	231.25	23.40	1.00	
		9:00	29.78	53.07	32.68	8.06	8.58	220.29	18.92	0.77	
		12:00	31.39	52.94	32.59	8.12	7.52	233.05	23.40	4.54	
		15:00	31.72	52.93	32.58	8.16	7.03	225.66	26.87	0.78	
		18:00	30.01	53.04	32.66	8.04	7.96	207.14	21.67	2.19	
		21:00	30.13	53.09	32.69	8.10	8.63	214.14	20.18	0.67	
	日平均值			30.18	52.95	32.60	8.09	7.56	222.72	23.55	1.67
	灣內站	0:00	31.50	53.42	32.93	8.05	6.24	248.45	2.20	1.13	
		3:00	31.40	52.66	32.38	8.05	5.24	252.38	2.34	4.38	
		6:00	31.24	52.89	32.55	8.03	5.49	255.63	1.58	2.59	
		9:00	31.07	53.29	32.84	8.03	5.87	257.55	2.74	1.56	
		12:00	31.70	53.47	32.97	8.09	6.72	251.67	4.58	1.77	
		15:00	32.56	53.27	32.82	8.13	7.38	244.60	3.51	1.87	
		18:00	30.57	52.79	32.48	8.01	5.62	253.61	3.80	1.91	
		21:00	31.07	52.75	32.45	8.07	5.55	251.13	2.06	1.38	
	日平均值			31.39	53.07	32.68	8.06	6.01	251.88	2.85	2.07
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月16日	蚵殼站	0:00	30.89	52.00	33.02	8.21	5.30	196.50	3.78	2.04	
		3:00	30.67	52.10	33.09	8.16	5.22	196.77	3.63	2.53	
		6:00	30.30	51.10	32.35	8.20	5.74	196.39	4.00	2.05	
		9:00	29.70	52.90	33.69	8.09	5.24	199.19	4.48	2.38	
		12:00	30.06	51.92	32.96	8.16	6.98	194.52	4.76	1.93	
		15:00	30.82	51.71	32.80	8.22	7.66	186.11	4.09	2.12	
		18:00	30.80	52.62	33.48	8.24	7.73	188.57	4.25	1.93	
		21:00	30.88	52.51	33.40	8.16	5.81	192.18	4.10	2.25	
	日平均值			30.52	52.11	33.10	8.18	6.21	193.78	4.14	2.15
	潮口站	0:00	30.70	53.14	32.73	8.07	7.70	241.04	20.84	2.57	
		3:00	30.48	53.49	32.98	8.04	8.38	213.37	18.53	2.53	
		6:00	28.22	53.55	33.03	8.06	7.31	209.38	19.88	2.07	
		9:00	29.17	53.35	32.88	8.06	8.62	220.61	18.35	2.60	
		12:00	31.40	53.05	32.67	8.13	8.47	231.06	20.21	2.33	
		15:00	31.73	54.32	33.58	8.19	7.99	229.85	19.51	2.30	
		18:00	30.21	54.15	33.46	8.10	8.57	221.02	20.06	2.42	
		21:00	29.79	53.90	33.28	8.08	7.35	196.89	18.75	2.49	
	日平均值			30.21	53.62	33.08	8.09	8.05	220.40	19.52	2.41
	灣內站	0:00	31.13	52.31	32.13	8.04	5.59	249.28	1.28	2.13	
		3:00	30.76	52.59	32.33	8.01	5.28	254.53	3.34	2.28	
		6:00	30.62	53.18	32.76	8.03	5.58	253.26	1.63	2.17	
		9:00	30.81	53.76	33.18	8.03	5.39	254.18	1.71	2.09	
		12:00	31.70	53.29	32.84	8.10	5.96	243.53	4.17	1.93	
		15:00	32.22	52.67	32.39	8.16	5.98	236.85	4.82	2.20	
		18:00	30.90	52.36	32.17	8.07	6.86	244.50	3.58	2.60	
		21:00	30.87	52.82	32.50	8.05	5.68	216.30	3.29	2.59	
	日平均值			31.13	52.87	32.54	8.06	5.79	244.05	2.98	2.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月17日	蚵殼站	0:00	30.67	52.57	33.44	8.11	6.97	185.72	4.05	1.19	
		3:00	30.45	52.45	33.35	8.12	5.12	187.08	4.11	2.33	
		6:00	30.10	52.59	33.46	8.07	6.79	184.07	3.97	1.87	
		9:00	30.23	52.66	33.51	8.11	5.17	184.35	3.52	1.78	
		12:00	30.57	52.73	33.56	8.19	6.22	181.49	3.42	2.18	
		15:00	30.87	51.73	32.82	8.21	7.15	176.25	3.41	1.82	
		18:00	30.69	51.69	32.79	8.21	7.29	181.42	3.33	1.90	
		21:00	30.64	52.97	33.74	8.27	6.84	180.37	3.19	2.24	
	日平均值			30.53	52.42	33.33	8.16	6.44	182.59	3.63	1.91
	潮口站	0:00	30.56	53.50	32.99	8.07	5.64	227.20	26.56	1.61	
		3:00	30.45	52.74	32.44	8.05	8.48	229.11	25.88	2.27	
		6:00	29.90	52.97	32.61	8.08	7.27	195.44	18.72	2.26	
		9:00	30.11	53.37	32.90	8.10	7.57	187.23	18.26	1.75	
		12:00	31.33	53.55	33.03	8.13	7.86	220.67	29.81	1.95	
		15:00	31.55	53.35	32.88	8.10	8.58	215.88	69.29	2.53	
		18:00	30.77	52.87	32.54	8.02	7.28	201.58	23.40	2.22	
		21:00	30.03	52.83	32.51	8.03	7.35	199.44	22.67	1.33	
	日平均值			30.59	53.15	32.74	8.07	7.50	209.57	29.32	1.99
	灣內站	0:00	30.85	52.79	32.48	8.04	6.50	246.21	1.44	2.59	
		3:00	30.72	52.73	32.44	8.02	5.71	247.82	2.25	2.18	
		6:00	30.68	52.63	32.36	8.05	7.58	250.85	1.11	2.12	
		9:00	30.98	53.23	32.79	8.07	5.48	256.40	1.11	2.42	
		12:00	31.46	53.87	33.26	8.10	5.87	254.49	2.68	1.25	
		15:00	31.63	53.64	33.09	8.07	5.02	249.47	5.52	1.93	
		18:00	31.36	53.10	32.70	7.99	5.24	255.47	3.18	1.92	
		21:00	30.95	53.16	32.74	8.00	5.05	256.21	2.06	1.40	
	日平均值			31.08	53.14	32.73	8.04	5.81	252.12	2.42	1.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月18日	蚵殼站	0:00	30.68	52.45	33.35	8.18	5.63	179.83	3.28	2.28	
		3:00	30.54	52.97	33.74	8.15	5.94	181.68	5.11	1.23	
		6:00	29.93	51.88	32.93	8.14	6.33	176.75	0.74	2.08	
		9:00	30.20	52.24	33.20	8.16	6.49	170.51	6.25	1.37	
		12:00	30.34	51.45	32.61	8.18	5.44	170.22	0.59	0.91	
		15:00	30.84	53.21	33.91	8.20	6.94	162.33	6.26	0.57	
		18:00	30.73	53.04	33.79	8.17	6.72	171.42	4.03	1.22	
		21:00	30.51	52.56	33.43	8.18	6.16	183.91	2.69	1.37	
	日平均值			30.47	52.48	33.37	8.17	6.21	174.58	3.62	1.38
	潮口站	0:00	30.37	52.40	32.20	7.97	8.06	204.94	21.31	0.66	
		3:00	30.43	52.68	32.40	8.01	8.46	236.34	20.07	1.74	
		6:00	30.10	53.26	32.82	8.04	7.03	192.92	18.22	1.13	
		9:00	30.04	53.84	33.23	8.11	7.13	196.44	17.38	0.82	
		12:00	30.73	53.37	32.90	8.11	8.90	194.55	18.02	1.30	
		15:00	30.80	52.75	32.45	8.07	8.64	202.73	18.95	1.69	
		18:00	30.67	52.45	32.23	7.96	8.47	192.06	19.95	0.78	
		21:00	29.71	52.90	32.56	8.08	7.18	215.99	20.82	2.20	
	日平均值			30.36	52.96	32.60	8.04	7.98	204.50	19.34	1.29
	灣內站	0:00	31.09	53.45	32.95	7.94	5.98	258.26	2.27	0.51	
		3:00	31.11	53.84	33.23	7.98	5.13	262.03	1.78	2.22	
		6:00	30.93	53.51	33.00	8.01	5.57	261.98	1.20	0.52	
		9:00	31.12	54.16	33.46	8.08	5.29	259.55	1.20	1.78	
		12:00	31.11	54.36	33.61	8.08	5.44	253.13	2.75	1.28	
		15:00	31.47	53.02	32.64	8.04	5.89	250.93	4.25	1.15	
		18:00	31.39	52.24	32.08	7.93	5.45	256.18	2.88	2.26	
		21:00	31.04	52.19	32.05	8.05	5.12	258.14	1.46	1.23	
	日平均值			31.16	53.35	32.88	8.01	5.48	257.53	2.22	1.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月19日	蚵殼站	0:00	30.32	52.54	33.42	8.12	6.27	185.21	2.10	1.16	
		3:00	30.07	52.77	33.59	8.21	6.84	174.79	9.29	1.06	
		6:00	29.80	52.33	33.26	8.17	5.02	166.80	7.56	0.26	
		9:00	29.97	53.49	34.12	8.17	5.29	166.11	9.78	1.68	
		12:00	30.41	53.39	34.05	8.19	6.29	165.48	3.22	0.04	
		15:00	30.59	51.46	32.62	8.21	6.58	167.59	9.03	2.04	
		18:00	30.48	52.45	33.35	8.21	6.39	178.79	7.34	0.71	
		21:00	30.30	52.39	33.31	8.20	5.91	188.66	5.80	0.44	
	日平均值			30.24	52.60	33.47	8.19	6.07	174.18	6.77	0.92
	潮口站	0:00	29.79	52.87	32.54	8.04	7.62	216.11	21.50	2.53	
		3:00	30.00	52.81	32.49	8.09	8.17	244.29	24.47	0.62	
		6:00	29.84	52.72	32.43	8.02	6.71	219.59	18.16	2.46	
		9:00	30.13	53.31	32.85	7.96	6.75	180.37	25.01	0.10	
		12:00	30.74	53.95	33.31	8.06	7.56	172.29	31.29	2.44	
		15:00	31.12	53.72	33.15	8.11	8.20	146.22	24.29	2.15	
		18:00	30.73	53.18	32.76	8.08	7.73	181.00	29.87	1.03	
		21:00	29.99	53.24	32.80	8.08	7.03	168.28	19.39	0.64	
	日平均值			30.29	53.23	32.79	8.06	7.47	191.02	24.25	1.50
	灣內站	0:00	30.89	52.88	32.54	8.01	5.54	256.42	0.92	0.33	
		3:00	30.61	53.16	32.74	8.06	5.12	250.64	1.91	0.21	
		6:00	30.26	54.29	33.56	7.99	5.94	253.10	4.94	0.18	
		9:00	30.40	54.19	33.49	7.93	5.44	258.60	5.55	0.03	
		12:00	30.79	53.82	33.22	8.03	6.00	252.35	4.00	2.40	
		15:00	30.97	53.12	32.72	8.08	6.04	244.03	4.05	0.66	
		18:00	30.72	52.91	32.56	8.05	5.83	239.83	3.45	0.75	
		21:00	30.51	52.95	32.59	8.05	5.53	239.68	2.09	0.47	
	日平均值			30.64	53.42	32.93	8.03	5.68	249.33	3.36	0.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月20日	蚵殼站	0:00	30.13	52.40	33.31	8.11	6.96	186.40	6.55	1.27	
		3:00	30.04	51.59	32.71	8.03	6.01	154.90	7.07	2.51	
		6:00	29.94	51.66	32.77	8.06	6.00	179.65	5.92	0.10	
		9:00	30.42	52.43	33.34	8.16	8.09	177.16	6.24	1.13	
		12:00	30.36	52.50	33.39	8.18	7.88	184.64	5.37	1.75	
		15:00	30.99	52.41	33.32	8.22	6.04	177.05	6.32	1.28	
		18:00	30.96	52.48	33.37	8.13	8.11	187.22	6.28	1.32	
		21:00	30.81	52.53	33.41	8.08	7.54	190.98	6.54	2.16	
	日平均值			30.46	52.25	33.20	8.12	7.08	179.75	6.29	1.44
	潮口站	0:00	30.07	53.09	32.69	8.05	6.35	174.49	22.00	2.08	
		3:00	30.03	53.84	33.23	8.01	7.11	170.12	23.33	0.74	
		6:00	29.99	53.05	32.67	7.96	7.21	177.25	23.16	0.15	
		9:00	30.58	52.83	32.51	8.08	6.86	194.48	24.17	0.23	
		12:00	30.81	53.44	32.95	8.12	7.14	172.31	23.98	1.56	
		15:00	31.50	53.10	32.70	8.13	8.56	176.53	24.70	1.05	
		18:00	31.35	51.81	31.77	8.12	7.51	172.54	26.65	2.62	
		21:00	30.65	52.93	32.58	8.10	6.81	192.97	27.75	0.18	
	日平均值			30.62	53.01	32.64	8.07	7.19	178.84	24.47	1.08
	灣內站	0:00	30.42	53.45	32.95	8.02	5.27	240.26	1.83	2.81	
		3:00	30.36	53.84	33.23	7.98	5.72	240.31	2.13	0.27	
		6:00	30.35	53.51	33.00	7.93	5.15	240.18	1.38	2.27	
		9:00	30.79	54.16	33.46	8.05	5.31	235.51	1.02	1.42	
		12:00	31.58	54.10	33.42	8.09	6.39	231.48	1.51	0.60	
		15:00	31.98	53.02	32.64	8.10	6.95	229.57	2.50	0.39	
		18:00	31.97	52.24	32.08	8.09	5.99	227.54	5.47	2.21	
		21:00	31.60	52.19	32.05	8.07	5.91	225.88	1.16	0.68	
	日平均值			31.13	53.31	32.86	8.04	5.84	233.84	2.13	1.33
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月21日	蚵殼站	0:00	30.81	52.69	33.53	8.15	7.39	195.45	6.10	1.90	
		3:00	30.52	52.46	33.36	8.07	6.39	196.28	1.00	2.31	
		6:00	30.43	52.28	33.23	8.10	7.06	179.92	7.29	0.87	
		9:00	30.76	52.51	33.40	8.22	8.22	168.43	1.89	0.90	
		12:00	30.99	52.77	33.59	8.25	8.75	173.38	0.65	1.62	
		15:00	30.99	52.78	33.60	8.20	8.21	179.02	5.28	2.65	
		18:00	30.82	52.04	33.05	8.18	8.82	189.89	1.58	0.28	
		21:00	30.85	52.23	33.19	8.12	8.24	195.09	4.09	2.24	
	日平均值			30.77	52.47	33.37	8.16	7.89	184.68	3.49	1.60
	潮口站	0:00	30.38	52.98	32.62	8.08	6.49	173.91	28.23	2.28	
		3:00	30.33	53.15	32.74	8.02	6.69	167.36	30.39	2.32	
		6:00	30.43	53.94	33.31	8.01	7.43	166.70	29.81	1.67	
		9:00	31.08	53.12	32.72	8.07	7.04	193.07	29.38	1.16	
		12:00	31.20	53.57	33.04	8.14	7.47	173.36	30.34	1.33	
		15:00	31.18	53.14	32.73	8.22	7.08	183.93	30.94	1.79	
		18:00	31.13	53.23	32.79	8.17	6.79	179.17	33.59	1.15	
		21:00	30.69	53.04	32.66	8.06	5.87	196.35	36.43	2.21	
	日平均值			30.80	53.27	32.83	8.10	6.86	179.23	31.14	1.74
	灣內站	0:00	31.47	52.26	32.10	8.05	6.66	222.90	4.95	0.02	
		3:00	31.32	53.10	32.70	7.99	5.37	223.47	1.66	0.13	
		6:00	31.31	53.46	32.96	7.98	6.33	229.78	3.20	0.36	
		9:00	31.73	53.55	33.03	8.04	6.49	227.89	3.20	0.89	
		12:00	31.99	53.14	32.73	8.11	7.08	222.92	6.97	0.89	
		15:00	31.79	52.46	32.24	8.19	7.08	218.94	4.90	0.88	
		18:00	31.68	52.30	32.13	8.14	6.05	216.37	3.00	0.92	
		21:00	31.54	52.40	32.20	8.03	5.17	213.80	2.44	2.90	
	日平均值			31.60	52.83	32.51	8.07	6.28	222.01	3.79	0.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月22日	蚵殼站	0:00	30.97	52.58	33.45	8.04	6.20	187.44	2.18	0.34	
		3:00	31.08	52.79	33.60	8.05	5.95	193.38	3.17	0.32	
		6:00	30.88	52.56	33.43	8.14	7.14	191.67	4.95	4.13	
		9:00	31.09	52.46	33.36	8.22	7.95	176.08	5.29	2.69	
		12:00	31.23	52.84	33.64	8.22	8.94	178.38	0.79	3.83	
		15:00	31.51	52.83	33.63	8.23	8.12	188.11	1.58	4.54	
		18:00	31.37	52.43	33.34	8.15	8.65	200.66	4.34	0.45	
		21:00	31.11	51.81	32.88	8.08	6.15	202.87	7.65	2.38	
	日平均值			31.16	52.54	33.42	8.14	7.39	189.82	3.74	2.34
	潮口站	0:00	29.98	53.74	33.16	8.03	6.34	191.94	36.81	2.52	
		3:00	30.37	53.23	32.79	8.03	7.07	176.35	38.69	0.64	
		6:00	30.71	53.24	32.80	8.05	7.62	144.53	44.83	3.09	
		9:00	31.42	51.83	31.79	8.20	8.28	176.07	38.61	2.28	
		12:00	31.52	52.23	32.08	8.24	7.88	164.79	38.21	4.35	
		15:00	31.23	52.98	32.62	8.25	7.00	176.85	37.64	0.32	
		18:00	31.10	53.05	32.67	8.17	6.70	162.85	38.88	2.08	
		21:00	30.82	53.10	32.70	8.07	6.35	181.88	39.02	3.87	
	日平均值			30.89	52.93	32.58	8.13	7.16	171.91	39.09	2.39
	灣內站	0:00	31.13	52.88	32.54	8.00	5.06	220.83	2.52	1.18	
		3:00	31.11	53.63	33.08	8.00	5.73	225.34	4.05	1.06	
		6:00	31.13	52.84	32.51	8.02	6.44	226.94	4.02	2.66	
		9:00	31.57	52.62	32.36	8.17	5.62	218.99	2.99	3.56	
		12:00	31.95	53.23	32.79	8.21	6.99	218.81	3.86	1.44	
		15:00	32.04	52.89	32.55	8.22	6.76	219.22	5.26	1.86	
		18:00	31.81	51.60	31.62	8.14	6.40	219.48	3.51	2.46	
		21:00	31.64	52.73	32.44	8.04	5.25	219.06	8.81	3.81	
	日平均值			31.55	52.80	32.49	8.10	6.03	221.08	4.38	2.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月23日	蚵殼站	0:00	30.91	51.82	32.89	8.02	5.68	206.07	8.01	0.84	
		3:00	30.81	51.89	32.94	8.05	5.47	206.18	8.19	1.69	
		6:00	30.84	52.19	33.16	8.22	6.96	198.72	2.15	0.79	
		9:00	31.27	52.16	33.14	8.24	8.14	184.91	5.11	0.93	
		12:00	31.66	51.86	32.91	8.29	7.95	178.61	4.64	0.12	
		15:00	31.65	51.86	32.91	8.29	7.94	187.13	3.07	2.46	
		18:00	31.58	51.67	32.77	8.20	7.97	194.53	7.43	1.33	
		21:00	31.45	52.02	33.03	8.25	8.56	197.93	1.67	0.82	
	日平均值			31.27	51.93	32.97	8.20	7.33	194.26	5.03	1.12
	潮口站	0:00	29.79	53.94	33.31	8.03	6.47	194.10	19.27	0.90	
		3:00	30.00	53.03	32.65	8.04	6.37	180.27	26.91	2.05	
		6:00	30.77	52.93	32.58	8.05	7.86	177.15	40.55	0.00	
		9:00	31.48	52.43	32.22	8.14	7.68	196.28	25.40	2.30	
		12:00	31.88	52.69	32.41	8.24	8.73	180.56	36.17	0.71	
		15:00	31.18	52.66	32.38	8.20	7.15	188.30	22.72	2.05	
		18:00	30.70	50.92	31.13	8.17	6.15	180.84	24.87	1.40	
		21:00	31.06	52.13	32.00	8.08	7.59	195.97	23.43	2.32	
	日平均值			30.86	52.59	32.34	8.12	7.25	186.68	27.42	1.47
	灣內站	0:00	31.65	52.77	32.46	8.00	8.10	216.82	9.37	2.02	
		3:00	31.61	52.94	32.59	8.01	7.43	217.06	6.63	0.48	
		6:00	31.52	53.73	33.15	8.02	6.85	222.79	4.05	0.30	
		9:00	31.96	52.91	32.56	8.11	7.27	221.93	2.84	2.00	
		12:00	32.27	53.36	32.89	8.21	7.29	220.17	3.06	0.58	
		15:00	32.34	52.93	32.58	8.17	6.78	218.12	3.12	1.22	
		18:00	32.15	53.02	32.64	8.14	7.97	215.23	3.95	0.36	
		21:00	31.90	52.83	32.51	8.05	8.50	216.10	2.13	0.03	
	日平均值			31.93	53.06	32.67	8.09	7.52	218.53	4.39	0.87
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月24日	蚵殼站	0:00	31.20	51.58	32.71	8.16	6.86	198.11	1.98	1.88	
		3:00	31.06	51.67	32.77	8.20	7.31	192.66	5.97	1.87	
		6:00	30.89	52.00	33.02	8.22	7.00	190.75	1.08	0.79	
		9:00	30.83	52.21	33.17	8.22	7.38	185.76	3.09	0.35	
		12:00	30.73	52.50	33.39	8.21	7.33	190.66	5.87	1.00	
		15:00	30.84	52.42	33.33	8.27	8.57	191.96	7.45	0.85	
		18:00	30.62	52.34	33.27	8.27	7.50	199.41	2.05	0.58	
		21:00	30.40	52.47	33.37	8.23	6.42	201.38	1.70	1.29	
	日平均值			30.82	52.15	33.13	8.22	7.30	193.84	3.65	1.08
	潮口站	0:00	29.91	51.93	31.86	8.07	6.06	210.70	20.33	2.27	
		3:00	29.67	53.15	32.74	8.09	6.09	180.27	18.75	0.15	
		6:00	30.58	51.75	31.73	8.10	7.44	177.15	20.53	0.63	
		9:00	30.91	51.42	31.49	8.11	7.19	177.37	22.06	0.37	
		12:00	31.12	50.52	30.85	8.12	6.98	168.86	22.94	0.85	
		15:00	30.70	52.03	31.93	8.04	6.63	202.67	20.85	1.77	
		18:00	30.75	53.23	32.79	7.99	6.14	202.83	23.55	2.29	
		21:00	30.49	52.78	32.47	8.00	6.13	196.64	23.14	2.26	
	日平均值			30.52	52.10	31.98	8.07	6.58	189.56	21.52	1.32
	灣內站	0:00	31.74	53.53	33.01	8.04	6.16	211.96	3.84	2.03	
		3:00	31.69	53.02	32.64	8.06	5.68	208.87	9.26	1.41	
		6:00	31.56	53.03	32.65	8.07	6.86	217.40	4.65	1.15	
		9:00	31.44	51.82	31.78	8.08	7.15	209.94	3.89	2.10	
		12:00	31.43	52.02	31.92	8.09	7.44	213.11	5.78	1.80	
		15:00	31.18	52.77	32.46	8.01	7.24	220.70	8.60	0.56	
		18:00	30.62	52.84	32.51	7.96	7.37	223.82	9.68	2.20	
		21:00	30.38	52.89	32.55	7.97	8.50	211.15	4.22	2.60	
	日平均值			31.26	52.74	32.44	8.04	7.05	214.62	6.24	1.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月25日	蚵殼站	0:00	30.25	52.30	33.24	8.17	5.06	202.91	9.45	1.97	
		3:00	30.08	52.30	33.24	8.11	5.34	199.95	6.17	0.12	
		6:00	30.01	52.58	33.45	8.15	5.39	197.99	0.92	2.40	
		9:00	30.32	52.61	33.47	8.19	6.01	196.25	2.40	1.53	
		12:00	30.71	52.62	33.48	8.15	6.59	168.97	1.53	4.38	
		15:00	31.12	52.36	33.29	8.32	8.38	134.16	0.14	1.63	
		18:00	31.19	52.20	33.17	8.29	8.48	169.23	0.70	1.38	
		21:00	30.92	52.21	33.17	8.20	7.48	151.57	0.78	3.64	
	日平均值			30.58	52.40	33.31	8.20	6.59	177.63	2.76	2.13
	潮口站	0:00	29.89	52.98	32.62	7.96	5.95	209.56	24.02	1.05	
		3:00	29.69	53.15	32.74	8.04	5.94	197.00	23.84	3.43	
		6:00	29.90	53.94	33.31	8.03	6.33	174.62	20.69	0.54	
		9:00	30.82	53.12	32.72	8.08	7.63	168.60	22.50	4.35	
		12:00	31.60	53.57	33.04	8.12	6.93	142.90	20.69	0.63	
		15:00	30.27	53.14	32.73	8.15	6.95	163.19	22.50	1.29	
		18:00	30.91	53.23	32.79	8.18	7.39	190.43	24.21	0.82	
		21:00	31.28	53.04	32.66	8.16	7.03	187.29	18.16	0.05	
	日平均值			30.55	53.27	32.83	8.09	6.77	179.20	22.08	1.52
	灣內站	0:00	30.29	53.73	33.15	7.93	5.37	210.33	5.96	1.04	
		3:00	30.29	52.82	32.50	8.01	6.64	202.62	5.33	3.87	
		6:00	30.15	52.73	32.44	8.00	5.24	206.95	4.64	2.56	
		9:00	29.86	52.22	32.07	8.05	6.72	206.19	7.13	0.48	
		12:00	31.58	52.48	32.26	8.09	8.80	175.69	3.37	0.88	
		15:00	31.95	52.45	32.23	8.12	8.35	149.78	3.58	0.60	
		18:00	32.10	51.82	31.78	8.15	6.64	144.92	3.19	5.83	
		21:00	31.93	52.68	32.40	8.13	7.17	142.12	2.95	4.93	
	日平均值			31.02	52.62	32.35	8.06	6.87	179.83	4.52	2.52
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月26日	蚵殼站	0:00	30.82	52.04	33.05	8.35	8.85	117.42	0.00	6.59	
		3:00	30.64	51.91	32.95	8.26	7.95	146.57	0.29	1.11	
		6:00	30.46	52.22	33.18	8.21	6.44	146.22	0.15	2.86	
		9:00	30.66	51.98	33.00	8.32	8.63	108.42	1.27	0.71	
		12:00	30.72	52.58	33.45	8.23	8.20	107.11	2.35	6.53	
		15:00	30.83	52.53	33.41	8.21	7.67	118.51	2.56	0.68	
		18:00	30.74	52.63	33.49	8.18	6.37	126.61	1.64	0.63	
		21:00	30.51	51.95	32.98	8.22	5.23	144.77	0.75	3.01	
	日平均值			30.67	52.23	33.19	8.25	7.42	126.95	1.13	2.77
	潮口站	0:00	30.78	53.64	33.09	8.03	8.06	199.78	21.55	2.11	
		3:00	29.97	54.96	34.04	8.02	7.18	228.00	20.40	3.79	
		6:00	30.28	53.60	33.06	7.98	8.07	213.34	21.65	0.28	
		9:00	30.83	53.32	32.86	8.16	8.61	188.03	22.36	0.62	
		12:00	31.16	53.50	32.99	8.27	8.17	173.69	22.36	0.01	
		15:00	30.76	51.82	31.78	8.23	7.26	146.09	23.16	1.95	
		18:00	30.34	51.95	31.87	8.15	6.90	183.12	22.40	0.89	
		21:00	30.57	52.67	32.39	8.10	7.15	213.43	21.37	6.13	
	日平均值			30.59	53.18	32.76	8.12	7.68	193.19	21.91	1.97
	灣內站	0:00	31.19	52.88	32.54	8.00	6.54	124.62	2.48	1.20	
		3:00	30.84	53.63	33.08	7.99	6.69	125.35	2.45	2.48	
		6:00	30.81	52.84	32.51	7.95	5.08	143.44	2.21	5.08	
		9:00	31.06	52.62	32.36	8.13	6.90	141.31	2.79	2.55	
		12:00	31.37	53.23	32.79	8.24	7.71	137.08	3.93	0.92	
		15:00	31.51	52.89	32.55	8.20	8.12	133.08	3.81	0.46	
		18:00	31.31	51.60	31.62	8.12	6.84	162.32	2.63	6.27	
		21:00	31.18	52.73	32.44	8.07	6.78	177.83	2.57	3.03	
	日平均值			31.16	52.80	32.49	8.09	6.83	143.13	2.86	2.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月27日	蚵殼站	0:00	30.58	51.99	33.01	8.21	5.59	145.12	0.11	0.34	
		3:00	30.33	52.18	33.15	8.15	6.49	176.85	0.08	2.61	
		6:00	30.21	52.18	33.15	8.15	5.26	161.07	0.09	3.23	
		9:00	30.66	51.98	33.00	8.21	7.26	182.22	0.58	2.47	
		12:00	31.22	51.86	32.91	8.20	7.21	150.69	0.97	1.72	
		15:00	31.49	51.87	32.92	8.21	9.00	156.41	1.19	4.01	
		18:00	31.47	51.86	32.91	8.15	6.37	189.54	0.46	3.82	
		21:00	31.23	51.79	32.86	8.16	5.82	203.98	0.05	2.29	
	日平均值			30.90	51.96	32.99	8.18	6.63	170.74	0.44	2.56
	潮口站	0:00	30.44	53.04	32.66	7.98	6.54	173.50	19.37	0.31	
		3:00	29.47	55.17	34.19	8.02	7.07	226.00	23.31	1.46	
		6:00	29.61	54.60	33.78	8.03	7.10	222.40	18.93	3.05	
		9:00	30.93	53.34	32.87	8.12	8.40	197.27	20.90	0.83	
		12:00	31.58	52.98	32.62	8.12	8.49	212.79	22.70	2.62	
		15:00	31.08	51.23	31.36	8.22	7.54	154.90	30.20	3.59	
		18:00	30.34	51.07	31.24	8.26	7.03	169.52	28.35	3.67	
		21:00	31.02	52.45	32.23	8.21	7.93	170.03	24.17	1.87	
	日平均值			30.56	52.99	32.62	8.12	7.51	190.80	23.49	2.18
	灣內站	0:00	31.07	52.77	32.46	7.95	7.29	184.53	1.98	1.18	
		3:00	31.00	52.94	32.59	7.99	5.04	182.35	1.87	0.32	
		6:00	30.96	53.73	33.15	8.00	5.63	152.28	1.56	0.04	
		9:00	31.22	52.91	32.56	8.09	6.47	150.84	1.73	0.77	
		12:00	31.77	53.36	32.89	8.09	7.58	165.24	2.74	1.79	
		15:00	32.08	52.93	32.58	8.19	8.66	171.82	3.95	1.19	
		18:00	32.09	53.02	32.64	8.23	6.62	200.80	3.12	3.27	
		21:00	31.67	52.83	32.51	8.18	7.81	205.75	2.46	2.36	
	日平均值			31.48	53.06	32.67	8.09	6.89	176.70	2.43	1.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月28日	蚵殼站	0:00	31.03	51.79	32.86	8.21	6.42	198.46	0.00	0.05	
		3:00	30.91	51.73	32.82	8.15	5.93	209.43	0.02	3.74	
		6:00	30.84	51.71	32.80	8.15	6.02	218.81	0.02	3.01	
		9:00	31.00	51.89	32.94	8.21	7.94	208.80	0.27	2.44	
		12:00	31.19	51.92	32.96	8.23	8.55	207.85	0.92	1.97	
		15:00	31.26	51.43	32.60	8.27	8.09	189.38	0.58	1.98	
		18:00	31.01	51.35	32.54	8.23	8.08	206.99	0.04	2.34	
		21:00	30.82	51.53	32.67	8.17	7.17	224.70	0.01	2.91	
	日平均值			31.01	51.67	32.77	8.20	7.28	208.05	0.23	2.31
	潮口站	0:00	31.15	52.83	32.51	8.23	6.87	160.36	41.92	4.26	
		3:00	29.24	55.04	34.10	8.20	6.72	200.50	102.96	0.72	
		6:00	29.40	54.64	33.81	8.15	5.79	215.25	17.56	1.10	
		9:00	31.33	52.46	32.24	8.15	8.23	179.30	23.96	0.38	
		12:00	31.93	52.37	32.18	8.22	6.01	191.75	20.89	3.62	
		15:00	31.18	52.40	32.20	8.28	7.15	163.76	19.17	2.27	
		18:00	29.65	54.42	33.65	8.26	6.09	180.07	18.32	3.14	
		21:00	30.85	52.30	32.13	8.18	7.70	178.03	17.67	1.03	
	日平均值			30.59	53.31	32.85	8.21	6.82	183.63	32.81	2.07
	灣內站	0:00	31.62	53.53	33.01	8.20	7.72	216.12	2.21	1.06	
		3:00	31.48	53.02	32.64	8.19	5.77	227.12	1.59	1.06	
		6:00	31.27	53.03	32.65	8.15	5.32	231.19	1.59	0.16	
		9:00	31.63	51.62	31.64	8.33	6.81	225.71	1.98	1.84	
		12:00	32.36	52.02	31.92	8.44	8.45	227.22	4.83	1.98	
		15:00	31.57	52.77	32.46	8.40	7.36	240.95	4.21	1.23	
		18:00	31.49	52.84	32.51	8.32	7.86	253.84	1.51	3.03	
		21:00	31.35	52.89	32.55	8.27	5.83	271.12	0.96	0.83	
	日平均值			31.60	52.72	32.42	8.29	6.89	236.66	2.36	1.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月29日	蚵殼站	0:00	30.68	51.61	32.73	8.18	7.09	226.21	0.04	2.65	
		3:00	30.46	51.70	32.80	8.12	5.34	220.75	0.11	2.49	
		6:00	30.14	52.38	33.30	8.12	5.07	212.00	0.04	1.88	
		9:00	30.00	53.02	33.77	8.15	6.99	197.19	1.49	0.79	
		12:00	30.58	52.50	33.39	8.22	7.94	223.26	0.30	0.90	
		15:00	31.15	51.77	32.85	8.35	7.49	211.06	1.93	1.95	
		18:00	30.95	51.79	32.86	8.32	7.38	227.66	4.51	2.38	
		21:00	30.73	52.09	33.09	8.19	8.21	229.34	1.38	5.21	
	日平均值			30.59	52.11	33.10	8.21	6.94	218.43	1.23	2.28
	潮口站	0:00	30.68	52.40	32.20	8.19	5.27	121.76	16.73	2.47	
		3:00	29.83	53.84	33.23	8.17	5.25	112.61	17.60	4.45	
		6:00	29.37	54.84	33.95	8.15	5.46	126.92	17.09	2.66	
		9:00	30.82	52.85	32.52	8.15	8.26	136.34	17.67	1.31	
		12:00	31.36	52.31	32.13	8.19	8.80	156.47	24.50	0.42	
		15:00	31.24	53.93	33.30	8.24	7.38	125.34	19.87	3.80	
		18:00	29.81	52.63	32.36	8.19	5.73	140.25	16.72	1.08	
		21:00	30.73	52.54	32.30	8.18	6.61	145.45	17.80	0.13	
	日平均值			30.48	53.17	32.75	8.18	6.60	133.14	18.50	2.04
	灣內站	0:00	31.07	53.73	33.15	8.15	5.67	272.92	0.92	0.79	
		3:00	30.84	52.82	32.50	8.19	5.07	264.78	1.57	1.05	
		6:00	30.62	52.73	32.44	8.20	5.00	155.10	1.14	1.31	
		9:00	31.04	52.22	32.07	8.29	6.41	248.93	2.41	4.51	
		12:00	31.73	52.48	32.26	8.29	7.90	260.30	3.15	0.06	
		15:00	31.19	52.45	32.23	8.39	8.46	256.80	3.64	0.84	
		18:00	31.01	50.72	30.99	8.43	7.27	282.21	1.95	1.79	
		21:00	31.17	51.92	31.85	8.38	8.61	293.68	1.19	2.05	
	日平均值			31.08	52.38	32.19	8.29	6.80	254.34	2.00	1.55
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月30日	蚵殼站	0:00	30.56	51.87	32.92	8.22	8.11	233.10	0.37	7.75	
		3:00	30.28	51.90	32.94	8.16	6.21	203.06	0.08	1.42	
		6:00	30.03	52.24	33.20	8.15	6.65	226.75	0.06	0.80	
		9:00	29.86	53.15	33.87	8.16	6.65	158.46	0.33	1.37	
		12:00	30.47	52.86	33.66	8.22	8.48	194.30	0.48	1.37	
		15:00	30.92	52.49	33.38	8.30	8.39	228.02	3.85	7.44	
		18:00	31.08	52.01	33.03	8.31	7.99	232.74	0.28	1.19	
		21:00	30.99	52.14	33.12	8.21	8.65	226.28	0.06	6.94	
	日平均值			30.52	52.33	33.27	8.22	7.64	212.84	0.69	3.54
	潮口站	0:00	30.68	53.09	32.69	8.23	5.58	181.04	18.77	3.74	
		3:00	30.09	53.84	33.23	8.22	6.48	180.12	17.55	2.68	
		6:00	29.59	53.05	32.67	8.22	5.44	178.73	17.48	0.51	
		9:00	30.54	52.83	32.51	8.19	6.36	171.54	19.17	6.05	
		12:00	30.99	53.44	32.95	8.21	7.97	196.26	26.15	1.74	
		15:00	31.24	53.10	32.70	8.25	7.47	168.20	19.22	1.80	
		18:00	29.97	51.81	31.77	8.23	6.68	206.63	17.01	0.84	
		21:00	30.21	52.93	32.58	8.23	5.84	208.29	17.31	3.86	
	日平均值			30.41	53.01	32.64	8.22	6.48	186.35	19.08	2.65
	灣內站	0:00	30.98	51.72	31.71	8.40	5.90	247.27	1.35	1.76	
		3:00	30.64	52.94	32.59	8.37	5.21	292.86	1.25	7.70	
		6:00	30.39	51.54	31.58	8.32	5.34	299.18	1.77	2.90	
		9:00	30.73	51.22	31.35	8.32	5.47	294.59	2.51	7.68	
		12:00	32.09	50.32	30.70	8.39	7.87	282.86	2.48	4.13	
		15:00	32.43	51.82	31.78	8.45	6.73	275.00	2.92	1.91	
		18:00	31.45	53.02	32.64	8.43	5.75	293.95	4.25	6.97	
		21:00	31.24	52.57	32.32	8.35	6.34	297.36	2.32	2.57	
	日平均值			31.24	51.89	31.83	8.38	6.08	285.38	2.36	4.45
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
8月31日	蚵殼站	0:00	30.95	52.20	33.17	8.23	7.85	201.02	0.73	0.96	
		3:00	30.69	52.18	33.15	8.29	8.57	226.59	0.07	2.54	
		6:00	30.53	52.20	33.17	8.26	8.46	233.52	0.09	1.52	
		9:00	30.13	53.05	33.80	8.23	6.64	231.15	0.04	3.41	
		12:00	30.51	53.10	33.83	8.18	7.26	234.84	0.37	0.11	
		15:00	30.94	52.77	33.59	8.23	6.98	241.16	0.26	2.14	
		18:00	31.08	52.47	33.37	8.28	8.14	235.82	0.06	4.21	
		21:00	31.04	52.32	33.26	8.26	6.39	185.62	0.63	1.74	
	日平均值			30.73	52.54	33.42	8.25	7.54	223.72	0.28	2.08
	潮口站	0:00	30.67	52.98	32.62	8.26	5.12	221.89	18.95	3.33	
		3:00	30.61	53.15	32.74	8.23	5.10	227.97	17.34	1.49	
		6:00	28.62	53.94	33.31	8.29	5.11	215.55	17.80	2.32	
		9:00	30.14	53.12	32.72	8.26	6.99	195.32	29.51	3.23	
		12:00	30.40	53.57	33.04	8.28	8.03	212.93	30.34	0.75	
		15:00	30.74	53.14	32.73	8.31	6.03	195.48	21.82	3.24	
		18:00	29.49	53.23	32.79	8.22	7.16	209.31	18.63	0.31	
		21:00	29.89	53.04	32.66	8.25	6.23	227.57	17.00	4.56	
	日平均值			30.07	53.27	32.83	8.26	6.22	213.25	21.42	2.40
	灣內站	0:00	30.90	52.77	32.46	8.36	5.74	154.05	1.54	4.36	
		3:00	30.66	52.94	32.59	8.34	5.14	290.74	1.72	2.02	
		6:00	30.68	53.73	33.15	8.32	5.53	237.19	2.61	1.57	
		9:00	30.92	52.91	32.56	8.32	5.01	145.01	2.75	1.51	
		12:00	31.67	53.36	32.89	8.36	6.48	272.62	2.20	0.51	
		15:00	31.93	52.93	32.58	8.41	7.47	285.06	2.75	3.18	
		18:00	31.77	53.02	32.64	8.36	6.01	292.47	1.88	0.87	
		21:00	31.16	52.83	32.51	8.35	6.48	302.86	1.55	1.60	
	日平均值			31.21	53.06	32.67	8.35	5.98	247.50	2.13	1.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月1日	蚵殼站	0:00	30.80	51.42	31.99	8.22	8.42	204.59	0.00	2.23	
		3:00	30.63	51.95	32.37	8.22	5.83	233.21	0.14	1.46	
		6:00	30.42	52.16	32.53	8.23	6.83	193.34	2.10	1.69	
		9:00	30.27	52.97	33.11	8.20	7.83	234.06	0.04	1.21	
		12:00	30.04	53.25	33.31	8.13	6.36	237.49	0.00	6.31	
		15:00	30.33	51.88	32.32	8.14	8.57	251.92	0.04	0.33	
		18:00	30.26	51.48	32.04	8.25	8.14	255.09	0.14	6.83	
		21:00	30.14	51.54	32.08	8.22	7.36	230.64	0.23	1.76	
	日平均值			30.36	52.08	32.47	8.20	7.42	230.04	0.34	2.73
	潮口站	0:00	30.46	53.10	32.70	8.14	8.71	208.64	20.72	0.64	
		3:00	30.55	53.03	32.65	8.07	6.02	228.14	20.24	0.70	
		6:00	29.43	53.37	32.90	8.10	5.29	225.96	20.16	1.46	
		9:00	29.86	53.57	33.04	8.12	7.03	194.71	20.18	0.33	
		12:00	30.49	53.39	32.91	8.19	8.14	185.37	22.89	1.03	
		15:00	30.63	53.49	32.98	8.13	8.44	201.30	22.81	0.96	
		18:00	29.23	53.87	33.26	8.12	7.83	214.24	24.84	1.15	
		21:00	29.31	53.52	33.00	8.16	7.01	223.96	24.89	0.43	
	日平均值			30.00	53.42	32.93	8.13	7.31	210.29	22.09	0.84
	灣內站	0:00	30.96	52.93	32.58	8.33	5.15	200.07	1.21	6.94	
		3:00	31.19	53.14	32.73	8.27	5.01	185.58	1.18	3.33	
		6:00	30.84	52.93	32.58	8.12	5.91	178.63	3.26	6.40	
		9:00	30.96	52.95	32.59	8.25	7.05	187.82	2.90	1.27	
		12:00	31.35	53.00	32.63	8.21	7.22	278.99	2.27	6.83	
		15:00	31.45	52.59	32.33	8.25	6.71	290.82	2.15	5.77	
		18:00	31.27	52.93	32.58	8.23	7.00	293.55	1.42	2.57	
		21:00	30.99	53.03	32.65	8.27	6.25	280.37	3.74	4.30	
	日平均值			31.13	52.94	32.58	8.24	6.29	236.98	2.27	4.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月2日	蚵殼站	0:00	29.78	51.69	32.19	8.21	6.57	194.49	0.14	2.27	
		3:00	29.47	51.50	32.05	8.21	8.01	242.32	0.32	0.13	
		6:00	29.18	52.79	32.98	8.19	8.26	254.76	2.48	2.23	
		9:00	29.22	52.95	33.09	8.20	7.91	256.85	0.74	2.04	
		12:00	29.41	53.37	33.40	8.20	8.33	257.24	0.35	2.74	
		15:00	29.52	53.00	33.13	8.20	8.23	258.15	1.64	3.44	
		18:00	29.30	52.95	33.09	8.15	8.53	262.76	3.13	0.11	
		21:00	29.12	52.73	32.94	8.08	7.02	265.30	0.77	2.31	
	日平均值			29.38	52.62	32.86	8.18	7.86	248.98	1.20	1.91
	潮口站	0:00	29.45	53.97	33.33	8.17	6.31	207.87	24.91	0.95	
		3:00	29.30	54.02	33.36	8.13	5.42	222.25	25.94	1.13	
		6:00	29.17	54.01	33.36	8.09	5.55	222.79	25.57	2.05	
		9:00	29.24	53.91	33.28	8.13	6.61	230.09	26.39	1.70	
		12:00	29.56	53.62	33.08	8.19	7.79	228.01	27.86	2.39	
		15:00	29.73	53.05	32.67	8.16	6.89	228.82	30.01	2.54	
		18:00	29.58	52.79	32.48	8.19	8.83	225.29	27.32	1.98	
		21:00	29.18	52.98	32.62	8.17	8.04	200.16	28.66	2.33	
	日平均值			29.40	53.54	33.02	8.15	6.93	220.66	27.08	1.88
	灣內站	0:00	30.71	53.14	32.73	8.26	6.15	212.86	1.16	0.55	
		3:00	30.38	53.10	32.70	8.23	6.35	282.74	2.18	2.89	
		6:00	30.29	53.02	32.64	8.29	6.60	234.28	3.73	1.87	
		9:00	30.32	52.55	32.31	8.16	7.03	289.70	4.89	0.97	
		12:00	30.53	52.65	32.38	8.28	8.85	300.05	6.70	2.90	
		15:00	30.35	52.77	32.46	8.21	7.29	273.34	5.37	0.16	
		18:00	30.22	52.70	32.42	8.22	6.85	237.84	3.28	0.30	
		21:00	30.13	52.68	32.40	8.25	6.41	244.84	4.93	0.45	
	日平均值			30.37	52.83	32.51	8.24	6.94	259.46	4.03	1.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準				7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月3日	蚵殼站	0:00	28.90	52.58	32.83	8.14	7.07	255.40	0.54	0.78	
		3:00	28.68	52.15	32.52	8.17	7.51	266.54	0.92	1.50	
		6:00	28.67	53.05	33.17	8.22	8.32	267.28	1.27	0.62	
		9:00	28.68	52.99	33.12	8.25	8.73	265.28	7.17	0.15	
		12:00	28.74	53.72	33.65	8.23	8.52	265.45	8.08	0.71	
		15:00	28.62	53.91	33.78	8.20	8.24	265.32	7.25	2.32	
		18:00	28.60	52.90	33.06	8.21	8.34	265.05	6.84	0.79	
		21:00	28.50	52.67	32.89	8.23	7.97	263.04	4.86	1.95	
	日平均值			28.67	53.00	33.13	8.21	8.09	264.17	4.62	1.10
	潮口站	0:00	29.14	53.03	32.65	8.15	8.42	208.64	29.08	2.50	
		3:00	29.16	52.95	32.59	8.17	5.73	228.14	32.63	2.05	
		6:00	29.16	53.01	32.64	8.16	5.10	225.96	31.09	2.28	
		9:00	28.79	53.52	33.00	8.17	5.37	194.71	26.98	2.44	
		12:00	28.81	53.67	33.11	8.26	5.89	185.37	29.56	1.96	
		15:00	29.00	53.86	33.25	8.29	6.57	201.30	33.56	2.28	
		18:00	28.75	54.06	33.39	8.25	6.92	214.24	33.57	2.39	
		21:00	28.15	54.34	33.59	8.24	7.52	223.96	30.26	2.14	
	日平均值			28.87	53.56	33.03	8.21	6.44	210.29	30.84	2.26
	灣內站	0:00	29.89	52.68	32.40	8.26	5.84	305.66	2.38	1.24	
		3:00	29.36	52.68	32.40	8.16	5.39	226.46	4.83	2.20	
		6:00	29.65	52.68	32.40	8.31	6.27	244.99	7.91	2.23	
		9:00	29.36	52.35	32.16	8.28	6.85	299.58	5.73	0.40	
		12:00	29.34	52.25	32.09	8.28	7.59	295.48	4.33	1.37	
		15:00	29.33	52.43	32.22	8.20	8.03	303.27	7.61	0.58	
		18:00	29.17	52.58	32.32	8.24	8.30	302.72	5.86	0.57	
		21:00	29.04	52.42	32.21	8.16	7.07	304.66	4.08	0.30	
	日平均值			29.39	52.51	32.28	8.24	6.92	285.35	5.34	1.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月4日	蚵殼站	0:00	28.34	52.92	33.07	8.20	7.37	257.96	4.10	1.54	
		3:00	28.30	53.02	33.14	8.15	6.83	257.33	3.56	1.79	
		6:00	28.04	52.92	33.07	8.09	6.46	257.86	2.47	2.31	
		9:00	28.17	52.67	32.89	8.16	8.49	257.52	4.82	0.73	
		12:00	28.59	51.60	32.12	8.22	7.55	255.17	4.98	2.42	
		15:00	28.56	51.31	31.91	8.21	7.33	255.34	5.64	1.72	
		18:00	28.60	50.98	31.68	8.14	8.05	248.19	5.34	1.37	
		21:00	28.59	50.14	31.07	8.04	5.92	251.01	5.58	2.00	
	日平均值			28.40	51.95	32.37	8.15	7.25	255.05	4.56	1.74
	潮口站	0:00	28.13	54.30	33.56	8.18	8.30	198.89	31.41	3.37	
		3:00	28.14	54.28	33.55	8.15	8.68	224.21	30.22	1.70	
		6:00	28.54	54.24	33.52	8.15	6.85	233.25	31.36	2.08	
		9:00	28.48	54.18	33.48	8.20	8.16	230.31	35.22	0.22	
		12:00	28.07	54.34	33.59	8.14	8.30	212.00	28.71	2.56	
		15:00	28.78	54.29	33.56	8.13	8.17	220.40	28.29	1.74	
		18:00	28.67	54.33	33.59	8.14	7.89	229.06	28.04	2.44	
		21:00	27.31	54.71	33.86	8.14	6.94	240.06	28.39	0.61	
	日平均值			28.27	54.33	33.59	8.15	7.91	223.52	30.21	1.84
	灣內站	0:00	28.94	52.92	32.57	8.20	7.19	307.69	4.69	1.00	
		3:00	28.78	53.05	32.67	8.25	6.48	305.66	3.55	2.27	
		6:00	28.57	52.97	32.61	8.25	6.25	226.46	3.66	0.85	
		9:00	28.75	53.02	32.64	8.27	6.50	244.99	3.32	1.03	
		12:00	29.15	52.95	32.59	8.26	7.67	299.58	4.22	2.07	
		15:00	29.55	52.97	32.61	8.27	8.48	301.09	7.49	1.76	
		18:00	29.31	52.47	32.25	8.24	7.83	306.57	4.04	1.59	
		21:00	29.14	52.64	32.37	8.27	6.14	313.82	1.86	1.49	
	日平均值			29.02	52.87	32.54	8.25	7.07	288.23	4.10	1.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月5日	蚵殼站	0:00	28.61	50.34	31.22	8.06	6.51	247.26	5.33	4.15
		3:00	28.55	50.87	31.60	8.08	6.13	250.77	5.62	0.74
		6:00	28.47	52.00	32.41	8.13	7.02	254.02	5.78	1.72
		9:00	28.71	53.12	33.22	8.14	8.22	250.68	7.55	1.77
		12:00	29.03	51.20	31.83	8.19	8.79	245.37	7.33	3.71
		15:00	29.44	50.01	30.98	8.21	8.62	242.27	12.92	2.38
		18:00	29.62	50.44	31.29	8.21	8.29	241.46	5.57	0.47
		21:00	29.82	51.30	31.91	8.26	5.55	241.64	5.57	2.47
	日平均值		29.03	51.16	31.81	8.16	7.39	246.68	6.96	2.18
	潮口站	0:00	27.06	53.74	33.16	8.12	7.98	202.39	40.87	1.89
		3:00	28.34	53.23	32.79	8.17	6.27	227.71	33.68	1.06
		6:00	28.61	53.50	32.99	8.10	7.36	230.47	27.49	2.07
		9:00	29.16	53.03	32.65	8.09	7.68	221.73	33.63	1.51
		12:00	28.75	53.68	33.12	8.15	7.81	214.88	40.14	0.56
		15:00	29.30	53.76	33.18	8.17	8.14	199.18	42.00	1.16
		18:00	29.19	53.36	32.89	8.16	8.32	191.89	40.54	2.50
		21:00	28.41	53.63	33.08	8.14	8.57	220.99	41.69	0.64
	日平均值		28.60	53.49	32.98	8.14	7.77	213.66	37.51	1.42
	灣內站	0:00	29.11	52.84	32.52	8.30	5.39	216.66	0.99	2.72
		3:00	29.09	52.89	32.55	8.31	5.78	225.65	2.10	2.06
		6:00	29.14	52.80	32.48	8.30	5.14	205.82	1.18	2.38
		9:00	29.55	52.93	32.58	8.23	6.39	232.91	2.97	2.52
		12:00	30.84	52.67	32.39	8.22	8.42	290.88	7.07	4.15
		15:00	30.62	52.62	32.35	8.19	7.95	300.35	3.31	3.03
		18:00	29.74	52.70	32.42	8.18	6.39	309.54	1.54	3.26
		21:00	29.61	52.53	32.29	8.24	5.91	315.77	1.41	1.72
	日平均值		29.71	52.75	32.45	8.25	6.42	262.20	2.57	2.73
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月6日	蚵殼站	0:00	29.09	51.24	31.86	8.16	5.31	238.14	2.53	1.98
		3:00	28.84	51.13	31.78	8.05	6.04	235.80	2.42	3.43
		6:00	28.96	50.95	31.65	8.15	8.05	241.01	2.18	0.01
		9:00	29.54	53.10	33.20	8.23	7.84	235.24	2.67	3.53
		12:00	30.22	54.34	34.09	8.28	8.02	231.56	2.70	4.49
		15:00	30.38	52.89	33.05	8.30	8.57	232.12	2.82	0.59
		18:00	29.84	51.83	32.29	8.14	5.02	228.22	2.76	4.61
		21:00	29.99	51.96	32.38	8.16	5.23	227.46	2.81	0.62
	日平均值		29.61	52.18	32.54	8.18	6.76	233.69	2.61	2.41
	潮口站	0:00	27.45	54.84	33.95	8.13	8.72	222.94	28.92	10.27
		3:00	29.80	54.12	33.44	8.17	7.89	207.56	30.27	2.13
		6:00	29.81	53.31	32.85	8.14	7.27	210.91	24.81	4.51
		9:00	30.55	51.95	31.87	8.12	7.29	213.76	27.44	3.96
		12:00	30.84	51.72	31.71	8.15	7.09	208.68	27.58	8.89
		15:00	29.42	53.15	32.74	8.13	8.42	221.36	30.05	0.18
		18:00	29.49	52.42	32.21	8.15	7.86	217.93	51.90	9.02
		21:00	29.27	52.38	32.18	8.11	5.45	223.72	88.10	9.74
	日平均值		29.58	52.99	32.62	8.14	7.50	215.86	38.63	6.09
	灣內站	0:00	29.62	52.67	32.39	8.26	6.05	250.74	1.57	4.89
		3:00	29.28	52.62	32.35	8.28	5.35	257.91	1.22	6.65
		6:00	29.35	52.04	31.94	8.21	5.75	197.28	1.48	1.96
		9:00	29.92	52.39	32.19	8.21	6.57	235.60	3.99	0.93
		12:00	31.00	52.28	32.11	8.23	6.96	280.28	4.18	0.43
		15:00	31.42	52.45	32.23	8.24	7.57	311.12	5.13	3.08
		18:00	31.22	52.55	32.31	8.27	6.44	318.35	4.71	7.21
		21:00	30.90	52.72	32.43	8.27	6.21	304.42	5.16	7.60
	日平均值		30.34	52.47	32.24	8.25	6.36	269.46	3.43	4.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月7日	蚵殼站	0:00	29.82	52.52	32.78	8.14	5.72	224.48	1.72	0.77	
		3:00	29.11	53.28	33.33	8.02	5.13	210.55	1.13	1.40	
		6:00	29.21	52.63	32.86	8.00	5.68	186.46	1.68	2.12	
		9:00	29.92	53.90	33.78	8.15	8.62	226.52	4.62	0.69	
		12:00	30.24	54.30	34.06	8.36	8.46	219.68	4.46	0.14	
		15:00	29.60	51.68	32.18	8.28	8.19	227.81	4.19	0.54	
		18:00	29.90	50.20	31.12	8.10	6.81	232.50	2.81	0.80	
		21:00	30.15	51.11	31.77	8.03	5.45	228.31	1.45	0.57	
	日平均值		29.74	52.45	32.74	8.14	6.76	219.54	2.76	0.88	
	潮口站	0:00	27.56	53.93	33.30	8.09	5.75	239.28	114.56	7.15	
		3:00	29.03	54.37	33.62	8.13	7.21	234.40	126.14	1.44	
		6:00	29.97	53.58	33.05	8.12	8.77	210.58	65.30	6.72	
		9:00	30.38	53.17	32.75	8.13	8.20	216.14	38.39	0.26	
		12:00	30.66	52.88	32.54	8.15	8.33	211.84	41.20	5.39	
		15:00	30.18	49.81	30.33	8.16	8.14	220.29	32.60	5.02	
		18:00	29.41	51.00	31.19	8.17	7.16	224.76	27.88	5.87	
		21:00	29.35	52.29	32.12	8.13	7.29	221.88	28.95	8.02	
	日平均值		29.57	52.63	32.36	8.14	7.61	222.40	59.38	4.98	
	灣內站	0:00	30.62	52.47	32.25	8.28	5.93	201.82	2.42	0.22	
		3:00	30.25	52.35	32.16	8.27	5.67	226.66	4.71	2.09	
		6:00	30.07	52.45	32.23	8.23	5.21	196.75	4.31	0.74	
		9:00	30.98	52.67	32.39	8.24	6.99	251.40	6.30	0.28	
		12:00	31.91	52.62	32.35	8.27	8.22	279.69	17.52	0.74	
		15:00	31.45	52.76	32.45	8.25	6.42	281.66	3.70	0.92	
		18:00	30.95	52.84	32.52	8.26	5.78	296.61	3.16	1.93	
		21:00	31.19	52.70	32.42	8.23	5.48	286.11	2.85	0.54	
	日平均值		30.93	52.61	32.35	8.25	6.21	252.59	5.62	0.93	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月8日	蚵殼站	0:00	30.28	51.70	32.19	8.12	5.36	226.08	1.36	2.10	
		3:00	29.70	52.92	33.07	8.11	5.94	210.10	1.94	1.31	
		6:00	29.26	52.53	32.79	8.00	5.24	224.64	1.24	1.55	
		9:00	29.67	53.76	33.68	8.10	6.46	232.92	2.46	0.06	
		12:00	30.41	53.38	33.40	8.31	8.06	224.33	4.06	1.24	
		15:00	30.47	53.47	33.47	8.34	8.42	218.77	4.42	0.21	
		18:00	30.38	50.59	31.40	8.20	6.23	216.58	2.23	2.25	
		21:00	30.33	50.47	31.31	8.22	5.13	221.34	1.13	0.36	
	日平均值		30.06	52.35	32.66	8.18	6.36	221.85	2.36	1.14	
	潮口站	0:00	28.49	53.63	33.08	8.10	5.13	238.64	22.89	1.73	
		3:00	28.43	55.20	34.21	8.14	6.49	239.44	25.96	2.07	
		6:00	29.25	53.86	33.25	8.11	6.96	226.86	21.84	4.27	
		9:00	29.93	52.02	31.92	8.14	6.81	204.44	23.36	2.30	
		12:00	31.05	52.07	31.96	8.17	4.83	192.09	24.11	1.92	
		15:00	29.48	53.73	33.15	8.18	8.32	197.78	21.93	0.18	
		18:00	29.75	53.87	33.26	8.17	6.94	214.07	22.39	0.72	
		21:00	30.61	52.68	32.40	8.12	7.16	178.65	28.40	0.60	
	日平均值		29.62	53.38	32.90	8.14	6.58	211.50	23.86	1.72	
	灣內站	0:00	30.87	52.92	32.57	8.21	5.88	298.12	2.78	2.23	
		3:00	30.22	52.92	32.57	8.25	5.20	323.32	2.15	2.19	
		6:00	30.09	52.98	32.61	8.23	5.44	268.20	2.93	0.95	
		9:00	30.60	52.98	32.61	8.24	5.66	265.62	3.22	1.34	
		12:00	31.55	52.75	32.45	8.25	7.93	296.83	8.65	2.08	
		15:00	31.87	52.58	32.32	8.22	7.86	298.70	7.33	0.61	
		18:00	29.96	52.92	32.57	8.19	5.36	306.18	2.49	1.30	
		21:00	30.00	52.93	32.58	8.15	5.72	308.02	1.19	2.38	
	日平均值		30.65	52.87	32.54	8.22	6.13	295.62	3.84	1.64	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月9日	蚵殼站	0:00	30.01	50.44	31.29	8.16	5.14	223.35	1.14	2.21
		3:00	29.34	51.33	31.93	8.08	5.13	226.81	1.13	1.83
		6:00	28.88	52.12	32.50	8.06	5.77	220.87	1.77	0.62
		9:00	29.16	51.38	31.96	8.02	6.35	198.45	2.35	0.75
		12:00	29.72	53.26	33.32	8.31	8.86	215.90	4.86	2.57
		15:00	29.82	51.54	32.08	8.27	7.84	218.95	3.84	0.90
		18:00	29.94	51.45	32.01	8.12	8.23	223.47	4.23	0.49
		21:00	29.64	52.25	32.59	8.12	5.05	223.22	1.05	1.59
	日平均值		29.56	51.72	32.21	8.14	6.55	218.88	2.55	1.37
	潮口站	0:00	29.70	53.13	32.72	8.10	5.30	216.54	22.71	2.55
		3:00	28.89	54.94	34.03	8.05	6.50	228.14	20.73	2.33
		6:00	29.33	54.29	33.56	8.04	6.19	209.09	22.24	2.37
		9:00	30.03	52.99	32.62	8.07	8.30	185.29	25.74	2.49
		12:00	30.02	53.68	33.12	8.11	7.06	191.01	27.10	2.37
		15:00	29.73	51.32	31.42	8.13	8.82	203.56	25.34	2.33
		18:00	29.45	48.59	29.46	8.16	7.46	202.84	34.58	2.44
		21:00	29.26	53.04	32.66	8.13	5.45	199.90	43.76	2.10
	日平均值		29.55	52.75	32.45	8.10	6.89	204.55	27.78	2.37
	灣內站	0:00	29.89	52.95	32.59	8.18	5.30	253.24	2.66	1.41
		3:00	29.98	52.92	32.57	8.19	5.82	288.76	1.35	1.86
		6:00	29.64	53.11	32.71	8.17	5.40	193.85	2.71	2.04
		9:00	30.12	53.24	32.80	8.20	5.97	267.18	2.90	1.03
		12:00	30.96	52.93	32.58	8.21	6.26	274.79	2.83	1.33
		15:00	31.08	52.92	32.57	8.21	6.06	281.43	3.23	1.44
		18:00	30.89	52.92	32.57	8.17	5.57	299.33	3.08	1.03
		21:00	30.88	53.11	32.71	8.19	5.93	299.94	3.32	1.95
	日平均值		30.43	53.01	32.64	8.19	5.79	269.82	2.76	1.51
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月10日	蚵殼站	0:00	29.00	51.84	32.29	8.09	5.46	226.29	1.46	2.00
		3:00	29.15	52.80	32.99	8.01	5.93	224.31	1.93	2.13
		6:00	28.88	53.16	33.24	8.04	7.54	216.92	3.54	2.52
		9:00	29.16	52.15	32.52	8.07	7.49	215.10	3.49	2.03
		12:00	29.82	53.83	33.73	8.10	7.24	223.98	3.24	2.10
		15:00	29.85	54.22	34.01	8.20	7.85	229.12	3.85	2.09
		18:00	29.77	53.77	33.68	8.11	6.09	215.49	2.09	2.07
		21:00	29.21	52.65	32.88	8.05	7.04	217.99	3.04	2.44
	日平均值		29.36	53.05	33.17	8.08	6.83	221.15	2.83	2.17
	潮口站	0:00	28.84	52.54	32.30	8.09	5.79	223.04	29.79	2.05
		3:00	28.69	54.72	33.87	8.09	5.08	229.59	31.73	2.55
		6:00	28.84	54.76	33.90	8.10	6.98	221.78	45.66	2.05
		9:00	29.75	52.61	32.35	8.11	8.46	205.52	50.09	1.87
		12:00	30.44	52.65	32.38	8.20	7.87	190.25	50.20	2.48
		15:00	30.02	51.09	31.26	8.21	8.82	187.86	44.42	1.55
		18:00	29.56	49.70	30.26	8.21	6.62	207.59	43.04	2.55
		21:00	29.66	52.73	32.44	8.13	6.91	199.94	76.81	1.51
	日平均值		29.48	52.60	32.35	8.14	7.07	208.20	46.47	2.08
	灣內站	0:00	30.49	53.00	32.63	8.16	5.99	237.36	4.00	2.02
		3:00	30.14	53.08	32.69	8.11	5.97	268.51	1.88	1.94
		6:00	30.05	53.34	32.87	8.08	5.96	268.87	1.74	2.36
		9:00	30.32	53.34	32.87	8.04	5.40	241.75	1.78	2.56
		12:00	31.21	53.02	32.64	8.04	6.32	300.71	11.32	2.10
		15:00	31.26	52.93	32.58	8.09	5.46	297.54	4.55	2.13
		18:00	30.89	53.03	32.65	8.10	5.94	300.78	1.61	2.15
		21:00	30.76	52.93	32.58	8.11	5.29	295.41	2.64	2.37
	日平均值		30.64	53.08	32.69	8.09	5.79	276.37	3.69	2.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)
9月11日	蚵殼站	0:00	29.00	51.08	31.75	8.00	6.03	225.16	2.03	1.35
		3:00	28.87	53.23	33.29	8.03	6.98	220.72	2.98	0.39
		6:00	28.99	52.45	32.73	8.06	6.24	217.92	2.24	1.72
		9:00	28.96	51.31	31.91	8.09	7.74	219.10	3.74	2.27
		12:00	29.47	50.89	31.61	8.12	8.13	228.57	4.13	1.71
		15:00	30.17	51.56	32.09	8.34	7.29	220.75	3.29	0.40
		18:00	29.91	52.26	32.60	8.26	8.16	224.50	4.16	2.28
		21:00	29.71	51.53	32.07	8.07	5.69	220.44	1.69	0.92
	日平均值		29.39	51.79	32.26	8.12	7.03	222.15	3.03	1.38
	潮口站	0:00	29.39	52.84	32.51	8.08	7.70	226.81	68.86	2.50
		3:00	28.95	53.39	32.91	8.07	5.99	239.53	49.65	2.51
		6:00	29.05	54.29	33.56	8.08	6.69	237.59	47.50	0.85
		9:00	29.56	52.89	32.55	8.11	7.91	224.29	102.14	1.14
		12:00	30.18	52.65	32.38	8.22	7.68	213.40	89.94	2.18
		15:00	29.98	53.09	32.69	8.24	7.28	212.77	55.66	1.03
		18:00	29.08	54.61	33.79	8.17	6.92	219.11	50.59	0.59
		21:00	29.29	54.29	33.56	8.10	6.49	215.09	62.48	1.71
	日平均值		29.44	53.51	32.99	8.13	7.08	223.57	65.85	1.56
	灣內站	0:00	30.75	53.15	32.74	8.11	5.91	182.36	1.68	1.28
		3:00	30.49	53.29	32.84	8.14	5.66	235.22	1.28	0.64
		6:00	30.42	53.33	32.87	8.15	5.64	232.06	1.15	1.92
		9:00	30.45	53.41	32.93	8.13	5.41	239.02	2.21	0.13
		12:00	30.78	52.89	32.55	8.15	5.08	289.47	2.33	0.46
		15:00	31.03	52.64	32.37	8.18	5.79	298.55	2.31	1.59
		18:00	30.70	53.06	32.68	8.17	5.98	304.71	1.49	0.16
		21:00	30.50	52.86	32.53	8.14	5.80	237.45	1.57	0.37
	日平均值		30.64	53.08	32.69	8.15	5.66	252.36	1.75	0.82
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)
9月12日	蚵殼站	0:00	29.49	51.05	31.73	8.18	7.43	220.34	3.43	2.50
		3:00	29.02	52.69	32.91	8.23	8.95	221.83	4.95	1.64
		6:00	28.78	52.42	32.71	8.10	8.44	212.31	4.44	0.88
		9:00	28.78	52.33	32.65	8.20	7.92	215.95	3.92	0.61
		12:00	28.92	51.54	32.08	8.27	8.64	219.55	4.64	1.77
		15:00	28.95	52.30	32.63	8.26	8.16	217.41	4.16	2.01
		18:00	28.85	52.44	32.73	8.22	8.22	223.60	4.22	0.61
		21:00	28.76	51.15	31.80	8.11	5.22	226.09	1.22	2.57
	日平均值		28.94	51.99	32.41	8.20	7.87	219.64	3.87	1.57
	潮口站	0:00	29.45	53.63	33.08	8.07	7.92	203.18	70.66	1.61
		3:00	28.85	54.08	33.41	8.07	7.00	210.06	61.38	2.29
		6:00	28.64	54.76	33.90	8.07	6.94	213.31	45.58	0.97
		9:00	28.92	54.65	33.82	8.15	6.62	208.27	67.89	0.07
		12:00	29.34	54.36	33.61	8.26	7.92	201.54	69.90	1.25
		15:00	29.33	54.33	33.59	8.27	7.67	200.45	65.02	1.22
		18:00	28.54	54.83	33.95	8.23	7.91	209.21	70.65	0.03
		21:00	28.50	54.83	33.95	8.16	6.66	198.18	62.84	0.88
	日平均值		28.95	54.43	33.66	8.16	7.33	205.53	64.24	1.04
	灣內站	0:00	30.33	53.25	32.81	8.14	5.06	214.17	2.12	1.03
		3:00	30.04	53.25	32.81	8.07	5.77	187.64	3.69	1.69
		6:00	29.82	53.05	32.67	8.10	5.67	259.83	3.18	0.97
		9:00	29.93	53.15	32.74	8.12	5.93	267.93	6.42	1.98
		12:00	30.13	52.88	32.55	8.19	7.97	289.17	10.02	1.77
		15:00	29.92	52.93	32.58	8.13	8.79	284.45	10.83	2.05
		18:00	29.56	52.55	32.31	8.12	6.68	296.29	7.06	2.05
		21:00	29.43	53.08	32.69	8.16	5.48	241.98	2.96	2.54
	日平均值		29.90	53.02	32.65	8.13	6.42	255.18	5.79	1.76
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月13日	蚵殼站	0:00	28.60	50.82	31.56	8.22	8.07	216.82	4.07	11.00
		3:00	28.32	53.08	33.19	8.20	7.55	213.00	3.55	1.91
		6:00	28.12	53.35	33.38	8.15	7.33	221.04	3.33	1.17
		9:00	28.13	52.59	32.83	8.19	8.07	222.20	4.07	7.74
		12:00	28.32	51.75	32.23	8.23	7.98	221.41	3.98	8.89
		15:00	28.40	51.70	32.19	8.24	6.52	222.24	2.52	1.32
		18:00	28.36	52.05	32.45	8.17	7.49	229.31	3.49	10.99
		21:00	28.30	51.85	32.30	8.05	6.10	223.42	2.10	2.14
	日平均值		28.32	52.15	32.52	8.18	7.39	221.18	3.39	5.65
	潮口站	0:00	28.82	54.31	33.57	8.14	7.08	215.39	55.01	1.62
		3:00	28.47	54.33	33.59	8.16	6.76	215.27	53.34	1.15
		6:00	28.01	54.92	34.01	8.08	5.88	221.04	42.44	0.23
		9:00	28.13	54.85	33.96	8.16	6.82	172.31	45.17	1.62
		12:00	28.61	54.40	33.64	8.30	7.95	210.12	52.90	1.75
		15:00	28.84	54.20	33.49	8.30	7.97	201.25	44.35	1.49
		18:00	27.93	54.68	33.84	8.23	8.11	213.01	54.48	2.23
		21:00	27.95	54.59	33.77	8.19	6.48	214.87	47.96	0.39
	日平均值		28.35	54.54	33.73	8.20	7.13	207.91	49.46	1.31
	灣內站	0:00	29.29	53.19	32.77	8.17	5.44	286.80	4.89	6.54
		3:00	29.22	53.28	32.83	8.13	6.60	295.15	7.40	0.36
		6:00	29.13	53.17	32.75	8.09	6.55	304.40	7.29	10.06
		9:00	29.10	53.05	32.67	8.13	6.99	304.58	8.61	0.05
		12:00	29.09	53.17	32.75	8.19	8.98	298.83	12.11	10.22
		15:00	29.19	52.97	32.61	8.16	8.98	291.10	11.60	6.71
		18:00	28.97	52.52	32.29	8.19	5.58	301.11	4.94	8.82
		21:00	28.96	53.20	32.77	8.17	5.32	200.81	4.80	10.74
	日平均值		29.12	53.07	32.68	8.15	6.81	285.35	7.71	6.69
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月14日	蚵殼站	0:00	28.24	51.81	32.27	8.04	5.69	232.85	1.69	5.49
		3:00	28.01	52.23	32.58	8.04	5.32	228.54	1.32	6.26
		6:00	27.90	53.36	33.39	8.01	6.54	229.62	2.54	1.07
		9:00	28.19	53.46	33.46	8.03	5.53	230.21	1.53	0.63
		12:00	28.55	52.41	32.71	8.18	8.42	223.41	4.42	7.62
		15:00	28.80	51.84	32.29	8.26	7.64	212.55	3.64	4.61
		18:00	28.71	52.41	32.71	8.16	5.12	224.46	1.12	4.18
		21:00	28.54	52.12	32.50	8.03	5.33	221.92	1.33	3.00
	日平均值		28.37	52.46	32.74	8.09	6.20	225.45	2.20	4.11
	潮口站	0:00	28.31	54.32	33.58	8.12	5.93	190.21	50.13	1.69
		3:00	28.30	54.27	33.54	8.12	5.01	203.66	45.41	1.38
		6:00	27.59	54.81	33.93	8.06	5.49	194.01	57.50	0.20
		9:00	27.93	54.78	33.91	8.11	6.65	186.09	59.18	0.12
		12:00	28.92	54.29	33.56	8.30	8.82	203.19	39.12	2.93
		15:00	28.73	53.48	32.97	8.30	7.40	199.53	41.04	2.51
		18:00	28.06	51.65	31.66	8.23	6.80	205.44	43.49	3.08
		21:00	27.88	53.10	32.70	8.08	5.86	211.29	60.67	2.59
	日平均值		28.22	53.84	33.23	8.17	6.50	199.18	49.57	1.81
	灣內站	0:00	28.91	53.29	32.84	8.15	5.75	161.50	3.46	6.10
		3:00	28.77	53.31	32.85	8.17	5.73	206.39	3.68	2.69
		6:00	28.68	53.14	32.73	8.16	5.85	244.18	3.62	4.80
		9:00	29.01	53.06	32.68	8.17	5.07	206.92	4.23	0.92
		12:00	29.33	52.70	32.42	8.26	6.25	280.35	6.64	2.47
		15:00	29.48	52.26	32.10	8.29	7.31	284.29	8.55	1.97
		18:00	29.33	53.31	32.85	8.25	5.64	277.68	5.08	4.94
		21:00	29.04	53.19	32.77	8.24	5.50	242.37	5.11	4.67
	日平均值		29.07	53.03	32.66	8.21	5.89	237.96	5.05	3.57
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月15日	蚵殼站	0:00	28.54	51.40	31.98	8.07	7.62	230.70	3.62	1.21	
		3:00	28.37	52.99	33.12	8.10	5.22	234.09	1.22	4.07	
		6:00	28.35	53.67	33.61	8.12	6.03	233.58	2.03	3.58	
		9:00	28.67	53.76	33.68	8.11	5.80	227.33	1.80	1.87	
		12:00	28.64	52.83	33.01	8.15	8.50	197.31	4.50	3.22	
		15:00	28.78	52.61	32.85	8.28	7.96	166.61	3.96	1.06	
		18:00	28.97	52.53	32.79	8.29	5.36	146.01	1.36	1.89	
		21:00	28.94	52.67	32.89	8.26	6.45	137.84	2.45	1.95	
	日平均值			28.66	52.81	32.99	8.17	6.62	196.68	2.62	2.36
	潮口站	0:00	28.10	53.56	33.03	8.03	5.47	236.94	52.15	1.08	
		3:00	28.19	53.73	33.15	8.03	6.01	214.41	73.23	3.85	
		6:00	27.78	54.33	33.59	8.00	5.94	221.08	90.79	1.12	
		9:00	28.08	54.81	33.93	8.00	6.14	231.27	66.99	0.79	
		12:00	29.45	53.74	33.16	8.28	7.42	193.47	61.44	1.38	
		15:00	28.93	53.54	33.02	8.31	8.09	165.04	53.40	0.79	
		18:00	28.33	53.18	32.76	8.24	7.25	116.50	19.57	1.43	
		21:00	27.98	53.41	32.92	8.17	5.91	115.56	18.93	4.33	
	日平均值			28.36	53.79	33.20	8.13	6.53	186.78	54.56	1.85
	灣內站	0:00	29.23	52.93	32.58	8.18	5.85	193.29	5.81	1.56	
		3:00	29.12	53.14	32.73	8.15	6.13	203.17	6.35	0.30	
		6:00	29.01	52.93	32.58	8.15	5.24	192.90	4.97	0.92	
		9:00	29.87	52.95	32.59	8.20	7.47	186.97	17.26	1.23	
		12:00	29.86	53.00	32.63	8.14	8.45	208.68	3.14	1.79	
		15:00	30.18	52.59	32.33	8.13	8.73	209.45	3.57	1.62	
		18:00	30.01	52.93	32.58	8.14	8.49	159.94	3.57	0.35	
		21:00	29.77	52.48	32.26	8.14	7.92	154.30	2.49	0.17	
	日平均值			29.63	52.87	32.54	8.15	7.29	188.59	5.90	0.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月16日	蚵殼站	0:00	28.81	52.59	32.83	8.30	6.70	141.49	0.50	2.56	
		3:00	28.72	52.86	33.03	8.27	6.77	158.22	1.00	2.56	
		6:00	28.61	53.73	33.65	8.25	5.41	164.55	2.51	2.50	
		9:00	28.95	53.68	33.62	8.27	5.89	157.02	2.01	1.99	
		12:00	29.41	53.41	33.42	8.33	6.46	163.84	2.29	2.54	
		15:00	29.48	52.81	32.99	8.34	5.73	174.47	3.56	2.49	
		18:00	29.34	53.02	33.14	8.27	5.80	182.52	3.19	2.43	
		21:00	28.87	52.69	32.91	8.16	5.24	181.69	4.34	2.44	
	日平均值			29.02	53.10	33.20	8.27	6.00	165.48	2.43	2.44
	潮口站	0:00	28.91	53.88	33.26	8.16	6.57	113.39	21.91	0.43	
		3:00	29.00	53.93	33.30	8.15	6.12	113.89	29.88	1.33	
		6:00	28.63	54.01	33.36	8.10	7.17	121.77	24.56	0.05	
		9:00	28.58	54.78	33.91	8.08	7.71	129.01	61.91	1.18	
		12:00	29.41	54.09	33.41	8.19	8.41	125.54	49.01	1.27	
		15:00	29.39	53.50	32.99	8.17	8.56	137.14	20.00	2.54	
		18:00	28.53	49.45	30.08	8.09	8.07	148.86	19.09	2.00	
		21:00	28.24	53.20	32.77	8.09	7.23	153.39	91.99	1.83	
	日平均值			28.84	53.36	32.89	8.13	7.48	130.37	39.79	1.33
	灣內站	0:00	29.58	51.92	31.85	8.12	7.05	162.18	2.53	2.34	
		3:00	29.38	53.12	32.71	8.17	6.72	164.95	2.66	2.52	
		6:00	29.27	53.17	32.75	8.10	6.87	162.43	4.63	2.05	
		9:00	29.47	52.86	32.53	8.09	7.18	168.99	1.98	2.00	
		12:00	29.92	52.76	32.45	8.15	8.30	168.84	2.04	2.15	
		15:00	30.08	51.91	31.84	8.17	8.91	189.96	2.59	1.95	
		18:00	30.07	52.17	32.03	8.16	8.29	202.85	2.95	2.13	
		21:00	30.02	52.70	32.42	8.14	8.24	206.09	3.63	2.18	
	日平均值			29.72	52.58	32.32	8.14	7.70	178.29	2.88	2.17
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月17日	蚵殼站	0:00	28.93	52.09	32.47	8.13	6.28	182.96	8.47	2.51
		3:00	28.66	51.49	32.04	8.06	5.30	192.35	8.80	1.37
		6:00	28.60	53.12	33.22	8.10	6.83	200.42	8.91	1.59
		9:00	28.82	53.61	33.57	8.21	6.84	198.28	9.29	2.50
		12:00	29.16	52.83	33.01	8.25	6.68	193.44	2.08	2.40
		15:00	29.42	52.26	32.60	8.25	6.31	191.63	4.24	1.64
		18:00	29.36	52.77	32.96	8.16	5.54	193.46	1.65	2.45
		21:00	29.10	52.73	32.94	8.08	6.41	182.79	1.61	2.04
	日平均值		29.01	52.61	32.85	8.16	6.27	191.92	5.63	2.06
	潮口站	0:00	28.54	53.36	32.89	8.12	7.27	158.31	35.56	0.78
		3:00	28.84	53.37	32.90	8.16	6.17	168.14	54.32	1.03
		6:00	28.54	53.28	32.83	8.09	5.98	181.12	58.09	1.96
		9:00	28.99	53.58	33.05	8.08	7.68	177.80	32.18	1.60
		12:00	29.05	54.25	33.53	8.11	7.89	168.69	21.64	1.18
		15:00	29.07	53.87	33.26	8.13	8.41	173.85	29.75	2.22
		18:00	28.58	52.42	32.21	8.11	7.34	184.54	18.41	1.15
		21:00	28.19	54.00	33.35	8.08	6.77	195.27	32.46	1.78
	日平均值		28.73	53.52	33.00	8.11	7.19	175.97	35.30	1.46
	灣內站	0:00	29.99	52.92	32.57	8.13	6.98	231.01	2.48	1.92
		3:00	29.90	53.08	32.69	8.17	5.42	190.77	1.81	1.52
		6:00	29.75	52.97	32.61	8.14	6.35	227.59	2.79	1.39
		9:00	29.96	53.02	32.64	8.12	8.37	212.79	2.75	1.31
		12:00	30.13	52.95	32.59	8.15	8.47	212.66	4.52	1.90
		15:00	30.11	52.97	32.61	8.13	8.14	214.12	6.04	1.95
		18:00	30.04	52.47	32.25	8.15	8.54	230.29	4.55	1.48
		21:00	29.86	52.64	32.37	8.11	8.06	219.86	3.53	2.15
	日平均值		29.97	52.88	32.54	8.14	7.54	217.39	3.56	1.70
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月18日	蚵殼站	0:00	29.09	52.41	32.71	8.06	5.59	153.85	1.73	2.53
		3:00	29.05	52.51	32.78	8.09	5.30	162.10	0.21	1.78
		6:00	28.81	52.84	33.01	8.18	6.34	193.19	0.29	1.09
		9:00	29.11	53.77	33.68	8.24	7.26	201.01	0.47	2.51
		12:00	29.08	53.39	33.41	8.24	8.15	197.82	0.69	2.04
		15:00	28.95	52.36	32.67	8.20	7.03	198.59	0.64	2.56
		18:00	28.93	52.43	32.72	8.10	5.64	197.30	0.58	2.47
		21:00	28.85	52.62	32.86	8.06	5.21	187.34	0.21	2.44
	日平均值		28.98	52.79	32.98	8.15	6.32	186.40	0.60	2.18
	潮口站	0:00	28.21	54.19	33.49	8.08	7.36	190.79	146.42	1.59
		3:00	28.50	53.70	33.13	8.12	7.76	195.27	52.09	4.06
		6:00	28.64	53.63	33.08	8.14	7.55	192.06	20.96	0.39
		9:00	28.99	53.58	33.05	8.10	8.06	189.58	31.81	2.27
		12:00	28.81	53.03	32.65	8.08	8.16	193.24	15.81	2.26
		15:00	28.77	51.21	31.34	8.06	7.49	193.16	36.08	2.03
		18:00	28.46	51.85	31.80	8.06	6.44	203.43	18.72	5.92
		21:00	28.15	53.74	33.16	8.07	7.14	206.61	43.39	2.15
	日平均值		28.57	53.12	32.71	8.09	7.50	195.52	45.66	2.58
	灣內站	0:00	29.78	52.86	32.53	8.09	7.05	221.69	2.79	0.77
		3:00	29.71	52.98	32.61	8.13	6.52	192.30	2.85	2.19
		6:00	29.63	53.12	32.71	8.12	6.39	210.92	3.37	2.10
		9:00	29.83	53.15	32.74	8.13	7.86	222.84	4.08	1.31
		12:00	29.92	52.92	32.57	8.15	8.04	238.13	4.89	1.62
		15:00	29.88	52.75	32.45	8.16	8.01	240.52	4.95	2.56
		18:00	29.84	52.86	32.53	8.17	7.47	249.32	3.22	1.68
		21:00	29.75	52.70	32.42	8.13	7.21	189.12	2.44	2.03
	日平均值		29.79	52.92	32.57	8.14	7.32	220.61	3.57	1.78
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月19日	蚵殼站	0:00	28.68	52.55	32.81	8.06	5.57	186.48	0.20	0.46
		3:00	28.61	52.26	32.60	8.07	6.69	180.26	0.16	0.01
		6:00	28.63	52.61	32.85	8.08	6.52	190.56	0.33	1.83
		9:00	29.08	53.80	33.71	8.16	6.89	199.11	0.50	1.92
		12:00	29.28	53.53	33.51	8.17	7.20	198.27	2.02	1.54
		15:00	29.09	52.94	33.09	8.18	8.24	198.50	0.47	1.69
		18:00	29.16	52.55	32.81	8.16	5.95	199.71	0.38	2.33
		21:00	29.02	52.60	32.84	8.09	7.35	202.98	0.32	0.08
	日平均值		28.94	52.86	33.03	8.12	6.80	194.48	0.55	1.23
	潮口站	0:00	28.17	54.28	33.55	8.08	6.88	199.94	29.06	1.71
		3:00	28.44	53.34	32.87	8.10	6.80	201.83	38.44	0.67
		6:00	28.51	53.23	32.79	8.12	7.85	191.56	41.68	2.34
		9:00	29.08	52.91	32.56	8.13	8.43	179.99	27.71	4.54
		12:00	29.15	53.49	32.98	8.09	8.60	186.07	23.47	0.01
		15:00	29.01	53.55	33.03	8.08	7.94	187.43	41.40	4.41
		18:00	29.12	52.34	32.15	8.08	7.41	186.49	52.30	2.38
		21:00	28.70	53.71	33.14	8.07	6.93	193.81	43.25	0.03
	日平均值		28.77	53.36	32.88	8.09	7.61	190.89	37.16	2.01
	灣內站	0:00	29.59	52.95	32.59	8.10	6.82	200.28	2.07	0.81
		3:00	29.51	53.11	32.71	8.14	5.95	190.18	2.67	0.31
		6:00	29.44	53.19	32.77	8.11	5.63	182.41	2.91	0.05
		9:00	29.80	53.14	32.73	8.14	6.84	200.36	2.56	0.55
		12:00	30.44	52.64	32.37	8.17	7.78	251.95	2.88	1.79
		15:00	30.40	52.58	32.32	8.18	7.33	268.79	2.58	0.56
		18:00	30.24	52.80	32.48	8.17	7.26	280.85	2.62	2.15
		21:00	29.83	52.69	32.41	8.12	6.35	288.52	1.93	0.07
	日平均值		29.91	52.89	32.55	8.14	6.75	232.92	2.53	0.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月20日	蚵殼站	0:00	28.90	52.64	32.87	8.09	5.14	198.71	0.21	0.61
		3:00	28.80	52.47	32.75	8.11	6.36	201.41	0.24	0.79
		6:00	28.82	52.36	32.67	8.10	5.97	202.54	0.22	2.10
		9:00	29.13	53.19	33.27	8.01	6.65	198.84	0.39	1.37
		12:00	29.39	53.65	33.60	8.00	8.43	198.75	0.92	1.51
		15:00	29.40	52.99	33.12	8.08	7.12	196.61	0.53	2.12
		18:00	29.32	52.79	32.98	8.12	6.14	195.69	0.37	1.89
		21:00	29.19	52.71	32.92	8.14	5.78	194.24	0.38	0.87
	日平均值		29.12	52.85	33.02	8.08	6.45	198.35	0.41	1.41
	潮口站	0:00	28.50	54.51	33.72	8.07	6.84	193.34	38.13	0.51
		3:00	28.72	53.47	32.97	8.07	6.48	190.37	31.36	0.05
		6:00	28.99	53.31	32.85	8.11	7.05	191.26	19.14	1.85
		9:00	29.46	53.21	32.78	8.11	6.98	185.24	51.64	3.80
		12:00	29.68	53.37	32.90	8.11	8.21	186.12	32.63	4.38
		15:00	29.59	52.11	31.99	8.06	7.52	195.93	14.26	3.46
		18:00	29.40	52.21	32.06	8.01	5.97	194.75	20.46	2.62
		21:00	29.08	53.07	32.68	8.09	5.74	200.69	41.04	2.60
	日平均值		29.18	53.16	32.74	8.08	6.85	192.21	31.08	2.41
	灣內站	0:00	29.76	52.76	32.45	8.10	6.20	265.65	1.50	2.03
		3:00	29.64	53.12	32.71	8.05	5.54	200.53	1.20	0.81
		6:00	29.50	53.45	32.95	8.04	5.51	176.84	1.23	2.72
		9:00	29.86	53.33	32.87	8.07	6.43	235.51	1.54	0.74
		12:00	30.42	53.34	32.87	8.11	7.60	264.06	3.15	1.91
		15:00	30.49	52.93	32.58	8.13	7.59	276.65	4.08	1.29
		18:00	30.34	52.92	32.57	8.16	7.27	284.18	3.55	2.54
		21:00	29.86	53.08	32.69	8.13	6.30	290.08	2.28	2.39
	日平均值		29.98	53.12	32.71	8.10	6.56	249.19	2.32	1.80
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月21日	蚵殼站	0:00	29.09	52.80	32.99	8.18	6.61	195.49	0.22	2.60
		3:00	28.96	52.70	32.91	8.21	5.76	196.62	0.18	0.37
		6:00	28.81	52.74	32.94	8.22	5.57	198.26	0.53	0.28
		9:00	29.17	52.90	33.06	8.25	5.29	193.47	0.54	1.63
		12:00	29.38	53.26	33.32	8.24	6.09	192.68	0.94	0.81
		15:00	29.21	52.87	33.04	8.23	7.65	193.51	0.59	3.09
		18:00	29.26	52.34	32.65	8.16	6.30	195.12	2.45	2.58
		21:00	29.24	52.16	32.53	8.11	5.78	171.86	0.26	1.03
	日平均值		29.14	52.72	32.93	8.20	6.13	192.13	0.71	1.55
	潮口站	0:00	28.60	54.18	33.48	8.09	6.34	211.60	18.21	3.78
		3:00	28.69	54.16	33.46	8.04	5.23	208.04	68.82	1.25
		6:00	28.91	53.46	32.96	8.15	8.37	201.39	18.57	2.33
		9:00	29.42	53.34	32.87	8.18	6.70	197.33	11.94	2.05
		12:00	29.94	53.05	32.67	8.12	6.63	195.01	12.84	2.22
		15:00	29.41	52.16	32.03	8.10	5.55	198.51	19.77	3.17
		18:00	29.16	52.32	32.14	8.07	6.73	212.72	45.84	0.55
	21:00	28.89	51.50	31.55	8.00	7.38	211.10	18.26	0.65	
	日平均值		29.13	53.02	32.65	8.09	6.62	204.46	26.78	2.00
	灣內站	0:00	29.71	53.02	32.64	8.09	6.14	292.79	1.51	0.80
		3:00	29.65	52.92	32.57	8.09	5.77	298.36	0.94	0.79
		6:00	29.55	53.28	32.83	8.10	5.50	298.73	0.69	0.25
		9:00	29.79	52.98	32.61	8.11	6.43	280.36	1.06	1.00
		12:00	30.13	52.80	32.48	8.20	7.15	253.80	1.76	2.32
		15:00	30.12	53.33	32.87	8.21	7.14	259.19	1.96	1.51
		18:00	30.13	52.72	32.43	8.21	6.98	268.28	2.36	2.21
	21:00	30.04	52.75	32.45	8.13	6.46	260.62	2.24	0.18	
	日平均值		29.89	52.98	32.61	8.14	6.45	276.52	1.57	1.13
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月22日	蚵殼站	0:00	28.82	52.34	32.65	8.09	5.61	185.49	0.22	4.36
		3:00	28.61	52.71	32.92	8.07	5.62	186.43	0.17	1.18
		6:00	28.79	52.88	33.04	8.11	6.98	184.02	0.21	1.21
		9:00	29.07	52.86	33.03	8.18	7.99	195.67	0.52	0.62
		12:00	29.50	52.73	32.94	8.23	7.13	195.53	0.67	2.64
		15:00	29.68	52.72	32.93	8.25	8.37	193.81	1.31	3.54
		18:00	29.67	52.83	33.01	8.19	7.63	192.67	0.51	0.84
		21:00	29.78	52.88	33.04	8.16	7.06	187.15	0.44	2.17
	日平均值		29.24	52.74	32.95	8.16	7.05	190.10	0.51	2.07
	潮口站	0:00	28.45	51.57	31.60	8.10	5.59	217.81	20.19	1.99
		3:00	28.47	53.11	32.71	8.10	5.89	215.53	79.61	1.82
		6:00	28.78	51.74	31.72	8.13	6.28	210.02	18.96	3.34
		9:00	29.34	51.99	31.90	8.12	7.43	209.56	24.64	0.84
		12:00	30.08	50.94	31.15	8.09	8.41	205.35	13.81	0.33
		15:00	30.02	49.46	30.08	8.05	8.04	211.12	21.05	1.54
		18:00	29.61	50.52	30.85	8.10	7.32	216.93	52.06	0.39
	21:00	29.44	51.30	31.41	8.07	6.48	215.52	19.37	2.42	
	日平均值		29.27	51.33	31.43	8.10	6.93	212.73	31.21	1.58
	灣內站	0:00	29.92	52.75	32.45	8.08	6.29	264.28	1.20	3.24
		3:00	29.84	52.95	32.59	8.07	5.95	272.12	1.26	4.32
		6:00	29.66	52.89	32.55	8.08	5.61	261.58	0.97	0.67
		9:00	30.03	53.42	32.93	8.11	6.73	263.16	2.46	0.11
		12:00	30.38	52.80	32.48	8.22	7.35	238.08	1.72	4.28
		15:00	30.57	52.88	32.55	8.24	7.35	250.13	2.14	1.01
		18:00	30.51	52.80	32.48	8.17	7.24	253.93	2.38	4.51
	21:00	30.64	53.02	32.64	8.10	6.96	259.40	3.14	0.21	
	日平均值		30.19	52.94	32.58	8.13	6.69	257.84	1.91	2.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月23日	蚵殼站	0:00	29.74	52.93	33.08	8.24	6.75	183.27	0.42	1.24
		3:00	29.61	53.28	33.33	8.25	5.25	188.51	0.38	0.54
		6:00	29.38	53.34	33.37	8.23	5.46	186.67	0.35	0.91
		9:00	29.50	53.14	33.23	8.23	7.97	181.02	0.65	2.31
		12:00	29.68	52.84	33.01	8.14	7.68	183.69	0.76	0.88
		15:00	29.74	54.10	33.92	8.15	5.88	185.53	0.86	0.03
		18:00	29.52	53.93	33.80	8.19	8.05	189.49	0.82	0.24
		21:00	29.41	53.69	33.63	8.18	6.42	191.56	0.41	1.92
	日平均值		29.57	53.41	33.42	8.20	6.68	186.22	0.58	1.01
	潮口站	0:00	28.99	51.65	31.66	8.16	5.27	222.87	40.49	1.92
		3:00	28.66	53.68	33.12	8.12	6.43	223.09	24.18	1.56
		6:00	28.92	51.64	31.65	8.12	6.39	216.83	18.77	5.47
		9:00	29.51	51.02	31.21	8.17	7.83	215.09	20.69	1.12
		12:00	30.15	51.01	31.20	8.19	6.09	216.06	29.51	1.38
		15:00	29.90	50.94	31.15	8.18	6.12	222.54	12.57	1.00
		18:00	29.52	49.81	30.33	8.18	5.72	227.34	18.79	7.83
		21:00	29.47	48.75	29.57	8.10	5.81	220.58	11.99	0.78
	日平均值		29.39	51.06	31.24	8.15	6.21	220.55	22.12	2.63
	灣內站	0:00	30.38	53.05	32.67	8.07	6.39	259.28	2.22	2.13
		3:00	30.19	53.08	32.69	8.07	6.24	243.53	1.39	0.27
		6:00	30.15	52.93	32.58	8.07	5.92	237.43	1.21	0.34
		9:00	30.30	53.05	32.67	8.15	6.64	240.42	2.11	1.77
		12:00	30.34	52.95	32.59	8.26	8.10	241.98	4.27	0.38
		15:00	30.52	52.92	32.57	8.27	7.73	242.85	3.22	2.60
		18:00	30.42	52.97	32.61	8.23	7.09	254.40	3.52	0.01
		21:00	30.35	52.97	32.61	8.16	6.42	255.44	2.38	1.13
	日平均值		30.33	52.99	32.62	8.16	6.82	246.92	2.54	1.08
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月24日	蚵殼站	0:00	28.95	53.29	33.34	8.15	5.06	179.14	0.23	0.65
		3:00	29.51	52.53	32.79	8.11	5.61	187.69	0.38	0.71
		6:00	29.63	52.76	32.96	8.11	6.71	168.25	0.50	0.47
		9:00	29.66	53.16	33.24	8.09	7.39	169.18	0.63	0.56
		12:00	30.02	53.34	33.37	8.11	8.24	179.59	0.91	1.05
		15:00	29.97	53.14	33.23	8.09	8.44	181.45	1.78	1.40
		18:00	29.95	52.66	32.88	8.06	6.71	181.66	0.64	1.85
		21:00	29.93	52.62	32.86	8.06	7.39	171.71	0.52	1.08
	日平均值		29.70	52.94	33.08	8.10	6.94	177.33	0.70	0.97
	潮口站	0:00	29.23	50.04	30.50	8.14	5.36	225.72	65.84	0.05
		3:00	28.80	53.53	33.01	8.05	5.52	224.89	194.30	2.38
		6:00	29.26	52.65	32.38	8.08	6.22	217.58	70.10	1.00
		9:00	29.70	50.90	31.12	8.18	8.29	215.51	20.96	2.15
		12:00	30.37	50.01	30.48	8.19	9.08	216.07	20.34	3.07
		15:00	29.99	48.21	29.18	8.14	7.49	226.80	23.06	3.62
		18:00	29.48	49.51	30.12	8.17	7.34	228.49	19.63	2.88
		21:00	29.87	50.68	30.96	8.06	9.12	222.14	20.13	0.00
	日平均值		29.59	50.69	30.97	8.13	7.30	222.15	54.30	1.89
	灣內站	0:00	30.30	52.64	32.37	8.14	6.14	271.98	2.08	1.62
		3:00	29.88	52.70	32.42	8.16	5.76	254.61	1.92	1.96
		6:00	29.83	52.76	32.45	8.08	5.98	256.01	2.94	0.72
		9:00	29.89	52.83	32.51	8.16	6.76	246.15	3.02	1.08
		12:00	30.74	52.59	32.33	8.30	7.80	234.72	3.15	2.07
		15:00	30.86	52.35	32.16	8.30	7.99	236.88	3.30	1.55
		18:00	30.77	52.70	32.42	8.23	7.46	242.07	3.75	1.66
		21:00	30.77	52.64	32.37	8.19	7.29	243.64	3.71	2.37
	日平均值		30.38	52.65	32.38	8.20	6.90	248.26	2.98	1.63
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月25日	蚵殼站	0:00	29.53	52.19	32.55	8.04	5.14	177.92	0.45	2.51
		3:00	29.63	52.47	32.75	8.03	5.23	184.11	0.57	3.68
		6:00	28.65	53.05	33.17	8.04	6.58	176.45	0.55	0.28
		9:00	29.76	53.63	33.58	8.05	6.89	175.89	2.43	0.59
		12:00	29.78	53.16	33.24	8.10	5.09	177.35	8.39	3.86
		15:00	29.99	52.54	32.80	8.28	7.41	172.41	1.54	0.43
		18:00	29.74	52.24	32.58	8.17	6.87	166.41	0.78	2.56
		21:00	29.41	52.69	32.91	8.05	7.10	179.59	0.55	4.00
	日平均值		29.56	52.75	32.95	8.10	6.29	176.27	1.91	2.24
	潮口站	0:00	29.35	49.99	30.46	8.07	7.28	221.71	19.49	2.04
		3:00	28.67	53.30	32.85	8.09	6.91	224.91	21.69	2.26
		6:00	28.82	51.87	31.82	8.03	7.85	220.95	19.54	5.71
		9:00	29.55	48.99	29.74	8.09	7.91	216.47	21.66	7.32
		12:00	30.45	50.09	30.54	8.17	8.26	212.87	22.02	4.28
		15:00	30.05	48.33	29.27	8.11	8.53	219.64	22.67	0.51
		18:00	29.53	49.15	29.86	8.14	7.88	224.52	22.56	2.82
		21:00	29.98	50.93	31.14	8.09	6.54	220.24	47.91	2.69
	日平均值		29.55	50.33	30.71	8.10	7.65	220.16	24.69	3.45
	灣內站	0:00	30.66	52.59	32.33	8.12	6.61	243.15	3.12	1.51
		3:00	30.67	52.64	32.37	8.12	6.34	247.68	2.62	3.74
		6:00	30.38	52.92	32.57	8.06	5.62	252.84	2.89	0.60
		9:00	30.50	53.03	32.65	8.11	6.53	246.80	1.37	3.56
		12:00	31.22	52.61	32.35	8.30	7.88	237.37	1.15	3.90
		15:00	31.39	52.62	32.35	8.30	8.65	228.63	1.82	4.97
		18:00	30.76	52.80	32.48	8.23	7.04	244.59	1.33	0.28
		21:00	30.69	52.81	32.49	8.08	7.37	250.01	1.61	0.36
	日平均值		30.78	52.75	32.45	8.17	7.01	243.88	1.99	2.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
9月26日	蚵殼站	0:00	29.32	52.66	32.88	8.05	5.16	179.53	0.58	4.68
		3:00	29.19	52.60	32.84	8.07	6.36	186.75	0.42	1.33
		6:00	29.16	52.51	32.78	8.02	6.66	188.84	0.51	5.18
		9:00	29.31	53.10	33.20	8.04	5.14	184.61	0.57	0.33
		12:00	29.80	53.74	33.66	8.09	6.91	175.78	1.78	2.09
		15:00	29.93	53.51	33.50	8.12	7.58	176.73	6.11	0.95
		18:00	30.06	52.97	33.11	8.07	7.38	177.50	2.54	2.41
		21:00	29.41	53.03	33.15	8.25	6.70	174.73	0.80	6.46
	日平均值		29.52	53.02	33.14	8.09	6.49	180.56	1.66	2.93
	潮口站	0:00	29.55	50.52	30.85	8.06	6.74	220.07	46.33	2.00
		3:00	28.85	53.21	32.78	8.06	7.07	221.70	147.43	2.51
		6:00	29.14	52.93	32.58	8.05	8.42	219.26	61.29	0.31
		9:00	30.21	49.99	30.46	8.08	8.16	208.39	29.14	3.31
		12:00	30.62	50.46	30.80	8.21	7.64	211.21	32.79	0.62
		15:00	29.97	48.38	29.31	8.11	7.16	217.18	34.76	4.54
		18:00	29.62	48.02	29.05	8.08	8.61	221.49	51.59	0.41
		21:00	29.87	51.18	31.32	8.05	8.38	203.69	145.90	0.22
	日平均值		29.73	50.59	30.89	8.09	7.77	215.37	68.65	1.74
	灣內站	0:00	30.76	52.78	32.47	8.03	6.12	232.92	1.51	1.70
		3:00	30.58	52.88	32.55	8.03	7.27	194.02	1.94	3.70
		6:00	30.61	53.14	32.73	8.00	7.08	203.88	1.69	1.00
		9:00	30.72	53.03	32.65	8.00	8.28	244.42	1.06	5.30
		12:00	31.48	52.70	32.42	8.28	8.03	225.81	1.76	1.13
		15:00	31.52	52.67	32.39	8.31	8.09	221.42	1.96	2.26
		18:00	31.25	52.78	32.47	8.24	8.78	246.26	2.36	1.87
		21:00	31.00	52.61	32.35	8.17	8.15	256.66	2.24	2.21
	日平均值		30.99	52.82	32.50	8.13	7.73	228.17	1.82	2.40
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月27日	蚵殼站	0:00	29.33	53.32	33.36	8.23	8.44	173.32	0.59	1.28	
		3:00	29.21	53.71	33.64	8.14	7.64	175.02	0.52	0.53	
		6:00	30.01	53.38	33.40	8.11	6.20	189.03	0.58	0.38	
		9:00	30.38	54.03	33.87	8.11	7.53	178.91	1.28	0.82	
		12:00	30.76	54.23	34.01	8.10	5.42	182.95	1.29	1.97	
		15:00	30.91	52.89	33.05	8.09	5.15	185.86	2.46	2.33	
		18:00	31.02	52.12	32.50	8.07	5.11	180.38	3.92	2.67	
		21:00	30.87	52.07	32.46	8.08	5.93	181.12	1.17	0.86	
	日平均值			30.31	53.22	33.29	8.12	6.43	180.82	1.48	1.36
	潮口站	0:00	29.87	51.21	31.34	8.06	8.67	219.50	216.90	2.48	
		3:00	29.08	53.16	32.74	8.07	7.62	228.96	43.52	1.59	
		6:00	29.01	54.15	33.46	8.05	7.66	223.77	37.54	0.50	
		9:00	30.20	51.48	31.54	8.10	6.92	209.30	38.16	2.12	
		12:00	30.65	51.20	31.33	8.21	6.45	213.88	37.66	0.26	
		15:00	30.07	48.42	29.33	8.18	6.17	230.61	36.55	0.58	
		18:00	29.50	48.67	29.51	8.12	7.54	219.54	71.39	0.65	
		21:00	29.94	51.28	31.39	8.09	8.46	225.25	64.34	0.35	
	日平均值			29.79	51.20	31.33	8.11	7.44	221.35	68.26	1.07
	灣內站	0:00	31.02	52.92	32.57	8.14	6.46	260.05	1.20	2.41	
		3:00	30.68	53.27	32.82	8.03	6.31	228.77	1.26	3.81	
		6:00	30.37	53.15	32.74	8.01	5.99	242.55	0.97	0.38	
		9:00	30.68	53.08	32.69	8.09	6.71	248.52	2.46	0.49	
		12:00	31.57	53.11	32.71	8.19	8.17	226.16	1.72	1.02	
		15:00	31.69	53.25	32.81	8.24	7.80	230.60	2.14	3.83	
		18:00	31.24	53.19	32.77	8.18	7.16	245.45	2.38	1.38	
		21:00	30.82	52.99	32.62	8.07	6.49	244.55	3.14	1.92	
	日平均值			31.01	53.12	32.72	8.12	6.89	240.83	1.91	1.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月28日	蚵殼站	0:00	30.42	52.75	32.95	8.13	5.24	183.62	1.84	2.42	
		3:00	29.87	53.03	33.15	8.13	5.23	189.81	1.41	0.82	
		6:00	29.65	54.16	33.96	8.15	5.58	182.15	1.59	3.66	
		9:00	29.59	54.06	33.89	8.16	5.89	181.59	1.49	2.45	
		12:00	30.23	53.69	33.63	8.11	6.09	183.05	2.25	4.36	
		15:00	30.56	52.99	33.12	8.17	6.41	178.11	2.62	1.31	
		18:00	30.32	52.78	32.97	8.18	6.87	172.11	1.01	0.89	
		21:00	30.05	52.82	33.00	8.14	7.10	185.29	1.41	3.38	
	日平均值			30.09	53.29	33.33	8.15	6.05	181.97	1.70	2.41
	潮口站	0:00	29.38	50.99	31.18	8.11	7.29	220.64	38.06	1.55	
		3:00	28.70	54.30	33.56	8.06	6.19	224.21	12.44	1.85	
		6:00	28.85	52.87	32.54	8.17	5.78	220.25	28.68	1.46	
		9:00	29.58	51.99	31.90	8.20	7.80	209.47	11.71	0.59	
		12:00	30.48	51.09	31.26	8.14	7.91	212.17	23.47	0.82	
		15:00	30.08	49.33	29.99	8.12	8.43	218.94	19.40	2.11	
		18:00	29.56	50.15	30.58	8.09	7.36	231.82	52.30	2.02	
		21:00	30.01	51.93	31.86	8.02	5.79	219.54	21.25	0.74	
	日平均值			29.58	51.58	31.61	8.11	7.07	219.63	25.91	1.39
	灣內站	0:00	30.59	53.14	32.73	7.96	6.21	271.98	2.22	2.56	
		3:00	30.60	53.10	32.70	8.02	5.83	254.61	1.39	1.36	
		6:00	30.31	53.02	32.64	7.99	6.05	256.01	1.21	0.64	
		9:00	30.43	52.55	32.31	8.03	6.83	246.15	2.11	3.65	
		12:00	31.15	52.65	32.38	8.03	7.87	234.72	4.27	2.51	
		15:00	31.32	52.77	32.46	8.15	8.06	236.88	3.22	0.41	
		18:00	30.69	52.70	32.42	8.12	7.53	242.07	3.52	2.12	
		21:00	30.62	52.68	32.40	8.05	7.36	243.64	2.38	2.32	
	日平均值			30.71	52.83	32.51	8.04	6.97	248.26	2.54	1.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月29日	蚵殼站	0:00	29.48	53.32	33.36	8.12	6.16	185.23	1.19	2.61	
		3:00	29.33	53.71	33.64	8.13	6.36	192.45	0.31	0.14	
		6:00	29.12	53.38	33.40	8.12	5.66	194.54	0.51	4.79	
		9:00	29.67	54.03	33.87	8.17	5.14	190.31	3.44	2.76	
		12:00	30.01	53.97	33.83	8.11	6.91	181.48	1.88	5.10	
		15:00	30.47	52.89	33.05	8.11	6.58	182.43	0.95	1.08	
		18:00	30.83	52.12	32.50	8.10	7.38	183.20	3.31	3.42	
		21:00	30.34	52.07	32.46	8.08	7.70	180.43	0.81	1.59	
	日平均值			29.91	53.19	33.26	8.12	6.49	186.26	1.55	2.69
	潮口站	0:00	29.58	51.52	31.56	8.06	6.38	220.37	22.71	1.12	
		3:00	28.88	54.21	33.50	8.19	7.78	222.00	20.73	2.04	
		6:00	29.17	53.93	33.30	8.15	7.57	219.56	22.24	1.56	
		9:00	30.24	50.99	31.18	8.14	8.08	208.69	25.74	3.19	
		12:00	30.65	51.46	31.52	8.11	6.18	211.51	27.10	2.03	
		15:00	30.00	49.38	30.03	8.07	7.51	217.48	25.34	0.42	
		18:00	29.65	49.02	29.77	8.12	6.46	221.79	34.58	4.53	
		21:00	29.90	52.18	32.04	8.09	5.16	213.99	43.76	3.77	
	日平均值			29.76	51.59	31.61	8.12	6.89	216.92	27.78	2.33
	灣內站	0:00	30.69	52.79	32.48	8.05	6.68	243.15	2.08	0.71	
		3:00	30.51	53.00	32.63	8.10	6.41	247.68	1.92	1.41	
		6:00	30.54	53.00	32.63	8.14	5.69	252.84	2.94	1.18	
		9:00	30.65	52.67	32.39	8.21	6.60	246.80	3.02	0.31	
		12:00	31.21	52.57	32.32	8.16	7.95	237.37	3.15	2.43	
		15:00	31.25	52.75	32.45	8.15	8.52	228.63	3.30	0.61	
		18:00	31.18	52.89	32.55	8.21	7.11	244.59	3.75	1.08	
		21:00	30.93	53.18	32.76	8.13	7.44	250.01	3.71	0.10	
	日平均值			30.87	52.86	32.53	8.14	7.05	243.88	2.98	0.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
9月30日	蚵殼站	0:00	30.11	52.14	32.51	8.10	7.44	179.02	0.79	1.17	
		3:00	29.84	52.97	33.11	8.14	7.64	180.72	0.07	7.61	
		6:00	29.88	53.33	33.37	8.13	6.20	194.73	0.91	5.94	
		9:00	30.10	53.42	33.43	8.13	5.53	184.61	0.47	2.29	
		12:00	30.21	53.01	33.14	8.13	5.42	188.65	2.62	1.38	
		15:00	30.09	52.34	32.65	8.15	5.15	191.56	0.05	1.92	
		18:00	29.88	52.18	32.54	8.17	5.11	186.08	0.66	1.84	
		21:00	29.34	52.28	32.61	8.16	5.93	186.82	0.89	2.68	
	日平均值			29.93	52.71	32.92	8.14	6.05	186.52	0.81	3.10
	潮口站	0:00	29.90	52.21	32.06	8.05	6.90	219.70	18.21	7.28	
		3:00	29.11	54.16	33.46	8.09	6.82	229.16	68.82	1.71	
		6:00	29.04	53.15	32.74	8.14	7.87	223.97	32.57	1.08	
		9:00	30.23	52.48	32.26	8.19	8.45	209.50	41.94	0.90	
		12:00	30.68	52.20	32.05	8.18	8.62	214.08	11.84	1.53	
		15:00	30.10	50.42	30.77	8.13	7.96	230.81	19.77	5.79	
		18:00	29.53	49.67	30.23	8.10	7.43	207.74	45.84	4.62	
		21:00	29.97	52.28	32.11	8.06	6.95	225.45	10.26	1.58	
	日平均值			29.82	52.07	31.96	8.12	7.63	220.05	31.16	3.06
	灣內站	0:00	30.95	53.41	32.93	8.09	6.19	232.92	3.12	6.26	
		3:00	30.61	53.29	32.84	8.13	7.34	194.02	2.62	1.64	
		6:00	30.30	53.37	32.90	8.10	7.15	203.88	5.89	4.95	
		9:00	30.61	53.13	32.72	8.09	7.85	244.42	4.37	0.97	
		12:00	31.50	52.77	32.46	8.26	8.30	225.81	5.15	0.77	
		15:00	31.62	52.97	32.61	8.13	8.26	221.42	9.82	0.03	
		18:00	31.17	53.01	32.64	8.10	7.15	246.26	4.33	2.71	
		21:00	30.75	53.02	32.64	8.07	6.02	256.66	5.61	0.23	
	日平均值			30.94	53.12	32.72	8.12	7.28	228.17	5.11	2.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月1日	蚵殼站	0:00	30.05	52.35	31.23	8.30	5.93	146.67	2.06	0.16	
		3:00	29.78	52.62	31.87	8.16	6.52	136.85	2.34	2.38	
		6:00	29.82	52.72	32.44	8.24	5.95	146.50	2.18	7.05	
		9:00	30.04	53.13	31.90	8.29	7.15	183.48	2.83	3.93	
		12:00	30.15	53.27	33.25	8.25	6.70	137.70	2.16	2.46	
		15:00	30.03	52.58	32.02	8.25	6.51	157.47	2.18	5.66	
		18:00	29.82	52.38	31.95	8.18	6.59	165.78	3.15	5.05	
		21:00	29.28	52.41	32.52	8.33	6.38	170.08	2.83	2.26	
	日平均值		29.87	52.68	32.15	8.25	6.47	155.57	2.47	3.62	
	潮口站	0:00	30.20	50.77	30.14	8.18	7.75	155.18	12.76	5.67	
		3:00	29.93	51.03	30.75	8.04	6.07	144.79	12.37	0.19	
		6:00	29.97	51.13	31.30	8.12	6.76	155.00	12.71	2.57	
		9:00	30.19	51.53	30.78	8.17	7.96	194.12	3.50	7.95	
		12:00	30.30	51.67	32.09	8.13	7.73	145.69	10.67	0.03	
		15:00	30.18	50.99	30.90	8.13	7.34	166.60	13.96	7.39	
		18:00	29.97	50.80	30.83	8.06	6.98	175.40	14.57	2.77	
		21:00	29.43	50.83	31.38	8.21	6.56	179.94	8.35	2.04	
	日平均值		30.02	51.09	31.02	8.13	7.14	164.59	11.11	3.58	
	灣內站	0:00	30.62	52.92	32.18	8.12	6.70	150.87	5.20	0.59	
		3:00	30.50	53.12	31.90	8.12	6.32	173.72	5.11	4.61	
		6:00	30.32	52.95	32.02	8.13	6.96	157.53	4.92	1.38	
		9:00	30.73	53.28	32.23	8.10	6.98	198.45	5.23	0.78	
		12:00	31.51	53.25	32.88	8.03	6.48	222.75	5.53	5.21	
		15:00	31.50	52.71	32.88	8.04	6.99	223.12	5.86	0.27	
18:00		31.31	52.32	32.47	8.15	6.18	234.69	5.56	7.23		
21:00		31.07	52.30	32.94	8.12	5.61	219.32	5.37	6.45		
日平均值		30.95	52.86	32.44	8.10	6.53	197.56	5.35	3.32		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上				

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月2日	蚵殼站	0:00	29.42	52.48	32.23	8.32	5.39	173.39	2.21	4.47	
		3:00	29.27	52.39	32.92	8.22	6.60	181.88	2.22	1.06	
		6:00	29.06	53.04	33.17	8.17	6.33	206.37	3.23	1.43	
		9:00	29.61	53.12	32.45	8.30	6.72	220.95	2.17	1.56	
		12:00	29.95	53.33	33.66	8.24	6.36	178.37	2.20	4.52	
		15:00	30.41	53.14	33.94	8.24	6.06	186.07	2.18	3.15	
		18:00	30.77	53.12	33.61	8.18	6.66	218.01	2.19	0.72	
		21:00	30.28	53.01	32.81	8.29	6.54	229.10	3.13	2.08	
	日平均值		29.85	52.95	33.10	8.25	6.33	199.27	2.44	2.37	
	潮口站	0:00	29.57	50.89	31.10	8.20	7.97	183.45	5.62	1.10	
		3:00	29.42	50.81	31.77	8.10	7.06	192.43	4.48	1.72	
		6:00	29.21	51.44	32.01	8.05	7.00	218.34	15.12	2.03	
		9:00	29.76	51.52	31.31	8.18	6.69	233.77	4.46	0.77	
		12:00	30.10	51.72	32.48	8.12	7.97	188.72	5.03	1.62	
		15:00	30.56	51.54	32.75	8.12	7.72	196.86	2.05	0.07	
		18:00	30.92	51.52	32.43	8.06	7.96	230.65	15.98	1.94	
		21:00	30.43	51.42	31.66	8.17	6.73	242.39	4.39	4.15	
	日平均值		30.00	51.36	31.94	8.13	7.39	210.83	7.14	1.68	
	灣內站	0:00	30.97	52.64	32.90	8.11	6.84	181.55	5.20	0.40	
		3:00	30.90	52.78	32.15	8.11	6.96	178.93	4.86	1.19	
		6:00	30.75	53.34	32.07	8.09	7.38	178.64	4.86	1.19	
		9:00	31.09	53.29	31.90	8.10	6.57	206.74	4.88	2.08	
		12:00	31.63	53.11	32.22	8.10	6.68	222.76	5.68	2.51	
		15:00	31.77	52.76	31.51	8.10	6.51	227.07	5.46	2.61	
18:00		31.59	52.65	31.75	8.05	5.97	233.58	5.85	0.59		
21:00		31.28	52.67	32.18	7.98	5.54	83.22	5.06	3.18		
日平均值		31.25	52.91	32.09	8.08	6.56	189.06	5.23	1.72		
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上				

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月3日	蚵殼站	0:00	30.36	52.93	31.69	8.30	6.52	213.68	4.40	0.10	
		3:00	29.81	52.72	33.22	8.18	6.18	224.51	3.90	0.31	
		6:00	29.59	53.17	32.66	8.13	5.83	121.43	4.46	0.23	
		9:00	29.53	53.14	31.85	8.26	6.46	217.44	6.06	0.54	
		12:00	30.17	53.50	31.55	8.35	6.43	241.46	5.44	0.35	
		15:00	30.50	53.60	32.03	8.34	5.93	228.80	4.30	2.06	
		18:00	30.26	53.09	32.53	8.17	6.63	247.85	2.30	0.96	
		21:00	29.99	52.98	32.01	8.30	6.16	161.53	5.66	0.59	
	日平均值			30.03	53.14	32.19	8.25	6.27	207.09	4.57	0.64
	潮口站	0:00	30.51	51.33	30.58	8.18	7.14	226.07	10.28	2.54	
		3:00	29.96	51.13	32.06	8.06	6.83	237.53	1.87	2.12	
		6:00	29.74	51.57	31.52	8.01	5.96	128.47	5.53	0.31	
		9:00	29.68	51.54	30.74	8.14	6.89	230.05	13.55	2.28	
		12:00	30.32	51.89	30.45	8.22	8.00	255.46	1.96	1.27	
		15:00	30.65	51.98	30.91	8.21	8.02	242.07	24.54	1.07	
		18:00	30.41	51.49	31.39	8.05	8.16	262.23	8.14	0.01	
		21:00	30.14	51.38	30.89	8.18	6.55	170.90	4.68	2.18	
	日平均值			30.18	51.54	31.07	8.13	7.19	219.10	8.82	1.47
	灣內站	0:00	31.10	52.92	32.10	8.04	6.14	62.13	4.74	0.41	
		3:00	31.06	53.12	32.57	8.07	7.29	84.72	4.71	1.19	
		6:00	30.97	52.95	32.11	8.12	7.38	138.79	4.92	0.55	
		9:00	31.24	53.28	31.95	8.15	6.59	172.38	5.43	0.71	
		12:00	31.89	53.38	31.18	8.13	6.60	207.72	5.69	0.82	
		15:00	31.89	52.71	31.00	8.10	6.53	214.84	5.58	0.51	
		18:00	31.72	52.32	31.56	8.11	6.12	227.58	5.25	0.99	
		21:00	31.43	52.30	31.53	8.13	5.71	218.62	8.16	0.14	
	日平均值			31.41	52.87	31.75	8.11	6.55	165.85	5.56	0.67
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月4日	蚵殼站	0:00	29.27	53.10	31.67	8.30	6.64	159.82	7.79	2.28	
		3:00	29.15	53.15	32.84	8.19	5.67	210.24	5.41	2.57	
		6:00	29.95	53.10	32.64	8.17	6.11	207.22	7.16	1.91	
		9:00	30.32	52.98	32.58	8.25	5.56	251.89	6.99	1.54	
		12:00	30.70	52.44	32.02	8.36	6.57	245.81	3.77	1.46	
		15:00	30.85	52.29	32.56	8.28	5.85	244.05	5.59	0.57	
		18:00	30.96	52.12	32.66	8.20	6.33	263.77	6.31	1.43	
		21:00	30.81	51.69	31.74	8.24	5.88	169.91	6.98	0.51	
	日平均值			30.25	52.61	32.34	8.25	6.08	219.09	6.25	1.53
	潮口站	0:00	29.42	51.50	30.56	8.18	6.01	169.09	3.84	1.93	
		3:00	29.30	51.55	31.69	8.07	5.10	222.43	4.59	0.98	
		6:00	30.10	51.50	31.50	8.05	5.58	219.24	13.05	0.77	
		9:00	30.47	51.38	31.44	8.13	6.72	266.50	4.05	2.46	
		12:00	30.85	50.86	30.90	8.23	8.86	260.07	2.86	1.38	
		15:00	31.00	50.71	31.42	8.16	7.46	258.20	6.10	1.81	
		18:00	31.11	50.55	31.52	8.08	6.87	279.07	13.58	1.87	
		21:00	30.96	50.13	30.63	8.12	5.94	179.76	3.02	0.51	
	日平均值			30.40	51.02	31.21	8.13	6.57	231.80	6.39	1.46
	灣內站	0:00	31.14	52.59	32.05	8.10	5.62	173.64	5.03	2.01	
		3:00	31.10	52.56	32.30	8.05	6.97	118.65	5.16	1.67	
		6:00	30.95	52.52	31.22	7.99	7.18	159.31	5.23	1.81	
		9:00	31.24	52.81	31.04	8.06	6.82	210.05	4.94	1.65	
		12:00	31.37	53.13	30.93	8.12	6.22	211.17	4.98	1.18	
		15:00	31.22	53.02	30.66	8.11	5.90	215.64	5.11	1.72	
		18:00	31.13	52.75	31.07	8.04	5.51	226.18	5.39	2.56	
		21:00	30.91	52.78	31.63	7.94	5.49	205.54	4.98	2.62	
	日平均值			31.13	52.77	31.36	8.05	6.21	190.02	5.10	1.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月5日	蚵殼站	0:00	29.26	51.79	31.50	8.36	5.99	219.06	6.34	3.09	
		3:00	29.13	52.07	33.12	8.21	6.10	255.42	6.12	1.79	
		6:00	29.10	52.64	33.31	8.16	5.64	223.39	5.34	2.46	
		9:00	29.25	53.20	32.76	8.25	5.43	231.43	3.58	2.82	
		12:00	29.74	52.23	32.17	8.39	5.15	239.14	7.45	1.37	
		15:00	29.87	51.62	32.13	8.33	6.19	256.62	40.57	2.70	
		18:00	30.00	51.85	32.39	8.21	6.03	222.24	74.60	1.31	
		21:00	29.35	52.29	32.24	8.21	5.04	229.90	74.60	0.10	
	日平均值		29.46	52.21	32.45	8.27	5.70	234.65	27.33	1.96	
	潮口站	0:00	29.41	50.23	30.40	8.23	5.56	231.77	6.69	2.26	
		3:00	29.28	50.50	31.96	8.09	6.09	270.23	3.86	4.56	
		6:00	29.25	51.05	32.14	8.04	6.02	236.35	7.76	0.29	
		9:00	29.40	51.60	31.61	8.13	6.22	244.85	13.82	2.51	
		12:00	29.89	50.65	31.04	8.26	7.48	253.01	4.07	0.45	
		15:00	30.02	50.06	31.01	8.21	8.14	271.50	2.77	1.89	
		18:00	30.15	50.29	31.26	8.09	7.31	235.13	5.23	1.94	
		21:00	29.50	50.71	31.11	8.09	5.99	243.23	5.11	0.99	
	日平均值		29.61	50.64	31.32	8.14	6.60	248.26	6.16	1.86	
	灣內站	0:00	30.76	52.36	32.52	7.96	5.29	112.76	5.48	2.29	
		3:00	30.59	52.50	32.13	7.98	5.23	169.72	5.52	0.17	
		6:00	30.50	52.79	31.35	8.03	6.70	148.48	5.36	3.47	
		9:00	30.95	53.08	31.01	8.04	6.85	214.35	6.08	0.43	
		12:00	31.32	52.84	31.25	8.09	6.24	224.78	6.71	1.03	
		15:00	31.12	52.53	30.55	8.11	5.88	223.29	6.89	3.83	
		18:00	30.66	52.38	31.73	8.11	5.39	219.99	6.99	2.68	
		21:00	30.87	52.61	31.59	8.16	5.13	232.32	6.38	1.18	
	日平均值		30.85	52.64	31.52	8.06	5.84	193.21	6.18	1.89	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月6日	蚵殼站	0:00	28.34	52.25	32.21	8.35	5.22	232.37	69.95	4.90	
		3:00	28.94	52.20	32.51	8.24	6.06	234.48	56.00	5.36	
		6:00	29.54	52.11	33.32	8.22	6.04	235.71	28.00	3.59	
		9:00	29.52	53.19	33.39	8.17	5.97	237.81	18.04	1.49	
		12:00	30.80	53.81	32.64	8.25	5.14	237.25	0.80	6.90	
		15:00	28.53	53.09	32.23	8.23	5.75	175.11	30.10	6.06	
		18:00	30.04	52.55	32.64	8.17	5.57	102.98	30.10	2.50	
		21:00	30.04	52.62	32.44	8.33	5.29	186.17	30.10	4.67	
	日平均值		29.47	52.73	32.67	8.25	5.63	205.24	32.89	4.43	
	潮口站	0:00	28.40	50.67	31.08	8.22	5.52	245.85	10.12	3.77	
		3:00	28.12	50.62	31.37	8.12	6.11	248.08	12.99	3.82	
		6:00	29.60	50.54	32.15	8.10	5.68	249.38	2.02	1.87	
		9:00	30.58	51.59	32.22	8.05	5.81	251.60	4.21	0.64	
		12:00	30.86	52.19	31.50	8.13	7.47	251.01	3.80	4.10	
		15:00	28.59	51.49	31.10	8.11	8.09	185.27	5.53	7.31	
		18:00	30.10	50.96	31.50	8.05	7.58	108.95	5.53	3.87	
		21:00	30.10	51.03	31.30	8.21	7.43	196.97	3.75	5.75	
	日平均值		29.54	51.14	31.53	8.12	6.71	217.14	5.99	3.89	
	灣內站	0:00	31.19	52.91	31.82	8.06	5.48	224.05	1.90	2.21	
		3:00	31.05	52.53	32.46	7.95	5.52	245.41	2.06	1.76	
		6:00	30.83	52.64	31.73	8.05	5.36	245.30	2.81	2.09	
		9:00	31.42	52.84	31.08	8.13	6.08	241.17	3.87	0.78	
		12:00	32.07	52.93	31.14	8.18	6.71	232.38	3.72	2.51	
		15:00	32.30	52.83	30.41	8.20	6.89	235.66	4.50	6.17	
		18:00	31.98	52.59	31.35	8.04	6.99	237.81	3.45	0.15	
		21:00	31.59	52.57	30.73	8.06	6.38	232.71	3.08	7.85	
	日平均值		31.55	52.73	31.34	8.08	6.18	236.81	3.17	2.94	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月7日	蚵殼站	0:00	29.47	52.90	31.92	8.33	5.87	190.20	7.79	1.80	
		3:00	29.57	53.28	33.05	8.31	5.23	200.54	5.41	1.28	
		6:00	28.59	52.96	33.54	8.31	5.58	195.08	7.16	0.94	
		9:00	29.70	53.59	33.61	8.34	5.60	210.94	6.99	1.67	
		12:00	29.72	53.79	32.94	8.35	5.45	144.01	3.77	0.72	
		15:00	29.93	52.48	32.78	8.37	6.10	120.65	5.59	1.06	
		18:00	29.68	51.72	32.72	8.29	5.94	131.63	6.31	0.78	
		21:00	29.35	52.19	32.82	8.23	5.66	129.27	6.98	0.05	
	日平均值		29.50	52.86	32.92	8.32	5.68	165.29	6.25	1.04	
	潮口站	0:00	29.62	51.30	30.80	8.21	8.77	201.23	5.85	0.04	
		3:00	29.72	51.68	31.89	8.19	7.34	212.17	5.78	2.20	
		6:00	28.73	51.36	32.37	8.19	7.28	206.39	4.98	0.72	
		9:00	29.85	51.97	32.43	8.21	6.11	223.17	7.94	0.03	
		12:00	29.87	52.17	31.79	8.22	6.19	152.36	7.26	2.41	
		15:00	30.08	50.89	31.63	8.24	7.16	127.65	6.57	0.51	
		18:00	29.83	50.16	31.57	8.17	5.90	139.26	4.25	0.62	
		21:00	29.50	50.61	31.67	8.11	5.29	136.77	6.10	0.33	
	日平均值		29.65	51.27	31.77	8.19	6.76	174.88	6.09	0.86	
	灣內站	0:00	31.21	52.73	30.78	8.04	5.93	175.53	2.02	2.22	
		3:00	30.54	52.90	32.19	7.92	5.60	182.40	3.02	1.71	
		6:00	30.23	52.93	31.52	7.90	5.62	204.47	3.18	2.23	
		9:00	31.06	52.83	30.55	8.05	6.23	241.93	4.06	0.69	
		12:00	31.99	52.68	30.11	8.26	7.18	231.94	3.95	0.29	
		15:00	31.76	53.31	30.90	8.18	8.16	229.54	4.42	2.00	
		18:00	31.24	53.23	31.71	8.00	6.63	200.98	3.42	1.44	
		21:00	30.98	53.11	30.77	7.93	6.04	202.05	3.03	2.03	
	日平均值		31.13	52.97	31.07	8.04	6.42	208.61	3.39	1.58	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月8日	蚵殼站	0:00	29.68	52.49	32.76	8.25	5.23	189.92	3.82	1.38	
		3:00	29.55	53.10	32.96	8.23	6.52	174.78	4.85	0.40	
		6:00	29.32	52.91	33.58	8.27	6.58	106.37	7.86	2.23	
		9:00	29.44	53.52	33.55	8.19	6.63	142.32	9.11	2.33	
		12:00	29.62	53.33	33.35	8.24	6.12	120.03	4.27	2.07	
		15:00	29.68	53.38	32.92	8.31	5.91	122.91	3.96	0.21	
		18:00	29.46	51.92	33.07	8.21	6.53	109.27	3.01	0.10	
		21:00	29.35	51.86	32.84	8.19	7.06	136.34	3.18	0.13	
	日平均值		29.51	52.81	33.13	8.24	6.32	137.74	5.01	1.11	
	潮口站	0:00	29.83	50.90	31.61	8.13	7.08	200.94	4.48	0.82	
		3:00	29.70	51.50	31.81	8.11	6.61	184.92	3.22	0.48	
		6:00	29.47	51.31	32.40	8.15	6.19	112.54	2.74	2.48	
		9:00	29.59	51.91	32.38	8.07	6.82	150.57	4.00	0.56	
		12:00	29.77	51.72	32.18	8.12	6.22	126.99	4.25	1.40	
		15:00	29.83	51.77	31.77	8.19	6.22	130.04	3.78	0.55	
		18:00	29.61	50.35	31.91	8.09	7.96	115.61	2.73	1.63	
		21:00	29.50	50.30	31.69	8.07	6.40	144.25	3.17	2.05	
	日平均值		29.66	51.22	31.97	8.12	6.69	145.73	3.55	1.25	
	灣內站	0:00	30.88	52.43	30.79	8.02	5.43	165.20	2.41	1.46	
		3:00	30.46	52.62	31.69	8.01	5.32	113.06	1.57	1.37	
		6:00	30.04	52.70	32.04	7.90	5.07	113.08	2.49	0.51	
		9:00	30.36	52.69	30.70	8.00	5.39	186.30	1.47	0.88	
		12:00	31.06	52.63	30.53	8.21	6.18	237.37	2.11	0.49	
		15:00	30.85	52.62	30.23	8.24	6.29	245.71	2.26	2.13	
		18:00	30.63	52.68	31.67	8.10	5.69	167.73	2.11	0.51	
		21:00	30.56	52.70	30.53	8.12	5.38	147.28	2.25	0.31	
	日平均值		30.61	52.63	31.02	8.08	5.59	171.97	2.08	0.96	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月9日	蚵殼站	0:00	28.76	51.85	32.41	8.16	5.70	153.29	4.79	1.79	
		3:00	28.55	52.30	31.98	8.15	6.61	151.56	3.57	1.08	
		6:00	28.73	52.70	33.15	8.19	6.30	105.68	3.92	1.12	
		9:00	29.01	52.33	33.50	8.22	6.10	136.31	3.93	2.23	
		12:00	29.44	53.27	32.94	8.25	6.99	125.90	8.24	2.20	
		15:00	29.62	52.41	32.53	8.31	6.66	125.59	6.66	0.72	
		18:00	29.61	52.36	32.89	8.24	6.68	135.56	1.84	2.06	
		21:00	29.72	52.77	32.87	8.18	6.41	129.69	2.75	1.61	
	日平均值		29.18	52.50	32.78	8.21	6.43	132.95	4.46	1.60	
	潮口站	0:00	28.90	50.29	31.28	8.04	7.58	162.18	4.27	1.20	
		3:00	28.69	50.72	30.86	8.03	6.80	160.35	9.92	2.62	
		6:00	28.87	51.11	31.99	8.07	7.98	111.81	4.12	1.44	
		9:00	29.16	50.75	32.33	8.10	6.74	144.22	3.22	1.83	
		12:00	29.59	51.67	31.79	8.13	7.85	133.20	3.60	1.33	
		15:00	29.77	50.83	31.39	8.19	8.05	132.87	3.47	1.06	
		18:00	29.76	50.78	31.74	8.12	8.24	143.42	3.38	1.32	
		21:00	29.87	51.17	31.72	8.06	7.95	137.21	4.56	1.10	
	日平均值		29.33	50.92	31.64	8.09	7.65	140.66	4.57	1.49	
	灣內站	0:00	30.27	52.66	30.44	8.06	5.38	227.13	1.75	0.87	
		3:00	30.14	52.61	31.05	7.98	5.28	186.58	2.17	1.82	
		6:00	30.02	52.63	32.14	7.96	5.00	140.02	2.45	2.06	
		9:00	30.20	52.71	30.45	7.92	5.56	223.95	1.97	1.50	
		12:00	30.90	52.89	31.07	8.21	7.13	244.62	3.02	0.67	
		15:00	31.01	52.70	31.58	8.17	6.61	247.98	3.52	0.62	
		18:00	30.64	52.43	31.52	8.02	6.21	222.25	3.87	2.39	
		21:00	30.70	52.34	31.75	8.02	6.02	183.31	4.43	1.41	
	日平均值		30.49	52.62	31.25	8.04	5.90	209.48	2.90	1.42	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月10日	蚵殼站	0:00	29.03	52.56	32.64	8.19	6.42	136.88	4.40	2.16	
		3:00	28.90	53.04	32.71	8.23	6.01	124.32	2.96	2.31	
		6:00	28.75	53.22	32.94	8.21	6.26	127.79	3.47	2.36	
		9:00	29.11	52.72	33.61	8.26	6.04	142.21	4.27	1.98	
		12:00	29.32	53.56	33.34	8.27	6.82	144.74	8.06	2.41	
		15:00	29.15	53.75	32.60	8.29	6.20	145.08	5.04	2.32	
		18:00	29.20	53.53	32.65	8.25	6.35	144.27	3.02	2.62	
		21:00	29.18	52.97	32.79	8.16	6.59	149.33	8.42	1.98	
	日平均值		29.08	53.17	32.91	8.23	6.34	139.33	4.96	2.27	
	潮口站	0:00	29.18	50.97	31.50	8.07	7.76	144.82	4.21	2.39	
		3:00	29.04	51.44	31.57	8.11	7.45	131.53	4.66	2.03	
		6:00	28.89	51.62	31.79	8.09	8.39	135.20	4.76	1.95	
		9:00	29.26	51.13	32.43	8.14	7.89	150.46	2.67	2.27	
		12:00	29.47	51.95	32.17	8.15	7.83	153.13	3.39	2.28	
		15:00	29.30	52.13	31.46	8.17	8.32	153.49	3.18	2.26	
		18:00	29.35	51.92	31.51	8.13	7.67	152.64	2.60	2.57	
		21:00	29.33	51.37	31.64	8.04	8.52	157.99	2.78	2.12	
	日平均值		29.23	51.57	31.76	8.11	7.98	147.41	3.53	2.23	
	灣內站	0:00	30.68	52.58	30.72	7.99	5.00	209.85	1.99	2.39	
		3:00	30.60	52.50	31.20	7.91	5.23	205.98	3.22	2.11	
		6:00	30.39	52.44	31.38	7.94	5.10	109.72	3.32	2.15	
		9:00	29.86	52.86	30.88	7.97	5.53	230.55	2.08	2.46	
		12:00	29.93	53.09	31.72	8.00	6.50	245.34	2.70	2.09	
		15:00	29.88	52.76	31.91	8.10	6.50	255.11	2.29	2.38	
		18:00	29.84	52.66	31.69	8.01	6.21	265.88	2.89	2.16	
		21:00	29.62	52.62	31.13	7.95	6.00	273.13	3.08	2.49	
	日平均值		30.10	52.69	31.33	7.98	5.76	224.45	2.70	2.28	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
10月11日	蚵殼站	0:00	28.84	52.17	32.74	8.16	5.65	122.67	2.97	1.97	
		3:00	28.74	53.26	32.53	8.17	6.75	166.72	2.32	1.30	
		6:00	28.76	52.87	32.78	8.17	6.08	136.00	3.42	0.35	
		9:00	29.07	52.29	33.64	8.30	5.97	155.60	3.00	0.08	
		12:00	29.33	52.08	33.44	8.31	6.57	158.22	8.49	0.95	
		15:00	29.34	52.42	33.02	8.42	6.19	160.23	7.15	0.07	
		18:00	29.26	52.77	32.74	8.38	5.50	172.57	3.89	1.90	
		21:00	29.13	52.40	32.77	8.32	6.62	159.49	3.88	1.62	
	日平均值		29.06	52.53	32.96	8.28	6.17	153.94	4.39	1.03	
	潮口站	0:00	28.98	50.59	31.59	8.04	7.74	129.78	3.32	0.86	
		3:00	28.88	51.66	31.39	8.05	7.59	176.39	3.61	1.70	
		6:00	28.90	51.27	31.63	8.05	7.89	143.89	3.48	0.74	
		9:00	29.22	50.71	32.46	8.18	7.67	164.62	2.64	1.15	
		12:00	29.48	50.51	32.27	8.19	7.41	167.40	15.70	0.29	
		15:00	29.49	50.84	31.86	8.29	7.95	169.52	2.53	2.35	
		18:00	29.41	51.17	31.59	8.25	7.58	182.58	2.04	0.59	
		21:00	29.28	50.82	31.62	8.20	7.90	168.74	1.99	2.10	
	日平均值		29.21	50.95	31.80	8.16	7.72	162.87	4.41	1.22	
	灣內站	0:00	29.16	52.54	30.34	7.90	5.52	274.10	2.37	0.10	
		3:00	28.75	52.39	31.42	7.93	5.06	257.31	1.83	0.70	
		6:00	28.71	52.57	31.03	7.96	5.51	213.44	2.85	2.56	
		9:00	29.07	53.16	30.46	7.99	6.09	250.87	4.37	0.97	
		12:00	29.21	53.03	30.25	8.02	6.77	236.65	3.76	0.81	
		15:00	29.12	52.73	30.59	8.24	7.19	135.40	4.08	1.82	
		18:00	29.38	52.54	30.93	8.16	5.74	185.56	3.65	1.55	
		21:00	29.07	52.56	30.57	7.97	5.70	190.71	2.43	0.90	
	日平均值		29.06	52.69	30.70	8.02	5.95	218.01	3.17	1.18	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
10月12日	蚵殼站	0:00	28.62	52.16	32.80	8.33	6.30	183.69	4.64	1.54	
		3:00	28.55	52.99	32.68	8.28	5.68	109.66	2.61	1.79	
		6:00	28.57	52.85	32.60	8.25	5.41	170.77	3.71	2.02	
		9:00	29.02	52.81	33.20	8.26	5.23	191.81	4.15	2.16	
		12:00	29.22	52.41	33.53	8.27	5.59	186.08	8.45	1.60	
		15:00	29.03	52.79	33.05	8.32	5.47	192.24	3.22	1.74	
		18:00	29.10	52.86	32.91	8.36	5.88	196.99	2.23	1.17	
		21:00	28.96	52.21	32.85	8.36	5.72	204.14	1.45	2.31	
	日平均值		28.88	52.64	32.95	8.30	5.66	179.42	3.81	1.79	
	潮口站	0:00	28.76	50.59	31.65	8.21	7.14	194.34	1.79	2.13	
		3:00	28.69	51.39	31.54	8.16	7.50	116.02	3.30	2.13	
		6:00	28.71	51.25	31.46	8.13	7.58	180.67	3.38	1.95	
		9:00	29.17	51.21	32.04	8.14	7.86	202.93	3.02	2.49	
		12:00	29.37	50.83	32.36	8.15	7.29	196.87	3.38	1.44	
		15:00	29.18	51.19	31.89	8.20	8.54	203.39	6.34	1.96	
		18:00	29.25	51.26	31.76	8.23	7.48	208.42	3.72	1.56	
		21:00	29.10	50.63	31.70	8.23	7.66	215.98	6.22	1.08	
	日平均值		29.03	51.04	31.80	8.18	7.63	189.83	3.89	1.84	
	灣內站	0:00	28.75	52.47	30.33	8.08	5.60	205.37	2.19	1.61	
		3:00	28.43	52.52	31.15	8.13	5.27	202.35	2.01	0.65	
		6:00	28.82	52.68	31.01	8.00	5.14	176.92	1.63	2.21	
		9:00	28.78	53.15	30.97	8.10	5.67	208.18	2.26	1.10	
		12:00	29.29	52.96	30.58	8.17	6.59	191.82	2.86	0.77	
		15:00	29.35	52.44	30.95	8.16	6.53	190.87	3.51	1.85	
		18:00	29.14	52.48	31.02	8.12	5.87	201.50	2.92	1.46	
		21:00	29.17	52.57	30.38	8.01	5.32	206.38	2.53	1.57	
	日平均值		28.97	52.66	30.80	8.10	5.75	197.92	2.49	1.40	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月13日	蚵殼站	0:00	29.03	52.04	32.92	8.28	5.47	202.09	1.85	2.33
		3:00	28.99	53.18	32.84	8.28	6.27	179.96	1.02	0.96
		6:00	28.75	53.32	32.87	8.19	5.19	194.18	1.43	9.62
		9:00	29.05	52.94	32.99	8.23	5.80	196.62	1.39	5.29
		12:00	29.02	52.51	33.25	8.28	5.77	203.72	2.05	0.22
		15:00	28.89	52.49	32.97	8.27	6.02	211.23	3.11	8.18
		18:00	28.87	52.67	32.58	8.35	6.14	218.38	1.78	10.44
		21:00	28.79	52.57	32.46	8.31	5.79	223.87	1.13	6.35
	日平均值		28.92	52.72	32.86	8.27	5.81	203.76	1.72	5.42
	潮口站	0:00	29.18	50.47	31.77	8.16	7.29	213.81	4.41	1.38
		3:00	29.13	51.58	31.69	8.16	7.47	190.40	3.17	10.33
		6:00	28.89	51.71	31.72	8.07	7.69	205.44	2.70	4.85
		9:00	29.20	51.34	31.84	8.11	7.59	208.02	3.94	2.66
		12:00	29.17	50.92	32.09	8.16	6.90	215.54	4.19	10.15
		15:00	29.03	50.90	31.82	8.15	7.93	223.48	3.72	0.26
		18:00	29.01	51.08	31.44	8.22	7.27	231.05	2.69	1.42
		21:00	28.93	50.98	31.32	8.19	8.13	236.85	3.12	4.20
	日平均值		29.07	51.12	31.71	8.15	7.53	215.57	3.49	4.41
	灣內站	0:00	29.01	52.31	30.71	8.12	5.07	167.15	2.20	2.71
		3:00	28.77	52.01	31.84	8.10	5.77	177.42	1.52	0.10
		6:00	28.47	52.82	31.98	8.05	8.16	213.64	1.51	2.19
		9:00	29.04	53.07	31.60	8.09	5.37	209.67	1.56	1.59
		12:00	29.75	52.68	31.17	8.13	6.12	197.77	3.15	11.51
		15:00	29.72	52.39	31.16	8.14	5.84	199.12	2.72	0.23
		18:00	29.57	52.65	31.33	8.07	5.74	200.91	3.49	1.21
		21:00	29.28	52.63	31.23	7.95	5.08	199.65	1.92	5.15
	日平均值		29.20	52.57	31.38	8.08	5.89	195.67	2.26	3.09
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月14日	蚵殼站	0:00	28.87	52.54	32.58	8.25	5.31	226.37	1.06	0.44
		3:00	28.60	52.76	32.85	8.23	5.57	220.19	1.01	2.26
		6:00	28.54	53.32	32.97	8.19	5.67	222.97	2.23	0.49
		9:00	28.76	53.37	32.96	8.30	5.70	206.96	1.99	6.55
		12:00	29.10	52.85	32.87	8.30	5.67	151.40	1.28	6.89
		15:00	29.36	52.56	32.86	8.23	5.97	171.01	3.99	2.41
		18:00	29.30	52.85	32.94	8.29	6.10	159.65	2.99	5.92
		21:00	29.04	52.70	32.97	8.30	6.32	154.22	1.33	1.64
	日平均值		28.95	52.87	32.88	8.26	5.79	189.10	1.99	3.33
	潮口站	0:00	29.01	50.95	31.44	8.13	8.54	239.50	4.21	4.36
		3:00	28.74	51.16	31.70	8.11	7.24	232.96	9.77	7.82
		6:00	28.68	51.71	31.82	8.07	7.48	235.90	4.06	8.09
		9:00	28.90	51.76	31.81	8.18	8.40	218.96	3.17	8.07
		12:00	29.25	51.25	31.72	8.18	6.22	160.18	3.55	6.13
		15:00	29.51	50.97	31.71	8.11	6.41	180.93	3.42	7.52
		18:00	29.45	51.25	31.79	8.17	7.48	168.91	3.33	3.97
		21:00	29.19	51.11	31.82	8.18	7.71	163.16	4.49	2.08
	日平均值		29.09	51.27	31.73	8.14	7.44	200.06	4.50	6.01
	灣內站	0:00	29.20	52.56	31.20	7.94	5.76	188.45	1.27	5.83
		3:00	29.09	52.69	31.42	7.94	5.71	199.62	1.22	7.83
		6:00	28.96	53.13	31.98	7.91	5.03	216.10	1.64	6.79
		9:00	29.23	53.10	32.03	7.93	5.67	219.89	2.65	2.60
		12:00	29.94	52.97	31.51	8.08	6.07	204.67	3.18	5.46
		15:00	30.03	52.67	31.22	8.16	5.98	206.09	2.96	4.00
		18:00	29.93	52.77	31.51	8.06	5.44	206.45	2.29	5.30
		21:00	29.84	52.61	31.36	7.93	5.35	212.12	2.41	0.51
	日平均值		29.53	52.81	31.53	7.99	5.63	206.67	2.20	4.79
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月15日	蚵殼站	0:00	28.75	52.34	33.01	8.20	7.31	186.41	0.60	4.55
		3:00	28.66	53.14	33.26	8.24	7.13	177.78	0.32	3.33
		6:00	28.55	53.48	33.30	8.29	6.84	105.65	1.17	2.03
		9:00	28.89	53.52	33.16	8.24	5.62	134.96	4.50	0.65
		12:00	29.35	53.06	32.94	8.23	7.04	173.08	1.05	1.91
		15:00	29.42	52.95	33.85	8.22	5.89	182.11	1.47	2.28
		18:00	29.28	52.91	33.73	8.19	6.08	162.54	2.63	3.86
		21:00	28.81	52.98	33.56	8.27	6.30	145.72	3.12	4.48
	日平均值		28.96	53.05	33.35	8.24	6.53	158.53	1.86	2.89
	潮口站	0:00	28.89	50.76	31.85	8.08	5.92	197.22	4.15	2.45
		3:00	28.80	51.54	32.10	8.12	7.20	188.09	4.59	3.52
		6:00	28.69	51.87	32.13	8.17	7.35	111.78	4.69	0.13
		9:00	29.03	51.91	32.00	8.12	8.45	142.79	2.63	1.79
		12:00	29.50	51.46	31.79	8.11	7.41	183.12	3.34	2.65
		15:00	29.57	51.35	32.67	8.10	6.92	192.67	3.13	1.89
		18:00	29.43	51.31	32.55	8.07	7.84	171.97	2.56	1.15
		21:00	28.95	51.38	32.39	8.15	8.50	154.17	2.74	2.73
	日平均值		29.11	51.45	32.19	8.12	7.45	167.73	3.48	2.04
	灣內站	0:00	29.61	51.97	31.01	7.97	5.99	222.21	1.86	1.03
		3:00	29.56	52.76	31.80	8.00	5.10	219.83	2.12	1.10
		6:00	29.23	53.10	32.14	8.02	5.07	224.78	2.26	0.82
		9:00	29.22	53.14	32.18	8.01	5.05	218.82	1.68	2.41
		12:00	29.52	52.68	31.72	8.05	5.42	217.92	1.75	1.27
		15:00	29.58	52.57	31.61	8.18	5.64	215.42	2.02	2.62
		18:00	29.48	52.53	31.57	8.19	5.39	215.46	2.58	1.01
		21:00	29.30	52.60	31.64	8.16	5.05	224.44	1.75	0.69
	日平均值		29.44	52.67	31.71	8.07	5.34	219.86	2.00	1.37
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月16日	蚵殼站	0:00	28.48	52.94	33.27	8.21	5.28	112.95	1.77	1.90
		3:00	28.31	53.07	32.72	8.17	5.08	190.94	0.66	1.97
		6:00	28.29	53.51	32.89	8.20	7.12	126.57	0.60	1.92
		9:00	28.61	53.48	33.17	8.24	5.77	153.92	1.13	2.59
		12:00	28.58	53.35	33.30	8.18	6.28	194.79	1.37	2.38
		15:00	28.72	53.05	33.16	8.17	6.32	211.15	3.33	2.34
		18:00	28.91	53.15	32.81	8.15	5.43	202.03	3.12	2.14
		21:00	28.88	52.99	32.79	8.16	5.77	130.73	3.09	2.56
	日平均值		28.60	53.19	33.01	8.19	5.88	165.39	1.88	2.23
	潮口站	0:00	28.62	51.34	32.11	8.09	7.58	119.50	3.27	2.20
		3:00	28.45	51.47	31.57	8.05	8.25	202.01	3.56	1.93
		6:00	28.43	51.90	31.74	8.08	7.20	133.91	3.43	1.97
		9:00	28.75	51.87	32.01	8.12	8.49	162.85	2.60	2.00
		12:00	28.72	51.74	32.13	8.06	8.34	206.09	15.46	2.00
		15:00	28.86	51.45	32.00	8.05	7.87	223.40	2.49	2.49
		18:00	29.05	51.55	31.66	8.03	8.44	213.75	2.01	2.08
		21:00	29.02	51.39	31.64	8.04	7.24	138.31	1.96	2.24
	日平均值		28.74	51.59	31.86	8.07	7.93	174.98	4.35	2.11
	灣內站	0:00	29.23	52.16	31.60	8.20	5.96	226.57	1.91	1.98
		3:00	29.17	52.38	31.73	8.17	5.61	211.26	1.71	1.97
		6:00	29.16	52.94	32.17	8.15	5.73	212.73	2.33	1.95
		9:00	29.23	52.99	32.14	8.17	5.81	211.48	2.10	2.46
		12:00	29.46	52.47	32.01	8.23	5.06	229.94	2.15	2.50
		15:00	29.46	52.18	31.71	8.24	5.29	223.25	1.64	2.22
		18:00	29.37	52.47	31.81	8.17	5.13	224.93	1.50	2.44
		21:00	29.27	52.32	31.65	8.06	5.23	229.52	1.45	2.22
	日平均值		29.29	52.49	31.85	8.17	5.48	221.21	1.85	2.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月17日	蚵殼站	0:00	28.18	52.69	32.41	8.17	6.68	123.37	2.46	1.84
		3:00	27.95	52.38	31.98	8.16	6.34	114.15	1.29	2.52
		6:00	27.84	53.20	33.15	8.14	6.01	128.67	1.20	1.83
		9:00	28.13	53.45	33.50	8.20	6.81	164.42	2.61	2.26
		12:00	28.49	53.06	32.94	8.23	6.10	189.59	3.98	1.90
		15:00	28.74	52.77	32.53	8.21	6.22	201.15	3.31	1.39
		18:00	28.65	53.03	32.89	8.17	6.25	170.07	5.20	2.03
		21:00	28.48	53.01	32.87	8.17	5.96	175.34	4.93	2.25
	日平均值		28.31	52.95	32.78	8.18	6.30	158.35	3.12	2.00
	潮口站	0:00	28.32	51.10	31.28	8.05	5.56	130.53	1.76	2.21
		3:00	28.09	50.80	30.86	8.04	8.35	120.77	3.25	2.25
		6:00	27.98	51.60	31.99	8.02	7.16	136.13	3.33	2.54
		9:00	28.27	51.84	32.33	8.08	7.46	173.96	2.97	1.97
		12:00	28.63	51.46	31.79	8.11	7.74	200.59	3.33	2.31
		15:00	28.88	51.17	31.39	8.09	8.45	212.82	6.24	2.60
		18:00	28.79	51.43	31.74	8.05	7.17	179.93	3.66	1.56
		21:00	28.62	51.42	31.72	8.05	7.24	185.51	6.13	2.51
	日平均值		28.45	51.35	31.64	8.06	7.39	167.53	3.83	2.24
	灣內站	0:00	29.20	51.67	31.35	8.03	6.10	229.16	1.08	2.41
		3:00	29.14	52.80	31.05	7.96	5.47	191.00	1.34	1.60
		6:00	29.12	52.94	31.86	8.00	5.69	211.83	2.21	1.67
		9:00	29.26	52.56	32.11	8.11	5.96	238.59	1.89	1.74
		12:00	29.44	52.13	31.72	8.15	5.06	217.67	1.21	1.35
		15:00	29.50	52.12	31.43	8.15	5.00	222.39	1.47	2.19
		18:00	29.43	52.29	31.69	8.06	5.79	226.28	1.71	2.33
		21:00	29.33	52.19	31.67	7.98	5.49	227.79	1.01	1.88
	日平均值		29.30	52.34	31.61	8.06	5.57	220.59	1.49	1.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月18日	蚵殼站	0:00	28.54	52.85	32.64	8.33	5.02	190.23	3.08	0.73
		3:00	28.26	52.90	32.71	8.16	5.20	157.24	3.42	2.21
		6:00	28.06	53.06	32.94	8.15	5.78	194.95	2.10	0.87
		9:00	28.07	53.53	33.61	8.23	5.52	130.81	4.17	1.24
		12:00	28.26	53.34	33.34	8.33	5.49	182.63	3.16	0.65
		15:00	28.34	52.82	32.60	8.31	5.75	205.36	8.66	1.05
		18:00	28.30	52.86	32.65	8.21	5.65	195.12	5.45	1.53
		21:00	28.24	52.95	32.79	8.20	5.32	187.28	3.55	0.56
	日平均值		28.26	53.04	32.91	8.24	5.47	180.45	4.20	1.11
	潮口站	0:00	28.68	51.25	31.50	8.21	7.70	201.26	2.37	1.83
		3:00	28.40	51.30	31.57	8.04	8.38	166.36	1.97	1.75
		6:00	28.20	51.46	31.79	8.03	7.31	206.26	0.35	0.58
		9:00	28.21	51.92	32.43	8.11	8.62	138.40	0.36	0.53
		12:00	28.40	51.73	32.17	8.21	8.47	193.22	1.24	1.76
		15:00	28.48	51.22	31.46	8.19	7.99	217.27	0.44	1.48
		18:00	28.44	51.26	31.51	8.09	8.57	206.44	0.93	1.21
		21:00	28.38	51.35	31.64	8.08	7.35	198.14	0.10	1.42
	日平均值		28.40	51.44	31.76	8.12	8.05	190.92	0.97	1.32
	灣內站	0:00	29.17	51.79	31.51	7.96	5.03	236.32	0.94	2.04
		3:00	29.03	52.61	31.56	7.99	5.06	234.45	0.85	2.62
		6:00	28.84	52.47	31.72	8.08	5.13	230.90	1.58	0.94
		9:00	29.07	52.43	32.19	8.14	5.46	229.59	2.26	1.00
		12:00	29.63	52.04	32.00	8.14	6.13	228.32	2.16	1.97
		15:00	29.72	52.41	31.48	8.10	5.46	120.01	1.15	0.64
		18:00	29.62	52.48	31.52	8.00	5.46	141.60	1.33	2.32
		21:00	29.24	51.84	31.61	7.96	5.39	201.97	1.29	1.33
	日平均值		29.29	52.26	31.70	8.05	5.39	202.90	1.45	1.61
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月19日	蚵殼站	0:00	29.43	52.92	32.74	8.35	5.30	176.94	3.89	0.46
		3:00	28.96	52.77	32.53	8.17	5.25	138.91	5.52	0.37
		6:00	28.72	52.95	32.78	8.18	5.64	123.47	5.49	1.85
		9:00	28.72	53.54	33.64	8.23	5.56	175.60	5.82	0.62
		12:00	28.86	53.41	33.44	8.41	5.86	174.50	5.39	0.82
		15:00	28.89	53.11	33.02	8.30	5.65	185.36	5.24	1.23
		18:00	28.79	52.92	32.74	8.18	5.67	187.67	9.02	2.02
		21:00	28.70	52.94	32.77	8.24	5.70	171.67	9.25	1.67
	日平均值		28.88	53.07	32.96	8.26	5.58	166.77	6.20	1.13
	潮口站	0:00	29.58	51.32	31.59	8.22	5.64	187.20	3.24	0.04
		3:00	29.10	51.17	31.39	8.05	8.48	146.97	4.31	1.03
		6:00	28.86	51.35	31.63	8.06	7.27	130.63	6.45	0.79
		9:00	28.86	51.93	32.46	8.11	7.57	185.78	3.23	0.69
		12:00	29.00	51.80	32.27	8.28	7.84	184.62	1.32	1.79
		15:00	29.03	51.51	31.86	8.18	7.99	196.11	1.56	0.13
		18:00	28.93	51.32	31.59	8.06	7.42	198.55	2.13	0.33
		21:00	28.84	51.34	31.62	8.12	7.50	181.63	1.86	0.42
	日平均值		29.03	51.47	31.80	8.14	7.46	176.44	3.01	0.65
	灣內站	0:00	29.07	51.80	31.58	7.96	5.47	122.58	0.86	1.44
		3:00	28.92	52.88	31.43	7.97	5.47	200.14	0.99	0.77
		6:00	28.89	52.49	31.61	7.98	5.80	118.06	2.47	0.95
		9:00	28.55	51.92	32.20	8.06	5.40	236.60	1.65	1.68
		12:00	29.46	51.71	32.07	8.07	7.08	201.93	2.53	0.44
		15:00	29.61	52.05	31.77	8.08	6.91	194.38	4.09	0.13
		18:00	29.37	52.39	31.58	8.06	7.37	156.73	5.02	0.15
		21:00	29.17	52.03	31.60	7.99	6.69	147.83	3.48	0.46
	日平均值		29.13	52.16	31.73	8.02	6.27	172.28	2.64	0.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月20日	蚵殼站	0:00	27.88	52.96	32.80	8.31	5.39	177.51	4.40	2.44
		3:00	27.52	52.88	32.68	8.21	5.60	104.94	3.90	0.54
		6:00	27.76	52.82	32.60	8.21	5.57	139.68	4.46	1.85
		9:00	28.16	53.24	31.20	8.14	5.87	183.52	6.06	1.40
		12:00	28.92	53.47	31.53	8.26	5.82	190.10	5.44	1.44
		15:00	28.71	53.14	31.05	8.23	5.32	216.75	4.30	3.12
		18:00	28.56	53.04	32.91	8.20	5.47	216.19	2.30	2.59
		21:00	28.43	53.00	32.85	8.33	5.84	193.84	3.23	0.99
	日平均值		28.24	53.07	32.20	8.24	5.61	177.82	4.26	1.80
	潮口站	0:00	27.88	51.11	31.65	8.19	7.71	187.81	1.58	0.79
		3:00	27.52	51.03	31.54	8.09	8.23	111.03	1.34	0.19
		6:00	27.76	50.97	31.46	8.09	8.17	147.78	2.73	0.33
		9:00	28.16	51.38	30.11	8.02	8.93	194.16	3.74	0.54
		12:00	28.92	51.60	30.43	8.14	8.78	201.13	2.37	1.71
		15:00	28.71	51.28	29.96	8.11	7.56	229.32	3.41	1.03
		18:00	28.56	51.18	31.76	8.08	7.92	228.73	1.87	2.56
		21:00	28.43	51.15	31.70	8.21	8.85	205.08	1.33	1.08
	日平均值		28.24	51.21	31.08	8.12	8.27	188.13	2.30	1.03
	灣內站	0:00	28.94	52.18	31.62	7.99	5.45	212.60	2.86	2.38
		3:00	28.76	52.66	31.54	8.01	5.23	207.74	2.40	2.42
		6:00	28.73	52.84	31.48	8.00	5.01	208.28	3.92	1.23
		9:00	28.98	52.34	31.90	7.91	5.19	207.68	3.65	2.88
		12:00	29.51	53.18	32.13	7.90	7.14	204.98	3.51	0.83
		15:00	29.37	53.37	31.80	7.98	7.28	199.75	2.70	0.67
		18:00	29.05	53.15	31.70	8.02	6.32	201.55	3.08	3.10
		21:00	28.90	52.59	31.66	8.04	5.12	197.02	2.44	2.45
	日平均值		29.03	52.79	31.73	7.98	5.84	204.95	3.07	2.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月21日	蚵殼站	0:00	27.99	53.04	33.46	8.24	5.32	176.30	7.79	1.28	
		3:00	27.74	52.99	32.48	8.11	5.89	168.87	5.41	0.92	
		6:00	27.70	53.01	31.75	8.15	6.40	171.60	7.16	0.46	
		9:00	28.23	53.09	32.07	8.22	6.79	147.48	6.99	1.67	
		12:00	28.84	53.27	30.20	8.20	6.13	159.79	3.77	0.96	
		15:00	28.63	53.08	30.01	8.19	5.44	164.91	5.59	0.33	
		18:00	28.50	52.81	31.94	8.12	5.77	178.55	6.31	1.74	
		21:00	28.51	52.72	31.64	8.25	6.77	169.34	6.98	1.18	
	日平均值		28.27	53.00	31.69	8.19	6.06	167.11	6.25	1.07	
	潮口站	0:00	27.99	51.96	32.29	8.12	7.54	186.53	1.21	0.22	
		3:00	27.74	51.98	31.34	7.99	8.97	178.66	0.74	1.26	
		6:00	27.70	51.25	30.64	8.03	8.36	181.55	2.21	1.31	
		9:00	28.23	51.57	30.95	8.10	8.48	156.03	2.44	0.08	
		12:00	28.84	50.70	29.14	8.08	9.60	169.06	2.57	0.23	
		15:00	28.63	50.51	28.96	8.07	7.83	174.47	2.83	1.97	
		18:00	28.50	51.44	30.82	8.00	8.67	188.91	3.03	2.23	
		21:00	28.51	51.14	30.53	8.13	8.42	179.16	5.08	2.97	
	日平均值		28.27	51.32	30.58	8.07	8.48	176.80	2.51	1.28	
	灣內站	0:00	29.02	51.48	31.70	8.08	6.61	185.05	3.72	2.19	
		3:00	28.99	51.93	31.65	8.11	6.49	166.86	2.86	2.34	
		6:00	28.75	52.32	31.67	8.12	6.21	154.02	3.61	0.62	
		9:00	29.12	51.96	31.75	8.15	7.24	132.35	3.66	2.33	
		12:00	29.50	52.89	31.93	8.14	8.03	154.38	3.79	1.04	
		15:00	29.42	52.04	31.74	8.13	8.13	164.18	3.46	2.46	
		18:00	29.11	51.99	31.47	8.06	7.20	162.72	3.35	1.10	
		21:00	28.97	52.39	31.38	8.01	6.86	186.01	3.14	1.41	
	日平均值		29.11	52.13	31.66	8.10	7.10	163.20	3.45	1.69	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月22日	蚵殼站	0:00	28.17	52.81	33.50	8.25	5.57	144.82	6.04	0.24	
		3:00	28.04	53.00	33.78	8.16	5.59	154.19	0.97	0.12	
		6:00	28.09	53.08	31.70	8.14	6.58	153.40	1.73	1.27	
		9:00	27.86	53.07	31.47	8.26	6.40	182.02	1.53	3.22	
		12:00	28.07	53.01	32.18	8.19	6.11	190.71	1.92	0.69	
		15:00	28.10	53.00	31.73	8.16	5.40	199.31	0.91	2.13	
		18:00	28.18	53.06	32.04	8.12	6.79	219.15	1.53	0.24	
		21:00	28.02	53.08	31.70	8.21	6.94	216.59	1.43	2.49	
	日平均值		28.07	53.01	32.26	8.19	6.17	182.52	2.01	1.30	
	潮口站	0:00	28.17	51.92	32.33	8.13	8.15	153.22	6.04	0.74	
		3:00	28.04	52.28	32.60	8.04	8.21	163.13	0.97	0.15	
		6:00	28.09	51.20	30.59	8.02	8.85	162.30	1.73	1.18	
		9:00	27.86	50.97	30.37	8.14	8.35	192.58	1.53	2.82	
		12:00	28.07	51.68	31.05	8.07	9.55	201.77	1.92	1.24	
		15:00	28.10	51.23	30.62	8.04	7.75	210.87	0.91	2.03	
		18:00	28.18	51.54	30.92	8.00	9.47	231.86	1.53	1.10	
		21:00	28.02	51.20	30.59	8.09	9.92	229.15	1.43	4.24	
	日平均值		28.07	51.50	31.13	8.07	8.78	193.11	2.01	1.69	
	灣內站	0:00	29.10	52.12	31.47	7.99	6.67	198.64	3.06	1.57	
		3:00	28.93	52.72	31.66	7.97	6.33	180.97	2.82	1.87	
		6:00	28.85	52.53	31.74	8.01	6.41	166.57	3.32	2.48	
		9:00	28.71	53.14	31.73	8.08	6.56	197.68	4.90	0.95	
		12:00	28.95	52.95	31.67	8.13	7.22	207.24	4.61	0.55	
		15:00	29.19	53.00	31.66	8.15	7.61	209.79	3.20	2.15	
		18:00	29.09	51.55	31.72	8.09	8.15	205.62	2.65	0.08	
		21:00	29.10	51.49	31.74	8.06	7.31	216.02	3.18	0.59	
	日平均值		28.99	52.44	31.67	8.06	7.03	197.82	3.47	1.28	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月23日	蚵殼站	0:00	27.12	53.11	33.10	8.27	6.01	212.60	1.46	2.51	
		3:00	27.89	53.28	31.53	8.15	5.32	207.74	0.66	2.51	
		6:00	27.84	53.31	32.06	8.06	6.96	208.28	1.41	1.32	
		9:00	28.65	53.21	31.96	8.18	7.18	207.68	2.73	0.95	
		12:00	29.15	53.06	29.84	8.27	6.58	204.98	2.53	0.77	
		15:00	28.75	53.69	30.57	8.26	5.60	199.75	2.25	1.73	
		18:00	28.58	53.61	32.20	8.10	6.32	201.55	1.26	1.26	
		21:00	28.64	53.49	31.96	8.23	6.69	197.02	2.18	2.33	
	日平均值			28.33	53.35	31.65	8.19	6.33	204.95	1.81	1.67
	潮口站	0:00	27.12	52.60	31.94	8.15	9.28	224.93	1.46	1.03	
		3:00	27.89	52.03	30.43	8.03	7.55	219.79	0.66	0.83	
		6:00	27.84	51.56	30.94	7.94	8.99	220.36	1.41	0.04	
		9:00	28.65	51.46	30.84	8.06	7.64	219.73	2.73	1.00	
		12:00	29.15	50.34	28.80	8.15	8.85	216.87	2.53	2.13	
		15:00	28.75	50.07	29.50	8.14	8.23	211.34	2.25	1.56	
		18:00	28.58	51.70	31.07	7.98	8.13	213.24	1.26	2.36	
		21:00	28.64	51.46	30.84	8.11	8.19	208.45	2.18	1.03	
	日平均值			28.33	51.40	30.55	8.07	8.36	216.84	1.81	1.25
	灣內站	0:00	29.12	52.52	31.77	8.14	6.21	172.47	4.78	1.82	
		3:00	29.03	52.90	31.94	8.15	5.96	183.54	4.44	0.59	
		6:00	28.93	52.58	31.97	8.13	6.00	193.67	3.25	0.38	
		9:00	29.04	53.21	31.87	8.13	7.46	207.65	3.87	0.72	
		12:00	29.83	53.41	31.72	8.04	9.08	224.70	4.94	1.94	
		15:00	30.09	52.11	32.35	8.05	8.98	204.75	4.46	1.37	
		18:00	29.38	51.35	32.27	8.09	7.22	207.74	4.71	0.33	
		21:00	29.39	51.82	32.15	8.08	6.98	205.38	4.45	1.29	
	日平均值			29.35	52.49	32.01	8.10	7.24	199.99	4.36	1.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月24日	蚵殼站	0:00	28.41	53.29	32.33	8.26	5.95	185.05	1.93	1.44	
		3:00	27.17	52.91	31.20	8.12	5.49	166.86	2.02	2.06	
		6:00	27.52	53.02	32.07	8.11	6.16	154.02	1.63	1.21	
		9:00	27.92	53.22	31.43	8.19	7.24	132.35	3.09	1.56	
		12:00	28.87	53.31	30.29	8.29	6.89	154.38	3.48	2.55	
		15:00	28.31	53.21	31.41	8.22	5.71	164.18	2.78	2.24	
		18:00	28.15	52.97	30.51	8.13	5.81	162.72	2.07	2.56	
		21:00	28.19	52.95	31.39	8.17	6.47	186.01	3.27	2.41	
	日平均值			28.07	53.11	31.33	8.19	6.22	163.20	2.53	2.00
	潮口站	0:00	28.41	51.83	31.20	8.14	9.12	195.78	1.93	1.02	
		3:00	27.17	51.70	30.11	8.00	7.97	176.54	2.02	2.26	
		6:00	25.52	51.57	30.95	7.99	9.70	162.95	1.63	0.51	
		9:00	26.92	50.93	30.33	8.07	8.84	140.03	3.09	2.28	
		12:00	28.87	50.79	29.23	8.17	8.76	163.33	3.48	2.22	
		15:00	28.31	50.91	30.31	8.10	8.51	173.70	2.78	2.43	
		18:00	28.15	50.01	29.44	8.01	8.76	172.16	2.07	0.13	
		21:00	28.19	50.89	30.29	8.05	8.56	196.80	3.27	2.46	
	日平均值			27.69	51.08	30.23	8.07	8.78	172.66	2.53	1.66
	灣內站	0:00	29.67	51.88	31.95	8.05	7.42	189.45	6.15	1.38	
		3:00	29.45	51.83	31.57	8.01	7.96	192.68	6.25	0.54	
		6:00	29.46	51.74	31.68	8.01	7.40	184.02	6.92	0.08	
		9:00	29.43	52.81	31.88	7.99	7.98	206.07	5.81	2.61	
		12:00	29.71	53.43	31.97	8.01	9.67	207.11	6.81	0.14	
		15:00	29.83	52.71	31.87	7.99	8.09	217.29	7.62	2.20	
		18:00	29.21	52.17	31.63	7.96	8.34	203.62	6.55	1.33	
		21:00	29.23	52.24	31.61	7.96	6.85	196.90	5.40	1.85	
	日平均值			29.50	52.35	31.77	8.00	7.96	199.64	6.44	1.27
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月25日	蚵殼站	0:00	27.96	52.74	31.48	8.31	6.01	198.64	2.72	5.93	
		3:00	27.75	52.88	33.63	8.14	5.46	180.97	2.72	0.03	
		6:00	27.48	53.17	32.89	8.14	5.53	166.57	2.76	1.75	
		9:00	28.12	53.46	31.78	8.22	7.21	197.68	3.60	1.21	
		12:00	28.48	53.22	30.79	8.34	6.93	207.24	3.97	5.87	
		15:00	28.26	52.91	30.50	8.24	5.64	209.79	3.33	2.40	
		18:00	27.88	52.76	30.62	8.15	5.77	205.62	2.25	2.28	
		21:00	27.82	52.99	31.67	8.19	6.54	216.02	3.42	2.00	
	日平均值			27.97	53.02	31.67	8.22	6.14	197.82	3.10	2.68
	潮口站	0:00	27.96	50.98	30.38	8.19	9.28	210.16	2.72	1.55	
		3:00	27.75	51.13	32.45	8.02	7.89	191.47	2.72	1.28	
		6:00	27.48	52.39	31.74	8.02	8.05	176.23	2.76	2.77	
		9:00	28.12	51.28	30.67	8.10	8.73	209.15	3.60	1.26	
		12:00	28.48	50.29	29.71	8.21	8.88	219.26	3.97	1.67	
		15:00	28.26	50.01	29.43	8.12	8.34	221.96	3.33	1.83	
		18:00	27.88	50.12	29.55	8.03	8.67	217.55	2.25	2.33	
		21:00	27.82	51.17	30.56	8.07	8.74	228.55	3.42	5.17	
	日平均值			27.97	50.92	30.56	8.10	8.57	209.29	3.10	2.23
	灣內站	0:00	28.94	51.42	31.40	7.94	7.58	203.05	6.21	1.87	
		3:00	28.62	51.70	31.54	7.93	7.68	186.33	7.98	2.21	
		6:00	28.29	52.26	31.83	7.94	7.33	170.00	6.67	0.49	
		9:00	28.54	52.82	32.12	7.95	7.82	217.36	6.31	1.46	
		12:00	29.06	51.86	31.88	8.00	8.91	220.32	7.03	2.00	
		15:00	29.14	51.25	31.57	8.18	8.95	219.28	7.78	1.28	
		18:00	28.94	51.48	31.42	8.07	9.09	218.11	8.64	3.00	
		21:00	28.78	51.92	31.65	7.95	8.18	196.90	8.54	1.35	
	日平均值			28.79	51.84	31.68	8.00	8.19	203.92	7.40	1.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
10月26日	蚵殼站	0:00	27.82	52.97	31.63	8.26	6.39	218.26	3.33	3.98	
		3:00	27.58	52.94	31.16	8.15	5.55	216.00	3.29	0.16	
		6:00	27.49	52.90	33.64	8.17	5.40	214.43	2.83	5.41	
		9:00	27.90	53.19	31.81	8.12	6.86	207.90	4.52	0.92	
		12:00	28.06	53.51	31.53	8.17	7.09	206.67	4.13	5.11	
		15:00	27.88	53.40	30.55	8.17	5.68	190.85	3.74	3.95	
		18:00	27.73	53.13	31.90	8.14	5.69	184.28	2.42	1.31	
		21:00	27.73	53.16	31.91	8.25	6.62	153.30	3.47	2.30	
	日平均值			27.77	53.15	31.77	8.18	6.16	198.96	3.47	2.89
	潮口站	0:00	27.82	51.13	30.52	8.14	8.33	230.92	3.33	1.18	
		3:00	27.58	52.66	30.07	8.03	8.11	228.53	3.29	5.85	
		6:00	27.49	52.14	32.46	8.05	7.75	226.87	2.83	3.39	
		9:00	27.90	51.31	30.70	8.00	8.69	219.96	4.52	4.87	
		12:00	25.06	51.03	30.43	8.05	8.36	218.66	4.13	0.92	
		15:00	26.88	50.05	29.48	8.05	8.43	201.92	3.74	3.83	
		18:00	27.73	51.40	30.78	8.02	8.46	194.97	2.42	2.22	
		21:00	27.73	51.41	30.79	8.13	8.99	162.19	3.47	4.31	
	日平均值			27.27	51.39	30.65	8.06	8.39	210.50	3.47	3.32
	灣內站	0:00	28.47	52.72	31.63	7.95	6.04	187.52	9.70	2.95	
		3:00	28.27	52.77	31.60	7.97	6.62	177.48	11.81	3.15	
		6:00	28.21	52.72	31.56	7.92	7.17	161.90	13.98	2.51	
		9:00	28.59	52.60	31.85	7.94	7.89	194.49	15.44	2.20	
		12:00	28.97	52.07	32.17	7.99	6.09	208.58	16.05	1.67	
		15:00	28.93	51.92	32.06	8.02	8.86	225.52	19.78	2.93	
		18:00	28.56	51.75	31.79	7.97	6.86	197.33	21.23	0.93	
		21:00	28.49	51.32	31.82	8.15	8.96	160.47	21.20	0.95	
	日平均值			28.56	52.23	31.81	7.99	7.31	189.16	16.15	2.16
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月27日	蚵殼站	0:00	27.66	53.30	31.97	8.27	6.25	128.51	4.55	0.85
		3:00	27.59	53.50	32.79	8.22	5.55	112.06	3.27	2.88
		6:00	27.54	53.33	33.87	8.24	5.37	199.13	2.78	0.95
		9:00	27.66	53.66	32.33	8.27	5.92	105.26	4.06	0.46
		12:00	28.18	53.76	31.81	8.30	6.63	153.24	4.31	3.18
		15:00	28.14	53.09	30.57	8.29	5.73	168.51	3.84	1.50
		18:00	27.24	52.70	31.13	8.26	5.73	164.02	2.77	0.36
		21:00	27.68	52.68	31.54	8.20	6.56	148.50	3.22	1.17
	日平均值		27.71	53.25	32.00	8.26	5.97	147.40	3.60	1.42
	潮口站	0:00	27.66	51.47	30.85	8.15	9.94	135.96	4.55	0.13
		3:00	27.59	52.29	31.64	8.10	8.10	118.56	3.27	4.04
		6:00	27.54	52.37	32.68	8.12	7.68	210.68	2.78	1.72
		9:00	27.66	51.83	31.20	8.15	9.05	111.37	4.06	0.33
		12:00	28.18	51.31	30.70	8.18	8.34	162.13	4.31	2.10
		15:00	28.14	50.07	29.50	8.17	8.55	178.28	3.84	0.31
		18:00	25.24	50.63	30.04	8.14	8.56	173.53	2.77	2.00
		21:00	27.68	51.04	30.44	8.08	9.23	157.11	3.22	1.82
	日平均值		27.46	51.38	30.88	8.14	8.68	155.95	3.60	1.56
	灣內站	0:00	28.35	52.55	31.96	8.13	8.35	185.05	30.16	0.16
		3:00	28.13	52.34	32.16	8.04	7.81	166.86	21.72	1.92
		6:00	27.98	52.79	31.99	8.01	7.46	154.02	25.38	0.48
		9:00	28.27	52.76	32.32	8.01	7.93	132.35	24.54	1.35
		12:00	28.70	53.12	32.42	8.00	8.27	154.38	24.37	2.61
		15:00	28.75	53.22	31.75	7.99	8.32	164.18	26.77	2.28
		18:00	28.48	52.71	31.36	7.97	8.06	162.72	29.55	2.23
		21:00	28.55	52.60	31.34	7.98	7.94	186.01	31.04	3.64
	日平均值		28.40	52.76	31.91	8.02	8.02	163.20	26.69	1.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月28日	蚵殼站	0:00	27.59	53.02	31.44	8.19	6.38	109.86	4.33	2.78
		3:00	26.78	53.16	31.59	8.18	5.60	106.38	10.07	1.94
		6:00	26.70	53.72	33.24	8.23	5.52	188.46	4.18	1.57
		9:00	27.12	53.67	31.97	8.18	5.89	100.99	3.27	1.47
		12:00	26.96	53.49	31.21	8.20	6.47	162.45	3.65	0.12
		15:00	26.17	53.14	29.56	8.28	6.16	184.18	3.52	0.62
		18:00	26.74	53.03	30.53	8.14	5.85	183.30	3.43	4.03
		21:00	26.23	53.05	31.54	8.15	6.14	173.83	4.63	3.64
	日平均值		26.79	53.29	31.39	8.19	6.00	151.18	4.64	2.02
	潮口站	0:00	27.59	50.94	30.34	8.07	9.29	116.23	4.33	3.40
		3:00	26.78	51.09	30.48	8.06	8.23	112.55	10.07	1.69
		6:00	26.70	52.74	32.08	8.11	8.04	199.39	4.18	2.12
		9:00	27.12	51.47	30.85	8.06	8.98	106.85	3.27	0.69
		12:00	26.96	50.71	30.12	8.08	9.56	171.87	3.65	3.30
		15:00	26.17	50.06	28.53	8.16	9.68	194.86	3.52	0.11
		18:00	26.74	50.03	29.46	8.02	8.87	193.93	3.43	0.73
		21:00	25.23	51.04	30.44	8.03	9.63	183.91	4.63	3.58
	日平均值		26.66	51.01	30.29	8.07	9.04	159.95	4.64	1.95
	灣內站	0:00	28.56	52.11	31.68	8.03	8.28	198.64	33.72	2.59
		3:00	28.25	52.02	31.82	8.03	8.28	180.97	37.84	4.31
		6:00	28.17	52.66	32.38	8.05	7.67	166.57	33.84	2.67
		9:00	28.34	52.74	32.33	8.06	7.49	197.68	33.49	1.46
		12:00	28.80	52.95	32.15	8.01	8.45	207.24	30.27	2.87
		15:00	28.82	52.76	31.80	8.07	8.26	209.79	30.99	4.54
		18:00	28.66	52.74	31.69	8.08	7.46	205.62	32.60	3.96
		21:00	28.46	52.63	31.71	8.04	7.45	216.02	35.87	0.61
	日平均值		28.51	52.58	31.95	8.05	7.92	197.82	33.58	2.88
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月29日	蚵殼站	0:00	26.33	53.30	31.32	8.31	6.35	142.06	4.27	2.59
		3:00	26.99	53.50	31.33	8.16	5.81	101.14	4.73	4.07
		6:00	27.40	53.33	32.34	8.21	5.46	188.24	4.83	0.74
		9:00	27.77	53.66	32.52	8.28	5.93	194.13	2.71	1.61
		12:00	28.12	53.63	31.34	8.25	6.27	150.66	3.44	1.39
		15:00	28.08	53.09	30.64	8.25	6.32	175.84	3.23	2.23
		18:00	27.64	52.70	30.78	8.20	6.06	179.52	2.64	1.73
		21:00	27.11	52.68	31.93	8.32	5.94	174.87	2.82	0.97
	日平均值		27.43	53.24	31.53	8.25	6.02	163.31	3.58	1.92
	潮口站	0:00	26.46	50.82	30.22	8.19	8.32	150.30	4.27	4.82
		3:00	27.12	50.83	30.23	8.04	8.77	107.01	4.73	1.44
		6:00	27.54	51.84	31.21	8.09	7.89	199.16	4.83	0.67
		9:00	27.91	52.02	31.38	8.16	9.09	205.39	2.71	2.50
		12:00	28.26	50.84	30.24	8.13	9.98	159.40	3.44	0.25
		15:00	28.22	50.14	29.57	8.13	9.12	186.04	3.23	2.38
		18:00	27.78	50.28	29.70	8.08	9.42	189.93	2.64	4.04
		21:00	27.25	51.43	30.81	8.20	9.11	185.01	2.82	2.87
	日平均值		27.57	51.03	30.42	8.13	8.96	172.78	3.58	2.37
	灣內站	0:00	28.34	51.98	31.96	8.02	8.57	218.26	38.66	1.27
		3:00	28.17	52.24	32.16	8.03	8.49	216.00	40.92	0.90
		6:00	28.07	52.34	31.99	8.02	7.82	214.43	43.05	1.86
		9:00	28.37	52.75	32.32	8.07	7.36	207.90	41.78	0.46
		12:00	28.88	52.89	32.29	8.01	7.47	206.67	37.38	4.92
		15:00	28.92	52.20	31.75	8.01	7.72	190.85	29.62	0.67
		18:00	28.74	52.01	31.36	8.00	7.45	184.28	26.52	0.10
		21:00	28.60	52.04	31.34	7.98	7.54	153.30	26.17	3.10
	日平均值		28.51	52.31	31.90	8.02	7.80	198.96	35.51	1.66
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月30日	蚵殼站	0:00	26.04	52.71	31.28	8.32	6.28	166.00	3.37	4.53
		3:00	26.17	53.13	31.24	8.22	6.28	131.24	3.66	2.55
		6:00	26.11	53.31	31.42	8.17	5.67	198.53	3.53	2.07
		9:00	26.92	53.35	32.55	8.29	5.49	130.37	2.68	6.39
		12:00	27.71	53.15	31.38	8.25	6.45	175.61	15.94	4.94
		15:00	27.48	52.81	31.76	8.24	6.26	189.83	2.57	6.70
		18:00	27.52	52.73	31.71	8.20	5.46	198.52	2.07	5.86
		21:00	26.77	52.78	32.53	8.25	5.45	189.97	2.02	7.70
	日平均值		26.84	53.00	31.73	8.24	5.92	172.51	4.48	5.09
	潮口站	0:00	26.17	50.78	30.19	8.20	9.02	175.63	3.37	3.45
		3:00	26.30	50.74	30.15	8.10	9.03	138.85	3.66	7.22
		6:00	26.24	50.92	30.32	8.05	8.40	210.04	3.53	0.08
		9:00	27.05	51.05	31.41	8.17	7.95	137.93	2.68	0.07
		12:00	27.85	50.88	30.28	8.13	9.48	185.80	15.94	6.06
		15:00	27.62	51.26	30.65	8.12	9.97	200.84	2.57	3.61
		18:00	27.66	52.21	30.60	8.08	7.90	210.03	2.07	8.00
		21:00	26.90	52.03	31.39	8.13	7.86	200.99	2.02	2.18
	日平均值		26.97	51.23	30.62	8.12	8.70	182.51	4.48	3.83
	灣內站	0:00	28.45	52.12	31.37	8.00	8.43	128.51	26.58	7.66
		3:00	28.35	52.72	31.79	8.04	9.17	112.06	25.40	5.46
		6:00	28.15	52.53	31.97	8.03	8.74	199.13	27.33	6.97
		9:00	28.23	53.14	32.01	8.03	8.98	105.26	24.34	4.10
		12:00	28.35	52.95	31.81	8.03	8.47	153.24	27.49	6.52
		15:00	28.36	53.00	31.47	8.05	6.94	168.51	14.41	6.79
		18:00	28.21	51.55	31.39	8.07	7.56	164.02	18.24	7.11
		21:00	28.13	51.49	31.44	8.06	7.61	148.50	16.58	0.10
	日平均值		28.28	52.44	31.66	8.04	8.24	147.40	22.55	5.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
10月31日	蚵殼站	0:00	27.07	52.60	31.09	8.32	6.57	189.92	1.82	0.25
		3:00	27.31	53.02	30.98	8.19	6.49	174.78	3.35	2.54
		6:00	27.22	53.20	31.02	8.11	5.82	106.37	3.43	0.90
		9:00	27.19	53.24	31.65	8.22	5.36	142.32	3.07	3.03
		12:00	27.23	53.04	32.01	8.32	5.47	120.03	3.43	0.95
		15:00	27.24	52.70	31.47	8.33	5.72	122.91	6.44	3.30
		18:00	27.06	52.62	32.83	8.16	5.45	109.27	3.78	0.44
		21:00	26.93	52.67	31.94	8.28	5.54	136.34	6.31	1.33
	日平均值		27.16	52.89	31.62	8.24	5.80	137.74	3.95	1.59
	潮口站	0:00	27.21	50.59	30.00	8.20	9.82	200.94	1.82	0.74
		3:00	27.45	50.48	29.90	8.07	9.61	184.92	3.35	2.53
		6:00	27.36	50.52	29.93	7.99	8.80	112.54	3.43	0.72
		9:00	27.33	51.15	30.54	8.10	7.64	150.57	3.07	2.41
		12:00	27.37	51.51	30.89	8.20	7.92	126.99	3.43	1.59
		15:00	27.38	50.97	30.37	8.21	8.54	130.04	6.44	4.45
		18:00	27.20	52.33	31.68	8.04	7.86	115.61	3.78	2.59
		21:00	27.06	52.44	30.82	8.16	8.08	144.25	6.31	2.27
	日平均值		27.30	51.25	30.52	8.12	8.53	145.73	3.95	2.16
	灣內站	0:00	28.01	52.08	31.50	8.05	6.96	109.86	25.32	1.71
		3:00	27.95	52.35	32.14	8.18	7.05	106.38	18.36	1.41
		6:00	27.88	52.45	32.71	8.20	7.11	188.46	17.56	2.44
		9:00	27.71	52.86	32.17	8.21	7.57	100.99	18.78	1.93
		12:00	27.93	53.00	33.52	8.21	9.03	162.45	20.06	2.46
		15:00	27.95	52.31	32.29	8.20	9.12	184.18	25.80	0.26
		18:00	27.85	52.11	32.22	8.19	8.70	183.30	31.06	4.52
		21:00	27.56	52.14	32.79	8.17	8.59	173.83	29.66	4.05
	日平均值		27.86	52.41	32.42	8.18	8.02	151.18	23.33	2.35
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月1日	蚵殼站	0:00	26.72	53.19	31.91	8.12	5.56	153.29	4.52	4.29	
		3:00	26.69	53.39	31.63	8.14	5.40	151.56	10.63	7.94	
		6:00	26.65	53.22	31.75	8.14	5.49	105.68	10.08	0.73	
		9:00	26.95	53.55	31.96	8.16	5.19	136.31	6.23	0.13	
		12:00	26.80	53.52	32.61	8.16	5.38	125.90	13.12	1.82	
		15:00	26.82	52.98	32.61	8.18	5.42	125.59	11.04	5.00	
		18:00	26.44	52.59	32.20	8.19	5.46	135.56	12.83	1.48	
		21:00	26.18	52.57	32.67	8.11	5.56	129.69	17.87	1.13	
	日平均值		26.66	53.13	32.17	8.15	5.43	132.95	10.79	2.82	
	潮口站	0:00	26.85	51.41	30.79	8.00	8.14	162.18	4.52	2.20	
		3:00	26.82	51.13	30.52	8.02	7.75	160.35	10.63	1.43	
		6:00	26.78	51.25	30.64	8.02	7.95	111.81	10.08	5.62	
		9:00	27.08	51.46	30.84	8.04	7.25	144.22	6.23	3.37	
		12:00	26.93	52.11	31.47	8.04	7.69	133.20	13.12	1.85	
		15:00	26.95	52.11	31.47	8.06	7.78	132.87	11.04	3.34	
		18:00	26.57	51.70	31.07	8.07	7.89	143.42	12.83	1.21	
		21:00	26.31	52.17	31.53	7.99	8.13	137.21	17.87	0.70	
	日平均值		26.79	51.67	31.04	8.03	7.82	140.66	10.79	2.47	
	灣內站	0:00	27.57	52.21	31.96	8.15	8.49	142.06	26.50	4.32	
		3:00	27.48	52.12	32.65	8.08	9.35	101.14	27.54	5.79	
		6:00	27.40	52.77	32.90	8.10	9.67	188.24	30.21	0.94	
		9:00	27.49	52.85	32.18	8.11	9.88	194.13	28.05	6.24	
		12:00	27.90	53.06	33.39	8.11	8.65	150.66	25.65	5.67	
		15:00	27.93	52.87	33.67	8.10	8.49	175.84	25.85	5.81	
		18:00	27.92	52.85	33.34	8.09	7.78	179.52	26.45	6.70	
		21:00	27.82	52.74	32.54	8.07	7.07	174.87	30.59	4.35	
	日平均值		27.69	52.68	32.83	8.10	8.67	163.31	27.61	4.98	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月2日	蚵殼站	0:00	25.44	52.91	32.63	8.10	5.46	136.88	18.20	2.17	
		3:00	25.83	53.05	31.88	8.12	5.45	124.32	4.45	2.08	
		6:00	26.24	53.61	31.80	8.13	5.42	127.79	6.10	3.55	
		9:00	26.75	53.56	31.63	8.18	5.48	142.21	6.71	3.42	
		12:00	26.57	53.38	31.95	8.18	5.57	144.74	7.47	0.45	
		15:00	26.23	53.03	31.24	8.21	5.45	145.08	7.43	1.41	
		18:00	25.18	52.92	31.48	8.25	5.29	144.27	13.27	2.10	
		21:00	25.59	52.94	31.91	8.14	5.34	149.33	19.38	2.74	
	日平均值		25.98	53.18	31.82	8.16	5.43	139.33	10.38	2.24	
	潮口站	0:00	25.57	52.13	31.49	7.98	7.89	144.82	18.20	0.54	
		3:00	25.96	51.38	30.76	8.00	7.86	131.53	4.45	2.44	
		6:00	26.37	51.30	30.69	8.01	7.80	135.20	6.10	2.36	
		9:00	26.88	51.13	30.52	8.06	7.94	150.46	6.71	2.85	
		12:00	26.70	51.45	30.83	8.06	8.17	153.13	7.47	0.52	
		15:00	26.36	50.74	30.15	8.09	7.86	153.49	7.43	0.74	
		18:00	25.31	50.98	30.38	8.13	7.49	152.64	13.27	1.92	
		21:00	25.72	51.41	30.79	8.02	7.61	157.99	19.38	2.26	
	日平均值		26.11	51.32	30.70	8.04	7.83	147.41	10.38	1.70	
	灣內站	0:00	27.69	52.66	31.42	8.09	7.93	166.00	27.88	2.38	
		3:00	27.60	52.45	32.95	7.96	7.06	131.24	29.89	3.74	
		6:00	27.39	52.90	32.39	7.90	6.36	198.53	29.88	1.54	
		9:00	27.65	52.87	31.58	8.04	6.80	130.37	35.32	1.32	
		12:00	27.98	53.23	31.28	8.11	7.86	175.61	40.65	1.20	
		15:00	28.22	53.33	31.76	8.11	7.03	189.83	48.37	0.98	
		18:00	28.18	52.82	32.26	7.96	6.63	198.52	49.51	2.69	
		21:00	28.04	52.71	31.74	8.06	7.60	189.97	40.58	3.21	
	日平均值		27.84	52.87	31.92	8.03	7.16	172.51	37.76	2.13	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月3日	蚵殼站	0:00	25.42	53.19	32.83	8.15	5.44	146.96	27.93	0.26
		3:00	26.23	53.39	32.30	8.15	5.58	137.12	76.15	0.93
		6:00	26.25	53.22	31.84	8.13	6.04	146.79	10.05	0.36
		9:00	26.42	53.55	31.68	8.14	6.41	183.85	13.97	1.33
		12:00	27.75	53.65	29.91	8.24	5.74	137.98	13.36	1.76
		15:00	27.66	52.98	30.73	8.26	5.48	157.79	5.11	1.45
		18:00	27.47	52.59	31.29	8.23	5.42	166.11	5.22	2.19
		21:00	26.31	52.57	31.26	8.21	5.31	170.42	3.60	2.09
	日平均值		26.69	53.14	31.48	8.19	5.68	155.88	19.42	1.30
	潮口站	0:00	25.55	52.33	31.68	8.03	7.85	155.48	27.93	0.69
		3:00	26.36	51.80	31.17	8.03	8.18	145.07	76.15	0.43
		6:00	26.38	51.34	30.73	8.01	9.36	155.30	10.05	0.45
		9:00	26.55	51.18	30.57	8.02	9.37	194.51	13.97	0.95
		12:00	27.89	50.41	28.86	8.12	8.60	145.98	13.36	0.77
		15:00	27.80	50.23	29.65	8.14	7.93	166.94	5.11	1.43
		18:00	27.61	50.79	30.19	8.11	7.80	175.74	5.22	0.65
		21:00	26.44	50.76	30.17	8.09	7.53	180.30	3.60	1.77
	日平均值		26.82	51.11	30.38	8.07	8.33	164.92	19.42	0.89
	灣內站	0:00	27.79	52.83	31.40	8.12	8.60	189.92	37.33	0.30
		3:00	27.72	52.88	32.57	7.97	7.91	174.78	31.89	0.82
		6:00	27.70	52.83	32.37	7.93	6.49	106.37	30.13	0.35
		9:00	28.01	52.71	32.31	8.02	7.61	142.32	27.78	0.61
		12:00	28.39	52.17	31.75	8.12	8.66	120.03	25.99	0.82
		15:00	28.46	52.02	32.29	8.08	7.47	122.91	25.04	1.41
		18:00	28.38	51.85	32.39	8.00	7.08	109.27	26.34	0.84
		21:00	28.25	51.42	31.47	8.00	7.41	136.34	28.12	0.82
	日平均值		28.09	52.34	32.07	8.03	7.65	137.74	29.08	0.75
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月4日	蚵殼站	0:00	26.87	52.86	32.78	8.19	5.36	173.74	10.67	2.45
		3:00	26.80	52.83	32.03	8.18	5.45	182.24	10.71	1.56
		6:00	26.92	52.79	30.95	8.13	6.06	206.78	7.67	1.15
		9:00	27.60	53.08	30.77	8.25	6.63	221.39	4.84	2.61
		12:00	27.77	53.40	30.66	8.25	6.13	178.73	10.76	1.29
		15:00	27.98	53.29	30.39	8.22	5.58	186.44	9.23	0.64
		18:00	27.54	53.02	30.80	8.25	6.00	218.45	4.88	2.12
		21:00	27.66	53.05	31.36	8.23	6.64	229.56	2.28	1.60
	日平均值		27.39	53.04	31.22	8.21	5.98	199.67	7.63	1.68
	潮口站	0:00	26.87	52.28	31.63	8.07	7.64	183.82	10.67	0.95
		3:00	26.80	51.53	30.91	8.06	7.86	192.81	10.71	0.64
		6:00	26.92	50.45	29.87	8.01	9.42	218.77	7.67	2.53
		9:00	27.60	50.27	29.69	8.13	9.01	234.23	4.84	0.67
		12:00	27.77	50.16	29.59	8.13	9.61	189.10	10.76	1.28
		15:00	27.98	49.89	29.33	8.10	8.18	197.25	9.23	2.08
		18:00	27.54	50.30	29.72	8.13	9.27	231.12	4.88	1.02
		21:00	27.66	50.86	30.26	8.11	9.03	242.87	2.28	2.12
	日平均值		27.39	50.72	30.13	8.09	8.75	211.25	7.63	1.41
	灣內站	0:00	28.08	51.52	31.23	8.14	8.61	153.29	28.17	1.74
		3:00	27.96	51.80	32.85	7.97	8.59	151.56	27.22	1.08
		6:00	27.93	52.37	33.04	7.97	7.57	105.68	28.46	1.19
		9:00	28.47	52.93	32.49	8.02	7.54	136.31	29.95	0.73
		12:00	29.18	51.96	31.90	8.17	8.26	125.90	30.05	2.49
		15:00	29.18	51.35	31.86	8.12	7.62	125.59	30.63	1.29
		18:00	28.99	51.58	32.12	7.99	7.09	135.56	32.08	1.39
		21:00	28.68	52.02	31.97	8.03	6.92	129.69	34.63	2.33
	日平均值		28.56	51.94	32.18	8.05	7.78	132.95	30.15	1.53
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月5日	蚵殼站	0:00	27.01	52.63	32.25	8.15	5.49	214.11	3.21	2.48	
		3:00	26.75	52.77	32.86	8.19	5.37	224.96	8.72	1.61	
		6:00	27.23	53.06	31.08	8.22	6.35	121.67	4.33	1.31	
		9:00	27.60	53.35	30.74	8.15	6.99	217.88	3.98	3.45	
		12:00	27.78	53.11	30.98	8.15	6.76	241.94	4.08	2.13	
		15:00	27.15	52.80	30.28	8.15	5.53	229.26	4.13	1.27	
		18:00	27.15	52.65	31.46	8.18	5.82	248.35	3.79	3.53	
		21:00	27.24	52.88	31.32	8.20	5.84	161.85	4.45	1.93	
	日平均值		27.24	52.91	31.37	8.17	6.02	207.50	4.59	2.21	
	潮口站	0:00	27.01	51.75	31.12	8.03	7.96	226.53	3.21	0.42	
		3:00	26.75	52.36	31.71	8.07	7.66	238.01	8.72	0.94	
		6:00	27.23	50.58	29.99	8.10	9.34	128.73	4.33	2.47	
		9:00	27.60	50.24	29.66	8.03	9.37	230.52	3.98	2.04	
		12:00	27.78	50.48	29.90	8.03	9.34	255.97	4.08	2.83	
		15:00	27.15	49.78	29.22	8.03	8.06	242.56	4.13	0.41	
		18:00	27.15	50.96	30.36	8.06	8.78	262.75	3.79	0.84	
		21:00	27.24	50.82	30.22	8.08	8.85	171.24	4.45	1.90	
	日平均值		27.24	50.87	30.27	8.05	8.67	219.54	4.59	1.48	
	灣內站	0:00	28.46	51.98	31.94	8.14	7.35	136.88	35.98	1.09	
		3:00	28.35	51.93	32.24	8.03	6.78	124.32	39.10	1.92	
		6:00	28.27	51.84	33.05	7.98	6.61	127.79	38.95	0.30	
		9:00	28.53	52.92	33.12	7.97	7.34	142.21	35.42	0.02	
		12:00	28.96	53.54	32.37	8.03	7.40	144.74	32.66	1.79	
		15:00	28.98	52.82	31.96	8.03	6.92	145.08	31.20	1.40	
		18:00	28.79	52.28	32.37	7.98	6.59	144.27	26.25	2.31	
		21:00	28.63	52.35	32.17	8.12	8.14	149.33	22.71	3.70	
	日平均值		28.62	52.46	32.40	8.04	7.14	139.33	32.78	1.57	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月6日	蚵殼站	0:00	27.04	53.18	31.55	8.12	5.59	160.14	5.30	2.77	
		3:00	26.89	52.80	32.19	8.13	5.46	210.66	4.76	1.10	
		6:00	26.88	52.91	31.46	8.17	5.88	207.64	5.90	7.20	
		9:00	27.59	53.11	30.81	8.19	6.99	252.39	6.53	5.35	
		12:00	27.89	53.20	30.87	8.16	6.15	246.30	12.92	0.04	
		15:00	27.43	53.10	30.14	8.10	5.65	244.54	17.78	6.00	
		18:00	27.22	52.86	31.08	8.12	6.03	264.30	21.30	1.62	
		21:00	27.37	52.84	30.46	8.15	6.57	170.25	25.88	1.67	
	日平均值		27.29	53.00	31.07	8.14	6.04	219.53	12.55	3.22	
	潮口站	0:00	27.04	51.05	30.45	8.00	8.20	169.43	5.30	1.31	
		3:00	26.89	51.69	31.06	8.01	7.88	222.88	4.76	0.90	
		6:00	26.88	50.96	30.36	8.05	8.94	219.68	5.90	6.72	
		9:00	27.59	50.31	29.73	8.07	9.34	267.03	6.53	7.58	
		12:00	27.89	49.87	29.79	8.04	9.66	260.59	12.92	4.31	
		15:00	27.43	49.84	29.09	7.98	8.35	258.72	17.78	2.95	
		18:00	27.22	50.58	29.99	8.00	9.34	279.63	21.30	7.23	
		21:00	27.37	49.96	29.39	8.03	9.37	180.12	25.88	1.24	
	日平均值		27.29	50.53	29.98	8.02	8.89	232.26	12.55	4.03	
	灣內站	0:00	28.41	52.63	31.65	8.09	8.24	173.74	22.58	1.50	
		3:00	28.10	53.01	32.78	8.09	8.01	182.24	22.20	8.03	
		6:00	27.91	52.69	33.27	8.12	8.47	206.78	23.52	0.08	
		9:00	28.11	53.32	33.34	8.12	8.46	221.39	22.25	3.13	
		12:00	28.55	53.52	32.67	8.15	7.92	178.73	22.54	2.54	
		15:00	28.63	52.21	32.51	8.15	8.88	186.44	22.68	7.26	
		18:00	28.30	51.45	32.45	8.09	8.24	218.45	21.99	0.36	
		21:00	28.18	51.92	32.55	8.03	8.18	229.56	22.42	1.92	
	日平均值		28.27	52.59	32.65	8.11	8.30	199.67	22.52	3.10	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月7日	蚵殼站	0:00	27.22	53.00	30.51	8.10	5.93	219.50	18.48	0.29
		3:00	26.89	53.17	31.92	8.11	5.37	255.93	19.89	1.05
		6:00	26.88	53.20	31.25	8.10	5.77	223.84	25.54	0.45
		9:00	27.37	53.10	30.28	8.17	6.66	231.89	23.16	0.10
		12:00	27.60	52.95	29.84	8.15	6.43	239.62	10.50	0.61
		15:00	27.19	53.58	30.63	8.14	5.62	257.13	9.11	0.46
		18:00	27.03	53.50	31.44	8.15	5.70	222.69	11.27	0.13
		21:00	27.15	53.38	30.50	8.15	6.18	230.36	17.91	0.14
	日平均值		27.17	53.24	30.80	8.13	5.96	235.12	16.98	0.40
	潮口站	0:00	27.22	50.01	29.44	7.98	9.08	232.23	18.48	2.31
		3:00	26.89	51.42	30.80	7.99	7.68	270.77	19.89	0.60
		6:00	26.88	50.75	30.16	7.98	8.66	236.82	25.54	0.59
		9:00	27.37	49.78	29.22	8.05	9.53	245.34	23.16	0.33
		12:00	27.60	49.94	28.80	8.03	9.23	253.52	10.50	1.69
		15:00	27.19	50.13	29.56	8.02	8.28	272.04	9.11	0.33
		18:00	27.03	50.94	30.34	8.03	8.49	235.61	11.27	0.26
		21:00	27.15	50.00	29.43	8.03	9.75	243.72	17.91	0.28
	日平均值		27.17	50.37	29.72	8.01	8.84	248.76	16.98	0.80
	灣內站	0:00	28.13	52.22	32.49	8.02	8.07	214.11	22.34	0.37
		3:00	27.85	52.83	32.69	8.03	8.17	224.96	23.12	1.28
		6:00	27.74	52.64	33.31	8.07	8.38	121.67	24.49	0.40
		9:00	27.95	53.25	33.28	8.09	8.28	217.88	23.18	1.69
		12:00	28.50	53.06	33.08	8.06	8.37	241.94	22.10	1.04
		15:00	28.45	53.11	32.65	8.00	8.63	229.26	22.88	2.01
		18:00	28.13	51.65	32.80	8.02	6.69	248.35	18.96	0.48
		21:00	28.34	51.59	32.57	8.05	8.10	161.85	22.45	0.35
	日平均值		28.14	52.54	32.86	8.04	8.09	207.50	22.44	0.95
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月8日	蚵殼站	0:00	27.11	52.70	30.52	8.18	5.78	245.12	17.68	0.21
		3:00	26.81	52.89	31.42	8.14	5.26	196.50	21.35	2.18
		6:00	26.68	52.97	31.77	8.17	5.32	139.22	27.84	0.28
		9:00	27.30	52.96	30.43	8.23	5.50	193.31	33.31	1.79
		12:00	27.50	52.90	29.26	8.26	6.01	215.77	39.21	1.82
		15:00	26.81	52.89	29.96	8.24	5.47	244.69	51.96	2.00
		18:00	26.39	52.95	31.40	8.25	5.40	248.93	56.75	1.04
		21:00	26.41	52.97	30.26	8.24	6.04	257.39	62.05	1.17
	日平均值		26.88	52.90	30.63	8.21	5.60	217.62	38.77	1.31
	潮口站	0:00	27.11	50.02	29.45	8.06	8.69	259.34	17.68	1.24
		3:00	26.81	50.92	30.32	8.02	7.41	207.90	21.35	1.03
		6:00	26.68	51.27	30.66	8.05	7.55	147.29	27.84	2.36
		9:00	27.30	49.93	29.36	8.11	7.99	204.52	33.31	0.55
		12:00	27.50	49.76	28.24	8.14	9.28	228.28	39.21	2.59
		15:00	26.81	49.46	28.91	8.12	7.91	258.88	51.96	0.28
		18:00	26.45	50.90	30.30	8.13	7.74	263.37	26.75	0.07
		21:00	26.14	49.76	29.20	8.12	9.36	272.32	22.05	1.57
	日平均值		26.85	50.25	29.56	8.09	8.24	230.24	30.02	1.21
	灣內站	0:00	28.19	51.58	32.14	8.00	8.33	90.97	24.73	1.35
		3:00	28.10	52.03	31.71	8.01	8.66	95.22	25.37	1.96
		6:00	27.95	52.43	32.88	8.00	8.66	107.49	26.10	1.79
		9:00	28.17	52.06	32.23	8.07	7.79	114.80	26.31	1.92
		12:00	28.39	53.00	32.67	8.05	7.87	93.47	26.52	0.18
		15:00	28.32	52.14	32.26	8.04	6.67	97.32	28.27	1.57
		18:00	28.30	52.09	32.62	8.05	8.16	113.33	29.17	0.82
		21:00	28.16	52.50	32.60	8.05	8.69	118.88	26.33	0.18
	日平均值		28.20	52.23	32.39	8.03	8.10	103.94	26.60	1.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月9日	蚵殼站	0:00	27.64	52.93	30.17	8.21	6.08	226.53	67.59	1.95	
		3:00	28.36	52.88	30.78	8.21	5.51	135.43	71.60	0.68	
		6:00	26.27	52.90	31.87	8.20	5.34	151.11	81.47	0.69	
		9:00	26.99	52.98	30.18	8.21	6.07	150.37	88.17	2.60	
		12:00	26.50	53.16	30.80	8.19	6.13	156.08	99.06	2.43	
		15:00	26.38	52.97	31.31	8.17	5.65	193.25	16.17	0.72	
		18:00	25.33	52.70	31.25	8.15	5.32	259.10	1.45	1.18	
		21:00	25.65	52.61	31.48	8.17	6.87	256.50	1.55	2.16	
	日平均值		26.64	52.89	30.98	8.19	5.87	191.05	53.38	1.55	
	潮口站	0:00	27.64	49.67	29.11	8.09	9.47	239.67	67.59	2.32	
		3:00	28.36	50.28	29.70	8.09	8.01	143.28	71.60	2.18	
		6:00	26.27	51.37	30.75	8.08	7.59	159.87	31.47	0.91	
		9:00	26.99	49.68	29.12	8.09	9.46	159.09	38.17	1.23	
		12:00	25.50	49.30	29.72	8.07	9.61	165.13	29.06	1.49	
		15:00	26.38	50.81	30.21	8.05	8.37	204.46	16.17	0.90	
		18:00	25.33	51.75	30.16	8.03	7.55	274.13	1.45	1.18	
		21:00	26.65	50.98	30.38	8.05	9.21	271.38	1.55	0.86	
	日平均值		26.64	50.48	29.89	8.07	8.66	202.13	32.13	1.38	
	灣內站	0:00	28.01	52.29	32.37	8.08	8.93	111.16	27.90	2.08	
		3:00	27.93	52.77	32.44	8.04	9.05	116.58	28.03	2.31	
		6:00	27.73	52.95	32.67	8.07	8.96	164.94	27.65	2.33	
		9:00	28.01	52.45	32.34	8.13	8.54	113.04	25.25	1.74	
		12:00	28.45	53.29	32.07	8.16	8.76	125.07	26.99	0.93	
		15:00	28.45	53.48	32.33	8.14	5.33	118.73	24.49	1.57	
		18:00	28.18	53.26	32.38	8.15	6.99	128.28	23.18	0.54	
		21:00	28.13	52.70	32.52	8.14	5.81	185.03	22.10	0.99	
	日平均值		28.11	52.90	32.39	8.11	7.80	132.85	25.70	1.56	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月10日	蚵殼站	0:00	26.93	52.85	30.45	8.25	6.66	247.87	1.68	2.20	
		3:00	26.65	52.77	30.93	8.18	5.79	241.67	1.03	2.31	
		6:00	27.82	52.71	31.11	8.20	5.09	239.67	1.34	2.55	
		9:00	26.86	53.13	30.61	8.21	5.53	245.40	1.45	2.52	
		12:00	27.32	53.36	31.45	8.21	6.59	256.10	1.02	2.15	
		15:00	26.27	53.03	31.64	8.20	5.76	261.90	0.77	2.31	
		18:00	25.61	52.93	31.42	8.19	5.36	265.80	0.23	2.49	
		21:00	26.76	52.89	30.86	8.17	6.33	266.33	1.01	2.34	
	日平均值		26.78	52.96	31.06	8.20	5.89	253.09	1.07	2.36	
	潮口站	0:00	27.25	50.95	29.38	8.13	9.04	262.25	1.68	2.20	
		3:00	26.94	51.07	29.85	8.06	8.71	255.69	1.03	2.59	
		6:00	26.81	51.38	30.02	8.08	7.02	253.57	1.34	2.37	
		9:00	27.44	51.12	29.54	8.09	8.05	259.63	1.45	2.12	
		12:00	27.64	50.97	30.35	8.09	9.34	270.95	1.02	2.18	
		15:00	26.94	50.46	30.53	8.08	8.65	277.09	0.77	2.05	
		18:00	26.52	51.22	30.32	8.07	7.64	281.22	0.23	1.99	
		21:00	26.54	51.14	29.78	8.05	9.12	281.78	1.01	2.08	
	日平均值		27.01	51.04	29.97	8.08	8.45	267.77	1.07	2.20	
	灣內站	0:00	28.10	51.90	32.47	8.06	5.41	201.41	57.82	2.39	
		3:00	27.92	52.99	32.26	8.06	5.81	194.35	32.38	2.08	
		6:00	27.81	52.60	32.51	8.07	5.26	177.61	44.33	2.10	
		9:00	28.03	52.02	32.37	8.05	6.24	182.09	20.45	2.48	
		12:00	28.66	51.81	32.17	8.02	8.98	177.55	32.54	1.96	
		15:00	28.59	52.15	32.75	8.02	8.47	181.61	58.82	2.03	
		18:00	28.49	52.50	32.47	8.08	6.59	209.56	18.30	2.20	
		21:00	28.37	52.13	32.50	8.06	5.37	182.46	8.62	2.32	
	日平均值		28.25	52.26	32.44	8.05	6.52	188.33	34.16	2.20	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
11月11日	蚵殼站	0:00	27.34	52.81	30.07	8.19	7.33	251.60	1.19	0.85
		3:00	27.27	52.66	31.15	8.06	6.64	256.15	0.74	0.51
		6:00	26.12	52.84	30.76	8.00	5.22	265.67	0.56	1.56
		9:00	26.85	53.43	30.19	8.14	6.34	276.37	0.49	1.07
		12:00	27.58	53.30	29.98	8.21	7.39	282.00	0.37	0.57
		15:00	26.29	53.00	30.32	8.21	6.20	288.20	0.24	0.16
		18:00	25.42	52.81	30.66	8.06	5.81	289.43	0.43	0.17
		21:00	25.29	52.83	30.30	8.16	6.14	278.75	0.60	1.13
	日平均值		26.52	52.96	30.43	8.13	6.38	273.52	0.58	0.75
	潮口站	0:00	27.78	50.74	29.02	8.07	9.41	266.19	1.19	0.59
		3:00	28.50	50.59	30.06	7.94	9.32	271.01	0.74	0.40
		6:00	26.40	50.83	29.68	7.88	7.31	281.08	0.56	0.79
		9:00	27.12	50.90	29.13	8.02	9.11	292.40	0.49	1.60
		12:00	26.63	50.69	28.93	8.09	9.56	298.36	0.37	2.31
		15:00	26.51	50.77	29.26	8.09	9.80	304.92	0.24	2.31
		18:00	25.46	51.06	29.59	7.94	8.77	306.22	0.43	0.05
		21:00	25.78	51.17	29.24	8.04	9.65	294.92	0.60	0.96
	日平均值		26.77	50.84	29.36	8.01	9.12	289.39	0.58	1.13
	灣內站	0:00	28.22	51.89	32.53	8.06	7.59	144.61	7.35	0.62
		3:00	28.15	52.72	32.41	8.06	6.02	171.91	4.56	2.50
		6:00	27.95	52.58	32.33	8.05	7.82	164.93	3.77	0.74
		9:00	28.05	52.54	32.93	8.05	9.24	203.28	3.32	1.36
		12:00	28.35	52.14	32.26	8.05	10.08	198.77	4.41	0.24
		15:00	28.22	52.52	32.78	8.05	9.86	198.39	5.52	1.87
		18:00	28.03	52.59	32.64	8.03	6.63	197.68	3.64	0.02
		21:00	28.01	51.94	32.58	7.99	6.86	199.83	4.28	0.49
	日平均值		28.12	52.37	32.56	8.04	8.01	184.93	4.61	0.98
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素($\mu\text{g/l}$)
11月12日	蚵殼站	0:00	26.65	52.74	30.06	8.22	7.34	252.63	0.97	2.47
		3:00	26.63	52.79	30.88	8.07	7.32	248.00	0.53	2.26
		6:00	26.76	52.95	30.74	8.03	6.30	256.00	0.65	2.13
		9:00	26.39	53.42	30.70	8.12	6.27	277.00	0.65	2.09
		12:00	27.99	53.23	30.31	8.22	6.99	278.00	1.08	0.61
		15:00	26.09	52.71	30.68	8.18	6.35	290.57	0.23	0.47
		18:00	25.34	52.75	30.75	8.10	5.82	294.75	0.18	1.67
		21:00	26.05	52.84	30.11	8.10	5.65	291.47	0.46	1.67
	日平均值		26.49	52.93	30.53	8.13	6.51	273.55	0.59	1.67
	潮口站	0:00	27.06	50.52	29.01	8.10	9.41	267.28	0.97	0.59
		3:00	26.78	50.15	29.80	7.95	9.11	262.38	0.53	0.85
		6:00	27.96	50.57	29.66	7.91	9.41	270.85	0.65	2.25
		9:00	26.99	51.17	29.63	8.00	9.98	293.07	0.65	0.66
		12:00	27.46	50.76	29.25	8.10	9.26	294.12	1.08	1.59
		15:00	26.40	50.56	29.61	8.06	9.83	307.42	0.23	1.31
		18:00	25.74	51.06	29.67	7.98	8.80	311.85	0.18	2.25
		21:00	26.89	51.05	29.06	7.98	8.36	308.38	0.46	0.49
	日平均值		26.91	50.73	29.46	8.01	9.27	289.42	0.59	1.25
	灣內站	0:00	28.16	51.77	32.65	8.02	6.62	186.31	6.21	1.10
		3:00	27.93	52.91	32.57	8.04	5.38	131.68	12.41	0.46
		6:00	27.72	53.05	32.60	8.06	6.16	125.08	7.07	0.74
		9:00	28.05	52.67	32.72	8.08	7.79	201.29	8.10	2.03
		12:00	28.42	52.24	32.98	8.07	9.86	197.83	9.25	1.28
		15:00	28.40	52.22	32.70	8.05	10.05	196.65	12.34	1.06
		18:00	28.29	52.40	32.31	8.06	8.62	222.18	12.74	1.04
		21:00	28.18	52.30	32.19	8.06	7.62	202.58	16.70	0.53
	日平均值		28.14	52.45	32.59	8.06	7.76	182.95	10.60	1.03
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月13日	蚵殼站	0:00	25.71	52.58	30.44	8.24	7.39	168.38	1.25	4.00
		3:00	26.75	52.28	31.57	8.07	7.49	177.63	0.81	5.00
		6:00	26.79	53.09	31.71	8.07	6.82	146.74	0.49	2.62
		9:00	26.29	53.34	31.33	8.12	6.53	149.04	0.93	9.05
		12:00	26.98	52.95	30.90	8.27	7.03	155.82	0.67	1.43
		15:00	26.37	52.66	30.89	8.22	6.77	149.35	0.27	1.14
		18:00	25.77	52.92	31.06	8.09	6.07	176.75	0.95	6.26
		21:00	25.88	52.90	30.96	8.13	6.00	143.19	0.29	6.26
	日平均值		26.32	52.84	31.11	8.15	6.76	158.36	0.71	4.47
	潮口站	0:00	27.48	50.10	29.37	8.12	9.12	299.41	1.25	7.24
		3:00	27.41	50.01	30.47	7.95	9.66	210.36	0.81	2.51
		6:00	26.25	49.99	30.60	7.95	9.32	233.78	0.49	7.18
		9:00	26.98	50.57	30.23	8.00	9.14	276.51	0.93	9.39
		12:00	27.72	50.70	29.82	8.15	9.56	284.54	0.67	11.62
		15:00	26.42	50.93	29.81	8.10	9.83	176.87	0.27	6.08
		18:00	25.55	51.52	29.97	7.97	9.45	209.33	0.97	8.74
		21:00	25.42	50.97	29.88	8.01	9.27	214.36	0.29	0.79
	日平均值		26.65	50.60	30.02	8.03	9.42	238.15	0.71	6.69
	灣內站	0:00	28.15	52.27	32.31	8.05	6.29	191.84	4.52	2.18
		3:00	28.07	52.49	32.58	8.03	5.52	148.96	10.63	11.66
		6:00	27.68	53.05	32.70	8.00	6.96	209.52	10.08	1.79
		9:00	27.97	53.10	32.69	8.03	7.87	222.22	6.23	0.22
		12:00	28.37	52.58	32.60	8.06	8.79	205.79	13.12	5.25
		15:00	28.42	52.29	32.59	8.06	8.69	211.79	11.04	8.94
		18:00	28.25	52.58	32.67	8.02	7.44	231.08	12.83	6.92
		21:00	28.07	52.43	32.70	7.97	6.00	180.63	17.87	3.00
	日平均值		28.12	52.60	32.61	8.03	7.20	200.23	10.79	5.00
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月14日	蚵殼站	0:00	25.03	52.83	30.93	8.24	6.78	187.58	0.51	2.72
		3:00	25.62	52.96	31.15	8.13	6.40	220.43	0.73	2.35
		6:00	26.19	53.40	31.71	8.08	7.04	177.84	0.10	0.40
		9:00	26.83	53.37	31.76	8.07	7.06	193.74	1.07	2.42
		12:00	26.56	53.24	31.24	8.13	6.56	203.66	0.87	1.87
		15:00	26.37	52.94	30.95	8.13	7.07	210.63	0.24	0.06
		18:00	25.52	53.04	31.24	8.08	6.26	247.83	2.31	7.10
		21:00	25.40	52.88	31.09	8.22	5.68	229.85	0.10	5.76
	日平均值		25.94	53.08	31.26	8.14	6.61	208.95	0.74	2.84
	潮口站	0:00	26.78	49.56	29.85	8.12	9.12	298.46	0.51	1.20
		3:00	26.76	49.43	30.06	8.01	9.32	233.21	0.73	4.82
		6:00	26.89	49.43	30.60	7.96	9.67	188.15	0.10	1.11
		9:00	26.52	49.72	30.65	7.95	9.71	204.98	1.07	0.99
		12:00	28.13	50.59	30.15	8.01	9.23	215.47	0.87	0.47
		15:00	26.22	50.06	29.87	8.01	9.55	222.85	0.24	0.36
		18:00	25.47	50.33	30.15	7.96	9.95	262.20	1.22	5.33
		21:00	26.18	50.23	30.00	8.10	8.43	283.18	0.12	3.19
	日平均值		26.62	49.92	30.17	8.02	9.37	238.56	0.61	2.18
	灣內站	0:00	28.03	52.07	32.74	7.98	5.72	143.14	18.20	4.64
		3:00	28.02	52.87	32.99	7.99	6.20	140.64	4.45	5.17
		6:00	27.77	53.21	32.03	8.02	6.28	170.35	6.10	2.49
		9:00	28.13	53.25	32.89	8.02	7.53	153.36	6.71	0.62
		12:00	28.64	52.79	32.67	8.05	8.17	195.53	7.47	0.05
		15:00	28.54	52.68	32.58	8.06	8.23	209.46	7.43	2.56
		18:00	28.46	52.64	32.46	8.07	7.13	228.20	13.27	5.42
		21:00	28.01	52.71	32.29	8.08	6.68	195.18	19.38	7.74
	日平均值		28.20	52.78	32.58	8.03	6.99	179.48	10.38	3.59
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月15日	蚵殼站	0:00	25.57	52.24	30.74	8.19	6.92	287.76	0.76	1.12	
		3:00	25.91	53.03	31.53	8.19	7.04	313.33	0.62	4.36	
		6:00	26.46	53.37	31.87	8.22	7.47	292.56	1.05	0.49	
		9:00	26.50	53.41	31.91	8.22	6.65	284.94	0.83	3.89	
		12:00	26.76	52.95	31.45	8.25	6.76	295.71	0.26	1.15	
		15:00	26.74	52.84	31.34	8.25	6.59	304.55	0.23	0.90	
		18:00	25.86	52.80	31.30	8.19	6.04	315.73	1.32	4.08	
		21:00	25.53	52.87	31.37	8.13	5.61	320.79	1.32	2.93	
	日平均值			26.17	52.94	31.44	8.21	6.64	301.92	0.80	2.37
	潮口站	0:00	25.84	50.11	29.66	8.07	9.61	304.45	0.76	2.15	
		3:00	26.88	49.65	30.43	8.07	9.25	331.50	0.62	1.31	
		6:00	26.92	49.66	30.75	8.10	9.84	309.53	1.05	1.27	
		9:00	26.42	49.93	30.79	8.10	9.22	301.47	0.83	0.32	
		12:00	27.11	49.88	30.35	8.13	9.36	312.86	0.26	0.74	
		15:00	26.50	49.12	30.24	8.13	9.32	322.21	0.23	1.45	
		18:00	25.90	49.56	30.20	8.07	9.38	334.04	1.54	1.28	
		21:00	26.01	50.04	30.27	8.01	8.27	339.40	2.21	0.34	
	日平均值			26.45	49.74	30.34	8.09	9.28	319.43	0.94	1.11
	灣內站	0:00	27.99	52.67	32.00	8.03	5.37	141.58	27.93	2.26	
		3:00	27.82	52.80	32.45	7.98	5.11	166.59	16.15	0.31	
		6:00	27.58	53.24	32.62	8.03	5.62	194.51	10.05	0.90	
		9:00	27.72	53.21	32.90	8.07	7.01	211.09	13.97	0.15	
		12:00	28.19	53.08	32.03	8.09	7.67	215.92	13.36	1.32	
		15:00	28.18	52.78	32.89	8.10	7.84	217.86	5.11	4.10	
		18:00	28.02	52.88	32.54	8.02	6.64	231.62	5.22	1.36	
		21:00	27.85	52.72	32.52	8.03	5.58	193.28	3.60	2.05	
	日平均值			27.92	52.92	32.49	8.04	6.36	196.56	11.92	1.56
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月16日	蚵殼站	0:00	25.13	52.43	31.33	8.12	6.21	324.55	0.30	2.41	
		3:00	25.91	52.65	31.46	8.11	7.38	326.28	0.90	1.94	
		6:00	26.52	53.21	31.90	8.14	7.47	321.78	0.64	2.48	
		9:00	26.61	53.26	31.87	8.11	6.67	313.75	0.94	2.20	
		12:00	26.96	52.74	31.74	8.14	6.68	318.04	0.45	2.41	
		15:00	25.78	52.45	31.44	8.19	6.61	317.72	0.29	2.34	
		18:00	25.10	52.74	31.54	8.10	6.19	318.37	0.28	1.92	
		21:00	25.17	52.59	31.38	8.05	5.78	320.49	0.10	2.39	
	日平均值			25.90	52.76	31.58	8.12	6.62	320.12	0.49	2.26
	潮口站	0:00	25.16	50.39	30.23	8.00	9.82	343.37	0.30	1.91	
		3:00	25.75	50.76	30.36	7.99	9.11	345.20	0.90	2.00	
		6:00	26.32	50.66	30.78	8.02	9.23	340.44	0.64	1.94	
		9:00	26.96	50.67	30.75	7.99	9.56	331.95	0.94	1.97	
		12:00	26.69	51.36	30.63	8.02	9.42	336.49	0.45	2.03	
		15:00	26.50	49.99	30.34	8.07	9.86	336.15	0.29	2.36	
		18:00	25.65	50.62	30.44	7.98	9.77	336.84	0.28	1.95	
		21:00	25.53	51.23	30.28	7.93	8.68	339.08	0.10	2.03	
	日平均值			26.07	50.71	30.48	8.00	9.43	338.69	0.49	2.02
	灣內站	0:00	27.70	52.42	32.14	8.02	6.00	146.65	10.67	2.52	
		3:00	27.70	52.11	31.71	7.96	5.23	154.35	10.71	2.11	
		6:00	27.50	52.93	32.88	7.95	5.35	174.85	7.67	2.62	
		9:00	27.65	53.18	32.23	8.03	6.58	228.51	4.84	2.39	
		12:00	27.87	52.79	32.67	8.13	8.10	226.52	10.76	2.10	
		15:00	27.77	52.50	32.26	8.06	7.93	232.56	9.23	1.92	
		18:00	27.69	52.76	32.62	8.00	5.80	195.69	4.88	1.95	
		21:00	27.52	52.74	32.60	7.97	5.39	160.62	2.28	2.18	
	日平均值			27.68	52.68	32.39	8.02	6.30	189.97	7.63	2.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月17日	蚵殼站	0:00	25.97	51.94	31.08	8.06	5.69	318.20	0.51	2.14
		3:00	26.31	53.07	30.78	8.04	7.05	313.98	0.67	1.29
		6:00	26.29	53.21	31.59	8.10	7.27	310.53	0.83	1.49
		9:00	26.84	52.83	31.84	8.10	6.90	301.05	0.91	1.40
		12:00	26.17	52.40	31.45	8.13	6.30	306.69	0.74	1.92
		15:00	26.11	52.39	31.16	8.19	5.97	306.36	0.82	2.04
		18:00	26.10	52.56	31.42	8.16	5.58	303.93	1.04	1.28
		21:00	26.30	52.46	31.40	8.05	5.56	304.81	0.28	1.67
	日平均值		26.26	52.61	31.34	8.10	6.29	308.19	0.73	1.65
	潮口站	0:00	25.70	51.02	29.99	7.94	8.46	336.66	0.51	2.58
		3:00	26.04	50.29	29.70	7.92	9.33	332.19	0.67	1.22
		6:00	26.59	50.05	30.48	7.98	9.45	328.54	0.83	1.94
		9:00	26.63	49.84	30.73	7.98	9.31	318.51	0.91	2.44
		12:00	26.89	49.19	30.35	8.01	9.12	324.48	0.74	1.58
		15:00	26.87	49.88	30.07	8.07	9.19	324.13	0.82	2.45
		18:00	25.99	49.95	30.32	8.04	8.18	321.56	1.04	1.82
		21:00	25.66	50.55	30.30	7.93	8.13	322.49	0.28	1.46
	日平均值		26.30	50.10	30.24	7.98	8.90	326.07	0.73	1.94
	灣內站	0:00	27.40	52.58	32.37	8.01	6.04	138.38	3.21	2.59
		3:00	27.27	52.63	32.44	8.01	5.03	137.37	8.72	1.26
		6:00	27.06	52.79	32.67	7.95	6.11	143.69	4.33	1.28
		9:00	27.43	53.26	32.34	8.00	6.74	227.44	3.98	1.56
		12:00	27.88	53.07	32.07	8.11	8.80	229.85	4.08	1.47
		15:00	27.90	52.55	32.33	8.12	8.57	234.92	4.13	1.42
		18:00	27.85	52.59	32.38	8.05	7.03	242.66	3.79	2.21
		21:00	27.69	52.68	32.52	8.06	5.41	178.68	4.45	1.86
	日平均值		27.56	52.77	32.39	8.04	6.72	191.62	4.59	1.71
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月18日	蚵殼站	0:00	26.40	52.06	31.24	8.09	5.35	303.76	0.10	0.67
		3:00	26.89	52.88	31.29	8.08	5.29	305.83	1.09	1.56
		6:00	26.61	52.74	31.45	8.11	6.78	301.72	1.87	0.87
		9:00	27.54	52.70	31.92	8.12	6.93	296.11	1.75	1.13
		12:00	26.54	52.31	31.73	8.13	6.32	299.97	1.23	0.51
		15:00	25.85	52.68	31.21	8.17	5.95	299.45	0.39	1.02
		18:00	27.32	52.75	31.25	8.16	5.46	303.78	0.80	2.56
		21:00	26.96	52.11	31.34	8.03	5.00	300.89	0.75	0.65
	日平均值		26.76	52.53	31.43	8.11	5.89	301.44	1.00	1.12
	潮口站	0:00	25.26	50.35	30.15	7.97	7.62	321.38	0.10	2.29
		3:00	26.04	49.94	30.19	7.96	7.47	323.57	1.09	0.85
		6:00	26.65	49.71	30.35	7.99	9.45	319.22	1.87	1.37
		9:00	26.74	49.79	30.80	8.00	9.31	313.28	1.75	0.98
		12:00	27.09	50.35	30.62	8.01	9.33	317.37	1.23	0.52
		15:00	25.91	49.36	30.12	8.05	9.12	316.82	0.39	2.29
		18:00	25.23	50.35	30.16	8.04	7.89	321.40	0.80	1.03
		21:00	25.30	50.25	30.24	7.91	6.81	318.34	0.75	1.40
	日平均值		26.03	50.01	30.33	7.99	8.38	318.92	1.00	1.34
	灣內站	0:00	27.51	52.65	32.47	8.03	5.49	172.32	5.30	0.83
		3:00	27.36	52.50	32.26	7.99	5.34	139.99	4.76	2.26
		6:00	27.22	52.68	32.51	7.98	6.00	134.78	5.90	1.15
		9:00	27.58	53.27	32.37	7.96	6.94	220.01	6.53	0.79
		12:00	28.15	53.14	32.17	8.03	8.19	237.44	12.92	2.34
		15:00	28.07	52.84	32.75	8.09	8.60	244.46	17.78	1.08
		18:00	28.01	52.65	32.47	8.01	6.40	209.71	21.30	1.41
		21:00	27.89	52.67	32.50	8.01	5.01	144.65	25.88	1.05
	日平均值		27.72	52.80	32.44	8.01	6.50	187.92	12.55	1.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月19日	蚵殼站	0:00	26.80	52.07	31.31	8.07	5.27	301.61	0.53	0.05	
		3:00	26.15	53.15	31.16	8.07	5.24	299.85	1.43	1.56	
		6:00	28.06	52.76	31.34	8.05	6.44	295.17	2.77	0.37	
		9:00	27.36	52.19	31.93	8.19	7.20	284.77	8.63	0.15	
		12:00	26.81	51.98	31.80	8.21	6.18	286.59	2.88	2.28	
		15:00	26.22	52.32	31.50	8.27	6.04	275.95	2.45	2.37	
		18:00	26.45	52.66	31.31	8.29	5.87	270.02	1.50	1.38	
		21:00	26.68	52.30	31.33	8.20	5.82	267.51	2.31	1.89	
	日平均值		26.82	52.43	31.46	8.17	6.01	285.18	2.81	1.26	
	潮口站	0:00	26.10	51.48	30.21	7.95	7.42	319.10	0.53	2.43	
		3:00	26.44	50.71	30.07	7.95	7.37	317.24	1.43	0.50	
		6:00	26.42	50.58	30.24	7.93	9.39	312.29	2.77	0.61	
		9:00	26.97	50.43	30.81	8.07	9.64	301.29	8.63	2.21	
		12:00	26.30	49.55	30.69	8.09	9.75	303.21	2.88	0.86	
		15:00	26.24	49.39	30.40	8.15	9.38	291.96	2.45	2.13	
		18:00	26.23	50.54	30.21	8.17	8.92	285.68	1.50	1.69	
		21:00	26.43	50.61	30.23	8.08	8.78	283.03	2.31	1.67	
	日平均值		26.39	50.41	30.36	8.05	8.83	301.73	2.81	1.51	
	灣內站	0:00	27.62	52.69	32.53	8.00	5.03	217.34	1.68	0.70	
		3:00	27.49	52.61	32.41	7.96	5.12	187.28	1.03	1.90	
		6:00	27.26	52.55	32.33	7.97	5.43	116.73	1.34	0.83	
		9:00	27.58	52.97	30.93	7.99	6.18	183.92	1.45	0.31	
		12:00	28.06	53.20	31.26	8.00	8.24	211.79	1.02	1.21	
		15:00	27.97	52.87	30.78	8.05	8.12	231.72	0.77	0.82	
		18:00	27.83	52.77	32.64	8.01	6.93	240.29	0.23	0.22	
		21:00	27.86	52.73	32.58	7.98	5.32	138.53	1.01	0.34	
	日平均值		27.71	52.80	31.93	8.00	6.30	190.95	1.07	0.79	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月20日	蚵殼站	0:00	25.88	52.45	31.35	8.22	5.33	269.48	1.85	2.51	
		3:00	26.35	52.93	31.27	8.21	5.26	269.02	2.57	2.42	
		6:00	27.71	53.11	31.21	8.14	5.33	267.61	7.83	1.87	
		9:00	27.35	52.61	31.63	8.17	5.04	258.87	3.28	1.01	
		12:00	26.53	53.45	31.86	8.14	5.62	254.99	1.89	0.36	
		15:00	26.09	53.64	31.53	8.21	5.56	255.85	1.00	1.56	
		18:00	26.67	53.42	31.43	8.24	5.19	259.24	2.47	0.98	
		21:00	26.55	52.86	31.39	8.25	6.37	255.99	1.43	0.87	
	日平均值		26.64	53.06	31.46	8.20	5.46	261.38	2.79	1.45	
	潮口站	0:00	26.53	50.86	30.25	8.10	7.58	285.11	1.85	0.89	
		3:00	27.02	51.46	30.18	8.09	7.40	284.62	2.57	0.99	
		6:00	26.74	50.69	30.12	8.02	6.57	283.13	7.83	0.49	
		9:00	27.68	50.57	30.52	8.05	6.89	273.88	3.28	1.94	
		12:00	26.67	50.76	30.74	8.02	8.29	269.78	1.89	0.54	
		15:00	25.98	51.14	30.43	8.09	8.13	270.69	1.00	2.08	
		18:00	27.46	51.38	30.33	8.12	7.25	274.28	2.47	0.11	
		21:00	27.09	51.41	30.29	8.13	9.31	270.84	1.43	0.29	
	日平均值		26.90	51.03	30.36	8.08	7.68	276.54	2.79	0.92	
	灣內站	0:00	27.65	52.77	32.19	7.95	5.11	182.37	1.19	1.35	
		3:00	27.52	52.72	32.21	7.97	5.03	199.34	0.74	2.16	
		6:00	27.40	52.74	31.48	7.98	5.34	131.35	0.56	2.26	
		9:00	27.71	52.82	31.80	7.99	5.96	180.10	0.49	1.99	
		12:00	28.11	53.00	30.93	8.01	7.95	214.16	0.37	1.39	
		15:00	28.12	52.81	30.74	8.12	7.80	248.19	0.24	1.98	
		18:00	27.98	52.54	31.67	8.08	7.14	171.50	0.43	0.16	
		21:00	27.91	52.45	31.37	7.99	6.08	151.13	0.60	0.30	
	日平均值		27.80	52.73	31.55	8.01	6.30	184.77	0.58	1.45	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月21日	蚵殼站	0:00	26.39	51.75	31.43	8.16	5.39	255.34	1.15	2.49
		3:00	26.20	52.20	31.38	8.13	5.87	253.11	0.93	0.28
		6:00	28.32	52.59	31.40	8.08	5.57	252.18	2.12	1.65
		9:00	27.30	52.23	31.48	8.10	5.65	247.13	1.96	0.54
		12:00	26.93	53.16	31.66	8.17	5.20	248.08	1.98	2.87
		15:00	26.48	52.31	31.47	8.16	5.27	251.80	1.82	2.00
		18:00	26.90	52.26	31.20	8.27	5.63	244.48	3.16	0.45
		21:00	27.82	52.66	31.11	8.23	5.24	243.70	4.68	3.05
	日平均值		27.04	52.40	31.39	8.16	5.48	249.48	2.23	1.67
	潮口站	0:00	26.93	51.57	30.33	8.04	6.71	270.15	1.15	3.02
		3:00	26.28	52.33	30.28	8.01	5.91	267.79	0.93	1.03
		6:00	28.20	51.64	30.30	7.96	6.17	266.81	2.12	1.48
		9:00	27.50	51.08	30.38	7.98	8.35	261.46	1.96	3.10
		12:00	26.94	50.78	30.55	8.05	6.26	262.47	1.98	2.26
		15:00	26.35	50.73	30.37	8.04	5.44	266.40	1.82	0.80
		18:00	26.58	51.56	30.11	8.15	5.30	258.66	3.16	1.81
		21:00	26.81	51.75	30.02	8.11	5.37	257.83	4.68	0.41
	日平均值		26.95	51.43	30.29	8.04	6.19	263.95	2.23	1.74
	灣內站	0:00	27.91	52.54	33.23	8.04	5.04	124.50	0.97	2.28
		3:00	27.66	52.73	32.51	8.07	5.24	172.38	0.53	2.82
		6:00	27.56	52.81	31.43	8.00	5.42	106.75	0.65	2.85
		9:00	27.88	52.80	31.20	8.05	5.61	138.79	0.65	2.08
		12:00	28.23	52.74	31.91	8.09	7.03	209.03	1.08	1.51
		15:00	28.03	52.73	31.46	8.08	6.33	244.25	0.23	1.82
		18:00	27.92	52.79	31.77	8.06	5.09	139.44	0.18	1.92
		21:00	27.95	52.81	31.43	8.01	5.13	145.98	0.46	0.63
	日平均值		27.89	52.74	31.87	8.05	5.61	160.14	0.59	1.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月22日	蚵殼站	0:00	27.16	52.39	31.20	8.11	5.28	241.76	3.15	0.64
		3:00	28.23	52.99	31.39	8.11	5.44	239.68	2.51	3.38
		6:00	27.04	52.80	31.47	8.07	5.25	236.12	3.47	1.90
		9:00	27.47	53.41	31.46	8.17	5.29	228.96	2.50	0.45
		12:00	26.98	53.22	31.40	8.18	5.43	227.68	2.82	1.49
		15:00	26.06	53.27	31.39	8.13	5.20	238.24	1.15	0.98
		18:00	26.09	51.82	31.45	8.17	5.26	232.94	0.95	0.40
		21:00	27.18	51.76	31.47	8.15	5.37	235.92	2.46	1.65
	日平均值		27.03	52.71	31.40	8.14	5.32	235.16	2.38	1.36
	潮口站	0:00	26.01	51.87	30.11	7.99	5.46	255.78	3.15	0.62
		3:00	26.48	52.66	30.29	7.99	5.84	253.58	2.51	3.06
		6:00	27.85	52.32	30.37	7.95	5.39	249.81	3.47	2.27
		9:00	27.49	51.52	30.36	8.05	6.47	242.24	2.50	0.85
		12:00	26.66	51.82	30.30	8.06	6.82	240.89	2.82	1.67
		15:00	26.22	52.00	30.29	8.01	6.26	252.06	1.15	1.03
		18:00	26.80	51.93	30.35	8.05	6.41	246.45	0.95	1.85
		21:00	26.68	51.67	30.37	8.03	6.68	249.60	2.46	4.50
	日平均值		26.77	51.97	30.31	8.02	6.17	248.80	2.38	1.98
	灣內站	0:00	27.70	52.84	32.83	8.06	5.05	178.77	3.89	2.25
		3:00	27.59	53.01	31.26	8.05	5.01	174.39	5.52	1.49
		6:00	27.53	53.04	31.79	8.06	5.04	145.84	5.49	1.95
		9:00	27.78	52.94	31.69	8.05	5.98	178.36	5.82	0.23
		12:00	28.30	52.79	30.57	8.07	7.33	155.17	5.39	1.95
		15:00	28.19	53.42	31.30	8.07	5.82	146.87	5.24	3.54
		18:00	27.95	53.34	31.93	8.04	5.01	148.03	9.02	1.69
		21:00	27.85	53.22	31.69	7.98	5.12	218.34	9.25	4.05
	日平均值		27.86	53.08	31.63	8.05	5.55	168.22	6.20	2.14
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月23日	蚵殼站	0:00	27.00	52.79	31.50	8.09	5.90	231.38	5.76	1.21
		3:00	26.61	53.17	31.67	8.14	5.50	232.70	1.05	1.69
		6:00	26.06	52.85	31.70	8.18	5.45	230.67	1.10	0.06
		9:00	27.02	53.48	31.60	8.12	5.16	224.40	1.59	0.66
		12:00	26.79	53.68	31.45	8.11	5.51	220.55	1.10	2.26
		15:00	26.53	52.38	32.08	8.13	5.29	162.00	13.75	0.31
		18:00	25.87	51.62	32.00	8.08	5.45	103.52	0.56	0.03
		21:00	26.50	52.09	31.88	8.15	5.88	107.65	2.62	1.59
	日平均值		26.55	52.76	31.74	8.13	5.52	189.11	3.44	0.98
	潮口站	0:00	26.52	51.68	30.40	7.97	5.67	244.80	5.76	2.18
		3:00	26.33	52.72	30.56	8.02	5.99	246.20	1.05	0.46
		6:00	28.46	52.58	30.59	8.06	5.87	244.05	1.10	1.18
		9:00	27.44	51.55	30.49	8.00	5.18	237.42	1.59	1.67
		12:00	27.06	51.31	30.35	7.99	5.67	233.34	1.10	0.91
		15:00	26.61	52.54	30.96	8.01	6.48	211.40	13.75	0.41
		18:00	27.03	52.59	30.88	7.96	7.86	209.52	0.56	0.58
		21:00	27.96	52.32	30.76	8.03	8.96	213.89	2.62	0.13
	日平均值		27.18	52.16	30.62	8.01	6.46	230.08	3.44	0.94
	灣內站	0:00	27.67	53.02	32.06	7.97	5.15	183.69	4.40	0.15
		3:00	27.36	52.64	30.93	7.97	5.60	109.66	3.90	2.26
		6:00	27.35	52.75	31.80	7.96	6.10	170.77	4.46	1.31
		9:00	27.35	52.95	31.16	7.97	5.03	191.81	6.06	1.05
		12:00	27.76	53.04	31.02	8.04	5.34	186.08	5.44	1.52
		15:00	26.50	52.94	31.14	8.08	6.04	192.24	4.30	1.82
		18:00	26.62	52.70	30.24	8.03	5.70	196.99	2.30	1.62
		21:00	27.10	52.68	31.12	7.97	5.45	204.14	3.23	0.37
	日平均值		27.21	52.84	31.18	8.00	5.55	179.42	4.26	1.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月24日	蚵殼站	0:00	27.10	52.15	31.68	8.09	6.28	109.95	2.15	0.27
		3:00	26.16	52.10	31.30	8.10	5.23	104.63	2.57	1.19
		6:00	25.65	52.01	31.41	8.12	5.17	106.72	2.31	2.09
		9:00	26.74	53.08	31.61	8.13	5.47	115.49	2.27	1.46
		12:00	26.90	53.70	31.70	8.10	6.07	124.95	1.60	1.42
		15:00	25.79	52.98	31.60	8.06	5.44	141.90	0.42	2.04
		18:00	25.71	52.44	31.36	8.06	5.42	141.85	1.61	1.32
		21:00	26.31	52.51	31.34	8.12	5.74	163.26	1.69	0.33
	日平均值		26.30	52.62	31.50	8.10	5.60	126.09	1.83	1.27
	潮口站	0:00	27.30	52.01	30.57	7.97	9.32	175.55	2.15	0.49
		3:00	28.37	52.55	30.20	7.98	7.34	197.85	2.57	1.55
		6:00	27.18	52.89	30.31	8.00	7.20	190.39	2.31	2.18
		9:00	27.61	52.09	30.50	8.01	7.92	188.86	2.27	1.73
		12:00	27.11	51.88	30.59	7.98	9.44	195.87	1.60	1.96
		15:00	26.19	52.05	30.49	7.94	7.84	201.51	0.42	1.51
		18:00	26.22	52.57	30.26	7.94	7.78	206.98	1.61	0.72
		21:00	27.32	51.92	30.24	8.00	8.59	222.57	1.69	1.92
	日平均值		27.16	52.25	30.40	7.98	8.18	197.45	1.83	1.51
	灣內站	0:00	27.88	52.47	31.21	7.99	5.46	202.09	7.79	1.72
		3:00	27.81	52.61	32.36	8.00	5.45	179.96	5.41	0.07
		6:00	27.61	52.90	32.62	8.01	5.42	194.18	7.16	2.44
		9:00	27.71	53.19	31.51	8.01	5.48	196.62	6.99	0.60
		12:00	28.01	52.95	30.52	8.03	5.57	203.72	3.77	0.69
		15:00	27.88	52.64	30.23	8.09	5.45	211.23	5.59	1.41
		18:00	27.69	52.49	30.35	8.10	5.29	218.38	6.31	0.52
		21:00	27.67	52.72	31.40	8.08	5.34	223.87	6.98	2.11
	日平均值		27.78	52.75	31.28	8.04	5.43	203.76	6.25	1.20
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月25日	蚵殼站	0:00	27.00	51.69	31.13	8.06	6.99	165.93	1.75	5.38	
		3:00	26.39	51.97	31.27	8.05	5.55	149.20	2.16	5.64	
		6:00	25.60	52.53	31.56	8.07	5.13	161.05	1.35	3.67	
		9:00	26.80	53.09	31.85	8.11	5.46	178.51	1.74	0.58	
		12:00	27.30	52.13	31.61	8.14	6.37	185.13	2.28	0.51	
		15:00	25.95	51.52	31.30	8.14	5.55	190.46	1.55	2.09	
		18:00	25.74	51.75	31.15	8.10	5.44	195.63	2.93	2.08	
		21:00	26.25	52.19	31.38	8.08	5.81	210.37	2.86	0.60	
	日平均值		26.38	52.11	31.41	8.09	5.79	179.54	2.08	2.57	
	潮口站	0:00	27.14	51.78	30.04	7.94	9.12	220.98	1.75	4.77	
		3:00	26.74	52.06	30.18	7.93	8.11	219.05	2.16	1.95	
		6:00	26.19	52.82	30.46	7.95	7.11	218.25	1.35	0.21	
		9:00	27.16	51.85	30.74	7.99	7.90	213.87	1.74	0.75	
		12:00	26.92	51.39	30.50	8.02	9.32	214.70	2.28	0.98	
		15:00	26.66	51.90	30.20	8.02	8.12	217.92	1.55	0.57	
		18:00	26.00	52.28	30.06	7.98	7.83	211.58	2.93	1.22	
		21:00	26.63	51.87	30.28	7.96	8.77	210.90	2.86	1.44	
	日平均值		26.68	51.99	30.31	7.97	8.29	215.91	2.08	1.49	
	灣內站	0:00	27.82	52.70	31.36	8.10	5.44	226.37	1.75	0.61	
		3:00	27.59	52.67	30.89	8.09	5.58	220.19	2.16	3.84	
		6:00	27.39	52.63	33.37	8.08	6.04	222.97	1.35	0.68	
		9:00	27.71	52.92	31.54	8.09	6.41	206.96	1.74	2.41	
		12:00	28.08	53.24	31.26	8.12	5.74	151.40	2.28	4.28	
		15:00	28.06	53.13	30.28	8.12	5.48	171.01	1.55	3.23	
		18:00	27.95	52.86	31.63	8.09	5.42	159.65	2.93	2.69	
		21:00	27.84	52.89	31.64	8.03	5.31	154.22	2.86	5.52	
	日平均值		27.81	52.88	31.50	8.09	5.68	189.10	2.08	2.91	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
11月26日	蚵殼站	0:00	26.18	52.99	31.36	8.13	5.04	209.81	5.67	3.05	
		3:00	26.33	53.04	31.33	8.12	5.52	186.04	7.28	5.29	
		6:00	25.54	52.99	31.29	8.14	5.13	191.98	1.13	2.75	
		9:00	25.86	52.87	31.58	8.16	5.48	192.95	2.36	3.44	
		12:00	26.18	52.34	31.90	8.21	5.85	192.56	2.13	3.60	
		15:00	25.85	52.19	31.79	8.19	5.76	215.78	0.18	2.73	
		18:00	25.34	52.02	31.52	8.20	5.36	222.10	0.34	5.34	
		21:00	25.80	51.59	31.55	8.23	5.53	220.91	1.19	3.54	
	日平均值		25.89	52.50	31.54	8.17	5.46	204.02	2.54	3.72	
	潮口站	0:00	26.18	50.83	30.26	8.01	6.70	221.98	5.67	1.35	
		3:00	26.33	50.71	30.23	8.00	8.04	196.83	7.28	5.26	
		6:00	25.54	51.56	30.19	8.02	7.11	203.11	1.13	0.44	
		9:00	25.86	51.36	30.47	8.04	7.94	204.14	2.36	1.62	
		12:00	26.18	51.02	30.78	8.09	8.88	203.73	2.13	1.13	
		15:00	25.85	50.72	30.68	8.07	8.63	228.30	0.18	0.64	
		18:00	25.34	51.52	30.42	8.08	7.64	234.98	0.34	0.38	
		21:00	25.80	51.06	30.45	8.11	8.07	233.72	1.19	1.90	
	日平均值		25.89	51.10	30.44	8.05	7.88	215.85	2.54	1.59	
	灣內站	0:00	27.81	53.03	31.70	8.00	5.36	186.41	5.67	6.46	
		3:00	27.73	53.23	32.52	7.98	5.45	177.78	7.28	3.62	
		6:00	27.35	53.06	32.60	8.00	6.06	105.65	1.13	4.35	
		9:00	27.63	53.39	32.06	8.06	6.63	134.96	2.36	4.54	
		12:00	28.03	53.49	31.54	8.08	6.13	173.08	2.13	3.81	
		15:00	28.08	52.82	30.30	8.08	5.58	182.11	0.18	0.82	
		18:00	27.91	52.43	30.86	8.03	6.00	162.54	0.34	5.59	
		21:00	27.73	52.41	31.27	7.99	6.64	145.72	1.19	0.84	
	日平均值		27.78	52.98	31.61	8.03	5.98	158.53	2.54	3.75	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月27日	蚵殼站	0:00	26.11	52.82	31.69	8.18	5.90	240.49	2.25	1.56
		3:00	26.42	52.61	31.89	8.18	5.90	236.97	1.42	2.21
		6:00	25.65	53.06	31.72	8.20	5.09	220.90	0.80	0.64
		9:00	25.57	53.03	32.05	8.15	5.30	220.79	0.46	1.88
		12:00	26.01	53.39	32.15	8.15	5.80	230.88	1.85	3.31
		15:00	25.97	53.49	31.48	8.14	5.55	229.03	0.63	1.87
		18:00	25.59	52.98	31.09	8.12	5.32	240.06	0.20	1.86
		21:00	25.70	52.87	31.07	8.16	5.25	232.85	1.13	1.60
	日平均值		25.88	53.03	31.64	8.16	5.51	231.50	1.09	1.87
	潮口站	0:00	26.11	50.92	30.58	8.06	9.00	254.44	2.25	1.64
		3:00	26.42	50.75	30.77	8.06	9.01	250.71	1.42	4.56
		6:00	25.65	50.94	30.61	8.08	7.01	233.71	0.80	2.56
		9:00	25.57	49.88	30.93	8.03	7.51	233.60	0.46	3.81
		12:00	26.01	50.83	31.02	8.03	8.74	244.27	1.85	3.10
		15:00	25.97	50.50	30.38	8.02	8.11	242.31	0.63	4.08
		18:00	25.59	50.68	30.00	8.00	7.54	253.98	0.20	1.87
		21:00	25.70	50.60	29.98	8.04	7.39	246.36	1.13	3.89
	日平均值		25.88	50.64	30.53	8.04	8.04	244.92	1.09	3.19
	灣內站	0:00	27.69	52.75	31.17	7.98	5.49	112.95	2.25	1.01
		3:00	27.68	52.89	31.32	8.00	5.37	190.94	1.42	0.29
		6:00	27.44	53.45	32.97	8.04	6.35	126.57	0.80	2.04
		9:00	27.79	53.40	31.70	8.07	6.99	153.92	0.46	1.87
		12:00	28.30	53.22	30.94	8.07	6.76	194.79	1.85	3.10
		15:00	28.20	52.87	30.29	8.05	5.53	211.15	0.63	2.40
		18:00	28.12	52.76	30.26	8.00	5.82	202.03	0.20	2.03
		21:00	27.67	52.78	31.27	7.98	5.84	130.73	1.13	2.38
	日平均值		27.86	53.02	31.24	8.02	6.02	165.39	1.09	1.89
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月28日	蚵殼站	0:00	26.02	52.38	31.41	8.07	6.06	231.56	2.37	4.52
		3:00	26.29	52.29	31.55	8.08	6.72	240.79	1.97	0.06
		6:00	26.09	52.93	32.11	8.06	5.56	227.60	0.35	0.33
		9:00	25.81	53.01	32.06	8.14	5.35	228.61	0.36	0.47
		12:00	26.31	53.22	31.88	8.10	5.91	235.03	1.24	3.44
		15:00	26.53	53.03	31.53	8.12	6.22	239.99	0.44	3.54
		18:00	26.24	53.01	31.42	8.08	5.49	237.27	0.03	1.51
		21:00	26.19	52.90	31.44	8.10	5.43	237.74	0.10	1.51
	日平均值		26.19	52.85	31.68	8.09	5.84	234.82	0.86	1.92
	潮口站	0:00	26.02	51.02	30.31	7.95	9.41	244.99	2.37	2.77
		3:00	26.29	50.75	30.45	7.96	9.95	254.76	1.97	1.21
		6:00	26.09	50.93	30.99	7.94	8.13	240.80	0.35	2.77
		9:00	25.81	51.26	30.94	8.02	7.62	241.87	0.36	0.13
		12:00	26.31	50.77	30.76	7.98	9.02	248.66	1.24	0.49
		15:00	26.53	50.64	30.43	8.00	9.85	253.91	0.44	2.43
		18:00	26.24	50.75	30.32	7.96	7.95	251.03	0.03	3.34
		21:00	26.19	50.83	30.34	7.98	7.81	251.53	0.10	2.71
	日平均值		26.19	50.87	30.57	7.97	8.72	248.44	0.86	1.98
	灣內站	0:00	27.65	53.03	31.05	7.98	5.59	123.37	2.37	2.87
		3:00	27.49	53.23	31.06	7.99	5.46	114.15	1.97	2.68
		6:00	27.25	53.06	32.07	7.99	5.88	128.67	0.35	0.10
		9:00	27.39	53.39	32.25	8.03	6.99	164.42	0.36	1.04
		12:00	27.85	53.36	31.07	8.04	6.15	189.59	1.24	0.65
		15:00	27.84	52.82	30.37	8.04	5.65	201.15	0.44	1.90
		18:00	27.68	52.43	30.51	8.03	6.03	170.07	0.03	1.28
		21:00	27.52	52.41	31.66	8.00	6.57	175.34	0.10	4.15
	日平均值		27.58	52.97	31.26	8.01	6.04	158.35	0.86	1.83
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月29日	蚵殼站	0:00	26.53	52.25	31.69	8.13	6.21	235.43	2.21	1.64
		3:00	26.92	52.51	31.89	8.11	6.78	240.49	2.45	1.25
		6:00	26.76	52.61	31.72	8.10	5.69	234.80	2.39	1.68
		9:00	26.80	53.02	32.05	8.17	5.27	230.12	0.27	0.89
		12:00	27.20	53.16	32.02	8.18	5.40	236.68	0.54	1.23
		15:00	27.39	52.47	31.48	8.20	5.40	243.03	0.54	0.58
		18:00	27.06	52.28	31.09	8.19	5.17	236.36	0.05	2.05
		21:00	26.72	52.31	31.07	8.18	5.09	243.85	1.73	2.96
	日平均值		26.92	52.58	31.63	8.16	5.63	237.60	1.27	1.54
	潮口站	0:00	26.53	50.61	30.58	8.01	9.82	249.08	2.21	0.64
		3:00	26.92	50.46	30.77	7.99	9.21	254.44	2.45	0.36
		6:00	26.76	50.29	30.61	7.98	8.46	248.42	2.39	4.32
		9:00	26.80	49.98	30.93	8.05	7.43	243.47	0.27	2.85
		12:00	27.20	50.02	30.90	8.06	7.75	250.41	0.54	0.66
		15:00	27.39	50.06	30.38	8.08	7.75	257.13	0.54	2.48
		18:00	27.06	49.89	30.00	8.07	7.20	250.07	0.05	4.40
		21:00	26.72	50.19	29.98	8.06	7.01	257.99	1.10	3.11
	日平均值		26.92	50.19	30.52	8.04	8.08	251.38	1.19	2.35
	灣內站	0:00	27.37	52.44	31.01	8.00	5.93	190.23	2.21	2.12
		3:00	27.37	52.86	30.97	8.01	5.37	157.24	2.45	4.94
		6:00	27.17	53.04	31.15	8.00	5.77	194.95	2.39	0.67
		9:00	27.32	53.08	32.28	7.96	6.66	130.81	0.27	1.74
		12:00	27.54	52.88	31.11	7.95	6.43	182.63	0.54	1.95
		15:00	27.44	52.54	31.49	7.99	5.62	205.36	0.54	1.74
		18:00	27.36	52.46	31.44	8.01	5.70	195.12	0.05	0.08
		21:00	27.19	52.51	32.26	8.03	6.18	187.28	0.50	2.51
	日平均值		27.35	52.73	31.46	7.99	5.96	180.45	1.12	1.97
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
11月30日	蚵殼站	0:00	26.68	52.39	31.10	8.21	5.04	237.47	1.24	1.09
		3:00	27.02	52.99	31.52	8.19	5.29	243.72	2.94	3.74
		6:00	26.93	52.80	31.70	8.19	5.36	240.74	2.74	2.03
		9:00	26.79	53.41	31.74	8.14	5.80	236.22	0.83	0.55
		12:00	26.74	53.22	31.54	8.15	5.42	232.69	0.65	0.18
		15:00	26.81	53.27	31.20	8.09	5.32	240.08	0.60	7.25
		18:00	26.78	51.82	31.12	8.14	5.12	235.84	0.49	1.92
		21:00	26.48	51.76	31.17	8.13	5.05	241.15	0.63	3.78
	日平均值		26.78	52.71	31.39	8.16	5.30	238.49	1.27	2.57
	潮口站	0:00	26.68	51.00	30.01	8.09	6.89	251.24	1.24	0.57
		3:00	27.02	51.15	30.42	8.07	7.49	257.86	2.94	1.13
		6:00	26.93	51.02	30.59	8.07	5.43	254.70	2.74	0.31
		9:00	26.79	50.68	30.63	8.02	6.37	249.92	0.83	2.26
		12:00	26.74	49.85	30.44	8.03	7.78	246.19	0.65	3.09
		15:00	26.81	51.17	30.11	7.97	7.55	254.00	0.60	0.95
		18:00	26.78	50.07	30.03	8.02	7.07	249.52	0.49	5.23
		21:00	26.48	50.10	30.08	8.01	6.92	255.14	0.63	6.76
	日平均值		26.78	50.63	30.29	8.04	6.94	252.32	1.27	2.54
	灣內站	0:00	27.07	52.33	30.82	8.04	5.78	176.94	1.24	2.59
		3:00	26.94	52.75	30.71	8.06	5.26	138.91	2.94	6.12
		6:00	26.74	52.93	30.75	8.06	5.32	123.47	2.74	3.44
		9:00	27.10	52.97	31.38	8.08	5.50	175.60	0.83	5.84
		12:00	27.55	52.77	31.74	8.07	6.01	174.50	0.65	0.33
		15:00	27.57	52.43	31.20	8.07	5.47	185.36	0.60	1.34
		18:00	27.52	52.35	32.56	8.03	5.40	187.67	0.49	3.50
		21:00	27.36	52.40	31.67	8.01	6.04	171.67	0.63	6.28
	日平均值		27.23	52.62	31.35	8.05	5.60	166.77	1.27	3.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
12月1日	蚵殼站	0:00	26.24	51.95	31.53	8.09	5.63	172.91	1.08	3.86
		3:00	26.18	52.01	31.25	8.13	5.33	155.11	1.01	7.21
		6:00	25.86	51.92	31.37	8.19	5.62	180.38	1.58	0.42
		9:00	26.26	51.97	31.58	8.19	5.92	213.36	1.67	1.54
		12:00	26.61	52.53	32.22	8.21	6.07	215.22	2.54	7.97
		15:00	26.34	52.44	32.22	8.18	6.05	224.76	1.92	1.49
		18:00	26.62	53.07	31.81	8.10	5.51	193.70	1.20	2.46
		21:00	26.48	52.78	32.28	8.09	5.63	186.49	2.60	5.85
	日平均值		26.32	52.33	31.78	8.15	5.72	192.74	1.70	3.85
	潮口站	0:00	26.38	51.10	30.42	8.02	5.68	251.48	1.48	6.19
		3:00	26.29	51.17	30.46	8.00	6.18	247.32	2.02	0.64
		6:00	26.34	50.89	30.29	7.99	5.86	245.86	2.48	1.95
		9:00	26.42	50.15	29.85	8.00	6.18	232.29	3.45	1.29
		12:00	26.47	49.99	29.76	8.02	7.65	239.92	2.54	4.07
		15:00	26.50	50.52	30.07	8.02	7.47	234.72	15.75	0.18
		18:00	26.44	50.17	29.86	7.99	5.86	240.78	15.50	1.33
		21:00	26.43	50.62	30.13	7.99	6.09	241.21	12.56	2.41
	日平均值		26.41	50.58	30.11	8.00	6.37	241.70	6.97	2.26
	灣內站	0:00	26.18	52.22	31.08	8.01	5.84	181.76	1.94	3.72
		3:00	26.29	52.41	31.20	8.05	5.67	185.49	2.02	5.22
		6:00	26.34	52.12	31.02	8.04	5.38	184.40	2.48	6.37
		9:00	26.42	51.35	30.57	8.05	5.67	174.22	3.45	6.24
		12:00	26.47	51.18	30.46	8.07	7.02	179.94	2.54	0.72
		15:00	26.50	51.74	30.80	8.07	6.85	176.04	15.75	5.95
18:00		26.44	51.37	30.58	8.04	5.38	180.59	15.50	1.30	
21:00		26.43	52.54	31.27	8.04	5.57	180.91	12.54	3.92	
日平均值		26.38	51.87	30.87	8.05	5.92	180.42	7.03	4.18	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
12月2日	蚵殼站	0:00	26.22	52.69	32.24	8.03	5.73	156.89	1.21	1.82
		3:00	26.01	53.12	31.50	7.97	5.52	200.67	18.75	2.51
		6:00	25.81	53.02	31.42	8.01	5.74	213.29	1.68	2.41
		9:00	26.21	52.91	31.25	8.04	6.03	224.62	1.97	3.37
		12:00	26.62	52.45	31.57	8.16	6.06	218.38	1.91	0.08
		15:00	26.50	51.95	30.87	8.09	6.04	218.00	1.85	0.01
		18:00	26.39	51.59	31.10	8.04	5.71	168.21	1.29	0.85
		21:00	26.21	51.15	31.53	8.03	5.42	172.44	0.95	0.44
	日平均值		26.25	52.36	31.44	8.05	5.78	196.56	3.70	1.44
	潮口站	0:00	26.43	50.15	29.85	8.00	6.20	242.09	8.05	2.24
		3:00	26.13	50.11	29.83	8.01	6.75	251.79	10.26	1.51
		6:00	26.02	51.89	30.89	8.01	6.40	253.62	6.87	0.54
		9:00	26.22	50.97	30.34	8.00	6.75	239.94	3.96	0.54
		12:00	26.57	50.72	30.19	8.01	8.35	247.55	1.00	1.64
		15:00	26.67	50.66	30.15	8.03	8.15	233.95	2.15	4.17
		18:00	26.50	51.34	30.56	8.00	6.40	237.43	1.82	4.15
		21:00	26.34	51.84	30.86	7.99	6.65	223.55	2.44	2.03
	日平均值		26.36	50.96	30.33	8.01	6.96	241.24	4.57	2.10
	灣內站	0:00	26.43	52.63	31.33	8.05	5.51	181.57	8.05	2.56
		3:00	26.13	52.59	31.30	8.06	5.85	188.84	10.26	3.30
		6:00	26.02	52.52	31.26	8.06	6.39	190.22	6.87	2.67
		9:00	26.22	51.52	30.67	8.05	6.56	179.96	3.96	3.87
		12:00	26.57	50.25	29.91	8.06	7.43	185.66	1.00	0.95
		15:00	26.67	50.19	29.88	8.08	7.02	175.46	2.15	0.50
18:00		26.50	50.93	30.32	8.05	5.47	178.07	1.82	2.25	
21:00		26.34	51.47	30.64	8.04	5.09	167.66	2.44	2.62	
日平均值		26.36	51.51	30.66	8.06	6.17	180.93	4.57	2.34	
甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
12月3日	蚵殼站	0:00	26.05	51.99	32.44	8.04	5.41	161.05	0.74	1.27
		3:00	25.86	51.34	31.91	8.07	5.39	187.42	1.10	0.59
		6:00	25.68	51.56	31.46	8.10	5.60	196.86	1.55	2.55
		9:00	26.13	51.76	31.30	8.15	5.78	214.30	1.91	0.09
		12:00	26.54	51.86	29.55	8.12	6.03	224.83	2.02	0.15
		15:00	26.54	51.16	30.36	8.06	6.07	232.10	2.13	0.26
		18:00	26.47	51.46	30.91	8.04	5.64	182.65	1.56	0.87
		21:00	26.28	51.96	30.88	8.02	5.54	180.63	2.53	2.18
	日平均值		26.19	51.64	31.10	8.08	5.68	197.48	1.69	1.00
	潮口站	0:00	26.34	50.93	30.32	7.99	7.00	230.31	3.35	2.57
		3:00	26.21	51.26	30.51	7.99	6.19	233.98	0.67	0.27
		6:00	25.99	51.74	30.80	7.99	6.00	241.43	2.48	0.19
		9:00	26.26	51.44	30.62	7.98	6.08	230.37	2.62	0.22
		12:00	26.53	51.32	30.55	8.00	6.90	239.73	1.10	0.56
		15:00	26.68	51.00	30.36	8.01	6.40	236.97	0.82	2.19
		18:00	26.50	51.81	30.84	8.02	6.09	241.29	1.50	0.96
		21:00	26.39	51.78	30.82	7.99	6.49	239.90	1.67	1.65
	日平均值		26.36	51.41	30.60	8.00	6.39	236.75	1.78	1.08
	灣內站	0:00	26.34	51.40	30.60	8.04	5.57	172.73	3.35	1.89
		3:00	26.21	51.55	30.68	8.04	5.05	175.49	0.67	1.39
		6:00	25.99	51.08	30.40	8.04	5.18	181.07	2.48	2.60
		9:00	26.26	51.75	30.80	8.03	5.06	172.78	2.62	1.52
		12:00	26.53	51.62	30.73	8.05	6.22	179.80	1.10	0.47
		15:00	26.68	51.27	30.52	8.06	5.76	177.73	0.82	1.89
		18:00	26.50	52.16	31.05	8.07	5.65	180.97	1.50	1.15
		21:00	26.39	52.03	30.97	8.04	5.24	179.93	1.67	0.48
	日平均值		26.36	51.61	30.72	8.05	5.47	177.56	1.78	1.42
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
12月4日	蚵殼站	0:00	26.06	51.50	32.39	8.04	5.32	202.21	1.40	1.42
		3:00	25.79	51.91	31.65	8.06	5.47	181.48	1.31	2.41
		6:00	25.68	52.46	30.58	8.07	5.59	210.66	1.98	1.13
		9:00	26.17	51.45	30.40	8.07	5.78	223.74	2.12	2.46
		12:00	26.32	50.34	30.29	8.10	6.06	227.52	3.27	2.51
		15:00	26.13	50.54	30.03	7.99	6.01	226.78	2.55	1.35
		18:00	26.06	51.02	30.43	7.99	5.58	174.42	1.62	2.40
		21:00	25.95	51.08	30.98	7.98	5.61	161.95	1.81	2.37
	日平均值		26.02	51.29	30.84	8.04	5.68	201.10	2.01	2.01
	潮口站	0:00	26.37	51.39	30.59	7.98	7.21	242.50	1.67	1.65
		3:00	26.31	51.29	30.53	7.97	5.94	228.86	0.76	2.41
		6:00	26.15	51.45	30.63	7.99	6.52	240.05	1.48	0.78
		9:00	26.35	51.38	30.58	7.99	6.31	241.40	2.69	1.24
		12:00	26.58	51.20	30.48	7.99	8.37	232.39	1.15	0.67
		15:00	26.60	51.31	30.54	8.04	7.56	238.20	0.69	0.75
		18:00	26.42	51.57	30.70	8.02	7.35	243.42	1.13	1.15
		21:00	26.31	51.45	30.63	7.99	5.39	240.25	2.20	2.13
	日平均值		26.39	51.38	30.59	8.00	6.83	238.38	1.47	1.35
	灣內站	0:00	26.37	51.70	30.77	8.03	5.04	181.88	1.67	2.57
		3:00	26.31	51.59	30.71	8.02	5.06	171.65	0.76	1.18
		6:00	26.15	51.76	30.81	8.04	5.13	180.04	1.48	1.20
		9:00	26.35	51.69	30.77	8.04	5.20	181.05	2.69	1.49
		12:00	26.58	51.49	30.65	8.04	5.53	174.29	1.15	1.59
		15:00	26.60	51.61	30.72	8.09	5.78	178.65	0.69	1.99
		18:00	26.42	51.90	30.89	8.07	5.46	182.57	1.13	1.45
		21:00	26.31	51.76	30.81	8.04	5.34	180.19	2.20	1.99
	日平均值		26.39	51.69	30.77	8.05	5.32	178.79	1.47	1.68
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度(℃)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
12月5日	蚵殼站	0:00	25.73	51.05	31.86	8.01	5.45	154.83	1.72	1.06
		3:00	25.69	51.21	32.47	8.04	5.42	164.14	1.68	1.56
		6:00	25.54	51.68	30.71	8.07	5.49	188.56	2.26	2.57
		9:00	25.76	51.36	30.37	8.13	5.74	204.69	2.28	0.41
		12:00	26.23	50.73	30.61	8.10	5.97	223.76	3.13	0.31
		15:00	26.20	50.08	29.92	8.01	5.93	220.84	3.71	3.69
		18:00	26.06	50.93	31.08	7.97	5.70	189.04	2.45	2.42
		21:00	25.81	51.42	30.94	8.01	5.50	164.93	2.84	2.74
	日平均值		25.88	51.06	31.00	8.04	5.65	188.85	2.51	1.85
	潮口站	0:00	26.26	51.41	30.60	7.96	6.65	228.20	0.93	2.49
		3:00	26.37	51.38	30.58	7.98	5.07	220.24	0.63	2.83
		6:00	26.25	51.47	30.64	8.00	6.89	217.53	0.99	3.10
		9:00	26.24	51.43	30.61	7.98	7.08	215.58	1.75	0.41
		12:00	26.73	51.06	30.39	7.99	7.98	215.32	0.86	2.49
		15:00	26.92	50.66	30.15	8.00	8.66	223.24	0.63	0.77
		18:00	26.74	51.09	30.41	8.02	6.16	224.42	0.93	1.82
		21:00	26.31	51.28	30.52	8.00	6.93	250.14	3.35	2.27
	日平均值		26.48	51.22	30.49	7.99	6.93	224.33	1.26	2.02
	灣內站	0:00	26.26	51.72	30.79	8.01	5.56	171.15	0.93	0.16
		3:00	26.37	51.69	30.77	8.03	5.67	165.18	0.63	1.70
		6:00	26.25	51.78	30.82	8.05	5.55	163.15	0.99	2.59
		9:00	26.24	51.74	30.80	8.03	5.64	161.69	1.75	0.49
		12:00	26.73	51.33	30.55	8.04	6.15	161.49	0.86	0.69
		15:00	26.92	50.89	30.29	8.05	5.94	167.43	0.63	0.94
		18:00	26.74	51.37	30.58	8.07	5.54	168.32	0.93	0.29
		21:00	26.31	51.58	30.70	8.05	5.65	187.61	3.35	1.65
	日平均值		26.48	51.51	30.66	8.04	5.71	168.25	1.26	1.06
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度(℃)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)
12月6日	蚵殼站	0:00	25.44	52.23	31.17	8.01	5.69	165.79	5.67	7.47
		3:00	25.38	52.37	31.80	8.00	5.43	152.44	3.89	1.73
		6:00	25.24	52.38	31.08	8.04	5.55	173.04	2.65	1.03
		9:00	25.30	52.36	30.44	8.08	5.70	189.24	2.89	0.08
		12:00	25.60	51.59	30.50	8.10	5.90	206.01	3.26	5.46
		15:00	25.67	51.40	29.78	8.00	6.04	227.13	3.54	2.71
		18:00	25.60	51.83	30.71	7.96	5.63	180.31	2.98	0.09
		21:00	25.46	52.25	30.09	7.97	5.46	169.01	3.76	3.99
	日平均值		25.46	52.05	30.70	8.02	5.68	182.87	3.58	2.82
	潮口站	0:00	26.05	51.28	30.52	7.95	6.14	231.20	1.67	1.46
		3:00	26.21	51.25	30.51	7.98	6.27	220.33	0.85	6.38
		6:00	26.17	51.27	30.52	7.99	6.13	220.42	1.75	6.46
		9:00	25.97	50.84	30.26	7.98	6.24	225.35	0.95	1.07
		12:00	26.27	50.50	30.06	8.00	6.84	232.07	1.28	1.41
		15:00	26.21	50.66	30.15	8.00	6.59	248.82	0.90	2.39
		18:00	26.02	51.20	30.48	7.99	6.12	232.00	0.73	0.49
		21:00	25.91	51.17	30.46	7.99	6.25	252.55	4.02	3.36
	日平均值		26.10	51.02	30.37	7.99	6.32	232.84	1.52	2.88
	灣內站	0:00	26.05	51.58	30.70	8.00	5.05	173.40	1.67	1.93
		3:00	26.21	51.54	30.68	8.03	5.35	165.25	0.85	1.08
		6:00	26.17	51.57	30.70	8.04	5.18	165.32	1.75	5.87
		9:00	25.97	51.09	30.41	8.03	5.01	169.01	0.95	1.43
		12:00	26.27	50.72	30.19	8.05	5.85	174.05	1.28	1.05
		15:00	26.21	50.89	30.29	8.05	5.48	186.62	0.90	7.00
		18:00	26.02	51.49	30.65	8.04	5.40	174.00	0.73	4.26
		21:00	25.91	51.46	30.63	8.04	5.28	189.41	4.02	2.59
	日平均值		26.10	51.29	30.53	8.04	5.33	174.63	1.52	3.15
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上		

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月7日	蚵殼站	0:00	24.95	50.40	30.14	7.96	5.67	146.70	4.11	0.50	
		3:00	24.87	51.62	31.54	7.97	5.75	184.75	3.47	2.52	
		6:00	24.88	51.23	30.88	7.99	5.79	204.46	3.87	1.15	
		9:00	24.87	52.46	29.92	8.03	5.88	205.68	4.05	0.64	
		12:00	25.16	52.08	29.48	8.07	6.04	225.85	4.35	0.72	
		15:00	25.10	52.17	30.26	8.00	5.93	207.39	4.33	0.44	
		18:00	24.98	49.99	31.06	7.97	5.56	172.24	3.99	2.46	
		21:00	24.79	49.87	30.13	7.96	5.41	150.53	3.31	2.10	
	日平均值			24.95	51.23	30.43	7.99	5.75	187.20	3.94	1.32
	潮口站	0:00	25.68	51.27	30.52	7.95	6.13	246.92	2.57	2.26	
		3:00	25.58	51.09	30.41	7.94	6.49	231.41	1.03	1.90	
		6:00	25.47	51.55	30.68	7.97	6.05	223.64	0.82	2.61	
		9:00	25.54	51.46	30.63	7.98	6.08	224.25	1.17	0.35	
		12:00	25.86	51.59	30.71	8.00	7.08	229.78	1.05	2.18	
		15:00	25.92	51.63	30.73	8.00	6.64	249.85	0.45	0.67	
		18:00	25.78	51.68	30.76	7.97	5.95	232.13	0.39	0.90	
		21:00	25.52	51.52	30.67	8.01	6.40	263.88	3.53	1.64	
	日平均值			25.67	51.47	30.64	7.98	6.35	237.73	1.38	1.56
	灣內站	0:00	25.68	51.57	30.70	8.00	5.12	185.19	2.57	1.45	
		3:00	25.58	51.37	30.58	7.99	5.13	173.56	1.03	0.55	
		6:00	25.47	51.87	30.88	8.02	5.08	167.73	0.82	0.10	
		9:00	25.54	51.77	30.82	8.03	5.54	168.19	1.17	1.96	
		12:00	25.86	51.92	30.90	8.05	5.84	172.34	1.05	0.67	
		15:00	25.92	51.96	30.93	8.05	5.64	187.39	0.45	0.70	
		18:00	25.78	52.02	30.96	8.02	5.04	174.10	0.39	2.29	
		21:00	25.52	51.84	30.86	8.06	5.73	197.91	3.53	0.17	
	日平均值			25.67	51.79	30.83	8.03	5.39	178.30	1.38	0.99
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月8日	蚵殼站	0:00	24.03	49.74	30.15	7.97	5.85	147.36	19.09	2.31	
		3:00	23.24	50.03	31.04	7.99	5.86	147.75	3.44	2.05	
		6:00	24.39	50.82	31.39	8.01	5.80	166.78	4.79	1.27	
		9:00	24.85	50.08	30.06	8.02	6.00	201.86	5.84	0.10	
		12:00	25.39	51.96	28.91	8.03	6.01	221.24	7.99	0.26	
		15:00	25.32	50.24	29.60	7.98	6.04	229.75	11.25	0.23	
		18:00	25.15	50.15	31.02	7.96	5.70	186.50	12.69	0.62	
		21:00	24.93	50.95	29.90	7.95	5.52	159.25	15.84	1.72	
	日平均值			24.66	50.50	30.26	7.99	5.85	182.56	10.12	1.07
	潮口站	0:00	25.37	51.84	30.86	8.01	6.09	267.56	3.29	2.33	
		3:00	25.22	51.56	30.69	7.94	6.10	244.48	1.53	0.49	
		6:00	25.01	51.91	30.90	7.93	6.05	233.89	2.96	2.62	
		9:00	25.17	51.68	30.76	7.99	6.59	228.84	0.68	2.13	
		12:00	25.37	51.43	30.61	8.00	6.95	232.78	1.32	1.77	
		15:00	25.41	51.12	30.43	8.00	6.71	263.82	0.65	0.31	
		18:00	25.14	51.34	30.56	7.97	6.00	243.03	0.50	0.10	
		21:00	25.08	51.57	30.70	8.02	6.82	258.55	3.13	0.01	
	日平均值			25.22	51.56	30.69	7.98	6.41	246.62	1.76	1.22
	灣內站	0:00	25.37	52.19	31.07	8.06	5.58	200.67	3.29	0.79	
		3:00	25.22	51.88	30.88	7.99	5.22	183.36	1.53	2.31	
		6:00	25.01	52.27	31.11	7.98	5.01	175.42	2.96	0.58	
		9:00	25.17	52.02	30.96	8.04	5.19	171.63	0.68	1.91	
		12:00	25.37	51.74	30.80	8.05	5.67	174.59	1.32	1.54	
		15:00	25.41	51.40	30.60	8.05	6.12	197.87	0.65	1.94	
		18:00	25.14	51.64	30.74	8.02	5.72	182.27	0.50	1.62	
		21:00	25.08	51.89	30.89	8.07	5.68	193.91	3.13	0.60	
	日平均值			25.22	51.88	30.88	8.03	5.52	184.97	1.76	1.41
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月9日	蚵殼站	0:00	24.63	50.54	29.81	7.96	5.90	178.30	18.03	0.77	
		3:00	23.59	50.50	30.41	7.96	6.06	201.43	32.14	1.46	
		6:00	24.26	50.86	31.49	7.99	5.94	200.43	18.73	1.03	
		9:00	24.40	50.85	29.82	7.99	5.90	175.43	19.71	1.87	
		12:00	24.73	50.53	30.43	7.96	6.07	213.44	20.37	1.87	
		15:00	24.64	51.92	30.93	7.96	5.98	224.55	19.05	1.56	
		18:00	24.47	50.47	30.88	7.96	5.72	182.03	20.39	2.54	
		21:00	24.34	49.35	31.10	7.96	5.49	162.04	19.86	1.09	
	日平均值		24.38	50.63	30.61	7.97	5.88	192.21	21.04	1.52	
	潮口站	0:00	24.89	51.05	30.39	8.01	6.56	271.01	3.96	2.25	
		3:00	24.81	51.22	30.49	7.97	6.13	239.24	2.26	0.69	
		6:00	24.60	51.79	30.83	7.98	5.88	218.35	2.27	0.87	
		9:00	24.74	51.52	30.67	8.00	6.09	215.89	0.76	1.44	
		12:00	25.05	51.63	30.73	8.02	6.66	217.70	0.40	1.73	
		15:00	25.02	51.61	30.72	8.03	7.20	243.98	0.58	2.00	
		18:00	24.80	51.95	30.92	7.98	6.72	233.30	0.19	2.54	
		21:00	24.73	51.95	30.92	8.03	6.95	243.55	1.65	1.92	
	日平均值		24.83	51.59	30.71	8.00	6.52	235.38	1.51	1.68	
	灣內站	0:00	24.89	51.32	30.55	8.06	5.65	203.26	3.96	1.40	
		3:00	24.81	51.51	30.66	8.02	5.53	179.43	2.26	0.79	
		6:00	24.60	52.14	31.04	8.03	5.38	163.76	2.27	2.30	
		9:00	24.74	51.84	30.86	8.05	5.41	161.92	0.76	2.49	
		12:00	25.05	51.96	30.93	8.07	5.50	163.28	0.40	1.93	
		15:00	25.02	51.94	30.92	8.08	5.50	182.99	0.58	1.50	
		18:00	24.80	52.31	31.14	8.03	5.09	174.98	0.19	2.26	
		21:00	24.73	52.31	31.14	8.08	5.32	182.66	1.65	1.47	
	日平均值		24.83	51.92	30.91	8.05	5.42	176.54	1.51	1.77	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月10日	蚵殼站	0:00	24.15	49.98	30.08	7.97	5.39	148.37	20.06	2.31	
		3:00	23.47	50.23	30.56	7.99	5.74	148.79	19.83	2.55	
		6:00	23.71	52.45	30.74	8.01	5.72	166.61	20.68	2.21	
		9:00	24.24	51.31	30.24	8.02	5.95	205.71	20.69	1.90	
		12:00	24.49	50.89	31.07	8.03	6.00	231.93	20.66	2.25	
		15:00	24.33	51.56	31.26	7.98	6.08	239.62	23.83	2.55	
		18:00	24.18	52.26	31.04	7.96	5.68	225.04	24.38	2.46	
		21:00	24.09	51.53	30.49	7.98	5.46	183.28	24.47	2.27	
	日平均值		24.08	51.28	30.69	7.99	5.75	193.67	21.83	2.31	
	潮口站	0:00	24.56	52.11	31.02	8.03	6.72	269.09	3.57	2.62	
		3:00	24.55	51.75	30.80	8.01	6.58	237.55	2.68	2.08	
		6:00	24.41	51.99	30.95	7.98	6.40	220.26	1.63	2.21	
		9:00	24.66	51.87	30.88	8.00	6.44	216.39	1.19	2.62	
		12:00	24.90	51.37	30.58	8.03	6.55	219.40	1.45	2.13	
		15:00	24.99	50.76	30.21	8.01	6.55	249.18	0.42	1.91	
		18:00	25.02	51.77	30.82	8.01	6.06	247.44	0.36	2.12	
		21:00	24.80	51.77	30.82	8.02	6.33	241.99	1.63	2.16	
	日平均值		24.74	51.67	30.76	8.01	6.45	237.66	1.62	2.23	
	灣內站	0:00	24.56	52.49	31.24	8.08	5.34	201.82	3.57	2.43	
		3:00	24.55	52.09	31.01	8.06	5.13	178.16	2.68	2.12	
		6:00	24.41	52.36	31.17	8.03	5.02	165.20	1.63	2.21	
		9:00	24.66	52.23	31.09	8.05	5.11	162.29	1.19	2.23	
		12:00	24.90	51.68	30.76	8.08	5.06	164.55	1.45	2.28	
		15:00	24.99	51.00	30.36	8.06	5.04	186.89	0.42	2.08	
		18:00	25.02	52.11	31.02	8.06	5.05	185.58	0.36	2.14	
		21:00	24.80	52.12	31.02	8.07	5.02	181.49	1.63	2.31	
	日平均值		24.74	52.01	30.96	8.06	5.10	178.25	1.62	2.23	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
12月11日	蚵殼站	0:00	23.96	51.55	29.71	8.08	5.33	163.23	22.81	2.38	
		3:00	23.68	51.69	30.78	8.05	5.76	193.01	19.84	0.31	
		6:00	23.62	51.42	30.39	8.09	5.86	232.25	21.37	1.74	
		9:00	23.97	51.33	29.83	8.12	5.96	238.50	20.75	0.27	
		12:00	24.54	51.54	29.62	8.11	5.99	241.40	19.66	0.38	
		15:00	24.40	51.30	29.96	8.18	6.05	242.62	20.36	1.33	
		18:00	24.28	51.44	30.29	8.10	5.78	236.72	22.39	1.28	
		21:00	24.15	51.15	29.94	8.09	5.50	188.52	17.52	0.45	
	日平均值		24.08	51.43	30.07	8.10	5.78	217.03	20.59	1.02	
	潮口站	0:00	24.45	51.21	30.48	8.01	6.35	265.85	3.57	1.44	
		3:00	24.27	51.14	30.44	8.01	6.10	241.85	10.97	1.90	
		6:00	24.40	51.08	30.40	7.99	5.97	213.05	1.74	0.82	
		9:00	24.92	51.04	30.38	8.03	6.08	209.82	0.72	1.56	
		12:00	25.13	51.06	30.39	8.04	6.02	210.56	1.30	0.31	
		15:00	25.42	49.88	29.69	8.01	6.00	241.29	0.59	1.65	
		18:00	25.32	49.83	29.66	8.02	6.01	248.10	0.41	0.20	
		21:00	25.02	50.86	30.27	8.04	5.97	228.03	1.09	0.67	
	日平均值		24.87	50.76	30.21	8.02	6.06	232.32	2.55	1.07	
	灣內站	0:00	24.45	51.50	30.65	8.06	5.02	199.39	3.57	0.57	
		3:00	24.27	51.42	30.61	8.06	5.04	181.39	10.97	2.61	
		6:00	24.40	51.35	30.57	8.04	5.13	159.79	1.74	0.59	
		9:00	24.92	51.31	30.54	8.08	5.19	157.37	0.72	0.05	
		12:00	25.13	51.33	30.55	8.09	5.22	157.92	1.30	0.54	
		15:00	25.42	50.03	29.78	8.06	5.24	180.97	0.59	2.01	
		18:00	25.32	49.98	29.75	8.07	5.19	186.08	0.41	2.48	
		21:00	25.02	49.81	29.65	8.09	5.12	171.02	1.09	0.59	
	日平均值		24.87	50.84	30.26	8.07	5.14	174.24	2.55	1.18	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(μ g/l)	
12月12日	蚵殼站	0:00	24.03	50.82	29.70	8.12	5.39	169.08	17.74	1.65	
		3:00	23.77	51.08	30.51	8.06	5.55	170.77	18.34	2.00	
		6:00	23.65	51.35	30.37	8.02	5.87	217.33	20.36	2.21	
		9:00	23.85	51.59	30.33	8.05	5.95	226.57	24.40	2.38	
		12:00	24.29	51.75	29.95	8.01	6.06	237.01	14.14	1.95	
		15:00	24.21	51.70	30.31	8.06	5.96	243.08	15.77	1.24	
		18:00	24.04	51.05	30.38	8.11	5.84	220.56	18.81	1.53	
		21:00	23.85	51.85	29.75	8.06	5.59	180.60	18.45	0.93	
	日平均值		23.96	51.40	30.16	8.06	5.78	208.13	18.50	1.74	
	潮口站	0:00	24.61	50.00	29.76	8.03	6.00	261.13	3.57	1.95	
		3:00	24.51	49.87	29.68	7.99	6.35	243.13	2.59	2.19	
		6:00	24.36	51.01	30.36	7.98	7.33	209.51	2.89	2.51	
		9:00	24.73	50.92	30.31	8.00	7.56	207.71	1.08	1.45	
		12:00	24.94	50.82	30.25	8.00	6.70	209.68	1.23	0.56	
		15:00	25.30	50.65	30.15	8.02	6.39	236.69	0.71	2.00	
		18:00	25.32	50.44	30.02	8.02	5.97	240.89	0.20	1.42	
		21:00	25.06	51.07	30.40	8.02	5.97	226.35	2.28	2.46	
	日平均值		24.85	50.60	30.12	8.01	6.53	229.39	1.82	1.82	
	灣內站	0:00	24.61	50.17	29.86	8.08	5.04	195.85	3.57	1.44	
		3:00	24.51	50.02	29.77	8.04	5.46	182.35	2.59	0.70	
		6:00	24.36	51.28	30.52	8.03	5.88	157.13	2.89	1.05	
		9:00	24.73	51.18	30.46	8.05	5.46	155.78	1.08	2.03	
		12:00	24.94	51.07	30.40	8.05	5.19	157.26	1.23	1.79	
		15:00	25.30	50.45	30.03	8.07	5.14	177.52	0.71	2.43	
		18:00	25.32	50.35	29.97	8.07	5.06	180.67	0.20	1.00	
		21:00	25.06	51.34	30.56	8.07	5.06	169.76	2.28	2.31	
	日平均值		24.85	50.73	30.20	8.06	5.29	172.04	1.82	1.59	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月13日	蚵殼站	0:00	23.68	51.81	30.07	8.04	5.37	165.45	19.33	4.86	
		3:00	23.43	51.53	31.19	8.06	5.62	188.36	19.67	1.16	
		6:00	23.24	51.36	31.33	8.07	5.83	216.63	18.96	1.03	
		9:00	23.56	51.46	30.95	8.07	5.99	229.68	18.36	11.22	
		12:00	23.90	51.41	30.53	8.10	5.85	240.76	21.34	9.26	
		15:00	23.92	50.84	30.52	7.99	6.07	246.60	18.28	6.05	
		18:00	23.84	51.41	30.69	7.99	5.77	226.61	22.01	5.70	
		21:00	23.66	51.02	30.59	7.98	5.54	185.06	22.95	8.87	
	日平均值		23.65	51.36	30.73	8.04	5.76	212.39	20.11	6.02	
	潮口站	0:00	24.67	50.94	30.32	8.04	6.46	258.69	2.57	5.43	
		3:00	24.35	50.81	30.24	8.01	6.18	258.73	2.29	9.50	
		6:00	24.18	51.03	30.38	7.99	6.20	215.14	2.55	6.55	
		9:00	24.76	51.17	30.46	8.01	6.26	213.00	1.03	2.49	
		12:00	25.21	51.07	30.40	8.04	7.25	206.64	7.35	9.82	
		15:00	25.43	50.96	30.33	8.03	7.08	218.97	3.31	2.30	
		18:00	25.39	50.32	29.95	8.03	6.95	235.15	0.14	2.01	
		21:00	25.23	51.12	30.43	8.04	6.78	212.11	1.16	1.89	
	日平均值		24.90	50.93	30.31	8.02	6.65	227.30	2.55	5.00	
	灣內站	0:00	24.67	51.20	30.48	8.09	5.26	194.02	2.57	0.21	
		3:00	24.35	51.06	30.39	8.06	5.29	194.05	2.29	1.50	
		6:00	24.18	51.30	30.54	8.04	5.31	161.36	2.55	10.90	
		9:00	24.76	51.46	30.63	8.06	5.36	159.75	1.03	6.49	
		12:00	25.21	51.34	30.56	8.09	5.46	154.98	7.35	5.10	
		15:00	25.43	51.22	30.49	8.08	5.34	164.23	3.31	0.73	
		18:00	25.39	50.52	30.07	8.08	5.26	176.36	0.14	0.90	
		21:00	25.23	51.40	30.60	8.09	5.18	159.08	1.16	10.94	
	日平均值		24.90	51.19	30.47	8.07	5.31	170.48	2.55	4.60	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月14日	蚵殼站	0:00	23.60	50.79	30.56	8.01	5.39	173.32	24.32	1.04	
		3:00	23.40	50.32	30.78	8.04	5.46	167.25	22.25	7.83	
		6:00	23.13	50.54	31.33	8.07	5.89	214.08	21.74	4.18	
		9:00	23.33	50.42	31.38	8.13	5.93	226.23	20.96	0.96	
		12:00	23.53	50.37	30.87	8.10	6.05	232.92	16.77	1.35	
		15:00	23.22	50.56	30.58	8.01	5.96	200.97	8.14	0.38	
		18:00	23.14	51.03	30.87	7.97	5.97	203.40	0.58	0.74	
		21:00	23.14	51.18	30.72	8.01	5.95	208.94	0.26	0.78	
	日平均值		23.31	50.65	30.89	8.04	5.83	203.39	14.38	2.16	
	潮口站	0:00	24.60	50.93	30.32	8.04	6.14	242.44	2.16	6.00	
		3:00	24.40	51.17	30.46	8.02	6.21	254.20	3.37	1.85	
		6:00	24.06	51.02	30.37	8.01	6.74	210.96	2.86	5.37	
		9:00	24.52	51.16	30.45	8.03	6.63	205.45	1.69	3.50	
		12:00	25.04	51.05	30.39	8.05	7.34	208.14	1.51	2.02	
		15:00	24.49	51.12	30.43	8.02	7.54	173.81	24.38	2.89	
		18:00	25.08	51.02	30.37	8.00	6.59	127.47	0.55	3.28	
		21:00	25.22	51.16	30.45	8.01	6.09	123.58	0.60	1.08	
	日平均值		24.68	51.08	30.41	8.02	6.66	193.26	4.64	3.25	
	灣內站	0:00	24.60	50.36	29.98	8.05	5.13	204.40	8.20	4.95	
		3:00	24.40	50.37	29.98	8.04	5.26	188.35	1.56	0.65	
		6:00	24.06	50.37	29.98	8.02	5.60	155.18	3.45	7.01	
		9:00	24.52	50.49	30.05	8.05	6.13	158.52	9.62	3.42	
		12:00	25.04	50.87	30.28	8.08	6.12	176.47	4.45	3.23	
		15:00	24.49	50.82	30.25	8.03	6.88	171.19	8.84	5.99	
		18:00	25.08	50.81	30.24	8.01	7.19	173.55	7.24	3.89	
		21:00	25.22	50.82	30.25	8.01	6.04	155.92	7.19	2.23	
	日平均值		24.68	50.61	30.13	8.04	6.04	172.95	6.32	3.92	
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月15日	蚵殼站	0:00	23.02	51.05	30.37	8.16	5.81	180.32	0.08	0.19	
		3:00	22.82	50.88	31.15	8.16	5.86	200.46	0.48	2.51	
		6:00	22.55	50.88	31.49	8.11	5.69	192.12	3.00	2.41	
		9:00	23.04	50.72	31.53	8.13	6.01	184.78	1.57	2.52	
		12:00	23.57	50.69	31.07	8.19	6.27	171.98	0.31	1.13	
		15:00	23.12	50.73	30.96	8.13	6.22	185.72	0.25	4.50	
		18:00	22.86	50.80	30.92	8.00	5.71	196.54	0.55	1.77	
		21:00	22.80	50.75	30.99	7.99	5.64	203.34	0.00	3.16	
	日平均值			22.97	50.81	31.06	8.11	5.90	189.41	0.78	2.27
	潮口站	0:00	24.81	51.09	30.41	8.01	6.35	121.67	0.90	3.49	
		3:00	24.12	51.83	30.85	7.99	6.14	120.94	3.06	0.28	
		6:00	23.79	52.11	31.02	7.98	6.35	116.76	4.56	1.38	
		9:00	24.53	52.14	31.04	8.01	7.72	118.58	1.67	3.35	
		12:00	25.25	51.29	30.53	8.03	6.85	123.13	0.89	2.85	
		15:00	25.06	50.54	30.08	8.02	5.99	124.92	2.23	1.38	
		18:00	25.22	51.18	30.46	8.01	7.65	129.84	1.05	3.22	
		21:00	25.53	51.20	30.48	8.00	6.01	136.28	0.43	0.64	
	日平均值			24.79	51.42	30.61	8.01	6.63	124.02	1.85	2.07
	灣內站	0:00	24.81	50.86	30.27	8.04	5.12	142.49	7.71	1.43	
		3:00	24.12	50.78	30.23	8.04	5.72	167.05	9.31	0.40	
		6:00	23.79	50.78	30.21	8.05	5.07	171.75	8.31	0.77	
		9:00	24.53	50.82	30.25	8.09	5.05	177.30	8.72	2.49	
		12:00	25.25	50.84	30.27	8.14	6.19	145.82	7.61	2.88	
		15:00	25.06	50.86	30.27	8.15	6.81	148.85	8.98	3.38	
		18:00	25.22	50.88	30.29	8.12	6.54	174.45	9.86	1.93	
		21:00	25.53	50.88	30.31	8.02	5.77	161.36	13.13	3.08	
	日平均值			24.79	50.84	30.26	8.08	5.78	161.13	9.20	2.05
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月16日	蚵殼站	0:00	22.78	50.81	30.95	8.01	5.77	186.56	0.20	1.92	
		3:00	22.64	50.96	31.08	8.04	5.80	168.55	0.35	2.49	
		6:00	22.56	51.00	31.52	8.04	5.77	162.11	1.12	2.36	
		9:00	22.89	50.88	31.49	8.05	5.83	158.43	0.75	2.07	
		12:00	23.62	50.86	31.36	8.10	6.01	169.22	0.37	1.99	
		15:00	23.57	50.83	31.06	8.11	6.21	172.17	0.17	2.54	
		18:00	23.58	50.86	31.16	8.10	6.17	181.72	0.10	2.05	
		21:00	23.38	50.74	31.00	8.08	6.10	196.05	3.13	2.20	
	日平均值			23.13	50.87	31.20	8.07	5.96	174.35	0.77	2.20
	潮口站	0:00	24.82	51.96	30.93	8.00	7.18	138.26	0.86	1.95	
		3:00	24.09	51.98	30.94	8.00	6.58	133.81	1.80	2.20	
		6:00	23.83	51.25	30.51	7.98	6.16	135.25	2.43	1.97	
		9:00	24.58	51.57	30.70	8.00	7.15	135.98	1.35	2.13	
		12:00	25.51	50.70	30.18	8.02	7.93	140.42	0.63	2.28	
		15:00	24.94	50.51	30.07	8.01	7.98	144.09	2.09	2.33	
		18:00	24.77	51.44	30.62	8.00	7.76	147.49	1.34	1.97	
		21:00	25.36	51.14	30.44	8.00	7.19	160.62	0.29	2.26	
	日平均值			24.74	51.32	30.55	8.00	7.24	141.99	1.35	2.14
	灣內站	0:00	24.82	50.89	30.30	8.02	5.19	169.46	13.70	2.44	
		3:00	24.09	50.88	30.29	8.06	5.36	205.69	13.65	2.47	
		6:00	23.83	50.87	30.28	8.10	6.72	207.88	13.84	2.58	
		9:00	24.58	50.88	30.27	8.10	5.73	181.43	13.34	1.95	
		12:00	25.51	50.74	30.24	8.09	6.07	187.52	12.39	1.91	
		15:00	24.94	50.74	30.22	8.12	6.49	204.96	11.71	2.47	
		18:00	24.77	50.76	30.21	8.03	5.75	211.69	13.39	2.36	
		21:00	25.36	50.79	30.23	8.05	5.01	206.43	11.10	2.15	
	日平均值			24.74	50.82	30.26	8.07	5.79	196.88	12.89	2.29
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月17日	蚵殼站	0:00	23.28	50.68	30.71	8.09	6.09	200.06	0.47	2.21	
		3:00	23.12	50.46	30.41	8.08	5.91	183.99	1.07	2.43	
		6:00	23.02	50.33	31.21	8.08	5.91	196.16	1.18	1.95	
		9:00	22.97	50.23	31.46	8.11	5.92	186.54	2.93	2.26	
		12:00	22.84	50.15	31.07	8.10	5.94	179.27	4.08	1.93	
		15:00	22.68	50.28	30.79	8.11	5.99	208.21	3.29	2.36	
		18:00	22.48	50.37	31.04	8.10	5.96	209.89	3.21	1.37	
		21:00	22.31	51.07	31.02	8.05	5.94	184.91	3.16	1.56	
	日平均值			22.84	50.45	30.96	8.09	5.96	193.63	2.42	2.01
	潮口站	0:00	25.28	52.00	30.95	8.01	7.14	152.32	0.36	2.62	
		3:00	24.41	52.28	31.12	8.00	7.09	160.89	1.04	1.23	
		6:00	23.68	51.20	30.48	7.98	6.46	165.61	3.15	2.60	
		9:00	23.87	50.97	30.34	8.00	7.34	155.42	2.38	1.88	
		12:00	24.97	51.68	30.76	8.02	7.90	156.14	0.90	1.42	
		15:00	24.84	51.23	30.49	8.02	7.76	172.58	1.49	2.44	
		18:00	24.05	51.54	30.68	8.00	7.53	170.11	1.80	2.15	
		21:00	23.74	51.20	30.48	7.99	7.91	162.57	1.60	1.94	
	日平均值			24.36	51.51	30.66	8.00	7.39	161.96	1.59	2.04
	灣內站	0:00	25.28	50.80	30.24	8.10	6.27	213.43	10.43	2.51	
		3:00	24.41	50.77	30.22	8.09	6.95	210.21	10.81	2.60	
		6:00	23.68	50.76	30.21	8.09	7.22	206.57	10.27	1.49	
		9:00	23.87	50.74	30.20	8.10	8.27	176.32	11.26	2.49	
		12:00	24.97	50.68	30.17	8.11	8.38	203.59	13.67	1.29	
		15:00	24.84	50.67	30.16	8.10	8.02	222.18	13.91	2.21	
		18:00	24.05	50.66	30.13	8.09	8.28	195.16	15.87	2.52	
		21:00	23.74	50.52	30.07	8.08	7.31	232.04	16.05	2.62	
	日平均值			24.36	50.70	30.18	8.10	7.59	207.44	12.78	2.22
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月18日	蚵殼站	0:00	22.22	51.13	30.87	8.04	5.90	187.74	5.80	1.64	
		3:00	21.85	51.10	30.91	8.01	5.87	192.43	1.43	2.51	
		6:00	21.65	51.11	31.07	8.06	5.86	199.03	2.38	1.47	
		9:00	21.50	50.94	31.54	8.08	5.97	204.09	0.88	2.48	
		12:00	22.00	51.00	31.35	8.12	6.23	206.25	1.65	1.36	
		15:00	22.10	51.00	30.84	8.09	6.28	207.08	0.98	1.92	
		18:00	21.98	51.09	30.88	8.07	6.15	211.15	0.60	1.05	
		21:00	21.71	51.11	30.96	8.01	6.04	215.65	0.54	1.15	
	日平均值			21.88	51.06	31.05	8.06	6.04	202.93	1.78	1.70
	潮口站	0:00	24.65	51.60	30.71	8.00	7.49	176.06	0.71	0.87	
		3:00	23.87	51.03	30.38	8.00	7.20	183.09	1.78	2.26	
		6:00	22.56	51.56	30.69	7.99	6.70	184.17	6.26	0.62	
		9:00	22.89	51.46	30.63	7.99	7.35	182.79	3.61	0.66	
		12:00	24.65	50.34	29.96	8.02	7.69	189.16	1.09	1.43	
		15:00	24.31	50.07	29.80	8.03	7.77	177.03	1.09	1.53	
		18:00	23.02	51.70	30.77	8.02	7.26	217.28	2.02	0.93	
		21:00	22.65	51.46	30.63	7.99	7.12	231.21	1.19	0.93	
	日平均值			23.58	51.15	30.45	8.01	7.32	192.60	2.22	1.15
	灣內站	0:00	24.65	50.58	30.11	8.08	6.95	191.19	16.24	1.19	
		3:00	23.87	50.68	30.15	8.08	6.76	195.53	15.82	1.89	
		6:00	22.56	50.59	30.13	8.07	7.05	169.83	17.78	2.33	
		9:00	22.89	50.64	30.14	8.08	6.50	185.19	13.73	0.68	
		12:00	24.65	50.69	30.15	8.10	6.29	191.40	11.91	1.65	
		15:00	24.31	50.67	30.16	8.11	7.45	207.83	12.04	0.46	
		18:00	23.02	50.62	30.12	8.08	6.50	212.88	11.07	0.88	
		21:00	22.65	50.65	30.11	8.03	5.49	195.09	11.32	0.94	
	日平均值			23.58	50.64	30.13	8.08	6.62	193.62	13.74	1.25
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月19日	蚵殼站	0:00	21.68	50.92	30.93	8.01	6.05	218.30	0.51	0.36	
		3:00	21.49	50.79	30.79	7.99	5.96	220.83	0.08	0.15	
		6:00	21.32	50.67	30.96	8.02	5.96	223.42	0.98	2.11	
		9:00	21.34	50.69	31.55	8.07	6.17	226.53	0.58	0.96	
		12:00	21.52	50.74	31.42	8.08	6.42	226.82	0.63	1.30	
		15:00	21.56	50.78	31.12	8.09	6.39	226.56	0.47	0.26	
		18:00	21.55	50.79	30.93	8.05	6.21	226.13	0.10	0.49	
		21:00	21.18	50.83	30.95	8.04	6.25	230.80	1.10	0.46	
	日平均值			21.46	50.78	31.08	8.04	6.18	224.92	0.56	0.76
	潮口站	0:00	23.52	51.83	30.85	7.99	7.45	235.93	0.51	0.24	
		3:00	23.21	51.70	30.77	8.00	7.02	245.25	0.66	2.52	
		6:00	22.24	51.57	30.70	8.00	6.15	241.76	2.02	0.74	
		9:00	22.61	50.93	30.32	7.99	6.62	244.29	1.81	1.54	
		12:00	24.79	50.79	30.23	8.01	7.90	254.43	0.58	0.16	
		15:00	24.64	50.11	29.83	8.04	7.88	248.40	1.55	0.56	
		18:00	23.04	50.01	29.77	8.03	7.94	271.45	1.89	0.50	
		21:00	22.54	50.89	30.29	8.02	7.50	269.68	1.96	0.51	
	日平均值			23.32	50.98	30.35	8.01	7.31	251.40	1.37	0.85
	灣內站	0:00	23.52	50.68	30.11	8.04	5.64	214.16	11.40	2.62	
		3:00	23.21	50.63	30.13	7.99	5.12	193.93	10.78	1.91	
		6:00	22.24	50.58	30.11	8.01	5.62	209.82	11.26	2.10	
		9:00	22.61	50.56	30.10	8.08	7.68	210.75	11.85	1.71	
		12:00	24.79	50.63	30.14	8.12	8.95	202.30	9.51	0.27	
		15:00	24.64	50.71	30.18	8.15	7.20	200.53	9.47	1.34	
		18:00	23.04	50.72	30.19	8.11	6.50	196.28	10.27	1.44	
		21:00	22.54	50.69	30.17	8.09	5.55	207.98	10.87	0.41	
	日平均值			23.32	50.65	30.14	8.07	6.53	204.47	10.68	1.48
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月20日	蚵殼站	0:00	21.04	50.77	30.97	8.01	6.14	234.76	0.60	0.72	
		3:00	21.06	50.69	30.89	7.99	6.07	235.47	0.96	0.29	
		6:00	20.98	50.58	30.84	7.99	5.93	236.19	2.13	2.56	
		9:00	21.35	50.52	31.25	8.03	6.21	234.96	3.20	1.75	
		12:00	22.01	50.49	31.48	8.15	6.53	235.36	1.63	0.78	
		15:00	21.61	50.39	31.15	8.12	6.52	237.22	1.92	1.59	
		18:00	21.88	50.27	31.05	8.04	6.18	236.85	2.91	2.56	
		21:00	21.91	50.32	31.01	8.04	6.19	237.89	1.16	2.42	
	日平均值			21.48	50.50	31.08	8.05	6.22	236.09	1.81	1.58
	潮口站	0:00	23.26	50.98	30.35	8.00	7.97	264.89	1.14	0.14	
		3:00	24.33	51.13	30.43	7.99	7.83	271.63	0.40	1.96	
		6:00	22.56	52.39	31.18	8.01	7.03	269.92	1.26	3.07	
		9:00	22.73	51.28	30.52	8.03	7.39	269.13	1.25	2.00	
		12:00	25.07	50.29	29.93	8.01	7.93	275.94	1.39	1.46	
		15:00	25.20	50.21	29.89	8.03	8.01	271.89	0.64	1.22	
		18:00	23.27	50.12	29.83	8.05	8.08	284.53	1.92	1.68	
		21:00	22.59	51.17	30.46	8.04	8.19	292.82	2.79	2.23	
	日平均值			23.63	50.95	30.32	8.02	7.80	275.09	1.35	1.72
	灣內站	0:00	23.26	50.69	30.17	8.08	5.23	208.50	11.23	1.02	
		3:00	24.33	50.71	30.18	8.05	6.03	191.76	10.58	2.22	
		6:00	22.56	50.70	30.18	8.08	6.74	214.62	11.20	1.49	
		9:00	22.73	50.67	30.16	8.10	6.46	218.26	10.69	2.46	
		12:00	25.07	50.69	30.17	8.18	7.12	177.92	12.49	3.04	
		15:00	25.20	50.82	30.21	8.20	7.08	190.11	11.11	2.01	
		18:00	23.27	50.86	30.27	8.11	5.10	190.48	10.09	2.23	
		21:00	22.59	50.75	30.21	8.06	5.38	197.43	9.56	0.72	
	日平均值			23.63	50.74	30.19	8.11	6.14	198.64	10.87	1.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月21日	蚵殼站	0:00	21.56	50.43	31.05	8.04	6.20	242.95	1.53	1.95	
		3:00	21.56	50.62	31.00	8.07	6.16	245.63	1.52	0.41	
		6:00	21.32	51.08	31.02	8.05	6.07	246.94	2.00	0.77	
		9:00	21.45	50.88	31.10	8.10	6.22	248.10	2.06	1.25	
		12:00	21.99	50.63	31.28	8.15	6.34	249.56	3.46	2.81	
		15:00	21.91	50.68	31.09	8.10	6.42	251.00	1.91	2.62	
		18:00	22.19	50.59	30.83	8.04	6.20	247.57	0.92	0.28	
		21:00	21.84	50.77	30.74	8.03	6.20	246.53	1.12	2.82	
	日平均值			21.73	50.71	31.01	8.07	6.23	247.29	1.82	1.61
	潮口站	0:00	22.65	51.13	30.43	8.03	7.79	290.97	1.78	1.54	
		3:00	24.50	51.66	30.75	8.00	7.50	288.88	1.27	2.72	
		6:00	24.02	51.14	30.44	8.01	7.51	288.38	1.35	2.84	
		9:00	23.18	51.31	30.54	8.03	8.07	287.69	1.70	0.82	
		12:00	24.68	51.03	30.38	8.04	7.95	264.32	2.12	1.62	
		15:00	25.27	50.05	29.79	8.03	7.91	256.00	1.01	2.10	
		18:00	24.13	51.40	30.60	8.05	7.98	265.09	1.93	0.70	
		21:00	22.62	51.41	30.60	8.06	8.04	264.51	5.00	1.33	
	日平均值			23.88	51.14	30.44	8.03	7.84	275.73	2.02	1.71
	灣內站	0:00	22.65	50.73	30.20	8.12	5.62	185.86	10.09	1.18	
		3:00	24.50	50.71	30.18	8.13	6.01	191.53	8.38	2.24	
		6:00	24.02	50.64	30.14	8.12	5.81	187.98	10.25	0.79	
		9:00	23.18	50.65	30.15	8.15	6.77	161.12	10.42	1.41	
		12:00	24.68	50.71	30.19	8.19	7.39	170.66	11.30	1.92	
		15:00	25.27	50.67	30.16	8.16	5.99	199.17	10.58	1.92	
		18:00	24.13	50.40	30.12	8.11	5.47	211.96	11.87	1.33	
		21:00	22.62	50.47	30.04	8.12	6.06	207.07	12.38	1.00	
	日平均值			23.88	50.62	30.15	8.14	6.14	189.42	10.66	1.47
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月22日	蚵殼站	0:00	21.58	50.89	30.83	8.09	6.17	248.56	1.24	1.30	
		3:00	21.55	50.91	31.01	8.04	6.08	250.23	1.47	0.74	
		6:00	21.42	50.98	31.09	8.02	5.98	247.79	1.89	0.41	
		9:00	21.47	50.92	31.08	8.10	6.20	248.55	0.67	2.23	
		12:00	21.88	50.74	31.02	8.13	6.43	249.82	1.43	2.62	
		15:00	21.68	50.84	31.01	8.10	6.33	251.14	1.37	0.46	
		18:00	22.47	50.47	31.07	8.05	6.09	250.23	1.51	0.24	
		21:00	21.98	50.77	31.09	8.02	6.06	245.90	0.43	0.07	
	日平均值			21.75	50.82	31.03	8.07	6.17	249.03	1.25	1.01
	潮口站	0:00	22.08	51.47	30.64	8.05	8.09	261.69	3.33	1.05	
		3:00	24.24	51.29	30.53	8.01	7.52	260.30	1.43	2.28	
		6:00	24.12	51.37	30.58	8.01	7.58	257.53	1.67	1.51	
		9:00	23.29	51.83	30.85	8.04	8.31	253.85	3.02	3.74	
		12:00	24.58	51.31	30.54	8.02	7.97	256.32	3.00	3.20	
		15:00	25.19	50.07	29.80	8.01	7.69	258.35	1.00	0.64	
		18:00	24.32	50.63	30.14	8.03	8.06	254.54	2.22	3.49	
		21:00	22.65	51.04	30.38	8.06	7.88	253.75	4.90	3.38	
	日平均值			23.81	51.13	30.43	8.03	7.89	257.04	2.57	2.41
	灣內站	0:00	22.08	50.54	30.08	8.11	7.44	176.17	12.90	4.30	
		3:00	24.24	50.59	30.11	8.12	8.58	199.19	13.50	2.81	
		6:00	24.12	50.61	30.13	8.09	7.93	210.57	13.24	1.68	
		9:00	23.29	50.60	30.12	8.10	6.05	202.11	13.13	1.90	
		12:00	24.58	50.60	30.16	8.17	7.69	182.80	11.32	0.62	
		15:00	25.19	50.73	30.20	8.17	7.67	181.63	12.63	2.96	
		18:00	24.32	50.86	30.27	8.08	5.60	174.27	12.43	1.38	
		21:00	22.65	50.73	30.20	8.08	6.28	197.48	13.82	1.21	
	日平均值			23.81	50.66	30.16	8.12	7.16	190.53	12.87	2.11
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月23日	蚵殼站	0:00	21.52	50.94	31.12	8.01	6.04	247.39	0.48	0.08	
		3:00	21.41	51.08	31.29	8.01	6.01	251.51	0.84	0.56	
		6:00	21.18	51.14	31.32	8.04	6.02	250.52	2.23	0.82	
		9:00	21.54	51.01	31.22	8.12	6.16	252.25	1.23	0.74	
		12:00	22.09	50.81	31.07	8.14	6.40	253.72	0.72	2.14	
		15:00	21.85	50.90	31.70	8.11	6.33	253.33	0.17	0.41	
		18:00	22.54	50.33	31.62	8.06	6.01	252.95	0.92	1.74	
		21:00	22.05	50.69	31.50	8.04	6.01	248.62	0.70	0.77	
	日平均值			21.77	50.86	31.36	8.07	6.12	251.29	0.91	0.91
	潮口站	0:00	22.01	50.94	30.32	8.05	7.74	241.31	6.03	1.21	
		3:00	23.62	51.09	30.41	8.01	7.68	248.81	1.54	0.46	
		6:00	24.26	51.74	30.80	8.01	7.31	250.35	1.62	0.73	
		9:00	23.30	51.47	30.64	8.02	8.16	249.70	2.07	0.32	
		12:00	24.35	50.71	30.18	8.03	8.02	236.67	1.07	0.80	
		15:00	25.34	49.06	29.20	8.00	7.82	249.16	1.30	1.81	
		18:00	24.97	50.03	29.78	8.01	7.69	250.06	0.84	1.82	
		21:00	23.05	51.04	30.38	8.04	7.71	246.04	4.58	0.89	
	日平均值			23.86	50.76	30.21	8.02	7.77	246.51	2.38	1.01
	灣內站	0:00	22.01	50.67	30.16	8.12	7.35	192.48	14.63	0.41	
		3:00	23.62	50.79	30.23	8.12	6.61	196.31	14.25	1.03	
		6:00	24.26	50.86	30.27	8.14	7.57	201.82	13.92	0.98	
		9:00	23.30	50.84	30.26	8.17	7.99	192.41	14.05	1.59	
		12:00	24.35	50.77	30.22	8.22	6.35	179.49	13.23	1.82	
		15:00	25.34	50.85	30.21	8.22	6.43	182.60	15.56	0.21	
		18:00	24.97	50.94	30.25	8.14	5.19	190.65	15.17	0.97	
		21:00	23.05	50.98	30.35	8.11	5.45	176.96	14.83	1.57	
	日平均值			23.86	50.84	30.24	8.16	6.62	189.09	14.46	1.07
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月24日	蚵殼站	0:00	21.61	50.90	31.30	8.08	6.07	249.54	0.60	0.60	
		3:00	21.30	50.91	30.92	8.12	6.05	254.73	0.51	1.98	
		6:00	21.25	51.00	31.03	8.06	6.02	255.79	2.20	1.79	
		9:00	21.88	50.86	31.23	8.09	6.02	254.86	1.79	0.05	
		12:00	22.21	50.74	31.32	8.13	6.24	255.88	0.24	1.90	
		15:00	21.85	50.86	31.22	8.13	6.12	257.81	0.72	2.17	
		18:00	22.18	50.56	30.98	8.04	6.01	258.98	0.07	1.15	
		21:00	22.10	50.68	30.96	8.03	5.95	257.49	0.15	2.20	
	日平均值			21.80	50.81	31.12	8.09	6.06	255.64	0.79	1.48
	潮口站	0:00	22.06	50.82	30.25	8.03	7.72	242.27	5.43	0.19	
		3:00	23.21	50.83	30.26	8.02	7.75	245.21	3.67	2.22	
		6:00	24.61	51.84	30.86	8.01	7.44	245.32	1.42	1.15	
		9:00	23.88	51.02	30.37	8.02	7.85	242.87	1.57	1.05	
		12:00	24.33	50.84	30.26	8.02	8.04	241.40	1.45	0.87	
		15:00	24.94	50.14	29.85	8.00	7.74	242.93	2.09	1.81	
		18:00	24.74	50.28	29.93	7.99	7.81	242.02	1.78	1.30	
		21:00	23.03	51.43	30.61	8.02	7.94	237.42	4.15	1.89	
	日平均值			23.85	50.90	30.30	8.01	7.79	242.43	2.70	1.31
	灣內站	0:00	22.06	50.93	30.32	8.14	6.93	194.98	15.80	0.59	
		3:00	23.21	50.96	30.33	8.07	5.69	186.35	15.72	0.57	
		6:00	24.61	50.88	30.29	8.15	8.90	199.62	21.83	1.69	
		9:00	23.88	50.85	30.27	8.16	8.53	201.35	16.40	1.95	
		12:00	24.33	50.81	30.24	8.22	7.70	180.03	16.89	2.28	
		15:00	24.94	50.93	30.32	8.21	6.36	186.94	17.74	0.26	
		18:00	24.74	50.96	30.33	8.13	5.73	189.86	17.27	2.44	
		21:00	23.03	51.00	30.36	8.00	5.97	154.46	16.37	1.06	
	日平均值			23.85	50.92	30.31	8.14	6.98	186.70	17.25	1.36
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月25日	蚵殼站	0:00	21.59	50.90	30.76	8.07	6.11	257.50	3.11	4.48	
		3:00	21.13	50.92	30.89	8.11	6.05	260.88	0.38	1.08	
		6:00	21.19	51.02	31.18	8.08	6.01	262.40	1.83	4.44	
		9:00	21.67	50.90	31.47	8.09	5.98	261.55	0.44	1.45	
		12:00	22.24	50.73	31.23	8.14	6.18	262.33	0.34	2.00	
		15:00	21.75	50.83	30.92	8.13	6.23	263.65	0.72	1.88	
		18:00	22.03	50.46	30.78	8.01	5.91	263.48	0.10	0.45	
		21:00	22.13	50.50	31.00	7.98	5.80	262.48	0.10	0.11	
	日平均值			21.72	50.78	31.03	8.08	6.03	261.78	0.88	1.99
	潮口站	0:00	22.70	50.78	30.23	7.99	8.06	221.53	3.90	0.36	
		3:00	22.50	50.74	30.20	8.05	7.65	225.81	3.60	1.82	
		6:00	23.84	50.92	30.31	8.04	7.18	226.20	1.91	2.79	
		9:00	23.59	52.05	30.98	8.05	7.43	216.20	1.90	3.28	
		12:00	23.24	50.88	30.29	8.05	7.87	213.20	2.35	1.41	
		15:00	24.43	51.26	30.51	8.03	7.65	213.06	1.52	5.36	
		18:00	24.49	51.21	30.48	8.01	7.44	217.30	1.00	5.10	
		21:00	23.51	51.03	30.38	8.03	8.19	213.69	2.17	5.90	
	日平均值			23.54	51.11	30.42	8.03	7.68	218.37	2.29	3.25
	灣內站	0:00	22.70	50.97	30.34	8.12	6.36	187.41	17.48	4.07	
		3:00	22.50	51.02	30.37	8.08	5.04	193.95	16.20	1.51	
		6:00	23.84	50.97	30.34	8.14	8.05	205.25	17.44	1.18	
		9:00	23.59	50.93	30.32	8.16	7.92	204.38	19.37	3.75	
		12:00	23.24	50.94	30.34	8.20	6.78	186.62	17.05	4.55	
		15:00	24.43	50.99	30.36	8.21	6.71	184.84	18.77	3.97	
		18:00	24.49	51.04	30.38	8.08	5.86	184.97	18.78	5.79	
		21:00	23.51	51.00	30.36	8.03	5.01	172.65	17.91	1.24	
	日平均值			23.54	50.98	30.35	8.13	6.47	190.01	17.88	3.26
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月26日	蚵殼站	0:00	21.49	50.56	30.98	8.05	5.90	244.82	0.91	1.39	
		3:00	22.67	50.50	30.95	8.07	5.87	264.19	0.48	5.79	
		6:00	22.47	50.41	30.91	8.14	5.86	247.24	1.19	6.51	
		9:00	22.41	51.00	31.20	8.10	5.97	232.02	0.96	1.38	
		12:00	21.84	51.64	31.52	8.06	6.23	250.71	0.99	6.31	
		15:00	22.39	51.41	31.41	8.05	6.28	249.31	0.89	3.63	
		18:00	22.49	50.87	31.14	8.10	6.15	239.15	0.52	2.43	
		21:00	21.56	50.93	31.17	8.10	6.04	216.59	1.25	2.23	
	日平均值			22.17	50.92	31.16	8.08	6.04	243.00	0.90	3.71
	潮口站	0:00	23.42	50.59	30.11	8.02	7.89	228.71	1.36	2.13	
		3:00	24.71	50.48	30.05	8.02	7.56	178.04	0.48	5.02	
		6:00	24.49	50.52	30.07	8.02	7.29	199.59	1.50	3.22	
		9:00	24.43	51.15	30.45	8.04	7.43	221.05	1.49	0.34	
		12:00	23.81	51.51	30.66	8.07	7.90	241.15	1.65	3.96	
		15:00	24.41	50.97	30.34	8.07	7.77	258.76	0.76	2.02	
		18:00	24.51	51.33	30.55	8.06	7.63	253.61	2.28	6.44	
		21:00	23.50	51.44	30.62	8.04	7.71	228.42	1.32	4.15	
	日平均值			24.16	51.00	30.36	8.04	7.65	226.17	1.36	3.41
	灣內站	0:00	23.21	50.98	30.35	8.10	5.49	163.95	17.22	5.57	
		3:00	24.28	51.00	30.36	8.07	6.05	158.04	15.96	2.01	
		6:00	22.51	50.99	30.36	8.10	5.64	155.96	17.18	0.27	
		9:00	22.68	50.98	30.38	8.12	5.34	150.55	16.08	6.08	
		12:00	25.02	50.98	30.42	8.20	5.78	155.87	16.79	2.41	
		15:00	25.15	51.01	30.37	8.22	5.19	157.28	18.49	5.67	
		18:00	23.22	51.03	30.38	8.13	5.44	165.36	18.50	0.72	
		21:00	22.54	51.05	30.39	8.08	5.24	167.50	17.64	0.16	
	日平均值			23.58	51.00	30.38	8.13	5.52	159.31	17.23	2.86
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月27日	蚵殼站	0:00	21.32	51.22	31.31	8.04	6.05	212.60	0.97	0.77	
		3:00	22.95	51.61	31.51	8.05	5.96	237.74	1.18	4.05	
		6:00	23.14	51.28	31.34	8.11	5.96	208.28	1.66	0.63	
		9:00	22.59	51.93	31.67	8.06	6.17	207.68	1.99	1.18	
		12:00	21.99	52.13	31.76	8.03	6.42	204.98	1.48	1.49	
		15:00	21.95	50.79	31.10	8.08	6.39	199.75	1.59	1.35	
		18:00	22.21	50.02	30.72	8.07	6.21	201.55	1.91	0.83	
		21:00	22.06	49.97	30.70	8.01	6.25	197.02	1.28	2.36	
	日平均值			22.28	51.12	31.26	8.06	6.18	208.70	1.51	1.58
	潮口站	0:00	23.24	51.41	30.60	8.04	7.32	218.53	2.12	0.10	
		3:00	25.02	51.13	30.43	8.04	7.66	190.08	1.51	0.96	
		6:00	25.22	51.25	30.51	8.02	7.77	158.39	1.61	1.97	
		9:00	24.62	51.46	30.63	8.04	8.15	241.86	2.02	1.46	
		12:00	23.97	51.11	30.42	8.08	8.31	249.35	2.52	4.15	
		15:00	23.93	51.11	30.42	8.08	7.51	247.36	1.20	3.65	
		18:00	24.21	51.70	30.77	8.06	7.72	247.80	2.30	0.15	
		21:00	24.05	51.17	30.46	8.05	8.02	249.74	1.95	1.86	
	日平均值			24.28	51.29	30.53	8.05	7.81	225.39	1.90	1.79
	灣內站	0:00	22.60	50.96	30.35	8.14	5.01	170.16	15.56	0.63	
		3:00	22.45	51.01	30.36	8.15	6.46	186.95	15.48	0.69	
		6:00	23.97	50.96	30.33	8.14	5.73	214.82	16.50	1.92	
		9:00	23.13	50.92	30.31	8.17	5.06	212.93	16.15	0.15	
		12:00	24.63	50.93	30.32	8.21	5.06	183.33	16.64	2.38	
		15:00	24.22	50.98	30.35	8.18	5.43	145.56	17.47	1.83	
		18:00	24.08	51.03	30.38	8.13	5.56	183.61	17.01	1.28	
		21:00	22.57	50.99	30.35	8.14	5.32	164.45	16.12	2.54	
	日平均值			23.46	50.97	30.34	8.16	5.45	182.73	16.37	1.43
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月28日	蚵殼站	0:00	22.03	50.65	31.03	8.00	6.14	185.05	1.44	0.89	
		3:00	22.34	50.93	31.17	8.00	6.07	256.86	1.43	3.65	
		6:00	23.15	52.06	31.72	8.02	5.93	254.02	1.61	1.59	
		9:00	23.22	51.96	31.68	8.02	6.21	232.35	1.64	1.03	
		12:00	22.47	51.59	31.50	8.06	6.53	214.38	2.06	1.28	
		15:00	22.05	50.89	31.15	8.11	6.52	194.18	1.58	4.05	
		18:00	22.47	50.68	31.04	8.04	6.18	192.72	1.16	3.79	
		21:00	22.26	50.72	31.06	8.00	6.19	196.01	1.26	0.31	
	日平均值			22.50	51.19	31.29	8.03	6.22	215.70	1.52	2.07
	潮口站	0:00	24.01	52.13	31.03	8.03	8.20	253.90	3.96	3.40	
		3:00	24.35	51.38	30.58	8.03	9.59	246.31	1.70	0.23	
		6:00	25.23	51.30	30.54	8.02	8.85	247.11	1.99	0.02	
		9:00	25.31	51.13	30.43	8.03	8.88	244.86	3.59	2.42	
		12:00	24.49	51.45	30.63	8.08	8.64	246.52	3.57	1.77	
		15:00	24.03	50.74	30.20	8.08	7.84	239.25	1.19	3.41	
		18:00	24.49	50.98	30.35	8.06	7.18	242.06	2.64	1.28	
		21:00	24.26	51.41	30.60	8.02	6.69	231.96	1.83	2.34	
	日平均值			24.52	51.32	30.55	8.04	8.23	244.00	2.56	1.86
	灣內站	0:00	22.04	50.83	30.33	8.13	5.12	152.24	14.41	0.38	
		3:00	24.19	50.88	30.29	8.14	5.34	172.55	14.04	0.92	
		6:00	24.07	50.90	30.30	8.11	5.56	172.14	13.71	3.64	
		9:00	23.24	50.89	30.29	8.12	5.32	151.17	13.84	2.48	
		12:00	24.53	50.89	30.29	8.15	5.34	160.95	13.03	0.62	
		15:00	24.14	51.02	30.37	8.13	5.30	178.08	15.33	2.67	
		18:00	24.27	51.15	30.45	8.10	5.37	176.52	14.94	1.15	
		21:00	22.60	51.02	30.37	8.10	5.47	170.43	14.61	3.37	
	日平均值			23.64	50.95	30.34	8.12	5.35	166.76	14.24	1.90
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月29日	蚵殼站	0:00	21.74	51.22	31.31	8.01	6.20	198.64	1.31	5.23	
		3:00	22.88	51.61	31.51	8.02	6.16	180.97	1.41	0.08	
		6:00	23.37	51.28	31.34	8.03	6.07	166.57	1.57	2.06	
		9:00	23.44	51.93	31.67	8.00	6.22	197.68	1.02	1.36	
		12:00	22.77	51.87	31.64	8.02	6.34	207.24	1.40	1.33	
		15:00	22.61	50.79	31.10	8.14	6.42	209.79	1.37	4.97	
		18:00	22.55	50.02	30.72	8.13	6.20	205.62	1.43	2.24	
		21:00	22.65	49.97	30.70	8.11	6.20	216.02	0.86	1.98	
	日平均值			22.75	51.09	31.25	8.06	6.23	197.82	1.30	2.41
	潮口站	0:00	23.70	52.33	31.15	8.01	7.04	245.08	2.18	2.33	
		3:00	24.94	51.80	30.83	8.01	8.78	200.72	1.83	1.95	
		6:00	25.47	51.34	30.56	8.00	9.45	234.29	1.93	3.13	
		9:00	25.55	51.18	30.46	8.00	9.96	236.47	2.46	1.01	
		12:00	24.82	50.41	30.01	8.07	10.12	236.83	1.27	0.46	
		15:00	24.64	50.23	29.90	8.08	9.89	229.97	1.55	0.82	
		18:00	24.58	50.79	30.23	8.06	8.72	236.17	1.00	4.38	
		21:00	24.69	50.76	30.21	8.05	8.88	236.53	5.45	0.35	
	日平均值			24.80	51.11	30.42	8.04	9.11	232.01	2.21	1.80
	灣內站	0:00	21.97	51.02	30.37	8.14	5.47	157.46	12.71	2.07	
		3:00	22.57	51.05	30.39	8.14	5.87	191.88	13.30	2.13	
		6:00	22.21	50.97	30.34	8.16	6.06	174.76	13.04	2.00	
		9:00	23.25	50.94	30.32	8.19	6.54	197.71	12.93	0.88	
		12:00	24.30	50.90	30.30	8.18	7.19	163.50	11.15	2.05	
		15:00	24.29	51.02	30.37	8.18	6.53	169.70	12.44	1.03	
		18:00	23.92	51.05	30.39	8.16	6.78	205.65	12.24	4.07	
		21:00	22.74	51.01	30.36	8.13	6.30	221.32	13.61	2.11	
	日平均值			23.16	51.00	30.36	8.16	6.34	185.25	12.68	2.04
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度℃	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月30日	蚵殼站	0:00	21.59	50.04	30.73	8.16	6.17	218.26	0.89	5.41	
		3:00	22.79	50.87	31.14	8.11	6.08	216.00	1.12	5.68	
		6:00	23.41	51.23	31.32	8.12	5.98	214.43	1.69	1.27	
		9:00	23.38	51.32	31.36	8.11	6.20	207.90	1.31	0.93	
		12:00	23.18	50.91	31.16	8.13	6.43	206.67	1.05	0.08	
		15:00	22.75	50.24	30.83	8.13	6.33	190.85	0.61	4.85	
		18:00	22.90	50.08	30.75	8.12	6.09	184.28	1.16	5.58	
		21:00	22.67	50.18	30.80	8.12	6.06	153.30	1.04	2.70	
	日平均值			22.83	50.61	31.01	8.13	6.17	198.96	1.11	3.31
	潮口站	0:00	23.53	52.28	31.12	8.04	6.31	238.38	1.46	1.01	
		3:00	24.84	51.53	30.67	8.01	7.93	213.91	4.37	4.21	
		6:00	25.52	50.45	30.03	8.01	8.48	237.08	1.69	6.76	
		9:00	25.48	50.27	29.92	8.03	8.31	239.45	1.87	3.19	
		12:00	25.27	50.16	29.86	8.05	5.95	227.37	1.73	1.83	
		15:00	24.80	50.89	30.29	8.06	7.72	208.51	2.49	5.30	
		18:00	24.96	50.30	29.94	8.05	8.46	223.95	2.12	6.96	
		21:00	24.71	50.86	30.27	8.02	8.72	229.24	4.94	5.78	
	日平均值			24.89	50.84	30.26	8.03	7.74	227.24	2.58	4.38
	灣內站	0:00	22.02	50.92	30.31	8.16	6.34	188.41	9.94	7.02	
		3:00	23.16	50.80	30.24	8.09	6.02	198.83	8.25	4.68	
		6:00	24.56	50.73	30.20	8.17	7.24	207.73	10.10	7.85	
		9:00	23.83	50.74	30.20	8.18	7.72	198.23	10.26	2.06	
		12:00	24.03	50.80	30.24	8.21	6.71	197.33	11.13	0.46	
		15:00	24.59	50.76	30.21	8.17	6.92	179.80	10.42	5.54	
		18:00	24.19	50.49	30.05	8.15	5.38	196.51	11.69	7.81	
		21:00	23.28	50.56	30.10	8.02	6.34	213.33	12.19	3.88	
	日平均值			23.71	50.73	30.19	8.14	6.58	197.52	10.50	4.91
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			

111年

灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(ppt)	pH	DO(mg/l)	氧化還原指數(mV)	濁度(NTU)	葉綠素(µg/l)	
12月31日	蚵殼站	0:00	22.57	50.09	31.64	8.15	5.75	128.51	0.97	3.10	
		3:00	22.26	50.37	31.10	8.17	5.81	112.06	0.91	2.64	
		6:00	22.21	50.95	30.72	8.16	5.99	199.13	1.68	1.64	
		9:00	22.84	51.53	30.70	8.10	6.07	105.26	1.54	0.23	
		12:00	23.17	51.06	30.73	8.14	6.22	153.24	0.69	1.46	
		15:00	22.81	50.44	31.14	8.17	6.52	168.51	1.05	1.41	
		18:00	21.14	50.14	31.32	8.14	5.99	164.02	0.46	2.43	
		21:00	21.06	50.59	31.36	8.11	6.01	148.50	0.59	1.77	
	日平均值			22.26	50.65	31.09	8.14	6.05	147.40	0.99	1.84
	潮口站	0:00	24.60	51.75	30.80	8.02	6.51	239.23	2.02	0.08	
		3:00	24.26	52.36	31.17	8.02	7.94	190.45	4.28	0.69	
		6:00	24.21	50.58	30.11	8.02	7.57	224.75	2.27	0.65	
		9:00	24.90	50.24	29.90	8.03	7.70	232.61	2.26	0.82	
		12:00	25.26	50.48	30.05	8.06	8.60	226.16	2.80	3.70	
		15:00	24.86	49.78	29.63	8.06	8.32	227.77	1.81	0.13	
		18:00	23.04	50.96	30.33	8.05	9.08	224.00	1.19	1.32	
		21:00	22.96	50.82	30.25	8.03	6.69	227.28	2.58	2.12	
	日平均值			24.26	50.87	30.28	8.04	7.80	224.03	2.40	1.19
	灣內站	0:00	22.65	50.66	30.15	8.14	5.90	209.39	11.06	0.83	
		3:00	22.46	50.88	30.29	8.10	5.21	204.33	10.42	0.51	
		6:00	23.79	50.95	30.33	8.16	5.34	196.24	11.03	3.31	
		9:00	23.54	50.93	30.38	8.18	5.47	182.53	10.53	1.12	
		12:00	23.19	50.86	30.27	8.18	7.87	198.13	12.30	2.26	
		15:00	23.38	50.94	30.32	8.14	6.73	195.37	10.94	3.05	
		18:00	22.84	51.03	30.38	8.10	5.75	202.20	9.94	1.74	
		21:00	22.46	51.07	30.40	8.09	5.34	195.22	9.42	3.26	
	日平均值			23.04	50.92	30.32	8.14	5.95	197.93	10.71	2.01
	甲類海域地面水體基準值			環評承諾日平均值需達標準			7.5-8.5	5.0以上			