

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月1日	蚵殼站	0:00	23.02	49.68	32.45	8.03	5.68	182.97	0.60	0.01
		3:00	23.59	49.76	32.08	8.03	5.30	183.25	0.44	0.97
		6:00	23.73	49.77	31.99	8.07	5.57	184.48	0.30	0.36
		9:00	24.14	49.67	31.61	8.19	5.97	184.84	0.37	0.19
		12:00	24.68	49.52	31.12	8.15	6.54	185.58	1.32	1.79
		15:00	23.14	49.03	31.87	8.16	6.32	185.74	0.66	0.38
		18:00	23.30	49.93	32.42	8.10	5.79	185.98	0.36	2.05
		21:00	23.15	50.03	32.61	8.08	5.85	185.37	1.37	1.03
		日平均	23.59	49.67	32.02	8.10	5.88	184.78	0.68	0.85
	潮口站	0:00	23.64	50.82	30.71	8.16	6.49	243.80	3.05	0.89
		3:00	22.76	51.07	30.90	8.16	5.80	243.36	2.35	5.87
		6:00	22.30	50.98	30.82	8.17	6.03	230.88	3.79	2.69
		9:00	22.75	50.95	30.96	8.16	5.89	231.92	1.57	1.84
		12:00	24.06	50.83	30.43	8.16	6.08	242.67	0.76	8.93
		15:00	23.99	50.62	31.06	8.16	5.88	246.68	2.19	9.34
		18:00	22.70	50.61	31.05	8.18	6.28	235.91	3.43	6.49
		21:00	22.80	50.54	31.32	8.17	6.11	225.14	4.67	6.69
		日平均	23.13	50.80	30.91	8.17	6.07	237.55	2.73	5.34
	灣內站	0:00	23.81	50.70	30.64	8.07	5.69	175.44	15.78	4.08
		3:00	23.77	50.40	30.95	8.18	5.85	203.55	16.22	3.59
		6:00	23.69	50.40	31.51	8.16	5.80	196.35	15.83	4.45
		9:00	23.67	50.38	31.51	8.26	6.91	207.84	14.37	4.31
		12:00	23.80	50.37	31.41	8.28	6.73	204.21	14.17	4.25
		15:00	23.76	50.37	31.44	8.23	7.37	198.27	14.18	4.77
		18:00	23.78	50.38	31.43	8.10	6.50	204.37	14.26	4.11
		21:00	23.62	50.32	31.50	8.10	6.74	207.12	14.29	3.97
		日平均	23.74	50.42	31.30	8.17	6.45	199.64	14.89	4.19
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月2日	蚵殼站	0:00	23.45	50.11	32.45	8.07	6.14	186.54	0.10	2.56
		3:00	23.56	49.88	32.19	8.03	5.75	187.73	0.60	1.66
		6:00	22.93	50.05	32.79	8.09	5.35	187.71	0.23	1.78
		9:00	22.97	50.12	32.82	8.16	5.59	188.38	0.63	1.33
		12:00	23.32	49.89	32.38	8.17	6.18	188.34	1.37	1.82
		15:00	23.54	49.78	32.13	8.12	5.83	188.15	0.31	1.00
		18:00	23.54	49.72	32.09	8.06	5.71	188.50	0.44	0.48
		21:00	23.26	49.89	32.42	8.06	5.45	188.38	0.22	0.79
		日平均	23.32	49.93	32.41	8.10	5.75	187.97	0.49	1.43
	潮口站	0:00	23.01	50.52	31.74	8.16	5.99	221.32	1.98	1.03
		3:00	23.51	50.58	31.40	8.15	5.58	232.13	2.04	3.23
		6:00	22.58	50.46	32.03	8.15	5.35	231.95	1.98	1.73
		9:00	22.69	50.66	32.10	8.15	5.75	226.14	2.29	3.51
		12:00	24.20	50.58	30.88	8.16	5.48	239.12	0.91	6.47
		15:00	24.26	50.63	30.87	8.16	5.67	246.13	0.88	8.31
		18:00	22.84	50.67	31.99	8.18	6.78	232.63	4.39	3.82
		21:00	22.45	50.74	32.35	8.19	7.74	219.97	4.42	5.91
		日平均	23.19	50.61	31.67	8.16	6.04	231.17	2.36	4.25
	灣內站	0:00	23.54	50.28	31.53	8.21	7.00	210.75	14.57	3.78
		3:00	23.45	50.27	31.59	8.16	6.43	209.38	14.25	3.99
		6:00	23.32	50.20	31.64	8.18	6.72	210.31	14.03	3.84
		9:00	23.40	50.19	31.57	8.26	7.59	200.86	14.68	4.12
		12:00	23.60	50.21	31.44	8.30	7.33	192.02	14.10	4.05
		15:00	23.92	50.25	31.23	8.19	5.73	196.08	12.19	4.45
		18:00	24.18	50.31	31.09	8.11	5.90	203.11	12.25	4.01
		21:00	24.13	50.18	31.03	8.17	6.09	202.73	14.38	3.74
		日平均	23.69	50.24	31.39	8.20	6.60	203.16	13.81	4.00
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月3日	蚵殼站	0:00	23.14	49.99	32.59	8.11	5.14	189.87	0.10	1.98
		3:00	23.13	49.96	32.57	8.05	5.47	190.30	0.05	2.01
		6:00	23.13	49.98	32.59	8.06	5.71	190.74	0.20	1.97
		9:00	23.21	49.90	32.47	8.13	5.82	192.65	0.35	2.51
		12:00	23.32	49.75	32.27	8.20	6.70	193.37	3.27	2.35
		15:00	23.38	49.75	32.23	8.14	6.05	192.43	1.32	2.23
		18:00	23.48	49.68	32.10	8.11	5.74	190.52	1.10	1.93
		21:00	23.28	49.83	32.36	8.14	5.44	189.73	5.46	2.05
		日平均	23.26	49.86	32.40	8.12	5.76	191.20	1.48	2.13
	潮口站	0:00	22.60	50.82	32.29	8.15	6.91	221.77	2.43	4.49
		3:00	23.84	50.88	31.37	8.15	5.60	215.59	1.41	5.52
		6:00	23.25	50.84	31.79	8.15	5.65	222.50	3.76	7.30
		9:00	22.84	50.67	31.99	8.17	6.84	219.07	4.78	7.90
		12:00	24.11	50.49	30.88	8.17	5.93	215.86	2.82	8.92
		15:00	24.21	50.48	30.80	8.15	5.71	221.38	1.73	1.71
		18:00	23.52	50.48	31.32	8.18	5.10	212.97	4.46	7.28
		21:00	22.60	50.49	32.04	8.21	5.60	202.21	7.24	3.13
		日平均	23.37	50.64	31.56	8.17	5.92	216.42	3.58	5.78
	灣內站	0:00	22.91	49.97	31.37	8.24	7.71	190.82	16.41	4.17
		3:00	23.03	50.09	32.37	8.20	6.53	199.72	13.33	4.11
		6:00	23.01	50.17	32.45	8.02	5.68	184.27	12.17	4.44
		9:00	23.13	50.18	32.36	8.17	6.48	201.30	12.85	4.22
		12:00	23.36	50.21	32.22	8.30	7.29	200.43	12.83	4.25
		15:00	23.21	50.19	32.31	8.25	7.15	198.48	13.09	4.08
		18:00	23.12	50.16	32.36	8.21	6.93	192.55	13.03	4.48
		21:00	22.80	49.77	32.30	8.26	7.53	198.07	16.29	4.08
		日平均	23.07	50.09	32.22	8.21	6.91	195.71	13.75	4.23
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月4日	蚵殼站	0:00	23.08	49.96	32.61	8.22	5.49	195.61	1.36	0.53
		3:00	23.06	49.98	32.64	8.11	6.05	195.56	1.75	1.74
		6:00	22.91	49.95	32.73	8.10	5.64	194.54	2.55	1.01
		9:00	23.27	48.94	31.71	8.25	5.34	115.42	12.59	0.46
		12:00	23.66	49.70	31.99	8.06	5.78	124.39	3.38	4.26
		15:00	23.50	49.86	32.22	8.13	5.19	137.85	3.50	6.09
		18:00	23.33	49.91	32.39	8.20	5.44	136.52	2.24	1.84
		21:00	23.18	50.00	32.57	8.14	5.24	139.91	2.19	1.48
		日平均	23.25	49.79	32.36	8.15	5.52	154.98	3.70	2.18
	潮口站	0:00	22.32	50.51	32.88	8.19	6.88	197.76	6.72	7.46
		3:00	23.22	50.68	32.30	8.16	6.70	183.08	3.44	6.94
		6:00	23.59	50.63	31.97	8.15	5.27	198.60	1.99	4.65
		9:00	23.46	50.68	32.11	8.18	6.07	204.01	3.63	9.11
		12:00	24.17	50.64	31.54	8.16	6.33	204.46	3.87	2.25
		15:00	23.80	50.56	31.76	8.18	6.19	143.47	7.72	5.51
		18:00	23.54	50.68	32.05	8.21	6.06	130.78	11.45	4.04
		21:00	22.74	50.55	32.57	8.22	7.20	170.48	17.00	2.15
		日平均	23.36	50.62	32.15	8.18	6.34	179.08	6.98	5.26
	灣內站	0:00	22.67	49.76	32.39	8.22	6.19	197.08	15.32	13.34
		3:00	22.60	49.68	32.39	8.17	5.75	196.48	13.95	12.71
		6:00	22.61	49.84	32.50	8.14	5.02	194.92	15.62	10.55
		9:00	22.61	50.17	32.75	8.23	6.32	199.33	16.35	19.38
		12:00	23.26	49.46	31.73	8.42	7.73	191.72	26.15	29.59
		15:00	23.42	49.61	31.72	8.45	7.99	166.30	44.09	34.32
		18:00	23.39	49.71	31.82	8.37	7.48	150.47	25.23	47.26
		21:00	23.31	49.49	31.72	8.31	7.18	160.07	77.03	38.74
		日平均	22.98	49.72	32.13	8.29	6.71	182.05	29.22	25.74
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月5日	蚵殼站	0:00	23.01	50.06	32.74	8.12	5.01	129.21	3.28	1.99
		3:00	22.93	50.08	32.82	8.05	6.46	146.07	3.30	3.74
		6:00	22.91	50.11	32.85	7.98	5.73	155.72	4.40	0.15
		9:00	23.13	50.03	32.63	8.16	5.36	163.09	3.26	1.56
		12:00	23.66	49.68	31.97	8.41	5.86	176.45	4.11	6.99
		15:00	23.70	49.74	31.99	8.30	5.73	192.11	3.51	5.15
		18:00	23.75	49.79	31.99	8.16	5.56	185.64	3.19	6.54
		21:00	23.77	49.77	31.96	8.22	5.32	182.91	2.73	2.59
		日平均	23.36	49.91	32.37	8.18	5.63	166.40	3.47	3.59
	潮口站	0:00	22.64	50.69	31.76	8.23	7.60	140.60	21.18	7.18
		3:00	22.94	50.76	32.57	8.22	6.45	137.26	43.47	3.07
		6:00	23.41	50.80	32.24	8.18	5.31	123.63	45.80	6.40
		9:00	23.68	50.76	32.00	8.19	5.50	126.51	49.72	9.66
		12:00	24.21	50.63	31.51	8.19	6.18	153.71	40.33	1.22
		15:00	24.31	50.65	31.45	8.16	5.81	184.88	50.68	2.43
		18:00	23.90	50.62	31.73	8.17	5.95	161.45	48.45	4.19
		21:00	23.13	50.60	32.31	8.21	8.28	227.78	43.22	3.04
		日平均	23.53	50.69	31.95	8.19	6.39	156.98	42.86	4.65
	灣內站	0:00	22.76	49.17	32.26	8.22	7.45	193.52	40.69	65.26
		3:00	22.70	49.30	32.40	8.15	7.06	204.74	61.60	64.66
		6:00	22.57	49.29	32.49	8.08	6.56	208.96	99.93	14.06
		9:00	22.80	49.21	32.26	8.26	7.26	207.17	96.38	99.41
		12:00	23.53	48.92	31.50	8.41	7.33	187.50	65.52	63.01
		15:00	23.75	49.14	31.51	8.40	7.36	201.96	55.16	71.11
		18:00	23.59	49.28	31.73	8.26	7.45	209.74	66.87	24.47
		21:00	23.60	49.06	31.56	8.32	6.23	209.31	61.63	40.83
		日平均	23.16	49.17	31.96	8.26	7.09	202.86	68.47	55.35
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月6日	蚵殼站	0:00	23.45	49.62	32.08	8.18	5.12	154.26	2.96	1.09
		3:00	23.33	49.65	32.19	8.14	5.34	153.98	4.05	5.73
		6:00	23.18	49.78	32.40	8.13	5.56	180.98	5.02	3.36
		9:00	23.34	49.84	32.33	8.19	5.32	189.62	4.15	7.63
		12:00	24.03	49.55	31.61	8.29	5.84	201.64	4.30	2.62
		15:00	24.11	49.55	31.55	8.31	5.60	218.84	3.98	5.63
		18:00	23.73	49.71	31.94	8.25	5.37	202.21	2.46	3.86
		21:00	23.56	49.77	32.11	8.22	5.47	200.14	2.23	0.42
		日平均	23.59	49.68	32.03	8.21	5.45	187.71	3.64	3.79
	潮口站	0:00	23.03	50.64	32.61	8.20	6.82	192.03	41.48	4.12
		3:00	22.98	50.76	33.74	8.20	6.58	165.84	45.64	6.22
		6:00	23.48	50.82	33.40	8.14	5.68	165.91	47.98	7.02
		9:00	23.59	50.76	33.27	8.15	6.02	166.21	43.56	3.11
		12:00	23.93	50.51	32.83	8.16	6.66	192.25	37.39	7.59
		15:00	24.04	50.62	32.83	8.13	6.38	220.62	43.55	4.08
		18:00	23.88	50.64	32.96	8.11	6.08	205.70	58.72	9.52
		21:00	23.27	50.70	33.47	8.16	8.13	280.45	86.23	1.88
		日平均	23.53	50.68	33.14	8.16	6.54	198.63	50.57	5.44
	灣內站	0:00	23.34	49.24	31.88	8.18	7.52	205.59	64.21	90.05
		3:00	23.06	49.30	32.13	8.14	7.45	183.18	49.90	65.20
		6:00	22.99	49.32	32.20	8.13	7.44	194.19	44.13	68.59
		9:00	23.08	49.33	32.14	8.19	7.56	193.63	43.45	91.31
		12:00	23.69	49.33	31.69	8.29	7.48	186.92	32.55	65.46
		15:00	23.98	49.31	31.47	8.31	7.40	199.06	32.75	97.03
		18:00	23.87	49.30	31.54	8.25	7.93	210.59	37.06	58.39
		21:00	23.71	49.26	31.62	8.22	7.04	211.14	35.51	83.22
		日平均	23.47	49.30	31.83	8.21	7.48	198.04	42.45	77.41
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月7日	蚵殼站	0:00	23.53	49.83	32.18	8.23	5.47	217.76	3.29	0.89
		3:00	23.35	49.75	32.25	8.17	5.87	204.51	3.81	5.87
		6:00	23.23	49.77	32.36	8.12	6.06	196.41	5.05	2.69
		9:00	23.31	49.61	32.18	8.26	6.54	202.62	4.53	1.84
		12:00	23.68	49.36	31.72	8.46	6.79	187.26	3.58	8.93
		15:00	23.88	49.47	31.66	8.42	6.53	205.45	3.39	9.34
		18:00	23.88	49.58	31.74	8.31	6.78	219.23	2.80	6.49
		21:00	23.77	49.66	31.88	8.30	6.30	213.66	2.59	6.69
		日平均	23.58	49.63	32.00	8.28	6.29	205.86	3.63	5.34
	潮口站	0:00	23.26	50.65	33.44	8.15	7.39	280.70	58.13	4.25
		3:00	23.04	50.78	33.71	8.17	7.60	235.05	53.25	5.99
		6:00	23.35	50.83	33.51	8.13	6.28	226.57	66.41	5.97
		9:00	23.56	50.75	33.29	8.13	6.33	204.40	79.57	9.74
		12:00	23.88	50.64	32.96	8.14	7.06	232.45	71.77	7.88
		15:00	23.93	50.59	32.89	8.11	6.75	293.85	73.55	0.35
		18:00	23.74	50.18	32.73	8.10	6.08	264.92	123.79	1.16
		21:00	23.45	50.60	33.26	8.15	6.32	286.55	80.09	0.75
		日平均	23.53	50.63	33.22	8.14	6.73	253.06	75.82	4.51
	灣內站	0:00	23.35	49.15	31.81	8.23	7.57	207.67	40.82	35.44
		3:00	23.30	49.32	31.97	8.17	6.81	203.09	44.12	73.42
		6:00	23.28	49.32	31.98	8.12	7.07	210.35	46.43	32.91
		9:00	23.38	49.14	31.78	8.26	7.06	206.85	45.13	41.44
		12:00	24.11	49.05	31.18	8.46	7.05	192.72	35.67	52.80
		15:00	24.18	49.26	31.29	8.42	7.05	141.79	48.73	18.88
		18:00	24.00	49.29	31.44	8.31	7.89	204.51	52.16	62.57
		21:00	23.95	49.14	31.36	8.30	7.44	213.13	44.00	38.88
		日平均	23.69	49.21	31.60	8.28	7.24	197.51	44.63	44.54
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月8日	蚵殼站	0:00	23.62	49.71	32.02	8.32	6.34	211.15	2.75	1.03
		3:00	23.33	49.54	32.11	8.25	6.02	206.72	3.48	3.23
		6:00	23.36	49.43	32.01	8.17	6.24	194.92	3.39	1.73
		9:00	23.63	49.34	31.74	8.29	6.72	201.51	3.82	3.51
		12:00	23.84	49.24	31.52	8.40	6.71	186.83	5.21	6.47
		15:00	23.81	49.34	31.61	8.38	6.92	201.79	4.54	8.31
		18:00	23.78	49.41	31.68	8.26	5.38	213.71	2.65	3.82
		21:00	23.74	49.35	31.67	8.22	6.34	220.71	2.12	5.91
		日平均	23.64	49.42	31.80	8.29	6.33	204.67	3.50	4.25
	潮口站	0:00	23.31	50.65	33.40	8.16	6.14	301.75	53.33	5.14
		3:00	23.27	50.69	33.46	8.15	6.76	253.24	19.21	1.33
		6:00	23.35	50.65	33.37	8.13	6.31	232.22	21.70	2.48
		9:00	23.59	50.61	33.16	8.13	6.88	226.57	16.23	6.23
		12:00	23.82	50.60	32.98	8.15	7.78	233.19	14.52	4.73
		15:00	23.91	50.66	32.95	8.12	7.58	278.99	12.47	2.53
		18:00	23.65	50.73	33.20	8.11	6.41	288.55	11.24	1.20
		21:00	23.52	50.76	33.32	8.12	7.50	269.63	13.63	3.68
		日平均	23.55	50.67	33.23	8.13	6.92	260.52	20.29	3.42
	灣內站	0:00	23.95	48.90	31.19	8.32	6.40	213.35	45.19	10.58
		3:00	23.68	49.18	31.59	8.25	7.22	203.83	52.70	55.14
		6:00	23.58	48.35	31.05	8.17	7.49	211.55	47.14	37.37
		9:00	23.75	48.80	31.26	8.29	7.82	193.59	32.74	72.47
		12:00	24.26	48.40	30.60	8.40	7.98	188.92	30.37	59.95
		15:00	24.34	49.11	31.06	8.38	7.98	200.09	55.93	98.38
		18:00	24.12	49.19	31.28	8.26	7.72	200.21	59.74	36.21
		21:00	24.05	49.09	31.25	8.22	7.36	204.86	60.19	33.68
		日平均	23.97	48.88	31.16	8.29	7.50	202.05	48.00	50.47
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月9日	蚵殼站	0:00	23.83	49.45	31.68	8.35	5.90	207.85	2.34	4.49
		3:00	23.84	49.49	31.70	8.22	5.21	203.05	14.88	5.52
		6:00	23.77	49.50	31.76	8.11	5.34	206.35	4.05	7.30
		9:00	23.96	49.39	31.54	8.27	5.47	200.46	4.01	7.90
		12:00	24.27	49.05	31.07	8.44	5.87	176.85	3.95	8.92
		15:00	24.09	49.18	31.29	8.43	5.73	191.99	7.20	1.71
		18:00	23.97	49.31	31.47	8.31	5.75	215.34	7.89	7.28
		21:00	23.93	49.29	31.49	8.28	5.34	219.94	11.42	3.13
		日平均	23.96	49.33	31.50	8.30	5.58	202.73	6.97	5.78
	潮口站	0:00	23.41	50.70	33.36	8.14	7.29	273.90	15.19	1.11
		3:00	23.42	50.78	33.42	8.24	7.41	251.47	15.68	1.57
		6:00	23.35	50.67	33.39	8.17	7.17	252.73	13.29	1.18
		9:00	23.60	50.67	33.20	8.11	7.20	248.04	9.81	4.69
		12:00	23.87	50.64	32.97	8.14	8.60	262.72	8.54	8.53
		15:00	23.92	50.63	32.92	8.11	7.61	299.66	6.58	6.64
		18:00	23.75	50.71	33.11	8.11	6.52	299.52	6.12	6.00
		21:00	23.60	50.77	33.27	8.11	7.40	273.93	8.11	8.01
		日平均	23.62	50.70	33.21	8.14	7.40	270.25	10.42	4.72
	灣內站	0:00	23.95	48.62	30.98	8.35	7.55	208.07	60.81	43.06
		3:00	23.78	49.17	31.51	8.22	7.06	194.66	63.89	14.57
		6:00	23.87	48.96	31.29	8.11	6.27	204.32	53.19	77.44
		9:00	23.95	49.11	31.34	8.27	6.68	152.29	45.05	55.80
		12:00	24.36	49.12	31.06	8.44	7.05	134.74	36.22	14.89
		15:00	24.37	49.20	31.11	8.43	7.41	124.60	25.88	81.05
		18:00	24.20	48.82	30.95	8.31	7.90	124.39	58.17	54.07
		21:00	24.08	49.26	31.36	8.28	7.54	114.37	65.70	43.53
		日平均	24.07	49.03	31.20	8.30	7.18	157.18	51.11	48.05
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月10日	蚵殼站	0:00	23.82	49.36	31.62	8.23	5.50	211.44	3.99	7.46
		3:00	23.78	49.30	31.60	8.19	5.41	210.87	2.64	6.94
		6:00	23.72	49.26	31.62	8.11	5.65	219.10	2.69	4.65
		9:00	23.81	49.28	31.57	8.25	6.64	212.95	3.55	9.11
		12:00	24.09	49.06	31.20	8.37	6.79	199.72	3.83	2.25
		15:00	23.87	49.09	31.38	8.35	6.88	202.07	3.47	3.37
		18:00	23.89	49.13	31.40	8.28	5.97	219.94	2.74	5.29
		21:00	23.84	49.22	31.50	8.23	5.87	222.34	2.46	3.28
		日平均	23.85	49.21	31.49	8.25	6.09	212.30	3.17	5.29
	潮口站	0:00	23.41	50.72	33.38	8.10	7.27	292.51	10.13	1.22
		3:00	23.28	50.70	33.46	8.15	8.35	285.38	11.02	1.96
		6:00	23.29	50.75	33.49	8.14	7.00	282.78	9.44	9.05
		9:00	23.50	50.76	33.34	8.12	6.66	278.92	7.38	7.59
		12:00	23.65	50.70	33.18	8.13	7.82	283.95	8.46	8.52
		15:00	23.73	50.69	33.11	8.12	7.73	300.73	6.59	6.54
		18:00	23.66	50.61	33.11	8.12	6.39	309.30	5.38	5.28
		21:00	23.50	50.53	33.17	8.13	6.65	290.43	4.17	3.45
		日平均	23.50	50.68	33.28	8.13	7.23	290.50	7.82	5.45
	灣內站	0:00	23.98	49.23	31.41	8.23	7.34	134.98	55.34	62.51
		3:00	23.83	49.29	31.56	8.19	6.82	186.35	58.39	12.25
		6:00	23.82	48.87	31.26	8.11	6.55	199.62	58.19	57.99
		9:00	23.88	49.15	31.42	8.25	7.18	201.35	53.28	19.94
		12:00	24.13	49.27	31.33	8.37	7.02	180.03	35.46	94.29
		15:00	24.04	49.30	31.42	8.35	7.96	186.94	48.01	63.67
		18:00	23.94	49.29	31.48	8.28	7.87	189.86	66.42	54.49
		21:00	23.80	49.26	31.56	8.23	7.67	154.46	51.17	49.39
		日平均	23.93	49.21	31.43	8.25	7.30	179.20	53.28	51.82
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 11 日	蚵殼站	0:00	23.75	49.24	31.58	8.18	5.64	209.19	2.96	5.65
		3:00	23.81	49.29	31.57	8.14	5.12	221.79	2.32	6.84
		6:00	23.73	49.34	31.67	8.21	5.62	207.84	6.52	11.35
		9:00	23.88	49.21	31.46	8.29	5.68	219.34	6.91	11.21
		12:00	24.37	49.02	30.98	8.35	5.95	213.03	5.56	12.59
		15:00	24.29	49.03	31.04	8.35	5.20	208.52	4.87	14.99
		18:00	24.21	49.12	31.16	8.29	5.50	219.86	4.85	6.56
		21:00	24.07	49.18	31.31	8.27	5.55	220.73	3.35	3.63
		日平均	24.01	49.18	31.35	8.26	5.53	215.04	4.67	9.10
	潮口站	0:00	23.40	50.74	33.40	8.13	6.85	279.84	9.31	9.39
		3:00	23.28	50.79	33.53	8.13	7.88	296.49	6.67	6.45
		6:00	23.22	50.84	33.62	8.14	7.12	292.08	6.45	6.47
		9:00	23.45	50.71	33.34	8.10	7.18	281.96	4.16	4.04
		12:00	23.70	50.52	33.01	8.12	7.43	276.33	5.18	5.43
		15:00	23.86	50.53	32.89	8.11	8.63	294.19	3.67	3.59
		18:00	23.75	50.62	33.04	8.13	7.42	298.16	2.47	2.41
		21:00	23.53	50.68	33.26	8.13	6.76	267.13	2.13	2.16
		日平均	23.52	50.68	33.26	8.12	7.41	285.77	5.01	4.99
	灣內站	0:00	23.81	49.25	31.54	8.18	7.33	187.41	54.73	63.05
		3:00	23.68	49.21	31.61	8.14	6.55	193.95	50.45	63.36
		6:00	23.59	48.90	31.45	8.21	7.19	205.25	42.40	66.65
		9:00	23.66	49.23	31.64	8.29	7.53	204.38	45.08	48.21
		12:00	24.13	49.20	31.28	8.35	8.00	186.62	38.46	41.15
		15:00	24.22	49.22	31.23	8.35	8.06	184.84	42.02	50.07
		18:00	24.10	49.23	31.32	8.29	7.66	184.97	84.55	55.75
		21:00	24.00	49.24	31.40	8.27	7.46	172.65	60.13	46.50
		日平均	23.90	49.19	31.43	8.26	7.47	190.01	52.23	54.34
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 12 日	蚵殼站	0:00	23.96	49.12	31.34	8.21	5.23	221.29	2.55	2.97
		3:00	23.92	49.14	31.38	8.18	5.53	217.41	2.91	6.85
		6:00	23.85	49.15	31.44	8.17	5.74	220.02	4.91	8.05
		9:00	24.05	49.19	31.33	8.28	6.46	216.26	4.17	5.37
		12:00	24.39	48.95	30.91	8.38	5.92	210.71	4.62	11.68
		15:00	24.50	48.90	30.80	8.43	5.68	174.78	5.23	13.36
		18:00	24.30	49.01	31.02	8.33	5.10	222.65	3.84	5.60
		21:00	24.24	49.06	31.10	8.25	5.38	221.98	3.24	4.83
		日平均	24.15	49.07	31.17	8.28	5.63	213.14	3.93	7.34
	潮口站	0:00	23.48	50.62	33.25	8.13	7.91	263.65	6.05	5.99
		3:00	23.31	50.64	33.40	8.15	7.00	278.40	7.20	7.54
		6:00	23.29	50.65	33.42	8.14	6.79	287.07	8.82	8.65
		9:00	23.42	50.69	33.35	8.14	6.77	286.69	4.50	4.46
		12:00	23.61	50.45	33.02	8.14	9.00	267.56	5.15	4.89
		15:00	23.91	50.40	32.76	8.13	8.66	281.43	3.72	3.60
		18:00	23.79	50.51	32.93	8.10	7.08	308.49	3.03	3.04
		21:00	23.61	50.56	33.11	8.12	5.81	273.97	2.93	3.01
		日平均	23.55	50.57	33.16	8.13	7.38	280.91	5.18	5.15
	灣內站	0:00	24.03	49.23	31.37	8.21	6.99	163.95	84.55	50.49
		3:00	23.89	49.26	31.49	8.18	6.55	158.04	92.80	76.54
		6:00	23.83	49.26	31.54	8.17	6.53	155.96	85.06	73.23
		9:00	23.91	49.30	31.51	8.28	7.33	150.55	71.99	59.89
		12:00	24.37	49.27	31.16	8.38	8.00	155.87	43.53	62.02
		15:00	24.54	49.23	31.01	8.43	8.00	157.28	39.34	77.14
		18:00	24.44	49.27	31.11	8.33	7.83	165.36	85.27	59.96
		21:00	24.25	49.31	31.27	8.25	7.36	167.50	48.10	42.22
		日平均	24.16	49.27	31.31	8.28	7.32	159.31	68.83	62.69
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月13日	蚵殼站	0:00	24.11	49.05	31.18	8.22	5.62	233.31	3.22	3.19
		3:00	24.04	49.10	31.27	8.22	6.01	231.17	3.94	6.47
		6:00	23.95	48.99	31.25	8.19	5.81	222.89	3.86	7.47
		9:00	24.22	48.93	31.02	8.23	6.77	215.73	3.59	7.47
		12:00	24.68	48.60	30.46	8.32	6.39	204.72	4.20	12.69
		15:00	24.65	48.70	30.55	8.37	5.99	205.02	7.83	12.42
		18:00	24.59	48.86	30.71	8.27	5.47	209.26	6.19	7.95
		21:00	24.51	48.87	30.77	8.23	6.06	211.78	5.35	2.61
		日平均	24.34	48.89	30.90	8.26	6.02	216.74	4.77	7.53
	潮口站	0:00	23.48	50.55	33.20	8.10	7.61	255.12	4.93	5.02
		3:00	23.29	50.60	33.38	8.13	6.73	267.08	7.16	6.98
		6:00	23.28	50.49	33.31	8.12	6.58	248.22	9.69	9.11
		9:00	23.50	50.43	33.09	8.11	6.76	277.19	5.30	3.67
		12:00	23.96	50.10	32.50	8.12	7.20	251.09	4.50	4.28
		15:00	24.19	50.20	32.41	8.12	8.21	272.35	3.41	3.05
		18:00	24.00	50.36	32.66	8.13	7.26	286.06	2.36	2.32
		21:00	23.85	50.37	32.78	8.13	6.49	251.66	2.38	2.47
		日平均	23.69	50.39	32.92	8.12	7.11	263.60	4.97	4.61
	灣內站	0:00	24.17	49.25	31.29	8.22	7.19	170.16	42.39	36.93
		3:00	24.02	49.21	31.36	8.22	7.06	186.95	59.56	36.44
		6:00	23.89	49.33	31.55	8.19	6.82	214.82	72.63	37.59
		9:00	24.07	49.34	31.42	8.23	6.97	212.93	88.53	41.17
		12:00	24.61	49.29	31.00	8.32	7.66	183.33	55.73	42.00
		15:00	24.46	49.10	30.97	8.37	7.96	145.56	42.47	62.10
		18:00	24.13	49.20	31.28	8.27	7.40	183.61	44.49	41.13
		21:00	23.92	49.26	31.47	8.23	7.05	164.45	68.95	29.48
		日平均	24.16	49.25	31.29	8.26	7.26	182.73	59.34	40.86
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月14日	蚵殼站	0:00	24.62	48.89	30.71	8.19	5.44	211.12	4.69	3.46
		3:00	24.50	48.91	30.81	8.16	5.58	208.30	3.92	6.10
		6:00	24.41	48.95	30.90	8.14	5.93	204.65	4.10	5.53
		9:00	24.63	48.94	30.74	8.20	6.05	206.25	6.45	4.10
		12:00	24.77	48.81	30.55	8.25	5.69	207.24	5.51	7.08
		15:00	24.77	48.83	30.56	8.32	5.67	206.79	8.78	6.89
		18:00	24.65	48.92	30.71	8.28	5.60	207.10	7.98	3.82
		21:00	25.17	48.56	30.09	8.22	5.28	207.76	3.96	5.77
		日平均	24.69	48.85	30.63	8.22	5.66	207.40	5.67	5.34
	潮口站	0:00	23.83	50.39	32.81	8.13	6.87	188.80	3.12	2.90
		3:00	23.78	50.41	32.87	8.13	7.03	216.61	5.73	5.80
		6:00	23.68	50.45	32.97	8.12	6.71	222.18	4.92	4.91
		9:00	23.81	50.44	32.87	8.12	7.22	249.97	2.88	2.83
		12:00	24.13	50.31	32.53	8.13	7.54	221.43	2.02	2.16
		15:00	24.21	50.33	32.49	8.16	9.22	204.70	3.29	3.22
		18:00	24.18	50.42	32.57	8.16	8.06	218.41	2.60	2.36
		21:00	24.45	50.06	32.11	8.14	7.17	237.68	1.59	1.53
		日平均	24.01	50.35	32.65	8.14	7.48	219.97	3.27	3.21
	灣內站	0:00	24.07	49.19	31.31	8.19	7.27	152.24	84.67	36.88
		3:00	23.89	49.22	31.46	8.16	7.10	172.55	108.01	32.78
		6:00	23.78	49.24	31.56	8.14	6.43	172.14	94.55	37.21
		9:00	23.98	49.23	31.41	8.20	6.95	151.17	91.32	30.89
		12:00	24.67	49.19	30.89	8.25	7.20	160.95	61.57	24.22
		15:00	25.48	49.26	30.38	8.32	8.27	178.08	39.20	34.40
		18:00	25.40	49.33	30.49	8.28	7.77	176.52	53.47	30.77
		21:00	25.02	49.34	30.75	8.22	6.94	170.43	83.91	16.10
		日平均	24.54	49.25	31.03	8.22	7.24	166.76	77.09	30.41
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月15日	蚵殼站	0:00	25.22	48.56	30.06	8.16	5.34	204.77	3.92	5.12
		3:00	24.99	48.70	30.32	8.10	5.04	203.88	4.75	5.32
		6:00	24.87	48.76	30.44	8.05	5.72	207.08	3.36	5.85
		9:00	24.99	48.76	30.36	8.21	6.04	210.31	4.75	4.88
		12:00	25.25	48.53	30.02	8.31	6.02	207.92	4.42	6.42
		15:00	25.10	48.64	30.20	8.31	6.29	207.90	5.39	5.92
		18:00	25.05	48.57	30.18	8.27	5.84	208.72	11.67	3.13
		21:00	25.00	48.65	30.27	8.19	5.88	211.66	3.83	3.17
		日平均	25.06	48.65	30.23	8.20	5.77	207.78	5.26	4.98
	潮口站	0:00	24.28	50.06	32.24	8.17	6.68	206.15	1.45	1.51
		3:00	24.16	50.20	32.43	8.18	7.95	232.15	2.76	2.92
		6:00	24.17	50.26	32.46	8.15	7.57	224.08	3.08	2.78
		9:00	23.99	50.26	32.60	8.14	7.14	242.44	2.42	2.52
		12:00	24.13	50.03	32.32	8.15	8.04	270.78	1.95	1.91
		15:00	24.28	50.14	32.30	8.17	7.93	213.85	2.89	2.84
		18:00	24.29	50.07	32.24	8.15	6.67	206.32	18.85	1.45
		21:00	24.20	50.15	32.36	8.13	5.88	220.65	4.34	3.91
		日平均	24.19	50.15	32.37	8.16	7.23	227.05	4.72	2.48
	灣內站	0:00	24.63	49.37	31.05	8.16	6.59	157.46	89.18	13.90
		3:00	24.44	49.36	31.17	8.10	6.80	191.88	53.12	17.04
		6:00	24.36	49.29	31.18	8.05	5.48	174.76	78.20	12.15
		9:00	24.68	49.16	30.86	8.21	7.30	197.71	64.82	28.85
		12:00	25.22	49.30	30.59	8.31	8.04	163.50	24.79	26.90
		15:00	25.26	49.33	30.58	8.31	8.05	169.70	21.59	31.76
		18:00	25.21	49.30	30.59	8.27	7.62	205.65	34.75	30.38
		21:00	24.98	49.39	30.82	8.19	6.79	221.32	71.81	20.13
		日平均	24.85	49.31	30.86	8.20	7.08	185.25	54.78	22.64
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月16日	蚵殼站	0:00	24.81	48.75	30.48	8.21	5.39	214.81	6.52	2.22
		3:00	24.69	48.82	30.61	8.17	5.11	215.03	4.73	3.65
		6:00	24.58	48.80	30.67	8.20	5.81	215.84	6.95	4.10
		9:00	24.63	48.76	30.61	8.19	5.84	215.44	8.84	3.79
		12:00	24.94	48.56	30.25	8.25	6.26	219.07	6.03	5.86
		15:00	24.76	48.75	30.51	8.23	5.91	220.04	25.08	4.36
		18:00	24.64	48.80	30.63	8.20	5.42	223.19	29.72	3.41
		21:00	24.43	48.86	30.82	8.18	5.72	222.92	15.63	2.95
		日平均	24.69	48.76	30.57	8.20	5.68	218.29	12.94	3.79
	潮口站	0:00	24.02	50.25	32.57	8.13	5.80	214.84	2.90	2.68
		3:00	23.87	50.32	32.73	8.15	5.83	201.27	4.91	4.77
		6:00	23.65	50.30	32.88	8.14	5.40	206.32	6.38	6.39
		9:00	23.61	50.26	32.88	8.13	6.54	241.61	3.82	3.60
		12:00	23.76	50.06	32.62	8.13	7.96	265.12	2.09	2.05
		15:00	23.77	50.25	32.76	8.15	7.07	203.20	9.04	1.13
		18:00	23.67	50.30	32.87	8.14	6.62	197.85	5.19	5.22
		21:00	23.50	50.36	33.04	8.13	6.19	218.46	5.41	5.59
		日平均	23.73	50.26	32.79	8.14	6.43	218.58	4.97	3.93
	灣內站	0:00	24.79	49.43	30.98	8.21	6.90	188.41	53.09	16.21
		3:00	24.63	49.43	31.09	8.17	6.66	198.83	68.55	14.29
		6:00	24.38	49.42	31.26	8.20	6.96	207.73	30.36	12.04
		9:00	24.43	49.38	31.20	8.19	6.61	198.23	52.95	12.33
		12:00	24.77	48.84	30.57	8.25	7.47	197.33	29.97	9.82
		15:00	24.79	48.76	30.50	8.23	7.01	179.80	27.14	11.58
		18:00	24.61	49.46	31.13	8.20	7.12	196.51	28.13	12.05
		21:00	24.38	49.41	31.25	8.18	6.76	213.33	37.78	11.60
		日平均	24.60	49.27	31.00	8.20	6.94	197.52	41.00	12.49
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月17日	蚵殼站	0:00	24.28	48.91	30.96	8.12	5.56	226.22	9.24	1.96
		3:00	24.01	48.93	31.17	8.13	5.41	228.50	17.64	2.79
		6:00	23.88	48.96	31.28	8.15	5.80	225.36	13.53	4.85
		9:00	23.96	48.78	31.09	8.13	6.35	225.87	14.89	3.37
		12:00	24.36	49.00	30.97	8.20	6.49	168.74	13.67	4.38
		15:00	24.15	48.96	31.09	8.20	5.84	157.62	6.17	2.06
		18:00	24.04	49.05	31.23	8.14	5.46	158.47	6.68	3.20
		21:00	23.82	49.01	31.36	8.11	5.53	147.30	8.72	3.12
		日平均	24.06	48.95	31.14	8.15	5.81	192.26	11.32	3.22
	潮口站	0:00	23.34	50.41	33.20	8.12	6.01	234.95	4.33	4.61
		3:00	23.22	50.43	33.31	8.11	6.08	220.31	3.78	3.68
		6:00	22.99	50.46	33.51	8.11	5.37	223.25	5.31	5.41
		9:00	23.17	50.28	33.23	8.10	6.44	263.97	3.75	3.75
		12:00	23.75	50.50	32.96	8.10	8.15	283.23	2.07	2.07
		15:00	22.67	50.46	33.76	8.11	6.76	168.92	24.59	1.15
		18:00	23.33	50.55	33.31	8.11	5.85	164.27	6.04	1.85
		21:00	23.15	50.51	33.42	8.11	5.52	154.73	6.04	1.42
		日平均	23.20	50.45	33.34	8.11	6.27	214.20	6.99	2.99
	灣內站	0:00	24.25	49.47	31.39	8.19	6.37	156.32	40.42	8.57
		3:00	24.07	49.52	31.56	8.19	6.62	137.02	23.25	8.37
		6:00	23.93	49.53	31.66	8.14	6.07	132.07	35.55	8.74
		9:00	23.97	49.55	31.65	8.18	6.20	192.22	37.31	5.42
		12:00	23.09	49.36	32.15	8.19	7.53	136.25	51.96	35.45
		15:00	23.86	49.36	31.59	8.19	7.15	117.21	7.09	31.12
		18:00	24.09	49.36	31.42	8.16	7.12	126.32	7.97	26.49
		21:00	23.87	49.37	31.59	8.15	7.07	127.82	9.54	27.51
		日平均	23.89	49.44	31.63	8.17	6.77	140.65	26.64	18.96
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月18日	蚵殼站	0:00	23.53	49.17	31.69	8.06	5.30	145.02	8.54	6.61
		3:00	23.20	49.17	31.93	8.09	5.88	148.66	8.24	4.66
		6:00	22.93	49.16	32.12	8.09	5.91	148.81	7.92	4.09
		9:00	23.20	49.16	31.92	8.05	5.33	157.21	6.02	4.59
		12:00	23.84	49.15	31.45	8.15	5.93	164.39	5.49	8.03
		15:00	23.65	49.20	31.62	8.17	6.13	169.13	5.28	7.83
		18:00	23.54	49.21	31.71	8.11	5.81	171.96	4.61	5.94
		21:00	23.39	49.18	31.80	8.09	5.58	175.53	5.07	6.35
		日平均	23.41	49.18	31.78	8.10	5.73	160.09	6.40	6.01
	潮口站	0:00	22.97	50.67	33.68	8.13	6.50	165.04	5.60	1.54
		3:00	22.91	50.67	33.73	8.15	6.58	161.94	4.72	0.96
		6:00	22.68	50.66	33.90	8.13	6.23	155.82	6.63	1.16
		9:00	22.83	50.66	33.79	8.13	6.32	158.20	5.50	1.17
		12:00	23.76	50.65	33.06	8.13	8.34	167.20	2.39	1.15
		15:00	23.77	50.70	33.09	8.14	8.04	180.55	2.02	2.07
		18:00	23.20	50.71	33.53	8.18	8.08	188.59	4.69	1.52
		21:00	22.99	50.68	33.68	8.18	7.58	195.89	5.00	0.64
		日平均	23.14	50.68	33.56	8.15	7.21	171.65	4.57	1.28
	灣內站	0:00	23.72	49.37	31.70	8.14	6.99	125.84	11.49	27.03
		3:00	23.40	49.37	31.93	8.12	6.82	127.07	12.07	23.55
		6:00	23.24	49.36	32.04	8.09	6.75	131.33	14.79	28.52
		9:00	23.32	49.36	31.98	8.12	6.70	121.90	16.58	33.27
		12:00	23.61	49.35	31.76	8.15	7.32	120.18	16.46	23.40
		15:00	23.69	49.40	31.74	8.15	7.40	122.21	13.84	30.40
		18:00	23.59	49.41	31.82	8.11	6.92	146.91	9.37	28.79
		21:00	23.46	49.38	31.90	8.06	6.74	119.56	7.24	26.50
		日平均	23.50	49.38	31.86	8.12	6.96	126.88	12.73	27.68
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月19日	蚵殼站	0:00	23.24	49.17	31.90	8.09	5.26	174.21	5.91	8.79
		3:00	23.03	49.19	32.07	8.02	5.10	185.45	6.44	4.95
		6:00	22.90	49.21	32.18	8.01	5.52	188.11	9.51	4.15
		9:00	23.14	49.22	32.01	8.07	5.63	190.24	4.94	5.24
		12:00	23.78	49.24	31.56	8.15	5.43	190.80	4.74	9.28
		15:00	23.79	49.26	31.57	8.11	5.68	196.86	4.61	9.24
		18:00	23.78	49.26	31.57	8.02	5.40	200.96	4.68	4.77
		21:00	23.53	49.21	31.72	8.03	5.36	203.33	4.49	5.86
		日平均	23.40	49.22	31.82	8.06	5.42	191.25	5.67	6.54
	潮口站	0:00	22.82	50.67	33.80	8.19	7.05	183.57	4.00	2.70
		3:00	22.91	50.69	33.75	8.16	7.51	178.49	3.33	1.18
		6:00	23.03	50.71	33.67	8.16	7.50	182.63	3.13	4.71
		9:00	23.06	50.72	33.65	8.16	7.53	190.27	2.55	2.90
		12:00	23.81	50.74	33.09	8.16	8.01	195.67	1.47	3.03
		15:00	23.91	50.76	33.03	8.15	7.69	205.57	1.10	2.65
		18:00	23.33	50.76	33.47	8.19	7.91	216.12	3.25	2.11
		21:00	22.92	50.71	33.75	8.19	7.59	221.25	7.24	2.79
		日平均	23.22	50.72	33.53	8.17	7.60	196.70	3.26	2.76
	灣內站	0:00	23.29	49.37	32.01	8.07	6.94	158.27	8.49	35.87
		3:00	23.17	49.39	32.12	8.08	6.59	147.69	7.54	27.55
		6:00	23.04	49.41	32.23	8.11	6.60	141.63	6.23	33.25
		9:00	23.04	49.42	32.24	8.11	6.78	131.72	5.88	28.73
		12:00	23.37	49.44	32.01	8.14	7.56	135.25	6.58	31.45
		15:00	23.47	49.46	31.95	8.15	7.60	139.61	6.57	40.95
		18:00	23.48	49.46	31.94	8.16	7.08	109.88	6.78	30.57
		21:00	23.45	49.41	31.93	8.17	6.98	147.95	5.81	34.18
		日平均	23.29	49.42	32.05	8.12	7.02	139.00	6.74	32.82
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月20日	蚵殼站	0:00	23.29	49.25	31.92	8.05	5.77	211.82	5.11	7.84
		3:00	23.13	49.25	32.04	8.05	5.48	211.72	5.56	6.26
		6:00	23.10	49.24	32.06	8.01	5.26	219.90	5.26	3.86
		9:00	23.25	49.25	31.95	8.07	6.13	216.25	5.07	4.20
		12:00	23.78	49.26	31.57	8.10	5.95	219.02	5.91	8.42
		15:00	23.94	49.27	31.47	8.07	5.17	222.22	8.95	7.83
		18:00	24.06	49.18	31.31	8.04	5.39	229.06	5.26	6.21
		21:00	23.93	49.12	31.36	8.00	5.55	222.23	5.05	5.22
		日平均	23.56	49.23	31.71	8.05	5.59	219.03	5.77	6.23
	潮口站	0:00	22.75	50.75	33.92	8.19	7.28	202.62	4.88	6.32
		3:00	23.22	50.75	33.55	8.14	7.47	200.29	2.74	2.60
		6:00	23.38	50.74	33.42	8.13	7.44	208.64	2.20	2.34
		9:00	23.40	50.75	33.41	8.13	7.35	213.90	2.06	1.93
		12:00	24.71	50.76	32.43	8.14	7.72	211.04	1.00	1.64
		15:00	24.64	50.77	32.49	8.14	7.51	219.95	1.04	2.78
		18:00	24.04	50.68	32.87	8.15	7.84	230.75	2.23	5.32
		21:00	23.17	50.62	33.49	8.17	7.70	243.70	6.69	3.08
		日平均	23.66	50.73	33.20	8.15	7.54	216.36	2.86	3.25
	灣內站	0:00	23.29	49.45	32.07	8.12	6.68	154.62	7.52	27.64
		3:00	23.09	49.45	32.22	8.07	6.72	181.62	7.90	33.65
		6:00	22.92	49.44	32.34	8.12	6.57	164.76	10.13	36.64
		9:00	22.99	49.45	32.30	8.16	6.92	173.95	12.81	29.91
		12:00	23.31	49.46	32.07	8.18	7.46	158.37	14.62	27.82
		15:00	23.35	49.47	32.04	8.19	7.48	174.53	10.69	34.32
		18:00	23.56	49.38	31.82	8.11	6.89	187.06	14.17	16.02
		21:00	23.47	49.32	31.84	8.12	6.56	145.86	13.29	10.54
		日平均	23.25	49.43	32.09	8.13	6.91	167.60	11.39	27.07
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月21日	蚵殼站	0:00	23.61	48.82	31.37	8.04	5.31	221.93	5.39	5.91
		3:00	23.48	48.97	31.58	8.02	5.41	225.80	5.23	4.11
		6:00	23.38	49.18	31.81	8.00	5.55	230.92	6.48	3.46
		9:00	23.81	49.05	31.40	7.99	5.76	233.62	5.19	3.47
		12:00	24.05	48.33	30.70	8.05	5.89	231.00	7.19	4.94
		15:00	23.82	49.12	31.44	8.07	5.97	230.18	5.45	4.51
		18:00	23.97	49.11	31.33	8.03	5.40	235.92	5.00	4.90
		21:00	24.07	49.04	31.20	8.02	5.56	235.63	5.31	4.43
		日平均	23.77	48.95	31.35	8.03	5.61	230.63	5.66	4.47
	潮口站	0:00	22.90	50.65	33.72	8.19	7.72	233.94	5.26	4.15
		3:00	23.61	50.62	33.15	8.14	7.43	215.60	4.06	3.82
		6:00	24.12	50.74	32.85	8.13	7.34	165.26	3.24	7.48
		9:00	23.78	50.69	33.07	8.15	7.44	168.84	3.24	8.42
		12:00	24.49	50.61	32.48	8.13	7.70	171.58	3.27	3.98
		15:00	24.55	50.46	32.33	8.12	7.57	179.02	2.46	3.63
		18:00	24.32	50.47	32.51	8.13	7.36	206.63	2.69	6.49
		21:00	23.43	50.66	33.32	8.16	7.53	229.33	7.31	1.87
		日平均	23.90	50.61	32.93	8.14	7.51	196.28	3.94	4.98
	灣內站	0:00	23.19	49.02	31.83	8.11	6.78	178.55	33.45	12.71
		3:00	23.08	49.17	32.02	8.05	6.44	158.03	41.44	10.92
		6:00	22.93	49.38	32.29	8.04	6.18	192.79	11.05	9.65
		9:00	23.12	49.25	32.05	8.12	6.42	185.07	8.95	8.96
		12:00	23.61	48.53	31.16	8.22	7.41	177.91	9.93	13.95
		15:00	23.82	49.32	31.59	8.15	7.25	165.94	19.62	14.96
		18:00	23.81	49.31	31.59	8.09	6.77	164.24	19.85	11.00
		21:00	23.75	49.24	31.58	8.06	6.35	142.91	13.15	7.11
		日平均	23.41	49.15	31.76	8.11	6.70	170.68	19.68	11.16
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月22日	蚵殼站	0:00	23.82	49.02	31.37	7.99	5.66	238.49	5.84	4.31
		3:00	23.64	49.08	31.54	8.05	5.36	232.81	7.61	4.67
		6:00	23.43	48.96	31.61	8.01	5.67	236.56	9.25	3.36
		9:00	23.83	49.16	31.46	8.01	5.68	242.94	7.52	3.43
		12:00	24.45	49.08	30.96	8.04	6.34	241.33	6.25	6.05
		15:00	24.31	49.13	31.10	8.08	6.56	240.87	6.20	6.25
		18:00	24.32	49.17	31.12	8.01	5.77	244.95	5.75	6.26
		21:00	24.23	49.24	31.24	7.98	5.60	248.55	5.57	5.21
		日平均	24.00	49.11	31.30	8.02	5.83	240.81	6.75	4.94
	潮口站	0:00	23.26	50.72	33.50	8.14	7.13	235.45	8.32	1.70
		3:00	23.34	50.68	33.40	8.14	7.25	209.58	5.98	2.93
		6:00	23.85	50.67	33.01	8.13	7.17	213.52	5.25	4.05
		9:00	23.84	50.65	33.00	8.13	7.40	223.13	4.54	4.48
		12:00	24.44	50.50	32.44	8.13	7.78	217.54	3.96	4.57
		15:00	24.65	50.44	32.24	8.12	7.69	224.83	3.18	1.84
		18:00	24.34	50.34	32.40	8.11	7.38	239.24	2.43	4.50
		21:00	23.68	50.26	32.83	8.13	7.62	250.04	6.74	3.27
		日平均	23.93	50.53	32.85	8.13	7.43	226.67	5.05	3.42
	灣內站	0:00	23.53	49.22	31.73	8.10	6.44	123.75	12.89	7.70
		3:00	23.30	49.25	31.92	8.10	6.84	171.30	11.78	9.94
		6:00	23.25	49.26	31.96	8.04	6.67	210.47	15.21	9.57
		9:00	23.37	49.27	31.88	8.09	6.65	198.29	17.38	6.95
		12:00	23.89	49.26	31.49	8.20	7.28	185.33	15.21	9.31
		15:00	24.26	49.26	31.23	8.21	7.44	181.88	13.21	13.46
		18:00	24.23	49.23	31.23	8.14	6.91	147.02	15.48	10.87
		21:00	24.10	49.21	31.31	8.15	6.56	150.04	14.74	8.09
		日平均	23.74	49.25	31.59	8.13	6.85	171.01	14.49	9.49
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月23日	蚵殼站	0:00	24.18	49.32	31.33	8.04	5.31	247.97	6.08	5.86
		3:00	24.00	49.38	31.50	8.07	5.41	244.07	6.88	6.69
		6:00	23.97	49.34	31.50	8.01	5.47	251.16	6.30	5.23
		9:00	24.28	49.17	31.15	8.00	5.55	247.67	5.38	4.96
		12:00	24.65	48.99	30.76	8.07	6.18	245.77	5.85	6.31
		15:00	24.58	48.98	30.80	8.11	5.84	240.99	6.14	7.53
		18:00	24.55	48.98	30.82	8.02	5.14	246.35	6.23	6.62
		21:00	24.62	48.99	30.78	7.93	5.24	240.02	6.30	6.45
		日平均	24.35	49.14	31.08	8.03	5.52	245.50	6.15	6.21
	潮口站	0:00	23.69	50.37	32.90	8.12	7.16	254.22	10.03	1.65
		3:00	23.61	50.46	33.03	8.13	7.29	256.86	6.60	5.17
		6:00	24.30	50.55	32.58	8.12	7.24	247.37	4.30	7.02
		9:00	24.22	50.55	32.64	8.13	7.32	261.78	15.06	1.07
		12:00	24.26	50.53	32.60	8.13	7.73	258.42	4.78	9.42
		15:00	24.81	50.51	32.18	8.13	7.89	263.05	3.75	3.67
		18:00	24.68	50.52	32.28	8.10	7.31	251.31	4.63	3.85
		21:00	24.24	50.49	32.58	8.12	7.61	256.12	11.17	5.55
		日平均	24.23	50.50	32.60	8.12	7.44	256.14	7.54	4.68
	灣內站	0:00	24.02	49.17	31.33	8.12	6.60	195.97	14.11	8.42
		3:00	23.86	49.21	31.48	8.08	6.88	180.98	13.59	9.93
		6:00	23.86	49.20	31.47	8.07	6.22	192.82	13.58	6.64
		9:00	23.88	49.13	31.41	8.05	6.61	202.64	12.10	7.42
		12:00	24.32	48.99	30.99	8.12	7.35	192.72	10.47	9.11
		15:00	24.52	49.08	30.91	8.18	7.66	196.02	10.00	12.48
		18:00	24.30	49.12	31.10	8.10	6.90	117.54	14.08	7.89
		21:00	24.16	49.12	31.20	8.10	6.79	146.26	10.96	7.23
		日平均	24.12	49.13	31.24	8.10	6.88	178.12	12.36	8.64
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月24日	蚵殼站	0:00	24.39	49.01	30.96	8.04	5.11	247.09	7.36	7.15
		3:00	24.13	49.18	31.26	8.08	5.57	233.09	8.74	7.66
		6:00	23.84	49.13	31.43	8.04	5.22	235.49	10.36	6.04
		9:00	23.66	49.18	31.60	8.04	5.23	238.16	11.17	5.11
		12:00	23.70	49.14	31.54	8.01	5.78	237.36	8.07	3.96
		15:00	23.83	49.06	31.39	8.08	6.01	234.62	7.40	5.71
		18:00	23.68	49.18	31.59	8.08	5.30	235.68	7.45	4.58
		21:00	23.76	49.05	31.43	8.03	5.69	238.93	6.60	3.78
		日平均	23.87	49.12	31.40	8.05	5.49	237.55	8.39	5.50
	潮口站	0:00	23.88	50.51	32.86	8.11	7.24	242.03	10.47	1.38
		3:00	23.57	50.58	33.15	8.13	7.28	254.54	9.49	6.33
		6:00	24.09	50.37	32.60	8.12	7.09	246.00	4.83	6.10
		9:00	24.04	49.78	32.21	8.12	7.19	258.64	4.66	1.13
		12:00	23.79	50.54	32.96	8.12	7.36	261.20	11.99	1.12
		15:00	23.89	50.55	32.89	8.11	7.36	262.91	4.05	8.44
		18:00	24.01	50.44	32.72	8.12	7.07	280.27	2.93	3.62
		21:00	23.43	50.45	33.16	8.12	7.24	298.48	4.61	7.17
		日平均	23.84	50.40	32.82	8.12	7.23	263.01	6.63	4.41
	灣內站	0:00	24.00	49.06	31.27	8.09	7.02	154.09	10.14	10.82
		3:00	23.74	49.09	31.48	8.05	6.82	192.00	8.36	7.69
		6:00	23.53	49.11	31.64	8.06	7.28	179.56	12.96	17.89
		9:00	23.41	49.14	31.75	8.08	7.27	186.31	14.49	15.31
		12:00	23.36	49.15	31.80	8.09	7.09	198.26	19.17	11.97
		15:00	23.29	49.11	31.82	8.14	7.23	201.22	16.31	15.45
		18:00	23.07	49.12	31.99	8.10	7.19	190.73	14.61	16.78
		21:00	22.80	49.11	32.18	8.07	6.81	199.98	16.35	10.55
		日平均	23.40	49.11	31.74	8.09	7.09	187.77	14.05	13.31
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月25日	蚵殼站	0:00	23.31	49.19	31.86	8.04	5.72	236.61	6.16	4.36
		3:00	22.81	49.26	32.29	8.03	5.88	244.47	6.69	2.66
		6:00	22.75	49.30	32.36	8.04	5.76	243.07	6.71	2.89
		9:00	22.81	49.26	32.29	8.04	5.76	236.24	6.73	2.45
		12:00	23.24	49.13	31.87	8.06	6.55	236.94	6.22	3.67
		15:00	23.16	49.15	31.95	8.10	6.93	231.04	6.90	3.78
		18:00	22.93	49.12	32.09	8.02	5.86	233.19	5.24	2.99
		21:00	23.12	49.10	31.94	7.98	6.11	235.35	5.41	3.66
		日平均	23.02	49.19	32.08	8.04	6.07	237.11	6.26	3.31
	潮口站	0:00	22.79	50.48	33.68	8.12	7.13	246.64	9.11	1.97
		3:00	22.34	49.95	33.63	8.13	7.32	256.54	10.15	3.99
		6:00	23.13	49.96	33.02	8.16	7.29	206.90	4.82	8.62
		9:00	23.83	50.52	32.91	8.21	7.34	236.43	28.74	2.29
		12:00	22.83	50.55	33.70	8.22	7.72	249.96	36.89	3.81
		15:00	23.31	50.56	33.34	8.22	7.97	231.75	27.55	2.54
		18:00	23.97	50.49	32.78	8.18	7.25	231.97	23.94	2.99
		21:00	23.73	50.43	32.92	8.19	7.19	248.79	8.95	2.38
		日平均	23.24	50.37	33.25	8.18	7.40	238.62	18.77	3.57
	灣內站	0:00	22.48	49.10	32.42	8.04	6.76	193.91	16.26	10.92
		3:00	22.17	49.15	32.69	8.06	6.82	206.27	17.44	10.73
		6:00	21.99	49.13	32.81	8.07	6.72	203.30	18.05	12.20
		9:00	22.14	49.09	32.67	8.08	6.99	211.97	19.67	11.97
		12:00	22.71	49.11	32.25	8.10	7.65	218.88	16.04	9.20
		15:00	22.83	49.12	32.17	8.21	7.68	219.58	16.84	10.26
		18:00	22.76	49.14	32.24	8.17	7.15	208.12	22.90	8.80
		21:00	22.56	49.14	32.39	8.08	6.58	146.29	22.20	5.86
		日平均	22.46	49.12	32.46	8.10	7.04	201.04	18.68	9.99
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月26日	蚵殼站	0:00	23.01	49.14	32.05	7.98	5.59	235.22	5.34	2.99
		3:00	22.59	49.26	32.46	8.05	6.17	238.23	6.62	2.93
		6:00	22.42	49.32	32.63	8.05	6.10	233.81	7.46	1.91
		9:00	22.50	49.26	32.52	8.06	6.16	229.06	6.29	1.24
		12:00	23.40	49.01	31.67	8.06	6.82	229.98	5.97	3.82
		15:00	23.19	49.12	31.90	8.15	6.98	228.69	3.21	4.44
		18:00	22.89	49.14	32.14	8.07	6.40	227.99	3.69	3.17
		21:00	22.80	49.20	32.25	7.99	5.75	234.57	2.74	2.13
		日平均	22.85	49.18	32.20	8.05	6.25	232.19	5.17	2.83
	潮口站	0:00	22.69	50.30	33.62	8.19	7.23	261.12	23.68	1.47
		3:00	21.99	50.48	34.32	8.19	7.04	267.11	35.88	2.51
		6:00	22.59	50.34	33.73	8.18	7.04	253.62	4.61	3.39
		9:00	23.43	50.57	33.25	8.18	7.16	265.06	5.67	3.56
		12:00	23.16	50.76	33.60	8.18	7.54	275.48	22.48	4.92
		15:00	22.42	50.56	34.03	8.20	8.21	276.73	10.04	4.98
		18:00	23.64	50.11	32.75	8.16	7.00	247.73	2.51	1.57
		21:00	23.67	50.01	32.65	8.14	6.39	264.22	2.44	14.70
		日平均	22.95	50.39	33.49	8.18	7.20	263.88	13.41	4.64
	灣內站	0:00	22.37	49.15	32.54	8.13	6.60	144.33	19.41	5.55
		3:00	22.13	49.15	32.72	8.16	6.98	159.33	15.24	7.77
		6:00	21.85	49.16	32.95	8.09	7.07	212.02	15.23	7.79
		9:00	21.87	49.18	32.95	8.14	7.17	202.19	15.06	7.30
		12:00	22.39	49.18	32.55	8.18	7.42	126.13	12.84	6.47
		15:00	22.52	49.18	32.45	8.17	7.55	137.85	8.97	8.13
		18:00	22.38	49.20	32.57	8.15	6.93	176.52	13.46	6.04
		21:00	22.33	49.19	32.60	8.10	6.82	145.02	12.36	5.05
		日平均	22.23	49.17	32.67	8.14	7.07	162.92	14.07	6.76
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月27日	蚵殼站	0:00	22.90	49.15	32.14	7.93	5.56	228.80	2.69	2.38
		3:00	22.57	49.28	32.49	8.02	5.86	231.89	0.53	1.27
		6:00	22.45	49.33	32.61	7.99	5.59	225.25	5.05	1.52
		9:00	22.46	49.25	32.55	8.09	6.31	224.52	6.91	1.04
		12:00	22.92	49.14	32.12	8.11	6.82	226.01	6.28	2.68
		15:00	23.12	49.09	31.93	8.14	7.39	222.13	2.42	3.65
		18:00	22.98	48.68	31.73	8.11	6.92	212.96	4.35	3.51
		21:00	22.78	49.10	32.19	8.09	6.29	221.44	5.85	2.04
		日平均	22.77	49.13	32.22	8.06	6.34	224.13	4.26	2.26
	潮口站	0:00	22.54	50.52	33.91	8.17	7.29	263.31	9.09	7.09
		3:00	21.88	50.53	34.45	8.18	7.04	254.71	4.07	6.47
		6:00	22.07	49.95	33.84	8.15	6.50	255.14	5.36	1.55
		9:00	23.30	50.27	33.13	8.14	6.74	250.81	5.15	3.09
		12:00	23.23	50.50	33.35	8.15	6.89	250.70	8.40	2.12
		15:00	22.66	50.41	33.73	8.17	7.39	253.04	11.72	4.72
		18:00	22.56	50.54	33.91	8.15	6.86	251.95	4.43	7.55
		21:00	23.24	49.92	32.91	8.13	6.62	247.20	3.07	2.83
		日平均	22.69	50.33	33.65	8.16	6.92	253.36	6.41	4.43
	灣內站	0:00	22.22	49.18	32.68	8.15	6.68	114.35	10.65	4.43
		3:00	21.96	49.20	32.89	8.14	6.55	154.25	12.08	4.53
		6:00	21.76	49.20	33.05	8.15	6.84	170.75	10.19	5.28
		9:00	21.87	49.19	32.95	8.14	7.14	182.35	10.28	5.25
		12:00	22.26	49.19	32.65	8.16	7.38	165.59	8.69	5.74
		15:00	22.23	49.20	32.68	8.16	7.50	146.97	9.00	7.16
		18:00	22.02	49.22	32.86	8.13	7.38	119.78	13.80	7.63
		21:00	21.83	49.23	33.02	8.07	7.01	217.41	22.88	6.05
		日平均	22.02	49.20	32.85	8.14	7.06	158.93	12.20	5.76
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月28日	蚵殼站	0:00	22.58	49.15	32.38	8.06	5.57	223.46	3.45	3.02
		3:00	22.29	49.19	32.63	8.08	5.92	221.81	6.38	2.41
		6:00	21.96	49.15	32.85	8.05	5.92	220.98	6.80	1.28
		9:00	21.68	49.11	33.04	8.03	5.66	225.38	5.92	0.22
		12:00	22.13	49.10	32.68	8.01	6.22	228.22	5.77	1.66
		15:00	22.30	49.16	32.60	8.05	6.42	226.25	6.04	2.76
		18:00	22.06	49.23	32.84	8.05	6.27	226.21	5.51	1.64
		21:00	21.80	49.26	33.06	8.07	5.79	225.75	5.39	0.71
		日平均	22.10	49.17	32.76	8.05	5.97	224.76	5.66	1.71
	潮口站	0:00	22.58	50.53	33.88	8.13	6.51	255.60	4.21	4.77
		3:00	21.56	50.53	34.71	8.15	6.39	253.95	2.67	4.07
		6:00	21.26	50.55	34.97	8.14	5.87	254.18	3.94	9.28
		9:00	22.80	50.35	33.57	8.13	6.39	236.20	3.93	3.17
		12:00	22.89	50.75	33.81	8.13	6.43	245.55	7.34	4.04
		15:00	21.45	50.42	34.71	8.15	6.66	240.91	7.13	1.33
		18:00	21.20	49.89	34.50	8.14	6.19	247.05	8.77	9.80
		21:00	22.16	50.04	33.84	8.13	6.22	254.56	4.41	6.30
		日平均	21.99	50.38	34.25	8.14	6.33	248.50	5.30	5.35
	灣內站	0:00	21.66	49.25	33.16	8.06	6.89	209.01	18.78	5.85
		3:00	21.43	49.27	33.36	8.06	6.74	206.28	18.27	5.05
		6:00	21.19	49.29	33.57	8.05	6.88	216.32	16.48	5.53
		9:00	21.28	49.28	33.49	8.06	6.61	209.04	18.32	4.91
		12:00	21.71	49.30	33.16	8.13	6.97	226.28	13.77	4.46
		15:00	21.74	49.29	33.13	8.17	6.93	234.08	14.09	5.39
		18:00	21.61	49.32	33.26	8.12	6.82	230.33	13.33	4.47
		21:00	21.35	49.34	33.48	8.06	6.61	218.36	15.77	4.00
		日平均	21.50	49.29	33.33	8.09	6.81	218.71	16.10	4.96
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月29日	蚵殼站	0:00	21.63	49.20	33.15	8.02	5.16	225.19	5.04	2.38
		3:00	21.48	49.28	33.33	8.00	5.34	230.55	5.31	2.28
		6:00	21.26	49.17	33.42	7.97	5.20	234.22	5.73	1.37
		9:00	21.23	49.17	33.44	7.97	5.54	233.16	5.09	1.59
		12:00	21.74	49.14	33.02	8.01	6.05	229.34	5.54	3.71
		15:00	22.01	49.13	32.80	8.11	6.48	228.94	25.47	4.37
		18:00	21.66	49.21	33.13	8.00	5.25	228.04	16.01	2.69
		21:00	21.56	49.27	33.26	7.94	5.75	216.38	4.42	2.26
		日平均	21.57	49.20	33.19	8.00	5.60	228.23	9.08	2.58
	潮口站	0:00	21.99	50.84	34.60	8.12	6.87	263.92	8.07	8.44
		3:00	20.83	50.03	34.92	8.11	6.78	262.61	4.39	4.84
		6:00	20.91	50.60	35.30	8.11	6.53	266.08	23.00	2.05
		9:00	22.90	50.55	33.65	8.10	6.87	250.03	3.61	5.68
		12:00	23.23	50.13	33.08	8.10	6.80	258.01	2.45	5.37
		15:00	21.25	50.45	34.90	8.11	6.97	249.26	7.71	1.87
		18:00	21.10	50.03	34.69	8.11	6.83	258.15	9.85	6.37
		21:00	21.17	50.82	35.26	8.11	6.61	269.11	0.94	5.68
		日平均	21.67	50.43	34.55	8.11	6.78	259.65	7.50	5.04
	灣內站	0:00	21.25	49.35	33.57	8.08	6.49	203.25	16.05	3.78
		3:00	21.03	49.35	33.74	8.09	6.43	187.71	11.03	3.71
		6:00	20.88	49.36	33.87	8.10	6.41	124.36	10.21	3.96
		9:00	20.93	49.36	33.83	8.10	6.53	178.76	9.65	4.23
		12:00	21.18	49.36	33.63	8.12	6.81	207.68	10.66	4.28
		15:00	21.26	49.36	33.57	8.18	7.06	226.58	10.18	4.96
		18:00	21.18	49.38	33.65	8.19	6.41	214.59	12.88	4.05
		21:00	21.07	49.38	33.73	8.17	6.33	113.34	12.29	3.58
		日平均	21.10	49.36	33.70	8.13	6.56	182.03	11.62	4.07
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月30日	蚵殼站	0:00	21.37	49.22	33.37	8.07	5.82	223.56	4.52	1.84
		3:00	21.25	49.20	33.45	7.95	5.33	227.18	4.42	0.77
		6:00	21.10	49.25	33.61	8.03	5.64	227.95	4.73	0.86
		9:00	21.24	49.26	33.50	8.03	6.02	233.18	4.27	0.89
		12:00	21.58	49.20	33.19	8.04	6.53	234.84	4.09	2.41
		15:00	21.69	49.19	33.09	8.11	7.06	236.85	3.74	2.70
		18:00	22.03	49.11	32.77	8.03	6.31	238.05	3.72	4.19
		21:00	22.10	49.03	32.65	7.93	6.33	228.66	15.91	4.43
		日平均	21.55	49.18	33.20	8.02	6.13	231.28	5.68	2.26
	潮口站	0:00	22.01	50.52	34.33	8.10	6.12	265.85	4.21	10.80
		3:00	20.78	50.40	35.26	8.11	6.02	266.75	4.47	4.25
		6:00	20.65	50.25	35.25	8.10	5.84	259.68	4.35	6.15
		9:00	22.74	49.91	33.29	8.13	6.83	238.20	4.95	7.21
		12:00	23.48	50.24	32.97	8.10	6.75	242.57	2.26	3.61
		15:00	22.29	50.33	33.96	8.11	6.74	252.05	9.74	0.50
		18:00	21.24	50.03	34.58	8.11	6.89	263.71	6.69	1.39
		21:00	21.30	50.50	34.90	8.14	6.22	273.05	3.27	2.28
		日平均	21.81	50.27	34.32	8.11	6.43	257.73	4.99	4.52
	灣內站	0:00	20.95	49.39	33.84	8.19	6.59	118.72	10.67	4.08
		3:00	20.87	49.39	33.90	8.18	6.38	195.45	10.06	3.59
		6:00	20.72	49.40	34.03	8.17	6.59	125.88	9.74	4.45
		9:00	20.72	49.40	34.03	8.18	6.70	177.53	10.09	4.31
		12:00	21.20	49.41	33.65	8.21	7.03	207.56	7.30	4.25
		15:00	21.58	49.41	33.35	8.21	7.12	225.58	7.90	4.77
		18:00	21.79	49.40	33.18	8.18	6.62	207.89	11.58	4.11
		21:00	21.59	49.42	33.35	8.12	6.66	189.24	11.65	3.97
		日平均	21.18	49.40	33.67	8.18	6.71	180.98	9.87	4.19
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1月31日	蚵殼站	0:00	21.95	49.15	32.86	7.97	6.09	231.00	1.19	2.07
		3:00	21.71	49.12	33.02	8.06	6.16	234.50	4.18	2.33
		6:00	21.58	49.24	33.22	7.99	5.85	241.92	1.08	2.68
		9:00	21.65	49.19	33.13	8.03	6.23	239.79	1.77	3.44
		12:00	21.93	49.11	32.85	8.09	7.15	237.23	3.02	2.83
		15:00	22.27	48.96	32.47	8.12	7.15	234.73	0.67	1.92
		18:00	22.17	48.97	32.55	8.03	6.53	232.44	3.39	1.94
		21:00	21.89	49.16	32.92	8.00	5.76	226.00	3.18	1.82
	日平均	21.89	49.11	32.88	8.04	6.37	234.70	2.31	2.38	
	潮口站	0:00	21.63	50.47	34.60	8.19	6.33	277.34	2.08	5.58
		3:00	21.97	50.44	34.30	8.17	6.21	282.59	7.88	1.62
		6:00	21.69	50.79	34.80	8.17	6.15	281.98	5.52	2.46
		9:00	22.69	49.88	33.30	8.17	6.65	260.35	3.71	8.80
		12:00	23.47	50.42	33.11	8.17	6.69	252.38	6.97	1.63
		15:00	22.81	50.46	33.65	8.16	6.42	263.12	3.88	1.98
		18:00	21.45	50.36	34.66	8.15	6.92	269.74	8.74	2.66
		21:00	21.56	50.41	34.61	8.17	6.06	268.61	4.41	1.35
	日平均	22.16	50.40	34.13	8.17	6.43	269.51	5.40	3.26	
	灣內站	0:00	21.29	49.42	33.59	8.09	6.52	187.75	11.56	3.78
		3:00	20.95	49.42	33.86	8.07	6.30	170.10	11.84	3.99
		6:00	20.82	49.43	33.98	8.09	6.21	135.35	10.27	3.84
		9:00	20.98	49.43	33.85	8.15	6.55	118.91	9.25	4.12
		12:00	21.58	49.42	33.36	8.17	7.06	123.43	8.84	4.05
		15:00	22.06	49.41	32.98	8.17	7.06	167.43	9.08	4.45
		18:00	22.08	49.42	32.97	8.12	6.50	163.27	10.84	4.01
		21:00	21.86	49.43	33.15	8.08	6.40	133.41	10.76	3.74
	日平均	21.45	49.42	33.47	8.12	6.58	149.96	10.31	4.00	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月1日	蚵殼站	0:00	21.79	49.22	33.04	8.14	5.66	227.53	1.08	1.13
		3:00	21.79	49.18	33.01	8.14	5.94	229.79	2.01	1.97
		6:00	21.65	49.17	33.11	8.11	5.88	229.06	2.29	1.03
		9:00	21.65	49.15	33.09	8.08	6.04	234.54	1.55	1.68
		12:00	21.97	49.00	32.73	8.09	6.89	232.95	1.87	1.11
		15:00	22.43	48.94	32.33	8.10	6.24	230.72	2.00	2.61
		18:00	22.50	48.84	32.20	8.07	5.70	229.62	2.10	2.16
		21:00	22.60	48.76	32.07	7.94	5.41	229.31	0.86	2.02
	日平均	22.05	49.03	32.70	8.08	5.97	230.44	1.72	1.71	
	潮口站	0:00	21.35	50.78	35.08	8.16	6.64	269.97	2.33	1.19
		3:00	22.53	50.86	34.18	8.16	6.46	252.30	8.30	1.16
		6:00	22.51	50.87	34.20	8.14	6.22	269.92	8.18	6.82
		9:00	22.48	50.77	34.15	8.17	6.53	264.38	9.95	8.87
		12:00	23.02	50.62	33.61	8.15	6.12	258.61	4.72	13.90
		15:00	23.06	50.53	33.51	8.14	6.79	265.63	6.76	8.93
		18:00	21.32	50.43	34.83	8.14	6.04	281.94	9.38	2.96
		21:00	21.15	50.53	35.05	8.13	6.92	284.45	3.19	8.99
	日平均	22.18	50.67	34.33	8.15	6.47	268.40	6.60	6.60	
	灣內站	0:00	21.72	49.44	33.26	8.07	7.12	127.53	10.33	4.17
		3:00	21.41	49.46	33.53	8.09	6.89	159.79	11.32	4.11
		6:00	21.24	49.46	33.66	8.13	6.86	229.06	9.91	4.44
		9:00	21.23	49.46	33.67	8.16	6.62	234.54	9.84	4.22
		12:00	21.26	49.47	33.65	8.16	7.02	232.95	10.01	4.25
		15:00	21.36	49.47	33.57	8.14	6.71	230.72	10.19	4.08
		18:00	21.98	49.44	33.06	8.09	6.49	229.62	10.25	4.48
		21:00	21.69	49.43	33.28	8.07	5.70	229.31	10.67	4.08
	日平均	21.49	49.45	33.46	8.11	6.68	209.19	10.32	4.23	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月2日	蚵殼站	0:00	22.39	48.87	32.31	8.02	5.68	234.35	9.44	2.63
		3:00	22.16	48.96	32.55	8.03	5.84	234.19	1.52	1.49
		6:00	21.98	49.05	32.76	8.01	5.87	234.37	2.59	1.87
		9:00	21.93	49.05	32.80	8.01	6.04	153.04	35.76	3.82
		12:00	22.46	49.03	32.38	8.03	7.09	116.19	17.25	3.46
		15:00	22.54	49.01	32.30	8.07	7.21	126.30	1.32	4.35
		18:00	22.76	49.02	32.15	8.04	6.21	148.71	0.13	5.11
		21:00	22.75	48.99	32.13	8.01	6.46	137.51	0.28	5.32
		日平均	22.37	49.00	32.42	8.03	6.30	173.08	8.54	3.51
	潮口站	0:00	21.30	50.61	34.99	8.15	6.65	309.38	35.14	16.30
		3:00	22.29	50.78	34.31	8.15	6.85	301.11	25.57	10.17
		6:00	22.68	50.55	33.82	8.15	6.27	302.53	17.33	8.70
		9:00	22.54	50.62	33.98	8.17	6.92	301.27	18.14	1.44
		12:00	23.18	50.79	33.61	8.18	7.22	287.67	10.00	12.34
		15:00	23.32	50.58	33.34	8.18	8.87	191.76	29.93	6.03
		18:00	22.28	50.72	34.27	8.15	7.41	169.49	21.14	4.06
		21:00	21.90	50.69	34.55	8.14	7.31	160.39	36.45	5.95
		日平均	22.44	50.67	34.11	8.16	7.19	252.95	24.21	8.12
	灣內站	0:00	21.35	49.39	33.52	8.07	6.69	214.35	10.32	4.24
		3:00	21.12	49.42	33.73	8.08	5.83	194.19	17.00	4.54
		6:00	21.24	49.29	33.53	8.08	6.05	174.37	12.82	4.63
		9:00	21.29	49.31	33.50	8.12	6.79	153.04	9.97	4.58
		12:00	21.42	49.27	33.37	8.13	7.27	116.19	16.39	9.48
		15:00	21.50	49.25	33.29	8.13	7.56	126.30	35.22	5.39
		18:00	21.72	49.31	33.16	8.12	6.75	148.71	81.15	5.54
		21:00	21.71	49.23	33.11	8.09	6.73	137.51	33.19	3.84
		日平均	21.42	49.31	33.40	8.10	6.71	158.08	27.01	5.28
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月3日	蚵殼站	0:00	22.60	49.01	32.26	8.01	5.98	116.18	0.17	4.58
		3:00	22.54	49.08	32.36	8.00	5.77	121.29	0.25	4.54
		6:00	22.51	48.87	32.22	8.03	5.35	128.34	0.35	4.49
		9:00	22.73	48.28	31.61	8.02	5.48	130.93	0.21	5.25
		12:00	23.40	49.04	31.69	8.01	6.92	121.22	0.80	8.36
		15:00	23.31	49.05	31.76	8.02	6.71	131.59	0.46	7.71
		18:00	23.19	48.94	31.77	8.03	5.83	142.86	0.29	7.07
		21:00	23.16	48.95	31.80	8.03	6.06	126.57	0.21	7.09
		日平均	22.93	48.90	31.93	8.02	6.01	127.37	0.34	6.14
	潮口站	0:00	21.94	50.49	34.37	8.14	8.04	153.78	25.74	3.26
		3:00	22.65	50.46	33.78	8.16	7.19	151.37	2.53	2.08
		6:00	23.27	50.48	33.31	8.15	6.32	167.24	1.69	1.57
		9:00	23.39	51.04	33.63	8.16	6.55	175.20	1.83	1.58
		12:00	23.75	50.85	33.22	8.18	7.48	146.62	1.51	1.67
		15:00	23.75	50.75	33.14	8.18	7.25	148.54	1.34	1.48
		18:00	23.33	51.18	33.79	8.18	7.48	227.30	2.46	2.65
		21:00	22.63	50.63	33.92	8.17	8.50	297.14	10.80	5.64
		日平均	23.09	50.74	33.65	8.17	7.35	183.40	5.99	2.49
	灣內站	0:00	21.56	49.21	33.21	8.09	6.24	116.18	32.17	4.31
		3:00	21.50	49.28	33.31	8.10	6.38	121.29	28.02	4.30
		6:00	21.47	49.07	33.17	8.09	6.84	128.34	15.96	4.11
		9:00	21.69	48.48	32.55	8.05	7.21	130.93	13.90	3.77
		12:00	21.36	49.24	33.40	8.04	6.54	121.22	12.85	4.11
		15:00	21.27	49.25	33.47	8.08	6.28	131.59	27.72	4.98
		18:00	21.15	49.14	33.48	8.10	6.22	142.86	22.65	4.56
		21:00	21.12	49.15	33.52	8.12	6.11	126.57	22.95	5.08
		日平均	21.39	49.10	33.26	8.08	6.48	127.37	22.03	4.40
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月4日	蚵殼站	0:00	23.10	48.98	31.86	8.01	5.47	132.71	0.17	6.44
		3:00	22.95	48.45	31.58	8.01	5.25	133.67	0.56	6.43
		6:00	22.84	48.46	31.67	8.00	5.85	126.34	0.86	6.44
		9:00	23.01	49.02	31.96	8.00	5.69	129.22	0.56	7.44
		12:00	23.53	49.05	31.60	8.01	7.25	124.85	0.73	9.31
		15:00	23.62	49.06	31.54	8.04	6.92	133.70	0.35	9.38
		18:00	23.62	48.99	31.49	8.02	5.99	144.72	0.26	8.57
		21:00	23.61	48.93	31.45	8.03	5.34	132.31	0.21	8.10
		日平均	23.29	48.87	31.64	8.02	5.97	132.19	0.46	7.76
	潮口站	0:00	22.60	50.46	33.81	8.17	7.45	223.75	16.97	1.61
		3:00	22.77	50.48	33.70	8.17	7.12	176.78	2.67	1.95
		6:00	23.22	50.45	33.32	8.14	6.36	166.67	7.72	1.46
		9:00	23.28	50.44	33.27	8.14	6.86	185.79	3.73	1.39
		12:00	23.74	51.20	33.48	8.11	7.51	224.89	2.85	1.51
		15:00	24.06	50.76	32.91	8.14	7.20	289.15	1.72	1.49
		18:00	23.80	50.81	33.15	8.15	6.86	267.27	2.86	5.87
		21:00	23.14	50.91	33.73	8.15	8.06	315.62	8.56	1.98
		日平均	23.33	50.69	33.42	8.15	7.18	231.24	5.89	2.16
	灣內站	0:00	21.06	49.18	33.59	8.13	6.16	132.71	21.72	3.92
		3:00	20.91	48.65	33.29	8.15	6.25	133.67	26.77	3.51
		6:00	20.80	48.66	33.39	8.15	6.86	126.34	14.97	4.30
		9:00	20.97	49.22	33.69	8.17	7.43	129.22	18.84	4.02
		12:00	21.49	49.25	33.30	8.16	6.93	124.85	11.60	4.48
		15:00	21.58	49.26	33.24	8.16	6.38	133.70	12.59	4.92
		18:00	21.58	49.19	33.18	8.12	6.80	144.72	15.20	4.09
		21:00	21.57	49.13	33.14	8.10	7.44	132.31	13.80	3.97
		日平均	21.25	49.07	33.35	8.14	6.78	132.19	16.94	4.15
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月5日	蚵殼站	0:00	23.35	48.80	31.55	8.00	5.25	133.15	0.59	7.76
		3:00	23.24	48.98	31.76	7.98	5.44	129.69	0.60	8.34
		6:00	23.22	48.84	31.67	7.98	5.20	141.37	0.70	7.18
		9:00	23.29	49.07	31.79	7.96	5.84	146.58	0.79	6.88
		12:00	23.70	49.26	31.63	7.99	6.44	154.94	0.98	8.87
		15:00	23.78	49.06	31.43	8.01	6.56	151.87	1.20	9.69
		18:00	23.70	48.61	31.15	8.03	5.58	154.11	0.26	8.29
		21:00	23.72	48.51	31.07	8.04	5.29	158.97	0.78	9.53
		日平均	23.50	48.89	31.51	8.00	5.70	146.34	0.74	8.32
	潮口站	0:00	22.99	50.56	33.58	8.14	7.65	272.30	3.41	0.08
		3:00	23.04	50.58	33.56	8.15	6.31	187.10	18.80	1.94
		6:00	23.46	50.61	33.26	8.14	6.11	188.06	12.25	5.40
		9:00	23.44	50.53	33.21	8.14	6.45	204.73	15.13	2.13
		12:00	23.57	51.18	33.60	8.15	6.83	221.86	2.47	1.97
		15:00	23.69	51.24	33.55	8.15	7.68	300.73	4.70	2.24
		18:00	23.56	51.29	33.69	8.15	6.88	282.34	5.31	2.32
		21:00	23.17	51.27	33.98	8.13	7.64	314.32	7.39	1.56
		日平均	23.37	50.91	33.55	8.14	6.94	246.43	8.68	2.21
	灣內站	0:00	21.31	49.00	33.25	8.10	6.29	133.15	15.87	4.33
		3:00	21.20	49.18	33.48	8.14	6.17	129.69	20.09	4.64
		6:00	21.18	49.04	33.38	8.13	7.15	141.37	22.73	4.50
		9:00	21.25	48.27	32.73	8.14	7.79	146.58	24.58	4.03
		12:00	21.66	48.46	32.56	8.16	7.56	154.94	30.33	4.22
		15:00	21.74	49.26	33.11	8.16	6.33	151.87	16.88	5.17
		18:00	21.66	48.81	32.83	8.13	6.62	154.11	25.85	3.65
		21:00	21.68	47.71	31.96	8.13	6.64	158.97	22.29	3.66
		日平均	21.46	48.72	32.91	8.14	6.82	146.34	22.33	4.28
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月6日	蚵殼站	0:00	23.67	49.02	31.48	8.03	5.50	145.23	0.80	8.54
		3:00	23.51	49.03	31.60	7.98	5.61	158.46	0.78	8.16
		6:00	23.35	48.45	31.29	7.98	5.68	162.77	1.10	7.86
		9:00	23.61	48.77	31.34	8.02	5.76	159.28	0.99	7.83
		12:00	23.91	49.00	31.29	8.02	6.11	173.13	1.69	9.25
		15:00	24.09	48.91	31.09	8.04	6.36	175.51	0.94	10.18
		18:00	24.00	49.04	31.25	8.04	5.95	181.66	0.38	12.22
		21:00	24.05	48.42	30.77	7.98	5.74	176.07	0.48	11.80
		日平均	23.77	48.83	31.26	8.01	5.84	166.51	0.90	9.48
	潮口站	0:00	23.10	51.12	33.92	8.16	6.37	308.99	23.11	2.83
		3:00	22.95	51.15	34.06	8.18	6.64	204.75	44.59	1.31
		6:00	23.28	51.28	33.90	8.19	6.11	199.60	28.47	7.16
		9:00	23.31	51.34	33.92	8.19	6.86	227.49	4.88	2.56
		12:00	23.60	51.05	33.48	8.19	7.37	237.62	12.68	4.75
		15:00	23.85	51.05	33.29	8.17	8.04	297.86	41.06	5.48
		18:00	23.99	51.21	33.30	8.14	6.34	272.17	31.42	4.38
		21:00	23.50	51.27	33.72	8.17	7.43	293.80	39.00	2.17
		日平均	23.45	51.18	33.70	8.17	6.90	255.29	28.15	3.83
	灣內站	0:00	21.63	49.22	33.17	8.14	6.39	145.23	15.55	3.72
		3:00	21.47	49.23	33.30	8.15	6.26	158.46	19.99	3.90
		6:00	21.31	48.65	32.98	8.15	6.68	162.77	20.57	4.07
		9:00	21.57	48.97	33.02	8.14	7.79	159.28	13.08	3.77
		12:00	21.87	48.20	32.20	8.15	6.95	173.13	16.57	3.62
		15:00	22.05	49.11	32.76	8.17	6.45	175.51	17.63	4.43
		18:00	21.96	49.24	32.93	8.14	6.83	181.66	14.78	3.70
		21:00	22.01	48.62	32.41	8.13	7.37	176.07	9.69	3.59
		日平均	21.73	48.91	32.85	8.15	6.84	166.51	15.98	3.85
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月7日	蚵殼站	0:00	24.03	49.03	31.23	8.02	5.36	182.76	0.62	9.32
		3:00	23.92	49.03	31.30	7.99	5.72	187.03	0.91	9.37
		6:00	23.83	49.05	31.38	7.96	5.64	192.67	0.92	8.78
		9:00	24.08	48.85	31.06	8.00	5.38	195.52	0.75	9.87
		12:00	24.48	49.25	31.07	8.01	6.90	200.96	0.99	11.48
		15:00	24.49	48.92	30.82	8.01	6.95	210.17	1.04	11.93
		18:00	24.33	48.39	30.55	8.10	5.55	143.43	0.29	12.39
		21:00	24.28	48.54	30.69	8.12	5.46	174.68	0.56	16.71
		日平均	24.18	48.88	31.01	8.03	5.87	185.90	0.76	11.23
	潮口站	0:00	23.29	51.33	33.93	8.20	7.11	308.02	39.84	2.80
		3:00	23.38	51.25	33.80	8.16	6.10	254.17	22.90	5.36
		6:00	23.75	51.27	33.53	8.16	5.77	240.76	15.63	1.43
		9:00	23.96	51.11	33.25	8.19	6.64	246.74	17.07	6.59
		12:00	24.11	50.86	32.95	8.21	7.49	233.18	81.26	5.36
		15:00	24.36	50.97	32.84	8.23	8.49	252.97	31.50	3.16
		18:00	24.13	51.08	33.10	8.19	7.85	265.40	46.19	1.20
		21:00	23.98	51.16	33.27	8.20	7.93	262.31	12.10	1.31
		日平均	23.87	51.13	33.33	8.19	7.17	257.94	33.31	3.40
	灣內站	0:00	21.99	49.23	32.89	8.13	6.73	182.76	6.50	3.52
		3:00	21.88	49.23	32.98	8.13	6.17	187.03	11.28	3.78
		6:00	21.79	48.65	32.60	8.13	6.57	192.67	19.64	4.08
		9:00	22.04	49.05	32.72	8.12	7.46	195.52	9.55	4.23
		12:00	22.44	49.45	32.72	8.14	7.23	200.96	8.37	6.50
		15:00	22.45	49.12	32.46	8.15	6.42	210.17	16.47	7.28
		18:00	22.29	49.59	32.94	8.16	6.50	143.43	21.47	4.23
		21:00	22.24	48.74	32.33	8.13	6.98	174.68	28.15	3.45
		日平均	22.14	49.13	32.71	8.14	6.76	185.90	15.18	4.63
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月8日	蚵殼站	0:00	24.31	49.34	31.25	8.06	5.41	139.05	0.60	22.89
		3:00	24.36	48.53	30.63	8.04	5.78	178.12	0.38	20.31
		6:00	24.36	49.10	31.04	7.99	6.28	204.22	0.41	11.29
		9:00	24.46	49.05	30.94	8.02	6.28	206.37	0.62	11.48
		12:00	24.72	48.63	30.45	8.05	6.21	213.20	1.10	12.97
		15:00	24.73	48.95	30.67	8.01	7.20	215.75	0.72	12.31
		18:00	24.66	48.53	30.42	7.98	6.59	215.83	0.72	12.60
		21:00	24.61	49.32	31.03	8.11	6.27	204.23	0.28	12.08
		日平均	24.53	48.93	30.80	8.03	6.25	197.10	0.60	14.49
	潮口站	0:00	23.90	51.21	33.37	8.22	7.25	275.57	18.63	3.16
		3:00	23.90	51.04	33.24	8.19	6.71	237.83	11.66	4.71
		6:00	23.81	50.93	33.23	8.18	5.86	231.30	6.40	5.86
		9:00	24.01	50.84	33.01	8.20	6.73	233.58	10.94	2.69
		12:00	24.33	50.74	32.70	8.24	7.67	229.93	36.86	3.80
		15:00	24.37	50.84	32.74	8.23	8.13	241.12	29.93	2.81
		18:00	24.09	50.91	33.00	8.21	7.78	252.29	45.48	4.38
		21:00	24.01	50.85	33.02	8.21	7.44	254.00	13.29	6.96
		日平均	24.05	50.92	33.04	8.21	7.20	244.45	21.65	4.30
	灣內站	0:00	22.27	49.54	32.92	8.12	6.58	139.05	34.87	3.40
		3:00	22.32	48.73	32.26	8.11	6.06	178.12	42.42	3.43
		6:00	22.32	49.30	32.69	8.13	6.12	204.22	32.74	3.86
		9:00	22.42	49.25	32.58	8.13	6.30	206.37	19.34	3.53
		12:00	22.67	48.83	32.07	8.13	6.81	213.20	8.57	4.19
		15:00	22.68	49.15	32.30	8.18	6.27	215.75	11.95	4.80
		18:00	22.61	48.73	32.04	8.16	6.20	215.83	18.58	4.60
		21:00	22.56	49.52	32.67	8.13	6.84	204.23	37.04	3.47
		日平均	22.48	49.13	32.44	8.14	6.40	197.10	25.69	3.91
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月9日	蚵殼站	0:00	24.54	49.02	30.86	8.00	5.83	187.74	0.44	11.61
		3:00	24.44	48.90	30.84	8.00	5.67	188.29	0.69	11.67
		6:00	24.41	48.75	30.75	8.04	5.35	186.65	0.85	11.63
		9:00	24.53	48.41	30.42	8.10	5.26	163.95	0.53	11.25
		12:00	24.98	48.74	30.35	8.05	6.83	175.57	1.09	12.65
		15:00	25.17	48.83	30.29	8.04	6.58	183.06	1.00	13.97
		18:00	25.17	47.53	29.36	8.03	5.55	184.68	0.93	17.87
		21:00	25.22	49.00	30.37	8.01	5.47	170.94	0.76	21.39
		日平均	24.81	48.65	30.41	8.03	5.82	180.11	0.79	14.01
	潮口站	0:00	23.94	50.95	33.15	8.20	6.86	275.71	17.33	6.59
		3:00	23.89	50.99	33.21	8.20	6.76	244.08	16.97	5.26
		6:00	23.74	51.00	33.33	8.18	5.77	236.57	28.16	1.20
		9:00	23.99	50.89	33.06	8.19	6.16	230.64	6.15	2.17
		12:00	24.59	50.55	32.37	8.20	7.12	237.37	16.43	3.72
		15:00	24.66	50.68	32.41	8.22	7.49	234.02	49.67	3.75
		18:00	24.32	50.81	32.76	8.20	7.77	250.38	12.69	2.36
		21:00	24.16	50.79	32.86	8.19	6.93	237.75	12.82	1.90
		日平均	24.16	50.83	32.89	8.20	6.86	243.32	20.03	3.37
	灣內站	0:00	22.49	49.22	32.50	8.10	6.64	187.74	62.63	3.34
		3:00	22.40	49.10	32.48	8.12	6.47	188.29	81.25	3.25
		6:00	22.37	48.95	32.39	8.14	6.18	186.65	75.55	3.76
		9:00	22.48	48.61	32.04	8.12	6.47	163.95	25.49	3.81
		12:00	22.93	48.94	31.96	8.13	7.82	175.57	11.39	5.05
		15:00	23.12	49.03	31.88	8.14	7.65	183.06	11.10	7.57
		18:00	23.12	48.73	31.66	8.16	6.18	184.68	14.46	7.50
		21:00	23.17	49.20	31.97	8.14	6.37	170.94	14.97	3.62
		日平均	22.76	48.97	32.11	8.13	6.72	180.11	37.11	4.74
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月10日	蚵殼站	0:00	25.30	48.97	30.30	8.04	5.65	178.15	0.91	16.61
		3:00	25.15	48.94	30.38	8.06	5.92	179.16	0.94	17.94
		6:00	25.05	49.29	30.70	8.15	5.21	168.52	0.58	15.38
		9:00	25.26	48.38	29.91	8.04	6.53	152.50	0.79	14.42
		12:00	25.47	48.92	30.15	8.03	6.88	173.35	1.07	14.55
		15:00	25.74	48.96	29.99	8.03	6.30	180.30	0.77	15.12
		18:00	25.78	48.86	29.90	7.98	6.27	185.64	0.82	16.35
		21:00	25.69	48.91	29.99	8.06	5.75	169.85	0.74	21.44
		日平均	25.43	48.90	30.17	8.05	6.06	173.43	0.83	16.48
	潮口站	0:00	24.26	50.86	32.84	8.20	7.22	265.44	28.34	1.54
		3:00	24.49	50.80	32.62	8.20	7.22	247.63	34.11	3.73
		6:00	24.05	50.76	32.92	8.18	5.84	241.40	16.84	4.21
		9:00	24.17	50.78	32.85	8.19	6.35	232.36	18.85	3.39
		12:00	25.01	50.56	32.07	8.20	7.02	231.32	28.12	9.20
		15:00	25.21	50.59	31.95	8.21	7.44	228.35	15.08	1.68
		18:00	24.52	50.63	32.48	8.20	7.53	235.10	21.51	3.69
		21:00	24.24	50.72	32.75	8.19	7.07	234.33	50.27	2.89
		日平均	24.49	50.71	32.56	8.20	6.96	239.49	26.64	3.79
	灣內站	0:00	23.25	49.17	31.89	8.09	6.31	178.15	19.15	4.50
		3:00	23.10	49.14	31.98	8.12	6.65	179.16	24.29	4.40
		6:00	23.00	49.49	32.32	8.13	7.19	168.52	28.13	5.26
		9:00	23.21	49.58	32.23	8.12	7.36	152.50	17.41	5.12
		12:00	23.42	49.12	31.73	8.14	8.23	173.35	12.01	4.95
		15:00	23.69	49.16	31.56	8.14	7.82	180.30	18.11	5.12
		18:00	23.73	49.06	31.46	8.13	6.27	185.64	25.57	3.72
		21:00	23.64	49.11	31.56	8.13	5.89	169.85	32.18	3.06
		日平均	23.38	49.23	31.84	8.13	6.97	173.43	22.11	4.52
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月11日	蚵殼站	0:00	25.63	49.18	30.22	8.10	5.92	142.25	0.61	24.97
		3:00	25.51	48.48	29.81	8.12	6.20	160.97	0.71	20.12
		6:00	25.43	48.87	30.14	8.07	6.45	169.19	1.06	15.08
		9:00	25.55	48.26	29.63	8.06	6.81	179.85	0.75	14.62
		12:00	25.87	48.27	29.42	8.03	7.15	185.19	0.76	15.63
		15:00	25.94	48.14	29.29	8.03	7.08	187.66	0.73	16.12
		18:00	25.91	48.99	29.90	8.10	6.25	169.04	0.93	18.85
		21:00	25.84	49.35	30.20	8.14	5.53	144.07	0.73	17.25
		日平均	25.71	48.69	29.83	8.08	6.42	167.28	0.79	17.83
	潮口站	0:00	24.58	50.68	32.47	8.21	7.47	244.15	32.72	1.92
		3:00	24.81	49.98	31.79	8.21	7.88	241.24	33.81	3.64
		6:00	24.34	50.37	32.42	8.20	6.61	235.82	18.24	1.10
		9:00	24.05	49.76	32.19	8.19	7.27	233.03	40.67	5.27
		12:00	24.85	49.77	31.61	8.20	7.83	229.79	12.11	7.85
		15:00	25.32	49.64	31.19	8.19	7.56	230.48	19.74	1.71
		18:00	24.81	50.49	32.16	8.19	8.12	233.07	12.92	1.45
		21:00	24.23	50.85	32.85	8.18	7.72	229.90	59.19	1.97
		日平均	24.62	50.19	32.09	8.20	7.56	234.69	28.68	3.11
	灣內站	0:00	23.58	49.38	31.81	8.09	6.37	142.25	32.35	4.17
		3:00	23.46	48.68	31.37	8.08	5.85	160.97	38.47	3.37
		6:00	23.38	49.07	31.72	8.11	5.98	169.19	22.18	3.88
		9:00	23.50	48.46	31.18	8.12	5.86	179.85	19.69	3.97
		12:00	23.82	48.47	30.96	8.14	7.02	185.19	13.11	6.21
		15:00	23.89	49.34	31.55	8.14	6.56	187.66	16.47	7.92
		18:00	23.86	49.19	31.46	8.11	6.45	169.04	20.69	6.45
		21:00	23.79	49.55	31.78	8.15	6.04	144.07	21.32	3.35
		日平均	23.66	49.02	31.48	8.12	6.27	167.28	23.04	4.92
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月12日	蚵殼站	0:00	25.74	48.72	29.83	8.14	5.74	168.29	0.62	16.07
		3:00	25.67	48.72	29.87	8.21	6.36	148.17	1.09	17.16
		6:00	25.63	49.19	30.23	8.16	5.72	160.32	0.87	15.66
		9:00	25.77	48.48	29.64	8.15	6.09	153.54	1.05	15.42
		12:00	26.06	48.49	29.45	8.11	7.43	175.97	1.14	17.33
		15:00	25.99	48.89	29.78	8.05	6.91	184.25	2.32	16.60
		18:00	25.96	48.79	29.73	8.09	6.51	186.19	1.66	20.04
		21:00	26.12	48.49	29.41	8.25	5.76	136.59	1.11	21.29
		日平均	25.87	48.72	29.74	8.15	6.32	164.17	1.23	17.45
	潮口站	0:00	24.54	50.22	32.16	8.19	7.86	233.36	12.27	4.62
		3:00	24.65	50.22	32.08	8.17	6.71	234.46	9.77	2.83
		6:00	24.40	50.69	32.61	8.17	6.61	232.08	17.11	5.66
		9:00	23.85	49.98	32.50	8.17	7.04	231.42	10.77	5.95
		12:00	25.03	49.99	31.64	8.17	7.01	229.56	30.64	7.78
		15:00	25.83	50.39	31.36	8.16	5.94	227.30	79.84	11.75
		18:00	25.66	50.29	31.41	8.15	5.55	230.82	12.44	0.52
		21:00	24.71	49.99	31.87	8.17	5.58	226.88	8.62	2.83
		日平均	24.83	50.22	31.95	8.17	6.54	230.74	22.68	5.24
	灣內站	0:00	23.69	48.92	31.39	8.15	5.84	168.29	24.55	3.33
		3:00	23.62	48.92	31.44	8.08	5.86	148.17	27.02	3.83
		6:00	23.58	48.39	31.07	8.07	5.93	160.32	28.82	5.02
		9:00	23.72	48.68	31.19	8.13	6.00	153.54	27.76	4.33
		12:00	24.01	48.69	30.99	8.14	6.33	175.97	18.06	4.65
		15:00	23.94	49.09	31.33	8.14	6.58	184.25	14.28	7.69
		18:00	23.91	48.99	31.28	8.11	6.26	186.19	14.95	5.75
		21:00	24.07	48.69	30.95	8.16	6.14	136.59	19.92	4.35
		日平均	23.82	48.80	31.21	8.12	6.12	164.17	21.92	4.87
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月13日	蚵殼站	0:00	26.04	48.55	29.51	8.20	5.54	165.61	1.04	21.03
		3:00	25.91	49.15	30.01	8.18	5.82	136.17	0.81	17.99
		6:00	25.74	48.58	29.73	8.12	5.82	182.26	1.28	16.08
		9:00	25.94	48.65	29.64	8.18	6.42	165.42	1.02	16.48
		12:00	26.26	47.77	28.82	8.16	7.19	165.59	1.05	17.35
		15:00	26.09	48.57	29.49	8.15	6.62	184.36	0.84	17.84
		18:00	26.32	49.23	29.80	8.22	6.53	131.79	0.90	23.04
		21:00	26.30	48.64	29.40	8.13	6.08	178.08	1.04	19.32
		日平均	26.08	48.64	29.55	8.17	6.25	163.66	1.00	18.64
	潮口站	0:00	25.01	50.05	31.70	8.16	6.18	230.36	20.16	2.02
		3:00	25.05	50.65	32.10	8.16	5.71	232.07	11.06	9.72
		6:00	24.87	50.08	31.82	8.14	5.45	229.64	55.02	2.34
		9:00	24.11	50.15	32.43	8.17	7.02	223.79	25.90	1.07
		12:00	24.56	50.27	32.18	8.15	7.44	228.53	47.20	9.92
		15:00	25.88	50.07	31.10	8.14	6.99	229.58	18.95	2.05
		18:00	25.94	50.73	31.53	8.14	5.74	233.63	11.76	2.67
		21:00	25.53	50.14	31.40	8.13	5.55	232.18	6.67	11.54
		日平均	25.12	50.27	31.78	8.15	6.26	229.97	24.59	5.17
	灣內站	0:00	23.99	48.75	31.05	8.15	6.36	165.61	22.35	3.65
		3:00	23.86	49.35	31.58	8.11	6.47	136.17	21.44	3.83
		6:00	23.69	48.78	31.28	8.12	6.35	182.26	25.34	5.61
		9:00	23.89	48.85	31.19	8.14	6.44	165.42	31.44	6.63
		12:00	24.21	48.97	31.05	8.16	6.95	165.59	21.05	6.15
		15:00	24.04	48.77	31.03	8.17	6.74	184.36	20.58	5.59
		18:00	24.27	49.43	31.34	8.12	6.34	131.79	23.16	4.45
		21:00	24.25	48.84	30.93	8.17	6.45	178.08	26.69	4.72
		日平均	24.03	48.97	31.18	8.14	6.51	163.66	24.01	5.08
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月14日	蚵殼站	0:00	26.19	47.48	28.67	8.17	5.41	174.46	0.84	20.10
		3:00	26.09	48.86	29.69	8.20	5.56	140.82	0.73	18.62
		6:00	25.99	49.33	30.09	8.16	5.99	183.82	0.89	16.74
		9:00	26.05	48.30	29.33	8.17	5.89	178.80	0.89	16.65
		12:00	26.11	49.16	29.89	8.16	6.42	181.21	1.07	17.59
		15:00	25.93	48.36	29.45	8.17	7.13	186.06	1.14	16.39
		18:00	25.81	49.02	29.99	8.16	6.33	158.25	1.90	17.38
		21:00	25.68	49.23	30.22	8.13	5.99	185.78	1.66	17.96
		日平均	25.98	48.72	29.67	8.17	6.09	173.65	1.14	17.68
	潮口站	0:00	24.91	49.98	31.72	8.15	6.00	231.82	12.72	1.07
		3:00	25.25	50.36	31.75	8.15	6.09	236.97	9.48	1.16
		6:00	25.16	50.83	32.15	8.15	5.87	234.97	6.25	1.21
		9:00	24.37	49.80	31.98	8.17	7.28	235.06	6.67	4.39
		12:00	24.28	50.66	32.68	8.18	7.96	234.80	10.00	7.95
		15:00	24.51	49.86	31.92	8.18	7.21	236.14	11.22	1.57
		18:00	24.58	50.52	32.35	8.15	6.15	233.60	12.18	3.76
		21:00	24.52	50.73	32.55	8.14	5.51	231.48	9.83	1.20
		日平均	24.70	50.34	32.14	8.16	6.51	234.36	9.79	2.79
	灣內站	0:00	24.14	48.68	30.89	8.17	5.85	174.46	27.52	4.32
		3:00	24.04	49.06	31.24	8.15	6.15	140.82	30.26	4.08
		6:00	23.94	47.53	30.19	8.12	5.98	183.82	29.63	4.68
		9:00	24.00	48.50	30.86	8.14	5.81	178.80	22.18	6.11
		12:00	24.06	49.36	31.44	8.17	6.65	181.21	24.50	9.63
		15:00	23.88	48.30	30.80	8.15	6.28	186.06	31.51	6.63
		18:00	23.76	48.22	30.82	8.15	6.20	158.25	32.66	5.04
		21:00	23.63	49.43	31.81	8.16	6.08	185.78	25.97	5.59
		日平均	23.93	48.64	31.01	8.15	6.13	173.65	28.03	5.76
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月15日	蚵殼站	0:00	25.48	48.72	30.00	8.01	5.32	195.59	2.33	18.01
		3:00	25.06	49.27	30.68	7.97	5.69	199.07	2.63	15.02
		6:00	24.63	49.07	30.83	7.96	5.91	200.21	2.48	12.02
		9:00	24.78	48.90	30.60	7.98	5.56	201.45	1.12	12.03
		12:00	25.35	48.82	30.16	8.06	6.12	187.30	1.08	14.93
		15:00	25.13	48.79	30.29	8.12	5.96	184.42	0.87	13.38
		18:00	24.75	48.83	30.57	8.11	5.44	166.41	0.87	13.29
		21:00	24.56	48.51	30.48	8.00	5.65	188.33	1.12	15.52
		日平均	24.97	48.86	30.45	8.03	5.71	190.35	1.56	14.28
	潮口站	0:00	24.12	50.22	32.47	8.14	5.42	235.74	7.67	2.69
		3:00	23.87	50.77	33.06	8.16	5.73	237.26	9.73	1.42
		6:00	23.74	50.57	33.02	8.15	5.74	239.13	3.86	6.85
		9:00	23.73	50.40	32.90	8.16	6.36	238.69	15.60	6.76
		12:00	24.28	50.32	32.43	8.18	6.66	241.38	30.90	5.44
		15:00	24.25	50.29	32.43	8.18	6.12	236.33	18.32	6.32
		18:00	24.00	50.33	32.64	8.18	6.57	232.18	18.65	2.10
		21:00	23.86	50.01	32.51	8.17	6.14	229.03	35.92	3.86
		日平均	23.98	50.36	32.68	8.17	6.09	236.22	17.58	4.43
	灣內站	0:00	23.43	48.92	31.57	8.15	5.92	195.59	14.11	5.82
		3:00	23.01	48.47	31.55	8.15	5.93	199.07	14.25	6.62
		6:00	22.58	48.27	31.71	8.13	5.88	200.21	15.62	6.34
		9:00	22.73	49.10	32.23	8.17	6.34	201.45	16.40	6.35
		12:00	23.30	49.02	31.74	8.18	6.64	187.30	16.19	6.64
		15:00	23.08	48.99	31.88	8.15	6.44	184.42	19.83	7.35
		18:00	22.70	49.03	32.19	8.16	5.84	166.41	20.99	5.60
		21:00	22.51	48.71	32.10	8.18	6.53	188.33	17.54	4.87
		日平均	22.92	48.81	31.87	8.16	6.19	190.35	16.87	6.20
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月16日	蚵殼站	0:00	25.79	48.55	29.67	8.04	5.30	170.96	1.04	13.62
		3:00	25.55	48.33	29.68	8.01	5.84	155.09	0.84	11.93
		6:00	25.31	49.23	30.48	8.06	5.94	154.75	0.52	9.72
		9:00	24.67	48.77	30.59	8.07	5.88	162.82	12.17	7.49
		12:00	26.10	49.18	29.91	8.17	7.24	181.74	4.11	8.08
		15:00	26.01	49.27	30.03	8.19	6.63	181.92	3.12	7.88
		18:00	25.73	49.28	30.23	8.11	5.50	183.31	4.54	1.99
		21:00	25.73	49.29	30.23	8.10	5.83	176.27	3.99	8.58
		日平均	25.61	48.99	30.10	8.09	6.02	170.86	3.79	8.66
	潮口站	0:00	23.69	50.05	32.67	8.17	5.64	227.67	34.83	4.39
		3:00	23.52	49.83	32.63	8.17	5.80	237.26	74.30	2.20
		6:00	23.46	50.73	33.35	8.14	5.68	240.17	19.53	1.34
		9:00	23.76	50.27	32.78	8.14	6.22	234.36	8.88	1.85
		12:00	24.46	50.68	32.56	8.11	6.92	239.01	8.55	9.62
		15:00	23.07	50.77	33.68	8.14	6.38	177.42	28.45	2.37
		18:00	23.88	50.78	33.06	8.15	5.19	168.71	14.05	1.37
		21:00	23.81	50.79	33.13	8.15	5.18	177.36	11.51	0.94
		日平均	23.71	50.49	32.98	8.15	5.88	212.75	25.01	3.01
	灣內站	0:00	23.74	48.75	31.23	8.17	6.38	170.96	22.69	4.90
		3:00	23.50	49.30	31.81	8.13	6.02	155.09	26.17	5.09
		6:00	23.26	49.43	32.08	8.12	5.81	154.75	26.22	5.52
		9:00	22.62	48.97	32.21	8.14	5.99	162.82	30.61	9.84
		12:00	24.05	49.38	31.47	8.14	6.47	181.74	5.63	16.61
		15:00	23.96	49.47	31.60	8.16	6.92	181.92	6.39	14.24
		18:00	23.68	49.48	31.81	8.16	6.52	183.31	5.09	10.52
		21:00	23.68	49.49	31.81	8.16	6.48	176.27	3.43	6.50
		日平均	23.56	49.28	31.75	8.15	6.32	170.86	15.78	9.15
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月17日	蚵殼站	0:00	25.39	49.30	30.47	8.02	5.88	182.37	4.02	3.62
		3:00	25.21	49.29	30.59	8.06	5.38	184.23	4.22	9.99
		6:00	25.02	49.30	30.72	8.10	5.98	186.20	4.49	7.46
		9:00	25.34	49.28	30.49	8.10	6.46	134.08	4.71	2.23
		12:00	25.93	48.83	29.78	8.09	7.12	155.09	4.65	2.34
		15:00	26.01	49.22	30.00	8.12	7.08	142.54	4.23	2.15
		18:00	25.51	49.26	30.36	8.03	6.10	143.65	4.13	2.03
		21:00	25.25	49.30	30.57	8.05	5.38	135.89	3.76	1.34
		日平均	25.46	49.22	30.37	8.07	6.17	158.01	4.28	3.90
	潮口站	0:00	23.65	50.80	33.25	8.14	5.98	169.82	9.14	3.46
		3:00	23.72	50.79	33.19	8.15	6.17	190.27	2.43	6.10
		6:00	23.77	50.80	33.16	8.14	6.06	208.17	2.64	5.53
		9:00	23.84	50.78	33.10	8.14	6.17	224.19	4.11	4.10
		12:00	24.43	50.33	32.32	8.15	6.59	235.14	3.11	7.08
		15:00	24.51	50.72	32.55	8.15	6.45	242.96	2.67	6.89
		18:00	24.01	50.76	32.95	8.15	6.36	251.47	11.44	3.82
		21:00	23.75	50.80	33.18	8.13	6.13	244.62	13.75	5.77
		日平均	23.96	50.72	32.96	8.14	6.24	220.83	6.16	5.34
	灣內站	0:00	23.34	49.50	32.07	8.18	6.45	182.37	4.41	7.65
		3:00	23.16	49.49	32.20	8.15	6.33	184.23	5.49	9.85
		6:00	22.97	49.50	32.35	8.13	6.18	186.20	5.94	10.24
		9:00	23.29	49.48	32.09	8.15	6.21	134.08	5.23	10.89
		12:00	23.88	48.03	30.60	8.18	6.30	155.09	6.00	16.65
		15:00	23.96	49.42	31.56	8.17	6.30	142.54	6.27	17.35
		18:00	23.46	49.46	31.95	8.17	5.89	143.65	7.01	11.32
		21:00	23.20	49.50	32.17	8.18	6.12	135.89	7.25	5.68
		日平均	23.41	49.30	31.87	8.16	6.22	158.01	5.95	11.20
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月18日	蚵殼站	0:00	24.93	49.30	30.79	8.10	5.59	167.49	4.03	2.29
		3:00	25.08	49.31	30.69	8.09	5.76	148.93	2.62	1.95
		6:00	25.12	49.26	30.63	8.09	7.12	183.17	2.65	2.33
		9:00	25.16	49.18	30.54	8.10	6.13	148.43	1.51	4.56
		12:00	25.86	49.17	30.06	8.11	6.47	172.27	3.56	6.23
		15:00	25.89	49.26	30.10	8.10	6.89	179.11	1.49	5.34
		18:00	25.57	49.29	30.34	8.09	6.15	183.17	2.23	2.15
		21:00	25.42	49.12	30.32	8.08	5.41	179.18	2.51	2.03
		日平均	25.38	49.24	30.43	8.10	6.19	170.22	2.58	3.36
	潮口站	0:00	23.43	50.80	33.42	8.14	6.31	248.66	8.10	5.12
		3:00	23.58	50.81	33.32	8.14	6.22	256.97	3.58	5.32
		6:00	23.62	50.76	33.25	8.14	6.16	254.97	4.63	5.85
		9:00	23.66	50.68	33.16	8.14	6.31	255.76	5.75	4.88
		12:00	24.36	50.67	32.62	8.15	6.67	264.11	4.26	6.42
		15:00	24.39	50.76	32.67	8.15	6.43	266.56	3.00	5.92
		18:00	24.07	50.79	32.93	8.15	6.50	256.56	8.20	3.13
		21:00	23.92	50.62	32.92	8.13	6.17	241.59	17.47	3.17
		日平均	23.88	50.74	33.04	8.14	6.35	255.65	6.87	4.98
	灣內站	0:00	22.88	49.50	32.41	8.14	6.14	167.49	5.61	5.24
		3:00	23.03	49.51	32.31	8.13	5.93	148.93	5.17	5.51
		6:00	23.07	49.46	32.24	8.11	5.82	183.17	7.12	8.13
		9:00	23.11	49.38	32.15	8.14	5.91	148.43	6.89	8.72
		12:00	23.81	49.37	31.63	8.17	5.86	172.27	7.65	11.55
		15:00	23.84	49.46	31.68	8.12	5.84	179.11	7.57	16.22
		18:00	23.52	49.49	31.93	8.10	5.85	183.17	11.64	8.16
		21:00	23.37	49.32	31.92	8.10	5.82	179.18	10.16	5.63
		日平均	23.33	49.44	32.03	8.13	5.90	170.22	7.73	8.65
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月19日	蚵殼站	0:00	25.35	49.21	30.43	8.08	6.27	179.15	0.57	2.53
		3:00	25.32	49.34	30.55	8.08	6.95	171.87	2.28	1.48
		6:00	25.40	49.29	30.46	8.07	7.22	134.08	0.22	2.60
		9:00	25.30	49.33	30.55	8.08	7.27	155.09	2.40	3.36
		12:00	25.72	49.28	30.23	8.10	7.38	142.43	0.06	2.62
		15:00	25.99	49.22	30.01	8.11	8.02	144.12	2.47	1.27
		18:00	25.78	49.28	30.19	8.08	7.28	135.89	2.03	2.25
		21:00	25.41	49.21	30.39	8.03	6.31	151.79	0.53	2.42
		日平均	25.53	49.27	30.35	8.08	7.09	151.80	1.32	2.32
	潮口站	0:00	23.85	50.71	33.04	8.12	5.97	248.57	12.45	2.22
		3:00	23.82	50.84	33.15	8.12	6.21	266.37	6.97	3.65
		6:00	23.90	50.79	33.06	8.13	6.17	266.22	5.67	4.10
		9:00	23.80	50.83	33.16	8.14	6.35	258.03	8.59	3.79
		12:00	24.22	50.78	32.81	8.15	6.63	249.28	7.28	5.86
		15:00	24.49	50.72	32.56	8.15	6.60	256.51	5.54	4.36
		18:00	24.28	50.78	32.76	8.14	6.35	255.07	7.83	3.41
		21:00	23.91	50.71	32.99	8.14	6.34	237.41	15.90	2.95
		日平均	24.03	50.77	32.94	8.14	6.33	254.68	8.78	3.79
	灣內站	0:00	23.30	49.41	32.03	8.13	5.82	179.15	5.55	4.81
		3:00	23.27	49.54	32.15	8.13	5.84	171.87	6.37	4.30
		6:00	23.35	49.49	32.06	8.14	5.93	134.08	7.19	4.85
		9:00	23.25	49.53	32.16	8.18	5.99	155.09	6.62	4.98
		12:00	23.67	49.48	31.81	8.23	6.02	142.43	10.18	5.40
		15:00	23.94	49.42	31.57	8.24	6.04	144.12	7.98	8.36
		18:00	23.73	49.48	31.77	8.21	5.99	135.89	6.15	5.74
		21:00	23.36	49.41	31.99	8.11	5.92	151.79	5.66	4.37
		日平均	23.48	49.47	31.94	8.17	5.94	151.80	6.96	5.35
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月20日	蚵殼站	0:00	25.40	49.22	30.41	8.04	6.95	160.95	1.58	1.79
		3:00	25.37	49.24	30.44	7.99	6.76	160.04	1.24	1.95
		6:00	25.59	48.74	29.94	8.01	7.05	133.64	1.54	1.62
		9:00	25.50	49.21	30.33	8.08	6.50	151.78	0.78	2.33
		12:00	25.68	49.11	30.14	8.12	6.29	145.87	1.81	3.47
		15:00	25.89	49.17	30.04	8.15	7.45	145.69	0.83	3.74
		18:00	25.78	49.19	30.13	8.11	6.50	151.36	1.99	2.26
		21:00	25.38	49.21	30.41	8.09	5.49	148.05	1.32	1.36
		日平均	25.57	49.14	30.23	8.07	6.62	149.67	1.39	2.32
	潮口站	0:00	23.90	50.72	33.01	8.12	6.07	238.34	14.68	1.96
		3:00	23.87	50.74	33.04	8.14	6.24	249.44	9.36	2.79
		6:00	24.09	50.24	32.51	8.15	6.14	251.40	8.72	4.85
		9:00	24.00	50.71	32.92	8.15	6.35	245.24	11.98	3.37
		12:00	24.18	50.61	32.71	8.15	6.33	246.56	14.05	4.38
		15:00	24.39	50.67	32.60	8.15	6.57	247.83	11.08	2.06
		18:00	24.28	50.69	32.70	8.15	6.29	246.87	9.97	3.20
		21:00	23.88	50.71	33.01	8.15	6.29	242.40	15.10	3.12
		日平均	24.07	50.64	32.81	8.15	6.29	246.01	11.87	3.22
	灣內站	0:00	23.35	49.42	32.00	8.11	5.84	160.95	6.39	4.59
		3:00	23.32	49.44	32.04	8.15	6.26	160.04	6.69	4.81
		6:00	23.54	48.94	31.51	8.19	6.68	133.64	11.00	8.33
		9:00	23.45	49.41	31.92	8.19	6.26	151.78	6.93	5.69
		12:00	23.63	49.31	31.72	8.18	5.99	145.87	8.17	17.11
		15:00	23.84	49.37	31.61	8.21	5.94	145.69	10.48	25.61
		18:00	23.73	49.39	31.70	8.12	5.86	151.36	19.41	15.55
		21:00	23.33	49.41	32.01	8.14	5.86	148.05	6.88	10.46
		日平均	23.52	49.34	31.81	8.16	6.09	149.67	9.49	11.52
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月21日	蚵殼站	0:00	25.13	49.17	30.56	8.08	5.64	152.09	3.57	0.82
		3:00	25.12	49.17	30.56	8.05	5.12	144.95	1.46	1.77
		6:00	25.39	48.31	29.77	8.08	5.62	146.96	0.43	1.92
		9:00	25.38	49.22	30.42	8.10	7.68	155.03	4.31	2.28
		12:00	25.42	49.23	30.40	8.18	7.95	156.40	4.40	2.10
		15:00	25.97	49.10	29.94	8.20	7.20	156.58	2.73	1.55
		18:00	25.85	48.74	29.77	8.11	6.50	156.15	0.15	1.15
		21:00	25.44	49.07	30.27	8.06	5.55	158.86	3.30	0.03
		日平均	25.46	49.00	30.21	8.11	6.41	153.38	2.54	1.45
	潮口站	0:00	23.63	50.67	33.17	8.15	6.42	233.67	13.95	6.61
		3:00	23.62	50.67	33.18	8.15	6.39	240.01	14.23	4.66
		6:00	23.89	49.81	32.34	8.15	6.16	242.81	14.27	4.09
		9:00	23.88	50.72	33.02	8.15	6.44	237.78	14.55	4.59
		12:00	23.92	50.73	33.00	8.15	6.37	237.36	20.75	8.03
		15:00	24.47	50.60	32.49	8.16	6.65	240.36	19.91	7.83
		18:00	24.35	50.24	32.32	8.16	6.41	238.38	29.12	5.94
		21:00	23.94	50.57	32.86	8.16	6.49	236.85	21.44	6.35
		日平均	23.96	50.50	32.80	8.15	6.42	238.40	18.53	6.01
	灣內站	0:00	23.08	49.37	32.17	8.19	6.06	152.09	6.92	7.51
		3:00	23.07	49.37	32.17	8.18	6.09	144.95	9.53	9.09
		6:00	23.34	48.51	31.34	8.18	6.11	146.96	7.46	17.24
		9:00	23.33	49.42	32.02	8.19	6.16	155.03	9.35	18.37
		12:00	23.37	49.43	32.00	8.20	6.26	156.40	13.88	26.50
		15:00	23.92	49.30	31.50	8.19	6.14	156.58	17.52	28.80
		18:00	23.80	48.94	31.32	8.18	6.06	156.15	12.62	12.21
		21:00	23.39	49.27	31.86	8.17	5.98	158.86	13.42	10.96
		日平均	23.41	49.20	31.80	8.19	6.11	153.38	11.34	16.34
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月22日	蚵殼站	0:00	25.03	49.31	30.73	8.12	5.23	171.35	1.49	2.59
		3:00	24.86	49.32	30.85	8.13	6.03	175.50	0.05	2.38
		6:00	25.19	49.39	30.67	8.12	6.74	186.94	2.24	2.22
		9:00	25.18	49.36	30.66	8.15	6.46	193.43	5.97	2.66
		12:00	25.07	49.37	30.74	8.19	7.12	173.80	1.88	3.03
		15:00	25.43	49.38	30.50	8.16	7.08	177.51	0.07	2.47
		18:00	25.61	49.39	30.38	8.11	5.10	192.14	5.43	2.88
		21:00	25.17	49.39	30.69	8.12	5.38	196.97	4.77	1.06
		日平均	25.19	49.36	30.65	8.14	6.14	183.46	2.74	2.41
	潮口站	0:00	23.53	50.81	33.35	8.15	6.52	230.46	15.31	1.99
		3:00	23.36	50.82	33.49	8.15	6.46	233.32	17.36	3.74
		6:00	23.69	50.89	33.29	8.15	6.29	238.87	21.63	0.15
		9:00	23.68	50.86	33.28	8.16	6.55	238.52	19.42	1.56
		12:00	23.57	50.87	33.37	8.16	6.80	233.75	18.99	6.99
		15:00	23.93	50.88	33.10	8.17	6.86	236.47	19.61	5.15
		18:00	24.11	50.89	32.97	8.16	6.35	243.00	17.30	6.54
		21:00	23.67	50.89	33.31	8.18	6.72	245.35	13.41	2.59
		日平均	23.69	50.86	33.27	8.16	6.57	237.47	17.88	3.59
	灣內站	0:00	22.98	49.51	32.35	8.17	5.93	171.35	11.29	7.96
		3:00	22.81	49.52	32.48	8.17	6.06	175.50	10.36	6.15
		6:00	23.14	49.59	32.29	8.16	6.40	186.94	11.23	9.10
		9:00	23.13	49.56	32.27	8.17	6.93	193.43	11.40	8.47
		12:00	23.02	49.57	32.36	8.19	6.92	173.80	16.15	18.82
		15:00	23.38	49.58	32.10	8.20	7.68	177.51	16.56	14.24
		18:00	23.56	49.59	31.98	8.17	7.99	192.14	17.28	10.81
		21:00	23.12	49.59	32.30	8.12	6.84	196.97	16.02	9.00
		日平均	23.14	49.56	32.27	8.17	6.84	183.46	13.79	10.57
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月23日	蚵殼站	0:00	24.70	49.39	31.01	8.11	5.62	190.22	1.96	2.29
		3:00	24.28	49.36	31.29	8.12	6.01	194.98	0.95	1.24
		6:00	25.04	49.25	30.68	8.09	5.81	143.40	1.82	2.88
		9:00	25.07	49.09	30.54	8.10	6.77	191.89	0.79	3.18
		12:00	24.78	49.27	30.87	8.17	7.39	202.21	1.74	2.35
		15:00	24.98	49.28	30.74	8.17	5.99	196.84	0.42	1.61
		18:00	25.60	48.90	30.05	8.08	5.47	204.87	2.02	2.15
		21:00	25.44	49.23	30.39	8.08	6.06	165.39	0.08	0.81
		日平均	24.99	49.22	30.70	8.12	6.14	186.23	1.22	2.06
	潮口站	0:00	23.20	50.89	33.67	8.16	6.57	244.05	16.31	1.09
		3:00	22.78	50.86	33.98	8.15	6.29	242.31	17.62	5.73
		6:00	23.54	50.75	33.30	8.16	6.41	242.75	14.67	3.36
		9:00	23.57	50.59	33.16	8.16	6.64	242.40	13.84	7.63
		12:00	23.28	50.77	33.52	8.18	7.09	240.63	18.23	2.62
		15:00	23.48	50.78	33.37	8.19	7.37	235.47	19.24	5.63
		18:00	24.10	50.40	32.62	8.17	6.63	239.60	17.68	3.86
		21:00	23.94	50.73	32.98	8.17	6.53	240.76	17.95	0.42
		日平均	23.49	50.72	33.33	8.17	6.69	241.00	16.94	3.79
	灣內站	0:00	22.65	49.59	32.66	8.13	5.92	190.22	18.45	11.22
		3:00	22.24	49.56	32.95	8.08	6.52	194.98	17.72	10.07
		6:00	22.99	49.45	32.29	8.10	5.87	143.40	18.35	11.68
		9:00	23.02	49.29	32.15	8.17	5.85	191.89	20.68	12.60
		12:00	22.73	49.47	32.50	8.21	6.99	202.21	19.96	14.30
		15:00	22.93	49.48	32.36	8.24	7.61	196.84	21.98	15.98
		18:00	23.55	49.10	31.62	8.20	7.34	204.87	23.26	10.78
		21:00	23.39	49.43	31.98	8.18	6.57	165.39	15.14	5.50
		日平均	22.94	49.42	32.31	8.16	6.58	186.23	19.44	11.52
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月24日	蚵殼站	0:00	24.82	49.20	30.79	8.12	6.44	123.99	0.72	0.97
		3:00	24.57	48.45	30.43	8.12	7.58	126.85	0.53	1.56
		6:00	25.14	49.15	30.54	8.14	7.93	134.78	1.44	2.14
		9:00	25.42	49.31	30.46	8.17	6.05	139.29	0.82	1.88
		12:00	25.24	48.33	29.88	8.22	7.69	125.68	0.85	3.45
		15:00	25.27	49.31	30.56	8.22	7.67	128.25	0.85	2.71
		18:00	25.63	48.84	29.98	8.14	5.60	138.39	0.23	1.90
		21:00	25.79	49.34	30.23	8.11	6.28	141.74	2.00	1.49
		日平均	25.24	48.99	30.36	8.16	6.91	132.37	0.93	2.01
	潮口站	0:00	23.32	50.70	33.43	8.19	6.90	235.51	22.16	0.89
		3:00	23.07	49.95	33.06	8.16	6.39	237.45	27.51	5.87
		6:00	23.64	50.65	33.15	8.16	6.38	236.29	24.62	2.69
		9:00	23.92	50.81	33.06	8.16	6.46	237.17	23.98	1.84
		12:00	23.74	49.83	32.47	8.19	7.16	233.52	23.72	8.93
		15:00	23.77	50.81	33.17	8.19	7.53	230.95	29.78	9.34
		18:00	24.13	50.34	32.55	8.19	7.11	231.48	26.44	6.49
		21:00	24.29	50.84	32.80	8.17	6.35	231.00	30.60	6.69
		日平均	23.74	50.49	32.96	8.18	6.79	234.17	26.10	5.34
	灣內站	0:00	22.77	49.40	32.42	8.17	5.99	123.99	16.47	7.07
		3:00	22.52	48.65	32.04	8.14	6.16	126.85	21.87	8.69
		6:00	23.09	49.35	32.14	8.17	7.52	134.78	17.93	7.95
		9:00	23.37	49.51	32.06	8.19	6.53	139.29	19.63	6.92
		12:00	23.19	48.53	31.46	8.27	6.87	125.68	22.54	12.43
		15:00	23.22	49.51	32.17	8.29	7.29	128.25	25.85	14.16
		18:00	23.58	49.04	31.55	8.20	6.55	138.39	22.55	9.49
		21:00	23.74	49.54	31.81	8.15	5.81	141.74	23.85	7.99
		日平均	23.19	49.19	31.96	8.20	6.59	132.37	21.34	9.34
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月25日	蚵殼站	0:00	25.03	49.32	30.73	8.14	7.35	137.06	2.35	2.35
		3:00	24.78	49.33	30.91	8.07	6.61	140.36	2.38	2.56
		6:00	25.22	49.36	30.63	8.15	7.57	166.96	0.96	1.55
		9:00	25.72	48.75	29.86	8.16	7.99	138.22	1.63	2.41
		12:00	25.37	49.30	30.48	8.22	6.35	145.39	0.48	3.03
		15:00	25.12	49.36	30.70	8.21	6.43	141.65	1.22	1.65
		18:00	25.03	49.39	30.78	8.13	5.49	147.24	1.52	1.08
		21:00	25.46	49.30	30.42	8.00	5.45	176.83	2.10	0.77
		日平均	25.22	49.26	30.56	8.14	6.66	149.21	1.58	1.93
	潮口站	0:00	23.53	50.82	33.36	8.18	6.58	228.63	28.58	1.03
		3:00	23.28	50.83	33.56	8.16	6.38	224.28	34.21	3.23
		6:00	23.72	50.86	33.25	8.16	6.32	226.79	35.29	1.73
		9:00	24.22	50.25	32.42	8.17	6.44	231.41	40.41	3.51
		12:00	23.87	50.80	33.09	8.18	7.01	231.50	31.91	6.47
		15:00	23.62	50.86	33.32	8.18	7.09	228.99	32.95	8.31
		18:00	23.53	50.89	33.41	8.16	6.50	231.08	24.35	3.82
		21:00	23.96	50.80	33.02	8.17	6.28	234.02	16.95	5.91
		日平均	23.72	50.76	33.18	8.17	6.58	229.59	30.58	4.25
	灣內站	0:00	22.98	49.52	32.35	8.21	7.07	137.06	30.47	7.00
		3:00	22.73	49.53	32.55	8.22	7.75	140.36	28.92	7.43
		6:00	23.17	49.56	32.24	8.21	8.02	166.96	34.25	6.95
		9:00	23.67	47.95	30.69	8.24	7.07	138.22	35.68	7.44
		12:00	23.32	49.50	32.09	8.28	7.18	145.39	34.37	12.33
		15:00	23.07	49.56	32.32	8.25	6.82	141.65	39.59	12.77
		18:00	22.98	49.59	32.41	8.20	7.08	147.24	33.47	10.98
		21:00	23.41	49.50	32.02	8.21	6.11	176.83	31.38	6.65
		日平均	23.17	49.34	32.08	8.23	7.14	149.21	33.52	8.94
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月26日	蚵殼站	0:00	24.97	49.43	30.85	8.12	6.93	184.49	2.45	1.94
		3:00	24.42	49.43	31.24	8.08	5.69	181.23	2.53	0.60
		6:00	24.83	49.41	30.94	8.14	7.90	173.25	2.03	0.88
		9:00	25.58	49.39	30.40	8.16	7.53	175.42	1.95	1.40
		12:00	25.15	49.29	30.63	8.20	7.70	173.22	2.27	2.80
		15:00	24.57	49.14	30.92	8.21	6.36	175.19	2.43	1.97
		18:00	24.38	49.44	31.27	8.08	5.73	188.19	2.09	1.98
		21:00	24.88	49.43	30.92	8.03	5.97	175.60	2.46	1.97
		日平均	24.85	49.37	30.90	8.13	6.73	178.32	2.28	1.69
	潮口站	0:00	23.47	50.93	33.49	8.16	6.37	230.43	15.68	4.49
		3:00	22.92	50.93	33.92	8.16	6.32	228.21	17.35	5.52
		6:00	23.33	50.91	33.58	8.17	6.30	237.68	17.42	7.30
		9:00	24.08	50.89	32.99	8.17	6.42	240.18	16.51	7.90
		12:00	23.65	50.79	33.25	8.17	6.48	239.35	20.17	8.92
		15:00	23.07	50.64	33.58	8.18	6.84	237.86	27.35	1.71
		18:00	22.88	50.94	33.96	8.16	6.39	245.50	30.41	7.28
		21:00	23.38	50.93	33.56	8.19	6.51	252.02	35.87	3.13
		日平均	23.35	50.87	33.54	8.17	6.45	238.90	22.60	5.78
	灣內站	0:00	22.92	49.63	32.48	8.20	7.75	184.49	30.15	5.50
		3:00	22.38	49.63	32.90	8.21	7.56	181.23	34.95	5.75
		6:00	22.78	49.61	32.57	8.18	7.85	173.25	44.68	7.42
		9:00	23.53	49.59	32.00	8.19	7.30	175.42	47.61	6.99
		12:00	23.10	49.49	32.24	8.26	7.09	173.22	52.94	9.38
		15:00	22.52	49.34	32.57	8.26	7.25	175.19	53.37	10.15
		18:00	22.34	49.64	32.94	8.17	7.30	188.19	51.58	11.08
		21:00	22.83	49.63	32.55	8.17	6.29	175.60	35.52	7.54
		日平均	22.80	49.57	32.53	8.21	7.30	178.32	43.85	7.98
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月27日	蚵殼站	0:00	24.78	49.45	31.00	8.10	6.36	156.33	2.19	0.04
		3:00	24.08	49.47	31.51	8.07	6.34	170.45	0.47	1.33
		6:00	24.56	49.44	31.15	8.10	8.05	166.95	1.05	0.15
		9:00	25.63	49.43	30.40	8.12	7.92	185.35	1.28	2.36
		12:00	25.53	49.33	30.40	8.20	6.78	183.28	1.21	1.38
		15:00	24.37	49.41	31.26	8.22	6.71	183.11	0.38	1.79
		18:00	24.22	49.40	31.36	8.13	5.86	182.78	0.55	1.30
		21:00	24.00	49.45	31.55	8.08	5.81	183.77	0.60	0.01
		日平均	24.65	49.42	31.08	8.13	6.73	176.50	0.97	1.05
	潮口站	0:00	23.28	50.95	33.65	8.17	6.22	237.53	35.11	7.46
		3:00	22.58	50.97	34.22	8.15	5.99	242.89	13.26	6.94
		6:00	23.06	50.94	33.82	8.16	6.16	245.62	11.14	4.65
		9:00	24.13	50.93	32.99	8.17	6.31	242.35	11.96	9.11
		12:00	24.03	50.83	32.99	8.16	6.38	242.28	16.56	2.25
		15:00	22.87	50.91	33.94	8.16	6.44	238.37	26.37	3.37
		18:00	22.72	50.90	34.05	8.15	6.28	236.73	35.30	5.29
		21:00	22.50	50.95	34.27	8.15	5.85	238.18	37.65	3.28
		日平均	23.15	50.92	33.74	8.16	6.20	240.49	23.42	5.29
	灣內站	0:00	22.73	49.65	32.64	8.21	6.44	156.33	41.12	7.20
		3:00	22.04	49.67	33.19	8.21	5.92	170.45	42.74	6.23
		6:00	22.51	49.64	32.80	8.23	6.42	166.95	43.42	7.96
		9:00	23.58	49.63	31.99	8.26	6.48	185.35	48.34	9.09
		12:00	23.48	49.53	31.99	8.31	7.75	183.28	47.88	11.87
		15:00	22.33	49.61	32.92	8.31	6.54	183.11	46.56	10.34
		18:00	22.18	49.60	33.03	8.23	7.30	182.78	39.38	9.66
		21:00	21.96	49.65	33.24	8.20	6.35	183.77	35.54	8.13
		日平均	22.60	49.62	32.73	8.25	6.65	176.50	43.12	8.81
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2月28日	蚵殼站	0:00	24.56	49.49	31.18	8.14	5.49	179.75	2.33	1.44
		3:00	24.55	49.51	31.20	8.15	6.05	181.78	0.95	0.12
		6:00	24.69	49.47	31.08	8.14	5.64	169.41	0.54	0.15
		9:00	25.27	49.45	30.66	8.17	6.34	176.91	1.40	0.22
		12:00	25.72	49.47	30.37	8.21	7.38	179.85	1.40	2.26
		15:00	24.82	49.42	30.95	8.18	6.79	187.41	2.21	1.56
		18:00	24.45	49.53	31.29	8.13	6.44	189.68	0.54	1.44
		21:00	24.23	49.55	31.46	8.14	5.54	181.58	1.42	1.55
		日平均	24.79	49.49	31.02	8.16	6.21	180.80	1.35	1.09
	潮口站	0:00	23.06	50.99	33.85	8.15	6.18	241.82	34.73	9.95
		3:00	23.05	51.01	33.88	8.15	5.89	241.83	30.26	9.90
		6:00	23.19	50.97	33.74	8.15	6.17	235.32	21.03	6.59
		9:00	23.77	50.95	33.27	8.17	6.40	233.74	18.92	3.02
		12:00	24.22	50.97	32.95	8.17	6.56	232.81	16.68	3.50
		15:00	23.32	50.92	33.60	8.16	6.45	231.83	22.88	0.28
		18:00	22.95	51.03	33.97	8.16	6.43	240.72	16.82	0.41
		21:00	22.73	51.05	34.16	8.15	6.03	241.35	15.05	3.63
		日平均	23.29	50.99	33.68	8.16	6.26	237.43	22.05	4.66
	灣內站	0:00	22.51	49.69	32.84	8.23	6.03	179.75	36.87	7.59
		3:00	22.50	49.71	32.86	8.16	6.83	181.78	32.93	6.52
		6:00	22.64	49.67	32.72	8.24	6.54	169.41	44.43	6.44
		9:00	23.22	49.65	32.27	8.25	7.26	176.91	40.13	6.15
		12:00	23.67	49.67	31.95	8.31	7.92	179.85	34.24	8.93
		15:00	22.77	49.62	32.59	8.30	7.88	187.41	38.91	9.90
		18:00	22.41	49.73	32.95	8.22	5.90	189.68	37.80	8.29
		21:00	22.19	49.75	33.14	8.09	6.18	181.58	30.79	6.56
		日平均	22.74	49.69	32.67	8.23	6.82	180.80	37.01	7.55
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月1日	蚵殼站	0:00	23.61	49.56	31.92	8.05	5.88	172.09	3.05	2.55
		3:00	23.40	49.59	32.10	8.06	6.91	164.95	3.11	3.20
		6:00	23.00	49.68	32.46	8.06	7.50	156.96	2.97	1.58
		9:00	23.51	49.61	32.03	8.08	8.10	165.03	3.15	3.74
		12:00	23.84	49.39	31.63	8.15	8.22	166.40	3.46	7.60
		15:00	23.92	49.58	31.71	8.13	7.61	166.58	3.54	8.54
		18:00	23.83	49.58	31.77	8.07	7.25	166.15	3.13	3.48
		21:00	23.89	49.59	31.74	8.05	6.61	168.86	3.10	3.07
		日平均	23.63	49.57	31.92	8.08	7.26	165.88	3.19	4.22
	潮口站	0:00	22.97	51.06	33.52	8.15	6.22	245.17	14.18	0.89
		3:00	23.54	50.96	33.01	8.16	6.26	243.61	11.88	0.18
		6:00	23.42	50.89	33.05	8.15	6.23	240.39	12.64	1.84
		9:00	23.56	50.93	32.97	8.16	6.51	218.03	12.83	9.34
		12:00	24.34	51.18	32.57	8.18	6.73	223.93	13.56	0.42
		15:00	24.26	51.18	32.63	8.17	6.59	224.11	13.37	0.58
		18:00	23.31	51.17	33.34	8.16	6.57	240.05	15.18	0.84
		21:00	22.36	51.16	34.08	8.16	6.45	237.40	13.63	1.10
		日平均	23.47	51.07	33.15	8.16	6.45	234.09	13.41	1.90
	灣內站	0:00	23.27	49.69	32.27	8.13	6.31	173.64	25.73	5.35
		3:00	23.06	49.68	32.42	8.14	6.80	118.65	32.65	5.89
		6:00	22.66	49.67	32.71	8.14	7.07	159.31	26.28	6.43
		9:00	23.17	49.65	32.31	8.16	7.34	210.05	33.71	7.09
		12:00	23.50	49.67	32.08	8.23	7.39	211.17	29.64	9.49
		15:00	23.58	49.69	32.04	8.21	7.12	215.64	27.21	10.49
		18:00	23.49	49.36	31.86	8.15	6.49	226.18	31.43	8.17
		21:00	23.55	49.56	31.96	8.13	6.19	205.54	35.65	5.85
		日平均	23.29	49.62	32.21	8.16	6.84	190.02	30.29	7.35
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月2日	蚵殼站	0:00	24.00	49.59	31.66	8.06	5.46	171.35	3.04	2.44
		3:00	23.87	49.64	31.79	8.06	5.40	175.50	3.09	3.01
		6:00	23.60	49.67	32.01	8.08	6.06	186.94	2.95	1.30
		9:00	23.85	49.58	31.76	8.07	6.80	193.43	3.01	2.03
		12:00	24.20	49.54	31.48	8.16	7.46	173.80	3.35	6.11
		15:00	23.87	49.57	31.74	8.18	7.61	177.51	3.00	1.94
		18:00	23.87	49.51	31.69	8.08	7.25	192.14	3.10	3.06
		21:00	24.02	49.53	31.60	8.07	5.32	196.97	2.91	0.88
		日平均	23.91	49.58	31.72	8.10	6.42	183.46	3.06	2.60
	潮口站	0:00	22.83	51.16	33.71	8.15	6.32	234.59	12.85	0.38
		3:00	23.67	51.04	32.97	8.16	6.40	228.33	11.46	8.93
		6:00	23.74	51.01	32.90	8.15	6.18	236.05	11.02	3.82
		9:00	23.89	51.26	32.97	8.16	6.64	224.99	8.35	5.91
		12:00	24.39	51.23	32.57	8.17	7.24	229.73	8.48	0.56
		15:00	24.44	51.21	32.52	8.17	7.04	231.65	8.44	0.63
		18:00	23.39	51.13	33.25	8.17	6.84	231.13	14.17	3.82
		21:00	23.20	51.22	33.47	8.15	6.35	236.09	17.30	0.00
		日平均	23.69	51.16	33.05	8.16	6.63	231.57	11.51	3.01
	灣內站	0:00	23.66	49.60	31.91	8.14	6.11	112.76	35.82	7.98
		3:00	23.53	49.63	32.03	8.14	6.08	169.72	27.00	8.06
		6:00	23.26	49.59	32.20	8.16	6.40	148.48	49.07	8.10
		9:00	23.51	49.59	32.01	8.15	6.75	214.35	31.01	10.32
		12:00	23.86	49.64	31.80	8.24	7.05	224.78	31.18	10.68
		15:00	23.53	49.66	32.05	8.26	7.12	223.29	28.78	11.56
		18:00	23.53	49.63	32.03	8.16	6.49	219.99	46.70	8.70
		21:00	23.68	49.78	32.03	8.15	6.04	232.32	38.23	5.84
		日平均	23.57	49.64	32.01	8.18	6.51	193.21	35.97	8.91
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月3日	蚵殼站	0:00	23.92	49.56	31.69	8.06	5.02	190.22	2.59	1.14
		3:00	23.82	49.58	31.78	8.08	6.06	194.98	1.97	3.67
		6:00	23.54	49.59	31.99	8.07	6.50	143.40	2.04	4.44
		9:00	23.88	49.59	31.74	8.08	6.80	191.89	1.90	3.08
		12:00	24.11	49.59	31.58	8.18	7.55	182.21	2.24	6.43
		15:00	24.09	49.59	31.59	8.14	7.61	176.84	2.58	10.06
		18:00	24.12	49.65	31.61	8.07	7.40	164.87	2.34	7.42
		21:00	23.41	49.68	32.16	8.08	6.35	145.39	2.15	5.47
		日平均	23.86	49.60	31.77	8.10	6.66	173.73	2.23	5.21
	潮口站	0:00	22.99	51.18	33.60	8.15	6.19	234.52	14.89	4.49
		3:00	23.68	51.07	32.99	8.18	6.69	228.41	11.60	5.52
		6:00	23.80	51.08	32.90	8.17	6.33	242.39	11.44	7.30
		9:00	23.90	51.06	32.81	8.18	6.81	241.93	12.25	7.90
		12:00	24.31	51.09	32.53	8.21	7.92	217.45	14.47	8.92
		15:00	24.39	51.01	32.41	8.20	7.78	229.08	13.49	0.28
		18:00	23.74	51.02	32.90	8.19	7.34	241.02	14.67	7.28
		21:00	23.41	51.02	33.15	8.17	6.71	254.64	17.91	3.13
		日平均	23.78	51.07	32.91	8.18	6.97	236.18	13.84	5.60
	灣內站	0:00	23.58	49.69	32.04	8.14	5.89	224.05	26.04	5.77
		3:00	23.48	49.71	32.13	8.16	6.40	245.41	37.63	6.37
		6:00	23.20	49.71	32.33	8.15	6.61	245.30	37.19	6.97
		9:00	23.54	49.72	32.09	8.16	6.75	241.17	33.63	9.72
		12:00	23.77	49.72	31.92	8.26	7.09	232.38	33.65	13.08
		15:00	23.75	49.72	31.93	8.22	7.12	235.66	34.46	10.72
		18:00	23.78	49.74	31.93	8.15	6.56	237.81	41.69	7.54
		21:00	23.07	49.79	32.49	8.16	6.06	232.71	33.87	5.86
		日平均	23.52	49.73	32.11	8.18	6.56	236.81	34.77	8.25
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月4日	蚵殼站	0:00	23.75	49.70	31.92	8.05	5.75	133.15	2.28	11.86
		3:00	23.32	49.67	32.22	8.07	5.90	129.69	1.95	8.55
		6:00	23.17	49.79	32.42	8.05	5.45	141.37	1.37	8.26
		9:00	23.50	49.67	32.08	8.07	5.15	146.58	1.39	3.42
		12:00	23.46	49.35	31.87	8.13	7.56	154.94	1.96	9.65
		15:00	22.83	49.45	32.42	8.14	7.11	151.87	2.34	12.41
		18:00	22.16	49.79	33.19	8.15	6.96	154.11	2.70	16.33
		21:00	23.29	49.90	32.41	8.12	5.70	158.97	2.69	16.28
		日平均	23.19	49.67	32.32	8.10	6.20	146.34	2.09	10.85
	潮口站	0:00	23.05	51.01	33.42	8.16	6.30	246.71	19.89	4.12
		3:00	23.53	50.89	32.97	8.18	6.47	230.02	13.15	6.22
		6:00	23.71	51.07	32.96	8.17	6.17	206.72	12.93	7.02
		9:00	23.84	51.10	32.89	8.16	6.45	214.50	13.56	3.11
		12:00	24.16	51.15	32.68	8.20	7.67	243.40	14.56	7.59
		15:00	24.35	50.88	32.35	8.21	7.80	236.82	15.42	4.08
		18:00	23.92	51.05	32.79	8.19	7.26	238.76	17.53	9.52
		21:00	23.37	51.22	33.34	8.18	6.78	238.67	22.34	1.88
		日平均	23.74	51.05	32.93	8.18	6.86	231.95	16.17	5.44
	灣內站	0:00	23.41	49.78	32.23	8.13	6.25	175.53	35.65	5.67
		3:00	22.98	49.77	32.54	8.15	6.32	182.40	33.46	6.32
		6:00	22.83	49.77	32.66	8.13	6.11	204.47	39.43	8.06
		9:00	23.16	49.74	32.39	8.15	5.96	241.93	37.35	6.67
		12:00	23.12	49.71	32.39	8.21	7.10	231.94	47.31	7.42
		15:00	22.49	49.72	32.88	8.22	6.89	229.54	42.90	8.07
		18:00	21.82	49.71	33.39	8.23	6.82	200.98	44.80	6.55
		21:00	22.95	49.67	32.49	8.20	6.23	202.05	38.06	5.28
		日平均	22.85	49.73	32.62	8.18	6.46	208.61	39.87	6.76
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月5日	蚵殼站	0:00	23.11	49.89	32.54	8.05	5.32	145.23	2.20	10.97
		3:00	22.27	49.92	33.20	8.06	6.50	158.46	2.05	9.48
		6:00	22.93	49.97	32.73	8.06	6.20	162.77	1.60	5.22
		9:00	23.35	49.89	32.36	8.07	6.50	159.28	2.08	9.83
		12:00	23.40	49.98	32.39	8.08	8.00	173.13	2.18	10.81
		15:00	23.50	49.32	31.82	8.14	8.46	175.51	1.73	6.45
		18:00	23.47	49.58	32.04	8.09	6.06	181.66	2.59	15.12
		21:00	23.30	49.73	32.27	8.05	5.88	176.07	2.14	10.41
		日平均	23.17	49.79	32.42	8.08	6.62	166.51	2.07	9.79
	潮口站	0:00	23.19	51.16	33.43	8.16	6.39	275.71	23.95	7.46
		3:00	23.55	51.06	33.08	8.18	6.44	244.08	21.37	6.94
		6:00	23.78	51.18	32.99	8.18	6.17	236.57	37.23	4.65
		9:00	23.80	50.18	32.24	8.17	6.56	230.64	19.25	9.11
		12:00	24.19	49.89	31.74	8.19	7.13	237.37	18.75	2.25
		15:00	24.32	49.59	31.43	8.20	6.97	234.02	19.45	5.51
		18:00	23.89	50.06	32.08	8.18	6.56	250.38	22.19	4.04
		21:00	23.52	50.35	32.57	8.17	6.42	237.75	29.09	2.15
		日平均	23.78	50.43	32.45	8.18	6.58	243.32	23.91	5.26
	灣內站	0:00	22.77	49.67	32.63	8.13	6.04	165.20	43.10	5.05
		3:00	22.93	49.68	32.51	8.14	6.61	113.06	58.19	5.58
		6:00	22.59	49.67	32.77	8.14	6.47	113.08	43.84	5.56
		9:00	23.01	49.62	32.41	8.15	6.61	186.30	58.97	5.88
		12:00	23.06	49.56	32.33	8.16	6.84	237.37	55.93	6.65
		15:00	23.16	49.62	32.30	8.22	7.05	245.71	67.40	6.71
		18:00	23.13	49.63	32.33	8.17	6.40	167.73	75.38	5.54
		21:00	22.96	49.61	32.44	8.13	6.31	147.28	61.06	5.05
		日平均	22.95	49.63	32.47	8.16	6.54	171.97	57.98	5.75
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月6日	蚵殼站	0:00	23.13	49.91	32.54	8.06	5.38	182.76	2.17	10.75
		3:00	23.04	49.95	32.63	8.07	5.71	187.03	2.06	9.64
		6:00	21.94	49.82	33.38	8.05	5.95	192.67	1.72	6.31
		9:00	23.17	49.66	32.32	8.08	6.06	195.52	1.72	6.39
		12:00	23.65	49.29	31.69	8.17	6.94	200.96	1.84	7.46
		15:00	22.85	49.21	32.22	8.14	6.29	210.17	2.14	10.45
		18:00	23.50	49.27	31.78	8.10	5.98	143.43	2.33	12.39
		21:00	23.39	49.04	31.69	8.07	5.68	174.68	2.22	11.19
		日平均	23.08	49.52	32.28	8.09	6.00	185.90	2.03	9.32
	潮口站	0:00	23.14	50.16	32.72	8.15	6.06	245.44	32.08	7.18
		3:00	23.23	50.25	32.72	8.17	6.19	247.63	35.84	3.07
		6:00	23.52	50.95	33.02	8.18	6.14	241.40	60.00	6.40
		9:00	23.53	51.18	33.18	8.18	6.32	232.36	59.46	9.66
		12:00	23.84	51.19	32.95	8.19	6.78	231.32	95.94	1.22
		15:00	24.14	51.15	32.70	8.20	6.89	228.35	79.07	2.43
		18:00	23.96	51.39	33.01	8.18	6.33	235.10	86.11	4.19
		21:00	23.39	51.42	33.47	8.19	6.52	234.33	105.72	3.04
		日平均	23.59	50.96	32.97	8.18	6.40	236.99	69.28	4.65
	灣內站	0:00	22.79	49.56	32.53	8.14	6.07	227.13	70.76	4.39
		3:00	22.70	49.61	32.64	8.15	6.23	186.58	64.10	4.52
		6:00	22.60	49.66	32.75	8.13	6.35	140.02	72.78	4.46
		9:00	22.83	49.65	32.57	8.16	6.40	223.95	78.67	7.18
		12:00	23.31	49.63	32.19	8.25	6.81	244.62	94.47	8.39
		15:00	22.51	49.69	32.84	8.22	6.51	247.98	82.85	8.64
		18:00	23.16	49.70	32.36	8.18	6.36	222.25	82.22	5.42
		21:00	23.05	49.71	32.45	8.15	6.22	183.31	75.39	5.10
		日平均	22.87	49.65	32.54	8.17	6.37	209.48	77.66	6.01
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月7日	蚵殼站	0:00	23.48	49.58	31.52	8.06	5.73	174.46	1.83	14.41
		3:00	23.30	49.56	31.63	8.05	6.29	140.82	2.02	16.23
		6:00	23.27	49.62	31.70	8.07	5.88	183.82	1.89	14.95
		9:00	23.58	49.28	31.23	8.08	5.58	178.80	2.29	18.97
		12:00	23.95	49.04	30.80	8.10	6.02	181.21	2.35	19.52
		15:00	23.88	49.11	30.89	8.13	5.43	186.06	2.27	18.77
		18:00	23.85	49.03	30.86	8.06	5.68	158.25	2.64	22.73
		21:00	23.92	49.12	30.87	8.07	5.48	185.78	1.78	13.86
		日平均	23.65	49.29	31.19	8.08	5.76	173.65	2.13	17.43
	潮口站	0:00	23.33	51.19	33.34	8.16	5.97	244.15	122.04	4.25
		3:00	23.33	51.39	33.49	8.18	5.95	241.24	147.07	5.99
		6:00	23.53	51.37	33.32	8.19	6.14	235.82	154.61	5.97
		9:00	23.64	51.51	33.34	8.17	6.26	233.03	160.22	9.74
		12:00	23.93	50.94	32.70	8.18	6.51	229.79	179.70	7.88
		15:00	23.86	50.86	32.70	8.20	6.41	230.48	183.00	0.35
		18:00	23.55	50.39	32.58	8.11	6.34	233.07	32.15	1.16
		21:00	23.53	50.79	32.89	8.09	6.25	229.90	90.32	1.05
		日平均	23.59	51.06	33.05	8.16	6.23	234.69	133.64	4.55
	灣內站	0:00	22.54	49.74	32.33	8.14	6.24	209.85	72.09	5.17
		3:00	22.66	49.75	32.24	8.13	6.51	205.98	65.10	6.61
		6:00	22.83	49.75	32.12	8.15	6.31	109.72	65.69	5.72
		9:00	23.14	49.68	31.84	8.16	6.17	230.55	73.75	6.21
		12:00	23.31	49.66	31.70	8.18	6.38	245.34	76.11	86.66
		15:00	23.04	49.64	31.88	8.21	6.10	255.11	12.75	19.20
		18:00	22.71	49.62	32.11	8.14	6.22	265.88	17.34	20.00
		21:00	22.38	49.60	32.34	8.15	6.12	273.13	19.21	18.43
		日平均	22.83	49.68	32.07	8.16	6.26	224.45	50.26	21.00
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月8日	蚵殼站	0:00	23.69	49.33	31.19	8.07	5.25	108.17	2.05	24.52
		3:00	23.43	50.10	31.94	8.08	6.70	97.35	1.96	23.63
		6:00	23.14	50.24	32.25	8.08	5.97	109.52	1.87	22.75
		9:00	22.96	50.07	32.26	8.10	5.60	98.65	1.99	23.96
		12:00	23.00	49.77	32.01	8.14	6.10	85.35	2.83	32.82
		15:00	23.13	49.29	31.56	8.11	5.97	140.12	2.79	32.34
		18:00	22.98	49.18	31.59	8.08	5.80	169.90	2.67	31.05
		21:00	23.06	49.07	31.45	8.07	5.56	137.25	2.56	29.76
		日平均	23.17	49.63	31.78	8.09	5.87	118.29	2.34	27.60
	潮口站	0:00	23.35	50.75	33.00	8.13	6.00	233.31	64.38	1.04
		3:00	23.23	50.50	32.90	8.11	5.78	254.71	4.54	0.36
		6:00	23.29	50.45	32.82	8.11	5.71	255.14	1.82	6.23
		9:00	23.30	50.39	32.77	8.14	6.21	250.81	4.52	4.73
		12:00	23.60	50.40	32.55	8.14	6.18	250.70	7.45	2.53
		15:00	23.69	50.02	32.20	8.16	6.36	253.04	2.45	1.20
		18:00	23.54	49.92	32.24	8.16	6.24	251.95	1.04	0.34
		21:00	23.39	49.82	32.27	8.17	5.92	247.20	1.11	3.68
		日平均	23.42	50.28	32.59	8.14	6.05	249.61	10.91	2.51
	灣內站	0:00	22.35	49.33	32.16	8.15	6.01	274.10	27.93	6.19
		3:00	22.59	49.84	32.36	8.16	6.70	257.31	16.15	6.77
		6:00	22.65	49.95	32.40	8.16	6.36	213.44	10.05	5.97
		9:00	22.72	49.88	32.30	8.18	6.18	250.87	13.97	5.29
		12:00	22.76	49.77	32.19	8.22	6.42	236.65	13.36	6.06
		15:00	22.79	49.29	31.81	8.19	6.36	135.40	5.11	6.77
		18:00	22.64	49.18	31.84	8.16	6.28	185.56	5.22	6.55
		21:00	22.72	49.07	31.70	8.15	6.16	190.71	3.60	6.10
		日平均	22.65	49.54	32.10	8.17	6.31	218.01	11.92	6.21
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月9日	蚵殼站	0:00	23.31	49.22	31.89	8.08	5.36	132.61	2.08	24.78
		3:00	22.81	49.06	32.14	8.08	5.58	137.25	1.58	20.07
		6:00	22.75	48.69	31.90	8.09	5.80	128.24	1.77	21.83
		9:00	22.81	49.90	32.77	8.09	5.56	120.85	2.78	32.26
		12:00	23.24	49.58	32.21	8.14	6.08	95.67	3.10	35.97
		15:00	23.16	49.51	32.21	8.09	5.84	101.50	3.12	36.26
		18:00	22.93	49.36	32.27	8.06	5.61	126.85	2.98	34.55
		21:00	23.12	49.22	32.03	8.06	5.71	136.78	2.88	33.38
		日平均	23.02	49.32	32.18	8.09	5.69	122.47	2.54	29.89
	潮口站	0:00	23.09	50.71	33.17	8.16	6.16	255.60	3.77	1.18
		3:00	23.14	50.84	33.23	8.15	6.24	253.95	5.90	4.69
		6:00	23.19	50.79	33.15	8.15	6.32	254.18	11.14	8.53
		9:00	23.24	50.83	33.14	8.14	6.40	236.20	4.46	8.01
		12:00	23.30	50.78	33.06	8.14	6.48	245.55	10.47	0.67
		15:00	23.39	50.72	32.95	8.15	6.89	240.91	6.53	1.07
		18:00	23.39	50.78	32.99	8.11	6.42	247.05	2.00	1.18
		21:00	23.28	50.71	33.02	8.13	6.39	234.56	5.25	1.69
		日平均	23.25	50.77	33.09	8.14	6.41	246.00	6.19	3.38
	灣內站	0:00	22.97	49.22	32.14	8.16	6.06	205.37	10.67	6.36
		3:00	22.47	49.06	32.39	8.16	6.17	202.35	10.71	2.74
		6:00	22.41	48.69	32.16	8.17	6.28	176.92	7.67	4.96
		9:00	22.47	49.90	33.03	8.17	6.16	208.18	4.84	2.71
		12:00	22.90	49.58	32.46	8.22	6.41	191.82	10.76	2.81
		15:00	22.82	49.51	32.47	8.17	6.30	190.87	9.23	4.17
		18:00	22.59	49.36	32.53	8.14	6.18	201.50	4.88	4.09
		21:00	22.78	49.22	32.28	8.14	6.23	206.38	2.28	2.89
		日平均	22.68	49.32	32.43	8.17	6.22	197.92	7.63	3.84
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月10日	蚵殼站	0:00	23.01	49.31	32.18	8.05	5.71	136.70	2.89	33.57
		3:00	22.59	49.35	32.52	8.06	6.11	134.95	2.93	34.02
		6:00	22.42	49.22	32.55	8.06	6.30	132.61	2.89	33.54
		9:00	22.50	49.06	32.37	8.08	6.78	137.25	2.87	33.26
		12:00	23.40	48.79	31.50	8.15	7.03	128.24	3.25	37.85
		15:00	23.19	48.71	31.60	8.13	6.77	120.85	3.14	36.51
		18:00	22.89	48.97	32.01	8.07	7.02	145.39	2.95	34.17
		21:00	22.80	49.44	32.43	8.05	6.54	151.26	2.98	34.57
		日平均	22.85	49.11	32.15	8.08	6.53	135.91	2.99	34.69
	潮口站	0:00	23.02	50.72	33.23	8.11	6.23	221.09	15.69	1.22
		3:00	22.92	50.74	33.32	8.08	5.86	228.23	7.45	1.96
		6:00	23.17	50.24	32.75	8.09	5.98	226.74	3.77	9.05
		9:00	23.48	50.71	32.87	8.14	6.33	220.03	5.90	7.59
		12:00	23.68	50.61	32.64	8.15	7.05	216.38	11.14	7.59
		15:00	23.72	50.67	32.66	8.15	7.39	214.07	8.82	8.52
		18:00	23.72	50.69	32.67	8.12	6.62	232.55	5.73	5.28
		21:00	23.56	50.71	32.81	8.13	6.32	232.64	7.67	3.45
		日平均	23.41	50.64	32.87	8.12	6.47	223.97	8.27	5.58
	灣內站	0:00	22.67	49.31	32.43	8.13	6.23	167.15	3.21	4.78
		3:00	22.25	49.35	32.78	8.14	6.42	177.42	8.72	5.50
		6:00	22.08	49.22	32.81	8.14	6.51	213.64	4.33	5.97
		9:00	22.16	49.06	32.63	8.16	6.74	209.67	3.98	6.36
		12:00	23.06	48.79	31.75	8.23	6.85	197.77	4.08	5.39
		15:00	22.85	48.71	31.85	8.21	6.73	199.12	4.13	4.02
		18:00	22.55	48.97	32.27	8.15	6.85	200.91	3.79	4.54
		21:00	22.46	49.44	32.69	8.13	6.63	199.65	4.45	3.52
		日平均	22.51	49.11	32.40	8.16	6.62	195.67	4.59	5.01
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月11日	蚵殼站	0:00	22.90	49.48	32.39	8.06	6.58	145.86	3.05	32.45
		3:00	22.57	49.46	32.62	8.06	6.26	151.12	3.11	33.10
		6:00	22.45	49.52	32.76	8.08	6.48	155.08	2.97	31.48
		9:00	22.46	49.18	32.49	8.07	6.96	149.57	3.15	33.64
		12:00	22.92	48.94	31.97	8.16	6.95	149.27	3.46	37.50
		15:00	23.12	49.01	31.87	8.18	7.16	132.35	3.54	38.44
		18:00	22.98	48.93	31.91	8.08	5.62	159.02	3.13	33.38
		21:00	22.78	49.02	32.13	8.07	6.58	165.10	3.10	32.97
		日平均	22.77	49.19	32.27	8.10	6.57	150.92	3.19	34.12
	潮口站	0:00	23.29	50.67	32.98	8.11	6.04	224.05	21.40	1.04
		3:00	23.26	50.67	33.01	8.09	5.57	233.27	13.17	3.59
		6:00	23.30	49.81	32.33	8.10	6.11	230.60	6.51	5.43
		9:00	23.65	50.72	32.75	8.14	6.70	226.80	7.25	4.04
		12:00	23.98	50.73	32.51	8.15	6.90	224.49	13.90	6.45
		15:00	23.95	50.60	32.44	8.15	7.05	214.37	14.97	6.47
		18:00	23.84	50.24	32.25	8.15	6.90	227.95	11.48	5.28
		21:00	23.73	50.57	32.58	8.15	6.22	232.42	11.03	3.95
		日平均	23.63	50.50	32.61	8.13	6.44	226.74	12.46	4.53
	灣內站	0:00	22.56	49.48	32.64	8.14	6.65	188.45	5.30	13.48
		3:00	22.23	49.46	32.88	8.14	6.50	199.62	4.76	3.88
		6:00	22.11	49.52	33.02	8.16	6.60	216.10	5.90	3.67
		9:00	22.12	49.18	32.75	8.15	6.82	219.89	6.53	40.49
		12:00	22.58	48.94	32.22	8.19	6.82	204.67	12.92	31.04
		15:00	22.78	49.01	32.12	8.21	6.91	206.09	17.78	17.68
		18:00	22.64	48.93	32.17	8.16	6.19	206.45	21.30	16.40
		21:00	22.44	49.02	32.39	8.15	6.65	212.12	25.88	29.28
		日平均	22.43	49.19	32.52	8.16	6.64	206.67	12.55	19.49
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月12日	蚵殼站	0:00	22.63	49.35	32.53	8.06	6.14	159.77	3.04	32.34
		3:00	22.34	49.31	32.72	8.08	5.45	154.93	3.09	32.91
		6:00	22.01	49.33	32.99	8.07	5.58	160.46	2.95	31.20
		9:00	21.73	49.20	33.11	8.08	5.71	156.38	3.01	31.93
		12:00	22.18	49.01	32.62	8.18	6.11	145.05	3.35	36.01
		15:00	22.35	49.08	32.54	8.14	5.97	142.80	3.00	31.84
		18:00	22.11	49.04	32.69	8.07	5.99	157.50	3.10	32.96
		21:00	21.85	49.17	32.99	8.08	5.58	158.11	2.91	30.78
		日平均	22.15	49.19	32.77	8.10	5.82	154.38	3.06	32.50
	潮口站	0:00	23.70	50.81	32.78	8.14	6.21	233.82	23.63	1.21
		3:00	23.55	50.82	32.90	8.11	5.72	233.86	53.08	3.01
		6:00	23.48	50.89	33.00	8.14	6.06	245.65	11.05	3.04
		9:00	23.73	50.86	32.79	8.15	6.31	239.92	11.78	3.60
		12:00	24.03	50.87	32.58	8.15	6.89	233.04	22.79	4.46
		15:00	24.15	50.88	32.49	8.15	7.04	229.31	17.98	4.89
		18:00	23.89	50.89	32.69	8.15	6.40	224.60	44.08	4.28
		21:00	23.77	50.89	32.78	8.15	5.75	231.62	21.84	3.67
		日平均	23.79	50.86	32.75	8.14	6.30	233.98	25.78	3.52
	灣內站	0:00	22.74	49.35	32.79	8.14	6.44	222.21	4.03	3.69
		3:00	22.45	49.31	32.98	8.16	6.11	219.83	3.58	24.75
		6:00	22.12	49.33	33.26	8.15	6.17	224.78	3.80	11.29
		9:00	21.84	49.20	33.38	8.16	6.23	218.82	3.88	3.56
		12:00	22.29	49.01	32.88	8.26	6.42	217.92	3.57	4.21
		15:00	22.46	49.08	32.80	8.22	6.36	215.42	3.39	2.81
		18:00	22.22	49.04	32.96	8.15	6.37	215.46	2.92	3.24
		21:00	21.96	49.17	33.26	8.16	6.17	224.44	3.57	3.30
		日平均	22.26	49.19	33.04	8.18	6.28	219.86	3.59	7.11
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月13日	蚵殼站	0:00	22.18	49.33	33.25	8.05	5.74	157.76	2.59	30.14
		3:00	22.03	49.41	33.43	8.07	5.65	157.82	1.97	23.67
		6:00	21.81	49.47	33.65	8.05	5.89	158.80	2.04	24.44
		9:00	21.78	49.45	33.66	8.07	6.88	159.64	1.90	23.08
		12:00	22.29	49.36	33.19	8.13	7.03	158.53	2.24	26.43
		15:00	22.56	49.33	32.95	8.14	7.12	152.13	2.58	30.06
		18:00	22.21	49.39	33.27	8.15	6.21	157.86	2.34	27.42
		21:00	22.11	49.47	33.41	8.12	6.11	156.30	2.15	25.47
		日平均	22.12	49.40	33.35	8.10	6.33	157.36	2.23	26.34
	潮口站	0:00	23.68	50.89	32.85	8.15	6.25	235.08	44.60	2.90
		3:00	23.52	50.86	32.95	8.13	5.52	229.22	44.05	5.80
		6:00	23.36	50.75	32.99	8.13	5.76	237.84	29.62	4.91
		9:00	23.52	50.59	32.75	8.15	5.98	228.94	29.30	2.83
		12:00	23.81	50.77	32.67	8.15	6.37	248.57	38.13	2.16
		15:00	23.84	50.78	32.65	8.15	6.43	245.27	49.96	3.22
		18:00	23.76	50.40	32.43	8.15	5.84	238.09	55.45	2.36
		21:00	23.45	50.73	32.91	8.15	6.05	243.75	74.84	1.53
		日平均	23.62	50.72	32.78	8.15	6.03	238.35	45.74	3.21
	灣內站	0:00	22.29	49.33	33.52	8.13	6.25	226.57	3.70	2.64
		3:00	22.14	49.41	33.70	8.15	6.20	211.26	3.36	6.67
		6:00	21.92	49.47	33.93	8.13	6.32	212.73	3.22	6.43
		9:00	21.89	49.45	33.94	8.15	6.79	211.48	3.16	6.69
		12:00	22.40	49.36	33.46	8.21	6.85	229.94	3.05	3.83
		15:00	22.67	49.33	33.22	8.22	6.90	223.25	2.93	12.30
		18:00	22.32	49.39	33.54	8.23	6.47	224.93	3.10	5.02
		21:00	22.22	49.47	33.68	8.20	6.42	229.52	3.25	8.33
		日平均	22.23	49.40	33.62	8.18	6.53	221.21	3.22	6.49
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月14日	蚵殼站	0:00	21.92	49.57	33.64	8.05	5.88	156.28	2.28	26.86
		3:00	21.80	49.64	33.79	8.06	5.36	161.74	1.95	23.55
		6:00	21.65	49.62	33.90	8.06	5.86	160.43	1.37	18.26
		9:00	21.79	49.46	33.66	8.07	5.92	181.46	1.39	18.42
		12:00	22.13	49.39	33.34	8.08	6.19	159.85	1.96	23.65
		15:00	22.24	49.39	33.25	8.14	5.44	155.78	2.34	27.41
		18:00	22.58	49.41	33.00	8.09	5.74	152.92	2.70	31.33
		21:00	22.65	49.47	32.99	8.05	5.79	134.85	2.69	31.28
		日平均	22.10	49.49	33.45	8.08	5.77	157.91	2.09	25.10
	潮口站	0:00	23.29	50.70	33.01	8.15	6.02	250.73	38.66	2.90
		3:00	23.35	49.95	32.40	8.12	5.18	247.85	38.16	5.80
		6:00	23.20	50.65	33.04	8.14	5.82	254.12	34.73	4.91
		9:00	23.46	50.81	32.96	8.15	6.19	254.55	26.43	2.83
		12:00	23.82	49.83	31.96	8.15	6.61	270.42	24.10	2.16
		15:00	24.08	50.81	32.49	8.16	6.95	281.84	34.79	3.22
		18:00	23.91	50.34	32.27	8.14	6.11	271.20	34.04	2.36
		21:00	23.77	50.84	32.75	8.12	5.44	246.92	28.01	1.53
		日平均	23.61	50.49	32.61	8.14	6.04	259.70	32.37	3.21
	灣內站	0:00	22.03	49.57	33.92	8.13	6.31	229.16	3.54	5.33
		3:00	21.91	49.64	34.07	8.14	6.06	191.00	3.19	6.62
		6:00	21.76	49.62	34.18	8.14	6.30	211.83	3.29	6.31
		9:00	21.90	49.46	33.94	8.15	6.33	238.59	3.29	5.65
		12:00	22.24	49.39	33.61	8.16	6.46	217.67	3.62	5.48
		15:00	22.35	49.39	33.52	8.22	6.10	222.39	2.92	6.74
		18:00	22.69	49.41	33.26	8.17	6.25	226.28	2.86	5.61
		21:00	22.76	49.47	33.26	8.13	6.27	227.79	3.13	5.94
		日平均	22.21	49.49	33.72	8.16	6.26	220.59	3.23	5.96
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月15日	蚵殼站	0:00	22.00	49.48	33.11	8.06	5.47	157.92	2.20	25.97
		3:00	21.76	49.48	33.30	8.07	5.77	159.81	2.05	24.48
		6:00	21.63	49.46	33.39	8.05	5.98	161.43	1.60	20.22
		9:00	21.70	49.19	33.13	8.08	6.70	211.77	2.08	24.83
		12:00	21.98	49.07	32.82	8.17	6.16	143.18	2.18	25.81
		15:00	22.32	48.96	32.47	8.14	5.92	149.10	1.73	21.45
		18:00	22.22	48.91	32.51	8.10	5.34	157.91	2.59	30.12
		21:00	21.94	48.99	32.78	8.07	5.62	164.82	2.14	25.41
		日平均	21.94	49.19	32.94	8.09	5.87	163.24	2.07	24.79
	潮口站	0:00	23.68	50.74	32.74	8.13	5.63	255.74	34.77	1.51
		3:00	23.55	50.72	32.82	8.11	5.13	257.64	33.71	2.92
		6:00	23.44	50.55	32.78	8.13	5.56	263.78	31.23	2.78
		9:00	23.81	50.96	32.81	8.15	6.15	263.38	28.98	2.52
		12:00	24.10	51.07	32.67	8.16	6.66	269.70	32.57	1.91
		15:00	24.11	51.02	32.63	8.16	6.68	302.65	68.32	0.34
		18:00	24.02	50.95	32.64	8.15	6.16	312.50	67.78	1.06
		21:00	23.92	51.02	32.77	8.12	5.37	273.66	52.38	0.14
		日平均	23.83	50.88	32.73	8.14	5.92	274.88	43.72	1.65
	灣內站	0:00	22.11	49.48	33.38	8.14	6.12	236.32	5.31	5.97
		3:00	21.87	49.48	33.57	8.15	6.26	234.45	6.14	6.48
		6:00	21.74	49.46	33.66	8.13	6.36	230.90	6.13	5.39
		9:00	21.81	49.19	33.39	8.16	6.70	229.59	6.29	6.08
		12:00	22.09	49.07	33.08	8.21	6.45	228.32	6.08	5.35
		15:00	22.43	48.96	32.73	8.22	6.33	120.01	6.00	6.31
		18:00	22.33	48.91	32.77	8.18	6.05	141.60	7.74	4.25
		21:00	22.05	48.99	33.05	8.15	6.19	201.97	7.84	4.60
		日平均	22.05	49.19	33.20	8.17	6.31	202.90	6.44	5.55
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
3月16日	蚵殼站	0:00	21.84	49.06	32.92	8.06	5.86	160.97	2.17	25.75	
		3:00	21.84	49.13	32.97	8.05	6.25	166.06	2.06	24.64	
		6:00	21.70	49.16	33.10	8.07	6.05	166.21	1.72	21.31	
		9:00	21.70	49.10	33.06	8.08	7.01	162.88	1.72	21.39	
		12:00	22.02	48.94	32.68	8.10	6.63	161.29	1.84	22.46	
		15:00	22.48	49.10	32.46	8.13	6.23	158.89	2.14	25.45	
		18:00	22.55	48.92	32.27	8.06	5.71	159.61	2.33	27.39	
		21:00	22.65	49.01	32.26	8.07	6.30	163.04	2.22	26.19	
		日平均	22.10	49.05	32.72	8.08	6.26	162.37	2.03	24.32	
		潮口站	0:00	23.82	51.08	32.89	8.11	5.59	259.08	65.22	2.68
	3:00		23.66	50.95	32.91	8.12	5.72	264.77	54.46	4.77	
	6:00		23.40	50.86	33.04	8.11	5.47	268.82	46.28	6.39	
	9:00		23.67	50.77	32.77	8.14	6.32	263.73	26.97	3.60	
	12:00		23.97	50.97	32.69	8.15	6.46	260.00	25.13	2.05	
	15:00		24.00	50.99	32.69	8.15	6.63	287.93	37.09	1.13	
	18:00		24.02	51.01	32.69	8.15	6.59	316.43	86.52	0.68	
	21:00		23.99	51.01	32.71	8.12	5.90	303.50	111.77	0.40	
	日平均		23.82	50.96	32.80	8.13	6.09	278.03	56.68	2.71	
	灣內站		0:00	21.95	49.06	33.18	8.14	6.30	122.58	5.58	4.76
		3:00	21.95	49.13	33.24	8.13	6.49	200.14	5.32	6.67	
		6:00	21.81	49.16	33.37	8.15	6.40	118.06	5.61	4.43	
		9:00	21.81	49.10	33.32	8.16	6.84	236.60	6.40	6.60	
		12:00	22.13	48.94	32.95	8.18	6.67	201.93	6.10	4.23	
		15:00	22.59	49.10	32.71	8.21	6.48	194.38	5.53	5.33	
		18:00	22.66	48.92	32.52	8.14	6.23	156.73	4.42	3.70	
		21:00	22.76	49.01	32.52	8.15	6.51	147.83	4.95	3.86	
		日平均	22.21	49.05	32.98	8.16	6.49	172.28	5.49	4.95	
		環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
3月17日	蚵殼站	0:00	22.44	49.08	32.47	8.07	5.68	165.43	1.83	22.41	
		3:00	22.21	49.18	32.72	8.09	5.82	164.08	2.02	24.23	
		6:00	22.03	49.17	32.85	8.10	6.17	193.41	1.89	22.95	
		9:00	21.98	48.96	32.73	8.12	6.29	158.68	2.29	26.97	
		12:00	22.51	48.71	32.14	8.16	5.93	157.88	2.35	27.52	
		15:00	22.59	48.83	32.17	8.13	5.91	158.02	2.27	26.77	
		18:00	22.81	48.85	32.02	8.08	5.84	155.76	2.64	30.73	
		21:00	22.80	48.88	32.05	8.06	5.52	162.69	1.78	21.86	
		日平均	22.42	48.96	32.39	8.10	5.90	164.49	2.13	25.43	
		潮口站	0:00	23.83	51.01	32.83	8.11	5.42	263.99	117.69	2.70
	3:00		23.66	50.98	32.93	8.13	5.64	266.98	52.90	1.18	
	6:00		23.62	50.98	32.97	8.13	5.62	273.14	47.38	4.71	
	9:00		23.81	51.29	33.05	8.15	6.20	265.93	45.76	2.90	
	12:00		24.03	51.06	32.72	8.15	6.66	260.98	44.47	3.03	
	15:00		24.17	51.13	32.66	8.15	6.80	291.90	54.91	2.65	
	18:00		24.24	51.12	32.60	8.15	6.59	317.46	123.52	1.49	
	21:00		24.26	51.12	32.59	8.13	6.09	320.02	115.46	1.35	
	日平均		23.95	51.09	32.79	8.14	6.13	282.55	75.26	2.50	
	灣內站		0:00	22.55	49.08	32.73	8.15	6.22	212.60	7.20	2.79
		3:00	22.32	49.18	32.99	8.17	6.29	207.74	6.09	2.61	
		6:00	22.14	49.17	33.12	8.18	6.45	208.28	6.91	5.74	
		9:00	22.09	48.96	32.99	8.20	6.51	207.68	6.84	3.56	
		12:00	22.62	48.71	32.39	8.21	6.34	204.98	5.25	4.12	
		15:00	22.70	48.83	32.42	8.21	6.33	199.75	6.17	2.70	
		18:00	22.92	48.85	32.27	8.16	6.30	201.55	6.52	2.93	
		21:00	22.91	48.88	32.30	8.14	6.14	197.02	6.83	2.90	
		日平均	22.53	48.96	32.65	8.18	6.32	204.95	6.48	3.42	
		環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
3月18日	蚵殼站	0:00	22.60	49.41	32.56	8.09	5.58	161.24	1.59	20.13	
		3:00	22.54	49.43	32.62	8.05	5.28	162.49	1.91	23.14	
		6:00	22.51	49.07	32.37	8.09	5.96	161.74	2.19	25.93	
		9:00	22.73	49.15	32.27	8.13	6.28	152.04	2.68	31.09	
		12:00	23.40	49.07	31.71	8.14	6.26	152.39	2.28	26.81	
		15:00	23.31	49.16	31.84	8.10	6.53	161.20	1.89	22.92	
		18:00	23.19	49.20	31.96	8.06	6.08	158.24	2.02	24.21	
		21:00	23.16	49.11	31.92	8.16	6.12	155.63	1.85	22.57	
		日平均	22.93	49.20	32.16	8.10	6.01	158.12	2.05	24.60	
		潮口站	0:00	24.10	51.11	32.70	8.11	5.16	282.91	77.50	1.54
	3:00		23.83	50.75	32.64	8.14	5.64	273.00	76.18	0.96	
	6:00		23.82	51.10	32.90	8.14	5.05	278.77	52.13	1.16	
	9:00		24.11	51.24	32.79	8.15	5.88	271.34	42.94	1.17	
	12:00		24.29	51.21	32.63	8.17	6.34	259.74	42.71	1.15	
	15:00		24.29	51.20	32.62	8.17	6.46	274.52	51.88	2.07	
	18:00		24.30	51.22	32.63	8.16	6.48	304.71	99.40	0.28	
	21:00		24.38	51.26	32.60	8.14	5.90	310.45	122.03	0.64	
	日平均		24.14	51.14	32.69	8.15	5.86	281.93	70.60	1.12	
	灣內站		0:00	22.26	49.41	32.82	8.17	6.17	185.05	4.07	3.22
		3:00	22.20	49.43	32.88	8.13	6.02	166.86	4.33	2.73	
		6:00	22.17	49.07	32.63	8.17	6.35	154.02	3.81	6.79	
		9:00	22.39	49.15	32.52	8.21	6.50	132.35	4.07	4.98	
		12:00	23.06	49.07	31.96	8.22	6.50	154.38	4.40	3.30	
		15:00	22.97	49.16	32.09	8.18	6.62	164.18	3.94	4.66	
		18:00	22.85	49.20	32.21	8.14	6.41	162.72	4.79	6.79	
		21:00	22.82	49.11	32.17	8.24	6.43	186.01	4.75	6.45	
		日平均	22.59	49.20	32.41	8.18	6.38	163.20	4.27	4.87	
		環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
3月19日	蚵殼站	0:00	23.10	49.23	32.05	8.09	5.53	149.44	1.40	18.48	
		3:00	22.95	49.38	32.27	8.10	6.46	118.92	1.42	18.64	
		6:00	22.84	49.49	32.44	8.08	7.53	153.77	1.75	21.58	
		9:00	23.01	49.21	32.10	8.11	7.59	154.55	1.76	21.70	
		12:00	23.53	49.05	31.60	8.17	7.42	150.35	1.97	23.68	
		15:00	23.62	49.12	31.59	8.09	7.06	154.83	1.64	20.58	
		18:00	23.62	49.15	31.61	8.08	6.05	153.66	1.97	23.72	
		21:00	23.61	49.11	31.59	8.11	5.52	156.07	1.63	20.48	
		日平均	23.29	49.22	31.91	8.10	6.65	148.95	1.69	21.11	
		潮口站	0:00	24.33	50.71	32.24	8.13	5.40	274.15	65.95	4.15
	3:00		23.83	50.84	32.70	8.15	5.27	259.03	74.12	3.82	
	6:00		23.73	50.79	32.74	8.15	5.45	275.42	70.87	7.48	
	9:00		24.39	50.83	32.28	8.14	5.62	267.26	76.33	8.42	
	12:00		24.37	50.78	32.26	8.18	6.53	245.40	66.13	3.98	
	15:00		23.95	50.72	32.52	8.19	6.61	246.78	86.63	3.63	
	18:00		24.17	50.78	32.41	8.17	6.56	284.71	56.83	6.49	
	21:00		24.36	50.71	32.21	8.15	6.27	311.60	133.79	1.73	
	日平均		24.14	50.77	32.42	8.16	5.96	270.54	78.83	4.96	
	灣內站		0:00	22.76	48.89	32.05	8.17	6.15	198.64	6.21	5.39
		3:00	22.61	49.04	32.27	8.18	6.59	180.97	6.97	2.84	
		6:00	22.50	49.15	32.44	8.16	7.08	166.57	3.65	3.28	
		9:00	22.67	48.87	32.10	8.19	7.11	197.68	4.45	4.03	
		12:00	23.19	48.71	31.60	8.18	7.03	207.24	4.31	7.41	
		15:00	23.28	48.78	31.58	8.17	6.87	209.79	2.86	6.94	
		18:00	23.28	48.81	31.60	8.16	6.40	205.62	3.02	2.72	
		21:00	23.27	48.77	31.58	8.19	6.14	216.02	3.70	7.44	
		日平均	22.95	48.88	31.90	8.18	6.67	197.82	4.40	5.01	
		環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月20日	蚵殼站	0:00	23.35	49.15	31.81	8.15	5.52	151.98	1.43	18.72
		3:00	23.24	49.18	31.91	8.12	5.57	156.95	1.27	17.37
		6:00	23.22	49.38	32.07	8.07	5.75	148.48	1.17	16.60
		9:00	23.29	48.99	31.73	8.15	6.10	159.15	1.52	19.56
		12:00	23.70	48.81	31.30	8.12	6.50	151.55	1.74	21.50
		15:00	23.78	48.88	31.29	8.07	7.23	151.49	1.46	18.98
		18:00	23.70	48.90	31.37	8.07	6.14	148.96	1.65	20.71
		21:00	23.72	48.77	31.26	8.09	5.35	154.88	1.57	20.02
		日平均	23.50	49.01	31.59	8.11	6.02	152.93	1.48	19.18
	潮口站	0:00	24.54	50.72	32.09	8.14	5.95	283.05	58.01	2.60
		3:00	23.92	50.74	32.56	8.15	5.58	250.67	34.29	2.34
		6:00	23.67	50.24	32.38	8.15	5.76	263.25	33.18	1.93
		9:00	24.59	50.71	32.05	8.15	5.89	268.39	37.96	1.64
		12:00	24.78	50.61	31.84	8.16	6.27	248.31	45.82	2.78
		15:00	24.29	50.67	32.24	8.18	6.67	236.84	28.82	5.32
		18:00	24.39	50.69	32.18	8.17	6.03	264.11	54.11	3.08
		21:00	25.14	50.71	31.65	8.19	7.21	289.75	140.81	2.95
		日平均	24.42	50.64	32.12	8.16	6.17	263.05	54.13	2.83
	灣內站	0:00	23.01	48.81	31.80	8.23	6.14	172.47	4.39	4.12
		3:00	22.90	48.84	31.91	8.20	6.16	183.54	3.86	3.24
		6:00	22.88	49.04	32.07	8.15	6.25	193.67	3.41	2.84
		9:00	22.95	48.65	31.73	8.23	6.42	207.65	3.13	6.01
		12:00	23.36	48.47	31.29	8.20	6.61	224.70	4.14	6.94
		15:00	23.44	48.54	31.29	8.15	6.95	204.75	3.27	2.90
		18:00	23.36	48.56	31.36	8.15	6.44	207.74	2.88	2.68
		21:00	23.38	48.43	31.25	8.17	6.06	205.38	3.65	2.56
		日平均	23.16	48.67	31.59	8.19	6.38	199.99	3.59	3.91
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月21日	蚵殼站	0:00	23.67	48.86	31.36	8.10	5.98	159.52	1.58	20.06
		3:00	23.51	49.09	31.64	8.20	6.41	155.04	1.47	19.06
		6:00	23.35	49.14	31.80	8.12	6.75	157.12	1.52	19.50
		9:00	23.61	48.98	31.49	8.15	6.69	154.26	1.61	20.33
		12:00	23.91	48.74	31.10	8.15	7.05	155.10	1.68	20.95
		15:00	24.09	48.89	31.08	8.15	7.04	157.87	1.62	20.42
		18:00	24.00	48.85	31.11	8.10	6.09	158.19	1.67	20.85
		21:00	24.05	48.89	31.11	8.07	5.48	161.19	1.67	20.87
		日平均	23.77	48.93	31.34	8.13	6.44	157.29	1.60	20.26
	潮口站	0:00	25.49	50.67	31.37	8.19	7.12	267.11	117.91	2.10
		3:00	24.83	50.67	31.84	8.18	6.11	245.55	56.71	4.15
		6:00	24.61	49.81	31.38	8.18	6.24	260.36	85.48	3.82
		9:00	25.44	50.72	31.45	8.19	6.81	262.72	93.46	7.48
		12:00	26.02	50.73	31.05	8.19	6.71	251.97	52.04	0.31
		15:00	25.01	50.60	31.66	8.20	7.11	232.46	79.96	3.98
		18:00	24.92	50.24	31.47	8.20	6.60	252.77	46.45	3.63
		21:00	25.08	50.57	31.59	8.19	6.55	275.16	133.44	3.16
		日平均	25.18	50.50	31.48	8.19	6.66	256.01	83.18	3.58
	灣內站	0:00	23.33	48.52	31.35	8.18	6.36	189.45	4.46	2.56
		3:00	23.17	48.75	31.64	8.22	6.57	192.68	4.21	3.01
		6:00	23.01	48.80	31.79	8.20	6.72	184.02	3.03	3.35
		9:00	23.27	48.64	31.49	8.23	6.70	206.07	3.04	3.24
		12:00	23.57	48.40	31.09	8.23	6.86	207.11	3.73	5.81
		15:00	23.75	48.55	31.07	8.23	6.86	217.29	3.11	2.84
		18:00	23.66	48.51	31.11	8.18	6.41	203.62	2.69	4.96
		21:00	23.71	48.55	31.10	8.15	6.12	196.90	2.78	3.28
		日平均	23.43	48.59	31.33	8.20	6.58	199.64	3.38	3.63
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 22 日	蚵殼站	0:00	23.29	48.81	31.60	8.12	5.48	155.94	1.71	21.29
		3:00	23.28	48.95	31.71	8.13	5.54	156.34	1.69	21.03
		6:00	23.12	49.06	31.91	8.13	6.39	159.15	1.72	21.35
		9:00	23.40	48.91	31.59	8.12	6.28	156.86	1.98	23.79
		12:00	23.71	48.71	31.22	8.21	7.47	142.19	2.09	24.95
		15:00	23.78	48.70	31.16	8.17	7.02	144.71	1.85	22.54
		18:00	23.61	48.74	31.31	8.07	6.53	153.06	1.36	18.19
		21:00	23.65	48.76	31.30	8.08	5.76	160.67	1.50	19.39
		日平均	23.48	48.83	31.48	8.13	6.31	153.62	1.74	21.57
	潮口站	0:00	25.50	50.81	31.47	8.15	5.98	275.95	91.67	2.53
		3:00	25.18	50.82	31.70	8.16	5.19	240.82	26.54	1.75
		6:00	24.76	50.89	32.05	8.15	5.45	249.79	19.96	4.05
		9:00	25.25	50.86	31.68	8.19	6.46	263.41	30.95	4.48
		12:00	25.74	50.87	31.34	8.19	6.41	250.42	62.24	3.27
		15:00	25.46	50.88	31.55	8.21	6.66	239.74	28.05	0.78
		18:00	24.78	50.89	32.04	8.19	5.87	245.47	25.07	0.75
		21:00	25.17	50.89	31.76	8.19	6.09	255.72	55.89	1.07
		日平均	25.23	50.86	31.70	8.18	6.01	252.67	42.55	2.34
	灣內站	0:00	22.95	48.47	31.59	8.20	6.12	203.05	4.36	3.06
		3:00	22.94	48.61	31.70	8.21	6.15	186.33	4.51	5.46
		6:00	22.78	48.72	31.91	8.21	6.56	170.00	4.47	5.06
		9:00	23.06	48.57	31.59	8.20	6.50	217.36	2.96	2.55
		12:00	23.37	48.37	31.21	8.23	7.05	220.32	3.20	5.29
		15:00	23.44	48.36	31.15	8.22	6.85	219.28	3.20	5.88
		18:00	23.27	48.40	31.31	8.15	6.62	218.11	2.72	3.86
		21:00	23.31	48.42	31.29	8.16	6.26	196.90	3.16	5.94
		日平均	23.14	48.49	31.47	8.20	6.51	203.92	3.57	4.64
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 23 日	蚵殼站	0:00	23.61	48.80	31.36	8.07	5.98	160.53	1.66	20.78
		3:00	23.40	48.99	31.65	8.11	6.75	160.78	1.47	19.08
		6:00	23.00	49.06	32.00	8.06	7.45	167.74	1.38	18.36
		9:00	23.51	48.88	31.49	8.14	7.54	162.71	1.50	19.34
		12:00	23.84	48.68	31.10	8.23	6.89	144.79	1.51	19.47
		15:00	23.92	48.68	31.05	8.20	6.02	144.77	1.45	18.88
		18:00	23.83	48.69	31.12	8.13	5.63	141.26	1.15	16.43
		21:00	23.89	48.69	31.08	8.11	5.66	153.02	1.20	16.84
		日平均	23.63	48.81	31.36	8.13	6.49	154.45	1.42	18.65
	潮口站	0:00	25.52	50.89	31.51	8.19	6.32	249.77	88.75	3.47
		3:00	25.16	50.86	31.74	8.16	5.63	249.35	48.14	3.67
		6:00	24.27	50.75	32.31	8.15	5.21	254.24	33.13	3.85
		9:00	25.02	50.59	31.65	8.17	5.88	254.66	28.00	5.55
		12:00	25.81	50.77	31.22	8.17	5.92	246.29	49.62	0.41
		15:00	25.54	50.78	31.42	8.19	6.08	236.83	44.40	0.51
		18:00	24.53	50.40	31.86	8.17	5.04	243.98	35.46	1.65
		21:00	24.80	50.73	31.91	8.18	5.72	248.03	63.43	1.07
		日平均	25.08	50.72	31.70	8.17	5.73	247.89	48.87	2.52
	灣內站	0:00	23.27	48.46	31.35	8.15	6.36	187.52	3.73	12.24
		3:00	23.06	48.65	31.65	8.19	6.72	177.48	4.79	3.75
		6:00	22.66	48.72	31.99	8.14	7.05	161.90	4.68	12.11
		9:00	23.17	48.54	31.48	8.22	7.09	194.49	3.43	4.39
		12:00	23.50	48.34	31.10	8.24	6.79	208.58	3.29	5.50
		15:00	23.58	48.34	31.04	8.22	6.38	225.52	3.25	5.24
		18:00	23.49	48.35	31.11	8.21	6.19	197.33	3.16	2.89
		21:00	23.55	48.35	31.07	8.19	6.21	160.47	3.27	2.58
		日平均	23.29	48.47	31.35	8.20	6.60	189.16	3.70	6.09
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月24日	蚵殼站	0:00	24.00	48.66	30.98	8.09	5.56	166.67	1.35	18.09
		3:00	23.87	48.69	31.09	8.13	5.66	165.96	1.13	16.26
		6:00	23.60	48.78	31.35	8.11	6.24	173.23	1.01	15.26
		9:00	23.85	48.71	31.12	8.11	7.21	168.58	1.03	15.45
		12:00	24.20	48.49	30.71	8.25	7.35	148.71	1.24	17.16
		15:00	23.87	48.68	31.08	8.17	6.05	141.18	1.04	15.56
		18:00	23.87	48.68	31.08	8.07	5.74	158.63	0.96	14.88
		21:00	24.02	48.69	30.98	8.07	5.31	160.14	1.13	16.24
		日平均	23.91	48.67	31.05	8.13	6.14	160.39	1.11	16.11
	潮口站	0:00	25.42	50.70	31.45	8.17	6.06	240.88	121.86	1.97
		3:00	25.14	49.95	31.11	8.15	5.82	245.41	65.63	3.99
		6:00	24.04	50.65	32.41	8.16	5.24	248.63	40.03	3.62
		9:00	24.82	50.81	31.95	8.16	5.56	249.73	63.53	2.29
		12:00	26.30	49.83	30.23	8.17	6.44	235.54	76.95	4.92
		15:00	26.14	50.81	31.02	8.20	6.62	235.19	58.42	4.98
		18:00	24.67	50.34	31.72	8.18	5.62	244.51	39.62	2.99
		21:00	24.74	50.84	32.03	8.18	5.92	249.28	36.40	2.38
		日平均	25.16	50.49	31.49	8.17	5.91	243.65	62.81	3.39
	灣內站	0:00	23.66	48.32	30.97	8.17	6.16	185.05	4.19	4.28
		3:00	23.53	48.35	31.08	8.21	6.21	166.86	4.24	16.72
		6:00	23.26	48.44	31.34	8.19	6.49	154.02	4.52	19.42
		9:00	23.51	48.37	31.11	8.19	6.94	132.35	5.08	4.26
		12:00	23.86	48.15	30.70	8.13	7.00	154.38	4.56	18.65
		15:00	23.53	48.34	31.08	8.15	6.40	164.18	10.44	9.65
		18:00	23.53	48.34	31.08	8.15	6.25	162.72	10.34	6.48
		21:00	23.68	48.35	30.98	8.15	6.04	186.01	9.20	6.01
		日平均	23.57	48.33	31.04	8.17	6.44	163.20	6.57	10.68
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月25日	蚵殼站	0:00	23.92	48.69	31.05	8.07	5.22	108.11	1.01	15.26
		3:00	23.82	48.74	31.16	8.09	5.71	185.31	0.94	14.71
		6:00	23.54	48.77	31.39	8.12	5.79	163.99	0.77	13.50
		9:00	23.88	48.68	31.08	8.13	6.14	165.88	1.01	15.26
		12:00	24.11	48.64	30.88	8.19	7.36	148.54	1.19	16.73
		15:00	24.09	48.67	30.92	8.18	7.03	143.45	1.09	15.90
		18:00	24.12	48.61	30.85	8.13	6.66	150.84	0.99	15.14
		21:00	23.41	48.63	31.38	8.14	5.69	149.12	0.85	14.07
		日平均	23.86	48.68	31.09	8.13	6.20	151.91	0.98	15.07
	潮口站	0:00	25.20	50.19	31.24	8.20	6.13	242.58	114.19	1.97
		3:00	25.07	50.24	31.36	8.16	5.67	253.94	82.43	3.99
		6:00	24.28	51.32	32.72	8.16	5.04	252.66	96.23	8.62
		9:00	24.63	51.21	32.38	8.17	6.10	249.87	68.05	2.29
		12:00	25.54	51.31	31.80	8.20	6.58	236.06	86.59	3.81
		15:00	26.27	51.41	31.35	8.20	6.76	229.41	63.85	2.54
		18:00	25.48	51.27	31.81	8.19	5.99	242.31	36.19	2.99
		21:00	24.63	50.83	32.10	8.17	5.75	251.33	25.82	2.38
		日平均	25.14	50.97	31.85	8.18	6.00	244.77	71.67	3.57
	灣內站	0:00	23.58	48.35	31.05	8.15	5.99	198.64	7.31	3.28
		3:00	23.48	48.40	31.16	8.17	6.23	180.97	8.27	10.89
		6:00	23.20	48.43	31.38	8.20	6.27	166.57	6.78	3.10
		9:00	23.54	48.34	31.07	8.21	6.44	197.68	5.35	3.91
		12:00	23.77	48.30	30.88	8.23	7.00	207.24	3.56	4.47
		15:00	23.75	48.33	30.91	8.23	6.85	209.79	4.32	4.21
		18:00	23.78	48.27	30.85	8.21	6.68	205.62	4.12	3.37
		21:00	23.07	48.29	31.37	8.17	6.22	216.02	4.50	6.31
		日平均	23.52	48.34	31.08	8.20	6.46	197.82	5.53	4.94
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 26 日	蚵殼站	0:00	23.75	48.66	31.15	8.08	5.37	159.22	0.86	14.13
		3:00	23.32	48.68	31.48	8.10	5.56	157.28	0.77	13.44
		6:00	23.17	48.69	31.60	8.13	5.97	155.22	0.55	11.89
		9:00	23.50	48.69	31.36	8.07	6.25	157.85	0.63	12.47
		12:00	23.46	48.69	31.38	8.11	6.59	154.37	0.80	13.72
		15:00	22.83	48.69	31.85	8.12	6.47	149.44	0.63	12.45
		18:00	22.16	48.75	32.39	8.11	5.73	149.92	0.47	11.37
		21:00	23.29	48.78	31.57	8.06	5.83	154.80	0.47	11.37
		日平均	23.19	48.70	31.60	8.10	5.97	154.76	0.65	12.61
	潮口站	0:00	24.98	50.05	31.29	8.17	6.00	247.01	24.87	1.47
		3:00	24.91	50.65	31.77	8.16	6.09	255.41	19.73	2.51
		6:00	24.31	50.08	31.79	8.16	5.87	254.01	19.12	3.39
		9:00	24.31	50.15	31.84	8.16	7.28	251.39	17.96	3.56
		12:00	25.30	50.27	31.22	8.17	7.96	238.70	23.66	4.92
		15:00	25.84	50.07	30.71	8.18	7.21	228.30	29.11	4.98
		18:00	25.83	50.73	31.18	8.20	6.15	234.62	29.68	1.57
		21:00	24.80	50.14	31.48	8.16	5.51	250.94	27.36	1.70
		日平均	25.04	50.27	31.41	8.17	6.51	245.05	23.94	3.01
	灣內站	0:00	23.41	48.32	31.15	8.16	6.07	218.26	5.02	3.46
		3:00	22.98	48.34	31.47	8.18	6.16	216.00	3.31	9.70
		6:00	22.83	48.35	31.59	8.21	6.36	214.43	4.52	4.66
		9:00	23.16	48.35	31.35	8.15	6.49	207.90	4.61	3.67
		12:00	23.12	48.35	31.38	8.19	6.65	206.67	3.63	4.09
		15:00	22.49	48.35	31.84	8.20	6.59	190.85	3.42	10.89
		18:00	21.82	48.41	32.39	8.19	6.24	184.28	3.91	10.11
		21:00	22.95	48.44	31.57	8.14	6.29	153.30	4.02	2.74
		日平均	22.85	48.36	31.59	8.18	6.36	198.96	4.06	6.17
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 27 日	蚵殼站	0:00	23.11	48.80	31.72	8.16	5.97	146.92	0.45	11.23
		3:00	22.27	48.77	32.33	8.08	5.12	140.53	0.27	10.06
		6:00	22.93	48.89	31.92	8.12	5.07	154.33	0.21	9.67
		9:00	23.35	48.77	31.52	8.16	5.97	143.56	0.42	11.00
		12:00	23.40	48.45	31.25	8.20	7.01	137.77	0.49	11.52
		15:00	23.50	48.55	31.25	8.16	6.57	140.10	0.55	11.92
		18:00	23.47	48.89	31.53	8.12	5.78	149.96	0.45	11.20
		21:00	23.30	49.00	31.73	8.13	5.08	153.17	0.38	10.77
		日平均	23.17	48.77	31.66	8.14	5.82	145.79	0.40	10.92
	潮口站	0:00	24.98	49.98	31.24	8.16	5.42	249.23	39.45	0.00
		3:00	24.63	50.36	31.76	8.15	5.73	252.48	28.32	0.30
		6:00	24.16	50.83	32.45	8.16	5.74	248.74	27.56	0.00
		9:00	24.43	49.80	31.50	8.16	6.36	253.36	25.23	0.00
		12:00	24.75	50.66	31.89	8.19	6.66	242.79	32.05	0.00
		15:00	25.23	49.86	30.98	8.21	6.12	228.97	42.21	1.52
		18:00	25.46	50.52	31.29	8.20	6.57	227.98	61.91	1.25
		21:00	25.26	50.73	31.58	8.16	6.14	246.15	21.24	1.29
		日平均	24.86	50.34	31.59	8.17	6.09	243.71	34.75	0.55
	灣內站	0:00	22.77	48.46	31.72	8.12	6.36	128.51	4.02	14.74
		3:00	22.93	48.43	31.58	8.16	5.94	112.06	3.38	2.56
		6:00	22.59	48.55	31.92	8.20	5.92	199.13	3.90	5.63
		9:00	23.01	48.43	31.52	8.24	6.36	105.26	4.65	4.23
		12:00	23.06	48.11	31.24	8.23	6.84	153.24	3.67	4.17
		15:00	23.16	48.21	31.25	8.22	6.64	168.51	3.32	13.85
		18:00	23.13	48.55	31.52	8.20	6.27	164.02	3.65	6.03
		21:00	22.96	48.66	31.73	8.21	5.92	148.50	4.36	5.46
		日平均	22.95	48.43	31.56	8.20	6.28	147.40	3.87	7.08
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月28日	蚵殼站	0:00	23.13	48.99	31.85	8.05	5.83	123.85	0.36	10.65
		3:00	23.04	49.02	31.94	8.08	6.26	164.55	0.27	10.07
		6:00	21.94	49.07	32.81	8.09	6.18	155.02	0.11	9.06
		9:00	23.17	48.99	31.82	8.05	6.50	170.90	0.31	10.32
		12:00	23.65	49.08	31.54	8.13	7.84	161.07	0.81	13.75
		15:00	22.85	49.32	32.30	8.14	6.61	144.04	1.08	13.85
		18:00	23.50	49.58	32.01	8.14	5.71	171.86	0.31	10.31
		21:00	23.39	49.33	31.91	8.10	5.20	176.94	0.27	10.08
		日平均	23.08	49.17	32.02	8.10	6.27	158.53	0.44	11.01
	潮口站	0:00	24.92	50.22	31.46	8.16	5.64	254.69	19.24	4.77
		3:00	24.58	50.77	32.10	8.16	5.80	255.96	17.61	4.07
		6:00	24.27	50.57	32.18	8.17	5.68	255.60	18.40	9.28
		9:00	24.56	50.40	31.84	8.17	6.22	250.53	58.64	3.17
		12:00	24.93	50.32	31.52	8.17	6.92	227.83	19.29	4.04
		15:00	25.30	50.29	31.24	8.18	6.38	227.53	9.80	1.33
		18:00	25.50	50.33	31.13	8.16	5.19	229.75	10.93	9.80
		21:00	25.37	50.01	30.99	8.19	5.18	233.30	14.37	6.30
		日平均	24.93	50.36	31.56	8.17	5.88	241.90	21.04	5.35
	灣內站	0:00	22.79	48.65	31.84	8.13	6.29	109.86	3.51	3.62
		3:00	22.70	48.68	31.93	8.16	6.50	106.38	3.27	9.99
		6:00	22.60	48.73	32.05	8.17	6.46	188.46	3.55	7.46
		9:00	22.83	48.65	31.82	8.13	6.61	100.99	4.07	2.23
		12:00	23.31	48.54	31.38	8.21	7.22	162.45	3.45	2.34
		15:00	22.51	48.48	31.92	8.22	6.66	184.18	3.27	2.15
		18:00	23.16	48.24	31.27	8.22	6.23	183.30	3.51	2.03
		21:00	23.05	48.19	31.31	8.18	5.98	173.83	5.02	1.34
		日平均	22.87	48.52	31.69	8.18	6.49	151.18	3.71	3.90
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月29日	蚵殼站	0:00	23.75	49.28	31.61	8.10	5.45	151.98	1.69	14.13
		3:00	23.32	49.26	31.91	8.20	5.46	156.95	1.34	11.09
		6:00	23.17	49.32	32.07	8.12	6.46	148.48	1.11	9.18
		9:00	23.50	48.98	31.57	8.15	7.50	159.15	1.16	9.58
		12:00	23.46	48.74	31.42	8.15	7.41	151.55	1.27	10.45
		15:00	22.83	48.81	31.94	8.15	7.33	151.49	1.32	10.94
		18:00	22.16	48.73	32.38	8.10	6.51	148.96	1.90	16.14
		21:00	23.29	48.82	31.60	8.07	5.41	154.88	1.50	12.42
		日平均	23.19	48.99	31.81	8.13	6.44	152.93	1.41	11.74
	潮口站	0:00	25.20	50.05	31.14	8.13	5.98	255.60	23.68	8.44
		3:00	25.07	49.83	31.07	8.13	6.17	253.95	35.88	4.84
		6:00	24.28	50.73	32.29	8.12	6.06	254.18	4.61	2.05
		9:00	24.63	50.27	31.70	8.12	6.17	236.20	5.67	5.68
		12:00	25.54	50.68	31.35	8.13	6.59	245.55	22.48	5.37
		15:00	26.27	50.77	30.90	8.16	6.45	240.91	10.04	1.87
		18:00	25.48	50.78	31.46	8.16	6.36	247.05	2.51	6.37
		21:00	24.63	50.79	32.08	8.14	6.13	254.56	2.44	5.68
		日平均	25.14	50.49	31.50	8.14	6.24	248.50	13.41	5.04
	灣內站	0:00	23.41	48.34	31.16	8.18	6.11	150.87	4.02	2.29
		3:00	22.98	48.52	31.61	8.28	6.11	173.72	3.45	1.95
		6:00	22.83	48.58	31.76	8.20	6.59	157.53	4.07	2.33
		9:00	23.16	48.64	31.57	8.23	7.07	198.45	3.52	4.56
		12:00	23.12	48.40	31.42	8.23	7.03	222.75	3.76	6.23
		15:00	22.49	48.47	31.93	8.23	6.99	223.12	3.48	5.34
		18:00	21.82	48.39	32.38	8.18	6.61	234.69	3.35	2.15
		21:00	22.95	48.48	31.60	8.15	6.09	219.32	5.38	2.03
		日平均	22.85	48.48	31.68	8.21	6.58	197.56	3.88	3.36
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月30日	蚵殼站	0:00	23.11	49.28	32.08	8.12	5.34	159.52	1.58	13.20
		3:00	22.27	49.26	32.70	8.13	5.41	155.04	1.42	11.72
		6:00	22.93	49.32	32.24	8.13	5.45	157.12	1.19	9.84
		9:00	23.35	48.98	31.68	8.12	6.49	154.26	1.18	9.75
		12:00	23.40	48.74	31.46	8.21	7.23	155.10	1.29	10.69
		15:00	23.50	48.81	31.44	8.17	7.59	157.87	1.15	9.49
		18:00	23.47	48.73	31.41	8.07	6.50	158.19	1.27	10.48
		21:00	23.30	48.82	31.60	8.08	5.39	161.19	1.34	11.06
		日平均	23.17	48.99	31.83	8.13	6.18	157.29	1.30	10.78
	潮口站	0:00	24.98	50.80	31.83	8.17	6.31	263.92	9.09	10.80
		3:00	24.91	50.79	31.87	8.18	6.22	262.61	4.07	4.25
		6:00	24.31	50.80	32.32	8.15	6.16	266.08	5.36	6.15
		9:00	24.31	50.78	32.30	8.14	6.31	250.03	5.15	7.21
		12:00	25.30	50.33	31.27	8.15	6.67	258.01	8.40	3.61
		15:00	25.84	50.72	31.17	8.17	6.43	249.26	11.72	0.50
		18:00	25.83	50.76	31.20	8.15	6.50	258.15	4.43	1.39
		21:00	24.80	50.80	31.96	8.13	6.17	269.11	3.07	2.28
		日平均	25.04	50.72	31.74	8.16	6.35	259.65	6.41	4.52
	灣內站	0:00	22.77	48.24	31.55	8.20	6.05	181.55	4.58	2.53
		3:00	22.93	48.42	31.57	8.21	6.09	178.93	3.58	1.48
		6:00	22.59	48.58	31.94	8.21	6.11	178.64	3.42	2.60
		9:00	23.01	48.64	31.68	8.20	6.60	206.74	3.68	3.36
		12:00	23.06	48.40	31.46	8.23	6.95	222.76	3.60	2.62
		15:00	23.16	48.47	31.44	8.21	7.11	227.07	3.12	1.27
		18:00	23.13	48.39	31.40	8.15	6.61	233.58	3.07	2.25
		21:00	22.96	48.48	31.59	8.16	6.08	83.22	5.12	2.42
		日平均	22.95	48.45	31.58	8.20	6.45	189.06	3.77	2.32
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年1~3月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3月31日	蚵殼站	0:00	23.13	48.95	31.82	8.07	5.38	155.94	1.34	11.11
		3:00	23.04	48.91	31.86	8.11	5.51	156.34	0.98	8.12
		6:00	21.94	48.93	32.70	8.06	6.42	159.15	0.57	5.12
		9:00	23.17	48.80	31.68	8.14	6.47	156.86	0.57	5.13
		12:00	23.65	48.61	31.19	8.23	6.58	142.19	0.96	8.03
		15:00	22.85	48.68	31.82	8.20	6.59	144.71	0.76	6.48
		18:00	23.50	48.64	31.32	8.13	6.50	153.06	0.75	6.39
		21:00	23.39	48.77	31.49	8.11	5.37	160.67	1.04	8.62
		日平均	23.08	48.79	31.74	8.13	6.10	153.62	0.87	7.38
	潮口站	0:00	24.93	50.80	31.87	8.13	5.97	265.85	4.21	5.58
		3:00	25.08	50.81	31.77	8.15	6.21	266.75	2.67	1.62
		6:00	25.12	50.76	31.70	8.14	6.17	259.68	3.94	2.46
		9:00	25.16	50.68	31.62	8.13	6.35	238.20	3.93	8.80
		12:00	25.86	50.67	31.12	8.13	6.63	242.57	7.34	1.63
		15:00	25.89	50.76	31.16	8.15	6.60	252.05	7.13	1.98
		18:00	25.57	50.79	31.40	8.14	6.35	263.71	8.77	2.66
		21:00	25.42	50.62	31.39	8.13	6.34	273.05	4.41	1.35
		日平均	25.38	50.74	31.50	8.14	6.33	257.73	5.30	3.26
	灣內站	0:00	22.79	48.61	31.81	8.15	6.07	62.13	4.99	1.79
		3:00	22.70	48.57	31.85	8.19	6.14	84.72	3.93	1.95
		6:00	22.60	48.59	31.94	8.14	6.57	138.79	4.80	1.62
		9:00	22.83	48.46	31.67	8.22	6.59	172.38	3.31	2.33
		12:00	23.31	48.27	31.18	8.24	6.65	207.72	3.79	3.47
		15:00	22.51	48.34	31.82	8.22	6.65	214.84	3.29	3.74
		18:00	23.16	48.30	31.31	8.21	6.61	227.58	3.16	2.26
		21:00	23.05	48.43	31.49	8.19	6.07	218.62	4.90	1.36
		日平均	22.87	48.45	31.63	8.20	6.42	165.85	4.02	2.32
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月1日	蚵殼站	0:00	27.11	47.04	27.80	8.15	5.63	136.88	16.48	15.76
		3:00	26.99	47.57	28.23	8.06	6.57	124.32	22.18	15.21
		6:00	26.87	48.70	29.08	8.14	6.51	127.79	25.70	14.00
		9:00	26.82	49.82	29.88	8.20	7.08	142.21	19.75	15.76
		12:00	26.28	47.90	28.90	8.19	8.20	144.74	8.32	17.23
		15:00	26.52	46.71	27.93	8.28	6.32	145.08	11.97	16.40
		18:00	26.72	47.14	28.10	8.27	6.67	144.27	8.72	15.64
		21:00	26.70	48.00	28.70	8.06	6.79	149.33	12.82	14.57
	日平均	26.75	47.86	28.58	8.17	6.72	139.33	15.74	15.57	
	潮口站	0:00	25.23	50.84	31.68	8.10	7.87	254.11	2.94	0.89
		3:00	25.04	50.26	31.40	8.12	6.16	255.09	9.17	3.65
		6:00	25.33	50.57	31.42	8.12	6.86	254.80	5.51	1.59
		9:00	25.59	50.90	31.47	8.14	8.08	244.76	10.61	1.03
		12:00	25.58	51.28	31.75	8.14	7.85	243.12	12.65	1.28
		15:00	25.69	51.02	31.48	8.16	7.45	240.91	12.74	4.05
		18:00	25.71	51.13	31.55	8.17	7.09	241.01	11.71	3.79
		21:00	25.88	51.37	31.60	8.09	6.66	248.42	22.77	0.31
	日平均	25.51	50.92	31.54	8.13	7.25	247.78	11.01	2.07	
	灣內站	0:00	23.10	48.26	31.33	8.15	6.84	155.18	4.52	3.86
		3:00	22.95	48.30	31.47	8.15	6.52	144.79	10.63	7.21
		6:00	22.84	48.05	31.36	8.18	6.74	155.00	10.08	0.42
		9:00	23.01	47.61	30.91	8.18	7.22	194.12	6.23	1.54
		12:00	23.53	47.90	30.75	8.15	7.21	145.69	13.12	7.97
		15:00	23.62	47.49	30.39	8.15	7.42	166.60	11.04	1.49
		18:00	23.62	47.45	30.36	8.15	5.88	175.40	12.83	2.46
		21:00	23.61	47.71	30.56	8.15	6.84	179.94	17.87	5.85
	日平均	23.29	47.85	30.89	8.16	6.83	164.59	10.79	3.85	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月2日	蚵殼站	0:00	26.69	47.94	28.67	8.05	6.13	122.67	1.91	14.63
		3:00	26.54	47.83	28.69	8.06	5.74	166.72	21.55	13.94
		6:00	26.49	47.65	28.60	8.07	5.47	136.00	18.26	12.39
		9:00	26.42	49.80	30.13	8.14	7.21	155.60	15.17	12.97
		12:00	26.24	51.04	31.11	8.24	7.41	158.22	26.65	14.22
		15:00	26.81	49.59	29.73	8.31	7.82	160.23	27.02	12.95
		18:00	26.87	48.53	28.96	8.30	8.77	172.57	23.86	11.87
		21:00	26.78	48.66	29.11	8.20	8.10	159.49	19.76	11.87
	日平均	26.61	48.88	29.38	8.17	7.08	153.94	19.27	13.11	
	潮口站	0:00	25.58	51.02	31.56	8.08	8.09	255.63	11.33	4.89
		3:00	24.68	51.06	32.24	8.10	7.17	267.93	9.02	3.73
		6:00	24.40	51.48	32.75	8.11	7.11	272.08	8.95	3.19
		9:00	25.24	51.03	31.81	8.16	6.79	280.75	11.43	4.23
		12:00	25.15	51.90	32.50	8.16	8.09	295.69	11.26	5.24
		15:00	25.22	51.24	31.97	8.19	7.84	294.60	10.48	3.57
		18:00	25.28	51.46	32.09	8.23	8.08	310.44	23.95	4.35
		21:00	25.26	51.12	31.86	8.12	6.83	321.01	21.45	3.82
	日平均	25.10	51.29	32.10	8.14	7.50	287.27	13.48	4.13	
	灣內站	0:00	23.35	47.20	30.36	8.16	6.40	183.45	18.20	1.82
		3:00	23.24	47.06	30.33	8.18	5.71	192.43	4.45	2.51
		6:00	23.22	47.25	30.49	8.20	5.84	218.34	6.10	2.41
		9:00	23.29	47.21	30.41	8.21	5.97	233.77	6.71	3.37
		12:00	23.70	47.21	30.12	8.22	6.37	188.72	7.47	0.08
		15:00	23.78	47.49	30.28	8.17	6.23	196.86	7.43	0.01
		18:00	23.70	47.52	30.35	8.15	6.25	230.65	13.27	0.85
		21:00	23.72	47.63	30.42	8.17	5.84	242.39	19.38	0.44
	日平均	23.50	47.32	30.35	8.18	6.08	210.83	10.38	1.44	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 3 日	蚵殼站	0:00	26.72	49.22	29.53	8.06	7.72	183.69	20.33	11.73
		3:00	26.78	49.98	30.01	8.03	6.04	109.66	23.35	10.56
		6:00	26.65	49.33	29.65	8.11	5.35	170.77	19.56	10.17
		9:00	26.61	50.60	30.56	8.17	7.78	191.81	17.35	11.50
		12:00	26.57	51.00	30.86	8.27	6.93	186.08	3.48	12.02
		15:00	27.15	48.38	28.68	8.16	6.96	192.24	5.00	12.42
		18:00	27.16	46.90	27.67	8.17	8.47	196.99	10.07	11.70
		21:00	27.16	47.81	28.29	8.10	6.37	204.14	19.97	11.27
		日平均	26.85	49.15	29.41	8.13	6.95	179.42	14.89	11.42
	潮口站	0:00	25.25	51.56	32.18	8.13	7.25	314.02	21.94	3.42
		3:00	24.77	52.20	33.00	8.13	6.93	315.18	18.17	2.98
		6:00	24.66	52.48	33.28	8.11	6.05	316.58	14.51	2.80
		9:00	25.49	52.03	32.34	8.12	6.99	319.78	19.61	3.07
		12:00	25.50	51.98	32.30	8.22	8.12	319.26	21.65	3.12
		15:00	25.38	52.01	32.41	8.24	8.14	319.63	21.74	3.12
		18:00	25.28	52.05	32.51	8.21	8.28	324.22	20.71	3.38
		21:00	25.57	51.98	32.25	8.19	6.65	330.21	31.77	3.01
		日平均	25.24	52.04	32.53	8.17	7.30	319.86	21.26	3.11
	灣內站	0:00	23.67	47.71	30.51	8.16	6.00	226.07	27.93	1.27
		3:00	23.51	47.71	30.63	8.18	5.91	237.53	76.15	0.59
		6:00	23.35	47.61	30.67	8.20	6.15	128.47	10.05	2.55
		9:00	23.61	47.37	30.31	8.21	7.14	230.05	13.97	0.09
		12:00	23.91	47.36	30.09	8.22	7.29	255.46	13.36	0.15
		15:00	24.09	47.48	30.06	8.17	7.38	242.07	5.11	0.26
		18:00	24.00	47.70	30.28	8.15	6.47	262.23	5.22	0.87
		21:00	24.05	47.60	30.17	8.14	6.37	170.90	3.60	2.18
		日平均	23.77	47.57	30.34	8.18	6.59	219.10	19.42	1.00
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 4 日	蚵殼站	0:00	27.12	48.40	28.71	8.01	5.93	202.09	5.19	11.15
		3:00	27.09	49.62	29.56	8.04	5.08	179.96	2.25	10.57
		6:00	27.06	49.23	29.32	8.05	5.80	194.18	5.67	9.56
		9:00	26.81	50.46	30.32	8.12	6.09	196.62	1.24	10.82
		12:00	26.98	50.08	29.95	8.10	6.02	203.72	10.03	14.25
		15:00	27.12	50.17	29.92	8.20	6.06	211.23	3.25	14.35
		18:00	27.27	47.29	27.87	8.18	6.44	218.38	9.14	10.81
		21:00	27.29	47.17	27.77	8.05	6.12	223.87	3.05	10.58
		日平均	27.09	49.05	29.18	8.09	5.94	203.76	4.98	11.51
	潮口站	0:00	25.81	51.98	32.08	8.17	6.10	329.95	24.75	2.90
		3:00	24.95	52.02	32.73	8.16	5.18	329.60	25.03	2.34
		6:00	24.57	52.32	33.23	8.11	5.66	329.59	17.37	2.06
		9:00	25.67	52.22	32.35	8.23	6.82	329.24	25.48	2.65
		12:00	26.01	52.19	32.08	8.23	8.99	327.28	27.04	2.86
		15:00	25.56	52.03	32.29	8.20	7.57	325.65	27.31	2.82
		18:00	25.60	50.42	31.12	8.23	6.97	325.43	29.85	2.52
		21:00	26.01	51.66	31.71	8.21	6.03	326.77	51.35	2.84
		日平均	25.52	51.86	32.20	8.19	6.67	327.94	28.52	2.62
	灣內站	0:00	23.29	47.46	30.60	8.15	6.14	169.09	10.67	1.42
		3:00	23.28	47.50	30.63	8.17	5.62	222.43	10.71	2.41
		6:00	23.12	47.68	30.88	8.16	6.12	219.24	7.67	1.13
		9:00	23.40	47.29	30.39	8.17	6.18	266.50	4.84	2.46
		12:00	23.71	47.32	30.20	8.16	6.45	260.07	10.76	2.51
		15:00	23.78	47.33	30.15	8.15	5.70	258.20	9.23	1.35
		18:00	23.61	47.59	30.47	8.14	6.00	279.07	4.88	2.40
		21:00	23.65	47.33	30.24	8.13	6.05	179.76	2.28	2.37
		日平均	23.48	47.44	30.45	8.15	6.03	231.80	7.63	2.01
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月5日	蚵殼站	0:00	27.20	47.14	27.81	8.05	7.22	226.37	3.46	14.63
		3:00	26.73	48.03	28.71	8.01	6.51	220.19	11.54	11.59
		6:00	26.30	48.82	29.53	8.05	7.08	222.97	17.70	9.68
		9:00	26.69	48.08	28.77	8.11	8.20	206.96	17.69	10.08
		12:00	26.69	49.96	30.06	8.13	6.32	151.40	2.91	10.95
		15:00	27.38	48.24	28.44	8.20	8.85	171.01	14.79	11.44
		18:00	27.60	48.15	28.25	8.10	6.83	159.65	16.83	16.64
		21:00	27.83	48.95	28.64	8.11	6.22	154.22	9.34	12.92
	日平均	27.05	48.42	28.78	8.10	7.15	189.10	11.78	12.24	
	潮口站	0:00	26.37	51.68	31.47	8.13	5.64	325.56	31.12	2.98
		3:00	25.27	51.63	32.22	8.17	6.18	325.51	33.95	2.05
		6:00	24.90	52.15	32.86	8.20	6.11	327.02	35.49	1.67
		9:00	26.08	51.78	31.75	8.13	6.31	325.04	37.27	2.35
		12:00	26.62	51.29	31.03	8.13	7.59	320.28	29.17	2.77
		15:00	25.88	51.54	31.72	8.13	8.26	318.64	23.54	2.17
		18:00	25.46	50.24	31.09	8.16	7.42	319.74	13.30	2.10
		21:00	26.17	50.93	31.09	8.18	6.08	319.20	22.15	2.60
	日平均	25.84	51.41	31.65	8.15	6.70	322.62	28.25	2.34	
	灣內站	0:00	23.61	47.90	30.69	8.11	5.73	231.77	3.21	1.06
		3:00	23.40	47.49	30.54	8.14	6.03	270.23	8.72	1.56
		6:00	23.00	47.45	30.80	8.17	6.24	236.35	4.33	2.57
		9:00	23.51	47.71	30.63	8.20	6.96	244.85	3.98	0.41
		12:00	23.84	47.39	30.16	8.23	6.42	253.01	4.08	0.31
		15:00	23.92	47.26	30.01	8.22	6.18	271.50	4.13	3.69
		18:00	23.83	47.76	30.44	8.15	5.60	235.13	3.79	2.42
		21:00	23.89	46.91	29.78	8.11	5.88	243.23	4.45	2.74
	日平均	23.63	47.48	30.38	8.17	6.13	248.26	4.59	1.85	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月6日	蚵殼站	0:00	27.56	49.43	29.13	8.14	6.81	186.41	2.19	12.02
		3:00	27.71	49.63	29.17	8.27	6.02	177.78	2.20	12.42
		6:00	27.49	49.43	29.18	8.14	5.43	105.65	3.20	11.70
		9:00	26.74	49.45	29.67	8.24	5.45	134.96	2.15	11.27
		12:00	26.79	49.50	29.68	8.30	7.67	173.08	2.18	9.70
		15:00	26.76	49.11	29.43	8.31	7.69	182.11	2.16	13.47
		18:00	26.63	49.43	29.73	8.27	7.07	162.54	2.17	9.77
		21:00	26.79	49.53	29.70	8.21	5.74	145.72	3.10	12.65
	日平均	27.06	49.44	29.46	8.24	6.49	158.53	2.42	11.63	
	潮口站	0:00	26.03	51.57	31.63	8.10	5.60	318.46	24.66	2.49
		3:00	25.47	51.41	31.92	8.11	6.20	319.32	24.37	1.86
		6:00	25.04	51.66	32.41	8.15	5.77	320.78	19.74	1.41
		9:00	26.36	51.51	31.36	8.17	5.90	316.37	23.81	2.49
		12:00	27.60	51.18	30.30	8.14	7.58	300.31	29.90	3.76
		15:00	26.60	51.09	30.90	8.08	8.21	299.91	27.22	2.93
		18:00	25.41	49.86	30.85	8.10	7.70	299.96	16.70	1.84
		21:00	26.73	49.72	29.87	8.13	7.54	302.43	22.45	3.04
	日平均	26.16	51.00	31.16	8.12	6.81	309.69	23.61	2.48	
	灣內站	0:00	24.00	46.76	29.59	8.12	6.12	245.85	5.30	7.47
		3:00	23.87	47.24	30.03	8.12	6.51	248.08	4.76	1.73
		6:00	23.60	46.76	29.87	8.13	6.31	249.38	5.90	1.03
		9:00	23.85	46.52	29.52	8.13	7.27	251.60	6.53	0.08
		12:00	24.20	47.22	29.79	8.19	6.89	251.01	12.92	5.46
		15:00	23.87	47.68	30.35	8.17	6.49	185.27	17.78	2.71
		18:00	23.87	47.94	30.54	8.16	5.97	108.95	21.30	0.09
		21:00	24.02	48.03	30.50	8.15	6.56	196.97	25.88	3.99
	日平均	23.91	47.27	30.02	8.15	6.52	217.14	12.55	2.82	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 7 日	蚵殼站	0:00	27.00	49.63	29.63	8.17	5.56	112.95	4.36	0.90
		3:00	26.74	49.59	29.77	8.13	5.27	190.94	3.86	6.72
		6:00	26.48	49.52	29.89	8.10	5.74	126.57	4.42	11.42
		9:00	26.79	49.08	29.39	8.20	5.92	153.92	6.00	12.65
		12:00	27.23	49.17	29.17	8.23	6.67	194.79	5.39	12.48
		15:00	27.56	49.28	29.03	8.24	7.59	211.15	4.26	9.68
		18:00	27.71	49.22	28.90	8.21	7.71	202.03	2.28	4.69
		21:00	27.49	49.20	29.02	8.16	7.35	130.73	5.60	4.50
	日平均	27.13	49.34	29.35	8.18	6.48	165.39	4.52	7.88	
	潮口站	0:00	27.16	50.72	30.27	8.08	8.90	301.07	32.78	3.41
		3:00	26.02	50.44	30.84	8.09	7.45	302.17	40.55	2.31
		6:00	25.25	50.90	31.71	8.08	7.39	303.66	32.73	1.20
		9:00	26.31	50.57	30.74	8.15	6.20	300.55	34.71	2.41
		12:00	26.94	50.53	30.29	8.13	6.28	293.05	43.24	4.18
		15:00	26.46	50.75	30.76	8.12	7.27	294.06	50.54	3.75
		18:00	25.49	50.97	31.59	8.13	5.99	296.98	48.51	2.67
		21:00	25.72	51.21	31.60	8.13	5.37	293.85	46.28	2.67
	日平均	26.17	50.76	30.98	8.11	6.86	298.17	41.17	2.83	
	灣內站	0:00	23.92	48.26	30.74	8.14	5.94	201.23	18.48	0.50
		3:00	23.82	48.30	30.84	8.25	6.08	212.17	19.89	2.52
		6:00	23.54	48.05	30.85	8.26	6.43	206.39	25.54	1.15
		9:00	23.88	47.61	30.29	8.26	6.55	223.17	23.16	0.64
		12:00	24.11	47.42	30.00	8.24	6.19	152.36	10.50	0.72
		15:00	24.09	47.37	29.98	8.19	6.17	127.65	9.11	0.44
		18:00	24.12	45.66	28.71	8.15	6.10	139.26	11.27	2.46
		21:00	23.41	47.25	30.35	8.15	5.78	136.77	17.91	2.10
	日平均	23.86	47.49	30.22	8.21	6.16	174.88	16.98	1.32	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 8 日	蚵殼站	0:00	27.25	49.20	29.18	8.16	6.81	123.37	7.71	6.50
		3:00	26.91	49.20	29.39	8.13	6.02	114.15	5.36	6.57
		6:00	26.42	49.20	29.71	8.09	5.34	128.67	7.09	12.48
		9:00	26.25	48.89	29.61	8.14	5.45	164.42	6.92	9.68
		12:00	27.26	48.79	28.89	8.27	6.99	189.59	3.73	16.89
		15:00	27.83	48.96	28.65	8.31	7.29	201.15	5.53	14.10
		18:00	27.82	49.10	28.75	8.29	7.72	170.07	6.25	5.73
		21:00	27.62	48.95	28.77	8.27	7.77	175.34	6.91	4.80
	日平均	27.17	49.04	29.12	8.21	6.67	158.35	6.19	9.59	
	潮口站	0:00	25.79	51.89	32.03	8.16	7.19	292.00	63.50	2.50
		3:00	25.36	51.86	32.32	8.12	6.71	292.98	67.15	1.98
		6:00	24.97	52.35	32.96	8.15	6.28	292.28	61.31	1.51
		9:00	25.24	52.62	32.95	8.21	6.92	296.82	41.81	1.92
		12:00	25.72	52.43	32.46	8.24	6.31	291.49	61.27	2.74
		15:00	25.98	52.24	32.14	8.22	6.31	290.04	60.67	2.89
		18:00	25.33	52.04	32.47	8.23	8.08	292.73	58.61	1.97
		21:00	25.26	51.49	32.12	8.22	6.50	296.20	54.82	1.71
	日平均	25.46	52.12	32.43	8.19	6.79	293.07	58.64	2.15	
	灣內站	0:00	23.75	45.57	28.89	8.11	5.84	200.94	17.68	2.31
		3:00	23.32	46.18	29.63	8.13	5.54	184.92	21.35	2.05
		6:00	23.17	47.15	30.45	8.14	6.22	112.54	27.84	1.27
		9:00	23.50	47.12	30.20	8.21	6.54	150.57	33.31	0.10
		12:00	23.46	47.34	30.39	8.28	6.52	126.99	39.21	0.26
		15:00	22.83	47.60	31.03	8.22	6.79	130.04	51.96	0.23
		18:00	22.16	47.66	31.56	8.14	6.34	115.61	26.75	0.62
		21:00	23.29	47.76	30.82	8.15	6.38	144.25	22.05	1.72
	日平均	23.19	47.05	30.37	8.17	6.27	145.73	30.02	1.07	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 9 日	蚵殼站	0:00	27.23	49.42	29.34	8.24	7.74	190.23	3.78	12.65
		3:00	27.56	49.55	29.22	8.20	7.70	157.24	4.80	12.48
		6:00	27.71	49.47	29.07	8.04	7.51	194.95	7.78	9.68
		9:00	27.62	49.52	29.16	8.14	7.64	130.81	9.02	4.69
		12:00	27.16	49.45	29.40	8.24	7.48	182.63	4.23	12.48
		15:00	27.62	49.47	29.12	8.28	6.57	205.36	3.92	9.68
		18:00	27.75	49.00	28.73	8.25	6.44	195.12	2.98	19.81
		21:00	27.90	49.16	28.74	8.25	6.17	187.28	3.15	6.71
		日平均	27.57	49.38	29.10	8.21	7.16	180.45	4.96	11.02
	潮口站	0:00	25.39	51.78	32.24	8.19	7.70	294.17	53.79	2.00
		3:00	25.09	52.31	32.84	8.19	6.90	297.13	37.69	1.43
		6:00	24.79	52.70	33.35	8.18	8.10	300.22	31.12	1.25
		9:00	25.15	52.69	33.07	8.19	6.84	300.64	28.79	1.70
		12:00	25.82	52.67	32.56	8.17	7.97	294.29	32.93	2.34
		15:00	25.94	52.47	32.33	8.15	8.17	292.71	46.89	2.35
		18:00	25.07	52.32	32.86	8.13	8.37	295.45	37.11	1.87
		21:00	24.69	52.39	33.20	8.15	8.07	298.40	39.10	1.50
		日平均	25.24	52.42	32.81	8.17	7.77	296.63	38.43	1.81
	灣內站	0:00	23.11	47.93	31.07	8.15	5.89	162.18	67.59	0.77
		3:00	22.27	47.85	31.63	8.19	5.61	160.35	71.60	1.46
		6:00	22.93	47.73	31.05	8.25	6.31	111.81	31.47	1.03
		9:00	23.35	47.53	30.61	8.35	6.34	144.22	38.17	1.87
		12:00	23.40	47.55	30.59	8.32	6.76	133.20	29.06	1.87
		15:00	23.50	47.87	30.75	8.26	6.41	132.87	16.17	1.56
		18:00	23.47	47.87	30.77	8.13	5.92	143.42	1.45	2.54
		21:00	23.30	48.16	31.10	8.20	6.22	137.21	1.55	1.09
		日平均	23.17	47.81	30.95	8.23	6.18	140.66	32.13	1.52
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 10 日	蚵殼站	0:00	27.86	49.35	28.89	8.20	7.72	176.94	4.74	8.89
		3:00	27.24	49.40	29.32	8.19	6.04	138.91	3.53	5.05
		6:00	25.51	49.31	30.40	8.08	5.35	123.47	3.88	4.25
		9:00	25.74	49.43	30.32	8.05	7.78	175.60	3.89	5.34
		12:00	25.85	49.19	30.08	8.21	6.93	174.50	8.16	9.38
		15:00	26.05	49.14	29.91	8.24	6.96	185.36	6.59	9.34
		18:00	27.03	49.22	29.33	8.27	8.47	187.67	1.82	4.87
		21:00	28.04	49.06	28.59	8.24	7.37	171.67	2.72	5.96
		日平均	26.67	49.26	29.61	8.19	7.08	166.77	4.42	6.64
	潮口站	0:00	25.07	51.20	32.05	8.23	7.88	298.94	17.36	1.61
		3:00	25.02	52.15	32.78	8.16	7.56	300.20	5.58	2.00
		6:00	24.51	52.56	33.46	8.18	8.52	305.26	3.14	1.31
		9:00	24.82	52.63	33.27	8.19	8.01	302.48	0.40	2.31
		12:00	25.44	52.70	32.86	8.19	7.95	300.29	8.59	2.03
		15:00	25.83	52.34	32.32	8.18	8.45	295.52	33.69	2.43
		18:00	25.22	52.23	32.69	8.17	7.79	295.35	53.07	1.55
		21:00	24.69	52.32	33.14	8.15	8.65	297.07	24.31	1.03
		日平均	25.08	52.27	32.82	8.18	8.10	299.39	18.27	1.78
	灣內站	0:00	23.13	48.39	31.40	8.28	6.06	144.82	1.68	2.31
		3:00	23.04	47.81	31.03	8.26	5.91	131.53	1.03	2.55
		6:00	21.94	45.81	30.32	8.27	6.30	135.20	1.34	2.21
		9:00	23.17	48.24	31.26	8.21	6.85	150.46	1.45	1.90
		12:00	23.65	48.24	30.92	8.30	6.99	153.13	1.02	2.25
		15:00	22.85	48.00	31.31	8.31	6.34	153.49	0.77	2.55
		18:00	23.50	47.48	30.47	8.17	5.96	152.64	0.23	2.46
		21:00	23.39	46.28	29.66	8.17	6.03	157.99	1.01	2.27
		日平均	23.08	47.53	30.80	8.25	6.31	147.41	1.07	2.31
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月11日	蚵殼站	0:00	27.68	49.19	28.90	8.23	6.74	177.51	4.36	7.94
		3:00	27.35	49.14	29.07	8.21	8.49	104.94	2.93	6.36
		6:00	26.05	48.59	29.53	8.11	8.14	139.68	3.44	3.96
		9:00	26.02	48.92	29.78	8.14	9.08	183.52	4.23	4.30
		12:00	26.47	48.82	29.42	8.18	6.62	190.10	7.98	8.52
		15:00	27.02	48.98	29.17	8.22	7.06	216.75	4.99	7.93
		18:00	27.32	49.08	29.05	8.25	8.47	216.19	2.99	6.31
		21:00	27.48	49.24	29.06	8.17	5.79	193.84	13.29	5.32
	日平均	26.92	49.00	29.25	8.19	7.55	177.82	5.53	6.33	
	潮口站	0:00	24.89	51.90	32.69	8.17	7.86	298.77	11.46	1.33
		3:00	24.78	52.09	32.91	8.04	7.71	301.91	13.10	1.53
		6:00	24.52	52.49	33.40	7.98	8.01	303.90	8.46	1.29
		9:00	24.76	52.23	33.03	8.12	7.79	300.82	8.66	1.33
		12:00	25.23	52.03	32.53	8.19	7.52	302.43	21.03	1.83
		15:00	25.77	52.12	32.21	8.19	8.07	298.16	30.76	2.53
		18:00	25.63	51.86	32.12	8.04	7.70	297.40	31.49	2.06
		21:00	24.97	51.80	32.56	8.14	8.02	299.57	28.01	1.45
	日平均	25.07	52.07	32.68	8.11	7.84	300.37	19.12	1.67	
	灣內站	0:00	23.75	46.56	29.62	8.35	5.80	129.78	1.19	2.38
		3:00	23.32	47.36	30.50	8.34	6.38	176.39	0.74	0.31
		6:00	23.17	47.24	30.51	8.33	6.41	143.89	0.56	1.74
		9:00	23.50	47.08	30.17	8.32	5.83	164.62	0.49	0.27
		12:00	23.46	47.09	30.20	8.31	6.43	167.40	0.37	0.38
		15:00	22.83	47.24	30.76	8.32	6.63	169.52	0.24	1.33
18:00		22.16	46.08	30.37	8.23	6.31	182.58	0.43	1.28	
21:00		23.29	45.91	29.45	8.12	6.08	168.74	0.60	0.45	
日平均	23.19	46.82	30.20	8.29	6.23	162.87	0.58	1.02		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月12日	蚵殼站	0:00	27.35	49.00	28.98	8.17	6.39	176.30	2.94	6.01
		3:00	27.21	48.89	28.99	8.14	7.07	168.87	2.30	4.21
		6:00	26.75	48.98	29.34	8.09	8.63	171.60	3.39	3.56
		9:00	26.18	49.19	29.86	8.10	8.85	147.48	2.97	3.57
		12:00	26.50	49.14	29.62	8.15	6.83	159.79	8.41	5.04
		15:00	26.74	49.27	29.55	8.19	6.22	164.91	7.08	4.61
		18:00	26.74	49.35	29.61	8.18	6.51	178.55	3.85	5.00
		21:00	27.00	49.22	29.35	8.18	8.07	169.34	3.84	4.53
	日平均	26.81	49.13	29.41	8.15	7.32	167.11	4.35	4.57	
	潮口站	0:00	24.83	51.93	32.76	8.20	7.25	300.43	15.38	1.15
		3:00	24.76	52.42	33.16	8.05	7.61	303.42	6.25	1.09
		6:00	24.64	52.38	33.23	8.01	7.70	305.84	7.33	1.24
		9:00	25.09	52.27	32.81	8.10	7.98	301.60	5.90	0.90
		12:00	25.22	51.30	32.02	8.20	7.40	302.04	11.28	1.33
		15:00	25.63	50.82	31.38	8.16	8.67	303.50	21.81	1.70
		18:00	25.80	51.77	31.94	8.08	7.59	302.73	23.38	1.83
		21:00	25.48	51.80	32.19	8.08	7.78	304.14	26.38	1.41
	日平均	25.18	51.84	32.44	8.11	7.75	302.96	14.71	1.33	
	灣內站	0:00	23.11	47.90	31.05	8.15	5.76	194.34	0.97	1.65
		3:00	22.27	48.05	31.78	8.14	5.60	116.02	0.53	2.00
		6:00	22.93	47.72	31.05	8.17	6.02	180.67	0.65	2.21
		9:00	23.35	48.06	30.99	8.17	6.13	202.93	0.65	2.38
		12:00	23.40	48.53	31.31	8.26	5.93	196.87	1.08	1.95
		15:00	23.50	48.59	31.28	8.27	6.18	203.39	0.23	1.24
18:00		23.47	48.69	31.38	8.19	5.90	208.42	0.18	1.53	
21:00		23.30	47.96	30.96	8.15	5.86	215.98	0.46	0.93	
日平均	23.17	48.19	31.23	8.19	5.92	189.83	0.59	1.74		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 13 日	蚵殼站	0:00	27.65	49.42	29.07	8.14	6.27	144.82	4.59	4.41
		3:00	27.64	49.42	29.08	8.13	8.94	154.19	2.58	4.77
		6:00	27.36	49.48	29.30	8.09	7.93	153.40	3.67	3.46
		9:00	26.38	49.48	29.93	8.04	5.86	182.02	4.11	3.53
		12:00	26.89	49.26	29.45	8.08	6.81	190.71	8.37	6.15
		15:00	27.46	49.10	28.97	8.21	6.81	199.31	3.19	6.35
		18:00	27.52	49.42	29.15	8.19	6.43	219.15	2.21	6.36
		21:00	27.49	49.43	29.18	8.07	7.85	216.59	1.44	5.31
	日平均	27.30	49.38	29.27	8.12	7.11	182.52	3.77	5.04	
	潮口站	0:00	25.05	50.96	31.89	8.22	7.40	304.67	26.11	0.90
		3:00	24.94	50.24	31.46	8.05	7.58	306.96	16.65	1.00
		6:00	24.82	50.71	31.88	8.05	7.81	309.55	18.29	1.08
		9:00	25.03	51.38	32.21	8.10	7.71	308.98	21.22	1.19
		12:00	25.35	51.36	31.97	8.25	7.01	305.88	20.84	1.55
		15:00	25.78	50.88	31.32	8.20	8.05	308.72	22.34	2.33
		18:00	25.98	51.39	31.54	8.07	7.38	305.65	26.78	2.85
		21:00	25.89	51.63	31.77	8.11	8.25	302.46	12.98	2.55
	日平均	25.36	51.07	31.76	8.13	7.65	306.61	20.65	1.68	
	灣內站	0:00	23.64	47.64	30.48	8.16	6.27	213.81	1.25	4.86
		3:00	23.80	47.57	30.32	8.15	5.98	190.40	0.81	1.16
		6:00	23.69	47.76	30.54	8.14	5.76	205.44	0.49	1.03
		9:00	24.05	48.42	30.77	8.22	6.63	208.02	0.93	11.22
		12:00	24.40	48.38	30.49	8.28	6.45	215.54	0.67	9.26
		15:00	24.58	48.27	30.29	8.30	5.67	223.48	0.27	6.05
18:00		24.77	48.07	30.01	8.24	5.89	231.05	0.97	5.70	
21:00		24.69	47.58	29.72	8.12	6.05	236.85	0.29	8.87	
日平均	24.20	47.96	30.33	8.20	6.09	215.57	0.71	6.02		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 14 日	蚵殼站	0:00	27.63	49.45	29.10	8.10	6.85	212.60	1.83	5.96
		3:00	27.62	49.42	29.09	8.11	7.43	207.74	1.01	6.79
		6:00	27.57	49.60	29.24	8.09	7.73	208.28	1.42	5.33
		9:00	26.65	49.73	29.93	8.14	8.54	207.68	1.38	5.06
		12:00	27.21	49.43	29.36	8.13	8.36	204.98	2.03	6.41
		15:00	28.20	49.42	28.73	8.21	6.75	199.75	3.08	7.63
		18:00	28.34	49.42	28.64	8.26	8.21	201.55	1.76	6.72
		21:00	28.14	49.60	28.88	8.16	8.07	197.02	1.12	6.55
	日平均	27.67	49.51	29.12	8.15	7.74	204.95	1.70	6.31	
	潮口站	0:00	25.36	51.67	32.18	8.22	8.67	302.63	6.85	1.81
		3:00	25.17	52.30	32.77	8.11	7.35	306.22	2.67	1.16
		6:00	25.06	52.34	32.88	8.06	7.59	309.91	1.72	1.19
		9:00	25.31	51.84	32.34	8.05	8.53	309.66	8.79	1.71
		12:00	25.64	51.79	32.07	8.11	6.31	307.71	2.62	2.08
		15:00	26.17	51.72	31.64	8.11	6.51	306.87	5.58	3.03
		18:00	26.25	51.80	31.64	8.06	7.59	302.54	5.98	2.98
		21:00	26.30	51.77	31.58	8.20	7.83	302.65	8.36	2.62
	日平均	25.66	51.90	32.14	8.12	7.55	306.02	5.32	2.07	
	灣內站	0:00	24.72	47.28	29.48	8.10	5.81	239.50	0.51	1.04
		3:00	24.60	47.01	29.37	8.11	5.91	232.96	0.73	7.83
		6:00	24.41	47.03	29.51	8.12	6.05	235.90	0.10	4.18
		9:00	24.62	47.66	29.82	8.19	6.26	218.96	1.07	0.96
		12:00	25.23	47.64	29.40	8.25	6.39	160.18	0.87	1.35
		15:00	25.97	47.77	29.01	8.26	6.47	180.93	0.24	0.38
18:00		25.93	46.85	28.40	8.19	5.90	168.91	1.22	0.74	
21:00		25.93	46.65	28.26	8.14	6.06	163.16	0.12	0.78	
日平均	25.18	47.24	29.16	8.17	6.11	200.06	0.61	2.16		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月15日	蚵殼站	0:00	28.07	49.51	29.94	8.12	5.66	173.73	2.93	7.25
		3:00	27.97	49.41	30.61	8.20	5.33	182.23	2.29	7.76
		6:00	27.52	49.75	30.24	8.14	5.37	206.77	3.38	6.14
		9:00	27.20	49.47	30.07	8.17	6.39	221.38	2.96	5.21
		12:00	26.69	49.30	30.18	8.24	7.21	178.72	8.40	4.06
		15:00	27.26	49.80	29.70	8.48	6.79	186.43	7.07	5.81
		18:00	27.99	49.23	29.40	8.44	5.87	218.44	3.84	4.68
		21:00	28.22	49.25	29.50	8.45	5.67	229.55	3.83	3.88
	日平均	27.62	49.47	29.96	8.28	6.04	199.66	4.34	5.60	
	潮口站	0:00	25.89	51.81	31.90	8.17	6.01	306.12	7.01	1.93
		3:00	25.40	52.16	32.50	8.17	7.31	307.37	6.96	1.22
		6:00	25.71	52.24	32.34	8.20	7.46	307.93	6.37	1.44
		9:00	25.56	51.79	32.12	8.20	8.58	306.13	8.35	1.49
		12:00	25.42	51.65	32.12	8.23	7.52	299.93	8.49	1.78
		15:00	25.59	51.98	32.24	8.23	7.03	299.78	7.69	2.01
		18:00	26.16	52.08	31.90	8.17	7.96	300.09	8.25	2.60
		21:00	26.35	51.75	31.54	8.11	8.63	299.35	8.48	3.33
	日平均	25.76	51.93	32.08	8.19	7.56	303.34	7.70	1.98	
	灣內站	0:00	25.72	46.67	28.41	8.17	6.16	197.22	0.76	0.19
		3:00	25.10	46.39	28.60	8.16	5.86	188.09	0.62	2.51
		6:00	24.88	46.04	28.50	8.15	6.17	111.78	1.05	2.41
		9:00	24.93	46.68	28.92	8.32	6.18	142.79	0.83	2.52
		12:00	25.17	46.84	28.88	8.37	6.84	183.12	0.26	1.13
		15:00	25.22	46.52	28.62	8.36	7.06	192.67	0.23	4.50
18:00		25.16	46.34	28.53	8.27	6.27	171.97	1.54	1.77	
21:00		25.11	46.18	28.45	8.19	6.10	154.17	2.21	3.16	
日平均	25.16	46.46	28.61	8.25	6.33	167.73	0.94	2.27		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月16日	蚵殼站	0:00	27.98	49.25	28.74	8.45	5.62	214.10	4.58	4.46
		3:00	26.88	49.44	28.94	8.38	6.56	224.95	2.57	2.76
		6:00	27.28	49.39	29.05	8.34	6.50	121.66	3.66	2.99
		9:00	26.99	49.89	29.94	8.35	7.07	217.87	4.10	2.55
		12:00	26.70	49.30	28.96	8.37	8.19	241.93	8.36	3.77
		15:00	26.35	49.38	28.37	8.41	6.31	229.25	3.18	3.88
		18:00	26.88	49.30	28.30	8.40	6.66	248.34	2.20	3.09
		21:00	27.10	49.51	28.64	8.36	6.78	161.84	1.43	3.76
	日平均	27.02	49.43	28.87	8.38	6.71	207.49	3.76	3.41	
	潮口站	0:00	25.85	51.77	31.90	8.10	7.70	297.20	17.85	3.71
		3:00	24.34	51.56	32.85	8.09	8.38	300.75	15.37	1.67
		6:00	25.26	51.93	32.44	8.12	7.31	299.94	9.29	2.13
		9:00	25.74	51.79	31.99	8.09	8.62	296.89	20.84	2.41
		12:00	25.45	51.69	32.13	8.12	8.47	294.58	17.47	2.48
		15:00	25.38	50.51	31.34	8.17	7.99	294.05	24.61	2.77
		18:00	26.17	51.91	31.77	8.08	8.57	294.55	19.07	2.55
		21:00	26.52	51.59	31.31	8.03	7.35	292.13	21.67	2.30
	日平均	25.59	51.59	31.97	8.10	8.05	296.26	18.27	2.50	
	灣內站	0:00	25.34	46.08	28.23	8.15	5.81	119.50	0.30	1.92
		3:00	25.04	45.25	27.84	8.14	5.91	202.01	0.90	2.49
		6:00	24.99	45.25	27.87	8.14	5.97	133.91	0.64	2.36
		9:00	25.22	46.45	28.56	8.27	6.05	162.85	0.94	2.07
		12:00	25.67	46.54	28.35	8.33	6.68	206.09	0.45	1.99
		15:00	25.96	46.59	28.20	8.32	6.34	223.40	0.29	2.54
18:00		26.12	45.68	27.47	8.25	5.64	213.75	0.28	2.05	
21:00		26.08	46.00	27.72	8.19	5.74	138.31	0.10	2.20	
日平均	25.55	45.98	28.03	8.22	6.02	174.98	0.49	2.20		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 17 日	蚵殼站	0:00	26.73	49.54	28.84	8.32	6.12	160.13	1.82	2.35
		3:00	26.51	49.57	28.87	8.31	5.73	210.65	1.00	4.35
		6:00	26.17	49.42	28.96	8.34	5.46	207.63	1.41	3.56
		9:00	26.04	49.54	29.75	8.27	7.20	252.38	1.37	4.20
		12:00	26.28	49.44	29.31	8.26	7.40	246.29	2.02	2.57
		15:00	26.30	49.41	28.81	8.31	7.81	244.53	3.07	3.00
		18:00	26.16	49.46	28.45	8.28	8.76	264.29	1.75	2.57
		21:00	26.08	49.46	28.52	8.29	8.09	170.24	1.11	3.91
		日平均	26.28	49.48	28.94	8.30	7.07	219.52	1.69	3.31
	潮口站	0:00	26.33	51.70	31.51	8.04	5.64	294.23	17.71	2.10
		3:00	25.06	52.05	32.67	8.02	8.48	295.26	25.59	1.16
		6:00	25.73	52.35	32.40	8.08	7.27	295.42	9.26	1.74
		9:00	27.14	51.93	31.12	8.08	7.57	285.42	16.82	3.19
		12:00	26.45	51.73	31.45	8.11	7.86	286.14	11.66	2.87
		15:00	25.57	51.62	31.99	8.17	8.58	285.38	12.71	2.39
		18:00	26.17	52.16	31.95	8.14	7.28	284.08	9.88	2.12
		21:00	26.58	51.94	31.51	8.03	7.35	280.78	9.91	2.27
		日平均	26.13	51.94	31.83	8.08	7.50	288.34	14.19	2.23
	灣內站	0:00	26.08	46.28	27.91	8.16	5.61	130.53	0.51	2.21
		3:00	25.90	45.58	27.53	8.16	6.07	120.77	0.67	2.43
		6:00	25.80	46.12	27.97	8.11	5.72	136.13	0.83	1.95
		9:00	26.22	47.03	28.34	8.25	5.73	173.96	0.91	2.26
		12:00	26.78	46.07	27.34	8.40	6.28	200.59	0.74	1.93
		15:00	26.99	46.30	27.37	8.36	6.51	212.82	0.82	2.36
		18:00	26.84	46.77	27.78	8.19	5.80	179.93	1.04	1.37
		21:00	26.61	47.57	28.47	8.02	6.19	185.51	0.28	1.56
		日平均	26.40	46.47	27.84	8.21	5.99	167.53	0.73	2.01
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 18 日	蚵殼站	0:00	26.00	49.15	29.09	8.31	7.71	219.49	1.04	14.89
		3:00	25.77	49.21	28.93	8.20	6.03	255.92	0.99	4.02
		6:00	25.56	49.26	29.03	8.21	5.34	223.83	2.20	5.66
		9:00	25.74	49.33	29.70	8.26	7.77	231.88	1.96	32.48
		12:00	25.82	49.10	29.33	8.28	6.92	239.61	1.26	14.47
		15:00	25.95	48.88	28.91	8.29	6.95	257.12	3.94	7.17
		18:00	25.83	49.21	29.13	8.28	8.46	222.68	2.95	7.90
		21:00	25.60	49.15	29.05	8.23	6.36	230.35	1.31	9.80
		日平均	25.78	49.16	29.15	8.26	6.94	235.11	1.96	12.05
	潮口站	0:00	26.85	51.86	31.27	8.07	8.06	280.81	41.39	2.16
		3:00	25.27	52.16	32.60	8.06	8.46	281.73	23.76	1.36
		6:00	25.69	51.71	31.97	8.09	7.03	282.43	16.15	1.37
		9:00	27.45	52.17	31.07	8.10	7.13	276.82	9.06	2.96
		12:00	27.36	51.81	30.89	8.11	8.90	274.41	10.80	3.05
		15:00	25.68	51.70	31.97	8.15	8.64	278.09	10.36	2.21
		18:00	26.36	50.85	30.90	8.14	8.47	278.26	10.53	2.00
		21:00	26.95	51.65	31.05	8.01	7.18	273.68	9.46	2.78
		日平均	26.45	51.74	31.47	8.09	7.98	278.28	16.44	2.24
	灣內站	0:00	26.60	47.47	28.41	8.19	6.22	201.26	0.10	1.64
		3:00	26.43	49.09	29.63	8.19	6.38	166.36	1.09	2.51
		6:00	26.34	48.83	29.51	8.19	6.26	206.26	1.87	1.47
		9:00	26.65	48.74	29.24	8.26	6.26	138.40	1.75	2.48
		12:00	26.73	47.96	28.66	8.32	7.05	193.22	1.23	1.36
		15:00	26.45	48.71	29.35	8.38	7.43	217.27	0.39	1.92
		18:00	25.89	48.85	29.81	8.34	6.36	206.44	0.80	1.05
		21:00	25.44	47.57	29.22	8.33	6.61	198.14	0.75	1.15
		日平均	26.32	48.40	29.23	8.28	6.57	190.92	1.00	1.70
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
4 月 19 日	蚵殼站	0:00	25.78	49.10	29.05	8.21	5.59	245.11	0.58	7.76	
		3:00	25.80	49.15	29.20	8.19	5.47	196.49	0.31	9.89	
		6:00	25.61	49.41	29.41	8.22	5.83	139.21	1.15	12.99	
		9:00	25.78	49.52	29.42	8.24	5.08	193.30	4.45	12.31	
		12:00	26.03	49.12	28.92	8.24	6.70	215.76	1.03	5.27	
		15:00	26.43	49.13	28.99	8.28	5.50	244.68	1.45	8.62	
		18:00	26.45	49.30	29.16	8.29	5.97	248.92	2.59	11.07	
		21:00	26.51	49.31	29.21	8.25	6.65	257.38	3.08	11.76	
	日平均	26.05	49.26	29.17	8.24	5.85	217.61	1.83	9.96		
	潮口站	0:00	27.33	51.79	30.89	8.05	7.62	270.08	33.76	2.75	
		3:00	25.77	51.89	32.04	8.05	8.17	274.97	10.59	1.51	
		6:00	26.08	52.18	32.03	8.03	6.71	273.47	12.11	1.31	
		9:00	27.45	52.03	30.98	8.17	6.75	269.49	22.39	4.40	
		12:00	28.78	51.76	29.92	8.19	7.56	263.11	5.96	4.01	
		15:00	26.29	51.72	31.56	8.25	8.20	270.66	7.01	2.04	
		18:00	26.22	51.79	31.65	8.27	7.73	267.99	4.20	1.82	
		21:00	27.68	51.83	30.68	8.18	7.03	265.47	4.09	3.02	
	日平均	26.95	51.87	31.22	8.15	7.47	269.41	12.51	2.61		
	灣內站	0:00	25.53	47.25	28.93	8.31	6.09	187.20	0.53	0.36	
		3:00	25.73	49.48	30.37	8.32	6.67	146.97	1.43	0.15	
		6:00	25.89	49.75	30.45	8.33	6.60	130.63	2.77	2.11	
		9:00	26.23	48.99	29.69	8.30	6.66	185.78	8.63	0.96	
		12:00	27.08	48.17	28.58	8.32	7.32	184.62	2.88	1.30	
		15:00	27.47	48.12	28.30	8.30	7.48	196.11	2.45	0.26	
		18:00	27.23	48.46	28.69	8.28	6.90	198.55	1.50	0.49	
		21:00	27.06	48.26	28.66	8.18	6.25	181.63	2.31	0.46	
	日平均	26.53	48.56	29.21	8.29	6.75	176.44	2.81	0.76		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—	

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
4 月 20 日	蚵殼站	0:00	26.45	49.28	29.19	8.08	6.79	226.52	1.74	12.12	
		3:00	26.31	49.38	29.29	8.08	6.03	135.42	0.64	12.03	
		6:00	26.21	49.62	29.54	8.12	6.34	151.10	0.58	14.08	
		9:00	26.21	49.52	29.33	8.15	7.77	150.36	1.11	10.99	
		12:00	26.29	49.21	28.95	8.25	6.92	156.07	1.35	27.01	
		15:00	26.27	49.18	28.48	8.25	6.95	193.24	3.29	35.48	
		18:00	25.99	49.28	28.74	8.29	8.46	259.09	3.08	24.14	
		21:00	25.88	49.12	28.72	8.26	6.36	256.49	3.05	10.04	
	日平均	26.20	49.32	29.03	8.19	6.95	191.04	1.86	18.24		
	潮口站	0:00	28.14	51.82	30.37	8.20	6.35	261.69	2.68	1.83	
		3:00	25.73	51.78	31.99	8.19	7.11	265.80	3.26	1.37	
		6:00	25.91	51.78	31.87	8.12	7.21	261.05	6.90	1.41	
		9:00	27.51	51.90	30.85	8.15	6.86	261.65	3.76	3.42	
		12:00	27.71	51.81	30.65	8.12	7.14	253.79	4.61	3.35	
		15:00	26.10	51.79	31.74	8.19	8.56	258.22	5.54	1.82	
		18:00	25.35	51.63	32.16	8.22	7.51	260.20	4.88	0.79	
		21:00	26.29	50.84	30.94	8.23	6.81	259.33	4.71	1.46	
	日平均	26.59	51.67	31.32	8.18	7.19	260.22	4.54	1.93		
	灣內站	0:00	28.49	48.22	27.76	8.22	6.06	187.81	1.85	0.72	
		3:00	28.20	48.64	28.21	8.29	6.36	111.03	2.57	0.29	
		6:00	28.26	49.76	28.91	8.31	6.09	147.78	7.83	2.56	
		9:00	28.40	49.85	28.89	8.30	6.81	194.16	3.28	1.75	
		12:00	28.41	48.82	28.20	8.34	7.32	201.13	1.89	0.78	
		15:00	28.34	48.25	27.87	8.32	7.89	229.32	1.00	1.59	
		18:00	28.09	48.82	28.39	8.30	7.42	228.73	2.47	2.56	
		21:00	27.87	48.53	28.34	8.24	6.79	205.08	1.43	2.42	
	日平均	28.26	48.86	28.32	8.29	6.84	188.13	2.79	1.58		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—	

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月21日	蚵殼站	0:00	25.81	48.00	29.55	7.98	6.39	166.00	4.36	4.96
		3:00	25.31	48.16	29.72	8.10	7.07	131.24	3.86	5.11
		6:00	25.25	47.47	29.00	7.97	8.63	198.53	4.42	6.26
		9:00	25.31	47.72	29.33	7.91	8.85	130.37	6.00	3.48
		12:00	25.74	48.00	29.55	7.91	6.83	175.61	5.39	4.67
		15:00	25.66	47.47	29.00	7.92	6.22	189.83	4.26	3.69
		18:00	25.43	47.72	29.33	7.91	6.51	198.52	2.28	5.37
		21:00	25.62	48.22	29.55	7.92	8.07	189.97	3.20	4.70
	日平均	25.52	47.85	29.38	7.95	7.32	172.51	4.22	4.78	
	潮口站	0:00	26.85	51.03	30.69	8.14	6.49	251.08	4.12	1.86
		3:00	25.69	51.52	31.84	8.11	6.69	248.05	3.51	0.99
		6:00	25.01	51.88	32.59	8.06	7.43	244.55	4.35	0.38
		9:00	26.51	51.98	31.58	8.08	7.04	251.61	4.04	1.79
		12:00	26.88	50.46	30.28	8.15	7.47	244.13	3.65	2.27
		15:00	26.20	51.30	31.32	8.14	7.08	241.83	4.94	1.72
		18:00	25.32	51.57	32.14	8.25	6.79	250.49	3.92	1.01
		21:00	25.88	51.66	31.80	8.21	5.87	250.81	4.12	1.38
	日平均	26.04	51.43	31.53	8.14	6.86	247.82	4.08	1.43	
	灣內站	0:00	27.71	47.82	27.96	8.18	6.07	237.83	1.15	1.95
		3:00	27.54	49.39	29.12	8.23	6.42	239.89	0.93	0.41
		6:00	27.40	50.06	29.67	8.27	6.42	237.07	2.12	0.77
		9:00	27.62	50.15	29.58	8.26	6.16	229.95	1.96	1.25
		12:00	27.65	49.23	28.94	8.25	6.72	220.96	1.98	2.81
		15:00	27.73	49.01	28.75	8.23	6.92	219.11	1.82	2.62
		18:00	27.61	48.94	28.77	8.21	6.77	225.08	3.16	0.28
		21:00	27.30	49.07	29.06	8.15	6.29	225.50	4.68	2.82
	日平均	27.57	49.21	28.98	8.22	6.47	229.42	2.23	1.61	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月22日	蚵殼站	0:00	25.51	48.42	29.77	8.06	6.27	189.92	7.71	2.88
		3:00	25.09	48.58	30.16	8.32	8.94	174.78	5.36	2.22
		6:00	24.92	48.47	30.20	8.07	7.93	106.37	7.09	4.85
		9:00	25.00	48.52	30.18	8.00	5.86	142.32	6.92	3.60
		12:00	25.90	48.45	29.53	8.07	6.81	120.03	3.73	3.74
		15:00	25.69	48.47	29.68	8.18	6.81	122.91	5.53	3.44
		18:00	25.39	48.00	29.55	8.07	6.43	109.27	6.25	3.49
		21:00	25.30	48.16	29.72	8.01	7.85	136.34	6.91	4.46
	日平均	25.35	48.38	29.85	8.10	7.11	137.74	6.19	3.59	
	潮口站	0:00	25.85	51.70	31.85	8.09	6.34	251.01	3.99	1.31
		3:00	25.37	52.05	32.45	8.09	7.07	254.57	3.85	0.94
		6:00	24.88	52.35	33.02	8.05	7.62	251.72	23.63	0.80
		9:00	25.90	51.93	31.98	8.15	8.28	251.39	33.69	1.24
		12:00	26.98	51.73	31.09	8.16	7.88	245.39	33.50	2.02
		15:00	26.78	51.62	31.15	8.11	7.00	242.82	45.18	1.61
		18:00	25.62	52.16	32.34	8.15	6.70	251.62	45.44	0.75
		21:00	25.72	51.94	32.12	8.13	6.35	251.58	46.16	0.74
	日平均	25.89	51.94	32.00	8.12	7.16	250.01	29.43	1.18	
	灣內站	0:00	27.29	48.99	29.01	8.14	5.66	221.19	3.15	1.30
		3:00	27.12	49.26	29.30	8.17	5.84	226.59	2.51	0.74
		6:00	27.00	50.12	29.97	8.20	5.70	222.23	3.47	0.41
		9:00	27.11	50.07	29.86	8.29	6.04	210.86	2.50	2.23
		12:00	27.82	49.81	29.22	8.39	6.55	191.52	2.82	2.62
		15:00	28.66	49.21	28.31	8.25	6.98	193.93	1.15	0.46
		18:00	28.22	49.42	28.71	8.32	5.75	193.03	0.95	0.24
		21:00	27.95	49.09	28.66	8.20	6.25	213.00	2.46	0.07
	日平均	27.65	49.50	29.13	8.25	6.10	209.04	2.38	1.01	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月23日	蚵殼站	0:00	25.40	48.47	29.88	8.00	5.85	153.29	3.78	2.92
		3:00	25.07	48.58	30.18	8.03	7.43	151.56	4.80	2.92
		6:00	24.95	48.71	30.35	8.01	7.73	105.68	7.78	4.01
		9:00	24.96	48.74	30.37	8.05	8.54	136.31	9.02	4.45
		12:00	25.42	48.52	29.90	8.21	8.36	125.90	4.23	3.43
		15:00	25.62	48.36	29.65	8.44	6.75	125.59	3.92	2.88
		18:00	25.48	48.47	29.82	8.45	8.21	135.56	2.98	3.49
		21:00	25.28	48.32	29.85	8.34	8.07	129.69	3.15	3.84
	日平均	25.27	48.52	30.00	8.19	7.62	132.95	4.96	3.49	
	潮口站	0:00	25.92	51.86	31.92	8.07	6.47	252.71	67.20	0.88
		3:00	25.63	52.16	32.34	8.12	6.37	256.33	50.78	0.66
		6:00	24.94	51.71	32.52	8.16	7.86	257.51	65.68	0.00
		9:00	26.22	52.17	31.92	8.10	7.68	257.59	58.89	0.87
		12:00	27.25	51.81	30.96	8.09	8.73	246.87	45.60	1.78
		15:00	27.15	51.70	30.95	8.11	7.15	240.85	49.05	1.37
		18:00	26.34	50.85	30.91	8.06	6.15	247.87	35.11	0.95
		21:00	26.18	51.65	31.58	8.13	7.59	252.11	31.76	0.89
	日平均	26.20	51.74	31.64	8.11	7.25	251.48	50.51	0.93	
	灣內站	0:00	27.87	48.50	28.32	8.12	6.32	217.75	5.76	0.08
		3:00	27.53	47.91	28.13	8.25	5.83	209.65	1.05	0.56
		6:00	27.26	49.52	29.39	8.21	6.14	214.00	1.10	0.82
		9:00	27.47	50.00	29.58	8.32	6.52	210.14	1.59	0.74
		12:00	28.28	49.23	28.55	8.41	7.03	192.83	1.10	2.14
		15:00	28.34	48.67	28.14	8.34	7.56	194.35	13.75	0.41
18:00		28.05	49.17	28.66	8.24	6.81	208.37	0.56	1.74	
21:00		27.59	49.13	28.91	8.14	6.83	231.38	2.62	0.77	
日平均	27.80	49.02	28.71	8.25	6.63	209.81	3.44	0.91		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月24日	蚵殼站	0:00	25.13	48.85	30.33	8.16	8.74	136.88	4.74	3.11
		3:00	24.84	49.00	30.63	8.06	5.55	124.32	3.53	4.80
		6:00	24.51	49.08	30.92	8.03	5.66	127.79	3.88	4.23
		9:00	24.23	49.03	31.08	8.06	6.94	142.21	3.89	5.07
		12:00	24.68	48.56	30.43	8.32	5.71	144.74	8.16	3.79
		15:00	24.85	48.50	30.27	8.42	6.67	145.08	6.59	2.12
		18:00	24.61	48.71	30.59	8.41	6.52	144.27	1.82	3.34
		21:00	24.35	48.61	30.69	8.27	7.34	149.33	2.72	3.93
	日平均	24.65	48.79	30.62	8.22	6.64	139.33	4.42	3.80	
	潮口站	0:00	26.65	51.79	31.36	8.07	6.06	256.38	23.32	1.38
		3:00	26.21	51.89	31.73	8.08	6.09	258.30	24.73	1.38
		6:00	25.53	52.18	32.42	8.10	7.44	264.86	19.12	0.88
		9:00	25.93	52.03	32.03	8.11	7.19	258.84	28.40	0.97
		12:00	26.65	51.76	31.33	8.08	6.98	250.94	22.68	1.58
		15:00	27.26	51.72	30.89	8.04	6.63	244.86	12.23	2.02
		18:00	26.70	51.79	31.32	8.04	6.14	248.46	8.83	1.46
		21:00	26.11	51.83	31.76	8.10	6.13	253.31	11.91	1.12
	日平均	26.38	51.87	31.61	8.08	6.58	254.49	18.90	1.35	
	灣內站	0:00	27.38	48.82	28.83	8.13	6.59	226.91	2.15	0.60
		3:00	27.10	48.92	29.08	8.22	6.66	223.59	2.57	1.98
		6:00	27.02	49.24	29.35	8.22	6.35	218.83	2.31	1.79
		9:00	27.28	50.16	29.81	8.33	6.73	207.52	2.27	0.05
		12:00	27.73	49.79	29.27	8.43	7.65	197.32	1.60	1.90
		15:00	27.92	48.77	28.46	8.44	7.65	192.53	0.42	2.17
18:00		27.92	48.84	28.51	8.31	7.03	208.32	1.61	1.15	
21:00		27.83	49.02	28.69	8.21	6.26	230.72	1.69	2.20	
日平均	27.52	49.20	29.00	8.29	6.87	213.22	1.83	1.48		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 25 日	蚵殼站	0:00	24.68	48.97	30.72	8.18	8.54	146.96	4.36	4.39
		3:00	24.53	49.31	31.07	8.17	6.19	137.12	2.93	4.21
		6:00	24.31	49.62	31.46	8.08	5.48	146.79	3.44	5.02
		9:00	24.28	49.51	31.40	8.20	7.57	183.85	4.23	4.51
		12:00	24.79	49.52	31.04	8.35	9.01	137.98	7.98	4.40
		15:00	25.06	49.13	30.58	8.41	5.91	157.79	4.99	4.20
		18:00	24.71	49.12	30.81	8.40	7.74	166.11	2.99	3.88
		21:00	24.61	49.28	31.00	8.34	5.59	170.42	13.29	3.62
		日平均	24.62	49.31	31.01	8.27	7.00	155.88	5.53	4.28
	潮口站	0:00	26.38	51.82	31.56	8.04	5.95	259.61	12.12	1.25
		3:00	26.01	51.78	31.80	8.03	5.94	259.15	14.81	1.03
		6:00	25.58	51.78	32.10	8.05	6.33	264.47	11.93	0.93
		9:00	24.70	51.90	32.83	8.09	7.63	243.68	10.69	1.78
		12:00	26.46	51.81	31.50	8.12	6.93	145.55	3.75	1.17
		15:00	26.60	51.79	31.39	8.12	6.95	131.54	8.64	5.48
		18:00	26.79	51.63	31.15	8.08	7.39	134.50	3.80	5.30
		21:00	26.34	50.84	30.91	8.06	7.03	137.29	1.39	3.51
		日平均	26.11	51.67	31.66	8.07	6.77	196.97	8.39	2.56
	灣內站	0:00	26.26	48.96	29.65	8.13	6.16	242.66	1.75	4.48
		3:00	26.20	48.67	29.49	8.23	6.44	228.62	2.16	1.08
		6:00	26.14	49.01	29.77	8.22	6.38	231.85	1.35	4.44
		9:00	26.57	50.19	30.30	8.32	6.54	224.11	1.74	1.45
		12:00	27.17	49.92	29.72	8.43	7.39	202.05	2.28	2.00
		15:00	27.26	49.34	29.26	8.44	6.74	191.50	1.55	1.88
		18:00	27.43	48.96	28.90	8.31	6.20	175.45	2.93	0.45
		21:00	27.28	49.00	29.02	8.26	5.91	183.38	2.86	0.11
		日平均	26.79	49.26	29.51	8.29	6.47	209.95	2.08	1.99
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 26 日	蚵殼站	0:00	26.39	49.52	29.95	8.13	5.67	173.74	2.94	3.44
		3:00	25.29	49.42	30.62	8.21	5.34	182.24	2.30	3.13
		6:00	26.19	49.76	30.25	8.15	5.38	206.78	3.39	3.81
		9:00	26.15	49.48	30.08	8.18	6.40	221.39	2.97	4.49
		12:00	25.81	49.31	30.19	8.25	7.22	178.73	8.41	4.11
		15:00	27.06	49.81	29.71	8.49	6.80	186.44	7.08	3.21
		18:00	26.93	49.24	29.41	8.45	5.88	218.45	3.85	3.40
		21:00	26.80	49.26	29.51	8.46	5.68	229.56	3.84	4.08
		日平均	26.33	49.48	29.97	8.29	6.05	199.67	4.35	3.71
	潮口站	0:00	26.15	51.03	31.17	8.11	8.06	142.21	1.26	3.12
		3:00	25.92	51.52	31.68	8.10	7.18	150.59	0.81	2.55
		6:00	25.52	51.88	32.22	8.12	8.07	154.02	0.76	2.09
		9:00	25.53	51.98	32.28	8.14	8.61	155.94	1.05	2.05
		12:00	26.35	50.46	30.63	8.19	8.17	152.67	3.38	3.78
		15:00	26.85	51.30	30.88	8.17	7.26	151.05	5.53	5.93
		18:00	26.94	51.57	31.00	8.18	6.90	159.02	5.22	5.99
		21:00	26.65	51.66	31.26	8.21	7.15	163.41	3.44	4.15
		日平均	26.24	51.43	31.39	8.15	7.68	153.61	2.68	3.71
	灣內站	0:00	27.07	49.04	29.18	8.19	6.18	183.38	5.67	1.39
		3:00	26.69	48.88	29.31	8.13	6.34	187.34	7.28	5.79
		6:00	26.60	48.77	29.30	8.14	6.37	186.72	1.13	6.51
		9:00	27.13	49.59	29.52	8.20	6.54	186.68	2.36	1.38
		12:00	27.47	50.04	29.61	8.25	7.59	187.94	2.13	6.31
		15:00	27.53	49.39	29.13	8.27	7.71	193.47	0.18	3.63
		18:00	27.38	49.19	29.09	8.26	6.71	204.30	0.34	2.43
		21:00	27.29	49.11	29.09	8.23	6.96	220.42	1.19	2.23
		日平均	27.15	49.25	29.28	8.21	6.80	193.78	2.54	3.71
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月27日	蚵殼站	0:00	27.99	49.26	28.75	8.46	5.63	214.11	4.59	4.11
		3:00	27.87	49.45	28.95	8.39	6.57	224.96	2.58	2.76
		6:00	27.65	49.40	29.06	8.35	6.51	121.67	3.67	4.27
		9:00	26.79	49.90	29.95	8.36	7.08	217.88	4.11	4.72
		12:00	27.69	49.31	28.97	8.38	8.20	241.94	8.37	4.07
		15:00	28.74	49.39	28.38	8.42	6.32	229.26	3.19	3.60
		18:00	28.76	49.31	28.31	8.41	6.67	248.35	2.21	3.23
		21:00	28.44	49.52	28.65	8.37	6.79	161.85	1.44	3.23
		日平均	27.99	49.44	28.88	8.39	6.72	207.50	3.77	3.75
	潮口站	0:00	26.05	51.86	31.82	8.16	6.54	171.15	1.01	2.71
		3:00	25.90	52.16	32.14	8.16	7.07	186.58	0.93	2.82
		6:00	25.81	51.71	31.89	8.18	7.10	197.63	1.42	2.63
		9:00	25.56	52.17	32.39	8.13	8.40	191.16	1.19	1.97
		12:00	26.34	51.81	31.58	8.13	8.49	185.50	6.90	4.35
		15:00	26.61	51.70	31.32	8.12	7.54	192.43	3.74	4.48
		18:00	26.93	52.10	31.38	8.10	7.03	201.42	6.03	5.45
		21:00	26.89	52.50	31.68	8.14	7.93	202.08	5.51	3.92
		日平均	26.26	52.00	31.78	8.14	7.51	190.99	3.34	3.54
	灣內站	0:00	27.19	49.20	29.21	8.20	6.48	208.08	2.25	0.77
		3:00	27.00	49.10	29.27	8.20	6.27	213.15	1.42	4.05
		6:00	26.81	49.14	29.42	8.14	5.85	259.62	0.80	0.63
		9:00	27.29	49.30	29.22	8.16	5.98	246.89	0.46	1.18
		12:00	27.79	49.66	29.14	8.18	7.42	257.01	1.85	1.49
		15:00	28.09	49.27	28.70	8.20	7.21	251.71	0.63	1.35
		18:00	27.98	48.75	28.41	8.19	6.33	235.67	0.20	0.83
		21:00	27.84	48.57	28.38	8.15	6.56	251.76	1.13	2.36
		日平均	27.50	49.12	28.97	8.18	6.51	240.49	1.09	1.58
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4月28日	蚵殼站	0:00	28.14	49.55	28.85	8.33	6.13	160.14	1.83	2.36
		3:00	28.13	49.58	28.88	8.32	5.74	210.66	1.01	4.36
		6:00	27.82	49.43	28.97	8.35	5.47	207.64	1.42	3.57
		9:00	26.72	49.55	29.76	8.28	7.21	252.39	1.38	4.21
		12:00	27.29	49.45	29.32	8.27	7.41	246.30	2.03	2.58
		15:00	28.05	49.42	28.82	8.32	7.82	244.54	3.08	3.01
		18:00	28.69	49.47	28.46	8.29	8.77	264.30	1.76	2.58
		21:00	28.57	49.47	28.53	8.30	8.10	170.25	1.12	3.92
		日平均	27.93	49.49	28.95	8.31	7.08	219.53	1.70	3.32
	潮口站	0:00	26.21	53.00	32.51	8.05	6.87	210.63	1.53	2.91
		3:00	26.00	52.89	32.59	8.06	6.72	221.03	1.35	2.68
		6:00	26.00	52.84	32.55	8.04	5.79	228.74	1.25	3.01
		9:00	26.07	52.55	32.30	8.12	8.23	221.05	1.34	2.37
		12:00	26.41	52.31	31.89	8.08	6.01	209.36	3.93	2.58
		15:00	26.88	52.11	31.42	8.10	7.15	202.05	3.30	4.02
		18:00	27.27	52.22	31.23	8.06	6.09	209.42	7.52	4.98
		21:00	27.58	52.14	30.96	8.08	7.70	212.43	2.85	3.83
		日平均	26.55	52.51	31.93	8.07	6.82	214.34	2.88	3.30
	灣內站	0:00	27.70	48.75	28.59	8.30	5.97	172.84	2.37	0.89
		3:00	27.33	49.11	29.07	8.16	5.75	187.69	1.97	3.65
		6:00	26.82	49.28	29.51	8.12	6.35	270.76	0.35	1.59
		9:00	27.35	49.26	29.15	8.12	6.19	283.93	0.36	1.03
		12:00	27.88	49.13	28.73	8.18	7.75	275.62	1.24	1.28
		15:00	27.78	49.12	28.79	8.19	7.42	275.55	0.44	4.05
		18:00	27.49	49.23	29.04	8.15	6.49	273.57	0.03	3.79
		21:00	27.21	49.28	29.26	8.20	5.84	196.52	0.10	0.31
		日平均	27.45	49.15	29.02	8.18	6.47	242.06	0.86	2.07
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 29 日	蚵殼站	0:00	27.33	49.16	29.10	8.32	7.72	219.50	1.05	14.90
		3:00	27.65	49.22	28.94	8.21	6.04	255.93	1.00	4.03
		6:00	27.54	49.27	29.04	8.22	5.35	223.84	2.21	5.67
		9:00	26.57	49.34	29.71	8.27	7.78	231.89	1.97	32.49
		12:00	26.90	49.11	29.34	8.29	6.93	239.62	1.27	14.48
		15:00	27.32	48.89	28.92	8.30	6.96	257.13	3.95	7.18
		18:00	27.32	49.22	29.14	8.29	8.47	222.69	2.96	7.91
		21:00	27.39	49.16	29.06	8.24	6.37	230.36	1.32	9.81
		日平均	27.25	49.17	29.16	8.27	6.95	235.12	1.97	12.06
	潮口站	0:00	26.90	52.15	31.43	8.11	5.27	217.78	2.07	3.07
		3:00	26.32	51.71	31.53	8.09	5.25	233.15	2.14	2.61
		6:00	26.30	51.85	31.64	8.08	5.46	235.57	1.73	2.48
		9:00	26.36	51.84	31.59	8.15	8.26	236.23	2.75	2.37
		12:00	26.82	51.75	31.21	8.16	8.80	244.36	1.59	2.83
		15:00	27.95	51.60	30.35	8.18	7.38	245.55	3.45	4.45
		18:00	27.83	51.70	30.50	8.17	5.73	250.10	4.07	4.86
		21:00	27.98	51.71	30.40	8.16	6.61	256.27	17.82	4.38
		日平均	27.06	51.79	31.08	8.14	6.60	239.88	4.45	3.38
	灣內站	0:00	26.88	49.33	29.50	8.25	5.75	175.56	2.21	5.23
		3:00	26.86	49.68	29.75	8.15	5.94	161.35	2.45	0.08
		6:00	27.02	49.74	29.69	8.16	5.70	238.75	2.39	2.06
		9:00	27.38	49.54	29.32	8.15	6.34	274.76	0.27	1.36
		12:00	27.97	49.24	28.75	8.17	6.94	280.18	0.54	1.33
		15:00	28.20	50.49	29.44	8.15	7.06	278.07	0.54	4.97
		18:00	28.10	50.32	29.39	8.18	6.08	288.55	0.05	2.24
		21:00	28.08	50.08	29.24	8.12	5.79	169.42	1.10	1.98
		日平均	27.56	49.80	29.39	8.17	6.20	233.33	1.19	2.41
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 30 日	蚵殼站	0:00	27.34	49.11	29.06	8.22	5.60	245.12	0.59	7.77
		3:00	27.16	49.16	29.21	8.20	5.48	196.50	0.32	9.90
		6:00	27.10	49.42	29.42	8.23	5.84	139.22	1.16	13.00
		9:00	27.21	49.53	29.43	8.25	5.09	193.31	4.46	12.32
		12:00	27.56	49.13	28.93	8.25	6.71	215.77	1.04	5.28
		15:00	27.47	49.14	29.00	8.29	5.51	244.69	1.46	8.63
		18:00	27.37	49.31	29.17	8.30	5.98	248.93	2.60	11.08
		21:00	27.31	49.32	29.22	8.26	6.66	257.39	3.09	11.77
		日平均	27.32	49.27	29.18	8.25	5.86	217.62	1.84	9.97
	潮口站	0:00	27.08	51.74	31.03	8.19	5.58	253.07	10.69	3.11
		3:00	26.29	51.51	31.41	8.17	6.48	262.59	2.90	2.37
		6:00	27.25	51.58	30.80	8.17	5.44	261.76	8.23	3.10
		9:00	27.71	51.68	30.56	8.12	6.36	260.30	6.05	3.12
		12:00	26.49	51.70	31.40	8.13	7.97	260.31	9.80	2.45
		15:00	26.68	51.15	30.89	8.07	7.47	259.89	9.97	3.02
		18:00	27.86	51.07	30.05	8.12	6.68	260.51	5.34	4.85
		21:00	28.39	51.48	29.98	8.11	5.84	259.35	4.90	4.51
		日平均	27.22	51.49	30.77	8.14	6.48	259.72	7.24	3.32
	灣內站	0:00	27.70	49.69	29.22	8.15	6.00	154.07	1.24	5.41
		3:00	27.64	48.94	28.75	8.18	6.11	153.34	2.94	5.68
		6:00	27.50	49.16	28.99	8.12	6.18	234.69	2.74	1.27
		9:00	27.63	49.56	29.18	8.16	6.26	271.53	0.83	0.93
		12:00	27.90	49.74	29.13	8.18	6.61	284.26	0.65	0.08
		15:00	28.13	49.54	28.85	8.18	6.86	289.15	0.60	4.85
		18:00	27.75	49.06	28.77	8.19	6.45	177.71	0.49	5.58
		21:00	27.50	49.02	28.90	8.13	6.24	150.22	0.63	2.70
		日平均	27.72	49.34	28.97	8.16	6.34	214.37	1.27	3.31
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 1 日	蚵殼站	0:00	27.30	49.29	29.20	8.09	6.80	226.53	1.75	12.13
		3:00	27.26	49.39	29.30	8.09	6.04	135.43	0.65	12.04
		6:00	27.12	49.63	29.55	8.13	6.35	151.11	0.59	14.09
		9:00	27.35	49.53	29.34	8.16	7.78	150.37	1.12	11.00
		12:00	27.61	49.22	28.96	8.26	6.93	156.08	1.36	27.02
		15:00	28.34	49.19	28.49	8.26	6.96	193.25	3.30	35.49
		18:00	28.03	49.29	28.75	8.30	8.47	259.10	3.09	24.15
		21:00	27.89	49.13	28.73	8.27	6.37	256.50	3.06	10.05
		日平均	27.61	49.33	29.04	8.20	6.96	191.05	1.87	18.25
	潮口站	0:00	27.54	50.77	30.06	8.08	5.12	256.18	4.06	3.52
		3:00	26.05	51.03	31.24	8.08	5.10	267.81	2.32	2.39
		6:00	27.36	51.13	30.42	8.13	5.11	268.37	4.19	3.20
		9:00	28.08	51.53	30.22	8.12	6.99	249.26	5.99	3.45
		12:00	27.35	51.67	30.80	8.15	8.03	256.53	3.62	3.13
		15:00	26.59	50.99	30.84	8.13	6.03	254.37	3.14	2.96
		18:00	27.95	50.80	29.81	8.12	7.16	253.80	5.30	4.45
		21:00	28.09	50.83	29.74	8.08	6.23	255.94	5.26	4.26
		日平均	27.38	51.09	30.39	8.11	6.22	257.78	4.24	3.42
	灣內站	0:00	27.36	49.45	29.27	8.16	5.86	167.85	0.60	3.10
		3:00	27.24	49.51	29.39	8.15	6.22	146.64	0.44	2.64
		6:00	27.13	49.42	29.40	8.17	6.14	238.95	0.30	1.64
		9:00	27.23	49.47	29.37	8.19	5.88	285.45	0.37	0.23
		12:00	27.30	50.03	29.71	8.25	7.40	284.01	1.32	1.46
		15:00	27.21	49.94	29.71	8.20	7.45	298.45	0.66	1.41
		18:00	27.10	50.57	30.21	8.12	6.05	317.01	0.36	2.43
		21:00	26.86	50.28	30.17	8.11	5.96	296.07	1.37	1.77
		日平均	27.18	49.83	29.65	8.17	6.37	254.30	0.68	1.84
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 2 日	蚵殼站	0:00	27.73	49.42	29.02	8.25	6.74	247.87	2.44	7.29
		3:00	27.63	49.75	29.31	8.22	8.49	241.67	1.28	5.47
		6:00	27.61	49.64	29.24	8.20	8.14	239.67	1.19	6.00
		9:00	27.71	49.58	29.14	8.24	9.08	245.40	2.58	4.26
		12:00	27.93	49.60	29.02	8.26	6.62	256.10	3.94	5.80
		15:00	28.17	49.74	28.96	8.28	7.06	221.90	3.28	7.44
		18:00	28.20	49.68	28.90	8.28	8.47	225.80	5.15	11.70
		21:00	28.34	49.49	28.69	8.24	7.79	216.33	4.88	5.07
		日平均	27.92	49.61	29.04	8.25	7.80	236.84	3.09	6.63
	潮口站	0:00	27.37	50.89	30.25	8.05	5.15	251.45	5.46	3.33
		3:00	25.83	50.81	31.24	8.00	5.01	257.10	6.20	2.33
		6:00	27.10	51.44	30.81	8.08	5.91	252.52	20.22	3.13
		9:00	28.36	51.52	30.03	8.10	7.05	248.06	50.54	3.69
		12:00	27.74	51.72	30.57	8.14	7.22	239.85	20.97	3.36
		15:00	26.43	51.54	31.33	8.16	6.71	231.64	2.55	2.84
		18:00	26.25	51.52	31.44	8.15	7.00	223.43	3.34	5.66
		21:00	26.39	51.42	31.28	8.14	6.25	215.22	2.26	5.05
		日平均	26.93	51.36	30.87	8.10	6.29	239.91	13.94	3.67
	灣內站	0:00	26.01	50.19	30.68	8.13	5.91	160.86	0.10	4.29
		3:00	26.20	50.62	30.85	8.16	6.28	141.62	0.60	7.94
		6:00	26.39	50.52	30.65	8.19	6.78	186.45	0.23	0.73
		9:00	26.58	50.41	30.44	8.22	6.78	271.35	0.63	0.13
		12:00	27.11	49.95	29.78	8.25	6.71	278.63	1.37	1.82
		15:00	27.01	49.45	29.50	8.21	7.70	295.47	0.31	5.00
		18:00	26.72	49.09	29.44	8.13	7.09	316.91	0.44	1.48
		21:00	26.66	48.65	29.18	8.15	6.77	127.71	0.22	1.13
		日平均	26.59	49.86	30.07	8.18	6.75	222.38	0.49	2.82
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月3日	蚵殼站	0:00	28.86	49.63	28.46	8.16	6.39	201.60	3.05	3.11
		3:00	28.22	49.59	28.83	8.06	7.07	216.15	3.39	4.80
		6:00	28.00	49.52	28.92	8.03	8.63	205.67	2.08	4.23
		9:00	28.85	49.08	28.11	8.13	8.85	216.37	4.13	5.07
		12:00	29.73	49.17	27.65	8.11	6.83	202.00	3.13	3.79
		15:00	29.16	49.28	28.05	8.14	6.22	208.20	18.48	2.12
		18:00	28.24	49.22	28.57	8.19	6.51	219.43	15.30	3.34
		21:00	28.60	49.20	28.34	8.20	8.07	218.75	3.51	3.93
	日平均	28.71	49.34	28.37	8.13	7.32	211.02	6.63	3.80	
	潮口站	0:00	26.55	51.33	31.10	8.07	6.15	112.95	1.26	0.16
		3:00	26.64	51.13	30.90	8.05	6.35	190.94	1.04	2.38
		6:00	26.70	51.57	31.17	8.03	6.60	126.57	1.42	7.05
		9:00	26.96	51.54	30.97	8.10	7.03	153.92	1.57	3.93
		12:00	27.28	51.89	30.99	8.16	8.85	194.79	2.55	2.46
		15:00	27.31	51.98	31.04	8.21	7.29	211.15	3.34	5.66
		18:00	27.42	51.49	30.63	8.15	6.85	202.03	2.26	5.05
		21:00	27.30	51.38	30.63	8.12	6.41	130.73	2.01	2.26
	日平均	27.02	51.54	30.93	8.11	6.94	165.39	1.93	3.62	
	灣內站	0:00	26.55	49.49	29.83	8.17	6.33	186.53	0.10	2.17
		3:00	26.20	48.84	29.61	8.15	6.17	178.66	0.05	2.08
		6:00	26.17	49.06	29.78	8.11	5.85	181.55	0.20	3.55
		9:00	26.21	49.26	29.89	8.22	5.76	156.03	0.35	3.42
		12:00	26.97	49.36	29.46	8.22	7.33	169.06	3.27	0.45
		15:00	27.22	48.66	28.83	8.15	7.08	174.47	1.32	1.41
18:00		26.99	48.96	29.18	8.21	6.05	188.91	1.10	2.10	
21:00		26.89	49.46	29.58	8.22	5.97	179.16	5.46	2.74	
日平均	26.65	49.14	29.52	8.18	6.32	176.80	1.48	2.24		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月4日	蚵殼站	0:00	29.12	49.30	28.09	8.20	6.27	202.63	4.36	4.39
		3:00	28.92	49.50	28.34	8.17	8.94	208.00	3.86	4.21
		6:00	28.95	49.50	28.32	8.18	7.93	206.00	4.42	5.02
		9:00	29.24	49.19	27.95	8.24	5.86	177.00	6.00	4.51
		12:00	29.29	49.09	27.85	8.29	6.81	178.00	5.39	4.40
		15:00	28.88	49.26	28.21	8.13	6.81	190.57	4.26	4.20
		18:00	28.06	49.40	28.80	8.11	6.43	194.75	2.28	3.88
		21:00	27.92	49.67	29.07	8.14	7.85	191.47	5.00	3.62
	日平均	28.80	49.36	28.33	8.18	7.11	193.55	4.45	4.28	
	潮口站	0:00	26.79	51.50	31.06	8.10	5.84	123.37	1.69	4.47
		3:00	26.83	51.55	31.07	8.07	5.39	114.15	1.06	1.06
		6:00	26.80	51.50	31.05	8.10	6.27	128.67	1.32	1.43
		9:00	27.12	51.38	30.75	8.07	6.85	164.42	1.13	1.56
		12:00	27.48	50.86	30.16	8.13	7.59	189.59	2.15	4.52
		15:00	27.59	50.71	29.98	8.12	8.03	201.15	3.81	3.15
		18:00	27.71	50.55	29.80	8.08	8.30	170.07	3.26	0.72
		21:00	27.84	50.13	29.43	8.13	7.07	175.34	2.08	2.08
	日平均	27.27	51.02	30.41	8.10	6.92	158.35	2.06	2.37	
	灣內站	0:00	26.31	49.00	29.64	8.12	6.15	153.22	1.36	0.26
		3:00	26.43	49.41	29.85	8.16	6.42	163.13	1.75	0.93
		6:00	26.55	49.96	30.15	8.21	5.71	162.30	2.55	0.36
		9:00	26.60	48.95	29.42	8.16	7.03	192.58	12.59	1.33
		12:00	26.80	47.84	28.53	8.15	7.38	201.77	3.38	1.76
		15:00	27.22	48.04	28.41	8.14	6.80	210.87	3.50	1.45
18:00		27.46	48.52	28.58	8.11	6.77	231.86	2.24	2.19	
21:00		27.16	48.58	28.81	8.19	6.25	229.15	2.19	2.09	
日平均	26.82	48.79	29.17	8.16	6.56	193.11	3.70	1.30		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月5日	蚵殼站	0:00	29.13	49.89	28.47	8.23	5.85	168.38	3.05	7.77
		3:00	28.19	49.77	28.97	8.18	7.43	177.63	3.39	9.90
		6:00	28.11	49.85	29.07	8.13	7.73	146.74	2.08	13.00
		9:00	28.80	49.62	28.49	8.12	8.54	149.04	4.13	12.32
		12:00	29.68	49.28	27.75	8.08	8.36	155.82	3.13	5.28
		15:00	28.89	49.47	28.34	8.13	6.75	149.35	18.48	8.63
		18:00	28.38	49.51	28.68	8.15	8.21	176.75	15.30	11.08
		21:00	28.78	49.52	28.44	8.19	8.07	143.19	3.51	11.77
	日平均	28.75	49.61	28.53	8.15	7.62	158.36	6.63	9.97	
	潮口站	0:00	27.35	50.23	29.81	8.08	7.19	190.23	1.72	0.10
		3:00	26.96	50.50	30.25	8.08	6.48	157.24	1.95	0.31
		6:00	27.01	51.05	30.60	8.03	6.25	194.95	1.46	0.23
		9:00	27.52	51.60	30.63	8.00	6.50	130.81	1.66	0.54
		12:00	27.83	50.65	29.79	8.08	7.67	182.63	1.84	0.35
		15:00	27.76	50.06	29.43	8.14	8.48	205.36	3.10	2.06
		18:00	27.68	50.29	29.64	8.08	7.83	195.12	2.85	0.96
		21:00	27.64	50.71	29.95	8.02	6.14	187.28	3.51	0.59
	日平均	27.47	50.64	30.01	8.06	7.07	180.45	2.26	0.64	
	灣內站	0:00	27.00	48.55	28.89	8.13	6.42	224.93	3.28	2.45
		3:00	26.43	48.71	29.37	8.09	6.70	219.79	3.30	1.56
		6:00	26.26	49.18	29.80	8.12	6.95	220.36	4.40	1.15
		9:00	26.35	48.86	29.52	8.16	7.31	219.73	3.26	2.61
		12:00	27.26	48.23	28.51	8.10	7.65	216.87	4.11	1.29
		15:00	27.39	47.58	27.99	8.09	7.58	211.34	3.51	0.64
18:00		27.28	48.43	28.63	8.07	6.75	213.24	3.19	2.12	
21:00		27.14	48.92	29.05	8.08	6.03	208.45	2.73	1.60	
日平均	26.89	48.56	28.97	8.11	6.92	216.84	3.47	1.68		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月6日	蚵殼站	0:00	26.69	49.14	29.49	8.21	8.54	160.14	6.57	12.36
		3:00	26.57	49.97	30.15	8.21	6.19	210.66	1.12	19.05
		6:00	26.47	50.33	30.46	8.10	5.48	207.64	13.49	18.76
		9:00	26.60	50.42	30.44	8.12	7.57	252.39	10.61	13.92
		12:00	27.12	50.01	29.81	8.22	9.01	246.30	10.08	10.15
		15:00	27.14	49.34	29.34	8.07	5.91	244.54	18.91	12.91
		18:00	27.19	49.18	29.20	8.28	7.74	264.30	7.25	16.83
		21:00	26.87	49.28	29.47	8.34	5.59	170.25	18.24	16.78
	日平均	26.83	49.71	29.80	8.19	7.00	219.53	10.78	15.10	
	潮口站	0:00	27.53	50.67	29.99	8.08	5.39	212.60	2.28	2.28
		3:00	26.97	50.62	30.33	8.08	5.78	207.74	2.06	2.57
		6:00	27.07	50.54	30.21	8.13	5.14	208.28	1.75	1.91
		9:00	27.83	51.59	30.42	8.12	6.39	207.68	1.87	1.54
		12:00	27.92	52.19	30.77	8.15	8.42	204.98	1.74	1.46
		15:00	28.05	51.49	30.21	8.13	7.95	199.75	3.12	0.57
		18:00	28.01	50.96	29.88	8.12	6.39	201.55	3.73	1.43
		21:00	28.09	51.03	29.87	8.08	5.91	197.02	3.37	0.51
	日平均	27.68	51.14	30.21	8.11	6.42	204.95	2.49	1.53	
	灣內站	0:00	26.54	49.73	30.00	8.09	6.24	195.78	2.96	2.48
		3:00	26.70	49.87	29.99	8.08	6.86	176.54	4.05	1.61
		6:00	26.59	49.88	30.07	8.06	6.22	162.95	5.02	1.31
		9:00	26.95	49.86	29.82	8.12	6.59	140.03	4.15	3.45
		12:00	27.30	49.09	29.07	8.15	7.93	163.33	4.30	2.13
		15:00	27.48	48.90	28.83	8.13	7.41	173.70	3.98	1.27
18:00		27.67	49.33	29.00	8.09	7.01	172.16	2.46	3.53	
21:00		27.59	49.75	29.33	8.09	6.26	196.80	2.23	1.93	
日平均	27.10	49.55	29.51	8.10	6.82	172.66	3.64	2.21		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月7日	蚵殼站	0:00	26.69	49.22	29.55	8.32	5.67	219.50	2.20	11.47
		3:00	26.48	49.98	30.21	7.96	5.34	255.93	8.73	9.98
		6:00	26.54	49.33	29.72	8.09	5.38	223.84	17.47	5.72
		9:00	26.46	50.60	30.66	8.21	6.40	231.89	21.34	10.33
		12:00	27.28	51.00	30.38	8.31	7.22	239.62	7.71	11.31
		15:00	27.24	48.38	28.62	8.25	6.80	257.13	18.73	6.95
		18:00	27.43	46.90	27.51	8.19	5.88	222.69	14.88	15.62
		21:00	27.01	47.81	28.38	8.13	5.68	230.36	13.18	10.91
	日平均	26.89	49.15	29.38	8.18	6.05	235.12	13.03	10.29	
	潮口站	0:00	27.75	51.30	30.28	8.05	6.05	185.05	2.87	3.09
		3:00	27.05	51.68	31.01	8.00	5.35	166.86	2.62	1.79
		6:00	27.20	51.36	30.68	8.08	5.75	154.02	2.75	2.46
		9:00	27.86	51.97	30.66	8.10	6.57	132.35	3.71	2.82
		12:00	28.07	52.17	30.66	8.14	6.96	154.38	2.29	1.37
		15:00	28.02	50.89	29.83	8.16	7.57	164.18	2.78	2.70
		18:00	28.09	50.16	29.29	8.15	6.44	162.72	3.23	1.31
		21:00	28.24	50.61	29.50	8.14	6.21	186.01	2.67	0.10
	日平均	27.79	51.27	30.24	8.10	6.36	163.20	2.87	1.96	
	灣內站	0:00	27.32	47.90	28.25	8.25	6.04	210.16	3.29	2.77
		3:00	27.20	49.12	29.15	8.08	6.32	191.47	3.81	1.10
		6:00	27.01	48.73	29.01	8.07	6.32	176.23	5.05	7.20
		9:00	27.22	49.96	29.71	8.15	6.92	209.15	4.53	5.35
		12:00	27.83	49.58	29.07	8.25	7.69	219.26	3.58	0.04
		15:00	28.57	49.67	28.67	8.23	7.12	221.96	3.39	6.00
18:00		28.53	47.49	27.25	8.13	7.03	217.55	2.80	1.62	
21:00		28.53	47.37	27.17	8.12	6.58	228.55	2.59	1.67	
日平均	27.78	48.73	28.54	8.16	6.75	209.29	3.63	3.22		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月8日	蚵殼站	0:00	26.55	47.04	28.14	8.30	5.63	245.12	8.06	11.25
		3:00	26.51	47.57	28.53	8.09	6.57	196.50	16.01	10.14
		6:00	26.53	48.70	29.29	8.15	6.51	139.22	2.45	6.81
		9:00	26.53	49.82	30.07	8.19	7.08	193.31	8.17	6.89
		12:00	26.88	47.90	28.52	8.25	8.20	215.77	15.02	7.96
		15:00	26.98	46.71	27.65	8.29	6.32	244.69	14.37	10.95
		18:00	27.20	47.14	27.81	8.28	6.67	248.93	10.53	12.89
		21:00	27.10	48.00	28.45	8.34	6.50	257.39	3.90	11.69
	日平均	26.79	47.86	28.56	8.24	6.69	217.62	9.81	9.82	
	潮口站	0:00	28.21	50.90	29.71	8.07	5.93	198.64	2.64	4.90
		3:00	27.20	51.50	30.78	8.05	5.67	180.97	2.43	5.36
		6:00	27.39	51.31	30.52	8.03	5.21	166.57	2.54	3.59
		9:00	28.07	51.91	30.48	8.10	6.99	197.68	2.93	1.49
		12:00	28.20	51.72	30.27	8.16	8.22	207.24	2.43	6.90
		15:00	27.32	51.77	30.88	8.21	6.42	209.79	2.50	6.06
		18:00	27.64	50.35	29.71	8.15	5.78	205.62	2.35	2.50
		21:00	28.13	50.30	29.36	8.12	5.48	216.02	2.54	4.67
	日平均	27.77	51.22	30.21	8.11	6.21	197.82	2.55	4.43	
	灣內站	0:00	28.12	47.24	27.33	8.26	5.91	230.92	2.75	0.29
		3:00	27.50	47.53	27.89	8.09	6.06	228.53	3.48	1.05
		6:00	27.28	48.32	28.56	8.10	6.49	226.87	3.39	0.45
		9:00	27.33	47.58	28.03	8.15	6.39	219.96	3.82	0.10
		12:00	27.57	49.46	29.15	8.32	6.92	218.66	5.21	0.61
		15:00	27.62	47.74	27.96	8.22	7.63	201.92	4.54	0.46
18:00		27.56	47.65	27.93	8.10	6.83	194.97	2.65	0.13	
21:00		27.51	48.45	28.50	8.16	6.49	162.19	2.12	0.14	
日平均	27.56	48.00	28.17	8.18	6.59	210.50	3.50	0.40		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月9日	蚵殼站	0:00	26.57	47.94	28.74	8.28	6.44	226.53	3.54	14.91
		3:00	26.63	47.83	28.63	8.12	5.74	135.43	3.31	16.73
		6:00	26.82	47.65	28.39	8.06	5.47	151.11	2.65	15.45
		9:00	26.51	49.80	30.07	8.13	7.21	150.37	4.16	19.47
		12:00	26.63	51.04	30.85	8.26	7.41	156.08	10.39	20.02
		15:00	27.20	49.59	29.47	8.34	7.82	193.25	1.90	19.27
		18:00	27.23	48.53	28.73	8.31	8.10	259.10	10.98	23.23
		21:00	26.90	48.66	29.03	8.32	7.20	256.50	1.99	14.36
	日平均	26.81	48.88	29.24	8.23	6.92	191.05	4.87	17.93	
	潮口站	0:00	28.07	50.29	29.39	8.09	5.88	218.26	2.51	1.80
		3:00	26.86	50.72	30.47	8.10	5.20	216.00	2.82	1.28
		6:00	27.25	51.11	30.48	8.08	5.44	214.43	2.26	0.94
		9:00	28.20	50.75	29.62	8.11	5.66	207.90	2.64	1.67
		12:00	28.72	51.67	29.90	8.17	7.93	206.67	3.21	0.72
		15:00	27.24	50.83	30.29	8.18	7.86	190.85	2.45	1.06
		18:00	27.49	50.78	30.10	8.11	5.36	184.28	3.35	0.78
		21:00	28.20	51.17	29.90	8.13	5.72	153.30	3.30	0.05
	日平均	27.75	50.92	30.02	8.12	6.13	198.96	2.82	1.04	
	灣內站	0:00	27.64	48.04	28.15	8.23	5.82	135.96	2.34	0.21
		3:00	27.34	48.00	28.30	8.13	6.19	118.56	14.88	2.18
		6:00	27.29	48.36	28.58	8.13	6.41	210.68	4.05	0.28
		9:00	27.52	48.35	28.43	8.06	6.06	111.37	4.01	1.79
		12:00	27.97	48.03	27.94	8.18	6.62	162.13	3.95	1.82
		15:00	28.26	49.42	28.69	8.15	6.46	178.28	7.20	2.00
		18:00	28.42	47.97	27.63	8.12	5.94	173.53	7.89	1.04
		21:00	28.38	46.85	26.92	8.25	6.15	157.11	11.42	1.17
	日平均	27.85	48.13	28.08	8.16	6.21	155.95	6.97	1.31	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月10日	蚵殼站	0:00	26.51	47.22	28.29	8.24	7.56	247.87	8.90	8.89
		3:00	26.44	48.02	28.88	8.06	6.90	241.67	8.13	5.05
		6:00	26.30	47.62	28.70	7.95	7.02	239.67	18.55	4.25
		9:00	26.49	47.55	28.53	8.04	6.67	245.40	7.84	5.34
		12:00	26.64	47.50	28.40	8.19	6.64	256.10	3.72	9.38
		15:00	26.60	47.27	28.27	8.29	5.18	261.90	3.72	9.34
		18:00	26.58	48.06	28.82	8.26	8.11	265.80	11.08	4.87
		21:00	26.07	48.96	29.77	8.28	5.98	266.33	5.60	5.96
	日平均	26.45	47.78	28.71	8.16	6.76	253.09	8.44	6.64	
	潮口站	0:00	26.27	50.97	31.04	8.10	5.30	254.85	1.72	1.38
		3:00	26.23	51.44	31.40	8.07	5.82	249.94	1.95	0.40
		6:00	26.29	51.62	31.49	8.08	5.40	239.30	1.46	2.23
		9:00	26.66	51.13	30.89	8.16	5.97	240.39	1.66	2.33
		12:00	27.52	51.95	30.87	8.18	6.26	226.43	1.84	2.07
		15:00	27.47	52.13	31.03	8.17	6.06	232.36	3.10	0.21
		18:00	27.36	51.92	30.96	8.16	5.57	240.29	2.85	0.10
		21:00	26.92	51.37	30.88	8.14	5.93	242.20	3.51	0.13
	日平均	26.84	51.57	31.07	8.13	5.79	240.72	2.26	1.11	
	灣內站	0:00	28.18	47.48	27.45	8.16	5.80	116.23	3.99	1.95
		3:00	28.00	47.73	27.72	8.03	6.34	112.55	2.64	0.68
		6:00	27.90	49.95	29.27	8.07	6.44	199.39	2.69	0.69
		9:00	28.32	48.81	28.25	8.14	6.38	106.85	3.55	2.60
		12:00	28.88	48.39	27.64	8.12	7.74	171.87	3.83	2.43
		15:00	29.09	49.06	27.95	8.11	7.13	194.86	3.47	0.72
		18:00	28.94	49.76	28.50	8.04	6.00	193.93	2.74	1.18
		21:00	28.71	49.03	28.16	8.17	6.33	183.91	2.46	2.16
	日平均	28.50	48.78	28.12	8.11	6.52	159.95	3.17	1.55	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月11日	蚵殼站	0:00	26.31	50.00	30.34	8.22	6.12	251.60	15.35	7.94
		3:00	26.94	50.16	30.03	8.09	6.44	256.15	18.87	6.36
		6:00	26.79	50.20	30.16	8.02	7.00	265.67	20.17	3.96
		9:00	26.82	50.41	30.28	8.18	7.55	276.37	8.76	4.30
		12:00	26.67	49.95	30.07	8.26	6.13	282.00	5.70	8.52
		15:00	26.79	49.71	29.82	8.25	5.75	288.20	11.72	7.93
		18:00	26.75	47.53	28.35	8.17	5.18	289.43	3.05	6.31
		21:00	26.92	47.63	28.31	8.20	5.81	278.75	17.60	5.32
	日平均	26.75	49.45	29.67	8.17	6.25	273.52	12.65	6.33	
	潮口站	0:00	26.88	50.59	30.37	8.11	5.99	250.19	2.28	1.79
		3:00	26.71	51.66	31.22	8.12	5.97	248.97	2.06	1.08
		6:00	26.53	51.27	31.08	8.10	5.96	237.12	1.75	1.12
		9:00	26.81	50.71	30.50	8.13	5.40	243.70	1.87	2.23
		12:00	27.56	50.51	29.87	8.12	6.32	235.35	1.74	2.20
		15:00	27.79	50.84	29.94	8.15	5.46	227.41	3.12	0.72
		18:00	27.59	51.17	30.30	8.18	5.94	234.04	3.73	2.06
		21:00	27.12	50.82	30.37	8.24	5.29	236.90	3.37	1.61
	日平均	27.12	50.95	30.46	8.14	5.79	239.21	2.49	1.60	
	灣內站	0:00	28.50	49.05	28.30	8.17	6.38	150.30	2.96	2.20
		3:00	28.33	49.19	28.49	8.08	5.88	107.01	2.32	2.31
		6:00	28.24	48.92	28.37	8.06	6.48	199.16	6.52	2.55
		9:00	28.55	48.83	28.12	8.18	6.96	205.39	6.91	2.52
		12:00	28.63	49.04	28.21	8.11	7.62	159.40	5.56	2.15
		15:00	28.35	48.80	28.22	8.08	7.58	186.04	4.87	2.31
18:00		27.79	48.94	28.66	8.04	6.60	189.93	4.85	2.49	
21:00		27.34	48.65	28.74	8.13	5.88	185.01	3.35	2.34	
日平均	28.22	48.93	28.39	8.11	6.67	172.78	4.67	2.36		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月12日	蚵殼站	0:00	26.48	47.63	28.59	8.14	5.60	252.63	5.51	6.01
		3:00	26.66	47.69	28.52	8.14	5.48	248.00	6.38	4.21
		6:00	26.59	47.64	28.53	8.08	5.84	256.00	5.25	3.56
		9:00	26.65	47.61	28.47	8.15	5.09	277.00	6.64	3.57
		12:00	26.74	47.66	28.45	8.24	6.71	278.00	6.92	5.04
		15:00	26.55	47.57	28.50	8.28	5.51	290.57	17.80	4.61
		18:00	26.46	46.34	27.72	8.24	5.98	294.75	25.28	5.00
		21:00	26.32	46.43	27.86	8.21	6.66	291.47	9.18	4.53
	日平均	26.56	47.32	28.33	8.19	5.86	273.55	10.37	4.57	
	潮口站	0:00	26.71	50.59	30.48	8.21	5.91	238.21	2.87	2.16
		3:00	26.58	51.39	31.13	8.21	5.66	239.13	2.62	2.31
		6:00	26.49	51.25	31.09	8.15	5.64	229.40	2.75	2.36
		9:00	26.70	51.21	30.92	8.13	5.41	241.00	3.71	1.98
		12:00	26.88	50.83	30.53	8.16	5.08	239.98	2.29	2.41
		15:00	27.21	51.19	30.56	8.15	5.79	233.09	2.78	2.32
		18:00	27.36	51.26	30.51	8.21	5.98	231.58	3.23	2.62
		21:00	27.16	50.63	30.21	8.22	5.80	232.68	2.67	1.98
	日平均	26.89	51.04	30.68	8.18	5.66	235.63	2.87	2.27	
	灣內站	0:00	27.23	48.32	28.59	8.19	6.09	175.63	2.55	0.85
		3:00	27.43	48.58	28.64	8.07	6.26	138.85	2.91	0.51
		6:00	27.59	48.85	28.72	7.98	7.62	210.04	4.91	1.56
		9:00	27.93	49.09	28.67	8.10	6.63	137.93	4.17	1.07
		12:00	28.78	49.25	28.26	8.19	6.97	185.80	4.62	0.57
		15:00	29.17	49.20	27.99	8.18	7.39	200.84	5.23	0.16
18:00		28.93	48.55	27.71	8.02	6.65	210.03	3.84	0.17	
21:00		28.76	49.35	28.34	8.15	5.91	200.99	3.24	1.13	
日平均	28.23	48.90	28.37	8.11	6.69	182.51	3.93	0.75		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月13日	蚵殼站	0:00	26.45	47.45	28.48	8.23	6.80	270.43	5.05	14.91
		3:00	26.46	47.55	28.55	8.10	6.04	219.25	12.76	16.73
		6:00	26.62	47.37	28.32	8.06	6.35	229.83	22.66	15.45
		9:00	26.81	47.46	28.27	8.15	7.78	258.97	2.97	19.47
		12:00	26.85	46.98	27.91	8.28	6.93	277.30	5.27	20.02
		15:00	26.79	46.80	27.83	8.37	6.96	282.67	8.92	19.27
		18:00	26.83	46.59	27.66	8.36	8.47	292.93	19.67	23.23
		21:00	26.79	46.54	27.65	8.30	6.37	291.55	6.38	14.36
	日平均	26.70	47.09	28.08	8.23	6.96	265.37	10.46	17.93	
	潮口站	0:00	26.63	50.47	30.45	8.16	5.06	233.67	2.64	1.97
		3:00	26.56	51.58	31.27	8.10	5.77	238.05	2.43	1.30
		6:00	26.60	51.71	31.33	8.09	5.67	237.95	2.54	0.35
		9:00	26.67	51.34	31.03	8.15	5.93	237.68	2.93	0.08
		12:00	26.86	50.92	30.61	8.08	7.97	240.07	2.43	0.95
		15:00	27.09	50.90	30.44	8.11	8.79	240.33	2.50	0.07
		18:00	27.19	51.08	30.50	8.11	6.68	240.02	2.35	1.90
		21:00	27.24	50.98	30.40	8.11	5.48	240.33	2.54	1.62
	日平均	26.86	51.12	30.75	8.11	6.42	238.51	2.55	1.03	
	灣內站	0:00	28.49	49.31	28.48	8.18	6.77	200.94	3.22	2.47
		3:00	28.20	49.03	28.47	8.04	7.45	184.92	3.94	2.26
		6:00	28.26	48.86	28.32	8.03	7.72	112.54	3.86	2.13
		9:00	28.40	48.96	28.30	8.11	7.77	150.57	3.59	2.09
		12:00	28.41	48.91	28.26	8.21	7.88	126.99	4.20	0.61
		15:00	28.34	48.34	27.92	8.14	8.52	130.04	7.83	0.47
		18:00	28.09	48.91	28.45	8.05	7.78	115.61	6.19	1.67
		21:00	27.87	48.52	28.33	8.09	6.81	144.25	5.35	1.67
	日平均	28.26	48.86	28.32	8.11	7.59	145.73	4.77	1.67	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月14日	蚵殼站	0:00	26.67	46.41	27.64	8.25	6.74	249.03	6.39	8.89
		3:00	26.60	46.39	27.66	8.13	8.49	246.00	5.20	5.05
		6:00	26.73	46.40	27.59	8.10	8.14	270.33	20.26	4.25
		9:00	26.97	46.49	27.51	8.14	9.08	280.00	14.84	5.34
		12:00	26.91	46.40	27.48	8.31	6.62	282.43	17.40	9.38
		15:00	26.85	46.57	27.64	8.33	7.06	287.20	9.09	9.34
		18:00	26.77	46.61	27.71	8.36	8.47	282.80	13.57	4.87
		21:00	26.56	46.79	27.96	8.26	7.79	282.77	5.64	5.96
	日平均	26.76	46.51	27.65	8.24	7.80	272.57	11.55	6.64	
	潮口站	0:00	26.58	50.95	30.82	8.10	5.44	240.17	2.51	1.54
		3:00	26.47	51.16	31.04	8.07	6.60	249.55	2.82	1.79
		6:00	26.76	51.71	31.22	8.10	6.55	243.35	2.26	2.02
		9:00	26.78	51.76	31.24	8.07	6.99	243.35	2.64	2.16
		12:00	26.50	51.25	31.08	8.13	8.98	246.50	3.21	1.60
		15:00	26.68	50.97	30.77	8.12	8.98	244.33	2.45	1.74
		18:00	27.15	51.25	30.64	8.08	5.58	237.21	3.35	1.17
		21:00	27.26	51.11	30.47	8.13	5.32	250.01	3.30	2.31
	日平均	26.77	51.27	30.91	8.10	6.81	244.31	2.82	1.79	
	灣內站	0:00	27.71	48.29	28.27	8.23	7.45	121.67	4.69	4.00
		3:00	27.54	47.82	28.06	8.06	7.26	120.94	3.92	5.00
		6:00	27.40	48.04	28.30	8.06	7.55	116.76	4.10	2.62
		9:00	27.62	47.92	28.08	8.14	7.00	118.58	6.45	9.05
		12:00	27.65	47.87	28.03	8.25	6.79	123.13	5.51	1.43
		15:00	27.73	48.06	28.11	8.16	7.95	124.92	8.78	1.14
		18:00	27.61	48.53	28.50	8.07	7.00	129.84	7.98	6.26
		21:00	27.30	48.68	28.79	8.11	5.99	136.28	3.96	6.26
	日平均	27.57	48.15	28.27	8.14	7.12	124.02	5.67	4.47	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月15日	蚵殼站	0:00	26.44	46.97	28.16	8.28	6.39	284.80	1.80	8.99
		3:00	26.31	46.90	28.19	8.25	7.07	172.05	2.85	5.15
		6:00	26.40	46.90	28.14	8.16	8.63	145.37	2.89	4.35
		9:00	26.50	47.02	28.16	8.15	8.85	186.73	14.16	5.44
		12:00	26.55	46.65	27.87	8.22	6.83	225.15	14.06	9.48
		15:00	26.60	46.59	27.80	8.31	6.22	250.53	7.33	9.44
		18:00	26.53	46.59	27.84	8.31	6.51	264.00	10.28	4.97
		21:00	26.50	46.64	27.90	8.21	8.07	264.50	5.90	6.06
		日平均	26.48	46.78	28.01	8.24	7.32	224.14	7.41	6.74
	潮口站	0:00	26.61	50.76	30.67	8.08	5.75	238.69	3.36	2.33
		3:00	26.31	51.54	31.42	8.08	5.73	251.86	2.15	0.96
		6:00	26.55	51.87	31.48	8.03	5.85	244.25	2.81	9.62
		9:00	26.75	51.91	31.37	8.00	5.07	248.39	2.95	5.29
		12:00	26.53	51.46	31.21	8.08	6.25	249.71	4.18	0.22
		15:00	26.47	51.35	31.17	8.14	7.31	251.16	3.39	8.18
		18:00	26.85	51.31	30.89	8.08	5.64	231.25	3.72	10.44
		21:00	27.05	51.38	30.80	8.02	5.50	240.98	4.58	6.35
		日平均	26.64	51.45	31.13	8.06	5.89	244.54	3.39	5.42
	灣內站	0:00	27.29	48.55	28.71	8.18	6.14	138.26	3.92	2.72
		3:00	27.12	48.38	28.70	8.07	5.62	133.81	4.75	2.35
		6:00	27.00	48.38	28.77	8.09	6.12	135.25	3.36	0.40
		9:00	27.11	48.22	28.60	8.04	8.18	135.98	4.75	2.42
		12:00	27.82	48.19	28.14	8.09	8.45	140.42	4.42	1.87
		15:00	28.66	48.23	27.66	8.09	7.70	144.09	5.39	0.06
		18:00	28.22	48.30	27.97	8.06	7.00	147.49	11.67	7.10
		21:00	27.95	48.25	28.10	8.17	6.05	160.62	3.83	5.76
		日平均	27.65	48.31	28.33	8.10	6.91	141.99	5.26	2.84
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月16日	蚵殼站	0:00	26.38	46.83	28.10	8.23	6.27	268.80	2.65	17.36
		3:00	26.29	46.70	28.07	8.20	8.94	173.03	2.44	14.05
		6:00	26.31	46.90	28.19	8.19	7.93	197.87	4.08	8.76
		9:00	26.58	46.61	27.83	8.13	5.86	234.00	6.38	8.92
		12:00	26.83	46.33	27.48	8.26	6.81	271.60	6.27	14.15
		15:00	26.88	46.37	27.48	8.33	6.81	283.60	3.23	17.91
		18:00	26.81	46.31	27.48	8.34	6.43	283.80	22.30	21.83
		21:00	26.79	46.30	27.49	8.29	7.85	271.10	24.86	21.78
		日平均	26.61	46.54	27.77	8.25	7.11	247.98	9.03	15.60
	潮口站	0:00	26.54	51.00	30.88	8.13	5.85	238.53	4.04	0.44
		3:00	26.12	51.18	31.30	8.09	6.13	251.82	16.02	2.26
		6:00	26.49	50.93	30.87	8.08	5.24	247.67	6.01	0.49
		9:00	27.11	50.72	30.30	8.10	7.47	253.25	6.33	6.55
		12:00	27.24	50.67	30.18	8.10	8.45	248.19	7.56	6.89
		15:00	26.84	50.79	30.53	8.12	8.73	249.55	8.99	2.41
		18:00	27.04	50.67	30.32	8.12	8.49	248.04	7.72	5.92
		21:00	27.00	50.71	30.37	8.12	7.92	247.31	6.64	1.64
		日平均	26.80	50.83	30.59	8.11	7.29	248.05	7.91	3.33
	灣內站	0:00	27.87	48.31	28.19	8.19	5.73	152.32	6.52	1.12
		3:00	27.53	48.46	28.50	8.14	6.53	160.89	4.73	4.36
		6:00	27.26	48.50	28.69	8.16	7.24	165.61	6.95	0.49
		9:00	27.47	48.38	28.48	8.19	6.96	155.42	8.84	3.89
		12:00	28.28	48.36	27.97	8.22	7.62	156.14	6.03	1.15
		15:00	28.34	48.33	27.92	8.21	7.58	172.58	25.08	0.90
		18:00	28.05	48.36	28.11	8.18	5.60	170.11	29.72	4.08
		21:00	27.59	48.24	28.31	8.12	5.88	162.57	15.63	2.93
		日平均	27.80	48.37	28.27	8.18	6.64	161.96	12.94	2.37
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 17 日	蚵殼站	0:00	26.75	46.29	27.51	8.20	5.85	253.33	8.00	16.47
		3:00	26.63	46.22	27.53	8.21	7.43	185.55	12.11	14.98
		6:00	26.52	46.20	27.58	8.20	7.73	125.20	16.76	10.72
		9:00	25.72	46.20	28.08	8.18	8.54	161.67	28.01	15.33
		12:00	25.63	45.80	27.85	8.27	8.36	203.50	15.18	16.31
		15:00	26.51	45.65	27.21	8.33	6.75	224.77	6.67	11.95
		18:00	26.63	45.66	27.15	8.28	8.21	200.07	12.44	20.62
		21:00	26.75	45.66	27.08	8.25	8.07	180.00	24.53	15.91
		日平均	26.39	45.96	27.50	8.24	7.62	191.76	15.46	15.29
	潮口站	0:00	26.81	50.70	30.49	8.14	7.05	249.05	7.01	4.55
		3:00	26.08	50.93	31.15	8.11	6.72	255.31	6.96	3.33
		6:00	26.61	50.71	30.63	8.09	6.87	250.24	6.37	2.03
		9:00	27.92	50.29	29.49	8.11	7.18	244.07	8.35	0.65
		12:00	28.07	50.15	29.30	8.14	8.30	256.96	8.49	1.91
		15:00	27.24	50.17	29.84	8.13	8.91	260.23	7.69	2.28
		18:00	27.60	50.12	29.58	8.13	8.29	256.13	8.25	3.86
		21:00	28.15	49.97	29.13	8.14	8.24	246.52	8.48	4.48
		日平均	27.31	50.38	29.95	8.12	7.70	252.31	7.70	2.89
	灣內站	0:00	27.38	48.18	28.40	8.11	6.12	176.06	9.24	2.41
		3:00	27.10	47.96	28.43	8.10	6.51	183.09	17.64	1.94
		6:00	27.02	47.83	28.39	8.15	6.31	184.17	13.53	2.48
		9:00	27.28	47.73	28.16	8.10	7.27	182.79	14.89	2.20
		12:00	27.73	47.65	27.83	8.12	7.89	189.16	13.67	2.41
		15:00	27.92	47.78	27.80	8.20	6.49	177.03	6.17	2.34
		18:00	27.92	47.87	27.86	8.06	5.97	217.28	6.68	1.92
		21:00	27.83	48.57	28.39	8.07	6.56	231.21	8.72	2.39
		日平均	27.52	47.95	28.16	8.11	6.64	192.60	11.32	2.26
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 18 日	蚵殼站	0:00	27.03	45.65	26.90	8.16	8.74	146.67	24.42	16.25
		3:00	27.05	45.64	26.89	8.23	5.55	136.85	11.26	15.14
		6:00	26.55	45.52	27.10	8.26	5.66	146.50	1.87	11.81
		9:00	25.72	45.44	27.55	8.26	6.94	183.48	4.35	11.89
		12:00	26.41	45.34	27.06	8.27	5.71	137.70	30.99	12.96
		15:00	27.01	45.11	26.55	8.25	6.67	157.47	40.74	15.95
		18:00	27.06	45.15	26.55	8.25	6.52	165.78	37.38	17.89
		21:00	27.34	45.20	26.42	8.26	7.34	170.08	13.25	16.69
		日平均	26.77	45.38	26.88	8.24	6.64	155.57	20.53	14.82
	潮口站	0:00	27.81	50.03	29.38	8.14	6.98	246.55	17.85	1.90
		3:00	25.86	50.83	31.23	8.12	5.42	250.35	15.37	1.97
		6:00	27.19	50.44	30.06	8.11	6.35	253.25	9.29	1.92
		9:00	28.82	49.84	28.62	8.13	8.37	247.00	20.84	2.59
		12:00	28.82	49.57	28.45	8.15	8.47	279.27	17.47	2.38
		15:00	27.76	49.59	29.12	8.12	8.14	271.25	24.61	2.34
		18:00	27.29	49.62	29.44	8.10	8.54	297.00	19.07	2.14
		21:00	28.33	49.24	28.53	8.11	8.06	275.98	21.67	2.56
		日平均	27.74	49.90	29.35	8.12	7.54	265.08	18.27	2.23
	灣內站	0:00	27.61	48.63	28.56	8.23	6.94	235.93	8.54	2.14
		3:00	27.38	48.60	28.69	8.08	8.08	245.25	8.24	1.29
		6:00	27.28	48.61	28.76	8.13	8.43	241.76	7.92	1.49
		9:00	27.34	48.44	28.60	8.20	6.55	244.29	6.02	1.40
		12:00	27.62	48.50	28.47	8.17	8.19	254.43	5.49	1.92
		15:00	27.15	48.50	28.76	8.17	8.17	248.40	5.28	2.04
		18:00	27.70	48.59	28.48	8.12	6.10	271.45	4.61	1.28
		21:00	27.59	48.61	28.56	8.24	6.78	269.68	5.07	1.67
		日平均	27.46	48.56	28.61	8.17	7.41	251.40	6.40	1.65
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 19 日	蚵殼站	0:00	26.95	45.20	26.65	8.29	7.72	173.39	18.50	12.91
		3:00	25.99	45.19	27.21	8.23	6.04	181.88	8.83	14.73
		6:00	26.29	45.20	27.04	8.19	5.35	206.37	11.80	13.45
		9:00	26.76	45.50	26.96	8.21	7.78	220.95	7.43	17.47
		12:00	27.47	44.89	26.14	8.26	6.93	178.37	12.35	18.02
		15:00	27.40	44.89	26.18	8.17	6.96	186.07	10.59	17.27
		18:00	27.29	44.90	26.25	8.19	8.47	218.01	5.11	21.23
		21:00	27.54	44.78	26.03	8.15	6.37	229.10	2.95	12.36
	日平均	26.96	45.07	26.56	8.21	6.95	199.27	9.70	15.93	
	潮口站	0:00	28.10	50.24	29.34	8.11	7.05	248.05	17.71	6.01
		3:00	26.67	50.82	30.67	8.09	6.52	254.31	25.59	5.65
		6:00	27.09	50.57	30.21	8.08	6.39	274.90	9.26	5.60
		9:00	29.67	49.80	28.09	8.11	7.86	262.15	16.82	7.25
		12:00	29.89	49.71	27.90	8.13	8.04	303.53	11.66	7.73
		15:00	29.33	49.70	28.23	8.12	8.01	283.64	12.71	7.23
		18:00	27.18	50.36	30.01	8.11	7.47	275.30	9.88	5.92
		21:00	28.23	50.07	29.14	8.10	7.21	290.12	9.91	6.41
	日平均	28.27	50.16	29.20	8.11	7.32	274.00	14.19	6.48	
	灣內站	0:00	27.48	48.42	28.50	8.24	7.85	264.89	5.91	0.67
		3:00	27.34	48.29	28.50	8.14	7.11	271.63	6.44	1.56
		6:00	27.22	48.17	28.49	8.09	8.07	269.92	9.51	0.87
		9:00	27.39	48.19	28.40	8.21	8.49	269.13	4.94	1.13
		12:00	28.01	48.24	28.06	8.17	6.85	275.94	4.74	0.51
		15:00	28.18	48.28	27.98	8.16	6.93	271.89	4.61	1.02
		18:00	28.14	48.29	28.01	8.12	5.99	284.53	4.68	2.56
		21:00	27.97	48.33	28.14	8.17	5.95	292.82	4.49	0.65
	日平均	27.72	48.28	28.26	8.16	7.16	275.09	5.67	1.12	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 20 日	蚵殼站	0:00	27.46	45.30	26.42	8.13	6.74	213.68	12.30	10.63
		3:00	26.93	45.45	26.83	8.07	8.49	224.51	5.49	13.64
		6:00	26.95	45.44	26.81	8.06	8.14	121.43	9.95	16.43
		9:00	25.99	45.82	27.65	8.03	9.08	217.44	6.94	21.59
		12:00	26.29	45.71	27.39	8.02	6.62	241.46	2.28	17.31
		15:00	27.42	45.18	26.36	8.09	7.06	228.80	8.54	13.42
		18:00	27.87	45.18	26.11	8.13	8.47	247.85	12.76	14.71
		21:00	27.59	45.17	26.26	8.28	5.79	161.53	10.09	13.07
	日平均	27.06	45.41	26.73	8.10	7.55	207.09	8.54	15.10	
	潮口站	0:00	28.72	49.93	28.75	8.10	6.82	270.45	19.26	6.41
		3:00	26.92	50.50	30.28	8.10	5.95	281.31	10.24	5.28
		6:00	27.19	50.44	30.06	8.08	5.63	277.45	16.44	5.41
		9:00	30.35	49.41	27.44	8.10	6.84	262.23	19.62	7.51
		12:00	31.21	49.13	26.78	8.12	7.78	300.63	12.30	7.75
		15:00	30.53	49.19	27.20	8.11	7.33	301.52	16.58	7.11
		18:00	27.24	50.21	29.87	8.10	7.26	279.70	14.65	5.55
		21:00	29.65	50.03	28.25	8.10	6.35	287.45	18.90	6.05
	日平均	28.98	49.86	28.58	8.10	6.75	282.59	16.00	6.38	
	灣內站	0:00	27.83	48.27	28.19	8.24	7.43	290.97	5.11	0.05
		3:00	27.52	48.19	28.32	8.11	6.19	288.88	5.56	1.56
		6:00	27.41	48.08	28.32	8.03	8.40	288.38	5.26	0.37
		9:00	27.78	48.02	28.05	8.14	8.03	287.69	5.07	0.15
		12:00	28.12	47.99	27.82	8.24	8.20	264.32	5.91	2.28
		15:00	28.41	47.89	27.59	8.25	6.86	256.00	8.95	2.37
		18:00	28.62	47.77	27.38	8.08	6.23	265.09	5.26	1.38
		21:00	28.55	47.82	27.46	8.20	6.47	264.51	5.05	1.89
	日平均	28.03	48.00	27.89	8.16	7.23	275.73	5.77	1.26	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月21日	蚵殼站	0:00	27.03	45.85	27.04	8.32	6.39	159.82	9.66	8.98
		3:00	27.05	45.88	27.05	8.24	7.07	210.24	7.53	9.14
		6:00	26.55	45.97	27.41	8.13	8.63	207.22	3.64	12.08
		9:00	25.72	46.68	28.41	8.11	8.85	251.89	5.78	12.20
		12:00	26.41	46.12	27.60	8.05	6.83	245.81	9.63	14.18
		15:00	27.01	45.81	27.02	7.98	6.22	244.05	6.02	11.08
		18:00	27.06	45.78	26.97	8.08	6.51	263.77	23.22	14.22
		21:00	27.34	45.64	26.72	8.16	8.07	169.91	3.65	10.98
	日平均	26.77	45.97	27.28	8.13	7.32	219.09	8.64	11.61	
	潮口站	0:00	30.30	49.41	27.47	8.11	6.20	267.84	16.40	6.68
		3:00	27.76	50.20	29.53	8.10	5.54	287.35	16.65	5.51
		6:00	26.47	50.59	30.64	8.08	5.51	286.16	18.55	4.97
		9:00	30.41	49.45	27.43	8.10	6.43	278.08	11.98	7.16
		12:00	29.45	49.75	28.19	8.12	7.60	298.05	19.10	6.65
		15:00	30.13	49.42	27.57	8.12	7.59	318.72	16.00	6.94
		18:00	27.81	50.11	29.43	8.10	7.27	294.13	19.39	5.55
		21:00	27.76	50.26	29.57	8.09	6.30	297.39	17.10	5.46
	日平均	28.76	49.90	28.73	8.10	6.56	290.97	16.90	6.12	
	灣內站	0:00	28.44	47.93	27.59	8.05	6.86	261.69	5.39	2.51
		3:00	28.01	48.12	27.98	7.95	6.84	260.30	5.23	2.42
		6:00	27.71	48.58	28.47	8.01	8.55	257.53	6.48	1.87
		9:00	28.04	48.38	28.13	8.13	8.42	253.85	5.19	1.01
		12:00	28.58	48.13	27.64	8.04	7.28	256.32	7.19	0.36
		15:00	28.77	48.18	27.56	8.00	7.21	258.35	5.45	1.56
		18:00	28.89	48.09	27.43	8.00	6.36	254.54	5.00	0.98
		21:00	28.81	48.27	27.60	8.15	6.31	253.75	5.31	0.87
	日平均	28.41	48.21	27.80	8.04	7.23	257.04	5.66	1.45	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月22日	蚵殼站	0:00	27.57	46.62	27.24	8.18	6.27	219.06	6.91	9.22
		3:00	27.61	46.60	27.20	8.22	8.94	255.42	6.87	7.87
		6:00	27.34	46.72	27.44	8.27	7.93	223.39	1.23	7.10
		9:00	26.41	47.56	28.58	8.19	5.86	231.43	5.64	10.06
		12:00	26.42	47.68	28.66	8.13	6.81	239.14	9.93	12.00
		15:00	27.32	47.12	27.72	8.05	6.81	256.62	12.07	9.48
		18:00	27.56	46.81	27.37	8.09	6.43	222.24	11.33	11.21
		21:00	27.25	46.60	27.41	8.04	7.85	229.90	5.66	10.52
	日平均	27.19	46.96	27.70	8.15	7.11	234.65	7.46	9.68	
	潮口站	0:00	29.34	50.97	29.05	8.10	6.14	289.81	14.09	6.33
		3:00	28.06	51.44	30.17	8.10	5.77	287.95	17.10	5.29
		6:00	26.73	51.62	31.18	8.09	5.50	283.86	19.40	4.55
		9:00	29.36	51.13	29.14	8.09	6.43	298.37	16.04	6.12
		12:00	28.82	51.95	30.02	8.12	7.15	256.68	19.62	7.85
		15:00	29.45	52.13	29.74	8.13	7.14	151.11	17.28	12.89
		18:00	28.55	51.92	30.17	8.12	6.98	144.02	10.67	2.88
		21:00	27.14	51.37	30.73	8.09	6.46	144.96	6.09	0.74
	日平均	28.43	51.57	30.03	8.11	6.45	232.10	15.04	5.83	
	灣內站	0:00	28.66	48.39	27.77	8.15	5.99	241.31	5.84	2.49
		3:00	28.40	48.41	27.93	8.18	6.55	248.81	7.61	0.28
		6:00	28.04	48.48	28.20	8.20	6.14	250.35	9.25	1.65
		9:00	28.38	48.42	27.95	8.22	6.84	249.70	7.52	0.54
		12:00	28.75	48.24	27.61	8.24	7.88	236.67	6.25	2.87
		15:00	29.02	48.34	27.52	8.26	7.29	249.16	6.20	2.00
		18:00	29.31	47.97	27.11	8.25	6.94	250.06	5.75	0.45
		21:00	29.40	48.27	27.26	8.19	6.04	246.04	5.57	3.05
	日平均	28.75	48.32	27.67	8.21	6.71	246.51	6.75	1.67	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月23日	蚵殼站	0:00	27.24	48.12	28.45	8.29	5.85	232.37	8.95	10.56
		3:00	27.30	48.65	28.77	8.31	7.43	234.48	9.89	9.56
		6:00	26.87	48.86	29.19	8.29	7.73	235.71	4.76	10.00
		9:00	25.96	49.67	30.34	8.23	8.54	237.81	2.31	10.83
		12:00	25.85	49.95	30.62	8.30	8.36	237.25	8.74	11.45
		15:00	26.47	48.58	29.25	8.29	6.75	175.11	14.44	10.92
		18:00	26.83	48.18	28.75	8.30	8.21	102.98	9.52	11.35
		21:00	26.88	48.24	28.75	8.30	8.07	186.17	7.04	11.37
	日平均	26.68	48.78	29.27	8.29	7.62	205.24	8.21	10.76	
	潮口站	0:00	27.27	51.83	30.96	8.09	6.29	154.81	21.85	1.78
		3:00	27.05	51.70	31.02	8.10	5.95	162.72	8.95	2.28
		6:00	26.83	51.57	31.08	8.10	5.61	168.65	5.29	2.01
		9:00	28.08	50.93	29.81	8.09	6.73	158.57	7.04	3.03
		12:00	29.00	50.79	29.14	8.11	7.35	160.45	4.64	4.06
		15:00	29.64	50.91	28.83	8.14	7.35	158.07	7.54	4.92
		18:00	29.26	50.01	28.47	8.13	7.24	181.11	12.81	5.12
		21:00	27.02	50.89	30.48	8.12	6.96	190.91	4.72	3.09
	日平均	28.02	51.08	29.97	8.11	6.69	166.91	9.11	3.29	
	灣內站	0:00	29.04	48.44	27.58	8.12	6.38	242.27	6.08	0.64
		3:00	28.70	48.58	27.87	8.11	7.41	245.21	6.88	3.38
		6:00	28.71	48.64	27.90	8.12	8.00	245.32	6.30	1.90
		9:00	29.05	48.51	27.62	8.11	8.60	242.87	5.38	0.45
		12:00	29.35	48.31	27.31	8.13	8.72	241.40	5.85	1.49
		15:00	29.64	48.40	27.20	8.12	8.11	242.93	6.14	0.98
		18:00	29.61	47.83	26.85	8.13	7.75	242.02	6.23	0.40
		21:00	29.50	48.19	27.15	8.14	7.11	237.42	6.30	1.65
	日平均	29.20	48.36	27.44	8.12	7.76	242.43	6.15	1.36	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月24日	蚵殼站	0:00	26.75	48.39	28.94	8.25	8.74	190.20	5.37	11.79
		3:00	26.63	48.20	28.89	8.21	5.55	200.54	3.12	11.53
		6:00	26.52	49.49	29.85	8.15	5.66	195.08	3.62	11.85
		9:00	25.72	49.65	30.49	8.14	6.94	210.94	26.10	14.29
		12:00	25.63	50.07	30.85	8.13	5.71	144.01	4.93	15.45
		15:00	26.51	49.70	30.00	8.20	6.67	120.65	11.14	13.04
		18:00	26.63	49.65	29.88	8.26	6.52	131.63	9.45	8.69
		21:00	26.75	49.43	29.65	8.25	7.34	129.27	6.93	9.89
	日平均	26.39	49.32	29.82	8.20	6.64	165.29	8.83	12.07	
	潮口站	0:00	27.48	50.98	30.24	8.10	6.39	189.89	2.04	2.92
		3:00	27.26	51.13	30.49	8.09	6.24	202.68	1.75	2.65
		6:00	27.04	52.39	31.50	8.11	5.92	225.89	1.11	2.29
		9:00	27.84	51.28	30.21	8.13	6.64	198.00	0.85	2.85
		12:00	29.51	50.29	28.50	8.11	8.10	204.93	2.24	5.99
		15:00	29.47	50.01	28.34	8.13	7.73	216.08	3.37	5.25
		18:00	29.38	50.12	28.47	8.15	7.09	207.09	1.36	4.36
		21:00	27.50	51.17	30.35	8.14	6.42	203.46	0.51	2.95
	日平均	28.19	50.92	29.76	8.12	6.82	206.00	1.65	3.66	
	灣內站	0:00	29.46	48.40	27.31	8.17	5.96	221.53	7.36	1.21
		3:00	29.26	48.41	27.43	8.16	5.90	225.81	8.74	1.69
		6:00	29.11	48.50	27.57	8.15	6.56	226.20	10.36	0.06
		9:00	29.47	48.36	27.27	8.14	7.30	216.20	11.17	0.66
		12:00	29.83	48.24	26.99	8.13	7.96	213.20	8.07	2.26
		15:00	29.81	48.36	27.08	8.17	8.11	213.06	7.40	0.31
		18:00	29.84	48.06	26.87	8.15	7.75	217.30	7.45	0.03
		21:00	29.71	48.18	27.02	8.13	5.82	213.69	6.60	1.59
	日平均	29.56	48.31	27.19	8.15	6.92	218.37	8.39	0.98	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月25日	蚵殼站	0:00	26.67	49.28	29.60	8.16	8.54	189.92	16.22	11.28
		3:00	25.93	48.85	29.79	8.15	6.19	174.78	10.67	9.58
		6:00	26.28	49.75	30.19	8.17	5.48	106.37	11.62	8.86
		9:00	25.59	49.69	30.61	8.15	7.57	142.32	8.48	9.84
		12:00	25.49	50.42	31.20	8.19	9.01	120.03	4.85	9.97
		15:00	26.75	50.61	30.47	8.27	5.91	122.91	2.78	9.38
		18:00	26.76	49.60	29.76	8.26	7.74	109.27	2.54	6.93
		21:00	26.73	49.37	29.63	8.23	5.59	136.34	6.03	7.34
		日平均	26.28	49.70	30.16	8.20	7.00	137.74	7.90	9.15
	潮口站	0:00	27.73	51.13	30.18	8.10	6.14	193.55	1.17	2.52
		3:00	27.60	52.66	31.30	8.09	5.76	222.24	0.14	2.38
		6:00	27.08	52.14	31.30	8.11	5.98	260.79	0.28	2.10
		9:00	27.39	51.31	30.52	8.13	6.76	253.95	0.37	2.26
		12:00	28.41	51.03	29.67	8.11	7.80	216.11	2.66	2.97
		15:00	28.43	50.05	29.00	8.13	7.99	249.15	4.56	3.23
		18:00	29.18	51.40	29.43	8.15	7.46	228.89	13.21	3.23
		21:00	28.08	51.41	30.14	8.14	7.29	256.50	1.05	2.73
		日平均	27.99	51.39	30.19	8.12	6.90	235.15	2.93	2.68
	灣內站	0:00	29.56	48.40	27.25	8.13	5.52	228.71	6.16	0.27
		3:00	29.35	48.42	27.38	8.17	6.56	178.04	6.69	1.19
		6:00	29.19	48.52	27.54	8.15	7.00	199.59	6.71	2.09
		9:00	29.60	48.40	27.22	8.12	7.30	221.05	6.73	1.46
		12:00	29.92	48.23	26.93	8.18	8.05	241.15	6.22	1.42
		15:00	29.86	48.33	27.03	8.28	8.11	258.76	6.90	2.04
		18:00	29.79	47.96	26.83	8.20	7.90	253.61	5.24	1.32
		21:00	29.98	48.00	26.75	8.18	6.85	228.42	5.41	0.33
		日平均	29.66	48.28	27.12	8.18	7.16	226.17	6.26	1.27
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月26日	蚵殼站	0:00	27.02	49.62	29.61	8.21	5.67	153.29	12.46	8.59
		3:00	26.99	49.72	29.70	8.20	5.34	151.56	12.05	6.76
		6:00	26.92	49.62	29.67	8.19	5.38	105.68	18.03	5.76
		9:00	26.34	49.37	29.88	8.25	6.40	136.31	21.94	5.95
		12:00	26.68	48.30	28.92	8.29	7.22	125.90	14.76	7.66
		15:00	27.50	48.01	28.21	8.29	6.80	125.59	26.72	6.06
		18:00	27.52	46.68	27.31	8.15	5.88	135.56	17.94	5.38
		21:00	27.40	46.54	27.29	8.21	5.68	129.69	27.07	6.74
		日平均	27.05	48.48	28.82	8.22	6.05	132.95	18.87	6.61
	潮口站	0:00	27.37	51.47	30.65	8.13	6.61	258.40	0.65	2.07
		3:00	27.34	52.29	31.23	8.10	6.34	283.75	0.76	1.93
		6:00	27.17	52.37	31.40	8.11	5.62	313.20	0.30	1.80
		9:00	27.69	51.83	30.68	8.13	6.53	309.89	0.41	1.91
		12:00	28.10	51.31	30.06	8.14	7.88	296.15	1.80	2.51
		15:00	28.51	50.07	28.97	8.13	8.65	321.02	3.38	3.51
		18:00	29.08	50.63	28.99	8.15	7.04	310.38	2.53	3.45
		21:00	28.85	51.04	29.40	8.16	7.37	319.93	1.97	2.96
		日平均	28.01	51.38	30.17	8.13	7.01	301.59	1.48	2.52
	灣內站	0:00	29.25	48.06	27.21	8.13	6.25	218.53	5.34	5.38
		3:00	28.99	48.00	27.32	8.13	6.40	190.08	6.62	5.64
		6:00	28.89	47.91	27.32	8.18	5.95	158.39	7.46	3.67
		9:00	29.13	48.50	27.56	8.15	5.65	241.86	6.29	0.58
		12:00	29.45	49.14	27.79	8.22	8.06	249.35	5.97	0.51
		15:00	29.39	48.91	27.68	8.14	7.61	247.36	3.21	2.09
		18:00	29.48	48.37	27.27	8.15	7.46	247.80	3.69	2.08
		21:00	29.65	48.43	27.22	8.13	6.20	249.74	2.74	0.60
		日平均	29.28	48.42	27.42	8.15	6.70	225.39	5.17	2.57
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月27日	蚵殼站	0:00	27.11	47.04	27.80	8.15	5.63	136.88	16.48	5.76
		3:00	26.99	47.57	28.23	8.06	6.57	124.32	22.18	5.21
		6:00	26.87	48.70	29.08	8.14	6.51	127.79	25.70	4.00
		9:00	26.82	49.82	29.88	8.20	7.08	142.21	19.75	5.76
		12:00	26.28	47.90	28.90	8.19	8.20	144.74	8.32	7.23
		15:00	26.52	46.71	27.93	8.28	6.32	145.08	11.97	6.40
		18:00	26.72	47.14	28.10	8.27	6.67	144.27	8.72	5.64
		21:00	26.70	48.00	28.70	8.06	6.79	149.33	12.82	4.57
	日平均	26.75	47.86	28.58	8.17	6.72	139.33	15.74	5.57	
	潮口站	0:00	28.07	50.94	29.83	8.15	6.12	331.85	2.11	2.15
		3:00	29.14	51.09	29.25	8.11	7.27	334.31	1.89	2.54
		6:00	27.98	52.74	31.10	8.11	7.08	343.86	1.50	1.82
		9:00	27.38	51.47	30.64	8.14	8.28	341.08	1.45	1.42
		12:00	28.96	50.71	29.11	8.12	8.03	340.81	1.82	2.55
		15:00	29.31	50.06	28.47	8.11	8.09	332.39	2.92	3.06
		18:00	29.07	50.03	28.60	8.13	8.78	331.48	3.29	2.41
		21:00	28.70	51.04	29.49	8.16	8.15	343.90	3.39	1.70
	日平均	28.58	51.01	29.56	8.13	7.73	337.46	2.30	2.21	
	灣內站	0:00	29.38	48.72	27.56	8.14	5.82	253.90	2.69	3.05
		3:00	28.98	49.11	28.05	8.19	7.00	246.31	0.53	5.29
		6:00	28.79	48.78	27.95	8.11	6.70	247.11	5.05	2.75
		9:00	28.93	49.43	28.29	8.13	7.00	244.86	6.91	3.44
		12:00	28.94	49.63	28.41	8.13	8.50	246.52	6.28	3.60
		15:00	29.06	48.29	27.47	8.18	8.96	239.25	2.42	2.73
18:00		28.91	47.52	27.05	8.20	6.56	242.06	4.35	5.34	
21:00		28.71	47.47	27.13	8.11	6.38	231.96	5.85	3.54	
日平均	28.96	48.62	27.74	8.15	7.12	244.00	4.26	3.72		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月28日	蚵殼站	0:00	26.69	47.94	28.67	8.05	6.13	122.67	1.91	4.63
		3:00	26.54	47.83	28.69	8.06	5.74	166.72	21.55	3.94
		6:00	26.49	47.65	28.60	8.07	5.47	136.00	18.26	12.39
		9:00	26.42	49.80	30.13	8.14	7.21	155.60	15.17	12.97
		12:00	26.24	51.04	31.11	8.24	7.41	158.22	26.65	14.22
		15:00	26.81	49.59	29.73	8.31	7.82	160.23	27.02	12.95
		18:00	26.87	48.53	28.96	8.30	8.77	172.57	23.86	11.87
		21:00	26.78	48.66	29.11	8.20	8.10	159.49	19.76	11.87
	日平均	26.61	48.88	29.38	8.17	7.08	153.94	19.27	10.61	
	潮口站	0:00	27.04	50.82	30.42	8.15	6.46	349.90	3.36	1.84
		3:00	27.62	50.83	30.04	8.11	6.31	350.05	3.11	2.52
		6:00	28.09	51.84	30.42	8.11	5.99	353.19	3.08	1.83
		9:00	28.44	52.02	30.31	8.12	6.71	352.68	3.05	2.26
		12:00	28.17	50.84	29.70	8.13	8.17	345.74	3.29	1.90
		15:00	27.82	50.14	29.45	8.10	7.80	342.95	6.38	1.39
		18:00	28.42	50.28	29.16	8.11	7.16	340.81	5.97	2.03
		21:00	28.60	51.43	29.82	8.14	6.49	339.45	5.52	2.25
	日平均	28.03	51.03	29.92	8.12	6.89	346.85	4.22	2.00	
	灣內站	0:00	28.63	48.15	27.63	8.13	5.88	245.08	3.45	1.56
		3:00	28.31	48.43	28.00	8.17	6.21	200.72	6.38	2.21
		6:00	28.14	49.56	28.86	8.11	6.45	234.29	6.80	0.64
		9:00	28.56	49.46	28.53	8.15	6.56	236.47	5.92	1.88
		12:00	29.13	49.09	27.95	8.22	7.44	236.83	5.77	3.31
		15:00	29.25	48.39	27.42	8.24	6.79	229.97	6.04	1.87
18:00		29.18	48.18	27.32	8.21	6.48	236.17	5.51	1.86	
21:00		29.05	48.22	27.43	8.14	6.18	236.53	5.39	1.60	
日平均	28.78	48.69	27.89	8.17	6.50	232.01	5.66	1.87		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 29 日	蚵殼站	0:00	26.72	49.22	29.53	8.06	7.72	183.69	20.33	11.73
		3:00	26.78	49.98	30.01	8.03	6.04	109.66	23.35	10.56
		6:00	26.65	49.33	29.65	8.11	5.35	170.77	19.56	10.17
		9:00	26.61	50.60	30.56	8.17	7.78	191.81	17.35	11.50
		12:00	26.57	51.00	30.86	8.27	6.93	186.08	3.48	12.02
		15:00	27.15	48.38	28.68	8.16	6.96	192.24	5.00	12.42
		18:00	27.16	46.90	27.67	8.17	8.47	196.99	10.07	11.70
		21:00	27.16	47.81	28.29	8.10	6.37	204.14	19.97	11.27
	日平均	26.85	49.15	29.41	8.13	6.95	179.42	14.89	11.42	
	潮口站	0:00	26.91	51.10	30.70	8.13	6.21	350.63	5.85	0.73
		3:00	27.39	50.80	30.17	8.12	5.83	350.45	5.07	2.21
		6:00	28.93	51.60	29.72	8.11	6.05	341.90	4.37	0.87
		9:00	29.32	51.84	29.63	8.12	6.83	340.15	3.71	1.24
		12:00	28.35	51.46	30.00	8.12	7.87	339.64	4.36	0.65
		15:00	28.54	51.17	29.68	8.10	8.06	335.85	5.41	1.05
		18:00	29.39	51.43	29.32	8.09	7.53	326.22	5.73	1.53
		21:00	29.53	51.42	29.22	8.12	7.36	322.65	5.98	0.56
	日平均	28.55	51.35	29.81	8.11	6.97	338.44	5.06	1.11	
	灣內站	0:00	28.97	48.72	27.80	8.14	6.23	238.38	5.04	4.52
		3:00	28.83	49.11	28.14	8.16	6.79	213.91	5.31	0.06
		6:00	28.93	48.78	27.86	8.18	6.38	237.08	5.73	0.33
		9:00	29.38	49.43	28.02	8.20	6.08	239.45	5.09	0.47
		12:00	29.97	49.37	27.63	8.25	6.52	227.37	5.54	3.44
		15:00	29.98	48.29	26.94	8.17	5.93	208.51	25.47	3.54
		18:00	30.10	47.52	26.38	8.14	6.18	223.95	16.01	1.51
		21:00	30.02	47.47	26.39	8.11	5.98	229.24	4.42	1.51
	日平均	29.52	48.59	27.40	8.17	6.26	227.24	9.08	1.92	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 30 日	蚵殼站	0:00	27.12	48.40	28.71	8.01	5.93	202.09	5.19	11.15
		3:00	27.09	49.62	29.56	8.04	5.08	179.96	2.25	10.57
		6:00	27.06	49.23	29.32	8.05	5.80	194.18	5.67	9.56
		9:00	26.81	50.46	30.32	8.12	6.09	196.62	1.24	10.82
		12:00	26.98	50.08	29.95	8.10	6.02	203.72	10.03	14.25
		15:00	27.12	50.17	29.92	8.20	6.06	211.23	3.25	14.35
		18:00	27.27	47.29	27.87	8.18	6.44	218.38	9.14	10.81
		21:00	27.29	47.17	27.77	8.05	6.12	223.87	3.05	10.58
	日平均	27.09	49.05	29.18	8.09	5.94	203.76	4.98	11.51	
	潮口站	0:00	27.67	50.59	29.85	8.09	6.68	336.56	7.95	0.50
		3:00	27.73	50.48	29.74	8.15	6.41	338.65	7.77	0.17
		6:00	29.28	50.52	28.79	8.14	5.69	323.80	7.39	0.31
		9:00	29.59	51.15	29.01	8.15	6.60	271.07	7.29	0.34
		12:00	29.62	51.51	29.23	8.15	7.95	302.05	7.03	0.78
		15:00	28.45	50.97	29.60	8.13	8.52	305.16	7.64	0.49
		18:00	29.34	52.33	29.94	8.11	7.11	289.56	8.41	1.17
		21:00	30.04	52.44	29.57	8.13	7.44	282.25	9.12	1.11
	日平均	28.97	51.25	29.47	8.13	7.05	306.14	7.83	0.61	
	灣內站	0:00	29.53	47.54	26.71	8.17	5.75	239.23	4.52	1.64
		3:00	29.33	48.37	27.36	8.14	7.20	190.45	4.42	1.25
		6:00	29.22	48.73	27.66	8.20	6.47	224.75	4.73	1.68
		9:00	29.35	48.82	27.64	8.20	6.10	232.61	4.27	0.89
		12:00	29.82	48.41	27.11	8.24	6.60	226.16	4.09	1.23
		15:00	30.04	47.74	26.55	8.25	6.47	227.77	3.74	0.58
		18:00	29.97	47.58	26.49	8.20	6.30	224.00	3.72	2.05
		21:00	29.87	47.68	26.61	8.14	6.06	227.28	15.91	2.96
	日平均	29.64	48.11	27.02	8.19	6.37	224.03	5.68	1.54	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5月31日	蚵殼站	0:00	27.20	47.14	27.81	8.05	7.22	226.37	3.46	14.63
		3:00	26.73	48.03	28.71	8.01	6.51	220.19	11.54	11.59
		6:00	26.30	48.82	29.53	8.05	7.08	222.97	17.70	9.68
		9:00	26.69	48.08	28.77	8.11	8.20	206.96	17.69	10.08
		12:00	26.69	49.96	30.06	8.13	6.32	151.40	2.91	10.95
		15:00	27.38	48.24	28.44	8.20	8.85	171.01	14.79	11.44
		18:00	27.60	48.15	28.25	8.10	6.83	159.65	16.83	16.64
		21:00	27.83	48.95	28.64	8.11	6.22	154.22	9.34	12.92
	日平均	27.05	48.42	28.78	8.10	7.15	189.10	11.78	12.24	
	潮口站	0:00	27.65	50.47	29.78	8.12	6.19	319.14	8.67	0.40
		3:00	27.21	51.58	30.83	8.12	7.34	324.62	8.12	0.52
		6:00	29.57	51.71	29.39	8.12	7.15	296.54	7.82	1.23
		9:00	30.08	51.34	28.84	8.14	7.85	266.89	7.84	1.48
		12:00	29.93	50.92	28.66	8.17	8.30	277.61	8.71	1.40
		15:00	28.52	50.90	29.51	8.17	8.26	274.02	8.46	0.57
		18:00	29.03	51.08	29.31	8.16	7.15	287.16	8.33	1.01
		21:00	29.77	50.98	28.79	8.14	6.02	285.98	8.90	1.26
	日平均	28.97	51.12	29.39	8.14	7.28	291.50	8.36	0.98	
	灣內站	0:00	29.66	47.59	26.67	8.17	5.86	101.69	1.19	1.09
		3:00	29.23	47.87	27.09	8.14	6.08	202.86	4.18	3.74
		6:00	29.12	48.45	27.53	8.16	6.30	154.98	1.08	2.03
		9:00	29.53	49.03	27.67	8.21	6.06	254.09	1.77	0.55
		12:00	30.55	48.56	26.79	8.26	6.58	290.07	3.02	0.18
		15:00	30.58	47.94	26.38	8.29	6.34	295.32	0.67	7.25
		18:00	30.19	47.64	26.41	8.19	6.11	273.38	3.39	1.92
		21:00	30.08	48.09	26.75	8.19	6.21	207.08	3.18	3.78
	日平均	29.87	48.15	26.91	8.20	6.19	222.43	2.31	2.57	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月1日	蚵殼站	0:00	27.56	49.43	29.13	8.14	6.81	186.41	2.19	12.02
		3:00	27.71	49.63	29.17	8.27	6.02	177.78	2.20	12.42
		6:00	27.49	49.43	29.18	8.14	5.66	105.65	3.20	11.70
		9:00	26.74	49.45	29.67	8.24	5.45	134.96	2.15	11.27
		12:00	26.79	49.50	29.68	8.30	7.67	173.08	2.18	9.70
		15:00	26.76	49.11	29.43	8.31	7.69	182.11	2.16	13.47
		18:00	26.63	49.43	29.73	8.27	7.07	162.54	2.17	9.77
		21:00	26.79	49.53	29.70	8.21	5.74	145.72	3.10	12.65
	日平均	27.06	49.44	29.46	8.24	6.51	158.53	2.42	11.63	
	潮口站	0:00	29.11	52.62	30.28	8.14	8.42	247.08	6.38	6.33
		3:00	28.80	52.06	30.11	8.14	5.83	253.85	8.34	5.29
		6:00	27.95	51.40	30.21	8.12	6.83	260.62	9.94	4.55
		9:00	28.58	52.43	30.50	8.14	7.83	267.39	8.03	6.12
		12:00	29.32	52.48	30.05	8.18	6.36	274.16	11.30	7.85
		15:00	29.21	52.22	29.95	8.18	8.57	280.93	11.03	12.89
		18:00	28.94	51.87	29.89	8.16	8.14	287.70	8.99	2.88
		21:00	28.68	52.07	30.19	8.15	7.36	213.45	9.94	0.74
	日平均	28.82	52.14	30.15	8.15	7.42	260.65	9.24	5.83	
	灣內站	0:00	28.86	47.81	27.27	8.11	6.21	226.53	3.05	5.67
		3:00	28.22	47.96	27.74	8.13	6.61	238.01	3.11	0.19
		6:00	28.00	48.24	28.06	8.15	6.80	128.73	2.97	2.57
		9:00	28.85	48.88	27.98	8.17	7.28	230.52	3.15	7.95
		12:00	29.73	49.10	27.60	8.19	7.53	255.97	3.46	0.03
		15:00	29.16	49.37	28.11	8.21	7.27	242.56	3.54	7.39
		18:00	28.24	49.78	28.94	8.20	7.52	262.75	3.13	2.77
		21:00	28.60	49.86	28.77	8.19	7.04	171.24	3.10	2.04
	日平均	28.71	48.88	28.06	8.17	7.03	219.54	3.19	3.58	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月2日	蚵殼站	0:00	27.00	49.63	29.63	8.17	5.56	112.95	4.36	0.90
		3:00	26.74	49.59	29.77	8.13	5.27	190.94	3.86	6.72
		6:00	26.48	49.52	29.89	8.10	5.74	126.57	4.42	11.42
		9:00	26.79	49.08	29.39	8.20	5.92	153.92	6.00	12.65
		12:00	27.23	49.17	29.17	8.23	6.67	194.79	5.39	12.48
		15:00	27.56	49.28	29.03	8.24	7.59	211.15	4.26	9.68
		18:00	27.71	49.22	28.90	8.21	7.71	202.03	2.28	4.69
		21:00	27.49	49.20	29.02	8.16	7.35	130.73	5.60	0.45
	日平均	27.13	49.34	29.35	8.18	6.48	165.39	4.52	7.37	
	潮口站	0:00	27.69	52.34	31.03	8.13	6.57	305.61	8.62	0.40
		3:00	26.38	51.93	31.64	8.13	8.01	320.57	7.79	0.86
		6:00	27.99	51.84	30.49	8.12	8.26	312.51	7.95	0.72
		9:00	29.45	52.06	29.69	8.13	7.91	302.98	8.03	1.09
		12:00	29.43	52.13	29.75	8.18	8.33	300.22	8.34	1.15
		15:00	28.20	51.95	30.42	8.18	8.23	302.29	7.85	0.37
		18:00	28.05	51.78	30.41	8.16	8.53	296.75	10.68	0.27
		21:00	29.60	51.79	29.42	8.12	7.02	292.66	6.45	0.73
	日平均	28.35	51.98	30.36	8.14	7.86	304.20	8.21	0.70	
	灣內站	0:00	28.51	49.87	28.84	8.11	7.08	322.22	3.04	1.10
		3:00	28.40	50.07	29.04	8.11	6.76	301.49	3.09	1.72
		6:00	28.39	49.93	28.95	8.13	6.98	296.05	2.95	2.03
		9:00	28.80	49.77	28.59	8.21	7.46	300.69	3.01	0.77
		12:00	29.34	49.76	28.26	8.30	7.45	300.46	3.35	1.62
		15:00	29.62	49.63	28.01	8.31	7.66	301.22	3.00	0.07
18:00		29.72	49.67	27.97	8.17	6.12	284.25	3.10	1.94	
21:00		29.83	49.72	27.94	8.17	7.08	295.07	2.91	4.15	
日平均	29.08	49.80	28.45	8.19	7.07	300.18	3.06	1.68		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月3日	蚵殼站	0:00	27.25	49.20	29.18	8.16	6.81	123.37	7.71	7.36
		3:00	26.91	49.20	29.39	8.13	6.02	114.15	5.36	4.05
		6:00	26.42	49.20	29.71	8.09	5.21	128.67	7.09	7.91
		9:00	26.25	48.89	29.61	8.14	5.45	164.42	6.92	11.83
		12:00	27.26	48.79	28.89	8.27	6.99	189.59	3.73	4.15
		15:00	27.83	48.96	28.65	8.31	7.29	201.15	5.53	7.91
		18:00	27.82	49.10	28.75	8.29	7.72	170.07	6.25	11.83
		21:00	27.62	48.95	28.77	8.27	7.77	175.34	6.91	11.78
	日平均	27.17	49.04	29.12	8.21	6.66	158.35	6.19	8.35	
	潮口站	0:00	28.57	51.79	30.07	8.11	7.07	297.61	5.98	3.55
		3:00	26.45	51.79	31.49	8.11	7.51	313.92	6.25	2.84
		6:00	28.49	51.79	30.13	8.10	8.32	308.21	6.38	3.50
		9:00	30.03	51.77	29.14	8.10	8.73	300.00	8.34	3.66
		12:00	29.73	51.72	29.30	8.17	8.52	291.42	9.94	3.84
		15:00	28.64	51.78	30.02	8.18	8.24	293.33	12.27	4.16
		18:00	26.86	51.75	31.18	8.16	8.34	306.00	13.18	4.00
		21:00	29.91	51.79	29.23	8.15	7.97	278.91	10.83	2.79
	日平均	28.59	51.77	30.07	8.14	8.09	298.68	9.15	3.54	
	灣內站	0:00	29.61	49.75	28.09	8.12	6.64	280.61	2.59	2.54
		3:00	29.41	49.89	28.30	8.12	5.95	279.96	1.97	2.12
		6:00	29.14	49.82	28.42	8.13	6.08	275.96	2.04	0.31
		9:00	29.67	49.63	27.98	8.24	6.21	282.61	1.90	2.28
		12:00	30.60	49.47	27.34	8.39	6.61	266.71	2.24	1.27
		15:00	30.56	49.49	27.37	8.31	6.47	263.89	2.58	1.07
18:00		30.09	49.74	27.80	8.16	6.49	264.32	2.34	0.01	
21:00		29.74	49.78	28.03	8.23	6.08	181.69	2.15	2.18	
日平均	29.85	49.70	27.92	8.21	6.32	261.97	2.23	1.47		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月4日	蚵殼站	0:00	27.23	49.42	29.34	8.24	7.74	190.23	3.78	6.47
		3:00	27.56	49.55	29.22	8.20	7.70	157.24	4.80	4.98
		6:00	27.71	49.47	29.07	8.04	7.51	194.95	7.78	0.72
		9:00	27.62	49.52	29.16	8.14	7.64	130.81	9.02	5.33
		12:00	27.16	49.45	29.40	8.24	7.48	182.63	4.23	6.31
		15:00	27.62	49.47	29.12	8.28	6.57	205.36	3.92	1.95
		18:00	27.75	49.00	28.73	8.25	6.44	195.12	2.98	10.62
		21:00	27.90	49.16	28.74	8.25	6.17	187.28	3.15	5.91
	日平均	27.57	49.38	29.10	8.21	7.16	180.45	4.96	5.29	
	潮口站	0:00	29.19	51.78	29.67	8.14	7.37	286.62	10.50	1.41
		3:00	26.45	51.78	31.49	8.11	6.83	309.67	11.70	1.78
		6:00	27.97	51.64	30.36	8.11	6.46	297.78	13.26	3.44
		9:00	30.31	51.62	28.88	8.13	8.49	289.55	15.25	4.88
		12:00	30.30	51.62	28.88	8.15	7.55	290.42	21.68	3.67
		15:00	29.80	51.78	29.29	8.16	7.33	279.18	23.20	3.93
		18:00	28.07	51.19	30.00	8.15	8.05	279.51	21.41	5.24
		21:00	28.96	51.39	29.56	8.12	5.92	270.90	20.55	3.35
	日平均	28.88	51.60	29.77	8.13	7.25	287.95	17.19	3.46	
	灣內站	0:00	29.42	49.84	28.26	8.12	6.24	252.53	2.28	1.93
		3:00	29.12	49.96	28.52	8.11	6.15	247.56	1.95	0.98
		6:00	28.99	49.85	28.53	8.11	6.39	202.54	1.37	0.77
		9:00	29.54	49.52	27.98	8.24	7.38	233.38	1.39	2.46
		12:00	30.76	49.45	27.23	8.38	7.53	225.64	1.96	1.38
		15:00	31.23	49.27	26.86	8.38	7.62	219.09	2.34	1.81
18:00		31.04	49.43	27.06	8.24	6.71	228.88	2.70	1.87	
21:00		30.47	49.30	27.30	8.17	6.61	239.12	2.69	0.51	
日平均	30.07	49.58	27.72	8.22	6.83	231.09	2.09	1.46		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月5日	蚵殼站	0:00	27.86	49.35	28.89	8.20	7.72	176.94	4.74	6.25
		3:00	27.24	49.40	29.32	8.19	6.04	138.91	3.53	5.14
		6:00	25.51	49.31	30.40	8.08	5.35	123.47	3.88	1.81
		9:00	25.74	49.43	30.32	8.05	7.78	175.60	3.89	1.89
		12:00	25.85	49.19	30.08	8.21	6.93	174.50	8.16	2.96
		15:00	26.05	49.14	29.91	8.24	6.96	185.36	6.59	5.95
		18:00	27.03	49.22	29.33	8.27	8.47	187.67	1.82	7.89
		21:00	28.04	49.06	28.59	8.24	7.37	171.67	2.72	6.69
	日平均	26.67	49.26	29.61	8.19	7.08	166.77	4.42	4.82	
	潮口站	0:00	29.38	51.52	29.38	8.06	6.51	276.05	21.85	3.26
		3:00	27.09	51.72	31.01	8.08	6.13	297.69	28.99	6.32
		6:00	27.39	51.79	30.85	8.10	7.02	283.83	41.73	3.96
		9:00	30.14	52.10	29.29	8.08	8.22	280.21	26.58	3.43
		12:00	31.09	52.73	29.12	8.09	8.79	280.72	40.27	1.74
		15:00	30.68	52.64	29.31	8.10	8.62	266.11	38.97	4.28
		18:00	28.32	52.55	30.75	8.12	8.29	271.06	44.75	5.38
		21:00	29.02	52.52	30.27	8.10	5.55	267.05	40.33	7.39
	日平均	29.14	52.20	30.00	8.09	7.39	277.84	35.43	4.47	
	灣內站	0:00	29.93	49.53	27.76	8.19	6.36	209.18	2.20	2.26
		3:00	29.45	49.53	28.04	8.19	6.75	203.90	2.05	4.56
		6:00	29.30	49.62	28.19	8.13	6.55	189.15	1.60	0.29
		9:00	29.72	49.67	27.97	8.20	7.51	199.76	2.08	2.51
		12:00	30.73	49.53	27.30	8.23	7.13	232.18	2.18	0.45
		15:00	30.71	49.37	27.21	8.21	6.73	232.08	1.73	1.89
18:00		30.00	48.92	27.33	8.15	6.21	236.50	2.59	1.94	
21:00		28.25	49.55	28.78	8.14	6.80	252.11	2.14	0.99	
日平均	29.76	49.47	27.82	8.18	6.76	219.36	2.07	1.86		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月6日	蚵殼站	0:00	27.68	49.19	28.90	8.23	6.74	177.51	4.36	2.91
		3:00	27.35	49.14	29.07	8.21	8.49	104.94	2.93	4.73
		6:00	26.05	48.59	29.53	8.11	8.14	139.68	3.44	3.45
		9:00	26.02	48.92	29.78	8.14	9.08	183.52	4.23	7.47
		12:00	26.47	48.82	29.42	8.18	6.62	190.10	7.98	8.02
		15:00	27.02	48.98	29.17	8.22	7.06	216.75	4.99	7.27
		18:00	27.32	49.08	29.05	8.25	8.47	216.19	2.99	11.23
		21:00	27.48	49.24	29.06	8.17	5.79	193.84	13.29	2.36
		日平均	26.92	49.00	29.25	8.19	7.55	177.82	5.53	5.93
	潮口站	0:00	29.77	53.10	30.17	8.05	5.31	255.34	63.01	9.34
		3:00	27.63	53.46	31.83	8.08	6.04	271.09	27.43	10.48
		6:00	26.85	53.91	32.69	8.09	8.05	271.65	31.77	11.04
		9:00	29.38	53.80	30.88	8.08	7.84	270.72	34.05	9.84
		12:00	30.14	53.79	30.39	8.10	8.02	272.95	56.51	3.86
		15:00	30.30	53.84	30.32	8.10	8.57	251.59	46.71	4.00
		18:00	29.16	53.26	30.67	8.09	5.02	244.51	45.68	5.13
		21:00	28.86	51.15	29.46	8.09	5.23	245.25	42.16	3.56
		日平均	29.01	53.29	30.80	8.09	6.76	260.39	43.42	7.16
	灣內站	0:00	28.53	49.69	28.70	8.14	6.18	227.49	2.17	3.77
		3:00	28.90	49.78	28.54	8.19	6.32	258.03	2.06	3.82
		6:00	28.63	49.64	28.61	8.17	6.67	257.38	1.72	1.87
		9:00	29.13	49.55	28.25	8.19	6.79	254.94	1.72	0.64
		12:00	29.67	49.42	27.84	8.19	6.43	248.30	1.84	4.10
		15:00	30.30	48.72	27.03	8.24	6.41	246.05	2.14	7.31
		18:00	29.94	47.08	26.19	8.18	6.34	251.80	2.33	3.87
		21:00	29.32	49.28	27.96	8.10	6.02	264.30	2.22	5.75
		日平均	29.30	49.15	27.89	8.18	6.40	251.04	2.03	3.89
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月7日	蚵殼站	0:00	27.35	49.00	28.98	8.17	6.39	176.30	2.94	0.63
		3:00	27.21	48.89	28.99	8.14	7.07	168.87	2.30	3.64
		6:00	26.75	48.98	29.34	8.09	8.63	171.60	3.39	6.43
		9:00	26.18	49.19	29.86	8.10	8.85	147.48	2.97	11.59
		12:00	26.50	49.14	29.62	8.15	6.83	159.79	8.41	7.31
		15:00	26.74	49.27	29.55	8.19	6.22	164.91	7.08	3.42
		18:00	26.74	49.35	29.61	8.18	6.51	178.55	3.85	4.71
		21:00	27.00	49.22	29.35	8.18	8.07	169.34	3.84	3.07
		日平均	26.81	49.13	29.41	8.15	7.32	167.11	4.35	5.10
	潮口站	0:00	29.90	53.02	30.04	8.05	5.72	245.38	35.76	3.08
		3:00	28.61	52.95	30.82	8.04	5.13	257.15	41.91	1.71
		6:00	27.69	53.27	31.66	8.07	5.68	265.52	49.03	2.57
		9:00	29.28	53.83	30.97	8.08	8.62	254.50	51.75	3.96
		12:00	30.27	53.01	29.80	8.10	8.46	260.06	76.03	4.08
		15:00	30.50	53.59	30.03	8.10	8.19	255.24	98.90	2.86
		18:00	29.91	53.23	30.17	8.07	6.81	231.75	69.20	4.19
		21:00	28.74	52.58	30.49	8.11	5.45	247.13	48.50	5.37
		日平均	29.36	53.19	30.50	8.08	6.76	252.09	58.89	3.48
	灣內站	0:00	29.13	49.55	28.25	8.12	6.08	199.25	1.83	0.04
		3:00	28.85	49.59	28.44	8.13	5.78	263.80	2.02	2.20
		6:00	28.60	49.44	28.50	8.17	6.46	275.91	1.89	0.72
		9:00	28.84	49.35	28.29	8.18	6.78	269.89	2.29	0.03
		12:00	29.80	49.34	27.71	8.24	6.76	263.51	2.35	2.41
		15:00	30.20	49.31	27.46	8.22	7.03	265.80	2.27	0.51
		18:00	30.02	49.34	27.59	8.20	6.58	270.91	2.64	0.62
		21:00	29.80	49.19	27.62	8.15	6.62	277.02	1.78	0.33
		日平均	29.41	49.39	27.98	8.18	6.51	260.76	2.13	0.86
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月8日	蚵殼站	0:00	27.65	49.42	29.07	8.14	6.27	144.82	4.59	6.75
		3:00	27.64	49.42	29.08	8.13	8.94	154.19	2.58	8.08
		6:00	27.36	49.48	29.30	8.09	7.93	153.40	3.67	2.08
		9:00	26.38	49.48	29.93	8.04	5.86	182.02	4.11	2.20
		12:00	26.89	49.26	29.45	8.08	6.81	190.71	8.37	4.18
		15:00	27.46	49.10	28.97	8.21	6.81	199.31	3.19	1.08
		18:00	27.52	49.42	29.15	8.19	6.43	219.15	2.21	4.22
		21:00	27.49	49.43	29.18	8.07	7.85	216.59	1.44	0.98
	日平均	27.30	49.38	29.27	8.12	7.11	182.52	3.77	3.70	
	潮口站	0:00	28.94	49.51	28.34	8.11	5.36	238.15	50.25	4.81
		3:00	28.85	51.84	29.93	8.04	5.94	221.84	65.21	7.73
		6:00	28.23	52.83	31.00	8.03	5.24	239.89	48.00	7.10
		9:00	28.58	53.60	31.28	8.09	6.46	243.14	37.14	2.34
		12:00	30.33	53.17	29.86	8.10	8.06	231.65	39.27	0.60
		15:00	30.19	53.45	30.13	8.10	8.42	246.14	35.45	1.17
		18:00	30.49	53.18	29.77	8.07	6.23	231.46	40.32	1.73
		21:00	28.71	53.22	30.94	8.12	5.13	229.50	35.30	0.88
	日平均	29.29	52.60	30.16	8.08	6.36	235.22	43.87	3.30	
	灣內站	0:00	29.18	49.29	28.05	8.15	6.03	213.43	2.05	0.82
		3:00	28.54	49.68	28.69	8.14	6.96	280.41	1.96	0.48
		6:00	28.68	49.56	28.53	8.13	8.03	290.67	1.87	2.48
		9:00	29.17	49.30	28.06	8.19	8.09	281.31	1.99	0.56
		12:00	29.93	49.23	27.57	8.25	7.92	281.21	2.83	1.40
		15:00	30.20	49.15	27.36	8.23	7.56	273.31	2.79	0.55
		18:00	30.35	47.89	26.48	8.20	6.55	273.05	2.67	1.63
		21:00	30.17	48.91	27.23	8.12	6.02	268.55	2.56	2.05
	日平均	29.53	49.13	27.75	8.18	7.15	270.24	2.34	1.25	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月9日	蚵殼站	0:00	27.63	49.45	29.10	8.10	6.85	212.60	1.83	6.85
		3:00	27.62	49.42	29.09	8.11	7.43	207.74	1.01	7.43
		6:00	27.57	49.60	29.24	8.09	7.73	208.28	1.42	7.73
		9:00	26.65	49.73	29.93	8.14	8.54	207.68	1.38	0.06
		12:00	27.21	49.43	29.36	8.13	8.36	204.98	2.03	2.00
		15:00	28.20	49.42	28.73	8.21	6.75	199.75	3.08	6.75
		18:00	28.34	49.42	28.64	8.26	8.21	201.55	1.76	1.21
		21:00	28.14	49.60	28.88	8.16	8.07	197.02	1.12	0.52
	日平均	27.67	49.51	29.12	8.15	7.74	204.95	1.70	4.07	
	潮口站	0:00	28.74	53.49	31.10	8.11	5.14	230.84	62.82	0.90
		3:00	28.90	53.47	30.98	8.07	5.13	227.94	46.98	1.17
		6:00	28.10	53.26	31.37	8.08	5.77	234.88	51.55	0.72
		9:00	27.74	53.25	31.61	8.10	6.35	249.20	84.57	0.64
		12:00	29.52	53.44	30.55	8.12	8.86	232.51	59.48	1.93
		15:00	29.39	52.93	30.30	8.13	7.84	242.19	62.20	2.32
		18:00	30.59	53.03	29.61	8.08	8.23	228.19	61.59	2.97
		21:00	28.86	52.44	30.32	8.13	5.05	227.30	48.21	2.22
	日平均	28.98	53.16	30.73	8.10	6.55	234.13	59.68	1.61	
	灣內站	0:00	29.59	49.26	27.79	8.13	6.02	265.82	2.08	1.20
		3:00	29.36	49.15	27.85	8.13	6.07	278.02	1.58	2.62
		6:00	29.30	49.33	28.00	8.14	6.25	274.25	1.77	1.44
		9:00	29.62	49.07	27.65	8.23	6.60	267.18	2.78	1.83
		12:00	30.40	48.74	26.99	8.27	7.00	256.58	3.10	1.33
		15:00	30.94	48.51	26.54	8.29	7.73	253.16	3.12	1.06
		18:00	30.74	48.51	26.65	8.31	6.64	248.14	2.98	1.32
		21:00	30.51	48.65	26.87	8.21	5.85	262.18	2.88	1.10
	日平均	30.06	48.90	27.29	8.21	6.52	263.17	2.54	1.49	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 10 日	蚵殼站	0:00	28.07	49.50	28.86	8.13	8.74	185.05	1.05	0.56
		3:00	27.97	49.58	28.98	8.14	5.55	166.86	1.00	8.02
		6:00	27.52	49.82	29.42	8.08	5.66	154.02	2.21	8.14
		9:00	27.20	49.82	29.63	8.02	6.94	132.35	1.97	0.83
		12:00	26.69	49.52	29.76	8.01	5.71	154.38	1.27	1.45
		15:00	27.26	49.43	29.33	8.06	6.67	164.18	3.95	0.92
		18:00	27.99	49.53	28.93	8.16	6.52	162.72	2.96	1.35
		21:00	28.22	49.43	28.72	8.13	7.34	186.01	1.32	1.37
		日平均	27.62	49.58	29.20	8.09	6.64	163.20	1.97	2.83
	潮口站	0:00	28.05	52.08	30.61	8.13	5.46	237.16	55.55	1.67
		3:00	29.89	52.47	29.69	8.11	5.93	230.15	61.95	2.52
		6:00	28.77	52.59	30.48	8.08	7.54	230.95	66.23	2.06
		9:00	27.17	52.85	31.73	8.10	7.49	237.38	76.26	1.32
		12:00	30.82	52.71	29.27	8.13	7.24	231.34	92.08	3.23
		15:00	31.28	53.40	29.43	8.11	7.85	231.44	108.74	3.70
		18:00	31.54	53.12	29.09	8.11	6.09	234.34	85.09	3.88
		21:00	30.13	53.05	29.91	8.12	7.04	228.70	72.80	3.25
		日平均	29.71	52.78	30.03	8.11	6.83	232.68	77.34	2.70
	灣內站	0:00	30.29	48.67	27.00	8.13	6.48	266.05	2.89	2.39
		3:00	30.09	48.58	27.06	8.17	6.91	266.75	2.93	2.03
		6:00	30.02	48.64	27.14	8.14	7.25	267.42	2.89	1.95
		9:00	30.15	48.62	27.05	8.17	7.19	266.27	2.87	2.27
		12:00	30.86	48.50	26.58	8.21	7.55	260.93	3.25	2.28
		15:00	31.55	48.44	26.17	8.25	7.54	256.18	3.14	2.26
		18:00	31.52	48.31	26.10	8.22	6.59	256.93	2.95	2.57
		21:00	31.10	48.35	26.35	8.18	5.98	258.89	2.98	2.12
		日平均	30.70	48.51	26.68	8.18	6.94	262.43	2.99	2.23
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 11 日	蚵殼站	0:00	27.98	49.64	29.01	8.15	8.54	198.64	0.59	1.79
		3:00	26.88	49.77	29.80	8.13	6.19	180.97	0.32	1.53
		6:00	27.28	49.81	29.57	8.16	5.48	166.57	1.16	1.85
		9:00	26.99	49.89	29.81	8.10	7.57	197.68	4.46	4.29
		12:00	26.70	49.40	29.67	8.07	9.01	207.24	1.04	5.45
		15:00	26.35	49.16	29.73	8.10	5.91	209.79	1.46	3.04
		18:00	26.88	49.56	29.66	8.06	7.74	205.62	2.60	7.45
		21:00	27.10	49.37	29.39	8.08	5.59	216.02	3.09	5.04
		日平均	27.02	49.58	29.58	8.11	7.00	197.82	1.84	3.81
	潮口站	0:00	27.62	53.06	31.56	8.11	6.03	241.15	76.05	1.91
		3:00	29.40	53.46	30.65	8.11	6.98	247.18	78.92	2.77
		6:00	30.14	53.34	30.09	8.09	6.24	241.45	81.38	3.13
		9:00	27.98	52.08	30.65	8.05	7.74	238.35	87.03	2.08
		12:00	29.25	52.38	30.03	8.04	8.13	243.85	83.89	2.65
		15:00	30.38	52.33	29.29	8.07	7.29	238.29	83.69	3.25
		18:00	29.51	51.99	29.61	8.05	8.16	242.13	82.72	2.66
		21:00	29.49	51.68	29.42	8.04	5.69	235.55	83.87	2.81
		日平均	29.22	52.54	30.16	8.07	7.03	240.99	82.19	2.66
	灣內站	0:00	30.62	48.19	26.52	8.13	5.98	221.93	3.05	0.86
		3:00	30.40	48.18	26.63	8.14	6.04	268.46	3.11	1.70
		6:00	29.64	47.67	26.73	8.12	6.89	235.87	2.97	0.74
		9:00	29.22	47.64	26.95	8.12	6.78	260.13	3.15	1.15
		12:00	29.16	47.58	26.95	8.14	7.97	259.68	3.46	0.29
		15:00	29.84	47.24	26.34	8.19	7.52	250.04	3.54	2.35
		18:00	30.11	47.13	26.13	8.14	7.03	250.56	3.13	0.59
		21:00	29.89	46.83	26.06	8.20	6.26	254.77	3.10	2.10
		日平均	29.86	47.56	26.54	8.15	6.81	250.18	3.19	1.22
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 12 日	蚵殼站	0:00	26.73	48.74	29.19	8.01	5.67	218.26	1.75	5.67
		3:00	26.51	44.74	26.59	8.00	5.34	216.00	0.65	5.34
		6:00	26.17	43.55	25.98	8.01	5.38	214.43	0.59	5.38
		9:00	26.04	42.64	25.43	8.00	5.40	207.90	1.12	5.40
		12:00	26.28	43.39	25.81	8.01	5.22	206.67	1.36	5.22
		15:00	26.30	41.43	24.47	7.99	6.80	190.85	3.30	6.80
		18:00	26.16	41.08	24.31	7.94	5.88	184.28	3.09	5.88
		21:00	26.08	40.58	24.01	7.98	5.68	153.30	3.06	5.68
		日平均	26.28	43.27	25.72	7.99	5.67	198.96	1.87	5.67
	潮口站	0:00	28.06	51.98	30.53	8.02	7.43	260.54	79.66	2.03
		3:00	28.60	52.60	30.60	8.05	8.95	250.93	90.69	2.35
		6:00	29.05	51.86	29.81	7.99	8.44	244.65	91.70	2.52
		9:00	28.43	50.75	29.47	8.05	7.92	242.02	86.74	2.22
		12:00	28.36	51.24	29.84	8.06	8.64	227.81	97.10	2.35
		15:00	28.73	51.84	30.01	8.07	8.16	238.54	110.92	2.65
		18:00	28.74	50.99	29.43	8.00	8.22	240.64	112.83	2.69
		21:00	28.28	50.73	29.55	8.01	5.22	236.91	112.19	2.39
		日平均	28.53	51.50	29.91	8.03	7.87	242.76	97.73	2.40
	灣內站	0:00	29.05	47.30	26.83	8.12	6.48	268.67	3.04	2.13
		3:00	28.61	47.02	26.90	8.11	7.25	247.16	3.09	2.13
		6:00	28.23	46.32	26.65	8.11	7.95	277.20	2.95	1.95
		9:00	28.16	45.59	26.21	8.24	8.04	281.29	3.01	2.49
		12:00	28.14	44.58	25.56	8.38	7.39	279.81	3.35	1.44
		15:00	28.08	44.98	25.86	8.38	6.52	284.14	3.00	1.96
		18:00	28.17	42.97	24.49	8.24	6.13	285.96	3.10	1.56
		21:00	28.10	43.69	25.00	8.17	6.16	282.58	2.91	1.08
		日平均	28.32	45.31	25.94	8.22	6.99	275.85	3.06	1.84
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 13 日	蚵殼站	0:00	26.00	38.68	22.78	7.96	5.74	128.51	2.44	5.72
		3:00	25.77	38.76	22.95	7.93	5.55	112.06	1.28	6.04
		6:00	25.56	37.66	22.31	7.91	5.66	199.13	1.19	5.35
		9:00	25.74	37.55	22.15	7.94	5.94	105.26	2.58	5.78
		12:00	25.82	36.66	21.51	7.98	5.71	153.24	3.94	5.93
		15:00	25.95	35.47	20.66	7.94	5.67	168.51	3.28	6.96
		18:00	25.83	34.05	19.77	7.91	5.52	164.02	5.15	5.47
		21:00	25.60	35.69	20.97	7.90	5.34	148.50	4.88	6.37
		日平均	25.78	36.82	21.64	7.93	5.64	147.40	3.09	5.95
	潮口站	0:00	27.97	50.82	29.81	7.96	8.07	224.84	108.34	2.16
		3:00	27.85	51.57	30.40	7.94	7.55	238.35	116.49	2.88
		6:00	28.05	51.50	30.22	7.93	7.33	245.55	129.25	2.92
		9:00	28.33	50.74	29.53	8.07	8.07	237.63	116.65	3.18
		12:00	28.35	50.99	29.68	8.17	7.98	235.45	114.18	3.41
		15:00	28.39	51.52	30.01	8.15	6.52	234.17	111.65	3.36
		18:00	28.32	51.59	30.10	8.07	7.49	242.14	97.30	3.36
		21:00	28.21	51.41	30.05	7.97	6.10	238.92	87.85	3.39
		日平均	28.18	51.27	29.98	8.03	7.39	237.13	110.21	3.08
	灣內站	0:00	28.04	42.88	24.50	8.15	6.06	280.95	2.59	1.38
		3:00	27.85	42.38	24.28	8.12	6.16	281.23	1.97	10.33
		6:00	27.63	40.50	23.16	8.19	6.74	283.22	2.04	4.85
		9:00	27.39	38.88	22.22	8.22	7.71	281.90	1.90	2.66
		12:00	27.48	39.79	22.77	8.25	7.85	271.20	2.24	10.15
		15:00	27.47	39.34	22.48	8.39	6.55	274.34	2.58	0.26
		18:00	27.48	37.70	21.41	8.35	6.24	274.82	2.34	1.42
		21:00	27.49	37.55	21.31	8.36	5.81	278.53	2.15	4.20
		日平均	27.60	39.88	22.77	8.25	6.64	278.27	2.23	4.41
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月14日	蚵殼站	0:00	25.78	37.77	22.27	7.83	5.72	109.86	3.05	7.71
		3:00	25.80	38.79	22.95	7.88	6.04	106.38	3.39	5.36
		6:00	25.61	39.63	23.62	7.84	5.35	188.46	2.08	7.09
		9:00	25.78	39.56	23.48	7.81	5.78	100.99	4.13	6.92
		12:00	26.03	38.22	22.45	7.84	5.93	162.45	3.13	3.73
		15:00	26.43	37.80	21.98	7.84	6.96	184.18	18.48	5.53
		18:00	26.45	38.79	22.62	7.83	5.47	183.30	15.30	6.25
		21:00	26.51	39.68	23.19	7.84	6.37	173.83	3.51	6.91
		日平均	26.05	38.78	22.82	7.84	5.95	151.18	6.63	6.19
	潮口站	0:00	27.95	51.29	30.14	7.94	5.69	222.17	80.00	2.99
		3:00	27.95	51.52	30.30	7.96	5.32	239.17	78.04	2.29
		6:00	28.16	51.52	30.16	7.99	6.54	245.45	85.74	4.08
		9:00	28.27	50.66	29.51	8.11	5.53	252.95	77.28	4.90
		12:00	29.16	49.71	28.33	8.29	8.42	238.01	76.03	5.06
		15:00	29.53	50.46	28.60	8.13	7.64	237.07	80.95	4.85
		18:00	29.51	50.51	28.64	8.07	5.12	236.51	76.24	5.41
		21:00	29.64	49.37	27.83	8.04	5.33	228.99	70.99	5.42
		日平均	28.77	50.63	29.19	8.07	6.20	237.54	78.16	4.38
	灣內站	0:00	27.35	38.29	21.86	8.24	5.72	274.47	2.28	4.36
		3:00	27.43	40.19	23.06	8.18	6.21	278.80	1.95	7.82
		6:00	27.37	39.23	22.46	8.38	6.29	278.31	1.37	8.09
		9:00	27.62	38.27	21.72	8.38	6.64	267.98	1.39	8.07
		12:00	29.02	37.31	20.47	8.45	7.86	212.08	1.96	6.13
		15:00	29.28	36.35	19.76	8.42	7.53	224.85	2.34	7.52
		18:00	28.65	35.39	19.43	8.39	7.16	241.83	2.70	3.97
		21:00	28.67	35.70	19.62	8.32	6.19	247.82	2.69	2.08
		日平均	28.17	37.59	21.05	8.35	6.70	253.27	2.09	6.01
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月15日	蚵殼站	0:00	26.45	41.43	24.39	7.94	6.74	142.06	3.85	7.98
		3:00	26.31	42.63	25.28	7.98	5.49	101.14	5.47	8.10
		6:00	26.21	41.43	24.52	8.10	5.14	188.24	5.44	5.36
		9:00	26.21	42.45	25.21	8.25	5.08	194.13	5.76	4.54
		12:00	26.29	42.50	25.20	7.91	5.62	150.66	5.34	4.64
		15:00	26.27	43.11	25.62	7.94	6.06	175.84	5.19	2.24
		18:00	25.99	43.43	26.00	7.90	5.47	179.52	24.21	2.70
		21:00	25.88	44.01	26.46	7.94	5.79	174.87	11.14	3.03
		日平均	26.20	42.62	25.34	8.00	5.67	163.31	8.30	4.82
	潮口站	0:00	28.86	49.43	28.33	8.08	7.62	227.32	72.63	4.81
		3:00	28.43	50.83	29.52	8.08	5.22	225.87	85.12	4.75
		6:00	28.57	49.78	28.74	8.03	6.03	230.67	77.96	5.11
		9:00	28.38	47.75	27.51	8.00	5.80	234.41	79.30	4.67
		12:00	28.24	48.47	28.07	8.08	8.50	229.71	81.92	4.57
		15:00	28.41	50.24	29.14	8.14	7.96	234.97	82.65	4.55
		18:00	28.36	50.62	29.43	8.08	5.36	240.86	84.30	4.60
		21:00	28.21	48.60	28.18	8.02	6.45	243.67	95.83	4.49
		日平均	28.43	49.47	28.62	8.06	6.62	233.44	82.46	4.69
	灣內站	0:00	28.66	38.08	21.12	8.13	5.87	244.66	2.20	2.45
		3:00	28.39	40.23	22.61	8.10	6.06	251.49	2.05	3.52
		6:00	28.06	43.88	25.15	8.17	6.47	252.63	1.60	0.13
		9:00	28.14	37.48	20.97	8.24	6.75	254.47	2.08	1.79
		12:00	28.04	35.88	20.00	8.31	7.09	246.74	2.18	2.65
		15:00	28.11	35.95	20.01	8.31	6.97	245.38	1.73	1.89
		18:00	28.10	37.32	20.89	8.27	6.23	250.56	2.59	1.15
		21:00	27.91	37.22	20.91	8.25	6.33	252.23	2.14	2.73
		日平均	28.18	38.26	21.46	8.22	6.47	249.77	2.07	2.04
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月16日	蚵殼站	0:00	25.81	44.48	26.83	7.98	6.39	166.00	4.36	4.96
		3:00	25.31	44.61	27.22	8.10	7.07	131.24	3.86	5.11
		6:00	25.25	45.66	27.99	7.97	8.63	198.53	4.42	6.26
		9:00	25.31	45.37	27.75	7.91	8.85	130.37	6.00	3.48
		12:00	25.74	46.27	28.11	7.91	6.83	175.61	5.39	4.67
		15:00	25.66	47.47	29.00	7.92	6.22	189.83	4.26	3.69
		18:00	25.43	47.72	29.33	7.91	6.51	198.52	2.28	5.37
		21:00	25.62	48.22	29.55	7.92	8.07	189.97	3.20	4.70
		日平均	25.52	46.23	28.22	7.95	7.32	172.51	4.22	4.78
	潮口站	0:00	27.95	48.67	28.38	7.99	6.70	248.97	107.57	4.13
		3:00	27.64	50.69	29.94	8.02	6.77	256.27	86.66	4.03
		6:00	27.62	50.97	30.14	7.97	5.41	251.71	89.24	4.04
		9:00	27.84	50.50	29.68	8.01	5.89	256.35	90.26	4.23
		12:00	28.10	50.07	29.22	8.13	6.46	251.45	90.70	4.03
		15:00	28.60	50.21	29.00	8.07	5.73	239.00	87.79	4.46
		18:00	28.43	50.81	29.51	8.06	5.80	235.91	85.86	4.19
		21:00	28.31	50.47	29.36	7.94	5.24	248.72	81.31	4.16
		日平均	28.06	50.30	29.40	8.02	6.00	248.55	89.92	4.16
	灣內站	0:00	27.53	37.26	21.11	8.29	6.47	254.69	2.17	2.20
		3:00	27.44	38.80	22.15	8.22	5.62	259.03	2.06	1.93
		6:00	27.50	39.33	22.46	8.29	5.57	265.22	1.72	1.97
		9:00	27.44	37.02	20.99	8.30	6.47	261.16	1.72	2.00
		12:00	27.43	35.76	20.18	8.23	7.51	245.75	1.84	2.00
		15:00	27.61	37.85	21.45	8.17	7.07	250.49	2.14	2.49
		18:00	27.58	40.31	23.06	8.15	6.28	255.96	2.33	2.08
		21:00	27.47	41.99	24.22	8.13	5.58	263.20	2.22	2.24
		日平均	27.50	38.54	21.95	8.22	6.32	256.94	2.03	2.11
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月17日	蚵殼站	0:00	25.51	48.42	29.77	8.06	6.27	189.92	7.71	2.88
		3:00	25.09	48.58	30.16	8.32	8.94	174.78	5.36	2.22
		6:00	24.92	48.47	30.20	8.07	7.93	106.37	7.09	4.85
		9:00	25.00	48.52	30.18	8.00	5.86	142.32	6.92	3.60
		12:00	25.90	48.45	29.53	8.07	6.81	120.03	3.73	3.74
		15:00	25.69	48.47	29.68	8.18	6.81	122.91	5.53	3.44
		18:00	25.39	48.00	29.55	8.07	6.43	109.27	6.25	3.49
		21:00	25.30	48.16	29.72	8.01	7.85	136.34	6.91	4.46
		日平均	25.35	48.38	29.85	8.10	7.11	137.74	6.19	3.59
	潮口站	0:00	28.17	50.04	29.16	7.90	6.28	253.51	79.89	3.95
		3:00	27.90	50.56	29.68	7.88	5.30	277.63	83.43	3.85
		6:00	27.93	50.83	29.84	7.90	6.83	262.19	86.49	3.81
		9:00	28.79	50.03	28.77	7.92	6.84	255.63	82.75	4.31
		12:00	29.97	49.24	27.55	8.16	6.68	243.71	88.17	4.27
		15:00	29.91	46.43	25.79	8.18	6.31	258.20	91.11	4.09
		18:00	29.82	44.44	24.58	8.14	5.54	262.95	94.01	4.04
		21:00	30.16	48.57	27.01	7.99	6.41	262.91	105.52	4.20
		日平均	29.08	48.77	27.80	8.01	6.27	259.59	88.92	4.07
	灣內站	0:00	27.37	41.74	24.11	8.12	6.33	265.67	1.83	2.21
		3:00	27.35	42.65	24.72	8.12	6.76	266.93	2.02	2.25
		6:00	27.38	43.56	25.31	8.17	6.68	265.51	1.89	2.54
		9:00	27.76	44.47	25.70	8.24	7.00	264.27	2.29	1.97
		12:00	29.05	45.38	25.58	8.27	8.34	247.36	2.35	2.31
		15:00	29.57	46.29	25.89	8.27	7.11	245.56	2.27	2.60
		18:00	29.57	47.20	26.47	8.24	6.21	253.09	2.64	1.56
		21:00	29.30	46.11	25.92	8.23	5.70	265.06	1.78	2.51
		日平均	28.42	44.68	25.46	8.21	6.77	259.18	2.13	2.24
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月18日	蚵殼站	0:00	25.40	48.47	29.88	8.00	5.85	153.29	3.78	2.92
		3:00	25.07	48.58	30.18	8.03	7.43	151.56	4.80	2.92
		6:00	24.95	48.71	30.35	8.01	7.73	105.68	7.78	4.01
		9:00	24.96	48.74	30.37	8.05	8.54	136.31	9.02	4.45
		12:00	25.42	48.52	29.90	8.21	8.36	125.90	4.23	3.43
		15:00	25.62	48.36	29.65	8.44	6.75	125.59	3.92	2.88
		18:00	25.48	48.47	29.82	8.22	8.21	135.56	2.98	3.49
		21:00	25.28	48.32	29.85	8.34	8.07	129.69	3.15	3.84
		日平均	25.27	48.52	30.00	8.16	7.62	132.95	4.96	3.49
	潮口站	0:00	29.87	48.67	27.24	7.90	5.59	205.33	106.38	4.18
		3:00	28.58	48.98	28.20	7.88	5.30	246.73	96.35	3.60
		6:00	29.00	49.71	28.43	7.82	6.34	217.07	99.74	3.75
		9:00	29.53	48.80	27.52	7.86	7.26	225.39	106.15	4.05
		12:00	30.18	48.77	27.13	7.92	8.15	220.87	106.09	4.07
		15:00	32.10	49.01	26.22	8.08	7.03	253.25	142.75	5.10
		18:00	28.69	44.67	25.32	8.02	5.64	262.40	137.55	3.13
		21:00	28.48	48.08	27.67	7.92	5.21	273.69	138.19	3.10
		日平均	29.55	48.34	27.22	7.93	6.32	238.09	116.65	3.87
	灣內站	0:00	28.71	44.99	25.52	8.22	5.95	269.38	1.59	1.83
		3:00	28.50	44.91	25.58	8.23	5.96	267.74	1.91	1.75
		6:00	27.84	44.83	25.89	8.24	6.96	270.80	2.19	0.58
		9:00	28.73	44.75	25.35	8.25	8.00	269.20	2.68	0.53
		12:00	30.75	44.53	24.16	8.26	7.91	245.82	2.28	1.76
		15:00	31.64	44.32	23.59	8.27	7.83	218.11	1.89	1.48
		18:00	31.42	44.11	23.57	8.27	7.01	223.87	2.02	1.21
		21:00	31.16	43.90	23.57	8.25	5.91	237.45	1.85	1.42
		日平均	29.84	44.54	24.65	8.25	6.94	250.30	2.05	1.32
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月19日	蚵殼站	0:00	25.13	48.85	30.33	8.16	8.74	136.88	4.74	3.11
		3:00	24.84	49.00	30.63	8.06	5.55	124.32	3.53	4.80
		6:00	24.51	49.08	30.92	8.03	5.66	127.79	3.88	4.23
		9:00	24.23	49.03	31.08	8.06	6.94	142.21	3.89	5.07
		12:00	24.68	48.56	30.43	8.32	5.71	144.74	8.16	3.79
		15:00	24.85	48.50	30.27	8.42	6.67	145.08	6.59	2.12
		18:00	24.61	48.71	30.59	8.41	6.52	144.27	1.82	3.34
		21:00	24.35	48.61	30.69	8.27	7.34	149.33	2.72	3.93
		日平均	24.65	48.79	30.62	8.22	6.64	139.33	4.42	3.80
	潮口站	0:00	28.50	47.67	27.39	7.89	5.57	250.37	132.98	2.91
		3:00	28.53	48.64	28.01	8.16	6.69	265.30	121.73	2.77
		6:00	29.03	49.69	28.40	8.07	6.52	260.95	119.39	3.08
		9:00	29.47	50.09	28.40	7.95	6.89	263.25	111.82	3.37
		12:00	28.64	51.23	29.66	7.95	7.20	250.44	106.79	2.91
		15:00	29.20	51.32	29.36	8.21	8.24	242.50	103.95	3.11
		18:00	28.14	52.24	30.66	8.21	5.95	246.05	96.68	2.41
		21:00	27.78	51.06	30.10	8.09	7.35	253.85	97.33	2.13
		日平均	28.66	50.24	29.00	8.07	6.80	254.09	111.33	2.84
	灣內站	0:00	30.90	43.93	23.71	8.16	5.84	246.36	1.40	0.04
		3:00	30.27	44.03	24.09	8.20	5.91	254.00	1.42	1.03
		6:00	28.47	44.13	25.09	8.24	5.95	266.54	1.75	0.79
		9:00	29.12	44.23	24.81	8.28	6.99	246.48	1.76	0.69
		12:00	30.09	44.33	24.37	8.36	7.73	216.96	1.97	1.79
		15:00	30.26	44.43	24.34	8.37	8.09	212.12	1.64	0.13
		18:00	30.09	44.47	24.46	8.26	7.00	225.15	1.97	0.33
		21:00	30.11	44.06	24.19	8.13	5.89	247.31	1.63	0.42
		日平均	29.91	44.20	24.38	8.25	6.68	239.37	1.69	0.65
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月20日	蚵殼站	0:00	24.68	48.97	30.72	8.18	8.54	146.96	4.36	4.39
		3:00	24.53	49.31	31.07	8.17	6.19	137.12	2.93	4.21
		6:00	24.31	49.62	31.46	8.08	5.48	146.79	3.44	5.02
		9:00	24.28	49.51	31.40	8.20	7.57	183.85	4.23	4.51
		12:00	24.79	49.52	31.04	8.35	9.01	137.98	7.98	4.40
		15:00	25.06	49.13	30.58	8.41	5.91	157.79	4.99	4.20
		18:00	24.71	49.12	30.81	8.40	7.74	166.11	2.99	3.88
		21:00	24.61	49.28	31.00	8.34	5.59	170.42	13.29	3.62
		日平均	24.62	49.31	31.01	8.27	7.00	155.88	5.53	4.28
	潮口站	0:00	28.38	51.37	29.92	7.91	5.14	259.07	100.04	2.43
		3:00	28.12	51.02	29.85	7.93	6.36	269.91	99.64	2.42
		6:00	28.13	53.08	31.23	8.05	5.97	262.55	102.47	2.44
		9:00	29.77	52.39	29.71	8.07	6.65	239.22	103.30	3.38
		12:00	28.73	52.09	30.17	7.94	8.43	261.25	97.72	2.67
		15:00	30.00	52.32	29.52	8.08	7.12	247.23	102.03	3.28
		18:00	29.67	50.89	28.79	8.11	6.14	244.57	112.20	3.08
		21:00	28.10	49.21	28.65	8.03	5.78	186.85	84.17	2.05
		日平均	28.86	51.55	29.73	8.02	6.45	246.33	100.20	2.72
	灣內站	0:00	30.06	44.18	24.29	8.13	5.88	255.63	1.43	0.79
		3:00	29.72	44.90	24.92	8.10	6.01	257.36	1.27	0.19
		6:00	29.31	44.83	25.09	8.17	6.92	252.72	1.17	0.33
		9:00	29.67	44.75	24.85	8.24	6.97	243.20	1.52	0.54
		12:00	30.50	44.53	24.29	8.31	7.08	230.57	1.74	1.71
		15:00	30.84	44.32	23.98	8.31	7.09	222.05	1.46	1.03
		18:00	30.51	44.35	24.17	8.27	7.00	231.03	1.65	2.56
		21:00	30.36	44.07	24.07	8.25	5.87	243.62	1.57	1.08
		日平均	30.12	44.49	24.46	8.22	6.60	242.02	1.48	1.03
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月21日	蚵殼站	0:00	26.39	49.52	29.95	8.13	5.67	173.74	2.94	3.44
		3:00	25.29	49.42	30.62	8.21	5.34	182.24	2.30	3.13
		6:00	26.19	49.76	30.25	8.15	5.38	206.78	3.39	3.81
		9:00	26.15	49.48	30.08	8.18	6.40	221.39	2.97	4.49
		12:00	25.81	49.31	30.19	8.25	7.22	178.73	8.41	4.11
		15:00	27.06	49.81	29.71	8.49	6.80	186.44	7.08	3.21
		18:00	26.93	49.24	29.41	8.21	5.88	218.45	3.85	3.40
		21:00	26.80	49.26	29.51	8.46	5.68	229.56	3.84	4.08
		日平均	26.33	49.48	29.97	8.26	6.05	199.67	4.35	3.71
	潮口站	0:00	28.25	47.98	27.74	7.93	6.61	173.89	75.91	2.05
		3:00	27.70	50.50	29.77	7.88	5.76	227.46	61.75	1.75
		6:00	27.81	52.63	31.14	7.88	5.57	234.38	54.20	1.85
		9:00	30.54	52.72	29.44	7.84	5.29	139.25	35.05	11.17
		12:00	30.01	50.34	28.23	7.88	6.09	124.09	14.57	4.64
		15:00	30.45	50.60	28.14	8.00	7.65	131.48	30.67	0.95
		18:00	29.58	50.19	28.39	8.12	6.30	133.22	20.65	2.91
		21:00	28.85	49.90	28.65	7.96	5.78	140.46	36.03	5.08
		日平均	29.15	50.61	28.94	7.94	6.13	163.03	41.10	3.80
	灣內站	0:00	29.98	44.15	24.31	8.15	5.66	252.71	1.58	0.22
		3:00	29.81	45.25	25.09	8.12	5.36	241.15	1.47	1.26
		6:00	29.70	45.47	25.29	8.19	5.67	251.98	1.52	1.31
		9:00	30.25	45.39	24.95	8.22	5.68	245.87	1.61	0.08
		12:00	30.66	45.51	24.82	8.25	6.34	241.06	1.68	0.23
		15:00	30.29	46.31	25.51	8.39	6.56	185.11	1.62	1.97
		18:00	30.99	47.12	25.65	8.45	5.77	118.34	1.67	2.23
		21:00	30.47	46.65	25.63	8.36	5.60	153.01	1.67	2.97
		日平均	30.27	45.73	25.16	8.27	5.83	211.15	1.60	1.28
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 22 日	蚵殼站	0:00	27.99	49.26	28.75	8.46	5.63	214.11	4.59	4.11
		3:00	27.87	49.45	28.95	8.39	6.57	224.96	2.58	2.76
		6:00	27.65	49.40	29.06	8.35	6.51	121.67	3.67	4.27
		9:00	26.79	49.90	29.95	8.36	7.08	217.88	4.11	4.72
		12:00	27.69	49.31	28.97	8.38	8.20	241.94	8.37	4.07
		15:00	28.74	49.39	28.38	8.42	6.32	229.26	3.19	3.60
		18:00	28.76	49.31	28.31	8.41	6.67	248.35	2.21	3.23
		21:00	28.44	49.52	28.65	8.37	6.79	161.85	1.44	3.23
		日平均	27.99	49.44	28.88	8.39	6.72	207.50	3.77	3.75
	潮口站	0:00	30.18	49.50	27.60	7.85	5.61	148.20	50.95	3.66
		3:00	30.03	48.79	27.23	7.87	5.62	143.50	20.34	2.34
		6:00	29.21	48.24	27.35	7.88	6.98	154.34	15.44	1.10
		9:00	30.76	52.36	29.08	7.94	7.99	136.77	11.37	1.96
		12:00	30.07	50.38	28.22	7.94	7.13	129.28	9.85	1.21
		15:00	29.55	50.61	28.68	7.93	8.37	141.21	8.65	2.00
		18:00	29.08	50.45	28.87	8.11	7.63	158.74	1.16	1.66
		21:00	28.85	50.27	28.89	8.23	7.06	171.61	30.84	0.64
		日平均	29.72	50.08	28.24	7.97	7.05	147.96	18.58	1.82
	灣內站	0:00	30.58	47.27	25.96	8.24	5.31	159.46	1.71	0.74
		3:00	30.44	47.47	26.16	8.18	5.41	137.18	1.69	0.15
		6:00	29.78	47.97	26.85	8.38	5.47	153.73	1.72	1.18
		9:00	30.08	47.93	26.65	8.38	5.55	164.23	1.98	2.82
		12:00	30.80	47.77	26.15	8.45	6.18	142.93	2.09	1.24
		15:00	30.81	47.89	26.22	8.42	5.84	127.94	1.85	2.03
		18:00	30.45	48.13	26.57	8.39	5.14	152.43	1.36	1.10
		21:00	30.64	47.68	26.18	8.32	5.24	158.74	1.50	4.24
		日平均	30.45	47.76	26.34	8.35	5.52	149.58	1.74	1.69
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 23 日	蚵殼站	0:00	28.14	49.55	28.85	8.33	6.13	160.14	1.83	2.36
		3:00	28.13	49.58	28.88	8.32	5.74	210.66	1.01	4.36
		6:00	27.82	49.43	28.97	8.35	5.47	207.64	1.42	3.57
		9:00	26.72	49.55	29.76	8.28	7.21	252.39	1.38	4.21
		12:00	27.29	49.45	29.32	8.27	7.41	246.30	2.03	2.58
		15:00	28.05	49.42	28.82	8.32	7.82	244.54	3.08	3.01
		18:00	28.69	49.47	28.46	8.29	8.77	264.30	1.76	2.58
		21:00	28.57	49.47	28.53	8.30	8.10	170.25	1.12	3.92
		日平均	27.93	49.49	28.95	8.31	7.08	219.53	1.70	3.32
	潮口站	0:00	30.35	50.74	28.29	8.01	6.75	176.91	9.75	0.50
		3:00	29.99	50.87	28.59	7.91	5.25	189.60	1.55	0.36
		6:00	28.90	51.30	29.54	7.97	5.46	202.62	1.72	0.07
		9:00	31.18	51.27	28.14	8.09	7.97	186.55	1.37	1.03
		12:00	32.07	51.14	27.55	8.00	7.68	171.71	1.52	1.58
		15:00	31.13	50.85	27.90	7.96	5.88	180.89	8.53	1.01
		18:00	28.20	50.95	29.75	7.96	8.05	198.30	1.20	2.22
		21:00	30.42	50.79	28.28	8.11	6.42	200.48	7.64	0.84
		日平均	30.28	50.99	28.51	8.00	6.68	188.38	4.16	0.95
	灣內站	0:00	30.69	47.52	26.06	8.23	5.11	159.31	1.66	1.03
		3:00	30.28	48.06	26.62	8.28	5.57	161.03	1.47	0.83
		6:00	29.90	48.37	27.03	8.31	5.22	201.42	1.38	0.04
		9:00	29.91	48.39	27.04	8.34	5.23	195.87	1.50	1.00
		12:00	31.14	48.23	26.26	8.36	5.78	204.93	1.51	2.13
		15:00	31.65	48.25	26.00	8.36	6.01	202.56	1.45	1.56
		18:00	31.79	48.11	25.84	8.32	5.30	183.67	1.15	2.36
		21:00	31.22	48.17	26.18	8.28	5.69	179.11	1.20	1.03
		日平均	30.82	48.14	26.38	8.31	5.49	185.99	1.42	1.25
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月24日	蚵殼站	0:00	27.33	49.16	29.10	8.32	7.72	219.50	1.05	14.90
		3:00	27.65	49.22	28.94	8.21	6.04	255.93	1.00	4.03
		6:00	27.54	49.27	29.04	8.22	5.35	223.84	2.21	5.67
		9:00	26.57	49.34	29.71	8.27	7.78	231.89	1.97	32.49
		12:00	26.90	49.11	29.34	8.29	6.93	239.62	1.27	14.48
		15:00	27.32	48.89	28.92	8.30	6.96	257.13	3.95	7.18
		18:00	27.32	49.22	29.14	8.29	8.47	222.69	2.96	7.91
		21:00	27.39	49.16	29.06	8.24	6.37	230.36	1.32	9.81
	日平均	27.25	49.17	29.16	8.27	6.95	235.12	1.97	12.06	
	潮口站	0:00	31.21	50.50	27.64	7.94	5.06	193.46	2.56	1.28
		3:00	31.19	50.20	27.46	7.89	5.61	200.41	2.34	1.21
		6:00	29.60	51.00	28.91	8.00	6.71	235.00	1.90	0.40
		9:00	31.34	51.24	28.03	8.21	7.39	206.04	1.86	1.33
		12:00	31.78	50.86	27.54	8.08	8.24	201.75	3.40	2.00
		15:00	31.78	50.57	27.36	7.90	8.44	207.33	21.28	2.48
		18:00	29.28	50.83	28.99	7.90	6.71	206.26	1.73	0.49
		21:00	30.40	50.82	28.31	8.10	7.39	214.85	21.83	1.44
	日平均	30.82	50.75	28.03	8.00	6.94	208.14	7.11	1.33	
	灣內站	0:00	30.44	48.65	26.91	8.29	5.72	219.07	1.35	1.02
		3:00	29.79	48.66	27.28	8.22	5.88	152.22	1.13	2.26
		6:00	29.45	48.63	27.46	8.29	5.76	234.15	1.01	0.51
		9:00	29.68	48.85	27.47	8.30	5.76	232.53	1.03	2.28
		12:00	29.83	49.42	27.75	8.23	6.55	235.98	1.24	2.22
		15:00	28.71	50.26	28.97	8.17	6.93	238.70	1.04	2.43
		18:00	28.07	50.45	29.50	8.15	5.86	240.47	0.96	0.13
		21:00	28.24	49.82	28.97	8.13	6.11	238.87	1.13	2.46
	日平均	29.28	49.34	28.04	8.22	6.07	224.00	1.11	1.66	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月25日	蚵殼站	0:00	27.34	49.11	29.06	8.22	5.60	245.12	0.59	7.77
		3:00	27.16	49.16	29.21	8.20	5.48	196.50	0.32	9.90
		6:00	27.10	49.42	29.42	8.23	5.84	139.22	1.16	13.00
		9:00	27.21	49.53	29.43	8.25	5.09	193.31	4.46	12.32
		12:00	27.56	49.13	28.93	8.25	6.71	215.77	1.04	5.28
		15:00	27.47	49.14	29.00	8.29	5.51	244.69	1.46	8.63
		18:00	27.37	49.31	29.17	8.30	5.98	248.93	2.60	11.08
		21:00	27.31	49.32	29.22	8.26	6.66	257.39	3.09	11.77
	日平均	27.32	49.27	29.18	8.25	5.86	217.62	1.84	9.97	
	潮口站	0:00	30.63	50.65	28.07	8.07	5.14	208.15	5.48	1.63
		3:00	30.33	50.70	28.28	8.03	5.23	227.45	3.71	1.29
		6:00	30.04	50.86	28.55	8.07	6.58	258.17	2.60	1.03
		9:00	29.55	51.32	29.15	8.07	6.89	269.39	3.22	0.70
		12:00	30.90	51.13	28.22	8.19	5.09	270.61	3.56	1.80
		15:00	31.69	50.62	27.44	7.98	7.41	290.70	12.91	3.58
		18:00	30.25	50.66	28.30	7.90	6.87	272.71	12.38	2.48
		21:00	30.22	50.75	28.37	8.01	7.10	307.07	14.99	2.14
	日平均	30.45	50.84	28.30	8.04	6.29	263.03	7.36	1.83	
	灣內站	0:00	28.79	49.67	28.53	8.12	5.59	133.25	1.01	1.55
		3:00	28.58	49.79	28.74	8.12	6.17	101.00	0.94	1.28
		6:00	28.69	49.75	28.65	8.17	6.10	203.92	0.77	2.77
		9:00	29.40	49.46	28.03	8.24	6.16	249.96	1.01	1.26
		12:00	30.02	49.35	27.59	8.27	6.82	235.69	1.19	1.67
		15:00	30.00	49.56	27.74	8.27	6.98	239.55	1.09	1.83
		18:00	29.90	49.60	27.82	8.24	6.40	239.63	0.99	2.33
		21:00	29.35	49.50	28.08	8.23	5.75	253.45	0.85	5.17
	日平均	29.34	49.59	28.15	8.21	6.25	207.06	0.98	2.23	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 26 日	蚵殼站	0:00	27.30	49.29	29.20	8.09	6.80	226.53	1.75	12.13
		3:00	27.26	49.39	29.30	8.09	6.04	135.43	0.65	12.04
		6:00	27.12	49.63	29.55	8.13	6.35	151.11	0.59	14.09
		9:00	27.35	49.53	29.34	8.16	7.78	150.37	1.12	11.00
		12:00	27.61	49.22	28.96	8.26	6.93	156.08	1.36	27.02
		15:00	28.34	49.19	28.49	8.26	6.96	193.25	3.30	35.49
		18:00	28.03	49.29	28.75	8.30	8.47	259.10	3.09	24.15
		21:00	27.89	49.13	28.73	8.27	6.37	256.50	3.06	10.05
		日平均	27.61	49.33	29.04	8.20	6.96	191.05	1.87	18.25
	潮口站	0:00	29.99	50.72	28.49	7.90	5.16	319.72	2.99	2.07
		3:00	30.08	50.57	28.34	7.93	6.36	328.27	3.30	2.25
		6:00	30.06	50.75	28.47	8.15	6.66	330.67	2.95	2.31
		9:00	30.50	51.33	28.58	8.14	5.14	334.80	3.05	2.25
		12:00	30.91	51.20	28.25	8.01	6.91	335.97	3.17	2.66
		15:00	30.85	50.91	28.11	8.05	7.58	245.79	4.50	3.41
		18:00	29.48	50.72	28.80	7.93	7.38	243.42	9.81	1.27
		21:00	29.52	50.74	28.79	7.99	6.70	273.55	10.87	1.35
		日平均	30.17	50.87	28.48	8.01	6.49	301.52	5.08	2.20
	灣內站	0:00	29.21	49.62	28.24	8.15	6.14	272.36	0.86	1.18
		3:00	29.07	49.68	28.37	8.14	5.62	135.71	0.77	5.85
		6:00	28.89	49.86	28.60	8.14	6.12	171.62	0.55	3.39
		9:00	29.06	49.97	28.56	8.16	6.18	222.82	0.63	4.87
		12:00	30.26	49.88	27.79	8.21	6.45	230.07	0.80	0.92
		15:00	30.48	49.88	27.67	8.18	5.70	239.36	0.63	3.83
		18:00	30.32	50.00	27.83	8.17	6.00	196.52	0.47	2.22
		21:00	30.10	50.11	28.03	8.11	6.05	118.44	0.47	4.31
		日平均	29.67	49.88	28.14	8.16	6.03	198.36	0.65	3.32
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 27 日	蚵殼站	0:00	27.73	49.42	29.02	8.25	6.74	247.87	2.44	7.29
		3:00	27.63	49.75	29.31	8.22	8.49	241.67	1.28	5.47
		6:00	27.61	49.64	29.24	8.20	8.14	239.67	1.19	6.00
		9:00	27.71	49.58	29.14	8.24	9.08	245.40	2.58	4.26
		12:00	27.93	49.60	29.02	8.26	6.62	256.10	3.94	5.80
		15:00	28.17	49.74	28.96	8.28	7.06	221.90	3.28	7.44
		18:00	28.20	49.68	28.90	8.28	8.47	225.80	5.15	11.70
		21:00	28.34	49.49	28.69	8.24	7.79	216.33	4.88	5.07
		日平均	27.92	49.61	29.04	8.25	7.80	236.84	3.09	6.63
	潮口站	0:00	29.72	50.51	28.52	8.02	8.44	292.66	3.23	1.28
		3:00	30.18	50.43	28.19	7.96	7.64	294.14	3.84	2.25
		6:00	30.14	50.37	28.18	8.10	6.20	315.97	3.78	3.12
		9:00	30.53	50.78	28.21	8.01	7.53	331.79	3.92	3.12
		12:00	30.78	51.00	28.20	8.01	5.42	329.55	4.24	3.65
		15:00	30.92	50.68	27.92	8.17	5.15	329.63	6.77	4.15
		18:00	30.79	50.58	27.93	7.99	5.11	333.20	8.30	4.30
		21:00	30.54	50.55	28.06	7.94	5.93	336.77	3.92	5.87
		日平均	30.45	50.61	28.15	8.03	6.43	320.46	4.75	3.47
	灣內站	0:00	29.88	50.14	28.18	8.15	5.73	125.59	0.45	0.13
		3:00	29.65	50.04	28.25	8.12	6.03	154.03	0.27	4.04
		6:00	29.45	50.37	28.59	8.19	6.24	162.32	0.21	1.72
		9:00	29.87	50.46	28.40	8.22	6.96	216.03	0.42	0.33
		12:00	30.47	50.24	27.90	8.25	6.42	237.28	0.49	2.10
		15:00	30.67	50.17	27.74	8.39	6.18	240.64	0.55	0.31
		18:00	30.70	50.27	27.79	8.35	5.60	244.00	0.45	2.00
		21:00	30.75	50.37	27.82	8.36	5.88	162.32	0.38	1.82
		日平均	30.18	50.26	28.08	8.25	6.13	192.78	0.40	1.56
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月28日	蚵殼站	0:00	28.86	49.63	28.46	8.16	6.39	201.60	3.05	3.11
		3:00	28.22	49.59	28.83	8.06	7.07	216.15	3.39	4.80
		6:00	28.00	49.52	28.92	8.03	8.63	205.67	2.08	4.23
		9:00	28.85	49.08	28.11	8.13	8.85	216.37	4.13	5.07
		12:00	29.73	49.17	27.65	8.11	6.83	202.00	3.13	3.79
		15:00	29.16	49.28	28.05	8.14	6.22	208.20	18.48	2.12
		18:00	28.24	49.22	28.57	8.19	6.51	219.43	15.30	3.34
		21:00	28.60	49.20	28.34	8.20	8.07	218.75	3.51	3.93
		日平均	28.71	49.34	28.37	8.13	7.32	211.02	6.63	3.80
	潮口站	0:00	30.28	51.36	28.73	7.99	5.24	262.06	4.36	5.93
		3:00	29.95	51.38	28.94	8.10	5.23	221.14	3.86	0.03
		6:00	29.26	50.65	28.89	8.09	5.58	308.24	4.42	1.75
		9:00	29.91	50.97	28.70	8.10	5.89	314.13	6.00	1.21
		12:00	30.54	50.10	27.77	8.12	6.09	270.66	5.39	5.87
		15:00	30.78	49.91	27.51	8.12	6.41	295.84	4.26	2.40
		18:00	31.30	50.84	27.80	8.09	6.87	299.52	2.28	2.28
		21:00	30.71	50.54	27.95	8.01	7.10	294.87	1.74	2.00
		日平均	30.34	50.72	28.29	8.08	6.05	283.31	4.04	2.68
	灣內站	0:00	30.86	50.40	27.78	8.23	6.12	239.67	0.36	3.40
		3:00	30.22	51.62	28.93	8.28	6.51	143.28	0.27	1.69
		6:00	30.00	51.23	28.81	8.31	6.31	159.87	0.11	2.12
		9:00	30.85	52.46	29.09	8.34	7.27	159.09	0.31	0.69
		12:00	31.73	52.08	28.33	8.36	6.89	165.13	0.81	3.30
		15:00	31.16	52.17	28.72	8.36	6.49	204.46	1.08	0.11
		18:00	30.24	49.99	27.88	8.32	5.97	274.13	0.31	0.73
		21:00	30.60	49.87	27.59	8.28	6.56	271.38	0.27	3.58
		日平均	30.71	51.23	28.39	8.31	6.52	202.13	0.44	1.95
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~6月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6月29日	蚵殼站	0:00	29.12	49.30	28.09	8.20	6.27	202.63	4.36	4.39
		3:00	28.92	49.50	28.34	8.17	8.94	208.00	3.86	4.21
		6:00	28.95	49.50	28.32	8.18	7.93	206.00	4.42	5.02
		9:00	29.24	49.19	27.95	8.24	5.86	177.00	6.00	4.51
		12:00	29.29	49.09	27.85	8.29	6.81	178.00	5.39	4.40
		15:00	28.88	49.26	28.21	8.13	6.81	190.57	4.26	4.20
		18:00	28.06	49.40	28.80	8.11	6.43	194.75	2.28	3.88
		21:00	27.92	49.67	29.07	8.14	7.85	191.47	5.00	3.62
		日平均	28.80	49.36	28.33	8.18	7.11	193.55	4.45	4.28
	潮口站	0:00	31.32	51.32	28.09	8.11	6.16	286.00	7.71	3.98
		3:00	30.67	51.68	28.70	8.11	6.36	251.24	5.36	0.16
		6:00	29.39	50.60	28.78	8.10	5.66	318.53	7.09	5.41
		9:00	30.03	50.37	28.24	8.10	5.14	250.37	6.92	0.92
		12:00	30.34	51.08	28.51	8.17	6.91	295.61	3.73	5.11
		15:00	30.67	50.63	28.03	8.18	6.58	309.83	5.53	3.95
		18:00	31.11	50.94	27.97	8.16	7.38	318.52	6.25	1.31
		21:00	30.31	50.60	28.22	8.15	7.70	309.97	6.91	2.30
		日平均	30.48	50.90	28.32	8.14	6.49	292.51	6.19	2.89
	灣內站	0:00	31.12	49.95	27.34	8.15	5.94	262.25	1.69	4.82
		3:00	30.92	50.18	27.60	8.14	6.08	255.69	1.34	1.44
		6:00	30.95	50.30	27.66	8.13	6.43	253.57	1.11	0.67
		9:00	31.24	50.58	27.67	8.19	6.55	259.63	1.16	2.50
		12:00	31.29	50.79	27.78	8.25	6.19	270.95	1.27	0.25
		15:00	30.88	50.32	27.71	8.23	6.17	277.09	1.32	2.38
		18:00	30.06	50.54	28.33	8.20	6.10	281.22	1.90	4.04
		21:00	29.92	50.42	28.34	8.12	5.78	281.78	1.50	2.87
		日平均	30.80	50.39	27.80	8.18	6.16	267.77	1.41	2.37
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 30 日	蚵殼站	0:00	29.13	49.89	28.47	8.23	5.85	168.38	3.05	7.77
		3:00	28.19	49.77	28.97	8.18	7.43	177.63	3.39	9.90
		6:00	28.11	49.85	29.07	8.13	7.73	146.74	2.08	13.00
		9:00	28.80	49.62	28.49	8.12	8.54	149.04	4.13	12.32
		12:00	29.68	49.28	27.75	8.08	8.36	155.82	3.13	5.28
		15:00	28.89	49.47	28.34	8.13	6.75	149.35	18.48	8.63
		18:00	28.38	49.51	28.68	8.15	8.21	176.75	15.30	11.08
		21:00	28.78	49.52	28.44	8.19	8.07	143.19	3.51	11.77
		日平均	28.75	49.61	28.53	8.15	7.62	158.36	6.63	9.97
	潮口站	0:00	29.61	52.00	29.55	8.14	7.44	309.92	3.78	0.85
		3:00	30.60	51.43	28.58	8.11	7.64	294.78	4.80	2.88
		6:00	30.45	50.96	28.37	8.11	6.20	226.37	7.78	0.95
		9:00	30.36	50.86	28.36	8.13	5.53	262.32	9.02	0.46
		12:00	30.59	49.74	27.51	8.15	5.42	240.03	4.23	3.18
		15:00	31.12	49.47	27.04	8.16	5.15	242.91	3.92	1.50
		18:00	30.86	51.10	28.22	8.15	5.11	229.27	2.98	0.36
		21:00	30.36	50.86	28.36	8.12	5.93	256.34	3.15	1.17
		日平均	30.49	50.80	28.25	8.13	6.05	257.74	4.96	1.42
	灣內站	0:00	31.13	50.81	27.88	8.16	5.84	266.19	1.58	3.45
		3:00	30.19	50.96	28.53	8.20	5.54	271.01	1.42	7.22
		6:00	30.11	51.00	28.60	8.24	6.22	281.08	1.19	0.08
		9:00	30.80	50.88	28.12	8.28	6.54	292.40	1.18	0.07
		12:00	31.68	50.86	27.60	8.36	6.52	298.36	1.29	6.06
		15:00	30.89	50.83	28.03	8.37	6.79	304.92	1.15	3.61
		18:00	30.38	50.86	28.35	8.26	6.34	306.22	1.27	8.00
		21:00	30.78	50.74	28.04	8.13	6.38	294.92	1.34	2.18
		日平均	30.75	50.87	28.14	8.25	6.27	289.39	1.30	3.83
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月1日	蚵殼站	0:00	28.06	50.37	31.15	8.09	5.56	130.15	16.49	15.80
		3:00	27.92	49.81	30.61	8.00	6.53	117.63	22.20	15.29
		6:00	27.81	49.87	30.67	8.10	6.47	117.90	25.74	14.03
		9:00	27.90	49.72	30.53	8.17	7.07	134.18	19.80	15.83
		12:00	28.11	50.27	31.05	8.17	8.16	137.22	8.40	17.27
		15:00	28.42	50.29	31.07	8.25	6.27	138.37	12.05	16.46
		18:00	28.40	50.14	30.93	8.26	6.60	135.12	8.79	15.69
		21:00	28.38	51.42	32.15	8.04	6.72	139.07	12.85	14.62
		日平均	28.13	50.24	31.02	8.14	6.67	131.21	15.79	15.62
	潮口站	0:00	28.53	49.36	30.18	8.08	6.52	330.28	9.04	5.26
		3:00	28.92	49.38	30.20	8.10	6.94	320.00	9.00	3.73
		6:00	28.01	48.65	29.50	8.10	7.32	322.15	3.36	4.05
		9:00	30.10	48.97	29.81	8.12	7.15	331.33	7.77	3.80
		12:00	30.12	48.10	28.98	8.12	6.98	324.25	12.06	3.28
		15:00	29.72	47.91	28.80	8.14	7.62	324.62	14.20	10.81
		18:00	30.34	48.84	29.69	8.15	7.58	320.62	13.46	5.39
		21:00	29.83	48.54	29.40	8.07	6.68	320.85	7.79	5.61
		日平均	29.45	48.72	29.57	8.11	7.10	324.26	9.59	5.24
	灣內站	0:00	29.30	50.32	31.09	8.16	6.79	122.08	4.45	3.80
		3:00	28.98	49.76	30.56	8.18	6.50	111.53	10.60	7.18
		6:00	28.96	49.80	30.60	8.20	6.72	116.42	10.03	0.37
		9:00	29.42	49.67	30.47	8.21	7.21	123.19	6.16	1.47
		12:00	30.32	50.19	30.97	8.22	7.18	129.05	13.10	7.96
		15:00	30.97	50.26	31.04	8.17	7.40	133.32	11.01	1.46
		18:00	30.32	50.10	30.89	8.15	5.85	129.74	12.80	2.41
		21:00	30.24	51.34	32.07	8.14	6.81	134.04	17.80	5.80
		日平均	29.81	50.18	30.96	8.18	6.81	124.92	10.74	3.81
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月2日	蚵殼站	0:00	27.53	50.68	31.44	7.97	6.09	114.79	1.98	14.69
		3:00	27.36	51.09	31.83	7.99	5.70	160.62	21.56	13.99
		6:00	27.25	49.97	30.76	8.02	5.39	126.64	18.33	12.45
		9:00	27.51	49.79	30.59	8.11	7.13	145.06	15.24	13.05
		12:00	27.89	50.45	31.22	8.21	7.34	149.33	26.73	14.27
		15:00	28.26	50.03	30.82	8.24	7.79	153.78	27.07	13.02
		18:00	28.22	50.33	31.11	8.23	8.71	162.93	23.91	11.89
		21:00	28.13	50.01	30.80	8.16	8.04	155.67	19.80	11.93
		日平均	27.77	50.29	31.07	8.12	7.02	146.10	19.33	13.16
	潮口站	0:00	29.80	49.32	30.14	8.06	6.86	330.28	11.08	5.26
		3:00	29.46	49.68	30.49	8.08	6.73	320.00	12.02	3.73
		6:00	29.61	48.60	29.46	8.09	6.84	322.15	6.89	4.05
		9:00	29.94	48.37	29.24	8.14	6.88	331.33	4.44	3.80
		12:00	28.61	49.08	29.92	8.14	6.52	324.25	10.87	3.28
		15:00	30.16	48.63	29.49	8.17	7.13	324.62	16.57	10.81
		18:00	31.55	48.94	29.78	8.21	7.26	320.62	11.65	5.39
		21:00	30.69	48.60	29.46	8.10	6.76	320.85	9.17	5.61
		日平均	29.98	48.90	29.75	8.12	6.87	324.26	10.34	5.24
	灣內站	0:00	29.30	50.65	31.41	8.15	6.35	106.59	18.16	1.76
		3:00	28.98	50.99	31.74	8.17	5.69	155.60	4.41	2.48
		6:00	28.96	49.96	30.75	8.16	5.80	117.13	6.05	2.33
		9:00	29.42	49.69	30.50	8.17	5.96	141.34	6.67	3.35
		12:00	30.32	50.40	31.18	8.16	6.36	139.60	7.46	0.04
		15:00	30.97	49.99	30.79	8.15	6.20	143.01	7.36	0.00
		18:00	30.32	50.29	31.07	8.14	6.23	161.69	13.23	0.78
		21:00	30.24	49.93	30.72	8.13	5.82	145.05	19.35	0.39
		日平均	29.81	50.24	31.02	8.15	6.05	138.75	10.34	1.39
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月3日	蚵殼站	0:00	28.06	49.87	30.67	7.98	7.66	174.93	20.39	11.79
		3:00	27.92	49.32	30.14	8.01	5.97	99.04	23.39	10.63
		6:00	27.81	49.37	30.19	8.06	5.30	167.97	19.60	10.24
		9:00	27.90	49.22	30.05	8.11	7.70	189.45	17.37	11.54
		12:00	28.11	49.78	30.58	8.25	6.89	179.01	3.52	12.07
		15:00	28.42	49.79	30.59	8.10	6.94	185.26	5.08	12.46
		18:00	28.40	49.64	30.45	8.14	8.44	186.44	10.14	11.71
		21:00	28.38	50.42	31.19	8.07	6.29	202.25	20.04	11.31
	日平均	28.13	49.68	30.48	8.09	6.90	173.04	14.94	11.47	
	潮口站	0:00	30.32	50.00	30.79	8.11	6.47	324.65	7.50	5.38
		3:00	29.55	49.43	30.25	8.11	6.54	320.87	5.25	3.77
		6:00	30.08	48.96	29.80	8.09	6.82	320.85	5.75	3.89
		9:00	31.23	48.86	29.70	8.10	7.51	328.95	28.23	4.71
		12:00	28.60	52.89	33.55	8.20	6.44	319.22	7.06	3.27
		15:00	29.50	49.89	30.69	8.22	6.77	313.15	13.27	3.79
		18:00	30.40	49.79	30.59	8.19	6.51	311.78	11.58	4.32
		21:00	29.83	52.50	33.18	8.17	5.94	303.09	9.06	5.20
	日平均	29.94	50.29	31.07	8.15	6.63	317.82	10.96	4.29	
	灣內站	0:00	29.92	49.77	30.58	8.11	5.99	173.26	27.87	1.21
		3:00	29.75	49.29	30.11	8.14	5.89	92.08	76.11	0.56
		6:00	29.77	49.32	30.14	8.17	6.10	157.03	10.04	2.53
		9:00	30.11	49.17	30.00	8.20	7.10	183.66	13.89	0.02
		12:00	31.08	49.70	30.50	8.23	7.25	170.94	13.30	0.09
		15:00	31.32	49.71	30.51	8.22	7.32	182.91	5.05	0.23
		18:00	31.53	49.55	30.36	8.15	6.41	176.16	5.20	0.81
		21:00	31.36	50.40	31.18	8.11	6.31	201.24	3.58	2.15
	日平均	30.61	49.61	30.42	8.17	6.55	167.16	19.38	0.95	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月4日	蚵殼站	0:00	28.01	51.36	32.09	7.97	5.89	192.80	5.26	11.20
		3:00	28.02	48.80	29.65	7.99	5.07	171.04	2.30	10.58
		6:00	27.70	51.72	32.44	7.98	5.74	190.23	5.70	9.60
		9:00	27.75	51.01	31.76	8.10	6.06	187.72	1.26	10.88
		12:00	28.12	51.31	32.04	8.03	6.01	198.19	10.10	14.27
		15:00	28.54	50.85	31.60	8.17	6.05	202.25	3.27	14.40
		18:00	28.66	49.82	30.62	8.13	6.38	208.85	9.20	10.85
		21:00	28.57	51.13	31.87	7.98	6.06	219.75	3.07	10.63
	日平均	28.17	50.75	31.51	8.04	5.91	196.35	5.02	11.55	
	潮口站	0:00	29.83	52.45	33.13	8.15	5.89	306.39	18.35	5.47
		3:00	29.60	49.89	30.69	8.14	6.15	302.51	12.80	3.73
		6:00	30.50	52.81	33.48	8.09	5.92	299.63	13.75	3.97
		9:00	31.18	52.15	32.85	8.21	6.54	311.01	10.61	4.58
		12:00	29.86	52.38	33.07	8.21	6.14	319.65	6.98	3.54
		15:00	30.44	51.98	32.68	8.18	6.19	310.95	4.91	3.94
		18:00	30.03	50.94	31.69	8.21	5.61	305.16	4.67	3.63
		21:00	28.95	52.27	32.96	8.19	5.87	296.38	8.16	4.51
	日平均	30.05	51.86	32.57	8.17	6.04	306.46	10.03	4.17	
	灣內站	0:00	30.67	51.29	32.02	8.12	6.12	185.66	10.62	1.40
		3:00	30.40	48.79	29.64	8.12	5.58	163.11	10.68	2.39
		6:00	30.29	51.71	32.43	8.13	6.07	185.44	7.60	1.07
		9:00	30.59	50.91	31.66	8.13	6.15	184.05	4.79	2.43
		12:00	31.02	51.25	31.99	8.19	6.41	195.94	10.70	2.46
		15:00	31.34	50.79	31.55	8.17	5.66	200.25	9.16	1.28
		18:00	31.09	49.73	30.53	8.16	5.94	200.16	4.81	2.32
		21:00	30.85	51.05	31.80	8.15	6.00	217.76	2.26	2.31
	日平均	30.78	50.69	31.45	8.15	5.99	191.55	7.58	1.96	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月5日	蚵殼站	0:00	28.61	51.00	31.75	8.00	7.20	222.65	3.50	14.68
		3:00	28.42	51.81	32.52	8.00	6.50	218.36	11.59	11.66
		6:00	28.05	48.79	29.64	8.02	7.02	213.20	17.77	9.72
		9:00	28.08	51.36	32.09	8.10	8.17	205.82	17.73	10.13
		12:00	28.62	51.13	31.87	8.07	6.28	141.94	2.95	10.96
		15:00	29.03	51.02	31.77	8.18	8.80	161.25	14.83	11.47
		18:00	28.89	49.76	30.56	8.03	6.75	151.50	16.90	16.69
		21:00	28.66	51.36	32.09	8.05	6.18	152.72	9.41	12.98
	日平均	28.55	50.78	31.54	8.06	7.11	183.43	11.84	12.29	
	潮口站	0:00	28.53	52.10	32.80	8.11	5.52	290.90	14.59	2.64
		3:00	28.92	52.90	33.56	8.15	5.83	296.95	14.18	2.85
		6:00	28.01	49.89	30.69	8.18	5.73	308.58	20.16	3.01
		9:00	30.10	52.50	33.18	8.11	6.27	307.15	24.07	3.43
		12:00	30.12	52.26	32.95	8.11	6.18	313.46	16.89	3.51
		15:00	29.72	52.12	32.82	8.11	6.14	303.46	28.85	3.37
		18:00	30.08	50.83	31.59	8.14	5.76	298.10	20.07	3.16
		21:00	29.19	52.50	33.18	8.16	5.70	289.62	29.20	3.68
	日平均	29.33	51.89	32.60	8.13	5.89	301.03	21.00	3.21	
	灣內站	0:00	30.54	50.92	31.67	8.14	5.70	212.75	3.17	0.99
		3:00	30.22	51.70	32.42	8.25	6.01	213.78	8.69	1.51
		6:00	30.10	48.70	29.55	8.26	6.22	205.74	4.28	2.50
		9:00	30.23	51.30	32.03	8.26	6.91	204.38	3.96	0.36
		12:00	30.64	51.09	31.83	8.24	6.40	121.48	4.01	0.24
		15:00	30.88	51.00	31.74	8.19	6.15	155.88	4.09	3.63
		18:00	30.61	49.69	30.49	8.15	5.55	140.79	3.72	2.34
		21:00	30.50	51.34	32.07	8.15	5.85	148.47	4.41	2.72
	日平均	30.47	50.72	31.48	8.21	6.10	175.41	4.54	1.79	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月6日	蚵殼站	0:00	28.57	51.03	31.78	8.09	6.78	182.09	2.25	12.05
		3:00	28.41	51.57	32.29	8.20	5.99	170.54	2.26	12.47
		6:00	28.18	48.75	29.60	8.11	5.40	103.67	3.22	11.77
		9:00	27.52	51.35	32.08	8.20	5.39	129.88	2.16	11.33
		12:00	28.01	51.49	32.22	8.24	7.64	165.05	2.21	9.75
		15:00	28.72	50.90	31.65	8.26	7.65	180.20	2.17	13.54
		18:00	28.69	50.46	31.23	8.20	7.05	157.75	2.19	9.78
		21:00	28.52	49.86	30.66	8.17	5.73	144.42	3.18	12.66
	日平均	28.33	50.68	31.44	8.18	6.45	154.20	2.46	11.67	
	潮口站	0:00	29.19	52.11	32.81	8.08	5.48	286.90	18.61	2.32
		3:00	28.97	52.70	33.37	8.09	5.84	293.34	24.31	2.05
		6:00	27.25	49.89	30.69	8.13	5.75	313.33	27.83	2.29
		9:00	30.10	52.47	33.15	8.15	6.08	296.87	21.88	3.63
		12:00	30.32	52.62	33.30	8.12	6.42	306.95	10.45	3.45
		15:00	29.10	52.04	32.74	8.06	6.26	298.76	14.10	4.32
		18:00	29.12	51.56	32.28	8.08	5.83	289.91	10.85	3.98
		21:00	28.55	50.98	31.73	8.11	5.86	289.63	14.95	3.00
	日平均	29.08	51.80	32.51	8.10	5.94	296.96	17.87	3.13	
	灣內站	0:00	30.71	51.00	31.75	8.11	6.08	174.62	5.27	7.43
		3:00	30.52	51.47	32.19	8.13	6.46	167.37	4.71	1.71
		6:00	30.26	48.68	29.53	8.14	6.26	93.86	5.83	0.99
		9:00	30.29	51.32	32.05	8.21	7.22	111.66	6.50	0.03
		12:00	30.47	51.48	32.21	8.28	6.86	160.69	12.88	5.39
		15:00	30.71	50.89	31.64	8.22	6.43	177.52	17.74	2.68
		18:00	30.54	50.37	31.15	8.14	5.91	155.02	21.24	0.07
		21:00	30.16	49.77	30.58	8.15	6.54	135.36	25.86	3.95
	日平均	30.46	50.62	31.39	8.17	6.47	147.01	12.50	2.78	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月7日	蚵殼站	0:00	28.38	50.66	31.42	8.09	5.50	110.27	4.39	9.75
		3:00	28.27	50.93	31.68	8.07	5.24	189.57	3.92	6.77
		6:00	28.20	50.42	31.19	8.08	5.66	121.40	4.49	11.49
		9:00	27.87	49.88	30.68	8.17	5.90	148.16	6.06	12.68
		12:00	27.71	51.57	32.29	8.17	6.62	187.02	5.45	12.55
		15:00	28.69	50.82	31.58	8.20	7.55	200.82	4.28	9.73
		18:00	28.70	50.68	31.44	8.16	7.67	193.18	2.31	4.72
		21:00	28.34	50.42	31.19	8.13	7.33	128.67	5.64	4.56
	日平均	28.27	50.67	31.43	8.13	6.43	159.89	4.57	9.03	
	潮口站	0:00	28.38	51.75	32.46	8.06	5.92	285.41	4.04	2.05
		3:00	28.49	52.08	32.78	8.07	5.67	289.08	23.68	1.35
		6:00	27.34	51.56	32.28	8.06	5.75	294.03	20.39	1.72
		9:00	27.90	50.98	31.73	8.13	6.52	293.30	17.30	2.80
		12:00	29.97	52.70	33.37	8.11	6.65	300.21	28.78	2.96
		15:00	29.22	51.95	32.66	8.10	6.26	295.05	29.15	4.32
		18:00	28.95	51.78	32.49	8.11	5.81	281.45	25.99	3.82
		21:00	28.46	51.52	32.25	8.11	5.99	288.37	21.89	2.43
	日平均	28.59	51.79	32.50	8.09	6.07	290.86	21.40	2.68	
	灣內站	0:00	30.22	50.62	31.39	8.15	5.92	101.65	18.45	0.46
		3:00	30.10	50.87	31.62	8.19	6.02	178.98	19.82	2.48
		6:00	30.02	50.41	31.18	8.25	6.42	118.96	25.51	1.11
		9:00	30.20	49.81	30.61	8.35	6.52	144.35	23.10	0.60
		12:00	30.34	51.48	32.21	8.32	6.15	185.93	10.48	0.65
		15:00	30.40	50.76	31.52	8.26	6.15	190.50	9.06	0.39
		18:00	30.54	50.58	31.34	8.13	6.07	189.63	11.24	2.45
		21:00	30.53	50.40	31.18	8.20	5.74	121.70	17.84	2.02
	日平均	30.29	50.62	31.38	8.23	6.12	153.96	16.94	1.27	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月8日	蚵殼站	0:00	28.24	50.91	31.66	8.09	6.73	115.35	7.74	6.54
		3:00	28.19	50.79	31.55	8.10	5.94	106.17	5.41	6.64
		6:00	28.06	51.44	32.17	8.07	5.32	120.68	7.15	12.51
		9:00	27.80	49.79	30.59	8.09	5.39	156.31	6.99	9.73
		12:00	28.25	51.56	32.28	8.20	6.96	186.68	3.79	16.92
		15:00	28.83	50.79	31.55	8.30	7.25	198.14	5.61	14.18
		18:00	28.74	50.42	31.19	8.25	7.69	165.34	6.26	5.80
		21:00	28.47	51.00	31.75	8.24	7.73	171.28	6.93	4.85
	日平均	28.32	50.84	31.59	8.17	6.63	152.49	6.24	9.65	
	潮口站	0:00	29.41	52.03	32.73	8.14	6.00	280.60	22.46	2.58
		3:00	27.74	51.89	32.60	8.10	5.44	281.33	25.48	0.67
		6:00	27.80	52.56	33.24	8.13	5.50	294.55	21.69	1.74
		9:00	26.40	50.94	31.69	8.19	6.37	293.40	19.48	2.06
		12:00	29.43	52.66	33.33	8.22	7.03	294.43	5.61	2.43
		15:00	29.68	51.87	32.58	8.20	6.22	289.80	7.13	3.65
		18:00	28.54	51.50	32.23	8.21	5.81	280.24	12.20	2.49
		21:00	28.40	52.10	32.80	8.20	5.20	293.17	22.10	2.00
	日平均	28.43	51.94	32.65	8.17	5.95	288.44	17.02	2.20	
	灣內站	0:00	30.68	50.82	31.58	8.28	5.82	113.59	17.64	2.28
		3:00	30.30	50.74	31.50	8.26	5.50	100.38	21.33	2.02
		6:00	30.00	51.42	32.15	8.27	6.20	118.46	27.80	1.22
		9:00	30.09	49.75	30.56	8.21	6.49	154.34	33.29	0.08
		12:00	30.28	51.51	32.23	8.30	6.48	180.52	39.20	0.20
		15:00	30.46	50.72	31.48	8.31	6.78	192.77	51.92	0.17
		18:00	30.39	50.37	31.14	8.17	6.30	156.32	26.73	0.57
		21:00	30.46	50.93	31.68	8.17	6.33	163.34	21.99	1.66
	日平均	30.33	50.78	31.54	8.25	6.24	147.47	29.99	1.03	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月9日	蚵殼站	0:00	28.26	51.34	32.07	8.21	7.70	184.00	3.84	12.71
		3:00	28.20	50.67	31.43	8.13	7.68	150.26	4.86	12.50
		6:00	28.22	51.00	31.75	8.02	7.50	190.94	7.79	9.75
		9:00	28.01	49.85	30.65	8.09	7.58	126.05	9.07	4.75
		12:00	27.81	51.21	31.95	8.19	7.41	171.91	4.24	12.52
		15:00	28.49	50.90	31.65	8.22	6.52	202.90	4.00	9.74
		18:00	28.61	50.68	31.44	8.22	6.42	192.94	3.00	19.87
		21:00	28.48	49.59	30.40	8.19	6.10	180.36	3.23	6.75
		日平均	28.26	50.66	31.42	8.16	7.11	174.92	5.00	11.07
	潮口站	0:00	28.95	52.43	33.11	8.17	5.49	283.90	7.32	2.18
		3:00	30.02	51.76	32.47	8.17	5.08	282.08	4.38	2.47
		6:00	29.42	52.09	32.79	8.16	5.27	288.16	7.80	2.39
		9:00	27.79	50.94	31.69	8.17	6.11	293.37	3.37	2.10
		12:00	30.36	52.32	33.01	8.15	7.13	290.38	12.16	2.95
		15:00	30.25	52.02	32.72	8.13	6.19	288.33	5.38	2.82
		18:00	28.13	51.78	32.49	8.11	5.89	281.60	11.27	1.93
		21:00	28.60	50.70	31.46	8.13	5.58	292.16	5.18	1.88
		日平均	29.19	51.76	32.47	8.15	5.84	287.50	7.11	2.34
	灣內站	0:00	30.39	51.27	32.01	8.35	5.84	171.70	67.56	0.73
		3:00	30.43	50.61	31.38	8.34	5.60	144.69	71.54	1.44
		6:00	30.29	50.92	31.67	8.33	6.27	182.06	31.46	0.98
		9:00	30.46	49.84	30.63	8.32	6.32	118.54	38.13	1.82
		12:00	31.05	51.10	31.84	8.31	6.74	163.38	29.04	1.86
		15:00	31.10	50.85	31.60	8.32	6.36	192.32	16.15	1.52
		18:00	30.93	50.57	31.34	8.23	5.88	185.62	1.41	2.51
		21:00	30.65	49.50	30.32	8.12	6.17	173.65	1.52	1.07
		日平均	30.66	50.58	31.35	8.29	6.15	166.50	32.10	1.49
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月10日	蚵殼站	0:00	28.43	50.58	31.35	8.16	7.64	169.71	4.78	8.93
		3:00	28.48	50.16	30.95	8.17	5.99	136.28	3.60	5.08
		6:00	28.46	50.25	31.03	8.03	5.33	115.63	3.93	4.31
		9:00	28.35	51.23	31.97	7.97	7.75	169.23	3.96	5.38
		12:00	27.99	51.52	32.24	8.16	6.92	167.97	8.19	9.41
		15:00	28.54	50.25	31.03	8.18	6.90	184.03	6.65	9.40
		18:00	29.00	49.60	30.41	8.20	8.45	183.43	1.89	4.93
		21:00	28.97	50.05	30.84	8.18	7.31	170.50	2.79	5.99
		日平均	28.53	50.46	31.23	8.13	7.04	162.10	4.47	6.68
	潮口站	0:00	28.68	51.73	32.45	8.21	7.01	291.85	5.59	2.05
		3:00	29.93	51.27	32.01	8.14	6.34	291.12	13.67	2.63
		6:00	30.08	51.35	32.08	8.16	5.37	281.19	19.83	2.64
		9:00	29.36	52.31	33.00	8.17	6.66	287.54	19.82	2.57
		12:00	29.99	52.63	33.31	8.17	7.62	284.08	5.04	2.95
		15:00	31.69	51.40	32.13	8.16	6.86	284.10	16.92	4.13
		18:00	30.27	50.73	31.49	8.15	6.03	274.69	18.96	3.04
		21:00	29.69	51.16	31.90	8.13	5.57	275.90	11.47	2.91
		日平均	29.96	51.57	32.30	8.16	6.43	283.81	13.91	2.87
	灣內站	0:00	30.86	50.49	31.26	8.15	6.04	166.70	1.65	2.24
		3:00	30.69	50.06	30.85	8.14	5.87	125.79	1.00	2.51
		6:00	30.50	50.22	31.00	8.17	6.26	109.47	1.33	2.13
		9:00	30.76	51.22	31.95	8.17	6.79	164.01	1.42	1.88
		12:00	31.53	51.44	32.16	8.26	6.97	160.50	0.95	2.23
		15:00	31.87	50.15	30.93	8.27	6.30	177.70	0.75	2.52
		18:00	32.11	49.55	30.36	8.19	5.95	178.27	0.15	2.43
		21:00	31.93	50.03	30.82	8.15	5.98	149.52	0.93	2.24
		日平均	31.28	50.40	31.17	8.19	6.27	154.00	1.02	2.27
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月11日	蚵殼站	0:00	28.71	51.46	32.19	8.21	6.68	175.29	4.41	7.98
		3:00	28.67	50.29	31.07	8.16	8.43	99.36	2.99	6.41
		6:00	28.61	49.81	30.61	8.09	8.07	138.28	3.51	4.01
		9:00	28.68	49.98	30.77	8.10	9.07	175.87	4.31	4.38
		12:00	28.75	51.16	31.90	8.14	6.59	185.92	8.06	8.55
		15:00	29.12	50.14	30.93	8.17	7.03	208.00	5.06	8.00
		18:00	28.98	49.54	30.35	8.20	8.43	212.11	3.03	6.39
		21:00	28.75	50.27	31.05	8.10	5.72	185.60	13.35	5.36
	日平均	28.78	50.33	31.11	8.15	7.50	172.55	5.59	6.39	
	潮口站	0:00	28.77	52.55	33.23	8.15	6.74	285.34	7.64	2.76
		3:00	30.69	51.43	32.16	8.02	6.63	281.15	8.51	3.51
		6:00	30.98	50.96	31.71	7.96	5.51	283.06	7.38	3.64
		9:00	31.22	51.08	31.83	8.10	5.78	275.15	8.77	3.80
		12:00	30.21	52.30	32.99	8.17	7.95	283.54	9.05	3.55
		15:00	31.78	51.24	31.98	8.17	6.82	283.56	19.93	4.39
		18:00	27.89	50.67	31.43	8.02	5.87	222.29	27.41	4.30
		21:00	29.35	51.38	32.11	8.12	5.28	291.10	11.31	2.87
	日平均	30.11	51.45	32.18	8.09	6.32	275.65	12.50	3.60	
	灣內站	0:00	31.63	51.44	32.16	8.16	5.76	165.13	1.13	2.33
		3:00	31.10	50.18	30.96	8.15	6.33	90.31	0.72	0.27
		6:00	30.94	49.70	30.50	8.14	6.40	127.74	0.49	1.70
		9:00	31.36	49.87	30.67	8.22	5.81	170.28	0.44	0.21
		12:00	31.77	51.13	31.87	8.28	6.39	181.31	0.30	0.34
		15:00	31.84	50.08	30.87	8.30	6.61	205.63	0.20	1.29
18:00		29.81	49.49	30.31	8.24	6.29	203.97	0.41	1.21	
21:00		31.14	50.21	30.99	8.12	6.03	180.00	0.54	0.38	
日平均	31.20	50.26	31.04	8.20	6.20	165.55	0.53	0.97		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月12日	蚵殼站	0:00	v	49.79	30.59	8.13	6.33	174.04	2.97	6.03
		3:00	28.30	51.00	31.75	8.09	7.05	166.92	2.32	4.23
		6:00	28.38	50.01	30.80	8.01	8.57	162.78	3.44	3.58
		9:00	28.28	49.59	30.40	8.04	8.83	138.52	3.02	3.61
		12:00	29.21	50.45	31.22	8.09	6.75	154.84	8.43	5.06
		15:00	29.80	48.78	29.63	8.15	6.18	163.01	7.12	4.63
		18:00	29.52	48.31	29.18	8.17	6.47	168.37	3.93	5.07
		21:00	29.42	49.01	29.85	8.13	8.04	163.69	3.86	4.59
	日平均	28.94	49.62	30.43	8.10	7.28	161.52	4.39	4.60	
	潮口站	0:00	28.18	50.94	31.69	8.18	5.58	305.66	7.18	2.81
		3:00	30.06	52.10	32.80	8.03	5.43	279.16	14.89	3.72
		6:00	30.97	51.08	31.83	7.99	5.13	276.15	24.79	4.05
		9:00	31.08	50.70	31.46	8.08	5.68	273.68	5.10	3.63
		12:00	31.34	51.57	32.29	8.18	7.04	282.40	7.40	4.20
		15:00	31.23	48.87	29.71	8.14	7.74	208.73	11.05	3.51
		18:00	30.69	48.37	29.24	8.06	7.62	208.87	21.80	3.64
		21:00	30.56	49.08	29.92	8.06	6.99	218.90	8.51	3.80
	日平均	30.51	50.34	31.12	8.09	6.40	256.69	12.59	3.67	
	灣內站	0:00	30.73	49.69	30.49	8.10	5.74	170.66	0.91	1.57
		3:00	30.40	50.97	31.72	8.11	5.55	163.48	0.47	1.96
		6:00	30.37	49.92	30.72	8.12	5.98	160.78	0.60	2.17
		9:00	31.22	49.55	30.36	8.19	6.10	129.98	0.62	2.34
		12:00	31.11	50.40	31.17	8.25	5.90	151.24	1.06	1.91
		15:00	32.25	48.67	29.53	8.26	6.16	150.24	0.15	1.19
18:00		32.14	48.21	29.09	8.19	5.86	164.67	0.14	1.46	
21:00		31.74	48.97	29.80	8.14	5.84	161.23	0.41	0.91	
日平均	31.25	49.55	30.36	8.17	5.89	156.54	0.55	1.69		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月13日	蚵殼站	0:00	29.32	48.45	29.31	8.10	6.23	137.72	4.65	4.45
		3:00	29.13	48.36	29.23	8.06	8.86	146.04	2.62	4.85
		6:00	29.21	48.28	29.15	8.01	7.92	144.55	3.75	3.47
		9:00	29.43	48.70	29.55	8.02	5.79	178.05	4.19	3.59
		12:00	29.53	48.91	29.75	8.01	6.80	180.01	8.38	6.21
		15:00	29.58	48.64	29.49	8.18	6.74	198.27	3.26	6.37
		18:00	29.55	48.51	29.37	8.13	6.38	217.06	2.29	6.38
		21:00	29.50	48.45	29.31	8.05	7.82	213.27	1.51	5.37
	日平均	29.41	48.54	29.40	8.07	7.07	176.87	3.83	5.09	
	潮口站	0:00	28.20	48.51	29.37	8.20	6.82	228.24	8.52	6.58
		3:00	29.21	48.43	29.29	8.03	7.24	227.18	7.33	4.66
		6:00	30.99	48.37	29.24	8.03	7.62	233.42	22.39	5.37
		9:00	30.63	48.78	29.63	8.08	7.45	224.96	16.97	8.90
		12:00	30.09	49.00	29.84	8.23	7.28	230.94	19.53	8.56
		15:00	30.55	48.68	29.53	8.18	7.62	236.34	11.22	3.73
		18:00	30.50	48.58	29.44	8.05	7.88	231.18	15.70	6.76
		21:00	30.29	48.55	29.41	8.09	6.98	237.34	7.77	9.50
	日平均	30.06	48.61	29.47	8.11	7.36	231.20	13.68	6.76	
	灣內站	0:00	31.35	48.34	29.20	8.17	6.24	135.34	1.20	4.82
		3:00	30.93	48.31	29.18	8.16	5.96	138.64	0.80	1.09
		6:00	30.84	48.25	29.12	8.15	5.72	140.02	0.46	0.95
		9:00	31.52	48.63	29.49	8.32	6.57	175.92	0.91	11.18
		12:00	32.08	48.85	29.70	8.37	6.40	163.35	0.61	9.22
		15:00	31.96	48.59	29.44	8.36	5.65	193.68	0.26	6.02
18:00		31.78	48.41	29.28	8.27	5.84	209.96	0.89	5.68	
21:00		31.58	48.40	29.26	8.19	6.01	211.13	0.27	8.86	
日平均	31.51	48.47	29.33	8.25	6.05	171.01	0.68	5.98		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月14日	蚵殼站	0:00	29.48	49.31	30.13	8.03	6.78	204.17	1.84	6.00
		3:00	29.27	49.30	30.12	8.07	7.38	197.62	1.07	6.83
		6:00	29.12	48.58	29.44	8.04	7.68	201.77	1.47	5.37
		9:00	29.47	48.91	29.75	8.09	8.46	203.00	1.42	5.09
		12:00	29.51	48.05	28.93	8.07	8.34	196.83	2.10	6.48
		15:00	29.13	47.85	28.74	8.15	6.73	197.49	3.10	7.70
		18:00	29.40	48.76	29.61	8.19	8.16	191.18	1.82	6.77
		21:00	29.34	48.48	29.34	8.09	8.01	193.64	1.15	6.63
	日平均	29.34	48.66	29.51	8.09	7.69	198.21	1.75	6.36	
	潮口站	0:00	28.95	49.36	30.18	8.20	7.16	257.54	3.93	9.26
		3:00	28.79	49.38	30.20	8.09	7.03	265.51	4.98	9.08
		6:00	30.65	48.65	29.50	8.04	7.14	256.43	5.02	10.73
		9:00	31.29	48.97	29.81	8.03	7.18	263.27	16.29	10.76
		12:00	30.50	48.10	28.98	8.09	6.82	263.20	16.19	7.21
		15:00	30.36	47.91	28.80	8.09	7.43	270.58	9.46	11.80
		18:00	29.90	48.84	29.69	8.04	7.56	272.17	12.41	9.01
		21:00	29.89	48.54	29.40	8.18	7.06	276.22	8.03	7.23
	日平均	30.04	48.72	29.57	8.10	7.17	265.62	9.54	9.39	
	灣內站	0:00	31.33	49.20	30.02	8.15	5.79	194.62	0.45	0.98
		3:00	30.92	49.22	30.04	8.14	5.88	193.08	0.68	7.82
		6:00	30.54	48.49	29.35	8.14	5.99	191.62	0.08	4.17
		9:00	31.02	48.86	29.71	8.27	6.20	193.75	1.03	0.94
		12:00	31.60	47.94	28.82	8.33	6.35	187.65	0.80	1.29
		15:00	31.82	47.84	28.73	8.32	6.42	195.15	0.16	0.31
18:00		31.69	48.74	29.59	8.25	5.89	189.51	1.19	0.71	
21:00		31.42	48.44	29.30	8.19	6.03	191.94	0.08	0.75	
日平均	31.29	48.59	29.45	8.22	6.07	192.17	0.56	2.12		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月15日	蚵殼站	0:00	29.16	49.26	30.09	8.10	5.61	169.69	2.99	7.30
		3:00	28.94	49.63	30.44	8.04	5.30	174.76	2.37	7.80
		6:00	28.21	48.54	29.40	8.12	5.30	196.20	3.43	6.20
		9:00	28.64	48.27	29.14	8.14	6.37	215.13	3.00	5.26
		12:00	28.70	49.01	29.85	8.11	7.18	175.52	8.42	4.14
		15:00	29.18	48.59	29.45	8.27	6.75	180.73	7.12	5.85
		18:00	29.00	48.90	29.74	8.23	5.80	211.56	3.85	4.69
		21:00	29.12	48.52	29.38	8.00	5.59	219.95	3.88	3.95
	日平均	28.87	48.84	29.69	8.13	5.99	192.94	4.38	5.65	
	潮口站	0:00	29.47	49.32	30.14	8.15	6.77	284.90	4.78	6.22
		3:00	29.09	49.68	30.49	8.15	6.84	291.57	4.57	5.64
		6:00	30.56	48.60	29.46	8.18	7.12	290.23	6.21	12.88
		9:00	31.72	48.37	29.24	8.18	7.81	280.49	8.51	7.64
		12:00	30.19	49.08	29.92	8.21	6.74	280.01	8.40	7.74
		15:00	30.60	48.63	29.49	8.21	7.07	289.66	5.36	7.01
		18:00	30.35	48.94	29.78	8.15	6.81	289.00	24.43	7.46
		21:00	30.08	48.60	29.46	8.09	6.24	273.03	26.99	5.33
	日平均	30.26	48.90	29.75	8.17	6.93	284.86	11.16	7.49	
	灣內站	0:00	31.17	49.16	29.99	8.16	6.13	162.56	0.71	0.15
		3:00	30.81	49.56	30.37	8.16	5.82	171.46	0.56	2.49
		6:00	30.52	48.43	29.29	8.11	6.16	190.38	1.00	2.35
		9:00	31.16	48.19	29.06	8.25	6.16	211.31	0.76	2.48
		12:00	32.05	48.91	29.75	8.40	6.81	168.81	0.19	1.09
		15:00	32.10	48.52	29.38	8.36	7.00	170.44	0.18	4.44
		18:00	31.94	48.82	29.67	8.19	6.21	202.25	1.46	1.74
		21:00	31.46	48.42	29.28	8.02	6.05	216.23	2.17	3.14
	日平均	31.40	48.75	29.60	8.21	6.29	186.68	0.88	2.24	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月16日	蚵殼站	0:00	28.86	47.35	28.26	8.01	5.56	205.22	4.64	4.51
		3:00	28.54	47.11	28.03	7.99	6.49	217.60	2.61	2.83
		6:00	28.42	47.89	28.78	8.03	6.43	116.42	3.68	3.01
		9:00	28.52	48.14	29.02	8.11	7.01	212.79	4.12	2.60
		12:00	28.17	47.76	28.65	8.22	8.17	240.20	8.43	3.83
		15:00	28.49	47.44	28.35	8.26	6.25	224.63	3.25	3.95
		18:00	28.67	47.74	28.63	8.25	6.64	247.03	2.24	3.16
		21:00	28.52	47.73	28.62	8.12	6.71	154.01	1.44	3.79
	日平均	28.52	47.65	28.54	8.12	6.66	202.24	3.80	3.46	
	潮口站	0:00	29.80	48.50	29.36	8.08	6.19	284.24	10.13	5.30
		3:00	29.04	48.20	29.07	8.07	6.45	288.04	14.24	7.71
		6:00	29.90	49.00	29.84	8.10	6.22	293.08	18.89	6.26
		9:00	30.54	49.24	30.07	8.07	6.84	287.21	30.14	6.16
		12:00	29.34	48.86	29.70	8.10	6.44	291.80	17.31	5.32
		15:00	29.04	48.57	29.43	8.15	6.49	293.50	8.80	3.02
		18:00	29.91	48.83	29.68	8.06	5.91	301.98	14.57	4.63
		21:00	30.50	48.82	29.67	8.01	6.17	306.18	26.66	2.34
	日平均	29.76	48.75	29.60	8.08	6.34	293.25	17.59	5.09	
	灣內站	0:00	31.17	47.25	28.17	8.19	5.77	198.29	0.26	1.89
		3:00	30.93	47.09	28.02	8.19	5.85	209.65	0.84	2.47
		6:00	30.73	47.78	28.68	8.19	5.94	109.57	0.60	2.32
		9:00	30.71	48.11	28.99	8.26	6.02	204.66	0.87	2.03
		12:00	30.53	47.71	28.60	8.32	6.65	232.44	0.41	1.93
		15:00	30.52	47.33	28.24	8.38	6.28	222.76	0.22	2.51
		18:00	30.27	47.71	28.60	8.34	5.61	238.07	0.20	2.00
		21:00	30.23	47.66	28.55	8.33	5.69	146.29	0.06	2.13
	日平均	30.64	47.58	28.48	8.28	5.98	195.22	0.43	2.16	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月17日	蚵殼站	0:00	28.36	47.56	28.46	8.04	6.11	152.85	1.85	2.42
		3:00	28.22	47.57	28.47	8.00	5.67	202.80	1.06	4.42
		6:00	28.19	47.78	28.67	8.05	5.45	201.28	1.44	3.64
		9:00	28.22	48.23	29.10	8.15	7.15	244.35	1.40	4.26
		12:00	28.56	48.03	28.91	8.23	7.34	244.76	2.05	2.61
		15:00	28.73	47.47	28.38	8.09	7.76	239.43	3.11	3.03
		18:00	28.63	47.58	28.48	8.13	8.69	257.69	1.78	2.60
		21:00	28.78	47.63	28.53	8.08	8.01	163.79	1.12	3.99
	日平均	28.46	47.73	28.63	8.10	7.02	213.37	1.73	3.37	
	潮口站	0:00	30.13	48.65	29.50	8.02	5.82	318.15	26.55	1.83
		3:00	29.47	48.70	29.55	8.00	6.13	316.05	13.39	2.10
		6:00	29.71	48.86	29.70	8.06	6.03	323.20	4.00	1.43
		9:00	30.85	49.32	30.14	8.06	6.57	313.97	6.48	3.01
		12:00	30.64	49.13	29.96	8.09	6.48	315.27	33.12	2.55
		15:00	29.97	48.62	29.48	8.15	6.44	314.68	42.87	3.17
		18:00	30.37	48.66	29.51	8.12	6.06	318.71	39.51	1.65
		21:00	31.27	48.75	29.60	8.01	6.00	316.65	15.38	1.72
	日平均	30.30	48.84	29.68	8.06	6.19	317.09	22.66	2.18	
	灣內站	0:00	30.04	47.49	28.40	8.31	5.58	140.63	0.49	2.18
		3:00	29.75	47.49	28.39	8.32	6.01	191.97	0.63	2.38
		6:00	29.78	47.73	28.62	8.33	5.68	192.40	0.76	1.94
		9:00	30.18	48.14	29.02	8.30	5.67	239.53	0.85	2.18
		12:00	30.86	47.93	28.82	8.32	6.23	233.80	0.69	1.88
		15:00	30.62	47.41	28.32	8.30	6.48	234.81	0.74	2.34
		18:00	29.82	47.55	28.45	8.28	5.75	254.02	0.97	1.31
		21:00	29.77	47.52	28.43	8.18	6.17	158.35	0.26	1.50
	日平均	30.10	47.66	28.56	8.29	5.95	205.69	0.67	1.96	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月18日	蚵殼站	0:00	28.76	48.28	29.15	7.95	7.65	213.48	1.08	14.96
		3:00	28.50	47.88	28.77	8.02	6.00	253.08	2.05	4.09
		6:00	28.21	49.96	30.75	8.02	5.32	219.23	2.25	5.69
		9:00	28.16	49.29	30.11	8.08	7.74	220.89	1.99	32.54
		12:00	28.44	48.98	29.82	8.09	6.89	237.47	1.29	14.54
		15:00	28.47	49.21	30.04	8.18	6.90	254.73	4.00	7.19
		18:00	28.36	47.79	28.68	8.14	8.40	221.00	3.01	7.93
		21:00	28.98	48.07	28.95	8.00	6.32	226.53	1.38	9.88
	日平均	28.49	48.68	29.53	8.06	6.90	230.80	2.13	12.10	
	潮口站	0:00	30.80	49.37	30.19	8.05	5.78	322.11	20.63	3.21
		3:00	29.76	49.02	29.86	8.04	6.14	324.65	10.96	4.74
		6:00	28.98	51.08	31.83	8.07	6.05	327.48	13.93	2.20
		9:00	30.73	50.39	31.17	8.08	6.38	317.53	9.56	4.08
		12:00	31.21	50.09	30.88	8.09	6.72	310.13	14.48	2.26
		15:00	29.34	50.32	31.10	8.13	6.56	315.63	12.72	5.06
		18:00	30.10	48.89	29.73	8.12	6.13	318.27	7.24	1.70
		21:00	30.50	47.21	28.13	7.99	6.16	318.37	5.08	2.22
	日平均	30.18	49.55	30.36	8.07	6.24	319.27	11.83	3.18	
	灣內站	0:00	29.75	48.23	29.10	8.12	6.16	211.81	0.04	1.57
		3:00	29.72	47.87	28.76	8.11	6.37	248.65	1.03	2.45
		6:00	29.85	49.89	30.69	8.09	6.22	216.78	1.85	1.45
		9:00	30.11	49.27	30.09	8.18	6.22	215.00	1.73	2.43
		12:00	31.27	48.88	29.72	8.22	7.02	235.98	1.16	1.32
		15:00	31.32	49.11	29.94	8.28	7.42	249.72	0.34	1.89
		18:00	31.03	47.73	28.62	8.15	6.34	216.08	0.73	1.01
		21:00	30.48	47.97	28.86	8.10	6.58	213.78	0.71	1.13
	日平均	30.44	48.62	29.47	8.16	6.54	225.98	0.95	1.66	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月19日	蚵殼站	0:00	28.82	47.56	28.46	8.02	5.53	242.07	2.05	7.82
		3:00	28.63	47.39	28.30	7.96	5.43	192.58	2.05	9.93
		6:00	28.58	49.52	30.33	8.01	5.78	135.57	1.19	13.03
		9:00	28.49	49.60	30.41	8.04	5.02	188.69	4.48	12.34
		12:00	28.26	47.22	28.14	8.12	6.63	210.99	1.10	5.30
		15:00	28.34	47.51	28.41	8.18	5.48	238.95	1.52	8.66
		18:00	28.23	47.10	28.02	8.05	5.93	247.09	2.60	11.11
		21:00	28.14	48.54	29.40	8.07	6.61	246.40	3.11	11.83
	日平均	28.44	48.06	28.93	8.06	5.80	212.79	2.26	10.00	
	潮口站	0:00	30.65	45.98	26.95	8.03	6.22	316.03	14.43	5.51
		3:00	29.67	48.50	29.36	8.03	5.97	317.71	7.62	5.23
		6:00	28.96	50.63	31.40	8.01	6.05	317.56	12.08	4.31
		9:00	30.56	50.72	31.48	8.15	6.82	309.85	9.07	2.52
		12:00	30.66	48.34	29.21	8.17	6.95	299.97	4.41	1.72
		15:00	27.44	48.60	29.46	8.23	6.56	307.30	10.67	3.04
		18:00	29.38	48.19	29.07	8.25	6.11	312.46	14.89	3.25
		21:00	29.77	47.90	28.79	8.16	6.29	311.60	12.22	5.66
	日平均	29.64	48.61	29.46	8.13	6.37	311.56	10.67	3.91	
	灣內站	0:00	30.00	47.46	28.36	8.00	6.07	237.89	0.48	0.32
		3:00	29.80	47.34	28.25	7.99	6.64	185.00	1.37	0.14
		6:00	29.97	49.47	30.29	8.06	6.55	128.19	2.69	2.05
		9:00	30.28	49.57	30.38	8.13	6.62	177.87	8.58	0.89
		12:00	30.59	47.18	28.10	8.18	7.30	206.60	2.81	1.25
		15:00	30.37	47.44	28.35	8.09	7.43	235.04	2.44	0.20
		18:00	30.23	47.02	27.94	8.13	6.88	231.05	1.48	0.46
		21:00	30.03	48.50	29.36	8.08	6.21	240.91	2.29	0.40
	日平均	30.16	48.00	28.88	8.08	6.71	205.32	2.77	0.71	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月20日	蚵殼站	0:00	28.03	47.40	28.31	8.10	6.78	224.45	1.80	12.14
		3:00	28.10	49.52	30.33	8.26	5.96	125.93	2.05	12.08
		6:00	28.09	49.63	30.44	8.10	6.27	142.15	2.05	14.10
		9:00	27.80	47.20	28.12	8.22	7.71	143.52	1.19	11.05
		12:00	28.27	47.46	28.37	8.28	6.87	146.85	1.42	27.06
		15:00	28.25	49.59	30.40	8.25	6.92	192.13	3.33	35.53
		18:00	28.55	48.25	29.12	8.21	8.40	257.67	3.13	24.17
		21:00	28.41	49.36	30.18	8.13	6.32	251.71	3.11	10.07
	日平均	28.19	48.55	29.41	8.19	6.90	185.55	2.26	18.28	
	潮口站	0:00	29.93	48.50	29.36	8.18	6.30	304.96	11.79	4.27
		3:00	29.39	50.63	31.40	8.17	5.74	306.58	9.66	3.29
		6:00	28.10	50.72	31.48	8.10	5.80	308.31	5.77	5.54
		9:00	30.36	48.34	29.21	8.13	6.67	299.34	7.91	3.05
		12:00	31.25	48.60	29.46	8.10	7.33	290.18	11.76	3.63
		15:00	28.78	50.72	31.48	8.17	6.52	291.22	8.15	1.49
		18:00	29.69	49.36	30.18	8.20	6.11	291.73	25.35	1.85
		21:00	30.01	51.54	32.26	8.21	5.50	285.48	5.78	5.62
	日平均	29.69	49.80	30.60	8.16	6.25	297.23	10.77	3.59	
	灣內站	0:00	29.88	47.34	28.25	8.03	6.04	214.16	1.83	0.66
		3:00	29.74	49.50	30.32	8.02	6.31	119.46	2.52	0.25
		6:00	29.83	49.57	30.38	8.08	6.05	133.59	7.78	2.53
		9:00	29.99	47.16	28.08	8.09	6.77	140.80	3.23	1.72
		12:00	30.95	47.45	28.36	8.20	7.30	141.14	1.86	0.77
		15:00	31.13	49.51	30.33	8.19	7.87	175.96	0.95	1.55
		18:00	30.56	48.16	29.03	8.11	7.41	256.27	2.40	2.55
		21:00	29.94	49.32	30.15	8.04	6.76	248.62	1.38	2.38
	日平均	30.25	48.50	29.36	8.10	6.81	178.75	2.74	1.55	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月21日	蚵殼站	0:00	28.22	49.41	30.23	8.10	6.35	162.00	4.38	4.99
		3:00	28.13	49.74	30.54	8.08	6.99	124.75	3.88	5.15
		6:00	28.26	50.64	31.40	8.08	8.59	193.04	4.47	6.29
		9:00	28.28	49.88	30.68	8.18	8.79	120.95	6.08	3.54
		12:00	28.40	49.61	30.42	8.17	6.82	169.31	5.42	4.75
		15:00	29.36	49.59	30.40	8.17	6.18	182.55	4.31	3.72
		18:00	29.33	49.88	30.68	8.17	6.46	194.23	2.32	5.42
		21:00	29.22	49.51	30.32	8.11	7.99	181.17	3.23	4.77
	日平均	28.65	49.78	30.58	8.13	7.27	166.00	4.26	4.83	
	潮口站	0:00	29.89	51.54	32.26	8.12	5.79	279.62	5.46	2.09
		3:00	29.93	51.92	32.63	8.09	5.38	283.62	14.27	7.14
		6:00	28.97	52.76	33.43	8.04	5.57	282.41	6.67	6.06
		9:00	30.42	52.04	32.74	8.06	6.41	289.50	5.62	4.84
		12:00	31.05	51.79	32.50	8.13	7.43	293.25	11.64	5.81
		15:00	30.96	51.73	32.45	8.12	6.49	279.43	6.72	7.73
		18:00	30.39	50.99	31.74	8.23	6.19	291.45	11.15	8.05
		21:00	30.31	50.60	31.37	8.19	5.88	287.82	7.76	4.50
	日平均	30.24	51.67	32.39	8.12	6.14	285.89	8.66	5.78	
	灣內站	0:00	29.97	49.38	30.20	8.02	6.04	151.36	1.09	1.87
		3:00	29.80	49.68	30.48	7.98	6.41	116.90	0.87	0.36
		6:00	29.79	50.54	31.31	8.09	6.40	191.85	2.11	0.73
		9:00	30.15	49.83	30.63	8.21	6.14	114.92	1.93	1.22
		12:00	30.94	49.57	30.38	8.30	6.70	167.75	1.92	2.77
		15:00	31.67	49.55	30.36	8.32	6.91	178.39	1.75	2.60
18:00		31.58	49.86	30.66	8.26	6.75	184.16	3.13	0.25	
21:00		31.21	49.47	30.29	8.29	6.27	177.74	4.65	2.78	
日平均	30.64	49.74	30.54	8.18	6.45	160.38	2.18	1.57		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月22日	蚵殼站	0:00	29.05	49.89	30.69	8.10	6.24	183.52	7.77	2.95
		3:00	28.90	49.84	30.64	8.09	8.91	170.99	5.39	2.27
		6:00	28.76	50.27	31.05	8.05	7.88	100.26	7.16	4.93
		9:00	28.79	50.08	30.87	8.10	5.82	136.67	6.96	3.62
		12:00	28.30	49.82	30.62	8.23	6.74	117.04	3.80	3.80
		15:00	29.51	49.62	30.43	8.26	6.77	113.70	5.59	3.50
		18:00	29.70	49.18	30.01	8.26	6.41	99.79	6.26	3.56
		21:00	29.63	49.03	29.87	8.19	7.77	127.51	6.92	4.48
	日平均	29.08	49.72	30.52	8.16	7.07	131.19	6.23	3.64	
	潮口站	0:00	30.98	51.01	31.76	8.07	7.31	274.13	7.85	1.78
		3:00	30.77	50.96	31.71	8.07	6.64	286.53	9.15	2.28
		6:00	29.64	51.36	32.09	8.03	5.67	291.73	5.16	2.01
		9:00	30.58	51.19	31.93	8.13	6.96	292.43	4.97	3.03
		12:00	31.87	50.92	31.67	8.14	7.62	285.18	25.30	4.06
		15:00	32.21	50.74	31.50	8.09	7.16	275.52	4.90	4.92
		18:00	30.93	50.27	31.05	8.13	6.33	284.39	11.10	5.12
		21:00	30.48	50.17	30.96	8.11	5.87	286.66	13.59	3.09
	日平均	30.93	50.83	31.58	8.10	6.70	284.57	10.25	3.29	
	灣內站	0:00	30.94	49.86	30.66	8.25	5.64	181.01	3.14	1.25
		3:00	30.55	49.75	30.55	8.22	5.78	169.75	2.45	0.72
		6:00	30.42	50.20	30.98	8.24	5.67	98.54	3.43	0.38
		9:00	30.59	49.99	30.79	8.27	5.98	131.88	2.44	2.17
		12:00	31.47	49.79	30.59	8.33	6.53	113.88	2.77	2.56
		15:00	32.09	49.53	30.34	8.31	6.96	108.41	1.07	0.39
18:00		32.06	49.07	29.90	8.23	5.73	93.98	0.88	0.17	
21:00		31.30	48.99	29.82	8.19	6.22	119.97	2.39	0.01	
日平均	31.18	49.65	30.45	8.26	6.06	127.18	2.32	0.96		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月23日	蚵殼站	0:00	29.46	49.31	30.13	8.21	5.82	146.28	3.82	2.98
		3:00	29.44	49.18	30.01	8.17	7.40	147.71	4.81	2.96
		6:00	29.35	49.46	30.28	7.98	7.65	100.07	7.79	4.07
		9:00	28.98	49.79	30.59	8.07	8.53	132.61	9.04	4.48
		12:00	29.19	49.48	30.30	8.23	8.30	117.69	4.31	3.46
		15:00	29.46	49.57	30.38	8.21	6.74	119.29	3.96	2.89
		18:00	29.46	49.10	29.93	8.21	8.18	127.29	3.00	3.56
		21:00	29.23	49.49	30.31	8.19	8.06	125.89	3.19	3.90
	日平均	29.32	49.42	30.24	8.16	7.59	127.10	4.99	3.54	
	潮口站	0:00	31.39	50.41	31.19	8.05	7.04	279.25	8.98	2.92
		3:00	31.21	50.31	31.09	8.10	6.93	278.82	5.40	2.65
		6:00	30.13	50.59	31.36	8.14	5.81	283.82	4.87	2.29
		9:00	30.20	50.87	31.62	8.08	6.08	285.05	8.72	2.85
		12:00	31.61	50.59	31.36	8.07	7.62	284.68	3.46	5.99
		15:00	30.68	50.69	31.45	8.09	7.12	280.83	7.98	5.25
		18:00	29.83	50.18	30.97	8.04	6.17	281.64	7.45	4.36
		21:00	30.11	50.62	31.39	8.11	5.58	267.45	5.55	2.95
	日平均	30.65	50.53	31.30	8.09	6.54	280.19	6.55	3.66	
	灣內站	0:00	31.26	49.22	30.05	8.09	6.29	139.51	5.72	0.04
		3:00	30.96	49.10	29.93	8.11	5.79	144.78	1.00	0.49
		6:00	30.79	49.45	30.26	8.11	6.09	93.11	1.03	0.80
		9:00	31.29	49.72	30.53	8.21	6.48	123.40	1.55	0.68
		12:00	31.83	49.37	30.19	8.29	6.98	110.56	1.07	2.07
		15:00	31.86	49.51	30.32	8.33	7.52	111.18	13.72	0.38
18:00		31.68	49.06	29.89	8.25	6.75	117.69	0.51	1.69	
21:00		31.54	49.46	30.28	8.16	6.77	122.01	2.57	0.76	
日平均	31.40	49.36	30.18	8.19	6.58	120.28	3.40	0.86		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月24日	蚵殼站	0:00	29.16	49.45	30.27	8.16	8.69	134.86	4.79	3.19
		3:00	29.25	49.45	30.27	8.12	5.54	116.22	3.59	4.88
		6:00	29.28	49.80	30.60	8.03	5.62	116.99	3.92	4.30
		9:00	29.06	50.10	30.89	7.98	6.89	137.40	3.95	5.12
		12:00	29.19	49.63	30.44	8.19	5.68	134.50	8.24	3.80
		15:00	29.60	49.41	30.23	8.16	6.64	141.11	6.60	2.18
		18:00	29.65	49.24	30.07	8.24	6.49	138.57	1.85	3.36
		21:00	29.48	49.67	30.48	8.16	7.29	143.79	2.77	3.97
	日平均	29.33	49.59	30.41	8.13	6.61	132.93	4.46	3.85	
	潮口站	0:00	30.62	50.58	31.35	8.05	5.88	277.42	9.99	2.52
		3:00	30.66	50.59	31.36	8.06	5.73	287.15	9.20	2.38
		6:00	30.15	50.91	31.66	8.08	5.43	285.38	14.88	2.10
		9:00	30.31	51.20	31.94	8.09	5.98	284.87	11.25	2.26
		12:00	32.22	50.78	31.54	8.06	7.34	293.06	7.15	2.97
		15:00	32.10	50.56	31.33	8.02	7.43	290.80	12.14	3.23
		18:00	31.89	50.37	31.15	8.02	6.80	290.13	22.85	3.23
		21:00	30.11	50.76	31.52	8.08	5.92	290.77	16.47	2.73
	日平均	31.01	50.72	31.48	8.06	6.31	287.45	12.99	2.68	
	灣內站	0:00	31.35	49.37	30.19	8.09	6.57	126.79	2.13	0.57
		3:00	31.18	49.40	30.21	8.05	6.63	99.80	2.49	1.94
		6:00	31.01	49.78	30.58	8.05	6.30	108.59	2.29	1.74
		9:00	31.25	50.06	30.85	8.13	6.67	128.97	2.23	0.03
		12:00	32.00	49.59	30.40	8.24	7.60	128.26	1.58	1.86
		15:00	32.30	49.35	30.17	8.26	7.62	132.72	0.34	2.14
18:00		32.20	49.23	30.06	8.26	7.01	133.86	1.57	1.09	
21:00		31.75	49.64	30.45	8.14	6.22	139.26	1.66	2.17	
日平均	31.63	49.55	30.36	8.15	6.83	124.78	1.79	1.44		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月25日	蚵殼站	0:00	29.77	49.58	30.39	8.20	8.46	143.39	4.42	4.44
		3:00	29.70	49.46	30.28	8.19	6.14	129.37	2.99	4.24
		6:00	29.55	49.59	30.40	8.05	5.43	138.58	3.46	5.07
		9:00	29.67	50.06	30.85	8.08	7.50	177.56	4.26	4.54
		12:00	29.56	50.08	30.87	8.13	8.98	134.55	8.05	4.47
		15:00	29.70	49.42	30.24	8.15	5.88	155.93	5.01	4.22
		18:00	29.54	48.71	29.56	8.21	7.71	163.99	3.03	3.94
		21:00	29.55	49.30	30.12	8.16	5.51	167.22	13.30	3.69
	日平均	29.63	49.53	30.34	8.15	6.95	151.32	5.57	4.33	
	潮口站	0:00	31.00	50.67	31.43	8.02	6.12	288.47	8.70	2.07
		3:00	31.63	50.61	31.38	8.01	5.74	278.00	3.25	1.93
		6:00	31.42	50.73	31.49	8.03	5.89	275.47	15.62	1.80
		9:00	30.46	51.15	31.89	8.07	5.90	291.69	12.74	1.91
		12:00	30.65	51.22	31.96	8.10	6.26	299.32	12.21	2.51
		15:00	31.07	50.55	31.32	8.10	6.61	291.86	21.04	3.51
		18:00	30.85	49.86	30.66	8.06	5.95	287.92	9.38	3.45
		21:00	29.84	50.39	31.17	8.04	5.56	284.86	20.37	2.96
	日平均	30.87	50.65	31.41	8.05	6.00	287.20	12.91	2.52	
	灣內站	0:00	31.18	49.49	30.30	8.11	6.14	132.63	1.70	4.44
		3:00	30.93	49.41	30.23	8.04	6.42	127.57	2.14	1.02
		6:00	30.81	49.49	30.30	8.08	6.36	129.47	1.34	4.36
		9:00	31.10	49.95	30.74	8.15	6.49	175.48	1.73	1.42
		12:00	31.28	50.02	30.81	8.27	7.38	125.10	2.25	1.94
		15:00	31.36	49.33	30.15	8.23	6.68	146.40	1.51	1.86
18:00		31.28	48.60	29.46	8.16	6.19	155.92	2.89	0.37	
21:00		31.12	49.25	30.08	8.06	5.88	164.68	2.84	0.04	
日平均	31.13	49.44	30.26	8.14	6.44	144.66	2.05	1.93		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月26日	蚵殼站	0:00	29.60	49.53	30.34	8.13	5.65	170.70	2.97	3.49
		3:00	29.13	48.08	28.96	8.13	5.32	176.96	2.35	3.17
		6:00	28.90	48.01	28.89	8.03	5.35	205.08	3.42	3.88
		9:00	28.74	48.68	29.53	8.05	6.36	213.55	3.05	4.50
		12:00	28.83	48.21	29.08	8.08	7.17	168.90	8.43	4.19
		15:00	28.96	47.46	28.37	8.13	6.76	177.28	7.11	3.26
		18:00	29.00	47.32	28.23	8.17	5.83	216.30	3.90	3.48
		21:00	28.53	48.77	29.62	8.12	5.61	223.29	3.91	4.10
	日平均	28.96	48.26	29.13	8.11	6.01	194.01	4.39	3.76	
	潮口站	0:00	29.97	50.64	31.40	8.09	5.60	280.55	4.33	3.64
		3:00	30.52	49.22	30.05	8.08	5.48	272.89	10.86	3.80
		6:00	30.54	49.11	29.94	8.10	5.03	277.26	19.60	6.02
		9:00	30.37	49.80	30.60	8.12	5.31	293.34	23.47	10.69
		12:00	30.55	49.31	30.13	8.17	5.95	285.81	9.84	7.57
		15:00	30.47	48.60	29.46	8.15	6.16	276.75	20.86	6.10
		18:00	30.33	48.45	29.31	8.16	5.25	277.70	17.01	9.30
		21:00	29.88	49.89	30.69	8.19	5.13	276.32	15.31	8.69
	日平均	30.33	49.38	30.20	8.13	5.49	280.08	15.16	6.98	
	灣內站	0:00	31.07	49.47	30.29	8.06	6.12	161.57	5.65	1.35
		3:00	30.85	48.03	28.91	8.02	6.30	173.40	7.23	5.71
		6:00	30.84	47.99	28.88	8.03	6.33	203.19	1.06	6.50
		9:00	30.75	48.57	29.43	8.02	6.53	205.79	2.30	1.31
		12:00	30.73	48.18	29.05	7.92	7.54	160.12	2.10	6.28
		15:00	30.70	47.41	28.32	7.96	7.69	167.67	0.17	3.60
18:00		30.51	47.23	28.15	7.97	6.67	212.98	0.32	2.41	
21:00		30.46	48.67	29.53	7.92	6.93	221.64	1.15	2.18	
日平均	30.74	48.19	29.07	7.99	6.76	188.30	2.50	3.67		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月27日	蚵殼站	0:00	28.40	48.96	29.80	8.12	5.57	205.30	4.66	4.14
		3:00	28.15	47.35	28.26	8.06	6.52	219.62	2.63	2.80
		6:00	27.98	47.00	27.93	8.07	6.48	119.16	3.73	4.32
		9:00	27.89	46.58	27.53	7.96	7.01	215.23	4.15	4.80
		12:00	27.83	49.44	30.26	8.03	8.12	233.07	8.41	4.15
		15:00	27.66	48.37	29.24	8.13	6.25	221.59	3.25	3.63
		18:00	27.50	49.35	30.17	8.15	6.65	242.37	2.27	3.26
		21:00	27.20	45.26	26.27	8.01	6.71	154.98	1.48	3.25
		日平均	27.83	47.79	28.68	8.07	6.66	201.42	3.82	3.79
	潮口站	0:00	29.42	50.07	30.86	8.14	5.41	265.50	10.19	3.64
		3:00	29.66	48.47	29.33	8.14	5.12	277.32	18.14	8.11
		6:00	29.73	48.13	29.01	8.16	5.05	284.32	4.58	4.70
		9:00	29.43	47.66	28.56	8.11	5.13	289.38	10.30	5.07
		12:00	28.87	50.52	31.29	8.11	5.90	288.23	17.15	5.20
		15:00	28.72	49.51	30.33	8.10	5.71	281.48	16.50	8.16
		18:00	28.72	50.46	31.23	8.08	5.34	280.58	12.66	6.79
		21:00	28.33	46.40	27.36	8.12	6.22	277.73	6.03	4.36
		日平均	29.11	48.90	29.75	8.12	5.49	280.57	11.94	5.75
	灣內站	0:00	30.20	48.85	29.69	7.96	6.45	196.67	2.23	0.72
		3:00	30.17	47.25	28.17	7.94	6.26	217.45	1.34	3.98
		6:00	30.00	46.92	27.85	7.98	5.79	116.91	0.76	0.61
		9:00	30.09	46.54	27.49	7.98	5.95	205.02	0.38	1.11
		12:00	29.87	49.34	30.16	8.16	7.38	230.91	1.82	1.46
		15:00	29.36	48.29	29.16	8.18	7.17	211.29	0.56	1.30
		18:00	28.88	49.24	30.07	8.20	6.32	233.30	0.14	0.81
		21:00	28.20	45.24	26.24	8.17	6.54	144.75	1.05	2.34
		日平均	29.60	47.71	28.60	8.07	6.48	194.54	1.04	1.54
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月28日	蚵殼站	0:00	26.76	43.24	24.34	8.06	6.11	156.79	1.86	2.40
		3:00	26.39	44.20	25.25	8.03	5.69	201.87	1.09	4.39
		6:00	26.34	46.11	27.08	8.07	5.41	202.57	1.47	3.63
		9:00	26.17	46.59	27.54	8.10	7.18	243.86	1.40	4.27
		12:00	25.86	45.93	26.91	8.06	7.39	240.37	2.05	2.61
		15:00	25.74	44.69	25.72	8.14	7.77	240.10	3.13	3.07
		18:00	25.70	43.77	24.84	8.21	8.71	253.59	1.84	2.65
		21:00	25.60	45.78	26.76	8.10	8.03	169.19	1.14	3.98
		日平均	26.07	45.04	26.06	8.10	7.04	213.54	1.75	3.38
	潮口站	0:00	28.17	44.32	25.37	8.03	6.46	276.88	5.67	3.64
		3:00	28.00	45.29	26.30	8.04	6.08	280.03	5.44	3.74
		6:00	27.69	47.24	28.16	8.02	5.80	278.25	4.78	3.95
		9:00	27.42	47.69	28.59	8.10	5.75	277.28	6.29	3.87
		12:00	27.08	47.01	27.94	8.06	5.69	278.12	12.52	4.18
		15:00	27.23	45.80	26.78	8.08	5.67	272.90	4.03	3.99
		18:00	27.14	44.90	25.92	8.04	5.55	277.12	13.11	5.70
		21:00	27.33	46.85	27.79	8.06	5.43	275.89	4.12	4.60
		日平均	27.51	46.14	27.10	8.05	5.80	277.06	7.00	4.21
	灣內站	0:00	28.27	43.19	24.29	8.10	5.94	150.86	2.34	0.86
		3:00	28.04	44.13	25.18	8.08	5.73	199.04	1.90	3.62
		6:00	27.75	46.01	26.98	8.18	6.32	199.33	0.31	1.55
		9:00	27.42	46.53	27.48	8.19	6.18	234.17	0.30	1.00
		12:00	27.30	45.87	26.85	8.20	7.71	236.69	1.19	1.20
		15:00	27.29	44.58	25.62	8.34	7.39	224.92	0.37	3.99
		18:00	27.23	43.70	24.78	8.42	6.46	249.79	1.19	3.75
		21:00	27.24	45.70	26.68	8.34	5.81	163.70	0.07	0.27
		日平均	27.57	44.96	25.98	8.23	6.44	207.31	0.96	2.03
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月29日	蚵殼站	0:00	25.60	46.74	27.68	8.10	7.67	216.34	1.08	14.92
		3:00	25.60	46.15	27.12	8.14	5.99	246.33	1.05	4.07
		6:00	25.00	45.84	26.82	8.07	5.28	217.09	2.23	5.69
		9:00	25.89	45.35	26.35	8.12	7.70	226.24	2.03	32.53
		12:00	26.23	45.59	26.58	8.19	6.91	229.76	1.29	14.49
		15:00	26.50	46.65	27.59	8.21	6.90	252.36	3.98	7.22
		18:00	26.60	45.63	26.62	8.20	8.46	219.68	3.01	7.98
		21:00	26.87	45.80	26.78	8.17	6.33	224.68	1.39	9.87
	日平均	26.04	45.97	26.94	8.15	6.91	229.06	2.01	12.10	
	潮口站	0:00	27.90	47.83	28.72	8.09	5.92	267.88	11.03	3.64
		3:00	27.77	47.26	28.18	8.07	5.84	267.34	10.26	5.92
		6:00	27.48	46.93	27.86	8.06	5.61	262.36	20.68	6.21
		9:00	28.00	46.46	27.41	8.13	5.79	258.23	9.97	5.55
		12:00	28.70	46.70	27.64	8.14	5.96	262.32	5.85	5.18
		15:00	29.05	47.79	28.68	8.16	5.88	262.28	5.85	5.10
		18:00	28.76	46.76	27.70	8.15	5.84	253.59	13.21	4.21
		21:00	28.44	46.93	27.86	8.14	5.67	255.61	7.73	5.07
	日平均	28.26	47.08	28.01	8.12	5.81	261.20	10.57	5.11	
	灣內站	0:00	27.21	46.63	27.58	8.22	5.71	209.21	2.15	5.21
		3:00	26.99	46.11	27.08	8.12	5.90	245.14	2.38	0.01
		6:00	27.06	45.82	26.80	8.36	5.65	211.46	2.36	2.05
		9:00	27.46	45.26	26.27	8.34	6.28	223.66	0.22	1.29
		12:00	27.92	45.57	26.56	8.43	6.88	220.72	0.49	1.30
		15:00	28.18	46.58	27.53	8.37	7.04	242.25	0.50	4.91
		18:00	28.06	45.56	26.55	8.37	6.05	213.10	0.01	2.23
		21:00	28.10	45.69	26.67	8.29	5.77	221.91	1.03	1.90
	日平均	27.62	45.90	26.88	8.31	6.16	223.43	1.14	2.36	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月30日	蚵殼站	0:00	26.90	46.32	27.28	8.21	5.55	240.34	4.49	7.82
		3:00	26.95	46.37	27.33	8.14	5.44	187.80	1.09	9.98
		6:00	26.84	45.90	26.88	8.09	5.77	132.08	1.19	13.05
		9:00	27.17	46.62	27.56	8.11	5.05	191.07	4.52	12.37
		12:00	26.64	46.31	27.27	8.11	6.68	205.39	1.11	5.35
		15:00	27.82	48.60	29.46	8.20	5.48	237.63	1.51	8.69
		18:00	27.37	46.68	27.62	8.17	5.90	242.25	2.68	11.10
		21:00	27.22	46.18	27.14	8.13	6.64	252.46	3.17	11.81
	日平均	27.11	46.62	27.57	8.15	5.81	211.13	2.47	10.02	
	潮口站	0:00	28.50	47.44	28.35	8.07	5.70	247.13	17.48	3.64
		3:00	28.51	47.50	28.41	8.08	5.75	249.68	21.00	6.73
		6:00	28.39	47.04	27.97	8.06	5.62	256.57	22.30	5.43
		9:00	28.72	47.71	28.61	8.09	5.71	266.72	10.89	6.10
		12:00	28.20	47.43	28.34	8.15	6.29	257.75	7.83	6.46
		15:00	29.38	49.69	30.50	8.16	5.97	253.48	13.85	5.01
		18:00	28.94	47.81	28.70	8.09	5.83	248.72	5.18	6.34
		21:00	28.79	47.28	28.20	8.11	5.75	247.65	19.73	4.95
	日平均	28.68	47.74	28.63	8.10	5.83	253.46	14.78	5.58	
	灣內站	0:00	28.12	46.30	27.26	8.19	5.98	238.26	1.18	5.37
		3:00	28.00	46.34	27.29	8.23	6.10	178.77	2.90	5.65
		6:00	27.92	45.86	26.83	8.26	6.16	122.66	2.71	1.21
		9:00	28.23	46.51	27.46	8.31	6.22	180.95	0.76	0.87
		12:00	29.07	46.28	27.24	8.34	6.56	196.14	0.64	0.04
		15:00	29.44	48.57	29.43	8.35	6.83	236.04	0.59	4.79
		18:00	29.32	46.61	27.56	8.31	6.41	237.08	0.43	5.55
		21:00	29.27	46.13	27.10	8.24	6.21	244.20	0.61	2.65
	日平均	28.67	46.58	27.52	8.28	6.31	204.26	1.23	3.27	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月31日	蚵殼站	0:00	27.37	45.35	26.35	8.08	6.78	219.13	1.77	12.17
		3:00	27.39	44.41	25.45	8.04	6.02	131.58	4.49	12.07
		6:00	27.44	44.46	25.50	8.12	6.32	144.88	1.09	14.12
		9:00	28.16	45.51	26.50	8.00	7.76	148.59	1.15	11.04
		12:00	26.74	45.86	26.84	8.04	6.89	150.62	1.43	27.06
		15:00	28.14	43.97	25.03	8.06	6.94	191.55	3.34	35.52
		18:00	28.08	45.10	26.11	8.02	8.41	252.89	3.10	24.20
		21:00	28.49	45.56	26.55	8.02	6.33	246.35	3.14	10.07
	日平均	27.73	45.03	26.04	8.05	6.93	185.70	2.44	18.28	
	潮口站	0:00	28.95	46.46	27.41	8.08	5.50	254.84	11.27	3.64
		3:00	28.99	45.51	26.51	8.05	5.85	262.40	13.46	8.54
		6:00	28.97	45.58	26.57	8.06	6.13	256.18	7.90	9.00
		9:00	29.69	46.58	27.53	8.14	6.97	266.03	14.38	7.23
		12:00	28.32	47.00	27.93	8.16	6.29	261.26	11.31	5.13
		15:00	29.72	45.06	26.08	8.15	6.23	253.82	6.71	10.54
		18:00	29.64	46.23	27.19	8.14	5.99	253.39	11.10	9.70
		21:00	30.07	46.65	27.59	8.12	7.62	233.31	12.95	6.14
	日平均	29.29	46.13	27.10	8.11	6.32	255.15	11.14	7.49	
	灣內站	0:00	29.03	45.25	26.25	8.25	5.81	211.82	0.52	3.05
		3:00	28.83	44.35	25.39	8.20	6.20	128.25	0.40	2.62
		6:00	28.93	44.40	25.45	8.25	6.11	124.99	0.28	1.62
		9:00	29.34	45.43	26.43	8.24	5.85	144.39	0.30	0.17
		12:00	31.37	45.78	26.77	8.21	7.34	148.29	1.25	1.42
		15:00	32.00	43.87	24.94	8.12	7.39	184.46	0.65	1.36
		18:00	31.36	45.02	26.04	8.09	6.02	246.64	0.32	2.39
		21:00	30.90	45.54	26.54	8.12	5.91	241.10	1.36	1.70
	日平均	30.22	44.96	25.97	8.19	6.33	178.74	0.64	1.79	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月1日	蚵殼站	0:00	28.47	49.08	29.91	8.09	6.71	243.46	2.52	7.33
		3:00	27.19	46.71	27.65	8.18	8.43	239.08	1.29	5.50
		6:00	28.84	46.13	27.10	8.13	8.12	233.49	1.26	6.08
		9:00	29.48	46.41	27.36	8.23	9.01	237.80	2.65	4.28
		12:00	27.61	46.34	27.30	8.21	6.58	249.78	3.97	5.85
		15:00	27.51	43.16	24.26	8.25	7.03	218.16	3.33	7.46
		18:00	28.37	42.27	23.41	8.27	8.45	215.63	5.17	11.76
		21:00	28.18	46.52	27.47	8.16	7.77	213.27	4.94	5.09
	日平均	28.21	45.83	26.81	8.19	7.76	231.33	3.14	6.67	
	潮口站	0:00	30.02	50.20	30.98	8.09	7.62	254.24	13.23	3.64
		3:00	28.79	52.14	32.84	8.10	6.69	251.34	6.87	5.44
		6:00	30.39	47.22	28.14	8.08	7.62	239.14	5.55	4.92
		9:00	31.06	47.54	28.44	8.11	7.62	258.02	6.65	4.58
		12:00	29.18	47.47	28.38	8.10	6.72	250.65	25.21	5.31
		15:00	29.08	44.31	25.36	8.13	6.49	242.75	11.22	4.36
		18:00	29.91	43.35	24.44	8.16	6.51	250.13	19.33	4.70
		21:00	29.77	47.64	28.54	8.22	6.97	238.32	17.91	4.42
	日平均	29.78	47.48	28.39	8.12	7.03	248.07	13.25	4.67	
	灣內站	0:00	30.81	49.04	29.88	8.06	5.90	234.00	0.05	4.27
		3:00	29.38	46.68	27.62	8.10	6.25	223.80	0.54	7.93
		6:00	28.43	46.09	27.06	8.13	6.74	228.44	0.21	0.70
		9:00	28.98	46.32	27.28	8.20	6.74	231.66	0.61	0.08
		12:00	32.28	46.23	27.20	8.21	6.66	243.63	1.34	1.78
		15:00	32.80	43.07	24.18	8.26	7.65	216.76	0.26	4.98
		18:00	31.92	42.20	23.34	8.22	7.04	211.18	0.40	1.42
		21:00	31.70	46.41	27.36	8.18	6.73	203.85	0.21	1.10
	日平均	30.79	45.76	26.74	8.17	6.71	224.17	0.45	2.78	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月2日	蚵殼站	0:00	27.81	46.96	27.89	8.17	6.31	194.96	3.12	3.12
		3:00	26.85	47.56	28.46	8.11	6.99	212.38	3.46	4.83
		6:00	27.97	48.07	28.95	8.17	8.57	200.84	2.14	4.26
		9:00	28.25	46.93	27.86	8.23	8.79	206.42	4.20	5.10
		12:00	27.46	49.36	30.18	8.21	6.81	195.42	3.18	3.80
		15:00	27.07	47.18	28.10	8.22	6.15	203.00	18.50	2.16
		18:00	27.34	46.52	27.47	8.26	6.46	208.75	15.31	3.41
		21:00	27.47	47.89	28.78	8.22	7.99	214.59	3.57	3.97
	日平均	27.53	47.56	28.46	8.20	7.26	204.55	6.69	3.83	
	潮口站	0:00	29.39	48.09	28.97	8.19	6.80	250.41	14.63	3.64
		3:00	28.43	52.17	32.87	8.19	5.67	267.10	11.72	5.02
		6:00	29.57	50.61	31.38	8.13	7.74	239.66	17.12	4.04
		9:00	29.82	48.02	28.90	8.11	7.62	249.17	15.17	5.87
		12:00	29.05	50.47	31.24	8.14	6.21	262.21	19.03	5.97
		15:00	28.66	48.27	29.14	8.13	6.20	253.10	26.85	5.71
		18:00	28.89	47.61	28.51	8.19	5.83	256.96	35.22	3.85
		21:00	29.01	48.98	29.82	8.20	5.81	251.65	6.02	3.74
	日平均	29.10	49.28	30.10	8.16	6.49	253.78	18.22	4.73	
	灣內站	0:00	31.07	46.86	27.80	8.11	6.31	187.18	0.07	2.11
		3:00	29.78	47.46	28.37	8.13	6.14	208.51	1.19	2.03
		6:00	29.50	47.98	28.86	8.13	5.79	190.40	0.13	3.49
		9:00	29.71	46.92	27.85	8.12	5.74	201.20	0.33	3.34
		12:00	31.01	49.26	30.08	8.17	7.27	190.68	3.26	0.40
		15:00	31.10	47.09	28.01	8.16	7.02	201.19	1.28	1.36
18:00		30.25	46.48	27.43	8.15	5.99	197.87	1.07	2.03	
21:00		29.74	47.83	28.72	8.06	5.94	211.48	5.39	2.69	
日平均	30.27	47.49	28.39	8.13	6.28	198.56	1.59	2.18		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月3日	蚵殼站	0:00	27.57	47.97	28.85	8.17	6.25	197.12	4.38	4.42
		3:00	26.76	48.26	29.13	8.09	8.87	205.16	3.94	4.25
		6:00	26.46	47.79	28.68	8.13	7.91	197.97	4.46	5.06
		9:00	26.88	48.13	29.01	8.22	5.80	167.51	6.04	4.58
		12:00	27.45	48.25	29.12	8.26	6.76	174.55	5.41	4.47
		15:00	27.20	47.37	28.28	8.12	6.75	184.90	4.33	4.21
		18:00	26.79	43.43	24.52	8.08	6.41	191.40	2.30	3.95
		21:00	26.74	45.71	26.70	8.10	7.78	180.90	5.02	3.66
	日平均	26.98	47.11	28.04	8.15	7.07	187.44	4.49	4.33	
	潮口站	0:00	29.16	49.10	29.93	8.14	5.69	251.46	16.09	3.64
		3:00	28.29	49.40	30.22	8.08	5.69	260.30	5.99	5.43
		6:00	28.02	48.88	29.72	8.07	5.79	262.22	5.61	4.72
		9:00	28.42	49.26	30.09	8.13	5.92	253.41	7.34	4.76
		12:00	29.02	49.35	30.17	8.06	5.97	266.91	6.92	5.87
		15:00	28.79	48.51	29.37	8.09	6.18	252.47	10.97	5.84
		18:00	28.34	44.58	25.62	8.09	5.99	257.11	10.50	4.36
		21:00	28.28	46.84	27.78	8.09	5.92	263.80	8.78	5.70
	日平均	28.54	48.24	29.11	8.09	5.89	258.46	9.03	5.04	
	灣內站	0:00	29.53	47.87	28.76	8.11	6.10	194.53	1.30	0.18
		3:00	29.31	48.16	29.03	8.10	6.38	195.39	1.69	0.87
		6:00	29.20	47.74	28.64	8.15	5.68	192.16	2.53	0.35
		9:00	29.21	48.05	28.93	8.19	6.98	157.34	12.53	1.32
		12:00	29.49	48.22	29.10	8.22	7.34	169.17	3.30	1.73
		15:00	29.72	47.36	28.27	8.34	6.76	181.49	3.46	1.40
18:00		29.58	43.39	24.48	8.32	6.75	186.23	2.20	2.16	
21:00		29.44	45.61	26.60	8.31	6.21	176.76	2.16	2.05	
日平均	29.44	47.05	27.98	8.22	6.53	181.63	3.65	1.26		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月4日	蚵殼站	0:00	27.35	46.90	27.83	8.21	5.82	158.25	3.07	7.79
		3:00	26.58	45.53	26.52	8.15	7.36	174.35	3.42	9.95
		6:00	25.35	46.26	27.22	8.10	7.71	137.84	2.10	13.03
		9:00	26.16	46.34	27.30	8.04	8.51	147.31	4.19	12.34
		12:00	27.81	46.29	27.25	8.06	8.35	147.87	3.20	5.35
		15:00	26.71	46.14	27.11	8.11	6.69	142.02	18.52	8.69
		18:00	26.26	47.15	28.07	8.10	8.14	171.47	15.37	11.13
		21:00	26.71	46.34	27.30	8.11	8.01	132.37	3.57	11.81
		日平均	26.62	46.37	27.33	8.11	7.57	151.44	6.68	10.01
	潮口站	0:00	28.94	47.97	28.85	8.08	5.99	252.44	15.64	3.64
		3:00	28.12	46.65	27.59	8.05	6.04	254.75	5.96	5.80
		6:00	26.92	47.39	28.30	8.08	6.24	264.57	9.95	5.95
		9:00	27.70	47.48	28.39	8.05	5.97	258.99	7.29	6.00
		12:00	29.36	47.41	28.32	8.11	5.95	251.66	11.16	5.62
		15:00	28.28	47.28	28.20	8.10	6.25	245.12	6.98	6.05
		18:00	27.82	48.25	29.12	8.06	6.20	246.02	5.21	5.96
		21:00	28.24	47.49	28.40	8.11	5.89	247.77	7.15	6.26
		日平均	28.17	47.49	28.40	8.08	6.07	252.67	8.67	5.66
	灣內站	0:00	29.34	46.88	27.81	8.21	6.40	154.70	3.23	2.42
		3:00	28.92	45.48	26.48	8.24	6.68	172.00	3.26	1.49
		6:00	28.42	46.19	27.15	8.26	6.90	136.43	4.37	1.08
		9:00	28.62	46.23	27.20	8.29	7.29	145.69	3.22	2.54
		12:00	29.39	46.21	27.18	8.34	7.59	141.60	4.06	1.22
		15:00	29.96	46.13	27.09	8.33	7.52	137.07	3.44	0.58
		18:00	29.68	47.07	27.99	8.27	6.73	152.61	3.14	2.06
		21:00	29.29	46.25	27.22	8.24	6.01	130.57	2.66	1.56
		日平均	29.20	46.31	27.26	8.27	6.89	146.33	3.42	1.62
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月5日	蚵殼站	0:00	27.53	46.21	27.17	8.18	8.51	150.27	6.59	12.42
		3:00	26.91	44.80	25.83	8.16	6.15	208.32	1.18	19.12
		6:00	24.14	42.00	23.15	8.03	5.43	199.48	13.56	18.80
		9:00	24.56	40.59	21.81	8.09	7.54	244.11	10.65	13.97
		12:00	27.44	45.25	26.26	8.17	8.97	238.14	10.13	10.21
		15:00	27.31	44.97	25.99	8.03	5.86	241.24	18.98	12.96
		18:00	26.33	39.42	20.69	8.20	7.73	262.31	7.27	16.85
		21:00	24.63	39.01	20.30	8.30	5.54	169.23	18.26	16.84
		日平均	26.11	42.78	23.90	8.15	6.97	214.14	10.83	15.15
	潮口站	0:00	29.11	47.29	28.21	8.06	5.79	242.63	10.90	3.64
		3:00	28.48	45.94	26.92	8.06	5.83	248.70	13.81	5.61
		6:00	25.72	36.01	17.43	8.01	5.99	264.79	3.24	4.94
		9:00	26.11	41.71	22.88	7.98	5.86	277.56	3.39	3.99
		12:00	29.02	46.37	27.33	8.06	5.44	265.72	15.63	3.72
		15:00	28.90	46.12	27.09	8.12	6.10	262.35	5.66	4.59
		18:00	27.88	40.56	21.78	8.06	6.17	259.93	9.94	3.71
		21:00	26.23	34.39	15.89	8.00	6.08	282.04	4.98	5.54
		日平均	27.68	42.30	23.44	8.04	5.91	262.97	8.44	4.47
	灣內站	0:00	29.13	46.10	27.07	8.12	6.21	143.82	2.91	2.44
		3:00	28.97	44.72	25.75	8.12	6.83	201.78	3.98	1.57
		6:00	28.81	41.95	23.11	8.10	6.16	193.84	4.98	1.30
		9:00	28.07	40.58	21.80	8.18	6.57	236.12	4.14	3.40
		12:00	28.17	45.23	26.24	8.21	7.89	230.75	4.26	2.08
		15:00	28.39	44.92	25.94	8.21	7.35	236.57	3.94	1.23
		18:00	28.40	39.35	20.63	8.18	6.99	259.38	2.39	3.50
		21:00	28.39	38.92	20.22	8.08	6.23	167.48	2.19	1.88
		日平均	28.54	42.72	23.84	8.15	6.78	208.72	3.60	2.18
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月6日	蚵殼站	0:00	25.79	39.03	20.32	8.25	5.59	210.25	2.23	11.53
		3:00	26.00	41.02	22.22	7.89	5.26	248.56	8.78	10.03
		6:00	24.36	40.42	21.64	8.06	5.30	213.86	17.55	5.73
		9:00	24.23	40.96	22.16	8.18	6.35	229.41	21.42	10.38
		12:00	26.65	40.91	22.11	8.29	7.15	230.41	7.72	11.37
		15:00	27.67	41.16	22.35	8.21	6.75	249.72	18.77	7.00
		18:00	26.15	40.23	21.46	8.15	5.82	220.95	14.89	15.66
		21:00	24.84	39.18	20.46	8.10	5.65	220.27	13.20	10.93
	日平均	25.71	40.36	21.59	8.14	5.98	227.93	13.07	10.33	
	潮口站	0:00	27.38	40.11	21.35	8.11	5.74	284.55	9.48	3.64
		3:00	27.56	42.14	23.29	8.07	5.98	269.23	11.70	5.18
		6:00	25.92	36.87	18.25	8.06	5.93	282.15	11.50	5.43
		9:00	25.80	38.85	20.15	8.08	5.91	292.62	9.84	5.66
		12:00	28.21	42.04	23.19	8.08	5.63	283.95	3.21	5.80
		15:00	29.20	42.26	23.40	8.10	5.86	262.71	4.39	5.24
		18:00	27.74	39.51	20.78	8.10	6.10	258.32	4.59	5.38
		21:00	26.40	37.13	18.50	8.10	5.96	284.22	7.12	4.81
	日平均	27.28	39.86	21.11	8.09	5.89	277.22	7.73	5.14	
	灣內站	0:00	28.37	38.92	20.22	8.14	6.00	206.59	3.26	2.75
		3:00	28.24	40.94	22.14	8.18	6.27	244.85	3.77	1.08
		6:00	27.98	40.32	21.55	8.22	6.31	203.94	4.98	7.17
		9:00	27.80	40.89	22.10	8.26	6.90	218.51	4.47	5.31
		12:00	28.01	40.83	22.04	8.34	7.67	211.77	3.53	2.08
		15:00	28.39	41.05	22.24	8.35	7.10	240.55	3.35	5.95
18:00		28.41	40.16	21.40	8.24	7.00	213.23	2.73	1.57	
21:00		28.44	39.11	20.40	8.11	6.57	216.81	2.58	1.66	
日平均	28.21	40.28	21.51	8.23	6.73	219.53	3.58	3.45		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月7日	蚵殼站	0:00	25.67	39.35	20.62	8.27	5.61	243.09	8.13	11.30
		3:00	27.07	40.60	21.82	8.03	6.49	195.09	16.06	10.17
		6:00	26.66	41.15	22.34	8.14	6.46	136.75	2.49	6.87
		9:00	25.02	39.22	20.50	8.16	7.05	191.97	8.19	6.95
		12:00	25.76	39.18	20.46	8.24	8.15	208.73	15.03	8.00
		15:00	27.16	40.41	21.63	8.22	6.28	238.37	14.42	11.00
		18:00	27.00	39.42	20.69	8.22	6.65	242.02	10.57	12.94
		21:00	25.18	39.33	20.60	8.33	6.43	250.58	3.95	11.70
	日平均	26.19	39.83	21.08	8.20	6.64	213.33	9.86	9.87	
	潮口站	0:00	27.21	40.48	21.70	8.12	5.81	283.65	9.77	3.64
		3:00	28.60	41.70	22.87	8.09	5.59	254.16	9.96	5.97
		6:00	28.20	42.25	23.39	8.07	5.60	225.34	5.52	4.60
		9:00	26.58	40.35	21.58	8.09	5.87	244.02	13.29	13.26
		12:00	27.30	39.70	20.96	8.12	5.90	243.33	9.60	8.93
		15:00	28.75	39.58	20.84	8.11	6.02	238.35	6.53	3.86
		18:00	28.57	40.52	21.74	8.11	6.00	233.23	8.45	11.82
		21:00	26.77	40.44	21.66	8.12	5.43	235.31	3.37	14.08
	日平均	27.75	40.63	21.84	8.10	5.78	244.67	8.31	8.27	
	灣內站	0:00	28.12	39.31	20.58	8.13	5.89	234.32	2.70	0.25
		3:00	28.07	40.59	21.81	8.10	6.04	186.29	3.45	1.04
		6:00	28.15	41.09	22.28	8.15	6.45	134.33	3.32	0.42
		9:00	28.09	39.12	20.40	8.19	6.33	172.12	3.75	0.03
		12:00	28.10	39.16	20.45	8.23	6.88	200.86	5.16	0.54
		15:00	28.08	40.36	21.58	8.37	7.62	236.91	4.48	0.40
18:00		28.33	39.34	20.62	8.43	6.80	240.85	2.62	0.09	
21:00		28.10	39.24	20.52	8.34	6.47	246.62	2.05	0.07	
日平均	28.13	39.78	21.03	8.24	6.56	206.54	3.44	0.36		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月8日	蚵殼站	0:00	25.55	40.12	21.36	8.27	6.40	217.17	3.61	14.93
		3:00	26.53	39.37	20.64	8.04	5.71	130.35	3.38	16.80
		6:00	26.53	39.12	20.40	8.03	5.42	144.26	2.70	15.53
		9:00	26.86	39.83	21.08	8.07	7.20	146.87	4.19	19.51
		12:00	27.19	38.86	20.15	8.19	7.36	147.37	10.45	20.04
		15:00	27.75	39.34	20.61	8.32	7.76	186.37	1.93	19.30
		18:00	27.29	40.51	21.73	8.24	8.08	256.99	11.03	23.31
		21:00	25.80	40.68	21.89	8.28	7.16	252.45	2.04	14.41
	日平均	26.69	39.73	20.98	8.18	6.89	185.23	4.92	17.98	
	潮口站	0:00	27.13	38.96	20.25	8.12	5.58	236.47	6.06	3.64
		3:00	28.12	39.23	20.51	8.10	5.79	229.81	12.45	4.08
		6:00	28.08	40.20	21.43	8.09	5.67	226.39	14.09	5.90
		9:00	28.44	40.97	22.17	8.11	5.62	222.95	12.64	4.13
		12:00	28.77	39.99	21.23	8.13	6.45	219.88	12.55	10.19
		15:00	29.29	40.45	21.67	8.10	7.62	212.45	5.05	10.53
		18:00	28.87	41.59	22.76	8.08	6.54	223.38	9.95	6.05
		21:00	27.37	41.82	22.98	8.09	5.61	231.48	3.99	9.56
	日平均	28.26	40.40	21.63	8.10	6.11	225.35	9.60	6.76	
	灣內站	0:00	27.93	40.07	21.32	8.19	5.80	212.88	2.29	0.16
		3:00	27.94	39.31	20.58	8.16	6.15	127.98	14.85	2.15
		6:00	28.11	39.07	20.35	8.34	6.38	135.58	3.97	0.22
		9:00	28.08	39.79	21.04	8.32	6.04	142.88	3.97	1.75
		12:00	28.20	38.78	20.08	8.42	6.57	139.09	3.92	1.80
		15:00	28.44	39.22	20.50	8.37	6.41	181.63	7.18	1.99
		18:00	28.61	40.50	21.72	8.34	5.88	247.26	7.83	1.01
		21:00	28.54	40.65	21.87	8.29	6.10	249.63	11.36	1.13
	日平均	28.23	39.67	20.93	8.30	6.17	179.62	6.92	1.28	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月9日	蚵殼站	0:00	26.14	37.00	18.38	8.20	7.49	245.68	8.98	8.96
		3:00	26.67	39.18	20.46	8.05	6.82	237.50	8.21	5.11
		6:00	26.56	36.82	18.21	7.94	6.99	238.56	18.59	4.30
		9:00	26.75	41.08	22.27	7.99	6.61	238.35	7.86	5.36
		12:00	26.50	39.61	20.87	8.13	6.61	250.86	3.77	9.41
		15:00	26.64	38.91	20.20	8.22	5.16	254.14	3.75	9.38
		18:00	27.47	39.87	21.12	8.19	8.06	259.13	11.14	4.90
		21:00	26.81	40.52	21.74	8.22	5.94	261.91	5.66	6.01
	日平均	26.69	39.12	20.41	8.12	6.71	248.27	8.50	6.68	
	潮口站	0:00	27.70	38.12	19.45	8.09	6.17	219.59	8.32	3.64
		3:00	28.27	34.92	16.39	8.07	6.50	199.39	7.90	8.19
		6:00	28.12	37.95	19.29	8.06	6.21	199.30	26.96	6.97
		9:00	28.35	42.21	23.35	8.09	6.92	214.72	4.32	5.67
		12:00	28.09	40.71	21.92	8.11	6.11	215.79	10.69	4.29
		15:00	28.21	40.01	21.25	8.10	6.07	209.28	7.30	5.55
		18:00	29.01	41.00	22.20	8.09	6.74	211.07	8.12	5.92
		21:00	28.39	41.63	22.80	8.08	6.16	218.80	9.72	7.50
	日平均	28.27	39.57	20.83	8.09	6.36	210.99	10.42	5.97	
	灣內站	0:00	28.39	36.89	18.27	8.17	5.78	244.46	3.97	1.90
		3:00	28.29	39.13	20.41	8.23	6.32	236.50	2.58	0.61
		6:00	28.33	36.79	18.18	8.27	6.39	234.33	2.62	0.62
		9:00	28.36	40.99	22.19	8.29	6.35	228.42	3.49	2.57
		12:00	28.47	39.57	20.83	8.33	7.70	247.96	3.76	2.37
		15:00	28.74	38.86	20.15	8.32	7.09	251.96	3.43	0.69
		18:00	28.77	39.78	21.04	8.28	5.99	250.83	2.70	1.13
		21:00	28.65	40.48	21.70	8.24	6.28	260.32	2.44	2.11
	日平均	28.50	39.06	20.35	8.27	6.49	244.35	3.12	1.50	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月10日	蚵殼站	0:00	26.76	36.76	18.15	8.19	6.05	249.97	15.38	8.02
		3:00	27.08	39.66	20.92	8.03	6.38	245.87	18.91	6.44
		6:00	26.88	38.60	19.91	7.97	6.99	255.72	20.19	4.04
		9:00	26.66	39.12	20.40	8.16	7.50	266.84	8.80	4.32
		12:00	26.59	38.55	19.86	8.23	6.11	272.03	5.72	8.54
		15:00	27.27	36.36	17.77	8.23	5.73	279.24	11.80	7.99
		18:00	27.07	39.20	20.48	8.09	5.12	283.29	3.10	6.38
		21:00	26.81	38.78	20.08	8.12	5.76	270.58	17.66	5.36
	日平均	26.89	38.38	19.70	8.13	6.21	265.44	12.70	6.39	
	潮口站	0:00	28.33	37.88	19.22	8.08	6.83	219.62	4.57	3.64
		3:00	28.63	40.74	21.95	8.08	7.26	201.80	7.46	5.54
		6:00	28.46	39.74	21.00	8.06	6.78	198.90	13.89	5.61
		9:00	28.19	40.21	21.44	8.08	6.30	200.37	9.17	5.56
		12:00	28.17	39.70	20.96	8.10	6.25	203.45	11.46	6.23
		15:00	28.82	37.45	18.81	8.09	6.52	203.48	13.48	6.02
		18:00	28.63	40.32	21.55	8.08	6.09	205.52	4.35	5.98
		21:00	28.40	39.87	21.12	8.08	5.88	213.11	4.98	5.78
	日平均	28.45	39.49	20.76	8.08	6.49	205.78	8.67	5.55	
	灣內站	0:00	28.40	36.67	18.07	8.25	6.35	236.14	2.95	2.16
		3:00	28.27	39.59	20.85	8.18	5.83	235.56	2.31	2.28
		6:00	28.14	38.56	19.87	8.23	6.43	250.99	6.49	2.49
		9:00	28.07	39.08	20.37	8.28	6.90	265.39	6.87	2.45
		12:00	28.12	38.54	19.85	8.21	7.60	265.92	5.51	2.10
		15:00	28.29	36.25	17.66	8.13	7.54	275.56	4.84	2.28
18:00		28.39	39.11	20.40	8.09	6.55	274.92	4.78	2.42	
21:00		28.31	38.73	20.04	8.09	5.84	261.74	3.33	2.27	
日平均	28.25	38.32	19.64	8.18	6.63	258.28	4.64	2.31		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月11日	蚵殼站	0:00	26.66	38.64	19.94	8.08	5.55	242.60	5.57	6.08
		3:00	26.62	43.33	24.42	8.12	5.43	239.36	6.45	4.24
		6:00	26.55	42.10	23.25	8.01	5.79	248.65	5.30	3.62
		9:00	26.08	40.49	21.71	8.08	5.02	270.54	6.66	3.60
		12:00	25.87	39.95	21.19	8.18	6.65	270.69	6.96	5.11
		15:00	26.40	35.55	16.99	8.27	5.46	284.68	17.84	4.63
		18:00	26.53	39.79	21.04	8.21	5.94	293.49	25.31	5.06
		21:00	26.33	40.84	22.04	8.20	6.61	283.92	9.21	4.60
	日平均	26.38	40.09	21.32	8.14	5.81	266.74	10.41	4.62	
	潮口站	0:00	28.22	39.75	21.00	8.09	6.12	217.72	11.25	3.64
		3:00	28.17	44.46	25.50	8.08	5.86	210.08	11.19	8.19
		6:00	28.13	43.24	24.34	8.06	5.80	208.08	15.02	6.97
		9:00	27.63	41.62	22.79	8.08	6.09	213.88	4.02	5.67
		12:00	27.47	41.06	22.26	8.10	6.24	210.27	8.47	4.29
		15:00	27.99	36.64	18.03	8.10	5.94	213.14	16.85	5.55
		18:00	28.09	40.88	22.08	8.08	6.14	213.13	7.74	5.92
		21:00	27.89	41.93	23.09	8.07	5.67	217.58	12.42	7.50
	日平均	27.95	41.20	22.39	8.08	5.98	212.99	10.87	5.97	
	灣內站	0:00	28.35	38.56	19.87	8.06	6.05	236.90	2.48	0.81
		3:00	28.34	43.24	24.33	8.07	6.24	232.74	2.87	0.49
		6:00	27.70	42.06	23.21	8.14	7.60	242.11	4.86	1.51
		9:00	27.87	40.47	21.70	8.21	6.60	261.52	4.15	1.01
		12:00	27.84	39.83	21.08	8.22	6.96	268.23	4.56	0.51
		15:00	28.06	35.45	16.90	8.25	7.36	279.10	5.18	0.13
18:00		28.10	39.76	21.01	8.20	6.60	287.57	3.77	0.12	
21:00		28.10	40.75	21.96	8.19	5.87	273.01	3.23	1.07	
日平均	28.05	40.02	21.26	8.17	6.66	260.15	3.89	0.71		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月12日	蚵殼站	0:00	26.27	46.46	27.41	8.20	6.77	267.74	5.11	14.96
		3:00	25.93	41.79	22.95	8.07	5.98	208.95	12.78	16.75
		6:00	26.15	42.37	23.51	7.98	6.28	262.74	22.73	15.51
		9:00	27.40	41.39	22.57	8.08	7.71	251.50	2.99	19.55
		12:00	26.38	42.87	23.98	8.26	6.85	271.07	5.32	20.07
		15:00	28.81	42.54	23.67	8.30	6.95	273.90	8.95	19.28
		18:00	28.64	37.41	18.77	8.32	8.43	289.75	19.74	23.27
		21:00	28.76	44.77	25.80	8.26	6.30	284.15	6.41	14.42
	日平均	27.29	42.45	23.58	8.18	6.91	259.23	10.50	17.98	
	潮口站	0:00	27.84	47.59	28.49	8.08	5.50	221.68	9.78	3.64
		3:00	27.47	42.93	24.04	8.08	5.16	219.71	6.43	4.08
		6:00	27.72	43.46	24.55	8.07	5.50	216.85	15.23	5.90
		9:00	28.95	42.49	23.62	8.07	6.09	219.35	16.07	4.13
		12:00	27.97	43.97	25.03	8.10	6.27	213.59	18.07	10.19
		15:00	30.41	43.64	24.72	8.11	6.77	215.42	13.13	10.53
		18:00	30.18	38.54	19.85	8.10	7.21	213.46	18.52	6.05
		21:00	30.31	45.86	26.84	8.07	6.57	222.63	12.81	9.56
	日平均	28.86	43.56	24.64	8.09	6.13	217.84	13.76	6.76	
	灣內站	0:00	28.19	46.36	27.31	8.11	6.75	259.74	3.16	2.46
		3:00	28.11	41.72	22.88	8.10	7.42	207.38	3.88	2.19
		6:00	28.20	42.36	23.50	8.08	7.68	220.35	3.84	2.08
		9:00	28.33	41.28	22.46	8.12	7.74	244.93	3.52	2.04
		12:00	30.33	42.78	23.90	8.20	7.85	264.88	4.19	0.54
		15:00	30.54	42.53	23.66	8.15	8.48	267.37	7.76	0.42
		18:00	28.67	37.36	18.72	8.11	7.73	277.64	6.16	1.64
		21:00	28.85	44.71	25.74	8.06	6.77	274.06	5.30	1.61
	日平均	28.90	42.39	23.52	8.12	7.55	252.04	4.73	1.62	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月13日	蚵殼站	0:00	27.86	43.79	24.86	8.18	6.68	244.47	6.42	8.96
		3:00	27.54	44.20	25.25	8.11	8.47	241.94	5.27	5.12
		6:00	27.94	43.34	24.43	8.06	8.11	262.76	20.28	4.33
		9:00	28.39	40.11	21.35	8.09	9.01	277.05	14.86	5.39
		12:00	27.19	41.20	22.39	8.25	6.55	272.12	17.42	9.44
		15:00	28.75	47.02	27.95	8.26	7.00	279.85	9.16	9.41
		18:00	29.12	41.62	22.79	8.30	8.44	275.00	13.58	4.92
		21:00	28.77	42.22	23.36	8.22	7.77	274.95	5.67	6.01
	日平均	28.20	42.94	24.05	8.18	7.75	266.02	11.58	6.70	
	潮口站	0:00	29.43	44.90	25.92	8.07	5.90	226.00	5.98	4.81
		3:00	29.10	45.30	26.31	8.08	5.84	227.04	7.21	6.62
		6:00	29.50	44.47	25.51	8.08	6.25	224.32	6.89	6.35
		9:00	29.97	41.22	22.41	8.07	6.56	222.17	12.57	4.67
		12:00	28.75	42.35	23.49	8.09	6.25	219.68	10.60	5.90
		15:00	30.31	48.11	28.99	8.12	6.94	216.26	13.56	4.13
		18:00	30.66	42.73	23.85	8.11	7.62	220.08	3.77	4.60
		21:00	30.34	43.33	24.42	8.10	7.62	223.44	13.70	4.49
	日平均	29.76	44.05	25.11	8.09	6.62	222.37	9.29	5.20	
	灣內站	0:00	28.78	43.73	24.81	8.10	7.40	235.32	4.65	3.96
		3:00	28.51	44.10	25.16	8.08	7.24	237.35	3.85	4.93
		6:00	28.48	43.28	24.37	8.16	7.50	258.43	4.07	2.57
		9:00	28.81	40.04	21.29	8.17	6.94	266.78	6.39	9.02
		12:00	29.99	41.18	22.37	8.20	6.75	266.11	5.43	1.40
		15:00	31.33	47.01	27.93	8.34	7.90	259.18	8.75	1.08
		18:00	30.84	41.60	22.77	8.32	6.99	264.86	7.95	6.19
		21:00	30.54	42.20	23.34	8.35	5.93	265.67	3.90	6.18
	日平均	29.66	42.89	24.01	8.22	7.08	256.71	5.62	4.42	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月14日	蚵殼站	0:00	28.67	46.43	27.38	8.24	6.33	278.90	1.87	9.06
		3:00	27.46	45.27	26.28	8.18	6.99	164.37	2.86	5.19
		6:00	28.08	45.42	26.42	8.11	8.59	142.55	2.95	4.42
		9:00	28.88	43.44	24.53	8.10	8.78	176.27	14.18	5.49
		12:00	26.98	40.01	21.25	8.17	6.78	221.38	14.08	9.54
		15:00	27.63	44.55	25.59	8.25	6.19	247.89	7.36	9.49
		18:00	28.69	42.04	23.19	8.25	6.49	260.14	10.32	4.99
		21:00	28.40	43.27	24.37	8.14	8.06	258.24	5.95	6.13
	日平均	28.10	43.80	24.88	8.18	7.28	218.72	7.45	6.79	
	潮口站	0:00	30.22	47.54	28.44	8.08	7.62	227.07	10.84	4.81
		3:00	29.04	46.37	27.33	8.07	6.85	229.55	4.92	4.75
		6:00	29.67	46.56	27.51	8.09	7.57	225.92	4.36	5.11
		9:00	30.47	44.57	25.61	8.11	7.62	215.13	16.72	4.67
		12:00	28.57	41.12	22.31	8.09	6.30	216.60	9.93	4.57
		15:00	29.18	45.65	26.64	8.11	6.70	215.04	4.16	4.55
		18:00	30.27	43.17	24.27	8.13	7.62	219.81	5.78	4.60
		21:00	29.96	44.35	25.40	8.12	7.62	223.05	11.04	4.49
	日平均	29.67	44.92	25.94	8.10	7.24	221.52	8.47	4.69	
	灣內站	0:00	29.45	46.33	27.29	8.17	6.09	269.72	3.86	2.70
		3:00	28.59	45.25	26.26	8.26	5.58	156.52	4.70	2.30
		6:00	28.65	45.31	26.31	8.28	6.08	139.66	3.34	0.36
		9:00	29.63	43.34	24.43	8.32	8.15	165.40	4.73	2.41
		12:00	30.58	39.97	21.22	8.32	8.40	201.37	4.37	1.83
		15:00	30.65	44.49	25.53	8.33	7.65	244.55	5.36	0.04
		18:00	30.52	41.96	23.12	8.30	6.98	252.26	11.63	7.08
		21:00	29.93	43.22	24.32	8.26	6.02	249.18	3.75	5.72
	日平均	29.75	43.73	24.81	8.28	6.87	209.83	5.22	2.81	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月15日	蚵殼站	0:00	27.96	46.47	27.42	8.16	6.24	262.40	2.68	17.38
		3:00	27.31	48.96	29.80	8.17	8.89	167.41	2.46	14.09
		6:00	27.58	45.64	26.63	8.12	7.88	189.42	4.16	8.84
		9:00	27.66	43.57	24.65	8.05	5.85	226.36	6.45	8.96
		12:00	27.11	42.85	23.96	8.24	6.77	267.75	6.30	14.21
		15:00	26.77	47.36	28.27	8.32	6.79	279.54	3.26	17.92
		18:00	27.87	45.52	26.51	8.27	6.36	280.41	22.36	21.88
		21:00	27.71	44.90	25.92	8.24	7.80	260.42	24.92	21.79
	日平均	27.50	45.66	26.65	8.20	7.07	241.71	9.07	15.63	
	潮口站	0:00	29.51	47.62	28.52	8.08	7.82	223.39	13.45	6.29
		3:00	28.91	50.11	30.90	8.07	6.68	229.05	3.72	6.19
		6:00	29.17	46.75	27.69	8.09	7.26	227.34	4.99	6.20
		9:00	29.22	44.71	25.74	8.11	7.80	222.76	11.43	6.39
		12:00	28.64	43.94	25.01	8.09	6.51	225.07	10.68	6.19
		15:00	28.33	48.46	29.32	8.11	6.41	217.46	4.77	6.62
		18:00	29.44	46.61	27.56	8.13	7.62	218.65	14.93	6.35
		21:00	29.28	46.04	27.01	8.12	7.90	219.39	17.29	6.32
	日平均	29.06	46.78	27.72	8.10	7.25	222.89	10.16	6.32	
	灣內站	0:00	29.93	46.36	27.32	8.11	5.70	257.83	6.49	1.05
		3:00	29.24	48.85	29.69	8.10	6.48	159.52	4.69	4.31
		6:00	28.44	45.53	26.53	8.08	7.18	179.20	6.91	0.41
		9:00	29.23	43.51	24.59	8.15	6.92	224.38	8.81	3.82
		12:00	29.53	42.81	23.93	8.21	7.60	264.38	6.01	1.08
		15:00	29.31	47.26	28.17	8.19	7.56	271.13	25.03	0.88
		18:00	29.29	45.47	26.47	8.18	5.54	274.24	29.65	4.05
		21:00	29.27	44.87	25.90	8.07	5.82	253.59	15.55	2.86
	日平均	29.28	45.58	26.58	8.14	6.60	235.53	12.89	2.31	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月16日	蚵殼站	0:00	27.39	46.51	27.46	8.12	5.79	246.86	8.06	16.53
		3:00	26.84	49.57	30.38	8.18	7.41	184.50	12.15	15.01
		6:00	26.88	48.25	29.12	8.15	7.69	117.23	16.78	10.80
		9:00	28.03	44.62	25.65	8.14	8.49	160.09	28.07	15.38
		12:00	26.70	42.65	23.77	8.24	8.32	196.84	15.23	16.33
		15:00	27.44	42.21	23.35	8.26	6.69	222.62	6.69	12.01
		18:00	27.01	44.78	25.81	8.22	8.17	196.49	12.46	20.66
		21:00	26.85	43.24	24.34	8.20	8.00	174.69	24.61	15.98
	日平均	27.14	45.23	26.24	8.19	7.57	187.42	15.51	15.34	
	潮口站	0:00	28.97	47.61	28.51	8.11	7.36	220.37	5.02	6.11
		3:00	28.39	50.65	31.41	8.08	6.83	224.96	4.34	6.01
		6:00	28.46	49.40	30.22	8.09	7.23	221.02	4.10	5.97
		9:00	29.59	45.76	26.74	8.06	7.62	160.71	12.84	6.47
		12:00	30.13	43.74	24.82	8.21	6.69	132.25	6.40	6.43
		15:00	29.06	43.34	24.43	8.21	6.17	127.01	8.52	6.25
		18:00	29.09	45.90	26.88	8.14	7.62	125.76	15.76	6.20
		21:00	28.72	44.37	25.42	8.11	7.62	131.78	12.76	6.36
	日平均	29.05	46.35	27.30	8.13	7.14	167.98	8.72	6.23	
	灣內站	0:00	29.27	46.45	27.40	8.12	6.08	244.37	9.18	2.36
		3:00	28.86	49.50	30.31	8.15	6.46	177.02	17.58	1.91
		6:00	28.25	48.16	29.03	8.22	6.28	105.17	13.45	2.43
		9:00	28.24	44.58	25.62	8.27	7.23	152.61	14.84	2.18
		12:00	28.11	42.58	23.70	8.34	7.87	185.92	13.63	2.37
		15:00	28.84	42.15	23.30	8.34	6.48	220.94	6.13	2.29
18:00		28.66	44.70	25.73	8.21	5.92	186.07	6.63	1.90	
21:00		28.45	43.13	24.23	8.10	6.50	167.70	8.67	2.32	
日平均	28.59	45.16	26.17	8.22	6.60	179.98	11.26	2.22		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月17日	蚵殼站	0:00	26.96	49.82	30.62	8.12	8.71	141.04	24.45	16.32
		3:00	26.73	50.54	31.31	8.19	5.49	131.46	11.28	15.21
		6:00	26.56	48.92	29.76	8.23	5.59	139.41	1.89	11.83
		9:00	26.46	45.98	26.95	8.23	6.90	178.00	4.39	11.94
		12:00	26.68	39.30	20.57	8.24	5.65	134.96	31.04	13.00
		15:00	26.52	44.11	25.17	8.19	6.62	147.10	40.81	15.97
		18:00	26.62	42.65	23.77	8.20	6.44	159.67	37.41	17.91
		21:00	26.60	40.13	21.37	8.24	7.30	162.46	13.28	16.76
	日平均	26.64	45.18	26.19	8.21	6.59	149.26	20.57	14.87	
	潮口站	0:00	28.30	50.97	31.72	7.98	6.93	136.33	8.13	6.34
		3:00	28.02	51.63	32.35	7.96	6.57	140.47	4.87	5.76
		6:00	27.78	50.01	30.80	7.99	6.34	142.30	4.79	5.91
		9:00	27.72	47.11	28.03	8.07	6.59	138.54	4.46	6.21
		12:00	27.02	40.40	21.63	8.10	6.42	137.65	4.67	6.23
		15:00	26.57	45.20	26.21	7.95	6.37	143.56	4.60	7.26
		18:00	27.66	39.33	20.60	7.99	6.46	138.41	7.51	5.29
		21:00	27.37	41.27	22.46	7.99	5.93	145.37	8.12	5.26
	日平均	27.56	45.74	26.73	8.00	6.45	140.33	5.89	6.03	
	灣內站	0:00	28.51	49.73	30.53	8.19	6.88	131.58	8.50	2.10
		3:00	28.22	50.44	31.22	8.15	8.04	124.82	8.18	1.25
		6:00	27.63	48.88	29.72	8.13	8.40	131.15	7.87	1.46
		9:00	27.88	45.91	26.89	8.09	6.54	171.17	5.95	1.39
		12:00	27.46	39.27	20.55	8.05	8.17	129.49	5.45	1.85
		15:00	26.95	44.08	25.13	8.06	8.16	139.92	5.23	2.02
18:00		27.67	42.56	23.69	7.99	6.05	149.02	4.56	1.22	
21:00		27.73	40.06	21.30	8.01	6.73	155.75	5.04	1.65	
日平均	27.76	45.12	26.13	8.08	7.37	141.61	6.35	1.62		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月18日	蚵殼站	0:00	26.50	42.56	23.69	8.24	7.64	168.64	18.51	12.92
		3:00	26.46	44.37	25.42	8.17	6.03	172.37	8.88	14.78
		6:00	26.50	49.11	29.94	8.12	5.27	196.19	11.81	13.47
		9:00	25.99	48.73	29.58	8.17	7.75	218.85	7.49	17.55
		12:00	26.16	40.50	21.72	8.21	6.89	169.31	12.38	18.10
		15:00	25.79	42.65	23.77	8.13	6.89	184.08	10.62	17.30
		18:00	25.80	40.89	22.09	8.18	8.42	216.08	5.16	21.26
		21:00	25.96	40.68	21.89	8.14	6.33	224.13	2.98	12.42
	日平均	26.15	43.69	24.76	8.17	6.90	193.71	9.73	15.98	
	潮口站	0:00	27.08	43.70	24.78	7.93	5.73	149.30	5.68	5.07
		3:00	26.77	45.46	26.46	7.91	5.30	157.78	7.04	4.93
		6:00	26.70	50.20	30.98	7.90	5.13	158.85	7.80	5.24
		9:00	26.81	49.87	30.67	7.92	5.38	157.81	7.85	5.53
		12:00	27.20	41.60	22.77	7.91	5.88	150.97	9.14	5.07
		15:00	27.39	39.39	20.66	7.85	6.20	150.85	9.66	5.27
		18:00	27.50	42.03	23.18	7.89	5.91	157.80	9.56	4.57
		21:00	27.44	41.75	22.91	7.88	5.48	161.85	5.61	4.29
	日平均	27.11	44.25	25.30	7.90	5.63	155.65	7.79	5.00	
	灣內站	0:00	27.76	42.52	23.65	8.07	7.83	148.39	5.89	0.65
		3:00	27.75	44.34	25.39	8.26	7.08	161.50	6.41	1.55
		6:00	27.74	49.07	29.90	8.14	8.06	189.94	9.44	0.82
		9:00	27.62	48.64	29.50	8.17	8.47	208.55	4.90	1.08
		12:00	27.68	40.45	21.67	8.13	6.84	162.37	4.72	0.49
		15:00	27.54	42.57	23.70	8.09	6.90	180.46	4.59	0.94
18:00		27.59	40.79	22.00	8.18	5.96	211.42	4.64	2.53	
21:00		27.41	40.66	21.88	8.17	5.89	218.61	4.46	0.61	
日平均	27.64	43.63	24.71	8.15	7.13	185.16	5.63	1.08		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月19日	蚵殼站	0:00	26.03	44.21	25.26	8.08	6.69	207.69	12.31	10.69
		3:00	26.26	48.31	29.18	8.04	8.46	216.60	5.53	13.72
		6:00	26.00	48.45	29.31	8.00	8.06	118.17	9.98	16.47
		9:00	25.79	48.19	29.06	7.99	9.06	207.10	7.00	21.63
		12:00	26.03	42.65	23.77	7.96	6.55	234.40	2.35	17.38
		15:00	26.13	42.65	23.77	8.02	7.02	227.06	8.62	13.44
		18:00	26.21	48.65	29.50	8.11	8.41	240.94	12.78	14.76
		21:00	26.20	43.69	24.77	8.26	5.74	159.06	10.17	13.10
	日平均	26.08	45.85	26.83	8.06	7.50	201.38	8.59	15.15	
	潮口站	0:00	27.22	45.31	26.31	7.82	5.02	170.00	3.29	4.59
		3:00	26.85	49.43	30.25	7.86	5.16	178.67	6.08	4.58
		6:00	26.81	49.53	30.34	7.90	5.01	183.69	4.87	4.60
		9:00	27.23	49.29	30.12	7.90	5.37	188.45	5.59	5.54
		12:00	28.10	39.38	20.65	7.89	5.71	190.37	5.41	4.83
		15:00	27.75	39.63	20.89	7.84	6.20	195.78	11.71	5.44
		18:00	27.94	49.75	30.55	7.90	5.36	198.88	4.49	5.24
		21:00	27.87	44.82	25.85	7.88	5.46	207.30	10.46	4.21
	日平均	27.47	45.89	26.87	7.87	5.41	189.14	6.49	4.88	
	灣內站	0:00	27.00	44.16	25.21	8.10	7.41	206.11	5.03	0.03
		3:00	27.32	48.29	29.16	8.10	6.15	208.75	5.50	1.52
		6:00	27.59	48.42	29.29	7.98	8.38	115.51	5.21	0.30
		9:00	27.18	48.16	29.04	8.03	8.00	198.32	5.00	0.08
		12:00	27.50	42.57	23.70	8.10	8.17	230.17	5.84	2.21
		15:00	28.02	42.57	23.70	8.07	6.82	222.86	8.91	2.33
18:00		27.88	48.61	29.46	8.09	6.21	239.70	5.20	1.31	
21:00		27.86	43.58	24.66	8.06	6.45	143.56	5.03	1.84	
日平均	27.54	45.80	26.78	8.07	7.20	195.62	5.72	1.20		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月20日	蚵殼站	0:00	26.29	42.50	23.63	8.25	6.38	151.64	9.71	9.05
		3:00	26.30	50.61	31.38	8.18	7.05	207.72	7.59	9.18
		6:00	26.20	50.89	31.64	8.12	8.59	204.71	3.69	12.14
		9:00	26.13	48.70	29.55	8.07	8.84	244.10	5.83	12.26
		12:00	26.64	47.20	28.12	7.99	6.78	241.48	9.68	14.20
		15:00	27.04	47.38	28.29	7.96	6.14	238.45	6.06	11.10
		18:00	26.91	50.30	31.08	8.02	6.44	254.11	23.29	14.26
		21:00	26.51	46.66	27.60	8.09	8.02	160.94	3.68	10.99
	日平均	26.50	48.03	28.91	8.09	7.28	212.89	8.69	11.65	
	潮口站	0:00	27.63	43.62	24.70	7.84	5.10	211.06	12.07	4.21
		3:00	27.25	51.71	32.43	7.83	5.32	211.55	12.03	3.91
		6:00	27.33	52.00	32.70	7.92	5.23	217.92	3.24	4.01
		9:00	28.22	49.85	30.65	7.91	6.18	229.03	5.59	13.33
		12:00	29.82	48.33	29.20	7.93	6.98	223.96	10.04	6.80
		15:00	30.82	48.51	29.37	7.95	6.10	225.39	12.68	3.11
		18:00	29.87	51.42	32.15	7.98	7.72	224.52	8.64	5.07
		21:00	28.95	47.78	28.67	7.91	6.78	232.97	10.32	7.24
	日平均	28.74	49.15	29.98	7.91	6.18	222.05	9.33	5.96	
	灣內站	0:00	27.87	42.41	23.55	8.02	6.82	143.96	5.31	2.49
		3:00	27.70	50.55	31.32	8.08	6.78	200.22	5.20	2.37
		6:00	27.68	50.82	31.58	8.03	8.53	203.69	6.41	1.80
		9:00	27.67	48.62	29.48	8.01	8.37	233.89	5.15	1.00
		12:00	28.17	47.14	28.06	8.15	7.25	239.86	7.12	0.34
		15:00	29.93	47.35	28.26	8.10	7.19	235.73	5.40	1.53
		18:00	28.68	50.27	31.05	8.07	6.35	233.62	4.95	0.91
		21:00	27.81	46.60	27.54	8.09	6.26	157.73	5.23	0.84
	日平均	28.19	47.97	28.85	8.07	7.19	206.09	5.60	1.41	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月21日	蚵殼站	0:00	26.60	46.10	27.07	8.14	6.20	215.89	6.95	9.26
		3:00	26.80	48.96	29.80	8.15	8.89	246.56	6.92	7.92
		6:00	26.50	50.74	31.50	8.20	7.89	218.84	1.29	7.12
		9:00	26.23	49.83	30.63	8.14	5.80	224.27	5.68	10.09
		12:00	27.43	49.99	30.78	8.12	6.78	229.34	10.01	12.03
		15:00	29.30	50.75	31.51	8.04	6.74	253.69	12.09	9.50
		18:00	28.70	51.12	31.86	8.06	6.37	217.13	11.35	11.23
		21:00	27.00	45.02	26.04	7.97	7.82	220.21	5.68	10.56
	日平均	27.32	49.06	29.90	8.10	7.06	228.24	7.50	9.71	
	潮口站	0:00	30.01	47.18	28.10	8.02	7.62	236.75	14.77	5.82
		3:00	29.24	50.09	30.88	7.92	7.79	235.93	25.29	4.50
		6:00	29.19	51.85	32.56	7.96	7.62	239.44	10.92	3.26
		9:00	29.36	50.96	31.71	8.06	7.62	240.67	7.19	4.12
		12:00	29.24	51.12	31.86	8.13	7.62	243.71	9.56	3.37
		15:00	30.17	51.88	32.59	8.10	6.48	242.75	7.10	4.16
		18:00	29.38	52.23	32.92	7.99	5.59	237.38	8.15	3.82
		21:00	29.30	46.13	27.10	7.99	6.89	245.47	10.40	2.80
	日平均	29.49	50.18	30.97	8.02	7.15	240.26	11.67	3.98	
	灣內站	0:00	27.99	46.07	27.04	8.12	5.95	210.82	5.77	2.44
		3:00	28.21	48.91	29.75	8.09	6.53	239.03	7.54	0.25
		6:00	28.17	50.67	31.43	8.14	6.11	213.71	9.18	1.57
		9:00	28.11	49.76	30.56	8.20	6.80	221.21	7.47	0.50
		12:00	30.56	49.97	30.76	8.21	7.87	218.60	6.21	2.80
		15:00	31.84	50.72	31.48	8.34	7.26	233.84	6.15	1.95
		18:00	30.36	51.04	31.79	8.43	6.89	211.88	5.70	0.38
		21:00	28.62	44.96	25.98	8.31	5.99	216.56	5.53	2.99
	日平均	29.23	49.01	29.85	8.23	6.68	220.71	6.69	1.61	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月22日	蚵殼站	0:00	27.63	43.84	24.91	8.24	5.78	223.51	8.98	10.61
		3:00	28.20	47.61	28.51	8.26	7.38	231.73	9.94	9.57
		6:00	28.09	47.97	28.85	8.28	7.67	225.10	4.78	10.01
		9:00	27.06	48.91	29.75	8.17	8.52	233.86	2.35	10.91
		12:00	28.15	51.49	32.22	8.29	8.33	226.86	8.79	11.52
		15:00	29.93	50.61	31.38	8.27	6.72	169.97	14.46	10.96
		18:00	29.23	50.04	30.83	8.25	8.17	92.66	9.60	11.41
		21:00	28.59	47.10	28.02	8.27	7.99	183.19	7.05	11.45
	日平均	28.36	48.45	29.31	8.25	7.57	198.36	8.24	10.81	
	潮口站	0:00	30.73	44.97	25.99	8.24	7.62	243.78	15.11	2.66
		3:00	30.43	48.71	29.56	8.11	7.62	246.97	29.69	2.52
		6:00	30.50	49.05	29.89	8.14	7.62	244.76	9.57	2.23
		9:00	30.84	50.01	30.80	8.19	7.62	239.79	10.43	3.19
		12:00	29.88	52.57	33.25	8.11	7.62	244.97	10.72	3.74
		15:00	29.51	51.73	32.45	8.00	7.08	252.88	4.99	3.17
		18:00	29.41	51.18	31.92	7.95	6.22	244.04	15.14	4.38
		21:00	29.01	48.19	29.07	7.97	5.53	248.28	18.54	3.00
	日平均	30.04	49.55	30.37	8.09	7.12	245.68	14.27	3.11	
	灣內站	0:00	29.31	42.41	23.55	8.18	6.34	218.91	6.05	0.58
		3:00	30.10	50.55	31.32	8.15	7.37	228.28	6.83	3.37
		6:00	29.92	50.82	31.58	8.34	7.94	214.59	6.23	1.88
		9:00	29.60	48.62	29.48	8.37	8.56	230.93	5.32	0.38
		12:00	31.17	47.14	28.06	8.41	8.69	207.66	5.82	1.45
		15:00	31.34	47.35	28.26	8.41	8.09	166.46	6.07	0.97
		18:00	31.30	50.27	31.05	8.34	7.71	81.84	6.19	0.33
		21:00	29.58	46.60	27.54	8.30	7.07	180.45	6.28	1.60
	日平均	30.29	47.97	28.85	8.31	7.72	191.14	6.10	1.32	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月23日	蚵殼站	0:00	27.86	45.66	26.65	8.22	8.69	183.09	5.40	11.80
		3:00	28.23	44.15	25.21	8.14	5.51	195.32	3.16	11.55
		6:00	28.95	47.34	28.25	8.09	5.63	191.50	3.69	11.90
		9:00	28.00	48.56	29.42	8.12	6.88	202.76	26.18	14.36
		12:00	28.93	47.54	28.44	8.06	5.68	139.35	4.98	15.49
		15:00	30.24	48.56	29.42	8.19	6.66	115.38	11.20	13.10
		18:00	30.16	49.55	30.36	8.23	6.47	126.72	9.48	8.75
		21:00	28.50	47.48	28.39	8.20	7.29	120.16	7.01	9.96
	日平均	28.86	47.36	28.27	8.16	6.60	159.29	8.89	12.11	
	潮口站	0:00	30.19	46.80	27.74	8.15	7.30	245.30	15.07	3.44
		3:00	30.68	45.29	26.30	8.37	7.85	234.72	25.02	3.37
		6:00	30.20	48.46	29.32	8.14	6.80	237.73	14.07	2.56
		9:00	31.22	49.69	30.50	8.14	7.39	240.27	11.43	3.49
		12:00	31.33	48.62	29.48	8.24	7.03	244.12	11.27	4.16
		15:00	31.43	49.67	30.48	8.26	7.62	245.82	5.44	4.64
		18:00	30.20	50.64	31.40	8.01	6.84	258.16	21.24	2.65
		21:00	29.37	48.56	29.42	7.98	5.96	258.56	12.55	3.60
	日平均	30.58	48.47	29.33	8.16	7.10	245.59	14.51	3.49	
	灣內站	0:00	29.65	46.07	27.04	8.19	5.91	177.92	7.34	1.17
		3:00	30.11	48.91	29.75	8.26	5.85	185.07	8.71	1.67
		6:00	30.17	50.67	31.43	8.29	6.52	186.59	10.32	2.08
		9:00	30.53	48.62	29.48	8.32	7.28	196.55	11.11	0.59
		12:00	31.33	47.14	28.06	8.31	7.93	132.23	8.05	2.20
		15:00	31.73	47.35	28.26	8.34	8.05	110.81	7.33	0.28
		18:00	31.59	50.27	31.05	8.26	7.73	120.31	7.41	2.08
		21:00	30.59	44.96	25.98	8.23	5.81	114.28	6.57	1.54
	日平均	30.71	48.00	28.88	8.28	6.89	152.97	8.36	1.45	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月24日	蚵殼站	0:00	28.00	47.73	28.62	8.15	5.60	150.82	12.52	8.63
		3:00	28.10	45.07	26.08	8.16	5.31	150.06	12.11	6.83
		6:00	28.56	44.84	25.86	8.14	5.31	100.85	18.07	5.84
		9:00	28.59	48.70	29.55	8.22	6.38	127.77	21.99	6.00
		12:00	28.75	50.44	31.21	8.28	7.15	114.99	14.82	7.69
		15:00	29.73	51.27	32.01	8.22	6.76	115.52	26.74	6.13
		18:00	29.36	50.36	31.14	8.12	5.81	127.53	18.01	5.42
		21:00	28.82	50.63	31.39	8.16	5.60	121.11	27.12	6.79
	日平均	28.74	48.63	29.48	8.18	5.99	126.08	18.92	6.67	
	潮口站	0:00	30.42	48.86	29.70	8.13	6.33	266.36	15.39	4.23
		3:00	30.35	46.20	27.16	8.27	6.62	261.05	16.21	4.41
		6:00	30.26	45.96	26.94	8.29	6.60	256.73	14.97	4.47
		9:00	30.89	49.80	30.60	8.04	6.63	251.49	7.55	4.41
		12:00	31.05	51.51	32.24	7.99	6.28	252.50	15.29	4.82
		15:00	30.96	52.35	33.04	8.02	5.86	251.50	9.54	5.57
		18:00	30.03	51.46	32.19	8.00	5.75	248.06	4.02	3.43
		21:00	29.66	51.73	32.45	7.94	5.36	255.55	8.89	3.51
	日平均	30.45	49.73	30.54	8.09	6.18	255.41	11.48	4.36	
	灣內站	0:00	29.27	47.69	28.59	8.09	6.20	142.31	5.30	5.33
		3:00	29.52	44.98	26.00	8.10	6.36	134.51	6.60	5.60
		6:00	30.08	44.73	25.76	8.11	5.90	94.44	7.44	3.65
		9:00	30.14	48.69	29.54	8.19	5.59	122.04	6.27	0.55
		12:00	30.61	50.41	31.19	8.22	8.05	112.03	5.89	0.48
		15:00	30.94	51.26	31.99	8.22	7.60	113.51	3.14	2.04
		18:00	30.70	50.31	31.08	8.20	7.41	118.66	3.67	2.00
		21:00	30.09	50.59	31.35	8.19	6.16	117.55	2.71	0.57
	日平均	30.17	48.58	29.44	8.17	6.66	119.38	5.13	2.53	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月25日	蚵殼站	0:00	28.18	46.65	27.59	8.10	5.57	128.52	16.50	5.80
		3:00	27.93	45.58	26.57	7.99	6.51	113.71	22.22	5.23
		6:00	28.80	43.93	25.00	8.09	6.45	117.83	25.71	4.05
		9:00	29.03	45.78	26.76	8.14	7.05	133.65	19.76	5.81
		12:00	29.20	49.40	30.22	8.13	8.14	142.41	8.37	7.26
		15:00	29.53	49.82	30.62	8.21	6.25	143.22	11.99	6.41
		18:00	29.41	45.26	26.27	8.26	6.60	141.07	8.74	5.70
		21:00	29.00	48.54	29.40	7.99	6.75	145.23	12.88	4.60
	日平均	28.89	46.87	27.80	8.11	6.67	133.21	15.77	5.61	
	潮口站	0:00	30.33	47.76	28.65	8.05	5.13	253.80	17.62	3.44
		3:00	30.50	46.73	27.67	8.10	5.11	258.33	13.07	4.41
		6:00	30.41	45.04	26.06	8.10	5.02	265.99	31.55	5.28
		9:00	31.00	46.90	27.83	8.03	5.86	259.31	13.97	5.28
		12:00	31.55	50.49	31.26	7.95	6.43	272.30	8.87	5.81
		15:00	31.26	50.93	31.68	7.98	5.97	267.98	18.19	6.31
		18:00	30.51	46.38	27.34	8.05	5.47	254.95	24.83	6.46
		21:00	30.37	49.65	30.46	8.03	5.79	261.08	10.16	8.03
	日平均	30.74	47.99	28.87	8.04	5.60	261.72	17.28	5.63	
	灣內站	0:00	29.37	46.61	27.55	8.09	5.80	124.21	2.61	2.98
		3:00	29.31	45.53	26.53	8.11	6.97	112.23	0.45	5.23
		6:00	29.78	43.89	24.96	8.13	6.68	111.40	4.99	2.74
		9:00	30.24	45.74	26.72	8.13	6.97	127.80	6.88	3.37
		12:00	31.17	49.29	30.11	8.19	8.47	136.62	6.21	3.53
		15:00	30.97	49.79	30.59	8.17	8.93	136.38	2.38	2.70
		18:00	30.86	45.18	26.19	8.12	6.51	133.87	4.31	5.32
		21:00	30.57	48.45	29.31	8.06	6.34	142.49	5.81	3.46
	日平均	30.28	46.81	27.75	8.13	7.08	128.13	4.21	3.67	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月26日	蚵殼站	0:00	28.20	50.59	31.36	7.98	6.05	118.55	1.97	4.67
		3:00	28.10	47.64	28.54	8.02	5.70	163.30	21.59	3.97
		6:00	28.03	44.26	25.31	8.04	5.44	127.89	18.29	12.47
		9:00	28.70	45.79	26.77	8.08	7.18	149.69	15.22	13.03
		12:00	28.70	47.94	28.83	8.17	7.35	151.30	26.67	14.27
		15:00	29.65	45.19	26.20	8.28	7.78	158.26	27.05	12.97
		18:00	29.22	45.14	26.15	8.22	8.71	163.82	23.91	11.90
		21:00	29.02	45.87	26.85	8.18	8.04	149.86	19.81	11.88
	日平均	28.70	46.55	27.50	8.12	7.03	147.83	19.31	10.65	
	潮口站	0:00	29.68	51.73	32.45	7.97	5.85	281.81	10.70	8.09
		3:00	30.06	48.77	29.62	8.00	5.58	275.07	14.80	2.19
		6:00	30.15	45.38	26.38	8.16	6.09	285.70	14.42	3.91
		9:00	30.00	46.88	27.81	8.04	6.22	281.85	17.64	3.37
		12:00	30.07	49.08	29.92	7.97	6.22	274.48	6.85	8.03
		15:00	31.01	46.33	27.29	7.91	5.82	300.84	4.35	4.56
		18:00	30.62	46.24	27.20	8.01	5.88	268.15	13.58	4.44
		21:00	30.41	47.01	27.94	8.07	5.71	259.27	10.41	4.16
	日平均	30.25	47.68	28.58	8.02	5.92	278.40	11.59	4.84	
	灣內站	0:00	30.41	50.55	31.31	8.14	5.86	113.39	3.42	1.49
		3:00	29.30	47.57	28.47	8.10	6.20	156.24	6.31	2.14
		6:00	29.66	44.24	25.29	8.15	6.44	116.91	6.77	0.63
		9:00	30.41	45.70	26.68	8.19	6.51	146.09	5.85	1.81
		12:00	31.31	47.89	28.78	8.22	7.40	145.01	5.70	3.26
		15:00	31.29	45.14	26.15	8.35	6.74	149.72	5.96	1.84
18:00		31.16	45.10	26.11	8.30	6.44	157.67	5.47	1.80	
21:00		31.11	45.83	26.81	8.33	6.14	134.94	5.37	1.54	
日平均	30.58	46.50	27.45	8.22	6.47	140.00	5.61	1.81		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月27日	蚵殼站	0:00	28.12	50.58	31.35	7.99	7.64	175.82	20.40	11.79
		3:00	28.85	47.20	28.12	8.02	6.01	106.06	23.36	10.61
		6:00	29.22	45.44	26.44	8.04	5.33	166.65	19.60	10.25
		9:00	28.90	46.04	27.01	8.11	7.72	184.89	17.41	11.51
		12:00	27.62	48.36	29.23	8.25	6.85	175.87	3.50	12.05
		15:00	29.22	45.53	26.52	8.13	6.93	191.11	5.06	12.45
		18:00	29.38	47.37	28.28	8.10	8.46	193.01	10.13	11.76
		21:00	29.56	47.57	28.47	8.02	6.33	200.17	20.03	11.33
	日平均	28.86	47.26	28.18	8.08	6.91	174.20	14.94	11.47	
	潮口站	0:00	29.50	51.73	32.45	7.94	5.19	283.88	5.74	6.14
		3:00	30.19	48.29	29.16	8.06	5.97	279.53	14.17	2.32
		6:00	30.62	46.57	27.52	8.16	6.29	295.05	14.16	7.57
		9:00	30.26	47.16	28.08	8.04	5.94	305.17	17.18	3.08
		12:00	28.96	49.46	30.28	8.01	6.16	277.08	14.27	7.27
		15:00	30.62	46.62	27.57	7.97	6.15	285.32	10.57	6.11
		18:00	30.74	48.47	29.33	7.99	5.20	266.53	15.86	3.47
		21:00	30.95	48.70	29.55	7.94	5.08	258.40	18.24	4.46
	日平均	30.23	48.38	29.24	8.01	5.75	281.37	13.77	5.05	
	灣內站	0:00	30.40	50.51	31.28	8.20	6.17	168.32	4.99	4.47
		3:00	29.37	47.11	28.04	8.26	6.78	100.36	5.26	0.00
		6:00	29.01	45.37	26.37	8.30	6.36	158.64	5.70	0.30
		9:00	30.42	45.95	26.93	8.31	6.06	175.66	5.03	0.42
		12:00	31.64	48.33	29.20	8.31	6.46	170.96	5.47	3.40
		15:00	31.66	45.46	26.46	8.35	5.92	184.58	25.40	3.49
18:00		31.53	47.28	28.20	8.30	6.16	172.03	15.96	1.50	
21:00		31.32	47.48	28.38	8.25	5.95	193.38	4.40	1.44	
日平均	30.67	47.19	28.11	8.29	6.23	165.49	9.03	1.88		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月28日	蚵殼站	0:00	28.54	49.32	30.14	7.99	5.92	199.51	5.21	11.20
		3:00	28.23	49.68	30.49	8.01	5.02	171.35	2.31	10.58
		6:00	29.26	48.60	29.46	8.03	5.77	192.86	5.74	9.61
		9:00	29.68	48.37	29.24	8.08	6.02	193.65	1.26	10.85
		12:00	28.12	49.08	29.92	8.04	5.95	201.07	10.07	14.29
		15:00	28.41	48.63	29.49	8.15	6.04	201.37	3.32	14.40
		18:00	28.45	48.94	29.78	8.15	6.37	216.39	9.20	10.88
		21:00	28.85	48.60	29.46	8.03	6.06	220.80	3.07	10.61
		日平均	28.69	48.90	29.75	8.06	5.89	199.63	5.02	11.55
	潮口站	0:00	29.93	51.73	32.45	7.94	5.14	260.09	6.36	3.01
		3:00	29.59	53.08	33.74	7.93	5.30	270.77	24.44	5.04
		6:00	30.64	46.13	27.10	8.07	6.00	278.56	16.02	3.11
		9:00	31.01	48.78	29.63	8.06	6.28	301.61	18.82	2.62
		12:00	29.49	48.80	29.65	8.04	6.10	285.53	13.48	5.34
		15:00	29.77	46.73	27.67	7.96	6.11	276.73	11.35	3.66
		18:00	29.82	49.21	30.04	7.92	5.07	257.57	6.45	2.52
		21:00	30.23	48.91	29.75	7.96	5.14	260.81	10.12	3.33
		日平均	30.06	49.17	30.00	7.99	5.64	273.96	13.38	3.58
	灣內站	0:00	30.42	49.29	30.11	8.10	5.73	196.77	4.47	1.62
		3:00	29.39	49.58	30.39	8.12	7.19	163.07	4.38	1.22
		6:00	29.08	48.50	29.36	8.07	6.43	187.02	4.68	1.64
		9:00	29.95	48.30	29.17	8.13	6.05	184.34	4.20	0.81
		12:00	31.67	49.03	29.86	8.24	6.59	198.27	4.07	1.17
		15:00	30.91	48.58	29.44	8.18	6.41	196.44	3.70	0.53
		18:00	30.40	48.84	29.68	8.18	6.26	208.56	3.67	1.99
		21:00	30.27	48.50	29.36	8.09	6.01	210.49	15.84	2.90
		日平均	30.26	48.83	29.67	8.14	6.33	193.12	5.63	1.49
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月29日	蚵殼站	0:00	28.52	48.50	29.36	8.03	7.15	224.39	3.49	14.68
		3:00	27.91	48.20	29.07	7.95	6.49	216.23	11.59	11.64
		6:00	28.65	49.00	29.84	7.99	7.05	220.36	17.76	9.73
		9:00	28.90	49.24	30.07	8.04	8.15	201.41	17.72	10.13
		12:00	28.16	48.86	29.70	8.07	6.25	146.68	2.94	11.00
		15:00	28.11	48.57	29.43	8.17	8.80	164.08	14.81	11.50
		18:00	28.41	48.83	29.68	8.07	6.77	158.20	16.90	16.65
		21:00	28.64	48.82	29.67	8.08	6.14	143.38	9.40	12.95
		日平均	28.41	48.75	29.60	8.05	7.10	184.34	11.83	12.29
	潮口站	0:00	29.91	52.15	32.85	7.93	5.62	252.93	13.90	4.53
		3:00	29.30	51.73	32.45	7.96	5.48	258.63	18.28	7.29
		6:00	30.01	51.29	32.03	7.96	5.27	263.63	18.98	5.23
		9:00	30.27	49.27	30.10	8.01	5.47	273.31	17.10	4.67
		12:00	29.54	49.92	30.72	7.98	6.00	286.97	10.43	4.92
		15:00	29.45	52.82	33.49	7.96	5.91	306.71	8.79	7.69
		18:00	29.78	52.29	32.98	7.98	6.21	314.57	16.93	7.43
		21:00	30.01	50.09	30.88	8.02	6.25	327.78	8.57	3.95
		日平均	29.78	51.20	31.94	7.98	5.78	285.57	14.12	5.71
	灣內站	0:00	30.21	42.41	23.55	8.13	5.81	221.04	1.16	1.01
		3:00	29.72	50.55	31.32	8.15	6.04	214.28	4.15	3.73
		6:00	28.87	50.82	31.58	8.20	6.29	216.69	1.01	1.99
		9:00	29.38	48.62	29.48	8.26	6.04	195.17	1.72	0.52
		12:00	30.17	47.14	28.06	8.34	6.56	145.33	2.96	0.13
		15:00	30.00	47.35	28.26	8.31	6.31	156.04	0.59	7.19
		18:00	29.62	50.27	31.05	8.21	6.06	155.28	3.36	1.91
		21:00	29.43	46.60	27.54	8.09	6.17	133.04	3.11	3.75
		日平均	29.68	47.97	28.85	8.21	6.16	179.61	2.26	2.53
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月30日	蚵殼站	0:00	28.21	48.65	29.50	8.09	6.77	182.60	2.24	12.08
		3:00	27.77	48.70	29.55	8.26	5.97	167.03	2.25	12.50
		6:00	28.03	48.86	29.70	8.06	5.60	98.76	3.25	11.77
		9:00	27.83	49.32	30.14	8.21	5.39	125.64	2.20	11.32
		12:00	27.78	49.13	29.96	8.28	7.61	169.59	2.20	9.77
		15:00	27.97	48.62	29.48	8.25	7.63	177.01	2.23	13.54
		18:00	27.78	48.66	29.51	8.19	7.00	154.14	2.20	9.85
		21:00	27.64	48.75	29.60	8.19	5.71	141.97	3.18	12.68
	日平均	27.88	48.84	29.68	8.19	6.46	152.09	2.47	11.69	
	潮口站	0:00	29.61	50.48	31.25	7.96	5.52	339.48	6.09	8.53
		3:00	29.14	50.85	31.61	8.00	6.11	346.49	10.87	7.37
		6:00	29.38	52.02	32.72	7.99	5.84	349.50	20.15	6.83
		9:00	29.20	50.77	31.53	7.99	5.62	360.35	7.46	7.87
		12:00	29.16	50.30	31.08	7.94	5.69	286.97	13.13	8.88
		15:00	29.33	52.32	33.01	7.94	5.66	306.71	6.22	7.21
		18:00	29.16	53.10	33.75	7.95	5.52	314.57	5.78	7.99
		21:00	28.99	51.45	32.18	7.96	5.52	327.78	8.27	7.46
	日平均	29.25	51.41	32.14	7.97	5.69	328.98	9.75	7.77	
	灣內站	0:00	28.73	46.07	27.04	8.17	6.18	174.93	2.99	5.65
		3:00	28.46	48.91	29.75	8.07	6.59	160.29	3.07	0.14
		6:00	28.39	50.67	31.43	8.00	6.76	89.02	2.92	2.51
		9:00	28.25	49.76	30.56	8.24	7.22	123.34	3.10	7.93
		12:00	28.20	49.97	30.76	8.23	7.50	162.96	3.40	0.01
		15:00	28.37	50.72	31.48	8.18	7.24	173.31	3.48	7.33
18:00		28.14	51.04	31.79	8.21	7.47	149.26	3.08	2.69	
21:00		28.02	44.96	25.98	8.21	7.03	135.71	3.04	2.00	
日平均	28.32	49.01	29.85	8.16	7.00	146.10	3.14	3.53		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月31日	蚵殼站	0:00	27.46	49.32	30.14	8.12	5.52	103.45	4.42	9.77
		3:00	27.71	49.68	30.49	8.10	5.20	180.21	3.87	6.75
		6:00	27.65	48.60	29.46	8.02	5.66	122.74	4.45	11.46
		9:00	28.00	48.37	29.24	8.14	5.88	144.68	6.02	12.72
		12:00	28.40	49.08	29.92	8.18	6.62	191.20	5.41	12.50
		15:00	28.17	48.63	29.49	8.19	7.51	205.65	4.27	9.73
		18:00	27.89	48.94	29.78	8.14	7.70	191.31	2.30	4.71
		21:00	28.05	48.60	29.46	8.15	7.31	124.35	5.61	9.77
	日平均	27.92	48.90	29.75	8.13	6.43	157.95	4.54	9.68	
	潮口站	0:00	28.83	51.56	32.28	7.92	5.28	147.36	19.82	7.06
		3:00	29.09	51.73	32.45	7.98	6.03	158.04	19.15	6.62
		6:00	29.01	52.78	33.45	7.97	5.95	152.49	20.85	6.44
		9:00	29.38	51.26	32.00	7.94	5.41	164.49	7.89	6.71
		12:00	29.74	51.21	31.95	7.94	5.57	142.65	12.61	6.76
		15:00	29.57	51.69	32.41	7.96	6.10	154.80	17.15	6.76
		18:00	29.29	51.94	32.65	7.96	6.16	161.35	25.73	7.02
		21:00	29.43	51.49	32.22	7.95	5.83	163.43	11.19	6.65
	日平均	29.29	51.71	32.42	7.95	5.79	155.58	16.80	6.75	
	灣內站	0:00	27.98	49.26	30.08	8.07	7.06	94.41	3.02	1.03
		3:00	28.01	49.66	30.46	8.00	6.70	174.99	3.01	1.68
		6:00	27.90	48.59	29.44	8.02	6.93	116.48	2.90	2.01
		9:00	28.14	48.33	29.20	8.15	7.41	136.27	2.98	0.73
		12:00	28.53	49.01	29.85	8.19	7.44	183.02	3.32	1.55
		15:00	28.48	48.61	29.46	8.25	7.65	203.57	2.92	0.01
18:00		28.58	48.89	29.73	8.15	6.11	184.52	3.03	1.89	
21:00		28.56	48.54	29.40	8.18	7.05	114.58	2.86	4.12	
日平均	28.27	48.86	29.70	8.13	7.04	150.98	3.01	1.63		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月1日	蚵殼站	0:00	28.14	48.50	29.36	8.15	6.75	117.36	7.74	7.38
		3:00	27.76	48.20	29.07	8.09	5.99	105.44	5.44	4.11
		6:00	27.44	49.00	29.84	8.03	5.18	120.92	7.12	7.93
		9:00	28.49	49.24	30.07	8.08	5.41	160.06	6.95	11.85
		12:00	28.57	48.86	29.70	8.20	6.95	183.97	3.81	4.20
		15:00	28.27	48.57	29.43	8.24	7.24	199.25	5.56	7.97
		18:00	27.60	48.83	29.68	8.24	7.65	165.73	6.27	11.85
		21:00	27.87	48.82	29.67	8.25	7.74	165.42	6.98	11.81
	日平均	28.02	48.75	29.60	8.16	6.61	152.27	6.23	8.39	
	潮口站	0:00	29.48	51.43	32.16	7.92	5.72	165.67	7.90	6.54
		3:00	29.11	51.73	32.45	7.96	5.88	176.73	7.58	5.98
		6:00	28.79	51.73	32.45	7.98	5.87	180.87	18.90	5.70
		9:00	29.84	52.33	33.02	7.94	5.71	183.30	17.20	6.29
		12:00	29.93	52.25	32.94	7.95	5.74	181.93	6.23	6.50
		15:00	29.64	50.90	31.65	7.92	5.76	191.87	11.43	6.46
		18:00	28.98	46.58	27.53	7.91	5.63	194.87	14.11	6.16
		21:00	29.27	50.75	31.51	7.92	5.42	211.64	14.42	6.48
	日平均	29.38	50.96	31.71	7.94	5.72	185.86	12.22	6.26	
	灣內站	0:00	28.52	48.62	29.48	8.08	6.62	112.31	2.54	2.52
		3:00	28.42	47.14	28.06	8.11	5.91	97.23	1.92	2.05
		6:00	28.29	47.35	28.26	8.16	6.05	118.45	2.01	0.25
		9:00	28.40	50.27	31.05	8.23	6.16	151.98	1.88	2.25
		12:00	28.98	48.78	29.62	8.28	6.58	177.06	2.21	1.25
		15:00	28.97	48.53	29.39	8.25	6.45	194.72	2.52	1.01
		18:00	28.77	48.75	29.60	8.16	6.44	161.37	2.29	2.08
		21:00	28.79	48.80	29.65	8.11	6.05	155.23	2.13	2.10
	日平均	28.64	48.53	29.39	8.17	6.28	146.04	2.19	1.69	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月2日	蚵殼站	0:00	27.84	48.65	29.50	8.17	7.67	188.22	3.80	6.49
		3:00	27.38	48.70	29.55	8.15	7.68	150.04	4.84	5.06
		6:00	27.38	48.86	29.70	8.00	7.45	192.10	7.80	9.77
		9:00	27.28	49.32	30.14	8.07	7.59	122.21	9.06	5.38
		12:00	27.29	49.13	29.96	8.20	7.41	172.63	4.25	6.35
		15:00	27.38	48.62	29.48	8.27	6.51	201.48	3.96	2.00
		18:00	26.78	48.66	29.51	8.20	6.38	190.64	3.05	10.67
		21:00	26.88	48.75	29.60	8.24	6.11	183.62	3.20	5.98
	日平均	27.28	48.84	29.68	8.16	7.10	175.12	5.00	6.46	
	潮口站	0:00	29.22	49.63	30.44	7.93	5.31	204.80	9.08	6.62
		3:00	28.74	50.30	31.08	7.90	5.20	220.25	7.29	5.69
		6:00	28.74	51.83	32.54	7.96	5.65	217.49	6.29	5.31
		9:00	28.63	50.05	30.84	7.91	5.07	232.98	11.28	5.99
		12:00	28.64	49.41	30.23	7.92	5.11	217.45	12.09	6.41
		15:00	28.71	49.30	30.13	7.91	5.18	232.77	5.88	5.81
		18:00	28.15	44.56	25.60	7.97	5.91	223.49	8.60	5.74
		21:00	28.24	48.37	29.24	7.96	5.72	238.29	16.90	6.24
	日平均	28.63	49.18	30.01	7.93	5.39	223.44	9.68	5.98	
	灣內站	0:00	28.79	50.82	31.58	8.09	6.20	184.69	2.23	1.86
		3:00	28.70	48.62	29.48	8.13	6.12	139.36	1.87	0.94
		6:00	28.79	47.14	28.06	8.12	6.36	187.38	1.34	0.72
		9:00	28.79	47.35	28.26	8.03	7.37	115.25	1.32	2.40
		12:00	28.77	50.27	31.05	8.17	7.51	169.96	1.88	1.31
		15:00	28.10	48.55	29.41	8.27	7.60	195.83	2.26	1.78
		18:00	28.02	48.62	29.48	8.26	6.69	189.06	2.65	1.81
		21:00	27.92	48.66	29.52	8.23	6.55	173.01	2.62	0.48
	日平均	28.49	48.75	29.60	8.16	6.80	169.32	2.02	1.41	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月3日	蚵殼站	0:00	26.78	48.50	29.36	8.12	7.69	171.72	4.80	6.26
		3:00	26.70	48.20	29.07	8.15	5.98	132.91	3.58	5.22
		6:00	25.83	49.00	29.84	8.04	5.31	117.20	3.90	1.85
		9:00	26.49	49.24	30.07	8.03	7.76	170.16	3.96	1.97
		12:00	26.74	48.86	29.70	8.16	6.90	166.69	8.17	3.01
		15:00	26.68	48.57	29.43	8.19	6.89	182.14	6.65	5.98
		18:00	26.09	48.83	29.68	8.21	8.42	177.59	1.84	7.90
		21:00	25.80	48.82	29.67	8.23	7.30	160.83	2.74	6.75
		日平均	26.39	48.75	29.60	8.14	7.03	159.91	4.46	4.87
	潮口站	0:00	28.18	47.38	28.29	7.92	5.51	245.87	5.78	6.13
		3:00	28.06	43.82	24.89	7.89	5.52	237.47	21.69	5.50
		6:00	27.22	41.29	22.48	7.90	5.63	248.93	6.66	5.05
		9:00	27.88	42.65	23.77	7.94	5.88	237.47	22.16	6.13
		12:00	28.12	41.04	22.24	7.91	5.74	234.42	13.71	7.40
		15:00	28.03	40.36	21.59	7.86	5.50	246.92	9.39	6.57
		18:00	27.44	36.56	17.96	7.90	6.03	231.90	6.49	5.48
		21:00	27.14	38.73	20.03	7.87	5.87	243.06	14.85	6.68
		日平均	27.76	41.48	22.66	7.90	5.71	240.76	12.59	6.12
	灣內站	0:00	27.75	48.39	29.26	8.24	6.32	161.57	2.18	2.24
		3:00	27.50	48.09	28.97	8.24	6.73	130.37	1.99	4.54
		6:00	27.28	48.90	29.75	8.21	6.49	111.53	1.53	0.23
		9:00	27.39	49.18	30.01	8.25	7.49	167.01	2.05	2.50
		12:00	27.36	48.83	29.67	8.25	7.12	160.10	2.16	0.41
		15:00	27.15	48.50	29.36	8.22	6.69	181.09	1.66	1.87
		18:00	27.34	48.80	29.65	8.09	6.16	169.86	2.56	1.93
		21:00	27.01	48.74	29.59	8.11	6.78	156.65	2.07	0.94
		日平均	27.35	48.68	29.53	8.20	6.72	154.77	2.03	1.83
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月4日	蚵殼站	0:00	25.92	47.56	28.46	8.17	6.69	168.74	4.39	2.97
		3:00	25.78	43.05	24.16	8.19	8.46	94.48	2.99	4.77
		6:00	25.77	38.87	20.16	8.03	8.12	136.00	3.49	3.51
		9:00	26.38	40.96	22.16	8.09	9.04	173.32	4.26	7.55
		12:00	27.18	38.87	20.16	8.13	6.58	181.97	8.00	8.04
		15:00	27.70	38.87	20.16	8.15	7.04	210.59	5.02	7.31
		18:00	27.12	38.69	19.99	8.19	8.39	206.80	3.02	11.30
		21:00	26.94	35.89	17.32	8.14	5.76	190.56	13.31	2.40
		日平均	26.60	40.35	21.57	8.14	7.51	170.31	5.56	5.98
	潮口站	0:00	27.30	36.80	18.19	7.86	5.59	236.55	4.31	7.05
		3:00	27.12	36.56	17.96	7.81	5.52	239.75	16.46	5.95
		6:00	27.14	36.28	17.69	7.83	5.48	241.92	21.10	4.84
		9:00	27.74	35.94	17.37	7.83	5.55	247.44	20.04	6.05
		12:00	28.54	36.56	17.96	7.83	5.81	253.19	11.32	7.82
		15:00	29.08	33.20	14.75	7.84	5.62	250.30	5.06	7.39
		18:00	28.52	34.98	16.45	7.87	5.58	248.55	17.40	6.31
		21:00	28.28	34.75	16.23	7.92	5.65	246.04	11.66	6.31
		日平均	27.97	35.63	17.07	7.85	5.60	245.47	13.42	6.47
	灣內站	0:00	26.81	47.46	28.37	8.16	6.13	163.78	2.11	3.73
		3:00	26.89	43.00	24.11	8.13	6.27	87.96	2.05	3.81
		6:00	26.72	38.79	20.09	8.14	6.64	127.50	1.70	1.85
		9:00	26.78	40.85	22.06	8.17	6.75	162.78	1.65	0.62
		12:00	27.31	38.85	20.15	8.22	6.38	178.19	1.80	4.08
		15:00	27.64	38.79	20.09	8.19	6.37	204.07	2.08	7.30
		18:00	27.65	38.63	19.94	8.18	6.30	188.00	2.25	3.85
		21:00	27.51	35.82	17.25	8.11	5.96	188.29	2.15	5.70
		日平均	27.16	40.27	21.51	8.16	6.35	162.57	1.97	3.87
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月5日	蚵殼站	0:00	26.96	36.51	17.91	8.12	6.34	166.94	2.96	6.83
		3:00	26.82	38.64	19.94	8.09	7.06	159.86	2.35	3.68
		6:00	26.70	37.00	18.38	8.02	8.56	164.73	3.45	6.50
		9:00	27.82	35.21	16.67	8.03	8.82	143.26	3.04	11.64
		12:00	28.33	36.47	17.87	8.10	6.80	154.41	8.48	7.36
		15:00	28.95	33.29	14.83	8.13	6.21	157.93	7.09	3.48
		18:00	28.44	33.28	14.82	8.10	6.47	174.40	3.93	4.76
		21:00	27.27	36.46	17.86	8.16	8.00	166.12	3.91	3.12
	日平均	27.66	35.86	17.29	8.09	7.28	160.96	4.40	5.92	
	潮口站	0:00	28.36	36.56	17.96	7.86	5.63	247.94	12.41	6.14
		3:00	28.17	38.73	20.03	7.89	5.43	236.02	12.17	5.62
		6:00	28.08	37.04	18.42	7.80	5.82	232.22	16.05	5.15
		9:00	29.20	35.28	16.74	7.80	5.31	236.99	10.00	5.56
		12:00	29.67	36.56	17.96	7.84	5.86	241.11	5.66	6.38
		15:00	30.30	33.37	14.91	7.86	6.59	245.41	3.69	6.53
		18:00	29.80	33.38	14.92	7.83	5.81	261.34	5.80	5.61
		21:00	28.61	36.54	17.94	7.89	5.46	255.59	6.12	5.35
	日平均	29.02	35.93	17.36	7.85	5.74	244.58	8.99	5.79	
	灣內站	0:00	27.45	36.47	17.88	8.11	6.02	158.62	1.77	0.01
		3:00	27.24	38.59	19.90	8.10	5.77	149.01	1.99	2.18
		6:00	27.05	36.98	18.36	8.14	6.41	161.48	1.83	0.68
		9:00	27.24	35.19	16.65	8.16	6.75	136.31	2.28	2.08
		12:00	28.00	36.38	17.79	8.19	6.74	145.38	2.27	2.38
		15:00	28.46	33.27	14.82	8.23	7.01	145.51	2.21	0.47
		18:00	28.41	33.25	14.80	8.13	6.56	167.75	2.58	0.59
		21:00	27.96	36.42	17.82	8.05	6.58	155.36	1.73	0.26
	日平均	27.73	35.82	17.25	8.14	6.48	152.43	2.08	1.08	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年4~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月6日	蚵殼站	0:00	27.36	36.41	17.81	8.11	6.21	138.82	4.66	6.83
		3:00	27.81	34.74	16.22	8.12	8.89	147.14	2.66	8.11
		6:00	27.33	36.04	17.46	8.04	7.85	145.33	3.70	2.14
		9:00	28.20	36.17	17.58	8.02	5.81	174.87	4.14	2.23
		12:00	29.12	36.11	17.53	8.01	6.78	181.09	8.41	4.25
		15:00	28.85	39.93	21.18	8.18	6.77	191.27	3.24	1.14
		18:00	28.56	41.98	23.13	8.15	6.41	216.60	2.27	4.27
		21:00	27.95	38.32	19.64	8.06	7.84	214.88	1.51	1.05
	日平均	28.15	37.46	18.82	8.09	7.07	176.25	3.82	3.75	
	潮口站	0:00	28.71	36.45	17.85	7.86	5.38	255.14	9.25	5.64
		3:00	29.17	34.80	16.28	7.87	5.48	244.66	12.41	5.07
		6:00	28.68	34.00	15.51	7.83	5.76	239.63	28.72	4.89
		9:00	29.54	34.14	15.65	7.76	6.29	253.33	10.79	5.34
		12:00	30.47	34.11	15.62	7.87	6.41	244.96	17.32	5.98
		15:00	30.23	37.90	19.24	8.03	7.51	251.52	15.47	5.99
		18:00	29.94	42.24	23.38	7.84	7.64	244.78	23.86	5.51
		21:00	29.29	36.30	17.71	7.91	6.37	275.37	15.33	5.14
	日平均	29.50	36.24	17.65	7.87	6.36	251.17	16.64	5.45	
	灣內站	0:00	28.24	36.35	17.76	8.09	6.00	131.12	1.97	0.75
		3:00	28.13	34.70	16.19	8.03	6.91	138.30	1.93	0.45
		6:00	28.29	35.93	17.36	8.03	8.00	141.69	1.80	2.43
		9:00	28.40	36.15	17.57	8.17	8.04	167.66	1.95	0.51
		12:00	28.91	36.00	17.42	8.36	7.89	178.98	2.76	1.36
		15:00	28.31	39.86	21.11	8.22	7.52	189.80	2.72	0.51
		18:00	28.48	41.87	23.03	8.21	6.54	213.28	2.61	1.58
		21:00	28.44	38.28	19.60	8.07	5.98	207.31	2.48	2.03
	日平均	28.40	37.39	18.75	8.15	7.11	171.02	2.28	1.20	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月7日	蚵殼站	0:00	27.36	36.41	17.81	8.11	6.21	138.82	4.66	6.83
		3:00	27.81	34.74	16.22	8.12	8.89	147.14	2.66	8.11
		6:00	27.33	36.04	17.46	8.04	7.85	145.33	3.70	2.14
		9:00	28.20	36.17	17.58	8.02	5.81	174.87	4.14	2.23
		12:00	29.12	36.11	17.53	8.01	6.78	181.09	8.41	4.25
		15:00	28.85	39.93	21.18	8.18	6.77	191.27	3.24	1.14
		18:00	28.56	41.98	23.13	8.15	6.41	216.60	2.27	4.27
		21:00	27.95	38.32	19.64	8.06	7.84	214.88	1.51	1.05
	日平均	28.15	37.46	18.82	8.09	7.07	176.25	3.82	3.75	
	潮口站	0:00	28.71	36.45	17.85	7.86	5.38	255.14	9.25	5.64
		3:00	29.17	34.80	16.28	7.87	5.48	244.66	12.41	5.07
		6:00	28.68	34.00	15.51	7.83	5.76	239.63	28.72	4.89
		9:00	29.54	34.14	15.65	7.76	6.29	253.33	10.79	5.34
		12:00	30.47	34.11	15.62	7.87	6.41	244.96	17.32	5.98
		15:00	30.23	37.90	19.24	8.03	7.51	251.52	15.47	5.99
		18:00	29.94	42.24	23.38	7.84	7.64	244.78	23.86	5.51
		21:00	29.29	36.30	17.71	7.91	6.37	275.37	15.33	5.14
	日平均	29.50	36.24	17.65	7.87	6.36	251.17	16.64	5.45	
	灣內站	0:00	28.24	36.35	17.76	8.09	6.00	131.12	1.97	0.75
		3:00	28.13	34.70	16.19	8.03	6.91	138.30	1.93	0.45
		6:00	28.29	35.93	17.36	8.03	8.00	141.69	1.80	2.43
		9:00	28.40	36.15	17.57	8.17	8.04	167.66	1.95	0.51
		12:00	28.91	36.00	17.42	8.36	7.89	178.98	2.76	1.36
		15:00	28.31	39.86	21.11	8.22	7.52	189.80	2.72	0.51
18:00		28.48	41.87	23.03	8.21	6.54	213.28	2.61	1.58	
21:00		28.44	38.28	19.60	8.07	5.98	207.31	2.48	2.03	
日平均	28.40	37.39	18.75	8.15	7.11	171.02	2.28	1.20		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月8日	蚵殼站	0:00	27.52	36.23	17.64	8.09	6.78	203.39	1.85	6.87
		3:00	27.42	37.89	19.23	8.09	7.36	197.68	1.06	7.46
		6:00	27.33	36.49	17.89	8.02	7.70	204.16	1.48	7.79
		9:00	26.64	34.07	15.58	8.07	8.50	204.21	1.43	6.83
		12:00	26.96	33.75	15.27	8.11	8.28	201.36	2.10	2.06
		15:00	26.95	35.15	16.61	8.19	6.70	189.31	3.15	6.80
		18:00	26.76	35.88	17.31	8.20	8.17	200.40	1.83	1.24
		21:00	26.31	36.81	18.20	8.13	8.04	193.48	1.17	6.83
	日平均	26.99	35.78	17.22	8.11	7.69	199.25	1.76	5.74	
	潮口站	0:00	28.85	34.17	15.68	7.86	5.96	269.33	7.91	5.25
		3:00	28.76	37.94	19.28	7.93	5.93	253.25	3.98	5.64
		6:00	28.71	36.56	17.96	7.99	5.61	248.11	14.23	4.95
		9:00	28.01	34.11	15.62	8.01	6.31	255.48	17.01	5.95
		12:00	28.32	33.82	15.34	8.03	6.97	258.83	9.22	5.67
		15:00	28.29	35.22	16.68	7.98	6.57	261.24	5.60	6.07
		18:00	28.10	35.95	17.38	7.97	6.37	248.64	8.98	5.19
		21:00	27.67	36.90	18.28	7.88	5.79	249.76	5.32	4.67
	日平均	28.34	35.58	17.03	7.96	6.19	255.58	9.03	5.42	
	灣內站	0:00	27.99	36.15	17.56	7.95	5.99	201.31	2.01	1.18
		3:00	27.94	37.80	19.14	8.09	6.04	191.13	1.51	2.58
		6:00	27.80	36.43	17.83	8.12	6.20	198.77	1.71	1.38
		9:00	27.82	34.03	15.54	8.20	6.57	193.96	2.75	1.77
		12:00	28.02	33.70	15.23	8.34	6.95	194.58	3.08	1.28
		15:00	28.00	35.04	16.51	8.48	7.72	179.18	3.09	0.98
18:00		27.57	35.77	17.20	8.12	6.58	198.08	2.95	1.25	
21:00		27.71	36.78	18.17	8.42	5.84	183.37	2.83	1.05	
日平均	27.86	35.71	17.15	8.22	6.49	192.55	2.49	1.43		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月9日	蚵殼站	0:00	26.26	36.37	17.78	8.09	8.71	176.54	1.08	4.37
		3:00	26.05	38.74	20.04	8.06	5.50	157.17	1.06	8.08
		6:00	25.81	35.98	17.40	8.00	5.62	150.17	2.25	8.21
		9:00	26.21	35.89	17.32	8.01	6.89	127.08	2.04	6.83
		12:00	26.49	36.85	18.23	7.96	5.64	145.49	1.29	1.47
		15:00	27.08	35.02	16.49	8.05	6.59	154.87	4.01	4.37
		18:00	26.59	34.02	15.53	8.12	6.50	155.57	2.98	1.39
		21:00	26.35	33.79	15.31	8.10	7.30	182.45	1.35	1.38
	日平均	26.36	35.83	17.26	8.05	6.59	156.17	2.01	4.51	
	潮口站	0:00	27.64	36.43	17.83	7.98	6.72	258.00	4.61	4.97
		3:00	27.43	38.79	20.09	7.98	6.46	251.33	8.69	5.17
		6:00	27.20	36.07	17.49	8.07	6.46	256.10	13.99	4.93
		9:00	27.56	35.95	17.38	8.33	6.42	262.04	20.28	4.97
		12:00	27.89	36.90	18.28	8.44	7.57	276.81	10.57	5.47
		15:00	28.47	35.09	16.55	8.32	7.62	270.18	7.91	6.17
		18:00	27.98	34.11	15.62	8.48	7.62	262.91	15.14	5.70
		21:00	27.73	33.82	15.34	8.46	7.78	258.04	10.12	5.09
	日平均	27.74	35.90	17.32	8.26	7.08	261.93	11.41	5.31	
	灣內站	0:00	28.07	36.30	17.71	8.19	6.46	172.95	2.88	2.34
		3:00	28.09	38.68	19.99	8.05	6.86	151.83	2.85	1.96
		6:00	27.85	35.88	17.31	8.20	7.22	147.77	2.82	1.92
		9:00	27.80	35.83	17.27	8.39	7.14	124.42	2.79	2.23
		12:00	27.83	36.77	18.16	8.17	7.49	136.91	3.20	2.22
		15:00	27.90	34.96	16.43	8.36	7.52	149.75	3.09	2.24
		18:00	27.75	33.92	15.44	8.22	6.57	145.75	2.89	2.51
		21:00	27.62	33.69	15.22	8.20	5.93	179.68	2.97	2.06
	日平均	27.86	35.75	17.19	8.22	6.90	151.13	2.94	2.19	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月10日	蚵殼站	0:00	26.37	35.54	16.98	8.09	8.51	191.85	4.49	1.83
		3:00	26.37	33.59	15.12	8.08	6.15	172.11	1.09	1.56
		6:00	26.16	34.05	15.56	8.11	5.44	160.83	1.20	1.89
		9:00	25.94	33.78	15.30	8.07	7.51	189.62	4.49	4.37
		12:00	25.89	36.38	17.79	8.01	8.99	199.84	1.09	5.49
		15:00	26.15	34.63	16.11	8.03	5.83	202.46	1.50	3.10
		18:00	26.41	36.04	17.46	8.03	7.67	203.05	2.66	7.47
		21:00	26.77	34.40	15.89	8.00	5.53	207.67	3.12	5.10
	日平均	26.26	34.80	16.28	8.05	6.95	190.93	2.46	3.85	
	潮口站	0:00	27.50	35.62	17.06	8.20	6.72	282.43	4.14	4.79
		3:00	27.29	33.66	15.19	8.28	6.14	267.59	13.52	4.73
		6:00	27.23	34.11	15.62	8.40	6.10	289.44	12.45	4.88
		9:00	27.48	33.82	15.34	8.35	6.33	279.67	18.49	4.54
		12:00	27.79	36.43	17.83	8.43	6.38	274.83	6.33	4.97
		15:00	28.14	34.66	16.14	8.08	7.20	304.23	10.11	5.34
		18:00	28.03	36.07	17.49	8.10	7.62	267.09	4.82	5.47
		21:00	27.74	34.45	15.94	8.05	7.62	260.04	16.05	5.05
	日平均	27.65	34.85	16.33	8.24	6.76	278.17	10.74	4.97	
	灣內站	0:00	27.32	35.48	16.93	8.28	5.93	184.00	2.97	0.82
		3:00	27.78	33.56	15.09	7.75	5.99	169.83	3.05	1.65
		6:00	27.03	33.95	15.47	8.16	6.86	154.44	2.94	0.73
		9:00	26.82	33.76	15.29	8.39	6.73	182.39	3.09	1.13
		12:00	26.89	36.32	17.73	8.28	7.91	196.71	3.40	0.23
		15:00	27.25	34.52	16.02	7.75	7.48	195.04	3.49	2.31
		18:00	27.44	35.98	17.41	8.16	6.99	197.24	3.12	0.55
		21:00	27.29	34.35	15.85	8.39	6.23	205.37	3.08	2.06
	日平均	27.23	34.74	16.22	8.15	6.77	185.63	3.14	1.19	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月11日	蚵殼站	0:00	26.38	33.47	15.01	7.94	5.63	210.60	1.79	5.73
		3:00	26.67	35.47	16.92	7.99	5.31	209.65	4.49	5.37
		6:00	26.14	38.62	19.92	7.96	5.30	211.14	1.09	5.40
		9:00	25.48	33.60	15.13	7.96	5.36	198.15	1.18	5.46
		12:00	26.20	35.66	17.10	7.94	5.16	199.46	1.39	5.23
		15:00	27.15	33.17	14.72	7.95	6.72	186.33	3.37	6.87
		18:00	26.86	36.14	17.56	7.86	5.81	173.38	3.11	5.92
		21:00	27.97	36.40	17.80	7.94	5.60	142.58	3.11	5.73
	日平均	26.61	35.32	16.77	7.94	5.61	191.41	2.44	5.71	
	潮口站	0:00	27.49	33.53	15.06	8.05	7.27	285.57	10.12	4.54
		3:00	26.86	35.52	16.96	7.87	5.25	284.29	16.40	4.64
		6:00	27.57	38.68	19.98	8.12	7.21	289.51	11.19	4.72
		9:00	28.52	33.66	15.19	8.43	7.62	310.69	13.71	4.83
		12:00	28.24	35.75	17.18	8.17	6.09	269.41	14.85	5.19
		15:00	29.36	33.20	14.75	7.97	5.30	279.11	4.61	5.97
		18:00	28.53	36.24	17.65	7.92	6.86	273.99	13.83	6.49
		21:00	29.35	36.43	17.83	8.10	7.62	251.38	14.86	6.19
	日平均	28.24	35.38	16.83	8.08	6.65	280.49	12.45	5.32	
	灣內站	0:00	27.40	33.40	14.94	8.11	6.47	207.60	2.99	2.08
		3:00	27.50	35.44	16.89	8.11	7.21	199.37	3.08	2.07
		6:00	27.09	38.54	19.85	8.14	7.93	206.71	2.89	1.87
		9:00	27.62	33.50	15.04	8.17	8.02	188.98	2.94	2.42
		12:00	30.32	35.61	17.06	8.20	7.35	195.18	3.34	1.38
		15:00	30.81	33.15	14.70	8.33	6.48	181.39	2.97	1.92
		18:00	30.07	36.05	17.47	8.42	6.08	172.30	3.03	1.49
		21:00	28.67	36.35	17.76	8.30	6.15	137.70	2.88	1.02
	日平均	28.69	35.26	16.71	8.22	6.96	186.15	3.02	1.78	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月12日	蚵殼站	0:00	27.96	34.53	16.02	7.91	5.70	123.38	2.49	5.74
		3:00	27.18	35.33	16.78	7.85	5.48	103.23	1.31	6.05
		6:00	27.92	39.85	21.10	7.89	5.65	194.56	1.26	5.40
		9:00	26.74	36.64	18.03	7.87	5.90	97.94	2.62	5.81
		12:00	27.18	38.93	20.22	7.92	5.68	145.99	4.02	5.96
		15:00	28.78	40.10	21.34	7.92	5.63	165.96	3.35	7.01
		18:00	27.48	34.41	15.90	7.85	5.45	160.80	5.18	5.54
		21:00	27.36	33.22	14.77	7.86	5.33	142.20	4.90	6.40
	日平均	27.58	36.63	18.02	7.88	5.60	141.76	3.14	5.99	
	潮口站	0:00	29.31	34.60	16.09	8.19	7.62	265.19	5.85	5.45
		3:00	28.12	35.37	16.82	7.94	5.49	280.58	12.02	4.80
		6:00	28.56	39.95	21.20	7.88	7.33	276.73	21.13	4.83
		9:00	30.17	36.72	18.11	8.09	7.62	310.52	14.69	5.35
		12:00	28.83	39.01	20.30	8.10	6.18	292.69	15.41	5.72
		15:00	28.73	40.14	21.38	7.91	5.23	267.29	3.66	6.67
		18:00	28.59	34.47	15.96	7.83	7.00	267.23	5.01	6.62
		21:00	30.24	33.31	14.85	8.25	7.62	259.45	6.26	6.26
	日平均	29.07	36.70	18.09	8.02	6.76	277.46	10.50	5.71	
	灣內站	0:00	28.00	34.42	15.92	8.21	6.02	120.58	2.57	1.33
		3:00	27.29	35.25	16.70	8.14	6.15	93.89	1.92	10.30
		6:00	27.68	39.76	21.02	8.34	6.68	192.57	2.00	4.80
		9:00	28.40	36.59	17.98	8.32	7.66	96.44	1.87	2.59
		12:00	31.27	38.86	20.16	8.42	7.84	135.86	2.17	10.10
		15:00	31.25	40.03	21.28	8.36	6.49	158.71	2.53	0.19
		18:00	28.55	34.33	15.83	8.37	6.19	152.85	2.26	1.37
		21:00	28.50	33.14	14.69	8.30	5.78	121.34	2.09	4.15
	日平均	28.87	36.55	17.95	8.31	6.60	134.03	2.18	4.35	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月13日	蚵殼站	0:00	28.85	37.25	18.62	7.82	5.70	107.20	3.11	7.78
		3:00	28.44	39.69	20.95	7.84	5.96	101.68	3.42	5.39
		6:00	28.85	39.98	21.22	7.81	5.31	178.35	2.09	7.15
		9:00	28.64	39.51	20.77	7.76	5.73	93.90	4.18	6.96
		12:00	27.55	37.25	18.62	7.79	5.87	157.91	3.19	3.77
		15:00	29.14	40.36	21.59	7.82	6.89	176.89	18.51	5.60
		18:00	28.44	36.76	18.15	7.82	5.40	174.90	15.34	6.33
		21:00	28.27	37.86	19.20	7.80	6.32	168.83	3.56	6.99
	日平均	28.52	38.58	19.89	7.81	5.90	144.96	6.68	6.25	
	潮口站	0:00	30.18	37.29	18.66	8.31	7.62	250.99	17.83	5.57
		3:00	30.01	39.73	20.99	8.10	7.18	267.44	19.03	4.86
		6:00	28.93	40.05	21.29	7.85	6.13	265.88	29.80	5.08
		9:00	30.47	39.59	20.85	8.10	7.76	276.26	8.29	5.13
		12:00	29.82	37.32	18.68	8.22	6.27	277.08	15.60	5.42
		15:00	29.63	40.45	21.67	7.99	5.65	306.71	9.39	5.65
		18:00	28.66	36.86	18.24	7.93	6.03	311.63	21.23	6.24
		21:00	30.69	37.92	19.26	8.28	7.62	324.22	15.79	6.97
	日平均	29.80	38.65	19.96	8.10	6.78	285.03	17.12	5.62	
	灣內站	0:00	27.95	37.14	18.52	8.19	5.68	100.97	2.27	4.29
		3:00	27.87	39.67	20.93	8.24	6.17	96.19	1.92	7.78
		6:00	27.79	39.96	21.21	8.25	6.24	174.17	1.34	8.05
		9:00	28.81	39.43	20.70	8.31	6.59	83.10	1.38	8.02
		12:00	30.96	37.21	18.58	8.34	7.81	150.48	1.94	6.09
		15:00	31.16	40.31	21.54	8.34	7.49	168.92	2.29	7.44
		18:00	28.76	36.65	18.05	8.30	7.14	162.25	2.65	3.90
		21:00	29.21	37.80	19.14	8.25	6.16	159.07	2.61	2.05
	日平均	29.06	38.52	19.83	8.28	6.66	136.89	2.05	5.95	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月14日	蚵殼站	0:00	29.30	34.53	16.02	7.90	6.71	140.73	3.90	8.00
		3:00	28.44	39.92	21.17	7.91	5.48	92.03	5.49	8.15
		6:00	29.13	40.90	22.10	8.07	5.07	180.33	5.46	5.39
		9:00	28.32	41.17	22.36	8.20	5.05	185.19	5.82	4.61
		12:00	28.06	38.43	19.74	7.85	5.58	146.89	5.37	4.71
		15:00	28.78	43.03	24.14	7.88	5.98	174.01	5.27	2.30
		18:00	27.71	42.26	23.40	7.83	5.42	172.40	24.27	2.76
		21:00	27.43	45.37	26.37	7.88	5.75	167.12	11.18	3.11
	日平均	28.40	40.70	21.91	7.94	5.63	157.34	8.35	4.88	
	潮口站	0:00	30.52	34.56	16.05	8.41	7.96	265.88	5.68	7.35
		3:00	29.66	41.01	22.21	8.19	6.22	276.26	3.63	5.31
		6:00	29.81	41.99	23.14	8.03	6.58	277.08	16.95	5.77
		9:00	30.90	42.25	23.39	8.12	7.56	306.71	8.91	6.05
		12:00	31.17	39.57	20.83	8.22	6.51	250.99	9.62	6.12
		15:00	30.01	44.16	25.22	8.24	7.32	186.51	8.06	6.41
		18:00	28.66	43.37	24.46	8.02	6.07	155.64	8.32	6.19
		21:00	29.53	46.51	27.46	8.20	7.62	148.26	14.13	5.94
	日平均	30.03	41.68	22.85	8.18	6.98	233.42	9.41	6.14	
	灣內站	0:00	28.57	34.48	15.98	8.24	5.82	133.72	2.19	2.43
		3:00	28.49	39.85	21.10	8.19	6.03	84.17	2.02	3.47
		6:00	28.06	40.84	22.04	8.25	6.44	173.63	1.58	0.11
		9:00	28.09	41.10	22.29	8.28	6.73	181.60	2.05	1.72
		12:00	31.26	38.32	19.64	8.19	7.07	136.37	2.14	2.62
		15:00	31.49	43.00	24.11	8.15	6.95	166.82	1.71	1.87
		18:00	30.40	42.16	23.31	8.10	6.17	164.78	2.54	1.09
		21:00	30.82	45.29	26.29	8.11	6.28	164.76	2.10	2.65
	日平均	29.65	40.63	21.85	8.19	6.44	150.73	2.04	2.00	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月15日	蚵殼站	0:00	28.09	43.56	24.64	7.92	6.33	158.09	4.38	4.99
		3:00	27.25	49.43	30.25	8.07	7.00	124.41	3.88	5.12
		6:00	26.50	46.77	27.71	7.93	8.57	194.96	4.47	6.27
		9:00	26.87	47.25	28.17	7.83	8.79	120.42	6.07	3.52
		12:00	28.33	48.12	29.00	7.86	6.77	172.76	5.40	4.68
		15:00	28.64	50.02	30.81	7.85	6.19	186.59	4.28	3.73
		18:00	28.96	43.05	24.16	7.87	6.48	188.51	2.32	5.40
		21:00	28.67	43.83	24.90	7.88	8.00	183.84	3.23	4.73
	日平均	27.91	46.50	27.46	7.90	7.27	166.20	4.25	4.81	
	潮口站	0:00	30.46	44.67	25.70	8.23	7.62	150.24	5.82	5.74
		3:00	29.43	50.57	31.34	8.17	6.86	144.13	5.81	4.80
		6:00	27.16	47.90	28.79	8.12	5.37	161.58	11.18	5.38
		9:00	28.67	48.37	29.24	8.10	6.72	162.92	14.01	6.83
		12:00	29.87	49.21	30.04	8.14	7.46	153.28	8.03	6.51
		15:00	29.28	51.13	31.87	7.99	6.72	160.92	5.66	6.03
		18:00	28.73	44.14	25.20	8.02	6.28	166.98	8.35	5.76
		21:00	29.75	44.93	25.95	8.21	7.78	157.77	10.20	5.91
	日平均	29.17	47.62	28.52	8.12	6.85	157.23	8.63	5.87	
	灣內站	0:00	29.73	43.53	24.62	8.10	6.45	152.71	2.13	2.14
		3:00	29.07	49.32	30.15	8.06	5.56	120.33	1.99	1.87
		6:00	28.59	46.67	27.61	8.15	5.52	187.77	1.70	1.95
		9:00	29.22	47.17	28.09	8.21	6.45	117.09	1.66	1.97
		12:00	31.35	48.11	28.98	8.24	7.49	154.46	1.82	1.94
		15:00	32.00	50.00	30.79	8.23	7.05	179.10	2.12	2.44
18:00		30.75	43.03	24.13	8.22	6.27	180.79	2.25	2.02	
21:00		30.95	43.73	24.81	8.19	5.54	176.80	2.15	2.20	
日平均	30.21	46.45	27.40	8.18	6.29	158.63	1.98	2.07		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月16日	蚵殼站	0:00	28.51	41.44	22.62	8.01	6.22	188.30	7.75	2.92
		3:00	28.28	50.58	31.35	8.30	8.91	173.06	5.41	2.25
		6:00	26.77	49.54	30.35	8.05	7.90	99.10	7.15	4.91
		9:00	26.55	47.26	28.18	7.95	5.82	136.34	6.94	3.67
		12:00	28.05	48.13	29.01	8.05	6.79	114.15	3.80	3.81
		15:00	28.94	48.66	29.51	8.14	6.77	118.24	5.61	3.52
		18:00	29.20	45.88	26.86	7.99	6.36	106.52	6.29	3.56
		21:00	27.62	45.59	26.58	7.96	7.84	129.59	6.97	4.52
	日平均	27.99	47.14	28.06	8.06	7.08	133.16	6.24	3.65	
	潮口站	0:00	29.95	42.54	23.67	8.26	7.78	158.14	6.57	5.80
		3:00	28.86	51.72	32.44	8.04	5.78	162.87	16.60	5.00
		6:00	28.43	50.62	31.39	8.06	5.54	164.60	12.58	5.01
		9:00	28.81	48.39	29.26	8.08	6.75	169.38	18.67	6.60
		12:00	29.63	49.23	30.06	8.18	7.62	162.57	9.94	6.69
		15:00	29.99	49.77	30.57	8.11	7.19	169.33	3.39	5.85
		18:00	28.83	46.97	27.90	7.99	5.85	179.33	7.62	5.64
		21:00	29.76	46.71	27.65	8.12	7.33	164.01	10.71	6.42
	日平均	29.28	48.24	29.12	8.11	6.73	166.28	10.76	5.88	
	灣內站	0:00	30.64	41.34	22.52	8.14	6.27	180.95	1.77	2.19
		3:00	30.16	50.51	31.28	8.13	6.74	168.43	1.94	2.23
		6:00	28.80	49.51	30.33	8.13	6.64	89.12	1.85	2.46
		9:00	29.04	47.20	28.12	8.10	6.99	122.79	2.27	1.96
		12:00	31.49	48.03	28.91	8.17	8.32	109.77	2.33	2.28
		15:00	31.94	48.56	29.41	8.16	7.08	112.77	2.22	2.54
18:00		31.15	45.85	26.83	8.14	6.15	99.41	2.61	1.54	
21:00		31.06	45.48	26.47	8.08	5.65	124.56	1.75	2.44	
日平均	30.54	47.06	27.98	8.13	6.73	125.98	2.09	2.21		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月17日	蚵殼站	0:00	28.04	42.76	23.88	7.92	5.80	147.96	3.86	2.95
		3:00	28.01	50.81	31.57	7.97	7.41	146.21	4.84	2.94
		6:00	26.70	50.61	31.38	7.99	7.68	99.08	7.83	4.08
		9:00	26.72	47.82	28.71	8.03	8.50	132.39	9.10	4.48
		12:00	27.31	50.11	30.90	8.16	8.28	117.31	4.26	3.50
		15:00	28.50	48.01	28.89	8.43	6.69	118.26	3.96	2.95
		18:00	27.93	46.59	27.54	8.16	8.20	132.44	3.02	3.53
		21:00	27.11	45.82	26.80	8.30	8.01	123.85	3.22	3.86
	日平均	27.54	47.82	28.71	8.12	7.57	127.19	5.01	3.54	
	潮口站	0:00	30.00	43.89	24.96	8.26	7.85	173.29	13.63	6.39
		3:00	29.26	51.94	32.65	8.07	6.14	173.58	12.41	5.15
		6:00	28.51	51.73	32.45	8.07	5.87	188.82	18.30	4.95
		9:00	29.06	48.91	29.75	8.17	7.43	183.52	14.46	8.04
		12:00	28.89	51.23	31.97	8.14	7.62	186.59	13.72	7.65
		15:00	28.82	49.11	29.94	8.05	6.99	196.59	12.39	5.68
		18:00	28.36	47.71	28.61	7.96	5.53	198.19	10.41	5.46
		21:00	29.31	46.94	27.87	8.17	6.98	182.69	9.00	6.66
	日平均	29.03	48.93	29.77	8.11	6.80	185.41	13.04	6.25	
	灣內站	0:00	31.05	42.68	23.80	8.10	5.90	141.48	1.53	1.80
		3:00	30.20	50.70	31.46	8.09	5.95	141.63	1.88	1.68
		6:00	29.84	50.59	31.36	8.18	6.94	97.76	2.17	0.55
		9:00	29.30	47.74	28.63	8.16	7.96	124.80	2.66	0.52
		12:00	30.58	50.08	30.87	8.21	7.89	108.45	2.22	1.71
		15:00	30.42	47.93	28.82	8.37	7.80	111.49	1.86	1.44
		18:00	30.14	46.53	27.48	8.30	6.98	123.61	1.95	1.17
		21:00	29.86	45.77	26.75	8.31	5.87	113.63	1.83	1.36
	日平均	30.17	47.75	28.65	8.22	6.91	120.36	2.01	1.28	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月18日	蚵殼站	0:00	27.43	42.90	24.01	8.14	8.67	133.09	4.78	3.15
		3:00	28.33	49.26	30.09	7.98	5.53	118.53	3.55	4.87
		6:00	26.98	50.61	31.38	7.97	5.58	116.94	3.89	4.28
		9:00	27.09	48.79	29.64	8.03	6.89	138.37	3.92	5.13
		12:00	27.19	51.14	31.88	8.29	5.65	138.04	8.22	3.81
		15:00	28.95	49.01	29.85	8.36	6.59	136.51	6.61	2.13
		18:00	28.56	49.22	30.05	8.37	6.48	140.73	1.86	3.38
		21:00	29.74	46.49	27.44	8.24	7.31	144.92	2.78	3.94
	日平均	28.03	48.43	29.29	8.17	6.59	133.39	4.45	3.84	
	潮口站	0:00	29.85	43.99	25.05	8.33	7.83	181.44	8.09	5.47
		3:00	29.38	50.39	31.17	8.11	5.67	195.54	6.66	5.01
		6:00	28.04	51.73	32.45	8.02	5.63	214.48	10.00	5.05
		9:00	28.80	49.93	30.73	8.11	6.70	199.75	14.28	7.06
		12:00	28.68	52.26	32.95	8.13	7.46	203.06	11.81	6.99
		15:00	28.98	50.10	30.89	8.04	6.93	208.38	7.02	5.46
		18:00	28.61	50.30	31.08	7.93	5.15	223.53	7.90	4.43
		21:00	29.79	47.63	28.53	8.16	6.50	215.84	11.64	5.10
	日平均	29.02	49.54	30.36	8.10	6.48	205.25	9.68	5.57	
	灣內站	0:00	29.73	42.88	23.99	8.20	5.79	127.61	1.32	0.01
		3:00	29.61	49.22	30.05	8.22	5.89	109.53	1.35	0.96
		6:00	28.73	50.52	31.29	8.29	5.91	114.67	1.74	0.75
		9:00	28.26	48.69	29.54	8.32	6.98	134.56	1.69	0.66
		12:00	30.24	51.06	31.80	8.32	7.70	131.28	1.89	1.78
		15:00	30.17	48.99	29.83	8.34	8.07	132.80	1.59	0.10
		18:00	29.39	49.20	30.03	8.27	6.97	130.94	1.93	0.29
		21:00	28.97	46.46	27.42	8.23	5.86	139.85	1.57	0.39
	日平均	29.39	48.38	29.24	8.27	6.65	127.66	1.64	0.62	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月19日	蚵殼站	0:00	30.07	42.16	23.31	8.11	8.51	138.39	4.40	4.45
		3:00	29.62	48.35	29.22	8.12	6.17	132.55	2.95	4.26
		6:00	28.68	50.64	31.40	8.06	5.41	142.18	3.46	5.06
		9:00	29.09	50.98	31.73	8.14	7.55	180.03	4.27	4.55
		12:00	29.90	48.68	29.53	8.30	8.96	136.20	8.06	4.41
		15:00	29.57	51.70	32.42	8.36	5.89	153.72	5.03	4.25
		18:00	28.82	49.66	30.47	8.38	7.70	164.13	3.01	3.94
		21:00	29.16	48.94	29.78	8.31	5.55	159.82	13.32	3.69
	日平均	29.36	48.89	29.73	8.22	6.97	150.88	5.56	4.33	
	潮口站	0:00	30.10	43.26	24.36	8.25	6.57	208.62	11.79	5.50
		3:00	29.63	49.49	30.31	8.08	5.13	210.12	5.22	4.63
		6:00	28.71	51.73	32.45	8.03	5.05	228.01	12.81	4.02
		9:00	29.13	52.08	32.78	8.09	5.96	225.03	15.96	5.43
		12:00	29.94	49.78	30.58	8.25	7.62	220.67	11.54	5.91
		15:00	29.61	52.79	33.46	8.18	7.62	216.07	8.91	5.36
		18:00	28.85	50.79	31.55	7.97	5.82	251.60	7.12	4.65
		21:00	29.18	50.05	30.84	7.96	5.87	266.20	7.09	5.02
	日平均	29.39	50.00	30.79	8.10	6.21	228.29	10.06	5.07	
	灣內站	0:00	28.75	42.06	23.21	8.10	5.85	126.80	1.40	0.72
		3:00	28.88	48.33	29.20	8.10	6.00	126.38	1.22	0.16
		6:00	28.78	50.61	31.38	8.12	6.87	133.21	1.14	0.26
		9:00	29.13	50.87	31.62	8.17	6.92	171.00	1.48	0.50
		12:00	29.81	48.63	29.48	8.19	7.07	125.93	1.71	1.70
		15:00	30.14	51.63	32.35	8.18	7.08	145.86	1.44	0.98
		18:00	30.07	49.59	30.40	8.15	6.95	153.66	1.58	2.52
		21:00	29.65	48.91	29.75	8.08	5.82	151.68	1.54	1.03
	日平均	29.40	48.83	29.67	8.14	6.57	141.82	1.44	0.98	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月20日	蚵殼站	0:00	29.79	45.35	26.35	8.07	5.66	165.62	2.98	3.49
		3:00	29.56	46.02	26.99	8.17	5.27	173.88	2.37	3.20
		6:00	28.97	50.66	31.42	8.09	5.32	203.40	3.41	3.88
		9:00	29.30	50.63	31.39	8.16	6.35	217.78	3.00	4.52
		12:00	29.82	49.23	30.06	8.23	7.17	170.01	8.44	4.15
		15:00	29.62	51.88	32.59	8.47	6.77	175.79	7.11	3.26
		18:00	29.12	49.20	30.03	8.19	5.86	214.16	3.91	3.42
		21:00	29.17	50.03	30.82	8.43	5.64	221.52	3.87	4.09
	日平均	29.42	49.13	29.96	8.23	6.01	192.77	4.39	3.75	
	潮口站	0:00	29.84	46.50	27.45	8.24	7.62	237.97	3.98	4.95
		3:00	29.59	47.13	28.05	8.17	7.03	250.19	13.41	4.58
		6:00	29.00	51.73	32.45	8.03	5.87	252.22	8.71	4.44
		9:00	29.34	51.73	32.45	8.13	7.95	243.36	12.44	4.88
		12:00	29.84	50.32	31.10	8.34	7.62	234.77	4.63	5.66
		15:00	29.64	52.98	33.64	8.28	7.62	229.07	6.16	5.25
		18:00	29.14	50.33	31.11	8.00	6.22	275.41	4.63	4.39
		21:00	29.20	51.15	31.89	7.97	6.15	283.35	10.63	4.38
	日平均	29.45	50.23	31.02	8.15	7.01	250.79	8.07	4.82	
	灣內站	0:00	29.85	45.26	26.27	8.12	5.63	164.10	1.52	0.16
		3:00	29.49	45.95	26.92	8.16	5.33	171.71	1.46	1.20
		6:00	29.22	50.61	31.38	8.22	5.66	201.39	1.44	1.24
		9:00	29.45	50.55	31.32	8.26	5.66	212.82	1.54	0.02
		12:00	30.27	49.15	29.98	8.33	6.31	160.02	1.63	0.18
		15:00	30.62	51.86	32.57	8.34	6.54	168.44	1.56	1.91
		18:00	30.33	49.13	29.96	8.24	5.75	210.97	1.60	2.18
		21:00	30.03	49.95	30.74	8.08	5.58	219.60	1.62	2.89
	日平均	29.91	49.06	29.89	8.22	5.81	188.63	1.55	1.22	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月21日	蚵殼站	0:00	30.02	48.27	29.14	8.40	5.55	210.78	4.64	4.19
		3:00	29.98	45.41	26.41	8.32	6.49	218.18	2.66	2.78
		6:00	29.88	49.89	30.69	8.31	6.49	120.65	3.68	4.31
		9:00	29.56	50.64	31.40	8.35	7.00	213.22	4.15	4.77
		12:00	29.18	50.61	31.38	8.33	8.16	231.07	8.42	4.10
		15:00	29.09	50.59	31.36	8.40	6.26	220.71	3.24	3.66
		18:00	28.54	50.61	31.38	8.38	6.65	239.98	2.24	3.29
		21:00	29.29	50.75	31.51	8.33	6.77	156.79	1.46	3.24
	日平均	29.44	49.60	30.41	8.35	6.67	201.42	3.81	3.79	
	潮口站	0:00	30.06	49.38	30.20	8.26	7.62	271.16	5.74	4.52
		3:00	30.01	46.50	27.45	8.32	7.62	270.13	21.82	4.30
		6:00	29.92	51.00	31.75	8.12	7.21	267.93	7.42	3.64
		9:00	29.59	51.73	32.45	8.08	7.54	268.02	9.19	4.51
		12:00	29.21	51.73	32.45	8.17	7.62	264.78	9.85	5.42
		15:00	29.12	51.73	32.45	8.13	7.62	268.69	9.21	5.01
		18:00	28.58	51.73	32.45	7.97	5.93	294.13	11.52	4.59
		21:00	29.34	51.83	32.54	8.08	6.87	309.28	12.37	4.53
	日平均	29.48	50.70	31.47	8.14	7.25	276.77	10.89	4.57	
	灣內站	0:00	30.02	48.21	29.08	8.10	5.26	199.98	1.65	0.70
		3:00	29.82	45.35	26.36	8.07	5.38	213.32	1.66	0.14
		6:00	29.91	49.79	30.59	8.18	5.44	117.14	1.69	1.13
		9:00	29.75	50.57	31.34	8.19	5.53	204.34	1.96	2.76
		12:00	30.05	50.55	31.32	8.20	6.15	225.67	2.05	1.19
		15:00	29.93	50.53	31.30	8.36	5.79	218.69	1.82	1.97
18:00		29.46	50.58	31.35	8.43	5.13	228.22	1.33	1.08	
21:00		28.76	50.74	31.50	8.31	5.20	147.87	1.43	4.19	
日平均	29.71	49.54	30.35	8.23	5.49	194.40	1.70	1.65		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月22日	蚵殼站	0:00	30.10	48.56	29.42	8.26	6.07	150.79	1.90	2.38
		3:00	29.99	46.60	27.55	8.25	5.73	202.62	1.02	4.43
		6:00	29.64	49.59	30.40	8.34	5.44	202.07	1.46	3.60
		9:00	29.80	51.51	32.23	8.25	7.16	246.41	1.44	4.26
		12:00	29.88	50.59	31.36	8.20	7.40	243.04	2.09	2.59
		15:00	30.15	51.55	32.27	8.30	7.78	236.05	3.10	3.09
		18:00	29.71	51.87	32.58	8.23	8.73	263.16	1.81	2.65
		21:00	28.82	50.72	31.48	8.23	8.08	160.09	1.13	3.94
	日平均	29.76	50.12	30.91	8.26	7.05	213.03	1.74	3.37	
	潮口站	0:00	30.13	49.70	30.51	8.29	7.62	271.38	13.30	5.02
		3:00	30.02	47.69	28.59	8.35	7.62	280.78	17.10	5.02
		6:00	29.66	50.71	31.47	8.21	6.71	279.35	10.05	4.52
		9:00	29.82	52.62	33.30	8.09	7.13	284.07	13.87	4.61
		12:00	29.90	51.73	32.45	8.10	7.25	281.27	8.41	5.22
		15:00	30.19	52.65	33.32	8.26	7.62	267.24	3.98	5.66
		18:00	29.74	53.02	33.68	8.09	7.27	297.76	8.11	5.10
		21:00	28.86	51.80	32.51	7.96	5.96	316.31	5.34	4.76
	日平均	29.79	51.24	31.98	8.17	7.15	284.77	10.02	4.99	
	灣內站	0:00	28.41	48.55	29.40	8.20	5.10	141.95	1.59	0.97
		3:00	28.82	46.51	27.46	8.13	5.56	201.56	1.45	0.81
		6:00	29.00	49.55	30.36	8.33	5.19	194.59	1.33	2.08
		9:00	29.28	51.47	32.20	8.36	5.21	244.79	1.47	0.98
		12:00	30.34	50.48	31.25	8.43	5.74	240.14	1.45	2.06
		15:00	30.68	51.45	32.18	8.39	5.98	230.72	1.42	1.52
18:00		30.49	51.76	32.47	8.36	5.29	255.71	1.11	2.31	
21:00		30.05	50.63	31.39	8.28	5.65	158.65	1.12	1.00	
日平均	29.63	50.05	30.84	8.31	5.47	208.51	1.37	1.47		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月23日	蚵殼站	0:00	29.43	49.71	30.52	8.30	7.66	214.81	1.09	14.92
		3:00	29.91	46.43	27.38	8.17	6.02	247.23	1.05	4.10
		6:00	29.89	46.40	27.35	8.14	5.29	217.18	2.29	5.72
		9:00	29.98	51.46	32.19	8.20	7.76	222.51	2.00	32.55
		12:00	29.86	50.59	31.36	8.23	6.88	235.39	1.32	14.50
		15:00	30.31	51.11	31.85	8.28	6.93	254.33	4.00	7.19
		18:00	30.11	49.69	30.50	8.24	8.42	212.17	3.01	7.98
		21:00	28.98	51.87	32.58	8.19	6.34	223.33	1.39	9.85
	日平均	29.81	49.66	30.47	8.22	6.91	228.37	2.02	12.10	
	潮口站	0:00	29.45	50.80	31.56	8.01	6.62	302.06	20.52	4.89
		3:00	29.95	47.56	28.46	8.31	7.62	292.83	19.02	4.67
		6:00	29.90	47.52	28.43	8.34	7.62	288.20	25.39	4.57
		9:00	30.00	52.56	33.24	8.07	7.82	280.63	17.13	5.42
		12:00	29.87	51.73	32.45	8.07	6.96	284.18	8.87	4.81
		15:00	30.32	52.20	32.89	8.20	7.62	273.03	6.66	9.12
		18:00	30.13	50.82	31.58	8.18	7.62	283.02	11.90	8.94
		21:00	29.02	52.98	33.64	7.97	6.05	303.65	5.77	7.15
	日平均	29.83	50.77	31.53	8.14	7.24	288.45	14.41	6.20	
	灣內站	0:00	29.10	49.68	30.49	8.21	5.68	206.89	1.27	0.94
		3:00	29.20	46.32	27.28	8.26	5.85	242.03	1.10	2.23
		6:00	29.59	46.30	27.26	8.28	5.72	210.86	0.99	0.50
		9:00	29.91	51.38	32.11	8.29	5.72	220.39	1.02	2.21
		12:00	30.72	50.57	31.34	8.33	6.50	230.55	1.20	2.15
		15:00	30.62	51.08	31.82	8.34	6.91	250.22	1.01	2.38
		18:00	30.24	49.68	30.49	8.29	5.81	207.24	0.94	0.11
		21:00	29.64	51.84	32.55	8.23	6.09	214.40	1.11	2.43
	日平均	29.88	49.61	30.42	8.28	6.04	222.82	1.08	1.62	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月24日	蚵殼站	0:00	29.47	50.63	31.39	8.20	5.57	238.72	1.10	7.85
		3:00	29.90	47.42	28.33	8.16	5.45	190.64	1.20	9.93
		6:00	30.01	44.05	25.11	8.17	5.81	136.08	1.23	13.05
		9:00	29.98	50.80	31.56	8.19	5.02	189.54	4.53	12.33
		12:00	30.13	48.24	29.11	8.20	6.70	213.27	1.10	5.30
		15:00	29.68	44.74	25.77	8.27	5.49	241.74	1.51	8.66
		18:00	29.93	45.44	26.44	8.27	5.97	246.62	2.62	11.12
		21:00	29.24	45.61	26.60	8.18	6.61	251.93	3.16	11.83
	日平均	29.79	47.12	28.04	8.21	5.83	213.57	2.06	10.01	
	潮口站	0:00	29.50	51.74	32.46	8.12	6.60	286.80	9.94	6.76
		3:00	29.94	48.53	29.39	8.30	7.94	277.42	22.51	6.19
		6:00	30.06	45.17	26.18	8.45	7.62	277.36	7.12	5.73
		9:00	30.00	51.90	32.61	8.16	7.68	286.67	8.83	5.69
		12:00	30.14	49.33	30.15	8.04	6.69	297.57	19.15	7.42
		15:00	29.72	45.87	26.85	8.00	6.14	293.82	7.06	9.57
		18:00	29.95	46.54	27.49	8.06	7.22	289.68	11.90	9.63
		21:00	29.25	46.73	27.67	7.97	5.94	295.30	10.08	7.79
	日平均	29.82	48.23	29.10	8.14	6.98	288.08	12.07	7.35	
	灣內站	0:00	28.81	50.56	31.33	8.26	5.57	236.62	1.00	1.52
		3:00	28.50	47.39	28.30	8.17	6.13	179.95	0.93	1.22
		6:00	28.90	44.02	25.08	8.25	6.08	131.20	0.74	2.71
		9:00	29.56	50.72	31.48	8.26	6.10	178.55	0.96	1.22
		12:00	30.16	48.21	29.08	8.18	6.79	208.69	1.17	1.64
		15:00	30.29	44.69	25.72	8.11	6.95	235.15	1.01	1.80
		18:00	30.28	45.42	26.42	8.10	6.36	244.62	0.98	2.32
		21:00	30.19	45.59	26.58	8.08	5.70	250.49	0.83	5.15
	日平均	29.59	47.08	28.00	8.18	6.21	208.16	0.95	2.20	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月25日	蚵殼站	0:00	29.10	45.16	26.17	8.08	6.76	225.43	1.76	12.17
		3:00	29.84	44.04	25.10	8.05	6.03	125.26	4.16	12.09
		6:00	29.78	40.33	21.56	8.10	6.33	143.90	1.20	14.12
		9:00	30.58	41.64	22.81	8.12	7.75	139.90	1.14	11.02
		12:00	30.60	43.84	24.91	8.21	6.90	145.82	1.38	27.09
		15:00	30.88	42.31	23.45	8.20	6.92	183.35	3.32	35.52
		18:00	30.52	41.13	22.32	8.25	8.45	257.26	3.14	24.18
		21:00	30.31	42.63	23.75	8.21	6.33	248.67	3.07	10.13
	日平均	30.20	42.64	23.76	8.15	6.93	183.70	2.40	18.29	
	潮口站	0:00	29.11	46.25	27.21	7.91	5.56	301.21	12.41	6.35
		3:00	29.87	45.12	26.13	8.20	7.26	274.37	13.06	6.46
		6:00	29.82	41.47	22.65	8.35	7.75	261.54	21.34	6.27
		9:00	30.61	42.76	23.88	8.27	7.62	267.27	7.96	5.61
		12:00	30.63	44.97	25.99	8.08	7.02	285.43	6.51	7.99
		15:00	30.91	38.96	20.25	8.02	6.58	285.09	11.12	8.12
		18:00	30.56	42.23	23.37	8.10	7.43	280.67	6.34	9.09
		21:00	30.34	43.74	24.82	8.08	6.90	276.47	5.35	7.56
	日平均	30.23	43.19	24.29	8.13	7.02	279.01	10.51	7.18	
	灣內站	0:00	29.19	45.11	26.12	8.10	6.09	214.49	0.82	1.13
		3:00	28.69	44.01	25.08	8.07	5.59	120.50	0.74	5.81
		6:00	28.66	40.26	21.49	8.16	6.08	133.06	0.49	3.35
		9:00	29.54	41.58	22.75	8.23	6.13	138.82	0.55	4.82
		12:00	30.66	43.79	24.86	8.23	6.41	144.46	0.78	0.89
		15:00	30.75	42.30	23.44	8.24	5.67	174.29	0.57	3.76
18:00		30.73	41.10	22.30	8.19	5.96	248.84	0.40	2.21	
21:00		30.23	42.55	23.68	8.20	6.01	242.36	0.42	4.24	
日平均	29.81	42.59	23.71	8.18	5.99	177.10	0.60	3.28		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月26日	蚵殼站	0:00	28.94	42.51	23.64	8.21	6.68	243.58	2.47	7.36
		3:00	29.08	41.49	22.67	8.17	8.45	234.21	1.34	5.54
		6:00	29.34	40.64	21.85	8.15	8.13	238.13	1.20	6.03
		9:00	30.21	40.64	21.85	8.20	9.01	238.65	2.61	4.31
		12:00	30.63	40.08	21.32	8.23	6.57	252.00	4.01	5.85
		15:00	30.18	41.48	22.66	8.23	7.00	216.09	3.36	7.47
		18:00	28.32	47.65	28.55	8.23	8.43	221.44	5.22	11.73
		21:00	29.26	46.83	27.77	8.20	7.74	211.58	4.92	5.13
	日平均	29.50	42.67	23.79	8.20	7.75	231.96	3.14	6.68	
	潮口站	0:00	28.96	42.55	23.68	8.00	5.93	275.64	16.52	6.55
		3:00	29.11	41.56	22.73	8.00	5.67	283.45	14.40	6.32
		6:00	29.35	40.68	21.89	8.10	6.11	273.62	26.02	6.65
		9:00	30.24	36.90	18.28	8.11	6.18	270.38	12.60	6.01
		12:00	30.65	40.15	21.39	7.99	5.68	280.96	17.18	6.22
		15:00	30.23	41.52	22.70	7.98	6.04	276.16	11.90	7.66
		18:00	28.36	47.71	28.61	7.96	5.53	198.19	16.23	8.62
		21:00	29.31	46.94	27.87	8.17	6.98	182.69	12.87	7.47
	日平均	29.53	42.25	23.39	8.04	6.02	255.14	15.97	6.94	
	灣內站	0:00	30.12	42.43	23.56	8.12	5.71	233.52	0.39	0.06
		3:00	30.16	41.43	22.61	8.11	5.98	230.72	0.20	4.03
		6:00	30.23	40.54	21.76	8.11	6.20	233.91	0.17	1.66
		9:00	29.72	40.54	21.76	8.11	6.95	231.62	0.36	0.31
		12:00	30.93	40.02	21.26	8.15	6.40	248.18	0.46	2.07
		15:00	30.67	41.40	22.58	8.16	6.16	213.00	0.53	0.25
18:00		29.93	47.61	28.51	8.15	5.59	210.55	0.42	1.99	
21:00		29.46	46.82	27.75	8.08	5.87	205.27	0.32	1.78	
日平均	30.15	42.60	23.72	8.12	6.11	225.85	0.36	1.52		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月27日	蚵殼站	0:00	29.84	42.90	24.01	8.09	6.37	195.15	3.11	3.16
		3:00	29.35	49.30	30.12	8.00	7.02	215.15	3.42	4.82
		6:00	28.03	50.58	31.35	8.00	8.55	197.94	2.09	4.30
		9:00	28.77	48.80	29.65	8.11	8.81	212.10	4.14	5.09
		12:00	28.66	51.14	31.88	8.08	6.82	199.32	3.14	3.85
		15:00	28.96	49.01	29.85	8.07	6.16	197.57	18.54	2.20
		18:00	28.59	49.20	30.03	8.12	6.45	218.13	15.34	3.39
		21:00	29.77	46.52	27.47	8.18	8.05	208.12	3.55	3.96
	日平均	29.00	48.43	29.30	8.08	7.28	205.44	6.67	3.85	
	潮口站	0:00	29.85	43.99	25.05	8.33	7.83	181.44	9.60	6.71
		3:00	29.38	50.39	31.17	8.11	5.67	195.54	13.35	6.25
		6:00	28.04	51.73	32.45	8.02	5.63	214.48	22.32	6.12
		9:00	28.80	49.93	30.73	8.11	6.70	199.75	10.39	6.01
		12:00	28.68	52.26	32.95	8.13	7.46	203.06	6.69	6.47
		15:00	28.98	50.10	30.89	8.04	6.93	208.38	6.43	8.09
		18:00	28.61	50.30	31.08	7.93	5.15	223.53	5.18	8.50
		21:00	29.79	47.63	28.53	8.16	6.50	215.84	11.63	8.02
	日平均	29.02	49.54	30.36	8.10	6.48	205.25	10.70	7.02	
	灣內站	0:00	28.56	42.81	23.93	8.14	6.07	186.16	0.35	3.37
		3:00	28.87	49.27	30.09	8.07	6.48	207.42	0.22	1.66
		6:00	29.14	50.55	31.32	8.17	6.29	192.38	0.09	2.07
		9:00	29.39	48.72	29.57	8.20	7.23	203.89	0.27	0.66
		12:00	30.44	51.12	31.86	8.22	6.86	196.69	0.76	3.27
		15:00	30.81	48.98	29.82	8.34	6.47	188.04	1.03	0.10
		18:00	30.63	49.18	30.00	8.30	5.94	211.23	0.27	0.70
		21:00	30.11	46.46	27.41	8.33	6.50	206.64	0.24	3.54
	日平均	29.74	48.39	29.25	8.22	6.48	199.06	0.40	1.92	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月28日	蚵殼站	0:00	30.05	42.18	23.32	8.14	6.24	192.72	4.42	4.46
		3:00	29.61	48.36	29.23	8.10	8.91	200.34	3.90	4.25
		6:00	28.70	50.58	31.35	8.17	7.86	201.79	4.49	5.04
		9:00	29.12	50.97	31.72	8.18	5.84	169.05	6.04	4.59
		12:00	29.93	48.69	29.54	8.23	6.78	169.66	5.44	4.45
		15:00	29.57	51.69	32.41	8.11	6.75	189.04	4.33	4.22
		18:00	28.80	49.66	30.47	8.09	6.36	188.52	2.33	3.93
		21:00	29.15	48.92	29.76	8.13	7.78	184.51	5.07	3.69
	日平均	29.37	48.88	29.73	8.14	7.07	186.95	4.50	4.33	
	潮口站	0:00	30.10	43.26	24.36	8.25	6.57	208.62	4.24	6.75
		3:00	29.63	49.49	30.31	8.08	5.13	210.12	14.13	6.01
		6:00	28.71	51.73	32.45	8.03	5.05	228.01	9.44	6.74
		9:00	29.13	52.08	32.78	8.09	5.96	225.03	15.65	6.76
		12:00	29.94	49.78	30.58	8.25	7.62	220.67	12.74	6.09
		15:00	29.61	52.79	33.46	8.18	7.62	216.07	6.85	6.66
		18:00	28.85	50.79	31.55	7.97	5.82	251.60	7.74	8.49
		21:00	29.18	50.05	30.84	7.96	5.87	266.20	10.50	8.15
	日平均	29.39	50.00	30.79	8.10	6.21	228.29	10.16	6.96	
	灣內站	0:00	29.21	42.06	23.21	8.17	5.89	186.10	1.62	4.76
		3:00	29.34	48.29	29.16	8.25	6.03	190.35	1.28	1.40
		6:00	29.73	50.54	31.31	8.28	6.41	195.03	1.09	0.63
		9:00	29.97	50.89	31.64	8.30	6.52	161.24	1.10	2.45
		12:00	30.82	48.59	29.45	8.35	6.14	166.06	1.23	0.21
		15:00	30.73	51.65	32.37	8.32	6.15	179.18	1.25	2.31
		18:00	30.35	49.63	30.44	8.28	6.06	177.61	1.88	3.99
		21:00	29.69	48.87	29.71	8.26	5.75	175.75	1.44	2.82
	日平均	29.98	48.82	29.66	8.28	6.12	178.92	1.36	2.32	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—



112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月29日	蚵殼站	0:00	29.82	45.38	26.38	8.21	5.82	159.13	3.12	7.81
		3:00	29.56	46.01	26.98	8.14	7.35	169.26	3.42	9.93
		6:00	28.96	50.61	31.38	8.09	7.66	137.29	2.09	13.01
		9:00	29.32	50.64	31.40	8.06	8.46	145.02	4.16	12.37
		12:00	29.80	49.18	30.01	8.06	8.30	145.05	3.17	5.34
		15:00	29.63	51.89	32.60	8.07	6.70	139.59	18.49	8.66
		18:00	29.11	49.24	30.07	8.13	8.15	173.77	15.37	11.09
		21:00	29.16	50.05	30.84	8.15	8.02	133.49	3.54	11.79
	日平均	29.42	49.13	29.96	8.11	7.56	150.33	6.67	10.00	
	潮口站	0:00	29.84	46.50	27.45	8.24	7.62	237.97	16.52	7.16
		3:00	29.59	47.13	28.05	8.17	7.03	250.19	14.40	6.03
		6:00	29.00	51.73	32.45	8.03	5.87	252.22	26.02	6.84
		9:00	29.34	51.73	32.45	8.13	7.95	243.36	12.60	7.09
		12:00	29.84	50.32	31.10	8.34	7.62	234.77	17.18	6.77
		15:00	29.64	52.98	33.64	8.28	7.62	229.07	11.90	6.60
		18:00	29.14	50.33	31.11	8.00	6.22	275.41	16.23	8.09
		21:00	29.20	51.15	31.89	7.97	6.15	283.35	12.87	7.90
	日平均	29.45	50.23	31.02	8.15	7.01	250.79	15.97	7.06	
	灣內站	0:00	28.95	45.32	26.32	8.13	5.79	151.34	1.51	3.44
		3:00	28.64	45.90	26.88	8.11	5.49	162.91	1.35	7.21
		6:00	28.98	50.56	31.32	8.09	6.18	134.60	1.15	0.05
		9:00	29.61	50.62	31.38	8.16	6.48	137.43	1.11	0.01
		12:00	30.25	49.10	29.93	8.20	6.48	140.22	1.26	6.01
		15:00	30.36	51.85	32.56	8.22	6.77	129.25	1.08	3.58
		18:00	30.37	49.13	29.96	8.16	6.28	166.06	1.25	7.98
		21:00	30.28	49.95	30.75	8.07	6.33	129.01	1.29	2.10
	日平均	29.68	49.05	29.89	8.14	6.23	143.85	1.25	3.80	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月30日	蚵殼站	0:00	30.05	48.29	29.16	8.14	6.24	192.72	4.40	4.30
		3:00	30.00	45.40	26.40	8.10	8.91	200.34	2.95	5.09
		6:00	29.88	49.89	30.69	8.17	7.86	201.79	3.46	3.85
		9:00	29.58	50.64	31.40	8.18	5.84	169.05	4.27	2.20
		12:00	29.18	50.59	31.36	8.23	6.78	199.32	8.06	4.59
		15:00	29.10	50.66	31.42	8.11	6.75	197.57	5.03	4.45
		18:00	28.56	50.61	31.38	8.09	6.36	218.13	3.01	4.22
		21:00	29.31	50.74	31.50	8.13	7.78	133.49	13.32	4.45
	日平均	29.46	49.60	30.41	8.14	7.07	189.05	5.56	4.14	
	潮口站	0:00	30.06	49.38	30.20	8.26	7.62	271.16	9.60	6.97
		3:00	30.01	46.50	27.45	8.32	7.62	270.13	13.35	5.97
		6:00	29.92	51.00	31.75	8.12	7.21	267.93	22.32	6.77
		9:00	29.59	51.73	32.45	8.08	7.54	268.02	10.39	7.33
		12:00	29.21	51.73	32.45	8.17	7.62	264.78	6.69	7.00
		15:00	29.12	51.73	32.45	8.13	7.62	268.69	6.43	6.48
		18:00	28.58	51.73	32.45	7.97	5.93	294.13	5.18	9.30
		21:00	29.34	51.83	32.54	8.08	6.87	309.28	11.63	8.69
	日平均	29.48	50.70	31.47	8.14	7.25	276.77	10.70	7.31	
	灣內站	0:00	29.24	48.25	29.12	8.10	5.90	189.66	1.45	1.23
		3:00	28.78	45.29	26.29	8.18	6.05	190.48	1.82	0.54
		6:00	28.75	49.80	30.60	8.20	6.41	194.28	1.84	2.54
		9:00	29.59	50.56	31.32	8.27	6.53	167.41	3.36	0.05
		12:00	30.76	50.55	31.32	8.32	6.13	192.31	4.38	0.12
		15:00	30.82	50.59	31.36	8.34	6.13	184.00	2.61	0.20
		18:00	30.82	50.55	31.31	8.24	6.05	207.43	4.38	0.83
		21:00	30.35	50.69	31.45	8.09	5.77	132.38	2.61	2.14
	日平均	29.89	49.54	30.35	8.22	6.12	182.24	2.81	0.96	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月1日	蚵殼站	0:00	29.05	48.82	29.96	8.28	6.84	116.60	7.94	27.91
		3:00	28.78	49.10	30.13	8.19	7.32	121.67	10.33	27.88
		6:00	28.82	49.63	30.45	8.15	6.58	99.14	3.83	21.24
		9:00	29.04	48.88	30.00	8.11	6.49	127.96	7.36	22.74
		12:00	29.15	51.14	31.36	8.22	8.13	120.56	13.10	18.56
		15:00	29.03	50.09	30.73	8.24	8.27	117.94	16.00	22.71
		18:00	28.82	49.36	30.29	8.32	8.00	119.84	13.84	16.76
		21:00	28.28	49.64	30.46	8.31	7.32	112.53	8.07	19.50
	日平均	28.87	49.58	30.42	8.23	7.37	117.03	10.06	22.16	
	潮口站	0:00	29.93	49.11	30.14	8.33	6.00	126.60	3.08	6.24
		3:00	29.97	50.13	30.75	8.29	6.09	131.67	2.86	7.74
		6:00	28.94	51.04	31.30	8.39	5.87	109.14	4.14	3.56
		9:00	30.07	50.17	30.78	8.34	7.28	137.96	3.19	7.71
		12:00	30.75	52.35	32.09	8.32	7.96	130.56	6.12	1.76
		15:00	30.51	50.37	30.90	8.26	7.21	127.94	6.61	4.50
		18:00	29.52	50.26	30.83	8.30	6.15	129.84	3.61	3.46
		21:00	29.43	51.17	31.38	8.20	5.51	122.53	2.98	4.26
	日平均	29.89	50.58	31.02	8.30	6.51	127.03	4.07	4.90	
	灣內站	0:00	29.54	50.71	29.88	8.28	6.43	116.60	11.12	26.58
		3:00	29.13	50.24	29.57	8.21	6.39	121.67	17.48	24.66
		6:00	28.89	49.55	29.66	8.16	6.81	99.14	8.08	25.37
		9:00	28.97	49.55	28.81	8.21	7.16	127.96	13.01	28.90
		12:00	31.25	47.44	31.90	8.19	7.64	120.56	19.12	28.56
		15:00	31.62	49.59	29.01	8.15	7.57	117.94	16.62	23.73
		18:00	31.07	50.69	29.66	8.30	6.31	119.84	13.23	26.76
		21:00	29.97	49.13	31.14	8.42	6.14	112.53	8.43	29.50
	日平均	30.06	49.61	29.95	8.24	6.81	117.03	13.39	26.76	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月2日	蚵殼站	0:00	28.42	49.69	30.49	8.17	6.53	122.91	13.37	19.26
		3:00	28.27	51.43	31.54	8.10	7.14	96.74	14.41	19.08
		6:00	28.06	51.50	31.58	8.37	7.57	91.39	8.27	20.73
		9:00	28.61	50.57	31.02	8.20	7.39	99.11	5.61	20.76
		12:00	28.95	52.20	32.00	8.31	6.80	91.68	10.44	17.21
		15:00	29.41	52.91	32.43	8.14	6.74	63.60	15.87	21.80
		18:00	29.77	51.33	31.48	8.39	7.21	97.62	10.50	19.01
		21:00	29.28	51.10	31.34	8.38	8.11	123.05	10.85	17.23
	日平均	28.85	51.34	31.49	8.26	7.19	98.26	11.17	19.39	
	潮口站	0:00	30.23	50.71	31.10	8.22	5.42	132.91	2.16	4.26
		3:00	29.78	51.82	31.77	8.15	5.73	106.74	4.00	4.08
		6:00	28.37	52.21	32.01	8.23	5.74	101.39	4.34	5.73
		9:00	29.31	51.05	31.31	8.23	6.36	109.11	4.30	5.76
		12:00	30.43	52.99	32.48	8.35	6.66	101.68	5.03	2.21
		15:00	29.94	53.44	32.75	8.23	6.12	73.60	3.50	6.80
		18:00	29.13	52.91	32.43	8.14	6.57	107.62	3.77	4.01
		21:00	29.48	51.63	31.66	8.16	6.14	133.05	3.16	2.23
	日平均	29.58	52.10	31.94	8.21	6.09	108.26	3.78	4.39	
	灣內站	0:00	30.54	51.33	29.73	8.17	6.76	122.91	18.80	29.26
		3:00	30.50	48.77	29.89	8.34	7.29	96.74	13.55	29.08
		6:00	30.23	51.05	31.78	8.14	7.13	91.39	10.41	30.73
		9:00	30.00	48.65	30.07	8.16	7.57	99.11	6.06	30.76
		12:00	31.30	50.34	32.12	8.18	7.17	91.68	12.04	27.21
		15:00	30.60	48.47	31.84	8.37	7.12	63.60	15.18	31.80
		18:00	29.50	49.13	31.89	8.13	7.25	97.62	19.75	29.01
		21:00	29.82	50.21	29.82	8.31	6.42	123.05	8.15	27.23
	日平均	30.31	49.74	30.89	8.23	7.09	98.26	12.99	29.39	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月3日	蚵殼站	0:00	29.36	49.40	30.31	8.23	7.70	124.30	7.48	21.22
		3:00	28.81	51.10	31.34	8.34	8.01	57.69	5.26	27.91
		6:00	28.59	50.27	30.84	8.27	7.61	88.15	7.53	27.88
		9:00	28.53	49.03	30.09	8.12	8.00	134.27	30.74	21.24
		12:00	29.17	48.85	29.98	8.12	7.95	123.04	5.47	22.74
		15:00	29.50	48.95	30.04	8.31	7.06	65.63	11.66	22.01
		18:00	29.26	49.84	30.58	8.13	7.45	72.48	11.30	22.46
		21:00	28.99	48.97	30.05	8.21	8.01	72.51	8.85	20.33
	日平均	29.03	49.55	30.40	8.22	7.72	92.26	11.04	23.22	
	潮口站	0:00	29.68	49.84	30.58	8.28	5.64	134.30	2.70	6.22
		3:00	29.44	52.30	32.06	8.27	5.80	67.69	3.45	12.91
		6:00	28.53	51.40	31.52	8.38	5.68	98.15	3.81	12.88
		9:00	29.16	50.11	30.74	8.12	6.22	144.27	8.36	6.24
		12:00	30.20	49.63	30.45	8.27	6.92	133.04	5.23	7.74
		15:00	29.40	50.39	30.91	8.21	6.38	75.63	3.31	7.01
		18:00	28.08	51.19	31.39	8.15	5.19	82.48	4.10	7.46
		21:00	29.29	50.36	30.89	8.11	5.18	82.51	2.73	5.33
	日平均	29.22	50.65	31.07	8.22	5.88	102.26	4.21	8.22	
	灣內站	0:00	29.68	49.43	29.04	8.10	7.28	124.30	14.33	26.22
		3:00	29.42	49.73	31.81	8.20	7.00	57.69	14.31	32.91
		6:00	29.24	51.25	30.33	8.30	7.06	88.15	15.37	32.88
		9:00	29.53	51.32	29.62	8.29	6.74	134.27	33.80	26.24
		12:00	30.00	49.25	28.69	8.38	7.94	123.04	9.67	27.74
		15:00	30.14	49.11	29.56	8.38	7.76	65.63	12.66	27.01
		18:00	30.10	49.64	30.22	8.27	7.00	72.48	18.51	27.46
		21:00	28.87	49.51	29.94	8.37	7.05	72.51	13.58	25.33
	日平均	29.62	49.91	29.90	8.29	7.23	92.26	16.53	28.22	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月4日	蚵殼站	0:00	28.27	49.21	30.20	8.22	8.49	108.94	16.75	20.30
		3:00	28.15	50.29	30.85	8.37	6.97	80.67	14.91	22.71
		6:00	28.95	51.05	31.31	8.21	6.57	98.20	16.33	21.26
		9:00	29.32	49.99	30.67	8.37	8.02	104.98	9.33	21.16
		12:00	29.70	49.68	30.48	8.10	7.58	113.59	6.34	20.32
		15:00	29.85	51.07	31.32	8.27	8.52	112.35	6.84	18.02
		18:00	29.96	51.37	31.50	8.20	6.62	100.75	3.09	19.63
		21:00	29.81	48.44	29.73	8.32	7.75	118.65	10.16	17.34
	日平均	29.25	50.14	30.76	8.26	7.57	104.77	10.47	20.09	
	潮口站	0:00	29.93	49.81	30.56	8.34	5.98	118.94	2.74	5.30
		3:00	29.59	51.68	31.69	8.37	6.17	90.67	2.92	7.71
		6:00	28.84	51.37	31.50	8.35	6.06	108.20	2.25	6.26
		9:00	28.35	51.27	31.44	8.22	6.17	114.98	4.43	6.16
		12:00	28.71	50.37	30.90	8.11	6.59	123.59	5.26	5.32
		15:00	28.57	51.24	31.42	8.20	6.45	122.35	4.74	3.02
		18:00	27.56	51.40	31.52	8.15	6.36	110.75	3.57	4.63
		21:00	26.97	49.93	30.63	8.14	6.13	128.65	5.02	2.34
	日平均	28.57	50.88	31.21	8.24	6.24	114.77	3.87	5.09	
	灣內站	0:00	28.78	51.02	29.56	8.29	7.19	136.60	23.95	25.30
		3:00	29.44	51.77	31.57	8.38	6.78	141.67	24.14	27.71
		6:00	28.68	48.95	30.55	8.16	6.86	119.14	13.07	26.26
		9:00	28.44	49.64	29.45	8.24	8.02	147.96	14.67	26.16
		12:00	28.43	49.45	30.11	8.11	7.67	140.56	15.84	25.32
		15:00	28.21	47.16	30.41	8.32	7.74	137.94	5.08	23.02
		18:00	28.18	49.16	31.43	8.12	7.10	139.84	11.73	24.63
		21:00	27.87	50.72	29.15	8.28	7.31	132.53	15.92	22.34
	日平均	28.50	49.73	30.28	8.24	7.33	137.03	15.55	25.09	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 5 日	蚵殼站	0:00	28.26	49.10	30.13	8.19	7.63	91.06	16.59	16.83
		3:00	28.13	50.72	31.11	8.31	7.24	81.19	16.95	17.10
		6:00	28.10	52.10	31.94	8.39	7.94	98.72	21.78	16.43
		9:00	28.25	51.09	31.33	8.34	7.88	94.33	24.95	18.01
		12:00	28.74	50.24	30.82	8.29	8.16	81.50	17.15	17.55
		15:00	28.87	50.56	31.01	8.39	8.30	100.96	31.04	18.17
		18:00	29.00	50.14	30.76	8.31	7.39	90.71	21.65	15.09
		21:00	28.35	49.94	30.64	8.39	7.45	94.89	30.89	16.72
	日平均	28.46	50.49	30.97	8.33	7.75	91.67	22.63	16.99	
	潮口站	0:00	27.50	49.55	30.40	8.28	6.31	101.06	2.78	1.83
		3:00	27.95	52.13	31.96	8.16	6.22	91.19	2.14	2.10
		6:00	28.04	52.43	32.14	8.33	6.16	108.72	3.05	1.43
		9:00	27.63	51.55	31.61	8.21	6.31	104.33	2.99	3.01
		12:00	27.56	50.61	31.04	8.26	6.67	91.50	3.60	2.55
		15:00	26.99	50.56	31.01	8.23	6.43	110.96	8.48	3.17
		18:00	26.17	50.97	31.26	8.28	6.50	100.71	5.64	0.09
		21:00	26.41	50.72	31.11	8.29	6.17	104.89	4.63	1.72
	日平均	27.28	51.07	31.32	8.26	6.35	101.67	4.16	1.99	
	灣內站	0:00	27.55	51.65	29.85	8.12	7.46	142.91	15.61	21.83
		3:00	27.42	50.22	31.72	8.14	7.34	116.74	17.32	22.10
		6:00	27.07	50.31	30.16	8.11	7.39	111.39	27.92	21.43
		9:00	26.87	49.58	29.78	8.26	6.85	119.11	35.04	23.01
		12:00	26.86	48.93	30.20	8.13	7.44	111.68	27.95	22.55
		15:00	26.56	47.33	29.85	8.30	7.10	83.60	36.18	23.17
		18:00	26.36	48.00	30.58	8.33	6.77	117.62	26.52	20.09
		21:00	26.24	50.22	30.84	8.30	7.12	143.05	33.04	21.72
	日平均	26.87	49.53	30.37	8.21	7.18	118.26	27.45	21.99	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 6 日	蚵殼站	0:00	27.34	49.56	30.41	8.28	8.24	114.53	16.96	18.21
		3:00	27.94	50.14	30.76	8.30	8.27	106.78	24.01	19.74
		6:00	28.54	51.75	31.73	8.26	7.12	116.34	28.33	17.20
		9:00	28.52	52.26	32.04	8.30	7.63	83.10	21.12	19.08
		12:00	29.80	50.97	31.26	8.21	8.29	105.95	8.73	17.26
		15:00	27.53	50.56	31.01	8.28	8.42	95.55	15.71	20.06
		18:00	29.04	51.05	31.31	8.26	8.63	97.77	11.00	16.70
		21:00	29.04	50.62	31.05	8.26	7.15	83.93	14.65	17.22
	日平均	28.47	50.86	31.20	8.27	7.97	100.49	17.56	18.18	
	潮口站	0:00	26.37	50.67	31.08	8.33	5.97	124.53	4.63	3.21
		3:00	26.30	51.15	31.37	8.35	6.21	116.78	3.18	4.74
		6:00	26.28	52.44	32.15	8.17	6.17	126.34	4.00	2.20
		9:00	26.43	52.56	32.22	8.11	6.35	93.10	6.54	4.08
		12:00	26.50	51.37	31.50	8.28	6.63	115.95	4.99	2.26
		15:00	26.50	50.71	31.10	8.12	6.60	105.55	8.72	5.06
		18:00	26.48	51.37	31.50	8.39	6.35	107.77	5.08	1.70
		21:00	26.58	51.04	31.30	8.11	6.34	93.93	2.55	2.22
	日平均	26.43	51.41	31.53	8.23	6.33	110.49	4.96	3.18	
	灣內站	0:00	26.11	50.89	30.07	8.21	6.70	144.30	23.85	23.21
		3:00	25.96	51.05	30.69	8.18	7.22	77.69	32.49	24.74
		6:00	25.84	50.90	31.04	8.11	7.23	108.15	27.94	22.20
		9:00	25.98	49.02	31.03	8.15	6.59	154.27	20.23	24.08
		12:00	25.94	50.92	31.05	8.19	7.72	143.04	12.20	22.26
		15:00	25.94	47.29	30.41	8.32	7.39	85.63	13.34	25.06
		18:00	25.80	48.17	30.15	8.30	7.72	92.48	13.73	21.70
		21:00	25.85	49.06	31.24	8.30	7.14	92.51	13.47	22.22
	日平均	25.93	49.66	30.71	8.22	7.21	112.26	19.66	23.18	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月7日	蚵殼站	0:00	28.47	48.60	29.83	8.16	7.23	110.59	2.04	20.51
		3:00	28.57	51.88	31.81	8.31	7.35	110.85	26.18	20.23
		6:00	27.59	52.64	32.27	8.29	6.90	88.03	20.76	19.31
		9:00	28.70	51.50	31.58	8.26	7.64	103.91	16.69	17.52
		12:00	28.72	50.22	30.81	8.19	7.87	85.34	26.82	16.72
		15:00	28.93	51.57	31.62	8.10	8.07	96.64	31.04	18.04
		18:00	28.68	51.10	31.34	8.37	6.62	101.48	25.22	18.25
		21:00	28.35	51.58	31.63	8.18	7.74	117.16	24.65	20.66
	日平均	28.50	51.14	31.36	8.23	7.43	101.75	21.68	18.91	
	潮口站	0:00	26.36	50.21	30.80	8.10	6.07	120.59	4.00	5.51
		3:00	26.34	52.01	31.89	8.11	6.24	120.85	2.59	5.23
		6:00	26.42	52.81	32.37	8.25	6.14	98.03	4.22	4.31
		9:00	26.85	52.91	32.43	8.17	6.35	113.91	7.12	2.52
		12:00	28.22	51.85	31.79	8.17	6.33	95.34	6.59	1.72
		15:00	28.51	51.58	31.63	8.10	6.57	106.64	6.79	3.04
		18:00	27.95	51.48	31.57	8.25	6.29	111.48	3.67	3.25
		21:00	27.80	51.65	31.67	8.13	6.29	127.16	3.55	5.66
	日平均	27.31	51.81	31.77	8.16	6.29	111.75	4.82	3.91	
	灣內站	0:00	25.78	49.56	30.49	8.13	7.99	110.59	13.04	25.51
		3:00	25.71	48.63	30.70	8.28	7.78	110.85	24.73	25.23
		6:00	25.61	50.82	31.35	8.12	7.47	88.03	25.50	24.31
		9:00	25.89	49.81	32.28	8.11	7.92	103.91	22.92	22.52
		12:00	27.20	50.52	31.60	8.31	7.20	85.34	40.28	21.72
		15:00	27.58	49.00	31.44	8.21	7.27	96.64	37.57	23.04
		18:00	26.83	49.05	30.90	8.39	7.98	101.48	37.92	23.25
		21:00	26.42	49.89	31.32	8.17	8.60	117.16	28.71	25.66
	日平均	26.38	49.66	31.26	8.22	7.78	101.75	28.83	23.91	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月8日	蚵殼站	0:00	29.18	51.45	31.55	8.24	7.57	107.02	24.54	19.27
		3:00	29.05	50.61	31.04	8.34	7.85	103.55	27.67	18.29
		6:00	28.82	52.43	32.14	8.35	6.73	93.25	19.97	20.54
		9:00	28.94	52.78	32.35	8.38	6.76	82.72	19.33	18.05
		12:00	29.12	51.80	31.76	8.25	8.28	83.78	4.12	18.63
		15:00	29.18	51.55	31.61	8.11	7.87	97.05	6.87	16.49
		18:00	28.96	51.70	31.70	8.32	6.94	94.00	11.96	16.85
		21:00	28.85	50.42	30.93	8.31	7.66	82.04	24.01	20.62
	日平均	29.01	51.59	31.64	8.29	7.46	92.93	17.31	18.59	
	潮口站	0:00	27.76	51.55	31.61	8.27	6.42	117.02	4.98	4.27
		3:00	27.92	51.88	31.81	8.32	6.39	113.55	4.22	3.29
		6:00	27.75	52.86	32.40	8.36	6.16	103.25	2.81	5.54
		9:00	27.92	52.83	32.38	8.36	6.44	92.72	4.09	3.05
		12:00	27.97	52.49	32.18	8.22	6.37	93.78	6.58	3.63
		15:00	28.45	51.82	31.77	8.34	6.65	107.05	5.10	1.49
		18:00	27.71	52.05	31.91	8.25	6.41	104.00	4.72	1.85
		21:00	27.72	51.68	31.69	8.14	6.49	92.04	5.55	5.62
	日平均	27.90	52.15	31.97	8.28	6.42	102.93	4.76	3.59	
	灣內站	0:00	26.31	48.92	31.42	8.21	7.35	107.02	26.67	24.27
		3:00	26.33	48.42	31.66	8.34	6.53	103.55	38.27	23.29
		6:00	26.45	50.29	30.56	8.12	7.52	93.25	30.34	25.54
		9:00	26.56	49.73	31.59	8.14	7.90	82.72	23.56	23.05
		12:00	27.08	49.31	31.07	8.33	6.97	83.78	12.90	23.63
		15:00	27.50	50.41	30.71	8.23	7.86	97.05	5.76	21.49
		18:00	27.38	48.75	31.78	8.19	7.00	94.00	19.42	21.85
		21:00	27.24	51.00	30.61	8.12	6.59	82.04	26.26	25.62
	日平均	26.86	49.60	31.18	8.21	7.22	92.93	22.90	23.59	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月9日	蚵殼站	0:00	29.46	49.69	30.49	8.14	7.16	72.41	7.29	17.09
		3:00	29.25	49.25	30.22	8.22	6.41	62.40	6.52	22.14
		6:00	29.43	51.85	31.79	8.18	7.18	93.53	6.80	21.06
		9:00	29.71	52.30	32.06	8.37	6.51	57.60	3.46	19.84
		12:00	30.14	50.97	31.26	8.35	7.23	61.39	13.20	20.81
		15:00	30.32	50.31	30.86	8.34	6.74	83.45	6.56	22.73
		18:00	30.31	50.34	30.88	8.34	7.36	103.55	13.46	23.05
		21:00	30.42	50.14	30.76	8.19	7.17	93.31	6.93	19.50
		日平均	29.88	50.61	31.04	8.27	6.97	78.46	8.03	20.78
	潮口站	0:00	27.77	51.00	31.28	8.26	6.52	82.41	5.55	2.09
		3:00	27.66	50.31	30.86	8.16	6.46	72.40	4.44	7.14
		6:00	27.83	52.18	31.99	8.33	6.29	103.53	4.20	6.06
		9:00	28.50	52.74	32.33	8.34	6.55	67.60	4.37	4.84
		12:00	29.07	51.85	31.79	8.17	6.80	71.39	7.57	5.81
		15:00	28.43	51.19	31.39	8.34	6.86	93.45	5.70	7.73
		18:00	28.18	51.77	31.74	8.17	6.35	113.55	4.50	8.05
		21:00	28.51	51.73	31.72	8.28	6.72	103.31	5.15	4.50
		日平均	28.24	51.60	31.64	8.26	6.57	88.46	5.19	5.78
	灣內站	0:00	27.10	48.02	29.60	8.11	7.73	92.41	6.93	22.09
		3:00	26.97	49.93	30.38	8.27	6.43	82.40	11.36	27.14
		6:00	26.84	50.64	31.44	8.13	7.51	113.53	20.03	26.06
		9:00	27.61	49.86	32.31	8.20	7.64	77.60	5.10	24.84
		12:00	28.65	49.69	31.18	8.39	7.01	81.39	24.61	25.81
		15:00	28.70	50.16	29.96	8.36	7.47	103.45	16.11	27.73
		18:00	28.56	49.50	29.92	8.14	7.24	123.55	21.85	28.05
		21:00	28.40	50.42	30.45	8.39	7.35	113.31	6.80	24.50
		日平均	27.85	49.78	30.66	8.25	7.30	98.46	14.10	25.78
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月10日	蚵殼站	0:00	29.83	49.91	30.62	8.32	7.11	89.74	7.84	18.34
		3:00	29.70	50.72	31.11	8.33	6.48	84.27	15.02	17.98
		6:00	29.55	51.83	31.78	8.24	7.20	132.28	19.36	21.15
		9:00	29.91	52.61	32.25	8.35	7.12	90.00	20.72	20.05
		12:00	30.12	51.24	31.42	8.20	8.38	88.91	2.91	17.36
		15:00	29.95	50.09	30.73	8.26	7.48	108.47	18.85	19.78
		18:00	30.00	51.32	31.47	8.17	7.76	127.10	20.36	21.33
		21:00	29.98	50.90	31.22	8.33	7.34	71.80	13.07	19.93
		日平均	29.88	51.08	31.33	8.28	7.36	99.07	14.77	19.49
	潮口站	0:00	27.94	51.37	31.50	8.13	6.57	99.74	3.97	3.34
		3:00	27.98	51.48	31.57	8.30	6.29	94.27	4.67	2.98
		6:00	28.34	51.85	31.79	8.12	6.41	142.28	4.40	6.15
		9:00	29.11	52.91	32.43	8.12	6.64	100.00	4.08	5.05
		12:00	29.34	52.48	32.17	8.20	7.09	98.91	4.87	2.36
		15:00	29.14	51.30	31.46	8.15	7.37	118.47	5.52	4.78
		18:00	28.45	51.38	31.51	8.30	6.63	137.10	4.51	6.33
		21:00	29.31	51.60	31.64	8.11	6.53	81.80	5.62	4.93
		日平均	28.70	51.80	31.76	8.18	6.69	109.07	4.71	4.49
	灣內站	0:00	29.83	49.91	30.62	8.32	7.11	89.74	7.84	18.34
		3:00	29.70	50.72	31.11	8.33	6.48	84.27	15.02	17.98
		6:00	29.55	51.83	31.78	8.24	7.20	132.28	19.36	21.15
		9:00	29.91	52.61	32.25	8.35	7.12	90.00	20.72	20.05
		12:00	30.12	51.24	31.42	8.20	8.38	88.91	2.91	17.36
		15:00	29.95	50.09	30.73	8.26	7.48	108.47	18.85	19.78
		18:00	30.00	51.32	31.47	8.17	7.76	127.10	20.36	21.33
		21:00	29.98	50.90	31.22	8.33	7.34	71.80	13.07	19.93
		日平均	29.88	51.08	31.33	8.28	7.36	99.07	14.77	19.49
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 11 日	蚵殼站	0:00	28.07	49.66	29.56	8.30	8.22	109.74	14.14	23.34
		3:00	27.66	49.56	31.39	8.22	7.99	104.27	25.75	22.98
		6:00	27.45	49.35	31.76	8.24	7.02	152.28	32.38	26.15
		9:00	28.23	49.08	31.70	8.37	7.50	110.00	22.20	25.05
		12:00	29.67	50.37	30.33	8.21	7.29	108.91	6.29	22.36
		15:00	29.74	51.20	29.81	8.10	7.43	128.47	24.79	24.78
		18:00	29.40	51.30	31.25	8.21	7.61	147.10	26.95	26.33
		21:00	29.32	49.36	30.24	8.15	7.00	91.80	16.44	24.93
	日平均	28.69	49.99	30.76	8.23	7.51	119.07	21.12	24.49	
	潮口站	0:00	29.64	50.34	30.88	8.38	7.34	76.22	6.51	20.94
		3:00	29.54	49.59	30.43	8.18	8.16	78.52	8.14	20.15
		6:00	29.56	50.85	31.19	8.12	8.05	103.23	9.79	20.43
		9:00	29.87	52.06	31.92	8.15	7.03	103.68	9.01	17.90
		12:00	30.13	52.51	32.19	8.34	6.87	97.63	11.12	18.95
		15:00	30.14	51.63	31.66	8.13	8.11	124.34	18.92	17.63
		18:00	30.06	50.04	30.70	8.31	7.96	105.29	27.49	17.37
		21:00	29.93	50.49	30.97	8.33	8.06	96.47	10.46	22.16
	日平均	29.86	50.94	31.24	8.24	7.70	98.17	12.68	19.44	
	灣內站	0:00	28.51	51.52	31.59	8.14	6.90	86.22	4.66	5.94
		3:00	28.22	51.19	31.39	8.18	6.39	88.52	6.08	5.15
		6:00	28.88	51.58	31.63	8.16	6.38	113.23	5.17	5.43
		9:00	29.34	52.96	32.46	8.27	6.46	113.68	6.60	2.90
		12:00	29.66	52.64	32.27	8.39	7.16	107.63	5.73	3.95
		15:00	29.29	51.96	31.86	8.38	7.53	134.34	4.74	2.63
		18:00	29.08	51.52	31.59	8.28	7.11	115.29	3.34	2.37
		21:00	29.66	51.57	31.62	8.26	6.35	106.47	3.97	7.16
	日平均	29.08	51.87	31.80	8.26	6.79	108.17	5.04	4.44	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 12 日	蚵殼站	0:00	29.23	50.42	29.81	8.27	7.03	96.22	14.05	25.94
		3:00	28.78	49.18	29.51	8.11	6.54	98.52	14.00	25.15
		6:00	28.37	48.63	30.63	8.19	7.56	123.23	11.92	25.43
		9:00	29.08	49.15	30.84	8.16	7.93	123.68	16.49	22.90
		12:00	30.27	49.61	31.52	8.32	7.62	117.63	13.46	23.95
		15:00	30.15	48.48	31.36	8.30	7.52	144.34	32.24	22.63
		18:00	30.10	50.85	31.43	8.38	6.84	125.29	36.90	22.37
		21:00	30.08	50.44	30.81	8.23	7.67	116.47	9.75	27.16
	日平均	29.51	49.60	30.74	8.25	7.34	118.17	18.60	24.44	
	潮口站	0:00	29.62	51.55	31.61	8.32	7.38	90.69	7.22	17.82
		3:00	29.55	50.87	31.20	8.28	7.42	105.32	15.15	18.81
		6:00	29.57	50.11	30.74	8.34	7.34	121.95	23.82	21.20
		9:00	30.02	50.97	31.26	8.24	8.14	98.12	4.92	20.55
		12:00	30.22	52.56	32.22	8.30	8.61	111.82	5.42	17.84
		15:00	30.03	51.29	31.45	8.21	7.86	78.47	11.39	19.00
		18:00	30.10	51.07	31.32	8.19	7.83	101.38	22.96	18.48
		21:00	29.96	50.56	31.01	8.23	7.83	121.08	7.83	17.44
	日平均	29.88	51.12	31.35	8.26	7.80	103.60	12.34	18.89	
	灣內站	0:00	29.08	51.62	31.65	8.12	6.58	100.69	4.80	2.82
		3:00	28.19	51.43	31.54	8.19	6.38	115.32	6.11	3.81
		6:00	28.63	51.30	31.46	8.37	6.32	131.95	4.26	6.20
		9:00	29.46	52.26	32.04	8.29	6.44	108.12	3.43	5.55
		12:00	29.54	52.79	32.36	8.29	7.01	121.82	5.33	2.84
		15:00	28.93	52.01	31.89	8.10	7.09	88.47	5.06	4.00
		18:00	29.19	51.80	31.76	8.28	6.50	111.38	4.94	3.48
		21:00	30.05	51.70	31.70	8.28	6.28	131.08	5.55	2.44
	日平均	29.13	51.86	31.80	8.24	6.58	113.60	4.94	3.89	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月13日	蚵殼站	0:00	30.02	49.89	30.55	8.35	7.46	110.69	6.32	22.82
		3:00	29.67	49.94	31.01	8.31	6.79	125.32	12.95	23.81
		6:00	29.31	51.29	30.30	8.16	7.35	141.95	23.24	26.20
		9:00	29.72	50.21	30.30	8.34	6.93	118.12	15.26	25.55
		12:00	30.18	48.50	31.27	8.21	8.50	131.82	10.18	22.84
		15:00	30.22	48.78	30.31	8.22	7.85	98.47	14.10	24.00
		18:00	30.05	49.98	30.24	8.34	8.99	121.38	24.87	23.48
		21:00	30.12	48.17	29.87	8.36	7.92	141.08	20.42	22.44
	日平均	29.91	49.60	30.48	8.29	7.72	123.60	15.92	23.89	
	潮口站	0:00	30.03	50.79	31.15	8.27	7.96	85.24	9.55	20.22
		3:00	29.99	51.22	31.41	8.22	7.30	88.49	9.32	26.91
		6:00	29.75	51.33	31.48	8.36	6.58	125.47	20.87	26.88
		9:00	30.05	51.83	31.78	8.32	7.59	97.87	17.82	20.24
		12:00	30.02	51.75	31.73	8.35	9.64	100.99	19.85	21.74
		15:00	29.89	50.75	31.13	8.10	8.54	107.45	12.64	21.01
		18:00	29.87	50.47	30.96	8.29	8.26	123.89	15.11	21.46
		21:00	29.79	50.47	30.96	8.13	7.90	108.85	9.47	19.33
	日平均	29.92	51.08	31.33	8.26	7.97	104.78	14.33	22.22	
	灣內站	0:00	29.33	51.82	31.77	8.11	6.37	95.24	5.70	5.22
		3:00	28.37	51.68	31.69	8.33	6.32	98.49	6.71	11.91
		6:00	28.98	51.73	31.72	8.12	6.30	135.47	4.34	11.88
		9:00	29.65	51.93	31.84	8.26	6.42	107.87	4.63	5.24
		12:00	29.99	52.35	32.09	8.36	6.48	110.99	4.87	6.74
		15:00	29.64	51.90	31.82	8.30	6.84	117.45	6.03	6.01
		18:00	28.99	51.27	31.44	8.12	6.39	133.89	6.78	6.46
		21:00	29.34	51.07	31.32	8.36	6.51	118.85	3.91	4.33
	日平均	29.29	51.72	31.71	8.25	6.45	114.78	5.37	7.22	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月14日	蚵殼站	0:00	29.87	50.74	31.12	8.21	7.53	107.74	3.91	19.30
		3:00	29.60	51.14	31.36	8.25	7.40	84.03	6.17	21.71
		6:00	29.54	51.30	31.46	8.31	6.60	104.98	3.87	20.26
		9:00	29.76	51.12	31.35	8.19	8.40	119.41	15.08	20.16
		12:00	30.10	50.85	31.19	8.17	8.50	111.31	18.99	19.32
		15:00	30.36	51.55	31.61	8.33	8.82	85.40	7.93	17.02
		18:00	30.30	51.53	31.60	8.19	8.71	109.88	15.08	18.63
		21:00	30.04	50.31	30.86	8.29	7.24	110.99	7.21	16.34
	日平均	29.95	51.07	31.32	8.24	7.90	104.22	9.78	19.09	
	潮口站	0:00	29.19	51.27	31.44	8.25	6.22	117.74	5.50	4.30
		3:00	28.34	51.70	31.70	8.27	5.99	94.03	4.56	6.71
		6:00	28.54	51.90	31.82	8.19	6.16	114.98	7.52	5.26
		9:00	29.44	51.88	31.81	8.38	6.31	129.41	4.40	5.16
		12:00	29.88	51.73	31.72	8.10	6.38	121.31	5.62	4.32
		15:00	29.55	51.72	31.71	8.16	6.44	95.40	7.13	2.02
		18:00	29.41	51.85	31.79	8.20	6.28	119.88	4.96	3.63
		21:00	29.60	51.90	31.82	8.26	5.85	120.99	3.93	1.34
	日平均	29.24	51.74	31.73	8.23	6.20	114.22	5.45	4.09	
	灣內站	0:00	29.68	51.43	30.08	8.19	6.87	127.74	4.68	24.30
		3:00	29.83	51.37	30.27	8.30	6.43	104.03	15.63	26.71
		6:00	29.13	49.16	30.34	8.29	6.50	124.98	10.15	25.26
		9:00	29.47	47.87	30.66	8.39	6.60	139.41	24.37	25.16
		12:00	30.62	49.41	30.35	8.30	7.23	131.31	21.20	24.32
		15:00	30.68	47.66	30.12	8.33	7.99	105.40	20.35	22.02
		18:00	30.35	49.31	30.51	8.14	6.68	129.88	14.86	23.63
		21:00	30.15	48.37	31.50	8.26	6.69	130.99	16.19	21.34
	日平均	29.99	49.32	30.48	8.28	6.87	124.22	15.93	24.09	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 15 日	蚵殼站	0:00	29.75	51.29	31.45	8.27	7.66	103.20	5.05	18.16
		3:00	29.66	51.19	31.39	8.15	7.90	101.15	7.35	19.66
		6:00	29.55	51.58	31.63	8.22	7.15	99.62	8.61	20.95
		9:00	29.89	51.20	31.40	8.25	7.75	129.83	6.50	15.60
		12:00	30.35	51.83	31.78	8.35	7.59	88.01	8.64	15.02
		15:00	30.42	53.06	32.52	8.19	8.14	105.53	3.45	17.98
		18:00	30.28	52.35	32.09	8.24	7.76	95.29	23.29	19.60
		21:00	29.81	51.48	31.57	8.28	7.37	118.08	27.15	20.03
	日平均	29.96	51.75	31.73	8.24	7.67	105.09	11.26	18.38	
	潮口站	0:00	29.15	51.95	31.85	8.12	6.18	113.20	3.86	3.16
		3:00	28.63	52.36	32.10	8.22	5.89	111.15	4.17	4.66
		6:00	28.68	52.41	32.13	8.24	6.17	109.62	4.70	5.95
		9:00	29.33	52.20	32.00	8.17	6.40	139.83	4.04	0.60
		12:00	29.57	51.85	31.79	8.17	6.56	98.01	4.39	0.02
		15:00	28.64	53.31	32.67	8.22	6.45	115.53	5.61	2.98
		18:00	28.34	53.11	32.55	8.38	6.43	105.29	4.18	4.60
		21:00	29.01	52.84	32.39	8.25	6.03	128.08	5.63	5.03
	日平均	28.92	52.50	32.19	8.22	6.26	115.09	4.57	3.38	
	灣內站	0:00	30.08	48.15	29.93	8.39	7.23	123.20	14.52	23.16
		3:00	29.87	51.27	30.98	8.29	6.15	121.15	16.23	24.66
		6:00	29.69	48.83	30.99	8.32	6.78	119.62	16.63	25.95
		9:00	29.46	49.48	30.66	8.23	6.63	149.83	6.93	20.60
		12:00	29.88	49.66	30.53	8.13	6.75	108.01	18.45	20.02
		15:00	30.01	49.28	32.12	8.32	6.97	125.53	13.00	22.98
		18:00	28.98	46.38	32.24	8.31	7.42	115.29	35.94	24.60
		21:00	28.55	46.36	32.16	8.34	6.82	138.08	39.35	25.03
	日平均	29.57	48.68	31.20	8.29	6.84	125.09	20.13	23.38	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 16 日	蚵殼站	0:00	29.48	51.43	31.54	8.37	7.42	108.05	11.91	17.34
		3:00	29.31	49.91	30.62	8.28	6.65	108.84	12.55	16.98
		6:00	29.29	50.95	31.25	8.35	7.04	91.45	21.05	20.15
		9:00	29.61	52.01	31.89	8.36	7.43	111.12	31.48	19.05
		12:00	29.58	51.29	31.45	8.23	8.44	103.04	19.49	16.36
		15:00	29.72	51.27	31.44	8.28	7.60	82.77	9.54	18.78
		18:00	29.91	51.53	31.60	8.20	6.96	102.42	12.54	20.33
		21:00	29.88	50.09	30.73	8.29	8.33	89.26	26.02	18.93
	日平均	29.60	51.06	31.32	8.30	7.48	99.62	18.07	18.49	
	潮口站	0:00	28.65	52.38	32.11	8.22	6.22	118.05	3.04	2.34
		3:00	28.54	51.48	31.57	8.25	6.26	118.84	4.17	1.98
		6:00	28.19	51.77	31.74	8.35	6.23	101.45	5.73	5.15
		9:00	29.06	52.21	32.01	8.15	6.51	121.12	4.34	4.05
		12:00	28.95	52.41	32.13	8.38	6.73	113.04	3.27	1.36
		15:00	28.06	52.20	32.00	8.30	6.59	92.77	4.47	3.78
		18:00	27.42	51.63	31.66	8.34	6.57	112.42	5.31	5.33
		21:00	28.39	51.60	31.64	8.26	6.45	99.26	6.45	3.93
	日平均	28.41	51.96	31.86	8.28	6.45	109.62	4.60	3.49	
	灣內站	0:00	28.79	48.00	31.21	8.28	6.97	128.05	8.16	22.34
		3:00	28.46	47.57	30.12	8.13	6.55	128.84	15.54	21.98
		6:00	28.29	47.28	31.13	8.21	7.40	111.45	20.57	25.15
		9:00	28.49	49.71	31.56	8.36	7.78	131.12	38.16	24.05
		12:00	28.56	49.88	30.36	8.10	6.98	123.04	16.95	21.36
		15:00	28.25	47.29	30.40	8.21	7.24	102.77	21.30	23.78
		18:00	28.16	49.93	31.64	8.37	7.37	122.42	26.04	25.33
		21:00	28.11	47.71	31.53	8.20	7.11	109.26	31.42	23.93
	日平均	28.39	48.42	30.99	8.23	7.18	119.62	22.27	23.49	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月17日	蚵殼站	0:00	29.18	50.52	30.99	8.22	6.63	93.81	26.36	19.94
		3:00	28.95	49.78	30.54	8.12	7.67	69.15	13.09	19.15
		6:00	28.84	51.12	31.35	8.32	6.95	106.73	2.72	19.43
		9:00	29.13	52.00	31.88	8.19	7.46	92.54	6.00	16.90
		12:00	29.49	51.55	31.61	8.31	7.43	62.62	32.24	17.95
		15:00	29.74	50.21	30.80	8.18	7.08	46.60	44.39	16.63
		18:00	29.65	50.67	31.08	8.18	7.72	45.82	40.52	16.37
		21:00	29.48	51.02	31.29	8.31	7.88	94.78	16.83	21.16
	日平均	29.31	50.86	31.19	8.23	7.35	76.51	22.77	18.44	
	潮口站	0:00	28.42	51.00	31.28	8.29	6.32	103.81	3.78	4.94
		3:00	28.12	50.31	30.86	8.25	6.40	79.15	4.14	4.15
		6:00	27.60	52.18	31.99	8.11	6.18	116.73	6.91	4.43
		9:00	27.94	52.74	32.33	8.39	6.64	102.54	5.42	1.90
		12:00	28.20	51.85	31.79	8.12	7.24	72.62	3.28	2.95
		15:00	27.94	51.19	31.39	8.16	7.04	56.60	5.74	1.63
		18:00	27.47	51.77	31.74	8.17	6.84	55.82	4.21	1.37
		21:00	27.94	51.73	31.72	8.24	6.35	104.78	3.36	6.16
	日平均	27.95	51.60	31.64	8.22	6.63	86.51	4.61	3.44	
	灣內站	0:00	27.96	46.78	30.88	8.37	7.51	113.81	31.85	24.94
		3:00	27.76	51.53	30.39	8.19	7.45	89.15	24.58	24.15
		6:00	27.81	48.87	31.68	8.17	7.69	126.73	7.69	24.43
		9:00	27.87	47.47	32.03	8.33	7.90	112.54	9.64	21.90
		12:00	27.95	49.56	31.41	8.11	7.66	82.62	38.19	22.95
		15:00	27.74	47.37	30.56	8.37	7.11	66.60	51.11	21.63
		18:00	27.74	49.66	30.04	8.13	6.80	65.82	41.06	21.37
		21:00	27.52	48.72	29.88	8.23	6.58	114.78	27.35	26.16
	日平均	27.79	48.75	30.86	8.24	7.34	96.51	28.93	23.44	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月18日	蚵殼站	0:00	29.54	50.09	30.73	8.16	6.26	114.11	20.38	16.82
		3:00	29.26	51.04	31.30	8.10	6.66	107.53	8.88	17.81
		6:00	29.06	50.69	31.09	8.11	6.85	120.94	15.34	20.20
		9:00	29.07	51.55	31.61	8.16	7.58	121.21	9.38	19.55
		12:00	29.26	50.87	31.20	8.31	7.35	103.50	13.84	16.84
		15:00	29.34	51.24	31.42	8.11	7.78	132.15	13.89	18.00
		18:00	29.30	49.93	30.63	8.35	7.46	114.15	6.24	17.48
		21:00	29.24	50.61	31.04	8.36	7.05	108.06	6.97	16.44
	日平均	29.26	50.75	31.13	8.21	7.12	115.21	11.87	17.89	
	潮口站	0:00	27.88	51.37	31.50	8.20	6.19	124.11	3.92	1.82
		3:00	27.88	51.48	31.57	8.23	6.69	117.53	4.39	2.81
		6:00	28.08	51.85	31.79	8.22	6.33	130.94	3.59	5.20
		9:00	28.08	52.91	32.43	8.16	6.81	131.21	5.23	4.55
		12:00	28.44	52.48	32.17	8.14	7.92	113.50	3.16	1.84
		15:00	28.36	51.30	31.46	8.10	7.78	142.15	4.18	3.00
		18:00	28.08	51.38	31.51	8.25	7.34	124.15	2.82	2.48
		21:00	28.17	51.60	31.64	8.10	6.71	118.06	3.91	1.44
	日平均	28.12	51.80	31.76	8.18	6.97	125.21	3.90	2.89	
	灣內站	0:00	27.59	47.39	31.31	8.36	6.55	134.11	21.80	21.82
		3:00	27.37	49.25	30.50	8.36	7.40	127.53	16.65	22.81
		6:00	27.25	48.55	30.39	8.35	6.64	140.94	26.60	25.20
		9:00	27.33	46.61	31.91	8.28	7.39	141.21	10.24	24.55
		12:00	27.53	48.52	31.79	8.18	7.97	123.50	20.36	21.84
		15:00	27.86	48.82	31.21	8.12	7.89	152.15	10.93	23.00
		18:00	27.75	50.67	31.34	8.34	8.39	134.15	11.25	22.48
		21:00	27.70	47.52	29.78	8.24	7.99	128.06	8.44	21.44
	日平均	27.55	48.42	31.03	8.28	7.53	135.21	15.78	22.89	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 19 日	蚵殼站	0:00	30.43	50.36	30.89	8.38	6.38	131.79	14.23	18.98
		3:00	29.96	50.47	30.96	8.39	6.06	97.70	9.65	17.00
		6:00	29.72	51.00	31.28	8.18	6.63	118.91	12.78	19.50
		9:00	29.72	51.52	31.59	8.12	7.30	116.30	11.47	17.51
		12:00	29.86	51.27	31.44	8.22	7.54	110.55	5.83	19.23
		15:00	29.89	50.87	31.20	8.16	7.11	108.74	9.30	18.12
		18:00	29.79	49.98	30.66	8.15	6.76	132.75	14.23	20.75
		21:00	29.70	49.93	30.63	8.15	6.58	109.64	11.49	18.24
	日平均	29.88	50.68	31.08	8.22	6.80	115.80	11.12	18.67	
	潮口站	0:00	28.06	51.52	31.59	8.30	6.30	141.79	2.48	3.98
		3:00	27.99	51.19	31.39	8.17	6.47	107.70	7.83	2.00
		6:00	28.09	51.58	31.63	8.15	6.17	128.91	4.09	4.50
		9:00	29.15	52.96	32.46	8.29	6.45	126.30	4.74	2.51
		12:00	27.85	52.64	32.27	8.22	7.67	120.55	2.90	4.23
		15:00	28.17	51.96	31.86	8.22	7.80	118.74	3.69	3.12
		18:00	27.74	51.52	31.59	8.34	7.26	142.75	3.82	5.75
		21:00	26.63	51.57	31.62	8.30	6.78	119.64	1.50	3.24
	日平均	27.96	51.87	31.80	8.25	6.86	125.80	3.88	3.67	
	灣內站	0:00	27.70	46.79	31.10	8.21	7.75	151.79	22.07	23.98
		3:00	27.72	48.60	29.49	8.38	7.98	117.70	17.00	22.00
		6:00	27.65	50.99	30.79	8.12	7.21	138.91	24.01	24.50
		9:00	28.01	46.35	31.56	8.18	7.64	136.30	8.45	22.51
		12:00	28.74	47.54	30.66	8.16	8.42	130.55	4.68	24.23
		15:00	28.76	49.61	30.29	8.23	9.31	128.74	8.63	23.12
		18:00	28.04	50.95	29.84	8.32	7.77	152.75	26.51	25.75
		21:00	27.75	48.77	30.19	8.34	7.32	129.64	20.88	23.24
	日平均	28.05	48.70	30.49	8.24	7.93	135.80	16.53	23.67	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 20 日	蚵殼站	0:00	28.88	51.62	31.65	8.38	6.14	137.97	10.88	21.13
		3:00	28.52	51.27	31.44	8.33	6.70	131.79	8.90	16.81
		6:00	28.76	49.83	30.57	8.22	5.74	124.39	6.68	20.69
		9:00	29.16	48.50	29.77	8.34	6.84	125.45	10.42	18.64
		12:00	29.92	48.87	29.99	8.37	6.99	109.63	12.01	18.74
		15:00	29.71	49.41	30.32	8.17	7.22	130.91	9.58	17.24
		18:00	29.56	50.26	30.83	8.13	6.18	142.94	24.91	20.15
		21:00	29.43	51.68	31.69	8.35	5.48	156.38	3.94	17.29
	日平均	29.24	50.18	30.78	8.29	6.41	132.43	10.92	18.84	
	潮口站	0:00	27.21	51.62	31.65	8.36	6.39	147.97	1.30	6.13
		3:00	27.31	51.43	31.54	8.18	6.44	141.79	2.45	1.81
		6:00	26.50	51.30	31.46	8.13	6.17	134.39	2.23	5.69
		9:00	27.07	49.06	30.11	8.35	6.56	135.45	2.07	3.64
		12:00	26.62	49.59	30.43	8.16	7.13	119.63	5.01	3.74
		15:00	28.09	50.72	31.11	8.27	6.97	140.91	5.02	2.24
		18:00	27.11	51.80	31.76	8.23	6.56	152.94	3.51	5.15
		21:00	27.12	51.70	31.70	8.19	6.42	166.38	1.71	2.29
	日平均	27.13	50.90	31.22	8.23	6.58	142.43	2.91	3.84	
	灣內站	0:00	27.71	47.92	30.81	8.36	7.23	157.97	21.52	26.13
		3:00	27.59	50.31	30.86	8.12	7.46	151.79	20.29	21.81
		6:00	27.20	49.36	31.03	8.30	6.84	144.39	16.06	25.69
		9:00	27.42	49.48	29.46	8.31	7.51	145.45	7.35	23.64
		12:00	28.11	50.67	30.43	8.18	8.79	129.63	16.71	23.74
		15:00	28.21	48.53	30.91	8.12	9.14	150.91	19.56	22.24
		18:00	27.93	49.96	30.11	8.32	8.83	162.94	31.84	25.15
		21:00	27.81	49.93	30.34	8.10	7.79	176.38	12.82	22.29
	日平均	27.75	49.52	30.49	8.23	7.95	152.43	18.27	23.84	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月21日	蚵殼站	0:00	28.99	50.99	31.27	8.21	6.78	103.84	4.86	20.27
		3:00	28.74	51.62	31.65	8.18	6.30	98.51	14.32	20.48
		6:00	28.70	51.07	31.32	8.16	6.62	109.17	7.03	17.64
		9:00	29.23	50.72	31.11	8.16	7.11	105.59	5.78	18.87
		12:00	29.84	51.83	31.78	8.37	6.87	126.22	14.19	18.93
		15:00	29.63	50.22	30.81	8.33	7.01	123.28	8.88	18.10
		18:00	29.50	50.47	30.96	8.12	6.44	131.27	13.93	19.98
		21:00	29.51	50.59	31.03	8.25	7.06	109.30	9.90	20.58
	日平均	29.27	50.94	31.24	8.22	6.77	113.40	9.86	19.36	
	潮口站	0:00	26.66	52.68	32.29	8.16	6.06	113.84	1.27	5.27
		3:00	26.83	51.10	31.34	8.13	6.19	108.51	2.28	5.48
		6:00	27.09	49.94	30.64	8.29	6.14	119.17	3.07	2.64
		9:00	27.05	50.46	30.95	8.15	6.32	115.59	3.22	3.87
		12:00	27.59	50.72	31.11	8.33	6.78	136.22	4.09	3.93
		15:00	26.98	50.72	31.11	8.28	6.89	133.28	2.27	3.10
		18:00	27.90	50.24	30.82	8.17	6.33	141.27	2.79	4.98
		21:00	26.65	49.76	30.53	8.10	6.52	119.30	2.76	5.58
	日平均	27.09	50.70	31.10	8.20	6.40	123.40	2.72	4.36	
	灣內站	0:00	27.72	48.57	30.86	8.34	7.25	123.84	11.47	25.27
		3:00	27.58	49.96	31.21	8.18	7.30	118.51	17.95	25.48
		6:00	27.39	49.02	29.63	8.30	7.17	129.17	18.32	22.64
		9:00	27.81	48.75	31.00	8.22	7.30	125.59	7.30	23.87
		12:00	28.28	48.32	31.43	8.16	7.54	146.22	21.09	23.93
		15:00	28.47	49.20	30.55	8.37	7.67	143.28	6.59	23.10
		18:00	28.19	47.28	31.52	8.18	7.17	151.27	10.70	24.98
		21:00	27.95	46.61	30.33	8.34	7.74	129.30	13.27	25.58
	日平均	27.92	48.46	30.82	8.26	7.39	133.40	13.34	24.36	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月22日	蚵殼站	0:00	29.17	51.62	31.65	8.35	6.90	103.02	5.98	18.98
		3:00	29.04	50.92	31.23	8.25	7.11	107.03	11.37	18.23
		6:00	29.09	50.36	30.89	8.36	6.67	83.09	7.48	19.12
		9:00	28.86	51.37	31.50	8.32	6.46	118.18	6.57	20.42
		12:00	29.07	49.66	30.47	8.30	7.60	107.60	23.44	20.06
		15:00	29.10	49.91	30.62	8.18	7.18	122.00	5.44	21.10
		18:00	29.18	51.70	31.70	8.38	6.96	107.87	9.73	20.39
		21:00	29.02	50.54	31.00	8.17	6.73	124.69	14.68	16.41
	日平均	29.07	50.76	31.13	8.29	6.95	109.19	10.59	19.34	
	潮口站	0:00	27.72	52.74	32.33	8.19	5.97	113.02	1.47	3.98
		3:00	26.50	53.19	32.60	8.29	5.95	117.03	1.58	3.23
		6:00	26.40	49.86	30.59	8.33	6.14	93.09	13.58	4.12
		9:00	26.54	49.50	30.37	8.24	6.26	128.18	6.81	5.42
		12:00	27.38	50.62	31.05	8.39	6.51	117.60	3.48	5.06
		15:00	28.24	49.91	30.62	8.33	6.41	132.00	2.26	6.10
		18:00	27.38	50.41	30.92	8.30	6.34	117.87	3.35	5.39
		21:00	26.93	49.86	30.59	8.23	6.25	134.69	2.43	1.41
	日平均	27.14	50.76	31.13	8.29	6.23	119.19	4.37	4.34	
	灣內站	0:00	27.88	47.36	31.10	8.25	7.35	123.02	12.07	23.98
		3:00	27.73	47.61	30.82	8.24	6.76	127.03	14.80	23.23
		6:00	27.54	50.13	30.40	8.20	7.61	103.09	7.45	24.12
		9:00	27.97	47.66	30.40	8.35	6.95	138.18	8.96	25.42
		12:00	28.57	47.31	29.13	8.24	7.58	127.60	24.22	25.06
		15:00	28.71	49.76	30.43	8.18	7.07	142.00	4.38	26.10
		18:00	28.48	49.23	31.09	8.14	6.83	127.87	22.81	25.39
		21:00	28.24	46.17	30.15	8.36	6.80	144.69	13.07	21.41
	日平均	28.14	48.15	30.44	8.25	7.12	129.19	13.47	24.34	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 23 日	蚵殼站	0:00	28.12	51.42	31.53	8.20	6.72	90.95	7.27	20.55
		3:00	28.89	50.46	30.95	8.20	6.67	99.23	4.10	17.21
		6:00	28.84	51.02	31.29	8.26	7.12	120.69	5.18	19.57
		9:00	29.65	49.88	30.60	8.35	7.20	95.22	8.08	17.96
		12:00	30.15	50.97	31.26	8.30	6.93	82.59	1.36	22.65
		15:00	29.75	49.36	30.29	8.22	7.29	84.50	8.91	20.95
		18:00	29.58	49.73	30.51	8.11	7.05	73.41	7.97	20.03
		21:00	29.64	50.22	30.81	8.27	6.95	115.50	7.17	20.72
	日平均	29.33	50.38	30.91	8.24	6.99	95.26	6.26	19.96	
	潮口站	0:00	27.67	52.10	31.94	8.14	6.00	100.95	1.32	5.55
		3:00	28.07	49.59	30.43	8.27	5.78	109.23	1.56	2.21
		6:00	27.96	50.44	30.94	8.11	5.71	130.69	2.13	4.57
		9:00	27.03	50.27	30.84	8.39	6.21	105.22	3.20	2.96
		12:00	28.46	50.72	31.11	8.18	6.18	92.59	3.80	7.65
		15:00	28.78	50.72	31.11	8.26	6.36	94.50	3.16	5.95
		18:00	28.27	50.66	31.07	8.20	6.24	83.41	2.48	5.03
		21:00	28.55	50.27	30.84	8.18	5.92	125.50	3.66	5.72
	日平均	28.10	50.60	31.04	8.22	6.05	105.26	2.66	4.96	
	灣內站	0:00	28.12	47.36	31.48	8.23	7.22	110.95	9.59	25.55
		3:00	28.09	50.34	29.93	8.39	6.63	119.23	12.72	22.21
		6:00	27.96	49.33	31.31	8.10	7.41	140.69	13.34	24.57
		9:00	28.23	48.68	29.86	8.22	6.67	115.22	18.39	22.96
		12:00	29.10	49.71	30.88	8.13	7.20	102.59	8.25	27.65
		15:00	28.92	48.48	29.75	8.38	7.41	104.50	10.58	25.95
		18:00	28.89	50.27	30.15	8.18	7.74	93.41	7.32	25.03
		21:00	28.66	48.12	30.80	8.19	7.08	135.50	9.04	25.72
	日平均	28.50	49.04	30.52	8.23	7.17	115.26	11.15	24.96	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 24 日	蚵殼站	0:00	29.41	49.69	30.49	8.10	6.67	93.52	9.17	21.69
		3:00	28.17	49.79	30.55	8.28	6.59	113.34	10.97	21.38
		6:00	28.52	51.48	31.57	8.32	6.14	72.85	16.20	21.52
		9:00	28.92	50.72	31.11	8.30	6.62	65.77	13.73	20.13
		12:00	29.87	49.61	30.44	8.38	6.38	126.21	8.10	21.12
		15:00	29.31	49.20	30.19	8.23	6.59	123.77	11.04	21.02
		18:00	29.15	49.31	30.26	8.29	6.38	107.52	21.11	22.96
		21:00	29.19	51.38	31.51	8.23	6.32	121.71	14.44	21.36
	日平均	29.07	50.15	30.77	8.27	6.46	103.09	13.10	21.40	
	潮口站	0:00	27.22	50.87	31.20	8.16	6.99	103.52	2.47	6.69
		3:00	27.99	49.06	30.11	8.28	6.37	123.34	0.82	6.38
		6:00	27.12	50.46	30.95	8.35	6.87	82.85	2.02	6.52
		9:00	27.12	49.43	30.33	8.20	8.28	75.77	2.12	5.13
		12:00	27.98	50.72	31.11	8.11	8.69	136.21	3.51	6.12
		15:00	28.99	49.40	30.31	8.36	7.81	133.77	7.41	6.02
		18:00	29.25	50.72	31.11	8.28	6.76	117.52	4.24	7.96
		21:00	28.56	49.36	30.29	8.25	6.27	131.71	3.52	6.36
	日平均	28.03	50.00	30.68	8.25	7.26	113.09	3.26	6.40	
	灣內站	0:00	28.33	47.59	30.33	8.21	6.83	113.52	9.86	26.69
		3:00	28.08	50.69	30.51	8.25	6.91	133.34	8.22	26.38
		6:00	28.08	49.78	31.43	8.21	6.47	92.85	18.35	26.52
		9:00	28.46	49.83	31.47	8.15	6.94	85.77	15.89	25.13
		12:00	29.21	48.14	30.22	8.10	6.37	146.21	9.57	26.12
		15:00	29.29	47.61	30.14	8.16	7.12	143.77	21.87	26.02
		18:00	29.32	47.66	30.46	8.37	7.22	127.52	31.04	27.96
		21:00	29.03	48.07	30.38	8.32	6.45	141.71	26.92	26.36
	日平均	28.73	48.67	30.62	8.22	6.79	123.09	17.72	26.40	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 25 日	蚵殼站	0:00	28.96	51.32	31.47	8.31	7.33	104.62	8.22	19.38
		3:00	28.75	50.47	30.96	8.15	6.70	123.80	4.82	18.88
		6:00	28.48	51.15	31.37	8.37	7.12	96.69	15.42	22.14
		9:00	29.12	51.22	31.41	8.17	6.58	88.04	14.37	18.04
		12:00	29.48	51.30	31.46	8.20	7.18	95.87	10.69	17.77
		15:00	29.26	49.16	30.17	8.28	7.25	136.76	22.20	17.87
		18:00	28.88	50.94	31.24	8.11	6.98	123.89	8.62	21.80
		21:00	28.82	50.14	30.76	8.33	6.73	141.03	18.54	21.97
	日平均	28.97	50.71	31.11	8.24	6.98	113.84	12.86	19.73	
	潮口站	0:00	28.24	49.51	30.38	8.35	6.40	114.62	3.69	4.38
		3:00	27.80	52.94	32.45	8.12	5.92	133.80	2.14	3.88
		6:00	27.75	51.77	31.74	8.16	6.05	106.69	3.05	7.14
		9:00	27.75	49.99	30.67	8.19	6.41	98.04	4.61	3.04
		12:00	28.71	50.72	31.11	8.19	7.61	105.87	4.95	2.77
		15:00	28.76	50.72	31.11	8.21	6.24	146.76	8.13	2.87
		18:00	29.05	50.72	31.11	8.14	7.00	133.89	3.13	6.80
		21:00	29.34	49.81	30.56	8.24	6.78	151.03	2.51	6.97
	日平均	28.43	50.77	31.14	8.20	6.55	123.84	4.03	4.73	
	灣內站	0:00	28.77	47.99	31.29	8.37	6.55	104.62	18.89	24.38
		3:00	28.54	50.69	31.74	8.23	6.99	123.80	7.03	23.88
		6:00	28.30	50.14	30.04	8.11	7.33	96.69	27.31	27.14
		9:00	28.75	49.84	30.46	8.24	7.87	88.04	21.10	23.04
		12:00	29.41	49.45	30.34	8.13	9.12	95.87	11.77	22.77
		15:00	29.47	48.12	28.96	8.21	7.87	136.76	26.72	22.87
		18:00	29.39	50.82	30.17	8.31	6.28	123.89	16.38	26.80
		21:00	29.39	50.94	31.11	8.22	6.11	141.03	32.27	26.97
	日平均	29.00	49.75	30.51	8.23	7.27	113.84	20.18	24.73	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 26 日	蚵殼站	0:00	28.82	51.48	31.57	8.35	7.03	119.49	3.53	18.10
		3:00	28.58	51.10	31.34	8.25	7.15	113.52	11.40	20.49
		6:00	28.49	50.19	30.79	8.12	6.67	119.70	21.35	19.65
		9:00	28.90	50.67	31.08	8.27	7.45	106.53	23.85	21.46
		12:00	29.06	51.22	31.41	8.13	6.99	129.90	12.56	22.19
		15:00	28.88	49.20	30.19	8.13	7.10	117.01	18.74	21.32
		18:00	28.73	49.76	30.53	8.22	7.27	127.68	17.52	19.79
		21:00	28.73	50.71	31.10	8.33	6.89	130.88	14.98	20.82
	日平均	28.77	50.54	31.00	8.23	7.07	120.59	15.49	20.48	
	潮口站	0:00	28.64	49.74	30.52	8.36	6.26	129.49	2.98	3.10
		3:00	28.74	49.00	30.07	8.10	6.18	123.52	2.31	5.49
		6:00	27.24	52.96	32.46	8.14	5.96	129.70	3.27	4.65
		9:00	28.41	50.04	30.70	8.10	6.59	116.53	5.83	6.46
		12:00	29.67	49.59	30.43	8.35	7.03	139.90	5.09	7.19
		15:00	29.31	50.72	31.11	8.38	7.23	127.01	5.10	6.32
		18:00	27.72	50.17	30.78	8.24	5.34	137.68	3.27	4.79
		21:00	28.21	50.19	30.79	8.14	5.47	140.88	2.54	5.82
	日平均	28.49	50.30	30.86	8.23	6.26	130.59	3.80	5.48	
	灣內站	0:00	29.38	50.27	31.67	8.37	6.95	119.49	10.07	23.10
		3:00	28.91	51.00	30.81	8.12	6.94	113.52	15.67	25.49
		6:00	28.61	51.96	30.86	8.32	6.81	119.70	24.70	24.65
		9:00	29.26	51.24	30.42	8.19	7.64	106.53	24.68	26.46
		12:00	30.03	49.69	30.03	8.18	7.77	129.90	14.28	27.19
		15:00	29.49	50.42	29.06	8.21	7.24	117.01	22.09	26.32
		18:00	29.21	50.77	29.47	8.19	7.13	127.68	27.21	24.79
		21:00	29.41	48.85	30.81	8.24	7.34	130.88	26.60	25.82
	日平均	29.29	50.53	30.39	8.23	7.23	120.59	20.66	25.48	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月27日	蚵殼站	0:00	28.66	50.17	30.78	8.23	7.45	99.01	8.92	16.80
		3:00	28.59	51.38	31.51	8.30	7.13	135.43	19.51	18.74
		6:00	28.54	50.80	31.16	8.17	7.10	129.08	6.30	17.36
		9:00	28.66	51.29	31.45	8.35	6.90	132.81	9.59	19.98
		12:00	29.18	49.51	30.38	8.39	7.71	127.06	19.21	16.80
		15:00	29.14	49.08	30.12	8.12	7.63	131.54	15.08	18.58
		18:00	28.24	49.53	30.39	8.12	7.33	103.95	14.85	16.60
		21:00	28.68	51.30	31.46	8.31	7.06	120.95	4.42	19.10
	日平均	28.71	50.38	30.91	8.25	7.29	122.48	12.24	18.00	
	潮口站	0:00	27.94	50.29	30.85	8.30	6.36	109.01	3.46	1.80
		3:00	27.19	51.60	31.64	8.33	6.34	145.43	2.84	3.74
		6:00	27.82	53.32	32.68	8.30	6.87	139.08	2.69	2.36
		9:00	27.61	50.87	31.20	8.11	7.12	142.81	3.37	4.98
		12:00	28.72	50.04	30.70	8.23	6.88	137.06	4.92	1.80
		15:00	28.92	50.72	31.11	8.11	6.49	141.54	4.26	3.58
		18:00	27.63	48.95	30.04	8.10	6.55	113.95	3.51	1.60
		21:00	28.49	49.61	30.44	8.34	6.35	130.95	4.09	4.10
	日平均	28.04	50.68	31.08	8.23	6.62	132.48	3.64	3.00	
	灣內站	0:00	28.90	49.35	31.21	8.24	6.81	99.01	10.16	21.80
		3:00	28.42	47.66	31.31	8.11	6.74	135.43	30.08	23.74
		6:00	28.25	49.76	31.22	8.30	6.61	129.08	7.74	22.36
		9:00	28.44	49.61	30.08	8.36	6.34	132.81	9.73	24.98
		12:00	29.19	49.08	31.23	8.25	7.56	127.06	29.33	21.80
		15:00	29.16	48.77	29.04	8.23	7.57	131.54	20.41	23.58
		18:00	28.83	50.13	29.57	8.16	6.30	103.95	15.70	21.60
		21:00	28.93	50.46	30.11	8.20	5.49	120.95	16.48	24.10
	日平均	28.77	49.35	30.47	8.23	6.68	122.48	17.45	23.00	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月28日	蚵殼站	0:00	28.59	50.97	31.26	8.14	7.63	106.63	7.64	17.42
		3:00	27.78	51.14	31.36	8.37	7.27	99.70	7.90	21.16
		6:00	27.70	50.90	31.22	8.25	6.48	85.94	4.27	19.78
		9:00	28.12	50.89	31.21	8.37	7.33	89.19	8.68	17.42
		12:00	27.96	49.93	30.63	8.10	7.16	82.10	14.45	19.79
		15:00	27.17	49.96	30.65	8.11	7.70	82.29	3.36	22.13
		18:00	27.74	49.74	30.52	8.39	7.59	85.09	15.19	16.77
		21:00	27.23	50.08	30.72	8.16	7.33	108.91	2.72	17.69
	日平均	27.79	50.45	30.95	8.24	7.31	92.48	8.03	19.02	
	潮口站	0:00	27.59	49.45	30.34	8.17	6.74	116.63	4.61	2.42
		3:00	27.55	49.68	30.48	8.37	7.13	109.70	3.35	6.16
		6:00	28.17	52.33	32.08	8.14	6.65	95.94	3.42	4.78
		9:00	28.01	50.29	30.85	8.18	6.69	99.19	3.61	2.42
		12:00	28.09	49.08	30.12	8.12	7.52	92.10	5.78	4.79
		15:00	28.20	50.72	31.11	8.32	7.24	92.29	4.92	7.13
		18:00	28.58	50.72	31.11	8.11	6.54	95.09	3.74	1.77
		21:00	27.74	49.61	30.44	8.32	6.77	118.91	3.52	2.69
	日平均	27.99	50.24	30.82	8.22	6.91	102.48	4.12	4.02	
	灣內站	0:00	28.59	50.09	30.41	8.24	6.89	106.63	17.41	22.42
		3:00	28.44	50.94	29.85	8.16	7.30	99.70	5.51	26.16
		6:00	28.19	49.33	31.17	8.18	6.76	85.94	8.02	24.78
		9:00	28.33	48.82	30.56	8.16	6.78	89.19	10.12	22.42
		12:00	28.88	51.00	30.99	8.17	7.67	82.10	13.73	24.79
		15:00	28.93	49.94	30.07	8.15	7.27	82.29	6.84	27.13
		18:00	28.58	49.40	30.10	8.30	6.59	85.09	11.34	21.77
		21:00	28.51	50.16	30.61	8.15	6.96	108.91	3.62	22.69
	日平均	28.56	49.96	30.47	8.19	7.03	92.48	9.57	24.02	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月29日	蚵殼站	0:00	27.33	49.50	30.37	8.22	7.29	103.50	10.25	19.61
		3:00	27.99	49.71	30.50	8.10	6.90	93.62	11.35	18.38
		6:00	28.40	51.00	31.28	8.10	7.13	84.89	19.88	22.33
		9:00	28.77	51.37	31.50	8.23	7.34	74.69	12.76	21.18
		12:00	29.12	51.09	31.33	8.33	7.41	86.10	7.83	23.97
		15:00	29.08	50.26	30.83	8.12	7.49	93.52	8.41	25.27
		18:00	28.64	50.39	30.91	8.12	7.34	96.78	15.64	16.38
		21:00	28.11	50.34	30.88	8.20	6.89	83.85	7.99	20.05
	日平均	28.43	50.46	30.95	8.18	7.22	89.62	11.76	20.90	
	潮口站	0:00	27.86	49.25	30.22	8.37	6.59	113.50	3.45	4.61
		3:00	26.98	49.26	30.23	8.31	6.57	103.62	4.52	3.38
		6:00	27.59	50.89	31.21	8.20	6.75	94.89	3.30	7.33
		9:00	27.33	51.17	31.38	8.12	7.12	84.69	2.47	6.18
		12:00	28.68	49.28	30.24	8.22	6.84	96.10	3.99	8.97
		15:00	28.79	50.72	31.11	8.27	7.56	103.52	4.50	10.27
		18:00	27.01	50.72	31.11	8.39	6.96	106.78	3.92	1.38
		21:00	27.61	50.22	30.81	8.10	6.69	93.85	3.84	5.05
	日平均	27.73	50.19	30.79	8.25	6.89	99.62	3.75	5.90	
	灣內站	0:00	28.30	49.81	30.02	8.10	6.75	103.50	20.68	24.61
		3:00	28.23	49.23	29.72	8.39	7.18	93.62	9.82	23.38
		6:00	27.84	49.61	30.85	8.32	6.45	84.89	27.94	27.33
		9:00	28.17	51.77	30.51	8.16	6.35	74.69	19.80	26.18
		12:00	28.91	50.89	30.26	8.12	8.11	86.10	15.15	28.97
		15:00	28.91	51.07	30.92	8.32	8.21	93.52	12.97	30.27
		18:00	28.33	50.52	29.92	8.37	7.84	96.78	11.78	21.38
		21:00	28.17	50.84	31.28	8.23	7.12	83.85	12.41	25.05
	日平均	28.36	50.47	30.44	8.25	7.25	89.62	16.32	25.90	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月30日	蚵殼站	0:00	27.04	49.56	30.41	8.17	6.42	109.19	18.34	16.61
		3:00	27.17	50.09	30.73	8.35	7.22	118.04	19.37	17.61
		6:00	27.11	50.46	30.95	8.31	7.21	127.60	22.80	20.43
		9:00	27.92	50.44	30.94	8.30	6.70	102.29	12.41	18.23
		12:00	28.71	50.56	31.01	8.13	7.02	149.73	7.48	20.74
		15:00	28.48	50.99	31.27	8.27	7.36	115.31	11.81	17.41
		18:00	28.52	50.14	30.76	8.38	7.23	149.40	6.47	20.79
		21:00	27.77	50.66	31.07	8.39	6.86	115.38	20.29	17.26
	日平均	27.84	50.36	30.89	8.29	7.00	123.37	14.87	18.64	
	潮口站	0:00	27.39	49.20	30.19	8.26	6.87	119.19	4.43	1.61
		3:00	26.55	49.13	30.15	8.29	6.64	128.04	5.13	2.61
		6:00	26.13	49.41	30.32	8.38	7.08	137.60	4.46	5.43
		9:00	26.93	51.22	31.41	8.11	6.64	112.29	4.73	3.23
		12:00	26.82	49.35	30.28	8.23	6.70	159.73	4.56	5.74
		15:00	27.93	49.96	30.65	8.37	6.75	125.31	4.52	2.41
		18:00	26.88	49.88	30.60	8.16	6.72	159.40	2.90	5.79
		21:00	27.17	51.19	31.39	8.31	6.80	125.38	2.91	2.26
	日平均	26.98	49.92	30.62	8.26	6.78	133.37	4.21	3.64	
	灣內站	0:00	28.22	50.92	29.48	8.36	6.34	109.19	20.73	21.61
		3:00	27.60	49.13	30.63	8.23	7.06	118.04	31.64	22.61
		6:00	27.28	48.15	31.06	8.35	7.53	127.60	22.72	25.43
		9:00	27.44	49.36	30.59	8.35	7.32	102.29	14.80	23.23
		12:00	28.24	50.13	30.49	8.36	6.76	149.73	18.97	25.74
		15:00	28.49	49.93	30.77	8.31	6.61	115.31	14.21	22.41
		18:00	28.07	48.68	30.37	8.16	7.04	149.40	11.21	25.79
		21:00	27.91	50.24	30.93	8.29	8.05	115.38	24.03	22.26
	日平均	27.91	49.57	30.54	8.30	7.09	123.37	19.79	23.64	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 31 日	蚵殼站	0:00	28.07	51.40	31.52	8.21	6.90	147.10	10.98	17.58
		3:00	28.31	50.49	30.97	8.18	6.43	119.69	15.28	15.88
		6:00	28.22	50.37	30.90	8.28	6.63	115.45	8.62	19.63
		9:00	28.19	50.31	30.86	8.33	6.79	121.41	16.08	17.98
		12:00	28.23	51.00	31.28	8.12	6.78	95.61	9.39	20.93
		15:00	28.24	51.05	31.31	8.23	7.33	132.87	8.25	17.34
		18:00	28.06	51.88	31.81	8.24	6.61	117.33	12.49	17.22
		21:00	27.93	50.01	30.68	8.33	6.45	126.23	12.73	20.15
	日平均	28.16	50.81	31.17	8.24	6.74	121.96	11.73	18.34	
	潮口站	0:00	27.26	48.88	30.00	8.29	6.47	157.10	3.68	2.58
		3:00	27.42	50.72	31.11	8.31	6.51	129.69	4.38	0.88
		6:00	26.28	50.72	31.11	8.34	6.87	125.45	3.98	4.63
		9:00	26.00	49.78	30.54	8.28	6.58	131.41	2.47	2.98
		12:00	27.28	50.36	30.89	8.32	7.23	105.61	3.99	5.93
		15:00	28.45	49.50	30.37	8.24	6.88	142.87	4.50	2.34
		18:00	26.81	51.67	31.68	8.13	6.85	127.33	3.92	2.22
		21:00	27.67	50.24	30.82	8.39	6.88	136.23	3.84	5.15
	日平均	27.15	50.23	30.82	8.29	6.78	131.96	3.85	3.34	
	灣內站	0:00	27.84	49.00	30.47	8.18	7.55	147.10	23.99	22.58
		3:00	27.46	51.07	30.41	8.37	7.94	119.69	19.06	20.88
		6:00	27.43	49.78	30.28	8.32	7.54	115.45	8.67	24.63
		9:00	27.44	49.45	30.12	8.32	7.87	121.41	13.81	22.98
		12:00	28.24	49.06	30.90	8.24	7.86	95.61	22.47	25.93
		15:00	28.49	48.77	31.40	8.38	7.04	132.87	17.41	22.34
		18:00	28.07	48.80	31.46	8.12	7.41	117.33	14.58	22.22
		21:00	27.91	49.78	30.29	8.20	7.96	126.23	13.14	25.15
	日平均	27.86	49.46	30.67	8.27	7.65	121.96	16.64	23.34	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 1 日	蚵殼站	0:00	27.72	52.23	32.02	8.23	7.17	115.72	11.40	16.68
		3:00	27.69	51.25	31.43	8.19	6.26	148.84	6.99	18.35
		6:00	27.65	50.97	31.26	8.32	6.83	113.45	7.60	17.42
		9:00	27.95	51.10	31.34	8.16	6.76	93.68	7.27	18.05
		12:00	27.80	50.89	31.21	8.13	7.46	83.86	23.97	18.95
		15:00	27.82	50.49	30.97	8.20	6.55	100.42	10.26	16.62
		18:00	27.44	51.19	31.39	8.37	6.68	112.58	19.00	18.97
		21:00	27.18	50.87	31.20	8.24	6.87	105.20	17.25	20.36
	日平均	27.66	51.12	31.35	8.23	6.82	109.22	12.97	18.18	
	潮口站	0:00	26.53	50.19	30.79	8.29	7.38	125.72	4.43	1.68
		3:00	26.80	49.74	30.52	8.25	7.11	158.84	5.13	3.35
		6:00	25.82	49.94	30.64	8.36	7.06	123.45	3.83	2.42
		9:00	25.91	50.27	30.84	8.29	7.51	103.68	3.67	3.05
		12:00	28.26	51.32	31.47	8.12	7.06	93.86	4.19	3.95
		15:00	27.62	51.32	31.47	8.15	7.28	110.42	5.58	1.62
		18:00	27.81	50.66	31.07	8.16	7.18	122.58	5.45	3.97
		21:00	27.00	51.42	31.53	8.18	7.66	115.20	3.57	5.36
	日平均	26.97	50.61	31.04	8.23	7.28	119.22	4.48	3.18	
	灣內站	0:00	27.84	49.83	30.93	8.39	8.48	115.72	12.77	21.68
		3:00	27.46	49.63	30.18	8.23	6.87	148.84	18.23	23.35
		6:00	27.15	50.64	29.85	8.24	6.56	113.45	8.26	22.42
		9:00	27.27	48.32	30.16	8.26	8.02	93.68	9.59	23.05
		12:00	28.34	49.99	30.44	8.14	7.40	83.86	33.00	23.95
		15:00	28.74	49.08	29.76	8.24	8.36	100.42	24.04	21.62
		18:00	28.16	51.24	31.19	8.18	6.60	112.58	30.96	23.97
		21:00	27.74	49.31	30.94	8.12	7.62	105.20	17.13	25.36
	日平均	27.84	49.76	30.43	8.23	7.49	109.22	19.25	23.18	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月2日	蚵殼站	0:00	26.44	51.45	31.55	8.35	6.33	139.25	14.28	17.34
		3:00	26.83	51.60	31.64	8.19	6.78	137.85	11.97	20.55
		6:00	27.24	50.34	30.88	8.14	6.82	122.69	19.41	20.60
		9:00	27.75	51.00	31.28	8.30	7.18	114.82	15.68	20.56
		12:00	27.57	49.56	30.41	8.15	7.08	106.47	17.69	20.40
		15:00	27.23	50.44	30.94	8.38	7.44	143.20	26.48	21.01
		18:00	26.18	49.59	30.43	8.31	7.37	100.30	34.43	19.81
		21:00	26.59	50.61	31.04	8.23	7.08	101.07	6.07	17.97
	日平均	26.98	50.57	31.02	8.26	7.01	120.71	18.25	19.78	
	潮口站	0:00	27.08	51.35	31.49	8.38	6.65	149.25	3.90	2.34
		3:00	27.00	50.14	30.76	8.15	7.25	147.85	3.88	5.55
		6:00	27.17	50.03	30.69	8.27	7.30	132.69	5.79	5.60
		9:00	27.29	49.74	30.52	8.37	7.38	124.82	3.90	5.56
		12:00	27.29	50.26	30.83	8.12	7.13	116.47	4.80	5.40
		15:00	27.75	49.13	30.15	8.10	7.46	153.20	5.47	6.01
		18:00	27.12	49.51	30.38	8.22	7.17	110.30	4.72	4.81
		21:00	26.92	50.19	30.79	8.12	6.63	111.07	3.77	2.97
	日平均	27.20	50.04	30.70	8.22	7.12	130.71	4.53	4.78	
	灣內站	0:00	27.70	50.01	30.61	8.11	7.57	139.25	26.87	22.34
		3:00	27.53	49.25	30.64	8.10	7.22	137.85	9.62	25.55
		6:00	27.27	51.50	31.45	8.39	7.93	122.69	27.52	25.60
		9:00	27.38	50.97	30.80	8.10	7.78	114.82	27.84	25.56
		12:00	28.20	48.00	29.77	8.39	8.10	106.47	26.15	25.40
		15:00	28.09	51.93	29.94	8.12	8.20	143.20	31.03	26.01
		18:00	28.01	52.15	30.66	8.39	7.21	100.30	38.20	24.81
		21:00	27.91	50.14	29.57	8.23	7.26	101.07	5.08	22.97
	日平均	27.76	50.49	30.43	8.23	7.66	120.71	24.04	24.78	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月3日	蚵殼站	0:00	26.42	51.72	31.71	8.39	6.73	142.24	17.77	19.09
		3:00	27.23	50.84	31.18	8.14	6.96	122.81	4.82	21.34
		6:00	27.25	49.11	30.14	8.31	6.28	155.51	7.46	18.07
		9:00	27.42	50.11	30.74	8.31	7.44	134.79	8.71	20.99
		12:00	28.75	50.22	30.81	8.21	7.40	139.95	5.60	22.63
		15:00	28.66	50.80	31.16	8.15	8.01	112.15	13.58	20.13
		18:00	28.47	49.08	30.12	8.17	6.91	142.91	10.53	19.88
		21:00	27.31	50.21	30.80	8.35	6.72	127.45	8.60	17.42
	日平均	27.69	50.26	30.83	8.25	7.06	134.73	9.63	19.94	
	潮口站	0:00	26.86	51.67	31.68	8.16	7.80	152.24	3.67	4.09
		3:00	26.70	50.82	31.17	8.10	7.26	132.81	3.34	6.34
		6:00	26.11	50.09	30.73	8.17	6.66	165.51	3.42	3.07
		9:00	26.38	49.83	30.57	8.13	6.69	144.79	3.68	5.99
		12:00	27.72	50.72	31.11	8.13	8.04	149.95	2.90	7.63
		15:00	27.93	50.72	31.11	8.28	8.10	122.15	4.26	5.13
		18:00	27.72	49.20	30.19	8.27	7.91	152.91	3.39	4.88
		21:00	26.51	49.16	30.17	8.20	7.32	137.45	4.04	2.42
	日平均	26.99	50.28	30.84	8.18	7.47	144.73	3.59	4.94	
	灣內站	0:00	27.88	50.47	31.71	8.18	8.09	142.24	17.27	24.09
		3:00	27.61	49.71	30.08	8.35	8.15	122.81	9.31	26.34
		6:00	27.16	51.14	30.22	8.25	7.02	155.51	8.05	23.07
		9:00	27.55	51.38	29.82	8.23	7.59	134.79	10.20	25.99
		12:00	28.07	48.58	29.79	8.10	8.28	139.95	11.82	27.63
		15:00	28.17	51.47	29.62	8.28	8.27	112.15	15.73	25.13
		18:00	28.17	50.27	29.58	8.23	8.59	142.91	23.31	24.88
		21:00	27.96	49.21	29.88	8.33	7.06	127.45	17.99	22.42
	日平均	27.82	50.28	30.09	8.24	7.88	134.73	14.21	24.94	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月4日	蚵殼站	0:00	27.87	51.88	31.81	8.38	6.52	120.76	15.26	21.93
		3:00	27.80	52.21	32.01	8.17	7.13	141.49	5.12	20.09
		6:00	27.92	50.75	31.13	8.22	7.15	120.11	11.17	17.28
		9:00	28.60	50.08	30.72	8.16	7.08	137.33	9.05	18.91
		12:00	28.77	50.22	30.81	8.36	8.06	145.39	13.45	19.39
		15:00	28.98	49.79	30.55	8.27	8.21	129.47	7.68	19.56
		18:00	28.54	49.74	30.52	8.34	7.34	122.30	3.84	17.76
		21:00	28.66	50.09	30.73	8.32	7.00	127.71	9.73	20.96
	日平均	28.39	50.60	31.04	8.28	7.31	130.57	9.41	19.49	
	潮口站	0:00	27.63	51.58	31.63	8.21	7.43	130.76	1.78	6.93
		3:00	26.59	50.39	30.91	8.33	7.11	151.49	2.89	5.09
		6:00	26.76	50.72	31.11	8.34	6.54	130.11	3.84	2.28
		9:00	26.96	50.72	31.11	8.20	7.27	147.33	2.62	3.91
		12:00	27.63	50.72	31.11	8.13	7.03	155.39	2.78	4.39
		15:00	27.22	50.72	31.11	8.33	7.53	139.47	3.67	4.56
		18:00	26.69	50.72	31.11	8.17	6.85	132.30	4.35	2.76
		21:00	27.41	49.31	30.26	8.39	6.72	137.71	5.19	5.96
	日平均	27.11	50.61	31.04	8.26	7.06	140.57	3.39	4.49	
	灣內站	0:00	27.69	48.44	31.54	8.38	7.16	120.76	28.04	26.93
		3:00	27.57	49.99	31.50	8.10	7.27	141.49	16.18	25.09
		6:00	27.21	50.85	30.17	8.31	6.86	120.11	18.13	22.28
		9:00	27.56	51.60	29.39	8.33	7.46	137.33	6.27	23.91
		12:00	28.17	51.32	30.32	8.16	7.86	145.39	11.36	24.39
		15:00	28.06	50.41	29.26	8.28	7.99	129.47	8.14	24.56
		18:00	28.08	48.12	30.26	8.17	6.53	122.30	3.30	22.76
		21:00	27.85	50.06	29.69	8.24	7.60	127.71	15.23	25.96
	日平均	27.77	50.10	30.27	8.25	7.34	130.57	13.33	24.49	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月5日	蚵殼站	0:00	28.01	49.11	30.14	8.23	6.62	105.98	12.07	20.14
		3:00	27.75	51.00	31.28	8.16	7.12	98.28	15.14	19.24
		6:00	28.23	50.24	30.82	8.35	6.21	137.16	1.71	17.85
		9:00	28.60	49.10	30.13	8.33	7.27	122.61	5.64	21.30
		12:00	28.78	49.36	30.29	8.10	8.65	112.35	14.64	21.68
		15:00	28.15	50.26	30.83	8.37	8.52	124.91	3.94	20.33
		18:00	28.15	48.87	29.99	8.18	7.93	121.85	9.40	21.79
		21:00	28.24	48.20	29.59	8.28	7.43	112.12	4.46	19.53
	日平均	28.24	49.52	30.38	8.25	7.47	116.91	8.38	20.23	
	潮口站	0:00	27.19	50.74	31.12	8.14	6.88	115.98	1.95	5.14
		3:00	26.88	51.72	31.71	8.11	7.02	108.28	4.08	4.24
		6:00	26.67	50.72	31.11	8.15	6.87	147.16	5.35	2.85
		9:00	26.36	50.72	31.11	8.32	6.61	132.61	3.47	6.30
		12:00	27.00	50.72	31.11	8.14	7.17	122.35	2.73	6.68
		15:00	28.26	50.72	31.11	8.13	7.03	134.91	4.42	5.33
		18:00	27.88	49.48	30.36	8.11	6.52	131.85	2.74	6.79
		21:00	26.63	49.25	30.22	8.21	6.52	122.12	2.06	4.53
	日平均	27.11	50.51	30.98	8.16	6.83	126.91	3.35	5.23	
	灣內站	0:00	27.71	49.28	29.56	8.14	7.47	105.98	10.46	25.14
		3:00	27.66	49.30	31.44	8.14	7.74	98.28	22.15	24.24
		6:00	27.31	50.32	29.97	8.24	6.59	137.16	11.60	22.85
		9:00	27.75	50.49	30.36	8.14	6.63	122.61	14.89	26.30
		12:00	28.30	50.52	30.47	8.27	8.21	112.35	20.61	26.68
		15:00	28.31	49.08	30.24	8.20	7.84	124.91	15.91	25.33
		18:00	28.25	49.94	28.49	8.20	6.82	121.85	11.40	26.79
		21:00	28.07	49.21	28.48	8.24	7.49	112.12	16.77	24.53
	日平均	27.92	49.77	29.88	8.20	7.35	116.91	15.47	25.23	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月6日	蚵殼站	0:00	28.04	48.37	29.69	8.23	6.60	136.84	9.03	18.53
		3:00	27.89	50.08	30.72	8.14	6.59	128.48	14.09	21.51
		6:00	27.88	48.65	29.86	8.39	7.02	136.01	9.57	17.75
		9:00	28.59	49.41	30.32	8.22	6.92	107.43	11.47	19.88
		12:00	28.89	50.31	30.86	8.23	7.97	104.19	4.26	17.62
		15:00	28.43	48.35	29.68	8.15	7.04	102.24	2.75	20.36
		18:00	28.22	49.93	30.63	8.26	6.91	128.97	7.26	21.09
		21:00	28.37	48.12	29.54	8.13	7.00	137.56	5.08	22.28
	日平均	28.29	49.15	30.16	8.22	7.01	122.72	7.94	19.88	
	潮口站	0:00	27.84	49.63	30.45	8.30	6.85	146.84	2.62	3.53
		3:00	26.63	50.64	31.06	8.35	6.67	138.48	2.40	6.51
		6:00	26.67	49.48	30.36	8.33	7.16	146.01	2.32	2.75
		9:00	27.44	50.26	30.83	8.11	7.28	117.43	3.73	4.88
		12:00	27.42	50.36	30.89	8.12	6.97	114.19	3.13	2.62
		15:00	27.79	49.20	30.19	8.38	7.29	112.24	3.21	5.36
		18:00	28.52	50.69	31.09	8.18	6.71	138.97	2.35	6.09
		21:00	28.42	49.69	30.49	8.33	6.31	147.56	1.93	7.28
	日平均	27.59	49.99	30.67	8.26	6.91	132.72	2.71	4.88	
	灣內站	0:00	27.90	48.47	29.47	8.11	7.11	136.84	18.76	23.53
		3:00	27.74	49.98	29.21	8.22	6.40	128.48	14.21	26.51
		6:00	27.50	51.24	29.03	8.25	7.15	136.01	10.78	22.75
		9:00	27.92	50.72	30.50	8.29	6.38	107.43	11.47	24.88
		12:00	28.55	49.79	30.60	8.18	7.04	104.19	9.91	22.62
		15:00	28.77	51.02	29.04	8.19	6.55	102.24	4.66	25.36
		18:00	28.69	49.46	30.63	8.37	7.36	128.97	11.49	26.09
		21:00	28.61	48.55	29.29	8.35	7.06	137.56	13.04	27.28
	日平均	28.21	49.90	29.72	8.25	6.88	122.72	11.79	24.88	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月7日	蚵殼站	0:00	27.72	49.36	30.29	8.12	6.82	120.90	9.68	20.69
		3:00	27.39	50.82	31.17	8.30	6.41	138.21	9.99	22.19
		6:00	27.38	49.68	30.48	8.38	6.29	117.60	7.10	22.29
		9:00	27.87	48.78	29.94	8.39	6.67	90.99	11.78	20.96
		12:00	28.10	49.48	30.36	8.13	6.99	134.80	12.10	19.30
		15:00	27.69	49.31	30.26	8.29	7.41	111.20	7.77	20.68
		18:00	27.53	50.06	30.71	8.11	6.48	148.65	11.25	21.74
		21:00	27.65	48.90	30.01	8.22	7.10	146.46	5.90	19.87
	日平均	27.67	49.55	30.40	8.24	6.77	126.10	9.45	20.97	
	潮口站	0:00	27.20	49.78	30.54	8.36	6.46	130.90	1.69	5.69
		3:00	26.96	52.03	31.90	8.11	6.86	148.21	6.40	7.19
		6:00	26.86	50.97	31.26	8.19	6.33	127.60	3.80	7.29
		9:00	27.99	49.41	30.32	8.33	6.55	100.99	4.19	5.96
		12:00	27.70	50.72	31.11	8.37	7.51	144.80	4.74	4.30
		15:00	27.45	49.98	30.66	8.32	6.63	121.20	4.17	5.68
		18:00	26.63	51.27	31.44	8.34	6.91	158.65	2.36	6.74
		21:00	27.41	49.76	30.53	8.17	6.96	156.46	2.48	4.87
	日平均	27.28	50.49	30.97	8.27	6.78	136.10	3.73	5.97	
	灣內站	0:00	28.26	50.06	28.73	8.29	6.99	120.90	12.58	25.69
		3:00	28.14	50.64	31.60	8.35	6.38	138.21	15.51	27.19
		6:00	27.92	52.03	29.99	8.31	7.05	117.60	8.74	27.29
		9:00	28.13	50.26	29.15	8.28	7.06	90.99	22.00	25.96
		12:00	28.29	51.57	30.41	8.29	8.29	134.80	21.94	24.30
		15:00	28.22	50.75	29.09	8.11	7.48	111.20	6.03	25.68
		18:00	27.79	48.07	30.47	8.35	7.61	148.65	7.29	26.74
		21:00	27.47	49.93	29.90	8.24	7.30	146.46	5.99	24.87
	日平均	28.03	50.41	29.92	8.28	7.27	126.10	12.51	25.97	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月8日	蚵殼站	0:00	27.61	49.08	30.12	8.38	6.68	103.21	8.80	23.01
		3:00	27.31	50.90	31.22	8.24	6.94	108.23	13.22	23.78
		6:00	27.18	51.20	31.40	8.29	6.46	108.28	15.34	25.63
		9:00	27.80	49.26	30.23	8.30	6.97	116.33	11.14	24.30
		12:00	28.00	50.04	30.70	8.28	7.07	116.23	12.13	23.19
		15:00	27.31	47.72	29.30	8.22	7.09	90.47	3.66	22.77
		18:00	26.89	49.86	30.59	8.29	7.17	111.35	12.03	24.09
		21:00	26.91	49.28	30.24	8.35	6.47	115.59	1.90	22.35
	日平均	27.38	49.67	30.48	8.29	6.86	108.71	9.78	23.64	
	潮口站	0:00	27.07	49.79	30.55	8.12	6.35	113.21	2.41	8.01
		3:00	27.31	51.24	31.42	8.15	6.76	118.23	1.63	8.78
		6:00	27.19	51.80	31.76	8.13	7.08	118.28	3.70	10.63
		9:00	26.53	49.64	30.46	8.28	7.28	126.33	3.10	9.30
		12:00	27.09	50.72	31.11	8.20	7.44	126.23	4.53	8.19
		15:00	27.05	48.90	30.01	8.12	6.88	100.47	5.78	7.77
		18:00	28.09	51.20	31.40	8.30	6.97	121.35	2.79	9.09
		21:00	27.21	49.38	30.30	8.24	6.76	125.59	2.23	7.35
	日平均	27.19	50.33	30.88	8.19	6.94	118.71	3.27	8.64	
	灣內站	0:00	27.48	49.23	29.10	8.23	7.27	103.21	14.87	28.01
		3:00	27.49	51.00	30.22	8.24	8.06	108.23	20.91	28.78
		6:00	27.43	50.84	29.80	8.33	7.89	108.28	12.07	30.63
		9:00	27.82	51.82	28.63	8.30	6.92	116.33	11.62	29.30
		12:00	28.22	48.92	29.78	8.14	6.68	116.23	20.83	28.19
		15:00	28.26	49.91	29.96	8.18	7.96	90.47	6.21	27.77
		18:00	28.18	49.73	31.08	8.12	7.84	111.35	9.11	29.09
		21:00	28.13	50.41	29.18	8.22	8.03	115.59	8.45	27.35
	日平均	27.88	50.23	29.72	8.22	7.58	108.71	13.01	28.64	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月9日	蚵殼站	0:00	28.14	49.00	30.07	8.32	6.70	121.79	7.79	20.41
		3:00	28.86	50.13	30.75	8.31	5.93	129.04	10.06	16.98
		6:00	26.77	51.30	31.46	8.16	5.78	146.89	26.47	19.08
		9:00	27.49	49.18	30.18	8.14	6.52	112.78	5.84	21.34
		12:00	27.00	48.93	30.03	8.17	7.05	118.10	11.87	18.32
		15:00	26.88	50.69	31.09	8.14	6.56	102.84	6.25	21.74
		18:00	25.83	50.59	31.03	8.25	7.17	110.16	10.39	21.59
		21:00	26.15	49.94	30.64	8.38	5.99	122.34	11.60	18.84
	日平均	27.14	49.97	30.66	8.23	6.46	120.49	11.28	19.79	
	潮口站	0:00	27.48	49.23	30.21	8.27	7.22	131.79	2.28	5.41
		3:00	27.00	50.21	30.80	8.19	7.23	139.04	2.25	1.98
		6:00	27.17	51.95	31.85	8.27	6.43	156.89	3.15	4.08
		9:00	26.79	49.25	30.22	8.30	6.89	122.78	2.88	6.34
		12:00	27.85	50.24	30.82	8.33	7.25	128.10	3.95	3.32
		15:00	27.31	51.05	31.31	8.34	7.16	112.84	3.96	6.74
		18:00	26.95	50.97	31.26	8.38	7.58	120.16	3.27	6.59
		21:00	27.31	51.33	31.48	8.16	7.22	132.34	3.13	3.84
	日平均	27.23	50.53	30.99	8.28	7.12	130.49	3.11	4.79	
	灣內站	0:00	27.99	49.61	28.74	8.26	7.30	121.79	12.06	25.41
		3:00	27.74	50.56	29.83	8.30	7.36	129.04	15.44	21.98
		6:00	27.53	48.78	31.27	8.16	7.16	146.89	27.72	24.08
		9:00	27.90	50.51	28.47	8.19	8.06	112.78	3.07	26.34
		12:00	28.28	49.89	29.19	8.36	8.41	118.10	11.93	23.32
		15:00	28.25	48.17	30.44	8.29	7.78	102.84	10.67	26.74
		18:00	28.04	50.62	31.25	8.31	7.73	110.16	10.45	26.59
		21:00	28.05	48.55	29.93	8.33	7.77	122.34	12.56	23.84
	日平均	27.97	49.59	29.89	8.28	7.70	120.49	12.99	24.79	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月10日	蚵殼站	0:00	27.43	49.25	30.22	8.28	7.28	98.17	2.80	22.01
		3:00	27.15	49.96	30.65	8.18	7.29	102.16	6.70	20.60
		6:00	28.32	49.10	30.13	8.15	7.67	118.45	13.02	16.65
		9:00	27.36	48.63	29.85	8.26	9.23	99.11	8.92	18.70
		12:00	27.82	49.96	30.65	8.29	9.39	126.35	14.28	19.95
		15:00	26.77	50.32	30.87	8.15	8.65	85.18	12.22	20.58
		18:00	26.11	51.14	31.36	8.12	7.25	74.01	2.53	18.80
		21:00	27.26	49.45	30.34	8.28	6.60	113.61	4.16	19.01
	日平均	27.28	49.73	30.51	8.21	7.92	102.13	8.08	19.54	
	潮口站	0:00	27.09	49.68	30.48	8.35	6.59	108.17	5.61	7.01
		3:00	27.72	50.46	30.95	8.31	6.86	112.16	3.92	5.60
		6:00	27.60	50.74	31.12	8.34	6.84	128.45	4.08	1.65
		9:00	27.78	49.94	30.64	8.24	6.83	109.11	4.37	3.70
		12:00	28.88	51.29	31.45	8.34	8.68	136.35	6.67	4.95
		15:00	27.88	51.58	31.63	8.20	8.51	95.18	6.20	5.58
		18:00	28.51	51.24	31.42	8.19	7.76	84.01	7.52	3.80
		21:00	28.33	50.34	30.88	8.21	6.89	123.61	9.08	4.01
	日平均	27.97	50.66	31.07	8.27	7.37	112.13	5.93	4.54	
	灣內站	0:00	28.03	48.20	29.42	8.37	7.90	98.17	7.29	27.01
		3:00	27.79	50.69	30.86	8.35	7.24	102.16	16.47	25.60
		6:00	27.60	50.17	30.29	8.10	6.53	118.45	19.24	21.65
		9:00	28.06	47.39	30.36	8.33	7.57	99.11	14.80	23.70
		12:00	28.95	48.47	31.08	8.28	9.54	126.35	10.29	24.95
		15:00	28.85	50.36	29.79	8.13	8.46	85.18	16.63	25.58
		18:00	28.78	50.04	30.65	8.17	8.21	74.01	12.48	23.80
		21:00	28.61	50.27	30.63	8.24	7.73	113.61	10.80	24.01
	日平均	28.33	49.45	30.39	8.25	7.90	102.13	13.50	24.54	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月11日	蚵殼站	0:00	27.84	48.44	29.73	8.27	7.02	107.13	13.80	18.98
		3:00	27.77	50.64	31.06	8.18	6.13	82.91	9.17	19.92
		6:00	26.62	48.80	29.95	8.23	6.49	122.15	13.19	20.50
		9:00	27.35	49.10	30.13	8.19	7.30	125.53	6.59	20.05
		12:00	28.08	47.64	29.25	8.17	7.71	120.75	6.36	19.64
		15:00	26.79	48.78	29.94	8.12	6.27	120.72	15.17	21.47
		18:00	25.92	48.77	29.93	8.21	7.86	89.39	9.63	21.71
		21:00	25.79	49.08	30.12	8.39	7.37	67.64	15.03	20.41
	日平均	27.02	48.91	30.01	8.22	7.02	104.53	11.12	20.34	
	潮口站	0:00	27.40	49.08	30.12	8.34	6.85	117.13	6.63	3.98
		3:00	28.13	50.80	31.16	8.19	7.36	92.91	11.19	4.92
		6:00	27.48	50.17	30.78	8.17	6.50	132.15	9.91	5.50
		9:00	27.53	49.26	30.23	8.21	6.48	135.53	8.39	5.05
		12:00	28.63	48.93	30.03	8.13	8.25	130.75	9.57	4.64
		15:00	27.73	49.48	30.36	8.13	8.28	130.72	11.73	6.47
		18:00	28.23	50.03	30.69	8.33	8.01	99.39	15.58	6.71
		21:00	28.38	49.45	30.34	8.39	7.72	77.64	15.25	5.41
	日平均	27.94	49.65	30.46	8.24	7.43	114.53	11.03	5.34	
	灣內站	0:00	28.64	48.88	29.81	8.28	7.47	107.13	18.28	23.98
		3:00	28.33	48.15	30.65	8.32	7.28	82.91	21.53	24.92
		6:00	28.05	48.93	30.08	8.28	6.50	122.15	24.64	25.50
		9:00	28.46	49.15	29.92	8.22	8.31	125.53	2.01	25.05
		12:00	28.90	50.67	29.66	8.20	8.48	120.75	8.30	24.64
		15:00	28.93	49.36	30.19	8.35	8.65	120.72	20.77	26.47
		18:00	28.77	50.09	29.03	8.21	8.58	89.39	12.34	26.71
		21:00	28.58	49.91	28.63	8.25	7.15	67.64	14.79	25.41
	日平均	28.58	49.39	29.75	8.26	7.80	104.53	15.33	25.34	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月12日	蚵殼站	0:00	26.95	47.87	29.39	8.15	6.47	76.52	7.82	22.43
		3:00	26.93	50.26	30.83	8.15	6.54	73.60	8.89	22.02
		6:00	27.06	49.78	30.54	8.10	6.95	66.94	15.03	21.43
		9:00	26.69	49.63	30.45	8.13	7.22	116.72	16.27	19.83
		12:00	28.29	47.92	29.42	8.22	7.82	132.46	16.35	20.77
		15:00	26.39	48.92	30.02	8.23	7.72	101.94	13.99	17.83
		18:00	25.64	49.59	30.43	8.19	5.55	105.24	17.32	20.18
		21:00	26.35	48.05	29.50	8.29	6.06	114.83	13.40	18.43
	日平均	26.79	49.00	30.07	8.18	6.79	98.53	13.63	20.37	
	潮口站	0:00	27.49	49.06	30.11	8.11	6.83	86.52	14.84	7.43
		3:00	27.75	50.37	30.90	8.36	7.38	83.60	17.17	7.02
		6:00	26.65	50.14	30.76	8.36	7.09	76.94	15.82	6.43
		9:00	28.04	50.09	30.73	8.38	7.34	126.72	12.83	4.83
		12:00	27.36	49.46	30.35	8.24	7.92	142.46	11.83	5.77
		15:00	28.58	50.06	30.71	8.15	7.22	111.94	12.60	2.83
		18:00	28.06	50.16	30.77	8.11	7.27	115.24	12.15	5.18
		21:00	27.48	49.15	30.16	8.27	6.68	124.83	12.25	3.43
	日平均	27.68	49.81	30.56	8.25	7.22	108.53	13.69	5.37	
	灣內站	0:00	28.28	50.41	29.08	8.36	7.53	76.52	21.66	31.89
		3:00	28.02	49.45	29.23	8.31	7.77	73.60	7.48	30.62
		6:00	27.79	49.41	30.75	8.23	7.10	66.94	21.99	25.51
		9:00	28.06	49.11	29.26	8.18	7.65	116.72	25.07	26.54
		12:00	28.70	51.48	29.05	8.25	7.44	132.46	16.88	25.73
		15:00	28.70	49.91	30.53	8.33	8.12	101.94	19.91	27.18
		18:00	28.59	50.47	30.21	8.17	7.59	105.24	30.61	29.90
		21:00	28.51	51.85	28.36	8.30	7.35	114.83	16.81	29.36
	日平均	28.33	50.26	29.56	8.27	7.57	98.53	20.05	28.34	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月13日	蚵殼站	0:00	26.01	48.04	29.49	8.32	6.95	110.88	7.29	19.69
		3:00	27.05	50.04	30.70	8.35	7.34	114.51	7.40	21.20
		6:00	27.09	50.22	30.81	8.19	7.19	111.91	6.94	20.01
		9:00	26.59	49.89	30.61	8.34	7.70	119.95	10.90	23.11
		12:00	27.28	50.36	30.89	8.33	7.22	107.80	10.26	21.35
		15:00	26.67	49.30	30.25	8.39	7.31	112.57	14.13	20.14
		18:00	26.07	49.41	30.32	8.32	7.41	142.08	3.06	23.01
		21:00	26.18	49.69	30.49	8.38	6.53	133.92	13.97	23.39
	日平均	26.62	49.62	30.45	8.33	7.21	119.20	9.24	21.49	
	潮口站	0:00	27.73	49.66	30.47	8.38	6.67	120.88	12.02	4.69
		3:00	26.48	51.48	31.57	8.20	6.52	124.51	12.02	6.20
		6:00	26.56	51.70	31.70	8.38	6.73	121.91	10.77	5.01
		9:00	27.36	51.09	31.33	8.21	6.47	129.95	10.24	8.11
		12:00	26.96	50.41	30.92	8.28	7.33	117.80	8.81	6.35
		15:00	27.54	50.39	30.91	8.30	7.24	122.57	17.35	5.14
		18:00	26.18	50.66	31.07	8.12	7.24	152.08	9.33	8.01
		21:00	26.73	50.51	30.98	8.30	6.56	143.92	12.17	8.39
	日平均	26.94	50.74	31.12	8.27	6.85	129.20	11.59	6.49	
	灣內站	0:00	28.15	49.11	29.08	8.13	7.26	110.88	8.65	29.08
		3:00	27.68	49.76	30.88	8.28	6.48	114.51	11.40	28.59
		6:00	27.45	50.36	30.27	8.30	7.01	111.91	16.10	32.56
		9:00	27.54	49.73	29.88	8.16	7.35	119.95	18.45	33.53
		12:00	27.78	49.45	30.50	8.36	8.43	107.80	20.52	32.69
		15:00	27.76	50.09	29.76	8.29	7.54	112.57	23.95	37.07
		18:00	27.27	51.42	30.84	8.35	6.88	142.08	12.38	38.53
		21:00	27.10	51.70	29.54	8.38	8.22	133.92	16.73	29.66
	日平均	27.59	50.20	30.09	8.28	7.40	119.20	16.02	32.71	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月14日	蚵殼站	0:00	25.33	50.26	30.83	8.26	7.41	110.57	11.84	20.61
		3:00	25.92	50.47	30.96	8.25	7.18	66.34	7.32	23.85
		6:00	26.49	51.60	31.64	8.39	7.15	71.68	4.59	21.31
		9:00	27.13	50.80	31.16	8.38	6.84	80.82	16.45	25.08
		12:00	26.86	49.98	30.66	8.27	7.99	87.67	11.70	15.85
		15:00	26.67	50.16	30.77	8.19	7.94	49.71	4.92	16.01
		18:00	25.82	50.04	30.70	8.35	7.14	79.21	3.87	17.73
		21:00	25.70	49.73	30.51	8.29	7.25	86.58	11.93	20.80
	日平均	26.24	50.38	30.90	8.30	7.36	79.07	9.08	20.16	
	潮口站	0:00	25.65	50.46	30.95	8.38	6.39	120.57	12.60	5.61
		3:00	25.44	50.80	31.16	8.19	6.07	76.34	10.59	8.85
		6:00	25.57	51.70	31.70	8.12	6.57	81.68	8.65	6.31
		9:00	25.03	51.78	31.75	8.32	6.52	90.82	7.75	10.08
		12:00	25.87	50.95	31.25	8.21	7.12	97.67	6.98	0.85
		15:00	26.78	50.49	30.97	8.15	6.75	59.71	21.03	1.01
		18:00	25.70	50.95	31.25	8.16	6.39	89.21	13.04	2.73
		21:00	25.50	50.71	31.10	8.30	7.09	96.58	9.78	5.80
	日平均	25.69	50.98	31.27	8.23	6.61	89.07	11.30	5.16	
	灣內站	0:00	27.36	50.74	29.22	8.28	6.44	110.57	21.40	33.87
		3:00	27.16	49.89	31.09	8.38	7.60	66.34	17.62	32.99
		6:00	27.09	49.56	30.54	8.35	6.92	71.68	12.52	38.51
		9:00	27.09	49.63	30.57	8.29	7.43	80.82	22.50	44.94
		12:00	27.73	50.49	29.55	8.39	7.28	87.67	12.31	50.75
		15:00	27.82	47.92	29.23	8.30	6.94	49.71	5.16	41.86
		18:00	27.33	50.94	29.26	8.20	7.60	79.21	4.71	41.03
		21:00	27.32	50.08	29.51	8.36	7.71	86.58	23.65	47.09
	日平均	27.36	49.91	29.87	8.32	7.24	79.07	14.98	41.38	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月15日	蚵殼站	0:00	25.87	49.10	30.13	8.22	7.26	104.47	13.76	17.17
		3:00	26.21	50.16	30.77	8.28	6.86	58.08	4.41	19.68
		6:00	26.76	51.47	31.56	8.19	7.01	63.49	3.66	18.54
		9:00	26.80	51.43	31.54	8.23	8.03	73.74	12.96	21.27
		12:00	27.06	49.96	30.65	8.34	7.81	106.72	11.69	20.32
		15:00	27.04	49.68	30.48	8.16	7.78	84.00	5.07	18.47
		18:00	26.16	50.61	31.04	8.18	7.18	98.28	14.73	18.81
		21:00	25.83	50.36	30.89	8.24	7.43	85.86	18.42	18.20
	日平均	26.47	50.35	30.88	8.23	7.42	84.33	10.59	19.06	
	潮口站	0:00	26.00	50.14	30.76	8.18	6.39	114.47	10.28	2.17
		3:00	25.29	51.42	31.53	8.11	5.95	68.08	8.63	4.68
		6:00	25.15	51.95	31.85	8.34	6.35	73.49	10.66	3.54
		9:00	25.84	52.01	31.89	8.26	7.08	83.74	13.05	6.27
		12:00	26.90	51.29	31.45	8.29	7.17	116.72	11.67	5.32
		15:00	26.32	51.10	31.34	8.21	6.41	94.00	17.88	3.47
		18:00	26.43	51.04	31.30	8.30	6.66	108.28	13.11	3.81
		21:00	25.64	51.15	31.37	8.35	6.55	95.86	14.26	3.20
	日平均	25.95	51.26	31.44	8.26	6.57	94.33	12.44	4.06	
	灣內站	0:00	27.08	49.69	29.46	8.16	6.08	104.47	19.53	47.23
		3:00	26.79	50.08	31.09	8.28	6.58	58.08	8.67	45.89
		6:00	26.44	49.74	30.76	8.33	6.68	63.49	11.57	44.94
		9:00	26.79	48.45	30.58	8.25	7.44	73.74	22.44	45.11
		12:00	27.31	47.72	30.34	8.11	7.17	106.72	18.60	41.31
		15:00	27.39	48.44	29.54	8.26	7.70	84.00	7.88	46.57
		18:00	27.18	48.60	31.17	8.31	7.26	98.28	17.38	39.57
		21:00	26.95	51.35	31.24	8.11	7.03	85.86	27.71	36.38
	日平均	26.99	49.26	30.52	8.23	6.99	84.33	16.72	43.38	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 16 日	蚵殼站	0:00	25.43	50.36	30.89	8.19	7.63	113.24	5.97	19.68
		3:00	26.21	50.85	31.19	8.17	7.50	113.42	3.89	16.83
		6:00	26.82	51.67	31.68	8.25	7.42	86.86	3.02	17.39
		9:00	26.91	51.53	31.60	8.36	6.94	100.67	14.19	19.61
		12:00	27.26	50.62	31.05	8.34	7.59	93.34	5.83	20.14
		15:00	26.08	50.71	31.10	8.32	7.17	64.50	9.81	21.63
		18:00	25.40	50.27	30.84	8.17	6.95	73.45	16.21	19.63
		21:00	25.47	50.84	31.18	8.30	7.29	74.19	11.56	18.99
		日平均	26.20	50.86	31.19	8.26	7.31	89.96	8.81	19.24
	潮口站	0:00	26.77	51.09	31.33	8.29	6.35	123.24	15.63	4.68
		3:00	27.40	51.30	31.46	8.36	6.11	123.42	14.53	1.83
		6:00	26.52	52.00	31.88	8.18	6.39	96.86	16.75	2.39
		9:00	26.64	51.95	31.85	8.28	8.07	110.67	10.01	4.61
		12:00	27.17	51.75	31.73	8.27	8.79	103.34	10.52	5.14
		15:00	27.46	51.27	31.44	8.12	8.11	74.50	10.26	6.63
		18:00	27.63	51.43	31.54	8.24	6.84	83.45	17.05	4.63
		21:00	26.71	51.17	31.38	8.22	5.63	84.19	13.25	3.99
		日平均	27.04	51.50	31.58	8.25	7.04	99.96	13.50	4.24
	灣內站	0:00	26.90	49.16	30.84	8.18	6.24	113.24	9.00	36.37
		3:00	26.63	49.41	31.28	8.17	6.03	113.42	5.58	33.77
		6:00	26.40	49.43	31.86	8.24	6.48	86.86	5.63	43.11
		9:00	26.71	51.65	31.42	8.31	7.24	100.67	18.44	42.40
		12:00	27.04	50.19	30.49	8.13	7.37	93.34	12.47	45.37
		15:00	26.97	48.82	30.93	8.29	7.07	64.50	8.37	40.57
		18:00	26.88	51.65	31.14	8.26	6.67	73.45	18.71	32.95
		21:00	26.78	49.89	29.98	8.16	6.39	74.19	16.99	27.25
		日平均	26.79	50.03	30.99	8.22	6.69	89.96	11.90	37.72
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 17 日	蚵殼站	0:00	25.27	49.56	30.41	8.35	6.86	99.17	6.31	20.55
		3:00	25.61	48.72	29.90	8.21	7.35	114.87	5.26	19.45
		6:00	25.59	50.77	31.14	8.29	7.39	72.70	3.75	18.96
		9:00	26.14	51.19	31.39	8.30	6.66	83.13	3.78	20.31
		12:00	25.47	49.83	30.57	8.19	7.75	60.47	5.79	22.50
		15:00	25.41	50.74	31.12	8.35	7.42	66.20	4.30	21.99
		18:00	25.40	50.32	30.87	8.17	7.79	93.36	10.13	20.61
		21:00	25.60	49.79	30.55	8.38	7.15	68.98	6.12	20.85
		日平均	25.56	50.12	30.74	8.28	7.30	82.36	5.68	20.65
	潮口站	0:00	26.86	50.69	31.09	8.24	5.68	109.17	11.00	5.55
		3:00	26.02	50.21	30.80	8.36	6.71	124.87	9.78	4.45
		6:00	26.48	51.50	31.58	8.36	6.72	82.70	10.63	3.96
		9:00	27.17	51.91	31.83	8.12	6.45	93.13	11.27	5.31
		12:00	26.37	51.29	31.45	8.23	7.33	70.47	12.86	7.50
		15:00	26.78	50.82	31.17	8.11	6.68	76.20	12.95	6.99
		18:00	26.98	51.24	31.42	8.15	7.22	103.36	13.46	5.61
		21:00	26.73	51.20	31.40	8.16	6.80	78.98	16.70	5.85
		日平均	26.67	51.11	31.34	8.22	6.70	92.36	12.33	5.65
	灣內站	0:00	26.25	48.97	30.28	8.38	6.05	99.17	9.95	29.73
		3:00	25.90	50.29	29.26	8.38	6.70	114.87	4.08	29.05
		6:00	25.86	48.95	30.53	8.24	5.55	72.70	6.45	25.82
		9:00	25.79	50.80	30.44	8.32	6.82	83.13	2.79	25.79
		12:00	25.98	49.13	30.12	8.26	6.89	60.47	3.07	38.06
		15:00	26.18	49.99	29.93	8.32	7.14	66.20	8.55	40.45
		18:00	25.89	50.97	30.75	8.13	6.11	93.36	10.87	31.80
		21:00	25.72	51.43	30.95	8.22	5.32	68.98	10.59	29.45
		日平均	25.95	50.07	30.28	8.28	6.32	82.36	7.04	31.27
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 18 日	蚵殼站	0:00	25.70	49.76	30.53	8.24	8.00	81.92	4.56	19.43
		3:00	26.19	49.56	30.41	8.37	7.93	119.10	6.57	23.20
		6:00	25.91	49.66	30.47	8.22	7.48	120.20	7.83	23.00
		9:00	26.84	50.49	30.97	8.14	8.09	124.66	10.33	18.26
		12:00	25.84	50.49	30.97	8.20	7.33	105.09	11.72	18.79
		15:00	25.15	49.94	30.64	8.25	7.34	88.35	7.71	15.62
		18:00	26.62	49.59	30.43	8.21	8.12	73.76	8.03	18.69
		21:00	26.26	50.61	31.04	8.10	8.66	78.05	3.57	20.46
		日平均	26.06	50.01	30.68	8.22	7.87	98.89	7.54	19.68
	潮口站	0:00	27.11	50.95	31.25	8.13	6.06	91.92	13.17	4.43
		3:00	25.21	51.02	31.29	8.38	6.76	129.10	11.62	8.20
		6:00	24.35	51.29	31.45	8.12	6.38	130.20	13.03	8.00
		9:00	24.23	52.03	31.90	8.10	6.95	134.66	13.68	3.26
		12:00	25.04	51.73	31.72	8.19	7.16	115.09	15.52	3.79
		15:00	25.12	50.90	31.22	8.28	6.98	98.35	19.56	0.62
		18:00	25.66	50.97	31.26	8.21	5.51	83.76	20.14	3.69
		21:00	25.01	51.10	31.34	8.23	5.52	88.05	18.45	5.46
		日平均	25.22	51.25	31.43	8.21	6.42	108.89	15.65	4.68
	灣內站	0:00	26.25	50.51	30.73	8.28	6.75	81.92	5.67	25.74
		3:00	25.08	51.04	31.24	8.15	6.27	119.10	6.19	23.77
		6:00	24.90	49.30	30.27	8.16	6.44	120.20	8.33	20.44
		9:00	24.75	49.00	29.96	8.20	7.10	124.66	17.94	24.39
		12:00	24.99	51.10	31.28	8.11	6.76	105.09	8.00	34.10
		15:00	25.14	51.37	30.64	8.11	7.00	88.35	18.41	38.86
		18:00	25.35	50.44	30.31	8.10	6.39	73.76	17.19	30.60
		21:00	25.57	49.33	30.77	8.12	7.00	78.05	16.64	28.82
		日平均	25.25	50.26	30.65	8.15	6.71	98.89	12.30	28.34
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 19 日	蚵殼站	0:00	26.10	50.66	31.07	8.35	7.45	102.94	2.85	17.38
		3:00	25.45	49.73	30.51	8.35	6.55	121.82	6.38	20.07
		6:00	27.36	50.90	31.22	8.37	7.72	124.42	3.50	18.05
		9:00	26.66	51.50	31.58	8.36	8.07	100.72	6.62	18.92
		12:00	26.11	51.17	31.38	8.32	7.00	89.42	6.99	20.83
		15:00	25.52	51.22	31.41	8.35	7.93	76.90	14.39	18.34
		18:00	25.75	50.80	31.16	8.23	7.09	103.69	5.01	21.54
		21:00	25.98	49.58	30.42	8.38	6.73	79.72	10.31	19.71
		日平均	26.12	50.70	31.09	8.34	7.32	99.95	7.01	19.36
	潮口站	0:00	25.09	51.05	31.31	8.28	6.50	112.94	21.07	2.38
		3:00	23.82	50.82	31.17	8.14	7.06	131.82	18.76	5.07
		6:00	24.37	51.10	31.34	8.35	6.06	134.42	19.77	3.05
		9:00	23.89	52.05	31.91	8.22	6.40	110.72	19.38	3.92
		12:00	24.93	51.85	31.79	8.11	7.50	99.42	22.61	5.83
		15:00	24.49	51.37	31.50	8.27	7.41	86.90	25.15	3.34
		18:00	25.20	51.05	31.31	8.10	6.47	113.69	26.36	6.54
		21:00	24.62	51.09	31.33	8.35	6.38	89.72	27.05	4.71
		日平均	24.55	51.30	31.46	8.23	6.72	109.95	22.52	4.36
	灣內站	0:00	25.57	51.07	30.56	8.14	6.88	102.94	15.65	22.38
		3:00	25.14	50.56	30.21	8.18	7.04	121.82	18.78	25.07
		6:00	25.05	50.97	30.44	8.34	6.65	124.42	6.21	23.05
		9:00	25.36	50.21	31.74	8.37	6.34	100.72	12.10	23.92
		12:00	25.73	49.99	31.21	8.35	7.50	89.42	14.75	25.83
		15:00	25.68	50.80	31.32	8.35	7.17	76.90	11.15	23.34
		18:00	25.77	51.12	30.99	8.21	6.93	103.69	6.92	26.54
		21:00	25.52	51.05	31.18	8.15	6.61	79.72	13.08	24.71
		日平均	25.48	50.72	30.96	8.26	6.89	99.95	12.33	24.36
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 20 日	蚵殼站	0:00	25.18	51.09	31.33	8.28	7.90	95.87	14.50	21.82
		3:00	25.65	49.76	30.53	8.27	6.59	102.47	14.11	19.20
		6:00	27.01	49.78	30.54	8.18	7.71	114.12	3.21	19.61
		9:00	26.65	50.80	31.16	8.22	7.68	125.05	5.87	19.64
		12:00	25.83	51.15	31.37	8.24	7.07	120.05	12.32	20.79
		15:00	25.39	49.89	30.61	8.24	7.58	104.95	14.77	22.62
		18:00	25.97	49.93	30.63	8.19	7.32	118.53	7.56	18.77
		21:00	25.85	50.90	31.22	8.37	7.39	101.83	9.10	20.78
	日平均	25.94	50.41	30.92	8.25	7.41	110.36	10.18	20.40	
	潮口站	0:00	24.32	51.12	31.35	8.23	6.80	105.87	27.77	6.82
		3:00	23.71	51.00	31.28	8.13	6.89	112.47	25.08	4.20
		6:00	23.28	50.90	31.22	8.39	6.67	124.12	29.51	4.61
		9:00	23.30	51.57	31.62	8.16	6.73	135.05	28.76	4.64
		12:00	24.78	51.93	31.84	8.39	7.48	130.05	35.30	5.79
		15:00	24.17	51.42	31.53	8.27	6.99	114.95	38.17	7.62
		18:00	24.24	51.25	31.43	8.16	7.11	128.53	38.53	3.77
		21:00	24.25	51.19	31.39	8.16	6.88	111.83	34.43	5.78
	日平均	24.01	51.30	31.46	8.24	6.94	120.36	32.19	5.40	
	灣內站	0:00	25.57	50.74	31.23	8.35	6.47	95.87	24.90	26.82
		3:00	25.14	48.65	30.15	8.18	6.31	102.47	11.21	24.20
		6:00	25.05	51.27	29.56	8.20	6.23	114.12	1.34	24.61
		9:00	25.22	51.07	30.29	8.28	6.42	125.05	15.07	24.64
		12:00	25.40	51.07	30.75	8.15	6.84	120.05	18.20	25.79
		15:00	25.39	48.80	30.63	8.32	6.45	104.95	18.96	27.62
		18:00	25.35	50.14	29.88	8.36	6.53	118.53	11.21	23.77
		21:00	25.21	48.19	30.82	8.17	6.25	101.83	16.99	25.78
	日平均	25.29	49.99	30.41	8.25	6.44	110.36	14.74	25.40	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 21 日	蚵殼站	0:00	25.69	49.71	30.50	8.16	8.27	87.91	16.38	21.98
		3:00	25.50	49.78	30.54	8.39	8.06	126.96	23.66	20.73
		6:00	27.62	50.74	31.12	8.24	7.21	116.67	11.56	20.57
		9:00	26.60	50.34	30.88	8.12	7.58	89.16	8.33	20.50
		12:00	26.23	50.26	30.83	8.17	7.39	121.96	9.16	20.00
		15:00	25.78	50.94	31.24	8.38	7.55	110.60	8.68	22.58
		18:00	26.20	50.26	30.83	8.15	7.69	83.83	7.28	20.74
		21:00	27.12	49.59	30.43	8.17	7.18	119.80	8.45	20.13
	日平均	26.34	50.20	30.80	8.22	7.62	107.11	11.69	20.90	
	潮口站	0:00	24.09	51.25	31.43	8.21	6.88	97.91	34.10	6.98
		3:00	23.60	51.17	31.38	8.11	6.93	136.96	29.15	5.73
		6:00	23.84	51.20	31.40	8.34	6.77	126.67	27.64	5.57
		9:00	24.08	51.33	31.48	8.16	7.15	99.16	29.32	5.50
		12:00	24.60	51.62	31.65	8.32	7.01	131.96	27.88	5.00
		15:00	24.78	51.32	31.47	8.37	6.87	120.60	29.04	7.58
		18:00	24.57	50.89	31.21	8.28	6.45	93.83	28.36	5.74
		21:00	23.86	50.74	31.12	8.26	6.54	129.80	24.31	5.13
	日平均	24.18	51.19	31.39	8.26	6.83	117.11	28.73	5.90	
	灣內站	0:00	25.13	48.95	30.07	8.13	5.99	87.91	16.86	26.98
		3:00	24.78	48.52	31.32	8.20	6.41	126.96	31.20	25.73
		6:00	24.55	50.03	30.54	8.19	6.27	116.67	11.37	25.57
		9:00	24.85	50.14	30.34	8.17	6.39	89.16	13.97	25.50
		12:00	25.32	50.72	30.11	8.28	6.78	121.96	15.47	25.00
		15:00	25.59	49.64	29.93	8.26	6.78	110.60	7.23	27.58
		18:00	25.43	48.09	29.95	8.20	6.44	83.83	6.83	25.74
		21:00	25.26	48.32	30.54	8.13	6.44	119.80	16.33	25.13
	日平均	25.11	49.30	30.35	8.20	6.44	107.11	14.91	25.90	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 22 日	蚵殼站	0:00	26.46	50.51	30.98	8.25	7.04	106.79	16.63	22.27
		3:00	27.53	50.04	30.70	8.10	6.73	114.23	31.52	21.99
		6:00	26.34	50.54	31.00	8.15	7.60	119.06	12.08	23.67
		9:00	26.77	49.66	30.47	8.10	7.94	83.40	8.90	21.11
		12:00	26.28	49.71	30.50	8.12	7.65	100.15	9.30	26.79
		15:00	25.36	50.34	30.88	8.26	7.59	90.12	4.04	26.20
		18:00	25.39	50.32	30.87	8.36	6.85	98.03	15.77	23.87
		21:00	26.48	50.82	31.17	8.16	7.71	91.18	20.02	21.28
	日平均	26.33	50.24	30.82	8.19	7.39	100.37	14.78	23.40	
	潮口站	0:00	24.34	50.89	31.21	8.36	6.51	116.79	25.79	7.27
		3:00	23.49	51.19	31.39	8.27	6.35	124.23	23.72	6.99
		6:00	22.95	51.32	31.47	8.19	7.06	129.06	19.65	8.67
		9:00	23.42	51.30	31.46	8.25	7.12	93.40	22.93	6.11
		12:00	24.58	51.20	31.40	8.12	6.95	110.15	19.10	11.79
		15:00	23.31	51.19	31.39	8.10	7.11	100.12	10.45	11.20
		18:00	23.17	51.29	31.45	8.30	6.84	108.03	23.23	8.87
		21:00	24.83	51.32	31.47	8.39	6.66	101.18	27.66	6.28
	日平均	23.76	51.21	31.41	8.25	6.83	110.37	21.57	8.40	
	灣內站	0:00	24.97	49.98	30.57	8.14	6.17	106.79	18.40	27.27
		3:00	24.54	50.87	30.45	8.28	6.30	114.23	35.73	26.99
		6:00	24.24	49.91	31.06	8.17	6.33	119.06	21.86	28.67
		9:00	24.47	49.31	29.66	8.22	6.43	83.40	9.90	26.11
		12:00	24.95	48.58	30.67	8.33	6.33	100.15	15.57	31.79
		15:00	24.83	50.62	30.12	8.36	6.70	90.12	16.13	31.20
		18:00	24.62	49.50	31.42	8.18	6.30	98.03	17.91	28.87
		21:00	24.83	50.36	30.26	8.30	6.35	91.18	20.89	26.28
	日平均	24.68	49.89	30.53	8.25	6.36	100.37	19.55	28.40	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 23 日	蚵殼站	0:00	26.30	49.93	30.63	8.18	7.47	92.70	15.81	21.31
		3:00	25.91	50.04	30.70	8.35	6.81	99.78	23.94	23.08
		6:00	25.36	51.25	31.43	8.34	7.49	109.25	13.15	23.70
		9:00	26.32	50.22	30.81	8.19	6.94	84.99	12.63	23.18
		12:00	26.09	51.22	31.41	8.12	8.50	117.05	11.62	26.38
		15:00	25.83	51.07	31.32	8.35	7.88	118.55	4.86	28.66
		18:00	25.17	51.65	31.67	8.15	9.00	104.10	22.05	29.73
		21:00	25.80	51.05	31.31	8.10	8.10	83.26	13.82	27.97
	日平均	25.85	50.80	31.16	8.22	7.77	101.21	14.74	25.50	
	潮口站	0:00	24.20	51.37	31.50	8.19	7.12	102.70	28.48	6.31
		3:00	24.97	51.63	31.66	8.11	6.49	109.78	26.02	8.08
		6:00	24.54	51.68	31.69	8.13	7.00	119.25	24.50	8.70
		9:00	24.34	51.52	31.59	8.25	6.69	94.99	27.14	8.18
		12:00	25.09	51.29	31.45	8.16	6.55	127.05	33.62	11.38
		15:00	25.88	52.30	32.06	8.20	7.43	128.55	9.68	13.66
		18:00	25.29	52.16	31.98	8.31	7.03	114.10	5.84	14.73
		21:00	25.21	51.96	31.86	8.12	6.82	93.26	7.07	12.97
	日平均	24.94	51.74	31.72	8.18	6.89	111.21	20.29	10.50	
	灣內站	0:00	24.20	50.64	30.68	8.28	6.47	92.70	14.87	26.31
		3:00	24.97	49.05	30.22	8.27	6.57	99.78	26.99	28.08
		6:00	24.54	49.59	31.58	8.34	6.32	109.25	13.34	28.70
		9:00	24.34	50.32	31.26	8.21	6.50	84.99	16.32	28.18
		12:00	24.69	48.42	29.47	8.15	6.48	117.05	15.64	31.38
		15:00	25.96	49.03	31.84	8.15	6.83	118.55	13.99	33.66
		18:00	26.18	48.15	31.97	8.27	6.43	104.10	33.28	34.73
		21:00	25.91	49.35	30.76	8.21	6.61	83.26	18.89	32.97
	日平均	25.10	49.32	30.97	8.24	6.53	101.21	19.17	30.50	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月24日	蚵殼站	0:00	26.40	50.51	30.98	8.28	6.80	117.35	10.51	24.35
		3:00	25.46	50.39	30.91	8.30	7.77	113.19	24.21	21.78
		6:00	24.95	50.95	31.25	8.33	7.11	114.22	22.71	19.68
		9:00	26.04	50.57	31.02	8.24	7.11	112.40	13.33	22.50
		12:00	26.20	51.58	31.63	8.24	8.00	92.56	7.81	21.37
		15:00	25.09	51.43	31.54	8.37	8.87	82.38	5.32	25.09
		18:00	25.01	50.97	31.26	8.16	7.95	115.93	7.00	22.76
		21:00	25.61	50.46	30.95	8.22	7.15	96.18	10.74	18.34
	日平均	25.60	50.86	31.19	8.27	7.60	105.53	12.70	21.98	
	潮口站	0:00	25.31	51.65	31.67	8.17	7.41	127.35	3.59	9.35
		3:00	25.45	51.04	31.30	8.25	7.19	123.19	2.01	6.78
		6:00	24.94	51.22	31.41	8.32	6.53	124.22	5.43	4.68
		9:00	24.43	51.53	31.60	8.10	7.11	122.40	4.25	7.50
		12:00	25.66	51.68	31.69	8.36	6.91	102.56	3.97	6.37
		15:00	25.82	51.52	31.59	8.39	7.08	92.38	6.30	10.09
		18:00	25.50	51.14	31.36	8.12	7.31	125.93	3.77	7.76
		21:00	25.28	51.10	31.34	8.30	7.10	106.18	7.65	3.34
	日平均	25.30	51.36	31.50	8.25	7.08	115.53	4.62	6.98	
	灣內站	0:00	25.43	49.36	30.96	8.21	6.64	117.35	14.16	29.35
		3:00	25.48	51.52	30.50	8.20	6.61	113.19	36.66	26.78
		6:00	25.37	50.61	31.36	8.23	6.45	114.22	26.09	24.68
		9:00	25.68	51.68	31.51	8.37	6.74	112.40	19.09	27.50
		12:00	26.09	49.64	29.82	8.27	6.87	92.56	17.34	26.37
		15:00	26.27	49.84	31.56	8.22	6.86	82.38	4.51	30.09
		18:00	26.19	50.52	30.84	8.14	6.39	115.93	13.86	27.76
		21:00	25.92	48.22	30.20	8.36	6.87	96.18	19.74	23.34
	日平均	25.80	50.17	30.84	8.25	6.68	105.53	18.93	26.98	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月25日	蚵殼站	0:00	26.30	50.13	30.75	8.24	6.93	87.51	17.18	19.02
		3:00	25.69	50.11	30.74	8.34	6.54	112.39	18.93	22.31
		6:00	24.90	51.38	31.51	8.12	6.61	119.17	15.26	20.45
		9:00	26.10	50.41	30.92	8.10	6.61	112.24	7.97	22.49
		12:00	26.60	50.31	30.86	8.18	7.41	118.94	13.21	25.02
		15:00	25.25	50.85	31.19	8.38	8.15	100.86	12.19	26.01
		18:00	25.04	50.51	30.98	8.19	6.79	88.25	6.24	24.05
		21:00	25.55	50.62	31.05	8.28	6.85	90.57	10.03	22.69
	日平均	25.68	50.54	31.00	8.23	6.99	103.74	12.63	22.76	
	潮口站	0:00	25.24	50.77	31.14	8.25	6.70	97.51	6.95	4.02
		3:00	25.50	51.00	31.28	8.13	6.64	122.39	3.29	7.31
		6:00	25.16	51.47	31.56	8.33	6.77	129.17	7.24	5.45
		9:00	24.98	51.93	31.84	8.23	7.05	122.24	8.37	7.49
		12:00	25.54	51.53	31.60	8.37	7.41	128.94	6.35	10.02
		15:00	25.84	51.04	31.30	8.19	7.40	110.86	3.64	11.01
		18:00	25.54	50.80	31.16	8.22	6.71	98.25	3.58	9.05
		21:00	25.39	51.17	31.38	8.28	6.87	100.57	10.70	7.69
	日平均	25.40	51.21	31.41	8.25	6.94	113.74	6.27	7.76	
	灣內站	0:00	25.50	51.24	29.73	8.20	6.60	87.51	23.64	24.02
		3:00	25.63	50.32	30.67	8.14	6.43	112.39	28.33	27.31
		6:00	25.17	51.48	31.19	8.19	6.41	119.17	24.86	25.45
		9:00	25.62	49.46	31.64	8.10	6.75	112.24	17.97	27.49
		12:00	26.05	50.79	31.47	8.32	7.21	118.94	22.49	30.02
		15:00	26.24	47.95	30.92	8.23	7.49	100.86	19.88	31.01
		18:00	26.34	50.84	29.54	8.15	6.64	88.25	8.63	29.05
		21:00	26.01	51.30	30.71	8.11	6.64	90.57	8.25	27.69
	日平均	25.82	50.42	30.73	8.18	6.77	103.74	19.26	27.76	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 26 日	蚵殼站	0:00	25.48	51.05	31.31	8.11	7.42	91.88	15.57	20.48
		3:00	25.63	50.57	31.02	8.29	6.34	92.55	14.68	17.84
		6:00	24.84	50.03	30.69	8.20	6.93	86.94	33.11	17.71
		9:00	25.16	50.87	31.20	8.14	6.64	81.77	16.67	19.85
		12:00	25.48	51.17	31.38	8.14	6.95	93.14	8.39	24.15
		15:00	25.15	51.48	31.57	8.16	7.02	98.85	16.94	21.72
		18:00	24.64	51.00	31.28	8.16	7.56	99.07	24.55	20.90
		21:00	25.10	50.44	30.94	8.14	6.95	114.29	10.54	18.02
	日平均	25.19	50.83	31.17	8.17	6.98	94.81	17.56	20.08	
	潮口站	0:00	25.16	51.14	31.36	8.20	7.02	101.88	9.61	5.48
		3:00	25.33	51.09	31.33	8.15	6.67	102.55	6.28	2.84
		6:00	25.14	51.02	31.29	8.17	6.54	96.94	4.90	2.71
		9:00	25.06	51.48	31.57	8.13	6.65	91.77	7.54	4.85
		12:00	25.55	52.00	31.88	8.27	8.16	103.14	4.30	9.15
		15:00	25.86	51.83	31.78	8.39	7.84	108.85	3.35	6.72
		18:00	25.63	51.40	31.52	8.12	8.08	109.07	3.82	5.90
		21:00	25.31	51.45	31.55	8.39	7.33	124.29	8.66	3.02
	日平均	25.38	51.43	31.54	8.23	7.29	104.81	6.06	5.08	
	灣內站	0:00	25.63	51.86	30.24	8.28	7.09	91.88	19.78	25.48
		3:00	25.36	52.56	30.25	8.27	6.39	92.55	24.38	22.84
		6:00	25.33	49.50	30.87	8.16	6.48	86.94	36.24	22.71
		9:00	25.45	49.36	30.97	8.18	6.57	81.77	21.82	24.85
		12:00	25.90	50.44	30.99	8.30	7.19	93.14	13.87	29.15
		15:00	26.06	48.34	30.12	8.30	7.69	98.85	29.21	26.72
		18:00	26.12	51.05	30.64	8.37	7.17	99.07	23.88	25.90
		21:00	25.84	49.00	30.20	8.16	6.49	114.29	15.94	23.02
	日平均	25.71	50.26	30.54	8.25	6.88	94.81	23.14	25.08	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 27 日	蚵殼站	0:00	25.41	50.39	30.91	8.34	7.09	111.26	13.46	16.71
		3:00	25.72	50.54	31.00	8.23	6.75	82.11	13.44	19.77
		6:00	24.95	50.17	30.78	8.27	7.47	118.19	15.56	18.78
		9:00	24.87	51.20	31.40	8.33	7.93	106.35	19.89	21.43
		12:00	25.31	51.00	31.28	8.10	7.09	119.74	8.10	17.93
		15:00	25.27	50.52	30.99	8.15	7.39	109.97	3.30	18.18
		18:00	24.89	50.17	30.78	8.28	7.51	105.21	14.81	20.10
		21:00	25.00	50.42	30.93	8.21	7.26	94.25	11.09	20.09
	日平均	25.18	50.55	31.01	8.24	7.31	105.89	12.46	19.12	
	潮口站	0:00	25.17	51.67	31.68	8.38	6.63	121.26	9.81	1.71
		3:00	25.34	51.98	31.87	8.28	7.16	92.11	5.50	4.77
		6:00	25.35	51.72	31.71	8.17	6.85	128.19	2.71	3.78
		9:00	25.08	52.25	32.03	8.36	6.72	116.35	5.72	6.43
		12:00	25.37	52.40	32.12	8.17	7.54	129.74	4.83	2.93
		15:00	25.75	51.33	31.48	8.36	8.07	119.97	3.35	3.18
		18:00	25.63	50.71	31.10	8.38	7.12	115.21	2.63	5.10
		21:00	25.36	50.67	31.08	8.11	6.62	104.25	8.14	5.09
	日平均	25.38	51.59	31.63	8.28	7.09	115.89	5.34	4.12	
	灣內站	0:00	25.34	50.01	29.75	8.20	6.59	111.26	21.27	21.71
		3:00	25.36	51.07	30.66	8.16	6.39	82.11	21.70	24.77
		6:00	25.23	50.92	31.42	8.38	6.51	118.19	16.03	23.78
		9:00	25.44	49.41	31.11	8.36	6.49	106.35	30.38	26.43
		12:00	25.99	47.46	30.55	8.10	7.21	119.74	16.71	22.93
		15:00	25.99	49.41	31.29	8.18	7.12	109.97	7.82	23.18
		18:00	26.21	51.96	30.35	8.30	6.64	105.21	11.68	25.10
		21:00	25.92	50.94	29.80	8.28	6.43	94.25	11.55	25.09
	日平均	25.69	50.15	30.62	8.25	6.67	105.89	17.14	24.12	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 28 日	蚵殼站	0:00	25.32	49.68	30.48	8.18	7.57	116.50	6.29	22.36
		3:00	25.59	50.51	30.98	8.19	7.45	88.63	16.94	20.44
		6:00	25.39	51.95	31.85	8.11	7.74	98.87	15.13	19.01
		9:00	25.11	51.90	31.82	8.20	7.96	101.34	18.16	22.47
		12:00	25.61	51.67	31.68	8.29	7.82	115.14	13.96	21.81
		15:00	25.83	49.81	30.56	8.32	7.18	102.91	12.83	19.48
		18:00	25.54	51.04	31.30	8.37	6.91	103.84	17.46	26.08
		21:00	25.49	49.81	30.56	8.37	6.64	108.30	18.21	23.08
	日平均	25.49	50.80	31.15	8.25	7.41	104.44	14.87	21.84	
	潮口站	0:00	25.12	51.22	31.41	8.14	6.92	126.50	6.09	7.36
		3:00	25.22	51.45	31.55	8.12	6.37	98.63	3.79	5.44
		6:00	25.44	52.35	32.09	8.30	6.53	108.87	1.67	4.01
		9:00	25.24	52.26	32.04	8.34	6.44	111.34	4.88	7.47
		12:00	25.52	51.96	31.86	8.34	7.24	125.14	6.06	6.81
		15:00	25.77	51.42	31.53	8.36	7.44	112.91	3.73	4.48
		18:00	25.66	51.24	31.42	8.37	6.69	113.84	1.25	11.08
		21:00	25.53	51.27	31.44	8.32	6.85	118.30	6.17	8.08
	日平均	25.44	51.65	31.67	8.29	6.81	114.44	4.21	6.84	
	灣內站	0:00	25.76	49.88	30.71	8.17	6.47	116.50	17.24	27.36
		3:00	25.38	51.58	31.06	8.34	6.52	88.63	15.80	25.44
		6:00	25.44	48.95	31.90	8.21	6.40	98.87	22.21	24.01
		9:00	25.63	49.91	30.83	8.12	6.45	101.34	27.21	27.47
		12:00	25.88	48.34	31.62	8.11	6.49	115.14	17.38	26.81
		15:00	26.01	48.45	31.13	8.39	7.02	102.91	17.73	24.48
		18:00	26.17	50.08	29.51	8.39	6.56	103.84	28.47	31.08
		21:00	26.17	48.97	30.63	8.30	6.65	108.30	16.74	28.08
	日平均	25.81	49.52	30.92	8.25	6.57	104.44	20.35	26.84	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 29 日	蚵殼站	0:00	25.89	50.34	30.88	8.37	6.62	98.65	6.43	22.39
		3:00	26.28	51.48	31.57	8.33	7.40	119.42	24.12	19.31
		6:00	26.12	51.72	31.71	8.17	6.80	109.45	16.67	19.44
		9:00	26.16	50.79	31.15	8.33	7.43	110.46	21.15	21.50
		12:00	26.56	52.01	31.89	8.26	8.16	84.03	14.69	20.97
		15:00	26.75	51.05	31.31	8.35	7.95	105.53	13.25	23.72
		18:00	26.42	49.18	30.18	8.29	8.42	119.30	7.67	21.94
		21:00	26.08	49.26	30.23	8.33	8.16	94.99	8.97	24.36
	日平均	26.28	50.73	31.12	8.30	7.62	105.23	14.12	21.70	
	潮口站	0:00	25.47	51.67	31.68	8.32	6.67	108.65	12.65	7.39
		3:00	25.26	51.98	31.87	8.12	6.16	129.42	8.78	4.31
		6:00	25.49	51.72	31.71	8.20	6.55	119.45	5.20	4.44
		9:00	25.45	52.25	32.03	8.22	6.50	120.46	5.78	6.50
		12:00	25.57	52.20	32.00	8.24	6.80	94.03	5.65	5.97
		15:00	25.66	51.33	31.48	8.34	6.52	115.53	6.57	8.72
		18:00	25.61	50.71	31.10	8.20	7.08	129.30	2.55	6.94
		21:00	25.49	50.67	31.08	8.27	6.40	104.99	4.09	9.36
	日平均	25.50	51.57	31.62	8.24	6.59	115.23	6.41	6.70	
	灣內站	0:00	25.98	48.24	30.21	8.34	6.39	98.65	7.29	27.39
		3:00	25.51	49.21	31.28	8.17	6.03	119.42	28.65	24.31
		6:00	25.55	51.73	31.18	8.25	6.24	109.45	14.36	24.44
		9:00	25.99	50.42	31.77	8.14	6.47	110.46	17.13	26.50
		12:00	26.25	47.76	30.02	8.30	6.41	84.03	11.40	25.97
		15:00	26.29	47.72	30.62	8.21	6.54	105.53	14.89	28.72
		18:00	26.20	49.00	30.51	8.20	6.32	119.30	8.25	26.94
		21:00	26.12	51.22	30.92	8.38	6.00	94.99	15.76	29.36
	日平均	25.99	49.41	30.81	8.25	6.30	105.23	14.72	26.70	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 30 日	蚵殼站	0:00	26.04	49.81	30.56	8.32	7.93	99.05	15.00	23.50
		3:00	26.38	50.21	30.80	8.16	8.06	114.41	17.36	19.99
		6:00	26.29	50.41	30.92	8.20	7.22	83.60	20.60	22.50
		9:00	26.15	50.44	30.94	8.15	7.80	102.18	16.02	20.58
		12:00	26.10	49.89	30.61	8.18	8.54	104.60	9.17	21.58
		15:00	26.17	50.14	30.76	8.22	9.34	95.75	7.07	21.89
		18:00	26.14	50.01	30.68	8.20	7.82	86.92	16.19	21.30
		21:00	25.84	49.66	30.47	8.36	7.38	119.42	6.46	21.99
	日平均	26.14	50.07	30.72	8.22	8.01	100.74	13.48	21.67	
	潮口站	0:00	25.36	50.72	31.11	8.25	6.41	109.05	10.79	8.50
		3:00	25.27	51.40	31.52	8.30	6.57	124.41	6.46	4.99
		6:00	25.39	51.68	31.69	8.28	6.61	93.60	5.84	7.50
		9:00	25.99	51.75	31.73	8.14	7.35	112.18	4.52	5.58
		12:00	26.25	51.43	31.54	8.25	6.94	114.60	7.23	6.58
		15:00	26.29	50.89	31.21	8.34	7.23	105.75	12.25	6.89
		18:00	26.20	50.75	31.13	8.27	6.65	96.92	7.31	6.30
		21:00	26.12	50.84	31.18	8.25	6.76	129.42	2.76	6.99
	日平均	25.86	51.18	31.39	8.26	6.82	110.74	7.15	6.67	
	灣內站	0:00	26.05	49.50	30.44	8.15	6.38	99.05	13.44	28.50
		3:00	25.75	50.19	31.01	8.37	5.97	114.41	29.55	24.99
		6:00	25.79	49.03	29.94	8.11	6.27	83.60	25.25	27.50
		9:00	25.99	49.64	30.98	8.23	6.57	102.18	14.99	25.58
		12:00	26.25	50.59	30.61	8.26	6.70	104.60	15.10	26.58
		15:00	26.29	49.68	29.57	8.10	6.49	95.75	20.64	26.89
		18:00	26.20	48.42	31.05	8.34	6.56	86.92	17.32	26.30
		21:00	26.12	49.58	29.80	8.17	6.04	119.42	12.85	26.99
	日平均	26.06	49.58	30.43	8.22	6.37	100.74	18.64	26.67	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 1 日	蚵殼站	0:00	25.60	50.01	30.68	8.32	7.40	92.93	7.73	21.71
		3:00	25.54	50.49	30.97	8.30	7.61	103.26	12.34	20.11
		6:00	25.22	49.68	30.48	8.37	7.04	90.89	20.06	20.12
		9:00	25.62	49.06	30.11	8.15	7.53	112.23	6.07	22.79
		12:00	25.97	50.06	30.71	8.32	8.81	87.77	11.77	18.28
		15:00	25.70	50.24	30.82	8.12	9.31	115.46	7.06	18.47
		18:00	25.98	49.51	30.38	8.14	8.91	109.97	5.55	20.34
		21:00	25.84	50.37	30.90	8.16	7.82	111.47	7.10	22.84
	日平均	25.68	49.93	30.63	8.24	8.05	103.00	9.71	20.58	
	潮口站	0:00	25.98	51.40	31.52	8.30	7.19	102.93	3.27	6.71
		3:00	25.51	51.47	31.56	8.12	6.46	113.26	2.89	5.11
		6:00	25.43	51.19	31.39	8.39	7.00	100.89	4.51	5.12
		9:00	25.48	50.46	30.95	8.37	7.10	122.23	6.55	7.79
		12:00	25.59	50.31	30.86	8.38	6.94	97.77	5.80	3.28
		15:00	25.57	50.82	31.17	8.25	6.84	125.46	2.99	3.47
		18:00	25.43	50.47	30.96	8.22	6.63	119.97	2.81	5.34
		21:00	25.36	50.92	31.23	8.22	6.50	121.47	3.52	7.84
	日平均	25.54	50.88	31.21	8.28	6.83	113.00	4.04	5.58	
	灣內站	0:00	25.98	49.23	29.59	8.11	6.25	92.93	16.32	26.71
		3:00	25.51	48.30	31.09	8.12	6.38	103.26	13.92	25.11
		6:00	26.05	51.14	30.78	8.19	6.41	90.89	20.27	25.12
		9:00	26.19	50.09	29.10	8.15	6.56	112.23	12.67	27.79
		12:00	26.48	50.79	29.75	8.37	6.91	87.77	18.89	23.28
		15:00	26.42	49.68	30.89	8.38	6.63	115.46	6.42	23.47
		18:00	26.35	50.54	30.70	8.23	6.70	109.97	8.60	25.34
		21:00	26.49	50.21	30.84	8.23	6.56	111.47	13.02	27.84
	日平均	26.18	50.00	30.34	8.22	6.55	103.00	13.76	25.58	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月2日	蚵殼站	0:00	25.58	49.48	30.36	8.10	7.39	106.03	19.94	18.85
		3:00	25.37	49.61	30.44	8.13	7.43	82.39	19.19	17.02
		6:00	25.17	50.92	31.23	8.27	7.18	88.20	20.31	18.11
		9:00	25.57	49.84	30.58	8.15	7.38	118.35	9.32	21.53
		12:00	25.98	49.38	30.30	8.19	7.67	111.64	10.62	21.00
		15:00	25.86	49.51	30.38	8.38	7.84	92.72	19.15	22.56
		18:00	25.75	50.59	31.03	8.15	7.21	101.08	26.94	20.87
		21:00	25.57	50.92	31.23	8.19	7.76	81.60	13.34	22.02
		日平均	25.61	50.03	30.69	8.20	7.48	97.75	17.35	20.25
	潮口站	0:00	25.03	50.46	30.95	8.29	6.49	116.03	5.91	3.85
		3:00	24.98	50.42	30.93	8.14	7.24	92.39	4.24	2.02
		6:00	24.94	52.18	31.99	8.31	6.26	98.20	4.73	3.11
		9:00	25.45	51.27	31.44	8.30	6.96	128.35	4.51	6.53
		12:00	25.62	51.02	31.29	8.21	7.77	121.64	3.81	6.00
		15:00	25.90	50.95	31.25	8.39	7.71	102.72	1.93	7.56
		18:00	25.60	51.63	31.66	8.11	7.60	111.08	2.44	5.87
		21:00	25.52	52.13	31.96	8.34	7.34	91.60	4.36	7.02
		日平均	25.38	51.26	31.43	8.26	7.17	107.75	3.99	5.25
	灣內站	0:00	26.13	50.85	30.00	8.31	6.50	106.03	19.35	23.85
		3:00	25.85	48.85	29.56	8.19	6.58	82.39	25.77	22.02
		6:00	25.26	51.68	30.03	8.34	6.24	88.20	28.72	23.11
		9:00	25.92	49.66	30.16	8.30	6.76	118.35	8.51	26.53
		12:00	25.99	50.29	31.08	8.12	7.42	111.64	12.34	26.00
		15:00	26.35	46.18	30.29	8.29	7.14	92.72	29.50	27.56
		18:00	26.48	49.83	30.73	8.18	6.89	101.08	33.79	25.87
		21:00	26.22	50.31	30.62	8.15	6.52	81.60	16.47	27.02
		日平均	26.03	49.71	30.31	8.24	6.76	97.75	21.81	25.25
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月3日	蚵殼站	0:00	25.41	49.88	30.60	8.19	7.44	93.11	10.70	20.00
		3:00	25.22	51.37	31.50	8.19	6.96	113.02	8.95	21.38
		6:00	25.04	51.80	31.76	8.26	7.62	91.87	18.22	18.19
		9:00	25.49	50.11	30.74	8.39	7.14	93.41	18.94	18.97
		12:00	25.90	51.47	31.56	8.17	7.78	101.19	7.53	21.14
		15:00	25.90	50.44	30.94	8.32	7.16	97.57	10.99	20.06
		18:00	25.83	51.35	31.49	8.12	6.93	112.11	12.99	22.98
		21:00	25.64	51.73	31.72	8.34	6.95	93.44	12.76	22.55
		日平均	25.55	51.02	31.29	8.25	7.25	99.47	12.64	20.66
	潮口站	0:00	25.09	51.24	31.42	8.19	7.10	103.11	21.80	5.00
		3:00	25.02	51.55	31.61	8.31	7.59	123.02	5.80	6.38
		6:00	25.03	52.03	31.90	8.37	7.17	101.87	3.67	3.19
		9:00	25.40	51.73	31.72	8.12	7.50	103.41	3.67	3.97
		12:00	25.79	51.62	31.65	8.31	8.37	111.19	2.60	6.14
		15:00	25.82	51.30	31.46	8.17	8.56	107.57	1.98	5.06
		18:00	25.71	52.10	31.94	8.32	7.56	122.11	3.45	7.98
		21:00	25.50	52.06	31.92	8.12	6.77	103.44	3.59	7.55
		日平均	25.42	51.70	31.70	8.24	7.58	109.47	5.82	5.66
	灣內站	0:00	25.85	49.64	30.92	8.12	6.29	93.11	13.44	25.00
		3:00	25.56	49.69	30.34	8.12	6.71	113.02	13.51	26.38
		6:00	25.21	51.33	30.32	8.26	6.49	91.87	31.73	23.19
		9:00	25.72	49.03	30.14	8.28	6.82	93.41	19.09	23.97
		12:00	26.06	49.46	31.57	8.39	8.08	101.19	12.50	26.14
		15:00	26.26	48.63	30.62	8.38	7.88	97.57	18.17	25.06
		18:00	26.21	48.04	30.96	8.28	7.40	112.11	20.32	27.98
		21:00	25.92	51.53	31.79	8.11	6.73	93.44	15.36	27.55
		日平均	25.85	49.67	30.83	8.24	7.05	99.47	18.02	25.66
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月4日	蚵殼站	0:00	25.42	51.37	31.50	8.11	7.26	98.29	8.05	18.79
		3:00	25.15	51.35	31.49	8.29	6.82	95.51	5.74	19.79
		6:00	25.04	51.29	31.45	8.30	7.41	104.37	7.37	19.72
		9:00	25.53	50.95	31.25	8.34	6.82	85.15	9.57	17.79
		12:00	25.68	50.47	30.96	8.39	7.35	110.75	14.85	18.53
		15:00	25.49	51.00	31.28	8.38	7.55	113.61	4.09	18.50
		18:00	25.42	51.58	31.63	8.36	7.92	86.03	9.60	21.56
		21:00	25.31	51.72	31.71	8.18	7.16	87.67	18.80	23.97
		日平均	25.38	51.22	31.41	8.29	7.29	97.67	9.76	19.83
	潮口站	0:00	25.17	51.68	31.69	8.18	6.79	108.29	4.90	3.79
		3:00	24.95	51.58	31.63	8.32	7.01	105.51	3.02	4.79
		6:00	24.87	51.75	31.73	8.29	6.51	114.37	1.80	4.72
		9:00	25.19	51.67	31.68	8.20	7.10	95.15	4.66	2.79
		12:00	25.67	51.50	31.58	8.31	8.34	120.75	3.76	3.53
		15:00	25.63	51.60	31.64	8.14	8.44	123.61	2.35	3.50
		18:00	25.49	51.86	31.80	8.38	8.07	96.03	4.89	6.56
		21:00	25.46	51.75	31.73	8.10	7.41	97.67	1.91	8.97
		日平均	25.30	51.67	31.69	8.24	7.46	107.67	3.41	4.83
	灣內站	0:00	25.73	50.56	30.14	8.14	6.45	98.29	17.82	23.79
		3:00	25.50	48.12	30.53	8.34	6.65	95.51	13.79	24.79
		6:00	25.15	51.22	30.89	8.25	6.35	104.37	12.41	24.72
		9:00	25.43	52.13	30.51	8.17	6.47	85.15	12.94	22.79
		12:00	25.81	48.58	30.34	8.34	7.76	110.75	15.39	23.53
		15:00	25.75	51.20	30.73	8.13	7.92	113.61	10.30	23.50
		18:00	25.61	50.66	31.53	8.33	7.37	86.03	6.56	26.56
		21:00	25.57	48.68	31.70	8.14	6.94	87.67	23.61	28.97
		日平均	25.57	50.14	30.80	8.23	6.99	97.67	14.10	24.83
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月5日	蚵殼站	0:00	25.09	50.67	31.08	8.29	7.02	80.69	4.37	17.06
		3:00	25.05	51.17	31.38	8.31	7.04	81.51	23.68	19.61
		6:00	24.90	51.68	31.69	8.33	6.53	89.59	6.79	17.20
		9:00	25.12	50.44	30.94	8.26	6.98	99.61	24.37	20.04
		12:00	25.59	50.69	31.09	8.16	6.52	92.41	15.77	19.39
		15:00	25.56	50.56	31.01	8.36	7.25	119.78	10.80	20.46
		18:00	25.42	50.59	31.03	8.36	7.32	102.37	7.91	23.04
		21:00	25.17	51.29	31.45	8.17	6.64	96.22	17.03	17.89
		日平均	25.24	50.89	31.21	8.28	6.91	95.27	13.84	19.34
	潮口站	0:00	25.22	51.70	31.70	8.18	6.46	90.69	1.95	2.06
		3:00	24.81	51.67	31.68	8.26	7.40	91.51	1.53	4.61
		6:00	24.69	51.77	31.74	8.19	7.10	99.59	1.20	2.20
		9:00	25.00	51.72	31.71	8.14	7.05	109.61	2.76	5.04
		12:00	25.87	51.35	31.49	8.34	7.56	102.41	1.07	4.39
		15:00	25.91	50.95	31.25	8.16	7.69	129.78	1.15	5.46
		18:00	25.81	51.38	31.51	8.17	6.95	112.37	1.43	8.04
		21:00	25.70	51.57	31.62	8.15	7.34	106.22	14.10	2.89
		日平均	25.38	51.51	31.59	8.20	7.19	105.27	3.15	4.34
	灣內站	0:00	25.45	50.08	31.12	8.26	6.58	80.69	5.89	22.06
		3:00	25.37	50.71	30.61	8.28	6.60	81.51	26.64	24.61
		6:00	25.18	48.29	30.41	8.34	6.33	89.59	14.32	22.20
		9:00	25.76	49.98	30.45	8.10	6.62	99.61	33.72	25.04
		12:00	26.28	51.62	30.97	8.28	7.22	92.41	18.09	24.39
		15:00	26.54	49.35	29.42	8.30	7.03	119.78	14.81	25.46
		18:00	26.70	49.21	31.24	8.22	6.70	102.37	14.61	28.04
		21:00	26.15	51.67	30.72	8.30	6.56	96.22	12.73	22.89
		日平均	25.93	50.11	30.62	8.26	6.71	95.27	17.60	24.34
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 4~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 6 日	蚵殼站	0:00	24.80	50.72	31.11	8.38	6.65	66.93	3.24	19.17
		3:00	24.74	50.80	31.16	8.29	7.00	62.74	17.50	21.22
		6:00	24.60	50.67	31.08	8.33	7.33	98.34	21.15	18.72
		9:00	24.66	50.49	30.97	8.16	7.92	78.47	19.28	18.91
		12:00	24.96	49.28	30.24	8.34	9.25	87.19	10.94	17.72
		15:00	25.03	50.09	30.73	8.32	8.06	65.47	7.22	23.17
		18:00	24.96	51.02	31.29	8.22	6.31	48.09	19.90	20.79
		21:00	24.82	49.94	30.64	8.18	6.27	66.06	10.54	21.18
		日平均	24.82	50.38	30.90	8.28	7.35	71.66	13.72	20.11
	潮口站	0:00	25.47	51.57	31.62	8.11	6.60	76.93	3.67	4.17
		3:00	25.02	51.55	31.61	8.33	6.71	72.74	5.29	6.22
		6:00	24.94	51.57	31.62	8.22	7.08	108.34	2.61	3.72
		9:00	25.08	51.14	31.36	8.14	6.51	88.47	19.10	3.91
		12:00	25.36	50.80	31.16	8.29	7.62	97.19	78.43	2.72
		15:00	25.40	50.95	31.25	8.13	7.10	75.47	52.10	8.17
		18:00	25.17	51.50	31.58	8.28	6.61	58.09	58.80	5.79
		21:00	25.12	51.47	31.56	8.25	6.59	76.06	76.66	6.18
		日平均	25.20	51.32	31.47	8.22	6.85	81.66	37.08	5.11
	灣內站	0:00	25.96	51.25	30.49	8.20	6.08	66.93	12.44	24.17
		3:00	25.60	49.35	30.72	8.35	6.36	62.74	24.62	26.22
		6:00	25.40	50.09	30.52	8.18	6.15	98.34	26.24	23.72
		9:00	25.55	48.93	29.74	8.29	6.34	78.47	29.59	23.91
		12:00	25.82	48.78	29.30	8.20	6.78	87.19	17.05	22.72
		15:00	25.81	49.93	29.73	8.26	6.89	65.47	8.44	28.17
		18:00	25.67	49.31	29.83	8.33	6.48	48.09	20.58	25.79
		21:00	25.68	49.00	31.49	8.21	6.55	66.06	11.03	26.18
		日平均	25.69	49.58	30.23	8.25	6.45	71.66	18.75	25.11
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 7 日	蚵殼站	0:00	24.31	49.96	30.65	8.16	7.03	53.60	11.51	18.37
		3:00	24.23	50.03	30.69	8.23	6.98	42.04	14.61	20.03
		6:00	24.24	51.55	31.61	8.15	6.90	73.75	18.74	20.49
		9:00	24.23	50.56	31.01	8.24	7.75	56.49	8.32	22.29
		12:00	24.52	50.44	30.94	8.27	7.97	74.95	4.24	20.86
		15:00	24.46	51.27	31.44	8.20	7.36	72.99	4.14	21.83
		18:00	24.34	51.75	31.73	8.20	7.17	67.45	4.20	21.83
		21:00	24.15	51.53	31.60	8.26	7.35	67.21	6.25	23.60
		日平均	24.31	50.89	31.21	8.21	7.31	63.56	9.00	21.16
	潮口站	0:00	25.15	51.57	31.62	8.25	6.65	63.60	8.35	3.37
		3:00	25.04	51.38	31.51	8.25	6.80	52.04	38.56	5.03
		6:00	24.36	51.83	31.78	8.27	6.79	83.75	60.91	5.49
		9:00	24.58	51.75	31.73	8.38	6.67	66.49	67.32	7.29
		12:00	25.50	51.88	31.81	8.33	7.26	84.95	34.01	5.86
		15:00	25.51	51.91	31.83	8.19	7.11	82.99	54.97	6.83
		18:00	25.06	51.96	31.86	8.34	7.11	77.45	91.01	6.83
		21:00	24.86	51.82	31.77	8.31	6.30	77.21	90.25	8.60
		日平均	25.01	51.76	31.74	8.29	6.84	73.56	55.67	6.16
	灣內站	0:00	25.53	49.89	30.17	8.28	6.16	53.60	22.91	23.37
		3:00	25.25	50.77	30.32	8.33	6.11	42.04	12.87	25.03
		6:00	25.15	49.74	30.33	8.16	6.25	73.75	17.85	25.49
		9:00	25.25	49.31	31.67	8.25	6.41	56.49	11.36	27.29
		12:00	25.91	49.78	30.79	8.17	6.57	74.95	12.66	25.86
		15:00	26.08	47.97	29.96	8.34	6.55	72.99	8.63	26.83
		18:00	26.01	51.20	31.67	8.21	6.49	67.45	8.34	26.83
		21:00	25.77	50.74	30.61	8.15	6.36	67.21	12.53	28.60
		日平均	25.62	49.93	30.69	8.24	6.36	63.56	13.39	26.16
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月8日	蚵殼站	0:00	23.39	51.02	31.29	8.12	6.82	71.39	10.55	21.93
		3:00	22.60	50.29	30.85	8.30	6.90	76.08	10.60	17.69
		6:00	23.75	51.33	31.48	8.22	6.67	83.86	29.58	19.88
		9:00	24.21	50.95	31.25	8.18	6.51	102.67	11.20	20.00
		12:00	24.75	51.53	31.60	8.26	7.65	63.99	17.90	19.57
		15:00	24.68	50.01	30.68	8.18	7.66	77.84	13.92	20.95
		18:00	24.51	50.59	31.03	8.19	6.45	72.09	24.38	21.77
		21:00	24.29	50.84	31.18	8.35	5.58	76.75	15.68	18.65
		日平均	24.02	50.82	31.17	8.23	6.78	78.08	16.73	20.06
	潮口站	0:00	25.09	52.13	31.96	8.22	6.22	81.39	72.32	6.93
		3:00	24.95	51.85	31.79	8.13	6.65	86.08	17.48	2.69
		6:00	24.46	52.20	32.00	8.29	6.52	93.86	1.21	4.88
		9:00	24.62	51.96	31.86	8.16	6.22	112.67	2.92	5.00
		12:00	25.30	51.72	31.71	8.14	6.23	73.99	2.25	4.57
		15:00	25.40	51.42	31.53	8.35	6.71	87.84	2.98	5.95
		18:00	25.08	51.63	31.66	8.34	7.18	82.09	6.23	6.77
		21:00	24.83	51.86	31.80	8.38	6.08	86.75	3.86	3.65
		日平均	24.97	51.85	31.79	8.25	6.48	88.08	13.66	5.06
	灣內站	0:00	25.68	49.96	30.05	8.35	6.05	71.39	16.64	26.93
		3:00	25.56	49.48	30.85	8.14	5.83	76.08	16.82	22.69
		6:00	25.50	49.61	30.04	8.33	5.89	83.86	31.35	24.88
		9:00	25.85	48.44	31.16	8.22	6.35	102.67	23.63	25.00
		12:00	26.25	48.07	30.15	8.25	6.19	63.99	16.18	24.57
		15:00	25.89	50.44	30.67	8.39	6.46	77.84	23.87	25.95
		18:00	26.03	50.03	31.26	8.10	6.39	72.09	22.08	26.77
		21:00	25.86	47.87	31.54	8.13	6.06	76.75	26.62	23.65
		日平均	25.83	49.24	30.72	8.24	6.15	78.08	22.15	25.06
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月9日	蚵殼站	0:00	24.63	51.33	31.48	8.26	6.43	54.04	10.76	18.20
		3:00	23.59	50.61	31.04	8.39	6.62	83.00	2.38	21.02
		6:00	24.26	50.49	30.97	8.10	6.86	64.23	13.48	20.69
		9:00	24.40	51.30	31.46	8.11	7.48	81.25	16.52	21.56
		12:00	24.73	50.42	30.93	8.27	7.64	76.64	9.48	17.81
		15:00	24.64	51.04	31.30	8.21	8.18	78.84	6.66	20.82
		18:00	24.47	50.72	31.11	8.28	7.65	78.87	7.31	20.63
		21:00	24.34	50.62	31.05	8.28	7.04	102.76	4.28	19.54
		日平均	24.38	50.82	31.17	8.24	7.24	77.45	8.86	20.03
	潮口站	0:00	24.94	51.35	31.49	8.35	6.34	64.04	5.85	3.20
		3:00	24.93	51.52	31.59	8.19	6.45	93.00	3.56	6.02
		6:00	24.58	52.08	31.93	8.33	6.70	74.23	5.49	5.69
		9:00	24.68	51.82	31.77	8.28	7.51	91.25	3.98	6.56
		12:00	25.21	51.91	31.83	8.37	8.50	86.64	3.53	2.81
		15:00	25.42	51.90	31.82	8.36	8.01	88.84	2.99	5.82
		18:00	25.15	52.23	32.02	8.11	6.26	88.87	5.88	5.63
		21:00	25.07	52.23	32.02	8.38	5.98	112.76	7.79	4.54
		日平均	25.00	51.88	31.81	8.30	6.97	87.45	4.88	5.03
	灣內站	0:00	25.59	52.05	30.98	8.14	7.03	54.04	16.77	23.20
		3:00	25.42	49.51	31.30	8.39	6.46	83.00	13.89	26.02
		6:00	25.29	48.32	30.25	8.38	6.90	64.23	20.29	25.69
		9:00	25.66	48.97	30.07	8.14	8.30	81.25	24.95	26.56
		12:00	26.10	50.22	31.34	8.38	8.84	76.64	7.68	22.81
		15:00	26.03	48.22	31.50	8.13	7.85	78.84	18.46	25.82
		18:00	26.31	49.61	30.94	8.39	6.82	78.87	13.96	25.63
		21:00	26.14	48.85	30.27	8.24	6.34	102.76	8.76	24.54
		日平均	25.82	49.47	30.83	8.27	7.32	77.45	15.60	25.03
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月10日	蚵殼站	0:00	24.65	51.57	31.62	8.38	6.72	63.57	6.02	21.41
		3:00	23.97	51.95	31.85	8.29	7.47	80.35	9.12	17.53
		6:00	24.21	51.47	31.56	8.25	7.03	74.09	15.89	20.38
		9:00	24.74	51.98	31.87	8.25	7.61	79.27	23.01	18.42
		12:00	24.99	50.74	31.12	8.39	7.64	80.96	12.34	20.59
		15:00	24.83	49.45	30.34	8.24	7.86	79.49	10.47	21.41
		18:00	24.68	50.69	31.09	8.25	7.40	82.60	14.83	17.74
		21:00	24.59	51.15	31.37	8.31	6.71	77.33	8.37	19.95
	日平均	24.58	51.13	31.35	8.30	7.31	77.21	12.51	19.68	
	潮口站	0:00	25.07	52.40	32.12	8.31	6.09	73.57	7.53	6.41
		3:00	25.08	52.03	31.90	8.39	6.71	90.35	4.93	2.53
		6:00	24.90	52.28	32.05	8.29	6.24	84.09	5.88	5.38
		9:00	25.00	52.16	31.98	8.14	7.09	89.27	4.02	3.42
		12:00	25.40	51.67	31.68	8.25	7.38	90.96	5.53	5.59
		15:00	25.33	51.05	31.31	8.28	6.63	89.49	5.66	6.41
		18:00	25.29	52.06	31.92	8.14	7.09	92.60	7.67	2.74
		21:00	25.28	52.06	31.92	8.13	6.62	87.33	11.03	4.95
	日平均	25.17	51.96	31.86	8.24	6.73	87.21	6.53	4.68	
	灣內站	0:00	25.91	50.74	31.32	8.27	6.47	63.57	5.78	26.41
		3:00	25.84	49.83	31.01	8.13	6.11	80.35	20.59	22.53
		6:00	25.75	50.72	31.26	8.34	6.23	74.09	15.50	25.38
		9:00	26.17	48.39	30.80	8.13	6.47	79.27	30.81	23.42
		12:00	26.52	50.72	30.67	8.30	7.70	80.96	10.59	25.59
		15:00	26.68	49.28	31.16	8.21	6.30	79.49	15.00	26.41
		18:00	26.92	48.63	31.35	8.19	7.12	82.60	22.15	22.74
		21:00	26.72	48.44	31.31	8.14	6.85	77.33	8.41	24.95
	日平均	26.31	49.59	31.11	8.21	6.66	77.21	16.10	24.68	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月11日	蚵殼站	0:00	24.46	49.99	30.67	8.27	6.72	67.01	5.76	19.56
		3:00	24.18	51.30	31.46	8.12	6.74	56.22	15.34	19.53
		6:00	24.12	50.79	31.15	8.24	7.14	52.87	14.35	19.77
		9:00	24.47	49.83	30.57	8.12	6.99	76.13	17.33	20.41
		12:00	25.04	49.99	30.67	8.34	8.25	51.03	8.51	19.31
		15:00	24.90	48.88	30.00	8.12	8.21	63.99	9.24	19.93
		18:00	24.78	49.36	30.29	8.37	7.55	37.94	6.01	21.25
		21:00	24.65	49.79	30.55	8.14	7.09	92.05	15.43	21.97
	日平均	24.58	49.99	30.67	8.22	7.34	62.16	11.50	20.22	
	潮口站	0:00	25.26	51.50	31.58	8.14	5.92	77.01	12.88	4.56
		3:00	25.24	51.43	31.54	8.24	6.15	66.22	10.42	4.53
		6:00	25.24	51.37	31.50	8.17	5.94	62.87	6.16	4.77
		9:00	25.46	51.33	31.48	8.11	6.46	86.13	7.00	5.41
		12:00	25.96	51.35	31.49	8.15	7.55	61.03	7.05	4.31
		15:00	25.62	50.19	30.79	8.26	7.34	73.99	6.96	4.93
		18:00	25.63	50.14	30.76	8.14	5.65	47.94	2.74	6.25
		21:00	25.89	51.15	31.37	8.13	5.28	102.05	5.53	6.97
	日平均	25.54	51.06	31.31	8.17	6.29	72.16	7.34	5.22	
	灣內站	0:00	26.37	50.74	31.12	8.37	6.35	67.01	10.30	24.56
		3:00	26.14	48.65	29.86	8.28	6.26	56.22	20.16	24.53
		6:00	25.77	51.27	31.44	8.21	6.09	52.87	14.50	24.77
		9:00	26.47	51.07	31.32	8.31	6.76	76.13	25.31	25.41
		12:00	27.61	51.07	31.32	8.30	7.05	51.03	8.65	24.31
		15:00	27.74	48.80	29.95	8.29	7.25	63.99	17.84	24.93
		18:00	26.58	50.14	30.76	8.21	5.52	37.94	11.71	26.25
		21:00	26.81	48.18	29.58	8.11	5.51	92.05	19.74	26.97
	日平均	26.69	49.99	30.67	8.26	6.35	62.16	16.03	25.22	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 12 日	蚵殼站	0:00	24.53	49.63	30.45	8.11	6.82	83.58	10.37	20.34
		3:00	24.27	49.86	30.59	8.30	7.62	70.95	16.52	19.72
		6:00	24.15	50.95	31.25	8.24	7.49	51.24	13.95	22.60
		9:00	24.35	49.78	30.54	8.29	8.27	94.16	15.34	21.39
		12:00	24.79	50.22	30.81	8.10	7.11	55.30	16.08	19.21
		15:00	24.71	50.42	30.93	8.12	7.31	73.58	3.27	21.46
		18:00	24.54	50.51	30.98	8.36	7.76	85.15	12.73	19.58
		21:00	24.35	50.44	30.94	8.39	7.65	80.99	16.19	21.55
		日平均	24.46	50.23	30.81	8.24	7.50	74.37	13.06	20.73
	潮口站	0:00	25.93	50.31	30.86	8.34	6.17	93.58	10.92	5.34
		3:00	25.57	50.17	30.78	8.38	6.43	80.95	7.85	4.72
		6:00	25.42	51.30	31.46	8.30	6.34	61.24	5.85	7.60
		9:00	26.06	51.22	31.41	8.23	6.81	104.16	5.23	6.39
		12:00	26.05	51.12	31.35	8.30	7.38	65.30	8.10	4.21
		15:00	25.76	50.95	31.25	8.32	7.45	83.58	12.90	6.46
		18:00	25.70	50.74	31.12	8.21	6.75	95.15	9.09	4.58
		21:00	26.02	51.37	31.50	8.38	6.74	90.99	4.19	6.55
		日平均	25.81	50.90	31.22	8.31	6.76	84.37	8.02	5.73
	灣內站	0:00	26.01	48.95	30.04	8.13	6.40	83.58	11.59	25.34
		3:00	26.48	48.52	29.78	8.26	6.46	70.95	18.65	24.72
		6:00	27.85	50.03	30.69	8.10	7.05	51.24	21.35	27.60
		9:00	27.49	50.14	30.76	8.12	7.30	94.16	24.67	26.39
		12:00	26.66	50.72	31.11	8.24	6.96	55.30	27.69	24.21
		15:00	26.22	49.64	30.46	8.35	6.51	73.58	16.63	26.46
		18:00	26.80	48.08	29.52	8.29	6.62	85.15	21.59	24.58
		21:00	26.68	48.32	29.66	8.28	6.54	80.99	15.88	26.55
		日平均	26.77	49.30	30.25	8.22	6.73	74.37	19.76	25.73
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 13 日	蚵殼站	0:00	24.18	51.24	31.42	8.39	8.17	99.56	6.88	19.83
		3:00	23.93	49.48	30.36	8.30	7.24	57.35	14.68	19.13
		6:00	23.74	49.74	30.52	8.22	7.25	82.78	23.99	18.56
		9:00	24.06	50.85	31.19	8.16	7.42	63.86	15.28	18.79
		12:00	24.40	50.49	30.97	8.31	7.74	48.09	13.73	18.88
		15:00	24.42	50.97	31.26	8.15	7.52	98.89	4.41	21.07
		18:00	24.34	50.09	30.73	8.23	7.72	85.22	7.31	19.95
		21:00	24.16	50.85	31.19	8.25	7.83	92.59	5.86	21.34
		日平均	24.15	50.46	30.96	8.25	7.61	78.54	11.52	19.69
	潮口站	0:00	26.06	51.24	31.42	8.13	6.51	109.56	4.51	4.83
		3:00	25.67	51.10	31.34	8.35	7.17	67.35	4.62	4.13
		6:00	25.19	51.33	31.48	8.14	6.64	92.78	5.06	3.56
		9:00	25.96	51.47	31.56	8.26	6.99	73.86	7.21	3.79
		12:00	25.90	51.37	31.50	8.39	7.25	58.09	7.62	3.88
		15:00	25.59	51.25	31.43	8.31	6.87	108.89	4.34	6.07
		18:00	25.47	50.62	31.05	8.32	7.25	95.22	4.73	4.95
		21:00	25.83	51.42	31.53	8.24	6.48	102.59	4.01	6.34
		日平均	25.71	51.23	31.41	8.27	6.90	88.54	5.26	4.69
	灣內站	0:00	26.52	49.98	30.66	8.22	6.55	99.56	11.62	24.83
		3:00	26.33	50.87	31.20	8.29	6.53	57.35	10.91	24.13
		6:00	28.46	49.91	30.62	8.37	6.13	82.78	23.31	23.56
		9:00	27.44	49.31	30.26	8.31	6.61	63.86	14.30	23.79
		12:00	27.06	48.58	29.82	8.31	6.26	48.09	16.35	23.88
		15:00	26.61	50.62	31.05	8.31	6.56	98.89	11.84	26.07
		18:00	27.03	49.50	30.37	8.12	6.31	85.22	4.27	24.95
		21:00	27.96	50.36	30.89	8.25	6.31	92.59	7.79	26.34
		日平均	27.18	49.89	30.61	8.27	6.41	78.54	12.55	24.69
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月14日	蚵殼站	0:00	24.10	50.31	30.86	8.24	8.47	115.56	19.62	19.58
		3:00	23.90	50.56	31.01	8.36	6.92	107.23	21.15	19.07
		6:00	23.63	51.10	31.34	8.15	7.30	83.41	29.25	17.05
		9:00	23.83	50.82	31.17	8.19	8.35	77.95	8.93	16.89
		12:00	24.03	50.39	30.91	8.38	7.67	58.36	14.11	18.95
		15:00	23.72	51.32	31.47	8.31	8.38	98.44	8.25	24.84
		18:00	23.64	49.88	30.60	8.11	6.84	75.86	20.24	27.69
		21:00	23.64	50.99	31.27	8.18	7.57	75.74	13.92	25.48
	日平均	23.81	50.67	31.08	8.24	7.69	86.57	16.93	21.19	
	潮口站	0:00	25.82	51.24	31.42	8.22	6.69	125.56	13.86	4.58
		3:00	25.67	51.47	31.56	8.31	6.56	117.23	9.26	4.07
		6:00	25.22	51.32	31.47	8.33	6.44	93.41	6.33	2.05
		9:00	25.72	51.45	31.55	8.16	6.40	87.95	5.95	1.89
		12:00	25.91	51.35	31.49	8.18	7.44	68.36	6.26	3.95
		15:00	25.61	51.42	31.53	8.39	7.32	108.44	7.94	9.84
		18:00	25.33	51.32	31.47	8.15	7.10	85.86	2.62	12.69
		21:00	25.51	51.45	31.55	8.37	7.07	85.74	4.95	10.48
	日平均	25.60	51.38	31.51	8.26	6.88	96.57	7.15	6.19	
	灣內站	0:00	27.30	50.64	31.06	8.11	7.21	115.56	22.68	29.58
		3:00	28.37	49.05	30.10	8.11	6.60	107.23	19.78	29.07
		6:00	27.18	49.59	30.43	8.22	7.05	83.41	38.26	27.05
		9:00	27.61	50.32	30.87	8.34	6.58	77.95	9.15	26.89
		12:00	27.11	48.42	29.72	8.15	7.16	58.36	28.29	28.95
		15:00	26.19	49.03	30.09	8.14	7.11	98.44	15.04	34.84
		18:00	26.22	48.15	29.56	8.24	6.89	75.86	32.87	37.69
		21:00	27.32	49.35	30.28	8.26	6.70	75.74	19.06	35.48
	日平均	27.16	49.32	30.26	8.20	6.91	86.57	23.14	31.19	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月15日	蚵殼站	0:00	23.52	49.79	30.55	8.38	8.16	84.23	7.27	25.89
		3:00	23.32	50.85	31.19	8.15	7.11	77.17	5.65	24.62
		6:00	23.05	51.37	31.50	8.13	7.43	111.19	19.20	19.51
		9:00	23.54	52.08	31.93	8.37	7.72	96.67	9.87	20.54
		12:00	24.07	50.95	31.25	8.30	8.15	87.35	11.19	19.73
		15:00	23.62	50.36	30.89	8.34	9.20	40.99	8.27	21.18
		18:00	23.36	50.03	30.69	8.36	7.95	51.00	7.14	23.90
		21:00	23.30	50.49	30.97	8.35	8.00	46.21	13.64	23.36
	日平均	23.47	50.74	31.12	8.30	7.97	74.35	10.28	22.34	
	潮口站	0:00	25.53	51.38	31.51	8.25	6.14	94.23	10.86	10.89
		3:00	25.56	52.11	31.95	8.16	6.65	87.17	6.69	9.62
		6:00	25.26	52.40	32.12	8.12	7.11	121.19	7.34	4.51
		9:00	25.40	52.43	32.14	8.28	7.34	106.67	5.98	5.54
		12:00	25.92	51.58	31.63	8.30	6.60	97.35	8.77	4.73
		15:00	25.55	50.84	31.18	8.11	6.64	50.99	14.11	6.18
		18:00	25.22	51.47	31.56	8.22	6.84	61.00	8.47	8.90
		21:00	25.49	51.50	31.58	8.15	7.12	56.21	3.70	8.36
	日平均	25.49	51.71	31.71	8.20	6.81	84.35	8.24	7.34	
	灣內站	0:00	27.14	49.36	30.29	8.23	6.98	84.23	6.97	35.89
		3:00	26.74	51.52	31.59	8.25	6.99	77.17	10.67	34.62
		6:00	26.19	50.61	31.04	8.39	6.51	111.19	25.36	29.51
		9:00	27.16	51.69	31.69	8.36	7.39	96.67	11.37	30.54
		12:00	26.92	49.64	30.46	8.32	6.83	87.35	13.86	29.73
		15:00	26.66	49.84	30.58	8.31	7.05	40.99	13.52	31.18
		18:00	26.00	50.52	30.99	8.23	7.11	51.00	20.53	33.90
		21:00	26.63	48.22	29.60	8.18	6.87	46.21	15.20	33.36
	日平均	26.68	50.18	30.78	8.28	6.97	74.35	14.69	32.34	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月16日	蚵殼站	0:00	23.28	51.00	31.28	8.27	8.36	117.09	4.97	21.71
		3:00	23.14	51.35	31.49	8.21	8.00	113.69	7.47	20.11
		6:00	23.06	51.09	31.33	8.39	7.11	66.27	13.58	20.12
		9:00	23.39	50.95	31.25	8.19	8.12	63.87	15.68	22.79
		12:00	24.12	49.53	30.39	8.28	8.19	38.60	7.19	18.28
		15:00	24.07	49.68	30.48	8.32	9.02	63.76	5.41	18.47
		18:00	24.08	50.59	31.03	8.29	8.54	91.50	6.53	20.34
		21:00	23.88	50.06	30.71	8.14	7.10	54.85	12.26	22.84
		日平均	23.63	50.53	31.00	8.26	8.06	76.20	9.14	20.58
	潮口站	0:00	25.57	52.25	32.03	8.36	7.19	127.09	3.88	6.71
		3:00	25.55	52.26	32.04	8.12	7.13	123.69	4.79	5.11
		6:00	25.29	51.55	31.61	8.14	6.80	76.27	6.20	5.12
		9:00	25.21	51.86	31.80	8.32	7.26	73.87	6.93	7.79
		12:00	25.55	51.00	31.28	8.25	7.17	48.60	6.18	3.28
		15:00	25.34	50.82	31.17	8.16	6.77	73.76	4.53	3.47
		18:00	25.04	51.73	31.72	8.11	7.10	101.50	4.66	5.34
		21:00	25.00	51.43	31.54	8.10	7.39	64.85	4.03	7.84
		日平均	25.32	51.61	31.65	8.20	7.10	86.20	5.15	5.58
	灣內站	0:00	26.18	51.24	31.42	8.19	7.38	117.09	12.81	33.08
		3:00	26.33	50.32	30.87	8.12	7.12	113.69	17.95	32.59
		6:00	25.54	51.49	31.57	8.20	7.06	66.27	22.90	36.56
		9:00	25.86	49.46	30.35	8.36	6.75	63.87	16.84	37.53
		12:00	26.18	50.79	31.15	8.18	7.65	38.60	20.68	36.69
		15:00	25.85	47.95	29.44	8.35	7.50	63.76	18.13	41.07
		18:00	25.34	50.84	31.18	8.20	7.18	91.50	7.49	42.53
		21:00	25.80	51.30	31.46	8.24	7.02	54.85	11.19	33.66
		日平均	25.89	50.42	30.93	8.23	7.21	76.20	16.00	36.71
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月17日	蚵殼站	0:00	23.78	51.32	31.47	8.24	7.06	117.61	6.77	18.85
		3:00	23.62	52.18	31.99	8.36	7.26	117.01	17.47	17.02
		6:00	23.52	50.74	31.12	8.36	7.53	59.57	13.25	18.11
		9:00	23.47	49.84	30.58	8.19	8.03	78.50	16.86	21.53
		12:00	23.34	51.93	31.84	8.29	7.76	37.59	10.85	21.00
		15:00	23.18	50.27	30.84	8.18	8.29	40.91	2.77	22.56
		18:00	22.98	50.42	30.93	8.12	7.56	72.91	6.54	20.87
		21:00	22.81	50.19	30.79	8.37	7.17	90.38	8.90	22.02
		日平均	23.34	50.86	31.20	8.26	7.58	76.81	10.43	20.25
	潮口站	0:00	24.91	52.28	32.05	8.31	7.52	127.61	6.15	3.85
		3:00	24.87	52.56	32.22	8.35	6.46	127.01	4.63	2.02
		6:00	24.64	51.50	31.58	8.20	6.35	69.57	6.47	3.11
		9:00	24.80	51.27	31.44	8.30	7.49	88.50	6.35	6.53
		12:00	24.95	51.96	31.86	8.36	7.37	47.59	5.21	6.00
		15:00	24.82	51.52	31.59	8.24	7.64	50.91	2.55	7.56
		18:00	24.70	51.83	31.78	8.27	6.40	82.91	4.23	5.87
		21:00	24.82	51.50	31.58	8.23	7.24	100.38	4.50	7.02
		日平均	24.81	51.80	31.76	8.28	7.06	86.81	5.01	5.25
	灣內站	0:00	26.11	51.87	31.80	8.28	7.59	127.61	8.06	37.87
		3:00	26.42	52.57	32.22	8.17	7.21	127.01	22.15	36.99
		6:00	25.65	49.50	30.37	8.37	6.48	69.57	13.33	42.51
		9:00	25.57	49.36	30.29	8.39	7.20	88.50	23.67	48.94
		12:00	26.01	50.44	30.94	8.17	7.02	47.59	22.35	54.75
		15:00	25.97	48.33	29.67	8.35	7.61	50.91	7.66	45.86
		18:00	25.59	51.06	31.31	8.21	7.56	82.91	16.23	45.03
		21:00	25.70	49.00	30.07	8.13	7.18	100.38	22.37	51.09
		日平均	25.88	50.27	30.83	8.26	7.23	86.81	16.98	45.38
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—



112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 18 日	蚵殼站	0:00	24.22	51.82	31.77	8.35	7.15	81.29	15.25	20.00
		3:00	23.85	50.03	30.69	8.22	7.54	137.92	15.17	21.38
		6:00	23.65	50.74	31.12	8.33	6.96	126.01	17.04	18.19
		9:00	23.50	50.36	30.89	8.33	6.94	70.05	15.99	18.97
		12:00	24.00	49.79	30.55	8.17	7.69	60.22	15.75	21.14
		15:00	24.10	50.03	30.69	8.27	8.03	41.31	10.27	20.06
		18:00	23.98	50.74	31.12	8.19	7.65	88.37	10.59	22.98
		21:00	23.71	50.34	30.88	8.20	7.99	89.11	8.47	22.55
	日平均	23.88	50.48	30.96	8.26	7.49	86.79	13.57	20.66	
	潮口站	0:00	24.35	51.88	31.81	8.26	7.35	91.29	22.99	5.00
		3:00	24.16	51.33	31.48	8.28	6.55	147.92	6.32	6.38
		6:00	24.05	51.85	31.79	8.26	7.39	136.01	4.24	3.19
		9:00	24.57	51.75	31.73	8.27	7.04	80.05	5.40	3.97
		12:00	24.86	50.64	31.06	8.37	7.17	70.22	3.72	6.14
		15:00	24.59	50.37	30.90	8.21	8.27	51.31	2.50	5.06
		18:00	24.91	51.98	31.87	8.23	7.15	98.37	4.06	7.98
		21:00	25.07	51.75	31.73	8.20	7.44	99.11	4.61	7.55
	日平均	24.57	51.44	31.55	8.26	7.30	96.79	6.73	5.66	
	灣內站	0:00	26.02	50.01	30.68	8.39	7.21	91.29	18.75	51.23
		3:00	26.29	51.07	31.32	8.32	6.89	147.92	16.25	49.89
		6:00	26.09	50.92	31.23	8.23	7.06	136.01	18.07	48.94
		9:00	25.81	49.41	30.32	8.36	7.14	80.05	20.59	49.11
		12:00	26.31	47.45	29.14	8.27	7.22	70.22	18.26	45.31
		15:00	26.53	49.41	30.32	8.35	7.46	51.31	23.19	50.57
		18:00	26.24	51.97	31.86	8.16	7.15	98.37	15.67	43.57
		21:00	26.19	50.94	31.24	8.32	6.81	99.11	18.63	40.38
	日平均	26.19	50.15	30.76	8.30	7.12	96.79	18.68	47.38	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 19 日	蚵殼站	0:00	23.68	50.90	31.22	8.28	7.87	68.13	6.87	18.79
		3:00	23.49	50.90	31.22	8.33	6.76	149.58	5.82	19.79
		6:00	23.32	51.58	31.63	8.36	7.30	121.46	11.05	19.72
		9:00	23.34	51.10	31.34	8.14	6.73	103.52	15.27	17.79
		12:00	23.52	50.64	31.06	8.30	6.80	90.93	11.70	18.53
		15:00	23.56	48.80	29.95	8.12	6.96	59.57	5.50	18.50
		18:00	23.55	49.94	30.64	8.34	7.63	45.22	10.67	21.56
		21:00	23.18	49.64	30.46	8.14	7.40	50.06	14.08	23.97
	日平均	23.46	50.44	30.94	8.25	7.18	86.06	10.12	19.83	
	潮口站	0:00	24.48	52.11	31.95	8.21	7.52	78.13	5.74	3.79
		3:00	24.23	51.98	31.87	8.39	7.32	159.58	4.39	4.79
		6:00	24.17	51.86	31.80	8.39	6.60	131.46	3.77	4.72
		9:00	24.56	51.24	31.42	8.17	7.21	113.52	5.13	2.79
		12:00	24.95	51.09	31.33	8.34	7.92	100.93	4.22	3.53
		15:00	24.70	50.42	30.93	8.30	8.24	69.57	3.30	3.50
		18:00	24.59	50.32	30.87	8.21	7.71	55.22	5.62	6.56
		21:00	24.96	51.19	31.39	8.14	6.83	60.06	3.00	8.97
	日平均	24.58	51.28	31.45	8.27	7.42	96.06	4.40	4.83	
	灣內站	0:00	26.53	49.88	30.60	8.28	6.38	78.13	7.74	40.37
		3:00	26.92	51.59	31.63	8.37	7.11	159.58	12.99	37.77
		6:00	26.76	48.95	30.04	8.36	7.19	131.46	9.42	47.11
		9:00	26.80	49.91	30.62	8.11	6.63	113.52	22.65	46.40
		12:00	27.20	48.33	29.67	8.18	6.89	100.93	18.32	49.37
		15:00	27.39	48.45	29.74	8.14	7.19	69.57	9.69	44.57
		18:00	27.06	50.08	30.72	8.26	7.22	55.22	9.89	36.95
		21:00	26.72	48.96	30.05	8.22	6.83	60.06	18.09	31.25
	日平均	26.92	49.52	30.38	8.24	6.93	96.06	13.60	41.72	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 20 日	蚵殼站	0:00	23.04	50.59	31.03	8.31	7.57	47.57	13.21	17.06
		3:00	23.06	50.32	30.87	8.13	6.43	94.50	5.39	19.61
		6:00	22.98	52.61	32.25	8.35	6.90	103.73	12.96	17.20
		9:00	23.35	50.22	30.81	8.11	6.61	65.68	16.08	20.04
		12:00	24.01	50.46	30.95	8.25	7.61	70.69	11.41	19.39
		15:00	23.61	49.83	30.57	8.24	7.40	71.03	8.30	20.46
		18:00	23.88	50.37	30.90	8.31	7.66	84.26	7.42	23.04
		21:00	23.91	49.94	30.64	8.25	7.01	73.07	7.61	17.89
	日平均	23.48	50.54	31.00	8.24	7.15	76.32	10.30	19.34	
	潮口站	0:00	24.73	51.29	31.45	8.14	6.92	57.57	3.49	2.06
		3:00	24.29	51.42	31.53	8.24	6.52	104.50	2.13	4.61
		6:00	24.13	52.66	32.28	8.29	6.74	113.73	1.62	2.20
		9:00	24.19	51.57	31.62	8.12	7.32	75.68	4.65	5.04
		12:00	24.52	50.59	31.03	8.26	7.67	80.69	2.85	4.39
		15:00	24.29	50.52	30.99	8.27	7.95	81.03	1.64	5.46
		18:00	23.98	50.42	30.93	8.29	6.61	94.26	4.65	8.04
		21:00	24.12	51.47	31.56	8.39	6.79	83.07	2.85	2.89
	日平均	24.28	51.24	31.42	8.25	7.07	86.32	2.99	4.34	
	灣內站	0:00	26.68	48.23	29.61	8.16	6.86	57.57	14.89	33.73
		3:00	27.02	49.21	30.20	8.12	6.33	104.50	13.74	33.05
		6:00	26.93	51.74	31.72	8.21	6.47	113.73	18.10	29.82
		9:00	26.79	50.42	30.93	8.25	6.76	75.68	25.32	29.79
		12:00	26.74	47.75	29.32	8.31	6.66	80.69	19.96	42.06
		15:00	26.81	47.72	29.30	8.36	7.30	81.03	13.49	44.45
		18:00	26.78	49.00	30.07	8.14	6.41	94.26	19.25	35.80
		21:00	26.48	51.22	31.41	8.34	6.38	83.07	8.78	33.45
	日平均	26.78	49.41	30.32	8.24	6.65	86.32	16.69	35.27	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 21 日	蚵殼站	0:00	23.56	50.56	31.01	8.18	6.56	75.31	6.25	19.17
		3:00	23.56	50.82	31.17	8.13	7.72	57.86	11.71	21.22
		6:00	23.32	50.75	31.13	8.13	8.08	120.08	6.64	18.72
		9:00	23.45	50.16	30.77	8.17	6.87	89.35	12.34	18.91
		12:00	23.99	50.97	31.26	8.12	7.39	87.83	2.62	17.72
		15:00	23.91	48.90	30.01	8.32	8.25	51.90	4.86	23.17
		18:00	24.19	50.62	31.05	8.36	8.23	98.21	4.12	20.79
		21:00	23.84	51.10	31.34	8.37	8.17	106.25	11.86	21.18
	日平均	23.73	50.49	30.97	8.22	7.66	85.85	7.55	20.11	
	潮口站	0:00	24.44	51.42	31.53	8.17	7.00	85.31	3.18	4.17
		3:00	23.92	51.95	31.85	8.39	7.28	67.86	3.85	6.22
		6:00	23.58	51.43	31.54	8.32	6.68	130.08	4.29	3.72
		9:00	23.75	51.60	31.64	8.33	6.55	99.35	2.80	3.91
		12:00	24.65	51.33	31.48	8.12	7.37	97.83	4.73	2.72
		15:00	24.48	50.36	30.89	8.12	7.83	61.90	4.18	8.17
		18:00	23.81	51.70	31.70	8.33	6.92	108.21	4.42	5.79
		21:00	23.54	51.70	31.70	8.26	7.39	116.25	6.53	6.18
	日平均	24.02	51.44	31.54	8.26	7.13	95.85	4.25	5.11	
	灣內站	0:00	26.38	49.50	30.37	8.13	6.98	85.31	7.31	29.74
		3:00	26.29	50.19	30.79	8.38	6.18	67.86	24.01	27.77
		6:00	26.34	49.03	30.09	8.18	6.65	130.08	8.19	24.44
		9:00	26.42	49.64	30.46	8.10	6.74	99.35	24.34	28.39
		12:00	26.47	50.59	31.03	8.21	7.28	97.83	4.04	38.10
		15:00	26.50	49.68	30.48	8.18	6.48	61.90	14.52	42.86
		18:00	26.44	48.42	29.72	8.18	6.63	108.21	4.47	34.60
		21:00	26.43	49.58	30.42	8.38	6.84	116.25	16.24	32.82
	日平均	26.41	49.58	30.42	8.22	6.72	95.85	12.89	32.34	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 22 日	蚵殼站	0:00	23.08	51.67	31.68	8.22	6.99	103.15	7.24	18.37
		3:00	23.05	50.08	30.72	8.13	6.81	65.01	22.36	20.03
		6:00	22.92	50.36	30.89	8.12	7.38	126.59	9.29	20.49
		9:00	22.97	52.03	31.90	8.17	8.24	84.78	8.98	22.29
		12:00	23.38	51.48	31.57	8.37	8.71	98.89	11.42	20.86
		15:00	23.18	50.22	30.81	8.31	8.07	93.27	7.18	21.83
		18:00	23.97	49.58	30.42	8.11	7.51	86.26	11.90	21.83
		21:00	23.48	50.09	30.73	8.15	7.04	114.07	14.60	23.60
	日平均	23.25	50.69	31.09	8.20	7.59	96.50	11.62	21.16	
	潮口站	0:00	23.96	51.77	31.74	8.22	7.08	113.15	2.28	3.37
		3:00	23.90	51.58	31.63	8.13	6.17	75.01	4.74	5.03
		6:00	23.20	51.67	31.68	8.38	6.89	136.59	5.91	5.49
		9:00	23.04	52.11	31.95	8.23	6.43	94.78	4.28	7.29
		12:00	24.36	51.60	31.64	8.12	6.65	108.89	4.72	5.86
		15:00	24.34	50.37	30.90	8.39	6.68	103.27	5.25	6.83
		18:00	23.54	50.94	31.24	8.17	7.02	96.26	4.37	6.83
		21:00	23.53	51.33	31.48	8.39	6.49	124.07	3.69	8.60
	日平均	23.73	51.42	31.53	8.25	6.68	106.50	4.41	6.16	
	灣內站	0:00	26.43	49.23	30.21	8.24	6.29	113.15	8.04	32.09
		3:00	26.13	48.30	29.65	8.21	6.73	75.01	25.07	33.53
		6:00	26.02	51.14	31.36	8.39	6.79	136.59	10.58	27.36
		9:00	26.22	50.09	30.73	8.28	7.17	94.78	10.89	28.75
		12:00	26.57	50.79	31.15	8.24	6.94	108.89	13.07	31.54
		15:00	26.67	49.68	30.48	8.26	7.25	103.27	22.06	31.88
		18:00	26.50	50.54	31.00	8.37	7.34	96.26	22.68	36.04
		21:00	26.34	50.21	30.80	8.15	7.01	124.07	15.88	32.66
	日平均	26.36	50.00	30.67	8.27	6.94	106.50	16.03	31.73	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 23 日	蚵殼站	0:00	23.52	51.17	31.38	8.27	7.64	93.20	15.00	21.93
		3:00	23.41	50.64	31.06	8.27	7.83	112.70	15.04	17.69
		6:00	23.18	51.22	31.41	8.19	7.46	79.09	9.35	19.88
		9:00	23.54	50.47	30.96	8.20	7.61	72.69	16.13	20.00
		12:00	24.09	50.82	31.17	8.17	8.94	103.98	8.99	19.57
		15:00	23.85	48.30	29.65	8.33	8.33	90.70	1.89	20.95
		18:00	24.54	50.08	30.72	8.16	7.71	80.50	10.57	21.77
		21:00	24.05	50.64	31.06	8.27	7.26	132.24	3.31	18.65
	日平均	23.77	50.42	30.93	8.23	7.85	95.64	10.04	20.06	
	潮口站	0:00	23.62	51.24	31.42	8.11	7.04	103.20	3.23	6.93
		3:00	23.79	51.38	31.51	8.22	6.32	122.70	2.67	2.69
		6:00	23.17	52.03	31.90	8.21	6.72	89.09	2.61	4.88
		9:00	23.00	51.77	31.74	8.11	6.55	82.69	4.53	5.00
		12:00	24.32	51.00	31.28	8.28	7.51	113.98	5.01	4.57
		15:00	24.41	49.38	30.30	8.27	6.76	100.70	3.62	5.95
		18:00	23.60	50.34	30.88	8.21	6.86	90.50	2.71	6.77
		21:00	23.20	51.33	31.48	8.24	6.57	142.24	3.08	3.65
	日平均	23.64	51.06	31.31	8.21	6.79	105.64	3.43	5.06	
	灣內站	0:00	26.34	50.86	31.19	8.13	6.60	103.20	17.86	34.45
		3:00	26.21	48.85	29.98	8.34	6.84	122.70	27.02	33.10
		6:00	25.99	51.69	31.69	8.25	6.11	89.09	16.27	32.04
		9:00	26.26	49.66	30.47	8.25	7.28	82.69	20.07	27.79
		12:00	26.53	50.29	30.85	8.26	7.28	113.98	19.09	29.40
		15:00	26.68	46.18	28.37	8.39	7.88	100.70	2.30	30.41
		18:00	26.50	49.83	30.57	8.11	6.82	90.50	10.31	30.20
		21:00	26.39	50.31	30.86	8.35	6.68	142.24	4.07	31.76
	日平均	26.36	49.71	30.50	8.26	6.94	105.64	14.62	31.14	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 24 日	蚵殼站	0:00	23.61	50.61	31.04	8.21	7.28	89.72	19.17	18.20
		3:00	23.30	49.86	30.59	8.28	7.15	60.92	19.53	21.02
		6:00	23.25	51.48	31.57	8.36	6.70	57.77	25.06	20.69
		9:00	23.88	50.27	30.84	8.29	8.19	79.04	18.21	21.56
		12:00	24.21	49.94	30.64	8.19	8.49	90.88	10.09	17.81
		15:00	23.85	49.63	30.45	8.38	9.25	109.53	7.35	20.82
		18:00	24.18	50.16	30.77	8.30	7.80	97.19	12.19	20.63
		21:00	24.10	51.47	31.56	8.27	7.41	131.22	8.15	19.54
	日平均	23.80	50.43	30.93	8.29	7.78	89.53	14.97	20.03	
	潮口站	0:00	22.82	51.12	31.35	8.36	6.52	99.72	2.53	3.20
		3:00	23.95	51.14	31.36	8.12	7.22	70.92	8.09	6.02
		6:00	23.75	52.13	31.96	8.33	7.09	67.77	3.84	5.69
		9:00	23.19	51.32	31.47	8.20	6.52	89.04	4.27	6.56
		12:00	24.35	51.14	31.36	8.37	6.81	100.88	6.15	2.81
		15:00	24.72	50.46	30.95	8.38	7.58	119.53	5.57	5.82
		18:00	23.88	50.59	31.03	8.16	7.41	107.19	3.03	5.63
		21:00	23.35	51.72	31.71	8.32	7.35	141.22	3.50	4.54
	日平均	23.75	51.20	31.40	8.28	7.06	99.53	4.62	5.03	
	灣內站	0:00	26.37	49.64	30.46	8.37	6.40	99.72	26.77	28.37
		3:00	26.31	49.69	30.49	8.33	7.08	70.92	21.60	28.97
		6:00	26.15	51.34	31.48	8.19	7.04	67.77	28.71	29.06
		9:00	26.35	49.03	30.09	8.39	6.93	89.04	16.91	29.73
		12:00	26.58	49.46	30.35	8.20	8.03	100.88	16.07	32.00
		15:00	26.60	48.63	29.85	8.21	8.14	119.53	8.49	27.03
		18:00	26.42	48.04	29.49	8.24	7.20	107.19	12.32	23.86
		21:00	26.31	51.54	31.60	8.33	6.80	141.22	10.61	24.65
	日平均	26.39	49.67	30.48	8.28	7.20	99.53	17.69	27.96	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 25 日	蚵殼站	0:00	23.59	50.31	30.86	8.21	7.80	79.66	9.05	21.41
		3:00	23.13	50.72	31.11	8.34	7.89	113.48	23.71	17.53
		6:00	23.19	50.27	30.84	8.27	7.86	99.90	9.34	20.38
		9:00	23.67	51.60	31.64	8.36	7.30	66.00	9.15	18.42
		12:00	24.24	50.59	31.03	8.29	7.76	119.35	17.52	20.59
		15:00	23.75	50.16	30.77	8.21	7.81	139.81	5.84	21.41
		18:00	24.03	50.41	30.92	8.36	8.05	98.50	9.97	17.74
		21:00	24.13	51.30	31.46	8.22	6.94	133.08	8.09	19.95
	日平均	23.72	50.67	31.08	8.28	7.68	106.22	11.58	19.68	
	潮口站	0:00	22.84	51.09	31.33	8.32	6.71	89.66	2.63	6.41
		3:00	23.28	51.04	31.30	8.18	6.48	123.48	3.46	2.53
		6:00	23.54	51.22	31.41	8.29	6.64	109.90	5.26	5.38
		9:00	23.25	52.33	32.08	8.15	7.33	76.00	3.17	3.42
		12:00	24.42	51.19	31.39	8.20	7.97	129.35	6.43	5.59
		15:00	24.62	51.55	31.61	8.11	7.55	149.81	7.56	6.41
		18:00	24.04	51.50	31.58	8.33	6.90	108.50	4.28	2.74
		21:00	23.21	51.33	31.48	8.38	7.03	143.08	4.00	4.95
	日平均	23.65	51.41	31.52	8.25	7.08	116.22	4.60	4.68	
	灣內站	0:00	26.26	50.56	31.01	8.12	6.55	89.66	18.95	22.69
		3:00	26.37	48.12	29.54	8.29	6.99	123.48	26.39	24.86
		6:00	26.25	51.22	31.41	8.21	6.11	109.90	17.67	25.01
		9:00	26.24	52.13	31.96	8.27	7.16	76.00	16.79	24.87
		12:00	26.73	48.58	29.82	8.12	8.48	129.35	26.40	26.04
		15:00	26.92	51.20	31.40	8.14	8.38	149.81	6.96	26.15
		18:00	26.74	50.66	31.07	8.36	7.82	108.50	15.22	24.17
		21:00	26.31	48.68	29.88	8.10	7.37	143.08	14.48	22.45
	日平均	26.48	50.14	30.76	8.20	7.36	116.22	17.86	24.53	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 26 日	蚵殼站	0:00	23.49	50.62	31.05	8.38	6.25	93.12	12.30	19.56
		3:00	24.67	50.11	30.74	8.34	6.55	85.49	15.08	19.53
		6:00	24.47	49.35	30.28	8.25	6.66	115.80	22.56	19.77
		9:00	24.41	50.84	31.18	8.17	7.08	87.51	7.33	20.41
		12:00	23.84	50.24	30.82	8.28	7.90	110.49	4.53	19.31
		15:00	24.39	49.69	30.49	8.28	7.09	84.60	12.71	19.93
		18:00	24.49	50.42	30.93	8.36	5.70	96.55	7.58	21.25
		21:00	23.56	50.49	30.97	8.26	5.95	102.27	3.82	21.97
		日平均	24.17	50.22	30.81	8.29	6.65	96.98	10.74	20.22
	潮口站	0:00	22.88	50.89	31.21	8.12	7.06	103.12	3.65	4.56
		3:00	23.10	50.79	31.15	8.27	6.83	95.49	2.93	4.53
		6:00	23.75	50.82	31.17	8.34	6.55	125.80	3.38	4.77
		9:00	23.26	51.45	31.55	8.20	7.15	97.51	3.67	5.41
		12:00	23.90	51.80	31.76	8.16	8.88	120.49	4.97	4.31
		15:00	24.67	51.27	31.44	8.16	7.96	94.60	4.69	4.93
		18:00	24.36	51.62	31.65	8.22	7.35	106.55	4.31	6.25
		21:00	23.02	51.73	31.72	8.16	7.01	112.27	4.81	6.97
		日平均	23.62	51.30	31.46	8.20	7.35	106.98	4.05	5.22
	灣內站	0:00	26.05	50.08	30.72	8.10	6.57	103.12	12.88	25.12
		3:00	26.21	50.71	31.10	8.26	6.41	95.49	24.47	23.05
		6:00	26.17	48.28	29.64	8.33	7.00	125.80	30.68	25.09
		9:00	25.97	49.98	30.66	8.13	6.79	97.51	10.30	25.77
		12:00	26.27	51.62	31.65	8.24	7.91	120.49	9.19	25.65
		15:00	26.21	49.35	30.28	8.12	6.93	94.60	13.12	28.23
		18:00	26.02	49.21	30.20	8.37	6.80	106.55	8.20	28.51
		21:00	25.91	51.67	31.68	8.19	6.91	112.27	11.40	23.25
		日平均	26.10	50.11	30.74	8.22	6.92	106.98	15.03	25.58
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 27 日	蚵殼站	0:00	23.32	50.34	30.88	8.31	6.51	89.36	17.58	20.34
		3:00	24.95	50.03	30.69	8.36	6.84	95.10	12.74	19.72
		6:00	25.14	50.51	30.98	8.12	6.91	116.06	27.98	22.60
		9:00	24.59	51.67	31.68	8.36	6.22	118.60	14.80	21.39
		12:00	23.99	50.22	30.81	8.17	7.31	100.06	17.20	19.21
		15:00	23.95	49.83	30.57	8.25	7.15	111.05	10.56	21.46
		18:00	24.21	51.05	31.31	8.17	7.32	85.72	16.46	19.58
		21:00	24.06	50.17	30.78	8.21	6.87	80.59	11.31	21.55
		日平均	24.28	50.48	30.96	8.24	6.89	99.57	16.08	20.73
	潮口站	0:00	22.88	51.70	31.70	8.32	6.63	99.36	7.09	5.34
		3:00	22.99	51.42	31.53	8.35	6.62	105.10	4.68	4.72
		6:00	24.01	51.55	31.61	8.31	6.35	126.06	4.55	7.60
		9:00	23.92	51.75	31.73	8.39	7.45	128.60	6.17	6.39
		12:00	23.99	51.40	31.52	8.21	8.40	110.06	7.90	4.21
		15:00	24.55	51.40	31.52	8.35	8.47	121.05	7.62	6.46
		18:00	24.60	51.98	31.87	8.27	7.80	95.72	9.33	4.58
		21:00	23.60	51.47	31.56	8.35	7.12	90.59	10.57	6.55
		日平均	23.82	51.58	31.63	8.32	7.36	109.57	7.24	5.73
	灣內站	0:00	25.68	51.25	31.43	8.24	6.72	89.36	19.89	24.58
		3:00	25.58	49.35	30.28	8.11	6.34	95.10	18.40	25.66
		6:00	25.47	50.09	30.73	8.22	6.10	116.06	30.03	27.36
		9:00	25.54	48.93	30.03	8.34	6.66	118.60	23.47	26.83
		12:00	25.86	48.78	29.94	8.22	6.98	100.06	18.79	23.57
		15:00	25.92	49.93	30.63	8.32	7.28	111.05	19.63	25.70
		18:00	25.78	49.31	30.26	8.24	6.33	85.72	17.32	27.39
		21:00	25.52	49.00	30.07	8.17	7.09	80.59	17.52	27.97
		日平均	25.67	49.58	30.42	8.23	6.69	99.57	20.63	26.13
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 28 日	蚵殼站	0:00	24.03	51.48	31.57	8.13	6.32	117.75	12.25	19.83
		3:00	24.34	50.59	31.03	8.16	6.79	88.24	15.58	19.13
		6:00	25.15	51.17	31.38	8.16	6.41	102.92	21.28	18.56
		9:00	25.22	49.93	30.63	8.26	6.62	86.38	12.59	18.79
		12:00	24.47	51.63	31.66	8.10	7.51	81.93	7.33	18.88
		15:00	24.05	49.78	30.54	8.38	7.22	96.93	6.99	21.07
		18:00	24.47	50.42	30.93	8.19	6.51	105.26	5.04	19.95
		21:00	24.26	51.35	31.49	8.25	6.82	119.74	14.37	21.34
	日平均	24.50	50.79	31.15	8.20	6.78	99.89	11.93	19.69	
	潮口站	0:00	23.07	52.41	32.13	8.22	7.09	127.75	7.92	4.83
		3:00	22.75	51.67	31.68	8.13	7.44	98.24	11.22	4.13
		6:00	23.69	51.60	31.64	8.36	7.07	112.92	10.15	3.56
		9:00	24.17	51.42	31.53	8.15	7.10	96.38	9.60	3.79
		12:00	24.37	51.75	31.73	8.15	7.14	91.93	10.00	3.88
		15:00	24.41	51.04	31.30	8.23	7.54	106.93	12.76	6.07
		18:00	24.14	51.29	31.45	8.10	7.28	115.26	16.34	4.95
		21:00	24.08	51.70	31.70	8.22	6.47	129.74	15.65	6.34
	日平均	23.84	51.61	31.65	8.20	7.14	109.89	11.71	4.69	
	灣內站	0:00	25.37	49.89	30.61	8.15	6.62	117.75	20.80	26.45
		3:00	25.22	50.77	31.14	8.36	6.78	88.24	20.56	23.99
		6:00	25.01	49.74	30.52	8.38	6.39	102.92	30.69	27.29
		9:00	25.17	49.31	30.26	8.13	6.78	86.38	14.52	26.17
		12:00	25.37	49.78	30.54	8.20	6.91	81.93	6.45	25.66
		15:00	25.41	47.97	29.45	8.32	7.04	96.93	15.44	25.29
		18:00	25.14	51.20	31.40	8.36	7.08	105.26	8.49	28.13
		21:00	25.08	50.74	31.12	8.20	6.32	119.74	12.60	27.00
	日平均	25.22	49.93	30.63	8.26	6.74	99.89	16.19	26.25	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 29 日	蚵殼站	0:00	23.74	52.40	32.12	8.14	6.90	119.04	5.52	18.37
		3:00	24.88	51.35	31.49	8.31	6.93	111.82	16.76	15.49
		6:00	25.37	50.72	31.11	8.23	6.43	91.59	7.40	17.05
		9:00	25.44	51.19	31.39	8.17	7.30	95.19	13.84	15.36
		12:00	24.77	49.38	30.30	8.23	6.82	86.46	11.62	15.30
		15:00	24.61	49.28	30.24	8.16	7.42	99.42	7.55	16.29
		18:00	24.55	50.71	31.10	8.18	6.62	93.02	9.91	20.74
		21:00	24.65	49.69	30.49	8.16	6.64	105.46	8.98	19.54
	日平均	24.75	50.59	31.03	8.20	6.88	100.25	10.20	17.27	
	潮口站	0:00	23.89	52.61	32.25	8.31	6.77	129.04	15.52	3.37
		3:00	23.81	52.08	31.93	8.29	6.27	121.82	18.48	0.49
		6:00	23.60	51.63	31.66	8.34	6.38	101.59	16.08	2.05
		9:00	23.74	51.47	31.56	8.31	6.86	105.19	14.21	0.36
		12:00	24.05	50.72	31.11	8.32	7.56	96.46	12.90	0.30
		15:00	24.02	50.54	31.00	8.24	7.27	109.42	13.69	1.29
		18:00	23.80	51.09	31.33	8.20	6.34	103.02	12.27	5.74
		21:00	23.73	51.05	31.31	8.22	7.35	115.46	12.80	4.54
	日平均	23.83	51.40	31.52	8.28	6.85	110.25	14.49	2.27	
	灣內站	0:00	24.89	49.96	30.65	8.29	6.68	119.04	4.61	28.37
		3:00	24.81	49.48	30.36	8.39	5.75	111.82	17.74	25.49
		6:00	24.60	49.61	30.44	8.28	5.78	91.59	10.36	27.05
		9:00	24.74	48.43	29.73	8.27	6.36	95.19	16.41	25.36
		12:00	25.05	48.07	29.51	8.11	6.96	86.46	22.56	25.30
		15:00	25.02	50.44	30.94	8.14	6.51	99.42	16.70	26.29
		18:00	24.80	50.03	30.69	8.31	7.17	93.02	10.87	30.74
		21:00	24.73	47.87	29.39	8.34	5.95	105.46	19.69	29.54
	日平均	24.83	49.24	30.21	8.27	6.40	100.25	14.87	27.27	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月30日	蚵殼站	0:00	23.09	50.99	31.27	8.34	7.05	82.31	19.17	20.34
		3:00	24.29	50.26	30.83	8.20	6.76	90.10	19.53	19.72
		6:00	24.91	50.04	30.70	8.11	6.66	107.72	25.06	22.60
		9:00	24.88	49.93	30.63	8.30	7.24	111.40	18.21	21.39
		12:00	24.68	49.10	30.13	8.37	6.92	92.66	10.09	19.21
		15:00	24.25	50.41	30.92	8.17	6.76	113.07	7.35	21.46
		18:00	24.40	49.78	30.54	8.22	6.55	82.10	12.19	19.58
		21:00	24.17	50.92	31.23	8.21	7.13	117.31	8.15	21.55
	日平均	24.33	50.18	30.78	8.24	6.88	99.58	14.97	20.73	
	潮口站	0:00	23.56	52.56	32.22	8.15	6.40	92.31	13.02	5.34
		3:00	23.55	51.82	31.77	8.35	6.85	100.10	12.64	4.72
		6:00	23.41	50.75	31.13	8.18	6.29	117.72	12.70	7.60
		9:00	23.66	50.57	31.02	8.12	6.53	121.40	11.49	6.39
		12:00	23.90	50.47	30.96	8.24	6.86	102.66	10.12	4.21
		15:00	23.99	51.19	31.39	8.30	6.42	123.07	18.30	6.46
		18:00	24.02	50.61	31.04	8.19	7.04	92.10	9.90	4.58
		21:00	23.80	51.15	31.37	8.16	6.93	127.31	12.66	6.55
	日平均	23.74	51.14	31.36	8.21	6.67	109.58	12.60	5.73	
	灣內站	0:00	24.56	52.05	31.91	8.11	7.25	82.31	26.77	24.58
		3:00	24.55	49.51	30.38	8.32	7.09	90.10	21.60	25.66
		6:00	24.41	48.32	29.66	8.16	7.49	107.72	28.71	27.36
		9:00	24.66	48.96	30.05	8.39	9.17	111.40	16.91	26.83
		12:00	24.90	50.23	30.81	8.14	9.29	92.66	16.07	23.57
		15:00	24.99	48.22	29.60	8.39	8.64	113.07	8.49	25.70
		18:00	25.02	49.61	30.44	8.21	7.07	82.10	12.32	27.39
		21:00	24.80	48.85	29.98	8.13	6.43	117.31	10.61	27.97
	日平均	24.74	49.47	30.35	8.23	7.80	99.58	17.69	26.13	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月31日	蚵殼站	0:00	24.07	51.67	31.68	8.37	6.79	88.95	9.05	19.56
		3:00	23.76	52.58	32.23	8.38	7.25	95.28	23.71	19.53
		6:00	23.71	50.16	30.77	8.24	7.01	105.94	9.34	19.77
		9:00	24.34	49.11	30.14	8.13	7.16	96.92	9.15	20.41
		12:00	24.67	50.04	30.70	8.28	6.39	84.94	17.52	19.31
		15:00	24.31	49.79	30.55	8.11	7.53	100.35	5.84	19.93
		18:00	22.64	51.22	31.41	8.32	7.24	119.08	9.97	21.25
		21:00	22.56	49.71	30.50	8.18	7.02	107.39	8.09	21.97
	日平均	23.76	50.54	31.00	8.25	7.05	99.86	11.58	20.22	
	潮口站	0:00	23.45	52.03	31.90	8.38	6.15	98.95	13.63	4.56
		3:00	23.27	52.64	32.27	8.26	5.79	105.28	11.16	4.53
		6:00	23.40	50.89	31.21	8.27	6.55	115.94	10.29	4.77
		9:00	23.92	50.54	31.00	8.27	6.87	106.92	9.06	5.41
		12:00	24.13	50.79	31.15	8.16	6.89	94.94	8.76	4.31
		15:00	24.42	50.09	30.73	8.13	6.96	110.35	22.88	4.93
		18:00	24.32	51.25	31.43	8.11	6.50	129.08	13.63	6.25
		21:00	24.02	51.12	31.35	8.36	6.58	117.39	11.35	6.97
	日平均	23.87	51.17	31.38	8.24	6.54	109.86	12.60	5.22	
	灣內站	0:00	24.45	50.74	31.12	8.38	6.83	88.95	14.52	28.37
		3:00	24.27	49.83	30.57	8.19	6.11	95.28	6.45	28.97
		6:00	24.40	50.72	31.11	8.23	6.29	105.94	15.44	29.06
		9:00	24.92	48.38	29.70	8.22	7.14	96.92	8.49	29.73
		12:00	25.13	50.72	31.11	8.20	7.64	84.94	16.07	32.00
		15:00	25.42	49.28	30.24	8.28	6.21	100.35	8.49	27.03
		18:00	25.32	48.63	29.85	8.16	7.77	119.08	28.71	23.86
		21:00	25.02	48.43	29.73	8.31	7.22	107.39	16.91	24.65
	日平均	24.87	49.59	30.43	8.25	6.90	99.86	14.39	27.96	
	環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—