

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 1 日	蚵殼站	0:00	24.34	52.37	33.19	8.18	7.45	186.80	30.01	8.58
		3:00	24.13	52.75	33.87	8.17	6.82	178.27	15.27	8.21
		6:00	23.98	51.81	33.29	8.19	7.83	96.14	7.83	5.52
		9:00	24.09	52.09	33.57	8.18	8.17	128.16	11.64	12.25
		12:00	24.14	52.36	33.54	8.18	7.89	136.76	37.53	9.01
		15:00	23.94	52.54	34.20	8.16	7.28	184.54	16.57	8.23
		18:00	23.85	52.07	34.30	8.17	5.61	126.44	29.03	6.96
		21:00	23.85	52.86	34.32	8.17	5.20	121.93	19.46	9.75
	日平均	24.04	52.35	33.78	8.18	7.03	144.88	20.92	8.56	
	潮口站	0:00	24.27	52.30	33.31	8.08	7.74	180.70	3.42	9.39
		3:00	24.07	52.37	33.81	8.09	7.84	135.05	2.05	10.96
		6:00	23.93	52.06	33.48	8.06	7.22	126.57	29.09	8.67
		9:00	24.55	52.44	33.62	8.06	7.46	104.40	1.87	10.00
		12:00	24.77	52.24	33.58	8.06	7.45	132.45	1.65	11.41
		15:00	24.68	52.70	34.20	8.04	7.14	193.85	10.82	10.50
		18:00	24.42	52.46	34.30	8.03	7.79	164.92	1.32	9.78
		21:00	24.13	52.06	33.94	8.10	7.80	186.55	5.15	10.20
	日平均	24.35	52.33	33.78	8.07	7.56	153.06	6.92	10.11	
	灣內站	0:00	24.37	52.21	33.45	7.98	7.30	131.96	7.03	4.99
		3:00	24.26	51.87	33.52	7.78	5.05	135.46	2.75	4.05
		6:00	24.06	52.59	33.89	7.80	8.03	154.13	4.28	5.87
		9:00	23.90	52.56	33.65	8.03	8.54	153.27	11.55	6.89
		12:00	23.95	52.86	33.59	8.05	9.11	148.02	3.74	8.61
		15:00	23.89	52.87	33.86	8.00	8.42	140.40	5.27	8.62
18:00		23.77	52.86	34.27	7.93	6.41	162.64	8.74	8.16	
21:00		23.94	52.66	33.41	7.81	5.16	149.17	10.01	8.29	
日平均	24.02	52.56	33.70	7.92	7.25	146.88	6.67	6.93		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 2 日	蚵殼站	0:00	23.68	52.36	33.37	8.17	5.20	132.71	22.75	11.56
		3:00	23.51	52.52	34.39	8.12	7.09	135.74	29.09	10.58
		6:00	23.41	52.53	33.89	8.10	6.76	105.99	4.76	14.18
		9:00	23.56	52.85	34.04	8.15	6.89	174.11	11.01	11.56
		12:00	23.69	51.84	33.80	8.16	6.94	151.48	14.44	11.01
		15:00	23.72	51.62	34.16	8.16	6.10	122.60	22.54	14.30
		18:00	23.60	52.33	33.54	8.11	5.05	170.22	11.92	13.06
		21:00	23.56	52.28	33.40	8.08	6.89	136.05	15.74	8.53
	日平均	23.59	52.29	33.82	8.13	6.37	141.11	16.53	11.85	
	潮口站	0:00	24.33	52.47	33.37	8.08	7.53	201.75	3.42	9.20
		3:00	23.91	52.40	34.41	8.07	7.49	153.24	2.45	8.28
		6:00	23.63	52.12	34.01	8.03	6.77	132.22	2.84	7.76
		9:00	24.00	52.40	33.85	8.02	7.05	126.57	6.04	9.46
		12:00	24.38	51.47	33.67	8.04	7.36	133.19	1.92	8.63
		15:00	24.43	51.41	34.03	8.04	7.20	178.99	2.76	8.31
		18:00	24.30	52.60	33.72	8.03	7.74	188.55	2.34	9.50
		21:00	24.48	51.92	33.59	8.04	7.49	169.63	1.61	9.55
	日平均	24.18	52.10	33.83	8.04	7.33	160.52	2.92	8.84	
	灣內站	0:00	24.11	52.44	33.25	7.68	6.70	159.70	12.41	8.24
		3:00	24.01	52.79	34.21	7.65	7.05	159.33	12.88	8.76
		6:00	23.75	52.72	33.73	7.66	6.30	161.27	1.94	7.96
		9:00	23.86	52.88	33.59	7.79	7.84	145.35	2.16	10.52
		12:00	24.13	52.04	33.29	7.90	5.97	160.17	8.02	7.96
		15:00	24.26	52.44	33.33	7.97	7.52	135.88	10.05	8.96
18:00		24.12	51.94	33.72	7.68	5.59	167.79	6.12	11.81	
21:00		23.98	52.16	33.35	7.67	5.40	161.11	7.48	10.59	
日平均	24.03	52.42	33.56	7.75	6.55	156.32	7.63	9.35		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 3 日	蚵殼站	0:00	23.47	51.50	34.11	8.09	7.39	142.10	21.87	10.22
		3:00	23.25	52.19	33.83	8.09	6.26	75.09	8.52	15.76
		6:00	23.06	52.67	33.82	8.07	6.44	107.95	30.02	13.33
		9:00	23.27	52.91	34.22	8.11	5.91	180.07	31.50	9.74
		12:00	23.69	52.18	33.79	8.14	6.47	172.44	18.73	10.69
		15:00	23.85	52.43	33.66	8.14	7.46	67.43	21.34	8.96
		18:00	23.70	52.74	34.00	8.09	6.50	99.88	17.25	9.91
		21:00	23.55	52.33	33.55	8.06	5.49	77.91	32.13	9.08
	日平均	23.48	52.37	33.87	8.10	6.49	115.36	22.67	10.96	
	潮口站	0:00	24.24	51.91	33.92	8.06	7.46	173.90	3.77	8.09
		3:00	23.67	52.04	33.88	8.07	7.49	151.47	4.29	9.64
		6:00	23.38	52.73	33.99	8.00	6.94	152.73	2.94	7.40
		9:00	23.93	52.41	34.39	8.05	7.54	148.04	1.75	7.62
		12:00	24.53	51.90	33.70	8.07	7.79	162.72	1.23	8.83
		15:00	24.34	52.27	33.86	8.04	7.41	199.66	2.24	6.88
		18:00	24.11	52.79	34.19	8.03	6.99	199.52	2.61	9.45
		21:00	24.17	52.54	33.66	8.02	7.18	173.93	1.87	7.59
	日平均	24.05	52.32	33.95	8.04	7.35	170.25	2.59	8.19	
	灣內站	0:00	24.08	52.15	33.46	7.69	7.95	169.94	9.98	5.70
		3:00	23.86	51.84	33.64	7.88	6.84	143.54	2.22	4.57
		6:00	23.56	52.28	34.38	7.88	5.25	171.99	7.61	4.43
		9:00	23.65	52.88	34.35	7.91	5.81	152.84	24.91	3.34
		12:00	23.94	51.75	33.36	7.94	6.15	172.22	9.40	4.89
		15:00	23.82	52.84	33.93	7.95	6.99	174.21	10.21	3.25
		18:00	23.75	52.69	34.04	7.89	5.82	177.80	5.94	4.33
		21:00	23.50	52.55	33.79	7.73	5.91	191.50	2.27	5.18
	日平均	23.77	52.37	33.87	7.86	6.34	169.25	9.06	4.46	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 4 日	蚵殼站	0:00	23.43	52.40	33.67	8.03	5.06	155.59	31.52	5.45
		3:00	22.85	52.73	33.65	8.06	5.59	87.38	22.07	11.36
		6:00	22.71	52.58	33.71	8.05	6.49	76.49	29.02	6.66
		9:00	22.88	52.25	33.87	8.04	6.37	122.79	21.08	10.51
		12:00	23.10	51.49	33.35	8.06	7.01	112.55	13.25	7.82
		15:00	23.16	51.19	33.71	8.09	7.51	104.28	21.68	3.12
		18:00	23.11	52.56	34.13	8.01	6.03	97.48	27.14	6.68
		21:00	23.02	51.81	34.06	8.05	5.38	103.82	15.33	5.34
	日平均	23.03	52.12	33.77	8.05	6.18	107.55	22.64	7.12	
	潮口站	0:00	24.12	52.17	33.83	8.06	7.45	192.51	41.51	10.09
		3:00	23.14	52.66	33.68	8.06	7.41	185.38	7.33	9.66
		6:00	22.68	52.24	33.66	8.01	6.90	182.78	3.65	7.04
		9:00	23.49	51.95	33.93	8.02	7.63	178.92	3.97	8.41
		12:00	24.44	51.52	33.36	8.06	7.97	183.95	3.64	7.69
		15:00	24.15	51.49	33.57	8.07	7.72	200.73	4.05	7.94
		18:00	23.37	52.32	34.25	8.03	7.33	209.30	2.24	5.96
		21:00	23.49	52.09	34.00	8.01	7.32	190.43	3.44	6.92
	日平均	23.61	52.05	33.78	8.04	7.47	190.50	8.73	7.96	
	灣內站	0:00	23.47	52.28	33.59	7.70	5.40	188.91	2.41	6.08
		3:00	23.36	52.36	34.19	7.68	5.55	157.95	8.93	7.41
		6:00	23.16	52.73	34.47	7.78	6.89	168.79	7.10	1.97
		9:00	23.22	51.87	33.96	7.81	5.38	149.05	11.19	4.02
		12:00	23.32	51.50	34.00	7.94	7.33	162.45	8.66	5.15
		15:00	23.18	51.63	33.22	7.94	7.43	169.41	18.25	6.67
		18:00	23.35	52.62	33.99	7.74	6.04	189.27	2.38	5.23
		21:00	23.10	52.64	34.19	7.63	7.55	151.09	18.45	5.86
	日平均	23.27	52.20	33.95	7.78	6.45	167.11	9.67	5.30	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 5 日	蚵殼站	0:00	22.88	52.59	33.79	8.01	5.96	119.34	35.86	6.73
		3:00	22.72	51.91	33.54	8.04	6.40	97.46	19.85	3.10
		6:00	22.59	52.12	33.60	8.06	6.63	122.84	30.63	2.13
		9:00	22.70	52.44	34.42	8.06	6.91	44.83	38.14	5.96
		12:00	23.09	51.96	33.19	8.09	7.29	71.80	18.36	7.30
		15:00	22.97	51.98	33.02	8.14	7.52	93.47	28.22	6.02
		18:00	22.80	52.26	33.85	8.11	5.09	127.60	27.24	2.09
		21:00	22.73	52.08	33.18	8.13	6.74	169.23	37.27	5.17
		日平均	22.81	52.17	33.57	8.08	6.57	105.82	29.45	4.81
	潮口站	0:00	23.74	52.50	33.74	8.00	7.14	179.84	5.64	8.57
		3:00	23.11	51.89	33.42	8.06	7.48	196.49	2.63	5.35
		6:00	22.83	51.98	33.80	8.04	7.31	192.08	2.31	6.14
		9:00	23.06	52.21	34.40	8.03	7.66	181.96	2.16	8.04
		12:00	24.23	51.91	33.23	8.05	7.87	176.33	1.93	9.66
		15:00	24.17	51.65	33.05	8.04	7.75	194.19	4.48	9.36
		18:00	23.39	52.12	33.97	8.09	8.13	198.16	40.36	7.68
		21:00	23.40	52.22	33.34	8.01	7.24	167.13	58.26	8.23
		日平均	23.49	52.06	33.62	8.04	7.57	185.77	14.72	7.88
	灣內站	0:00	23.11	52.02	33.50	7.64	5.85	184.47	2.43	4.43
		3:00	22.83	52.45	33.86	7.70	5.90	174.95	9.27	5.77
		6:00	22.60	52.81	34.06	7.73	6.36	148.85	15.82	4.50
		9:00	22.83	52.67	33.55	7.84	5.59	130.70	15.13	7.90
		12:00	23.10	51.29	33.72	7.95	7.98	157.57	3.64	6.91
		15:00	23.03	52.12	33.85	7.96	8.05	135.94	18.71	4.12
		18:00	22.75	52.41	33.28	7.72	7.52	149.73	16.01	5.59
		21:00	22.69	51.71	34.03	7.69	6.90	178.19	6.81	6.93
		日平均	22.87	52.18	33.73	7.78	6.77	157.55	10.98	5.77
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 6 日	蚵殼站	0:00	28.57	22.61	52.29	33.95	8.12	5.39	85.80	19.78
		3:00	28.41	22.45	52.59	33.60	8.09	5.56	75.10	31.78
		6:00	28.18	22.32	52.01	33.81	8.08	5.65	101.51	27.80
		9:00	27.52	22.54	52.36	33.24	8.10	6.75	77.08	36.85
		12:00	28.01	23.28	52.20	34.27	8.18	7.90	126.13	25.72
		15:00	28.72	23.08	52.40	33.99	8.22	7.91	86.69	30.27
		18:00	28.69	22.55	53.26	34.13	8.16	5.13	82.79	14.72
		21:00	28.52	22.39	52.98	34.11	8.12	5.03	66.71	16.42
		日平均	28.33	22.65	52.51	33.89	8.13	6.17	87.73	25.42
	潮口站	0:00	29.19	23.25	52.16	33.99	8.04	7.15	163.65	24.12
		3:00	28.97	23.14	52.28	33.63	8.04	7.36	178.40	10.37
		6:00	27.25	22.80	52.29	33.81	8.02	7.28	187.07	6.75
		9:00	30.10	23.11	52.30	33.37	8.04	7.60	186.69	2.98
		12:00	30.32	24.22	52.51	34.16	8.06	7.82	167.56	5.64
		15:00	29.10	24.09	52.67	34.19	8.06	7.74	181.43	3.60
		18:00	29.12	23.42	53.01	34.23	8.09	8.22	208.49	6.94
		21:00	28.55	23.31	52.83	34.26	8.05	7.78	173.97	6.44
		日平均	29.08	23.42	52.50	33.95	8.05	7.62	180.91	8.36
	灣內站	0:00	30.71	22.55	52.90	33.52	7.66	6.21	145.25	10.95
		3:00	30.52	22.47	52.24	34.02	7.75	5.81	182.24	20.09
		6:00	30.26	22.31	52.93	34.47	7.83	5.15	163.40	3.00
		9:00	30.29	22.39	52.06	33.52	7.91	7.50	153.73	7.07
		12:00	30.47	23.00	52.77	33.90	8.01	9.59	174.08	8.56
		15:00	30.71	23.12	52.31	34.40	8.06	10.51	176.00	12.40
		18:00	30.54	23.01	52.52	34.26	7.87	6.70	163.41	6.70
		21:00	30.16	22.82	52.30	34.25	7.84	5.86	163.96	3.32
		日平均	30.46	22.71	52.50	34.04	7.87	7.17	165.26	9.01
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 7 日	蚵殼站	0:00	22.34	53.36	34.43	8.05	5.95	83.22	6.71	9.66
		3:00	22.25	52.63	33.69	8.05	6.05	138.37	38.35	10.08
		6:00	22.06	52.81	33.99	8.16	7.59	78.80	26.96	8.66
		9:00	22.17	52.42	34.00	8.16	7.67	91.42	26.27	6.22
		12:00	22.56	52.78	34.29	8.19	7.62	114.54	29.95	6.17
		15:00	22.59	53.58	34.04	8.21	7.99	56.40	46.22	4.89
		18:00	22.53	52.87	34.42	8.20	7.22	133.71	29.26	8.20
		21:00	22.42	52.47	33.90	8.20	9.07	113.14	35.36	6.36
	日平均	22.37	52.86	34.09	8.15	7.40	101.20	29.89	7.53	
	潮口站	0:00	23.34	53.01	34.37	8.04	7.40	155.12	3.75	7.89
		3:00	23.63	52.97	33.83	8.02	7.43	167.08	2.65	7.97
		6:00	23.18	52.41	34.14	8.00	7.25	148.22	3.78	8.45
		9:00	23.10	52.82	33.83	8.02	7.73	177.19	3.98	7.45
		12:00	24.04	52.43	34.39	8.04	8.16	151.09	8.69	8.48
		15:00	24.20	53.13	34.10	8.05	7.99	172.35	2.56	9.13
		18:00	23.60	52.38	34.26	8.10	8.44	186.06	7.08	7.27
		21:00	23.40	52.37	33.91	8.09	8.25	151.66	8.32	6.51
	日平均	23.56	52.69	34.10	8.05	7.83	163.60	5.10	7.89	
	灣內站	0:00	22.64	52.40	34.03	7.69	5.83	166.12	2.82	5.47
		3:00	22.49	52.77	34.04	7.67	5.88	173.15	6.76	2.20
		6:00	22.55	52.30	34.15	7.72	6.63	173.25	1.20	2.40
		9:00	22.68	53.31	34.09	7.84	6.43	191.28	9.16	2.31
		12:00	23.12	52.31	33.69	8.02	10.14	170.45	11.87	4.05
		15:00	23.14	52.46	34.14	8.09	11.71	180.14	6.06	2.18
18:00		23.10	52.71	34.15	7.88	7.31	172.22	11.19	1.49	
21:00		23.01	52.24	34.12	7.89	7.41	174.27	2.17	2.74	
日平均	22.84	52.56	34.05	7.85	7.67	175.11	6.40	2.85		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 8 日	蚵殼站	0:00	22.31	53.46	33.79	8.23	9.25	61.94	45.83	6.72
		3:00	22.20	52.61	33.83	8.16	8.51	131.96	42.85	4.64
		6:00	22.12	52.23	34.00	8.20	7.33	130.85	36.66	6.99
		9:00	22.19	51.76	33.84	8.20	7.97	66.14	39.85	7.15
		12:00	22.55	52.34	33.92	8.23	6.46	84.34	15.48	5.63
		15:00	22.52	53.47	33.44	8.26	7.32	120.48	13.40	2.39
		18:00	22.44	53.52	34.00	8.24	6.41	106.94	35.87	6.65
		21:00	22.41	52.82	33.97	8.22	6.49	114.82	23.57	7.82
	日平均	22.34	52.77	33.85	8.22	7.47	102.18	31.69	6.00	
	潮口站	0:00	23.38	53.06	33.78	8.05	7.79	88.80	6.88	6.79
		3:00	23.65	52.33	33.80	8.04	7.50	116.61	5.73	7.15
		6:00	23.46	52.50	33.96	8.02	7.32	122.18	5.48	8.28
		9:00	23.46	52.18	33.99	8.03	7.59	149.97	6.29	5.56
		12:00	24.13	52.01	33.97	8.05	8.31	121.43	5.98	6.95
		15:00	24.21	53.02	33.53	8.05	8.19	104.70	6.56	8.52
		18:00	23.63	53.14	34.15	8.11	8.34	118.41	16.45	7.08
		21:00	23.46	52.45	34.07	8.10	8.03	137.68	18.57	6.31
	日平均	23.67	52.58	33.90	8.06	7.88	119.97	8.99	7.08	
	灣內站	0:00	22.63	52.86	34.32	7.84	5.80	190.15	9.67	3.50
		3:00	22.51	52.77	34.58	7.65	5.01	179.66	10.97	6.63
		6:00	22.47	52.19	33.98	7.71	6.63	177.37	13.70	2.97
		9:00	22.34	52.76	34.44	7.91	6.85	165.07	3.54	5.19
		12:00	23.01	52.03	33.91	8.08	10.36	180.79	4.32	4.41
		15:00	23.36	53.07	34.16	8.08	9.79	201.37	7.76	1.91
18:00		23.21	52.85	33.74	7.82	5.50	189.56	12.63	3.86	
21:00		22.76	52.98	34.26	7.92	7.21	157.02	1.03	1.56	
日平均	22.79	52.69	34.17	7.88	7.14	180.12	7.95	3.75		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 9 日	蚵殼站	0:00	22.28	52.41	33.69	8.20	8.24	123.01	12.39	2.09
		3:00	22.21	52.19	33.74	8.22	8.58	135.00	8.25	7.54
		6:00	22.23	52.42	33.90	8.15	8.11	95.73	25.47	7.81
		9:00	22.38	52.34	33.86	8.18	7.16	118.20	8.44	9.19
		12:00	22.95	51.75	33.80	8.23	7.67	90.39	35.53	8.31
		15:00	23.22	52.60	34.05	8.22	8.39	106.85	12.55	10.08
		18:00	23.23	51.84	33.73	8.17	5.08	154.15	36.14	9.55
		21:00	22.80	52.13	33.98	8.16	6.39	101.11	6.65	5.75
	日平均	22.66	52.21	33.84	8.19	7.45	115.56	18.18	7.54	
	潮口站	0:00	23.18	52.62	33.71	8.08	7.62	106.15	14.13	8.52
		3:00	23.56	52.42	33.77	8.06	7.77	132.15	10.85	7.41
		6:00	23.77	52.84	33.75	8.08	7.45	124.08	32.07	6.68
		9:00	23.68	52.25	33.91	8.04	7.32	142.44	12.14	6.97
		12:00	24.16	52.13	33.91	8.05	7.99	170.78	12.33	7.56
		15:00	24.34	52.67	34.10	8.06	7.94	113.85	13.32	7.13
		18:00	24.04	52.27	33.72	8.09	8.00	106.32	19.99	5.58
		21:00	23.65	52.52	33.81	8.10	7.99	120.65	24.00	7.55
	日平均	23.80	52.46	33.83	8.07	7.76	127.05	17.35	7.18	
	灣內站	0:00	22.53	52.61	34.12	7.81	5.13	142.65	2.20	2.52
		3:00	22.75	52.32	33.72	7.79	6.46	143.17	9.23	2.92
		6:00	22.81	52.19	34.13	7.86	5.54	159.71	3.99	5.72
		9:00	22.59	52.96	33.93	7.85	5.63	157.49	7.13	4.74
		12:00	22.73	52.00	33.88	7.96	8.74	126.08	8.10	4.18
		15:00	23.04	52.09	33.76	8.04	9.30	144.86	9.09	8.55
18:00		22.96	52.68	33.97	7.79	5.53	185.92	10.16	7.99	
21:00		22.79	53.09	34.02	7.89	6.22	157.61	7.64	5.23	
日平均	22.78	52.49	33.94	7.87	6.57	152.18	7.19	5.23		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 10 日	蚵殼站	0:00	22.58	53.48	33.55	8.17	8.51	127.54	29.26	4.49
		3:00	22.71	53.35	34.41	8.15	8.20	108.07	16.94	6.53
		6:00	22.75	52.70	33.95	8.11	6.55	156.88	26.10	8.25
		9:00	22.59	52.45	33.44	8.17	6.68	122.60	22.49	5.45
		12:00	23.47	52.05	34.24	8.24	8.66	113.91	27.21	6.36
		15:00	23.60	52.23	33.82	8.22	9.16	168.27	15.69	5.73
		18:00	23.22	51.76	33.49	8.22	5.79	163.30	28.23	9.58
		21:00	22.99	52.24	34.32	8.18	7.80	68.40	21.64	5.93
	日平均	22.99	52.53	33.90	8.18	7.67	128.62	23.45	6.54	
	潮口站	0:00	23.17	53.13	33.57	8.09	7.65	114.84	27.68	6.55
		3:00	23.33	53.12	34.55	8.05	7.66	101.27	30.28	6.23
		6:00	23.78	52.51	33.91	8.05	7.43	106.32	39.69	7.68
		9:00	23.65	52.23	33.53	8.08	7.71	141.61	31.68	8.15
		12:00	24.18	52.46	34.22	8.06	8.18	165.12	34.88	8.01
		15:00	24.32	51.97	33.87	8.06	7.82	103.20	36.77	6.72
		18:00	23.99	51.76	33.38	8.10	7.88	97.85	50.00	6.28
		21:00	23.50	52.46	34.33	8.11	8.09	118.46	75.83	5.83
	日平均	23.74	52.45	33.92	8.08	7.80	118.58	40.85	6.93	
	灣內站	0:00	22.38	52.84	34.24	8.01	7.91	195.35	8.40	5.90
		3:00	22.45	52.53	33.97	7.97	7.13	175.42	5.03	4.88
		6:00	22.49	53.03	33.95	7.88	5.52	171.40	12.95	4.95
		9:00	22.49	52.43	34.04	8.00	7.46	177.66	11.50	4.69
		12:00	23.10	52.96	34.11	8.07	8.96	171.36	4.91	8.54
		15:00	23.01	52.68	34.11	8.06	9.04	128.64	12.64	6.58
18:00		22.97	51.73	34.12	7.89	5.29	162.66	15.44	7.83	
21:00		22.70	52.75	34.41	7.92	5.87	170.95	9.22	7.46	
日平均	22.70	52.61	34.12	7.98	7.15	169.18	10.01	6.35		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 11 日	蚵殼站	0:00	21.38	51.76	33.87	8.19	9.10	141.22	6.71	6.34
		3:00	20.30	51.83	34.00	8.19	9.08	152.32	10.88	6.85
		6:00	22.31	52.63	33.73	8.12	7.70	115.43	17.85	9.73
		9:00	21.81	51.95	33.39	8.21	8.12	103.08	18.94	3.35
		12:00	22.38	51.94	33.95	8.23	9.97	93.03	9.92	8.95
		15:00	22.46	51.84	33.57	8.27	9.31	131.74	19.00	4.78
		18:00	22.62	52.30	34.28	8.25	7.08	139.49	35.78	6.87
		21:00	22.80	52.75	33.52	8.21	7.75	161.87	12.48	11.81
	日平均	22.01	52.12	33.79	8.21	8.51	129.77	16.45	7.34	
	潮口站	0:00	22.69	52.23	34.04	8.10	8.08	134.95	70.04	6.88
		3:00	22.89	52.32	33.94	8.06	7.61	120.31	68.07	7.23
		6:00	23.50	52.41	33.88	8.05	7.31	123.25	67.84	6.33
		9:00	23.41	52.08	33.59	8.06	7.47	163.97	91.74	7.11
		12:00	23.83	51.96	33.84	8.06	7.86	183.23	101.71	6.80
		15:00	24.10	52.08	33.47	8.06	8.07	68.92	137.15	5.63
		18:00	23.95	52.50	34.21	8.05	7.73	64.27	91.40	6.63
		21:00	23.25	52.51	33.54	8.14	8.34	54.73	117.24	6.58
	日平均	23.45	52.26	33.81	8.07	7.81	114.20	93.15	6.65	
	灣內站	0:00	22.44	52.69	34.45	7.99	7.49	142.03	8.07	8.63
		3:00	21.95	53.18	33.79	7.84	5.51	163.79	13.26	8.59
		6:00	21.94	52.87	33.87	7.76	7.41	159.10	3.44	8.36
		9:00	21.94	52.43	33.54	8.00	7.84	152.92	7.94	5.85
		12:00	22.34	52.59	34.06	8.14	11.15	156.84	2.81	3.28
		15:00	22.74	52.21	33.81	8.01	8.46	191.98	17.32	2.61
		18:00	22.51	52.34	34.43	7.83	7.43	165.60	28.12	4.83
		21:00	22.51	52.49	33.64	7.96	6.35	194.54	7.18	3.90
	日平均	22.30	52.60	33.95	7.94	7.71	165.85	11.01	5.75	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 12 日	蚵殼站	0:00	21.56	51.69	33.71	8.27	9.97	132.89	11.65	5.47
		3:00	20.46	53.11	33.73	8.25	10.13	171.12	16.36	4.36
		6:00	21.59	52.97	33.52	8.22	9.32	116.95	23.56	11.15
		9:00	21.76	52.09	34.28	8.23	9.74	93.12	28.47	8.80
		12:00	22.20	52.38	33.85	8.27	10.35	133.62	11.57	6.89
		15:00	22.07	52.84	33.22	8.28	7.89	93.07	14.92	6.05
		18:00	22.77	52.80	33.56	8.23	5.21	173.18	27.77	6.38
		21:00	22.65	51.85	33.26	8.20	7.43	190.48	36.38	3.94
	日平均	21.88	52.46	33.64	8.24	8.76	138.05	21.34	6.63	
	潮口站	0:00	22.82	51.98	33.77	8.13	8.12	65.04	129.79	5.63
		3:00	22.75	52.98	33.63	8.07	7.75	61.94	139.85	5.75
		6:00	23.45	52.47	33.51	8.04	7.45	55.82	126.22	6.49
		9:00	23.57	51.99	34.27	8.02	7.42	58.20	114.00	7.95
		12:00	23.85	52.73	33.94	8.07	7.94	67.20	135.98	9.45
		15:00	24.24	52.59	33.28	8.05	7.95	80.55	140.36	8.90
		18:00	24.07	52.83	33.74	8.04	7.70	88.59	145.79	7.40
		21:00	23.40	51.68	33.43	8.14	8.22	95.89	168.73	6.37
	日平均	23.52	52.41	33.69	8.07	7.82	71.65	137.59	7.24	
	灣內站	0:00	22.18	52.56	33.46	7.81	5.66	176.75	4.55	4.36
		3:00	22.16	52.67	34.15	8.03	6.86	175.66	7.36	5.27
		6:00	22.41	52.48	34.36	7.91	5.60	163.57	28.73	4.99
		9:00	22.53	52.54	34.14	8.03	6.30	161.68	10.03	6.33
		12:00	22.66	52.74	34.08	8.15	9.85	144.89	9.77	3.54
		15:00	23.07	52.62	33.36	8.03	7.54	120.63	5.99	4.79
		18:00	22.78	52.85	33.80	7.83	5.73	142.45	22.54	7.20
		21:00	22.46	51.84	34.16	7.80	7.14	174.86	9.20	4.92
	日平均	22.53	52.53	33.94	7.95	6.84	157.56	12.27	5.17	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 13 日	蚵殼站	0:00	22.12	51.30	32.99	8.23	8.05	128.64	6.99	7.42
		3:00	19.79	53.05	34.18	8.23	9.59	101.09	28.30	12.46
		6:00	21.76	52.41	34.64	8.19	8.50	181.27	32.86	13.63
		9:00	22.12	52.40	33.13	8.21	7.31	171.67	28.04	9.89
		12:00	22.69	51.78	33.91	8.24	9.87	131.19	22.50	8.04
		15:00	22.61	51.83	33.19	8.25	9.79	126.85	33.09	9.36
		18:00	22.90	51.73	33.71	8.24	7.32	138.49	40.27	7.81
		21:00	23.59	53.09	34.16	8.13	7.07	111.45	27.24	7.63
		日平均	22.20	52.20	33.74	8.22	8.44	136.33	27.41	9.53
	潮口站	0:00	23.07	51.73	32.90	8.13	8.00	83.57	187.46	6.89
		3:00	22.73	52.74	34.32	8.11	7.99	78.49	190.69	8.15
		6:00	23.38	52.19	34.46	8.04	7.41	82.63	186.57	7.43
		9:00	23.67	52.79	33.33	8.05	7.52	90.27	195.47	7.20
		12:00	23.69	52.07	33.86	8.11	7.93	95.67	196.32	8.33
		15:00	24.26	51.33	33.12	8.09	8.10	105.57	8.05	8.70
		18:00	24.10	51.29	33.74	8.09	7.93	116.12	5.52	7.13
		21:00	23.52	52.64	34.22	8.13	8.01	121.25	4.05	6.43
		日平均	23.55	52.10	33.74	8.09	7.86	96.70	121.77	7.53
	灣內站	0:00	22.30	51.71	32.99	7.88	8.36	155.63	7.18	8.45
		3:00	22.17	52.78	34.08	8.04	6.91	165.34	6.67	10.68
		6:00	22.08	52.80	33.49	7.85	5.83	166.17	21.55	7.19
		9:00	22.16	52.12	33.62	7.90	5.45	152.62	14.49	7.23
		12:00	22.51	52.63	34.33	8.17	10.96	135.71	15.03	5.08
		15:00	22.66	52.02	33.63	8.17	10.28	161.65	11.36	5.44
		18:00	22.88	52.00	33.53	7.88	7.09	160.86	9.73	4.14
		21:00	22.69	52.34	33.82	7.73	6.70	157.86	6.13	4.65
		日平均	22.43	52.30	33.69	7.95	7.70	156.98	11.52	6.60
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 14 日	蚵殼站	0:00	22.90	52.72	33.55	8.21	7.56	176.34	28.50	7.00
		3:00	20.90	52.57	33.57	8.21	9.53	101.03	9.45	7.86
		6:00	22.49	52.81	34.09	8.17	8.37	126.78	20.29	6.61
		9:00	22.34	52.56	33.76	8.22	9.37	181.21	14.46	6.81
		12:00	22.67	52.04	34.14	8.31	11.35	183.91	23.06	6.57
		15:00	22.68	51.77	33.71	8.28	10.87	140.40	15.73	6.32
		18:00	23.06	51.90	33.58	8.25	8.45	158.88	20.78	6.98
		21:00	23.32	52.51	33.99	8.14	7.27	130.79	31.40	4.59
		日平均	22.55	52.36	33.80	8.22	9.10	149.92	20.46	6.59
	潮口站	0:00	23.24	52.79	33.49	8.12	7.77	102.62	8.05	6.77
		3:00	22.98	52.44	33.47	8.11	7.54	100.29	5.52	8.35
		6:00	23.32	52.35	33.97	8.08	7.50	108.64	4.05	7.49
		9:00	23.88	52.09	33.93	8.10	7.78	113.90	2.68	6.63
		12:00	23.77	52.23	34.28	8.14	8.29	111.04	1.20	8.48
		15:00	24.15	52.20	33.62	8.13	8.40	119.95	5.30	10.14
		18:00	24.15	51.96	33.54	8.14	8.25	130.75	3.05	10.18
		21:00	23.95	52.26	33.81	8.14	7.95	143.70	1.13	6.79
		日平均	23.68	52.29	33.76	8.12	7.94	116.36	3.87	8.10
	灣內站	0:00	22.50	52.37	34.43	7.81	7.05	151.86	2.52	7.72
		3:00	22.26	52.51	34.21	7.99	5.76	131.70	3.63	8.43
		6:00	22.30	52.91	34.04	8.02	6.01	178.83	6.01	7.14
		9:00	22.45	52.77	34.01	7.99	5.86	141.86	10.83	5.20
		12:00	22.83	52.70	34.12	8.16	10.06	134.35	11.72	1.62
		15:00	22.89	52.74	33.41	8.15	9.60	163.37	6.43	1.96
		18:00	23.12	51.84	34.03	7.85	5.07	133.02	12.58	4.13
		21:00	22.88	52.50	33.69	7.88	6.57	163.11	9.30	3.21
		日平均	22.65	52.54	33.99	7.98	7.00	149.76	7.87	4.92
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 15 日	蚵殼站	0:00	22.64	52.80	33.56	8.16	7.39	109.00	12.25	5.36
		3:00	21.72	52.39	33.79	8.21	8.95	122.95	5.14	5.66
		6:00	21.93	52.13	33.55	8.19	8.69	139.02	14.28	10.25
		9:00	22.56	52.35	33.80	8.20	9.07	150.03	25.28	3.90
		12:00	22.98	51.68	34.29	8.26	10.60	147.41	16.47	1.62
		15:00	22.89	51.41	33.23	8.28	10.94	166.53	8.63	4.28
		18:00	22.81	52.06	34.08	8.23	9.22	131.09	44.80	6.35
		21:00	23.02	52.58	33.77	8.16	5.97	155.48	31.16	7.78
	日平均	22.57	52.17	33.76	8.21	8.85	140.19	19.75	5.65	
	潮口站	0:00	23.46	52.48	33.64	8.16	8.05	133.94	2.35	6.45
		3:00	23.04	52.73	33.78	8.17	7.94	115.60	7.07	5.29
		6:00	23.54	52.12	33.69	8.14	7.65	65.26	4.63	8.63
		9:00	24.40	51.88	33.84	8.12	7.33	68.84	0.49	6.69
		12:00	23.94	51.86	34.17	8.18	8.49	71.58	0.37	8.12
		15:00	23.95	51.77	33.38	8.19	8.84	79.02	3.41	8.05
		18:00	24.40	52.22	33.91	8.16	8.29	106.63	1.58	8.32
		21:00	24.26	52.27	33.87	8.12	7.11	129.33	0.71	7.80
	日平均	23.87	52.17	33.78	8.16	7.96	96.28	2.58	7.42	
	灣內站	0:00	22.50	52.05	33.82	7.97	5.42	149.09	4.86	3.94
		3:00	22.44	52.21	33.50	8.01	6.29	119.61	6.10	4.96
		6:00	22.46	52.45	33.92	8.05	6.78	145.16	4.65	3.89
		9:00	22.66	52.14	34.40	7.99	6.04	167.13	5.21	5.17
		12:00	23.02	52.72	33.45	8.18	10.36	173.21	10.34	3.09
		15:00	23.15	51.88	33.82	8.16	9.89	134.74	13.37	3.73
		18:00	23.19	52.21	33.75	8.01	6.46	137.15	16.56	6.62
		21:00	23.07	52.18	33.43	7.81	8.95	118.06	20.13	4.40
	日平均	22.81	52.23	33.76	8.02	7.52	143.02	10.15	4.47	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 16 日	蚵殼站	0:00	22.88	51.34	33.73	8.16	7.44	109.05	38.00	3.69
		3:00	22.18	52.33	33.41	8.18	8.37	182.64	16.61	4.93
		6:00	21.64	52.26	32.95	8.19	8.80	145.25	28.76	5.15
		9:00	21.54	52.62	33.58	8.20	8.54	115.32	51.71	8.10
		12:00	23.29	51.47	33.90	8.29	8.09	127.24	37.38	5.36
		15:00	22.93	51.72	33.90	8.28	8.69	142.17	7.57	8.13
		18:00	23.01	52.80	33.60	8.25	7.74	117.02	32.84	9.28
		21:00	22.94	52.53	33.35	8.18	6.39	93.86	38.63	8.43
	日平均	22.55	52.13	33.55	8.22	8.01	129.07	31.44	6.63	
	潮口站	0:00	23.55	51.74	33.70	8.19	8.35	135.45	2.09	8.05
		3:00	23.40	52.24	33.44	8.17	7.85	109.58	15.51	6.86
		6:00	23.26	51.88	32.92	8.16	7.56	113.52	13.97	8.66
		9:00	23.78	52.45	33.68	8.15	7.82	123.13	16.12	6.80
		12:00	24.37	51.84	33.89	8.17	7.71	117.54	2.09	7.46
		15:00	23.61	51.80	33.74	8.19	8.22	124.83	15.51	7.23
		18:00	24.05	52.47	33.55	8.16	8.20	139.24	13.97	6.03
		21:00	24.16	52.11	33.28	8.14	7.90	150.04	0.34	7.34
	日平均	23.77	52.06	33.52	8.17	7.95	126.67	9.95	7.30	
	灣內站	0:00	22.95	52.52	33.99	7.86	8.10	143.51	2.53	4.02
		3:00	22.75	52.07	33.49	7.88	9.90	102.64	13.87	4.31
		6:00	22.53	51.46	33.01	8.01	6.23	121.17	18.47	1.95
		9:00	22.85	52.05	33.64	8.06	7.21	147.59	21.73	1.62
		12:00	22.66	51.78	33.65	8.14	9.80	152.55	12.90	4.82
		15:00	23.13	51.60	33.43	8.27	10.72	155.05	7.35	4.27
		18:00	23.04	51.89	33.72	8.25	9.93	131.39	16.29	1.92
		21:00	22.96	52.51	33.64	8.20	5.93	157.74	20.04	3.06
	日平均	22.86	51.99	33.57	8.08	8.48	138.95	14.15	3.24	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 17 日	蚵殼站	0:00	22.57	51.10	33.28	8.24	5.64	124.01	42.42	7.54
		3:00	22.12	52.00	34.04	8.25	5.53	75.75	40.36	8.30
		6:00	21.92	51.08	33.72	8.26	7.92	102.53	12.67	4.68
		9:00	22.28	51.53	33.68	8.26	7.16	156.74	25.65	2.20
		12:00	23.04	51.70	33.53	8.28	7.56	97.62	60.09	3.55
		15:00	22.69	52.38	34.23	8.31	8.90	92.40	67.14	3.73
		18:00	22.52	51.98	33.87	8.17	5.25	68.02	51.78	6.22
		21:00	22.44	52.95	33.57	8.18	5.62	135.38	41.45	9.81
	日平均	22.45	51.84	33.74	8.24	6.70	106.56	42.70	5.75	
	潮口站	0:00	23.81	51.44	33.08	8.16	8.03	154.22	8.05	8.65
		3:00	23.41	51.82	33.91	8.15	8.08	156.86	5.52	8.50
		6:00	23.24	51.58	33.84	8.14	7.44	147.37	4.05	7.03
		9:00	23.89	51.95	33.48	8.15	7.86	161.78	2.68	7.88
		12:00	24.30	51.59	33.62	8.16	7.50	158.42	1.20	8.21
		15:00	23.78	52.46	34.04	8.17	8.12	163.05	5.30	8.18
		18:00	23.87	52.47	33.86	8.16	7.98	151.31	3.05	8.25
		21:00	24.33	52.59	33.56	8.13	7.44	156.12	1.13	5.15
	日平均	23.83	51.98	33.67	8.15	7.81	156.14	3.87	7.73	
	灣內站	0:00	23.11	51.90	33.72	8.07	9.65	167.84	21.09	2.72
		3:00	23.07	51.91	33.77	8.00	5.94	141.70	11.55	0.34
		6:00	22.84	51.96	33.80	8.09	6.22	140.24	3.44	5.15
		9:00	22.94	51.99	33.53	8.19	7.75	164.66	9.98	5.67
		12:00	23.35	52.23	34.15	8.26	9.49	134.64	34.47	4.81
		15:00	23.14	52.57	33.71	8.28	11.40	157.11	41.88	4.70
		18:00	23.32	52.30	33.62	8.26	8.02	155.76	41.05	4.71
		21:00	23.28	52.03	33.65	8.10	5.52	163.33	18.08	2.82
	日平均	23.13	52.11	33.74	8.16	8.00	153.16	22.69	3.86	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 18 日	蚵殼站	0:00	22.28	51.85	34.01	8.25	5.58	188.31	29.90	3.57
		3:00	22.23	52.25	33.16	8.27	7.21	103.73	36.73	5.76
		6:00	22.21	52.53	34.02	8.27	8.16	181.54	36.40	6.80
		9:00	22.36	52.28	33.74	8.22	5.75	137.81	14.03	7.55
		12:00	23.06	52.90	33.46	8.25	6.03	160.90	39.65	2.49
		15:00	22.97	51.67	34.12	8.29	7.48	160.75	37.59	5.25
		18:00	22.92	52.76	34.13	8.17	5.99	171.55	8.11	5.38
		21:00	22.80	51.66	33.73	8.15	5.37	145.86	2.95	4.24
	日平均	22.60	52.24	33.80	8.23	6.45	156.31	25.67	5.13	
	潮口站	0:00	24.07	52.21	34.19	8.15	7.41	142.03	2.35	9.92
		3:00	23.50	52.60	33.34	8.15	8.00	154.54	7.07	9.51
		6:00	23.25	52.56	34.03	8.15	7.35	146.00	4.63	6.65
		9:00	24.07	52.56	33.61	8.14	7.78	158.64	0.49	7.45
		12:00	24.46	52.64	33.36	8.15	7.64	161.20	0.37	7.49
		15:00	23.75	51.62	34.01	8.17	8.53	162.91	3.41	7.78
		18:00	23.74	52.52	33.99	8.18	7.85	180.27	1.58	7.66
		21:00	23.88	51.99	33.64	8.16	7.96	198.48	0.71	6.78
	日平均	23.84	52.33	33.77	8.16	7.82	163.01	2.58	7.91	
	灣內站	0:00	23.29	52.64	33.49	7.94	7.12	161.95	22.34	3.58
		3:00	23.12	52.29	33.98	8.01	7.57	145.55	8.80	4.30
		6:00	22.84	52.79	33.94	8.10	6.22	158.45	8.90	1.50
		9:00	22.95	52.31	33.68	8.12	5.63	168.50	7.10	1.62
		12:00	23.57	52.53	34.02	8.20	8.83	172.09	11.37	1.58
		15:00	23.79	52.52	33.59	8.25	8.96	164.58	4.93	2.79
		18:00	23.94	52.35	33.66	8.13	5.82	185.16	7.85	3.65
		21:00	23.82	52.55	33.75	8.04	5.94	168.47	6.14	6.17
	日平均	23.42	52.50	33.76	8.10	7.01	165.59	9.68	3.15	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 19 日	蚵殼站	0:00	22.89	52.41	33.63	8.31	6.86	176.79	25.50	5.53
		3:00	22.75	52.13	33.80	8.28	5.66	133.10	14.19	6.05
		6:00	22.64	52.77	33.85	8.16	6.06	117.51	10.55	6.50
		9:00	22.85	52.55	33.84	8.15	5.48	134.50	21.64	6.56
		12:00	23.34	52.04	33.56	8.23	6.24	152.75	16.98	8.83
		15:00	23.38	52.10	33.50	8.27	6.58	157.74	37.04	6.62
		18:00	23.23	52.33	33.60	8.25	5.92	200.95	23.86	10.25
		21:00	23.27	53.26	33.88	8.24	5.21	140.64	24.79	4.14
		日平均	23.04	52.45	33.71	8.24	6.00	151.75	21.82	6.81
	潮口站	0:00	24.18	52.56	33.65	8.15	7.35	146.64	1.13	9.17
		3:00	23.56	52.56	33.72	8.16	7.99	156.54	1.71	9.45
		6:00	23.35	52.82	33.83	8.18	7.90	106.90	1.65	9.66
		9:00	23.89	53.04	33.98	8.17	7.89	136.43	1.39	7.11
		12:00	24.69	51.97	33.36	8.16	7.79	149.96	0.71	6.58
		15:00	24.24	52.36	33.63	8.19	8.51	131.75	2.98	7.05
		18:00	24.07	52.64	33.69	8.17	8.54	131.97	3.73	7.75
		21:00	24.03	52.88	33.91	8.17	7.26	148.79	3.17	5.19
		日平均	24.00	52.60	33.72	8.17	7.90	138.62	2.06	7.75
	灣內站	0:00	23.50	52.10	33.85	8.08	7.24	187.18	3.76	4.63
		3:00	23.30	52.28	33.96	8.00	5.39	170.07	8.84	3.90
		6:00	23.10	52.25	34.10	8.04	5.35	148.98	5.32	3.03
		9:00	23.38	52.84	33.89	8.10	6.49	161.84	4.49	2.68
		12:00	24.03	52.48	33.94	8.24	10.46	178.77	11.97	4.34
		15:00	24.21	52.48	33.49	8.28	10.12	176.57	8.95	2.28
		18:00	24.27	52.67	34.42	8.28	6.13	151.35	4.80	3.39
		21:00	23.96	52.52	34.05	8.29	7.43	188.76	11.23	4.31
		日平均	23.72	52.45	33.96	8.16	7.33	170.44	7.42	3.57
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 20 日	蚵殼站	0:00	23.21	52.77	33.59	8.06	5.16	155.37	23.76	9.78
		3:00	23.10	52.12	34.07	8.20	5.37	173.99	8.43	6.61
		6:00	23.13	53.16	33.88	8.17	5.32	147.79	28.54	8.09
		9:00	23.45	52.09	34.08	8.15	6.05	141.65	21.68	4.29
		12:00	23.63	52.30	34.18	8.29	7.07	122.63	20.43	6.34
		15:00	23.72	51.75	34.02	8.27	7.29	143.91	17.42	2.54
		18:00	23.69	52.82	34.32	8.23	5.52	141.94	51.42	8.70
		21:00	23.74	52.81	33.78	8.24	6.74	201.38	23.45	4.94
		日平均	23.46	52.48	33.99	8.20	6.07	153.58	24.39	6.41
	潮口站	0:00	24.07	52.60	33.65	8.16	7.39	161.12	1.03	7.36
		3:00	24.10	52.51	34.13	8.16	7.15	167.11	0.90	7.45
		6:00	23.66	52.92	33.74	8.18	6.77	153.62	4.35	8.04
		9:00	23.77	52.32	33.94	8.18	7.46	165.06	2.02	7.33
		12:00	24.67	52.66	34.17	8.16	8.13	175.48	0.47	5.68
		15:00	24.75	52.17	33.90	8.17	7.99	176.73	0.65	7.74
		18:00	24.31	52.55	34.22	8.17	8.53	147.73	4.62	6.41
		21:00	24.30	52.61	33.98	8.14	7.79	164.22	5.32	4.72
		日平均	24.20	52.54	33.96	8.17	7.65	163.88	2.42	6.84
	灣內站	0:00	24.12	52.31	34.11	8.14	6.44	182.51	10.16	5.29
		3:00	23.95	52.53	33.75	8.11	6.74	143.68	11.62	5.75
		6:00	24.00	52.71	33.92	8.14	5.39	172.04	10.94	1.07
		9:00	24.21	52.91	33.69	8.11	5.87	143.49	5.36	3.17
		12:00	24.42	52.52	34.22	8.24	9.94	172.13	7.59	4.19
		15:00	24.45	52.25	33.35	8.29	10.25	150.51	6.13	5.74
		18:00	24.96	52.53	33.89	8.26	7.99	165.64	19.71	4.21
		21:00	24.70	52.97	33.61	8.25	7.84	180.06	4.93	4.37
		日平均	24.35	52.59	33.81	8.19	7.56	163.76	9.55	4.22
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 21 日	蚵殼站	0:00	23.60	52.66	34.13	8.22	5.25	164.84	23.43	9.72
		3:00	23.70	51.99	33.76	8.16	6.15	109.91	24.44	7.73
		6:00	23.31	53.24	34.17	8.14	5.27	116.97	4.54	7.54
		9:00	23.55	53.04	33.72	8.19	6.16	167.39	10.99	8.77
		12:00	23.79	52.48	34.18	8.18	5.35	197.62	11.01	8.48
		15:00	24.07	52.52	34.12	8.15	7.04	193.88	8.19	5.30
		18:00	24.11	53.37	33.63	8.20	5.50	190.27	27.02	5.93
		21:00	23.68	52.74	33.86	8.23	6.52	131.50	8.33	7.93
	日平均	23.73	52.75	33.95	8.18	5.91	159.05	14.74	7.68	
	潮口站	0:00	24.16	52.19	34.06	8.14	7.00	163.31	4.09	7.11
		3:00	24.22	52.41	33.79	8.16	6.97	154.71	44.21	7.76
		6:00	24.20	53.19	34.33	8.17	6.89	155.14	6.56	7.12
		9:00	24.26	53.22	33.61	8.16	7.37	150.81	0.82	7.84
		12:00	24.53	52.71	34.15	8.18	8.59	150.70	0.40	6.35
		15:00	24.66	52.62	34.20	8.19	8.29	153.04	2.71	5.47
		18:00	24.40	52.92	33.59	8.18	8.64	151.95	4.69	6.52
		21:00	24.36	52.41	33.90	8.14	8.17	147.20	5.54	5.41
	日平均	24.35	52.71	33.95	8.17	7.74	153.36	8.63	6.70	
	灣內站	0:00	24.53	52.29	34.26	8.18	5.86	156.53	8.01	4.07
		3:00	24.49	52.37	34.31	8.10	6.81	173.65	8.93	4.17
		6:00	24.32	53.26	33.96	8.15	5.60	163.93	6.17	3.34
		9:00	24.41	52.57	34.49	8.25	9.39	156.38	5.79	7.53
		12:00	24.73	52.48	34.03	8.33	11.65	147.76	13.41	5.56
		15:00	24.84	52.43	33.32	8.33	12.05	158.75	5.42	3.19
		18:00	24.91	52.15	33.63	8.35	8.89	154.73	8.84	4.90
		21:00	24.71	52.12	34.04	8.27	8.25	162.90	6.29	5.39
	日平均	24.62	52.46	34.00	8.25	8.56	159.33	7.85	4.77	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 22 日	蚵殼站	0:00	23.80	52.13	34.20	8.28	8.14	118.02	7.22	6.78
		3:00	23.64	52.37	34.03	8.13	5.35	166.43	19.92	7.58
		6:00	23.19	53.66	34.10	8.03	5.00	149.29	15.03	9.02
		9:00	23.61	53.22	34.54	8.19	5.43	134.38	6.44	6.62
		12:00	24.02	52.67	33.66	8.18	5.30	115.40	38.17	8.06
		15:00	23.95	52.92	33.52	8.09	5.04	170.60	13.87	8.70
		18:00	23.65	52.59	34.23	8.15	5.45	150.07	19.77	6.14
		21:00	23.35	52.87	34.00	8.21	6.63	175.29	24.06	2.96
	日平均	23.65	52.80	34.03	8.16	5.79	147.44	18.06	6.98	
	潮口站	0:00	24.09	52.20	34.37	8.17	7.30	155.60	2.48	9.00
		3:00	24.00	52.58	34.11	8.18	7.14	153.95	3.17	6.71
		6:00	23.91	53.20	34.25	8.19	6.89	154.18	1.42	6.78
		9:00	23.97	52.86	34.40	8.19	7.37	136.20	1.14	8.21
		12:00	24.26	53.08	33.84	8.19	8.61	145.55	0.37	5.43
		15:00	24.40	52.47	33.57	8.20	7.57	140.91	17.31	6.30
		18:00	24.12	52.68	34.34	8.19	8.40	147.05	2.53	7.59
		21:00	23.76	53.10	33.95	8.18	8.46	154.56	6.83	5.72
	日平均	24.06	52.77	34.10	8.19	7.72	148.50	4.41	6.97	
	灣內站	0:00	24.16	52.78	33.58	8.19	8.66	162.79	6.35	3.28
		3:00	24.07	52.58	34.11	8.17	6.43	169.00	15.22	2.19
		6:00	23.88	52.82	34.61	8.14	6.75	157.77	4.41	5.27
		9:00	24.09	52.91	34.45	8.14	5.25	146.29	8.10	3.38
		12:00	24.60	53.05	34.75	8.30	9.04	172.71	20.69	6.16
		15:00	24.55	52.12	33.45	8.32	8.38	148.86	6.68	4.29
		18:00	24.33	52.91	33.56	8.25	8.36	141.73	2.16	1.28
		21:00	23.96	53.09	33.98	8.20	8.48	155.90	6.70	3.51
	日平均	24.21	52.78	34.06	8.21	7.67	156.88	8.79	3.67	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 23 日	蚵殼站	0:00	23.02	52.67	33.92	8.24	7.79	95.15	27.55	6.35
		3:00	23.01	52.19	33.99	8.22	7.79	140.23	3.57	4.51
		6:00	23.00	52.76	34.37	8.17	6.47	156.89	31.24	8.72
		9:00	22.68	52.78	34.43	8.14	5.74	104.62	28.79	6.81
		12:00	22.66	53.07	34.14	8.18	5.89	96.39	16.33	10.75
		15:00	22.96	52.66	33.42	8.19	7.27	115.10	26.55	8.45
		18:00	22.84	53.19	34.11	8.12	5.55	109.61	10.12	5.83
		21:00	22.40	52.38	34.08	8.17	6.86	185.70	27.42	8.82
	日平均	22.82	52.71	34.06	8.18	6.67	125.46	21.45	7.53	
	潮口站	0:00	23.46	52.86	34.07	8.23	7.96	163.92	4.41	5.45
		3:00	23.37	52.34	34.14	8.19	7.39	162.61	5.75	6.30
		6:00	23.55	53.15	34.29	8.19	7.42	166.08	1.98	6.89
		9:00	23.48	52.57	34.24	8.19	7.02	150.03	4.57	7.71
		12:00	23.53	52.70	34.28	8.18	7.80	158.01	1.51	7.93
		15:00	24.04	52.76	33.43	8.17	7.47	149.26	1.05	7.43
		18:00	23.69	52.76	34.27	8.18	7.55	158.15	2.45	5.67
		21:00	23.03	52.70	34.27	8.16	8.21	169.11	5.70	6.31
	日平均	23.52	52.73	34.12	8.19	7.60	159.65	3.43	6.71	
	灣內站	0:00	23.59	52.96	34.28	8.19	8.64	153.60	6.83	1.58
		3:00	23.18	53.01	33.64	8.21	8.79	154.15	5.48	2.44
		6:00	22.96	52.48	34.02	8.21	8.22	138.44	6.09	2.97
		9:00	22.81	52.32	34.13	8.20	8.02	156.55	4.79	1.46
		12:00	22.78	52.97	34.03	8.21	8.01	138.78	7.84	6.64
		15:00	22.89	52.61	33.89	8.24	6.19	129.90	3.34	6.67
18:00		22.71	52.34	33.69	8.23	7.01	104.66	3.88	4.75	
21:00		22.26	52.83	34.25	8.18	7.72	151.43	3.32	4.26	
日平均	22.90	52.69	33.99	8.21	7.83	140.94	5.19	3.84		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 24 日	蚵殼站	0:00	21.87	52.31	34.30	8.26	7.89	137.72	24.36	8.24
		3:00	21.64	52.45	34.32	8.18	6.79	121.14	36.47	8.78
		6:00	21.81	52.45	33.88	8.05	5.38	68.65	14.85	8.87
		9:00	21.42	52.54	34.28	8.11	5.60	101.57	15.12	5.38
		12:00	22.18	51.98	33.61	8.16	6.05	164.81	35.02	9.37
		15:00	22.38	52.38	33.76	8.17	5.50	130.37	31.01	7.57
		18:00	22.52	51.88	34.38	8.04	5.92	144.52	48.62	10.66
		21:00	22.32	53.50	34.43	8.11	6.81	141.91	18.54	10.31
	日平均	22.02	52.43	34.12	8.14	6.24	126.34	28.00	8.65	
	潮口站	0:00	22.13	52.03	34.16	8.23	7.95	165.85	4.76	6.13
		3:00	22.56	52.57	34.43	8.20	7.45	166.75	3.42	6.22
		6:00	23.27	52.49	33.77	8.18	7.05	159.68	2.54	15.60
		9:00	23.17	52.34	34.22	8.19	7.00	138.20	2.17	6.48
		12:00	23.45	52.25	33.46	8.18	8.11	142.57	2.33	11.85
		15:00	23.88	52.33	33.64	8.16	7.47	152.05	3.48	11.31
		18:00	23.63	52.13	34.40	8.18	7.01	163.71	6.43	10.10
		21:00	22.66	53.10	34.47	8.17	8.13	173.05	9.09	8.68
	日平均	23.09	52.40	34.07	8.19	7.52	157.73	4.28	9.55	
	灣內站	0:00	21.93	52.56	33.99	8.18	7.89	149.90	8.83	5.06
		3:00	21.79	52.96	34.17	8.17	7.19	131.44	4.60	3.30
		6:00	21.62	52.20	33.96	8.14	5.14	147.88	14.84	6.32
		9:00	21.79	52.90	33.92	8.17	5.12	129.68	13.47	7.52
		12:00	21.79	52.46	33.84	8.24	10.18	180.25	6.54	7.88
		15:00	22.15	52.25	34.31	8.27	8.78	146.78	12.88	6.29
18:00		22.22	52.89	34.35	8.22	5.52	167.74	15.71	5.33	
21:00		22.02	53.03	34.52	8.14	8.20	157.74	11.43	5.70	
日平均	21.91	52.65	34.13	8.19	7.25	151.42	11.03	5.92		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 25 日	蚵殼站	0:00	21.70	53.09	33.72	8.18	7.03	158.02	26.07	8.53
		3:00	21.47	52.26	34.33	8.21	7.65	122.80	25.42	5.53
		6:00	21.61	52.64	34.36	8.05	5.74	171.29	38.39	10.84
		9:00	20.90	52.91	34.14	8.16	6.06	129.44	25.61	3.04
		12:00	21.59	53.19	34.15	8.19	7.36	106.87	12.48	4.27
		15:00	22.25	52.22	34.04	8.18	5.96	200.56	30.31	4.72
		18:00	22.31	52.15	33.84	8.09	5.29	192.89	26.45	10.00
		21:00	22.39	51.78	34.03	7.95	5.93	151.23	35.64	10.67
		日平均	21.78	52.53	34.08	8.13	6.38	154.14	27.55	7.20
	潮口站	0:00	22.24	52.96	33.67	8.15	7.54	177.34	7.69	9.74
		3:00	22.50	52.22	34.17	8.18	7.41	182.59	4.01	8.05
		6:00	23.26	52.21	34.43	8.18	6.93	181.98	2.89	8.49
		9:00	22.81	52.60	34.18	8.19	6.94	160.35	4.09	9.02
		12:00	23.11	52.73	33.96	8.17	7.74	152.38	2.91	11.52
		15:00	23.79	52.12	34.00	8.15	7.80	163.12	2.44	11.29
		18:00	23.71	52.47	33.76	8.18	7.09	169.74	1.71	11.55
		21:00	22.73	51.87	34.02	8.16	8.21	168.61	38.81	7.25
		日平均	23.02	52.40	34.02	8.17	7.46	169.51	8.07	9.61
	灣內站	0:00	21.79	53.25	33.88	8.13	7.05	177.90	19.68	7.07
		3:00	21.70	52.68	34.56	8.14	6.91	173.29	8.01	5.60
		6:00	21.67	52.46	34.22	8.14	5.41	162.35	2.37	6.39
		9:00	21.25	52.54	34.19	8.14	7.05	156.88	7.31	5.79
		12:00	21.61	52.27	34.54	8.20	8.78	170.17	8.76	7.23
		15:00	21.73	52.02	33.76	8.22	7.91	151.90	10.88	4.22
		18:00	21.70	51.96	33.55	8.26	5.85	166.63	7.13	5.06
		21:00	21.46	52.18	33.43	8.27	6.87	151.18	6.58	5.20
		日平均	21.61	52.42	34.01	8.19	6.98	163.78	8.84	5.82
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 26 日	蚵殼站	0:00	21.71	51.63	33.03	8.19	7.50	160.49	18.40	4.00
		3:00	21.40	52.69	33.86	8.20	7.59	168.92	16.23	8.19
		6:00	21.61	52.47	34.05	8.14	6.55	158.70	21.37	5.95
		9:00	21.66	52.71	33.52	8.15	6.46	181.53	42.94	11.01
		12:00	22.13	51.90	33.52	8.22	7.88	192.50	29.01	7.44
		15:00	22.38	50.92	33.58	8.18	7.29	172.41	20.23	10.37
		18:00	22.32	51.48	32.92	8.03	5.62	188.28	43.38	7.19
		21:00	22.12	51.32	32.73	8.04	6.66	163.88	20.68	8.37
		日平均	21.92	51.89	33.40	8.14	6.94	173.34	26.53	7.82
	潮口站	0:00	22.34	51.65	33.21	8.15	7.73	169.97	9.00	7.71
		3:00	22.16	52.37	33.80	8.21	6.71	152.30	7.18	8.08
		6:00	23.28	52.48	34.24	8.18	6.65	169.92	3.76	6.65
		9:00	22.89	52.76	33.55	8.22	6.52	164.38	4.38	9.09
		12:00	23.34	52.28	33.47	8.19	7.54	158.61	5.36	11.51
		15:00	23.77	51.25	33.39	8.14	8.00	165.63	7.12	10.05
		18:00	23.72	51.55	33.07	8.14	7.32	181.94	27.55	7.91
		21:00	22.75	51.56	32.84	8.16	8.12	184.45	6.43	9.82
		日平均	23.03	51.98	33.44	8.17	7.32	168.40	8.85	8.85
	灣內站	0:00	21.02	52.11	33.74	8.21	8.88	172.88	21.90	5.48
		3:00	20.86	52.16	34.17	8.15	8.28	193.53	8.43	5.20
		6:00	20.71	52.56	34.28	8.12	6.88	172.64	8.54	6.37
		9:00	20.87	52.76	33.94	8.14	7.57	155.44	18.90	2.55
		12:00	21.60	51.83	33.84	8.22	10.17	179.81	15.72	5.39
		15:00	21.69	51.05	33.25	8.25	10.97	169.71	21.59	7.89
		18:00	21.81	51.48	33.59	8.20	8.10	156.72	18.33	5.25
		21:00	21.69	51.77	33.11	8.28	5.91	184.96	27.79	3.43
		日平均	21.28	51.96	33.74	8.20	8.35	173.21	17.65	5.19
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 27 日	蚵殼站	0:00	21.63	51.18	32.82	8.16	6.32	108.81	23.66	6.00
		3:00	21.38	52.43	32.79	8.18	7.37	157.23	29.51	4.49
		6:00	21.47	51.55	33.93	8.12	6.53	199.28	3.65	5.76
		9:00	21.65	50.83	33.76	8.12	6.47	136.21	23.77	8.98
		12:00	22.05	51.63	33.58	8.21	7.96	160.06	29.12	1.90
		15:00	22.52	52.00	33.14	8.18	7.64	174.14	33.87	4.28
		18:00	22.46	51.88	33.12	8.14	5.05	135.35	39.93	2.00
		21:00	22.38	51.46	33.44	8.03	5.07	161.95	8.10	6.95
		日平均	21.94	51.62	33.32	8.14	6.55	154.13	23.95	5.05
	潮口站	0:00	21.88	51.57	32.90	8.10	8.14	209.38	9.20	9.48
		3:00	21.80	52.03	32.96	8.14	5.81	201.11	5.22	9.01
		6:00	23.20	51.31	33.79	8.10	6.82	202.53	3.03	7.71
		9:00	23.04	51.00	33.66	8.14	6.69	201.27	4.35	10.15
		12:00	23.10	51.83	33.63	8.14	7.39	187.67	4.38	11.36
		15:00	23.59	51.99	32.97	8.11	7.96	91.76	3.95	9.83
		18:00	23.63	51.66	33.18	8.10	7.53	69.49	2.06	9.89
		21:00	23.00	51.43	33.33	8.11	7.69	60.39	5.09	8.20
		日平均	22.91	51.60	33.30	8.12	7.25	152.95	4.66	9.45
	灣內站	0:00	21.44	51.46	33.44	8.15	7.31	156.95	15.59	2.08
		3:00	21.13	51.33	33.82	8.16	7.07	180.61	30.44	4.47
		6:00	20.68	51.79	33.68	8.11	6.68	157.64	24.66	2.96
		9:00	21.18	51.19	33.63	8.13	7.35	177.14	10.76	4.83
		12:00	22.12	52.38	33.62	8.20	8.92	142.35	18.42	2.46
		15:00	22.15	51.43	33.31	8.23	9.70	164.37	12.85	4.58
		18:00	22.15	51.74	33.72	8.27	5.56	140.16	8.24	1.96
		21:00	22.12	51.85	33.60	8.26	6.33	165.83	18.21	5.66
		日平均	21.62	51.65	33.60	8.19	7.37	160.63	17.39	3.62
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 28 日	蚵殼站	0:00	21.91	52.08	33.93	8.14	6.25	146.43	23.64	7.07
		3:00	21.19	52.87	33.48	8.18	7.64	174.70	16.51	10.31
		6:00	21.44	52.29	33.77	8.11	6.28	115.34	4.75	7.03
		9:00	21.91	52.03	33.24	8.03	6.06	134.99	4.16	4.62
		12:00	22.56	51.48	34.09	8.16	6.67	107.90	28.39	9.54
		15:00	22.40	52.27	33.43	8.08	5.52	113.69	10.30	7.98
		18:00	22.08	51.63	33.68	8.06	5.67	126.09	25.08	3.02
		21:00	22.25	52.65	34.13	8.17	6.25	126.71	16.69	5.54
		日平均	21.97	52.16	33.72	8.12	6.29	130.73	16.19	6.89
	潮口站	0:00	22.30	51.98	33.76	8.08	7.74	53.78	10.07	8.09
		3:00	21.92	52.67	33.50	8.10	6.65	51.37	9.97	8.15
		6:00	22.85	52.74	33.60	8.10	6.96	67.24	8.75	6.94
		9:00	23.23	52.21	33.42	8.14	6.43	75.20	14.25	10.63
		12:00	22.49	51.88	34.00	8.16	7.38	46.62	10.75	7.83
		15:00	23.58	51.99	33.29	8.11	7.73	48.54	2.86	8.34
		18:00	23.71	51.93	33.78	8.07	7.31	127.30	4.95	8.40
		21:00	23.17	52.73	34.27	8.08	6.91	197.14	3.27	8.56
		日平均	22.91	52.26	33.70	8.11	7.14	83.40	8.11	8.37
	灣內站	0:00	21.76	52.52	34.06	8.23	7.32	160.89	5.43	3.22
		3:00	21.55	52.19	34.03	8.18	7.79	146.90	15.94	1.91
		6:00	21.46	52.49	33.39	8.17	7.32	144.84	20.26	0.41
		9:00	21.79	51.98	34.08	8.21	7.18	137.74	16.28	5.06
		12:00	22.08	52.50	33.18	8.25	10.12	146.93	18.74	3.23
		15:00	22.04	52.00	33.97	8.29	10.20	149.37	21.54	7.38
		18:00	22.11	52.82	34.27	8.22	5.59	164.53	22.14	6.30
		21:00	22.31	52.17	34.17	8.04	6.90	151.68	20.95	6.13
		日平均	21.89	52.33	33.89	8.20	7.80	150.36	17.66	4.20
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 29 日	蚵殼站	0:00	22.15	51.81	34.09	8.05	5.97	139.70	9.20	5.51
		3:00	21.80	52.10	33.49	8.19	6.94	92.62	21.33	3.88
		6:00	21.68	51.59	33.97	8.09	5.46	147.09	46.75	7.68
		9:00	22.17	52.75	34.14	8.08	5.12	115.69	18.34	9.03
		12:00	22.31	51.88	34.03	8.13	6.63	150.70	15.72	10.17
		15:00	22.34	52.06	33.71	8.14	6.86	96.92	29.52	13.57
		18:00	22.03	53.01	33.81	8.04	5.42	152.18	39.28	4.48
		21:00	21.88	52.95	33.50	8.01	5.48	156.85	6.80	7.20
	日平均	22.05	52.27	33.84	8.09	5.99	131.47	23.37	7.69	
	潮口站	0:00	22.20	52.19	34.13	8.09	7.94	123.75	30.79	10.07
		3:00	22.00	52.37	33.43	8.13	7.17	76.78	11.70	9.53
		6:00	22.60	51.99	34.03	8.10	7.19	66.67	17.02	8.79
		9:00	23.31	52.62	33.97	8.12	7.14	85.79	32.76	10.39
		12:00	22.39	51.72	34.10	8.16	7.59	124.89	9.31	9.58
		15:00	23.20	51.79	33.61	8.13	7.67	189.15	4.95	8.14
		18:00	23.83	52.58	33.78	8.10	7.40	167.27	6.18	8.35
		21:00	23.75	52.71	33.51	8.08	6.62	215.62	7.80	8.45
	日平均	22.91	52.24	33.82	8.11	7.34	131.24	15.06	9.16	
	灣內站	0:00	22.19	52.02	33.61	8.11	8.55	149.85	20.67	7.01
		3:00	22.01	52.29	33.97	8.12	6.38	146.40	19.92	3.32
		6:00	21.59	52.33	33.90	8.07	6.95	146.17	22.09	5.94
		9:00	21.95	52.12	34.00	8.20	6.12	127.12	20.48	3.40
		12:00	22.12	51.98	34.15	8.23	10.19	136.18	10.47	8.76
		15:00	22.56	52.20	33.47	8.22	10.28	120.91	10.74	10.44
18:00		22.89	52.34	33.92	8.16	5.81	127.06	9.41	3.08	
21:00		22.85	52.46	33.41	8.11	8.60	134.52	16.57	6.06	
日平均	22.27	52.22	33.80	8.15	7.86	136.02	16.29	6.00		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 30 日	蚵殼站	0:00	21.97	52.07	33.37	8.14	5.44	147.79	43.85	3.76
		3:00	21.81	53.33	34.01	8.14	5.48	123.44	31.47	7.36
		6:00	21.74	52.66	33.65	8.10	6.44	149.40	26.17	9.03
		9:00	22.28	51.97	34.05	8.15	5.92	99.29	12.66	7.48
		12:00	22.81	52.38	34.00	8.17	6.85	199.13	7.80	8.94
		15:00	22.62	52.57	33.99	8.14	6.40	139.51	32.42	6.26
		18:00	22.77	51.62	33.80	8.11	5.04	172.40	9.95	9.69
		21:00	22.78	51.60	33.82	8.18	5.05	170.78	43.70	5.41
	日平均	22.35	52.27	33.84	8.14	5.83	150.22	26.00	7.24	
	潮口站	0:00	22.68	52.26	33.51	8.12	7.82	172.30	12.02	8.40
		3:00	22.51	52.93	33.92	8.09	6.73	87.10	10.16	7.26
		6:00	22.92	52.77	33.60	8.11	6.90	88.06	7.71	9.69
		9:00	23.71	52.42	33.92	8.10	7.20	104.73	8.45	10.09
		12:00	23.73	52.65	33.99	8.09	7.28	121.86	10.15	9.99
		15:00	23.90	52.31	33.85	8.08	7.66	200.73	121.07	9.05
		18:00	23.97	51.85	33.64	8.07	7.52	182.34	12.21	9.34
		21:00	23.89	51.99	33.89	8.05	6.53	214.32	37.65	9.48
	日平均	23.41	52.40	33.79	8.09	7.21	146.43	27.43	9.16	
	灣內站	0:00	22.62	52.27	34.28	8.13	5.95	139.34	9.27	5.96
		3:00	22.46	52.30	34.06	8.05	6.85	111.86	15.33	2.35
		6:00	22.32	53.13	33.98	8.10	6.41	135.41	20.68	1.31
		9:00	22.84	53.20	33.77	8.10	5.15	169.34	12.95	1.35
		12:00	23.23	52.68	34.36	8.17	7.84	150.78	4.96	4.86
		15:00	23.03	52.60	34.19	8.23	10.11	103.41	11.16	3.56
18:00		22.99	52.82	33.56	8.22	6.98	103.26	11.27	4.23	
21:00		22.98	52.16	33.25	8.20	7.45	140.17	15.23	4.39	
日平均	22.81	52.64	33.93	8.15	7.09	131.69	12.60	3.50		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
1 月 31 日	蚵殼站	0:00	22.71	52.89	34.28	8.08	5.94	153.30	19.94	4.78
		3:00	22.57	53.14	34.20	8.03	5.13	171.89	15.53	5.18
		6:00	22.49	53.12	33.95	7.98	5.16	171.25	8.47	6.83
		9:00	23.01	52.47	33.89	8.09	7.02	116.41	12.25	6.98
		12:00	23.16	51.78	33.13	8.14	6.33	133.01	37.98	6.58
		15:00	23.10	51.93	33.56	8.13	5.75	206.67	22.58	5.79
		18:00	23.19	52.76	33.97	8.12	5.25	180.33	31.17	3.42
		21:00	23.08	51.32	33.90	8.04	5.53	179.23	25.52	9.50
	日平均	22.91	52.42	33.86	8.08	5.76	164.01	21.68	6.13	
	潮口站	0:00	23.38	52.92	34.39	8.08	7.61	208.99	21.60	9.40
		3:00	23.43	52.64	34.29	8.02	6.58	104.75	108.72	26.54
		6:00	23.38	52.63	33.98	8.04	6.56	99.60	20.77	22.26
		9:00	23.85	52.33	34.03	8.07	6.95	127.49	24.29	24.46
		12:00	23.77	51.85	33.24	8.10	7.25	137.62	22.55	21.94
		15:00	23.78	52.29	33.73	8.10	6.91	197.86	28.60	21.45
		18:00	24.04	52.52	33.86	8.08	7.06	172.17	33.77	24.02
		21:00	23.98	51.81	33.72	8.09	6.30	193.80	27.85	27.60
	日平均	23.70	52.37	33.90	8.07	6.90	155.29	36.02	22.21	
	灣內站	0:00	22.89	52.09	34.05	8.18	6.30	172.13	7.96	4.07
		3:00	22.72	52.74	33.90	8.14	5.60	93.37	8.43	4.46
		6:00	22.50	52.82	33.83	8.10	9.00	110.21	9.58	5.25
		9:00	22.98	52.50	34.09	8.15	5.88	128.05	9.33	5.15
		12:00	23.51	52.62	34.20	8.18	8.78	97.84	12.80	2.69
		15:00	23.84	51.95	34.02	8.15	7.98	129.14	4.14	0.71
		18:00	24.05	51.98	33.98	8.17	9.65	142.17	8.43	2.20
		21:00	23.92	52.60	33.61	8.10	5.60	98.48	16.33	5.48
	日平均	23.30	52.41	33.96	8.15	7.35	121.42	9.62	3.75	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 1 日	蚵殼站	0:00	23.70	52.02	34.21	8.05	8.03	114.20	2.22	11.73
		3:00	23.52	52.06	34.29	8.07	8.31	117.89	2.16	12.55
		6:00	23.42	52.23	34.62	8.11	7.90	111.90	2.42	2.49
		9:00	23.80	52.14	34.44	8.08	9.47	134.90	1.14	9.73
		12:00	23.92	51.68	33.53	8.12	5.54	79.53	1.50	11.28
		15:00	23.79	51.63	33.43	8.13	8.34	119.86	1.18	6.41
		18:00	23.77	51.72	33.61	8.10	9.13	131.18	0.78	5.93
		21:00	23.77	51.76	33.69	8.08	6.59	118.37	1.00	11.12
	日平均	23.71	51.91	33.98	8.09	7.91	115.98	1.55	8.91	
	潮口站	0:00	23.60	51.48	33.68	8.11	7.03	103.60	24.74	5.74
		3:00	23.42	51.61	33.92	8.10	6.56	80.21	1.53	18.98
		6:00	23.32	51.64	34.02	8.09	6.31	91.80	1.36	15.25
		9:00	23.70	51.71	33.79	8.12	7.29	97.49	2.46	15.74
		12:00	23.82	51.66	33.66	8.12	7.15	100.84	2.64	5.15
		15:00	23.69	51.76	33.83	8.11	6.84	117.32	3.15	2.05
		18:00	23.67	51.69	33.79	8.11	6.65	81.95	1.46	5.94
		21:00	23.67	51.69	33.79	8.11	6.59	118.37	9.80	11.12
	日平均	23.61	51.66	33.81	8.11	6.80	98.95	5.89	10.00	
	灣內站	0:00	23.73	52.07	34.00	8.16	6.91	99.95	5.61	6.59
		3:00	23.55	52.07	34.08	7.96	7.08	101.00	5.04	4.13
		6:00	23.45	52.17	34.41	8.07	8.84	126.28	5.29	13.21
		9:00	23.83	52.13	34.23	8.09	6.98	104.94	5.68	4.92
		12:00	23.95	52.06	33.32	8.13	7.60	114.36	4.52	15.05
		15:00	23.82	52.10	33.22	8.16	8.25	125.54	4.01	15.33
		18:00	23.80	52.24	33.40	8.15	7.81	117.78	4.91	12.37
		21:00	23.80	52.17	33.48	8.18	6.59	118.37	4.81	11.12
	日平均	23.74	52.13	33.77	8.11	7.51	113.53	4.98	10.34	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 2 日	蚵殼站	0:00	23.77	51.80	33.76	8.06	10.20	145.92	2.48	10.43
		3:00	23.51	51.80	33.76	8.02	9.12	130.20	5.56	8.00
		6:00	23.46	52.00	34.16	8.09	8.54	121.97	2.88	10.39
		9:00	23.77	51.66	33.50	8.02	8.79	125.93	3.08	11.31
		12:00	24.07	51.83	33.83	8.04	9.90	142.64	3.39	13.20
		15:00	24.10	51.63	33.43	8.07	8.86	127.54	1.64	11.70
		18:00	24.16	51.78	33.72	8.04	10.13	145.67	2.14	9.68
		21:00	24.01	51.82	33.81	8.03	9.47	136.14	2.44	12.21
		日平均	23.86	51.79	33.75	8.05	9.38	134.50	2.95	10.87
	潮口站	0:00	23.67	51.69	33.79	8.10	6.53	98.52	15.97	11.97
		3:00	23.41	51.60	33.92	8.11	6.62	95.57	1.67	16.36
		6:00	23.36	51.55	33.93	8.09	6.05	94.88	6.72	14.11
		9:00	23.67	51.68	33.78	8.12	6.85	101.41	2.73	19.95
		12:00	23.97	51.43	33.37	8.13	7.11	115.90	1.85	12.09
		15:00	24.00	51.66	33.52	8.13	7.47	82.47	2.46	5.48
		18:00	24.06	51.65	33.47	8.11	6.79	118.39	1.86	6.40
		21:00	23.91	51.60	33.54	8.10	6.51	105.51	7.56	10.77
		日平均	23.76	51.61	33.67	8.11	6.74	101.58	5.10	12.14
	灣內站	0:00	23.80	52.10	33.55	8.21	9.47	136.78	4.71	0.97
		3:00	23.54	52.04	33.55	8.20	9.01	128.74	4.66	18.04
		6:00	23.49	52.14	33.95	8.07	9.03	128.77	5.32	14.93
		9:00	23.80	52.17	33.29	8.06	8.66	129.66	4.21	8.09
		12:00	24.10	52.09	33.62	8.09	7.50	113.07	4.10	6.80
		15:00	24.13	52.16	33.22	8.08	7.67	115.98	3.59	8.71
		18:00	24.19	51.95	33.51	8.02	7.98	120.46	5.57	13.25
		21:00	24.04	52.08	33.60	7.97	6.26	93.60	4.16	14.98
		日平均	23.89	52.09	33.54	8.09	8.20	120.88	4.54	10.72
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 3 日	蚵殼站	0:00	24.07	51.65	33.47	8.10	9.57	138.31	2.96	10.24
		3:00	23.88	51.65	33.48	8.05	8.84	127.29	3.70	8.57
		6:00	23.80	51.85	33.86	7.99	8.78	126.49	2.06	9.56
		9:00	24.03	51.63	33.44	8.09	8.18	117.78	2.19	5.88
		12:00	24.30	51.48	33.14	8.11	5.31	76.67	2.97	7.93
		15:00	24.24	51.54	33.26	8.03	9.79	141.34	1.69	10.54
		18:00	24.16	51.65	33.47	8.05	9.01	130.06	2.84	5.08
		21:00	24.12	51.58	33.33	8.06	9.28	133.71	1.44	4.22
		日平均	24.08	51.63	33.43	8.06	8.60	123.96	2.48	7.75
	潮口站	0:00	23.97	51.61	33.51	8.12	6.79	82.36	2.41	15.69
		3:00	23.78	51.43	33.52	8.10	6.43	112.67	17.80	1.66
		6:00	23.70	51.60	33.70	8.10	6.39	93.17	11.25	3.77
		9:00	23.93	51.67	33.58	8.13	7.42	100.30	14.13	12.78
		12:00	24.20	51.60	33.32	8.15	7.83	103.23	1.47	15.61
		15:00	24.14	51.61	33.38	8.15	7.83	109.54	3.70	3.65
		18:00	24.06	51.50	33.35	8.15	7.56	99.87	4.31	10.52
		21:00	24.02	51.58	33.45	8.11	6.34	117.48	6.39	2.32
		日平均	23.98	51.58	33.48	8.13	7.07	102.33	7.68	8.25
	灣內站	0:00	24.10	51.97	33.26	8.01	6.66	96.91	5.47	9.49
		3:00	23.91	52.23	33.27	8.02	7.75	111.87	4.95	15.82
		6:00	23.83	52.16	33.65	8.02	8.29	120.19	4.18	12.37
		9:00	24.06	52.09	33.23	8.09	7.41	111.15	5.98	9.77
		12:00	24.33	52.11	32.93	8.09	7.43	110.87	4.71	16.70
		15:00	24.27	52.23	33.05	8.09	7.40	110.59	4.44	6.74
		18:00	24.19	51.97	33.26	8.11	7.93	118.08	5.03	17.51
		21:00	24.15	52.19	33.12	8.08	7.30	108.32	3.28	9.85
		日平均	24.11	52.12	33.22	8.06	7.52	111.00	4.76	12.28
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 4 日	蚵殼站	0:00	24.12	51.70	33.57	7.99	7.04	101.54	2.19	14.28
		3:00	24.09	51.76	33.69	7.99	7.44	107.20	3.21	11.78
		6:00	24.06	51.53	33.24	8.00	8.30	119.43	1.47	14.22
		9:00	24.15	51.62	33.42	7.97	8.62	124.65	4.29	9.83
		12:00	24.42	51.47	33.11	8.00	9.61	139.07	2.19	5.26
		15:00	24.48	51.55	33.28	8.00	9.59	138.61	1.57	2.69
		18:00	24.46	51.55	33.27	7.94	8.72	126.14	0.79	11.60
		21:00	24.46	51.60	33.37	8.03	8.46	122.42	1.54	11.77
		日平均	24.28	51.60	33.37	7.99	8.47	122.38	2.16	10.18
	潮口站	0:00	24.02	51.53	33.41	8.11	6.47	81.84	22.11	8.80
		3:00	23.99	51.52	33.42	8.10	5.74	86.73	43.59	15.15
		6:00	23.96	51.72	33.60	8.08	5.79	118.61	27.47	3.24
		9:00	24.05	51.60	33.44	7.99	7.16	112.53	3.88	15.01
		12:00	24.32	51.58	33.22	8.16	7.95	84.07	11.68	15.20
		15:00	24.38	51.60	33.19	8.15	7.74	111.48	40.06	2.99
		18:00	24.36	51.45	33.09	8.13	7.53	92.93	30.42	13.78
		21:00	24.36	51.70	33.28	8.10	6.67	105.53	38.00	15.97
		日平均	24.18	51.59	33.33	8.10	6.88	99.22	27.15	11.27
	灣內站	0:00	24.15	52.11	33.36	7.96	6.30	92.83	4.09	12.19
		3:00	24.12	51.99	33.48	7.94	5.97	87.49	4.31	16.03
		6:00	24.09	52.09	33.03	8.02	8.63	125.93	3.67	2.13
		9:00	24.18	51.96	33.21	8.04	8.58	127.84	4.59	6.26
		12:00	24.45	52.04	32.90	8.11	6.77	102.99	4.74	11.30
		15:00	24.51	52.05	33.07	8.10	7.57	115.75	4.60	8.28
		18:00	24.49	52.21	33.06	8.09	7.03	107.85	5.61	11.66
		21:00	24.49	52.02	33.16	8.06	7.95	120.92	5.38	10.09
		日平均	24.31	52.06	33.16	8.04	7.35	110.20	4.62	9.74
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 5 日	蚵殼站	0:00	24.36	51.55	33.28	8.08	8.32	120.56	2.24	10.34
		3:00	24.23	51.60	33.38	8.05	9.36	135.53	1.74	12.15
		6:00	24.19	51.52	33.22	8.02	9.56	137.93	1.89	8.88
		9:00	24.35	51.56	33.30	8.03	9.57	138.73	2.41	15.60
		12:00	24.69	51.38	32.94	7.96	7.32	106.52	3.09	8.76
		15:00	24.81	51.35	32.87	8.02	10.14	148.25	4.17	7.54
		18:00	24.81	51.44	33.06	7.99	8.87	128.76	1.66	6.89
		21:00	24.98	51.43	33.04	8.03	7.55	109.95	1.44	6.54
		日平均	24.55	51.48	33.14	8.02	8.84	128.28	2.33	9.59
	潮口站	0:00	24.26	51.66	33.32	8.08	6.37	103.31	38.84	6.38
		3:00	24.13	51.54	33.33	8.12	6.92	119.42	21.90	10.24
		6:00	24.09	51.68	33.47	8.11	6.84	87.18	14.63	5.01
		9:00	24.25	51.49	33.21	8.13	7.27	115.09	16.07	17.50
		12:00	24.59	51.59	33.03	8.16	8.05	103.17	80.26	3.60
		15:00	24.71	51.61	32.95	8.14	7.84	87.17	30.50	1.11
		18:00	24.71	51.52	32.89	8.16	8.31	84.62	45.19	14.75
		21:00	24.88	51.65	32.86	8.11	7.71	112.09	11.10	18.18
		日平均	24.45	51.59	33.13	8.13	7.41	101.51	32.31	9.60
	灣內站	0:00	24.39	52.27	33.07	8.11	8.05	120.74	5.47	2.22
		3:00	24.26	52.30	33.17	8.11	7.93	117.66	4.59	13.83
		6:00	24.22	52.23	33.01	8.05	9.47	140.39	4.79	7.02
		9:00	24.38	52.24	33.09	8.04	8.14	123.99	5.51	2.02
		12:00	24.72	52.07	32.73	8.08	8.26	126.96	5.59	14.71
		15:00	24.84	52.02	32.66	8.10	7.82	119.18	3.73	10.43
		18:00	24.84	52.19	32.85	8.07	7.80	118.27	6.04	7.95
		21:00	25.01	52.12	32.83	8.13	7.71	115.77	3.32	12.12
		日平均	24.58	52.18	32.93	8.09	8.15	122.87	4.88	8.79
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 6 日	蚵殼站	0:00	24.55	51.39	32.96	8.13	6.58	95.60	1.91	5.66
		3:00	24.34	51.39	32.95	8.06	8.57	124.30	2.09	10.53
		6:00	24.28	51.44	33.06	7.99	8.93	129.38	2.99	11.61
		9:00	24.76	51.54	33.25	8.02	10.33	150.48	1.28	4.67
		12:00	25.15	51.47	33.12	8.15	7.67	111.28	2.94	8.96
		15:00	25.15	51.23	32.63	8.26	8.19	119.78	2.69	12.68
		18:00	25.13	51.32	32.81	8.24	9.64	140.50	1.11	13.61
		21:00	25.28	51.33	32.84	8.24	9.19	133.91	1.01	15.36
		日平均	24.83	51.39	32.95	8.14	8.64	125.65	2.00	10.39
	潮口站	0:00	24.45	51.71	33.22	8.10	7.06	99.56	17.63	16.99
		3:00	24.24	51.57	33.27	8.11	6.89	111.57	10.66	16.94
		6:00	24.18	51.55	33.31	8.12	6.61	95.68	5.40	13.62
		9:00	24.66	51.73	33.09	8.19	7.72	83.98	9.94	9.90
		12:00	25.05	51.60	32.71	8.21	8.35	117.24	35.86	1.01
		15:00	25.05	51.62	32.72	8.20	7.92	93.97	28.93	5.79
		18:00	25.03	51.56	32.69	8.21	8.53	104.90	44.48	0.02
		21:00	25.18	51.65	32.64	8.15	8.00	119.19	12.29	15.37
		日平均	24.73	51.62	32.96	8.16	7.64	103.26	20.65	9.96
	灣內站	0:00	24.58	52.03	32.75	8.06	7.65	112.15	4.25	9.88
		3:00	24.37	52.01	32.74	8.00	7.30	105.27	5.89	11.52
		6:00	24.31	52.01	32.85	7.98	8.29	119.38	4.53	10.08
		9:00	24.79	52.07	33.04	7.96	8.73	130.08	3.85	4.89
		12:00	25.18	52.13	32.91	7.99	7.04	105.75	4.76	2.96
		15:00	25.18	52.09	32.42	8.01	7.39	110.58	5.45	7.28
		18:00	25.16	52.12	32.60	7.92	8.47	125.87	5.09	6.43
		21:00	25.31	52.07	32.63	8.00	7.80	115.20	5.43	10.51
		日平均	24.86	52.07	32.74	7.99	7.83	115.54	4.91	7.94
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 7 日	蚵殼站	0:00	25.14	51.33	32.83	8.20	7.80	113.91	1.52	8.83
		3:00	24.88	51.34	32.85	8.20	7.55	110.33	1.52	9.06
		6:00	24.73	51.52	33.21	8.22	6.23	90.50	1.48	9.51
		9:00	24.81	51.28	32.74	8.25	7.17	104.52	0.86	6.83
		12:00	25.00	51.29	32.76	8.34	6.66	97.40	0.90	7.28
		15:00	25.05	51.25	32.67	8.34	7.68	112.42	1.02	9.68
		18:00	25.10	51.35	32.88	8.38	9.93	145.13	0.93	14.04
		21:00	25.07	51.35	32.87	8.30	8.06	117.74	1.07	12.93
		日平均	24.97	51.34	32.85	8.28	7.64	111.49	1.16	9.77
	潮口站	0:00	25.04	51.59	32.70	8.13	7.19	106.85	16.33	1.98
		3:00	24.78	51.68	32.96	8.15	7.01	93.05	15.97	0.17
		6:00	24.63	51.62	33.03	8.16	6.56	116.72	27.16	17.82
		9:00	24.71	51.64	32.98	8.17	7.06	100.13	5.15	7.85
		12:00	24.90	51.70	32.89	8.19	8.18	84.93	15.43	15.67
		15:00	24.95	51.59	32.76	8.19	7.78	116.40	48.67	5.56
		18:00	25.00	51.60	32.74	8.20	8.24	84.76	11.69	8.73
		21:00	24.97	51.58	32.75	8.15	7.87	97.41	11.82	1.92
		日平均	24.87	51.63	32.85	8.17	7.49	100.03	19.03	7.46
	灣內站	0:00	25.17	52.16	32.62	7.94	7.10	103.05	5.34	7.41
		3:00	24.91	52.14	32.64	7.94	5.92	83.84	5.38	9.06
		6:00	24.76	52.07	33.00	7.97	8.60	122.22	4.87	6.85
		9:00	24.84	52.11	32.53	7.96	7.34	108.90	4.54	17.52
		12:00	25.03	52.11	32.55	8.03	8.03	121.42	4.15	19.38
		15:00	25.08	52.13	32.46	8.10	7.46	114.83	5.16	3.77
		18:00	25.13	52.15	32.67	8.05	9.53	142.90	4.77	14.11
		21:00	25.10	52.06	32.66	7.95	8.65	125.08	4.81	0.06
		日平均	25.00	52.12	32.64	7.99	7.83	115.28	4.88	9.77
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 8 日	蚵殼站	0:00	24.96	51.25	32.67	8.23	8.10	118.11	1.98	9.88
		3:00	24.65	51.36	32.89	8.27	7.76	112.89	1.92	7.21
		6:00	24.55	51.49	33.16	8.20	5.76	83.55	2.18	9.12
		9:00	24.49	51.46	33.09	8.28	9.02	130.75	0.90	14.16
		12:00	24.61	51.45	33.08	8.29	7.25	105.73	1.26	10.89
		15:00	24.73	51.43	33.03	8.29	7.86	114.08	0.94	7.54
		18:00	24.60	51.60	33.37	8.34	8.22	119.28	0.54	10.31
		21:00	24.45	51.56	33.29	8.24	8.58	124.39	0.76	4.34
	日平均	24.63	51.45	33.07	8.27	7.82	113.60	1.31	9.18	
	潮口站	0:00	24.86	51.63	32.86	8.15	7.36	96.44	27.34	12.93
		3:00	24.55	51.63	33.09	8.14	6.85	118.37	33.11	17.90
		6:00	24.45	51.67	33.19	8.15	6.59	114.26	15.84	7.79
		9:00	24.39	51.59	33.17	8.17	7.02	91.14	17.85	2.95
		12:00	24.51	51.63	33.12	8.17	7.59	86.47	27.12	5.65
		15:00	24.63	51.58	32.99	8.18	7.66	109.08	14.08	7.47
		18:00	24.50	51.60	33.10	8.19	7.73	92.00	20.51	17.53
		21:00	24.35	51.59	33.21	8.18	8.33	92.22	49.27	19.88
	日平均	24.53	51.62	33.09	8.17	7.39	100.00	25.64	11.51	
	灣內站	0:00	24.99	52.18	32.46	7.96	7.44	105.02	3.90	3.35
		3:00	24.68	52.09	32.68	7.85	8.57	120.00	4.23	2.61
		6:00	24.58	52.18	32.95	7.90	8.02	110.56	5.54	11.64
		9:00	24.52	52.08	32.88	7.99	8.89	125.27	5.53	8.88
		12:00	24.64	52.08	32.87	8.09	8.18	119.13	5.11	14.90
		15:00	24.76	52.11	32.82	8.07	8.11	117.96	4.41	2.73
18:00		24.63	52.02	33.16	7.99	8.78	126.82	5.73	11.16	
21:00		24.48	52.10	33.08	7.97	8.42	120.50	5.30	2.32	
日平均	24.66	52.11	32.86	7.98	8.30	118.16	4.97	7.20		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 9 日	蚵殼站	0:00	24.43	51.62	33.41	8.22	7.88	114.12	2.24	7.05
		3:00	24.27	51.58	33.33	8.20	8.07	116.62	5.32	13.11
		6:00	24.22	51.76	33.68	8.25	6.26	90.08	2.64	10.61
		9:00	24.29	51.56	33.29	8.31	6.56	94.78	2.84	4.98
		12:00	24.49	51.47	33.11	8.36	9.33	135.79	3.15	6.84
		15:00	24.67	51.38	32.93	8.31	8.24	119.83	1.40	7.98
		18:00	24.50	51.50	33.17	8.26	8.82	127.86	1.90	14.34
		21:00	24.09	51.59	33.36	8.32	7.88	113.87	2.20	6.03
	日平均	24.37	51.56	33.29	8.28	7.88	114.12	2.71	8.87	
	潮口站	0:00	24.33	51.58	33.21	8.19	8.14	109.88	31.72	13.12
		3:00	24.17	51.56	33.32	8.13	6.75	81.20	32.81	16.37
		6:00	24.12	51.60	33.38	8.16	6.83	95.12	17.24	0.01
		9:00	24.19	51.65	33.37	8.17	7.26	105.26	39.67	6.99
		12:00	24.39	51.60	33.18	8.18	7.91	110.72	11.11	18.95
		15:00	24.57	51.65	33.08	8.19	7.78	89.43	18.74	16.08
		18:00	24.40	51.50	33.10	8.20	7.42	98.71	11.92	18.18
		21:00	23.99	51.62	33.49	8.19	8.32	82.14	58.19	15.59
	日平均	24.27	51.60	33.27	8.18	7.55	96.56	27.68	13.16	
	灣內站	0:00	24.46	52.07	33.20	7.91	6.32	88.66	4.80	9.81
		3:00	24.30	52.07	33.12	7.96	7.12	97.96	5.40	8.47
		6:00	24.25	52.06	33.47	8.00	7.49	102.04	4.33	18.87
		9:00	24.32	52.10	33.08	8.04	8.53	120.43	4.23	5.67
		12:00	24.52	52.17	32.90	8.14	8.81	127.57	4.54	2.81
		15:00	24.70	52.10	32.72	8.11	9.01	130.56	4.70	6.55
18:00		24.53	52.15	32.96	8.09	8.68	122.30	3.46	1.32	
21:00		24.12	52.08	33.15	8.08	8.41	115.03	4.15	2.41	
日平均	24.40	52.10	33.08	8.04	8.05	113.07	4.45	6.99		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 10 日	蚵殼站	0:00	23.88	51.74	33.65	8.28	8.76	125.84	2.72	11.82
		3:00	23.75	51.91	33.98	8.25	8.65	123.93	3.46	8.15
		6:00	23.90	52.00	34.16	8.29	8.20	116.89	1.82	8.02
		9:00	23.80	51.95	34.06	8.30	5.99	85.62	1.95	9.34
		12:00	23.86	51.90	33.96	8.30	9.27	132.94	2.73	7.14
		15:00	24.35	51.79	33.74	8.34	8.02	114.96	1.45	12.59
		18:00	24.31	51.90	33.97	8.42	5.01	71.67	2.60	18.53
		21:00	23.88	51.85	33.86	8.30	7.86	112.71	1.20	2.84
		日平均	23.97	51.88	33.92	8.31	7.72	110.57	2.24	9.80
	潮口站	0:00	23.78	51.62	33.65	8.23	8.86	111.80	11.27	10.49
		3:00	23.65	51.66	33.78	8.16	6.81	92.38	8.77	17.32
		6:00	23.80	51.67	33.68	8.15	6.74	90.42	16.11	9.01
		9:00	23.70	51.57	33.68	8.19	7.38	82.71	9.77	5.95
		12:00	23.76	51.68	33.72	8.19	7.69	113.67	29.64	16.70
		15:00	24.25	51.62	33.30	8.17	7.91	93.64	78.84	8.68
		18:00	24.21	51.64	33.35	8.15	6.96	100.02	11.44	11.96
		21:00	23.78	51.55	33.60	8.20	8.12	108.94	7.62	12.16
		日平均	23.87	51.63	33.60	8.18	7.56	99.20	21.68	11.53
	灣內站	0:00	23.91	51.99	33.44	8.00	7.05	94.09	5.66	1.29
		3:00	23.78	52.10	33.77	7.99	6.81	90.35	4.77	18.39
		6:00	23.93	52.12	33.95	7.96	8.61	114.07	5.16	11.90
		9:00	23.83	52.07	33.85	8.04	7.67	104.77	4.79	14.73
		12:00	23.89	52.05	33.75	8.16	9.53	134.06	5.06	10.21
		15:00	24.38	52.07	33.53	8.15	8.74	123.96	5.13	4.89
		18:00	24.34	52.11	33.76	8.06	7.74	110.15	5.39	19.83
		21:00	23.91	52.12	33.65	7.94	6.51	92.36	4.20	11.85
		日平均	24.00	52.08	33.71	8.04	7.83	107.98	5.02	11.64
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 11 日	蚵殼站	0:00	23.58	51.98	34.13	8.30	9.61	137.31	1.95	8.99
		3:00	23.59	52.20	34.56	8.28	9.41	133.66	2.97	9.20
		6:00	23.92	52.15	34.47	8.34	7.37	104.31	1.23	14.53
		9:00	24.00	51.98	34.13	8.34	8.63	122.95	4.05	1.43
		12:00	24.08	51.99	34.14	8.40	10.09	144.13	1.95	9.89
		15:00	24.49	51.98	34.12	8.43	9.17	131.02	1.33	8.96
		18:00	24.48	52.02	34.20	8.38	7.81	111.40	0.55	12.67
		21:00	24.02	51.84	33.84	8.35	8.69	124.26	1.30	9.82
		日平均	24.02	52.02	34.20	8.35	8.85	126.13	1.92	9.44
	潮口站	0:00	23.48	51.65	33.91	8.19	8.20	102.68	19.16	4.33
		3:00	23.49	51.65	33.90	8.16	6.72	110.50	10.06	2.87
		6:00	23.82	51.69	33.67	8.15	6.58	86.48	54.02	16.72
		9:00	23.90	51.60	33.55	8.18	7.29	115.10	24.90	16.56
		12:00	23.98	51.47	33.39	8.18	7.28	90.94	46.20	2.14
		15:00	24.39	51.59	33.17	8.17	7.92	104.54	17.95	17.89
		18:00	24.38	51.61	33.20	8.16	7.47	101.52	10.76	7.68
		21:00	23.92	51.58	33.52	8.18	7.60	101.27	5.67	0.37
		日平均	23.92	51.61	33.54	8.17	7.38	101.63	23.59	8.57
	灣內站	0:00	23.61	52.15	33.92	7.96	6.83	95.12	5.08	13.33
		3:00	23.62	52.16	34.35	7.98	6.98	96.09	5.22	16.75
		6:00	23.95	52.12	34.26	8.00	7.82	107.08	4.89	2.46
		9:00	24.03	52.11	33.92	8.08	7.62	107.94	5.40	6.55
		12:00	24.11	52.13	33.93	8.22	13.07	188.36	4.10	14.43
		15:00	24.52	52.12	33.91	8.25	11.51	166.87	4.87	12.58
		18:00	24.51	52.07	33.99	8.16	9.62	137.49	4.86	4.73
		21:00	24.05	52.16	33.63	8.09	8.84	124.06	5.18	16.49
		日平均	24.05	52.13	33.99	8.09	9.04	127.88	4.95	10.92
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 12 日	蚵殼站	0:00	23.58	51.96	34.09	8.30	6.77	96.43	2.00	16.06
		3:00	23.53	52.11	34.39	8.36	8.34	118.26	1.50	9.16
		6:00	23.89	52.24	34.63	8.40	6.46	91.42	1.65	8.22
		9:00	24.04	52.23	34.62	8.43	7.17	101.78	2.17	8.58
		12:00	23.98	52.08	34.32	8.37	10.04	143.03	2.85	11.05
		15:00	24.18	52.09	34.35	8.31	9.28	131.98	3.93	14.48
		18:00	24.27	52.06	34.28	8.32	7.49	106.57	1.42	9.54
		21:00	24.11	52.01	34.19	8.29	7.26	103.42	1.20	11.78
	日平均	23.95	52.10	34.36	8.35	7.85	111.61	2.09	11.11	
	潮口站	0:00	23.48	51.66	33.92	8.18	8.00	92.71	11.72	7.90
		3:00	23.43	51.64	33.94	8.17	7.07	98.75	8.48	6.69
		6:00	23.79	51.57	33.62	8.17	6.89	111.44	5.25	4.62
		9:00	23.94	51.52	33.46	8.18	7.09	107.32	5.67	11.84
		12:00	23.88	51.69	33.63	8.18	7.58	109.94	9.00	2.01
		15:00	24.08	51.57	33.39	8.17	7.57	85.56	10.22	4.77
		18:00	24.17	51.61	33.35	8.17	7.70	81.62	11.18	14.18
		21:00	24.01	51.49	33.39	8.16	7.05	109.48	8.83	16.68
	日平均	23.85	51.59	33.59	8.17	7.37	99.60	8.79	8.59	
	灣內站	0:00	23.61	52.12	33.88	7.97	7.18	100.25	5.42	8.32
		3:00	23.56	52.08	34.18	8.03	9.21	125.84	5.55	3.30
		6:00	23.92	52.00	34.42	8.02	8.49	115.54	4.88	10.00
		9:00	24.07	52.12	34.41	8.13	8.27	117.35	5.27	3.55
		12:00	24.01	52.07	34.11	8.19	10.50	150.78	5.12	0.07
		15:00	24.21	52.22	34.14	8.18	9.80	141.03	4.53	19.37
18:00		24.30	52.07	34.07	8.06	7.47	107.24	4.54	1.87	
21:00		24.14	52.20	33.98	7.95	7.74	109.95	4.73	16.63	
日平均	23.98	52.11	34.15	8.07	8.58	121.00	5.01	7.89		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 13 日	蚵殼站	0:00	23.70	52.21	34.59	8.32	8.19	116.00	1.67	7.31
		3:00	23.40	52.37	34.89	8.34	8.72	123.19	1.85	6.37
		6:00	23.76	52.25	34.65	8.34	8.17	114.96	2.75	9.07
		9:00	24.08	52.37	34.90	8.39	6.53	92.28	1.04	9.75
		12:00	24.03	51.93	34.02	8.34	8.71	124.29	2.70	11.48
		15:00	23.91	52.16	34.48	8.33	8.99	127.90	2.45	8.66
		18:00	24.12	52.09	34.35	8.39	7.05	100.18	0.87	13.76
		21:00	24.04	52.07	34.31	8.37	9.14	129.71	0.77	8.94
	日平均	23.88	52.18	34.52	8.35	8.19	116.06	1.76	9.42	
	潮口站	0:00	23.60	51.65	33.82	8.17	7.85	103.44	6.67	13.51
		3:00	23.30	51.56	33.98	8.15	7.33	81.27	8.73	7.75
		6:00	23.66	51.57	33.72	8.13	6.88	99.96	2.86	19.38
		9:00	23.98	51.58	33.47	8.15	6.90	107.50	14.60	17.81
		12:00	23.93	51.65	33.56	8.17	7.68	109.58	29.90	18.07
		15:00	23.81	51.52	33.56	8.17	7.57	106.35	17.32	4.71
		18:00	24.02	51.65	33.50	8.16	7.39	119.02	17.65	9.19
		21:00	23.94	51.57	33.50	8.10	6.76	96.30	34.92	15.53
	日平均	23.78	51.59	33.64	8.15	7.30	102.93	16.58	13.24	
	灣內站	0:00	23.73	52.04	34.38	8.10	7.56	104.74	4.50	18.42
		3:00	23.43	52.07	34.68	8.02	8.65	117.02	5.12	12.52
		6:00	23.79	52.08	34.44	8.01	8.28	111.50	5.09	17.82
		9:00	24.11	52.16	34.69	8.08	7.94	113.50	5.47	6.24
		12:00	24.06	52.14	33.81	8.15	8.67	126.77	5.42	11.16
		15:00	23.94	52.13	34.27	8.11	8.63	127.14	4.78	0.78
18:00		24.15	52.16	34.14	7.91	6.96	102.05	4.33	13.25	
21:00		24.07	52.07	34.10	7.81	6.05	86.27	5.10	7.44	
日平均	23.91	52.11	34.31	8.02	7.84	111.12	4.98	10.95		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 14 日	蚵殼站	0:00	23.64	52.17	34.50	8.34	9.52	135.27	1.65	11.64
		3:00	23.40	52.26	34.67	8.31	7.42	104.69	1.67	9.54
		6:00	23.49	52.20	34.57	8.27	6.58	93.10	3.75	0.74
		9:00	23.97	52.12	34.41	8.30	8.22	116.94	3.33	10.01
		12:00	24.08	51.92	34.01	8.32	6.58	94.50	1.50	4.83
		15:00	24.13	51.86	33.89	8.33	7.79	111.18	1.48	10.87
		18:00	24.05	52.03	34.23	8.38	5.81	83.08	0.65	10.02
		21:00	24.07	52.09	34.34	8.38	7.99	114.06	0.57	8.18
	日平均	23.85	52.08	34.33	8.33	7.49	106.60	1.83	8.23	
	潮口站	0:00	23.54	51.60	33.83	8.18	7.12	97.60	33.83	14.14
		3:00	23.30	51.60	34.01	8.11	10.52	94.25	73.30	3.48
		6:00	23.39	51.69	34.01	8.12	5.77	92.84	18.53	16.13
		9:00	23.87	51.60	33.57	8.11	9.54	85.12	7.88	4.63
		12:00	23.98	51.54	33.45	8.18	11.18	103.42	7.55	2.16
		15:00	24.03	51.56	33.42	8.17	5.51	99.38	27.45	4.65
		18:00	23.95	51.61	33.53	8.16	6.96	116.39	13.05	10.39
		21:00	23.97	51.59	33.49	8.06	10.93	85.73	10.51	5.51
	日平均	23.75	51.60	33.66	8.14	8.44	96.84	24.01	7.64	
	灣內站	0:00	23.67	52.06	34.29	7.86	6.18	85.84	5.10	11.41
		3:00	23.43	52.08	34.46	7.87	5.91	80.86	4.92	18.77
		6:00	23.52	52.15	34.36	7.87	5.87	80.25	5.64	12.16
		9:00	24.00	52.07	34.20	8.04	7.78	113.29	4.94	17.18
		12:00	24.11	52.10	33.80	8.12	7.59	114.87	4.51	9.23
		15:00	24.16	52.15	33.68	8.11	8.25	125.50	4.86	7.07
		18:00	24.08	52.21	34.02	7.95	7.55	113.48	5.32	5.29
		21:00	24.10	52.12	34.13	7.76	6.04	88.82	4.74	7.79
	日平均	23.88	52.12	34.12	7.95	6.90	100.36	5.00	11.11	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 15 日	蚵殼站	0:00	23.69	52.08	34.33	8.31	8.66	123.29	0.63	10.03
		3:00	23.47	52.34	34.84	8.33	8.88	125.91	0.70	7.23
		6:00	23.49	52.20	34.56	8.31	8.63	122.24	0.87	7.70
		9:00	23.97	51.96	34.09	8.32	6.88	97.66	0.93	10.06
		12:00	24.13	51.88	33.92	8.34	5.94	85.02	1.15	2.85
		15:00	24.21	51.80	33.77	8.34	6.71	95.49	0.70	11.87
		18:00	25.06	51.32	32.81	8.33	7.88	115.45	2.40	5.62
		21:00	25.13	51.23	32.64	8.34	8.55	125.07	3.05	13.63
	日平均	24.14	51.85	33.87	8.33	7.77	111.27	1.30	8.62	
	潮口站	0:00	23.59	51.52	33.72	8.17	9.77	82.10	8.14	14.17
		3:00	23.37	51.61	33.96	8.11	10.51	96.56	1.43	15.75
		6:00	23.39	51.58	33.93	8.11	10.90	94.55	1.64	9.33
		9:00	23.87	51.56	33.54	8.07	9.07	91.43	3.11	7.25
		12:00	24.03	51.57	33.43	8.16	8.60	108.42	2.11	13.74
		15:00	24.11	51.47	33.29	8.23	6.83	86.70	1.67	6.94
		18:00	24.96	51.60	32.77	8.08	9.39	98.58	10.44	17.55
		21:00	25.03	51.55	32.68	8.11	11.37	109.06	12.75	9.34
	日平均	24.04	51.56	33.42	8.13	9.56	95.92	5.16	11.76	
	灣內站	0:00	23.72	52.10	34.12	7.76	6.00	86.30	5.10	3.89
		3:00	23.50	52.19	34.63	7.70	5.89	83.20	4.73	16.51
		6:00	23.52	52.13	34.35	7.78	6.80	95.53	4.21	0.60
		9:00	24.00	52.08	33.88	7.78	6.29	93.13	4.87	15.44
		12:00	24.16	52.13	33.71	7.99	7.28	109.53	5.13	17.82
		15:00	24.24	51.88	33.56	8.02	6.95	104.47	8.40	14.88
		18:00	25.09	52.17	32.60	8.09	8.69	131.79	6.03	0.77
		21:00	25.16	51.98	32.43	8.07	8.14	123.07	3.90	4.75
	日平均	24.17	52.08	33.66	7.90	7.01	103.38	5.30	9.33	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 16 日	蚵殼站	0:00	25.01	51.44	33.06	8.32	8.63	125.83	3.53	10.01
		3:00	24.45	51.40	32.98	8.30	8.22	119.05	2.10	14.05
		6:00	24.47	51.51	33.19	8.27	7.73	111.76	10.20	17.16
		9:00	24.67	51.47	33.11	8.28	7.93	114.82	2.10	14.15
		12:00	25.04	51.40	32.97	8.29	8.29	120.92	12.93	9.22
		15:00	24.90	51.37	32.92	8.26	7.92	115.80	9.00	1.75
		18:00	24.90	51.23	32.64	8.32	6.83	99.79	11.50	5.73
		21:00	25.08	51.41	33.00	8.29	7.67	112.11	2.77	8.45
	日平均	24.82	51.40	32.98	8.29	7.90	115.01	6.77	10.07	
	潮口站	0:00	24.91	51.55	32.77	8.06	10.61	107.01	7.10	18.25
		3:00	24.35	51.62	33.23	8.16	10.24	99.66	2.58	5.36
		6:00	24.37	51.63	33.22	8.08	8.61	103.28	3.63	4.66
		9:00	24.57	51.74	33.16	8.01	9.87	110.82	4.75	14.15
		12:00	24.94	51.68	32.84	8.03	8.56	95.82	3.26	13.45
		15:00	24.80	51.62	32.89	8.08	9.04	103.49	2.00	3.73
		18:00	24.80	51.55	32.84	8.00	8.89	99.90	7.20	9.62
		21:00	24.98	51.62	32.77	8.08	10.55	98.17	16.47	10.77
	日平均	24.72	51.63	32.97	8.06	9.55	102.27	5.87	10.00	
	灣內站	0:00	25.04	52.13	32.85	8.03	7.65	115.15	4.36	15.89
		3:00	24.48	52.13	32.77	8.04	7.46	111.84	6.03	4.13
		6:00	24.50	52.10	32.98	8.08	7.85	118.66	5.53	5.73
		9:00	24.70	52.11	32.90	8.14	8.68	134.43	4.40	7.30
		12:00	25.07	52.04	32.76	8.17	9.25	144.35	5.98	13.54
		15:00	24.93	52.02	32.71	8.15	8.75	135.20	4.28	12.36
18:00		24.93	52.08	32.43	8.05	6.65	101.68	4.95	19.78	
21:00		25.11	52.09	32.79	7.97	6.41	97.43	4.09	5.14	
日平均	24.85	52.09	32.77	8.08	7.84	119.84	4.95	10.48		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 17 日	蚵殼站	0:00	24.76	51.28	32.73	8.23	9.41	136.78	4.10	7.25
		3:00	24.54	51.59	33.35	8.30	6.53	94.90	4.00	9.41
		6:00	24.42	51.55	33.27	8.30	7.47	108.36	3.37	9.28
		9:00	24.59	51.32	32.81	8.31	6.06	88.20	2.70	4.24
		12:00	25.08	51.23	32.64	8.31	6.63	97.72	1.83	9.91
		15:00	25.10	51.05	32.28	8.27	7.13	105.05	1.90	8.83
		18:00	24.89	51.13	32.44	8.26	7.46	109.51	2.15	7.00
		21:00	24.86	51.12	32.42	8.26	10.66	156.52	1.20	11.26
	日平均	24.78	51.28	32.74	8.28	7.67	112.13	2.66	8.40	
	潮口站	0:00	24.66	51.56	32.95	7.99	8.30	102.02	11.45	13.76
		3:00	24.44	51.58	33.13	7.97	7.95	108.06	5.97	13.76
		6:00	24.32	51.61	33.25	7.87	7.21	91.78	4.67	0.67
		9:00	24.49	51.78	33.25	7.81	7.64	87.85	7.59	4.00
		12:00	24.98	51.64	32.78	7.99	9.43	103.29	6.28	16.87
		15:00	25.00	51.65	32.77	8.09	9.24	98.09	4.54	0.27
		18:00	24.79	51.69	32.96	7.88	7.44	108.77	6.83	3.59
		21:00	24.76	51.74	33.01	8.16	5.25	89.34	14.90	6.33
	日平均	24.68	51.66	33.01	7.97	7.81	98.65	7.78	7.41	
	灣內站	0:00	24.79	52.05	32.52	7.79	8.02	119.21	4.83	1.55
		3:00	24.57	52.12	33.14	7.80	8.45	123.30	4.69	7.54
		6:00	24.45	52.12	33.06	7.63	6.14	88.12	4.05	17.94
		9:00	24.62	52.14	32.60	7.79	7.63	115.96	4.38	3.36
		12:00	25.11	52.00	32.43	8.00	7.00	105.17	7.19	10.79
		15:00	25.13	52.04	32.07	7.90	9.39	141.36	3.53	1.13
18:00		24.92	52.14	32.23	7.70	6.62	98.93	4.42	11.19	
21:00		24.89	52.05	32.21	7.69	6.14	90.32	5.40	12.36	
日平均	24.81	52.08	32.53	7.79	7.42	110.30	4.81	8.23		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 18 日	蚵殼站	0:00	24.94	51.20	32.58	8.33	7.50	109.81	9.40	9.44
		3:00	24.72	51.36	32.90	8.32	8.05	117.95	2.50	5.35
		6:00	24.44	51.33	32.83	8.30	6.24	91.02	1.40	15.04
		9:00	24.75	51.14	32.47	8.28	6.50	95.47	3.35	8.56
		12:00	25.19	51.00	32.19	8.25	5.92	87.37	4.03	6.25
		15:00	25.05	51.03	32.25	8.25	7.11	104.83	2.88	6.79
		18:00	24.69	51.09	32.36	8.19	9.41	139.01	6.90	8.24
		21:00	24.99	51.09	32.37	8.27	7.32	107.86	7.43	12.37
		日平均	24.85	51.16	32.49	8.27	7.26	106.67	4.74	9.01
	潮口站	0:00	24.84	51.49	32.77	8.06	9.52	102.60	13.68	9.43
		3:00	24.62	51.58	33.01	8.09	10.62	82.65	8.36	0.09
		6:00	24.34	51.56	33.19	8.09	6.12	96.20	7.72	2.61
		9:00	24.65	51.64	33.02	8.15	6.94	110.48	10.98	3.53
		12:00	25.09	51.65	32.71	8.17	7.75	104.91	13.05	7.29
		15:00	24.95	51.41	32.64	8.18	7.89	90.73	10.08	3.47
		18:00	24.59	51.61	33.05	8.17	7.60	100.98	8.97	9.06
		21:00	24.89	51.41	32.68	8.17	7.63	105.70	14.10	18.72
		日平均	24.75	51.54	32.88	8.14	8.01	99.28	10.87	6.78
	灣內站	0:00	24.97	52.16	32.37	7.84	7.19	103.50	5.19	11.57
		3:00	24.75	51.90	32.69	7.90	8.19	115.37	5.95	2.61
		6:00	24.47	52.20	32.62	7.69	6.95	98.23	4.69	5.29
		9:00	24.78	51.94	32.26	7.86	8.34	123.12	3.74	5.90
		12:00	25.22	52.09	31.98	8.14	7.31	107.71	5.86	9.87
		15:00	25.08	52.07	32.04	8.15	7.32	107.53	4.46	5.78
		18:00	24.72	52.24	32.15	8.06	7.06	103.69	5.52	6.39
		21:00	25.02	51.93	32.16	8.02	7.24	104.64	5.18	10.43
		日平均	24.88	52.07	32.28	7.96	7.45	107.97	5.07	7.23
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 19 日	蚵殼站	0:00	24.90	51.16	32.50	8.28	6.77	99.42	10.53	9.17
		3:00	24.57	51.28	32.74	8.27	6.46	94.63	46.10	11.95
		6:00	24.33	51.22	32.62	8.25	9.13	133.10	1.67	12.17
		9:00	24.62	51.25	32.67	8.18	6.90	100.92	2.43	5.87
		12:00	25.04	51.04	32.27	8.21	8.85	130.50	2.70	5.95
		15:00	25.03	51.18	32.54	8.22	6.60	97.11	3.37	11.84
		18:00	24.85	51.15	32.49	8.15	9.69	141.99	13.90	13.89
		21:00	25.71	51.62	33.41	8.29	7.81	113.33	2.95	11.78
		日平均	24.88	51.24	32.66	8.23	7.78	113.88	10.46	10.33
	潮口站	0:00	24.80	51.50	32.81	8.11	6.60	91.03	12.95	1.12
		3:00	24.47	51.60	33.13	8.10	6.25	94.20	13.23	19.83
		6:00	24.23	51.61	33.31	8.09	9.74	95.12	13.27	9.31
		9:00	24.52	51.58	33.07	8.04	5.09	90.02	13.55	4.51
		12:00	24.94	51.76	32.90	8.10	6.22	116.45	19.75	0.25
		15:00	24.93	51.61	32.80	8.15	5.61	117.98	18.91	18.74
		18:00	24.75	51.60	32.92	8.09	10.71	119.73	28.12	13.25
		21:00	25.61	51.70	32.37	8.14	9.61	106.50	20.44	14.28
		日平均	24.78	51.62	32.91	8.10	7.48	103.88	17.53	10.16
	灣內站	0:00	24.93	52.15	32.29	8.01	8.79	123.97	3.71	9.37
		3:00	24.60	52.14	32.53	8.05	8.68	121.17	3.88	7.15
		6:00	24.36	51.92	32.41	7.99	6.75	93.42	5.03	18.93
		9:00	24.65	52.04	32.46	7.96	7.76	111.00	5.45	2.69
		12:00	25.07	52.00	32.06	8.08	8.35	120.89	5.83	17.33
		15:00	25.06	52.17	32.33	8.13	7.14	104.45	5.38	7.08
		18:00	24.88	52.30	32.28	8.06	7.84	113.95	5.79	19.81
		21:00	25.74	52.03	33.20	8.10	8.92	134.47	4.78	8.94
		日平均	24.91	52.09	32.45	8.05	8.03	115.42	4.98	11.41
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 20 日	蚵殼站	0:00	25.56	51.57	33.31	8.30	7.17	103.81	1.95	8.36
		3:00	24.75	51.60	33.38	8.31	6.38	92.33	1.83	13.02
		6:00	24.56	51.65	33.47	8.29	11.35	164.37	1.27	7.66
		9:00	24.96	51.41	33.00	8.29	6.62	96.08	1.73	8.55
		12:00	25.28	51.19	32.56	8.34	7.00	102.18	3.60	8.50
		15:00	25.30	51.23	32.64	8.37	7.23	105.91	6.23	8.43
		18:00	25.06	51.32	32.81	8.33	7.88	115.45	2.40	5.62
		21:00	25.13	51.23	32.64	8.34	8.55	125.07	3.05	13.63
	日平均	25.08	51.40	32.98	8.32	7.77	113.15	2.76	9.22	
	潮口站	0:00	25.46	51.63	32.43	8.03	10.49	119.39	14.31	16.96
		3:00	24.65	51.62	33.01	7.99	8.34	94.35	16.36	12.75
		6:00	24.46	51.72	33.22	7.86	6.49	100.86	20.63	12.49
		9:00	24.86	51.69	32.91	7.98	8.38	115.97	18.42	11.56
		12:00	25.18	51.65	32.64	8.14	8.64	90.95	17.99	12.09
		15:00	25.20	51.60	32.60	8.03	6.83	83.85	18.61	3.52
		18:00	24.96	51.60	32.77	8.08	9.39	108.35	16.30	17.55
		21:00	25.03	51.55	32.68	8.11	11.37	100.28	12.41	9.34
	日平均	24.98	51.63	32.78	8.03	8.74	101.75	16.88	12.03	
	灣內站	0:00	25.59	52.02	33.10	7.90	7.82	117.02	4.99	4.30
		3:00	24.78	52.08	33.17	7.75	6.65	98.34	5.19	2.01
		6:00	24.59	52.15	33.26	7.71	7.02	104.83	5.77	19.22
		9:00	24.99	52.10	32.79	7.95	8.12	123.97	5.05	6.00
		12:00	25.31	52.02	32.35	8.03	8.24	126.25	4.88	18.72
		15:00	25.33	52.14	32.43	8.07	8.72	133.55	6.36	7.84
18:00		25.09	52.17	32.60	8.09	8.69	131.79	6.03	14.12	
21:00		25.16	51.98	32.43	8.07	8.14	123.07	3.90	13.69	
日平均	25.11	52.08	32.77	7.95	7.93	119.85	5.27	10.74		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 21 日	蚵殼站	0:00	25.01	51.44	33.06	8.32	8.63	125.83	3.53	10.01
		3:00	24.45	51.40	32.98	8.30	8.22	119.05	2.10	14.05
		6:00	24.47	51.51	33.19	8.27	7.73	111.76	10.20	17.16
		9:00	24.67	51.47	33.11	8.28	7.93	114.82	2.10	14.15
		12:00	25.04	51.40	32.97	8.29	8.29	120.92	12.93	9.22
		15:00	24.90	51.37	32.92	8.26	7.92	115.80	9.00	1.75
		18:00	24.90	51.23	32.64	8.32	6.83	99.79	11.50	5.73
		21:00	25.08	51.41	33.00	8.29	7.67	112.11	2.77	8.45
	日平均	24.82	51.40	32.98	8.29	7.90	115.01	6.77	10.07	
	潮口站	0:00	24.91	51.55	32.77	8.06	10.61	85.52	15.31	18.25
		3:00	24.35	51.62	33.23	8.16	10.24	84.06	16.62	5.36
		6:00	24.37	51.63	33.22	8.08	8.61	115.61	13.67	4.66
		9:00	24.57	51.74	33.16	8.01	9.87	103.05	12.84	14.15
		12:00	24.94	51.68	32.84	8.03	8.56	106.47	17.23	13.45
		15:00	24.80	51.62	32.89	8.08	9.04	97.03	18.24	3.73
		18:00	24.80	51.55	32.84	8.00	8.89	89.43	16.68	9.62
		21:00	24.98	51.62	32.77	8.08	10.55	81.71	16.95	10.77
	日平均	24.72	51.63	32.97	8.06	9.55	95.36	15.94	10.00	
	灣內站	0:00	25.04	52.13	32.85	8.03	7.65	115.15	4.36	9.88
		3:00	24.48	52.13	32.77	8.04	7.46	111.84	6.03	6.36
		6:00	24.50	52.10	32.98	8.08	7.85	118.66	5.53	8.65
		9:00	24.70	52.11	32.90	8.14	8.68	134.43	4.40	9.26
		12:00	25.07	52.04	32.76	8.17	9.25	144.35	5.98	10.80
		15:00	24.93	52.02	32.71	8.15	8.75	135.20	4.28	9.81
18:00		24.93	52.08	32.43	8.05	6.65	101.68	4.95	12.09	
21:00		25.11	52.09	32.79	7.97	6.41	97.43	4.09	9.67	
日平均	24.85	52.09	32.77	8.08	7.84	119.84	4.95	9.57		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 22 日	蚵殼站	0:00	24.76	51.28	32.73	8.23	9.41	136.78	4.10	7.25
		3:00	24.54	51.59	33.35	8.30	6.53	94.90	4.00	9.41
		6:00	24.42	51.55	33.27	8.30	7.47	108.36	3.37	9.28
		9:00	24.59	51.32	32.81	8.31	6.06	88.20	2.70	4.24
		12:00	25.08	51.23	32.64	8.31	6.63	97.72	1.83	9.91
		15:00	25.10	51.05	32.28	8.27	7.13	105.05	1.90	8.83
		18:00	24.89	51.13	32.44	8.26	7.46	109.51	2.15	7.00
		21:00	24.86	51.12	32.42	8.26	10.66	156.52	1.20	11.26
	日平均	24.78	51.28	32.74	8.28	7.67	112.13	2.66	8.40	
	潮口站	0:00	24.66	51.56	32.95	7.99	8.30	118.70	21.16	13.76
		3:00	24.44	51.58	33.13	7.97	7.95	112.90	26.51	13.76
		6:00	24.32	51.61	33.25	7.87	7.21	117.35	23.62	0.67
		9:00	24.49	51.78	33.25	7.81	7.64	107.34	22.98	4.00
		12:00	24.98	51.64	32.78	7.99	9.43	103.51	22.72	16.87
		15:00	25.00	51.65	32.77	8.09	9.24	115.89	28.78	0.27
		18:00	24.79	51.69	32.96	7.88	7.44	109.81	25.44	3.59
		21:00	24.76	51.74	33.01	8.16	5.25	106.48	29.60	6.33
	日平均	24.68	51.66	33.01	7.97	7.81	111.50	25.10	7.41	
	灣內站	0:00	24.79	52.05	32.52	7.79	8.02	119.21	4.83	8.51
		3:00	24.57	52.12	33.14	7.80	8.45	123.30	4.69	15.89
		6:00	24.45	52.12	33.06	7.63	6.14	88.12	4.05	7.65
		9:00	24.62	52.14	32.60	7.79	7.63	115.96	4.38	5.39
		12:00	25.11	52.00	32.43	8.00	7.00	105.17	7.19	2.72
		15:00	25.13	52.04	32.07	7.90	9.39	141.36	3.53	10.09
		18:00	24.92	52.14	32.23	7.70	6.62	98.93	4.42	16.43
		21:00	24.89	52.05	32.21	7.69	6.14	90.32	5.40	17.72
	日平均	24.81	52.08	32.53	7.79	7.42	110.30	4.81	10.55	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 23 日	蚵殼站	0:00	24.94	51.20	32.58	8.33	7.50	109.81	9.40	9.44
		3:00	24.72	51.36	32.90	8.32	8.05	117.95	2.50	5.35
		6:00	24.44	51.33	32.83	8.30	6.24	91.02	1.40	15.04
		9:00	24.75	51.14	32.47	8.28	6.50	95.47	3.35	8.56
		12:00	25.19	51.00	32.19	8.25	5.92	87.37	4.03	6.25
		15:00	25.05	51.03	32.25	8.25	7.11	104.83	2.88	6.79
		18:00	24.69	51.09	32.36	8.19	9.41	139.01	6.90	8.24
		21:00	24.99	51.09	32.37	8.27	7.32	107.86	7.43	12.37
	日平均	24.85	51.16	32.49	8.27	7.26	106.67	4.74	9.01	
	潮口站	0:00	24.84	51.49	32.77	8.06	9.52	96.86	27.58	9.43
		3:00	24.62	51.58	33.01	8.09	10.62	115.75	33.21	0.09
		6:00	24.34	51.56	33.19	8.09	6.12	85.72	34.29	2.61
		9:00	24.65	51.64	33.02	8.15	6.94	90.11	39.41	3.53
		12:00	25.09	51.65	32.71	8.17	7.75	83.59	30.91	7.29
		15:00	24.95	51.41	32.64	8.18	7.89	116.82	31.95	3.47
		18:00	24.59	51.61	33.05	8.17	7.60	105.85	23.35	9.06
		21:00	24.89	51.41	32.68	8.17	7.63	106.44	15.95	18.72
	日平均	24.75	51.54	32.88	8.14	8.01	100.14	29.58	6.78	
	灣內站	0:00	24.97	52.16	32.37	7.84	7.19	103.50	5.19	2.50
		3:00	24.75	51.90	32.69	7.90	8.19	115.37	5.95	11.48
		6:00	24.47	52.20	32.62	7.69	6.95	98.23	4.69	15.88
		9:00	24.78	51.94	32.26	7.86	8.34	123.12	3.74	11.56
		12:00	25.22	52.09	31.98	8.14	7.31	107.71	5.86	17.08
		15:00	25.08	52.07	32.04	8.15	7.32	107.53	4.46	7.11
		18:00	24.72	52.24	32.15	8.06	7.06	103.69	5.52	14.30
		21:00	25.02	51.93	32.16	8.02	7.24	104.64	5.18	11.32
	日平均	24.88	52.07	32.28	7.96	7.45	107.97	5.07	11.40	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 24 日	蚵殼站	0:00	24.90	51.16	32.50	8.28	6.77	99.42	10.53	9.17
		3:00	24.57	51.28	32.74	8.27	6.46	94.63	46.10	11.95
		6:00	24.33	51.22	32.62	8.25	9.13	133.10	1.67	12.17
		9:00	24.62	51.25	32.67	8.18	6.90	100.92	2.43	5.87
		12:00	25.04	51.04	32.27	8.21	8.85	130.50	2.70	5.95
		15:00	25.03	51.18	32.54	8.22	6.60	97.11	3.37	11.84
		18:00	24.85	51.15	32.49	8.15	9.69	141.99	13.90	13.89
		21:00	24.82	51.23	32.64	8.13	8.68	127.21	3.25	9.46
	日平均	24.77	51.19	32.56	8.21	7.89	115.61	10.49	10.04	
	潮口站	0:00	24.80	51.50	32.81	8.11	6.60	113.35	14.68	1.12
		3:00	24.47	51.60	33.13	8.10	6.25	91.61	16.35	19.83
		6:00	24.23	51.61	33.31	8.09	9.74	106.05	16.42	9.31
		9:00	24.52	51.58	33.07	8.04	5.09	116.93	15.51	4.51
		12:00	24.94	51.76	32.90	8.10	6.22	95.60	19.17	0.25
		15:00	24.93	51.61	32.80	8.15	5.61	105.16	26.35	18.74
		18:00	24.75	51.60	32.92	8.09	10.71	109.42	29.41	13.25
		21:00	24.72	51.56	32.91	8.11	6.68	114.54	34.87	9.66
	日平均	24.67	51.60	32.98	8.10	7.11	106.58	21.60	9.58	
	灣內站	0:00	24.93	52.15	32.29	8.01	8.79	123.97	3.71	17.60
		3:00	24.60	52.14	32.53	8.05	8.68	121.17	3.88	5.08
		6:00	24.36	51.92	32.41	7.99	6.75	93.42	5.03	17.28
		9:00	24.65	52.04	32.46	7.96	7.76	111.00	5.45	9.36
		12:00	25.07	52.00	32.06	8.08	8.35	120.89	5.83	18.01
		15:00	25.06	52.17	32.33	8.13	7.14	104.45	5.38	17.44
18:00		24.88	52.30	32.28	8.06	7.84	113.95	5.79	13.99	
21:00		24.85	52.13	32.43	8.11	9.29	135.08	4.96	5.82	
日平均	24.80	52.11	32.35	8.05	8.08	115.49	5.00	13.07		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 25 日	蚵殼站	0:00	24.94	51.11	32.40	8.24	5.54	81.07	12.87	8.76
		3:00	24.88	51.22	32.61	8.22	8.07	118.14	2.70	10.92
		6:00	24.41	51.20	32.59	8.16	5.54	80.72	3.15	9.04
		9:00	24.74	51.17	32.53	8.17	6.91	100.98	2.87	14.84
		12:00	24.98	51.11	32.41	8.25	7.22	106.05	3.90	12.25
		15:00	25.03	51.00	32.19	8.25	5.92	87.37	4.03	6.25
		18:00	24.85	51.03	32.25	8.25	7.11	104.83	2.88	6.79
		21:00	24.99	51.09	32.36	8.19	9.41	139.01	6.90	8.24
	日平均	24.85	51.12	32.42	8.22	6.97	102.27	4.91	9.64	
	潮口站	0:00	24.84	51.60	32.85	8.08	6.07	118.85	34.11	8.80
		3:00	24.78	51.52	32.84	8.04	11.02	96.37	12.26	4.25
		6:00	24.31	51.66	33.29	8.01	9.30	116.91	10.14	5.97
		9:00	24.64	51.51	32.93	8.06	5.71	116.51	10.96	10.85
		12:00	24.88	51.59	32.82	8.13	6.84	113.73	15.56	11.14
		15:00	24.93	51.61	32.80	8.15	5.61	105.16	25.37	18.74
		18:00	24.75	51.60	32.92	8.09	10.71	109.42	34.30	13.25
		21:00	24.89	51.41	32.68	8.17	7.63	106.44	36.65	18.72
	日平均	24.75	51.56	32.89	8.09	7.86	110.42	22.42	11.47	
	灣內站	0:00	24.97	52.03	32.19	8.05	6.64	95.66	4.62	16.43
		3:00	24.91	52.13	32.40	8.00	8.15	115.13	4.30	9.01
		6:00	24.44	52.04	32.38	7.95	6.63	91.80	5.60	10.04
		9:00	24.77	52.05	32.32	7.96	8.59	122.83	5.02	18.10
		12:00	25.01	52.25	32.20	8.13	8.62	123.75	5.84	1.65
		15:00	25.06	52.09	31.98	8.14	7.31	107.71	5.86	17.08
18:00		24.88	52.07	32.04	8.15	7.32	107.53	4.46	7.11	
21:00		25.02	52.24	32.15	8.06	7.06	103.69	5.52	14.30	
日平均	24.88	52.11	32.21	8.06	7.54	108.51	5.15	11.72		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 26 日	蚵殼站	0:00	25.56	51.44	33.06	8.32	8.63	125.83	3.53	10.01
		3:00	24.75	51.40	32.98	8.30	8.22	119.05	2.10	14.05
		6:00	24.56	51.51	33.19	8.27	7.73	111.76	10.20	17.16
		9:00	24.96	51.47	33.11	8.28	7.93	114.82	2.10	14.15
		12:00	25.28	51.40	32.97	8.29	8.29	120.92	12.93	9.22
		15:00	25.30	51.37	32.92	8.26	7.92	115.80	9.00	1.75
		18:00	25.06	51.23	32.64	8.32	6.83	99.79	11.50	5.73
		21:00	25.13	51.41	33.00	8.29	7.67	112.11	2.77	8.45
	日平均	25.08	51.40	32.98	8.29	7.90	115.01	6.77	10.07	
	潮口站	0:00	25.46	51.56	32.95	7.99	8.30	118.70	33.73	13.76
		3:00	24.65	51.58	33.13	7.97	7.95	112.90	29.26	13.76
		6:00	24.46	51.61	33.25	7.87	7.21	117.35	20.03	0.67
		9:00	24.86	51.78	33.25	7.81	7.64	107.34	17.92	4.00
		12:00	25.18	51.64	32.78	7.99	9.43	103.51	15.68	16.87
		15:00	25.20	51.65	32.77	8.09	9.24	115.89	21.88	0.27
		18:00	24.96	51.69	32.96	7.88	7.44	109.81	15.82	3.59
		21:00	25.03	51.74	33.01	8.16	5.25	106.48	14.05	6.33
	日平均	24.98	51.66	33.01	7.97	7.81	111.50	21.05	7.41	
	灣內站	0:00	25.59	52.05	32.85	7.79	8.02	119.21	4.83	8.51
		3:00	24.78	52.12	32.77	7.80	8.45	123.30	4.69	15.89
		6:00	24.59	52.12	32.98	7.63	6.14	88.12	4.05	7.65
		9:00	24.99	52.14	32.90	7.79	7.63	115.96	4.38	5.39
		12:00	25.31	52.00	32.76	8.00	7.00	105.17	7.19	2.72
		15:00	25.33	52.04	32.71	7.90	9.39	141.36	3.53	10.09
18:00		25.09	52.14	32.43	7.70	6.62	98.93	4.42	16.43	
21:00		25.16	52.05	32.79	7.69	6.14	90.32	5.40	17.72	
日平均	25.11	52.08	32.77	7.79	7.42	110.30	4.81	10.55		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 27 日	蚵殼站	0:00	25.01	51.16	32.50	8.28	6.77	99.42	10.53	9.17
		3:00	24.45	51.28	32.74	8.27	6.46	94.63	46.10	11.95
		6:00	24.47	51.22	32.62	8.25	9.13	133.10	1.67	12.17
		9:00	24.67	51.25	32.67	8.18	6.90	100.92	2.43	5.87
		12:00	25.04	51.04	32.27	8.21	8.85	130.50	2.70	5.95
		15:00	24.90	51.18	32.54	8.22	6.60	97.11	3.37	11.84
		18:00	24.90	51.03	32.25	8.25	7.11	104.83	2.88	6.79
		21:00	25.08	51.09	32.36	8.19	9.41	139.01	6.90	8.24
	日平均	24.82	51.16	32.49	8.23	7.65	112.44	9.57	9.00	
	潮口站	0:00	24.91	51.49	32.77	8.06	9.52	96.86	13.18	9.43
		3:00	24.35	51.58	33.01	8.09	10.62	115.75	10.88	0.09
		6:00	24.37	51.56	33.19	8.09	6.12	85.72	11.64	2.61
		9:00	24.57	51.64	33.02	8.15	6.94	90.11	11.83	3.53
		12:00	24.94	51.65	32.71	8.17	7.75	83.59	12.56	7.29
		15:00	24.80	51.41	32.64	8.18	7.89	116.82	12.37	3.47
		18:00	24.80	51.61	33.05	8.17	7.60	105.85	14.18	9.06
		21:00	24.98	51.41	32.68	8.17	7.63	106.44	12.63	18.72
	日平均	24.72	51.54	32.88	8.14	8.01	100.14	12.41	6.78	
	灣內站	0:00	25.04	52.16	32.29	7.84	7.19	103.50	5.19	2.50
		3:00	24.48	51.90	32.53	7.90	8.19	115.37	5.95	11.48
		6:00	24.50	51.92	32.41	7.99	6.75	93.42	5.03	17.28
		9:00	24.70	52.04	32.46	7.96	7.76	111.00	5.45	9.36
		12:00	25.07	52.00	32.06	8.08	8.35	120.89	5.83	18.01
		15:00	24.93	52.17	32.33	8.13	7.14	104.45	5.38	17.44
18:00		24.93	52.30	32.04	8.06	7.84	113.95	5.79	13.99	
21:00		25.11	52.13	32.15	8.11	9.29	135.08	4.96	5.82	
日平均	24.85	52.08	32.28	8.01	7.81	112.21	5.45	11.99		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 28 日	蚵殼站	0:00	25.01	51.28	32.73	8.23	9.41	136.78	4.10	7.25
		3:00	24.45	51.59	33.35	8.30	6.53	94.90	4.00	9.41
		6:00	24.47	51.55	33.27	8.30	7.47	108.36	3.37	9.28
		9:00	24.67	51.32	32.81	8.31	6.06	88.20	2.70	4.24
		12:00	25.04	51.23	32.64	8.31	6.63	97.72	1.83	9.91
		15:00	24.90	51.05	32.28	8.27	7.13	105.05	1.90	8.83
		18:00	24.90	51.13	32.44	8.26	7.46	109.51	2.15	7.00
		21:00	25.08	51.12	32.42	8.26	10.66	156.52	1.20	11.26
		日平均	24.82	51.28	32.74	8.28	7.67	112.13	2.66	8.40
	潮口站	0:00	24.91	51.63	32.43	8.03	10.49	119.39	1.33	16.96
		3:00	24.35	51.62	33.01	7.99	8.34	94.35	7.30	12.75
		6:00	24.37	51.72	33.22	7.86	6.49	100.86	7.18	12.49
		9:00	24.57	51.69	32.91	7.98	8.38	115.97	8.95	11.56
		12:00	24.94	51.65	32.64	8.14	8.64	90.95	3.72	12.09
		15:00	24.80	51.60	32.60	8.03	6.83	83.85	5.76	3.52
		18:00	24.80	51.60	32.77	8.08	9.39	108.35	8.38	17.55
		21:00	24.98	51.55	32.68	8.11	11.37	100.28	2.19	9.34
		日平均	24.72	51.63	32.78	8.03	8.74	101.75	5.60	12.03
	灣內站	0:00	25.04	52.05	32.52	7.79	8.02	119.21	4.83	8.51
		3:00	24.48	52.12	33.14	7.80	8.45	123.30	4.69	15.89
		6:00	24.50	52.12	33.06	7.63	6.14	88.12	4.05	7.65
		9:00	24.70	52.14	32.60	7.79	7.63	115.96	4.38	5.39
		12:00	25.07	52.00	32.43	8.00	7.00	105.17	7.19	2.72
		15:00	24.93	52.04	32.07	7.90	9.39	141.36	3.53	10.09
		18:00	24.93	52.14	32.23	7.70	6.62	98.93	4.42	16.43
		21:00	25.11	52.05	32.21	7.69	6.14	90.32	5.40	17.72
		日平均	24.85	52.08	32.53	7.79	7.42	110.30	4.81	10.55
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
2 月 29 日	蚵殼站	0:00	24.76	51.20	32.58	8.33	7.50	109.81	9.40	9.44
		3:00	24.54	51.36	32.90	8.32	8.05	117.95	2.50	5.35
		6:00	24.42	51.33	32.83	8.30	6.24	91.02	1.40	15.04
		9:00	24.59	51.14	32.47	8.28	6.50	95.47	3.35	8.56
		12:00	25.08	51.00	32.19	8.25	5.92	87.37	4.03	6.25
		15:00	25.10	51.03	32.25	8.25	7.11	104.83	2.88	6.79
		18:00	24.89	51.09	32.36	8.19	9.41	139.01	6.90	8.24
		21:00	24.86	51.09	32.37	8.27	7.32	107.86	7.43	12.37
		日平均	24.78	51.16	32.49	8.27	7.26	106.67	4.74	9.01
	潮口站	0:00	24.66	51.60	32.85	8.08	6.07	118.85	34.14	8.80
		3:00	24.44	51.52	32.84	8.04	11.02	96.37	24.57	4.25
		6:00	24.32	51.66	33.29	8.01	9.30	116.91	16.33	5.97
		9:00	24.49	51.51	32.93	8.06	5.71	116.51	17.14	10.85
		12:00	24.98	51.59	32.82	8.13	6.84	113.73	9.00	11.14
		15:00	25.00	51.61	32.80	8.15	5.61	105.16	28.93	18.74
		18:00	24.79	51.60	32.92	8.09	10.71	109.42	20.14	13.25
		21:00	24.76	51.41	32.68	8.17	7.63	106.44	35.45	18.72
		日平均	24.68	51.56	32.89	8.09	7.86	110.42	23.21	11.47
	灣內站	0:00	24.79	52.16	32.37	7.84	7.19	103.50	5.19	2.50
		3:00	24.57	51.90	32.69	7.90	8.19	115.37	5.95	11.48
		6:00	24.45	52.20	32.62	7.69	6.95	98.23	4.69	15.88
		9:00	24.62	51.94	32.26	7.86	8.34	123.12	3.74	11.56
		12:00	25.11	52.09	31.98	8.14	7.31	107.71	5.86	17.08
		15:00	25.13	52.07	32.04	8.15	7.32	107.53	4.46	7.11
		18:00	24.92	52.24	32.15	8.06	7.06	103.69	5.52	14.30
		21:00	24.89	51.93	32.16	8.02	7.24	104.64	5.18	11.32
		日平均	24.81	52.07	32.28	7.96	7.45	107.97	5.07	11.40
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 1 日	蚵殼站	0:00	25.34	52.76	34.31	7.99	7.70	180.77	8.26	10.60
		3:00	25.37	52.76	34.16	8.02	6.03	174.14	25.10	8.29
		6:00	24.80	52.70	34.11	8.03	7.05	211.75	15.55	4.16
		9:00	25.18	52.64	33.95	8.05	7.77	195.47	16.85	8.52
		12:00	25.66	52.39	33.92	8.07	8.44	196.33	13.98	10.30
		15:00	25.88	52.31	34.00	8.43	8.43	147.21	8.24	12.57
		18:00	25.49	52.37	33.86	8.35	7.72	207.05	6.62	7.21
		21:00	25.33	52.51	34.23	8.40	7.63	156.42	12.19	11.47
		日平均	25.38	52.56	34.07	8.17	7.60	183.64	13.35	9.14
	潮口站	0:00	23.75	52.24	33.53	8.32	8.21	165.23	4.25	6.57
		3:00	24.59	52.30	33.57	8.18	7.08	155.39	6.43	6.37
		6:00	24.62	52.26	33.54	8.16	7.53	160.99	15.57	7.73
		9:00	24.20	52.22	33.52	8.25	6.80	160.75	10.13	7.11
		12:00	25.22	52.45	33.66	8.35	8.52	162.77	6.51	6.79
		15:00	25.47	52.48	33.68	8.30	7.03	155.35	4.14	5.62
		18:00	25.01	52.53	33.71	8.21	7.27	168.27	8.32	8.22
		21:00	24.60	52.53	33.71	8.23	8.32	167.83	8.27	7.14
		日平均	24.68	52.38	33.62	8.25	7.60	162.07	7.95	6.94
	灣內站	0:00	24.79	52.86	34.14	7.97	8.09	170.38	9.51	6.21
		3:00	24.22	52.80	34.16	8.08	5.37	184.11	24.34	9.58
		6:00	24.17	52.50	33.97	8.07	6.95	144.17	5.74	4.20
		9:00	24.55	52.72	33.97	8.20	7.98	162.51	15.21	9.38
		12:00	24.72	52.32	33.89	8.06	8.48	169.09	13.61	10.38
		15:00	24.94	52.45	33.95	8.27	7.98	183.71	2.66	10.55
		18:00	24.76	52.09	33.69	8.27	7.63	160.46	3.81	11.05
		21:00	24.80	52.67	33.93	8.22	7.42	174.76	6.64	11.30
		日平均	24.62	52.55	33.96	8.14	7.49	168.65	10.19	9.08
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 2 日	蚵殼站	0:00	25.58	52.75	34.05	8.23	8.98	176.21	13.76	7.44
		3:00	25.14	52.82	33.99	8.33	6.26	164.80	19.81	5.81
		6:00	24.94	52.53	34.24	8.13	6.14	177.55	16.68	10.69
		9:00	25.25	52.66	34.18	8.19	7.75	175.30	17.34	8.94
		12:00	25.86	52.81	33.98	8.21	7.64	166.11	12.49	9.56
		15:00	25.53	52.73	33.94	8.06	8.09	170.39	7.41	7.12
		18:00	25.93	52.18	33.62	8.20	7.53	188.01	19.70	7.41
		21:00	26.26	52.78	34.20	8.21	7.88	162.87	9.00	5.95
		日平均	25.56	52.66	34.03	8.20	7.53	172.66	14.52	7.87
	潮口站	0:00	24.02	52.21	33.51	8.36	7.98	187.57	2.30	4.34
		3:00	24.46	52.77	33.86	8.20	7.09	179.92	7.26	5.53
		6:00	24.92	52.51	33.70	8.19	6.81	173.45	9.82	7.35
		9:00	24.58	52.55	33.72	8.26	8.45	180.71	14.25	9.43
		12:00	25.17	51.90	33.32	8.40	8.30	181.51	8.40	4.98
		15:00	25.42	52.05	33.41	8.32	6.79	178.78	4.54	4.84
		18:00	25.14	52.37	33.61	8.20	6.69	197.62	10.69	6.61
		21:00	24.60	52.42	33.64	8.24	7.60	202.00	11.10	7.78
		日平均	24.79	52.35	33.60	8.27	7.46	185.20	8.55	6.36
	灣內站	0:00	25.28	52.69	34.15	8.30	8.91	157.05	5.27	6.57
		3:00	24.56	52.77	34.15	8.22	6.18	165.08	6.05	6.54
		6:00	24.77	52.60	33.88	8.10	6.04	158.99	5.06	9.27
		9:00	25.47	52.54	34.04	8.08	7.61	161.29	5.40	3.13
		12:00	25.43	52.52	34.03	8.22	8.09	158.54	4.45	5.03
		15:00	24.99	52.54	33.95	8.41	7.77	156.47	4.70	8.18
		18:00	24.50	52.10	33.58	8.32	7.60	167.32	5.96	4.40
		21:00	24.84	52.69	34.14	8.33	8.31	146.89	5.77	10.49
		日平均	24.98	52.56	33.99	8.25	7.56	158.95	5.33	6.70
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 3 日	蚵殼站	0:00	26.02	52.87	34.10	8.42	7.63	178.59	7.85	7.64
		3:00	25.19	53.02	34.06	8.31	6.25	177.74	13.15	7.79
		6:00	25.21	52.89	34.22	8.32	5.49	179.42	18.24	9.38
		9:00	25.89	52.65	33.82	8.34	8.00	150.71	5.76	10.61
		12:00	25.66	52.06	34.03	8.42	6.90	176.44	13.68	2.59
		15:00	25.41	51.98	33.56	8.23	6.90	151.12	6.00	7.70
		18:00	25.27	52.59	34.02	8.16	8.52	164.30	4.68	8.88
		21:00	25.39	52.83	33.85	8.40	6.44	178.45	8.25	11.31
	日平均	25.51	52.61	33.96	8.33	7.02	169.60	9.70	8.24	
	潮口站	0:00	24.14	52.55	33.72	8.34	7.41	177.98	5.96	3.72
		3:00	24.26	52.34	33.59	8.23	7.15	175.01	15.68	2.84
		6:00	24.80	52.50	33.69	8.22	6.14	175.37	8.45	4.36
		9:00	24.60	52.61	33.76	8.17	7.65	176.63	15.30	7.24
		12:00	24.96	52.21	33.51	8.25	6.82	183.75	7.57	6.75
		15:00	25.49	52.77	33.86	8.24	6.57	176.34	4.39	5.54
		18:00	25.39	52.51	33.70	8.20	8.27	179.73	1.69	7.72
		21:00	24.84	52.55	33.72	8.32	8.53	192.78	9.21	8.70
	日平均	24.81	52.51	33.69	8.25	7.32	179.70	8.53	5.86	
	灣內站	0:00	25.03	52.77	34.07	8.10	7.65	171.52	4.25	5.57
		3:00	24.80	52.80	34.16	8.31	6.15	183.70	5.40	6.07
		6:00	24.44	52.73	34.08	8.14	5.17	171.43	6.14	3.52
		9:00	24.47	52.68	33.94	8.32	7.35	169.80	3.17	4.50
		12:00	25.44	52.23	33.69	8.24	5.97	174.06	3.66	6.09
		15:00	24.87	51.82	33.55	8.22	6.28	168.58	4.28	2.33
		18:00	24.63	52.71	34.07	8.08	8.58	166.15	6.15	4.14
		21:00	25.43	52.56	34.10	8.18	6.70	175.50	5.72	6.81
	日平均	24.89	52.54	33.96	8.20	6.73	172.59	4.85	4.88	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 4 日	蚵殼站	0:00	25.93	52.58	33.85	8.07	6.72	187.72	19.45	2.92
		3:00	25.37	52.61	33.95	8.33	8.47	175.41	20.13	4.63
		6:00	24.91	52.44	34.13	8.39	8.42	193.73	23.37	3.70
		9:00	25.21	52.65	33.80	8.40	8.95	179.42	4.96	9.14
		12:00	25.36	52.43	33.87	8.43	6.66	183.81	11.24	6.29
		15:00	25.20	52.27	33.80	8.20	7.24	182.45	18.14	11.47
		18:00	25.14	52.48	33.93	8.26	8.69	187.77	28.40	8.91
		21:00	25.36	52.05	33.65	8.46	5.74	151.77	10.26	9.68
	日平均	25.31	52.44	33.87	8.32	7.61	180.26	16.99	7.09	
	潮口站	0:00	24.12	52.72	33.83	8.26	7.85	183.35	6.60	9.18
		3:00	24.01	52.87	33.92	8.14	6.65	176.20	10.59	8.64
		6:00	24.88	52.76	33.85	8.18	6.90	162.03	14.64	7.34
		9:00	25.01	52.27	33.55	8.25	7.22	170.46	12.42	10.84
		12:00	25.26	51.90	33.32	8.21	8.04	188.45	8.18	5.58
		15:00	25.56	52.05	33.41	8.19	7.31	181.60	6.04	6.77
		18:00	25.41	52.37	33.61	8.15	8.51	158.00	10.13	8.53
		21:00	25.12	52.42	33.64	8.27	6.85	177.10	9.72	3.84
	日平均	24.92	52.42	33.64	8.21	7.42	174.65	9.79	7.59	
	灣內站	0:00	25.16	52.35	33.81	8.32	6.08	186.00	3.38	0.09
		3:00	25.14	52.46	33.90	8.21	8.19	197.84	2.78	6.80
		6:00	24.17	52.52	34.03	8.31	8.75	176.39	6.13	4.72
		9:00	25.34	52.41	33.87	8.30	8.80	170.73	4.42	5.53
		12:00	25.74	52.63	33.88	8.04	5.87	156.93	6.83	3.08
		15:00	24.93	52.14	33.82	8.18	6.06	142.16	5.35	9.13
		18:00	24.39	52.50	33.86	8.12	9.17	197.62	4.54	7.69
		21:00	24.26	52.06	33.74	8.24	5.74	178.27	6.99	5.73
	日平均	24.89	52.38	33.86	8.22	7.33	175.74	5.05	5.35	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 5 日	蚵殼站	0:00	25.56	51.28	33.43	8.12	6.35	186.80	4.93	8.76
		3:00	25.20	52.73	34.24	8.37	7.32	196.37	8.95	5.70
		6:00	24.67	52.77	34.24	8.31	8.43	155.91	21.13	6.79
		9:00	25.41	52.12	33.72	7.97	8.93	155.86	16.57	8.70
		12:00	25.44	52.09	33.82	8.45	6.96	169.11	5.23	9.34
		15:00	25.39	51.56	33.11	8.07	6.48	177.41	14.02	3.99
		18:00	25.35	51.69	33.71	8.32	6.50	154.30	16.92	11.38
		21:00	25.48	52.49	33.86	8.48	7.95	141.46	12.51	11.50
		日平均	25.31	52.09	33.77	8.26	7.37	167.15	12.53	8.27
	潮口站	0:00	24.81	52.55	33.72	8.28	6.50	172.37	7.96	4.35
		3:00	24.47	52.34	33.59	8.16	7.62	168.47	9.99	3.51
		6:00	25.07	52.50	33.69	8.15	6.55	176.05	16.33	2.28
		9:00	25.31	52.61	33.76	8.26	7.27	160.94	9.61	2.79
		12:00	25.31	51.72	33.21	8.21	6.48	156.23	8.26	2.81
		15:00	25.55	51.84	33.28	8.19	7.61	153.19	3.83	2.61
		18:00	25.42	52.22	33.52	8.14	6.50	141.27	3.95	2.57
		21:00	25.27	52.26	33.54	8.23	6.39	167.21	2.99	3.53
		日平均	25.15	52.26	33.54	8.20	6.87	161.97	7.87	3.06
	灣內站	0:00	25.17	51.58	33.45	8.41	6.80	197.63	9.07	2.17
		3:00	25.01	52.54	34.01	8.33	8.17	189.82	6.18	1.51
		6:00	24.58	52.55	34.05	8.13	8.36	201.09	3.68	6.09
		9:00	24.87	52.40	33.84	8.06	8.82	187.59	6.13	4.76
		12:00	25.66	52.36	33.77	8.37	7.32	187.41	8.90	6.68
		15:00	26.08	51.54	33.40	8.34	6.80	159.46	4.59	9.87
		18:00	24.83	51.89	33.57	7.97	6.08	157.63	9.25	6.10
		21:00	24.75	52.31	33.72	8.09	7.64	167.55	15.42	7.78
		日平均	25.12	52.15	33.73	8.21	7.50	181.02	7.90	5.62
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 6 日	蚵殼站	0:00	25.19	52.29	33.79	8.21	6.51	168.78	8.44	4.49
		3:00	25.13	52.38	33.92	8.31	9.23	168.36	7.86	7.06
		6:00	24.71	52.62	33.73	8.22	8.16	163.21	7.53	3.69
		9:00	25.31	52.46	33.79	8.19	5.72	153.57	9.02	5.63
		12:00	25.52	52.59	34.07	8.18	6.64	143.21	13.72	4.59
		15:00	25.66	52.74	34.14	8.36	7.09	138.01	7.72	5.21
		18:00	25.08	52.25	33.85	8.27	6.32	189.42	6.65	6.04
		21:00	25.20	52.44	33.93	8.05	7.68	166.17	19.56	13.53
		日平均	25.23	52.47	33.90	8.22	7.17	161.34	10.06	6.28
	潮口站	0:00	24.90	52.58	33.74	8.27	6.90	157.74	12.95	4.94
		3:00	24.45	52.40	33.63	8.14	7.22	164.49	14.45	4.37
		6:00	24.72	52.68	33.80	8.07	6.85	155.00	22.45	2.77
		9:00	25.02	52.50	33.69	8.20	6.50	143.16	10.83	3.74
		12:00	25.14	52.45	33.66	8.29	6.55	184.70	10.62	4.95
		15:00	25.36	52.56	33.73	8.28	7.34	178.88	11.77	2.95
		18:00	25.30	52.76	33.85	8.12	7.28	169.28	19.94	3.33
		21:00	25.16	52.82	33.89	8.25	7.65	170.41	11.82	4.09
		日平均	25.01	52.59	33.75	8.20	7.04	165.46	14.35	3.89
	灣內站	0:00	25.65	52.50	33.84	8.18	6.52	194.88	3.08	7.15
		3:00	25.75	52.53	33.86	8.26	9.07	215.18	10.66	2.92
		6:00	24.54	52.58	34.00	8.22	7.81	193.19	5.67	3.66
		9:00	25.56	52.42	33.83	8.12	5.93	204.03	11.57	3.96
		12:00	26.14	52.33	33.91	8.28	5.92	184.69	5.45	3.75
		15:00	25.66	52.33	33.92	8.36	6.63	165.25	11.83	6.35
		18:00	25.01	52.05	33.67	8.13	6.41	174.39	15.97	7.14
		21:00	24.98	52.18	33.67	8.19	8.11	173.75	5.41	7.73
		日平均	25.41	52.37	33.84	8.22	7.05	188.17	8.71	5.33
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 7 日	蚵殼站	0:00	25.31	52.18	33.74	8.17	5.86	161.28	4.23	5.53
		3:00	25.28	52.35	33.84	8.41	7.50	178.09	19.56	8.19
		6:00	24.57	52.43	33.97	7.94	7.95	194.00	8.23	3.18
		9:00	24.81	52.43	33.86	8.21	8.82	139.68	19.90	5.69
		12:00	25.45	52.42	33.95	8.33	8.62	132.23	14.23	8.54
		15:00	25.13	52.42	33.68	7.99	6.73	128.26	8.78	5.89
		18:00	24.76	52.07	33.84	8.28	8.36	121.58	6.43	9.41
		21:00	24.51	51.94	33.74	8.11	8.21	164.56	16.69	4.00
		日平均	24.98	52.28	33.83	8.18	7.76	152.46	12.26	6.30
	潮口站	0:00	24.66	52.82	33.89	8.27	7.47	180.35	3.53	3.21
		3:00	24.03	52.77	33.86	8.13	7.35	180.14	5.79	3.69
		6:00	24.32	52.76	33.85	8.11	6.51	178.02	15.53	2.68
		9:00	24.96	52.92	33.95	8.20	7.44	171.26	9.66	3.42
		12:00	25.05	52.95	33.97	8.30	8.73	177.79	7.12	3.69
		15:00	25.14	52.80	33.88	8.25	6.69	185.40	4.35	4.10
		18:00	25.30	52.82	33.89	8.16	6.75	188.24	8.27	3.56
		21:00	25.16	52.80	33.88	8.18	7.79	190.56	7.56	3.58
		日平均	24.83	52.83	33.90	8.20	7.34	181.47	7.73	3.49
	灣內站	0:00	25.60	52.26	33.80	8.12	6.85	194.47	8.60	8.02
		3:00	25.39	52.45	33.88	8.21	7.66	195.94	17.29	6.29
		6:00	24.94	52.31	33.92	7.99	8.04	193.40	6.49	2.31
		9:00	24.61	52.37	33.97	8.08	8.69	191.84	20.22	4.68
		12:00	25.06	52.24	33.71	8.14	8.75	181.20	4.68	9.10
		15:00	25.30	52.14	33.81	8.29	6.61	171.54	4.63	5.96
		18:00	24.38	52.30	33.83	8.30	9.27	191.60	8.23	5.69
		21:00	23.52	51.88	33.62	8.19	8.39	210.91	8.12	2.06
		日平均	24.85	52.24	33.82	8.17	8.03	191.36	9.78	5.51
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 8 日	蚵殼站	0:00	24.70	52.26	33.96	8.17	8.97	148.01	5.83	8.04
		3:00	24.59	52.06	33.71	8.11	5.82	149.91	13.90	7.97
		6:00	24.78	51.71	33.26	8.36	5.63	179.75	23.21	5.92
		9:00	24.78	51.84	33.47	8.34	6.89	160.31	17.04	8.24
		12:00	24.97	51.83	33.63	8.39	5.87	174.69	12.08	5.61
		15:00	25.00	52.17	33.41	8.25	6.55	148.02	4.21	12.87
		18:00	25.07	52.23	33.50	8.24	6.59	133.41	18.48	9.31
		21:00	25.19	52.06	33.81	8.47	7.29	152.35	10.25	9.44
		日平均	24.89	52.02	33.59	8.29	6.70	155.81	13.13	8.43
	潮口站	0:00	24.79	52.93	33.96	8.31	7.65	183.94	3.04	4.81
		3:00	24.51	52.77	33.86	8.15	6.83	195.63	6.61	5.32
		6:00	24.34	52.58	33.74	8.14	5.69	180.43	9.19	4.74
		9:00	24.98	52.72	33.83	8.21	7.52	182.67	14.27	2.92
		12:00	25.23	52.48	33.68	8.35	7.45	181.76	8.35	4.25
		15:00	24.78	52.76	33.85	8.27	6.09	183.61	4.69	3.68
		18:00	24.76	52.87	33.92	8.15	5.75	178.96	10.82	3.74
		21:00	25.19	52.72	33.83	8.19	7.73	189.57	10.81	3.87
		日平均	24.82	52.73	33.83	8.22	6.84	184.57	8.47	4.17
	灣內站	0:00	23.59	52.21	33.81	8.39	8.44	173.43	8.05	5.93
		3:00	23.19	52.27	33.75	8.13	6.21	196.63	3.56	3.39
		6:00	23.30	51.54	33.33	8.18	5.70	227.62	2.45	6.86
		9:00	23.85	51.85	33.59	8.08	6.94	199.48	4.93	4.80
		12:00	23.73	51.72	33.36	8.48	6.02	173.82	7.52	6.79
		15:00	23.91	51.89	33.49	8.08	6.38	191.53	5.82	8.67
		18:00	23.72	52.25	33.74	8.29	6.81	182.06	7.06	7.52
		21:00	23.93	52.37	33.82	8.11	8.04	181.66	8.60	3.66
		日平均	23.65	52.01	33.61	8.22	6.82	190.78	6.00	5.95
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 9 日	蚵殼站	0:00	24.68	52.02	33.45	8.27	8.62	134.21	14.10	7.65
		3:00	24.52	51.76	33.57	8.47	6.39	126.38	12.41	7.07
		6:00	25.32	51.81	33.82	8.46	5.58	155.29	13.49	6.54
		9:00	24.34	52.42	33.99	8.49	7.65	144.17	7.62	6.23
		12:00	25.07	52.21	33.51	8.48	8.94	160.60	4.93	8.38
		15:00	25.36	52.11	33.86	8.03	5.95	155.92	5.20	8.02
		18:00	24.76	52.48	33.84	8.07	7.77	147.88	7.25	7.94
		21:00	24.64	52.19	33.57	8.27	5.78	149.09	8.54	10.16
	日平均	24.84	52.13	33.70	8.32	7.09	146.69	9.19	7.75	
	潮口站	0:00	24.83	52.93	33.96	8.29	6.57	173.14	5.95	4.30
		3:00	24.46	52.87	33.92	8.18	6.63	182.43	15.80	4.45
		6:00	24.19	52.68	33.80	8.17	5.45	177.39	8.29	4.12
		9:00	24.71	52.72	33.83	8.12	6.43	188.77	15.28	6.27
		12:00	25.32	52.53	33.71	8.20	6.93	176.68	6.84	6.66
		15:00	24.78	52.51	33.70	8.19	6.24	182.83	4.15	6.27
		18:00	24.55	52.21	33.51	8.15	5.72	178.62	0.98	6.03
		21:00	24.88	52.69	33.81	8.27	7.02	186.47	8.35	6.24
	日平均	24.72	52.64	33.78	8.20	6.37	180.79	8.21	5.54	
	灣內站	0:00	23.82	52.05	33.54	8.33	7.96	194.14	6.90	5.17
		3:00	23.39	51.89	33.64	8.37	6.51	193.46	7.04	9.97
		6:00	23.79	51.89	33.62	8.29	5.37	211.96	4.53	8.47
		9:00	24.24	52.09	33.64	8.23	7.87	196.28	2.69	8.23
		12:00	24.20	52.04	33.71	8.26	9.51	208.14	8.14	5.14
		15:00	23.99	52.24	33.66	8.46	6.56	189.14	10.99	11.62
		18:00	23.79	52.22	33.78	8.18	7.54	171.39	6.73	6.92
		21:00	23.80	52.43	33.86	8.29	5.94	200.23	10.64	5.04
	日平均	23.88	52.11	33.68	8.30	7.16	195.59	7.21	7.57	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 10 日	蚵殼站	0:00	24.75	52.35	33.93	8.44	5.77	158.74	11.60	10.41
		3:00	24.85	52.43	34.05	8.00	5.50	159.04	11.98	7.26
		6:00	24.50	52.48	34.01	8.21	5.48	169.71	26.93	8.08
		9:00	24.46	52.77	33.72	8.33	6.33	189.95	10.36	6.64
		12:00	24.85	52.48	33.89	8.25	7.38	150.96	18.57	4.10
		15:00	24.50	51.95	33.61	8.29	7.09	162.49	12.51	9.05
		18:00	24.38	52.47	33.81	8.14	5.77	161.00	26.35	8.94
		21:00	24.71	52.59	34.17	8.34	5.85	161.98	17.29	4.11
	日平均	24.63	52.44	33.90	8.25	6.15	164.23	16.95	7.32	
	潮口站	0:00	25.01	52.87	33.92	8.28	7.63	195.02	5.80	7.40
		3:00	24.15	52.89	33.93	8.25	7.82	196.85	10.50	5.94
		6:00	23.93	52.72	33.83	8.27	5.50	189.88	14.42	5.47
		9:00	24.15	52.72	33.83	8.30	6.65	184.94	12.25	5.96
		12:00	25.32	52.76	33.85	8.31	7.27	184.13	7.94	6.18
		15:00	24.84	52.59	33.75	8.31	6.48	164.32	6.23	6.23
		18:00	24.24	52.09	33.44	8.26	7.61	187.50	10.03	6.27
		21:00	24.17	52.79	33.87	8.20	6.50	185.92	9.67	6.83
	日平均	24.48	52.68	33.80	8.27	6.93	186.07	9.61	6.29	
	灣內站	0:00	23.80	52.44	33.78	8.20	6.09	194.95	13.50	4.36
		3:00	23.66	52.31	33.78	8.02	5.44	169.71	17.73	6.36
		6:00	24.34	52.35	33.99	8.02	6.05	220.55	25.42	1.50
		9:00	23.87	52.57	33.98	8.05	7.28	199.75	9.13	5.64
		12:00	24.71	52.18	33.85	7.96	7.57	180.26	14.73	2.46
		15:00	24.48	52.08	33.60	8.12	6.56	168.11	7.54	6.72
		18:00	24.08	52.47	33.88	8.22	5.72	184.12	17.17	7.93
		21:00	23.80	52.30	33.90	8.28	6.23	224.83	10.68	6.83
	日平均	24.09	52.34	33.85	8.11	6.37	192.79	14.49	5.23	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 11 日	蚵殼站	0:00	24.26	52.66	34.12	8.34	5.84	136.71	8.68	7.96
		3:00	23.97	52.64	33.77	7.98	6.70	172.88	3.69	5.82
		6:00	24.82	52.43	34.15	8.26	6.62	153.65	15.09	6.28
		9:00	25.61	52.92	34.06	8.14	6.96	170.47	16.37	9.80
		12:00	24.10	52.25	33.77	8.31	8.09	159.92	7.04	5.71
		15:00	24.24	52.31	33.93	8.05	6.18	167.98	6.62	5.08
		18:00	24.32	52.37	34.06	8.30	6.96	162.64	10.74	5.48
		21:00	24.21	52.61	34.05	8.46	7.03	183.89	2.61	3.77
		日平均	24.44	52.52	33.99	8.23	6.80	163.52	8.86	6.24
	潮口站	0:00	24.68	52.87	33.92	8.20	6.80	179.55	8.71	7.48
		3:00	24.03	52.92	33.95	8.17	6.90	192.88	10.41	9.38
		6:00	23.52	52.82	33.89	8.22	7.22	192.52	16.05	8.58
		9:00	23.45	52.71	33.82	8.17	6.85	175.40	9.02	9.25
		12:00	25.00	52.38	33.62	8.20	6.50	188.74	8.31	9.93
		15:00	25.00	51.96	33.36	8.27	6.55	194.55	4.24	11.29
		18:00	23.82	52.85	33.91	8.15	5.66	195.77	3.17	7.11
		21:00	23.46	52.72	33.83	8.14	5.91	198.11	2.93	5.77
		日平均	24.12	52.65	33.79	8.19	6.55	189.69	7.86	8.60
	灣內站	0:00	23.74	52.32	33.92	8.33	5.12	181.19	6.61	4.46
		3:00	24.07	52.36	33.84	8.19	6.66	192.52	9.17	5.96
		6:00	24.11	52.53	34.00	8.16	6.74	186.16	14.48	9.37
		9:00	24.02	52.73	33.99	8.27	7.78	161.17	8.89	6.37
		12:00	24.62	52.47	33.86	8.34	8.34	137.08	5.19	3.10
		15:00	24.25	52.44	33.85	8.35	6.33	132.75	4.57	2.99
		18:00	24.47	52.55	34.04	8.10	7.38	127.30	9.48	3.98
		21:00	24.29	52.51	33.98	8.13	7.46	168.04	12.49	3.19
		日平均	24.20	52.49	33.94	8.23	6.98	160.78	8.86	4.93
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 12 日	蚵殼站	0:00	24.05	52.78	33.99	8.43	6.29	147.30	1.55	10.33
		3:00	23.72	52.42	34.17	8.30	5.91	166.32	7.48	7.00
		6:00	24.30	53.03	34.19	8.01	5.46	163.02	12.91	7.88
		9:00	24.48	52.79	33.98	7.98	7.44	168.21	17.55	2.78
		12:00	25.03	52.51	34.15	8.33	7.29	162.98	12.59	8.25
		15:00	25.22	52.44	33.80	8.16	7.89	166.58	6.78	7.89
		18:00	24.45	52.82	34.21	8.16	8.87	166.80	17.67	3.92
		21:00	24.58	52.57	33.78	8.31	8.09	157.62	8.10	6.85
		日平均	24.48	52.67	34.03	8.21	7.16	162.35	10.58	6.86
	潮口站	0:00	24.02	52.48	33.68	8.14	7.86	181.50	3.81	7.59
		3:00	24.09	52.72	33.83	8.11	6.86	188.16	8.37	9.75
		6:00	23.40	52.63	33.77	8.16	5.96	190.02	13.49	10.35
		9:00	23.47	52.63	33.77	8.16	5.29	194.34	16.58	8.58
		12:00	24.55	52.66	33.79	8.21	5.85	173.13	10.92	8.92
		15:00	25.00	52.29	33.56	8.28	5.81	142.52	8.35	9.05
		18:00	23.54	52.58	33.74	8.22	5.65	156.52	11.43	7.75
		21:00	22.96	52.17	33.49	8.13	5.45	187.93	11.72	6.73
		日平均	23.88	52.52	33.70	8.18	6.09	176.77	10.58	8.59
	灣內站	0:00	23.91	52.61	34.06	8.28	5.70	182.07	6.89	6.65
		3:00	23.93	52.71	33.96	8.04	5.48	136.10	5.47	5.43
		6:00	23.66	52.82	34.19	7.86	5.44	136.62	4.81	4.97
		9:00	24.32	52.64	34.02	8.15	6.72	170.80	8.02	6.25
		12:00	24.81	52.54	33.81	8.15	6.48	128.41	3.60	3.49
		15:00	25.14	52.35	33.82	8.25	8.15	112.75	1.19	3.55
		18:00	24.56	52.49	34.00	7.92	9.31	141.91	5.74	8.05
		21:00	24.15	52.38	33.92	8.31	8.66	203.23	5.03	5.51
		日平均	24.31	52.57	33.97	8.12	6.99	151.49	5.09	5.49
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 13 日	蚵殼站	0:00	23.83	52.90	34.02	8.41	6.02	148.56	6.81	5.11
		3:00	23.44	52.94	34.07	8.34	5.46	142.10	12.73	4.67
		6:00	24.26	53.05	34.08	8.28	5.94	141.60	13.37	4.53
		9:00	24.75	52.99	34.46	8.39	5.42	165.93	17.61	6.90
		12:00	24.85	52.28	33.69	8.23	7.79	133.70	4.04	4.22
		15:00	24.91	52.14	33.74	8.47	6.34	150.44	7.66	7.83
		18:00	24.50	52.75	33.99	8.30	9.42	124.30	6.42	7.38
		21:00	24.27	52.56	33.71	8.43	7.75	173.24	13.06	10.42
	日平均	24.35	52.70	33.97	8.36	6.77	147.48	10.21	6.38	
	潮口站	0:00	22.90	51.64	33.16	8.17	7.02	195.07	3.55	7.66
		3:00	23.95	52.77	33.86	8.17	7.08	195.98	4.29	10.13
		6:00	22.99	52.71	33.82	8.18	5.87	192.90	4.68	9.40
		9:00	22.91	52.47	33.67	8.21	5.92	168.58	8.57	6.39
		12:00	25.02	52.45	33.66	8.22	5.57	170.15	6.95	5.82
		15:00	24.88	51.59	33.13	8.24	6.03	173.03	5.75	6.44
		18:00	23.73	51.92	33.33	8.23	5.81	164.32	6.25	6.05
		21:00	22.77	52.37	33.61	8.12	5.39	197.75	7.55	4.57
	日平均	23.64	52.24	33.53	8.19	6.09	182.22	5.95	7.06	
	灣內站	0:00	24.20	52.57	33.98	8.07	5.73	198.44	4.77	0.81
		3:00	24.48	52.69	34.07	8.13	5.88	133.76	5.60	3.88
		6:00	23.77	52.95	34.20	8.10	5.46	138.36	4.63	2.49
		9:00	24.28	52.77	34.08	8.10	5.63	168.98	4.25	7.13
		12:00	24.99	52.34	33.84	8.16	8.13	119.65	7.07	6.99
		15:00	25.34	52.26	33.66	8.06	5.89	118.18	8.04	6.04
		18:00	25.06	52.40	33.91	7.90	9.07	121.45	3.30	6.96
		21:00	25.31	52.48	33.96	8.13	7.53	199.05	8.12	7.31
	日平均	24.68	52.56	33.96	8.08	6.67	149.73	5.72	5.20	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 14 日	蚵殼站	0:00	24.20	52.40	33.86	8.08	7.15	173.23	8.85	6.59
		3:00	24.32	52.50	33.85	8.22	6.28	152.70	18.78	8.94
		6:00	24.00	53.18	34.34	8.18	6.41	138.31	12.85	11.35
		9:00	24.42	53.09	34.07	8.34	6.81	182.29	14.82	8.56
		12:00	24.43	53.02	34.50	8.19	8.19	135.34	13.30	8.04
		15:00	24.86	52.40	34.23	8.39	7.81	159.69	6.58	6.67
		18:00	24.37	52.41	34.13	7.94	8.94	172.23	14.84	8.05
		21:00	24.54	52.89	34.16	8.11	7.98	166.23	13.41	5.56
	日平均	24.39	52.74	34.14	8.18	7.45	160.00	12.93	7.97	
	潮口站	0:00	22.34	52.56	33.73	8.14	5.87	180.48	3.77	5.44
		3:00	24.02	52.59	33.75	8.12	6.38	162.13	6.14	6.66
		6:00	23.39	52.59	33.75	8.13	6.84	186.66	2.48	6.34
		9:00	23.01	52.66	33.79	8.26	5.89	172.65	11.08	2.90
		12:00	24.55	52.56	33.73	8.29	5.52	172.21	5.20	2.46
		15:00	25.02	52.51	33.70	8.36	5.66	166.55	3.02	3.28
		18:00	24.06	52.16	33.48	8.35	5.51	140.48	2.98	4.62
		21:00	24.41	52.24	33.53	8.27	5.09	175.62	9.93	2.91
	日平均	23.85	52.48	33.68	8.24	5.85	169.60	5.58	4.33	
	灣內站	0:00	25.36	52.44	33.79	8.03	7.17	205.88	13.62	8.07
		3:00	24.43	52.79	33.99	8.14	5.81	147.05	12.05	5.31
		6:00	24.60	53.02	34.23	8.32	6.57	103.73	10.04	6.15
		9:00	25.11	52.99	34.20	8.06	6.31	138.42	7.42	10.27
		12:00	25.26	52.86	34.10	8.16	8.02	114.32	9.60	7.23
		15:00	25.50	52.46	33.83	8.09	8.57	166.60	4.08	10.20
		18:00	25.07	52.53	33.95	8.06	8.48	114.56	13.79	5.08
		21:00	25.33	52.71	34.05	8.04	8.67	183.84	5.60	8.27
	日平均	25.08	52.73	34.02	8.11	7.45	146.80	9.53	7.57	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 15 日	蚵殼站	0:00	24.20	52.85	33.87	8.22	7.43	186.91	7.99	7.08
		3:00	24.19	52.84	34.14	8.31	6.75	141.97	9.90	4.10
		6:00	24.01	52.58	33.93	8.39	6.89	168.85	19.86	7.42
		9:00	24.35	52.88	34.11	8.04	5.95	148.19	14.42	8.39
		12:00	24.83	52.54	33.81	8.20	7.78	133.10	12.96	5.69
		15:00	24.73	52.40	33.93	8.19	8.15	181.29	6.05	9.54
		18:00	24.60	52.42	33.87	8.23	7.57	171.62	6.68	7.64
		21:00	24.30	52.46	33.79	8.24	7.42	178.79	5.92	10.81
	日平均	24.40	52.62	33.93	8.23	7.24	163.84	10.47	7.58	
	潮口站	0:00	24.98	52.45	33.66	8.28	5.80	166.48	5.81	2.38
		3:00	24.13	52.59	33.75	8.26	6.91	146.18	5.22	3.62
		6:00	23.60	52.47	33.67	8.19	7.93	173.26	2.83	4.11
		9:00	23.57	52.51	33.70	8.22	5.44	183.91	10.40	3.47
		12:00	23.87	52.35	33.60	8.23	6.15	177.46	13.52	2.91
		15:00	24.06	52.34	33.59	8.26	5.94	165.89	4.25	3.50
		18:00	24.41	52.27	33.55	8.32	5.67	153.86	8.17	5.18
		21:00	24.79	52.13	33.46	8.33	5.51	143.53	11.04	3.80
	日平均	24.18	52.39	33.62	8.26	6.17	163.82	7.66	3.62	
	灣內站	0:00	25.66	52.80	34.09	8.20	6.76	229.95	13.06	5.68
		3:00	24.84	52.62	33.94	8.26	6.81	155.12	7.91	6.04
		6:00	24.58	52.74	34.17	8.22	7.09	142.49	19.67	3.19
		9:00	25.60	52.68	34.02	8.11	6.25	141.42	4.70	8.17
		12:00	25.66	52.53	33.91	8.16	8.04	107.71	4.92	10.59
		15:00	25.04	52.56	33.88	8.33	8.16	152.83	3.56	6.08
		18:00	25.07	52.33	33.84	8.26	8.08	175.88	11.03	7.90
		21:00	25.54	52.40	33.85	8.34	7.72	190.04	8.71	8.55
	日平均	25.25	52.58	33.96	8.24	7.36	161.93	9.20	7.03	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 16 日	蚵殼站	0:00	24.14	52.39	34.08	7.94	6.41	201.06	18.15	14.16
		3:00	24.58	52.58	34.02	8.16	5.35	187.94	21.87	12.00
		6:00	24.50	52.68	34.04	8.22	6.03	166.52	28.56	11.45
		9:00	24.65	52.58	34.13	8.26	6.06	159.66	6.68	9.76
		12:00	24.60	52.68	34.15	8.38	7.16	140.83	16.33	10.76
		15:00	25.56	52.76	33.92	8.30	7.66	180.03	9.20	17.47
		18:00	25.17	52.67	34.09	8.36	6.12	156.37	23.92	21.31
		21:00	25.51	52.82	34.30	8.27	7.93	156.77	13.64	20.27
	日平均	24.84	52.65	34.09	8.24	6.59	168.65	17.29	14.65	
	潮口站	0:00	24.62	52.29	33.56	8.22	5.92	158.43	4.34	3.23
		3:00	23.94	52.27	33.55	8.22	6.45	133.82	3.92	3.74
		6:00	23.83	51.72	33.21	8.15	7.34	148.64	3.26	3.97
		9:00	23.98	52.11	33.45	8.18	6.50	176.82	5.68	3.96
		12:00	24.21	51.90	33.32	8.23	5.78	179.94	8.90	2.30
		15:00	24.30	52.05	33.41	8.24	5.78	163.59	6.21	2.87
		18:00	24.52	52.24	33.53	8.33	5.90	166.68	9.20	4.47
		21:00	24.87	52.38	33.62	8.29	5.14	181.09	6.41	4.57
	日平均	24.28	52.12	33.46	8.23	6.10	163.63	5.99	3.64	
	灣內站	0:00	26.07	52.46	33.90	7.99	6.40	176.84	11.63	9.66
		3:00	25.23	52.55	33.89	8.04	5.86	185.46	12.33	6.20
		6:00	25.15	52.76	34.13	8.10	6.67	215.05	27.99	9.27
		9:00	25.87	52.54	33.91	8.24	6.74	191.22	14.66	4.61
		12:00	26.33	52.56	33.85	8.14	7.53	188.59	10.22	9.48
		15:00	25.47	52.46	33.94	8.07	7.76	175.06	12.24	8.04
		18:00	25.60	52.48	34.04	8.28	6.48	182.07	22.78	10.67
		21:00	25.76	52.76	34.05	7.91	7.08	191.61	11.24	8.38
	日平均	25.69	52.57	33.96	8.10	6.82	188.24	15.39	8.29	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 17 日	蚵殼站	0:00	25.12	53.07	34.04	7.90	7.13	165.80	4.44	19.62
		3:00	25.16	52.87	34.05	8.29	5.41	161.81	3.33	14.24
		6:00	24.33	52.46	33.80	8.22	7.20	192.17	19.49	9.91
		9:00	25.06	52.80	34.09	8.01	6.81	179.57	11.50	12.94
		12:00	25.33	52.98	34.01	8.04	8.87	173.74	8.75	13.87
		15:00	25.42	51.93	33.43	8.28	8.47	123.00	8.39	10.05
		18:00	25.26	52.06	33.74	8.07	8.17	131.37	9.58	15.29
		21:00	25.44	52.15	33.82	8.21	6.23	135.77	12.90	18.09
	日平均	25.14	52.54	33.87	8.13	7.29	157.90	9.80	14.25	
	潮口站	0:00	24.98	52.08	33.43	8.19	5.09	176.98	7.61	3.26
		3:00	24.24	52.03	33.40	8.19	5.62	174.29	3.34	2.89
		6:00	24.14	52.16	33.48	8.16	6.74	174.09	3.98	3.53
		9:00	24.44	52.24	33.53	8.24	6.45	168.44	2.87	4.14
		12:00	24.18	52.19	33.50	8.26	6.01	171.76	4.29	2.97
		15:00	24.16	52.38	33.62	8.21	6.53	172.21	6.96	3.91
		18:00	24.25	52.40	33.63	8.24	7.65	188.38	7.90	4.11
		21:00	24.35	52.42	33.64	8.24	8.74	190.03	3.17	4.74
	日平均	24.34	52.24	33.53	8.22	6.60	177.02	5.02	3.69	
	灣內站	0:00	25.84	52.72	34.17	8.05	7.01	193.60	3.49	6.61
		3:00	25.23	52.75	34.17	8.07	5.62	143.83	5.52	11.65
		6:00	25.32	52.61	34.08	8.04	6.82	183.91	17.59	7.99
		9:00	26.09	52.80	34.12	8.07	7.51	191.64	11.24	10.17
		12:00	26.13	52.75	34.07	8.29	8.41	186.52	2.20	5.77
		15:00	25.30	52.01	33.54	8.02	8.63	134.91	10.03	13.22
		18:00	25.09	51.99	33.55	8.25	8.18	112.51	12.72	9.77
		21:00	26.12	52.19	33.62	8.22	6.68	128.30	5.73	6.15
	日平均	25.64	52.48	33.92	8.13	7.36	159.40	8.57	8.92	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 18 日	蚵殼站	0:00	25.44	51.67	33.33	8.21	6.56	205.02	6.74	12.30
		3:00	24.89	52.40	34.09	7.93	7.84	202.78	5.79	15.38
		6:00	24.60	52.52	34.05	7.95	6.96	149.24	13.72	16.95
		9:00	25.09	52.38	33.91	8.23	8.86	146.40	13.66	21.52
		12:00	25.37	52.31	33.60	7.96	9.41	125.06	8.99	17.97
		15:00	25.12	51.19	33.16	8.30	8.84	147.44	7.90	24.27
		18:00	25.27	51.68	33.36	8.47	8.33	174.14	9.30	24.37
		21:00	25.51	51.55	33.51	8.18	8.52	135.69	10.51	18.07
	日平均	25.16	51.96	33.63	8.15	8.17	160.72	9.58	18.85	
	潮口站	0:00	24.55	52.53	33.71	8.18	6.74	176.56	3.87	3.64
		3:00	24.00	52.51	33.70	8.21	6.94	179.81	4.01	3.39
		6:00	23.84	52.61	33.76	8.23	7.98	185.67	4.99	3.34
		9:00	24.48	52.68	33.80	8.18	8.30	181.59	1.71	3.58
		12:00	24.34	52.40	33.63	8.18	6.83	186.28	3.33	3.62
		15:00	24.24	52.27	33.55	8.18	6.68	186.22	5.50	3.27
		18:00	24.27	52.55	33.72	8.17	7.79	188.43	4.68	4.67
		21:00	24.74	52.56	33.73	8.23	8.34	175.95	2.46	4.30
	日平均	24.31	52.51	33.70	8.20	7.45	182.56	3.82	3.73	
	灣內站	0:00	26.66	51.63	33.42	8.05	6.07	192.52	4.94	3.58
		3:00	25.37	52.34	33.88	8.10	7.88	188.33	4.78	4.65
		6:00	24.53	52.42	33.78	8.01	7.09	121.06	5.92	4.60
		9:00	26.30	52.34	33.73	8.28	8.23	141.45	3.38	8.73
		12:00	26.56	52.26	33.77	8.22	8.96	106.89	2.07	6.83
		15:00	25.47	51.38	33.32	8.22	8.29	151.68	2.03	5.15
		18:00	24.91	51.27	33.11	8.34	8.58	170.86	3.09	9.26
		21:00	25.36	51.52	33.34	8.05	8.31	157.32	6.51	5.39
	日平均	25.65	51.90	33.54	8.16	7.93	153.76	4.09	6.02	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 19 日	蚵殼站	0:00	25.43	51.59	33.56	8.06	8.24	203.12	4.65	17.33
		3:00	24.90	51.75	33.42	8.36	7.53	200.53	18.62	21.37
		6:00	24.79	51.99	33.62	8.20	6.99	148.43	12.99	24.07
		9:00	25.45	51.55	33.55	8.42	7.48	164.58	17.16	31.34
		12:00	26.11	51.81	33.57	8.44	6.56	119.60	7.31	38.39
		15:00	25.31	51.81	33.68	8.39	9.05	127.44	3.09	25.61
		18:00	25.15	51.62	33.40	8.48	7.48	156.93	7.12	24.73
		21:00	25.99	51.89	33.63	8.45	8.18	172.94	9.12	30.75
		日平均	25.39	51.75	33.55	8.35	7.69	161.70	10.01	26.70
	潮口站	0:00	24.45	52.51	33.70	8.15	6.91	191.82	6.37	3.29
		3:00	23.90	52.59	33.75	8.14	6.25	179.28	2.04	3.70
		6:00	23.74	52.72	33.83	8.16	6.60	182.24	2.92	3.64
		9:00	24.38	52.82	33.89	8.19	7.91	188.77	2.66	3.19
		12:00	24.24	52.51	33.70	8.15	6.76	183.41	5.40	3.52
		15:00	24.14	52.58	33.74	8.11	6.36	186.51	6.05	2.93
		18:00	24.17	52.61	33.76	8.12	8.28	191.21	5.12	4.23
		21:00	24.64	52.69	33.81	8.14	7.27	189.75	3.66	4.10
		日平均	24.21	52.63	33.77	8.15	7.04	186.62	4.28	3.58
	灣內站	0:00	26.16	51.46	33.30	8.12	7.57	207.81	6.89	4.81
		3:00	25.55	51.70	33.39	7.98	7.66	233.95	4.17	7.00
		6:00	24.69	51.72	33.44	8.04	7.00	138.50	4.89	9.62
		9:00	25.36	51.47	33.28	8.37	7.24	157.31	4.04	8.64
		12:00	26.54	51.76	33.48	8.13	6.17	105.97	6.77	3.73
		15:00	25.49	51.71	33.46	8.15	9.07	154.38	4.83	9.15
		18:00	24.87	51.57	33.34	8.19	8.84	165.02	5.71	5.58
		21:00	25.96	51.62	33.39	8.06	8.53	147.83	4.97	5.76
		日平均	25.58	51.63	33.39	8.13	7.76	163.85	5.28	6.79
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 20 日	蚵殼站	0:00	25.81	52.51	33.83	8.35	7.81	162.45	12.01	30.78
		3:00	26.20	52.08	33.84	8.21	6.23	221.14	14.82	32.20
		6:00	25.72	52.24	34.06	8.43	6.56	206.15	16.47	30.76
		9:00	26.52	52.25	34.01	8.22	7.43	151.07	13.89	29.87
		12:00	26.07	51.96	33.87	8.44	8.30	142.57	11.54	24.28
		15:00	25.73	52.12	33.54	8.12	7.48	129.31	10.24	30.69
		18:00	26.08	52.21	33.98	8.21	6.69	171.21	11.11	25.14
		21:00	25.97	52.18	33.58	8.37	6.90	173.92	10.27	21.44
		日平均	26.01	52.19	33.84	8.29	7.18	169.73	12.54	28.15
	潮口站	0:00	24.89	52.66	33.79	8.11	7.61	167.40	3.31	4.42
		3:00	24.19	52.77	33.86	8.11	6.50	161.58	8.86	3.34
		6:00	23.72	52.92	33.95	8.10	6.39	163.54	16.34	3.83
		9:00	24.67	52.93	33.96	8.17	6.80	157.78	7.77	4.89
		12:00	24.79	52.66	33.79	8.17	6.90	160.31	7.10	4.46
		15:00	24.38	52.48	33.68	8.16	7.22	158.94	4.99	4.55
		18:00	24.21	52.63	33.77	8.14	6.85	171.47	8.56	4.35
		21:00	24.63	52.50	33.69	8.14	6.50	166.58	1.72	4.85
		日平均	24.44	52.69	33.81	8.14	6.85	163.45	7.33	4.34
	灣內站	0:00	26.14	52.26	33.74	8.16	7.68	185.60	8.39	6.70
		3:00	26.18	52.22	33.76	8.34	7.20	230.22	7.43	5.95
		6:00	25.19	52.36	33.92	8.22	7.24	207.85	9.24	5.87
		9:00	25.95	52.43	33.88	8.20	6.92	173.06	7.41	5.30
		12:00	26.98	51.97	33.59	8.38	8.21	152.53	7.37	6.46
		15:00	26.11	51.92	33.65	8.21	7.32	133.55	7.84	7.69
		18:00	25.34	52.28	33.77	8.17	7.73	147.99	13.05	8.00
		21:00	25.50	52.26	33.71	8.38	7.40	190.59	8.97	6.22
		日平均	25.92	52.21	33.75	8.26	7.46	177.67	8.71	6.52
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 21 日	蚵殼站	0:00	26.80	52.22	34.00	8.23	6.90	152.15	10.85	22.55
		3:00	26.04	52.41	33.82	8.28	6.49	232.66	6.76	18.22
		6:00	25.89	52.42	34.13	8.29	6.45	203.11	8.49	30.30
		9:00	26.84	52.85	33.85	8.05	7.12	192.12	15.85	28.30
		12:00	26.43	52.24	34.10	8.07	8.05	178.89	9.64	33.55
		15:00	26.05	52.17	33.85	8.47	7.90	144.53	6.61	23.82
		18:00	26.99	52.19	33.97	8.15	6.75	134.91	9.84	17.39
		21:00	26.68	52.29	33.81	8.25	6.36	135.20	13.76	14.18
	日平均	26.47	52.35	33.94	8.22	7.00	171.70	10.23	23.54	
	潮口站	0:00	25.06	52.76	33.85	8.17	8.27	172.98	2.21	5.58
		3:00	24.44	52.87	33.92	8.17	6.13	169.11	4.07	4.04
		6:00	23.76	52.93	33.96	8.16	5.92	191.85	19.87	3.80
		9:00	24.93	52.93	33.96	8.22	7.35	179.17	3.81	5.49
		12:00	25.48	52.48	33.68	8.25	7.42	202.45	4.43	5.53
		15:00	24.59	52.34	33.59	8.25	7.14	187.53	3.40	5.29
		18:00	24.09	52.61	33.76	8.26	6.91	207.08	4.56	4.10
		21:00	24.82	52.56	33.73	8.25	6.85	195.29	2.87	5.11
	日平均	24.65	52.69	33.81	8.22	7.00	188.18	5.65	4.87	
	灣內站	0:00	26.11	52.15	33.71	8.24	7.50	167.17	6.28	4.82
		3:00	25.75	52.25	33.81	8.14	7.21	212.25	9.98	8.23
		6:00	25.00	52.37	33.91	7.91	6.36	221.08	6.38	6.66
		9:00	25.85	52.47	33.83	8.20	6.59	188.68	6.52	8.55
		12:00	26.17	52.16	33.73	8.11	8.19	193.14	4.84	6.96
		15:00	26.40	52.16	33.84	8.23	7.59	154.02	6.05	9.92
		18:00	25.52	52.30	33.90	8.22	6.43	166.86	3.09	12.27
		21:00	25.48	52.44	33.78	8.28	6.30	153.35	2.64	6.27
	日平均	25.79	52.29	33.81	8.17	7.02	182.07	5.72	7.96	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 22 日	蚵殼站	0:00	26.24	52.35	33.88	8.02	5.48	130.93	12.94	17.36
		3:00	26.61	52.43	33.75	8.36	6.10	175.28	3.95	12.89
		6:00	25.88	52.63	33.92	7.98	6.30	184.32	11.47	9.41
		9:00	26.01	52.52	33.96	8.26	5.29	151.25	14.13	12.58
		12:00	26.33	52.27	33.90	8.21	6.14	158.77	12.55	21.36
		15:00	26.67	52.43	33.84	8.28	5.93	160.62	10.61	24.64
		18:00	26.41	52.19	33.74	8.11	5.55	170.75	9.59	15.46
		21:00	26.51	52.05	34.04	8.16	5.23	162.31	7.63	18.12
	日平均	26.33	52.36	33.88	8.17	5.75	161.78	10.36	16.48	
	潮口站	0:00	24.27	52.63	33.77	8.24	7.08	192.34	1.55	3.81
		3:00	23.84	52.85	33.91	8.23	5.71	196.85	4.87	2.62
		6:00	23.13	53.13	34.08	8.23	5.85	178.49	16.84	2.16
		9:00	24.12	53.11	34.07	8.20	6.11	167.65	3.60	3.47
		12:00	24.72	53.05	34.03	8.18	6.72	177.16	10.50	4.14
		15:00	24.08	52.64	33.78	8.16	7.32	178.85	6.32	4.36
		18:00	23.35	52.72	33.83	8.17	7.20	196.92	5.75	3.57
		21:00	23.87	52.79	33.87	8.18	7.56	188.63	3.17	3.49
	日平均	23.92	52.87	33.92	8.20	6.69	184.61	6.58	3.45	
	灣內站	0:00	26.05	52.42	33.87	8.17	6.14	156.67	6.05	6.51
		3:00	26.03	52.46	33.87	8.03	5.92	159.66	5.09	7.35
		6:00	25.05	52.74	34.08	7.93	6.03	180.60	3.31	2.81
		9:00	25.28	52.62	34.05	8.40	5.57	174.34	8.82	10.63
		12:00	26.02	52.39	33.81	8.32	5.91	159.85	7.59	2.65
		15:00	26.13	52.14	33.69	8.19	5.66	148.93	3.69	6.35
		18:00	26.45	52.40	33.86	8.00	6.15	137.74	7.30	6.43
		21:00	26.12	52.19	33.82	8.20	6.04	160.96	9.12	6.06
	日平均	25.89	52.42	33.88	8.16	5.93	159.84	6.37	6.10	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 23 日	蚵殼站	0:00	26.10	52.49	34.16	8.40	6.26	160.28	6.77	12.73
		3:00	26.09	52.46	34.02	8.42	5.76	139.33	13.28	6.79
		6:00	26.22	52.97	33.99	8.13	6.20	207.07	10.86	8.27
		9:00	26.10	52.49	34.05	7.97	6.17	171.17	13.61	12.48
		12:00	26.28	52.43	34.01	8.27	6.97	171.88	4.43	22.85
		15:00	25.98	52.15	33.82	8.35	6.10	132.43	8.15	25.43
		18:00	26.63	52.49	33.82	8.20	6.65	178.68	6.03	17.23
		21:00	26.41	52.42	34.04	7.97	7.26	189.59	7.93	13.70
		日平均	26.23	52.49	33.99	8.21	6.42	168.80	8.88	14.94
	潮口站	0:00	24.20	52.76	33.85	8.24	7.24	187.78	3.47	4.23
		3:00	24.04	52.74	33.84	8.18	5.70	195.73	3.74	4.24
		6:00	23.19	52.97	33.98	8.21	5.59	187.64	16.55	3.03
		9:00	24.07	52.82	33.89	8.20	6.53	169.23	6.58	3.50
		12:00	24.75	52.64	33.78	8.23	7.30	165.20	6.04	5.06
		15:00	24.57	52.61	33.76	8.22	7.09	169.35	9.34	5.95
		18:00	23.62	52.55	33.72	8.18	6.77	165.94	7.99	3.87
		21:00	23.89	52.61	33.76	8.16	7.37	185.59	4.62	4.10
		日平均	24.04	52.71	33.82	8.20	6.70	178.31	7.29	4.25
	灣內站	0:00	25.16	52.34	33.81	7.97	5.57	174.18	5.27	7.71
		3:00	24.79	52.49	33.94	8.09	5.94	127.67	12.29	4.88
		6:00	24.65	52.65	33.98	8.00	6.86	231.74	14.23	9.69
		9:00	24.87	52.74	33.98	8.17	6.41	184.11	5.40	6.70
		12:00	24.92	52.26	33.80	8.09	6.39	189.19	8.84	6.77
		15:00	25.47	52.10	33.77	7.96	6.03	163.73	6.28	5.44
		18:00	25.39	52.49	33.86	8.04	7.24	181.79	8.06	5.47
		21:00	25.41	52.33	33.69	8.26	7.04	193.86	4.95	5.93
		日平均	25.08	52.43	33.85	8.07	6.44	180.78	8.17	6.57
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 24 日	蚵殼站	0:00	26.34	52.35	34.03	7.93	5.99	192.35	7.74	11.38
		3:00	26.19	52.66	34.14	8.40	6.79	152.48	21.76	15.53
		6:00	25.65	53.20	34.25	8.10	6.00	212.60	6.15	8.97
		9:00	26.06	52.74	34.30	8.44	6.81	165.92	8.80	13.53
		12:00	26.37	52.67	34.35	8.14	6.21	184.45	11.43	15.07
		15:00	26.47	52.70	34.10	8.02	6.45	182.82	8.85	12.89
		18:00	26.11	52.53	34.06	8.21	6.96	170.99	12.86	20.80
		21:00	26.35	52.54	33.95	8.33	7.01	201.14	9.96	15.10
		日平均	26.19	52.67	34.15	8.20	6.53	182.84	10.94	14.16
	潮口站	0:00	23.94	52.61	33.76	8.22	6.26	184.73	8.09	5.93
		3:00	23.74	52.66	33.79	8.12	6.30	195.77	6.01	5.57
		6:00	23.18	52.76	33.85	8.18	6.10	195.22	9.57	5.63
		9:00	23.62	52.76	33.85	8.18	5.67	170.08	5.58	5.21
		12:00	24.29	52.59	33.75	8.22	6.61	180.83	6.75	7.72
		15:00	24.53	52.59	33.75	8.21	6.50	190.52	6.87	6.73
		18:00	23.76	52.66	33.79	8.12	6.41	172.63	8.56	7.58
		21:00	23.78	52.80	33.88	8.10	8.47	180.96	10.69	6.69
		日平均	23.86	52.68	33.80	8.17	6.54	183.84	7.77	6.38
	灣內站	0:00	25.24	52.24	33.77	8.30	5.57	190.84	6.93	8.18
		3:00	25.17	52.41	33.92	8.14	6.55	152.99	4.98	9.75
		6:00	24.94	52.69	34.03	8.24	5.89	183.63	8.55	6.27
		9:00	25.76	52.91	34.23	8.24	6.52	161.66	6.01	6.42
		12:00	25.15	52.85	34.19	8.23	6.60	173.97	6.52	7.26
		15:00	25.21	52.40	33.95	8.07	7.19	172.62	4.64	9.98
		18:00	25.47	52.46	33.84	7.92	6.78	179.93	4.63	12.29
		21:00	26.21	52.39	33.83	8.16	7.48	188.07	8.90	8.23
		日平均	25.39	52.54	33.97	8.16	6.57	175.46	6.40	8.55
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 25 日	蚵殼站	0:00	25.85	52.73	34.16	8.28	6.74	181.99	11.82	18.55
		3:00	25.51	52.69	34.10	8.06	7.21	196.08	15.07	15.11
		6:00	26.61	52.69	34.17	8.07	6.35	161.18	11.82	15.46
		9:00	26.52	52.57	33.92	7.98	6.80	159.02	12.81	8.17
		12:00	26.25	52.19	33.88	8.29	6.84	188.41	10.38	14.11
		15:00	25.81	52.62	33.80	8.27	6.62	180.56	1.64	13.98
		18:00	25.83	52.53	33.85	8.06	6.18	169.33	9.06	14.10
		21:00	25.73	52.25	33.72	8.28	6.01	212.65	7.10	13.94
	日平均	26.01	52.53	33.95	8.16	6.59	181.15	9.96	14.18	
	潮口站	0:00	24.39	52.90	33.94	8.14	7.27	188.05	6.93	5.17
		3:00	24.45	52.85	33.91	8.13	6.48	200.89	6.92	5.57
		6:00	23.33	52.76	33.85	8.15	7.61	205.86	7.43	4.96
		9:00	23.98	52.80	33.88	8.18	6.50	192.73	6.36	5.79
		12:00	25.54	52.80	33.88	8.17	6.39	192.40	9.47	5.01
		15:00	25.50	52.01	33.39	8.20	6.80	196.32	3.55	3.84
		18:00	24.55	52.13	33.46	8.22	6.90	188.43	24.06	3.99
		21:00	24.14	52.14	33.47	8.13	6.73	188.82	2.52	4.82
	日平均	24.49	52.55	33.72	8.17	6.84	194.19	8.41	4.89	
	灣內站	0:00	26.17	52.59	34.00	8.22	6.94	169.28	6.95	11.30
		3:00	25.17	52.43	33.90	7.97	6.19	183.20	7.54	10.67
		6:00	25.34	52.60	33.92	8.28	6.29	171.11	15.84	13.87
		9:00	26.07	52.43	34.02	8.27	5.99	141.16	9.18	9.09
		12:00	25.86	52.38	33.89	8.31	6.65	177.68	5.00	10.06
		15:00	25.25	52.39	33.88	8.21	6.95	155.23	2.17	11.22
18:00		25.75	52.35	33.77	8.22	6.32	179.91	11.06	12.59	
21:00		25.50	52.24	33.85	7.93	6.54	199.15	6.99	11.42	
日平均	25.64	52.43	33.90	8.18	6.48	172.09	8.09	11.28		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 26 日	蚵殼站	0:00	25.96	52.16	33.97	8.39	6.48	176.88	17.46	11.79
		3:00	25.57	52.33	33.83	8.03	5.04	142.83	19.83	9.36
		6:00	25.73	52.64	33.68	8.19	5.95	143.95	22.97	12.37
		9:00	25.70	52.73	34.08	8.18	5.76	166.49	18.95	14.52
		12:00	25.47	52.17	33.75	8.39	5.63	173.91	8.76	11.29
		15:00	25.92	52.29	33.77	8.48	5.79	196.49	9.43	6.14
		18:00	25.96	52.20	34.03	8.05	5.85	184.37	9.71	8.22
		21:00	25.56	52.34	34.17	8.28	6.14	213.16	3.92	6.25
	日平均	25.73	52.36	33.91	8.25	5.83	174.76	13.88	9.99	
	潮口站	0:00	25.14	51.85	33.29	8.11	8.47	195.78	4.14	5.76
		3:00	25.19	52.42	33.64	8.11	7.04	198.83	8.14	4.73
		6:00	23.92	52.51	33.70	8.15	6.73	199.52	2.99	4.28
		9:00	23.74	52.42	33.64	8.19	8.19	196.11	2.59	5.04
		12:00	24.45	52.35	33.60	8.21	8.50	195.99	9.53	5.89
		15:00	24.68	51.53	33.09	8.24	8.75	211.29	7.86	5.42
		18:00	24.35	51.48	33.06	8.24	7.27	201.22	9.82	4.32
		21:00	23.56	51.61	33.14	8.17	7.61	187.35	3.32	4.34
	日平均	24.38	52.02	33.40	8.18	7.82	198.26	6.05	4.97	
	灣內站	0:00	25.93	52.35	33.89	7.99	6.37	160.58	20.97	10.34
		3:00	25.43	52.24	33.81	8.14	5.32	142.43	16.59	7.94
		6:00	24.84	52.53	33.84	8.10	5.99	177.25	22.13	13.06
		9:00	26.20	52.43	33.96	8.33	6.10	138.98	11.23	10.61
		12:00	26.33	52.38	33.77	8.14	6.29	181.16	5.89	6.14
		15:00	25.39	52.19	33.77	8.40	6.01	185.00	7.53	9.02
18:00		25.26	52.38	33.92	8.15	6.39	197.54	8.10	1.45	
21:00		25.97	52.47	33.88	8.13	6.37	189.34	7.21	6.51	
日平均	25.67	52.37	33.86	8.17	6.11	171.54	12.46	8.13		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 27 日	蚵殼站	0:00	25.23	52.57	33.87	8.14	5.73	169.25	8.54	4.78
		3:00	25.51	52.67	34.26	8.44	6.02	195.56	22.30	6.37
		6:00	25.29	52.59	34.11	8.20	5.45	180.12	7.02	7.50
		9:00	25.71	52.38	34.10	8.34	5.91	146.47	11.01	8.92
		12:00	25.96	52.65	33.77	8.44	6.31	204.06	21.75	10.75
		15:00	26.90	52.28	34.17	8.06	6.28	220.53	7.11	10.90
		18:00	26.35	52.59	33.95	8.43	5.49	185.74	11.04	4.03
		21:00	26.34	52.41	33.79	8.03	5.37	214.10	7.97	2.98
		日平均	25.91	52.52	34.00	8.26	5.82	189.48	12.09	7.03
	潮口站	0:00	23.96	51.64	33.16	8.14	7.82	153.40	2.64	3.83
		3:00	24.05	51.80	33.26	8.16	7.44	178.18	11.84	3.01
		6:00	23.54	51.92	33.33	8.16	7.92	198.40	4.33	2.96
		9:00	23.71	51.61	33.14	8.17	8.03	190.18	3.17	3.31
		12:00	24.75	51.96	33.36	8.26	8.30	163.38	17.65	4.40
		15:00	24.89	51.85	33.29	8.25	7.80	175.16	7.53	4.04
		18:00	24.66	51.77	33.24	8.24	7.27	188.09	5.05	3.52
		21:00	24.24	51.82	33.27	8.21	7.61	186.40	8.34	3.53
		日平均	24.23	51.80	33.26	8.20	7.77	179.15	7.57	3.58
	灣內站	0:00	26.48	52.49	34.02	8.09	6.44	165.98	12.65	6.80
		3:00	25.67	52.61	33.96	8.28	6.24	178.67	17.24	2.26
		6:00	24.74	52.41	33.98	8.03	5.97	188.85	13.56	5.29
		9:00	26.00	52.49	34.01	8.29	5.75	162.46	10.77	5.46
		12:00	26.92	52.56	33.85	8.30	5.94	202.46	17.07	3.41
		15:00	25.84	52.50	33.97	7.97	6.40	192.46	12.45	8.20
		18:00	24.61	52.38	33.87	8.11	6.02	175.96	8.34	10.83
		21:00	25.77	52.41	33.87	8.04	5.43	183.97	4.28	7.66
		日平均	25.75	52.48	33.94	8.14	6.02	181.35	12.05	6.24
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 28 日	蚵殼站	0:00	25.78	52.25	33.55	8.11	6.07	176.31	10.85	6.93
		3:00	26.05	52.28	33.91	8.39	6.22	151.84	14.45	3.01
		6:00	25.82	52.35	33.85	8.16	5.88	149.90	18.82	4.31
		9:00	25.79	52.39	33.79	8.12	5.98	153.09	5.19	8.29
		12:00	26.77	52.37	33.69	7.95	5.97	174.40	3.96	10.08
		15:00	26.91	52.07	33.50	8.19	5.90	203.47	13.87	9.09
		18:00	26.29	52.29	34.03	8.02	5.73	186.89	5.57	11.24
		21:00	26.71	52.34	33.58	7.93	5.30	218.43	2.71	4.92
		日平均	26.27	52.29	33.74	8.11	5.88	176.79	9.43	7.23
	潮口站	0:00	24.76	52.37	33.61	8.17	8.66	183.01	4.93	4.21
		3:00	24.75	52.35	33.60	8.16	7.61	169.76	5.89	3.92
		6:00	24.40	52.45	33.66	8.20	7.96	166.32	1.97	2.45
		9:00	24.46	52.51	33.70	8.14	7.61	177.56	3.11	3.49
		12:00	24.91	52.24	33.53	8.21	6.50	173.94	5.11	5.27
		15:00	24.88	52.11	33.45	8.25	7.31	175.54	2.02	5.98
		18:00	24.82	52.38	33.62	8.26	8.90	175.13	3.10	4.14
		21:00	24.47	52.40	33.63	8.26	8.81	179.52	3.73	4.58
		日平均	24.68	52.35	33.60	8.21	7.92	175.10	3.73	4.26
	灣內站	0:00	26.07	52.08	33.61	7.88	5.46	174.46	2.90	4.66
		3:00	25.25	52.07	33.75	8.17	5.89	151.39	8.46	7.21
		6:00	24.53	52.24	33.68	8.25	6.01	169.58	14.75	3.28
		9:00	25.59	52.29	33.83	8.17	5.97	174.56	9.74	5.34
		12:00	26.47	52.05	33.61	7.96	5.90	211.18	13.27	7.38
		15:00	25.68	52.03	33.52	7.95	5.88	195.30	6.14	5.45
		18:00	24.57	52.28	33.67	8.08	5.65	219.65	7.22	9.28
		21:00	25.98	52.15	33.78	8.31	5.84	206.77	5.88	5.30
		日平均	25.52	52.15	33.68	8.10	5.83	187.86	8.55	5.99
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 29 日	蚵殼站	0:00	25.98	52.00	33.77	8.04	5.56	233.30	17.25	4.93
		3:00	25.98	52.23	33.69	8.27	5.32	180.06	13.77	4.46
		6:00	26.09	52.33	34.17	8.13	5.53	149.87	25.11	7.05
		9:00	25.82	52.50	33.76	8.04	5.66	172.84	12.57	6.81
		12:00	25.96	52.41	33.97	8.10	5.57	177.81	19.73	4.36
		15:00	26.44	52.02	33.78	8.46	5.85	242.28	14.56	9.19
		18:00	26.37	52.42	33.88	8.08	6.02	217.74	15.88	10.28
		21:00	26.69	52.18	33.69	8.42	5.33	215.17	11.62	12.26
	日平均	26.17	52.26	33.84	8.19	5.61	198.63	16.31	7.42	
	潮口站	0:00	24.41	52.35	33.60	8.31	8.21	179.99	5.24	5.56
		3:00	24.67	52.43	33.65	8.19	5.74	170.74	1.49	6.16
		6:00	24.35	52.56	33.73	8.23	7.30	168.21	11.59	5.86
		9:00	24.24	52.66	33.79	8.30	7.76	164.58	7.90	5.02
		12:00	24.73	52.35	33.60	8.26	8.03	153.86	2.14	7.01
		15:00	24.77	52.42	33.64	8.24	8.08	143.55	9.46	8.81
		18:00	24.09	52.45	33.66	8.20	7.36	142.96	16.07	3.53
		21:00	23.80	52.53	33.71	8.32	7.61	172.22	9.66	3.45
	日平均	24.38	52.47	33.67	8.26	7.51	162.01	7.94	5.68	
	灣內站	0:00	26.05	52.08	33.65	8.18	5.73	233.06	5.39	4.92
		3:00	25.84	52.18	33.82	8.23	5.07	189.24	5.54	6.01
		6:00	24.95	52.20	33.84	8.27	5.35	163.21	6.86	4.98
		9:00	25.75	52.35	33.77	8.37	5.66	153.33	4.84	4.13
		12:00	26.96	52.17	33.75	8.18	5.95	195.92	7.19	1.19
		15:00	26.37	52.30	33.85	8.38	5.80	234.49	5.35	6.13
		18:00	25.50	52.28	33.84	8.14	5.94	204.94	6.55	5.43
		21:00	25.47	52.36	33.85	8.30	5.76	194.06	5.22	8.92
	日平均	25.86	52.24	33.80	8.26	5.66	196.03	5.87	5.21	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 30 日	蚵殼站	0:00	25.86	52.31	33.89	8.04	5.20	212.44	8.23	7.88
		3:00	25.36	52.49	33.98	8.32	7.11	173.74	10.99	6.93
		6:00	25.58	52.54	34.02	8.25	6.40	168.13	25.05	8.42
		9:00	26.19	52.53	33.90	8.14	6.06	174.96	13.10	5.60
		12:00	25.58	52.27	33.78	8.31	5.42	188.56	8.73	6.32
		15:00	25.94	52.05	33.58	8.02	6.63	189.42	7.73	8.03
		18:00	27.00	52.28	33.98	8.35	6.80	208.57	4.20	12.80
		21:00	27.16	52.11	33.51	8.16	5.96	192.78	14.48	8.56
	日平均	26.08	52.32	33.83	8.20	6.20	188.58	11.56	8.07	
	潮口站	0:00	23.56	52.50	33.69	8.33	8.96	177.44	15.43	3.80
		3:00	24.36	52.61	33.76	8.21	6.04	126.05	7.42	3.78
		6:00	24.32	52.76	33.85	8.20	5.66	138.47	7.07	3.86
		9:00	23.96	52.77	33.86	8.31	7.30	190.13	3.53	4.29
		12:00	24.66	52.50	33.69	8.26	8.05	187.76	7.89	3.08
		15:00	24.91	52.32	33.58	8.24	7.82	141.68	6.57	3.33
		18:00	24.63	52.47	33.67	8.19	7.30	120.09	6.62	3.70
		21:00	23.96	52.34	33.59	8.28	8.37	156.61	6.73	3.81
	日平均	24.30	52.53	33.71	8.25	7.44	154.78	7.66	3.71	
	灣內站	0:00	26.22	52.23	33.79	8.05	5.01	221.26	5.14	8.19
		3:00	26.18	52.50	33.97	8.15	7.05	203.95	7.23	1.85
		6:00	25.08	52.63	33.89	8.28	5.47	176.76	3.31	2.48
		9:00	25.66	52.61	34.04	8.26	6.39	160.21	6.57	4.49
		12:00	26.22	52.27	33.81	8.34	5.47	158.66	2.89	8.33
		15:00	26.63	52.09	33.69	8.27	6.41	226.03	8.07	3.39
		18:00	25.68	52.36	33.84	7.98	5.92	187.11	8.26	5.65
		21:00	25.50	52.18	33.81	8.20	5.56	210.78	4.76	9.29
	日平均	25.90	52.36	33.86	8.19	5.91	193.10	5.78	5.46	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 1~3 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
3 月 31 日	蚵殼站	0:00	26.50	52.39	33.89	8.09	5.67	233.89	5.33	11.08
		3:00	25.87	52.49	33.97	8.26	5.84	198.96	12.10	5.30
		6:00	26.26	52.85	33.81	8.32	5.41	165.85	8.36	7.70
		9:00	26.78	52.48	34.15	8.25	5.77	191.07	16.30	9.11
		12:00	26.48	52.29	33.90	8.02	5.26	170.10	13.06	5.77
		15:00	26.53	52.29	33.67	8.29	5.70	234.12	7.01	9.80
		18:00	26.54	52.32	33.84	8.44	6.79	209.18	6.76	15.01
		21:00	26.56	52.50	33.63	8.39	6.67	189.94	8.05	9.05
		日平均	26.44	52.45	33.86	8.26	5.89	199.14	9.62	9.10
	潮口站	0:00	23.17	52.59	33.75	8.32	7.84	180.28	16.93	3.06
		3:00	24.05	52.71	33.82	8.19	6.04	132.63	11.34	3.18
		6:00	24.34	52.77	33.86	8.12	5.66	125.23	13.89	3.27
		9:00	23.43	52.77	33.86	8.25	7.78	131.79	22.39	2.75
		12:00	24.20	52.32	33.58	8.34	6.47	136.41	18.14	3.48
		15:00	24.84	52.17	33.49	8.33	6.53	142.55	24.72	3.37
		18:00	24.56	52.45	33.66	8.17	8.57	144.41	19.48	3.65
		21:00	23.97	52.40	33.63	8.30	6.80	127.12	24.82	3.27
		日平均	24.07	52.52	33.71	8.25	6.96	140.05	18.96	3.25
	灣內站	0:00	26.27	52.41	33.80	8.38	6.63	221.65	4.34	5.40
		3:00	26.02	52.36	33.89	8.28	5.41	198.94	8.11	8.91
		6:00	25.25	52.43	34.04	8.30	5.35	198.71	4.23	7.90
		9:00	25.35	52.49	33.88	8.15	6.01	206.39	4.24	11.80
		12:00	25.77	52.09	33.65	8.26	5.62	190.68	5.75	6.75
		15:00	26.35	51.97	33.62	8.06	5.50	213.16	3.73	7.20
		18:00	26.29	52.19	33.78	8.28	6.30	223.27	3.46	7.28
		21:00	25.57	52.23	33.78	8.15	6.25	219.54	4.73	8.03
		日平均	25.86	52.27	33.81	8.23	5.88	209.04	4.82	7.91
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 1 日	蚵殼站	0:00	27.99	52.47	33.67	8.19	7.21	191.47	0.67	3.97
		3:00	28.04	52.53	33.71	8.13	5.94	192.28	1.04	1.29
		6:00	28.14	52.58	33.74	8.16	6.65	199.72	0.96	1.27
		9:00	28.27	52.53	33.71	8.12	6.27	201.10	0.80	3.24
		12:00	28.69	52.54	33.72	8.15	6.83	207.22	0.73	3.54
		15:00	27.91	52.57	33.74	8.25	8.59	218.85	0.46	4.05
		18:00	28.41	52.56	33.73	8.27	8.86	148.48	0.75	0.98
		21:00	28.94	52.51	33.70	8.17	7.68	184.47	0.30	4.90
	日平均	28.30	52.54	33.72	8.18	7.25	192.95	0.71	2.91	
	潮口站	0:00	27.47	52.69	33.81	7.98	7.15	202.54	5.17	5.12
		3:00	26.88	52.79	33.87	7.96	6.49	167.24	4.89	9.32
		6:00	26.97	52.80	33.88	7.97	6.53	192.71	7.52	2.90
		9:00	26.66	52.76	33.85	7.95	6.85	189.41	2.48	2.67
		12:00	26.27	52.79	33.87	8.00	8.14	202.89	2.36	9.97
		15:00	28.07	52.74	33.84	8.09	9.59	201.14	6.50	4.30
		18:00	27.84	52.77	33.86	8.06	8.92	211.16	6.18	3.69
		21:00	28.03	52.71	33.82	8.00	7.99	213.86	5.17	8.34
	日平均	27.27	52.76	33.85	8.00	7.71	197.62	5.03	5.79	
	灣內站	0:00	28.69	52.24	33.53	8.17	6.36	118.55	3.71	6.03
		3:00	28.33	52.26	33.54	8.04	6.10	158.27	4.19	6.68
		6:00	27.26	52.36	33.60	7.98	7.63	122.20	3.54	7.01
		9:00	28.00	52.30	33.57	8.08	7.47	151.65	3.86	5.73
		12:00	28.97	52.29	33.56	8.15	7.47	147.46	3.62	6.55
		15:00	29.27	52.40	33.63	8.26	7.26	154.20	4.38	5.01
		18:00	29.53	52.35	33.60	8.19	7.93	162.99	3.81	6.89
		21:00	29.01	52.31	33.57	8.10	7.03	137.81	4.26	9.12
	日平均	28.63	52.31	33.58	8.12	7.16	144.14	3.92	6.63	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 2 日	蚵殼站	0:00	28.47	52.56	33.73	8.23	6.51	144.55	0.22	3.22
		3:00	28.28	52.52	33.71	8.22	6.48	186.92	0.48	1.96
		6:00	28.16	52.50	33.69	8.24	7.68	209.32	0.48	0.65
		9:00	28.42	52.53	33.71	8.25	8.24	212.30	0.55	2.95
		12:00	28.07	52.47	33.67	8.21	7.43	220.36	0.48	3.67
		15:00	27.94	52.50	33.69	8.19	7.68	224.76	0.85	2.05
		18:00	27.75	52.55	33.72	8.19	7.87	223.56	1.41	2.16
		21:00	27.74	52.24	33.53	8.20	7.80	212.02	0.94	2.13
	日平均	28.10	52.48	33.68	8.22	7.46	204.22	0.68	2.35	
	潮口站	0:00	26.46	52.85	33.91	7.97	6.88	224.55	2.25	4.59
		3:00	26.90	52.83	33.90	7.93	6.52	218.55	2.86	4.03
		6:00	26.66	52.76	33.85	7.95	6.85	220.12	2.48	5.00
		9:00	26.27	52.79	33.87	8.00	8.14	200.24	2.36	5.44
		12:00	26.90	52.74	33.84	8.02	8.37	151.95	2.95	2.06
		15:00	28.36	52.73	33.83	8.08	9.00	159.64	5.96	1.52
		18:00	28.70	52.71	33.82	8.07	8.78	162.37	7.94	3.38
		21:00	28.59	52.75	33.85	7.96	7.06	137.76	4.94	2.04
	日平均	27.36	52.77	33.86	8.00	7.70	184.40	3.97	3.51	
	灣內站	0:00	28.68	52.27	33.55	8.22	6.61	173.79	3.66	7.52
		3:00	28.59	52.21	33.51	8.22	5.49	104.68	4.49	7.05
		6:00	28.19	52.23	33.52	8.18	5.79	163.86	4.58	5.25
		9:00	28.68	52.26	33.54	8.20	6.12	176.69	4.46	7.25
		12:00	28.94	52.19	33.50	8.19	6.12	172.40	4.57	6.25
		15:00	28.42	52.26	33.54	8.12	7.40	187.58	4.14	6.01
		18:00	27.80	52.38	33.62	8.07	7.76	176.01	4.18	7.08
		21:00	28.30	51.73	33.21	7.95	7.56	198.23	4.02	7.10
	日平均	28.45	52.19	33.50	8.14	6.61	169.16	4.26	6.69	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 3 日	蚵殼站	0:00	27.99	52.25	33.54	8.19	7.21	193.70	0.67	1.35
		3:00	28.04	52.56	33.73	8.13	5.94	194.32	1.04	0.97
		6:00	28.14	52.59	33.74	8.16	6.65	193.64	0.96	1.35
		9:00	28.76	52.46	33.67	8.20	6.55	170.39	1.40	2.50
		12:00	28.53	52.46	33.67	8.16	6.63	185.10	1.20	3.37
		15:00	28.41	52.46	33.67	8.18	7.61	191.23	0.50	1.81
		18:00	28.66	52.44	33.65	8.18	7.67	193.70	0.35	2.41
		21:00	28.84	52.51	33.70	8.21	8.04	176.93	1.15	1.76
		日平均	28.42	52.47	33.67	8.18	7.04	187.38	0.91	1.94
	潮口站	0:00	27.33	52.72	33.83	7.94	6.48	180.47	4.25	3.80
		3:00	26.93	52.77	33.86	7.87	5.87	164.48	4.01	2.54
		6:00	27.57	52.81	33.88	7.86	5.61	92.62	4.62	4.78
		9:00	26.70	52.61	33.76	7.99	8.17	130.61	3.39	1.33
		12:00	26.85	52.63	33.77	7.98	8.00	167.85	2.53	1.49
		15:00	27.11	52.66	33.79	8.06	8.87	179.97	5.16	1.70
		18:00	27.54	52.67	33.80	8.05	8.85	154.30	5.75	2.01
		21:00	28.03	52.71	33.82	8.00	7.99	141.54	5.17	4.38
		日平均	27.26	52.70	33.81	7.97	7.48	151.48	4.36	2.75
	灣內站	0:00	28.12	51.78	33.24	7.95	7.25	199.96	3.52	6.86
		3:00	27.73	52.35	33.60	8.07	6.37	164.52	4.06	5.94
		6:00	27.26	52.36	33.60	7.98	7.07	191.31	4.22	5.72
		9:00	28.00	52.30	33.57	8.08	7.71	187.66	3.91	7.40
		12:00	28.97	52.29	33.56	8.15	7.57	202.15	3.85	6.31
		15:00	29.34	52.25	33.54	8.16	7.33	198.79	3.91	6.78
		18:00	29.22	52.20	33.50	8.11	5.92	210.27	3.51	6.81
		21:00	29.01	52.31	33.57	8.10	5.45	212.61	3.77	5.48
		日平均	28.46	52.23	33.52	8.08	6.83	195.91	3.84	6.41
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 4 日	蚵殼站	0:00	28.56	52.47	33.67	8.20	7.84	185.01	0.97	1.07
		3:00	28.33	52.53	33.71	8.11	6.05	186.07	0.80	2.77
		6:00	28.27	52.54	33.72	8.12	6.27	175.57	0.80	3.05
		9:00	28.69	52.48	33.68	8.15	6.83	161.82	0.73	0.74
		12:00	28.78	52.31	33.57	8.20	8.09	183.33	1.17	3.76
		15:00	28.84	52.22	33.52	8.18	8.13	186.57	0.65	4.04
		18:00	29.06	52.25	33.54	8.19	8.18	193.43	1.03	1.35
		21:00	28.94	52.40	33.63	8.17	7.68	177.74	0.30	2.91
		日平均	28.68	52.40	33.63	8.17	7.38	181.19	0.81	2.46
	潮口站	0:00	27.47	52.69	33.81	7.98	7.15	98.64	5.17	3.13
		3:00	26.88	52.79	33.87	7.96	6.49	181.34	4.89	3.43
		6:00	26.97	52.80	33.88	7.97	6.53	120.33	7.52	2.76
		9:00	27.11	52.72	33.83	8.00	7.33	141.84	11.15	3.77
		12:00	26.96	52.54	33.72	8.03	8.28	188.51	9.12	4.85
		15:00	27.31	52.46	33.67	8.02	8.05	209.65	5.29	2.72
		18:00	28.05	52.62	33.77	8.09	9.11	187.66	4.97	5.34
		21:00	28.48	52.83	33.90	8.08	8.80	117.48	4.74	4.08
		日平均	27.40	52.68	33.81	8.02	7.72	155.68	6.61	3.76
	灣內站	0:00	28.69	52.24	33.53	8.17	5.98	223.78	3.81	7.24
		3:00	28.33	52.26	33.54	8.04	5.27	216.23	3.93	9.54
		6:00	28.18	52.28	33.55	8.05	5.16	222.21	4.33	5.23
		9:00	28.63	52.24	33.53	8.07	7.79	199.73	3.97	7.50
		12:00	29.17	52.07	33.42	8.13	7.89	146.65	4.01	5.41
		15:00	29.71	51.98	33.37	8.17	6.28	157.16	2.78	6.87
		18:00	29.78	51.88	33.31	8.38	5.84	159.43	2.41	6.93
		21:00	29.34	51.96	33.36	8.31	5.46	136.04	3.06	5.94
		日平均	28.98	52.11	33.45	8.17	6.21	182.65	3.54	6.83
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 5 日	蚵殼站	0:00	28.79	52.47	33.68	8.20	7.96	151.44	1.07	4.82
		3:00	28.55	52.50	33.69	8.12	6.53	168.62	0.35	2.45
		6:00	28.38	52.53	33.71	8.10	6.62	174.83	0.70	5.26
		9:00	29.06	52.39	33.62	8.17	7.62	187.35	1.37	3.53
		12:00	29.24	52.24	33.53	8.19	7.97	190.23	0.90	3.14
		15:00	28.83	52.37	33.61	8.17	8.00	197.37	1.53	2.22
		18:00	28.60	52.37	33.61	8.12	7.09	175.11	1.93	1.71
		21:00	28.74	52.45	33.66	8.17	7.63	151.68	1.45	0.50
	日平均	28.77	52.42	33.64	8.16	7.43	174.58	1.16	2.95	
	潮口站	0:00	28.09	52.82	33.89	8.01	7.23	117.41	4.43	2.54
		3:00	26.99	52.81	33.88	7.98	6.93	104.36	3.16	3.46
		6:00	27.28	52.86	33.91	7.95	6.50	124.55	4.05	5.21
		9:00	27.98	52.81	33.88	7.97	6.68	155.12	4.56	2.12
		12:00	27.30	52.58	33.74	8.06	8.63	181.56	3.58	2.26
		15:00	27.26	52.49	33.68	8.05	8.26	197.83	3.17	5.83
		18:00	27.65	52.46	33.67	8.08	8.94	164.16	7.48	4.41
		21:00	27.95	52.58	33.74	8.03	8.33	162.28	8.08	4.11
	日平均	27.56	52.68	33.80	8.02	7.69	150.91	4.81	3.74	
	灣內站	0:00	28.93	52.12	33.46	8.22	5.84	179.86	3.95	8.73
		3:00	28.42	52.19	33.50	8.08	5.03	163.59	3.94	8.81
		6:00	28.30	52.19	33.50	8.11	5.05	92.80	3.28	6.85
		9:00	29.00	51.96	33.36	8.13	6.53	127.95	3.81	5.62
		12:00	29.57	51.90	33.32	8.21	7.23	168.33	2.48	9.08
		15:00	29.50	52.25	33.54	8.18	6.85	176.80	3.21	12.30
18:00		29.31	52.28	33.55	8.11	6.28	150.97	2.59	8.85	
21:00		29.33	52.31	33.57	8.08	5.84	141.30	2.82	10.70	
日平均	29.05	52.15	33.48	8.14	6.08	150.20	3.26	8.87		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 6 日	蚵殼站	0:00	28.77	52.45	33.66	8.20	7.96	173.76	2.50	3.39
		3:00	28.65	52.42	33.64	8.12	6.59	156.89	1.70	6.39
		6:00	28.62	52.47	33.67	8.16	7.28	168.14	1.87	6.82
		9:00	29.15	52.30	33.57	8.22	8.37	162.24	1.95	3.34
		12:00	29.08	52.23	33.53	8.17	7.83	181.34	1.93	6.58
		15:00	29.03	52.26	33.55	8.15	7.78	193.33	2.10	4.85
		18:00	28.80	52.32	33.58	8.12	6.16	193.84	2.35	2.77
		21:00	28.86	52.35	33.60	8.06	6.51	145.19	1.77	3.14
	日平均	28.87	52.35	33.60	8.15	7.31	171.84	2.02	4.66	
	潮口站	0:00	28.04	52.57	33.73	7.97	6.63	189.55	4.66	9.08
		3:00	27.04	52.58	33.74	7.98	6.35	144.63	2.92	4.53
		6:00	27.15	52.66	33.79	8.02	6.93	193.09	4.30	2.75
		9:00	27.89	52.49	33.68	8.00	6.87	120.72	5.78	1.33
		12:00	27.67	52.32	33.58	8.04	8.14	173.23	3.99	7.88
		15:00	27.28	52.35	33.60	8.04	7.95	201.34	3.46	4.25
		18:00	27.63	52.38	33.62	8.05	7.81	191.95	7.34	2.95
		21:00	28.21	52.44	33.65	8.06	8.05	175.59	8.55	6.87
	日平均	27.61	52.47	33.67	8.02	7.34	173.76	5.13	4.96	
	灣內站	0:00	28.99	52.32	33.58	8.04	5.45	98.53	2.44	5.01
		3:00	28.69	52.25	33.54	8.02	5.36	176.94	3.90	7.18
		6:00	28.63	52.27	33.55	7.96	5.16	121.10	2.79	5.68
		9:00	29.21	52.11	33.45	8.18	5.28	140.80	3.51	7.08
		12:00	29.58	52.14	33.47	8.25	7.06	186.31	2.86	7.38
		15:00	29.73	52.17	33.49	8.25	7.74	208.79	3.11	5.47
18:00		29.61	52.25	33.54	8.13	6.32	190.30	3.28	5.59	
21:00		29.70	52.26	33.54	8.13	6.10	116.43	2.82	5.26	
日平均	29.27	52.22	33.52	8.12	6.06	154.90	3.09	6.08		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 7 日	蚵殼站	0:00	28.95	52.32	33.58	8.21	7.81	170.76	2.57	1.77
		3:00	28.70	52.37	33.61	8.15	7.00	145.60	2.55	4.21
		6:00	28.75	52.38	33.62	8.11	7.04	191.35	1.85	1.10
		9:00	28.73	52.38	33.62	8.15	7.63	170.58	2.13	2.78
		12:00	29.31	52.19	33.50	8.18	8.14	171.73	2.37	2.57
		15:00	28.89	52.18	33.50	8.16	7.85	192.40	2.85	2.96
		18:00	28.70	52.22	33.52	8.08	6.34	138.61	3.33	2.25
		21:00	28.39	52.27	33.55	7.97	5.48	186.36	2.67	3.38
		日平均	28.80	52.29	33.56	8.13	7.16	170.92	2.54	2.63
	潮口站	0:00	28.39	52.44	33.65	7.99	6.26	168.34	8.97	2.23
		3:00	27.30	52.43	33.65	7.99	6.63	136.23	8.44	5.04
		6:00	27.33	52.41	33.63	7.99	6.04	114.92	10.74	2.18
		9:00	28.09	52.45	33.66	8.04	7.37	172.39	13.24	3.33
		12:00	28.33	52.35	33.60	8.04	7.67	163.38	13.89	2.09
		15:00	27.49	52.27	33.55	8.06	8.45	186.69	11.32	1.56
		18:00	27.86	52.24	33.53	8.02	6.77	172.26	11.24	3.51
		21:00	28.59	52.32	33.58	8.11	8.52	159.08	6.29	4.25
		日平均	27.92	52.36	33.61	8.03	7.21	159.16	10.52	3.02
	灣內站	0:00	29.31	52.20	33.50	8.14	5.64	117.43	3.29	5.75
		3:00	28.68	52.31	33.57	8.06	5.48	98.46	3.58	5.45
		6:00	28.47	52.35	33.60	8.03	5.64	122.27	3.30	7.43
		9:00	28.65	52.31	33.57	8.09	6.96	155.31	2.31	5.51
		12:00	29.55	52.02	33.39	8.15	7.05	181.33	2.24	6.36
		15:00	29.47	52.09	33.44	8.19	8.01	195.96	2.42	5.51
		18:00	29.16	52.20	33.50	8.09	6.89	164.69	3.18	6.58
		21:00	29.35	52.21	33.51	8.08	5.90	159.21	3.12	7.03
		日平均	29.08	52.21	33.51	8.10	6.45	149.33	2.93	6.20
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 8 日	蚵殼站	0:00	28.51	52.25	33.54	8.10	6.28	184.40	2.00	1.65
		3:00	28.75	52.23	33.52	8.05	5.71	146.79	4.05	4.14
		6:00	28.68	52.30	33.57	8.00	5.63	193.55	1.90	3.68
		9:00	28.80	52.26	33.55	8.17	7.82	188.06	2.00	1.90
		12:00	28.87	52.30	33.57	8.17	7.84	187.97	3.30	1.97
		15:00	28.84	52.10	33.44	8.11	7.14	192.53	6.07	5.07
		18:00	28.82	52.23	33.52	8.06	6.39	163.87	5.30	5.61
		21:00	28.80	52.30	33.57	8.01	5.75	195.69	3.50	0.54
		日平均	28.76	52.25	33.54	8.08	6.57	181.61	3.52	3.07
	潮口站	0:00	28.92	52.37	33.61	8.00	6.50	168.42	7.41	4.68
		3:00	27.78	52.23	33.52	7.98	6.19	94.00	5.29	3.10
		6:00	27.66	52.30	33.57	7.96	5.66	133.36	7.45	2.65
		9:00	28.51	52.22	33.52	8.06	8.06	165.62	8.93	1.20
		12:00	28.61	52.17	33.49	8.06	7.77	182.48	8.59	2.18
		15:00	27.93	51.68	33.18	8.04	8.23	208.41	5.80	2.66
		18:00	27.70	51.90	33.32	8.00	5.86	193.46	5.44	2.36
		21:00	27.91	52.03	33.40	8.03	6.92	192.81	8.41	2.87
		日平均	28.13	52.11	33.45	8.02	6.90	167.32	7.17	2.71
	灣內站	0:00	29.40	52.12	33.46	8.02	6.40	188.64	3.52	6.18
		3:00	28.60	52.22	33.52	8.05	6.63	144.28	3.66	7.58
		6:00	28.21	52.29	33.56	8.02	6.15	191.53	2.40	6.38
		9:00	28.46	52.30	33.57	8.08	7.68	120.59	2.80	6.77
		12:00	28.82	52.42	33.64	8.10	7.00	174.08	3.11	6.28
		15:00	28.86	52.52	33.70	8.12	7.76	200.00	2.21	5.98
		18:00	28.79	52.55	33.72	8.11	7.68	194.54	2.96	6.25
		21:00	28.69	52.56	33.73	8.08	8.32	177.88	3.17	6.05
		日平均	28.73	52.37	33.61	8.07	7.20	173.94	2.98	6.43
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 9 日	蚵殼站	0:00	28.65	52.32	33.58	8.11	6.16	203.27	3.37	6.68
		3:00	28.50	52.38	33.62	8.04	5.10	206.31	2.87	0.30
		6:00	28.31	52.41	33.63	8.00	5.13	206.31	2.50	2.25
		9:00	28.72	52.67	33.80	8.10	6.40	206.48	1.90	2.36
		12:00	28.35	52.63	33.77	8.16	7.55	193.37	4.13	2.61
		15:00	28.38	52.70	33.81	8.12	7.17	193.70	3.30	5.32
		18:00	28.33	52.71	33.82	8.01	5.30	172.88	2.20	3.74
		21:00	28.29	52.60	33.75	8.05	5.68	195.98	1.57	2.88
	日平均	28.44	52.55	33.72	8.07	6.06	197.29	2.73	3.27	
	潮口站	0:00	27.96	52.04	33.41	7.98	5.16	165.55	7.62	2.04
		3:00	27.29	52.13	33.46	8.00	6.53	152.15	5.41	3.18
		6:00	26.92	52.20	33.50	7.96	5.04	165.21	4.80	3.57
		9:00	27.80	52.80	33.88	8.02	6.01	143.65	8.68	4.68
		12:00	28.34	52.79	33.87	8.02	6.25	148.15	10.63	4.68
		15:00	28.05	52.84	33.90	8.04	5.67	151.08	6.32	2.73
		18:00	27.17	52.79	33.87	8.00	8.12	174.70	4.47	4.36
		21:00	27.45	52.56	33.73	8.03	7.24	159.57	7.21	2.49
	日平均	27.62	52.52	33.70	8.01	6.25	157.51	6.89	3.47	
	灣內站	0:00	28.52	52.59	33.75	8.05	7.78	167.02	3.52	7.34
		3:00	28.39	52.62	33.77	8.05	7.09	135.71	3.24	6.96
		6:00	28.37	52.61	33.76	8.04	7.14	113.03	2.78	6.92
		9:00	28.66	52.53	33.71	8.10	7.39	170.18	3.30	7.23
		12:00	29.13	52.46	33.67	8.09	7.63	165.25	1.96	7.22
		15:00	29.26	52.55	33.72	8.07	7.18	185.44	2.50	7.24
		18:00	29.05	52.62	33.77	7.98	8.66	174.11	2.54	7.51
		21:00	28.89	52.63	33.77	8.08	7.22	158.69	3.52	7.06
	日平均	28.78	52.58	33.74	8.06	7.51	158.68	2.92	7.19	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 10 日	蚵殼站	0:00	28.32	52.72	33.83	8.08	5.95	176.47	2.37	6.05
		3:00	28.20	52.69	33.81	8.04	5.40	163.10	1.55	7.23
		6:00	28.02	52.70	33.82	8.00	5.03	160.11	2.23	2.78
		9:00	28.33	52.67	33.80	8.05	6.13	171.08	1.07	2.81
		12:00	28.36	52.52	33.70	8.11	7.00	187.36	2.17	1.13
		15:00	27.93	52.51	33.70	8.16	7.74	188.85	2.75	5.47
		18:00	27.84	52.51	33.70	8.13	6.61	189.82	9.16	6.60
		21:00	27.75	52.56	33.73	8.11	6.56	182.61	2.43	4.63
	日平均	28.09	52.61	33.76	8.09	6.30	177.43	2.97	4.59	
	潮口站	0:00	27.86	52.81	33.88	7.98	5.62	134.74	6.46	4.94
		3:00	27.15	52.80	33.88	8.00	5.10	145.06	5.77	4.17
		6:00	26.74	52.85	33.91	8.00	5.02	147.56	6.22	4.95
		9:00	27.41	52.80	33.88	8.03	5.64	173.06	8.14	4.09
		12:00	28.10	52.57	33.73	8.03	7.90	185.55	9.19	3.27
		15:00	27.57	52.48	33.68	8.02	7.12	195.52	8.79	4.53
		18:00	27.06	52.45	33.66	8.01	7.38	219.64	5.36	5.16
		21:00	27.32	52.57	33.73	8.02	7.47	213.73	4.93	4.52
	日平均	27.40	52.67	33.79	8.01	6.41	176.86	6.86	4.45	
	灣內站	0:00	28.76	52.63	33.77	7.99	7.08	169.63	3.00	5.82
		3:00	28.64	52.58	33.74	7.93	7.71	93.12	3.71	6.65
		6:00	28.48	52.54	33.72	7.98	8.00	133.01	3.22	5.73
		9:00	28.56	52.54	33.72	8.03	7.58	164.88	3.55	6.13
		12:00	28.89	52.47	33.67	8.07	7.85	182.08	3.26	5.23
		15:00	28.97	52.54	33.72	8.05	7.37	205.10	3.36	7.31
		18:00	28.77	52.57	33.73	7.95	7.64	190.21	3.27	5.55
		21:00	28.59	52.55	33.72	7.92	8.22	192.34	3.24	7.06
	日平均	28.71	52.55	33.72	7.99	7.68	166.30	3.33	6.19	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 11 日	蚵殼站	0:00	27.73	52.54	33.72	8.05	5.29	190.41	49.80	4.86
		3:00	27.61	52.53	33.71	8.06	6.15	193.99	1.73	4.34
		6:00	27.74	52.58	33.74	8.10	6.45	193.02	14.80	1.91
		9:00	28.16	52.50	33.69	8.10	6.90	139.25	2.37	1.81
		12:00	27.99	52.42	33.64	8.16	7.78	161.78	2.05	3.15
		15:00	27.71	52.44	33.66	8.18	8.14	148.46	3.00	2.63
		18:00	27.90	52.47	33.67	8.11	6.83	151.95	8.47	4.26
		21:00	27.94	52.50	33.69	8.07	6.75	142.81	7.60	3.51
	日平均	27.85	52.50	33.69	8.10	6.79	165.21	11.23	3.31	
	潮口站	0:00	27.47	52.56	33.73	7.99	5.98	205.60	14.62	5.33
		3:00	27.10	52.57	33.73	7.99	6.29	194.76	6.36	2.66
		6:00	26.63	52.65	33.78	8.00	5.42	201.76	3.76	4.13
		9:00	26.95	52.48	33.68	8.02	7.09	197.58	5.95	2.85
		12:00	27.56	52.31	33.57	8.05	7.29	201.53	11.66	2.56
		15:00	27.86	52.34	33.59	8.03	7.31	182.04	9.01	3.06
		18:00	27.11	52.37	33.61	8.04	7.42	202.97	5.09	2.63
		21:00	27.18	52.43	33.65	7.96	7.60	188.38	5.60	3.18
	日平均	27.23	52.46	33.67	8.01	6.80	196.83	7.76	3.30	
	灣內站	0:00	28.40	52.51	33.70	7.91	6.18	160.92	4.23	7.08
		3:00	28.06	52.48	33.68	7.89	5.33	154.85	3.81	7.07
		6:00	27.93	52.50	33.69	7.92	6.39	166.77	4.13	6.87
		9:00	28.25	52.51	33.70	8.01	7.79	141.54	4.60	7.42
		12:00	28.72	52.53	33.71	8.07	7.79	148.79	4.08	6.38
		15:00	29.14	52.54	33.72	8.09	8.00	150.97	3.67	6.92
18:00		29.01	52.57	33.73	7.89	7.40	170.35	4.00	6.49	
21:00		28.72	52.57	33.73	7.83	6.85	158.41	3.52	6.02	
日平均	28.53	52.53	33.71	7.95	6.97	156.58	4.01	6.78		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 12 日	蚵殼站	0:00	28.06	52.52	33.70	8.06	7.01	175.42	3.00	5.18
		3:00	28.08	52.51	33.70	8.08	6.70	157.72	2.40	9.96
		6:00	28.02	52.53	33.71	8.10	6.73	190.25	3.30	1.99
		9:00	28.34	52.49	33.69	8.13	7.79	154.84	3.65	1.53
		12:00	28.36	52.43	33.65	8.12	7.35	177.33	4.43	2.55
		15:00	27.82	52.40	33.63	8.15	7.98	188.54	6.03	6.76
		18:00	28.47	52.35	33.60	8.16	8.03	191.73	9.95	1.79
		21:00	28.80	52.40	33.63	8.17	8.37	186.73	6.90	2.94
	日平均	28.24	52.45	33.66	8.12	7.50	177.82	4.96	4.09	
	潮口站	0:00	27.21	52.43	33.65	7.96	6.34	176.43	7.79	3.80
		3:00	27.15	52.42	33.64	7.96	6.31	158.20	5.39	3.35
		6:00	26.40	52.40	33.63	7.99	5.03	153.83	3.91	4.89
		9:00	26.91	52.44	33.65	7.97	6.47	130.98	4.37	4.05
		12:00	28.38	52.34	33.59	8.04	7.19	139.81	8.45	3.16
		15:00	28.50	52.26	33.54	8.04	7.32	155.60	12.69	3.08
		18:00	27.91	52.23	33.52	8.01	6.95	148.23	11.89	4.46
		21:00	27.10	52.31	33.57	7.88	6.56	186.51	4.59	3.02
	日平均	27.45	52.35	33.60	7.98	6.52	156.20	7.39	3.73	
	灣內站	0:00	28.68	52.60	33.75	7.91	7.00	132.14	3.71	6.33
		3:00	28.45	52.60	33.75	7.96	5.29	142.44	3.79	15.30
		6:00	28.14	52.65	33.78	7.91	6.03	143.77	4.32	9.80
		9:00	28.42	52.54	33.72	7.94	5.94	172.97	4.09	7.59
		12:00	29.21	52.52	33.70	8.03	6.59	183.14	4.25	15.10
		15:00	30.07	52.54	33.72	8.13	8.63	192.17	3.99	5.19
18:00		29.99	52.47	33.67	7.97	8.39	214.93	4.01	6.37	
21:00		29.75	52.49	33.68	7.89	7.02	209.73	4.35	9.15	
日平均	29.09	52.55	33.72	7.97	6.86	173.91	4.06	9.35		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 13 日	蚵殼站	0:00	28.67	52.51	33.70	8.14	8.04	185.33	2.35	2.76
		3:00	28.51	52.53	33.71	8.12	7.46	180.28	2.50	2.97
		6:00	28.46	52.57	33.74	8.14	7.36	139.10	2.51	3.89
		9:00	28.61	52.47	33.67	8.17	8.09	164.69	2.43	4.32
		12:00	28.36	52.33	33.59	8.17	7.82	148.56	2.08	0.99
		15:00	28.10	52.32	33.58	8.16	7.91	153.45	0.35	2.50
		18:00	28.74	52.35	33.60	8.22	8.57	142.68	1.48	2.23
		21:00	29.12	52.34	33.59	8.16	7.95	160.93	2.57	3.70
		日平均	28.57	52.43	33.65	8.16	7.90	159.38	2.03	2.92
	潮口站	0:00	27.98	52.55	33.72	7.85	5.04	191.11	7.01	7.19
		3:00	27.43	52.56	33.73	7.85	5.13	175.18	7.83	3.25
		6:00	26.66	52.64	33.78	7.95	5.20	160.15	3.41	3.15
		9:00	26.77	52.47	33.67	7.92	6.66	186.84	3.09	13.55
		12:00	28.85	52.30	33.57	8.05	6.70	202.98	6.54	10.33
		15:00	29.29	52.33	33.59	8.08	6.77	201.70	8.44	8.24
		18:00	28.88	52.36	33.60	7.98	6.54	203.68	6.13	8.48
		21:00	27.26	52.42	33.64	7.94	7.15	209.76	4.39	10.97
		日平均	27.89	52.45	33.66	7.95	6.15	191.43	5.86	8.15
	灣內站	0:00	29.24	52.46	33.67	7.98	6.46	207.02	3.94	9.29
		3:00	28.90	52.50	33.69	7.98	6.59	195.19	4.68	12.78
		6:00	28.54	52.50	33.69	7.93	6.95	200.01	1.82	13.05
		9:00	28.95	52.46	33.67	7.97	7.82	197.37	3.81	13.02
		12:00	29.69	52.36	33.60	8.13	6.69	199.54	3.17	11.09
		15:00	30.03	52.31	33.57	8.16	7.16	184.93	2.43	12.44
		18:00	29.90	52.34	33.59	7.96	7.71	203.80	5.37	8.90
		21:00	29.78	52.25	33.54	7.91	7.52	185.15	2.09	7.05
		日平均	29.38	52.40	33.63	8.00	7.11	196.63	3.41	10.95
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 14 日	蚵殼站	0:00	28.87	52.40	33.63	8.16	7.94	166.93	1.00	2.14
		3:00	28.66	52.41	33.63	8.16	7.95	165.46	0.88	2.85
		6:00	28.17	52.39	33.62	8.10	7.97	141.51	1.00	2.15
		9:00	28.77	52.41	33.64	8.17	8.00	159.83	1.76	3.01
		12:00	28.65	52.34	33.59	8.16	7.80	152.88	2.27	2.79
		15:00	29.04	52.34	33.59	8.20	8.21	154.49	1.86	3.54
		18:00	29.14	52.37	33.61	8.20	8.11	159.08	2.56	3.77
		21:00	29.01	52.38	33.62	8.19	8.23	155.36	1.13	2.96
		日平均	28.79	52.38	33.62	8.17	8.03	156.94	1.56	2.90
	潮口站	0:00	28.26	52.42	33.64	7.80	5.01	213.37	4.59	3.38
		3:00	27.46	52.41	33.63	7.88	5.03	203.59	3.89	9.76
		6:00	26.82	52.39	33.62	7.99	5.04	213.22	3.08	5.58
		9:00	27.05	52.43	33.65	8.04	5.92	191.61	4.13	3.40
		12:00	28.50	52.26	33.54	8.16	8.59	201.80	6.91	4.24
		15:00	29.28	52.29	33.56	8.21	9.75	185.50	36.39	2.03
		18:00	29.28	52.33	33.59	8.21	8.88	179.19	36.07	2.36
		21:00	29.01	52.33	33.59	8.16	7.80	141.24	2.51	2.98
		日平均	28.21	52.36	33.60	8.06	7.00	191.19	12.20	4.22
	灣內站	0:00	29.15	52.38	33.62	7.95	6.80	177.64	16.53	7.43
		3:00	28.26	52.41	33.63	7.97	6.04	157.57	4.33	8.47
		6:00	28.03	52.38	33.62	7.94	6.06	153.35	4.24	5.11
		9:00	28.63	52.39	33.62	8.01	6.29	128.22	4.64	6.72
		12:00	29.07	52.41	33.63	8.07	6.05	141.20	5.28	7.62
		15:00	29.53	52.38	33.62	8.06	6.76	153.18	5.37	6.87
		18:00	29.60	52.40	33.63	8.06	7.70	150.93	5.52	6.09
		21:00	29.19	52.43	33.65	7.98	8.14	183.26	5.13	7.65
		日平均	28.93	52.40	33.63	8.01	6.73	155.67	6.38	7.00
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 15 日	蚵殼站	0:00	28.85	52.29	33.56	8.17	6.57	161.53	1.52	3.31
		3:00	28.72	52.31	33.57	8.12	5.95	149.99	1.11	3.44
		6:00	28.69	52.38	33.61	8.17	6.89	153.80	0.67	2.46
		9:00	28.82	52.36	33.61	8.18	7.67	160.78	1.91	3.37
		12:00	28.87	52.37	33.61	8.14	7.90	162.83	1.38	1.67
		15:00	29.15	52.37	33.61	8.16	8.34	163.41	3.04	2.49
		18:00	29.07	52.42	33.64	8.16	8.04	162.73	1.97	2.36
		21:00	28.97	52.44	33.65	8.17	6.86	165.69	1.43	2.19
	日平均	28.89	52.37	33.61	8.16	7.28	160.10	1.63	2.66	
	潮口站	0:00	27.67	52.11	33.45	8.12	7.07	123.44	2.27	1.94
		3:00	27.23	52.12	33.46	8.09	6.69	100.38	1.84	4.34
		6:00	26.84	52.26	33.54	8.08	7.34	199.55	2.28	3.57
		9:00	27.01	52.25	33.54	8.12	7.94	100.00	2.33	4.54
		12:00	27.16	52.27	33.55	8.16	8.58	139.72	2.53	3.38
		15:00	28.03	52.24	33.53	8.18	9.55	162.17	5.66	6.80
		18:00	28.29	52.31	33.57	8.18	9.21	158.57	4.98	4.43
		21:00	28.33	52.32	33.58	8.12	7.29	127.12	3.31	5.54
	日平均	27.57	52.24	33.53	8.13	7.96	138.87	3.15	4.32	
	灣內站	0:00	28.87	52.46	33.67	7.87	7.36	185.48	5.07	7.14
		3:00	28.74	52.49	33.68	7.88	6.04	173.78	16.74	6.87
		6:00	28.55	52.49	33.68	7.85	5.53	158.19	26.82	6.95
		9:00	28.77	52.46	33.67	7.98	6.07	186.28	6.72	6.97
		12:00	28.99	52.47	33.67	8.08	7.63	200.85	6.28	6.94
		15:00	29.09	52.49	33.68	8.09	7.71	196.13	7.16	7.44
		18:00	28.98	52.52	33.70	8.07	8.25	199.98	6.32	7.02
		21:00	28.84	52.55	33.72	7.86	7.71	210.07	5.71	7.20
	日平均	28.85	52.49	33.68	7.96	7.04	188.85	10.10	7.07	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 16 日	蚵殼站	0:00	28.86	52.47	33.67	8.16	7.65	181.04	2.79	2.99
		3:00	28.72	52.45	33.66	8.13	6.17	182.90	1.99	2.43
		6:00	28.68	52.39	33.62	8.12	6.93	194.86	2.22	1.94
		9:00	28.98	52.34	33.60	8.14	7.68	200.91	2.63	3.60
		12:00	29.11	52.35	33.60	8.12	7.90	182.11	1.98	2.80
		15:00	29.02	52.36	33.61	8.14	8.23	183.24	3.61	1.67
		18:00	28.95	52.42	33.64	8.16	7.57	199.08	2.55	4.25
		21:00	28.93	52.42	33.64	8.15	7.63	204.03	3.53	3.37
	日平均	28.91	52.40	33.63	8.14	7.47	191.02	2.66	2.88	
	潮口站	0:00	27.13	52.37	33.61	8.09	6.38	105.01	3.66	3.35
		3:00	26.40	52.44	33.65	8.07	6.43	101.77	6.59	4.27
		6:00	26.33	52.47	33.67	8.06	5.90	176.64	8.94	4.67
		9:00	26.80	52.35	33.60	8.13	7.75	88.38	2.17	3.71
		12:00	27.02	52.34	33.59	8.16	7.87	155.35	2.54	4.08
		15:00	27.51	52.34	33.59	8.20	9.19	172.95	3.84	4.77
		18:00	28.41	52.40	33.63	8.17	8.95	166.38	4.61	3.94
		21:00	28.41	52.41	33.63	8.15	7.59	163.53	4.11	4.40
	日平均	27.25	52.39	33.62	8.13	7.51	141.25	4.56	4.15	
	灣內站	0:00	28.68	52.57	33.73	7.79	6.41	211.48	6.48	7.19
		3:00	28.63	52.46	33.67	7.89	6.03	204.26	6.16	7.23
		6:00	28.61	52.30	33.57	7.92	5.98	211.04	7.35	7.46
		9:00	29.08	52.33	33.59	7.91	7.31	191.38	6.52	6.96
		12:00	29.59	52.35	33.60	8.04	6.91	198.18	6.45	7.28
		15:00	29.61	52.38	33.62	8.09	7.33	185.98	8.15	7.54
		18:00	29.33	52.44	33.65	8.04	8.15	177.10	7.71	6.54
		21:00	29.28	52.42	33.64	7.91	8.35	140.45	4.35	7.44
	日平均	29.10	52.41	33.63	7.95	7.06	189.98	6.65	7.21	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 17 日	蚵殼站	0:00	28.85	52.22	33.52	8.16	7.47	196.72	4.21	4.66
		3:00	28.75	52.02	33.40	8.17	6.61	202.43	3.23	2.46
		6:00	28.88	52.23	33.52	8.15	7.31	151.41	2.07	8.77
		9:00	29.30	52.16	33.48	8.15	8.27	200.13	3.35	6.15
		12:00	29.58	52.22	33.52	8.14	8.05	209.03	3.03	0.29
		15:00	29.18	52.13	33.46	8.14	7.70	206.24	4.15	8.05
		18:00	28.85	52.14	33.46	8.16	5.82	214.26	4.13	2.36
		21:00	28.77	52.23	33.52	8.12	6.12	171.05	4.33	2.46
		日平均	29.02	52.17	33.49	8.15	7.17	193.91	3.56	4.40
	潮口站	0:00	27.57	51.93	33.34	8.11	6.87	136.82	3.22	3.25
		3:00	26.93	51.56	33.11	8.08	6.41	91.18	2.74	4.55
		6:00	27.01	51.97	33.36	8.07	5.17	177.55	3.01	3.89
		9:00	26.98	51.84	33.28	8.10	6.25	186.54	3.02	4.98
		12:00	27.24	52.00	33.38	8.13	7.67	139.94	3.85	3.42
		15:00	27.67	51.79	33.25	8.17	8.66	171.78	8.43	3.46
		18:00	28.18	51.78	33.24	8.19	9.43	167.40	14.49	2.98
		21:00	28.35	51.94	33.34	8.14	7.34	170.33	5.14	2.69
		日平均	27.49	51.85	33.29	8.12	7.23	155.19	5.49	3.65
	灣內站	0:00	29.32	52.50	33.69	7.76	8.01	122.07	6.55	6.80
		3:00	29.05	52.48	33.68	7.78	7.10	94.89	5.07	6.68
		6:00	28.92	52.48	33.68	7.82	6.72	198.03	3.74	5.55
		9:00	29.22	52.48	33.68	7.74	7.69	101.38	7.46	5.52
		12:00	29.83	52.44	33.65	7.93	7.49	141.45	8.22	6.71
		15:00	29.97	52.47	33.67	8.05	7.81	160.24	6.05	6.44
		18:00	29.76	52.49	33.68	7.98	7.93	157.73	1.48	6.17
		21:00	29.52	52.51	33.70	7.92	7.12	123.98	3.95	6.36
		日平均	29.45	52.48	33.68	7.87	7.48	137.47	5.32	6.28
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 18 日	蚵殼站	0:00	28.74	52.32	33.58	8.15	8.19	129.41	3.29	1.74
		3:00	28.35	52.38	33.62	8.14	6.78	135.09	1.06	2.84
		6:00	28.54	52.44	33.65	8.18	6.89	141.66	0.16	1.30
		9:00	28.84	52.37	33.61	8.17	7.16	146.73	0.21	0.83
		12:00	28.97	52.32	33.58	8.18	7.65	132.90	0.89	0.74
		15:00	29.22	52.36	33.60	8.21	7.52	135.47	1.22	1.50
		18:00	29.29	52.40	33.63	8.19	6.28	148.09	1.37	0.93
		21:00	29.18	52.41	33.63	8.18	5.87	150.95	1.03	0.63
		日平均	28.89	52.38	33.61	8.18	7.04	140.04	1.15	1.31
	潮口站	0:00	28.07	52.07	33.42	8.11	6.84	155.64	9.70	3.09
		3:00	27.55	52.19	33.50	8.09	6.36	125.02	3.55	4.03
		6:00	27.54	52.23	33.52	8.11	6.51	193.14	5.04	3.39
		9:00	27.58	52.25	33.54	8.12	7.76	120.54	8.94	4.96
		12:00	27.65	52.15	33.47	8.13	7.97	159.51	9.52	2.82
		15:00	27.70	52.20	33.50	8.15	7.55	181.92	3.35	2.97
		18:00	28.26	52.24	33.53	8.16	8.11	187.79	4.83	2.89
		21:00	28.62	52.21	33.51	8.11	7.23	179.20	4.74	2.26
		日平均	27.87	52.19	33.50	8.12	7.29	162.85	6.21	3.30
	灣內站	0:00	29.23	52.56	33.73	7.84	7.48	102.38	3.45	5.01
		3:00	28.94	52.57	33.73	7.92	7.17	100.73	4.60	5.96
		6:00	28.81	52.64	33.78	7.80	7.35	178.51	4.62	5.75
		9:00	29.00	52.49	33.68	7.97	7.97	87.19	7.32	5.66
		12:00	29.28	52.49	33.68	8.05	7.24	154.99	7.58	6.78
		15:00	29.59	52.52	33.70	8.00	8.33	171.57	8.03	5.10
		18:00	29.68	52.55	33.72	7.89	8.14	166.47	7.95	5.29
		21:00	29.70	52.60	33.75	7.91	7.78	164.72	6.03	5.39
		日平均	29.28	52.55	33.72	7.92	7.68	140.82	6.20	5.62
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 19 日	蚵殼站	0:00	29.04	52.39	33.62	8.17	5.90	146.35	0.98	1.07
		3:00	28.93	52.43	33.65	8.09	5.27	148.83	1.53	3.08
		6:00	28.88	52.43	33.65	8.09	5.21	174.41	1.78	0.76
		9:00	29.40	52.34	33.59	8.13	8.22	147.17	1.96	2.89
		12:00	29.56	52.21	33.51	8.20	7.79	152.04	1.47	2.19
		15:00	29.63	52.20	33.51	8.16	7.38	151.17	1.79	2.95
		18:00	29.56	52.26	33.54	8.16	6.74	155.73	1.20	3.06
		21:00	29.52	52.36	33.61	8.21	5.90	183.89	0.87	1.45
		日平均	29.32	52.33	33.59	8.15	6.55	157.45	1.45	2.18
	潮口站	0:00	28.28	52.23	33.52	8.07	5.61	186.78	4.13	2.04
		3:00	26.93	52.28	33.55	8.04	5.09	173.16	4.39	1.48
		6:00	27.40	52.28	33.55	8.08	5.10	92.65	6.14	3.13
		9:00	28.29	52.21	33.51	8.07	5.63	129.11	9.46	2.02
		12:00	28.21	52.03	33.40	8.11	7.89	112.35	11.06	3.99
		15:00	27.91	52.01	33.39	8.11	7.11	117.02	2.41	1.38
		18:00	28.84	52.10	33.44	8.12	7.37	106.78	3.16	2.89
		21:00	29.17	52.25	33.54	8.05	7.46	130.19	3.89	2.65
		日平均	28.13	52.17	33.49	8.08	6.41	131.01	5.58	2.45
	灣內站	0:00	29.39	52.55	33.72	7.80	5.81	138.73	6.79	5.72
		3:00	29.11	52.58	33.74	7.72	5.20	85.29	5.97	5.16
		6:00	29.00	52.58	33.74	7.73	6.29	176.71	7.47	5.26
		9:00	29.56	52.46	33.67	7.93	7.41	184.86	7.36	5.50
		12:00	30.04	52.38	33.62	8.03	7.19	142.15	7.51	6.70
		15:00	30.32	52.39	33.62	7.97	7.82	167.88	7.29	5.98
		18:00	30.31	52.42	33.64	7.94	7.56	170.10	7.36	7.52
		21:00	30.09	52.46	33.67	7.94	6.05	166.30	7.16	6.03
		日平均	29.73	52.48	33.68	7.88	6.67	154.00	7.11	5.98
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 20 日	蚵殼站	0:00	29.38	52.39	33.62	8.11	6.33	194.43	0.97	3.37
		3:00	29.22	52.39	33.62	8.11	5.52	187.40	0.83	1.08
		6:00	29.17	52.41	33.64	8.16	5.07	182.41	0.63	2.09
		9:00	29.38	52.39	33.63	8.15	6.03	181.64	0.95	3.44
		12:00	29.75	52.35	33.60	8.15	7.77	182.19	1.37	3.99
		15:00	29.94	52.34	33.59	8.19	7.42	181.99	1.50	2.39
		18:00	29.75	52.37	33.61	8.20	5.56	193.95	1.15	2.76
		21:00	29.55	52.43	33.65	8.21	5.82	182.17	0.67	3.75
		日平均	29.52	52.38	33.62	8.16	6.19	185.77	1.01	2.86
	潮口站	0:00	28.99	52.26	33.54	8.05	5.97	146.45	3.75	2.53
		3:00	27.62	52.22	33.52	8.04	6.28	144.24	2.63	1.48
		6:00	28.04	52.28	33.55	8.04	5.41	101.63	4.86	5.02
		9:00	28.85	52.27	33.55	8.10	7.08	129.81	4.81	3.59
		12:00	28.94	52.23	33.52	8.12	7.28	113.09	4.06	1.88
		15:00	27.87	52.17	33.49	8.13	7.30	118.32	4.60	2.98
		18:00	28.59	52.21	33.51	8.11	7.41	126.47	5.62	3.98
		21:00	29.15	52.33	33.59	8.09	7.59	116.07	7.47	4.33
		日平均	28.51	52.25	33.53	8.09	6.79	124.51	4.73	3.22
	灣內站	0:00	29.75	52.51	33.70	7.84	5.81	155.84	7.47	5.16
		3:00	29.44	52.55	33.72	7.84	5.55	123.30	8.50	6.20
		6:00	29.20	52.54	33.72	7.95	5.69	188.78	8.58	6.24
		9:00	29.49	52.51	33.70	8.03	6.60	120.42	8.84	5.02
		12:00	30.00	52.47	33.67	8.05	8.11	159.81	11.93	5.18
		15:00	30.15	52.50	33.69	8.06	7.03	184.97	11.51	6.91
		18:00	30.15	52.52	33.70	8.02	6.49	183.20	10.07	7.18
		21:00	29.97	52.53	33.71	8.00	6.04	179.59	8.46	7.89
		日平均	29.77	52.52	33.70	7.97	6.42	161.99	9.42	6.22
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 21 日	蚵殼站	0:00	29.38	52.48	33.68	8.11	5.59	164.40	1.67	3.62
		3:00	29.10	52.42	33.64	8.11	5.46	179.53	1.47	2.62
		6:00	28.97	52.45	33.66	8.11	5.39	174.24	1.50	3.54
		9:00	29.39	52.46	33.67	8.11	5.83	191.12	0.63	3.88
		12:00	29.60	52.47	33.67	8.15	6.68	190.96	5.10	3.00
		15:00	29.76	52.40	33.63	8.18	7.56	189.95	0.90	4.28
		18:00	29.78	52.47	33.67	8.17	6.72	189.44	1.70	3.48
		21:00	29.77	52.55	33.72	8.12	6.42	190.12	0.65	4.08
	日平均	29.47	52.46	33.67	8.13	6.21	183.72	1.70	3.56	
	潮口站	0:00	29.17	52.38	33.62	8.05	6.33	133.75	6.14	4.26
		3:00	27.54	52.23	33.52	8.05	6.30	116.89	5.26	2.10
		6:00	27.94	52.29	33.56	8.06	5.16	118.30	5.68	3.42
		9:00	29.11	52.35	33.60	8.06	6.46	137.90	4.65	2.59
		12:00	29.59	52.38	33.62	8.11	7.18	137.92	4.25	4.99
		15:00	27.91	52.24	33.53	8.12	7.31	136.07	2.75	4.02
		18:00	28.56	52.32	33.58	8.10	6.94	136.22	4.12	3.10
		21:00	29.73	52.44	33.65	8.00	6.55	143.34	5.70	5.79
	日平均	28.69	52.33	33.59	8.07	6.53	132.55	4.82	3.78	
	灣內站	0:00	29.66	52.58	33.74	7.93	6.28	183.73	7.08	5.70
		3:00	29.34	52.60	33.75	7.91	6.50	174.29	7.39	5.14
		6:00	29.17	52.61	33.76	7.92	6.30	94.21	7.41	6.13
		9:00	29.77	52.57	33.73	7.94	7.48	125.06	7.07	7.76
		12:00	30.24	52.55	33.72	8.06	7.66	114.89	6.38	6.19
		15:00	30.29	52.56	33.73	8.05	7.64	114.51	6.77	6.97
18:00		30.56	52.61	33.76	8.04	7.71	105.03	7.76	6.08	
21:00		30.28	52.65	33.78	8.02	8.97	127.87	6.69	9.19	
日平均	29.91	52.59	33.75	7.98	7.32	129.95	7.07	6.65		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 22 日	蚵殼站	0:00	29.56	52.58	33.74	8.16	5.76	189.66	0.37	2.09
		3:00	29.30	52.48	33.68	8.14	6.21	190.66	0.35	1.81
		6:00	29.28	52.50	33.69	8.16	6.46	175.19	0.53	2.91
		9:00	29.53	52.56	33.73	8.15	7.17	182.51	0.97	2.96
		12:00	29.83	52.60	33.75	8.15	8.00	185.63	2.70	1.30
		15:00	29.96	52.35	33.60	8.17	7.76	196.14	1.63	1.88
		18:00	29.93	52.44	33.66	8.20	6.75	196.07	1.80	1.85
		21:00	29.81	52.54	33.72	8.17	6.78	187.34	1.60	1.76
	日平均	29.65	52.51	33.70	8.16	6.86	187.90	1.24	2.07	
	潮口站	0:00	29.73	52.49	33.68	7.97	5.05	131.97	5.69	4.07
		3:00	27.70	52.29	33.56	8.10	5.04	129.49	4.45	3.27
		6:00	27.94	52.35	33.60	8.09	5.01	139.44	6.08	1.73
		9:00	29.35	52.47	33.67	8.02	6.65	176.08	6.92	3.73
		12:00	30.14	52.54	33.72	8.05	6.69	131.03	7.01	3.75
		15:00	28.43	52.09	33.44	8.11	6.76	150.26	3.58	1.50
		18:00	28.24	52.22	33.52	8.08	6.53	159.54	3.78	2.79
		21:00	29.37	52.38	33.62	8.01	7.14	156.56	4.54	1.89
	日平均	28.86	52.35	33.60	8.05	6.11	146.80	5.26	2.84	
	灣內站	0:00	29.69	52.66	33.79	8.01	6.73	144.10	6.22	5.97
		3:00	29.37	52.67	33.80	7.90	5.86	144.70	6.48	5.81
		6:00	29.19	52.64	33.78	7.91	7.23	101.94	7.18	7.08
		9:00	29.59	52.64	33.78	7.97	7.90	125.98	6.97	5.98
		12:00	30.19	52.65	33.78	8.04	8.13	113.75	8.71	7.06
		15:00	30.24	52.60	33.75	8.00	7.82	114.24	10.45	6.52
18:00		30.33	52.66	33.79	7.99	5.10	125.80	8.42	7.31	
21:00		30.15	52.70	33.81	7.88	5.76	116.78	6.31	6.00	
日平均	29.84	52.65	33.79	7.96	6.82	123.41	7.59	6.47		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 23 日	蚵殼站	0:00	29.70	52.58	33.74	8.18	6.54	178.91	1.35	4.03
		3:00	29.55	52.51	33.70	8.14	6.53	127.45	1.13	3.64
		6:00	29.43	52.50	33.69	8.15	7.03	164.35	1.20	3.07
		9:00	29.76	52.50	33.70	8.15	7.61	219.57	1.20	2.81
		12:00	29.86	52.57	33.73	8.12	7.55	219.40	2.05	2.53
		15:00	29.35	52.54	33.72	8.18	7.66	224.08	2.33	1.98
		18:00	29.27	52.50	33.69	8.20	8.19	233.48	2.20	2.44
		21:00	29.27	52.51	33.70	8.15	8.85	213.76	1.80	3.24
		日平均	29.52	52.53	33.71	8.16	7.50	197.63	1.66	2.97
	潮口站	0:00	29.46	52.45	33.66	8.02	5.20	170.83	5.37	2.76
		3:00	28.17	52.31	33.57	8.12	5.01	175.21	4.19	3.47
		6:00	28.09	52.30	33.57	8.06	5.03	205.39	4.37	3.43
		9:00	29.43	52.33	33.59	7.97	5.04	215.59	5.71	3.52
		12:00	30.00	52.43	33.65	7.98	5.09	165.35	7.56	3.50
		15:00	28.64	52.25	33.54	8.08	5.10	174.90	4.80	1.96
		18:00	27.88	52.27	33.55	8.03	5.20	217.24	4.22	4.22
		21:00	28.54	52.27	33.55	7.97	5.01	225.28	6.29	2.69
		日平均	28.78	52.33	33.59	8.03	5.09	193.72	5.31	3.19
	灣內站	0:00	29.81	52.71	33.82	7.90	7.76	129.30	6.54	5.94
		3:00	29.54	52.71	33.82	7.93	6.48	113.16	6.35	7.23
		6:00	29.37	52.70	33.81	7.90	6.09	116.27	6.36	5.50
		9:00	29.79	52.67	33.80	7.88	6.84	137.94	8.60	7.21
		12:00	30.36	52.70	33.81	8.00	7.62	136.68	6.02	7.15
		15:00	30.63	52.82	33.89	8.00	6.77	137.53	7.02	7.38
		18:00	30.06	52.72	33.83	7.99	5.73	134.30	5.98	5.11
		21:00	29.87	52.74	33.84	7.85	5.45	144.29	6.27	7.43
		日平均	29.93	52.72	33.83	7.93	6.59	131.18	6.64	6.62
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 24 日	蚵殼站	0:00	29.07	52.55	33.72	8.12	7.78	118.83	2.10	5.09
		3:00	28.99	52.34	33.59	8.12	7.33	178.31	1.70	5.23
		6:00	28.99	52.51	33.69	8.16	7.05	157.78	1.60	3.40
		9:00	29.18	52.46	33.66	8.15	7.82	219.86	1.73	9.86
		12:00	29.33	52.49	33.69	8.09	7.98	230.77	3.03	2.89
		15:00	29.26	52.45	33.66	8.11	7.56	232.60	3.65	1.89
		18:00	29.10	52.34	33.59	8.18	8.10	228.55	3.90	6.72
		21:00	29.10	52.41	33.64	8.11	7.85	240.98	3.67	8.28
		日平均	29.13	52.44	33.66	8.13	7.68	200.96	2.67	5.42
	潮口站	0:00	28.67	52.36	33.60	7.98	5.04	203.82	8.38	2.88
		3:00	27.75	51.93	33.34	8.05	5.09	216.69	12.29	3.09
		6:00	27.54	52.23	33.52	8.02	5.10	122.91	4.83	3.93
		9:00	28.97	52.20	33.50	7.93	6.85	207.50	8.84	2.77
		12:00	29.50	52.22	33.52	7.94	6.27	231.25	9.89	2.91
		15:00	28.69	52.07	33.42	8.03	6.52	222.07	5.84	4.85
		18:00	27.58	51.97	33.36	8.04	6.57	232.52	4.71	3.28
		21:00	27.99	52.06	33.42	7.95	5.75	152.56	5.90	4.76
		日平均	28.34	52.13	33.46	7.99	5.90	198.67	7.59	3.56
	灣內站	0:00	29.65	52.74	33.84	7.93	7.60	128.12	5.84	6.52
		3:00	29.39	52.74	33.84	7.88	7.24	127.41	6.15	6.22
		6:00	29.23	52.78	33.86	7.68	6.19	137.87	10.05	7.71
		9:00	29.55	52.71	33.82	7.84	7.72	176.12	7.26	6.22
		12:00	29.91	52.76	33.85	8.01	7.34	130.77	6.46	6.64
		15:00	30.15	52.83	33.90	8.09	7.17	147.39	6.36	6.80
		18:00	29.92	52.71	33.82	7.92	8.18	159.49	6.14	7.32
		21:00	29.77	52.75	33.85	7.68	7.25	153.62	6.16	10.15
		日平均	29.70	52.75	33.85	7.88	7.34	145.10	6.80	7.20
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 25 日	蚵殼站	0:00	29.10	52.44	33.65	8.07	7.84	233.49	5.43	3.09
		3:00	28.94	52.39	33.63	8.03	7.55	252.25	2.90	4.17
		6:00	28.57	52.39	33.63	8.10	8.18	253.68	3.57	1.74
		9:00	28.45	51.87	33.30	8.07	7.65	249.16	3.50	3.55
		12:00	28.36	51.31	32.95	8.09	7.94	240.81	5.30	3.87
		15:00	28.36	51.29	32.94	8.05	8.50	244.42	4.30	1.86
		18:00	28.13	51.87	33.30	8.10	8.01	245.59	4.03	8.91
		21:00	27.79	51.34	32.98	8.05	8.07	237.90	5.20	7.77
	日平均	28.46	51.86	33.30	8.07	7.97	244.66	4.28	4.37	
	潮口站	0:00	28.28	52.15	33.47	7.94	5.20	148.12	6.79	5.61
		3:00	27.48	52.11	33.45	7.99	5.01	208.21	5.63	3.49
		6:00	26.98	52.17	33.49	7.97	5.03	200.23	5.84	6.73
		9:00	27.63	51.59	33.13	7.94	5.04	247.24	9.86	3.76
		12:00	27.98	51.19	32.88	7.92	5.09	247.00	10.56	4.56
		15:00	27.92	51.48	33.06	7.97	5.10	234.45	9.09	4.42
		18:00	26.84	51.92	33.33	7.94	6.80	262.02	6.93	2.71
		21:00	27.01	51.35	32.98	7.89	6.88	162.21	9.41	2.87
	日平均	27.52	51.75	33.22	7.95	5.52	213.69	8.01	4.27	
	灣內站	0:00	29.39	52.73	33.83	7.71	7.13	166.20	5.28	6.13
		3:00	29.05	52.67	33.80	7.78	7.41	173.48	5.67	10.81
		6:00	28.86	52.61	33.76	7.80	7.32	205.47	5.70	8.35
		9:00	28.64	52.14	33.47	7.82	7.21	216.70	5.97	9.82
		12:00	28.59	51.42	33.02	7.84	7.60	161.71	6.37	5.89
		15:00	28.39	51.09	32.82	7.80	7.70	171.10	10.63	8.76
		18:00	28.28	51.81	33.26	7.74	7.21	216.39	7.13	7.21
		21:00	28.01	51.33	32.97	7.76	7.75	222.54	6.56	9.24
	日平均	28.65	51.98	33.37	7.78	7.42	191.70	6.66	8.28	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 26 日	蚵殼站	0:00	27.72	50.33	32.35	8.01	6.44	181.90	6.45	1.65
		3:00	27.58	50.81	32.65	8.05	5.63	188.45	4.57	5.91
		6:00	27.39	51.44	33.03	8.03	6.50	210.46	4.93	1.00
		9:00	27.70	50.59	32.51	8.04	7.17	251.17	4.95	4.55
		12:00	28.12	50.87	32.68	7.99	7.83	241.56	5.77	2.34
		15:00	27.46	50.60	32.52	7.95	7.87	238.59	6.53	2.94
		18:00	26.90	50.27	32.31	7.92	7.61	207.70	11.15	5.06
		21:00	27.11	50.06	32.18	7.95	7.04	207.55	8.25	3.97
	日平均	27.50	50.62	32.53	7.99	7.01	215.92	6.58	3.43	
	潮口站	0:00	27.09	50.68	32.56	7.91	6.75	212.89	11.71	3.33
		3:00	26.72	51.29	32.94	7.95	6.67	246.79	8.39	7.81
		6:00	26.77	51.74	33.22	7.87	6.18	217.31	8.39	7.78
		9:00	27.50	49.82	32.03	7.84	6.14	226.61	10.68	3.35
		12:00	27.56	50.40	32.39	7.88	6.35	237.93	10.94	7.76
		15:00	27.26	50.30	32.33	7.86	6.32	256.49	12.14	5.15
		18:00	26.96	50.77	32.62	7.90	5.93	211.45	9.81	5.05
		21:00	26.72	50.39	32.38	7.84	6.07	221.70	10.09	3.87
	日平均	27.07	50.67	32.56	7.88	6.30	228.90	10.27	5.51	
	灣內站	0:00	27.74	49.98	32.13	7.78	6.29	204.54	5.65	5.06
		3:00	27.77	50.33	32.35	7.73	6.40	215.99	5.95	9.03
		6:00	27.76	51.13	32.84	7.73	6.08	118.95	5.87	6.66
		9:00	27.91	51.35	32.98	7.76	6.88	206.17	6.44	5.31
		12:00	27.89	51.33	32.97	7.84	7.53	229.67	6.68	7.07
		15:00	27.45	50.90	32.70	7.85	7.05	221.76	8.67	5.25
		18:00	27.23	49.76	31.99	7.74	7.49	232.48	9.50	6.99
		21:00	27.22	49.72	31.97	7.74	6.28	153.66	9.64	6.78
	日平均	27.62	50.56	32.49	7.77	6.75	197.90	7.30	6.52	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 27 日	蚵殼站	0:00	26.89	49.51	31.84	8.01	7.81	175.00	6.97	3.35
		3:00	26.72	50.56	32.49	8.00	7.26	119.98	6.30	2.84
		6:00	26.56	51.24	32.91	8.00	6.86	120.40	6.10	4.45
		9:00	26.66	50.25	32.30	7.99	7.71	191.40	5.13	3.53
		12:00	26.70	49.90	32.08	7.94	7.67	242.55	4.87	3.96
		15:00	27.04	48.62	31.28	7.96	8.06	252.94	4.87	3.42
		18:00	26.89	49.62	31.91	7.86	8.27	175.05	4.55	2.68
		21:00	26.76	50.48	32.44	7.82	8.26	153.43	5.57	3.49
	日平均	26.78	50.02	32.16	7.95	7.74	178.84	5.55	3.47	
	潮口站	0:00	26.41	49.51	31.84	7.80	5.83	241.34	11.18	3.24
		3:00	26.39	50.61	32.52	7.91	6.31	185.23	9.86	6.88
		6:00	26.65	51.77	33.24	7.94	6.55	133.97	14.90	1.99
		9:00	26.51	50.22	32.28	7.84	6.65	184.62	9.70	3.87
		12:00	26.53	49.70	31.96	7.79	6.67	211.72	12.44	3.38
		15:00	26.59	48.55	31.24	7.70	6.36	238.94	9.76	3.57
		18:00	26.64	49.85	32.05	7.82	5.89	249.47	8.29	3.66
		21:00	26.70	50.67	32.56	7.74	6.16	254.52	7.58	3.59
	日平均	26.55	50.11	32.21	7.82	6.30	212.48	10.46	3.77	
	灣內站	0:00	27.03	49.50	31.83	7.67	7.21	145.29	9.93	8.37
		3:00	27.29	50.50	32.45	7.72	7.21	207.30	7.91	6.66
		6:00	27.25	50.70	32.58	7.76	6.66	199.06	7.45	7.07
		9:00	27.19	50.28	32.32	7.78	7.13	247.14	14.20	5.66
		12:00	27.09	50.09	32.20	7.77	7.64	244.21	15.55	8.27
		15:00	27.37	48.68	31.32	7.72	7.20	234.06	14.42	5.10
		18:00	27.36	49.39	31.76	7.66	8.01	260.60	18.66	5.70
		21:00	27.12	50.29	32.32	7.71	7.49	160.35	10.07	8.54
	日平均	27.21	49.93	32.10	7.72	7.32	212.25	12.27	6.92	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 28 日	蚵殼站	0:00	26.59	49.76	31.99	7.91	7.64	237.04	5.47	4.20
		3:00	26.28	50.33	32.35	7.88	8.34	191.62	4.70	2.00
		6:00	26.23	50.42	32.40	7.80	8.00	147.21	4.07	2.88
		9:00	26.80	50.52	32.47	7.91	7.95	230.20	4.40	3.11
		12:00	27.20	50.17	32.25	7.92	7.90	253.77	5.45	2.86
		15:00	27.23	49.68	31.94	7.91	8.47	254.72	6.46	2.43
		18:00	27.20	49.26	31.68	7.78	7.88	229.01	5.36	1.85
		21:00	27.20	50.12	32.21	7.75	7.87	189.01	4.50	1.99
	日平均	26.84	50.03	32.16	7.86	8.01	216.57	5.05	2.67	
	潮口站	0:00	26.50	49.92	32.09	7.76	5.30	218.13	8.01	2.48
		3:00	26.38	51.07	32.80	7.88	6.25	124.07	7.51	4.66
		6:00	26.18	51.81	33.26	7.86	6.87	139.18	8.75	3.92
		9:00	26.53	51.37	32.99	7.78	6.64	141.97	8.07	2.39
		12:00	27.31	50.49	32.45	7.80	6.40	151.47	10.19	3.94
		15:00	27.33	50.17	32.25	7.74	6.08	177.54	11.09	6.18
		18:00	27.13	50.32	32.34	7.77	5.09	251.61	10.85	6.24
		21:00	26.61	51.07	32.80	7.77	5.20	244.81	8.55	2.57
	日平均	26.75	50.78	32.62	7.80	5.98	181.10	9.13	4.05	
	灣內站	0:00	26.58	49.60	31.89	7.79	6.84	212.77	16.40	9.76
		3:00	26.60	49.59	31.89	7.75	7.79	245.12	30.35	6.40
		6:00	26.39	49.02	31.54	7.78	7.39	215.76	25.92	5.63
		9:00	26.78	49.67	31.94	7.83	7.73	225.28	7.24	7.45
		12:00	27.20	49.84	32.04	7.86	7.59	234.02	9.43	5.21
		15:00	27.27	49.18	31.63	7.86	8.15	255.80	7.84	7.31
		18:00	27.47	48.19	31.02	7.77	7.37	210.85	5.87	8.99
		21:00	27.23	49.16	31.62	7.69	7.69	216.53	7.81	7.82
	日平均	26.94	49.28	31.70	7.79	7.57	227.02	13.86	7.32	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 29 日	蚵殼站	0:00	27.02	49.72	31.97	7.82	6.21	218.61	4.72	2.76
		3:00	26.79	50.04	32.17	7.82	6.23	214.46	4.24	3.15
		6:00	26.96	50.61	32.52	7.81	6.81	117.87	4.04	1.37
		9:00	27.37	50.45	32.42	7.90	5.71	238.89	7.50	2.07
		12:00	27.81	49.98	32.13	7.97	6.64	254.51	3.34	2.56
		15:00	28.22	50.11	32.21	8.09	8.89	260.81	4.56	1.73
		18:00	28.17	49.74	31.98	8.09	8.94	271.31	9.72	4.10
		21:00	28.11	49.65	31.93	7.98	7.62	281.21	5.12	0.94
		日平均	27.56	50.04	32.17	7.94	7.13	232.21	5.41	2.34
	潮口站	0:00	26.96	50.11	32.21	7.65	5.03	239.91	14.99	6.35
		3:00	26.46	49.96	32.12	7.73	5.04	235.46	7.39	2.77
		6:00	26.32	51.32	32.96	7.83	5.09	240.30	14.19	3.26
		9:00	26.60	51.15	32.85	7.76	5.10	236.54	8.14	3.61
		12:00	26.91	50.48	32.44	7.77	7.33	251.37	9.76	4.01
		15:00	27.27	50.65	32.54	7.82	7.14	220.00	10.80	6.30
		18:00	27.42	50.53	32.47	7.88	7.59	214.18	11.19	4.83
		21:00	26.98	50.78	32.63	7.88	7.07	212.01	11.61	4.40
		日平均	26.87	50.62	32.53	7.79	6.17	231.22	11.01	4.44
	灣內站	0:00	27.05	49.33	31.73	7.71	5.64	241.46	4.92	8.44
		3:00	26.93	50.12	32.22	7.70	6.12	181.86	12.75	12.21
		6:00	26.80	49.89	32.07	7.77	6.74	136.38	6.26	5.05
		9:00	27.26	49.75	31.99	7.87	5.64	181.27	5.71	5.01
		12:00	28.30	49.48	31.82	8.06	5.87	212.11	5.39	11.01
		15:00	28.69	49.57	31.88	8.20	8.45	240.45	4.83	8.58
		18:00	28.94	48.95	31.49	8.19	10.64	250.47	5.50	12.98
		21:00	28.75	48.52	31.23	8.07	7.03	254.18	5.35	7.10
		日平均	27.84	49.45	31.80	7.95	7.02	212.27	6.34	8.80
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
4 月 30 日	蚵殼站	0:00	28.05	50.04	32.16	7.89	6.05	234.25	4.82	0.76
		3:00	27.80	49.82	32.03	7.87	6.41	194.29	5.28	2.66
		6:00	27.99	50.57	32.50	8.07	8.31	147.44	4.12	1.55
		9:00	28.16	50.70	32.58	8.14	10.09	229.56	4.84	1.57
		12:00	28.81	49.58	31.89	8.16	11.11	252.88	5.50	3.58
		15:00	27.23	49.25	31.68	7.91	7.16	255.32	6.46	3.47
		18:00	27.20	48.89	31.46	7.78	6.45	229.36	5.36	2.79
		21:00	27.20	49.74	31.98	7.75	6.98	190.22	4.50	2.64
		日平均	27.81	49.82	32.04	7.95	7.82	216.67	5.11	2.38
	潮口站	0:00	26.58	50.89	32.69	7.75	5.86	192.15	9.61	8.30
		3:00	26.56	50.14	32.23	7.70	5.80	214.22	8.47	8.44
		6:00	26.37	51.07	32.80	7.77	6.83	197.85	9.69	3.33
		9:00	26.70	51.41	33.02	7.76	6.98	208.39	9.42	2.22
		12:00	28.77	49.23	31.67	8.00	10.03	199.53	10.06	2.45
		15:00	29.32	49.32	31.72	8.17	9.16	193.92	12.25	7.60
		18:00	29.10	49.59	31.89	8.08	12.96	214.29	16.35	8.45
		21:00	28.11	50.31	32.33	7.97	10.07	212.58	12.03	4.62
		日平均	27.69	50.25	32.29	7.90	8.46	204.12	10.99	5.68
	灣內站	0:00	28.51	49.18	31.63	7.96	5.72	217.61	4.72	6.23
		3:00	28.29	49.50	31.83	7.82	5.91	125.10	9.12	5.54
		6:00	28.17	50.07	32.19	7.96	7.78	137.66	9.29	7.54
		9:00	28.71	49.99	32.14	8.16	9.53	139.88	6.31	5.05
		12:00	29.71	49.93	32.10	8.34	9.65	149.96	7.88	5.12
		15:00	27.27	49.18	31.63	7.86	8.49	178.38	5.31	5.20
		18:00	27.47	48.19	31.02	7.77	6.54	252.48	5.12	5.83
		21:00	27.23	49.16	31.62	7.69	6.60	244.24	5.96	7.14
		日平均	28.17	49.40	31.77	7.95	7.53	180.66	6.71	5.96
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 1 日	蚵殼站	0:00	28.40	50.27	32.31	8.05	7.30	209.52	2.21	5.72
		3:00	28.61	50.32	32.34	8.17	7.51	203.66	2.18	5.37
		6:00	28.95	50.22	32.28	8.19	8.38	209.61	4.26	4.34
		9:00	29.05	50.09	32.20	8.25	10.08	221.30	3.90	4.60
		12:00	29.27	50.14	32.23	8.16	8.95	210.81	3.27	6.42
		15:00	28.03	50.15	32.23	8.22	9.91	190.41	3.15	5.90
		18:00	28.04	50.18	32.25	8.20	8.82	214.27	2.42	5.17
		21:00	28.59	50.24	32.29	8.09	7.23	227.81	4.74	7.15
		日平均	28.62	50.20	32.27	8.17	8.52	210.92	3.27	5.58
	潮口站	0:00	27.01	48.96	31.50	7.76	7.31	200.90	12.84	1.83
		3:00	26.66	50.34	32.35	7.63	5.93	199.01	12.08	1.86
		6:00	27.02	50.13	32.22	7.62	5.24	200.14	10.52	1.93
		9:00	27.29	50.62	32.53	7.67	5.61	199.77	11.68	1.87
		12:00	27.41	50.02	32.15	7.70	7.83	198.25	8.64	2.35
		15:00	27.27	50.80	32.64	7.72	8.01	210.22	8.89	3.12
		18:00	28.01	50.46	32.43	7.78	10.10	207.03	10.44	3.58
		21:00	28.48	50.21	32.27	7.81	9.24	206.45	11.05	2.60
		日平均	27.39	50.19	32.26	7.71	7.41	202.72	10.77	2.39
	灣內站	0:00	31.63	7.96	7.79	4.30	1.91	220.17	4.30	1.91
		3:00	31.83	7.82	7.40	6.55	1.69	225.05	6.55	1.69
		6:00	31.88	8.20	7.17	4.67	2.07	227.53	4.67	2.07
		9:00	31.49	8.19	8.02	4.76	2.22	232.08	4.76	2.22
		12:00	32.10	8.34	9.23	7.48	3.20	231.16	7.48	3.20
		15:00	32.45	8.29	7.02	8.21	3.99	231.10	8.21	3.99
		18:00	32.40	8.09	6.12	6.82	2.91	232.60	6.82	2.91
		21:00	31.22	8.07	6.43	7.72	2.66	232.31	7.72	2.66
		日平均	31.88	8.12	7.40	6.31	2.58	229.00	6.31	2.58
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 2 日	蚵殼站	0:00	27.97	50.23	32.28	8.11	5.67	231.19	2.16	4.91
		3:00	27.74	50.20	32.27	8.03	5.21	231.41	3.18	5.40
		6:00	27.79	50.21	32.27	7.99	5.57	223.78	4.73	4.94
		9:00	28.07	50.12	32.22	8.13	7.13	228.48	5.89	5.08
		12:00	28.30	50.22	32.28	8.10	7.58	231.95	7.70	5.58
		15:00	28.49	50.24	32.29	8.15	8.79	211.54	6.37	6.83
		18:00	28.59	50.28	32.32	8.09	7.23	207.88	4.28	5.03
		21:00	28.47	50.28	32.32	8.22	9.25	216.15	5.93	6.24
		日平均	28.18	50.22	32.28	8.10	7.05	222.80	5.03	5.50
	潮口站	0:00	26.58	51.59	33.13	7.80	5.34	215.85	12.75	1.99
		3:00	26.46	51.67	33.18	7.69	5.21	198.39	10.39	2.03
		6:00	27.14	50.50	32.45	7.76	5.16	195.31	9.04	2.12
		9:00	26.66	51.41	33.02	7.79	6.15	196.60	8.43	2.02
		12:00	26.90	51.58	33.12	7.68	7.18	210.28	8.90	2.07
		15:00	27.34	51.25	32.92	7.77	8.22	208.14	8.86	5.09
		18:00	27.86	50.96	32.74	7.77	7.45	206.79	12.58	4.25
		21:00	28.47	50.36	32.36	7.98	8.14	206.22	15.36	3.42
		日平均	27.18	51.17	32.87	7.78	6.61	204.70	10.79	2.87
	灣內站	0:00	28.48	50.16	32.24	7.85	6.12	240.83	4.47	2.34
		3:00	28.13	50.38	32.38	7.77	6.21	228.88	5.34	1.71
		6:00	27.93	50.58	32.50	7.82	6.39	220.93	4.12	1.97
		9:00	28.41	50.55	32.48	8.03	7.65	233.65	4.12	1.78
		12:00	29.18	50.31	32.33	8.25	8.88	233.12	5.82	2.80
		15:00	29.52	50.48	32.44	8.27	6.75	241.03	9.01	4.46
		18:00	29.41	50.54	32.48	7.96	6.13	237.24	6.37	3.91
		21:00	29.38	50.42	32.40	8.28	5.37	234.37	5.14	2.73
		日平均	28.81	50.43	32.41	8.03	6.69	233.76	5.55	2.71
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 3 日	蚵殼站	0:00	28.14	50.32	32.34	8.15	8.05	226.91	3.38	5.01
		3:00	28.00	50.39	32.38	8.02	5.93	218.96	5.83	6.55
		6:00	27.91	50.47	32.43	8.04	6.40	219.46	8.91	6.29
		9:00	28.57	50.11	32.21	8.16	8.47	223.37	6.73	5.54
		12:00	28.53	50.33	32.35	8.21	9.95	237.64	5.33	6.39
		15:00	28.81	50.35	32.36	8.16	9.83	229.17	8.61	6.11
		18:00	28.75	50.21	32.27	8.18	9.10	229.39	6.86	6.58
		21:00	28.70	50.12	32.22	8.12	6.65	201.36	5.08	6.43
	日平均	28.43	50.29	32.32	8.13	8.05	223.28	6.34	6.11	
	潮口站	0:00	27.01	48.96	31.50	7.76	7.31	200.19	12.84	3.79
		3:00	26.66	50.34	32.35	7.63	5.93	197.88	12.08	2.89
		6:00	27.02	50.13	32.22	7.64	5.40	199.30	10.52	2.78
		9:00	27.29	50.62	32.53	7.67	5.61	196.26	11.68	2.74
		12:00	27.41	50.02	32.15	7.70	7.83	203.38	8.64	2.75
		15:00	27.27	50.80	32.64	7.72	8.01	202.70	8.89	3.62
		18:00	28.01	50.46	32.43	7.78	10.10	201.41	10.44	4.25
		21:00	28.48	50.21	32.27	7.81	9.24	205.77	11.05	4.89
	日平均	27.39	50.19	32.26	7.71	7.43	200.86	10.77	3.46	
	灣內站	0:00	29.07	50.53	32.47	8.15	5.62	231.42	5.36	3.61
		3:00	28.85	50.58	32.50	7.80	5.83	228.45	4.83	4.45
		6:00	28.61	50.48	32.44	7.82	6.12	222.35	4.21	2.78
		9:00	28.99	50.35	32.36	8.12	6.92	222.36	4.21	3.41
		12:00	29.31	50.40	32.39	8.31	9.05	225.76	5.89	4.04
		15:00	29.25	50.41	32.40	8.19	8.03	223.70	7.57	10.26
18:00		29.22	50.44	32.41	8.00	6.13	227.08	6.04	8.77	
21:00		29.36	50.50	32.45	7.83	5.88	230.22	4.49	7.91	
日平均	29.08	50.46	32.43	8.03	6.70	226.42	5.33	5.65		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 4 日	蚵殼站	0:00	28.58	50.16	32.24	8.17	8.33	216.40	5.69	5.99
		3:00	28.40	50.21	32.27	8.05	7.30	230.15	4.55	6.80
		6:00	28.61	50.18	32.25	8.17	7.51	204.56	4.66	4.59
		9:00	28.95	50.25	32.30	8.19	8.38	205.88	4.32	5.76
		12:00	29.05	50.39	32.38	8.25	10.08	218.32	5.22	5.95
		15:00	29.40	50.48	32.44	8.32	11.58	193.45	8.49	6.27
		18:00	29.25	50.46	32.43	8.20	9.90	202.41	5.04	7.75
		21:00	29.27	50.41	32.40	8.16	8.95	184.30	2.86	8.04
	日平均	28.94	50.32	32.34	8.19	9.00	206.93	5.10	6.39	
	潮口站	0:00	27.69	50.47	32.43	7.81	7.09	202.26	13.28	1.90
		3:00	27.01	49.87	32.06	7.65	6.19	204.08	10.39	1.94
		6:00	27.92	50.22	32.28	7.69	6.18	198.44	8.35	1.99
		9:00	28.41	50.05	32.17	7.82	5.68	200.36	7.09	2.07
		12:00	27.85	50.94	32.72	7.81	8.18	195.74	8.85	2.91
		15:00	27.83	51.56	33.11	7.71	7.02	201.81	5.32	4.53
		18:00	28.55	50.58	32.50	7.89	10.39	210.05	6.28	3.68
		21:00	29.23	50.33	32.35	7.87	8.82	212.52	7.35	2.55
	日平均	28.06	50.50	32.45	7.78	7.44	203.16	8.36	2.70	
	灣內站	0:00	29.17	50.49	32.45	7.95	5.49	229.69	3.92	7.13
		3:00	28.92	50.46	32.43	7.87	5.81	231.37	4.97	4.89
		6:00	28.88	50.47	32.43	7.88	6.13	222.66	8.35	3.71
		9:00	29.32	50.38	32.38	8.15	6.55	232.62	9.05	4.15
		12:00	29.75	50.48	32.44	8.21	7.79	226.49	7.29	3.68
		15:00	30.04	50.50	32.45	8.13	8.69	235.10	7.34	6.40
18:00		30.07	50.54	32.48	7.93	7.38	240.54	6.67	9.56	
21:00		30.09	50.54	32.48	7.72	7.81	239.17	5.17	10.12	
日平均	29.53	50.48	32.44	7.98	6.96	232.21	6.60	6.21		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 5 日	蚵殼站	0:00	29.16	50.15	32.23	8.11	8.43	193.49	1.99	6.30
		3:00	28.84	50.39	32.38	8.16	9.36	203.42	3.10	10.62
		6:00	29.05	50.51	32.46	8.08	7.97	196.67	2.18	8.02
		9:00	29.23	49.70	31.96	8.13	8.19	195.84	3.97	5.60
		12:00	29.69	48.22	31.04	8.41	10.01	183.98	8.07	6.10
		15:00	30.01	49.60	31.89	8.42	10.22	191.50	4.31	11.41
		18:00	29.87	49.50	31.83	8.46	6.53	195.15	2.54	5.97
		21:00	29.69	49.50	31.83	8.41	5.66	215.00	2.41	6.76
		日平均	29.44	49.70	31.95	8.27	8.30	196.88	3.57	7.60
	潮口站	0:00	28.53	50.67	32.56	7.90	5.86	214.09	6.72	2.91
		3:00	27.76	51.78	33.24	7.69	5.24	199.65	6.66	3.22
		6:00	28.37	51.02	32.77	7.78	5.48	200.16	7.28	3.68
		9:00	29.17	50.09	32.20	8.18	8.58	209.94	5.16	2.55
		12:00	29.05	50.73	32.59	8.29	10.12	210.37	2.22	2.71
		15:00	28.81	51.34	32.97	8.22	9.08	215.76	1.88	4.22
		18:00	29.85	50.33	32.35	8.36	10.86	211.74	3.44	4.26
		21:00	29.91	50.30	32.33	8.34	10.36	211.98	3.07	3.45
		日平均	28.93	50.78	32.63	8.10	8.20	209.21	4.55	3.38
	灣內站	0:00	29.79	50.58	32.50	7.76	6.97	240.14	4.89	8.89
		3:00	29.21	50.65	32.54	8.04	6.11	227.61	5.21	7.51
		6:00	28.96	50.73	32.59	7.92	6.29	222.14	4.40	8.21
		9:00	29.29	50.37	32.37	8.12	7.73	229.14	4.02	10.06
		12:00	29.90	50.59	32.51	8.11	9.03	233.02	4.54	5.89
		15:00	30.42	50.61	32.52	8.16	9.06	240.79	5.62	8.38
		18:00	30.35	50.47	32.43	8.10	8.93	243.23	8.96	11.08
		21:00	30.14	50.38	32.38	8.11	8.83	240.38	4.17	8.04
		日平均	29.76	50.55	32.48	8.04	7.87	234.56	5.23	8.51
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 6 日	蚵殼站	0:00	29.49	49.44	31.79	8.39	8.11	180.82	2.57	5.00
		3:00	29.38	49.61	31.90	8.36	8.04	203.52	2.22	5.01
		6:00	29.20	50.16	32.24	8.38	7.75	212.45	2.48	5.24
		9:00	29.43	50.19	32.26	8.32	8.94	207.09	4.99	4.69
		12:00	29.22	50.54	32.48	8.30	9.88	208.62	5.18	4.68
		15:00	29.35	50.44	32.41	8.30	9.70	180.25	6.13	6.60
		18:00	29.39	50.55	32.48	8.33	8.13	189.95	5.71	6.19
		21:00	29.40	50.51	32.46	8.35	6.30	205.69	6.16	5.13
		日平均	29.36	50.18	32.25	8.34	8.36	198.55	4.43	5.32
	潮口站	0:00	29.34	50.62	32.53	8.23	8.52	207.16	2.09	2.91
		3:00	28.15	51.60	33.13	8.09	7.66	208.72	1.79	3.22
		6:00	28.65	50.93	32.72	8.20	8.35	199.82	2.40	3.68
		9:00	29.20	50.73	32.59	8.25	9.19	190.03	3.39	3.59
		12:00	29.23	50.87	32.68	8.22	9.29	195.08	3.46	2.49
		15:00	28.73	50.32	32.34	8.13	8.32	193.73	3.10	4.67
		18:00	28.87	50.23	32.28	8.14	7.97	194.02	2.66	3.64
		21:00	28.98	50.73	32.59	8.16	8.31	207.00	3.06	3.07
		日平均	28.89	50.75	32.61	8.18	8.45	199.45	2.74	3.41
	灣內站	0:00	29.86	50.42	32.40	8.09	8.43	232.78	8.36	7.62
		3:00	29.50	50.47	32.43	8.06	8.48	233.53	4.70	6.55
		6:00	29.22	50.44	32.41	8.15	8.84	221.99	6.39	7.10
		9:00	29.43	50.51	32.46	8.13	8.78	225.45	6.39	9.23
		12:00	29.61	50.65	32.54	8.14	9.39	224.99	10.68	6.55
		15:00	29.57	50.74	32.60	8.18	9.26	231.43	8.31	6.90
		18:00	29.38	50.72	32.59	8.07	8.89	227.26	6.17	6.17
		21:00	29.58	50.67	32.56	8.01	8.80	226.56	5.55	7.10
		日平均	29.52	50.58	32.50	8.10	8.86	228.00	7.07	7.15
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 7 日	蚵殼站	0:00	29.29	50.45	32.42	8.38	5.85	199.21	3.42	4.68
		3:00	29.18	50.43	32.41	8.28	6.68	206.64	5.71	5.97
		6:00	29.15	50.41	32.40	8.28	6.59	213.79	5.31	6.31
		9:00	29.62	50.33	32.35	8.20	6.89	199.93	7.30	4.78
		12:00	29.65	50.70	32.58	8.19	8.06	183.35	18.52	5.75
		15:00	29.63	50.74	32.60	8.20	8.04	201.81	4.70	6.06
		18:00	29.62	50.76	32.61	8.21	6.41	198.15	4.16	5.01
		21:00	29.59	50.73	32.59	8.16	5.37	213.55	3.85	5.93
	日平均	29.47	50.57	32.50	8.24	6.74	202.05	6.62	5.56	
	潮口站	0:00	28.68	50.78	32.62	8.11	7.42	184.74	2.49	3.38
		3:00	27.33	51.71	33.20	8.11	7.76	195.67	2.30	3.27
		6:00	27.90	51.19	32.88	8.02	6.69	185.27	2.51	1.48
		9:00	29.53	50.50	32.45	8.16	7.96	192.09	2.24	2.50
		12:00	29.66	50.61	32.52	8.15	7.97	186.16	3.81	2.77
		15:00	28.46	50.83	32.66	8.14	8.46	200.26	2.42	2.85
		18:00	28.12	51.13	32.84	8.08	7.65	198.60	2.50	2.26
		21:00	28.78	50.77	32.62	8.06	7.96	191.14	3.36	1.91
	日平均	28.56	50.94	32.72	8.10	7.73	191.74	2.70	2.55	
	灣內站	0:00	29.53	50.41	32.40	8.02	8.53	213.26	5.64	6.95
		3:00	29.32	50.65	32.54	8.10	7.70	221.40	7.34	8.60
		6:00	29.21	50.77	32.62	8.09	8.51	216.03	7.31	5.76
		9:00	29.66	50.66	32.55	8.05	8.58	208.78	6.16	7.62
		12:00	30.10	50.66	32.55	8.12	9.36	212.10	7.13	10.95
		15:00	30.31	50.92	32.71	8.10	9.28	221.99	8.72	6.65
		18:00	30.24	50.92	32.71	7.91	9.21	220.84	6.74	8.07
		21:00	30.33	50.87	32.68	8.02	8.90	216.38	12.82	5.48
	日平均	29.84	50.73	32.60	8.05	8.76	216.35	7.73	7.51	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 8 日	蚵殼站	0:00	29.63	50.62	32.53	8.28	5.72	192.53	3.78	6.39
		3:00	29.47	50.75	32.61	8.29	5.39	187.24	3.15	5.52
		6:00	29.45	50.65	32.54	8.25	6.48	184.01	3.93	5.37
		9:00	29.52	50.79	32.63	8.22	6.55	186.75	4.22	6.39
		12:00	29.91	50.81	32.64	8.20	8.52	196.12	9.65	6.23
		15:00	29.87	50.87	32.68	8.27	9.33	183.12	8.33	6.05
		18:00	29.94	50.85	32.67	8.32	6.83	203.71	3.49	4.92
		21:00	30.00	50.69	32.57	8.26	7.16	188.20	2.19	6.71
	日平均	29.72	50.75	32.61	8.26	7.00	190.21	4.84	5.95	
	潮口站	0:00	28.78	50.76	32.61	8.01	6.47	179.49	2.53	2.51
		3:00	27.38	51.32	32.96	8.10	7.69	190.48	2.22	2.55
		6:00	27.60	51.32	32.96	8.03	7.05	187.13	2.20	2.62
		9:00	29.54	50.63	32.53	8.17	8.51	174.06	3.01	2.56
		12:00	30.05	50.71	32.58	8.18	8.90	177.65	5.29	3.05
		15:00	29.19	50.38	32.38	8.18	9.17	186.36	3.34	3.86
		18:00	28.73	50.99	32.76	8.10	7.46	187.80	2.09	4.35
		21:00	28.81	50.87	32.68	8.11	8.16	182.53	4.09	3.32
	日平均	28.76	50.87	32.68	8.11	7.93	183.19	3.10	3.10	
	灣內站	0:00	29.93	50.58	32.50	8.07	8.39	204.78	13.48	3.61
		3:00	29.69	50.50	32.45	8.09	7.48	214.61	10.29	4.45
		6:00	29.68	50.77	32.62	8.12	7.76	207.60	7.34	2.78
		9:00	30.16	50.69	32.57	8.09	7.45	204.62	5.99	3.41
		12:00	30.98	50.67	32.56	8.24	8.76	211.04	6.24	4.04
		15:00	31.08	50.41	32.40	8.27	9.62	208.23	6.30	6.03
		18:00	30.99	50.79	32.63	8.13	9.04	218.72	7.23	8.77
		21:00	30.90	50.75	32.61	7.99	8.67	221.61	5.21	5.23
	日平均	30.43	50.65	32.54	8.13	8.40	211.40	7.76	4.79	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 9 日	蚵殼站	0:00	29.78	50.57	32.49	8.34	6.95	213.93	3.66	6.39
		3:00	29.65	50.53	32.47	8.37	7.05	187.78	2.35	6.47
		6:00	29.46	50.40	32.39	8.32	7.26	212.35	3.71	6.52
		9:00	29.55	50.30	32.33	8.32	8.16	215.48	3.90	6.79
		12:00	29.47	50.48	32.44	8.25	9.34	187.15	3.83	6.88
		15:00	29.29	50.83	32.66	8.25	9.44	191.53	4.23	6.46
		18:00	29.19	50.82	32.65	8.29	7.66	215.97	4.08	6.29
		21:00	29.27	50.51	32.46	8.40	7.36	208.92	4.32	6.25
	日平均	29.46	50.56	32.49	8.32	7.90	204.14	3.76	6.51	
	潮口站	0:00	29.23	50.74	32.60	8.10	6.77	185.36	2.95	2.67
		3:00	27.91	51.34	32.97	8.10	7.49	193.30	2.69	3.72
		6:00	27.79	51.49	33.06	8.11	7.16	178.58	3.16	2.81
		9:00	29.33	50.65	32.54	8.24	9.38	170.81	4.66	3.70
		12:00	29.65	50.68	32.56	8.23	9.50	180.62	9.12	4.49
		15:00	29.17	50.67	32.56	8.19	8.84	178.54	6.36	5.93
		18:00	28.34	50.93	32.72	8.13	7.87	185.11	6.65	5.06
		21:00	28.46	50.94	32.72	8.13	7.63	195.59	4.58	4.18
	日平均	28.74	50.93	32.72	8.15	8.08	183.49	5.02	4.07	
	灣內站	0:00	30.29	50.72	32.59	8.12	7.51	204.85	7.11	5.85
		3:00	29.61	50.97	32.74	8.12	6.73	209.98	13.35	4.89
		6:00	29.21	51.02	32.77	8.03	6.23	202.84	9.38	3.71
		9:00	29.50	50.96	32.74	8.09	6.62	197.48	7.16	4.15
		12:00	29.98	51.08	32.81	8.17	7.03	202.21	9.31	3.68
		15:00	29.82	50.91	32.71	8.19	9.09	203.60	12.58	10.38
		18:00	29.67	50.67	32.56	8.11	8.20	212.83	13.84	8.49
		21:00	29.45	50.98	32.75	8.06	8.35	208.74	7.54	6.58
	日平均	29.69	50.91	32.71	8.11	7.47	205.32	10.03	5.97	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 10 日	蚵殼站	0:00	29.10	50.57	32.49	8.33	7.71	186.72	5.00	7.04
		3:00	28.84	50.56	32.49	8.30	7.33	182.40	2.88	4.40
		6:00	28.69	50.49	32.45	8.27	7.34	181.65	2.74	5.29
		9:00	29.01	50.37	32.37	8.25	7.86	208.66	2.78	4.86
		12:00	29.22	50.48	32.44	8.17	7.96	189.97	12.32	5.11
		15:00	29.14	50.80	32.64	8.21	9.09	184.58	5.55	5.35
		18:00	28.95	50.96	32.74	8.23	7.54	198.60	2.61	6.93
		21:00	28.97	50.91	32.71	8.23	5.59	216.95	3.64	5.17
	日平均	28.99	50.64	32.54	8.25	7.55	193.69	4.69	5.52	
	潮口站	0:00	28.48	50.91	32.71	8.13	7.17	180.96	5.40	4.57
		3:00	27.89	51.31	32.95	8.12	7.22	193.24	4.63	3.62
		6:00	27.80	51.49	33.06	8.08	5.94	194.86	4.82	3.51
		9:00	28.33	51.12	32.84	8.13	7.69	182.78	7.67	3.46
		12:00	28.94	51.05	32.79	8.18	8.69	178.62	4.82	3.47
		15:00	29.02	50.93	32.72	8.19	8.68	186.44	4.82	4.39
		18:00	28.40	50.62	32.53	8.14	7.73	197.15	7.82	5.06
		21:00	28.30	50.89	32.69	8.06	5.86	202.30	12.54	5.72
	日平均	28.40	51.04	32.79	8.13	7.37	189.54	6.57	4.23	
	灣內站	0:00	29.09	51.15	32.85	8.09	7.74	204.14	9.52	8.89
		3:00	28.81	51.17	32.87	8.04	6.80	215.14	8.80	7.51
		6:00	28.69	51.14	32.85	8.04	6.23	211.40	8.01	8.21
		9:00	29.10	51.15	32.85	8.09	6.91	198.58	10.87	6.96
		12:00	29.78	51.17	32.87	8.13	7.96	203.58	6.58	5.89
		15:00	29.92	51.35	32.98	8.15	8.62	196.58	6.82	8.38
		18:00	29.70	51.39	33.00	8.05	8.49	216.74	6.38	11.08
		21:00	29.68	51.27	32.93	7.99	7.14	219.69	6.11	7.78
	日平均	29.35	51.22	32.90	8.07	7.49	208.23	7.89	8.09	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 11 日	蚵殼站	0:00	29.12	50.81	32.64	8.31	6.27	190.89	2.68	5.33
		3:00	29.05	50.73	32.59	8.25	6.31	200.94	2.28	6.08
		6:00	28.87	50.64	32.54	8.24	7.12	207.05	2.15	6.57
		9:00	28.99	50.58	32.50	8.23	6.64	199.35	3.21	6.88
		12:00	28.96	50.62	32.53	8.14	6.84	214.52	3.33	5.16
		15:00	29.08	50.76	32.61	8.15	7.71	212.89	3.31	6.39
		18:00	29.30	50.75	32.61	8.23	6.92	213.55	2.49	5.20
		21:00	29.51	50.76	32.61	8.17	5.34	206.12	2.57	4.99
		日平均	29.11	50.71	32.58	8.22	6.64	205.66	2.75	5.83
	潮口站	0:00	28.49	50.96	32.74	8.05	6.28	199.67	12.71	3.77
		3:00	27.82	51.64	33.16	8.08	6.54	197.14	13.17	2.63
		6:00	26.63	51.64	33.16	8.02	5.77	197.74	6.18	2.67
		9:00	28.04	51.23	32.90	8.06	6.44	208.79	6.94	2.76
		12:00	29.29	51.02	32.77	8.14	7.85	208.63	41.28	3.64
		15:00	29.04	51.03	32.78	8.12	7.81	206.99	17.15	5.34
		18:00	28.60	50.22	32.28	8.07	6.30	201.45	6.42	4.45
		21:00	28.36	50.73	32.59	8.03	5.34	215.00	2.34	3.26
		日平均	28.28	51.06	32.80	8.07	6.54	204.43	13.27	3.57
	灣內站	0:00	29.55	51.01	32.77	8.07	6.53	209.79	5.60	7.39
		3:00	29.23	51.11	32.83	8.16	6.39	215.95	5.56	8.03
		6:00	28.93	51.25	32.92	8.09	7.36	215.44	5.30	9.43
		9:00	29.20	51.16	32.86	8.12	8.20	223.34	5.94	6.36
		12:00	30.16	51.20	32.89	8.10	6.58	214.55	7.21	9.38
		15:00	30.44	51.32	32.96	8.13	6.38	228.14	7.07	14.23
		18:00	30.44	50.51	32.46	8.04	8.42	221.65	5.76	12.55
		21:00	30.65	51.19	32.88	8.04	6.92	227.27	5.69	9.76
		日平均	29.83	51.09	32.82	8.09	7.10	219.52	6.02	9.64
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 12 日	蚵殼站	0:00	29.60	50.74	32.60	8.27	5.68	186.77	3.12	16.07
		3:00	29.43	50.42	32.40	8.23	5.64	206.87	4.69	6.71
		6:00	29.31	50.41	32.40	8.23	5.69	216.09	4.18	9.09
		9:00	29.06	50.46	32.43	8.22	5.35	216.09	7.42	15.34
		12:00	29.18	50.48	32.44	8.18	6.06	194.10	11.02	5.06
		15:00	29.74	50.35	32.36	8.21	7.43	185.47	11.83	14.22
		18:00	29.77	50.31	32.33	8.20	7.50	188.98	8.06	16.09
		21:00	29.53	50.38	32.38	8.18	6.99	189.74	3.96	8.65
		日平均	29.45	50.44	32.42	8.22	6.29	198.01	6.79	11.40
	潮口站	0:00	28.95	50.86	32.67	8.08	5.29	193.44	21.61	3.64
		3:00	28.12	50.97	32.74	8.08	5.79	207.04	14.45	3.97
		6:00	27.47	51.50	33.07	8.02	5.15	195.02	4.82	4.45
		9:00	27.79	51.38	33.00	8.05	5.05	200.82	4.82	3.26
		12:00	29.74	50.93	32.72	8.03	6.45	196.23	1.59	3.43
		15:00	29.65	51.01	32.77	8.03	6.38	211.56	8.50	5.02
		18:00	29.73	50.80	32.64	8.01	5.38	207.77	7.82	5.07
		21:00	28.38	50.86	32.67	8.05	5.46	204.59	4.59	4.21
		日平均	28.73	51.04	32.79	8.04	5.62	202.06	8.53	4.13
	灣內站	0:00	30.19	51.19	32.88	8.18	6.25	220.33	5.05	5.65
		3:00	29.35	51.32	32.96	8.11	6.12	222.30	4.93	7.30
		6:00	29.17	51.33	32.97	8.04	6.11	223.56	4.60	4.46
		9:00	29.48	51.15	32.85	8.06	6.16	215.12	4.78	6.32
		12:00	30.24	51.12	32.84	8.03	6.36	215.99	5.88	9.65
		15:00	30.58	51.14	32.85	8.04	6.23	214.08	7.23	5.35
		18:00	30.52	51.19	32.88	8.00	7.53	211.53	6.30	10.57
		21:00	30.04	51.17	32.87	7.98	7.36	207.15	5.57	8.03
		日平均	29.95	51.20	32.89	8.06	6.52	216.26	5.54	7.17
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 13 日	蚵殼站	0:00	29.43	50.35	32.36	8.20	6.11	196.02	5.89	4.66
		3:00	29.17	50.41	32.40	8.17	5.95	182.13	8.40	4.57
		6:00	29.00	50.42	32.40	8.17	5.50	206.15	8.29	5.14
		9:00	29.16	50.42	32.40	8.21	5.23	212.64	9.61	8.83
		12:00	29.51	50.38	32.38	8.19	5.34	186.21	13.11	7.80
		15:00	29.96	50.33	32.35	8.21	5.68	193.85	12.60	5.43
		18:00	29.63	50.31	32.33	8.20	7.55	212.49	5.94	9.75
		21:00	29.40	50.33	32.35	8.16	6.96	193.33	5.80	6.15
		日平均	29.41	50.37	32.37	8.19	6.04	197.85	8.71	6.54
	潮口站	0:00	28.83	51.05	32.79	7.98	5.27	210.86	10.61	3.64
		3:00	28.27	51.04	32.79	8.01	5.16	205.95	4.63	3.97
		6:00	27.68	51.45	33.04	8.00	5.48	203.43	4.82	4.45
		9:00	27.75	51.43	33.03	7.96	5.79	197.25	7.67	4.36
		12:00	28.77	51.29	32.94	7.99	7.09	205.99	4.82	4.40
		15:00	29.49	51.22	32.90	7.99	7.76	203.33	4.82	5.49
		18:00	29.64	51.14	32.85	7.99	7.10	214.21	3.55	4.08
		21:00	28.70	51.03	32.78	8.01	6.69	204.76	3.14	3.18
		日平均	28.64	51.21	32.89	7.99	6.29	205.72	5.51	4.20
	灣內站	0:00	29.69	51.12	32.84	7.92	6.82	207.78	5.30	7.03
		3:00	29.38	51.11	32.83	7.95	6.26	201.79	4.63	3.97
		6:00	29.29	51.12	32.84	7.97	6.13	195.93	4.63	7.25
		9:00	29.69	51.14	32.85	7.93	6.45	205.79	5.05	8.05
		12:00	30.35	51.13	32.84	7.84	6.65	205.01	8.23	9.02
		15:00	31.01	51.01	32.77	7.97	6.27	211.46	7.52	10.84
		18:00	30.82	50.84	32.66	8.03	6.46	206.52	4.54	10.40
		21:00	30.41	50.82	32.65	7.99	6.64	205.99	3.96	8.92
		日平均	30.08	51.04	32.79	7.95	6.46	205.03	5.48	8.19
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 14 日	蚵殼站	0:00	29.07	50.42	32.40	8.19	5.57	218.11	4.46	5.34
		3:00	28.89	50.65	32.54	8.24	5.34	183.32	4.68	4.99
		6:00	28.71	50.57	32.49	8.18	5.68	194.00	4.62	5.69
		9:00	28.72	50.26	32.30	8.17	5.34	201.68	5.23	4.55
		12:00	28.77	50.34	32.35	8.19	5.68	213.98	7.64	7.49
		15:00	28.84	50.39	32.38	8.27	6.47	213.75	9.55	7.41
		18:00	28.80	50.40	32.39	8.30	7.14	196.29	6.08	8.71
		21:00	28.64	50.38	32.38	8.22	7.04	192.25	6.11	5.80
		日平均	28.81	50.43	32.40	8.22	6.03	201.67	6.05	6.25
	潮口站	0:00	28.04	51.25	32.92	7.95	6.24	204.68	6.19	5.90
		3:00	27.71	51.93	33.34	8.00	6.68	209.51	40.78	6.03
		6:00	27.41	51.95	33.35	8.01	6.86	189.65	4.82	4.15
		9:00	27.38	51.55	33.10	7.96	6.86	202.04	7.67	3.21
		12:00	27.91	51.54	33.10	8.00	8.18	208.99	4.82	3.50
		15:00	28.40	52.06	33.42	8.12	9.74	196.09	4.82	8.28
		18:00	28.30	51.43	33.03	8.04	9.71	206.82	5.12	9.27
		21:00	27.91	50.96	32.74	7.93	7.43	207.07	5.64	6.63
		日平均	27.88	51.58	33.13	8.00	7.71	203.11	9.98	5.87
	灣內站	0:00	30.00	50.95	32.73	8.00	6.27	208.32	5.38	8.13
		3:00	29.73	51.07	32.80	7.89	6.46	196.55	4.38	6.83
		6:00	29.52	51.16	32.86	7.86	6.24	190.27	9.39	5.36
		9:00	29.33	51.20	32.89	7.89	7.62	194.43	6.06	5.68
		12:00	29.19	51.24	32.91	7.93	8.54	194.47	11.18	6.91
		15:00	29.25	51.23	32.90	7.93	8.18	200.32	11.50	8.34
		18:00	29.13	51.15	32.85	7.92	7.92	199.37	8.92	7.07
		21:00	28.71	50.39	32.38	7.83	6.64	201.87	9.52	5.99
		日平均	29.36	51.05	32.79	7.91	7.23	198.20	8.29	6.79
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 15 日	蚵殼站	0:00	28.43	50.47	32.43	8.12	5.34	201.36	6.81	6.70
		3:00	28.39	50.24	32.29	8.08	5.68	219.94	7.35	6.80
		6:00	28.47	50.32	32.34	8.19	5.34	207.70	5.97	6.44
		9:00	28.86	50.30	32.33	8.24	5.68	195.41	18.26	6.88
		12:00	28.93	50.29	32.32	8.34	7.91	211.68	4.14	6.60
		15:00	28.70	50.31	32.33	8.30	8.85	205.95	4.57	6.62
		18:00	28.85	50.39	32.38	8.30	8.45	199.96	4.57	6.47
		21:00	28.77	50.38	32.38	8.30	7.70	202.53	3.49	6.48
	日平均	28.68	50.34	32.35	8.23	6.87	205.57	6.90	6.62	
	潮口站	0:00	27.35	51.99	33.37	7.83	6.14	204.99	15.03	2.94
		3:00	27.49	52.07	33.42	7.80	5.42	207.24	2.18	8.45
		6:00	27.48	51.94	33.34	7.81	6.09	195.33	4.82	10.67
		9:00	27.58	51.69	33.19	7.87	7.16	195.42	7.67	6.34
		12:00	27.72	52.37	33.61	7.91	7.96	192.66	4.82	6.88
		15:00	27.99	51.48	33.06	8.09	10.60	202.41	4.82	10.45
		18:00	28.40	51.62	33.15	8.10	10.93	204.41	11.03	9.64
		21:00	28.48	51.60	33.13	7.90	8.69	192.99	6.36	8.01
	日平均	27.81	51.85	33.28	7.91	7.87	199.43	7.09	7.92	
	灣內站	0:00	28.86	51.24	32.91	8.05	6.20	197.66	8.67	6.36
		3:00	28.63	51.34	32.97	7.95	5.72	204.41	8.09	6.31
		6:00	28.53	51.45	33.04	7.92	6.30	193.74	8.67	5.72
		9:00	29.06	51.46	33.05	7.96	7.65	199.34	8.31	7.70
		12:00	29.41	51.46	33.05	8.11	8.25	193.89	8.71	7.84
		15:00	29.46	51.44	33.03	8.21	6.89	201.80	8.30	7.04
		18:00	29.43	51.49	33.06	8.12	6.21	196.52	8.55	6.03
		21:00	29.53	51.44	33.03	7.99	6.39	195.02	8.55	5.29
	日平均	29.11	51.42	33.02	8.04	6.70	197.80	8.48	6.54	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 16 日	蚵殼站	0:00	28.86	50.37	32.37	8.26	7.28	219.38	3.53	6.88
		3:00	28.93	50.40	32.39	8.29	7.23	206.76	3.66	6.96
		6:00	28.86	50.37	32.37	8.33	7.66	195.28	5.63	6.31
		9:00	29.04	50.26	32.30	8.35	8.57	205.20	2.98	6.92
		12:00	29.11	50.34	32.35	8.34	8.97	216.16	3.04	6.55
		15:00	28.91	50.40	32.39	8.31	9.02	193.89	3.59	6.70
		18:00	28.76	50.43	32.41	8.29	8.75	216.95	3.95	6.24
		21:00	28.66	50.46	32.43	8.25	8.38	210.08	4.63	6.65
	日平均	28.89	50.38	32.38	8.30	8.23	207.96	3.88	6.65	
	潮口站	0:00	27.55	51.77	33.24	7.86	6.89	189.04	17.78	7.16
		3:00	27.19	52.04	33.41	7.80	6.15	195.31	25.12	4.35
		6:00	27.68	51.93	33.34	7.79	6.92	196.76	3.16	5.04
		9:00	27.52	51.80	33.26	7.86	7.50	186.46	2.78	4.27
		12:00	27.56	52.13	33.46	7.87	8.25	196.64	3.23	4.66
		15:00	27.93	51.76	33.23	7.94	9.28	199.75	5.17	8.45
		18:00	28.35	52.31	33.57	8.03	9.83	188.79	26.46	6.15
		21:00	28.47	52.13	33.46	7.96	8.42	196.30	34.58	3.26
	日平均	27.78	51.98	33.37	7.89	7.91	193.63	14.79	5.42	
	灣內站	0:00	29.49	51.32	32.96	7.86	6.14	188.07	8.15	4.59
		3:00	29.15	51.39	33.00	7.94	5.72	199.07	7.21	3.27
		6:00	28.94	51.47	33.05	7.95	6.12	189.49	7.24	2.40
		9:00	29.20	51.50	33.07	7.98	7.58	191.79	7.27	3.92
		12:00	29.39	51.50	33.07	8.07	7.45	193.00	7.25	3.53
		15:00	29.48	51.51	33.08	8.11	7.38	193.95	8.99	4.31
		18:00	29.36	51.57	33.11	8.08	6.41	197.58	7.23	3.72
		21:00	29.27	51.60	33.13	8.00	5.46	185.25	6.90	4.01
	日平均	29.29	51.48	33.06	8.00	6.53	192.28	7.53	3.72	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 17 日	蚵殼站	0:00	28.54	50.54	32.48	8.19	7.48	188.46	3.48	4.88
		3:00	28.44	50.51	32.46	8.18	7.32	200.21	2.81	5.21
		6:00	28.53	50.48	32.44	8.26	7.74	188.99	3.79	6.49
		9:00	28.84	50.87	32.68	8.24	7.96	186.78	3.75	6.57
		12:00	29.02	50.90	32.70	8.23	8.18	209.78	5.52	6.55
		15:00	28.66	50.94	32.72	8.23	8.62	211.90	7.04	5.36
		18:00	28.65	51.02	32.77	8.15	7.47	190.76	5.55	6.53
		21:00	28.55	51.04	32.79	8.18	7.43	208.09	4.53	4.87
	日平均	28.65	50.79	32.63	8.21	7.78	198.12	4.56	5.81	
	潮口站	0:00	27.46	52.44	33.65	7.88	7.74	182.90	12.68	7.39
		3:00	27.52	51.73	33.21	7.80	6.98	202.17	13.92	9.49
		6:00	28.06	52.01	33.39	7.77	7.05	185.87	13.41	3.61
		9:00	27.96	52.59	33.75	7.81	7.10	191.68	14.02	2.25
		12:00	27.48	51.98	33.37	7.85	8.45	186.97	15.49	8.45
		15:00	27.76	51.73	33.21	7.93	9.04	189.60	19.06	7.26
		18:00	28.25	51.91	33.33	7.95	9.49	201.87	4.06	6.15
		21:00	28.45	52.02	33.39	7.85	8.00	186.97	3.95	4.13
	日平均	27.87	52.05	33.41	7.86	7.98	191.00	12.07	6.09	
	灣內站	0:00	29.08	51.60	33.13	7.94	6.13	181.09	6.63	3.56
		3:00	28.81	51.62	33.15	7.91	5.70	191.17	6.14	4.41
		6:00	28.66	51.62	33.15	7.90	5.18	184.84	5.71	2.39
		9:00	28.85	51.60	33.13	7.89	8.03	178.96	6.59	3.45
		12:00	29.11	51.61	33.14	7.95	8.25	182.13	6.55	2.76
		15:00	29.05	51.60	33.13	7.99	8.40	193.91	6.96	2.92
		18:00	29.17	51.63	33.15	7.93	6.64	193.54	5.79	2.49
		21:00	29.17	51.65	33.16	8.00	5.38	186.64	5.77	2.50
	日平均	28.99	51.62	33.14	7.94	6.71	186.54	6.27	3.06	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 18 日	蚵殼站	0:00	28.48	51.09	32.82	8.06	6.21	183.22	3.79	5.26
		3:00	28.34	51.09	32.82	7.98	5.70	216.25	3.85	5.90
		6:00	28.32	51.13	32.84	8.06	6.23	203.69	4.37	6.80
		9:00	28.83	51.08	32.81	8.12	6.41	216.21	5.08	5.08
		12:00	29.03	51.00	32.76	8.16	6.82	214.95	5.89	4.65
		15:00	28.93	51.03	32.78	8.19	8.00	207.30	5.95	4.96
		18:00	28.88	51.10	32.82	8.03	6.76	195.61	4.22	6.50
		21:00	28.79	51.16	32.86	8.05	6.03	191.74	3.44	6.26
	日平均	28.70	51.09	32.81	8.08	6.52	203.62	4.57	5.68	
	潮口站	0:00	27.63	52.47	33.67	7.81	7.40	176.82	16.09	3.45
		3:00	27.45	52.02	33.39	7.75	6.73	191.17	4.06	3.75
		6:00	27.78	52.21	33.51	7.77	7.44	174.36	3.95	4.05
		9:00	28.16	51.99	33.37	7.80	7.27	186.44	10.36	7.44
		12:00	27.93	52.37	33.61	7.85	8.65	184.33	9.34	7.28
		15:00	27.93	52.07	33.42	7.91	8.95	188.23	6.56	6.64
		18:00	28.30	52.39	33.62	7.89	10.07	198.22	18.24	7.36
		21:00	28.51	52.57	33.73	7.85	8.46	186.77	12.01	8.57
	日平均	27.96	52.26	33.54	7.83	8.12	185.79	10.08	6.07	
	灣內站	0:00	29.03	51.66	33.17	7.96	5.24	181.72	5.89	5.78
		3:00	28.80	51.69	33.19	7.91	5.62	177.39	5.15	4.22
		6:00	28.68	51.69	33.19	7.91	6.18	183.59	5.46	3.37
		9:00	29.10	51.66	33.17	7.90	7.36	174.98	5.34	2.36
		12:00	29.27	51.66	33.17	8.03	9.00	178.82	5.74	2.64
		15:00	29.37	51.68	33.18	8.03	8.58	186.47	5.91	2.57
		18:00	29.31	51.69	33.19	7.98	7.06	193.05	5.14	2.59
		21:00	29.18	51.71	33.20	8.01	6.32	185.49	4.85	2.43
	日平均	29.09	51.68	33.18	7.97	6.92	182.69	5.44	3.25	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 19 日	蚵殼站	0:00	28.65	51.12	32.84	7.98	5.45	214.66	3.07	5.39
		3:00	28.51	51.22	32.90	7.93	5.43	187.14	3.67	6.42
		6:00	28.52	51.19	32.88	8.01	6.80	191.17	3.91	4.53
		9:00	28.86	51.18	32.87	8.01	6.05	194.83	3.56	6.08
		12:00	29.19	51.18	32.87	8.06	6.44	200.42	3.88	6.21
		15:00	29.02	51.23	32.90	8.12	8.29	211.83	3.58	6.65
		18:00	28.87	51.26	32.92	8.05	7.90	197.57	3.62	6.42
		21:00	28.83	51.40	33.01	7.99	7.31	189.93	2.93	5.90
	日平均	28.81	51.22	32.90	8.02	6.71	198.44	3.53	5.95	
	潮口站	0:00	28.02	52.42	33.64	7.81	7.62	180.79	8.31	9.28
		3:00	27.52	52.68	33.80	7.75	6.85	197.48	6.19	10.36
		6:00	27.99	52.26	33.54	7.78	7.67	183.99	3.89	9.63
		9:00	28.42	52.63	33.77	7.82	8.29	183.93	10.62	8.57
		12:00	28.45	52.06	33.42	7.85	8.46	174.92	1.04	9.98
		15:00	27.80	52.36	33.60	7.85	8.45	181.92	0.16	5.79
		18:00	28.26	51.93	33.34	7.88	9.47	187.78	4.46	6.27
		21:00	28.48	52.51	33.70	7.88	8.97	195.14	1.60	9.48
	日平均	28.12	52.36	33.60	7.83	8.22	185.74	4.53	8.67	
	灣內站	0:00	29.05	51.73	33.21	7.98	5.72	185.02	4.75	5.16
		3:00	28.93	51.75	33.23	7.92	5.51	195.24	5.08	2.60
		6:00	28.86	51.77	33.24	7.95	6.99	181.80	4.96	2.83
		9:00	29.15	51.72	33.21	8.00	7.99	178.76	5.15	4.08
		12:00	29.60	51.69	33.19	8.10	10.23	180.61	6.23	1.79
		15:00	29.58	51.72	33.21	8.12	10.14	183.06	7.28	2.00
		18:00	29.54	51.74	33.22	8.13	9.42	183.48	6.82	1.40
		21:00	29.37	51.77	33.24	8.09	8.73	191.60	5.68	1.37
	日平均	29.26	51.74	33.22	8.04	8.09	184.95	5.74	2.65	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 20 日	蚵殼站	0:00	28.67	51.45	33.04	8.02	6.79	191.57	2.50	7.39
		3:00	28.58	51.43	33.03	8.02	6.51	182.67	2.20	5.26
		6:00	28.58	51.52	33.08	8.05	6.76	191.07	2.23	5.59
		9:00	28.85	51.42	33.02	8.07	6.99	200.68	2.54	5.85
		12:00	28.88	51.39	33.00	8.06	7.38	188.91	4.15	5.06
		15:00	28.56	51.43	33.03	8.09	8.07	201.70	5.08	4.75
		18:00	28.64	51.48	33.06	8.03	7.42	206.11	4.55	5.83
		21:00	28.64	51.20	32.89	7.98	6.88	219.26	3.28	5.10
	日平均	28.68	51.42	33.02	8.04	7.10	197.75	3.32	5.60	
	潮口站	0:00	27.75	52.68	33.80	7.86	7.94	189.00	2.65	10.27
		3:00	27.43	52.28	33.55	7.77	7.61	187.19	3.25	11.25
		6:00	27.73	52.12	33.46	7.79	7.91	197.65	1.94	12.69
		9:00	28.34	52.12	33.46	7.85	8.67	183.17	3.81	11.24
		12:00	28.30	52.08	33.43	7.84	7.68	188.29	3.69	9.07
		15:00	27.49	52.03	33.40	7.80	7.46	184.24	1.54	6.25
		18:00	27.89	52.62	33.76	7.81	7.97	201.60	3.86	4.80
		21:00	28.34	52.58	33.74	7.88	8.50	203.77	2.14	5.75
	日平均	27.91	52.31	33.58	7.83	7.97	191.86	2.86	8.92	
	灣內站	0:00	29.23	51.79	33.25	8.00	7.68	182.76	5.25	2.03
		3:00	29.04	51.80	33.26	7.96	8.01	188.64	5.54	2.61
		6:00	28.99	51.82	33.27	7.96	8.35	187.54	7.21	6.25
		9:00	29.21	51.79	33.25	8.03	8.32	182.10	5.90	3.11
		12:00	29.22	51.77	33.24	8.10	9.65	176.24	6.65	3.96
		15:00	29.04	51.75	33.23	8.10	9.47	181.43	7.26	4.89
		18:00	29.01	51.77	33.24	8.01	9.27	190.82	6.01	4.23
		21:00	28.99	51.76	33.23	7.92	7.96	199.45	5.64	4.06
	日平均	29.09	51.78	33.25	8.01	8.59	186.12	6.18	3.89	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 21 日	蚵殼站	0:00	28.45	50.84	32.66	7.96	6.49	188.26	2.51	8.33
		3:00	28.39	51.17	32.87	7.94	6.90	191.46	1.94	7.74
		6:00	28.35	51.32	32.96	7.98	7.39	218.71	1.69	8.80
		9:00	28.68	51.34	32.97	8.00	7.51	208.93	2.06	7.97
		12:00	29.35	51.32	32.96	8.00	7.92	213.82	2.76	7.21
		15:00	29.16	51.43	33.03	8.07	8.58	189.40	2.96	5.38
		18:00	29.16	51.53	33.09	7.97	7.82	214.75	3.36	5.21
		21:00	29.09	51.68	33.18	7.92	7.10	184.41	3.24	6.06
	日平均	28.83	51.33	32.97	7.98	7.46	201.22	2.57	7.09	
	潮口站	0:00	27.89	52.46	33.67	7.83	7.28	172.28	1.94	5.75
		3:00	26.90	52.30	33.57	7.80	6.88	160.72	3.81	6.72
		6:00	27.59	52.23	33.52	7.84	7.09	167.54	3.69	7.56
		9:00	28.62	52.19	33.50	7.97	8.58	169.55	1.54	8.14
		12:00	28.90	52.41	33.63	7.94	7.88	165.21	3.81	10.52
		15:00	27.76	52.20	33.50	7.90	8.28	176.79	3.69	11.25
		18:00	28.04	52.14	33.47	7.86	8.04	179.16	1.54	6.15
		21:00	28.64	51.97	33.36	7.88	8.02	183.81	15.17	3.53
	日平均	28.04	52.24	33.53	7.88	7.76	171.88	4.40	7.45	
	灣內站	0:00	28.73	51.74	33.22	7.86	7.10	161.35	4.92	3.47
		3:00	28.62	51.75	33.23	7.87	6.46	159.34	5.15	2.86
		6:00	28.47	51.75	33.23	7.87	6.47	159.22	4.21	3.70
		9:00	28.81	51.73	33.21	7.87	6.87	168.06	4.85	3.39
		12:00	29.77	51.62	33.15	8.00	9.33	171.38	4.89	3.00
		15:00	29.70	51.60	33.13	8.05	9.88	168.05	5.01	4.29
18:00		29.94	51.62	33.15	7.97	9.23	176.52	5.09	3.27	
21:00		30.07	51.61	33.14	7.89	7.22	187.84	4.80	3.47	
日平均	29.26	51.68	33.18	7.92	7.82	168.97	4.87	3.43		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 22 日	蚵殼站	0:00	28.97	51.59	33.13	7.91	7.51	190.90	2.20	4.79
		3:00	28.87	51.70	33.19	7.97	7.46	214.74	2.26	5.01
		6:00	28.81	51.69	33.19	7.93	7.05	211.88	1.97	5.88
		9:00	28.93	51.57	33.11	7.97	7.52	218.81	3.46	4.55
		12:00	28.83	51.68	33.18	8.10	8.35	187.58	2.72	4.87
		15:00	29.13	51.69	33.19	8.12	8.75	194.03	3.14	5.24
		18:00	29.03	51.75	33.23	8.02	8.10	181.14	3.38	5.65
		21:00	28.93	51.83	33.28	7.93	7.14	186.14	4.14	6.26
	日平均	28.94	51.69	33.19	7.99	7.74	198.15	2.91	5.28	
	潮口站	0:00	28.17	51.87	33.30	7.85	6.86	197.52	17.75	5.90
		3:00	26.70	52.28	33.55	7.86	7.24	208.03	12.14	6.03
		6:00	27.63	52.53	33.71	7.85	6.64	192.32	0.90	4.15
		9:00	28.78	52.40	33.63	7.98	8.06	211.26	0.72	3.21
		12:00	28.83	51.65	33.16	7.96	7.72	206.16	12.14	3.50
		15:00	28.18	51.68	33.18	7.99	8.39	209.61	1.29	8.28
		18:00	27.77	51.92	33.33	7.99	8.24	202.71	9.67	9.27
		21:00	28.28	52.17	33.49	7.94	8.00	208.15	5.85	6.63
	日平均	28.04	52.06	33.42	7.93	7.64	204.47	7.56	5.87	
	灣內站	0:00	29.68	51.59	33.13	7.83	6.32	192.40	4.58	3.34
		3:00	29.12	51.61	33.14	7.86	5.45	202.41	4.14	3.20
		6:00	29.03	51.69	33.19	7.81	6.14	196.19	4.42	2.98
		9:00	29.41	51.57	33.11	7.95	6.76	198.65	5.27	3.04
		12:00	29.71	51.51	33.08	8.10	7.17	202.66	5.27	2.85
		15:00	29.78	51.57	33.11	8.10	9.14	207.49	5.20	4.53
18:00		29.57	51.64	33.16	8.05	8.19	201.38	5.56	4.79	
21:00		29.52	51.66	33.17	7.97	6.71	207.71	5.22	5.51	
日平均	29.48	51.61	33.14	7.96	6.99	201.11	4.96	3.78		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 23 日	蚵殼站	0:00	28.45	51.69	33.19	7.91	6.92	186.02	3.22	6.13
		3:00	28.64	51.67	33.18	7.97	7.25	215.70	2.39	6.14
		6:00	28.76	51.79	33.25	7.99	7.32	216.36	2.21	4.55
		9:00	29.09	51.79	33.25	7.95	7.66	180.58	3.11	5.72
		12:00	29.08	51.75	33.23	8.10	8.66	186.20	5.27	4.46
		15:00	29.13	51.82	33.27	8.16	8.86	212.90	4.22	4.57
		18:00	29.36	51.89	33.31	8.05	7.27	180.49	4.52	5.40
		21:00	29.28	52.04	33.41	7.99	6.64	217.86	3.38	6.51
	日平均	28.97	51.81	33.26	8.02	7.57	199.51	3.54	5.44	
	潮口站	0:00	28.01	52.48	33.68	7.90	6.96	206.05	13.06	2.81
		3:00	26.87	52.50	33.69	7.93	7.57	198.83	5.01	3.86
		6:00	27.26	51.75	33.23	7.93	7.41	190.79	2.11	2.95
		9:00	28.78	52.19	33.50	8.02	8.34	200.76	2.35	3.84
		12:00	29.20	51.65	33.16	8.04	8.60	207.69	1.67	4.63
		15:00	28.51	52.60	33.75	8.06	8.72	212.97	4.16	6.07
		18:00	27.99	52.34	33.59	8.03	7.99	213.47	13.19	5.20
		21:00	28.25	51.84	33.28	7.97	7.95	201.62	14.65	4.32
	日平均	28.11	52.17	33.49	7.99	7.94	204.02	7.03	4.21	
	灣內站	0:00	29.38	51.66	33.17	7.93	6.41	210.65	4.90	3.71
		3:00	29.20	51.67	33.18	7.94	6.52	201.34	5.46	7.37
		6:00	29.24	51.66	33.17	7.89	6.16	198.37	5.12	5.44
		9:00	29.66	51.59	33.13	7.92	5.46	201.51	5.38	4.34
		12:00	30.10	51.59	33.13	8.09	6.48	203.16	6.04	5.09
		15:00	30.16	51.63	33.15	8.12	8.48	205.26	7.08	8.73
		18:00	29.85	51.69	33.19	8.09	8.28	207.85	8.13	6.88
		21:00	29.56	51.76	33.23	8.01	6.54	208.94	6.03	4.91
	日平均	29.64	51.66	33.17	8.00	6.79	204.64	6.02	5.81	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 24 日	蚵殼站	0:00	29.24	52.14	33.47	7.93	6.32	214.66	3.08	8.93
		3:00	29.22	51.93	33.34	7.96	6.39	202.37	2.92	7.24
		6:00	29.20	51.88	33.31	8.03	7.01	209.67	3.94	8.57
		9:00	29.09	51.78	33.24	8.07	7.89	219.08	4.02	9.25
		12:00	29.14	51.77	33.24	8.15	8.88	209.08	4.15	5.20
		15:00	29.44	51.82	33.27	8.17	9.31	186.65	4.30	9.92
		18:00	29.39	51.82	33.27	8.07	7.93	208.94	4.75	6.72
		21:00	29.46	51.89	33.31	7.98	7.55	211.96	4.71	9.31
	日平均	29.27	51.88	33.31	8.05	7.66	207.80	3.98	8.14	
	潮口站	0:00	28.61	51.87	33.30	7.90	6.55	209.35	20.48	4.71
		3:00	27.05	52.53	33.71	7.98	7.64	194.87	15.09	3.76
		6:00	26.88	52.35	33.60	7.93	6.76	193.54	8.96	3.65
		9:00	29.05	52.03	33.40	8.07	8.52	188.79	13.95	3.60
		12:00	29.29	51.94	33.34	8.05	8.61	198.13	11.76	3.61
		15:00	29.03	51.77	33.24	8.06	8.36	192.45	10.86	4.53
		18:00	27.61	52.30	33.57	8.05	8.11	193.00	16.79	5.20
		21:00	28.65	52.44	33.65	8.04	8.06	194.77	19.34	5.86
	日平均	28.27	52.15	33.48	8.01	7.83	195.61	14.65	4.37	
	灣內站	0:00	29.77	51.73	33.21	7.83	6.28	204.18	5.82	4.68
		3:00	29.47	51.74	33.22	7.92	5.70	198.06	5.43	11.37
		6:00	29.24	51.74	33.22	7.95	5.29	186.46	5.73	6.75
		9:00	29.63	51.66	33.17	7.99	5.94	189.82	7.29	1.55
		12:00	30.30	51.73	33.21	8.08	6.50	194.58	9.39	9.35
		15:00	30.76	51.74	33.22	8.11	7.67	196.54	9.73	5.91
		18:00	30.56	51.74	33.22	7.98	8.41	191.88	6.80	3.17
		21:00	30.05	51.70	33.19	7.82	6.36	193.05	6.15	4.83
	日平均	29.97	51.72	33.21	7.96	6.52	194.32	7.04	5.95	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
5 月 25 日	蚵殼站	0:00	29.27	51.86	33.29	8.07	7.75	217.87	4.12	5.90	
		3:00	29.04	51.86	33.29	8.08	7.64	194.73	3.62	10.98	
		6:00	28.89	51.92	33.33	8.01	7.30	191.90	3.89	6.01	
		9:00	29.11	51.86	33.29	8.06	8.01	219.16	2.37	4.78	
		12:00	29.26	51.88	33.31	8.15	9.01	193.04	2.15	6.88	
		15:00	29.04	51.97	33.36	8.20	9.55	207.54	2.82	9.24	
		18:00	29.78	51.92	33.33	8.15	8.20	186.34	2.33	9.07	
		21:00	29.77	52.01	33.39	7.98	6.58	191.12	2.61	5.64	
	日平均	29.27	51.91	33.32	8.09	8.01	200.21	2.99	7.31		
	潮口站	0:00	28.58	51.88	33.31	8.00	6.84	194.48	26.09	3.91	
		3:00	27.37	52.39	33.62	7.99	7.02	200.68	14.06	2.77	
		6:00	27.18	52.54	33.72	7.99	6.99	195.10	13.95	2.81	
		9:00	28.73	51.82	33.27	8.07	8.07	203.94	20.36	2.90	
		12:00	29.26	52.30	33.57	8.09	8.80	198.26	19.34	3.78	
		15:00	29.79	51.81	33.26	8.07	8.35	192.42	16.56	5.48	
		18:00	28.28	51.87	33.30	8.00	7.06	192.28	28.24	4.59	
		21:00	28.50	52.70	33.81	7.98	6.69	206.20	22.01	3.40	
	日平均	28.46	52.16	33.48	8.02	7.48	197.92	20.08	3.71		
	灣內站	0:00	29.52	51.67	33.18	7.96	6.26	196.10	5.78	5.84	
		3:00	29.21	51.74	33.22	7.94	5.70	203.04	6.47	9.13	
		6:00	29.03	51.78	33.24	7.94	5.41	201.70	7.25	11.35	
		9:00	29.44	51.75	33.23	8.00	6.12	196.58	7.22	8.13	
		12:00	30.32	51.66	33.17	8.13	6.34	202.90	7.14	6.03	
		15:00	30.70	51.29	32.94	8.13	7.08	201.68	7.00	5.46	
		18:00	30.24	51.60	33.13	8.06	8.88	194.79	6.58	6.04	
		21:00	29.57	51.83	33.28	7.98	6.68	196.92	5.72	4.54	
	日平均	29.75	51.67	33.17	8.02	6.56	199.21	6.65	7.07		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—	

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)	
5 月 26 日	蚵殼站	0:00	29.58	51.94	33.34	7.93	6.65	216.01	2.51	5.78	
		3:00	29.48	51.88	33.31	7.99	6.75	203.33	2.94	5.21	
		6:00	29.16	51.94	33.34	8.03	6.70	205.17	2.69	5.50	
		9:00	29.16	51.96	33.36	8.04	7.64	200.25	2.06	6.85	
		12:00	29.83	51.83	33.28	8.12	8.42	204.88	2.76	5.68	
		15:00	29.67	51.94	33.34	8.20	9.19	210.14	2.96	5.89	
		18:00	29.50	51.92	33.33	8.16	8.55	181.00	3.36	6.87	
		21:00	29.07	52.07	33.42	8.09	7.49	188.93	3.24	6.67	
	日平均	29.43	51.94	33.34	8.07	7.67	201.21	2.82	6.06		
	潮口站	0:00	28.91	52.69	33.81	7.96	5.86	198.56	18.31	3.45	
		3:00	27.86	52.57	33.73	8.01	6.49	207.55	16.19	3.75	
		6:00	27.38	51.99	33.37	8.01	6.57	205.66	13.89	4.05	
		9:00	28.62	52.48	33.68	8.06	7.56	201.43	20.62	4.66	
		12:00	29.17	51.91	33.33	8.09	8.46	197.64	11.04	11.81	
		15:00	28.99	52.02	33.39	8.10	8.51	192.33	10.16	9.47	
		18:00	28.34	51.87	33.30	8.01	6.81	200.10	14.46	9.07	
		21:00	27.67	51.82	33.27	7.97	6.53	191.59	11.60	8.57	
	日平均	28.37	52.17	33.49	8.03	7.10	199.36	14.53	6.85		
	灣內站	0:00	29.18	51.88	33.31	7.83	6.16	198.69	5.26	8.82	
		3:00	29.13	51.81	33.26	7.93	5.32	204.89	5.45	6.03	
		6:00	29.15	51.92	33.33	7.98	5.46	201.90	5.39	3.54	
		9:00	29.34	51.86	33.29	7.98	5.94	199.76	6.71	5.51	
		12:00	29.74	51.78	33.24	8.07	6.47	197.96	6.86	5.94	
		15:00	29.62	51.80	33.26	8.12	6.24	195.67	7.55	9.36	
		18:00	29.36	51.33	32.97	8.04	7.58	195.37	5.72	8.12	
		21:00	29.22	51.64	33.16	7.94	7.47	198.77	6.62	3.81	
	日平均	29.34	51.75	33.23	7.99	6.33	199.13	6.20	6.39		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—	

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 27 日	蚵殼站	0:00	28.92	52.20	33.50	7.93	6.22	208.38	2.20	6.08
		3:00	28.80	52.16	33.48	7.93	5.86	189.84	2.26	5.65
		6:00	28.69	52.22	33.52	7.83	5.52	209.64	1.97	5.90
		9:00	28.73	52.23	33.52	7.86	5.80	200.65	3.46	7.97
		12:00	28.82	52.29	33.56	7.89	5.95	199.56	2.72	6.49
		15:00	29.05	52.27	33.55	8.00	7.32	211.93	3.14	8.55
		18:00	29.01	52.30	33.57	8.03	7.39	216.64	3.38	5.37
		21:00	29.09	52.20	33.50	7.88	5.76	181.01	4.14	6.02
	日平均	28.89	52.23	33.53	7.92	6.23	202.21	2.91	6.50	
	潮口站	0:00	28.19	52.15	33.47	7.92	5.61	189.86	9.76	1.97
		3:00	27.64	52.39	33.62	7.98	6.15	195.92	13.25	2.00
		6:00	27.42	51.94	33.34	8.02	7.06	193.63	11.94	2.07
		9:00	27.78	52.18	33.49	8.00	6.89	188.79	13.81	2.01
		12:00	28.90	52.25	33.54	8.07	8.13	188.11	13.69	2.49
		15:00	29.45	52.57	33.73	8.05	8.14	200.33	11.54	3.26
		18:00	28.96	51.79	33.25	7.99	7.07	196.61	13.86	3.72
		21:00	28.03	51.85	33.29	7.97	6.90	190.89	12.14	2.74
	日平均	28.30	52.14	33.47	8.00	6.99	193.02	12.50	2.53	
	灣內站	0:00	29.01	51.59	33.13	7.84	6.65	195.60	6.96	6.02
		3:00	28.73	51.85	33.29	7.89	6.40	192.33	6.25	8.49
		6:00	28.60	51.93	33.34	7.84	6.98	188.86	6.03	9.92
		9:00	28.71	51.92	33.33	7.87	7.29	189.96	7.06	11.32
		12:00	29.17	51.78	33.24	7.83	6.24	190.87	6.80	8.12
		15:00	29.56	51.76	33.23	7.94	6.78	188.35	9.10	5.78
18:00		29.73	51.22	32.90	7.87	6.24	191.95	7.52	4.59	
21:00		29.36	51.81	33.26	7.89	6.36	190.39	6.87	7.63	
日平均	29.11	51.73	33.22	7.87	6.62	191.04	7.07	7.73		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 28 日	蚵殼站	0:00	29.04	52.23	33.52	7.82	5.42	204.17	3.22	4.82
		3:00	28.86	52.23	33.52	7.82	5.02	191.54	2.39	6.62
		6:00	28.68	51.92	33.33	7.84	5.34	200.52	2.21	5.80
		9:00	28.59	51.75	33.23	7.85	5.81	210.97	3.11	8.20
		12:00	28.36	51.26	32.92	7.84	5.62	215.60	5.27	6.49
		15:00	28.00	50.23	32.28	7.98	7.18	195.45	4.22	6.60
		18:00	28.06	50.53	32.47	7.99	6.96	189.96	4.52	6.32
		21:00	27.95	49.31	31.71	7.83	5.87	198.43	3.38	4.37
	日平均	28.44	51.18	32.87	7.87	5.90	200.83	3.54	6.15	
	潮口站	0:00	28.63	52.19	33.50	7.95	6.41	180.53	4.53	2.13
		3:00	28.40	51.99	33.37	7.95	5.93	201.66	5.73	2.17
		6:00	27.73	52.52	33.70	8.00	6.95	188.21	7.00	2.26
		9:00	27.85	52.36	33.60	8.01	7.12	189.29	4.47	2.16
		12:00	28.02	51.87	33.30	8.06	7.93	192.52	5.40	2.21
		15:00	27.87	50.38	32.38	8.02	7.68	195.59	7.39	5.23
		18:00	27.85	45.52	29.37	8.00	7.00	192.38	15.49	4.39
		21:00	27.56	51.62	33.15	8.03	7.20	192.68	25.17	3.56
	日平均	27.99	51.06	32.80	8.00	7.03	191.61	9.40	3.01	
	灣內站	0:00	29.01	51.89	33.31	7.85	5.96	184.49	6.62	4.13
		3:00	28.65	51.94	33.34	7.90	5.41	192.53	6.54	7.03
		6:00	28.49	51.98	33.37	7.84	6.34	185.16	6.64	10.39
		9:00	28.51	51.98	33.37	7.85	7.80	180.74	7.22	8.59
		12:00	28.34	51.32	32.96	7.83	6.17	188.04	7.92	6.04
		15:00	28.27	50.38	32.38	7.91	6.57	190.08	8.93	4.46
18:00		27.98	44.55	28.77	7.79	6.21	199.36	6.81	3.02	
21:00		28.15	50.84	32.66	7.84	6.30	190.38	7.86	4.95	
日平均	28.43	50.61	32.52	7.85	6.35	188.85	7.32	6.08		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 29 日	蚵殼站	0:00	27.79	49.59	31.89	7.79	5.58	189.88	3.08	10.24
		3:00	27.63	49.34	31.73	7.76	5.20	185.56	2.92	4.75
		6:00	27.61	49.62	31.91	7.83	5.83	184.81	3.94	6.75
		9:00	28.13	51.24	32.91	7.89	6.06	211.82	4.02	5.49
		12:00	28.60	51.49	33.06	7.78	5.78	193.13	4.15	6.33
		15:00	28.92	50.74	32.60	8.07	7.58	187.74	4.30	9.90
		18:00	28.09	50.72	32.59	8.06	7.37	201.76	4.75	7.75
		21:00	29.70	50.67	32.56	7.94	7.11	220.11	4.71	6.69
		日平均	28.31	50.43	32.41	7.89	6.31	196.85	3.98	7.24
	潮口站	0:00	28.58	52.07	33.42	8.00	6.84	176.34	26.09	3.93
		3:00	27.37	51.01	32.77	7.99	7.02	179.69	14.06	3.03
		6:00	27.18	50.68	32.56	7.99	6.99	181.72	13.95	2.92
		9:00	28.73	51.31	32.95	8.07	8.07	182.44	20.36	2.88
		12:00	29.26	50.64	32.54	8.09	8.80	174.11	19.34	2.89
		15:00	29.79	51.47	33.05	8.07	8.35	183.29	16.56	3.76
		18:00	28.28	50.61	32.52	8.00	7.06	191.22	28.24	4.39
		21:00	28.50	51.33	32.97	7.98	6.69	186.28	22.01	5.03
		日平均	28.46	51.14	32.85	8.02	7.48	181.89	20.08	3.60
	灣內站	0:00	27.89	51.30	32.95	7.74	6.11	183.16	5.88	2.06
		3:00	27.60	50.22	32.28	7.77	5.42	180.19	5.93	3.02
		6:00	27.73	50.19	32.26	7.84	5.88	182.96	6.06	8.30
		9:00	27.85	50.46	32.43	7.85	7.90	177.46	6.60	3.78
		12:00	28.92	50.34	32.35	7.80	6.27	181.08	7.30	6.58
		15:00	27.27	50.49	32.45	7.86	7.21	184.44	9.57	5.03
		18:00	27.47	50.46	32.43	7.96	7.00	183.79	8.12	3.30
		21:00	27.23	50.47	32.43	8.01	6.12	186.01	6.69	5.95
		日平均	27.75	50.49	32.45	7.85	6.49	182.39	7.02	4.75
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 30 日	蚵殼站	0:00	28.08	50.47	32.43	7.98	6.69	193.91	4.12	6.76
		3:00	27.23	50.52	32.46	7.92	6.48	185.01	3.62	6.71
		6:00	27.82	50.49	32.45	7.95	7.96	193.41	6.89	7.08
		9:00	28.69	50.56	32.49	8.00	8.96	203.02	5.37	5.36
		12:00	29.67	50.70	32.58	8.10	11.20	191.25	6.15	5.39
		15:00	28.97	50.79	32.63	8.12	11.11	204.04	10.82	5.75
		18:00	28.14	50.77	32.62	8.13	10.39	208.45	5.33	4.52
		21:00	29.75	50.72	32.59	8.09	9.70	221.60	6.61	6.49
		日平均	28.54	50.63	32.53	8.04	9.06	200.09	6.11	6.01
	潮口站	0:00	28.61	50.46	32.43	7.90	6.55	186.31	20.48	2.04
		3:00	27.05	51.11	32.83	7.98	7.64	202.47	15.09	2.08
		6:00	26.88	51.17	32.87	7.93	6.76	179.63	8.96	2.13
		9:00	29.05	51.00	32.76	8.07	8.52	178.42	13.95	2.21
		12:00	29.29	51.11	32.83	8.05	8.61	187.30	11.76	3.05
		15:00	29.03	51.55	33.10	8.06	8.36	188.94	10.86	4.67
		18:00	27.61	51.34	32.97	8.05	8.11	194.02	16.79	3.82
		21:00	28.65	51.22	32.90	8.04	8.06	196.60	19.34	2.69
		日平均	28.27	51.12	32.84	8.01	7.83	189.21	14.65	2.84
	灣內站	0:00	28.03	50.42	32.40	7.99	5.18	181.12	6.04	6.80
		3:00	27.18	50.47	32.43	8.02	6.13	190.13	6.55	9.13
		6:00	27.77	50.44	32.41	7.97	6.45	179.06	5.75	4.01
		9:00	28.64	50.51	32.46	8.01	8.73	175.14	6.72	6.03
		12:00	29.62	50.65	32.54	8.13	6.66	182.08	8.13	4.50
		15:00	28.92	50.74	32.60	8.07	6.61	177.88	9.43	9.68
		18:00	28.09	50.72	32.59	8.06	6.40	189.70	7.70	6.04
		21:00	29.70	50.67	32.56	7.94	6.14	194.41	7.80	8.98
		日平均	28.49	50.58	32.50	8.02	6.54	183.69	7.27	6.90
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
5 月 31 日	蚵殼站	0:00	29.70	50.46	32.43	7.86	7.11	190.60	3.22	7.26
		3:00	28.13	50.70	32.58	7.94	6.69	193.80	2.39	5.56
		6:00	29.02	50.82	32.65	7.95	7.09	221.05	2.21	6.84
		9:00	30.91	50.71	32.58	7.98	8.55	211.27	3.11	5.12
		12:00	30.53	50.71	32.58	8.07	8.42	216.16	5.27	11.03
		15:00	29.35	50.97	32.74	8.11	8.35	191.74	4.15	5.51
		18:00	27.94	50.97	32.74	8.08	7.38	217.09	4.30	6.63
		21:00	29.66	50.92	32.71	8.00	6.43	186.75	4.75	8.43
		日平均	29.41	50.78	32.63	8.00	7.50	203.56	3.68	7.05
	潮口站	0:00	28.17	50.85	32.67	7.85	6.86	190.87	17.75	1.20
		3:00	26.70	50.66	32.55	7.86	7.24	198.22	12.14	8.87
		6:00	27.63	50.83	32.66	7.85	6.64	193.85	0.90	5.20
		9:00	28.78	51.51	33.08	7.98	8.06	189.14	0.72	3.16
		12:00	28.83	51.47	33.05	7.96	7.72	180.22	12.14	2.59
		15:00	28.18	51.05	32.79	7.99	8.39	179.04	1.29	9.87
		18:00	27.77	51.81	33.26	7.99	8.24	190.78	9.67	1.76
		21:00	28.28	51.56	33.11	7.94	8.00	194.80	5.85	7.10
		日平均	28.04	51.22	32.90	7.93	7.64	189.62	7.56	4.97
	灣內站	0:00	29.65	50.41	32.40	7.90	5.68	181.63	7.50	9.75
		3:00	28.08	50.65	32.54	7.88	5.32	187.97	6.14	10.66
		6:00	28.97	50.77	32.62	7.90	6.14	187.38	4.99	8.03
		9:00	30.86	50.66	32.55	7.92	8.25	179.95	5.72	6.02
		12:00	30.48	50.66	32.55	8.16	8.64	183.52	5.47	10.12
		15:00	29.30	50.92	32.71	8.18	6.20	185.66	6.09	6.03
		18:00	27.89	50.92	32.71	8.14	5.72	192.06	5.48	5.03
		21:00	29.61	50.87	32.68	7.99	5.41	195.01	4.90	3.12
		日平均	29.36	50.73	32.60	8.01	6.42	186.65	5.79	7.35
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 1 日	蚵殼站	0:00	29.14	48.69	31.33	8.28	5.77	188.25	2.27	7.60
		3:00	29.43	46.76	30.14	8.25	5.23	192.05	11.08	6.81
		6:00	29.09	48.85	31.43	8.28	5.67	203.76	3.48	7.09
		9:00	28.84	48.63	31.30	8.29	6.48	201.54	2.43	4.56
		12:00	29.68	46.47	29.96	7.90	5.14	192.69	8.45	5.61
		15:00	30.75	45.54	29.38	7.81	5.34	186.51	3.53	4.29
		18:00	30.50	45.61	29.43	7.73	9.02	185.03	7.96	4.03
		21:00	29.38	48.92	31.47	8.31	6.81	188.32	4.57	8.82
		日平均	29.60	47.43	30.56	8.11	6.18	192.27	5.47	6.10
	潮口站	0:00	28.09	47.80	30.78	8.07	7.08	181.03	3.73	8.25
		3:00	28.73	46.12	29.74	8.02	7.81	184.50	4.65	6.59
		6:00	28.87	48.27	31.07	8.15	7.88	184.42	4.60	9.87
		9:00	28.97	45.81	29.55	8.05	7.12	172.17	7.53	9.93
		12:00	29.34	46.88	30.21	8.14	8.35	169.65	9.85	7.95
		15:00	30.02	46.07	29.71	8.21	11.96	172.09	7.23	9.65
		18:00	29.46	48.63	31.30	8.15	11.09	177.34	6.47	8.49
		21:00	29.24	46.14	29.75	8.17	8.33	181.58	4.49	7.19
		日平均	29.09	46.97	30.26	8.12	8.70	177.85	6.07	8.49
	灣內站	0:00	29.97	50.07	32.19	8.14	5.60	206.49	10.91	8.73
		3:00	29.34	48.58	31.26	8.18	5.68	224.44	11.68	9.39
		6:00	29.09	48.39	31.15	8.15	5.61	214.67	8.64	8.41
		9:00	30.04	50.17	32.25	8.08	5.94	206.75	7.98	12.12
		12:00	30.02	49.97	32.12	8.09	6.32	198.40	15.55	10.69
		15:00	31.49	49.95	32.11	8.22	7.09	208.93	7.75	7.76
		18:00	31.35	50.07	32.19	8.25	6.96	205.26	10.83	9.75
		21:00	29.54	48.10	30.97	8.10	5.32	212.95	8.82	10.47
		日平均	30.11	49.41	31.78	8.15	6.07	209.74	10.27	9.67
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 2 日	蚵殼站	0:00	30.62	45.38	29.28	7.69	7.53	186.92	4.66	4.48
		3:00	30.32	45.55	29.39	7.82	7.16	186.60	5.96	5.47
		6:00	30.29	45.71	29.49	7.78	8.12	181.20	1.97	7.86
		9:00	29.68	46.47	29.96	7.90	7.74	184.79	1.78	7.21
		12:00	29.55	49.56	31.87	8.34	8.28	194.55	22.11	4.50
		15:00	29.87	49.24	31.67	8.38	7.74	189.11	1.71	5.66
		18:00	29.55	49.13	31.60	8.32	7.16	195.75	7.91	5.14
		21:00	29.38	48.92	31.47	8.31	6.81	199.72	10.40	4.10
		日平均	29.91	47.50	30.59	8.07	7.57	189.83	7.06	5.55
	潮口站	0:00	28.73	49.23	31.67	7.97	7.48	185.53	4.09	6.48
		3:00	28.73	50.85	32.67	8.02	7.81	190.08	6.27	9.54
		6:00	29.99	47.27	30.45	8.26	10.86	188.12	5.16	5.63
		9:00	30.06	49.60	31.90	8.30	10.60	177.73	6.35	4.39
		12:00	28.74	47.22	30.42	8.09	8.31	175.31	9.25	4.89
		15:00	28.54	49.22	31.66	8.09	8.15	178.74	7.80	4.78
		18:00	29.39	49.85	32.05	8.19	9.00	181.55	7.27	4.54
		21:00	29.24	49.15	31.62	8.17	8.33	184.04	7.29	5.08
		日平均	29.18	49.05	31.56	8.14	8.82	182.64	6.69	5.67
	灣內站	0:00	31.19	50.06	32.18	7.82	5.76	213.05	8.90	8.07
		3:00	30.61	50.07	32.19	8.05	6.92	219.84	17.61	7.04
		6:00	30.39	50.22	32.28	8.05	5.93	207.82	6.88	9.64
		9:00	30.04	50.17	32.25	8.08	5.35	196.47	10.50	8.71
		12:00	30.02	49.97	32.12	8.09	5.97	223.59	23.68	10.63
		15:00	30.12	49.72	31.97	8.18	6.83	199.80	8.94	8.79
		18:00	29.98	49.30	31.71	8.17	6.57	192.13	5.05	6.53
		21:00	29.54	48.10	30.97	8.10	6.35	206.35	9.44	8.83
		日平均	30.24	49.70	31.96	8.07	6.21	207.38	11.38	8.53
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 3 日	蚵殼站	0:00	29.14	48.69	31.33	8.28	5.77	202.02	5.79	6.88
		3:00	29.09	48.85	31.43	8.28	5.33	198.26	2.21	13.57
		6:00	28.84	48.63	31.30	8.29	5.64	196.14	1.68	13.54
		9:00	28.95	48.13	30.99	8.27	6.10	197.87	5.53	6.90
		12:00	30.00	48.15	31.00	8.28	6.72	195.14	0.27	8.40
		15:00	29.88	48.96	31.50	8.40	7.52	186.53	4.79	7.67
		18:00	29.68	46.30	29.85	8.23	5.96	189.53	4.26	8.12
		21:00	29.25	45.17	29.15	8.14	5.23	194.46	2.36	5.99
		日平均	29.35	47.86	30.82	8.27	6.03	194.99	3.36	8.88
	潮口站	0:00	28.01	51.25	32.92	8.09	7.69	180.98	4.32	5.37
		3:00	27.78	50.98	32.75	8.08	7.51	187.40	6.43	5.91
		6:00	28.53	49.41	31.78	8.15	8.03	188.38	4.27	5.45
		9:00	28.87	48.93	31.48	8.15	7.88	176.04	6.64	6.95
		12:00	28.97	46.19	29.78	8.05	7.12	171.57	6.87	7.42
		15:00	28.24	48.61	31.28	8.07	7.42	174.77	5.59	7.67
		18:00	29.27	48.71	31.34	8.16	8.86	172.73	3.94	7.29
		21:00	29.51	48.07	30.95	8.16	8.13	176.62	4.59	5.52
		日平均	28.65	49.02	31.54	8.11	7.83	178.56	5.33	6.45
	灣內站	0:00	29.46	48.17	31.01	8.10	5.43	204.41	9.23	6.87
		3:00	29.34	48.58	31.26	8.18	6.39	204.77	8.40	7.34
		6:00	29.09	48.39	31.15	8.15	6.01	189.33	8.31	8.04
		9:00	28.80	45.81	29.55	8.11	6.57	207.30	7.62	6.13
		12:00	29.98	43.04	27.83	8.05	7.18	189.62	10.13	11.69
		15:00	30.67	44.10	28.49	8.11	7.09	180.56	5.90	11.11
		18:00	30.44	45.59	29.41	7.98	6.55	155.55	6.52	10.10
		21:00	30.29	44.38	28.66	8.03	5.96	201.51	5.50	9.07
		日平均	29.76	46.01	29.67	8.09	6.40	191.63	7.70	8.79
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 4 日	蚵殼站	0:00	29.43	46.76	30.14	8.25	6.48	197.16	6.80	5.96
		3:00	29.21	47.95	30.87	8.18	5.14	192.17	6.01	8.37
		6:00	28.65	46.23	29.81	8.13	5.34	187.17	11.69	6.92
		9:00	29.00	45.70	29.48	8.19	6.28	190.15	8.06	6.82
		12:00	29.82	45.67	29.46	8.39	9.09	195.40	3.96	5.98
		15:00	30.01	46.48	29.96	8.49	10.26	185.77	8.95	3.68
		18:00	29.22	45.57	29.40	8.23	7.15	188.62	19.66	5.29
		21:00	29.22	45.52	29.37	8.31	6.62	191.29	13.28	3.00
	日平均	29.32	46.24	29.81	8.27	7.05	190.97	9.80	5.75	
	潮口站	0:00	28.09	47.77	30.76	8.07	7.08	178.64	6.70	6.17
		3:00	27.45	46.09	29.72	8.00	7.17	178.95	7.44	7.56
		6:00	28.09	48.24	31.05	8.03	7.27	183.94	7.33	6.98
		9:00	28.83	45.78	29.53	8.06	7.85	174.38	6.26	3.94
		12:00	29.34	46.85	30.19	8.14	8.35	168.33	5.11	3.18
		15:00	28.37	46.04	29.69	8.04	7.61	167.81	5.52	4.52
		18:00	28.43	48.60	31.28	8.07	8.03	163.07	4.64	5.62
		21:00	28.89	46.11	29.73	8.09	8.21	166.08	3.42	4.11
	日平均	28.44	46.94	30.24	8.06	7.70	172.65	5.80	5.26	
	灣內站	0:00	29.97	45.79	29.54	8.14	7.31	200.25	11.32	9.54
		3:00	29.98	47.58	30.64	7.94	6.56	182.40	6.65	8.66
		6:00	29.63	47.35	30.50	8.07	6.82	198.06	17.34	11.24
		9:00	29.29	42.98	27.80	8.07	8.25	179.88	15.87	12.39
		12:00	29.87	42.19	27.31	8.18	5.25	230.79	8.68	12.33
		15:00	29.91	43.40	28.06	8.33	7.15	197.36	14.97	11.23
18:00		29.78	44.92	29.00	8.09	7.08	218.15	18.61	10.15	
21:00		29.28	44.12	28.50	8.03	7.75	208.59	13.59	10.27	
日平均	29.71	44.79	28.92	8.11	7.02	201.94	13.38	10.73		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 5 日	蚵殼站	0:00	28.76	45.27	29.21	8.29	7.40	207.40	5.51	4.82
		3:00	28.37	46.25	29.82	8.14	5.23	195.73	0.06	6.32
		6:00	29.10	48.48	31.20	8.13	5.67	208.14	12.43	7.61
		9:00	29.11	46.72	30.11	8.32	6.48	209.78	9.55	2.26
		12:00	29.13	45.28	29.22	8.46	6.57	198.01	9.02	1.68
		15:00	29.49	46.94	30.25	8.46	8.95	199.56	17.85	4.64
		18:00	29.55	47.04	30.31	8.49	10.75	205.54	6.19	6.26
		21:00	29.44	46.60	30.04	8.49	9.89	209.59	17.18	6.69
	日平均	29.12	46.57	30.02	8.35	7.62	204.22	9.72	5.04	
	潮口站	0:00	28.23	49.20	31.65	8.11	6.36	172.46	4.11	3.36
		3:00	27.55	50.82	32.65	8.04	6.86	171.60	6.22	4.74
		6:00	27.79	47.24	30.43	8.13	8.60	169.70	4.06	5.48
		9:00	28.24	46.54	30.00	8.28	11.00	175.75	6.43	4.16
		12:00	28.75	47.85	30.81	8.23	9.67	179.82	6.66	3.61
		15:00	28.01	48.47	31.20	8.12	8.29	177.82	5.38	4.77
		18:00	28.05	48.76	31.38	8.09	8.26	195.72	3.73	5.79
		21:00	28.74	47.73	30.74	8.22	9.37	200.97	4.38	5.15
	日平均	28.17	48.33	31.11	8.15	8.55	180.48	5.12	4.63	
	灣內站	0:00	28.78	44.76	28.90	8.06	7.67	228.48	22.08	11.74
		3:00	28.68	45.24	29.20	7.99	6.69	223.53	10.64	10.00
		6:00	29.53	47.43	30.55	7.96	6.30	212.51	5.36	11.15
		9:00	29.31	46.64	30.06	8.09	6.92	207.72	10.09	10.24
		12:00	29.44	44.44	28.70	8.50	8.04	220.56	10.76	12.24
		15:00	29.61	44.55	28.77	8.46	7.67	201.97	13.73	8.81
18:00		29.48	45.01	29.05	8.32	7.54	216.65	9.55	9.86	
21:00		29.55	45.05	29.08	8.31	7.62	201.77	8.80	9.74	
日平均	29.30	45.39	29.29	8.21	7.31	214.15	11.38	10.47		
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

112 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 6 日	蚵殼站	0:00	29.07	46.20	29.79	8.49	8.18	204.65	1.14	4.00
		3:00	28.72	49.23	31.67	8.14	8.27	226.07	7.67	3.64
		6:00	28.30	49.56	31.87	8.16	6.72	231.48	16.41	6.81
		9:00	28.44	49.41	31.78	8.29	7.35	214.62	20.28	5.71
		12:00	28.68	49.67	31.94	8.31	8.91	208.15	6.65	3.02
		15:00	28.77	49.23	31.67	8.41	11.16	213.18	17.67	5.44
		18:00	28.94	47.91	30.85	8.41	11.85	216.10	13.82	6.99
		21:00	29.00	47.98	30.89	8.27	7.76	207.17	12.12	5.59
		日平均	28.74	48.65	31.31	8.31	8.78	215.18	11.97	5.15
	潮口站	0:00	28.32	49.16	31.62	8.10	7.33	196.34	10.41	4.17
		3:00	27.77	50.62	32.53	7.98	7.01	199.20	6.55	4.52
		6:00	27.71	49.04	31.55	8.05	7.31	207.84	3.48	5.28
		9:00	28.52	45.64	29.44	8.47	9.60	206.75	6.29	4.63
		12:00	28.86	46.61	30.04	8.43	12.99	203.85	11.42	3.80
		15:00	28.41	47.94	30.87	8.25	9.66	204.07	5.92	4.18
		18:00	27.96	49.02	31.54	8.06	7.54	201.52	4.60	5.20
		21:00	28.24	48.96	31.50	8.02	7.02	207.68	5.01	5.85
		日平均	28.22	48.37	31.14	8.17	8.56	203.41	6.71	4.70
	灣內站	0:00	29.41	45.44	29.32	8.25	7.76	223.20	24.58	10.42
		3:00	29.07	47.31	30.48	8.17	7.27	244.09	10.99	10.23
		6:00	28.70	49.02	31.54	7.90	5.67	222.62	11.04	10.94
		9:00	28.99	48.45	31.18	8.11	8.34	205.65	21.33	7.85
		12:00	29.23	47.39	30.53	8.04	6.26	229.93	18.28	10.53
		15:00	29.23	46.97	30.27	8.01	8.38	220.27	24.03	12.44
		18:00	28.84	48.50	31.21	7.96	5.96	206.88	20.96	10.42
		21:00	28.70	47.98	30.89	8.05	7.41	235.34	30.52	8.05
		日平均	29.02	47.63	30.68	8.06	7.13	223.50	20.22	10.11
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 7 日	蚵殼站	0:00	28.76	47.64	30.68	8.24	6.48	154.84	7.00	6.60
		3:00	28.72	48.52	31.23	8.20	7.64	196.78	14.95	5.81
		6:00	28.36	49.21	31.65	8.11	6.49	217.88	1.39	6.09
		9:00	28.29	48.81	31.41	8.15	6.48	225.76	7.11	3.56
		12:00	29.17	48.80	31.40	8.38	7.16	209.66	13.96	4.61
		15:00	29.44	49.14	31.61	8.47	8.95	195.07	13.31	3.29
		18:00	29.87	48.25	31.06	8.49	12.66	200.55	9.47	3.03
		21:00	29.37	46.22	29.80	8.24	9.22	212.31	2.84	7.82
		日平均	29.00	48.32	31.11	8.29	8.14	201.61	8.75	5.10
	潮口站	0:00	28.08	48.99	31.52	7.99	6.26	208.00	3.52	4.51
		3:00	27.82	48.78	31.39	8.08	7.71	204.19	4.44	4.02
		6:00	27.87	48.55	31.25	8.03	5.89	198.98	4.39	4.75
		9:00	28.20	48.95	31.49	8.15	8.62	195.04	7.32	4.76
		12:00	28.53	49.43	31.79	8.19	9.60	190.47	9.64	4.24
		15:00	29.25	47.93	30.86	8.26	11.11	186.63	7.02	4.57
		18:00	28.07	48.12	30.98	8.07	7.58	186.62	6.26	4.92
		21:00	28.10	48.62	31.29	7.97	6.46	191.79	4.28	5.27
		日平均	28.24	48.67	31.32	8.09	7.90	195.22	5.86	4.63
	灣內站	0:00	28.55	47.23	30.43	8.03	7.34	207.39	17.88	6.62
		3:00	28.86	48.46	31.19	8.18	6.48	230.89	33.19	9.57
		6:00	28.80	49.17	31.63	8.00	5.94	207.88	27.35	8.29
		9:00	28.97	48.52	31.23	8.25	6.40	227.55	13.61	9.94
		12:00	29.57	47.17	30.39	8.44	6.72	192.71	20.60	6.89
		15:00	30.55	41.22	26.71	8.14	7.88	215.08	15.76	9.77
		18:00	30.41	46.20	29.79	8.28	5.51	190.41	10.23	6.56
		21:00	29.99	46.92	30.24	8.24	6.63	216.54	20.99	10.65
		日平均	29.46	46.86	30.20	8.20	6.61	211.06	19.95	8.54
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 8 日	蚵殼站	0:00	29.35	46.70	30.10	8.22	8.49	215.73	1.59	3.48
		3:00	29.16	47.02	30.30	8.26	7.69	214.08	1.38	4.47
		6:00	29.21	49.53	31.85	8.18	9.45	216.39	3.02	6.86
		9:00	29.25	49.87	32.06	8.22	8.65	217.44	5.32	6.21
		12:00	30.45	49.19	31.64	8.50	9.63	213.08	5.21	3.50
		15:00	30.25	49.71	31.96	8.50	12.92	209.31	2.17	4.66
		18:00	30.90	48.73	31.36	8.49	12.17	196.85	21.24	4.14
		21:00	31.13	48.62	31.29	8.22	11.65	196.32	23.80	3.10
		日平均	29.96	48.67	31.32	8.32	10.08	209.90	7.97	4.55
	潮口站	0:00	28.19	49.06	31.56	8.02	6.30	192.54	3.88	4.48
		3:00	27.94	50.81	32.64	8.08	7.01	200.49	6.06	4.10
		6:00	27.72	50.92	32.71	8.03	7.08	192.40	4.95	4.45
		9:00	28.57	49.21	31.65	8.24	10.80	173.99	6.14	4.63
		12:00	28.97	49.64	31.92	8.30	12.37	169.96	9.04	4.29
		15:00	29.12	49.27	31.69	8.32	12.56	174.11	7.59	4.45
		18:00	28.31	48.80	31.40	8.14	8.42	170.70	7.06	5.23
		21:00	27.71	47.85	30.81	8.04	6.95	190.35	7.08	4.89
		日平均	28.32	49.45	31.80	8.15	8.94	183.07	6.48	4.57
	灣內站	0:00	29.79	47.30	30.47	8.22	7.57	210.93	7.59	8.22
		3:00	29.57	47.24	30.43	8.22	7.06	196.93	18.56	7.06
		6:00	29.52	47.70	30.72	8.13	6.11	195.73	23.01	5.57
		9:00	29.74	48.71	31.34	8.10	5.55	188.47	19.22	9.45
		12:00	31.35	46.38	29.90	8.46	8.03	197.05	20.73	7.79
		15:00	31.86	45.60	29.42	8.46	8.75	199.67	24.38	11.74
		18:00	31.97	45.15	29.14	8.48	6.53	215.08	24.37	10.97
		21:00	31.22	47.60	30.66	8.13	6.58	202.31	23.39	10.82
		日平均	30.63	46.96	30.26	8.28	7.02	200.77	20.16	8.95
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 9 日	蚵殼站	0:00	30.99	48.52	31.23	8.49	11.37	200.23	6.94	5.64
		3:00	30.43	48.58	31.26	8.49	12.20	203.58	11.05	3.66
		6:00	29.62	49.63	31.91	8.24	9.29	214.51	15.70	6.16
		9:00	29.33	49.83	32.04	8.28	9.11	220.08	26.95	4.17
		12:00	29.81	49.52	31.85	8.38	10.21	216.42	14.12	5.89
		15:00	31.58	48.56	31.25	8.26	13.35	201.81	5.61	4.78
		18:00	31.21	48.68	31.33	8.22	12.84	195.85	11.38	7.41
		21:00	30.88	49.20	31.65	8.38	9.70	199.19	23.47	4.90
		日平均	30.48	49.07	31.57	8.34	11.01	206.46	14.40	5.33
	潮口站	0:00	28.27	47.40	30.53	8.07	6.49	189.49	4.74	4.55
		3:00	28.06	49.37	31.75	8.08	6.83	200.53	6.98	4.23
		6:00	27.02	50.91	32.71	8.09	7.29	199.98	7.24	4.25
		9:00	28.49	49.14	31.61	8.29	10.58	174.84	5.25	4.70
		12:00	29.26	49.15	31.62	8.35	12.71	185.59	8.14	4.53
		15:00	29.80	49.17	31.63	8.37	12.81	195.28	13.99	4.14
		18:00	28.90	48.85	31.43	8.23	10.09	177.39	8.53	4.82
		21:00	27.57	48.83	31.42	8.03	7.64	185.72	6.29	4.74
		日平均	28.42	49.10	31.59	8.19	9.31	188.60	7.65	4.50
	灣內站	0:00	31.12	48.02	30.92	8.03	9.20	210.31	23.52	11.64
		3:00	30.70	48.29	31.08	8.14	8.37	205.96	22.22	8.17
		6:00	30.00	48.75	31.37	8.21	7.78	205.41	24.53	10.66
		9:00	29.86	49.22	31.66	8.21	5.89	185.44	22.57	8.73
		12:00	31.64	48.27	31.07	8.40	7.12	195.92	13.04	13.91
		15:00	32.27	47.97	30.89	8.46	8.27	179.00	12.74	13.13
		18:00	31.88	48.13	30.99	8.49	5.63	185.56	11.83	7.48
		21:00	31.43	48.31	31.10	8.34	6.23	193.36	19.32	10.44
		日平均	31.11	48.37	31.14	8.29	7.31	195.12	18.72	10.52
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 10 日	蚵殼站	0:00	30.80	49.17	31.63	8.28	8.74	209.54	23.36	7.79
		3:00	30.58	49.07	31.57	8.32	8.83	207.95	10.20	3.47
		6:00	29.43	49.61	31.90	8.20	8.99	219.48	0.81	7.35
		9:00	29.71	49.61	31.90	8.04	6.53	231.67	3.29	5.30
		12:00	30.51	49.12	31.60	8.28	7.41	221.62	29.93	5.40
		15:00	30.82	49.17	31.63	8.36	11.07	208.31	39.68	3.90
		18:00	30.57	49.37	31.75	8.46	10.67	207.71	36.32	6.81
		21:00	30.55	49.50	31.83	8.24	8.91	211.02	12.19	3.95
		日平均	30.37	49.33	31.73	8.27	8.89	214.66	19.47	5.50
	潮口站	0:00	28.05	49.00	31.52	8.04	7.13	192.81	5.62	5.05
		3:00	28.23	48.98	31.51	8.12	7.15	205.65	6.15	4.59
		6:00	27.48	50.29	32.32	8.10	7.67	210.62	6.64	4.64
		9:00	28.67	48.68	31.33	8.25	8.91	197.49	4.92	5.70
		12:00	29.58	48.35	31.12	8.43	13.02	197.16	5.93	5.54
		15:00	28.32	50.15	32.24	8.16	9.48	201.08	8.74	5.15
		18:00	28.32	49.87	32.06	8.14	8.31	193.19	8.29	5.43
		21:00	27.71	50.16	32.24	8.08	7.68	193.58	7.96	5.60
		日平均	28.30	49.44	31.79	8.17	8.67	198.95	6.78	5.21
	灣內站	0:00	31.30	48.01	30.91	8.12	8.67	198.47	11.83	10.63
		3:00	30.96	48.34	31.12	8.15	7.07	170.40	18.22	7.30
		6:00	30.70	48.66	31.31	8.24	8.12	194.82	22.93	6.18
		9:00	28.63	50.58	32.50	7.94	5.82	229.94	15.23	6.11
		12:00	29.88	49.34	31.73	8.25	6.14	210.73	7.00	9.98
		15:00	30.35	48.91	31.47	8.44	6.06	161.22	13.39	8.91
		18:00	30.03	49.02	31.54	8.39	5.90	161.36	13.74	8.83
		21:00	29.85	49.11	31.59	8.19	6.09	199.21	17.89	8.93
		日平均	30.21	49.00	31.52	8.22	6.73	190.77	15.03	8.36
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 11 日	蚵殼站	0:00	30.28	49.51	31.84	8.08	7.58	216.49	17.44	6.93
		3:00	30.11	49.59	31.89	7.99	6.34	224.98	7.77	7.14
		6:00	29.79	49.32	31.72	8.08	7.95	229.35	10.74	4.30
		9:00	29.91	49.26	31.69	8.05	6.46	220.31	6.37	5.53
		12:00	30.15	49.33	31.73	8.15	7.10	222.89	11.29	5.59
		15:00	30.53	48.86	31.44	8.28	6.48	224.67	9.53	4.76
		18:00	30.42	48.82	31.41	8.44	9.69	212.28	4.05	6.64
		21:00	30.33	49.27	31.69	8.15	7.38	220.12	1.89	7.24
		日平均	30.19	49.25	31.68	8.15	7.37	221.39	8.64	6.02
	潮口站	0:00	27.81	49.22	31.66	8.03	7.28	200.54	8.30	6.33
		3:00	27.83	49.09	31.58	8.03	6.56	203.59	6.49	5.36
		6:00	27.70	50.60	32.51	8.09	7.68	204.28	9.12	4.93
		9:00	28.21	50.08	32.19	8.14	8.32	200.87	6.34	6.29
		12:00	29.55	48.82	31.41	8.38	11.90	200.75	5.68	6.90
		15:00	28.86	49.71	31.96	8.24	10.47	216.05	9.93	6.21
		18:00	29.17	49.45	31.80	8.31	11.11	205.98	9.26	5.45
		21:00	28.15	50.21	32.27	8.13	8.09	192.11	12.46	5.67
		日平均	28.41	49.65	31.92	8.17	8.93	203.02	8.45	5.89
	灣內站	0:00	30.02	49.08	31.57	7.99	5.98	197.32	9.30	10.22
		3:00	29.98	49.11	31.59	8.00	6.08	195.08	4.85	9.39
		6:00	29.70	49.18	31.64	7.95	6.33	213.83	6.64	10.99
		9:00	29.41	49.59	31.89	8.07	6.40	212.92	13.91	11.92
		12:00	30.20	49.26	31.69	8.20	6.82	207.66	5.95	13.40
		15:00	30.55	49.19	31.64	8.31	6.11	200.35	7.39	12.98
		18:00	30.46	49.25	31.68	8.36	6.72	222.88	11.25	12.80
		21:00	30.44	49.29	31.70	8.18	6.57	208.62	15.61	13.11
		日平均	30.10	49.24	31.68	8.13	6.38	207.33	9.36	11.85
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 12 日	蚵殼站	0:00	30.25	49.50	31.83	8.07	8.23	223.11	11.24	5.64
		3:00	29.99	49.38	31.76	8.11	7.91	227.08	4.43	4.89
		6:00	29.76	49.36	31.75	8.17	7.86	228.29	8.89	5.78
		9:00	29.72	49.63	31.91	8.15	7.63	230.95	5.88	7.08
		12:00	29.84	50.07	32.19	8.06	8.03	242.24	1.22	6.72
		15:00	30.19	49.31	31.72	8.25	9.83	229.51	7.48	7.76
		18:00	30.09	49.22	31.66	8.32	9.94	223.84	11.70	7.05
		21:00	29.95	49.26	31.69	8.25	9.63	222.24	9.03	3.07
	日平均	29.97	49.47	31.81	8.17	8.63	228.41	7.48	6.00	
	潮口站	0:00	28.29	49.61	31.90	8.12	7.90	158.16	9.10	5.21
		3:00	28.22	49.45	31.80	8.10	7.38	182.94	9.16	3.98
		6:00	27.99	50.57	32.50	8.08	7.41	203.16	11.43	3.55
		9:00	28.10	50.86	32.68	8.09	7.72	194.94	14.25	4.34
		12:00	28.74	50.04	32.17	8.22	9.12	168.14	7.27	5.34
		15:00	28.88	50.00	32.14	8.19	9.10	179.92	8.29	4.94
		18:00	29.73	49.14	31.61	8.25	9.49	192.85	8.45	4.29
		21:00	28.52	50.34	32.35	8.17	8.13	191.16	10.56	4.80
	日平均	28.56	50.00	32.14	8.15	8.28	183.91	9.81	4.56	
	灣內站	0:00	30.31	49.19	31.64	7.95	5.88	219.87	14.53	12.99
		3:00	30.04	49.17	31.63	7.91	6.45	220.10	14.87	13.71
		6:00	29.84	49.14	31.61	8.06	5.92	222.21	4.61	12.82
		9:00	30.12	49.23	31.67	8.08	6.59	205.43	4.71	13.20
		12:00	30.50	49.11	31.59	8.19	7.36	220.22	10.40	12.35
		15:00	30.75	48.65	31.31	8.28	6.64	194.86	12.10	11.09
		18:00	30.42	48.72	31.35	8.28	6.40	228.42	8.40	10.61
		21:00	30.03	48.88	31.45	8.20	6.71	221.93	10.39	12.30
	日平均	30.25	49.01	31.53	8.12	6.49	216.63	10.00	12.38	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 13 日	蚵殼站	0:00	29.73	49.42	31.78	8.20	9.19	225.85	8.60	7.21
		3:00	29.69	49.52	31.85	8.08	7.69	237.55	6.47	3.87
		6:00	29.50	48.65	31.31	8.10	6.48	214.57	2.58	6.23
		9:00	29.34	48.30	31.09	8.23	6.85	215.11	4.72	4.62
		12:00	29.57	48.66	31.31	8.14	6.75	231.65	8.57	9.31
		15:00	29.99	48.70	31.34	8.22	7.49	235.19	4.96	7.61
		18:00	30.15	48.98	31.51	8.24	7.78	236.79	22.16	6.69
		21:00	29.99	48.35	31.12	8.18	7.89	233.27	2.59	7.38
	日平均	29.75	48.82	31.41	8.17	7.52	228.75	7.58	6.62	
	潮口站	0:00	28.18	50.58	32.50	8.09	7.32	187.77	8.34	5.10
		3:00	28.96	49.40	31.77	8.19	7.21	174.52	5.82	4.99
		6:00	28.90	49.23	31.67	8.23	7.48	171.08	6.94	3.94
		9:00	27.77	50.84	32.66	8.09	7.65	182.32	10.52	4.52
		12:00	28.86	49.72	31.97	8.21	8.31	178.70	6.73	6.40
		15:00	29.12	49.78	32.01	8.18	8.61	180.30	7.47	6.63
		18:00	29.34	49.54	31.86	8.18	8.46	179.89	6.91	5.10
		21:00	28.50	50.35	32.36	8.08	7.41	184.28	8.74	5.41
	日平均	28.70	49.93	32.10	8.16	7.81	179.86	7.68	5.26	
	灣內站	0:00	29.85	48.93	31.48	7.94	7.32	230.50	12.94	11.84
		3:00	29.59	48.84	31.43	8.08	6.21	203.36	5.17	10.69
		6:00	29.48	48.88	31.45	8.01	6.02	232.93	9.83	9.26
		9:00	29.23	49.97	32.12	7.88	6.15	213.04	27.81	8.17
		12:00	29.61	49.14	31.61	8.04	6.33	232.86	11.52	9.74
		15:00	30.29	48.53	31.23	8.22	6.21	235.30	13.03	8.11
		18:00	30.18	47.39	30.53	8.20	6.21	239.37	8.27	9.61
		21:00	29.97	47.20	30.41	8.14	6.77	253.37	4.50	10.50
	日平均	29.78	48.61	31.28	8.06	6.40	230.09	11.63	9.74	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 14 日	蚵殼站	0:00	29.86	47.86	30.82	8.02	7.42	220.69	5.85	8.35
		3:00	29.80	47.87	30.82	8.14	7.16	224.91	5.81	8.04
		6:00	29.80	48.00	30.90	8.15	7.81	234.62	0.17	8.18
		9:00	30.11	49.60	31.90	8.12	8.24	243.52	4.58	6.79
		12:00	30.88	49.47	31.82	8.07	8.69	244.35	8.87	7.78
		15:00	31.47	49.16	31.62	8.19	9.70	238.15	11.01	7.68
		18:00	30.95	48.36	31.13	8.10	7.96	236.87	10.27	9.62
		21:00	30.92	48.07	30.95	7.86	6.88	232.78	4.60	8.02
		日平均	30.47	48.55	31.25	8.08	7.98	234.49	6.40	8.06
	潮口站	0:00	28.09	50.67	32.56	8.05	7.62	193.49	8.23	6.52
		3:00	29.20	49.06	31.56	8.17	7.35	196.96	6.61	6.77
		6:00	29.21	49.05	31.56	8.19	7.17	196.88	6.89	6.44
		9:00	28.58	49.92	32.09	8.08	8.19	184.63	9.73	6.42
		12:00	28.49	50.29	32.32	8.02	8.10	182.11	11.04	8.42
		15:00	29.31	50.16	32.24	8.09	8.57	184.55	17.80	7.86
		18:00	30.69	49.02	31.54	8.23	9.68	189.80	6.76	8.20
		21:00	29.66	49.52	31.85	8.11	8.54	194.04	9.11	7.86
		日平均	29.15	49.71	31.97	8.12	8.15	190.31	9.52	7.31
	灣內站	0:00	30.04	48.15	31.00	8.13	6.79	250.31	4.85	10.87
		3:00	29.94	48.86	31.44	7.81	5.23	218.09	11.17	11.77
		6:00	29.93	48.73	31.36	8.00	6.15	230.15	10.04	6.96
		9:00	30.38	47.86	30.82	8.24	5.90	208.44	14.07	9.26
		12:00	30.82	48.11	30.97	8.26	6.05	222.98	11.48	9.66
		15:00	31.43	48.03	30.92	8.27	6.13	230.36	20.30	11.23
		18:00	32.10	47.63	30.68	8.19	6.31	251.61	5.06	10.06
		21:00	31.74	48.01	30.91	7.89	6.88	211.28	21.40	10.50
		日平均	30.80	48.17	31.01	8.10	6.18	227.90	12.30	10.04
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 15 日	蚵殼站	0:00	30.94	48.27	31.07	8.02	6.36	200.08	7.89	6.04
		3:00	30.96	48.53	31.23	7.99	6.84	200.11	8.83	5.54
		6:00	30.89	48.15	31.00	8.17	9.01	234.81	3.70	8.80
		9:00	31.30	48.14	30.99	8.22	9.14	236.32	1.25	4.70
		12:00	31.50	48.89	31.46	8.20	9.56	238.64	7.68	4.43
		15:00	31.96	49.10	31.59	8.21	10.82	232.34	13.38	4.53
		18:00	32.27	48.97	31.51	8.10	8.68	241.51	8.46	8.46
		21:00	32.02	48.94	31.49	7.94	7.40	186.92	5.98	8.63
		日平均	31.48	48.62	31.29	8.11	8.48	221.34	7.15	6.39
	潮口站	0:00	28.36	50.44	32.42	8.01	7.74	197.99	4.24	6.52
		3:00	29.76	48.77	31.38	8.09	7.84	202.54	6.35	6.77
		6:00	30.28	48.33	31.11	8.17	8.20	200.58	4.19	6.44
		9:00	29.56	49.63	31.91	8.06	8.27	190.19	6.56	6.42
		12:00	29.17	50.07	32.19	8.06	8.70	187.77	6.79	6.14
		15:00	29.60	49.71	31.96	8.09	10.16	191.20	5.51	5.15
		18:00	30.56	48.96	31.50	8.21	11.80	194.01	3.86	5.43
		21:00	30.01	49.52	31.85	8.10	9.52	196.50	4.51	5.60
		日平均	29.66	49.43	31.79	8.10	9.03	195.10	5.25	6.06
	灣內站	0:00	31.38	48.25	31.06	7.92	6.37	245.82	4.67	9.73
		3:00	31.09	48.69	31.33	7.74	6.30	236.61	12.10	10.39
		6:00	30.76	48.91	31.47	7.81	5.27	208.87	18.66	9.41
		9:00	32.00	49.76	31.99	8.02	5.86	189.98	17.80	13.12
		12:00	32.10	50.01	32.15	7.97	5.97	217.49	5.65	11.69
		15:00	32.14	50.19	32.26	8.09	5.80	194.76	20.78	8.76
		18:00	32.05	50.10	32.21	8.00	6.14	209.33	18.12	10.75
		21:00	31.56	50.25	32.30	7.76	5.76	239.92	9.50	11.47
		日平均	31.64	49.52	31.85	7.91	5.93	217.85	13.41	10.67
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 16 日	蚵殼站	0:00	31.78	48.69	31.33	7.90	6.54	224.53	4.31	4.76
		3:00	31.70	48.65	31.31	7.89	7.35	218.75	2.06	7.15
		6:00	31.45	48.54	31.24	8.06	8.10	229.79	2.56	6.31
		9:00	31.71	48.30	31.09	8.14	8.03	224.13	25.04	8.12
		12:00	31.83	48.32	31.10	8.22	11.28	212.07	3.87	8.85
		15:00	32.32	48.34	31.12	8.28	9.95	207.45	10.08	7.98
		18:00	32.23	48.45	31.18	8.13	8.14	215.50	8.39	6.45
		21:00	31.92	48.64	31.30	7.99	7.50	223.44	5.87	7.48
		日平均	31.87	48.49	31.21	8.08	8.36	219.46	7.77	7.14
	潮口站	0:00	28.69	48.59	31.27	7.97	8.64	193.44	10.54	6.33
		3:00	29.39	47.46	30.57	7.92	7.93	199.86	6.68	5.36
		6:00	30.87	47.68	30.71	8.23	9.52	200.84	3.61	4.93
		9:00	31.13	47.87	30.82	8.23	10.62	188.50	6.42	6.29
		12:00	31.06	48.45	31.18	8.20	10.68	184.03	11.55	6.90
		15:00	31.70	48.18	31.02	8.23	11.00	187.23	6.05	6.21
		18:00	31.82	47.91	30.85	8.23	11.46	185.19	4.73	5.45
		21:00	30.50	49.34	31.73	8.05	8.60	189.08	5.14	5.67
		日平均	30.65	48.19	31.02	8.13	9.81	191.02	6.84	5.89
	灣內站	0:00	31.45	50.08	32.19	7.92	5.48	205.17	13.35	9.07
		3:00	31.35	50.15	32.24	7.89	6.12	243.94	22.97	8.04
		6:00	31.12	50.53	32.47	8.07	5.58	223.96	5.95	10.64
		9:00	30.96	50.76	32.61	8.12	5.80	214.13	9.75	9.71
		12:00	31.23	50.76	32.61	8.10	5.92	235.12	11.34	11.63
		15:00	31.64	50.90	32.70	8.11	6.25	237.67	15.23	9.79
		18:00	31.73	51.00	32.76	8.00	5.70	224.39	9.43	7.53
		21:00	31.47	50.75	32.61	7.84	5.44	224.20	5.60	9.83
		日平均	31.37	50.62	32.52	8.01	5.79	226.07	11.70	9.53
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 17 日	蚵殼站	0:00	31.75	48.55	31.25	8.07	8.20	220.02	15.16	3.46
		3:00	31.47	48.90	31.46	7.88	6.93	223.65	9.61	5.40
		6:00	31.29	48.66	31.31	7.97	6.84	220.21	10.56	4.02
		9:00	31.54	48.36	31.13	8.09	8.21	225.83	7.42	6.64
		12:00	32.21	48.61	31.28	8.13	9.22	215.02	3.79	3.46
		15:00	32.61	48.75	31.37	8.16	9.50	199.36	1.72	5.24
		18:00	32.53	48.74	31.36	7.96	8.35	198.99	1.48	3.26
		21:00	32.19	48.71	31.34	7.87	8.10	205.11	4.97	5.76
		日平均	31.95	48.66	31.31	8.02	8.17	213.52	6.84	4.66
	潮口站	0:00	28.58	48.99	31.52	7.93	8.10	191.10	3.65	5.21
		3:00	29.05	47.51	30.60	7.86	7.57	191.41	4.57	3.98
		6:00	30.17	47.72	30.73	8.02	8.31	196.40	4.52	3.55
		9:00	30.88	47.91	30.85	8.13	9.23	186.84	7.45	4.34
		12:00	30.24	49.20	31.65	8.06	9.00	180.79	9.77	5.34
		15:00	30.75	49.08	31.57	8.10	9.85	180.27	7.15	4.94
		18:00	32.10	47.88	30.83	8.24	11.66	175.53	6.39	4.29
		21:00	31.13	48.77	31.38	8.13	9.20	178.54	4.41	4.80
		日平均	30.36	48.38	31.14	8.06	9.12	185.11	5.99	4.56
	灣內站	0:00	31.16	50.88	32.69	7.80	5.98	226.37	5.78	10.79
		3:00	31.09	51.01	32.77	7.79	5.85	234.07	8.93	7.01
		6:00	31.03	50.88	32.69	7.96	5.44	234.22	3.99	7.12
		9:00	31.03	50.77	32.62	8.04	6.07	252.99	11.86	6.89
		12:00	31.28	50.75	32.61	8.12	5.86	231.70	14.67	8.48
		15:00	31.55	50.73	32.60	8.18	6.19	241.64	8.32	6.81
		18:00	31.40	50.89	32.69	8.03	6.24	233.13	14.06	6.68
		21:00	31.36	51.16	32.86	7.89	5.76	235.04	4.62	8.09
		日平均	31.24	50.88	32.69	7.98	5.92	236.15	9.03	7.73
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 18 日	蚵殼站	0:00	31.93	48.80	31.40	7.98	7.94	214.11	11.40	4.08
		3:00	31.65	48.77	31.38	7.94	8.00	220.36	10.99	7.82
		6:00	31.50	49.09	31.58	8.13	8.49	220.67	16.97	6.44
		9:00	32.16	49.06	31.56	8.22	9.43	225.84	20.88	4.08
		12:00	32.58	49.25	31.68	8.08	8.88	220.08	13.70	6.45
		15:00	32.48	49.40	31.77	8.17	9.25	211.48	25.66	8.79
		18:00	32.12	48.56	31.25	7.97	7.92	201.52	16.88	3.43
		21:00	32.15	48.48	31.20	7.92	6.06	213.25	26.01	4.35
		日平均	32.07	48.93	31.48	8.05	8.25	215.91	17.81	5.68
	潮口站	0:00	29.04	50.74	32.60	7.95	8.13	184.92	4.01	5.10
		3:00	29.35	50.49	32.45	7.95	7.09	184.06	6.19	4.99
		6:00	31.20	48.30	31.09	8.25	9.22	182.16	5.08	3.94
		9:00	31.60	48.61	31.28	8.16	7.66	188.21	6.27	4.52
		12:00	30.93	49.22	31.66	8.09	7.87	192.28	9.17	6.40
		15:00	30.18	48.37	31.13	8.04	8.20	190.28	7.72	6.63
		18:00	30.27	49.83	32.04	8.08	8.57	208.18	7.19	5.10
		21:00	31.67	49.08	31.57	8.20	9.09	213.43	7.21	5.41
		日平均	30.53	49.33	31.73	8.09	8.23	192.94	6.61	5.26
	灣內站	0:00	31.23	51.06	32.80	7.97	6.37	240.72	11.66	8.73
		3:00	31.06	51.11	32.83	7.78	5.98	230.07	13.07	11.82
		6:00	31.04	51.04	32.79	7.87	6.29	228.06	16.67	7.81
		9:00	31.09	51.11	32.83	7.99	6.94	215.61	5.95	9.89
		12:00	31.75	50.33	32.35	8.03	6.65	231.70	6.84	9.74
		15:00	31.89	50.39	32.38	8.06	6.93	251.72	10.21	6.59
		18:00	31.99	50.36	32.37	7.86	7.37	239.60	15.40	8.41
		21:00	32.39	50.26	32.30	7.77	7.50	207.93	3.75	6.79
		日平均	31.56	50.71	32.58	7.92	6.75	230.68	10.44	8.72
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 19 日	蚵殼站	0:00	32.04	49.05	31.56	7.97	6.58	216.00	15.42	6.27
		3:00	31.62	49.47	31.82	7.87	6.66	214.78	21.12	5.04
		6:00	31.66	49.48	31.82	7.95	6.35	221.23	24.64	8.99
		9:00	32.14	49.42	31.78	8.05	7.24	225.49	18.69	7.84
		12:00	32.73	49.47	31.82	8.15	8.71	230.50	7.26	10.63
		15:00	33.14	49.46	31.81	8.13	8.57	213.45	10.91	11.93
		18:00	32.97	49.43	31.79	8.12	8.16	208.43	7.66	3.04
		21:00	32.61	49.54	31.86	8.00	7.22	220.75	11.76	6.71
		日平均	32.36	49.42	31.78	8.03	7.44	218.83	14.68	7.56
	潮口站	0:00	29.57	50.55	32.48	8.05	8.33	208.80	4.87	6.52
		3:00	29.02	49.82	32.03	7.99	7.59	211.66	7.11	6.77
		6:00	29.88	47.04	30.31	8.14	7.80	220.30	7.37	6.44
		9:00	31.45	47.35	30.50	8.25	8.70	219.21	5.38	6.42
		12:00	31.97	48.42	31.16	8.32	9.61	216.31	8.27	8.42
		15:00	30.81	48.57	31.26	8.26	8.79	216.53	14.12	9.40
		18:00	30.64	49.00	31.52	8.24	8.24	213.98	8.66	4.90
		21:00	31.87	48.85	31.43	8.29	7.46	220.14	6.42	4.32
		日平均	30.65	48.70	31.34	8.19	8.32	215.87	7.78	6.65
	灣內站	0:00	31.95	50.50	32.45	7.88	5.39	192.80	5.03	7.33
		3:00	31.62	50.46	32.43	7.84	6.47	194.11	11.64	7.54
		6:00	31.50	50.39	32.38	8.03	6.55	209.88	6.13	10.45
		9:00	31.51	50.37	32.37	8.12	7.13	208.44	9.38	9.78
		12:00	31.68	50.45	32.42	7.98	6.58	176.72	10.69	8.99
		15:00	31.95	50.45	32.42	8.07	6.64	195.04	11.15	13.19
		18:00	31.94	50.50	32.45	7.87	6.76	236.81	12.81	12.94
		21:00	31.96	50.59	32.51	7.82	6.58	208.43	10.58	10.32
		日平均	31.76	50.46	32.43	7.95	6.51	202.78	9.68	10.07
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 20 日	蚵殼站	0:00	31.93	49.53	31.85	7.98	6.09	226.82	0.85	3.27
		3:00	31.56	49.84	32.04	7.88	5.74	226.57	20.49	4.27
		6:00	31.51	49.90	32.08	8.02	5.92	226.83	17.20	7.09
		9:00	31.79	49.86	32.06	8.07	7.17	228.10	14.11	4.89
		12:00	31.89	50.11	32.21	8.15	8.84	227.66	25.59	7.40
		15:00	31.93	50.29	32.32	8.14	9.13	213.16	25.96	4.07
		18:00	31.84	50.20	32.27	8.14	8.98	208.61	22.80	7.45
		21:00	31.35	50.35	32.36	8.09	8.62	208.70	18.70	3.92
		日平均	31.73	50.01	32.15	8.06	7.56	220.81	18.21	5.30
	潮口站	0:00	29.45	50.35	32.36	8.13	7.04	220.46	5.75	4.70
		3:00	29.01	50.59	32.51	8.11	6.55	216.65	6.28	4.40
		6:00	30.87	48.65	31.31	8.29	6.79	211.44	6.77	4.61
		9:00	31.57	48.44	31.18	8.30	9.01	207.50	5.05	4.82
		12:00	32.30	48.97	31.51	8.35	9.59	202.93	6.06	4.39
		15:00	30.86	49.77	32.00	8.25	8.22	199.09	8.87	3.94
		18:00	30.88	49.73	31.98	8.25	7.57	199.08	8.42	4.42
		21:00	31.90	49.12	31.60	8.29	7.11	204.25	8.09	4.87
		日平均	30.86	49.45	31.81	8.25	7.74	207.68	6.91	4.52
	灣內站	0:00	31.63	50.47	32.43	7.87	7.35	245.33	10.40	10.39
		3:00	31.26	50.53	32.47	7.77	7.12	225.63	7.11	9.54
		6:00	31.21	50.60	32.51	7.85	6.41	221.86	15.45	9.85
		9:00	31.17	50.53	32.47	7.95	6.35	228.01	14.04	9.64
		12:00	31.25	50.56	32.49	8.05	6.67	221.78	7.45	13.31
		15:00	31.23	50.62	32.53	8.03	6.23	179.05	14.79	11.82
18:00		31.18	50.76	32.61	8.02	6.50	212.99	18.36	12.86	
21:00		31.04	50.74	32.60	7.90	6.17	220.96	11.96	12.30	
日平均		31.25	50.60	32.51	7.93	6.60	219.45	12.45	11.21	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 21 日	蚵殼站	0:00	31.24	50.18	32.25	8.08	7.43	222.63	19.27	9.73
		3:00	31.14	50.25	32.30	8.09	6.83	221.75	22.29	8.94
		6:00	30.91	50.63	32.53	7.89	5.23	220.51	18.50	9.22
		9:00	30.75	50.86	32.68	7.85	5.67	228.24	16.29	6.69
		12:00	31.02	50.86	32.68	8.01	6.48	220.56	2.42	7.74
		15:00	31.43	51.00	32.76	8.02	8.02	212.85	3.94	6.42
		18:00	31.52	51.10	32.82	7.81	6.35	218.16	9.01	6.16
		21:00	31.26	50.85	32.67	7.96	6.48	220.10	18.91	10.95
		日平均	31.16	50.72	32.59	7.96	6.56	220.60	13.83	8.23
	潮口站	0:00	30.69	49.94	32.11	8.23	6.89	196.59	5.43	7.53
		3:00	29.15	50.89	32.69	8.12	6.11	192.69	7.54	7.03
		6:00	30.00	50.18	32.25	8.20	6.24	200.27	5.38	8.55
		9:00	31.18	49.55	31.86	8.31	8.68	185.16	7.75	7.90
		12:00	31.57	49.87	32.06	8.30	8.91	180.45	7.98	8.04
		15:00	31.45	49.92	32.09	8.26	7.43	177.41	6.70	6.90
		18:00	30.35	49.15	31.62	8.18	5.95	165.49	5.05	9.29
		21:00	30.99	49.78	32.01	8.24	5.39	191.43	5.70	8.46
		日平均	30.67	49.91	32.09	8.23	6.95	186.19	6.44	7.96
	灣內站	0:00	31.06	50.85	32.67	7.88	5.26	192.78	10.83	13.15
		3:00	30.93	50.81	32.64	7.78	7.02	214.34	15.85	13.80
		6:00	30.95	50.87	32.68	7.92	6.08	209.38	5.69	13.03
		9:00	31.14	50.93	32.72	7.97	5.96	203.05	10.63	10.99
		12:00	31.28	50.95	32.73	8.05	6.66	207.66	5.04	7.88
		15:00	31.34	50.76	32.61	8.04	6.23	242.10	19.45	7.84
18:00		31.36	50.82	32.65	8.04	6.42	215.75	30.87	10.07	
21:00		31.69	51.08	32.81	7.99	6.59	244.55	9.60	8.72	
日平均		31.22	50.88	32.69	7.96	6.28	216.20	13.50	10.69	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 22 日	蚵殼站	0:00	30.95	50.98	32.75	7.94	5.60	219.07	4.13	6.61
		3:00	30.88	51.11	32.83	7.82	5.23	214.09	1.19	7.60
		6:00	30.82	50.98	32.75	7.83	5.67	214.80	4.61	9.99
		9:00	30.82	50.87	32.68	7.93	6.48	226.66	0.18	9.34
		12:00	31.07	50.85	32.67	8.13	8.82	201.11	8.97	6.63
		15:00	31.34	50.83	32.66	8.17	9.44	211.85	2.19	7.79
		18:00	31.19	50.99	32.76	8.03	8.10	206.96	8.08	7.27
		21:00	31.15	51.26	32.92	7.83	5.23	217.90	1.99	6.23
		日平均	31.03	50.98	32.75	7.96	6.82	214.06	3.92	7.68
	潮口站	0:00	30.71	49.93	32.10	8.20	5.20	181.96	11.73	5.62
		3:00	28.65	51.07	32.81	8.13	5.69	188.71	7.87	6.19
		6:00	29.13	50.75	32.61	8.13	5.20	179.22	4.80	8.09
		9:00	30.45	50.05	32.17	8.27	8.78	167.38	7.61	10.15
		12:00	31.10	49.98	32.13	8.28	8.91	208.92	12.74	6.11
		15:00	31.47	49.89	32.08	8.25	5.91	203.10	7.24	5.88
		18:00	30.51	50.37	32.37	8.20	5.95	193.50	5.92	7.58
		21:00	31.03	50.01	32.15	8.20	5.39	194.63	6.33	8.39
		日平均	30.38	50.26	32.30	8.21	6.38	189.68	8.03	7.25
	灣內站	0:00	31.63	51.06	32.80	7.98	5.74	227.48	6.64	9.36
		3:00	31.33	50.79	32.63	7.99	6.85	225.64	9.92	10.47
		6:00	31.22	50.75	32.61	7.79	5.27	213.93	31.58	10.13
		9:00	31.17	50.53	32.47	7.75	5.97	211.79	12.37	11.35
		12:00	31.25	50.56	32.49	7.91	6.21	194.96	11.99	8.65
		15:00	31.75	50.33	32.35	7.92	6.34	171.02	8.97	10.02
		18:00	31.40	50.89	32.69	7.71	6.10	192.50	24.56	12.29
		21:00	31.36	51.16	32.86	7.86	5.92	225.62	11.98	10.22
		日平均	31.39	50.76	32.61	7.86	6.05	207.87	14.75	10.31
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 23 日	蚵殼站	0:00	31.02	51.16	32.86	8.15	6.48	221.97	2.48	9.01
		3:00	30.85	51.21	32.89	8.27	5.23	230.10	2.25	15.70
		6:00	30.83	51.14	32.85	8.28	5.67	208.48	1.59	15.67
		9:00	30.88	51.21	32.89	8.25	6.48	198.40	3.10	9.03
		12:00	31.54	50.43	32.41	8.20	8.25	203.14	9.33	10.53
		15:00	31.68	50.49	32.45	8.32	9.16	186.15	0.84	9.80
		18:00	31.78	50.46	32.43	8.23	9.05	185.75	9.92	10.25
		21:00	32.18	50.36	32.37	7.99	7.83	182.45	0.93	8.12
		日平均	31.35	50.81	32.64	8.21	7.27	202.06	3.81	11.01
	潮口站	0:00	30.86	50.14	32.23	8.15	5.20	185.11	4.84	5.04
		3:00	29.18	50.94	32.73	8.13	5.69	184.90	5.76	4.18
		6:00	28.68	51.06	32.80	8.13	6.48	182.78	5.71	5.38
		9:00	31.26	50.26	32.30	8.23	8.43	176.02	5.18	8.47
		12:00	31.64	50.39	32.38	8.27	9.49	182.55	8.11	7.34
		15:00	31.85	50.40	32.39	8.26	9.43	190.16	6.59	6.43
		18:00	30.48	50.17	32.25	8.19	8.11	193.00	7.95	8.36
		21:00	30.66	49.59	31.89	8.20	8.33	195.32	6.96	9.29
		日平均	30.58	50.37	32.37	8.20	7.65	186.23	6.39	6.81
	灣內站	0:00	32.14	49.43	31.79	7.84	6.15	205.99	9.67	13.29
		3:00	31.77	49.74	31.98	7.72	6.20	216.00	8.91	14.46
		6:00	31.72	49.80	32.02	7.73	6.21	216.79	24.36	12.19
		9:00	31.14	50.87	32.68	7.83	6.39	202.63	16.59	12.09
		12:00	31.80	51.10	32.82	8.10	5.91	185.92	17.79	10.08
		15:00	32.72	50.05	32.17	8.08	6.01	212.54	13.53	9.95
		18:00	32.63	50.77	32.62	8.18	6.34	211.59	11.91	9.34
		21:00	32.32	50.83	32.66	8.19	5.39	208.68	8.25	9.81
		日平均	32.03	50.32	32.34	7.96	6.08	207.52	13.88	11.40
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 24 日	蚵殼站	0:00	31.74	50.60	32.51	8.15	6.67	193.68	7.84	8.09
		3:00	31.41	50.56	32.49	8.12	7.19	188.35	7.07	10.50
		6:00	31.29	50.49	32.45	8.30	7.02	199.01	17.49	9.05
		9:00	31.30	50.47	32.43	8.35	7.69	195.43	6.78	8.95
		12:00	31.47	50.55	32.48	8.33	7.84	216.06	2.66	8.11
		15:00	31.74	50.55	32.48	8.34	9.98	213.12	2.66	5.81
		18:00	31.73	50.60	32.51	8.23	9.49	221.11	10.02	7.42
		21:00	31.75	50.69	32.57	8.07	7.48	199.14	4.54	5.13
	日平均	31.55	50.56	32.49	8.24	7.92	203.24	7.38	7.88	
	潮口站	0:00	31.15	50.16	32.24	8.20	8.23	188.70	5.17	10.36
		3:00	29.88	51.01	32.77	8.15	7.58	200.39	7.27	9.19
		6:00	28.80	51.54	33.10	8.15	7.97	185.19	9.98	7.90
		9:00	30.82	50.48	32.44	8.22	8.74	187.43	7.38	11.50
		12:00	31.57	50.38	32.38	8.26	9.72	186.52	13.78	7.04
		15:00	31.90	50.39	32.38	8.30	10.43	188.37	11.19	8.18
		18:00	30.86	50.86	32.68	8.20	8.45	183.72	11.32	9.38
		21:00	30.53	49.93	32.10	8.18	8.19	194.33	11.69	4.45
	日平均	30.69	50.59	32.51	8.21	8.66	189.33	9.72	8.50	
	灣內站	0:00	31.80	50.83	32.66	8.20	5.48	201.96	5.14	12.15
		3:00	31.39	50.97	32.74	8.19	5.77	181.98	5.70	12.80
		6:00	31.25	50.81	32.64	8.23	5.66	228.82	8.11	12.03
		9:00	31.43	50.89	32.69	8.18	6.41	192.24	13.13	9.99
		12:00	31.93	51.12	32.84	8.13	5.86	184.34	14.48	6.88
		15:00	32.69	50.33	32.35	8.14	5.79	213.52	9.10	6.84
		18:00	32.83	48.73	31.36	8.16	6.41	183.91	15.12	9.07
		21:00	32.28	50.86	32.68	8.21	5.74	213.99	11.71	7.72
	日平均	31.95	50.57	32.50	8.18	5.89	200.10	10.31	9.69	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 25 日	蚵殼站	0:00	31.42	50.57	32.50	8.03	8.24	192.86	14.29	6.95
		3:00	31.05	50.63	32.53	8.02	8.42	196.87	17.81	8.45
		6:00	31.00	50.70	32.58	8.19	7.87	172.93	19.11	9.74
		9:00	30.96	50.63	32.53	8.27	8.21	208.02	7.70	4.39
		12:00	31.04	50.66	32.55	8.35	9.36	197.44	4.64	3.81
		15:00	31.02	50.72	32.59	8.41	9.99	211.84	10.66	6.77
		18:00	30.97	50.86	32.68	8.26	9.46	197.71	1.99	8.39
		21:00	30.83	50.84	32.66	8.12	7.42	214.53	16.54	8.82
	日平均	31.04	50.70	32.58	8.21	8.62	199.03	11.59	7.17	
	潮口站	0:00	31.24	50.28	32.32	8.24	8.78	177.90	11.14	4.96
		3:00	30.31	50.31	32.34	8.15	7.59	187.19	15.94	4.46
		6:00	29.51	51.23	32.90	8.15	7.58	182.15	30.66	3.18
		9:00	30.11	50.98	32.75	8.17	7.80	193.53	24.58	3.70
		12:00	31.14	50.59	32.51	8.23	8.76	181.44	22.19	3.90
		15:00	31.37	50.51	32.46	8.28	9.00	187.59	24.37	3.31
		18:00	30.95	50.68	32.56	8.22	7.93	183.38	20.82	3.68
		21:00	30.56	50.98	32.75	8.15	7.04	191.23	19.57	4.44
	日平均	30.65	50.70	32.57	8.20	8.06	185.55	21.16	3.95	
	灣內站	0:00	31.49	50.95	32.73	8.15	7.03	199.39	7.65	8.36
		3:00	30.81	51.36	32.99	8.06	7.45	169.57	8.98	9.47
		6:00	30.80	51.22	32.90	8.01	7.03	195.12	6.68	9.13
		9:00	30.74	51.32	32.96	8.08	6.15	217.99	7.41	10.35
		12:00	30.74	51.50	33.07	8.11	6.73	223.18	12.90	7.65
		15:00	30.31	51.66	33.17	8.06	7.00	185.23	15.63	9.02
		18:00	30.16	51.65	33.16	8.10	6.68	187.40	18.79	11.29
		21:00	30.53	51.52	33.08	8.08	6.45	168.04	22.24	9.22
	日平均	30.70	51.40	33.01	8.08	6.82	193.24	12.54	9.31	
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 26 日	蚵殼站	0:00	30.85	50.95	32.73	8.20	5.23	180.79	4.45	4.87
		3:00	30.72	50.91	32.71	8.01	5.67	189.07	5.32	6.40
		6:00	30.74	50.97	32.74	8.10	6.48	210.53	4.19	3.86
		9:00	30.93	51.03	32.78	8.22	5.19	185.06	5.58	5.74
		12:00	31.07	51.05	32.79	8.26	5.87	172.43	5.86	3.92
		15:00	31.13	50.86	32.68	8.29	9.61	174.34	16.74	6.72
		18:00	31.15	50.92	32.71	8.09	8.72	163.25	24.22	3.36
		21:00	31.48	51.18	32.87	8.00	5.80	205.34	8.12	3.88
		日平均	31.01	50.98	32.75	8.15	6.57	185.10	9.31	4.84
	潮口站	0:00	30.72	50.83	32.66	8.17	7.42	199.78	19.57	5.69
		3:00	30.55	50.89	32.69	8.14	6.81	201.61	25.77	4.99
		6:00	29.90	51.44	33.03	8.15	7.48	194.64	21.22	3.41
		9:00	30.13	51.37	32.99	8.14	7.32	189.70	17.21	5.11
		12:00	31.54	50.89	32.69	8.23	8.78	188.89	14.02	5.75
		15:00	31.86	50.81	32.64	8.23	8.68	169.08	18.89	3.89
		18:00	31.13	50.85	32.67	8.20	7.88	192.26	12.15	3.86
		21:00	30.37	51.10	32.82	8.14	6.83	190.68	11.60	5.50
		日平均	30.78	51.02	32.77	8.18	7.65	190.83	17.55	4.78
	灣內站	0:00	30.56	51.55	33.10	8.05	6.11	193.56	5.24	8.91
		3:00	30.45	51.66	33.17	8.05	5.78	153.48	15.94	9.53
		6:00	30.51	51.57	33.12	8.10	7.58	171.36	21.15	7.10
		9:00	31.27	50.88	32.69	8.23	6.54	198.08	23.93	6.37
		12:00	31.43	50.57	32.50	8.32	6.48	202.53	15.74	9.37
		15:00	31.47	50.66	32.55	8.35	7.08	205.39	9.71	8.72
		18:00	31.57	50.68	32.56	8.33	6.17	182.31	19.03	6.90
		21:00	31.56	50.92	32.71	8.22	5.41	208.18	22.81	7.97
		日平均	31.10	51.06	32.80	8.21	6.39	189.36	16.69	8.11
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 27 日	蚵殼站	0:00	31.42	51.16	32.86	8.00	5.23	183.36	3.99	7.17
		3:00	31.12	50.89	32.69	7.88	5.67	203.18	11.70	6.89
		6:00	31.01	50.85	32.67	7.89	6.48	162.69	21.60	5.97
		9:00	30.96	50.63	32.53	7.99	8.21	155.61	1.91	4.18
		12:00	31.04	50.66	32.55	8.19	9.36	216.05	4.21	3.38
		15:00	31.54	50.43	32.41	8.23	8.25	213.61	7.86	4.70
		18:00	31.19	50.99	32.76	8.09	8.10	197.36	18.61	4.91
		21:00	31.15	51.26	32.92	7.89	5.23	211.55	5.32	7.32
		日平均	31.18	50.86	32.67	8.02	7.07	192.93	9.40	5.57
	潮口站	0:00	30.55	51.07	32.81	8.12	7.15	184.31	9.91	4.57
		3:00	30.72	50.98	32.75	8.11	6.57	197.64	7.42	4.71
		6:00	30.00	51.18	32.87	8.14	7.07	197.28	8.92	3.59
		9:00	30.03	51.22	32.90	8.13	7.02	180.16	12.01	4.80
		12:00	31.18	51.00	32.76	8.20	8.31	193.50	12.48	4.89
		15:00	31.68	50.87	32.68	8.22	8.62	199.31	18.81	4.78
		18:00	31.26	50.93	32.72	8.21	7.67	200.53	18.51	4.54
		21:00	30.29	51.12	32.84	8.15	6.70	202.87	11.04	5.08
		日平均	30.71	51.05	32.79	8.16	7.39	194.45	12.39	4.62
	灣內站	0:00	31.42	50.87	32.68	8.25	6.21	218.46	23.95	7.63
		3:00	31.28	50.62	32.53	8.22	6.25	192.01	14.24	5.48
		6:00	31.07	50.74	32.60	8.31	5.91	191.14	5.92	10.37
		9:00	31.28	50.89	32.69	8.29	6.75	215.08	12.32	10.75
		12:00	31.34	50.87	32.68	8.33	5.77	185.54	36.96	10.00
		15:00	31.45	50.60	32.51	8.36	6.15	207.52	44.04	9.60
		18:00	31.45	50.74	32.60	8.39	7.13	206.23	43.04	9.69
		21:00	31.42	51.03	32.78	8.27	5.94	214.21	20.09	8.11
		日平均	31.34	50.80	32.63	8.30	6.26	203.77	25.07	8.95
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 28 日	蚵殼站	0:00	31.93	49.53	31.85	7.98	6.48	194.46	5.33	5.93
		3:00	31.56	49.84	32.04	7.88	5.74	213.64	4.14	4.95
		6:00	31.51	49.90	32.08	8.02	5.92	186.53	19.20	7.20
		9:00	31.79	49.86	32.06	8.07	7.17	177.88	13.78	4.71
		12:00	32.14	49.42	31.78	8.05	7.36	185.71	16.34	5.29
		15:00	32.73	49.47	31.82	8.15	8.83	226.60	8.03	3.15
		18:00	33.14	49.46	31.81	8.13	8.69	213.73	12.51	3.51
		21:00	32.97	49.43	31.79	8.12	8.28	230.87	4.58	7.28
		日平均	32.22	49.61	31.90	8.05	7.31	203.68	10.49	5.25
	潮口站	0:00	30.32	51.14	32.85	8.12	6.76	186.26	15.66	5.37
		3:00	30.70	50.99	32.76	8.10	6.69	192.92	18.41	5.91
		6:00	30.23	51.06	32.80	8.12	6.59	194.78	20.28	5.63
		9:00	29.93	51.15	32.86	8.14	7.18	199.10	22.50	4.39
		12:00	30.76	51.05	32.79	8.16	7.63	177.89	21.51	4.89
		15:00	31.23	50.95	32.73	8.18	8.26	147.28	20.74	4.78
		18:00	31.27	50.95	32.73	8.20	7.91	161.28	13.88	4.54
		21:00	30.72	50.92	32.71	8.16	7.30	192.69	10.48	5.08
		日平均	30.65	51.03	32.78	8.15	7.29	181.53	17.93	5.07
	灣內站	0:00	31.26	51.06	32.80	8.29	5.55	212.29	24.73	8.11
		3:00	31.16	50.80	32.64	8.31	5.89	196.13	11.62	9.58
		6:00	31.10	50.94	32.73	8.21	5.71	208.53	11.38	6.40
		9:00	31.27	50.88	32.69	8.23	5.98	219.30	9.97	6.48
		12:00	31.43	50.57	32.50	8.32	6.16	222.16	13.85	6.60
		15:00	31.47	50.66	32.55	8.35	5.37	214.68	7.34	7.53
		18:00	31.57	50.68	32.56	8.33	5.34	235.95	10.14	8.50
		21:00	31.56	50.92	32.71	8.22	5.50	218.94	8.95	10.83
		日平均	31.35	50.81	32.65	8.28	5.69	216.00	12.25	8.00
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 29 日	蚵殼站	0:00	32.61	49.54	31.86	8.00	7.34	209.33	0.74	3.75
		3:00	31.14	50.25	32.30	8.09	6.83	203.36	1.79	8.80
		6:00	30.91	50.63	32.53	7.89	5.23	209.54	1.83	7.72
		9:00	30.75	50.86	32.68	7.85	5.67	196.37	13.10	6.50
		12:00	31.02	50.86	32.68	8.01	6.48	219.74	13.00	7.47
		15:00	32.58	49.25	31.68	8.08	9.00	206.85	6.27	9.39
		18:00	32.48	49.40	31.77	8.17	9.37	217.52	9.22	9.71
		21:00	32.12	48.56	31.25	7.97	8.04	220.72	4.84	6.16
		日平均	31.70	49.92	32.09	8.01	7.25	210.43	6.35	7.44
	潮口站	0:00	30.36	50.66	32.55	8.14	7.37	181.32	10.29	5.37
		3:00	30.76	50.97	32.74	8.16	7.41	184.57	13.38	5.91
		6:00	30.85	50.98	32.75	8.13	6.71	190.43	15.54	5.45
		9:00	30.60	51.03	32.78	8.16	7.22	186.35	10.32	6.95
		12:00	30.93	50.98	32.75	8.17	7.59	191.04	11.04	7.42
		15:00	31.85	50.60	32.51	8.20	8.42	190.98	14.46	7.67
		18:00	31.70	50.52	32.47	8.21	8.29	193.19	9.89	7.29
		21:00	30.87	50.80	32.64	8.16	7.61	180.71	16.75	7.48
		日平均	30.99	50.82	32.65	8.17	7.58	187.32	12.71	6.69
	灣內站	0:00	31.42	50.87	32.68	8.25	5.55	238.07	6.35	9.14
		3:00	31.28	50.62	32.53	8.22	5.70	220.26	10.83	8.69
		6:00	31.22	50.53	32.47	8.18	6.00	198.98	8.09	8.26
		9:00	31.59	50.53	32.47	8.23	5.89	212.75	6.75	7.17
		12:00	31.80	50.50	32.45	8.24	6.49	228.96	14.04	8.74
		15:00	31.91	50.52	32.47	8.30	5.74	227.23	11.15	7.11
		18:00	31.62	50.43	32.41	8.28	6.07	202.13	7.29	8.61
		21:00	31.51	50.63	32.53	8.21	7.16	238.83	13.92	9.50
		日平均	31.54	50.58	32.50	8.24	6.08	220.90	9.80	8.40
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113 年 4~6 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
6 月 30 日	蚵殼站	0:00	29.99	49.38	31.76	8.11	7.91	188.85	2.40	5.00
		3:00	29.76	49.36	31.75	8.17	7.86	225.27	10.48	4.64
		6:00	29.72	49.63	31.91	8.15	7.63	218.92	16.64	7.81
		9:00	29.71	49.61	31.90	8.04	8.47	222.65	16.63	6.71
		12:00	30.51	49.12	31.60	8.28	9.35	216.90	1.85	4.02
		15:00	30.15	49.33	31.73	8.15	8.00	221.38	13.73	6.44
		18:00	30.53	48.86	31.44	8.28	8.91	193.79	15.77	7.99
		21:00	30.42	48.82	31.41	8.44	11.63	210.79	8.28	6.59
		日平均	30.10	49.26	31.69	8.20	8.72	212.32	10.72	6.15
	潮口站	0:00	30.15	51.10	32.82	8.15	7.21	196.58	17.71	8.25
		3:00	30.73	50.72	32.59	8.16	7.38	184.04	8.27	7.11
		6:00	30.95	50.50	32.45	8.21	7.57	187.00	7.04	6.77
		9:00	30.84	50.64	32.54	8.16	7.12	193.53	10.97	6.95
		12:00	30.64	50.93	32.72	8.16	7.41	188.17	9.66	7.42
		15:00	31.85	50.60	32.51	8.20	8.42	191.27	14.46	7.67
		18:00	31.70	50.52	32.47	8.21	8.29	195.97	9.89	7.29
		21:00	30.72	50.92	32.71	8.16	7.30	194.51	10.48	7.48
		日平均	30.95	50.74	32.60	8.18	7.59	191.38	11.06	7.37
	灣內站	0:00	31.30	50.24	32.29	8.19	6.21	232.94	12.55	9.87
		3:00	31.34	50.21	32.27	8.30	5.19	194.13	14.27	10.77
		6:00	31.12	50.14	32.23	8.22	5.94	222.10	13.49	5.96
		9:00	31.63	49.92	32.09	8.26	6.13	193.55	8.18	8.26
		12:00	32.05	50.01	32.15	8.27	6.17	222.49	10.14	8.66
		15:00	31.91	50.52	32.47	8.30	6.59	200.79	8.44	10.23
		18:00	31.57	50.68	32.56	8.33	6.98	216.12	22.70	9.06
		21:00	31.56	50.92	32.71	8.22	6.31	230.69	7.10	9.50
		日平均	31.56	50.33	32.35	8.26	6.19	214.10	12.11	9.04
環評承諾日平均值標準			—	—	—	7.5~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月1日	蚵殼站	0:00	31.83	49.77	32.00	8.25	6.54	169.85	3.36	9.05
		3:00	31.86	49.81	32.02	8.30	6.31	172.51	2.69	7.82
		6:00	32.33	50.05	32.17	8.30	6.65	170.45	3.67	4.31
		9:00	32.67	49.80	32.02	8.37	7.95	155.52	3.63	6.23
		12:00	32.79	49.86	32.06	8.37	8.06	160.06	5.40	11.67
		15:00	32.68	49.85	32.05	8.36	8.04	157.47	6.92	6.05
		18:00	32.60	49.89	32.07	8.39	7.29	158.90	5.43	9.56
		21:00	31.91	50.57	32.50	8.03	6.57	150.69	4.41	5.52
	日平均	32.33	49.95	32.11	8.30	7.18	161.93	4.44	7.53	
	潮口站	0:00	30.33	51.32	32.96	7.92	6.37	157.22	3.56	7.60
		3:00	30.92	50.76	32.61	8.02	6.71	158.81	4.16	7.03
		6:00	31.89	50.51	32.46	8.15	8.01	149.30	4.40	2.10
		9:00	31.65	49.86	32.06	8.10	7.65	170.03	4.05	5.50
		12:00	31.15	49.93	32.10	8.15	8.07	166.48	4.37	9.08
		15:00	31.27	49.28	31.70	8.15	8.11	164.44	4.07	5.54
		18:00	31.80	50.23	32.28	8.23	9.13	149.38	4.11	9.40
		21:00	31.05	50.44	32.41	8.20	8.72	165.22	3.42	3.97
	日平均	31.26	50.29	32.32	8.12	7.85	160.11	4.02	6.28	
	灣內站	0:00	32.25	50.17	32.25	8.21	7.24	164.29	3.42	15.50
		3:00	31.97	50.01	32.15	8.16	6.96	163.61	2.80	10.83
		6:00	32.78	50.27	32.31	8.16	6.76	169.92	2.40	11.25
		9:00	32.74	49.85	32.05	8.27	8.44	152.77	2.25	12.23
		12:00	33.21	49.95	32.11	8.28	8.35	136.83	3.41	14.63
		15:00	33.17	50.00	32.14	8.39	8.27	155.66	2.96	10.63
18:00		32.85	49.95	32.11	8.25	7.24	145.46	3.33	10.21	
21:00		32.06	50.80	32.64	8.27	6.89	149.39	4.73	9.83	
日平均	32.63	50.13	32.22	8.25	7.52	154.74	3.16	11.89		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月2日	蚵殼站	0:00	31.87	49.52	31.84	8.34	6.22	165.69	3.67	10.33
		3:00	31.83	49.77	32.00	8.25	6.58	169.85	3.73	8.93
		6:00	31.86	49.81	32.02	8.30	6.48	172.51	4.25	12.40
		9:00	32.33	50.05	32.17	8.30	8.47	170.45	4.96	12.36
		12:00	32.78	50.04	32.17	8.39	8.53	158.46	5.77	13.72
		15:00	32.62	50.00	32.14	8.45	8.69	154.03	5.83	12.82
		18:00	32.45	50.05	32.17	8.41	7.31	159.32	4.10	13.00
		21:00	32.17	50.17	32.25	8.34	6.23	167.33	3.32	11.08
	日平均	32.24	49.93	32.10	8.35	7.31	164.71	4.45	11.83	
	潮口站	0:00	30.33	47.95	30.87	8.13	7.92	170.35	2.99	8.73
		3:00	30.36	48.39	31.14	8.10	7.21	170.41	2.69	8.25
		6:00	30.97	49.38	31.76	8.17	8.15	162.29	2.72	9.45
		9:00	31.27	48.91	31.47	8.13	7.12	161.45	3.03	10.78
		12:00	31.69	49.33	31.73	8.19	9.07	163.71	4.64	12.21
		15:00	31.05	50.44	32.41	8.20	8.72	165.22	5.57	11.70
		18:00	31.87	49.33	31.73	8.20	8.68	158.34	5.04	11.82
		21:00	31.49	49.51	31.84	8.17	8.29	156.01	3.77	8.44
	日平均	31.13	49.16	31.62	8.16	8.15	163.47	3.81	10.17	
	灣內站	0:00	32.33	49.58	31.88	8.05	7.71	146.90	3.71	12.98
		3:00	31.90	50.17	32.25	8.05	7.47	144.04	2.51	13.31
		6:00	31.88	50.15	32.23	8.07	7.68	167.12	2.51	13.53
		9:00	32.36	50.33	32.35	8.07	7.39	150.78	4.01	9.09
		12:00	32.92	50.24	32.29	8.25	7.02	138.44	3.00	12.33
		15:00	32.68	50.10	32.20	8.41	7.95	149.94	3.90	15.21
18:00		32.70	50.25	32.30	8.33	7.25	152.31	3.78	13.44	
21:00		32.23	50.49	32.45	8.30	7.30	163.08	4.75	8.17	
日平均	32.38	50.16	32.24	8.19	7.47	151.58	3.52	12.26		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 3 日	蚵殼站	0:00	31.91	50.24	32.29	8.25	5.81	169.36	2.95	8.63
		3:00	31.93	50.01	32.15	8.10	7.24	131.09	3.55	14.04
		6:00	31.85	49.98	32.13	8.20	7.42	157.01	3.79	9.58
		9:00	32.02	49.96	32.12	8.30	8.97	163.93	3.44	11.91
		12:00	32.07	50.11	32.21	8.33	8.66	161.02	3.76	10.72
		15:00	32.16	50.25	32.30	8.36	8.71	162.66	3.46	10.59
		18:00	31.99	50.36	32.36	8.34	7.70	167.99	3.50	8.32
		21:00	31.91	50.57	32.50	8.03	7.22	154.61	2.81	11.73
	日平均	31.98	50.19	32.26	8.24	7.72	158.46	3.41	10.69	
	潮口站	0:00	30.45	50.73	32.59	8.05	7.37	159.32	3.00	8.58
		3:00	30.16	50.94	32.72	8.03	6.47	161.57	2.43	11.37
		6:00	31.14	50.03	32.16	8.17	7.76	151.55	2.18	7.76
		9:00	31.80	49.88	32.07	8.18	8.03	151.83	2.55	9.72
		12:00	32.17	49.97	32.12	8.14	7.98	153.85	3.25	9.96
		15:00	31.52	50.58	32.50	8.14	7.99	158.69	3.45	8.42
		18:00	31.79	50.36	32.36	8.07	7.08	157.10	3.85	7.00
		21:00	31.73	50.32	32.34	8.06	6.03	154.64	3.73	9.63
	日平均	31.35	50.35	32.36	8.11	7.34	156.07	3.06	9.06	
	灣內站	0:00	32.29	50.47	32.43	8.22	7.45	153.26	3.36	11.52
		3:00	32.23	50.03	32.16	7.91	7.17	108.87	3.72	11.74
		6:00	32.28	50.42	32.40	8.14	6.44	145.71	3.56	10.62
		9:00	32.50	50.07	32.19	8.01	6.80	156.96	3.74	13.35
		12:00	32.22	50.49	32.45	8.41	6.72	139.58	5.34	10.63
		15:00	32.16	50.55	32.48	8.35	7.32	150.76	5.41	11.75
18:00		32.01	50.39	32.38	8.22	6.60	144.99	5.46	11.28	
21:00		32.30	50.79	32.63	8.17	6.65	133.18	4.09	12.91	
日平均	32.25	50.40	32.39	8.18	6.89	141.66	4.34	11.73		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 4 日	蚵殼站	0:00	31.79	50.60	32.51	8.11	6.31	163.71	2.38	12.33
		3:00	31.68	50.71	32.58	8.16	6.65	165.22	2.08	8.18
		6:00	31.68	50.82	32.65	8.11	7.95	158.34	2.11	8.30
		9:00	32.00	50.69	32.57	8.18	7.59	156.01	2.42	12.02
		12:00	32.37	50.59	32.51	8.26	8.01	172.73	4.03	11.73
		15:00	32.56	50.64	32.54	8.24	8.05	178.10	4.96	8.28
		18:00	32.25	50.34	32.35	8.05	9.07	189.65	4.43	10.93
		21:00	31.82	48.86	31.44	8.13	8.66	146.10	3.16	9.44
	日平均	32.02	50.41	32.39	8.16	7.79	166.23	3.20	10.15	
	潮口站	0:00	30.87	51.00	32.76	8.00	6.60	157.54	2.69	12.02
		3:00	30.33	51.32	32.96	7.92	6.37	157.22	2.75	5.94
		6:00	30.92	50.76	32.61	8.02	6.71	158.81	2.46	6.95
		9:00	31.89	50.51	32.46	8.15	8.01	149.30	3.95	11.28
		12:00	32.06	50.35	32.36	8.13	8.12	148.85	3.21	10.91
		15:00	32.08	50.46	32.43	8.01	8.10	149.57	3.63	5.35
		18:00	31.23	49.05	31.55	7.99	7.35	156.44	3.87	8.23
		21:00	31.59	50.39	32.38	7.99	6.63	153.75	4.63	9.16
	日平均	31.37	50.48	32.44	8.03	7.24	153.94	3.40	8.73	
	灣內站	0:00	31.93	50.60	32.51	8.02	6.77	160.06	3.50	9.08
		3:00	32.07	50.90	32.70	7.97	6.94	147.97	4.56	10.88
		6:00	31.81	51.15	32.85	8.12	6.38	145.57	4.34	6.99
		9:00	32.47	50.79	32.63	8.06	8.48	144.45	5.27	11.18
		12:00	32.56	51.07	32.80	8.28	8.12	158.53	4.54	9.12
		15:00	32.96	51.08	32.81	8.39	8.20	156.58	4.83	16.64
18:00		32.55	50.59	32.51	8.34	7.89	185.51	6.28	12.07	
21:00		32.28	49.20	31.65	8.33	6.58	137.26	6.16	14.37	
日平均	32.33	50.67	32.56	8.19	7.42	154.49	4.94	11.29		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月5日	蚵殼站	0:00	31.70	49.18	31.63	8.22	7.86	149.60	2.39	9.79
		3:00	31.86	49.87	32.06	8.20	7.15	149.28	1.82	4.96
		6:00	32.10	50.51	32.46	8.24	8.09	150.87	1.57	10.28
		9:00	32.25	50.68	32.56	8.18	7.06	141.36	1.94	5.88
		12:00	32.39	50.36	32.36	8.34	9.01	140.91	2.64	9.74
		15:00	32.43	50.26	32.30	8.41	8.66	141.63	2.84	7.19
		18:00	32.33	50.30	32.33	8.16	8.62	148.50	3.24	7.00
		21:00	32.47	50.42	32.40	8.03	8.23	145.81	3.12	9.36
	日平均	32.19	50.20	32.26	8.22	8.09	146.00	2.45	8.03	
	潮口站	0:00	30.87	50.77	32.62	7.99	6.28	156.82	3.71	8.81
		3:00	29.99	51.49	33.06	7.96	6.64	159.89	2.88	6.38
		6:00	30.61	50.51	32.46	7.97	6.54	145.09	2.70	3.41
		9:00	31.99	49.80	32.02	8.16	8.53	147.80	3.60	4.85
		12:00	32.20	50.49	32.45	8.15	8.59	147.51	5.76	10.51
		15:00	31.77	48.94	31.49	8.05	8.75	147.39	4.71	4.43
		18:00	30.80	50.29	32.32	7.95	7.37	151.88	5.01	6.73
		21:00	31.42	50.43	32.41	7.93	6.29	140.16	3.87	3.10
	日平均	31.21	50.34	32.35	8.02	7.37	149.57	4.03	6.03	
	灣內站	0:00	31.79	49.40	31.77	8.18	6.27	147.22	5.74	14.25
		3:00	32.06	50.31	32.33	8.16	6.44	119.32	4.16	8.68
		6:00	32.18	50.66	32.55	8.20	6.11	147.93	4.10	11.03
		9:00	32.25	51.16	32.86	8.22	7.87	127.74	2.75	11.07
		12:00	32.56	50.85	32.67	8.16	8.70	112.68	3.76	15.20
		15:00	32.59	50.54	32.48	8.26	7.72	134.33	2.88	14.78
		18:00	32.42	50.63	32.53	8.27	5.87	142.68	3.83	9.90
		21:00	32.50	50.45	32.42	8.04	5.26	135.08	3.19	10.56
	日平均	32.29	50.50	32.45	8.19	6.78	133.37	3.80	11.93	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月6日	蚵殼站	0:00	32.40	50.30	32.33	8.16	7.31	131.77	2.08	7.14
		3:00	32.16	50.42	32.40	8.13	6.41	151.73	2.14	8.65
		6:00	31.80	50.66	32.55	8.12	7.70	144.36	1.85	8.83
		9:00	32.08	50.73	32.59	8.09	7.97	134.54	3.34	6.32
		12:00	31.82	50.63	32.53	8.22	7.92	135.58	2.60	12.26
		15:00	31.65	50.64	32.54	8.38	7.93	133.21	3.02	11.99
		18:00	32.14	50.70	32.58	8.20	7.02	136.10	3.26	10.32
		21:00	31.89	50.88	32.69	8.13	5.97	146.71	4.02	5.43
	日平均	31.99	50.62	32.53	8.18	7.28	139.25	2.79	8.87	
	潮口站	0:00	30.93	50.64	32.54	7.95	5.87	139.71	3.57	10.05
		3:00	29.19	51.58	33.12	8.00	7.30	159.67	3.41	8.46
		6:00	29.63	51.30	32.95	8.03	7.48	152.30	4.43	10.67
		9:00	32.00	50.38	32.38	8.22	9.03	142.48	4.51	10.33
		12:00	32.54	50.52	32.46	8.18	8.72	143.52	4.64	13.34
		15:00	32.14	50.66	32.55	8.20	8.77	141.15	4.79	11.17
		18:00	30.72	51.41	33.02	8.08	7.76	144.04	5.24	10.11
		21:00	31.38	50.98	32.75	8.09	7.28	154.65	5.20	10.37
	日平均	31.07	50.93	32.72	8.09	7.78	147.19	4.47	10.56	
	灣內站	0:00	32.63	50.46	32.43	7.93	7.69	110.03	3.76	13.73
		3:00	32.48	50.48	32.44	7.98	7.05	150.01	4.55	8.86
		6:00	32.15	50.83	32.66	8.25	6.36	140.50	3.35	9.08
		9:00	32.23	51.00	32.76	8.22	6.25	128.29	3.55	8.75
		12:00	31.96	50.74	32.60	8.25	6.77	132.00	4.40	12.36
		15:00	31.67	51.01	32.77	8.32	7.24	130.67	3.76	9.97
		18:00	32.46	50.95	32.73	8.38	6.68	108.68	4.89	12.11
		21:00	32.35	50.98	32.75	8.19	6.71	138.77	4.32	9.00
	日平均	32.24	50.81	32.64	8.19	6.84	129.87	4.07	10.48	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月7日	蚵殼站	0:00	31.47	51.10	32.82	8.02	7.19	151.36	3.10	10.16
		3:00	31.23	50.99	32.76	8.01	7.46	163.60	2.27	9.91
		6:00	31.21	51.22	32.90	7.98	7.43	160.15	2.09	15.60
		9:00	31.36	51.33	32.97	8.02	8.57	168.80	2.99	14.29
		12:00	31.46	51.04	32.79	8.22	8.82	173.60	5.15	11.80
		15:00	31.42	50.87	32.68	8.36	9.12	153.33	4.10	9.23
		18:00	31.34	50.98	32.75	8.22	7.97	166.46	4.40	11.90
		21:00	31.24	50.99	32.76	8.22	7.64	168.21	3.26	10.14
	日平均	31.34	51.07	32.80	8.13	8.03	163.19	3.42	11.63	
	潮口站	0:00	31.06	51.08	32.81	8.08	7.25	153.67	4.61	8.44
		3:00	29.77	51.67	33.18	8.04	7.52	154.23	4.11	12.14
		6:00	29.31	51.70	33.19	8.04	7.49	152.31	4.38	7.08
		9:00	31.33	50.95	32.73	8.20	8.63	139.43	2.86	9.90
		12:00	31.96	50.93	32.72	8.22	8.88	136.72	2.64	8.24
		15:00	31.86	50.90	32.70	8.26	9.18	125.58	3.31	9.44
		18:00	30.83	51.24	32.91	8.16	8.03	136.35	2.82	6.99
		21:00	30.66	51.32	32.96	8.15	7.70	141.95	3.10	10.36
	日平均	30.85	51.22	32.90	8.14	8.09	142.53	3.48	9.07	
	灣內站	0:00	31.68	51.10	32.82	8.21	7.30	134.68	2.69	14.84
		3:00	31.34	51.45	33.04	8.16	6.61	151.00	2.27	9.51
		6:00	31.40	51.54	33.10	8.24	6.37	153.70	3.44	14.71
		9:00	31.71	51.41	33.02	8.43	8.98	156.44	4.73	15.57
		12:00	31.53	51.27	32.93	8.38	8.09	152.44	3.63	13.83
		15:00	31.88	51.23	32.90	8.46	8.21	145.45	3.33	14.37
18:00		31.74	51.36	32.98	8.48	7.74	143.27	4.05	14.57	
21:00		31.59	51.16	32.86	8.30	6.89	167.77	4.30	15.00	
日平均	31.61	51.32	32.96	8.33	7.52	150.59	3.56	14.05		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月8日	蚵殼站	0:00	31.03	51.40	33.01	8.05	7.76	175.47	2.96	14.66
		3:00	30.89	51.53	33.09	7.89	7.16	168.49	2.80	13.34
		6:00	30.75	51.61	33.14	7.96	7.29	170.64	3.82	7.33
		9:00	30.95	51.59	33.13	7.98	7.07	158.46	3.90	6.10
		12:00	31.02	51.37	32.99	8.23	7.05	163.39	4.03	9.41
		15:00	30.82	51.15	32.85	8.28	8.05	160.85	4.18	11.99
		18:00	30.86	51.18	32.87	8.21	7.31	164.66	4.63	11.09
		21:00	30.89	51.34	32.97	8.07	6.89	158.87	4.59	11.69
	日平均	30.90	51.40	33.01	8.08	7.32	165.10	3.86	10.70	
	潮口站	0:00	30.78	51.23	32.90	8.15	7.26	140.65	3.00	11.35
		3:00	30.06	51.53	33.09	8.14	7.28	148.59	3.43	7.31
		6:00	30.07	51.60	33.13	8.16	7.50	148.63	3.18	6.98
		9:00	30.67	51.37	32.99	8.21	8.03	138.35	2.55	10.14
		12:00	31.37	51.22	32.90	8.26	8.91	122.91	3.25	9.59
		15:00	31.20	51.19	32.88	8.28	8.97	121.37	3.45	7.24
		18:00	30.56	50.84	32.66	8.21	8.31	130.81	3.85	10.76
		21:00	30.31	50.91	32.71	8.15	7.46	137.41	3.73	7.33
	日平均	30.63	51.24	32.91	8.20	7.97	136.09	3.31	8.84	
	灣內站	0:00	31.33	51.57	33.11	8.15	7.60	154.88	3.73	13.28
		3:00	31.01	51.60	33.13	8.16	6.53	159.52	2.27	14.92
		6:00	31.20	51.77	33.24	8.30	6.55	160.63	3.45	14.14
		9:00	31.28	51.70	33.19	8.29	5.68	133.17	3.10	15.28
		12:00	31.23	51.54	33.10	8.29	6.97	144.60	6.81	13.82
		15:00	30.95	51.60	33.13	8.48	6.43	152.99	4.36	12.10
18:00		31.03	51.19	32.88	8.34	6.38	153.96	5.20	12.38	
21:00		31.03	51.48	33.06	8.35	6.29	131.36	4.02	13.05	
日平均	31.13	51.56	33.11	8.30	6.55	148.89	4.12	13.62		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 9 日	蚵殼站	0:00	30.75	51.60	33.13	7.97	7.50	170.96	4.00	9.60
		3:00	30.59	51.56	33.11	7.93	7.26	175.76	3.50	8.72
		6:00	30.46	51.63	33.15	8.01	7.69	155.49	3.77	6.50
		9:00	30.68	51.61	33.14	8.04	7.77	168.62	2.25	9.75
		12:00	30.98	51.54	33.10	8.12	8.12	160.09	2.03	8.56
		15:00	30.71	51.28	32.93	8.26	8.32	151.86	2.70	11.64
		18:00	30.65	51.33	32.97	8.23	7.96	153.08	2.21	6.77
		21:00	30.54	51.58	33.12	8.18	6.83	155.93	2.49	8.33
	日平均	30.67	51.52	33.08	8.09	7.68	161.47	2.87	8.73	
	潮口站	0:00	30.57	51.21	32.89	8.16	7.25	136.61	2.69	6.87
		3:00	30.22	51.47	33.05	8.14	7.04	147.17	2.75	4.63
		6:00	29.83	51.68	33.18	8.16	7.43	146.15	2.46	10.22
		9:00	30.39	51.44	33.03	8.18	7.76	140.12	3.95	4.71
		12:00	31.33	51.27	32.93	8.25	8.96	122.04	3.21	8.70
		15:00	31.31	51.24	32.91	8.28	9.11	120.92	3.63	4.25
		18:00	30.70	51.35	32.98	8.19	8.23	135.34	3.87	5.08
		21:00	30.40	51.47	33.05	8.14	7.46	142.26	4.63	7.27
	日平均	30.59	51.39	33.00	8.19	7.91	136.33	3.40	6.47	
	灣內站	0:00	30.90	51.77	33.24	8.42	6.26	165.84	4.11	13.64
		3:00	30.63	51.94	33.34	8.46	5.76	146.20	3.23	10.99
		6:00	30.59	51.73	33.21	8.39	6.45	141.83	5.80	11.53
		9:00	30.93	52.00	33.38	8.48	7.75	147.71	5.53	16.33
		12:00	31.47	51.77	33.24	8.38	8.01	157.51	4.71	13.66
		15:00	31.03	51.48	33.06	8.43	7.44	137.77	4.46	12.63
		18:00	30.93	51.59	33.13	8.51	6.82	126.80	5.15	11.76
		21:00	31.03	51.99	33.37	8.09	5.88	145.02	5.94	14.35
	日平均	30.94	51.78	33.25	8.40	6.80	146.09	4.87	13.11	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 10 日	蚵殼站	0:00	30.64	51.68	33.18	8.04	7.54	144.64	2.39	10.75
		3:00	30.59	51.79	33.25	7.99	7.29	150.46	2.82	9.10
		6:00	30.40	51.49	33.06	8.09	7.19	146.94	2.57	6.18
		9:00	30.55	51.66	33.17	8.10	8.32	131.83	1.94	16.13
		12:00	30.92	51.61	33.14	8.12	8.39	150.52	2.64	10.68
		15:00	31.09	51.50	33.07	8.19	8.46	160.93	2.84	8.86
		18:00	31.10	51.52	33.08	8.12	7.76	168.80	3.24	7.27
		21:00	31.05	51.81	33.26	7.97	7.58	157.98	3.12	12.97
	日平均	30.79	51.63	33.15	8.08	7.82	151.51	2.70	10.24	
	潮口站	0:00	30.60	51.41	33.02	8.18	7.54	137.14	3.71	5.61
		3:00	30.18	51.40	33.01	8.16	7.30	146.21	2.88	7.07
		6:00	29.86	51.49	33.06	8.18	7.77	149.28	2.70	7.33
		9:00	30.33	51.49	33.06	8.19	7.86	142.29	3.60	5.29
		12:00	30.76	51.38	33.00	8.24	8.58	118.49	5.76	11.58
		15:00	31.08	51.35	32.98	8.22	8.23	125.54	4.71	11.56
		18:00	30.91	50.77	32.62	8.18	8.20	138.84	5.01	9.83
		21:00	30.44	50.90	32.70	8.15	7.67	143.52	3.87	4.42
	日平均	30.52	51.27	32.93	8.19	7.89	137.66	4.03	7.84	
	灣內站	0:00	31.03	52.05	33.41	8.42	5.58	120.20	4.82	12.12
		3:00	31.05	52.14	33.47	8.32	6.08	149.56	4.44	8.32
		6:00	30.66	51.56	33.11	8.46	5.91	140.55	5.98	10.33
		9:00	30.92	51.69	33.19	8.38	8.00	108.73	4.70	8.87
		12:00	31.02	51.74	33.22	8.41	8.05	148.12	3.51	12.50
		15:00	31.36	51.57	33.11	8.58	8.19	146.22	4.04	9.44
		18:00	31.41	51.69	33.19	8.60	6.96	141.20	3.32	9.97
		21:00	31.49	52.21	33.51	8.41	6.23	128.82	3.88	10.38
	日平均	31.12	51.83	33.28	8.45	6.88	135.43	4.34	10.24	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月11日	蚵殼站	0:00	30.98	51.70	33.19	7.90	7.20	141.22	2.08	8.97
		3:00	30.89	51.82	33.27	7.93	7.22	142.44	2.14	7.46
		6:00	30.88	51.60	33.13	8.11	7.44	145.29	1.85	8.95
		9:00	31.12	51.53	33.09	8.20	7.97	158.27	3.34	13.94
		12:00	31.32	51.45	33.04	8.18	8.85	165.33	2.60	10.52
		15:00	31.74	51.36	32.98	8.20	8.91	162.49	3.02	7.31
		18:00	31.52	51.33	32.97	8.31	8.25	144.31	3.26	7.10
		21:00	31.41	51.05	32.79	8.18	7.40	156.03	4.02	7.55
	日平均	31.23	51.48	33.06	8.13	7.91	151.92	3.29	8.98	
	潮口站	0:00	30.73	51.30	32.95	8.18	7.69	126.59	3.57	8.99
		3:00	30.62	51.19	32.88	8.17	7.60	139.78	3.41	9.13
		6:00	29.75	51.46	33.05	8.16	7.69	147.14	4.43	14.97
		9:00	30.06	51.35	32.98	8.17	7.89	147.64	4.51	12.21
		12:00	31.22	51.07	32.80	8.26	9.26	119.71	4.64	10.73
		15:00	31.63	51.07	32.80	8.32	10.04	115.81	4.79	8.94
		18:00	31.36	48.44	31.18	8.25	9.51	129.99	5.24	10.63
		21:00	30.61	48.80	31.40	8.19	8.37	141.24	5.20	9.41
	日平均	30.75	50.59	32.51	8.21	8.51	133.49	4.47	10.63	
	灣內站	0:00	31.02	51.92	33.33	8.25	5.43	119.98	4.89	8.40
		3:00	30.89	51.87	33.30	8.25	7.18	128.71	4.62	10.09
		6:00	31.00	51.80	33.26	8.26	7.38	142.12	4.51	11.91
		9:00	31.37	51.68	33.18	8.43	8.51	145.10	3.89	8.97
		12:00	31.41	51.66	33.17	8.46	8.36	146.60	5.51	13.17
		15:00	32.15	51.40	33.01	8.46	8.53	137.70	7.11	14.93
		18:00	31.58	51.53	33.09	8.50	7.66	137.52	6.83	11.31
		21:00	31.85	51.14	32.85	8.21	6.74	143.48	5.47	9.11
	日平均	31.41	51.63	33.15	8.35	7.47	137.65	5.35	10.99	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月12日	蚵殼站	0:00	31.28	50.57	32.50	8.08	7.19	170.26	3.10	6.08
		3:00	30.92	50.38	32.38	8.06	6.98	145.91	2.27	8.09
		6:00	30.77	50.18	32.25	8.07	7.37	121.14	2.09	2.95
		9:00	31.44	50.83	32.66	8.28	7.70	146.38	2.99	7.88
		12:00	31.63	51.25	32.92	8.28	8.90	145.81	5.15	6.48
		15:00	31.91	51.16	32.86	8.37	9.05	132.98	4.10	2.98
		18:00	31.89	51.10	32.82	8.32	8.17	132.73	4.40	4.30
		21:00	31.81	51.30	32.95	8.12	7.40	124.86	3.26	8.07
	日平均	31.46	50.85	32.67	8.20	7.85	140.01	3.42	5.85	
	潮口站	0:00	30.88	50.96	32.74	8.21	7.96	126.14	3.77	14.42
		3:00	31.00	50.72	32.59	8.19	7.74	128.40	4.02	11.61
		6:00	30.00	51.35	32.98	8.14	7.17	149.51	5.22	5.15
		9:00	29.55	51.65	33.16	8.15	7.54	153.67	4.82	3.60
		12:00	30.68	51.19	32.88	8.26	9.31	133.99	3.92	6.44
		15:00	31.03	51.15	32.85	8.28	8.94	128.73	3.42	9.09
		18:00	31.19	48.88	31.45	8.25	8.95	136.75	2.70	8.22
		21:00	30.54	49.45	31.80	8.19	8.20	146.79	2.61	9.29
	日平均	30.61	50.67	32.56	8.21	8.23	138.00	3.81	8.48	
	灣內站	0:00	31.65	50.98	32.75	8.12	5.82	145.31	4.38	11.51
		3:00	31.28	50.45	32.42	8.33	6.46	139.61	5.65	11.82
		6:00	31.20	50.49	32.45	8.22	7.53	93.60	5.08	15.78
		9:00	31.83	51.29	32.94	8.32	7.32	124.08	5.08	16.36
		12:00	32.09	51.67	33.18	8.45	7.36	123.43	6.66	14.58
		15:00	32.25	51.25	32.92	8.32	7.64	114.76	5.87	12.72
		18:00	32.18	51.49	33.06	8.12	8.76	103.78	4.24	15.03
		21:00	31.83	51.33	32.97	8.24	8.29	103.97	3.51	13.70
	日平均	31.79	51.12	32.84	8.27	7.40	118.57	5.06	13.94	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月13日	蚵殼站	0:00	31.67	51.25	32.92	8.10	7.48	149.52	2.96	10.37
		3:00	31.49	51.02	32.77	8.05	7.24	132.23	2.80	13.00
		6:00	31.67	51.02	32.77	8.12	7.71	154.04	3.82	6.64
		9:00	32.19	51.03	32.78	8.19	7.80	153.03	3.90	12.79
		12:00	32.47	51.05	32.79	8.23	8.52	150.05	4.03	9.70
		15:00	32.38	50.89	32.69	8.41	8.17	126.80	4.18	3.31
		18:00	32.36	51.08	32.81	8.27	8.14	136.65	4.63	11.51
		21:00	32.32	51.05	32.79	8.23	7.61	137.45	4.59	4.65
	日平均	32.07	51.05	32.79	8.20	7.83	142.47	3.86	9.00	
	潮口站	0:00	30.67	50.65	32.54	8.22	8.36	140.23	3.97	6.69
		3:00	30.97	50.64	32.54	8.24	8.07	132.26	3.30	8.66
		6:00	30.82	50.81	32.64	8.17	7.25	151.38	4.28	4.93
		9:00	30.01	51.04	32.79	8.16	7.74	153.26	4.24	8.52
		12:00	31.73	50.64	32.54	8.32	10.27	126.52	6.01	5.72
		15:00	32.61	50.61	32.52	8.41	11.79	111.77	7.53	9.52
		18:00	32.37	50.67	32.56	8.35	10.80	129.25	6.04	5.69
		21:00	30.82	50.65	32.54	8.22	8.57	149.71	5.02	7.68
	日平均	31.25	50.71	32.58	8.26	9.11	136.80	5.05	7.18	
	灣內站	0:00	31.79	51.68	33.18	8.30	7.53	147.04	4.70	15.09
		3:00	31.83	51.13	32.84	8.22	6.68	121.36	5.44	13.74
		6:00	31.75	51.26	32.92	8.31	7.90	134.36	4.06	10.54
		9:00	32.47	51.32	32.96	8.28	6.59	144.35	4.67	9.87
		12:00	32.80	51.22	32.90	8.38	8.70	129.44	5.54	9.82
		15:00	32.57	50.56	32.49	8.42	8.02	120.71	5.04	12.16
		18:00	32.55	50.00	32.14	8.35	8.26	110.33	4.51	11.98
		21:00	32.77	50.07	32.19	8.08	7.62	117.62	3.59	13.53
	日平均	32.32	50.91	32.70	8.29	7.66	128.15	4.69	12.09	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月14日	蚵殼站	0:00	32.11	51.19	32.88	8.18	7.63	160.32	3.16	6.54
		3:00	31.95	51.08	32.81	8.11	7.54	165.12	3.41	7.91
		6:00	31.73	50.95	32.73	8.21	7.63	144.85	4.61	11.29
		9:00	31.74	50.99	32.76	8.28	7.83	157.98	4.21	13.78
		12:00	32.60	50.93	32.72	8.07	9.20	149.45	3.31	11.70
		15:00	32.46	50.99	32.76	7.91	9.98	141.22	2.81	9.34
		18:00	32.33	51.04	32.79	7.98	9.45	142.44	2.09	14.00
		21:00	32.25	51.20	32.89	8.00	8.31	145.29	2.00	10.20
	日平均	32.15	51.05	32.79	8.09	8.45	150.83	3.20	10.60	
	潮口站	0:00	30.57	50.98	32.75	8.19	7.61	152.14	4.28	9.90
		3:00	31.51	50.77	32.62	8.28	8.77	122.25	4.34	8.39
		6:00	30.97	50.64	32.54	8.24	8.07	132.26	4.86	3.70
		9:00	31.18	51.19	32.88	8.27	8.42	151.03	5.57	13.15
		12:00	31.45	51.27	32.93	8.30	8.88	131.35	6.38	9.38
		15:00	31.43	51.21	32.89	8.37	10.62	126.09	6.44	6.44
		18:00	31.57	51.21	32.89	8.36	8.89	134.11	4.71	6.37
		21:00	30.60	51.66	33.17	8.29	8.21	144.15	3.93	11.22
	日平均	31.16	51.12	32.83	8.29	8.68	136.67	5.06	8.57	
	灣內站	0:00	32.42	49.92	32.09	8.12	6.96	135.70	3.02	13.22
		3:00	32.12	50.10	32.20	8.33	6.18	151.85	3.03	12.96
		6:00	32.14	50.81	32.64	8.22	7.59	122.15	2.94	8.68
		9:00	31.54	51.10	32.82	8.32	7.50	128.14	2.97	13.92
		12:00	32.73	50.95	32.73	8.40	7.51	109.60	4.07	10.23
		15:00	32.76	50.89	32.69	8.38	7.51	101.69	5.62	16.09
		18:00	32.53	50.85	32.67	8.30	6.59	128.84	5.59	11.07
		21:00	32.25	50.85	32.67	8.24	5.46	134.71	4.49	10.83
	日平均	32.31	50.68	32.56	8.29	6.91	126.59	3.97	12.13	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月15日	蚵殼站	0:00	32.02	51.14	32.85	8.25	7.90	155.32	2.04	8.90
		3:00	32.01	51.02	32.77	8.30	7.68	160.12	2.24	9.50
		6:00	32.12	50.89	32.69	8.23	7.11	139.85	2.36	8.25
		9:00	32.40	50.69	32.57	8.09	7.48	152.98	2.88	12.09
		12:00	32.50	50.68	32.56	8.14	9.25	144.45	2.27	13.57
		15:00	32.44	50.63	32.53	8.20	8.88	136.22	3.18	15.14
		18:00	32.08	50.89	32.69	8.26	8.89	137.44	2.67	13.51
		21:00	32.15	51.02	32.77	8.24	8.14	140.29	2.00	14.21
	日平均	32.22	50.87	32.68	8.21	8.17	145.83	2.46	11.90	
	潮口站	0:00	29.92	51.69	33.19	8.25	7.99	137.59	4.43	6.05
		3:00	30.91	51.22	32.90	8.29	7.91	129.62	3.59	4.70
		6:00	31.24	51.27	32.93	8.33	8.06	148.74	5.10	6.34
		9:00	31.49	51.20	32.89	8.31	7.86	150.62	5.00	13.50
		12:00	31.01	51.51	33.08	8.26	7.75	123.88	5.20	9.22
		15:00	31.61	51.28	32.93	8.31	8.40	109.13	4.62	6.41
		18:00	31.28	51.36	32.98	8.26	7.52	126.61	3.58	5.05
		21:00	30.80	51.41	33.02	8.23	7.45	116.48	3.92	7.28
	日平均	31.03	51.37	32.99	8.28	7.87	130.33	4.43	7.32	
	灣內站	0:00	32.03	50.87	32.68	8.17	7.04	126.69	3.37	12.74
		3:00	31.89	50.88	32.69	8.12	7.03	129.80	2.33	11.87
		6:00	31.87	50.86	32.67	8.17	6.81	139.51	2.95	10.78
		9:00	32.27	50.82	32.65	8.25	8.40	137.95	3.43	16.49
		12:00	32.46	50.78	32.63	8.28	8.68	132.94	3.47	14.23
		15:00	32.65	50.77	32.62	8.29	8.78	126.77	4.84	10.38
18:00		32.63	50.72	32.59	8.26	7.46	140.37	2.68	11.58	
21:00		32.17	50.87	32.68	8.11	7.00	159.76	2.74	15.17	
日平均	32.25	50.82	32.65	8.21	7.65	136.72	3.23	12.91		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月16日	蚵殼站	0:00	31.78	51.01	32.77	8.25	8.00	119.03	2.40	11.61
		3:00	31.64	51.20	32.89	8.25	7.35	130.43	2.07	15.03
		6:00	31.65	51.01	32.77	8.30	6.86	124.80	3.60	13.35
		9:00	32.09	50.95	32.73	8.22	6.76	111.27	3.85	10.87
		12:00	32.21	50.96	32.74	8.10	7.15	124.61	3.37	9.88
		15:00	32.17	51.02	32.77	8.24	7.67	135.60	3.20	7.37
		18:00	32.16	51.22	32.90	8.20	7.13	151.60	2.93	6.25
		21:00	32.09	51.38	33.00	8.15	6.83	170.73	2.00	6.12
	日平均	31.97	51.09	32.82	8.21	7.22	133.51	2.93	10.06	
	潮口站	0:00	29.87	51.22	32.90	8.22	8.13	105.91	3.23	5.24
		3:00	30.38	51.20	32.89	8.21	7.48	109.67	3.99	6.30
		6:00	30.90	51.38	33.00	8.20	6.99	126.43	4.52	0.71
		9:00	31.27	51.30	32.95	8.24	6.89	110.99	5.42	6.72
		12:00	31.45	51.19	32.88	8.23	7.28	106.21	4.90	5.27
		15:00	31.32	50.94	32.72	8.26	7.80	101.36	5.43	2.52
		18:00	31.44	51.12	32.84	8.24	7.26	98.68	5.74	3.43
		21:00	30.99	50.95	32.73	8.20	6.96	111.63	4.83	7.00
	日平均	30.95	51.16	32.86	8.23	7.35	108.86	4.76	4.65	
	灣內站	0:00	31.90	50.94	32.72	8.14	7.12	165.25	3.59	10.70
		3:00	31.71	51.00	32.76	8.14	6.83	158.01	2.31	11.92
		6:00	31.62	51.00	32.76	8.13	6.90	179.46	3.75	13.83
		9:00	32.08	50.94	32.72	8.20	6.56	185.82	4.10	14.59
		12:00	32.33	50.96	32.74	8.29	6.74	159.17	3.80	14.99
		15:00	32.49	50.92	32.71	8.23	7.46	182.18	4.03	10.53
18:00		32.61	50.92	32.71	8.09	7.11	190.61	4.70	9.19	
21:00		32.55	50.97	32.74	8.05	6.38	181.36	3.55	10.89	
日平均	32.16	50.96	32.73	8.16	6.89	175.23	3.73	12.08		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月17日	蚵殼站	0:00	31.92	51.60	33.13	8.20	7.36	168.60	2.00	9.16
		3:00	31.72	51.47	33.05	8.21	7.14	147.45	2.50	7.31
		6:00	31.87	51.22	32.90	8.24	7.00	174.67	2.90	7.96
		9:00	32.28	51.22	32.90	8.13	8.95	157.67	3.27	10.79
		12:00	32.79	51.14	32.85	7.96	8.56	131.02	3.42	8.99
		15:00	32.62	51.14	32.85	7.77	8.36	147.71	4.52	12.59
		18:00	32.45	51.21	32.89	7.93	7.83	138.96	2.92	11.78
		21:00	32.26	51.28	32.93	8.00	7.16	154.93	2.94	6.18
	日平均	32.24	51.29	32.94	8.06	7.80	152.63	3.06	9.35	
	潮口站	0:00	30.07	51.70	33.19	8.19	7.82	119.18	9.40	9.82
		3:00	30.58	51.25	32.92	8.16	7.22	114.67	4.88	10.87
		6:00	30.98	51.17	32.87	8.22	7.35	129.53	5.23	5.02
		9:00	31.67	51.20	32.89	8.21	7.13	113.68	4.59	10.95
		12:00	32.10	49.94	32.10	8.14	7.11	109.27	4.01	7.84
		15:00	31.87	48.99	31.52	8.16	8.11	102.90	3.73	0.47
		18:00	31.71	50.51	32.46	8.15	7.37	91.19	3.33	10.71
		21:00	31.46	50.47	32.43	8.11	6.95	95.08	3.71	3.44
	日平均	31.31	50.65	32.55	8.17	7.38	109.44	4.86	7.39	
	灣內站	0:00	32.24	51.09	32.82	8.09	7.02	163.04	3.59	11.03
		3:00	32.00	51.28	32.93	8.06	7.08	132.46	4.42	8.75
		6:00	31.92	51.28	32.93	8.06	7.66	154.40	4.68	7.80
		9:00	32.38	51.16	32.86	8.20	7.24	136.82	3.48	8.27
		12:00	32.89	51.15	32.85	8.31	8.05	128.29	5.00	9.04
		15:00	33.18	51.19	32.88	8.29	8.29	123.18	6.42	7.72
18:00		32.87	51.23	32.90	8.18	7.71	124.91	4.25	8.20	
21:00		32.48	51.21	32.89	8.08	6.62	135.15	4.06	9.48	
日平均	32.50	51.20	32.88	8.16	7.46	137.28	4.49	8.79		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月18日	蚵殼站	0:00	32.14	51.22	32.90	8.16	7.93	183.99	3.10	9.72
		3:00	31.97	51.01	32.77	8.23	7.85	184.73	2.37	6.40
		6:00	31.89	51.06	32.80	8.25	8.00	188.12	2.68	3.30
		9:00	32.41	50.97	32.74	8.18	7.80	157.04	2.35	8.57
		12:00	32.21	50.76	32.61	7.89	7.69	163.54	3.46	5.69
		15:00	32.02	50.81	32.64	7.69	8.34	163.83	4.11	7.25
		18:00	31.99	50.87	32.68	7.86	7.46	160.28	5.09	7.28
		21:00	32.14	51.05	32.79	7.99	7.39	178.96	6.33	11.57
	日平均	32.10	50.97	32.74	8.03	7.81	172.56	3.69	7.47	
	潮口站	0:00	30.11	51.57	33.11	8.10	7.56	119.12	4.17	6.44
		3:00	30.40	50.58	32.50	8.08	7.32	106.01	3.49	5.13
		6:00	30.95	50.72	32.59	8.10	7.75	128.59	3.18	8.81
		9:00	31.80	50.96	32.74	8.08	7.83	128.32	9.85	12.93
		12:00	32.38	50.80	32.64	8.18	8.18	105.23	5.43	10.36
		15:00	31.35	50.36	32.36	8.21	8.38	113.50	10.10	8.02
		18:00	31.30	50.18	32.25	8.20	8.02	100.65	4.85	13.22
		21:00	31.38	50.31	32.33	8.08	6.89	106.32	4.32	8.23
	日平均	31.21	50.69	32.57	8.13	7.74	113.47	5.67	9.14	
	灣內站	0:00	32.18	51.26	32.92	8.06	6.97	176.96	3.44	10.74
		3:00	31.89	51.35	32.98	8.07	7.15	162.38	3.71	14.82
		6:00	31.73	51.45	33.04	8.08	6.59	188.10	3.84	9.71
		9:00	32.26	51.31	32.95	8.13	8.19	149.90	3.90	14.48
		12:00	32.68	51.26	32.92	8.24	8.27	147.11	4.73	12.74
		15:00	32.68	51.38	33.00	8.27	8.36	135.23	5.86	7.22
18:00		32.13	51.28	32.93	8.19	7.69	144.72	5.62	13.33	
21:00		32.04	51.18	32.87	8.05	7.02	165.39	6.60	9.60	
日平均	32.20	51.31	32.95	8.14	7.53	158.72	4.71	11.58		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 19 日	蚵殼站	0:00	32.14	51.22	32.90	8.08	8.07	144.86	3.82	14.89
		3:00	31.87	51.34	32.97	8.30	7.42	163.54	2.98	9.26
		6:00	31.78	50.94	32.72	8.23	6.93	178.95	4.49	10.89
		9:00	32.17	50.85	32.67	8.18	6.83	175.61	4.39	11.17
		12:00	32.33	50.76	32.61	7.77	7.22	170.54	4.59	11.07
		15:00	32.59	50.77	32.62	7.62	7.74	161.86	4.01	8.69
		18:00	32.43	50.99	32.76	7.93	7.20	169.37	2.97	6.93
		21:00	32.33	51.29	32.94	7.93	6.90	120.04	3.31	6.39
	日平均	32.21	51.02	32.77	8.01	7.29	160.60	3.82	9.91	
	潮口站	0:00	30.09	50.74	32.60	8.12	7.60	137.18	3.93	7.27
		3:00	29.36	51.10	32.82	8.08	7.35	131.28	3.12	6.86
		6:00	30.96	50.59	32.51	8.05	7.25	148.56	3.31	7.99
		9:00	31.94	50.52	32.46	8.20	8.38	138.38	6.65	11.49
		12:00	31.97	50.42	32.40	8.20	8.45	126.98	5.16	10.95
		15:00	31.38	49.73	31.97	8.09	8.52	146.40	16.59	12.83
		18:00	31.04	50.25	32.30	8.13	7.82	131.70	3.23	11.54
		21:00	31.54	50.39	32.38	8.04	7.64	147.53	4.79	12.31
	日平均	31.04	50.47	32.43	8.11	7.88	138.50	5.85	10.16	
	灣內站	0:00	31.90	51.33	32.97	7.97	6.94	115.68	4.30	10.99
		3:00	31.67	51.50	33.07	8.05	6.75	151.52	3.78	10.02
		6:00	31.63	51.54	33.10	8.06	7.15	165.60	5.82	12.03
		9:00	31.99	51.43	33.03	8.19	7.61	146.58	5.46	13.81
		12:00	32.59	51.44	33.03	8.28	8.19	155.37	5.61	13.97
		15:00	32.82	51.31	32.95	8.32	8.52	136.17	5.21	13.87
18:00		32.60	51.26	32.92	8.18	7.68	160.12	3.29	15.64	
21:00		32.43	51.33	32.97	8.11	7.33	94.70	4.37	11.60	
日平均	32.20	51.39	33.01	8.15	7.52	140.72	4.73	12.74		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 20 日	蚵殼站	0:00	32.27	51.40	33.01	8.19	7.43	159.24	2.62	12.07
		3:00	31.99	51.33	32.97	8.24	7.21	153.05	3.38	8.40
		6:00	32.06	51.15	32.85	8.23	7.07	177.74	3.91	12.57
		9:00	32.46	50.78	32.63	8.22	9.02	156.83	4.81	4.53
		12:00	32.60	50.65	32.54	7.88	8.63	153.87	4.29	9.45
		15:00	32.43	50.67	32.56	7.79	8.43	146.63	4.82	12.57
		18:00	32.36	49.99	32.14	8.23	7.90	156.65	5.13	10.19
		21:00	31.89	49.21	31.65	8.17	7.23	151.04	4.22	4.26
	日平均	32.26	50.65	32.54	8.12	7.87	156.88	4.15	9.26	
	潮口站	0:00	30.45	50.58	32.50	8.02	7.49	165.29	3.65	11.56
		3:00	29.49	50.99	32.76	8.02	7.27	169.41	3.46	12.16
		6:00	30.48	50.77	32.62	8.03	7.13	161.91	3.19	10.78
		9:00	32.16	50.55	32.48	8.19	9.08	162.41	3.62	10.78
		12:00	32.80	50.22	32.28	8.17	8.69	154.03	4.72	8.34
		15:00	31.82	48.56	31.25	8.14	8.49	152.83	12.66	5.74
		18:00	31.35	47.69	30.71	8.04	7.96	135.32	4.97	5.83
		21:00	31.69	49.35	31.74	8.01	7.29	156.49	4.09	3.28
	日平均	31.28	49.84	32.04	8.08	7.93	157.21	5.05	8.56	
	灣內站	0:00	32.34	51.50	33.07	8.12	6.61	141.09	2.78	11.22
		3:00	32.17	51.59	33.13	8.12	6.31	127.20	4.50	12.38
		6:00	32.07	51.58	33.12	8.13	7.24	163.31	4.91	11.54
		9:00	32.59	51.39	33.00	8.22	7.60	131.35	5.50	14.61
		12:00	33.48	51.28	32.93	8.32	8.68	137.82	4.54	16.45
		15:00	33.59	51.27	32.93	8.31	8.86	119.20	6.58	15.68
18:00		33.06	51.34	32.97	8.20	7.53	145.87	5.66	16.65	
21:00		32.45	51.38	33.00	8.10	6.73	131.10	4.42	14.95	
日平均	32.72	51.42	33.02	8.19	7.45	137.12	4.86	14.19		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 21 日	蚵殼站	0:00	32.45	50.48	32.44	8.14	6.75	176.71	8.79	11.13
		3:00	32.11	50.51	32.46	8.18	7.07	156.11	4.27	6.81
		6:00	32.12	50.74	32.60	8.17	6.77	125.34	4.62	10.52
		9:00	32.09	50.34	32.35	8.23	8.43	161.65	3.98	10.87
		12:00	32.34	49.99	32.14	8.01	9.22	159.24	5.48	7.70
		15:00	32.05	50.28	32.32	7.90	8.19	153.05	5.71	11.59
		18:00	32.06	50.20	32.27	8.10	6.50	177.74	5.34	8.96
		21:00	31.93	50.16	32.24	8.04	5.52	188.66	4.28	11.81
	日平均	32.14	50.34	32.35	8.10	7.31	162.31	5.31	9.92	
	潮口站	0:00	31.30	49.47	31.81	8.01	6.81	171.34	3.21	6.43
		3:00	29.99	50.01	32.15	7.98	7.13	175.28	3.47	7.15
		6:00	30.55	49.77	32.00	7.99	6.83	169.88	3.14	6.34
		9:00	31.42	49.57	31.88	8.04	8.49	166.54	3.69	8.43
		12:00	32.35	49.53	31.85	8.10	9.28	156.84	4.52	7.28
		15:00	31.66	47.66	30.69	7.96	8.25	161.22	6.90	11.42
		18:00	30.99	48.71	31.34	7.88	6.56	146.82	3.26	11.29
		21:00	31.41	49.23	31.67	7.94	5.58	152.18	5.89	3.75
	日平均	31.21	49.24	31.67	7.99	7.37	162.51	4.26	7.76	
	灣內站	0:00	31.89	51.25	32.92	8.08	6.79	156.59	10.51	15.93
		3:00	31.98	51.32	32.96	7.97	6.59	130.61	5.25	18.34
		6:00	31.92	51.55	33.10	8.08	7.42	107.00	5.32	13.44
		9:00	32.07	51.48	33.06	8.13	7.79	135.87	4.69	13.19
		12:00	32.73	51.28	32.93	8.25	8.23	143.74	7.11	10.24
		15:00	32.97	51.30	32.95	8.23	7.69	149.73	5.84	10.45
		18:00	32.50	51.40	33.01	8.10	7.69	159.30	6.70	10.77
		21:00	32.43	51.52	33.08	8.06	7.14	173.63	5.66	9.99
	日平均	32.31	51.39	33.00	8.11	7.42	144.56	6.39	12.79	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 22 日	蚵殼站	0:00	31.78	50.48	32.44	8.04	8.03	153.18	3.43	6.46
		3:00	31.51	50.57	32.50	8.20	7.38	141.41	4.83	9.55
		6:00	31.34	50.68	32.56	8.23	6.89	148.23	5.38	4.30
		9:00	31.62	50.56	32.49	8.16	6.79	143.63	4.95	10.99
		12:00	31.67	50.34	32.35	8.20	7.18	178.29	6.14	6.29
		15:00	31.22	49.74	31.98	8.26	7.70	148.23	4.97	13.40
		18:00	31.93	49.86	32.06	8.28	7.16	177.60	5.42	11.56
		21:00	32.00	49.62	31.91	8.22	6.86	184.93	5.00	13.42
	日平均	31.63	50.23	32.29	8.20	7.25	159.44	5.02	9.50	
	潮口站	0:00	31.11	49.29	31.70	7.92	5.11	133.14	4.51	9.49
		3:00	29.27	49.92	32.09	7.87	6.79	186.54	4.14	4.93
		6:00	30.13	49.85	32.05	7.87	5.67	177.79	3.77	3.00
		9:00	31.15	49.32	31.72	7.90	7.63	172.48	4.13	7.60
		12:00	31.53	49.41	31.78	7.86	7.50	178.81	7.16	3.23
		15:00	31.26	48.59	31.27	7.91	8.26	169.67	6.25	6.29
		18:00	30.88	47.63	30.67	7.74	6.42	181.29	4.09	7.21
		21:00	30.86	48.94	31.49	7.81	5.17	160.43	3.96	8.83
	日平均	30.77	49.12	31.60	7.86	6.57	170.02	4.75	6.32	
	灣內站	0:00	32.15	51.60	33.13	8.10	7.63	144.90	3.77	11.79
		3:00	31.88	51.66	33.17	8.09	6.85	112.81	6.71	8.12
		6:00	31.68	51.66	33.17	8.15	7.18	125.45	6.90	10.43
		9:00	31.88	51.46	33.05	8.20	7.47	127.02	5.42	12.74
		12:00	32.50	51.32	32.96	8.25	8.54	159.19	6.44	10.76
		15:00	32.80	50.91	32.71	8.17	9.67	145.12	5.72	13.68
		18:00	32.24	50.95	32.73	8.06	8.83	160.55	6.99	13.99
		21:00	32.09	51.05	32.79	8.11	8.07	157.55	6.40	9.28
	日平均	32.15	51.33	32.96	8.14	8.03	141.57	6.04	11.35	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月23日	蚵殼站	0:00	31.51	49.76	31.99	8.15	7.39	160.70	3.83	12.51
		3:00	31.40	49.89	32.07	8.17	7.17	183.75	3.55	5.00
		6:00	31.31	49.81	32.02	8.21	7.03	182.20	3.67	8.77
		9:00	31.44	49.98	32.13	8.18	8.98	159.60	4.57	7.70
		12:00	31.83	49.95	32.11	8.15	8.59	194.13	4.17	10.65
		15:00	31.69	48.96	31.50	8.18	8.39	187.27	4.52	13.67
		18:00	31.51	49.32	31.72	8.11	7.86	198.53	7.83	6.90
		21:00	31.30	49.54	31.86	8.11	7.19	203.33	3.97	10.21
	日平均	31.50	49.65	31.93	8.16	7.83	183.69	4.51	9.43	
	潮口站	0:00	31.06	49.12	31.60	7.85	5.12	156.48	4.11	14.40
		3:00	29.32	50.30	32.33	7.80	5.99	185.14	5.56	7.10
		6:00	29.02	50.65	32.54	7.81	6.17	189.13	5.42	10.80
		9:00	31.14	49.86	32.06	7.84	6.48	176.55	3.35	8.26
		12:00	31.76	49.84	32.04	7.79	7.76	176.22	6.37	9.77
		15:00	31.56	49.33	31.73	7.85	7.26	173.61	35.96	7.00
		18:00	30.33	47.75	30.75	7.78	7.16	174.86	8.46	5.46
		21:00	30.56	47.67	30.70	7.80	7.02	180.27	6.58	5.63
	日平均	30.59	49.32	31.72	7.82	6.62	176.53	9.48	8.55	
	灣內站	0:00	31.82	51.01	32.77	8.12	7.83	153.06	4.44	12.94
		3:00	31.61	51.11	32.83	8.12	7.36	158.77	4.15	11.05
		6:00	31.48	51.09	32.82	8.12	7.09	180.98	3.84	8.00
		9:00	31.70	50.93	32.72	8.15	7.09	130.09	5.26	10.83
		12:00	32.41	50.64	32.54	8.26	9.17	170.63	5.42	7.65
		15:00	32.25	49.95	32.11	8.32	8.36	181.35	5.14	8.88
		18:00	31.86	49.75	31.99	8.21	8.70	187.88	9.25	9.19
		21:00	31.55	50.05	32.17	8.13	8.03	202.44	5.08	13.98
	日平均	31.84	50.57	32.49	8.18	7.95	170.65	5.32	10.32	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月24日	蚵殼站	0:00	31.02	49.66	31.93	8.11	7.90	206.42	3.83	7.16
		3:00	31.08	49.61	31.90	8.16	7.08	175.13	15.13	8.53
		6:00	30.87	49.39	31.76	8.10	6.72	207.70	2.67	5.72
		9:00	30.48	49.52	31.84	8.21	6.17	211.75	5.03	11.17
		12:00	30.22	50.58	32.50	8.25	7.05	211.67	14.73	10.43
		15:00	29.99	50.76	32.61	8.20	6.89	190.64	25.07	7.41
		18:00	29.69	51.09	32.82	8.18	6.83	187.64	60.27	8.61
		21:00	29.37	51.29	32.94	8.18	6.96	191.14	19.15	7.11
	日平均	30.34	50.24	32.29	8.17	6.95	197.76	18.24	8.27	
	潮口站	0:00	30.88	47.46	30.57	7.81	6.99	182.46	6.86	6.94
		3:00	30.23	47.79	30.77	7.78	7.05	178.57	7.44	6.01
		6:00	29.80	48.24	31.05	7.79	7.20	181.51	10.72	2.74
		9:00	29.97	47.82	30.79	7.90	7.36	177.55	8.99	9.20
		12:00	29.80	46.57	30.02	7.99	7.32	162.00	15.53	8.18
		15:00	29.88	44.54	28.76	8.03	7.30	150.49	28.75	7.02
		18:00	28.87	37.76	24.56	8.05	8.41	130.21	35.79	7.02
		21:00	28.86	35.32	23.05	8.07	7.97	123.86	36.28	6.12
	日平均	29.79	44.44	28.70	7.93	7.45	160.83	18.80	6.65	
	灣內站	0:00	31.33	50.02	32.15	8.02	7.85	193.98	4.96	11.74
		3:00	31.22	50.66	32.55	8.18	7.17	146.00	17.09	12.86
		6:00	30.82	50.57	32.50	8.13	6.85	192.30	2.74	8.74
		9:00	30.61	50.49	32.45	8.15	6.19	207.55	6.97	11.56
		12:00	30.29	50.37	32.37	8.16	6.61	185.69	16.56	13.49
		15:00	29.81	50.25	32.30	8.13	6.99	177.46	25.17	10.96
		18:00	29.34	50.35	32.36	8.08	6.94	177.97	60.32	11.29
		21:00	29.04	49.85	32.05	8.08	6.27	174.87	21.05	11.38
	日平均	30.31	50.32	32.34	8.12	6.86	181.98	19.36	11.50	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月25日	蚵殼站	0:00	29.12	51.08	32.81	8.18	7.15	179.00	12.37	12.80
		3:00	28.99	48.56	31.25	8.17	7.23	184.82	11.87	10.73
		6:00	28.73	47.00	30.28	8.13	7.28	181.30	14.07	10.34
		9:00	28.40	45.51	29.36	8.13	7.43	166.19	21.70	4.74
		12:00	28.07	41.95	27.16	8.15	7.57	184.88	26.23	10.91
		15:00	27.58	37.46	24.38	8.08	7.40	195.29	21.53	12.52
		18:00	27.36	36.41	23.73	8.00	7.31	203.16	17.33	9.01
		21:00	27.22	36.01	23.48	7.95	7.37	192.34	17.43	9.82
	日平均	28.18	43.00	27.81	8.10	7.34	185.87	17.82	10.11	
	潮口站	0:00	29.06	36.45	23.75	8.11	7.64	133.01	18.31	11.33
		3:00	28.75	37.39	24.33	8.14	7.91	118.38	16.27	9.09
		6:00	28.07	36.95	24.06	8.10	8.62	97.40	42.63	9.06
		9:00	28.00	35.41	23.11	8.12	8.28	104.50	118.31	4.05
		12:00	28.12	35.21	22.98	8.15	8.16	126.65	69.16	8.67
		15:00	27.89	34.92	22.80	8.14	8.13	116.16	29.09	9.75
		18:00	27.46	34.61	22.61	8.07	8.13	109.12	29.03	8.43
		21:00	26.99	34.52	22.55	7.99	8.34	113.89	68.26	7.85
	日平均	28.04	35.68	23.27	8.10	8.15	114.89	48.88	8.53	
	灣內站	0:00	28.67	47.62	30.67	8.00	6.97	151.75	21.74	13.65
		3:00	28.24	43.57	28.16	7.97	7.21	164.95	21.39	13.22
		6:00	28.04	40.98	26.56	8.01	6.75	168.34	20.08	10.34
		9:00	27.68	37.54	24.42	8.02	7.11	136.68	20.75	9.57
		12:00	27.23	36.57	23.82	8.03	7.12	161.92	21.65	11.94
		15:00	26.54	34.16	22.33	7.89	7.26	186.70	19.56	12.58
18:00		26.55	33.46	21.90	7.85	7.02	193.93	16.33	10.62	
21:00		26.83	32.16	21.09	7.91	7.08	176.63	16.21	13.08	
日平均	27.47	38.26	24.87	7.96	7.07	167.61	19.71	11.88		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月26日	蚵殼站	0:00	27.18	36.04	23.50	7.92	7.27	196.70	14.73	8.97
		3:00	27.15	36.98	24.08	7.99	7.39	201.02	22.32	10.01
		6:00	27.11	36.54	23.81	7.96	7.34	172.07	14.90	6.25
		9:00	27.31	35.00	22.85	7.78	7.03	186.33	11.93	14.19
		12:00	27.47	34.80	22.73	7.81	7.21	184.77	13.73	11.59
		15:00	27.67	34.51	22.55	7.83	7.38	236.00	13.00	10.03
		18:00	27.48	34.20	22.36	7.93	7.28	225.07	14.47	9.39
		21:00	27.39	34.11	22.30	7.94	7.41	219.35	16.95	12.29
	日平均	27.35	35.27	23.02	7.90	7.29	202.66	15.25	10.34	
	潮口站	0:00	27.03	34.26	22.39	7.97	7.93	114.49	33.40	8.42
		3:00	26.87	34.13	22.31	7.92	7.87	102.64	36.01	8.23
		6:00	27.50	34.02	22.24	8.08	8.30	117.90	34.34	3.53
		9:00	27.26	34.23	22.37	8.06	8.38	104.72	32.81	13.39
		12:00	27.28	33.15	21.71	7.94	8.02	110.95	24.08	9.98
		15:00	27.41	33.03	21.63	7.83	7.99	134.95	38.68	7.24
		18:00	27.39	32.71	21.43	7.85	7.89	131.81	68.16	6.83
		21:00	27.22	32.29	21.17	7.84	8.10	159.05	29.02	10.53
	日平均	27.25	33.48	21.91	7.94	8.06	122.06	37.06	8.52	
	灣內站	0:00	26.82	32.04	21.02	7.90	7.00	185.20	17.25	10.30
		3:00	26.73	32.98	21.60	7.74	7.04	184.91	18.42	13.39
		6:00	26.75	32.54	21.33	7.74	7.00	152.31	18.66	11.02
		9:00	26.99	31.00	20.37	7.89	6.60	171.02	16.71	14.49
		12:00	27.23	30.80	20.25	7.90	7.12	163.55	16.51	13.63
		15:00	27.24	30.51	20.07	7.83	7.27	224.24	16.80	13.31
18:00		27.27	30.20	19.88	7.68	6.91	221.80	16.73	12.61	
21:00		27.23	30.11	19.82	7.77	6.73	212.68	17.24	13.24	
日平均	27.03	31.27	20.54	7.81	6.96	189.46	17.29	12.75		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 27 日	蚵殼站	0:00	27.15	33.85	22.14	7.91	7.61	227.80	27.83	12.11
		3:00	27.19	33.72	22.06	7.93	7.53	212.10	14.50	13.48
		6:00	27.25	33.61	21.99	7.92	7.51	195.63	13.20	13.08
		9:00	27.39	33.82	22.12	7.90	7.46	197.25	14.00	17.37
		12:00	27.44	32.74	21.45	7.93	7.63	197.93	17.67	18.18
		15:00	27.57	32.62	21.38	7.73	7.33	206.20	12.47	15.26
		18:00	27.54	32.30	21.18	7.87	7.36	196.70	8.75	20.64
		21:00	27.48	31.88	20.92	7.91	7.40	182.93	8.83	21.66
	日平均	27.38	33.07	21.66	7.89	7.48	202.07	14.66	16.47	
	潮口站	0:00	27.25	33.42	21.87	7.81	7.90	124.26	23.33	11.62
		3:00	27.20	33.51	21.93	7.81	7.94	138.76	21.02	11.35
		6:00	27.13	33.92	22.18	7.82	7.92	117.49	31.61	11.09
		9:00	27.13	34.21	22.36	7.85	8.10	134.08	33.96	17.18
		12:00	27.45	35.16	22.95	7.80	8.01	108.08	21.70	17.46
		15:00	27.61	34.91	22.80	7.77	7.90	115.07	31.34	13.72
		18:00	27.56	35.24	23.00	7.73	7.76	118.21	53.91	14.62
		21:00	27.08	36.10	23.53	7.77	8.17	112.38	43.16	15.46
	日平均	27.30	34.56	22.58	7.80	7.96	121.04	32.50	14.06	
	灣內站	0:00	27.20	29.85	19.66	7.83	7.39	199.45	18.15	15.04
		3:00	27.09	29.72	19.58	7.81	7.44	197.39	20.06	18.04
		6:00	27.14	29.61	19.51	7.75	7.09	167.00	19.03	13.97
		9:00	27.37	29.82	19.64	7.81	6.98	190.22	18.71	21.80
		12:00	27.54	28.74	18.97	7.82	7.26	170.41	18.19	20.79
		15:00	27.49	28.62	18.90	7.70	6.74	176.65	17.41	18.84
		18:00	27.40	28.30	18.70	7.72	7.22	194.55	21.83	22.16
		21:00	27.30	27.88	18.44	7.76	7.16	158.58	21.49	21.88
	日平均	27.32	29.07	19.18	7.78	7.16	181.78	19.36	19.07	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7 月 28 日	蚵殼站	0:00	27.43	33.01	21.62	7.76	7.53	187.05	12.95	16.12
		3:00	27.24	33.10	21.68	7.61	7.05	202.67	7.43	19.29
		6:00	27.21	33.51	21.93	7.75	6.92	190.10	4.90	17.09
		9:00	28.49	33.80	22.11	7.75	7.05	111.88	5.17	21.15
		12:00	28.98	33.98	22.22	7.91	6.91	42.45	5.38	23.61
		15:00	29.07	33.85	22.14	7.93	7.34	43.08	7.94	21.44
		18:00	29.31	33.74	22.07	7.91	7.38	40.50	4.09	23.07
		21:00	29.14	33.95	22.20	8.07	5.62	64.74	3.66	18.73
	日平均	28.36	33.62	22.00	7.84	6.98	110.31	6.44	20.06	
	潮口站	0:00	27.17	35.75	23.32	7.70	8.09	119.55	15.71	14.94
		3:00	27.19	35.81	23.35	7.62	7.88	119.01	11.28	18.00
		6:00	27.28	36.24	23.62	7.60	7.66	109.30	12.96	14.95
		9:00	27.84	35.16	22.95	7.79	7.45	53.05	17.01	15.46
		12:00	28.20	36.84	23.99	7.85	7.45	51.48	10.95	17.26
		15:00	29.01	36.95	24.06	7.92	7.77	61.44	8.64	13.41
		18:00	28.67	37.50	24.40	7.91	7.27	74.72	6.92	15.46
		21:00	27.96	37.82	24.60	7.90	7.26	90.69	10.70	12.04
	日平均	27.92	36.51	23.79	7.79	7.60	84.91	11.77	15.19	
	灣內站	0:00	27.16	29.01	19.14	7.83	7.47	173.05	22.00	20.20
		3:00	27.12	29.10	19.20	7.62	7.00	175.45	21.41	23.20
		6:00	27.15	29.51	19.45	7.75	6.43	182.84	21.14	19.13
		9:00	27.79	29.80	19.63	7.75	6.57	105.34	8.83	26.96
		12:00	28.34	29.98	19.74	7.85	6.53	27.20	12.51	25.95
		15:00	29.13	29.85	19.66	7.86	7.00	16.30	7.25	24.00
		18:00	29.05	29.74	19.59	7.88	6.89	25.06	7.32	27.32
		21:00	28.88	29.95	19.72	7.94	5.58	38.85	6.69	25.04
	日平均	28.08	29.62	19.52	7.81	6.68	93.01	13.39	23.98	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月29日	蚵殼站	0:00	29.08	32.75	21.46	8.05	5.31	70.74	3.40	18.07
		3:00	28.77	32.43	21.26	8.06	5.65	79.75	2.77	23.06
		6:00	28.27	32.01	21.00	8.01	6.54	78.32	2.22	18.35
		9:00	28.94	32.87	21.53	8.03	6.68	88.41	2.10	24.63
		12:00	29.86	33.46	21.90	8.21	7.07	113.62	2.28	19.68
		15:00	29.79	33.15	21.71	8.39	11.41	146.25	3.11	22.29
		18:00	29.65	33.95	22.20	8.39	10.80	161.90	3.91	24.69
		21:00	29.39	33.41	21.87	8.23	8.62	174.44	4.44	17.88
	日平均	29.22	33.00	21.62	8.17	7.76	114.18	3.03	21.08	
	潮口站	0:00	28.56	36.64	23.87	7.89	6.96	89.70	4.58	16.13
		3:00	28.71	36.43	23.74	7.92	7.23	95.83	3.40	18.46
		6:00	28.46	36.21	23.60	7.81	6.10	105.79	8.23	17.28
		9:00	28.19	35.83	23.37	7.89	6.33	104.37	6.42	20.16
		12:00	28.26	36.15	23.56	7.99	6.79	99.69	5.40	17.56
		15:00	29.07	35.24	23.00	8.18	9.40	82.54	5.44	16.46
		18:00	29.67	38.88	25.25	8.27	10.40	86.36	5.44	18.46
		21:00	28.25	37.38	24.33	8.05	8.14	124.84	10.76	17.83
	日平均	28.65	36.60	23.84	8.00	7.67	98.64	6.21	17.79	
	灣內站	0:00	28.82	29.64	19.53	7.80	5.25	48.58	7.84	23.06
		3:00	28.79	29.84	19.66	7.76	5.51	55.42	8.70	24.75
		6:00	28.81	30.01	19.76	7.84	6.43	73.72	7.66	22.35
		9:00	28.94	30.87	20.29	7.87	6.13	72.75	2.00	24.64
		12:00	30.11	31.46	20.66	8.00	6.68	101.74	5.77	24.50
		15:00	30.36	31.15	20.47	8.21	11.08	142.63	8.71	27.07
		18:00	29.86	31.95	20.96	7.98	10.56	144.26	8.90	26.07
		21:00	29.56	31.41	20.63	7.80	8.60	166.08	7.42	22.75
	日平均	29.41	30.79	20.25	7.91	7.53	100.65	7.13	24.40	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月30日	蚵殼站	0:00	29.33	33.49	21.92	8.12	7.79	179.15	3.31	24.38
		3:00	29.17	33.55	21.95	8.04	6.28	177.94	3.31	21.75
		6:00	28.92	33.98	22.22	8.22	9.09	174.04	4.37	22.74
		9:00	29.56	32.90	21.55	8.55	13.56	158.45	4.83	19.92
		12:00	31.04	34.58	22.59	8.61	12.61	127.33	12.72	21.21
		15:00	31.75	34.69	22.66	8.70	12.49	106.29	17.86	22.00
		18:00	31.16	35.24	23.00	8.89	11.10	98.80	10.41	17.46
		21:00	30.62	35.56	23.20	8.61	10.91	95.89	11.17	21.41
	日平均	30.19	34.25	22.39	8.47	10.48	139.74	8.50	21.36	
	潮口站	0:00	28.57	38.10	24.77	8.13	8.33	128.22	12.24	18.14
		3:00	28.40	37.56	24.44	8.11	8.04	130.08	3.48	20.54
		6:00	28.57	37.15	24.18	8.32	10.54	125.80	4.02	19.88
		9:00	29.39	36.84	23.99	8.35	11.41	128.03	9.35	19.46
		12:00	30.61	36.24	23.62	8.73	12.56	114.68	10.42	20.28
		15:00	30.79	35.67	23.27	8.69	13.61	125.79	9.23	20.51
		18:00	30.87	37.46	24.38	8.89	12.01	111.92	8.07	15.92
		21:00	29.71	40.14	26.04	8.53	10.03	140.08	9.80	18.67
	日平均	29.61	37.40	24.34	8.47	10.82	125.58	8.33	19.18	
	灣內站	0:00	29.04	31.49	20.68	7.89	7.16	184.04	7.72	25.40
		3:00	28.56	31.55	20.72	7.52	5.87	229.43	8.99	26.47
		6:00	28.86	31.98	20.98	7.84	8.73	205.50	8.40	24.40
		9:00	29.81	30.90	20.31	8.53	13.66	137.45	7.79	23.53
		12:00	30.74	32.58	21.35	8.72	12.27	122.84	10.38	24.77
		15:00	31.16	32.69	21.42	8.93	11.82	124.63	18.73	26.18
		18:00	31.03	33.24	21.76	8.69	10.87	135.85	17.09	21.45
		21:00	30.49	33.56	21.96	8.52	10.53	155.05	16.97	23.47
	日平均	29.96	32.25	21.15	8.33	10.11	161.85	12.01	24.46	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
7月31日	蚵殼站	0:00	30.53	34.38	22.47	8.83	13.40	102.48	10.62	20.95
		3:00	30.17	34.17	22.34	8.49	10.27	126.07	11.56	23.15
		6:00	29.87	33.95	22.20	8.64	10.97	126.93	13.51	21.67
		9:00	29.94	33.57	21.97	8.82	12.79	120.37	10.47	21.72
		12:00	29.56	33.89	22.16	8.55	13.56	158.45	4.83	25.56
		15:00	31.04	32.98	21.60	8.91	12.48	127.33	12.72	19.44
		18:00	31.75	36.62	23.86	8.84	12.64	106.29	17.86	21.07
		21:00	31.16	35.12	22.93	8.94	12.14	98.80	10.41	16.73
	日平均	30.50	34.34	22.44	8.75	12.28	120.84	11.50	21.29	
	潮口站	0:00	29.41	40.03	25.97	8.24	9.86	151.30	10.11	18.22
		3:00	29.24	39.07	25.37	8.37	10.71	151.99	5.72	22.70
		6:00	29.58	37.13	24.17	8.59	12.29	142.22	7.84	20.56
		9:00	30.31	36.48	23.77	8.73	12.46	130.57	12.17	20.69
		12:00	30.39	36.84	23.99	8.35	11.41	128.03	11.45	23.36
		15:00	30.61	36.12	23.55	8.73	12.56	114.68	10.42	16.93
		18:00	30.79	35.67	23.27	8.69	13.61	125.79	9.23	19.92
		21:00	30.87	35.91	23.42	8.89	12.46	111.92	8.07	14.03
	日平均	30.15	37.16	24.19	8.57	11.92	132.06	9.38	19.55	
	灣內站	0:00	29.87	32.38	21.23	8.37	8.83	169.44	18.77	24.22
		3:00	29.33	32.17	21.10	8.05	8.83	198.49	12.54	25.91
		6:00	29.44	31.95	20.96	7.97	11.46	206.70	8.75	23.51
		9:00	29.80	31.57	20.73	8.64	11.80	150.55	10.07	25.80
		12:00	30.74	31.89	20.93	8.72	13.07	122.84	10.38	25.66
		15:00	30.36	30.98	20.36	8.84	10.71	138.03	11.64	28.23
18:00		29.86	34.62	22.62	8.64	11.62	153.85	12.54	27.23	
21:00		29.56	33.12	21.69	8.91	10.16	183.95	10.15	23.91	
日平均	29.87	32.34	21.20	8.52	10.81	165.48	11.86	25.56		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月1日	蚵殼站	0:00	31.05	36.63	23.86	8.46	6.54	182.49	8.02	6.66
		3:00	30.69	39.78	25.81	8.46	6.37	191.21	7.83	6.09
		6:00	30.32	39.37	25.56	8.42	7.03	191.25	7.43	5.72
		9:00	30.27	37.28	24.26	8.45	8.28	189.31	6.01	4.58
		12:00	28.28	36.57	23.82	8.26	7.05	220.14	7.36	6.02
		15:00	30.63	36.68	23.89	8.48	7.63	174.49	7.12	5.10
		18:00	31.43	36.90	24.03	8.48	8.92	160.01	6.95	4.60
		21:00	31.57	37.28	24.26	8.42	7.02	193.16	7.71	7.99
	日平均	30.53	37.56	24.44	8.43	7.36	187.76	7.30	5.85	
	潮口站	0:00	28.49	41.05	26.60	8.00	8.76	214.85	20.71	7.93
		3:00	28.94	42.23	27.33	8.09	8.60	202.68	8.97	6.81
		6:00	29.21	39.32	25.53	8.17	9.70	200.78	8.03	5.99
		9:00	30.26	37.32	24.29	8.32	11.70	185.10	9.56	7.72
		12:00	29.61	41.38	26.80	8.09	10.01	201.91	1.32	8.52
		15:00	29.58	38.23	24.85	7.85	8.30	214.68	16.10	7.60
		18:00	29.03	40.72	26.39	7.86	8.31	206.99	15.34	8.95
		21:00	30.58	38.58	25.07	8.12	10.94	174.94	6.34	5.58
	日平均	29.46	39.85	25.86	8.06	9.54	200.24	10.80	7.39	
	灣內站	0:00	31.24	36.80	23.97	8.05	6.58	186.81	17.95	5.32
		3:00	30.26	38.81	25.21	8.00	6.04	230.29	12.25	5.54
		6:00	30.03	39.01	25.34	8.18	7.10	242.70	8.63	5.24
		9:00	31.03	36.47	23.76	8.14	6.45	184.96	11.49	7.17
		12:00	31.76	36.02	23.48	8.22	6.90	150.85	13.04	6.95
		15:00	32.11	36.67	23.89	8.26	7.04	149.86	16.92	5.88
18:00		32.03	36.59	23.84	8.17	8.15	154.87	8.98	6.33	
21:00		31.86	36.46	23.76	8.09	6.07	166.02	14.34	6.57	
日平均	31.29	37.10	24.16	8.14	6.79	183.30	12.95	6.13		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月2日	蚵殼站	0:00	31.36	36.31	23.66	8.49	6.60	181.99	7.22	4.70
		3:00	31.19	36.78	23.95	8.36	6.19	201.63	7.06	5.44
		6:00	30.97	36.72	23.92	8.44	6.85	194.63	7.05	6.40
		9:00	31.48	36.57	23.82	8.42	7.44	180.58	6.01	6.15
		12:00	29.69	39.75	25.79	8.43	7.93	222.01	7.11	5.04
		15:00	30.81	39.16	25.43	8.30	8.27	191.06	6.49	6.25
		18:00	31.46	38.85	25.24	8.46	7.20	178.74	7.41	5.09
		21:00	31.57	37.28	24.26	8.42	8.03	193.16	7.87	5.17
	日平均	31.07	37.68	24.51	8.42	7.31	192.98	7.03	5.53	
	潮口站	0:00	29.01	42.00	27.19	7.88	8.44	217.31	10.15	7.61
		3:00	28.93	44.68	28.85	7.88	8.35	220.75	8.55	8.90
		6:00	29.82	40.19	26.07	8.10	10.06	194.76	5.88	7.54
		9:00	30.19	39.24	25.48	8.13	11.48	211.59	9.26	7.59
		12:00	29.36	41.91	27.13	7.89	9.41	229.12	1.38	8.55
		15:00	29.72	39.49	25.63	7.82	8.75	228.00	20.18	8.24
		18:00	29.07	39.55	25.67	7.74	7.71	226.52	15.57	8.18
		21:00	30.58	38.58	25.07	8.12	10.94	196.56	6.34	6.76
	日平均	29.59	40.71	26.39	7.95	9.39	215.58	9.66	7.92	
	灣內站	0:00	31.68	36.32	23.67	7.84	6.94	177.16	15.37	5.21
		3:00	30.60	38.82	25.22	7.91	6.76	215.36	13.93	4.38
		6:00	29.94	40.69	26.38	7.94	6.48	232.30	11.73	5.81
		9:00	31.41	37.83	24.60	8.06	6.37	185.25	7.23	5.25
		12:00	32.06	37.41	24.34	8.17	6.91	154.79	13.39	6.72
		15:00	32.16	37.26	24.25	8.23	8.41	152.43	15.79	6.63
		18:00	31.91	37.27	24.26	8.07	8.48	161.06	15.71	5.22
		21:00	31.85	38.23	24.85	8.19	7.87	182.21	14.63	5.78
	日平均	31.45	37.98	24.70	8.05	7.28	182.57	13.47	5.63	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月3日	蚵殼站	0:00	31.24	36.63	23.86	8.35	6.91	201.04	6.53	5.95
		3:00	31.00	39.78	25.81	8.21	5.63	191.74	6.97	10.06
		6:00	30.80	39.37	25.56	8.14	6.02	204.14	7.50	9.92
		9:00	31.25	37.28	24.26	8.40	7.29	187.23	6.01	6.22
		12:00	30.11	38.73	25.16	8.14	8.34	209.43	6.76	7.40
		15:00	29.93	39.75	25.79	8.17	8.68	208.46	6.70	6.89
		18:00	31.82	40.33	26.15	8.32	7.53	182.32	7.09	7.35
		21:00	31.59	40.06	25.99	8.21	5.94	201.69	9.28	6.21
	日平均	30.97	38.99	25.32	8.24	7.04	198.26	7.11	7.50	
	潮口站	0:00	29.68	41.01	26.57	8.01	8.65	211.23	7.17	6.98
		3:00	28.16	46.34	29.88	7.76	7.40	235.59	12.64	8.64
		6:00	29.38	40.98	26.56	7.85	6.85	224.38	5.63	6.61
		9:00	30.38	39.20	25.45	8.04	9.31	204.37	7.96	8.34
		12:00	29.53	41.72	27.01	7.84	9.85	216.97	5.06	8.69
		15:00	29.95	39.19	25.45	7.77	9.18	217.66	6.31	8.05
		18:00	29.32	37.84	24.61	7.66	7.26	226.80	11.41	7.15
		21:00	30.62	38.28	24.88	7.71	8.29	220.41	5.86	7.58
	日平均	29.63	40.57	26.30	7.83	8.35	219.68	7.76	7.76	
	灣內站	0:00	31.41	39.40	25.58	8.13	7.56	164.45	16.37	5.24
		3:00	30.11	40.95	26.54	7.99	6.54	192.95	8.39	5.90
		6:00	30.01	42.88	27.73	7.99	5.80	202.87	12.07	5.41
		9:00	30.95	41.27	26.74	8.12	5.66	178.48	7.09	4.77
		12:00	31.76	40.23	26.09	8.18	5.73	148.33	15.84	7.87
		15:00	31.75	40.77	26.43	8.15	6.25	146.09	9.31	10.69
		18:00	31.85	40.16	26.05	7.99	7.20	163.18	10.55	9.44
		21:00	31.85	40.12	26.02	7.93	7.39	178.85	13.48	8.49
	日平均	31.21	40.72	26.40	8.06	6.52	171.90	11.64	7.23	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月4日	蚵殼站	0:00	31.24	38.25	24.86	8.39	7.41	203.59	7.50	5.98
		3:00	31.27	40.19	26.07	8.28	6.22	210.44	8.03	7.59
		6:00	31.00	41.28	26.74	8.20	6.43	222.32	9.05	5.76
		9:00	31.17	40.44	26.22	8.26	7.33	198.04	6.01	6.29
		12:00	31.92	41.80	27.06	8.24	9.59	186.65	8.05	5.97
		15:00	32.44	41.31	26.76	8.28	10.92	173.16	7.42	4.98
		18:00	32.11	42.09	27.24	8.22	8.53	179.63	7.67	6.52
		21:00	31.91	42.32	27.39	8.17	7.79	194.45	9.30	5.52
	日平均	31.63	40.96	26.54	8.26	8.03	196.04	7.88	6.08	
	潮口站	0:00	30.43	38.17	24.82	7.73	7.23	223.01	5.18	9.10
		3:00	28.18	43.51	28.12	7.65	6.84	210.84	14.56	6.75
		6:00	29.18	42.76	27.66	7.63	6.58	208.94	6.23	6.97
		9:00	30.54	43.00	27.81	8.29	8.85	193.26	29.03	7.61
		12:00	29.74	45.72	29.49	8.20	8.92	210.07	8.08	7.05
		15:00	29.94	44.31	28.62	8.13	8.39	222.84	7.15	4.94
		18:00	29.34	44.46	28.71	8.07	7.70	215.15	6.11	6.93
		21:00	30.88	42.31	27.38	8.26	8.08	183.10	4.45	6.64
	日平均	29.78	43.03	27.83	8.00	7.82	208.40	10.10	7.00	
	灣內站	0:00	31.57	40.64	26.35	8.05	6.32	192.30	9.52	8.34
		3:00	31.11	41.46	26.85	7.91	6.17	189.92	8.24	6.78
		6:00	30.22	44.18	28.54	7.98	6.69	222.83	14.56	7.48
		9:00	31.12	42.41	27.44	8.11	6.38	170.09	12.09	8.27
		12:00	31.93	41.57	26.92	8.20	6.96	118.66	13.48	8.01
		15:00	32.42	41.31	26.76	8.23	7.76	127.46	9.74	8.82
18:00		32.81	40.75	26.41	8.01	7.30	164.67	15.01	9.86	
21:00		32.15	40.67	26.36	7.88	6.51	178.32	11.27	10.20	
日平均	31.67	41.62	26.95	8.05	6.76	170.53	11.74	8.47		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月5日	蚵殼站	0:00	31.57	42.10	27.25	8.21	7.92	186.04	10.07	5.56
		3:00	31.20	41.81	27.07	8.18	7.30	187.13	10.45	8.47
		6:00	30.97	43.27	27.97	8.07	6.82	197.59	10.73	7.82
		9:00	31.40	43.44	28.08	8.06	7.34	206.12	6.01	3.93
		12:00	31.85	43.67	28.22	8.13	8.29	199.17	9.99	3.89
		15:00	32.17	43.26	27.97	8.19	9.59	198.62	9.96	8.03
		18:00	32.12	42.15	27.28	8.23	8.64	167.23	10.48	6.12
		21:00	31.88	42.06	27.22	8.14	7.78	178.38	9.92	6.73
	日平均	31.65	42.72	27.63	8.15	7.96	190.04	9.70	6.32	
	潮口站	0:00	30.61	42.76	27.66	8.23	7.42	225.47	3.82	6.09
		3:00	28.65	49.83	32.04	8.14	7.31	228.91	11.10	5.56
		6:00	29.10	46.95	30.25	8.15	6.78	202.92	6.85	4.45
		9:00	30.31	43.26	27.97	8.30	7.80	198.13	5.06	4.51
		12:00	30.25	45.83	29.56	8.19	7.78	215.66	8.65	7.06
		15:00	30.08	46.37	29.89	8.14	7.38	214.54	7.27	4.60
		18:00	29.22	44.03	28.45	8.02	7.01	213.06	5.57	6.26
		21:00	30.30	43.12	27.88	8.11	6.37	183.10	4.28	10.46
	日平均	29.82	45.27	29.21	8.16	7.23	210.22	6.58	6.12	
	灣內站	0:00	31.73	41.06	26.61	7.91	5.58	152.17	10.74	10.32
		3:00	31.31	42.26	27.35	8.02	6.25	172.81	14.96	8.76
		6:00	30.60	44.42	28.69	7.94	7.15	173.95	11.80	9.68
		9:00	30.82	44.56	28.77	8.11	7.13	194.17	12.50	10.15
		12:00	32.36	41.93	27.14	8.31	8.65	151.87	13.40	9.07
		15:00	32.91	41.34	26.78	8.31	9.79	154.13	15.89	8.60
18:00		32.12	41.47	26.86	8.21	8.55	181.00	14.26	10.47	
21:00		31.57	42.04	27.21	8.21	7.18	200.88	16.02	8.89	
日平均	31.68	42.39	27.43	8.13	7.54	172.62	13.70	9.49		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8 月 6 日	蚵殼站	0:00	31.61	42.19	27.31	8.10	8.15	178.65	15.05	14.50
		3:00	31.25	42.30	27.37	8.12	8.16	178.77	15.48	14.33
		6:00	30.84	44.79	28.92	8.03	7.24	193.66	14.68	16.03
		9:00	30.58	46.46	29.95	7.99	8.15	205.83	11.86	15.20
		12:00	31.03	44.88	28.97	8.15	9.40	195.45	11.05	13.85
		15:00	31.00	42.40	27.44	8.21	10.43	193.86	10.52	16.02
		18:00	30.67	41.67	26.98	8.19	9.99	193.37	10.96	16.59
		21:00	30.32	41.98	27.18	8.11	7.03	217.75	11.49	15.36
	日平均	30.91	43.33	28.02	8.11	8.57	194.67	12.64	15.24	
	潮口站	0:00	29.99	45.18	29.16	8.09	5.70	197.77	13.99	17.11
		3:00	28.70	49.63	31.91	8.11	6.58	222.13	17.85	16.49
		6:00	28.65	48.74	31.36	8.08	6.28	210.92	19.00	17.98
		9:00	29.53	45.23	29.19	8.21	7.34	190.91	14.61	17.48
		12:00	29.66	47.15	30.38	8.14	7.73	203.51	19.88	18.57
		15:00	29.84	45.81	29.55	8.11	7.59	204.20	20.90	17.68
		18:00	28.86	47.60	30.66	8.06	7.01	213.34	18.88	17.66
		21:00	29.16	46.09	29.72	8.09	6.41	206.95	15.49	18.11
	日平均	29.30	46.93	30.24	8.11	6.83	206.22	17.58	17.64	
	灣內站	0:00	31.20	41.89	27.12	8.17	6.83	210.65	22.31	14.02
		3:00	30.93	42.11	27.26	8.12	6.86	187.71	21.85	13.39
		6:00	30.48	45.57	29.40	8.03	7.77	174.89	23.30	14.02
		9:00	30.50	46.27	29.83	8.12	7.98	211.42	17.13	13.54
		12:00	31.45	42.12	27.26	8.09	9.76	168.63	15.90	13.54
		15:00	31.08	41.26	26.73	8.10	9.21	160.45	13.08	14.67
18:00		30.63	42.59	27.55	8.02	8.22	201.95	11.88	13.30	
21:00		30.34	42.35	27.40	8.03	7.46	223.49	16.76	12.58	
日平均	30.83	43.02	27.82	8.09	8.01	192.40	17.78	13.63		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8 月 7 日	蚵殼站	0:00	29.92	39.82	25.84	8.05	6.17	222.08	10.75	15.64
		3:00	29.64	40.60	26.32	8.02	7.16	210.73	10.69	15.89
		6:00	29.97	45.26	29.21	7.98	6.54	200.43	11.08	16.20
		9:00	30.05	47.28	30.46	7.92	6.69	219.46	13.27	14.17
		12:00	30.78	44.45	28.71	8.19	7.61	210.60	10.46	15.18
		15:00	31.43	43.14	27.89	8.26	8.50	206.56	11.49	14.68
		18:00	31.48	42.13	27.27	8.19	9.54	209.16	12.02	20.02
		21:00	31.16	43.65	28.21	8.08	7.30	200.13	13.04	26.88
	日平均	30.55	43.29	27.99	8.09	7.44	209.89	11.60	17.33	
	潮口站	0:00	29.45	45.23	29.19	8.11	6.34	217.68	15.16	26.48
		3:00	28.88	46.94	30.25	7.99	6.04	189.09	15.48	28.08
		6:00	28.62	49.68	31.94	8.00	6.75	195.69	18.88	45.92
		9:00	28.77	46.44	29.94	8.00	6.83	215.76	15.89	47.33
		12:00	29.57	46.83	30.18	8.04	8.60	212.67	15.90	56.24
		15:00	29.70	47.50	30.59	8.01	8.10	204.33	17.70	47.01
		18:00	29.07	43.01	27.81	7.86	7.28	221.99	19.43	55.96
		21:00	29.42	44.40	28.67	7.92	5.76	231.07	15.81	60.82
	日平均	29.19	46.25	29.82	7.99	6.96	211.04	16.78	45.98	
	灣內站	0:00	30.37	42.58	27.55	8.03	7.82	245.30	18.53	16.79
		3:00	30.12	42.78	27.67	8.14	6.66	217.68	19.12	19.09
		6:00	30.00	44.87	28.97	8.05	7.18	213.30	20.65	17.03
		9:00	30.12	46.31	29.86	8.15	7.83	217.09	15.36	18.78
		12:00	31.41	39.42	25.59	8.28	8.58	188.50	12.89	18.92
		15:00	31.74	38.69	25.14	8.12	8.75	150.77	14.46	18.21
18:00		31.64	40.30	26.13	8.10	7.65	195.33	12.56	17.32	
21:00		31.25	43.04	27.83	8.13	7.77	221.45	17.41	18.07	
日平均	30.83	42.25	27.34	8.13	7.78	206.18	16.37	18.03		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月8日	蚵殼站	0:00	30.99	42.46	27.47	7.86	7.11	218.36	12.04	24.94
		3:00	30.50	40.14	26.04	7.95	6.54	225.36	11.41	25.00
		6:00	30.57	42.70	27.62	8.00	7.97	214.97	11.66	36.12
		9:00	30.80	44.53	28.75	8.06	7.60	210.69	13.29	26.30
		12:00	30.85	43.52	28.13	8.34	9.08	200.66	14.72	24.87
		15:00	31.23	42.87	27.73	8.44	11.13	185.00	14.06	29.36
		18:00	30.97	43.45	28.09	8.30	9.50	187.50	14.44	14.53
		21:00	30.98	43.00	27.81	8.17	9.41	197.67	14.72	24.91
	日平均	30.86	42.83	27.71	8.14	8.54	205.03	13.29	25.75	
	潮口站	0:00	29.88	44.64	28.82	7.96	6.92	235.53	16.14	72.08
		3:00	29.18	47.21	30.41	7.90	5.82	246.58	16.77	75.87
		6:00	28.86	49.57	31.88	7.96	6.71	249.42	19.60	60.88
		9:00	29.25	47.27	30.45	8.02	7.80	247.42	16.05	71.55
		12:00	29.49	47.87	30.82	8.14	9.25	238.86	17.51	71.10
		15:00	29.44	48.20	31.03	8.08	7.97	229.71	20.02	80.01
		18:00	28.84	41.68	26.99	7.95	7.59	212.34	21.21	72.16
		21:00	29.07	43.93	28.38	8.03	7.70	207.35	18.34	60.27
	日平均	29.25	46.30	29.85	8.01	7.47	233.40	18.21	70.49	
	灣內站	0:00	31.33	42.10	27.25	8.15	6.90	234.68	20.53	15.92
		3:00	31.02	42.20	27.31	8.16	6.57	219.25	19.68	15.76
		6:00	30.56	44.44	28.70	8.13	6.92	221.86	11.76	14.18
		9:00	30.83	44.34	28.64	8.10	7.88	215.66	15.63	16.43
		12:00	31.26	42.59	27.55	8.35	7.60	159.72	24.69	15.92
		15:00	31.50	41.83	27.08	8.37	8.35	148.35	21.62	18.89
18:00		31.19	42.04	27.21	8.31	6.88	171.12	23.87	19.87	
21:00		31.10	42.39	27.43	8.06	5.87	213.84	23.48	18.03	
日平均	31.10	42.74	27.65	8.20	7.12	198.06	20.16	16.88		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月9日	蚵殼站	0:00	30.74	42.71	27.63	8.14	9.16	201.06	13.98	26.02
		3:00	30.47	43.13	27.89	7.99	9.63	208.31	13.95	25.07
		6:00	29.76	42.38	27.42	8.15	8.28	207.57	14.47	16.34
		9:00	29.85	42.56	27.53	8.19	8.64	202.65	13.91	15.48
		12:00	29.84	42.45	27.47	8.20	9.78	202.94	14.73	16.39
		15:00	29.86	42.15	27.28	8.36	11.40	197.15	14.04	9.62
		18:00	29.62	42.22	27.32	8.23	10.25	199.70	9.47	16.85
		21:00	29.63	42.41	27.44	8.14	8.53	211.28	8.67	15.58
	日平均	29.97	42.50	27.50	8.18	9.46	203.83	12.90	17.67	
	潮口站	0:00	29.64	43.00	27.81	8.19	8.93	209.11	17.50	25.71
		3:00	29.45	44.75	28.89	8.07	7.59	227.00	18.75	30.43
		6:00	28.62	46.02	29.68	8.00	7.46	233.95	19.33	27.24
		9:00	28.77	45.46	29.33	7.98	7.65	231.18	17.15	30.71
		12:00	29.43	43.84	28.33	8.22	9.80	207.59	18.94	36.62
		15:00	29.65	43.91	28.37	8.22	10.01	203.83	19.92	30.20
		18:00	28.88	47.88	30.83	8.07	7.79	214.06	21.58	20.95
		21:00	28.96	45.78	29.53	8.16	8.15	197.32	16.77	26.01
	日平均	29.18	45.08	29.10	8.11	8.42	215.51	18.74	28.48	
	灣內站	0:00	31.07	43.13	27.89	8.08	5.73	241.68	22.55	18.75
		3:00	30.67	42.91	27.75	8.13	5.66	241.88	20.26	16.53
		6:00	30.20	42.78	27.67	8.12	6.16	222.60	20.57	17.19
		9:00	29.98	42.66	27.60	8.15	6.27	239.10	21.57	16.44
		12:00	30.01	42.00	27.19	8.29	7.16	233.66	16.83	18.80
		15:00	29.95	41.34	26.78	8.33	8.19	220.77	21.44	16.76
18:00		29.82	41.48	26.87	8.30	8.03	240.23	13.07	12.99	
21:00		29.85	42.27	27.35	8.20	7.15	255.79	18.04	13.51	
日平均	30.19	42.32	27.39	8.20	6.79	236.96	19.29	16.37		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月10日	蚵殼站	0:00	29.52	42.14	27.27	8.20	8.23	211.84	8.52	9.42
		3:00	29.32	40.90	26.51	8.16	8.08	211.47	7.71	8.94
		6:00	29.09	41.08	26.62	8.07	8.17	215.64	7.91	6.32
		9:00	29.35	40.85	26.48	8.08	7.20	218.14	8.08	5.08
		12:00	29.31	38.68	25.13	7.83	7.69	230.58	7.97	5.26
		15:00	29.41	37.52	24.41	7.96	10.08	231.79	7.29	4.63
		18:00	29.23	37.19	24.21	7.75	9.11	246.30	8.39	6.87
		21:00	29.54	41.80	27.06	8.01	7.25	243.99	7.59	4.56
	日平均	29.35	40.02	25.96	8.01	8.23	226.22	7.93	6.39	
	潮口站	0:00	29.25	42.27	27.35	8.31	9.32	190.60	15.28	25.33
		3:00	29.24	42.93	27.76	8.20	8.31	199.39	15.42	20.83
		6:00	28.69	46.87	30.20	8.03	6.80	220.51	19.25	25.99
		9:00	28.61	45.19	29.16	8.10	7.62	204.86	16.84	45.50
		12:00	28.89	43.59	28.17	8.12	7.81	205.72	18.35	28.56
		15:00	29.18	43.36	28.03	8.06	7.44	204.79	18.65	30.36
		18:00	28.66	47.18	30.40	7.91	6.18	208.26	15.35	27.63
		21:00	28.12	46.82	30.17	7.90	6.80	203.76	9.08	25.01
	日平均	28.83	44.78	28.91	8.08	7.54	204.74	16.03	28.65	
	灣內站	0:00	30.11	44.32	28.62	8.11	6.20	254.28	17.94	10.76
		3:00	29.57	43.24	27.96	8.10	5.91	240.05	17.35	7.41
		6:00	29.40	41.45	26.85	8.14	6.01	236.10	7.99	7.20
		9:00	29.45	42.60	27.56	8.02	6.90	237.84	9.72	6.54
		12:00	29.63	42.74	27.65	8.19	7.88	248.78	15.19	7.94
		15:00	29.56	38.56	25.06	8.30	8.18	235.01	15.63	8.65
		18:00	29.50	38.46	25.00	8.22	8.05	247.51	16.37	9.96
		21:00	29.55	41.80	27.06	8.09	7.68	245.90	15.35	8.36
	日平均	29.60	41.65	26.97	8.15	7.10	243.18	14.44	8.35	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月11日	蚵殼站	0:00	29.58	41.73	27.02	7.86	6.93	208.35	6.70	6.13
		3:00	28.93	40.41	26.20	7.81	6.33	259.72	7.10	6.61
		6:00	28.97	39.73	25.78	7.96	7.54	253.32	7.22	5.44
		9:00	29.49	40.80	26.44	7.87	6.55	249.47	7.47	6.21
		12:00	29.91	41.09	26.62	7.91	6.97	246.50	8.78	5.38
		15:00	30.86	38.91	25.27	8.20	7.10	231.23	8.58	5.58
		18:00	31.17	36.63	23.86	8.12	8.31	216.05	9.20	5.92
		21:00	30.86	39.52	25.65	7.87	6.36	224.96	8.26	6.12
	日平均	29.97	39.85	25.86	7.95	7.01	236.20	7.91	5.92	
	潮口站	0:00	28.83	44.24	28.58	7.87	6.29	204.96	9.17	7.66
		3:00	29.24	45.89	29.60	7.82	5.16	212.38	7.91	7.25
		6:00	28.69	47.56	30.63	7.80	5.04	216.76	8.33	9.95
		9:00	28.18	43.12	27.88	7.80	7.07	208.18	8.52	9.25
		12:00	28.65	46.95	30.25	7.83	6.32	218.50	6.74	8.82
		15:00	29.45	45.16	29.14	7.84	6.42	215.87	6.47	7.58
		18:00	29.44	45.44	29.32	7.81	5.92	219.90	5.88	8.04
		21:00	28.55	44.33	28.63	7.80	6.83	205.15	6.79	7.54
	日平均	28.88	45.34	29.25	7.82	6.13	212.71	7.48	8.26	
	灣內站	0:00	29.68	43.74	28.27	8.03	6.52	242.95	13.50	8.81
		3:00	29.14	39.19	25.45	8.08	6.39	246.76	15.59	8.71
		6:00	29.32	40.23	26.09	8.02	5.82	244.72	8.72	10.21
		9:00	29.71	42.32	27.39	8.10	6.58	246.42	14.54	9.14
		12:00	30.54	37.79	24.58	8.15	6.89	235.76	12.86	11.39
		15:00	31.45	38.46	25.00	8.22	8.17	217.05	11.71	13.61
		18:00	31.42	35.31	23.04	8.20	6.89	213.76	15.94	12.68
		21:00	30.63	40.73	26.40	8.11	6.73	237.86	13.86	11.44
	日平均	30.24	39.72	25.78	8.11	6.75	235.66	13.34	10.75	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月12日	蚵殼站	0:00	30.41	40.81	26.45	7.64	6.96	248.08	9.62	10.86
		3:00	30.27	38.98	25.32	7.81	6.78	214.53	8.95	5.80
		6:00	29.84	35.91	23.42	8.08	6.78	230.22	8.47	7.44
		9:00	30.38	38.77	25.19	8.25	6.49	217.65	8.02	11.21
		12:00	31.29	40.46	26.23	8.27	7.05	213.03	9.85	5.89
		15:00	32.20	39.44	25.60	8.44	8.63	199.18	13.33	10.99
		18:00	32.29	38.70	25.14	8.29	8.72	190.34	12.13	11.57
		21:00	32.13	39.51	25.65	8.20	8.31	199.06	10.62	5.86
	日平均	31.10	39.07	25.38	8.12	7.47	214.01	10.12	8.70	
	潮口站	0:00	28.77	46.03	29.68	7.91	5.53	184.06	6.22	9.82
		3:00	29.16	45.51	29.36	7.93	5.85	204.74	6.58	7.80
		6:00	29.16	46.45	29.94	7.83	5.65	226.07	7.02	4.35
		9:00	29.23	45.92	29.62	7.81	6.28	247.58	7.36	3.97
		12:00	29.66	44.78	28.91	7.85	6.80	238.38	8.88	5.89
		15:00	29.60	45.98	29.65	7.77	5.87	255.23	7.48	7.02
		18:00	30.44	44.61	28.80	7.85	5.39	236.74	7.70	6.26
		21:00	29.70	44.21	28.56	7.87	6.89	248.26	7.89	7.05
	日平均	29.47	45.44	29.32	7.85	6.03	230.13	7.39	6.52	
	灣內站	0:00	30.04	42.78	27.67	8.07	6.09	259.21	18.83	9.32
		3:00	29.29	41.00	26.57	8.01	5.93	262.21	14.90	10.51
		6:00	29.97	39.95	25.92	8.05	6.31	254.26	14.80	8.64
		9:00	30.74	38.85	25.24	8.07	6.76	218.59	11.04	9.76
		12:00	31.96	37.21	24.22	8.11	8.43	178.56	11.21	11.00
		15:00	32.61	37.40	24.34	8.16	8.65	169.99	14.14	8.22
18:00		32.69	37.49	24.39	8.14	7.89	171.21	13.78	10.59	
21:00		32.12	39.80	25.83	8.09	6.01	195.25	12.50	10.17	
日平均	31.18	39.31	25.52	8.09	7.01	213.66	13.90	9.78		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月13日	蚵殼站	0:00	31.87	40.87	26.49	8.09	7.65	208.71	10.24	5.94
		3:00	31.52	39.91	25.89	8.01	6.82	217.09	10.50	4.22
		6:00	31.11	37.75	24.56	8.23	5.99	205.96	10.84	5.69
		9:00	31.83	38.22	24.85	8.34	6.04	199.11	10.95	6.73
		12:00	31.65	40.64	26.35	8.28	6.05	199.82	14.36	8.56
		15:00	31.81	39.80	25.83	8.28	6.59	198.34	15.06	6.52
		18:00	31.79	39.56	25.68	8.16	7.67	202.41	12.69	8.22
		21:00	31.59	39.89	25.88	8.04	7.43	209.45	11.28	6.77
	日平均	31.65	39.58	25.69	8.18	6.78	205.11	11.99	6.58	
	潮口站	0:00	29.61	45.43	29.31	7.88	5.53	212.29	6.78	5.90
		3:00	29.92	45.22	29.18	7.92	6.19	176.33	8.35	6.83
		6:00	30.64	42.73	27.64	8.10	7.13	192.45	9.59	4.44
		9:00	29.86	46.09	29.72	7.85	6.24	229.24	11.35	6.52
		12:00	30.25	44.66	28.84	7.92	6.87	243.53	10.22	6.06
		15:00	30.39	44.49	28.73	7.89	7.59	241.46	9.16	8.08
		18:00	30.78	42.82	27.70	7.96	7.71	229.50	9.56	5.40
		21:00	29.59	45.11	29.11	7.84	7.63	241.91	8.57	6.55
	日平均	30.13	44.57	28.78	7.92	6.86	220.84	9.20	6.22	
	灣內站	0:00	31.20	42.98	27.79	7.93	6.33	229.59	19.49	9.44
		3:00	30.90	41.81	27.07	8.02	6.00	230.70	17.74	7.33
		6:00	30.90	41.12	26.64	7.99	6.19	230.31	17.83	8.26
		9:00	31.68	39.51	25.65	7.91	6.89	203.22	13.65	8.11
		12:00	32.04	39.29	25.51	7.94	8.27	195.07	18.98	9.38
		15:00	31.93	39.30	25.52	8.10	8.79	195.60	15.97	9.48
18:00		31.78	39.34	25.54	8.12	7.92	209.97	22.61	10.01	
21:00		31.46	40.48	26.25	8.07	6.78	221.51	13.56	9.71	
日平均	31.49	40.48	26.25	8.01	7.15	214.50	17.48	8.97		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月14日	蚵殼站	0:00	31.32	41.38	26.80	8.13	6.50	211.86	11.11	6.85
		3:00	30.95	41.33	26.77	7.94	6.25	225.47	10.63	6.52
		6:00	30.50	40.48	26.25	8.02	6.75	228.20	10.20	6.94
		9:00	31.49	39.95	25.92	8.09	6.79	223.15	9.80	5.67
		12:00	31.93	41.21	26.70	8.17	7.19	217.77	11.50	7.64
		15:00	31.51	42.18	27.30	8.12	8.09	215.72	13.13	7.55
		18:00	31.81	40.64	26.35	7.97	7.55	223.22	12.37	9.17
		21:00	31.91	40.51	26.26	7.84	6.96	210.98	11.58	6.91
		日平均	31.43	40.96	26.54	8.04	7.01	219.55	11.29	7.16
	潮口站	0:00	29.77	45.18	29.16	7.84	5.85	205.76	7.74	8.21
		3:00	30.15	43.93	28.38	7.98	6.19	178.10	8.34	7.58
		6:00	30.47	40.52	26.27	8.11	7.13	181.62	8.46	5.07
		9:00	30.24	44.43	28.69	7.84	6.24	235.65	7.90	9.79
		12:00	30.31	46.14	29.75	7.77	6.15	230.66	8.52	8.90
		15:00	30.32	46.36	29.89	7.80	6.28	212.03	8.42	7.15
		18:00	30.47	42.92	27.76	7.77	5.39	178.16	5.96	7.29
		21:00	29.75	45.36	29.27	7.74	5.53	217.79	6.53	9.54
		日平均	30.19	44.36	28.65	7.86	6.10	204.97	7.73	7.94
	灣內站	0:00	30.63	43.90	28.36	8.07	6.18	224.55	15.66	9.50
		3:00	30.27	42.96	27.78	7.85	6.65	234.07	14.73	9.30
		6:00	30.64	41.60	26.94	7.93	6.89	236.75	14.74	6.16
		9:00	31.45	40.58	26.31	8.07	7.48	213.88	9.81	7.47
		12:00	32.25	40.18	26.06	8.10	8.01	194.64	14.54	8.29
		15:00	32.09	40.35	26.17	8.10	9.51	200.06	15.67	9.79
		18:00	31.91	40.57	26.30	8.06	8.39	217.23	14.14	8.57
		21:00	31.58	40.96	26.54	7.86	7.49	204.77	20.83	8.25
		日平均	31.35	41.39	26.81	8.01	7.58	215.74	15.02	8.42
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月15日	蚵殼站	0:00	31.10	44.17	28.53	7.71	6.26	214.90	10.18	6.17
		3:00	31.09	42.19	27.31	7.74	7.18	204.51	10.37	7.62
		6:00	31.47	40.68	26.37	7.89	7.41	200.23	10.17	5.79
		9:00	31.48	41.23	26.71	7.92	8.74	190.20	10.53	5.52
		12:00	31.39	41.53	26.90	7.88	9.84	174.54	10.30	5.58
		15:00	31.09	41.40	26.82	7.76	8.57	177.04	10.82	7.47
		18:00	30.89	41.54	26.90	7.81	7.55	187.21	10.48	7.56
		21:00	31.25	41.95	27.16	7.82	7.68	194.57	10.50	6.51
		日平均	29.20	46.59	30.03	7.71	5.50	160.94	6.82	6.29
	潮口站	0:00	29.85	44.75	28.89	7.75	5.85	151.36	6.25	5.74
		3:00	30.12	43.90	28.36	7.80	5.65	178.48	6.28	6.39
		6:00	30.31	44.43	28.69	7.71	6.28	194.24	8.44	9.96
		9:00	29.95	46.17	29.77	7.68	6.80	221.36	8.25	7.68
		12:00	30.28	44.59	28.79	7.63	5.87	232.01	6.16	5.78
		15:00	30.47	43.50	28.12	7.64	5.40	205.77	5.15	5.24
		18:00	29.76	44.46	28.71	7.65	5.78	209.59	4.67	6.44
		21:00	29.99	44.80	28.92	7.70	5.89	194.22	6.50	6.69
		日平均	31.07	43.40	28.05	7.99	7.53	223.94	17.01	8.05
	灣內站	0:00	30.51	45.94	29.63	7.85	7.97	237.06	17.30	8.35
		3:00	30.73	44.38	28.66	7.87	7.51	239.98	19.25	7.57
		6:00	31.32	41.67	26.98	7.99	8.07	217.71	15.93	10.41
		9:00	31.44	41.37	26.80	8.04	8.84	214.94	19.68	9.77
		12:00	31.26	41.04	26.59	8.15	9.59	216.22	19.75	7.90
		15:00	31.32	41.17	26.67	8.06	8.37	225.67	20.53	8.39
		18:00	31.00	40.53	26.28	7.88	6.59	230.46	13.33	8.38
		21:00	31.08	42.44	27.46	7.98	8.06	225.75	17.85	8.60
		日平均	31.10	44.17	28.53	7.71	6.26	214.90	10.18	6.17
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8 月 16 日	蚵殼站	0:00	30.75	42.22	27.32	7.85	6.91	190.60	9.87	5.82
		3:00	30.59	44.19	28.54	7.85	7.29	197.85	9.85	7.06
		6:00	30.36	44.52	28.75	7.79	7.88	197.11	10.14	6.31
		9:00	30.77	41.80	27.06	7.73	8.30	192.19	8.74	7.52
		12:00	30.70	42.83	27.70	7.90	10.13	192.48	8.47	7.70
		15:00	30.32	42.66	27.60	7.86	9.49	186.69	10.73	7.34
		18:00	30.09	40.88	26.49	7.66	8.45	189.24	10.40	6.35
		21:00	29.69	40.78	26.43	7.87	7.94	200.82	11.72	7.07
	日平均	30.41	42.49	27.49	7.81	8.30	193.37	9.99	6.90	
	潮口站	0:00	28.53	46.64	30.06	7.64	5.82	210.21	6.04	5.79
		3:00	28.55	44.21	28.56	7.70	5.79	171.04	5.33	5.83
		6:00	29.56	43.18	27.92	7.70	5.21	206.16	3.88	2.82
		9:00	30.26	41.32	26.77	7.66	6.03	208.31	7.46	6.51
		12:00	29.88	44.87	28.97	7.61	5.29	225.86	8.83	6.09
		15:00	29.04	44.31	28.62	7.68	6.80	223.91	9.14	4.37
		18:00	29.12	42.02	27.20	7.69	5.58	207.25	7.18	4.44
		21:00	29.28	42.95	27.78	7.68	5.81	195.32	6.12	6.34
	日平均	29.28	43.69	28.24	7.67	5.79	206.01	6.75	5.27	
	灣內站	0:00	30.84	43.25	27.96	7.89	5.90	214.52	16.04	6.83
		3:00	30.48	46.32	29.86	7.92	5.91	238.08	11.84	5.66
		6:00	30.56	45.44	29.32	8.01	6.21	233.58	16.59	6.52
		9:00	30.83	41.64	26.96	8.05	6.36	223.97	10.55	6.82
		12:00	31.07	39.69	25.76	8.09	6.79	207.71	16.53	7.58
		15:00	30.73	40.56	26.30	8.11	9.07	203.62	14.26	7.05
		18:00	30.66	41.98	27.18	8.04	8.30	222.04	17.99	5.63
		21:00	30.29	41.70	27.00	7.92	6.17	221.86	19.91	6.92
	日平均	30.68	42.57	27.54	8.00	6.84	220.67	15.46	6.63	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8 月 17 日	蚵殼站	0:00	29.02	39.25	25.48	7.75	7.84	201.38	10.83	4.17
		3:00	29.22	39.95	25.92	7.74	7.13	201.01	11.32	5.31
		6:00	28.97	39.69	25.76	7.70	7.29	205.18	12.42	5.26
		9:00	28.38	35.34	23.06	7.74	8.09	207.68	12.43	6.61
		12:00	28.84	36.75	23.94	8.07	8.70	220.12	14.23	5.01
		15:00	29.42	37.15	24.18	7.84	9.06	221.33	12.43	5.30
		18:00	29.41	38.66	25.12	7.86	7.91	235.84	11.00	4.90
		21:00	28.93	35.69	23.28	7.71	7.77	233.53	12.13	5.32
	日平均	29.02	37.81	24.59	7.80	7.97	215.76	12.10	5.24	
	潮口站	0:00	28.47	41.27	26.74	7.66	6.69	207.23	11.54	7.52
		3:00	28.67	43.17	27.91	7.71	5.79	169.12	8.69	7.43
		6:00	28.58	39.61	25.71	7.66	6.12	199.19	8.03	4.29
		9:00	28.63	38.10	24.77	7.81	6.95	199.89	9.15	7.65
		12:00	29.18	39.70	25.76	7.78	5.95	206.76	20.68	6.59
		15:00	29.12	41.74	27.03	7.73	6.42	201.86	10.80	2.71
		18:00	28.76	41.92	27.14	7.74	6.33	203.60	8.36	7.50
		21:00	29.04	41.83	27.08	7.75	5.40	191.66	7.22	4.12
	日平均	28.81	40.92	26.52	7.73	6.21	197.41	10.56	5.98	
	灣內站	0:00	29.73	40.33	26.15	7.87	5.53	225.31	17.44	7.18
		3:00	29.78	41.16	26.67	7.85	5.56	235.27	13.30	5.71
		6:00	29.87	41.30	26.75	7.93	5.91	238.08	15.79	4.76
		9:00	29.25	38.34	24.92	7.97	6.75	235.78	18.73	5.17
		12:00	28.97	41.64	26.96	8.04	7.55	212.30	19.18	5.62
		15:00	29.36	39.69	25.76	8.09	7.70	212.52	18.41	4.87
		18:00	29.17	40.56	26.30	7.98	7.59	208.10	12.74	4.59
		21:00	29.14	36.28	23.64	7.95	5.16	214.47	21.12	5.30
	日平均	29.41	39.91	25.89	7.96	6.47	222.73	17.09	5.40	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月18日	蚵殼站	0:00	28.90	35.93	23.43	7.82	7.08	197.89	10.97	4.67
		3:00	29.26	39.16	25.43	7.73	6.85	249.26	12.33	6.86
		6:00	29.23	41.56	26.92	7.66	7.36	242.86	11.75	6.62
		9:00	28.81	39.58	25.69	7.67	7.92	239.01	9.60	4.58
		12:00	29.39	39.35	25.55	8.06	7.85	236.04	10.77	5.55
		15:00	29.77	36.75	23.94	8.13	8.63	220.77	10.67	6.88
		18:00	29.66	37.15	24.18	7.79	7.34	205.59	13.40	4.97
		21:00	29.65	38.76	25.18	7.64	6.05	214.50	12.63	5.31
	日平均	29.33	38.53	25.04	7.81	7.39	225.74	11.52	5.68	
	潮口站	0:00	28.35	39.82	25.84	7.64	6.32	191.24	11.03	5.77
		3:00	28.51	44.47	28.72	7.63	7.08	229.61	9.72	5.06
		6:00	28.76	42.13	27.27	7.62	6.34	193.68	6.55	6.38
		9:00	28.86	40.92	26.52	8.03	7.04	217.65	10.23	8.73
		12:00	29.42	39.34	25.54	7.62	7.50	212.61	9.61	8.38
		15:00	28.98	41.92	27.14	7.61	7.01	222.06	12.58	7.33
		18:00	28.47	41.00	26.57	7.61	6.14	222.88	9.95	9.16
		21:00	29.13	39.80	25.83	7.61	5.49	209.25	7.23	6.82
	日平均	28.81	41.18	26.68	7.67	6.62	212.37	9.61	7.20	
	灣內站	0:00	29.43	39.39	25.57	7.97	5.67	222.91	13.46	7.26
		3:00	29.31	40.63	26.34	7.85	5.30	228.96	18.09	8.02
		6:00	29.29	42.33	27.39	7.89	5.55	229.42	20.41	5.59
		9:00	29.25	38.84	25.23	7.95	6.44	220.83	17.97	6.13
		12:00	29.51	39.69	25.76	8.03	6.32	200.81	18.09	6.19
		15:00	29.73	40.56	26.30	8.05	7.70	186.79	17.06	4.58
		18:00	29.74	36.38	23.71	7.92	7.40	191.02	17.27	5.50
		21:00	29.57	37.47	24.38	7.89	6.77	196.20	21.96	4.61
	日平均	29.48	39.41	25.59	7.94	6.39	209.62	18.04	5.99	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月19日	蚵殼站	0:00	29.15	39.35	25.55	7.68	6.02	192.37	11.00	5.83
		3:00	29.28	42.59	27.55	7.77	6.05	195.23	10.95	5.73
		6:00	29.43	44.81	28.93	7.71	6.58	200.20	10.77	6.76
		9:00	28.95	40.69	26.38	7.85	6.65	203.57	9.73	6.96
		12:00	28.80	41.43	26.83	8.30	7.58	184.63	10.57	8.42
		15:00	28.49	40.27	26.12	8.43	8.43	173.03	9.03	9.29
		18:00	29.01	40.32	26.15	7.76	8.03	190.60	9.50	4.73
		21:00	28.87	39.63	25.72	7.79	7.27	188.87	10.33	6.31
	日平均	29.00	41.14	26.65	7.91	7.08	191.06	10.24	6.75	
	潮口站	0:00	28.93	41.51	26.88	7.69	6.37	226.44	7.63	6.90
		3:00	27.89	47.56	30.63	7.75	7.18	239.71	21.26	6.82
		6:00	28.14	44.43	28.69	7.65	5.63	218.68	9.15	7.22
		9:00	28.59	39.35	25.55	7.72	8.47	219.80	8.43	8.96
		12:00	28.76	37.83	24.60	7.61	10.93	189.60	10.17	9.69
		15:00	28.71	42.57	27.54	7.84	7.64	216.75	16.68	11.12
		18:00	28.25	43.80	28.30	7.83	7.22	208.37	12.01	8.22
		21:00	28.59	42.91	27.75	7.74	6.61	192.77	8.75	8.32
	日平均	28.48	42.50	27.49	7.73	7.51	214.02	11.76	8.41	
	灣內站	0:00	29.46	38.98	25.32	7.93	6.15	204.06	16.25	6.25
		3:00	29.32	41.23	26.71	7.88	5.56	212.64	15.34	5.07
		6:00	29.25	45.19	29.16	7.99	5.32	222.76	17.14	6.64
		9:00	29.30	42.87	27.73	8.06	5.44	216.29	17.88	6.93
		12:00	28.81	36.05	23.50	8.04	5.78	196.56	14.43	5.39
		15:00	28.98	36.73	23.92	8.10	7.89	185.66	17.93	7.60
		18:00	29.38	41.29	26.75	8.00	8.33	216.75	18.57	7.17
		21:00	29.22	40.90	26.51	7.96	7.44	217.56	11.35	5.85
	日平均	29.22	40.41	26.20	8.00	6.49	209.04	16.11	6.36	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月20日	蚵殼站	0:00	28.34	37.81	24.59	7.95	6.44	209.20	10.65	5.33
		3:00	28.14	39.35	25.55	7.74	6.13	215.27	11.73	4.77
		6:00	28.33	45.05	29.08	7.66	6.34	208.40	15.47	6.34
		9:00	28.36	44.89	28.98	7.79	7.08	224.57	12.37	5.37
		12:00	29.41	41.43	26.83	8.06	8.11	213.55	10.75	6.23
		15:00	30.02	40.27	26.12	8.31	8.60	198.93	12.20	4.41
		18:00	29.79	42.20	27.31	7.82	8.20	203.47	11.10	6.64
		21:00	29.42	42.48	27.48	7.78	7.75	214.20	9.03	4.51
	日平均	28.98	41.69	26.99	7.89	7.33	210.95	11.66	5.45	
	潮口站	0:00	28.49	42.72	27.63	7.71	5.82	205.58	9.63	8.13
		3:00	27.82	46.70	30.10	7.73	7.38	213.90	26.16	8.28
		6:00	27.83	44.79	28.92	7.63	5.75	222.92	11.29	7.70
		9:00	28.49	40.71	26.39	7.76	8.06	197.48	8.52	7.80
		12:00	29.98	35.37	23.08	7.84	12.99	163.73	12.12	6.37
		15:00	29.27	40.48	26.25	7.77	8.94	170.35	17.02	4.84
		18:00	28.46	44.94	29.01	7.71	7.05	188.78	17.73	5.13
		21:00	28.91	42.52	27.51	7.64	5.66	201.84	12.92	4.08
	日平均	28.66	42.28	27.36	7.72	7.71	195.57	14.42	6.54	
	灣內站	0:00	28.41	38.03	24.73	7.94	6.34	200.84	13.62	6.21
		3:00	29.06	42.57	27.54	7.87	6.20	225.15	16.21	6.08
		6:00	29.13	46.69	30.09	7.91	6.70	217.36	21.50	8.05
		9:00	29.26	46.36	29.89	7.99	7.91	230.52	14.41	6.38
		12:00	30.54	40.01	25.96	8.08	6.60	232.23	13.46	8.64
		15:00	30.42	40.71	26.39	8.07	7.29	218.48	20.81	8.36
		18:00	29.96	44.60	28.80	8.02	8.87	223.22	15.54	8.55
		21:00	29.82	46.03	29.68	7.91	6.79	228.95	16.86	8.18
	日平均	29.58	43.13	27.89	7.97	7.09	222.09	16.55	7.56	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月21日	蚵殼站	0:00	29.25	40.60	26.32	7.64	6.96	206.42	8.35	9.03
		3:00	29.30	42.09	27.24	7.91	6.87	171.10	8.00	8.34
		6:00	29.25	46.46	29.95	7.88	6.31	159.20	8.93	9.01
		9:00	28.80	45.82	29.55	7.73	6.59	199.33	11.97	7.33
		12:00	29.88	45.34	29.26	7.91	7.20	211.02	10.60	7.48
		15:00	31.14	44.07	28.47	8.38	8.30	197.70	9.90	5.90
		18:00	31.07	43.76	28.28	8.02	7.09	191.53	9.60	5.69
		21:00	30.07	44.25	28.58	7.72	6.79	192.05	12.52	8.51
	日平均	29.85	44.05	28.46	7.90	7.01	191.04	9.98	7.66	
	潮口站	0:00	28.91	43.53	28.14	7.62	5.82	208.28	14.61	6.98
		3:00	28.17	45.57	29.40	7.68	7.05	211.87	35.14	7.09
		6:00	28.00	42.57	27.54	7.64	6.74	208.86	24.95	7.45
		9:00	28.46	43.80	28.30	7.61	6.41	215.82	18.01	8.17
		12:00	29.19	44.02	28.44	7.67	7.02	193.45	19.38	7.66
		15:00	29.63	43.58	28.17	7.61	7.19	206.65	26.65	9.16
		18:00	28.76	40.65	26.35	7.65	6.34	212.02	34.85	10.29
		21:00	28.90	42.33	27.39	7.63	5.82	207.42	26.09	6.11
	日平均	28.75	43.26	27.97	7.64	6.55	208.05	24.96	7.86	
	灣內站	0:00	29.25	44.37	28.66	7.87	6.24	221.03	12.22	8.31
		3:00	29.16	43.65	28.21	7.83	5.75	210.13	14.48	8.33
		6:00	29.45	46.86	30.20	7.90	6.37	230.32	14.68	8.37
		9:00	29.26	45.85	29.57	7.92	7.40	240.65	20.45	7.19
		12:00	30.57	42.07	27.23	8.03	7.81	199.73	13.43	5.44
		15:00	31.28	42.07	27.23	8.05	8.13	185.37	10.04	6.07
		18:00	31.06	42.48	27.48	8.01	6.70	193.12	12.67	6.67
		21:00	30.84	43.15	27.90	7.94	7.83	216.10	17.73	6.10
	日平均	30.11	43.81	28.31	7.94	7.03	212.06	14.46	7.06	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8 月 22 日	蚵殼站	0:00	29.86	43.64	28.20	7.94	6.56	190.40	18.10	5.70
		3:00	29.62	43.89	28.36	7.81	6.35	198.23	18.83	6.31
		6:00	29.26	43.95	28.40	7.75	6.36	177.47	18.73	7.94
		9:00	29.72	44.55	28.77	7.87	7.00	195.05	18.15	6.95
		12:00	30.29	46.06	29.70	8.28	8.59	198.70	16.00	5.75
		15:00	30.33	46.06	29.70	8.34	9.10	193.67	17.17	6.52
		18:00	30.22	46.02	29.68	8.09	8.10	197.37	17.07	6.46
		21:00	29.81	45.78	29.53	7.84	6.19	210.77	19.80	6.25
	日平均	29.89	44.99	29.04	7.99	7.28	195.21	17.98	6.49	
	潮口站	0:00	29.12	42.45	27.47	7.61	5.21	200.51	28.11	7.56
		3:00	28.51	44.26	28.59	7.69	6.21	223.40	35.63	5.56
		6:00	27.88	46.64	30.06	7.63	5.80	220.64	39.01	5.55
		9:00	28.52	44.69	28.85	7.65	6.27	213.23	27.26	8.88
		12:00	28.63	45.48	29.34	7.64	8.13	213.58	27.45	4.67
		15:00	29.10	44.75	28.89	7.66	7.19	199.34	42.18	6.09
		18:00	28.40	38.99	25.32	7.61	8.80	216.01	39.46	7.40
		21:00	28.44	41.96	27.16	7.61	6.60	200.21	32.98	8.61
	日平均	28.58	43.65	28.21	7.64	6.78	210.87	34.01	6.79	
	灣內站	0:00	30.54	43.22	27.94	7.91	6.42	234.93	21.22	6.35
		3:00	30.15	43.51	28.12	7.93	5.22	224.05	21.90	6.84
		6:00	29.47	44.61	28.80	7.80	6.01	230.06	18.88	6.56
		9:00	30.13	45.80	29.54	7.85	6.95	232.68	24.82	7.20
		12:00	30.85	44.39	28.67	8.01	8.00	194.55	21.59	5.75
		15:00	31.49	43.44	28.08	8.01	8.30	221.35	18.32	7.28
18:00		31.10	43.47	28.10	7.88	7.05	216.03	18.87	8.54	
21:00		30.53	44.65	28.83	7.92	5.74	224.96	26.72	7.87	
日平均	30.53	44.14	28.51	7.91	6.71	222.33	21.54	7.05		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8 月 23 日	蚵殼站	0:00	30.16	43.02	27.82	8.00	6.70	186.59	11.40	7.57
		3:00	29.97	42.02	27.20	8.08	6.24	161.47	17.40	10.92
		6:00	29.76	44.17	28.53	8.00	6.50	200.64	17.35	10.11
		9:00	30.00	45.51	29.36	8.01	7.07	217.30	17.17	7.38
		12:00	30.34	45.86	29.58	8.30	8.46	203.87	16.13	7.50
		15:00	30.72	45.68	29.47	8.37	9.01	192.26	16.97	7.19
		18:00	30.56	45.93	29.62	8.06	8.16	199.59	15.43	7.83
		21:00	30.56	46.30	29.85	7.86	7.24	149.72	15.90	7.32
	日平均	30.26	44.81	28.93	8.09	7.42	188.93	15.97	8.23	
	潮口站	0:00	29.04	41.99	27.18	7.65	8.63	182.84	25.29	9.72
		3:00	28.87	42.66	27.60	7.65	7.13	199.02	25.12	5.64
		6:00	27.49	46.39	29.91	7.71	6.27	205.27	24.82	8.09
		9:00	28.66	45.43	29.31	7.67	7.03	195.75	19.67	8.37
		12:00	28.81	44.57	28.78	7.67	9.16	229.51	25.57	8.56
		15:00	29.27	44.55	28.77	7.68	8.26	218.66	31.56	6.72
		18:00	28.48	42.73	27.64	7.69	8.21	229.83	32.34	6.91
		21:00	28.35	43.64	28.20	7.64	5.48	215.38	27.68	7.46
	日平均	28.62	44.00	28.42	7.67	7.52	209.53	26.51	7.68	
	灣內站	0:00	30.58	44.87	28.97	7.89	7.36	219.75	19.07	8.50
		3:00	30.58	44.92	29.00	7.83	5.95	201.18	21.42	10.92
		6:00	30.10	45.52	29.37	7.81	6.27	222.77	19.95	8.82
		9:00	30.18	45.74	29.50	7.88	7.06	233.93	20.72	8.22
		12:00	30.55	45.69	29.47	8.10	9.19	220.78	16.62	7.59
		15:00	31.20	45.03	29.06	8.10	10.84	220.84	21.08	9.34
18:00		31.29	44.86	28.96	8.14	8.48	205.73	21.47	8.11	
21:00		30.87	45.44	29.32	8.10	7.67	219.12	16.84	7.36	
日平均	30.67	45.26	29.21	7.98	7.85	218.01	19.65	8.61		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月24日	蚵殼站	0:00	30.45	45.76	29.52	7.87	6.50	160.51	11.40	8.51
		3:00	30.09	44.22	28.56	8.17	6.79	178.45	17.05	8.87
		6:00	29.92	44.48	28.72	8.05	7.02	170.40	18.13	8.81
		9:00	30.48	46.13	29.75	8.10	7.79	196.72	21.87	9.10
		12:00	30.95	46.76	30.14	8.07	8.36	220.32	18.77	6.66
		15:00	31.42	46.14	29.75	8.22	9.65	215.21	17.15	7.87
		18:00	31.29	45.64	29.44	8.13	8.71	197.27	18.60	7.07
		21:00	31.18	45.79	29.54	7.91	7.52	163.52	17.50	7.22
	日平均	30.72	45.62	29.43	8.07	7.79	187.80	17.56	8.01	
	潮口站	0:00	29.52	42.62	27.57	7.68	7.34	208.32	20.78	8.65
		3:00	29.68	42.11	27.26	7.76	6.10	209.00	21.72	7.60
		6:00	28.18	44.85	28.95	7.74	5.16	219.23	21.16	5.32
		9:00	28.81	45.58	29.41	7.70	5.18	220.21	19.09	10.35
		12:00	29.89	43.12	27.88	7.79	8.68	207.89	24.20	7.61
		15:00	29.58	43.47	28.10	7.74	8.62	214.05	18.66	7.60
		18:00	28.36	44.99	29.04	7.70	5.43	239.55	18.51	8.20
		21:00	28.04	44.54	28.76	7.67	5.37	218.69	18.32	5.29
	日平均	29.01	43.91	28.37	7.72	6.49	217.12	20.31	7.58	
	灣內站	0:00	30.63	45.71	29.49	8.02	7.66	219.49	16.40	8.42
		3:00	30.44	45.80	29.54	8.06	7.05	154.87	24.56	12.09
		6:00	30.38	46.02	29.68	8.09	6.50	221.30	26.26	9.39
		9:00	30.66	46.04	29.69	8.09	6.98	218.29	30.85	5.77
		12:00	31.66	45.37	29.28	8.11	8.16	219.69	22.41	8.12
		15:00	31.98	45.02	29.06	8.13	9.22	206.83	20.28	6.38
		18:00	31.76	45.19	29.16	8.07	8.41	215.60	19.20	6.12
		21:00	31.28	46.36	29.89	8.02	7.34	237.51	22.00	6.28
	日平均	31.10	45.69	29.47	8.07	7.67	211.70	22.75	7.82	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月25日	蚵殼站	0:00	31.06	45.69	29.47	7.80	8.00	186.44	10.43	6.43
		3:00	30.58	45.22	29.18	7.93	8.03	193.69	12.37	9.72
		6:00	30.25	45.04	29.07	8.03	7.59	192.95	13.73	7.88
		9:00	30.12	46.55	30.01	8.10	8.11	188.03	13.15	4.59
		12:00	30.62	47.60	30.66	8.25	9.19	188.32	7.98	5.35
		15:00	30.73	47.59	30.65	8.27	9.77	182.53	7.90	8.01
		18:00	30.74	47.38	30.52	8.30	8.83	185.08	7.11	8.73
		21:00	30.70	47.84	30.80	8.26	7.00	196.66	7.14	7.23
	日平均	30.60	46.61	30.05	8.12	8.32	189.21	9.98	7.24	
	潮口站	0:00	29.94	42.38	27.42	7.64	5.18	172.20	27.08	8.15
		3:00	29.99	42.04	27.21	7.68	7.82	188.38	13.64	6.78
		6:00	28.86	43.75	28.27	7.71	5.03	194.63	12.91	6.12
		9:00	28.70	49.20	31.65	8.01	8.94	185.11	5.13	3.88
		12:00	28.95	48.02	30.92	8.15	8.46	218.87	2.93	6.29
		15:00	28.72	49.20	31.65	8.17	7.16	208.02	3.60	6.53
		18:00	28.57	46.22	29.80	8.06	8.01	219.19	4.16	6.06
		21:00	28.22	45.16	29.14	8.03	9.80	204.74	3.61	6.15
	日平均	28.99	45.75	29.51	7.93	7.55	198.89	9.13	6.25	
	灣內站	0:00	30.84	47.14	30.37	8.06	8.00	198.81	14.79	7.10
		3:00	30.42	46.63	30.06	8.00	7.93	131.44	19.66	9.30
		6:00	30.20	46.38	29.90	7.98	6.80	166.00	23.22	10.24
		9:00	29.67	46.02	29.68	8.04	7.97	220.68	21.57	9.24
		12:00	31.12	46.06	29.70	8.12	9.23	159.64	11.29	6.84
		15:00	31.07	46.31	29.86	8.10	10.38	155.74	17.13	7.24
		18:00	31.22	45.99	29.66	8.08	9.92	177.79	14.35	8.67
		21:00	30.97	46.32	29.86	8.03	6.90	199.82	16.66	6.88
	日平均	30.69	46.36	29.89	8.05	8.39	176.24	17.33	8.19	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月26日	蚵殼站	0:00	30.08	47.07	30.33	8.24	5.94	197.22	8.50	5.33
		3:00	30.16	46.86	30.20	8.21	6.21	196.85	10.53	5.81
		6:00	30.34	46.43	29.93	8.25	6.59	201.02	7.10	4.68
		9:00	30.65	46.34	29.88	8.31	6.42	203.52	7.21	6.30
		12:00	30.70	47.35	30.50	8.31	7.15	215.96	8.20	4.80
		15:00	30.81	46.98	30.27	8.35	9.40	217.17	8.22	6.31
		18:00	30.67	46.88	30.21	8.46	8.64	231.68	7.31	5.12
		21:00	30.47	47.00	30.28	8.38	6.65	229.37	7.67	5.28
	日平均	30.49	46.86	30.20	8.31	7.13	211.60	8.09	5.45	
	潮口站	0:00	29.29	46.56	30.01	8.18	8.04	197.68	2.76	7.06
		3:00	29.57	45.91	29.61	8.23	8.19	198.36	3.07	6.61
		6:00	29.37	46.38	29.90	8.16	7.22	208.59	3.61	3.47
		9:00	28.95	48.53	31.23	8.10	7.56	209.57	2.59	9.25
		12:00	28.89	48.35	31.12	8.09	8.18	197.25	4.48	7.87
		15:00	29.10	47.67	30.70	8.17	8.98	203.41	3.47	5.57
		18:00	28.95	48.08	30.95	8.09	7.92	228.91	2.95	5.35
		21:00	28.01	49.71	31.96	8.04	7.67	208.05	2.98	8.02
	日平均	29.02	47.65	30.69	8.13	7.97	206.48	3.24	6.65	
	灣內站	0:00	30.74	46.49	29.97	7.94	5.88	200.88	12.09	8.87
		3:00	30.71	46.55	30.01	7.99	7.14	205.54	15.28	7.78
		6:00	30.40	46.47	29.96	8.04	6.12	203.57	8.44	5.32
		9:00	30.82	46.72	30.11	8.11	6.61	193.17	12.70	5.94
		12:00	30.70	46.76	30.14	8.20	7.37	174.69	13.89	7.66
		15:00	31.04	46.61	30.04	8.24	8.16	206.15	8.97	9.04
18:00		31.01	46.76	30.14	8.19	9.41	227.42	8.53	7.51	
21:00		30.54	46.89	30.22	8.08	7.18	210.77	10.99	5.89	
日平均	30.75	46.66	30.07	8.10	7.23	202.77	11.36	7.25		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月27日	蚵殼站	0:00	30.18	47.71	30.72	8.17	5.73	210.38	7.20	6.63
		3:00	30.11	47.50	30.59	8.18	5.77	231.66	7.63	6.27
		6:00	29.73	47.03	30.30	8.26	6.00	194.28	7.73	5.94
		9:00	30.03	47.02	30.30	8.29	7.01	210.14	7.30	6.08
		12:00	30.58	47.55	30.63	8.35	7.66	210.70	6.91	4.94
		15:00	30.70	47.62	30.67	8.37	7.79	205.62	7.80	6.63
		18:00	30.47	47.92	30.85	8.40	7.75	206.04	6.66	5.14
		21:00	30.08	48.01	30.91	8.30	5.50	232.23	6.38	6.67
	日平均	30.24	47.55	30.62	8.29	6.65	212.63	7.20	6.04	
	潮口站	0:00	28.83	47.76	30.76	8.08	7.37	189.87	2.23	8.10
		3:00	29.46	46.48	29.96	8.31	9.71	174.15	2.91	8.03
		6:00	29.41	46.57	30.02	8.33	9.81	179.66	4.05	7.34
		9:00	29.21	47.76	30.76	8.20	7.75	183.91	3.02	10.99
		12:00	29.30	47.61	30.66	8.12	8.41	190.62	6.38	11.18
		15:00	28.81	49.28	31.70	8.07	7.75	196.31	5.75	9.25
		18:00	28.69	49.32	31.72	8.02	7.09	204.22	4.21	9.58
		21:00	28.70	48.76	31.37	8.01	7.48	206.78	3.89	10.27
	日平均	29.05	47.94	30.87	8.14	8.17	190.69	4.06	9.34	
	灣內站	0:00	30.33	47.03	30.30	8.05	6.74	200.35	16.90	6.83
		3:00	30.06	47.54	30.62	8.06	6.48	226.21	13.79	6.99
		6:00	29.59	47.42	30.54	8.08	7.62	205.80	11.07	10.15
		9:00	30.00	47.20	30.41	8.08	7.37	186.10	14.63	11.04
		12:00	30.48	47.26	30.45	8.08	8.94	171.88	7.84	9.06
		15:00	30.49	47.52	30.61	8.15	10.90	168.83	13.19	7.69
18:00		30.11	47.26	30.45	8.13	9.12	197.82	12.17	7.14	
21:00		29.74	46.95	30.25	8.08	9.33	259.96	12.72	7.87	
日平均	30.10	47.27	30.45	8.09	8.31	202.12	12.79	8.35		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月28日	蚵殼站	0:00	29.88	47.44	30.56	8.26	5.95	227.16	6.47	5.38
		3:00	29.79	47.54	30.62	8.18	5.38	238.16	5.70	5.79
		6:00	29.66	47.23	30.43	8.19	5.63	238.93	6.43	6.50
		9:00	29.92	46.67	30.08	8.30	6.49	209.95	7.05	6.46
		12:00	30.84	46.92	30.24	8.40	6.49	201.24	8.51	5.89
		15:00	31.24	47.34	30.50	8.47	8.01	200.93	8.14	4.88
		18:00	31.15	47.64	30.68	8.46	7.83	215.23	6.76	4.92
		21:00	30.75	47.27	30.45	8.29	7.08	230.64	6.91	5.83
	日平均	30.40	47.26	30.45	8.32	6.61	220.28	7.00	5.71	
	潮口站	0:00	28.83	48.58	31.26	7.97	7.56	209.31	2.53	9.90
		3:00	29.39	46.67	30.08	8.07	8.65	201.00	3.02	8.39
		6:00	29.75	46.91	30.23	8.18	9.57	205.88	6.44	3.70
		9:00	30.20	47.05	30.32	8.26	10.44	185.31	5.30	13.15
		12:00	29.85	46.62	30.05	8.12	9.18	152.89	5.69	9.38
		15:00	29.04	49.14	31.61	8.07	7.99	159.65	4.95	6.44
		18:00	29.82	48.02	30.92	8.18	9.47	160.64	4.64	6.37
		21:00	29.43	48.56	31.25	8.10	8.48	158.99	4.41	11.22
	日平均	29.54	47.69	30.72	8.12	8.92	179.21	4.62	8.57	
	灣內站	0:00	29.77	46.89	30.22	8.07	8.80	211.30	7.25	6.12
		3:00	29.95	47.10	30.35	8.11	9.56	226.80	11.14	8.31
		6:00	29.97	47.11	30.35	8.03	7.86	214.36	13.77	8.40
		9:00	30.27	47.00	30.28	8.04	8.25	163.21	7.81	7.54
		12:00	30.91	46.96	30.26	8.08	9.46	156.24	13.32	6.32
		15:00	31.22	46.87	30.20	8.13	11.11	172.95	17.64	6.00
18:00		30.83	46.55	30.01	8.06	9.96	229.22	14.07	5.76	
21:00		30.48	46.15	29.76	8.03	8.42	238.40	10.19	7.89	
日平均	30.43	46.83	30.18	8.07	9.18	201.56	11.90	7.04		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月29日	蚵殼站	0:00	30.97	47.72	30.73	8.39	6.46	233.07	6.77	7.00
		3:00	30.80	47.88	30.83	8.36	6.02	239.54	6.37	6.78
		6:00	30.67	47.81	30.79	8.30	5.53	245.27	7.61	7.24
		9:00	31.29	47.50	30.59	8.37	5.87	240.59	7.44	6.00
		12:00	32.04	47.64	30.68	8.43	6.13	233.79	10.68	6.90
		15:00	32.20	47.78	30.77	8.49	8.29	230.41	12.10	9.65
		18:00	31.92	47.95	30.87	8.45	8.37	232.33	7.94	8.73
		21:00	31.83	47.78	30.77	8.45	7.58	232.80	8.14	6.43
	日平均	31.47	47.76	30.75	8.41	6.78	235.98	8.38	7.34	
	潮口站	0:00	28.40	48.16	31.00	7.99	7.67	166.48	4.41	6.05
		3:00	29.23	46.67	30.08	8.12	8.48	171.64	5.36	4.70
		6:00	29.96	46.09	29.72	8.29	11.03	181.19	7.65	6.34
		9:00	30.70	45.86	29.58	8.37	13.25	172.70	12.85	13.50
		12:00	30.43	47.29	30.46	8.27	11.10	181.18	27.18	9.22
		15:00	30.12	46.21	29.80	8.09	9.33	199.83	21.26	6.41
		18:00	31.25	45.95	29.63	8.33	11.98	176.13	16.09	5.05
		21:00	30.61	47.40	30.53	8.25	10.39	196.01	16.35	7.28
	日平均	30.09	46.70	30.10	8.21	10.40	180.65	13.89	7.32	
	灣內站	0:00	30.74	46.43	29.93	8.00	7.97	226.34	9.22	5.60
		3:00	30.88	46.85	30.19	8.00	8.01	213.45	12.52	5.86
		6:00	30.81	47.20	30.41	8.01	8.11	232.15	9.92	8.28
		9:00	31.73	46.38	29.90	8.04	6.76	223.45	10.25	5.48
		12:00	33.15	44.96	29.02	8.02	7.39	205.71	13.73	7.66
		15:00	32.91	46.61	30.04	8.08	9.73	200.54	18.76	6.07
18:00		32.49	46.68	30.09	8.12	8.86	207.13	16.12	5.96	
21:00		32.08	46.82	30.17	8.11	7.09	213.46	13.45	7.73	
日平均	31.85	46.49	29.97	8.05	7.99	215.28	13.00	6.58		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月30日	蚵殼站	0:00	31.67	47.81	30.79	8.37	7.30	237.10	8.02	5.88
		3:00	31.45	47.34	30.50	8.34	7.17	241.18	7.10	5.68
		6:00	31.05	46.58	30.02	8.31	7.80	245.13	7.75	7.45
		9:00	31.13	46.69	30.09	8.35	8.72	244.80	7.97	6.04
		12:00	30.84	46.92	30.24	8.40	10.28	201.24	8.51	4.71
		15:00	31.24	47.34	30.50	8.43	9.56	200.93	8.14	6.10
		18:00	31.15	47.64	30.68	8.46	9.65	215.23	6.76	6.26
		21:00	30.75	47.27	30.45	8.29	10.67	230.64	6.91	6.54
		日平均	31.16	47.20	30.41	8.37	8.89	227.03	7.65	6.08
	潮口站	0:00	28.83	44.59	28.79	8.00	8.18	207.73	14.73	5.24
		3:00	29.19	47.02	30.30	7.96	7.45	217.90	13.50	6.30
		6:00	30.00	45.75	29.51	8.08	8.53	221.53	13.47	5.71
		9:00	30.43	43.59	28.17	8.17	10.19	207.33	14.27	6.72
		12:00	30.70	45.86	29.58	8.37	13.25	172.70	12.85	5.27
		15:00	30.12	46.21	29.80	8.09	9.33	199.83	21.26	2.52
		18:00	30.01	45.95	29.63	8.33	11.98	176.13	16.09	3.43
		21:00	29.82	48.02	30.92	8.18	9.47	142.05	4.64	7.00
		日平均	29.89	45.87	29.59	8.15	9.80	193.15	13.85	5.27
	灣內站	0:00	31.79	47.10	30.35	8.09	7.18	222.53	8.79	8.34
		3:00	31.04	47.53	30.61	8.16	7.07	229.29	16.99	9.95
		6:00	31.15	47.34	30.50	8.10	7.39	239.82	9.63	4.99
		9:00	31.64	46.98	30.27	8.14	8.63	226.73	15.31	7.15
		12:00	33.15	44.96	29.02	8.20	10.12	205.71	12.43	6.58
		15:00	32.91	46.61	30.04	8.19	9.36	200.54	11.78	9.96
		18:00	32.49	46.68	30.09	8.20	9.36	207.13	8.79	7.55
		21:00	29.74	46.95	30.25	8.08	10.58	218.29	9.59	9.24
		日平均	31.74	46.77	30.14	8.15	8.71	218.76	11.66	7.97
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
8月31日	蚵殼站	0:00	31.67	47.81	30.79	8.37	6.22	237.10	8.02	5.01
		3:00	31.45	47.34	30.50	8.34	5.86	241.18	7.10	6.55
		6:00	30.03	47.02	30.30	8.29	5.52	168.26	5.20	6.29
		9:00	30.58	47.55	30.63	8.35	5.80	168.82	6.91	5.54
		12:00	30.70	47.62	30.67	8.37	5.95	163.74	7.80	6.39
		15:00	30.47	47.92	30.85	8.40	7.32	164.16	6.66	6.11
		18:00	31.15	47.64	30.68	8.46	7.39	215.23	6.76	6.58
		21:00	30.75	47.27	30.45	8.29	5.76	230.64	6.91	6.43
		日平均	30.85	47.52	30.61	8.36	6.23	198.64	6.92	6.11
	潮口站	0:00	28.40	48.16	31.00	7.99	7.67	184.10	4.41	7.70
		3:00	29.23	46.67	30.08	8.12	8.48	186.15	5.36	6.35
		6:00	30.20	47.05	30.32	8.26	10.44	131.12	5.30	7.99
		9:00	29.85	46.62	30.05	8.12	9.18	152.89	5.69	15.15
		12:00	29.04	49.14	31.61	8.07	7.99	159.65	4.95	10.87
		15:00	29.43	48.56	31.25	8.10	8.48	158.99	4.41	8.06
		18:00	28.81	49.28	31.70	8.07	7.75	142.12	5.75	6.70
		21:00	28.69	49.32	31.72	8.02	7.09	150.03	4.21	8.93
		日平均	29.21	48.10	30.97	8.09	8.39	158.13	5.01	8.97
	灣內站	0:00	31.79	47.10	30.35	8.19	6.77	222.53	12.62	9.81
		3:00	31.73	46.38	29.90	8.23	6.52	223.45	13.79	10.72
		6:00	33.15	44.96	29.02	8.15	6.17	205.71	10.96	7.00
		9:00	32.91	46.61	30.04	8.16	6.47	200.54	13.34	7.14
		12:00	32.91	46.61	30.04	8.20	6.84	200.54	13.57	9.39
		15:00	32.49	46.68	30.09	8.25	8.05	207.13	15.07	8.13
		18:00	32.08	46.82	30.17	8.18	8.15	213.46	10.22	7.05
		21:00	30.48	46.15	29.76	8.15	6.63	238.40	12.31	6.31
		日平均	32.19	46.41	29.92	8.19	6.95	213.97	12.74	8.19
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月1日	蚵殼站	0:00	30.72	46.99	30.28	7.66	6.01	224.10	7.61	6.98
		3:00	30.38	49.52	31.84	7.78	6.59	234.58	4.80	9.37
		6:00	30.93	49.16	31.62	7.86	6.79	242.44	4.66	7.47
		9:00	31.16	48.05	30.93	8.04	7.11	225.02	9.73	7.19
		12:00	31.26	48.25	31.06	7.92	9.79	209.95	10.96	14.49
		15:00	32.66	46.44	29.94	8.36	7.83	219.89	7.50	16.67
		18:00	32.47	46.98	30.27	8.22	9.00	212.20	10.40	8.66
		21:00	30.28	47.83	30.80	7.82	7.26	223.67	22.94	10.35
	日平均	31.23	47.90	30.84	7.96	7.55	223.98	9.83	10.15	
	潮口站	0:00	29.82	48.18	31.01	7.89	8.67	216.33	3.15	8.83
		3:00	28.68	50.54	32.48	7.90	7.94	228.15	2.98	8.86
		6:00	29.20	48.93	31.48	7.91	8.28	237.15	3.02	8.93
		9:00	29.16	48.33	31.11	7.99	8.34	224.62	3.51	8.87
		12:00	30.63	46.55	30.01	8.20	8.82	205.55	5.08	9.35
		15:00	29.13	49.00	31.52	8.02	8.58	216.83	4.93	10.12
		18:00	29.59	46.67	30.08	8.03	7.42	211.57	5.31	10.58
		21:00	29.02	48.83	31.42	7.91	7.10	215.98	3.52	9.60
	日平均	29.40	48.38	31.14	7.98	8.14	219.52	3.94	9.39	
	灣內站	0:00	31.98	47.25	30.44	7.87	6.18	212.65	5.87	11.42
		3:00	30.91	47.87	30.82	7.85	5.89	218.60	5.55	20.81
		6:00	30.91	47.87	30.82	7.85	6.34	214.26	5.55	14.33
		9:00	30.97	48.03	30.92	7.90	7.08	204.76	6.46	18.07
		12:00	32.14	47.67	30.70	8.18	9.19	219.59	8.69	24.30
		15:00	33.31	45.49	29.35	8.48	8.04	220.76	10.13	21.02
18:00		33.00	45.54	29.38	8.38	8.62	226.19	9.71	16.78	
21:00		30.80	47.35	30.50	7.96	7.17	228.24	25.52	12.57	
日平均	31.75	47.13	30.37	8.06	7.31	218.13	9.69	17.41		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月2日	蚵殼站	0:00	32.29	46.24	29.81	8.16	7.44	221.41	3.60	11.45
		3:00	31.34	47.71	30.72	8.10	6.89	217.81	4.46	10.02
		6:00	30.38	49.52	31.84	7.78	7.15	230.13	4.80	12.13
		9:00	30.93	49.16	31.62	7.86	9.98	214.00	4.66	13.36
		12:00	31.81	48.73	31.36	8.04	9.46	205.86	6.23	13.08
		15:00	32.11	48.07	30.95	8.20	8.88	217.41	6.91	16.12
		18:00	31.87	47.87	30.82	8.05	7.86	221.76	13.04	11.75
		21:00	30.86	47.13	30.36	7.87	8.97	216.38	7.21	16.88
	日平均	31.45	48.05	30.94	8.01	8.33	218.10	6.36	13.10	
	潮口站	0:00	29.56	47.75	30.75	8.01	7.53	219.64	3.14	8.99
		3:00	28.10	50.43	32.41	7.94	7.20	217.22	3.59	9.03
		6:00	29.16	48.33	31.11	7.99	7.26	224.62	3.51	9.12
		9:00	30.63	46.55	30.01	8.20	7.31	205.55	5.08	9.02
		12:00	30.82	47.62	30.67	8.13	7.97	202.39	5.17	9.07
		15:00	30.34	46.10	29.73	8.03	8.05	213.19	4.74	12.09
		18:00	29.77	46.46	29.95	7.93	8.28	212.07	4.54	11.25
		21:00	30.58	47.93	30.86	7.98	7.96	216.19	3.95	10.42
	日平均	29.87	47.65	30.69	8.03	7.70	213.86	4.22	9.87	
	灣內站	0:00	32.71	45.84	29.57	8.11	7.67	236.29	8.77	22.45
		3:00	31.65	47.33	30.49	8.21	6.92	214.91	12.03	20.67
		6:00	30.50	48.64	31.30	8.17	6.80	222.32	10.28	17.31
		9:00	31.21	48.62	31.29	8.16	9.47	214.29	10.77	21.83
		12:00	33.12	47.13	30.36	8.30	8.54	224.64	10.89	16.35
		15:00	33.09	46.69	30.09	8.42	8.55	213.00	8.73	20.02
18:00		32.64	46.71	30.10	8.19	7.19	208.83	5.94	13.37	
21:00		32.52	46.78	30.15	7.92	8.99	218.35	5.53	17.18	
日平均	32.18	47.22	30.42	8.19	8.02	219.08	9.12	18.65		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月3日	蚵殼站	0:00	30.91	46.53	29.99	7.66	6.90	230.84	8.30	12.67
		3:00	30.72	46.99	30.28	7.66	6.55	234.27	7.61	10.06
		6:00	31.05	47.69	30.71	7.67	6.88	237.68	5.74	14.11
		9:00	31.75	47.53	30.61	7.87	9.57	217.56	8.26	8.57
		12:00	31.16	48.05	30.93	8.04	9.11	206.87	9.73	17.33
		15:00	31.26	48.25	31.06	7.92	7.91	215.04	10.96	9.67
		18:00	31.08	47.89	30.83	7.95	7.20	218.29	10.06	10.22
		21:00	30.69	48.61	31.28	7.82	7.14	219.32	12.88	14.01
		日平均	31.08	47.69	30.71	7.82	7.66	222.48	9.19	12.08
	潮口站	0:00	30.37	48.28	31.08	7.96	7.92	222.10	2.90	10.79
		3:00	28.68	50.54	32.48	7.90	7.22	228.15	2.98	9.89
		6:00	29.20	48.93	31.48	7.91	7.59	237.15	3.02	9.78
		9:00	30.66	46.76	30.14	8.17	7.01	211.46	3.68	9.74
		12:00	31.11	47.10	30.35	8.15	7.87	203.24	4.92	9.75
		15:00	30.09	48.41	31.16	8.02	7.82	215.03	3.95	10.62
		18:00	29.02	48.83	31.42	7.91	7.19	215.98	3.52	11.25
		21:00	29.69	48.67	31.32	7.93	7.19	212.75	3.47	11.89
		日平均	29.85	48.44	31.18	7.99	7.48	218.23	3.56	10.46
	灣內站	0:00	32.60	46.89	30.22	7.78	7.23	224.60	5.46	18.53
		3:00	31.98	47.25	30.44	7.87	6.50	222.83	5.87	19.84
		6:00	30.91	47.87	30.82	7.85	6.68	210.45	5.55	13.33
		9:00	30.97	48.03	30.92	7.90	9.33	234.78	6.46	10.11
		12:00	32.14	47.67	30.70	8.18	8.93	228.64	8.69	15.20
		15:00	32.04	47.82	30.79	8.15	7.19	220.33	7.09	13.11
		18:00	31.06	47.65	30.69	8.12	7.26	215.28	6.96	17.06
		21:00	30.92	47.90	30.84	8.06	6.72	212.99	6.23	22.59
		日平均	31.58	47.64	30.68	7.99	7.48	221.24	6.54	16.22
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月4日	蚵殼站	0:00	30.68	48.67	31.32	7.76	6.16	217.59	12.20	7.10
		3:00	30.59	48.70	31.34	7.73	7.01	222.04	10.55	11.56
		6:00	30.18	48.97	31.50	7.71	6.58	215.20	12.43	12.46
		9:00	30.15	49.30	31.71	7.75	7.66	215.02	15.44	14.29
		12:00	30.63	49.02	31.53	7.72	7.85	213.75	15.43	8.13
		15:00	30.97	48.47	31.19	7.99	7.58	218.74	21.09	11.43
		18:00	30.51	48.35	31.12	7.92	7.66	217.50	23.26	10.65
		21:00	30.28	47.83	30.80	7.82	7.41	231.38	22.94	12.28
		日平均	30.50	48.66	31.31	7.80	7.24	218.90	16.67	10.99
	潮口站	0:00	29.82	48.18	31.01	7.89	6.24	216.33	3.15	8.90
		3:00	28.68	49.81	32.02	7.92	7.35	218.21	3.77	8.94
		6:00	28.95	48.78	31.39	7.88	7.06	210.49	3.35	8.99
		9:00	29.81	47.88	30.83	7.95	8.14	209.55	3.90	9.07
		12:00	30.36	47.86	30.82	7.94	8.16	206.45	5.54	9.91
		15:00	29.70	44.83	28.94	7.87	7.80	216.50	8.03	11.53
		18:00	29.04	44.67	28.84	7.79	7.74	215.10	8.22	10.68
		21:00	29.37	48.64	31.30	7.83	7.59	223.83	4.94	9.55
		日平均	29.47	47.58	30.64	7.88	7.51	214.56	5.11	9.70
	灣內站	0:00	30.87	47.79	30.77	7.87	5.65	226.36	7.05	11.13
		3:00	30.58	47.87	30.82	7.79	7.10	231.84	7.67	14.95
		6:00	30.35	48.10	30.97	7.91	6.11	214.15	6.40	14.87
		9:00	30.53	48.16	31.00	7.87	8.04	217.30	5.17	16.56
		12:00	31.30	47.23	30.43	8.02	7.70	217.40	6.26	16.06
		15:00	31.43	47.40	30.53	8.22	6.86	229.83	7.63	18.40
		18:00	31.26	47.68	30.70	8.01	6.95	225.56	17.91	18.99
		21:00	30.80	47.35	30.50	7.96	7.53	215.42	25.52	20.66
		日平均	30.89	47.70	30.72	7.96	6.99	222.23	10.45	16.45
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9 月 5 日	蚵殼站	0:00	29.74	47.57	30.64	7.66	7.64	210.79	19.93	9.99
		3:00	29.75	47.39	30.53	7.60	7.27	216.97	16.31	11.40
		6:00	29.82	47.74	30.74	7.69	7.08	225.90	18.27	11.43
		9:00	30.07	48.78	31.39	7.64	7.78	227.99	18.88	9.95
		12:00	30.88	48.23	31.05	7.93	9.07	229.09	18.06	13.33
		15:00	30.31	48.78	31.39	7.90	8.87	224.67	23.23	10.86
		18:00	30.43	48.56	31.25	7.88	7.90	229.84	24.56	15.66
		21:00	30.29	48.43	31.17	7.79	8.58	229.90	22.65	14.64
		日平均	30.16	48.19	31.02	7.76	8.02	224.39	20.24	12.16
	潮口站	0:00	29.78	47.35	30.50	7.88	8.01	206.75	4.72	9.91
		3:00	28.95	49.82	32.03	7.85	7.59	211.05	9.13	10.22
		6:00	28.17	50.53	32.47	7.82	7.47	219.66	9.79	10.68
		9:00	29.54	47.23	30.43	7.82	8.10	218.73	6.67	9.55
		12:00	30.53	47.23	30.43	7.85	9.49	220.31	9.63	9.71
		15:00	30.03	48.18	31.01	7.95	8.97	218.07	11.56	11.22
		18:00	28.64	50.17	32.25	7.80	8.28	226.56	17.99	11.26
		21:00	29.82	48.17	31.01	7.86	8.63	223.44	9.15	10.45
		日平均	29.43	48.59	31.27	7.85	8.32	218.07	9.83	10.38
	灣內站	0:00	30.67	47.02	30.30	7.74	7.95	222.79	35.13	20.49
		3:00	30.56	47.08	30.33	7.71	6.80	228.51	23.67	18.31
		6:00	30.58	47.63	30.67	7.87	6.58	234.33	11.34	21.27
		9:00	30.65	47.34	30.49	7.84	7.61	227.89	12.69	14.65
		12:00	31.12	47.37	30.51	8.02	8.51	221.49	11.78	20.18
		15:00	30.44	48.43	31.17	8.02	8.97	219.47	14.91	13.00
		18:00	30.03	48.97	31.50	8.03	7.41	210.43	23.69	16.13
		21:00	30.03	48.83	31.42	7.98	8.57	229.97	32.33	14.87
		日平均	30.51	47.83	30.80	7.90	7.80	224.36	20.69	17.36
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

112 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9 月 6 日	蚵殼站	0:00	30.08	48.73	31.36	7.69	8.33	231.12	16.21	9.52
		3:00	29.76	48.66	31.31	7.71	7.48	233.01	14.46	15.89
		6:00	29.69	48.70	31.34	7.70	8.27	238.22	16.04	11.26
		9:00	29.92	48.92	31.47	7.64	8.00	227.22	16.41	12.49
		12:00	30.44	48.48	31.20	7.72	8.67	225.78	15.39	15.27
		15:00	29.98	49.20	31.65	7.95	8.31	235.46	22.82	14.27
		18:00	29.92	49.62	31.91	7.69	7.20	239.91	29.45	15.92
		21:00	29.86	49.71	31.96	7.63	6.98	231.83	20.20	8.48
		日平均	29.96	49.00	31.53	7.72	7.91	232.82	18.87	12.89
	潮口站	0:00	29.82	48.12	30.98	7.80	8.67	226.52	6.74	9.91
		3:00	29.16	49.62	31.91	7.80	7.94	228.05	17.05	10.22
		6:00	28.11	51.06	32.80	7.74	8.28	230.31	25.71	10.68
		9:00	29.67	48.70	31.34	7.72	8.34	225.86	7.63	10.59
		12:00	30.32	48.75	31.37	7.67	8.82	224.61	6.14	9.49
		15:00	30.06	49.28	31.70	7.82	8.58	227.54	7.86	11.67
		18:00	29.45	50.15	32.23	7.66	7.42	236.75	11.81	10.64
		21:00	29.61	49.64	31.92	7.61	7.10	230.39	7.32	10.07
		日平均	29.53	49.42	31.78	7.73	8.14	228.75	11.28	10.41
	灣內站	0:00	29.75	48.39	31.14	7.85	8.22	230.48	65.76	16.61
		3:00	29.34	48.19	31.02	7.76	7.65	215.56	73.94	19.13
		6:00	29.45	48.51	31.22	7.90	8.22	221.08	20.57	12.46
		9:00	29.81	48.63	31.29	7.90	8.21	205.38	18.04	11.74
		12:00	30.56	48.46	31.19	8.03	8.22	214.86	14.70	17.94
		15:00	30.60	48.50	31.21	8.11	7.72	208.00	17.93	23.19
		18:00	30.10	49.16	31.62	8.00	7.36	192.24	27.46	20.37
		21:00	29.75	49.55	31.86	7.81	6.99	201.88	33.35	15.81
		日平均	29.92	48.67	31.32	7.92	7.82	211.19	33.97	17.16
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月7日	蚵殼站	0:00	29.65	49.50	31.83	7.75	7.23	244.70	18.64	18.07
		3:00	29.36	49.35	31.74	7.71	6.92	245.79	23.86	10.00
		6:00	29.29	49.77	32.00	8.41	7.06	237.65	23.29	6.61
		9:00	29.42	50.06	32.18	7.76	6.94	236.87	17.81	12.78
		12:00	29.56	49.91	32.09	7.62	7.53	218.14	19.34	11.70
		15:00	29.58	49.83	32.04	7.65	8.04	253.97	18.47	9.44
		18:00	29.49	49.78	32.01	7.72	8.19	245.02	20.36	10.52
		21:00	29.46	49.82	32.03	7.68	7.52	245.12	20.60	13.90
	日平均	29.48	49.75	31.99	7.79	7.43	240.91	20.30	11.63	
	潮口站	0:00	29.74	49.05	31.55	7.64	7.53	237.31	6.83	10.38
		3:00	29.52	49.26	31.68	7.63	7.20	242.00	8.44	10.27
		6:00	28.99	50.50	32.45	7.61	7.26	232.54	11.33	8.48
		9:00	29.25	49.96	32.12	7.63	7.31	227.26	9.41	9.50
		12:00	29.71	49.40	31.77	7.71	7.97	217.14	8.12	9.77
		15:00	29.71	49.39	31.76	7.64	8.05	244.31	8.96	9.85
		18:00	29.29	46.48	29.96	7.68	8.28	240.72	13.69	9.26
		21:00	29.28	47.53	30.61	7.71	7.96	236.27	10.80	8.91
	日平均	29.44	48.95	31.49	7.66	7.70	234.69	9.70	9.55	
	灣內站	0:00	29.55	49.49	31.83	7.89	7.42	206.32	27.45	19.11
		3:00	29.19	49.02	31.53	7.87	7.04	221.16	20.24	16.04
		6:00	29.20	49.27	31.69	7.80	6.47	215.44	26.11	12.53
		9:00	29.30	49.46	31.81	7.78	6.91	209.05	26.88	12.31
		12:00	29.56	49.46	31.81	7.79	7.02	199.71	26.05	17.13
		15:00	29.65	49.54	31.86	7.87	7.83	224.69	20.47	12.53
18:00		29.43	49.44	31.79	7.77	8.25	211.88	44.53	17.29	
21:00		29.37	49.43	31.79	7.78	7.96	215.31	34.10	18.56	
日平均	29.41	49.39	31.76	7.82	7.36	212.95	28.23	15.69		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月8日	蚵殼站	0:00	29.02	48.58	31.26	7.62	7.63	237.67	20.28	8.43
		3:00	28.84	48.49	31.21	7.71	6.75	246.53	19.80	14.57
		6:00	28.96	49.26	31.68	8.46	7.35	231.79	18.24	7.91
		9:00	29.22	49.00	31.52	7.76	6.70	237.50	22.63	9.50
		12:00	29.70	49.02	31.53	7.96	7.66	227.42	14.61	16.29
		15:00	30.03	48.96	31.50	8.00	7.75	233.94	12.13	14.56
		18:00	29.84	48.51	31.22	8.07	6.99	223.34	11.32	14.56
		21:00	29.78	48.55	31.24	8.04	7.16	231.31	11.01	15.24
	日平均	29.42	48.80	31.40	7.95	7.25	233.69	16.25	12.63	
	潮口站	0:00	29.28	48.88	31.45	7.81	7.92	234.99	6.10	9.51
		3:00	29.15	48.91	31.47	7.71	7.22	231.78	6.87	9.55
		6:00	29.29	50.01	32.15	7.81	7.59	232.24	11.22	9.62
		9:00	29.34	49.83	32.04	7.95	7.01	219.34	9.76	9.56
		12:00	30.15	48.55	31.24	8.01	7.87	225.94	6.97	10.05
		15:00	30.38	48.61	31.28	8.03	7.82	232.28	7.53	10.86
		18:00	29.41	50.05	32.17	8.02	7.19	236.29	14.02	11.35
		21:00	29.43	49.67	31.94	8.02	7.19	245.23	11.38	10.32
	日平均	29.55	49.31	31.72	7.92	7.48	232.26	9.23	10.10	
	灣內站	0:00	29.29	49.50	31.83	7.76	7.39	227.80	46.77	19.10
		3:00	28.82	48.84	31.42	7.81	6.43	224.81	60.17	16.20
		6:00	28.71	48.74	31.36	7.71	7.33	239.32	38.25	12.85
		9:00	29.78	48.51	31.22	7.94	6.87	238.87	10.76	17.55
		12:00	29.96	48.48	31.20	7.92	7.12	226.42	6.79	12.08
		15:00	30.61	48.30	31.09	7.93	7.68	225.30	9.85	15.66
18:00		30.18	48.68	31.32	7.94	7.03	237.39	18.29	19.52	
21:00		29.78	48.76	31.37	7.90	6.41	224.13	7.07	13.81	
日平均	29.64	48.73	31.35	7.86	7.03	230.51	24.74	15.85		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月9日	蚵殼站	0:00	29.52	48.39	31.14	8.01	8.35	235.69	11.50	9.88
		3:00	29.27	48.20	31.03	7.96	7.47	233.75	11.14	15.44
		6:00	29.11	48.26	31.06	7.90	6.98	224.53	11.28	8.72
		9:00	29.51	48.22	31.04	7.94	6.97	208.40	11.09	12.87
		12:00	29.92	48.33	31.11	7.99	7.45	216.55	11.66	19.13
		15:00	30.08	48.45	31.18	8.06	7.24	216.52	11.98	16.43
		18:00	29.93	48.27	31.07	8.02	6.23	202.08	11.23	12.85
		21:00	29.86	48.46	31.19	7.97	6.58	222.00	11.56	9.93
	日平均	29.65	48.32	31.10	7.98	7.16	219.94	11.43	13.16	
	潮口站	0:00	29.77	48.61	31.28	8.10	8.43	249.16	3.89	9.67
		3:00	29.63	48.78	31.39	8.01	7.49	237.06	5.04	10.72
		6:00	29.49	49.28	31.70	8.04	7.24	237.54	6.91	9.81
		9:00	29.89	49.69	31.95	8.05	7.01	225.66	5.80	10.70
		12:00	30.01	49.23	31.66	8.08	7.81	232.67	4.45	11.49
		15:00	30.04	49.40	31.77	8.06	7.31	235.55	6.45	12.93
		18:00	29.67	49.91	32.09	8.03	6.65	230.14	8.03	12.06
		21:00	29.57	49.84	32.04	7.99	6.64	234.23	6.67	11.18
	日平均	29.76	49.34	31.74	8.05	7.32	235.25	5.91	11.07	
	灣內站	0:00	29.60	48.67	31.32	7.85	7.71	224.38	11.17	23.62
		3:00	29.40	48.71	31.34	7.78	7.06	237.74	7.56	21.93
		6:00	29.37	48.96	31.50	7.81	6.58	230.45	11.09	21.16
		9:00	29.80	48.91	31.47	7.93	6.50	212.02	8.65	11.66
		12:00	30.14	48.84	31.42	8.13	7.58	211.00	6.92	10.43
		15:00	30.26	48.70	31.34	8.20	6.84	218.74	18.14	21.28
18:00		30.35	48.35	31.12	7.98	6.27	220.02	14.12	16.71	
21:00		30.21	48.47	31.19	7.90	6.49	209.07	16.22	19.30	
日平均	29.89	48.70	31.34	7.95	6.88	220.43	11.73	18.26		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月10日	蚵殼站	0:00	29.68	48.30	31.09	7.96	8.11	224.74	11.22	19.40
		3:00	29.49	48.22	31.04	7.97	8.03	231.02	12.20	16.91
		6:00	29.40	48.23	31.05	7.92	7.63	230.53	11.52	15.59
		9:00	29.79	48.19	31.02	7.94	6.74	221.10	10.57	16.19
		12:00	30.38	48.34	31.11	8.09	7.29	212.10	10.72	15.35
		15:00	30.73	48.48	31.20	8.17	7.47	223.73	12.28	17.25
		18:00	30.84	48.42	31.16	8.19	7.32	218.39	14.01	11.71
		21:00	30.68	48.53	31.23	8.25	6.90	220.63	13.66	12.11
	日平均	30.12	48.34	31.11	8.06	7.44	222.78	12.02	15.56	
	潮口站	0:00	29.76	48.69	31.33	8.04	8.31	241.52	2.58	11.57
		3:00	29.70	48.59	31.27	8.05	8.44	238.47	1.76	10.62
		6:00	29.61	48.59	31.27	8.04	7.90	232.79	2.08	10.51
		9:00	29.85	49.19	31.64	8.01	6.94	239.20	4.47	10.46
		12:00	30.17	49.35	31.74	8.04	7.50	242.85	3.46	10.47
		15:00	30.12	49.54	31.86	8.05	7.64	236.29	4.52	11.39
		18:00	30.15	49.01	31.53	8.05	7.49	234.57	3.46	12.06
		21:00	30.25	47.74	30.74	8.02	7.28	235.36	3.04	12.72
	日平均	29.95	48.84	31.42	8.04	7.69	237.63	3.17	11.23	
	灣內站	0:00	30.00	48.62	31.29	7.91	7.55	220.68	15.19	14.55
		3:00	29.80	48.63	31.29	7.97	8.07	207.23	11.78	13.76
		6:00	29.52	48.53	31.23	8.00	7.50	211.61	10.55	17.91
		9:00	30.17	48.52	31.23	8.12	6.53	220.47	13.30	16.47
		12:00	30.77	48.41	31.16	8.32	7.00	196.59	9.82	20.51
		15:00	31.33	48.18	31.01	8.23	6.75	219.87	17.36	23.68
18:00		31.28	48.43	31.17	8.01	6.80	220.16	14.72	11.90	
21:00		30.90	48.58	31.26	7.97	6.87	240.16	14.11	15.39	
日平均	30.47	48.49	31.21	8.07	7.13	217.10	13.35	16.77		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月11日	蚵殼站	0:00	30.72	48.77	31.38	8.19	6.78	210.79	20.44	13.53
		3:00	30.32	48.75	31.37	8.11	8.12	224.50	24.92	15.72
		6:00	30.07	48.61	31.28	8.04	7.64	227.09	12.00	12.18
		9:00	30.61	48.47	31.19	8.10	7.09	225.76	11.43	8.42
		12:00	31.20	48.51	31.22	8.11	7.77	213.29	11.90	10.24
		15:00	31.58	48.58	31.26	8.25	8.02	215.31	14.26	12.06
		18:00	31.53	48.21	31.03	8.26	7.97	228.77	30.80	13.43
		21:00	31.51	48.50	31.21	8.36	7.34	214.47	35.71	17.22
	日平均	30.94	48.55	31.24	8.18	7.59	220.00	20.18	12.85	
	潮口站	0:00	30.39	48.23	31.05	7.99	7.19	242.47	2.94	10.77
		3:00	30.17	47.97	30.88	8.06	8.25	235.01	3.55	9.63
		6:00	30.25	48.08	30.95	8.03	8.08	227.17	3.04	9.67
		9:00	30.32	48.60	31.27	8.10	7.29	235.75	2.51	9.76
		12:00	30.73	48.51	31.22	8.16	8.01	237.83	2.99	10.64
		15:00	30.76	48.79	31.39	8.24	8.26	241.51	3.12	12.34
		18:00	30.49	48.29	31.08	8.16	8.18	233.32	3.15	11.45
		21:00	30.84	47.57	30.64	8.15	7.76	235.47	2.45	10.26
	日平均	30.49	48.26	31.06	8.11	7.88	236.07	2.97	10.57	
	灣內站	0:00	30.58	48.65	31.31	7.97	6.23	236.14	16.52	16.65
		3:00	30.35	48.69	31.33	7.97	7.85	222.69	11.91	18.69
		6:00	30.23	48.67	31.32	8.12	7.76	227.07	13.03	18.40
		9:00	30.90	48.35	31.12	8.24	6.96	235.93	16.63	12.63
		12:00	31.72	48.36	31.13	8.26	7.87	212.05	10.33	19.60
		15:00	32.14	48.13	30.98	8.22	7.43	235.33	19.08	19.98
18:00		31.70	46.99	30.28	8.12	7.35	218.46	21.74	14.59	
21:00		31.90	47.76	30.75	8.05	7.33	236.19	23.04	14.00	
日平均	31.19	48.20	31.03	8.12	7.35	227.98	16.54	16.82		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月12日	蚵殼站	0:00	30.86	47.65	30.69	8.16	6.32	228.91	15.71	9.65
		3:00	30.68	47.27	30.45	8.01	8.58	223.66	11.54	10.06
		6:00	30.16	46.41	29.92	7.98	8.13	229.10	11.01	11.04
		9:00	30.48	46.38	29.90	8.12	7.79	218.71	11.90	15.30
		12:00	30.81	46.99	30.28	8.03	7.57	216.06	24.87	12.57
		15:00	30.94	47.43	30.55	8.15	7.82	230.93	14.56	14.57
		18:00	30.63	47.58	30.64	7.99	6.17	228.74	11.83	15.28
		21:00	30.44	47.18	30.40	7.87	5.78	242.44	10.05	15.79
	日平均	30.63	47.11	30.35	8.04	7.27	227.32	13.93	13.03	
	潮口站	0:00	30.54	47.58	30.64	8.04	6.56	244.99	1.95	10.64
		3:00	30.42	46.80	30.16	8.17	8.69	241.78	2.31	10.97
		6:00	30.44	47.14	30.37	8.14	8.39	242.24	2.48	11.45
		9:00	30.60	47.58	30.64	8.18	7.97	229.34	2.04	10.26
		12:00	30.59	48.43	31.17	8.14	7.74	235.94	2.81	10.43
		15:00	30.51	48.14	30.99	8.14	8.07	242.28	3.07	12.02
		18:00	30.08	49.56	31.87	8.05	6.49	246.29	3.22	12.07
		21:00	29.56	50.32	32.34	8.04	6.14	255.23	2.83	11.21
	日平均	30.34	48.19	31.02	8.11	7.51	242.26	2.59	11.13	
	灣內站	0:00	31.62	48.44	31.18	8.13	6.52	229.14	16.20	17.90
		3:00	31.30	48.38	31.14	8.11	7.88	235.09	16.95	13.57
		6:00	30.96	48.19	31.02	8.14	7.88	230.75	29.05	16.01
		9:00	31.16	48.10	30.97	8.32	7.34	221.25	17.59	12.76
		12:00	31.45	47.41	30.54	8.34	7.38	236.08	16.35	13.64
		15:00	31.42	47.54	30.62	8.38	7.37	237.25	14.77	25.34
18:00		31.21	47.60	30.66	7.94	5.86	242.68	31.42	13.71	
21:00		30.97	47.74	30.74	7.74	5.82	244.73	38.02	14.49	
日平均	31.26	47.93	30.86	8.14	7.01	234.62	22.54	15.93		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月13日	蚵殼站	0:00	30.46	47.37	30.51	7.94	6.13	241.80	10.72	15.99
		3:00	30.49	47.58	30.64	8.08	8.92	231.40	11.77	14.85
		6:00	30.28	47.66	30.69	7.95	9.76	231.44	10.38	18.97
		9:00	30.85	47.38	30.52	8.05	9.20	222.40	10.82	11.86
		12:00	31.16	47.30	30.47	8.07	8.74	231.77	15.26	17.33
		15:00	30.94	47.17	30.39	8.05	7.43	230.78	13.50	10.82
		18:00	30.53	46.73	30.12	7.84	5.94	228.52	10.10	12.63
		21:00	30.26	46.97	30.27	7.77	5.98	226.19	10.00	12.68
	日平均	30.62	47.27	30.45	7.97	7.76	230.54	11.57	14.39	
	潮口站	0:00	29.50	50.10	32.20	8.00	6.28	259.16	2.28	10.64
		3:00	30.25	47.56	30.63	8.21	9.21	247.06	2.49	10.97
		6:00	30.51	47.79	30.77	8.22	9.80	247.54	2.34	11.45
		9:00	30.95	47.85	30.81	8.30	9.35	235.66	2.88	11.36
		12:00	30.99	46.90	30.22	8.21	8.75	242.67	3.43	11.40
		15:00	30.29	48.21	31.03	8.09	7.46	245.55	5.77	12.49
		18:00	29.98	49.27	31.69	8.01	6.36	240.14	3.53	11.08
		21:00	29.51	49.89	32.07	8.03	6.20	244.23	2.92	10.18
	日平均	30.25	48.45	31.18	8.13	7.93	245.25	3.21	11.20	
	灣內站	0:00	30.86	47.81	30.79	8.01	5.96	252.78	33.90	16.99
		3:00	30.65	48.02	30.92	8.03	8.33	231.40	27.68	18.46
		6:00	30.47	48.13	30.98	8.08	8.84	238.81	26.38	14.74
		9:00	30.96	48.02	30.92	8.20	8.95	230.78	12.64	19.57
		12:00	31.44	47.99	30.90	8.40	8.36	241.13	10.45	18.02
		15:00	31.22	47.91	30.85	8.25	6.51	229.49	14.07	13.28
		18:00	30.98	47.96	30.88	8.06	5.87	225.32	21.18	10.96
		21:00	30.80	48.20	31.03	7.88	5.90	234.84	11.38	19.02
	日平均	30.92	48.01	30.91	8.11	7.34	235.57	19.71	16.38	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月14日	蚵殼站	0:00	30.23	46.89	30.22	7.95	5.85	234.80	10.00	13.84
		3:00	30.31	47.81	30.79	7.95	6.66	229.98	10.80	14.09
		6:00	30.22	48.05	30.93	8.01	8.30	231.16	10.11	10.40
		9:00	29.93	48.01	30.91	8.09	6.94	238.57	10.54	9.28
		12:00	29.84	47.97	30.88	8.01	7.19	236.66	10.04	15.50
		15:00	30.08	47.89	30.83	8.04	7.60	230.98	10.82	17.29
		18:00	29.81	48.21	31.03	7.96	6.56	230.18	10.03	19.09
		21:00	29.80	48.26	31.06	7.90	5.70	228.28	10.03	12.34
	日平均	30.03	47.89	30.83	7.99	6.85	232.58	10.30	13.98	
	潮口站	0:00	29.13	50.69	32.57	8.02	6.04	251.52	3.22	12.90
		3:00	29.38	48.58	31.26	8.06	6.67	248.47	2.65	13.03
		6:00	29.75	47.55	30.62	8.20	8.35	242.79	1.86	11.15
		9:00	29.99	48.53	31.23	8.06	7.40	249.20	4.99	10.21
		12:00	29.90	48.48	31.20	8.15	7.64	252.85	3.38	10.50
		15:00	29.82	49.12	31.60	8.14	7.61	246.29	2.95	15.28
		18:00	29.81	49.26	31.68	8.06	6.75	244.57	2.40	16.27
		21:00	29.70	49.71	31.96	8.03	5.89	245.36	3.15	13.63
	日平均	29.69	48.99	31.52	8.09	7.04	247.63	3.08	12.87	
	灣內站	0:00	30.61	48.25	31.06	7.96	5.70	241.09	10.77	9.92
		3:00	30.40	48.23	31.05	7.97	5.82	239.32	20.42	14.85
		6:00	30.27	48.23	31.05	8.03	8.08	226.94	20.74	13.88
		9:00	29.98	48.75	31.37	8.11	6.95	251.27	15.13	11.13
		12:00	30.03	48.58	31.26	8.09	6.83	245.13	18.00	14.69
		15:00	30.34	48.46	31.19	8.28	7.44	236.82	16.69	21.15
		18:00	29.95	48.31	31.10	8.12	5.76	231.77	14.38	24.26
		21:00	30.03	47.97	30.88	7.98	5.08	229.48	10.58	20.49
	日平均	30.20	48.35	31.12	8.07	6.46	237.73	15.84	16.30	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月15日	蚵殼站	0:00	29.44	48.14	30.99	7.91	5.96	240.31	10.01	13.89
		3:00	29.26	48.30	31.09	8.02	5.46	225.20	10.07	14.76
		6:00	29.29	48.69	31.33	8.05	8.06	223.79	10.67	7.91
		9:00	29.72	48.33	31.11	8.01	7.58	234.37	10.19	10.67
		12:00	30.66	48.45	31.18	7.94	7.64	232.79	12.60	12.20
		15:00	30.98	48.32	31.10	8.11	6.84	240.04	12.05	10.00
		18:00	30.56	48.02	30.92	8.03	7.03	226.16	11.51	14.96
		21:00	30.56	47.82	30.79	7.83	7.51	227.39	10.29	14.93
	日平均	30.06	48.26	31.06	7.99	7.01	231.26	10.92	12.42	
	潮口站	0:00	29.29	50.51	32.46	8.04	6.11	252.47	3.23	9.94
		3:00	29.10	49.87	32.06	8.04	5.94	245.01	2.58	15.45
		6:00	29.14	47.94	30.87	8.20	8.12	237.17	2.02	17.67
		9:00	29.74	47.94	30.87	8.05	7.84	245.75	6.94	13.34
		12:00	30.43	48.11	30.97	8.08	7.67	247.83	7.36	13.88
		15:00	30.03	48.16	31.00	8.07	7.17	251.51	6.45	17.45
		18:00	29.84	49.07	31.57	8.05	7.25	243.32	5.64	16.64
		21:00	30.38	48.64	31.30	8.04	7.59	245.47	5.75	15.01
	日平均	29.74	48.78	31.39	8.07	7.21	246.07	5.00	14.92	
	灣內站	0:00	29.99	48.25	31.06	8.01	5.13	242.85	8.10	12.96
		3:00	29.67	48.43	31.17	8.03	5.32	248.33	8.12	20.30
		6:00	29.68	48.49	31.21	8.04	7.58	230.64	8.47	18.05
		9:00	30.35	48.19	31.02	8.10	7.46	233.79	7.55	21.72
		12:00	31.78	46.57	30.02	7.96	6.96	233.89	7.94	15.77
		15:00	31.89	47.90	30.84	8.27	6.94	246.32	14.40	22.11
		18:00	31.70	48.02	30.92	8.08	6.83	242.05	8.88	15.44
		21:00	31.50	48.14	30.99	7.93	6.98	231.91	7.79	14.14
	日平均	30.82	48.00	30.90	8.05	6.65	238.72	8.91	17.56	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月16日	蚵殼站	0:00	30.28	47.13	30.36	7.81	7.28	237.67	10.61	15.61
		3:00	30.21	48.57	31.26	7.92	6.49	246.53	11.69	11.04
		6:00	30.06	48.65	31.31	7.85	7.40	231.79	11.46	11.21
		9:00	30.56	48.27	31.07	7.96	7.93	237.50	10.93	13.40
		12:00	30.70	47.90	30.84	8.16	8.25	227.42	15.88	10.57
		15:00	30.23	48.76	31.37	8.01	7.14	233.94	11.66	13.54
		18:00	30.11	48.26	31.06	7.83	6.57	223.34	10.60	15.50
		21:00	29.97	47.45	30.56	7.78	7.41	231.31	10.24	11.22
	日平均	30.27	48.12	30.98	7.92	7.31	233.69	11.63	12.76	
	潮口站	0:00	29.92	49.23	31.66	8.06	7.40	251.56	6.95	14.16
		3:00	29.51	50.01	32.15	7.88	6.67	259.55	4.23	11.35
		6:00	29.86	48.24	31.05	7.95	7.64	248.58	5.95	12.04
		9:00	30.17	48.52	31.23	7.98	8.00	254.38	11.76	11.27
		12:00	30.47	48.87	31.44	8.13	8.41	242.53	12.32	11.66
		15:00	29.87	44.38	28.66	8.01	7.39	247.41	12.15	15.45
		18:00	29.74	48.40	31.15	7.94	6.93	242.71	32.05	13.15
		21:00	30.07	48.41	31.16	7.91	7.72	249.12	48.34	10.26
	日平均	29.95	48.26	31.06	7.98	7.52	249.48	16.72	12.42	
	灣內站	0:00	31.05	48.41	31.16	7.95	6.98	239.28	10.54	9.71
		3:00	30.69	48.71	31.34	7.99	5.75	245.00	12.41	14.59
		6:00	30.52	48.90	31.46	8.00	7.40	250.82	7.39	8.87
		9:00	30.97	48.84	31.42	8.02	7.18	244.38	8.03	9.42
		12:00	31.32	48.59	31.27	8.33	8.16	237.98	15.03	17.65
		15:00	31.22	48.54	31.24	8.30	6.45	235.96	20.91	18.79
		18:00	31.09	48.56	31.25	8.05	6.92	226.92	17.00	10.21
		21:00	30.64	48.17	31.01	7.87	7.05	246.46	13.84	14.46
	日平均	30.94	48.59	31.27	8.06	6.99	240.85	13.14	12.96	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月17日	蚵殼站	0:00	29.71	47.60	30.66	7.81	6.32	235.69	10.00	18.31
		3:00	30.39	48.56	31.25	7.85	6.21	233.75	10.00	16.44
		6:00	30.14	49.01	31.53	7.81	6.44	224.53	10.04	17.54
		9:00	30.22	48.16	31.00	7.88	8.14	208.40	10.20	8.81
		12:00	30.77	47.95	30.87	7.96	8.31	216.55	10.79	9.23
		15:00	30.89	48.31	31.10	7.87	6.81	216.52	10.63	16.52
		18:00	30.84	48.31	31.10	7.80	6.33	202.08	10.28	13.26
		21:00	29.95	47.02	30.30	7.74	8.18	222.00	10.26	13.89
	日平均	30.36	48.12	30.98	7.84	7.09	219.94	10.28	14.25	
	潮口站	0:00	29.76	48.68	31.32	7.92	6.63	247.42	46.55	14.39
		3:00	29.13	50.27	32.31	7.86	6.28	245.34	39.18	16.49
		6:00	29.55	49.02	31.53	7.96	6.69	244.00	18.24	10.61
		9:00	30.66	47.81	30.79	8.06	8.45	224.45	9.85	9.25
		12:00	30.65	48.73	31.36	8.01	8.43	233.14	12.74	15.45
		15:00	30.22	43.92	28.38	7.83	7.13	234.76	7.72	14.26
		18:00	29.95	47.85	30.81	7.96	6.82	220.89	6.01	13.15
		21:00	30.55	48.24	31.05	8.02	8.40	233.89	5.41	11.13
	日平均	30.06	48.07	30.94	7.95	7.35	235.49	18.21	13.09	
	灣內站	0:00	30.42	47.75	30.75	7.83	6.01	246.97	9.23	13.51
		3:00	30.06	47.53	30.61	7.89	6.28	232.05	9.37	11.31
		6:00	30.72	48.54	31.24	7.93	6.19	237.57	9.33	17.97
		9:00	31.10	48.18	31.01	8.08	7.58	221.87	10.14	16.53
		12:00	31.68	47.59	30.65	8.38	8.07	231.35	16.55	14.70
		15:00	31.87	48.09	30.96	8.34	6.85	224.49	24.49	17.62
18:00		31.49	48.04	30.93	7.96	6.36	208.73	13.02	14.97	
21:00		30.50	47.29	30.46	7.78	7.83	218.37	8.82	19.80	
日平均	30.98	47.88	30.83	8.02	6.90	227.68	12.62	15.80		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月18日	蚵殼站	0:00	30.31	46.94	30.25	7.79	6.40	224.74	10.00	11.07
		3:00	30.07	47.52	30.61	7.82	5.92	231.02	10.00	9.70
		6:00	30.14	48.56	31.25	7.85	6.09	230.53	10.00	14.54
		9:00	30.50	48.54	31.24	7.84	8.20	221.10	10.03	11.21
		12:00	31.55	48.01	30.91	7.88	7.47	212.10	10.34	15.28
		15:00	31.31	47.86	30.82	8.02	7.18	223.73	12.23	17.89
		18:00	30.66	47.70	30.72	7.87	6.19	218.39	11.04	10.86
		21:00	30.77	47.48	30.58	7.84	8.17	220.63	10.00	12.44
	日平均	30.66	47.83	30.80	7.86	6.95	222.78	10.46	12.87	
	潮口站	0:00	30.23	48.69	31.33	7.87	6.47	238.27	8.14	10.45
		3:00	29.10	50.43	32.41	7.80	6.20	250.42	9.27	10.75
		6:00	29.42	49.31	31.71	7.84	6.27	244.08	3.58	11.05
		9:00	30.46	47.22	30.42	8.04	8.37	236.44	4.18	14.44
		12:00	30.96	48.00	30.90	7.99	7.84	228.89	5.31	14.28
		15:00	30.47	45.79	29.53	7.84	7.39	241.83	4.68	13.64
		18:00	29.95	47.57	30.64	7.87	6.29	231.08	4.49	14.36
		21:00	30.34	47.32	30.48	7.92	8.38	233.82	4.50	15.57
	日平均	30.12	48.04	30.93	7.90	7.15	238.10	5.52	13.07	
	灣內站	0:00	30.90	47.17	30.39	7.69	6.47	222.81	8.32	16.80
		3:00	30.69	47.39	30.53	7.74	5.79	237.65	8.04	14.88
		6:00	30.86	48.27	31.07	7.83	5.97	231.93	8.73	15.38
		9:00	31.21	48.00	30.90	7.94	8.00	225.54	8.66	12.24
		12:00	31.95	47.50	30.59	8.12	7.40	216.20	9.49	22.95
		15:00	32.38	47.38	30.52	8.35	7.05	241.18	10.32	13.81
18:00		31.58	47.36	30.51	8.06	5.86	228.37	15.40	11.54	
21:00		31.34	47.75	30.75	7.77	7.68	231.80	9.33	16.49	
日平均	31.36	47.60	30.66	7.94	6.78	229.44	9.79	15.51		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月19日	蚵殼站	0:00	30.87	47.67	30.70	7.84	6.34	210.79	10.70	11.94
		3:00	30.63	47.30	30.47	7.84	6.00	224.50	10.07	17.67
		6:00	30.11	48.79	31.39	7.86	4.89	227.09	11.10	15.56
		9:00	30.05	48.99	31.52	7.83	6.45	225.76	10.04	9.10
		12:00	30.68	48.73	31.36	7.87	8.28	213.29	10.42	14.64
		15:00	31.10	48.50	31.21	7.89	8.01	215.31	13.49	15.65
		18:00	30.79	48.65	31.31	7.87	6.76	228.77	14.97	11.70
		21:00	30.39	48.89	31.45	7.76	8.96	214.47	10.54	9.85
	日平均	30.58	48.44	31.18	7.85	6.96	220.00	11.42	13.26	
	潮口站	0:00	30.43	46.68	30.09	7.85	6.56	227.97	4.76	16.28
		3:00	29.30	50.16	32.24	7.86	6.10	234.58	7.63	17.36
		6:00	29.26	50.09	32.20	7.86	5.11	246.19	3.95	16.63
		9:00	30.12	48.35	31.12	7.94	6.80	239.54	5.02	15.57
		12:00	31.43	47.40	30.53	8.03	8.50	233.27	5.95	16.98
		15:00	30.72	48.83	31.42	7.99	8.32	232.83	6.86	12.79
		18:00	29.95	49.45	31.80	7.81	7.12	238.97	6.31	13.27
		21:00	30.82	48.04	30.93	8.05	9.00	225.82	5.71	16.48
	日平均	30.25	48.63	31.29	7.92	7.19	234.90	5.77	15.67	
	灣內站	0:00	31.18	47.59	30.65	7.68	6.14	228.83	16.10	11.64
		3:00	30.83	47.51	30.60	7.65	5.47	225.84	16.87	16.47
		6:00	30.30	48.06	30.94	7.87	4.53	240.35	21.22	17.45
		9:00	30.83	48.23	31.05	7.74	6.48	239.90	19.76	19.87
		12:00	31.93	47.16	30.38	8.04	7.90	227.45	16.97	13.84
		15:00	31.96	47.65	30.69	8.00	8.11	226.33	17.53	14.99
		18:00	31.45	47.97	30.88	7.91	6.66	238.42	24.02	16.28
		21:00	30.84	48.90	31.46	7.76	8.05	225.16	21.38	17.43
	日平均	31.17	47.88	30.83	7.83	6.67	231.54	19.23	16.00	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月20日	蚵殼站	0:00	29.94	48.73	31.36	7.84	7.82	206.70	12.68	12.07
		3:00	29.64	47.99	30.90	7.75	6.86	211.99	10.41	12.54
		6:00	29.53	47.45	30.56	7.78	6.84	212.15	10.61	13.85
		9:00	29.43	48.26	31.06	7.73	7.55	193.82	11.62	10.75
		12:00	29.65	48.30	31.09	7.82	8.09	179.37	11.84	11.99
		15:00	29.71	48.30	31.09	7.80	7.22	189.58	10.84	19.67
		18:00	29.68	48.15	31.00	7.67	6.13	192.76	10.60	9.44
		21:00	29.48	47.61	30.66	7.67	5.81	184.93	10.56	9.60
	日平均	29.63	48.10	30.97	7.76	7.04	196.41	11.15	12.49	
	潮口站	0:00	30.69	47.38	30.52	8.12	8.16	219.88	8.43	17.27
		3:00	29.76	48.69	31.33	8.05	7.12	222.79	9.88	18.25
		6:00	28.99	50.09	32.20	7.89	6.86	225.20	10.98	19.69
		9:00	29.67	48.08	30.95	8.03	7.83	213.74	6.35	18.24
		12:00	29.96	47.96	30.88	8.14	8.20	198.23	7.34	16.07
		15:00	29.84	46.99	30.28	8.00	7.45	204.78	8.85	13.25
		18:00	29.63	46.54	30.00	7.88	6.40	204.78	23.75	11.80
		21:00	29.74	47.71	30.72	7.88	6.30	198.79	10.06	12.75
	日平均	29.79	47.93	30.86	8.00	7.29	211.02	10.71	15.92	
	灣內站	0:00	30.02	47.80	30.78	7.93	7.60	209.95	13.89	11.94
		3:00	29.76	46.86	30.20	7.77	7.07	223.31	15.04	12.78
		6:00	29.59	48.79	31.39	7.74	6.76	216.02	16.91	12.70
		9:00	29.69	47.54	30.62	7.95	7.53	197.59	15.80	13.74
		12:00	29.75	47.59	30.65	8.03	7.27	196.57	14.45	17.96
		15:00	29.76	46.78	30.15	7.96	6.69	204.31	16.45	16.09
		18:00	29.71	48.26	31.06	7.71	5.63	205.59	18.03	21.55
		21:00	29.67	48.06	30.94	7.63	5.59	194.64	16.67	18.70
	日平均	29.74	47.71	30.72	7.84	6.77	206.00	15.91	15.68	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月21日	蚵殼站	0:00	29.04	46.79	30.15	7.61	6.85	191.99	10.48	12.96
		3:00	28.83	45.28	29.22	7.70	6.04	196.89	10.06	12.46
		6:00	28.98	46.54	30.00	7.78	5.89	190.94	10.00	11.89
		9:00	29.79	48.79	31.39	7.88	6.58	187.22	10.01	14.96
		12:00	30.02	47.90	30.84	7.91	8.71	181.06	10.01	14.62
		15:00	29.93	47.44	30.56	7.90	7.40	191.04	10.26	11.99
		18:00	29.66	48.39	31.14	7.75	6.59	202.10	10.06	9.29
		21:00	29.52	47.47	30.57	7.79	6.38	200.59	10.14	15.04
	日平均	29.47	47.33	30.48	7.79	6.81	192.73	10.13	12.90	
	潮口站	0:00	29.63	46.24	29.81	7.87	7.25	202.98	6.18	12.75
		3:00	29.28	46.85	30.19	7.83	6.12	206.91	10.63	13.72
		6:00	29.01	50.27	32.31	7.79	6.03	206.49	27.72	14.56
		9:00	29.47	48.69	31.33	7.81	6.76	203.68	5.25	15.14
		12:00	29.98	48.17	31.01	7.90	8.72	196.11	3.85	17.52
		15:00	29.75	44.98	29.03	7.88	7.67	208.58	10.27	18.25
		18:00	29.21	44.58	28.78	7.81	6.65	215.97	9.92	13.15
		21:00	29.31	47.96	30.88	7.82	6.80	215.66	7.86	10.53
	日平均	29.46	47.22	30.42	7.84	7.00	207.05	10.21	14.45	
	灣內站	0:00	29.33	46.68	30.09	7.62	6.36	206.25	12.58	13.00
		3:00	29.23	45.99	29.66	7.68	5.35	192.80	11.76	20.15
		6:00	29.29	46.55	30.01	7.83	5.88	197.18	12.08	16.26
		9:00	29.78	47.62	30.67	8.03	5.85	206.04	14.47	13.66
		12:00	30.22	45.72	29.49	8.13	7.93	182.16	13.46	20.01
		15:00	30.11	45.56	29.39	8.22	7.53	205.44	14.52	19.94
		18:00	30.04	45.60	29.42	8.14	6.25	208.27	13.46	20.18
		21:00	29.74	45.74	29.50	8.12	5.97	206.30	13.04	14.46
	日平均	29.72	46.18	29.78	7.97	6.39	200.56	13.17	17.21	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月22日	蚵殼站	0:00	29.19	47.32	30.48	7.79	7.15	203.99	10.06	8.70
		3:00	29.02	47.09	30.34	7.81	6.57	198.19	10.11	10.90
		6:00	28.85	44.91	28.99	7.66	6.63	197.02	11.31	10.90
		9:00	28.59	44.46	28.71	7.73	6.75	196.21	11.02	8.42
		12:00	28.41	44.58	28.78	7.65	6.25	197.30	11.31	9.72
		15:00	28.20	42.48	27.48	7.71	6.06	199.36	11.92	15.95
		18:00	27.84	38.34	24.92	7.70	6.83	196.69	13.00	18.31
		21:00	27.45	36.44	23.74	7.64	5.83	198.22	12.70	17.07
	日平均	28.44	43.20	27.93	7.71	6.51	198.37	11.43	12.50	
	潮口站	0:00	29.18	46.70	30.10	7.85	7.27	215.02	13.57	12.90
		3:00	28.97	45.93	29.62	7.82	6.70	217.08	11.87	13.03
		6:00	28.91	44.95	29.01	7.76	6.76	210.85	65.54	11.15
		9:00	28.71	41.91	27.13	7.71	6.87	214.25	37.85	10.21
		12:00	28.66	42.56	27.53	7.73	6.44	215.30	19.38	10.50
		15:00	28.49	41.69	26.99	7.73	6.19	218.18	15.72	15.28
		18:00	27.82	37.64	24.49	7.69	6.99	210.47	39.12	16.27
		21:00	28.27	41.88	27.11	7.70	6.04	217.06	35.41	13.63
	日平均	28.63	42.91	27.75	7.75	6.66	214.78	29.81	12.87	
	灣內站	0:00	29.30	44.47	28.72	7.94	6.73	208.09	12.94	22.58
		3:00	28.71	41.82	27.08	8.01	6.59	212.04	13.55	11.50
		6:00	28.73	42.24	27.34	7.87	5.92	210.72	13.04	10.46
		9:00	28.64	43.64	28.20	8.10	6.60	209.66	12.51	17.99
		12:00	28.26	39.57	25.68	8.08	5.70	210.28	12.99	16.07
		15:00	28.00	38.32	24.91	8.09	6.14	202.92	13.12	11.16
		18:00	28.21	41.83	27.08	8.10	6.93	196.71	13.15	16.30
		21:00	27.71	37.90	24.65	8.06	5.87	213.13	12.45	17.46
	日平均	28.45	41.22	26.71	8.03	6.31	207.94	12.97	15.44	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月23日	蚵殼站	0:00	27.42	36.57	23.82	7.76	6.19	201.38	11.80	7.69
		3:00	26.97	33.37	21.84	7.80	6.26	199.37	12.35	16.38
		6:00	26.82	37.88	24.64	7.75	5.62	204.15	16.15	14.09
		9:00	27.25	36.12	23.55	7.78	6.04	201.56	13.35	17.91
		12:00	28.14	36.34	23.68	7.78	6.45	207.22	11.76	10.22
		15:00	29.05	38.92	25.28	7.81	5.89	203.96	11.67	17.45
		18:00	28.55	38.50	25.02	7.82	6.32	203.73	10.63	10.10
		21:00	28.34	39.18	25.44	7.80	6.25	200.35	10.45	9.40
	日平均	27.82	37.11	24.16	7.79	6.13	202.72	12.27	12.91	
	潮口站	0:00	27.78	38.57	25.06	7.64	6.26	213.06	17.65	9.81
		3:00	27.10	35.37	23.08	7.68	6.55	210.84	19.62	10.86
		6:00	27.93	39.88	25.87	7.63	5.86	217.05	39.47	9.95
		9:00	27.94	38.12	24.78	7.66	6.37	217.02	14.67	10.84
		12:00	28.12	38.34	24.92	7.66	6.50	220.22	10.68	11.63
		15:00	28.34	40.92	26.52	7.69	5.94	217.83	9.61	13.07
		18:00	28.43	40.50	26.26	7.70	6.54	214.92	30.01	12.20
		21:00	28.60	41.18	26.68	7.68	6.50	218.20	29.47	11.32
	日平均	28.03	39.11	25.40	7.67	6.32	216.14	21.40	11.21	
	灣內站	0:00	27.69	37.25	24.25	8.01	5.99	198.41	11.95	12.14
		3:00	27.26	38.16	24.81	7.94	6.46	213.50	12.31	16.40
		6:00	27.05	38.38	24.94	7.97	5.75	201.84	12.48	9.02
		9:00	27.38	36.62	23.85	8.09	5.86	218.06	12.04	15.17
		12:00	28.49	36.84	23.99	8.29	6.47	205.76	12.81	21.85
		15:00	29.08	39.42	25.59	8.36	5.42	218.49	13.07	16.26
18:00		29.00	39.00	25.33	8.14	6.29	215.30	13.22	16.19	
21:00		29.03	39.68	25.75	8.06	5.70	215.93	12.83	20.82	
日平均	28.12	38.17	24.81	8.11	5.99	210.91	12.59	15.98		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月24日	蚵殼站	0:00	28.41	40.11	26.02	7.83	6.26	207.37	10.45	17.11
		3:00	28.22	35.76	23.32	7.79	5.61	209.95	11.63	17.54
		6:00	27.95	37.50	24.40	7.78	5.33	205.51	11.10	17.49
		9:00	28.74	39.20	25.45	7.85	5.03	202.99	11.73	9.60
		12:00	29.64	39.98	25.94	7.87	5.76	204.66	10.78	14.39
		15:00	30.09	41.34	26.78	7.91	5.73	201.93	11.28	9.98
		18:00	30.03	38.95	25.30	7.89	6.42	197.54	10.47	16.88
		21:00	29.69	40.87	26.49	7.88	6.34	210.64	10.50	20.68
	日平均	29.10	39.21	25.46	7.85	5.81	205.07	10.99	15.46	
	潮口站	0:00	28.59	42.11	27.26	7.71	6.45	219.88	17.41	11.71
		3:00	28.55	37.76	24.56	7.67	5.92	220.26	20.88	10.76
		6:00	28.62	39.50	25.64	7.66	5.48	219.28	10.02	10.65
		9:00	29.02	41.20	26.69	7.73	5.47	220.01	9.98	10.60
		12:00	29.94	41.98	27.17	7.75	6.21	217.95	11.55	10.61
		15:00	29.65	43.34	28.02	7.79	6.18	214.51	9.84	11.53
		18:00	29.24	40.95	26.54	7.77	6.50	213.82	15.55	12.20
		21:00	29.38	42.87	27.73	7.76	6.41	211.66	14.32	12.86
	日平均	29.12	41.21	26.70	7.73	6.08	217.17	13.69	11.37	
	灣內站	0:00	28.93	40.61	26.33	8.07	6.35	222.42	12.28	22.91
		3:00	28.74	36.26	23.63	8.13	5.07	216.09	12.49	23.30
		6:00	28.40	38.00	24.71	8.16	5.40	221.64	12.34	20.53
		9:00	29.51	39.70	25.76	8.28	4.85	213.39	12.88	14.54
		12:00	30.40	40.48	26.25	8.48	5.44	219.08	13.43	15.69
		15:00	30.77	41.84	27.09	8.39	5.37	207.43	15.77	15.62
18:00		30.50	39.45	25.61	8.17	6.39	213.62	13.53	19.59	
21:00		29.97	41.37	26.80	8.13	5.81	204.56	12.92	24.73	
日平均	29.65	39.71	25.77	8.23	5.59	214.78	13.21	19.61		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9 月 25 日	蚵殼站	0:00	29.28	40.45	26.23	7.84	6.13	213.27	10.57	9.89
		3:00	29.40	37.38	24.33	7.86	6.31	222.67	10.70	14.87
		6:00	28.89	35.93	23.43	7.84	6.38	219.21	10.88	8.82
		9:00	29.72	41.03	26.59	7.89	5.06	222.26	41.63	9.42
		12:00	29.81	41.66	26.98	7.95	6.18	215.77	18.23	17.78
		15:00	30.02	43.16	27.91	7.93	5.81	216.33	18.23	19.66
		18:00	29.97	43.84	28.33	7.93	5.40	209.24	11.93	12.98
		21:00	29.80	42.32	27.39	7.98	6.69	208.50	10.75	17.89
	日平均	29.61	40.72	26.40	7.90	6.00	215.91	16.62	13.91	
	潮口站	0:00	29.41	42.45	27.47	7.72	6.18	213.04	9.15	10.91
		3:00	29.19	39.38	25.56	7.74	6.36	215.86	8.70	9.77
		6:00	29.09	37.93	24.67	7.72	6.55	211.57	10.49	9.81
		9:00	29.28	43.03	27.82	7.77	5.26	218.64	11.22	9.90
		12:00	29.94	43.66	28.22	7.83	6.54	213.20	13.21	10.78
		15:00	29.74	45.16	29.14	7.81	6.02	211.28	11.61	12.48
		18:00	29.56	45.84	29.57	7.81	5.84	208.18	9.80	11.59
		21:00	29.10	44.32	28.62	7.86	6.73	201.48	8.22	10.40
	日平均	29.41	42.72	27.63	7.78	6.19	211.66	10.30	10.71	
	灣內站	0:00	29.67	40.95	26.54	8.13	5.81	202.59	13.22	14.48
		3:00	29.79	37.88	24.64	8.13	6.29	190.94	12.65	19.97
		6:00	29.42	36.43	23.74	8.28	6.17	202.59	11.86	10.57
		9:00	30.31	41.53	26.90	8.40	4.84	190.94	14.99	10.44
		12:00	30.54	42.16	27.29	8.42	5.64	213.74	13.38	20.05
		15:00	30.79	43.66	28.22	8.38	5.13	219.17	12.95	22.92
		18:00	30.35	44.34	28.64	8.28	5.09	221.22	12.40	14.95
		21:00	30.08	42.82	27.69	8.21	6.27	207.24	13.15	21.67
	日平均	30.12	41.22	26.71	8.28	5.66	206.05	13.08	16.88	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9 月 26 日	蚵殼站	0:00	29.65	42.76	27.66	7.98	6.38	206.61	11.77	16.63
		3:00	29.51	40.83	26.46	8.00	6.64	205.57	10.83	16.86
		6:00	28.91	36.83	23.98	8.17	7.23	194.85	12.53	13.10
		9:00	29.51	40.88	26.49	8.02	7.03	200.03	21.68	17.64
		12:00	30.12	37.40	24.34	8.05	7.22	203.70	16.45	15.82
		15:00	30.18	39.41	25.58	8.00	6.26	211.93	14.82	19.60
		18:00	30.20	37.32	24.29	7.94	4.67	208.08	16.18	17.68
		21:00	30.05	39.72	25.77	8.16	7.17	199.38	11.78	11.36
	日平均	29.77	39.39	25.57	8.04	6.58	203.77	14.51	16.09	
	潮口站	0:00	29.13	44.76	28.90	7.86	6.70	202.78	9.33	10.45
		3:00	29.51	42.83	27.70	7.88	7.05	200.25	9.75	10.75
		6:00	29.41	38.83	25.22	8.05	7.70	194.60	11.99	11.05
		9:00	29.61	42.88	27.73	7.90	7.22	196.58	13.06	11.66
		12:00	29.71	43.40	28.05	7.93	7.23	198.78	13.45	18.81
		15:00	29.64	44.19	28.54	7.88	6.61	203.66	15.16	16.47
		18:00	29.41	46.44	29.94	7.82	5.14	205.51	11.34	16.07
		21:00	29.34	44.32	28.62	8.04	7.31	190.93	10.37	15.57
	日平均	29.47	43.46	28.09	7.92	6.87	199.14	11.81	13.85	
	灣內站	0:00	29.80	43.26	27.97	8.29	6.34	210.16	13.23	19.45
		3:00	29.84	41.33	26.77	8.27	6.38	200.16	12.58	22.20
		6:00	29.60	37.33	24.29	8.30	6.82	227.24	12.02	14.89
		9:00	30.23	41.38	26.80	8.48	6.63	217.74	16.94	20.78
		12:00	30.55	41.90	27.13	8.47	6.87	232.57	17.36	17.71
		15:00	30.56	42.69	27.61	8.43	5.71	233.74	16.45	24.16
		18:00	30.54	44.94	29.01	8.10	4.65	239.17	15.64	20.81
		21:00	30.32	42.82	27.69	7.90	6.99	241.22	15.75	13.12
	日平均	30.18	41.96	27.16	8.28	6.30	225.25	15.00	19.14	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9 月 27 日	蚵殼站	0:00	30.11	41.75	27.03	8.12	6.19	191.91	12.08	9.06
		3:00	30.14	42.08	27.24	8.13	7.15	192.55	11.67	10.79
		6:00	29.70	39.63	25.72	8.35	7.98	180.46	11.27	9.61
		9:00	30.09	35.93	23.43	8.25	8.83	200.16	15.34	14.46
		12:00	30.72	36.96	24.07	8.12	7.31	198.25	20.68	10.97
		15:00	30.80	37.66	24.50	8.19	8.23	194.50	16.23	17.69
		18:00	30.59	37.07	24.13	8.33	9.46	175.51	11.57	12.35
		21:00	30.15	36.69	23.90	8.22	9.55	181.25	10.83	16.31
	日平均	30.29	38.47	25.00	8.21	8.09	189.32	13.71	12.66	
	潮口站	0:00	28.90	46.85	30.19	8.00	6.67	189.92	9.71	8.97
		3:00	29.36	45.07	29.09	8.01	7.60	183.48	8.92	9.00
		6:00	29.71	41.32	26.77	8.23	8.41	171.83	10.73	9.07
		9:00	30.17	42.76	27.66	8.13	9.04	171.94	13.81	9.01
		12:00	29.64	46.80	30.16	8.00	7.46	190.35	13.64	9.49
		15:00	29.59	47.98	30.89	8.07	8.61	189.43	12.51	10.26
		18:00	30.33	44.12	28.50	8.21	7.46	172.20	12.15	10.72
		21:00	29.92	45.55	29.39	8.10	8.16	178.73	10.51	9.74
	日平均	29.70	45.06	29.08	8.09	7.93	180.99	11.50	9.53	
	灣內站	0:00	30.24	42.17	27.29	8.17	6.10	249.27	16.95	10.28
		3:00	30.11	43.01	27.81	8.19	7.54	227.89	14.23	12.87
		6:00	30.10	38.30	24.90	8.24	8.03	235.30	15.95	12.00
		9:00	30.47	35.08	22.90	8.36	8.60	227.27	21.76	19.24
		12:00	31.06	39.82	25.84	8.42	6.58	237.62	22.32	14.58
		15:00	30.67	35.78	23.33	8.41	7.69	225.98	22.15	20.37
18:00		30.41	35.73	23.30	8.22	7.13	221.81	42.05	16.46	
21:00		30.35	36.65	23.87	8.04	8.65	231.33	58.34	22.15	
日平均	30.43	38.32	24.91	8.26	7.54	232.06	26.72	15.99		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 7~9 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9 月 28 日	蚵殼站	0:00	30.13	40.78	26.43	8.14	6.72	195.97	10.40	17.11
		3:00	30.07	44.43	28.69	8.16	6.90	192.05	11.18	7.51
		6:00	30.19	44.47	28.72	8.35	8.04	187.57	12.18	7.43
		9:00	30.08	40.86	26.48	8.45	8.19	200.16	12.25	9.56
		12:00	31.09	39.19	25.45	8.11	7.06	192.19	12.25	13.02
		15:00	31.44	40.58	26.31	8.06	6.88	204.40	11.95	16.06
		18:00	30.92	42.86	27.72	8.06	6.75	194.33	16.62	14.08
		21:00	30.85	41.67	26.98	8.20	5.57	207.78	14.66	8.79
	日平均	30.60	41.86	27.10	8.19	7.01	196.81	12.69	11.70	
	潮口站	0:00	28.74	48.53	31.23	8.02	7.09	193.00	12.13	9.13
		3:00	28.84	47.52	30.61	8.04	7.04	191.45	16.46	9.17
		6:00	29.33	46.39	29.91	8.23	8.40	183.94	13.48	9.26
		9:00	29.76	42.47	27.48	8.33	8.20	167.12	15.92	9.16
		12:00	29.56	47.52	30.61	7.99	7.49	186.48	15.31	9.21
		15:00	29.65	48.07	30.95	7.94	6.96	194.63	12.64	12.23
		18:00	30.28	44.41	28.68	7.94	7.17	192.74	14.67	11.39
		21:00	29.48	48.50	31.21	7.87	5.97	200.62	10.18	10.56
	日平均	29.46	46.68	30.09	8.05	7.29	188.75	13.85	10.01	
	灣內站	0:00	30.30	41.70	27.00	8.12	6.97	237.58	56.55	21.59
		3:00	29.91	45.27	29.21	8.13	6.62	235.81	49.18	12.43
		6:00	30.05	44.04	28.45	8.19	8.24	223.43	28.24	8.74
		9:00	29.93	44.89	28.98	8.27	7.79	247.76	19.85	12.90
		12:00	31.53	40.97	26.55	8.25	6.80	241.62	22.74	17.48
		15:00	31.99	46.02	29.68	8.44	6.09	233.31	17.72	19.39
18:00		31.08	42.99	27.80	8.28	6.65	228.26	16.01	19.81	
21:00		31.09	41.00	26.57	8.14	5.34	225.97	15.41	13.17	
日平均	30.74	43.36	28.03	8.23	6.81	234.22	28.21	15.69		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月29日	蚵殼站	0:00	30.56	43.34	28.02	8.06	6.67	205.15	15.90	14.88
		3:00	30.00	46.68	30.09	8.20	6.66	215.15	13.33	9.81
		6:00	30.46	45.55	29.39	8.07	7.33	199.44	11.08	16.44
		9:00	29.90	41.30	26.75	8.43	7.83	204.24	17.03	11.13
		12:00	30.39	39.21	25.46	8.37	7.62	203.94	24.57	14.82
		15:00	30.81	41.25	26.72	8.26	7.19	220.37	17.33	10.92
		18:00	30.72	41.81	27.07	8.23	7.31	225.03	12.53	9.69
		21:00	30.36	39.78	25.81	8.31	7.93	213.82	11.72	16.24
	日平均	30.40	42.37	27.41	8.24	7.32	210.89	15.44	12.99	
	潮口站	0:00	29.26	48.05	30.93	7.94	6.87	203.42	10.12	10.93
		3:00	29.20	47.64	30.68	7.88	6.72	205.95	14.06	10.03
		6:00	29.49	47.12	30.36	7.95	7.61	191.08	23.37	9.92
		9:00	30.20	36.83	23.98	8.43	8.25	202.72	15.26	9.88
		12:00	30.16	43.29	27.99	8.25	7.98	203.24	5.63	9.89
		15:00	29.70	47.76	30.75	8.14	7.43	215.03	4.78	10.76
		18:00	29.69	44.97	29.03	8.11	7.48	215.98	3.25	11.39
		21:00	30.25	43.68	28.23	8.19	8.13	212.75	3.42	12.03
	日平均	29.74	44.92	28.99	8.11	7.56	206.27	9.99	10.60	
	灣內站	0:00	30.80	41.94	27.15	8.17	6.21	239.34	18.14	20.74
		3:00	30.32	45.96	29.64	8.19	6.70	244.82	19.27	14.37
		6:00	30.40	43.90	28.36	8.20	6.85	227.13	13.58	18.19
		9:00	30.09	38.41	24.96	8.26	7.68	230.28	14.18	15.62
		12:00	30.49	36.38	23.71	8.12	7.71	230.38	15.31	17.74
		15:00	30.55	36.67	23.89	8.43	7.14	242.81	14.68	15.62
18:00		30.66	38.04	24.73	8.24	7.12	238.54	14.49	11.12	
21:00		30.40	37.42	24.35	8.09	7.14	228.40	14.50	21.30	
日平均	30.46	39.84	25.85	8.21	7.07	235.21	15.52	16.84		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年7~9月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
9月30日	蚵殼站	0:00	29.99	39.01	25.34	8.21	7.07	219.46	11.27	13.30
		3:00	29.87	46.17	29.77	8.27	6.59	223.04	11.10	11.00
		6:00	29.67	46.65	30.07	8.34	7.26	214.76	11.08	13.89
		9:00	29.55	43.13	27.89	8.45	9.54	219.42	11.02	10.08
		12:00	29.12	39.16	25.43	8.11	8.58	215.24	12.13	11.57
		15:00	29.21	41.05	26.60	8.06	7.76	224.29	11.43	17.83
		18:00	29.40	46.56	30.01	8.06	8.88	216.35	10.05	14.15
		21:00	28.83	41.89	27.12	8.07	8.78	231.37	10.28	12.78
	日平均	29.46	42.95	27.78	8.20	8.06	220.49	11.05	13.08	
	潮口站	0:00	29.69	47.65	30.69	8.09	7.14	216.33	3.50	9.04
		3:00	29.28	48.86	31.44	8.15	7.03	218.21	4.16	9.08
		6:00	29.40	47.03	30.30	8.22	7.32	210.49	4.40	9.13
		9:00	29.26	41.11	26.64	8.48	9.80	209.55	5.48	9.21
		12:00	29.30	42.30	27.37	8.38	8.84	206.45	7.05	10.05
		15:00	29.17	45.99	29.66	8.29	7.90	216.50	5.48	11.67
		18:00	29.00	42.75	27.65	8.42	8.94	215.10	5.58	10.82
		21:00	28.80	41.58	26.93	8.39	8.90	223.83	5.31	9.69
	日平均	29.24	44.66	28.84	8.30	8.23	214.56	5.12	9.84	
	灣內站	0:00	30.33	39.21	25.46	8.11	6.66	235.77	14.76	16.70
		3:00	30.38	45.09	29.10	8.15	6.29	241.49	17.63	15.53
		6:00	30.05	47.15	30.38	8.16	7.16	247.31	13.95	16.32
		9:00	30.17	43.73	28.26	8.18	8.96	240.87	15.02	14.89
		12:00	29.95	43.78	28.29	8.49	8.22	234.47	15.95	17.23
		15:00	29.80	43.74	28.26	8.46	7.40	232.45	16.86	20.61
18:00		29.96	46.14	29.75	8.21	8.61	223.41	16.31	16.60	
21:00		29.71	45.99	29.66	8.03	7.94	242.95	15.71	15.72	
日平均	30.04	44.35	28.65	8.22	7.66	237.34	15.77	16.70		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 1 日	蚵殼站	0:00	28.72	42.15	27.28	7.99	6.94	252.30	2.85	10.02
		3:00	28.59	43.75	28.27	7.96	6.87	247.18	3.60	8.45
		6:00	28.50	45.27	29.21	7.93	6.55	233.58	3.56	6.80
		9:00	28.40	45.88	29.59	7.91	6.59	238.78	4.28	8.61
		12:00	28.47	46.63	30.06	7.95	6.22	225.10	3.31	9.74
		15:00	28.29	46.62	30.05	7.87	6.74	234.87	4.05	9.38
		18:00	28.21	46.89	30.22	7.91	6.51	243.03	2.98	5.91
		21:00	28.09	47.10	30.35	7.93	6.40	231.45	16.68	7.44
	日平均	28.41	45.54	29.38	7.93	6.60	238.29	5.16	8.29	
	潮口站	0:00	28.75	44.79	28.92	8.15	7.92	220.33	23.92	7.80
		3:00	28.62	48.31	31.10	8.05	7.49	225.83	139.75	6.99
		6:00	28.38	45.54	29.38	8.11	7.32	211.64	26.42	6.46
		9:00	28.23	45.02	29.06	8.15	7.51	217.60	12.50	7.83
		12:00	28.22	44.96	29.02	8.09	7.56	218.90	14.43	7.68
		15:00	28.27	46.31	29.86	8.04	7.68	227.36	120.99	7.34
		18:00	28.04	45.45	29.32	8.06	7.54	223.27	43.84	5.78
		21:00	27.81	45.22	29.18	8.04	7.75	214.72	37.39	8.51
	日平均	28.29	45.70	29.48	8.09	7.60	219.96	52.41	7.30	
	灣內站	0:00	29.04	43.62	28.19	8.16	6.89	209.45	2.08	7.56
		3:00	28.70	44.85	28.95	8.25	6.82	208.77	2.14	11.38
		6:00	28.91	48.08	30.95	8.03	6.50	215.08	7.92	7.13
		9:00	28.78	47.16	30.38	7.98	6.54	197.93	3.96	16.29
		12:00	28.67	46.70	30.10	7.99	6.17	181.99	3.15	6.74
		15:00	28.43	46.90	30.22	8.06	6.69	200.82	3.52	5.14
18:00		28.19	46.79	30.15	8.08	6.46	190.62	2.55	11.53	
21:00		26.37	43.26	27.97	7.84	6.35	194.55	15.43	11.00	
日平均	28.39	45.92	29.61	8.05	6.55	199.90	5.09	9.60		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 2 日	蚵殼站	0:00	27.90	47.30	30.47	7.93	6.29	241.57	4.28	9.25
		3:00	27.57	46.59	30.03	7.94	7.11	245.13	12.55	9.49
		6:00	27.36	45.78	29.53	7.95	7.00	231.15	18.28	7.35
		9:00	27.37	46.74	30.12	7.92	6.66	244.30	19.55	8.40
		12:00	27.18	46.25	29.82	7.93	6.61	238.50	20.01	9.95
		15:00	26.96	45.49	29.35	7.92	7.19	236.15	30.53	7.90
		18:00	26.60	44.25	28.58	7.93	7.17	231.45	16.68	8.68
		21:00	26.42	44.24	28.57	7.88	6.94	227.95	9.13	8.70
	日平均	27.17	45.83	29.56	7.93	6.87	237.03	16.38	8.72	
	潮口站	0:00	27.57	44.98	29.03	8.01	7.26	223.45	30.93	10.51
		3:00	27.55	44.91	28.99	8.02	8.09	228.48	50.46	10.32
		6:00	27.34	44.47	28.72	8.00	8.20	218.79	87.89	8.13
		9:00	26.91	44.02	28.44	7.97	7.55	194.33	64.59	11.46
		12:00	26.55	42.12	27.26	7.92	7.74	216.90	68.27	10.23
		15:00	26.65	40.82	26.46	7.99	8.08	228.20	129.17	5.29
		18:00	26.56	40.96	26.54	8.00	7.75	219.98	105.80	8.64
		21:00	26.00	39.91	25.89	7.93	7.61	219.37	88.88	5.93
	日平均	26.89	42.77	27.67	7.98	7.79	218.69	78.25	8.81	
	灣內站	0:00	27.88	46.87	30.20	7.96	6.24	192.06	5.68	8.74
		3:00	27.68	46.87	30.20	7.97	7.06	189.20	3.77	14.76
		6:00	27.53	46.88	30.21	7.97	6.95	212.28	3.81	11.11
		9:00	27.27	45.66	29.45	7.93	6.61	195.94	9.57	12.90
		12:00	26.99	44.17	28.53	7.88	6.56	183.60	14.13	12.47
		15:00	26.78	45.44	29.32	7.78	7.14	195.10	19.00	8.08
18:00		26.37	43.26	27.97	7.84	7.12	197.47	15.43	16.94	
21:00		26.15	43.59	28.17	7.92	6.89	208.24	13.71	6.42	
日平均	27.08	45.34	29.26	7.91	6.82	196.74	10.64	11.43		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月3日	蚵殼站	0:00	26.16	44.26	28.59	7.89	7.00	229.59	7.41	7.42
		3:00	25.93	43.59	28.17	7.92	7.32	240.07	34.55	10.40
		6:00	25.71	42.51	27.50	7.93	7.32	247.93	16.88	7.55
		9:00	25.43	40.43	26.21	7.84	7.33	230.51	8.68	11.25
		12:00	25.12	39.81	25.83	7.89	7.37	215.44	9.30	9.39
		15:00	24.70	39.65	25.73	7.85	7.23	225.38	9.56	9.06
		18:00	25.09	40.61	26.33	7.82	6.68	217.69	8.32	13.84
		21:00	24.42	38.05	24.74	7.75	6.99	229.16	7.77	11.16
	日平均	25.32	41.11	26.64	7.86	7.16	229.47	12.81	10.01	
	潮口站	0:00	25.59	39.12	25.40	7.90	7.83	225.48	90.31	9.60
		3:00	26.28	41.09	26.62	8.00	8.55	232.53	106.00	7.48
		6:00	26.32	41.89	27.12	8.02	8.75	227.73	131.08	10.35
		9:00	25.37	38.97	25.31	7.93	8.82	214.74	128.25	10.62
		12:00	25.58	38.35	24.93	7.98	8.25	219.40	199.40	10.95
		15:00	25.16	38.19	24.83	7.94	8.72	229.27	84.41	9.70
		18:00	25.55	39.15	25.42	7.91	7.36	234.53	40.80	10.62
		21:00	24.88	36.59	23.84	7.84	8.02	236.14	23.43	9.07
	日平均	25.59	39.17	25.43	7.94	8.29	227.48	100.46	9.80	
	灣內站	0:00	25.81	42.21	27.32	7.92	6.95	198.42	17.05	7.40
		3:00	25.51	41.50	26.88	7.88	7.27	154.03	20.27	13.48
		6:00	25.31	41.34	26.78	7.87	7.27	190.87	27.33	14.56
		9:00	25.41	42.70	27.62	7.92	7.28	202.12	89.74	18.51
		12:00	25.11	41.23	26.71	7.93	7.32	184.74	164.50	14.48
		15:00	24.80	39.17	25.43	7.92	7.18	195.92	44.78	15.01
		18:00	24.88	39.42	25.59	7.63	6.63	190.15	12.25	16.10
		21:00	24.67	37.63	24.48	7.87	5.94	178.34	10.10	13.96
	日平均	25.19	40.65	26.35	7.87	6.98	186.82	48.25	14.19	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月4日	蚵殼站	0:00	23.97	37.51	24.41	7.76	6.82	226.90	8.70	7.51
		3:00	24.14	36.89	24.02	7.85	6.45	223.30	9.20	7.90
		6:00	25.13	36.35	23.69	7.81	6.44	235.62	9.28	10.39
		9:00	25.11	36.77	23.95	7.86	6.65	219.49	17.09	14.12
		12:00	25.60	35.40	23.10	7.97	6.30	211.35	7.84	14.32
		15:00	26.12	38.70	25.14	7.69	6.57	222.90	9.55	12.49
		18:00	26.29	37.48	24.39	7.85	6.39	227.25	6.58	9.56
		21:00	25.97	34.09	22.29	7.79	6.42	221.87	5.33	11.59
	日平均	25.29	36.65	23.87	7.82	6.51	223.59	9.20	10.99	
	潮口站	0:00	24.43	38.97	25.31	7.71	7.56	240.38	22.64	16.36
		3:00	24.60	38.35	24.93	7.63	7.52	235.13	23.28	15.89
		6:00	25.59	37.81	24.59	7.71	7.80	234.66	23.13	7.85
		9:00	25.57	38.23	24.85	7.64	7.57	209.77	17.47	12.92
		12:00	26.06	36.86	24.00	7.65	7.06	214.85	15.47	7.66
		15:00	26.58	40.16	26.05	7.84	7.87	222.84	28.30	13.29
		18:00	26.75	38.94	25.29	7.77	7.55	219.98	17.50	9.96
		21:00	26.43	35.55	23.19	7.71	7.47	225.90	13.30	10.16
	日平均	25.75	38.11	24.78	7.71	7.55	225.44	20.14	11.76	
	灣內站	0:00	24.59	37.27	24.26	7.94	6.94	205.22	11.60	13.95
		3:00	24.27	36.65	23.87	7.85	6.16	193.13	10.50	10.40
		6:00	24.20	36.11	23.54	7.77	6.05	190.73	9.75	13.78
		9:00	24.41	36.53	23.80	7.84	5.71	189.61	9.00	16.75
		12:00	26.14	35.16	22.95	7.80	5.66	203.69	15.87	13.95
		15:00	27.03	38.46	24.99	7.78	6.24	201.74	13.90	12.25
		18:00	26.02	37.24	24.24	7.82	6.22	230.67	5.30	16.90
		21:00	26.13	33.85	22.14	7.66	5.99	182.42	6.05	11.23
	日平均	25.35	36.41	23.72	7.81	6.12	199.65	10.25	13.65	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 5 日	蚵殼站	0:00	26.18	35.40	23.10	7.81	6.03	236.33	7.10	13.26
		3:00	26.08	33.87	22.15	7.66	5.42	239.76	5.05	14.09
		6:00	26.38	35.20	22.98	7.76	5.72	243.17	5.39	3.94
		9:00	26.35	35.64	23.25	7.74	6.04	223.05	8.27	9.42
		12:00	26.20	35.24	23.00	7.81	5.67	212.36	7.75	11.32
		15:00	26.43	37.79	24.58	7.86	5.94	220.53	9.63	6.83
		18:00	27.02	38.74	25.17	7.80	5.66	223.78	6.51	11.76
		21:00	26.84	34.96	22.83	8.00	5.98	224.81	5.89	16.77
		日平均	26.44	35.86	23.38	7.81	5.81	227.97	6.95	10.92
	潮口站	0:00	26.64	36.86	24.00	7.69	7.33	228.80	13.72	8.85
		3:00	26.54	35.33	23.06	7.60	6.87	226.71	10.55	10.79
		6:00	26.84	36.66	23.88	7.70	6.51	228.42	17.31	13.39
		9:00	26.81	37.10	24.15	7.73	6.82	234.97	14.15	16.82
		12:00	26.66	36.70	23.90	7.66	6.55	235.56	10.99	11.49
		15:00	26.89	39.25	25.48	7.75	7.21	240.65	15.67	11.76
		18:00	27.48	40.20	26.07	7.72	6.78	236.25	15.70	15.90
		21:00	27.30	36.42	23.73	7.74	6.53	237.30	8.94	5.66
		日平均	26.90	37.32	24.28	7.70	6.83	233.58	13.38	11.83
	灣內站	0:00	26.71	35.16	22.95	7.75	5.98	192.38	9.37	10.55
		3:00	26.36	33.63	22.00	7.62	5.37	164.48	13.15	12.71
		6:00	26.08	34.96	22.83	7.70	5.67	193.09	6.73	8.30
		9:00	26.03	35.40	23.10	7.68	5.99	172.90	5.50	8.76
		12:00	28.49	35.00	22.85	7.75	5.62	157.84	10.27	8.16
		15:00	29.23	37.55	24.43	7.80	5.89	179.49	9.55	11.24
		18:00	27.37	37.05	24.12	7.74	5.61	187.84	3.80	9.48
		21:00	26.33	37.78	24.57	7.94	5.93	180.24	3.60	16.19
		日平均	27.08	35.82	23.36	7.75	5.76	178.53	7.75	10.67
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 6 日	蚵殼站	0:00	27.25	34.85	22.76	7.81	5.89	223.08	6.76	16.81
		3:00	26.55	35.84	23.37	7.80	5.16	227.53	6.28	15.30
		6:00	27.05	35.06	22.89	7.80	5.34	220.69	5.71	11.74
		9:00	27.05	34.77	22.71	7.84	5.17	220.51	6.55	17.61
		12:00	26.69	37.10	24.15	7.86	5.77	219.24	7.70	10.11
		15:00	26.98	39.44	25.60	8.01	5.76	224.23	9.14	9.57
		18:00	28.07	36.21	23.60	7.87	5.97	222.99	8.72	12.07
		21:00	27.48	40.12	26.02	7.69	6.05	236.87	6.95	15.07
		日平均	27.14	36.67	23.89	7.84	5.64	224.39	7.23	13.54
	潮口站	0:00	27.71	36.31	23.66	7.61	7.32	237.05	10.79	13.37
		3:00	27.01	37.30	24.28	7.65	6.47	233.46	6.80	9.68
		6:00	27.51	36.52	23.79	7.71	6.40	235.95	10.77	7.60
		9:00	27.51	36.23	23.61	7.71	5.86	239.56	7.89	10.57
		12:00	27.15	38.56	25.06	7.73	6.78	242.22	6.94	13.62
		15:00	27.44	40.90	26.51	7.77	6.48	240.38	6.70	13.71
		18:00	28.53	37.67	24.51	7.79	6.70	235.13	7.72	12.19
		21:00	27.94	41.58	26.93	7.83	6.92	234.66	5.49	13.42
		日平均	27.60	38.13	24.79	7.73	6.62	237.30	7.89	11.77
	灣內站	0:00	27.95	34.61	22.61	7.75	5.84	155.19	3.45	17.97
		3:00	27.61	35.60	23.22	7.74	5.11	195.17	3.53	13.16
		6:00	27.24	34.82	22.74	7.74	5.29	185.66	3.45	8.18
		9:00	27.21	34.53	22.56	7.78	5.12	173.45	2.90	17.32
		12:00	29.88	36.86	24.00	7.80	5.72	177.16	4.75	12.41
		15:00	30.23	39.20	25.45	7.95	5.71	175.83	4.00	13.84
		18:00	26.48	37.74	24.55	7.81	5.92	153.84	2.55	12.93
		21:00	26.60	38.11	24.78	7.63	6.00	183.93	2.00	6.68
		日平均	27.90	36.43	23.74	7.78	5.59	175.03	3.33	12.81
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 7 日	蚵殼站	0:00	27.43	37.65	24.49	7.66	6.32	216.28	6.62	9.14
		3:00	27.26	39.02	25.34	7.69	5.34	222.46	6.22	14.45
		6:00	27.33	36.48	23.77	7.79	5.04	231.39	5.84	16.26
		9:00	27.29	37.85	24.62	8.03	5.14	233.48	6.95	18.59
		12:00	27.32	40.90	26.51	7.87	6.47	234.58	8.61	11.39
		15:00	27.46	41.48	26.87	7.89	6.81	230.16	9.78	11.77
		18:00	28.82	41.13	26.65	7.82	6.37	235.33	7.37	14.57
		21:00	27.89	38.28	24.88	7.68	6.71	235.39	7.53	14.10
	日平均	27.60	39.10	25.39	7.80	6.03	229.88	7.37	13.78	
	潮口站	0:00	27.89	39.11	25.40	7.81	7.21	237.41	6.18	10.46
		3:00	27.72	40.48	26.25	7.74	6.56	234.24	4.72	8.84
		6:00	27.79	37.94	24.67	7.73	6.26	229.55	4.68	10.07
		9:00	27.75	39.31	25.52	7.86	5.87	233.43	4.77	12.67
		12:00	27.78	42.36	27.41	7.87	7.17	236.59	4.99	11.16
		15:00	28.19	42.94	27.77	7.87	7.87	238.90	7.77	13.99
		18:00	28.06	42.59	27.55	7.86	7.53	237.21	11.53	16.48
		21:00	27.99	41.59	26.93	7.89	6.37	229.12	5.46	14.37
	日平均	27.90	40.79	26.44	7.83	6.86	234.56	6.26	12.26	
	灣內站	0:00	27.81	35.22	22.99	7.69	6.37	179.84	2.35	13.69
		3:00	28.05	38.78	25.19	7.72	5.39	196.16	3.07	6.66
		6:00	27.92	36.24	23.62	7.82	5.09	198.86	5.10	14.18
		9:00	28.00	37.61	24.47	8.06	5.19	201.60	4.15	19.99
		12:00	29.92	40.66	26.36	7.90	6.52	197.60	8.13	19.92
		15:00	30.13	41.24	26.72	7.92	6.86	190.61	19.15	15.18
		18:00	29.03	39.25	25.48	7.85	6.42	188.43	16.17	19.21
		21:00	27.19	40.39	26.19	7.71	6.76	212.93	14.30	9.83
	日平均	28.51	38.67	25.13	7.83	6.08	195.75	9.05	14.83	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 8 日	蚵殼站	0:00	28.00	38.05	24.74	7.65	6.49	243.16	7.02	13.07
		3:00	28.63	36.84	23.99	7.73	6.46	252.02	8.02	8.22
		6:00	28.45	38.19	24.83	7.84	6.04	237.28	5.62	12.86
		9:00	28.80	38.76	25.18	8.04	6.56	242.99	6.31	12.61
		12:00	30.42	40.66	26.36	7.85	6.14	232.91	9.43	10.39
		15:00	30.34	42.99	27.80	7.86	6.94	239.43	4.78	10.37
		18:00	30.37	40.59	26.31	7.76	6.82	228.83	3.78	8.57
		21:00	28.21	39.87	25.87	7.63	6.18	236.80	4.58	9.73
	日平均	29.15	39.49	25.64	7.80	6.45	239.18	6.19	10.73	
	潮口站	0:00	28.63	38.10	24.77	8.11	9.83	229.02	6.96	12.54
		3:00	28.44	38.30	24.90	7.90	8.22	229.32	6.08	9.80
		6:00	28.29	39.65	25.73	7.73	5.84	226.83	4.52	4.20
		9:00	28.33	40.22	26.08	7.87	7.82	229.82	4.72	7.68
		12:00	28.30	42.12	27.26	7.85	8.61	231.48	5.70	9.04
		15:00	28.20	44.45	28.70	7.82	7.34	233.27	5.96	7.55
		18:00	28.51	42.05	27.22	7.92	7.61	232.28	7.26	6.65
		21:00	28.20	43.20	27.93	7.91	7.39	234.45	5.20	8.70
	日平均	28.36	41.01	26.57	7.89	7.83	230.81	5.80	8.27	
	灣內站	0:00	27.72	37.65	24.49	7.68	6.54	200.04	11.67	12.50
		3:00	28.80	36.60	23.84	7.76	6.51	204.68	22.40	9.59
		6:00	28.68	37.95	24.68	7.87	6.09	205.79	30.00	17.11
		9:00	29.40	38.52	25.03	8.07	6.61	178.33	13.27	12.54
		12:00	31.34	40.42	26.21	7.88	6.19	189.76	11.85	17.91
		15:00	31.28	42.75	27.65	7.89	6.99	198.15	29.17	11.29
		18:00	29.84	38.31	24.90	7.79	6.87	199.12	16.25	11.51
		21:00	28.23	41.05	26.60	7.66	6.23	176.52	22.20	9.27
	日平均	29.41	39.16	25.43	7.83	6.50	194.05	19.60	12.72	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 9 日	蚵殼站	0:00	28.40	39.95	25.92	7.70	5.64	241.18	3.13	9.63
		3:00	28.71	37.46	24.38	7.66	6.68	239.24	3.38	8.23
		6:00	28.44	37.01	24.10	7.87	6.61	230.02	4.08	9.36
		9:00	29.12	35.44	23.12	7.95	6.18	213.89	3.68	15.14
		12:00	30.09	36.01	23.48	7.82	6.94	222.04	4.28	11.02
		15:00	28.96	35.60	23.22	7.92	7.04	222.01	6.88	10.78
		18:00	29.08	37.49	24.39	7.73	6.61	207.57	5.68	12.91
		21:00	28.66	39.46	25.61	7.63	5.99	227.49	5.83	7.79
		日平均	28.93	37.30	24.28	7.79	6.46	225.43	4.62	10.61
	潮口站	0:00	28.56	40.52	26.27	7.88	8.43	231.68	6.55	8.84
		3:00	28.68	38.83	25.22	8.24	11.07	220.36	6.88	8.66
		6:00	28.57	42.86	27.72	7.91	8.53	227.96	6.28	6.48
		9:00	28.61	39.93	25.90	7.91	9.46	223.81	6.44	9.09
		12:00	29.06	40.35	26.17	8.01	11.14	223.75	6.73	9.14
		15:00	28.37	44.12	28.50	7.76	8.63	227.68	9.16	5.81
		18:00	27.88	43.14	27.89	7.67	6.20	229.03	8.61	8.95
		21:00	27.66	42.09	27.24	7.75	6.28	229.18	7.41	5.60
		日平均	28.42	41.48	26.86	7.89	8.72	226.68	7.26	7.82
	灣內站	0:00	28.41	40.23	26.09	7.73	5.59	211.00	11.40	12.50
		3:00	29.36	36.72	23.92	7.69	6.63	191.36	14.13	11.22
		6:00	29.22	36.77	23.95	7.90	6.56	186.99	18.55	9.98
		9:00	29.72	35.20	22.98	7.98	6.13	192.87	21.50	17.21
		12:00	30.60	35.77	23.33	7.85	6.89	202.67	18.77	15.80
		15:00	30.13	35.36	23.07	7.95	6.99	182.93	18.25	9.43
		18:00	29.68	37.25	24.24	7.76	6.56	171.96	16.50	14.33
		21:00	28.76	40.40	26.20	7.66	5.94	190.18	8.40	13.54
		日平均	29.49	37.21	24.22	7.82	6.41	191.25	15.94	13.00
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 10 日	蚵殼站	0:00	28.51	38.68	25.13	7.72	5.80	230.23	8.68	10.31
		3:00	28.21	37.37	24.32	7.94	6.84	236.51	4.58	8.12
		6:00	27.80	39.22	25.47	8.07	6.77	236.02	7.38	6.83
		9:00	28.62	36.29	23.65	8.47	6.34	226.59	6.48	4.60
		12:00	29.37	36.51	23.79	8.10	7.10	217.59	5.58	8.62
		15:00	30.18	38.46	24.99	8.38	7.20	229.22	5.08	9.92
		18:00	29.84	39.41	25.58	7.94	6.77	223.88	5.38	11.19
		21:00	29.38	38.26	24.87	7.83	6.15	226.12	3.99	10.76
		日平均	28.99	38.03	24.73	8.06	6.62	228.27	5.89	8.79
	潮口站	0:00	27.91	43.77	28.28	7.70	7.19	231.88	6.43	8.73
		3:00	28.15	38.83	25.22	7.81	7.98	230.91	7.00	9.01
		6:00	28.09	40.68	26.37	7.79	6.78	228.50	6.18	7.55
		9:00	28.58	37.75	24.55	7.66	7.40	232.42	6.60	10.58
		12:00	28.74	42.43	27.45	7.72	9.03	232.43	6.55	11.95
		15:00	28.96	43.71	28.25	7.62	9.12	234.73	6.55	9.99
		18:00	29.01	41.23	26.71	7.71	10.60	233.42	5.66	11.57
		21:00	27.75	45.84	29.57	7.68	7.78	233.86	4.97	8.34
		日平均	28.40	41.78	27.05	7.71	8.24	232.27	6.24	9.72
	灣內站	0:00	28.52	41.68	26.99	7.67	5.75	165.36	7.17	14.38
		3:00	28.93	39.13	25.41	7.71	6.79	194.72	15.25	12.28
		6:00	28.74	36.58	23.83	7.73	6.72	185.71	10.03	15.30
		9:00	28.99	36.05	23.50	7.87	6.29	153.89	12.80	9.32
		12:00	30.32	36.27	23.64	7.95	7.05	193.28	18.27	13.34
		15:00	30.71	38.22	24.85	7.81	7.15	191.38	13.33	15.17
		18:00	30.14	36.91	24.03	7.77	6.72	186.36	10.57	13.90
		21:00	28.81	42.74	27.65	7.73	6.10	173.98	7.63	13.05
		日平均	29.40	38.45	24.99	7.78	6.57	180.59	11.88	13.34
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 11 日	蚵殼站	0:00	28.44	40.16	26.05	7.80	5.86	216.28	4.34	9.77
		3:00	28.41	42.12	27.26	7.79	6.13	229.99	2.79	7.27
		6:00	27.91	40.85	26.47	8.07	7.23	232.58	2.64	5.50
		9:00	28.62	41.19	26.69	8.11	5.11	231.25	2.65	13.62
		12:00	29.66	43.76	28.28	8.09	6.31	218.78	2.64	9.34
		15:00	29.51	43.58	28.17	7.83	5.83	220.80	2.74	10.87
		18:00	29.33	39.23	25.47	7.99	5.24	234.26	3.80	8.81
		21:00	28.73	44.37	28.66	7.93	5.26	219.96	3.57	13.31
	日平均	28.83	41.91	27.13	7.95	5.87	225.49	3.15	9.81	
	潮口站	0:00	27.85	45.70	29.48	7.60	6.69	228.40	4.91	8.27
		3:00	28.55	41.80	27.06	7.72	10.19	226.94	5.89	8.63
		6:00	28.24	42.31	27.38	7.67	8.05	226.97	6.25	8.63
		9:00	28.60	42.65	27.59	7.71	6.26	227.53	4.98	12.12
		12:00	28.57	45.22	29.18	7.84	7.15	231.19	5.96	10.78
		15:00	28.66	45.04	29.07	7.69	7.19	236.03	5.64	12.23
		18:00	28.66	45.57	29.40	7.81	6.07	234.68	4.80	9.68
		21:00	28.14	46.31	29.86	7.91	5.83	231.29	4.71	12.27
	日平均	28.41	44.33	28.63	7.74	7.18	230.38	5.39	10.33	
	灣內站	0:00	28.52	43.96	28.40	7.65	5.81	165.14	5.98	8.64
		3:00	28.91	42.73	27.64	7.67	6.08	173.87	6.06	11.05
		6:00	28.90	37.14	24.18	7.79	7.18	187.28	6.97	5.64
		9:00	29.11	40.95	26.54	7.73	5.06	190.26	7.84	15.71
		12:00	30.24	43.52	28.13	8.06	6.26	191.76	7.66	10.81
		15:00	30.03	43.34	28.02	7.94	5.78	182.86	5.85	6.96
		18:00	29.82	37.31	24.28	7.76	5.19	182.68	6.05	10.67
		21:00	29.16	42.52	27.51	7.98	5.21	188.64	5.61	10.35
	日平均	29.34	41.43	26.84	7.82	5.82	182.81	6.50	9.98	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 12 日	蚵殼站	0:00	28.49	45.84	29.57	7.95	5.27	234.40	3.98	9.88
		3:00	28.38	47.52	30.61	7.90	5.23	229.15	2.67	8.97
		6:00	28.29	40.93	26.52	7.95	6.28	234.59	2.93	12.11
		9:00	28.45	38.79	25.20	8.12	5.63	224.20	3.24	14.72
		12:00	29.43	40.52	26.27	7.97	5.50	221.55	2.88	14.80
		15:00	29.60	40.73	26.40	7.83	6.33	236.42	3.78	10.58
		18:00	29.45	40.12	26.02	7.79	6.48	234.23	5.04	14.08
		21:00	29.08	41.65	26.97	7.90	5.10	247.93	5.06	11.22
	日平均	28.90	42.01	27.20	7.93	5.73	232.81	3.70	12.05	
	潮口站	0:00	27.47	47.08	30.33	8.01	6.17	232.47	4.93	10.69
		3:00	28.21	46.62	30.05	7.80	6.46	233.22	5.59	11.88
		6:00	27.88	43.77	28.28	8.16	7.71	232.50	6.07	9.89
		9:00	28.27	46.00	29.66	8.06	6.31	232.53	6.01	11.59
		12:00	28.30	46.99	30.28	7.94	6.56	236.40	6.63	9.33
		15:00	28.31	46.07	29.71	7.83	6.92	236.54	6.89	7.51
		18:00	28.72	45.87	29.58	7.91	7.89	236.12	5.65	6.29
		21:00	28.59	46.65	30.07	8.08	5.65	236.80	5.10	5.73
	日平均	28.22	46.13	29.75	7.97	6.71	234.57	5.86	9.11	
	灣內站	0:00	28.42	46.38	29.90	7.97	5.22	190.47	5.53	11.42
		3:00	28.44	46.57	30.02	8.00	5.18	184.77	5.98	15.08
		6:00	28.89	41.05	26.60	7.78	6.23	138.76	5.59	12.22
		9:00	29.14	36.19	23.59	7.88	5.58	169.24	6.53	15.95
		12:00	29.65	44.13	28.51	7.98	5.45	168.59	7.15	13.48
		15:00	29.78	36.30	23.66	7.86	6.28	159.92	6.44	13.69
		18:00	29.51	35.63	23.24	7.76	6.43	148.94	8.63	11.26
		21:00	29.44	42.14	27.27	7.65	5.05	149.13	6.14	16.03
	日平均	29.16	41.05	26.60	7.86	5.68	163.73	6.50	13.64	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 13 日	蚵殼站	0:00	28.54	46.79	30.15	7.83	5.49	247.29	5.24	11.61
		3:00	28.56	47.66	30.69	7.85	5.57	236.89	5.48	10.15
		6:00	28.64	44.74	28.88	7.78	7.51	236.93	4.83	9.10
		9:00	28.51	38.78	25.19	7.81	6.33	227.89	4.01	18.01
		12:00	29.80	39.95	25.92	8.37	6.58	237.26	3.19	12.27
		15:00	29.78	42.11	27.26	8.36	6.92	236.27	3.60	11.16
		18:00	29.88	40.62	26.33	8.36	7.48	234.01	2.76	9.73
		21:00	29.76	42.12	27.26	8.19	7.67	231.68	4.22	16.14
	日平均	29.18	42.85	27.71	8.07	6.69	236.03	4.17	12.27	
	潮口站	0:00	27.57	47.23	30.43	7.81	6.15	235.66	6.03	9.61
		3:00	28.02	47.59	30.65	7.79	6.63	237.60	6.53	10.46
		6:00	28.07	40.78	26.43	7.91	8.98	238.20	6.61	8.97
		9:00	28.52	47.94	30.87	8.07	7.17	220.16	14.42	12.06
		12:00	28.27	49.08	31.57	8.10	7.86	223.10	5.17	9.20
		15:00	28.22	48.02	30.92	8.09	7.82	250.27	6.88	10.76
		18:00	28.45	47.61	30.66	8.16	8.93	249.04	3.91	12.76
		21:00	28.65	46.23	29.81	8.19	8.79	231.65	2.66	8.26
	日平均	28.22	46.81	30.17	8.02	7.79	235.71	6.53	10.26	
	灣內站	0:00	28.65	47.30	30.47	7.74	5.44	192.20	5.72	12.58
		3:00	28.57	47.84	30.80	7.75	5.52	166.52	5.45	14.22
		6:00	28.88	45.96	29.64	7.75	7.46	179.52	5.42	4.29
		9:00	29.49	39.17	25.43	7.81	6.28	189.51	9.00	14.97
		12:00	30.00	36.49	23.77	7.89	6.53	174.60	5.07	18.11
		15:00	29.68	38.31	24.90	7.89	6.87	165.87	5.48	12.96
		18:00	29.65	38.54	25.04	7.79	7.43	155.49	6.98	15.25
		21:00	29.64	40.80	26.44	7.74	7.62	162.78	20.83	13.29
	日平均	29.32	41.80	27.06	7.80	6.64	173.31	7.99	13.21	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 14 日	蚵殼站	0:00	29.29	44.00	28.43	8.22	7.01	240.29	2.71	8.35
		3:00	28.76	46.87	30.20	8.15	6.67	235.47	3.04	10.07
		6:00	28.89	44.55	28.77	8.16	7.02	236.65	3.97	6.84
		9:00	29.22	40.88	26.49	8.33	7.71	244.06	3.53	18.42
		12:00	29.84	42.53	27.52	8.40	7.60	242.15	3.82	10.60
		15:00	29.88	43.21	27.94	8.44	6.80	236.47	2.98	8.49
		18:00	29.39	42.50	27.50	8.34	8.62	235.67	4.10	8.92
		21:00	28.70	41.52	26.89	8.16	9.35	233.77	3.74	11.78
	日平均	29.25	43.26	27.97	8.28	7.60	238.07	3.49	10.43	
	潮口站	0:00	27.65	50.22	32.28	8.14	7.66	239.93	4.43	10.58
		3:00	27.70	49.92	32.09	8.13	7.50	239.85	2.38	7.07
		6:00	28.29	45.71	29.49	8.21	8.06	235.01	2.72	8.34
		9:00	28.45	47.38	30.52	8.19	9.09	216.95	5.60	10.33
		12:00	28.31	48.31	31.10	8.13	8.63	207.28	5.08	7.20
		15:00	27.97	46.21	29.79	8.06	8.23	216.38	6.96	9.50
		18:00	28.50	47.49	30.59	8.18	9.99	221.36	3.84	9.01
		21:00	28.90	46.56	30.01	8.28	10.28	211.38	3.22	10.86
	日平均	28.22	47.73	30.73	8.17	8.68	223.52	4.28	9.11	
	灣內站	0:00	29.08	43.99	28.42	7.68	6.96	224.22	9.58	7.93
		3:00	28.54	47.06	30.32	7.67	6.62	208.79	11.38	10.78
		6:00	28.69	46.54	30.00	7.67	6.97	211.40	13.33	10.65
		9:00	29.17	41.23	26.71	7.66	7.66	205.20	5.72	14.46
		12:00	29.63	41.06	26.60	7.91	7.55	149.26	4.20	10.05
		15:00	29.74	41.80	27.06	7.74	6.75	137.89	16.42	11.92
		18:00	29.44	41.65	26.97	7.68	8.57	160.66	19.54	11.56
		21:00	29.36	41.65	26.97	7.93	9.30	203.38	11.18	9.62
	日平均	29.21	43.12	27.88	7.74	7.55	187.60	11.42	10.87	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 15 日	蚵殼站	0:00	28.84	41.82	27.08	8.13	7.39	239.96	3.45	9.79
		3:00	29.08	46.01	29.67	8.07	7.05	234.16	3.59	10.12
		6:00	28.87	46.17	29.77	8.15	7.99	236.31	4.17	7.09
		9:00	29.50	43.17	27.91	8.27	9.46	228.27	9.44	7.44
		12:00	30.03	43.40	28.05	8.46	8.32	214.59	6.33	6.04
		15:00	29.90	44.83	28.94	8.41	7.20	217.61	5.31	4.10
		18:00	29.47	44.03	28.44	8.44	9.40	248.90	5.28	6.03
		21:00	29.26	43.64	28.20	8.21	7.16	233.80	5.80	11.85
		日平均	29.37	44.13	28.51	8.27	8.00	231.70	5.42	7.81
	潮口站	0:00	27.74	50.99	32.76	8.10	8.03	210.38	4.09	12.45
		3:00	27.54	50.69	32.57	8.09	7.65	211.03	3.61	8.06
		6:00	28.09	46.06	29.70	8.21	8.96	205.18	3.04	11.94
		9:00	28.74	44.37	28.66	8.35	10.93	206.15	3.88	10.96
		12:00	28.35	48.66	31.31	8.14	8.91	187.25	5.03	12.17
		15:00	28.01	44.21	28.56	7.97	8.25	196.84	6.47	9.14
		18:00	28.42	47.80	30.78	8.13	10.25	202.02	6.05	8.94
		21:00	28.96	46.05	29.70	8.23	11.46	188.09	4.28	10.30
		日平均	28.23	47.35	30.51	8.15	9.31	200.87	4.56	10.50
	灣內站	0:00	29.43	42.81	27.69	7.96	7.44	231.22	7.78	14.74
		3:00	29.03	46.18	29.78	7.95	7.10	231.42	9.45	14.24
		6:00	28.44	47.38	30.52	7.81	8.04	212.14	9.82	8.13
		9:00	29.62	43.85	28.33	7.76	9.51	228.64	11.99	8.55
		12:00	30.17	42.69	27.61	8.05	8.37	223.20	5.09	11.08
		15:00	30.00	43.24	27.96	8.04	7.25	210.31	7.64	10.54
		18:00	30.06	43.38	28.04	7.80	9.45	229.77	32.27	4.25
		21:00	30.24	42.80	27.68	7.68	7.21	245.33	34.15	16.85
		日平均	29.62	44.04	28.45	7.88	8.05	226.50	14.77	11.05
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 16 日	蚵殼站	0:00	28.75	42.45	27.47	8.14	8.07	240.83	5.30	12.19
		3:00	28.92	44.80	28.92	8.02	6.98	217.76	4.27	6.97
		6:00	28.85	46.47	29.96	8.08	7.95	243.66	4.95	13.38
		9:00	29.39	45.34	29.26	8.24	9.46	234.07	9.63	16.65
		12:00	30.06	45.17	29.15	8.43	8.16	230.45	7.80	14.33
		15:00	29.74	46.05	29.70	8.45	7.23	226.82	4.23	10.79
		18:00	28.53	44.28	28.60	7.98	9.24	247.79	4.02	11.04
		21:00	29.26	43.67	28.22	7.85	9.89	255.27	5.88	12.74
		日平均	29.19	44.78	28.91	8.15	8.37	237.08	5.76	12.26
	潮口站	0:00	28.02	49.75	31.99	8.06	9.21	195.87	3.95	12.56
		3:00	27.12	51.77	33.24	7.89	8.20	213.33	3.55	10.43
		6:00	27.89	47.74	30.74	8.07	9.15	214.27	3.17	8.09
		9:00	29.04	44.75	28.89	8.32	12.13	205.50	4.28	13.03
		12:00	28.69	46.91	30.23	8.21	11.71	224.62	5.94	10.78
		15:00	28.09	42.85	27.71	7.89	7.78	247.21	7.11	11.41
		18:00	28.31	47.23	30.43	8.07	10.57	242.70	4.70	10.78
		21:00	28.64	45.15	29.14	8.22	10.75	241.26	4.86	7.52
		日平均	28.23	47.02	30.30	8.09	9.94	223.10	4.70	10.58
	灣內站	0:00	30.02	43.39	28.05	7.79	8.12	243.82	36.62	10.57
		3:00	29.19	45.09	29.10	7.86	7.03	229.59	21.27	15.51
		6:00	28.44	47.40	30.53	7.85	8.00	225.64	12.68	11.06
		9:00	29.75	45.46	29.33	7.89	9.51	227.38	11.95	23.68
		12:00	30.69	44.42	28.69	7.96	8.21	238.32	4.12	13.83
		15:00	30.52	43.81	28.31	8.03	7.28	224.55	8.08	14.67
		18:00	30.22	44.29	28.61	7.88	9.29	237.05	19.18	12.93
		21:00	30.46	44.21	28.56	7.76	9.94	235.44	17.10	16.57
		日平均	29.91	44.76	28.90	7.88	8.42	232.72	16.38	14.85
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 17 日	蚵殼站	0:00	29.00	41.28	26.74	8.11	8.53	217.36	7.05	11.60
		3:00	29.17	42.75	27.65	8.02	6.82	225.02	3.47	12.73
		6:00	28.64	46.25	29.82	8.00	7.55	238.76	4.23	7.41
		9:00	29.16	45.90	29.60	8.19	8.46	237.82	5.46	8.36
		12:00	29.86	45.41	29.30	8.35	9.85	228.29	5.46	10.87
		15:00	29.81	45.40	29.29	8.44	7.34	227.41	5.08	10.19
		18:00	29.29	46.81	30.17	8.05	8.63	234.80	3.23	10.90
		21:00	28.99	46.71	30.10	8.06	9.46	194.78	5.74	11.40
	日平均	29.24	45.06	29.08	8.15	8.33	225.53	4.97	10.43	
	潮口站	0:00	28.34	47.21	30.41	8.16	9.39	250.41	4.35	12.12
		3:00	26.79	51.83	33.28	7.93	8.30	255.99	5.35	8.86
		6:00	27.36	48.22	31.04	8.05	8.64	254.58	2.95	9.69
		9:00	28.76	45.41	29.30	8.32	11.95	235.94	3.64	7.13
		12:00	28.43	48.11	30.97	8.26	11.10	239.66	6.76	8.01
		15:00	27.35	48.63	31.29	8.01	7.97	252.56	6.09	10.37
		18:00	27.38	48.86	31.44	8.09	9.69	245.84	4.92	8.56
		21:00	28.66	46.28	29.84	8.32	12.22	227.13	4.74	8.16
	日平均	27.88	48.07	30.95	8.14	9.91	245.26	4.85	9.11	
	灣內站	0:00	30.55	44.45	28.70	7.68	8.48	232.49	12.33	11.11
		3:00	29.65	45.07	29.09	7.70	6.77	236.30	7.44	14.34
		6:00	28.62	46.84	30.19	7.71	7.50	234.26	8.92	8.39
		9:00	29.72	46.68	30.09	7.69	8.41	235.96	10.51	14.95
		12:00	30.54	45.38	29.28	7.82	9.80	225.30	5.24	16.05
		15:00	30.46	45.16	29.14	7.90	7.29	206.59	13.22	16.69
		18:00	30.06	46.23	29.81	7.83	8.58	203.30	9.31	12.16
		21:00	30.10	46.25	29.82	7.95	9.41	227.40	11.77	9.35
	日平均	29.96	45.76	29.52	7.79	8.28	225.20	9.84	12.88	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 18 日	蚵殼站	0:00	29.31	45.63	29.44	8.30	8.49	229.16	3.26	15.32
		3:00	28.98	45.27	29.21	8.13	7.22	237.17	2.67	13.56
		6:00	28.66	47.29	30.46	8.00	7.38	209.76	3.86	8.03
		9:00	28.33	48.25	31.06	8.04	8.93	182.12	5.00	13.30
		12:00	29.11	47.50	30.59	8.28	9.04	236.11	3.99	11.99
		15:00	29.15	47.94	30.87	8.25	7.39	236.21	4.59	9.15
		18:00	29.10	47.93	30.86	8.00	6.89	245.77	5.25	13.15
		21:00	28.89	47.88	30.83	7.95	10.37	262.77	5.42	10.28
	日平均	28.94	47.21	30.42	8.12	8.21	229.88	4.26	11.85	
	潮口站	0:00	29.13	45.92	29.62	8.33	12.65	219.94	4.96	10.21
		3:00	27.13	51.10	32.82	7.98	8.40	247.11	5.65	7.78
		6:00	27.24	51.05	32.79	7.95	7.97	245.88	4.79	7.27
		9:00	27.99	49.36	31.75	8.19	10.12	228.49	3.24	10.50
		12:00	27.89	50.03	32.16	8.17	10.45	236.77	5.76	11.24
		15:00	27.51	46.21	29.79	7.97	8.75	236.69	6.35	7.67
		18:00	26.90	49.23	31.67	7.96	7.62	231.85	5.66	7.59
		21:00	28.30	48.16	31.00	8.28	11.11	213.79	4.28	10.95
	日平均	27.76	48.88	31.45	8.10	9.63	232.57	5.09	9.15	
	灣內站	0:00	29.67	45.20	29.17	7.84	8.44	248.75	13.13	13.45
		3:00	29.32	46.42	29.93	7.81	7.17	251.75	7.63	12.60
		6:00	28.61	47.72	30.73	7.76	7.33	243.80	15.54	7.67
		9:00	28.78	47.83	30.80	7.80	8.88	208.13	8.90	17.32
		12:00	29.83	46.40	29.91	7.90	8.99	168.10	3.97	15.65
		15:00	29.77	46.95	30.25	7.98	7.34	159.53	5.66	9.46
		18:00	29.54	47.24	30.43	7.85	6.84	160.75	8.87	17.60
		21:00	29.80	47.03	30.30	7.70	10.32	184.79	9.92	11.50
	日平均	29.42	46.85	30.19	7.83	8.16	203.20	9.20	13.16	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 19 日	蚵殼站	0:00	29.17	46.36	29.89	8.02	9.81	239.73	6.90	12.86
		3:00	28.67	46.36	29.89	8.01	7.69	235.28	4.99	12.55
		6:00	28.33	47.46	30.57	7.87	6.99	191.17	4.99	15.02
		9:00	28.30	49.09	31.58	7.82	8.41	211.41	3.09	13.47
		12:00	28.97	48.13	30.98	8.11	10.43	234.98	2.98	14.28
		15:00	28.81	48.59	31.27	8.10	7.95	230.35	2.52	12.73
		18:00	28.81	48.84	31.42	7.86	6.81	237.49	2.49	14.92
		21:00	28.64	48.68	31.32	7.74	8.46	242.43	3.01	11.28
		日平均	28.71	47.94	30.87	7.94	8.32	227.86	3.87	13.39
	潮口站	0:00	28.47	47.01	30.29	8.28	10.67	204.12	3.42	11.37
		3:00	27.52	49.44	31.80	8.04	8.80	213.22	4.65	10.29
		6:00	26.62	51.67	33.18	7.90	8.30	218.20	6.61	9.87
		9:00	28.02	48.82	31.41	8.18	9.82	208.22	2.98	13.57
		12:00	27.95	49.55	31.86	8.24	11.18	207.22	5.37	14.76
		15:00	27.66	46.89	30.22	7.97	9.26	207.87	5.76	10.54
		18:00	27.10	48.51	31.22	7.95	7.82	202.02	4.77	11.73
		21:00	27.52	49.36	31.75	8.09	9.00	202.99	4.54	11.57
		日平均	27.61	48.91	31.47	8.08	9.36	207.98	4.76	11.71
	灣內站	0:00	29.41	47.25	30.44	7.69	6.85	219.13	8.43	10.34
		3:00	28.44	47.71	30.72	7.72	7.37	220.24	5.72	18.11
		6:00	28.28	48.18	31.02	7.79	7.90	219.85	7.69	16.80
		9:00	28.63	48.29	31.08	7.99	8.26	192.76	9.04	14.03
		12:00	29.37	47.19	30.40	7.83	7.12	184.61	4.29	18.71
		15:00	29.46	47.59	30.65	7.85	6.54	185.14	4.65	17.64
		18:00	29.17	48.27	31.07	7.81	5.75	199.51	7.96	14.96
		21:00	29.20	48.31	31.10	7.68	5.97	211.05	6.07	16.77
		日平均	29.00	47.85	30.81	7.80	6.97	204.04	6.73	15.92
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 20 日	蚵殼站	0:00	28.98	47.79	30.77	7.85	9.13	197.56	2.48	14.17
		3:00	28.68	46.74	30.12	7.92	8.00	235.82	4.64	9.62
		6:00	28.65	47.16	30.38	7.91	7.06	250.11	2.50	9.99
		9:00	28.51	48.39	31.15	7.95	8.05	244.06	2.68	13.00
		12:00	28.97	48.59	31.27	8.02	9.56	237.83	2.60	14.92
		15:00	29.23	48.17	31.01	8.09	8.43	241.20	2.48	19.03
		18:00	29.19	48.30	31.09	7.94	7.34	248.59	2.62	13.26
		21:00	28.43	48.00	30.90	7.82	8.90	243.50	3.27	13.26
		日平均	28.83	47.89	30.84	7.94	8.31	237.33	2.91	13.41
	潮口站	0:00	28.26	47.92	30.85	8.23	9.98	196.52	3.36	11.88
		3:00	28.19	48.57	31.26	8.13	9.41	186.71	2.79	10.40
		6:00	27.49	51.31	32.95	7.98	8.54	198.25	3.76	7.36
		9:00	28.11	49.42	31.78	8.12	9.30	187.05	3.46	15.33
		12:00	28.39	48.99	31.52	8.23	10.69	187.86	5.32	12.46
		15:00	28.03	49.00	31.52	8.06	9.09	197.17	4.91	7.71
		18:00	27.61	47.99	30.90	7.92	8.04	200.33	3.99	7.45
		21:00	28.19	48.91	31.47	8.10	9.64	185.39	2.96	12.35
		日平均	28.03	49.01	31.53	8.10	9.34	192.41	3.82	10.62
	灣內站	0:00	29.22	48.16	31.00	7.69	6.77	214.09	6.73	17.43
		3:00	28.90	47.88	30.83	7.70	7.03	223.61	6.75	11.75
		6:00	28.45	48.63	31.29	7.82	8.72	226.29	3.71	17.50
		9:00	28.68	48.52	31.23	8.05	7.45	203.42	4.53	18.47
		12:00	29.42	48.00	30.90	7.89	6.79	184.18	3.62	12.49
		15:00	29.56	48.00	30.90	7.88	6.59	189.60	2.89	22.61
		18:00	29.39	48.05	30.93	7.77	7.06	206.77	3.29	19.27
		21:00	29.21	48.28	31.08	7.66	7.38	194.31	4.77	16.87
		日平均	29.10	48.19	31.02	7.81	7.22	205.28	4.54	17.05
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 21 日	蚵殼站	0:00	28.62	47.52	30.61	7.74	9.52	217.56	2.57	15.27
		3:00	28.15	47.11	30.35	7.76	8.52	255.82	4.04	10.89
		6:00	28.20	47.03	30.30	7.77	7.45	244.06	4.27	12.03
		9:00	28.52	47.13	30.36	7.75	7.53	237.83	2.64	12.99
		12:00	29.06	47.61	30.66	7.88	8.28	228.73	2.71	10.51
		15:00	29.32	47.99	30.90	7.96	7.84	238.14	3.37	12.36
		18:00	29.19	48.13	30.98	7.89	6.99	212.66	2.48	14.08
		21:00	28.89	47.93	30.86	8.01	7.21	209.43	2.76	7.91
		日平均	28.74	47.56	30.63	7.85	7.92	230.53	3.11	12.01
	潮口站	0:00	28.20	47.36	30.51	8.22	10.71	192.66	3.36	9.52
		3:00	28.38	47.49	30.59	8.11	9.19	187.73	3.15	6.36
		6:00	27.81	50.42	32.40	7.99	8.50	195.16	4.29	7.91
		9:00	28.04	50.37	32.37	8.02	8.71	196.49	3.32	16.88
		12:00	28.28	49.52	31.85	8.17	8.98	191.19	4.45	11.53
		15:00	28.16	46.52	29.99	8.03	8.72	197.96	4.23	9.52
		18:00	27.19	49.26	31.68	7.94	8.05	203.86	4.79	7.41
		21:00	27.68	49.63	31.91	7.97	8.02	196.73	3.01	10.87
		日平均	27.97	48.82	31.41	8.06	8.86	195.22	3.83	10.00
	灣內站	0:00	29.07	48.24	31.05	7.68	6.70	213.48	4.07	18.27
		3:00	28.91	48.07	30.95	7.68	6.47	226.60	3.03	11.02
		6:00	28.75	47.99	30.90	7.85	6.96	229.52	2.85	15.64
		9:00	28.91	47.90	30.84	7.90	7.05	207.25	2.69	16.03
		12:00	29.40	47.39	30.53	7.84	6.87	204.48	2.89	17.02
		15:00	29.54	47.62	30.67	7.90	6.68	205.76	3.88	13.08
		18:00	29.27	47.73	30.74	7.74	7.57	215.21	3.45	12.11
		21:00	29.14	47.65	30.69	7.67	8.35	220.00	4.11	10.15
		日平均	29.12	47.82	30.80	7.78	7.08	215.29	3.37	14.17
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 22 日	蚵殼站	0:00	28.86	47.75	30.75	7.90	7.07	232.28	2.65	10.52
		3:00	28.26	46.76	30.14	7.87	5.36	237.89	3.72	11.01
		6:00	28.18	46.26	29.83	7.82	6.09	239.42	2.52	15.68
		9:00	28.68	46.15	29.76	7.86	7.00	232.54	2.48	14.34
		12:00	29.20	47.15	30.38	7.96	8.39	226.13	3.93	15.10
		15:00	29.25	47.99	30.90	8.04	5.88	228.73	2.48	13.51
		18:00	29.29	47.73	30.74	7.91	7.17	238.14	5.15	13.68
		21:00	29.11	48.00	30.90	7.76	8.00	243.00	1.52	12.49
		日平均	28.85	47.22	30.43	7.89	6.87	234.77	3.06	13.29
	潮口站	0:00	28.30	47.49	30.59	8.23	11.17	185.82	2.95	6.53
		3:00	28.28	47.29	30.46	8.10	10.47	186.22	3.36	8.19
		6:00	28.06	49.10	31.59	8.03	8.70	196.50	3.33	9.08
		9:00	27.96	50.03	32.16	8.00	7.76	201.95	4.25	8.73
		12:00	28.07	49.83	32.04	8.05	8.00	196.33	3.65	6.51
		15:00	28.00	48.07	30.95	8.02	8.02	201.12	4.68	5.79
		18:00	26.94	50.31	32.33	7.95	8.01	218.64	5.92	6.95
		21:00	26.98	51.09	32.82	7.81	7.85	218.18	5.38	8.10
		日平均	27.82	49.15	31.62	8.02	8.75	200.60	4.19	7.49
	灣內站	0:00	29.22	47.67	30.70	7.64	7.14	204.06	3.26	17.02
		3:00	28.96	47.60	30.66	7.68	6.65	227.62	3.03	19.64
		6:00	29.17	47.50	30.59	7.63	8.09	223.12	2.93	19.61
		9:00	29.45	47.27	30.45	7.86	7.34	213.51	3.42	15.24
		12:00	29.70	46.56	30.01	8.03	7.13	197.25	3.64	15.71
		15:00	29.68	46.67	30.08	7.96	6.65	193.16	4.34	16.50
		18:00	29.79	46.64	30.06	7.85	6.98	211.58	5.19	21.58
		21:00	28.52	48.21	31.03	7.68	8.22	211.40	4.99	15.27
		日平均	29.31	47.27	30.45	7.79	7.28	210.21	3.85	17.57
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 23 日	蚵殼站	0:00	28.97	47.66	30.69	7.75	7.03	220.81	2.48	12.84
		3:00	28.76	47.40	30.53	7.78	5.76	213.22	2.56	11.45
		6:00	28.51	47.04	30.31	7.85	5.92	212.66	5.15	11.90
		9:00	28.74	46.97	30.27	8.05	7.47	209.43	1.52	13.90
		12:00	28.96	47.88	30.83	7.89	7.58	216.50	3.91	11.13
		15:00	29.11	47.98	30.89	7.91	5.93	220.35	4.30	11.86
		18:00	28.94	47.80	30.78	7.87	5.43	220.82	3.31	11.96
		21:00	28.80	47.92	30.85	7.74	8.91	225.98	3.08	12.41
	日平均	28.85	47.58	30.64	7.86	6.75	217.47	3.29	12.18	
	潮口站	0:00	28.43	48.10	30.97	8.13	9.69	202.74	3.22	11.40
		3:00	28.25	48.07	30.95	8.19	10.10	196.17	2.83	7.51
		6:00	28.10	48.81	31.41	8.10	8.48	206.92	3.08	9.17
		9:00	27.65	50.31	32.33	7.99	7.81	236.86	5.75	18.17
		12:00	27.70	49.60	31.89	7.99	7.45	241.12	5.02	12.54
		15:00	27.70	49.73	31.98	8.00	8.05	242.11	5.78	11.85
		18:00	27.30	51.07	32.81	7.94	8.24	239.56	7.59	8.05
		21:00	27.14	51.56	33.11	7.83	7.84	225.89	8.75	12.31
	日平均	27.78	49.66	31.93	8.02	8.46	223.92	5.25	11.38	
	灣內站	0:00	28.47	48.39	31.15	7.78	7.30	214.85	4.65	16.26
		3:00	28.56	48.48	31.20	7.81	6.58	224.81	4.48	8.48
		6:00	28.34	47.94	30.87	7.91	7.93	227.62	3.68	14.14
		9:00	28.64	47.40	30.53	8.15	6.44	225.32	4.28	12.96
		12:00	29.21	46.68	30.09	7.99	7.88	201.84	4.13	8.92
		15:00	29.33	46.70	30.10	8.01	6.80	202.06	4.13	18.25
		18:00	29.04	47.62	30.67	7.94	8.16	197.64	4.99	19.68
		21:00	28.66	48.65	31.31	7.80	7.11	204.01	8.40	16.43
	日平均	28.78	47.73	30.74	7.92	7.28	212.27	4.84	14.39	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 24 日	蚵殼站	0:00	28.55	48.85	31.43	7.75	8.35	223.56	1.90	13.43
		3:00	28.22	47.61	30.66	7.76	6.23	218.63	1.33	14.17
		6:00	27.84	47.24	30.43	7.88	5.53	211.46	2.30	11.95
		9:00	27.79	47.32	30.48	8.11	6.95	220.52	2.00	14.63
		12:00	27.95	47.91	30.85	7.95	8.97	221.96	3.86	11.41
		15:00	27.99	48.51	31.22	7.94	6.49	220.82	3.45	10.59
		18:00	27.95	48.58	31.26	7.83	5.35	221.62	2.53	15.05
		21:00	27.78	48.32	31.10	7.72	7.00	221.53	1.50	13.24
	日平均	28.01	48.04	30.93	7.87	6.86	220.01	2.36	13.06	
	潮口站	0:00	27.70	49.46	31.81	7.88	8.87	225.76	2.81	15.14
		3:00	27.88	48.32	31.10	7.98	8.60	230.06	2.99	9.69
		6:00	27.75	49.10	31.59	7.98	8.21	238.52	2.82	13.96
		9:00	27.62	50.33	32.35	7.89	7.11	247.06	7.67	14.09
		12:00	27.57	51.11	32.83	7.88	7.98	241.63	10.67	11.80
		15:00	27.67	50.21	32.27	7.84	7.26	234.98	9.47	12.84
		18:00	27.67	51.14	32.85	7.81	7.75	234.95	9.79	13.15
		21:00	27.75	51.80	33.26	7.75	8.03	228.34	7.63	12.18
	日平均	27.70	50.18	32.26	7.88	7.98	235.16	6.73	12.86	
	灣內站	0:00	28.45	49.41	31.78	7.77	7.33	212.45	4.18	17.55
		3:00	28.51	49.48	31.82	7.85	6.46	218.50	4.92	9.92
		6:00	28.06	48.87	31.44	7.96	6.25	218.96	6.91	18.93
		9:00	27.93	48.54	31.24	8.16	6.78	210.37	4.62	20.67
		12:00	27.83	48.02	30.92	7.97	7.44	190.35	5.10	14.96
		15:00	27.96	47.61	30.66	7.98	6.80	176.33	9.16	11.30
		18:00	27.89	48.02	30.92	7.88	5.44	180.56	13.58	10.98
		21:00	27.89	49.35	31.74	7.75	6.38	185.74	6.15	12.04
	日平均	28.07	48.66	31.32	7.92	6.61	199.16	6.83	14.54	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月25日	蚵殼站	0:00	27.74	48.38	31.14	7.74	6.55	223.62	1.90	13.57
		3:00	27.42	48.31	31.10	7.74	7.00	224.17	1.69	15.87
		6:00	27.18	47.61	30.66	7.91	7.73	223.39	2.83	9.77
		9:00	27.24	47.57	30.64	7.96	6.87	221.56	1.86	13.77
		12:00	27.85	48.58	31.26	7.90	6.83	221.83	2.99	12.40
		15:00	28.22	48.66	31.31	7.96	6.09	219.58	2.77	12.04
		18:00	28.11	48.79	31.39	7.80	5.16	213.36	3.33	14.32
		21:00	28.10	48.81	31.41	7.73	6.19	204.52	1.55	12.89
	日平均	27.73	48.34	31.11	7.84	6.55	219.00	2.37	13.08	
	潮口站	0:00	27.75	51.02	32.77	7.73	7.59	227.12	3.33	12.98
		3:00	27.46	49.70	31.96	7.75	7.70	228.45	3.49	12.53
		6:00	27.23	49.16	31.62	7.90	8.46	225.93	2.68	7.56
		9:00	27.46	49.89	32.07	7.86	8.03	233.79	3.82	15.02
		12:00	27.95	49.50	31.83	7.74	7.62	236.20	7.78	11.38
		15:00	27.84	50.62	32.53	7.74	7.54	238.67	10.66	14.18
		18:00	27.81	51.04	32.79	7.62	6.29	244.49	7.62	12.08
		21:00	27.69	51.22	32.90	7.62	7.56	249.53	6.65	10.03
	日平均	27.65	50.27	32.31	7.75	7.60	235.52	5.75	11.97	
	灣內站	0:00	27.69	49.02	31.54	7.82	8.40	193.60	7.75	12.15
		3:00	27.82	49.21	31.65	7.78	6.28	202.18	7.07	12.26
		6:00	27.43	48.35	31.12	7.99	5.58	212.30	6.87	11.25
		9:00	27.45	48.06	30.94	8.07	7.00	205.83	5.73	15.01
		12:00	27.84	48.06	30.94	7.94	9.02	186.10	6.38	16.12
		15:00	28.04	47.93	30.86	8.04	6.54	175.20	7.68	13.88
		18:00	27.94	47.83	30.80	7.85	5.40	206.29	8.09	10.75
		21:00	27.85	48.17	31.01	7.75	7.05	207.10	8.55	9.45
	日平均	27.76	48.33	31.11	7.91	6.91	198.58	7.27	12.61	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月26日	蚵殼站	0:00	27.98	48.77	31.38	7.70	6.90	213.55	1.49	14.67
		3:00	28.04	49.23	31.67	7.74	7.42	219.05	1.90	9.53
		6:00	27.68	47.95	30.87	7.69	7.95	204.86	2.52	11.00
		9:00	27.92	47.10	30.35	7.92	8.31	210.82	2.56	6.52
		12:00	28.51	47.69	30.71	8.09	7.17	212.12	2.59	11.62
		15:00	28.63	48.75	31.37	8.02	6.59	220.58	2.51	12.57
		18:00	28.76	48.51	31.22	7.91	5.80	216.49	2.77	9.86
		21:00	28.56	47.91	30.85	7.74	6.02	207.94	2.49	9.96
	日平均	28.26	48.24	31.05	7.85	7.02	213.18	2.35	10.72	
	潮口站	0:00	27.58	51.28	32.94	7.73	7.67	235.75	4.80	10.92
		3:00	27.64	49.35	31.74	7.79	8.13	228.16	3.24	11.14
		6:00	27.74	49.07	31.57	7.82	8.64	227.60	4.21	11.91
		9:00	28.05	49.15	31.62	7.83	9.50	224.37	3.60	9.30
		12:00	28.26	50.02	32.15	7.75	8.64	231.44	9.80	9.30
		15:00	28.34	48.49	31.21	7.70	7.65	235.29	12.03	13.51
		18:00	28.11	50.73	32.59	7.62	7.19	235.76	5.53	10.77
		21:00	28.09	50.41	32.40	7.62	7.31	240.92	5.46	10.63
	日平均	27.98	49.81	32.03	7.73	8.09	232.41	6.08	10.94	
	灣內站	0:00	27.90	48.84	31.42	7.76	9.76	190.38	8.96	15.13
		3:00	28.04	49.47	31.81	7.80	7.64	214.69	8.44	11.34
		6:00	27.99	49.42	31.78	7.82	6.94	206.90	7.48	15.03
		9:00	28.11	48.47	31.19	7.96	8.36	220.06	8.52	6.07
		12:00	28.77	47.16	30.38	8.04	10.38	221.77	10.39	16.25
		15:00	29.14	47.93	30.86	7.90	7.90	208.02	11.60	14.86
		18:00	28.82	48.75	31.37	7.86	6.76	212.76	14.23	14.44
		21:00	28.81	48.81	31.41	7.82	8.41	218.49	13.11	14.85
	日平均	28.45	48.61	31.28	7.87	8.27	211.63	10.34	13.50	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 27 日	蚵殼站	0:00	28.46	48.24	31.05	7.71	6.82	216.67	1.76	13.30
		3:00	28.42	48.79	31.39	7.72	7.08	221.70	1.37	9.48
		6:00	28.42	48.41	31.16	7.72	8.77	212.01	1.62	10.44
		9:00	28.63	47.90	30.84	7.78	7.50	187.55	3.50	14.47
		12:00	29.23	48.16	31.00	7.86	6.84	210.12	2.48	13.31
		15:00	29.25	48.43	31.17	7.86	6.64	221.42	3.11	11.81
		18:00	29.00	47.67	30.70	7.76	7.11	213.20	2.52	10.71
		21:00	28.61	45.81	29.55	7.71	7.43	212.59	7.29	12.76
		日平均	28.75	47.93	30.86	7.77	7.27	211.91	2.96	12.04
	潮口站	0:00	27.96	51.35	32.98	7.70	7.45	238.50	8.92	9.96
		3:00	28.21	49.65	31.93	7.62	7.68	233.57	3.46	11.12
		6:00	28.63	48.76	31.37	7.80	9.70	226.40	4.48	8.62
		9:00	28.61	48.25	31.06	7.75	8.10	235.46	6.12	13.90
		12:00	28.89	48.76	31.37	7.64	7.97	236.90	12.47	13.38
		15:00	28.69	46.10	29.73	7.70	8.06	235.76	17.51	8.54
		18:00	28.48	50.21	32.27	7.69	7.93	236.56	7.08	10.55
		21:00	28.46	47.67	30.70	7.69	8.37	236.47	4.30	13.19
		日平均	28.49	48.84	31.43	7.70	8.16	234.95	8.04	11.16
	灣內站	0:00	28.62	49.03	31.54	7.74	9.08	210.57	20.39	11.07
		3:00	28.60	49.13	31.60	7.76	7.95	199.67	14.48	10.77
		6:00	28.51	49.37	31.75	7.88	7.01	219.86	12.69	15.46
		9:00	28.79	48.89	31.46	7.82	8.00	230.19	12.56	16.39
		12:00	29.44	48.64	31.30	8.15	9.51	189.27	14.46	16.42
		15:00	29.48	48.56	31.25	8.03	8.38	174.91	13.45	9.72
		18:00	29.14	48.15	31.00	7.85	7.29	182.66	15.54	16.91
		21:00	29.34	48.58	31.26	8.07	8.85	205.64	13.42	19.44
		日平均	28.99	48.79	31.40	7.91	8.26	201.60	14.62	14.52
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10 月 28 日	蚵殼站	0:00	28.64	46.68	30.09	7.65	6.75	218.70	1.35	12.35
		3:00	28.28	45.98	29.65	7.64	6.52	225.75	1.53	15.45
		6:00	28.12	46.09	29.72	7.64	7.01	220.95	1.36	15.06
		9:00	28.20	45.57	29.40	7.63	7.10	207.96	6.21	19.47
		12:00	28.98	46.27	29.83	7.88	6.92	212.62	9.21	17.20
		15:00	29.13	47.29	30.46	7.71	6.73	222.49	8.01	12.44
		18:00	29.07	47.48	30.58	7.65	7.62	227.75	8.33	16.48
		21:00	28.92	47.47	30.58	7.67	8.40	229.36	6.17	16.26
		日平均	28.67	46.60	30.04	7.68	7.13	220.70	5.27	15.59
	潮口站	0:00	28.17	49.72	31.97	7.70	8.03	238.56	4.56	13.73
		3:00	28.02	49.67	31.94	7.65	7.26	239.11	4.27	13.61
		6:00	28.21	47.21	30.41	7.75	7.96	238.33	4.59	14.10
		9:00	28.47	47.05	30.32	7.79	8.11	236.50	6.06	15.68
		12:00	28.54	47.36	30.51	7.72	7.78	236.77	10.60	17.05
		15:00	28.04	49.22	31.66	7.72	7.79	234.52	13.13	11.68
		18:00	28.47	48.70	31.34	7.72	8.49	228.30	7.37	14.35
		21:00	28.70	47.77	30.76	7.86	9.75	219.46	5.38	15.27
		日平均	28.33	48.34	31.11	7.74	8.15	233.94	7.00	14.43
	灣內站	0:00	29.36	48.83	31.42	8.06	9.47	224.47	12.92	12.16
		3:00	29.09	48.81	31.41	8.09	8.47	213.59	13.19	13.22
		6:00	28.92	48.89	31.46	7.87	7.40	219.60	15.02	19.85
		9:00	29.11	48.72	31.35	7.97	7.48	222.22	14.54	17.56
		12:00	29.32	48.03	30.92	8.07	8.23	184.09	13.86	22.23
		15:00	29.26	48.00	30.90	7.95	7.79	210.89	15.17	16.63
		18:00	29.11	47.67	30.70	7.85	6.94	205.57	17.04	16.45
		21:00	29.23	47.97	30.89	7.74	7.16	214.50	18.55	17.89
		日平均	29.18	48.37	31.13	7.95	7.87	211.87	15.04	17.00
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月29日	蚵殼站	0:00	28.82	46.95	30.25	7.64	7.19	210.64	1.87	12.38
		3:00	28.67	46.89	30.22	7.68	6.70	220.64	2.03	16.60
		6:00	28.64	46.97	30.27	7.70	8.14	204.93	2.92	9.35
		9:00	28.80	46.76	30.14	7.84	7.39	209.73	2.72	19.51
		12:00	29.34	46.81	30.17	7.92	7.18	209.43	2.87	15.25
		15:00	29.22	47.47	30.58	7.78	6.70	225.86	2.48	13.76
		18:00	29.14	47.73	30.74	7.74	7.03	230.52	2.65	9.49
		21:00	28.62	47.17	30.39	7.70	8.27	219.31	2.48	20.22
	日平均	28.91	47.09	30.35	7.75	7.33	216.38	2.50	14.57	
	潮口站	0:00	28.29	49.91	32.09	7.75	8.67	228.49	6.65	14.23
		3:00	27.94	51.43	33.03	7.64	7.82	233.99	7.92	13.86
		6:00	28.25	47.88	30.83	7.84	9.35	219.80	4.63	7.62
		9:00	28.56	48.09	30.96	7.79	8.22	225.76	8.98	19.35
		12:00	28.63	49.22	31.66	7.73	8.19	227.06	8.39	13.01
		15:00	28.08	47.67	30.70	7.70	8.16	235.52	12.56	12.00
		18:00	28.23	49.70	31.96	7.75	7.93	231.43	10.20	10.96
		21:00	28.47	48.70	31.34	7.80	9.62	222.88	8.64	17.20
	日平均	28.31	49.08	31.57	7.75	8.50	228.12	8.50	13.53	
	灣內站	0:00	29.02	48.42	31.16	7.83	7.02	209.29	17.10	13.82
		3:00	29.07	48.71	31.34	7.84	5.31	190.72	17.40	19.03
		6:00	28.84	48.54	31.24	7.84	6.04	212.31	19.03	12.99
		9:00	29.14	48.27	31.07	7.90	6.95	223.47	20.97	19.35
		12:00	29.55	47.14	30.37	7.98	8.34	210.32	25.79	16.75
		15:00	29.67	47.60	30.66	7.98	5.83	210.38	30.87	16.62
18:00		29.44	47.70	30.72	7.88	7.12	195.27	34.13	12.60	
21:00		29.44	47.75	30.75	7.83	7.95	208.66	33.67	21.78	
日平均	29.27	48.02	30.91	7.89	6.82	207.55	24.87	16.62		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月30日	蚵殼站	0:00	28.37	46.71	30.10	7.62	7.35	224.95	2.64	12.18
		3:00	28.24	46.65	30.07	7.64	6.63	228.53	2.59	11.32
		6:00	28.38	46.93	30.24	7.76	7.98	220.25	2.74	11.31
		9:00	28.67	46.64	30.06	7.70	6.49	224.91	4.19	18.41
		12:00	29.22	46.27	29.83	8.03	7.93	220.73	8.00	14.36
		15:00	29.11	47.07	30.33	7.91	6.85	229.78	2.95	11.76
		18:00	28.85	47.63	30.67	7.73	8.21	221.84	2.48	11.70
		21:00	28.94	45.32	29.24	7.95	7.16	236.86	2.64	15.89
	日平均	28.72	46.65	30.07	7.79	7.33	225.98	3.53	13.37	
	潮口站	0:00	28.24	49.32	31.72	7.71	8.84	231.61	7.53	11.19
		3:00	27.89	51.29	32.94	7.66	7.98	236.64	7.78	11.22
		6:00	27.81	48.30	31.09	7.80	8.58	226.95	7.02	12.77
		9:00	28.19	47.28	30.46	7.88	11.87	202.49	8.76	17.74
		12:00	28.20	49.66	31.93	7.75	8.74	225.06	9.90	15.05
		15:00	27.69	51.21	32.89	7.65	8.12	236.36	14.91	11.11
		18:00	28.11	49.37	31.75	7.71	9.21	228.14	11.09	10.07
		21:00	28.37	48.93	31.48	7.84	10.38	227.53	10.65	14.03
	日平均	28.06	49.42	31.78	7.75	9.22	226.85	9.71	12.90	
	灣內站	0:00	29.24	47.58	30.64	7.77	6.98	209.03	34.39	16.34
		3:00	29.09	47.79	30.77	7.76	5.71	144.41	33.26	11.74
		6:00	29.02	48.04	30.93	7.76	5.87	210.84	30.69	9.71
		9:00	29.29	47.69	30.71	7.75	7.42	207.83	27.87	17.40
		12:00	29.63	45.33	29.25	8.00	7.53	209.23	26.69	20.42
		15:00	29.44	46.33	29.87	7.83	5.88	196.37	25.59	13.90
18:00		28.99	49.25	31.68	7.77	5.38	205.14	24.94	11.24	
21:00		28.94	49.02	31.54	8.02	8.86	227.05	23.66	16.16	
日平均	29.21	47.63	30.67	7.83	6.70	201.24	28.39	14.61		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
10月31日	蚵殼站	0:00	28.34	45.07	29.09	7.94	7.38	221.96	2.55	11.30
		3:00	28.14	46.18	29.78	7.97	6.51	220.82	2.53	11.57
		6:00	28.05	47.29	30.46	7.75	6.30	221.62	2.65	11.12
		9:00	27.69	46.02	29.68	7.85	6.83	223.62	3.79	13.90
		12:00	27.68	46.99	30.28	7.95	7.49	224.17	4.54	8.22
		15:00	27.72	48.48	31.20	7.83	6.85	223.39	6.89	7.97
		18:00	27.64	49.03	31.54	7.73	5.49	221.56	7.59	6.94
		21:00	27.32	48.21	31.03	7.62	6.43	204.52	7.39	12.96
	日平均	27.82	47.16	30.38	7.83	6.66	220.21	4.74	10.50	
	潮口站	0:00	28.19	49.84	32.04	7.70	8.33	233.64	10.85	12.45
		3:00	27.69	51.57	33.12	7.63	7.44	240.69	12.62	13.36
		6:00	27.72	50.56	32.49	7.64	6.89	235.89	10.64	10.42
		9:00	27.81	49.12	31.60	7.69	8.28	222.90	10.32	14.19
		12:00	27.68	50.34	32.35	7.62	7.70	227.56	15.62	9.35
		15:00	27.34	46.42	29.93	7.64	8.28	237.43	23.61	8.04
		18:00	27.27	47.53	30.61	7.63	7.93	242.69	24.85	7.82
		21:00	27.30	49.28	31.70	7.78	7.06	244.30	16.10	10.25
	日平均	27.63	49.33	31.73	7.67	7.74	235.64	15.58	10.74	
	灣內站	0:00	28.58	46.82	30.17	7.68	8.30	224.95	24.72	12.87
		3:00	28.18	46.94	30.25	7.63	6.18	228.53	26.41	18.28
		6:00	28.08	48.22	31.04	7.86	5.48	220.25	25.71	15.83
		9:00	27.92	47.17	30.39	8.03	6.90	224.91	23.72	18.21
		12:00	27.64	46.28	29.84	7.96	8.92	220.73	23.00	13.08
		15:00	27.45	48.31	31.10	7.75	6.44	229.78	23.94	14.53
		18:00	27.17	47.54	30.62	8.00	5.30	221.84	22.09	10.54
		21:00	27.03	48.53	31.23	7.77	6.95	236.86	19.05	10.25
	日平均	27.76	47.48	30.58	7.84	6.81	225.98	23.58	14.20	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月1日	蚵殼站	0:00	27.13	46.66	30.07	8.44	9.90	297.21	5.70	23.67
		3:00	27.08	46.78	30.15	8.41	8.56	214.77	6.10	22.77
		6:00	26.96	46.64	30.06	8.44	8.13	235.02	7.23	20.77
		9:00	26.86	45.75	29.51	8.39	7.71	255.27	8.30	18.77
		12:00	27.30	45.56	29.39	8.43	8.16	264.45	11.30	21.38
		15:00	27.43	45.48	29.34	8.40	9.04	271.91	12.40	21.94
		18:00	27.20	45.14	29.13	8.33	8.30	279.36	11.73	25.25
		21:00	27.93	44.51	28.74	8.39	7.88	267.80	15.17	28.39
	日平均	27.24	45.82	29.55	8.40	8.46	260.72	9.74	22.87	
	潮口站	0:00	27.12	49.27	31.69	8.45	6.27	329.40	14.51	24.80
		3:00	26.88	43.57	28.16	8.36	7.22	291.64	159.08	12.16
		6:00	26.96	47.10	30.35	8.15	6.61	292.10	54.16	17.21
		9:00	26.95	47.20	30.41	8.25	6.76	292.56	13.58	22.26
		12:00	27.17	46.39	29.91	7.98	7.10	289.15	18.28	24.36
		15:00	26.89	42.87	27.73	8.01	6.81	288.26	107.25	25.31
		18:00	26.75	44.49	28.73	8.07	6.39	280.20	99.01	25.60
		21:00	26.74	45.23	29.19	8.06	6.41	289.20	50.63	25.78
	日平均	26.93	45.77	29.52	8.17	6.70	294.06	64.56	22.19	
	灣內站	0:00	26.85	47.74	30.74	8.00	7.29	258.03	18.33	13.52
		3:00	26.70	46.55	30.01	8.30	7.41	218.44	17.68	24.81
		6:00	26.82	47.83	30.80	8.28	7.53	225.76	17.03	23.67
		9:00	26.74	46.74	30.12	8.25	7.57	233.08	17.09	22.53
		12:00	27.10	46.64	30.06	8.22	7.92	241.83	17.32	23.54
		15:00	27.33	47.13	30.37	8.20	8.02	241.20	17.56	19.08
		18:00	27.24	46.47	29.96	8.17	8.45	249.69	17.52	16.50
		21:00	28.17	44.68	28.85	8.17	7.90	244.97	28.60	17.32
	日平均	27.12	46.72	30.11	8.20	7.76	239.13	18.89	20.12	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 2 日	蚵殼站	0:00	26.76	43.06	27.84	8.36	9.08	255.28	14.10	31.94
		3:00	26.57	42.86	27.72	8.32	8.56	251.51	13.93	28.10
		6:00	26.66	43.36	28.03	8.34	9.08	238.78	12.60	27.55
		9:00	27.30	44.23	28.57	8.30	9.90	240.47	14.93	26.97
		12:00	28.08	43.99	28.42	8.35	9.90	240.18	8.73	23.66
		15:00	28.06	44.68	28.85	8.32	9.90	235.75	11.10	22.53
		18:00	27.93	44.51	28.74	8.30	9.69	232.57	11.67	22.09
		21:00	27.62	43.31	28.00	8.28	8.08	235.56	12.73	21.40
	日平均	27.37	43.75	28.27	8.32	9.27	241.26	12.47	25.53	
	潮口站	0:00	26.97	45.84	29.57	8.39	6.33	287.79	13.89	23.17
		3:00	26.84	45.59	29.41	8.19	6.30	287.37	40.41	24.54
		6:00	26.74	45.49	29.35	8.01	6.57	286.72	33.93	22.34
		9:00	26.87	44.28	28.60	8.32	6.75	283.57	10.42	19.89
		12:00	27.13	45.26	29.21	8.26	6.35	282.14	6.92	19.89
		15:00	27.10	45.01	29.05	8.10	6.56	276.79	83.09	17.73
		18:00	26.74	45.23	29.19	8.03	6.41	287.15	50.63	17.84
		21:00	27.52	44.25	28.58	8.21	8.80	295.02	8.77	19.67
	日平均	26.99	45.12	29.12	8.19	6.76	285.82	31.01	20.63	
	灣內站	0:00	26.60	44.29	28.61	8.22	7.83	239.13	18.81	16.86
		3:00	26.41	44.24	28.57	8.20	7.51	241.98	19.58	16.96
		6:00	26.57	44.98	29.03	8.26	7.58	236.28	20.04	19.41
		9:00	26.89	44.47	28.72	8.30	7.78	237.76	22.11	15.59
		12:00	27.86	43.77	28.28	8.26	8.03	245.59	22.31	14.60
		15:00	28.21	44.29	28.61	8.26	7.55	247.72	25.03	12.49
		18:00	28.17	44.68	28.85	8.29	7.45	252.57	28.60	15.32
		21:00	28.13	44.50	28.74	8.22	6.99	245.57	30.35	16.90
	日平均	27.36	44.40	28.68	8.25	7.59	243.33	23.35	16.02	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 3 日	蚵殼站	0:00	26.98	41.36	26.79	8.33	7.56	230.33	8.49	22.91
		3:00	26.80	40.14	26.03	8.34	6.62	239.58	9.14	22.64
		6:00	27.12	40.35	26.16	8.26	7.32	246.88	5.46	22.49
		9:00	27.45	41.43	26.83	8.26	8.03	242.78	6.18	19.68
		12:00	28.44	43.03	27.83	8.34	7.95	247.67	12.16	16.12
		15:00	28.60	43.15	27.90	8.32	6.70	246.55	30.09	16.94
		18:00	28.59	43.76	28.28	8.28	7.28	244.66	35.80	16.42
		21:00	28.30	42.76	27.66	8.33	6.32	243.03	67.20	18.23
	日平均	27.79	42.00	27.19	8.31	7.22	242.69	21.82	19.43	
	潮口站	0:00	27.37	42.35	27.40	8.38	8.17	296.96	7.12	20.21
		3:00	27.32	45.47	29.34	8.37	7.05	300.84	6.83	20.45
		6:00	26.56	41.40	26.82	8.08	6.52	294.23	37.48	22.40
		9:00	27.48	44.72	28.87	8.01	6.41	286.00	13.77	18.28
		12:00	27.64	45.17	29.15	8.14	8.09	285.78	8.14	19.28
		15:00	27.15	47.23	30.43	8.05	6.76	296.48	70.48	18.29
		18:00	26.68	44.32	28.62	8.02	6.39	305.29	64.00	22.37
		21:00	27.52	44.48	28.72	8.27	9.49	305.78	9.77	18.03
	日平均	27.22	44.39	28.67	8.17	7.36	296.42	27.20	19.91	
	灣內站	0:00	28.01	43.78	28.29	8.22	7.19	249.50	33.20	18.61
		3:00	27.82	44.09	28.48	8.24	7.33	248.48	34.50	22.86
		6:00	27.87	44.41	28.68	8.22	7.51	236.45	38.65	19.97
		9:00	27.97	44.05	28.46	8.23	7.89	235.34	17.39	16.51
		12:00	29.43	41.84	27.09	8.21	7.72	241.27	30.36	16.63
		15:00	29.22	39.99	25.94	8.20	7.42	237.80	21.22	19.87
		18:00	28.83	41.15	26.66	8.23	7.76	227.10	11.07	16.75
		21:00	28.75	41.89	27.12	8.26	7.75	224.07	25.21	20.80
	日平均	28.49	42.65	27.59	8.23	7.57	237.50	26.45	19.00	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 4 日	蚵殼站	0:00	27.66	41.43	26.83	8.28	6.21	255.77	115.52	20.71
		3:00	27.55	41.37	26.80	8.29	6.86	260.80	107.64	21.44
		6:00	27.49	41.47	26.86	8.21	7.09	264.30	86.19	20.14
		9:00	28.11	41.11	26.64	8.29	7.94	264.20	43.36	20.20
		12:00	28.91	41.62	26.95	8.24	8.89	267.85	82.36	22.42
		15:00	29.01	42.27	27.35	8.26	9.48	268.39	60.81	23.22
		18:00	28.85	42.51	27.50	8.28	9.30	277.69	65.21	23.21
		21:00	28.70	42.63	27.58	8.25	9.80	268.05	69.09	26.30
	日平均	28.29	41.80	27.06	8.26	8.20	265.88	78.77	22.21	
	潮口站	0:00	27.91	43.72	28.25	8.38	11.57	309.96	8.23	23.15
		3:00	27.59	45.35	29.26	8.18	7.92	298.02	7.62	19.80
		6:00	26.93	47.40	30.53	8.00	5.71	284.42	9.92	18.89
		9:00	27.70	44.09	28.48	8.31	9.89	281.20	9.28	20.15
		12:00	27.88	45.14	29.13	8.25	9.42	271.85	9.33	19.19
		15:00	27.17	48.42	31.16	8.09	6.81	267.46	35.12	18.61
		18:00	26.71	45.66	29.45	8.02	5.84	278.52	29.91	18.76
		21:00	27.67	44.87	28.97	8.20	8.45	291.89	8.04	18.81
	日平均	27.45	45.58	29.40	8.18	8.20	285.42	14.68	19.67	
	灣內站	0:00	28.55	41.52	26.89	8.29	7.39	215.90	16.50	21.87
		3:00	28.45	41.05	26.60	8.32	7.61	208.96	15.70	20.17
		6:00	27.80	42.03	27.21	8.30	7.26	207.77	20.49	20.16
		9:00	28.45	41.73	27.02	8.31	7.47	221.61	30.84	16.38
		12:00	29.40	41.77	27.04	8.35	7.30	222.70	93.29	16.53
		15:00	29.59	42.01	27.19	8.34	7.52	224.19	46.96	17.59
		18:00	29.29	42.72	27.63	8.36	7.16	230.25	21.98	15.65
		21:00	29.13	43.09	27.86	8.37	7.36	229.73	125.32	16.94
	日平均	28.83	41.99	27.18	8.33	7.38	220.14	46.39	18.16	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 5 日	蚵殼站	0:00	28.46	42.13	27.27	8.30	9.90	256.72	129.99	28.22
		3:00	28.26	41.70	27.00	8.26	9.44	259.90	71.96	24.94
		6:00	27.81	40.22	26.08	8.29	9.90	251.38	26.07	24.14
		9:00	28.27	40.58	26.31	8.29	9.24	256.37	46.10	19.34
		12:00	28.65	41.43	26.83	8.25	9.71	254.84	14.31	21.30
		15:00	28.68	42.19	27.30	8.30	9.53	265.87	5.49	20.92
		18:00	28.52	42.59	27.55	8.33	9.90	255.13	7.13	21.65
		21:00	28.13	42.80	27.68	8.27	9.03	249.45	3.08	22.21
	日平均	28.35	41.71	27.00	8.29	9.58	256.21	38.02	22.84	
	潮口站	0:00	28.11	43.65	28.21	8.44	12.74	311.09	7.13	20.46
		3:00	27.96	43.99	28.42	8.35	9.67	312.24	6.45	18.54
		6:00	27.46	46.47	29.96	8.14	6.30	297.81	6.22	20.31
		9:00	27.52	45.49	29.35	8.24	7.78	296.68	7.25	19.10
		12:00	27.29	48.32	31.10	7.97	6.08	292.62	10.32	21.75
		15:00	27.39	46.84	30.19	8.00	7.03	286.85	14.22	19.44
		18:00	26.96	43.54	28.14	8.06	7.33	295.15	14.84	19.84
		21:00	27.22	46.09	29.72	8.05	6.72	296.76	5.63	20.82
	日平均	27.49	45.55	29.39	8.16	7.96	298.65	9.01	20.03	
	灣內站	0:00	28.83	42.93	27.76	8.31	7.73	224.16	146.67	16.69
		3:00	28.40	42.69	27.61	8.27	7.87	226.28	119.03	17.62
		6:00	28.08	42.94	27.77	8.21	8.14	224.28	134.37	21.77
		9:00	28.25	42.59	27.55	8.19	7.95	229.29	104.69	20.16
		12:00	28.84	42.29	27.37	8.15	7.98	234.94	79.86	22.80
		15:00	28.95	42.40	27.43	8.21	7.84	231.17	84.56	22.36
		18:00	28.70	42.53	27.52	8.20	7.58	241.03	130.01	23.40
		21:00	28.35	43.15	27.90	8.23	7.37	250.63	133.70	23.37
	日平均	28.55	42.69	27.61	8.22	7.81	232.72	116.61	21.02	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月6日	蚵殼站	0:00	27.52	42.72	27.63	8.31	8.59	260.92	18.80	24.51
		3:00	27.47	42.32	27.39	8.32	8.05	253.52	14.13	21.78
		6:00	27.33	42.17	27.29	8.32	7.25	258.69	4.00	23.32
		9:00	27.59	42.17	27.29	8.36	8.89	259.44	4.95	21.27
		12:00	28.17	42.43	27.45	8.39	7.63	245.41	13.80	22.90
		15:00	28.22	42.91	27.75	8.34	8.59	243.24	9.40	22.09
		18:00	27.97	43.01	27.81	8.40	8.94	253.18	1.23	21.15
		21:00	27.77	42.81	27.69	8.34	9.90	251.91	2.83	20.89
	日平均	27.76	42.57	27.54	8.35	8.48	253.29	8.64	22.24	
	潮口站	0:00	27.49	44.15	28.52	8.37	10.00	303.38	6.65	17.70
		3:00	27.35	44.05	28.46	8.36	9.02	304.76	6.36	19.31
		6:00	27.20	47.22	30.42	8.07	6.57	295.99	6.30	21.35
		9:00	27.33	47.82	30.79	8.15	7.40	303.89	7.40	19.16
		12:00	27.50	46.61	30.04	8.20	8.21	293.27	8.91	21.25
		15:00	27.43	49.28	31.70	8.09	6.99	281.20	12.60	21.85
		18:00	26.87	48.91	31.47	8.06	6.79	286.49	23.10	22.52
		21:00	26.86	45.99	29.66	8.04	6.77	289.81	16.98	21.71
	日平均	27.25	46.75	30.13	8.17	7.72	294.85	11.04	20.61	
	灣內站	0:00	28.18	43.03	27.83	8.28	7.18	257.42	135.67	25.55
		3:00	27.97	43.03	27.83	8.27	7.04	271.61	139.92	27.07
		6:00	27.59	43.11	27.87	8.30	7.05	272.45	142.15	26.89
		9:00	27.95	43.01	27.81	8.26	7.40	263.73	151.47	23.19
		12:00	28.47	42.80	27.68	8.24	7.48	254.94	148.44	24.81
		15:00	28.44	42.90	27.74	8.23	7.74	249.49	37.25	21.53
		18:00	28.13	43.02	27.82	8.17	7.73	248.62	39.48	20.08
		21:00	27.82	44.33	28.63	8.17	7.99	246.52	43.29	20.87
	日平均	28.07	43.15	27.90	8.24	7.45	258.10	104.71	23.75	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月7日	蚵殼站	0:00	27.07	42.11	27.26	8.30	9.01	271.25	3.30	21.68
		3:00	26.67	40.97	26.55	8.34	7.83	266.82	3.57	19.44
		6:00	26.10	40.47	26.24	8.36	6.79	256.84	2.57	22.40
		9:00	26.85	40.76	26.42	8.34	6.62	254.71	3.15	22.01
		12:00	27.35	41.60	26.94	8.37	7.26	261.17	2.77	23.57
		15:00	27.70	42.31	27.38	8.30	8.06	249.13	4.00	21.13
		18:00	27.51	42.30	27.37	8.28	9.05	257.09	6.60	20.82
		21:00	27.30	42.28	27.36	8.30	9.90	255.42	5.95	19.66
	日平均	27.07	41.60	26.94	8.32	8.07	259.05	3.99	21.34	
	潮口站	0:00	27.43	44.51	28.74	8.36	9.91	293.53	7.30	24.90
		3:00	26.83	43.49	28.11	8.34	9.48	295.79	6.66	24.55
		6:00	27.11	46.93	30.24	8.07	6.75	294.15	6.17	22.69
		9:00	27.12	47.45	30.56	8.12	6.96	297.67	5.72	22.66
		12:00	27.36	47.45	30.56	8.22	8.08	302.42	6.60	21.62
		15:00	27.51	47.81	30.79	8.17	7.81	300.66	8.23	18.97
		18:00	26.99	48.05	30.94	8.04	6.74	298.20	14.39	19.76
		21:00	26.96	45.87	29.58	7.96	6.58	290.85	12.12	23.84
	日平均	27.16	46.45	29.94	8.16	7.79	296.66	8.40	22.37	
	灣內站	0:00	27.58	44.31	28.62	8.17	8.04	251.92	48.44	19.86
		3:00	27.21	43.72	28.25	8.14	7.60	248.91	48.12	20.31
		6:00	26.79	43.67	28.22	8.19	7.78	240.26	46.58	18.43
		9:00	26.93	43.26	27.97	8.18	7.67	242.86	43.50	16.76
		12:00	27.45	42.80	27.68	8.22	7.53	236.36	47.10	16.59
		15:00	27.66	42.80	27.68	8.26	7.10	232.01	56.10	19.21
		18:00	27.46	43.00	27.81	8.25	7.18	236.40	51.00	19.20
		21:00	27.39	45.78	29.53	8.19	7.26	242.49	40.35	22.68
	日平均	27.31	43.67	28.22	8.20	7.52	241.40	47.65	19.13	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月8日	蚵殼站	0:00	26.95	42.20	27.31	8.28	9.16	256.53	4.87	18.85
		3:00	26.72	41.86	27.10	8.22	7.89	265.39	6.23	20.73
		6:00	26.52	41.65	26.97	8.27	7.58	259.39	5.87	21.59
		9:00	26.70	41.62	26.95	8.25	6.54	264.81	2.55	20.23
		12:00	27.16	41.53	26.90	8.33	5.50	264.33	3.55	18.37
		15:00	27.28	41.69	26.99	8.31	6.37	272.90	4.03	16.37
		18:00	27.22	41.97	27.17	8.31	7.27	275.49	4.20	14.09
		21:00	27.03	41.92	27.14	8.26	8.23	281.46	4.25	14.55
		日平均	26.95	41.81	27.07	8.28	7.32	267.54	4.44	18.10
	潮口站	0:00	27.12	46.74	30.12	8.08	7.29	288.20	8.18	26.66
		3:00	26.68	44.14	28.51	8.36	9.24	285.58	6.03	27.22
		6:00	26.80	45.76	29.52	8.24	8.11	289.37	6.30	27.92
		9:00	27.15	47.82	30.79	8.06	6.61	286.72	5.28	24.96
		12:00	27.36	48.58	31.26	8.12	7.48	272.79	5.96	22.14
		15:00	27.60	48.19	31.02	8.08	7.70	276.51	7.49	18.53
		18:00	27.31	48.27	31.07	7.94	6.64	275.19	8.41	18.51
		21:00	27.31	48.28	31.08	7.88	6.39	272.68	5.69	15.97
		日平均	27.17	47.22	30.42	8.10	7.43	280.88	6.67	22.74
	灣內站	0:00	26.91	43.91	28.37	8.25	6.84	249.34	32.03	20.80
		3:00	26.69	43.50	28.12	8.23	7.13	251.06	26.60	22.87
		6:00	26.42	43.23	27.95	8.29	7.01	255.61	25.37	26.11
		9:00	26.56	43.17	27.91	8.28	6.84	244.93	20.10	25.81
		12:00	27.15	42.69	27.61	8.30	7.18	234.62	19.00	23.85
		15:00	27.51	42.66	27.60	8.26	7.33	226.79	21.00	21.64
		18:00	27.26	43.24	27.96	8.24	7.25	226.27	19.80	18.57
		21:00	27.17	44.29	28.61	8.19	7.34	218.32	14.57	18.37
		日平均	26.96	43.34	28.02	8.26	7.12	238.37	22.31	22.25
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月9日	蚵殼站	0:00	26.77	42.01	27.19	8.32	8.62	287.80	3.90	17.58
		3:00	26.56	41.83	27.08	8.29	8.44	285.57	3.80	18.35
		6:00	26.41	41.63	26.96	8.36	8.09	279.14	3.23	18.70
		9:00	26.94	41.69	26.99	8.35	6.56	272.22	2.90	16.53
		12:00	27.72	42.40	27.43	8.41	7.86	260.31	5.10	15.35
		15:00	27.66	43.49	28.11	8.36	7.48	248.49	6.73	13.69
		18:00	27.46	43.55	28.15	8.40	7.81	246.78	8.90	16.82
		21:00	27.60	43.32	28.00	8.40	8.16	242.64	10.07	16.52
		日平均	27.14	42.49	27.49	8.36	7.88	265.37	5.58	16.69
	潮口站	0:00	27.13	46.28	29.84	7.98	7.45	275.05	4.45	16.41
		3:00	26.76	44.76	28.90	8.33	9.70	268.65	5.72	16.99
		6:00	26.57	44.75	28.89	8.39	9.80	263.91	4.10	15.72
		9:00	27.28	48.12	30.98	8.06	6.91	265.12	6.10	18.36
		12:00	27.65	48.48	31.20	8.01	6.73	274.21	14.52	19.23
		15:00	27.63	49.14	31.61	7.98	6.53	280.55	10.97	21.26
		18:00	27.54	49.75	31.99	8.00	6.68	286.74	9.25	24.32
		21:00	27.35	52.22	33.52	8.03	6.52	298.65	7.85	23.80
		日平均	27.24	47.94	30.87	8.10	7.54	276.61	7.87	19.51
	灣內站	0:00	27.07	45.69	29.47	8.24	7.45	229.99	10.95	19.06
		3:00	26.67	44.43	28.69	8.27	7.15	237.72	9.20	20.91
		6:00	26.27	43.77	28.28	8.28	6.92	240.22	11.70	21.38
		9:00	27.01	42.41	27.44	8.34	6.87	235.66	8.27	20.41
		12:00	27.52	43.06	27.84	8.34	6.68	225.12	6.40	19.70
		15:00	27.81	43.23	27.95	8.31	6.73	240.56	6.93	20.27
		18:00	27.66	43.49	28.11	8.29	7.18	237.75	9.60	22.92
		21:00	27.54	44.72	28.87	8.28	7.21	245.08	8.17	22.86
		日平均	27.19	43.85	28.33	8.29	7.02	236.51	8.90	20.94
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月10日	蚵殼站	0:00	27.57	43.70	28.24	8.38	9.59	261.82	8.57	21.78
		3:00	27.23	43.73	28.26	8.28	9.83	273.40	6.83	25.81
		6:00	26.81	42.57	27.54	8.33	8.95	274.17	4.63	26.04
		9:00	27.43	41.56	26.91	8.30	9.10	280.74	5.07	24.63
		12:00	28.06	42.69	27.61	8.30	9.06	277.99	7.68	21.81
		15:00	28.11	44.41	28.68	8.32	9.10	264.29	27.00	20.65
		18:00	28.03	44.23	28.57	8.30	9.90	261.46	22.13	17.19
		21:00	27.98	44.02	28.44	8.30	9.43	253.91	23.30	16.47
	日平均	27.65	43.36	28.03	8.31	9.37	268.47	13.15	21.80	
	潮口站	0:00	27.18	48.36	31.13	8.20	7.73	295.16	3.82	21.50
		3:00	27.26	46.05	29.70	8.35	9.05	295.91	4.45	21.01
		6:00	27.10	45.27	29.21	8.35	8.94	301.14	5.00	20.07
		9:00	27.42	49.17	31.63	8.02	5.97	295.03	5.54	19.62
		12:00	27.85	48.67	31.32	7.97	6.46	304.14	8.34	18.82
		15:00	27.55	50.36	32.37	8.00	6.74	306.78	8.70	19.04
		18:00	27.77	49.43	31.79	7.97	7.25	310.71	5.38	17.08
		21:00	27.48	51.86	33.30	7.96	6.42	298.16	4.62	14.90
	日平均	27.45	48.65	31.31	8.10	7.32	300.88	5.73	19.01	
	灣內站	0:00	27.46	45.49	29.35	8.25	7.64	256.90	4.33	25.10
		3:00	27.38	46.03	29.68	8.29	7.78	254.78	3.60	26.08
		6:00	27.28	45.82	29.55	8.27	7.43	258.23	4.57	25.31
		9:00	27.84	43.78	28.29	8.32	7.46	248.56	3.90	23.06
		12:00	28.42	43.78	28.29	8.35	7.05	251.02	6.00	19.57
		15:00	28.40	44.91	28.99	8.34	7.20	255.48	4.60	19.75
		18:00	28.21	44.84	28.95	8.30	6.87	247.60	3.85	20.05
		21:00	28.12	45.18	29.16	8.34	6.94	234.19	8.20	20.28
	日平均	27.89	44.98	29.03	8.31	7.30	250.85	4.88	22.40	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月11日	蚵殼站	0:00	27.89	44.08	28.48	8.31	8.64	257.01	14.97	20.88
		3:00	27.68	44.56	28.77	8.34	7.70	262.09	10.60	22.75
		6:00	27.35	44.14	28.51	8.29	6.44	254.39	7.70	26.75
		9:00	27.72	43.59	28.17	8.35	6.75	252.72	5.60	26.80
		12:00	28.46	43.94	28.39	8.34	6.00	250.34	8.13	26.49
		15:00	28.37	45.09	29.10	8.28	7.12	243.83	10.53	24.53
		18:00	28.28	45.27	29.21	8.33	7.66	245.34	8.80	24.09
		21:00	27.85	45.10	29.11	8.32	8.36	247.64	9.70	19.80
	日平均	27.95	44.47	28.72	8.32	7.33	251.67	9.50	24.01	
	潮口站	0:00	27.07	51.05	32.79	8.01	6.57	304.65	3.29	16.45
		3:00	27.37	47.31	30.48	8.14	7.83	305.42	3.85	16.33
		6:00	27.08	45.11	29.11	8.32	9.26	301.08	4.08	19.02
		9:00	27.56	47.82	30.79	8.14	7.97	314.14	6.23	18.85
		12:00	27.90	47.42	30.55	7.89	6.77	310.77	7.88	16.48
		15:00	27.17	50.32	32.34	7.92	6.80	301.41	7.64	17.06
		18:00	28.02	48.21	31.03	8.06	9.34	292.73	5.67	19.84
		21:00	27.82	49.19	31.64	8.05	7.81	294.60	5.00	17.97
	日平均	27.50	48.30	31.09	8.07	7.79	303.10	5.46	17.75	
	灣內站	0:00	28.02	45.93	29.62	8.37	7.19	239.28	4.30	24.78
		3:00	27.83	46.67	30.08	8.33	7.08	242.00	4.47	23.48
		6:00	27.55	46.73	30.12	8.35	7.17	238.36	2.70	23.96
		9:00	28.08	45.95	29.63	8.29	7.09	247.65	4.30	20.68
		12:00	28.71	45.75	29.51	8.28	7.09	254.83	4.55	17.64
		15:00	28.60	45.86	29.58	8.28	7.08	244.62	5.73	19.35
		18:00	28.73	45.83	29.56	8.28	6.94	243.88	4.11	19.28
		21:00	28.58	45.81	29.55	8.25	6.72	255.06	4.02	15.96
	日平均	28.26	46.07	29.71	8.30	7.05	245.71	4.27	20.64	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月12日	蚵殼站	0:00	27.75	44.37	28.66	8.32	7.98	247.54	9.18	18.93
		3:00	27.95	44.92	29.00	8.32	8.04	251.50	9.07	21.01
		6:00	27.73	44.74	28.88	8.31	8.01	246.27	8.67	19.57
		9:00	27.57	44.19	28.54	8.30	8.53	252.15	6.60	20.45
		12:00	27.67	44.01	28.43	8.35	8.61	250.70	5.80	17.53
		15:00	27.99	45.22	29.18	8.30	8.68	252.15	5.83	15.26
		18:00	27.82	45.67	29.46	8.30	7.32	247.72	7.30	16.61
		21:00	27.31	45.27	29.21	8.34	6.55	259.24	6.03	14.31
		日平均	27.72	44.80	28.92	8.32	7.97	250.91	7.31	17.96
	潮口站	0:00	27.15	52.91	33.95	7.86	6.54	298.67	9.61	17.75
		3:00	27.29	48.79	31.39	7.91	6.77	298.79	3.75	19.54
		6:00	27.51	46.74	30.12	8.14	8.21	299.73	4.84	17.59
		9:00	27.62	48.02	30.92	8.04	7.34	302.46	4.49	18.49
		12:00	27.07	52.66	33.79	7.89	6.27	286.98	10.26	21.39
		15:00	27.11	52.55	33.72	7.72	5.85	287.18	9.58	20.64
		18:00	27.74	48.70	31.34	7.92	8.79	288.64	5.18	20.16
		21:00	27.52	48.30	31.09	7.97	8.81	287.80	3.77	21.12
		日平均	27.38	49.83	32.04	7.93	7.32	293.78	6.44	19.59
	灣內站	0:00	28.36	46.31	29.86	8.22	7.33	232.67	7.49	22.67
		3:00	28.17	46.76	30.14	8.18	7.53	234.92	8.28	21.63
		6:00	28.03	47.34	30.50	8.17	7.84	236.77	4.41	21.96
		9:00	27.91	47.01	30.29	8.21	8.21	235.95	3.53	23.32
		12:00	27.90	46.28	29.84	8.22	8.34	247.15	5.88	18.39
		15:00	27.66	45.90	29.60	8.19	8.08	255.92	6.43	19.07
		18:00	27.90	46.36	29.89	8.15	8.07	260.80	4.22	21.09
		21:00	27.75	46.40	29.91	8.15	7.64	251.45	2.94	20.07
		日平均	27.96	46.55	30.00	8.19	7.88	244.45	5.40	21.03
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月13日	蚵殼站	0:00	27.17	44.70	28.86	8.25	5.89	257.94	3.70	19.36
		3:00	27.02	44.75	28.89	8.25	7.16	258.60	4.10	20.67
		6:00	27.16	45.92	29.62	8.31	8.41	262.75	5.23	19.44
		9:00	27.41	46.07	29.71	8.22	9.50	261.56	6.30	19.51
		12:00	28.02	45.82	29.55	8.29	9.90	259.89	9.30	16.54
		15:00	28.02	47.76	30.76	8.24	9.90	271.12	10.40	13.74
		18:00	28.09	48.29	31.08	8.27	9.90	271.24	9.73	13.78
		21:00	27.84	47.58	30.64	8.30	8.89	279.06	13.17	13.79
		日平均	27.59	46.36	29.89	8.27	8.69	265.27	7.74	17.10
	潮口站	0:00	27.05	52.32	33.58	7.77	6.49	284.79	7.38	16.88
		3:00	26.92	52.34	33.59	7.69	6.08	281.78	5.24	16.83
		6:00	26.96	48.28	31.08	7.90	8.20	286.53	3.71	18.02
		9:00	27.36	48.39	31.15	7.88	8.97	295.50	4.41	20.23
		12:00	27.40	50.58	32.50	7.85	7.23	286.01	9.05	18.16
		15:00	27.28	49.69	31.95	7.97	6.63	293.88	9.09	20.01
		18:00	27.37	51.08	32.81	7.99	7.14	289.27	8.48	21.38
		21:00	27.52	48.88	31.45	8.16	8.83	282.99	4.98	21.78
		日平均	27.23	50.20	32.26	7.90	7.45	287.59	6.54	19.16
	灣內站	0:00	27.41	46.32	29.86	8.14	7.64	241.57	3.72	23.45
		3:00	27.28	46.60	30.04	8.13	7.55	243.99	2.62	24.57
		6:00	27.46	48.18	31.02	8.18	7.65	242.52	2.76	25.18
		9:00	27.79	47.19	30.40	8.17	7.94	249.49	3.86	28.06
		12:00	28.23	46.10	29.73	8.25	7.78	257.83	11.03	29.21
		15:00	28.22	47.15	30.38	8.19	7.38	245.55	4.77	28.96
		18:00	28.22	47.45	30.56	8.25	7.54	245.98	3.73	25.59
		21:00	28.34	47.36	30.51	8.26	7.08	241.75	2.71	24.46
		日平均	27.87	47.04	30.31	8.20	7.57	246.09	4.40	26.19
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 14 日	蚵殼站	0:00	27.57	46.27	29.83	8.23	8.14	267.55	12.10	18.66
		3:00	27.35	45.80	29.54	8.28	6.72	262.59	11.93	22.41
		6:00	27.28	46.17	29.77	8.28	6.90	260.58	10.60	24.70
		9:00	27.20	45.69	29.47	8.25	7.69	254.65	12.93	25.65
		12:00	27.96	45.36	29.27	8.23	8.70	244.77	6.73	25.30
		15:00	27.93	47.67	30.70	8.21	8.66	257.27	9.10	26.78
		18:00	27.94	48.92	31.47	8.26	9.11	257.46	9.67	23.74
		21:00	28.20	47.80	30.78	8.24	9.90	252.51	10.73	23.91
	日平均	27.68	46.71	30.10	8.25	8.23	257.17	10.47	23.89	
	潮口站	0:00	27.12	51.27	32.93	7.97	7.01	284.32	7.64	22.87
		3:00	26.81	52.76	33.85	7.78	6.30	288.44	7.25	20.17
		6:00	26.97	49.50	31.83	7.98	7.50	295.17	4.14	19.38
		9:00	27.22	48.72	31.35	8.21	9.35	298.32	4.02	18.99
		12:00	27.40	50.20	32.27	7.94	7.72	309.70	6.60	18.04
		15:00	27.20	49.66	31.93	8.03	6.92	303.64	12.87	16.50
		18:00	27.31	51.11	32.83	8.02	7.32	295.13	8.91	18.74
		21:00	27.53	49.15	31.62	8.22	8.99	286.07	5.47	21.43
	日平均	27.20	50.30	32.33	8.02	7.64	295.10	7.11	19.52	
	灣內站	0:00	28.29	47.28	30.46	8.33	7.02	235.25	2.58	24.09
		3:00	27.82	48.31	31.10	8.33	7.41	242.80	2.62	24.54
		6:00	27.59	48.72	31.35	8.27	7.47	233.52	2.48	23.14
		9:00	27.85	48.96	31.50	8.24	7.74	244.42	2.89	19.79
		12:00	28.58	47.81	30.79	8.24	7.68	240.96	6.49	18.24
		15:00	28.50	47.50	30.59	8.23	7.89	242.73	5.57	17.02
18:00		28.14	48.21	31.03	8.25	7.33	239.15	5.95	14.99	
21:00		28.29	48.51	31.22	8.34	7.38	237.35	3.23	19.26	
日平均	28.13	48.16	31.01	8.28	7.49	239.52	3.98	20.13		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 15 日	蚵殼站	0:00	28.02	45.86	29.58	8.26	8.23	258.83	7.03	20.30
		3:00	27.79	45.52	29.37	8.23	6.47	243.08	7.22	19.45
		6:00	27.67	46.55	30.01	8.29	6.12	236.98	9.83	18.69
		9:00	27.62	46.78	30.15	8.26	6.32	248.44	12.00	18.61
		12:00	27.64	46.83	30.18	8.32	6.49	255.61	15.30	20.85
		15:00	27.62	46.54	30.00	8.28	6.68	259.09	16.82	21.59
		18:00	27.37	47.65	30.69	8.27	7.22	262.16	17.83	22.88
		21:00	27.18	48.09	30.96	8.23	8.90	268.47	19.43	25.25
	日平均	27.61	46.73	30.12	8.27	7.05	254.08	13.18	20.95	
	潮口站	0:00	27.41	49.67	31.94	8.03	7.60	276.95	6.01	17.76
		3:00	27.05	52.56	33.73	7.86	6.31	271.48	18.16	16.82
		6:00	27.05	51.26	32.92	7.79	5.84	276.91	9.25	16.44
		9:00	27.22	48.42	31.16	8.20	8.93	279.84	5.19	16.22
		12:00	27.26	49.95	32.11	8.10	7.98	272.29	11.91	16.91
		15:00	26.94	52.48	33.68	7.90	6.37	282.82	70.82	16.63
		18:00	27.17	50.92	32.71	7.90	6.88	282.35	41.59	16.58
		21:00	27.14	48.60	31.28	8.15	8.44	284.01	5.42	18.39
	日平均	27.16	50.48	32.44	7.99	7.29	278.33	21.04	16.97	
	灣內站	0:00	27.92	48.26	31.07	8.30	7.03	232.27	2.94	19.42
		3:00	27.61	48.26	31.07	8.33	7.41	237.82	3.02	19.31
		6:00	27.61	48.42	31.16	8.35	7.69	232.85	5.25	19.29
		9:00	27.64	48.43	31.17	8.32	7.53	235.97	7.82	15.70
		12:00	27.51	49.85	32.05	8.30	7.53	228.06	9.83	17.36
		15:00	27.39	49.57	31.88	8.28	7.82	226.17	7.22	16.44
18:00		27.19	49.75	31.99	8.22	7.74	216.70	5.12	15.43	
21:00		27.21	49.94	32.11	8.16	7.91	218.57	6.64	14.46	
日平均	27.51	49.06	31.56	8.28	7.58	228.55	5.98	17.18		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月16日	蚵殼站	0:00	27.03	49.16	31.62	8.30	6.58	260.58	12.93	18.09
		3:00	26.77	48.92	31.47	8.28	7.92	264.81	12.65	17.76
		6:00	26.63	49.62	31.91	8.32	8.41	268.59	15.67	17.08
		9:00	26.33	47.38	30.52	8.32	8.29	268.15	13.10	15.23
		12:00	26.01	44.17	28.53	8.33	9.85	262.25	13.30	18.99
		15:00	26.16	45.87	29.58	8.28	9.90	261.42	12.27	20.85
		18:00	26.52	49.24	31.67	8.28	9.65	249.74	13.33	21.99
		21:00	26.51	49.36	31.75	8.25	9.90	254.55	16.67	22.90
		日平均	26.50	47.97	30.88	8.30	8.81	261.26	13.74	19.11
	潮口站	0:00	26.83	48.31	31.10	8.10	7.02	293.89	18.12	20.39
		3:00	26.77	49.63	31.91	8.10	6.87	294.35	39.79	22.46
		6:00	26.44	45.99	29.66	8.08	6.72	302.46	27.17	23.06
		9:00	26.26	45.08	29.10	8.06	6.61	294.29	15.19	18.91
		12:00	26.54	49.15	31.62	8.01	6.30	286.87	8.86	22.24
		15:00	26.81	52.85	33.91	7.92	6.34	288.42	13.03	17.47
		18:00	26.74	51.83	33.28	7.84	5.62	282.80	8.26	18.64
		21:00	26.37	47.73	30.74	8.03	6.22	278.78	6.49	20.94
		日平均	26.60	48.82	31.42	8.02	6.46	290.23	17.11	20.51
	灣內站	0:00	26.79	48.46	31.19	8.19	8.07	225.54	15.73	17.43
		3:00	26.48	47.57	30.64	8.14	7.75	233.04	19.89	17.76
		6:00	26.26	46.69	30.09	8.13	7.76	234.70	15.46	19.03
		9:00	26.32	47.74	30.74	8.16	7.84	233.29	11.63	19.98
		12:00	26.23	47.01	30.29	8.12	7.91	236.05	8.71	19.98
		15:00	25.94	44.33	28.63	8.15	7.65	231.52	9.45	18.53
		18:00	26.30	47.78	30.77	8.23	7.68	223.76	9.79	21.66
		21:00	26.38	48.39	31.15	8.24	7.54	233.42	7.63	23.04
		日平均	26.34	47.25	30.44	8.17	7.78	231.42	12.29	19.68
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月17日	蚵殼站	0:00	25.45	41.48	26.86	8.27	9.39	257.22	21.87	22.26
		3:00	25.08	37.19	24.21	8.29	9.17	253.13	24.63	24.29
		6:00	25.92	44.30	28.61	8.26	9.55	252.22	18.52	25.27
		9:00	26.21	47.25	30.44	8.26	9.71	248.52	2.93	26.70
		12:00	27.16	47.36	30.51	8.28	9.06	259.57	3.90	28.90
		15:00	27.36	48.40	31.15	8.30	8.37	258.22	6.83	28.33
		18:00	27.26	48.67	31.32	8.25	9.40	268.37	12.35	25.73
		21:00	27.09	48.85	31.43	8.23	8.47	273.77	15.80	24.29
		日平均	26.44	45.44	29.32	8.27	9.14	258.88	13.35	25.72
	潮口站	0:00	26.39	48.07	30.95	8.00	5.98	290.61	7.09	20.73
		3:00	26.60	50.30	32.33	7.96	6.03	298.15	8.69	22.61
		6:00	26.81	52.29	33.56	8.03	6.59	305.56	14.25	18.91
		9:00	26.65	49.38	31.76	7.95	6.04	301.56	5.47	15.40
		12:00	27.15	47.70	30.72	8.03	6.63	299.51	24.13	13.76
		15:00	27.06	48.16	31.00	8.06	6.68	303.64	16.62	13.40
		18:00	26.91	50.75	32.61	8.06	6.68	302.51	13.12	12.39
		21:00	27.03	47.90	30.84	8.01	6.83	295.14	6.68	13.95
		日平均	26.83	49.32	31.72	8.01	6.43	299.59	12.01	16.39
	灣內站	0:00	26.21	47.55	30.63	8.24	7.40	243.87	6.85	20.60
		3:00	25.35	41.43	26.83	8.24	7.37	236.25	7.34	21.89
		6:00	25.57	44.13	28.51	8.25	7.16	240.74	7.59	23.34
		9:00	26.02	45.76	29.52	8.25	7.28	229.64	6.75	23.97
		12:00	27.54	39.08	25.38	8.29	7.65	228.15	9.64	25.59
		15:00	27.68	42.64	27.58	8.26	7.37	227.72	9.39	27.82
		18:00	27.21	47.33	30.49	8.25	7.38	235.48	8.93	24.46
		21:00	27.06	48.27	31.07	8.22	7.44	237.84	10.40	22.17
		日平均	26.58	44.52	28.75	8.25	7.38	234.96	8.36	23.73
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 18 日	蚵殼站	0:00	26.91	47.16	30.38	8.26	6.20	270.68	11.63	22.17
		3:00	26.62	43.12	27.88	8.31	7.69	273.71	6.83	21.62
		6:00	26.74	43.65	28.21	8.25	6.93	270.71	9.45	19.88
		9:00	27.05	47.44	30.56	8.28	7.49	270.08	9.53	19.50
		12:00	27.08	46.45	29.94	8.30	8.39	275.30	7.63	20.61
		15:00	27.06	44.22	28.56	8.29	9.61	279.08	3.97	22.19
		18:00	27.04	49.46	31.81	8.22	9.56	266.69	4.42	20.70
		21:00	26.98	49.70	31.96	8.28	9.90	268.60	3.13	24.99
	日平均	26.94	46.40	29.91	8.27	8.22	271.86	7.07	21.46	
	潮口站	0:00	27.11	47.99	30.90	7.98	6.36	301.45	7.13	14.72
		3:00	27.06	47.30	30.47	7.91	6.06	300.93	9.48	17.98
		6:00	26.81	51.76	33.23	7.99	6.23	290.68	17.61	21.39
		9:00	26.93	49.07	31.57	7.84	6.03	289.34	13.52	21.89
		12:00	27.21	48.04	30.93	7.87	6.00	285.47	9.44	23.52
		15:00	26.85	51.36	32.99	8.00	6.45	295.62	14.36	27.10
		18:00	26.68	52.52	33.70	7.91	6.44	289.86	9.76	26.92
		21:00	26.62	50.06	32.18	7.90	6.78	291.91	8.55	24.62
	日平均	26.91	49.76	32.00	7.93	6.29	293.16	11.23	22.27	
	灣內站	0:00	27.05	44.94	29.01	8.26	7.07	247.52	8.85	20.47
		3:00	26.80	44.60	28.80	8.29	7.07	246.74	8.54	16.99
		6:00	26.68	44.37	28.66	8.24	7.03	247.79	7.74	21.12
		9:00	26.77	44.65	28.83	8.19	6.98	241.53	8.23	20.51
		12:00	26.99	44.78	28.91	8.16	7.14	232.22	8.39	17.80
		15:00	26.89	46.34	29.88	8.11	7.05	227.26	8.34	18.32
		18:00	26.80	46.95	30.25	8.17	7.15	235.96	9.76	21.94
		21:00	26.89	49.79	32.01	8.18	7.21	240.41	10.80	20.72
	日平均	26.86	45.80	29.54	8.20	7.09	239.93	8.83	19.73	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 19 日	蚵殼站	0:00	26.41	48.28	31.08	8.24	9.90	261.57	1.27	21.93
		3:00	25.77	44.16	28.53	8.25	9.90	259.87	1.17	19.37
		6:00	25.59	44.28	28.60	8.26	9.90	271.51	1.13	20.46
		9:00	26.05	45.58	29.41	8.21	9.61	262.55	2.70	19.52
		12:00	26.57	46.90	30.22	8.24	8.92	267.70	1.67	18.88
		15:00	26.72	45.97	29.65	8.23	8.78	264.54	1.80	21.87
		18:00	26.81	47.88	30.83	8.30	7.49	259.85	2.00	21.95
		21:00	26.57	50.39	32.39	8.32	7.92	262.36	3.83	21.30
	日平均	26.31	46.68	30.09	8.26	9.05	263.74	1.95	20.66	
	潮口站	0:00	26.56	49.28	31.70	8.03	6.81	303.54	7.65	22.97
		3:00	26.18	47.44	30.56	7.99	6.92	294.20	7.52	20.00
		6:00	26.57	51.32	32.96	8.02	6.16	295.03	12.59	20.29
		9:00	26.55	51.42	33.02	7.95	6.55	295.17	11.10	23.15
		12:00	26.64	49.18	31.64	7.94	7.82	286.06	6.89	26.66
		15:00	26.71	49.98	32.13	8.01	7.38	272.06	7.82	26.04
		18:00	26.55	52.00	33.38	8.03	6.73	272.27	8.32	28.20
		21:00	26.59	51.73	33.22	7.95	7.25	279.30	6.68	23.99
	日平均	26.54	50.29	32.33	7.99	6.95	287.20	8.57	23.91	
	灣內站	0:00	26.59	47.24	30.43	8.32	7.54	260.70	14.33	23.33
		3:00	25.65	42.20	27.31	8.32	7.66	270.73	20.75	25.19
		6:00	25.70	42.53	27.52	8.27	7.89	267.44	21.66	21.93
		9:00	25.90	43.96	28.40	8.29	7.64	259.80	23.56	19.12
		12:00	26.40	44.22	28.56	8.27	7.66	259.53	28.61	21.84
		15:00	26.73	45.57	29.40	8.27	7.48	253.59	33.32	18.78
		18:00	26.89	49.09	31.58	8.28	7.73	251.75	28.17	15.75
		21:00	26.74	50.18	32.26	8.32	7.37	244.32	27.54	18.41
	日平均	26.33	45.62	29.43	8.29	7.62	258.48	24.74	20.54	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 20 日	蚵殼站	0:00	26.47	49.89	32.08	8.22	8.17	266.70	2.93	20.84
		3:00	25.52	43.76	28.28	8.32	8.71	267.59	1.80	18.47
		6:00	25.05	43.97	28.41	8.33	9.18	265.79	1.75	18.42
		9:00	25.79	45.18	29.16	8.27	7.68	258.89	2.23	17.33
		12:00	26.89	48.25	31.06	8.31	7.36	264.86	2.30	17.03
		15:00	27.20	49.35	31.74	8.27	8.35	265.42	5.67	15.99
		18:00	26.95	48.70	31.34	8.34	8.26	262.48	4.27	17.73
		21:00	26.98	48.64	31.30	8.36	8.32	259.67	4.50	18.88
		日平均	26.36	47.22	30.42	8.30	8.25	263.93	3.18	18.09
	潮口站	0:00	26.16	47.49	30.59	8.26	11.12	277.84	5.93	17.11
		3:00	25.77	47.07	30.33	8.23	10.28	280.83	6.51	13.66
		6:00	26.38	50.49	32.45	7.98	6.95	284.67	9.16	10.48
		9:00	26.55	51.77	33.24	7.97	6.85	282.42	8.61	13.20
		12:00	26.86	51.07	32.81	8.03	7.98	282.94	8.61	16.06
		15:00	26.93	49.80	32.02	7.97	7.54	283.52	7.82	17.38
		18:00	26.62	50.33	32.35	7.91	6.68	295.26	6.76	20.16
		21:00	26.55	51.91	33.33	7.92	7.10	293.05	5.38	23.40
		日平均	26.48	49.99	32.14	8.03	8.06	285.07	7.35	16.43
	灣內站	0:00	26.74	50.58	32.50	8.28	7.78	242.24	27.14	17.78
		3:00	26.21	48.04	30.93	8.21	7.90	236.47	25.52	18.32
		6:00	25.37	44.09	28.48	8.26	7.42	224.99	23.04	17.25
		9:00	25.72	44.82	28.93	8.27	7.75	228.74	23.55	15.06
		12:00	26.72	44.64	28.82	8.28	7.78	216.30	23.78	13.36
		15:00	27.09	45.54	29.38	8.30	7.56	208.75	31.33	17.24
		18:00	27.01	46.55	30.01	8.32	7.42	209.59	44.09	18.89
		21:00	26.79	48.94	31.49	8.32	7.85	221.66	35.77	21.74
		日平均	26.46	46.65	30.07	8.28	7.68	223.59	29.28	17.46
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 21 日	蚵殼站	0:00	26.91	48.94	31.49	8.26	8.52	253.33	4.37	18.79
		3:00	26.14	47.42	30.55	8.32	7.68	245.86	3.47	22.98
		6:00	25.93	45.63	29.44	8.24	6.73	243.83	3.27	20.31
		9:00	26.49	45.83	29.56	8.24	6.71	244.44	6.82	19.08
		12:00	27.21	47.76	30.76	8.28	6.11	240.38	9.97	17.20
		15:00	27.18	48.53	31.23	8.32	6.34	247.92	18.30	21.06
		18:00	27.01	48.52	31.23	8.29	5.71	244.60	38.50	16.61
		21:00	26.76	47.83	30.80	8.22	6.47	247.49	38.87	19.09
		日平均	26.70	47.56	30.63	8.27	6.78	245.98	15.45	19.39
	潮口站	0:00	26.50	48.94	31.49	8.16	11.33	288.62	6.11	22.89
		3:00	26.07	47.01	30.29	8.33	12.59	282.80	5.97	25.16
		6:00	26.43	49.40	31.77	8.10	8.92	276.83	7.09	26.33
		9:00	26.70	51.46	33.05	7.97	7.17	275.26	7.36	22.96
		12:00	27.14	50.41	32.40	8.09	10.20	285.93	4.62	25.40
		15:00	27.04	51.00	32.76	8.00	8.44	283.37	7.95	21.85
		18:00	26.63	52.02	33.40	7.89	6.87	287.65	6.10	20.51
		21:00	26.51	52.56	33.73	7.76	6.33	290.48	6.04	17.77
		日平均	26.63	50.35	32.36	8.04	8.98	283.87	6.41	22.86
	灣內站	0:00	26.61	49.88	32.07	8.24	7.22	230.92	29.92	26.37
		3:00	26.41	48.73	31.36	8.25	7.21	242.27	28.98	22.49
		6:00	26.21	47.22	30.42	8.26	7.55	251.88	30.41	18.83
		9:00	26.79	47.03	30.30	8.25	7.38	251.11	30.41	18.94
		12:00	27.44	45.76	29.52	8.27	7.33	259.92	31.69	20.01
		15:00	27.64	45.19	29.16	8.27	7.45	247.61	37.13	20.02
		18:00	27.23	47.39	30.53	8.25	7.70	250.21	38.81	19.00
		21:00	27.04	47.78	30.77	8.22	7.59	248.31	38.18	19.58
		日平均	26.92	47.37	30.52	8.25	7.43	247.78	33.19	20.66
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 22 日	蚵殼站	0:00	26.67	47.21	30.41	8.19	7.81	253.25	29.57	18.17
		3:00	26.16	46.76	30.14	8.25	7.61	244.33	34.10	15.04
		6:00	25.90	46.28	29.84	8.19	9.20	255.93	55.13	18.69
		9:00	26.25	46.56	30.01	8.24	9.57	262.54	46.27	14.99
		12:00	27.06	47.78	30.77	8.26	8.58	251.86	7.30	14.76
		15:00	27.16	48.80	31.40	8.28	7.68	257.81	31.67	16.78
		18:00	26.92	48.30	31.09	8.29	8.77	266.39	78.67	17.00
		21:00	26.63	48.09	30.96	8.26	7.25	252.97	120.27	14.56
	日平均	26.59	47.47	30.58	8.25	8.31	255.64	50.37	16.25	
	潮口站	0:00	26.38	50.04	32.17	7.96	9.40	280.49	4.35	17.44
		3:00	26.14	48.81	31.41	8.25	11.92	281.13	5.34	19.95
		6:00	26.01	48.86	31.44	8.14	10.30	280.78	4.37	17.69
		9:00	26.59	51.36	32.99	7.93	7.26	271.15	7.41	19.30
		12:00	26.90	52.30	33.57	7.89	7.59	272.39	4.28	20.44
		15:00	27.03	51.61	33.14	7.89	7.87	280.27	5.48	22.89
		18:00	26.72	51.32	32.96	7.81	7.20	284.07	4.68	22.34
		21:00	26.45	51.17	32.87	7.74	6.52	292.76	4.46	22.01
	日平均	26.53	50.68	32.57	7.95	8.51	280.38	5.05	20.26	
	灣內站	0:00	27.04	48.71	31.34	8.19	8.02	237.42	35.45	19.63
		3:00	26.50	48.42	31.16	8.20	8.08	237.58	35.78	17.41
		6:00	25.76	46.94	30.25	8.16	7.99	229.75	29.28	19.13
		9:00	26.24	45.60	29.42	8.25	7.68	227.77	25.71	22.93
		12:00	27.02	44.59	28.79	8.25	7.79	224.03	24.19	21.11
		15:00	27.21	45.00	29.05	8.32	7.97	230.65	24.54	22.69
		18:00	27.10	46.01	29.67	8.28	7.73	244.64	24.38	26.01
		21:00	27.00	47.56	30.63	8.28	7.69	246.63	26.15	24.67
	日平均	26.73	46.60	30.04	8.24	7.87	234.81	28.19	21.70	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 23 日	蚵殼站	0:00	26.30	47.60	30.66	8.26	8.50	264.22	86.43	14.91
		3:00	25.84	46.47	29.96	8.37	9.50	268.94	75.57	12.45
		6:00	25.73	45.76	29.52	8.36	8.75	271.47	51.83	13.38
		9:00	26.23	45.36	29.27	8.29	9.38	275.82	30.63	17.02
		12:00	26.85	47.31	30.48	8.35	9.31	276.02	12.97	18.17
		15:00	26.87	48.34	31.12	8.37	8.28	274.41	10.17	20.29
		18:00	26.65	47.94	30.87	8.32	9.10	271.29	27.90	20.73
		21:00	26.47	47.09	30.34	8.29	9.89	267.81	48.83	21.93
	日平均	26.37	46.98	30.28	8.33	9.09	271.25	43.04	17.36	
	潮口站	0:00	26.31	50.55	32.48	7.81	7.96	298.12	4.42	20.45
		3:00	26.09	48.73	31.36	7.92	9.38	300.28	3.85	16.04
		6:00	25.92	48.38	31.14	8.00	9.77	305.34	3.58	18.42
		9:00	26.39	49.83	32.04	7.96	8.75	307.71	5.75	22.30
		12:00	26.85	51.15	32.86	7.79	6.89	312.00	4.65	21.44
		15:00	26.80	51.90	33.32	7.75	6.71	313.62	6.36	22.37
		18:00	26.82	51.74	33.22	7.74	6.50	307.80	6.87	23.23
		21:00	26.60	51.40	33.01	7.70	6.48	308.64	6.29	21.58
	日平均	26.47	50.46	32.43	7.83	7.81	306.69	5.22	20.73	
	灣內站	0:00	26.69	47.97	30.89	8.23	7.66	240.78	26.02	24.54
		3:00	26.41	47.95	30.87	8.23	7.60	243.16	25.45	24.79
		6:00	25.81	47.18	30.40	8.28	7.55	241.87	24.37	22.61
		9:00	26.34	45.46	29.33	8.28	7.78	244.00	22.26	23.24
		12:00	26.81	44.22	28.56	8.27	7.84	247.10	22.57	19.01
		15:00	27.09	45.10	29.11	8.26	7.63	254.42	23.90	19.65
		18:00	27.00	46.30	29.85	8.26	7.56	256.41	25.42	17.95
		21:00	26.53	46.43	29.93	8.27	7.60	256.06	25.00	19.62
	日平均	26.59	46.33	29.87	8.26	7.65	247.98	24.37	21.43	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月24日	蚵殼站	0:00	26.20	46.77	30.14	8.35	9.05	271.52	58.37	21.73
		3:00	25.84	46.33	29.87	8.33	9.90	265.97	44.53	22.76
		6:00	25.56	45.64	29.44	8.28	8.53	255.20	22.70	24.69
		9:00	25.93	45.22	29.18	8.33	7.10	259.44	15.10	22.50
		12:00	26.84	46.16	29.76	8.30	7.05	253.65	14.60	21.97
		15:00	27.22	47.38	30.52	8.37	7.19	252.42	39.98	20.95
		18:00	26.82	47.27	30.45	8.37	6.17	261.94	65.43	19.30
		21:00	26.50	46.73	30.12	8.30	6.46	264.13	86.57	16.90
	日平均	26.36	46.44	29.94	8.33	7.68	260.53	43.41	21.35	
	潮口站	0:00	26.52	50.75	32.61	7.73	7.12	299.08	4.58	24.53
		3:00	26.18	48.61	31.28	7.92	9.18	285.92	4.96	24.93
		6:00	25.66	47.26	30.45	7.97	9.71	280.11	4.17	26.17
		9:00	26.43	49.64	31.92	8.05	8.87	280.65	6.09	26.60
		12:00	26.90	51.00	32.76	7.87	7.26	276.44	5.19	25.10
		15:00	26.77	51.79	33.25	7.82	6.93	278.99	5.25	24.55
		18:00	26.98	50.94	32.73	7.88	9.55	286.00	5.64	21.42
		21:00	26.88	49.74	31.98	7.99	10.14	297.01	5.31	22.55
	日平均	26.54	49.97	32.12	7.90	8.60	285.53	5.15	24.48	
	灣內站	0:00	26.42	47.23	30.43	8.34	7.40	247.65	20.47	25.06
		3:00	26.20	47.13	30.37	8.37	7.54	244.96	20.52	25.04
		6:00	25.86	46.65	30.07	8.30	7.13	244.79	23.83	22.47
		9:00	26.43	45.88	29.59	8.30	7.33	240.91	22.72	18.45
		12:00	26.96	45.58	29.41	8.29	7.53	240.99	22.24	17.99
		15:00	27.14	45.92	29.62	8.30	7.93	245.43	22.69	16.62
		18:00	26.99	46.15	29.76	8.26	7.75	242.63	28.89	15.62
		21:00	26.39	45.66	29.45	8.27	8.15	243.20	32.76	20.14
	日平均	26.55	46.28	29.84	8.30	7.60	243.82	24.27	20.17	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月25日	蚵殼站	0:00	26.24	46.10	29.73	8.35	6.26	256.80	55.27	17.30
		3:00	25.79	45.59	29.41	8.35	6.31	248.28	44.47	17.61
		6:00	25.50	44.97	29.03	8.28	6.06	247.14	31.50	19.79
		9:00	26.00	45.19	29.16	8.29	6.32	252.70	41.87	23.91
		12:00	26.59	46.28	29.84	8.28	7.54	248.28	40.00	27.71
		15:00	26.95	46.93	30.24	8.34	7.09	252.06	42.80	25.07
		18:00	26.67	46.76	30.14	8.27	6.51	258.22	101.33	28.49
		21:00	26.41	46.68	30.09	8.26	7.17	249.29	166.07	24.57
	日平均	26.27	46.06	29.71	8.30	6.66	251.60	65.41	23.06	
	潮口站	0:00	26.29	49.68	31.95	7.72	7.01	289.00	4.07	24.67
		3:00	25.89	46.86	30.20	7.80	8.46	299.51	4.55	24.86
		6:00	25.56	46.13	29.75	8.05	10.68	302.38	4.29	23.64
		9:00	26.45	49.38	31.76	7.97	8.87	293.39	8.04	21.49
		12:00	26.83	50.40	32.39	7.74	7.14	304.41	4.41	21.05
		15:00	26.72	50.78	32.63	7.70	6.66	302.51	5.28	19.61
		18:00	26.83	49.66	31.93	7.81	9.62	300.20	4.77	18.82
		21:00	26.66	49.42	31.78	7.91	9.45	304.19	4.78	21.63
	日平均	26.40	49.04	31.55	7.84	8.49	299.45	5.02	21.97	
	灣內站	0:00	26.65	46.62	30.05	8.27	8.04	244.91	27.10	21.84
		3:00	26.78	47.42	30.55	8.25	7.54	237.79	26.64	19.61
		6:00	26.45	47.37	30.51	8.30	7.95	239.72	28.49	21.62
		9:00	26.55	46.71	30.11	8.33	7.76	230.92	27.66	18.10
		12:00	26.80	46.42	29.93	8.38	7.38	234.34	26.08	17.81
		15:00	26.94	46.52	29.99	8.29	7.13	238.96	31.35	20.12
		18:00	26.92	46.51	29.98	8.28	7.21	246.48	35.63	22.78
		21:00	26.55	46.48	29.96	8.27	7.20	246.10	42.58	23.10
	日平均	26.71	46.76	30.14	8.30	7.53	239.90	30.69	20.62	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 26 日	蚵殼站	0:00	26.34	46.59	30.03	8.28	6.83	255.46	172.90	24.66
		3:00	26.00	47.10	30.35	8.27	8.65	260.50	189.10	24.64
		6:00	25.65	46.97	30.27	8.28	9.03	257.17	184.60	23.51
		9:00	26.04	47.20	30.41	8.32	8.58	267.72	136.97	24.25
		12:00	26.40	47.15	30.38	8.27	7.95	267.14	57.97	22.69
		15:00	26.55	47.40	30.53	8.31	8.53	267.12	24.93	18.82
		18:00	26.57	48.06	30.94	8.31	6.67	256.98	26.43	20.89
		21:00	26.16	47.10	30.35	8.26	7.37	255.76	26.73	19.88
		日平均	26.21	47.20	30.41	8.29	7.95	260.98	102.45	22.42
	潮口站	0:00	26.48	50.88	32.69	7.83	7.73	314.08	4.63	22.27
		3:00	26.10	49.45	31.80	7.87	8.82	312.56	4.45	24.52
		6:00	25.79	49.07	31.57	7.96	9.29	303.98	3.82	23.67
		9:00	26.05	48.95	31.49	8.03	10.28	296.73	5.63	25.11
		12:00	26.41	52.14	33.47	7.86	7.29	298.95	5.19	22.80
		15:00	26.31	52.40	33.63	7.68	7.12	293.47	4.52	21.54
		18:00	27.00	49.85	32.05	7.89	9.44	294.69	7.42	20.98
		21:00	26.67	49.49	31.83	7.91	10.17	301.46	9.08	22.20
		日平均	26.35	50.28	32.32	7.88	8.77	301.99	5.59	22.89
	灣內站	0:00	26.29	46.50	29.98	8.26	7.14	249.90	40.76	21.72
		3:00	26.10	47.22	30.42	8.36	7.46	245.21	33.61	22.60
		6:00	25.79	46.87	30.20	8.32	7.55	250.48	29.00	24.36
		9:00	26.40	47.17	30.39	8.34	7.38	243.86	26.72	19.74
		12:00	26.94	46.94	30.25	8.36	7.60	238.75	26.08	20.65
		15:00	26.93	46.28	29.84	8.37	7.70	231.40	25.98	22.02
		18:00	26.67	45.88	29.59	8.28	7.23	233.61	23.87	19.92
		21:00	26.19	45.92	29.62	8.31	6.99	221.39	24.03	19.28
		日平均	26.41	46.60	30.04	8.33	7.38	239.33	28.76	21.29
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 27 日	蚵殼站	0:00	26.00	47.15	30.38	8.33	7.53	245.71	27.97	20.38
		3:00	25.66	47.50	30.59	8.33	6.71	255.36	30.53	20.25
		6:00	25.07	47.30	30.47	8.28	8.62	266.01	26.60	19.28
		9:00	25.35	46.55	30.01	8.30	8.81	272.94	28.35	17.61
		12:00	25.73	46.89	30.22	8.33	9.64	268.54	29.80	18.16
		15:00	26.21	47.93	30.86	8.27	9.90	260.23	31.63	20.68
		18:00	26.08	48.38	31.14	8.36	9.90	263.08	37.83	20.60
		21:00	25.59	48.01	30.91	8.29	9.58	259.53	39.33	18.00
		日平均	25.71	47.46	30.57	8.31	8.84	261.43	31.51	19.37
	潮口站	0:00	26.50	50.83	32.66	7.88	7.97	292.71	11.84	22.33
		3:00	26.19	52.08	33.43	7.71	6.85	288.12	10.12	24.15
		6:00	25.54	49.68	31.95	7.93	8.84	281.77	11.00	21.01
		9:00	25.65	49.24	31.67	7.92	9.62	272.45	13.11	22.67
		12:00	26.13	50.58	32.50	7.79	7.61	268.04	12.18	24.01
		15:00	26.19	50.06	32.18	7.70	6.89	274.50	11.10	21.32
		18:00	26.49	51.32	32.96	7.72	7.36	271.92	12.52	21.96
		21:00	26.08	50.53	32.47	7.87	7.90	282.61	11.83	21.71
		日平均	26.10	50.54	32.48	7.82	7.88	279.02	11.71	22.40
	灣內站	0:00	25.70	46.44	29.94	8.23	6.82	216.14	23.75	24.34
		3:00	25.37	46.77	30.14	8.16	6.70	220.03	24.32	26.08
		6:00	25.16	47.00	30.28	8.22	7.15	211.70	23.62	25.38
		9:00	25.26	46.78	30.15	8.19	7.17	217.04	22.52	24.49
		12:00	25.62	46.79	30.15	8.20	6.98	219.96	21.97	25.96
		15:00	25.93	47.06	30.32	8.16	7.29	231.73	22.96	24.51
		18:00	25.83	47.25	30.44	8.24	7.55	239.98	23.96	21.51
		21:00	25.43	47.19	30.40	8.18	7.40	252.82	24.33	22.42
		日平均	25.54	46.91	30.23	8.20	7.13	226.18	23.43	24.34
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月28日	蚵殼站	0:00	24.79	46.55	30.01	8.31	8.21	248.99	35.80	17.32
		3:00	24.31	46.50	29.98	8.36	8.20	259.86	38.90	17.30
		6:00	24.03	46.60	30.04	8.31	7.13	247.55	37.37	17.33
		9:00	24.43	46.53	29.99	8.38	6.27	250.55	33.53	20.67
		12:00	25.35	47.20	30.41	8.29	6.03	256.43	31.67	18.63
		15:00	25.65	47.99	30.90	8.36	5.71	266.57	29.10	20.96
		18:00	25.46	48.17	31.01	8.34	5.50	269.17	39.23	22.01
		21:00	24.71	47.88	30.83	8.36	6.23	271.77	35.65	25.27
		日平均	24.84	47.18	30.40	8.34	6.66	258.86	35.16	19.94
	潮口站	0:00	25.75	50.25	32.30	7.92	7.39	290.33	15.70	15.47
		3:00	25.84	52.13	33.46	7.91	6.43	276.61	16.14	14.52
		6:00	24.58	49.94	32.11	8.09	7.81	278.75	14.78	12.50
		9:00	24.65	49.13	31.60	8.23	9.45	270.21	16.63	15.80
		12:00	25.62	50.72	32.59	8.12	7.89	275.59	14.81	16.06
		15:00	25.94	50.41	32.40	7.90	6.97	269.48	13.60	19.43
		18:00	25.67	50.71	32.58	7.94	7.83	278.83	15.93	21.64
		21:00	25.18	50.05	32.17	8.13	9.23	276.79	16.35	21.23
		日平均	25.40	50.42	32.40	8.03	7.88	277.07	15.49	17.08
	灣內站	0:00	25.00	47.17	30.39	8.27	7.96	248.68	25.04	18.01
		3:00	24.86	47.85	30.81	8.27	7.55	238.72	24.11	19.09
		6:00	24.56	48.08	30.95	8.25	7.68	238.74	23.13	21.03
		9:00	24.03	47.18	30.40	8.26	7.96	236.88	21.92	18.66
		12:00	25.06	46.73	30.12	8.26	8.25	245.94	20.55	17.04
		15:00	25.24	47.34	30.50	8.26	8.25	254.06	20.83	19.13
		18:00	24.91	47.23	30.43	8.23	8.23	252.03	21.15	18.81
		21:00	25.09	48.43	31.17	8.21	8.32	247.78	20.56	15.93
		日平均	24.84	47.50	30.60	8.25	8.03	245.35	22.16	18.46
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11月29日	蚵殼站	0:00	24.34	47.92	30.85	8.24	6.69	266.95	29.47	23.13
		3:00	24.08	48.32	31.10	8.30	7.93	255.35	30.47	19.43
		6:00	23.81	48.38	31.14	8.26	6.96	240.49	26.97	19.98
		9:00	23.40	47.39	30.53	8.27	6.33	244.58	25.17	17.66
		12:00	24.24	46.99	30.28	8.30	6.15	245.37	23.58	16.69
		15:00	24.60	48.90	31.46	8.25	6.43	242.43	26.00	18.95
		18:00	24.25	48.87	31.44	8.26	6.83	244.56	24.90	20.96
		21:00	24.14	48.59	31.27	8.31	7.66	249.57	20.70	18.01
		日平均	24.11	48.17	31.01	8.27	6.87	248.66	25.91	19.35
	潮口站	0:00	24.88	49.84	32.04	8.11	8.75	281.55	19.04	22.41
		3:00	25.34	51.72	33.21	7.99	6.98	277.29	17.53	18.21
		6:00	25.19	52.13	33.46	7.83	6.64	270.73	21.19	15.72
		9:00	24.79	51.15	32.86	7.85	7.43	278.37	20.66	18.47
		12:00	25.39	51.39	33.00	7.97	7.71	275.04	11.79	17.47
		15:00	25.96	52.56	33.73	7.71	6.90	281.03	9.22	16.69
		18:00	25.33	51.66	33.17	7.78	8.10	282.58	11.25	16.85
		21:00	24.61	50.31	32.34	8.15	10.12	286.88	12.80	19.47
		日平均	25.19	51.35	32.98	7.92	7.83	279.18	15.44	18.16
	灣內站	0:00	24.38	47.52	30.61	8.21	7.78	239.47	21.16	18.43
		3:00	23.74	47.26	30.45	8.21	7.38	233.39	22.61	15.96
		6:00	23.73	47.74	30.74	8.26	7.54	233.74	23.75	13.77
		9:00	23.97	47.89	30.84	8.24	7.16	237.45	23.89	18.55
		12:00	24.84	47.72	30.73	8.24	7.29	240.26	24.01	17.54
		15:00	24.84	47.26	30.45	8.22	7.18	249.67	23.28	18.73
		18:00	24.74	47.68	30.71	8.17	7.18	244.38	23.08	21.86
		21:00	24.90	48.36	31.13	8.17	7.00	252.27	22.90	21.22
		日平均	24.39	47.68	30.71	8.22	7.31	241.33	23.09	18.26
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
11 月 30 日	蚵殼站	0:00	23.77	47.69	30.71	8.35	7.55	254.28	21.60	21.09
		3:00	23.48	47.81	30.79	8.33	7.17	252.83	22.17	18.72
		6:00	23.17	48.03	30.92	8.29	6.24	259.93	18.97	20.54
		9:00	23.23	48.03	30.92	8.35	6.65	257.10	17.80	19.35
		12:00	24.18	48.14	30.99	8.32	7.21	263.75	17.90	21.23
		15:00	25.01	49.55	31.86	8.35	8.11	261.44	17.85	18.68
		18:00	24.66	49.88	32.07	8.34	8.94	268.43	19.83	17.38
		21:00	24.26	49.44	31.80	8.37	9.66	275.43	17.00	16.08
		日平均	23.97	48.57	31.26	8.34	7.69	261.65	19.14	19.13
	潮口站	0:00	24.22	49.93	32.10	8.10	9.76	288.88	17.72	19.47
		3:00	24.74	51.12	32.84	8.06	8.17	285.68	21.42	18.22
		6:00	24.82	52.06	33.42	7.86	7.32	298.88	23.19	18.84
		9:00	23.98	50.35	32.36	7.98	8.87	302.92	20.06	19.25
		12:00	25.00	50.79	32.63	7.90	7.91	303.52	18.75	19.17
		15:00	25.56	48.58	31.26	7.69	6.92	296.31	17.72	21.66
		18:00	25.65	51.59	33.13	7.76	7.10	284.15	21.14	24.63
		21:00	24.85	50.87	32.68	7.77	8.02	271.99	20.52	27.60
		日平均	24.85	50.66	32.55	7.89	8.01	291.54	20.07	21.11
	灣內站	0:00	25.15	50.12	32.22	8.20	7.80	254.11	22.68	18.62
		3:00	23.70	48.90	31.46	8.19	7.56	247.81	23.33	20.49
		6:00	23.32	48.65	31.31	8.28	7.51	249.59	24.38	21.65
		9:00	23.42	48.14	30.99	8.23	7.88	253.88	24.27	21.90
		12:00	23.96	47.52	30.61	8.24	7.54	245.06	22.31	22.60
		15:00	24.02	48.22	31.04	8.17	7.27	238.14	24.13	20.40
		18:00	24.02	48.69	31.33	8.21	7.39	240.69	23.57	16.89
		21:00	24.24	49.36	31.75	8.19	7.52	243.25	23.63	13.38
		日平均	23.98	48.70	31.34	8.21	7.56	246.57	23.54	19.49
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 1 日	蚵殼站	0:00	23.58	48.09	30.95	8.16	8.20	197.57	5.39	9.47
		3:00	23.25	47.60	30.65	8.31	10.13	179.70	4.14	7.03
		6:00	23.15	47.80	30.77	8.18	7.16	188.63	6.94	13.01
		9:00	23.29	48.06	30.94	8.10	8.57	171.63	4.86	12.85
		12:00	24.11	47.74	30.74	8.13	12.07	144.59	2.58	8.28
		15:00	24.39	48.69	31.33	8.09	11.92	147.68	5.04	12.82
		18:00	24.53	49.08	31.57	8.03	9.36	161.66	4.47	9.42
		21:00	24.66	48.71	31.34	8.17	11.69	152.09	7.58	11.24
		日平均	23.87	48.22	31.04	8.15	9.89	167.94	5.13	10.52
	潮口站	0:00	24.37	50.25	32.29	8.01	8.31	193.91	23.84	5.72
		3:00	24.54	50.75	32.60	7.94	6.75	216.40	33.06	3.63
		6:00	25.11	52.69	33.80	8.12	6.55	186.57	30.76	5.17
		9:00	24.19	50.31	32.33	8.23	8.52	202.55	11.08	6.35
		12:00	24.85	51.16	32.86	8.18	8.59	140.34	8.45	5.26
		15:00	25.59	51.23	32.90	8.07	7.76	157.85	7.30	3.36
		18:00	25.42	51.77	33.23	8.07	7.44	160.88	3.69	7.32
		21:00	24.82	51.10	32.82	8.17	8.38	162.67	4.44	4.50
		日平均	24.86	51.16	32.85	8.10	7.79	177.65	15.33	5.16
	灣內站	0:00	23.95	49.19	31.64	8.14	6.55	205.67	11.40	9.30
		3:00	23.58	49.05	31.55	8.13	7.47	213.84	10.17	12.68
		6:00	23.78	49.28	31.69	8.25	6.85	202.83	14.22	7.15
		9:00	23.25	48.21	31.03	8.39	10.22	188.11	6.22	11.17
		12:00	24.39	46.96	30.25	8.18	12.19	188.78	0.84	10.84
		15:00	24.32	46.66	30.07	8.01	13.91	149.28	11.85	7.16
		18:00	24.65	47.63	30.67	8.17	12.88	205.51	10.59	10.39
		21:00	24.75	47.42	30.54	8.27	9.74	180.71	24.83	6.26
		日平均	24.08	48.05	30.93	8.19	9.98	191.84	11.27	9.37
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月2日	蚵殼站	0:00	23.41	47.19	30.40	8.13	11.65	135.02	3.76	11.27
		3:00	23.00	46.60	30.03	8.29	12.07	129.53	5.39	11.93
		6:00	22.79	47.06	30.32	8.29	9.77	135.73	4.14	7.61
		9:00	23.35	47.60	30.65	8.28	10.06	143.31	6.94	7.71
		12:00	23.95	47.24	30.43	8.14	12.38	141.15	4.86	6.37
		15:00	24.66	48.71	31.34	8.21	11.69	152.09	2.58	9.28
		18:00	24.79	49.24	31.67	8.05	8.31	182.42	5.04	8.63
		21:00	24.44	48.83	31.41	8.16	7.92	171.91	4.35	7.06
	日平均	23.80	47.81	30.78	8.19	10.48	148.90	4.63	8.73	
	潮口站	0:00	24.22	50.42	32.40	8.26	9.31	150.98	5.19	3.15
		3:00	24.11	50.41	32.39	8.24	8.87	169.43	9.51	3.67
		6:00	25.05	52.70	33.81	8.07	7.44	172.69	7.48	6.39
		9:00	24.16	50.67	32.55	8.24	8.75	135.50	6.70	4.10
		12:00	24.88	51.57	33.11	8.16	8.51	133.27	6.42	5.41
		15:00	25.35	48.32	31.10	8.04	7.64	144.51	10.38	7.66
		18:00	25.30	51.75	33.22	8.05	7.37	148.51	21.85	8.59
		21:00	24.89	50.74	32.60	8.12	8.06	143.71	4.60	7.85
	日平均	24.75	50.82	32.65	8.15	8.24	149.83	9.02	5.85	
	灣內站	0:00	23.94	47.31	30.47	8.10	10.84	186.71	7.68	6.00
		3:00	23.53	46.40	29.91	7.93	9.79	201.10	8.95	9.35
		6:00	23.50	46.12	29.73	8.11	8.52	154.75	23.36	5.76
		9:00	24.24	46.82	30.17	8.36	10.28	170.07	2.26	11.48
		12:00	24.90	46.02	29.67	8.25	12.27	178.96	6.22	13.48
		15:00	24.82	46.75	30.12	7.93	13.13	183.95	19.18	11.26
18:00		24.75	47.42	30.54	8.11	9.74	217.11	44.83	14.44	
21:00		24.66	47.98	30.89	8.26	7.30	168.39	25.34	10.51	
日平均	24.29	46.85	30.19	8.13	10.23	182.63	17.23	10.29		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月3日	蚵殼站	0:00	23.79	47.42	30.54	8.26	9.87	153.79	5.93	5.76
		3:00	23.36	47.27	30.45	8.23	10.98	138.81	5.64	9.73
		6:00	22.99	47.10	30.34	8.22	9.71	148.07	6.03	7.41
		9:00	23.42	46.81	30.16	8.24	9.51	158.75	6.16	8.78
		12:00	24.70	48.03	30.92	8.16	11.23	149.44	8.40	12.13
		15:00	25.27	48.70	31.33	8.17	9.54	165.69	7.62	8.56
		18:00	25.09	48.79	31.39	8.20	8.08	183.43	7.28	9.86
		21:00	24.88	48.88	31.44	8.21	7.49	193.83	3.56	6.30
	日平均	24.19	47.88	30.82	8.21	9.55	161.48	6.33	8.57	
	潮口站	0:00	24.49	50.18	32.25	8.20	8.71	182.93	4.09	11.82
		3:00	24.18	49.74	31.98	8.26	8.91	224.56	5.65	7.96
		6:00	24.98	52.28	33.55	8.06	7.56	189.86	9.12	7.62
		9:00	24.69	51.16	32.86	8.17	8.24	169.51	4.81	3.97
		12:00	24.87	50.09	32.19	8.17	8.59	149.52	13.69	8.57
		15:00	25.49	49.12	31.59	8.03	7.65	147.85	35.25	6.42
		18:00	25.10	51.90	33.31	8.02	7.39	193.28	15.85	3.60
		21:00	24.82	50.27	32.30	8.19	9.01	163.20	4.61	11.48
	日平均	24.83	50.59	32.50	8.14	8.26	177.59	11.63	7.68	
	灣內站	0:00	24.22	48.01	30.90	8.18	9.12	214.70	36.58	6.50
		3:00	23.72	47.65	30.68	8.17	8.62	175.82	30.11	13.22
		6:00	23.92	47.63	30.67	8.25	8.58	211.47	20.40	8.98
		9:00	24.68	48.25	31.05	8.23	8.96	162.02	12.19	4.38
		12:00	24.86	47.43	30.55	8.17	13.07	187.62	29.04	8.93
		15:00	25.04	47.72	30.73	8.10	12.37	196.22	44.78	10.97
18:00		25.04	48.09	30.95	8.22	11.87	214.19	49.03	6.91	
21:00		25.04	48.49	31.20	8.32	7.58	207.73	49.66	10.26	
日平均	24.57	47.91	30.84	8.21	10.02	196.22	33.97	8.77		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 4 日	蚵殼站	0:00	24.22	47.85	30.81	8.29	8.91	176.96	5.23	8.07
		3:00	23.94	47.43	30.55	8.19	10.07	172.02	1.33	11.82
		6:00	23.63	46.10	29.72	8.29	9.07	176.59	1.80	9.28
		9:00	24.35	46.80	30.16	8.27	9.41	184.31	2.22	5.60
		12:00	25.53	48.82	31.41	8.20	9.06	179.55	0.58	5.24
		15:00	25.67	49.35	31.73	8.20	8.50	201.72	2.11	7.52
		18:00	25.38	49.23	31.66	8.18	6.88	248.44	1.37	9.98
		21:00	25.22	49.14	31.60	8.19	6.49	227.42	1.92	8.20
	日平均	24.74	48.09	30.96	8.23	8.55	195.88	2.07	8.21	
	潮口站	0:00	24.72	49.86	32.05	8.26	9.42	169.09	8.99	4.20
		3:00	24.45	49.60	31.89	8.26	9.33	170.52	4.19	7.44
		6:00	24.74	51.76	33.23	8.06	7.50	183.12	7.99	3.10
		9:00	24.99	51.82	33.27	8.05	7.28	196.38	7.52	7.13
		12:00	25.12	50.72	32.58	8.12	8.16	142.25	6.64	4.48
		15:00	25.29	48.84	31.42	7.98	7.43	208.18	8.15	4.86
		18:00	24.82	51.31	32.95	7.99	7.25	176.40	5.83	3.98
		21:00	24.91	50.77	32.61	8.00	7.68	161.01	4.12	7.30
	日平均	24.88	50.59	32.50	8.09	8.01	175.87	6.68	5.31	
	灣內站	0:00	24.82	48.27	31.07	8.20	7.87	159.77	49.89	6.99
		3:00	24.15	46.43	29.93	7.97	7.23	213.28	31.22	10.13
		6:00	24.42	47.55	30.62	8.09	7.36	190.74	17.37	11.35
		9:00	24.98	47.85	30.81	8.36	9.70	160.68	23.25	11.81
		12:00	25.46	47.69	30.71	8.30	12.68	153.91	26.70	11.14
		15:00	25.47	47.81	30.78	8.05	9.54	181.84	19.92	5.69
18:00		25.40	47.78	30.76	8.13	5.31	185.90	13.22	8.33	
21:00		25.20	48.36	31.12	8.36	5.84	202.73	8.46	7.93	
日平均	24.99	47.72	30.73	8.18	8.19	181.11	23.75	9.17		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 5 日	蚵殼站	0:00	25.05	48.24	31.05	8.29	8.85	206.91	2.01	6.12
		3:00	24.83	48.38	31.13	8.29	9.46	192.34	2.09	6.37
		6:00	24.33	48.23	31.04	8.24	8.74	189.59	1.93	9.99
		9:00	24.76	48.31	31.09	8.23	8.15	212.18	1.19	6.22
		12:00	25.37	48.69	31.33	8.26	9.40	202.03	5.06	6.68
		15:00	25.48	48.99	31.51	8.28	8.53	206.61	3.36	9.36
		18:00	25.32	49.35	31.73	8.16	6.49	250.22	0.76	8.43
		21:00	25.24	49.02	31.53	8.17	7.48	240.34	2.69	5.73
	日平均	25.05	48.65	31.30	8.24	8.39	212.53	2.39	7.36	
	潮口站	0:00	24.85	49.62	31.90	8.24	9.07	188.76	5.52	6.83
		3:00	24.64	49.48	31.82	8.21	8.81	143.72	6.47	7.02
		6:00	24.72	51.17	32.86	8.03	7.41	166.42	17.92	2.94
		9:00	24.79	52.24	33.53	7.96	7.01	148.46	23.48	4.04
		12:00	25.13	51.28	32.93	8.07	7.42	160.16	36.81	3.68
		15:00	25.33	50.04	32.16	7.98	7.37	220.23	9.00	7.27
		18:00	24.68	51.35	32.97	7.94	7.24	228.13	7.36	5.69
		21:00	24.70	51.16	32.86	7.92	7.12	157.87	4.28	7.40
	日平均	24.86	50.79	32.63	8.04	7.68	176.72	13.86	5.61	
	灣內站	0:00	25.22	48.33	31.10	8.37	5.78	158.18	4.69	7.63
		3:00	24.74	48.68	31.32	8.02	7.82	203.23	2.22	7.16
		6:00	24.22	47.75	30.74	7.99	6.88	194.15	6.55	12.63
		9:00	24.90	47.50	30.59	8.23	8.08	206.17	6.95	7.67
		12:00	25.41	46.33	29.86	8.21	9.82	191.26	6.98	7.88
		15:00	25.81	46.45	29.94	8.01	8.48	173.15	5.63	10.25
18:00		25.43	48.18	31.01	8.00	6.68	189.96	4.13	11.17	
21:00		25.32	48.59	31.26	8.32	6.89	213.08	3.70	5.95	
日平均	25.13	47.73	30.73	8.14	7.55	191.15	5.11	8.79		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

112年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月6日	蚵殼站	0:00	24.82	48.03	30.92	8.20	9.12	231.89	3.58	8.22
		3:00	24.33	47.45	30.56	8.20	9.89	205.58	2.14	5.28
		6:00	23.88	46.89	30.21	8.17	9.39	206.61	1.19	6.89
		9:00	24.52	47.58	30.64	8.19	9.53	217.01	1.46	6.88
		12:00	25.37	48.37	31.13	8.19	9.10	227.65	2.94	6.71
		15:00	25.51	49.02	31.53	8.21	10.35	223.59	3.09	7.71
		18:00	25.33	48.79	31.39	8.06	8.84	257.06	0.98	6.11
		21:00	25.18	48.55	31.24	7.91	6.88	259.65	4.06	8.91
	日平均	24.87	48.09	30.95	8.14	9.14	228.63	2.43	7.09	
	潮口站	0:00	24.76	49.93	32.09	8.13	8.35	225.45	7.17	5.23
		3:00	24.62	50.00	32.14	8.06	7.72	165.44	5.13	6.97
		6:00	24.64	50.57	32.49	7.95	6.83	191.13	15.26	5.30
		9:00	24.82	52.49	33.68	7.92	6.99	207.28	7.15	7.92
		12:00	25.32	51.87	33.30	7.92	6.69	206.41	6.17	8.74
		15:00	25.60	50.08	32.19	7.92	7.18	173.27	4.59	7.53
		18:00	24.72	51.65	33.16	7.92	7.21	178.45	5.95	6.57
		21:00	24.61	52.41	33.63	7.85	6.95	155.32	4.59	4.28
	日平均	24.89	51.13	32.84	7.96	7.24	187.84	7.00	6.57	
	灣內站	0:00	25.24	48.87	31.44	8.32	6.92	209.00	3.72	11.78
		3:00	24.65	47.23	30.42	8.08	7.76	197.06	3.90	6.05
		6:00	23.96	45.97	29.64	7.94	7.36	212.94	4.05	10.29
		9:00	23.93	45.21	29.17	8.22	8.43	202.97	2.88	9.75
		12:00	25.07	45.24	29.19	8.28	10.99	191.83	4.01	10.05
		15:00	25.32	45.55	29.38	8.01	11.91	205.12	4.16	4.57
		18:00	25.43	47.47	30.57	7.99	6.29	231.21	3.26	10.64
		21:00	25.31	48.65	31.30	8.13	7.12	195.66	3.08	10.32
	日平均	24.86	46.77	30.14	8.12	8.35	205.72	3.63	9.18	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月7日	蚵殼站	0:00	24.79	47.74	30.74	8.02	6.99	252.43	2.54	8.67
		3:00	24.56	47.46	30.56	8.24	8.56	235.64	1.21	4.41
		6:00	24.16	47.13	30.36	8.23	8.82	228.75	1.89	6.51
		9:00	24.55	47.75	30.74	8.19	8.89	230.64	0.59	6.01
		12:00	25.41	48.68	31.32	8.07	7.60	247.23	0.76	8.26
		15:00	25.54	48.95	31.49	8.11	7.73	238.67	1.48	5.73
		18:00	25.34	48.78	31.38	8.02	7.34	255.16	1.38	5.87
		21:00	25.21	48.72	31.34	8.03	5.71	257.14	0.79	7.44
	日平均	24.95	48.15	30.99	8.11	7.71	243.21	1.33	6.61	
	潮口站	0:00	24.87	50.23	32.28	8.00	7.96	182.92	3.65	7.24
		3:00	24.52	49.66	31.93	8.03	7.96	166.55	3.46	6.03
		6:00	24.57	49.98	32.13	7.95	7.20	199.00	4.19	6.74
		9:00	24.59	52.35	33.59	7.91	6.90	236.01	6.77	8.70
		12:00	24.96	51.70	33.19	7.89	6.67	170.25	5.46	3.36
		15:00	25.06	51.58	33.12	7.89	6.55	200.64	6.12	8.02
		18:00	24.74	51.75	33.22	7.89	7.15	210.73	5.97	5.46
		21:00	24.49	52.80	33.87	7.74	6.86	243.82	5.08	5.82
	日平均	24.73	51.26	32.92	7.91	7.16	201.24	5.09	6.42	
	灣內站	0:00	25.08	48.70	31.33	8.27	5.35	207.11	10.42	13.19
		3:00	24.69	48.52	31.22	8.17	7.31	221.63	2.91	13.42
		6:00	24.43	48.33	31.10	8.02	7.33	235.97	2.94	16.74
		9:00	24.53	47.54	30.61	8.16	8.44	233.93	3.83	17.85
		12:00	25.43	47.32	30.48	8.27	8.21	181.12	5.25	12.81
		15:00	25.52	47.46	30.56	8.10	9.18	243.45	4.71	12.26
		18:00	25.56	47.52	30.60	7.96	6.46	225.82	3.33	16.11
		21:00	25.13	48.46	31.18	8.14	7.24	243.23	3.16	11.76
	日平均	25.05	47.98	30.89	8.14	7.44	224.03	4.57	14.27	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 8 日	蚵殼站	0:00	24.87	48.83	31.41	7.99	6.18	257.85	1.16	8.38
		3:00	24.43	48.68	31.32	8.07	7.27	250.94	1.69	6.18
		6:00	24.14	48.82	31.41	8.06	7.40	241.81	3.13	8.96
		9:00	24.38	48.91	31.46	8.00	6.74	251.05	2.33	8.65
		12:00	25.03	49.34	31.73	8.04	7.31	248.54	1.46	6.20
		15:00	25.14	49.79	32.01	8.04	7.42	247.99	1.13	8.16
		18:00	24.90	49.73	31.97	7.98	6.96	252.26	1.06	6.53
		21:00	24.55	49.49	31.82	7.89	5.38	270.11	1.11	5.31
	日平均	24.68	49.20	31.64	8.01	6.83	252.57	1.63	7.30	
	潮口站	0:00	24.61	50.96	32.73	7.80	7.13	162.35	3.35	5.98
		3:00	24.55	51.15	32.85	7.87	6.68	201.57	5.67	3.00
		6:00	24.43	50.85	32.66	7.86	6.57	216.95	4.88	9.06
		9:00	24.53	52.16	33.48	7.83	6.53	215.19	7.97	4.31
		12:00	24.69	52.65	33.78	7.89	6.85	152.54	6.21	3.76
		15:00	25.05	52.01	33.38	7.87	6.47	171.18	7.99	7.99
		18:00	24.71	51.03	32.78	7.83	6.61	189.66	7.49	6.01
		21:00	24.39	52.22	33.51	7.80	7.16	228.43	5.42	6.89
	日平均	24.62	51.63	33.15	7.84	6.75	192.23	6.12	5.88	
	灣內站	0:00	24.80	48.80	31.39	8.26	5.91	211.89	2.67	5.14
		3:00	24.26	48.60	31.27	8.15	7.40	224.76	3.13	6.82
		6:00	23.97	48.32	31.10	8.03	7.59	224.03	3.49	11.90
		9:00	24.28	47.96	30.87	8.06	7.32	223.16	3.42	7.33
		12:00	24.84	48.02	30.91	8.21	8.64	191.50	4.58	7.77
		15:00	24.93	48.34	31.11	8.07	8.87	204.99	5.28	8.87
		18:00	24.66	48.37	31.13	7.98	6.94	188.63	4.53	12.03
		21:00	24.50	48.53	31.23	8.01	6.10	212.59	3.55	11.85
	日平均	24.53	48.37	31.13	8.10	7.35	210.19	3.83	8.96	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 9 日	蚵殼站	0:00	24.20	49.27	31.69	7.91	5.29	274.36	0.89	6.18
		3:00	23.96	49.15	31.61	7.99	6.31	269.87	1.06	8.63
		6:00	23.72	48.69	31.33	8.03	6.46	259.16	0.69	4.98
		9:00	24.04	48.47	31.19	7.94	6.28	264.23	0.64	6.00
		12:00	24.57	49.25	31.67	8.02	6.72	254.46	1.09	5.18
		15:00	24.84	49.97	32.12	7.97	5.87	259.42	0.49	5.03
		18:00	24.83	50.12	32.21	7.98	7.21	231.18	0.96	8.33
		21:00	24.28	49.73	31.97	7.93	7.02	251.76	1.11	8.27
	日平均	24.31	49.33	31.72	7.97	6.40	258.06	0.87	6.58	
	潮口站	0:00	24.27	52.03	33.40	7.73	6.81	189.85	4.76	5.59
		3:00	24.03	50.89	32.69	7.82	6.93	166.32	3.38	13.67
		6:00	23.91	50.58	32.50	7.81	6.93	153.81	3.18	5.86
		9:00	24.14	51.70	33.19	7.74	6.83	179.62	6.65	3.09
		12:00	24.68	52.08	33.43	7.72	6.89	214.33	6.07	13.75
		15:00	24.73	51.55	33.10	7.74	6.63	200.52	6.09	7.71
		18:00	24.45	51.08	32.81	7.70	6.60	129.32	5.58	7.78
		21:00	24.44	51.89	33.31	7.73	6.99	175.11	5.52	9.38
	日平均	24.33	51.48	33.05	7.75	6.83	176.11	5.15	8.35	
	灣內站	0:00	24.16	49.24	31.67	7.98	6.64	212.10	3.67	4.92
		3:00	23.85	49.44	31.79	7.75	5.06	232.30	17.60	4.89
		6:00	23.58	49.14	31.60	7.87	5.22	194.45	6.46	5.71
		9:00	24.07	48.14	30.99	8.14	5.93	173.95	4.47	7.05
		12:00	24.48	48.00	30.90	8.08	8.86	183.77	9.02	8.35
		15:00	24.69	47.81	30.78	7.83	8.75	177.65	5.69	9.80
		18:00	24.34	47.56	30.63	7.91	8.18	188.88	6.90	5.70
		21:00	24.35	48.57	31.25	8.14	6.27	184.03	4.16	8.10
	日平均	24.19	48.49	31.20	7.96	6.86	193.39	7.25	6.82	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 10 日	蚵殼站	0:00	23.98	49.65	31.92	7.92	5.88	274.89	1.19	8.50
		3:00	23.73	49.30	31.70	7.98	5.99	261.43	0.86	8.70
		6:00	23.39	48.65	31.30	8.08	7.70	240.24	1.93	6.09
		9:00	23.72	48.44	31.17	8.06	7.76	246.69	0.36	7.99
		12:00	24.13	49.02	31.53	8.10	7.94	245.76	1.29	10.30
		15:00	24.53	50.04	32.16	7.98	6.46	251.39	3.19	6.24
		18:00	24.30	50.05	32.17	7.89	6.06	259.52	0.46	7.88
		21:00	24.04	49.41	31.77	8.08	8.07	246.99	0.26	9.28
		日平均	23.98	49.32	31.72	8.01	6.98	253.36	1.19	8.12
	潮口站	0:00	24.39	52.77	33.85	7.77	6.92	219.01	4.68	8.68
		3:00	23.80	50.98	32.74	7.88	7.16	161.39	3.49	5.40
		6:00	23.79	50.93	32.71	7.86	7.19	204.74	3.43	6.91
		9:00	23.91	51.12	32.83	7.90	7.26	158.99	7.21	9.15
		12:00	24.69	52.39	33.62	7.90	7.14	208.01	6.65	5.63
		15:00	24.76	52.00	33.38	7.84	6.69	196.30	3.81	4.13
		18:00	24.43	51.72	33.20	7.83	6.78	180.99	6.23	5.25
		21:00	24.25	51.42	33.02	7.92	6.74	189.77	5.49	2.78
		日平均	24.25	51.67	33.17	7.86	6.99	189.90	5.12	5.99
	灣內站	0:00	24.04	49.29	31.70	7.85	5.95	201.93	5.07	12.96
		3:00	23.65	49.30	31.70	7.96	6.43	212.59	5.12	7.00
		6:00	23.51	49.45	31.80	7.94	7.44	212.14	3.98	6.82
		9:00	23.82	49.01	31.52	7.81	6.25	213.91	4.33	9.05
		12:00	24.13	48.67	31.31	7.87	7.76	203.74	6.20	9.43
		15:00	24.30	48.80	31.39	7.77	8.07	210.42	4.88	7.08
		18:00	24.21	48.61	31.28	7.86	7.40	208.15	3.10	13.06
		21:00	24.22	48.51	31.21	7.83	6.29	187.86	5.48	13.22
		日平均	23.99	48.96	31.49	7.86	6.95	206.34	4.77	9.83
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 11 日	蚵殼站	0:00	23.79	49.06	31.56	7.95	6.62	263.79	0.29	7.71
		3:00	23.73	49.20	31.64	7.95	8.49	263.03	0.49	10.11
		6:00	23.65	49.06	31.56	8.05	7.14	246.30	0.26	6.50
		9:00	23.94	48.90	31.46	8.03	7.33	250.71	1.26	6.96
		12:00	24.39	49.20	31.64	7.99	7.39	255.55	0.46	7.75
		15:00	24.35	49.88	32.06	7.98	6.16	264.99	1.51	10.59
		18:00	24.25	49.96	32.11	7.94	6.76	266.39	0.53	8.83
		21:00	24.20	49.64	31.91	8.11	8.54	234.70	0.43	9.19
		日平均	24.04	49.36	31.74	8.00	7.30	255.68	0.65	8.46
	潮口站	0:00	24.45	52.51	33.69	7.85	6.69	206.36	5.02	4.81
		3:00	24.05	51.76	33.23	7.88	6.68	184.05	3.56	5.69
		6:00	23.73	50.96	32.73	7.95	8.38	222.62	2.07	8.65
		9:00	24.05	51.39	33.00	7.91	7.58	210.55	4.82	5.30
		12:00	24.80	52.10	33.44	7.90	7.15	145.71	4.99	5.70
		15:00	24.83	51.41	33.01	7.72	6.74	153.03	4.40	5.85
		18:00	24.55	51.63	33.15	7.70	7.43	168.44	5.32	6.08
		21:00	24.45	51.43	33.02	7.72	7.56	151.62	3.78	7.98
		日平均	24.36	51.65	33.16	7.83	7.28	180.30	4.25	6.26
	灣內站	0:00	23.97	49.15	31.61	7.75	6.07	196.22	5.66	11.80
		3:00	23.83	49.58	31.88	7.87	5.26	209.00	5.52	8.53
		6:00	23.53	49.54	31.85	7.82	6.35	219.88	4.88	6.41
		9:00	23.79	48.98	31.51	7.86	6.12	222.40	3.86	8.01
		12:00	24.67	48.42	31.16	7.99	7.57	181.91	5.72	12.09
		15:00	24.81	48.91	31.46	7.84	6.38	208.26	5.46	8.41
		18:00	24.71	48.33	31.10	7.96	6.02	219.04	3.64	5.77
		21:00	24.21	47.20	30.40	8.06	7.36	178.45	3.36	9.73
		日平均	24.19	48.76	31.37	7.89	6.39	204.40	4.76	8.84
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 12 日	蚵殼站	0:00	24.09	49.34	31.73	8.11	8.25	219.25	0.46	7.67
		3:00	23.91	49.58	31.88	7.95	5.64	199.61	0.79	5.62
		6:00	23.73	49.35	31.73	8.12	8.19	231.25	0.63	5.80
		9:00	23.91	49.19	31.64	8.13	8.54	234.15	0.63	6.94
		12:00	24.25	49.53	31.85	8.06	7.15	244.25	0.43	5.57
		15:00	24.42	50.25	32.29	8.00	6.45	256.29	0.29	8.15
		18:00	24.36	50.28	32.31	7.94	6.22	266.51	0.29	8.53
		21:00	24.21	49.30	31.70	8.09	9.36	232.64	0.26	7.69
	日平均	24.11	49.60	31.89	8.05	7.48	235.49	0.47	7.00	
	潮口站	0:00	24.41	52.13	33.46	7.73	7.06	165.12	4.43	7.58
		3:00	24.33	52.80	33.87	7.72	6.36	200.22	4.21	3.61
		6:00	24.12	51.75	33.22	7.72	6.69	181.24	4.39	9.65
		9:00	24.10	51.41	33.01	7.77	7.39	188.58	3.62	5.10
		12:00	24.59	52.19	33.49	7.86	7.25	172.60	5.76	5.91
		15:00	24.59	51.92	33.33	7.80	7.08	186.40	3.89	6.26
		18:00	24.48	51.97	33.36	7.82	6.99	175.43	5.47	4.88
		21:00	24.42	51.68	33.18	7.91	7.68	237.31	4.60	3.02
	日平均	24.38	51.98	33.37	7.79	7.06	188.36	4.55	5.75	
	灣內站	0:00	24.33	49.36	31.74	8.16	6.47	192.40	3.92	6.46
		3:00	23.93	49.60	31.89	7.95	6.07	203.01	3.52	4.27
		6:00	23.68	49.26	31.68	8.16	7.94	224.20	3.94	8.79
		9:00	24.31	49.61	31.90	8.21	6.03	191.48	4.91	9.09
		12:00	24.22	48.48	31.20	8.09	7.66	181.81	4.80	6.93
		15:00	24.38	49.00	31.52	7.98	7.11	217.05	2.88	6.48
		18:00	24.69	49.15	31.61	8.06	6.05	199.16	2.94	10.32
		21:00	24.07	48.00	30.90	8.23	8.02	221.47	3.86	11.81
	日平均	24.20	49.06	31.56	8.11	6.92	203.82	3.85	8.02	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 13 日	蚵殼站	0:00	24.05	49.08	31.57	8.09	9.52	224.07	0.16	6.27
		3:00	23.96	49.43	31.78	8.01	7.88	230.17	0.19	5.97
		6:00	23.82	49.62	31.90	8.03	7.32	225.05	0.16	7.57
		9:00	23.91	49.86	32.05	8.07	7.86	214.58	1.03	5.18
		12:00	24.14	49.88	32.06	7.93	6.97	239.69	0.29	10.88
		15:00	24.19	50.05	32.17	7.94	6.93	237.77	0.43	7.41
		18:00	24.12	50.07	32.18	8.02	8.25	228.52	0.89	7.73
		21:00	23.88	49.88	32.06	8.16	8.99	210.53	0.49	7.37
	日平均	24.01	49.73	31.97	8.03	7.97	226.30	0.46	7.30	
	潮口站	0:00	24.39	51.75	33.22	7.79	7.29	236.87	4.37	11.03
		3:00	24.41	51.62	33.14	7.73	6.84	192.29	5.76	5.84
		6:00	24.20	51.22	32.89	7.75	6.17	153.81	5.23	7.96
		9:00	23.93	50.54	32.47	7.84	7.18	214.53	3.33	17.88
		12:00	24.41	51.60	33.13	7.81	7.24	192.31	6.18	12.14
		15:00	24.50	51.86	33.29	7.77	7.20	228.16	5.06	8.58
		18:00	24.29	51.30	32.94	7.89	7.06	203.35	4.11	11.64
		21:00	24.20	51.11	32.83	7.97	7.18	222.84	4.15	12.34
	日平均	24.29	51.38	32.99	7.82	7.02	205.52	4.77	10.93	
	灣內站	0:00	24.10	49.45	31.80	8.15	6.07	239.80	3.76	7.05
		3:00	23.82	49.54	31.85	8.06	5.26	201.41	3.31	10.53
		6:00	23.51	49.39	31.76	7.91	6.35	210.26	3.26	10.81
		9:00	23.46	49.35	31.73	8.07	6.12	193.27	4.99	11.75
		12:00	23.86	49.19	31.64	8.10	7.66	231.50	4.61	8.66
		15:00	23.93	49.22	31.65	8.09	7.11	200.46	4.53	10.90
		18:00	23.88	49.92	32.09	8.16	6.82	225.90	2.96	6.93
		21:00	23.76	49.97	32.12	8.19	6.25	193.11	3.36	7.05
	日平均	23.79	49.50	31.83	8.09	6.46	211.96	3.85	9.21	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 14 日	蚵殼站	0:00	23.61	50.04	32.16	8.15	8.84	204.63	0.26	9.20
		3:00	23.55	50.37	32.37	8.09	8.06	211.89	0.36	7.23
		6:00	23.43	50.55	32.48	8.03	7.04	199.86	0.29	7.55
		9:00	23.14	50.02	32.15	8.05	7.56	194.50	0.63	9.54
		12:00	23.09	49.51	31.83	8.04	7.89	205.55	0.69	12.91
		15:00	23.61	50.57	32.49	7.99	6.19	204.15	2.46	11.45
		18:00	23.52	50.81	32.64	7.98	6.26	198.26	1.59	11.47
		21:00	23.22	50.37	32.37	7.99	6.96	188.76	1.23	8.38
		日平均	23.40	50.28	32.31	8.04	7.35	200.95	0.94	9.72
	潮口站	0:00	24.05	50.86	32.67	7.96	7.27	173.37	3.93	4.55
		3:00	24.03	51.75	33.22	7.86	6.82	214.30	5.58	9.85
		6:00	23.96	51.86	33.29	7.81	5.82	191.16	6.34	9.18
		9:00	23.76	51.44	33.03	7.90	6.10	184.25	6.19	6.54
		12:00	23.97	51.65	33.16	7.79	6.96	194.49	6.52	8.05
		15:00	24.25	51.93	33.33	7.84	6.81	170.15	5.37	4.78
		18:00	24.10	51.79	33.25	7.90	6.54	200.15	5.20	2.45
		21:00	23.65	51.41	33.01	7.96	7.27	213.63	5.80	5.65
		日平均	23.97	51.59	33.12	7.88	6.70	192.69	5.62	6.38
	灣內站	0:00	23.20	49.29	31.70	8.11	6.69	226.52	4.01	9.43
		3:00	23.13	49.62	31.90	8.10	7.18	219.93	3.93	14.75
		6:00	23.09	49.71	31.96	8.18	6.44	197.46	3.01	6.63
		9:00	23.28	49.81	32.02	8.16	6.88	220.49	3.03	11.83
		12:00	23.37	49.42	31.78	8.10	6.82	227.88	3.89	11.51
		15:00	23.20	48.88	31.44	8.03	6.25	214.16	3.56	9.44
		18:00	23.41	49.77	32.00	8.15	5.30	222.21	3.46	5.64
		21:00	23.29	50.48	32.43	8.25	5.78	203.12	2.91	5.62
		日平均	23.25	49.62	31.90	8.14	6.42	216.47	3.48	9.36
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 15 日	蚵殼站	0:00	21.11	50.39	32.38	8.04	8.49	199.10	0.58	10.37
		3:00	20.86	50.05	32.17	8.04	8.50	192.77	0.63	7.80
		6:00	22.04	49.88	32.06	8.01	6.80	194.14	9.93	7.05
		9:00	21.22	49.48	31.82	7.93	7.15	220.31	0.73	8.47
		12:00	22.44	49.45	31.80	7.95	6.88	191.79	0.51	7.92
		15:00	22.86	49.28	31.69	8.06	7.37	170.41	0.76	9.16
		18:00	22.86	48.91	31.46	8.05	6.27	165.60	1.76	9.97
		21:00	22.57	49.09	31.57	8.04	7.76	173.44	1.13	9.65
		日平均	22.00	49.57	31.87	8.02	7.40	188.45	2.00	8.80
	潮口站	0:00	23.26	50.95	32.73	7.81	7.43	160.98	3.34	6.44
		3:00	23.35	51.57	33.11	7.80	6.77	172.66	5.55	1.65
		6:00	23.69	52.11	33.44	7.72	6.50	179.96	6.96	5.34
		9:00	23.40	51.77	33.23	7.74	5.77	180.19	6.51	2.62
		12:00	23.62	51.61	33.13	8.02	7.05	177.42	11.11	8.71
		15:00	23.99	51.44	33.03	8.06	7.03	232.07	11.08	3.77
		18:00	23.86	51.07	32.80	8.06	7.00	176.04	9.32	5.60
		21:00	23.43	51.25	32.91	8.05	7.35	192.72	9.43	4.94
		日平均	23.58	51.47	33.05	7.91	6.86	184.01	7.91	4.88
	灣內站	0:00	22.19	49.18	31.63	8.07	5.84	213.77	3.33	6.69
		3:00	21.70	50.18	32.25	8.06	6.19	196.11	3.91	11.32
		6:00	22.05	49.73	31.97	8.18	5.94	194.45	3.26	8.40
		9:00	20.55	48.48	31.20	8.32	8.11	229.97	4.26	11.37
		12:00	22.57	48.55	31.24	8.11	7.62	228.58	4.23	8.37
		15:00	22.78	48.65	31.30	7.94	7.63	210.67	4.41	5.10
		18:00	22.61	49.04	31.54	8.10	6.57	189.03	3.36	6.74
		21:00	22.69	49.69	31.95	8.20	7.03	206.85	3.09	9.56
		日平均	22.14	49.19	31.64	8.12	6.87	208.68	3.73	8.44
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月16日	蚵殼站	0:00	22.08	48.78	31.38	7.99	7.99	176.13	0.66	8.72
		3:00	20.10	48.81	31.40	7.98	8.60	153.04	1.04	6.30
		6:00	21.57	49.51	31.83	7.95	7.31	162.53	0.99	5.11
		9:00	21.51	49.48	31.82	7.88	7.33	199.61	1.93	8.11
		12:00	22.11	49.40	31.77	7.91	6.01	185.92	0.83	11.06
		15:00	22.39	49.18	31.63	8.07	8.21	174.56	0.46	6.81
		18:00	22.33	49.58	31.88	8.00	6.28	182.20	0.69	7.15
		21:00	22.09	49.24	31.67	8.09	8.42	178.43	1.59	8.50
		日平均	21.77	49.25	31.67	7.98	7.52	176.55	1.02	7.72
	潮口站	0:00	23.01	50.94	32.72	8.07	7.67	192.39	7.39	4.38
		3:00	22.90	50.97	32.74	8.04	7.01	196.27	16.79	4.33
		6:00	23.60	51.67	33.17	8.04	6.78	204.26	13.46	7.55
		9:00	23.53	51.64	33.15	8.04	6.82	197.93	14.18	4.74
		12:00	23.63	51.56	33.10	8.04	6.80	176.29	6.42	4.51
		15:00	23.83	51.34	32.97	8.06	7.11	189.97	6.96	4.36
		18:00	23.86	51.74	33.22	8.04	6.54	223.29	5.28	4.32
		21:00	23.37	51.40	33.00	8.06	7.28	162.09	6.29	8.72
		日平均	23.47	51.41	33.01	8.05	7.00	192.81	9.60	5.36
	灣內站	0:00	22.75	49.78	32.00	8.03	5.82	200.22	5.32	12.01
		3:00	20.84	48.22	31.03	7.86	6.62	233.23	4.37	10.66
		6:00	21.30	48.28	31.07	8.04	6.76	228.71	3.06	10.35
		9:00	21.63	48.71	31.34	8.29	7.21	223.52	3.52	13.28
		12:00	22.16	48.48	31.20	8.18	7.55	205.96	4.42	10.00
		15:00	22.29	48.34	31.11	7.86	8.00	226.17	3.34	13.60
		18:00	22.73	49.92	32.09	8.04	7.51	183.90	2.93	11.15
		21:00	22.32	50.07	32.18	8.19	6.40	224.82	4.33	14.40
		日平均	22.00	48.98	31.50	8.06	6.98	215.82	3.91	11.93
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月17日	蚵殼站	0:00	21.78	48.68	31.32	8.04	8.35	176.82	0.79	5.35
		3:00	21.16	48.78	31.38	8.02	8.81	170.30	0.49	8.12
		6:00	21.47	49.54	31.85	8.03	7.78	178.97	0.86	4.87
		9:00	21.48	49.57	31.87	8.00	7.26	207.95	1.13	7.06
		12:00	22.29	49.13	31.60	8.08	9.26	181.60	1.83	7.11
		15:00	22.47	47.99	30.89	8.08	8.07	177.60	1.73	5.45
		18:00	23.08	49.57	31.87	7.95	6.55	205.00	1.09	6.67
		21:00	22.77	49.08	31.57	7.99	6.55	198.47	1.93	7.74
		日平均	22.06	49.04	31.54	8.02	7.83	187.09	1.23	6.55
	潮口站	0:00	22.66	50.84	32.66	8.07	7.99	203.91	5.01	8.43
		3:00	22.63	50.94	32.72	8.05	7.37	222.67	6.20	3.93
		6:00	23.24	51.70	33.19	8.02	6.72	165.54	7.18	6.24
		9:00	23.45	51.73	33.21	8.03	6.74	207.37	8.51	4.10
		12:00	23.70	51.29	32.94	8.03	7.04	214.19	6.72	6.70
		15:00	23.82	50.15	32.23	8.03	7.08	141.81	7.48	6.14
		18:00	23.66	51.73	33.21	7.98	6.36	196.22	6.74	6.37
		21:00	23.29	51.24	32.91	8.03	7.43	166.10	4.71	6.56
		日平均	23.31	51.20	32.88	8.03	7.09	189.73	6.57	6.06
	灣內站	0:00	22.35	50.00	32.14	8.13	5.97	206.49	4.91	12.17
		3:00	21.73	49.57	31.87	7.90	6.12	230.61	4.96	13.01
		6:00	21.45	49.13	31.60	8.02	6.49	217.74	3.82	10.12
		9:00	21.34	48.52	31.22	8.29	8.54	189.39	4.17	11.44
		12:00	22.01	48.46	31.18	8.23	9.44	207.60	6.04	7.35
		15:00	22.39	48.99	31.51	7.98	10.25	178.13	4.72	9.31
		18:00	22.33	50.23	32.28	8.06	6.37	193.44	2.94	10.96
		21:00	22.31	50.03	32.16	8.29	6.08	182.75	5.32	10.37
		日平均	21.99	49.37	31.75	8.11	7.41	200.77	4.61	10.59
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月18日	蚵殼站	0:00	22.51	48.87	31.44	8.00	7.16	198.45	1.39	7.86
		3:00	21.77	48.57	31.25	8.05	8.86	167.32	1.39	6.10
		6:00	22.22	49.41	31.77	8.04	8.27	165.25	1.13	5.01
		9:00	22.33	49.61	31.90	8.07	7.69	181.25	1.43	5.41
		12:00	22.48	49.41	31.77	8.26	8.14	193.88	1.59	9.30
		15:00	22.41	49.49	31.82	8.19	7.36	176.05	0.76	11.26
		18:00	22.43	49.46	31.80	8.13	6.87	190.43	1.76	8.01
		21:00	22.27	49.13	31.60	8.15	5.89	195.22	1.13	7.34
	日平均	22.30	49.24	31.67	8.11	7.53	183.48	1.32	7.54	
	潮口站	0:00	22.86	51.03	32.78	8.06	7.73	192.58	6.26	4.44
		3:00	22.40	50.73	32.59	8.07	7.90	208.00	5.28	8.16
		6:00	23.03	51.57	33.11	8.02	6.81	178.46	9.67	7.00
		9:00	23.32	51.77	33.23	8.00	6.47	187.07	9.00	8.04
		12:00	23.46	51.57	33.11	8.00	6.94	186.43	7.73	4.28
		15:00	23.60	51.65	33.16	8.00	6.98	151.83	8.63	11.69
		18:00	23.47	51.62	33.14	7.98	6.41	140.22	6.90	8.36
		21:00	23.10	51.29	32.94	8.02	7.55	217.82	5.28	6.14
	日平均	23.16	51.40	33.01	8.02	7.10	182.80	7.34	7.26	
	灣內站	0:00	21.86	49.64	31.91	8.30	7.10	218.12	5.50	6.55
		3:00	21.61	49.62	31.90	7.95	9.37	210.56	5.36	7.03
		6:00	21.25	49.13	31.60	7.92	8.23	213.66	4.72	4.80
		9:00	21.88	49.50	31.83	8.16	9.97	185.81	3.70	9.36
		12:00	22.49	48.83	31.41	8.14	10.57	190.60	5.56	8.98
		15:00	22.31	48.27	31.07	7.94	11.07	222.45	5.30	6.14
		18:00	22.40	49.03	31.54	7.93	6.13	211.88	3.48	8.94
		21:00	22.16	50.19	32.26	8.25	5.96	193.37	3.20	9.18
	日平均	22.00	49.28	31.69	8.07	8.55	205.81	4.60	7.62	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月19日	蚵殼站	0:00	22.04	48.87	31.44	8.15	6.91	184.90	1.39	11.05
		3:00	21.61	49.54	31.85	8.16	9.54	171.93	1.39	10.04
		6:00	21.40	49.09	31.57	8.15	9.04	164.58	0.99	8.81
		9:00	21.83	49.59	31.88	8.18	6.87	174.43	1.93	6.92
		12:00	22.15	49.43	31.78	8.16	7.41	173.57	1.83	10.92
		15:00	22.17	47.26	30.44	8.13	7.72	186.58	0.46	13.90
		18:00	22.16	49.14	31.60	8.16	5.49	194.37	0.69	6.03
		21:00	22.16	49.47	31.81	8.18	5.63	178.52	1.59	6.45
	日平均	21.94	49.05	31.55	8.16	7.33	178.61	1.28	9.27	
	潮口站	0:00	22.86	51.03	32.78	8.06	7.73	176.62	6.26	3.67
		3:00	23.24	51.70	33.19	8.02	6.72	162.73	7.18	8.17
		6:00	22.63	51.25	32.91	8.06	7.86	153.81	8.51	8.43
		9:00	23.08	51.75	33.22	8.01	6.81	208.03	9.56	5.78
		12:00	23.21	51.59	33.12	8.01	6.66	208.68	8.52	8.31
		15:00	23.19	49.42	31.78	7.98	6.95	154.96	11.25	4.99
		18:00	23.36	51.30	32.94	8.03	6.94	219.83	4.97	7.56
		21:00	23.23	51.63	33.15	8.02	6.38	210.87	3.88	7.26
	日平均	23.10	51.21	32.89	8.02	7.01	186.94	7.52	6.77	
	灣內站	0:00	21.98	50.17	32.24	8.25	5.94	190.31	3.76	10.53
		3:00	21.82	50.30	32.32	8.01	6.14	215.56	3.36	12.08
		6:00	21.86	50.50	32.45	7.87	7.06	203.21	3.78	8.95
		9:00	21.88	50.17	32.24	8.15	7.13	224.95	4.75	13.02
		12:00	21.91	49.53	31.85	8.21	9.88	184.30	4.64	14.05
		15:00	21.74	48.97	31.50	7.94	7.70	212.83	2.72	10.51
		18:00	21.82	49.92	32.09	7.92	5.28	196.72	2.78	10.53
		21:00	21.73	50.20	32.26	8.06	6.49	183.90	3.70	9.84
	日平均	21.84	49.97	32.12	8.05	6.95	201.47	3.69	11.19	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月20日	蚵殼站	0:00	22.01	49.10	31.58	8.10	5.65	187.08	1.00	9.38
		3:00	21.88	48.93	31.47	8.11	8.31	180.00	1.53	7.48
		6:00	21.56	49.09	31.57	8.08	6.37	185.60	5.97	9.31
		9:00	21.91	49.63	31.91	8.08	5.84	189.83	2.17	7.95
		12:00	22.14	49.66	31.93	8.14	6.81	183.37	1.30	4.89
		15:00	22.12	47.95	30.87	8.15	6.43	177.10	0.97	5.98
		18:00	21.99	49.85	32.04	8.12	6.82	196.43	0.90	6.04
		21:00	22.23	49.48	31.82	7.93	6.03	219.35	0.95	8.00
	日平均	21.98	49.21	31.65	8.09	6.53	189.85	1.85	7.38	
	潮口站	0:00	22.69	51.26	32.92	8.03	7.21	151.30	6.18	8.11
		3:00	22.32	51.09	32.81	8.03	7.27	206.65	7.40	5.00
		6:00	22.26	51.25	32.91	8.03	6.96	189.90	6.21	8.79
		9:00	22.90	51.79	33.25	7.98	6.48	139.71	6.86	8.52
		12:00	23.27	51.82	33.27	8.02	6.37	149.96	6.32	5.19
		15:00	23.26	50.11	32.21	8.01	6.80	143.51	5.52	5.41
		18:00	23.10	47.88	30.82	8.01	6.96	119.57	5.43	4.81
		21:00	23.45	51.64	33.15	7.96	6.19	140.80	4.02	4.35
	日平均	22.91	50.86	32.67	8.01	6.78	155.18	5.99	6.27	
	灣內站	0:00	21.82	50.23	32.28	8.20	5.32	194.70	3.60	12.40
		3:00	21.50	50.22	32.27	8.10	8.44	185.11	3.15	10.20
		6:00	21.08	49.95	32.11	7.95	7.13	177.54	3.10	8.28
		9:00	21.36	49.66	31.93	8.09	6.87	180.45	4.83	10.31
		12:00	21.62	49.45	31.80	8.20	11.89	177.34	4.45	7.82
		15:00	21.66	49.62	31.90	8.03	11.37	186.09	4.37	7.94
		18:00	21.67	49.82	32.03	7.89	7.83	172.55	2.80	5.43
		21:00	21.71	49.95	32.11	8.07	6.88	155.21	3.20	4.93
	日平均	21.55	49.86	32.05	8.07	8.22	178.62	3.69	8.41	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月21日	蚵殼站	0:00	22.21	48.98	31.51	7.95	6.06	220.83	0.73	11.41
		3:00	22.02	48.45	31.18	8.09	6.39	190.20	0.90	7.48
		6:00	21.88	48.43	31.16	8.05	8.63	194.23	0.53	13.39
		9:00	21.96	49.51	31.83	8.05	6.44	195.63	0.48	8.39
		12:00	22.69	49.55	31.86	8.08	6.98	201.07	0.93	11.44
		15:00	22.47	49.27	31.69	8.07	6.65	198.30	0.33	8.49
		18:00	22.24	49.09	31.57	8.06	6.04	198.03	0.80	13.56
		21:00	22.12	49.72	31.96	7.97	6.13	223.38	0.95	13.16
	日平均	22.20	49.13	31.60	8.04	6.67	202.71	0.71	10.92	
	潮口站	0:00	22.85	51.14	32.84	8.00	6.89	182.45	4.72	6.09
		3:00	22.21	50.61	32.52	8.02	7.56	143.22	3.64	4.14
		6:00	22.04	50.59	32.50	7.96	6.65	165.34	5.12	4.30
		9:00	22.98	51.67	33.17	7.96	6.07	118.44	5.62	5.32
		12:00	23.44	51.71	33.20	7.94	5.70	143.32	5.49	3.91
		15:00	23.34	51.43	33.02	7.96	5.85	173.88	6.77	6.89
		18:00	23.38	51.25	32.91	7.93	6.14	132.96	5.64	7.81
		21:00	23.29	51.88	33.30	7.83	7.56	164.89	5.20	5.86
	日平均	22.94	51.29	32.93	7.95	6.55	153.06	5.28	5.54	
	灣內站	0:00	21.48	49.81	32.02	8.19	6.39	177.46	3.85	12.12
		3:00	21.26	49.73	31.97	8.08	5.24	162.30	3.77	10.13
		6:00	21.27	49.72	31.96	7.96	7.50	175.53	2.85	6.47
		9:00	21.29	49.66	31.93	7.99	6.72	152.94	2.87	10.55
		12:00	21.90	49.40	31.77	8.14	7.98	155.66	3.73	9.17
		15:00	21.88	49.17	31.62	8.00	9.72	170.99	3.40	11.37
		18:00	21.93	49.28	31.69	7.91	6.51	197.07	3.30	12.07
		21:00	21.96	49.62	31.90	7.94	5.29	167.38	2.75	8.31
	日平均	21.62	49.55	31.86	8.03	6.92	169.92	3.32	10.02	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 22 日	蚵殼站	0:00	21.80	49.05	31.55	8.10	5.23	204.40	1.03	9.51
		3:00	21.66	48.58	31.26	8.08	7.15	193.77	0.70	10.83
		6:00	21.52	48.53	31.23	8.07	7.56	204.70	1.77	8.61
		9:00	21.62	49.40	31.77	8.10	6.66	201.70	0.20	13.26
		12:00	21.82	49.64	31.91	8.07	5.89	215.27	1.13	7.36
		15:00	21.76	49.55	31.86	8.13	6.38	212.67	3.03	6.31
		18:00	21.57	49.28	31.69	8.07	5.29	218.00	0.30	11.09
		21:00	21.39	49.14	31.60	8.16	5.93	213.83	0.10	9.45
		日平均	21.64	49.15	31.61	8.10	6.26	208.04	1.03	9.55
	潮口站	0:00	22.50	51.21	32.89	7.94	7.48	145.02	3.86	4.95
		3:00	21.98	50.74	32.60	8.00	6.86	175.60	2.70	7.26
		6:00	21.78	50.69	32.57	8.00	6.21	166.48	4.58	5.35
		9:00	22.50	51.56	33.10	7.91	6.23	171.60	7.90	4.17
		12:00	23.24	51.80	33.25	7.84	6.53	160.64	5.89	7.45
		15:00	23.25	51.71	33.20	7.86	6.57	129.47	5.34	9.60
		18:00	23.28	51.44	33.03	7.84	5.85	131.31	3.88	9.25
		21:00	23.49	51.30	32.94	7.82	6.92	121.45	3.78	3.97
		日平均	22.75	51.31	32.95	7.90	6.58	150.20	4.74	6.50
	灣內站	0:00	21.59	49.78	32.00	8.20	6.88	177.39	3.17	12.51
		3:00	21.41	49.84	32.04	8.07	6.79	189.03	3.75	12.27
		6:00	21.29	49.82	32.03	8.00	8.08	189.23	3.10	6.58
		9:00	21.31	49.57	31.87	7.97	6.71	165.23	4.10	12.23
		12:00	21.34	48.84	31.42	8.02	7.31	196.92	4.07	11.68
		15:00	21.57	48.38	31.13	7.99	8.18	197.92	4.25	9.86
		18:00	21.49	48.83	31.41	7.92	6.49	169.22	3.20	15.86
		21:00	21.37	49.47	31.81	7.78	7.34	158.35	2.93	8.61
		日平均	21.42	49.32	31.71	7.99	7.22	180.41	3.57	11.20
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 23 日	蚵殼站	0:00	21.40	49.55	31.86	8.04	5.74	226.23	0.13	7.93
		3:00	20.97	48.83	31.41	8.11	6.53	212.17	0.33	4.23
		6:00	20.84	48.56	31.25	8.13	7.35	212.80	0.10	5.74
		9:00	20.72	49.08	31.57	8.09	6.60	220.27	1.10	12.04
		12:00	20.87	49.66	31.93	8.17	6.76	216.27	0.30	8.18
		15:00	21.05	49.59	31.88	8.10	5.56	221.35	1.35	9.78
		18:00	21.08	49.23	31.66	8.07	6.39	226.90	0.37	11.60
		21:00	20.91	49.23	31.66	8.04	6.78	233.20	0.27	14.14
		日平均	20.98	49.22	31.65	8.09	6.46	221.15	0.49	9.21
	潮口站	0:00	23.48	51.71	33.20	7.83	7.22	176.97	3.35	7.18
		3:00	21.93	50.99	32.75	7.96	7.39	123.51	2.88	3.21
		6:00	21.59	50.72	32.58	7.95	6.30	144.95	2.34	3.85
		9:00	22.36	51.24	32.91	7.89	5.96	160.32	4.85	6.17
		12:00	23.63	51.82	33.27	7.78	6.43	162.79	5.91	4.86
		15:00	23.43	51.75	33.22	7.85	6.47	144.33	4.96	10.06
		18:00	22.48	51.39	33.00	7.96	5.90	159.13	4.99	6.10
		21:00	22.49	51.39	33.00	7.91	7.04	160.56	5.88	6.97
		日平均	22.67	51.38	32.99	7.89	6.59	154.07	4.40	6.05
	灣內站	0:00	21.41	49.91	32.08	8.10	5.79	163.34	4.60	9.90
		3:00	21.02	49.75	31.98	8.16	6.56	171.53	3.07	6.09
		6:00	21.12	49.77	32.00	8.07	7.77	183.44	3.05	11.35
		9:00	20.93	49.23	31.66	7.96	7.01	198.44	3.00	14.84
		12:00	20.84	49.42	31.78	7.96	7.72	184.26	3.30	7.38
		15:00	21.05	49.72	31.96	7.97	6.32	166.24	3.80	12.57
		18:00	21.30	49.72	31.96	7.91	6.04	167.47	4.05	15.32
		21:00	20.80	49.44	31.79	7.80	5.58	172.34	2.67	12.96
		日平均	21.06	49.62	31.90	7.99	6.60	175.88	3.44	11.30
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月24日	蚵殼站	0:00	20.51	49.70	31.95	7.97	8.21	240.30	0.30	11.42
		3:00	20.27	49.33	31.72	7.92	5.60	245.22	0.63	12.50
		6:00	20.31	48.63	31.29	7.98	8.15	239.13	0.47	10.71
		9:00	20.35	48.91	31.46	7.93	8.50	243.87	0.47	14.30
		12:00	20.07	49.73	31.97	7.92	7.11	247.27	0.27	7.87
		15:00	20.41	49.52	31.84	7.96	6.41	243.80	0.13	9.14
		18:00	20.53	48.39	31.14	7.94	6.18	182.97	0.13	11.10
		21:00	20.15	48.34	31.11	7.90	9.32	241.80	0.10	8.45
	日平均	20.33	49.07	31.56	7.94	7.44	235.55	0.31	10.69	
	潮口站	0:00	23.53	51.86	33.29	7.89	7.22	194.86	3.48	8.86
		3:00	22.46	51.49	33.06	7.94	6.21	169.54	5.32	9.20
		6:00	21.29	50.79	32.63	7.97	7.35	143.58	3.78	5.89
		9:00	21.84	51.07	32.80	7.93	6.30	131.67	5.68	2.98
		12:00	23.79	51.89	33.31	7.87	6.15	167.21	6.95	3.18
		15:00	23.46	51.68	33.18	7.90	6.44	140.13	6.12	11.01
		18:00	21.28	50.55	32.48	7.97	6.43	124.15	5.38	13.29
		21:00	21.23	50.50	32.45	7.89	5.87	174.51	3.99	5.53
	日平均	22.36	51.23	32.90	7.92	6.50	155.71	5.09	7.49	
	灣內站	0:00	20.42	49.36	31.74	7.85	6.89	171.12	2.70	14.71
		3:00	20.44	49.56	31.86	7.95	6.59	188.00	2.70	10.93
		6:00	20.51	49.72	31.96	7.95	6.57	184.47	2.93	8.13
		9:00	20.45	49.33	31.72	7.86	8.13	186.95	2.70	18.88
		12:00	20.33	49.44	31.79	7.85	6.86	170.58	2.57	7.15
		15:00	20.35	49.50	31.83	7.81	8.96	162.16	2.70	12.85
		18:00	20.38	49.45	31.80	7.78	7.22	186.23	2.63	11.65
		21:00	20.80	49.78	32.00	7.72	8.02	182.09	2.75	6.66
	日平均	20.46	49.52	31.84	7.85	7.41	178.95	2.71	11.37	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月25日	蚵殼站	0:00	20.00	48.85	31.43	7.88	9.48	243.90	0.00	5.53
		3:00	20.02	48.58	31.26	7.87	7.84	242.67	0.03	6.12
		6:00	20.11	48.07	30.94	7.94	7.28	245.20	0.00	7.91
		9:00	20.39	48.34	31.11	7.91	7.82	251.50	0.87	5.10
		12:00	20.98	49.56	31.86	7.86	6.93	254.10	0.13	7.93
		15:00	21.32	49.28	31.69	7.91	6.89	257.90	0.27	4.53
		18:00	21.41	48.99	31.51	7.85	8.21	237.90	0.73	3.97
		21:00	21.29	48.97	31.50	7.90	8.95	199.70	0.33	5.38
	日平均	20.69	48.83	31.41	7.89	7.93	241.61	0.30	5.81	
	潮口站	0:00	22.14	51.01	32.76	7.91	6.70	141.75	4.82	4.69
		3:00	21.48	50.74	32.60	7.83	6.76	198.91	3.45	5.54
		6:00	20.76	50.23	32.28	7.84	6.45	185.57	2.90	6.61
		9:00	21.35	50.50	32.45	7.83	5.97	178.93	5.58	6.87
		12:00	23.76	51.72	33.20	7.80	5.86	192.90	7.32	6.36
		15:00	23.97	51.44	33.03	7.75	6.29	185.76	4.47	4.56
		18:00	22.96	51.15	32.85	7.73	6.45	143.63	5.25	5.70
		21:00	22.86	51.13	32.84	7.90	5.68	157.61	6.13	4.19
	日平均	22.41	50.99	32.75	7.82	6.27	173.13	4.99	5.57	
	灣內站	0:00	21.02	49.92	32.09	7.87	6.44	190.81	2.60	8.08
		3:00	21.16	50.13	32.22	7.89	5.72	211.13	2.85	4.97
		6:00	20.66	49.62	31.90	8.04	5.51	197.46	2.90	9.82
		9:00	19.88	48.05	30.93	8.00	8.04	220.82	2.67	6.49
		12:00	20.39	48.61	31.28	7.88	6.88	210.20	2.60	11.63
		15:00	21.20	48.80	31.39	7.88	7.76	199.82	2.70	3.66
		18:00	21.23	49.25	31.67	7.76	5.88	193.03	2.45	9.46
		21:00	21.16	48.94	31.48	7.76	6.46	188.08	2.80	8.04
	日平均	20.84	49.17	31.62	7.89	6.59	201.42	2.70	7.77	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 26 日	蚵殼站	0:00	21.08	48.88	31.44	7.94	8.80	254.00	0.10	6.04
		3:00	20.97	49.13	31.60	7.95	8.02	256.27	0.20	9.28
		6:00	20.88	48.89	31.45	7.95	7.00	258.03	0.13	6.12
		9:00	21.24	48.79	31.39	7.93	7.52	262.68	0.47	7.87
		12:00	22.15	48.69	31.33	7.85	7.85	271.73	0.53	9.71
		15:00	22.43	48.60	31.27	7.82	6.15	274.23	2.30	5.81
		18:00	22.23	48.84	31.42	7.78	6.22	161.87	1.43	8.02
		21:00	22.09	48.52	31.22	7.85	6.92	212.23	1.07	7.51
	日平均	21.63	48.79	31.39	7.88	7.31	243.88	0.78	7.55	
	潮口站	0:00	22.68	51.04	32.78	7.88	6.38	178.55	4.99	3.92
		3:00	23.27	51.29	32.94	7.88	7.05	153.93	5.10	4.17
		6:00	22.56	51.05	32.79	7.92	6.14	143.52	5.08	7.98
		9:00	22.53	50.95	32.73	7.89	5.56	181.14	6.92	7.26
		12:00	24.04	50.85	32.66	7.92	5.19	158.06	5.08	7.46
		15:00	24.07	50.76	32.61	7.88	5.34	162.64	4.86	6.92
		18:00	23.26	51.00	32.76	7.84	5.63	159.24	5.82	7.49
		21:00	23.06	50.68	32.56	7.75	7.05	161.55	5.14	5.40
	日平均	23.18	50.95	32.73	7.87	6.04	162.33	5.37	6.33	
	灣內站	0:00	21.04	49.30	31.70	7.87	7.58	173.68	2.55	7.18
		3:00	21.11	49.70	31.95	7.93	7.93	169.11	2.80	6.37
		6:00	21.12	49.75	31.98	7.96	7.61	182.32	3.60	6.20
		9:00	20.81	47.93	30.86	7.97	8.79	182.79	3.07	7.26
		12:00	21.61	48.06	30.94	7.89	7.92	193.58	3.50	14.75
		15:00	21.98	48.83	31.41	7.84	7.92	186.19	2.70	15.29
18:00		21.84	48.93	31.47	7.76	7.70	174.30	2.73	14.16	
21:00		21.88	47.88	30.82	7.76	5.71	170.45	2.50	8.60	
日平均	21.42	48.80	31.39	7.87	7.65	179.05	2.93	9.98		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 27 日	蚵殼站	0:00	21.78	48.36	31.12	7.79	8.45	249.40	0.42	7.76
		3:00	21.86	48.88	31.44	7.74	8.46	250.77	0.47	6.74
		6:00	22.20	48.66	31.31	7.83	6.76	266.27	5.77	7.11
		9:00	21.75	48.22	31.03	7.88	7.11	272.23	0.57	6.95
		12:00	21.88	49.40	31.77	7.79	6.84	270.27	0.35	6.92
		15:00	22.32	49.68	31.94	7.80	7.33	270.93	0.60	4.84
		18:00	22.15	48.68	31.32	7.76	6.23	252.00	1.60	9.17
		21:00	21.57	47.68	30.70	7.82	7.72	279.17	0.97	7.34
	日平均	21.94	48.70	31.33	7.80	7.36	263.88	1.34	7.10	
	潮口站	0:00	23.13	50.52	32.46	7.80	6.60	156.59	5.93	6.24
		3:00	23.35	51.04	32.78	7.89	6.66	150.99	6.07	5.97
		6:00	23.01	50.82	32.65	7.79	6.35	169.19	4.94	5.43
		9:00	22.59	50.38	32.37	7.78	5.87	129.90	4.88	5.25
		12:00	23.58	51.56	33.10	7.94	5.76	186.26	7.04	7.70
		15:00	23.76	51.84	33.28	7.79	6.19	184.69	5.03	8.05
		18:00	22.90	50.84	32.66	7.90	6.35	166.85	4.69	3.92
		21:00	22.14	49.84	32.04	7.94	5.58	167.87	2.82	9.66
	日平均	23.06	50.86	32.67	7.85	6.17	164.04	5.18	6.53	
	灣內站	0:00	21.89	47.82	30.79	7.84	6.11	161.11	2.57	10.39
		3:00	21.95	49.19	31.64	7.76	5.55	168.13	3.45	12.25
		6:00	21.65	48.96	31.49	7.94	5.58	150.27	2.53	9.01
		9:00	21.75	49.00	31.52	7.89	7.82	164.53	2.75	12.73
		12:00	21.68	48.49	31.20	7.78	7.03	158.61	2.53	14.87
		15:00	21.66	49.04	31.54	7.84	8.81	193.98	2.35	10.91
18:00		21.87	49.29	31.70	7.83	6.92	160.16	2.43	14.38	
21:00		21.81	49.35	31.73	7.83	6.15	142.53	6.13	12.53	
日平均	21.78	48.89	31.45	7.84	6.75	162.42	3.09	12.13		
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月28日	蚵殼站	0:00	21.39	48.15	30.99	7.94	7.95	278.53	0.50	9.06
		3:00	21.45	49.01	31.52	7.93	8.56	275.20	0.88	10.37
		6:00	21.56	49.47	31.81	7.93	7.27	273.37	0.83	5.76
		9:00	21.92	49.03	31.54	7.92	7.29	271.63	1.77	6.14
		12:00	22.36	49.58	31.88	7.77	5.97	280.90	0.67	8.47
		15:00	22.56	49.39	31.76	7.86	8.17	259.40	0.30	5.08
		18:00	22.32	49.37	31.75	7.85	6.24	248.03	0.53	8.50
		21:00	21.67	49.09	31.57	7.90	8.38	263.23	1.43	8.68
	日平均	21.90	49.14	31.60	7.89	7.48	268.79	0.86	7.76	
	潮口站	0:00	22.31	50.31	32.33	7.94	6.28	138.86	4.09	7.91
		3:00	22.95	51.17	32.86	7.98	6.95	162.49	6.07	4.49
		6:00	23.04	51.63	33.15	7.82	6.04	156.64	6.95	11.16
		9:00	22.70	51.19	32.87	7.80	5.46	189.80	6.54	7.11
		12:00	23.52	51.74	33.22	7.91	5.09	169.13	6.41	6.55
		15:00	23.80	51.55	33.10	7.91	5.24	165.40	3.75	4.55
		18:00	23.56	51.53	33.09	7.92	5.53	172.48	4.54	7.56
		21:00	22.86	51.25	32.91	7.92	6.95	144.59	6.73	6.41
	日平均	23.09	51.30	32.94	7.90	5.94	162.42	5.64	6.97	
	灣內站	0:00	21.66	49.53	31.85	7.84	9.48	174.75	3.95	11.85
		3:00	21.45	49.46	31.80	7.79	8.72	192.00	3.53	17.23
		6:00	20.80	48.60	31.27	7.89	8.98	171.92	3.50	17.04
		9:00	21.09	48.69	31.33	7.93	9.26	193.12	3.27	7.57
		12:00	21.38	47.89	30.83	7.86	8.55	163.95	3.85	10.04
		15:00	21.53	48.09	30.95	7.86	6.58	204.27	3.17	8.93
		18:00	21.57	48.47	31.19	7.86	7.04	184.67	3.10	14.92
		21:00	21.42	49.15	31.61	8.00	6.44	198.13	3.07	13.50
	日平均	21.36	48.74	31.35	7.88	8.13	185.35	3.43	12.64	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113年10~12月灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12月29日	蚵殼站	0:00	21.03	48.75	31.36	7.97	8.31	259.50	0.63	5.82
		3:00	20.89	49.11	31.59	7.89	8.77	255.10	0.33	8.45
		6:00	20.73	49.70	31.95	7.92	7.74	259.43	0.70	5.79
		9:00	20.45	49.54	31.85	7.89	7.22	273.13	0.97	8.78
		12:00	21.66	48.08	30.95	7.93	9.22	262.83	1.67	10.64
		15:00	22.03	47.54	30.61	7.88	8.03	267.27	1.57	8.97
		18:00	22.46	48.89	31.45	7.80	6.51	210.40	0.93	8.18
		21:00	22.09	48.56	31.25	7.77	6.51	258.57	1.77	9.65
	日平均	21.42	48.77	31.38	7.88	7.79	255.78	1.07	8.29	
	潮口站	0:00	22.36	50.91	32.70	7.89	6.76	150.69	3.92	3.47
		3:00	22.67	51.27	32.92	7.85	5.16	149.63	6.91	9.61
		6:00	23.16	51.86	33.29	7.82	5.16	182.11	7.83	10.51
		9:00	22.85	51.70	33.19	7.80	5.65	204.07	6.29	4.59
		12:00	23.47	50.24	32.29	7.91	6.50	165.81	5.75	10.20
		15:00	23.65	49.70	31.95	8.03	6.56	163.16	5.02	8.02
		18:00	23.46	51.05	32.79	7.95	6.19	149.02	5.48	5.87
		21:00	22.71	50.72	32.58	7.94	7.07	161.67	5.92	8.58
	日平均	23.04	50.93	32.71	7.90	6.13	165.77	5.89	7.61	
	灣內站	0:00	20.93	48.93	31.47	7.89	9.25	177.76	3.55	9.77
		3:00	20.73	48.67	31.31	7.78	8.27	213.76	3.83	9.44
		6:00	20.44	48.75	31.36	7.98	7.31	190.86	3.07	3.74
		9:00	20.41	47.97	30.88	7.93	8.46	169.95	3.50	11.09
		12:00	21.30	48.54	31.23	7.87	11.02	192.28	5.40	6.99
		15:00	21.52	48.72	31.34	7.84	8.90	215.31	4.00	8.41
		18:00	21.40	48.88	31.44	7.89	7.17	187.02	3.47	5.27
		21:00	21.60	49.51	31.83	7.94	7.06	176.25	3.40	9.14
	日平均	21.04	48.75	31.36	7.89	8.43	190.40	3.78	7.98	
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 30 日	蚵殼站	0:00	21.16	48.25	31.05	7.98	7.12	265.07	1.23	11.56
		3:00	21.39	48.58	31.26	7.98	8.82	265.27	1.23	9.57
		6:00	21.23	49.53	31.85	7.92	8.23	262.00	0.97	8.28
		9:00	21.46	49.28	31.69	7.95	7.65	263.68	1.27	8.86
		12:00	22.02	49.57	31.87	7.99	8.10	256.47	1.43	11.83
		15:00	22.32	49.74	31.98	7.80	7.32	270.93	0.60	11.91
		18:00	22.15	48.68	31.32	7.76	6.83	252.00	1.60	8.36
		21:00	21.57	47.68	30.70	7.82	5.85	279.17	0.97	11.08
		日平均	21.66	48.91	31.47	7.90	7.49	264.32	1.16	10.18
	潮口站	0:00	22.33	50.41	32.39	7.93	7.10	205.00	3.90	3.41
		3:00	22.42	50.74	32.60	7.83	6.22	210.64	4.82	10.60
		6:00	23.09	51.69	33.18	7.89	5.96	198.53	5.09	3.31
		9:00	22.72	51.44	33.03	7.81	6.06	163.75	4.66	6.19
		12:00	23.13	51.73	33.21	7.96	6.89	174.14	4.60	3.80
		15:00	23.34	51.90	33.31	7.87	6.83	213.18	4.60	4.35
		18:00	22.90	50.84	32.66	7.90	6.00	153.36	4.69	7.45
		21:00	22.14	49.84	32.04	7.94	6.93	161.19	2.82	7.55
		日平均	22.76	51.07	32.80	7.89	6.50	184.97	4.40	5.83
	灣內站	0:00	21.32	49.54	31.85	7.85	7.78	205.04	4.47	10.64
		3:00	21.41	49.91	32.08	7.80	9.96	190.69	5.30	7.72
		6:00	21.08	49.65	31.92	7.94	6.94	210.53	4.30	9.39
		9:00	21.32	49.31	31.71	8.02	9.22	194.64	4.80	10.62
		12:00	21.82	49.59	31.88	7.89	11.07	208.98	7.65	11.35
		15:00	21.66	49.04	31.54	7.79	5.81	218.00	2.35	12.72
		18:00	21.30	48.54	31.23	7.85	11.02	214.36	5.40	5.93
		21:00	21.81	49.35	31.73	7.98	6.15	191.80	6.13	6.13
		日平均	21.47	49.37	31.74	7.89	8.49	204.26	5.05	9.31
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—

113 年 10~12 月 灣域水質日報表

日期	測站	時間	溫度(°C)	比導電度(mS/cm)	鹽度(psu)	pH	DO(mg/L)	氧化還原電位(mV)	濁度(NTU)	葉綠素(µg/L)
12 月 30 日	蚵殼站	0:00	21.16	48.15	30.99	7.98	6.87	265.07	1.23	8.65
		3:00	21.39	49.01	31.52	7.98	9.50	265.27	1.23	7.22
		6:00	21.56	49.47	31.81	7.93	9.00	273.37	0.83	9.29
		9:00	21.92	48.08	30.95	7.92	6.83	271.63	1.77	8.81
		12:00	21.66	47.54	30.61	7.93	7.37	262.83	1.67	7.68
		15:00	22.56	49.39	31.76	7.86	7.68	259.40	0.30	8.67
		18:00	22.32	48.68	31.32	7.85	5.45	248.03	0.53	11.95
		21:00	21.67	49.09	31.57	7.90	5.59	263.23	1.43	10.29
		日平均	21.78	48.68	31.32	7.92	7.29	263.60	1.12	9.07
	潮口站	0:00	22.31	50.31	32.33	7.94	5.90	173.59	4.09	6.40
		3:00	22.95	51.17	32.86	7.98	6.89	167.10	6.07	6.13
		6:00	23.04	51.63	33.15	7.82	5.42	159.86	6.95	5.59
		9:00	23.47	50.24	32.29	7.91	6.50	168.11	5.75	5.41
		12:00	23.65	49.70	31.95	8.03	6.56	127.11	5.02	7.86
		15:00	23.80	51.55	33.10	7.91	6.32	197.91	3.75	8.21
		18:00	22.90	50.84	32.66	7.90	6.00	144.01	4.69	4.08
		21:00	22.86	51.25	32.91	7.92	6.76	148.23	6.73	9.82
		日平均	23.12	50.84	32.66	7.93	6.29	160.74	5.38	6.69
	灣內站	0:00	21.66	49.53	31.85	7.84	9.48	177.12	3.95	13.04
		3:00	21.45	49.46	31.80	7.77	8.72	194.37	3.53	12.36
		6:00	20.44	48.75	31.36	7.78	7.31	174.29	3.07	11.66
		9:00	20.41	47.97	30.88	7.83	8.46	195.49	3.50	7.06
		12:00	21.38	47.89	30.83	7.76	8.55	166.32	3.85	10.32
		15:00	21.53	48.09	30.95	7.78	6.58	206.64	3.17	7.80
		18:00	21.30	48.54	31.23	7.77	11.02	187.04	5.40	9.98
		21:00	21.42	49.15	31.61	7.92	6.44	200.50	3.07	6.02
		日平均	21.20	48.67	31.31	7.81	8.32	187.72	3.69	9.78
環評承諾日平均值標準			—	—	—	7.6~8.5	>5.0	—	—	—